


# Hanford Site



RECEIVED  
APR 27 1998  
OSTI

## Climatological Data Summary 1997, With Historical Data



Prepared for the U.S. Department of Energy  
under Contract DE-AC06-76RL0 1830

## **DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor Battelle Memorial Institute, nor any of their employees, makes **any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights.** Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY  
*operated by*  
BATTELLE  
*for the*  
UNITED STATES DEPARTMENT OF ENERGY  
*under Contract DE-AC06-76RLO 1830*

Printed in the United States of America

Available to DOE and DOE contractors from the  
Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831;  
prices available from (615) 576-8401.

Available to the public from the National Technical Information Service,  
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161



This document was printed on recycled paper.

PNNL-11794  
UC-603

**Hanford Site Climatological Data  
Summary 1997, With Historical Data**

D. J. Hoitink  
K. W. Burk

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

March 1998

Prepared for  
the U.S. Department of Energy  
under Contract DE-AC06-76RLO 1830

*ph*  
**MASTER**

Pacific Northwest National Laboratory  
Richland, Washington 99352

## **DISCLAIMER**

**Portions of this document may be illegible electronic image products. Images are produced from the best available original document.**

## Summary

This document presents the climatological data measured at the U.S. Department of Energy's Hanford Site for calendar year 1997. Pacific Northwest National Laboratory<sup>(a)</sup> operates the Hanford Meteorology Station and the Hanford Meteorological Monitoring Network from which these data were collected. The information contained herein includes updated historical climatologies for temperature, precipitation, normal and extreme values of temperature and precipitation, and other miscellaneous meteorological parameters. Further, the data are adjunct to and update Hoitink and Burk (1994, 1995, 1996, 1997); however, Appendix B—Wind Climatology (1994) is excluded.

1997 was warmer than normal, averaging 54.8°F, 1.5°F above normal (53.3°F). For the 12-month period, 9 months were warmer than normal and 3 were cooler than normal.

1997 was slightly wetter than normal. Precipitation totaled 6.39 in., 102% of normal (6.26 in.); snowfall totaled 7.8 in., compared to the normal of 13.8 in. However, the 1996-1997 winter season was the wettest season (any season, not only winter) on record, having 5.45 in. of precipitation (223% of normal; 2.44 in.). Also, the period November 1996 through March 1997 was the second snowiest on record (40.5 in.).


The average wind speed during 1997 was 7.9 mph, 0.2 mph above normal (7.7 mph). The peak gust during the year was 72 mph from the southwest on October 30. There were 36 days with peak gusts ≥40 mph, compared to a yearly average of 26 mph.

The heating-degree days for 1996-1997 were 5,102 (2% below the 5,231 normal). Cooling-degree days for 1997 were 1,034 (4% above the 994 normal).

For inquiries regarding this report, contact Mr. D. J. Hoitink at Pacific Northwest National Laboratory, P.O. Box 999, Richland, Washington 99352, or by electronic mail at [dana.j.hoitink@pnl.gov](mailto:dana.j.hoitink@pnl.gov).

---

(a) Pacific Northwest National Laboratory is operated by Battelle for the U.S. Department of Energy.



---


## Notes on Units of Measure

This document mainly uses English units (e.g., miles per hour [mph], inches [in.], degrees Fahrenheit [ $^{\circ}$ F]) when presenting all information. This decision to use English units was based on the fact that English units are still the standard in National Oceanic and Atmospheric Administration (specifically, the National Climatic Data Center and National Weather Service) reporting and publications.

Throughout this document the term "normal" is used to indicate climatological normal, defined as an average value over a period of years of any meteorological element such as temperature, pressure, and rainfall. The accepted convention uses a 30-year time period, ending with the first year of each new decade (such as 1951-1980, 1961-1990, 1971-2000). The current time period used for climatological normals is 1961-1990.

Some useful conversions between English units and metric equivalents are:

- 1 foot (ft) = 0.3048 meter (m)
- 1 mile (mi) = 1.609 kilometers (km)
- 1 inch (in.) = 2.54 centimeters (cm)
- 1 mile per hour (mph) = 0.447 meter/second (m/s)
- degrees Fahrenheit ( $^{\circ}$ F) =  $(9/5 \times ^{\circ}\text{C}) + 32$
- degrees Celsius ( $^{\circ}\text{C}$ ) =  $5/9 \times (^{\circ}\text{F} - 32)$ .



## Contents

Summary .....	iii
Notes on Units of Measure .....	v
1.0 Introduction .....	1.1
2.0 Calendar Year 1997 Summary .....	2.1
3.0 Temperature Climatology.....	3.1
3.1 Monthly, Seasonal, and Annual Average.....	3.1
3.2 Days with Maximum Temperatures $\geq 100^{\circ}\text{F}$ , $\geq 90^{\circ}\text{F}$ , and $\leq 32^{\circ}\text{F}$ .....	3.1
3.3 Days with Minimum Temperatures $\leq 32^{\circ}\text{F}$ or $\leq 0^{\circ}\text{F}$ .....	3.8
3.4 Monthly Extreme Daily Maximum and Minimum Temperatures .....	3.13
3.5 Average Daily Temperature Range.....	3.13
3.6 Normal and Extreme Daily Temperatures .....	3.13
3.7 Subsurface Soil Temperatures.....	3.13
3.8 Heating- and Cooling-Degree Days .....	3.23
4.0 Precipitation Climatology.....	4.1
4.1 Monthly and Annual Totals.....	4.1
4.2 Seasonal Precipitation .....	4.1
4.3 Average Number of Days with Specified Amounts of Precipitation .....	4.1
4.4 Total Time with Precipitation Observed .....	4.1
4.5 Notable Wet Periods.....	4.5
4.6 Notable Dry Periods.....	4.5
4.7 Snowfall .....	4.7
4.8 Normal and Maximum Daily Precipitation.....	4.11

5.0 Wind Climatology .....	5.1
5.1 Monthly and Annual Prevailing Wind Directions, Average Speeds, and Peak Gusts.....	5.1
5.2 Days with Peak Gusts Above or Below Specific Thresholds .....	5.1
5.3 Frequency of Monthly and Annual Wind Direction and Speed at 50-Foot Level .....	5.3
5.4 Composite Wind Roses and Joint Frequency Distributions for the Hanford Meteorological Monitoring Network .....	5.4
6.0 Miscellaneous Climatological Statistics .....	6.1
6.1 Sky Cover.....	6.1
6.2 Fog and Dense Fog .....	6.1
6.3 Psychrometric Data .....	6.1
6.4 Solar Radiation.....	6.4
6.5 Thunderstorms .....	6.5
6.6 Dust and Blowing Dust .....	6.5
6.7 Glaze .....	6.5
6.8 Atmospheric Pressure.....	6.6
7.0 References.....	7.1
8.0 Bibliography .....	8.1
Appendix - 1997 Wind Climatology .....	A.1

## Figures

1.1	Map of the Hanford Site and Surrounding Areas .....	1.3
2.1	1997 Hanford Meteorological Monitoring Network Wind Roses at 10-Meter Level .....	2.12
2.2	1997 Hanford Meteorological Monitoring Network Wind Roses at 60-Meter Level .....	2.13
2.3	1997 Observed Daily Temperatures from the Hanford Meteorology Station .....	2.14
5.1	Hanford Meteorological Monitoring Network Wind Roses at 10-Meter Level, 1982 Through 1997 .....	5.5
5.2	Hanford Meteorological Monitoring Network Wind Roses at 60-Meter Level, 1986 Through 1997 .....	5.14

## Tables

1.1	Station Numbers, Names, and Codes for the Hanford Meteorological Monitoring Network .....	1.2
2.1	1997 Daily Temperature Records .....	2.5
2.2	1997 Climatological Data Summary .....	2.6
2.3	1997 Monthly and Seasonal Temperature and Precipitation .....	2.8
2.4	1997 Monthly and Annual Average Temperatures from the Hanford Meteorological Monitoring Network .....	2.9
2.5	1997 Monthly and Annual Average Precipitation from the Hanford Meteorological Monitoring Network .....	2.10
2.6	1997 Monthly and Annual Average Wind Speed from the Hanford Meteorological Monitoring Network .....	2.11
3.1	Monthly and Annual Average Temperatures .....	3.2
3.2	Seasonal Average Temperatures .....	3.3

3.3	Monthly and Seasonal Number of Days with Maximum Temperatures Above or Below Certain Thresholds .....	3.4
3.4	Days with Maximum Temperatures $\geq 104^{\circ}\text{F}$ .....	3.6
3.5	Record of Annual First and Last Dates with Maximum Temperatures $\geq 90^{\circ}\text{F}$ and Minimum Temperatures $\leq 32^{\circ}\text{F}$ .....	3.7
3.6	Monthly and Annual Maximum Temperatures .....	3.9
3.7	Monthly and Seasonal Number of Days with Minimum Temperatures Below Certain Thresholds .....	3.10
3.8	Days with Minimum Temperatures $\leq 0^{\circ}\text{F}$ .....	3.11
3.9	Monthly and Annual Minimum Temperatures .....	3.12
3.10	Monthly Normal Temperatures and Monthly Extremes of Maximum and Minimum Temperatures .....	3.14
3.11	Average Daily Temperature Range .....	3.15
3.12	Normal and Extreme Daily Maximum and Minimum Temperatures .....	3.16
3.13	Subsurface Soil Temperatures at Depths of 0.5, 15, and 36 Inches .....	3.24
3.14	Monthly and Seasonal Heating-Degree Days .....	3.25
3.15	Monthly and Annual Cooling-Degree Days .....	3.26
4.1	Monthly and Annual Precipitation .....	4.2
4.2	Seasonal Precipitation .....	4.3
4.3	Average Number of Days with Precipitation of Specified Amount .....	4.4
4.4	Monthly and Annual Averages and Extremes in Total Time with Precipitation Observed: July 1946 Through June 1971, July 1974 Through December 1997 .....	4.4
4.5	Total Duration of Precipitation by Month and Year .....	4.6
4.6	Monthly and Seasonal Snowfall, Including First and Last Dates of Both Trace and Measurable Snowfalls .....	4.8
4.7	Miscellaneous Snowfall Statistics, 1946 Through 1997 .....	4.10

4.8	Maximum Precipitation .....	4.12
4.9	Normal and Maximum Daily Precipitation .....	4.13
5.1	Monthly and Annual Prevailing Wind Directions, Average Speeds, and Peak Gusts at 50-Foot Level, 1945 Through 1997.....	5.1
5.2	Number of Days with Peak Gusts Above or Below Specific Thresholds at 50-Foot Level, 1945 Through 1997 .....	5.2
5.3	Frequency of Monthly and Annual Wind Direction and Speed at 50-Foot Level, 1955 Through 1996 .....	5.3
5.4	Joint Frequency Distributions for Hanford Meteorological Monitoring Network Wind Stations at 10-Meter Level, 1982 Through 1997 .....	5.6
5.5	Joint Frequency Distributions for Hanford Meteorological Monitoring Network Wind Stations at 60-Meter Level, 1986 Through 1997 .....	5.15
6.1	Average Sky Cover, 1946 Through 1997, and Number of Days Clear, Partly Cloudy, and Cloudy, 1954 Through 1997.....	6.2
6.2	Monthly and Annual Number of Days with Fog and Dense Fog, 1945 Through 1997 .....	6.3
6.3	Monthly Averages and Extremes of Psychrometric Data, 1950 Through 1997 .....	6.4
6.4	Average and Extreme Solar Radiation Daily Values, 1953 Through 1997 .....	6.4
6.5	Average Number of Days of Various Meteorological Phenomena, 1945 Through 1997 ....	6.5
6.6	Average and Extreme Station and Sea-Level Pressure Data, 1955 Through 1997.....	6.7

## 1.0 Introduction

The U.S. Department of Energy's Hanford Site lies within the semiarid shrub-steppe Pasco Basin of the Columbia Plateau in southeastern Washington state. The Hanford Site occupies an area of ~560 mi<sup>2</sup> north of the confluence of the Snake and Yakima Rivers with the Columbia River. The Columbia River flows through the northern part of the Hanford Site and, turning south, forms part of the site's eastern boundary. The Yakima River runs along part of the southern boundary and joins the Columbia River below the city of Richland, which bounds the Hanford Site on the southeast. Rattlesnake Mountain, Yakima Ridge, and Umtanum Ridge form the southwestern and western boundaries. The Saddle Mountains form the northern boundary of the Hanford Site.

The Cascade Range, beyond Yakima to the west, greatly influences the climate of the Hanford Site area by means of its rain shadow effect. This mountain range also serves as a source of cold air drainage, which has a considerable effect on the wind regime on the Hanford Site. The regional temperatures, precipitation, and winds are greatly affected by the presence of mountain barriers. The Rocky Mountains and ranges in southern British Columbia are effective in protecting the inland basin from the more severe winter storms and associated cold polar air masses moving southward across Canada.

This document presents the calendar year 1997 climatological data summary for the Hanford Meteorology Station (HMS) and additional climatologies for temperature, wind, precipitation, and other meteorological parameters for the HMS and the automated stations of the Hanford Meteorological Monitoring Network (HMMN). Climatological normal and extreme values for temperature and precipitation are also presented. Currently, 30 monitoring stations are within and located near the U.S. Department of Energy's Hanford Site (Table 1.1, Figure 1.1). A detailed description of each of the monitoring stations, including photographs of the topography surrounding each site, is provided in Glantz and Islam (1988).

Operation of the HMS is a function of the Meteorological and Climatological Services Project funded by the U.S. Department of Energy. This project, managed by the Pacific Northwest National Laboratory, is responsible for providing the U.S. Department of Energy and Hanford Site contractors ongoing meteorological and climatological services support, primarily for emergency response activities, Hanford Site work scheduling, and general site safety. Detailed, real-time meteorological data are needed in the event of a release of hazardous material to the atmosphere from any of the Hanford Site facilities. These data can be used to model atmospheric dispersion and to estimate the environmental impacts of the release. Meteorological data and weather forecasts are also necessary to ensure that operations and activities on the Hanford Site are conducted safely, particularly where specific weather conditions might impact those operations or activities. The climatological database is also used in environmental studies, environmental impact reports, facility design, and planning operations.

During the period April 1912 through March 1943, cooperative observers for the U.S. Weather Bureau (now the National Weather Service) recorded daily maximum and minimum temperatures and precipitation, including measurements of unmelted snow at the Old Hanford Townsite ~10 mi east-northeast of the present HMS. From late 1943 until mid 1944, the U.S. Weather Bureau recorded some

**Table 1.1.** Station Numbers, Names, and Codes for the Hanford Meteorological Monitoring Network

Station Number	Station Name	Station Code	Period of Operation
1	Prosser Barricade	PROS	01/82 - Present
2	Emergency Operations Center	EOC	01/82 - Present
3	Army Loop Road	ARMY	01/82 - Present
4	Rattlesnake Springs	RSPG	01/82 - Present
5	Edna	EDNA	01/82 - Present
6	200 East	200E	01/82 - Present
7	200 West	200W	01/82 - Present
8B	Beverly	BVLY	08/91 - Present
8W	Wahluke (no longer active)	WAHL	01/82 - 07/91
9	Fast Flux Test Facility	FFTF	01/82 - Present
10	Yakima Barricade	YAKB	01/82 - Present
11	300 Area	300A	01/82 - Present
12	Wye Barricade	WYEB	01/82 - Present
13	100-N	100N	01/82 - Present
14	WNP-2	WPPS	01/82 - Present
15	Franklin County	FRNK	01/82 - Present
16	Gable Mountain	GABL	01/82 - Present
17	Ringold	RING	01/82 - Present
18	Richland Airport	RICH	01/82 - Present
19P	Plutonium Finishing Plant-200W	PFP	02/94 - Present
19S	Sagehill (no longer active)	SAGE	03/82 - 01/93
20	Rattlesnake Mountain	RMTN	01/82 - Present
21	Hanford Meteorology Station	HMS	01/82 - Present
22	Pasco Airport	PASC	10/87 - Present
23	Gable West	GABW	03/86 - Present
24	100-F	100F	03/86 - Present
25	Vernita Bridge	VERN	02/88 - Present
26	Benton City	BENT	02/95 - Present
27	Tri-City Vocational Skills Center	VSTA	02/91 - Present
28	Roosevelt, WA	SURF	09/94 - Present
29	100-K	100K	03/96 - Present
30	HAMMER	HAMR	01/98 - Present

meteorological operations in Richland. Then, in 1944 as part of the Manhattan Project, the HMS was established. Hourly observations began on December 7, 1944.

The HMS and its 410-ft instrument tower are located near the center of the Hanford Site between the 200-West and 200-East Areas (see Figure 1.1). Hourly observations of wind direction, wind speed, and air temperature are made at multiple levels on the 410-ft tower. Throughout this document, wind measurements from the HMS are made at the 50-ft level and temperature measurements are made at the 3-ft level. A variety of other meteorological parameters are also measured or observed, including current




Figure 1.1. Map of the Hanford Site and Surrounding Areas

weather, dew point temperature, relative humidity, precipitation, atmospheric pressure, cloud cover, visibility, and solar radiation. Several climatological summaries of data collected at the HMS, at the Old Hanford Townsite, and Richland monitoring locations were published over the past 30 years (Jenne and Kerns 1959; Stone et al. 1972, 1983; Hoitink and Burk 1994, 1995, 1996, 1997).

This document is composed of the following information. The 1997 calendar year summary of climatological data for the Hanford Site is contained in Section 2.0. Temperature, precipitation, wind, and miscellaneous climatological statistics are contained in Sections 3.0 through 6.0, respectively. Section 7.0 lists the references cited in the document, and Section 8.0 gives a bibliography of database, computer code, and other pertinent reports. The appendix gives the station-specific wind roses and joint frequency distributions for 1997.

## 2.0 Calendar Year 1997 Summary

Calendar year 1997 was warmer than normal. The average temperature was 54.8°F, 1.5°F above normal (53.3°F). The warmest year on record is 1992, which averaged 56.4°F; the coldest is 1985, which averaged 49.6°F.

Nine months during 1997 were warmer than normal, 4 of which were at least 2.5°F above normal. Only 3 months were cooler than normal. May had the greatest positive departure (+3.7°F), and June the greatest negative departure (-1.2°F).

1997 was only slightly wetter than normal, after two consecutive years of record precipitation. Precipitation for 1997 totaled 6.39 in., 102% of normal (6.26 in.). The wettest year was 1995 with 12.31 in.; the driest was 1976 with only 2.99 in. Calendar year snowfall totaled 7.8 in., compared to an annual normal of 13.8 in. The highest calendar year snowfall was 57.5 in. (1996).

January 1997 was warmer than normal, averaging 33.6°F, 2.3°F above normal (31.3°F). Temperatures for the first 11 days of the month averaged 11.4°F above normal. The warmest January averaged 42.5°F (1953); the coldest averaged only 12.1°F (1950). Precipitation for the month totaled 1.51 in., 191% of normal (0.79 in.). The wettest January (1970) received 2.47 in.; the driest (1977) received only 0.08 in. January snowfall totaled 1.8 in., compared to a January normal of 3.9 in. The snowiest January (1950) received 23.4 in.; January 1994 received no snow at all.

February 1997 was warmer than normal, averaging 40.2°F, 2.2°F above normal (38.0°F). The warmest February averaged 44.5°F (1958 and 1991); the coldest (1956) averaged 25.6°F. Precipitation for February 1996 totaled 0.25 in., 40% of normal (0.62 in.). The wettest February (1961) received 2.10 in.; the driest (1988 and earlier years) received only a trace. February snowfall totaled 2.7 in., compared to a February normal of 2.0 in. The snowiest February (1989) received 17.0 in.; numerous Februaries received no snow at all.

The 1996-1997 winter season (December 1996, January and February 1997) was slightly warmer and much wetter than normal. The average temperature of 34.5°F was 0.9°F above normal (33.6°F). Winter season precipitation totaled 5.45 in., 223% of normal (2.44 in.), and was the wettest season (any season, not only winter) on record. The previous wettest winter (and season) was 1958-1959, which received 5.06 in. The wettest nonwinter season was 4.79 in. (autumn 1973).

March 1997 was warmer than normal, averaging 47.5°F, 1.9°F above normal (45.6°F). The warmest March averaged 51.5°F (1992); the coolest (1955) averaged 39.4°F. Precipitation for March 1997 totaled 0.70 in., 149% of normal (0.47 in.). The wettest March (1957) received 1.86 in.; the driest (1968) received 0.02 in. March snowfall totaled 1.5 in., compared to a March normal of 0.3 in. The snowiest March (1951) received 4.2 in.; numerous Marchs (as recently as 1995) received no snowfall. Total snowfall for the period November 1996 through March 1997 was 40.5 in., the second snowiest

period on record. The snowiest was 56.1 in. (1992-1993). The wind storm of Easter Sunday, March 30, 1997, produced the highest wind gust at the HMS in more than a year. The gust of 59 mph was the highest since a gust of 61 mph on December 12, 1995. Also, the average wind speed for the month (9.6 mph) was the highest monthly average wind speed in nearly 6 years, since an average speed of 10.0 mph in April 1991.

April 1997 was slightly cooler than normal, averaging 51.8°F, 0.9°F below normal (52.7°F). The warmest April averaged 58.2°F (1994); the coolest (1955) averaged 47.5°F. Precipitation for April 1997 totaled 0.33 in., 80% of normal (0.41 in.). The wettest April (1995) received 1.54 in.; the driest (1986 and earlier years) received only a trace.

May 1997 was warmer than normal, averaging 65.0°F, 3.7°F above normal (61.3°F). Temperatures during the period May 9 through 19 averaged 11.0°F above normal. The warmest May averaged 68.7°F (1947); the coolest (1984) averaged 56.0°F. Precipitation for May 1997 totaled 0.33 in., 65% of normal (0.51 in.). The wettest May (1972) received 2.03 in.; the driest (1992) received only a trace.

Spring 1997 (March, April, and May) was warmer than normal, averaging 54.8°F, 1.6°F above normal (53.2°F). The warmest spring (1992) averaged 58.2°F; the coolest (1955) averaged 48.0°F. Spring 1997 precipitation totaled 1.36 in., 97% of normal (1.40 in.). The wettest spring (1995) received 3.28 in.; the driest (1968) received only 0.09 in.

June 1997 was cooler than normal, averaging 68.5°F, 1.2°F below normal (69.7°F). The warmest June averaged 76.8°F (1992); the coolest (1953) averaged 63.0°F. Precipitation for June 1997 totaled only 0.46 in., 121% of normal (0.38 in.). The wettest June (1950) received 2.92 in.; the driest (1986) received only a trace.

July 1997 was slightly cooler than normal, averaging 75.3°F, 0.9°F below normal (76.2°F). The warmest July averaged 82.2°F (1985); the coolest (1993) averaged 70.5°F. Precipitation for July 1997 totaled 0.19 in., 106% of normal (0.18 in.). The wettest July (1993) received 1.76 in.; the driest (1980 and earlier years) received only a trace. There were 6 thunderstorms recorded in July, compared to a July average of 2 and a record of 8 in July 1983.

August 1997 was warmer than normal, averaging 78.0°F, 2.9°F above normal (75.1°F). The warmest August averaged 81.5°F (1967); the coolest (1964) averaged 69.8°F. Precipitation for August 1997 totaled only 0.06 in., 22% of normal (0.27 in.). The wettest August (1977) received 1.36 in.; the driest (1988 and earlier years) received no precipitation. The peak wind gust for the month was 55 mph recorded on August 26. This gust occurred during the passing of a cold front, which included a dust storm that reduced visibility at the HMS to only 0.5 mi.

The summer season (June, July, and August) was slightly warmer than normal, averaging 73.9°F, 0.2°F above normal (73.7°F). The hottest temperature during the summer season was 106°F on

August 4 and 14, 1997. The warmest summer (1958) averaged 78.2°F; the coolest (1980) averaged only 70.2°F. There were 48 days with maximum temperatures  $\geq$  90°F (normal through August is 47 days); 10 of those days had maximum temperatures  $\geq$  100°F (normal is 13 days). Summer season precipitation totaled 0.71 in., 86% of normal (0.83 in.). The wettest summer (1950) received 2.99 in.; the driest summer (1973) received only 0.03 in.

September 1997 was slightly warmer than normal, averaging 66.8°F, 1.1°F above normal (65.7°F). The warmest September averaged 72.4°F (1990); the coolest (1985) averaged 58.8°F. Precipitation for September 1997 totaled 0.32 in., 103% of normal (0.31 in.). The wettest September (1947) received 1.34 in.; the driest (1991) received no precipitation.

The total number of days during 1997 with maximum temperatures  $\geq$  90°F was 53, compared to a normal of 52 such days. The greatest number of days was 79 in 1967; the least was 29 in 1980. The total number of days with maximum temperatures  $\geq$  100°F was 10, compared to a normal of 13. The greatest number of such days was 28 in 1958; the least was 1 in 1954.

October 1997 was just slightly warmer than normal, averaging 53.2°F, 0.3°F above normal (52.9°F). The warmest October averaged 59.6°F (1988); the coolest (1984) averaged 47.9°F. Precipitation for October 1997 totaled 0.92 in., 242% of normal (0.38 in.). The wettest October (1957) received 2.72 in.; the driest (1987 and earlier years) received only a trace. The peak wind gust of 72 mph on October 30, 1997 was a new record for the month of October (the previous peak gust was 63 mph in 1950). This was the fourth highest wind gust ever recorded at the HMS, and the highest since a gust of 73 mph on January 28, 1990. The highest wind gust ever recorded at the HMS was 80 mph on January 11, 1972.

November 1997 was warmer than normal, averaging 43.2°F, 3.0°F above normal (40.2°F). The period November 18 through 30 averaged 7.8°F above normal. The warmest November averaged 46.5°F (1990); the coldest (1985) averaged 24.8°F. Precipitation for November 1997 totaled 1.01 in., 111% of normal (0.91 in.). The wettest November (1996) received 2.67 in.; the driest November (1976) received only a trace. There was no snowfall recorded during November 1997, compared to a November normal of 1.8 in. The snowiest November (1985) received 18.3 in.; numerous Novembers received no snow at all.

Autumn 1997 (September, October, and November) was warmer than normal, averaging 54.4°F, 1.5°F above normal (52.9°F). The warmest autumn (1990) averaged 57.1°F; the coolest (1985) averaged 44.5°F. Autumn 1997 was wetter than normal, receiving 2.25 in. of precipitation, 141% of normal (1.60 in.). The wettest autumn was 1973 with 4.79 in.; the driest (1976) received only 0.04 in.

December 1997 was warmer than normal, averaging 34.7°F, 3.3°F above normal (31.4°F). The last half of the month averaged 6.9°F above normal. The warmest December averaged 38.5°F (1957); the coolest (1985) averaged 21.0°F. Precipitation for December 1997 totaled 0.31 in., 30% of normal (1.01 in.). The wettest December (1996) received 3.69 in.; the driest (1976) received 0.11 in. December snowfall totaled 1.8 in., compared to a December normal of 5.7 in. The snowiest December (1996) received 22.6 in.; December 1962 received only a trace.

The following are some additional statistics for 1997:

Category	Number of days	Record		
		Normal	Maximum	Minimum
Maximum temperatures $\geq 100^{\circ}\text{F}$	10	13	28	1
Maximum temperatures $\geq 90^{\circ}\text{F}$	53	52	79	29
Maximum temperatures $\leq 32^{\circ}\text{F}$	26	24	58	2
Minimum temperatures $\leq 32^{\circ}\text{F}$	101	107	139	77
Minimum temperatures $\leq 0^{\circ}\text{F}$	0	3	18	0
Thunderstorms	9	10	23	3
Fog (visibility $\leq 6 \text{ mi}$ )	46	45	76	22
Dense fog (visibility $\leq 0.25 \text{ mi}$ )	28	24	42	9
Peak wind gusts $\leq 12 \text{ mph}$	45	50	87	28
Peak wind gusts $\geq 25 \text{ mph}$	152	155	190	123
Peak wind gusts $\geq 40 \text{ mph}$	36	26	57	10
Peak wind gusts $\geq 50 \text{ mph}$	5	5	18	0

Table 2.1 lists the daily temperature records for 1997 along with the previous record and year of occurrence. Table 2.2 lists the monthly and annual totals for numerous meteorological parameters for 1997. Table 2.3 lists the 1997 monthly and seasonal temperature and precipitation compared to normals and extremes. Tables 2.4, 2.5, and 2.6 list the 1997 monthly and annual average temperature, precipitation, and wind speed, respectively, from the HMMN.

Figures 2.1 and 2.2 give a composite of the wind roses (at the 10- and 60-m levels, respectively) from the HMMN for 1997. The appendix gives the individual 1997 wind roses from the HMMN stations.

Figure 2.3 depicts the 1997 observed daily maximum and minimum temperatures and the normal maximum, minimum, and mean daily temperatures for the HMS.

**Table 2.1.** 1997 Daily Temperature Records (previous record and year of occurrence in parentheses)

Date	Maximum		Minimum	
	High	Low	High	Low
Jan 2	57 (56, 1963)			
Feb 14	62 <sup>(a)</sup> (62, 1982)			
Mar 19			53 (47, 1947)	
Apr 6				25 (28, 1967 <sup>b)</sup>
Apr 12				26 (28, 1971 <sup>b)</sup>
May 2				30 (32, 1948)
May 13	94 (93, 1973 <sup>b)</sup>		66 (65, 1949)	
May 15			67 (64, 1973 <sup>b)</sup>	
Jun 22				46 <sup>(a)</sup> (46, 1987 <sup>b)</sup>
Jun 10				49 <sup>(a)</sup> (49, 1976)
Aug 18			71 (70, 1991 <sup>b)</sup>	
Sep 3		71 (72, 1970)		
Oct 8		50 (51, 1985)		
Oct 17	77 (76, 1963)			
Oct 29			50 (48, 1974)	
Oct 30			50 (49, 1986 <sup>b)</sup>	
Nov 7			48 <sup>(a)</sup> (48, 1980)	
Dec 16	60 (56, 1973)			
Dec 28	57 (56, 1957 <sup>b)</sup>			

(a) Ties record.

(b) Most recent of several occurrences.

Table 2.2. 1997 Climatological Data Summary

Month	Temperatures, °F		Degree Days Base 65, °F				Precipitation, in.				Relative Humidity, %	
	Averages		Extremes		Heating Degree Days		Total Precipitation		Snow, Ice Pellets, in.		Average	Departure
	Daily Maximum	Daily Minimum	Monthly Maximum	Monthly Minimum	Lowest Date	Highest Date	Departure (e)	Departure (e)	24 Hours in Total	24 Hours in Departure (e)	Departure (e)	Departure (e)
J	41.4	25.8	33.6	+2.3	57	2	8	14	973	-71	0	0
F	49.6	30.8	40.2	+2.2	64	15	20	5	692	-72	0	0
M	58.5	36.4	47.5	+1.9	76	25	28	14	544	-58	0	0
A	64.7	39.0	51.8	-0.9	75	26	25	6	395	+23	0	-3
M	79.1	51.0	65.0	+3.7	94	13(e)	30	2	95	-69	96	+48
J	82.2	54.9	68.5	-1.2	98	15	46	22(e)	13	-19	118	-57
J	90.9	59.7	75.3	-0.9	101	21(e)	49	10	2	-3	324	-27
A	93.6	62.4	78.0	+2.9	106	14(e)	52	29	0	-5	404	+87
S	80.2	53.5	66.8	+1.1	95	1	44	21	38	-40	92	-6
O	65.4	41.0	53.2	+0.3	77	17	29	25	367	-10	0	-3
N	51.9	34.4	43.2	+3.0	63	1	23	13	658	-88	0	0
D	41.8	27.5	34.7	+3.3	60	16	19	22	941	-101	0	0
Year	66.7	43.1	54.8	+1.5	106	Aug	8	Jan	4,718	-513	1,034	+39
				14(e)					6.39	+0.13	0.69	Jan 31
											7.8	-6.0
											Feb 11	2.7
												55.6
												+1.3

Table 2.2. (contd)

Month	Mean Sky Cover, Tenths	Solar Radiation, Langleys		50-ft Wind		Peak Gusts		Thunderstorms		Heavy Fog		Precipitation >0.10 in.		Snowfall >1 in.		Number of Days					
		Average		Departure <sup>(a)</sup>		Date		Average Speed, mph		Departure <sup>(a)</sup>		Speed, mph		Date		Average Temperature, °F		Minimum Temperature, °F			
		Day	Total	Day	Total	Day	Total	Day	Total	Day	Total	Day	Total	Day	Total	Day	Total	Day	Total		
J	7.0	-1.1	105	-4	173	29	20	6.6	+0.1	49	SSW	1	0	3	4	0	0	8	24	0	
F	6.6	-1.0	187	0	295	24	26	6	7.4	+0.2	42	W	19	0	4	1	1	0	2	18	0
M	7.4	+0.6	265	-59	425	25	76	18	9.6	+1.3	59	WSW	30	0	0	3	1	0	0	10	0
A	5.8	-0.8	403	-49	571	20	124	13	9.1	0.1	54	WSW	20	0	0	1	0	0	0	7	0
M	5.7	-0.3	488	-72	652	18	118	25	8.2	-0.9	36	SW	31	2	0	1	0	5	0	1	0
J	4.9	-0.3	546	-69	691	26	277	4	9.0	-0.2	48	W	17	1	0	3	0	0	0	0	0
J	3.4	+0.1	556	-76	658	3	135	29	8.4	-0.4	45	SW	9	6	0	1	0	18	0	0	0
A	3.3	-0.2	495	-43	595	10	170	20	8.0	+0.1	55	WSW	26	0	0	0	0	22	0	0	0
S	4.8	+0.8	316	-92	451	4	65	14	8.1	+0.7	48	WSW	26	0	0	2	0	5	0	0	0
O	5.7	0.0	210	-49	328	2	58	1	8.3	+1.8	72	SW	30	0	2	3	0	0	0	4	0
N	6.5	-1.3	118	-5	215	1	23	7	6.2	-0.2	33	S	28	0	9	3	0	0	0	12	0
D	8.7	+0.6	64	-22	134	30	11	25	5.5	-0.4	41	S	16	0	10	1	1	0	2	25	0
Year	5.8	-0.3	313	-45	691	Jun	11	Dec	7.9	+0.2	72	SW	Oct	9	28	23	3	53	12	101	0
						26	25						30								

(a) Departure columns indicate positive or negative departure of meteorological parameters from 30-year (1961-1990) climatological normals.

(b) Trace of snowfall is normal; no occurrence in April.

(c) Latest date of multiple occurrences.

T = Trace.

Table 2.3. 1997 Monthly and Seasonal Temperature and Precipitation

Month/ Season	Average Temperature, °F	Departure <sup>(a)</sup>	Normal, °F	Warmest of Record, °F	Year	Coolest of Record, °F	Year	Precipitation, in.	Percent of Normal	Wettest of Record, in.	Year	Driest of Record, in.	Year
Jan	33.6	+2.3	31.3	42.5	1953	12.1	1950	1.51	191	0.79	2.47	1970	0.08
Feb	40.2	+2.2	38.0	44.5	1958	25.6	1956	0.25	40	0.62	2.10	1961	T 1988 <sup>(b)</sup>
Mar	47.5	+1.9	45.6	51.5	1992	39.4	1955	0.70	149	0.47	1.86	1957	0.02
Apr	51.8	-0.9	52.7	58.2	1994	47.5	1955	0.33	80	0.41	1.54	1995	T 1986 <sup>(b)</sup>
May	65.0	+3.7	61.3	68.7	1947	56.0	1984	0.33	65	0.51	2.03	1972	T 1992 <sup>(b)</sup>
Jun	68.5	-1.2	69.7	76.8	1992	63.0	1953	0.46	121	0.38	2.92	1950	T 1986 <sup>(b)</sup>
Jul	75.3	-0.9	76.2	82.2	1935	70.5	1993	0.19	106	0.18	1.76	1993	T 1980 <sup>(b)</sup>
Aug	78.0	+2.9	75.1	81.5	1957	69.8	1964	0.06	22	0.27	1.36	1977	0 1988 <sup>(b)</sup>
Sep	66.8	+1.1	65.7	72.4	1990	58.8	1985	0.32	103	0.31	1.34	1947	0 1991
Oct	53.2	+0.3	52.9	59.6	1988	47.9	1984	0.92	242	0.39	2.72	1957	T 1987 <sup>(b)</sup>
Nov	43.2	+3.0	40.2	46.5	1990	24.8	1985	1.01	111	0.91	2.67	1996	T 1976
Dec	34.7	+3.3	31.4	38.5	1957	21.0	1985	0.31	30	1.03	3.69	1996	0.11 1976
Winter	34.5	+0.9	33.6	40.6	1966-67	24.2	1948-49	5.45	223	2.44	5.45	1996-97	0.70 1946-47
Spring	54.8	+1.6	53.2	58.2	1992	48.0	1955	1.36	97	1.40	3.28	1995	0.09 1968
Summer	73.9	+0.2	73.7	78.2	1958	70.2	1980	0.71	86	0.83	2.99	1950	0.03 1973
Autumn	54.4	+1.5	52.9	57.1	1990	44.5	1985	2.25	141	1.60	4.79	1973	0.04 1976
Calendar	54.8	+1.5	53.3	56.4	1992	49.6	1985	6.39	102	6.26	12.31	1995	2.99 1976
year													

(a) Departure indicates positive or negative departure from 30-year (1961-1990) climatological normals.

(b) Latest of multiple occurrences.

T = Trace.

**Table 2.4.** 1997 Monthly and Annual Average Temperatures (°F) from the Hanford Meteorological Monitoring Network

Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1 PROS	32.7	38.8	46.7	51.1	64.2	67.8	74.9	77.1	65.0	51.0	41.5	33.6	53.8
2 EOC	33.8	39.2	46.5	51.0	63.8	66.5	74.1	77.2	66.3	52.7	42.2	34.9	54.1
3 ARMY	33.0	39.0	47.2	51.6	65.0	68.2	75.5	77.9	66.3	52.0	41.5	33.6	54.3
4 RSPG	33.3	39.3	47.0	51.1	63.7	67.4	73.7	76.6	65.1	51.0	39.4	34.4	53.7
5 EDNA	32.4	39.2	47.1	51.4	64.2	67.6	74.6	77.0	65.2	51.2	42.6	36.7	54.2
6 200E	33.1	39.5	47.4	52.7	66.1	68.8	76.1	78.7	67.3	53.4	42.5	34.9	55.1
7 200W	32.0	37.9	46.3	50.7	63.8	67.6	74.5	76.6	64.4	50.8	40.5	33.3	53.3
8 BVLY	32.6	38.6	46.4	52.0	64.5	67.9	74.6	76.9	65.9	52.9	42.3	35.2	54.2
9 FFTF	33.0	39.1	46.9	51.8	64.9	67.9	75.0	77.4	65.9	52.3	41.9	34.3	54.4
10 YAKB	32.9	38.9	46.4	51.7	64.8	67.9	75.3	78.2	66.5	52.5	41.8	34.4	54.4
11 300A	33.3	39.3	47.1	51.8	64.3	67.6	74.5	76.6	65.2	52.1	42.2	34.8	54.2
12 WYEB	32.7	38.6	46.8	51.6	65.0	68.0	75.3	77.7	65.9	52.0	41.5	33.5	54.1
13 100N	31.8	37.5	45.9	50.7	63.9	67.2	74.2	76.6	65.3	52.3	41.5	34.2	53.5
14 WPPS	32.4	38.0	46.3	50.9	65.3	67.4	74.4	76.6	64.9	51.1	41.0	33.3	53.4
15 FRNK	32.5	38.6	46.0	50.5	62.6	64.9	71.4	73.0	63.8	51.0	41.0	34.0	52.4
16 GABL	32.9	38.8	46.1	51.5	64.6	67.1	74.6	77.7	66.9	53.0	42.2	34.6	54.1
17 RING	32.4	38.4	46.5	50.6	63.2	65.8	72.0	73.7	63.5	50.7	41.1	33.8	52.7
18 RICH	34.4	40.3	48.0	52.6	64.9	67.9	74.9	77.2	66.1	53.1	43.1	35.7	55.0
19 PFP	32.5	38.7	46.7	51.7	64.9	67.9	75.2	77.7	66.0	52.2	41.6	34.0	54.2
20 RMTN	28.9	31.3	36.1	41.8	54.9	56.9	65.5	68.7	58.6	45.2	37.7	29.9	46.5
21 HMS	33.6	40.2	47.5	51.8	65.0	68.5	75.3	78.0	66.8	53.2	43.2	34.7	54.8
22 PASC	33.7	39.9	47.9	52.6	65.1	68.4	74.8	76.9	65.7	52.4	42.6	35.1	54.7
23 GABW	31.4	37.7	45.9	50.7	64.1	67.7	74.7	76.9	64.9	51.0	40.4	33.3	53.3
24 100F	31.8	38.0	46.2	51.0	64.2	67.7	74.7	77.0	65.4	51.5	41.0	33.9	53.6
25 VERN	33.3	38.9	46.8	52.0	64.8	68.1	75.4	78.3	67.1	53.6	42.9	35.6	54.8
26 BENT	32.3	38.4	45.7	50.6	63.2	65.5	68.7	74.8	64.0	50.9	41.3	33.7	52.3
27 VSTA	36.0	41.0	48.5	53.2	65.2	68.1	74.9	76.7	61.3	53.1	43.5	36.6	54.9
28 SURF	34.9	39.9	46.2	51.8	64.3	66.9	74.4	77.1	66.0	52.8	44.1	37.4	54.7
29 100K	32.1	38.1	46.5	51.4	64.7	67.8	74.9	77.4	65.9	52.4	41.5	34.2	54.0

(a) Partial year, no annual average.

**Table 2.5.** 1997 Monthly and Annual Average Precipitation (in.) from the Hanford Meteorological Monitoring Network<sup>(a)</sup>

Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1 PROS	1.32	0.22	0.67	0.51	0.58	0.33	0.43	0.15	0.55	0.63	0.71	0.37	6.47
2 EOC	2.00	0.48	1.32	0.61	0.34	0.55	0.16	0.13	0.75	1.29	0.84	0.49	8.96
3 ARMY	1.52	0.17	0.60	0.35	0.37	0.31	0.12	0.09	0.33	0.60	1.00	0.19	5.65
4 RSPG	1.23	0.22	0.57	0.54	0.25	0.48	0.12	0.06	0.39	0.34	(b)	0.22	4.42
6 200E	1.45	0.20	0.78	0.26	0.43	0.22	0.34	0.09	0.29	0.62	0.77	0.23	5.68
7 200W	1.09	0.22	0.47	0.35	0.27	0.37	0.37	0.00	0.28	1.11	1.19	0.24	5.96
8 BVLY	0.74	0.19	0.62	0.32	0.85	0.36	0.20	0.15	0.44	1.08	0.86	0.25	6.06
9 FFTF	1.23	0.12	0.57	0.33	0.43	0.31	0.49	0.14	0.40	0.44	0.61	0.14	5.21
10 YAKB	1.02	0.15	0.43	0.32	0.26	0.49	0.38	0.07	0.36	1.05	0.92	0.25	5.70
11 300A	1.23	0.18	0.67	0.56	0.42	0.14	0.34	0.23	0.12	0.66	0.76	0.32	5.63
12 WYEB	0.88	0.15	0.71	0.49	0.31	0.28	0.28	0.07	0.44	0.58	0.78	0.23	5.20
13 100N	1.44	0.19	0.63	0.17	0.23	0.12	0.40	0.00	0.26	0.93	0.61	0.22	5.20
14 WPPS	1.43	0.16	0.80	0.43	0.45	0.29	0.34	0.12	0.39	0.46	0.67	0.30	5.84
17 RING	1.56	0.27	0.94	0.38	0.61	0.19	0.59	0.15	0.49	0.92	0.89	0.22	7.21
18 RICH	1.14	0.21	0.61	0.57	0.42	0.19	0.16	0.11	0.38	0.83	0.63	0.30	5.55
20 RMTN	1.58	0.49	1.14	0.24	0.12	0.15	0.06	0.01	0.22	0.16	0.14	0.03	4.34
21 HMS	1.51	0.25	0.70	0.33	0.33	0.46	0.19	0.06	0.32	0.92	1.01	0.31	6.39
22 PASC	1.72	0.36	0.63	0.68	0.46	0.85	0.37	0.06	0.47	0.99	0.92	0.39	7.90
24 100F	1.51	0.25	0.82	0.28	0.46	0.20	0.38	0.05	0.29	0.76	0.95	0.41	6.36
26 BENT	(b)	0.40	1.03	0.75	0.48	0.48	0.42	0.11	0.71	1.30	1.11	0.42	7.21
27 VSTA	1.20	0.16	0.45	0.62	0.24	0.20	0.16	0.07	0.31	0.67	0.70	0.19	4.97
28 SURF	2.00	0.44	1.37	0.83	0.38	0.30	0.09	0.08	0.65	1.30	0.52	0.45	8.41
29 100K	1.53	0.24	0.65	0.22	0.34	0.27	0.31	0.02	0.24	0.92	0.82	0.30	5.86


(a) Stations 5, 15, 16, 19, 23, and 25 are solar powered; therefore, insufficient power is available to operate the heated tipping-bucket precipitation gauges.

(b) Missing data.

**Table 2.6.** 1997 Monthly and Annual Average Wind Speed (mph) from the Hanford Meteorological Monitoring Network


Station	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1 PROS	7.6	7.6	9.6	8.2	6.9	8.1	6.7	6.6	6.8	7.1	6.7	5.2	7.3
2 EOC	9.5	9.8	13.2	9.8	8.4	8.9	7.9	8.3	9.8	9.9	8.9	6.5	9.2
3 ARMY	5.9	6.2	9.2	8.0	6.7	7.2	6.5	6.4	6.5	7.0	5.2	4.2	6.6
4 RSPG	5.8	7.0	9.0	8.5	7.1	7.7	7.3	7.0	7.8	7.2	5.8	5.4	7.2
5 EDNA	5.6	5.4	7.8	7.3	6.2	7.4	6.2	6.3	6.0	6.5	4.6	4.3	6.1
6 200E	5.5	6.6	9.3	8.9	7.8	8.7	7.9	7.5	7.6	8.0	5.6	4.6	7.3
7 200W	4.8	5.5	8.0	7.2	6.0	7.0	6.3	5.7	5.8	6.1	4.1	3.6	5.9
8 BVLY	6.0	6.7	7.4	7.7	6.6	7.8	6.9	6.3	6.4	6.7	4.9	4.6	6.5
9 FFTF	8.2	8.2	10.0	8.9	7.6	8.6	7.6	7.4	7.6	8.3	6.9	6.0	7.9
10 YAKB	6.6	6.9	9.0	8.8	7.8	9.0	8.4	7.8	7.7	7.7	5.3	4.6	7.5
11 300A	7.6	8.0	9.7	8.6	7.1	8.3	7.3	6.9	7.1	7.6	6.5	5.5	7.5
12 WYEB	6.9	6.7	9.4	8.2	7.3	7.7	7.0	7.0	7.2	7.9	6.0	5.0	7.2
13 100N	4.7	4.5	7.4	7.5	6.4	7.0	6.4	6.0	5.6	6.2	3.6	3.7	5.8
14 WPPS	7.0	6.6	9.0	7.5	6.3	7.4	6.5	6.5	6.7	7.2	5.9	4.9	6.8
15 FRNK	7.8	7.7	8.8	7.4	5.8	6.6	5.9	5.8	6.2	6.8	5.9	5.5	6.7
16 GABL	8.8	9.3	14.0	12.5	10.8	12.0	10.6	11.1	11.1	12.2	7.9	7.5	10.7
17 RING	6.2	6.4	8.1	7.3	5.9	6.2	5.4	5.2	5.7	6.3	4.6	4.5	6.0
18 RICH	6.6	7.2	8.7	7.6	5.7	6.7	5.8	5.4	5.8	6.2	5.2	4.7	6.3
19 PFP	3.8	4.2	6.0	5.7	4.9	5.4	5.0	4.9	4.8	5.0	3.4	3.0	4.7
20 RMTN	19.6	16.9	20.4	18.1	13.2	13.0	11.3	13.7	14.0	17.3	16.5	16.0	15.7
21 HMS	6.6	7.4	9.6	9.1	8.2	9.0	8.4	8.0	8.1	8.3	6.2	5.5	7.9
22 PASC	5.9	6.5	7.4	6.6	5.0	5.8	4.7	4.5	5.2	5.2	4.4	3.8	5.4
23 GABW	4.8	5.3	7.8	7.5	6.6	7.8	6.8	6.6	6.4	6.8	4.3	3.9	6.2
24 100F	4.7	5.0	7.7	7.1	6.0	7.2	6.1	6.0	6.1	6.5	4.0	3.8	5.9
25 VERN	6.4	6.7	8.6	9.0	8.1	9.0	8.5	8.2	7.8	7.8	5.9	5.5	7.6
26 BENT	6.5	6.7	8.4	7.8	6.3	6.3	5.9	6.5	6.3	6.9	5.3	5.0	6.5
27 VSTA	6.4	7.3	8.3	7.3	5.7	6.7	5.7	5.1	5.8	6.0	4.9	4.5	6.1
28 SURF	8.1	8.9	10.6	11.2	10.3	12.7	12.1	10.1	8.4	9.6	6.7	7.6	9.7
29 100K	4.4	4.8	7.6	7.4	6.4	7.4	6.5	6.2	5.7	6.3	3.9	3.9	5.9

(a) Partial year, no annual average.



**Figure 2.1.** 1997 Hanford Meteorological Monitoring Network Wind Roses at 10-Meter Level  
(see Appendix for station-specific wind rose)

SP98010054.4



**Figure 2.2. 1997 Hanford Meteorological Monitoring Network Wind Roses at 60-Meter Level  
(see Appendix for station-specific wind rose)**




Figure 2.3. 1997 Observed Daily Temperatures from the Hanford Meteorology Station

## 3.0 Temperature Climatology

### 3.1 Monthly, Seasonal, and Annual Average

Monthly, seasonal, and annual average temperatures, computed from observed daily maximum and minimum temperatures for the period 1945 through 1997, are presented in Tables 3.1 and 3.2. In these tables, the highest and lowest values, representing the warmest and coldest month, season, or year, are noted. Averages are based on the entire period of record, and climatological normal temperatures are based on the period 1961 through 1990.

As indicated in Table 3.1, much wider ranges and variabilities in temperatures are found during the late autumn and winter months (November through February) than during the rest of the year. The range of average monthly temperatures for January is from 12.1°F (1950) to 42.5°F (1953), 30.4°F; for November 21.7°F; February 18.9°F; and December 17.5°F; whereas for the rest of the year, the monthly range is from a low of 10.5°F in April to a high of 13.8°F in June. The coldest month recorded was January 1950 (12.1°F); the hottest month recorded was July 1985 (82.2°F). As shown in Table 3.2, the seasonal range is from 8.0°F during the summer (June, July, and August) to 16.4°F in winter (December, January, and February). The coldest season was the winter of 1948-1949 (24.2°F); the hottest was the summer of 1958 (78.2°F).

### 3.2 Days with Maximum Temperatures $\geq 100^{\circ}\text{F}$ , $\geq 90^{\circ}\text{F}$ , and $\leq 32^{\circ}\text{F}$

Table 3.3 contains the number of days each year with maximum temperatures in the categories  $\geq 100^{\circ}\text{F}$ ,  $\geq 90^{\circ}\text{F}$ , and  $\leq 32^{\circ}\text{F}$ .

Maximum temperatures  $\geq 100^{\circ}\text{F}$  occurred as early as May 5 (1966) and as late as September 6 (1955). The annual number of days with maximum temperatures in this category ranged from 1 to 28 (1954 and 1958, respectively). The greatest number of consecutive days with maximum temperatures  $\geq 100^{\circ}\text{F}$  is 11 and occurred 3 times: July 22 through August 1, 1962; August 10 through 20, 1967; and August 6 through 16, 1981.

One particularly notable period of above-normal temperatures occurred July 15 through August 13, 1971. This 30-day period included 27 with maximum temperatures  $\geq 100^{\circ}\text{F}$  in 3 separate periods of 9 consecutive days each. The lowest maximum temperature during the 30-day period was 98°F; the highest was 112°F. The average maximum temperature during this period was 104.7°F.

Table 3.4 lists the dates of all occurrences of maximum temperatures  $\geq 104^{\circ}\text{F}$ .

Table 3.1. Monthly and Annual Average Temperatures (°F)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1945	33.9	38.6	42.1	50.3	61.7	67.5	78.0	77.5	64.6	56.4	40.6	32.7	53.7
1946	34.4	39.6	45.5	53.7	64.2	66.9	76.1	76.6	63.5	49.5	35.8	34.8	53.4
1947	27.4	40.0	49.6	56.1	68.7 <sup>(a)</sup>	67.8	75.3	71.8	65.4	53.4	41.2	33.1	54.2
1948	32.0	31.8	42.1	49.4	58.3	72.4	72.8	71.8	64.4	51.0	40.8	26.9	51.1
1949	13.9	31.8	45.2	55.5	67.0	69.3	74.9	74.8	68.3	50.2	45.2	35.1	52.6
1950	12.1 <sup>(a)</sup>	30.7	42.3	49.9	59.0	66.5	75.4	76.4	67.5	51.1	40.7	36.2	50.6
1951	33.0	36.9	40.1	54.1	61.1	69.4	76.7	74.2	66.8	51.5	39.5	27.4	52.6
1952	25.2	36.7	44.1	55.2	62.7	67.1	77.0	74.0	69.0	59.0	34.0	34.8	53.2
1953	42.5 <sup>(a)</sup>	41.2	46.2	51.0	58.0	63.0 <sup>(a)</sup>	75.8	74.0	67.8	55.4	43.4	37.6	54.7
1954	28.9	39.3	41.5	51.4	62.9	65.5	73.9	71.4	65.1	51.4	46.0	34.0	52.6
1955	30.0	35.3	39.4 <sup>(a)</sup>	47.5 <sup>(a)</sup>	57.0	70.2	73.0	75.5	66.4	53.3	31.3	29.4	50.7
1956	31.8	25.6 <sup>(a)</sup>	43.8	56.2	65.3	65.7	78.9	75.3	67.3	52.1	36.6	34.6	52.8
1957	16.5	34.1	44.0	55.2	65.9	70.8	74.3	72.9	69.0	50.7	40.4	38.5 <sup>(a)</sup>	52.7
1958	37.1	44.5 <sup>(a)</sup>	43.5	51.3	68.1	73.9	81.2	79.4	65.6	54.4	40.6	35.2	56.2
1959	32.0	35.5	45.1	54.2	57.5	68.6	77.7	71.8	62.6	53.4	36.5	33.1	52.3
1960	23.3	37.4	45.1	52.6	58.5	70.1	81.8	71.4	67.7	54.5	41.2	29.0	52.7
1961	35.0	43.7	46.1	52.3	60.0	74.0	79.4	80.2	63.8	51.6	35.3	33.7	54.6
1962	29.8	36.6	42.6	55.6	56.9	68.3	76.0	71.9	67.1	52.6	43.2	36.8	53.1
1963	25.4	38.3	46.4	49.8	61.7	69.4	72.4	75.7	71.1	56.0	42.8	30.2	53.3
1964	35.6	38.1	43.8	50.2	59.7	67.7	74.5	69.8 <sup>(a)</sup>	63.0	53.3	38.2	25.5	51.6
1965	32.3	40.5	42.9	54.8	60.5	69.3	76.5	74.7	62.4	57.1	43.1	33.0	53.9
1966	34.0	39.9	45.4	54.6	63.2	66.9	73.3	75.6	68.8	53.4	43.7	38.2	54.8
1967	39.8	43.7	44.3	47.6	60.5	72.5	78.6	81.5 <sup>(a)</sup>	71.8	55.1	41.5	33.1	55.8
1968	35.7	41.8	49.0	51.3	62.4	69.8	79.7	71.5	66.8	50.3	41.7	30.6	54.2
1969	19.8	31.7	45.8	52.2	64.6	75.1	76.0	72.8	67.4	51.0	40.2	34.6	52.6
1970	30.7	40.6	45.0	49.0	61.5	73.6	78.6	76.3	61.8	50.9	39.7	30.8	53.2
1971	35.8	39.1	40.7	52.0	64.0	65.3	78.7	80.5	61.5	51.7	40.4	30.6	53.4
1972	30.5	34.8	47.0	49.6	64.3	69.7	76.2	77.6	61.4	52.3	39.9	27.3	52.6
1973	29.1	38.5	47.4	53.6	63.1	68.7	78.2	73.9	65.7	52.4	38.4	38.1	53.9
1974	29.4	40.9	45.2	52.9	57.9	72.6	74.5	75.5	68.0	52.5	41.6	36.2	53.9
1975	32.5	33.7	42.5	48.2	60.2	67.2	79.5	71.0	68.0	52.5	39.5	34.5	52.4
1976	32.0	37.6	41.4	50.8	60.5	65.6	75.1	70.8	69.0	52.4	40.6	30.7	52.2
1977	25.2	40.5	45.4	57.3	56.9	72.6	73.7	79.2	61.5	52.0	38.9	33.8	53.1
1978	32.5	37.9	47.5	51.9	58.6	70.3	75.7	72.7	63.8	52.2	32.3	27.5	51.9
1979	13.9	34.2	46.5	52.8	64.1	70.8	77.2	74.6	69.2	56.5	34.2	36.4	52.5
1980	23.7	34.6	44.5	55.2	61.4	64.7	74.7	71.2	66.0	52.6	41.0	36.6	52.2
1981	38.0	39.7	48.7	54.0	60.5	66.0	73.9	79.0	66.3	52.0	42.7	32.8	54.5
1982	29.8	38.1	45.9	49.4	60.4	73.1	74.9	75.8	65.4	51.4	36.9	32.0	52.8
1983	37.5	40.9	48.5	51.1	63.8	65.4	71.3	74.4	61.7	52.6	43.6	21.2	52.7
1984	31.6	38.7	47.2	50.5	56.0 <sup>(a)</sup>	65.7	76.1	74.0	62.1	47.9 <sup>(a)</sup>	39.4	23.6	51.1
1985	25.0	29.9	44.0	55.5	63.2	70.2	82.2 <sup>(a)</sup>	70.5	58.8 <sup>(a)</sup>	49.8	24.8 <sup>(a)</sup>	21.0 <sup>(a)</sup>	49.6 <sup>(a)</sup>
1986	34.0	39.1	48.6	50.9	62.3	73.0	70.6	79.2	62.2	54.7	42.3	32.4	54.1
1987	30.7	40.1	48.3	58.0	66.2	73.4	74.3	76.6	69.9	55.5	43.6	31.5	55.7
1988	31.9	41.0	45.9	55.2	61.1	69.2	77.3	75.2	65.6	59.6 <sup>(a)</sup>	44.2	31.8	54.8
1989	37.2	27.3	43.8	56.6	61.5	72.0	75.5	73.4	67.4	54.0	44.3	33.3	53.9
1990	40.4	37.6	48.0	57.9	60.7	70.1	80.8	76.8	72.4 <sup>(a)</sup>	52.3	46.5 <sup>(a)</sup>	24.1	55.6
1991	28.7	44.5	44.1	54.0	60.4	65.6	78.0	78.9	69.7	52.9	41.3	37.8	54.7
1992	37.5	42.6	51.5 <sup>(a)</sup>	56.0	67.2	76.8 <sup>(a)</sup>	76.6	76.9	64.5	55.7	41.2	30.0	56.4 <sup>(a)</sup>
1993	24.8	30.8	43.2	52.5	66.5	68.4	70.5 <sup>(a)</sup>	73.1	66.4	55.4	34.6	35.4	51.8
1994	38.6	36.0	49.2	58.2 <sup>(a)</sup>	64.9	69.8	81.0	76.6	70.5	54.4	39.6	35.1	56.2
1995	34.2	43.1	46.1	52.6	64.5	68.1	77.1	72.0	69.9	52.1	44.1	32.6	54.7
1996	28.8	32.8	44.8	55.0	58.1	69.0	79.5	75.6	64.4	52.4	38.4	29.8	52.4
1997	33.6	40.2	47.4	51.8	65.0	68.5	75.3	78.0	66.8	53.2	43.2	34.7	54.8
Average	30.5	37.5	45.1	52.9	61.8	69.3	76.4	74.9	66.1	53.0	40.0	32.2	53.3
Normal <sup>(b)</sup>	31.3	38.0	45.6	52.7	61.3	69.7	76.2	75.1	65.7	52.9	40.2	31.4	53.3

(a) Highest and lowest averages.

(b) Normal temperatures are averages for the period 1961-1990.

Table 3.2. Seasonal Average Temperatures (°F)

<u>Year</u>	<u>Winter Dec-Feb</u>	<u>Spring Mar-May</u>	<u>Summer Jun-Aug</u>	<u>Autumn Sep-Nov</u>
1945	—	51.4	74.3	53.9
1946	35.6	54.5	73.2	49.6
1947	34.1	58.1	71.6	53.3
1948	32.3	49.9	72.3	52.1
1949	24.2 <sup>(a)</sup>	55.9	73.0	54.6
1950	26.0	50.4	72.8	53.1
1951	35.4	51.8	73.4	52.6
1952	29.8	54.0	72.7	54.0
1953	39.5	51.7	70.9	55.5
1954	35.3	51.9	70.3	54.2
1955	33.1	48.0 <sup>(a)</sup>	72.9	50.3
1956	28.9	55.1	73.3	52.0
1957	28.4	55.0	72.7	53.4
1958	40.0	54.3	78.2 <sup>(a)</sup>	53.5
1959	34.2	52.3	72.7	50.8
1960	31.3	52.1	74.4	54.5
1961	35.9	52.8	77.9	50.2
1962	33.4	51.7	72.1	54.3
1963	33.5	52.6	72.5	56.6
1964	34.6	51.2	70.7	51.5
1965	32.8	52.7	73.5	54.2
1966	35.6	54.4	71.9	55.3
1967	40.6 <sup>(a)</sup>	50.8	77.5	56.1
1968	36.9	54.2	73.7	52.9
1969	27.4	54.2	74.6	52.9
1970	35.3	51.8	76.2	50.8
1971	35.2	52.2	74.8	51.2
1972	32.0	53.6	74.5	51.2
1973	31.6	54.7	73.6	52.2
1974	36.1	52.0	74.2	54.0
1975	34.1	50.3	72.6	53.3
1976	34.7	50.9	70.5	54.0
1977	32.1	53.2	75.2	50.8
1978	34.7	52.7	72.9	49.4
1979	25.2 <sup>(a)</sup>	54.5	74.2	53.3
1980	31.6	53.7	70.2 <sup>(a)</sup>	53.2
1981	38.1	54.4	73.0	53.7
1982	33.6	51.9	74.6	51.2
1983	36.8	54.5	70.4	52.6
1984	30.5	51.2	71.9	49.8
1985	26.2	54.2	74.3	44.5 <sup>(a)</sup>
1986	31.4	53.9	74.3	53.1
1987	34.4	57.5	74.8	56.3
1988	34.8	54.1	73.9	56.5
1989	32.1	54.0	73.6	55.2
1990	37.1	55.5	75.9	57.1 <sup>(a)</sup>
1991	32.4	52.8	74.2	54.6
1992	39.3	58.2 <sup>(a)</sup>	76.8	53.8
1993	28.5	54.1	70.7	52.1
1994	36.7	57.4	75.8	54.8
1995	37.5	54.4	72.4	55.4
1996	31.4	52.6	74.7	51.7
1997	34.5	54.7	73.9	54.4
Average Normal <sup>(b)</sup>	33.4	53.3	73.5	53.1
	33.6	53.2	73.7	52.9

(a) Highest and lowest averages.

(b) Normal temperatures are averages for the period 1961-1990.

Table 3.3. Monthly and Seasonal Number of Days with Maximum Temperatures (°F) Above or Below Certain Thresholds

Year	100°F or Above						90°F or Above						32°F or Below										
	May	Jun	Jul	Aug	Sep	Total	Apr	May	Jun	Jul	Aug	Sep	Oct	Season	Oct	Nov	Dec	Jan	Feb	Mar	Total		
1945	0	0	8	4	0	12	0	1	7	21	21	5	0	55	1944-45	--	--	--	12	1	1	14	
1946	0	0	7	6	0	13	1	0	4	15	18	0	0	38	1945-46	0	2	9	0	0	0	11	
1947	1	0	2	0	0	3	0	8	4	17	11	2	0	42	1946-47	0	4	4	14	0	0	22	
1948	0	2	0	0	2	0	0	1	9	14	7	7	0	38	1947-48	0	0	6	8	9	0	23	
1949	0	1	6	2	1	10	0	8	8	15	18	8	0	57	1948-49	0	0	13	28	8	0	49	
1950	0	0	2	3	2	7	0	1	5	20	22	8	0	56	1949-50	0	0	5	24	5	1	35	
1951	0	0	8	3	0	11	0	1	8	23	19	5	0	56	1950-51	0	0	2	8	2	0	12	
1952	0	0	9	4	0	13	0	2	5	21	17	12	0	57	1951-52	0	0	16	19	0	0	35	
1953	0	0	4	4	0	8	0	0	0	21	13	11	0	45	1952-53	0	9	6	1	0	0	16	
1954	0	0	1	0	0	1 <sup>(a)</sup>	0	2	3	20	9	3	0	37	1953-54	0	0	2	12	4	0	18	
1955	0	2	5	2	2	11	0	0	9	12	19	8	0	48	1954-55	0	0	5	13	2	1	21	
1956	0	0	10	5	0	15	0	7	2	22	16	7	0	54	1955-56	0	15	16	7	15	0	53	
1957	0	1	1	0	0	2	0	3	8	14	8	6	0	39	1956-57	0	7	10	22	7	0	46	
1958	1	6	10	11	0	28 <sup>(b)</sup>	0	8	11	28	25	5	0	77	1957-58	0	0	2	2	0	0	4	
1959	0	0	8	1	0	9	0	1	7	21	12	3	0	44	1958-59	0	3	5	8	2	0	18	
1960	0	0	16	5	0	21	0	1	12	28	12	5	0	58	1959-60	0	5	7	23	1	2	38	
1961	0	7	8	10	0	25	0	1	15	26	24	1	0	67	1960-61	0	0	14	10	0	0	24	
1962	0	0	10	1	0	11	0	0	11	17	10	8	0	46	1961-62	0	0	7	12	2	0	21	
1963	0	3	0	3	0	6	0	4	7	8	18	11	0	48	1962-63	0	0	3	14	3	0	20	
1964	0	0	6	0	0	6	0	0	5	14	10	2	0	31	1963-64	0	1	11	3	0	0	15	
1965	0	0	6	5	0	11	0	1	7	20	12	1	0	41	1964-65	0	0	14	5	0	0	19	
1966	1	0	2	4	0	7	0	5	2	15	21	7	0	50	1965-66	0	1	8	3	0	0	12	
1967	0	0	2	6	15	0	23	0	2	13	25	27	12	0	79 <sup>(a)</sup>	1966-67	0	0	2	0	0	0	2 <sup>(a)</sup>
1968	0	0	10	3	0	13	1	1	5	22	12	4	0	45	1967-68	0	0	10	4	0	0	14	
1969	0	3	4	2	0	9	0	6	17	20	15	7	0	65	1968-69	0	0	7	20	4	0	31	
1970	0	9	11	5	0	25	0	2	15	22	19	0	0	58	1969-70	0	3	9	15	0	0	27	
1971	0	0	16	11	0	27	0	2	2	20	26	2	0	52	1970-71	0	3	11	9	1	0	24	
1972	0	0	5	10	0	15	0	5	8	21	19	5	0	58	1971-72	1	0	10	9	7	0	27	
1973	0	2	10	5	0	17	0	6	7	21	18	4	0	56	1972-73	0	0	14	10	0	0	24	
1974	0	6	5	3	0	14	0	0	18	16	18	6	0	58	1973-74	0	4	1	12	0	0	17	
1975	0	0	9	0	0	9	0	0	2	4	22	12	8	0	48	1974-75	0	0	6	6	6	0	12

Table 3.3. (contd)

Year	100°F or Above			90°F or Above			32°F or Below															
	May	Jun	Jul	Aug	Sep	Total	Apr	May	Jun	Jul	Aug	Sep	Oct	Total	Season	Oct	Nov	Dec	Jan	Feb	Mar	Total
1976	0	1	2	0	1	4	0	1	4	17	9	4	0	35	1975-76	0	3	5	7	0	0	15
1977	0	1	2	13	0	16	1	0	13	16	22	0	0	52	1976-77	0	0	12	20	3	0	35
1978	0	1	6	6	0	13	0	0	12	17	11	2	0	42	1977-78	0	5	9	6	2	0	22
1979	0	2	7	1	0	10	0	1	13	23	20	7	0	64	1978-79	0	7	11	30	4	0	52
1980	0	0	3	0	0	3	0	0	0	18	9	2	0	29 <sup>(a)</sup>	1979-80	0	7	3	16	6	0	32
1981	0	0	3	13	0	16	1	0	4	19	22	11	0	57	1980-81	0	1	6	0	2	0	9
1982	0	2	5	3	0	10	0	0	15	16	17	5	0	53	1981-82	0	0	8	10	2	0	20
1983	1	0	1	0	0	2	0	0	8	2	9	13	0	32	1982-83	0	3	10	5	0	0	18
1984	0	0	3	3	0	6	0	1	4	21	16	4	0	46	1983-84	0	0	25	12	1	0	38
1985	0	1	15	0	0	16	0	3	10	30	7	0	0	50	1984-85	0	2	18	29	9	0	58 <sup>(a)</sup>
1986	3	1	0	6	0	10	0	6	11	9	27	3	0	56	1985-86	0	15	25	5	1	0	46
1987	1	5	3	4	1	14	2	6	15	14	19	12	0	68	1986-87	0	0	7	9	0	0	16
1988	0	0	8	3	3	14	0	4	11	19	20	7	0	61	1987-88	0	0	16	11	1	0	28
1989	0	0	2	2	0	4	0	0	13	20	9	3	0	45	1988-89	0	0	11	2	8	1	22
1990	0	0	11	9	0	20	0	1	8	24	15	12	0	60	1989-90	0	2	6	0	1	0	9
1991	0	0	4	8	0	12	0	0	1	25	23	5	0	54	1990-91	0	0	15	13	0	0	28
1992	0	7	5	9	0	21	0	8	16	15	17	3	0	59	1991-92	0	0	3	0	0	0	3
1993	1	0	0	2	0	3	0	7	6	4	15	11	0	43	1992-93	0	1	11	20	8	2	42
1994	0	1	13	7	0	21	0	5	8	25	18	12	0	68	1993-94	0	6	4	1	8	0	19
1995	0	0	5	3	1	9	0	4	7	17	11	12	0	51	1994-95	0	0	5	6	2	0	13
1996	0	0	13	6	0	19	0	0	8	25	18	5	0	56	1995-96	0	0	8	9	5	0	22
1997	0	0	3	7	0	10	0	5	3	18	22	5	0	53	1996-97	0	5	12	8	2	0	27
1998	--	--	--	--	--	--	--	--	--	--	--	--	--	--	1997-98	0	0	2	--	--	--	--
Average	0	1	6	4	0	12	0	3	8	19	16	6	0	52	Average	0	2	9	10	3	0	24
Normal <sup>(b)</sup>	0	2	6	5	0	13	0	2	9	19	17	5	0	52	Normal	0	2	10	10	2	0	24

(a) Greatest and least seasonal totals.

(b) Normals are averages for the period 1961-1990.

**Table 3.4.** Days with Maximum Temperatures  $\geq 104^{\circ}\text{F}$ 

Temperature, $^{\circ}\text{F}$	Date(s) of Occurrence								
113	08/04/61								
112	08/09/71								
111	07/22/94	06/23/92	07/31/71						
110	07/12/90	07/20/79	07/09/75	08/08/72	07/06/68	07/18/60	07/17/60		
109	08/10/96 08/07/72	07/24/94 08/10/71	07/23/94 08/01/71	07/21/94	08/14/92	07/11/90	07/19/79		
108	07/26/96 08/12/71 08/18/67	07/15/96 08/11/71 08/17/67	06/24/92 07/27/71 08/16/67	08/05/90 07/19/71 07/31/65	07/18/79 07/28/68 07/13/61	07/27/75 07/08/68 06/17/61	07/05/75 07/04/68		
107	08/13/92 08/08/81 08/03/61	08/01/92 07/17/79 07/22/59	07/31/92 08/18/77 07/20/59	06/25/92 08/08/71 07/19/59	07/14/87 07/30/71 07/28/58	07/29/82 07/28/71 07/14/55	07/28/82 07/05/68		
106	08/14/97 06/22/92 07/23/78 07/20/71 07/19/56	08/04/97 09/01/87 08/17/77 07/04/70 07/09/52	07/27/96 06/30/87 08/13/77 08/01/65	07/14/96 07/09/85 07/10/75 07/12/64	08/02/94 07/25/84 07/29/73 07/24/62	08/18/92 07/22/80 07/15/73 06/16/61	07/18/92 08/09/78 08/06/72 06/22/58		
105	08/06/97 07/03/91 07/26/82 07/21/71 07/07/68 07/03/67 07/30/52	08/05/97 07/22/90 08/16/81 07/18/71 07/03/68 08/02/61 07/10/52	08/25/96 07/15/90 08/13/81 08/23/70 08/30/67 08/11/60 07/20/46	07/28/96 07/26/88 08/12/81 07/19/70 08/20/67 07/19/60 08/16/45	07/24/96 08/09/87 08/04/78 07/16/70 08/19/67 07/07/60 07/03/70	07/19/95 07/20/85 08/03/78 07/16/70 08/15/67 07/13/55 07/03/70	07/17/92 07/27/82 07/04/75 07/08/70 08/13/67 08/04/52		
104	08/09/96 07/10/90 07/21/85 07/27/81 07/28/74 08/13/71 08/31/67 06/18/61 07/17/58 08/15/53 06/29/48	07/25/96 07/25/88 07/08/85 07/04/81 08/01/73 08/07/71 08/11/67 08/10/60 08/11/58 07/23/51 08/22/46	07/23/96 07/21/88 07/04/85 08/08/78 07/27/73 07/16/71 07/12/67 07/16/60 08/22/56 07/17/51 08/21/46	07/13/96 07/20/88 08/07/82 07/25/78 07/19/73 07/09/70 07/30/65 07/18/59 07/24/56 08/01/49 07/28/46	07/18/95 05/31/86 08/11/81 08/20/77 06/22/73 07/03/70 07/25/62 08/25/58 07/23/56 07/31/49 07/21/46	07/20/94 05/30/86 08/10/81 08/12/77 08/28/72 06/23/70 07/23/62 08/24/58 07/21/56 07/30/49 07/11/45	07/17/94 07/29/85 08/07/81 07/30/74 08/09/72 06/21/70 08/14/61 08/11/58 07/22/55 07/15/49 07/10/45		

Maximum temperatures  $\geq 90^{\circ}\text{F}$  occur an average of 52 times per year and vary from a low of 29 (1980) to a high of 79 (1967). The earliest occurrences varied from April 24 (1977) through July 2 (1953), with an average annual date of May 21 (Table 3.5). The latest annual occurrence of maximum temperatures  $\geq 90^{\circ}\text{F}$  varied from August 17 (1983) through September 29 (1993 and earlier years). The average date for the period 1946 through 1996 is September 15. The longest period of consecutive maximum temperatures  $\geq 90^{\circ}\text{F}$  is 32 days from July 13 through August 13, 1971.

The average seasonal number of days with maximum temperatures  $\leq 32^{\circ}\text{F}$  is 24. The earliest seasonal occurrence of a day with a maximum temperature  $\leq 32^{\circ}\text{F}$  was October 30 (1971) and the latest was March 11 (1950). The number of winter days with maximum temperatures  $\leq 32^{\circ}\text{F}$  varied from

**Table 3.5. Record of Annual First and Last Dates with Maximum Temperatures  $\geq 90^{\circ}\text{F}$  and Minimum Temperatures  $\leq 32^{\circ}\text{F}$**

Year	Maximum Temperature $\geq 90^{\circ}\text{F}$		Minimum Temperature $\leq 32^{\circ}\text{F}$		Growing Days <sup>(a)</sup>
	First in Spring	Last in Summer	Last in Spring	First in Autumn	
1945	May 30	Sep 14	Apr 10	Oct 18	190
1946	Apr 25	Aug 24	Apr 07	Oct 11	186
1947	May 06	Sep 12	Apr 07	Nov 04	210
1948	May 26	Sep 13	May 02	Oct 17	167
1949	May 08	Sep 27	May 03	Oct 08	157
1950	May 26	Sep 23	Apr 27	Nov 08	194
1951	May 22	Sep 19	Apr 21	Oct 15	176
1952	May 24	Sep 26	Apr 29	Nov 01	185
1953	Jul 02 <sup>(b)</sup>	Sep 15	Apr 15	Oct 24	191
1954	May 17	Sep 10	May 01	Oct 01	152
1955	Jun 06	Sep 10	May 14	Oct 31	169
1956	May 16	Sep 19	Apr 06	Oct 22	198
1957	May 29	Sep 15	Mar 26	Oct 22	209
1958	May 18	Sep 10	Mar 19 <sup>(b)</sup>	Oct 21	215
1959	May 13	Sep 13	May 05	Oct 30	177
1960	May 10	Sep 18	Apr 21	Oct 11	172
1961	May 25	Sep 04	Apr 19	Oct 20	183
1962	Jun 08	Sep 26	May 04	Nov 12 <sup>(b)</sup>	191
1963	May 20	Sep 29	Apr 16	Oct 25	191
1964	Jun 23	Sep 24	Apr 19	Oct 16	179
1965	May 28	Sep 01	May 05	Oct 16	163
1966	May 03	Sep 22	Apr 19	Oct 14	177
1967	May 20	Sep 28	Apr 28	Oct 26	180
1968	Apr 29	Sep 09	Apr 22	Oct 21	181
1969	May 09	Sep 12	Apr 26	Oct 13	169
1970	May 16	Aug 31	May 11	Oct 07	148
1971	May 11	Sep 10	Apr 22	Oct 16	176
1972	May 13	Sep 16	Apr 30	Sep 25 <sup>(b)</sup>	147
1973	May 13	Sep 11	Apr 08	Oct 04	178
1974	Jun 10	Sep 25	May 16 <sup>(b)</sup>	Oct 06	142
1975	May 30	Sep 15	Apr 29	Oct 23	176
1976	May 16	Sep 29	Apr 23	Oct 19	178
1977	Apr 24 <sup>(b)</sup>	Aug 22	Apr 14	Oct 27	195
1978	Jun 02	Sep 03	Apr 23	Oct 07	166
1979	May 22	Sep 20	Apr 19	Oct 31	194
1980	Jun 01	Sep 06	Apr 11	Oct 22	193
1981	Apr 30	Sep 18	Apr 13	Oct 14	183
1982	Jun 10	Sep 08	Apr 21	Oct 18	179
1983	May 23	Aug 17 <sup>(b)</sup>	Apr 16	Oct 11	177
1984	May 29	Sep 18	Apr 13	Oct 14	183
1985	May 18	Aug 29	Apr 21	Oct 07	168
1986	May 25	Sep 04	Apr 30	Nov 09	192
1987	Apr 27	Sep 23	Apr 20	Oct 16	178
1988	May 11	Sep 14	Apr 09	Oct 27	200
1989	Jun 01	Sep 24	Mar 30	Oct 29	212
1990	May 05	Sep 29	Mar 27	Oct 17	203
1991	Jun 10	Sep 26	Apr 08	Oct 22	196
1992	May 04	Sep 03	Apr 08	Oct 15	189
1993	May 10	Sep 29 <sup>(b,c)</sup>	Apr 06	Oct 20	196
1994	May 07	Sep 28	Mar 26	Oct 29	216
1995	May 28	Sep 17	Apr 15	Oct 29	196
1996	Jun 02	Sep 15	May 08	Oct 17	161
1997	May 12	Sep 25	May 02	Oct 08	158
Average	May 21	Sep 15	Apr 20	Oct 20	182
Normal	May 21	Sep 14	Apr 21	Oct 18	179

(a) Days between last freezing temperature in spring and first freezing temperature in autumn.

(b) Earliest and latest dates.

(c) Also in previous years.

2 to 58 (winters of 1966-1967 and 1984-1985, respectively). The greatest consecutive number of days with maximum temperatures  $\leq 32^{\circ}\text{F}$  is 29 days, from December 30, 1984 through January 27, 1985. During the period December 27, 1978 through February 4, 1979 (40 days), only 1 maximum temperature  $> 32^{\circ}\text{F}$  occurred. The average maximum temperature for that period was  $21^{\circ}\text{F}$ .

Table 3.6 lists the monthly and annual maximum temperatures. Only 6 days were recorded when the daily maximum temperature was  $\leq 0^{\circ}\text{F}$ . These were:

Maximum Date	Temperature
January 31, 1950	-2°F
February 1, 1950	-3°F
February 2, 1950	-3°F
January 27, 1957	0°F
December 29, 1968	-2°F
December 30, 1968	-2°F

### 3.3 Days with Minimum Temperatures $\leq 32^{\circ}\text{F}$ or $\leq 0^{\circ}\text{F}$

The monthly and seasonal number of days with minimum temperatures at or below  $32^{\circ}\text{F}$  or  $0^{\circ}\text{F}$  are listed in Table 3.7.

The seasonal average number of days with minimum temperatures  $\leq 32^{\circ}\text{F}$  is 106; however, the number ranges from 70 to 143 (winters of 1991-1992 and 1984-1985, respectively). The greatest consecutive number of days with minimum temperatures of  $\leq 32^{\circ}\text{F}$  is 93, from November 9, 1978 through February 9, 1979.

The first autumn temperature  $\leq 32^{\circ}\text{F}$  occurred as early as September 25 (1972) and as late as November 12 (1962). The average date is October 20 (see Table 3.5). The last date in spring for minimum temperatures  $\leq 32^{\circ}\text{F}$  varied from March 19 (1958) to May 16 (1974), with an average date of April 20. The average number of days between last freezing temperature in the spring and first freezing temperature in the autumn is 183 days.

On average, 3 days per winter season have a minimum temperature  $\leq 0^{\circ}\text{F}$ ; however, nearly half of all winters have no minimum temperatures in this category (see Table 3.7). The most of those days in any season was 18 (winter of 1949-1950) and the least of those days was 0 (as recently as the winter of 1994-1995). The greatest number of consecutive days with minimum temperatures  $\leq 0^{\circ}\text{F}$  is 11 days, from January 25 through February 4, 1950. During this same period, 4 consecutive days had minimum temperatures  $\leq -20^{\circ}\text{F}$ . Table 3.8 lists all days with minimum temperatures  $\leq 0^{\circ}\text{F}$ . Table 3.9 lists monthly and annual minimum temperatures.

Table 3.6. Monthly and Annual Maximum Temperatures (°F)

<u>Year</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Annual</u>
1945	61	65	72	76	90	98	104	105	93	84	72	57	105
1946	57	60	76	91	89	98	105	104	89	75	64	64	105
1947	57	68	76	88	101	97	103	98	94	83	63	55	103
1948	60	64	73	76	91	104	98	97	98	78	57	52	104
1949	48	56	64	84	98	102	104	104	100	74	65	60	104
1950	50	63	64	78	90	99	102	103	102	76	62	55	103
1951	55	65	65	82	94	97	104	101	97	79	60	58	104
1952	50	55	70	89	92	94	106	105	97	85	62	54	106
1953	63	65	69	78	88	86	103	104	97	81	65	59	104
1954	59	63	65	83	98	94	100	99	92	73	62	54	100
1955	50	58	63	77	86	102	107	101	101	75	66	56	107
1956	59	56	64	85	96	95	106	104	94	79	64	59	106
1957	48	65	66	89	97	100	102	96	98	73	60	59	102
1958	60	63	63	78	101	106	107	104	97	89	67	60	107
1959	59	60	65	79	91	97	107	103	92	77	70	64	107
1960	55	55	83	82	90	96	110	105	94	82	63	52	110
1961	60	64	68	75	94	108	108	113	90	81	58	56	113
1962	63	60	70	85	81	98	106	100	97	76	67	56	106
1963	56	64	70	72	93	102	96	101	98	83	61	57	102
1964	57	60	74	73	88	95	106	97	90	80	60	57	106
1965	60	67	71	82	91	96	108	106	91	84	64	56	108
1966	56	59	78	81	100	95	100	102	99	82	64	56	102
1967	62	67	65	71	92	101	105	108	98	78	65	62	108
1968	66	64	68	90	90	99	110	102	97	73	60	59	110
1969	44	46	74	80	95	103	101	102	96	74	63	54	103
1970	56	60	67	71	92	104	106	105	89	86	63	58	106
1971	72	66	65	76	92	99	111	112	91	85	64	50	112
1972	59	68	76	78	96	98	103	110	95	83	58	65	110
1973	51	61	68	80	98	104	106	104	98	76	62	58	106
1974	61	59	69	77	86	103	104	103	92	80	64	60	104
1975	56	58	65	75	90	95	110	98	96	82	75	62	110
1976	59	59	69	80	90	100	102	98	102	84	71	57	102
1977	61	70	73	94	82	100	101	107	87	75	68	64	107
1978	51	57	74	76	87	101	106	106	90	81	69	54	106
1979	37	62	76	83	94	102	110	101	96	84	59	59	110
1980	51	59	68	87	87	88	106	98	95	89	65	69	106
1981	55	66	70	91	89	96	104	107	99	83	65	58	107
1982	57	68	71	81	88	102	107	104	94	75	63	62	107
1983	61	62	64	77	103	92	100	99	87	78	67	46	103
1984	60	62	67	79	94	96	106	103	92	81	61	52	106
1985	36	60	68	82	95	102	106	97	86	74	66	39	106
1986	57	72	74	84	104	103	99	103	95	84	63	52	104
1987	55	60	70	93	102	106	107	105	106	87	66	59	107
1988	54	71	71	83	94	99	105	102	102	88	69	57	105
1989	67	53	67	80	88	97	101	103	94	80	73	58	103
1990	60	64	76	81	94	96	110	108	98	80	68	57	110
1991	59	66	69	82	83	93	105	103	95	88	65	59	105
1992	60	62	78	85	98	111	107	109	91	87	62	53	111
1993	56	52	66	73	100	98	96	100	98	86	65	67	100
1994	61	63	79	88	95	101	111	106	94	84	62	64	111
1995	67	68	69	80	95	98	105	102	101	74	69	57	105
1996	58	63	68	82	86	98	108	109	94	86	66	52	109
1997	57	64	76	75	94	98	101	106	95	77	63	60	106

**Table 3.7. Monthly and Seasonal Number of Days with Minimum Temperatures ( $^{\circ}$ F) Below Certain Thresholds**

Season	Minimum Temperature $\leq 32^{\circ}$ F										Minimum Temperature $\leq 0^{\circ}$ F				
	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Total	Nov	Dec	Jan	Feb	Total
1944-1945	-	-	-	-	27	18	12	6	0	63	-	-	0	0	0
1945-1946	0	5	14	25	27	20	10	2	0	103	0	0	0	0	0
1946-1947	0	8	23	24	27	19	6	1	0	108	0	0	1	0	1
1947-1948	0	0	11	26	25	24	21	7	1	115	0	0	0	0	0
1948-1949	0	8	15	30	31	25	11	4	1	125	0	2	9	0	11
1949-1950	0	10	4	25	30	22	18	4	0	113	0	0	14	4	18 <sup>(a)</sup>
1950-1951	0	0	13	19	26	25	21	2	0	106	0	0	0	0	0
1951-1952	0	6	19	26	31	24	20	6	0	132	0	0	0	0	0
1952-1953	0	0	25	19	9	15	12	4	0	84	0	0	0	0	0
1953-1954	0	1	14	22	23	16	19	4	1	100	0	0	2	0	2
1954-1955	0	6	6	26	30	25	22	10	1	126	0	0	0	0	0
1955-1956	0	1	22	28	25	26	14	2	0	118	1	0	2	3	6
1956-1957	0	3	18	21	31	23	11	0	0	107	0	0	12	1	13
1957-1958	0	2	17	16	19	5	16	0	0	75	0	0	0	0	0
1958-1959	0	4	14	24	25	24	14	2	1	108	0	0	2	0	2
1959-1960	0	2	24	26	31	21	10	4	0	118	0	0	1	0	1
1960-1961	0	4	15	29	23	10	7	5	0	93	0	0	0	0	0
1961-1962	0	7	28	26	27	17	19	0	1	125	0	0	1	0	1
1962-1963	0	0	13	17	27	17	11	2	0	87	0	0	2	0	2
1963-1964	0	5	8	31	26	26	16	4	0	116	0	0	0	0	0
1964-1965	0	5	13	29	25	18	19	1	1	111	0	2	0	0	2
1965-1966	0	1	8	25	26	22	13	3	0	98	0	0	0	0	0
1966-1967	0	3	11	18	20	17	18	9	0	96	0	0	0	0	0
1967-1968	0	1	17	25	23	13	6	5	0	90	0	0	0	0	0
1968-1969	0	4	8	24	30	25	15	1	0	107	0	4	5	1	10
1969-1970	0	5	19	21	28	13	16	7	1	110	0	0	0	0	0
1970-1971	0	8	14	28	24	19	20	7	0	120	0	0	0	0	0
1971-1972	0	9	18	27	25	23	13	6	0	121	0	0	3	1	4
1972-1973	3	6	13	23	30	23	10	4	0	112	0	7	1	0	8
1973-1974	0	4	14	16	19	15	12	0	1	81	0	0	8	0	8
1974-1975	0	4	12	26	29	24	17	7	0	119	0	0	0	0	0
1975-1976	0	2	23	28	30	22	19	6	0	130	0	0	0	0	0
1976-1977	0	8	17	30	30	19	14	1	0	119	0	0	0	0	0
1977-1978	0	3	18	25	22	17	11	4	0	100	0	1	2	0	3
1978-1979	0	7	26	31	31	21	13	2	0	131	0	3	8	2	13
1979-1980	0	1	23	22	31	22	13	3	0	115	0	0	1	0	1
1980-1981	0	4	16	16	17	17	11	6	0	87	0	0	0	0	0
1981-1982	0	5	13	23	27	17	12	12	0	109	0	0	2	0	2
1982-1983	0	4	21	26	20	13	4	9	0	97	0	0	0	0	0
1983-1984	0	3	11	31	26	17	5	2	0	95	0	4	0	0	4
1984-1985	0	14	20	31	31	25	20	2	0	143 <sup>(a)</sup>	0	4	0	3	7
1985-1986	0	7	23	31	23	17	8	4	0	113	5	1	0	0	6
1986-1987	0	0	11	29	25	17	9	2	0	93	0	0	0	0	0
1987-1988	0	3	11	25	29	22	13	2	0	105	0	0	0	0	0
1988-1989	0	1	12	23	24	25	11	0	0	96	0	0	0	4	4
1989-1990	0	2	11	25	18	20	11	0	0	87	0	0	0	0	0
1990-1991	0	2	11	27	27	14	14	2	0	97	0	8	0	0	8
1991-1992	0	6	8	18	22	11	3	2	0	70 <sup>(a)</sup>	0	0	0	0	0
1992-1993	0	1	9	29	27	23	10	1	0	100	0	0	2	0	2
1993-1994	0	5	26	22	21	21	12	0	0	107	1	0	0	0	1
1994-1995	0	2	20	24	20	11	13	2	0	92	0	0	0	0	0
1995-1996	0	3	12	25	28	22	13	5	1	109	0	0	2	3	5
1996-1997	0	7	19	26	24	18	10	7	1	112	0	1	0	0	1
1997-1998	0	4	12	25	-	-	-	-	-	-	0	0	-	-	-
Average	0	4	15	24	26	19	13	4	0	105	0	1	2	0	3
Normal <sup>(c)</sup>	0	4	15	25	26	19	13	4	0	106	0	1	1	0	3

(a) Greatest and least seasonal totals.

(b) Most recent of numerous occurrences.

(c) Normals are averages for the period 1961-1990.

**Table 3.8.** Days with Minimum Temperatures  $\leq 0^{\circ}\text{F}$ 

Temperature (°F)	Date(s) of Occurrence					
-23	02/03/50	02/01/50				
-22	01/26/57					
-21	01/27/57	02/02/50	01/31/50			
-18	02/01/96	01/31/96	01/29/50			
-15	02/03/96					
-14	02/02/96	12/30/68	01/29/57	01/28/57		
-13	11/23/85	12/22/83	01/09/74	12/16/64	01/30/50	
-12	12/22/90	11/24/85	02/01/79	12/17/64	01/25/57	
-11	01/30/96	01/01/79	01/17/50	01/14/50	01/25/49	
-10	12/29/90 02/02/56	12/21/90 02/01/56	02/02/79	12/30/78	01/06/74	12/29/68
-9	12/23/83	01/06/79	12/31/78	01/02/78	01/08/74	
-8	12/01/85 01/16/50	01/06/82	01/07/74	12/10/72	01/23/69	01/30/57
-7	01/07/79	01/31/56	01/28/50	01/05/50		
-6	12/28/96 01/29/69 01/11/49	11/22/85 01/28/69	01/31/79 01/18/57	01/05/74 01/20/54	12/13/72 01/04/50	12/08/72 01/24/49
-5	02/05/89 01/15/50	02/04/85	01/01/78	1/10/74	12/12/72	12/09/72
-4	01/13/93 01/11/74 01/12/49	12/23/90 12/11/72	02/04/89 01/28/72	12/19/84 01/12/63	12/21/83 01/28/49	01/27/79 01/13/49
-3	02/06/89 12/29/78 01/11/63	11/25/85 12/31/77	02/03/85 01/31/69	12/18/84 01/30/69	01/10/80 12/31/68	01/08/79 12/28/68
-2	12/31/90 01/04/74 01/10/49	12/30/90 12/14/72 12/27/48	12/20/90 01/22/62	12/21/84 01/31/57	12/20/84 01/19/57	01/05/79 01/20/49
-1	11/24/93 01/18/60 11/14/55	11/26/85 01/04/59	01/08/73 02/02/57	02/03/72 01/16/57	01/26/72 02/03/56	02/01/69 01/30/56
0	01/11/93 01/28/79 01/26/50	12/24/90 01/27/72 01/04/49	02/02/89 01/03/59 12/26/48	02/06/85 01/24/57 01/15/47	12/27/83 01/21/54	01/07/82 01/27/50

Table 3.9. Monthly and Annual Minimum Temperatures (°F)

<u>Year</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Annual</u>
1945	21	14	10	28	38	46	53	47	35	26	16	13	10
1946	18	18	25	30	33	44	50	49	35	21	16	6	6
1947	0	11	23	32	42	45	53	50	40	34	22	16	0
1948	14	1	13	28	32	51	49	47	34	22	20	-2	-2
1949	-11	3	27	30	31	42	49	47	38	23	28	10	-11
1950	-21	-23	20	27	38	44	49	51	38	34	21	22	-23
1951	6	18	22	26	37	41	51	47	39	27	23	4	4
1952	5	16	24	27	37	42	49	46	42	34	7	17	5
1953	24	20	23	27	36	40	52	51	37	30	24	20	20
1954	-6	17	18	26	28	41	45	48	36	26	23	14	-6
1955	18	15	6	26	31	42	43	48	37	32	-1	9	-1
1956	-7	-10	15	28	38	40	54	49	39	31	15	2	-10
1957	-22	-1	28	34	48	48	51	52	36	32	20	23	-22
1958	16	29	23	34	38	47	49	53	34	30	9	21	9
1959	-1	19	25	30	30	41	49	49	41	26	6	14	-1
1960	-1	10	13	30	33	46	52	41	40	30	22	14	-1
1961	16	27	25	31	38	44	50	56	36	26	10	3	3
1962	-2	7	15	33	31	37	42	49	40	34	16	16	-2
1963	-4	8	22	28	36	45	49	49	45	23	17	7	-4
1964	15	19	15	30	35	45	50	44	39	30	20	-13	-13
1965	10	18	14	32	32	48	50	42	33	30	26	10	10
1966	17	19	19	26	37	38	48	50	43	29	22	22	17
1967	23	20	20	27	34	47	52	56	43	30	17	6	6
1968	10	15	25	23	33	42	51	47	39	30	23	-14	-14
1969	-8	-1	22	31	38	52	53	45	41	29	19	19	-8
1970	8	21	24	26	30	46	50	52	34	23	11	8	8
1971	8	15	15	27	36	44	44	51	38	13	21	5	5
1972	-4	-1	24	26	36	45	50	49	30	20	24	-8	-8
1973	-1	21	26	27	34	45	46	46	43	31	16	14	-1
1974	-13	23	21	33	32	41	48	48	40	29	24	17	-13
1975	14	10	19	21	33	38	53	46	44	26	15	14	10
1976	16	10	11	25	35	37	47	44	42	28	13	12	10
1977	4	21	24	31	34	39	49	48	36	28	9	-3	-3
1978	-9	17	25	30	37	44	50	47	41	21	7	-10	-10
1979	-11	-12	20	29	38	45	39	53	42	32	13	19	-12
1980	-3	19	25	28	38	40	47	42	41	30	18	9	-3
1981	23	8	24	24	35	40	45	48	34	27	19	8	8
1982	-8	9	24	24	33	47	45	51	41	26	18	13	-8
1983	12	15	29	27	37	40	49	50	35	29	22	-13	-13
1984	10	24	25	30	33	37	51	47	36	12	25	-4	-4
1985	5	-5	21	26	33	44	56	46	33	26	-13	-8	-13
1986	12	15	29	28	37	43	48	54	38	33	16	18	12
1987	9	18	24	30	38	43	49	51	41	31	17	9	9
1988	14	9	24	31	35	42	47	52	38	32	28	8	8
1989	15	-5	14	35	39	46	49	52	44	27	21	19	-5
1990	22	9	24	37	39	47	46	52	48	31	28	-12	-12
1991	5	26	22	31	38	44	55	47	42	23	23	20	5
1992	19	22	32	27	37	49	54	43	40	30	17	12	12
1993	-4	3	17	32	35	46	50	43	37	29	-1	21	-4
1994	20	5	19	35	36	44	50	53	47	30	19	8	5
1995	8	8	21	28	39	47	52	45	42	16	17	16	8
1996	-18	-18	18	30	29	45	49	48	34	34	17	-6	-18
1997	8	20	28	25	30	46	49	52	44	29	23	19	8

### 3.4 Monthly Extreme Daily Maximum and Minimum Temperatures

Monthly extreme daily maximum and minimum temperatures are presented in Table 3.10. Note that a greater temperature range exists during the winter than in the summer. February temperatures ranged from 72°F to -23°F, a range of 95°F. July temperatures ranged from 111°F to 39°F, a range of 82°F. August also has an 82°F range, from 113°F to 41°F.

### 3.5 Average Daily Temperature Range

Table 3.11 represents the average daily temperature range by month and year for the period 1945 through 1997. This statistic is compiled by determining each daily temperature range (the difference between the maximum and minimum temperature), totaling for every day of the month, and dividing by the number of days in the month. As can be seen from the table, the average daily temperature ranges for July and August (>30°F) are more than double the ranges for December and January (<15°F). The lowest average daily temperature range was 8.0°F in December 1985; the greatest was 34.5°F in August 1967. The greatest range for any single day was 48°F on August 14, 1995 (high of 93°F, low of 45°F) and also on May 11, 1946 (high of 86°F, low of 38°F). The least range for any single day was 1°F as recently as December 6, 1997 (high of 30°F, low of 29°F).

### 3.6 Normal and Extreme Daily Temperatures

Table 3.12 lists the normal and extreme daily maximum and minimum temperatures. Climatological normals are computed every 10 years and are based on a 30-year period, ending with the first year of each new decade. The current normal period is 1961 through 1990; the next will be 1971 through 2000. The normal temperatures in Table 3.12 are computed using a 7-day running mean, centered about each day.

Four possible temperature extremes are presented for each day, a record high and low maximum and a record high and low minimum. These daily records, plus the year of occurrence for the period 1945 through 1997, are also indicated in Table 3.12.

### 3.7 Subsurface Soil Temperatures

Hourly subsurface soil temperatures have been recorded at a depth of ~0.5 in. since 1944 and at the 15- and 36-in. depths since 1952. The subsurface soil temperature sensors are installed in the natural soil of the area with the vegetation cover removed. The soil is sandy and mixed with large gravel.

Monthly averages and extremes of monthly averages are presented in Table 3.13. The absolute hourly extremes are also indicated in that table.

**Table 3.10.** Monthly Normal Temperatures (°F) and Monthly Extremes of Maximum and Minimum Temperatures (°F)

Month	Normal (1961-1990)			Daily Extreme						Minimum					
	Maximum		Mean	Maximum			Day			Year		Day			
	High	Low	Day	Year	High	Day	Year	High	Day	Year	High	Day	Year		
Jan	38.4	24.0	31.3	72	31	1971	-2	31	1950	53	30	1971	-22	26	1957
Feb	47.3	28.8	38.0	72	25	1986	-3	1	1950	60	24	1986	-23	3	1950
Mar	57.3	33.9	45.6	83	25	1960	24	3	1960	50	15	1992	6	5	1955
Apr	66.0	39.6	52.7	94	24	1977	41	7	1945	64	28	1987	21	5	1975
May	75.2	47.4	61.3	104	31	1986	51	11	1967	71	29	1986	28	1	1954
Jun	83.9	55.3	69.7	111	23	1992	55	3	1966	80	24	1992	37	3	1962
Jul	91.4	60.9	76.2	111	22	1994	59	2	1966	82	23	1994	39	2	1979
Aug	90.2	59.9	75.1	113	4	1961	67	20	1959	81	4	1961	41	22	1960
Sep	80.1	51.2	65.7	106	1	1987	52	22	1984	72	7	1955	30	27	1972
Oct	65.7	40.3	52.9	89	4	1980	32	30	1971	60	25	1945	12	31	1984
Nov	48.7	31.9	40.2	75	3	1975	6	24	1985	60	9	1989	-13	23	1985
Dec	38.1	24.7	31.4	69	26	1980	-2	30	1968	56	2	1975	-14	30	1968
Annual			53.3	113	8/4/61	-3		2/1/50		82		7/23/94	-23	2/3/50	2/1/50

Table 3.11. Average Daily Temperature (°F) Range

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1945	10.5	17.4	19.5	25.1	25.0	26.1	31.0	29.7	26.9	27.4	16.3	11.4	22.2
1946	17.3	21.0	21.8	26.1	29.6	25.6	30.4	29.4	26.8	23.6	17.7	15.8	23.8
1947	18.4	22.2	25.5	27.7	29.6	25.3 <sup>(a)</sup>	29.3	28.8	27.3	18.1 <sup>(a)</sup>	15.4	11.1	23.2
1948	15.0	17.2	23.0	23.2	22.6 <sup>(a)</sup>	26.4	29.1	28.0	28.7	26.5	17.8	15.9	22.8
1949	18.8 <sup>(a)</sup>	19.3	20.6	30.5	28.2	30.2	30.5	30.4	27.2	26.6	16.8	16.7	24.6
1950	16.0	15.6	20.0	25.3	29.6	25.7	32.3	31.6	32.4	18.2	14.7	9.7	22.6
1951	13.7	18.4	20.8	30.3	30.2	28.9	33.8 <sup>(a)</sup>	31.5	30.9	23.3	17.4	13.7	24.4
1952	12.6	17.0	22.8	30.3	28.1	27.3	32.6	32.2	32.8	29.0	16.0	9.4	24.2
1953	15.6	19.8	24.4	24.0	27.9	26.4	32.8	29.1	32.5	27.8	20.3	17.7 <sup>(a)</sup>	24.9
1954	14.3	13.8	23.7	26.3	28.1	26.8	31.4	27.6	26.2	24.5	15.8	13.2	22.6
1955	9.2 <sup>(a)</sup>	18.9	21.8	24.9	25.3	29.4	27.9	31.7	27.5	22.7	16.1	12.3	22.3
1956	12.9	15.0	20.9	28.0	26.6	26.9	30.8	28.8	30.6	22.1	13.9	13.4	22.5
1957	15.2	18.3	18.4 <sup>(a)</sup>	24.7	24.8	27.7	28.7	27.0	29.8	18.4	19.1	14.7	22.2
1958	13.3	15.0	22.0	23.9	29.6	27.3	30.5	33.1	27.0	27.8	17.8	10.2	23.1
1959	14.1	16.2	24.3	26.9	26.5	27.1	31.1	29.9	23.8	24.4	21.9	13.4	23.3
1960	14.6	19.3	23.2	25.7	26.5	31.2	32.8	28.1	28.3	25.7	18.7	10.9	23.8
1961	12.5	17.2	20.0	25.3	25.5	31.5	30.6	30.9	26.9	25.4	20.4	15.0	23.4
1962	18.1	17.4	22.0	28.9	23.2	29.9	30.2	28.3	29.9	21.4	17.3	11.4	23.2
1963	17.2	16.8	23.3	21.4 <sup>(a)</sup>	28.1	26.6	27.8	30.7	29.8	24.5	16.9	9.5	22.7
1964	16.0	24.1 <sup>(a)</sup>	23.7	27.1	27.9	26.4	31.2	29.4	29.7	26.4	12.2 <sup>(a)</sup>	14.8	24.1
1965	12.3	20.3	25.6	26.4	28.3	28.1	31.1	27.7	29.8	27.4	14.2	15.7	23.9
1966	14.3	19.3	24.4	28.2	30.7	27.3	28.7	29.1	28.4	25.7	18.1	13.4	24.0
1967	17.6	24.0	24.6	24.4	27.7	28.7	32.0	34.5 <sup>(a)</sup>	31.7	25.5	19.9	15.7	25.5 <sup>(a)</sup>
1968	17.2	20.4	23.5	27.5	27.5	27.3	31.2	26.2 <sup>(a)</sup>	28.2	22.8	14.2	13.9	23.3
1969	12.2	14.1	25.5	24.5	29.2	27.7	31.3	33.3	27.6	25.0	17.4	9.2	23.1
1970	12.0	16.4	23.8	25.3	29.2	29.3	31.7	33.1	27.2	26.5	17.8	15.4	24.0
1971	18.4	21.1	22.8	26.8	27.7	26.9	32.0	32.3	27.8	25.8	17.8	14.8	24.5
1972	17.3	18.3	25.2	26.8	27.2	26.9	30.1	30.6	30.5	27.5	13.1	17.2	24.2
1973	15.7	16.6	24.6	29.6	31.1	29.7	32.1	32.7	27.0	22.2	12.6	12.5	23.9
1974	17.8	18.8	23.2	23.4	27.3	32.7 <sup>(a)</sup>	29.8	31.9	32.2	28.3	16.3	16.5	24.8
1975	15.0	17.0	21.2	24.8	29.5	28.2	30.3	28.7	32.2	22.0	20.9	14.8	23.7
1976	15.2	21.0	25.3	26.0	30.6	28.8	30.5	28.0	30.5	27.5	20.3	16.6	25.0
1977	10.8	20.7	23.4	30.6 <sup>(a)</sup>	26.0	30.2	30.5	29.1	23.8	26.6	19.1	15.1	23.8
1978	11.4	15.2	23.0	23.8	27.7	31.3	31.0	29.0	25.8	30.3 <sup>(a)</sup>	18.2	16.8	23.6
1979	15.5	18.7	26.0	26.5	29.4	31.1	32.9	32.0	31.1	25.6	13.0	12.9	24.6
1980	13.2	10.5 <sup>(a)</sup>	22.1	27.1	25.8	25.8	31.3	29.9	27.3	24.6	15.3	11.4	22.0 <sup>(a)</sup>
1981	9.9	17.5	25.9	27.4	27.1	28.3	31.7	32.9	30.8	26.0	20.0	14.2	24.3
1982	16.0	21.4	24.4	28.2	29.9	28.0	30.6	29.5	27.1	24.9	16.6	13.0	24.1
1983	15.5	17.3	20.7	27.9	28.4	27.9	26.3	28.4	27.5	24.7	15.5	11.0	22.6
1984	13.5	15.2	21.6	23.9	26.3	26.1	32.3	32.0	26.6	25.5	14.0	15.7	22.7
1985	6.8	20.4	25.4	28.7	29.2	29.4	32.0	29.9	24.3	25.4	15.8	8.0 <sup>(a)</sup>	22.9
1986	12.5	17.1	22.1	26.4	26.6	29.1	28.6	31.0	23.5 <sup>(a)</sup>	26.8	15.1	8.4	22.3
1987	11.9	19.0	22.4	28.2	28.9	31.2	28.1	30.1	33.0	28.9	19.8	12.0	24.5
1988	13.4	23.8	25.1	25.3	27.4	26.3	30.0	32.1	31.2	26.2	16.9	11.4	24.1
1989	16.5	17.3	20.2	26.2	26.0	28.5	31.1	27.3	31.1	24.0	16.0	9.4	22.8
1990	15.7	20.5	26.5	27.1	24.4	26.8	28.8	27.3	32.2	23.6	18.4	16.0	23.9
1991	16.0	21.4	22.7	26	25.1	25.6	30.2	29.6	31.1	26.4	13.1	13.5	23.4
1992	12.5	15.2	25.9	24.6	31.9 <sup>(a)</sup>	28.5	28.0	31.6	28.1	24.4	13.6	14.5	23.2
1993	12.8	15.1	18.6	23.7	29.1	27.1	25.5 <sup>(a)</sup>	29.5	33.5 <sup>(a)</sup>	28.6	23.9 <sup>(a)</sup>	10.5	23.2
1994	15.7	17.2	28.4 <sup>(a)</sup>	26.0	26.5	29.4	33.0	31.2	31.2	25.4	17.2	13.6	24.6
1995	13.2	20.1	23.7	25.2	28.0	26.3	29.9	30.6	30.2	24.3	19.5	11.7	23.6
1996	14.0	21.2	22.9	26.0	26.6	31.0	33.7	34.1	30.8	23.9	17.0	13.1	24.5
1997	15.6	18.8	22.1	25.7	28.1	27.3	31.2	31.2	26.7	24.3	17.6	14.2	23.6
Average	14.4	18.3	23.1	26.3	27.7	28.1	30.6	30.2	29.0	25.1	17.0	13.3	23.6
Normal <sup>(b)</sup>	14.4	18.6	23.5	26.5	27.8	28.5	30.5	30.3	28.8	25.6	16.8	13.4	23.7

(a) Greatest and least values.

(b) Normals are averages for the period 1961-1990.

Table 3.12. Normal and Extreme Daily Maximum and Minimum Temperatures (°F)

Day	Normal (1961-1990)			Extreme (1945-1997)							
	Maximum	Minimum	Mean	Maximum				Minimum			
				High	Year	Low	Year	High	Year	Low	Year
January											
1	35	21	28	57	64	8	69	38	81 <sup>(a)</sup>	-11	79
2	35	21	28	57	97	15	69	42	63	-9	78
3	36	21	28	63	89	12	50	41	81	0	59
4	36	21	29	60	94 <sup>(a)</sup>	13	59	39	54	-6	50
5	36	22	29	59	90 <sup>(a)</sup>	12	50	39	81	-7	50
6	36	22	29	59	90 <sup>(a)</sup>	10	82	39	56	-10	74
7	36	22	29	63	62	9	79	45	90	-8	74
8	36	22	29	56	83 <sup>(a)</sup>	5	74	44	53	-9	74
9	36	22	29	60	90 <sup>(a)</sup>	5	74	41	90	-13	74
10	36	23	30	61	83	10	74	40	83	-5	74
11	37	23	30	60	83 <sup>(a)</sup>	13	63	37	90	-6	49
12	38	24	31	59	53	15	63	47	53	-4	63 <sup>(a)</sup>
13	38	24	31	61	94	10	50	42	66	-4	93 <sup>(a)</sup>
14	39	25	32	60	61	7	50	48	61	-11	50
15	39	26	33	60	74 <sup>(a)</sup>	5	50	50	74	-5	50
16	40	26	33	61	74	8	50	48	89	-8	50
17	40	26	33	56	89	5	50	40	89	-11	50
18	40	26	33	62	89	10	50	38	89	-6	57
19	40	26	33	63	68	13	50	47	68	-2	57
20	40	26	33	66	68	11	54	47	72	-6	54
21	40	26	33	65	68	14	54	42	72	0	54
22	40	26	33	56	90	16	69	43	81	-2	62
23	40	26	32	63	53	10	69	43	81	-8	69
24	40	25	32	59	84 <sup>(a)</sup>	13	57	43	58	-6	49
25	40	25	32	59	92 <sup>(a)</sup>	6	50	41	74 <sup>(a)</sup>	-12	57
26	40	25	32	61	71	2	57	46	62	-22	57
27	40	25	32	60	84 <sup>(a)</sup>	0	57	36	95 <sup>(a)</sup>	-21	57
28	40	25	32	61	67	6	57	41	53	-14	57
29	40	24	32	62	67	3	50	44	92 <sup>(a)</sup>	-18	50
30	40	24	32	67	89 <sup>(a)</sup>	11	57	53	71	-13	50
31	40	24	32	72	71	-2	50	45	53	-21	50
February											
1	40	24	32	63	71	-3	50	42	92	-23	50
2	41	24	33	61	91 <sup>(a)</sup>	0	50	42	68	-21	50
3	41	24	33	60	67 <sup>(a)</sup>	1	50	46	91	-23	50
4	41	24	33	65	67	11	85	43	68	-5	85
5	41	25	33	61	65	23	85	39	61	-5	89
6	42	25	33	61	67	19	85	37	61	-3	89
7	42	25	34	65	45	20	48	41	55	2	89
8	43	26	35	63	96	22	56	45	45	5	94 <sup>(a)</sup>
9	44	27	35	65	51	23	56	39	61 <sup>(a)</sup>	4	85
10	45	28	37	65	77	30	56 <sup>(a)</sup>	50	51	7	85
11	46	28	37	66	88	27	54	39	93 <sup>(a)</sup>	9	48
12	47	29	38	70	77	24	49	40	77	6	48
13	48	30	39	66	71	25	49	42	47	3	49
14	48	30	39	62	97 <sup>(a)</sup>	22	80	54	82	8	95
15	49	31	40	67	82	19	56	48	81	5	56
16	49	31	40	69	77	20	56	48	81	4	56
17	49	31	40	67	77 <sup>(a)</sup>	22	56	48	48	9	56
18	50	31	40	66	81	24	56	46	81	9	90
19	50	31	41	68	95	28	56	56	95	14	90 <sup>(a)</sup>

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
				Maximum				Minimum			
	Maximum	Minimum	Mean	High	Year	Low	Year	High	Year	Low	Year
20	50	31	41	68	82	32	57 <sup>(a)</sup>	51	61	15	86
21	51	31	41	71	88	29	57	45	95	13	57
22	51	31	41	62	95 <sup>(a)</sup>	29	57	42	58	11	93
23	51	31	41	68	47	34	93 <sup>(a)</sup>	43	83 <sup>(a)</sup>	19	93
24	52	31	41	72	86	32	62	60	86	11	93 <sup>(a)</sup>
25	52	31	42	72	86	28	93	49	86	4	93
26	52	31	42	65	57 <sup>(a)</sup>	28	93 <sup>(a)</sup>	46	92	10	93
27	52	31	42	68	72	26	93	44	92	7	62
28	52	31	42	67	67	25	93	48	72	3	93
29	52	31	42	63	88 <sup>(a)</sup>	40	60	43	92	12	60
March											
1	52	31	42	67	94	26	93	44	94	15	71 <sup>(a)</sup>
2	52	31	42	66	68	26	60	46	87	14	60
3	52	31	42	70	94	24	60	50	87	14	89
4	52	31	42	63	53	26	55	46	87	7	55
5	53	31	42	68	72	31	45	50	87	6	55
6	54	32	43	65	67 <sup>(a)</sup>	33	57	43	79	18	60
7	55	32	44	66	53	41	45	42	86 <sup>(a)</sup>	21	74 <sup>(a)</sup>
8	55	33	44	67	53	33	51	46	83	20	76
9	56	33	44	69	53	40	51	47	83	22	94 <sup>(a)</sup>
10	56	33	45	69	72	40	48	45	87 <sup>(a)</sup>	13	48
11	56	33	45	67	95 <sup>(a)</sup>	32	50	44	95	21	50
12	57	34	45	68	92	37	51	48	87	15	56
13	57	34	45	70	92	38	51	44	87 <sup>(a)</sup>	22	69 <sup>(a)</sup>
14	57	34	46	72	92	40	49	45	61	23	53
15	58	34	46	73	94	37	49	50	92	23	76
16	58	34	46	76	72	43	89	47	94	23	55
17	59	35	47	76	72	38	65	48	69	17	65
18	59	35	47	76	47	41	65	47	90	14	65
19	59	35	47	76	47	48	65 <sup>(a)</sup>	53	97	16	65
20	59	35	47	76	47	49	50	49	88	22	74
21	59	35	47	74	60	41	75	46	47	26	82 <sup>(a)</sup>
22	59	35	47	74	78 <sup>(a)</sup>	47	71	47	78	19	94
23	59	35	47	77	60	39	64	45	56 <sup>(a)</sup>	20	48
24	59	35	47	78	60	38	55	45	60 <sup>(a)</sup>	15	64
25	59	35	47	83	60	35	55	48	52	21	96
26	60	35	47	76	46	38	65	49	92 <sup>(a)</sup>	21	85
27	60	35	48	77	94	47	79	46	89	24	75
28	61	36	48	79	94	42	54	49	78	19	75
29	61	36	49	78	94 <sup>(a)</sup>	49	54	48	94 <sup>(a)</sup>	18	54
30	62	37	49	75	92	52	67	47	92 <sup>(a)</sup>	20	54
31	62	37	49	78	92	45	96	47	61	28	53
April											
1	63	37	50	80	90	45	76	50	59	24	82
2	63	37	50	83	92	48	82	50	87	25	76
3	64	37	50	76	77	50	63 <sup>(a)</sup>	48	77	23	75
4	64	38	51	82	60	45	75	56	91	27	50
5	64	38	51	78	77 <sup>(a)</sup>	51	75	54	60	21	75
6	65	38	51	82	77	50	82	51	62	25	97
7	65	38	52	85	77	41	45	53	60	26	54
8	65	38	52	82	96	51	53	50	96	27	92 <sup>(a)</sup>
9	65	38	52	80	85	48	92	57	96	29	75 <sup>(a)</sup>
10	65	38	52	85	68	52	45	50	96	24	81

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
	Maximum	Minimum	Mean	Maximum				Minimum			
				High	Year	Low	Year	High	Year	Low	Year
11	65	38	52	79	88	52	83	51	56 <sup>(a)</sup>	27	83
12	66	39	52	83	88	47	95	48	82 <sup>(a)</sup>	26	97
13	66	39	52	88	47	54	55	59	88	23	68
14	66	39	52	85	62 <sup>(a)</sup>	47	75	55	85	29	83
15	66	39	52	82	88	55	75 <sup>(a)</sup>	54	87	27	55
16	66	39	52	83	54	53	63	54	92	28	82
17	65	40	52	88	94	48	63	52	90	26	55
18	65	40	52	88	94	51	67	60	94	29	68
19	65	40	52	78	56	50	51	56	94	27	66
20	66	40	53	84	56	45	67	53	90 <sup>(a)</sup>	28	82
21	66	40	53	85	56	52	67	60	56	26	85 <sup>(a)</sup>
22	66	41	54	81	82 <sup>(a)</sup>	53	88	52	81 <sup>(a)</sup>	28	72
23	67	41	54	88	81 <sup>(a)</sup>	56	79 <sup>(a)</sup>	58	77	30	78
24	68	41	54	94	77	53	75	56	52	28	86 <sup>(a)</sup>
25	68	42	55	91	46	56	58	59	52	31	55
26	68	42	55	85	92	53	48	57	78	28	48
27	69	42	55	90	87	50	90	57	92	27	70
28	69	42	56	93	87	54	95	64	87	27	67
29	70	43	56	90	68	47	67	60	87	29	52
30	70	43	57	91	81	56	67 <sup>(a)</sup>	56	81	29	86
May											
1	71	43	57	87	47	53	69	59	77	28	54
2	71	43	57	89	71	56	88	60	71	30	97
3	71	44	58	91	66	58	93	60	71	31	49
4	72	44	58	94	66	56	63	57	46	31	62
5	72	45	58	100	66	52	61	65	66	30	59
6	73	45	59	98	92	56	86	62	87	34	77
7	73	45	59	99	87	61	90	66	92	33	84
8	73	46	59	102	87	56	62	67	94 <sup>(a)</sup>	29	96
9	74	46	60	97	87	56	48	66	49	34	96 <sup>(a)</sup>
10	74	46	60	96	49	53	67	66	49	34	70
11	74	46	60	98	49	51	67	68	49	30	70
12	74	46	60	100	93	57	70	66	93	34	85
13	74	46	60	94	97	57	55	66	97	34	85
14	75	47	61	98	73	56	55	61	73 <sup>(a)</sup>	31	55
15	75	47	61	97	73	57	59	67	97	35	74
16	75	47	61	95	73	54	55	60	73	32	74
17	76	48	62	96	73	61	74	59	85	38	88 <sup>(a)</sup>
18	76	48	62	98	54	62	74	67	56	36	72
19	77	48	62	92	93	56	62	70	56	33	75
20	77	48	62	93	47	58	60	59	56	36	71
21	77	49	63	94	58	62	60 <sup>(a)</sup>	59	58	37	74 <sup>(a)</sup>
22	77	49	63	98	58	63	64	64	58	33	60
23	77	49	63	95	85 <sup>(a)</sup>	59	62	66	58	35	64
24	77	49	63	96	92	54	62	63	81	35	75
25	77	50	63	98	92 <sup>(a)</sup>	62	84	65	83	38	91 <sup>(a)</sup>
26	77	50	64	101	58 <sup>(a)</sup>	54	80	69	47	38	78
27	78	50	64	93	83	62	89	69	58	37	73
28	78	50	64	99	83	61	89	63	72 <sup>(a)</sup>	38	79 <sup>(a)</sup>
29	78	51	64	103	83	68	89 <sup>(a)</sup>	71	86	35	76
30	79	51	65	104	86	62	76 <sup>(a)</sup>	68	86	41	55 <sup>(a)</sup>
31	79	52	65	104	86	54	71	69	86	40	96 <sup>(a)</sup>

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
				Maximum				Minimum			
	Maximum	Minimum	Mean	High	Year	Low	Year	High	Year	Low	Year
June											
1	80	52	66	103	86	64	76	69	86	37	84
2	80	52	66	99	70	65	80	69	89 <sup>(a)</sup>	37	76
3	81	53	67	103	70	55	66	68	86 <sup>(a)</sup>	37	62
4	81	54	67	103	69	60	74	66	86 <sup>(a)</sup>	40	80 <sup>(a)</sup>
5	81	54	68	101	78	60	88	73	69	43	76 <sup>(a)</sup>
6	81	54	68	102	70 <sup>(a)</sup>	57	95	68	77	46	62
7	82	54	68	100	77	56	50	69	77	44	61
8	82	54	68	100	48	59	64	69	69	40	53
9	82	54	68	98	55	68	59	68	69 <sup>(a)</sup>	44	85 <sup>(a)</sup>
10	82	54	68	98	55	69	72	68	79	41	59
11	82	54	68	100	55	64	61	70	55	40	56
12	83	55	69	98	74	68	54	67	87 <sup>(a)</sup>	42	68
13	83	55	69	99	74	59	80	67	89	42	52
14	84	56	70	103	74	65	95	68	87	44	78 <sup>(a)</sup>
15	85	56	70	102	61	70	65	72	63	44	54
16	85	57	71	106	61	62	49	70	63	41	54
17	86	57	72	108	61	70	73	75	61	40	81
18	86	57	72	104	61	69	64	75	58	41	54
19	86	57	72	102	85	63	95	73	58	43	86
20	86	57	72	102	82	63	91	73	59	42	53
21	86	57	72	104	70	62	84	73	58	45	56
22	86	57	72	106	92 <sup>(a)</sup>	71	93	74	92	46	97 <sup>(a)</sup>
23	86	57	72	111	92	68	72	75	58	44	52
24	86	57	71	108	92	66	72	80	92	40	83
25	86	56	71	107	92	70	46	79	92	42	76
26	86	56	71	103	87	70	75	74	70	41	76 <sup>(a)</sup>
27	86	56	71	102	92	68	47	75	87	45	64 <sup>(a)</sup>
28	86	56	71	102	87 <sup>(a)</sup>	64	46	68	87	38	75
29	86	56	71	104	48	65	52	74	87	46	71 <sup>(a)</sup>
30	86	56	71	106	87	71	55	71	87	42	49
July											
1	86	57	72	103	87	66	66	75	87	46	73 <sup>(a)</sup>
2	87	57	72	103	96	59	66	70	45	39	79
3	87	58	72	105	91 <sup>(a)</sup>	71	66	70	67	46	90
4	88	58	73	108	68	71	86	75	70	48	66
5	88	59	73	108	75	66	51	76	75	47	80
6	89	59	74	110	68	71	55	76	68	44	71
7	89	59	74	105	68 <sup>(a)</sup>	75	81	73	68	45	71
8	89	59	74	108	68	71	72	74	85	45	81
9	89	60	74	110	75	76	55	78	75	50	72 <sup>(a)</sup>
10	90	60	75	106	75	67	74	79	75	49	97 <sup>(a)</sup>
11	90	60	75	109	90	76	74	78	75	46	81
12	90	60	75	110	90	75	88	75	90	50	74
13	90	60	75	108	61	77	93 <sup>(a)</sup>	73	90 <sup>(a)</sup>	49	76
14	90	61	76	107	87 <sup>(a)</sup>	77	83	78	61	50	83
15	91	61	76	108	96	71	82	76	55	45	82
16	91	61	76	105	70	68	86	74	90	48	74
17	92	61	76	110	60	73	93	77	58	48	86
18	92	61	77	110	60	76	96	79	60	49	96 <sup>(a)</sup>
19	92	61	77	109	79	72	49	77	79	51	77
20	93	62	77	110	79	75	65 <sup>(a)</sup>	75	95	53	68 <sup>(a)</sup>
21	93	62	78	109	94	68	65	77	88	49	49
22	94	62	78	111	94	74	92	75	94 <sup>(a)</sup>	47	82

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
				Maximum				Minimum			
	Maximum	Minimum	Mean	High	Year	Low	Year	High	Year	Low	Year
23	94	63	78	109	94	69	92	82	94	49	63
24	94	63	79	109	94	78	63	75	62	52	52 <sup>(a)</sup>
25	95	63	79	106	84	73	90	77	62	51	49 <sup>(a)</sup>
26	95	63	79	108	96	66	55	76	88	54	48
27	95	64	79	108	75 <sup>(a)</sup>	74	48	74	73 <sup>(a)</sup>	52	86
28	95	64	79	108	68	77	50 <sup>(a)</sup>	76	68	49	59
29	95	63	79	107	82	80	93 <sup>(a)</sup>	78	82	52	50
30	95	63	79	107	71	78	75	74	90	49	50
31	94	63	79	111	71	75	85	74	71 <sup>(a)</sup>	52	95
August											
1	94	63	78	109	71	77	76 <sup>(a)</sup>	80	49	51	87
2	94	62	78	106	94	75	56	75	77 <sup>(a)</sup>	46	64
3	94	62	78	107	61	77	62	75	94	52	59
4	93	62	78	113	61	78	64 <sup>(a)</sup>	81	61	48	54
5	93	62	78	108	90	80	96 <sup>(a)</sup>	72	91	45	69
6	94	62	78	106	72	77	46	77	90	51	47
7	94	63	78	109	72	70	62	75	45	49	46
8	94	63	78	110	72	75	62	79	82 <sup>(a)</sup>	48	49
9	94	63	78	112	71	78	47	78	90	51	95 <sup>(a)</sup>
10	94	63	78	109	96 <sup>(a)</sup>	76	85	77	71	52	47
11	93	63	78	108	71	79	83	73	58	50	85
12	93	62	77	108	71	77	95	77	92	52	57
13	92	61	77	107	92	74	68	79	92	47	95
14	91	60	76	109	92	70	68	78	92 <sup>(a)</sup>	45	95
15	90	60	75	105	67	72	60	74	92	51	74
16	89	59	74	108	67	68	93	76	45	48	76
17	89	59	74	108	67	76	95	68	91	47	76
18	89	59	74	108	67	71	80	71	97	47	76
19	88	59	74	105	67	70	68	76	91	46	80 <sup>(a)</sup>
20	88	59	74	105	67	67	59	77	82	49	52
21	88	59	74	104	46	70	60	75	46	47	85 <sup>(a)</sup>
22	88	59	73	104	56 <sup>(a)</sup>	70	92	76	61 <sup>(a)</sup>	41	60
23	88	58	73	105	70	69	92	76	46	45	92
24	87	58	73	104	58	70	68	71	66	43	92
25	87	58	72	105	96	72	77	70	46	43	93
26	87	58	72	100	84	68	56	70	96	44	93 <sup>(a)</sup>
27	87	57	72	101	72	73	68	71	67	47	78 <sup>(a)</sup>
28	86	57	72	104	72	70	51	74	86	42	80
29	86	56	71	102	67	72	51	73	67	42	65
30	86	56	71	105	67	68	51	71	67	44	64
31	85	56	71	104	67	72	71	73	67	45	65
September											
1	85	56	71	106	87	61	71	70	87	44	80
2	85	56	71	102	50	70	71	70	49	47	75 <sup>(a)</sup>
3	85	55	70	101	88	71	97	71	95	44	80 <sup>(a)</sup>
4	85	55	70	102	88	68	59	68	55	44	80
5	85	55	70	100	55	72	60	68	63	43	69
6	85	55	70	101	55	69	46	65	57 <sup>(a)</sup>	41	96
7	85	54	69	97	58	60	78	72	55	42	92 <sup>(a)</sup>
8	84	54	69	99	81	61	85	69	63	42	76 <sup>(a)</sup>
9	83	53	68	98	81 <sup>(a)</sup>	66	85	68	69	40	62
10	82	53	67	97	93	68	85	65	63	43	82 <sup>(a)</sup>
11	81	52	67	98	90 <sup>(a)</sup>	62	85	66	69	41	88
12	81	52	66	96	69	62	70	67	53	38	49

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
				Maximum				Minimum			
	Maximum	Minimum	Mean	High	Year	Low	Year	High	Year	Low	Year
13	80	51	66	98	48	59	80	62	60 <sup>(a)</sup>	40	74
14	80	51	65	94	95	62	92	61	90 <sup>(a)</sup>	38	70
15	79	51	65	96	79 <sup>(a)</sup>	58	59	61	45	35	70
16	79	51	65	96	81 <sup>(a)</sup>	61	46	65	79	35	65
17	79	51	65	97	81	59	86	62	51	33	65
18	78	50	64	98	81	57	83	61	79	34	65
19	78	50	64	96	67	62	83	67	56	36	57
20	78	50	64	94	94	66	72 <sup>(a)</sup>	67	94	37	83
21	78	49	63	98	67	66	45	65	62	38	93 <sup>(a)</sup>
22	77	49	63	93	66	52	84	68	66	36	81 <sup>(a)</sup>
23	77	49	63	93	87	54	77	62	92	34	81
24	77	49	63	94	52	60	72	60	50	34	72 <sup>(a)</sup>
25	77	48	63	97	52	56	77	66	49	30	72
26	77	48	62	93	52	57	48	61	79	32	72
27	76	48	62	92	63 <sup>(a)</sup>	58	77	60	49	30	72
28	76	48	62	92	67	58	77	62	76	33	85
29	76	47	61	92	96 <sup>(a)</sup>	57	77	61	89	34	85 <sup>(a)</sup>
30	75	46	61	88	93 <sup>(a)</sup>	63	54 <sup>(a)</sup>	64	93	35	85
October											
1	75	46	60	88	91 <sup>(a)</sup>	61	59	59	92	30	54
2	74	45	60	86	93 <sup>(a)</sup>	56	67	60	88	32	54
3	73	45	59	89	58	55	50	58	88 <sup>(a)</sup>	33	73 <sup>(a)</sup>
4	73	44	58	89	80	55	50	57	88	32	73
5	72	44	58	87	58	52	57	52	88 <sup>(a)</sup>	34	82 <sup>(a)</sup>
6	72	44	58	85	80	53	57 <sup>(a)</sup>	57	60	30	74
7	71	44	57	86	80	48	57	57	88	29	74
8	70	44	57	84	65	50	97	58	87	26	85
9	70	43	56	84	45	52	58	56	96	26	85
10	69	43	56	86	96	50	62	55	96	33	59
11	69	43	56	84	52	52	68 <sup>(a)</sup>	55	63	30	60
12	68	43	55	84	45	54	66	56	52	34	85 <sup>(a)</sup>
13	68	42	55	79	45	57	69	55	88	31	69
14	67	41	54	78	45	58	90 <sup>(a)</sup>	59	88	24	69
15	66	40	53	81	63	53	92	60	88	29	70
16	66	39	53	79	63	54	92 <sup>(a)</sup>	56	95	26	46
17	65	39	52	77	97	45	96	49	55	26	96
18	65	38	51	76	73	47	49	50	52	27	49
19	64	38	51	78	92 <sup>(a)</sup>	50	45	52	92	27	69 <sup>(a)</sup>
20	63	38	50	74	78	45	47	54	73	23	49
21	63	38	50	73	91 <sup>(a)</sup>	45	96	54	63	20	84
22	63	38	50	74	59	46	50	51	52	20	84
23	62	38	50	73	66 <sup>(a)</sup>	39	84	51	60	25	84
24	61	38	50	75	77 <sup>(a)</sup>	49	57	49	46	26	75
25	61	37	49	75	55 <sup>(a)</sup>	49	57	60	45	26	78
26	60	37	48	69	92	49	46	52	94	21	78
27	59	36	48	74	85	43	93 <sup>(a)</sup>	54	81	23	70
28	58	36	47	68	65 <sup>(a)</sup>	35	91	52	49	18	71
29	58	36	47	70	53	42	91 <sup>(a)</sup>	50	97	13	71
30	57	36	46	75	67	32	71	50	97	20	72
31	56	36	46	75	67	34	84	54	67	12	84
November											
1	56	36	46	69	88	31	84	49	87	20	95
2	56	36	46	70	45	38	91	51	85	17	95
3	55	36	45	75	75	36	73	53	83	17	95

Table 3.12. (contd)

Day	Normal (1961-1990)			Extreme (1945-1997)							
	Maximum	Minimum	Mean	Maximum				Minimum			
				High	Year	Low	Year	High	Year	Low	Year
4	55	36	45	71	75	32	73	46	89 <sup>(a)</sup>	16	73
5	54	35	44	63	89	31	73	48	88	20	73 <sup>(a)</sup>
6	53	35	44	64	58	32	73	49	89	19	73
7	53	35	44	69	78	34	45	48	97 <sup>(a)</sup>	19	93 <sup>(a)</sup>
8	52	34	43	69	95	34	45	48	89	16	45
9	51	34	43	73	89	30	45	60	89	18	86
10	51	34	42	73	89	32	45	56	89	16	86
11	50	34	42	66	89	32	85	48	89	14	78
12	50	33	42	65	91	20	55	52	49	6	55
13	49	33	41	64	87	14	55	46	90	6	59
14	49	33	41	65	95	19	55	47	45	-1	55
15	49	32	40	65	53	18	55	46	83	1	55
16	48	32	40	65	76	18	55	49	54	7	59
17	48	31	40	71	76	22	55	46	83 <sup>(a)</sup>	10	61
18	48	31	39	64	46	25	55	47	54	11	55
19	47	31	39	67	62	22	85	44	54	14	85
20	47	30	38	65	58	24	85	47	74	3	85
21	46	30	38	63	58	17	85	46	65	3	85
22	46	29	38	65	67 <sup>(a)</sup>	17	85	53	90	-6	85
23	45	29	37	70	59	11	85	54	90	-13	85
24	45	29	37	67	95 <sup>(a)</sup>	6	85	57	90	-12	85
25	44	28	36	65	62	11	85	48	62	-3	85
26	43	28	36	65	49	15	85	45	49	-1	85
27	43	28	35	63	49	12	85	46	49	8	85
28	43	28	35	64	95	11	85	43	73	7	85
29	42	28	35	62	95	14	85	57	95	8	85
30	42	28	35	62	95 <sup>(a)</sup>	15	85	46	94	6	85
<hr/> December <hr/>											
1	42	28	35	65	72	14	85	45	81	-8	85
2	42	28	35	64	77	20	85	56	75	8	85
3	42	28	35	62	82 <sup>(a)</sup>	27	85 <sup>(a)</sup>	54	75	8	85
4	42	28	35	60	75 <sup>(a)</sup>	23	72	41	52	1	72
5	41	28	34	58	91 <sup>(a)</sup>	21	72	41	87	7	72
6	41	27	34	59	87	16	56	43	87	8	56
7	40	27	33	58	73 <sup>(a)</sup>	18	56	40	52	2	56
8	40	26	33	58	89	17	72	48	46	-6	72
9	40	26	33	59	87 <sup>(a)</sup>	13	72	44	56	-5	72
10	39	25	32	67	93	13	72	48	46	-8	72
11	39	25	32	59	91 <sup>(a)</sup>	11	72	45	46	-4	72
12	39	25	32	57	88	22	72	42	77 <sup>(a)</sup>	-5	72
13	38	25	31	59	46	13	72	42	46	-6	72
14	38	24	31	57	79 <sup>(a)</sup>	15	72	48	79	-2	72
15	37	24	31	64	59	16	72	41	56	2	72
16	37	24	30	60	97	4	64	43	73	-13	64
17	37	24	30	57	71 <sup>(a)</sup>	5	64	41	62	-12	64
18	36	24	30	56	56	13	64	38	94 <sup>(a)</sup>	-3	84
19	36	24	30	59	94	17	84	41	94	-4	84
20	37	24	30	64	94	11	84	47	94	-2	90 <sup>(a)</sup>
21	37	24	30	61	72	11	90	43	73	-10	90
22	37	24	30	59	80	7	90	42	72	-13	83
23	37	24	30	57	63	6	83	40	72	-9	83
24	37	24	30	55	61 <sup>(a)</sup>	15	90 <sup>(a)</sup>	39	80 <sup>(a)</sup>	0	90
25	37	23	30	65	80	16	90	41	72	1	90
26	36	23	30	69	80	20	90 <sup>(a)</sup>	53	80	0	48

**Table 3.12. (contd)**

Day	Normal (1961-1990)			Extreme (1945-1997)							
	Maximum	Minimum	Mean	Maximum				Minimum			
				High	Year	Low	Year	High	Year	Low	Year
27	36	23	29	62	80 <sup>(a)</sup>	19	48	40	94 <sup>(a)</sup>	-2	48
28	35	22	29	57	97	11	96	38	49	-6	96
29	35	22	28	60	49	-2	68	39	62	-10	90 <sup>(a)</sup>
30	35	21	28	54	70	-2	68	39	88 <sup>(a)</sup>	-14	68
31	35	21	28	56	62	4	68	44	80	-9	78

(a) Latest of several occurrences.

### 3.8 Heating- and Cooling-Degree Days

Heating- and cooling-degree day data are generally used by the utility industry and those involved in building design to assess heating and cooling energy requirements. A temperature of 65°F is generally used as the basis for this calculation. To determine whether a day has either heating-degree days (HDDs) or cooling-degree days (CDDs), 65 is subtracted from the daily average temperature (computed by adding the daily maximum and minimum temperatures and dividing by two). If the difference is positive, the day has cooling-degree days. If the difference is negative, the day has heating-degree days.

#### Example Calculations

Daily high temperature	90	42
Daily low temperature	60	20
Daily average temperature	75 (150÷2)	31 (62÷2)
Threshold temperature	-65	-65
Difference	10 (10 CDDs)	-34 (34 HDDs)

Tables 3.14 and 3.15 provide monthly HDD and CDD data, respectively, for the period 1945 through 1997. The HDDs are traditionally totaled for the 12-month period July through June of the following year.

Table 3.13. Subsurface Soil Temperatures (°F) at Depths of 0.5, 15, and 36 Inches

Month	0.5-in. Depth			15-in. Depth			36-in. Depth		
	Monthly Averages		36 in.	Highest Monthly Average	Lowest Monthly Average	Year	Highest Monthly Average	Lowest Monthly Average	Year
	0.5 in.	15 in.							
Jan	32.5	36.0	42.5	39.4	1967	19.2	1979	42.7	1981
Feb	38.2	38.6	41.8	45.1	1958	28.6	1989	44.9	1967
Mar	48.2	46.3	46.0	54.3	1992	42.4	1955	52.6	1968
Apr	60.0	55.7	53.2	69.4	1977	52.4	1984	62.1	1977
May	72.0	65.5	60.8	81.4	1992	63.6	1984	71.4	1992
Jun	82.7	75.2	68.9	90.4	1986	75.3	1956	84.5	1966
Jul	90.9	81.8	75.4	96.2	1973	81.0	1993	88.2	1967
Aug	87.6	82.7	78.7	94.9	1971	81.6	1960	89.2	1967
Sep	74.0	74.6	75.0	81.0	1967	65.5	1985	82.2	1967
Oct	56.5	62.3	67.3	62.6	1988	52.4	1985	66.6	1967
Nov	40.5	47.9	56.6	45.2	1987	31.9	1985	54.0	1974
Dec	33.3	39.0	47.6	38.7	1974	26.5	1984	45.0	1974
Annual	59.6	58.8	59.7	62.8	1967	55.9	1955	63.0	1967
Absolute Hourly Extremes									
	153.2	1995	-2.0	1972	93.0	1967	16.1	1979	85.3
									1967
									32.2
									1957

Table 3.14. Monthly and Seasonal Heating-Degree Days

Year	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Season
1944-45	--	--	--	--	--	--	967	738	709	442	141	38	--
1945-46	0	2	97	277	733	1,000	949	710	603	331	79	42	4,823
1946-47	0	1	101	479	875	935	1,168	702	476	266	36 <sup>(a)</sup>	25	5,064
1947-48	0	7	70	351	714	989	1,024	963	709	471	237	5	5,540
1948-49	2	0	109	438	725	1,184	1,581	928	616	281	85	36	5,985
1949-50	1	0	52	456	592	927	1,640 <sup>(a)</sup>	959	704	452	196	66	6,045
1950-51	0	0	64	431	728	895	994	786	773	325	146	45	5,187
1951-52	5	19	46	421	763	1,164	1,235	823	645	311	118	45	5,595
1952-53	0	2	34	200 <sup>(a)</sup>	929	934	694 <sup>(a)</sup>	664	585	419	228	90 <sup>(a)</sup>	4,779
1953-54	0	3	59	298	649	851	1,118	720	722	408	124	77	5,029
1954-55	10	4	79	423	567	957	1,090	832	794 <sup>(a)</sup>	522 <sup>(a)</sup>	253	23	5,554
1955-56	22 <sup>(a)</sup>	0	108	364	1,008	1,105	1,029	1,147 <sup>(a)</sup>	655	273	110	55	5,876
1956-57	0	6	32	399	850	940	1,499	862	650	308	50	11	5,607
1957-58	0	0	37	443	739	822 <sup>(a)</sup>	862	576	666	411	72	3	4,631
1958-59	0	0	74	339	731	927	1,025	827	617	325	248	29	5,142
1959-60	4	6	118	359	855	987	1,292	799	616	374	227	21	5,658
1960-61	0	32 <sup>(a)</sup>	35	330	717	1,114	930	598	587	380	179	16	4,918
1961-62	0	0	91	418	893	974	1,090	797	698	287	255	51	5,554
1962-63	12	1	60	385	657	874	1,228	747	577	456	170	25	5,192
1963-64	1	1	25	285	668	1,078	913	784	656	445	195	33	5,084
1964-65	0	21	94	360	804	1,224	1,009	686	685	307	171	16	5,377
1965-66	5	14	115	247	660	995	963	702	605	311	133	58	4,808
1966-67	17	2	26	362	638	829	782	598	639	519	175	12	4,599
1967-68	0	0	13	305	704	993	907	670	495	416	117	23	4,643
1968-69	0	13	50	458	702	1,064	1,399	932	591	384	88	6	5,687
1969-70	0	5	39	431	745	941	1,064	683	625	480	137	23	5,173
1970-71	0	0	122	439	758	1,063	906	726	752	392	124	50	5,332
1971-72	13	3	133	420	728	1,064	1,065	878	560	463	112	23	5,462
1972-73	1	3	179	397	754	1,168	1,112	742	544	338	144	38	5,420
1973-74	2	9	73	389	798	837	1,104	675	611	361	236	27	5,122
1974-75	8	0	32	388	698	892	996	880	704	504	174	31	5,307
1975-76	0	13	25	388	764	949	1,024	796	735	422	159	74	5,349
1976-77	5	15	23	392	736	1,065	1,232	684	608	253	258	22	5,293
1977-78	5	7	153	401	783	967	1,001	761	550	393	203	22	5,246
1978-79	1	10	76	390	981	1,162	1,582	861	571	369	94	21	6,118 <sup>(a)</sup>
1979-80	13	0	10	266	924	887	1,277	888	638	302	138	68	5,411
1980-81	5	18	53	394	723	883	838	707	503	345	165	51	4,685
1981-82	8	0	108	402	668	998	1,092	754	590	469	164	17	5,270
1982-83	10	0	75	420	844	1,023	855	676	511	419	151	50	5,034
1983-84	8	0	125	387	643	1,357	1,035	763	552	432	292 <sup>(a)</sup>	70	5,664
1984-85	0	3	145	532 <sup>(a)</sup>	768	1,288	1,245	982	651	288	137	21	6,060
1985-86	0	10	197 <sup>(a)</sup>	475	1,206 <sup>(a)</sup>	1,362 <sup>(a)</sup>	959	724	509	426	213	10	6,091
1986-87	18	0	153	319	680	1,009	1,066	696	522	239	85	16	4,803
1987-88	1	0	32	304	640	1,040	1,028	695	591	301	166	65	4,863
1988-89	3	0	100	208	625	1,033	859	1,054	658	254	141	6	4,941
1989-90	1	0	12	339	621	985	763	767	530	217	149	28	4,412
1990-91	4	0 <sup>(a)</sup>	0 <sup>(a)</sup>	401	553 <sup>(a)</sup>	1,269	1,124	575 <sup>(a)</sup>	649	330	148	55	5,108
1991-92	0	0	12	381	710	842	851	648	418 <sup>(a)</sup>	278	77	13	4,230 <sup>(a)</sup>
1992-93	1	18	94	298	716	1,084	1,247	958	674	374	94	23	5,581
1993-94	1	13	89	303	911	914	819	813	490	217 <sup>(a)</sup>	97	22	4,689
1994-95	0	0	3	332	759	924	954	614	581	372	89	46	4,674
1995-96	0 <sup>(a,b)</sup>	1	24	398	623	1,003	1,124	935	623	302	225	14	5,272
1996-97	3	0	99	401	797	1,090	973	692	544	395	95	2 <sup>(a)</sup>	5,091
1997-98	2	0 <sup>(a,b)</sup>	38	367	658	941							
Average	4	5	72	373	749	1,015	1,068	777	614	365	153	33	5,229
Normal <sup>(c)</sup>	15	5	78	377	746	1,042	1,044	764	602	372	164	32	5,231

(a) Greatest and least values.

(b) Most recent of numerous occurrences.

(c) Normals are averages for the period 1961-1990.

Table 3.15. Monthly and Annual Cooling-Degree Days

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1945	0	0	0	0	39	113	325	388	86	11	0	0	962
1946	0	0	0	9	53	100	345	360	57	0	0	0	924
1947	0	0	0	3	153	108	321	217	86	11	0	0	899
1948	0	0	0	0	31	230	243	213	90	0	0	0	807
1949	0	0	0	4	147	168	311	307	146	0	0	0	1,083
1950	0	0	0	0	13	112	321	353	139	0	0	0	938
1951	0	0	0	1	26	173	370	303	123	0	0	0	996
1952	0	0	0	16	46	110	371	281	151	16	0	0	991
1953	0	0	0	0	8	26 <sup>(a)</sup>	336	282	143	1	0	0	796
1954	0	0	0	0	55	90	289	204	91	0	0	0	729
1955	0	0	0	0	4	174	270	325	13	0	0	0	786
1956	0	0	0	10	122	78	430	322	106	0	0	0	1,068
1957	0	0	0	12	77	185	289	255	160	0	0	0	978
1958	0	0	0	0	167 <sup>(a)</sup>	282	500	447	93	14	0	0	1,503 <sup>(a)</sup>
1959	0	0	0	0	15	137	397	218	45	0	0	0	812
1960	0	0	0	2	26	174	518	233	118	3	0	0	1,074
1961	0	0	0	0	23	288	447	469	55	0	0	0	1,282
1962	0	0	0	5	3 <sup>(a)</sup>	148	352	215	125	0	0	0	848
1963	0	0	0	0	67	156	232	333	205	5	0	0	998
1964	0	0	0	0	30	115	299	171 <sup>(a)</sup>	34	0	0	0	649 <sup>(a)</sup>
1965	0	0	0	0	31	145	362	314	33	2	0	0	887
1966	0	0	0	0	80	116	274	332	141	1	0	0	944
1967	0	0	0	0	34	237	419	508 <sup>(a)</sup>	216	0	0	0	1,414
1968	0	0	0	5	35	168	451	213	104	0	0	0	976
1969	0	0	0	0	73	310	338	245	110	0	0	0	1,076
1970	0	0	0	0	29	281	421	351	27	1	0	0	1,110
1971	0	0	0	0	94	59	437	481	28	10	0	0	1,109
1972	0	0	0	0	87	164	339	392	67	1	0	0	1,050
1973	0	0	0	0	87	149	413	285	94	0	0	0	1,028
1974	0	0	0	0	12	264	303	326	125	0	0	0	1,030
1975	0	0	0	0	28	102	451	202	117	0	0	0	900
1976	0	0	0	0	22	91	319	195	141	3	0	0	771
1977	0	0	0	24	5	253	276	447	46	0	0	0	1,051
1978	0	0	0	0	5	182	332	248	41	0	0	0	808
1979	0	0	0	1	65	197	394	299	138	5	0	0	1,099
1980	0	0	0	7	26	57	305	207	80	9	0	0	691
1981	0	0	0	16	25	82	287	438	144	0	0	0	992
1982	0	0	0	0	20	261	315	333	88	0	0	0	1,017
1983	0	0	0	0	115	61	203	291	26	1	0	0	697
1984	0	0	0	0	11	88	340	280	60	0	0	0	779
1985	0	0	0	3	83	175	532 <sup>(a)</sup>	183	11 <sup>(a)</sup>	0	0	0	987
1986	0	1 <sup>(a)</sup>	0	3	125	245	192	442	68	1	0	0	1,077
1987	0	0	0	26 <sup>(a)</sup>	125	265	289	359	179	11	0	0	1,254
1988	0	0	0	6	45	187	385	318	113	44 <sup>(a)</sup>	0	0	1,098
1989	0	0	0	1	34	215	323	260	89	0	1 <sup>(a)</sup>	0	923
1990	0	0	0	3	16	182	491	367	222 <sup>(a)</sup>	3	0	0	1,284
1991	0	0	0	3	6	72	400	427	155	7	0	0	1,070
1992	0	0	0	11	147	365 <sup>(a)</sup>	362	392	81	10	0	0	1,368
1993	0	0	0	0	139	127	171 <sup>(a)</sup>	265	135	6	0	0	843
1994	0	0	0	15	94	163	501	358	167	3	0	0	1,301
1995	0	0	0	0	73	142	376	216	174	0	0	0	981
1996	0	0	0	4	14	134	450	324	79	9	0	0	1,014
1997	0	0 <sup>(a,b)</sup>	0	0 <sup>(a,b)</sup>	96	118	324	404	92	0 <sup>(a,b)</sup>	0 <sup>(a,b)</sup>	0	1,034
Average	0	<1	0	4	56	163	354	313	103	4	<1	0	996
Normal <sup>(c)</sup>	0	<1	0	3	48	175	351	317	98	3	<1	0	994

(a) Greatest and least values.

(b) Most recent of numerous occurrences.

(c) Normals are averages for the period 1961-1990.

## **4.0 Precipitation Climatology**

### **4.1 Monthly and Annual Totals**

Table 4.1 shows monthly and annual precipitation totals for the period of record, 1946 through 1997. Normal monthly precipitation amounts for the period 1961 through 1990 and averages for the entire period of record are noted on the table, as are monthly and annual extremes. Normal annual precipitation at the HMS is 6.26 in. The wettest year on record was 1995, with 12.31 in.; the driest was 1976, with 2.99 in.

The months of November through February provide 3.35 in. (54%) of the normal annual precipitation. December is the wettest month, receiving 1.03 in.; July is the driest, receiving only 0.18 in. The wettest month on record was December 1996, with 3.69 in. September 1991, August 1988, and August 1955 received no precipitation.

### **4.2 Seasonal Precipitation**

Table 4.2 provides seasonal precipitation information, with normal and average seasonal data noted. The extremes for each season are also noted. The wettest season was the winter of 1996-1997, with 5.45 in.; the driest received only 0.03 in. (summer 1973).

### **4.3 Average Number of Days with Specified Amounts of Precipitation**

Table 4.3 presents information on the average number of days per year with precipitation events in six categories. A trace is <0.005 in. of precipitation. An average of 124 days per year have a trace or more of precipitation; however, only 23 days receive totals of 0.10 in. or more. During the 52-year period of record, only 4 days had an inch or more of precipitation.

### **4.4 Total Time with Precipitation Observed**

The total time during which precipitation was observed at the HMS includes all types of precipitation. Observations of precipitation are recorded in hours and minutes, with the weather observer recording the starting and ending time of each precipitation event. These data are presented in Table 4.4. No record was kept for the hours 1600 through 2400 from July 1971 through June 1974; therefore, a 3-year gap exists in the record for those hours. Also, beginning in late April 1995, operations at the HMS were decreased to 8 h (0600 to 1400) on weekends and holidays. However, a combination of precipitation

Table 4.1. Monthly and Annual Precipitation (in.)

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
1946	—	—	—	—	—	—	0.15	0.35	0.52	0.65	0.66	0.11	—
1947	0.32	0.27	0.42	0.70	0.02	1.07	0.71	0.68	1.34 <sup>(a)</sup>	2.20	0.81	0.75	9.29
1948	1.36	0.69	0.07	0.95	1.71	1.47	0.40	0.39	0.16	0.45	0.95	1.11	9.71
1949	0.13	0.68	1.12	0.02	0.16	0.01	0.01	0.03	0.23	0.10	1.47	0.16	4.12
1950	1.80	1.06	0.87	0.47	0.27	2.92 <sup>(a)</sup>	0.07	T	0.01	2.46	0.55	0.97	11.45
1951	0.84	0.51	0.46	0.53	0.43	1.38	0.37	0.15	0.10	0.71	0.82	0.70	7.00
1952	0.65	0.50	0.06	0.13	0.58	1.07	T	0.08	0.08	0.04	0.20	0.77	4.16
1953	2.16	0.25	0.17	0.77	0.28	0.55	T	0.96	0.13	0.20	0.96	0.49	6.92
1954	1.48	0.28	0.59	0.07	0.41	0.10	0.22	0.42	0.51	0.42	0.86	0.35	5.71
1955	0.56	0.22	0.17	0.40	0.59	0.28	0.57	0 <sup>(a,b)</sup>	0.77	0.40	1.54	2.03	7.53
1956	1.71	0.56	0.10	T	0.22	0.86	T	0.38	0.01	1.03	0.15	0.58	5.60
1957	0.48	0.23	1.86 <sup>(a)</sup>	0.38	0.82	0.47	0.05	0.02	0.34	2.72 <sup>(a)</sup>	0.39	0.53	8.29
1958	1.74	1.48	0.46	0.64	0.74	0.81	0.02	T	0.05	0.19	0.77	1.84	8.74
1959	2.05	1.17	0.40	0.20	0.50	0.23	T	0.03	1.26	0.56	0.41	0.26	7.07
1960	0.51	0.58	0.67	0.53	0.71	0.14	T	0.26	0.23	0.23	0.92	0.64	5.42
1961	0.33	2.10 <sup>(a)</sup>	1.02	0.48	0.80	0.42	0.15	0.09	T	0.07	0.49	0.89	6.84
1962	0.13	0.90	0.14	0.34	1.35	0.12	T	0.50	0.38	0.95	0.65	0.60	6.06
1963	0.95	0.69	0.53	1.17	0.43	0.28	0.31	0.01	0.02	0.04	0.74	1.14	6.31
1964	0.37	0.01	0.03	0.11	0.04	0.90	0.04	0.24	0.09	0.28	0.94	2.34	5.39
1965	0.93	0.14	0.03	0.09	0.15	0.49	0.11	0.03	0.11	0.01	1.17	0.39	3.65
1966	0.68	0.03	0.39	0.03	0.05	0.43	0.81	T	0.27	0.39	2.25	0.60	5.93
1967	0.32	T	0.14	0.90	0.56	0.57	T	T	0.05	0.13	0.16	0.43	3.26
1968	0.88	0.58	0.02 <sup>(a)</sup>	0.01	0.06	0.19	0.04	0.51	0.25	0.93	1.23	1.25	5.95
1969	1.24	0.54	0.10	1.22	0.51	0.75	T	T	0.48	0.10	0.13	1.29	6.36
1970	2.47 <sup>(a)</sup>	0.75	0.27	0.45	0.54	0.25	0.01	T	0.03	0.24	0.71	0.61	6.33
1971	0.78	0.10	1.02	0.07	0.56	0.71	0.13	0.09	1.13	0.18	0.46	1.07	6.30
1972	0.19	0.27	0.58	0.10	2.03 <sup>(a)</sup>	0.66	0.16	0.56	0.02	T	0.55	1.27	6.39
1973	0.90	0.21	0.08	T	0.24	0.01	T	0.02	0.43	1.72	2.64	2.02	8.27
1974	0.90	0.41	0.52	0.46	0.28	0.12	0.71	T	0.01	0.21	0.71	0.97	5.30
1975	1.43	0.98	0.33	0.42	0.38	0.24	0.32	1.16	0.03	0.87	0.60	0.70	7.46
1976	0.56	0.36	0.23	0.41	0.08	0.11	0.13	0.96	T	0.04	T	0.11 <sup>(a)</sup>	2.99 <sup>(a)</sup>
1977	0.08 <sup>(a)</sup>	0.57	0.41	T	0.65	0.37	0.06	1.36 <sup>(a)</sup>	0.66	0.15	0.63	1.47	6.41
1978	1.72	0.92	0.30	0.46	0.41	0.09	0.52	0.57	0.11	T	1.21	0.26	6.57
1979	0.54	0.17	0.54	0.52	0.10	T	0.09	0.38	0.20	0.67	1.36	0.99	5.56
1980	1.32	1.30	0.30	0.86	1.41	0.96	T <sup>(b)</sup>	0.02	0.85	0.33	0.44	1.89	9.68
1981	0.56	0.60	0.70	0.02	0.99	0.43	0.19	0.03	0.60	0.39	1.08	1.45	7.04
1982	0.33	0.57	0.30	0.75	0.28	0.75	0.22	0.20	0.55	1.33	0.91	1.79	7.98
1983	1.44	1.36	1.00	0.42	0.52	0.68	0.31	0.12	0.46	0.52	2.12	2.12	11.07
1984	0.23	0.94	1.01	0.60	0.55	0.99	0.06	T	0.42	0.07	1.83	0.57	7.27
1985	0.34	0.82	0.36	0.01	0.12	0.15	0.12	0.01	0.63	0.46	1.24	0.84	5.10
1986	1.76	1.37	0.76	T <sup>(b)</sup>	0.30	T <sup>(b)</sup>	0.21	0.02	0.96	0.29	0.65	0.77	7.09
1987	0.80	0.19	1.05	0.14	0.17	0.11	0.50	0.07	0.01	T <sup>(b)</sup>	0.40	1.63	5.07
1988	0.48	T <sup>(b)</sup>	0.39	1.12	0.33	0.11	0.13	0 <sup>(b)</sup>	0.39	0.01	0.82	0.40	4.18
1989	0.21	1.67	1.56	0.84	0.59	0.01	0.01	0.26	0.02	0.42	1.04	0.29	6.92
1990	0.77	0.09	0.10	0.40	0.86	0.36	0.14	0.83	T	0.78	0.02	0.72	5.07
1991	0.33	0.19	1.12	0.45	0.49	1.44	0.29	0.07	0 <sup>(b)</sup>	0.53	1.44	0.40	6.75
1992	0.44	0.94	0.09	0.94	T <sup>(b)</sup>	1.14	0.38	0.20	0.27	0.61	1.07	1.82	7.90
1993	1.30	1.17	0.67	0.71	0.60	0.12	1.76 <sup>(a)</sup>	0.24	0.04	0.09	0.19	0.94	7.83
1994	0.44	0.11	0.03	0.61	1.27	0.38	0.15	0.08	0.08	0.93	0.68	1.36	6.12
1995	2.14	0.69	0.95	1.54 <sup>(a)</sup>	0.79	0.77	0.34	0.07	0.79	0.87	1.04	2.32	12.31 <sup>(a)</sup>
1996	1.42	1.22	0.83	0.43	0.62	0.05	0.14	0.02	0.22	0.88	2.67 <sup>(a)</sup>	3.69 <sup>(a)</sup>	12.19
1997	1.51	0.25	0.70	0.33	0.33	0.46	0.19	0.06	0.32	0.92	1.01	0.31	6.39
Average	0.92	0.62	0.51	0.45	0.53	0.53	0.22	0.24	0.32	0.55	0.90	1.03	6.83
Normal <sup>(c)</sup>	0.79	0.62	0.47	0.41	0.51	0.38	0.18	0.27	0.31	0.39	0.91	1.03	6.26

(a) Greatest and least values.

(b) Most recent of multiple occurrences.

(c) Normal precipitation figures are averages for the period 1961-1990.

T = Trace.

Table 4.2. Seasonal Precipitation (in.)

Year	Winter <sup>(a)</sup> Dec-Feb	Spring Mar-May	Summer Jun-Aug	Autumn Sep-Nov
1946	--	--	--	1.83
1947	<b>0.70<sup>(b)</sup></b>	1.14	2.46	4.35
1948	2.80	2.73	2.26	1.56
1949	1.92	1.30	0.05	1.80
1950	3.02	1.61	<b>2.99<sup>(b)</sup></b>	3.02
1951	2.32	1.42	1.90	1.63
1952	1.85	0.77	1.15	0.32
1953	3.18	1.22	1.51	1.29
1954	2.25	1.07	0.74	1.79
1955	1.13	1.16	0.85	2.71
1956	4.30	0.32	1.24	1.19
1957	1.29	3.06	0.54	3.45
1958	3.75	1.84	0.83	1.01
1959	5.06	1.10	0.26	2.23
1960	1.35	1.91	0.40	1.38
1961	3.07	2.30	0.66	0.56
1962	1.92	1.83	0.62	1.98
1963	2.24	2.13	0.60	0.80
1964	1.52	0.18	1.18	1.31
1965	3.41	0.27	0.63	1.29
1966	1.10	0.47	1.24	2.91
1967	0.92	1.60	0.57	0.34
1968	1.89	<b>0.09<sup>(b)</sup></b>	0.74	2.41
1969	3.03	1.83	0.75	0.71
1970	4.51	1.26	0.26	0.98
1971	1.49	1.65	0.93	1.77
1972	1.53	2.71	1.38	0.57
1973	2.38	0.32	<b>0.03<sup>(b)</sup></b>	<b>4.79<sup>(b)</sup></b>
1974	3.33	1.26	0.83	0.93
1975	3.65	1.13	1.72	1.50
1976	1.62	0.72	1.20	<b>0.04<sup>(b)</sup></b>
1977	0.76	1.06	1.79	1.44
1978	3.91	1.17	1.18	1.32
1979	0.97	1.16	0.47	2.23
1980	3.61	2.57	0.98	1.62
1981	3.05	1.71	0.65	2.07
1982	2.35	1.33	1.17	2.79
1983	4.59	1.94	1.11	3.10
1984	3.29	2.16	1.05	2.32
1985	1.73	0.49	0.28	2.33
1986	3.97	1.06	0.23	1.90
1987	1.76	1.36	0.68	0.41
1988	2.11	1.84	0.24	1.22
1989	2.28	2.99	0.28	1.48
1990	1.15	1.36	1.33	0.80
1991	1.24	2.06	1.80	1.97
1992	1.78	1.03	1.72	1.95
1993	4.29	1.98	2.12	0.32
1994	1.49	1.91	0.61	1.69
1995	4.19	<b>3.28<sup>(b)</sup></b>	1.18	2.70
1996	4.96	1.88	0.21	3.77
1997	<b>5.45<sup>(b)</sup></b>	1.36	0.71	2.25
Average	2.58	1.49	0.99	1.77
Normal <sup>(c)</sup>	2.44	1.40	0.83	1.60

(a) For the winter season, December is included in the previous year.

(b) Greatest and least values.

(c) Normal precipitation figures are averages for the period 1961-1990.

**Table 4.3.** Average Number of Days with Precipitation of Specified Amount

<u>Month</u>	<u>Trace or more</u>	<u>0.01 in. or more</u>	<u>0.10 in. or more</u>	<u>0.25 in. or more</u>	<u>0.50 in. or more</u>	<u>1.00 in. or more</u>
Jan	16	9	3	1	(a)	0
Feb	12	7	2	1	(a)	0
Mar	11	6	2	(a)	(a)	0
Apr	10	5	2	1	(a)	0
May	10	5	2	1	(a)	0
Jun	9	5	2	1	(a)	(a)
Jul	5	2	1	(a)	(a)	(a)
Aug	5	3	1	(a)	(a)	0
Sep	6	3	1	(a)	(a)	0
Oct	9	5	2	1	(a)	(a)
Nov	14	9	3	1	(a)	(a)
Dec	17	10	4	1	(a)	0
Annual <sup>(b)</sup>	124	68	23	7	1 <sup>(c)</sup>	(a)

(a) Used to denote an average of &lt;1/2 day.

(b) Annual totals may differ from summation of monthly events because of rounding.

(c) Although the number of days with 0.50 in. or more averages &lt;1/2 day for any one month, 72 such days were recorded during 52 years of record.

**Table 4.4.** Monthly and Annual Averages and Extremes in Total Time with Precipitation Observed: July 1946 Through June 1971, July 1974 Through December 1997

<u>Month</u>	<u>Averages</u>		<u>Greatest</u>			<u>Least</u>		
	<u>No. of Hours</u>	<u>% of Time</u>	<u>No. of Hours</u>	<u>% of Time</u>	<u>Year</u>	<u>No. of Hours</u>	<u>% of Time</u>	<u>Year</u>
Jan	90.9	12.2	212.0	28.5	1969	29.2	3.9	1949
Feb	55.8	8.3	151.6	22.6	1980	2.5	0.4	1988
Mar	39.9	5.4	135.2	18.2	1957	6.4	0.9	1994
Apr	30.0	4.2	69.2	9.6	1953	1.6	0.2	1985
May	31.0	4.2	89.9	12.1	1948	1.2	0.2	1992
Jun	27.4	3.8	80.8	11.2	1950	2.9	0.4	1986
Jul	10.7	1.4	38.2	5.1	1966	0.5	0.1	1984
Aug	12.3	1.7	61.7	8.3	1968	0.0	0.0	1988 <sup>(a)</sup>
Sep	16.1	2.2	66.4	9.2	1977	0.0	0.0	1991
Oct	32.3	4.3	119.9	16.1	1947	0.4	0.1	1978
Nov	61.8	8.6	146.5	20.3	1985	4.8	0.7	1976
Dec	90.0	12.1	230.5	31.0	1985	15.8	2.1	1976
Annual	498.2	5.7	738.0	8.4	1950	286.7	3.3	1990

(a) Most recent of several occurrences.

sensors and computer programs was initiated to help ascertain the beginning and ending times of precipitation events during periods when the HMS is not staffed. Table 4.5 lists total hours of precipitation by month for the period 1946 through 1997. As previously noted, complete precipitation duration data for the period July 1971 through June 1974 are not available, and incomplete data are not included.

The months of November through February, which contribute more than half of the annual precipitation, received precipitation 10.4% of the time, >3 times the other 8 months of the year (3.4%).

## 4.5 Notable Wet Periods

Nine periods are listed when precipitation was abnormally high:

Period	Number of Days with Trace or More			Total Amount, in.	
	Altogether	Greatest Consecutive	Measurable Precipitation	Water Equivalent	Snow-fall
Oct 7 - Nov 4, 1947	23 out of 29	10	17	2.21	0.00
Jan 3 - 28, 1950	21 out of 26	10	15	1.80	23.4
Nov 11 - Dec 19, 1950	33 out of 39	12	20	1.37	3.7
Nov 16 - Dec 22, 1955	31 out of 37	15	24	3.19	22.7
Oct 31 - Dec 7, 1973	32 out of 38	14	20	3.45	8.1
Nov 15 - Dec 7, 1985	17 out of 23	8	14	1.96	25.2
Dec 27, 1992 - Jan 23, 1993	26 out of 29	12	19	2.02	26.8
Nov 13 - 27, 1996	12 out of 15	7	10	2.66	11.9
Dec 20 - 31, 1996	11 out of 12	9	9	3.00	20.1

From a precipitation standpoint, 1973 was an unusual year. Total precipitation for 1973 was 8.27 in., 132% of normal (6.26 in.). The period March 30 through September 18, 1973 was extremely dry, receiving only 0.29 in. of precipitation during that 173-day period; however, the period October 31 through December 7, 1973 was a notable wet period. During the months of October, November, and December 1973, 6.38 in. of precipitation were recorded, 289% of normal (2.21 in.) for those months. November and December 1996 received 6.36 in. of precipitation, 328% of normal (1.94 in.) for those months, which is greater than the normal precipitation amount for an entire year (6.26 in.).

## 4.6 Notable Dry Periods

The HMS is in a semiarid region, thus it experiences many dry periods. January, March, and December are the only months that have always received measurable precipitation (1946 through 1997).

**Table 4.5.** Total Duration (h) of Precipitation by Month and Year

<u>Year</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Annual</u>
1946	—	—	—	—	—	—	6.0	16.3	12.2	38.2	66.0	31.5	—
1947	34.6	29.8	30.2	32.7	4.8	38.4	17.4	12.6	36.4	119.9 <sup>(a)</sup>	48.1	71.1	476.0
1948	70.7	70.4	16.6	43.8	89.9 <sup>(a)</sup>	36.4	15.2	16.6	15.8	19.7	44.4	81.9	521.4
1949	29.2 <sup>(a)</sup>	69.9	63.5	5.6	13.2	3.2	2.2	1.6	21.2	15.0	98.7	32.1	355.4
1950	147.4	78.0	72.0	23.3	13.9	80.8 <sup>(a)</sup>	5.0	2.3	1.3	112.3	92.9	108.8	738.0 <sup>(a)</sup>
1951	66.3	55.9	34.8	21.5	23.7	60.8	12.8	17.7	26.6	66.5	66.0	86.7	539.3
1952	151.0	57.8	19.3	22.1	25.4	77.7	4.3	5.4	7.1	3.6	71.2	137.0	581.9
1953	89.3	29.7	32.3	69.2 <sup>(a)</sup>	20.6	37.1	2.0	25.2	7.1	23.6	59.4	32.2	427.7
1954	92.6	90.0	35.8	18.4	33.7	32.4	17.8	22.2	15.1	17.9	74.3	39.9	490.1
1955	116.4	33.4	20.0	57.2	47.8	10.2	36.9	0.0	40.1	42.3	132.2	141.0	677.5
1956	126.9	74.4	15.9	1.8	35.8	30.8	4.2	17.4	6.6	65.7	71.0	98.8	549.3
1957	140.6	46.4	135.2 <sup>(a)</sup>	19.5	43.4	20.8	2.6	5.7	23.1	72.0	21.4	49.3	580.0
1958	82.8	106.8	37.5	54.5	24.2	24.2	1.2	2.0	13.4	13.6	58.5	107.7	526.4
1959	129.5	98.2	32.6	17.5	33.0	29.8	4.2	15.9	52.2	27.2	44.8	51.8	536.7
1960	86.8	48.0	49.9	32.8	47.2	6.3	3.5	27.3	15.8	34.8	64.1	120.8	537.3
1961	91.8	94.4	60.7	39.2	48.7	23.9	4.2	17.2	2.0	15.9	57.2	99.0	554.2
1962	43.9	58.8	55.1	24.8	80.2	13.9	4.3	24.9	21.6	71.5	44.4	139.6	583.0
1963	56.3	88.4	31.2	66.5	51.3	37.1	20.9	4.4	11.2	26.4	61.0	179.6	634.3
1964	49.1	5.2	8.3	15.7	6.1	46.8	14.5	14.1	7.2	19.2	109.0	149.0	444.2
1965	153.3	18.8	14.2	30.9	15.2	28.6	6.8	18.4	11.2	11.2	89.1	57.8	455.5
1966	51.7	12.4	42.9	9.1	7.2	30.4	38.2 <sup>(a)</sup>	3.7	15.9	26.3	103.5	75.6	416.9
1967	34.1	4.7	30.6	60.9	52.9	23.3	2.2	1.7	12.1	29.4	27.0	88.2	367.1
1968	99.1	42.0	7.3	18.6	29.9	38.3	5.6	61.7 <sup>(a)</sup>	17.2	45.3	68.9	134.2	568.1
1969	212.0 <sup>(a)</sup>	75.4	9.7	52.2	51.9	38.7	1.3	0.3	26.8	20.4	44.1	148.3	681.1
1970	157.2	72.9	34.0	19.2	27.2	31.1	6.9	2.3	5.3	32.2	85.8	83.9	558.0
1971	49.5	14.8	68.0	25.0	43.7	52.7	(b)	(b)	(b)	(b)	(b)	(b)	(b)
1972	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)
1973	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)	(b)
1974	(b)	(b)	(b)	(b)	(b)	(b)	21.8	0.8	1.3	26.2	58.9	64.9	(b)
1975	105.7	103.8	42.3	29.5	29.2	20.8	13.5	26.8	1.0	65.6	56.1	76.6	570.9
1976	79.8	28.6	35.2	36.8	16.7	10.1	15.1	38.8	2.2	10.7	4.8 <sup>(a)</sup>	15.8 <sup>(a)</sup>	294.6
1977	138.7	37.1	37.8	4.6	45.9	24.8	14.2	28.9	66.4 <sup>(a)</sup>	15.8	77.1	98.1	589.4
1978	147.9	98.6	46.2	53.4	45.2	8.1	27.6	37.7	27.9	0.4 <sup>(a)</sup>	71.6	43.7	608.3
1979	111.5	73.7	45.0	29.6	14.0	4.5	8.6	27.4	10.0	47.3	86.9	104.2	562.7
1980	118.5	151.6 <sup>(a)</sup>	35.4	33.8	60.2	45.0	1.5	8.8	24.5	22.0	44.2	121.2	666.7
1981	72.0	31.7	32.0	3.4	28.4	21.1	7.5	1.0	17.4	24.8	34.1	91.8	365.2
1982	47.5	29.2	27.8	33.6	9.4	21.8	5.8	5.3	23.2	40.1	42.8	81.7	368.2
1983	72.5	76.1	59.4	15.2	13.2	22.4	17.9	13.7	12.5	19.8	79.3	133.2	535.2
1984	32.6	58.1	40.8	35.2	34.2	37.9	0.5 <sup>(a)</sup>	0.5	20.5	7.1	97.6	75.5	440.5
1985	151.2	54.9	26.0	1.6 <sup>(a)</sup>	7.0	17.4	3.2	1.2	30.8	17.2	146.5 <sup>(a)</sup>	230.5 <sup>(a)</sup>	687.5
1986	107.6	68.9	47.4	14.4	22.3	2.9 <sup>(a)</sup>	13.3	1.1	28.2	10.3	31.3	143.8	491.5
1987	64.6	20.8	74.0	10.8	14.6	11.8	16.1	4.5	0.5	1.8	21.1	125.6	366.2
1988	92.4	2.5 <sup>(a)</sup>	24.8	36.2	18.3	17.4	6.2	0.0 <sup>(a,c)</sup>	13.8	2.2	55.8	62.7	332.3
1989	35.2	114.4	102.2	36.8	25.8	5.4	3.8	14.4	0.7	23.1	33.2	57.9	452.9
1990	34.6	20.5	18.2	29.9	31.0	8.6	7.3	15.4	0.1	49.1	7.1	64.9	286.7 <sup>(a)</sup>
1991	57.5	28.0	43.8	15.8	39.0	41.8	9.8	4.2	0.0 <sup>(a)</sup>	42.9	70.2	48.2	401.2
1992	36.2	56.2	7.9	42.0	1.2 <sup>(a)</sup>	35.9	22.5	6.6	23.6	36.6	53.0	92.6	414.3
1993	171.0	64.4	65.2	57.0	38.7	13.0	35.2	12.1	3.0	6.8	30.3	58.2	554.9
1994	40.5	55.8	6.4 <sup>(a)</sup>	43.2	40.7	21.2	4.7	3.8	8.9	37.6	52.9	72.2	387.9
1995	113.8	39.2	47.3	56.2	27.3	52.6	8.3	7.9	14.5	33.0	47.1	62.2	509.4
1996	102.1	73.0	55.4	23.2	30.8	3.6	8.2	3.3	13.7	46.8	81.5	124.4	566.0
1997	69.5	17.7	36.1	13.7	19.2	14.7	12.7	4.1	19.7	29.4	43.6	15.5	295.9
Average	91.4	56.7	40.0	30.3	31.1	27.7	10.7	12.5	16.0	32.4	62.2	91.6	505.5
Normal <sup>(d)</sup>	89.3	54.0	39.9	28.4	30.7	23.9	10.7	13.9	15.2	25.2	60.7	101.8	495.4

(a) Greatest and least values.

(b) Incomplete data not included. See Section 4.4.

(c) Most recent of numerous occurrences.

(d) Normals are averages for the period 1961-1990.

A total of 37 months during the period of record have been without measurable precipitation, with the months of July and August accounting for 20 of those months. The record number of consecutive days with no precipitation (not even a trace) occurred in 1988, when the period July 14 through September 17 (66 days) was totally dry. The following list indicates some long periods with small amounts of precipitation.

Notable Dry Periods

Year	From	To	Number of Days	Total Precipitation, in.
1952	Jun 30	Nov 10	134	0.20
1967	Jun 22	Nov 7	139	0.18
1968	Feb 24	Aug 13	172	0.32
1973	Mar 30	Sep 18	173	0.29
1976	Aug 26	Dec 31	128	0.15
1985	Mar 31	Sep 7	161	0.43
1986	May 6	Sep 12	129	0.30
1987	Jul 19	Oct 31	105	0.08
1988	Jun 6	Sep 17	105	0.13

The driest year on record was 1976, which had 2.99 in. recorded (<50% of normal). During the period September through December 1976, total precipitation was 0.15 in., which was 6% of normal (2.52 in.) for those months.

## 4.7 Snowfall

Snowfall, which includes all frozen precipitation, varied from a seasonal total of 0.3 to 56.1 in. in 1957-1958 and 1992-1993, respectively. Table 4.6 provides information on monthly and seasonal snowfall amounts, as well as the dates and amounts of earliest and latest snowfall each season. The earliest measurable snowfall (0.3 in.) was recorded on October 26, 1957; the latest measurable snowfall (1.0 in.) was recorded on April 6, 1982. The average date of the first measurable snow is November 29; the last measurable snow date is February 12. Normal snowfall for the period 1961 through 1990 and averages for the entire period of record are noted on the table, as are monthly and seasonal extremes.

Table 4.7 lists some miscellaneous snowfall statistics for the HMS for the period 1946 through 1997. Included in this table are average number of days per month with snow depth above certain threshold values, greatest number of days per month with snow depth above certain threshold values, record number of consecutive days with snow depth above certain threshold values, record monthly snow depth, and 24-h snowfall amounts. The record snow depth at the HMS is 15.6 in., recorded in December 1985. The record number of days with snow depth  $\geq 6$  in. was 43 days in the winter of 1992-1993.

Table 4.6. Monthly and Seasonal Snowfall (in.), Including First and Last Dates of Both Trace and Measurable Snowfalls

Season	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Total	First			Last		
									Date	Amount	Date	First Measurable	Date	Amount
1945-1946	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1946-1947	T	7.2	0.5	3.3	T	5.5	0.1	0	11.0	-	11/17	0.2	01/31	0.1
1947-1948	0	3.0	2.6	5.5	T	1.8	0	11.2	11/14	T	12/03	0.1	04/07	2.2
1948-1949	0	1.7	8.1	5.5	T	6.9	0	18.5	11/07	T	11/18	0.2	02/21	T
1949-1950	T	0	0.7	23.4 <sup>(a)</sup>	3.1	1.5	T	28.7	10/18	T	12/16	0.1	03/13	0.3
1950-1951	0	0.8	2.9	5.3	5.3	4.2 <sup>(a)</sup>	0	18.5	11/19	T	11/30	0.8	02/24	0.1
1951-1952	0	0.5	4.4	7.5	3.1	4.0	0	15.5	-	11/25	0.5	01/02	2.7	03/20
1952-1953	0	T	3.1	2.7	0	T	0	5.8	11/22	T	12/01	0.3	03/31	T
1953-1954	0	0	1.0	14.3	1.6	T	0	16.9	-	12/08	1.0	02/11	1.6	03/10
1954-1955	0	0	1.8	6.0	2.4	0.7	T	10.9	12/03	T	12/04	1.8	04/02	T
1955-1956	0	12.7	13.4	10.2	2.2	T	0	38.5	-	11/02	0.2	02/23	0.1	03/26
1956-1957	T	0.1	2.5	7.9	1.4	4.0	T	15.9	10/26	T	11/26	0.1	03/06	1.7
1957-1958	0.3 <sup>(a)</sup>	0	T	0	0	T	0	0.3 <sup>(a)</sup>	-	10/26	0.3	10/26	0.3	03/16
1958-1959	0	T	0.9	4.5	12.7	0	0	18.1	11/14	T	12/06	0.4	02/19	1.2
1959-1960	0	0.3	1.0	5.9	T	1.5	0	8.7	11/04	T	11/15	0.1	03/05	1.4
1960-1961	0	0	3.3	1.9	0	1.6	0	6.8	12/09	T	12/10	0.1	03/05	1.6
1961-1962	0	0.5	6.1	0.4	2.4	0.9	0	10.3	11/18	T	11/23	0.1	03/09	0.1
1962-1963	0	T <sup>(a,b)</sup>	7.1	0.6	0	T	0	7.7	11/29	T	01/30	0.4	02/01	0.6
1963-1964	0	T	6.4	2.9	T	T	0	9.3	11/19	T	12/08	4.3	01/24	1.5
1964-1965	0	0.1	19.1	6.6	T	T	0	25.8	11/21	T	11/29	0.1	01/23	3.1
1965-1966	0	T	6.9	2.6	T	T	0	9.5	11/23	T	12/23	0.6	01/22	0.2
1966-1967	0	0.4	2.8	0.1	0	0	0	3.3	-	11/11	0.2	01/26	0.1	03/21
1967-1968	0	0	5.7	4.5	0.3	0	T	10.5	12/06	T	12/09	0.6	02/17	0.3
1968-1969	0	T	9.7	15.9	2.1	0	0	27.7	11/16	T	12/19	0.1	02/23	2.0
1969-1970	0	T	2.7	6.6	T	0.2	0	9.5	11/29	T	12/08	1.3	03/01	0.2
1970-1971	0	0.5	4.4	2.0	T	0.6	0	7.5	11/22	T	11/30	0.5	03/14	0.1
1971-1972	0.6	T	8.1	4.9	1.4	0.1	T	15.1	11/27	T	11/29	0.1	04/12	T
1972-1973	0	T	7.2	4.3	1.7	0	T	13.2	12/02	T	12/03	1.7	02/13	T
1973-1974	1.5 <sup>(a)</sup>	6.6	7.5	3.9	0	T	0	19.5	12/02	T	10/31	1.5	01/12	2.3
1974-1975	0	0	0.7	2.5	12.1	T	T	15.3	12/02	T	12/12	0.3	02/09	1.7
1975-1976	0	1.7	3.8	6.0	0.2	T	T	11.7	12/04	T	11/10	0.6	02/03	0.2
1976-1977	0	0	0.2	2.9	0.9	T	0	9.3	11/15	T	12/23	0.2	01/31	0.2
1977-1978	0	2.1	3.4	2.9	0.5	0.1	0	22.6	11/15	T	11/18	0.1	02/26	0.1
1978-1979	0	10.1	1.4	10.3	4.5	0.3	0	26.2	-	11/22	1.4	03/05	0.3	03/05
1979-1980	0	5.6	7.3	8.7	T	0	0	0	-	-	-	-	-	-
1980-1981	0	0.3	2.2	T	T	T	0	0	2.5	12/03	T	11/14	0.3	12/06
1981-1982	0	0	12.1	2.4	T	T	0	1.0 <sup>(a)</sup>	0	11/12	2.5	04/06	1.0	02/09
1982-1983	0	0.2	4.6	3.2	2.3	T	0	10.3	11/28	T	11/26	0.2	02/09	0.3
1983-1984	0	T	17.8	1.5	T	0	0	19.3	11/23	T	12/02	0.5	01/21	1.5
1984-1985	T	4.9	5.8	1.3	8.5	1.4	0	21.9	-	-	-	03/04	0.2	02/09

Table 4.6. (contd)

Season	Oct	Nov	Dec	Jan	Feb	Mar	Apr	Total	First Measurable		Last Measurable	
									Date	Amount	Date	Amount
1985-1986	0	18.3 <sup>(a)</sup>	7.6	2.7	5.5	0	0	34.1	11/10	0.6	02/21	0.9
1986-1987	0	0	5.1	3.3	0	0	0	8.4	12/04	0.4	01/26	0.1
1987-1988	0	1.1	4.7	5.6	0	0	0.2 <sup>(b)</sup>	11.6	11/30	1.1	01/20	0.1
1988-1989	0	0	3.5	0.2	17.0 <sup>(a)</sup>	3.1	T	23.8	12/18	0.3	03/05	0.2
1989-1990	0	0	1.4	0.6	0.7	T	0	2.7	12/25	T	12/26	0.3
1990-1991	0	0	6.1	3.8	0 <sup>(a,b)</sup>	0.1	0	10.0	12/18	0.1	03/02	0.1
1991-1992	1.2	T	0.6	0.3	T	0	0	2.1	10/28	0.8	01/05	0.3
1992-1993	0	2.1	21.0	17.1	12.4	3.5	0	56.1 <sup>(a)</sup>	11/21	0.2	03/03	1.5
1993-1994	0	1.4	1.8	0 <sup>(a)</sup>	0.9	0	0	4.1	11/22	0.6	02/26	0.3
1994-1995	0	0.1	4.2	2.7	0 <sup>(a,b)</sup>	T	7.0	T	11/17	0.1	12/14	0.7
1995-1996	0	1.0	4.0	16.7	5.9	0.4	0	28.0	11/10	1.0	03/04	0.4
1996-1997	0	11.9	22.6 <sup>(a)</sup>	1.8	2.7	1.5	0 <sup>(a,b)</sup>	40.5	11/19	6.2	03/15	1.5
1997-1998	0 <sup>(a,b)</sup>	0.1	1.8	T	T	T	T	T	12/07	1.8		
Average	0.1	1.8	5.3	5.0	2.5	0.5	T	15.3	11/20		02/12	03/16
Normal <sup>(c)</sup>	0.1	1.7	5.7	3.9	2.0	0.3	T	13.8	11/24		02/12	03/08

<sup>(a)</sup> Greatest and least values.<sup>(b)</sup> Most recent of multiple occurrences.<sup>(c)</sup> Normal snowfall figures are averages for 1961-1990.  
T = Trace.

**Table 4.7.** Miscellaneous Snowfall Statistics, 1946 Through 1997

	<u>Oct</u>	<u>Nov</u>	<u>Dec</u>	<u>Jan</u>	<u>Feb</u>	<u>Mar</u>	<u>Season</u>
<b>Average Number of Days of Given Depth at 0400 PST</b>							
≥1 in.	(a)	1	7	9	4	(a)	22
≥3 in.	0	1	3	6	3	(a)	12
≥6 in.	0	(a)	1	3	1	(a)	5
≥12 in.	0	0	(a)	(a)	0	0	(a)
<b>Record Greatest Number of Days of Given Depth at 0400 PST</b>							
≥1 in.	0	12 (1996) <sup>(b)</sup>	31 (1985)	31 (1969)	20 (1989)	7 (1993)	72 (1992-93)
≥3 in.	0	12 (1996)	31 (1985)	27 (1993)	16 (1950)	6 (1993)	58 (1985-86)
≥6 in.	0	9 (1985)	23 (1985)	25 (1993)	9 (1993)	5 (1993)	43 (1992-93)
≥12 in.	0	0	4 (1964)	10 (1993)	0	0	10 (1992-93)
<b>Record Greatest Depth</b>	<b>1.5 (1973)</b>	<b>10.0 (1985)</b>	<b>15.6 (1985)</b>	<b>15.0 (1993)</b>	<b>10.0 (1969)</b>	<b>9.1 (1993)</b>	<b>15.6 (Dec 1985)</b>
<b>Greatest in 24 h</b>	<b>1.5 (1973)</b>	<b>8.8 (1985)</b>	<b>6.6 (1985)</b>	<b>7.1 (1954)</b>	<b>10.2 (1993)</b>	<b>2.7 (1989)</b>	<b>10.2 (Feb 1993)</b>
<b>Record Consecutive Number of Days of Given Depth at 0400 PST</b>							
	<b>Number of Days</b>		<b>From</b>		<b>To</b>		
≥1 in.	60		November 20, 1985		January 18, 1986		
≥3 in.	57		November 22, 1985		January 17, 1986		
≥6 in.	32		December 20, 1964		January 20, 1965		
≥12 in.	6		January 15, 1993		January 20, 1993		

(a) Denotes &lt;1/2 day.

(b) Year of occurrence in parentheses.

PST = Pacific Standard Time.

## 4.8 Normal and Maximum Daily Precipitation

Table 4.8 contains annual maximum precipitation statistics for the time periods 1, 2, 3, 6, 12, and 24 h, including the dates of occurrence for each time period, for 1947 through 1997. Table 4.9 contains normal and maximum values of precipitation (minimum values are not needed because every day of the year has a minimum value of 0). The normal precipitation values are based on the period 1961 through 1990; the daily maximum values are for the entire period of record (1945 through 1997). The maximum daily value for each month is noted on the table.

Climatologically speaking, the wettest period of the year is from December 14 through 24, with each day having a normal precipitation value of 0.04 in.; the driest period is from July 23 through August 11, with each day having a normal value of only a trace. October 1, 1957 recorded the greatest 1-day precipitation, 1.60 in.

Table 4.8. Maximum Precipitation (in.)

Year	1 h	Date	2 h	Date	3 h	Date	6 h	Date	12 h	Date	24 h	Date
1947	0.48	08-29	0.51	06-07	0.54	06-07	0.67	09-15	0.75	09/16-17	0.88	10/19-20
1948	0.24	05-19	0.30	06-11	0.31	06/10-11	0.50	01/-6	0.65	01-06	1.08	01/06-07
1949	0.18	11-23	0.28	11-23	0.41	11-23	0.60	11-23	0.63	11-23	0.65	11/23-24
1950	0.30	06-17	0.52	06-17	0.58	06-17	0.87	06-17	1.05	06-17	1.24	06/16-17
1951	0.28	04-28	0.41	04-28	0.44	04-28	0.45	06-06	0.47	06-06	0.70	06/05-06
1952	0.27	05-10	0.27	05-10	0.27	05-10	0.29	06-29	0.39	06-29	0.48	06-29
1953	0.35	08-26	0.35	08-26	0.35	08-26	0.44	01/08-09	0.77	01/08-09	0.83	01/08-09
1954	0.16	03-19	0.19	05-26	0.27	01-16	0.52	01-16	0.72	01/15-16	0.77	01/15-16
1955	0.13	12-31	0.21	12-21	0.31	12-21	0.49	12-21	0.61	12-21	0.64	11/26-27
1956	0.16	06-14	0.22	06-14	0.27	06-14	0.28 <sup>(a)</sup>	01-15	0.44	01/14-15	0.73	01/14-15
1957	0.47	10-01	0.88 <sup>(a)</sup>	10-01	1.08 <sup>(a)</sup>	10-01	1.68 <sup>(a)</sup>	10/01-02	1.88 <sup>(a)</sup>	10/01-02	1.91 <sup>(a)</sup>	10/01-02
1958	0.43	06-12	0.43	06-12	0.43	06-12	0.65	12/10-11	0.88	12/10-11	1.00	12/10-11
1959	0.18	05-17	0.18	05-17+	0.23	09-14+	0.40	01-11	0.54	01/11-12	0.82	01/11-12
1960	0.22	03-27	0.23	03-27	0.33	05/06-07	0.43	05/06-07	0.44	05/06-07	0.44	05/06-07
1961	0.21	02-01	0.39	02-01	0.42	02-01	0.46	05/09-10	0.72	02-01	0.72	02-01
1962	0.19	11-30	0.27	11-30	0.34	02-09	0.40	10-12	0.52	10-12	0.52	10-12
1963	0.22	01-31	0.37	01-31	0.44	01-31	0.54	01-31	0.94	01-31/02-01	0.98	01-31/02-01
1964	0.16	12-22	0.20	06-08	0.32	12-21	0.42	12-21	0.54	12-21	0.60	12/21-22
1965	0.10 <sup>(a)</sup>	05-19	0.14 <sup>(a)</sup>	11-24+	0.18 <sup>(a)</sup>	06-17	0.29	06-17	0.39	06-17	0.48	06-17
1966	0.14	07-02	0.17	07-02	0.22	11-19	0.37	11-19	0.74	11/19-20	0.78	11/19-20
1967	0.15	04-18	0.26	06-21	0.31	06-21	0.31	06-21	0.32 <sup>(a)</sup>	06-21	0.37 <sup>(a)</sup>	04/17-18
1968	0.12	12-24	0.21	12-24	0.28	12-24	0.36	12-24	0.43	10-11	0.54	10/07-08
1969	0.55 <sup>(a)</sup>	06-12	0.59	06-12	0.59	06-12	0.60	06-12	0.60	06/12-13	0.60	06-12
1970	0.15	05-12	0.29	05-12	0.37	05-12	0.47	05-12	0.50	05-12	0.61	01/22-23
1971	0.15	03-15	0.26	03-25	0.35	01-16	0.48	03/25-26	0.53	01-16	0.53	01-16
1972	0.18	05-20	0.32	05-30	0.45	05-20	0.80	05/20-21	1.24	5/20-21	1.39	05/20-21
1973	0.15	10-31	0.21	10-31+	0.30	11-12	0.53	10-31	0.64	10-31	0.64	11/11-12
1974	0.45	07-19	0.45	07-19	0.45	07-19	0.45	07-19	0.45	07-19	0.45	07-19
1975	0.30	08-18	0.47	08-18	0.55	08-18	0.69	08-18	0.69	08-18	0.69	08-18
1976	0.32	08-07	0.33	08-07	0.33	08-07	0.33	08-07	0.33	08-07	0.40	08/24-25
1977	0.16	12-13	0.28	12-13	0.36	12-13	0.61	12-13	0.75	12-13	0.89	08/29-30
1978	0.15	04-27	0.22	04-27	0.23	04-27	0.31	11-18+	0.58	11/18-19	0.67	11/18-19
1979	0.11	04-17	0.18	03-27	0.22	03-27	0.29	03-27	0.40	03-27	0.42	11-16+
1980	0.14	12-25	0.24	04-20	0.29	04-20	0.47	05/25-26	0.74	09-13	0.90	05/25-26
1981	0.22	05-25	0.34	05-25	0.38	05-25	0.73	05-25	0.74	05-25	0.74	05-25
1982	0.22	07-07	0.33	11-18	0.40	11-18	0.64	10-28	0.95	10/28-29	0.97	10/28-29
1983	0.24	09-01	0.31	11-10	0.39	11-10	0.45	11/23-24	0.60	11/23-24	0.66	11-10
1984	0.20	06-28	0.38	03-20	0.39	03-20	0.48	03/20-21	0.51	03/20-21	0.53	03/20-21
1985	0.14	12-07	0.22	11-21	0.29	11-21	0.46	11-21	0.52	11/21-22	0.52	11/21-22
1986	0.24	09-15	0.43	09-15	0.45	09-15	0.47	09-15	0.47	09-15	0.54	09-15
1987	0.21	07-09	0.24	07-09	0.27	07-09	0.31	12-09	0.34	12-09	0.55	12-09
1988	0.31	04-28	0.42	04-28	0.42	04-28	0.42	04-28	0.48	04-28	0.49	04/27-28
1989	0.16	04-25	0.25	04-25	0.26	04-25	0.31	05-23	0.38	02/16-17	0.56	02/16-17
1990	0.25	06-06	0.33	08-21+	0.43	08-21	0.66	08-21	0.78	08/20-21	0.77	09/20-21
1991	0.49	06-29	0.50	06-29	0.51	06-29	0.51	06-29	0.53	06-29	0.59	06/05-06
1992	0.17	06-12	0.25	06-12	0.31	06-12	0.44	06-12	0.70	06-12	0.79	06-12
1993	0.32	07-17	0.45	07-17	0.55	07-17	0.82	07-17	1.01	07/16-17	1.39	07/16-17
1994	0.27	05-15	0.32	10-14	0.37	05-15	0.49	05-15	0.58	05-15	0.59	05/14-15
1995	0.48	05-09	0.53	05-09	0.53	05-09	0.55	12-12	0.65	12-12	1.04	12/11-12
1996	0.16	12-31+	0.29	12-29	0.40	12-29	0.65	12-29	0.90	11-19	1.70	11/18-19
1997	0.27	10-08	0.36	10-08	0.40	10-08	0.48	01-31	0.57	11-07	0.70	01-17

(a) Greatest and least values.

(b) Normals are averages for the period 1961-1990.

Table 4.9. Normal and Maximum Daily Precipitation (in.)

Day	Normal Period (1961-1990)				Historical Period (1945-1997)		
	Normal	Number of Years		Maximum	Year	Maximum	Year
		W/Meas.	W/Trace				
January							
1	0.02	5	10	0.20	1987	0.20	1987
2	0.02	9	9	0.17	1983	0.27	1953
3	0.02	8	7	0.28	1966	0.28	1966
4	0.02	7	10	0.17	1976	0.25	1956
5	0.02	9	8	0.23	1966	0.23	1966
6	0.02	4	8	0.50	1983	0.87	1948
7	0.02	8	5	0.31	1990	0.31	1990
8	0.02	7	9	0.25	1978	0.59	1953
9	0.02	8	9	0.20	1980 <sup>(a)</sup>	0.41	1995 <sup>(a)</sup>
10	0.03	10	5	0.20	1979 <sup>(a)</sup>	0.22	1995
11	0.03	4	10	0.17	1980	0.48	1959
12	0.03	9	10	0.32	1973	0.58	1958
13	0.03	10	8	0.33	1980	0.37	1950
14	0.03	10	3	0.43	1978	0.43	1978
15	0.03	7	5	0.18	1968	0.34	1956
16	0.03	10	6	0.53	1971	0.70	1954
17	0.02	5	7	0.10	1986	0.31	1997
18	0.02	7	8	0.25	1974	0.28	1996
19	0.02	8	1	0.32	1970	0.39	1950
20	0.02	5	6	0.26	1985	0.32	1953
21	0.02	6	5	0.15	1984	0.16	1997 <sup>(a)</sup>
22	0.02	6	7	0.54	1970	0.54	1970
23	0.03	8	9	0.27	1965	0.27	1965
24	0.03	8	6	0.22	1970	0.26	1996
25	0.03	6	6	0.72	1975	0.72	1975
26	0.03	8	4	0.36	1970	0.36	1970
27	0.03	6	6	0.20	1981	0.32	1954
28	0.03	6	7	0.19	1986	0.19	1995 <sup>(a)</sup>
29	0.03	9	4	0.31	1965	0.33	1958
30	0.03	8	8	0.12	1986	0.24	1995
31	0.03	9	10	0.94	1963	0.94 <sup>(b)</sup>	1963 <sup>(b)</sup>
February							
1	0.03	8	4	0.72	1961	0.72	1961
2	0.02	5	8	0.26	1963	0.26	1963
3	0.02	5	6	0.06	1990	0.12	1950
4	0.02	5	5	0.28	1975	0.28	1975
5	0.02	7	7	0.07	1978	0.15	1953
6	0.02	10	2	0.18	1961	0.18	1961
7	0.02	5	4	0.27	1985	0.27	1985
8	0.02	5	8	0.12	1985	0.12	1985
9	0.02	9	5	0.37	1962	0.43	1959
10	0.02	5	5	0.64	1961	0.64	1961
11	0.02	10	3	0.30	1969	0.30	1969
12	0.03	9	6	0.20	1986	0.42	1958
13	0.02	10	6	0.21	1981	0.21	1981
14	0.03	5	11	0.39	1986	0.39	1986

Table 4.9. (contd)

Day	Normal	Normal Period (1961-1990)				Historical Period (1945-1997)	
		Number of Years		Maximum	Year	Maximum	Year
		W/Meas.	W/Trace				
15	0.03	12	7	0.30	1970	0.30	1970
16	0.03	7	7	0.42	1989	0.42	1989
17	0.03	10	7	0.42	1989	0.42	1989
18	0.03	9	2	0.34	1983	0.34	1983 <sup>(a)</sup>
19	0.02	9	5	0.14	1989	0.78 <sup>(b)</sup>	1993 <sup>(b)</sup>
20	0.02	5	3	0.18	1984	0.18	1984
21	0.02	8	3	0.20	1986	0.36	1956
22	0.02	4	5	0.15	1989	0.21	1949
23	0.02	5	4	0.22	1968	0.22	1968
24	0.02	5	5	0.10	1981	0.33	1950
25	0.02	9	3	0.22	1983	0.25	1948
26	0.02	6	4	0.30	1976	0.30	1976
27	0.02	9	3	0.24	1980	0.24	1980
28	0.02	7	4	0.33	1977	0.33	1977
29	0.02	1	1	0.04	1984	0.04	1984
March							
1	0.02	8	4	0.15	1972	0.15	1972
2	0.01	4	8	0.07	1989	0.20	1991 <sup>(a)</sup>
3	0.01	3	7	0.15	1977	0.15	1991 <sup>(a)</sup>
4	0.01	9	6	0.16	1985	0.44	1957
5	0.01	6	7	0.23	1989	0.23	1989
6	0.02	7	3	0.07	1971 <sup>(a)</sup>	0.24	1957
7	0.02	6	4	0.21	1986	0.21	1986
8	0.02	8	2	0.19	1988	0.23	1951
9	0.02	6	6	0.31	1989	0.42	1995
10	0.02	11	4	0.06	1980 <sup>(a)</sup>	0.21	1995
11	0.02	8	6	0.24	1989	0.24	1989
12	0.02	9	6	0.42	1987	0.42	1987
13	0.02	7	8	0.35	1983	0.35	1983
14	0.02	9	3	0.14	1970	0.16	1995
15	0.02	7	4	0.18	1987	0.25	1949
16	0.01	7	5	0.22	1989	0.34	1997 <sup>(a)</sup>
17	0.01	3	7	0.05	1967	0.16	1949
18	0.01	7	5	0.04	1989	0.25	1949
19	0.01	3	4	0.12	1987	0.12	1987
20	0.01	5	4	0.43	1984	0.43	1984
21	0.01	5	2	0.10	1984 <sup>(a)</sup>	0.18	1958
22	0.02	4	8	0.22	1961	0.22	1961
23	0.02	7	4	0.26	1986	0.26	1986
24	0.02	4	2	0.12	1961	0.52 <sup>(b)</sup>	1991 <sup>(b)</sup>
25	0.02	9	3	0.43	1971	0.43	1971
26	0.02	5	6	0.50	1981	0.50	1981
27	0.02	5	4	0.42	1979	0.42	1979
28	0.02	5	3	0.13	1982	0.13	1982
29	0.01	8	1	0.15	1983	0.15	1983
30	0.01	4	7	0.23	1974	0.23	1974
31	0.01	4	6	0.14	1976	0.26	1996

Table 4.9. (contd)

Day	Normal Period (1961-1990)					Historical Period (1945-1997)	
	<u>Normal</u>	Number of Years		<u>Maximum</u>	<u>Year</u>	<u>Maximum</u>	<u>Year</u>
		<u>W/Meas.</u>	<u>W/Trace</u>				
April							
1	0.01	3	12	0.18	1983	0.22	1958
2	0.01	6	3	0.10	1979	0.18	1948
3	0.01	2	3	0.03	1963	0.18	1947
4	0.01	5	9	0.13	1984	0.18	1948
5	0.01	6	6	0.44	1969	0.44	1969
6	0.01	6	3	0.36	1982	0.36	1982
7	0.01	3	1	0.22	1984	0.30	1953
8	0.01	5	2	0.17	1976	0.18	1991
9	0.01	3	10	0.12	1980	0.32	1992
10	0.01	2	6	0.03	1969	0.10	1958
11	0.01	4	9	0.23	1982	0.23	1982
12	0.01	4	5	0.08	1961	0.36	1995
13	0.01	1	3	0.01	1990	0.39	1992
14	0.01	4	4	0.17	1975 <sup>(a)</sup>	0.17	1975 <sup>(a)</sup>
15	0.01	3	8	0.09	1962	0.17	1991
16	0.02	4	7	0.08	1979 <sup>(a)</sup>	0.11	1948
17	0.02	6	6	0.36	1988	0.36	1988
18	0.02	4	6	0.31	1967	0.31	1967
19	0.02	7	9	0.41	1970	0.41	1970
20	0.02	6	6	0.56	1980	0.56 <sup>(b)</sup>	1980 <sup>(b)</sup>
21	0.02	2	7	0.07	1989	0.07	1989
22	0.02	7	6	0.12	1974	0.28	1996
23	0.01	6	5	0.22	1974	0.22	1974
24	0.01	4	8	0.22	1975	0.22	1975
25	0.02	3	6	0.35	1989	0.35	1989
26	0.02	2	7	0.04	1989	0.25	1955
27	0.02	7	5	0.28	1989 <sup>(a)</sup>	0.34	1995
28	0.02	6	5	0.48	1988	0.51	1951
29	0.02	2	3	0.30	1961	0.30	1961
30	0.02	6	4	0.12	1984	0.12	1984
May							
1	0.02	5	6	0.19	1984	0.19	1984
2	0.01	5	1	0.17	1975	0.17	1975
3	0.01	4	3	0.29	1977	0.29	1977
4	0.01	6	5	0.10	1967	0.10	1967
5	0.02	8	3	0.28	1963	0.28	1963
6	0.02	4	6	0.20	1986	0.20	1986
7	0.02	3	1	0.39	1983	0.39	1983
8	0.02	5	7	0.55	1972	0.55	1972
9	0.02	5	5	0.25	1961	0.53	1995
10	0.02	6	7	0.39	1961	0.39	1961
11	0.02	4	4	0.19	1967	0.39	1951
12	0.02	4	7	0.50	1970	0.50	1970
13	0.01	4	2	0.11	1985	0.15	1952
14	0.01	4	6	0.25	1978	0.25	1978
15	0.01	3	6	0.06	1975	0.58	1994
16	0.01	0	8	T	1988 <sup>(a)</sup>	0.14	1991
17	0.01	4	3	0.13	1982	0.25	1959
18	0.01	5	2	0.13	1981	0.13	1981

Table 4.9. (contd)

Day	Normal	Normal Period (1961-1990)			Historical Period (1945-1997)		
		Number of Years	W/Meas.	W/Trace	Maximum	Year	Maximum
19	0.01	7	3	0.15	1965	0.55	1948
20	0.02	4	1	0.70	1972	0.70	1972
21	0.02	3	4	0.69	1972	0.69	1972
22	0.02	6	5	0.12	1984	0.12	1984
23	0.03	5	6	0.33	1990	0.33	1990
24	0.03	4	5	0.51	1962	0.51	1962
25	0.02	6	2	0.74	1981	0.74	1981
26	0.02	4	6	0.79	1980	0.79 <sup>(b)</sup>	1980 <sup>(b)</sup>
27	0.02	6	2	0.11	1990	0.11	1990
28	0.02	5	7	0.28	1988	0.28	1988
29	0.02	5	3	0.11	1961	0.11	1961
30	0.01	6	1	0.14	1987	0.14	1987
31	0.02	2	5	0.35	1971	0.35	1971
June							
1	0.02	3	5	0.29	1977	0.29	1977
2	0.02	5	6	0.12	1966	0.12	1966
3	0.02	6	9	0.30	1971	0.30	1971
4	0.02	6	3	0.25	1984	0.45	1951
5	0.02	4	4	0.14	1981	0.49	1991
6	0.02	6	3	0.36	1990	0.54	1951
7	0.01	5	5	0.15	1972	0.71	1947
8	0.01	6	6	0.49	1964	0.49	1964
9	0.02	3	4	0.07	1963	0.22	1948
10	0.02	2	7	0.08	1983	0.14	1956
11	0.01	3	5	0.13	1961	0.39	1950
12	0.01	4	8	0.60	1969	0.79	1992
13	0.01	6	4	0.35	1980	0.49	1948
14	0.01	4	2	0.04	1983	0.37	1956
15	0.01	4	1	0.15	1964	0.15	1964
16	0.01	2	5	0.14	1980	0.18	1948
17	0.01	2	5	0.48	1965	1.09 <sup>(b)</sup>	1950 <sup>(b)</sup>
18	0.01	2	5	0.07	1983	0.09	1994
19	0.01	1	3	0.01	1983	0.12	1995
20	0.01	5	2	0.24	1984	0.24	1984
21	0.01	5	2	0.32	1967	0.32	1967
22	0.01	4	7	0.14	1971	0.14	1971
23	0.01	7	2	0.17	1963	0.17	1963
24	0.01	5	3	0.21	1972	0.21	1972
25	0.01	3	4	0.02	1980	0.03	1954
26	0.01	2	6	0.27	1982	0.27	1982
27	0.01	4	3	0.37	1983	0.37	1983
28	0.01	2	8	0.23	1984	0.24	1992
29	0.01	4	2	0.16	1984	0.53	1991
30	0.01	1	1	0.06	1976	0.06	1976
July							
1	0.01	5	3	0.31	1966	0.31	1966
2	0.01	3	6	0.34	1966	0.34	1966
3	0.01	3	3	0.31	1978	0.31	1978
4	0.01	3	4	0.10	1986	0.10	1986

Table 4.9. (contd)

Day	Normal Period (1961-1990)				Historical Period (1945-1997)	
	Normal	W/Meas.	W/Trace	Number of Years	Maximum	Year
5	0.01	1	3	0.19	1981	0.36
6	0.01	1	3	0.02	1979	0.04
7	0.01	3	2	0.30	1963	0.30
8	0.01	5	3	0.14	1974	0.20
9	0.01	3	2	0.27	1987	0.27
10	0.01	2	5	0.05	1972	0.16
11	0.01	2	4	0.04	1979	0.04
12	T	0	4	T	1982 <sup>(a)</sup>	T
13	T	2	5	0.28	1975	0.28
14	T	1	2	0.03	1966	0.05
15	T	2	2	0.04	1975	0.08
16	T	4	3	0.07	1966	0.50
17	T	3	1	0.05	1987 <sup>(a)</sup>	0.89 <sup>(b)</sup>
18	T	2	2	0.12	1987	0.12
19	T	2	2	0.45	1974	0.45
20	T	2	2	0.09	1965	0.09
21	T	1	2	0.02	1965	0.02
22	T	0	2	T	1987 <sup>(a)</sup>	T
23	T	2	0	0.15	1961	0.28
24	T	2	2	0.06	1990	0.07
25	T	3	2	0.23	1983	0.23
26	T	0	1	T	1978	0.22
27	T	1	1	0.02	1983	0.31
28	T	1	3	0.06	1984	0.28
29	T	1	1	0.01	1964	0.05
30	T	0	3	T	1987 <sup>(a)</sup>	T
31	T	1	2	0.12	1985	0.12
August						
1	T	2	1	0.08	1976 <sup>(a)</sup>	0.08
2	T	1	3	0.01	1976	0.01
3	T	1	2	0.29	1962	0.29
4	T	1	2	0.01	1985	0.04
5	T	0	3	T	1984 <sup>(a)</sup>	T
6	T	1	2	0.11	1976	0.11
7	T	2	1	0.33	1976	0.33
8	T	0	4	T	1989 <sup>(a)</sup>	0.08
9	T	2	2	0.10	1982	0.10
10	T	0	3	T	1984 <sup>(a)</sup>	0.01
11	T	1	4	0.01	1983	0.11
12	0.01	3	5	0.18	1962	0.18
13	0.01	4	2	0.04	1987 <sup>(a)</sup>	0.06
14	0.01	5	3	0.09	1979	0.09
15	0.01	3	1	0.42	1972	0.42
16	0.01	1	1	0.01	1968	0.24
17	0.01	0	3	T	1980 <sup>(a)</sup>	T
18	0.01	4	3	0.69	1975	0.69
19	0.01	3	5	0.05	1979	0.18
20	0.01	4	6	0.03	1978	0.22
21	0.02	3	4	0.76	1990	0.76 <sup>(b)</sup>
22	0.01	6	1	0.18	1978	0.18

Table 4.9. (contd)

Day	Normal	Normal Period (1961-1990)			Historical Period (1945-1997)		
		Number of Years	W/Meas.	W/Trace	Maximum	Year	Maximum
23	0.02	4		1	0.14	1975	0.14
24	0.02	6		1	0.38	1977	0.38
25	0.01	2		6	0.29	1976	0.29
26	0.01	3		4	0.19	1968	0.38
27	0.01	5		3	0.14	1989	0.14
28	0.01	2		4	0.13	1975	0.13
29	0.01	6		1	0.28	1977	0.51
30	0.01	2		4	0.61	1977	0.61
31	0.01	2		3	0.02	1961	0.02
September							
1	0.01	7		2	0.43	1971	0.43
2	0.01	2		4	0.17	1971	0.17
3	0.01	3		1	0.13	1979	0.15
4	0.01	1		1	0.02	1977	0.19
5	T	3		2	0.19	1971	0.19
6	T	3		0	0.29	1971	0.48
7	T	2		0	0.04	1978	0.23
8	T	2		3	0.10	1985	0.10
9	T	2		4	0.07	1985	0.07
10	0.01	3		3	0.06	1985	0.06
11	0.01	4		1	0.10	1966	0.10
12	0.01	0		3	T	1980 <sup>(a)</sup>	0.03
13	0.01	5		2	0.79	1980	0.79 <sup>(b)</sup>
14	0.01	3		4	0.04	1985	0.41
15	0.01	2		5	0.54	1986	0.54
16	0.02	2		7	0.03	1985	0.66
17	0.01	4		5	0.26	1969	0.26
18	0.01	4		6	0.22	1983	0.41
19	0.01	6		4	0.26	1973	0.26
20	0.01	4		8	0.13	1988	0.13
21	0.01	2		4	0.03	1971	0.03
22	0.01	4		4	0.20	1984	0.20
23	0.01	4		2	0.21	1986	0.21
24	0.01	4		0	0.10	1977	0.10
25	0.01	3		3	0.25	1982	0.25
26	0.01	4		1	0.22	1981	0.22
27	0.01	4		2	0.38	1981	0.43
28	0.01	5		3	0.34	1962	0.34
29	0.01	3		1	0.07	1986	0.07
30	0.01	2		3	0.02	1969	0.03
October							
1	T	2		5	0.01	1969 <sup>(a)</sup>	1.60 <sup>(b)</sup>
2	T	5		5	0.06	1967	0.31
3	T	2		1	0.04	1975	0.38
4	T	1		4	0.01	1970	0.15
5	T	0		9	T	1981 <sup>(a)</sup>	0.25
6	T	5		4	0.22	1973	0.22
7	0.01	3		3	0.25	1985	0.25
8	0.01	1		5	0.06	1964	0.49

Table 4.9. (contd)

Day	Normal Period (1961-1990)					Historical Period (1945-1997)	
	Normal	W/Meas.	W/Trace	Maximum	Year	Maximum	Year
9	0.01	5	2	0.09	1968	0.32	1947
10	0.01	5	4	0.09	1985	0.32	1959
11	0.01	3	7	0.43	1968	0.43	1968
12	0.01	6	3	0.52	1962	0.52	1962
13	0.01	2	3	0.04	1980	0.16	1994
14	0.01	4	3	0.11	1962	0.43	1950
15	0.01	1	1	0.01	1980	0.15	1947
16	0.01	0	1	T	1975	0.24	1947
17	0.01	2	3	0.16	1968	0.23	1950
18	0.01	4	3	0.28	1979	0.28	1979
19	0.02	5	4	0.12	1979	0.64	1947
20	0.02	5	5	0.15	1968	0.37	1947
21	0.02	8	3	0.45	1975	0.45	1975
22	0.02	5	9	0.20	1983	0.23	1957
23	0.02	4	2	0.39	1973	0.39	1973
24	0.02	4	5	0.11	1979	0.12	1991
25	0.02	5	3	0.22	1975	0.22	1975
26	0.02	6	3	0.12	1989	0.18	1956
27	0.02	7	4	0.09	1969	0.33	1956
28	0.02	4	6	0.93	1982	0.93	1982
29	0.02	7	8	0.18	1986	0.38	1950
30	0.02	3	7	0.52	1990	0.52	1990
31	0.02	3	6	0.64	1973	0.64	1973
November							
1	0.02	7	3	0.18	1987	0.26	1948
2	0.02	6	2	0.25	1984	0.25	1984
3	0.02	8	3	0.28	1965	0.28	1965
4	0.02	9	5	0.19	1973	0.24	1991
5	0.02	9	2	0.19	1963	0.19	1963
6	0.02	8	4	0.30	1980	0.30	1980 <sup>(a)</sup>
7	0.03	5	7	0.23	1963	0.57	1967
8	0.03	9	6	0.50	1968	0.50	1968
9	0.04	8	7	0.16	1973	0.27	1949
10	0.04	11	4	0.66	1983	0.66	1983
11	0.04	12	3	0.26	1970	0.26	1970
12	0.04	10	4	0.57	1973	0.57	1973
13	0.04	7	4	0.47	1981	0.47	1981
14	0.04	7	6	0.35	1966	0.35	1966
15	0.04	12	5	0.17	1985	0.19	1994
16	0.03	9	5	0.42	1979	0.42	1979
17	0.03	9	7	0.12	1974	0.18	1955
18	0.03	7	4	0.46	1982	0.51	1996
19	0.03	7	5	0.37	1966	1.39 <sup>(b)</sup>	1996 <sup>(b)</sup>
20	0.03	4	7	0.42	1966	0.42	1966
21	0.03	6	8	0.50	1985	0.50	1985
22	0.03	6	10	0.30	1979	0.30	1979
23	0.03	12	5	0.42	1983	0.63	1949
24	0.03	10	7	0.37	1965	0.37	1965
25	0.03	5	10	0.25	1977	0.25	1977
26	0.03	8	6	0.11	1986 <sup>(a)</sup>	0.54	1955

Table 4.9. (contd)

Day	Normal Period (1961-1990)				Historical Period (1945-1997)		
	Normal	Number of Years			Year	Maximum	Year
		W/Meas.	W/Trace	Maximum			
27	0.03	9	6	0.49	1984	0.49	1984
28	0.02	9	7	0.19	1986	0.19	1986
29	0.03	8	7	0.18	1978	0.18	1978
30	0.03	9	5	0.30	1962	0.30	1962
December							
1	0.03	8	4	0.19	1966	0.29	1955
2	0.04	8	8	0.34	1985 <sup>(a)</sup>	0.34	1985 <sup>(a)</sup>
3	0.04	7	9	0.56	1980	0.56	1980
4	0.03	13	3	0.28	1974	0.28	1974
5	0.04	11	7	0.43	1963	0.43	1963
6	0.04	12	8	0.18	1985	0.18	1985
7	0.03	8	5	0.32	1983	0.36	1948
8	0.03	5	7	0.36	1963	0.36	1963
9	0.03	9	8	0.55	1987	0.55	1987
10	0.03	9	4	0.25	1990	0.54	1958
11	0.04	6	8	0.33	1969	0.53	1958
12	0.04	10	5	0.29	1982	0.65	1995
13	0.03	8	5	0.76	1977	0.76	1977
14	0.04	12	5	0.25	1964	0.25	1964
15	0.04	15	2	0.22	1981	0.22	1981
16	0.04	9	9	0.30	1961	0.37	1994
17	0.04	10	5	0.22	1973	0.22	1973
18	0.04	11	8	0.22	1981	0.27	1960
19	0.04	15	7	0.19	1964	0.20	1953
20	0.04	13	7	0.33	1982	0.33	1982
21	0.04	10	10	0.54	1964	0.61	1955
22	0.04	9	5	0.59	1964	0.59	1964
23	0.04	7	7	0.31	1975	0.31	1975
24	0.04	11	8	0.36	1968	0.36	1968
25	0.03	12	6	0.26	1980	0.32	1996
26	0.03	9	6	0.19	1973	0.58	1996
27	0.03	11	7	0.36	1973	0.36	1973
28	0.02	10	11	0.09	1990 <sup>(a)</sup>	0.10	1951
29	0.02	9	7	0.55	1983	0.80 <sup>(b)</sup>	1996 <sup>(b)</sup>
30	0.02	5	9	0.15	1979	0.28	1995
31	0.02	4	9	0.29	1968	0.72	1996

(a) Latest of several occurrences.

(b) Greatest and year of occurrence.

T = Trace.

## 5.0 Wind Climatology

### 5.1 Monthly and Annual Prevailing Wind Directions, Average Speeds, and Peak Gusts

At the HMS, the prevailing wind direction for every month of the year is either WNW or NW (Table 5.1), and the peak gusts for every month are from the SSW, SW, or WSW. The highest monthly average wind speeds occur in June, the lowest in December. The variability in monthly average wind speeds is much greater in the winter months than during the remainder of the year. The highest January average (10.3 mph) is <3.5 times greater than the lowest (2.9 mph); however, in June, the highest average (10.7 mph) is only 1.4 times greater than the lowest (7.7 mph).

**Table 5.1.** Monthly and Annual Prevailing Wind Directions, Average Speeds, and Peak Gusts at 50-Foot Level, 1945 Through 1997

Month	Prevailing Direction	Average Speed, mph	Highest Average, mph	Lowest Average, mph		Peak Gusts			
				Year	Year	Speed, mph	Direction	Year	
Jan	NW	6.3	10.3	1972	2.9	1985	80	SW	1972
Feb	NW	7.0	10.8	1976	4.6	1963	65	SW	1971
Mar	WNW	8.2	10.7	1977 <sup>(a)</sup>	5.9	1958	70	SW	1956
Apr	WNW	8.9	11.1	1972 <sup>(a)</sup>	7.4	1989 <sup>(a)</sup>	73	SSW	1972
May	WNW	8.8	10.7	1983	5.8	1957	71	SSW	1948
Jun	NW	9.1	10.7	1983 <sup>(a)</sup>	7.7	1950 <sup>(a)</sup>	72	SW	1957
Jul	NW	8.6	10.7	1983	6.8	1955	69	WSW	1979
Aug	WNW	8.0	9.5	1996	6.0	1956	66	SW	1961
Sep	WNW	7.5	9.2	1961	5.4	1957	65	SSW	1953
Oct	NW	6.5	9.1	1946	4.4	1952	72	SW	1997
Nov	NW	6.3	10.0	1990	2.9	1956	67	WSW	1993
Dec	NW	6.0	8.3	1968	3.3	1985	71	SW	1955
Annual	NW	7.6	8.4	1983	6.2	1989	80	SW	Jan 1972

(a) Also in earlier years.

### 5.2 Days with Peak Gusts Above or Below Specific Thresholds

Table 5.2 lists the number of days by month and year with peak wind gusts (at 50 ft) above or below specific threshold wind speeds. June and July have the highest average number of days with gusts  $\geq 25$  mph (nearly 20 each); however, January, March, and April have the highest average number of days

**Table 5.2.** Number of Days with Peak Gusts Above or Below Specific Thresholds at 50-Foot Level, 1945 Through 1997

Month	Days with Peak Gusts ≤12 mph				Days with Peak Gusts ≥25 mph				Days with Peak Gusts ≥40 mph				Days with Peak Gusts ≥50 mph							
	Avg		Max	Year	Avg		Max	Year	Avg		Max	Year	Avg		Max	Year				
	Avg	Max	Min	Year	Avg	Max	Min	Year	Avg	Max	Min	Year	Avg	Max	Min	Year				
Jan	9.9	29	1985	3	1968	7.6	21	1953	0	1985 <sup>(a)</sup>	2.8	11	1990 <sup>(a)</sup>	0	1995 <sup>(a)</sup>	0.9	7	1990	0	1995 <sup>(a)</sup>
Feb	6.5	16	1963	0	1990	8.6	17	1976 <sup>(a)</sup>	2	1952 <sup>(a)</sup>	2.4	10	1976	0	1993 <sup>(a)</sup>	0.6	4	1972	0	1995 <sup>(a)</sup>
Mar	2.8	8	1992	0	1983 <sup>(a)</sup>	12.8	21	1977	4	1992	2.8	9	1956	0	1992 <sup>(a)</sup>	0.6	4	1956	0	1996 <sup>(a)</sup>
Apr	0.6	6	1951	0	1996 <sup>(a)</sup>	17.3	26	1954	8	1946	2.9	8	1991	0	1995 <sup>(a)</sup>	0.4	2	1972 <sup>(a)</sup>	0	1995 <sup>(a)</sup>
May	0.3	3	1955	0	1996 <sup>(a)</sup>	18.5	26	1978	9	1945	2.3	6	1990 <sup>(a)</sup>	0	1992 <sup>(a)</sup>	0.2	2	1993 <sup>(a)</sup>	0	1996 <sup>(a)</sup>
Jun	0.1	1	1980 <sup>(a)</sup>	0	1996 <sup>(a)</sup>	19.5	26	1963	11	1950 <sup>(a)</sup>	2.3	7	1985	0	1982 <sup>(a)</sup>	0.3	2	1992 <sup>(a)</sup>	0	1996 <sup>(a)</sup>
Jul	0.1	1	1957 <sup>(a)</sup>	0	1996 <sup>(a)</sup>	19.6	26	1995	11	1955	1.8	5	1995 <sup>(a)</sup>	0	1981 <sup>(a)</sup>	0.2	1	1995 <sup>(a)</sup>	0	1996 <sup>(a)</sup>
Aug	0.3	2	1972	0	1996 <sup>(a)</sup>	15.6	22	1988 <sup>(a)</sup>	7	1945	1.2	5	1951	0	1993 <sup>(a)</sup>	0.1	1	1984 <sup>(a)</sup>	0	1996 <sup>(a)</sup>
Sep	2.4	9	1987	0	1991 <sup>(a)</sup>	11.2	17	1971	7	1975 <sup>(a)</sup>	1.3	4	1946	0	1995 <sup>(a)</sup>	0.2	2	1953	0	1996 <sup>(a)</sup>
Oct	6.8	15	1974	2	1975 <sup>(a)</sup>	8.7	17	1983 <sup>(a)</sup>	3	1987 <sup>(a)</sup>	1.8	8	1967	0	1993 <sup>(a)</sup>	0.2	2	1967	0	1996 <sup>(a)</sup>
Nov	9.2	20	1956 <sup>(a)</sup>	2	1977 <sup>(a)</sup>	8.4	16	1990	0	1979	2.3	8	1990	0	1982 <sup>(a)</sup>	0.5	4	1990	0	1996 <sup>(a)</sup>
Dec	10.9	23	1985	3	1968	7.5	15	1968	0	1985	2.4	8	1957 <sup>(a)</sup>	0	1989 <sup>(a)</sup>	0.7	3	1995 <sup>(a)</sup>	0	1996 <sup>(a)</sup>
Annual	50.1	87	1952	28	1973	155.3	190	1953	123	1952	26.1	57	1990	10	1978	4.7	18	1990	0	1985

(a) Most recent of multiple occurrences.

with gusts  $\geq 40$  mph (nearly 3 days) and January has the highest average number of days with gusts  $\geq 50$  mph (0.9 day). January also has the record highest number of gusts  $\geq 40$  and  $\geq 50$  mph at 11 and 7 days, respectively, in 1990. Calendar year 1990 recorded the most days with gusts  $\geq 40$  and  $\geq 50$  mph at 57 and 18 days, respectively. Of particular interest is that previous records for these categories were 41 days  $\geq 40$  mph in 1961 and 10 days  $\geq 50$  mph in 1972.

### 5.3 Frequency of Monthly and Annual Wind Direction and Speed at 50-Foot Level

Table 5.3 presents HMS data on the percent frequency of monthly and annual wind direction and wind speed at 50 ft. This table shows that for every month of the year the prevailing wind direction is either from the WNW or NW. Winds are relatively evenly distributed from the NNE through the SSW at between 2% and 4% on an annual average for each direction.

**Table 5.3. Frequency (%) of Monthly and Annual Wind Direction and Speed at 50-Foot Level, 1955 Through 1996**

Direction	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
NNE	3.7	4.7	4.5	3.6	3.5	3.1	4.2	4.0	5.5	4.1	3.5	3.3	4.0
NE	3.0	3.8	3.5	3.4	3.4	3.1	3.7	3.5	4.2	3.6	3.0	2.8	3.4
ENE	2.3	2.2	2.1	2.3	2.4	2.2	2.5	2.4	2.4	2.6	2.5	2.5	2.4
E	2.6	2.2	2.2	2.5	2.4	2.5	2.8	3.0	3.0	2.9	2.7	2.7	2.6
ESE	2.8	2.6	2.7	2.5	2.6	2.7	2.8	3.2	3.2	3.7	3.2	3.2	3.0
SE	4.1	3.7	3.8	3.0	3.1	3.0	3.0	3.5	3.8	5.1	4.5	4.6	3.8
SSE	3.4	3.3	3.3	3.0	2.9	2.7	2.4	2.8	3.1	3.9	3.8	3.7	3.2
S	3.3	3.3	3.6	3.1	2.8	2.7	2.4	2.6	2.6	3.6	4.0	3.5	3.1
SSW	4.7	4.4	5.0	4.3	3.5	3.5	2.7	3.0	3.3	4.2	5.2	4.6	4.0
SW	6.5	7.6	9.2	8.8	6.7	6.6	5.7	6.0	5.9	6.9	7.5	6.7	7.0
WSW	6.5	7.3	10.3	11.9	10.4	9.7	8.4	8.8	9.3	8.6	7.8	7.1	8.8
W	6.6	8.2	9.6	11.7	11.6	10.9	9.7	10.8	11.3	10.3	8.3	7.1	9.7
WNW	15.2	14.5	14.5	16.4	18.5	19.1	19.4	17.9	15.1	13.2	12.7	13.8	15.9
NW	19.4	17.8	14.4	14.3	17.5	19.4	20.0	17.7	14.7	13.5	15.8	18.1	16.9
NNW	7.4	6.9	5.8	4.6	4.3	4.7	5.3	5.3	5.9	6.5	7.1	7.0	5.9
Calm	4.3	2.5	0.8	0.5	0.5	0.4	0.3	0.5	1.0	2.3	3.9	4.9	1.8
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Speed, mph	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1-3	31.2	25.3	17.2	13.3	12.0	9.9	11.0	13.8	18.4	26.8	30.0	33.7	20.2
4-7	34.2	35.1	36.2	34.3	34.9	35.8	39.0	41.7	40.9	38.7	35.2	33.2	36.6
8-12	19.8	23.7	27.3	28.6	30.3	30.0	29.1	27.6	26.0	21.4	20.1	18.3	25.2
13-18	6.7	8.7	12.1	15.8	15.8	16.6	14.4	11.8	9.9	7.7	6.9	6.2	11.0
19-24	2.5	3.2	4.6	5.9	5.5	6.2	5.3	4.0	3.2	2.6	2.6	2.5	4.0
25-31	1.0	1.3	1.5	1.5	0.9	1.1	0.9	0.6	0.6	0.5	0.9	0.9	1.0
32-38	0.3	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

The wind speed class with the highest frequency of occurrence is 4 to 7 mph, with winds in that category 37% of the time. The speed class with the second highest frequency is 8 to 12 mph, at 25%. Winds averaging >25 mph occur only 1% of the time on an annual basis, with the highest frequency occurring in March and April (1.5%).

#### **5.4 Composite Wind Roses and Joint Frequency Distributions for the Hanford Meteorological Monitoring Network**

Figure 5.1 and Table 5.4 contain composite wind roses and joint frequency distributions at the 10-m level for the entire HMMN (see Table 1.1 and Figure 1.1) for the period 1982 through 1997.

Figure 5.2 and Table 5.5 contain composite wind roses and joint frequency distributions at the 60-m level for stations 9, 11, 13, and 21 for the period 1986 through 1997.




Figure 5.1. Hanford Meteorological Monitoring Network Wind Roses at 10-Meter Level,  
1982 Through 1997

**Table 5.4. Joint Frequency Distributions (%) for Hanford Meteorological Monitoring Network Wind Stations at 10-Meter Level, 1982 Through 1997**

Station: (1) PROS		Begin: 1/82								End: 12/97								Total Hours: 135,735		
Speed, mph										Direction										
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	
1-3	2.2	1.6	1.3	1.0	1.1	1.2	1.7	2.2	2.5	2.2	1.8	1.2	1.1	1.4	2.1	2.7	0.0	27.3		
4-7	3.4	1.9	1.1	0.7	0.8	1.0	2.1	3.9	4.5	3.6	2.1	0.8	0.7	0.9	2.9	5.1	0.0	35.5		
8-12	1.9	0.9	0.3	0.1	0.1	0.2	0.4	0.9	2.3	4.4	2.5	0.8	0.5	0.5	2.5	4.0	0.0	22.6		
13-18	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.4	2.0	0.9	0.4	0.2	1.5	1.3	0.0	10.1		
19-24	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.2	0.0	0.4	0.2	0.0	2.5		
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.7		
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	8.2	4.7	2.9	1.8	2.0	2.5	4.3	7.1	9.7	13.0	9.5	4.3	2.9	3.1	9.6	13.2	1.3	100.0		
Station: (2) EOC		Begin: 1/82								End: 12/97								Total Hours: 136,600		
Speed, mph										Direction										
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	
1-3	1.3	1.2	1.3	1.0	1.0	0.9	0.8	0.9	1.2	1.2	1.2	1.2	1.6	1.9	1.8	1.5	0.0	19.9		
4-7	2.9	1.9	1.2	0.9	1.0	1.0	1.1	1.2	1.9	2.0	1.4	1.2	2.0	3.5	4.2	3.4	0.0	30.9		
8-12	1.8	0.6	0.2	0.1	0.0	0.1	0.2	0.4	1.0	2.2	2.6	1.9	1.4	3.2	5.9	4.1	0.0	25.6		
13-18	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	2.1	2.3	1.4	0.7	3.1	2.4	0.0	13.6		
19-24	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	2.0	0.9	0.2	0.5	0.4	0.0	5.8		
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.3	0.1	0.1	0.0	0.0	2.5		
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.5		
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Total	6.8	4.0	2.8	2.0	2.0	2.2	2.4	4.2	6.2	10.2	9.7	7.6	9.5	15.6	11.9	1.0	100.0			
Station: (3) ARMY		Begin: 1/82								End: 12/97								Total Hours: 136,500		
Speed, mph										Direction										
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	
1-3	1.9	1.7	2.0	2.3	2.6	2.4	1.9	1.2	0.9	0.8	0.9	1.2	2.2	3.2	3.2	2.4	0.0	30.8		
4-7	2.1	1.4	1.5	1.9	2.5	2.8	2.1	1.0	0.6	0.5	0.6	0.9	2.4	7.2	7.6	3.4	0.0	38.5		
8-12	0.9	0.5	0.3	0.2	0.4	0.7	0.9	0.5	0.4	0.4	0.6	1.1	1.8	4.7	4.0	1.4	0.0	18.9		
13-18	0.2	0.1	0.1	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.6	1.1	1.0	1.1	1.5	0.4	0.0	7.1		
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.6	0.3	0.2	0.6	0.1	0.0	2.6		
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.1	0.0	0.1	0.0	0.0	0.9		
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2		
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Total	5.1	3.8	3.9	4.4	5.6	6.0	5.1	2.9	2.0	2.2	3.7	5.2	7.9	16.4	17.1	7.8	1.1	100.0		
Station: (4) RSPG		Begin: 1/82								End: 12/97								Total Hours: 135,528		
Speed, mph										Direction										
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	
1-3	1.7	2.0	2.1	1.7	1.9	1.8	1.2	0.8	0.8	1.0	1.9	2.9	1.9	1.2	1.1	1.3	0.0	25.4		
4-7	2.5	2.1	1.5	0.9	1.6	2.1	0.8	0.4	0.5	0.7	2.5	10.1	4.5	1.8	1.8	2.2	0.0	36.0		
8-12	0.5	0.4	0.2	0.1	0.1	0.3	0.1	0.1	0.2	0.7	1.7	13.7	5.0	2.3	1.5	1.1	0.0	27.8		
13-18	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.0	2.0	1.7	0.9	0.8	0.4	0.0	7.6		
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.4	0.2	0.1	0.1	0.1	0.0	1.7		
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.4		
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1		
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
Total	4.8	4.6	3.9	2.7	3.6	4.1	2.1	1.3	1.6	3.4	7.8	29.1	13.3	6.2	5.3	5.1	1.2	100.0		

Table 5.4. (contd)

Station: (5) EDNA			Begin: 1/82								End: 12/97								Total Hours: 136,771			
Speed, mph	Direction																Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4			
1-3	1.4	0.8	0.8	0.9	1.2	2.2	3.7	4.0	3.1	1.9	1.4	1.2	1.7	2.8	3.3	2.3	0.0	32.8				
4-7	2.4	1.2	0.9	1.0	2.0	4.5	7.1	3.7	1.6	0.8	0.7	0.7	1.0	2.4	5.8	4.9	0.0	40.7				
8-12	1.2	0.6	0.4	0.2	0.6	1.6	1.4	1.0	0.9	0.6	0.6	0.9	1.1	1.6	2.2	1.8	0.0	16.8				
13-18	0.2	0.2	0.2	0.1	0.0	0.1	0.1	0.2	0.4	0.4	0.4	0.6	0.6	1.3	1.0	0.3	0.0	6.3				
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.1	0.5	0.3	0.0	0.0	0.0	1.8				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.3				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	5.2	2.9	2.4	2.2	3.8	8.3	12.3	9.0	6.1	3.8	3.4	3.8	4.6	8.7	12.7	9.3	1.4	100.0				
Station: (6) 200E			Begin: 1/82								End: 12/97								Total Hours: 136,280			
Speed, mph	Direction																Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7			
1-3	1.6	1.4	1.5	1.6	1.8	1.7	1.7	1.3	1.1	1.0	1.0	1.1	1.5	1.8	2.0	1.7	0.0	23.9				
4-7	1.7	1.4	1.1	1.0	1.5	2.1	2.9	2.4	1.5	1.1	1.5	2.3	4.2	6.2	4.5	2.2	0.0	37.6				
8-12	0.7	0.7	0.3	0.1	0.2	0.4	0.8	1.1	0.7	0.5	1.0	2.1	4.2	7.6	2.9	0.7	0.0	23.8				
13-18	0.2	0.2	0.1	0.0	0.0	0.1	0.2	0.2	0.3	0.8	1.2	1.3	3.5	1.5	0.1	0.0	0.0	9.8				
19-24	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.6	0.2	1.0	0.7	0.0	0.0	3.4				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.2	0.0	0.0	0.0	0.8				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.1	3.9	3.1	2.8	3.5	4.2	5.5	5.0	3.5	3.1	4.9	7.5	11.4	20.2	11.8	4.7	0.7	100.0				
Station: (7) 200W			Begin: 1/82								End: 12/97								Total Hours: 122,623			
Speed, mph	Direction																Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6			
1-3	2.2	1.8	1.5	1.4	1.6	1.7	2.2	2.0	1.8	1.7	2.1	2.6	3.7	4.5	3.7	2.6	0.0	37.1				
4-7	2.9	1.6	1.0	0.7	0.9	1.4	1.7	1.0	0.7	0.8	1.2	2.0	4.0	6.9	5.2	3.5	0.0	35.4				
8-12	0.7	0.5	0.2	0.1	0.1	0.2	0.4	0.2	0.2	0.6	1.0	1.7	2.5	2.8	3.2	1.8	0.0	16.3				
13-18	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9	1.4	0.7	0.7	2.0	0.4	0.0	7.0				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.5	0.2	0.1	0.8	0.1	0.0	2.1				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.4				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	5.9	4.1	2.9	2.2	2.6	3.4	4.3	3.2	2.8	3.5	5.8	8.3	11.1	15.0	15.0	8.4	1.7	100.0				
Station: (8) BVLY			Begin: 8/91								End: 12/97								Total Hours: 55,544			
Speed, mph	Direction																Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1			
1-3	2.7	2.0	1.5	1.3	1.5	1.8	2.0	1.8	1.7	1.3	1.2	1.1	1.2	1.5	1.9	2.4	0.0	26.9				
4-7	8.5	2.9	0.5	0.3	1.1	3.0	1.9	1.2	1.1	0.8	0.7	0.8	1.4	2.4	4.4	6.7	0.0	37.7				
8-12	7.6	1.9	0.1	0.0	0.3	0.9	0.3	0.2	0.2	0.2	0.4	0.4	1.1	3.2	2.9	2.3	0.0	22.3				
13-18	0.6	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.3	0.5	3.4	2.2	0.1	0.0	0.0	8.2				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	1.5	0.9	0.0	0.0	3.0				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.0	0.8				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	19.3	7.2	2.2	1.6	3.0	5.8	4.2	3.3	3.1	2.6	3.0	2.7	4.3	12.5	12.7	11.4	1.1	100.0				

Table 5.4. (contd)

Station: (9) FFTF			Begin: 1/82								End: 12/97								Total Hours: 135,922		
Speed, mph	Direction															Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW					
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5			
1-3	1.2	1.1	1.0	0.8	0.9	1.0	1.1	1.1	1.2	1.2	1.2	1.0	1.0	1.1	1.3	1.3	0.0	17.4			
4-7	2.8	2.6	2.0	1.1	1.1	1.4	2.6	3.7	4.1	3.6	2.0	1.3	1.5	2.1	3.5	3.3	0.0	38.7			
8-12	1.4	1.3	0.7	0.2	0.2	0.2	1.1	3.1	3.8	4.4	1.8	0.8	0.9	1.9	4.0	2.5	0.0	28.4			
13-18	0.3	0.3	0.2	0.0	0.0	0.0	0.1	0.3	0.9	3.0	1.8	0.7	0.5	0.9	1.6	0.5	0.0	11.0			
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.8	0.4	0.2	0.2	0.5	0.0	0.0	2.9			
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.8			
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2			
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Total	5.7	5.5	3.9	2.2	2.2	2.6	4.9	8.2	10.1	12.9	8.0	4.3	4.1	6.2	11.0	7.6	0.5	100.0			
Station: (10) YAKB			Begin: 1/82								End: 12/97								Total Hours: 136,630		
Speed, mph	Direction															Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW					
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7			
1-3	1.8	1.7	1.5	1.1	1.0	1.0	1.2	1.3	1.3	1.2	1.5	2.0	2.6	2.1	1.7	1.7	0.0	24.7			
4-7	3.7	2.8	1.6	0.9	0.8	1.0	1.4	1.2	0.9	1.0	1.6	3.5	6.8	4.4	3.8	3.6	0.0	39.1			
8-12	1.3	0.5	0.2	0.1	0.1	0.1	0.3	0.2	0.3	0.5	1.5	2.5	3.0	2.3	5.5	3.3	0.0	21.7			
13-18	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.1	1.4	0.6	0.8	3.8	1.0	0.0	9.7			
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.4	0.1	0.2	1.8	0.2	0.0	3.4			
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.3	0.0	0.0	0.7			
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1			
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Total	7.0	5.2	3.5	2.1	1.8	2.1	2.8	2.8	2.7	3.3	6.5	9.9	13.2	9.9	16.9	9.7	0.7	100.0			
Station: (11) 300A			Begin: 1/82								End: 12/97								Total Hours: 123,383		
Speed, mph	Direction															Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW					
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6			
1-3	1.2	0.7	0.6	0.6	0.8	1.2	1.8	1.9	1.8	1.4	1.4	1.2	1.3	1.4	1.8	1.7	0.0	20.8			
4-7	3.5	1.7	1.1	1.1	1.8	4.2	6.7	3.7	3.0	2.5	2.0	1.3	0.9	1.0	2.2	4.1	0.0	40.8			
8-12	3.4	1.9	0.8	0.3	0.4	1.2	1.6	0.8	1.5	3.1	3.3	1.7	0.6	0.4	1.2	2.6	0.0	24.8			
13-18	0.6	0.4	0.2	0.1	0.0	0.0	0.1	0.1	0.3	1.4	2.4	1.3	0.4	0.2	0.8	0.8	0.0	9.3			
19-24	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.9	0.4	0.2	0.0	0.3	0.2	0.0	2.7			
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.1	0.1	0.0	0.1	0.0	0.0	0.8			
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2			
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Total	8.8	4.9	2.7	2.1	3.0	6.6	10.2	6.5	6.7	9.0	10.5	6.1	3.5	3.1	6.2	9.4	0.6	100.0			
Station: (12) WYEB			Begin: 1/82								End: 12/97								Total Hours: 135,922		
Speed, mph	Direction															Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW					
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4			
1-3	1.3	1.1	1.2	1.2	1.4	1.5	1.4	1.5	1.5	1.3	1.3	1.2	1.2	1.4	1.3	0.0	20.9				
4-7	2.5	1.6	1.3	1.3	2.0	1.9	2.6	3.3	3.9	2.9	2.5	2.3	2.6	3.2	3.8	3.0	0.0	40.6			
8-12	1.2	0.6	0.4	0.2	0.3	0.3	0.8	1.7	2.8	2.5	1.7	1.3	2.1	4.1	3.2	1.5	0.0	24.7			
13-18	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.3	0.9	1.5	1.1	0.8	0.9	1.6	1.4	0.3	0.0	9.5			
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.6	0.4	0.2	0.3	0.6	0.1	0.0	3.0			
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.2	0.0	0.0	0.8			
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1			
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
Total	5.3	3.6	2.9	2.7	3.6	3.8	4.9	6.8	9.2	8.9	7.5	6.0	7.0	10.4	10.6	6.3	0.4	100.0			

Table 5.4. (contd)

Station: (13) 100N				Begin: 1/82				End: 12/97				Total Hours: 136,381						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	
1-3	2.1	1.7	2.0	2.3	3.1	3.1	2.6	1.9	1.8	1.7	2.3	2.8	3.2	3.3	3.1	2.5	0.0	39.5
4-7	1.5	1.6	1.6	1.9	2.6	2.6	2.2	1.3	0.9	1.1	2.3	4.5	4.8	3.2	2.1	1.5	0.0	35.6
8-12	0.4	0.8	0.6	0.2	0.3	0.4	0.8	0.4	0.3	0.5	1.2	2.1	3.1	2.3	0.7	0.4	0.0	14.5
13-18	0.2	0.4	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.8	0.6	1.2	1.9	0.6	0.1	0.0	6.8
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.2	0.7	0.4	0.0	0.0	2.2
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.5
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	4.2	4.7	4.5	4.5	6.0	6.2	5.8	3.8	3.1	3.7	6.9	10.2	12.6	11.4	7.0	4.5	0.9	100.0
Station: (14) WPPS				Begin: 1/82				End: 12/97				Total Hours: 136,619						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	
1-3	2.6	2.1	1.9	1.3	1.2	1.1	1.5	1.9	2.3	2.0	1.8	1.5	1.7	1.9	2.7	2.9	0.0	30.4
4-7	3.4	2.4	2.1	1.2	0.7	0.9	1.9	4.2	5.2	3.0	1.7	1.2	1.3	1.9	3.8	4.4	0.0	39.2
8-12	1.2	0.7	0.5	0.2	0.1	0.2	0.6	1.8	3.2	2.6	1.4	0.8	0.9	1.6	2.3	1.4	0.0	19.5
13-18	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.2	0.6	1.5	1.1	0.5	0.5	0.8	1.3	0.3	0.0	7.5
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.2	0.1	0.1	0.5	0.0	0.0	2.1
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.5
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.5	5.4	4.6	2.7	1.9	2.3	4.1	8.1	11.3	9.7	6.8	4.3	4.4	6.4	10.7	9.0	0.9	100.0
Station: (15) FRNK				Begin: 1/82				End: 12/97				Total Hours: 136,195						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	
1-3	1.2	1.0	1.0	0.8	0.9	1.1	1.5	1.5	1.3	1.1	1.2	1.2	1.4	1.4	1.6	1.4	0.0	19.4
4-7	4.1	2.7	1.7	1.1	1.4	2.3	4.7	4.2	3.5	3.0	2.5	1.3	1.4	2.0	4.5	5.3	0.0	45.9
8-12	1.7	1.0	0.6	0.3	0.3	0.6	1.6	1.5	2.4	4.6	3.5	1.0	0.5	0.6	2.1	2.6	0.0	24.9
13-18	0.1	0.2	0.2	0.1	0.0	0.0	0.1	0.1	0.4	1.9	2.0	0.7	0.2	0.2	0.5	0.2	0.0	7.1
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.2	0.1	0.0	0.1	0.0	0.0	1.4
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.2	5.0	3.5	2.4	2.7	4.0	7.9	7.3	7.5	11.0	10.0	4.4	3.6	4.2	8.8	9.6	0.9	100.0
Station: (16) GABL				Begin: 1/82				End: 12/97				Total Hours: 135,681						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	
1-3	1.0	0.9	0.9	0.7	0.6	0.6	0.7	0.8	1.0	1.0	1.0	0.8	0.8	0.8	0.8	0.9	0.0	13.4
4-7	2.3	2.3	1.6	0.9	0.9	0.9	1.3	2.1	3.2	2.4	1.8	1.5	1.5	1.7	2.2	2.1	0.0	29.0
8-12	2.1	2.3	1.0	0.3	0.4	0.5	0.8	1.7	2.4	1.5	1.5	1.6	1.7	2.2	2.8	1.8	0.0	24.5
13-18	1.3	1.4	0.5	0.1	0.1	0.1	0.3	0.9	1.4	0.9	1.3	1.5	1.8	2.8	2.5	0.8	0.0	17.5
19-24	0.4	0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.6	0.5	0.8	0.8	0.9	2.7	1.6	0.2	0.0	9.7
25-31	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.6	0.4	0.2	1.2	0.5	0.0	0.0	3.9
32-38	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.2	0.0	0.0	0.0	0.9
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.2	7.7	4.6	2.1	2.0	2.1	3.1	5.9	8.9	6.7	7.3	6.8	6.9	11.6	10.6	5.9	0.7	100.0

Table 5.4. (contd)

Station: (17) RING			Begin: 1/82								End: 12/97								Total Hours: 135,881			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2			
1-3	2.2	3.7	7.7	3.8	2.3	1.8	1.6	1.4	1.6	1.7	2.1	2.5	2.3	1.6	1.6	1.8	0.0	39.8				
4-7	1.6	2.1	10.1	3.2	1.1	0.8	1.1	1.4	1.8	2.9	2.5	2.7	2.3	1.4	1.3	1.1	0.0	37.4				
8-12	0.5	0.6	0.8	0.4	0.1	0.1	0.2	0.4	1.1	3.1	2.1	1.1	1.4	1.9	0.9	0.2	0.0	14.8				
13-18	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.8	1.0	0.5	0.5	1.4	0.4	0.0	0.0	5.3				
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.1	0.4	0.1	0.0	0.0	1.2				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.5	6.6	19.0	7.4	3.5	2.7	2.9	3.3	4.6	8.7	8.1	7.0	6.7	6.6	4.1	3.1	1.2	100.0				
Station: (18) RICH			Begin: 1/82								End: 12/97								Total Hours: 136,889			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1			
1-3	1.3	0.9	0.9	1.0	1.6	2.6	3.1	2.5	2.1	2.1	2.4	2.6	2.6	2.7	2.5	1.9	0.0	32.6				
4-7	1.9	1.0	0.9	0.9	1.8	2.7	3.1	1.7	1.6	2.9	4.2	3.3	2.5	2.9	3.0	2.6	0.0	36.8				
8-12	1.3	0.7	0.4	0.3	0.2	0.2	0.3	0.2	0.6	2.5	3.9	2.9	1.5	0.9	1.3	1.5	0.0	18.6				
13-18	0.4	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.1	2.3	1.3	0.9	0.3	0.8	0.7	0.0	8.3				
19-24	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.3	0.2	0.1	0.2	0.2	0.0	2.1				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.4				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.9	2.7	2.3	2.3	3.5	5.5	6.4	4.4	4.4	8.8	13.6	10.5	7.8	6.8	8.0	6.9	1.1	100.0				
Station: (19) PFP			Begin: 2/94								End: 12/97								Total Hours: 33,993			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2			
1-3	3.5	3.3	2.1	1.4	1.5	1.8	2.4	2.0	2.0	1.8	2.4	3.4	5.5	5.3	3.9	3.1	0.0	45.4				
4-7	3.6	2.2	1.0	0.7	0.7	1.3	1.8	0.7	0.6	0.7	1.4	2.0	3.9	6.5	5.0	3.7	0.0	36.0				
8-12	0.3	0.5	0.3	0.1	0.1	0.1	0.3	0.2	0.2	0.5	1.3	1.9	1.4	1.4	3.2	1.1	0.0	12.8				
13-18	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.7	0.4	0.1	1.1	0.2	0.0	3.5				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	7.5	6.0	3.6	2.2	2.3	3.2	4.4	2.9	2.8	3.1	5.8	8.1	11.1	13.4	13.3	8.1	2.2	100.0				
Station: (20) RMTN			Begin: 1/82								End: 12/97								Total Hours: 134,294			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5				
1-3	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.7	0.5	0.4	0.4	0.4	0.4	0.0	7.4				
4-7	1.4	1.5	1.4	0.9	0.6	0.5	0.5	0.5	0.8	1.4	2.1	1.4	1.0	0.7	0.7	0.9	0.0	16.4				
8-12	2.2	2.5	1.8	0.8	0.4	0.2	0.2	0.3	0.7	1.8	3.6	2.3	1.4	0.9	0.8	1.1	0.0	20.9				
13-18	1.9	2.7	1.4	0.3	0.1	0.0	0.1	0.1	0.4	1.5	4.5	3.0	1.6	0.9	0.8	0.9	0.0	20.0				
19-24	0.9	2.0	0.9	0.1	0.0	0.0	0.0	0.0	0.2	0.8	3.4	2.8	1.2	0.5	0.3	0.3	0.0	13.3				
25-31	0.4	1.3	0.7	0.1	0.0	0.0	0.0	0.0	0.1	0.6	3.0	2.6	0.7	0.2	0.1	0.0	0.0	9.9				
32-38	0.1	0.6	0.4	0.1	0.0	0.0	0.0	0.0	0.1	0.4	2.2	1.8	0.3	0.0	0.0	0.0	0.0	6.0				
39-46	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.0	0.1	0.0	0.0	0.0	0.0	3.5				
>46	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	0.1	0.0	0.0	0.0	0.0	2.1				
Total	7.4	11.4	7.5	2.8	1.5	1.1	1.1	1.3	2.7	7.5	21.9	15.9	6.8	3.7	3.1	3.6	0.5	100.0				

Table 5.4. (contd)


Station: (21) HMS				Begin: 1/82				End: 12/97								Total Hours: 138,981			
Speed, mph								Direction											
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	
1-3	2.1	1.8	1.8	1.4	1.5	1.6	1.7	1.3	1.2	1.2	1.4	1.4	1.7	2.0	2.2	2.2	0.0	26.6	
4-7	2.2	1.5	1.1	1.0	1.2	1.3	1.7	1.5	1.3	1.4	2.2	3.6	4.9	6.3	6.8	3.9	0.0	41.9	
8-12	0.5	0.5	0.3	0.1	0.1	0.1	0.2	0.4	0.4	0.6	1.3	2.3	2.4	4.2	5.3	1.2	0.0	19.9	
13-18	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.0	1.1	0.6	1.4	2.4	0.3	0.0	8.0	
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.1	0.2	0.7	0.0	0.0	2.0	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.3	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	4.9	4.0	3.3	2.6	2.8	3.0	3.7	3.3	3.1	3.8	6.4	8.8	9.8	14.0	17.5	7.6	1.3	100.0	
Station: (22) PASC				Begin: 10/87				End: 12/97								Total Hours: 84,704			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	
1-3	4.2	2.7	2.4	2.5	2.6	2.3	1.8	1.3	1.3	1.1	1.1	1.1	1.4	1.9	3.0	4.1	0.0	34.0	
4-7	3.1	1.5	0.8	1.0	1.6	2.1	1.9	1.4	1.6	2.1	2.6	1.8	1.9	2.3	3.7	4.3	0.0	16.5	
8-12	1.2	0.5	0.2	0.1	0.1	0.2	0.3	0.3	0.5	1.8	4.1	2.3	1.0	0.7	1.3	1.7	0.0	8.4	
13-18	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.1	2.2	0.7	0.3	0.5	0.5	0.0	3.3	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	1.3	0.3	0.1	0.1	0.0	0.0	1.4	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.1	0.0	0.0	0.0	0.0	0.4	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	8.8	4.9	3.6	3.6	4.3	4.7	4.1	3.1	3.5	5.8	12.7	9.8	5.5	5.4	8.5	10.7	1.1	100.0	
Station: (23) GABW				Begin: 3/86				End: 12/97								Total Hours: 100,909			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	
Calm	0.0	1.6	1.3	1.3	1.3	1.6	1.7	2.4	2.6	2.1	1.6	1.6	1.7	2.5	3.5	3.2	2.0	0.0	
1-3	1.6	1.3	1.3	1.0	1.0	1.4	1.3	4.0	4.9	1.6	0.8	1.0	1.5	2.9	7.1	4.1	2.0	37.4	
4-7	1.6	1.2	1.0	1.0	1.4	1.3	4.0	4.9	1.6	0.8	1.0	1.5	2.9	7.1	4.1	2.0	0.0	17.6	
8-12	0.6	0.5	0.3	0.2	0.2	0.3	1.2	0.9	0.3	0.5	1.0	1.4	2.6	5.1	1.9	0.6	0.0	8.4	
13-18	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.7	0.9	1.0	3.2	1.2	0.2	0.0	2.6	
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.2	1.0	0.4	0.0	0.0	0.5	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	4.0	3.3	2.8	2.5	3.1	3.4	7.7	8.6	4.2	3.4	4.7	5.9	9.2	20.0	10.9	5.0	1.3	100.0	
Station: (24) 100F				Begin: 3/86				End: 12/97								Total Hours: 101,001			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
	0.0	1.8	1.4	1.2	1.4	1.9	2.8	2.9	2.3	1.8	1.9	2.4	3.7	4.1	3.5	2.4	0.0	36.7	
Calm	0.0	2.0	1.4	1.1	1.2	1.3	1.7	5.3	5.8	1.5	0.9	1.0	1.6	3.3	3.7	2.6	1.9	0.0	
1-3	1.0	0.7	0.3	0.3	0.2	0.6	2.4	2.5	0.6	0.5	0.8	1.2	2.5	2.5	0.6	0.5	0.0	17.0	
4-7	0.2	0.3	0.1	0.0	0.0	0.2	0.2	0.3	0.3	0.6	0.8	1.0	1.8	0.4	0.1	0.0	0.0	6.4	
8-12	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.2	0.6	0.2	0.0	0.0	1.9	
13-18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.4	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	5.0	3.8	2.9	2.7	2.9	4.2	10.9	11.4	4.7	3.6	4.5	6.4	10.7	12.7	7.3	5.0	1.2	100.0	

Table 5.4. (contd)

Station: (25) VERN				Begin: 2/88				End: 12/97				Total Hours: 85,115						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1
1-3	1.1	1.2	1.3	1.6	2.2	2.0	1.8	1.3	0.9	0.9	1.2	2.4	2.8	1.7	1.2	1.0	0.0	24.6
4-7	0.8	1.3	2.0	2.7	3.4	2.0	1.0	0.5	0.4	0.3	0.6	4.1	7.5	4.0	2.0	1.0	0.0	33.7
8-12	0.5	0.4	0.4	0.5	0.4	0.2	0.1	0.1	0.2	0.4	0.7	2.0	7.7	7.1	2.7	0.7	0.0	24.0
13-18	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.7	0.7	2.4	5.1	2.3	0.3	0.0	12.5
19-24	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.2	0.4	1.4	0.7	0.1	0.0	3.4
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.6
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	2.7	3.2	4.0	4.9	6.0	4.3	3.0	1.9	1.5	2.1	3.7	9.5	20.8	19.4	8.9	3.0	1.1	100.0
Station: (26) BENT				Begin: 2/95				End: 12/97				Total Hours: 25,385						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3
1-3	1.1	0.9	1.0	0.9	0.9	0.6	0.5	0.4	0.5	0.7	1.1	1.7	2.2	1.9	1.6	1.2	0.0	17.2
4-7	1.4	1.2	1.8	2.2	2.7	1.3	0.4	0.2	0.5	1.2	4.9	11.7	13.4	5.5	2.6	1.9	0.0	53.0
8-12	0.5	0.8	1.3	1.1	1.2	0.3	0.0	0.0	0.2	0.7	3.0	5.6	5.0	2.0	1.1	0.4	0.0	23.2
13-18	0.3	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	0.8	0.4	0.2	0.1	0.2	0.0	5.0
19-24	0.1	-0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	1.2
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	3.5	4.0	4.6	4.2	4.9	2.2	0.9	0.7	1.2	3.0	10.8	19.8	21.1	9.6	5.4	3.7	0.3	100.0
Station: (27) VSTA				Begin: 2/91				End: 12/97				Total Hours: 59,115						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8
1-3	2.2	2.3	2.1	1.7	1.7	1.8	2.0	1.7	1.9	2.4	2.7	2.5	2.3	1.9	1.9	1.7	0.0	32.9
4-7	3.1	2.0	1.6	1.3	0.8	1.1	1.2	1.2	1.9	3.9	5.8	4.3	2.6	2.6	3.1	3.1	0.0	39.6
8-12	0.6	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.5	3.6	5.9	2.7	0.8	0.4	0.9	1.2	0.0	17.5
13-18	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	3.6	1.1	0.4	0.2	0.1	0.2	0.0	7.4
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	0.0	0.0	0.0	0.0	0.0	1.6
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	6.0	4.6	3.8	3.0	2.5	3.0	3.4	3.1	4.5	11.6	19.2	11.1	6.2	5.1	6.0	6.2	0.8	100.0
Station: (28) SURF				Begin: 9/94				End: 12/97				Total Hours: 28,979						
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0
1-3	0.3	0.6	1.3	1.4	1.3	0.9	0.7	0.7	1.1	2.2	3.7	4.0	2.0	0.7	0.4	0.3	0.0	21.5
4-7	0.1	0.5	2.4	4.1	2.2	0.7	0.3	0.2	0.4	0.8	4.0	6.2	1.6	0.2	0.1	0.0	0.0	23.8
8-12	0.2	0.7	1.9	3.1	0.9	0.1	0.0	0.0	0.0	0.1	4.0	10.4	3.8	0.3	0.0	0.0	0.0	25.5
13-18	0.1	0.3	0.2	0.6	0.3	0.0	0.0	0.0	0.0	0.0	1.6	8.3	5.9	0.7	0.0	0.0	0.0	18.1
19-24	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.9	2.9	0.3	0.0	0.0	0.0	0.0	7.8
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	0.8	0.1	0.0	0.0	0.0	0.0	2.2
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	0.8	2.2	5.9	9.2	4.7	1.7	1.0	0.9	1.5	3.1	13.7	34.0	17.0	2.3	0.5	0.4	1.0	100.0

Table 5.4. (contd)

Station: (29) 100K				Begin: 3/96				End: 12/97				Total Hours: 15,706						
Speed, mph	Direction																Calm	Total
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4
1-3	2.1	1.7	1.6	1.8	2.2	1.9	2.1	1.8	1.6	1.7	2.0	3.1	4.4	3.3	2.8	2.1	0.0	36.2
4-7	1.9	1.4	1.0	1.0	1.5	1.4	1.7	1.5	1.1	1.0	1.7	4.5	6.9	3.9	2.2	1.8	0.0	34.6
8-12	0.4	0.6	0.3	0.1	0.2	0.4	0.7	0.7	0.5	0.5	1.0	3.0	5.9	2.5	0.7	0.3	0.0	17.7
13-18	0.1	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.4	0.9	0.9	1.9	2.1	0.6	0.1	0.0	7.9
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.3	0.7	0.2	0.0	0.0	1.9
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	4.5	4.0	3.1	3.0	3.8	3.8	4.6	4.2	3.4	3.8	5.9	11.9	19.4	12.6	6.5	4.2	1.4	100.0
Station: (8W) WAHL				Begin: 1/82				End: 7/91				Total Hours: 79,579						
Speed, mph	Direction																Calm	Total
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3
1-3	1.9	2.0	2.9	3.4	4.6	3.1	2.2	1.6	1.7	1.7	1.8	2.1	2.8	2.7	2.4	2.1	0.0	39.2
4-7	1.3	1.7	1.8	2.8	5.2	1.9	0.8	0.5	0.6	0.8	0.9	1.8	4.7	5.3	2.7	1.2	0.0	33.8
8-12	0.6	0.9	0.5	0.5	0.8	0.1	0.1	0.1	0.2	0.3	0.5	0.7	2.9	4.4	1.5	0.5	0.0	14.5
13-18	0.3	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.5	0.4	1.2	3.3	1.2	0.2	0.0	7.8
19-24	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.2	1.2	0.5	0.1	0.0	2.6
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	0.1	0.0	0.0	0.6
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	4.0	5.0	5.3	6.7	10.7	5.2	3.1	2.2	2.5	3.0	4.0	5.2	11.9	17.2	8.4	4.1	1.3	100.0
Station: (19S) SAGE				Begin: 3/82				End: 12/92				Total Hours: 91,756						
Speed, mph	Direction																Calm	Total
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7
1-3	1.3	1.1	1.2	1.0	1.1	1.4	1.7	1.9	1.8	1.6	1.7	1.5	1.5	1.3	1.6	1.6	0.0	23.3
4-7	3.6	2.9	3.3	2.5	2.1	3.2	4.2	4.9	4.3	2.4	2.2	3.4	4.4	2.5	1.9	3.4	0.0	51.2
8-12	1.4	1.3	0.9	0.4	0.4	0.5	1.3	2.3	2.7	1.3	1.1	1.3	1.5	1.8	0.4	0.6	0.0	19.1
13-18	0.2	0.3	0.1	0.0	0.0	0.0	0.1	0.3	0.7	0.6	0.5	0.5	0.2	0.8	0.2	0.1	0.0	4.5
19-24	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.9
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	6.6	5.7	5.6	3.9	3.6	5.2	7.2	9.3	9.6	6.1	5.9	6.8	7.5	6.5	4.1	5.7	0.7	100.0



**Figure 5.2.** Hanford Meteorological Monitoring Network Wind Roses at 60-Meter Level,  
1986 Through 1997

SP98010054.3

**Table 5.5.** Joint Frequency Distributions (%) for Hanford Meteorological Monitoring Network Wind Stations at 60-Meter Level, 1986 Through 1997

Tower: 100 Area		Begin: 1/86								End: 12/97								Total Hours: 99,727	
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	
1-3	1.8	1.7	1.8	2.2	3.0	2.9	2.3	1.7	1.3	1.2	1.3	1.4	1.8	1.9	1.8	1.8	0.0	29.9	
4-7	1.8	2.0	1.6	1.7	3.0	3.0	2.6	1.5	0.9	0.7	1.2	1.9	2.9	3.1	2.2	1.5	0.0	31.8	
8-12	0.8	1.1	0.7	0.5	0.5	0.7	1.2	0.6	0.4	0.4	0.9	1.2	2.6	2.6	1.0	0.6	0.0	16.0	
13-18	0.4	0.7	0.4	0.2	0.2	0.2	0.5	0.4	0.2	0.3	0.8	0.8	2.5	3.2	0.7	0.2	0.0	11.7	
19-24	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5	0.4	1.1	2.1	0.6	0.1	0.0	6.5	
25-31	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.2	0.3	0.8	0.4	0.0	0.0	2.7	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.0	0.0	0.6	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	5.2	6.0	5.0	4.8	6.8	7.0	6.9	4.3	3.1	3.1	5.0	6.0	11.3	13.9	6.8	4.2	0.7	100.0	
Tower: 200 Area		Begin: 1/86								End: 12/97								Total Hours: 105,112	
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	
1-3	1.4	1.2	1.2	1.0	1.1	1.1	1.2	0.9	0.7	0.6	0.7	0.6	0.8	0.9	1.2	1.4	0.0	16.1	
4-7	2.7	1.9	1.5	1.3	1.5	1.3	1.8	1.5	1.0	1.0	1.1	1.3	1.9	2.9	4.2	3.8	0.0	30.9	
8-12	1.0	0.7	0.5	0.3	0.4	0.3	0.4	0.7	0.5	0.6	1.2	1.8	2.7	4.7	6.2	2.4	0.0	24.3	
13-18	0.3	0.3	0.2	0.1	0.0	0.0	0.1	0.3	0.3	0.5	1.1	1.9	2.0	4.4	5.5	0.7	0.0	17.5	
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.8	0.9	0.5	1.7	2.3	0.1	0.0	7.0	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.4	0.1	0.5	1.0	0.0	0.0	3.0	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.6	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	5.4	4.3	3.5	2.7	3.1	2.7	3.6	3.5	2.5	3.4	5.7	7.0	8.0	15.3	20.5	8.4	0.4	100.0	
Tower: 300 Area		Begin: 1/86								End: 12/97								Total Hours: 99,685	
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	
1-3	1.0	0.8	0.7	0.6	0.8	1.1	1.2	1.2	1.1	0.9	0.8	0.6	0.7	0.7	0.9	1.1	0.0	14.6	
4-7	3.1	1.9	1.2	1.2	1.7	2.7	4.1	3.1	2.7	2.3	1.9	1.3	0.9	0.8	1.2	2.4	0.0	32.9	
8-12	3.6	2.2	0.9	0.4	0.4	1.3	2.6	1.4	1.8	3.2	3.2	1.8	0.8	0.5	1.0	2.4	0.0	27.7	
13-18	2.0	0.9	0.2	0.1	0.0	0.2	0.4	0.3	0.5	1.9	3.2	2.0	0.6	0.4	1.0	1.7	0.0	15.7	
19-24	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.4	0.9	0.4	0.1	0.6	0.5	0.0	5.5	
25-31	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.3	0.2	0.0	0.2	0.1	0.0	2.2	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.6	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	10.0	6.1	3.1	2.3	3.0	5.3	8.4	6.1	6.2	9.2	11.7	7.0	3.6	2.6	4.9	8.1	0.6	100.0	
Tower: 400 Area		Begin: 1/86								End: 12/97								Total Hours: 99,981	
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	
1-3	0.8	0.7	0.7	0.7	0.8	0.8	0.9	1.0	0.9	0.8	0.8	0.7	0.7	0.6	0.7	0.8	0.0	12.4	
4-7	2.1	2.0	1.7	1.1	1.1	1.3	2.0	2.7	2.9	2.3	1.6	1.2	1.4	2.1	2.2	0.0	28.8		
8-12	1.8	1.8	1.2	0.4	0.3	0.3	1.3	2.2	3.2	3.6	2.1	0.9	1.4	3.0	2.6	0.0	27.1		
13-18	0.7	0.6	0.3	0.1	0.0	0.0	0.5	0.8	1.5	3.7	2.4	0.8	0.6	1.5	3.6	1.7	0.0	18.9	
19-24	0.1	0.2	0.2	0.0	0.0	0.1	0.1	0.3	1.4	1.4	0.6	0.3	0.9	2.2	0.4	0.0	8.3		
25-31	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.4	0.8	0.3	0.1	0.2	0.7	0.1	0.0	3.0		
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.8		
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
Total	5.6	5.5	4.2	2.3	2.2	2.5	4.8	6.9	9.0	12.3	9.6	4.6	3.9	6.1	12.4	7.8	0.3	100.0	

## 6.0 Miscellaneous Climatological Statistics

### 6.1 Sky Cover

The term sky cover is used to express the portion of the celestial dome that is 1) covered, but not necessarily hidden, by clouds or obscuring phenomena aloft; 2) hidden by an obscuring phenomenon on the ground (such as fog or smoke); 3) or a combination of both 1 and 2. The sky cover is determined hourly by scanning the sky and estimating the number of tenths that are covered (0 denotes clear and 10 denotes overcast). Average monthly sunrise-to-sunset sky covers for the period 1946 through 1997 are shown in Table 6.1. Also shown in Table 6.1 are the number of clear, partly cloudy, and cloudy days for the period 1954 through 1997. The number of clear, partly cloudy, and cloudy days is the result of assigning each day to one of the following categories based on its average sky cover for that day:

Category	Average Sky Cover
Clear	0 - 3 tenths
Partly cloudy	4 - 7 tenths
Cloudy	8 - 10 tenths

During the period of record (1954 through 1997), an average of 200 sunny days (the sum of the clear and partly cloudy days) was recorded per year at the HMS.

### 6.2 Fog and Dense Fog

Table 6.2 shows the average monthly and annual number of days with fog and dense fog. Fog is reported any time horizontal visibility is reduced to 6 mi or less because of the suspension of water droplets in the surface layer of the atmosphere. Dense fog is reported when horizontal visibility is reduced to 0.25 mi or less. Most fog at the HMS is radiation fog, a common type of fog that forms on nights characterized by light wind, clear sky, and moist air in the lower levels of the atmosphere. Nearly 90% of both fog and dense fog at the HMS occurs during the late autumn and winter months, though fog is observed every month of the year.

### 6.3 Psychrometric Data

Psychrometric data include observations of dry bulb, wet bulb, dew point temperatures, and relative humidity. The dry bulb temperature is the temperature of the ambient air; the wet bulb temperature is the lowest temperature to which a parcel of air, under constant pressure, can be cooled by evaporating water into it. The dew point temperature is the temperature to which a given parcel of air, under constant

**Table 6.1. Average Sky Cover (sunrise to sunset), 1946 Through 1997, and Number of Days Clear, Partly Cloudy, and Cloudy, 1954 Through 1997**

Month	Sky Cover (Scale 0-10)				Number of Clear Days				Number of Partly Cloudy Days				Number of Cloudy Days			
	Avg	Max	Year	Min	Avg	Max	Year	Min	Avg	Max	Year	Min	Avg	Max	Year	Min
Jan	7.9	9.2	1978	4.3	1949	3.4	9	1984	0	1955 <sup>(a)</sup>	5.3	22.3	28	1978	17	1963
Feb	7.5	9.3	1980	5.9	1996	4.3	9	1991 <sup>(a)</sup>	0	1984 <sup>(a)</sup>	5.3	18.7	26	1980 <sup>(a)</sup>	12	1964
Mar	6.8	8.5	1978	4.9	1965	6.3	12	1979 <sup>(a)</sup>	1	1978 <sup>(a)</sup>	8.2	16.5	24	1993	9	1979 <sup>(a)</sup>
Apr	6.4	8.1	1963	3.7	1951	6.3	12	1962	1	1963	9.2	14.5	21	1979 <sup>(a)</sup>	6	1956
May	5.9	8.1	1993	3.6	1992	8.5	18	1992	1	1977	10.5	12.1	19	1977 <sup>(a)</sup>	3	1992
Jun	5.2	7.0	1950	2.8	1961	10.3	21	1961	5	1972 <sup>(a)</sup>	9.9	9.9	15	1983 <sup>(a)</sup>	5	1979 <sup>(a)</sup>
Jul	3.1	5.0	1983	0.9	1953	18.7	26	1960	12	1987 <sup>(a)</sup>	7.8	4.5	12	1976	0	1996 <sup>(a)</sup>
Aug	3.3	5.9	1968	0.6	1955	18.2	30	1955	9	1978	7.8	5.0	13	1983 <sup>(a)</sup>	0	1994 <sup>(a)</sup>
Sep	3.9	6.7	1978	1.4	1990 <sup>(a)</sup>	15.4	27	1975	6	1978	7.6	7.1	16	1977	0	1990
Oct	5.7	8.0	1975	3.3	1987	10.1	20	1987	1	1975	7.9	13.0	22	1973	6	1986
Nov	7.5	9.1	1972	5.2	1993	4.7	12	1993	1	1973 <sup>(a)</sup>	5.7	19.6	25	1973 <sup>(a)</sup>	13	1993
Dec	8.1	9.3	1985	6.4	1978	3.7	9	1978	1	1985 <sup>(a)</sup>	4.5	22.8	29	1985	17	1978
Annual	5.9	6.6	1978 <sup>(a)</sup>	5.1	1949	110.1	134	1994 <sup>(a)</sup>	80	1977	89.4	165.8	193	1978	146	1991

(a) Most recent of multiple occurrences.

**Table 6.2.** Monthly and Annual Number of Days with Fog and Dense Fog, 1945 Through 1997

Month	Days with Fog (Visibility ≤ 6 mi)					Days with Dense Fog (Visibility ≤ 0.25 mi)				
	Avg	Max	Year	Min	Year	Avg	Max	Year	Min	Year
Jan	11.5	25	1979	0	1949	6.1	15	1994 <sup>(a)</sup>	0	1949
Feb	6.7	20	1963	0	1988 <sup>(a)</sup>	3.3	11	1963	0	1988 <sup>(a)</sup>
Mar	2.1	10	1993	0	1994 <sup>(a)</sup>	0.8	5	1993 <sup>(a)</sup>	0	1997 <sup>(a)</sup>
Apr	0.5	3	1992	0	1997 <sup>(a)</sup>	0.1	1	1993 <sup>(a)</sup>	0	1997 <sup>(a)</sup>
May	0.2	3	1948	0	1997 <sup>(a)</sup>	<0.1	1	1958	0	1997 <sup>(a)</sup>
Jun	0.1	2	1971	0	1997 <sup>(a)</sup>	<0.1	1	1971	0	1997 <sup>(a)</sup>
Jul	<0.1	1	1966	0	1997 <sup>(a)</sup>	0	0	0		
Aug	0.1	1	1985 <sup>(a)</sup>	0	1997 <sup>(a)</sup>	<0.1	1	1985 <sup>(a)</sup>	0	1997 <sup>(a)</sup>
Sep	0.3	2	1985 <sup>(a)</sup>	0	1997 <sup>(a)</sup>	0.1	1	1995 <sup>(a)</sup>	0	1997 <sup>(a)</sup>
Oct	2.0	9	1962	0	1989 <sup>(a)</sup>	1.0	7	1980	0	1991 <sup>(a)</sup>
Nov	9.8	19	1985 <sup>(a)</sup>	0	1990	5.5	13	1965	0	1990 <sup>(a)</sup>
Dec	14.2	25	1989 <sup>(a)</sup>	2	1968	7.6	17	1950	2	1996 <sup>(a)</sup>
Annual	47.4	84	1985-86	22	1948-49	24.7	42	1950-51	9	1948-49

(a) Most recent of multiple occurrences.

Longest duration of fog: 113.7 h, December 16-20, 1985.

Longest duration of dense fog: 47.0 h, December 1957.

pressure and water-vapor content, must be cooled to attain saturation. Relative humidity is the ratio of the actual water-vapor content of the air to the one where saturation would occur if the pressure and temperature remained unchanged.

Table 6.3 presents monthly averages and extremes of dry bulb, wet bulb, dew point temperatures, and relative humidity from the HMS for the period 1950 through 1997. These parameters are collected hourly and are averaged on a monthly (as opposed to a daily) basis. Prior to 1975, wet bulb temperatures  $\geq 75^{\circ}\text{F}$  had never been observed at the HMS. On July 8, 9, and 10, 1975, 7 hourly observations were made of wet bulb temperatures  $\geq 75^{\circ}\text{F}$ .

## 6.4 Solar Radiation

Table 6.4 presents average and extreme daily solar radiation values by month for the period 1953 through 1997. These data are reported in langleys (a langley is a unit defined as 1 gram calorie per square centimeter.)

The highest daily values occur with a clear sky and clean air; the lowest commonly occur on days overcast with low stratus clouds. The lowest midday values of hourly solar radiation occurred on May 18, 1980, as the dense ash cloud from the morning eruption of Mount St. Helens passed over eastern Washington. Hourly solar radiation values dropped to 0 at 1100 h and remained at 0 for the rest of that day.

**Table 6.3.** Monthly Averages and Extremes of Psychrometric Data, 1950 Through 1997

Category <sup>(a)</sup>	Monthly Averages												
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Dry bulb	30.9	37.4	45.1	53.2	62.2	69.9	77.2	75.6	66.4	53.0	40.0	32.4	53.6
Wet bulb	28	34	38	44	50	55	58	58	53	45	36	30	44
Rel. hum.	77.3	70.5	56.6	47.3	42.8	39.6	33.3	35.6	42.2	56.4	73.6	80.3	54.6
Dew point	24.2	27.6	28.8	31.6	36.9	41.5	43.6	43.9	40.4	36.1	31.3	26.5	34.4
Extremes of Monthly Averages													
<u>Dry Bulb</u>													
Highest Year	43.0	44.6	51.6	58.6	68.7	77.3	83.3	82.5	72.7	59.5	46.3	38.8	56.6
Year	1953	1991	1992	1987	1958	1992	1985	1967	1990	1988	1990	1953	1992
Lowest Year	12.9	25.8	39.6	48.3	57.0	64.2	71.3	70.6	58.9	48.1	25.7	21.9	50.2
Year	1950	1956	1955	1955	1984	1953	1986	1964	1985	1984	1985	1985	1985
<u>Wet Bulb</u>													
Highest Year	39	41	44	47	55	59	62	61	56	50	42	36	47
Year	1953	1956	1992	1992	1958	1992 <sup>(b)</sup>	1985 <sup>(b)</sup>	1991 <sup>(b)</sup>	1995 <sup>(b)</sup>	1988	1954	1991 <sup>(b)</sup>	1992
Lowest Year	12	23	33	39	45	51	56	55	48	40	24	21	41
Year	1950	1956	1955	1955	1959	1983 <sup>(b)</sup>	1986 <sup>(b)</sup>	1980 <sup>(b)</sup>	1970	1984	1985	1985	1985
<u>Relative Humidity</u>													
Highest Year	88.8	86.9	69.1	64.5	61.9	53.5	45.6	47.8	55.5	74.2	88.7	90.5	58.9
Year	1960	1963	1993	1963	1948	1950	1993	1976	1977	1962	1979	1950	1978
Lowest Year	60.0	54.0	44.0	36.9	31.2	30.0	21.9	24.5	33.2	42.5	62.8	69.0	49.4
Year	1963	1967	1965	1966	1966	1949	1959	1967	1974	1952	1976	1968	1967
<u>Dew Point</u>													
Highest Year	34.4	36.7	37.2	37.1	43.8	47.5	50.1	48.4	45.4	43.5	38.3	34.3	37.7
Year	1953	1992 <sup>(b)</sup>	1986	1992 <sup>(b)</sup>	1957	1958	1975	1976	1963	1962	1954	1950	1958
Lowest Year	6.5	17.3	20.8	26.0	30.4	37.5	35.4	38.4	33.8	30.2	19.4	15.1	31.5
Year	1950	1956	1965 <sup>(b)</sup>	1982	1964	1954	1959	1955	1970	1984	1985	1983	1955

(a) Dry bulb, wet bulb, and dew point temperatures in °F, relative humidity in %.

(b) Most recent of multiple occurrences.

**Table 6.4.** Average and Extreme Solar Radiation Daily Values (langley), 1953 Through 1997

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average	108	186	322	451	552	607	630	538	405	254	125	85	355
Highest Year	277	422	542	704	838	821	808	721	591	434	295	196	838 May 1977
Lowest Year	16	11	44	75	67	92	118	104	61	33	14	9	9 Dec 1973

(a) Most recent of multiple occurrences.

## 6.5 Thunderstorms

A thunderstorm day is one in which thunder is heard at the observing station one or more times during a calendar day. If a thunderstorm were to begin before midnight and continue until after midnight, it is possible to have two thunderstorm days from a single storm.

Table 6.5 shows that thunderstorms occurred in every month of the year, except January and November. The thunderstorm season is essentially from April through September. The average number of thunderstorm days per year is 10; however, the total varies from a low of 3 in 1949 to a high of 23 in 1948. The largest number of thunderstorms in any single month was 8 in June 1972, July 1983, and August 1953.

**Table 6.5. Average Number of Days of Various Meteorological Phenomena, 1945 Through 1997**

Phenomenon	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Thunderstorm	0	≤0.1	0.2	0.7	1.6	2.3	2.1	2.0	0.8	0.2	0	≤0.1	9.9
Dust or blowing dust	0.4	0.4	0.5	0.6	0.7	0.4	0.4	0.3	0.5	0.3	0.2	0.2	4.7
Glaze	2.2	0.7	0.1	0	0	0	0	0	0	0	0.9	2.4	6.3

## 6.6 Dust and Blowing Dust

The criterion for both dust and blowing dust is that horizontal visibility be reduced to 6 mi or less. Dust is carried into the area from a distant source and may occur without strong winds. Blowing dust occurs when dust is being picked up locally and occurs with stronger winds. Both dust and blowing dust occurred at the HMS; however, in most cases, it is blowing dust. Table 6.5 presented the average number of days per month and year of dust and blowing dust during the period 1945 through 1997. The average number of days per year with dust or blowing dust is 5. The greatest number of such days in any year was 20 in 1980; the fewest was 0 in 1987 and earlier years. The greatest number of days with dust or blowing dust in any month was 9 in May 1980. This peak in the number of days with dust or blowing dust resulted from the eruption of Mount St. Helens on May 18, 1980 and subsequent dates.

## 6.7 Glaze

Glaze is a coating of ice formed when rain or drizzle freezes on contact with any surface having a temperature that is below freezing. Table 6.5 provided data on the number of days per month and year with glaze for the period 1945 through 1997. The average number of days with freezing rain or freezing drizzle is 6. The highest number of days with glaze in any winter season was 18 during the winter of 1969-1970; the least, 1 day during the winter of 1987-1988 and earlier winters. The greatest number of such days in any single month was 9 in January 1970.

## 6.8 Atmospheric Pressure

Table 6.6 contains atmospheric pressure data for the period 1955 through 1997. This table lists both station and sea-level pressure, including extremes and years of occurrence. Atmospheric pressure may be indicated in several different units, including inches of mercury, millimeters of mercury, millibars, or Pascals; however, in this table, pressure is stated in inches of mercury. Station pressure is the barometric pressure measured at the HMS (at an elevation of 733 ft); sea-level pressure is the station pressure adjusted to sea level. Most are familiar with barometric pressure adjusted to sea level, which allows atmospheric pressures for all locations to be compared, regardless of the elevation of the station where the data are measured.

The highest sea-level pressure ever recorded at the HMS was 31.12 in. in January 1979; the lowest was 28.94 in. in December 1995 and on previous occasions.

Some rapid pressure changes occurred on November 3, 1958, falling 0.492 in. over a 6-h period (0.082 in./h), including a 1-h fall of 0.160 in. On the same day, the pressure rose 0.554 in. during a 6-h period (0.090 in./h), including a 1-h rise of 0.145 in. The greatest sea-level pressure change during a 1-day period was 1.02 in. (December 8, 1971).

Table 6.6. Average and Extreme Station and Sea-Level Pressure Data, 1955 Through 1997 (inches of mercury)

Month	Station Pressure						Sea-Level Pressure		
	Average	High		Year		Greatest Daily Range	High		Year
		Year	Low	Year	High		Year	Low	
Jan	29.32	30.23	1979(a)	28.18	1980	0.77	31.12	1979	28.94
Feb	29.28	30.08	1956	28.23	1958(e)	0.79	30.97	1956(e)	28.98
Mar	29.20	29.92	1955	28.34	1995	0.85	30.79	1955	29.11
Apr	29.19	29.84	1973(e)	28.49	1962(e)	0.81	30.64	1973	29.26
May	29.16	29.68	1970(e)	28.62	1957(e)	0.46	30.48	1970(e)	29.38
Jun	29.14	29.60	1987(a)	28.67	1992(e)	0.54	30.40	1987	29.42
Jul	29.14	29.56	1993(e)	28.80	1979(e)	0.37	30.34	1993(e)	29.55
Aug	29.14	29.55	1968	28.75	1980	0.39	30.32	1968	29.52
Sep	29.18	29.79	1983(e)	28.48	1986(e)	0.56	30.60	1983	29.25
Oct	29.25	29.82	1993(e)	28.39	1962	0.73	30.63	1993(e)	29.15
Nov	29.28	30.06	1979(e)	28.36	1982(e)	0.78	30.90	1979(e)	29.13
Dec	29.32	30.20	1978	28.16	1995	1.02	31.07	1978	28.94
Annual	29.22	30.23	Jan 1979(e)	28.16	Dec 1995	1.02	31.12	Jan 1979	28.94
								Dec 1995(e)	

(a) Most recent of several occurrences.

---

## 7.0 References

- Glantz, C. S., and M. M. Islam. 1988. *The Data Collection Component of the Hanford Meteorology Monitoring Program*. PNL-6684, Pacific Northwest Laboratory, Richland, Washington.
- Hoitink, D. J., and K. W. Burk. 1994. *Climatological Data Summary 1993, with Historical Data*. PNL-9809, Pacific Northwest Laboratory, Richland, Washington.
- Hoitink, D. J., and K. W. Burk. 1995. *Climatological Data Summary 1994, with Historical Data*. PNL-10553, Pacific Northwest Laboratory, Richland, Washington.
- Hoitink, D. J., and K. W. Burk. 1996. *Climatological Data Summary 1995, with Historical Data*. PNNL-11107, Pacific Northwest National Laboratory, Richland, Washington.
- Hoitink, D. J., and K. W. Burk. 1997. *Climatological Data Summary 1996, with Historical Data*. PNNL-11471, Pacific Northwest National Laboratory, Richland, Washington.
- Jenne, D. E., and R. E. Kerns. 1959. *A Climatological Study of the Hanford Area*. HW-57722, General Electric, Hanford Atomic Products Operation, Richland, Washington.
- Stone, W. A., D. E. Jenne, and J. M. Thorp. 1972. *Climatography of the Hanford Area*. BNWL-1605, Pacific Northwest Laboratory, Richland, Washington.
- Stone, W. A., J. M. Thorp, O. P. Gifford, and D. J. Hoitink. 1983. *Climatological Summary for the Hanford Area*. PNL-4622, Pacific Northwest Laboratory, Richland, Washington.

## 8.0 Bibliography

- Andrews, G. L. 1988. *The Hanford Meteorological Data Collection System and Data Base*. PNL-6509, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and J. W. Buck. 1987. *Hanford Meteorological Station Computer Codes: Volume 2 - The PROD Computer Code*. PNL-6279 Vol. 2, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and J. W. Buck. 1987. *Hanford Meteorological Station Computer Codes: Volume 4 - The SUM Computer Code*. PNL-6279 Vol. 4, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and J. W. Buck. 1987. *Hanford Meteorological Station Computer Codes: Volume 6 - The SFC Computer Code*. PNL-6279 Vol. 6, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and J. W. Buck. 1988. *Hanford Meteorological Station Computer Codes: Volume 7 - The RIVER Computer Code*. PNL-6279 Vol. 7, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and K. W. Burk. 1988. *Hanford Meteorological Station Computer Codes: Volume 8 - The REVIEW Computer Code*. PNL-6279 Vol. 8, Pacific Northwest Laboratory, Richland, Washington.
- Andrews, G. L., and K. W. Burk. 1989. *Hanford Meteorological Station Computer Codes: Volume 10 - The ARCHIVE Computer Code*. PNL-6279 Vol. 10, Pacific Northwest Laboratory, Richland, Washington.
- Buck, J. W., and G. L. Andrews. 1987. *Hanford Meteorological Station Computer Codes: Volume 1 - The GEN Computer Code*. PNL-6279 Vol. 1, Pacific Northwest Laboratory, Richland, Washington.
- Buck, J. W., and G. L. Andrews. 1987. *Hanford Meteorological Station Computer Codes: Volume 3 - The TANK Computer Code*. PNL-6279 Vol. 3, Pacific Northwest Laboratory, Richland, Washington.
- Buck, J. W., and G. L. Andrews. 1987. *Hanford Meteorological Station Computer Codes: Volume 5 - The TOWER Computer Code*. PNL-6279 Vol. 5, Pacific Northwest Laboratory, Richland, Washington.
- Burk, K. W., and G. L. Andrews. 1989. *Hanford Meteorological Station Computer Codes: Volume 9 - The Quality Assurance Computer Codes*. PNL-6279 Vol. 9, Pacific Northwest Laboratory, Richland, Washington.
- Glantz, C. S., M. N. Schwartz, K. W. Burk, R. B. Kasper, M. W. Ligotke, and P. J. Perrault. 1990. *Climatological Summary of Wind and Temperature Data for the Hanford Meteorological Monitoring Network*. PNL-7471, Pacific Northwest Laboratory, Richland, Washington.
- Stage, S. A., J. V. Ramsdell, Jr., C. A. Simonen, K. W. Burk, and L. K. Berg. 1993. *Final Report on the Meteorological Database, December 1944 - 1949*. PNWD-2200 HEDR, Battelle Pacific Northwest Laboratories, Richland, Washington.

## **Appendix**

### **1997 Wind Climatology**

---


## Appendix

### 1997 Wind Climatology

This appendix gives the 1997 station-specific wind roses (Figures A.1 [a] and A.2 [a]) from the Hanford Meteorological Monitoring Network. Each petal of the wind rose represents the proportional amount of time that the wind blew from that direction. The width of the petal corresponds to each wind speed category. Starting from the center of the rose, the narrowest petal represents winds in the 1- to 3-mph class, the next widest represents the 4- to 7-mph class, and so forth. The length of each of these petals is proportional to the frequency of occurrence for each speed class.


The wind speed histograms (Figures A.1 [b] and A.2 [b]) represent the proportional amount of time in each speed class.

Table A.1 lists joint frequency distributions (at 10 m) of wind direction versus wind speed class for the individual stations (see Figure 2.1 in text for locations). Table A.2 lists joint frequency distributions (at 60 m) for stations 9, 11, 13, and 21 (see Figure 2.2 in text for locations).




(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

**Figure A.1. Wind Rose and Wind Speed Histogram, 10 Meters**




Station # 2 - EOC

N


(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

Figure A.1. (contd)




(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

Figure A.1. (contd)



**Figure A.1.** (contd)



Station # 5 - EDNA






Figure A.1. (contd)



Station # 6 - 200E


(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

**Figure A.1. (contd)**





(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

Figure A.1. (contd)




(b) Wind Speed Histogram

**Figure A.1. (contd)**

N




Station # 9 - FFTF





(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram


Figure A.1. (contd)



**Figure A.1. (contd)**


N  
↑

Station #11 - 300A




(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram


Figure A.1. (contd)



Station #12 - WYEB

(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

Figure A.1. (contd)

N




Station #13 - 100N




(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram


**Figure A.1. (contd)**



Station #14 - WPPS


(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram


Figure A.1. (contd)



Station #15 - FRNK


(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

Figure A.1. (contd)




(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

**Figure A.1.** (contd)




(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram


Figure A.1. (contd)



Station #18 - RICH



**Figure A.1. (contd)**



Station #19 - PFP





Figure A.1. (contd)



Station #20 - RMTN

(a) Wind Rose

Period: 1/97 - 12/97






Figure A.1. (contd)



Station #21 - HMS


(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

Figure A.1. (contd)




(a) Wind Rose

Period: 1/97 - 12/97



**Figure A.1. (contd)**



Station #23 - GABW






Figure A.1. (contd)



(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

**Figure A.1. (contd)**






Figure A.1. (contd)




(a) Wind Rose

Period: 1/97 - 12/97




(b) Wind Speed Histogram

**Figure A.1. (contd)**



(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

Figure A.1. (contd)




Figure A.1. (contd)






Figure A.1. (contd)




**Figure A.2. Wind Rose and Wind Speed Histogram, 60 Meters**




(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

Figure A.2. (contd)



(a) Wind Rose

Period: 1/97 - 12/97






Figure A.2. (contd)



(a) Wind Rose

Period: 1/97 - 12/97



(b) Wind Speed Histogram

Figure A.2. (contd)

**Table A.1. Joint Frequency Distributions (%) for Hanford Meteorological Monitoring Network Wind Stations at 10-Meter Level, 1997**

Station: (1) PROS		Begin: 1/97								End: 12/97								Total Hours: 8,755	
Speed, mph		Direction														Calm	Total		
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7
1-3	2.4	1.5	1.2	0.8	0.8	0.9	1.3	2.0	1.7	1.5	1.5	1.4	1.5	1.6	2.3	2.6	0.0	24.8	
4-7	3.6	2.6	1.8	0.9	0.9	1.1	1.9	3.0	3.5	3.2	1.9	1.0	1.0	1.1	3.7	5.5	0.0	36.7	
8-12	2.2	1.1	0.5	0.1	0.1	0.3	0.5	0.9	2.1	4.0	2.5	0.9	0.6	0.7	2.4	3.9	0.0	22.8	
13-18	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.7	2.0	1.1	0.5	0.3	1.4	1.3	0.0	11.1	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.7	0.3	0.1	0.3	0.2	0.0	3.1	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.1	0.0	0.0	0.1	0.0	0.7	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	9.0	5.6	3.6	1.8	2.3	3.6	5.9	7.7	12.0	9.2	5.2	3.9	3.8	10.1	13.6	0.7	100.0		
Station: (2) EOC		Begin: 1/97								End: 12/97								Total Hours: 8,755	
Speed, mph		Direction														Calm	Total		
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2
1-3	1.0	1.0	1.0	0.8	0.8	0.7	0.6	0.8	1.1	1.2	1.3	1.3	1.5	1.5	1.4	1.1	0.0	17.2	
4-7	2.8	1.9	1.3	1.0	1.0	1.0	1.0	0.8	1.9	1.9	1.4	1.4	2.5	3.8	3.7	3.7	0.0	31.0	
8-12	1.7	0.6	0.2	0.0	0.0	0.0	0.2	0.3	1.0	2.1	2.7	2.0	1.5	3.9	5.7	3.7	0.0	25.7	
13-18	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	2.2	2.5	1.9	0.8	3.2	2.3	0.0	14.7	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	2.3	0.9	0.2	0.5	0.3	0.0	6.3	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	0.4	0.0	0.0	0.0	0.0	0.0	3.1	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.7	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	6.2	3.7	2.4	1.8	1.9	1.7	1.9	2.0	4.1	6.3	11.1	11.0	8.9	10.3	14.5	11.1	1.2	100.0	
Station: (3) ARMY		Begin: 1/97								End: 12/97								Total Hours: 8,756	
Speed, mph		Direction														Calm	Total		
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9
1-3	2.0	1.8	1.7	2.3	2.8	2.0	1.7	1.1	0.8	0.6	0.6	1.3	2.3	3.3	3.3	2.4	0.0	29.9	
4-7	2.5	1.4	1.6	1.9	2.3	2.2	1.4	0.7	0.5	0.4	0.6	1.1	2.8	8.3	7.2	3.8	0.0	38.6	
8-12	1.2	0.5	0.3	0.1	0.2	0.6	0.8	0.6	0.3	0.5	0.7	1.3	2.1	4.6	3.7	1.6	0.0	19.3	
13-18	0.3	0.2	0.0	0.0	0.1	0.1	0.3	0.2	0.3	0.4	0.7	1.1	1.0	0.9	1.2	0.4	0.0	7.1	
19-24	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.7	0.5	0.2	0.4	0.1	0.0	3.1	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.3	0.1	0.0	0.1	0.0	0.0	0.9	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	6.2	4.0	3.6	4.4	5.3	5.0	4.2	2.6	1.9	2.1	3.8	5.7	8.8	17.2	15.8	8.4	0.9	100.0	
Station: (4) RSPG		Begin: 1/97								End: 12/97								Total Hours: 8,092	
Speed, mph		Direction														Calm	Total		
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	
1-3	1.6	1.8	1.5	1.9	1.7	1.5	1.2	0.6	0.8	1.0	1.7	2.2	1.8	1.3	0.9	1.5	0.0	23.0	
4-7	3.4	2.4	1.7	0.7	1.3	1.8	0.5	0.3	0.4	0.6	2.1	9.5	4.8	1.8	1.7	2.6	0.0	35.7	
8-12	0.6	0.5	0.3	0.1	0.1	0.1	0.0	0.1	0.3	0.7	1.6	14.5	5.6	2.4	1.2	1.3	0.0	29.5	
13-18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.2	2.4	2.1	1.0	0.7	0.3	0.0	8.3	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.7	0.5	0.1	0.0	0.0	0.0	2.4	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.5	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	5.6	4.7	3.5	2.7	3.1	3.5	1.8	1.1	1.7	3.2	7.4	29.6	14.8	6.5	4.5	5.8	0.5	100.0	

Table A.1. (contd)

Station: (5) EDNA			Begin: 1/97								End: 12/97								Total Hours: 8,756			
Speed, mph	Direction															Calm	Total					
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8
1-3	0.9	0.8	0.6	0.8	1.1	1.8	3.4	4.0	3.0	1.6	1.2	1.3	1.9	3.0	2.8	1.6	0.0	29.9				
4-7	2.0	1.5	1.1	1.5	2.3	5.4	7.2	3.1	1.2	0.7	0.8	0.7	0.9	2.9	7.0	4.4	0.0	42.6				
8-12	1.0	0.6	0.3	0.2	1.0	1.8	1.4	0.8	0.9	0.7	0.8	0.9	1.2	1.6	2.0	2.2	0.0	17.4				
13-18	0.3	0.3	0.2	0.1	0.0	0.1	0.2	0.4	0.5	0.4	0.7	0.7	0.8	1.2	0.8	0.3	0.0	6.9				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.2	0.4	0.2	0.0	0.0	1.8				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.5				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.2	3.2	2.2	2.7	4.5	9.1	12.1	8.3	5.6	3.5	3.8	4.3	5.1	9.2	12.9	8.6	0.8	100.0				
Station: (6) 200E			Begin: 1/97								End: 12/97								Total Hours: 8,756			
Speed, mph	Direction															Calm	Total					
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5
1-3	1.3	1.3	1.2	1.4	1.7	1.5	1.7	1.2	1.1	0.9	1.0	1.3	1.7	1.9	1.5	1.6	0.0	22.2				
4-7	1.7	1.4	1.1	1.1	1.5	2.1	2.3	1.9	1.4	1.5	1.8	3.3	4.8	5.8	4.1	2.3	0.0	37.9				
8-12	0.7	0.7	0.4	0.1	0.1	0.2	1.0	0.9	0.6	0.6	1.2	2.9	6.0	6.2	1.9	0.6	0.0	24.1				
13-18	0.2	0.2	0.1	0.0	0.0	0.0	0.1	0.3	0.3	0.8	1.1	1.1	1.8	3.0	0.9	0.1	0.0	10.1				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.7	0.6	0.4	1.1	0.3	0.0	0.0	3.5				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.6				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	3.9	3.6	2.7	2.5	3.3	3.8	5.0	4.4	3.5	4.0	5.9	9.5	14.9	18.2	8.7	4.6	1.5	100.0				
Station: (7) 200W			Begin: 1/97								End: 12/97								Total Hours: 8,756			
Speed, mph	Direction															Calm	Total					
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0
1-3	2.2	1.8	1.8	1.7	1.7	1.7	2.1	1.9	1.8	1.3	1.8	2.3	3.2	4.7	3.7	2.9	0.0	36.6				
4-7	3.3	2.0	1.6	1.0	0.8	1.4	1.4	0.6	0.7	0.7	1.2	1.8	3.7	6.9	5.0	3.9	0.0	35.9				
8-12	0.6	0.5	0.3	0.1	0.0	0.2	0.2	0.2	0.3	0.8	1.2	1.7	2.4	2.8	3.0	1.5	0.0	15.7				
13-18	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.4	1.2	1.3	0.8	0.7	1.7	0.3	0.0	7.0				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.3	0.1	0.6	0.0	0.0	2.3				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.1	0.0	0.0	0.4				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	6.2	4.4	3.6	2.7	2.6	3.2	3.8	2.9	2.9	3.3	6.1	8.0	10.4	15.2	14.1	8.7	2.0	100.0				
Station: (8) BVLY			Begin: 1/97								End: 12/97								Total Hours: 8,751			
Speed, mph	Direction															Calm	Total					
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW						
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9
1-3	2.9	2.0	1.5	1.6	1.9	1.8	2.0	1.7	1.4	1.1	1.0	1.2	1.6	2.3	2.6	0.0	27.6					
4-7	8.7	2.0	0.5	0.5	1.9	2.0	1.5	1.2	0.9	0.6	0.8	0.9	1.7	3.2	5.3	7.5	0.0	39.3				
8-12	7.0	1.3	0.1	0.0	0.3	0.4	0.4	0.3	0.3	0.4	0.6	0.6	1.6	4.1	2.7	2.2	0.0	22.2				
13-18	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.6	0.3	0.6	0.6	3.8	1.4	0.1	0.0	7.6				
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.2	1.1	0.2	0.0	0.0	0.0	2.0				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	1.8	5.3	2.1	2.2	4.1	4.3	3.9	3.2	2.7	2.5	3.4	2.8	5.5	14.0	11.9	12.5	0.9	100.0				

Table A.1. (contd)

Station: (9) FFTF			Begin: 1/97						End: 12/97						Total Hours: 8,705			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
1-3	1.2	0.9	1.0	0.8	0.9	1.0	1.0	1.1	1.0	1.1	1.1	0.8	1.0	1.0	1.2	1.1	0.0	16.1
4-7	3.4	3.4	2.1	1.3	1.3	1.3	2.6	3.2	4.0	3.4	2.2	1.4	1.3	1.9	3.8	3.9	0.0	40.4
8-12	1.8	1.4	0.8	0.2	0.2	0.2	1.2	2.9	3.6	4.4	1.7	0.9	0.7	1.4	3.3	2.9	0.0	27.4
13-18	0.4	0.3	0.1	0.0	0.0	0.0	0.2	0.4	0.8	2.7	1.7	0.8	0.8	0.8	1.7	0.4	0.0	11.3
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	0.5	0.3	0.1	0.3	0.1	0.0	0.0	3.3
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.0	0.1	0.0	0.0	1.0
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	6.7	6.0	4.1	2.2	2.3	2.5	5.1	7.6	9.5	12.6	8.2	4.6	4.2	5.2	10.4	8.4	0.3	100.0
Station: (10) YAKB			Begin: 1/97						End: 12/97						Total Hours: 8,754			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5
1-3	1.8	1.4	1.3	0.7	0.7	0.7	1.1	1.2	1.1	1.1	1.6	1.7	2.1	2.0	1.4	1.3	0.0	21.3
4-7	4.3	2.7	1.6	0.9	0.7	0.8	1.1	1.0	0.7	0.8	1.9	5.5	7.0	3.6	4.0	4.3	0.0	40.6
8-12	1.0	0.5	0.1	0.1	0.0	0.1	0.2	0.2	0.4	0.7	1.9	2.8	3.4	2.8	5.9	2.4	0.0	22.5
13-18	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.4	1.3	0.7	1.4	4.1	0.3	0.0	10.4
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.6	0.1	0.6	1.6	0.0	0.0	3.9
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.3	0.0	0.0	0.8
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.3	4.8	3.1	1.7	1.4	1.6	2.4	2.5	2.4	3.3	7.6	12.1	13.4	10.4	17.3	8.2	0.5	100.0
Station: (11) 300A			Begin: 1/97						End: 12/97						Total Hours: 8,754			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4
1-3	1.1	0.8	0.8	0.5	0.7	1.2	1.8	1.9	1.7	1.2	1.2	1.0	1.2	1.1	1.7	1.5	0.0	19.5
4-7	4.0	2.0	1.3	1.5	1.8	3.8	7.0	3.8	2.8	2.7	1.9	1.3	1.0	0.9	1.9	4.0	0.0	41.6
8-12	3.6	2.3	1.1	0.3	0.2	1.0	1.8	0.7	1.4	3.1	3.4	1.6	0.6	0.4	0.9	2.2	0.0	24.5
13-18	0.6	0.4	0.2	0.1	0.0	0.0	0.1	0.1	0.3	1.3	2.7	1.7	0.6	0.3	0.6	0.6	0.0	9.8
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	0.7	0.4	0.1	0.2	0.1	0.0	3.2
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.2	0.1	0.0	0.0	0.0	0.0	0.9
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	9.3	5.5	3.4	2.4	2.7	6.0	10.7	6.5	6.2	8.8	11.1	6.5	3.8	2.8	5.4	8.5	0.4	100.0
Station: (12) WYEB			Begin: 1/97						End: 12/97						Total Hours: 8,756			
Speed, mph	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3
1-3	1.3	1.2	1.4	1.3	1.4	1.6	1.5	1.6	1.4	1.2	1.2	0.9	0.9	1.0	1.6	1.4	0.0	20.9
4-7	3.3	2.1	1.7	2.1	2.5	2.2	3.1	3.7	3.6	2.4	1.6	1.8	2.1	2.8	4.2	3.9	0.0	43.1
8-12	1.5	0.7	0.5	0.2	0.2	0.3	1.0	1.8	2.7	1.8	1.0	0.7	1.6	4.0	3.0	1.6	0.0	22.7
13-18	0.5	0.2	0.1	0.0	0.0	0.0	0.1	0.4	0.9	1.6	1.1	0.8	1.0	1.3	1.2	0.2	0.0	9.3
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.7	0.5	0.4	0.2	0.4	0.0	0.0	3.0
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.7
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	6.7	4.3	3.7	3.7	4.1	4.1	5.8	7.5	8.7	7.6	5.9	4.7	6.0	9.3	10.5	7.2	0.3	100.0

Table A.1. (contd)

Station: (13) 100N			Begin: 1/97						End: 12/97						Total Hours: 8,756			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1-3	2.0	2.2	2.3	2.5	3.6	3.4	2.6	1.9	1.6	1.4	1.9	2.3	3.2	3.5	2.9	2.1	0.0	39.4
4-7	1.5	2.1	2.1	2.3	3.0	2.6	1.9	1.1	0.8	0.8	1.8	4.2	4.3	3.3	2.3	1.5	0.0	35.7
8-12	0.3	0.9	0.7	0.1	0.0	0.2	0.7	0.5	0.3	0.4	1.0	2.1	3.4	2.3	0.6	0.2	0.0	13.9
13-18	0.2	0.4	0.3	0.0	0.0	0.0	0.2	0.2	0.1	0.4	0.8	0.5	1.4	2.0	0.5	0.1	0.0	7.0
19-24	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.3	0.3	0.7	0.3	0.0	0.0	0.0	2.5
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.5
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	4.1	5.7	5.5	5.0	6.6	6.1	5.4	3.7	2.9	3.1	6.2	9.4	12.7	11.9	6.8	3.9	1.0	100.0
Station: (14) WPPS			Begin: 1/97						End: 12/97						Total Hours: 8,616			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1-3	2.4	2.0	1.7	1.1	0.8	0.9	1.2	1.5	1.6	1.6	1.4	1.3	1.5	1.5	1.8	2.2	0.0	24.5
4-7	4.3	3.1	2.8	1.4	0.8	0.7	1.9	4.4	4.5	2.7	1.8	1.3	1.2	1.7	4.2	4.7	0.0	41.3
8-12	1.6	0.9	0.7	0.4	0.2	0.2	0.8	2.3	3.4	2.5	1.4	0.7	0.8	1.5	2.3	1.9	0.0	21.6
13-18	0.5	0.2	0.2	0.0	0.0	0.0	0.1	0.3	0.7	1.6	1.2	0.7	0.7	1.3	0.3	0.0	0.0	8.5
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.2	0.1	0.2	0.3	0.0	0.0	2.4
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.6
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	8.8	6.2	5.5	2.8	1.8	1.8	4.0	8.6	10.3	9.0	6.7	4.3	4.4	5.7	10.1	9.2	1.0	100.0
Station: (15) FRNK			Begin: 1/97						End: 12/97						Total Hours: 8,710			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1
1-3	1.2	1.1	1.0	0.9	0.8	0.9	1.4	1.1	1.0	1.1	1.1	1.0	1.3	1.4	1.4	1.4	0.0	18.0
4-7	4.2	3.1	1.8	1.3	1.6	2.7	5.2	4.0	3.4	3.5	2.3	1.1	1.5	2.4	5.3	5.8	0.0	49.2
8-12	1.4	0.9	0.6	0.4	0.3	0.7	1.6	1.6	2.7	4.9	2.6	0.9	0.7	0.6	1.6	1.6	0.0	23.2
13-18	0.1	0.1	0.3	0.1	0.1	0.1	0.2	0.2	0.7	2.4	1.6	0.6	0.3	0.2	0.1	0.2	0.0	7.1
19-24	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.2	0.1	0.0	0.1	0.0	0.0	1.2
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
32-38	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.0	5.3	3.7	2.7	2.7	4.4	8.4	6.9	7.8	12.4	8.0	3.8	3.8	4.6	8.5	9.0	1.1	100.0
Station: (16) GABL			Begin: 1/97						End: 12/97						Total Hours: 8,680			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8
1-3	0.9	0.8	0.9	0.7	0.5	0.5	0.7	0.8	0.8	0.8	0.8	0.6	0.6	0.6	0.7	0.7	0.0	11.5
4-7	2.6	2.5	1.6	1.1	1.0	1.0	1.5	2.0	2.9	2.3	1.7	1.7	1.4	1.8	2.6	2.0	0.0	29.8
8-12	2.0	2.7	1.3	0.5	0.4	0.4	0.8	1.8	1.9	1.3	1.7	2.0	1.9	2.4	2.7	1.5	0.0	25.2
13-18	1.2	1.5	0.6	0.1	0.0	0.1	0.3	1.0	1.3	1.0	1.5	1.2	1.9	3.2	2.2	0.6	0.0	17.6
19-24	0.3	0.7	0.3	0.0	0.0	0.0	0.0	0.4	0.6	0.8	1.0	0.8	1.0	2.6	1.4	0.2	0.0	10.2
25-31	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.4	0.4	0.7	0.4	0.3	0.8	0.2	0.0	0.0	3.7
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	0.1	0.0	0.0	0.0	1.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.2
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.1	8.5	4.8	2.4	1.9	2.0	3.3	6.1	8.0	6.6	7.8	7.1	7.1	11.5	9.8	5.1	0.8	100.0

Table A.1. (contd)

Station: (17) RING			Begin: 1/97						End: 12/97						Total Hours: 8,756			
Speed, mph	Direction															Calm	Total	
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9
1-3	2.1	3.0	5.9	2.6	1.7	1.4	1.4	1.1	1.2	1.2	1.5	1.9	1.8	1.5	1.3	1.5	0.0	30.9
4-7	2.2	3.0	14.1	3.5	1.3	1.2	1.5	1.3	1.7	2.2	2.1	2.5	2.0	1.0	1.3	1.6	0.0	42.5
8-12	0.9	0.9	1.2	0.5	0.1	0.1	0.3	0.5	1.3	3.6	2.1	0.9	1.4	2.1	0.7	0.3	0.0	16.8
13-18	0.2	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.2	1.3	1.3	0.6	0.8	1.6	0.3	0.0	0.0	6.8
19-24	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.5	0.2	0.3	0.0	0.0	0.0	1.7
25-31	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.5
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	5.4	7.2	21.6	6.6	3.0	2.6	3.2	3.0	4.4	8.3	7.5	6.5	6.2	6.5	3.6	3.4	0.9	100.0
Station: (18) RICH			Begin: 1/97						End: 12/97						Total Hours: 8,753			
Speed, mph	Direction															Calm	Total	
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7
1-3	1.5	0.9	0.9	1.0	1.7	2.4	3.0	2.4	2.2	2.0	2.1	2.2	2.3	2.5	2.6	1.8	0.0	31.6
4-7	2.4	1.1	1.1	1.2	2.0	2.8	3.1	1.9	1.5	3.1	4.4	3.4	2.5	3.0	3.0	2.7	0.0	39.3
8-12	1.6	0.7	0.6	0.2	0.1	0.2	0.2	0.1	0.4	2.1	3.5	2.8	1.4	0.8	1.0	1.5	0.0	17.3
13-18	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	1.0	2.7	1.5	1.2	0.3	0.4	0.5	0.0	8.5
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	0.4	0.3	0.0	0.1	0.1	0.0	2.2
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.3
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	6.0	2.9	2.7	2.5	3.9	5.3	6.4	4.4	4.4	8.4	13.7	10.3	7.8	6.6	7.2	6.7	0.7	100.0
Station: (19) PFP			Begin: 1/97						End: 12/97						Total Hours: 8,756			
Speed, mph	Direction															Calm	Total	
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.5
1-3	3.3	3.4	2.0	1.4	1.5	1.8	2.4	1.8	1.8	1.8	2.2	3.4	5.0	4.8	3.7	3.0	0.0	43.3
4-7	4.2	2.5	1.4	0.9	0.6	1.1	1.4	0.6	0.6	0.8	1.5	2.0	4.1	6.4	4.8	4.2	0.0	37.2
8-12	0.4	0.5	0.3	0.1	0.0	0.1	0.2	0.3	0.2	0.5	1.4	1.8	1.5	1.4	2.8	1.1	0.0	12.6
13-18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.8	1.1	0.5	0.2	0.8	0.2	0.0	3.9
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.5
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	7.9	6.5	3.7	2.4	2.1	3.0	4.0	2.7	2.7	3.2	6.0	8.6	11.2	12.8	12.2	8.6	2.5	100.0
Station: (20) RMTN			Begin: 1/97						End: 12/97						Total Hours: 8,519			
Speed, mph	Direction															Calm	Total	
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4
1-3	1.3	0.6	0.4	0.4	0.3	0.3	0.3	0.5	0.6	0.8	0.6	0.7	0.7	0.7	0.8	0.0	9.4	
4-7	1.9	1.6	1.2	0.8	0.5	0.4	0.5	0.4	0.8	1.2	1.8	1.3	0.9	0.7	0.6	1.1	0.0	15.8
8-12	2.5	3.0	1.9	0.6	0.1	0.0	0.2	0.2	0.4	1.3	3.5	2.3	1.5	1.0	1.0	1.3	0.0	20.8
13-18	2.0	3.0	0.9	0.1	0.0	0.0	0.0	0.1	0.2	1.2	4.6	3.4	2.1	0.8	0.7	0.8	0.0	19.8
19-24	1.2	2.6	0.8	0.0	0.0	0.0	0.0	0.0	0.1	0.4	3.4	2.9	1.2	0.3	0.2	0.1	0.0	13.3
25-31	0.1	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.1	2.8	0.7	0.1	0.1	0.0	0.0	8.8
32-38	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.2	2.5	1.7	0.1	0.0	0.0	0.0	0.0	0.0	5.4
39-46	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	2.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	4.1
>46	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.2
Total	9.0	12.9	6.3	2.1	0.9	0.8	1.1	1.0	1.9	5.4	22.3	16.7	7.3	3.7	3.1	4.1	1.4	100.0

Table A.1. (contd)

Station: (21) HMS			Begin: 1/97						End: 12/97						Total Hours: 8,760			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4
1-3	1.9	1.6	1.7	1.6	1.5	1.4	1.5	1.5	1.2	1.4	1.3	1.6	1.6	1.8	2.0	2.0	0.0	25.7
4-7	2.0	1.4	1.4	1.2	1.2	1.1	1.1	1.5	1.5	1.5	2.7	4.4	5.6	6.5	7.0	3.3	0.0	43.5
8-12	0.3	0.5	0.4	0.1	0.1	0.0	0.1	0.4	0.4	0.6	1.7	2.7	2.5	5.1	4.4	0.6	0.0	19.8
13-18	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.6	1.4	1.1	0.7	1.5	2.2	0.1	0.0	8.3
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.6	0.1	0.1	0.3	0.0	0.0	1.9
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.0	0.4
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	4.2	3.7	3.6	3.0	2.8	2.5	2.6	3.5	3.5	4.3	7.8	10.6	10.6	15.0	16.0	5.9	0.4	100.0
Station: (22) PASC			Begin: 1/97						End: 12/97						Total Hours: 8,736			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4
1-3	4.9	2.8	2.2	2.3	2.8	2.9	2.5	2.0	1.6	1.4	1.4	1.3	1.5	2.3	3.8	5.3	0.0	41.1
4-7	3.2	1.3	0.7	0.7	0.6	1.3	1.9	1.5	1.4	2.8	4.2	2.7	2.3	1.9	3.5	4.7	0.0	34.8
8-12	1.0	0.4	0.1	0.0	0.0	0.1	0.3	0.2	0.3	1.6	4.8	2.9	0.9	0.6	0.6	1.1	0.0	14.8
13-18	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.5	2.0	0.8	0.2	0.1	0.1	0.0	6.1
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	0.2	0.0	0.0	0.0	0.0	1.7
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	9.2	4.5	3.1	3.1	3.4	4.2	4.6	3.7	3.4	5.9	13.5	9.8	5.8	5.0	8.0	11.2	1.4	100.0
Station: (23) GABW			Begin: 1/97						End: 12/97						Total Hours: 8,756			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	
1-3	1.5	1.3	1.2	1.2	1.4	1.8	2.4	2.4	2.2	1.4	1.6	1.8	2.4	3.7	3.2	1.9	0.0	31.3
4-7	1.6	1.2	1.2	1.2	1.5	1.0	3.4	5.2	1.5	0.9	1.1	1.9	3.5	8.2	4.0	1.9	0.0	39.5
8-12	0.4	0.5	0.4	0.1	0.1	0.1	1.0	1.0	0.4	0.6	1.1	1.4	3.2	5.6	1.3	0.4	0.0	17.5
13-18	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.3	0.9	0.9	1.1	3.4	0.6	0.1	0.0	8.4
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.4	0.2	0.7	0.1	0.0	0.0	2.1
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	3.6	3.3	2.9	2.5	3.0	2.9	6.9	8.7	4.3	3.4	5.1	6.6	10.5	21.7	9.3	4.3	0.9	100.0
Station: (24) 100F			Begin: 1/97						End: 12/97						Total Hours: 8,748			
Speed, mph	Direction												Calm	Total				
	N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW		
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.5
1-3	2.0	1.4	1.4	1.3	1.5	1.8	2.4	2.6	2.3	1.8	1.8	2.4	3.3	3.8	3.4	2.6	0.0	35.7
4-7	2.3	1.8	1.4	1.5	1.5	1.7	4.7	5.3	1.3	0.9	1.1	1.6	3.1	3.7	2.6	2.2	0.0	36.7
8-12	1.1	0.8	0.4	0.4	0.2	0.6	2.3	2.6	0.6	0.5	0.9	1.2	2.5	2.2	0.4	0.3	0.0	17.0
13-18	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.4	0.4	0.9	0.7	1.1	1.6	0.3	0.1	0.0	6.6
19-24	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.4	0.3	0.4	0.1	0.0	0.0	2.0
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.4
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	5.6	4.2	3.3	3.2	3.2	4.2	9.7	10.7	4.7	3.8	5.2	6.4	10.5	11.7	6.9	5.2	1.5	100.0

Table A.1. (contd)

Station: (25) VERN			Begin: 1/97								End: 12/97								Total Hours: 8,756
Speed, mph	N	NNNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	
1-3	1.0	1.1	1.1	1.2	1.6	1.7	1.5	1.0	0.8	0.7	1.1	2.0	2.7	1.6	1.3	0.9	0.0	21.3	
4-7	0.9	1.4	2.0	2.4	3.7	2.2	1.1	0.5	0.5	0.4	0.7	4.9	8.6	3.8	1.8	1.0	0.0	35.7	
8-12	0.5	0.4	0.5	0.6	0.6	0.2	0.1	0.1	0.2	0.4	0.7	2.3	9.3	7.1	2.1	0.6	0.0	25.8	
13-18	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.0	0.7	3.1	5.2	2.0	0.1	0.0	13.1	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.3	0.5	1.1	0.5	0.0	0.0	3.0	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.4	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	2.7	3.1	3.6	4.2	5.9	4.2	2.7	1.7	1.6	2.0	4.0	10.3	24.1	19.0	7.9	2.6	0.6	100.0	
Station: (26) BENT			Begin: 1/97								End: 12/97								Total Hours: 8,756
Speed, mph	N	NNNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	
1-3	1.3	1.0	1.0	0.9	1.1	0.7	0.5	0.5	0.5	0.7	1.0	1.6	2.3	1.6	1.4	1.0	0.0	17.2	
4-7	1.4	1.2	1.7	2.0	2.7	1.3	0.4	0.2	0.5	1.1	4.9	12.4	14.1	5.5	2.2	1.7	0.0	53.3	
8-12	0.5	0.9	1.0	0.7	1.1	0.3	0.0	0.0	0.2	0.6	2.8	6.1	5.5	1.7	1.0	0.5	0.0	23.0	
13-18	0.3	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	1.2	0.6	0.1	0.0	0.1	0.0	5.0	
19-24	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.2	0.1	0.0	0.0	0.0	0.0	1.2	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	3.6	3.9	4.0	3.6	4.9	2.2	0.9	0.7	1.2	2.8	10.9	21.5	22.5	9.0	4.6	3.3	0.3	100.0	
Station: (27) VSTA			Begin: 1/97								End: 12/97								Total Hours: 8,746
Speed, mph	N	NNNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	
1-3	2.2	2.3	2.0	1.5	1.5	1.6	1.7	1.8	1.7	2.6	2.8	2.3	2.1	1.7	1.7	1.7	0.0	31.3	
4-7	3.6	2.4	1.6	1.1	0.8	0.8	1.1	1.1	1.9	4.4	6.0	4.5	2.4	2.5	3.0	3.5	0.0	40.7	
8-12	0.5	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.5	3.2	6.3	2.8	0.9	0.6	0.8	1.1	0.0	17.4	
13-18	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.0	3.8	1.2	0.6	0.1	0.1	0.0	0.0	7.4	
19-24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.5	0.4	0.1	0.0	0.0	0.0	0.0	2.3	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	6.4	4.9	3.7	2.7	2.3	2.5	2.9	3.1	4.3	11.3	20.6	11.5	6.1	5.0	5.6	6.4	0.7	100.0	
Station: (28) SURF			Begin: 1/97								End: 12/97								Total Hours: 8,756
Speed, mph	N	NNNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total	
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	
1-3	0.3	0.6	0.9	0.9	1.0	0.8	0.6	0.6	0.8	1.6	3.4	3.7	2.1	0.9	0.4	0.3	0.0	18.9	
4-7	0.1	0.6	2.1	3.9	2.6	1.1	0.5	0.2	0.4	0.8	3.8	6.3	2.4	0.3	0.1	0.0	0.0	25.2	
8-12	0.2	0.5	1.7	3.1	1.2	0.1	0.0	0.0	0.0	0.1	3.4	10.1	4.0	0.5	0.1	0.0	0.0	25.0	
13-18	0.1	0.3	0.2	0.4	0.3	0.0	0.0	0.0	0.0	0.0	1.5	8.8	6.8	1.2	0.1	0.0	0.0	19.6	
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.8	3.4	0.5	0.0	0.0	0.0	8.1	
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	0.1	0.0	0.0	2.5	
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.3	
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total	0.7	2.0	5.0	8.3	5.0	1.9	1.2	0.8	1.1	2.5	12.5	34.0	20.0	3.4	0.6	0.3	0.4	100.0	

Table A.1. (contd)

Station: (29) 100K		Begin: 1/97										End: 12/97										Total Hours: 8,742	
Speed, mph		Direction																					
		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4				
1-3	2.0	1.7	1.5	1.7	2.1	2.0	2.4	2.0	1.9	1.8	2.2	3.5	4.5	3.1	2.8	1.9	0.0	37.0					
4-7	1.9	1.6	1.0	1.2	1.6	1.5	1.4	1.5	1.1	1.1	1.7	5.1	6.6	3.7	2.0	1.9	0.0	34.9					
8-12	0.4	0.6	0.4	0.1	0.1	0.2	0.7	0.7	0.5	0.5	1.0	3.0	5.4	2.2	0.6	0.2	0.0	16.8					
13-18	0.1	0.4	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.4	1.0	0.9	1.9	1.7	0.5	0.1	0.0	7.6					
19-24	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.2	0.7	0.1	0.0	0.0	2.0					
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3					
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.5	4.4	3.2	3.0	3.9	3.7	4.6	4.4	3.5	3.9	6.2	12.9	18.7	11.5	6.1	4.1	1.4	100.0					

**Table A.2. Joint Frequency Distributions (%) for Hanford Meteorological Monitoring Network Wind Stations at 60-Meter Level, 1997**

Tower: 100 Area		Begin: 1/97										End: 12/97										Total Hours: 8,756	
		Direction																					
Speed, mph		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8		
1-3	1.4	1.6	1.8	2.2	3.5	3.1	2.8	1.5	1.5	1.3	1.4	1.6	1.9	2.2	2.0	1.9	0.0	0.0	31.7				
4-7	1.8	1.9	1.9	2.2	3.2	2.9	2.5	1.3	0.6	0.6	1.2	2.1	3.6	3.5	2.3	1.6	0.0	0.0	33.2				
8-12	0.6	1.0	0.7	0.4	0.3	0.5	1.0	0.4	0.5	0.5	1.0	1.7	2.8	2.9	0.7	0.4	0.0	0.0	15.4				
13-18	0.3	0.6	0.4	0.1	0.0	0.0	0.5	0.4	0.2	0.3	0.7	0.6	2.5	3.5	0.8	0.1	0.0	0.0	11.1				
19-24	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.6	0.3	0.9	1.8	0.6	0.0	0.0	0.0	5.3				
25-31	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	0.2	0.5	0.3	0.0	0.0	0.0	2.2				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.3				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	4.2	5.5	5.0	5.0	7.0	6.5	6.8	3.8	2.9	3.2	5.5	6.6	12.0	14.4	6.7	4.1	0.8	100.0					
Tower: 200 Area		Begin: 1/97										End: 12/97										Total Hours: 8,760	
		Direction																					
Speed, mph		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1-3	0.6	0.8	0.8	0.9	0.8	0.2	1.4	0.8	0.5	0.4	0.4	0.4	0.5	0.6	0.8	1.0	0.0	0.0	10.8				
4-7	1.9	2.2	1.9	1.9	1.9	0.5	2.2	1.5	1.1	1.2	1.5	1.9	2.3	3.2	4.6	3.8	0.0	0.0	33.5				
8-12	0.8	0.9	0.6	0.4	0.4	0.1	0.5	0.6	0.5	0.9	1.5	2.6	3.5	5.9	5.4	1.9	0.0	0.0	26.4				
13-18	0.4	0.5	0.2	0.0	0.0	0.0	0.2	0.3	0.3	0.6	1.3	2.2	2.2	6.2	3.3	0.2	0.0	0.0	18.0				
19-24	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.8	1.3	0.9	0.5	2.5	0.9	0.0	0.0	0.0	7.5				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.7	0.6	0.1	1.0	0.2	0.0	0.0	0.0	3.1				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.6				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	3.6	4.5	3.5	3.3	3.1	0.8	4.3	3.3	2.8	4.5	6.9	8.6	9.1	19.4	15.4	6.9	0.0	100.0					
Tower: 300 Area		Begin: 1/97										End: 12/97										Total Hours: 8,754	
		Direction																					
Speed, mph		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	
1-3	0.9	0.6	0.7	0.6	0.7	1.0	1.0	1.1	1.1	0.7	0.8	0.6	0.5	0.8	0.9	1.1	0.0	0.0	13.0				
4-7	3.7	1.8	1.3	1.3	1.8	3.0	3.8	2.5	2.6	2.6	2.2	1.3	0.9	0.8	1.2	2.6	0.0	0.0	33.5				
8-12	4.5	2.1	0.5	0.4	0.3	1.5	2.1	1.4	1.7	3.7	3.5	1.7	0.8	0.6	1.2	2.8	0.0	0.0	28.9				
13-18	2.3	0.6	0.1	0.0	0.3	0.3	0.2	0.4	0.4	1.8	3.3	1.9	0.5	0.5	0.7	1.9	0.0	0.0	14.8				
19-24	0.3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.8	1.8	1.0	0.5	0.1	0.5	0.3	0.0	0.0	5.9				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.4	0.2	0.0	0.2	0.1	0.0	0.0	2.7				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	11.7	5.2	2.8	2.5	2.9	5.7	7.2	5.2	5.9	10.0	13.3	7.0	3.5	2.8	4.7	8.8	0.6	100.0					
Tower: 400 Area		Begin: 1/97										End: 12/97										Total Hours: 8,705	
		Direction																					
Speed, mph		N	NNE	NE	ENE	E	ESE	SE	SSE	S	SSW	SW	WSW	W	WNW	NW	NNW	Calm	Total				
Calm	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	
1-3	1.0	0.9	0.6	0.5	0.8	0.9	0.8	0.9	0.8	0.6	0.6	0.7	0.8	0.5	0.8	0.7	0.0	0.0	11.9				
4-7	2.6	2.4	1.9	1.2	1.2	1.3	1.9	2.4	2.7	2.4	1.9	1.2	1.2	1.4	2.1	2.5	0.0	0.0	30.2				
8-12	2.4	2.1	1.1	0.4	0.3	0.2	1.1	1.9	3.1	4.1	2.2	1.1	0.9	1.4	2.7	3.1	0.0	0.0	28.0				
13-18	0.9	0.5	0.2	0.1	0.0	0.0	0.4	0.7	1.4	3.5	2.1	0.8	0.7	1.8	3.1	1.7	0.0	0.0	17.8				
19-24	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.3	1.5	1.7	0.7	0.5	0.9	1.8	0.2	0.0	0.0	8.2				
25-31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	0.4	0.2	0.1	0.4	0.0	0.0	0.0	2.7				
32-38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.7				
39-46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				
>46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
Total	6.9	6.0	4.0	2.2	2.2	2.4	4.3	6.0	8.4	12.6	10.0	5.1	4.3	6.2	10.9	8.3	0.2	100.0					

## Distribution

<u>No. of Copies</u>	<u>No. of Copies</u>
<b>OFFSITE</b>	
Agricultural Chemical Branch Washington State Department of Agriculture 2015 S. First Street Yakima, WA 98903	2 Benton County Public Utility District #1 P.O. Box 6270 Kennewick, WA 99332 ATTN: K. Mey M. Sheeran
B. Allen 611 Vaughan Road Yakima, WA 98908	Benton County Public Works 1709 S. Ely Kennewick, WA 99320
T. Allen Power Resource Managers 2100 112th Ave. N.E., Suite 100 Bellevue, WA 98004	R. C. Blewett 4409 Arlington Drive West Richland, WA 99352
M. Alt US Ecology P.O. Box 638 Richland, WA 99352	C. Bowman State of Washington Department of Ecology P.O. Box 47600 Olympia, WA 98504-78600
ASCS Office Franklin County 1620 North Road 44 Pasco, WA 99301-2667	T. Brazil Cascade Natural Gas P.O. Box 6899 Kennewick, WA 99336
D. Austin Rettig, Osborne, Forrette, O'Donnell, and Iller 6725 W. Clearwater Kennewick, WA 99336	C. Burt Smith Frozen Foods 205204 E. Bowles Road Kennewick, WA 99337
D. Batchelor 732 W. Park Pasco, WA 99301	M. Carrow Director of Agricultural Services 2005 Saint Richland, WA 99352
	E. Charvet McGregor Company 5251 Eltopia West Road Eltopia, WA 99330

<u>No. of Copies</u>	<u>No. of Copies</u>
J. Cherry Franklin County Planning Department 1016 N. 4th Street Pasco, WA 99301	Farmers Insurance Claims Office P.O. Box 6998 Kennewick, WA 99336
City of Benton City ATTN: City Clerk P.O. Box 70 Benton City, WA 99320	D. Fiskum Kadlec Medical Center 888 Swift Boulevard Richland, WA 99352
4 City of Richland P.O. Box 190 Richland, WA 99352 ATTN: L. D. Dunbar, C.E.M. T. Holdren M. E. Lippold R. Overman	E. Frimodt III Franklin County Road Department 3416 Stearman Pasco, WA 99301-7104
W. Clore 1317 Paterson Road Prosser, WA 99350	K. Gage-Raska Pasco School District Tri-Cities Airport, Bldg 210 Pasco, WA 99301
W. T. Cobb Cobb Consulting Services 815 S. Kellogg Kennewick, WA 99336	B. Hachey Mid-Columbia Library - Pasco 1320 W. Hopkins Pasco, WA 99301
Columbia Basin College Library ATTN: Reference Librarian 2600 N. 20th Street Pasco, WA 99301	P. M. Hamilton, Jr. Assistant Director Physical Plant Central Washington University Ellensburg, WA 98926
Columbia National Wildlife Refuge Fish & Wildlife Service U.S. Department of the Interior P.O. Box F Othello, WA 99344	L. Harms Harms & Associates 1632 W. Sylvester Street Pasco, WA 99301
K. Corliss Stimson Lane Ltd. P.O. Box 580 Grandview, WA 98930	D. Harper Wilbur-Ellis Company P.O. Box 764 Pasco, WA 99301
	A. Haymaker 1721 Cottonwood Drive Pasco, WA 99301

<u>No. of Copies</u>	<u>No. of Copies</u>
J. Hollis TRIDEC 901 N. Colorado Kennewick, WA 99336	J. Mannix Kennewick School District 622 N. Kellogg Kennewick, WA 99336
Jacobs and Rhodes P.O. Box 6881 Kennewick, WA 99336	R. Mazurkiewicz Bonneville Power Administration P.O. Box 968, MD-399 Richland, WA 99352
B. Johnson 556 Columbia Center Kennewick, WA 99336	D. McBaugh Division of Radiation Protection State of Washington Department of Health P.O. Box 47827 Olympia, WA 98504
B. Kelley 614 S. Kellogg Kennewick, WA 99336	W. A. McCullough 2402 Lariat Lane Richland, WA 99352
J. Kleckner D. Hittle Associates 757 Columbia Drive S.E. Richland, WA 99352	J. McDonald Washington Public Power Supply System, MS 1020 P.O. Box 968 Richland, WA 99352
M. W. Kroeger Route 2, Box 2953A Prosser, WA 99350	G. McMurphy Valley Electric Co. 1010 E. Bruneau Kennewick, WA 99336-3775
R. A. Kyle Richland School District 615 Snow Richland, WA 99352	National Weather Service 2001 N.W. 56th Drive Pendleton, OR 97801
R. LaFramboise Central Washington Farm Crops Association P.O. Box 202 Yakima, WA 98907	R. Okarma Kennewick High School 500 S. Dayton Kennewick, WA 99336
K. Lettau George Grant Construction Co. P.O. Box 789 Richland, WA 99352	M. Orgill, CCM 342 S. 200 West Cedar City, UT 84720

<u>No. of Copies</u>	<u>No. of Copies</u>
Pioneer Hi-Bred 1040 Settler Road Connell, WA 99326	W. Sahli P.O. Box 912 Mattawa, WA 99344
T. Poe All Seasons Heating & Air Conditioning, Inc. 302 S. 3rd Avenue Yakima, WA 98902	W. Sealock 622 N. Kellogg Kennewick, WA 99336
Potato Growers of Washington P.O. Box 563 Othello, WA 99344-0563	J. St. Clair Benton-Franklin County Clean Air Authority 650 George Washington Way Richland, WA 99352
D. C. Powell 2110 Hudson Richland, WA 99352	Soil Conservation Service 1620 North Road 44 Pasco, WA 99301-2667
Professional Ag Services P.O. Box 3053 Pasco, WA 99302	N. Sorick Franklin County Public Utility District #1 P.O. Box 2407 Pasco, WA 99302
J. T. Raese Tree Fruit Research Laboratory 1104 N. Western Avenue Wenatchee, WA 98801	L. Stewart Benton Rural Electric Association P.O. Box 1150 Prosser, WA 99350
K. Redmond Western Regional Climate Center Desert Research Institute P.O. Box 60220 Reno, NV 89506	K. Tanaka Siemens Power Corporation P.O. Box 130 Richland, WA 99352
R. R. Reid 1884 Rustic Road Walla Walla, WA 99362	G. Taylor, Climatologist Oregon Climate Service Strand 326 Oregon State University Corvallis, OR 97331-2209
Richland Public Library ATTN: Reference Librarian 955 Northgate Richland, WA 99352	J. Thompson CENEX Land O'Lakes Route 7, Box 430 Kennewick, WA 99337
P. Roberts 7000 W. Van Giesen, #632 West Richland, WA 99353	

No. of  
Copies

J. Thorp  
2110 Dover  
Richland, WA 99352

Tri-City Sign & Barricade, Inc.  
1920 N. 4th Street  
Pasco, WA 99301

M. Troutman  
1207 Sunnyvale Road  
Kennewick, WA 99337

2 UNOCAL  
P.O. Box 5797  
Kennewick, WA 99336  
ATTN: J. Akers  
R. Campbell

U.S. Army Corps of Engineers  
Hydrology Branch  
201 S. 3rd Street  
Walla Walla, WA 99362

R. W. Wallace  
89 Waldron Street  
Richland, WA 99352

J. Watson  
County Extension Agent  
1121 Dudley Avenue  
Prosser, WA 99350

L. Wendell  
Wind Energy Consultants  
2328 Enterprise Drive  
Richland, WA 99352

M. Wilson  
Central Pre-Mix Concrete Co.  
11919 Harris Road  
Pasco, WA 99301

R. N. Wing  
727 Airway Avenue  
Lewiston, ID 83501

No. of  
Copies

W. Ziebell  
Prosser School District  
823 Park Avenue  
Prosser, WA 99350

L. Zeiher  
405 South Dayton Street  
Kennewick, WA 99336

**ONSITE**

**3 DOE Richland Operations Office**

J. B. Hall	A5-15
D. C. Ward	A5-15
Public Reading Room	H2-53

**3 Bechtel Hanford, Inc.**

R. L. Biggerstaff	HO-02
K. A. Gano	HO-02
C. J. Kemp	HO-02

**COGEMA Engineering Corporation**

S. I. Ryburn	S3-90
--------------	-------

**3 DynCorp Tri-Cities Services, Inc.**

S. L. Camp	L6-79
L. L. Daniels	L6-75
J. W. Strege	S2-66

**Fluor Daniel Hanford, Inc.**

D. J. Washenfelder	S7-40
--------------------	-------

**4 Fluor Daniel Northwest, Inc.**

T. E. Arndt	G3-17
P. G. Beaudet	S8-07
L. A. Gaddis	H5-57
T. L. Ostrander	S3-10

<u>No. of Copies</u>		<u>No. of Copies</u>
	<b>U.S. Environmental Protection Agency</b>	
D. R. Einan	B5-01	T. S. Cress K9-38 J. C. Doran K9-30 G. W. Dennis K6-75 M. J. Fayer K9-33 D. Felmy K9-33 H. D. Freeman P8-38 G. W. Gee K9-33 E. R. Gerk P7-63 C. S. Glantz K6-80 D. L. Hadley K5-16 D. R. Haffner K7-97 C. W. Hall P7-57 S. W. Heaberlin K8-31 D. J. Hoitink (75) K9-30 K. A. Hoover K8-41 M. G. Horstman (BCO) K4-10 D. G. Horton K6-81 J. M. Hubbe K9-30 R. R. Kirkham K9-33 N. R. Larson K9-55 N. S. Laulainen K9-30 R. N. Lee P7-07 D. B. Mackey P8-15 J. P. McKinley K3-61 T. L. Page K9-18 J. V. Ramsdell K9-30 K. Rhoads K3-54 M. R. Sackschewsky K6-84 W. J. Shaw K9-30 S. F. Snyder K3-54 G. M. Stokes K9-95 A. L. Ward (BPO) K9-33 C. D. Whiteman K9-30 Technical Library P8-55 Information Release Office (7) K1-06
5	<b>Waste Management Federal Services of Hanford, Inc.</b>	
E. G. Allen	T4-02	
N. K. Myers	T3-28	
J. R. Rosser	T4-03	
R. W. Szelmeczka	L6-05	
R. W. Whitlock	T4-04	
3	<b>Waste Management Federal Services, Inc. - Northwest Operations</b>	
A. R. Johnson	H1-13	
R. C. Roos	H1-12	
R. F. Thornton	S3-24	
137	<b>Pacific Northwest National Laboratory</b>	
O. B. Abbey	K9-30	
O. P. Amacker	K8-58	
D. L. Anderson	K9-72	
G. L. Andrews	K7-02	
W. R. Barchet	K9-30	
J. C. Barnard	K9-30	
D. B. Barnett	K6-81	
L. E. Bisping	K6-75	
W. J. Bjorklund	P7-72	
K. W. Burk (10)	S3-91	
L. L. Cadwell	K6-84	
R. E. Clayton	K9-33	
W. C. Cliff	K6-48	