

DISTRIBUTION SHEET

To	From	Page 1 of 1
Distribution	J. W. Osborne	Date May 31, 1995
Project Title/Work Order		EDT No.
Tank 241-BY-107 Vapor Sampling and Analysis Tank Characterization Report (WHC-SD-WM-ER-421)		ECN No. 623544

Name	MSIN	Text With All Attach.	Text Only	Attach./ Appendix Only	EDT/ECN Only
<u>RL</u>					
S. O. Branch	S7-54	X			
C. R. Briggs	A5-55	X			
P. R. Hernandez	S7-54	X			
M. F. Jarvis	S7-54	X			
T. Noble	S7-54	X			
C. O. Olaiya	S7-54	X			
J. F. Thompson	S7-54	X			
<u>ECOLOGY</u>					
A. B. Stone	B5-18	X			
<u>MACTEC</u>					
J. P. Haney	S7-73	X			
S. T. Murff	S7-73	X			
<u>PNL</u>					
J. S. Fruchter	K6-96	X			
S. C. Goheen	P8-08	X			
J. L. Huckaby	K6-80	X			
M. W. Ligothke	P7-59	X			
<u>WHC</u>					
Central Files	L8-04	X			
H. Babad	S7-30	X			
D. R. Bratzel	S7-31	X			
D. R. Carls	R3-01	X			
R. J. Cash	S7-15	X			
G. T. Dukelow	S7-15	X			
S. J. Eberlein	R2-12	X			
L. F. Ermold	S7-84	X			
E. R. Hewitt	R3-01	X			
G. D. Johnson	S7-15	X			
T. J. Kelley	S7-30	X			
N. W. Kirch	R2-11	X			
J. G. Kristofzski	T6-06	X			
J. W. Lentsch	S7-15	X			
E. J. Lipke	S7-15	X			
N. G. McDuffie	S7-15	X			
J. E. Meacham	S7-15	X			
R. D. Mitchell	R3-01	X			
M. A. Payne	S7-84	X			
D. A. Turner	S7-15	X			
O.S.T.I. (2)	L8-07	X			

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

ENGINEERING CHANGE NOTICE

Page 1 of 2

1. ECN **№ 623544**
 Proj. ECN

2. ECN Category (mark one) Supplemental <input type="checkbox"/> Direct Revision <input checked="" type="checkbox"/> Change ECN <input type="checkbox"/> Temporary <input type="checkbox"/> Standby <input type="checkbox"/> Supersedure <input type="checkbox"/> Cancel/Void <input type="checkbox"/>	3. Originator's Name, Organization, MSIN, and Telephone No. J. W. Osborne/Vapor Sampling/S7-15/3-5379	3a. USQ Required? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	4. Date May 31, 1995	
	5. Project Title/No./Work Order No. Vapor Sampling	6. Bldg./Sys./Fac. No. 200 Gen	7. Approval Designator N/A	
	8. Document Numbers Changed by this ECN (includes sheet no. and rev.) WHC-SD-WM-ER-421, Rev 0	9. Related ECN No(s). N/A	10. Related PD No. N/A	

11a. Modification Work <input type="checkbox"/> Yes (fill out Blk. 11b) <input checked="" type="checkbox"/> No (NA Blks. 11b, 11c, 11d)	11b. Work Package No. N/A	11c. Modification Work Complete N/A _____ Cog. Engineer Signature & Date	11d. Restored to Original Condition (Temp. or Standby ECN only) N/A _____ Cog. Engineer Signature & Date
---	-------------------------------------	--	--

12. Description of Change
Addition of caveat regarding Oak Ridge National Laboratory quality assurance assessment in the organic vapor chapter. Minor editorial changes also.

13a. Justification (mark one)

Criteria Change <input type="checkbox"/>	Design Improvement <input type="checkbox"/>	Environmental <input type="checkbox"/>	Facility Deactivation <input type="checkbox"/>
As-Found <input type="checkbox"/>	Facilitate Const <input type="checkbox"/>	Const. Error/Omission <input type="checkbox"/>	Design Error/Omission <input checked="" type="checkbox"/>

13b. Justification Details
New information regarding Oak Ridge National Laboratory analytical results pertaining to document was added.

14. Distribution (include name, MSIN, and no. of copies) See attached distribution sheet	RELEASE STAMP OFFICIAL RELEASE BY WHC DATE MAY 31 1995
--	---

RELEASE AUTHORIZATION

Document Number: WHC-SD-WM-ER-421, REV 1

Document Title: Tank 241-BY-107 Vapor Sampling and Analysis Tank
Characterization Report

Release Date: 5/31/95

**This document was reviewed following the
procedures described in WHC-CM-3-4 and is:**

APPROVED FOR PUBLIC RELEASE

WHC Information Release Administration Specialist:



Kara M. Broz

May 31, 1995

TRADEMARK DISCLAIMER. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy. Available in paper copy and microfiche. Printed in the United States of America. Available to the U.S. Department of Energy and its contractors from:

U.S. Department of Energy
Office of Scientific and Technical Information (OSTI)
P.O. Box 62
Oak Ridge, TN 37831
Telephone: (615) 576-8401

Available to the public from: U.S. Department of Commerce
National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, VA 22161
Telephone: (703) 487-4650

SUPPORTING DOCUMENT1. Total Pages **29**

2. Title

Tank 241-BY-107 Vapor Sampling and Analysis Tank Characterization Report

3. Number

WHC-SD-WM-ER-421

4. Rev No.


1

5. Key Words

241-BY-107, Headspace vapor samples, organic analytes, VSS, SUMMA™, inorganic gases and vapors

6. Author

Name: J. L. Huckaby

Signature Organization/Charge Code
75600/N4AB1

7. Abstract

Tank 241-BY-107 headspace gas and vapor samples were collected and analyzed to help determine the potential risks to tank farm workers due to fugitive emissions from the tank. The drivers and objectives of waste tank headspace sampling and analysis are discussed in "Program Plan for the Resolution of Tank Vapor Issues" (Osborne and Huckaby 1994). Tank 241-BY-107 was vapor sampled in accordance with "Data Quality Objectives for Generic In-Tank Health and Safety Issue Resolution (Osborne et al., 1994).

MASTER**DISCLAIMER**

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

8. RELEASE STAMP

OFFICIAL RELEASE
BY WHC
DATE MAY 31 1995

STA 4

Tank 241-BY-107 Vapor Sampling and Analysis Tank Characterization Report

X.0 INTRODUCTION

Tank BY-107 headspace gas and vapor samples were collected and analyzed to help determine the potential risks to tank farm workers due to fugitive emissions from the tank. The drivers and objectives of waste tank headspace sampling and analysis are discussed in *Program Plan for the Resolution of Tank Vapor Issues* (Osborne and Huckaby 1994). Tank BY-107 was vapor sampled in accordance with *Data Quality Objectives for Generic In-Tank Health and Safety Issue Resolution* (Osborne et al. 1994).

Tank BY-107 was vapor sampled in March 1994 using the *in situ* sampling (ISS) method, and again in October 1994 using the more robust vapor sampling system (VSS) method. There were problems with the March 1994 sampling event (i.e., some samples were radiolytically contaminated) and only the SUMMA™ canister samples were analyzed. Nearly all of results presented here are from the October 1994 sampling event.

X.1 SAMPLING EVENT

Headspace gas and vapor samples were collected from tank BY-107 using the VSS on October 26, 1994 by WHC Sampling and Mobile Laboratories (WHC 1995). Sample collection and analysis were performed as directed by the tank characterization plan (Carpenter 1994). The tank headspace temperature was determined to be 33.1 °C. Air from the tank BY-107 headspace was withdrawn via a 5.5 m-long heated sampling probe mounted in riser 5, and transferred via heated tubing to the VSS sampling manifold. All heated zones of the VSS were maintained at approximately 50 °C.

Sampling media were prepared and analyzed by WHC, Oak Ridge National Laboratories (ORNL), and Pacific Northwest Laboratories (PNL). The 40 tank air samples and 2 ambient air control samples collected are listed in Table X-1 by analytical laboratory. Table X-1 also lists the 14 trip blanks and 2 field blanks that accompanied the samples.

A general description of vapor sampling and sample analysis methods is given by Huckaby (1995). The sampling equipment, sample collection sequence, sorbent trap sample air flow rates and flow times, chain of custody information, and a discussion of the sampling event itself are given in WHC 1995 and references therein.

X.2 INORGANIC GASES AND VAPORS

Analytical results of sorbent trap and SUMMA^{TM,1} canister tank air samples for selected inorganic gases and vapors are given in Table X-2 in parts per million by volume (ppmv). Inorganic analyte sorbent traps and SUMMATM canisters were prepared and analyzed by PNL. Ligothke et al. (1995) describe sample preparation and analyses.

The relative standard deviations of the results, given in the last column in Table X-2, indicate the precision of reported results is good. Relative standard deviations range from 0.6 % for ammonia, to 28 % for carbon dioxide results. The precision reported depends both on sampling parameters (e.g., sample flow rate and flow time for sorbent traps) and analytical parameters (e.g., sample preparation, dilutions, etc.), and the relative standard deviations suggest there were no significant problems in the field or in the laboratories.

X.2.1 Ammonia, Hydrogen, and Nitrous Oxide

The reported ammonia concentration, 972 ppmv, is among the highest observed to date in the waste tanks, and is about 39 times the National Institute of Occupational Safety and Health (NIOSH) 8-hr recommended exposure limit (REL) of 25 ppmv (NIOSH 1995).

Hydrogen and nitrous oxide are commonly detected gases in the waste tanks. Believed to be products of chemical reactions and radiolysis of the waste, they have been found above the 1 ppmv level in virtually all the tank headspaces sampled to date. In general, hydrogen is of concern as a fuel. The measured 267 ppmv of hydrogen in tank BY-107, however, represents only about 0.7 % of the lower flammability limit (LFL) for hydrogen in air, and is not a flammability concern at this level. The nitrous oxide concentration in tank BY-107, 621 ppmv, is about 25 times the NIOSH 8-hr REL of 25 ppmv (NIOSH 1995).

For comparison, the measured concentrations of ammonia, hydrogen, and nitrous oxide for tanks BY-104, BY-105, BY-106, BY-107, and BY-108 are given in Table X-3.

X.2.2 Carbon Dioxide and Carbon Monoxide

The average measured headspace carbon dioxide concentration, 94 ppmv, is about one-fourth of the normal ambient air concentration of about 400 ppmv. Lower than ambient carbon dioxide concentrations are expected in the waste tank headspaces. Carbon dioxide introduced by air exchange with the atmosphere is readily absorbed by caustic supernatant and interstitial liquids of the waste tanks, and converted to carbonate in solution. It is reasonable to expect the level of carbon dioxide in a tank headspace will therefore depend on the

¹ SUMMA is a trademark of Molectrics, Inc., Cleveland, Ohio.

tank's breathing rate, and the pH and surface area of aqueous waste (i.e., supernate, interstitial liquid, and condensate) in the tank. The 94 ppmv carbon dioxide concentration measured in tank BY-107 is typical of other tanks sampled to date.

Carbon monoxide in the tank BY-107 headspace, measured to be < 20 ppmv, is below the NIOSH 8-hr REL of 35 ppmv. Its concentration in ambient air typically ranges from 0.05 to 0.15 ppmv. Elevated waste tank headspace carbon monoxide concentrations are common, and have been measured to be as high as 26.7 ppmv in tank C-103 (Huckaby and Story 1994). Elevated carbon monoxide concentrations are thought to be due to the decomposition of organic waste in the tanks.

X.2.3 Nitric Oxide, Nitrogen Dioxide, Water and Tritium

Nitric oxide and nitrogen dioxide concentrations in the tank BY-107 headspace were determined to be 0.13 ppmv and \leq 0.02 ppmv, respectively. These are both acid gases that would have very low equilibrium concentrations above the high pH waste in tank BY-107. The measurable presence of nitric oxide may be due to its formation from oxygen and nitrogen in the radiation field of the headspace. The NIOSH 8-hr REL is 25 ppmv for nitric oxide, and the 15-minute short term exposure limit (STEL) for nitrogen dioxide is 1 ppmv.

The water vapor concentration of tank BY-107 was determined to be about 13.0 mg/L, at the tank headspace temperature of 33.1 °C and pressure of 981 mbar (735.7 torr), (WHC 1995). This corresponds to a water vapor partial pressure of 18.31 mbar (13.7 torr), to a dew point of 16.1 °C, and to a relative humidity of 36 %.

Tritium was tested for using silica gel sorbent traps. It is assumed that tritium ions produced by the waste combines with hydroxide ions to form tritium-substituted water. Evaporation of the tritium-substituted water would then result in airborne radioactive contamination. Silica gel sorbent traps adsorb virtually all (normal and tritium-substituted) water vapor from the sampled tank air, and are analyzed at the WHC 222-S laboratory. Analysis of the silica gel indicated the total activity of the headspace to be below 50 pCi/L (WHC 1995).

X.3 ORGANIC VAPORS

Organic vapors in the tank BY-107 headspace were sampled using SUMMA™ canisters, which were analyzed at PNL, and triple sorbent traps (TSTs), which were analyzed by ORNL. None of the positively or tentatively identified organic analytes were at or above levels of concern. Both laboratories used gas chromatography and mass spectrometry to separate, identify, and quantitate the analytes. Descriptions of sample device cleaning, sample preparations, and analyses are given by Jenkins et al. (1994) and Clauss et al. (1995). A quantitative measurement of the total organic vapor concentration by the U.S. Environmental Protection Agency (EPA) task order 12 (TO-12) method (EPA 1988)

was also performed by Oregon Graduate Institute of Science and Technology (OGIST) on samples collected in March 1994 by the ISS method (Pingel 1994, Rasmussen 1994a).

SUMMA™ sample results should be considered to be the primary organic vapor data for tank BY-107. ORNL analyses of TST samples from this and other waste tanks generally agree with, support, and augment the SUMMA™ sample results. However, because certain WHC quality assurance requirements were not satisfied by ORNL, the quality assurance assessment of ORNL by Hendrickson (1995) should be reviewed before results unique to the TST samples are used for decision making.

X.3.1 Positively Identified Organic Analytes

ORNL positively identified 24 of 27 target analytes selected by WHC. Three target analytes, vinylidene chloride, tributyl phosphate, and dibutyl butylphosphonate, were below detection limits. The detected analytes, and their average concentrations from the analysis of 3 TSTs, are given in Table X-4. The 27 TST target analytes for tank BY-107 were based on the tank C-103 target analytes, which were selected by a PNL panel of toxicology experts as being of potential toxicological concern (Mahlum et al. 1994). Five of the target analytes were measured to be above the method's upper calibration limit. Two of the target analytes, dichloromethane and heptanenitrile, were positively identified by ORNL, but below the method quantitation limit.

Also given in Table X-4 are the organic compounds positively identified and quantitated in SUMMA™ canister samples by PNL. PNL performed analyses according to the EPA task order 14 (TO-14) methodology, but expanded the number of target analytes from 40 to 54 to include waste tank analytes of particular interest (EPA 1988, Clauss et al. 1995). Of the original 40 TO-14 analytes, 37 were determined to be below the 0.002 ppmv quantitation limit of the analyses (Clauss et al. 1995 provide the complete TO-14 analyte list), and 4 of the 14 additional target analytes (acetonitrile, pyridine, butanenitrile, and propanenitrile) were below the 0.005 ppmv method quantitation limit. Averages reported are from analyses of 3 SUMMA™ canister samples.

Ten target analytes were common to both the ORNL and PNL analyses. Comparison of the results from the 2 laboratories indicates the following:

- 1) An acceptable agreement for the nonpolar analytes (i.e., n-hexane, benzene, n-heptane, toluene, and n-decane) and acetone;
- 2) a significant disagreement regarding the existence of nitriles. Specifically, TST analyses indicate acetonitrile at 2.2 ppmv, propanenitrile at 0.047 ppmv, butanenitrile at 0.12 ppmv, and pentanenitrile at 0.028 ppmv, while SUMMA™ analyses indicate each of these to be below their quantitation limits 0.005 ppmv.

That the nitriles observed in TST samples were not detected in SUMMA™ canister samples indicates there may have been a problem with the SUMMA™

analyses. There would not appear to be any fundamental problem with recovering nitriles from SUMMA™ canisters, because nitriles have been observed in SUMMA™ samples from other waste tanks, in concentrations that agree with TST results. While it is also possible that TST samples were contaminated with the nitriles, it appears more likely that the nitriles were present in the tank headspace.

The most abundant analytes in Table X-4 are 1-butanol, acetone, acetonitrile, 1-propanol, and 2-butanone. Each of these was measured to be above 1 ppmv. At the reported concentrations, the Table X-4 analytes do not individually or cumulatively represent a flammability hazard.

X.3.2 Tentatively Identified Organic Analytes

In addition to targeted analytes, both ORNL and PNL analytical procedures allow the tentative identification of other organic vapors. By the nature of the samples and their analysis, virtually all 3 to 15 carbon organic compounds present in the tank headspace above analytical detection limits are observable. The PNL list of tentatively identified compounds, with estimated concentrations, is given in Table X-5, and the ORNL list of tentatively identified compounds, and their estimated concentrations, is given in Table X-6. Estimated concentrations are in mg/m³, based on dry air at 0 °C and 1.01 bar.

Both ORNL and PNL tentatively identify analytes by comparing the MS molecular fragmentation patterns with a library of known MS fragmentation patterns. This method allows an organic analyte to be identified (with reasonable certainty) as an alkane, a ketone, an aldehyde, etc., and also determines its molecular weight (which specifies the number of carbon atoms in the molecule). The method usually does not, however, allow the unambiguous identification of structural isomers, and this ambiguity increases with analyte molecular weight. Entries in Table X-6, particularly near the bottom of the table where the analytes have higher molecular weights, illustrate this.

The ORNL and PNL methods used to tentatively identify and estimate concentrations are described by Jenkins et al. (1994) and Clauss et al. (1995), respectively, and should be reviewed before this data is used for decision making. Results in Tables X-5 and X-6 are presented in terms of observed peaks, and are not adjusted for the occurrence of split chromatographic peaks (e.g., Compd # 80 and 81 in Table X-6). In these instances, the estimated concentration of a compound appearing as a doublet or triplet is simply the sum of the individual peak estimates.

Concentrations given in Tables X-5 and X-6 should be considered rough estimates. The proper quantitation of all observed analytes is outside the scope and budget of these analyses, and the estimation of concentrations involves several important assumptions. The validity of each assumption depends on the analyte, and such factors as the specific configuration of the analytical instrumentation.

X.3.3 Total Nonmethane Organic Compounds

OGIST measured the total nonmethane organic compound (TNMOC) concentration in 3 SUMMA™ canister samples using the EPA TO-12 method (Rasmussen 1994a). The sample mean was 173 mg/m³, with a standard deviation of 6 mg/m³. Though data on other tanks is very limited, this value is high compared to other waste tanks sampled to date. For comparison, the TNMOC concentration in clean ambient air may range from 0.03 to 0.1 mg/m³, in polluted city air it may be 0.3 to 0.4 mg/m³, tank C-103 has an estimated 3,000 to 5,000 mg/m³ (Rasmussen and Einfeld 1994), and tank BY-106 has about 9.9 mg/m³ (Rasmussen 1994b).

The sum of the ORNL target analyte concentrations, 55.2 mg/m³, and the ORNL estimated concentrations of tentatively identified analytes, 93.9 mg/m³, is 149.1 mg/m³. This value is in very good agreement (given method differences) with the EPA TO-12 value of 173 mg/m³.

X.3.4 Discussion of Organic Analytes

In general, the organic analytes observed in the waste tank headspaces are indicative of the types of volatile and semivolatile organic waste that resides in each tank. Examination of the data provides clues to both the current organic constituents and the chemical reactions that are taking place.

Some of the compounds listed in Tables X-4, X-5, and X-6 were introduced to the tank with process waste streams, and are detected in the headspace because the original inventory has not been completely evaporated or degraded. Examples of these are the semivolatile normal paraffinic hydrocarbons (NPHs), (i.e., n-dodecane, n-tridecane, n-tetradecane, n-pentadecane) and methyl-substituted decahydronaphthalenes that were used as diluents for tributyl phosphate.

Most of the compounds in Tables X-4, X-5, and X-6 are believed to be chemical reaction and radiolytic reaction products of the semivolatile or nonvolatile organic waste stored in the tank. For example, 1-butanol is known to be formed by the hydrolysis of tributyl phosphate, and it has been suggested that the alcohols, aldehydes, ketones, nitriles, alkenes, and short chain alkanes are all degradation products of the semivolatile NPHs.

In the semivolatile region of Tables X-5 and X-6, there are many branched alkanes. The abundance of these, as well as the decahydronaphthalenes, may indicate the origin of the tributyl phosphate diluent presently in tank BY-107.

Though their concentrations are not significant many alcohols were tentatively identified by PNL and ORNL (Table X-6). These have generally not been observed to be as numerous in other NPH-rich tank headspaces, which tend to be dominated by aldehydes, ketones, alkanes, and alkenes.

**Table X-1
Tank BY-107 Gas and Vapor Sample Type and Number**

Laboratory	Sampling Device	Nominal Sample Volume (L)	Target Analytes	Number of Samples
Oak Ridge National Laboratories	Triple Sorbent Trap	0.05, 0.25 and 0.5	Organic vapors	12 tank air samples + 2 trip blanks + 2 field blanks
Pacific Northwest Laboratories	Acidified Carbon Sorbent Trap	3.0	Ammonia	6 tank air samples + 3 trip blanks
	Triethanolamine Sorbent Trap	3.0	Nitrogen Dioxide	6 tank air samples + 3 trip blanks
	Oxidation bed + Triethanolamine Sorbent Trap	3.0	Nitric Oxide	6 tank air samples + 3 trip blanks
	Silica Gel Sorbent Trap	3.0	Water vapor	6 tank air samples + 3 trip blanks
	SUMMA™ canister	6.0	Organic vapors	3 tank air samples + 2 ambient air samples
WHC 222-S Laboratory	Silica Gel Sorbent Trap	1.0	Tritium-Substituted Water Vapor	1 tank air sample

**Table X-2
Tank BY-107 Inorganic Gas and Vapor Concentrations**

Compound	CAS ¹ Number	Sample Type	Number of samples	Average (ppmv)	Standard Deviation (ppmv)	RSD ² (%)
Ammonia, NH ₃	7664-41-7	Sorbent Trap	6	972	6	0.6
Carbon Dioxide, CO ₂	124-38-9	SUMMA™	3	94	26	28
Carbon Monoxide, CO	630-08-0	SUMMA™	3	< 20	--	--
Hydrogen, H ₂	1333-74-0	SUMMA™	3	267	36	14
Nitric Oxide, NO	10102-43-9	Sorbent Trap	6	0.13	0.03	23
Nitrogen Dioxide, NO ₂	10102-44-0	Sorbent Trap	6	≤ 0.02	--	--
Nitrous Oxide, N ₂ O	10024-97-2	SUMMA™	3	621	36	6
Water Vapor, H ₂ O	7732-18-5	Sorbent Trap	6	18,700 (13.0 mg/L)	600 (0.4 mg/L)	3

1. CAS = Chemical Abstracts Service.

2. RSD = relative standard deviation.

Table X-3
Comparison of Selected Analytes
in Tanks BY-104, BY-105, BY-106, BY-107 and BY-108

Tank	Ammonia (ppmv)	Hydrogen (ppmv)	Nitrous Oxide (ppmv)	TNMOC ¹ (mg/m ³)
BY-104 ²	248	295	201	60.8
BY-105 ³	43	48	50	12.7
BY-106 ⁴	74	46	71	9.9
BY-107 ⁵	972	267	621	173
BY-108 ⁶	1040	399	641	594

1. TNMOC = total nonmethane organic compounds.
2. Ammonia result is from Clauss et al. 1994; hydrogen, nitrous oxide, and TNMOC results are from Rasmussen 1994b.
3. Ammonia result is from Pool et al. 1995; hydrogen, nitrous oxide, and TNMOC results are from Rasmussen 1994c.
4. Ammonia result is from Lucke et al. 1995; hydrogen, nitrous oxide, and TNMOC results are from Rasmussen 1994d.
5. Ammonia, hydrogen, and nitrous oxide results are from Clauss et al. 1995; TNMOC result is from Rasmussen 1994a.
6. Ammonia, hydrogen, and nitrous oxide results are from McVeety et al. 1995; TNMOC result is from Rasmussen 1994a.

**Table X-4
Tank BY-107 Positively Identified Organic Compound Average Concentrations**

Compound	CAS ¹ Number	Sample Type	Average (ppmv)	Standard Deviation (ppmv)	RSD ² (%)
Trichlorofluoromethane	75-69-4	SUMMA ^{TM,3}	0.030	0.002	7
Ethanenitrile ⁴ (acetonitrile)	75-05-8	TST ⁵ SUMMA TM	2.2 < 0.005	0.9 --	40 --
Propanone ⁴ (acetone)	67-64-1	TST SUMMA TM	3.9 6.5	2.2 0.7	57 10
1-Propanol	71-23-8	SUMMA TM	1.8	0.2	14
Dichloromethane ⁴	75-09-2	TST	0.012	0.007	54
Propanenitrile	107-12-0	TST SUMMA TM	0.047 < 0.005	0.012 --	25 --
Butana ¹⁴	123-72-8	TST	0.13	0.20	153
2-Butanone	78-93-3	SUMMA TM	1.1	0.03	3
n-Hexane ⁴	110-54-3	TST SUMMA TM	0.94 0.79	0.12 0.07	13 9
Benzene	71-43-2	TST SUMMA TM	0.037 0.0048	0.006 0.0003	16 6
1-Butanol ¹⁴	71-36-3	TST	7.9	5.0	63
Butanenitrile	109-74-0	TST SUMMA TM	0.12 < 0.005	0.08 --	68 --
2-Pentanone	107-87-9	TST	0.23	0.12	53
4-Methyl-2-pentanone	108-10-1	SUMMA TM	0.028	0.003	12

WHC-SD-WM-ER-421 REV. 1

Compound	CAS ¹ Number	Sample Type	Average (ppmv)	Standard Deviation (ppmv)	RSD ² (%)
Cyclohexane	110-82-7	SUMMA™	0.078	0.048	62
n-Heptane	142-82-5	TST SUMMA™	0.35 0.19	0.12 0.01	34 5
Tetrahydrofuran	109-99-9	SUMMA™	0.56	0.01	1
Toluene	108-88-3	TST SUMMA™	0.067 0.036	0.007 0.002	11 7
Cyclohexanone	108-94-1	SUMMA™	0.0059	0.0022	38
Pentanenitrile	110-59-8	TST SUMMA™	0.028 < 0.005	0.002 --	6 --
2-Hexanone	591-78-6	TST	0.15	0.03	17
n-Octane	111-65-9	TST	0.12	0.02	13
Hexanenitrile	628-73-9	TST	0.018	0.002	9
2-Heptanone	110-43-0	TST	0.12	0.02	19
n-Nonane	111-84-2	TST	0.066	0.005	8
Heptanenitrile ⁴	629-08-3	TST	0.013	0.002	18
2-Octanone	111-13-7	TST	0.035	0.005	13
n-Decane	124-18-5	TST SUMMA™	0.068 0.033	0.010 0.003	14 9
n-Undecane	1120-21-4	TST	0.14	0.004	3
n-Dodecane	112-40-3	TST	0.21	0.001	0.5

Compound	CAS ¹ Number	Sample Type	Average (ppmv)	Standard Deviation (ppmv)	RSD ² (%)
n-Tridecane	629-50-5	TST	0.26	0.01	4
Sum of positively identified compounds:			23.5		

1. CAS = Chemical Abstract Service.
2. RSD = relative standard deviation.
3. SUMMA™ canister results based on analyses of 3 samples.
4. Two or more samples fell outside of calibration range.
5. TST results are based on analyses of 3 samples.

Table X-5
Tank BY-107 Tentatively Identified Organic Compounds in SUMMA™ Samples

Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
Propane	74-98-6	0.81	0.33
Propene	115-07-1	1.01	0.22
Cyclopropane	75-19-4	0.19	0.01
Isobutane	75-28-5	0.34	0.02
1-Butene	106-98-9	0.36	0.02
n-Butane	106-97-8	0.85	0.04
1-Propene, 2-methyl-	115-11-7	0.17	0.01
Isopropyl Alcohol	67-63-0	0.30	0.01
n-Pentane	109-66-0	0.55	0.00
2-Methylpentane	107-83-5	0.76	0.01
3-Methylpentane	96-14-0	0.15	0.00
2-Butanol	78-92-2	0.13	0.00
Methylcyclopentane	96-37-7	0.09	0.00
3-methyl-2-Butanone	563-80-4	0.12	0.00
1-Butanol	71-36-3	2.66	0.27
2-Pentanone	107-87-9	0.91	0.07
Hexane, 3-methyl-	589-34-4	0.53	0.01
2-Pentanol	6032-29-7	0.09	0.00
1-Heptene	592-76-7	0.08	0.00
C7 Alkene/Cycloalkane		0.07	0.00
2-Methyl-2-Pentanol	590-36-3	0.10	0.00
Methylcyclohexane	108-87-2	0.17	0.00
1-Pentanol	71-41-0	0.08	0.00
2-Methylheptane	592-27-8	0.30	0.01
2-Hexanone	591-78-6	0.31	0.01
n-Octane	111-65-9	0.29	0.01
Alkane		0.13	0.01

WHC-SD-WM-ER-421 REV. 1

Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
1,1,3-Trimethylcyclohexane	3073-66-3	0.11	0.01
3-Heptanone	106-35-4	0.22	0.01
2-Heptanone	110-43-0	0.23	0.00
n-Nonane	111-84-2	0.20	0.01
2-Heptanone, 6-methyl-	928-68-7	0.38	0.01
C3 substituted Cyclohexane		0.07	0.00
2-Octanone	111-13-7	0.10	0.00
C4 substituted Cyclohexane		0.09	0.00
C11 Alkane		0.22	0.01
C4 substituted Cyclohexane		0.16	0.03
C11 Alkane		0.07	0.00
n-Undecane	1120-21-4	0.71	0.02
Methyldecahydronaphthalene		0.11	0.02
Cyclohexane, pentyl-	4292-92-6	0.15	0.01
C12 Alkane		0.11	0.00
C12 Alkane		0.17	0.01
n-Dodecane	112-40-3	1.47	0.05
Decahydro-2,6-Dimethylnaphthalene	1618-22-0	0.09	0.00
C13 Alkane		0.90	0.04
Decahydro-2,3-Dimethylnaphthalene	1008-80-6	0.11	0.01
C7 substituted Cyclohexane		0.49	0.02
Unknown		0.16	0.01
Alkane		0.26	0.02
Alkane		0.17	0.01
Alkane		1.37	0.10
n-Tridecane	629-50-5	1.98	0.17
Alkene/Cycloalkane		0.08	0.01
Alkene/Cycloalkane		0.26	0.02

Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
Alkane		0.30	0.02
Alkene/Cycloalkane		0.32	0.03
2-methyltridecane	1560-96-9	0.20	0.02
3-Methyltridecane	6418-41-3	0.11	0.01
C15 Alkane		1.20	0.10
n-Tetradecane	629-59-4	1.12	0.07
Alkene/Cycloalkane		0.13	0.01
Alkane		0.20	0.00
Sum of tentatively identified compounds:		25.57	

1. CAS = Chemical Abstract Service.

Table X-6
Tank BY-107 Tentatively Identified Organic Compounds in TST Samples

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
1	1-propene, 2-methyl-	115-11-7	1.0	0.1
2	cyclopropane, 1,1-dimethyl	1630-94-0	0.17	0.29
3	cyclobutane	287-23-0	0.15	0.26
4	butane, 2-methyl-	78-78-4	3.1	0.8
5	cyclopropane, ethyl-	1191-96-4	4.0	4.9
6	2-propanol	67-63-0	2.1	1.9
7	cyclopropane, ethyl-	1191-96-4	0.67	0.15
8	1-hexene	592-41-6	0.69	0.21
9	cyclopentane	287-92-3	0.43	0.38
10	pentane, 2-methyl-	107-83-5	6.9	1.6
11	1-propene, 2-fluoro-	1184-60-7	1.0	0.3
12	pentane, 3-methyl-	96-14-0	1.2	0.3
13	1-pentene, 2-methyl-	763-29-1	0.12	0.21
14	1-hexene	592-41-6	0.61	0.16
15	2-butanone	78-93-3	1.0	1.7
16	2-butanol	78-92-2	0.45	0.45
17	cyclopropane, propyl-	2415-72-7	0.53	0.28
18	cyclobutane, ethyl-	4806-61-5	0.19	0.33
19	1-pentene-2-methyl	763-29-1	0.29	0.50
20	furan, tetrahydro-	109-99-9	2.0	0.4
21	1,3-pentadiene, 2-methyl-	1118-58-7	0.14	0.24
22	hexane, 2-methyl-	591-76-4	0.61	0.20
23	alkanone		0.091	0.158
24	2-pentanol	6032-29-7	0.55	0.28
25	cyclohexane, methyl-	108-87-2	0.51	0.24
26	2-pentanol, 2-methyl-	590-36-3	0.078	0.135
27	2-pentanone, 4-methyl-	108-10-1	0.31	0.11

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
28	1-heptene, 6-methyl-	5026-76-6	0.054	0.094
29	hexane, 2,3-dimethyl	584-94-1	0.70	0.67
30	furan, 2,5-dihydro	1708-29-8	0.75	1.30
31	2(3H)-furanone, dihydro-3,5-dimethyl-	5145-01-7	0.17	0.30
32	3-pentanol, 2-methyl-	565-67-3	0.051	0.089
33	hexanal, 3-methyl-	19269-28-4	0.18	0.30
34	2-pentene, (E)-	646-04-8	0.24	0.41
35	3-hexanone	589-38-8	0.30	0.06
36	2-octanol	123-96-6	0.14	0.24
37	propane, 2,2'-oxybis	108-20-3	0.15	0.25
38	methylamine, N-(1-methylbutylidene)-	22431-09-0	0.39	0.41
39	2-heptanol	543-49-7	0.092	0.159
40	tetrachloroethene	127-18-4	0.26	0.45
41	acetic acid, butyl ester	123-86-4	0.19	0.17
42	1,4-butanediol, dinitrate	3457-91-8	0.048	0.083
43	heptane, 2,6-dimethyl-	1072-05-5	0.29	0.09
44	cyclohexane, ethyl-	1678-91-7	0.24	0.09
45	cyclohexane, 1,1,3-trimethyl-	3073-66-3	0.67	0.46
46	1-hexene, 3,4-dimethyl-	16745-94-1	0.34	0.27
47	hexane, 3-methoxy-	54658-01-4	0.24	0.14
48	3-octanone	106-68-3	0.052	0.090
49	heptane, 2,3-dimethyl	3074-71-3	0.040	0.070
50	octane, 2-methyl- and c2-benzene	3221-61-2	0.17	0.18
51	octane, 3-methyl- and c2-benzene	2216-33-3	0.17	0.29
52	benzene, ethyl and alkane	71-43-2	0.056	0.097
53	hexane, 2,2,3-trimethyl and c2-benzene		0.54	0.54

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
54	4-heptanone	123-19-3	0.13	0.01
55	unknown		0.042	0.073
56	3-heptanone	106-35-4	0.57	0.07
57	3-heptanol	589-82-2	0.31	0.22
58	2-heptanol	543-49-7	0.18	0.01
59	bicyclo[2.2.1]heptane	279-23-2	0.19	0.03
60	octane, 2,6-dimethyl-	2051-30-1	0.11	0.19
61	2-heptanone, 4-methyl	6137-06-0	0.033	0.058
62	heptane, 4-(1-methylethyl)-	52896-87-4	0.028	0.048
63	3-pentanone, 2,4-dimethyl-	565-80-0	0.069	0.060
64	3-octanone	106-68-3	0.026	0.044
65	2-heptanone, 6-methyl-	928-68-7	1.0	0.2
66	nonane, 4-methyl-	17301-94-9	0.11	0.10
67	1,1,2,3-tetramethylcyclohexane A		0.27	0.04
68	nonane, 2-methyl	871-83-0	0.042	0.072
69	2-octanol	123-96-6	0.27	0.07
70	3-butene-2-ol	598-32-3	0.67	0.37
71	decadienal		0.099	0.006
72	cyclopentane, 1,2-dimethyl-3-(1-methylethyl)-	489-20-3	0.13	0.11
73	cyclopentane, 1-methyl-3-(2-methylpropyl)-	29053-04-1	0.037	0.064
74	phenol	108-95-2	0.029	0.050
75	cyclopentane, 1,2-dimethyl-3-(1-methylethyl)-	489-20-3	0.20	0.17
76	3-hexene, 3-ethyl-2,5-dimethyl-	62338-08-3	0.093	0.160
77	cyclopentane, 2-isopropyl-1,3-dimethyl	32281-85-9	0.092	0.102

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
78	cyclopentane, (1-methylbutyl)-	4737-43-3	0.079	0.137
79	nonane, 2,6-dimethyl-	17302-28-2	0.75	0.04
80	nonane, 3,7-dimethyl-	17302-32-8	0.028	0.049
81	nonane, 3,7-dimethyl-	17302-32-8	0.048	0.082
82	1-hexanol, 2-ethyl	104-76-7	0.035	0.061
83	alkane		0.022	0.039
84	3-nonyne and others		0.024	0.041
85	cyclohexane, butyl-	1678-93-9	0.23	0.07
86	cyclopentane, 2-isopropyl-1,3-dimethyl-	32281-85-9	0.061	0.105
87	cyclopentane, 2-isopropyl-1,3-dimethyl-	32281-85-9	0.030	0.051
88	undecane, 5-methyl-	1632-70-8	0.047	0.081
89	cyclohexane, cyclopropyl	32669-86-6	0.061	0.053
90	1,1-dimethyl-2-propylcyclohexane		0.21	0.02
91	decane, 5-methyl-	13151-35-4	0.25	0.03
92	decane, 4-methyl-	2847-72-5	0.22	0.04
93	2-pentanone, 4-methyl-	108-10-1	0.23	0.39
94	octane, 2,3,3-trimethyl		0.47	0.42
95	naphthalene, decahydro-, trans	493-02-7	0.18	0.17
96	decane, 3-methyl-	13151-34-3	0.43	0.22
97	2-furanacetaldehyde, .alpha.-propyl-	31681-26-2	0.14	0.12
98	4-nonanone and others		0.052	0.090
99	formic acid, 2,6-dimethyl-5-hepten-2-ol ester		0.10	0.02
100	4-decene, 3-methyl-	62338-47-0	0.19	0.05
101	4-hepten-3-one, 5-ethyl-2,4-dimethyl	22319-29-5	0.16	0.15

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
102	5-undecene	4941-53-1	0.36	0.15
103	2-nonanone	821-55-6	0.29	0.05
104	cyclohexane, 1-ethyl-2-propyl-	62238-33-9	0.11	0.03
105	5-undecene	4941-53-1	0.12	0.03
106	2-decene, 4-methyl-, (Z)-	74630-30-1	0.043	0.074
107	2-undecene, 2,5-dimethyl-	49622-16-4	0.030	0.053
108	undecane, 5-methyl-	1632-70-8	0.67	0.24
109	methyl-decahydronaphthalene		0.10	0.01
110	undecane, 2,8-dimethyl-	17301-25-6	0.40	0.49
111	naphthalene, decahydro-2-methyl	2958-76-1	0.35	0.32
112	undecane, 2,8-dimethyl-	17301-25-6	0.43	0.39
113	cyclopentane, 1-butyl-2-propyl-	62199-50-2	0.052	0.091
114	cyclohexane, pentyl-	4292-92-6	0.14	0.23
115	c4-heptadiene		0.29	0.50
116	cyclooctane, ethenyl-	61142-41-4	0.096	0.017
117	1-dodecene	112-41-4	0.026	0.044
118	3-undecene, 2-methyl-, (Z)-	74630-48-1	0.065	0.061
119	naphthalene, decahydro-2-methyl	2958-76-1	0.99	0.91
120	6-methylundecane	17302-33-9	0.97	0.27
121	undecane, 4-methyl-	2980-69-0	0.52	0.11
122	undecane, 2-methyl-	7045-71-8	1.1	0.3
123	decane, 2,3,8-trimethyl-	62238-14-6	0.26	0.08
124	undecane, 3-methyl-	1002-43-3	0.60	0.13
125	2-undecene, 6-methyl-, (E)-	74630-61-8	0.060	0.105
126	decane, 2,6,7-trimethyl-	62108-25-2	0.18	0.17
127	decane, 2,3,6-trimethyl-	62238-12-4	0.18	0.03

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
128	cyclododecane	294-62-2	0.14	0.24
129	dimethyl-decahydronaphthalene		0.10	0.18
130	cyclotetradecane	295-17-0	0.27	0.23
131	naphthalene, decahydro-1,6-dimethyl	1750-51-2	0.10	0.18
132	cyclohexane, 1-methyl-4-(1-methylbutyl)-		0.13	0.02
133	1,1'-bicyclohexyl	2-51-3	0.015	0.027
134	undecane, 2,4-dimethyl-	17312-80-0	0.048	0.042
135	undecane, 2,6-dimethyl-	17301-23-4	2.0	0.03
136	undecane, 3,7-dimethyl-	17301-29-0	0.20	0.02
137	decane, 2,3,5-trimethyl- and others		0.23	0.06
138	2-undecene, 7-methyl-, cis=trans		0.055	0.048
139	cyclopentane, 1-pentyl-2-propyl-	62199-51-3	0.023	0.040
140	cyclohexane, 2-butyl-1,1,3-trimethyl-	54676-39-0	0.80	0.01
141	undecane, 5-ethyl-	17453-94-0	0.098	0.013
142	naphthalene, decahydro-1,6-dimethyl-	1750-51-2	0.10	0.04
143	dimethyl-decahydronaphthalene		0.076	0.068
144	cyclohexane, hexyl-	4292-75-5	0.67	0.06
145	undecane, 2,6-dimethyl-	17301-23-4	0.21	0.04
146	dodecane, 5-methyl-	17453-93-9	0.21	0.03
147	dodecane, 4-methyl-	6117-97-1	0.58	0.02
148	dodecane, 2-methyl-	1560-97-0	0.72	0.63
149	undecane, 2,10-dimethyl-	17301-27-8	0.34	0.59
150	dodecane, 4,6-dimethyl	61141-72-8	1.2	2.1
151	trimethyl-decahydronaphthalene		0.14	0.01

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
152	decane, 2,6,7-trimethyl-	62108-25-2	1.2	2.0
153	dodecane, 4,6-dimethyl	61141-72-8	1.1	2.0
154	trimethyl-decahydronaphthalene		0.12	0.11
155	cyclopentane, 1-butyl-2-ethyl-	72993-32-9	0.073	0.069
156	6-tridecene, 7-methyl-	24949-42-6	0.48	0.41
157	5-undecene, 7-methyl-, (Z)-	74630-62-9	0.037	0.064
158	3-tetradecene, (E)-	41446-68-8	0.24	0.41
159	c8-cyclopentane		0.13	0.11
160	c14-alkane		0.14	0.12
161	c14-alkane		0.23	0.20
162	tetradecane	629-59-4	0.84	0.55
163	c14-alkane		0.029	0.050
164	3,3,4,4-tetraethylhexane		0.027	0.047
165	undecane, 2,9-dimethyl-	17301-26-7	0.24	0.11
166	tridecane, 6-methyl	13287-21-3	0.38	0.66
167	cyclohexane, 2,4-diethyl-1-methyl-	61142-70-9	0.19	0.16
168	tridecanenitrile	629-60-7	0.030	0.052
169	butane, 2-cyclohexyl-3-methyl		0.055	0.095
170	tridecane, 3-methyl	6418-41-3	0.079	0.137
171	1H-pyrrole, 1-pentyl and others		0.032	0.056
172	c5-octyne		0.046	0.079
173	tridecane, 6-methyl-	13287-21-3	0.59	0.10
174	c7-cyclohexane		1.1	0.1
175	tridecane, 4-methyl-	26730-12-1	0.91	0.02
176	tridecane, 2-methyl-	1560-96-9	1.3	0.04
177	undecane, 3,8-dimethyl	17301-30-3	0.021	0.037

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
178	c14-alkene and others		0.068	0.118
179	dodecane, 3-methyl-	17312-57-1	0.63	0.59
180	undecane, 2,8-dimethyl	17301-25-6	0.021	0.037
181	mixture		0.071	0.122
182	tridecane, 3-methyl		0.24	0.41
183	dodecane, 2,6,11-trimethyl-	31295-56-4	3.3	0.3
184	mixture		0.041	0.070
185	decane, 2-methyl	6975-98-0	0.043	0.074
186	tetradecane	629-59-4	4.1	0.2
187	pentadecane	629-62-9	1.2	0.1
188	dodecane, 2,7,10-trimethyl-	74645-98-0	0.48	0.02
189	c14-alkene and others		0.40	0.01
190	c15-alkane		0.22	0.20
191	dodecane, 2,6,11-trimethyl-	31295-56-4	0.34	0.30
192	alkane		0.10	0.17
193	pentadecane	629-62-9	0.33	0.57
194	1-pentadecene	13360-61-7	0.11	0.19
195	tridecane, 3-ethyl-	13286-73-2	0.35	0.61
196	1-octanol, 2-butyl	3913-02-8	0.11	0.18
197	tridecane, 5-propyl-	55045-11-9	1.2	1.4
198	dodecane, 3-methyl-	17312-57-1	0.15	0.26
199	tetradecane	629-59-4	0.11	0.19
200	nonane, 5-butyl-	17312-63-9	0.11	0.19
201	dodecane, 2-methyl-8-propyl	55045-07-3	1.7	1.5
202	alkane		0.14	0.24
203	c16-alkane		0.11	0.18
204	hexadecane, 3-methyl	6418-43-5	0.15	0.25
205	undecane, 5,7-dimethyl	17312-83-3	0.11	0.19

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
206	7-hexadecene, (Z)-	35507-09-6	0.21	0.01
207	1h-indene, octahydro-2,2,4,4,7,7-hexamethyl-, trans-	54832-83-6	0.20	0.01
208	pentadecane	629-62-9	2.5	0.2
209	1h-1,2,4-triazole, 1-ethyl-	16778-70-4	0.13	0.09
210	cyclohexane, 1-(cyclohexylmethyl)-2-methyl-, cis-	54824-04-3	0.037	0.064
211	heptadecane, 2,6,10,14-tetramethyl-	18344-37-1	0.015	0.026
212	eicosane	112-95-8	0.11	0.19
213	dodecane, 2-methyl-8-propyl-	55045-07-3	0.14	0.12
214	tetradecane, 2,6,10-trimethyl	14905-56-7	0.14	0.11
215	pentadecane, 8-hexyl		0.024	0.041
216	mixture		0.087	0.112
217	hexadecane, 2-methyl-	1560-92-5	0.044	0.039
218	alkane		0.029	0.050
219	dodecane, 5,8-diethyl	24251-86-3	0.025	0.044
220	hexadecane	544-76-3	0.48	0.05
221	pentadecane, 2,6,10-trimethyl- (non-pristan)		0.063	0.055
222	ester of alkenoic acid		0.017	0.029
223	1-hexadecene	629-73-2	0.017	0.029
224	undecane, 3,6-dimethyl	17301-28-9	0.034	0.058
225	hexadecanoic acid	57-10-3	0.020	0.035
226	alkene and others		0.018	0.032
227	tetradecanoic acid	544-63-8	0.27	0.23
228	1-hexadecanol, acetate	629-70-9	0.018	0.031
229	benzenamine, N-phenyl	122-39-4	0.015	0.026

WHC-SD-WM-ER-421 REV. 1

Cmpd #	Compound	CAS ¹ Number	Average (mg/m ³)	Standard Deviation (mg/m ³)
230	pentadecane	629-62-9	0.019	0.033
231	pentadecane, 2,6,10,14-tetramethyl	1921-70-6	0.019	0.033
232	tetradecanoic acid	544-63-8	0.11	0.19
233	benzenesulfonamide, n-butyl-	3622-84-2	0.38	0.04
234	9-octadecenoic acid (Z)-	112-80-1	0.030	0.026
235	9-octadecenoic acid (Z)-	112-80-1	0.016	0.028
236	14-pentadecenoic acid	17351-34-7	0.014	0.024
237	tetradecanoic acid	544-63-8	0.23	0.08
238	9-hexadecenoic acid	2091-29-4	0.52	0.14
239	hexadecanoic acid	57-10-3	1.1	0.3
240	eicosane	112-95-8	0.028	0.049
241	hexadecanoic acid, 1-methylethyl ester	142-91-6	0.077	0.022
242	cyclohexadecane	295-65-8	0.024	0.041
243	1-hexadecanol	36653-82-4	0.039	0.067
Sum of tentatively identified compounds:			93.9	

1. CAS = Chemical Abstract Service.

X.4 REFERENCES

- Carpenter, B. C., 1994, *Tank 241-BY-107 Tank Characterization Plan*, WHC-SD-WM-TP-274 Rev. 0A, Westinghouse Hanford Company, Richland, Washington.
- Clauss, T. W., M. W. Ligothke, B. D. McVeety, K. H. Pool, R. B. Lucke, J. S. Fruchter, and S. C. Goheen, 1994, *Vapor Space Characterization of Waste Tank 241-BY-104: Results from Samples Collected on 6/24/94*, PNL-10208 UC-606, Pacific Northwest Laboratory, Richland, Washington.
- Clauss, T. W., M. W. Ligothke, K. H. Pool, R. B. Lucke, B. D. McVeety, G. S. Klinger, J. S. Young, M. McCulloch, J. S. Fruchter, and S. C. Goheen, 1995a, *Vapor Space Characterization of Waste Tank 241-BY-107: Results from Samples Collected on 10/26/94*, PNL-xxxxx UC-606, Pacific Northwest Laboratory, Richland, Washington.
- EPA 1988, *Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air*, PB90-127374, U.S. Environmental Protection Agency, Washington, D.C.
- Hendrickson, R. W., 1995, *Tank Vapor Characterization Oak Ridge National Laboratories Quality Assurance Assessment*, TWRSQA-95-0012, Westinghouse Hanford Company, Richland, Washington.
- Huckaby, J. L., 1995, *Waste Tank Headspace Gas and Vapor Characterization Reference Guide*, WHC-SD-WM-ER-430 Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Huckaby, J. L., and M. S. Story, 1994, *Vapor Characterization of Tank 241-C-103*, WHC-EP-0780 Rev. 0, Westinghouse Hanford Company, Richland, Washington.
- Jenkins, R. A, A. B. Dindal, C. E. Higgins, C. Y. Ma, M. A. Palausky, J. T. Skeen, and C. K. Bayne, 1994, *Analysis of Tank 241-BY-107 Headspace Components*, ORNL-CASD-FR-241BY107.95, Rev. 0, Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- Lucke, R. B., K. H. Pool, M. W. Ligothke, T. W. Clauss, B. D. McVeety, J. S. Fruchter, and S. C. Goheen, 1995, *Vapor Space Characterization of Waste Tank 241-BY-106: Results from Samples Collected Through the Vapor Sampling System on 7/8/94*, PNL-10248 UC-606, Pacific Northwest Laboratory, Richland, Washington.
- Mahlum, D. D., J. Y. Young, and R. E. Weller, 1994, *Toxicologic Evaluation of Analytes from Tank 231-C-103*, PNL-10189, Pacific Northwest Laboratory, Richland, Washington.
- McVeety, B. D., T. W. Clauss, M. W. Ligothke, K. H. Pool, R. B. Lucke, G. S. Klinger, J. S. Young, M. McCulloch, J. S. Fruchter, and S. C. Goheen, 1995, *Vapor Space Characterization of Waste Tank 241-BY-108: Results*

from Samples Collected on 10/27/94, PNL-xxxxx UC-606, Pacific Northwest Laboratory, Richland, Washington.

NIOSH 1995, *NIOSH Pocket Guide to Chemical Hazards*, U.S. Department of Health and Human Resources, National Institute for Occupational Safety and Health, Cincinnati, Ohio.

Osborne, J. W., and J. L. Huckaby, 1994, *Program Plan for the Resolution of Tank Vapor Issues*, WHC-EP-0562 Rev. 1, Westinghouse Hanford Company, Richland, Washington.

Osborne, J. W., J. L. Huckaby, T. P. Rudolph, E. R. Hewitt, D. D. Mahlum, J. Y. Young, and C. M. Anderson, 1994, *Data Quality Objectives for Generic In-Tank Health and Safety Issue Resolution*, WHC-SD-WM-DQO-002, Westinghouse Hanford Company, Richland, Washington.

Pingel, L. A., 1994, *Draft Results from the Vapor Sampling of Waste Tank BY-107*, (Internal memorandum 12920-SAS94-082 to J. L. Huckaby, April 13), Westinghouse Hanford Company, Richland, Washington.

Pool, K. H., M. W. Ligothke, T. W. Clauss, R. B. Lucke, B. D. McVeety, M. McCulloch, J. S. Fruchter, and S. C. Goheen, 1995, *Vapor Space Characterization of Waste Tank 241-BY-105: Results from Samples Collected on 7/7/94*, PNL-10256 UC-606, Pacific Northwest Laboratory, Richland, Washington.

Rasmussen, R. A., 1994a, *Air Samples Collected at Waste Tanks BY-107 and BY-108 on March 25 and 28, 1994 by Westinghouse Hanford in 6-L SS SUMMA® Canisters*, Oregon Graduate Institute of Science and Technology, Beaverton, Oregon.

Rasmussen, R. A., 1994b, *Air Samples Collected at Waste Tank 241-BY-104 on June 24, 1994 by Westinghouse Hanford in 6-L SS SUMMA® Canisters*, Oregon Graduate Institute of Science and Technology, Beaverton, Oregon.

Rasmussen, R. A., 1994c, *Air Samples Collected at Waste Tank 241-BY-105 on July 7, 1994 by Westinghouse Hanford in 6-L SS SUMMA® Canisters*, Oregon Graduate Institute of Science and Technology, Beaverton, Oregon.

Rasmussen, R. A., 1994d, *Air Samples Collected at Waste Tank 241-BY-106 on July 8, 1994 by Westinghouse Hanford in 6-L SS SUMMA® Canisters*, Oregon Graduate Institute of Science and Technology, Beaverton, Oregon.

Rasmussen, R. A., and W. Einfeld, 1994, *Hanford Tank 103-C Analyses and Method Validation Development Phase*, SAND94-1807, Sandia National Laboratories, Albuquerque, New Mexico.

WHC 1995, *Vapor and Gas Sampling of Single-Shell Tank 241-BY-107 Using the Vapor Sampling System*, WHC-SD-WM-RPT-120, Westinghouse Hanford Company, Richland, Washington.