

uses the photosensitive gas TMAE in a low pressure wire chamber which amplifies and collects the photoelectrons produced by the fast ultra-violet light.

This type of readout offers many advantages over phototubes. First, TMAE is totally blind to the slow component and only picks up the fast light output. Second, low pressure wire chambers are very fast and work well at high rates. In addition, they are essentially blind to charged particles which can act as a source of background and lead to poorer energy resolution. Finally, the wire chamber readout makes for easy segmentation, giving tracking capability, and will work inside a magnetic field.

This technique has undergone considerable development in recent years. A Brookhaven group was mainly interested in using a detector of this kind as photon veto in a high intensity rare kaon decay ex-

periment and developed a detector using large (15 cm long) crystals read out with cathode pads. Fast electronics and pulse shaping gave an output pulse from the wire chamber with a baseline width of 20 ns and rates up to 10^7 Hz per readout element. Even narrower pulses, as short as 10 ns, should be possible at higher energies.

At CERN, a barium fluoride and TMAE detector with good longitudinal and transverse segmentation has been tested with electrons at energies up to 10 GeV. It achieved good energy (1.5 per cent), time (0.5 nanosecond) and position (few millimetres) resolution. The next step is to build a large detector using a few thousand crystals and study its performance in a real physics environment (see page 16).

TMAE is to be used in several large Ring Imaging Cherenkov (RICH) detectors in a number of new experiments, and increased

understanding of its basic properties could pay dividends.

Could there be better materials than barium fluoride and TMAE for fast calorimetry? So far barium fluoride is unique for its fast light emission and radiation hardness, and is the only scintillator emitting ultra-violet light energetic enough to photoionize TMAE. However it would not be surprising if other crystals showed similar properties. Work has really just begun toward improving our understanding of the underlying physical mechanisms for scintillation and radiation damage in these materials.

Other substances could also be better than TMAE with barium fluoride or with other crystals. Research in both areas will lead to new and better detectors for future experiments.

From Craig Woody

People and things

Isidor Isaac Rabi 1898-1988

Isidor Isaac Rabi died in January. In addition to his significant scientific contributions, he was an eloquent communicator of the values of science and played a leading role in the creation of major scientific Laboratories.

Born in Galicia and educated in America, his postgraduate studies took him back to Europe, where he worked with Bohr, Pauli and Heisenberg. Following this period

came his best known scientific contribution – the invention of the beam resonance method for measuring the magnetic properties of nuclei. This led to greatly improved precision and opened up a deeper interpretation of nuclear behaviour. Rabi was awarded the Nobel Prize in 1944 for this work.

After the war he was among the first to realize the need for larger collaborations in nuclear and particle physics. He promoted the establishment of the Brookhaven National Laboratory in the US and,

from this experience, went on to play a seminal role in the creation of CERN.

At the 5th General Conference of UNESCO in Florence in June 1950, Rabi put forward a resolution which gained unanimous support. It authorized the UNESCO Director General 'to assist and encourage the formation of regional centres and laboratories in order to increase and make more fruitful the international collaboration in the search for new knowledge in fields where the effort of any one country

Isidor Isaac Rabi, 1898-1988.




in the region is insufficient for the task.'

The importance of this resolution in the evolution of CERN was well appreciated by Europe's scientists. When CERN formally came into being several years later, a letter to Rabi from representatives of European States said, 'We have just signed the Agreement which constitutes the official birth of the project you fathered in Florence. Mother and child are doing well, and the doctors send you their greetings.'

It was because of this vital contribution to European science that Rabi was one of the invited speakers at CERN's 30th anniversary ceremony in 1984.

Another Rabi incident which has become part of science history is his legendary remark 'who ever ordered that?' on hearing of the discovery of the muon.

CERN Research Director Pierre Darriulat (who is also the Chairman of the CERN Courier Advisory Panel) receives the degree of doctor honoris causa of the University of Pavia from the rector. Looking on (left) is G. Goggi of Pavia and CERN.



The revamped UA2 detector performed creditably in the proton-antiproton collider run at CERN at the end of last year. The detector was redesigned to exploit the increased antiproton levels expected from the new ACOL antiproton source, including the AC Antiproton Collector ring. One feature is the square metre of silicon pads wrapped inside the inner detector. Admiring the unwrapped silicon are (left to right) George Sanier, Bogdan Lisowski, Claus Gossling and Trivan Pal.

(Photo CERN X164.8.87)



On the bonny banks of the River Aare in Switzerland. In the foreground is what used to be called the Eidgenössisches Institut für Reaktorforschung (Swiss Federal Institute for Nuclear Research), with the former Schweizerisches Institut für Nuklearforschung (SIN) on the far bank. The two research centres have been amalgamated under the name Paul Scherrer Institute, in honour of the distinguished Swiss physicist Paul Scherrer (1890-1969) who signed the 1952 provisional agreement for the establishment of CERN on behalf of Switzerland. Below, Scherrer is seen (right) with Niels Bohr.

On people



Cosmologists Stephen Hawking of Cambridge and Roger Penrose of Oxford receive the Wolf Prize. Their joint work twenty years ago showed the existence of gravitational singularities – black holes – in general relativity.

Retirements


The CERN accelerator physicist who might well be called Mr. Magnets passes a retirement milestone. Lorenzo Resegotti came into the spotlight as the leader of the group that built the remarkable magnets of the Intersecting Storage Rings. Never before had over 400 magnets been strung together to such a peak of perfection, paving the way for the ISR's success as the world's first proton-proton collider.

He also supervised the design and construction of superconducting quadrupoles to squeeze the colliding ISR beams, the first industry-built superconducting magnets to operate in an accelerator environment. More recently, he had the brainwave of pouring concrete around the widely spaced laminations of the magnets to bend the beams in CERN's new LEP electron-positron collider, making for substantial savings. Throughout his distinguished career, his knowledge and thoroughness have contributed substantially to CERN's acknowledged accelerator prowess.

Robert Levy-Mandel is formally retiring from CERN after sixteen years. When he arrived in the early 1970s to join the team building the



CERN's new Cray X-MP/48 supercomputer arrives.



SPS Super Proton Synchrotron, he was already well known in the field of accelerators, having played a key role at Saclay on the Saturne synchrotron. He oversaw SPS civil engineering (ranging from tunnel construction to buildings, electricity supplies and water cooling). There followed a period in the CERN Directorate and he has made important contributions to getting LEP off the ground with the preparation of the huge environmental impact study and in handling relations between CERN and its host States, France and Switzerland.

Books

'Alpha, beta, gamma.....Z, A Primer in Particle Physics' by L.B. Okun of Moscow's Institute of Theoretical and Experimental Physics from

In January, a series of lectures at CERN by Carl-Friedrich von Weizsäcker on the philosophy of science and the meaning of quantum theory drew large audiences.

Harwood Academic Publishers (translated from Russian) is the result of the author's numerous popular physics lectures, and describes the present state of the subject rather than its history. 'The money spent on high energy physics is like the money spent on our children: neither is the best investment for immediate financial return. Nevertheless, the world is unthinkable without children and the future of science is unthinkable without particle physics', writes Okun.


Another useful new Harwood book, this time in the Contemporary Concepts in Physics series, is 'Gauge Fields and Strings' by A.M. Polyakov of Moscow's Landau Institute for Theoretical Physics. In many cases, the book goes into areas which have never been completely understood, this in the hope to stimulate deeper study.

Meetings

The third conference on Intersections between Particle and Nuclear Physics will be held in Rockport, Maine, US, from 14-19 May. As with previous meetings in the series, it will stress cooperation between particle and nuclear physics in science, technology and facilities. Further information from Terry Murphy, TRIUMF, 4004 Wesbrook Mall, Vancouver, BC, Canada V6T 2A3.

The 7th Topical Workshop on Proton-Antiproton Collider Physics will be held at Fermilab from 20-24 June. Further information from Phyllis Hale, Fermilab Users Office, PO Box 500, MS 103, Batavia, Illinois 60510. Telex 910-230-3233, fax 312-840-4343, earn/bitnet PBARP7 at FNAL.

Cryogenic Components



Manufacturing Line

- Cryogenic Valves
- Bellows seal Valves
- Cryogenic Transferline Couplings
- Cryostats and Ejectors
- Tailor made Cryogenic Components

Cryogenic Control Valve

pneum. operated with
electro-pneumatic positioner
and limit switches

WEKA Ltd.

Hofstrasse 8, CH-8620 Wetzikon, Switzerland
Phone 01/932 23 02, Telex 875 744
Fax 01/932 43 03



PUISSANCE PLEIN POT!

VME

68020-68030-0S9,[®]

MAINTENANT

CHEZ :

microprocess

MICRO-INFORMATIQUE INDUSTRIELLE



97 bis, rue de Colombes - B. P. 87
92400 Courbevoie
Tél. : (1) 47.68.80.80 - Télex : 615405 F

Agence Saint-Etienne :

Tél. : 77.74.79.11 - Télex 300002

Agence Toulouse :

Tél. : 61.75.94.14 - Télex : 521390

Mike Green of London's Queen Mary College talks on the theory of superstrings at the annual UK particle theory get-together at the Rutherford Appleton Laboratory.

(RAL Photoservices)



Electronic Mail

The CERN Courier editorial desk can be contacted through electronic mail using the EARN/BITNET communications network. The Editor's address is

COURIER@CERNVM

Contributions coming in through electronic mail are edited on the screen, and are now coded for typesetting before being sent to the printer through a telephone modem link, making for increased flexibility.

For subscriptions (free!), changes of address, etc. the contact is

MONIKA@CERNVM

Distribution in the USA, West Germany, Italy, the UK and China is handled from regional centres (see page III).

SERC – RUTHERFORD APPLETON LABORATORY

PHYSICIST PROGRAMMERS/ PROGRAMMERS

The Particle Physics Department of the Rutherford Appleton Laboratory has vacancies for Physicist Programmers and/or Programmers.

Work will be to develop on-line and off-line software in support of groups doing experiments at CERN, DESY and other locations.

Candidates should be willing to travel to Geneva or Hamburg in the course of their work.

Salaries will be within the following range dependent upon qualifications and experience:

- **Higher Scientific Officer: £ 9,219 – £ 12,505**
- **Scientific Officer: £ 7,816 – £ 10,154.**

Currency negotiations are in progress for flexible pay scales and more information is likely to be available at interview.

There is a non-contributory pension scheme.

Applicants require a degree, HNC/HND or equivalent in a scientific, mathematical or engineering subject.

Appointment to the grade of HSO requires a 1st or 2nd Class Honours degree plus 2 years postgraduate experience; a minimum of 5 years relevant experience after qualifying is required from applicants with an ordinary degree or equivalent qualification. A Ph D in a relevant subject would be an advantage.

Some assistance with expenses incurred in house sale/purchase may be available in appropriate circumstances.

For an application form please write to or telephone quoting reference VN620.

Recruitment Office, Personnel Group, Rutherford Appleton Laboratory, Science and Engineering Research Council, Chilton, Didcot, Oxon OX11 0QX. Tel (0235) 44 54 35.

Applications must be completed and returned by 14 March 1988.



**COLLEGE OF WILLIAM AND MARY
WILLIAMSBURG VA.**

NUCLEAR/PARTICLE PHYSICS IN CONNECTION WITH CEBAF

The College of William and Mary invites applications from experimental and theoretical physicists interested in nuclear and particle research in connection with work at the Continuous Electron Beam Accelerator Facility (CEBAF), located 18 miles from the College.


A regular tenure track position is open at the assistant professor level. An additional position may become available, contingent upon funding, for a non-tenure track (postdoctoral or visiting professor) appointment. Successful candidates are expected to carry on an active research program. The candidate chosen for the assistant professor position is expected to teach at the undergraduate and graduate levels. Women and minorities are especially encouraged to apply.

Submit curriculum vitae, a list of publications, a statement of research interests, and names of three references to:

**Herbert O. Funsten
Physics Department
College of William and Mary
Williamsburg, Va. 23185**

The review of applications will begin April 1, 1988; the positions will remain open until filled.

The College of William and Mary is an Affirmative Action/Equal Opportunity Employer.



"HOW CAN HEWLETT-PACKARD PROVIDE FLEXIBILITY AND VALUE IN A LOGIC ANALYSER?"

*19th Century Telegraph Station
„Deutsches Museum Munich“*

Putting a complete 16-channel Logic Analyser with more than 140,000 discrete devices on a single chip is a breakthrough for the electronics industry.

"PUT IT ON A CHIP"

Putting those chips to work in a range of advanced logic analysis equipment means a breakthrough for your lab. Three new analysers offer the features you need for your projects at the lowest possible price, and provide the performance and reliability that you would expect from Hewlett-Packard. They offer a simplified user interface, with pop-up menu-driven commands, a built-in disc drive, and hardcopy output - speeding you to your solution. The HP 1650A offers 80 channels to support 8, 16, and 32-bit microprocessors. The HP 1651A has 32 channels to support most 8-bit microprocessors. Both features 25 MHz state/100 MHz transitional-timing on all channels and can be function as two separate state/state or state/timing machines for complex analysis. The HP 16500A is modular, allowing you to set up the logic analysis system that fits your needs now - and in the future. Up to 400 channels of 25 MHz state/100 MHz transitional timing, 8 channels of scope analysis, 80 channels of 1 GHz timing, or 204 channels of 50 Mbit/sec stimulus. Trigger one module with another, time-correlate measurements between modules - even view state timing, and analogue on a single screen. The HP 16500A gives you the choice.

For more information call Hewlett-Packard.



*HP16500A
Logic Analysis System*

WE'RE WITH YOU ALL THE WAY



**HEWLETT
PACKARD**


En quelques heures de l'idée à la puce programmée!

141.26 • SCHNYDER

Pour parvenir à cette accélération du temps, vous avez le choix parmi toute une gamme de possibilités pour entrer les données, telles que: Schema II, outil de construction logique, schéma d'interconnexions, tables de vérité, diagrammes d'états ou tout simplement équations booléennes.

Ceci combiné avec un ordinateur que l'on pourrait croire conçu à cet effet:

Le nouveau Compaq Deskpro 386 avec une fréquence de 20 MHz et un contrôleur de mémoire tampon des plus récents. Vous disposez ainsi d'une capacité de calcul presque doublée par rapport au Compaq 386 précédent.



La famille EPLD

(Composants de logique programmables et effaçables) offre les circuits suivants.

	5C031/32	20 pin	300 portes
	5C060	24 pin	600 portes
	5C090	40 pin	900 portes
	5C121	40 pin	1200 portes
	5C180	68 pin	1800 portes
nouveau	5CBIC	44 pin	contrôleur de bus progr.
nouveau	5AC312	24 pin	logique d'entrées/sorties progr.

boîtiers plastiques disponibles pour la production!

intel® **COMPAQ** by

industrade

Semiconductor and Systems Division

8304 Wallisellen-ZH, Hertistrasse 31, Tel. 01/830 50 40
1110 Morges, Résidences de la Côte 70, Tél. 021/8021676