

RS278

*File E
Barton's exp. 1/28/60*

RCC1.960710.133

EUB090 WUK037YOA008

MAY 3 09 50 z60

DEPT. ARMY COMM.
EX 56397

Pres Med

PP RUEPC

DE RUPYO 8

92234

ZNR

P R 022145Z

FM CO SACRAMENTOSIGDEPOT SACRAMENTO CALIF

TO RUKPFR/CO USASUP&MAINTCEN FTRICHARDSON ALASKA

INFO RUEPC/SURGEN DA WASHDC

DA GRNC

BT

UNCLAS FOR CH SIG MAINT DIV INFO MEDCE-OH FROM SIGFT-DM-5A

1. REF YOUR MSG ARCMN, 28 APR 60.

2. A PER YOUR REQ, FILM BADGE FOR SP5 DEWEY G WATKINS RA 13292898

(FILM BADGE NR 003, PD "M") FOR PD 19 MAR TO 19 APR 60 WAS REEVALUATED

AND THE EXPOSED DOSE IS AS PREV REPT - 9.8 REMS.

3. WHEN THE CALIBRATOR U IS DISCONNECTED FROM THE CALIBRATOR CASE,

THE INTENSITY AT ONE AND ONE-HALF (1 1/2) FT IS APPRX 4 R/HR

BT

02/2331Z RUWPYO

FORM 805 PRINTED BY THE STANDARD REGISTER CO., DAYTON 1, OHIO, U. S. A. STAMLOCK PATENT PENDING

Washington National Record Center
Office of the Army Surgeon General
Record Group 112

Accession #: 67A-4511
Box #: 43
File: Overexposure Hawaii & Alaska