

~~TOP SECRET~~

INDEX

Minutes, Forty-first Meeting, GAC

	<u>Page</u>
Weapon Briefings.	2-35
Sandia Briefings	2
Sandia Laboratory	2
Missile Applications.	2
Possible Thermonuclear Missiles.	2
Air Defense Weapons.	3
Air-to-Air Rocket Systems Studies.	3
Aspects of Anti-Aircraft Warheads.	3
Fuzing.	4, 5
Retarded Trajectories	4
Two-Stage Weapons	5
TX-15	5
Contact Fuze Difficulties	5
Weapon Effects.	6
Product Testing	8
External Initiators	9
Los Alamos Briefings	10
Review of Castle.	10
Present Status of TN Weapons.	12
Current Weapons.	12
TN Weapon Classes.	13
Equivalent Oralloid Costs	14
Forward Looking Prospects in TN Weapons	15
Li-7 as a Fuel	15
Uniformity of Compression.	15
Bomb Weight.	16
Class D Candidate.	16
Primary Bombs.	17
Crossover, Class D and Boosted Fission	17
Tactical Weapons.	18
TOP SECRET 22" Tactical Bomb.	19
Tactical Bomb Tests.	20
Thermonuclear External Initiator	20
Nuclear Safing	21
Safing Criteria	22
Safety of TOP SECRET	22
Possible Nuclear Safety Test	22
Improvements in the 30 KT Region.	22
Recessed Detonators.	23
Hydrodynamic Improvements--External Initiation	23
Boosting	23
Possible Tests	24

~~TOP SECRET~~

~~TOP SECRET~~

DOE ARCHIVES

~~TOP SECRET~~

[REDACTED]

INDEX (Continued)

Weapons Briefings (Continued)

Page

Weapon Use of "Dirty" Plutonium.	24
[REDACTED]	24
Weapon Use of U-233.	25
[REDACTED]	25
[REDACTED]	25
Test Programs.	26, 15, 22, 32, 34, 35
Philosophy of Weapon Design.	27
Livermore Briefings	30
[REDACTED] Analysis	30
DELETED Livermore Thermonuclear Plans.	32
Possible Case Test.	32
Possible Tests.	32
Sundial and [REDACTED]	33
Possible [REDACTED] Tests	34
Small Weapons, Livermore	34
DELETED [REDACTED] Gadget	34
Possible Tests.	35
Hydride Program.	35
Uranium-233 Production Program	42
Case A and Case B	42
Discussion of Case B.	44
Possible U-233 Bomb Test.	44
Impurity Specifications for U-233	45
Thorium Ore Supply.	45
Interaction with Tritium Production	47
Predetonation.	47
Meeting with the Chairman of the Commission.	49-53
GAC Discussions	
Aircraft Nuclear Propulsion Program	36, 53
Attitudes of the Air Force.	36
Reactor Subcommittee to Oak Ridge	53
Discussion of U-233 Program, Case B	44-47, 50-52
U-233 Test Shot	52
GAC Discussion of Weapon Briefings.	53
Sandia.	53
The Revolution in Weapons and the Growing	
Importance of Sandia.	54
Need for Encouraging Systems Studies at Sandia.	54
Los Alamos.	55

[REDACTED]

DOE ARCHIVES



INDEX (Continued)

GAC Discussions (Continued)

Page

Livermore. 55
 Difficulties with Livermore Program. 56
 Weapon Subcommittee Study of Livermore 56

Test Programs. 57

Philosophy of Weapon Development 57

Report of the Reactor Subcommittee 58
 Boiling Reactor. 58
 Breeder. 60
 Availability of Hanford and Savannah Reports
 to ANL 61


Other Matters
 Sunshine Progress. 41
 Letter re Dr. Oppenheimer. 40
 Aftermath of the Oppenheimer Case. 50
 Distribution of GAC Minutes. 39
 Minutes of the 40th Meeting. 40, 57
 Dates Next Meeting 61
 Matters for Next Meeting 61

Schedule and Agenda, 41st Meeting Appendix A

Chairman's Report (References) Appendix B

Item 1 50, 52
 Item 2 53
 Item 3(a). 53
 3(b). 55
 3(c). 55
 3(d). 57
 3(e). 57
 Item 4 58
 Item 5 61

Expected Attendance at Briefings. Appendix C



DOE ARCHIVES

~~TOP SECRET~~

(Secretary's Note: The Committee met at the Sandia Laboratory in Albuquerque on July 12, and at Los Alamos on the three succeeding days. Except for an executive session of the Committee on the night of July 14, the first three days were devoted to program briefings by the Sandia, Los Alamos, and Livermore laboratories. These briefings were also attended by members of the Military Liaison Committee, the Coordinating Committee on Atomic Energy and its Technical Advisory Panel. A list of the expected attendance at the briefings, furnished at Sandia, is attached as Appendix C.

Dr. Wigner was unable to attend this Meeting.)

DOE ARCHIVES

~~TOP SECRET~~

FIRST SESSION
(July 12, 1954)

Sandia Briefings

The Committee met (at the Sandia Laboratory) at 8:10 a.m. All members except Dr. Wigner were present. The Secretary and Mr. Tomei were present. In addition, other groups as noted in Appendix C, and members of the Sandia staff attended.

Sandia Laboratory

The session was opened by Mr. James W. McRae, who welcomed the visitors and remarked briefly on the Sandia Laboratory and its status. He mentioned that the past year had been marked by the consolidation of the staff into groups and that the staff size had levelled off at 5300-5400 people. About 45% of the laboratory's effort is devoted to production activities, 55% to research and development. He classified the latter as follows: specific weapons development and design, 53%; field testing, 18%; quality assurance, 13%; research, 11%; and information services, 5%. The first two presentations were to be on weapons development and design.

Missile Applications

Mr. L. A. Hopkins discussed missile applications. He emphasized at the start the severity of the logistics problems involved in the use of missile-borne atomic warheads, and said it was time to reconsider the stockpiling of complete warheads. Mr. Hopkins showed slides pictur-

Possible Thermo-nuclear Missiles

ing various missiles, and discussed each in turn. After commenting on the Honest John rocket (Army) and the Navy depth bomb, he mentioned the following as possible carriers for thermonuclear weapons: Rascal; Regulus-2 (500 mile range); Snark (one mile accuracy at 5000 miles); Redstone; Navaho II; and Atlas. He said it was urgent to decide whether

~~TOP SECRET~~

large size atomic (XW-13) or class C thermonuclear weapons were to be carried by the Snark and Redstone missiles.

Air
Defense
Weapons

Mr. Hopkins turned next to the subject of air defense weapons, mentioning: the Navy Talos, eventually to carry an optimized ~~TOP SECRET~~ warhead; the Army Nike-B, to carry a 30" warhead; the Air Force F99 Bomarc; and, in the conceptual stage, air-to-air rockets. The Talos and Nike-B are to be operational by early '57.

Air-to-
Air
Rocket
Systems
Studies

The new air-to-air rocket program was considered in some detail. The tightest kind of systems study on this application is necessary. The results of analyses relating time of flight, yield, and aircraft kill and safety were presented.

~~TOP SECRET~~

A special systems study group, involving Sandia, Los Alamos, and the Special Weapons Command, has been set up to consider the interrelated problems of the aircraft, rocket, warhead, fuze, and fire-control, and to optimize this weapon system. It will have a very tight program for the next two years.

Aspects
of Anti-
Aircraft
Warheads

Some other general aspects of air defense warheads were next discussed: (a) safety (requirement high, X-unit important, in-flight-insertion and in-flight-retraction problems); (b) high altitude effects (on high voltage sources); (c) readiness (corrosion problems); large numbers needed. These considerations all point to the desirability of a "canned warhead". Some ideas as to what this might look like externally were presented.

~~TOP SECRET~~

DOE ARCHIVES

Two-
Stage
Weapons

The last subject discussed by Mr. Henderson was the thermonuclear weapon program. The TX-14, TX-16, and TX-17 constitute our emergency thermonuclear capability. TX-14 and TX-16 are to be retired. There is a program to develop a parachute for the TX-17 for a smaller time of fall than the present [REDACTED]. Automatic nuclear insertion is being worked on. Contact fuzing, desired for surface burst applications is being worked on, but presents difficult problems. It will not be available for at least two years.

TX-15

The TX-15 is the weapon considered to fill the class-C TN requirement. Sandia has assumed responsibility for the detailed internal engineering of this weapon, and has thus become, for the first time, involved in nuclear design. The particular program is subject to control by Los Alamos. The first delivery to the stockpile is scheduled for April 30, 1955. The bomb is engineered for storage as a completely assembled unit, except for the tail fins. It is equipped with barometric and proximity fuzes; some consider contact fuzing a "must".

The 17,400 lb TX-21 is in its infancy. Mr. Henderson said that a lightened version might eventually take the place of the TX-15 in filling the class C requirement. The TX-21 appears to be compatible with the B-58 aircraft (Hustler).

An effort will be made to standardize the fuzing in the different thermonuclear weapons.

Contact
Fuze
Diffi-
culties

There were some questions and discussions by the group, mainly on fuzing for surface burst applications. There seems to be a divergence [REDACTED]

DOE ARCHIVES
9

~~SECRET~~

After questions and discussion there was a 15-minute break. The meeting was resumed at 9:45 a.m.

Fuzing The next presentation, on fuzing questions, bomb release methods, and the thermonuclear weapon program was made by Mr. R. W. Henderson. He reviewed the developments in fuzing strategic and tactical bombs. In order to simplify field logistics, barometric fuzing (fuze A) was substituted for the earlier radar fuzing in strategic weapons. A contact fuze is also used. Fuze B, developed for tactical applications of the MK-7 bomb has radar air burst, timer, and contact fuzes. With respect to the number of options (burst altitude, separation times, etc.) which the tactical fuze should present to the pilot, operating experience and systems studies have indicated that the present seven options should be reduced. When agreement on details has been reached, the simplification will be applied across the board.

Retarded Trajectories The problem of retarding trajectories in order to give the plane time to get away was discussed. An air brake, called the Rotochute and working on the autogyro principle, is being tested. On the MK-7 it reduces the terminal velocity in drop tests from ~~SECRET~~

~~SECRET~~ Mr. Henderson next discussed various carrying arrangements for the MK-7 bomb (external versus bomb bay for supersonic delivery).

~~SECRET~~

~~SECRET~~

DOE ARCHIVES

<u>Phenomenon</u>	<u>Kill</u>	<u>Safe</u>	<u>Approximate Scaling Factors</u>
crushing overpressure	6 psi	1 psi	$W^{1/3}$
dynamic pressure (wind force)	1 psi	0.1 psi	$W^{1/3}$
thermal	10 cal/cm ²	2 cal/cm ²	W, D^2
penetrating radiation	5000 r (immediate) 700 r (delayed)	25-50 r	W, D^2
induced contamination	"	0.1 r/day	$W^{1.5}$
fallout	"	"	$W^{1/3}$
craters	less than 1.5 crater radii		$W^{1/3}$
fireball			$W^{1/3}$

The presentation was aided by a large number of "height of burst charts" for the various weapons effects. Some of the points brought out were the following: There is a "bonus factor" in the scaled effects (on a light steel frame structure, for example) of 1 MT versus those of 1 KT, due to the longer wind duration with the higher yield explosion. Against aircraft, dynamic pressure and penetrating radiation effects seem the most important. (For a 2 KT shot against a B-29 at 10,000 ft the 5000 r radiation envelope reaches out farther than the thermal and wind effects, except in certain directions in which the last have a greater lethal range. At 40,000 ft radiation has a larger lethal radius than any other effect.) With respect to surface contamination, induced activity predominates over fallout for high altitude bursts.

Next, after a few questions, Dr. Walter MacNair discussed two subjects, product testing and the external initiator program.

Product
Testing

Dr. MacNair contrasted product testing in the manufacture of nuclear weapons with the usual manufacturing situation in which items are produced for public use in large quantities. In the latter case large scale customer use supplies an overall statistical quality test on the item, a method not applicable to nuclear weapons. The Sandia Laboratory attempts to invent and develop substitutes for customer use testing; this effort accounts for about one third of the laboratory's total budget. The tests include laboratory determinations of the reactions of components to environmental conditions (impact, vibration, acceleration, climatic exposure); wind tunnel experiments on bomb shape; and full scale field tests. In the latter [redacted] fully instrumented (non-nuclear) drops of the MK-6 weapon have been carried out, for example -- also [redacted] MK-7, [redacted] TX-14, and [redacted] MK-15. A quality assurance program is carried out in the fashion of industrial spot-check inspections. Finally, each completed stockpile item is subjected to a continuing surveillance. The surveillance program begins with a complete non-destructive test when the item arrives in the stockpile. It is tested subsequently at intervals of not less than eighteen months. The present stockpile items are tested every five months, on the average. In answer to questions, Dr. MacNair said that components in the stockpile occasionally fail to meet specifications, but there is practically never a bomb that wouldn't work.

The engineering status of the external initiator was next External described. The neutron source is the D-T reaction, tritium ions Initiators being generated and accelerated to a Ti-D target. The unit produces

DELETED

Significant size reductions have been accomplished, and the unit is now compatible with the MK-7 bomb. It may also be compatible with the TX-12.

Dr. MacNair said that the present units have one chance in 170 of not performing properly. This can probably be improved by selection of components and by potting procedures. The interim solution is to [REDACTED]

The present external initiators would require testing every 90 days. It is hoped that improvements will allow the tests to be put on a six month basis. The timing condensers require particular attention.

This initiator would present simpler testing problems in the stockpile than Tom, but more complicated [REDACTED].

In the question period the following points were brought out:

Compared [REDACTED] the external initiator has the advantages of (a) optimum timing, (b) simpler nuclear safeing problems, and (c) applicability to special assemblies, such as hollow spheres. The reasons for using it are thus entirely different from the reasons for substituting [REDACTED] longer shelf-life and simpler manufacture.

A program is coming along on nuclear safeing of high yield weapons; however the military requirement has not yet been formulated.

Considerable interest was shown in proximity and contact fuzes. The proximity fuze program is being pushed; it is hoped that 400 will be available for experimental purposes by the end of the year. The problems of contact fuzing two-stage weapons are great; one does not know how to do it at present.

This session was adjourned at 3:10 p.m.

THIRD SESSION
(July 13, 1954)

Los
Alamos
Brief-
ings

The briefings were resumed at 9:05 a.m. in the S conference room at Los Alamos. Those present were: all members of the Committee except Dr. Wigner; the Secretary and Mr. Tomei; the other visiting groups (Appendix C); and members of the Los Alamos staff.

Dr. Bradbury opened the meeting by welcoming the visitors and introducing the LASL presentations.

Review
of Castle

In the first talk, Dr. Graves reviewed the results of the Castle tests. He mentioned changes made during the tests: cancellation of the [REDACTED] shot in view of the high yields of [REDACTED] the firing of a modified [REDACTED] and the cancellation of the [REDACTED] shot at Livermore's request after the [REDACTED] shot. The following tabulation gives essentially final results as to yield and alpha of the various shots.

[REDACTED]

DOE ARCHIVES

[REDACTED]

<u>Predicted Yield</u>	<u>Total Yield (ball of fire)</u>	<u>Yield from fission (radiochemical)</u>	<u>Alpha Shake⁻¹</u>
4-8 MT	15 ± 0.5 MT		
1-7	11 ± 0.5		
1-6	7 ± 0.5		
ca. 11	13.5 ± 1.0		
ca. 2(1.7)	1.7 ± 0.3		
1-4	0.13 ± 0.03		

DELETED

DELETED

DELETED

The predicted yield listed for [REDACTED] was that made on the basis of the results of the [REDACTED] /shot. The last two shots listed were made with a [REDACTED] the others with [REDACTED]. The fission yields observed were in approximately the expected ratio to the total yields, except in the case of [REDACTED].

The time intervals in microseconds between detonation of the primary and

DELETED

The figures in parentheses are those which were predicted before the shots.

Radiochemical fast neutron detectors (by n,2n) placed at various

DELETED

DOE ARCHIVES

[REDACTED]

Commenting on fall-out measurements, Dr. Graves mentioned difficulties in recovering the buoys and barges (after shot cancellations as well as after the actual shots) and said that he believed the best data would come from measurements made on the ocean water. (Mixing occurs in a turbulent surface layer of limited depth,) Fallout was sufficient to give an integrated dose greater than 400 r over an area of 5000-6000 square miles. The Navy wash-down system proved to be of great value on the vessels exposed to fallout. Dr. Graves believed that the integrated fallout from the barge shots was about the same from the land shots, but spread over a larger area.

Next, Dr. R. E. Schreiber reviewed "the present status of weapons following immediately from the Castle operation". The following table gives the essential information.

Present
Status
TN
Weapons

Type	Name (or next of kin)	Class	Weight (pounds)	Yield (megatons)	Status
14-0		A-	32,000		Limited production. To be retired by Sept. 30, '54
17-0		A	42,000		In production.
24-0		A	"		In production.
17-1		A	"		Scheduled for stockpile entry Dec. '54. At that time production of 17-0 and 24-0 will cease.
24-1		A	"		
15-0		C	7,400		Stockpile entry ca. April '55.
21-0		B	18,000		Stockpile entry ca. August '55.

Current
Weapons

with normal lithium, which may have to be used, depending on the Oak Ridge production.

DOE ARCHIVE

The class entries above refer to guidance descriptions established by the military, and have the following meanings, approximately.

TN
Weapon
Classes

- Class A: weight 50,000 lb or less, minimum yield
- B: 23,000 to be reduced to 15,000, " "
- C: 8500 or less, " "
- D: 3000 to 4000,

DELETED

The TX-14 has serious operational disadvantages, in that the assembly [redacted] as a ready weapon. [redacted]

[redacted] It is very cumbersome to assemble, and is quite expensive. Hence, LASL has recommended it be considered only as an interim device. Its components will be refabricated.

The [redacted] listed as 17-1, above, has some major engineering changes, from the Mod-0, which introduce new problems of fabrication from the weaponry standpoint. The main changes are:

- (1)
- (2)
- (3)
- (4)

DELETED

DOE ARCHIVES

[REDACTED]

DELETED

Dr. Schreiber, in response to a question from Mr. Winns listed the equivalent oralloy and Li6 costs of the various two-stage weapons as follows.

	<u>Type</u>	<u>93.5% oy kg U235</u>	<u>37.5% oy kg U235</u>	<u>Li6D kg</u>	<u>Li6 enrichment</u>
	17-0*				
	24-0				
Equiva-	17-1				
lent					
Oral-	24-1				
loy					
Costs	15-0				
	21-0				

DELETED

*The 17-0 also uses [REDACTED]

Each weapon also requires [REDACTED]
93.5% oralloy for the primary.

[REDACTED]

At this point there was a 20-minute break. The briefings were Forward resumed at 11:00 a.m., at which time Dr. Carson Mark discussed "forward Looking Prospects in TN Weapons looking prospects in two-stage weapons".

Dr. Mark began by commenting on the fact that the yields of the Castle shots were substantially higher than predicted, in most cases. This is now understood in terms of nuclear reactions of lithium-7, which had formerly been assumed to be a much less good fuel than lithium-6 or liquid deuterium.

Li-7 as
& Fuel

DELETED

Uni-
formity
of
Compression

~~TOP SECRET~~

DOE ARCHIVES

~~TOP SECRET~~

-16-

Bomb
Weight

DELETED

Class
D Candi
date

~~TOP SECRET~~

DOE ARCHIVES

~~TOP SECRET~~
~~TOP SECRET~~

-17-

Primary
Bonds

DELETED

Crossover:
Class D
and
Boosted
Fission

DOE ARCHIVES

~~TOP SECRET~~

DELETED

This session was adjourned at 12:15 p.m.

FOURTH SESSION
(July 13, 1954)

The briefings were resumed at 1:30 p.m. Dr. Bradbury introduced Tactical Dr. Duncan MacDougall, who talked on the development of tactical weapons Weapons of small size and yield.

Dr. MacDougall said there were three sizes of warhead on the books to give ~~_____~~ of nominal diameters 30", 22", and 15". Exact specifications in the military requirements still seem somewhat open. There seems to be no strong interest in the 30" ~~_____~~ weapon, which could

~~_____~~

~~TOP SECRET~~

DOE ARCHIVES

~~TOP SECRET~~

be made now with existing techniques. Interest appears to be greatest in the 15" size for air-to-air rocket delivery, and in the 22" size for delivery by a device such as Talos W.

DELETED

DELETED

~~TOP SECRET~~

DOE ARCHIVES

~~TOP SECRET~~

22"
Tactical
Bomb

DELETED

Tacti-
cal Bomb
Tests

Thermo-
nuclear
Exter-
nal
Initi-
ator

DELETED

A 30" weapon can be made now, with conventional methods. If there were real interest on the part of the military establishment in a weapon of this size-yield characteristics considerable savings in

~~TOP SECRET~~

DGE ARCHIVES

~~TOP SECRET~~

fissionable material could be accomplished relative to the smaller weapons. However the degree of such interest is not at the moment clear.

In a brief question period the following points were brought out:

DELETED

Nuclear Safeing The next presentation was by Dr. Schreiber on the subject of nuclear safeing. He illustrated the problem by referring to a scaled-up ~~TOP SECRET~~ It is assumed that any accidental detonation will occur at one point only, i.e. that the electrical safeing is completely reliable. The basic circumstance being worried about is crash on take-off, followed by fire. The following were given as possible criteria for nuclear safeing:

~~TOP SECRET~~

DOE ARCHIVES

Safeing
Criteria

- (1) alpha is never positive;
- (2) alpha does not become positive before the system disassembles, i.e. before about forty generations;
- (3) the nuclear explosion resulting from a one point detonation should not exceed that possible with the normal HE load carried by the aircraft;
- (4) "safety by probability", i.e. that the net estimate of the compound probability for the sequence of events leading to an accidental nuclear explosion be acceptably small.

Dr. Schreiber favored (3), as a workable criterion. It would require that the maximum accidental nuclear yield be less than about [REDACTED]. A calculation has been made for the [REDACTED] design on the assumptions that 40% of the normal energy goes into the heavy metal, the metal system preserves spherical symmetry, and the time of implosion is increased over normal by a factor 1.6 (inverse square root of E). The result of the calculation is that a 100 ton bang would result from one point of detonation, hence that the [REDACTED] is not nuclearly safe by this criterion. The assumptions of the calculation are conservative, however, and the accidental yield of the [REDACTED] would probably not actually exceed [REDACTED].

Safety

Possible
Nuclear
Safety
Test

Dr. Schreiber said that an experimental one point detonation test would probably be proposed eventually.

At this point there was a brief coffee break.

Improvements
in the
30 KT
Region

Next, Dr. MacDougall spoke on ideas for improvements in the 30 KT region. The present [REDACTED] has the following characteristics: weight 1600 lbs, yield about 30 KT, equivalent or alloy [REDACTED].

~~_____~~. Tactical applications of this weapon would involve large numbers; it is therefore worthwhile to investigate what could be done to reduce the equivalent or alloy cost.

Recessed
Detona-
tors

Hydro-
dynamic
Im-
provemen
Exter-
nal
Initia-
tion

Boosting

RELETED

DOE ARCHIVES

~~TOP SECRET~~

DELETED

Possible
Tests

It is not intended to push these developments for a test of Teapot,
but a test might be made in about a year and a half.

Weapon
Use of
Dirty
Plutonium

If "dirty" plutonium (high 240 content) becomes cheap and plentiful
through production in power reactors, it is of interest to consider how
it might be used in weapons. Dr. Mark made a few comments on this
subject. []

DELETED

~~TOP SECRET~~

DOE ARCHIVES

Dr. Mark mentioned that the Greenhouse Item shot [REDACTED] high pressure D-T gas) was detonated with a steady source, and gave [REDACTED] Dirty plutonium could obviously have been used:

After a few questions, Dr. Schreiber gave the next presentation, on the subject of the use of uranium-233 |

Weapon
Use of
U-233

DELETED

[REDACTED]

DOE ARCHIVES

Dr. Schreiber emphasized that the figures for the two sizes were calculated on different bases and hence could not be directly compared (it is not valid to conclude that the ~~_____~~)

DELETED

At 4:25 p.m. this session was adjourned.

FIFTH SESSION
(July 14, 1954)

The meeting began at 9:00 a.m. All members of the Committee except Dr. Wigner were present. The Secretary and Mr. Tomei were present. The other groups involved in the briefings were also present.

Test
Programs

Dr. Graves gave the first presentation, on the subject of the test programs. After reviewing operational and safety problems, particularly as affected by weather, he outlined the thinking with respect to the next tests -- Teapot (Nevada, 1 March '55), Post-Teapot (Nevada, 1 September '55), and Redwing (Pacific, 1 March '56).

LASL will probably shoot in Teapot: ~~_____~~, 16", 2 KT; ~~_____~~, 22", 2 KT, ~~_____~~ 22", ~~_____~~ external initiation; a case test; and a booster test. There will be Livermore proposals, for a case study and for ~~_____~~

Consideration is also being given to a group of shots proposed by the military: a 2 KT high-altitude (40,000 ft) shot for effects studies bearing on ground-to-air uses; a 15-30 KT tower shot for effects studies on drone planes; and a 1 KT underground (65 ft) shot, bearing on demolition applications. The Federal Civil Defense Agency has two

~~SECRET~~

DOE ARCHIVES

proposals, an effects test on shelters and an "open" shot (meaning open to large numbers of visitors). These will probably be combined with other tests. Dr. Graves remarked that it was a long list, with only limited possibilities for making combination shots. He said it was proposed to group together the shots of different organizations.

There are a number of possibilities for shots in Post-Teapot: 2-stage tests; one point detonation; predetonation; an optimized 30 KT ~~_____~~ beryllium tamper; Li6D booster, or a gas booster; ~~_____~~ a 30", 2 KT device. Dr. Graves said that a good predetonation or beryllium tamper experiment had not been thought of yet.

Redwing might include: a class D device, LASL; a class D device, Livermore; a class B weapon proof test, e.g. a 15,000 lb shortened ~~_____~~ a class C weapon; and a high yield booster ~~_____~~ (1/2 MT).

Wigwam, a proposed underwater test, 30 KT at 2000 ft depth, was also mentioned. The nominal date is 15 May '55.

There was some discussion on: operational problems in tests, fallout from air drops, the possibility of even larger, multimegaton shots, the importance (pro and con) of doing a good predetonation experiment.

At 10:40 a.m. there was a coffee break; the meeting resumed at 11:00 a.m.

At this time Dr. Bradbury delivered a critique on the philosophy of weapon design.

Philosophy of
Weapon
Design

From 1947 until 1954, Dr. Bradbury said, the country's thinking has been defined by a two dimensional array, of cores versus bomb sizes,

DOE ARCHIVES

in which interchangeability of cores in bombs was a dominant feature. He expressed concern that this thinking -- "we don't know what we want to do but want to be able to do anything" -- is no longer relevant or appropriate.

Since 1954, the two-stage classes A, B, C, and D which have been set up cover the spectrum of yields and of vehicles in the thermonuclear field. In a number of cases they appear to render particular standard fission bombs obsolete. The MK-6 and MK-13, with weights corresponding to class C, are "dead ducks". Is anyone going to care about using a B-47 to deliver kilotons when 3 MT bombs of the same weight are available? Is the MK-5 worth carrying -- who prefers it to a class D weapon? The A to D classes appear to cover the strategic area.

Dr. Bradbury spoke for abandoning the array concept. He suggested, instead, additional classes to cover the tactical area.

"Class E" -- For fighter bombers, missile warheads, etc.

This might be the size of MK-7, 30", weight 1600 lb and yield . Is this the proper size and yield to fix on for the particular purpose? The real point is to fix on a device with characteristics that people want, and then to make that weapon the best we can.

DOE ARCHIVES

"Class F" -- 30" (MK-7), 1600 lb,

"Class G" -- There might be two subclasses, G' and G'' in the 15-22" range, for air-to-air defense, anti-submarine use, missile warheads.

"Class H", etc. -- Gun types. So far all guns are interchangeable, which exacts penalties especially when one goes to smaller and smaller designs.

Dr. Bradbury emphasized that he was not proposing what the detailed class descriptions should be, but was proposing a philosophy, namely to fix on types in which large numbers are needed, to develop the best possible weapons, with the best achievable characteristics, of each type, without penalizing the design by requiring that the core be interchangeable with some other, i.e. strategic, weapon. The main tactical classes will require large numbers, instant readiness, and very wide deployment. Under these circumstances interchangeability is not relevant.

The gain to be achieved from abandoning the array concept could be an increase in the number of weapons by a factor of $1\frac{1}{2}$ - $2\frac{1}{2}$, without the use of boosting. If one accepts the further specialization of boosting, the factors are probably larger still. If one clings to the concept of interchangeability, on the other hand, the further gains that can be made in the fission field are very limited.

DOE ARCHIVES

There was an animated discussion following Dr. Bradbury's remarks. One point in particular was whether the gap between 30 KT and 1 MT was without interest. Opinions pro and con were expressed. No one present, however, voiced any dissent of principle with the changes in attitude proposed by Dr. Bradbury.

This session was adjourned at 12:05 p.m.

SIXTH SESSION
(July 14, 1954)

The final session of the briefings was devoted to Livermore matters.

Liver-
more
Brief-
ings

The meeting began at 1:30 p.m.

After brief comments by Dr. E. O. Lawrence, Dr. Edward Teller reviewed Livermore's thermonuclear program.

Dr. Teller began by saying that [REDACTED] (giving 130 KT instead of the expected 3 MT) had been a very great disappointment. The reason [REDACTED] Analysis for the low yield was [REDACTED] A great deal was to be learned from the test, however. To do so was all the more important because [REDACTED] in lighter and smaller TN weapons, as the [REDACTED]

Dr. Teller then proceeded to a detailed exposition of what had been learned from the [REDACTED] experiment. Some of the points were as follows.

[REDACTED]

DOE ARCHIVES


[REDACTED]

[REDACTED]

DELETED

DOE ARCHIVES

[REDACTED]




Liver-
more
Thermo-
nuclear
Plans

Possible
Case Test

DELETED

Possible
Tests



DOE ARCHIVES

[REDACTED]

DELETED

DOE ARCHIVES

[REDACTED]

~~TOP SECRET~~

DELETED

There was a coffee break at 2:55 p.m.

At 3:15 p.m. the meeting was resumed. Dr. York spoke about Liver-

Small more's small weapons program. Two lines were being pursued: ~~DELETED~~
Weapons, ~~DELETED~~ gadgets ~~DELETED~~; and ~~DELETED~~ gadgets. Most progress has
Liver- ~~DELETED~~
more been made on the first.

~~TOP SECRET~~

DELETED

Characteristics of some various sizes were given as follows.

<u>Diameter</u>	<u>Length,</u> <u>inches</u>	<u>Weight,</u> <u>pounds</u>
7"	26	240
10"	36	
4.2"	16	50
5"		100
10"		
12"	42	800

DOE ARCHIVES

~~TOP SECRET~~

DELETED

Possible
Tests

A test shot program for this development has not yet jelled. The current thinking is to make one quite conservative shot (not a prototype) to be followed by a second shot.

Hydride
Program

In the hydride program, Livermore was exploring the possibilities of substituting UH_3 for U metal.

DELETED

However, the situation was very uncertain. Various fabrication and handling methods are being investigated.

There were a number of questions and some discussion about the ideas Dr. York had reported.

This final session of the combined briefings closed at 4:20 p.m.

[REDACTED]

DOE ARCHIVES

SEVENTH SESSION
(July 14, 1954)

The Committee met in executive session at 8:10 p.m. All members were present except Dr. Wigner. The others present were the Secretary and Mr. Tomei.

The topic of discussion was the aircraft reactor program, in view

Aircraft of:
Nuclear
Propul-
sion
Program

- (1) The comments in the Chairman's Report of the 40th Meeting (letter I. I. Rabi to Lewis L. Strauss, June 3, 1954, item 2) to the effect that the Committee was favorably impressed by the plan to marry the ORNL-Pratt and Whitney programs for the "fireball propulsion mechanism", had heard of the GE and NDA proposals, and suggested a study of the program as a whole to avoid unnecessary duplication and to sharpen the objectives.
- (2) The request in the pre-meeting letter (H. D. Smyth to I. I. Rabi, July 9, 1954) for an elaboration of these comments.

Dr. Rabi asked whether he had correctly expressed the Committee's position in (1) and received assurances that he had.

Mr. Murphree remarked on some considerations by the Atomic Energy Panel of the DOD which had also felt a study would be in order.

Attitudes of the Air Force

Dr. Rabi asked Dr. von Neumann to set forth his understanding of current attitudes of the Air Force, in the light of his recent conversation with Mr. Zimmerman, head of the Operations Research Section of SAC. Dr. von Neumann responded with the following remarks.

[REDACTED]

DOE ARCHIVES

40

- (1) It is realized that the main mission is now anti-air force, e.g. destruction of aircraft on the ground, and not industrial destruction. All else is secondary.
- (2) There is great interest in large weapons.

DELETED

- (3) The weapons which now exist can essentially fulfil their needs. The carriers leave much to be desired.
- (4) They are very interested in contact fuzing, and unhappy that this is not receiving more attention.
- (5) Ballistic missiles may become very important, but they will not supplant aircraft. At least one more heavy plane past the B-52 is needed. Nuclear propulsion is very much desired; it is considered more important than bomb development.
- (6) The dispersion ideal would be about five planes on an air field. Considerable dispersion may be expected in the next 2-3 years.
- (7) Speed may not be decisive in a heavy plane. High altitude may be more important.

There was a lengthy discussion on the proper attitude for the GAC to take with respect to nuclear aircraft development and its organizational arrangements. Most of the members were prepared to endorse the great urgency of this development. Mr. Murphree, Dr. Rabi, and Dr. von Neumann were particularly inclined to this view. Mr. Whitman, on the other hand, tended to take a more cautious position. He said he was in favor of a nuclear powered plane but was not convinced it should be a first priority.

DOE ARCHIVES

The Committee found no reason to revise its conclusions as expressed in the Minutes and Chairman's Report of the 40th Meeting. The present problem appeared to be one of emphasis, and of the best organizational arrangements for achieving the desired ends. It was tentatively decided that the Reactor Subcommittee would study the situation, and visit Oak Ridge and GE, before the next meeting.

The following two paragraphs convey an idea of the discussion which took place.

Dr. Rabi said that he had changed his opinion on the urgency of this development in view of the way the Air Force now understands its mission. He cited a discussion which Dr. Fisk and he had had with General Bunker on the need for a long flying air platform, one aspect being its possible use in very early warning. Long range rockets may not come in in time for the air field demolition missions. Mr. Whitman felt that one way missions would be inevitable, and therefore that chemically powered planes would serve. Dr. von Neumann said that it will be seven or eight years before intercontinental missiles furnish a slight retaliatory capacity, ten years before they supplant manned planes. Therefore another generation of manned planes is needed. Nuclear fuel will be an important supplement to chemical.

Dr. Rabi wondered whether the proposed organizational arrangements, involving Oak Ridge, GE, and NDA, really would give the best way to get the best effort behind a high priority program. Would a special organization set up for the purpose be more effective? He worried that a collection of little projects would tend to dissipate effort, and

[REDACTED]

would fail to concentrate enough push on the program. Mr. Whitman observed that the best Oak Ridge people were not on the aircraft reactor program; it seemed to be grudgingly carried because of the Laboratory's commitment. He did not feel that the program should take priority over the homogeneous reactor development at Oak Ridge. Dr. Rabi and Mr. Murphree disagreed, pointing out that Oak Ridge's responsibility is relatively much less in the power program than in the aircraft reactor program -- perhaps a fifth vs a half. Mr. Murphree felt there should be two, or perhaps three, concurrent developments; the art is still too fresh for the job to be left with a single organization. The responsibilities assigned to GE could not be taken away at this stage, but their effort might be pepped up. The Oak Ridge-Pratt and Whitney combination is a logical one. However, Oak Ridge is probably not going to push hard enough; perhaps the responsibility should be given to Pratt and Whitney. A third logical combination would involve NDA, with responsibility for experimental work assigned to one of the laboratories.

Dr. von Neumann left during the above discussion, at 9:00 p.m.

After this discussion, Dr. Rabi brought up a matter concerning the distribution of the Minutes. The General Manager had asked whether they might be shown to Commission staff concerned with certain matters discussed by the Committee. Dr. Rabi had advised the General Manager not to do so, commenting that the Chairman of the Committee could not approve such a step without authorization from the full Committee.

There was some discussion on this matter. The standing restriction on

Distribution
of GAC
Minutes

[REDACTED]

DOE ARCHIVES

distribution of the Minutes and access to them was felt necessary in order that the members should feel free to speak frankly and freely in their discussions, and in order that the record might preserve as much of the character of these discussions as possible. The Chairman's Reports to the Chairman of the Commission, on the other hand, are the property of the AEC; and their distribution is determined by the AEC. The Committee unanimously agreed to continue its standing restrictions on distribution of the Minutes and access to them -- and specifically, in the case in point, that the Commission staff should not have access to them.

This session was adjourned at 9:35 p.m.

EIGHTH SESSION
(July 15, 1954)

The Committee met in executive session at 9:05 a.m. All members were present except Dr. Wigner and Dr. von Neumann. The Secretary and Mr. Tomei were present.

Attention was first given to the Minutes of the 40th Meeting. Dr.

Minutes
of the
40th
Meeting

Wigner had submitted a correction; this was accepted. Other members also had some corrections. Final approval was postponed until later.

Next, Dr. Rabi read to the Committee the letter which he had

Letter
re
Dr.
Oppenheimer

written on June 14 to the Commissioners on the case of Dr. Oppenheimer.

Since it was necessarily semi-official because of his own position he felt it proper to ask whether the Committee wished it incorporated in the Minutes. Various expressions of approbation for the letter were made; the Committee agreed not to make it a part of the Minutes.

Next, the Chairman asked Dr. Libby for comments on the progress of Project Sunshine. Dr. Libby briefly reported that fallout over the continents from the Castle series had been very large, that it had not yet shown up in food and human samples. It was expected to show up in vegetation and food by Thanksgiving, and in humans by Easter. Rise by a factor twenty was anticipated. The project is under the AEC Division of Biology and Medicine. Dr. Libby has responsibility for food and human assays, Dr. Kulp and Mr. Eisenbud for fallout measurements.

At 9:30 a.m. the following persons joined the meeting: Mr. Strauss, Dr. Bradbury, Dr. Mark, Dr. Schreiber, Dr. Froman, Dr. Jane Hall, Mr. Quinn, Dr. Fine, and General Fields. Dr. von Neumann also entered at this time. Dr. Max Roy entered a few minutes later.

Dr. Libby went on to say that the subject was likely to become a matter of more and more urgency. The effort was being expanded somewhat; further expansion might be needed, depending on results which should be in by the end of the year. He said that ruthenium as well as strontium contamination might become dangerous in the region of 2-20 x 10³ megatons.

Dr. Rabi then called on Mr. Strauss for remarks; the latter had none at this time.

The meeting was turned over to General Fields, who had asked to bring up the question of U-233 production.

General Fields reported that the Divisions of Military Application and Production had recommended to the General Manager, for approval on a planning basis, the large scale production of uranium-233. If

~~TOP SECRET~~

approval was granted, the immediate dollar costs would not be large, but instructions would be given to the duPont Company to look toward such production. Advance instruction was needed by duPont for their planning and process development.

The central reason for the recommendation is the

U-233
Productio
Program

DELETED

The following production schedules have been proposed for consideration. Case A refers to no U-233 production, Case B to the proposed schedule including U-233.

Production through 1961

Case A
and
Case B

Case A

Case B

Difference

DELETED

~~TOP SECRET~~

DOE ARCHIVES



Corresponding Number of Cores

Actual No.

Effective No.

*

**

DELETED

A value ratio of $\frac{1}{2}$ is assumed.

The effective number of cores is calculated on the assumption that

DELETED



DOE ARCHIVES

At the suggestion of Dr. P. C. Fine, some figures pertaining to the steady state after 1961 were given. Advantages: (1) [redacted] /good TN weapons per year, (2) dollar savings of \$30 million/year in processing costs. Disadvantages: reductions of [redacted] in plutonium production; [redacted] production. The first figure involves the value ratio of U-233 and plutonium; the second derives from the U-235 burn-up.

Dr. Schreiber said that the [redacted] relative value figure contained an assumption about the neutron velocity in U-233 which is somewhat uncertain. If Pajarito measurements are correct the velocity may be higher than assumed, and the relative value correspondingly higher.

Dr. von Neumann put the argument for case B as: the bookkeeping mainly shows that case B would not make a major upset in the thermo-nuclear program; for all other purposes case B provides an important degree of freedom.

Turning to Mr. Strauss, Dr. Rabi asked "why ask us, since so many advantages are evident?" Mr. Strauss replied that the advantages had previously not been so clear, and that in any case it was an appropriate matter for GAC consideration.

Dr. Libby inquired as to the certainty of the cost estimates. Mr. G. F. Quinn said that they were the best available, although it was true that experience was lacking in large scale thorium processing.

Mr. Murphree asked whether there was a possibility that U-233 might have some disadvantage in weapons. Mr. Strauss said he had wondered about this and whether one should make a test before rushing into large scale production. Dr. Bradbury commented that a test would certainly be wanted, but that the low neutron background is definite

Discus-
sion of
Case B

Possible
U-233
Bomb
Test

and U-233, which is intermediate between Pu-239 and U-235, can't do anything funny in a bomb.

There was some discussion, contributed to by Dr. Hall and Dr. Impurity Froman, about the neutron background. Impurity specifications would be about 5 times more rigorous than for production grade U-235. On the basis of U-233 in hand, which had been purified by the standard production processes, it appeared that the specifications could readily be met. Even if the impurity levels were 50 times those specified,

[REDACTED]

Dr. Rabi asked what would be the effects year by year if the program were started in the immediate future. Mr. Quinn replied that: next January one Savannah reactor would be put on U-233 production, nine months later a second, and then a third. Operations would continue with three reactors on U-233 and two on low g/T plutonium, as controlled by the separations capacity.

Two years from now the thermonuclear requirement will be met by either schedule A or schedule B. The main differences are in U-235 and high g/T Pu. The present steps would be to approve duPont planning and to commit \$35 million late in the fiscal year for plant modifications and construction. The duPont people anticipate no great difficulties. Dr. Rabi asked how upsetting it would be if one had to reverse the program later. Mr. Quinn indicated the main thing would be the conversion of the Purex plant back to its original functions.

Thorium
Ore
Supply

Dr. Rabi asked about the supply of thorium ores. Mr. Quinn indicated that the amount now available is sufficient for three years;

[REDACTED]

[REDACTED]

after 1957 a [REDACTED] per year would be needed. Several of those present commented that this was a more favorable situation than the one with respect to uranium ores.

Dr. Rabi inquired from Dr. Bradbury what arguments were against it. None appeared. Dr. Bradbury said that the strongest argument for U-233 was the increased degree of flexibility in weapon design. He would still advocate the proposal even if a bright idea developed which would greatly reduce the [REDACTED]

The neutrons were not being thrown away; the added cost is not great; the weapon design and ore supply advantages are very considerable. To a question of Dr. Rabi's on possible effects on the Livermore program he said it would give them another parameter to work with.

Dr. Rabi asked whether the larger critical mass would introduce [REDACTED] Dr. Mark said this consideration was already in the exchange rate.

Mr. Whitman said it would be a good thing to get a second raw material into the program. He also felt that the reactor program would probably benefit from this extension of technology.

Dr. Libby, who said he had been searching for an objection to schedule B, observed that it might remove the pressure from developing the technology of separating Pu-240 from high g/T plutonium. It was felt, however, that this was not too likely.

Dr. Rabi said his view was that the proposed step may be a good thing but is not likely to be of practical significance in the thermo-nuclear program. There will continue to be every incentive to improve

the primary -- [REDACTED] turns out to have been exaggerated.

Another advantage of U-233, pointed out by Dr. Fine, was that it would permit [REDACTED]

Further advantages were seen to be the lower toxicity of U-233 (Dr. Libby), and the related technological and fabrication advantages (Dr. Schreiber).

Inter-
action
with
tritium
Produc-
tion

Dr. Rabi asked if the program would interfere with tritium production in case a requirement for that material came along. Dr. Hall said that tritium is made on the excess reactivity, that [REDACTED] of tritium will be available in FY 55, and that this rises to [REDACTED] /year. Mr. Quinn said that the changeover to thorium does not affect the tritium picture as it is now understood.

DOE ARCHIVES

DELETED

Dr. Rabi said these arguments would make him perfectly happy if there existed a good theory for the yield. However, he would like to see another point on the curve closer to zero time, in order to check the validity of the extrapolation.

Dr. Mark said that the difficulties in predicting yields before the shots were not now relevant. The yields of all of the shots made -- 40 to 50 in number, and in assorted configurations, etc. -- can now be calculated well. There is every evidence that the calculations are sound, and no reason to think there is anything mysterious or interesting in the untested region of the yield curve. It is not clear what use could be made of a minor correction.

~~_____~~
DOE ARCHIVES

Dr. Rabi said that he could see a use from the customer end. There will be a lot of bombs of high g/T, and the military users would want to have solid knowledge of the spectrum of yields. He felt that military interest in such information about the stockpile might develop considerably.

It was pointed out that the two significant technical questions are (1) what is the probability that a neutron is present, and (2) given that, what is the yield. Dr. Bradbury favored a laboratory investigation of (1) for a period of about six months before returning to the question of a test shot.

Dr. Libby asked about the British report that the number of neutrons per fission has a wide spread. Dr. Mark said the report was that the number varies with the energy of the fissioning neutron. If the British paper is correct, the calculated ~~XXXXXXXXXX~~ probability would be reduced to about ~~XXXX~~. Dr. Taschek is planning some check experiments; they will take several weeks.

With these remarks the discussion ~~XXXXXXXXXX~~ was concluded.

Dr. Rabi asked Dr. Bradbury whether there were any other matters he would like to bring before the Committee. There were none, and with the remark that it had been a superb briefing Dr. Rabi said that this part of the meeting was concluded.

Meeting with the Chairman of the Commission
There was a brief break. The Committee reassembled at 11:20 a.m., for a discussion with the Chairman of the Commission. Those present were: Mr. Strauss, all members of the Committee except Dr. Wigner, and the Secretary.

~~XXXXXXXXXX~~

DOE ARCHIVES

Mr. Strauss spoke at some length on the Oppenheimer case, referring particularly to the Commission's difficulties in maintaining its policy of no comment and to reactions to the Commission's decision, as manifested in letters and in the press. He expressed understanding for the feeling at Los Alamos. The fact that Dr. Oppenheimer's stand on the thermonuclear question had had no weight in the Commission's decision probably helped in regard to the Los Alamos reaction.

He mentioned that he was delivering a Presidential citation to the Laboratory on its extraordinary accomplishments.

Dr. Rabi asked what would be the aftermath of the Commission's decision on the Oppenheimer case. Since associations had played such a prominent role in the case, there was considerable apprehension that a large drive overemphasizing associations as derogatory information would be made by security offices. Mr. Strauss assured the Committee that this apprehension was unfounded. Several Committee members remarked on the very grave morale problem in the Commission's laboratories which resulted from the case. Dr. von Neumann said that from a practical point of view this problem made it very important for the AEC to make clear its criteria of associations, particularly in view of the opinions recorded by Mr. Zuckert and Mr. Murray. Mr. Strauss indicated that the Commission would bring out in September a statement clarifying the security regulations.

GAC Opinions on U-233 Attention was next turned to the U-233 question. Dr. Rabi asked the individual members in turn to express their views for the benefit

[REDACTED]

DOE ARCHIVES

of the Chairman of the Commission. The members responded as follows.

Mr. Whitman: We should go ahead with the proposed U-233 program.

Dr. Warner: Agreed. At the worst, we aren't losing much.

Dr. Fisk: It is essentially a stand-off in terms of numbers of weapons. The [REDACTED] has been bothersome. There is apparently a real gain. If decision is to be based on this consideration, it is essential to obtain the opinion of the military establishment. However, the flexibility argument, and the fact that it is not a significantly costly program suffice to support proposal B.

Dr. von Neumann: Agreed with Dr. Fisk. The nuclear situation contains many plus-and-minuses and the bookkeeping is very qualitative; but the gain in flexibility is very important. There are many advantages in chemistry and metallurgy. It is fortunate that the reactor situation is such that U-233 production can now be injected into the program with no major dislocations. As a secondary effect it will be of value in helping free us from bias and be more attentive to possibilities of what others, e.g. the Russians, may be doing.

Mr. Murphree: Was in favor. The program might have more advantages than can be foreseen at present.

[REDACTED]
DOE ARCHIVES

Dr. Libby: Was completely in favor. Hoped the effort to purify plutonium of Pu-240 would not be set back.

Dr. Buckley: Did not feel qualified to give an independent opinion. Was always against more complications, but if there were a real advantage to U-233 would be swayed by that consideration.

Dr. Rabi: Was convinced in the meeting. No loss or long term disadvantages are involved, and no element of danger was discovered. The advantages of simplicity and flexibility are impressive. Strongly supported the proposal.

(Appendix B, item 1)

Mr. Strauss inquired whether the opinions would be changed if it were found that the overall capability in number of crits would be less. Dr. Rabi said his own feeling of approval would continue as long as there were no short term disadvantage. A long term one could always be made up by building another plant. He would have opposed the proposal had it shown a short term loss, i.e. fewer weapons in '58.

Dr. von Neumann pointed out with emphasis that there should be a test shot; he would prefer ~~SECRET~~ shot later. There was some discussion of the need for a test; and while the Committee wished to defer until later any specific recommendation for a U-233 shot at Teapot, it agreed unanimously that there should be a test as soon as practicable when a sufficient amount of U-233 is available. (Appendix B, item 1)

U 233
Test
Shot

Brief consideration was given to the aircraft reactor program.

Aircraft Nuclear Propulsion Program Dr. Rabi advised Mr. Strauss that the Committee would defer any additional recommendations until the Reactor Subcommittee had studied the matter further and had reported. He mentioned the Subcommittee's plan to visit Oak Ridge in September. Mr. Whitman announced that Dr. Wigner had been reached by telephone, and would be able to attend on the proposed dates of September 21, 22, and 23. (Appendix B, item 2)

Reactor Subcommittee Visit to Oak Ridge

At 12:30 p.m. this session was adjourned.

NINTH SESSION
(July 15, 1954)

The Committee met in executive session at 1:45 p.m. All members were present except Dr. Wigner, and Dr. Libby, who was absent from this session. The Secretary and Mr. Tomei were present.

GAC Discussion of Weapon Briefings The Chairman called for views on the weapons programs as presented in the three-day briefing.

Dr. Fisk, and others, remarked on the very great importance of the Sandia Laboratory. The time has come when the demands on Sandia should be determined by the mission of the Armed Services rather than by the potentialities of new weapons. The Laboratory, and what it represents, should grow more and more in importance relative to Los Alamos. The weapon philosophy arguments set forth yesterday by Dr. Bradbury were illuminating, and should be very carefully considered in planning Sandia's future efforts. Systems studies, in which Sandia

DOE ARCHIVE

has a strong capability and a strong interest, are a prerequisite to what Dr. Bradbury is trying to do.

The Revolution in Weapons and the Growing Importance of Sandia

Dr. Rabi commented in this vein, saying that Dr. Bradbury's remarks had made clear the complete revolution which has occurred in atomic weapons. There will be very little resemblance between the situation two years from now and that two years ago. Dr. Rabi remarked on the maturity of the weapons art, the great prominence that systems engineering must now have, and its intimate relation to missions and to the stockpile. The duty of ensuring the most effective use of weapons, and of developing a general philosophy of weapon utilization will devolve more and more on Sandia.

There were several comments on the need for encouraging and utilizing Sandia's capability and interest in systems engineering.

Need for Encouraging Systems Studies at Sandia

Some members had gathered that the new Area Manager was not providing such encouragement. There was some discussion of the matter. The Committee did not feel it would be appropriate to make formal comment at present; however it was hoped that ways would be found to encourage this vital work. The feeling was expressed that the Committee should manifest a lively and continuing interest in the work of the Sandia Laboratory.

It was remarked that the Sandia presentations were in general very good, although the weapon effect presentation was poor. The latter was probably a case of having misjudged the audience. There was also some disappointment about the to-do raised by Sandia on the difficulties of contact fuzing. However the significance of this was difficult to

DOE ARCHIVES

Diffi- Two different explanations were advanced to explain the state of
culties the Livermore program, (a) the way the objectives are set up and the
with problems originate, and (b) the administrative organization.
Livermore
Program

Dr. von Neumann said that the objectives are being defined essentially as to do something more risky than Los Alamos. This puts them in the frustrating position of not having a real program of their own. Dr. Rabi said that Livermore has no responsibility for any necessary part of the weapons program. He would like to see a clear division between Los Alamos and Livermore with respect to defined and different objectives.

However, the main problem, according to Dr. Rabi, was administrative. The Laboratory would become a very effective organization if it really had a director. At present, responsibilities are divided in such a way that the arrangement works against the development of strength and purpose in the organization. The Commission should insist on a full-time director; the Laboratory is too big to run in a haphazard way. Dr. Fisk agreed. He also felt that Dr. von Neumann's point that the Laboratory lacked a clear job to do was serious. This situation needed correction. Dr. von Neumann agreed that the Laboratory was being run by very bad organizational principles; but it was functioning pretty well in spite of this. He said that the presentation had been good.

DOE ARCHIVES

Weapon The general feeling seemed to be that the Livermore program needed
Subcom- more rational definition and greater strength of purpose, and that the
mittee method of administration should be improved. Before the Committee would
Study of
Liver-
more

[REDACTED]

be in a position to make any detailed recommendations, however, it would be necessary for the Subcommittee on Weapons to study the situation and render a report. The work at Berkeley should probably be included in this study. (Appendix B, item 3c)

Test Programs The next subject considered was that of the test programs. Dr. Rabi felt that the plans were perhaps over-elaborate. Dr. Fisk pointed out, however, that a criticism to this effect was scarcely justified, since Dr. Graves had cautioned the audience repeatedly in his presentations that he was merely describing candidates for test shots. There were not as yet any firm proposals. All of the items were interesting to consider. (Appendix B, item 3d)

Philosophy of Weapon Development The next point considered was how the Committee should comment on Dr. Bradbury's concluding talk. Dr. Fisk summed up the discussions by saying that attention should be directed to the revolution in the weapon situation, to the things which are now important to be done. The Committee should point to the need for clarity in the objectives of the weapons programs, and the need for joint participation by the laboratories and the military establishment in studies aimed at achieving this clarity. (Appendix B, item 3e)

Minutes of the 40th Meeting The Minutes of the 40th Meeting were further considered. On the motion of Dr. Fisk and second of Dr. Warner, the Minutes, with inclusion of certain rephrasings suggested by the individual members, were approved.

DOE ARCHIVES

As the next item, Dr. Rabi called for a report of the Reactor Subcommittee on the meeting at Chicago.

Report of Reactor Subcommittee Boiling Reactor

Mr. Whitman began with the boiling reactor. Dr. Zinn was now testing excursion conditions and various types of shutdown fuses. The final test was to be a runaway experiment in which the assembly would be allowed to destroy itself through melting of the fuel elements. Then a new assembly would be set up at Arco and operated till the snow flies. The new assembly would incorporate various improvements and would be used for additional tests of boiling operation.

A tentative, and somewhat tight schedule had been established for building the BER (experimental boiling reactor) at ANL. It provides for

preliminary design	now completed
selection of architect-engineer	1 September '54
construction begins	1 April '55
core fabrication	ca. 1 year
reactor critical	end of '56

The Subcommittee was in accord with these plans. Mr. Whitman said there was a problem about the contractual arrangements. Dr. Zinn thought the work would go better with a lump sum plus fixed fee contract but the AEC had not yet assented. Dr. Zinn believed that \$3.5 million would be adequate for the job.

The BER would use light H₂O and slightly enriched fuel. It would produce 600 lb steam and furnish 5 megawatts of electric power for distribution.

DOE ARCHIVES

Some other points on boiling reactors were the following. It is hoped that 40% burnup can be achieved with fully enriched fuel, 1% with natural uranium. Heavy water might be preferable in a large unit; the

[REDACTED]

cost of a turbine system does not seem excessive. Dr. Zinn wants to concentrate his efforts on small reactors and specific problems, not on a big power reactor. He felt that industrial interest in a big reactor would not interfere with his own interests. A large number of component tests need to be carried out, e.g. on the resistance of fuel elements to burnup and corrosion.

Mr. Murphree added the following points:

(1) Dr. Zinn has some worries about the use of radioactive steam in turbines, and wants to do experiments to evaluate the possible troubles.

(2) He also wants to evaluate chemical costs. It appears that to throw away the spent fuel instead of reprocessing it would add only 1-1½ mills to the cost per kwh.

(3) Under some conditions of operation, fuel elements would have to last as long as seven years in order to achieve the desired burnup. Hence, corrosion problems become of particular importance, and they require study. Some work is being done on corrosion resistant "meat"; but at present they feel they have to rely on jackets.

Mr. Whitman added:

(1) that Dr. Zinn wants his boiling experiment to be thought of as "trivial" so that more chances can be taken in bolder experimentation; a

(2) that the program presupposes a long term development of fuel elements.

At 3:15 p.m. Dr. von Neumann left the meeting.

~~TOP SECRET~~

DOE ARCHIVES

Dr. Rabi asked the Subcommittee to prepare a written report on the Laboratory and the boiling and fast breeder reactor work to serve as a basis on which the Committee could answer the questions which had been put to it. (Appendix B, item 4)

Breeder Mr. Whitman then commented briefly on the fast reactor. The critical question is whether it can breed if diluted with structural materials. The relevant experimental data should be available in about a year.

It is proposed to build EBR number 2 at Arco, at a cost of \$19 million, according to the following schedule:

development only	till July 1955
architect-engineer	" "
building construction	April 1956
ready for operation (optimistic estimate)	January 1958

Mr. Whitman said he had been impressed by the fact that Dr. Zinn's enthusiasm on the breeder seemed much less than on the boiling reactor. Mr. Murphree commented that breeding had only a long range importance, in view of the available ore supply. He was inclined to support the breeder on a long range basis, but not as an urgent project. It could be pushed harder than it is being pushed, but it would be difficult to find justification for doing so.

DOE ARCHIVES

A number of other topics received passing mention in this discussion. (Dr. Zinn's attitudes toward homogeneous and liquid bismuth reactors; his apprehension about the leak hazard in the use of liquid

sodium in graphite reactors; the lack in the reactor program of a working policy team composed of experts in the field; question as to why build a power reactor at Los Alamos; naval reactor studies; opinion that the reactor program should be pushed now for reasons of international prestige and that economic reasons would eventually be valid.)

Availa-
bility
of
Hanford
and
Savannah
Reports
to ANL

Mr. Murphree noted a specific point relevant to the health of the program, that ANL does not at present receive reports from Hanford or Savannah River. This was felt to be unfortunate. The Secretary was directed by the Chairman to record this point in the Minutes.

The Committee agreed to comment favorably on the ANL program for developing the boiling water reactor and to recommend that it should receive strong support, including the minimization of contractual delays. Other recommendations should await the more detailed written report from the Reactor Subcommittee. (Appendix B, item 4)

At this point Mr. Tomei was excused from the meeting.

Dates
Next
Meeting

The question of dates for the next meeting was considered. In view of uncertainties as to the membership of the Committee at the time of the next meeting, no firm dates were established. It was agreed that the meeting would be held sometime between October 1 and 11, 1954; and the 4th, 5th, and 6th were tentatively selected. (Appendix B, item 5)

Matters
for
Next
Meeting

Mr. Whitman suggested that there be a session on weapon effects and on Project Sunshine at the next meeting, with Dr. Scoville to attend if possible. (Appendix B, item 5) Dr. Fisk suggested that **DOE ARCHIVE** might also be asked to take part in the presentations. The latter possibility was left open. However, it was generally agreed that it was time for closer contacts between the GAC and the Sandia organization.

[REDACTED]

At this time Dr. Buckley took occasion to express his regret that, in view of the expiration of his term of appointment, he would not be present at the next meeting. Dr. Rabi and other members expressed their warm best wishes to Dr. Buckley and their appreciation for his services on the Committee.

There being no further business, this final session was adjourned at 4:05 p.m.

Richard W. Dodson
Secretary

Attachments (3)

[REDACTED]

DOE ARCHIVES

66

[REDACTED]

41st Meeting of the General Advisory Committee

Tentative Schedule and Agenda

Monday, July 12 (at Sandia)

8:00 a.m. - 12:00 noon -- Presentation by the Sandia Laboratory
1:00 p.m. - 3:15 p.m. -- Presentation by the Sandia Laboratory

Tuesday, July 13 (at Los Alamos)

9:00 a.m. - 12:15 p.m. -- Technical Presentation by LASL
1:30 p.m. - 4:30 p.m. -- Technical Presentation by LASL

Wednesday, July 14

9:00 a.m. - 12:15 p.m. -- Presentation by LASL
1:30 p.m. - 3:30 p.m. -- Technical Presentation by UCRL
8:00 p.m. - 9:30 p.m. -- Executive Session (Committee business
and NDA matter)

Thursday, July 15

9:00 a.m. - 12:15 p.m. -- Executive Session (Report of Reactor
Subcommittee and other matters. The
Committee will meet with the following
persons at the latter's convenience:
Gen. Fields, Dr. Pittman, Dr. Bradbury,
Mr. Strauss -- probably commencing at
about 10:00 a.m.)
1:30 p.m. -- Executive Session

DOE ARCHIVES