

SAND93-7031
Unlimited Release
Printed May 1993

Distribution
Category UC-234

Effects of the Mount Pinatubo Eruption on Solar Insolation: Four Case Studies

Andrew L. Rosenthal and Jeffrey M. Robert
New Mexico State University
Southwest Technology Development Institute
P.O. Box 30001/Dept. 3SOL
Las Cruces, New Mexico 88003-0001

ABSTRACT

The Southwest Technology Development Institute staff analyzed solar insolation data from four sites in the western United States recorded during the years 1990 through 1992. Analyses were performed to identify and quantify the effects on insolation caused by the eruption of Mount Pinatubo in the Philippines on June 15th and 16th 1991. Data from each of the sites were recorded by dedicated datalogging equipment. Every effort was made to prevent data acquisition system problems (e.g., drift of the datalogger clock) from influencing the accuracy of the results.

MASTER

Se
DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

ACKNOWLEDGMENTS

Thanks are extended to the following persons and organizations for making essential data available for use in this report:

- Ms. Vanessa Morris and the Pacific Gas and Electric Company for their contribution of the data from Carrisa Plains, California;
- Mr. Bill Marion and the National Renewable Energy Laboratory for their contribution of the data from Golden, Colorado.

TABLE OF CONTENTS

<u>Section</u>	<u>Page #</u>
1.0 INTRODUCTION	1
2.0 LAS CRUCES, NEW MEXICO	2
2.1 Recorded Insolation	2
2.2 Effects on Direct Normal Irradiance	6
2.3 Typical Cloudless Days	7
3.0 GOLDEN, COLORADO	12
3.1 Recorded Insolation	12
3.2 Effects on Direct Normal Irradiance	16
3.3 Typical Cloudless Days	17
4.0 CARRISA PLAINS, CALIFORNIA	20
4.1 Recorded Insolation	20
4.2 Effects on Direct Normal Irradiance	24
4.3 Typical Cloudless Days	25
5.0 ALBUQUERQUE, NEW MEXICO	28
5.1 Recorded Insolation	28
5.2 Effects on Direct Normal Irradiance	32
5.3 Typical Cloudless Days	33
6.0 DATA QUALITY ASSURANCE	36
7.0 CONCLUSIONS	37
SUMMARY	38
REFERENCES	41

TABLES

<u>Table</u>	<u>Page #</u>
Table 2-1. Direct Normal Insolation for Las Cruces, New Mexico.....	2
Table 2-2. Global Horizontal Insolation for Las Cruces, New Mexico	3
Table 3-1. Direct Normal Insolation for Golden, Colorado	12
Table 3-2. Global Horizontal Insolation for Golden, Colorado.....	13
Table 4-1. Direct Normal Insolation of Carrisa Plains, California	20
Table 4-2. Global Horizontal Insolation for Carrisa Plains, California	21
Table 5-1. Direct Normal Insolation for Albuquerque, New Mexico	28
Table 5-2. Global Horizontal Insolation for Albuquerque, New Mexico	29

FIGURES

<u>Figure</u>	<u>Page #</u>
Figure 2-1. Direct Normal Irradiance -- Las Cruces, New Mexico	4
Figure 2-2. Global Horizontal Irradiance -- Las Cruces, New Mexico.....	5
Figure 2-3. Daily DNI Ratios -- Las Cruces, New Mexico.....	6
Figure 2-4. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico...	9
Figure 2-5. Global Horizontal Irradiance -- Las Cruces, New Mexico.....	9
Figure 2-6. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico..	10
Figure 2-7. Global Horizontal Irradiance -- Las Cruces, New Mexico.....	10
Figure 2-8. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico..	11
Figure 2-9. Global Horizontal Irradiance -- Las Cruces, New Mexico.....	11
Figure 3-1. Direct Normal Irradiance -- Golden, Colorado.....	14
Figure 3-2. Global Horizontal Irradiance -- Golden, Colorado	15

FIGURES - CONTINUED

<u>Figure</u>	<u>Page #</u>
Figure 3-3. Daily DNI Ratios -- Golden, Colorado	16
Figure 3-4. Direct Normal and Diffuse Irradiance -- Golden, Colorado	18
Figure 3-5. Global Horizontal Irradiance -- Golden, Colorado	18
Figure 3-6. Direct Normal and Diffuse Irradiance -- Golden, Colorado	19
Figure 3-7. Global Horizontal Irradiance -- Golden, Colorado	19
Figure 4-1. Direct Normal Irradiance -- Carrisa Plains, California	22
Figure 4-2. Global Horizontal Irradiance -- Carrisa Plains, California	23
Figure 4-3. Daily DNI Ratios -- Carrisa Plains, California	24
Figure 4-4. Direct Normal and Diffuse Irradiance -- Carrisa Plains, California ..	26
Figure 4-5. Global Horizontal Irradiance -- Carrisa Plains, California	26
Figure 4-6. Direct Normal and Diffuse Irradiance -- Carrisa Plains, California ..	27
Figure 4-7. Global Horizontal Irradiance -- Carrisa Plains, California	27
Figure 5-1. Direct Normal Irradiance -- Albuquerque, New Mexico	30
Figure 5-2. Global Horizontal Irradiance -- Albuquerque, New Mexico	31
Figure 5-3. Daily DNI Ratios -- Albuquerque, New Mexico	32
Figure 5-4. Direct Normal and Diffuse Irradiance -- Albuquerque, New Mexico	34
Figure 5-5. Global Horizontal Irradiance -- Albuquerque, New Mexico	34
Figure 5-6. Direct Normal and Diffuse Irradiance -- Albuquerque, New Mexico	35
Figure 5-7. Global Horizontal Irradiance -- Albuquerque, New Mexico	35
Figure S-1. Normalized Clear Sky DNI -- Las Cruces, New Mexico	39
Figure S-2. Normalized Clear Sky DNI -- Golden, Colorado	39

1.0 INTRODUCTION

The explosion of Mount Pinatubo in the Philippines on June 15 and 16, 1991, was the largest volcanic eruption of this century. By most accounts (1, 2, 3) Pinatubo ejected 15 to 20 million tons of ash and sulfur dioxide 23 kilometers into the stratosphere. Satellite photographs taken 21 days after the eruption show a wide belt of these contaminants encircling the globe between 25° North and 20° South latitude (1). Volcanic ash generally settles out of the atmosphere within weeks or months of an eruption. The sulfur dioxide gas mixes with moisture to become aerosol droplets of sulfuric acid that can remain in the stratosphere for several years. These aerosols scatter solar radiation in the visible wavelengths, .58 - .69 micrometers (1).

This report examines data recorded at four locations in the western United States to assess the effects of the Pinatubo eruption on solar insolation levels at these sites. The four monitoring stations that supplied the raw data for this report were:

- The Southwest Region Experiment Station in Las Cruces, New Mexico;
- The Solar Radiation Research Laboratory at the National Renewable Energy Laboratory in Golden, Colorado;
- The Solar Insolation Monitor Program station operated by the Pacific Gas and Electric Company in Carrisa Plains, California;
- The Solar Insolation monitor station at Sandia National Laboratories in Albuquerque, New Mexico.

Data from the four sites are presented below in Sections 2 through 5. Section 6 discusses the data quality assurance procedures that were followed in the preparation of this report.

2.0 LAS CRUCES, NEW MEXICO

Solar resource data have been recorded at the Southwest Region Experiment Station (SWRES) in Las Cruces, New Mexico, since the early 1980s. The site is in the Rio Grande valley in the south-central region of the state. The longitude and latitude of the location are W 106.74° and N 32.27°. The elevation is 1200 meters (3940 feet). On site is an Eppley Normal Incidence Pyrheliometer (NIP) to measure direct normal irradiance, and an Eppley Precision Spectral Pyranometer (PSP) to measure global horizontal irradiance. An Eppley shadow band and PSP have been in use since April 1991 to measure horizontal diffuse irradiance.

2.1 Recorded Insolation

Table 2-1 presents the direct normal insolation recorded in Las Cruces for the period of January 1990 through December 1992.

Table 2-1
Direct Normal Insolation for Las Cruces, New Mexico: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	194.8	155.4	97.4
February	189.0	147.2	98.7
March	204.9	207.8	168.7
April	246.8	270.3	230.6
May	267.1	294.4	162.3
June	251.3	263.8	251.1
July	204.0	164.1	227.2
August	187.2	194.0	201.1
September	177.6	160.1	214.3
October	255.4	211.3	1
November	190.3	174.0	166.8
December	192.4	110.5	90.7

¹ The NIP was off-line for calibration during October 1992, and data are unavailable.

Table 2-2 presents the global horizontal insolation recorded in Las Cruces during the same three-year period. These tables are presented to provide a baseline of information only. Monthly insolation totals alone cannot be used to assess the effects of the Pinatubo eruption. Ordinary weather variations may change the ratio of clear to cloudy days, giving rise to differences up to 15% in the monthly insolation totals observed from one year to another.

Table 2-2
Global Horizontal Insolation for Las Cruces, New Mexico: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	106.9	96.23	90.7
February	133.5	109.2	110.4
March	171.9	176.8	170.6
April	207.0	223.5	213.5
May	235.8	244.8	204.5
June	229.6	225.0	233.4
July	211.7	196.0	227.4
August	196.2	197.1	201.2
September	159.7	155.0	182.3
October	156.5	154.5	146.5
November	107.7	107.1	106.6
December	99.0	79.2	74.7

Figure 2-1 shows the Direct Normal Irradiance (DNI) recorded over the three-year period. Two data points are plotted for each day: the hourly average value recorded for the period from 11:00 am to 12:00 pm, and the hourly average value recorded for the period from 12:00 pm to 1:00 pm. Solar noon does not coincide with local clock time, but will fall within one of these two hourly periods throughout the year.

Figure 2-1 illustrates some of the effects of the Pinatubo eruption. The 1990 DNI data show a pattern typical of years prior to the volcano's eruption: a cycle of winter highs and summer lows. The high winter values, occurring when the sun is near perihelion, often exceeded 1000 W/m². The summer values, lower as a result of the increased Earth-Sun distance and increased atmospheric moisture, reached approximately 950 W/m². Following the Pinatubo eruption in June 1991, this cycle was disrupted. During the winter of 1991/92, DNI values did not surpass 1000 W/m², nor have they since the eruption.

Figure 2-2 shows the Global Horizontal Irradiance (GHI) recorded for the three-year period. Again, the two hourly records that bracket solar noon are plotted for each day.




Figure 2-1. Direct Normal Irradiance -- Las Cruces, New Mexico:
January 1990 through October 1992.




Figure 2-2. Global Horizontal Irradiance -- Las Cruces, New Mexico:
January 1990 through October 1992.

The typical GHI yearly cycle shows higher values in the summer when the midday sun travels close to normal incidence to the horizontal pyranometer, and lower values in the winter when the noon sun remains lower in the southern sky. In general, the 1992 summer values are lower than those recorded in the two previous years, with some exceptions. Overall, the eruption has had less effect on the global horizontal irradiance than on the direct normal irradiance.

2.2 Effects on Direct Normal Irradiance

Figure 2-3 presents a qualitative illustration of the effects of the eruption on DNI levels recorded in Las Cruces, New Mexico. The figure shows daily quotients of 1991 vs. 1990 and 1992 vs. 1990 'clear sky' DNI values. The method used to screen for clear sky conditions extracted, for each day of the year, the single maximum DNI value observed during a 15-day period. That is, for day n, the value used was the maximum DNI observed in the period of day n-7 to day n+7. Quotients were generated by dividing the extracted value for each day of 1991 and 1992 by its corresponding 1990 value. In this way, the 1991 and 1992 data were indexed against pre-eruption (1990) conditions. Figure 2-3 shows these 'clear sky' DNI ratios determined for Las Cruces, New Mexico. While this method can not be construed as a purely quantitative comparison, it serves to illustrate the effects of the eruption on recorded DNI levels.




Figure 2-3. Clear Sky DNI Quotients -- Las Cruces, NM 1991/1990 and 1992/1990.

Prior to the eruption, 1991 clear sky DNI values were comparable to those recorded in 1990. The ratios for this period are approximately equal to 1.0. Following the eruption, clear sky DNI values declined. During December 1991 and January 1992, DNI values fell to approximately 80% of their 1990 levels.

During spring and summer 1992, the effects of the eruption moderated. Clear sky DNI levels recorded during June/July 1992 were within a few percent of historical (1990) levels. At year's end, however, the effects of the eruption again became more pronounced. Clear sky DNI levels dropped to less than 90% of their 1990 levels.

2.3 Typical Cloudless Days

The data were examined to select days that had been cloudless or near cloudless in each of the three years of the reporting period. Three sets of these days are presented here.

Figure 2-4 shows DNI and diffuse irradiance data recorded during individual days in February of three consecutive years: February 16, 1990; February 14, 1991; and February 14, 1992. In this case, the 1990 and 1991 data were recorded prior to the eruption. The diffuse data for 1990 and 1991 have been calculated. Figure 2-5 shows the GHI data recorded during these three days.

As shown in Figure 2-4, the DNI levels recorded during 1990 and 1991 were comparable. The 1992 levels show attenuation resulting from the eruption. Expressed on a percentage basis, the DNI was down 12% (125 W/m^2) in 1992 compared with 1990. Conversely, the 1992 diffuse data show an increase of approximately 50% (40 W/m^2) when compared with 1990.

Figure 2-6 shows the DNI and diffuse data recorded during July 17, 1990; July 17, 1991; and July 16, 1992. Figure 2-7 shows the GHI data recorded during these three days. As noted earlier, the effects of the volcano diminished during the summer months of 1992. The midday DNI values recorded during all three years were within 3%. The recorded diffuse data also show little difference over the three-year period.

Figure 2-8 shows the DNI and diffuse data recorded on December 11, 1990; December 12, 1991; and December 9, 1992. Figure 2-9 shows the GHI data recorded during these three days. Figure 2-8 illustrates the first-year and the second-year effects of the

eruption. The 1991 DNI value, recorded six months after the eruption, shows a decline of 18% (125 W/m^2) when compared with 1990. In comparison, the 1992 value, recorded 18 months following the eruption, shows a decline of only 8% (79 W/m^2) compared with 1990 levels.




Figure 2-4. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico
2/16/90, 2/14/91, 2/14/92.




Figure 2-5. Global Horizontal Irradiance -- Las Cruces, New Mexico
2/16/90, 2/14/91, 2/14/92.




Figure 2-6. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico
7/17/90, 7/17/91, 7/16/92.




Figure 2-7. Global Horizontal Irradiance -- Las Cruces, New Mexico
7/17/90, 7/17/91, 7/16/92.




Figure 2-8. Direct Normal and Diffuse Irradiance -- Las Cruces, New Mexico
12/11/90, 12/12/91, 12/9/92.




Figure 2-9. Global Horizontal Irradiance -- Las Cruces, New Mexico
12/11/90, 12/12/91, 12/9/92.

3.0 GOLDEN, COLORADO

The National Renewable Energy Laboratory (NREL) has been collecting solar and meteorological data at the Solar Radiation Research Laboratory (SRRL) in Golden, Colorado, since 1981. The site was originally located at the base of South Table Mountain but was moved to the top of the mountain in 1983. The longitude and latitude of the location are W 105.18° and N 39.74°. The elevation is 1829 meters (6000 feet). Approximately 25 solar and meteorological instruments are in use at the site. This report makes use of data from three of these instruments: an Eppley Normal Incidence Pyrheliometer (NIP) to measure direct normal irradiance; an Eppley Precision Spectral Pyranometer (PSP) to measure global horizontal irradiance; and an Eppley shadow band and PSP to measure horizontal diffuse irradiance.

3.1 Recorded Insolation

Table 3-1 presents the direct normal insolation recorded in Golden for the period of January 1990 through November 1992. In this reporting period, 35 events were experienced during which data from the NIP were unavailable. The longest of these was the period of March 28, 1992 through April 27, 1992 when the NIP was off-line for recalibration.

Table 3-1
Direct Normal Insolation for Golden, Colorado: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	172.0	149.4	132.5
February	135.1	141.0	110.8
March	131.9	194.4	107.1
April	119.5	129.5	1
May	180.2	166.7	131.0
June	249.0	181.0	164.2
July	160.3	208.0	172.6
August	192.0	166.0	139.0
September	186.4	174.1	196.8
October	191.8	171.1	134.0
November	142.9	119.0	91.3
December	157.2	123.4	-

¹ The NIP was off-line for calibration during most of April 1992, and data are unavailable.

Table 3-2 presents the global horizontal insolation recorded in Golden during the same three-year period. As stated earlier, tables of monthly insolation totals alone cannot be used to assess the effects of the Pinatubo eruption.

Table 3-2
Global Horizontal Insolation for Golden, Colorado: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	82.2	81.0	80.6
February	89.2	91.9	96.2
March	122.8	148.3	125.3
April	135.4	149.6	275.3
May	187.8	185.1	140.0
June	223.4	188.8	202.5
July	170.4	193.1	152.7
August	174.7	164.4	164.2
September	145.3	146.7	169.4
October	119.7	119.0	111.2
November	78.1	77.4	74.1
December	74.2	70.5	-

Figure 3-1 shows the Direct Normal Irradiance (DNI) recorded over the period of January 1990 through November 1992. Two data points are plotted for each day: the hourly average value recorded for the period from 11:00 am to 12:00 pm, and the hourly average value recorded for the period from 12:00 pm to 1:00 pm. Figure 3-2 shows the Global Horizontal Irradiance (GHI) recorded for the three-year period. Again, the two hourly records that bracket solar noon are plotted for each day.

The DNI data for Golden, Colorado, are similar to those recorded in Las Cruces, New Mexico (presented in Section 1). During 1990, a yearly cycle of winter highs and summer lows was observed. As in Las Cruces, winter highs exceeding 1000 W/m² were often recorded. During the summer of 1990, midday DNI levels decreased, reaching approximately 950 W/m². Following the Pinatubo eruption in June 1991, this cycle was altered. DNI values remained near 900 W/m² during the winter of 1991/92 and during the last quarter of 1992.




Figure 3-1. Direct Normal Irradiance -- Golden, Colorado:
January 1990 through November 1992.




Figure 3-2. Global Horizontal Irradiance -- Golden, Colorado:
January 1990 through November 1992.

3.2 Effects on Direct Normal Irradiance

Figure 3-3 presents a qualitative illustration of the effects of the Pinatubo eruption on DNI levels recorded in Golden, Colorado. The figure shows daily quotients of 1991 vs. 1990 and 1992 vs. 1990 'clear sky' DNI values. As outlined in the previous section, the method used to screen for clear sky conditions extracted, for each day of the year, the single maximum DNI value observed during a 15-day period. That is, for day n, the value used was the maximum DNI observed in the period of day n-7 to day n+7. Quotients were generated by dividing the extracted value for each day of 1991 and 1992 by its corresponding 1990 value. In this way, the 1991 and 1992 data were indexed against pre-eruption (1990) conditions.




Figure 3-3. Clear Sky DNI Quotients -- Golden, CO 1991/1990 and 1992/1990.

Prior to the eruption, 1991 clear sky DNI values were unchanged from what they had been in 1990. Ratios of approximately 1.0 were determined for the first six months of 1991. Following the eruption, clear sky DNI values declined steadily. Minimum levels were recorded in January 1992, when DNI values fell to approximately 85% of their 1990 levels. As observed elsewhere, the effects of the eruption abated during the summer months of 1992. Clear sky DNI levels returned to within a few percent of their

1990 levels. At year's end, however, the effects of the eruption were again evident. At that time, clear sky DNI levels dropped to less than 90% of their recorded 1990 levels.

3.3 Typical Cloudless Days

The data were examined to select days that had been cloudless or near cloudless in each of the three years. Golden had fewer days that were cloudless in consecutive years than did the other sites evaluated in this report. Two sets of these days are presented here.

Figure 3-4 shows DNI and diffuse data recorded during individual days in either February or March of three consecutive years: March 2, 1990; March 7, 1991; and February 28, 1992. Figure 3-5 shows the GHI data recorded during these three days.

As shown in Figure 3-4, the DNI values for 1990 and the pre-eruption period of 1991 were comparable. In 1992, the recorded DNI data show attenuation resulting from the eruption. Expressed on a percentage basis, the DNI was down 12% (128 W/m^2) in 1992 compared with 1990. The midday 1992 diffuse data show an increase of approximately 50 W/m^2 compared with 1990.

Figure 3-6 shows the DNI and diffuse data recorded during October 21, 1990; October 21, 1991; and October 10, 1992. Figure 3-7 shows the GHI data recorded during these three days. Figure 3-6 shows the first-year and the second-year effects of the eruption. The peak 1991 DNI value (943 W/m^2), recorded four months after the eruption, is 9% lower than 1990 value (1034 W/m^2). The 1992 value (917 W/m^2), recorded 16 months following the eruption, shows a decline of 11% compared to 1990 levels.




Figure 3-4. Direct Normal and Diffuse Irradiance -- Golden, Colorado
3/2/90, 3/7/91, 2/28/92.




Figure 3-5. Global Horizontal Irradiance -- Golden, Colorado
3/2/90, 3/7/91, 2/28/92.




Figure 3-6. Direct Normal and Diffuse Irradiance -- Golden, Colorado
10/21/90, 10/21/91, 10/10/92.




Figure 3-7. Global Horizontal Irradiance -- Golden, Colorado
10/21/90, 10/21/91, 10/10/92.

4.0 CARRISA PLAINS, CALIFORNIA

Pacific Gas and Electric Company (PG&E) has conducted weather monitoring under its Solar Insolation Monitoring Project (SIMP) at 14 different sites throughout its service territory in northern and central California since 1984. For this report, PG&E made available data recorded at Carrisa Plains, California. The site is in the California valley in the central region of the state. The longitude and latitude of the location are W 120.05° and N 35.35°. The elevation is 609 meters (2000 feet). On site is an Eppley Normal Incidence Pyrheliometer (NIP) to measure direct normal irradiance, and an Eppley Precision Spectral Pyranometer (PSP) to measure global horizontal irradiance.

4.1 Recorded Insolation

Table 4-1 presents the direct normal insolation recorded in Carrisa Plains for the period of January 1990 through April 1992.

Table 4-1
Direct Normal Insolation for Carrisa Plains, California: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	153.9	138.6	130.9
February	148.0	153.4	92.0
March	189.8	140.4	81.4
April	208.5	221.8	190.5
May	271.4	276.2	-
June	318.2	281.2	-
July	320.1	304.9	-
August	287.8	268.6	-
September	248.4	233.0	-
October	244.7	206.1	-
November	192.0	168.7	-
December	183.3	118.3	-

Table 4-2 presents the global horizontal insolation recorded in Carrisa Plains during the same three-year period.

Table 4-2
Global Horizontal Insolation for Carrisa Plains, California: 1990 - 1992

Month	1990 (kWh/m ²)	1991 (kWh/m ²)	1992 (kWh/m ²)
January	95.5	91.6	97.3
February	114.7	110.6	98.4
March	169.1	137.8	126.5
April	198.9	206.3	206.0
May	243.0	247.3	-
June	261.9	248.5	-
July	262.8	253.9	-
August	234.4	222.7	-
September	187.2	185.3	-
October	157.4	145.8	-
November	109.8	110.1	-
December	95.1	84.5	-

Figure 4-1 shows the Direct Normal Irradiance (DNI) recorded over the three-year period. Two data points are plotted for each day: the half-hourly average value recorded for the period from 11:30 am to 12:00 pm and the half-hourly average value recorded for the period from 12:00 pm to 12:30 pm.

The effects of the Pinatubo eruption are seen in Figure 4-1. During the period of January 1990 through June 1991, the clear sky DNI often reached levels of 1000 W/m². Following the Pinatubo eruption in June 1991, a steady decline in the clear sky DNI values was recorded. Midday DNI levels declined to approximately 900 W/m² or less. After the eruption, values in excess of 1000 W/m² were no longer observed.

Figure 4-2 shows the Global Horizontal Irradiance (GHI) recorded for the three-year period. As with other sites, effects of the volcano on the global irradiance are less discernible than effects on the direct normal component.




Figure 4-1. Direct Normal Irradiance -- Carrisa Plains, California:
January 1990 through October 1992.




Figure 4-2. Global Horizontal Irradiance -- Carrisa Plains, California:
January 1990 through October 1992.

4.2 Effects on Direct Normal Irradiance

Figure 4-3 presents a qualitative illustration of the effects of the Pinatubo eruption on DNI levels recorded in Carrisa Plains, CA. The figure shows daily quotients of 1991 vs. 1990 and 1992, vs. 1990 'clear sky' DNI values. Data for 1992 are available only through the end of April. As outlined in the previous section, the method used to screen for clear sky conditions was to extract, for each day of the year, the single maximum DNI value observed during a 15-day period. That is, for day n , the value used was the maximum DNI observed in the period of day $n-7$ to day $n+7$. Quotients were generated by dividing the extracted value for each day of 1991 and 1992 by its corresponding 1990 value. In this way, the 1991 and 1992 data were indexed against pre-eruption (1990) conditions.




Figure 4-3. Clear Sky DNI Quotients -- Carrisa Plains, CA 1991/1990 and 1992/1990.

For the months prior to the eruption, 1991 clear sky DNI values were similar to what they had been in 1990. Ratios remained approximately equal to 1.0. Following the eruption, clear sky DNI values declined. During December 1991 and January 1992, DNI values fell to approximately 80% of their 1990 levels. During spring 1992, the effects of the eruption moderated, as observed at other sites. Data are not available after April 1992.

4.3 Typical Cloudless Days

The data were examined to select days that had been cloudless or near cloudless in each of the three years of the reporting period. Three sets of these days are presented here.

Figure 4-4 shows DNI and diffuse data recorded during individual days in January of three consecutive years: January 21, 1990; January 23, 1991; and January 23, 1992. The 1990 and 1991 data were recorded prior to the eruption. The diffuse data for all three years have been calculated. Figure 4-5 shows the GHI data recorded during these three days.

As shown in Figure 4-4, the DNI levels recorded during 1990 and the pre-eruption period of 1991 were roughly comparable. The 1992 levels have been attenuated by the eruption. Expressed on a percentage basis, the DNI was down 5% (49 W/m^2) in 1992 compared with 1990, and down 10% (100 W/m^2) when compared with 1991. Conversely, the midday 1992 diffuse data show an increase of approximately 50 W/m^2 compared with 1990, and 70 W/m^2 compared with 1991.

Figure 4-6 shows the DNI and diffuse data recorded during December 8, 1990, and December 4, 1991. Figure 4-7 shows the GHI data recorded during these two days. Data for this day in 1992 are not available. In this case, the 1991 data were recorded six months after the eruption. The DNI values recorded at 12:00 were 993 and 897 W/m^2 in 1990 and 1991, respectively. The 1991 diffuse irradiance increased by 50 W/m^2 compared with 1990. Interestingly, despite these changes, the net result left the GHI values for the two years virtually identical.




Figure 4-4. Direct Normal and Diffuse Irradiance -- Carrisa Plains, California
1/21/90, 1/23/91, 1/23/92.




Figure 4-5. Global Horizontal Irradiance -- Carrisa Plains, California
1/21/90, 1/23/91, 1/23/92.




Figure 4-6. Direct Normal and Diffuse Irradiance -- Carrisa Plains, California 12/8/90, 12/4/91.




Figure 4-7. Global Horizontal Irradiance -- Carrisa Plains, California 12/8/90, 12/4/91.

5.0 ALBUQUERQUE, NEW MEXICO

Solar resource data have been recorded at the Solar Insolation monitor station at Sandia National Laboratories (SNL) in Albuquerque, New Mexico, since February 1991. The site is west of the Rio Grande, in the foothills of the Sandia Mountains, in the central region of the state. The longitude and latitude of the location are W 106.62° and N 35.05°. The elevation is 1619 meters (5310 feet). On site is an Eppley Normal Incidence Pyrheliometer (NIP) to measure direct normal irradiance, an Eppley Precision Spectral Pyranometer (PSP) to measure global horizontal irradiance, and an Eppley shadow band and PSP to measure horizontal diffuse irradiance.

5.1 Recorded Insolation

Table 5-1 presents the direct normal insolation recorded in Albuquerque for the period of February 1991 through December 1992.

Table 5-1
Direct Normal Insolation for Albuquerque, New Mexico: 1991 - 1992

Month	1991 (kWh/m ²)	1992 (kWh/m ²)
January	-	130.5
February	147.5	109.5
March	169.1	138.9
April	266.7	205.2
May	289.2	150.3
June	246.7	234.5
July	192.6	207.1
August	209.6	218.4
September	180.2	229.2
October	205.7	162.4
November	156.3	136.0
December	110.9	81.2

Table 5-2 presents the global horizontal insolation recorded in Albuquerque during the same period.

Table 5-2

Global Horizontal Insolation for Albuquerque, New Mexico: 1991 - 1992

Month	1991 (kWh/m ²)	1992 (kWh/m ²)
January	—	90.6
February	110.3	106.3
March	151.4	146.0
April	213.3	200.9
May	246.7	196.9
June	226.6	224.4
July	211.5	214.2
August	201.4	206.9
September	164.9	177.9
October	143.7	129.2
November	97.3	92.9
December	78.2	72.1

Figure 5-1 shows the Direct Normal Irradiance (DNI) recorded over the two-year period. Two data points are plotted for each day: the half-hourly average value recorded for the period from 11:30 am to 12:00 pm, and the half-hourly average value recorded for the period from 12:00 pm to 12:30 pm.

As with the data recorded in Las Cruces, the DNI data recorded in Albuquerque show the effects of the Pinatubo eruption. DNI levels recorded during the first half of 1992 were approximately 10% less than those recorded during the first half of 1991. In addition, at no time following the eruption did DNI values reach 1000 W/m².

Figure 5-2 shows the Global Horizontal Irradiance (GHI) recorded for the three-year period. Again, the two half-hourly records that bracket solar noon are plotted for each day. In general, the 1992 summer values are slightly lower than those recorded in 1991.




Figure 5-1. Direct Normal Irradiance -- Albuquerque, New Mexico:
February 1991 through December 1992.




Figure 5-2. Global Horizontal Irradiance -- Albuquerque, New Mexico:
February 1991 through December 1992.

5.2 Effects on Direct Normal Irradiance

Figure 5-3 presents a qualitative illustration of the effects of the Pinatubo eruption on DNI levels recorded in Albuquerque, New Mexico. The only pre-eruption data available were for the period of February 1991 through July 1991. Thus, 'clear sky' DNI ratios were generated with data collected from February 1992 through July 1992 (post-eruption period) compared with data from February 1991 through July 1991 (pre-eruption period). As outlined in the previous section, the method used to screen for clear sky conditions extracted, for each day of the year, the single maximum DNI value observed during a 15-day period. That is, for day n, the value used was the maximum DNI observed in the period from day n-7 to day n+7. Quotients were generated by dividing the extracted value for each day of the post-eruption period of 1992 by its corresponding pre-eruption 1991 value. In this way, the 1992 data were indexed against pre-eruption (1991) conditions.




Figure 5-3. Clear Sky DNI Quotients -- Albuquerque, NM 1992/1991.

As described earlier, the effect of the eruption was a reduction of the DNI. In this case, the values recorded during the first quarter of 1992 were approximately 12% below those recorded during the same period in 1991. By summer 1992, the attenuation of the DNI was less pronounced and the ratio of post- to pre-eruption values began to rise.

5.3 Typical Cloudless Days

The data were examined to select days that had been cloudless or near cloudless in each of the two years. Two sets of these days are presented here.

Figure 5-4 shows DNI and diffuse irradiance data recorded on individual days in two consecutive years: March 8, 1991, and March 6, 1992. Figure 5-5 shows the GHI data recorded during these two days.

As shown in Figure 5-4, the 1992 DNI data, recorded nine months after the eruption, show attenuation when compared with the pre-eruption data recorded in early 1991. The DNI values recorded at 12:30 were 1017 and 896 W/m² in 1991 and 1992, respectively. Expressed on a percentage basis, the DNI was down 12% in 1992 compared with 1991. The midday 1992 diffuse data show an increase of approximately 45 W/m² compared with 1991.

Figure 5-6 shows the DNI and diffuse data recorded on June 16, 1991, and June 14, 1992. Figure 5-7 shows the GHI data recorded during these two days. As observed elsewhere, the effects of the eruption diminished during the summer months. The DNI values recorded at 12:30 were 929 and 932 W/m² in 1991 and 1992, respectively.




Figure 5-4. Direct Normal and Diffuse Irradiance -- Albuquerque, New Mexico 3/8/91, 3/6/92.




Figure 5-5. Global Horizontal Irradiance -- Albuquerque, New Mexico 3/8/91, 3/6/92.




Figure 5-6. Direct Normal and Diffuse Irradiance -- Albuquerque, New Mexico 6/16/91, 6/14/92.




Figure 5-7. Global Horizontal Irradiance -- Albuquerque, New Mexico 6/16/91, 6/14/92.

6.0 DATA QUALITY ASSURANCE

Several steps of quality assurance (QA) checking were applied to all data used in this report. Data fields that failed QA were flagged and the flagged fields were *manually* inspected before any action was taken. Remediation of a flagged field was possible for sites that monitor global horizontal, direct normal, and horizontal diffuse irradiance when only a single field was erroneous per given record. When more than one field per record was flagged, or when less than three solar instruments were in use, the flagged values were examined and discarded.

Throughout all QA processing, the value of 1367 W/m^2 was used for the solar constant. Solar position was calculated according to the method outlined by Iqbal (5).

For each site, the first step of QA was gross range checking of the data. At the low end, all negative values were flagged. To evaluate the upper limit, a clear sky value for transmittance of beam radiation was calculated according to Hottel (6). This model requires the derivation of site-specific coefficients. These were refined via inspection against actual data from each site and ultimately selected to pass all but the most recognizably egregious data. The upper limit of acceptability for DNI was 1.2 times the product of the solar constant times the calculated transmittance coefficient. Horizontal irradiance was compared against this upper limit times the cosine of the sun's zenith angle. For diffuse irradiance, any value was flagged that exceeded 0.9 times the global horizontal irradiance.

At three of the four sites, direct normal, horizontal diffuse, and global horizontal irradiance are monitored. Testing was performed to determine whether the global horizontal irradiance was within 10% of the sum of the diffuse irradiance plus the product of the direct normal irradiance times the cosine of the solar zenith angle. When data from Las Cruces consistently failed this test, it was discovered that the datalogger clock had drifted. Correction of the time stamp associated with the data records was undertaken. This enabled all of the data to pass QA.

Though time consuming, the requirement that all questionable data be manually inspected has proven to be a prudent practice in the preparation of reports of this kind.

7.0 CONCLUSIONS

Analysis of recorded data from four sites in the western United States has revealed some of the effects of the eruption of Mount Pinatubo on solar insolation levels.

Conclusions based upon these analyses are:

- Direct normal irradiance has been reduced from historical levels. The attenuation of DNI has followed a cyclical pattern: greatest attenuation during the winter months, less during the summer months. During January 1992, clear sky DNI values were only 80% to 85% of the values recorded in 1990. During the summer of 1992, these values were essentially unchanged from their 1990 levels. By December 1992, clear sky DNI was again attenuated, reaching only 85% to 95% of 1990 levels.
- Greater scattering due to volcanic aerosols increased the level of horizontal diffuse irradiance following the eruption. Increases over historical levels of 100% (50 - 60 W/m²) were recorded during the first winter months following the eruption.
- The eruption's net effect on global horizontal irradiance has been less pronounced than on the direct and diffuse irradiance components.

SUMMARY

The objectives of this report were to identify and to quantify the effects of the Mount Pinatubo eruption of June 1991 on solar insolation levels. Solar insolation data from four sites in the western United States were obtained for analysis. The four sites studied were:

- The Southwest Region Experiment Station in Las Cruces, New Mexico;
- The Solar Radiation Research Laboratory at the National Renewable Energy Laboratory in Golden, Colorado;
- The Solar Insolation Monitor Program station operated by the Pacific Gas and Electric Company in Carrisa Plains, California;
- The Solar Insolation monitor station at Sandia National Laboratories in Albuquerque, New Mexico.

In general, the findings for all four sites are consistent. At each location, Direct Normal Irradiance (DNI) was reduced following the eruption. The greatest attenuation of the DNI was observed during the winter of 1991/92. At this time, clear sky DNI levels reached only 80% to 90% of the values recorded a year earlier.

At all sites, attenuation due to the eruption abated during the spring and summer of 1992. DNI levels recorded on clear days in the summer of 1992 were similar to those recorded prior to the eruption.

During the latter half of 1992, the second winter following the eruption, attenuated DNI levels were again observed. Clear sky DNI levels for the fall and winter of 1992 were approximately 85% to 95% of the values recorded in 1990.

Diffuse horizontal irradiance levels increased following the eruption. Midday clear sky levels increased 50 - 60 W/m² during the winter of 1991/92. The net effect, therefore, on the Global Horizontal Irradiance (GHI) was far less than on the DNI.

To illustrate Pinatubo's effects, plots showing comparisons of 1991 vs. 1990 and 1992 vs. 1990 'clear sky' DNI values were made. The method used to screen for clear sky conditions extracted, for each day of the year, the single maximum DNI value observed during a 15-day period. That is, for day n, the value used was the maximum DNI

observed in the period from day n-7 to day n+7. Quotients were generated by dividing the extracted value for each day of 1991 and 1992 by its corresponding 1990 value. In this way, the 1991 and 1992 data were indexed against pre-eruption (1990) conditions. Figure S-1 shows the normalized clear sky DNI ratios obtained for Las Cruces, New Mexico. Figure S-2 shows the same ratios generated for Golden, Colorado.




Figure S-1. Clear Sky DNI Quotients -- Las Cruces, NM.




Figure S-2. Clear Sky DNI Quotients -- Golden, CO.

As the figures illustrate, during the first half of 1991 DNI levels at both sites were comparable to those recorded in 1990. The normalized ratios were approximately 1.0 at this time. Following the eruption in June 1991, a cyclic pattern of attenuation was seen: greater attenuation in the winter, less in the summer.

DNI levels at both sites during the winter of 1991/92 were only 80% of their 1990 levels. This was followed by several months of decreasing attenuation. During the summer of 1992, DNI levels were within a few percent of their 1990 values. Attenuation again increased as the latter half of 1992 progressed. DNI levels in December 1992 were well below those of 1990 but were higher than recorded in 1991.

REFERENCES

1. C. Joyce, "Volcano clouds the picture on global warming," *New Scientist* **131**, 11 (1991).
2. R. A. Kerr, "Huge eruption may cool the globe," *Science* **252**, 1780 (1991).
3. "Volcano could cool climate, reduce ozone," *Science News* **140**, 7 (1991).
4. M. Iqbal, *An Introduction to Solar Radiation*, Academic Press, New York, 1983.
5. H.C. Hottel, "A Simple Method for Estimating the Transmittance of Direct Solar Radiation Through Clear Atmospheres," *Solar Energy* **18**, 129 (1976).

1606 Civil Engineering Squadron
Attn: James Fejer
Deputy Chief, Operations Branch
1606 ABW/DEM
Kirtland AFB, NM 87117-5496

3M-Energy Control Products (2)
Attn: R. Dahlen
P. Jaster
207-1W 3M Center
St. Paul, MN 55144

3M-Solar Optics Program
Attn: Paul Jaster
Heather Kutzler
3M Center
Bldg. 225-2n-06
St. Paul, MN 55144-1000

Advanced Thermal Systems
Attn: Dave Gorman
7600 East Arapahoe Rd., Suite 215
Englewood, CO 80112

Alabama Power Co.
Attn: Greg Reardon
P.O. Box 2641
Birmingham, AL 35291

Alabama Solar Energy Center
Attn: Leonard Adcock
University of Alabama in Huntsville
Huntsville, AL 35899

Alan Richardson
Business Liaison
New Postal Building
Room 3004
Santa Fe, NM 87501

American Institute of Architects
Attn: Richard C. Depta, AIA
Director Energy Information
1735 New York Ave., NW
Washington, DC 20006

Applied Concepts
Attn: S. Pond
2501 S. Larimer County Rd. 21
Berthoud, CO 80513

Applied Research Associates, Inc.
4300 San Mateo NE, Suite A-220
Albuquerque, NM 87110

Aqua Vit Foundation
Attn: Rob Sangster
324 Wilkinson
Memphis, TN 38111

Argonne National Laboratory
Materials and Components Technology Div
Attn: Robert E. Holtz
9700 South Cass Avenue
Argonne, IL 60439

Arizona Department of Commerce
Arizona Energy Office
Attn: Jack Haenichen
Frank P. Mancini, Ph.D.
3800 N. Central, Suite 1200
Phoenix, AZ 85012

Arizona Public Service Co.
Attn: Thomas C. Lepley
J. McGuirk
P.O. Box 53999
Phoenix, AZ 85072-3999

Ascension Technology
Attn: Ed Kern
Box 314
Lincoln Center, MA 01773

AT&T
Attn: Gregory P. Robertson, P.E.
P. O. Box 13369
Phoenix, AZ 85002

Augustyn & Company
Attn: Jim Augustyn
1029 Solano Ave., Suite C
Albany, CA 94706

B&E Technical Services Inc.
Attn: William R. Lang
600 S. Cherry St. #325
Denver, CO 80222-1705

Barber-Nichols Engineering
Attn: R. Barber
6325 West 55th Ave.
Arvada, CO 80002

Battelle Pacific Northwest Laboratory (2)
Attn: D. Brown
P.O. Box 999
Richland, WA 99352

BDM Corporation
Attn: Tim Lanbarski
W. E. Schwinkendorf
MS-C35B
1801 Randolph Street, S.E.
Albuquerque, NM 87106

Bechtel National, Inc. (3)
Attn: P. DeLaquil
S. Nickovich
W. Stolte
50 Beale Street
50/15 D8
P.O. Box 3965
San Francisco, CA 94106

Black & Veatch Consulting Engineers
Attn: J. C. Grosskreutz
P.O. Box 8405
Kansas City, MO 64114

Boston Edison Company
Attn: Michael Mulcahy
800 Boylston Street
Boston, MA 02199

Brookhaven National Labs
Attn: John Andrews
National Center for Analysis
of Energy Systems
Upton, NY 11973

Budd Company (The)
Attn: John M. Vergoz
3155 W. Big Beaver Road
Troy, MI 48084

Cal Tech
Attn: R. Middlebrook
116-81 Cal Tech
Pasadena, CA 91125

California Institute of Technology
Aeronautics Library
Attn: Jean Anderson
MS 205-45
Pasadena, CA 91125

California Polytechnic State University
Attn: Dr. Safwat M.A. Moustafa, P.E.
San Luis Obispo, CA 93407

California Polytechnic University
Dept. of Mechanical Engineering
Attn: W. B. Stine
Pomona, CA 91768-4062

Carlo LaPorta
2201 Wisconsin Avenue NE
Washington, DC 20007

Carolina Power & Light Co.
Attn: Kent Hoffman
Center Plaza Bldg.
P.O. Box 1551
Raleigh, NC 27602

City of Albuquerque
Attn: Linda Stewart
City Council
P. O. Box 1293
Albuquerque, NM 87103

City of Albuquerque
Attn: Mike Minturn, Manager
Resource Management Division
General Services Department
P. O. Box 1293
Albuquerque, NM 87013

City of Austin Power & Light
Attn: David Panico
P.O. Box 1088
Austin, TX 78767

City of Las Cruces
Attn: Jerry Trojan
Assist. City Manager
P. O. Drawer CLC
Las Cruces, NM 88004

Clarkson University
Attn: Eric F. Thacher
Dept. of Mechanical and Aeronautical Engrg.
Potsdam, NY 13699-5725

Colorado State University
Attn: Dr. Allan T. Kirkpatrick
Department of Mechanical Engineering
Ft. Collins, CO 80523

Colorado State University
Attn: Mark Thornbloom
Solar Energy Applications Lab
Fort Collins, CO 80523

Commonwealth of Virginia
Department of Mines, Minerals, Energy
Attn: Susie Thomas
The Bookbinder Building
2201 West Broad St.
Richmond, VA 23220

County of Hawaii
Attn: Steve Burns
Dept. of Research and Development
25 Aupuni Street
Hilo, HI 96720

Cummins Engine Company
Attn: Dr. Isoroku Kubo
Mail Code 50179
Box 3005
Columbus, IN 47202-3005

Cummins Power Generation South
Attn: M. McGlaun
150 Tannehill Drive
Abilene, TX 79602

Cygnus Engineering
Attn: Vincent P. Dowd
R. D. 3, Box 2527
Middlebury, VT 05753

D&T Solar
Attn: Thomas Caldwell
418 Vista Larga
Los Lunas, NM 87031

Dan Ka Products, Inc.
Attn: D. Sallis
3905 South Mariposa
Englewood, CO 80110

Datron Systems, Inc.
200 West Los Angeles Ave.
Simi Valley, CA 93065-1650

Dayton Power & Light Company
Attn: S. K. Aventsen
P. O. Box 1237
Courthouse Plaza
Dayton, OH 45401

Dominion Energy Corp.
Attn: John Frank
P. O. Box 26532
Richmond, VA 23261

Don Beremand
30101 Wolf Rd.
Bay Village, OH 44140

Dayton Power & Light Company
Attn: S. K. Aventsen
P.O. Box 1247
Courthouse Plaza
Dayton, OH 45401

Dominion Energy Corp.
Attn: John Frank
P.O. Box 26532
Richmond, VA 23261

Don Beremand
30101 Wolf Rd.
Bay Village, OH 44140

Donnelly Corporation
Attn: M. DeVries
49 West Third Street
Holland, MI 49423

DSET
Attn: G. A. Zerlaut
Box 1850
Black Canyon Stage I
Phoenix, AZ 85029

ECOTOPE
Energy Efficient Solutions
Attn: David R. Baylon
2812 E. Madison
Seattle, WA 98112

Electric Power Research Inst.
Attn: E. DeMeo
J. Bigger
3412 Hillview Avenue
Palo Alto, CA 94303

Endecon
Attn: Chuck Whittaker
3401 Crown Canyon Road
Suite 253
San Ramon, CA 94583

Energy Concepts Co.
Attn: Don Erickson
627 Ridgely Ave.
Annapolis, MD 21401

Energy System Consultants
Attn: Dana Sears
1532 79th Avenue NE
Brookland Park, MN 55444

Energy Technology Engr. Ctr.
Rockwell International Corp.
Attn: W. L. Bigelow
P.O. Box 1449
Canoga Park, CA 91304

ENTECH, Inc.
Attn: M. O'Neill
R. Walters
P.O. Box 612246
DFW Airport, TX 75261

Environmental Laboratory
Attn: John A. Dufay
915 Locust St., NE
Albuquerque, NM 87106-4300

ESELCO
Attn: Sheldon L. Levy
8116 Fontana
Prairie Village, KS 66208

Eurodrive, Inc.
30599 San Antonio Rd.
Hayward, CA 94544

FAWP
Attn: Curtis H. Taylor
923 Old Bay Bridge Road
Tallahassee, FL 32303

**Federal Conservation & Renewable
Energy Referral Service**
P. O. Box 8900
Silver Spring, MD 20907

Federal Energy Management Activities
CE 10.1
U.S. Department of Energy
1000 Independence Ave.
Washington, DC 20585

Florida Power Corp.
Attn: Christy Herig
3201 34th Street South
St. Petersburg, FL 33711

Florida Power and Light
Attn: R. S. Allan
P.O. Box 14000
Juno Beach, FL 33408

Florida Solar Energy Center D(4)
Attn: John Harrison
Library
David Block
Jim Huggins
300 State Road 401
Cape Canaveral, FL 32920

Georgia Inst. of Technology
Attn: Sheldon Jeter
School of Mechanical Engineering
Atlanta, GA 30332

Georgia Power Co.
Attn: Dennis Keebaugh
W. King
7 Solar Circle
Shenandoah, GA 30265

Gould Inc., Foil Division
Attn: David C. Knipfer,
Sr. Mech. Engineer
2929 W. Chandler Blvd.
P.O. Box 190
Chandler, AZ 85244-0190

Harris Corporation (2)
Government Aerospace Systems Division
Attn: K. Schumacher
P. O. Box 9400
Melbourne, FL 32902

Hawai'i Energy Extension Service
Attn: Andrea Gill Beck
Dept. of Business and Economic Development
Hawai'i Business Center
99 Aupuni Street #214
Hilo, HI 96720

Hawaii Solar Energy Association
Attn: Ron Richmond
P. O. Box 23350
Honolulu, HI 96823

Heliodyne, Inc.
Attn: Jurg H. Bieri, Ph.D.
4910 Seaport Ave.
Richmond, CA 94804

Hilda Frazier DCA
2740 Centerview Drive
Tallahassee, FL 32399-2100

Hydrogen Engineering Associates
Attn: Roy E. McAlister
540 North May St., Suite 3078
Mesa, AZ 85201

Industrial Solar Technologies
Attn: Randy Gee
5775 West 52nd Ave.
Denver, CO 80212

International Planning Association, Inc
Editor
807 Caddington Ave.
Silver Spring, MD 20901

Jacksonville Electric Authority
Attn: George Rizk
Box 53105
Jacksonville, FL 32201

Jet Propulsion Laboratory
Attn: M. Alper
4800 Oak Grove Drive
Pasadena, CA 91109

Kearney & Associates
Attn: David W. Kearney
14022 Condessa Drive
Del Mar, CA 92014

Kirk Enterprises, Inc.
Kirkland & Richards Solar & Elect.
Attn: Gregory H. Kirkland
P.O. Box 741
Inglis, FL 32649

Long Island Lighting Co.
Attn: Joseph Miller
175 E. Old Country Road
Hicksville, NY 11801

Los Alamos National Laboratory
Attn: Dr. Donald Neeper
Staff Member

Advanced Engineering Technology Group
P.O. Box 1663, MS F576
Los Alamos, NM 87545

Lower Colorado River Resource
Conservation & Development Project
Attn: Michael Forrest
Coordinator
1713 Kofa, Suite G
Parker, AZ 85344

Massachusetts Institute of Technology
Attn: J. G. Kassalkian
M. F. Schlect
Elec. Power Systems Engr. Lab.
Cambridge, MA 02139

Mechanical Technology, Inc.
Attn: G. R. Dochat
968 Albany Shaker Road
Latham, NY 12110

Meridian Corporation (2)
Attn: D. Kumar
Anil Cabraal
4300 King Street, Suite 400
Alexandria, VA 22302-1508

MicroGrid, Inc.
Attn: Terry L. Egnor
500 N.E. Multnomah, Suite 1050
Portland, OR 97232

Midwest Research Institute
Attn: R. L. Martin
425 Volker Blvd.
Kansas City, MO 64110

NASA/Lewis Research Center
Attn: R. Corrigan
Richard DeLombard
21000 Brookpark Road
Cleveland, OH 44135

National Renewable Energy Lab (5)
Attn: James G. Jones
Russ Hewett
T. Williams
L. M. Murphy
Steve Rubin
1617 Cole Blvd.
Golden, CO 80401-3393

National Technology Transfer Center
Attn: Sergio Lopes
Wheeling Jesuit College
Wheeling, WV 26003

Natural Power, Inc.
Attn: Brian Gordon
Fracestown Turnpike
New Boston, NH 03070

Nature Conservancy
Attn: Will Murray
1815 N. Lynn Street
Arlington, VA 22209

Naval Civil Engineering Lab
Attn: Kwang Ta Huang
CODE L 72
Port Hueneme, CA 93043

Nebraska Department of Economic Development
Attn: Rex Martin
University of Nebraska-Lincoln
W191 Nebraska Hall
Lincoln, NE 68588-0535

New England Power Service
Attn: Ed Gulachenski
25 Research Drive
Westborough, MA 01581

New Mexico Electric Cooperative
Attn: Robert E. Castillo
Executive Vice President
614 Don Gaspar
Santa Fe, NM 87501

New Mexico Institute of Mining & Technology
Attn: Joe Galon
Associate Director of Engineering
Physical Plant Department
Campus Station
Socorro, NM 87801

New Mexico League of Women Voters
Attn: Barbara M. Rosnagle
Natural Resources Chair
116 Salamanca, N.W.
Albuquerque, NM 87107

New Mexico Manufacturing Productivity Center
Attn: Graham Bartlett
1009 Bradbury Drive, S.E.
Albuquerque, NM 87106

New Mexico Public Service Commission
Attn: Peter Bickley
224 E. Palace Avenue
Santa Fe, NM 87501-2031

New Mexico R&D Forum
University of New Mexico
Attn: Richard Cole
Director
R&D Communication Office
Albuquerque, NM 87131-6076

New Mexico Energy Industries Association
Attn: Tom Volek
P.O. Box 90275
Albuquerque, NM 87199-02175

New Mexico Solar Energy Institute
New Mexico State University
Box 3 SOL
Las Cruces, NM 88003

New Mexico State University
Attn: Nick Deveraux
Astronomy Department
Box 30001, Dept. 4500
Las Cruces, NM 88003

New Mexico State University
Attn: Pat Melendrez
San Miguel County Extension Agent
P.O. Box 2170, West Branch
Las Vegas, NM 87701

New Mexico State University (3)
Southwest Technology Development Institute
Attn: Steve Durand
Andrew L. Rosenthal
Dr. Rudi Schoenmackers
Box 30001, Dept. 3SOL
Las Cruces, NM 88003-0001

New Mexico State University
Cooperative Extension Service
Attn: Robert O. Coppedge, Ph.D.
Box 3AE
Las Cruces, NM 88003

New York State Energy Research and Dev. Authority
Attn: Fred Strmisa
2 Rockefeller Plaza
Albany, NY 12223

New York State Pub. Serv. Comm.
Attn: Edward Schrom
Empire State Plaza
Albany, NY 12223

Nippon Electric Glass Co., Ltd.
Attn: Bernard L. Steierman
11801 Rockville Pike, Suite 1704
Rockville, MD 20852

North Carolina Alternative
Energy Corp.
Attn: Bob Weiss
P.O. Box 12699
Research Triangle Park, NC 27709

*Northern Research & Eng. Corp
Attn: Dr. James B. Kesseli
39 Olympia Avenue
Woburn, MA 01801-2073

Northwest Power Planning Council
Attn: Tom Truelove
851 S.W. Sixth Ave., Suite 1100
Portland, Oregon 97204

Pacific Gas and Electric Co. (4)
Attn: Steve Hester
G. Braun
3400 Crow Canyon Road
San Ramon, CA 94583

Parsons of California
Attn: D. R. Biddle
P.O. Box 6189
Stockton, CA 95206

Pennsylvania Energy Office
Attn: Dr. Phillip Schuller,
Associate Director
116 Pine Street
Harrisburg, PA 17101-1227

Photovoltaic Energy Systems
Attn: Paul Maycock
P. O. Box 290
Casanova, VA 22017

Platte River Power Authority
Attn: Carol Dollard
Timberline, and Horsetooth Roads
Fort Collins, CO 80525

Portland State University
Attn: Jean P. Murray, Ph.D.
P.O. Box 751
Portland, OR 97207-0751

Power Kinetics, Inc.
Attn: W. E. Rogers
415 River Street
Troy, NY 12180-2822

Public Service Co. of New Mexico
Attn: Becky Kilbourne
Retail Electric Marketing Center
Alvarado Square
Albuquerque, NM 87158

Public Service Co. of New Mexico
Attn: Vic Silva
CR Dept. (0076)
Alvarado Square
Albuquerque, NM 87158

Radco Products, Inc.
Attn: George O. Radford
President
2877 Industrial Parkway
Santa Maria, CA 93455

Renewable Energy Institute
Attn: Kevin Porter
1001 Connecticut Avenue NW
Suite 719
Washington, DC 20036

Research Triangle Institute
Attn: Carl Parker
P.O. Box 12194
Research Triangle Park, NC 27709

Roan Corporation
Attn: James L. Abolt
177 Bovet Road, Suite 520
San Mateo, CA 94402

Rockwell International Corporation
Energy Technology Engineering Center
Attn: Robert K. Hoside, C.E.M.
P. O. Box 1449
Canoga Park, CA 91304

Rockwell International
Space Station Systems Division
Attn: I. M. Chen
12214 Lakewood Blvd.
Downey, CA 90241

San Diego Gas & Electric Co.
Attn: Skip Fralick
P.O. Box 1831
San Diego, CA 92112

Schofield Solar
Attn: Alien Carrozza
2450 Channel Drive, Suite A
Venture, CA 93003

Science and Technology Corporation
Attn: Ronald J. Nelson
12452 Towner, N.E.
Albuquerque, NM 87112

Science Applications International Corp.
Attn: Barry Butler
Mail Stop 32
10260 Campus Point Court
San Diego, CA 92121

Scientific Analysis, Inc.
Attn: John Allen Gunn, PE
6012 E. Shirley Lane
Montgomery, AL 36117

Seldom Seen Education
Attn: Mary C. Stuever
P.O. Box 474
Placitas, NM 87043

Sierra Club Rio Grande Chapter
Attn: Ken Hughes
Energy Chair]
1204 Placita Loma
Santa Fe, NM 87520

Sierra Pacific Power Co.
Attn: R. G. Richards
P. O. Box 10100
Reno, NV 89520

SMUD
Attn: Don Osborne
Box 15830
Sacramento, CA 95852-1830

Solar Development, Inc.
Attn: David Burrows
3630 Reese Avenue
Garden Industrial Park
Riviera Beach, FL 33404

Solar Energy Corporation
Attn: Robert Aresty
Box 3065
Princeton, NJ 08540

Solar Energy Industries Association
Attn: Ken Sheinkopf
S. Sklar
Linda Ladas
777 N. Capitol St., N.E., Suite 805
Washington, DC 20002-4226]

Solar Kinetics, Inc.
Attn: J. A. Hutchison
P.O. Box 540636
Dallas, TX 75354-0636

Solar Power Engineering Co. Inc.
Attn: T. Buna
H. Wroton
P. O. Box 91
Morrison, CO 80468

Solar Steam
Attn: D. E. Wood
P.O. Box 32
Fox Island, WA 98333

Southern California Edison Co.
Attn: C. Lopez
P.O. Box 800
Rosemead, CA 91770

Southern Company Services, Inc.
Attn: J. Timothy Petty
P.O. Box 2625
Birmingham, AL 35202

Southwest Technology Development Institute
Attn: Robert Smith, M.E.
Property Control Division
General Services Department
Simms Building
715 Alta Vista
Santa Fe, NM 87503

SRS Technologies
Attn: R. Bradford
990 Explorer Blvd., NW
Huntsville, AL 35806

State of California
California Energy Commission
Energy Technology Development Division
Research and Development Office
Attn: Promod Kumar
Phil Misemer
1516 9th Street, MS-43
Sacramento, CA 95814-5512

State of California
California Energy Commission
Attn: Alec Jenkins
1516 - 9th Street
Sacramento, CA 95814-5512

State of California
Department of Corrections
Attn: Harry Franey
3116 Pleasant Grove Road
Pleasant Grove, CA 95668

State of Colorado
Office of Energy Conservation
Attn: Howard "Andy" Walker, Ph.D., M.E.
Renewable Energies Coordinator
1675 Broadway, Suite 1300
Denver, CO 80202-4613

State of Florida
Attn: Daryl O'Connor
Executive Office of the Governor
The Capitol
Tallahassee, FL 32399-0001

State of Florida
Colleen McCann Kettles
Attn: David Block
Jim Huggins
Florida Solar Energy Center
300 State Road 401
Cape Canaveral, FL 32920-4099

State of Hawaii
Attn: David A. Rezachek, Ph.D., P.E.
Maurice H. Kaya, P.E.
Dept. of Business and Economic Development
335 Merchant St.
Honolulu, HI 96813

State of New Mexico
Energy Information Services
Energy, Minerals and Natural Resources Dept.
Attn: Ingrid Kelley
2040 South Pacheco Street
Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Dept.
Attn: James Cannon
Anita Lockwood
Harold Trujillo]
Brian K. Johnson, P.E.
2040 South Pacheco Street
Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Dept.
Attn: Judy Kowalski
Director of Recycling Programs
2040 South Pacheco Street
Santa Fe, NM 87505

State University of New York
Atmospheric Sciences Research Center
Attn: R. Perey
Albany, NY 12222

State of Texas
Department of Commerce
Attn: Charles Nichols
Renewable Energy Market
Development Specialist
Office of Advanced Technology
P.O. Box 12728
Austin, TX 78711

Sterling Grogan, Ecologist
3128-2 Glenwood Drive
Albuquerque, NM 87107

Stearns-Catalytic Corp.
Attn: T. E. Olson
Box 5888
Denver, CO 80217

Sun Exploration and Production Co.
Attn: R. I. Benner
P.O. Box 2880
Dallas, TX 75221-2880

Sun Utility Network, Inc.
Attn: Les Hamasaki
510 W. 6th St., Suite 417
Los Angeles, CA 90014

Sunshine Solar, Inc.
Attn: Steven R. Robbins, President
9916 SW 218 Terr.
Miami, FL 33190

Technology Enterprise Division
Attn: Karen Martin
P. O. Box 549
Mesilla, NM 88046

Tennessee Valley Authority
Attn: Sharon Ogle
Solar Applications Branch
B 513 Signal Place
Chattanooga, TN 37401

The Armorial Bearings of Tuthill
Education/Development
Attn: Jerry Tuttle, Ph.D.
12305 Eastridge Drive, N.E.
Albuquerque, NM 87112

The Energy Foundation
Attn: Bill Keepin
75 Federal Street
San Francisco, CA 94107

The Solar Letter
Attn: Allan L. Frank
9124 Bradford Rd.
Silver Spring, MD 20901-4918

Thermomotor Corporation
Attn: Lee Fellows
Stirling Engine Research & Development
P. O. Box 201207
Austin, TX 78720

Tom Brumleve
1512 Northgate Road
Walnut Creek, CA 94598

U.S. Army Corps of Engineers
Attn: Larry D. Lister
Mechanical Engineer
P.O. Box 4005
Champaign, IL 61720-1305

U.S. Army Engineering and Housing
Support Center
Attn: Rober G. O'Brien, P.E.
Chief Utilities Engineering Division
CEHSC-FU
Fort Belvoir, VA 22060-5580

U.S. Department of Energy (4)
Forrestal Building
Attn: G. Burch
N. Hough
S. Gronich
C. Carwile
Code EE-13
1000 Independence Avenue, SW
Washington, DC 20585

U.S. Department of Energy
San Francisco Operations Office
Attn: R. Hughey
1333 Broadway
Oakland, CA 94612

U.S. Department of Energy
Forrestal Building
Attn: R. Annan
Code EE-13
1000 Independence Avenue, SW
Washington, DC 20585

U.S. Department of Energy (2)
Albuquerque Operations Offices
Attn: N. Lackey
P. O. Box 5400
Albuquerque, NM 8715

Unique Mobility Inc.
Attn: William M. Anderson
3700 South Jason St.
Englewood, CO 80110

United Solar Technologies, Inc.
Attn: Richard Kelly
3434 Martin Way, Suite One
Olympia, WA 98506

University of Chicago
Enrico Fermi Institute
Attn: J. O'Gallagher
5640 Ellis Avenue
Chicago, IL 60637

University of Central Florida
Attn: Dr. Gerard G. Ventre
Research Scientist
Institute for Simulation and Training
12324 Research Parkway, Suite 300
Orland, FL 32826

University of Delaware
Attn: Allen Barnett
Dept. of EE
Newark, DE 19711

University of Hawaii
Attn: Patrick Takahashi
Hawaii Natural Energy Inst.
2540 Dole Street
Honolulu, HI 96822

University of Lowell
Attn: Thomas Costello
Fahd Wakim
1 University Avenue
Lowell, MA 01854

University of Nevada at Las Vegas
Attn: B. Boehm
Mechanical Engineering Department
Las Vegas, NM 89154

University of New Mexico
NMREI
Attn: G. Leigh
Albuquerque, NM 87131

University of New Mexico
Attn: M. W. Wildin
Department of Mechanical Engineering
Albuquerque, NM 87131

USAF/ETAC
Attn: Hilda Snelling
ENGRC Meteorology Section
Scott AFB, IL 62225

Ventures Plus, Inc.
Attn: Frank A. Simko
4123 N. Tamiami Trail
Sarasota, FL 34234

Virginia Polytechnic Inst.
and State University
Attn: Saifur Rahman, Ph.D.
Associate Professor
Electrical Engineering Department
Blacksburg, VA 24061

Wall Street Journal
Attn: David Stipp,
Environmental reporter
10 Post Office Square
Suite 715
Boston, MA 02109

Westinghouse Science & Tech. Ctr.
Attn: Walter J. Dollard
Technology Director
Energy & Utility Systems Group
1310 Buelah Rd.
Pittsburg, PA 15235

Zomeworks
1011A Sawmill Road, N.W.
Albuquerque, NM 87104

FOREIGN

Australian National University
Department of Engineering Physics
Attn: Prof. Stephen Kaneff
P.O. Box 4
Canberra ACT 2600, AUSTRALIA

DLR
Institute for Technical Thermodynamics
Attn: R. Buck
Pfaffenwaldring 38-40
7000 Stuttgart 80, GERMANY

Energy Research Centre (2)
Attn: K. Inall
R. S. Phy. Sc.
Australian National University
Canberra ACT 2601
AUSTRALIA

Internal Distribution

4212 M. Allen
4212 R. Hamil
4212 D. Belasich

4212 C. Lombawa
6000 D. L. Hartley
6200 D. E. Arvizu
6200 A. VanArsdall
6201 P. C. Klimas
6202 G. J. Jones
6213 T. C. Bickel
6215 C. P. Cameron
6215 R. M. Edgar
6215 M. E. Ralph
6215 E. E. Rush
6215 J. W. Strachan
6216 C. E. Tyner
6216 J. R. Anderson
6216 L. R. Evans
6216 T. R. Mancini
6216 D. F. Menicucci (20)
6218 D. E. Hasti
6218 R. R. Hill
6218 R. C. Pate
6218 H. N. Post
6218 J. W. Stevens
7141 S. A. Landenberger (5)
7145 Document Processing DOE/OSTI (8)
7151 G. C. Claycomb
7841 R. Wrons
8523 Central Technical Files

END

**DATE
FILMED**

10 / 6 / 93

