

The submitted manuscript has been authored by a contractor of the U. S. Government under contract No. W-31-109-ENG-38. Accordingly, the U. S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U. S. Government purposes.

Copy B-44-747
ANL-HEP-CP-93-43

Drive Linac for the Argonne Wakefield Accelerator*

E. Chojnacki, R. Konecny, M. Rosing, and J. Simpson

Argonne National Laboratory
Argonne, IL 60439

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Presented to

The Particle Accelerator Conference '93
Washington, D.C.
May 17-20, 1993

MASTER

*Work supported by the U.S. Department of Energy, Division of High Energy Physics
Contract W-31-109-ENG-38.

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

875

Drive Linac for the Argonne Wakefield Accelerator*

E. Chojnacki, R. Konecny, M. Rosing, and J. Simpson
Argonne National Laboratory, Argonne, IL, 60439, USA

I. INTRODUCTION

The drive linac in Phase I of the Argonne Wakefield Accelerator (AWA) will be used to accelerate short duration (10 ps), high charge (100 nC) electron bunches from 2 MV to 20 MV for use in a variety of wakefield acceleration and measurement studies[1]. The high charge is required since this drive bunch will generate the wakefields of interest in various test sections and their amplitudes are proportional to bunch charge. The short bunch duration is required to drive high-frequency wakefields without intra-bunch cancellation effects.

The drive linac design was a balance between having a small wake function to maintain a drive bunch energy spread of $\leq 10\%$ and obtaining an adequate accelerating gradient of ≥ 10 MV/m. This yielded a large aperture, low shunt impedance, high group velocity, L-band, standing-wave linac. Details of the design, fabrication, and testing are presented in the following.

II. LINAC DESIGN

A. Broad Considerations

The first consideration in the drive linac design was standing wave versus traveling wave. In a traveling-wave linac, the iris aperture has to be relatively small (low group velocity) to yield a high shunt impedance to provide an acceptable acceleration gradient given the available rf source power of ~ 20 MW. The small aperture, however, correspondingly causes the structure's wake function to be large, which would yield an unacceptable energy spread in the 100 nC drive bunch. As an example, the SLAC Mark IV constant-impedance linac[2] scaled to 1.3 GHz, powered by a 5 μ s, 20 MW source, and having a length of 15 m would provide an electron energy gain of 65 MeV, but would also produce a 47% energy spread from head to tail of the 100 nC bunch. Refinements such as rf pulse compression and utilizing a constant gradient structure would still result in a woefully large energy spread.

In a standing-wave linac, the iris aperture can be relatively large (high group velocity), yielding a low shunt impedance, but the rf power in the cavity will internally recirculate to a high steady state level, providing a reasonable accelerating gradient. The benefit of the large aperture is a low wake function, which will yield an acceptable energy spread in the 100 nC drive bunch. Indeed, it is this low wake function characteristic of large-aperture standing-wave structures that make them attractive in super-conducting versions for the TESLA linear collider study[3]. Thus, a large-aperture standing-wave cavity was chosen for the drive linac of the

AWA. A brief parameter search of specific standing-wave geometries is presented in section II B.

In other options, an external feedback rf system (ring resonator) would provide even larger power build up than a standing-wave cavity, but would also require the nearly impossible plumbing of ~ 500 MW of rf power through various waveguide devices. Side-coupled structures were ruled out due to their relatively large wake functions and small acceleration gaps. Enlarging the aperture in a side-coupled structure to obtain an acceptable wake function would destroy the required isolation of adjacent beamline cavities.

B. Parameter Search

In choosing the frequency of operation of the drive linac, the overriding consideration was the longitudinal wakefield strength relative to the acceleration gradient. The amplitude of the fundamental-mode longitudinal wake function for a point source is given by

$$W_z = \frac{E_z}{q} = \frac{\omega r_s}{2 Q (1 - \beta_g)} \quad (1)$$

where all parameters apply to the linac fundamental mode, E_z is the longitudinal electric wakefield, q is the bunch charge, ω is the wake frequency, r_s is the shunt impedance in units of $[\Omega/\text{m}]$, Q is the structure quality factor, β_g is the normalized group velocity, and the units of W_z are, say, $[\text{kV}/\text{m}/\text{nC}]$. The factor $(1 - \beta_g)$ in the denominator of (1) is often ignored in cavities operating at cutoff or in traveling-wave linacs having very low group velocity. Since r_s/Q is proportional to frequency, f , the longitudinal wake function in (1) is proportional to f^2 , but the linac length is proportional to f^{-1} , so the wakefield energy loss per linac cell is proportional to f . Thus, as the linac frequency is lowered, the wakefield energy loss decreases linearly. This is indicative of the iris aperture being proportional to f^{-1} , and a smaller aperture (higher frequency) will "clip off" a larger fraction of the particle's radiation field to be left behind as wakes.

While a low drive linac frequency is desirable from a beam loading point of view, practical considerations regarding waveguide dimensions encourage the frequency to be > 1 GHz. Fortunately, examining a few test cases indicates that an L-band structure can just satisfy the gradient and energy spread goals, ≥ 10 MV/m and $\leq 10\%$, respectively. Table I lists parameters of five standing-wave cavities given a 100 nC drive bunch and 20 MW of rf power. These parameters were obtained from a variety of intermingled calculations utilizing analytic techniques, the URMEL computer code, and the KN7C computer code. Four of the five cases in Table I have $f = 1.3$ GHz and the parameters that vary from case to case are the aperture radius a and iris thickness t , as shown in Fig. 1.

*Work supported by the U.S. Department of Energy, Division of High Energy Physics
Contract No. W-31-109-ENG-38.

TABLE I. Parameter scan of $\pi/2$ standing-wave linacs powered by 20 MW of rf to accelerate a 100 nC gaussian electron bunch having $\sigma = 5$ ps.

Parameter	Large aperture, thin iris	Small aperture, thin iris	Large aperture, thick iris	Small aperture, thick iris	Large aperture, thin iris
Frequency f (GHz)	1.300	1.300	1.300	1.300	2.856
Aperture radius a (cm)	5.08	2.0	5.08	2.0	2.31
Aperture/wall radius a/b	0.505	0.224	0.472	0.218	0.505
Aperture/wavelength a/λ	0.220	0.087	0.220	0.087	0.100
Iris thickness t (cm)	0.5	0.5	3.50	3.50	0.228
Gap length g (cm)	5.26	5.26	2.26	2.26	2.393
Cavity length L (m)	2.07	2.07	2.07	2.07	0.94
Quality factor Q	17179	17884	10060	9755	12555
Group velocity β_g	0.139	0.014	0.048	0.001	0.139
Shunt impedance r_s (M Ω /m)	21.5	45.4	7.2	6.1	32.0
Wake function W_z (kV/m/nC)	5.9	10.5	3.1	2.6	27.0
HOM beam loading factor	1.6	3.0	3.0	4.5	1.5
Voltage gain V (MV)	18.7	24.7	10.6	9.1	13.7
Voltage spread $\Delta V/V$ (%)	10.2	26.1	17.8	25.8	26.3




Figure 1. Schematic of standing-wave linac geometry.

It is not surprising that the thinner the iris thickness, t , the greater the bunch energy gain. In general, the iris thickness is made as thin as possible, limited only by mechanical strength and thermal conductivity. The fifth case in the last column of Table I is the same structure as in the first column, but scaled to $f=2.856$ GHz. It is the structure in the first column with the large aperture and thin iris that was chosen for the AWA drive linac.

C. AWA Drive Linac Properties

The AWA drive linac is a $\pi/2$ standing-wave linac with dimensions $a=5.08$ cm, $b=10.05$ cm, $t=0.5$ cm, $d=5.76$ cm, and a hemispherical aperture edge. The program KN7C was used to estimate the contribution of higher order modes to the AWA drive linac axisymmetric longitudinal wakefields. Shown in Fig. 2 is a plot of the longitudinal wake left by a gaussian bunch. The fundamental wake is shown as a dashed line and the "total" wake as a solid line, which includes 42 radial modes up to a frequency of 15 GHz. The drive bunch density profiles, spaced by one rf period, are indicated on the figure as dotted lines, but only the wakefield of the first bunch is shown. From this plot, the higher order mode beam loading factor is estimated to be ~ 1.6 .

Shown in Fig. 3 is a busy plot of the head-to-tail energy distribution that three mono-energetic electron bunches would attain upon passage through 2 meters of the AWA linac. The




Figure 2. Plot of the longitudinal wake left by a single gaussian bunch having $\sigma = 5$ ps. "Total" wake is the solid line and fundamental wake is the dashed line.

higher order mode beam loading factor is included in the intra-bunch energy spread, but not in the inter-bunch energy spread since the higher order modes may be somewhat out of phase for succeeding bunches. The gaussian bunch density profile is indicated as a dotted line on the first bunch's energy spread.

III. FABRICATION

The AWA drive linac was fabricated from OFE copper, alloy 101, grade 2 or better, with machining of the cell cups performed on a numerical lathe. The relative machining tolerance was ± 0.5 mil, but the absolute tolerance was ± 1.5 mil. Since the linac cavity frequency has to be matched




Figure 3. Plot of the head-to-tail energy distribution that three mono-energetic gaussian-profile electron bunches would attain upon passage through 2 meters of the AWA drive linac.

to the 32nd harmonic of the AWA mode-locked laser, the absolute machining tolerance was more critical. Four 1" diameter divots leading to a 1/8" thick cell wall were machined into each cell for final frequency tuning. The rf coupling cell, which included the coupling iris and a socket for half-height L-band waveguide, was machined from a single block of copper. The 2 meter AWA drive linac was split into two 1 m tanks. The final tank assemblies were stacked vertically and brazed in a hydrogen furnace at Pyromet Industrial in San Carlos, CA.

IV. MEASUREMENTS

Prior to brazing, the linac tanks, when clamped together, were slightly under frequency (200 kHz under 1.3 GHz when corrected for temperature and vacuum conditions) and slightly under coupled to the input waveguide (S_{11} ~ -15 dB with the target coupling after brazing being S_{11} ~ -32 dB). Brazing was expected to improve the quality factor, Q , of the cavities and thus improve the coupling, and the resonant frequency was expected to rise as determined by previous brazing tests. After brazing, the resonant frequency increased only ~10 kHz and the coupling actually decreased for an unknown reason. Thus, an iterative process was implemented to improve coupling and raise the resonant frequency by enlarging the coupling iris by filing and pressing the tuning divots to raise the resonant frequency. Plotted in Fig. 4 is a sample of the latest network




Figure 4. Network analyzer measurement of reflection coefficient S_{11} versus frequency for linac tank A. Measurement performed with a 10 mT vacuum and linac temperature of 75° F.

analyzer measurement of reflection coefficient S_{11} versus frequency for linac tank A. The coupling is satisfactory and the resonant frequency is what is needed to operate under vacuum at ~90° F. Slight final frequency tuning has yet to be performed when both tanks are connected to their temperature controlled water chillers.

This work has been supported by the United States Department of Energy, Division of High Energy Physics.

V. REFERENCES

- [1] M. Rosing, *et al.*, "Argonne Wakefield Accelerator Update '92", *Proc. 1992 Linear Accelerator Conf.* (Ottawa, Ontario, Canada, 1992), p. 79; P. Schoessow, *et al.*, these proceedings.
- [2] G. Loew, in *The Stanford Two-Mile Accelerator*, edited by R.B. Neal (W.A. Benjamin, Inc., New York, 1968), p. 129.
- [3] J. Rossbach, "An Overview of Linear Collider Plans", *Proc. 1992 Linear Accelerator Conf.* (Ottawa Ontario, Canada, 1992), p. 25.

END

DATE
FILMED

10/01/93

