

SANDIA REPORT

SAND2013-3406
Unlimited Release
Printed April 2013

Radiation Characterization Summary: ACRR 44-Inch Lead-Boron Bucket Located in the Central Cavity on the 32-Inch Pedestal at the Core Centerline (ACRR-LB44-CC-32-cl)

Edward J. Parma, Thomas J. Quirk, Lance L. Lippert, Patrick J. Griffin,
Gerald E. Naranjo, and Spencer M. Luker

Prepared by
Sandia National Laboratories
Albuquerque, New Mexico 87185 and Livermore, California 94550

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

Approved for public release; further dissemination unlimited.



Sandia National Laboratories

Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from
U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831

Telephone: (865) 576-8401
Facsimile: (865) 576-5728
E-Mail: reports@adonis.osti.gov
Online ordering: <http://www.osti.gov/bridge>

Available to the public from
U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Rd.
Springfield, VA 22161

Telephone: (800) 553-6847
Facsimile: (703) 605-6900
E-Mail: orders@ntis.fedworld.gov
Online order: <http://www.ntis.gov/help/ordermethods.asp?loc=7-4-0#online>



SAND2013-3406
Unlimited Release
Printed April 2013

**Radiation Characterization Summary:
ACRR 44-Inch Lead-Boron Bucket Located in the Central
Cavity on the 32-Inch Pedestal at the Core Centerline
(ACRR-LB44-CC-32-cl)**

Edward J. Parma, Thomas J. Quirk, Lance L. Lippert, Patrick J. Griffin,
Gerald E. Naranjo, and Spencer M. Luker,
Sandia National Laboratories
P.O. Box 5800
Albuquerque, NM 87185

Abstract

This document presents the facility-recommended characterization of the neutron, prompt gamma-ray, and delayed gamma-ray radiation fields in the Annular Core Research Reactor (ACRR) for the 44-inch-long lead-boron bucket in the central cavity on the 32-inch pedestal at the core centerline. The designation for this environment is ACRR-LB44-CC-32-cl. The neutron, prompt gamma-ray, and delayed gamma-ray energy spectra are presented as well as radial and axial neutron and gamma-ray flux profiles within the experiment area of the bucket. Recommended constants are given to facilitate the conversion of various dosimetry readings into radiation metrics desired by experimenters. Representative pulse and steady-state operations are presented with conversion examples.

Acknowledgements

The authors would like to dedicate this work to the late Jeff Wemple, who designed and oversaw the fabrication the LB44 bucket. Jeff made many contributions to the Sandia Technical Area V nuclear facilities over his career. He will always be remembered by his many friends and colleagues in TA-V. His inventiveness, can-do attitude, and camaraderie will be greatly missed.

The authors wish to also thank the Annular Core Research Reactor staff and the Radiation Metrology Laboratory staff for their support of this work. Also thanks to Jamie Cash for helping to get the MCNP runs operating on the Sandia parallel machines.

Contents

1.	Introduction.....	9
2.	Environment Description.....	10
2.1	ACRR Description.....	10
2.2	LB44-CC-32-cl Environment.....	15
3.	Spectrum Characterization.....	18
3.1	Neutron	18
3.2	Prompt Gamma Ray.....	34
3.3	Delayed Gamma Ray	38
4.	Radial and Axial Fluence Profiles	43
4.1	Neutron-Sulfur Map.....	43
4.2	Neutron-Gold Map.....	45
4.3	Gamma-Ray TLD Map.....	47
5.	Sample Operations.....	49
5.1	Low-Power Steady-State Operation	49
5.2	Large Pulse Operation.....	51
6.	Conclusions.....	54
7.	References.....	55
A	Appendix – MCNP ACRR Model With LB44 on 32-inch Pedestal	56
B	Appendix – Input Deck for Neutron Spectrum Adjustment Using the LSL-M2 Code	71
C	Appendix – LSL Format Neutron Output.....	73
D	Appendix – LSL Format Prompt Gamma Ray Output	81
E	Appendix – LSL Format Delayed Gamma Ray Output.....	84

Figures

Figure 1. The ACRR and FREC-II Operating at 2-MW Steady-State Power.	11
Figure 2. The ACRR Tank and High Bay.....	12
Figure 3. The ACRR Dry Central Cavity and Control Rod Drives.	12
Figure 4. Artist’s Conception of the ACRR Tank and Internal Components.....	13
Figure 5. Picture and Drawing of the LB44 Bucket.	15
Figure 6. Details of the LB44 Bucket.	16
Figure 7. MCNP Model of the ACRR and the LB44 Bucket on the 32-inch Pedestal.....	17
Figure 8. MCNP 640-Group and 89-Group Neutron Energy Spectra (lin–log).	19
Figure 9. MCNP 640-Group and 89-Group Neutron Energy Spectra (log–log).	19
Figure 10. Typical Dosimetry Foils - Left to Right: Co, Sc, Ni, and Fe.	23
Figure 11. LSL Adjusted 89-Group Neutron Energy Spectrum Compared to the MCNP Calculated Results (lin–log).....	25
Figure 12. LSL Adjusted 89-Group Neutron Energy Spectrum Compared to the MCNP Calculated Results (log–log).....	25
Figure 13. LSL Percent Adjustment to the Trial Spectrum and Standard Deviation Results for the 89-Group Adjusted Neutron Spectrum.	26
Figure 14. Reaction Probabilities for the Complete Dosimetry Reaction Set.	26
Figure 15. Reaction Probabilities for the High Energy Dosimetry Reaction Set.	27
Figure 16. Reaction Probabilities for the Radiative Capture Dosimetry Reaction Set.	27
Figure 17. Reaction Probabilities for the Fission Dosimetry Reaction Set.	28
Figure 18. MCNP 48-Group Prompt Gamma-Ray Energy Spectrum (lin–log).	35
Figure 19. MCNP 48-Group Prompt Gamma-Ray Energy Spectrum (log–log).	35
Figure 20. Delayed Gamma-Ray Source Distribution Used for MCNP Analysis.....	39
Figure 21. Cumulative Delayed Gamma-Ray Energy Release from Fission Products.	39
Figure 22. MCNP 48-Group Delayed Gamma-Ray Energy Spectrum (lin–log).....	40
Figure 23. MCNP 48-Group Delayed Gamma-Ray Energy Spectrum (log–log).....	40
Figure 24. Sulfur Axial Neutron Flux Profile for LB44-CC-32.	43
Figure 25. Sulfur Radial Neutron Flux Profile for LB44-CC-32-cl Perpendicular to FREC.	44
Figure 26. Sulfur Radial Neutron Flux Profile for LB44-CC-32-cl Parallel to FREC.	44
Figure 27. Gold Radial Neutron Flux Profile for LB44-CC-32-cl Perpendicular to FREC.	45
Figure 28. Gold Radial Neutron Flux Profile for LB44-CC-32-cl Parallel to FREC.	46
Figure 29. TLD Axial Gamma-Ray Flux Profile for LB44-CC-32.	47
Figure 30. TLD Radial Gamma Flux Profile for LB44-CC-32-cl Perpendicular to FREC.....	48
Figure 31. TLD Radial Gamma Flux Profile for LB44-CC-32-cl Parallel to FREC.....	48
Figure 32. Power Trace for Steady-State Operation #10344.	49
Figure 33. Shot Information for Pulse Operation #10343.	51
Figure 34. Power and Energy Trace for Pulse Operation #10343.	52

Tables

Table 1. Neutron Activation Dosimetry Used for ACRR-LB44-CC-32-cl.	21
Table 2. C/E Values for the Trial and Adjusted LSL Neutron Energy Spectrum.	29
Table 3. Neutron 89-Energy Group Adjusted Spectrum for ACRR-LB44-CC-32-cl.	30
Table 4. Integral Neutron Spectrum Metrics.	32
Table 5. Other Neutron Spectrum Metrics.....	33
Table 6. Prompt Gamma-Ray 48-Energy Group Spectrum for ACRR-LB44-CC-32-cl.	36
Table 7. Prompt Gamma-Ray Spectrum Metrics.....	37
Table 8. Delayed Gamma-Ray 48-Energy Group Spectrum for ACRR-LB44-CC-32-cl.	41
Table 9. Delayed Gamma-Ray Spectrum Metrics.	42

Nomenclature / Acronyms

ASTM	American Society for Testing and Materials
ACRR	Annular Core Research Reactor
Al	aluminum
B	boron
B ₄ C	boron carbide
Bq	Becquerel (disintegrations/second)
C/E	calculated to experiment ratio
Cd	cadmium
dc	delayed critical
E _{th}	threshold energy
eV	electron volt
FP	Frenkel Pair
FREC	Fueled Ring External Cavity
FWHM	full-width at half-maximum
Gy	Gray – unit of absorbed dose equal to 100 rad
keff	k-effective multiplying constant
keV	kilo-electron volt
krad	kilorad – unit of absorbed dose equal to 1000 rad
LB36	36-inch-long lead-boron bucket
LB44	44-inch-long lead-boron bucket
LSL-M2	Least-Squares Logarithmic Adjustment code
mb	millibarns
MCNP	Monte Carlo N-Particle
MeV	mega-electron volt
MJ	megajoule
ms	milliseconds
MW	megawatts
n/cm ²	units of fluence (neutrons per cm ²)
NuGET	Neutron-Gamma Environment Transport code
Pb	lead
PCD	photo-conducting detector
PKA	primary knock-on atom
rad	unit of absorbed dose equal to 100 erg/g in a specified material
SNL	Sandia National Laboratories
TA-V	Technical Area V
TC	thermocouple
TLD	thermoluminescent dosimeter
TRIGA	Training, Research, Isotopes, General Atomics
UO ₂ -BeO	uranium dioxide – beryllium oxide
UZrH	uranium zirconium hydride

1. Introduction

Characterization of the neutron and gamma-ray environments in the Annular Core Research Reactor (ACRR) central cavity and the Fueled Ring External Cavity (FREC) is important in order to maintain a high degree of fidelity in performing qualification and other testing at the ACRR. Characterization includes both modeling and experimental efforts. Building accurate neutronic models of the ACRR and “bucket” environments that can be used by experimenters is important in planning and designing experiments as well as in assessing experimental results. Experimental observations, including passive and active dosimetry, are important in order to determine the accuracy of the models, the energy dependent neutron flux, the conversion constants for radiation metrics, the axial and radial neutron and gamma-ray flux profiles, and the time-dependent responses for different pulse sizes.

This document presents the facility-recommended characterization of the radiation fields in the ACRR for the 44-inch-long lead-boron bucket in the central cavity on the 32-inch pedestal at the core centerline. The designation for this environment is ACRR-LB44-CC-32-cl. The purpose of the bucket is to fit within the 9-inch-diameter ACRR central cavity and filter out thermal neutrons and gamma rays from the internal experiment volume, producing an epithermal neutron environment with a high neutron-to-gamma ray ratio. This type of environment allows for a high 1-MeV damage equivalent in silicon neutron fluence with a low total dose in silicon. This environment is in high demand by facility experimenters. The LB44 bucket configuration is a relatively new design. It was designed and constructed in CY2010 and is very similar to the LB36 bucket but is about eight inches taller than the LB36 bucket. In order to filter out the thermal neutrons, the bucket has an outer annular volume filled with boron carbide (B_4C) powder. To filter out the gamma rays, the bucket has an inner lead (Pb) annular liner.

The neutron, prompt gamma-ray, and delayed gamma-ray energy spectra are presented at the radial centerline of the bucket at the axial fuel centerline; the peak neutron flux location. In addition, radial and axial neutron and gamma-ray flux profiles are given within the available experiment area inside of the bucket. Recommended constants are given that facilitate the conversion of various dosimetry readings into radiation metrics desired by experimenters. Temporal profiles for representative pulse and steady-state operations are presented with conversion examples for the radiation metrics.

The neutronics model for the ACRR used in the bucket characterization was developed for the Monte Carlo N-Particle Transport Code (MCNP, 2003). The original ACRR MCNP model was assembled by Wesley Fan and later modified by Phil Cooper and Ed Parma. Russell DePriest modified the code in 2006 to include a macrobody geometry description of the reactor core instead of the standard surface description (DePriest, 2006). The macrobody description, with the LB44 on the 32-inch pedestal, is included in Appendix A. Other models, including the ACRR with the FREC coupled, are available. Details of the ACRR model and calculations are described later in this document. A 640-group and 89-group neutron energy spectrum and a 48-group gamma-ray energy spectrum were calculated using MCNP5 Version 1.6 for the ACRR model with a scoring sphere at the radial centerline of the LB44 bucket and at the axial centerline of the core. The neutron spectrum calculated could then be used as the trial function in the unfolding codes SAND-IV (Griffin, 1994a, McElroy, 1967) and LSL-M2 (Stallmann, 1985).

2. Environment Description

2.1 ACRR Description

The ACRR is a pulse and steady-state, pool-type research reactor that maintains a large, dry irradiation cavity at the center of its core. The ACRR is typically used to perform irradiation testing where a high neutron flux is required for a short period of time. Historically, the ACRR has been used for a wide variety of experiment campaigns including weapons effects testing, nuclear fuels testing, nuclear pumped laser experiments, space nuclear thermal propulsion testing, and medical isotopes production. The ACRR is currently fully operational. The ACRR's main attributes include a large, dry central irradiation cavity, epithermal neutron flux, and large pulsing capabilities.

The ACRR is located in Technical Area V (TA-V) at the Sandia National Laboratories in Albuquerque, New Mexico. The reactor, in its current configuration, was assembled in 1978 to accommodate large experiments at the center of its core and have large pulsing capabilities. The fuel elements for the ACRR are similar in size and shape to TRIGA fuel. However, the fuel is unique in that the form of the fuel is uranium dioxide/beryllium oxide ($\text{UO}_2\text{-BeO}$) that was specially designed to have a large heat capacity and, thus, larger pulsing capabilities. Figure 1 shows the ACRR looking into the pool during a 2 MW steady-state power operation. The ACRR is shown on the left in the figure. The 9-inch-diameter dry cavity extends from above the pool through the center of the core. The reactor facility also accommodates the fueled ring external cavity-II (FREC-II), shown on the right in the figure, which maintains a larger dry cavity (20-inch diameter) and uses U-ZrH TRIGA fuel as a subcritical multiplier. FREC-II provides the user with a larger experimental volume and the fuel arrangement limits the neutron flux gradient across the test volume.

The ACRR tank and high bay are shown in Figure 2. The dry central cavity, shown in Figure 3, extends from above the pool and goes directly through and below the core region. An artist's rendition of the ACRR tank and internal components is shown in Figure 4. The ACRR maintains an epithermal neutron flux spectrum in the core and central cavity. This allows for the neutron energy flux spectrum to be tailored to the desired specifications of an experiment. Moderators can be used within the cavity to thermalize the neutron spectrum. Boron and lead can be used to increase the fast neutron flux ratio and decrease the gamma-ray flux, respectively. For an unmoderated condition, the neutron fluence at the center of the central cavity, at the core axial centerline, is $\sim 2.0\text{E}13 \text{ n/cm}^2$ per MJ of reactor energy. About 45% of the neutron flux is above 100 keV and 56% above 10 keV. The 1-MeV damage-equivalent silicon fluence is $\sim 7.9\text{E}12 \text{ n/cm}^2$ per MJ of reactor energy. The prompt gamma-ray dose at the same position is $\sim 7.7\text{E}3 \text{ rad(Si)}$ per MJ. The delayed gamma-ray dose is $\sim 3.3\text{E}3 \text{ rad(Si)}$ per MJ.

The ACRR can operate in a steady-state, transient, or pulse mode. In the steady-state mode, the operating power level is limited to $\sim 4 \text{ MW}$. In the pulse mode, a maximum pulse size of $\sim 250 \text{ MJ}$ with a full-width half-maximum (FWHM) of 6 ms can be attained. In the transient mode, the reactor power shape can be tailored to the desired requirements for a total reactor energy deposition of $\sim 300 \text{ MJ}$. The transient mode can be used to increase the reactor power quickly; for example a ramp increase in power level linear with time from low power to high power .

- 236 $\text{UO}_2\text{-BeO}$ fueled elements
1.5 in (3.8 cm) dia. x 20 in (51 cm)
100 g U-235 per element – 35% enr.
- Operating Power level
4 MW_{th} Steady State Mode
250 MJ Pulse Mode (6 ms FWHM)
300 MJ Transient Mode (Programmable)
- Dry cavity 9 in (23 cm) diameter
Extends full length of pool through core
Neutron Flux $4\text{E}13 \text{ n/cm}^2\text{-s}$ at 2 MW
65% > 1 eV, 56% > 10 keV, 45% > 100 keV
- Epithermal Spectrum
Flux in cavity can be tailored for desired energy spectrum (Poly, B4C)
- Open-pool type reactor
Fuel elements cooled by natural convection
Pool cooled by HX and cooling tower
- FREC-II uses previous ACPR fuel
TRIGA type (UZrH) – 20 in (51 cm) dia.
dry cavity
- Fuel burnup is minimal
Reactor used for short duration power runs, pulses, and transients




Figure 1. The ACRR and FREC-II Operating at 2-MW Steady-State Power.



Figure 2. The ACRR Tank and High Bay.




Figure 3. The ACRR Dry Central Cavity and Control Rod Drives.




Figure 4. Artist's Conception of the ACRR Tank and Internal Components.

The coupling factor is defined as the amount of fission energy that can be produced in a fissile experiment per gram of fissile fuel and per MJ of reactor power. The coupling factor for an unmoderated cavity is ~ 18 J/g-MJ, and ~ 90 J/g-MJ for the moderated condition. These coupling factors allow for fueled experiments to be designed for a wide variety of test conditions for steady-state, transient, and pulse operations.

The ACRR is fueled by a 236-element array of $\text{UO}_2\text{-BeO}$ fuel elements. The fuel is uranium enriched to 35 weight percent U-235, with 21.5 weight percent UO_2 and 78.5 weight percent BeO. The ACRR fuel elements are stainless steel clad, 1.5 inches in diameter and 21 inches in fuel length. Within the elements are niobium cups that hold the $\text{UO}_2\text{-BeO}$ fuel pieces.

The ACRR is controlled by two fuel-followed safety rods, three poison (void-followed) transient rods, and six fuel-followed control rods. The control rods (safety and control) make up part of the 236 elements for the normal core configuration.

The ACRR central cavity and FREC cavity allow for a high degree of experiment flexibility, along with in-situ and real-time experiment instrumentation and diagnostics. The large size of the cavities allows for the possibility of flow loops and other complex experimental hardware to be fielded within the high-flux region of the core. Because the ACRR is under-moderated, the neutron spectrum has a strong epithermal component within the central cavity. This epithermal spectrum can be modified by the use of thermal absorbers to give a harder spectrum or by the use of moderator materials to give a softer spectrum. Spectrum-modifying cavity inserts or buckets, such as lead-boron and lead-polyethylene, provide the facility with the ability to change the inherent neutron spectrum found in the reactor as well as allowing adjustment of the neutron-to-gamma dose ratio. The normal mode of operation for the ACRR is to have the FREC-II tilted back and de-coupled from the ACRR using a nickel plate on the FREC side of the core.

The ACRR core is located in an open pool 3.1 m in diameter and 8.5 m deep. The pool is filled with 64,000 liters of deionized water. The core is cooled by natural convection of the pool water. The pool water is cooled by a heat exchanger and cooling tower. For steady-state mode operations, the ACRR operates continuously at up to 4 MW. The pool is cooled using a heat rejection system rated to support steady-state operations up to 5 MW.

2.2 LB44-CC-32-cl Environment

LB44 Description

The LB44 bucket is very similar in design to the LB36 bucket. The purpose of the bucket is to fit within the 9-inch-diameter ACRR central cavity and filter out thermal neutrons and gamma rays from the internal experiment volume, producing an epithermal neutron environment with a high neutron-to-gamma ray ratio. This type of environment allows for a high 1-MeV damage equivalent in silicon neutron fluence with a low total dose in silicon. This environment is in high demand by facility experimenters. It is anticipated that more buckets of the LB44 type will be built over the next several years. The LB44 bucket configuration is a relatively new design. It was designed and constructed in CY2010 and is very similar to the LB36 bucket but is about eight inches taller than the LB36 bucket to allow for a longer irradiation space. In order to filter out the thermal neutrons, the bucket has an outer annular volume filled with B_4C powder. To filter out the gamma rays, the bucket has an inner Pb annular liner. The bucket also has B_4C and Pb on the bottom so that the bucket can be used at elevated positions within the cavity with the same filter effectiveness.

A picture and drawing of the LB44 bucket is shown in Figure 5. A more detailed description of the bucket showing the major design features is shown in Figure 6. The bucket weighs approximately 510 lbs. and can support an additional experiment payload of up to 250 lbs. A thermocouple (TC) fixture can be inserted into the Pb region of the bucket to measure temperature as a function of time at power, thus permitting use during long steady-state irradiations. The bucket can be operated at up to 500 MJ in an un-instrumented (no TC) condition. An unlimited numbers of maximum pulsed operations can be performed on the bucket. The measured reactivity worth of LB44, compared to the free-field condition, is -\$6.07.




Figure 5. Picture and Drawing of the LB44 Bucket.




Figure 6. Details of the LB44 Bucket.

The LB44 bucket maintains an inner diameter of ~5.0 in. (~12.7 cm). The outer B₄C powder annular thickness is 0.75 in. The B₄C powder is nuclear grade and 24 micron grain size (NG24H). The inner Pb thickness is 2.6 in. The overall height of the bucket is ~44 in. and the internal height is 41.75 in. The structure for the bucket is aluminum (Al-6061). Two steel all-thread hangers support the bucket from below and allow the bucket to be moved via cable straps and a crane.

MCNP Model

The MCNP model of the LB44 bucket in the ACRR central cavity on the 32-inch pedestal is shown in Figure 7. The input model is included in Appendix A of this document. The model does not include the FREC-II. The reason for this is that, although the FREC-II is located within the core tank, the normal operating mode is to have it tilted back and decoupled from the core using a nickel plate. In this position the FREC-II has only a small effect on the neutronic behavior of the ACRR. The MCNP model of the ACRR includes all of the fuel elements and the control, safety, and transient rods that make up the core. The control, safety, and transient rods can be adjusted in the vertical direction in the model to whatever position is desired. Typically, the model is run with the safety and transient rods in the full-out position and the control rods in the full-out, full-in, or delayed critical (dc) position. The calculated dc position can be found for the model by iterating on the control rod position until keff is equal to one. The model is typically run using room-temperature (300 K) cross sections, $S(\alpha,\beta)$ values, and water density. Other cross-section temperatures can be modeled if desired.

Neutron, prompt gamma-ray, and delayed gamma-ray energy spectra and fluence per fission were calculated using a 6-cm diameter tally sphere. For the LB44-CC-32-cl position, the sphere was positioned at the radial center of the bucket and at the axial centerline of the core. Calculations were performed using the MCNP k-code mode for the neutron and prompt gamma-ray environments, and in the source mode for the delayed gamma-ray environment. The LB44 worth, compared to the free field model, was calculated to be -\$6.56.




Figure 7. MCNP Model of the ACRR and the LB44 Bucket on the 32-inch Pedestal.

3. Spectrum Characterization

3.1 Neutron

The neutron environment includes both prompt and delayed neutrons from the ACRR. The neutron energy spectrum is first calculated using MCNP and then a spectrum adjustment is performed using passive neutron activation dosimetry measurements to produce a “characterized” neutron spectrum. The process for determining a characterized neutron spectrum is to first generate an a priori 640-energy group and an 89-energy group neutron trial spectrum from the MCNP model presented in Section 2 for the 6-cm diameter tally sphere. In order to have reasonable statistics in all of the energy groups, the model was run on a parallel machine for 20 billion source neutrons. The 640-group MCNP result represents the trial function that is then adjusted using a least-squares-based unfolding code. For this report, LSL-M2 (Stallmann, 1985) was used to perform the spectrum-unfold analysis. A total of 31 transmutation reactions using 18 dosimetry foils were used to perform the LSL least-squares fit to the neutron energy spectrum.

MCNP Model Results – 640-Group and 89-Group Neutron Energy Spectra

The neutron energy spectrum was calculated for a 640-energy group and an 89-energy group structure using the MCNP model presented in Section 2 for the 6-cm diameter tally sphere. MCNP5 version 1.60 was used with the ENDF/B-VII cross sections. The MCNP model with the LB44 bucket is included in Appendix A of this report. The model was run in the k-code mode using both neutrons and photons. This allowed for both the neutron energy spectrum and the prompt gamma-ray energy spectrum to be generated in one run. The gamma-ray spectrum used a 48-energy group structure. In order to have reasonable statistics in all of the energy groups, the model was run on a parallel machine for 20 billion source neutrons. The results generated in the tally sphere were in units of neutron fluence per source neutron. These results were then converted to fluence per fission in a spreadsheet. The neutron fluence results were converted from fluence per fission to fluence per MJ of reactor power using 192.4 MeV per fission. This value represents the fission fragment, neutron, prompt gamma-ray, capture gamma-ray and delayed gamma-ray energy deposition in the reactor core and surrounding water per fission event. These energy deposition values were calculated using MCNP with the exception of the delayed gamma-ray energy, which was assumed to be 6.33 MeV per fission event. The 640-energy group neutron spectrum result was used as the trial function for the LSL-M2 code.

Figures 8 and 9 show the MCNP generated 640-energy group and 89-energy group neutron flux on a linear and logarithmic y-axis, respectively. The units on the y-axis are in lethargy flux or energy flux, equal to $E \times d\phi/dE$ (MeV/MeV-cm²-s-MW). With the energy flux represented linearly on the y-axis and the neutron energy on the x-axis represented logarithmically, the area under the curve represents the total neutron flux. This representation allows for the best visual depiction of the flux over the complete neutron energy range. The flux value for each energy group is represented at the average energy for the group. The figures show that the B₄C is very effective in removing thermal and epithermal neutrons from the experiment region of the cavity. Boron is a 1/v absorber with a relatively large effective absorption cross section. The absorption cross section is greater than 100 barns at neutron energies less than 100 eV (1E-4 MeV).




Figure 8. MCNP 640-Group and 89-Group Neutron Energy Spectra (lin-log).




Figure 9. MCNP 640-Group and 89-Group Neutron Energy Spectra (log-log).

The energy flux is found to peak near 1 MeV. At the thermal energy of 0.025 eV ($2.5\text{E-}8$ MeV), the energy flux is almost four orders of magnitude lower than at the peak. The results for the 640-energy group and 89-energy group neutron flux are in very close agreement, as expected. The 640-energy group calculation shows more structure in the flux spectrum, which is more notably observed in the energy range of $1\text{E-}4$ to 1 MeV. This structure is considered to be real and not an artifact of the code or cross-section set. It is caused by resonances in the cross sections, especially from the oxygen elastic scattering cross section. The calculated standard deviation for each energy bin in the 640-energy group flux in the energy range from $1\text{E-}4$ to 1 MeV is less than 0.5%. A similar but less resolved structure is also seen in the 89-energy group flux. The 89-energy group structure is the energy grouping used in the NuGET code.

Dosimetry Foils

The results of the MCNP calculation of the ACRR with the LB44 bucket represent a good initial representation for the neutron spectrum characterization. However, a considerable uncertainty in the results can exist due to model representation (geometry, density, and composition) uncertainty and uncertainty in the transport cross sections. An improved spectrum can be obtained by combining this initial trial spectrum with measured integral values that correspond to the reactions rates from high-fidelity passive dosimetry reactions. The resulting least-squares adjusted neutron flux spectrum includes an energy-dependent uncertainty. The spectrum can then be considered “characterized,” in that it quantifies the “true” neutron-flux energy spectrum with a stated accuracy. If the least-squares spectrum is found to have inconsistent inputs in comparing the MCNP a priori trial spectrum and the measured dosimetry results, as determined by a measure of the chi-squared per degree of freedom in the spectrum adjustment, the dosimetry measurements would be reexamined and/or the MCNP model for the ACRR and bucket would be reexamined and modified or modeled with greater fidelity. In addition to the adjusted neutron spectrum, uncertainty and covariance results are found from the least-squares analysis using the LSL-M2 code. The characterized neutron spectrum can be used, with the corresponding uncertainty values and the correlation matrix, to support the evaluation of various damage and dose metrics relevant to users of the LB44 bucket configuration. The characterized spectrum can be used directly by the NuGET code or as an isotropic shell source in MCNP. For this work, the LSL-M2 code was used to generate an 89-energy group neutron spectrum that is used in the NuGET code. The SAND-IV code can also be used to determine an adjusted 640-energy group spectrum. This may be performed in the future for comparison purposes, but is beyond the scope of this work.

The selection of passive dosimetry foils and activation reactions has been studied and evaluated over many years. A summary of the work can be found in ASTM E720, Griffin (2011a), Griffin (2011b) and references therein. Although no complete and perfect set of activation reactions exists that allows the neutron flux energy spectrum to be calculated by dosimetry alone, there are enough reactions to cover the relevant energy range with the high-fidelity dosimetry cross sections, to allow for adjusted neutron flux results to be generated with a quantified accuracy. The passive dosimetry foils and the associated neutron activation reactions used to perform the neutron flux characterization for LB44 are shown in Table 1.

Table 1. Neutron Activation Dosimetry Used for ACRR-LB44-CC-32-cl.

Activation Reaction	Half-Life	Activity (Bq/atom-isotope)	Counting Uncertainty (%)
$^{58}\text{Ni}(n,p)^{58}\text{Co}$ - Reference	70.83 d	9.5960E-18	1.6
$^{59}\text{Co}(n,p)^{59}\text{Fe}$	44.495 d	1.6482E-19	2.4
$^{27}\text{Al}(n,\alpha)^{24}\text{Na}$	14.957 h *	5.2690E-18	3.7
$^{27}\text{Al}(n,p)^{27}\text{Mg}$	9.458 m **	3.3250E-15	2.1
$^{46}\text{Ti}(n,p)^{46}\text{Sc}$	83.788 d	6.7205E-19	0.8
$^{47}\text{Ti}(n,p)^{47}\text{Sc}$	3.349 d	3.6124E-17	2.6
$^{48}\text{Ti}(n,p)^{48}\text{Sc}$	43.67 h	7.7602E-19	0.6
$^{54}\text{Fe}(n,p)^{54}\text{Mn}$	312.3 d	1.4959E-18	1.1
$^{56}\text{Fe}(n,p)^{56}\text{Mn}$	2.579 h *	4.7933E-17	0.9
$^{93}\text{Nb}(n,2n)^{92\text{m}}\text{Nb}$	10.15 d	2.0258E-19	1.0
$^{115}\text{In}(n,n')^{115\text{m}}\text{In}$	4.486 h *	9.8199E-15	5.6
$^{55}\text{Mn}(n,2n)^{54}\text{Mn}$	312.3 d	3.5010E-21	16.0
$^{59}\text{Co}(n,2n)^{58}\text{Co}$	70.83 d	1.2528E-20	12.0
$^{60}\text{Ni}(n,p)^{60}\text{Co}$	1925.27 d	5.4018E-21	6.0
$^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$	44.495 d	1.2442E-17	2.3
$^{23}\text{Na}(n,\gamma)^{24}\text{Na}$	14.957 h *	1.2826E-16	0.8
$^{45}\text{Sc}(n,\gamma)^{46}\text{Sc}$	83.788 d	1.6744E-17	0.7
$^{55}\text{Mn}(n,\gamma)^{56}\text{Mn}$	2.579 h *	4.0558E-14	2.0
$^{59}\text{Co}(n,\gamma)^{60}\text{Co}$	1925.27 d	6.2470E-18	0.8
$^{63}\text{Cu}(n,\gamma)^{64}\text{Cu}$	12.701 h *	6.6548E-15	5.7
$^{98}\text{Mo}(n,\gamma)^{99}\text{Mo}$	2.748 d	1.6478E-15	1.8
$^{115}\text{In}(n,\gamma)^{116\text{m}}\text{In}$	54.41 m **	4.4211E-13	1.6
$^{197}\text{Au}(n,\gamma)^{198}\text{Au}$	2.694 d	2.4293E-14	2.8
$^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$ - BB	44.495 d	2.7876E-18	7.2
$^{59}\text{Co}(n,\gamma)^{60}\text{Co}$ - BB	1925.27 d	2.0990E-19	0.8
$^{98}\text{Mo}(n,\gamma)^{99}\text{Mo}$ - BB	2.748 d	3.9782E-16	2.2
$^{197}\text{Au}(n,\gamma)^{198}\text{Au}$ - BB	2.694 d	2.7153E-15	4.2
$^{235}\text{U}(n,f)\text{FP}$ - BB	^{95}Zr - 64.02 d	3.8036E-09 #fis	2.1
$^{238}\text{U}(n,f)\text{FP}$ - BB	^{95}Zr - 64.02 d	2.8865E-10 #fis	2.0
$^{237}\text{Np}(n,f)\text{FP}$ - BB	^{95}Zr - 64.02 d	1.9753E-09 #fis	3.0
$^{239}\text{Pu}(n,f)\text{FP}$ - BB	^{95}Zr - 64.02 d	4.5468E-09 #fis	2.0

* half life less than one day

** half life less than one hour

#fis = units are fissions per atom isotope

BB = foil is located within a thick Cd cup and within a B ball

Reference – all foil activities are normalized to a $^{58}\text{Ni}(n,p)^{58}\text{Co}$ activity for each irradiation

The foils and activation reactions chosen for the analysis represent expert judgment and references to previous work, including recent characterization work performed for the LB36 bucket on the 32-inch pedestal (Griffin, 2011b), and historical characterization of the ACRR free-field condition and the LB36 bucket on the 8-inch pedestal (Griffin, 1994b). A few additional foils and reactions were rejected due to either lack of dosimetry-quality cross section data, high counting uncertainty or dead time, or uncertainty regarding the purity or composition of the foil material. A complete set of dosimetry foils and reaction data will vary for a given neutron environment being characterized. Typically, neutron activation resulting in the emission of protons (n,p), neutrons ($n,2n$), (n,n'), or alpha particles (n,α) represent high neutron-energy reactions of 1 MeV or greater. Neutron activation resulting in prompt gamma-ray emission from radiative capture (n,γ) or fission reactions determine the shape of the thermal and epithermal region of the neutron spectrum. Covering foils with Cd and/or B can allow for resonances above the associated cutoff energies to become more prominent, allowing for additional information to be included in the analysis.

A total of 18 different foil types, resulting in 31 different reactions, were irradiated at the ACRR-LB44-CC-32-cl location. The foils were irradiated in 10 different maximum pulse (300 MJ) operations. The four fission foils (U-235, U-238, Pu-239, and Np-237) were irradiated individually in a cadmium and boron ball configuration in four separate steady-state operations. Figure 10 shows a picture of some of the dosimetry foils used, from left to right: Co, Sc, Ni, and Fe. For reference, the Ni foil is 1.27 cm in diameter. The irradiations were all performed at the peak axial fast neutron flux location within the bucket. From sulfur pellet irradiations, presented in Section 4 of this report, the peak axial fast neutron flux is located 11 inches from the bottom of the inside of the LB44 bucket, with the bucket on the 32-inch pedestal. For reference, the axial fuel centerline is 11.4 inches from the bottom of the inside of the LB44 bucket. Multiple foils were irradiated on specially designed aluminum stands that placed a thin aluminum plate, which held the foils, at the 11 inch position of the bucket. In order to minimize any self-shielding effects, the foils were never stacked. Instead, the foils were arranged randomly around the center of the plate and held in place with aluminum foil. For each irradiation, at least two Ni foils were irradiated and used to normalize all of the irradiations. Several foils were run for each operation, and multiple foils of the same type were tested during the campaign. Although there was a slight variation radially and azimuthally in the neutron flux at the central region of the bucket, as presented in Section 4, there was no attempt to try and arrange the foils in any particular order. The radial and azimuthal flux variations are considered negligible for the LB44 bucket at the 11-inch position. Additional uncertainty in the analysis was included to account for possible variation due to geometry effects.

The epithermal LB44 environment requires good coverage of both the epithermal and high-energy neutron reactions in order to perform an adequate adjustment to the flux. Cd and B covers have limited use for the LB44 characterization since the neutron flux is very low below the cutoff energies. Table 1 shows each activation reaction used in the analysis, as well as the half-life for the transmuted isotope, the measured activity decay corrected to the end of the irradiation, and the counting uncertainty. The reactions are grouped in order of reaction type. The first group represents the high-energy (n,p), ($n,2n$), (n,n') and (n,α) reactions. The second group represents the radiative capture reactions. The third group represents the radiative capture reactions with the foils placed in a cadmium cup within a boron ball configuration. The fourth

group represents the fission foils placed in a cadmium cup within a boron ball configuration. Not all of the foils and reactions that were irradiated and counted appear in Table 1. Table 1 represents the foils and reactions that were used in the final LSL-M2 analysis. A few additional foils and reactions were rejected due to either lack of dosimetry-quality cross section data, high counting uncertainty or dead time, or uncertainty regarding the purity or composition of the foil material. The Cd-covered foil data results for threshold reactions were not used because they provided no additional information and are totally correlated with the corresponding bare foil results.



Figure 10. Typical Dosimetry Foils - Left to Right: Co, Sc, Ni, and Fe.

LSL Spectrum Unfold Results

LSL-M2 was run using the a priori 640-energy group trial spectrum from MCNP and the dosimetry data presented in Table 1. Also required in the analysis was an initial uncertainty estimate in the neutron spectrum as a function of energy. The input deck used for the LSL calculation is included in Appendix B of this report. In addition to the counting uncertainty, an additional 2% uncertainty was included for the foils that include positioning and possible geometrical effects in the central region of the core. The output was in the 89-energy group NuGET format described earlier.

The resulting value for χ^2 divided by the number of degrees of freedom is 0.89, which represents a very good value. Figures 11 and 12 show the same representation of the neutron energy spectra as previously shown in Figures 8 and 9, with the additional 89-energy group adjusted spectrum result from the LSL analysis (green curve). Figure 13 shows the percent adjustment made to the trial spectrum (red curve), and the percent standard deviation in the adjusted spectrum (black curve). The adjusted neutron flux in Figure 11 shows a lower value in the 1E-4 to 3E-4 MeV energy range, a higher value 1E-3 to 2E-3 MeV range, a lower value in the 3E-3 to 2E-2 MeV range, and a higher value in the 1.0 to 2.0 MeV range.

Figures 14 to 17 show the dosimetry foil reaction probabilities as a function of energy. Each reaction probability sums to 100%. It is desirable to have diverse coverage over the complete energy range. Peaks represent areas of higher probability that allow for energy discrimination in the analysis. Figure 14 shows all of the reactions used in the analysis. Figures 15 through 17 represent the high-energy reactions, radiative capture reactions, and the fission reactions, respectively. The reactions that are green in the legend represent those in the thermal region less than 1 eV. The blue legend reactions represent those in the cadmium cup and boron ball configuration. The cadmium cutoff value is at 0.5 eV. Although there is no boron cutoff energy, an effective value is shown at 100 eV.

Figure 14 shows that there is good coverage with many peaks in the energy range between 2 eV and 10 keV, and 1 MeV to 10 MeV. There is less coverage in the range lower than 2 eV, due to the fact that the neutron flux is orders of magnitude lower in this range. Reactions in the low energy range (less than 0.5 eV) are $^{45}\text{Sc}(n,\gamma)^{46}\text{Sc}$, $^{115}\text{In}(n,\gamma)^{116\text{m}}\text{In}$, $^{23}\text{Na}(n,\gamma)^{24}\text{Na}$, $^{55}\text{Mn}(n,\gamma)^{56}\text{Mn}$, and $^{197}\text{Au}(n,\gamma)^{198}\text{Au}$. The reaction probabilities in this range are very small. The peaks in the low energy range to 1 MeV are $^{197}\text{Au}(n,\gamma)^{198}\text{Au}$ (red), $^{115}\text{In}(n,\gamma)^{116\text{m}}\text{In}$ (blue), $^{59}\text{Co}(n,\gamma)^{60}\text{Co}$ (yellow), $^{59}\text{Co}(n,\gamma)^{60}\text{Co}$ –Cd/B ball (purple), $^{55}\text{Mn}(n,\gamma)^{56}\text{Mn}$ (green), $^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$ (orange hidden by green), $^{98}\text{Mo}(n,\gamma)^{99}\text{Mo}$ (orange), $^{63}\text{Cu}(n,\gamma)^{64}\text{Cu}$ (light blue), $^{23}\text{Na}(n,\gamma)^{24}\text{Na}$ (dark blue), and $^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$ –Cd/B ball (blue gray).

Table 2 shows the result of the calculated to experimental (C/E) dosimetry results for the trial spectrum and the adjusted spectrum. Also shown is the factor adjusted from the trial spectrum to the adjusted spectrum for the dosimetry reactions. For the high-energy reactions, the C/E-1 values are found to be both positive and negative for the trial spectrum, and are reduced for the adjusted spectrum. For the radiative capture reactions, including the cadmium cup and boron ball configuration, the C/E-1 values are all positive for the trial spectrum, inferring that the thermal/epithermal calculated flux is too high. After the adjustment, the results become much closer to zero for C/E-1.




Figure 11. LSL Adjusted 89-Group Neutron Energy Spectrum Compared to the MCNP Calculated Results (lin-log).




Figure 12. LSL Adjusted 89-Group Neutron Energy Spectrum Compared to the MCNP Calculated Results (log-log).




Figure 13. LSL Percent Adjustment to the Trial Spectrum and Standard Deviation Results for the 89-Group Adjusted Neutron Spectrum.




Figure 14. Reaction Probabilities for the Complete Dosimetry Reaction Set.




Figure 15. Reaction Probabilities for the High Energy Dosimetry Reaction Set.




Figure 16. Reaction Probabilities for the Radiative Capture Dosimetry Reaction Set.




Figure 17. Reaction Probabilities for the Fission Dosimetry Reaction Set.

Table 2. C/E Values for the Trial and Adjusted LSL Neutron Energy Spectrum.

Activation Reaction	C/E-1 Trial Spectrum (%)	C/E-1 Adjusted Spectrum (%)	Factor Adjusted (%)
$^{58}\text{Ni}(n,p)^{58}\text{Co}$ - Reference	0.00	-0.82	-0.83
$^{59}\text{Co}(n,p)^{59}\text{Fe}$	2.86	1.54	-1.30
$^{27}\text{Al}(n,\alpha)^{24}\text{Na}$	8.35	5.71	-2.50
$^{27}\text{Al}(n,p)^{27}\text{Mg}$	-8.73	-1.64	7.21
$^{46}\text{Ti}(n,p)^{46}\text{Sc}$	-3.49	-0.81	2.70
$^{47}\text{Ti}(n,p)^{47}\text{Sc}$	3.35	0.81	-2.52
$^{48}\text{Ti}(n,p)^{48}\text{Sc}$	-3.53	-1.44	2.12
$^{54}\text{Fe}(n,p)^{54}\text{Mn}$	4.73	1.47	-3.21
$^{56}\text{Fe}(n,p)^{56}\text{Mn}$	0.62	0.68	0.06
$^{93}\text{Nb}(n,2n)^{92\text{m}}\text{Nb}$	-5.73	-0.8	4.97
$^{115}\text{In}(n,n')^{115\text{m}}\text{In}$	-6.88	-6.52	0.39
$^{55}\text{Mn}(n,2n)^{54}\text{Mn}$	4.41	5.43	0.97
$^{59}\text{Co}(n,2n)^{58}\text{Co}$	10.49	14.38	3.40
$^{60}\text{Ni}(n,p)^{60}\text{Co}$	-4.88	-0.88	4.04
$^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$	33.08	0.54	-32.37
$^{23}\text{Na}(n,\gamma)^{24}\text{Na}$	30.52	0.28	-30.16
$^{45}\text{Sc}(n,\gamma)^{46}\text{Sc}$	13.71	-0.28	-14.03
$^{55}\text{Mn}(n,\gamma)^{56}\text{Mn}$	17.16	-0.59	-17.86
$^{59}\text{Co}(n,\gamma)^{60}\text{Co}$	38.47	-0.11	-38.62
$^{63}\text{Cu}(n,\gamma)^{64}\text{Cu}$	2.38	-2.15	-4.63
$^{98}\text{Mo}(n,\gamma)^{99}\text{Mo}$	15.61	0.06	-15.54
$^{115}\text{In}(n,\gamma)^{116\text{m}}\text{In}$	18.21	0.8	-17.27
$^{197}\text{Au}(n,\gamma)^{198}\text{Au}$	-0.92	-0.46	0.46
$^{58}\text{Fe}(n,\gamma)^{59}\text{Fe}$ - BB	36.33	4.61	-30.32
$^{59}\text{Co}(n,\gamma)^{60}\text{Co}$ - BB	18.25	0.69	-17.44
$^{98}\text{Mo}(n,\gamma)^{99}\text{Mo}$ - BB	25.75	2.48	-22.71
$^{197}\text{Au}(n,\gamma)^{198}\text{Au}$ - BB	2.33	-6.11	-8.99
$^{235}\text{U}(n,f)\text{FP}$ - BB	6.86	0.76	-6.05
$^{238}\text{U}(n,f)\text{FP}$ - BB	1.3	0.56	-0.74
$^{237}\text{Np}(n,f)\text{FP}$ - BB	-3.86	-0.53	3.35
$^{239}\text{Pu}(n,f)\text{FP}$ - BB	2.78	-1.85	-4.72

Table 3 shows the adjusted neutron flux spectrum in a tabular format for the 89-energy group NuGET structure. Column 5 represents the number fraction, column 6 the energy fraction, column 7 the differential number fraction, column 8 the differential energy fraction, and column 9 the percent standard deviation for the adjusted spectrum. The number fraction, represented as a histogram, is used in MCNP source calculations as an isotropic spherical surface source. The average neutron energy is calculated to be 0.766 MeV. The peak differential number fraction occurs in energy group 5 at 0.05 eV. The differential flux at 1 MeV (Group 74) is about 4 orders of magnitude lower than the peak. The differential energy flux for the same comparison is about 4 orders of magnitude larger for the 1 MeV value. The LSL adjusted results for the number fraction, percent standard deviation, and covariance as a function of the 89-group energy structure are included in an LSL format in Appendix C of this report.

Table 3. Neutron 89-Energy Group Adjusted Spectrum for ACRR-LB44-CC-32-cl.

Group	Lower Energy (MeV)	Upper Energy (MeV)	Midpoint Energy (MeV)	Number Fraction	Energy Fraction	Differential Number dN/dE	Differential Energy dE/dE	Standard Deviation (%)
1	1.0000E-10	1.0000E-09	5.5000E-10	9.81568E-08	5.39862E-17	1.09063E+02	5.99847E-08	289.04
2	1.0000E-09	5.0000E-09	3.0000E-09	4.71769E-07	1.41531E-15	1.17942E+02	3.53827E-07	199.35
3	5.0000E-09	1.0000E-08	7.5000E-09	1.56400E-06	1.17300E-14	3.12800E+02	2.34600E-06	180.80
4	1.0000E-08	3.0000E-08	2.0000E-08	1.48767E-05	2.97534E-13	7.43835E+02	1.48767E-05	154.28
5	3.0000E-08	7.0000E-08	5.0000E-08	3.70727E-05	1.85364E-12	9.26818E+02	4.63409E-05	140.73
6	7.0000E-08	1.0000E-07	8.5000E-08	1.60379E-05	1.36322E-12	5.34597E+02	4.54407E-05	140.04
7	1.0000E-07	1.5230E-07	1.2615E-07	1.27651E-05	1.61032E-12	2.44075E+02	3.07900E-05	139.67
8	1.5230E-07	2.0000E-07	1.7615E-07	5.18615E-06	9.13540E-13	1.08724E+02	1.91518E-05	140.70
9	2.0000E-07	4.1400E-07	3.0700E-07	1.00018E-05	3.07055E-12	4.67374E+01	1.43484E-05	134.04
10	4.1400E-07	6.0000E-07	5.0700E-07	5.23488E-06	2.65408E-12	2.81445E+01	1.42693E-05	128.81
11	6.0000E-07	8.0000E-07	7.0000E-07	4.31922E-06	3.02345E-12	2.15961E+01	1.51173E-05	123.64
12	8.0000E-07	1.1250E-06	9.6250E-07	6.13326E-06	5.90326E-12	1.88716E+01	1.81639E-05	116.07
13	1.1250E-06	3.0590E-06	2.0920E-06	7.27327E-05	1.52157E-10	3.76074E+01	7.86747E-05	76.03
14	3.0590E-06	5.0430E-06	4.0510E-06	2.53397E-04	1.02651E-09	1.27720E+02	5.17395E-04	23.33
15	5.0430E-06	8.3150E-06	6.6790E-06	4.80629E-04	3.21012E-09	1.46892E+02	9.81088E-04	64.75
16	8.3150E-06	1.3710E-05	1.1013E-05	8.22219E-04	9.05469E-09	1.52404E+02	1.67835E-03	35.67
17	1.3710E-05	2.2600E-05	1.8155E-05	1.57467E-03	2.85881E-08	1.77128E+02	3.21576E-03	29.24
18	2.2600E-05	3.7270E-05	2.9935E-05	2.66869E-03	7.98872E-08	1.81915E+02	5.44562E-03	29.46
19	3.7270E-05	6.1440E-05	4.9355E-05	4.14267E-03	2.04461E-07	1.71397E+02	8.45931E-03	25.34
20	6.1440E-05	1.0130E-04	8.1370E-05	5.86551E-03	4.77277E-07	1.47153E+02	1.19738E-02	23.28
21	1.0130E-04	1.6700E-04	1.3415E-04	5.54605E-03	7.44003E-07	8.44148E+01	1.13242E-02	3.45
22	1.6700E-04	2.7540E-04	2.2120E-04	6.44123E-03	1.42480E-06	5.94209E+01	1.31439E-02	29.51
23	2.7540E-04	3.5360E-04	3.1450E-04	3.14265E-03	9.88363E-07	4.01873E+01	1.26389E-02	16.57
24	3.5360E-04	4.5400E-04	4.0380E-04	4.69586E-03	1.89619E-06	4.67715E+01	1.88863E-02	22.00
25	4.5400E-04	5.8300E-04	5.1850E-04	6.35529E-03	3.29522E-06	4.92658E+01	2.55443E-02	28.50
26	5.8300E-04	7.4850E-04	6.6575E-04	9.21809E-03	6.13694E-06	5.56984E+01	3.70812E-02	19.38
27	7.4850E-04	9.6110E-04	8.5480E-04	8.46912E-03	7.23940E-06	3.98359E+01	3.40518E-02	23.77
28	9.6110E-04	1.0890E-03	1.0251E-03	5.78720E-03	5.93217E-06	4.52478E+01	4.63813E-02	39.94
29	1.0890E-03	1.2340E-03	1.1615E-03	6.12781E-03	7.11745E-06	4.22608E+01	4.90859E-02	34.89
30	1.2340E-03	1.3980E-03	1.3160E-03	5.78864E-03	7.61785E-06	3.52966E+01	4.64503E-02	38.10
31	1.3980E-03	1.5850E-03	1.4915E-03	5.34901E-03	7.97805E-06	2.86043E+01	4.26634E-02	37.79
32	1.5850E-03	1.7960E-03	1.6905E-03	5.79017E-03	9.78828E-06	2.74416E+01	4.63900E-02	38.58
33	1.7960E-03	2.0350E-03	1.9155E-03	5.61929E-03	1.07637E-05	2.35117E+01	4.50366E-02	37.34
34	2.0350E-03	2.3060E-03	2.1705E-03	4.56609E-03	9.91070E-06	1.68490E+01	3.65708E-02	36.09
35	2.3060E-03	2.6130E-03	2.4595E-03	4.12604E-03	1.01480E-05	1.34399E+01	3.30554E-02	31.78
36	2.6130E-03	2.9600E-03	2.7865E-03	4.14265E-03	1.15435E-05	1.19385E+01	3.32666E-02	27.83
37	2.9600E-03	3.3550E-03	3.1575E-03	5.17371E-03	1.63360E-05	1.30980E+01	4.13569E-02	29.38
38	3.3550E-03	3.8010E-03	3.5780E-03	5.48856E-03	1.96381E-05	1.23062E+01	4.40315E-02	31.92
39	3.8010E-03	4.3070E-03	4.0540E-03	4.97667E-03	2.01754E-05	9.83532E+00	3.98724E-02	31.90
40	4.3070E-03	4.8810E-03	4.5940E-03	5.25064E-03	2.41214E-05	9.14746E+00	4.20234E-02	28.83
41	4.8810E-03	5.5310E-03	5.2060E-03	5.40988E-03	2.81638E-05	8.32289E+00	4.33290E-02	30.77
42	5.5310E-03	6.2670E-03	5.8990E-03	5.13494E-03	3.02910E-05	6.97682E+00	4.11563E-02	32.48
43	6.2670E-03	7.1020E-03	6.6845E-03	6.17196E-03	4.12565E-05	7.39157E+00	4.94089E-02	31.95

44	7.1020E-03	8.0470E-03	7.5745E-03	5.41534E-03	4.10185E-05	5.73052E+00	4.34058E-02	31.76
45	8.0470E-03	9.1190E-03	8.5830E-03	5.63712E-03	4.83834E-05	5.25851E+00	4.51338E-02	29.97
46	9.1190E-03	1.0330E-02	9.7245E-03	5.92605E-03	5.76279E-05	4.89352E+00	4.75870E-02	28.17
47	1.0330E-02	1.1710E-02	1.1020E-02	6.33857E-03	6.98510E-05	4.59317E+00	5.06167E-02	28.14
48	1.1710E-02	1.3270E-02	1.2490E-02	7.01157E-03	8.75745E-05	4.49460E+00	5.61375E-02	29.25
49	1.3270E-02	1.5030E-02	1.4150E-02	7.54295E-03	1.06733E-04	4.28577E+00	6.06436E-02	29.29
50	1.5030E-02	1.7040E-02	1.6035E-02	7.48108E-03	1.19959E-04	3.72193E+00	5.96812E-02	33.73
51	1.7040E-02	1.9300E-02	1.8170E-02	8.00009E-03	1.45362E-04	3.53986E+00	6.43193E-02	28.35
52	1.9300E-02	2.1880E-02	2.0590E-02	8.53655E-03	1.75768E-04	3.30874E+00	6.81270E-02	27.45
53	2.1880E-02	2.4790E-02	2.3335E-02	1.02904E-02	2.40126E-04	3.53622E+00	8.25177E-02	26.46
54	2.4790E-02	2.6060E-02	2.5425E-02	4.14188E-03	1.05307E-04	3.26132E+00	8.29191E-02	27.94
55	2.6060E-02	2.8090E-02	2.7075E-02	5.04495E-03	1.36592E-04	2.48520E+00	6.72867E-02	28.14
56	2.8090E-02	3.1830E-02	2.9960E-02	8.48442E-03	2.54193E-04	2.26856E+00	6.79661E-02	27.37
57	3.1830E-02	4.0870E-02	3.6350E-02	1.32209E-02	4.80580E-04	1.46249E+00	5.31615E-02	21.93
58	4.0870E-02	5.2480E-02	4.6675E-02	1.95793E-02	9.13864E-04	1.68642E+00	7.87135E-02	20.77
59	5.2480E-02	6.7380E-02	5.9930E-02	2.45909E-02	1.47373E-03	1.65040E+00	9.89082E-02	19.48
60	6.7380E-02	8.6520E-02	7.6950E-02	2.38059E-02	1.83186E-03	1.24378E+00	9.57087E-02	18.62
61	8.6520E-02	1.1110E-01	9.8810E-02	2.49400E-02	2.46432E-03	1.01465E+00	1.00257E-01	17.56
62	1.1110E-01	1.4260E-01	1.2685E-01	3.18524E-02	4.04048E-03	1.01119E+00	1.28269E-01	17.54
63	1.4260E-01	1.8320E-01	1.6290E-01	3.09772E-02	5.04619E-03	7.62985E-01	1.24290E-01	17.15
64	1.8320E-01	2.3520E-01	2.0920E-01	3.57855E-02	7.48633E-03	6.88183E-01	1.43968E-01	16.48
65	2.3520E-01	3.0200E-01	2.6860E-01	4.22559E-02	1.13499E-02	6.32573E-01	1.69909E-01	16.38
66	3.0200E-01	3.8770E-01	3.4485E-01	4.58644E-02	1.58163E-02	5.35174E-01	1.84555E-01	15.83
67	3.8770E-01	4.3940E-01	4.1355E-01	1.85556E-02	7.67367E-03	3.58909E-01	1.48427E-01	18.15
68	4.3940E-01	4.9790E-01	4.6865E-01	2.56005E-02	1.19977E-02	4.37615E-01	2.05088E-01	18.07
69	4.9790E-01	5.6420E-01	5.3105E-01	2.73886E-02	1.45447E-02	4.13101E-01	2.19377E-01	17.76
70	5.6420E-01	6.3930E-01	6.0175E-01	2.81557E-02	1.69427E-02	3.74909E-01	2.25602E-01	17.13
71	6.3930E-01	7.2440E-01	6.8185E-01	3.32497E-02	2.26713E-02	3.90713E-01	2.66408E-01	17.01
72	7.2440E-01	8.2080E-01	7.7260E-01	3.12749E-02	2.41630E-02	3.24428E-01	2.50653E-01	17.04
73	8.2080E-01	9.3010E-01	8.7545E-01	2.80840E-02	2.45861E-02	2.56944E-01	2.24942E-01	16.79
74	9.3010E-01	1.0540E+00	9.9205E-01	2.67413E-02	2.65287E-02	2.15830E-01	2.14114E-01	15.88
75	1.0540E+00	1.1940E+00	1.1240E+00	3.01470E-02	3.38852E-02	2.15336E-01	2.42037E-01	17.62
76	1.1940E+00	1.3530E+00	1.2735E+00	2.95855E-02	3.76771E-02	1.86072E-01	2.36963E-01	16.11
77	1.3530E+00	1.7380E+00	1.5455E+00	6.10872E-02	9.44103E-02	1.58668E-01	2.45221E-01	11.63
78	1.7380E+00	2.2310E+00	1.9845E+00	4.88241E-02	9.68914E-02	9.90347E-02	1.96534E-01	9.75
79	2.2310E+00	2.8650E+00	2.5480E+00	3.60364E-02	9.18207E-02	5.68397E-02	1.44828E-01	10.30
80	2.8650E+00	3.6790E+00	3.2720E+00	1.98358E-02	6.49027E-02	2.43683E-02	7.97331E-02	10.14
81	3.6790E+00	4.7240E+00	4.2015E+00	1.43540E-02	6.03083E-02	1.37359E-02	5.77113E-02	9.70
82	4.7240E+00	6.0650E+00	5.3945E+00	8.77617E-03	4.73430E-02	6.54450E-03	3.53043E-02	8.98
83	6.0650E+00	7.7880E+00	6.9265E+00	3.57252E-03	2.47451E-02	2.07343E-03	1.43616E-02	8.38
84	7.7880E+00	1.0000E+01	8.8940E+00	9.87542E-04	8.78320E-03	4.46448E-04	3.97070E-03	9.47
85	1.0000E+01	1.1910E+01	1.0955E+01	1.95540E-04	2.14214E-03	1.02377E-04	1.12154E-03	4.65
86	1.1910E+01	1.3500E+01	1.2705E+01	4.05539E-05	5.15237E-04	2.55056E-05	3.24049E-04	6.78
87	1.3500E+01	1.4920E+01	1.4210E+01	1.17332E-05	1.66729E-04	8.26282E-06	1.17415E-04	10.31
88	1.4920E+01	1.6900E+01	1.5910E+01	4.78573E-06	7.61410E-05	2.41704E-06	3.84550E-05	12.21
89	1.6900E+01	2.0000E+01	1.8450E+01	1.56525E-06	2.88789E-05	5.04919E-07	9.31576E-06	17.62

The results for a number of integral metrics and conversion factors are shown in Table 4. The total neutron fluence is normalized to 1.00 and the other values for fluence are in reference to this value. These values were calculated as part of the LSL analysis. Conversion values to translate to n/cm² are given for fissions, MJ, and ⁵⁸Ni(n,p)⁵⁸Co activity. In order to maintain consistency, the experimenter should always use a reference foil or foils, e.g. Ni and S, as a normalizing metric between operations. Typically, Ni, S, and TLDs are included in an experiment package in order to normalize the results of the experiment. Figure 13 showed the energy-dependent uncertainty as a function of energy. It must be noted that portions of the energy spectrum are highly correlated, so the uncertainty in the integral metric can be much less than the average uncertainty. Users should perform uncertainty propagation using the full energy-dependent covariance matrix given in Appendix C.

Table 4. Integral Neutron Spectrum Metrics.

Metric	Integral Response	Standard Deviation (%)
Total Neutron Fluence Average Neutron Energy = 0.766 MeV	1.00	1.7
Fluence > 3 MeV	0.044	4.0
Fluence > 1 MeV	0.265	4.3
Fluence > 100 keV	0.670	2.8
Fluence > 10 keV	0.840	2.3
Fluence < 1 eV	0.00011	124.7
Fluence 1-MeV(Si) Eqv. E722-94	0.563	2.5
Fluence 1-MeV(GaAs) Eqv. E722-94	0.618	2.3
$^{58}\text{Ni}(n,p)^{58}\text{Co}$ Spectrum Avg. Cross-Section IRDF-2002	24.89 mb	1.8
$^{32}\text{S}(n,p)^{32}\text{P}$ Spectrum Avg. Cross-Section GLUCS IRDF-90	14.35 mb	2.6
Total Fluence Conversion (n/cm ² /fission)	3.544E-04	2.4
Total Fluence Conversion (n/cm ² /MJ)	1.150E+13	3.1
Total Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ (n/cm ² /Bq/atom _{Ni-58})	3.547E+32	2.4
Total Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ (n/cm ² /Bq/g _{Ni-58})	3.412E+10	2.4
Power Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ (MJ/Bq/g _{Ni-58})	2.967E-03	3.9
Total Fluence Conversion From S Activation (n/cm ² /Fluence $^{32}\text{S}(n,p)$ Cf-eqv)	5.088	3.8

Table 5 shows representative integral metrics that may be useful to the experimenter. These values were calculated using the LSL adjusted 89-energy group neutron spectrum and the NuGET code with various response functions. Included are responses for Si dose, Si damage, C dose, GaAs dose, GaAs damage, TLD dose, Alanine dose, and Teflon dose.

Table 5. Other Neutron Spectrum Metrics.

Metric	Integral Response
Total Si Dose (rad(Si)/n/cm ²)	3.988E-11
Ionizing Si Dose (rad(Si)/n/cm ²)	2.123E-11
Percent Neutron Si Dose Ionizing (%)	53.2
Si PKA Average Energy (keV) - SPECTER	33.4
Si Frenkel Pair (FP) Generation Efficiency (FP/cm ³ /n/cm ²) – SPECTER/MARLOWE Single Crystal – 15 eV E _{th}	30.619
Si FP density (FP/cascade)	195.2
Total Carbon Dose (rad(C)/n/cm ²)	1.855E-10
Ionizing C Dose (rad(C)/n/cm ²)	1.548E-10
Percent Neutron C Dose Ionizing (%)	83.4
Total GaAs Dose (rad(GaAs) /n/cm ²)	7.976E-12
Ionizing GaAs Dose (rad(GaAs) /n/cm ²)	2.267E-12
Percent Neutron GaAs Dose Ionizing (%)	28.4
GaAs PKA Average Energy (keV) - EMPIRE	8.5 Ga-69 8.6 Ga-71 6.2 As-75
GaAs FP Generation Efficiency (FP/cm ³ /n/cm ²) – EMPIRE/MARLOWE Single Crystal - 15 eV E _{th}	25.6 Ga-69 36.8 Ga-71 25.7 As-75 27.9 wt-avg.
GaAs FP density (FP/cascade)	82.4 Ga-69 84.4 Ga-71 67.6 As-75
Total CaF ₂ :Mn (TLD) Dose (rad(CaF ₂ :Mn)/n/cm ²)	7.647E-11
Effective Ionizing CaF ₂ :Mn Dose (rad(CaF ₂ :Mn)/n/cm ²)	6.712E-12
Percent Neutron CaF ₂ :Mn Dose in light (%)	8.8
Total Alanine Dose (rad(Alanine)/n/cm ²)	1.239E-09
Effective Alanine EPR Dose – Waligorski (rad(CaF ₂ :Mn)/n/cm ²)	6.038E-10
Percent Neutron Alanine EPR Dose (%)	48.73
Effective Alanine EPR Dose – Gerstenberg (rad(CaF ₂ :Mn)/n/cm ²)	5.383E-10
Percent Neutron Alanine EPR Dose (%)	43.4
Total Teflon Dose (rad(Teflon)/n/cm ²)	1.330E-10

3.2 Prompt Gamma Ray

The gamma-ray environment includes both prompt and delayed gamma rays. Prompt gamma rays are generated from the fission process in the ACRR fuel, and from radiative capture and inelastic scattering of neutrons in the ACRR fuel and structure, the central cavity, and the bucket. Delayed gamma rays are generated by fission-product decay in the ACRR fuel. All gamma rays are considered to fall into one of these two categories, prompt or delayed. Gamma rays generated as the reactor power decreases following a pulse are considered prompt gamma rays.

It is not currently practical to use experimental integral measurements to adjust the gamma-ray energy spectrum as it is for neutrons, using the current state-of-the-art technology in gamma-ray detection and energy deposition measurements. For photon energies above the K-edges for photon cross sections (~ 80 keV), most material response functions fail to show any strong energy-dependent structure that can be used to resolve the spectrum. There is simply no effective way to discriminate energy groups in a gamma-ray flux within a small volume in a reactor core. Integral dose measurements can be performed and are used as benchmarks for the calculated integral response. These integral measurements have value in validation, but are not useful for spectrum adjustment. However, both passive dosimeters (e.g., TLDs) and active dosimeters (e.g., calorimeters) have some neutron and delayed gamma-ray contribution effects that make deciphering the results much more complex.

MCNP Model Results – 48-Group Prompt Gamma-Ray Energy Spectrum

The prompt gamma-ray flux can be calculated in a similar way as was performed for the neutron environment. With both neutrons and photons (gamma rays) turned “on” in the k-code mode of MCNP, the prompt gamma rays generated by fission, neutron radiative capture, and neutron inelastic scattering will be tracked properly, without any additional input from the user. The production and energy spectrum for the source fission gamma rays are modeled for the 70c fissile and fissionable cross sections supplied with MCNP5. The radiative capture cross sections for neutron absorption are also modeled, but one must be sure that the gamma-ray production cross section is included in the cross-section data for each reaction of interest. For example, radiative capture gamma-ray production for the naturally occurring cadmium isotopes is not included in the 70c or other cross sections available in the MCNP library. This information for each individual isotope can be found in Appendix G – MCNP Data Libraries of the MCNP manual. Typically, it is estimated that there are about seven gamma rays generated in the fission process at energies of about 1 MeV each. Another 1 to 12 MeV of radiative capture gamma rays can be emitted. This value is dependent on the type of reactor and absorbing materials in the fuel elements, structure, and control elements. For the ACRR, the total energy calculated for the prompt gamma rays (fission, radiative capture, and inelastic scattering) is ~ 13 MeV per fission.

Figures 18 and 19 show the MCNP-generated 48-energy group prompt gamma-ray flux on a linear and logarithmic y-axis, respectively. The units on the y-axis are in energy flux, equal to $E \times d\phi/dE$ (MeV/MeV-cm²-s-MW). With the energy flux represented linearly on the y-axis and the neutron energy on the x-axis represented logarithmically, the area under the curve represents the total prompt gamma-ray flux. The flux value for each energy group is represented at the average energy for the group. The gamma-ray energy flux has a prominent peak at ~ 0.5 MeV and another peak at ~ 0.8 MeV.




Figure 18. MCNP 48-Group Prompt Gamma-Ray Energy Spectrum (lin-log).




Figure 19. MCNP 48-Group Prompt Gamma-Ray Energy Spectrum (log-log).

Table 6 shows the prompt gamma-ray flux spectrum in a tabular format for the 48-energy group NuGET structure. Column 5 represents the number fraction, column 6 the energy fraction, column 7 the differential number fraction, column 8 the differential energy fraction, and column 9 the percent standard deviation. The number fraction, represented as a histogram, can be used in MCNP source calculations as an isotropic spherical surface source. The average gamma-ray energy is calculated to be 1.624 MeV. The peak differential number fraction occurs in energy group 14 at 0.5125 MeV. This is the large peak seen in Figure 19 and represents the electron-positron annihilation photon energy (0.511 MeV).

Table 6. Prompt Gamma-Ray 48-Energy Group Spectrum for ACRR-LB44-CC-32-cl.

Group	Lower Energy (MeV)	Upper Energy (MeV)	Midpoint Energy (MeV)	Number Fraction	Energy Fraction	Differential Number dN/dE	Differential Energy dE/dE	Standard Deviation (%)
1	1.0000E-03	1.0000E-02	5.5000E-03	2.24849E-05	1.23667E-07	2.49833E-03	1.37408E-05	81.49
2	1.0000E-02	2.0000E-02	1.5000E-02	9.69521E-05	1.45428E-06	9.69521E-03	1.45428E-04	64.92
3	2.0000E-02	3.0000E-02	2.5000E-02	1.68316E-04	4.20790E-06	1.68316E-02	4.20790E-04	52.23
4	3.0000E-02	4.5000E-02	3.7500E-02	3.89960E-04	1.46235E-05	2.59973E-02	9.74899E-04	42.15
5	4.5000E-02	6.0000E-02	5.2500E-02	7.17167E-04	3.76513E-05	4.78111E-02	2.51008E-03	34.78
6	6.0000E-02	8.0000E-02	7.0000E-02	1.02261E-04	7.15825E-04	5.11303E-01	3.57912E-02	33.52
7	8.0000E-02	1.0000E-01	9.0000E-02	4.01232E-03	3.61108E-04	2.00616E-01	1.80554E-02	32.41
8	1.0000E-01	1.5000E-01	1.2500E-01	1.82073E-03	2.27591E-04	3.64146E-02	4.55182E-03	30.96
9	1.5000E-01	2.0000E-01	1.7500E-01	4.78930E-03	8.38128E-04	9.57861E-02	1.67626E-02	29.48
10	2.0000E-01	3.0000E-01	2.5000E-01	1.95013E-02	4.87533E-03	1.95013E-01	4.87533E-02	27.90
11	3.0000E-01	4.0000E-01	3.5000E-01	2.42760E-02	8.49661E-03	2.42760E-01	8.49661E-02	26.42
12	4.0000E-01	4.5000E-01	4.2500E-01	1.56189E-02	6.63805E-03	3.12379E-01	1.32761E-01	25.56
13	4.5000E-01	5.0000E-01	4.7500E-01	1.94750E-02	9.25063E-03	3.89500E-01	1.85013E-01	25.07
14	5.0000E-01	5.2500E-01	5.1250E-01	4.64233E-02	2.37919E-02	1.85693E+00	9.51677E-01	24.74
15	5.2500E-01	6.0000E-01	5.6250E-01	4.11053E-02	2.31217E-02	5.48071E-01	3.08290E-01	24.33
16	6.0000E-01	7.0000E-01	6.5000E-01	4.51050E-02	2.93183E-02	4.51050E-01	2.93183E-01	23.69
17	7.0000E-01	8.0000E-01	7.5000E-01	4.77046E-02	3.57785E-02	4.77046E-01	3.57785E-01	23.06
18	8.0000E-01	9.0000E-01	8.5000E-01	7.52243E-02	6.39406E-02	7.52243E-01	6.39406E-01	22.50
19	9.0000E-01	1.0000E+00	9.5000E-01	4.54383E-02	4.31664E-02	4.54383E-01	4.31664E-01	22.01
20	1.0000E+00	1.1250E+00	1.0625E+00	6.09959E-02	6.48081E-02	4.87967E-01	5.18465E-01	21.52
21	1.1250E+00	1.2000E+00	1.1625E+00	2.88412E-02	3.35279E-02	3.84550E-01	4.47039E-01	21.12
22	1.2000E+00	1.3300E+00	1.2650E+00	5.09954E-02	6.45092E-02	3.92272E-01	4.96225E-01	20.75
23	1.3300E+00	1.5000E+00	1.4150E+00	6.20101E-02	8.77443E-02	3.64765E-01	5.16143E-01	20.26
24	1.5000E+00	1.6600E+00	1.5800E+00	4.83358E-02	7.63706E-02	3.02099E-01	4.77316E-01	20.00
25	1.6600E+00	1.8750E+00	1.7675E+00	5.81648E-02	1.02806E-01	2.70534E-01	4.78169E-01	20.00
26	1.8750E+00	2.0000E+00	1.9375E+00	2.50318E-02	4.84991E-02	2.00254E-01	3.87993E-01	20.00
27	2.0000E+00	2.3330E+00	2.1665E+00	6.57119E-02	1.42365E-01	1.97333E-01	4.27522E-01	20.00
28	2.3330E+00	2.5000E+00	2.4165E+00	2.32470E-02	5.61763E-02	1.39203E-01	3.36385E-01	20.00
29	2.5000E+00	2.6600E+00	2.5800E+00	2.98378E-02	7.69815E-02	1.86486E-01	4.81134E-01	20.00
30	2.6600E+00	3.0000E+00	2.8300E+00	3.14264E-02	8.89367E-02	9.24306E-02	2.61579E-01	20.00
31	3.0000E+00	3.5000E+00	3.2500E+00	3.21273E-02	1.04414E-01	6.42547E-02	2.08828E-01	20.00
32	3.5000E+00	4.0000E+00	3.7500E+00	2.11542E-02	7.93282E-02	4.23084E-02	1.58656E-01	20.00
33	4.0000E+00	4.5000E+00	4.2500E+00	1.49979E-02	6.37410E-02	2.99958E-02	1.27482E-01	20.00
34	4.5000E+00	5.0000E+00	4.7500E+00	9.26206E-03	4.39948E-02	1.85241E-02	8.79895E-02	20.00
35	5.0000E+00	5.5000E+00	5.2500E+00	7.55139E-03	3.96448E-02	1.51028E-02	7.92895E-02	20.00
36	5.5000E+00	6.0000E+00	5.7500E+00	6.54016E-03	3.76059E-02	1.30803E-02	7.52118E-02	20.00
37	6.0000E+00	6.5000E+00	6.2500E+00	4.21976E-03	2.63735E-02	8.43953E-03	5.27470E-02	22.00
38	6.5000E+00	7.0000E+00	6.7500E+00	2.83344E-03	1.91257E-02	5.66689E-03	3.82515E-02	25.76
39	7.0000E+00	7.5000E+00	7.2500E+00	2.53608E-03	1.83866E-02	5.07217E-03	3.67732E-02	29.26
40	7.5000E+00	8.0000E+00	7.7500E+00	6.91549E-03	5.35950E-02	1.38310E-02	1.07190E-01	32.53
41	8.0000E+00	9.0000E+00	8.5000E+00	4.48998E-03	3.81649E-02	4.48998E-03	3.81649E-02	37.05
42	9.0000E+00	1.0000E+01	9.5000E+00	6.49251E-04	6.16788E-03	6.49251E-04	6.16788E-03	42.49
43	1.0000E+01	1.2000E+01	1.1000E+01	1.01687E-05	1.11856E-04	5.08434E-06	5.59278E-05	48.26
44	1.2000E+01	1.4000E+01	1.3000E+01	6.13457E-07	7.97494E-06	3.06728E-07	3.98747E-06	53.97
45	1.4000E+01	1.7000E+01	1.5500E+01	6.46557E-08	1.00216E-06	2.15519E-08	3.34055E-07	59.98
46	1.7000E+01	2.0000E+01	1.8500E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	66.02
47	2.0000E+01	3.0000E+01	2.5000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	76.31
48	3.0000E+01	5.0000E+01	4.0000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	92.37

The results for the number fraction, percent standard deviation, and covariance as a function of the 48-group energy structure are included in an LSL format in Appendix D of this report. The uncertainty and covariance matrix represents a combination of expert judgment and perturbation analyses using MCNP. The covariance matrix satisfies the spectrum normalization condition and is positive semi-definite, with non-negative eigenvalues.

The results for a number of integral metrics and conversion factors are shown in Table 7. Conversion values to translate to γ/cm^2 are given for fissions, MJ, and $^{58}\text{Ni}(n,p)^{58}\text{Co}$ activity. The same caveats presented in the neutron discussion using reactor power apply to the prompt gamma-rays. Table 7 also shows additional integral metrics that may be useful to the experimenter. These values were calculated using the 48-energy group gamma-ray spectrum and the NuGET code with various response functions. Included are responses for Si dose, C dose, GaAs dose, TLD dose, Alanine dose, and Teflon dose.

Table 7. Prompt Gamma-Ray Spectrum Metrics.

Metric	Integral Response
Average gamma-ray energy (MeV)	1.624
Fluence Conversion ($\gamma/\text{cm}^2/\text{n}/\text{cm}^2$)	0.138
Fluence Conversion ($\gamma/\text{cm}^2/\text{fission}$)	4.891E-05
Fluence Conversion ($\gamma/\text{cm}^2/\text{MJ}$)	1.587E+12
Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ ($\gamma/\text{cm}^2/\text{Bq}/\text{atom}_{\text{Ni-58}}$)	4.895E+31
Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ ($\gamma/\text{cm}^2/\text{Bq}/\text{g}_{\text{Ni-58}}$)	4.709E+09
Total (Ionizing) Si Dose ($\text{rad}(\text{Si})/\gamma/\text{cm}^2$)	6.147E-10
Total (Ionizing) Carbon Dose ($\text{rad}(\text{C})/\gamma/\text{cm}^2$)	5.914E-10
Total (Ionizing) GaAs Dose ($\text{rad}(\text{GaAs})/\gamma/\text{cm}^2$)	6.234E-10
Total (Ionizing) $\text{CaF}_2:\text{Mn}$ (TLD) Dose ($\text{rad}(\text{CaF}_2:\text{Mn})/\gamma/\text{cm}^2$)	6.050E-10
Total Alanine Dose ($\text{rad}(\text{Alanine})/\gamma/\text{cm}^2$)	6.566E-10
Total Teflon Dose ($\text{rad}(\text{Teflon})/\gamma/\text{cm}^2$)	5.900E-10

3.3 Delayed Gamma Ray

Delayed gamma rays are generated by fission-product decay in the ACRR fuel and by the decay of activated materials in the reactor core. MCNP does not intrinsically calculate the source for these gamma rays. MCNPX or MCNP6 could be used with the burnup feature of the code to generate fission products and activation products in defined regions of the core. But in order to generate the decay gamma-ray source, a separate calculation would need to be performed that would generate the time-dependent or time-integrated gamma-ray energy spectrum from the unique isotopic inventory and gamma-ray lines. For the analysis presented in this report, a much simpler approach was taken. The assumption was made that only early-time fission product generated decay gamma rays would be modeled. A generic fission product decay gamma-ray energy spectrum was used in the MCNP analysis and transported the gamma rays from the fission distribution in the ACRR fuel to the detector sphere in the central cavity.

MCNP Model Results – 48-Group Delayed Gamma-Ray Energy Spectrum

The decay gamma-ray flux was calculated with MCNP using the source mode and with photons only. The same model of the ACRR and bucket configuration was used with a represented fission product gamma-ray source energy spectrum. The same 48-energy group structure was used as was used for prompt gamma rays. The fission-product delayed gamma-ray energy spectrum used was for fast U-235 fission in the time interval from 0.2 to 0.5 seconds as given in Engle (1962) and Fisher (1964). The gamma-ray source distribution within the ACRR fuel was radially by row in the core. The distribution function was generated from a separate MCNP k-code calculation by tallying the number of fissions in each row of fuel. A constant axial source distribution was assumed. The results gave the transported delayed gamma-ray flux spectrum per source photon.

The total delayed gamma-ray energy released from the fission products used was 6.33 MeV per fission for U-235 fission from ENDF/B-VII.1. This value is about half of the value emitted as prompt gamma rays, and therefore cannot be ignored as a trivial quantity. The number of delayed gamma rays emitted per fission was then calculated to be 6.57 delayed photons/fission, using the source delayed gamma-ray energy spectrum for fast U-235 fission.

Figure 20 shows the delayed gamma-ray energy source distribution in units of gamma rays per MeV as a function of energy. This spectrum was used in a histogram format for the source calculation in MCNP described above. The resulting transported gamma-ray flux to the tally sphere is in units of flux per source delayed gamma ray. Figure 21 shows the time-integrated energy from the emission of the delayed gamma rays on a per fission basis. Although fission products continue to decay over many years, the majority of the energy is released from the shorter-lived products over 1E4 seconds (2.8 hours). The fractional energy release after 10 μ s is ~3%, ~12% after 1 s, ~30% after 10 s, and ~75% after 300 s (5 minutes).

Figures 22 and 23 show the MCNP-generated 48-energy group delayed gamma-ray flux on a linear and logarithmic y-axis, respectively. The units on the y-axis are in energy flux, equal to $E \times d\phi/dE$ (MeV/MeV-cm²-s-MW). With the energy flux represented linearly on the y-axis and the neutron energy on the x-axis represented logarithmically, the area under the curve represents the total gamma-ray flux. The scale of the plots is the same as presented for the prompt gamma rays. The delayed gamma-ray energy flux has a prominent peak at ~0.5 MeV.




Figure 20. Delayed Gamma-Ray Source Distribution Used for MCNP Analysis.




Figure 21. Cumulative Delayed Gamma-Ray Energy Release from Fission Products.




Figure 22. MCNP 48-Group Delayed Gamma-Ray Energy Spectrum (lin-log).




Figure 23. MCNP 48-Group Delayed Gamma-Ray Energy Spectrum (log-log).

Table 8 shows the delayed gamma-ray flux spectrum in a tabular format for the 48-energy group NuGET structure. Column 5 represents the number fraction, column 6 the energy fraction, column 7 the differential number fraction, column 8 the differential energy fraction, and column 9 the percent standard deviation. The number fraction, represented as a histogram, is used in MCNP source calculations as an isotropic spherical surface source. The average delayed gamma-ray energy is calculated to be 0.964 MeV. The peak differential number fraction again occurs in energy group 14 at 0.5125 MeV. This is the large peak seen in Figure 22 and represents the electron-positron annihilation photon energy (0.511 MeV).

Table 8. Delayed Gamma-Ray 48-Energy Group Spectrum for ACRR-LB44-CC-32-cl.

Group	Lower Energy (MeV)	Upper Energy (MeV)	Midpoint Energy (MeV)	Number Fraction	Energy Fraction	Differential Number dN/dE	Differential Energy dE/dE	Standard Deviation (%)
1	1.0000E-03	1.0000E-02	5.5000E-03	3.77849E-05	2.07817E-07	4.19832E-03	2.30908E-05	102.26
2	1.0000E-02	2.0000E-02	1.5000E-02	1.02824E-04	1.54235E-06	1.02824E-02	1.54235E-04	101.64
3	2.0000E-02	3.0000E-02	2.5000E-02	1.70547E-04	4.26368E-06	1.70547E-02	4.26368E-04	101.50
4	3.0000E-02	4.5000E-02	3.7500E-02	3.18045E-04	1.19267E-05	2.12030E-02	7.95112E-04	74.71
5	4.5000E-02	6.0000E-02	5.2500E-02	5.75746E-04	3.02267E-05	3.83831E-02	2.01511E-03	53.46
6	6.0000E-02	8.0000E-02	7.0000E-02	9.27682E-04	6.49377E-04	4.63841E-01	3.24689E-02	53.39
7	8.0000E-02	1.0000E-01	9.0000E-02	3.50110E-03	3.15099E-04	1.75055E-01	1.57549E-02	54.04
8	1.0000E-01	1.5000E-01	1.2500E-01	1.61847E-03	2.02308E-04	3.23693E-02	4.04616E-03	46.59
9	1.5000E-01	2.0000E-01	1.7500E-01	4.12211E-03	7.21370E-04	8.24423E-02	1.44274E-02	42.42
10	2.0000E-01	3.0000E-01	2.5000E-01	1.69794E-02	4.24485E-03	1.69794E-01	4.24485E-02	42.26
11	3.0000E-01	4.0000E-01	3.5000E-01	2.06074E-02	7.21261E-03	2.06074E-01	7.21261E-02	42.27
12	4.0000E-01	4.5000E-01	4.2500E-01	1.43201E-02	6.08603E-03	2.86401E-01	1.21721E-01	44.29
13	4.5000E-01	5.0000E-01	4.7500E-01	1.76289E-02	8.37373E-03	3.52578E-01	1.67475E-01	41.90
14	5.0000E-01	5.2500E-01	5.1250E-01	3.95844E-02	2.02870E-02	1.58337E+00	8.11479E-01	38.54
15	5.2500E-01	6.0000E-01	5.6250E-01	2.94031E-02	1.65392E-02	3.92041E-01	2.20523E-01	38.97
16	6.0000E-01	7.0000E-01	6.5000E-01	4.74653E-02	3.08525E-02	4.74653E-01	3.08525E-01	14.55
17	7.0000E-01	8.0000E-01	7.5000E-01	5.30221E-02	3.97666E-02	5.30221E-01	3.97666E-01	10.71
18	8.0000E-01	9.0000E-01	8.5000E-01	5.56379E-02	4.72922E-02	5.56379E-01	4.72922E-01	9.11
19	9.0000E-01	1.0000E+00	9.5000E-01	5.49609E-02	5.22129E-02	5.49609E-01	5.22129E-01	7.97
20	1.0000E+00	1.1250E+00	1.0625E+00	6.96387E-02	7.39911E-02	5.57110E-01	5.91929E-01	7.17
21	1.1250E+00	1.2000E+00	1.1625E+00	3.82885E-02	4.45104E-02	5.10514E-01	5.93472E-01	5.45
22	1.2000E+00	1.3300E+00	1.2650E+00	5.75164E-02	7.27583E-02	4.42434E-01	5.59679E-01	4.59
23	1.3300E+00	1.5000E+00	1.4150E+00	7.02171E-02	9.93572E-02	4.13042E-01	5.84454E-01	4.72
24	1.5000E+00	1.6600E+00	1.5800E+00	5.31314E-02	8.39477E-02	3.32071E-01	5.24673E-01	5.08
25	1.6600E+00	1.8750E+00	1.7675E+00	6.38314E-02	1.12822E-01	2.96890E-01	5.24753E-01	5.12
26	1.8750E+00	2.0000E+00	1.9375E+00	2.90124E-02	5.62116E-02	2.32100E-01	4.49693E-01	5.32
27	2.0000E+00	2.3330E+00	2.1665E+00	6.57132E-02	1.42368E-01	1.97337E-01	4.27531E-01	6.01
28	2.3330E+00	2.5000E+00	2.4165E+00	2.57574E-02	6.22428E-02	1.54236E-01	3.72711E-01	6.89
29	2.5000E+00	2.6600E+00	2.5800E+00	2.25083E-02	5.80713E-02	1.40677E-01	3.62946E-01	7.48
30	2.6600E+00	3.0000E+00	2.8300E+00	3.79445E-02	1.07383E-01	1.11601E-01	3.15832E-01	8.42
31	3.0000E+00	3.5000E+00	3.2500E+00	4.00760E-02	1.30247E-01	8.01521E-02	2.60494E-01	9.95
32	3.5000E+00	4.0000E+00	3.7500E+00	2.46844E-02	9.25665E-02	4.93688E-02	1.85133E-01	11.56
33	4.0000E+00	4.5000E+00	4.2500E+00	1.49666E-02	6.36080E-02	2.99332E-02	1.27216E-01	12.94
34	4.5000E+00	5.0000E+00	4.7500E+00	9.22704E-03	4.38284E-02	1.84541E-02	8.76568E-02	14.12
35	5.0000E+00	5.5000E+00	5.2500E+00	3.98328E-03	2.09122E-02	7.96656E-03	4.18244E-02	15.14
36	5.5000E+00	6.0000E+00	5.7500E+00	2.49974E-03	1.43735E-02	4.99949E-03	2.87470E-02	16.02
37	6.0000E+00	6.5000E+00	6.2500E+00	1.67167E-03	1.04479E-02	3.34333E-03	2.08958E-02	100.00
38	6.5000E+00	7.0000E+00	6.7500E+00	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
39	7.0000E+00	7.5000E+00	7.2500E+00	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
40	7.5000E+00	8.0000E+00	7.7500E+00	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
41	8.0000E+00	9.0000E+00	8.5000E+00	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
42	9.0000E+00	1.0000E+01	9.5000E+00	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
43	1.0000E+01	1.2000E+01	1.1000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
44	1.2000E+01	1.4000E+01	1.3000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
45	1.4000E+01	1.7000E+01	1.5500E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
46	1.7000E+01	2.0000E+01	1.8500E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
47	2.0000E+01	3.0000E+01	2.5000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00
48	3.0000E+01	5.0000E+01	4.0000E+01	0.00000E+00	0.00000E+00	0.00000E+00	0.00000E+00	100.00

The results for the number fraction, percent standard deviation, and covariance as a function of the 48-group energy structure are included in an LSL format in Appendix E of this report. The covariance matrix represents a combination of expert judgment and perturbation analyses using MCNP. The covariance matrix satisfies the spectrum normalization condition and is positive definite, with non-negative eigenvalues.

The results for a number of integral metrics and conversion factors are shown in Table 9. Conversion values to translate to γ/cm^2 are given for fissions, MJ, and $^{58}\text{Ni}(n,p)^{58}\text{Co}$ activity. The same caveats presented in the neutron discussion using reactor power apply to the delayed gamma rays. Table 9 also shows additional integral metrics that may be useful to the experimenter. These values were calculated using the 48-energy group gamma-ray spectrum and the NuGET code with various response functions. Included are responses for Si dose, C dose, GaAs dose, TLD dose, Alanine dose, and Teflon dose.

Table 9. Delayed Gamma-Ray Spectrum Metrics.

Metric	Integral Response
Average gamma-ray energy (MeV)	1.524
Fluence Conversion ($d\gamma/\text{cm}^2/\text{source } d\gamma$)	3.264E-06
Source Delayed Gamma Rays (source $d\gamma/\text{fission}$)	6.567
Fluence Conversion ($d\gamma/\text{cm}^2/\gamma/\text{cm}^2$)	0.424
Fluence Conversion ($d\gamma/\text{cm}^2/\text{fission}$)	2.074E-05
Fluence Conversion ($d\gamma/\text{cm}^2/\text{MJ}$)	6.729E+11
Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ ($d\gamma/\text{cm}^2/\text{Bq}/\text{atom}_{\text{Ni-58}}$)	2.075E+31
Fluence Conversion From Ni Activation $^{58}\text{Ni}(n,p)^{58}\text{Co}$ ($d\gamma/\text{cm}^2/\text{Bq}/\text{g}_{\text{Ni-58}}$)	1.997E+09
Total (Ionizing) Si Dose ($\text{rad}(\text{Si})/d\gamma/\text{cm}^2$)	5.907E-10
Total (Ionizing) Carbon Dose ($\text{rad}(\text{C})/d\gamma/\text{cm}^2$)	5.768E-10
Total (Ionizing) GaAs Dose ($\text{rad}(\text{GaAs})/d\gamma/\text{cm}^2$)	5.811E-10
Total (Ionizing) $\text{CaF}_2\text{:Mn}$ (TLD) Dose ($\text{rad}(\text{CaF}_2\text{:Mn})/d\gamma/\text{cm}^2$)	5.805E-10
Total Alanine Dose ($\text{rad}(\text{Alanine})/d\gamma/\text{cm}^2$)	6.411E-10
Total Teflon Dose ($\text{rad}(\text{Teflon})/d\gamma/\text{cm}^2$)	5.723E-10

4. Radial and Axial Fluence Profiles

Passive dosimetry was used to determine the axial and radial neutron and gamma-ray fluence profiles for the LB44 bucket on the 32-inch pedestal. From these profiles, the peak axial fluence location can be determined as well as any radial anomalies. For these runs, the reactor was operated in the steady-state mode at ~4% power for a total of 100 MJ of energy (20 minutes). Sulfur pellets and TLDs were used for the axial profiles, and sulfur pellets, Au foils, and TLDs were used for the radial profiles. The axial profiles were performed at the radial centerline of the bucket. The radial profiles were performed at an axial position 11 inches from the inside bottom of the bucket.

4.1 Neutron-Sulfur Map

Figure 24 shows the results for the sulfur axial neutron fast fluence profile for LB44-CC-32. The sulfur activation reaction is $^{32}\text{S}(n,p)^{32}\text{P}$, which is a fast neutron reaction. The ^{32}P decays by β -emission with a 14.3 day half-life. The y-axis is in units of californium (^{252}Cf) equivalence fluence, which is related to how a transfer calibration from NIST is used to calibrate the sulfur beta counter. The results show that the peak occurs at about 28 cm (~11 in.) from the bottom of the inside of the bucket. The peak is relatively flat between the regions of 20 cm to 35 cm, covering a range of about 15 cm (~6 in.). For reference, the axial fuel centerline is ~29 cm (11.4 inches) from the bottom of the inside of the LB44 bucket. The ACRR fuel is 52.25 cm in length (20.57 inches). The range in which the fuel extends in Figure 24 is from ~3 cm to ~55 cm.




Figure 24. Sulfur Axial Neutron Flux Profile for LB44-CC-32.

Figures 25 and 26 show the results for the sulfur radial neutron flux profile for LB44-CC-32 at an axial position of 11 inches for the foils arranged perpendicular and parallel to the front face of the FREC, respectively. The sulfur pellets were arranged on a plate that covered the complete area within the 5-inch-diameter bucket. Both plots have the same y-axis scaling. The solid line

represents the average value for all of the pellets measured on the plate. The square symbols represent the results for the center region of the plate. The triangles and diamonds represent the results on either side of the center locations, a few centimeters away. The results show that for the sulfur activation reactions, there is no statistically significant variation in the fast neutron flux across the internal diameter of the bucket at the peak axial location.




Figure 25. Sulfur Radial Neutron Flux Profile for LB44-CC-32-cl Perpendicular to FREC.




Figure 26. Sulfur Radial Neutron Flux Profile for LB44-CC-32-cl Parallel to FREC.

4.2 Neutron-Gold Map

Figures 27 and 28 show the results for the radial thermal neutron fluence profile as measured with the $^{197}\text{Au}(n,\gamma)$ reaction for LB44-CC-32 at an axial position 11 inches from the bottom of the bucket for the foils arranged perpendicular and parallel to the front face of FREC, respectively. The $^{197}\text{Au}(n,\gamma)$ reaction is a thermal neutron reaction and hence, the results represent the thermal neutron fluence profile. The foils were arranged on a plate that covered the complete area within the 5-inch-diameter bucket. Both plots have the same y-axis scaling. The solid line represents the average value for all of the foils measured on the plate. The square symbols represent the results for the center region of the plate. The triangles and diamonds represent the results on either side of the center locations, a few centimeters away. The results show that for the gold activation reactions, there is a statistically significant variation in the thermal neutron flux across the internal diameter of the bucket at the peak axial location when the foils are perpendicular to the FREC. An approximate 5% higher response is seen from the FREC side of the bucket compared to the other side. There is no statistically significant variation found parallel to the FREC.




Figure 27. Gold Radial Neutron Flux Profile for LB44-CC-32-cl Perpendicular to FREC.




Figure 28. Gold Radial Neutron Flux Profile for LB44-CC-32-cl Parallel to FREC.

4.3 Gamma-Ray TLD Map

Figure 29 shows the results for the TLD axial gamma fluence profile for LB44-CC-32. The y-axis is in units of absorbed dose in Gray (Gy) for the TLD material $\text{CaF}_2:\text{Mn}$. One Gy is equal to 100 rads. Note that the TLDs are also sensitive to neutrons. However, the absorbed dose is about a factor of 10 less sensitive for neutrons, comparing the results in Tables 5 and 7. Again, this scale is completely arbitrary for the purposes of this analysis. The results show that, as for the sulfur results, the peak occurs at about 28 cm (~11 inches) from the bottom of the inside of the bucket. The peak is relatively flat between the regions of 20 cm to 35 cm, covering a range of about 15 cm (~6 in.).




Figure 29. TLD Axial Gamma-Ray Flux Profile for LB44-CC-32.

Figures 30 and 31 show the results for the TLD radial gamma fluence profile for LB44-CC-32 at an axial position of 11 inches for the TLDs arranged perpendicular and parallel to the front face of the FREC, respectively. The TLDs were arranged on a plate that covered the complete area within the 5-inch-diameter bucket. Both plots have the same y-axis scaling. The solid line represents the average value for all of the TLDs measured on the plate. The square symbols represent the results for the center region of the plate. The triangles and diamonds represent the results on either side of the center locations, a few centimeters away. The results show that for the TLD response, there is no statistically significant variation in the fluence across the internal diameter of the bucket at the peak axial location.




Figure 30. TLD Radial Gamma Flux Profile for LB44-CC-32-cl Perpendicular to FREC.




Figure 31. TLD Radial Gamma Flux Profile for LB44-CC-32-cl Parallel to FREC.

5. Sample Operations

Two sample ACRR operations are presented for LB44-CC-32-cl to show how dosimetry data can be used to determine the derived metrics, such as neutron fluence, 1-MeV Si equivalent fluence, prompt and delayed gamma-ray fluence, and dose. The radiation environment conversion factors and metrics used are those presented in Tables 4 and 5 for neutrons, Table 7 for prompt gamma rays, and Table 9 for delayed gamma rays. Typically Ni foils and/or sulfur pellets are used to establish the normalization factors for comparative experiments. Of course, once an experiment is placed in the bucket, the irradiation conditions can, and will, change depending on many factors, such as experiment neutron moderation, absorption, etc. Due diligence must be paid to ensure that the results of the experiment are valid within uncertainty bounds. Both experimental and analytical work must be performed along with expert judgment to ensure the integrity of the results.

5.1 Low-Power Steady-State Operation

A low-power steady-state operation was performed on 8/21/2012 using passive dosimetry for LB44-CC-32-cl. The reactor was operated at ~8% power (~160 kW) for ~20 minutes. The reactor run number was #10344. The dosimetry consisted of Ni and other activation foils with several TLDs positioned on one of the aluminum dosimetry stands. The dosimetry was located at the peak axial flux, 11 inches above the bottom of the inside of the LB44 bucket. The dosimetry stand was pulled up out of the bucket to a position below the shield plug 30 minutes after shutdown in order to limit the amount of delayed gamma-ray dose. Figure 32 shows the operating history for the run. The different curves correspond to different reactor power monitors used by the operations' staff. The reported reactor energy was 245.5 MJ from the reactor console information.




Figure 32. Power Trace for Steady-State Operation #10344.

Run Number ACRR 10344

Run Date: 8/21/2012

Description: Steady-state operation, 8% power for 20 minutes

Experiment: ACRR-LB44-CC-32-cl, passive dosimetry Ni, TLDs

Reported ACRR Energy: 245.5 MJ

Dosimetry Results

Measured $^{58}\text{Ni}(n,p)^{58}\text{Co}$ Activity: 8.511E+04 Bq/g_{Ni-58} $\pm$ 2.0%

Measured TLD Response (Average of 4): 3.478E+03 Gy(CaF₂:Mn)
347.8 krad(CaF₂:Mn)

Uncertainty: Type A (statistical) one TLD $\pm$ 5.46%
Type B (systematic) one TLD $\pm$ 13.43%

Derived Conversion Metrics

Total Neutron Fluence: 2.904E+15 n/cm²

1-MeV Si Equivalent Neutron Fluence: 1.635E+15 n/cm²

>1 MeV Neutron Fluence: 7.696E+14 n/cm²

Total prompt γ Fluence: 4.008E+14 n/cm²

Total delayed γ Fluence: 1.699E+14 n/cm²

Calculated ACRR Energy: 252.5 MJ

Total Si Dose (neutron): 1.158E+05 rad(Si)

Ionizing Si Dose (neutron): 6.165E+04 rad(Si)

Total/Ionizing Si Dose (prompt γ): 2.464E+05 rad(Si)

Total/Ionizing Si Dose (delayed γ): 1.004E+05 rad(Si)

Total C Dose (neutron): 5.387E+05 rad(C)

Ionizing C Dose (neutron): 4.495E+05 rad(C)

Total/Ionizing C Dose (prompt γ): 2.370E+05 rad(C)

Total/Ionizing C Dose (delayed γ): 9.800E+04 rad(C)

Total CaF₂:Mn (TLD) Dose (neutron): 2.221E+05 rad(CaF₂:Mn)

Effective Ionizing CaF₂:Mn Dose (neutron): 1.949E+04 rad(CaF₂:Mn)

Total (Ionizing) CaF₂:Mn (TLD) Dose (prompt γ): 2.425E+05 rad(CaF₂:Mn)

Total (Ionizing) CaF₂:Mn (TLD) Dose (delayed γ): 9.863E+04 rad(CaF₂:Mn)

Sum (Ionizing) CaF₂:Mn (TLD) Dose (n-eff+p γ +d γ): 360.6 krad(CaF₂:Mn)

Calculated to Measured TLD Dose Response: 1.037

Comments: The derived reactor energy is within 3% of the console measured value with the measured value being smaller than the derived value. The calculated-to-measured TLD response is within 4%, with the calculated value being larger than the measured value, but well within one standard deviation from the measured result.

5.2 Large Pulse Operation

A large pulse operation was performed on 8/21/2012 using passive dosimetry for LB44-CC-32-cl. The reactor was operated in the pulse mode with a reactivity addition of \$2.95. The reactor shot number was #10343. The dosimetry consisted of Ni and other activation foils with several TLDs positioned on one of the aluminum dosimetry stands. The dosimetry was located at the peak axial flux, 11 inches above the bottom of the inside of the LB44 bucket. The dosimetry stand was pulled up out of the bucket to a position below the shield plug 30 minutes after shutdown in order to limit the amount of delayed gamma-ray dose. Figure 33 shows the shot information for the run. Figure 34 shows the power history and cumulative reactor energy. The reported reactor energy was 326.0 MJ from the pulse diagnostics information.

Shot Information		Predicted Values			
Run Number	10343	Expected MW	40000		
Operator	Krista Kaiser	Expected TTP	0.3097		
Date \ Time	8/21/2012 12:26	Expected MJ	318.69		
Experimenter Name	Ed Parma	Expected Fuel Temp	901.6		
Experiment Plan #	1128, 1131	Dialed In MW	35892.49		
Package Worth \$	-5.995				
Shot Worth \$	3.435				
Rod Hold Up (sec)	0.4				
FREC Mode	Decoupled				
FREC RODS	DOWN				
Comments	TR bank worth ~ \$3.435				
	Average	CH-1	CH-2	CH-3	CH-4
Detector		DE2-3	DE4-9	DE5-1	
Detector Calibration		42.6	40.2	40.6	
Channel Type		PXI Amp	SR570 Amp	SR570 Amp	
Average Used		Tail Only	Both	Peak	
Period Used		Yes	Yes	Yes	
PEAK DATA:					
Peak (MW)	37893.9	27337.2	38557.1	37230.7	
TTP (sec)	0.32792	0.32588	0.32788	0.32792	
FWHM (sec)	0.00628	0.0076	0.00628	0.00624	
LEHM (sec)	0.00308	0.00196	0.00304	0.00304	
TEHM (sec)	0.0032	0.00564	0.00324	0.0032	
Ratio (LE/TE)	0.963	0.348	0.938	0.95	
Shot Worth	2.948	2.988	3.156	3.063	
YIELD DATA:					
Total Yield (MJ)	326.008	292.72	332.545	289.712	
TTP+3fwhm (MJ)	268.499	234.116	273.043	263.825	
Yield @ Peak (MJ)	130.426	65.691	131.53	127.779	
Min Period (sec)	0.00165	0.001617	0.00149	0.001557	

Figure 33. Shot Information for Pulse Operation #10343.




Figure 34. Power and Energy Trace for Pulse Operation #10343.

Shot Number ACRR 10343
 Shot Date: 8/21/2012
 Description: Maximum pulse operation, \$2.95
 Experiment: ACRR-LB44-CC-32-cl, passive dosimetry Ni, TLDs
 Reported ACRR Energy: 326.0 MJ

Dosimetry Results

Measured $^{58}\text{Ni}(n,p)^{58}\text{Co}$ Activity: 1.033E+05 Bq/g_{Ni-58} ± 0.9%

Measured TLD Response (Average of 4): 3.798E+03 Gy(CaF₂:Mn)
 379.8 krad(CaF₂:Mn)

Uncertainty: Type A (statistical) one TLD ± 5.51%
 Type B (other) one TLD ± 13.95%

Derived Conversion Metrics

Total Neutron Fluence: 3.525E+15 n/cm²
 1-MeV Si Equivalent Neutron Fluence: 1.984E+15 n/cm²
 >1 MeV Neutron Fluence: 9.341E+14 n/cm²
 Total prompt γ Fluence: 4.865E+14 n/cm²
 Total delayed γ Fluence: 2.063E+14 n/cm²

Calculated ACRR Energy: 306.5 MJ

Total Si Dose (neutron): 1.406E+05 rad(Si)
 Ionizing Si Dose (neutron): 7.484E+04 rad(Si)
 Total/Ionizing Si Dose (prompt γ): 2.990E+05 rad(Si)
 Total/Ionizing Si Dose (delayed γ): 1.219E+05 rad(Si)

Total C Dose (neutron): 6.539E+05 rad(C)
 Ionizing C Dose (neutron): 5.457E+05 rad(C)
 Total/Ionizing C Dose (prompt γ): 2.877E+05 rad(C)
 Total/Ionizing C Dose (delayed γ): 1.190E+05 rad(C)

Total CaF₂:Mn (TLD) Dose (neutron): 2.696E+05 rad(CaF₂:Mn)
 Effective Ionizing CaF₂:Mn Dose (neutron): 2.366E+04 rad(CaF₂:Mn)
 Total (Ionizing) CaF₂:Mn (TLD) Dose (prompt γ): 2.943E+05 rad(CaF₂:Mn)
 Total (Ionizing) CaF₂:Mn (TLD) Dose (delayed γ): 1.198E+05 rad(CaF₂:Mn)
 Sum (Ionizing) CaF₂:Mn (TLD) Dose (n-eff+pγ+dγ): 437.8 krad(CaF₂:Mn)
 Calculated to Measured TLD Dose Response: 1.153

Comments: The derived reactor energy is within 7% of the pulse diagnostic measured value with the pulse diagnostic measured value being larger than the derived value. The calculated-to-measured TLD response is within 15%, with the calculated value being larger than the measured value, but within one standard deviation from the measured result.

6. Conclusions

This report presents the characterized neutron, prompt gamma-ray, and delayed gamma-ray radiation environments for the 44-inch-long lead boron bucket in the central cavity of the ACRR. The characterized location is 11 inches from the bottom of the inside of the bucket with the bucket on the 32-inch pedestal. The designation for this location is ACRR-LB44-CC-32-cl. A 640-energy group and 89-energy group neutron spectrum, a 48-energy group prompt gamma-ray spectrum, and a 48-energy group delayed gamma-ray spectrum were calculated using MCNP and a high-fidelity model of the ACRR and LB44 bucket. The neutron spectrum was adjusted to align more closely with neutron activation dosimetry. The adjustment was performed using the least-squares code LSL-M2. Neutron, prompt gamma ray, and delayed gamma ray conversion factors are presented to facilitate the conversion of various dosimetry readings into radiation metrics desired by the experimenter.

7. References

ASTM E720-11 – “Standard Guide for Selection and Use of Neutron Sensors for Determining Neutron Spectra Employed in Radiation-Hardness Testing of Electronics,” ASTM Standard, Published July 2011.

MCNP – “A General Monte Carlo N-Particle Transport Code, Version 5,” LA-UR-03-1987, Los Alamos, NM, April 2003.

K. R. DePriest (2006), P. J. Cooper, E. J. Parma, “MCNP/MCNPX Model of the Annular Core Research Reactor,” SAND Report SAND2006-3067, Sandia National Laboratories, Albuquerque, NM, May 2006.

L. B. Engle (1962), P. C. Fisher, Los Alamos Report LAMS-2642, 1962

P. C. Fisher (1964), L. B. Engle, “Delayed Gammas from Fast-Neutron Fission of Th232, U233, U235, U238, and Pu239,” Physical Review, Vol. 134, Number 4B, pp. B796 – B816, 25 May 1964.

P. J. Griffin (1994a), J. G. Kelly, and J.W. VanDenburg, “User's Manual for SNL-SAND-II Code,” SAND93-3957, April 1994.

P. J. Griffin (1994b), J. G. Kelly, and D. W. Vehar, “Updated Neutron Spectrum Characterization of SNL Baseline Reactor Environments,” SAND93-2554, April 1994.

P. J. Griffin (2011a), C. D. Peters, and D. W. Vehar, “Recommended Neutron Dosimetry Cross Sections for the Characterization of Neutron Fields,” RADECS 2011 Proceedings, 2011.

P. J. Griffin (2011b), S. M. Luker, K. R. DePriest, A. J. Suo-Anttila, and C. D. Peters, “Radiation Characterization Summary: ACRR Pb-B Bucket (PbB-CC),” Version 1.0, Memorandum 2011-01, June 2011.

W.N. McElroy (1967), S. Berg, T. Crockett, R. G. Hawkins, “A Computer-Automated Iterative Method for Neutron Flux Spectra Determination by Foil Activation, Vol. II: SAND-II (Spectrum Analysis by Neutron Detectors II) and Associated Codes,” AFWL-TR-67-41, September 1967.

F. W. Stallmann (1985), “LSL-M2: A Computer Program for Least-Squares Logarithmic Adjustment of Neutron Spectra,” NUREG/CR-4349, ORNL/TM-9933, March 1985.

A Appendix – MCNP ACRR Model With LB44 on 32-inch Pedestal

```

STANDARD ACRR Model (Extended Cavity, 32" Pedestal, Pb-B4C Bucket)
C
C Original Model Developed by W. Fan
C Modified by P. Cooper and E. Parma with new cavity
C Macrobody Model Developed by R. DePriest
C New 44" Pb-B4C Bucket LB44 Model Developed by T. Trinh
C
C
C standard 236-element core configuration with new cavity
C no FREC
C room temp 70c cross sections with S(a,b)
C LB-44-cl-32 - 44inch lead/boron bucket on 32inch pedestal
C tally is a 6cm diameter sphere at fuel centerline
C 89 and 640 neutron energy groups
C 48 gamma energy groups
C
C control rods : variable
C safety rods : variable
C transient rods : variable
C
C
C
C 1 2 3 4 5 6 7 8
C 34567890123456789012345678901234567890123456789012345678901234567890
C *****
C * CELL CARDS *
C *****
C
C Universe definitions for the standard 236-element core.
C
C U=1:fuel rods U=2:water rods
C U=3:control rods U=4:safety rods
C U=5:transient rods U=6:nickel rods
C U=7:90% fuel rods U=9:al rods (empty)
C
C ***** U=8 is the reactor core fill. *****
C
C Regular Fuel Elements
C
10 0 -10 U=1 IMP:N,P=1 $Void
11 1 -3.3447 10 -11 U=1 IMP:N,P=1 $UO2-BeO fuel
14 0 11 -14 U=1 IMP:N,P=1 $Void
15 2 -8.4000 14 -15 U=1 IMP:N,P=1 $Niobium
16 0 15 -16 U=1 IMP:N,P=1 $Void Gap
17 4 -2.8000 -17 U=1 IMP:N,P=1 $Lower BeO Plug
18 4 -2.8000 -18 U=1 IMP:N,P=1 $Upper BeO Plug
19 3 -8.0300 17 -19 U=1 IMP:N,P=1 $Lower SS Plug
20 3 -8.0300 18 -20 U=1 IMP:N,P=1 $Upper SS Plug
21 3 -8.0300 19 20 16 -21 U=1 IMP:N,P=1 $$$S304
22 5 -1.0000 21 -22 U=1 IMP:N,P=1 $Water
C
C
C Water Rods
C
23 5 -1.0000 -22 U=2 IMP:N,P=1 $Water
C
C Control Rods: Poison section
C
25 8 -2.4800 -25 U=3 IMP:N,P=1 $B4C poison
26 0 25 -26 U=3 IMP:N,P=1 $Void Cap
27 3 -8.0300 26 -27 U=3 IMP:N,P=1 $Poison sleeve
28 3 -8.0300 -28 U=3 IMP:N,P=1 $Magnaform plug
29 5 -1.0000 27 28 -29 U=3 IMP:N,P=1 $Water
C
C Control Rods: Fuel follower
C
30 0 -30 U=3 IMP:N,P=1 $Void
31 1 -3.3447 30 -31 U=3 IMP:N,P=1 $UO2-BeO fuel
32 0 31 -32 U=3 IMP:N,P=1 $Void
33 2 -8.4000 32 -33 U=3 IMP:N,P=1 $Niobium
34 0 33 -34 U=3 IMP:N,P=1 $Void gap

```

```

35 4 -2.8000 -35 U=3 IMP:N,P=1 $BeO plug
36 0 -36 U=3 IMP:N,P=1 $Void
37 3 -8.0300 34 35 36 -37 U=3 IMP:N,P=1 $SS304
38 5 -1.0000 37 -38 U=3 IMP:N,P=1 $Water
C
C
C Safety Rods: Poison section
C
39 8 -2.4800 -39 U=4 IMP:N,P=1 $B4C poison
40 0 39 -40 U=4 IMP:N,P=1 $Void cap
41 3 -8.0300 40 -41 U=4 IMP:N,P=1 $Poison sleeve
42 3 -8.0300 -42 U=4 IMP:N,P=1 $Magnaform plug
43 5 -1.0000 41 42 -43 U=4 IMP:N,P=1 $Water
C
C Safety Rods: Fuel follower
C
44 0 -44 U=4 IMP:N,P=1 $Void
45 1 -3.3447 44 -45 U=4 IMP:N,P=1 $UO2-BeO fuel
46 0 45 -46 U=4 IMP:N,P=1 $Void
47 2 -8.4000 46 -47 U=4 IMP:N,P=1 $Niobium
48 0 47 -48 U=4 IMP:N,P=1 $Void gap
49 4 -2.8000 -49 U=4 IMP:N,P=1 $BeO plug
50 0 -50 U=4 IMP:N,P=1 $Void
51 3 -8.0300 48 49 50 -51 U=4 IMP:N,P=1 $SS304
52 5 -1.0000 51 -52 U=4 IMP:N,P=1 $Water
C
C
C Transient Rods: Void section
C
53 0 -53 U=5 IMP:N,P=1 $Void
54 7 -2.7000 53 -54 58 60 61 U=5 IMP:N,P=1 $Al tubing
55 5 -1.0000 54 -55 U=5 IMP:N,P=1 $Water
56 7 -2.7000 55 -56 U=5 IMP:N,P=1 $Al guidex
57 5 -1.0000 56 -57 U=5 IMP:N,P=1 $Water
58 7 -2.7000 -58 U=5 IMP:N,P=1
C
C Transient Rods: Poison section
C
59 8 -2.4800 -59 U=5 IMP:N,P=1 $Poison
60 7 -2.7000 59 -60 U=5 IMP:N,P=1 $Inner sleeve
61 0 -61 U=5 IMP:N,P=1 $Void
62 7 -2.7000 -62 54 U=5 IMP:N,P=1 $End plug
C
C
C Nickel Rods
C
65 6 -8.9000 -21 U=6 IMP:N,P=1 $Nickel
66 5 -1.0000 21 -22 U=6 IMP:N,P=1 $Water
C
C
C 90% Fuel Element
C
70 0 -10 U=7 IMP:N,P=1 $Void
71 11 -3.0102 10 -11 U=7 IMP:N,P=1 $UO2-BeO fuel
74 0 11 -14 U=7 IMP:N,P=1 $Void
75 2 -8.4000 14 -15 U=7 IMP:N,P=1 $Niobium
76 0 15 -16 U=7 IMP:N,P=1 $Void Gap
77 4 -2.8000 -17 U=7 IMP:N,P=1 $Lower BeO Plug
78 4 -2.8000 -18 U=7 IMP:N,P=1 $Upper BeO Plug
79 3 -8.0300 17 -19 U=7 IMP:N,P=1 $Lower SS Plug
80 3 -8.0300 18 -20 U=7 IMP:N,P=1 $Upper SS Plug
81 3 -8.0300 19 20 16 -21 U=7 IMP:N,P=1 $SS304
82 5 -1.0000 21 -22 U=7 IMP:N,P=1 $Water
C
C
C Empty Aluminum Rod
C
600 0 -90 U=25 IMP:N,P=1 $Void
601 7 -2.7000 90 -21 U=25 IMP:N,P=1 $Al Rod
602 5 -1.0000 21 -22 U=25 IMP:N,P=1 $Water
C
C
C Empty Aluminum Rod
C
90 0 -90 U=9 IMP:N,P=1 $Void
91 7 -2.7000 90 -21 U=9 IMP:N,P=1 $Al Rod
92 5 -1.0000 21 -22 U=9 IMP:N,P=1 $Water
C
C
C Core (UNIVERSE = 8)
C

```

```

1 0 -300 311 210 211 213 220 fill=8 IMP:N,P=1
C
2 5 -1.0000 -320 lat=2 U=8 IMP:N,P=1
fill -12:12 -12:12 0:0
C
C
C This fuel loading reflects the board as of May 2003.
C
C 1 2 3 4 5 6 7 8
C 3456789012345678901234567890123456789012345678901234567890
C
2 24r
2 24r
2 24r
2 9r 2 6 1 1 1 1 1 1 1 1 1 1 1 6 2 2 $ interface with frec
2 8r 6 6 1 1 1 1 1 1 1 1 1 1 1 1 6 2
2 7r 6 1 1 1 1 1 1 1 1 1 1 1 1 1 6 2
2 6r 6 7 1 1 1 3 1 1 5 1 1 3 1 1 1 7 6 2
2 5r 6 7 1 1 1 1 1 1 1 1 1 1 1 1 7 6 2
2 4r 6 7 1 1 1 1 1 1 1 1 1 1 1 1 7 6 2
2 3r 9 6 1 1 1 4 1 1 2 2 2 2 1 1 1 1 1 6 2 2
2 2r 2 9 6 1 1 1 1 1 2 2 2 2 2 1 1 1 1 1 6 6 2 2
2 2 2 6 6 1 1 1 1 1 2 2 2 2 2 2 1 1 1 1 1 6 2 2 2
2 2 2 6 1 1 3 1 1 2 2 2 2 2 2 1 1 3 1 1 6 2 2 2 $ center line
2 2 6 6 1 1 1 1 1 2 2 2 2 2 2 1 1 1 1 1 9 6 2 2 2
2 2 6 1 1 1 1 1 1 2 2 2 2 2 2 1 1 1 1 1 1 9 2 2 2r
2 6 1 1 1 1 5 1 1 2 2 2 2 1 1 5 1 1 1 1 2 2 3r
2 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 4r
2 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 5r
2 6 1 1 1 1 3 1 1 4 1 1 3 1 1 1 1 1 2 2 6r
2 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 7r
2 6 6 6 1 1 1 1 1 1 1 1 1 9 9 2 2 8r
2 2 9 6 6 6 1 1 1 1 6 6 6 6 2 2 9r
2 2 2 9 2 6 7 7 7 6 2 6 2 2 2 10r
2 2 2 2 25 6 6 6 6 9 2 2 2 2 11r
2 24r
C
C
C ***** END OF UNIVERSE DEFINITIONS AND CORE FILL *****
C
C
C NEW CENTRAL CAVITY
C
C To add 32-in pedestal, remove C from line 2.
C To add 8-in pedestal, remove C from line 2 and 3.
C You must also remove the C's from the cells in the pedestal
C descriptions (Cells 110-116).
C
C Use Line 4 of Cell 100 to exclude surface of buckets and experiments.
C Exclude surface 706 for Pb-B4C; Exclude surface 711 for Al dosimetry bucket;
C Exclude surface 725 for LP-1
C Exclude surfaces 730, 731, and 734 for Boom Box
C
100 702 -1.0245e-3 -100
110
C 113 114 116
899 IMP:N,P=1 $Void
101 3 -8.0300 100 -101 IMP:N,P=1 $Stainless liner
102 7 -2.7000 -311 101 -102 IMP:N,P=1 $Aluminum
103 5 -1.0000 -311 102 IMP:N,P=1 $Water
C
C
C Central Cavity Additions (32" and 8" Pedestals)
C
C 32-in pedestal
C
110 7 -2.7000 -110 111 112 IMP:N,P=1 $32-in pedestal
111 702 -1.0245e-3 -111 IMP:N,P=1 $32-in pedestal inset
112 702 -1.0245e-3 -112 IMP:N,P=1 $Inset Notch
C
C
C 8-in pedestal
C
C 113 7 -2.7000 -113 IMP:N,P=1 $Bottom plate
C 114 7 -2.7000 -114 IMP:N,P=1 $Top plate
C 115 702 -1.0245e-3 -115 IMP:N,P=1 $Center Void
C 116 7 -2.7000 -116 115 IMP:N,P=1 $Support Tube
C
C
C End of Central Cavity Additions
C

```

```

C
C Top and Bottom Grid Plates
C
200 7 -2.7000 -200 311 201 IMP:N,P=1 $Top plate
201 5 -1.0000 -200 220 -201 IMP:N,P=1 $Water
202 7 -2.7000 -202 311 IMP:N,P=1 $Bottom plate
C
C
C Nickel Plate and Window to the Radiography Lab
C
210 6 -8.9000 -210 IMP:N,P=1 $Nickel Plate
211 5 -1.0000 -211 210 -900 IMP:N,P=1 $Water
212 0 -212 -900 IMP:N,P=1 $Void
213 7 -2.7000 -213 212 -900 IMP:N,P=1 $Aluminum
C
C
C FREC-II Side Ni Plate
C
220 6 -8.9000 -220 IMP:N,P=1
C
C
C Surrounding Water
C
230 5 -1.0000 -900 220 213 212 211 202 200
300 311 IMP:N,P=1
C
C
C EXPERIMENTAL or SPECTRUM MODIFYING BUCKETS (700's)
C
C Pb-B4C Bucket (700-706)
C Weight of Bucket per L. Martin (8/21/2003) - 446 lbs
C Weight of Model Bucket - 450.81
C Density of B4C layer changed to 2.12 g/cc to make weight 446.19 lbs
C
C
C 700 702 -1.0245e-3 -700 IMP:N,P=1 $Inside Bucket
C 701 7 -2.7100 -701 700 IMP:N,P=1 $1/16" Al liner
C 702 700 -11.350 -702 701 7091 7092 IMP:N,P=1 $1" Pb on bottom
C 703 701 -2.5300 -703 7091 7092 IMP:N,P=1 $Boral on bottom
C 707 0 -707 702 IMP:N,P=1 $Slop between Cannister and Pb
C 708 8 -2.1200 -708 IMP:N,P=1 $B4C layer on the bottom
C
C 704 7 -2.7100 -704 703 707 708
7091 7092 IMP:N,P=1 $Al layer
C 705 8 -2.1200 -705 704 IMP:N,P=1 $B4C layer
C 706 7 -2.7100 -706 705 7091 7092 IMP:N,P=1 $Al exterior
C 7091 3 -8.0300 -7091 IMP:N,P=1 $Dowel 1
C 7092 3 -8.0300 -7092 IMP:N,P=1 $Dowel 2
C
C
C
C Standard Aluminum Experiment Bucket (710-711)
C Add -900 to 710 and 711 if using 24" Bucket
C
C 710 702 -1.0245e-3 -710 IMP:N,P=1 $Inside Bucket
C 711 7 -2.7000 -711 710 IMP:N,P=1 $Aluminum Bucket
C
C
C
C Pb-Poly Bucket (720-725) -- Designated as LP-1
C
C 720 702 -1.0245e-3 -720 IMP:N,P=1 $Bottom of Inside
C 721 7 -2.7000 -721 720 726 IMP:N,P=1 $1/16" Al Liner
C 722 700 -11.350 -722 721 724 726 IMP:N,P=1 $0.4" Pb Layer
C 723 704 -0.9450 -723 722 726 IMP:N,P=1 $0.8" HDPE
C 724 704 -0.9450 -724 IMP:N,P=1 $HDPE fill-in
C 725 7 -2.7000 -725 721 723 726 IMP:N,P=1 $Al Container
C 726 702 -1.0245e-3 -726 IMP:N,P=1 $Top of Inside
C
C
C
C New 44" Pb-B4C Bucket
C Base Plate w/ B4C Volume
C From Ktech drawing labeled "PbB BASEII"
800 8 -1.274704138 (-802):(817 -815):(818 -816) IMP:N,P=1 $ B4C Cavity
801 766 -7.83 -803:-809 IMP:N,P=1 $ All-threads
C From McMaster-Carr catalog, Item # 98914A033, Threaded Rods and Studs, General Purpose Steel
802 767 -7.82 (805 -806):(811 -812) IMP:N,P=1 $ Washers

```

C From McMaster-Carr catalog, Item #94744A285, Zinc-Plated Steel Washer for Soft Materials (Type
 803 767 -7.82 (803 -807):(809 -813) IMP:N,P=1 \$ All-thread nuts
 C From McMaster-Carr catalog, Item # 93939A823, Hex Nut, Grade 8 Steel
 804 702 -1.0245e-3 (803 -804):(809 -810):(803 -805):(809 -811):
 (806 807 803 -808):(812 813 809 -814) IMP:N,P=1 \$ Void inside this thread, washe
 805 7 -2.704 (-817 819):(-818 820) IMP:N,P=1 \$ Al6061 plugs
 C From McMaster-Carr catalog, Item # 44705K334, Low-Pressure Aluminum Threaded Square-Socket Plug
 806 702 -1.0245e-3 (-819):(-820) IMP:N,P=1 \$ Void in this area
 807 7 -2.704 (-800:-801) 802 804 808 810 814 815 816
 IMP:N,P=1 \$ Al6061 Base Plate
 C Containment Base
 C From Ktech drawing labeled "CONTAINMENT BASE II"
 830 702 -1.0245e-3 801 -830 IMP:N,P=1 \$ Void
 831 7 -2.704 (830 833 834 -831):(831 -832) IMP:N,P=1 \$ Al6061 Containment Base
 832 766 -7.83 -833:-834 IMP:N,P=1 \$ All-threads, General Purpose St
 C Lead Material
 C Unchamfered lead rings
 840 702 -1.0245e-3 -853 IMP:N,P=1 \$ Void inside lead rings
 841 766 -7.83 -847:-848 IMP:N,P=1 \$ All-threads, General Purpose St
 842 702 -1.0245e-3 (847 -843):(848 -844) IMP:N,P=1 \$ Void between All-threads and Pb
 843 702 -1.0245e-3 -849:-851 IMP:N,P=1 \$ Void inside Al6061 tubing
 844 7 -2.704 (849 -850):(851 -852) IMP:N,P=1 \$ Al6061 tubing
 845 702 -1.0245e-3 (850 -845):(852 -846) IMP:N,P=1 \$ Void between tubing and Pb hole
 846 700 -11.35 (862 863 860 843 844 845 846 -842):(-840 843 844 845 846):
 (853 -854 843 844 845 846) IMP:N,P=1 \$ Unchamfered lead rings
 C Inner Aluminum 6061 Sleeves (Items #14 and 15 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
 860 7 -2.704 -860 IMP:N,P=1 \$ Al6061 bottom plate
 861 702 -1.0245e-3 (-861 1001):-863 IMP:N,P=1 \$ Aluminum sleeve void
 862 7 -2.704 861 -862 IMP:N,P=1 \$ Al6061 sleeve
 C Al6061 Double Wall Weldment (Item #9 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
 870 702 -1.0245e-3 (840 842 831 854 -868):
 (840 842 831 854 -870):
 (840 842 831 854 -872) IMP:N,P=1 \$ Void Between Pb Ring and Double
 871 7 -2.704 (868 -869):(870 -871):(872 -873):
 (874 -875):(876 -877):(878 -879) IMP:N,P=1 \$ Al6061 Inner and Outer Skins
 872 8 -1.449249072 (869 -874):(871 -885):(886 -876):
 (873 -883):(-878 884) IMP:N,P=1 \$ B4C Powder
 C PbB Top: Top Plate (Item #1 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
 880 702 -1.0245e-3 -880:-881:(-887 848):(-888 847):
 -891:-892:-893:-894 IMP:N,P=1 \$ Voids
 881 7 -2.704 (880 881 -882 887 888 889 890 891 892 893 894):
 (883 -884):(885 -886) IMP:N,P=1 \$ Top Plate
 C Modified Hex Head Plugs, 1/4 NPT, AL6061-T6 (Item #16 in DWG titled "LEAD BORON BUCKET ASSEMBLY")
 C From McMaster-Carr catalog, Item # 3867T65, High-Pressure Aluminum Pipe Fitting
 882 7 -2.704 (-821 852):(-822 852):(-823 850):(-824 850)
 IMP:N,P=1 \$ Modified Hex Head Plugs
 C Outside World
 889 702 -1.0245e-3 -899 800 831 832 875 877 879 821 822 823 824
 882 847 848 850 852 IMP:N,P=1 \$ Enclosing surface
 C EXPERIMENT PACKAGES (1000's)
 C 1001 702 -1.0245e-3 -1001 1002 IMP:N,P=1 \$ 6 cm dia scoring sphere
 C 1002 6 -8.902 -1002 IMP:N,P=1 \$ Ni Foil
 1001 702 -1.0245e-3 -1001 IMP:N,P=1 \$ 6 cm dia scoring sphere
 C
 C
 C
 C
 C EXTERNAL WORLD
 C
 C
 C
 900 0 900 IMP:N,P=0 \$Outside world
 C
 C 1 2 3 4 5 6 7 8
 C 34567890123456789012345678901234567890123456789012345678901234567890
 C *****
 C * SURFACE CARDS *
 C *****
 C
 C Fuel Elements
 C
 10 RCC 0.000 0.000 23.32 0.000 0.000 52.25 0.2413 \$Void
 11 RCC 0.000 0.000 23.32 0.000 0.000 52.25 1.6840 \$Fuel
 14 RCC 0.000 0.000 23.32 0.000 0.000 52.25 1.72025 \$Void
 15 RCC 0.000 0.000 23.32 0.000 0.000 52.25 1.77125 \$Niobium
 16 RCC 0.000 0.000 23.32 0.000 0.000 52.25 1.82225 \$Void gap
 17 RCC 0.000 0.000 21.415 0.000 0.000 1.905 1.48700 \$Lower plug
 18 RCC 0.000 0.000 75.57 0.000 0.000 1.905 1.48700 \$Upper plug
 19 RCC 0.000 0.000 16.32 0.000 0.000 7.000 1.82225 \$Lower plug
 20 RCC 0.000 0.000 75.57 0.000 0.000 5.000 1.82225 \$Upper plug
 21 RCC 0.000 0.000 16.32 0.000 0.000 98.89 1.87325 \$

22	RCC	0.000	0.000	16.32	0.000	0.000	98.89	5.00000	\$Water
C									
C Control Rods									
C									
25	3	RCC	0.000	0.000	78.11	0.000	0.000	52.25	1.46050 \$B4C poison
26	3	RCC	0.000	0.000	78.11	0.000	0.000	98.89	1.50495 \$Void cap
27	3	RCC	0.000	0.000	78.11	0.000	0.000	98.89	1.74625 \$Poison sleeve
28	3	RCC	0.000	0.000	75.57	0.000	0.000	2.54	1.74625 \$Magnaform plug
29	3	RCC	0.000	0.000	75.57	0.000	0.000	101.43	5.00000 \$Water
30	3	RCC	0.000	0.000	23.32	0.000	0.000	52.25	0.24130 \$Void
31	3	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.68400 \$Fuel
32	3	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.72025 \$Void
33	3	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.77125 \$Niobium
34	3	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.82225 \$Void gap
35	3	RCC	0.000	0.000	20.78	0.000	0.000	2.54	1.82225 \$BeO plug
36	3	RCC	0.000	0.000	-79.22	0.000	0.000	100.00	1.82225 \$Void
37	3	RCC	0.000	0.000	-79.22	0.000	0.000	154.79	1.87325 \$SS304
38	3	RCC	0.000	0.000	-79.22	0.000	0.000	154.79	5.00000 \$Water
C									
C Safety Rods									
C									
39	4	RCC	0.000	0.000	78.11	0.000	0.000	52.25	0.57150 \$B4C poison
40	4	RCC	0.000	0.000	78.11	0.000	0.000	98.89	0.83185 \$Void cap
41	4	RCC	0.000	0.000	78.11	0.000	0.000	98.89	1.74625 \$Poison sleeve
42	4	RCC	0.000	0.000	75.57	0.000	0.000	2.54	1.74625 \$Magnaform plug
43	4	RCC	0.000	0.000	75.57	0.000	0.000	101.43	5.00000 \$Water
44	4	RCC	0.000	0.000	23.32	0.000	0.000	52.25	0.24130 \$Void
45	4	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.68400 \$Fuel
46	4	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.72025 \$Void
47	4	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.77125 \$Niobium
48	4	RCC	0.000	0.000	23.32	0.000	0.000	52.25	1.82225 \$Void gap
49	4	RCC	0.000	0.000	20.78	0.000	0.000	2.54	1.82225 \$BeO plug
50	4	RCC	0.000	0.000	-79.22	0.000	0.000	100.00	1.82225 \$Void
51	4	RCC	0.000	0.000	-79.22	0.000	0.000	154.79	1.87325 \$SS304
52	4	RCC	0.000	0.000	-79.22	0.000	0.000	154.79	5.00000 \$Water
C									
C Transient Rods									
C									
53	5	RCC	0.000	0.0	-76.2762	0.000	0.0	73.1012	1.20000 \$Void
54		RCC	0.000	0.000	-79.22	0.000	0.000	200.00	1.27000 \$Al tubing
55		RCC	0.000	0.000	-79.22	0.000	0.000	200.00	1.49860 \$Water
56		RCC	0.000	0.000	-79.22	0.000	0.000	200.00	2.02438 \$Al guidex
57		RCC	0.000	0.000	-79.22	0.000	0.000	200.00	5.00000 \$Water
58	5	RCC	0.000	0.000	-3.175	0.000	0.000	3.174	1.20000
59	5	RCC	0.000	0.000	-0.001	0.000	0.000	76.201	0.88000 \$Poison
60	5	RCC	0.000	0.000	-0.001	0.000	0.000	76.201	1.20000 \$Inner sleeve
61	5	RCC	0.000	0.000	76.20	0.000	0.000	123.80	1.20000 \$Void
62	5	RCC	0.000	0.000	-100.0	0.000	0.00	23.7238	1.20000 \$End plug
C									
C Aluminum Rods									
C									
90	RCC	0.000	0.000	15.41	0.000	0.000	66.14	1.77125	\$Void in Al rod
C									
C Central Cavity Surfaces									
C									
100	RCC	0.000	0.000	-67.395	0.000	0.000	202.395	11.6450	\$Void
101	RCC	0.000	0.000	-67.395	0.000	0.000	202.395	12.2800	
102	RCC	0.000	0.000	-67.395	0.000	0.000	202.395	13.9700	
C									
C Cavity Additions									
C									
110	RCC	0.000	0.000	-67.395	0.000	0.000	81.28	11.4300	\$32-in pedestal
111	RCC	0.000	0.000	8.4748	0.000	0.000	2.8702	8.2550	\$32-in inset
112	RPP	-0.9525	0.9525	-8.255	8.255	11.345	13.885		\$Inset Notch
113	RCC	0.000	0.000	13.885	0.000	0.000	1.270	10.3188	\$Bottom plate (8-in)
114	RCC	0.000	0.000	32.935	0.000	0.000	1.270	10.3188	\$Top plate (8-in)
115	RCC	0.000	0.000	15.155	0.000	0.000	17.78	5.7150	\$Center void (8-in)
116	RCC	0.000	0.000	15.155	0.000	0.000	17.78	6.3500	\$Support tube (8-in)
C									
C Top and Bottom Grid Plates									
C									
200	RCC	0.000	0.000	80.55	0.000	0.000	2.54	53.3500	\$Top plate
201	PY	-34.925							\$Cutoff of top plate
202	RCC	0.000	0.000	11.33	0.000	0.000	5.08	47.0000	\$Bottom plate
C									
C Window to Radiography Lab									
C									
210	1	RPP	38.100	39.370	-26.670	26.670	16.41	80.55	\$Ni plate
211	1	RPP	38.100	39.370	-38.100	38.100	16.41	80.55	\$Water
212	1	RPP	48.895	100.00	-26.670	26.670	16.41	80.55	\$Void

213 1 RPP 39.370 100.00 -38.100 38.100 16.41 80.55 \$Aluminum
 C
 C Nickel Plate near FREC-II
 C
 220 RPP -36.830 36.830 -36.195 -34.925 16.41 83.09 \$Nickel Plate
 C
 C Hexes for the lattice, inner and outer core, and core boundary
 C
 320 RHP 0.0 0.0 -132.0 0.0 0.0 400.0 2.0855 0.0 0.0 \$Lattice element
 300 1 RHP 0.0 0.0 16.41 0.0 0.0 64.14 42.7 0.0 0.0 \$outer core bound
 310 1 RHP 0.0 0.0 -67.395 0.000 0.000 202.395 11.65 0.0 0.0 \$Inner liner of cavity
 311 1 RHP 0.0 0.0 -67.395 0.000 0.000 202.395 12.285 0.0 0.0 \$Outer liner of cavity
 C
 C
 C Buckets (700's)
 C
 C Pb-B4C Bucket
 C
 700 7 RCC 0.0 0.0 6.35 0.0 0.0 85.09 6.27380 \$Void
 701 7 RCC 0.0 0.0 6.26872 0.0 0.0 85.17128 6.35508 \$0.032" Al liner
 702 7 RCC 0.0 0.0 3.65125 0.0 0.0 87.78875 9.76630 \$Pb layers
 703 7 RCC 0.0 0.0 3.01625 0.0 0.0 0.63500 9.17575 \$Boral
 704 7 RCC 0.0 0.0 1.90500 0.0 0.0 89.53500 10.1600 \$Al layer
 705 7 RCC 0.0 0.0 1.90500 0.0 0.0 89.53500 11.1125 \$B4C
 706 7 RCC 0.0 0.0 0.00000 0.0 0.0 91.44000 11.4300 \$Al layer
 707 7 RCC 0.0 0.0 3.65125 0.0 0.0 87.78875 9.84250
 708 7 RCC 0.0 0.0 1.90500 0.0 0.0 0.63500 7.62000 \$B4C bottom
 7091 7 RCC 0.0 -8.890 0.00 0.0 0.0 91.44000 0.31750 \$Dowel 1
 7092 7 RCC 0.0 8.890 0.00 0.0 0.0 91.44000 0.31750 \$Dowel 2
 C
 C 14" Aluminum Bucket
 C
 710 7 RCC 0.0 0.0 0.15875 0.0 0.0 35.40125 11.27125 \$Void
 711 7 RCC 0.0 0.0 0.00000 0.0 0.0 35.56000 11.43000 \$Al bucket
 C
 C USE these for a 24" Aluminum Bucket
 C
 C 710 7 RCC 0.0 0.0 0.15875 0.0 0.0 60.80125 11.27125 \$Void
 C 711 7 RCC 0.0 0.0 0.00000 0.0 0.0 60.96000 11.43000 \$Al bucket
 C
 C LP-1 Surfaces
 C
 720 7 RCC 0.0 0.0 5.74675 0.0 0.0 62.18825 7.46125 \$Inside
 721 7 RCC 0.0 0.0 5.58800 0.0 0.0 73.15200 7.62000 \$Al liner
 722 7 RCC 0.0 0.0 3.55600 0.0 0.0 64.37900 8.63600 \$Pb
 723 7 RCC 0.0 0.0 2.54000 0.0 0.0 65.39500 10.66800 \$HDPE
 724 7 RCC 0.0 0.0 3.55600 0.0 0.0 1.01600 7.62000 \$HDPE fill-in
 725 7 RCC 0.0 0.0 0.00000 0.0 0.0 78.74000 11.43000 \$Al Container
 726 7 RCC 0.0 0.0 67.9350 0.0 0.0 10.80500 7.46125
 C
 C
 C New 44" Pb-B4C Bucket
 C Base Plate w/ B4C Volume
 C From Ktech drawing labeled "PbB BASEII"
 C
 800 7 RCC 0.000 0.000 0.000 0.000 0.000 1.905 11.43 \$ Base Plate Bottom
 801 7 RCC 0.000 0.000 1.905 0.000 0.000 1.905 7.9375 \$ Base Plate Top
 802 7 RCC 0.000 0.000 2.2225 0.000 0.000 1.27 7.62 \$ B4C Cavity
 C Bolts/Bolt Holes
 C Big Bolts/Bolt Holes
 C From McMaster-Carr catalog, Item # 98914A033, Threaded Rods and Studs
 803 7 RCC 8.890 0.000 0.000 0.000 0.000 1.905 0.53594 \$ All-Thread #1
 804 7 RCC 8.890 0.000 1.524 0.000 0.000 0.381 0.65151 \$ All-Thread Hole #1
 805 7 RCC 8.890 0.000 1.2954 0.000 0.000 0.2286 0.674688 \$ All-Thread Washer Void #1
 806 7 RCC 8.890 0.000 1.2954 0.000 0.000 0.2286 1.27 \$ All-Thread Washer #1
 807 7 RCC 8.890 0.000 0.50165 0.000 0.000 0.79375 0.9525 \$ All-Thread Nut #1
 808 7 RCC 8.890 0.000 0.000 0.000 0.000 1.524 1.5875 \$ All-Thread Nut Hole #1
 809 7 RCC -8.890 0.000 0.000 0.000 0.000 1.905 0.53594 \$ All-Thread #2
 810 7 RCC -8.890 0.000 1.524 0.000 0.000 0.381 0.65151 \$ All-Thread Hole #2
 811 7 RCC -8.890 0.000 1.2954 0.000 0.000 0.2286 0.674688 \$ All-Thread Washer Void #2
 812 7 RCC -8.890 0.000 1.2954 0.000 0.000 0.2286 1.27 \$ All-Thread Washer #2
 813 7 RCC -8.890 0.000 0.50165 0.000 0.000 0.79375 0.9525 \$ All-Thread Nut #2
 814 7 RCC -8.890 0.000 0.000 0.000 0.000 1.524 1.5875 \$ All-Thread Nut Hole #2
 C Small Bolts/Bolt Holes
 C From McMaster-Carr catalog, Item # 44705K334, Low-Pressure Aluminum Threaded Square-Socket Plug
 815 7 RCC 0.000 5.3975 0.000 0.000 0.000 2.2225 0.71374 \$ Small Hole #1
 816 7 RCC 0.000 -5.3975 0.000 0.000 0.000 2.2225 0.71374 \$ Small Hole #2
 817 7 RCC 0.000 5.3975 0.000 0.000 0.000 1.2192 0.71374 \$ Plug #1
 818 7 RCC 0.000 -5.3975 0.000 0.000 0.000 1.2192 0.71374 \$ Plug #2
 819 7 RPP -0.357188 0.357188 5.040313 5.754688 0.000 0.862648 \$ Plug #1 9/32" Hole
 820 7 RPP -0.357188 0.357188 -5.754688 -5.040313 0.000 0.862648 \$ Plug #2 9/32" Hole

C
C Containment Base
C From Ktech drawing labeled "CONTAINMENT BASE II"
C
830 7 RCC 0.000 0.000 1.905 0.000 0.000 1.905 7.9883 \$ Inner void
831 7 RCC 0.000 0.000 1.905 0.000 0.000 1.905 9.779 \$ Inner Disc Region
832 7 RCC 0.000 0.000 1.905 0.000 0.000 0.635 11.43 \$ Outer Disc Region
833 7 RCC 8.890 0.000 1.905 0.000 0.000 1.905 0.53594 \$ All-thread #1, General purpose steel
834 7 RCC -8.890 0.000 1.905 0.000 0.000 1.905 0.53594 \$ All-thread #2, General purpose steel
C
C Lead Bottom, Floor, and Rings (Items #4, 5, and 6 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
C Drawn March 22, 2010 by S. Padias
C Unchamfered lead components
C
840 7 RCC 0.000 0.000 3.810 0.000 0.000 2.540 9.7663 \$ Lead bottom disc
C 841 7 RCC 0.000 0.000 6.350 0.000 0.000 100.33 6.477 \$ Inner lead void
842 7 RCC 0.000 0.000 6.350 0.000 0.000 100.33 9.7663 \$ Lead ring
843 7 RCC 8.89 0.000 3.810 0.000 0.000 106.68 0.65532 \$ Right-side big lead hole
844 7 RCC -8.89 0.000 3.810 0.000 0.000 106.68 0.65532 \$ Left-side big lead hole
845 7 RCC 0.000 8.89 3.810 0.000 0.000 106.68 0.32639 \$ Top-side small lead hole
846 7 RCC 0.000 -8.89 3.810 0.000 0.000 106.68 0.32639 \$ Bottom-side small lead hole
C From McMaster-Carr catalog, Item # 98914A033, Threaded Rods and Studs
847 7 RCC 8.89 0.000 3.810 0.000 0.000 113.665 0.53594 \$ Right-side All-Thread
848 7 RCC -8.89 0.000 3.810 0.000 0.000 113.665 0.53594 \$ Left-side All-Thread
C General Purpose Aluminum Tubing
C From McMaster-Carr catalog, Item # 89965K42, General Purpose Aluminum Tubing
849 7 RCC 0.000 8.89 3.810 0.000 0.000 111.76 0.2286 \$ Top-side inner radius Al6061 Tubing
850 7 RCC 0.000 8.89 3.810 0.000 0.000 111.76 0.3175 \$ Top-side outer radius Al6061 Tubing
851 7 RCC 0.000 -8.89 3.810 0.000 0.000 111.76 0.2286 \$ Bottom-side inner radius Al6061 Tub
852 7 RCC 0.000 -8.89 3.810 0.000 0.000 111.76 0.3175 \$ Bottom-side outer radius Al6061 Tub
C Chamfered lead components
853 7 TRC 0.000 0.000 106.68 0.000 0.000 3.81 6.477 7.62 \$ Chamfered lead ring void
854 7 RCC 0.000 0.000 106.68 0.000 0.000 3.81 9.7663 \$ Chamfered lead ring radius
C
C Inner Aluminum 6061 Sleeves (Items #14 and 15 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
C
860 7 RCC 0.000 0.000 6.35 0.000 0.000 0.08255 6.477 \$ Al6061 Base Plate
861 7 RCC 0.000 0.000 6.43255 0.000 0.000 100.1776 6.39445 \$ Al6061 Sheet void
862 7 RCC 0.000 0.000 6.43255 0.000 0.000 100.1776 6.477 \$ Al6061 Sheet
863 7 RCC 0.000 0.000 106.6102 0.000 0.000 0.0698 6.477 \$ Void
C
C PbB base II Double Wall Weldment (Item #9 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
C
868 7 RCC 0.000 0.000 2.54 0.000 0.000 107.315 9.8425 \$ Inner Surface of Inner Skin II L1
869 7 RCC 0.000 0.000 2.54 0.000 0.000 107.315 10.16 \$ Inner Skin II L1
870 7 RCC 0.000 0.000 109.855 0.000 0.000 0.254 9.8425 \$ Inner Surface of Inner Skin II L2
871 7 RCC 0.000 0.000 109.855 0.000 0.000 0.254 10.16 \$ Inner Skin II L2
872 7 RCC 0.000 0.000 110.109 0.000 0.000 0.381 9.8425 \$ Inner Surface of Inner Skin II L3
873 7 RCC 0.000 0.000 110.109 0.000 0.000 0.381 10.16 \$ Inner Skin II L3
874 7 RCC 0.000 0.000 2.54 0.000 0.000 107.315 11.1125 \$ B4C Powder Region L1
875 7 RCC 0.000 0.000 2.54 0.000 0.000 107.315 11.43 \$ Outer Skin II L1
876 7 RCC 0.000 0.000 109.855 0.000 0.000 0.254 11.1125 \$ B4C Powder Region L2
877 7 RCC 0.000 0.000 109.855 0.000 0.000 0.254 11.43 \$ Outer Skin II L2
878 7 RCC 0.000 0.000 110.109 0.000 0.000 0.381 11.1125 \$ B4C Powder Region L3
879 7 RCC 0.000 0.000 110.109 0.000 0.000 0.381 11.43 \$ Outer Skin II L3
C
C PbB Top: Top Plate (Item #1 in DWG titled "LEAD BORON BUCKET ASSEMBLY II")
C
880 7 RCC 0.000 0.000 110.49 0.000 0.000 0.4318 7.62 \$ Lower void
881 7 TRC 0.000 0.000 110.9218 0.000 0.000 0.8382 7.62 8.103935 \$ Upper void
882 7 RCC 0.000 0.000 110.49 0.000 0.000 1.27 11.43 \$ Al6061 Disc
883 7 RCC 0.000 0.000 110.49 0.000 0.000 -0.381 10.1727 \$ Lower B4C Cap void
884 7 RCC 0.000 0.000 110.49 0.000 0.000 -0.381 11.0998 \$ B4C Cap
885 7 TRC 0.000 0.000 109.855 0.000 0.000 0.254 10.4267 10.1727 \$ Inner chamfer
886 7 TRC 0.000 0.000 109.855 0.000 0.000 0.254 10.8458 11.0998 \$ Outer chamfer
C Top Plate holes
887 7 RCC -8.89 0.000 110.49 0.000 0.000 1.27 0.65151 \$ Left Large hole
888 7 RCC 8.89 0.000 110.49 0.000 0.000 1.27 0.65151 \$ Right Large hole
889 7 RCC 0.000 -8.89 110.49 0.000 0.000 1.27 0.65151 \$ Bottom Large hole
890 7 RCC 0.000 8.89 110.49 0.000 0.000 1.27 0.65151 \$ Top Large hole
891 7 RCC -2.54 8.89 110.49 0.000 0.000 1.27 0.3175 \$ Small Hole #1
892 7 RCC 2.54 8.89 110.49 0.000 0.000 1.27 0.3175 \$ Small Hole #2
893 7 RCC -2.54 -8.89 110.49 0.000 0.000 1.27 0.3175 \$ Small Hole #1
894 7 RCC 2.54 -8.89 110.49 0.000 0.000 1.27 0.3175 \$ Small Hole #2
C Modified Hex Head Plugs, 1/4 NPT, AL6061-T6 (Item #16 in DWG titled "LEAD BORON BUCKET ASSEMBLY")
C From McMaster-Carr catalog, Item # 3867T65, High-Pressure Aluminum Pipe Fitting
821 7 RCC 0.000 -8.89 111.76 0.000 0.000 -1.27 0.65151 \$ Bottom Hex Thread
822 7 RCC 0.000 -8.89 111.76 0.000 0.000 0.635 0.79375 \$ Bottom Hex Head
823 7 RCC 0.000 8.89 111.76 0.000 0.000 -1.27 0.65151 \$ Top Hex Thread
824 7 RCC 0.000 8.89 111.76 0.000 0.000 0.635 0.79375 \$ Top Hex Head
C

```

C Enclosing surface for the 44" Pb-B4C bucket
C
899 7 RCC 0.000 0.000 0.000 0.000 0.000 117.475 11.43 $ Enclosing surface
C
C
C EXPERIMENT SURFACES
C
1001 6 SO 3. $ 6 cm dia scoring sphere
1002 6 RCC 0. -0.013301675 0. 0. 0.026603351 0. 0.635 $ Nickel Foil
C
C External Cutoff
C
900 RCC 0.000 0.000 -67.395 0.000 0.000 202.395 72.0000

C *****
C * TRANSFORMATIONS *
C *****
C
C TR1 rotates the hexes for the outer core bound and the cavity liner
C
*TR1 0 0 0 30 60 90 120 30 90
C
C TR3-->Movement of control rods -0.001 (full up) to -55.001 (full down)
C
C
C Measured Up DC with 32-in pedestal is -39.731 (03/03/2004)
C Measured Down DC is -30.851 (03/03/2004)
C -->Up DC position of 1527 Rod Units
C -->Down DC position of 2415 Rod Units
C Measured Up DC with 8-in + 32-in pedestal is -40.421 (03/01/2004)
C Measured Down DC with 8-in + 32-in pedestal is -31.291 (03/01/2004)
C -->Up DC position of 1428 Rod Units
C -->Down DC position of 2371 Rod Units
C Measured Up DC with Pb-B4C on 32-in pedestal is -22.951 (03/09/2004)
C Measured Down DC with Pb-B4C on 32-in pedestal is -10.741 (03/09/2004)
C -->Up DC position of 3205 Rod Units
C -->Down DC position of 4426 Rod Units
C Measured DC with LP-1 on 32-in pedestal is -31.941 (03/11/2004)
C Measured Down DC with LP-1 on 32-in pedestal is -23.721 (03/11/2004)
C -->Up DC position of 2306 Rod Units
C -->Down DC position of 3128 Rod Units
C
*TR3 0 0 -23.50
C
C TR4-->Movement of safety rods 0.001 (full up) to -54.999 (full down)
C
C Measured worth of safety rods: -$2.12 (03/30/2004)
C
*TR4 0 0 0.001
C
C TR5-->Movement of transient rods 0 (full down) to 90 (full up)
C
C Measured worth of transient rods: -$4.14 (03/30/2004)
C
*TR5 0 0 90
C
C TR6-->Moves experiment package from origin (0 0 0) to fuel centerline
C
*TR6 0 0 49.445
C
C TR7-->Puts buckets on 8" (34.205) or 32" (13.885) pedestals
C Use 32" pedestal for LP-1
C Use 8" for Standard A1 buckets
C
*TR7 0 0 13.885
C
C *****
C * MATERIAL CARDS *
C *****
C Materials cards use the latest available cross sections
C
C UO2-BeO fuel (3.3447 g/cc) (XSEC Temp - 293.6 K)
C
C
C
M1 4009.70c -0.2827602 8016.70c -0.5277690 92235.70c -0.0662957
92238.70c -0.1222844 92234.70c -0.0004547 92236.70c -0.0004358
MT1 beo.60t $ S(alpha, beta) for UO2-BeO (Temp - 294 K)
C
C
C UO2-BeO fuel (3.0102 g/cc) -- This is the 90% fuel
C (XSEC Temp - 293.6 K)

```

```

C   Included as a separate material to avoid warning message
C
C
M11      4009.70c -0.2827602   8016.70c -0.5277690   92235.70c -0.0662957
          92238.70c -0.1222844   92234.70c -0.0004547   92236.70c -0.0004358
MT11     beo.60t      $ S(alpha, beta) for BeO (Temp - 294 K)
C
C   NIOBIUM (8.4 g/cc)
C
M2       41093.70c  1.0000
C
C
C   SS-304L from Ktech Materials Database Rev. 118
C   Material Number: 3410
C   Values are weight %
C   Si: 0.0100  Cr: 0.1900  Mn: 0.0200  Fe: 0.6800  Ni: 0.1000
C
C   FM multiplier (neutrons): 1.76109641E-10  3410  -4  1
C   FM multiplier (photons):  1.76109641E-10  3410  -5  -6
C
C   Density: 7.896 g/cc
C
M3       14028.70c -0.009187   14029.70c -0.000483   14030.70c -0.000329
          24050.70c -0.007930   24052.70c -0.159029   24053.70c -0.018380
          24054.70c -0.004661   25055.70c -0.020000   26054.70c -0.038390
          26056.70c -0.624930   26057.70c -0.014691   26058.70c -0.001989
          28058.70c -0.067198   28060.70c -0.026776   28061.70c -0.001183
          28062.70c -0.003834   28064.70c -0.001009
C
C
C   BeO (2.8 g/cc)
C
M4       4009.70c  0.5000      8016.70c  0.4998096   8017.70c  0.0001904
MT4      beo.60t      $ S(alpha, beta) for BeO (Temp - 294 K)
C
C   Water (1 g/cc)
C
M5       1001.70c  0.6665667   1002.70c  0.000100
          8016.70c  0.3332063   8017.70c  0.000127
MT5      lwtr.60t     $ S(alpha, beta) for water (Temp - 294 K)
C
C
C   Ni reflector
C   Values are weight %
C   Ni-58: 67.19780  Ni-60: 26.77586  Ni-61: 1.18346
C   Ni-62: 3.83429  Ni-64: 1.00859
C   Converted Data from Nuclear Wallet Card to w/o with "Weight_Frac" program
C   Density: 8.9020 g/cc
C
C
M6       28058.70c -0.6719780  28060.70c -0.2677586  28061.70c -0.0118346
          28062.70c -0.0383429  28064.70c -0.0100859
C
C
C   Al-6061 from Ktech Materials Database Rev. 118
C   Material Number: 3110
C   Values are weight %
C   Mg: 0.0110  Al: 0.9670  Si: 0.0080  Ti: 0.0007
C   Cr: 0.0020  Mn: 0.0013  Fe: 0.0056  Ni: 0.0004
C   Cu: 0.0030  Zn: 0.0010
C
C   FM multiplier (neutrons): 3.55249469E-10  3110  -4  1
C   FM multiplier (photons):  3.55249469E-10  3110  -5  -6
C
C   Density: 2.704 g/cc
C
M7       12000.66c -0.011000   13027.70c -0.967000   14028.70c -0.007350
          14029.70c -0.000387   14030.70c -0.000263   22000.66c -0.000700
          24050.70c -0.000084   24052.70c -0.001674   24053.70c -0.000193
          24054.70c -0.000049   25055.70c -0.001300   26054.70c -0.000316
          26056.70c -0.005147   26057.70c -0.000121   26058.70c -0.000016
          28058.70c -0.000269   28060.70c -0.000107   28061.70c -0.000005
          28062.70c -0.000015   28064.70c -0.000004   29063.70c -0.002055
          29065.70c -0.000945   30000.42c -0.001000
C
C
C   B4C poison (2.48 g/cc)
C   Composition data taken from Jeff Wemple (KTech) Memo dated June 18, 2010
C   and titled "Re: Drawing of new Lead-boron bucket"
C   Manufacturer of powder is READE ADVANCED MATERIALS
C   Density of packed powder in the 44" Pb-B4C bucket is 1.2505 (half of 2.51 g/cc)

```

```

C
M8      6000.70c 0.20000 5010.70c 0.159200 5011.70c 0.640800
C
C
C Natural Lead
C True Weight %: Pb-204: 1.37808 Pb-206: 23.95550
C                Pb-207: 22.07430 Pb-208: 52.59212
C Weight % based on Available MCNP XSEC:
C                Pb-206: 24.29024 Pb-207: 22.38275
C                Pb-208: 53.32701
C
C Converted Data from Nuclear Wallet Card to w/o with "Weight_Frac" program
C Density is 11.35 g/cc from Nuclear Wallet Cards.
C
C
M700 82206.70c -0.2429024 82207.70c -0.2238275
      82208.70c -0.5332701
C
C
C Boral Plate Composition
C
C Composition found in Nuclear Science and Engineering
C Vol. 65, No. 1, pgs. 41-48, January 1978.
C Values are weight %
C   B: 27.40 C: 7.61 Al: 63.68
C   Cu: 0.09 Zn: 0.16 Fe: 0.45
C   Cr: 0.10 Mn: 0.10 Mg: 0.05
C   Ti: 0.10 Li: 0.26
C
C Density: 2.53 g/cc
C
C
M701 5010.70c -0.050242 5011.70c -0.223758 6000.70c -0.076100
      13027.70c -0.636800 29063.70c -0.000616 29065.70c -0.000284
      30000.42c -0.001600 26056.70c -0.004500 24050.70c -0.000042
      24052.70c -0.000837 24053.70c -0.000097 24054.70c -0.000024
      25055.70c -0.001000 12000.66c -0.000500 22000.66c -0.001000
      3006.70c -0.000171 3007.70c -0.002429
C
C
C
C Air
C Standard Density: 1.205e-3 g/cc @ 20 deg C, 1 atm
C Albuquerque: 1.0245e-3 g/cc in ABQ
C See Attix p.531-532
C
M702 7014.70c -0.752308 7015.70c -0.002960 8016.70c -0.231687
      8017.70c -0.000094 6000.70c -0.000124 18000.42c -0.012827
C
C
C HELIUM For Leak Test
C @ 2 atm density = 3.57e-4 g/cc
C
M703 2003.70c 0.00000137 2004.70c 0.99999863
C
C
C HDPE-> (C2H4)n
C
C   |   H   H   |
C   |   |   |   |
C  -|- C -- C -|-
C   |   |   |   |
C   |   H   H   |
C   --   --
C
C
M704 1001.70c 0.666667 6000.70c 0.333333
MT704 poly.60t
C
C
C A517 Carbon Steel (den = 7.28 g/cc)
C Modified to match the mill test cert.
C from Tubos de Acero de Mexico, S.A.
C
C Summary of MatMCNP Calculations:
C
C Isotope Number Fraction Weight Fraction Atoms/b-cm
C C-12 0.0118115 0.0025688 0.0009385
C C-13 0.0001326 0.0000312 0.0000105
C Si-28 0.0048924 0.0024807 0.0003887
C Si-29 0.0002484 0.0001305 0.0000197
C Si-30 0.0001638 0.0000890 0.0000130
C Cr-50 0.0000184 0.0000167 0.0000015

```

```

C Cr-52      0.0003557      0.0003348      0.0000283
C Cr-53      0.0000403      0.0000387      0.0000032
C Cr-54      0.0000100      0.0000098      0.0000008
C Mn-55      0.0078340      0.0078003      0.0006225
C Fe-54      0.0568920      0.0556172      0.0045205
C Fe-56      0.8930822      0.9053674      0.0709617
C Fe-57      0.0206252      0.0212829      0.0016388
C Fe-58      0.0027448      0.0028820      0.0002181
C Cu-63      0.0007628      0.0008700      0.0000606
C Cu-65      0.0003400      0.0004001      0.0000270
C Mo-92      0.0000068      0.0000114      0.0000005
C Mo-94      0.0000043      0.0000072      0.0000003
C Mo-95      0.0000073      0.0000126      0.0000006
C Mo-96      0.0000077      0.0000133      0.0000006
C Mo-97      0.0000044      0.0000077      0.0000003
C Mo-98      0.0000111      0.0000197      0.0000009
C Mo-100     0.0000044      0.0000080      0.0000004
C
C The total compound atom density (atom/b-cm): 0.07945702
C
M765  06000.70c 0.0119440 14028.70c 0.0048924 14029.70c 0.0002484
      14030.70c 0.0001638 24050.70c 0.0000184 24052.70c 0.0003557
      24053.70c 0.0000403 24054.70c 0.0000100 25055.70c 0.0078340
      26054.70c 0.0568920 26056.70c 0.8930822 26057.70c 0.0206252
      26058.70c 0.0027448 29063.70c 0.0007628 29065.70c 0.0003400
      42000.66c 0.0000460
C
C
C
C General Purpose Steel, Grade B7
C 7 Comment Cards
C
C 1
C 2 The weight fraction for elements of General Purpose Steel, Grade B7 is
C 3 The weight fractions are used for each element.
C 4 The density of natural cadmium is 7.83 g/cc,
C 5 The MCNP material number is found after the material.
C 6 The line below "7" gives the density.
C 7
C
C Summary of MatMCNP Calculations:
C
C Isotope Number Fraction Weight Fraction Atoms/b-cm
C C-12      0.0194064      0.0042483      0.0016694
C C-13      0.0002178      0.0000517      0.0000187
C Mn-55     0.0087306      0.0087500      0.0007510
C P-31      0.0006194      0.0003500      0.0000533
C S-32      0.0006498      0.0003790      0.0000559
C S-33      0.0000051      0.0000031      0.0000004
C S-34      0.0000288      0.0000178      0.0000025
C S-36      0.0000001      0.0000001      0.0000000
C Si-28     0.0045003      0.0022968      0.0003871
C Si-29     0.0002285      0.0001208      0.0000197
C Si-30     0.0001506      0.0000824      0.0000130
C Cr-50     0.0004466      0.0004069      0.0000384
C Cr-52     0.0086125      0.0081607      0.0007409
C Cr-53     0.0009766      0.0009432      0.0000840
C Cr-54     0.0002431      0.0002392      0.0000209
C Mo-92     0.0001696      0.0002843      0.0000146
C Mo-94     0.0001057      0.0001811      0.0000091
C Mo-95     0.0001819      0.0003150      0.0000157
C Mo-96     0.0001906      0.0003335      0.0000164
C Mo-97     0.0001091      0.0001929      0.0000094
C Mo-98     0.0002758      0.0004925      0.0000237
C Mo-100    0.0001101      0.0002006      0.0000095
C Fe-54     0.0557637      0.0548720      0.0047968
C Fe-56     0.8753707      0.8932369      0.0753001
C Fe-57     0.0202161      0.0209977      0.0017390
C Fe-58     0.0026904      0.0028434      0.0002314
C
C The total compound atom density (atom/b-cm): 0.08602087
C
C This material contains an isotope that is often
C modified by an S(alpha,beta). Check MCNP
C Manual Appendix G to see if an
C S(alpha,beta) is required.
C
C MCNP Material 766
C
M766  06000.70c 0.0196242
      25055.70c 0.0087306

```

```

15031.70c 0.0006194
16000.66c 0.0006838
14028.70c 0.0045003
14029.70c 0.0002285
14030.70c 0.0001506
24050.70c 0.0004466
24052.70c 0.0086125
24053.70c 0.0009766
24054.70c 0.0002431
42000.66c 0.0011428
26054.70c 0.0557637
26056.70c 0.8753707
26057.70c 0.0202161
26058.70c 0.0026904
C
C Caution: The natural zaid is used for Carbon.
C
C Caution: The natural zaid is used for Sulfur.
C
C Caution: The natural zaid is used for Molybdenum.
C
C If the natural zaid is used for any element, the atom fractions of each isotope
C of that element are added together and listed with the natural zaid just once.
C
C To convert a particle flux to rad[Material]
C use FM 1.76023016E-10 766 -4 1 for neutrons
C or FM 1.76023016E-10 766 -5 -6 for photons.
C
C
C Carbon Steel
C 8 Comment Cards
C
C 1
C 2 The weight fraction for elements of carbon steel is used.
C 3 The weight fractions are used for each element.
C 4 Data obtained from MCNP Primer by C.D. Harmon and R.D. Busch (1994)
C 5 The density of natural cadmium is 7.82 g/cc,
C 6 The MCNP material number is found after the material.
C 7 The line below "8" gives the density.
C 8
C
C Summary of MatMCNP Calculations:
C
C Isotope Number Fraction Weight Fraction Atoms/b-cm
C C-12 0.0225772 0.0049399 0.0019386
C C-13 0.0002534 0.0000601 0.0000218
C Fe-54 0.0571155 0.0561733 0.0049043
C Fe-56 0.8965919 0.9144202 0.0769875
C Fe-57 0.0207062 0.0214957 0.0017780
C Fe-58 0.0027556 0.0029108 0.0002366
C
C The total compound atom density (atom/b-cm): 0.08586678
C
C This material contains an isotope that is often
C modified by an S(alpha,beta). Check MCNP
C Manual Appendix G to see if an
C S(alpha,beta) is required.
C
C MCNP Material 767
C
M767 06000.70c 0.0228306
26054.70c 0.0571155
26056.70c 0.8965919
26057.70c 0.0207062
26058.70c 0.0027556
C
C Caution: The natural zaid is used for Carbon.
C
C If the natural zaid is used for any element, the atom fractions of each isotope
C of that element are added together and listed with the natural zaid just once.
C
C To convert a particle flux to rad[Material]
C use FM 1.75917531E-10 767 -4 1 for neutrons
C or FM 1.75917531E-10 767 -5 -6 for photons.
C
C
C *****
C * TALLIES *
C *****
C
F14:P 1001

```

```

FC14      gamma fluence  g/cm**2/source neutron - 48 group
E14      1.38880e-10
          1.00E-03 1.00E-02 2.00E-02 3.00E-02 4.50E-02
          6.00E-02 8.00E-02 1.00E-01 1.50E-01 2.00E-01
          3.00E-01 4.00E-01 4.50E-01 5.00E-01 5.25E-01
          6.00E-01 7.00E-01 8.00E-01 9.00E-01 1.00E+00
          1.13E+00 1.20E+00 1.33E+00 1.50E+00 1.66E+00
          1.88E+00 2.00E+00 2.33E+00 2.50E+00 2.67E+00
          3.00E+00 3.50E+00 4.00E+00 4.50E+00 5.00E+00
          5.50E+00 6.00E+00 6.50E+00 7.00E+00 7.50E+00
          8.00E+00 9.00E+00 1.00E+01 1.20E+01 1.40E+01
          1.70E+01 2.00E+01 3.00E+01 5.00E+01

C
F24:N      1001
FC24      neutron fluence n/cm**2/source neutron - 640 group
E24      1.050e-10 1.100e-10 1.150e-10 1.200e-10 1.275e-10
          1.350e-10 1.425e-10 1.500e-10 1.600e-10 1.700e-10 1.800e-10
          1.900e-10 2.000e-10 2.100e-10 2.200e-10 2.300e-10 2.400e-10
          2.550e-10 2.700e-10 2.800e-10 3.000e-10 3.200e-10 3.400e-10
          3.600e-10 3.800e-10 4.000e-10 4.250e-10 4.500e-10 4.750e-10
          5.000e-10 5.250e-10 5.500e-10 5.750e-10 6.000e-10 6.300e-10
          6.600e-10 6.900e-10 7.200e-10 7.600e-10 8.000e-10 8.400e-10
          8.800e-10 9.200e-10 9.600e-10 1.000e-09 1.050e-09 1.100e-09
          1.150e-09 1.200e-09 1.275e-09 1.350e-09 1.425e-09 1.500e-09
          1.600e-09 1.700e-09 1.800e-09 1.900e-09 2.000e-09 2.100e-09
          2.200e-09 2.300e-09 2.400e-09 2.550e-09 2.700e-09 2.800e-09
          3.000e-09 3.200e-09 3.400e-09 3.600e-09 3.800e-09 4.000e-09
          4.250e-09 4.500e-09 4.750e-09 5.000e-09 5.250e-09 5.500e-09
          5.750e-09 6.000e-09 6.300e-09 6.600e-09 6.900e-09 7.200e-09
          7.600e-09 8.000e-09 8.400e-09 8.800e-09 9.200e-09 9.600e-09
          1.000e-08 1.050e-08 1.100e-08 1.150e-08 1.200e-08 1.275e-08
          1.350e-08 1.425e-08 1.500e-08 1.600e-08 1.700e-08 1.800e-08
          1.900e-08 2.000e-08 2.100e-08 2.200e-08 2.300e-08 2.400e-08
          2.550e-08 2.700e-08 2.800e-08 3.000e-08 3.200e-08 3.400e-08
          3.600e-08 3.800e-08 4.000e-08 4.250e-08 4.500e-08 4.750e-08
          5.000e-08 5.250e-08 5.500e-08 5.750e-08 6.000e-08 6.300e-08
          6.600e-08 6.900e-08 7.200e-08 7.600e-08 8.000e-08 8.400e-08
          8.800e-08 9.200e-08 9.600e-08 1.000e-07 1.050e-07 1.100e-07
          1.150e-07 1.200e-07 1.275e-07 1.350e-07 1.425e-07 1.500e-07
          1.600e-07 1.700e-07 1.800e-07 1.900e-07 2.000e-07 2.100e-07
          2.200e-07 2.300e-07 2.400e-07 2.550e-07 2.700e-07 2.800e-07
          3.000e-07 3.200e-07 3.400e-07 3.600e-07 3.800e-07 4.000e-07
          4.250e-07 4.500e-07 4.750e-07 5.000e-07 5.250e-07 5.500e-07
          5.750e-07 6.000e-07 6.300e-07 6.600e-07 6.900e-07 7.200e-07
          7.600e-07 8.000e-07 8.400e-07 8.800e-07 9.200e-07 9.600e-07
          1.000e-06 1.050e-06 1.100e-06 1.150e-06 1.200e-06 1.275e-06
          1.350e-06 1.425e-06 1.500e-06 1.600e-06 1.700e-06 1.800e-06
          1.900e-06 2.000e-06 2.100e-06 2.200e-06 2.300e-06 2.400e-06
          2.550e-06 2.700e-06 2.800e-06 3.000e-06 3.200e-06 3.400e-06
          3.600e-06 3.800e-06 4.000e-06 4.250e-06 4.500e-06 4.750e-06
          5.000e-06 5.250e-06 5.500e-06 5.750e-06 6.000e-06 6.300e-06
          6.600e-06 6.900e-06 7.200e-06 7.600e-06 8.000e-06 8.400e-06
          8.800e-06 9.200e-06 9.600e-06 1.000e-05 1.050e-05 1.100e-05
          1.150e-05 1.200e-05 1.275e-05 1.350e-05 1.425e-05 1.500e-05
          1.600e-05 1.700e-05 1.800e-05 1.900e-05 2.000e-05 2.100e-05
          2.200e-05 2.300e-05 2.400e-05 2.550e-05 2.700e-05 2.800e-05
          3.000e-05 3.200e-05 3.400e-05 3.600e-05 3.800e-05 4.000e-05
          4.250e-05 4.500e-05 4.750e-05 5.000e-05 5.250e-05 5.500e-05
          5.750e-05 6.000e-05 6.300e-05 6.600e-05 6.900e-05 7.200e-05
          7.600e-05 8.000e-05 8.400e-05 8.800e-05 9.200e-05 9.600e-05
          1.000e-04 1.050e-04 1.100e-04 1.150e-04 1.200e-04 1.275e-04
          1.350e-04 1.425e-04 1.500e-04 1.600e-04 1.700e-04 1.800e-04
          1.900e-04 2.000e-04 2.100e-04 2.200e-04 2.300e-04 2.400e-04
          2.550e-04 2.700e-04 2.800e-04 3.000e-04 3.200e-04 3.400e-04
          3.600e-04 3.800e-04 4.000e-04 4.250e-04 4.500e-04 4.750e-04
          5.000e-04 5.250e-04 5.500e-04 5.750e-04 6.000e-04 6.300e-04
          6.600e-04 6.900e-04 7.200e-04 7.600e-04 8.000e-04 8.400e-04
          8.800e-04 9.200e-04 9.600e-04 1.000e-03 1.050e-03 1.100e-03
          1.150e-03 1.200e-03 1.275e-03 1.350e-03 1.425e-03 1.500e-03
          1.600e-03 1.700e-03 1.800e-03 1.900e-03 2.000e-03 2.100e-03
          2.200e-03 2.300e-03 2.400e-03 2.550e-03 2.700e-03 2.800e-03
          3.000e-03 3.200e-03 3.400e-03 3.600e-03 3.800e-03 4.000e-03
          4.250e-03 4.500e-03 4.750e-03 5.000e-03 5.250e-03 5.500e-03
          5.750e-03 6.000e-03 6.300e-03 6.600e-03 6.900e-03 7.200e-03
          7.600e-03 8.000e-03 8.400e-03 8.800e-03 9.200e-03 9.600e-03
          1.000e-02 1.050e-02 1.100e-02 1.150e-02 1.200e-02 1.275e-02
          1.350e-02 1.425e-02 1.500e-02 1.600e-02 1.700e-02 1.800e-02
          1.900e-02 2.000e-02 2.100e-02 2.200e-02 2.300e-02 2.400e-02
          2.550e-02 2.700e-02 2.800e-02 3.000e-02 3.200e-02 3.400e-02
          3.600e-02 3.800e-02 4.000e-02 4.250e-02 4.500e-02 4.750e-02
          5.000e-02 5.250e-02 5.500e-02 5.750e-02 6.000e-02 6.300e-02

```

6.600e-02	6.900e-02	7.200e-02	7.600e-02	8.000e-02	8.400e-02
8.800e-02	9.200e-02	9.600e-02	1.000e-01	1.050e-01	1.100e-01
1.150e-01	1.200e-01	1.275e-01	1.350e-01	1.425e-01	1.500e-01
1.600e-01	1.700e-01	1.800e-01	1.900e-01	2.000e-01	2.100e-01
2.200e-01	2.300e-01	2.400e-01	2.550e-01	2.700e-01	2.800e-01
3.000e-01	3.200e-01	3.400e-01	3.600e-01	3.800e-01	4.000e-01
4.250e-01	4.500e-01	4.750e-01	5.000e-01	5.250e-01	5.500e-01
5.750e-01	6.000e-01	6.300e-01	6.600e-01	6.900e-01	7.200e-01
7.600e-01	8.000e-01	8.400e-01	8.800e-01	9.200e-01	9.600e-01
1.000e+00	1.100e+00	1.200e+00	1.300e+00	1.400e+00	1.500e+00
1.600e+00	1.700e+00	1.800e+00	1.900e+00	2.000e+00	2.100e+00
2.200e+00	2.300e+00	2.400e+00	2.500e+00	2.600e+00	2.700e+00
2.800e+00	2.900e+00	3.000e+00	3.100e+00	3.200e+00	3.300e+00
3.400e+00	3.500e+00	3.600e+00	3.700e+00	3.800e+00	3.900e+00
4.000e+00	4.100e+00	4.200e+00	4.300e+00	4.400e+00	4.500e+00
4.600e+00	4.700e+00	4.800e+00	4.900e+00	5.000e+00	5.100e+00
5.200e+00	5.300e+00	5.400e+00	5.500e+00	5.600e+00	5.700e+00
5.800e+00	5.900e+00	6.000e+00	6.100e+00	6.200e+00	6.300e+00
6.400e+00	6.500e+00	6.600e+00	6.700e+00	6.800e+00	6.900e+00
7.000e+00	7.100e+00	7.200e+00	7.300e+00	7.400e+00	7.500e+00
7.600e+00	7.700e+00	7.800e+00	7.900e+00	8.000e+00	8.100e+00
8.200e+00	8.300e+00	8.400e+00	8.500e+00	8.600e+00	8.700e+00
8.800e+00	8.900e+00	9.000e+00	9.100e+00	9.200e+00	9.300e+00
9.400e+00	9.500e+00	9.600e+00	9.700e+00	9.800e+00	9.900e+00
1.000e+01	1.010e+01	1.020e+01	1.030e+01	1.040e+01	1.050e+01
1.060e+01	1.070e+01	1.080e+01	1.090e+01	1.100e+01	1.110e+01
1.120e+01	1.130e+01	1.140e+01	1.150e+01	1.160e+01	1.170e+01
1.180e+01	1.190e+01	1.200e+01	1.210e+01	1.220e+01	1.230e+01
1.240e+01	1.250e+01	1.260e+01	1.270e+01	1.280e+01	1.290e+01
1.300e+01	1.310e+01	1.320e+01	1.330e+01	1.340e+01	1.350e+01
1.360e+01	1.370e+01	1.380e+01	1.390e+01	1.400e+01	1.410e+01
1.420e+01	1.430e+01	1.440e+01	1.450e+01	1.460e+01	1.470e+01
1.480e+01	1.490e+01	1.500e+01	1.510e+01	1.520e+01	1.530e+01
1.540e+01	1.550e+01	1.560e+01	1.570e+01	1.580e+01	1.590e+01
1.600e+01	1.610e+01	1.620e+01	1.630e+01	1.640e+01	1.650e+01
1.660e+01	1.670e+01	1.680e+01	1.690e+01	1.700e+01	1.710e+01
1.720e+01	1.730e+01	1.740e+01	1.750e+01	1.760e+01	1.770e+01
1.780e+01	1.790e+01	1.800e+01	1.810e+01	1.820e+01	1.830e+01
1.840e+01	1.850e+01	1.860e+01	1.870e+01	1.880e+01	1.890e+01
1.900e+01	1.910e+01	1.920e+01	1.930e+01	1.940e+01	1.950e+01
1.960e+01	1.970e+01	1.980e+01	1.990e+01	2.000e+01	

C
F34:N 1001
FC34 neutron fluence n/cm**2/source neutron - 89 group
E34 1.39E-10 1.00E-09 5.00E-09 1.00E-08 3.00E-08 7.00E-08 1.00E-07
1.52E-07 2.00E-07 4.14E-07 6.00E-07 8.00E-07 1.13E-06 3.06E-06
5.04E-06 8.32E-06 1.37E-05 2.26E-05 3.73E-05 6.14E-05 1.01E-04
1.67E-04 2.75E-04 3.54E-04 4.54E-04 5.83E-04 7.49E-04 9.61E-04
1.09E-03 1.23E-03 1.40E-03 1.58E-03 1.80E-03 2.03E-03 2.31E-03
2.61E-03 2.96E-03 3.35E-03 3.80E-03 4.31E-03 4.88E-03 5.53E-03
6.27E-03 7.10E-03 8.05E-03 9.12E-03 1.03E-02 1.17E-02 1.33E-02
1.50E-02 1.70E-02 1.93E-02 2.19E-02 2.48E-02 2.61E-02 2.81E-02
3.18E-02 4.09E-02 5.25E-02 6.74E-02 8.65E-02 1.11E-01 1.43E-01
1.83E-01 2.35E-01 3.02E-01 3.88E-01 4.39E-01 4.98E-01 5.64E-01
6.39E-01 7.24E-01 8.21E-01 9.30E-01 1.05E+00 1.19E+00 1.35E+00
1.74E+00 2.23E+00 2.87E+00 3.68E+00 4.72E+00 6.07E+00 7.79E+00
1.00E+01 1.19E+01 1.35E+01 1.49E+01 1.69E+01 2.00E+01

C
F44:N 1001
FC44 total neutron fluence n/cm**2/source neutron
C
C
MODE N P
C 20B
KCODE 10000000 1.0 3 2000
c KCODE 100000 1.0 3 2000
C KCODE 10000 1.0 3 200
KSRG 20 0 50 0 20 60 30 0 40 0 30 60
C PRINT 10 60 100 110
RAND GEN=2 SEED=19073486328125 STRIDE=152917
PRDMP 50 50 0 1 0

B Appendix – Input Deck for Neutron Spectrum Adjustment Using the LSL-M2 Code

```

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
ACRR LB44 on 32in pedestal at centerline 10.5in
-----
t
t      ACRR LB44 Pb-B4C Bucket Spectrum
t      used on a 32-inch pedestal and measured at fuel centerline 10.5 inches
t
t      dosimetry cross section library = snlrml.lib
t
t      Weighting function:
t          energy grid                = ref640.erg
t          weighting function          = wattlm.flx
t
t      "a priori" spectrum
t          filename                    = new_PbB.sandii (dummy input file)
t          trial function energy grif  = sandii.erg
t
t          from MCNP Monte Carlo calculation by ejp
t          640 SAND-II energy structure for trial function
t
t      "a priori" covariance file
t          filename = new.lib (dummy input file)
t          taken from TBD, should be frm John Williams NSVA methodology
t
t      Output structure in NuGET 89 bin energy grid
t          output energy grid          = nug89.erg
t
t      Covariance checks:
t          positive definite check     = disabled
t
t
-----
@actv
  1.0e+0  (activities given in bq/nucleus)
ejp_LB44_32in_cl
@end
@description
ni58p:sld    void bare -9.5960E-18  0.016  0.001  *
co59p:sld    void bare -1.6482E-19  0.024  0.001
al27a:sld    void bare -5.2690E-18  0.037  0.001
al27p:sld    void bare -3.3250E-15  0.021  0.001
ti46p:sld    void bare -6.7205E-19  0.008  0.001
ti47p:sld    void bare -3.6124E-17  0.026  0.001
ti48p:sld    void bare -7.7602E-19  0.006  0.001
fe54p:sld    void bare -1.4959E-18  0.011  0.001
fe56p:sld    void bare -4.7933E-17  0.009  0.001
nb932:sld    void bare -2.0258E-19  0.010  0.001
in115n:sld   void bare -9.8199E-15  0.056  0.001
fe58g:sld    mil5 bare -1.2442E-17  0.023  0.001
na23g:sld    pelt bare -1.2826E-16  0.008  0.001
sc45g:sld    mil5 bare -1.6744E-17  0.007  0.001
mn55g:sld    wcu2 bare -4.0558E-14  0.020  0.001
co59g:sld    mil2 bare -6.2470E-18  0.008  0.001
cu63g:sld    void bare -6.6548E-15  0.057  0.001
mo98g:sld    mil5 bare -1.6478E-15  0.018  0.001
in115g:sld   mil5 bare -4.4211E-13  0.016  0.001
au197g:sld   dil5 bare -2.4293E-14  0.028  0.001
mn552:sld    void bare -3.5010E-21  0.160  0.001

```

```

co592:sld      void bare -1.2528E-20  0.120  0.001
ni60p:sld      void bare -5.4018E-21  0.060  0.001
u235f:sld      void fisa -3.8036E-09   0.021  0.001
u238f:sld      void fisa -2.8865E-10   0.020  0.001
np237f:sld     void fisa -1.9753E-09   0.030  0.001
pu239f:sld     void fisa -4.5468E-09   0.020  0.001
au197g:sld     void fiss -2.7153E-15   0.042  0.001
fe58g:sld      void fiss -2.7876E-18   0.072  0.001
co59g:sld      void fiss -2.0990E-19   0.008  0.001
mo98g:sld      void fiss -3.9782E-16   0.022  0.001
@end
@posit
0.02
@end
@actcov
 3  4  5
 1  3  5
 5  6  5
 5  7  5
 6  7  5
 8  9  5
 8 12  5
 9 12  5
 2 16  5
 2 22  5
16 22  5
 1 23  5
20 28 10
12 29 10
16 30 10
18 31 10
@end
@outgrd
= nug89
@end
@trlgrd
= sandii
@end
@calf
group fluences
 89  1
1.00
@end
@hsty
1,3600
dosimetry position
 10 26 17 00  1.000000E+0  1
 10 26 17 01  0.000000000  1
 -1 26 17 01  0.000000000  1
@end
@cora
correction file not needed
end
@end
@refflx
ref640 wattlm
@end
@trlflx
= ejp_LB44_32in_cl sandii
@end
@covf
new
@end

```

C Appendix – LSL Format Neutron Output

```

*cor      (library)      (mat.#)      (temp)k
*number of energies plus 1
90
*energy grid ( ev )
1.00000E-04  1.00000E-03  5.00000E-03  1.00000E-02  3.00000E-02  7.00000E-02  1.00000E-01  1.52300E-01
2.00000E-01  4.14000E-01  6.00000E-01  8.00000E-01  1.12500E+00  3.05900E+00  5.04300E+00  8.31500E+00
1.37100E+01  2.26000E+01  3.72700E+01  6.14400E+01  1.01300E+02  1.67000E+02  2.75400E+02  3.53600E+02
4.54000E+02  5.83000E+02  7.48500E+02  9.61100E+02  1.08900E+03  1.23400E+03  1.39800E+03  1.58500E+03
1.79600E+03  2.03500E+03  2.30600E+03  2.61300E+03  2.96000E+03  3.35500E+03  3.80100E+03  4.30700E+03
4.88100E+03  5.53100E+03  6.26700E+03  7.10200E+03  8.04700E+03  9.11900E+03  1.03300E+04  1.17100E+04
1.32700E+04  1.50300E+04  1.70400E+04  1.93000E+04  2.18800E+04  2.47900E+04  2.60600E+04  2.80900E+04
3.18300E+04  4.08700E+04  5.24800E+04  6.73800E+04  8.65200E+04  1.11100E+05  1.42600E+05  1.83200E+05
2.35200E+05  3.02000E+05  3.87700E+05  4.39400E+05  4.97900E+05  5.64200E+05  6.39300E+05  7.24400E+05
8.20800E+05  9.30100E+05  1.05400E+06  1.19400E+06  1.35300E+06  1.73800E+06  2.23100E+06  2.86500E+06
3.67900E+06  4.72400E+06  6.06500E+06  7.78800E+06  1.00000E+07  1.19100E+07  1.35000E+07  1.49200E+07
1.69000E+07  2.00000E+07
*number fraction
9.82092E-08  4.72061E-07  1.56499E-06  1.48862E-05  3.70955E-05  1.60472E-05  1.27720E-05  5.18881E-06
1.00063E-05  5.23690E-06  4.32070E-06  6.13424E-06  7.26962E-05  2.52950E-04  4.80265E-04  8.22142E-04
1.57465E-03  2.66867E-03  4.14239E-03  5.86521E-03  5.54769E-03  6.44332E-03  3.14351E-03  4.69831E-03
6.35841E-03  9.21746E-03  8.46897E-03  5.78392E-03  6.12460E-03  5.78708E-03  5.34833E-03  5.78967E-03
5.61878E-03  4.56566E-03  4.12575E-03  4.14253E-03  5.17402E-03  5.48861E-03  4.97575E-03  5.24918E-03
5.40877E-03  5.13468E-03  6.17146E-03  5.41489E-03  5.63675E-03  5.92651E-03  6.33911E-03  7.01145E-03
7.54259E-03  7.48051E-03  7.99971E-03  8.53612E-03  1.02897E-02  4.14161E-03  5.04467E-03  8.48414E-03
1.32207E-02  1.95792E-02  2.45907E-02  2.38059E-02  2.49402E-02  3.18528E-02  3.09775E-02  3.57857E-02
4.22565E-02  4.58652E-02  1.85559E-02  2.56011E-02  2.73895E-02  2.81566E-02  3.32509E-02  3.12757E-02
2.80844E-02  2.67417E-02  3.01480E-02  2.95869E-02  6.10909E-02  4.88235E-02  3.60330E-02  1.98343E-02
1.43535E-02  8.77771E-03  3.57310E-03  9.87337E-04  1.95537E-04  4.05579E-05  1.17350E-05  4.78672E-06
1.56559E-06
*% standard deviation
2.89037E+02  1.99354E+02  1.80806E+02  1.54285E+02  1.40731E+02  1.40042E+02  1.39670E+02  1.40701E+02
1.34042E+02  1.28812E+02  1.23637E+02  1.16066E+02  7.60257E+01  2.33142E+01  6.47469E+01  3.56673E+01
2.92437E+01  2.94569E+01  2.53440E+01  2.32806E+01  3.44886E+00  2.95114E+01  1.65699E+01  2.19964E+01
2.84989E+01  1.93825E+01  2.37699E+01  3.99430E+01  3.48863E+01  3.81031E+01  3.77904E+01  3.85813E+01
3.73423E+01  3.60944E+01  3.17802E+01  2.78263E+01  2.93793E+01  3.19229E+01  3.18999E+01  2.88269E+01
3.07677E+01  3.24816E+01  3.19495E+01  3.17567E+01  2.99720E+01  2.81693E+01  2.81400E+01  2.92519E+01
2.92942E+01  3.37271E+01  2.83460E+01  2.74545E+01  2.64550E+01  2.79385E+01  2.81419E+01  2.73692E+01
2.19307E+01  2.07730E+01  1.94753E+01  1.86194E+01  1.75570E+01  1.75395E+01  1.71492E+01  1.64775E+01
1.63818E+01  1.58282E+01  1.81455E+01  1.80651E+01  1.77608E+01  1.71300E+01  1.70064E+01  1.70417E+01
1.67863E+01  1.58829E+01  1.76207E+01  1.61109E+01  1.16309E+01  9.74539E+00  1.02988E+01  1.01397E+01
9.69405E+00  8.97695E+00  8.37468E+00  9.46653E+00  4.64591E+00  6.78337E+00  1.03131E+01  1.22060E+01
1.76207E+01
*correlation coefficient -- upper triangular
1.00000E+02  6.16182E+01  5.31245E+01  4.35337E+01  3.51433E+01  2.95489E+01  2.67510E+01  2.46518E+01
2.22538E+01  1.98555E+01  1.85571E+01  1.06603E+01  -1.80839E+00  7.32996E+00  -4.41781E+00  -6.35574E+00
-5.46455E+00  -6.88536E+00  -6.46432E+00  -5.86852E+00  4.19587E+01  -5.51195E+00  2.62056E+01  1.08114E+00
-2.85542E+00  7.52963E-01  5.94820E-01  -2.01651E+00  -6.05778E-01  1.29281E+00  2.20186E+00  2.19793E+00
2.51173E+00  3.13199E+00  3.67276E+00  -6.75239E-01  -1.79444E+01  -1.81581E+01  -6.11563E+00  3.82707E-01
4.31445E+00  2.49446E+00  -9.99659E-01  -2.89966E+00  -4.25524E+00  -3.94153E+00  -3.45377E+00  -5.97942E-01
-6.15909E-01  -1.45480E-01  -1.92356E+00  -1.32059E+00  6.86799E-01  1.27739E+00  1.07469E+00  5.74642E-01
2.11426E-01  2.20572E-01  3.26852E-01  -3.79301E-01  3.37409E-02  3.26320E-01  5.26814E-01  8.32691E-01
1.13156E+00  1.24511E+00  1.11777E+00  1.22076E+00  1.22541E+00  1.13515E+00  1.14061E+00  9.42416E-01
7.46406E-01  1.06534E+00  1.54360E+00  1.48050E+00  1.43069E+00  5.88071E-01  1.91546E-01  3.71020E-01
5.75201E-01  7.17960E-01  7.78589E-01  5.91833E-01  1.50424E+00  8.27367E-01  4.39669E-01  1.44487E-01
1.06239E-01
1.00000E+02  9.12086E+01  7.52269E+01  6.09469E+01  5.13599E+01  4.64656E+01  4.29687E+01  3.88740E+01
3.47791E+01  3.23831E+01  1.87953E+01  -3.14144E+00  1.24864E+01  -7.34998E+00  -1.07358E+01  -9.24124E+00
-1.16737E+01  -1.09343E+01  -9.93661E+00  9.55402E-01  -9.36071E+00  4.36659E-01  1.98845E+00  -4.67619E+00
1.16155E+00  9.59828E-01  -3.53352E+00  -1.11134E+00  2.18318E+00  3.69671E+00  3.69003E+00  4.31150E+00
5.14143E+00  6.10547E+00  -1.30586E+00  -3.00458E+01  -3.04708E+01  -1.03159E+01  7.72017E-01  7.16231E+00
4.13555E+00  -1.65042E+00  -4.94766E+00  -7.17601E+00  -6.65217E+00  -5.87117E+00  -1.04305E+00  -1.06957E+00
-3.21118E-01  -3.27830E+00  -2.17222E+00  1.24031E+00  2.12271E+00  1.81843E+00  9.20358E-01  3.90530E-01
4.08469E-01  6.23716E-01  7.83240E-01  -5.79559E-02  6.33684E-01  9.36927E-01  1.34935E+00  1.95098E+00
2.07385E+00  1.81796E+00  2.02332E+00  2.03185E+00  1.95045E+00  1.85789E+00  1.56017E+00  1.26756E+00
1.90313E+00  2.66010E+00  2.62340E+00  2.38281E+00  1.04163E+00  3.39595E-01  6.11646E-01  1.02398E+00
1.30021E+00  1.30487E+00  8.55837E-01  2.63703E+00  1.27739E+00  6.62967E-01  1.96442E-01  1.48939E-01
1.00000E+02  8.61177E+01  6.99421E+01  5.89585E+01  5.33659E+01  4.91703E+01  4.44772E+01  3.99835E+01
3.71886E+01  2.14053E+01  -3.51908E+00  1.41379E+01  -8.32688E+00  -1.21951E+01  -1.03994E+01  -1.32356E+01
-1.23901E+01  -1.12921E+01  1.04827E+00  -1.06098E+01  5.27322E-01  2.25723E+00  -5.31620E+00  1.33066E+00
1.11453E+00  -4.00561E+00  -1.27993E+00  2.41278E+00  4.12771E+00  4.22035E+00  4.84410E+00  5.77729E+00
6.84911E+00  -1.44989E+00  -3.39778E+01  -3.44066E+01  -1.16493E+01  8.35417E-01  8.11067E+00  4.68195E+00
-1.90069E+00  -5.59695E+00  -8.01672E+00  7.48919E+00  -6.61047E+00  -1.19160E+00  -1.22097E+00  -3.79858E-01
-3.72985E+00  -2.52289E+00  1.39109E+00  2.37071E+00  2.06592E+00  1.06862E+00  4.49877E-01  4.70731E-01
6.88773E-01  -9.18156E-01  -8.88720E-02  7.02046E-01  1.00572E+00  1.62256E+00  2.22360E+00  2.34957E+00
2.08459E+00  2.29034E+00  2.30017E+00  2.22170E+00  2.13018E+00  1.73191E+00  1.44080E+00  2.08068E+00

```

3.03169E+00	3.00374E+00	2.69935E+00	1.19188E+00	3.88096E-01	6.58273E-01	1.17265E+00	1.46050E+00
1.47920E+00	1.00853E+00	3.04326E+00	1.49068E+00	8.02430E-01	2.13107E-01	1.29491E-01	
1.00000E+02	8.78213E+01	7.42450E+01	6.74559E+01	6.22629E+01	5.62733E+01	5.05827E+01	4.72896E+01
2.73165E+01	-4.28336E+00	1.68170E+01	-9.89075E+00	-1.44321E+01	-1.23364E+01	-1.56783E+01	-1.47242E+01
-1.33257E+01	1.36986E+00	-1.27306E+01	6.67270E-01	2.66394E+00	-6.32201E+00	1.63472E+00	1.29616E+00
-4.66468E+00	-1.53459E+00	2.85542E+00	4.87250E+00	4.86346E+00	5.69155E+00	6.83042E+00	8.11502E+00
-1.76259E+00	-4.01686E+01	-4.06032E+01	-1.38418E+01	1.03556E+00	9.58670E+00	5.55387E+00	-2.22351E+00
-6.61784E+00	-9.52211E+00	-8.79008E+00	-7.81496E+00	-1.51194E+00	-1.44673E+00	-5.17079E-01	-4.35621E+00
-2.94805E+00	1.56756E+00	2.74290E+00	2.43731E+00	1.24099E+00	5.38699E-01	5.63779E-01	7.85516E-01
-1.02112E+00	-1.87306E-01	9.03326E-01	1.20737E+00	1.82609E+00	2.62863E+00	2.75930E+00	2.48160E+00
2.78908E+00	2.69972E+00	2.62570E+00	2.53596E+00	2.13875E+00	1.64796E+00	2.49641E+00	3.53640E+00
3.52239E+00	3.27534E+00	1.42262E+00	4.18552E-01	7.82627E-01	1.40022E+00	1.70576E+00	1.74678E+00
1.24238E+00	3.61759E+00	1.81741E+00	9.17052E-01	1.91400E-01	1.52179E-01		
1.00000E+02	9.15161E+01	8.32310E+01	7.70410E+01	6.98544E+01	6.27672E+01	5.87758E+01	3.42135E+01
-4.66699E+00	1.79539E+01	-1.04754E+01	-1.55056E+01	-1.31120E+01	-1.66567E+01	-1.56994E+01	-1.42019E+01
1.47955E+00	-1.37969E+01	7.27182E-01	2.90986E+00	-6.68048E+00	1.77564E+00	1.32734E+00	-4.95066E+00
-1.61966E+00	2.96904E+00	5.08725E+00	5.17777E+00	5.90795E+00	7.25047E+00	8.54248E+00	1.92456E+00
-4.25204E+01	-4.30569E+01	-1.45931E+01	1.08367E+00	1.01228E+01	5.88582E+00	-2.38962E+00	-6.98360E+00
-1.00800E+01	-9.34569E+00	-8.27292E+00	-1.57823E+00	-1.51620E+00	-4.91685E-01	-4.62652E+00	-3.11821E+00
1.69773E+00	2.87132E+00	2.56532E+00	1.26911E+00	5.72860E-01	5.99366E-01	8.21831E-01	-1.08563E+00
-1.49675E-01	9.38936E-01	1.34361E+00	1.96239E+00	2.76367E+00	2.99787E+00	2.61500E+00	2.92274E+00
2.83413E+00	2.76189E+00	2.67314E+00	2.17576E+00	1.78711E+00	2.63792E+00	3.77450E+00	3.76686E+00
3.44489E+00	1.51975E+00	5.15191E-01	7.78333E-01	1.49498E+00	1.80777E+00	1.95669E+00	1.24159E+00
3.82036E+00	1.85702E+00	1.00579E+00	2.64257E-01	1.02798E-01			
1.00000E+02	9.38112E+01	8.71225E+01	7.89372E+01	7.11510E+01	6.68597E+01	3.93019E+01	-4.57540E+00
1.71392E+01	-9.88618E+00	-1.48245E+01	-1.24332E+01	-1.58770E+01	-1.49225E+01	-1.35262E+01	1.54874E+00
-1.34194E+01	6.89764E-01	2.88191E+00	-6.40410E+00	1.64304E+00	1.20054E+00	-4.76664E+00	-1.53794E+00
2.75169E+00	4.76977E+00	4.86060E+00	5.59058E+00	6.83317E+00	8.02449E+00	-1.84735E+00	-4.02517E+01
-4.07862E-01	-1.38190E+01	1.06295E+00	9.60768E+00	5.66819E+00	-2.20988E+00	-6.60487E+00	-9.50445E+00
-8.77167E+00	-7.79796E+00	-1.49989E+00	-1.43782E+00	-5.10334E-01	-4.44906E+00	-3.04134E+00	1.57396E+00
2.74888E+00	2.44300E+00	1.24604E+00	5.43974E-01	5.68845E-01	7.89197E-01	-1.01929E+00	-8.52410E-02
9.02435E-01	1.20504E+00	1.92342E+00	2.62282E+00	2.85565E+00	2.47858E+00	2.78618E+00	2.69694E+00
2.62335E+00	2.53444E+00	2.13827E+00	1.64804E+00	2.49663E+00	3.53660E+00	3.52599E+00	3.29057E+00
1.45589E+00	4.54977E-01	8.15077E-01	1.43061E+00	1.73826E+00	1.78484E+00	1.27406E+00	3.68636E+00
1.86189E+00	9.45246E-01	2.12961E-01	1.66915E-01				
1.00000E+02	9.57073E+01	8.70223E+01	7.83373E+01	7.37460E+01	4.34918E+01	-4.38466E+00	1.63223E+01
-9.39745E+00	-1.41446E+01	-1.17556E+01	-1.49983E+01	-1.41470E+01	-1.28521E+01	1.52176E+00	-1.29435E+01
7.48593E-01	2.75264E+00	-6.03001E+00	1.60844E+00	1.07207E+00	-4.48327E+00	-1.55751E+00	2.53345E+00
4.45138E+00	4.54256E+00	5.27226E+00	6.41479E+00	7.60483E+00	-1.67228E+00	-3.80843E+01	-3.85171E+01
-1.30466E+01	9.41458E-01	9.09093E+00	5.34956E+00	-2.03160E+00	-6.22754E+00	-8.93048E+00	-8.29876E+00
-7.32470E+00	-1.42309E+00	-1.36091E+00	-4.30344E-01	-4.17310E+00	-2.86599E+00	1.44864E+00	2.62497E+00
2.21924E+00	1.12147E+00	5.13289E-01	5.36436E-01	7.54585E-01	-9.54944E-01	-1.23764E-01	8.63865E-01
1.16557E+00	1.78089E+00	2.47987E+00	2.71123E+00	2.34022E+00	2.64767E+00	2.55776E+00	2.48273E+00
2.39359E+00	1.99763E+00	1.60780E+00	2.35302E+00	3.39747E+00	3.28273E+00	3.13274E+00	1.38745E+00
4.87835E-01	7.49288E-01	1.36173E+00	1.66387E+00	1.70519E+00	1.20353E+00	3.45100E+00	1.76346E+00
8.80461E-01	2.57501E-01	1.28930E-01					
1.00000E+02	9.26123E+01	8.36272E+01	7.84364E+01	4.67829E+01	-4.19527E+00	1.54020E+01	-8.80995E+00
-1.33666E+01	-1.10798E+01	-1.41212E+01	-1.33734E+01	-1.20792E+01	1.47213E+00	-1.23704E+01	7.03426E-01
2.61931E+00	-5.65925E+00	1.47065E+00	1.04151E+00	-4.20075E+00	-1.47761E+00	2.41472E+00	4.13211E+00
4.22370E+00	4.85271E+00	5.99489E+00	7.18281E+00	-1.59986E+00	-3.58201E+01	-3.62508E+00	-1.22779E+01
9.14360E-01	8.57048E+00	5.02799E+00	-1.95571E+00	-5.85296E+00	-8.45919E+00	-7.72995E+00	-6.85477E+00
-1.24936E+00	-1.28641E+00	-4.52228E-01	-3.89939E+00	-2.69288E+00	1.42102E+00	2.39892E+00	2.09334E+00
1.09484E+00	4.80098E-01	5.01433E-01	7.17399E-01	-8.93077E-01	-6.39906E-02	8.22976E-01	1.12387E+00
1.73766E+00	2.33496E+00	2.56470E+00	2.19983E+00	2.50713E+00	2.41649E+00	2.33987E+00	2.25043E+00
1.85453E+00	1.46402E+00	2.20672E+00	3.15503E+00	3.13718E+00	2.86935E+00	1.31105E+00	4.15108E-01
7.73937E-01	1.28517E+00	1.58123E+00	1.61635E+00	1.12507E+00	3.29087E+00	1.65397E+00	9.07270E-01
2.96247E-01	1.86616E-01						
1.00000E+02	9.45089E+01	8.88185E+01	5.36699E+01	-3.80362E+00	1.43933E+01	-8.12213E+00	-1.24887E+01
-1.03070E+01	-1.30476E+01	-1.24037E+01	-1.12120E+01	1.52247E+00	-1.17962E+01	6.63336E-01	2.49145E+00
-5.28304E+00	1.43061E+00	9.07470E-01	-3.92304E+00	-1.40395E+00	2.18983E+00	3.80754E+00	3.79919E+00
4.42886E+00	5.57279E+00	6.56252E+00	-1.52360E+00	-3.30534E+01	-3.34817E+01	-1.13016E+01	8.99095E-01
7.86004E+00	4.61165E+00	-1.77643E+00	-5.37544E+00	-7.78320E+00	-7.15509E+00	-6.28022E+00	-1.17289E+00
-1.21142E+00	-3.74387E-01	-3.62649E+00	-2.42102E+00	1.29187E+00	2.27137E+00	1.96583E+00	9.65980E-01
4.43535E-01	4.62567E-01	6.75033E-01	-8.37893E-01	-1.17346E-02	7.73272E-01	1.07230E+00	1.58168E+00
2.17764E+00	2.30412E+00	2.04964E+00	2.35680E+00	2.26538E+00	2.18715E+00	2.09781E+00	1.70266E+00
1.41267E+00	2.05144E+00	2.90451E+00	2.88415E+00	2.60290E+00	1.24024E+00	4.48211E-01	7.06092E-01
1.21235E+00	1.50243E+00	1.53361E+00	1.05078E+00	3.05001E+00	1.55044E+00	8.38584E-01	2.36966E-01
1.45447E-01							
1.00000E+02	9.61062E+01	6.11563E+01	-2.01521E+00	1.32825E+01	-7.43515E+00	-1.15122E+01	-9.33508E+00
-1.19753E+01	-1.13350E+01	-1.02455E+01	1.55655E+00	-1.11240E+00	7.18675E-01	2.36070E+00	-4.90926E+00
1.38835E+00	8.71971E-01	-3.54577E+00	-1.23059E+00	1.86412E+00	3.38211E+00	3.37409E+00	4.00425E+00
4.94958E+00	5.94054E+00	-1.35006E+00	-3.00897E+01	-3.04157E+01	-1.03280E+01	7.81819E-01	7.24614E+00
4.19322E+00	-1.59917E+00	-4.89991E+00	-7.01021E+00	-6.38401E+00	-5.70810E+00	-1.09841E+00	-1.13817E+00
-3.97880E-01	-3.35524E+00	-2.25078E+00	1.16106E+00	2.04227E+00	1.73678E+00	9.35663E-01	4.05161E-01
4.21822E-01	6.30797E-01	-6.83821E-01	3.86607E-02	7.21874E-01	1.01910E+00	1.42414E+00	2.01889E+00
2.14365E+00	1.89794E+00	2.10388E+00	2.01160E+00	1.93160E+00	1.94349E+00	1.54900E+00	1.25845E+00
1.89420E+00	2.55133E+00	2.52814E+00	2.43288E+00	1.16371E+00	4.75531E-01	7.30868E-01	1.13401E+00
1.31935E+00	1.44427E+00	1.06919E+00	2.79725E+00	1.53578E+00	8.63511E-01	2.72889E-01	2.01082E-01
1.00000E+02	7.34382E+01	2.57464E+00	1.28814E+01	-7.04090E+00	-1.12226E+01	-8.84903E+00	-1.13893E+01
-1.08511E+01	-9.76314E+00	1.80135E+00	-1.12353E+01	7.01610E-01	2.44845E+00	-4.61914E+00	1.36844E+00
7.54444E-01	-3.35813E+00	-1.24570E+00	1.64976E+00	3.06807E+00	3.06012E+00	3.69113E+00	4.63827E+00

5.63147E+00	-1.26010E+00	-2.83056E+01	-2.86304E+01	-9.63759E+00	7.79167E-01	6.84504E+00	3.98739E+00
-1.50757E+00	-4.60959E+00	-6.52037E+00	-5.99441E+00	-5.31884E+00	-1.00882E+00	-1.04994E+00	-4.08424E-01
-3.16849E+00	-2.16463E+00	1.04664E+00	1.92865E+00	1.62310E+00	8.21092E-01	3.86497E-01	4.01871E-01
6.08674E-01	-7.08032E-01	1.26701E-02	6.94865E-01	9.90787E-01	1.39387E+00	1.88605E+00	2.01002E+00
1.76973E+00	1.97563E+00	1.98406E+00	1.90332E+00	1.81428E+00	1.52147E+00	1.23075E+00	1.76389E+00
2.42419E+00	2.40033E+00	2.30015E+00	1.13226E+00	5.45695E-01	7.00850E-01	1.10089E+00	1.28344E+00
1.40735E+00	1.03553E+00	2.73082E+00	1.48895E+00	8.32172E-01	3.44648E-01	1.81852E-01	
1.00000E+02	2.05187E+01	9.13688E+00	-4.58301E+00	-8.09808E+00	-5.63535E+00	-7.27119E+00	-7.24558E+00
-6.46278E+00	2.25425E+00	-9.62491E+00	7.53468E-01	2.14245E+00	-3.01161E+00	1.03472E+00	2.42945E-01
-2.12574E+00	-1.02569E+00	4.72907E-01	1.29080E+00	1.28400E+00	1.81544E+00	2.56557E+00	3.35960E+00
-6.49631E-01	-1.68321E+01	-1.71487E+01	-5.73812E+00	6.07907E-01	4.19616E+00	2.52315E+00	-7.85436E-01
-2.69293E+00	-3.71501E+00	-3.19561E+00	-2.81745E+00	-4.94416E-01	-6.36794E-01	-2.84046E-01	-1.96002E+00
-1.35899E+00	5.49053E-01	1.03644E+00	9.31225E-01	5.25722E-01	2.66661E-01	2.74954E-01	3.71485E-01
-3.49431E-01	1.61152E-01	5.39113E-01	6.28006E-01	9.21360E-01	1.30923E+00	1.32596E+00	1.21324E+00
1.31753E+00	1.22217E+00	1.13581E+00	1.14772E+00	9.57533E-01	7.65829E-01	1.08739E+00	1.36227E+00
1.32776E+00	1.37700E+00	8.79705E-01	6.03151E-01	7.52875E-01	8.44566E-01	1.00641E+00	1.01544E+00
8.71847E-01	2.01670E+00	1.22028E+00	7.88411E-01	4.37050E-01	3.38223E-01		
1.00000E+02	1.46646E+01	-9.18514E+00	-6.21621E+00	-4.81354E-01	-8.21033E-01	-4.30928E+00	-3.53982E+00
5.88679E+00	-1.09309E+01	1.57457E+00	3.07638E+00	-2.85042E-01	-2.16018E-01	-1.91654E+00	-6.89825E-01
-1.41036E+00	-2.61179E+00	-2.88770E+00	-2.59518E+00	-1.94834E+00	-1.16980E+00	-3.29045E-01	7.69365E-01
2.91558E+00	2.70413E+00	1.19038E+00	6.25705E-01	-8.52657E-02	2.75462E-01	4.36738E-01	7.14649E-01
1.40184E+00	1.91975E+00	1.69562E+00	3.13577E-01	5.11919E-02	-1.00042E-01	2.11671E-01	1.09163E-01
-2.84842E-01	-2.95286E-01	-2.02331E-01	-1.15408E-01	1.07851E-01	2.09628E-01	1.89591E-01	2.55321E-01
2.52223E-01	2.12430E-01	2.88535E-01	2.60285E-01	3.30484E-01	3.45999E-01	2.69935E-01	2.73742E-01
1.76900E-01	1.89855E-01	1.05749E-01	1.25767E-01	1.37837E-01	4.87325E-02	-6.44836E-02	1.58307E-02
4.02080E-01	8.95098E-01	1.04128E+00	9.66892E-01	8.39079E-01	9.00012E-01	1.02901E+00	8.69910E-01
1.85888E+00	1.21945E+00	7.80379E-01	7.12482E-01	5.20503E-01			
1.00000E+02	-4.99026E+01	-1.40192E+01	1.64138E+00	1.71368E+00	-2.91126E+01	-2.76399E+01	2.10003E+01
-1.24453E+01	3.24710E+00	6.08629E+00	1.11617E+00	-1.13442E+00	-1.01597E+01	-7.39791E+00	-7.43659E+00
-1.04207E+01	-1.06347E+01	-7.69330E+00	-4.07233E+00	-6.48696E-01	3.09091E+00	4.92824E+00	5.16045E+00
3.81916E+00	1.85621E+00	2.20726E+00	1.81214E+00	1.85098E+00	1.92883E+00	2.55134E+00	3.15613E+00
4.02779E+00	3.74732E+00	2.26855E+00	1.76920E+00	1.66714E+00	2.24381E+00	2.04701E+00	1.58292E+00
1.13798E+00	1.01444E+00	8.81157E-01	8.28156E-01	9.51638E-01	9.10585E-01	7.14835E-01	3.30016E-01
2.98937E-01	1.25615E-01	-5.17782E-02	4.71965E-02	1.13321E-01	4.15125E-02	3.55673E-01	5.76566E-01
7.34442E-01	9.93267E-01	9.57565E-01	7.04148E-01	9.68911E-01	1.77817E+00	2.17834E+00	3.38382E+00
3.89540E+00	3.43249E+00	3.10012E+00	3.52300E+00	3.88176E+00	4.45909E+00	3.35072E+00	8.42947E+00
4.81387E+00	2.79628E+00	1.54363E+00	1.01694E+00				
1.00000E+02	3.46113E+01	-5.00319E-01	-8.44985E-01	-5.57522E+00	-5.23875E+00	1.38529E+00	-2.84121E+00
7.58397E-01	-3.30947E-01	-2.25105E+00	-1.12979E+00	-1.17805E+00	-1.56589E+00	-1.31229E+00	-1.49435E+00
-1.36726E+00	-7.71157E-01	-1.23564E-01	5.59338E-01	1.19385E+00	3.83052E-01	-3.44705E+00	-3.64238E+00
-1.22620E+00	2.93528E-01	1.16453E+00	8.21787E-01	7.66642E-02	-2.48621E-01	-4.51933E-01	-2.42309E-01
-1.74309E-01	1.28409E-01	5.51117E-02	1.26417E-01	-9.89434E-02	-9.91008E-03	2.87679E-01	3.89462E-01
3.83141E-01	2.61042E-01	2.25318E-01	2.09545E-01	1.64064E-01	6.37590E-03	8.09850E-02	1.35271E-01
9.72035E-02	4.77768E-02	8.68802E-03	1.19565E-02	9.76919E-02	1.00436E-01	9.88667E-02	9.96656E-02
1.53173E-02	3.93936E-02	4.72711E-02	3.79450E-02	-3.49239E-02	-7.93052E-02	8.70670E-02	3.31260E-01
4.27056E-01	3.28315E-01	2.61669E-01	2.75417E-01	3.70690E-01	2.80478E-01	6.72895E-01	3.97823E-01
2.36178E-01	2.44696E-01	1.95811E-01					
1.00000E+02	1.88818E+00	-1.09845E+00	-2.92998E+00	-2.13370E+00	2.36085E+00	-9.92681E+00	2.39391E+00
-1.05807E+00	-5.47993E+00	1.69690E+00	-7.83756E-01	-5.21831E-01	-1.21168E+00	-2.07921E+00	-2.23170E+00
-2.04081E+00	-1.25575E+00	-4.05152E-01	2.39487E-01	2.94776E-01	-8.74736E-01	-1.16300E+00	-3.69090E-01
2.60790E-01	5.38221E-01	5.73041E-01	2.86177E-01	2.38636E-01	5.07327E-01	1.12052E+00	9.64879E-01
1.96054E-01	-3.68695E-02	-2.84070E-01	-2.36341E-01	-2.57606E-01	-2.63884E-01	-5.83584E-02	-6.96542E-02
8.92582E-02	4.15245E-01	3.83898E-01	2.97961E-01	3.93756E-01	6.45921E-01	5.61861E-01	4.91991E-01
5.02160E-01	3.29905E-01	3.33715E-01	3.94859E-01	1.97181E-01	9.21040E-02	-1.11238E-01	-1.82195E-01
-1.38221E-01	-2.37651E-02	-3.48062E-01	-9.96374E-01	-9.99432E-01	-7.19218E-01	4.90140E-01	9.62853E-01
8.82019E-01	4.61834E-01	3.79249E-01	4.45917E-01	6.90051E-01	5.28811E-01	8.53132E-01	7.19006E-01
1.07004E+00	7.11446E-01						
1.00000E+02	1.39847E+00	2.23566E-01	5.76468E-01	-2.32262E+00	-3.37897E+00	1.51581E-01	-2.11293E-01
-2.27894E+00	1.19279E+00	1.67555E+00	-5.78599E-01	-7.11886E-01	-5.50451E-01	-3.93715E-01	-4.01472E-01
-1.06759E-01	2.67600E-01	4.36060E-01	-3.08072E-01	-3.58226E+00	-3.64890E+00	-1.36444E+00	-2.08611E-01
6.34542E-01	4.25997E-01	-8.43359E-02	-4.43801E-01	-6.49423E-01	-4.45335E-01	-4.15366E-01	-1.59202E-02
-7.75918E-02	-2.01833E-01	-4.07709E-01	-3.41820E-01	4.16422E-02	1.63438E-01	3.52345E-01	3.95192E-01
8.40069E-01	5.82099E-01	5.55023E-01	6.11796E-01	8.30166E-01	5.25303E-01	5.32391E-01	4.04143E-01
1.11925E-01	1.00732E-01	1.55126E-01	-4.38726E-02	-2.58575E-01	-4.78058E-01	-5.45845E-01	-4.91411E-01
-7.63372E-02	-6.33753E-01	-1.73149E+00	-1.85400E+00	-1.79029E+00	-3.64526E-01	4.84244E-01	4.51654E-01
-2.27715E-01	-3.68506E-01	-3.25771E-01	1.86839E-01	-1.22959E+00	7.19203E-02	3.64995E-01	9.98131E-01
8.14469E-01							
1.00000E+02	2.43526E+00	-4.34506E-02	-4.90285E+00	-4.27929E+00	-1.19995E-01	-1.43187E-01	-2.38272E+00
1.05118E+00	1.46107E+00	-8.46977E-01	-8.89123E-01	-7.21077E-01	-4.64575E-01	-4.70731E-01	-1.78960E-01
1.91689E-01	4.47581E-01	-6.11366E-01	-4.68340E+00	-4.64266E+00	-1.65856E+00	-1.15414E-01	8.37027E-01
5.36749E-01	-2.74509E-01	-6.34414E-01	-8.46915E-01	-6.48700E-01	-6.18316E-01	-1.13149E-01	-1.73416E-01
-2.84800E-01	-6.06424E-01	-4.43063E-01	-6.30190E-02	1.64851E-01	2.54344E-01	2.94849E-01	6.14990E-01
4.50665E-01	3.14588E-01	3.65676E-01	6.76836E-01	3.72390E-01	3.76581E-01	2.42528E-01	-5.02250E-02
-6.74107E-02	1.09394E-01	-1.92071E-01	-4.09576E-01	-5.33408E-01	-7.04363E-01	-6.49981E-01	-2.37144E-01
-8.04306E-01	-1.78501E+00	-1.92355E+00	-1.92968E+00	-6.55683E-01	2.07448E-01	7.38170E-02	-5.18996E-01
-6.83041E-01	-6.64226E-01	-2.10083E-01	-1.74815E+00	-3.44413E-01	9.19080E-02	7.69016E-01	5.55848E-01
1.00000E+02	8.52118E-01	-7.77352E+00	-7.50744E+00	-8.53606E-02	4.05132E-01	-2.53489E+00	7.90910E-01
7.90600E-01	-1.23167E+00	-1.49572E+00	-1.62087E+00	-1.55620E+00	-1.36237E+00	-9.53699E-01	-3.52353E-01
5.02844E-02	-3.81441E-01	-3.26758E+00	-3.22245E+00	-1.06320E+00	2.23886E-01	7.38312E-01	4.86911E-01
-4.23310E-02	-3.11718E-01	-1.93581E-01	1.05986E-01	1.25809E-01	-1.00862E-01	-1.87138E-01	-4.04855E-01
-5.40318E-01	-4.82309E-01	-2.04718E-01	2.59340E-02	1.13479E-01	2.45696E-01	6.45224E-01	4.72692E-01

3.17233E-01	3.45868E-01	6.44863E-01	3.23476E-01	3.12836E-01	1.58721E-01	-1.48571E-01	-1.66703E-01
-5.29134E-02	-2.52266E-01	-5.73112E-01	-6.98848E-01	-8.64309E-01	-8.01119E-01	-3.85979E-01	-9.60351E-01
-2.12852E+00	-2.25196E+00	-2.22104E+00	-6.38298E-01	3.62966E-01	1.93322E-01	-5.26709E-01	-6.94014E-01
-7.47180E-01	-1.14366E-01	-1.81209E+00	-3.46614E-01	1.80966E-01	8.41626E-01	6.35547E-01	
1.00000E+02	-2.69548E+01	-8.84528E+00	-1.57088E-01	3.91578E-01	-2.92139E+00	5.90091E-01	9.18222E-01
-1.46610E+00	-1.85580E+00	-1.76592E+00	-1.69613E+00	-1.50112E+00	-1.08477E+00	-5.68272E-01	-1.48566E-01
-5.78402E-01	-3.37184E+00	-3.11458E+00	-4.04756E-01	1.09727E+00	1.39742E+00	8.21338E-01	1.78533E-01
-9.77248E-01	1.33879E-01	4.27998E-01	3.40944E-01	1.98932E-01	-3.45587E-03	-3.11318E-01	-4.73944E-01
-3.21847E-01	-4.94947E-02	1.89598E-01	2.76931E-01	4.00849E-01	7.59162E-01	5.73297E-01	3.95695E-01
3.01925E-01	5.83555E-01	2.51199E-01	1.25447E-01	5.32476E-02	-4.69137E-01	-4.94747E-01	-2.28746E-01
-6.32485E-01	-8.56104E-01	-1.09175E+00	-1.25531E+00	-1.08429E+00	-6.69974E-01	-1.26050E+00	-2.50259E+00
-2.73532E+00	-2.65627E+00	-9.56440E-01	8.89668E-02	-9.81196E-03	-7.62867E-01	-1.15709E+00	-1.12068E+00
-4.54220E-01	-2.57771E+00	-7.22326E-01	-1.35136E-01	6.63965E-01	5.42634E-01		
1.00000E+02	-9.56686E+00	7.27114E+00	1.31190E+01	1.03319E+01	1.18350E+00	-1.97088E-01	2.01546E-01
-1.00228E+00	-1.35655E+00	-1.10560E+00	-1.15143E+00	-5.89479E-01	3.28147E-01	1.97852E+00	5.07168E+00
1.29432E+01	1.18316E+01	5.91112E+00	2.79640E+00	1.31875E+00	2.70776E+00	3.56987E+00	4.16801E+00
6.01884E+00	7.71323E+00	7.29665E+00	3.79012E+00	2.32858E+00	1.34849E+00	2.02978E-01	1.53898E+00
4.64683E-01	1.61729E-01	1.14170E-01	1.56996E-01	3.13179E-02	-1.60378E-01	-8.88173E-01	-1.36606E+00
-2.06289E+00	-3.03376E+00	-3.87527E+00	-4.89102E+00	-5.53848E+00	-5.47475E+00	-4.16536E+00	-3.93441E+00
-3.75692E-00	-3.48815E+00	-3.06511E+00	-2.52860E+00	-2.51035E+00	-2.54684E+00	-1.85048E+00	-4.74459E-01
3.84742E+00	1.07724E+01	1.20901E+01	1.02192E+01	9.32568E+00	1.00183E+01	1.22303E+01	9.62080E+00
2.22239E+01	1.37754E+01	8.49984E+00	5.81743E+00	3.98203E+00			
1.00000E+02	-3.99794E+00	-3.10067E+01	-6.28793E-01	3.20932E+00	-1.10227E-01	-1.42506E+00	-2.42521E+00
-3.99199E+00	-3.63194E+00	-4.34673E+00	-3.94193E+00	-2.55475E+00	-1.74413E+00	-4.75096E-02	5.73822E+00
6.44257E+00	5.39972E+00	3.98988E+00	-1.36340E-01	-2.95026E+00	-7.67466E-01	3.70682E-01	-1.65027E-02
-4.66120E+00	-4.73329E+00	-2.06587E+00	-8.32957E-01	-5.02721E-01	-4.51432E-01	-5.74199E-01	-1.07821E+00
-1.27682E+00	-1.29133E+00	-1.43950E+00	-1.91011E+00	-1.84284E+00	-1.64136E+00	-1.46579E+00	-1.82411E+00
-1.72828E+00	-1.40893E+00	-1.11274E+00	-7.93725E-01	-6.82568E-01	-5.00741E-01	-2.92160E-01	-1.93398E-01
-1.89165E-01	-5.02564E-02	-3.00532E-01	-6.86111E-01	-8.04218E-01	-3.44832E-01	-1.12837E-01	3.83672E-01
9.58524E-01	1.06345E+00	8.48801E-01	7.08493E-01	7.49390E-01	1.06637E+00	6.54616E-01	2.12398E+00
9.68052E-01	4.46994E-01	-7.14809E-02	-1.14000E-01				
1.00000E+02	-2.44534E+01	-9.07650E+00	9.29176E+00	6.10977E+00	-3.15145E+01	-3.30800E+01	-1.08452E+01
-2.98968E-01	1.36170E+00	9.54609E-01	-2.70795E-03	-6.05940E-01	1.77333E+00	6.92536E+00	7.89682E+00
8.31383E+00	7.17041E+00	2.55497E+00	-2.27958E+00	-1.92022E-01	1.19022E+00	-1.17853E+00	-9.58487E+00
-9.02373E+00	-1.03510E+00	1.84303E+00	2.16935E+00	1.54896E+00	1.71937E+00	2.02449E+00	1.50951E+00
1.18389E+00	8.12843E-01	3.91328E-01	1.62754E-01	6.21830E-01	5.28119E-01	-3.31691E-02	-2.17198E-01
1.50014E-01	4.88060E-01	5.40643E-01	5.80763E-01	6.12836E-01	6.26734E-01	6.32679E-01	6.62278E-01
7.33849E-01	7.26242E-01	4.67976E-01	1.73759E-01	1.05373E-01	3.95079E-01	1.25408E+00	2.61561E+00
2.82221E+00	2.55272E+00	2.35068E+00	2.51051E+00	2.98593E+00	2.45610E+00	5.40075E+00	3.45262E+00
2.17135E+00	1.62241E+00	1.10608E+00					
1.00000E+02	1.70937E+01	-1.18925E+01	-1.25738E+01	-8.98792E+00	-1.15758E+01	-4.87409E+00	-3.99511E+00
-1.33042E+00	-8.84157E-01	-2.61533E+00	-2.74684E+00	-2.41050E-01	1.68938E+00	1.86265E+00	1.50606E+00
2.12898E+00	6.59339E-01	-2.46780E+00	-4.27872E-01	3.88492E-01	3.97069E-01	-3.29457E+00	-3.48785E+00
-4.30543E-01	8.39037E-01	1.68460E+00	1.19291E+00	1.07743E+00	1.68526E+00	1.56282E+00	1.42454E+00
7.93925E-01	2.17512E-01	3.05588E-01	5.14371E-01	1.78222E-01	-5.49719E-02	6.92915E-03	1.15938E-02
-2.49956E-03	-2.15157E-01	-3.78197E-01	-4.32893E-01	-5.21788E-01	-7.14559E-01	-8.85061E-01	-9.28928E-01
-6.57297E-01	-1.19493E-01	5.02324E-01	1.20097E+00	1.34094E+00	1.96282E+00	2.41311E+00	2.42399E+00
2.25100E+00	2.21589E+00	2.46957E+00	2.86145E+00	2.20825E+00	5.27087E+00	3.14077E+00	1.85781E+00
1.18067E+00	7.80943E-01						
1.00000E+02	-3.78777E+01	-1.70881E+01	-4.44558E-01	-1.80127E+00	-1.79071E+00	-4.52215E+00	-3.84345E+00
-6.51853E+00	-9.19893E+00	-8.71532E+00	-5.06647E+00	5.64615E-01	5.39786E-01	-5.51057E-01	-1.48820E+00
-2.39335E+00	-2.75989E+00	-9.81230E-01	-1.33664E+00	5.89628E-01	1.03675E+00	9.66429E-01	2.36065E-01
-1.30749E-01	4.42251E-01	2.58102E-01	4.86764E-02	4.58743E-01	7.35575E-01	5.18621E-01	3.81546E-01
-1.82663E-01	2.12825E-01	3.49333E-01	-5.53320E-01	-5.73081E-01	-3.79466E-01	-5.52407E-01	-6.37859E-01
-7.24560E-01	-9.94087E-01	-9.94155E-01	-9.84686E-01	-1.17799E+00	-1.35194E+00	-1.40765E+00	-1.15125E+00
-8.19814E-01	2.07960E-01	1.39908E+00	1.69534E+00	2.17623E+00	2.27052E+00	1.93040E+00	1.72388E+00
1.92411E+00	2.15950E+00	2.57549E+00	1.70490E+00	4.94312E+00	2.51470E+00	1.29467E+00	3.96310E-01
2.54897E-01							
1.00000E+02	6.85641E+00	-2.78509E+00	-9.48274E-01	-1.07661E+00	-1.49240E+00	-4.92515E+00	-1.16027E+01
-1.38244E+01	-1.26517E+01	-8.66002E+00	3.39192E+00	4.22100E+00	3.23135E+00	-1.02209E+00	-4.60397E+00
-3.80521E+00	-1.77540E+00	-2.76386E+00	-7.57277E-01	-4.34442E-01	7.56719E-01	-5.38383E-02	-5.99219E-01
-8.71659E-01	-4.85854E-01	-6.29066E-01	-5.44976E-01	-1.27329E-01	1.53570E-01	2.74939E-01	6.08882E-01
8.44312E-01	6.75940E-01	1.71198E-01	2.68796E-01	-8.99060E-02	-3.25877E-01	-5.04552E-01	-7.39448E-01
-5.36324E-01	-2.70807E-03	-9.62296E-02	-1.06587E-01	-1.36260E-02	-6.09795E-02	1.99128E-02	4.14262E-02
-3.11844E-01	-9.93808E-01	-9.34001E-01	-7.05459E-01	3.60723E-01	9.06889E-01	8.64101E-01	4.20785E-01
3.23819E-01	5.01425E-01	6.67466E-01	6.35509E-01	8.31160E-01	7.65067E-01	1.04313E+00	7.16741E-01
1.00000E+02	-1.54068E+00	-3.10431E+00	-4.94691E+00	-6.08218E+00	-5.18837E+00	-3.96165E+00	-3.03725E+00
-1.78547E+00	-7.77062E-01	-3.75334E-01	-3.42159E-01	-1.52267E-01	7.71542E-01	-1.38594E-01	-1.02586E+00
-8.62041E-01	-4.35154E-01	8.06237E-01	1.21654E+00	7.32784E-01	-7.15811E-01	-1.01657E+00	-1.06037E+00
-8.72773E-01	-8.11464E-01	-1.03004E+00	-8.08937E-01	-6.23673E-01	-3.90864E-01	-1.57548E-01	-2.20532E-01
-4.70896E-01	-3.42324E-01	-3.43591E-02	-4.66071E-01	-5.80506E-01	-3.86366E-01	-1.35422E+00	-1.26033E+00
-7.56937E-01	-1.05572E+00	-1.27058E+00	-1.28500E+00	-1.34328E+00	-1.17450E+00	-4.50280E-01	-7.05081E-01
-1.69328E+00	-1.78159E+00	-1.70957E+00	7.22703E-03	8.98725E-01	7.19489E-01	1.07258E-02	-2.13364E-01
-1.52155E-02	4.37413E-01	-5.75286E-01	4.24866E-01	5.84162E-01	1.15567E+00	8.21269E-01	
1.00000E+02	3.49602E+01	3.77875E-01	-4.31032E+00	-5.82186E+00	-6.35770E+00	-6.02669E+00	-4.43428E+00
-2.43856E+00	-2.78448E+00	-3.14444E+00	-1.48821E+00	-5.20060E-01	1.04225E-01	1.18606E+00	-1.19596E+00
-1.74117E+00	8.87096E-01	5.76451E+00	5.31846E+00	2.90843E-01	-1.63019E+00	-2.12398E+00	-2.33524E+00
-2.16690E+00	-2.28850E+00	-1.85955E+00	-1.66618E+00	-1.41381E+00	-9.81059E-01	-8.36913E-01	-1.55587E+00
-1.78075E+00	-1.45993E+00	-1.63942E+00	-2.12519E+00	-2.54368E+00	-2.71638E+00	-2.43207E+00	-1.77964E+00
-1.67666E+00	-1.58960E+00	-1.41101E+00	-1.28692E+00	-1.14445E+00	-1.14253E+00	-1.19956E+00	-1.27956E+00
-1.25233E+00	-1.17210E+00	-7.16205E-01	-3.95696E-01	-5.73740E-01	-8.35647E-01	-9.13996E-01	-8.57397E-01

-7.36703E-01	-1.53793E+00	-1.05835E+00	-7.02231E-01	-5.65616E-01	-3.37286E-01			
1.00000E+02	4.07558E+01	6.13677E+00	-4.23945E+00	-6.88296E+00	-7.33891E+00	-6.02216E+00	-3.61418E+00	
-2.56332E+00	-2.51341E+00	-1.30663E+00	-3.18618E-01	-2.12331E-01	8.41334E-01	-1.45677E+00	-1.80919E+00	
1.43796E+00	6.81620E+00	6.06323E+00	1.14036E-02	-2.13000E+00	-2.71738E+00	-2.75224E+00	-2.69048E+00	
-3.01829E+00	-2.58188E+00	-2.28851E+00	-1.94391E+00	-1.64935E+00	-1.51723E+00	-2.25901E+00	-2.50628E+00	
-2.10106E+00	-2.39421E+00	-2.99633E+00	-3.43622E+00	-3.72265E+00	-3.44443E+00	-2.53782E+00	-2.43483E+00	
-2.35124E+00	-2.28082E+00	-2.15362E+00	-1.90281E+00	-1.69879E+00	-1.76931E+00	-1.72074E+00	-1.69704E+00	
-1.65328E+00	-9.68306E-01	-5.09429E-01	-8.13586E-01	-1.10585E+00	-1.20747E+00	-1.15423E+00	-1.01033E+00	
-2.07191E+00	-1.43876E+00	-9.58390E-01	-7.94659E-01	-5.97106E-01				
1.00000E+02	4.49436E+01	5.18454E+00	-4.61109E+00	-6.48760E+00	-5.79131E+00	-4.29286E+00	-2.53909E+00	
-1.69283E+00	-2.56022E-02	1.23917E+00	-3.26699E-01	-1.45203E+00	-2.24225E+00	-1.89004E+00	-7.43832E-01	
2.72689E+00	1.97633E+00	-1.56528E+00	-2.79415E+00	-2.68073E+00	-2.70423E+00	-2.63929E+00	-3.06509E+00	
-2.73229E+00	-2.43849E+00	-2.39094E+00	-2.48239E+00	-2.34516E+00	-2.87494E+00	-3.01047E+00	-2.80057E+00	
-3.18893E+00	-3.37799E+00	-3.80791E+00	-3.98625E+00	-3.70612E+00	-2.61909E+00	-2.51627E+00	-2.43129E+00	
-2.35839E+00	-2.13170E+00	-1.88490E+00	-1.68107E+00	-1.54258E+00	-1.40557E+00	-1.38397E+00	-1.33584E+00	
-8.84370E-01	-4.47933E-01	-7.34538E-01	-1.01029E+00	-1.10316E+00	-1.05425E+00	-1.01330E+00	-1.89240E+00	
-1.40325E+00	-9.66271E-01	-9.08705E-01	-6.37198E-01					
1.00000E+02	3.97333E+01	4.88507E+00	-3.82847E+00	-5.73467E+00	-5.12731E+00	-3.37903E+00	-1.63736E+00	
4.30780E-01	2.39571E+00	-2.66526E-01	-2.59509E+00	-2.48611E+00	-1.83417E+00	7.03337E-01	1.19299E+00	
4.41192E-01	-2.20575E+00	-2.93530E+00	-2.52916E+00	-2.64387E+00	-2.57719E+00	-2.90016E+00	-2.57084E+00	
-2.37808E+00	-2.42962E+00	-2.70771E+00	-2.56673E+00	-2.99128E+00	-3.22518E+00	-3.01075E+00	-3.40009E+00	
-3.48640E+00	-3.81155E+00	-4.09198E+00	-3.70638E+00	-2.63152E+00	-2.52828E+00	-2.44179E+00	-2.36547E+00	
-2.23938E+00	-1.89092E+00	-1.58415E+00	-1.33864E+00	-1.11064E+00	-1.07953E+00	-1.09050E+00	-7.06853E-01	
-2.78429E-01	-5.63812E-01	-8.32827E-01	-9.11611E-01	-8.47879E-01	-8.31390E-01	-1.52033E+00	-1.14928E+00	
-7.99602E-01	-7.68641E-01	-5.40239E-01						
1.00000E+02	3.91670E+01	5.90330E+00	-4.44663E+00	-6.64453E+00	-4.49569E+00	-1.85296E+00	1.00534E+00	
2.86328E+00	8.42629E-03	-2.41339E+00	-2.00276E+00	-1.44972E+00	8.83418E-01	8.73104E-01	2.21986E-01	
-1.92138E+00	-2.54765E+00	-2.23905E+00	-2.25417E+00	-2.18738E+00	-2.51067E+00	-2.28117E+00	-2.08805E+00	
-2.23942E+00	-2.51891E+00	-2.37806E+00	-2.80169E+00	-3.03389E+00	-2.92053E+00	-3.30805E+00	-3.39324E+00	
-3.71717E+00	-3.89417E+00	-3.61130E+00	-2.53740E+00	-2.43435E+00	-2.44960E+00	-2.37399E+00	-2.14712E+00	
-1.90098E+00	-1.59476E+00	-1.45155E+00	-1.22229E+00	-1.19479E+00	-1.21896E+00	-7.52239E-01	-3.25367E-01	
-6.07793E-01	-8.75957E-01	-9.57933E-01	-9.00173E-01	-8.76001E-01	-1.61477E+00	-1.21177E+00	-8.39793E-01	
-7.00935E-01	-5.62286E-01							
1.00000E+02	4.34038E+01	2.75849E+00	-8.02324E+00	-6.48510E+00	-2.45238E+00	1.01656E+00	2.59309E+00	
-1.74815E-01	-2.11014E+00	-1.50103E+00	-1.14902E+00	-1.29264E+00	1.28894E+00	7.36580E-01	-1.31375E+00	
-1.94309E+00	-1.74924E+00	-1.64896E+00	-1.67968E+00	-1.99887E+00	-1.77529E+00	-1.68367E+00	-1.83313E+00	
-2.08777E+00	-1.94034E+00	-2.35645E+00	-2.48323E+00	-2.36143E+00	-2.85185E+00	-2.93493E+00	-3.25384E+00	
-3.53339E+00	-3.14230E+00	-2.29201E+00	-2.18815E+00	-2.09926E+00	-2.01756E+00	-1.89020E+00	-3.39324E+00	
-1.43560E+00	-1.28322E+00	-1.17169E+00	-1.12545E+00	-1.07033E+00	-4.35573E-01	-1.95300E-02	-3.02955E-01	
-5.61588E-01	-6.18851E-01	-5.32509E-01	-5.53367E-01	-9.51758E-01	-7.61156E-01	-5.44842E-01	-4.54810E-01	
-2.92003E-01								
1.00000E+02	3.41070E+01	-3.52411E+00	-1.00818E+01	-4.07224E+00	2.08513E-01	1.51501E+00	-4.77458E-01	
-1.53274E+00	-7.24841E-01	-3.73639E-01	1.87984E+00	2.18647E+00	1.83290E+00	-4.25305E-01	-1.05747E+00	
-9.88899E-01	-7.60257E-01	-8.85570E-01	-1.29737E+00	-1.18475E+00	-1.09496E+00	-1.13987E+00	-1.44842E+00	
-1.18809E+00	-1.68938E+00	-1.60450E+00	-1.56758E+00	-2.05910E+00	-2.13679E+00	-2.44465E+00	-2.72363E+00	
-2.42323E+00	-1.71451E+00	-1.71064E+00	-1.71826E+00	-1.62569E+00	-1.59658E+00	-1.34914E+00	-1.03535E+00	
-8.65861E-01	-8.86628E-01	-8.08977E-01	-6.17898E-01	1.24862E-01	5.17349E-01	2.36155E-01	-2.45975E-03	
-1.54867E-02	1.18770E-01	1.18495E-01	2.22521E-01	1.36322E-01	7.90779E-02	8.49240E-02	1.25914E-02	
1.00000E+02	3.80142E+01	-1.47057E+01	-8.93369E+00	-2.70414E+00	-9.33237E-01	-1.59130E+00	-9.10172E-01	
2.86439E-01	5.32678E-01	2.52044E+00	3.14492E+00	2.88464E+00	5.98664E-01	1.50189E-01	-2.61866E-02	
3.44242E-01	1.26699E-01	-4.72611E-01	-4.77069E-01	-3.91263E-01	-5.32689E-01	-1.07147E+00	-6.93747E-01	
-1.07701E+00	-5.83461E-01	-6.25168E-01	-1.42861E+00	-1.40312E+00	-1.80287E+00	-1.88454E+00	-1.76878E+00	
-1.31259E+00	-1.30593E+00	-1.30578E+00	-1.29660E+00	-1.25962E+00	-1.00773E+00	-7.86053E-01	-6.91547E-01	
-6.56956E-01	-5.19475E-01	1.92282E-02	1.08870E+00	1.45655E+00	1.16467E+00	9.49107E-01	1.01035E+00	
1.23676E+00	9.97434E-01	2.23894E+00	1.40500E+00	8.72203E-01	7.25604E-01	5.24170E-01		
1.00000E+02	1.16802E+01	-8.70105E+00	-5.88403E+00	-4.24554E+00	-2.68727E+00	-9.73317E-01	-3.86749E-01	
-4.46194E-01	1.89844E-01	9.27968E-01	1.05410E+00	3.23074E-01	1.51578E-01	-5.72133E-02	2.35593E-01	
2.14076E-02	-2.70837E-01	-2.85622E-01	-3.02983E-01	-4.45248E-01	-1.24435E+00	-8.58708E-01	-1.23802E+00	
-3.49109E-01	-3.80973E-01	-1.39766E+00	-1.07428E+00	-1.57600E+00	-1.46466E+00	-1.13392E+00	-9.00304E-01	
-7.90743E-01	-6.85049E-01	-6.64300E-01	-6.20310E-01	-4.63584E-01	-3.35997E-01	-2.25998E-01	-1.16474E-01	
6.57588E-02	7.80034E-01	1.83630E+00	2.00666E+00	1.69404E+00	1.58173E+00	1.69144E+00	1.98867E+00	
1.64888E+00	3.68720E+00	2.31599E+00	1.46402E+00	1.11062E+00	7.58748E-01			
1.00000E+02	3.07767E+01	1.90626E+00	-2.56203E-01	1.43694E+00	-8.75894E-02	-3.07322E+00	-4.42416E+00	
-5.87944E+00	-5.64001E+00	-5.11753E+00	-2.16703E+00	-1.73543E+00	-1.33233E+00	-2.84681E+00	-2.26528E+00	
-6.64946E-01	-1.75869E-01	-2.91571E-01	-8.33151E-01	-1.75208E+00	-1.67100E+00	-2.05437E+00	-1.86833E+00	
-1.60529E+00	-2.11510E+00	-1.79083E+00	-1.99058E+00	-1.77411E+00	-1.34745E+00	-9.01759E-01	-6.92139E-01	
-5.88475E-01	-4.71963E-01	-4.31309E-01	-2.77439E-01	-1.53006E-01	5.09814E-02	4.73929E-01	7.35452E-01	
1.16457E+00	1.43833E+00	1.41671E+00	1.30635E+00	1.28872E+00	1.47407E+00	1.73849E+00	1.34729E+00	
3.15196E+00	1.89432E+00	1.09124E+00	6.87235E-01	5.03954E-01				
1.00000E+02	3.66179E+01	5.69271E+00	-9.74827E-02	-1.99950E+00	-6.17140E+00	-7.61886E+00	-1.03732E+01	
-9.33861E+00	-8.41620E+00	-4.85985E+00	-4.12074E+00	-3.81587E+00	-5.32491E+00	-4.74153E+00	-3.14021E+00	
-2.45247E+00	-2.16823E+00	-2.20719E+00	-2.61755E+00	-2.93349E+00	-3.00880E+00	-2.71325E+00	-2.24401E+00	
-2.24257E+00	-2.11319E+00	-2.10146E+00	-1.87815E+00	-1.45107E+00	-9.22607E-01	-7.13333E-01	-5.07989E-01	
-2.89596E-01	-1.50848E-01	-1.02342E-01	-7.97098E-02	1.27603E-01	6.43290E-01	8.97268E-01	1.30793E+00	
1.52687E+00	1.48525E+00	1.19764E+00	1.29185E+00	1.47870E+00	1.73021E+00	1.34830E+00	3.13622E+00	
1.89459E+00	1.09588E+00	6.01489E-01	4.14583E-01					
1.00000E+02	3.49400E+01	-2.99027E+00	-6.20602E+00	-1.10500E+01	-1.18973E+01	-1.74674E+01	-1.37370E+01	
-1.19325E+00	-9.31246E+00	-7.69320E+00	-8.15004E+00	-8.38496E+00	-8.08737E+00	-8.16373E+00	-7.50643E+00	
-6.63162E+00	-5.06846E+00	-4.26068E+00	-5.03980E+00	-4.57635E+00	-2.65390E+00	-2.04245E+00	-1.64020E+00	
-1.59458E+00	-1.45018E+00	-9.20723E-01	-3.64611E-01	-2.52746E-01	5.95483E-02	4.78219E-01	8.25246E-01	
1.17032E+00	1.31710E+00	1.05093E+00	1.00337E+00	1.43039E+00	1.85824E+00	2.90097E+00	3.44359E+00	

2.93581E+00	2.47526E+00	2.63129E+00	3.03042E+00	3.39368E+00	2.72243E+00	6.31722E+00	3.85251E+00
2.34924E+00	1.54674E+00	1.10709E+00					
1.00000E+02	3.45855E+01	1.31137E+00	-1.15023E+01	-1.40285E+01	-2.21944E+01	-1.72743E+01	-1.47967E+01
-1.22261E+01	-9.94298E+00	-1.09375E+01	-1.04401E+01	-1.03354E+01	-1.14901E+01	-1.07519E+01	-9.48828E+00
-6.93867E+00	-5.47570E+00	-6.53372E+00	-5.86042E+00	-2.74602E+00	-2.11686E+00	-1.52704E+00	-1.37993E+00
-1.32880E+00	-4.05348E-01	1.66958E-01	1.31295E-01	4.45071E-01	9.69748E-01	1.63322E+00	1.98412E+00
2.13446E+00	1.57823E+00	1.25617E+00	1.63763E+00	2.32001E+00	3.79080E+00	4.54059E+00	3.81673E+00
3.34826E+00	3.52597E+00	3.99427E+00	4.44319E+00	3.64132E+00	8.30026E+00	5.04023E+00	3.09070E+00
2.14688E+00	1.39244E+00						
1.00000E+02	4.04809E+01	2.73392E+00	-6.91730E+00	-1.48583E+01	-1.33008E+01	-1.18943E+01	-9.67920E+00
-7.76929E+00	-8.32946E+00	-7.76939E+00	-7.86937E+00	-8.93855E+00	-8.48087E+00	-7.50784E+00	-5.54950E+00
-4.64185E+00	-5.52058E+00	-4.96043E+00	-2.64289E+00	-2.23257E+00	-1.93473E+00	-1.89196E+00	-1.75110E+00
-1.22519E+00	-7.69245E-01	-5.51879E-01	-3.39818E-01	7.88736E-02	5.27077E-01	7.73192E-01	9.22070E-01
7.57421E-01	5.09464E-01	7.36356E-01	1.17160E+00	2.44028E+00	3.51421E+00	3.10825E+00	2.73924E+00
2.69724E+00	3.00333E+00	3.47499E+00	2.88864E+00	6.37285E+00	3.94854E+00	2.50865E+00	1.79205E+00
1.23892E+00							
1.00000E+02	4.14370E+01	6.15243E+00	-6.33249E+00	-1.07384E+01	-1.08085E+01	-7.56524E+00	-5.53630E+00
-5.45371E+00	-5.43798E+00	-5.34774E+00	-5.63551E+00	-5.35729E+00	-4.87570E+00	-4.01292E+00	-3.77968E+00
-4.48261E+00	-4.04279E+00	-2.83369E+00	-2.75055E+00	-2.64805E+00	-2.41142E+00	-2.28653E+00	-2.16258E+00
-1.72579E+00	-1.23833E+00	-1.12896E+00	-9.19295E-01	-6.91117E-01	-4.49817E-01	-2.00820E-01	-7.32463E-02
-5.07687E-02	3.08752E-02	4.11016E-01	1.14024E+00	2.22667E+00	2.25041E+00	1.87808E+00	1.80148E+00
1.93112E+00	2.22043E+00	1.86974E+00	4.10339E+00	2.62207E+00	1.67384E+00	1.30600E+00	8.95615E-01
1.00000E+02	4.08549E+01	4.07788E+00	-6.39123E+00	-8.64178E+00	-6.97993E+00	-5.64730E+00	-5.65104E+00
-5.85335E+00	-5.66734E+00	-5.76030E+00	-5.27597E+00	-4.69351E+00	-3.93347E+00	-3.62945E+00	-4.24127E+00
-4.01234E+00	-2.91138E+00	-2.63790E+00	-2.53645E+00	-2.40535E+00	-2.39010E+00	-2.26824E+00	-1.83763E+00
-1.22120E+00	-1.11243E+00	-9.05560E-01	-6.83607E-01	-4.42997E-01	-1.92808E-01	-1.68485E-01	-2.57756E-01
-5.48962E-02	2.09948E-01	8.69660E-01	1.91541E+00	1.95958E+00	1.57900E+00	1.48594E+00	1.59014E+00
1.85743E+00	1.54703E+00	3.44929E+00	2.17193E+00	1.37691E+00	1.05333E+00	7.20428E-01	
1.00000E+02	4.32245E+01	5.94583E+00	-4.63483E+00	-5.44867E+00	-4.91068E+00	-5.30541E+00	-5.61727E+00
-5.43312E+00	-5.32887E+00	-4.84089E+00	-4.35750E+00	-3.59881E+00	-3.30989E+00	-3.92626E+00	-3.70247E+00
-2.80571E+00	-2.53765E+00	-2.43640E+00	-2.30755E+00	-2.29643E+00	-2.27664E+00	-1.84937E+00	-1.31932E+00
-1.21088E+00	-1.00554E+00	-8.87989E-01	-6.47735E-01	-3.96839E-01	-3.73925E-01	-4.69240E-01	-3.55823E-01
-9.90306E-02	6.23213E-01	1.74505E+00	1.79973E+00	1.41524E+00	1.31365E+00	1.40399E+00	1.65884E+00
1.37075E+00	2.99977E+00	1.92600E+00	1.21485E+00	9.15721E-01	6.25053E-01		
1.00000E+02	3.97277E+01	7.66501E-01	-5.41417E+00	-5.48378E+00	-6.60504E+00	-7.28478E+00	-6.89695E+00
-6.68559E+00	-6.21031E+00	-5.53139E+00	-4.47299E+00	-4.13664E+00	-5.13868E+00	-4.50446E+00	-3.10388E+00
-2.92158E+00	-2.62620E+00	-2.29403E+00	-1.97271E+00	-1.65228E+00	-1.21262E+00	-8.23344E-01	-7.13330E-01
-3.01469E-01	3.00465E-02	1.73431E-01	3.25023E-01	2.53583E-01	7.71812E-02	2.56766E-01	5.51642E-01
1.43506E+00	2.49567E+00	2.33444E+00	2.04463E+00	1.96205E+00	2.10333E+00	2.41762E+00	2.03625E+00
4.45952E+00	2.85552E+00	1.82314E+00	1.32412E+00	8.76685E-01			
1.00000E+02	3.70450E+01	3.85153E+00	-2.07634E+00	-5.28947E+00	-6.76453E+00	-6.47724E+00	-5.76788E+00
-5.39333E+00	-5.01428E+00	-4.45668E+00	-4.81899E+00	-6.02152E+00	-5.09398E+00	-3.80249E+00	-3.92447E+00
-3.73808E+00	-3.00982E+00	-2.39326E+00	-2.07900E+00	-1.63821E+00	-9.37086E-01	-8.26611E-01	-6.16058E-01
-2.83674E-01	-3.69418E-02	1.18092E-01	4.82859E-02	2.71223E-02	1.53320E-01	4.58893E-01	1.27853E+00
2.49740E+00	2.54137E+00	2.14167E+00	2.05226E+00	2.19975E+00	2.53141E+00	2.13036E+00	4.66527E+00
2.98773E+00	1.90659E+00	1.38716E+00	1.01896E+00				
1.00000E+02	4.09172E+01	9.58753E+00	-3.06479E+00	-5.34752E+00	-5.75906E+00	-5.35077E+00	-4.97190E+00
-4.69160E+00	-4.23511E+00	-4.61563E+00	-5.82397E+00	-5.00184E+00	-3.91442E+00	-3.94263E+00	-3.95734E+00
-3.13058E+00	-2.61950E+00	-2.50834E+00	-2.07172E+00	-1.35202E+00	-1.34266E+00	-1.13400E+00	-9.06547E-01
-6.60218E-01	-4.03702E-01	-3.74692E-01	-4.57365E-01	-2.63461E-01	3.19444E-02	1.00503E+00	2.1343E+00
2.34638E+00	2.04100E+00	1.84449E+00	1.97538E+00	2.29108E+00	1.91763E+00	4.23212E+00	2.69088E+00
1.71127E+00	1.32092E+00	9.04543E-01					
1.00000E+02	5.09599E+01	4.02526E+00	-9.84782E-01	-3.79772E+00	-4.89393E+00	-4.70184E+00	-4.31881E+00
-3.66521E+00	-3.69718E+00	-4.42092E+00	-4.21093E+00	-3.42917E+00	-3.27229E+00	-3.38209E+00	-3.16236E+00
-3.06431E+00	-3.15442E+00	-2.93324E+00	-2.26899E+00	-2.26133E+00	-2.15897E+00	-2.04506E+00	-1.90287E+00
-1.64643E+00	-1.32087E+00	-1.42419E+00	-1.39463E+00	-1.03470E+00	-1.17162E-01	1.54088E+00	2.01111E+00
1.51072E+00	1.19428E+00	1.27385E+00	1.53250E+00	1.25071E+00	2.77286E+00	1.75959E+00	1.10094E+00
8.10002E-01	5.51023E-01						
1.00000E+02	2.31710E+01	8.64187E+00	-4.77386E-01	-3.58150E+00	-3.87964E+00	-3.69459E+00	-3.24420E+00
-3.01746E+00	-3.65341E+00	-3.75761E+00	-3.08449E+00	-2.84087E+00	-3.05059E+00	-3.13896E+00	-3.25382E+00
-3.44693E+00	-3.33723E+00	-2.53248E+00	-2.62712E+00	-2.63023E+00	-2.52608E+00	-2.48682E+00	-2.12824E+00
-1.80642E+00	-1.92616E+00	-2.06856E+00	-1.73320E+00	-8.26574E-01	1.05352E+00	1.64758E+00	1.14044E+00
7.04245E-01	7.44695E-01	9.65039E-01	8.47212E-01	1.74993E+00	1.15602E+00	7.39098E-01	6.19767E-01
3.81258E-01							
1.00000E+02	4.68997E+01	1.07743E+01	-5.36722E-01	-2.93382E+00	-3.14649E+00	-3.19115E+00	-3.16811E+00
-3.70348E+00	-3.89979E+00	-3.21333E+00	-3.06788E+00	-3.16327E+00	-3.24255E+00	-3.44821E+00	-3.63072E+00
-3.52524E+00	-2.73209E+00	-2.82794E+00	-2.73091E+00	-2.73138E+00	-2.59643E+00	-2.24446E+00	-2.02720E+00
-2.25085E+00	-2.18952E+00	-1.77778E+00	-9.56318E-01	8.96747E-01	1.37363E+00	7.94432E-01	4.68605E-01
4.92299E-01	6.72575E-01	5.03902E-01	1.22141E+00	7.15507E-01	4.21694E-01	2.52043E-01	1.65853E-01
1.00000E+02	4.54413E+01	9.19346E+00	6.91920E-01	-1.12414E+00	-2.58026E+00	-3.29000E+00	-4.03744E+00
-4.15689E+00	-3.59677E+00	-3.46779E+00	-3.58089E+00	-3.67730E+00	-3.80515E+00	-4.10481E+00	-4.00260E+00
-3.15955E+00	-3.25497E+00	-3.26172E+00	-3.26632E+00	-3.12578E+00	-2.76422E+00	-2.44459E+00	-2.67896E+00
-2.69507E+00	-2.27290E+00	-1.43725E+00	7.11257E-01	1.43025E+00	8.12364E-01	3.54660E-01	3.66653E-01
5.65391E-01	4.90283E-01	1.02989E+00	5.61388E-01	4.09899E-01	2.38249E-01	1.85515E-01	
1.00000E+02	4.36164E+01	1.31803E+01	6.05710E+00	-3.07989E-01	-2.63000E+00	-3.98295E+00	-4.20875E+00
-3.55374E+00	-3.42910E+00	-3.64677E+00	-3.74706E+00	-3.88055E+00	-4.18349E+00	-4.18452E+00	-3.72786E+00
-3.52454E+00	-3.53222E+00	-3.53850E+00	-3.39688E+00	-3.03315E+00	-2.71352E+00	-2.85031E+00	-2.96020E+00
-2.53770E+00	-1.60698E+00	6.54738E-01	1.48301E+00	8.57085E-01	2.92489E-01	2.98973E-01	4.98464E-01
4.27569E-01	9.09563E-01	5.71258E-01	3.50750E-01	2.83779E-01	1.47782E-01		
1.00000E+02	6.19438E+01	3.36917E+01	8.29763E+00	-6.41558E-01	-3.90376E+00	-4.43627E+00	-3.68651E+00
-3.46422E+00	-3.78732E+00	-3.89158E+00	-4.13204E+00	-4.43897E+00	-4.44039E+00	-3.57262E+00	-3.76912E+00

-3.77727E+00	-3.78413E+00	-3.74230E+00	-3.27482E+00	-2.95468E+00	-3.19473E+00	-3.29974E+00	-2.87319E+00
-1.83186E+00	7.55347E-01	1.59314E+00	8.60285E-01	2.88507E-01	2.94038E-01	4.99895E-01	4.24616E-01
9.12576E-01	5.67719E-01	3.46149E-01	2.75063E-01	1.41335E-01			
1.00000E+02	7.95689E+01	2.31418E+01	3.19357E+00	-3.27679E+00	-4.00258E+00	-3.24395E+00	-3.11779E+00
-3.43418E+00	-3.53255E+00	-3.76510E+00	-4.06627E+00	-4.06739E+00	-3.31603E+00	-3.41155E+00	-3.52045E+00
-3.52678E+00	-3.38589E+00	-3.02312E+00	-2.70383E+00	-3.04282E+00	-3.15335E+00	-2.73300E+00	-1.80834E+00
6.39868E-01	1.46429E+00	8.42390E-01	2.80453E-01	2.86277E-01	4.81757E-01	4.14736E-01	7.87322E-01
5.53097E-01	3.39841E-01	2.76779E-01	2.42948E-01				
1.00000E+02	4.12714E+01	7.99541E+00	-2.59156E+00	-3.61853E+00	-2.95967E+00	-2.83389E+00	-3.14902E+00
-3.24674E+00	-3.47864E+00	-3.77881E+00	-3.78068E+00	-3.02916E+00	-3.22614E+00	-3.23404E+00	-3.34241E+00
-3.30336E+00	-2.94099E+00	-2.52098E+00	-2.86098E+00	-3.07109E+00	-2.75480E+00	-1.84230E+00	5.93812E-01
1.41889E+00	7.97983E-01	2.35314E-01	2.37659E-01	4.28371E-01	3.68306E-01	6.91019E-01	4.88203E-01
3.96510E-01	3.41547E-01	3.18788E-01					
1.00000E+02	3.37380E+01	-1.58624E-01	-3.10241E+00	-2.75178E+00	-2.63206E+00	-3.05116E+00	-3.15303E+00
-3.28967E+00	-3.79625E+00	-3.80108E+00	-3.03195E+00	-3.22923E+00	-3.34000E+00	-3.45151E+00	-3.41198E+00
-3.04769E+00	-2.62828E+00	-2.97418E+00	-3.27434E+00	-2.96215E+00	-2.17440E+00	3.62631E-01	1.30085E+00
7.69371E-01	9.69691E-02	-1.07674E-02	2.72639E-01	3.26106E-01	3.18533E-01	3.89133E-01	2.65943E-01
4.26972E-01	3.39628E-01						
1.00000E+02	2.35016E+01	-1.22164E+00	-2.72550E+00	-2.73149E+00	-3.17866E+00	-3.30676E+00	-3.58136E+00
-4.11278E+00	-4.22415E+00	-3.37869E+00	-3.67689E+00	-3.89316E+00	-4.11229E+00	-4.06380E+00	-3.68412E+00
-3.05926E+00	-3.42145E+00	-4.09178E+00	-3.86232E+00	-2.94298E+00	2.52736E-01	1.46036E+00	8.67221E-01
-5.55164E-02	-1.79786E-01	1.35908E-01	2.76347E-01	-2.01946E-01	2.82723E-01	3.15434E-01	6.68937E-01
4.28363E-01							
1.00000E+02	2.18023E+01	-1.61007E+00	-3.44577E+00	-4.10501E+00	-4.14078E+00	-4.42841E+00	-5.07027E+00
-5.18422E+00	-4.20825E+00	-4.60800E+00	-4.82610E+00	-5.04811E+00	-4.99694E+00	-4.51063E+00	-3.88503E+00
-4.25387E+00	-4.91086E+00	-4.47509E+00	-3.35278E+00	1.83183E-01	1.60979E+00	8.02416E-01	-1.37244E-01
-2.69290E-01	5.24527E-02	1.94918E-01	-2.59710E-01	1.70046E-01	2.37273E-01	4.94536E-01	3.75936E-01
1.00000E+02	2.28998E+01	-1.75013E+00	-4.65332E+00	-4.90530E+00	-5.31453E+00	-6.06999E+00	-6.29295E+00
-5.16560E+00	-5.66806E+00	-5.89010E+00	-6.22120E+00	-6.16732E+00	-5.67398E+00	-4.94673E+00	-5.32990E+00
-5.96058E+00	-5.42708E+00	-4.24058E+00	-7.62872E-02	1.58611E+00	6.54942E-01	-4.13079E-01	-6.67786E-01
-2.52767E-01	-8.44172E-02	-8.09578E-01	-2.18657E-01	-2.33196E-02	2.63925E-01	2.15329E-01	
1.00000E+02	2.52511E+01	-2.57996E+00	-4.88032E+00	-5.40853E+00	-6.37747E+00	-6.60873E+00	-5.43487E+00
-5.93902E+00	-6.36949E+00	-6.70935E+00	-6.75640E+00	-6.15576E+00	-5.32725E+00	-5.82784E+00	-6.53307E+00
-6.11197E+00	-4.88763E+00	-4.24817E-01	1.37494E+00	5.21024E-01	-7.74590E-01	-1.05973E+00	-6.60861E-01
-4.52020E-01	-1.73053E+00	-7.30976E-01	-2.64127E-01	1.69527E-01	1.11019E-01		
1.00000E+02	2.09235E+01	-2.91647E+00	-5.40187E+00	-6.48336E+00	-6.82104E+00	-5.61193E+00	-6.21886E+00
-6.65214E+00	-6.99642E+00	-7.14295E+00	-6.53600E+00	-5.60426E+00	-6.21639E+00	-7.00625E+00	-6.68450E+00
-5.36667E+00	-6.53741E-01	1.47503E+00	4.98762E-01	-9.20313E-01	-1.21888E+00	-9.13771E-01	-4.98802E-01
-2.10145E+00	-8.35964E-01	-3.02662E-01	1.42500E-01	2.23189E-01			
1.00000E+02	2.05531E+01	-4.05490E+00	-7.50130E+00	-8.05223E+00	-6.60657E+00	-7.31758E+00	-7.75476E+00
-8.20868E+00	-8.35632E+00	-7.74700E+00	-6.71408E+00	-7.23618E+00	-8.00675E+00	-7.49581E+00	-6.04270E+00
-8.68132E-01	1.37895E+00	1.99263E-01	-1.23585E+00	-1.56000E+00	-1.18028E+00	-8.21193E-01	-2.66763E+00
-1.38411E+00	-6.98196E-01	-2.06978E-01	-1.50731E-01				
1.00000E+02	2.40285E+01	-5.84779E+00	-8.56754E+00	-7.09034E+00	-7.80292E+00	-8.34598E+00	-8.90874E+00
-9.05607E+00	-8.34066E+00	-7.30759E+00	-7.84045E+00	-8.59320E+00	-8.09011E+00	-6.68070E+00	-1.10677E+00
1.26456E+00	7.19058E-02	-1.48192E+00	-1.92635E+00	-1.45941E+00	-1.07145E+00	-3.17132E+00	-1.63510E+00
-9.29454E-01	-4.05948E-01	-2.88931E-01					
1.00000E+02	1.78252E+01	-7.41277E+00	-7.85171E+00	-8.77194E+00	-9.42274E+00	-9.89136E+00	-1.01404E+01
-9.41852E+00	-8.28198E+00	-8.82974E+00	-9.55763E+00	-8.95974E+00	-7.39636E+00	-1.40739E+00	1.20044E+00
-1.13050E-01	-1.79536E+00	-2.26668E+00	-1.81182E+00	-1.38951E+00	-3.80722E+00	-2.17678E+00	-1.22435E+00
-6.62016E-01	-4.66983E-01						
1.00000E+02	1.79605E+01	-6.36382E+00	-9.44697E+00	-1.08219E+01	-1.17090E+01	-1.19584E+01	-1.11302E+01
-9.89106E+00	-1.03471E+01	-1.08513E+01	-1.01612E+01	-8.34223E+00	-1.56639E+00	1.25931E+00	-2.59733E-01
-2.05733E+00	-2.55020E+00	-2.11348E+00	-1.75694E+00	-4.16492E+00	-2.55011E+00	-1.57049E+00	-1.07214E+00
-7.12494E-01							
1.00000E+02	2.81866E+01	1.87590E-01	-9.01168E+00	-1.20616E+01	-1.30294E+01	-1.24023E+01	-1.10585E+01
-1.16200E+01	-1.21181E+01	-1.13154E+01	-9.15905E+00	-1.51521E+00	1.62252E+00	-1.08636E-01	-2.01582E+00
-2.60669E+00	-2.05608E+00	-1.71258E+00	-4.06101E+00	-2.48740E+00	-1.53265E+00	-1.04744E+00	-6.95986E-01
1.00000E+02	4.76756E+01	5.25734E+00	-6.57028E+00	-1.04091E+01	-1.08234E+01	-9.79228E+00	-1.04271E+01
-1.09761E+01	-1.02766E+01	-8.27545E+00	-1.14760E+00	1.79357E+00	2.28545E-01	-1.50809E+00	-1.95289E+00
-1.50376E+00	-1.20079E+00	-3.06586E+00	-1.87389E+00	-1.05243E+00	-7.16486E-01	-4.95842E-01	
1.00000E+02	3.91625E+01	2.24669E+00	-8.97002E+00	-1.14317E+01	-1.10140E+01	-1.19570E+01	-1.25030E+01
-1.15957E+01	-9.17521E+00	-1.02643E+00	2.11228E+00	3.49059E-01	-1.48725E+00	-2.03009E+00	-1.47856E+00
-1.27886E+00	-2.92734E+00	-1.84372E+00	-1.13302E+00	-9.02226E-01	-5.86094E-01		
1.00000E+02	4.09624E+01	1.03945E+00	-1.01302E+01	-1.16566E+01	-1.35235E+01	-1.42678E+01	-1.32535E+01
-1.04116E+01	-1.12324E+00	2.41879E+00	5.51295E-01	-1.48914E+00	-2.03269E+00	-1.47658E+00	-1.27998E+00
-2.83061E+00	-1.94299E+00	-1.23535E+00	-1.00811E+00	-6.90939E-01			
1.00000E+02	4.16838E+01	-1.06222E+00	-1.00632E+01	-1.45957E+01	-1.62537E+01	-1.53317E+01	-1.21531E+01
-1.18866E+00	2.86295E+00	6.85461E-01	-1.46462E+00	-2.10702E+00	-1.43911E+00	-1.25309E+00	-2.66944E+00
-1.90471E+00	-1.21353E+00	-1.09757E+00	-6.83744E-01				
1.00000E+02	3.44019E+01	-1.78736E-01	-1.31970E+01	-1.75203E+01	-1.71001E+01	-1.36802E+01	-1.56581E+00
2.97726E+00	8.99046E-01	-1.34643E+00	-1.97932E+00	-1.20167E+00	-1.13185E+00	-2.41928E+00	-1.73521E+00
-1.20284E+00	-1.10625E+00	-7.21163E-01					
1.00000E+02	4.30568E+01	-1.93000E+00	-1.56784E+01	-1.73942E+01	-1.46488E+01	-2.59611E+00	2.33495E+00
9.51755E-01	-1.08523E+00	-1.80439E+00	-1.11404E+00	-9.66745E-01	-2.08323E+00	-1.50469E+00	-9.51116E-01
-8.77111E-01	-6.32127E-01						
1.00000E+02	3.70704E+01	-6.57887E+00	-1.48258E+01	-1.51166E+01	-4.11816E+00	1.31753E+00	8.16381E-01
-7.24525E-01	-1.63870E+00	-1.03877E+00	-9.02928E-01	-2.13309E+00	-1.31727E+00	-7.93848E-01	-6.30700E-01
-3.99293E-01							
1.00000E+02	4.53355E+01	1.27301E+01	-6.27161E+00	-1.13885E+01	-5.28952E+00	-4.86876E-01	6.42047E-01
-1.07656E+00	-1.25746E+00	-9.31826E-01	-1.89143E+00	-1.45434E+00	-1.02497E+00	-9.70586E-01	-7.29375E-01

```

1.00000E+02  6.04685E+01  1.44050E+01 -2.01811E+01 -1.54777E+01 -2.77385E+00  2.76056E+00  2.60287E-01
-1.52653E+00 -1.00174E+00 -1.11189E+00 -1.47232E+00 -1.29710E+00 -1.64509E+00 -1.24255E+00
1.00000E+02  4.46152E+01 -2.71276E+01 -2.54260E+01 -4.51152E+00  5.57387E+00  1.81363E+00 -1.49552E+00
-6.55231E-01  1.60920E-02 -9.45537E-01 -9.94502E-01 -1.52410E+00 -1.12183E+00
1.00000E+02 -1.03713E+01 -4.56785E+01 -1.20451E+01  9.56305E+00  6.90138E+00 -8.01250E-01  3.52160E-01
2.93365E+00  1.21633E+00  3.60664E-01 -4.44722E-01 -3.49958E-01
1.00000E+02 -4.77053E+00 -3.13926E+01 -6.06778E+00  1.37692E+01  5.42634E+00  4.84818E-01  7.11717E+00
5.43023E+00  3.54647E+00  3.31530E+00  2.23815E+00
1.00000E+02  9.73954E-03 -3.25750E+01  4.83633E+00  1.16938E+01  7.11285E-01  6.68157E+00  6.72781E+00
5.06192E+00  5.15546E+00  3.54687E+00
1.00000E+02 -4.77818E+00 -3.03698E+01  8.40905E+00  8.54195E+00  7.59274E+00  3.72229E+00  1.94082E+00
7.45608E-01  6.50955E-01
1.00000E+02 -3.50135E+01 -1.64619E+01  2.33980E+01  1.42249E+01 -2.00671E+00 -3.90000E+00 -8.71718E+00
-6.07893E+00
1.00000E+02 -2.32012E+01 -3.87985E+00  1.25594E+01  4.84560E+00  1.91140E+00  2.08237E-02 -1.04603E-01
1.00000E+02 -6.69794E+01 -2.76289E+01  3.25453E+01  3.37409E+01  5.10474E+01  3.56170E+01
1.00000E+02  3.49009E+01 -3.71738E+01 -3.81964E+01 -6.24479E+01 -4.33143E+01
1.00000E+02  8.44893E+00 -1.41713E+01  1.01382E+01  6.17936E+00
1.00000E+02  4.70577E+01  1.39421E+01  5.57329E+00
1.00000E+02  7.28852E+01  4.57555E+01
1.00000E+02  7.70223E+01
1.00000E+02
end

```

D Appendix – LSL Format Prompt Gamma Ray Output

```

*cor
*number of energies plus 1
49
*energy grid (eV) - high to low energy order
0.5000000E+08 0.3000000E+08 0.2000000E+08 0.1700000E+08 0.1400000E+08
0.1200000E+08 0.1000000E+08 9000000. 8000000. 7500000.
7000000. 6500000. 6000000. 5500000. 5000000.
4500000. 4000000. 3500000. 3000000. 2660000.
2500000. 2333000. 2000000. 1875000. 1660000.
1500000. 1330000. 1200000. 1125000. 1000000.
900000.0 800000.0 700000.0 600000.0 525000.0
500000.0 450000.0 400000.0 300000.0 200000.0
150000.0 100000.0 80000.00 60000.00 45000.00
30000.00 20000.00 10000.00 1000.000

*spectrum number fractions -
0.00000E+00 0.00000E+00 0.00000E+00 6.46557E-08 6.13457E-07
1.01687E-05 6.49251E-04 4.48998E-03 6.91549E-03 2.53608E-03
2.83344E-03 4.21976E-03 6.54016E-03 7.55139E-03 9.26206E-03
1.49979E-02 2.11542E-02 3.21273E-02 3.14264E-02 2.98378E-02
2.32470E-02 6.57119E-02 2.50318E-02 5.81648E-02 4.83358E-02
6.20101E-02 5.09954E-02 2.88412E-02 6.09959E-02 4.54383E-02
7.52243E-02 4.77046E-02 4.51050E-02 4.11053E-02 4.64233E-02
1.94750E-02 1.56189E-02 2.42760E-02 1.95013E-02 4.78930E-03
1.82073E-03 4.01232E-03 1.02261E-02 7.17167E-04 3.89960E-04
1.68316E-04 9.69521E-05 2.24849E-05

*standard deviation (%)
92.37442 76.31279 66.02299 59.97667 53.96589
48.25708 42.48969 37.04626 32.52547 29.26157
25.76435 21.99784 20.00000 20.00000 20.00000
20.00000 20.00000 20.00000 20.00000 20.00000
20.00000 20.00000 20.00000 20.00000 20.00000
20.25727 20.75147 21.12413 21.52082 22.01440
22.50493 23.05692 23.68803 24.32566 24.73621
25.07133 25.56186 26.41813 27.90204 29.47505
30.95897 32.40774 33.51609 34.78482 42.14988
52.22706 64.92281 81.49094

*correlation coefficients - upper triangular
1.0000 0.41240 0.21365 0.12815 0.61365E-01 0.10903E-01 -0.37460E-01
-0.65499E-01 -0.87938E-01 -0.10420 -0.12245 -0.14472 -0.16105 -0.16553
-0.18295 -0.18211 -0.18113 -0.18020 -0.17953 -0.17901 -0.17833
-0.17678 -0.17498 -0.17324 -0.17074 -0.16642 -0.16034 -0.15540
-0.14960 -0.14798 -0.14904 -0.14965 -0.14982 -0.14952 -0.14890
-0.14787 -0.14566 -0.14116 -0.13406 -0.12837 -0.12439 -0.12141
-0.11913 -0.11609 -0.10302 -0.90090E-01 -0.76804E-01 -0.59182E-01
1.0000 0.50774 0.35042 0.22681 0.13250 0.49092E-01 -0.20241E-02
-0.42572E-01 -0.71635E-01 -0.10373 -0.14180 -0.17135 -0.18377 -0.25068
-0.24966 -0.24848 -0.24735 -0.24655 -0.24591 -0.24509 -0.24321
-0.24104 -0.23893 -0.23591 -0.23031 -0.22226 -0.21578 -0.20825
-0.20567 -0.20638 -0.20650 -0.20603 -0.20502 -0.20387 -0.20231
-0.19919 -0.19300 -0.18323 -0.17522 -0.16945 -0.16500 -0.16165
-0.15733 -0.13857 -0.12024 -0.10197 -0.78812E-01
1.0000 0.60229 0.41910 0.28014 0.16248 0.89811E-01 0.33044E-01
-0.69960E-02 -0.50405E-01 -0.10053 -0.14085 -0.16157 -0.28695 -0.28577
-0.28440 -0.28310 -0.28217 -0.28143 -0.28049 -0.27831 -0.27580
-0.27336 -0.26987 -0.26343 -0.25420 -0.24676 -0.23810 -0.23518
-0.23605 -0.23625 -0.23577 -0.23467 -0.23337 -0.23160 -0.22804
-0.22096 -0.20978 -0.20063 -0.19405 -0.18898 -0.18517 -0.18023
-0.15884 -0.13791 -0.11700 -0.90407E-01
1.0000 0.58195 0.40718 0.26292 0.17413 0.10568 0.58053E-01
0.72003E-02 -0.50294E-01 -0.97653E-01 -0.12492 -0.29891 -0.29761 -0.29611
-0.29467 -0.29365 -0.29284 -0.29180 -0.28941 -0.28664 -0.28395
-0.28011 -0.27324 -0.26347 -0.25557 -0.24634 -0.24348 -0.24477
-0.24535 -0.24521 -0.24438 -0.24318 -0.24142 -0.23776 -0.23039
-0.21877 -0.20934 -0.20265 -0.19756 -0.19371 -0.18865 -0.16680
-0.14532 -0.12357 -0.95357E-01
1.0000 0.57454 0.39717 0.28898 0.20691 0.15077 0.91964E-01
0.27229E-01 -0.27545E-01 -0.62923E-01 -0.29888 -0.29743 -0.29576 -0.29416
-0.29302 -0.29212 -0.29097 -0.28831 -0.28524 -0.28225 -0.27798
-0.27077 -0.26070 -0.25248 -0.24280 -0.24032 -0.24241 -0.24377
-0.24438 -0.24420 -0.24332 -0.24172 -0.23816 -0.23082 -0.21924
-0.21004 -0.20369 -0.19900 -0.19540 -0.19050 -0.16956 -0.14874
-0.12707 -0.97798E-01
1.0000 0.56273 0.43152 0.33364 0.26784 0.20032 0.12810
0.65305E-01 0.20326E-01 -0.29005 -0.28843 -0.28656 -0.28477 -0.28350
-0.28249 -0.28120 -0.27823 -0.27479 -0.27145 -0.26668 -0.25917

```

-0.24895	-0.24051	-0.23046	-0.22860	-0.23182	-0.23428	-0.23599
-0.23675	-0.23638	-0.23507	-0.23176	-0.22467	-0.21350	-0.20491
-0.19924	-0.19527	-0.19215	-0.18763	-0.16865	-0.14941	-0.12849
-0.98523E-01						
1.0000	0.56912	0.45613	0.37990	0.30150	0.21757	0.14383
0.89579E-01	0.63691E-01	0.83218E-02	-0.45090E-01	-0.96661E-01	-0.13848	-0.16216
-0.17651	-0.19655	-0.21318	-0.22395	-0.23380	-0.23797	-0.23718
-0.23452	-0.22944	-0.25638	-0.26011	-0.26298	-0.26500	-0.26595
-0.26557	-0.26412	-0.26042	-0.25246	-0.23992	-0.23029	-0.22397
-0.21957	-0.21609	-0.21104	-0.18985	-0.16832	-0.14483	-0.11102
1.0000	0.57041	0.48659	0.40185	0.31329	0.23396	0.17157
0.14176	0.78141E-01	0.16739E-01	-0.42634E-01	-0.90898E-01	-0.11832	-0.13497
-0.15835	-0.17786	-0.19061	-0.20242	-0.20848	-0.20953	-0.20790
-0.20354	-0.23935	-0.24482	-0.24938	-0.25310	-0.25552	-0.25590
-0.25489	-0.25157	-0.24397	-0.23201	-0.22327	-0.21798	-0.21467
-0.21191	-0.20743	-0.18917	-0.17000	-0.14755	-0.11255	
1.0000	0.58857	0.49840	0.40634	0.32237	0.25237	0.21950
0.14814	0.79273E-01	0.12641E-01	-0.41609E-01	-0.72485E-01	-0.91259E-01	-0.11766
-0.13977	-0.15427	-0.16779	-0.17558	-0.17836	-0.17770	-0.17398
-0.21870	-0.22611	-0.23257	-0.23817	-0.24224	-0.24349	-0.24298
-0.24011	-0.23295	-0.22172	-0.21404	-0.20994	-0.20788	-0.20595
-0.20214	-0.18731	-0.17090	-0.14978	-0.11363		
1.0000	0.57684	0.48275	0.39562	0.31960	0.28487	0.20735
0.13258	0.60216E-01	0.12537E-02	-0.32330E-01	-0.52749E-01	-0.81467E-01	-0.10555
-0.12136	-0.13612	-0.14524	-0.14941	-0.14948	-0.14623	-0.19843
-0.20764	-0.21587	-0.22323	-0.22884	-0.23090	-0.23087	-0.22843
-0.22172	-0.21122	-0.20456	-0.20160	-0.20073	-0.19959	-0.19642
-0.18487	-0.17114	-0.15135	-0.11424			
1.0000	0.57433	0.48424	0.40125	0.36517	0.28047	0.19884
0.11986	0.55458E-01	0.18763E-01	-0.35215E-02	-0.34829E-01	-0.61081E-01	-0.78301E-01
-0.94339E-01	-0.10493	-0.11069	-0.11160	-0.10880	-0.17015	-0.18180
-0.19244	-0.20221	-0.20993	-0.21310	-0.21372	-0.21188	-0.20580
-0.19631	-0.19108	-0.18969	-0.19046	-0.19041	-0.18813	-0.18112
-0.17109	-0.15316	-0.11483				
1.0000	0.59181	0.50076	0.46461	0.37146	0.28181	0.19509
0.12436	0.84063E-01	0.59664E-01	0.25493E-01	-0.30998E-02	-0.21772E-01	-0.39030E-01
-0.51181E-01	-0.58720E-01	-0.60469E-01	-0.57996E-01	-0.13071	-0.14585	-0.15992
-0.17310	-0.18382	-0.18856	-0.19010	-0.18910	-0.18389	-0.17583
-0.17258	-0.17341	-0.17649	-0.17797	-0.17695	-0.17632	-0.17148
-0.15614	-0.11597					
1.0000	0.61372	0.57257	0.46891	0.36927	0.27299	0.19446
0.14972	0.12259	0.84536E-01	0.52610E-01	0.31678E-01	0.12207E-01	-0.22652E-02
-0.12207E-01	-0.15339E-01	-0.13875E-01	-0.99526E-01	-0.11715	-0.13366	-0.14929
-0.16215	-0.16803	-0.17025	-0.16989	-0.16540	-0.15849	-0.15678
-0.15928	-0.16407	-0.16670	-0.16663	-0.17083	-0.16996	-0.15673
-0.11560						
1.0000	0.68527	0.56822	0.45580	0.34733	0.25899	0.20857
0.17780	0.13427	0.97412E-01	0.72877E-01	0.49485E-01	0.31449E-01	0.18160E-01
0.12753E-01	0.12010E-01	-0.88174E-01	-0.10605	-0.12282	-0.13874	-0.15187
-0.15792	-0.16028	-0.16011	-0.15594	-0.14953	-0.14830	-0.15121
-0.15636	-0.15924	-0.15944	-0.16490	-0.16518	-0.15288	-0.11253
1.0000	0.74602	0.61753	0.49381	0.39326	0.33581	0.30052
0.25023	0.20731	0.17835	0.15015	0.12706	0.10839	0.99274E-01
0.94876E-01	-0.24797E-01	-0.44051E-1	-0.62312E-1	-0.79836E-1	-0.94518E-1	-0.10152
-0.10463	-0.10553	-0.10313	-0.99527E-01	-0.10096	-0.10614	-0.11331
-0.11761	-0.11933	-0.13180	-0.13846	-0.13139	-0.95413E-01	
1.0000	0.73852	0.59518	0.47900	0.41260	0.37159	0.31274
0.26218	0.22766	0.19343	0.16507	0.14163	0.12928	0.12176
-0.21248E-1	-0.40579E-1	-0.58923E-1	-0.76538E-1	-0.91306E-01	-0.98362E-01	-0.10151
-0.10247	-0.10017	-0.96727E-01	-0.98314E-01	-0.10362	-0.11090	-0.11528
-0.11708	-0.12995	-0.13697	-0.13019	-0.94454E-01		
1.0000	0.72730	0.59043	0.51224	0.46373	0.39369	0.33318
0.29145	0.24942	0.21427	0.18471	0.16823	0.15671	-0.17158E-01
-0.36578E-1	-0.55018E-1	-0.72736E-1	-0.87604E-1	-0.94721E-1	-0.97920E-1	-0.98952E-1
-0.96759E-01	-0.93500E-01	-0.95259E-01	-0.10071	-0.10812	-0.11259	-0.11450
-0.12781	-0.13524	-0.12880	-0.93349E-01			
1.0000	0.73992	0.64550	0.58670	0.50141	0.42742	0.37595
0.32344	0.27922	0.24152	0.21956	0.20276	-0.13234E-01	-0.32739E-01
-0.51271E-1	-0.69090E-1	-0.84053E-1	-0.91229E-1	-0.94474E-1	-0.95573E-1	-0.93489E-1
-0.90404E-01	-0.92328E-01	-0.97919E-01	-0.10546	-0.11002	-0.11201	-0.12576
-0.13359	-0.12747	-0.92289E-01				
1.0000	0.79796	0.72705	0.62388	0.53417	0.47142	0.40684
0.35225	0.30531	0.27714	0.25437	-0.10452E-01	-0.30018E-01	-0.48616E-01
-0.66505E-1	-0.81536E-1	-0.88754E-1	-0.92032E-1	-0.93177E-1	-0.91172E-1	-0.88209E-1
-0.90250E-01	-0.95941E-01	-0.10357	-0.10819	-0.11025	-0.12431	-0.13242
-0.12653	-0.91537E-01					
1.0000	0.83596	0.71874	0.61673	0.54520	0.47125	0.40866
0.35461	0.32169	0.29435	-0.82424E-02	-0.27857E-01	-0.46506E-01	-0.64451E-01
-0.79536E-1	-0.86787E-1	-0.90092E-1	-0.91274E-1	-0.89330E-1	-0.86466E-1	-0.88600E-1
-0.94369E-01	-0.10207	-0.10674	-0.10885	-0.12315	-0.13149	-0.12578
-0.90940E-01						

```

1.0000      0.79429      0.68256      0.60410      0.52280      0.45392      0.39429
0.35765 0.32674 -0.54082E-02 -0.25084E-01 -0.43800E-01 -0.61817E-01 -0.76971E-01
-0.84264E-1 -0.87603E-1 -0.88833E-1 -0.86968E-1 -0.84229E-1 -0.86483E-1 -0.92354E-1
-0.10014 -0.10488 -0.10706 -0.12167 -0.13029 -0.12482 -0.90175E-01
1.0000      0.80686      0.71533      0.62019      0.53952      0.46945      0.42586
0.38830 0.11069E-2 -0.18711E-1 -0.37579E-01 -0.55762E-01 -0.71075E-01 -0.78466E-01
-0.81882E-1 -0.83222E-1 -0.81539E-1 -0.79089E-1 -0.81617E-1 -0.87721E-1 -0.95714E-1
-0.10060 -0.10294 -0.11827 -0.12754 -0.12261 -0.88415E-01
1.0000      0.84638      0.73470      0.64002      0.55761      0.50582      0.46046
0.86356E-2 -0.11347E-1 -0.30391E-1 -0.48765E-1 -0.64262E-1 -0.71766E-1 -0.75272E-1
-0.76738E-1 -0.75266E-1 -0.73149E-1 -0.75994E-1 -0.82368E-1 -0.90600E-1 -0.95653E-1
-0.98172E-01 -0.11434 -0.12437 -0.12006 -0.86381E-01
1.0000      0.84229      0.73432      0.64026      0.58078      0.52811      0.15958E-01
-0.41841E-2 -0.23400E-1 -0.41961E-1 -0.57635E-1 -0.65250E-01 -0.68842E-1 0.70432E-1
-0.69164E-1 -0.67372E-1 -0.70525E-1 -0.77161E-1 -0.85626E-1 -0.90843E-1 -0.93538E-1
-0.11051 -0.12128 -0.11757 -0.84403E-1
1.0000      0.86597      0.75549      0.68520      0.62230      0.26421E-1 0.60514E-02
-0.13409E-1 -0.32236E-1 -0.48166E-1 -0.55937E-1 -0.59655E-1 -0.61421E-1 -0.60445E-1
-0.59116E-1 -0.62710E-1 -0.69721E-1 -0.78518E-1 -0.83971E-1 -0.86916E-1 -0.10505
-0.11687 -0.11403 -0.81576E-1
1.0000      0.88307      0.80031      0.72558      0.35118E-1 0.14810E-1 -0.46155E-02
-0.23433E-1 -0.39381E-1 -0.47189E-1 -0.50966E-1 -0.52862E-1 -0.52151E-1 -0.51239E-1
-0.55168E-1 -0.62413E-1 -0.71386E-1 -0.76972E-1 -0.80096E-1 -0.98998E-1 -0.11158
-0.10952 -0.78100E-1
1.0000      0.93311      0.84426      0.43163E-1 0.23145E-1 0.39745E-02 -0.14621E-1
-0.30405E-1 -0.38161E-1 -0.41954E-1 -0.43954E-1 -0.43508E-1 -0.43012E-1 -0.47221E-1
-0.54611E-1 -0.63653E-1 -0.69305E-1 -0.72568E-1 -0.92002E-1 -0.10518 -0.10390
-0.73841E-1
1.0000      0.94712      0.51272E-1 0.31414E-1 0.12374E-1 -0.61189E-02 -0.21840E-01
-0.29593E-1 -0.33424E-1 -0.35539E-1 -0.35348E-1 -0.35254E-1 -0.39762E-1 -0.47339E-1
-0.56504E-1 -0.62255E-1 -0.65673E-1 -0.85745E-1 -0.99587E-1 -0.99055E-1 -0.70142E-1
1.0000      0.62639E-1 0.42879E-1 0.23901E-1 0.54360E-02 -0.10296E-1 -0.18090E-1
-0.21997E-1 -0.24281E-1 -0.24437E-1 -0.24890E-1 -0.29834E-1 -0.37712E-1 -0.47099E-1
-0.53021E-1 -0.56671E-1 -0.77734E-1 -0.92562E-1 -0.93054E-1 -0.65523E-1
1.0000      0.92951      0.80548      0.68123      0.57193      0.51005      0.46520
0.40771 0.32334 0.20774 0.11488 0.49235E-1 0.18376E-02 -0.23636E-1
-0.42014E-1 -0.71828E-1 -0.91069E-1 -0.93030E-1 -0.66010E-1
1.0000      0.88120      0.74598      0.62728      0.56007      0.51118      0.44825
0.35557 0.22852 0.12649 0.54260E-1 0.19969E-02 -0.26316E-1 -0.47130E-1
-0.76874E-1 -0.95599E-1 -0.96873E-1 -0.69427E-1
1.0000      0.83258      0.70162      0.62748      0.57339      0.50348      0.40025
0.25876 0.14527 0.64786E-01 -0.63323E-02 -0.25673E-1 -0.49745E-1 -0.80219E-1
-0.99090E-1 -0.10013 -0.72501E-1
1.0000      0.80313      0.71967      0.65862      0.57946      0.46233      0.30209
0.17387 0.82787E-1 0.16320E-1 -0.20550E-1 -0.49022E-1 -0.81310E-01 -0.10126
-0.10271 -0.75266E-01
1.0000      0.83096      0.76155      0.67134      0.53780      0.35574      0.21061
0.10747 0.31850E-01 -0.10649E-01 -0.44313E-01 -0.79476E-01 -0.10150 -0.10417
-0.77385E-01
1.0000      0.83863      0.74020      0.59456      0.39660      0.23933      0.12760
0.45449E-01 -0.10877E-02 -0.38523E-01 -0.76194E-01 -0.10020 -0.10419 -0.78177E-01
1.0000      0.80353      0.64696      0.43474      0.26668      0.14737      0.59467E-01
0.93590E-02 -0.31439E-01 -0.71664E-01 -0.97775E-01 -0.10326 -0.78196E-01
1.0000      0.73378      0.49835      0.31294      0.18153      0.84502E-01 0.28715E-01
-0.17462E-01 -0.62202E-01 -0.92156E-01 -0.10050 -0.77340E-01
1.0000      0.62900      0.40830      0.25277      0.13773      0.70784E-01 0.13991E-01
-0.40240E-01 -0.78547E-01 -0.93437E-01 -0.74858E-01
1.0000      0.61713      0.40826      0.25459      0.16412      0.85059E-01 0.10507E-01
-0.46352E-01 -0.76799E-01 -0.70339E-01
1.0000      0.62851      0.41904      0.29578      0.18638      0.84466E-01 0.21043E-02
-0.51146E-01 -0.65299E-01
1.0000      0.62807      0.46239      0.31508      0.17986      0.66741E-01 -0.14860E-01
-0.58175E-01
1.0000      0.68125      0.48331      0.30510      0.15354      0.36686E-01 -0.46102E-01
1.0000      0.65159      0.42981      0.24081      0.90591E-01 -0.30869E-01
1.0000      0.61349      0.36921      0.17176 -0.42936E-02
1.0000      0.57045      0.30184      0.44077E-01
1.0000      0.51785      0.13033
1.0000      0.29880
1.0000
end

```

[illegible]

[illegible]

Distribution

1	MS1146	Ken Reil, 1384 (electronic copy)
1	MS1146	Pat Griffin, 1384 (electronic copy)
1	MS1146	Phil Cooper, 1384 (electronic copy)
1	MS1146	Russell DePriest, 1384 (electronic copy)
1	MS1146	Gary Harms, 1384 (electronic copy)
1	MS1146	Brian Hehr, 1384 (electronic copy)
1	MS1146	Don King, 1384 (electronic copy)
1	MS1146	Mike Luker, 1384 (electronic copy)
1	MS1146	Allison Miller, 1384 (electronic copy)
20	MS1146	Ed Parma, 1384
1	MS1146	Tom Quirk, 1384 (electronic copy)
1	MS1146	David Vehar, 1384 (electronic copy)
1	MS1142	Matt Burger, 1381 (electronic copy)
1	MS1142	Dave Clovis, 1381 (electronic copy)
1	MS1142	Joshua Emmer, 1381 (electronic copy)
1	MS1142	Joe Greenburg, 1381 (electronic copy)
1	MS1142	Krista Kaiser, 1381 (electronic copy)
1	MS1142	Jim Klein, 1381 (electronic copy)
1	MS1142	Lance Lippert, 1381 (electronic copy)
1	MS1142	Lonnie Martin, 1381 (electronic copy)
1	MS1141	Ron Knief, 1382 (electronic copy)
1	MS1143	Norm Schwerts, 1383 (electronic copy)
1	MS1141	Shivi Singh, 1383 (electronic copy)
1	MS1141	Peter Subaiya, 1383 (electronic copy)
1	MS1141	Patrick Snouffer, 1385 (electronic copy)
1	MS1159	Kyle McDonald, 1344 (electronic copy)
1	MS1136	Tommy Holschuh, 6221 (electronic copy)
1	MS1136	Billy Martin, 6221 (electronic copy)
1	MS1143	Gerald Naranjo, 6221 (electronic copy)
1	MS1136	Curtis Peters, 6221 (electronic copy)
1	MS0899	Technical Library, 9536 (electronic copy)

