

*Exceptional service in the national interest*



# Technical Meeting on SHI Software Engineering at the IDC


## Views Event History Storyboards

17-19 June 2015


# Overview

- The Analyst would use this display to view how the event hypotheses for an event changed over time as the event went through the different processing stages.
- This storyboard can be reached when analyzing an event hypothesis and wanting to see what it looked like at an earlier stage – i.e. Refines Event.
- This storyboard can also be reached by Selecting Data for Analysis
- This storyboard can be used by an Analyst and a Researcher to see the different solutions.

# Views Event History Use Case



# Views Event History Use Case



- 1 Displays list of events
- 2 Selects event for review
- 3 Display event history
- 4 Selects event hypothesis to review
- 5 Display event hypothesis
- 6 Select to compare event hypotheses
- 7 Display hypotheses comparison

# User Action: Selects event to review

Events Filters Beams\* Location Magnitude Compare with Past Events

Events to Work

| id   | lat  | lon  | depth | time                   | mag  | region [descriptor] | worked by | stage | active analyst | EQM  | conflict |
|------|------|------|-------|------------------------|------|---------------------|-----------|-------|----------------|------|----------|
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## | X        |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## | X        |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |

This event list is populated when the Analyst 'Selects Data for Analysis' (described in the Analyzes Events storyboards)

Reviewed Events

| id   | lat  | lon  | depth | time                   | mag  | region [descriptor] | worked by | stage | active analyst | EQM  | conflict | complete [] |
|------|------|------|-------|------------------------|------|---------------------|-----------|-------|----------------|------|----------|-------------|
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |             |
| #### | #### | #### | ####  | ##/##/#### ##.##.##.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## | ✓        |             |

Comments

fward 01/19/2013, 14:12:00

auto\_post\_al1 1 01/18/2012 04:58:12 AUTO\_POST\_AL1-1  
Associated signal detections for late-arriving data. Set as non-defining.

cjyoung 01/18/2012 05:02:02 AL1-2  
Improving location by adding late-arriving data

Analysis Time Interval: ##/##/#### ##.##.##.## - ##/##/#### ##.##.##.##

1

Displays list of events

# User Action: Selects event to review

Events Filters Beams\* Location Magnitude Compare with Past Events

Events to Work

| id   | lat  | lon  | depth | time                 | mag  | region [descriptor] | worked by | stage | active analyst | EQM  | conflict |
|------|------|------|-------|----------------------|------|---------------------|-----------|-------|----------------|------|----------|
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## | X        |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## | X        |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |

Reviewed Events

| id   | lat  | lon  | depth | time                 | mag  | region [descriptor] | worked by | stage | active analyst | EQM  | conflict | complete [] |
|------|------|------|-------|----------------------|------|---------------------|-----------|-------|----------------|------|----------|-------------|
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXXX      | XXXX  | XXXX           | #.## |          |             |
| #### | #### | #### | ####  | ##/##/#### #:##:#.## | #### | XXXX                | XXX       | XXXX  | XXXX           | #.## | ✓        |             |

Comments

fward 01/19/2013, 14:12:00

The Analyst can pick an event to review the event history by double clicking on the row, or using a drop down menu

auto\_post\_all 1 01/18/2012 04:58:12 AUTO\_POST\_AL1-1  
 Associated signal detections for late-arriving data. Set as non-defining.

cjyoung 01/18/2012 05:02:02 AL1-2  
 Improving location by adding late-arriving data

Analysis Time Interval: ##/##/#### #:##:#.## - ##/##/#### #:##:#.##

2

Selects event to review



# System Action: Display event history

| Event History |     |      |      |       |                        |       |      |      |                   |     |     |      |      |           |       |         |
|---------------|-----|------|------|-------|------------------------|-------|------|------|-------------------|-----|-----|------|------|-----------|-------|---------|
| id            | ver | lat  | lon  | depth | origin time            | dtype | mb   | ms   | region (detailed) |     |     | nsta | nass | ndp       | stage | analyst |
|               |     |      |      |       |                        |       |      |      | ##                | ##  | ##  |      |      |           |       |         |
| + 1234        | 16  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | Final     |       |         |
| + 1234        | 15  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | Post EVAL |       |         |
| + 1234        | 14  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | EVAL      | jane  |         |
| + 1234        | 13  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | EVAL      | jane  |         |
| + 1234        | 12  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | EVAL      | jane  |         |
| + 1234        | 11  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | Post AL2  |       |         |
| + 1234        | 10  | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL2       | jones |         |
| + 1234        | 9   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL2       | jones |         |
| + 1234        | 8   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL2       | jones |         |
| + 1234        | 7   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | PostAL1   |       |         |
| + 1234        | 6   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL1       | smith |         |
| + 1234        | 5   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL1       | smith |         |
| + 1234        | 4   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL1       | smith |         |
| + 1234        | 3   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL1       | smith |         |
| + 1234        | 2   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | AL1       | smith |         |
| + 1234        | 1   | #### | #### | ####  | ##/##/#### ##.##.##.## | X     | #.## | #.## | XXXX XXXX XXXX    | ### | ### | ###  | ###  | Auto      |       |         |

## 3 Display event history

Click on + to  
expand and see  
all location  
solutions

Show as both a list and a tree;  
show post-analysis processing





Map displays the different event hypothesis locations.

# System Action: Display event history

### 3 Display event history

This example shows an event that was copied by AL1 to make a new event. Note that the ID changes in the table and the parent ID is in red text



The copy done by AL1 is highlighted with a different color

# System Action: Display event history



## Event History

| id     | ver | lat  | lon  | depth | origin time            | dtype | mb | ms | region (detailed) |    |                | nsta | nass | ndp | stage    | analyst |
|--------|-----|------|------|-------|------------------------|-------|----|----|-------------------|----|----------------|------|------|-----|----------|---------|
|        |     |      |      |       |                        |       |    |    | ##                | #. | XXXX XXXX XXXX |      |      |     |          |         |
| + 1234 | 3   | #### | #### | ####  | ##/##/#### ##:##:##,## | X     | #  | #. | XXXX XXXX XXXX    | ## | ##             | ##   | ##   | ##  | Rejected |         |
| + 1234 | 2   | #### | #### | ####  | ##/##/#### ##:##:##,## | X     | #. | #. | XXXX XXXX XXXX    | ## | ##             | ##   | ##   | ##  | AL1      |         |
| + 1234 | 1   | #### | #### | ####  | ##/##/#### ##:##:##,## | X     | #. | #. | XXXX XXXX XXXX    | ## | ##             | ##   | ##   | ##  | Auto     |         |

Compare

3

Display event history




This example shows an event that was rejected during analysis.

# System Action: Display event history

| Event History |     |      |      |       |                      |       |      |      |                   |      |      |     |           |         |  |
|---------------|-----|------|------|-------|----------------------|-------|------|------|-------------------|------|------|-----|-----------|---------|--|
| id            | ver | lat  | lon  | depth | origin time          | dtype | mb   | ms   | region (detailed) | nsta | nass | ndp | stage     | analyst |  |
| + 1234        | 16  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | Final     |         |  |
| + 1234        | 15  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | Post EVAL |         |  |
| + 1234        | 14  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | EVAL      | jane    |  |
| + 1234        | 13  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | EVAL      | jane    |  |
| + 1234        | 12  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | EVAL      | jane    |  |
| + 1234        | 11  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | Post AL2  |         |  |
| + 1234        | 10  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL2       | jones   |  |
| + 1234        | 9   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL2       | jones   |  |
| + 1234        | 8   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL2       | jones   |  |
| + 1234        | 7   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | Post AL1  |         |  |
| + 1234        | 6   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL1       | smith   |  |
| + 1234        | 5   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL1       | smith   |  |
| + 1234        | 4   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL1       | smith   |  |
| + 1234        | 3   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL1       | smith   |  |
| + 1234        | 2   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | AL1       | smith   |  |
| + 1234        | 1   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. # | #. # | XXXX XXXX XXXX    | ###  | ###  | ### | Auto      |         |  |


4 Selects event hypothesis to review



To look at the details for a single hypothesis, 1) double click on the selected event/row, 2) click on the hypothesis in the tree, or 3) click on a location on the map

The Analyst fix the bounds on the map so that the focus does not change when choosing different event hypotheses.

# System Action: Display event hypothesis




## 5 Display event hypothesis

Waveforms from the different stations for the selected hypothesis. Highlighting a waveform will highlight a row in the table

Signal detection list  
for the selected  
hypothesis.  
Highlighting a row in  
the table will  
highlight the signal  
detection.

Everything  
displayed here is  
read-only

# System Action: Display event hypothesis



5


Display event hypothesis

The map is zoomed in to the location of the event hypothesis.

# System Action: Display event history

| Event History |     |      |      |       |                      |       |    |    |                   |      |      |     |          |         |
|---------------|-----|------|------|-------|----------------------|-------|----|----|-------------------|------|------|-----|----------|---------|
| id            | ver | lat  | lon  | depth | origin time          | dtype | mb | ms | region (detailed) | nsta | nass | ndp | stage    | analyst |
| + 1234        | 16  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | Final    |         |
| + 1234        | 15  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | Post     |         |
| + 1234        | 14  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | E        |         |
| + 1234        | 13  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | EVAL     | jane    |
| + 1234        | 12  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | EVAL     | jane    |
| + 1234        | 11  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | Post AL2 |         |
| + 1234        | 10  | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL2      | jane    |
| + 1234        | 9   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL2      | jones   |
| + 1234        | 8   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL2      | jones   |
| + 1234        | 7   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | PostAL1  |         |
| + 1234        | 6   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL1      | smith   |
| + 1234        | 5   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL1      | smith   |
| + 1234        | 4   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL1      | smith   |
| + 1234        | 3   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL1      | smith   |
| + 1234        | 2   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | AL1      | smith   |
| + 1234        | 1   | #### | #### | ####  | ##/##/## ##.##.##.## | X     | #. | #. | XXXX XXXX XXXX    | ###  | ###  | ### | Auto     |         |

6 Select to compare event hypotheses




To compare two event hypotheses, select two rows in the table or two events in the tree and click on the "Compare" button

The map will show locations over time and can be configured to show the version numbers

## System Action: Display event hypotheses comparison

7

## Display hypotheses comparison




Waveforms and the signal detection list for the two different hypotheses come up side by side (default). Choose a waveform or line in the signal detection list and the waveforms and information in the signal detection list are highlighted for both event hypotheses

Click to show  
the waveforms  
overlaid in one  
window –  
“ghosting”

# System Action: Display event hypotheses comparison

Event History



7

Display hypotheses comparison


Waveforms from the two hypotheses are overlaid in the same display (“ghosting”). The waveforms are color-coded by event hypothesis

Click to show the waveforms combined in one window

The information for the two hypotheses are interleaved in the Signal Detection List. The rows are color-coded by event hypothesis

# System Action: Display event hypotheses comparison

## Event History




7

Display hypotheses comparison

Waveforms from the two hypotheses are shown combined on the same display

Side by Side           


Click to show the waveforms side by side



The information for the two hypotheses are interleaved in the Signal Detection List. The rows are color-coded by event hypothesis

# System Action: Display event hypothesis

Event History



7

Display hypotheses  
comparison

The map is zoomed in to the location of both the event hypotheses.