

LA-UR-16-28505

Approved for public release; distribution is unlimited.

Title: Nondestructive Analysis of MET-5 Paint Can at TA35 Building 2 A-Wing Vault.

Author(s): Desimone, David J.
Vo, Duc Ta

Intended for: Report

Issued: 2016-11-03

Disclaimer:

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the Los Alamos National Security, LLC for the National Nuclear Security Administration of the U.S. Department of Energy under contract DE-AC52-06NA25396. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

In Building 2 A-wing vault MET-5 has some drums and other packages they wanted NEN-1 help identifying nondestructively.

Measurements using a mechanically cooled portable high purity germanium HPGe Ortec detective were taken of a paint can container labeled DU-2A to determine if any radioactive material was inside. The HPGe detector measures the gamma rays emitted by radioactive material and displays it as a spectrum. The spectrum is used to identify this radioactive material by using appropriate analysis software and identifying the gamma ray peaks.

A paint can container, DU-2A, was analyzed with PeakEasy 4.84 and FRAM 5.2. The FRAM report is shown below. The enrichment is 0.091% U235 and 99.907% U238. This material is depleted uranium. The measurement was performed in the near field and to extract a mass a far field measurement will need to be taken.

PC FRAM (5.2) Isotopic Analysis 19-Oct-2016 09:00:03

(Fixed energy Response function Analysis with Multiple efficiencies)

Operator ID:

spectrum source: C:\Hold_up\A-Wing\018 IDENT 2016-10-06 12.21.59.Chn

spectrum date: 06-Oct-2016 12:22:00

live time: 155 s

true time: 158 s

num channels: 8192

parameter set: u_detective_120-1010 (2016.10.19 08:59)

U235 < 80%, 0.366 keV/ch, Detective

Empirical Efficiency, Gain 0.366 keV/ch, Offset 0 keV

results file: C:\FRAMdata\Results\018 IDENT 2016-10-06 12.res

comment:

***Failed to calculate tail - will use defaults.

at 185.715 keV, centroid = 508.972 [505.900 < ? < 508.900]

at 1001.030 keV, centroid = 2746.000 [2731.000 < ? < 2739.000]

at 185.715 keV, low E tail %(meas-fit)/area = 7.104 +- 4.984 [? < 0.500]

at 185.715 keV, high E tail %(meas-fit)/area = 6.623 +- 4.962 [? < 0.400]

(By Corr)

	U234	U235	U236	U238
mass%	< .0001	0.0915	0.0007	99.9077
sigma	0.0013	0.0339	0.0003	0.0340
%RSD	>99.99%	37.08%	34.94%	0.03%

%TotPwr 1.42 0.54 0.12 97.66

Specific Power (W/gU): (0.0102 +/- 0.0024)e-006 (23.06%)

Relative mass (Th228 / U): 1.416e-013 (90.04%)
