

Fluid, Classic, and Mobile...Oh My!

Session ID: 109430

Creating a consistent User Experience for your PeopleSoft Applications.

Prepared by:

Michael Marthe



#C16LV



Agenda

- Our 9.2 Upgrade at SNL
 - Focus and Direction
 - Tools Utilized
 - Before/After
- Tools: Technical Insight
 - Branding the Header
 - Workcenter and Pagelet Creation
 - Web Development Tools
 - Freeform Stylesheets
 - Managing Fluid Homepages
- Next Steps
- Conclusion and Q&A



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY





The 9.2 Upgrade – Focus and Direction

Goals

- Consistency
- Modernization
- Re-order Navigation
- Simplification

Decisions

- Classic pages that mimic Fluid
- Implement delivered Fluid as we understand it more

Concerns


- Fluid vs. Classic
- Customizations needed
- Learning curve for new Functionalities



The 9.2 Upgrade – Tools Utilized



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Pre-Upgrade Homepage



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



[Home](#)

[Worklist](#)

[MultiChannel Console](#)

[Add to Favorites](#)

[Sign out](#)

[Personalize Content](#) | [Layout](#)

Menu

- ▶ My Favorites
- ▶ HR Self Service
- ▶ Manager Self Service
- ▶ Enterprise Person
- ▶ Sandia Directory
- ▶ Personnel Actions
- ▶ Recruiting
- ▶ Workforce Administration
- ▶ Benefits
- ▶ Compensation
- ▶ Time and Labor
- ▶ Payroll for North America
- ▶ Global Payroll & Absence Mgmt
- ▶ Workforce Development
- ▶ Organizational Development
- ▶ Enterprise Learning
- ▶ Workforce Monitoring
- ▶ Pension
- ▶ HRMS
- ▶ Financial Aid
- ▶ Student Financials
- ▶ Set Up HRMS
- ▶ Set Up SACR
- ▶ Enterprise Components
- ▶ Worklist
- ▶ Application Diagnostics
- ▶ Tree Manager
- ▶ Reporting Tools
- ▶ PeopleTools
- ▶ Grey Heller PeopleMobile
- [CAREERS](#)
- [Change My Password](#)
- [My Personalizations](#)
- [My System Profile](#)
- [My Dictionary](#)



Post-Upgrade Homepage



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Time 	Timesheet Approvals 	Pay & Taxes
Benefits & Retirement 	Careers & Hiring 	Personal Information
People, Worklist & Delegation 	ePMF 	Learning & Development
HR Queries 	Compensation 	

Menu

- ▷ My Favorites
- ▷ HR Self Service
- ▽ Manager Self Service
 - ▷ Time Management
 - ▷ Manage Schedules
 - ▷ Approve Time and Exceptions
 - Reported Time**
 - Payable Time
 - Exceptions
 - Overtime Requests
 - Absence Requests
 - ▷ Report Time
 - ▷ View Time
 - Manager Search Options
 - TL Count Definitions
 - Leave Balances
 - ▷ Job and Personal Information
 - ▷ Compensation and Stock
 - ▷ Learning and Development
 - ▷ Performance Management
 - Spot Award
 - Administrator of Record
 - Work Stoppage Management
 - ▷ Enterprise Person
 - ▷ Sandia Directory
 - ▷ Personnel Actions
 - ▷ Recruiting
 - ▷ Workforce Administration
 - ▷ Benefits
 - ▷ Compensation
 - ▷ Time and Labor
 - ▷ Payroll for North America
 - ▷ Global Payroll & Absence Mgmt
 - ▷ Workforce Development
 - ▷ Organizational Development
 - ▷ Enterprise Learning
 - ▷ Workforce Monitoring
 - ▷ Pension
 - ▷ HRMS
 - ▷ Financial Aid
 - ▷ Student Financials
 - ▷ Set Up HRMS
 - ▷ Set Up SACR
 - ▷ Enterprise Components
 - ▷ Worklist
 - ▷ Application Diagnostics
 - ▷ Tree Manager
 - ▷ Reporting Tools
 - ▷ PeopleTools
 - ▷ Grey Heller PeopleMobile
 - Careers
 - Change My Password
 - My Personalizations

Approve Reported Time

Timesheet Summary

Employee Selection Criteria

Description	Value
Empl ID	<input type="text"/>
Supervisor ID	<input type="text"/>
Organization	12345

Total Employees	13
Complete Not Approved Timesheets:	0
Incomplete Timesheets:	13
Approved Timesheets:	0

[Definitions](#)

[Hide Detail](#)

Use TRC 231 (if eligible) to charge Holidays occurring this week: Friday, Dec 25, Monday, Dec 28, Tuesday, Dec 29, Wednesday, Dec 30, Thursday, Dec 31, Friday, Jan 1

View By: Week
 Begin Date: 12/25/2015

 [<< Previous Week](#)
 [Next Week >>](#)

Employees For Michael Marthe, Time Needing Approval From 12/25/2015 - 12/31/2015					Personalize	Find	First	1-13	Last
Select	Name	Hours to be Approved	Reported Hours	Scheduled Hours			of 13		
<input type="checkbox"/>	Tony Stark	0.00	0.00	44.00					
<input type="checkbox"/>	Steven Rogers	0.00	0.00	20.00					
<input type="checkbox"/>	Bruce Banner	0.00	0.00	40.00					
<input type="checkbox"/>	Thor	0.00	0.00	36.00					
<input type="checkbox"/>	Peter Parker	0.00	0.00	40.00					
<input type="checkbox"/>	Scarlett Johansson	0.00	0.00	44.00					

- Navigation**
- Timesheet
 - Timesheet Approvals
 - Timesheet Review
 - Request Schedule Change
 - Approve Schedule Change
 - My Leave Balances
 - Employee Leave Balances

Approval Statistics

Total Employees: 11
 Complete Not Approved: 1
 Incomplete: 10
 Approved: 0
 Count Definitions

Approval Req to Pay 1

Outstanding Approvals

Select	Begin Date	Employees
<input type="checkbox"/>	02/05/2016	11
<input type="checkbox"/>	01/29/2016	11
		11

My Notes

- Approvals are down for Processing
- MP is negative on Vacation
- LG is negative on Vacation
- YP is low on Vacation
- Their current balance is 35.2
- CO is low on Vacation

Approve Reported Time
Timesheet Approvals

▼ Search For Employees

Employee Selection Criteria	
Selection Criterion	Selection Criterion Value
Employee ID	<input type="text"/>
Supervisor ID	8675309
Organization	<input type="text"/>

Change View

Begin Date: 12/18/2015

Employees For Michael Marthe, Time Needing Approval From 12/18/2015 - 12/24/2015 1-11 of 11

Time Summary


Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours						
<input type="checkbox"/>	Ren	Kylo	2015	41.00	41.00	36.00						
	Description	Project/Task	Proj Type	TRC	Fri 12/18	Sat 12/19	Sun 12/20	Mon 12/21	Tue 12/22	Wed 12/23	Thu 12/24	Total
	ENTERPRISE BUSINESS SUPPORT Deathstar Reconstruct	222	INDIRECT	REG	0	0	0	9	9	9	9	36
<input checked="" type="checkbox"/>	Radar Tech Hi I'm matt	111	INDIRECT	PAGER	1	0	0	1	1	1	1	5
Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours						
<input type="checkbox"/>	Jordan	M	23	0.00	0.00	30.00						
<input type="checkbox"/>	Vader	D	1981	0.00	0.00	44.00						
<input type="checkbox"/>	Jenny	Wyn	8675309	0.00	0.00	44.00						
<input type="checkbox"/>	Zep	Led	12345	0.00	0.00	36.00						

- Menu**
- ▶ My Favorites
 - ▶ HR Self Service
 - ▼ Manager Self Service
 - ▼ Time Management
 - ▶ Manage Schedules
 - ▼ Approve Time and Exceptions
 - Reported Time**
 - Payable Time
 - Exceptions
 - Overtime Requests
 - Absence Requests
 - ▶ Report Time
 - ▶ View Time
 - Manager Search Options
 - TL Count Definitions
 - Leave Balances
 - ▶ Job and Personal Information
 - ▶ Compensation and Stock
 - ▶ Learning and Development
 - ▶ Performance Management
 - Spot Award
 - Administrator of Record
 - Work Stoppage Management
 - ▶ Enterprise Person
 - ▶ Sandia Directory
 - ▶ Personnel Actions
 - ▶ Recruiting
 - ▶ Workforce Administration
 - ▶ Benefits
 - ▶ Compensation
 - ▶ Time and Labor
 - ▶ Payroll for North America
 - ▶ Global Payroll & Absence Mgmt
 - ▶ Workforce Development
 - ▶ Organizational Development
 - ▶ Enterprise Learning
 - ▶ Workforce Monitoring
 - ▶ Pension
 - ▶ HRMS
 - ▶ Financial Aid
 - ▶ Student Financials
 - ▶ Set Up HRMS
 - ▶ Set Up SACR
 - ▶ Enterprise Components
 - ▶ Worklist
 - ▶ Application Diagnostics
 - ▶ Tree Manager
 - ▶ Reporting Tools
 - ▶ PeopleTools
 - ▶ Grey Heller PeopleMobile
 - Careers
 - Change My Password
 - My Personalizations
 - My System Profile
 - My Dictionary

Timesheet

Employee ID: 123456

Job Title: Software Systems Engi PP

 [Select for Instructions](#)

Last Updated: 0:00 AM
Schedule: Exempt 9/80 Schedule A [View Monthly Schedule](#)

Begin Date: 10/16/2015   [<< Previous Week](#) [Next Week >>](#)


In order to continue to provide excellent customer service, payroll, along with various business partners, has developed a list of Frequently Asked Questions. These questions are the most common questions we receive on the helpline and we encourage you to use the new tool and provide feedback if you feel something is missing.
[Please use the following FAQ Link](#)

Reported Hours: 0.00 Scheduled Hours: 44.00

Projects/Tasks		Fri 10/16	Sat 10/17	Sun 10/18	Mon 10/19	Tue 10/20	Wed 10/21	Thu 10/22	Total
REG - Regular Earnings	Time and Labor 5	11.02	02.02						
REG - Regular Earnings	Payroll								

Daily Totals:

 [Reported Time Status - select to hide](#)

Select	Date	Status	Total	Time Reporting Code	Comments
<input type="checkbox"/>			0.00		

[Select All](#) [Deselect All](#)

[Manager Self Service](#)

[Time Management](#)

[Return to Approval List](#)



Tools: Headers

Using Header branding tools, web development tools, and stylesheets, you can create a unique and customized header.

Define Headers and Footers
Navigation Path

PeopleTools > Portal > Branding >
Define Headers and Footers

Web Dev tool of choice:

- Chrome Developer Tools

Tip: DEFAULT_HEADER_TANGERINE_ALT
is very similar to the Fluid Header





Define Headers and Footers

Define a header or footer to be used in branding theme definitions.

Name DEFAULT_HEADER_TANGERINE

Save

Type Header

*Description Default Header - Tangerine

Save As

Description PeopleTools default header for the tangerine style theme type.

Owner ID PPT PeopleTools

Preview

DEFAULT_HEADER_TANGERINE Add Child

Element Properties

ID DEFAULT_HEADER_TANGERINE

Type Root Element

Style

Parent DEFAULT_HEADER_TANGERINE

Order 01 - First

Notes

Additional Options

- [ptdropdownmenu]
- pthdr2container
 - [pthdr2logoswan]
 - [ptgreetingmessage]
 - [ptsearchbox]
 - pthdr2syslinks
 - [pthdr2home]
 - [pthdr2wl]
 - [pthdr2ctimcf]
 - [pthdr2ppm]
 - [pthdr2atf]
 - [pthdr2logout]
 - [pthomepagetabline]
 - pthdr2perslinks
 - [ptdashboardlabel]
 - [ptpersonalizetablinks]
 - [ptmodifytablinks]
 - [ptabhelpink]
 - [ptjquery1_6_2]
 - [ptjqueryui1_8_17]
 - [ptprcsusernotifycss]
 - [ptprcsusernotifys]


Style Definitions

```
#pthdr2container.pthdr2container {white-space:nowrap;}
#pthdr2container.pthdr2container .greeting {display:inline-block; margin:0 1em; vertical-align:super;}
#ptsearchbox.ptsearchbox {display:inline-block; margin-top:1.3em; margin-%AlignStart:100px;}
#ntsearchbox.ptsearchbox #inthr2linksabl /margin:0 3
```

The structure seen on the Headers Component corresponds directly to the HTML element structure that will be rendered in the DOM (Data Object Model)



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



DEFAULT HEADER TANGERINE

- [ptdropdownmenu]
- pthdr2container
 - [pthdr2logoswan]
 - [ptgreetingmessage]
 - [ptsearchbox]
 - pthdr2syslinks
 - [pthdr2home]
 - [pthdr2wl]
 - [pthdr2ctimcf]
 - [pthdr2ppm]
 - [pthdr2atf]
 - [pthdr2logout]
 - [pthomepagetabline]
- pthdr2perslinks
 - [ptdashboardlabel]
 - [ptpersonalizetablinks]
 - [ptmodifytablinks]
 - [pttabhelpink]
- [ptjquery1_6_2]
- [ptjqueryui1_8_17]
- [ptprcsusernotifcss]
- [ptprcsusernotifjs]

```
<header id="ptbr_header_container" role="banner" aria-label="Un:
  <div id="DEFAULT HEADER TANGERINE" class>
    <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
    <div id="pthdr2container" class="pthdr2container">
      <div id="pthdr2logoswan" class">&nbsp;</div>
      <div id="ptsearchbox" class="ptsearchbox">...</div>
      <div id="pthdr2syslinks" class="pthdr2syslinks">
        <a id="pthdr2home" class="PSHYPERLINK" title="Home" targ
          (ptIframeHdr) {return ptIframeHdr.hdrLinkClicked(this);}
        <div class="pthdr2sep">...</div>
        <a id="pthdr2wl" class="PSHYPERLINK" title="Worklist" ta
          'undefined') && (ptIframeHdr) {return ptIframeHdr.hdrLink
        <div class="pthdr2sep">...</div>
        <a id="pthdr2ctimcf" class="PSHYPERLINK" title="MultiCha
        <div class="pthdr2sep">...</div>
        <a id="pthdr2atf" class="PSHYPERLINK" title="Add to Favo
          (ptIframeHdr) {return ptIframeHdr.hdrLinkClicked(this);}
        <div class="pthdr2sep">...</div>
        <a id="pthdr2logout" class="PSHYPERLINK" title="Sign out
          ptIframeHdr.hdrLinkClicked(this);} else {saveWarning("", n
        </div>
      </div>
    </div>
  </div>
```

By Inspecting Elements within the DOM, you can identify which Stylesheets that PeopleTools is using to Stylize that specific element...

In this instance, the header background-color comes in the DEFAULT_THEME_TANGERINE stylesheet



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



The screenshot shows a web browser's developer tools interface. The left pane displays the DOM tree with the following structure:

```
<div class="ptprtlcontainer">
  <header id="ptbr_header_container" role="banner" aria-label="Universal Navigation Header">
    <div id="DEFAULT_HEADER_TANGERINE" class=>
      <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
      <div id="pthdr2container" class="pthdr2container">
        <div id="pthdr2logoswan" class=>...</div>
        <div id="ptsearchbox" class="ptsearchbox">...</div>
        <div id="pthdr2syslinks" class="pthdr2syslinks">
          <a id="pthdr2home" class="PSHYPERLINK" title="Home" target="_top" href=
            EMPLOYEE/HRMS/c/NUI_FRAMEWORK.PT_LANDINGPAGE.GBL?
            onclick="if ((typeof ptIframeHdr != 'undefined') &&
            (ptIframeHdr)) {return ptIframeHdr.hdrlinkClicked(this);}
            else {saveWarning('', null, '_top', this.href); return
            false;}" proxied="false">...</a>
          <div class="pthdr2sep">...</div>
          <a id="pthdr2w1" class="PSHYPERLINK" title="Worklist"
            target="_top" href="../../EMPLOYEE/HRMS/w/WORKLIST?
            ICAction=ICViewWorklist&Menu=Worklist&Market=GBL&PanelGroup
            Name=WORKLIST" onclick="if ((typeof ptIframeHdr !=
            'undefined') && (ptIframeHdr)) {return
```

The right pane shows the 'Styles' tab with the following CSS rules:

```
element.style {
}
#ptbr_header_container #pthdr2container {
  min-width: inherit;
}
#ptbr_header_container #pthdr2container {
  background-color: rgb(23,54,81);
}
#ptbr_header_container #pthdr2container {
  background-image: url(/cs/psdv3sso/cache/PT_HEADERBG_ALT_1.png);
  border-bottom-width: 0px;
  height: 57px;
  min-width: 850px;
  text-align: center;
}
#pthdr2container.pthdr2container {
  white-space: nowrap;
}
```

The bottom of the screenshot shows the browser's navigation bar with the breadcrumb: Favorites > Main Menu > PeopleTools > Portal > Branding > Define Headers and Footers. The search bar contains 'All Search' and 'Advanced Search'. Navigation links include Home, Worklist, MultiChannel Console, Add to Favorites, and Sign out.

You can manipulate styles locally in your browser to experiment and develop.

For example, here the background color of the header container has been changed. You can take this CSS and apply in the PeopleTools stylesheet definition for it to permanently take effect.



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



```
▼ <div class="ptprtlcontainer">
  ▼ <header id="ptbr_header_container" role="banner" aria-label="
  "Universal Navigation Header">
    ▼ <div id="DEFAULT_HEADER_TANGERINE" class>
      ▶ <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
      ▶ <div id="pthdr2container" class="pthdr2container">...</div>
      <script type="text/javascript"
      ...
      </script>
      <script type="text/javascript"
      ...
      </script>
      <script type="text/javascript"
      ...
      </script>
      <div id="ptasjs" style="display:none;">...</div>
      <div id="otifrm0000p" style="display:none;">...</div>
```

```
element.style {
}
#ptbr_header_container #pthdr2container {
  min-width: inherit;
}
#ptbr_header_container #pthdr2container {
  background-color: rgb(15, 198, 224);
}
#ptbr_header_container #pthdr2container {
  background-image: none;
  border-bottom-width: 0px;
  height: 57px;
  min width: 850px;
  text-align: center;
}
#pthdr2container.pthdr2container {
  white-space: nowrap;
}
```



Developer tools allows you to manipulate the placement of elements and the DOM structure.

For Example, here we have placed the dropdown container below the main header.

```
Elements Console Sources Network Profiles Resources Security
CT.PT_PEOPLETOOLS.PT_PORTAL.PT_BRANDING.PT_PTBR_DEFINE_LAYOUT_GBL%26IS
Folder%3Dfalse%26IgnoreParamTemp1%3DFolderPath%252cIsFolder-->
▶ <head>...</head>
▼ <body class="PSPAGE" id="ptifrmtemplate">
  <div id="ptpopupmask" style="display: none;">&nbsp;&nbsp;&nbsp;</div>
  ▶ <div>...</div>
  ▼ <div>
    ▼ <div class="ptptlcontainer">
      ▼ <header id="ptbr_header_container" role="banner" aria-label="
        Universal Navigation Header">
        ▼ <div id="DEFAULT_HEADER_TANGERINE" class>
          ▶ <div id="pthdr2container" class="pthdr2container">...</div>
          ▶ <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
          <script type="text/javascript"
            <script type="text/javascript" src="https://
```



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY




You can also add and remove elements that you would like in your header.


In this example, we have targeted the Search Box container and can manipulate as we please. In this case, we removed the element from the DOM.



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



```
▼ <div class="ptprtlcontainer">
  ▼ <header id="ptbr_header_container" role="banner" aria-label="Universal Navigation Header">
    ▼ <div id="DEFAULT_HEADER_TANGERINE" class=>
      ▼ <div id="pthdr2container" class="pthdr2container">
        <div id="pthdr2logoswan" class="pthdr2logoswan">   </div>
        ▶ <div id="ptsearchbox" class="ptsearchbox">...</div>
        ▶ <div id="pthdr2syslinks" class="pthdr2syslinks">...</div>
      </div>
      ▶ <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
      <script type="text/javascript">
      </script>
      <script type="text/javascript">
      </script>
      <script type="text/javascript">
      </script>
    </div>
  </div>
</div>
```





No more search box

```
Elements Console Sources Network Profiles Resources Security Audits Timeline

<div class="ptprt1container">
  <header id="ptbr_header_container" role="banner" aria-label="Universal Navigation Header">
    <div id="DEFAULT_HEADER_TANGERINE" class>
      <div id="pthdr2container" class="pthdr2container">
        <div id="pthdr2logoswan" class>&nbsp;</div>
        <div id="pthdr2syslinks" class="pthdr2syslinks">...</div>
      </div>
      <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
      <script type="text/javascript">
      </script>
      <script type="text/javascript">
      </script>
      <script type="text/javascript">
      </script>
    </div>
  </header>
</div>
```

Home | Worklist | MultiChannel Console | Add to Favorites | Sign out

Favorites ▾ Main Menu ▾ > PeopleTools ▾ > Portal ▾ > Branding ▾ > Define Headers and Footers

Next, we would want to replicate this structure in the “Branding Header” page.

In this example, we would change the order of the Header container and dropdown container, and delete the ptsearchbox item to achieve the same structure that we made in the browser.



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



```
▼ <header id="ptbr_header_container" role="banner" aria-label="Universal Navigation Header">
  ▼ <div id="DEFAULT_HEADER_TANGERINE" class>
    ▼ <div id="pthdr2container" class="pthdr2container">
      <div id="pthdr2logoswan" class">&nbsp;</div>
      ...
      ▶ <div id="pthdr2syslinks" class="pthdr2syslinks">...</div>
    </div>
    ▶ <div id="ptdropdownmenu" class="ptdropdownmenu">...</div>
```

► Preview

DEFAULT_HEADER_TANGERINE

- [ptdropdownmenu]
- pthdr2container Add Child Delete
 - [pthdr2logoswan]
 - [ptgreetingmessage]
 - [ptsearchbox]
 - pthdr2syslinks
 - [pthdr2home]
 - [pthdr2wl]
 - [pthdr2ctimcf]
 - [pthdr2ppm]
 - [pthdr2atf]
 - [pthdr2logout]

Element Properties

ID pthdr2container

Type Basic Container

Style pthdr2container

*Parent DEFAULT_HEADER_TANGERINE ▼

*Order 02 - After ptdropdownmenu ▼

Notes

Additional Options

Header Quick-Tips

Changing the Logo



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



1) Manipulate the image in the delivered stylesheet or a custom one

2) Add an icon attribute to the header element. In this case, pthdr2logoswan.

```
/*  
* Logo  
*/  
#pthdr2container #pthdr2logoswan:before {  
  content: url(%Image(P_T_ORACLELOGO_ALT));  
  width: 130px;  
}
```

Additional Options

Specify additional options for the current element.

ID pthdr2logoswan

Type Home Link

Attributes	Find	First	<<	1-6 of 6	>>	Last
Attribute Name	Style Class					
Attribute Type	Static Value					
Attribute Value	<input type="text" value="PSHYPERLINK"/>					
Attribute Name	Label					
*Attribute Type	Static Text					
Static Text	<input type="text"/>					
Attribute Name	Hover Text					
*Attribute Type	Static Text					
Static Text	<input type="text"/>					
Attribute Name	Icon					
*Attribute Type	Image Object					
*Image Object Name	<input type="text" value="SL_HDR_ALTERNATE"/>	Header Image for SNL				
Attribute Name	Icon Style Class					
Attribute Type	Static Value					
Attribute Value	<input type="text"/>					
Attribute Name	Portal Name					
Attribute Type	Static Value					
Attribute Value	<input type="text"/>					

OK

Cancel

Header Quick-Tips

Changing the Logo



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY

The Fluid Header is built using a subpage that is added into Fluid Pages. The Logo for fluid pages is actually driven off of a Record Field on that subpage and the Label Image for that field.

Page: PTNUI_LP_HEADER
Record Field: PTNUI_LP_HEADER.PTNUI_LOGO

A screenshot of the 'Push Button/Hyperlink Properties' dialog box, specifically the 'Label' tab. The dialog is divided into several sections: 'Label Type' with radio buttons for 'Text', 'Image' (selected), and 'Both'; 'Label Size' with radio buttons for 'Small Image', 'Large Image', 'Standard Text', and 'Custom' (selected); 'Alt tag for image' with a dropdown for 'Type' (set to 'RFT Long'), a text field for 'Text' (containing 'Oracle'), a dropdown for 'Label ID' (set to '*** Use Default Label ***'), and a 'Context' field; 'Label Image Format / Size' with radio buttons for 'Scale' (selected) and 'Size', and input fields for 'Width' (113) and 'Height' (55), along with a 'Reset to actual image size' button; 'Label Image' with a dropdown for 'Image ID' (set to 'SL_HDR_ALTERNATE'), input fields for 'Width' (192) and 'Height' (55), a preview image, and dropdowns for 'On Mouse Over' and 'When Disabled'; and 'Label Alignment' with radio buttons for 'Left' (selected), 'Centered', and 'Right'.

Header Quick-Tips Creating Icons

You can easily associate a header element with an icon instead of text.

Home | Worklist | MultiChannel Console | Add to Favorites | Sign out



ID pthdr2home
Type Home Link

Attributes Find First << 1-6 of 6 >> Last

Attribute Name Style Class
Attribute Type Static Value
Attribute Value PSHYPERLINK

Attribute Name Label
*Attribute Type Message Catalog Text
*Message Set Number 95
*Message Number 401
Default Text Home
Home

Attribute Name Hover Text
*Attribute Type Static Text
Static Text

Attribute Name Icon
*Attribute Type Static Image URL
*Static Image URL



ID pthdr2home
Type Home Link

Attributes Find First << 1-6 of 6 >> Last

Attribute Name Style Class
Attribute Type Static Value
Attribute Value PSHYPERLINK

Attribute Name Label
*Attribute Type Static Text
Static Text

Attribute Name Hover Text
*Attribute Type Static Text
Static Text Home

Attribute Name Icon
*Attribute Type Image Object
*Image Object Name PT_HEADER_HOME NUI Home Icon




COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY




Time



Timesheet Approvals



Pay & Taxes




Benefits & Retirement




Careers & Hiring



Personal Information



People, Worklist & Delegation




ePMF



Learning & Development



HR Queries



Compensation





Benefits Summary

To view your benefits as of another date, enter the date and select Go.

02/08/2016

Benefits Summary		
Type of Benefit	Plan Description	Coverage or Participation
Medical	My Health	
Dental	Dental Care Plan	Employee Only
Vision	Vision Care Plan	Employee Only
Life	GTL Primary Life - Taxable	
Long-Term Disability	Long-term Disability Basic	
401(k)	Savings and Income Plan	Before Tax

Header is now consistent!!



But still a different experience...

Software Systems Engi MM



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



- Benefits Summary
- Life Events
- Form 1095-C Consent

Benefits Summary

As Of 02/08/2016

Refresh

Type of Benefit	Plan Description	Coverage or Participation	
Vision	Vision Care Plan	Employee Only	>
Life	GTL Primary Life - Taxable		>
Long-Term Disability	Long-term Disability Basic 50%		>
401(k)	Savings and Income Plan	6% Before Tax	>
Employer Only	SIPC Enhanced Contrib 6% <15yr	Not Contributing	>
401 RothPlan	SIP Roth Savings Plan	Not Contributing	>
FSA Health Care		Waived	
FSA Day Care		Waived	
Vacation Buy	Vacation Purchase	44 Hours Bought	

How can we get users used to this side page concept???

Workcenters!!

Navigation

- Benefits Summary
- Total Rewards Summary
- Dependent Coverage
- Health Reimbursement Account
- Benefits Enrollment
- Pension Estimates
- ACA 1095-C Consent

Links

- Quick Links
- Sandia 401k
 - SSA Benefits Estimator
 - Benefits Resources
 - Life Events

Benefits Summary

To view your benefits as of another date, enter the date and select Go.

02/08/2016

Benefits Summary		
Type of Benefit	Plan Description	Coverage or Participation
Medical	My Health	Employee Only
Dental	Dental Care Plan	Employee Only
Vision	Vision Care Plan	Employee Only
Life	GTL Primary Life - Taxable	
Long-Term Disability	Long-term Disability Basic	
401(k)	Savings and Income Plan	6% Before Tax
Employer Only	SIPC Enhanced Contrib 6% <15yr	Not Contributing
401 RothPlan	SIP Roth Savings Plan	Not Contributing
FSA Health Care		Waived
FSA Day Care		Waived
Vacation Buy	Vacation Purchase	44 Hours Bought



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Workcenters give us a way to navigate, and include valuable information and resources in pagelets...While getting users familiar to the structure.

Self-Service: Navigation






COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY

Reorder Navigation into areas of Function:

- Time
- Pay
- Benefits
- Careers & Hiring
- Personal Info
- Teams, Worklist & Delegation
- Performance
- Compensation

Navigation Collections to organize various content references into areas of Function at a higher level

Pagelet Wizard to give style






Self-Service: Setting up Nav-Collections



Identify menu items to group
and have at it!

PeopleTools > Portal > Portal Utilities
> Navigation Collections

Edit Link

Source Menu Item	
Select the source menu item. To add remote menu item, select the Remote Menu Item. (Unified navigation configuration is required, and only remote menu items from the same portal are allowed.)	
Source Node:	HRMS
Source Portal:	EMPLOYEE
Menu Item:	HC_TL_SS_JOB_SRCH_EE_GBL
Label:	Time
Description: (254 Characters)	Report your time and task details for a day, week, or time period.
	<input checked="" type="checkbox"/> Open in a new window <input type="checkbox"/> Replace Window
Additional Parameters:	<input type="text"/>
	Example: name1=value1&name2=value2
Override Options	
Override Image:	<input type="text" value="SL_SUBMITTIME_SM"/>  submit time nav icon
Override Label:	<input type="text" value="Timesheet"/> 
Override Description: (254 Characters)	<input type="text" value="Report your time and task details for a day, week, or time period."/> 

Don't forget icons!



Self-Service: Styling with Pagelet Wizard




COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



PeopleTools > Portal > Pagelet Wizard

Tip: Step 2 data source is your newly created Nav-Collection



< Previous Next >

Select Data Source

Select the type of data and specify the source which contains the data you want displayed in your pagelet.
Navigation

*Data Type

Description

Navigation Collections are collections of links and folders which can be used for customized navigation. The Navigation Collection data source allows you to display these collections within the context of a pagelet.

Data Source

*Portal Name:

*Collection Name:

Self-Service: Styling with Pagelet Wizard



PeopleTools > Portal > Pagelet Wizard

**Tip: Step 4 select a Custom format.
Step 5 customize your format using XSL.**

Pagelet Wizard Step 5 of 6

1 2 3 4 5 6 < Previous Next >

Specify Display Options

Specify the visual options related to the display format for your pagelet.

Navigation

<p>▼ Custom Options</p> <p>XSL Template: SNL Navigation Pagelets</p> <p>Generate</p> <p>XML <?xml version="1.0"?> <NavCollection Name="ADMN_EMPLOYEE_TIME_AND_L ABOR_W"><Label>Time</Label> <Description>SNL Employee Time and </NavCollection></p> <p>XSL <?xml version="1.0" encoding="UTF-8"?> <!-- Description: This XSL is supplied with the Pagelet Wizard. Designed to work with Navigation Collection self- service pagelets. It will display</p> <p>▼ Additional Text</p>	<p>▼ Pagelet Preview</p> <ul style="list-style-type: none">TimesheetTimesheet ApprovalsTimesheet ReviewRequest Schedule ChangeApprove Schedule ChangeMy Leave BalancesEmployee Leave Balances
--	---

Self-Service: Styling with Pagelet Wizard



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



XSL Example:
Used to style the pagelet XML.
Can add Javascript to manipulate behavior

```
<x:template match="/NavCollection/Contents/NavItem" mode="column">
  <x:param name="rowposition" />
  <td valign="top" height="100%" style="background-color:#f0f0f0; border-
bottom:1px solid #bbb; position: relative;" class="SL_HOVER" onclick="for(var i = 0; i !=
document.getElementsByClassName('SL_HOVER').length; i++)
document.getElementsByClassName('SL_HOVER')[i].className='SL_HOVER';
this.className='SL_HOVER SL_ACTIVE!;">
    <x:attribute name="width"><x:value-of select="$colWidth"
/></x:attribute>
    <script type="text/javascript">
document.getElementsByClassName('SL_HOVER')[0].className='SL_HOVER SL_ACTIVE';
</script>
```

Self-Service: Workcenters



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



PeopleTools > Portal > Workcenter > Manage Workcenter Pages

Create new workcenter. We decided to use an existing menu item that would be the “landing page” of each workcenter

Configure WorkCenter Page

Configure the page layout, and assign pagelets to be displayed with this WorkCenter page.

*WorkCenter Label

Starting Page

This is the starting page of the WorkCenter page. To edit its properties, please go to the Structure and Content page.

Portal Name EMPLOYEE

Menu Item HC_TL_SS_JOB_SRCH_EE_GBL Properties

Time

▼ Page Layout Options

*Layout Template

Layout HTML Object

*Initial Size

▼ Pagelet Groups Find | View All First << 1 of 1 >> Last

Group ID SL_TL_EMP_GRP1 ⊕ ⊖

*Group Label

Display Order Default

Pagelets Find <input type="text" value="L2"/> First << 1-4 of 4 >> Last									
*Pagelet Type	*Pagelet Name	Select Pagelet	Pagelet Label	Display Order	Set Focus	Required	Initially Minimized		
Homepage Pagelet ▼	ADMN_SL_TL_EMPLC	<input type="checkbox"/>	Navigation	<input type="text" value="1"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="⊕"/>	<input type="button" value="⊖"/>
Homepage Pagelet ▼	HC_HCSC_ADHOC_M	<input type="checkbox"/>	Announcements	<input type="text" value="2"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="⊕"/>	<input type="button" value="⊖"/>
Homepage Pagelet ▼	HCHR_PE_EMPL_LEA	<input type="checkbox"/>	Employee Leave Summary	<input type="text" value="3"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="⊕"/>	<input type="button" value="⊖"/>
Homepage Pagelet ▼	EOFSPC_MYLINK_PC	<input type="checkbox"/>	Links	<input type="text" value="4"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="button" value="⊕"/>	<input type="button" value="⊖"/>

Self-Service: Workcenter Example



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



HR SELF SERVICE

Timesheet Approvals <<

Navigation

- Timesheet
- Timesheet Approvals
- Timesheet Review
- Request Schedule Change
- Approve Schedule Change
- My Leave Balances
- Employee Leave Balances

Approval Statistics

Total Employees: 11
 Complete Not Approved: 1
 Incomplete: 10
 Approved: 0

Count Definitions

Approval Req to Pay 1

Outstanding Approvals

Select	Begin Date	Employees
<input type="checkbox"/>	02/05/2016	11
<input type="checkbox"/>	01/29/2016	11

My Notes

- Approvals are down for Processing
- MP is negative on Vacation
- LG is negative on Vacation
- YP is low on Vacation
- Their current balance is 35.2
- CO is low on Vacation

Approve Reported Time
Timesheet Approvals

▼ Search For Employees

Employee Selection Criteria		Get Employees
Selection Criterion	Selection Criterion Value	
Employee ID	<input type="text"/>	Clear Criteria
Supervisor ID	8675309	Save Criteria
Organization	<input type="text"/>	

Change View

Previous Week
Begin Date 12/18/2015
Next Week
Hide Detail

Employees For Michael Marthe, Time Needing Approval From 12/18/2015 - 12/24/2015 1-11 of 11

Time Summary

Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours	
<input type="checkbox"/>	Ren	Kylo	2015	41.00	41.00	36.00	●

Description	Project/Task	Proj Type	TRC	Fri 12/18	Sat 12/19	Sun 12/20	Mon 12/21	Tue 12/22	Wed 12/23	Thu 12/24	Total
ENTERPRISE BUSINESS SUPPORT Deathstar Reconstruct	222	INDIRECT	REG	0	0	0	9	9	9	9	36
Radar Tech Hi I'm matt	111	INDIRECT	PAGER	1	0	0	1	1	1	1	5

Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours
<input type="checkbox"/>	Jordan	M	23	0.00	0.00	30.00
<input type="checkbox"/>	Vader	D	1981	0.00	0.00	44.00
<input type="checkbox"/>	Jenny	Wyn	8675309	0.00	0.00	44.00
<input type="checkbox"/>	Zep	Led	12345	0.00	0.00	36.00

Iframes (pagelets) in the workcenter are not aware of each other. Meaning, one pagelet is not aware of the main components events



HR SELF SERVICE

Timesheet Approvals

Navigation

- Timesheet
- Timesheet Approvals
- Timesheet Review
- Request Schedule Change
- Approve Schedule Change
- My Leave Balances
- Employee Leave Balances

Approval Statistics

Total Employees: 11
Complete Not Approved: 1
Incomplete: 10
Approved: 0

Count Definitions

Approval Req to Pay: 1

Outstanding Approvals

Select	Begin Date	Employees
<input type="checkbox"/>	02/05/2016	11
<input type="checkbox"/>	01/29/2016	11

My Notes

- Approvals are down for Processing
- MP is negative on Vacation
- LG is negative on Vacation
- YP is low on Vacation
- Their current balance is 35.2
- CO is low on Vacation

Approve Reported Time

Timesheet Approvals

Search For Employee

Employee ID:

Supervisor ID: 8675309

Organization:

Change View

Previous Week | Begin Date: 12/18/2015 | Next Week | Hide Detail

Employees For Michael Marthe, Time Needing Approval From 12/18/2015 - 12/24/2015 (1-11 of 11)

Time Summary

Description	Project/Task	Proj Type	TRC	Fri 12/18	Sat 12/19	Sun 12/20	Mon 12/21	Tue 12/22	Wed 12/23	Thu 12/24	Total
ENTERPRISE BUSINESS SUPPORT Deathstar Reconstruct	222	INDIRECT	REG	0	0	0	9	9	9	9	36
Radar Tech Hi'm matt	111	INDIRECT	PAGER	1	0	0	1	1	1	1	5

Select Last Name

Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours
<input type="checkbox"/>	Jordan	M	23	0.00	0.00	30.00
<input type="checkbox"/>	Vader	D	1981	0.00	0.00	44.00
<input type="checkbox"/>	Jenny	Wyn	8675309	0.00	0.00	44.00
<input type="checkbox"/>	Zep	Led	12345	0.00	0.00	36.00

Javascript controlling the class for the page you are currently on

However, custom pagelet that shows approval statistics, is not aware of changes on main approval page.



IWC (Inter Window Communication) Messages create awareness between pages, pagelets, and other browser objects that share the same session.

In order for this to work, an IWC event must be created and you must have a Publisher (which creates the event and message) and a Subscriber (to consume the event and message). Based on an OnChange or OnClick event at the field level, an IWC event can be configured to be triggered.

Based on an OnChange or OnClick event at the field level, an IWC event can be configured to be triggered.

Peopletools > Portal > Inter Window Communication





Identify field that will trigger event. In this case, the date field.

Approval Statistics

Date

Announcements

Employee ID

Supervisor ID

Organization

Get Employees

Clear Criteria

Save Criteria

There were no employees found with Reported Time to approve based upon your selection criteria.

Change View

*View By

Show Schedule Information

Date

Previous Week

Next Week

Find HTML ID by inspecting DOM

```
Resources Audits Console
<input type="text" name="DATE_DAY12" id="DATE_DAY12" tabindex="81" value="02/17/2015" class="PSEDITBOX"
"addchg_win3(this);return doEdits_win3(this,'DMDY/450','N','N','N','N','N','N',0);" onkeyup="if (isPromp
DatePrompt_win3('DATE_DAY12','DATE_DAY12','450',false);return false;">
▶ <a class="PSHYPERLINK" name="DATE_DAY12$prompt" id="DATE_DAY12$prompt" tabindex="82" onfocus="doFocus_wi
DatePrompt_win3('DATE_DAY12','DATE_DAY12$prompt','450',false);">...</a>
```

Create publishing IWC Event

Create suscribing IWC Event to consume

IWC Message Events

Content Reference Message Events

Portal Name EMPLOYEE

Portal Object Name HC_TL_MSS_EE_PRD_GBL4

Event Name:	Message Event Type	Field Event Type	HTML Field Name	Message Data
1 ONCLICK	Pub	Click	TL_OT_WRK_SAVE_CO	TL_OT_WRK_SAVE_CO
2 SL_DATECHA	Pub	Change	DATE_DAY12	DATE_DAY12





Tools: Web Development Tools

- Google Chrome Developer Tools
- Firefox Firebug
- IE Developer Tools

Accessed easily by right-clicking on any page element and selecting “Inspect Element”.

Easy way to identify:

- Page Field names
- Stylesheets being utilized
- HTML and CSS selectors to be used





Tools: Web Development Tools

- Google Chrome Developer Tools
- Firefox Firebug
- IE Developer Tools

Accessed easily by right-clicking on any page element and selecting “Inspect Element”.

Easy way to identify:

- Page Field names
- Stylesheets being utilized
- HTML and CSS selectors to be used





Tools: Web Development Tools

Previous Week

*Date

Next Week

```



```

CSS Class for Date field

Record Field ID for the Next Week Button

Stylesheets applied to the Next Week Button

```

Styles Computed Event Listeners DOM Breakpoints Properties
Filter
element.style {
}
div[id='NEXT_WK_BTN'] span, PSSTYLEDEF TANG_NE 20.css:6672
div[id='PREV_WK_BTN'] span, div[id='MORE_BTN'] span,
div[id='SL_TL_PREF_BTN'] span {
border: 1px solid rgb(230,230,230);
padding: 6px;
border-radius: 5px;
background-color: #337ab7;
border-color: #2e6da4;
}
.PSHYPERLINK, .PSHYPERLINK:link, PSSTYLEDEF TANG_NE 20.css:2782
.PSHYPERLINK:visited, .PSHYPERLINKNOUL:link,
.PSHYPERLINKNOUL:visited, .PSSRCHRESULTSEVENROW:link,
.PSSRCHRESULTSEVENROW:visited, .PSSRCHRESULTSODDROW:link,
.PSSRCHRESULTSODDROW:visited {
border-style: none;
color: #004b91;
font-family: Arial,sans-serif;
font-size: 9pt;
font-style: normal;
font-weight: normal;
line-height: 100%;
text-decoration: none;
}

```



Tools: Web Development Tools



```
<a name="DERIVED_TL_WEEK_NEXT_WK_BTN" id="DERIVED_TL_WEEK_NEXT_WK_BTN" ptlinktgt="pt_peoplecode" tab  
submitAction_win0(document.win0,'DERIVED_TL_WEEK_NEXT_WK_BTN');" class="PSHYPERLINK">Next Week</a>
```

Below are some ways to target Fields or other elements on the page to select in CSS.

CSS Selectors:

ID

Selector

[id="DERIVED_TL_WEEK_NEXT_WK_BTN"]
OR
DERIVED_TL_WEEK_NEXT_WK_BTN

Class
Selector

[class="PSHYPERLINK"]
OR
.PSHYPERLINK

HTML Tag
Selector

a



Tools: Web Development Tools



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY

Previous Week

*Date 02/05/2016 

Next Week

```
<a name="DERIVED_TL_WEEK_NEXT_WK_BTN" id="DERIVED_TL_WEEK_NEXT_WK_BTN" ptlinktgt="pt_peoplecode" tab  
submitAction_win0(document.win0,'DERIVED_TL_WEEK_NEXT_WK_BTN');" class="PSHYPERLINK">Next Week</a>
```

```
a#DERIVED_TL_WEEK_NEXT_WK_BTN {  
    background-color: green;  
    border-color: green;  
}
```



Previous Week

*Date 02/05/2016 

Next Week





Tools: Stylesheets

Create a new freeform stylesheet
in PeopleTools

Add your new CSS

```
a#DERIVED_TL_WEEK_NEXT_WK_BTN {  
    background-color: green;  
    border-color: green;  
}
```

Two ways for new code to take effect

Insert Sub-Stylesheet into an
existing Stylesheet

Add freeform stylesheet to specific
components in Component
Branding



Tools: Stylesheets



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Time and Labor WorkCenter

Main Reports/Processes Others

My Work

Approvals

- Pending Reported Time

Approval Statistics

Date 02/17/2015

Announcements

- Flex/EWW Policy Changes

Welcome

Approve Reported Time

Timesheet Summary

Employee Selection

Employee Selection Criteria	
Selection Criterion	Selection Criterion Value
Employee ID	<input type="text"/>
Supervisor ID	<input type="text"/>
Organization	09549

Get Employees

Clear Criteria

Save Criteria

There were no employees found with Reported Time to approve based upon your selection criteria.

Change View

*View By

Date Previous Week Next Week

Show Schedule Information

Tools: Stylesheets



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



HR SELF SERVICE

Timesheet Approvals <<

Navigation

- [Timesheet](#)
- [Timesheet Approvals](#)
- [Timesheet Review](#)
- [Request Schedule Change](#)
- [Approve Schedule Change](#)
- [My Leave Balances](#)
- [Employee Leave Balances](#)

Approval Statistics

Total Employees: 11
Complete Not Approved: 1
Incomplete: 10
Approved: 0

Count Definitions

Approval Req to Pay 1

Outstanding Approvals

Select	Begin Date	Employees
<input type="checkbox"/>	02/05/2016	11
<input type="checkbox"/>	01/29/2016	11

My Notes

Approvals are down for Processing

MP is negative on Vacation

LG is negative on Vacation

YP is low on Vacation

Their current balance is 35.2

CO is low on Vacation

Approve Reported Time
Timesheet Approvals

▼ Search For Employees

Employee Selection Criteria	
Selection Criterion	Selection Criterion Value
Employee ID	<input type="text"/>
Supervisor ID	8675309
Organization	<input type="text"/>

[Get Employees](#)
[Clear Criteria](#)
[Save Criteria](#)

Change View

[Previous Week](#)
Begin Date: 12/18/2015
Next Week
[Hide Detail](#)

Employees For Michael Marthe, Time Needing Approval From 12/18/2015 - 12/24/2015 1-11 of 11

Time Summary

Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours	
<input type="checkbox"/>	Ren	Kylo	2015	41.00	41.00	36.00	●

Description	Project/Task	Proj Type	TRC	Fri 12/18	Sat 12/19	Sun 12/20	Mon 12/21	Tue 12/22	Wed 12/23	Thu 12/24	Total
ENTERPRISE BUSINESS SUPPORT Deathstar Reconstruct	222	INDIRECT	REG	0	0	0	9	9	9	9	36
Radar Tech Hi I'm matt	111	INDIRECT	PAGER	1	0	0	1	1	1	1	5

Select	Last Name	First Name	Employee ID	Hours to be Approved	Reported Hours	Scheduled Hours
<input type="checkbox"/>	Jordan	M	23	0.00	0.00	30.00
<input type="checkbox"/>	Vader	D	1981	0.00	0.00	44.00
<input type="checkbox"/>	Jenny	Wyn	8675309	0.00	0.00	44.00
<input type="checkbox"/>	Zep	Led	12345	0.00	0.00	36.00

REMINDER: Check in on the COLLABORATE Mobile App

44

Tools: Component Branding



Component Branding

Specify additional style sheet objects and JavaScript objects.

Component Name TL_MSS_EE_SRCH_PRD

Component Properties

This component does not have any additional style sheets or JavaScript objects defined in PeopleSoft Application Designer on the Component Properties - Style tab.

Custom Properties

Custom Style Sheet objects

Select a row in the grid and then use the Move Up or Move Down buttons to change the row's order in the list.

[Style Sheet Name](#)

Move Up

Move Down

SL_TIMESHEET_HIDE_TOTALS 🔍 ⊕ ⊖

Custom JavaScript Objects

Select a row in the grid and then use the Move Up or Move Down buttons to change the row's order in the list.

[JavaScript Name](#)

Move Up

Move Down

🔍 ⊕ ⊖

Save

Return to Search

Add



Tools: Managing Homepages

So now navigation is aggregated, everything is stylized, and we have consistency across the application...so now how do we make our homepage?

Classic components can be put into the Fluid Structure and Content to make them accessible as a tile.

You can create as many homepages, with as many tiles as you like.



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Tools: Managing Homepages

In Structure and Content, if we go to Fluid Objects, there are two main Folders that house the Fluid Content References.

Fluid Homepages has just that... The homepages that are accessible to employees. Each homepage has its own security. You can create new ones, or manipulate existing ones here.

Fluid Pages has all of the components, whether Fluid or Classic, that can be accessed from a Fluid Homepage



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY





Tools: Managing Fluid Homepages

Classic components must be in the Fluid Pages folder to be accessible as a Fluid Tile!!

In each Fluid Homepage, the NUI tab allows you to select which items will be available as tiles, and to default desired behavior.

The screenshot displays two configuration panels for PeopleSoft Applications and Employee Self Service. Each panel has an 'Include all?' checkbox and a list of components with their respective settings.


Section	Component	Setting	
PeopleSoft Applications	Recent Places	Optional	
	My Favorites	Optional	
	Navigator	Optional	
	Classic Home	Optional	
	Fluid Home	Optional	
	Approvals	Optional	
Employee Self Service	Time	Req-Fix	
	Pay & Taxes	Req-Fix	
	Benefits & Retirement	Req-Fix	
	Careers & Hiring	Req-Fix	
	Personal Information	Req-Fix	
	People, Worklist & Delegation	Req-Fix	
	ePMF	Optional	
	Learning & Development	Req-Fix	
	HR Queries	Req-Fix	
	Compensation	Req-Fix	
	Employee Self Service (Continued)	Timesheet Approvals	Required
		Company Directory	Optional
		My Team	Optional
		My Team	Optional
		Team Time	Optional
		Absence Analytics	Optional
Team Performance		Optional	
Open Jobs		Optional	
Promote Employee		Optional	
Transfer Employee		Optional	
Change Full / Part Time Status		Optional	
Guided Self Service (Hidden)		Optional	
Request Ad Hoc Salary Change		Optional	
Team Performance Status	Optional		



Tools: Managing Fluid Navbar

Navbar content is also maintained in the same manner as Fluid Homepages.

The Navbar can also be customized using CSS...but then again pretty much anything can.



The screenshot displays a vertical navigation bar titled "NavBar: Recent Places". It contains a list of items, each with an icon and a label:

- Recent Places**: Icon of a calendar with a clock, labeled "Structure and Content".
- Navigator**: Icon of a compass, labeled "Time".
- Time**: Icon of a clock with a calendar page showing "23", labeled "Timesheet Lockdown".
- Timesheet Approvals**: Icon of a calendar with a checkmark and "2", labeled "Timesheet Approvals".
- Pay & Taxes**: Icon of a Euro symbol and a document, labeled "SNL Notes Administration".
- Benefits & Retirement**: Icon of a person and a stethoscope.



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Next Steps



COLLABORATE 16
TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY



Below are some projects that we are currently, or will be working on to enhance the experience.

- Upgrade to 8.55
- Redevelop custom classic Components into Fluid Components
- Update the Header to have Tile objects more easily accessible



COLLABORATE 16

TECHNOLOGY AND APPLICATIONS FORUM
FOR THE ORACLE COMMUNITY

