

James Elliott

jjellio3@ncsu.edu

Mark Hoemmen

mhoemme@sandia.gov

Frank Mueller

mueller@cs.ncsu.edu

Skeptical Programming

- Expect rare faulty computations
- Use analysis to derive cheap “detectors” to filter large errors
- Use numerical methods that can absorb *bounded error*

Algorithm 1: GMRES algorithm

```
for l = 1 to do
  r := b - Ax(j-1)
  q1 := r / ||r||2
  for j = 1 to restart do
    w0 := Aqj
    for i = 1 to j do
      hi,j := qi · wi-1
      wi := wi-1 - hi,jqi
    end
    hj+1,j := ||w||2
    qj+1 := w / hj+1,j
    Find y = min ||Hjy - ||b|| e1||2
    Evaluate convergence criteria
    Optionally, compute xj = Qjy
  end
end
```

GMRES

Theoretical Bounds on the Arnoldi Process

$$\|w_0\| = \|Aq_j\| \leq \|A\|_2 \|q_j\|_2$$
$$\|w_0\| \leq \|A\|_2 \leq \|A\|_F$$

From isometry of orthogonal projections,

$$|h_{i,j}| \leq \|A\|_F$$

- $h_{i,j}$ form Hessenberg Matrix
- Bound only computed once, valid for entire solve




Data Representation and SDC

IEEE-754 floating point numbers: biased exponents force numbers less than 1.0 to have binary patterns that will produce absolute error less than 1.0 for majority of bits when computing dot products.



Count of possible bit flip perturbations for all Arnoldi iterations

Matlab gallery matrix for the **Poisson equation**, 49,600 non-zeros, SPD.

CoupCon3D matrix from Sparse Suite, 17.5 million non-zeros, indefinite, non-symmetric.




Detectable




Myth of a Reliable Machine

Current algorithms assume *numerical reliability*




What if a fault does not crash the system, but taints our data?




Goals

- Selective Reliability
 - Work through SDC or raise error if we can not
- Skeptical Programming
 - Bound the error from SDC when possible
- Co-design
 - Exploit data representation to minimize error from SDC
 - Runtime system aware of reliable vs. unreliable computation



Skeptical Programming + Selective Reliability

Non-Symmetric System



- Flexible GMRES + GMRES (as preconditioner)
- Selective Reliability
 - Reliable outer solver (Flexible GMRES)
 - Unreliable inner solver (GMRES)
 - Realization of Sandbox model
- Unreliable GMRES – fixed number of iterations (25)

Skeptical Programming

- Used in **unreliable** GMRES
- Bound on projection coefficients (upper Hessenberg entries)
- Least squares solver hardened against nearly singular upper Hessenberg.

Opaque Preconditioners

- Flexible GMRES + GMRES(25) + ILU(0)
- Color indicates the relative increase in preconditioner applications
- 32 subdomains, y-axis indicates how many subdomains were faulty (single fault injected)
- Faults modeled to be bad enough to cause plain GMRES to diverge
 - Faulty subdomain permutes output of ILU
 - X-axis, faulty subdomain optionally scales permuted values



Acknowledgments

This research was supported by the Consortium for Advanced Simulation of Light Water Reactors (<http://www.casl.gov>), an Energy Innovation Hub (<http://www.energy.gov/hubs>) for Modeling and Simulation of Nuclear Reactors under U.S. Department of Energy Contract No. DE-AC05-00OR22725.

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000. SAND No. 2013-6136P

References

1. "Quantifying the Impact of Single Bit Flips on Floating Point Arithmetic" by J. Elliott, F. Mueller, M. Stoyanov, C. Webster", invited talk at SIAM Conference on Computational Science and Engineering, Feb 2013, see TR 2013-2, Dept. of Computer Science, North Carolina State University, Mar 2013.
2. P. G. Bridges, K. B. Ferreira, M. A. Heroux, and M. Hoemmen. Fault-tolerant linear solvers via selective reliability. ArXiv e-prints, 2012.