

# All-Silicon Carbide power module based boost converter platform for grid-tied energy storage

Ranbir Singh, Subhashish Bhattacharya\* and Stan Atcitty\*\*



GeneSiC Semiconductor Inc.

\*FREEDM Center, North Carolina State Univ.

\*\*Sandia National Laboratories


Acknowledgement: The authors thank Dr. Imre Gyuk for funding this work and Dr. Stan Atcitty for technical contributions. Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration. SBIR Phase I Grant DE-SC0013816

# Battery Energy Storage Power Electronics Architectures



- Bidirectional, isolated DC-AC Power Conversion systems needed
- High Efficiencies are needed due to two-way power flow
- Compact systems help in wider deployments
- Low Frequency Transformer occupies space

# Compact, High Efficient Architecture enabled by High Voltage Devices




# GeneSiC's Power Discrete and Module Roadmap

## Transistors and Rectifiers


3300 V



1700 V



1200 V



1 A

5 A

20 A

50 A


100 A

400 A

# Ultra High Voltage devices

## Thyristors and Rectifiers

>15 kV



10 kV



6.5 kV



50 A

200 A

1000 A

4000 A

# Calculated Loss Comparisons at 1 MVA

**Table 1: Medium Voltage/Low Current Side loss even at 1 MVA operation.**

Active Power (MW)	Reactive Power (MVAR)	Loss (W)
1	0	3064
0.8	0.6	4175
0.6	0.8	5330

**Table 2: Low Voltage/ High Current Side Loss**

Active Power (MW)	Reactive Power (MVAR)	Loss (kW)
1	0	32
0.8	0.6	27
0.6	0.8	23

# Status and Future Efforts

- **Current Status**

- Project Started in July 2015
- 6.5kV SiC Thyristors and 1200 V SJTs supplied to NCSU
- SiC Thyristor Trigger circuits completed at NCSU/FREEDM
- Modeling of Circuit Losses being conducted

- **Future Efforts in Phase I**

- Complete SPICE Modeling of Devices to be used
- Circuits Modeling to estimate losses and efficiency gains
- Quantify the impact of All-SiC based power electronics on grid-tied energy storage systems

# Grant Details

- Principal Investigator: Dr. Ranbir Singh and Prof. Subhashish Bhattacharya
- Program Manager: Dr. Ranbir Singh
- Grantee:  
GeneSiC Semiconductor Inc. and North Carolina State University  
43670 Trade Center Place  
Suite 155  
Dulles VA 20166  
+1 703 996 8200 (ph)  
ranbir.singh@genesicsemi.com