




Security Risks of Nuclear and Radioactive Material at Research Reactors

Dave Ek, USA


The term “Research Reactor” represents a wide variety of non-power reactors



Purpose

- The purpose of the paper is:
 1. To discuss the influence and **application** of international security recommendations/**guidance** on Research Reactor and Associated Facilities (RRAF)
 2. To discuss the **risk management** at RRAF and
 3. How **risk** is commonly **estimated** and some potential issues with this estimation, and
 4. Summarize on-going work to develop a approach to **comprehensively estimate nuclear security risk** to address these concerns

Security at Research Reactors



- Unauthorized Removal or Sabotage
- Category I, II, III
- URC, HRC

20

TABLE 1. CATEGORIZATION OF NUCLEAR MATERIAL

Material	Form	Category I	Category II	Category III ^a
1. Plutonium ^a	Unirradiated ^b	2 kg or more	Less than 2 kg but more than 500 g	500 g or less but more than 15 g
2. Uranium-235 (²³⁵ U)	Unirradiated ^b – Uranium enriched to 20% ²³⁵ U or more – Uranium enriched to 10% ²³⁵ U but less than 20% ²³⁵ U – Uranium enriched above natural, but less than 10% ²³⁵ U	5 kg or more	Less than 5 kg but more than 1 kg 10 kg or more	1 kg or less but more than 15 g Less than 10 kg but more than 1 kg 10 kg or more
3. Uranium-233 (²³³ U)	Unirradiated ^b	2 kg or more	Less than 2 kg but more than 500 g	500 g or less but more than 15 g
4. Irradiated fuel (The categorization of irradiated fuel in the table is based on international <i>transport</i> considerations. The State may assign a different category for domestic use, storage and <i>transport</i> taking all relevant factors into account.)			Depleted or natural uranium, thorium or low enriched fuel (less than 10% fissile content) ^{c, d}	

Note: This table is not to be used or interpreted independently of the text of the entire publication.

^a All plutonium except that with isotopic concentration exceeding 80% in plutonium-238.


^b Material not irradiated in a reactor or material irradiated in a reactor but with a radiation level equal to or less than 1 Gy/h (100 rad/h) at 1 m unshielded.

^c Quantities not falling in Category III and natural uranium, depleted uranium and thorium should be protected at least in accordance with prudent management practice.

^d Although this level of protection is recommended, it would be open to States, upon evaluation of the specific circumstances, to assign a different category of physical protection.

^e Other fuel which by virtue of its original fissile material content is classified as Category I or II before irradiation may be reduced one category level while the radiation level from the fuel exceeds 1 Gy/h (100 rad/h) at one metre unshielded.

Security at Research Reactors



The security risk posed by Research Reactors is commonly represented by:



- the category of nuclear material for theft

OR


- the thermal power of the reactor for sabotage



Security at Research Reactors




Security at Research Reactors




Nuclear Security Risk at RRAF

- Research Reactors are commonly co-located with other research or production facilities, such as:
 - Waste Treatment and Interim Storage
 - Fuel Fabrication
 - Radioisotope production
 - Gamma Sterilization

Sources: Wikipedia




Guidance on Risk Management



Objectives and Essential Elements of Nuclear Security Regime

*“...nuclear security regime uses **risk informed approaches**... which take into account:”*

- ***threat***
- ***attractiveness and vulnerability of material***
- ***characteristics of material***
- ***consequences***




Physical Protection of Nuclear Material and Nuclear Facilities


*“**Risk** can be **managed** by:”*

- ***reducing threat***
- ***improving security effectiveness***
- ***reducing consequences***

Risk Components



Target Attractiveness



Current Estimation of Security Risk

Probabilistic Risk is commonly used to estimate security risk

- It is the product of ***Consequence Severity*** and ***Probability of Occurrence***

$$Risk = C * P_o$$

Performed by inventory/target,

- *Usually only the highest consequence inventory*
- *Estimate generally becomes the defacto security risk for site*

Doesn't explicitly address all factors of target attractiveness

Developing an Estimate of Comprehensive Security Risk at RRAF

- **Diverse Targets**
- **Consequences not comparable**
- **Different Attractiveness**



- **Proper Security Resource Allocation**
- **Effective, Cost-Efficient Security System**
- **Increased Relevance of Material Security and Risk**

Comprehensive Security Risk involves:

1. Identifying each target that could lead to unacceptable consequence on RRAF
2. Understanding the security risk posed by each target
 - Potential Consequence
 - Attractiveness
 - Threat
3. Combining the individual risk estimates into a comprehensive, RRAF-wide security risk

IAEA CRP Project

- Develop a Methodology to Estimate Comprehensive Security Risk for a RRAF



IAEA CRP Project

Identify
Possible
Targets

Estimate
Consequence
Severity of
each

Estimate Risk
of each target

Combine Dis-
similar
Consequence
Risks

- Security Risk at a RRAF is complex due to the diverse targets, consequences, and attractiveness
- Current Approaches may not sufficiently estimate Site-wide security risk
- CRP in place to attempt to develop an approach

