SAND2015-0869C

Exceptional service in the national interest

Sandia National Laboratories

Robust quantum simulation for near-term realizable quantum hardware

Richard P. Muller, Robin Blume-Kohout, Jonathan E. Moussa, Andrew J. Landahl

U.S. DEPARTMENT OF ENERGY

National Nuclear Security Administration

Sandia National Laboratories is a multi-program laboratory managed and operated by Sandia Corporation, a wholly owned subsidiary of Lockheed Martin Corporation, for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-AC04-94AL85000.

Near-term promise of quantum

Sandia National Laboratories

- Long-term promise of quantum is well-known
  - FT-QEC enabling large circuits simulating factoring, unstructured search, etc.
  - DOE-relevant problems: optimization, graph properties, quantum simulation
- What can we do in the near term (10 years)?
  - It is likely we will have some special purpose quantum hardware that can establish and manipulate quantum entangled states in this time frame?
  - Probably not enough qubits to perform QEC **and** an algorithm
  - What algorithms can we identify?

Robust quantum simulations

Sandia National Laboratories

- Robustness
  - Since we can't afford FTQEC, we need algorithms that are somehow robust to noise, disorder, decoherence.
- Potential robust algorithms
  - Analog simulation of quantum systems
    - Use device noise to mimic (?) simulation noise
  - Shallow quantum oracles
    - Variational eigensolver by Peruzzo et al from quantum chemistry
    - Minimize the build-up of noise with shallow circuits
  - Dissipative quantum processes
    - Perform operations with stable fixed points that are insensitive to noise in the distant past

Analog simulation of quantum systems

Sandia National Laboratories

- Arrange qubits so that their Hamiltonian closely approximates tha of the quantum system of interest.
- Useful for lattice properties of materials
  - e.g. Does Fermi-Hubbard model with X parameters superconduct?
- Robust because of assumed similarity between device noise and system noise
  - Need to understand how well noise models map between analogs





I. Georgescu, S. Ashhab, and F. Nori, "Quantum simulation", Rev. Mod. Phys. **86**, 153 (2014).

Variational quantum eigensolver

- Example of Shallow Oracle
- Prepare and measure quantum states based on few classical parameters that are varied and optimized using classical means
- Need to identify wave functions where polynomial optimization results in something computationally useful
- UCC very promising
  - Size consistency and variational are not exclusive, and may both be required for materials design
  - Is UCC unique?





Chan et al., JCP (2004)

Path forward

Sandia National Laboratories

- Robust simulation promises
  - Quantum speedup without overhead of QEC
  - Clearest application to DOE-relevant problems
- Some of this problem space may be explored in the very near term via quantum emulation
  - Direct simulation of quantum vector states possible for small numbers of qubits
  - Use noise models extracted from GST studies of existing systems (e.g. arXiv 1310.4492)
  - Establish how device space and simulation space noise models map for different types of simulation.
- In-depth partnership with experimental realization and validation will be necessary for extended progress.