RECEIVED
JAN 03
OSTI

NUREG–0540
Vol. 17, No. 10

Title List of Documents Made Publicly Available

October 1–31, 1995

U.S. Nuclear Regulatory Commission

Office of Administration

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

MASTER

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555–0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402–9328
3. The National Technical Information Service, Springfield, VA 22161–0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North, 11545 Rockville Pike, Rockville, MD 20852–2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018–3308.

A year's subscription of this report consists of 12 monthly issues.

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

NUREG–0540
Vol. 17, No. 10

Title List of Documents Made Publicly Available

October 1–31, 1995

Date Published: December 1995

E. B. Morris, NRC Project Manager

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001



CONTENTS

Preface v
Arrangement of Items by Docket Number ix
Alphabetic Arrangement of Docket Items by Facility Name xv
Docketed Items 1
  Low-Level Radwaste Disposal Sites — Docket 27 1
  Domestic Licensing of Source Material — Docket 40 1
  Domestic Licensing of Production and Utilization Facilities — Docket 50 11
  Standardized Nuclear Power Plant Design — Docket 52 155
  Domestic Licensing of Special Nuclear Material — Docket 70 157
  Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 170
  Licensing of Independent Spent Fuel Storage — Docket 72 175
Nondocketed Items 179
  10 CFR — Commission Meeting Records 179
  ACNW — Advisory Committee on Nuclear Waste 179
  ACRS — Advisory Committee on Reactor Safeguards 180
  ADVCM — NRC Advisory Committee 180
  COMMISSION — NRC Commissioners 182
  CONTRACT — NRC Contracts and Modifications 183
  FOIA — Freedom of Information Act Requests and Releases 188
  GEN TECH IS — Generic Technical Issues 217
  I&E — Inspection and Enforcement 217
  MISC — Public Document Room Miscellaneous 219
  NUREG — NUREG Reports and Related Correspondence 219
  ORG — Correspondence with Other Organizations 221
  PR — Proposed Rule 223
  PRESS — Press Releases 225
  PRM — Petition for Rulemaking 225
  PROJ — Projects-Predocket Licensing 226
  PT21 — Noncompliance Reports and Related Correspondence 227
  QA999 — Quality Assurance Inspections 227
  REGGD — Regulatory Guides 228
  REVIEW GROUP — NRC Research Review Groups 229
  SECY — Position Papers Before the Commission 230
  SPEECHES — Speeches 230
  STATE PROG — State Programs 230
  TOPREP — Vendor Reports and Related Correspondence 234
  WASTE MGT — Nuclear Waste Management 236
  XPORTLIC — Export and Import Licenses 239
Personal Author Index 243
Corporate Source Index 265
Report Number Index 283
Cross Reference of Enclosures to Principal Documents 285
Appendix A — Definitions of Docket 50 Categories A-1
Appendix B — Definitions of Nondocketed Categories B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies may be obtained for a fee. Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System, which is accessible both at the PDR and remotely. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are

A. Application/construction stage documents and correspondence
B. Utility Preliminary Safety Analysis Reports (PSAR), amendments
C. Utility Environmental Reports (ER), amendments, and correspondence
D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), supplements and correspondence
E. NRC Safety Evaluation Reports (SER), supplements and correspondence
F. Security, medical, emergency, and fire-protection plans
G. Legal and adjudicatory correspondence
H. General correspondence
I. Financial information
J. Insurance and indemnity information
K. Utility Final Safety Analysis Reports (FSAR) and amendments
L. Limited work authorizations (LWA) and related correspondence
M. Antitrust reviews and antitrust correspondence
N. Antitrust hearing transcripts, testimony, and briefings
O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
P. Operating license stage documents and correspondence
Q. Inspection reports, IE Bulletins, Circulars and Information Notices, civil penalties, and related correspondence

R. Periodic operating reports and related correspondence
S. Reportable occurrences, PNOs, PNSs, and related correspondence
T. Transcripts, testimony, and briefings on non-antitrust matters
U. Congressional/executive correspondence
V. Licensing of operators and related correspondence
W. Decommissioning stage documents and correspondence
X. Onsite storage of low-level waste
Y. Independent spent fuel storage installations

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are

(1) P. Operating license stage documents & correspondence

(2) (3)
8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

(4) (5) (6)
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

(7) (8) (9) (10) (11) (12) (13)
CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioners

CONTRACT—NRC Contracts and Modifications

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are

(1) NUREG—NRC-Issued Formal Reports and Related Correspondence

(2) (3) (4)
8910100307 NUREG/CR-5340 DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

(5) (6)
OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. Oak Ridge National Laboratory.

(7) (8) (9) (10) (11)
FIN B-0127. ORNL/TM-11105. 89/09/30. Division of Systems Research (Post 880717). 69 pp.

(12) (13) (14) (15)
51409:065-51409:134.

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).

NONDOCKETED ITEMS (cont.)

3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract of financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES:

1. The address for GPO is

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20013-7082

   To place orders, send check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202-512-2249.

2. The address for NTIS is

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

   To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 487-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is

   2120 L Street, NW.
   Washington, DC 20555

   The mailing address is

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL-6
   Washington, DC 20555

   Telefacsimile

   202/634-3343

   Telephone

   202/634-3273

   To place orders for documents or to arrange for training on the computer system, write, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, are obtainable from the PDR.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0017	DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	1
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-0341	GENERAL SERVICES ADMIN., WASHINGTON, DC	2
40-0672	NUCLEAR METALS, INC., CONCORD, MA	2
40-0791	UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	2
40-0962	WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	2
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	3
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	3
40-1790	WELLMAN DYNAMICS CORP., MIDLAND, MI	3
40-2061	KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	3
40-2384	RMI CO., ASHTABULA, OH	3
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	3
40-3453	ATLAS CORP., DENVER, CO	3
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	3
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	3
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	3
40-6940	CABOT CORP., BOYERTOWN, PA	3
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	4
40-7354	ARMY, DEPT. OF, ABERDEEN, MD	4
40-7397	FOOTE MINERAL CO., EXTON, PA	4
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4
40-7708	UNION CARBIDE CORP., NEW YORK, NY	4
40-7841	WEST VIRGINIA UNIV., MORGANTOWN, WV	4
40-8027	SEQUOYAH FUELS CORP., GORE, OK	4
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	7
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	8
40-8681	UMETCO MINERALS CORP., BLANDING, UT	8
40-8724	CHEMETRON CORP., PROVIDENCE, RI	8
40-8778	MOLYCORP, INC., LOS ANGELES, CA	8
40-8794	MOLYCORP, INC., LOS ANGELES, CA	8
40-8838	ARMY, DEPT. OF, MADISON, IN	8
40-8857	POWER RESOURCES, INC., GLENROCK, WY	8
40-8866	NUCLEAR METALS, INC., CONCORD, MA	8
40-8868	II-VI INC., SAXONBURG, PA	8
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	8
40-8903	HOMESTAKE MINING CO., GRANTS, NM	9
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	9
40-8905	QUIVIRA MINING CO., GRANTS, NM	9
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	9
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	9
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	9
40-8964	RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	10
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	10
40-8971	U.S. ENERGY CORP., RIVERTON, WY	10
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	10
40-9015	MICHIGAN, STATE OF, BAY CITY, MI	10
40-9022	HARTLEY & HARTLEY LANDFILL	10
40-9024	ENERGY FUELS NUCLEAR	10
40-9027	CABOT CORP. READING & REVERE	10
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	11
50-3	INDIAN POINT STATION, UNIT 1	11
50-5	PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	11
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	11
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	12
50-27	WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	12
50-29	YANKEE-ROWE NUCLEAR POWER STATION	12
50-57	BUFFALO MATERIALS RESEARCH CENTER	14
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	14

Docket	Name	Page
50-83	UNIV. OF FLORIDA TRAINING REACTOR	14
50-89	GENERAL ATOMICS	14
50-113	UNIV. OF ARIZONA RESEARCH REACTOR	14
50-116	IOWA STATE UNIV. RESEARCH REACTOR	14
50-123	UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	14
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	14
50-129	WEST VIRGINIA UNIV. RESEARCH REACTOR	14
50-131	OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	15
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	15
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	15
50-150	OHIO STATE UNIV. RESEARCH REACTOR	15
50-151	UNIV. OF ILLINOIS RESEARCH REACTOR	15
50-155	BIG ROCK POINT NUCLEAR PLANT	15
50-156	UNIV. OF WISCONSIN RESEARCH REACTOR	16
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	16
50-163	GENERAL ATOMICS	16
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	16
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	17
50-184	NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	17
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	17
50-188	KANSAS STATE UNIV. RESEARCH REACTOR	17
50-199	MANHATTAN COLLEGE RESEARCH REACTOR	17
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	17
50-213	HADDAM NECK PLANT	18
50-219	OYSTER CREEK NUCLEAR POWER PLANT	19
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	20
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	21
50-225	RPI CRITICAL EXPERIMENT	21
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	21
50-241	MISSISSIPPI STATE UNIV. RESEARCH REACTOR	23
50-243	OREGON STATE UNIV. RESEARCH REACTOR	23
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	23
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	24
50-247	INDIAN POINT STATION, UNIT 2	26
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	27
50-250	TURKEY POINT PLANT, UNIT 3	28
50-251	TURKEY POINT PLANT, UNIT 4	29
50-254	QUAD-CITIES STATION, UNIT 1	30
50-255	PALISADES NUCLEAR PLANT	31
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	33
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	34
50-261	H.B. ROBINSON PLANT, UNIT 2	35
50-262	BRIGHAM YOUNG UNIV. RESEARCH REACTOR	36
50-263	MONTICELLO NUCLEAR GENERATING PLANT	36
50-265	QUAD-CITIES STATION, UNIT 2	37
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	38
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	39
50-269	OCONEE NUCLEAR STATION, UNIT 1	40
50-270	OCONEE NUCLEAR STATION, UNIT 2	41
50-271	VERMONT YANKEE NUCLEAR POWER STATION	42
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	43
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	44
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	45
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	46
50-280	SURRY POWER STATION, UNIT 1	48
50-281	SURRY POWER STATION, UNIT 2	49
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50
50-285	FORT CALHOUN STATION, UNIT 1	51
50-286	INDIAN POINT STATION, UNIT 3	52
50-287	OCONEE NUCLEAR STATION, UNIT 3	53
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	54
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	55
50-295	ZION NUCLEAR POWER STATION, UNIT 1	56
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	58
50-298	COOPER NUCLEAR STATION	59

Docket	Name	Page
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	61
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	62
50-304	ZION NUCLEAR POWER STATION, UNIT 2	63
50-305	KEWAUNEE NUCLEAR POWER PLANT	64
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	65
50-309	MAINE YANKEE ATOMIC POWER PLANT	66
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	67
50-312	RANCHO SECO NUCLEAR GENERATING STATION	68
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	69
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	70
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	71
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	73
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	74
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	75
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	76
50-322	SHOREHAM NUCLEAR POWER STATION	77
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	77
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	78
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	79
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	80
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	82
50-329	MIDLAND PLANT, UNIT 1	82
50-330	MIDLAND PLANT, UNIT 2	83
50-331	DUANE ARNOLD ENERGY CENTER	83
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	84
50-334	BEAVER VALLEY POWER STATION, UNIT 1	84
50-335	ST. LUCIE PLANT, UNIT 1	85
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	86
50-338	NORTH ANNA POWER STATION, UNIT 1	88
50-339	NORTH ANNA POWER STATION, UNIT 2	89
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	90
50-344	TROJAN NUCLEAR PLANT	91
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	92
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	93
50-352	LIMERICK GENERATING STATION, UNIT 1	94
50-353	LIMERICK GENERATING STATION, UNIT 2	95
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	96
50-356	UNIV. OF ILLINOIS RESEARCH REACTOR	98
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	98
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	98
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	99
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	100
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	101
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	103
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	104
50-372	ATLANTIC RICHFIELD CO.	105
50-373	LASALLE COUNTY STATION, UNIT 1	105
50-374	LASALLE COUNTY STATION, UNIT 2	107
50-382	WATERFORD GENERATING STATION, UNIT 3	108
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	109
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	110
50-389	ST. LUCIE PLANT, UNIT 2	111
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	112
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	115
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	117
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	118
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	120
50-409	LA CROSSE BOILING WATER REACTOR	121
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	121
50-412	BEAVER VALLEY POWER STATION, UNIT 2	122
50-413	CATAWBA NUCLEAR STATION, UNIT 1	123
50-414	CATAWBA NUCLEAR STATION, UNIT 2	124
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	125
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	126
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	127

Docket	Name	Page
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	128
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	130
STN-50-437	FLOATING NUCLEAR PLANT	132
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	132
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	133
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	133
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	134
50-443	SEABROOK NUCLEAR STATION, UNIT 1	134
50-444	SEABROOK NUCLEAR STATION, UNIT 2	135
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	136
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	137
STN-50-454	BYRON STATION, UNIT 1	139
STN-50-455	BYRON STATION, UNIT 2	140
STN-50-456	BRAIDWOOD STATION, UNIT 1	141
STN-50-457	BRAIDWOOD STATION, UNIT 2	142
50-458	RIVER BEND STATION, UNIT 1	143
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	144
50-461	CLINTON POWER STATION, UNIT 1	144
STN-50-482	WOLF CREEK GENERATING STATION	145
STN-50-483	CALLAWAY PLANT, UNIT 1	146
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	147
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	149
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	151
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	152
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	153
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	154
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	155
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	155
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	155
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	157

Docket	Name	Page
Domestic Licensing of Special Nuclear Material - Docket 70		
70-0008	BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	157
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	157
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	157
70-0133	CLEVITE CORP., CLEVELAND, OH	158
70-0135	BABCOCK & WILCOX CO., APOLLO, PA	158
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	158
70-0161	WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	158
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	159
70-0435	LAFAYETTE COLLEGE, EASTON, PA	159
70-0698	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	159
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	159
70-0754	GENERAL ELECTRIC CO., PLEASANTON, CA	160
70-0801	OHIO STATE UNIV., COLUMBUS, OH	160
70-0820	UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	160
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	160
70-0938	MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	160
70-0948	WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	160
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	160
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	160
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	160
70-1193	CIMARRON CORP., OKLAHOMA CITY, OK	161
70-1201	B&W FUEL CO., LYNCHBURG, VA	161
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	161
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	161
70-1426	TRANSNUCLEAR, INC., FALLS CHURCH, VA	162
70-1766	WEST VIRGINIA UNIV., MORGANTOWN, WV	162
70-1767	WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	162
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	162
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	168

Docket	Name	Page
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	168
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	169
DOCKET	UNKNOWN	170

Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71

71-0122	J.L. SHEPHERD & ASSOCIATES	170
71-0153	ANCHOR-DARLING VALVE CO.	170
71-0170	GENERAL ELECTRIC CO.	170
71-0346	PUBLIC SERVICE CO. OF COLORADO	170
71-0380	GENERAL ELECTRIC CO.	170
71-0383	BALTIMORE GAS & ELECTRIC CO.	170
71-0417	CARIBE SHELL & TUBE, INC.	170
71-0484	NEBRASKA PUBLIC POWER DISTRICT	170
71-0538	WALASHEK ENTERPRISES, INC.	170
71-0558	CRAMER & LINDELL ENGINEERS, INC.	171
71-0617	POWER PIPING CO.	171
71-0677	ANVIL CORP.	171
71-0678	PACTEC, INC.	171
71-0710	ADCO SERVICES, INC.	171
71-0719	CCC INTERNATIONAL, INC.	171
71-0728	ACCU-TECH EVALUATION SERVICES, INC.	171
71-0733	TRIAD NONDESTRUCTIVE TESTING, INC.	171
71-0751	S&ME, INC.	171
71-0766	QUAD CITY TESTING LABORATORY, INC.	171
71-0767	ALPHA QUALITY SERVICES	171
71-0772	AIR FORCE, DEPT. OF	171
71-0785	GTS DURATEK	171
71-0786	DOE	171
71-0817	MESCALERO ENVIRO, INC.	171
71-0829	MESCALERO UTILITY FUEL STORAGE INITIATIVE	171
71-0830	ITT INSPECTION-TECH TECHNICIANS,INC.	171
71-0831	GEORGIA INSTITUTE OF TECHNOLOGY	171
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	172
71-5740	MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	172
71-5805	MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	172
71-5830	MODEL: SNAP 21, NAVY, DEPT. OF	172
71-5862	MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	172
71-5939	MODEL: 1500, GENERAL ELECTRIC CO.	172
71-5957	MODEL: BMI-1, CINTICHEM, INC.	172
71-6244	MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.	172
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	172
71-6574	MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	172
71-6601	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	172
71-6642	MODEL: 4.5 TON CF, ENERGY, DEPT. OF	172
71-9001	MODEL: IF-300, NUCLEAR PACKAGING, INC.	172
71-9010	MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	172
71-9027	MODEL: 741 & 741E, AMERSHAM CORP.	172
71-9028	MODEL: 684 & 684E, AMERSHAM CORP.	172
71-9030	MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	172
71-9032	MODEL: 650, AMERSHAM CORP.	172
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	172
71-9034	MODEL: TRIGA-1, GENERAL ATOMICS	172
71-9035	MODEL: 680 & 680E, AMERSHAM CORP.	172
71-9036	MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	173
71-9037	MODEL: TRIGA-2, GENERAL ATOMICS	173
71-9053	MODEL: 683, AMERSHAM CORP.	173
71-9056	MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	173
71-9057	MODEL: FPD-100, GENERAL ATOMICS	173
71-9079	MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	173
71-9081	MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	173
71-9086	MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.	173
71-9089	MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.	173
71-9094	MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	173
71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	173
71-9099	MODEL: ATR, ENERGY, DEPT. OF	173
71-9108	MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	173
71-9111	MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	173
71-9137	MODEL: 820, AMERSHAM CORP.	173
71-9141	MODEL: 900, AMERSHAM CORP.	173
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	173

Docket	Name	Page
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	174
71-9159	MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	174
71-9165	MODEL: 855, AMERSHAM CORP.	174
71-9167	MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	174
71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	174
71-9181	MODEL: PAS-2, NUCLEAR PACKAGING, INC.	174
71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	174
71-9193	MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.	174
71-9196	MODEL: UX-30, NUCLEAR PACKAGING; INC.	174
71-9203	MODEL: DHTF, B&W FUEL CO.	174
71-9204	MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.	174
71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	174
71-9225	MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	174
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	175
71-9243	MODEL: 934, AMERSHAM CORP.	175
71-9252	MODEL: 51032-2, B&W FUEL CO.	175
71-9255	MODEL: NUHOMS-MP187, PACIFIC NUCLEAR	175
71-9257	NORDION INTERNATIONAL INC.	175
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	175
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	175
71-9268	MODEL: MSC-1, SIERRA NUCLEAR CORP.	175
71-9792	MODEL: D1G CB-TS, ENERGY, DEPT. OF	175
71-9932	MODEL: UC-609, ENERGY, DEPT. OF	175

Licensing of Independent Spent Fuel Storage - Docket 72

72-001	MORRIS OPERATIONS, ISFSI	175
72-0002	SURRY ISFSI 50-280 & 50-281	175
72-0005	POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	175
72-0007	PALISADES ISFSI GEN LIC/VSC-24, 50-255	175
72-0009	FORT ST. VRAIN ISFSI, 50-267	176
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	176
72-0014	ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	176
72-0017	TROJAN ISFSI, 50-344	176
72-0019	MESCALERO ENVIRONMENTAL, INC. ISFSI	176
72-1004	CASK: 24P	176
72-1007	CASK: VSC-24	177
72-1008	CASK: HI-STAR 100	177
72-1009	CASK: DOE-MPC-21P	177

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1
Domestic Licensing of Source Material - Docket 40		
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	3
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	3
ARMY, DEPT. OF, ABERDEEN, MD	40-7354	4
ARMY, DEPT. OF, MADISON, IN	40-8838	8
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	8
ATLAS CORP., DENVER, CO	40-3453	3
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	7
CABOT CORP. READING & REVERE	40-9027	10
CABOT CORP., BOYERTOWN, PA	40-6940	3
CHEMETRON CORP., PROVIDENCE, RI	40-8724	8
DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),	40-0017	1
ENERGY FUELS NUCLEAR	40-9024	10
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	10
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	9
FOOTE MINERAL CO., EXTON, PA	40-7397	4
GENERAL SERVICES ADMIN., WASHINGTON, DC	40-0341	2
HARTLEY & HARTLEY LANDFILL	40-9022	10
HOMESTAKE MINING CO., GRANTS, NM	40-8903	9
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	10
II-VI INC., SAXONBURG, PA	40-8868	8
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	8
KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK	40-2061	3
MICHIGAN, STATE OF, BAY CITY, MI	40-9015	10
MOLYCORP, INC., LOS ANGELES, CA	40-8794	8
MOLYCORP, INC., LOS ANGELES, CA	40-8778	8
NUCLEAR METALS, INC., CONCORD, MA	40-0672	2
NUCLEAR METALS, INC., CONCORD, MA	40-8866	8
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	3
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	3
POWER RESOURCES, INC., GLENROCK, WY	40-8857	8
QUIVIRA MINING CO., GRANTS, NM	40-8905	9
RIO ALGOM MINING CORP., OKLAHOMA CITY, OK	40-8964	10
RMI CO., ASHTABULA, OH	40-2384	3
SEQUOYAH FUELS CORP., GORE, OK	40-8027	4
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	9
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	4
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	9
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	3
U.S. ENERGY CORP., RIVERTON, WY	40-8971	10
UMETCO MINERALS CORP., BLANDING, UT	40-8681	8
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	9
UNION CARBIDE CORP., NEW YORK, NY	40-7708	4
UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT	40-0791	2
WELLMAN DYNAMICS CORP., MIDLAND, MI	40-1790	3
WEST VIRGINIA UNIV., MORGANTOWN, WV	40-7841	4
WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	40-0962	2
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	3
Domestic Licensing of Production and Utilization Facilities - Docket 50		
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	128
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	130
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	69
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	101
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	16
ATLANTIC RICHFIELD CO.	50-372	105
BEAVER VALLEY POWER STATION, UNIT 1	50-334	84
BEAVER VALLEY POWER STATION, UNIT 2	50-412	122
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	132
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	133
BIG ROCK POINT NUCLEAR PLANT	50-155	15
BRAIDWOOD STATION, UNIT 1	STN-50-456	141
BRAIDWOOD STATION, UNIT 2	STN-50-457	142
BRIGHAM YOUNG UNIV. RESEARCH REACTOR	50-262	36
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	33
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	34

Name	Docket	Page
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	58
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	79
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	78
BUFFALO MATERIALS RESEARCH CENTER	50-57	14
BYRON STATION, UNIT 1	STN-50-454	139
BYRON STATION, UNIT 2	STN-50-455	140
CALLAWAY PLANT, UNIT 1	STN-50-483	146
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	73
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	74
CATAWBA NUCLEAR STATION, UNIT 1	50-413	123
CATAWBA NUCLEAR STATION, UNIT 2	50-414	124
CLINTON POWER STATION, UNIT 1	50-461	144
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	136
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	137
COOPER NUCLEAR STATION	50-298	59
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	62
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	92
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	44
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	77
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	70
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	71
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	11
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	21
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	27
DUANE ARNOLD ENERGY CENTER	50-331	83
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	76
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	100
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	90
FLOATING NUCLEAR PLANT	STN-50-437	132
FORD NUCLEAR REACTOR	50-2	11
FORT CALHOUN STATION, UNIT 1	50-285	51
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	39
GENERAL ATOMICS	50-89	14
GENERAL ATOMICS	50-163	16
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	16
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	125
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	126
H.B. ROBINSON PLANT, UNIT 2	50-261	35
HADDAM NECK PLANT	50-213	18
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	96
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	15
INDIAN POINT STATION, UNIT 1	50-3	11
INDIAN POINT STATION, UNIT 2	50-247	26
INDIAN POINT STATION, UNIT 3	50-286	52
IOWA STATE UNIV. RESEARCH REACTOR	50-116	14
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	84
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	93
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	99
KANSAS STATE UNIV. RESEARCH REACTOR	50-188	17
KEWAUNEE NUCLEAR POWER PLANT	50-305	64
LA CROSSE BOILING WATER REACTOR	50-409	121
LASALLE COUNTY STATION, UNIT 1	50-373	105
LASALLE COUNTY STATION, UNIT 2	50-374	107
LIMERICK GENERATING STATION, UNIT 1	50-352	94
LIMERICK GENERATING STATION, UNIT 2	50-353	95
MAINE YANKEE ATOMIC POWER PLANT	50-309	66
MANHATTAN COLLEGE RESEARCH REACTOR	50-199	17
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	12
MIDLAND PLANT, UNIT 1	50-329	82
MIDLAND PLANT, UNIT 2	50-330	83
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	24
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	86
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	127
MISSISSIPPI STATE UNIV. RESEARCH REACTOR	50-241	23
MONTICELLO NUCLEAR GENERATING PLANT	50-263	36
NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	17
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	20
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	121
NORTH ANNA POWER STATION, UNIT 1	50-338	88
NORTH ANNA POWER STATION, UNIT 2	50-339	89

Name	Docket	Page
OCONEE NUCLEAR STATION, UNIT 1	50-269	40
OCONEE NUCLEAR STATION, UNIT 2	50-270	41
OCONEE NUCLEAR STATION, UNIT 3	50-287	53
OHIO STATE UNIV. RESEARCH REACTOR	50-150	15
OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	50-131	15
OREGON STATE UNIV. RESEARCH REACTOR	50-243	23
OYSTER CREEK NUCLEAR POWER PLANT	50-219	19
PALISADES NUCLEAR PLANT	50-255	31
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	152
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	153
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	154
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	17
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	45
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	46
PENNSYLVANIA STATE UNIV. RESEARCH REACTOR	50-5	11
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	133
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	134
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	55
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	38
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	61
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	50
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	65
QUAD-CITIES STATION, UNIT 1	50-254	30
QUAD-CITIES STATION, UNIT 2	50-265	37
RANCHO SECO NUCLEAR GENERATING STATION	50-312	68
RIVER BEND STATION, UNIT 1	50-458	143
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	23
RPI CRITICAL EXPERIMENT	50-225	21
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	43
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	67
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	17
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	98
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	98
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	15
SEABROOK NUCLEAR STATION, UNIT 1	50-443	134
SEABROOK NUCLEAR STATION, UNIT 2	50-444	135
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	80
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	82
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	120
SHOREHAM NUCLEAR POWER STATION	50-322	77
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	147
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	149
ST. LUCIE PLANT, UNIT 1	50-335	85
ST. LUCIE PLANT, UNIT 2	50-389	111
SURRY POWER STATION, UNIT 1	50-280	48
SURRY POWER STATION, UNIT 2	50-281	49
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	109
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	110
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	14
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	54
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	75
TROJAN NUCLEAR PLANT	50-344	91
TURKEY POINT PLANT, UNIT 3	50-250	28
TURKEY POINT PLANT, UNIT 4	50-251	29
UNIV. OF ARIZONA RESEARCH REACTOR	50-113	14
UNIV. OF FLORIDA TRAINING REACTOR	50-83	14
UNIV. OF ILLINOIS RESEARCH REACTOR	50-356	98
UNIV. OF ILLINOIS RESEARCH REACTOR	50-151	15
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	17
UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA	50-123	14
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	14
UNIV. OF WISCONSIN RESEARCH REACTOR	50-156	16
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	21
VERMONT YANKEE NUCLEAR POWER STATION	50-271	42
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	117
WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)	50-27	12
WATERFORD GENERATING STATION, UNIT 3	50-382	108
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	112
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	115
WEST VIRGINIA UNIV. RESEARCH REACTOR	50-129	14
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	103

Name	Docket	Page
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	104
WOLF CREEK GENERATING STATION	STN-50-482	145
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	144
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	118
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	151
YANKEE-ROWE NUCLEAR POWER STATION	50-29	12
ZION NUCLEAR POWER STATION, UNIT 1	50-295	56
ZION NUCLEAR POWER STATION, UNIT 2	50-304	63
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	155
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	155
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	157
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	155
Domestic Licensing of Special Nuclear Material - Docket 70		
B&W FUEL CO., LYNCHBURG, VA	70-1201	161
BABCOCK & WILCOX CO., APOLLO, PA	70-0135	158
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	157
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	159
BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),	70-0008	157
CIMARRON CORP., OKLAHOMA CITY, OK	70-1193	161
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	160
CLEVITE CORP., CLEVELAND, OH	70-0133	158
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	157
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	160
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	161
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	159
GENERAL ELECTRIC CO., PLEASANTON, CA	70-0754	160
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	160
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	168
LAFAYETTE COLLEGE, EASTON, PA	70-0435	159
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	162
MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA	70-0938	160
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	158
OHIO STATE UNIV., COLUMBUS, OH	70-0801	160
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	161
TRANSNUCLEAR, INC., FALLS CHURCH, VA	70-1426	162
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	168
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	169
UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER	70-0820	160
WEST VIRGINIA UNIV., MORGANTOWN, WV	70-1766	162
WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	70-1767	162
WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	70-0948	160
WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV	70-0161	158
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	160
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0698	159
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ACCU-TECH EVALUATION SERVICES, INC.	71-0728	171
ADCO SERVICES, INC.	71-0710	171
AIR FORCE, DEPT. OF	71-0772	171
ALPHA QUALITY SERVICES	71-0767	171
ANCHOR-DARLING VALVE CO.	71-0153	170
ANVIL CORP.	71-0677	171
BALTIMORE GAS & ELECTRIC CO.	71-0383	170
CARIBE SHELL & TUBE, INC.	71-0417	170
CCC INTERNATIONAL, INC.	71-0719	171
CRAMER & LINDELL ENGINEERS, INC.	71-0558	171
DOE	71-0786	171
GENERAL ELECTRIC CO.	71-0380	170
GENERAL ELECTRIC CO.	71-0170	170
GEORGIA INSTITUTE OF TECHNOLOGY	71-0831	171
GTS DURATEK	71-0785	171
ITT INSPECTION-TECH TECHNICIANS,INC.	71-0830	171
J.L. SHEPHERD & ASSOCIATES	71-0122	170
MESCALERO ENVIRO, INC.	71-0817	171
MESCALERO UTILITY FUEL STORAGE INITIATIVE	71-0829	171
MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	174
MODEL: 1500, GENERAL ELECTRIC CO.	71-5939	172
MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	71-6574	172
MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.	71-9167	174
MODEL: 4.5 TON CF, ENERGY, DEPT. OF	71-6642	172
MODEL: 51032-2, B&W FUEL CO.	71-9252	175

Name	Docket	Page
MODEL: 650, AMERSHAM CORP.	71-9032	172
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	172
MODEL: 680 & 680E, AMERSHAM CORP.	71-9035	172
MODEL: 683, AMERSHAM CORP.	71-9053	173
MODEL: 684 & 684E, AMERSHAM CORP.	71-9028	172
MODEL: 741 & 741E, AMERSHAM CORP.	71-9027	172
MODEL: 820, AMERSHAM CORP.	71-9137	173
MODEL: 855, AMERSHAM CORP.	71-9165	174
MODEL: 900, AMERSHAM CORP.	71-9141	173
MODEL: 934, AMERSHAM CORP.	71-9243	175
MODEL: ATR, ENERGY, DEPT. OF	71-9099	173
MODEL: BMI-1, CINTICHEM, INC.	71-5957	172
MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.	71-9036	173
MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.	71-9081	173
MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.	71-9204	174
MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	71-9094	173
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	173
MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.	71-5805	172
MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.	71-6244	172
MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	71-9108	173
MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	71-9111	173
MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	172
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	174
MODEL: D1G CB-TS, ENERGY, DEPT. OF	71-9792	175
MODEL: DHTF, B&W FUEL CO.	71-9203	174
MODEL: FPD-100, GENERAL ATOMICS	71-9057	173
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	175
MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.	71-9089	173
MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.	71-9086	173
MODEL: IF-300, NUCLEAR PACKAGING, INC.	71-9001	172
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	174
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	173
MODEL: MSC-1, SIERRA NUCLEAR CORP.	71-9268	175
MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.	71-9225	174
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	175
MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.	71-9193	174
MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.	71-9010	172
MODEL: NUHOMS-MP187, PACIFIC NUCLEAR	71-9255	175
MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	71-9159	174
MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	71-9079	173
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	174
MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF	71-5740	172
MODEL: PAS-2, NUCLEAR PACKAGING, INC.	71-9181	174
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	172
MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS	71-5862	172
MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY	71-9030	172
MODEL: SNAP 21, NAVY, DEPT. OF	71-5830	172
MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,	71-9056	173
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	175
MODEL: TRIGA-1, GENERAL ATOMICS	71-9034	172
MODEL: TRIGA-2, GENERAL ATOMICS	71-9037	173
MODEL: UC-609, ENERGY, DEPT. OF	71-9932	175
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	172
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	174
NEBRASKA PUBLIC POWER DISTRICT	71-0484	170
NORDION INTERNATIONAL INC.	71-9257	175
PACTEC, INC.	71-0678	171
POWER PIPING CO.	71-0617	171
PUBLIC SERVICE CO. OF COLORADO	71-0346	170
QUAD CITY TESTING LABORATORY, INC.	71-0766	171
S&ME, INC.	71-0751	171
TRIAD NONDESTRUCTIVE TESTING, INC.	71-0733	171
WALASHEK ENTERPRISES, INC.	71-0538	170
Licensing of Independent Spent Fuel Storage - Docket 72		
CASK: 24P	72-1004	176
CASK: DOE-MPC-21P	72-1009	177
CASK: HI-STAR 100	72-1008	177
CASK: VSC-24	72-1007	177
FORT ST. VRAIN ISFSI, 50-267	72-0009	176
ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346	72-0014	176
MESCALERO ENVIRONMENTAL, INC. ISFSI	72-0019	176

Name	Docket	Page	Name	Docket	Page
MORRIS OPERATIONS, ISFSI	72-001	175	SURRY ISFSI 50-280 & 50-281	72-0002	175
PALISADES ISFSI GEN LIC/VSC-24, 50-255	72-0007	175	TROJAN ISFSI, 50-344	72-0017	176
POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	72-0005	175	UNKNOWN	•DOCKET	170
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	176	UNKNOWN	DOCKET	1

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9510240298 Application for amend to License 12-13536-01,incorporating recent changes being implemented due to issuance of SC Dept of Health & Environ Control.Procedures also encl.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 95/10/10. HOGG,R. NRC - No Detailed Affiliation Given. 43pp. 85921:012-85922:029.

--9510240303 Rev 9 to CN-AD-001, "Safety Review Board."
PEAY,L.D., WHITTAKER,M.S., ALLEN,J. Chem-Nuclear Systems, Inc. 93/09/24. 9pp. 85921:055-85921:063.

--9510240316 Rev 7 to CN-AD-019, "Chem-Nuclear (NCSI) ALARA Policy."
BOWERS,C., BENJAMIN,M., WHITTAKER,M. Chem-Nuclear Systems, Inc. 95/01/03. 13pp. 85921:064-85921:076.

--9510240322 Rev 9 to CN-AD-020, "Chem-Nuclear Sys,Inc (CNSI) Health Physics Policy Manual."
WHITTAKER,M.S., BOWERS,C., RYAN,M.T. Chem-Nuclear Systems, Inc. 94/03/25. 22pp. 85921:077-85921:098.

--9510240327 Rev 5 to CN-AD-026, "External Radiation Dosimetry & Dosimetry Records Policy."
WHITTAKER,M., BENJAMIN,M., RYAN,M.T. Chem-Nuclear Systems, Inc. 95/05/16. 12pp, 85921:099-85921:110.

--9510240333 Rev 9 to CN-EM-001, "CNSI Emergency Response Procedure."
FLYNN,F.C., BENJAMIN,M., WHITTAKER,M. Chem-Nuclear Systems, Inc. 94/01/19. 84pp. 85921:111-85921:194.

--9510240339 Rev 9 to QA-AD-001, "QA Program."
PEAY,L.G., MOHUNDRO,M.D., LANGAN,D.L. Chem-Nuclear Systems, Inc. 94/08/02. 40pp. 85921:195-85921:231.

--9510240347 Rev 7 to QA-AD-011, "QA Audit Procedure."
MOHUNDRO,M.D., PEAY,L.G., LANGAN,D.L. Chem-Nuclear Systems, Inc. 94/09/19. 14pp. 85921:232-85921:258.

--9510240362 Rev 7 to S20-AD-006, "Environ Surveillance Plan."
RUCKER,D., ICHIMURA,V., LEE,D. Chem-Nuclear Systems, Inc. 95/05/19. 9pp. 85921:259-85921:267.

--9510240372 Rev 10 to S20-AD-010, "Barwell Waste Mgt Facility Site Disposal Criteria Chem-Nuclear Sys,Inc Barnwell Ofc."
STILL,J.J., BENJAMIN,M.J., HURST,G.E. Chem-Nuclear Systems, Inc. 95/08/22. 55pp. 85921:268-85921:323.

--9510240386 Rev 4 to S20-OP-030 to draft "Burial of Special Nuclear Matl."
BENJAMIN,M.J., CHRISTOPHER,D., HURST,G. Chem-Nuclear Systems, Inc. 95/10/09. 3pp. 85921:324-85921:325.

--9510240395 Rev 11 to S20-RP-003 to draft "Health Physics Radwaste Receipt,Offload & Release Operations."
NIEGOWSKI,D., CHRISTOPHER,D., BENJAMIN,M. Chem-Nuclear Systems, Inc. 95/10/09, 64pp. 85921:326-85922:029.

9510040160 Informs that NRC grants variance from license condition 1.c for disposal of non-incidental Pu waste as Class waste.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/22. STILL,J. Chemetron Corp. 1p. 85709:348-85709:348.

9510180278 Grants variance from license condition 1.c for disposal of Pu waste from CNS,as requested in 950919 ltr.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/12. STILL,J. Chem-Nuclear Systems, Inc. 1p. 85900:148-85900:148.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9510180163 Notifies that NRC initiated review of license renewal application,dtd 931028.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/28. PALMER,A.J. American Ecology Corp. 3pp. 85867:341-85867:343.

DOCKET DOCKET UNKNOWN

9510020101 Forwards insp rept 40-2758/95-01 on 950907.No violations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/21. MIELE,W.J. Affiliation Not Assigned. 2pp. 85624:231-85624:236.

--9510020108 Insp rept 40-2758/95-01 on 950907.No violations identified. Major areas inspected:facilities where former Lear Siegler, Inc located,to determine whether location adequately decontaminated prior to terminating license.
GLINSKI,R.L., HOUSE,J.E., MCCORMICK-BARGE Region 3 (Post 820201). 95/09/21. 4pp. 85624:233-85624:236.

9510020117 Forwards insp rept 40-6324/95-01 on 950906.No violations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/21. PERRY,W. Affiliation Not Assigned. 1p. 85624:241-85624:245.

--9510020126 Insp rept 40-6324/95-01 on 950906.No violations identified. Major areas inspected:facilities where former Alloys & Chemical Corp located,to determine whether location adequately decontaminated prior to terminating license.
GLINSKI,R.L., HOUSE,J., MCCORMICK-BARGE Region 3 (Post 820201). 95/09/21. 4pp. 85624:242-85624:245.

9510170220 Informs that NRC staff reviewed of Docket 40-18276,dtd 950227 & 0919 on revised southerly plant & final site characterization rept & acceptable for preparation of remediation/decommissioning plan for site.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/28. ODEAL,E.J. Northeast Ohio Regional Sewer District. 3pp. 85864:193-85864:195.

9510170395 Informs that NRC reviewed (Dkt# 40-0235) revised rept, "SCP Former Brooks & Perkins,Inc Site...," dtd June 1995 & "RCP AAR Mfg,Inc..," & documents adequately incorporated NRC comments transmitted 950523 & acceptable for docket 4000235.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/28. SKELLY,T.O. . 2pp. 85864:204-85864:205.

9510130055 Forwards insp rept 40-0235/95-02 on 950918-22.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/10/06. ELLMAN,W. . 3pp. 85777:279-85777:291.

--9510130065 Insp rept 40-0235/95-02 on 950918-22.No violations noted. Major areas inspected:review of former licensee activities & to determine if facilities adequately decontaminated prior to terminating license.
KURTH,M.F., MCCANN,G.M., LEE,P.J. Region 3 (Post 820201). 95/10/05. 10pp. 85777:282-85777:291.

9510180177 Forwards insp rept 40-0235/95-03 on 950921.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 95/10/06. STEINMAN,K. . 2pp. 85842:263-85842:269.

--9510180181 Insp rept 40-0235/95-03 on 950921.No violations noted. Major areas inspected:warehouse where former licensee activities had taken place.
KURTH,M.F., MCCANN,G.M., BARGER,J.W. Region 3 (Post 820201). 95/10/06. 5pp. 85842:265-85842:269.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0017 DOW CHEMICAL U.S.A. (UNIT OF DOW CHEMICAL CO.),

9510240110 Forwards "Radiological Health & Safety Plan for Remediation of Magnesium-Thorium Slag Piles at Dow Chemical Co Midland & Bay City,MI Sites" for review & approval.
BERLIN,R.E. Dames & Moore. 95/10/12. PARROTT,J. NRC - No Detailed Affiliation Given. 1p. 85976:001-85976:238.

--9510240128 "Radiological Health & Safety Plan for Remediation of Magnesium-Thorium Slag Piles at Dow Chemical Co Midland & Bay City,MI Sites."
* Dow Chemical Co. * Dames & Moore. 95/10/31. 237pp. 85976:002-85976:238.

9510230253 Informs that law firm represents group of potentially responsible parties at Hartley & Hartley site,located in Bay City,MI.
BASTA,J.C. Dykema, Gossett, Spencer, Goodnow & Trigg. 95/10/04. PARROTT,J. NRC - No Detailed Affiliation Given. 2pp. 85912:253-85912:254.

9510190220 Forwards insp rept 40-0017/95-01 on 950919 & notice of violation.
MCCORMICK-BARGE Region 3 (Post 820201). 95/10/12. SCHOEN,H. Dow Chemical Co. 2pp. 85863:252-85863:259.

--9510190232 Notice of violation from insp on 950919.Violation noted: licensee failed to secure from unauthorized removal or access,licensed matl which were stored in controlled or unrestricted areas.
* Region 3 (Post 820201). 95/10/12. 1p. 85863:254-85863:254.

--9510190244 Insp rept 40-0017/95-01 on 950919.Violation noted.Major areas inspected:radiation surveys at thorium storage sites & areas adjacent to thorium storage sites,access controls to thorium storage sites & proper postings.
MCCANN,G.M., PARROTT,J.D., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/12. 5pp. 85863:255-85863:259.

9510310209 Notifies of 951024 meeting w/Dow Chemicals to provide NRC overview of licensee new plan for disposition of thorium stored at Midland & Bay City,MI facilities.
PARROTT,J.D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/18. BELL,L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 86064:335-86064:335.

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9510240270 Requests that date for completion of placement of final radon barrier on Heap Leach contained in license condition 59A be modified.
HAMRICK,J.S UMETCO Minerals Corp. 95/10/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85929:042-85929:042.

9510190243 Ack receipt of 950818 ltr informing NRC of steps taken to correct violations noted in insp rept 40-0299/95-01 on 950801.
SCARANO,R.A. Region 4 (Post 820201). 95/10/17. LYONS,P.J.L. UMETCO Minerals Corp. 5pp. 85863:320-85863:343.

--9510190253 Forwards responds to NOV of insp rept 40-0299/95-01 & Umetco Corporate ALARA Audit Rept of 940630 for CY95.
LYONS,P.J.L. UMETCO Minerals Corp. 95/08/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85863:326-85863:343.

DOCKET 40-0341 GENERAL SERVICES ADMIN., WASHINGTON, DC

9510110217 Forwards rev 1 to "Soil & Groundwater Quality Assessment Work Plan," for Anne Arundel County Property DNSC Curtis Bay Depot.
REILLY,K.A. Defense, Dept. of, Defense Logistics Agency. 95/08/16. ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85760:001-85761:032.

--9510110224 Rev 1 to "Soil & Ground Water Quality Assessment Work Plan," for Anne Arundel County Property DNSC Curtis Bay Depot."
GERALD,W.C. Defense, Dept. of, Defense Logistics Agency. 95/08/11. 395pp. 85760:002-85761:032.

9510110401 Forwards plan justification for leaving buried loading docks along fence line separating Defense Logistics Agency from County property in place,for review & hopeful concurrence.
REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 95/09/26. ORLANDO,D.A. Division of Low-Level Waste Management & Decommissioning (870413-940402). 3pp. 85815:358-85815:360.

9510310276 Forwards addl info to support assessment that buried loading docks along Defense Logistics Agency fenceline can remain in place & pose no threat to human health or environ.
REILLY,F. Defense, Dept. of, Defense Logistics Agency. 95/10/20. ORLANDO,D.A. Division of Low-Level Waste Management & Decommissioning (870413-940402). 5pp. 86077:158-86077:162.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9510170413 "Nuclear Metals,Inc Decommissioning Plan for Holding Basin."
* Nuclear Metals, Inc. 95/08/31. 110pp. 85865:018-85865:157.

9510260206 FOIA request for decommissioning plan for Nuclear Metals, Concord,MA in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85998:185-85998:185.

9510260209 Final response to FOIA request for documents.Records in App A available in PDR.App B records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/17. BASTENBECK,B. Nuclear Energy Services, Inc. 3pp. 85998:186-85998:329.

9510310311 Requests that written comments from licensee staff,re "Decommissioning Plan for Holding Basin," be provided to NRC as soon as possible.
BELLAMY,R.R. Region 1 (Post 820201). 95/10/24. JOHNSON,S.M. Massachusetts, Commonwealth of. 3pp. 86004:177-86004:179.

DOCKET 40-0791 UNITED TECHNOLOGIES CORP., EAST HARTFORD, CT

9509250334 Informs Commission that remedial action has been completed at licensed Pratt & Whitney site in Middletown,CT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-237. 95/09/18. 20pp. 85910:060-85910:070.

9510230173 Responds to 950427 request that NRC release Pratt & Whitney, Middletown,CT site for unrestricted use & remove site from Site Decommissioning Mgt Plan.
KINNEMAN,J.D. Region 1 (Post 820201). 95/10/04. MCCARTHY,D.A. . 3pp. 85890:002-85890:004.

DOCKET 40-0962 WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510130210 Application for amend,terminating licenses 47-01163-17, 47-01163-18,47-01163-21 & SUD-156.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/10/11. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86121:269-86121:269.

--9510130359 Forwards results of insp conducted 741105-07 of licenses 47-01163-14,47-01163-20,47-01163-21,47-01163-22,47-01163-23, 47-01163-24 & SUD-156.
GUINN,P.R. Atomic Energy Commission (Pre 750119). 74/12/10. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 2pp. 86121:335-86121:336.

--9510300087 Ack receipt of 570513 application for source matl license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/05/21. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 3pp. 86125:236-86125:238.

--9510300095 License CSA-3846 for WV Univ,authorizing possession & use of 4,000 lbs natural U.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/10/09. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:239-86125:239.

--9510300098 Forwards Source Matl License CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/10/09. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:240-86125:240.

--9510300105 Application for amend to license CSA-3846,authorizing possession & use of 4,000 lbs U metal slugs.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/05/13. 4pp. 86125:241-86125:244.

--9510300109 Forwards compliance insp rept of license CSA-3846 on 580731. No noncompliance noted.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/07/10. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:245-86125:245.

--9510300115 Insp of license CSA-3846 on 580731.No noncompliances noted. Major areas inspected:organization & procedures,storage & controlled areas.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/08/18. 6pp. 86125:246-86125:251.

--9510300119 Forwards compliance insp rept of license CSA-3846.
* Atomic Energy Commission (Pre 750119). 58/09/15. Atomic Energy Commission (Pre 750119). 1p. 86125:252-86125:256.

--9510300127 Application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/01/13. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:257-86125:257.

--9510300129 Requests addl listed info re 610113 application for renewal of license CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 2pp. 86125:258-86125:259.

--9510300134 Responds to 610130 request for addl info re application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/02/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:260-86125:260.

--9510300137 Requests review of WV Univ 610210 application for renewal of license CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/15. BARKER,R.F. Atomic Energy Commission (Pre 750119). 1p. 86125:261-86125:261.

--9510300140 Advises that WV Univ 610210 application for renewal of license CSA-3846 satisfactory from radiological safety standpoint.
BARKER,R.F. Atomic Energy Commission (Pre 750119). 61/03/28. DELANEY,J. Atomic Energy Commission (Pre 750119). 1p. 86125:262-86125:262.

--9510300144 Requests status for application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/03/29. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:263-86125:263.

--9510300148 License SUD-0156 for WV Univ,authorizing possession & use of 4,000 lbs natural U.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:264-86125:268.

--9510300149 Notifies that license SUD-156 expires on 640331.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/01/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:269-86125:269.

--9510300151 Application for amend,renewing license SUD-156.
* West Virginia Univ., Morgantown, WV. 64/03/02. 3pp. 86125:270-86125:272.

--9510300153 Forwards source matl license SUD-156,as renewed.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/19. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:273-86125:273.

--9510300155 Amend to license SUD-0156 for WV Univ,renewing license in entirety.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/20. 4pp. 86125:274-86125:277.

--9510300156 Notifies that license SUD-0156 expires on 670331.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 67/01/26. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:278-86125:278.

--9510300158 Forwards application for renewal of license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/02/17. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 86125:279-86125:279.

--9510300159 Application for amend,renewing license SUD-0156.
* West Virginia Univ., Morgantown, WV. 67/02/17. 1p. 86125:280-86125:281.

--9510300163 Safety insp on 651209 of license SUD-0156.Insp findings: no noncompliance noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 65/12/09. 1p. 86125:282-86125:282.

--9510310008 Forwards source matl license SUD-0156,as renewed.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/02/28. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:283-86125:283.

--9510310009 Notifies that source matl license SUD-0156 expires on 700228.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 69/11/25. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:284-86125:284.

--9510310010 Forwards source matl license SUD-0156,as renewed.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 70/04/02. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:285-86125:285.

--9510310011 Amend to license SUD-0156 for WV Univ,authorizing possession & use of 4,000 lbs U.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 70/04/02. 2pp. 86125:286-86125:287.

--9510310012 Forwards application for renewal of license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 70/03/06. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 86125:288-86125:288.

--9510310013 Application for amend,renewing license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 70/03/23. 2pp. 86125:289-86125:296.

--9510310017 Safety insp on 741105-07 of license SUD-0156.Insp findings: noncompliance noted.
* Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 74/11/05. 6pp. 86125:297-86125:302.

--9510310018 Notifies that license SUD-0156 expires on 750331.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/28. West Virginia Univ., Morgantown, WV. 1p. 86125:303-86125:303.

--9510310021 Application for amend to license SUD-0156,extending license for 90 days.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/02/27. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86125:304-86125:304.

--9510310025 Requests appropriate info & forms re transfer of 1,086 pieces of normal U slugs.
BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 75/01/07. ROGOSA,G.L. Atomic Energy Commission (Pre 750119). 2pp. 86125:305-86125:306.

--9510310028 Amend to license SUD-0156 for WV Univ,amending license in entirety.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/03/27. 17pp. 86125:307-86125:326.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9510040052 Provides submittal which constitutes annual evaluation of estimated costs for reclamation of Split Rock millsite & tailings impoundment near Jeffrey City,WY.
PASHA,M.A. Western Nuclear, Inc. 95/09/28. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 10pp. 85709:245-85709:254.

9510310417 Requests on behalf of Western Nuclear,Inc that NRC delete refs to Day Loma site in License SUA-56 in second section of License Condition 10 for stated reasons.
SHAVER,H.W. Affiliation Not Assigned. 95/10/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 20pp. 86074:341-86074:360.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9510160039 Forwards insp repts 40-1341/95-01 & 40-1341/95-02 on 950912. No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. HUSTON,R.W. Tennessee Valley Authority. 4pp. 85801:021-85801:029.

--9510160055 Insp repts 40-1341/95-01 & 40-1341/95-02 on 950912.No violations noted.Major areas inspected:licensed activities of licensee reclamation program implemented at Edgemont tailings disposal basin site.
CAIN,C.L., MCCONNELL,K. Region 4 (Post 820201). 95/10/11. 5pp. 85801:025-85801:029.

DOCKET 40-1790 WELLMAN DYNAMICS CORP., MIDLAND, MI

9510230253 Informs that law firm represents group of potentially responsible parties at Hartley & Hartley site,located in Bay City,MI.
BASTA,J.C. Dykema, Gossett, Spencer, Goodnow & Trigg. 95/10/04. PARROTT,J. NRC - No Detailed Affiliation Given. 2pp. 85912:253-85912:254.

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP., OKLAHOMA CITY, OK

9510190141 Order.* Discusses 931209 motion filed by Kerr-McGee Chemical Corp to terminate proceeding on petition for review of NASLP decision ALAB-944,as moot.Orders parties to file status rept outlining views.W/Certificate of Svc.Served on 951011.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17192. 95/10/11. Office of the General Counsel (Post 860701). 5pp. 85863:019-85863:023.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9510230004 Forwards listed procedures for NRC PDR filing.
HENDERSON,J.W. RMI Co. 95/10/12. NRC - No Detailed Affiliation Given. 1p. 85914:001-85916:252.

--9510230005 Rev 1 to RDP-MGT-100, "Work Control Process Procedure."
HENDERSON,J.W. RMI Co. 94/04/19. 58pp. 85914:002-85914:058.

--9510230006 Rev 0 to RDP-HP-155, "Issuance & Implementation of Radiological Work Permits Procedure."
CHAPMAN,L.H. RMI Co. 94/06/08. 21pp. 85914:059-85914:079.

--9510230009 Rev 1 to RMI-L-182, "ALARA Program Manual."
SHAKOOR,M. RMI Co. 94/07/22. 47pp. 85914:080-85914:127.

--9510230010 Rev 0 to RDP-WM-001, "Waste Mgt Plan."
CHAPMAN,L.H. RMI Co. 94/12/12. 29pp. 85914:128-85914:156.

--9510230011 Rev 0 to RDP-ESH-001, "Environ,Safety & Health Program Plan."
WILLIAMS,R.E. RMI Co. 94/08/01. 71pp. 85914:157-85914:226.

--9510230014 Rev 4 to RMI-L-105, "Lab QA/QC Plan."
* RMI Co. 94/04/04. 59pp. 85914:227-85914:272.

--9510230016 Rev 0 to RDP-HP-148, "Entry Control Program."
MARSH,E.P. RMI Co. 94/04/11. 25pp. 85914:273-85914:290.

--9510230019 Rev 3 to RDP-RM-103, "Document Preparation Procedure."
AVSEC,S. RMI Co. 94/12/12. 43pp. 85914:291-85914:323.

--9510230020 Rev 1 to RMI-L-163, "OSHA 1910.120 Site Safety & Health Plan."
HENDERSON,J.W. RMI Co. 93/07/28. 108pp. 85914:324-85915:067.

--9510230024 Rev 3 to RMI-L-60, "RMIDP Health Physics Manual."
GAMMON,G.D. RMI Co. 94/07/27. 548pp. 85915:068-85916:252.

9510230134 Responds to NRC ltr re violations noted insp of licenses SMB-602 & 34-10618-01.Corrective actions:doses will be assigned using air sampling data described in RG 8.34.
HENDERSON,J.W. RMI Co. 95/10/19. Document Control Branch (Document Control Desk). 4pp. 85921:008-85921:011.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9510110250 Discusses insp rept 40-3392/95-04 on 950911-0914 & forwards notice of violation.
SHEAR,G.L. Region 3 (Post 820201). 95/10/04. KOSMIDER,M. Allied-Signal Corp. 2pp. 85731:068-85731:079.

--9510110258 Notice of violation from insp on 950911-14.Violation noted:licensee failed to provide 24 h of annual training to three out of four emergency response teams in 1994.
* Region 3 (Post 820201). 95/10/04. 2pp. 85731:070-85731:071.

--9510110271 Insp rept 40-3392/95-04 on 950911-14.Violations noted. Major areas inspected:evaluate compliance w/requirements specified in NRC regulations,license & license conditions.
REIDINGER,T.D., JACOBSON,J.M., SHEAR,G.L. Region 3 (Post 820201). 95/10/04. 8pp. 85731:072-85731:079.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9510020171 Forwards logic trees probabilistic seismic hazard analysis in Moab Atlas U mill tailings site.
WONG,I.G. Woodward-Clyde Consultants, Inc. 95/09/27. IBRAHIM,B., JUSTUS,P. NRC - No Detailed Affiliation Given. 14pp. 85682:279-85682:292.

9510040175 Submits annual surety update per compliance w/license condition 42 of Atlas license SUA-917.
BLUBAUGH,R.E. Atlas Corp. 95/09/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85710:356-85710:356.

9510040161 Requests that licensee submit annual surety update w/adjustment for inflation as required by license condition 42.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/28. BLUBAUGH,R. Atlas Corp. 3pp. 85710:333-85710:335.

9510040157 Submits annual surety update in compliance w/license condition 42 of source matl license SUA-917.
BLUBAUGH,R.E. Atlas Corp. 95/10/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 91pp. 85710:207-85710:297.

9510200382 Requests that NRC review 950927 submitted logic trees at earliest opportunity for final technical issue to be concluded expediously.
BLUBAUGH,R.E. Atlas Corp. 95/10/02. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85913:327-85913:327.

9510170319 Forwards trip rept,reviewing Atlas Corp reclamation plan.
GILLEN,D. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/05. BLUBAUGH,R. Atlas Corp. 3pp. 85855:260-85855:281.

9510130168 Responds to 950913 ltr & provides comments.Barringer Lab Svc will perform full suite of analytes that can be done w/ICP scan.
BLUBAUGH,R.E. Atlas Corp. 95/10/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 85809:351-85809:355.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9510200163 Provides follow-up to 950919 meeting in Casper re Title X reimbursement for American Nuclear reclamation project.
MOXLEY,M. Wyoming, State of. 95/10/05. JOYCE,J. Energy, Dept. of. 5pp. 85912:269-85912:273.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9510190157 Forwards "Semiannual ALARA Audit Rept Shirley Basin Mill & Tailings Site."
HARDGROVE,T.W. Pathfinder Mines Corp. 95/10/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85884:357-85884:360.

--9510190168 "Semiannual ALARA Audit Rept Shirley Basin Mill & Tailings Site."
HARDGROVE,T.W. Pathfinder Mines Corp. 95/10/04. 3pp. 85884:358-85884:360.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9510200133 Informs that during recent amend periods,First Interstate Bank of CA changed currently approved surety instruments, Ltrs of Credit Numbers S3001217 & S3002200 to S0060252 & S0061328,respectively.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 95/10/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85916:344-85916:345.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9510020203 Discusses 950831 ltr which requested transcript of tape from 950525 enforcement conference held at NRC Region I Office. Response to 950809 NOV should be submitted no later than 950922.
HEHL,C.W. Region 1 (Post 820201). 95/09/11. CAMPITELLI,A.T. Cabot Corp. 2pp. 85642:257-85642:258.

9510230171 Forwards insp rept 40-6940/95-01 from Feb 1995.Violations noted.
HEHL,C.W. Region 1 (Post 820201). 95/09/22. CAMPITELLI,A.T. Cabot Corp. 2pp. 85889:159-85889:165.

--9510230175 Insp rept 40-6940/95-01 on 950201-07.Violations noted. Major areas inspected:observations by inspector,interviews w/personnel & selective exam of representative records.
ARREDONDO,S.A., LANZISERA,P., SHANBAKY,M.M. Region 1 (Post 820201). 95/09/21. 5pp. 85889:161-85889:165.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9510240364 Transmits status rept for CAL-1-95-04.Next status rept will be forwarded by 950515.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/03/14. MARTIN,T.T. Region 1 (Post 820201). 24pp. 85929:105-85929:128.

9510240399 Forwards status rept for CAL-1-95-04.
SCHOOLEY,H.N., EVES,C.S. Shieldalloy Metallurgical Corp. 95/05/15. MARTIN,T.T. Region 1 (Post 820201). 27pp. 85995:153-85995:179.

9510200245 Forwards analytical results from ground water sampling at Shieldalloy Metallurgical Corp,in follow up to 950919 telcon.Six monitoring wells (and one duplicate) sampled & analyzed using gamma spectroscopy as requested by State.
GAFFIGAN,D.L. New Jersey, State of. 95/09/20. COMFORT,G. Office of Nuclear Material Safety & Safeguards. 23pp. 85916:274-85916:296.

9510240375 Forwards response to NRC questions re adjustments to derived air concentration for airborne thorium & U activity at facility.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/09/22. SHANBAKY,M.M. Region 1 (Post 820201). 13pp. 85929:129-85929:141.

9510190393 Forwards FRN re NRC issuance of "Clarification of Decommissioning Funding Requirements," (60FR38235) dtd 950726,as discussed in meeting w/licensee on 951005.
COMFORT,G.C. Licensing Branch. 95/10/11. EVES,C.S. Shieldalloy Metallurgical Corp. 7pp. 85911:268-85911:274.

9510250241 Forwards Attachment 1 to application for renewal of license SMB-743.Attachment 3 (Radiation Protection Program) & Attachment 5 (Methodology for Control Issues & Distribution of Radiation Safety Procedures) w/o word draft.
EVES,C.S. Shieldalloy Metallurgical Corp. 95/10/12. COMFORT,G.C. Licensing Branch. 1p. 85988:140-85988:168.

--9510250245 Rev 0 to Procedure RSP-001, "Radiation Protection Program Plan (Newfield Facility)."
* Shieldalloy Metallurgical Corp. 95/10/06. 16pp. 85988:141-85988:156.

--9510250248 Rev 0 to Procedure RSP-003, "Control of Radiation Safety Procedures (Newfield Facility)."
* Shieldalloy Metallurgical Corp. 95/10/06. 12pp. 85988:157-85988:168.

DOCKET 40-7354 ARMY, DEPT. OF, ABERDEEN, MD

9510260071 Informs that Region I will be reorganized effective 951001, to develop more efficient structure & reduce layers of mgt in ofc.
KINNEMAN,J.D. Region 1 (Post 820201). 95/10/06. BAILER,R.O. Army, Dept. of. 3pp. 85999:088-85999:090.

DOCKET 40-7397 FOOTE MINERAL CO., EXTON, PA

9509220002 Discusses weekly conference call re Shieldalloy contractors concerning item of interest.
NELSON,R.A. NRC - No Detailed Affiliation Given. 95/03/03. GLINSKI NRC - No Detailed Affiliation Given. 1p. 85735:048-85735:048.

--9509220004 Discusses class action lawsuit filed by four families against Cyprus Foote Mineral,Cyprus Amax Minerals,Newmont Mining & Cabot Corp.
GLINSKI,R.L. NRC - No Detailed Affiliation Given. 95/03/07. NELSON NRC - No Detailed Affiliation Given. 1p. 85735:049-85735:049.

9510020066 Forwards "Phase II Data Rept Cambridge,OH."
TORRINI,R.E. Woodward-Clyde Consultants, Inc. 95/08/03. MCCORMICK-BARGE Region 3 (Post 820201). 1p. 85681:001-85681:129.

--9510020068 "Phase II Data Rept Cambridge,OH."
* Woodward-Clyde Consultants, Inc. 95/08/03. 128pp. 85681:002-85681:129.

9510020112 Forwards "Data From Phase I Survey & Phase II Investigation Cambridge,OH," in response to NRC 950825 request for addl info.
TORRINI,R.E. Woodward-Clyde Consultants, Inc. 95/09/21. BARGER,J. NRC - No Detailed Affiliation Given. 3pp. 85682:001-85682:173.

--9510020130 "Data From Phase I Survey & Phase II Investigation Cambridge,OH."
* Woodward-Clyde Consultants, Inc. 95/09/30. 169pp. 85682:005-85682:173.

9510050217 Forwards preliminary draft "Guidelines for Radionuclides in Slag Fill Matl at Residential Properties in Cambridge,OH."
FRAZIER,J.R. Affiliation Not Assigned. 95/09/12. BARGER,J.M. NRC - No Detailed Affiliation Given. 2pp. 85735:050-85735:104.

--9510050219 Preliminary draft "Guidelines for Radionuclides in Slag Fill Matl at Residential Properties in Cambridge,OH."
* Affiliation Not Assigned. 95/09/12. 52pp. 85735:052-85735:104.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9510030194 Forwards insp rept 40-7580/95-01 on 950810-11 & 28 & NOV.
SCARANO,R.A. Region 4 (Post 820201). 95/09/28. HUNTER,J.R. Fansteel, Inc. 4pp. 85644:092-85644:114.

--9510030216 Notice of violation from insp on 950810-11 & 28.Violation noted:individual that held Alternate Plant Radiation Safety Officer position,currently holding Plant Radiation Safety Officer position,does not have required bachelor degree.
* Region 4 (Post 820201). 95/09/28. 3pp. 85644:096-85644:098.

--9510030221 Insp rept 40-7580/95-01 on 950810-11 & 28.Violations noted. Major areas inspected:site status,mgt & organization controls,radiation protection,environ protection & radwaste mgt.
CAIN,C.L. Region 4 (Post 820201). 95/09/28. 16pp. 85644:099-85644:114.

9510200242 Restates proposal made to NRC at Jul meeting to accomodate decommissioning plan & decommissioning funding assurance plan for consideration in light of discussions at Jul meeting.Response to NRC 950413 ltr encl.
HUNTER,J.J. Fansteel, Inc. 95/10/13. DATTA,A. Licensing Branch. 13pp. 85913:333-85913:345.

9510250309 Refers to 950718 presentation to NRC of licensee plans for disposal of residual contaminated sludge matl from past operations & related financial assurance for decommissioning od site at termination of operation.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 95/10/16. HUNTER,J.J. Fansteel, Inc. 3pp. 85985:308-85985:310.

DOCKET 40-7708 UNION CARBIDE CORP., NEW YORK, NY

9510240115 Forwards insp rept 40-7708/95-01 on 950908.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/10/18. HUGHES,J. Elkem Metals Co. 2pp. 85896:181-85896:188.

--9510240123 Insp rept 40-7708/95-01 on 950908.No violations noted.Major areas inspected:limited radiological survey of concrete ore pad located on border between Elkem Metals & Eveready facilities.
GLINSKI,R.L., HOUSE,J.E., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/18. 6pp. 85896:183-85896:188.

DOCKET 40-7841 WEST VIRGINIA UNIV., MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510240199 Application for license,authorizing possession & use of listed matls for studies.
MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 68/04/23. 7pp. 86125:061-86125:067.

--9510240210 Forwards source matl license SMB-951.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/03. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:068-86125:068.

--9510240216 License SMB-951 for WV Univ,authorizing possession & use of 400 lbs U & Thorium.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/03. 1p. 86125:069-86125:069.

--9510240221 Advises of error in license SMB-951.Expiration date should be 730531.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/14. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:070-86125:070.

--9510240225 Safety insp on 691106 of license SMB-0951.Insp findings: form AEC-3 not properly posted & records of surveys or disposals not properly maintained.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). LING,A.C. West Virginia Univ., Morgantown, WV. 69/11/06. 1p. 86125:071-86125:074.

--9510270122 Notifies that license SMB-951 expires on 730531.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/03/06. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:075-86125:075.

--9510270125 Application for renewal of license SMB-951.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 1p. 86125:076-86125:076.

--9510270128 Ack receipt of 730601 ltr requesting renewal of license SMB-951.Advises that due to limited matl possesses specific license not required.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/07/03. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:077-86125:077.

--9510270132 Requests termination of action on linense SMB-951 for WV Univ.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/07/18. DAVIS,F.C. Atomic Energy Commission (Pre 750119). 2pp. 86125:078-86125:079.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9510260145 FOIA request for documents re Sequoyah Fuels Corp licenses SUB-1010 & 35-12636-03,from 930405-950815.
HUGHES,L. Native Americans for a Clean Environment. 95/08/15. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 86072:001-86072:006.

9510260154 First partial response to FOIA request for documents.Records in App A available in PDR.App B records encl & being made available for PDR.App C records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/03. HUGHES,L. Native Americans for a Clean Environment. 8pp. 86072:007-86073:125.

--9404180219 Forwards evaluation plan & schedule for lessons learned review of Sequoyah Fuels Corp 921117 event at Gore,OK facility.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/04/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 86072:059-86072:064.

--9404270349 Forwards listing of addl documents that should be included in reviews re facility 921117 event involving chemical airborne release of nitrogen dioxide.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/03/14. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 4pp. 86072:050-86072:052.

--9510260160 Requests answers to listed questions,from NMSS & OI,re situation concerning NO2 emissions at Sequoyah Fuels Corp.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/02/21. TING,P., WINSBURG,K.L., RATHBUN,D.K. NRC - No Detailed Affiliation Given. 1p. 86072:015-86072:015.

--9510260175 Submits contract costs incurred & staffhours in reviewing application dtd 930127 for license SUB-1010.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/04. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:293-86072:295.

--9510260183 Submits contract costs incurred & staffhours used in reviewing application dtd 930127 for license SUB-1010.
HORN,M. Licensing Branch. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:296-86072:297.

--9510260185 Informs that application dtd 930127 has been reviewed by NMSS IAW 10CFR170.31 & requires amend to license.
ADAMS,M. NRC - No Detailed Affiliation Given. 93/02/08. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:298-86072:311.

--9510260200 Forwards demand for info dtd 921229,staff hours re decommissioning,synopsis of events & response to J Shepard request to define whether demand for info should be treated like order.
DEFINO,C.V. Program Management, Policy Development & Analysis Staff (Post 870413). 94/11/18. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:312-86072:328.

--9510260202 Forwards list of case numbers & status.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 94/11/08. SEELIG,C. Program Implementation Branch (Post 870729). 2pp. 86072:329-86072:330.

--9510260208 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:197-86072:200.

--9510260210 Informs that based on criteria noted,work related effort can not be billed to licensee.
BELL,L.B. NRC - No Detailed Affiliation Given. 94/07/27. SHEPHERD,J., JONES,B., AUSTIN,J. NRC - No Detailed Affiliation Given. 2pp. 86072:331-86072:332.

--9510260211 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/30. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:201-86072:203.

--9510260213 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:204-86072:205.

--9510260215 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:206-86072:207.

--9510260217 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:208-86072:209.

--9510260218 Submits contract cost incurred & staff hours used in reviewing 940128 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/05/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 86072:334-86072:334.

--9510260219 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/12/08. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:210-86072:212.

--9510260220 Submits contract cost incurred & staff hours used in reviewing 930707 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 86072:335-86072:335.

--9510260222 Discusses 921221 Commission meeting on Sequoyah Fuels.
BATES,A.L. NRC - No Detailed Affiliation Given. 94/09/29. THOMPSON,J.L. NRC - No Detailed Affiliation Given. 3pp. 86072:018-86072:020.

--9510260223 Responds to 930215 ltr re contractual costs incurred by ICF,Inc for review of case number 04008027010S,TAC L50878.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 94/03/18. JONES,B. Program Analysis Branch. 2pp. 86072:336-86072:340.

--9510260225 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:213-86072:216.

--9510260229 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:217-86072:219.

--9510260230 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:220-86072:221.

--9510260231 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:222-86072:223.

--9510260233 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/08/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:224-86072:225.

--9510260234 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/05/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:226-86072:227.

--9510260235 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/02/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:228-86072:229.

--9510260237 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 93/10/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:230-86072:233.

--9510260239 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:234-86072:237.

--9510260240 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:238-86072:239.

--9510260241 Discusses status of independent review of NACE allegations contained in "Silent Sirens" rept & responds to Chairman questions re Sequoyah Fuels Corp.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 94/04/22. TING,P. Commissioners (Post 750119). 3pp. 86072:053-86072:058.

--9510260243 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/04/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:240-86072:249.

--9510260245 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:250-86072:253.

--9510260246 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/11/08. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:254-86072:255.

--9510260248 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/09/30. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:256-86072:257.

--9510260250 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:258-86072:261.

--9510260251 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:262-86072:263.

--9510260253 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:264-86072:266.

--9510260257 Forwards responses to questions re NRC response to Native Americans for Clean Environ allegations about 921117, Sequoyah Fuels event.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/08/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 86072:065-86072:071.

--9510260258 Submits contract cost incurred & staff hours used in reviewing 900330 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:275-86072:277.

--9510260259 Submits contract cost incurred & staff hours used in reviewing 903030 application for amend to license SUB-1010.
ROBINSON,C. Office of Nuclear Material Safety & Safeguards. 93/02/23. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:278-86072:279.

--9510260260 Requests info on whether fee category has been changed for Sequoyah Fuels Corp.
SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 93/10/06. DANDOIS,D. NRC - No Detailed Affiliation Given. 1p. 86072:346-86072:350.

-9510260261 Submits contract cost incurred & staff hours used in reviewing 930114 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:280-86072:292.

-9510260263 Submits text of ltr from NMSS to Sequoyah Fuels Corp re 40.42 shutdown notification.
SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 93/08/26. JACKSON,G. NRC - No Detailed Affiliation Given. 2pp. 86072:351-86072:353.

-9510260264 Forwards file containing staff-hour expenditures for Sequoyah Fuels for FY90-FY94,per H Thompson request.
JONES,B.S. NRC - No Detailed Affiliation Given. 94/11/04. BAKER,P. NRC - No Detailed Affiliation Given. 6pp. 86072:109-86072:114.

-9510260266 Responds to 950508 fax requesting addl info on contractual costs billed on Invoice JR520-95.Monthly ltr status repts from Aug 1994 through Feb 1995,not encl.
WEISS,D. License Fee & Debt Collection Branch (Post 890827). 95/06/08. HARLIN,C. Sequoyah Fuels Corp. 14pp. 86072:354-86073:006.

-9510260269 Forwards unofficial copy of revised proposal for L2094 Task 10,Technical Assistance in Preparation of & EIS for Decommissioning of Sequoyah Fuels Corp Facility.
MCCOLD,L. Oak Ridge National Laboratory. 95/04/10. DEMARCO,D. Office of Nuclear Material Safety & Safeguards. 42pp. 86073:007-86073:048.

-9510260270 Informs that 921117 draft lessons learned rept re release of N dioxide at Sequoyah Fuels Corp facility,placed in PDR.
BLAHA,J.L. Assistant for Operations (Post 890205). 94/11/21. MCCONNELL,K., COPLAN,S., WHITFIELD,K. Commissioners (Post 750119). 1p. 86072:115-86072:115.

-9510260273 Responds to memo to C Seeling re request for addl info on contractual svcs billed to Sequoyah Fuels Nuclear,Inc under Invoice JR0520-95.
BEVERIDGE,G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 95/03/23. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 86073:049-86073:049.

-9510260274 Forwards 950508 ltr from Sequoyah Fuels requesting addl info re contractual svcs billed under Invoice JR0520-95.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/05/17. SEELIG,C. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 86073:050-86073:050.

-9510260277 Requests any available info on scope of work that could assist C Harlin in understanding nature of charges which had been incurred from 8/94 to 2/95.
HARLIN,C. Sequoyah Fuels Corp. 95/05/08. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:051-86073:052.

-9510260278 Submits contract cost incurred & staff hours used in reviewing 930216 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:053-86073:054.

-9510260279 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. NRC - No Detailed Affiliation Given. 95/04/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:055-86073:056.

-9510260291 Submits contract costs incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:141-86072:145.

-9510260295 Submits contract cost incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:146-86072:148.

-9510260298 Submits contract cost incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:149-86072:151.

-9510260301 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:152-86072:154.

-9510260303 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:155-86072:157.

-9510260304 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:158-86072:159.

-9510260306 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:160-86072:163.

-9510260308 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:164-86072:167.

-9510260309 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:168-86072:170.

-9510260311 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:171-86072:172.

-9510260313 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:173-86072:174.

-9510260314 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:175-86072:180.

-9510260317 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:181-86072:184.

-9510260318 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:185-86072:187.

-9510260320 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:188-86072:189.

-9510260321 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:190-86072:191.

-9510260322 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:192-86072:193.

-9510260324 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:194-86072:196.

9510230283 Forwards comments on site characterization plan prepared by Sequoyah Fuels for nuclear regulatory agency dtd 940128.
WILLIAMS,O. Army, Dept. of, Corps of Engineers. 94/05/27. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 11pp. 85923:331-85923:341.

9510030093 Licensee motion for leave to file reply to intervenor reply brief & testimony.*
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #495 17127. 95/09/20. Commissioners (Post 750119). 3pp. 85643:036-85643:065.

-9510030108 Reply affidavit of JH Ellis.*
ELLIS,J.H. Sequoyah Fuels Corp. 95/09/18. 15pp. 85643:039-85643:053.

-9510030123 Licensee reply brief.* Requests that each accepted issue be resolved in favor & that proposed license amend be approved as requested.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. 95/09/20. Commissioners (Post 750119). 12pp. 85643:054-85643:065.

9510030132 Order (granting requests to file reply pleadings).* Orders that Sequoyah Fuels Corp & staff motions for leave to file reply,granted & staff reply shall be filed on or before 950922.W/Certificate of Svc.Served on 950921.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #495 17126. 95/09/21. Office of the General Counsel (Post 860701). 4pp. 85643:134-85643:137.

9510240220 Forwards originals of final memo of understanding between US EPA & NRC re Sequoyah Fuels Corp site located near,Gore,OK, signed by S Coleman.
COLEMAN,S. Environmental Protection Agency. 95/09/21. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85928:329-85928:342.

-9510240231 Memo of understanding between US EPA & NRC on Sequoyah Fuels Corp Gore,OK.
COLEMAN,S. Environmental Protection Agency. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/09/25. 12pp. 85928:330-85928:342.

9510030088 Order (extending discovery stay).* Request for extension of Board 950830 stay order,granted.W/Certificate of Svc.Served on 950922.
BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. #495 17128. 95/09/22. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 85643:030-85643:035.

9510030096 NRC Staff reply to intervenor response to joint motion for approval of settlement agreement.* Board should issue order approving & incorporating settlement agreement.W/Certificate of Svc.
HOM,R.C., MARCO,C. Office of the General Counsel (Post 860701). #495 17129. 95/09/22. Atomic Safety & Licensing Board Panel. 12pp. 85643:066-85643:077.

9510030136 Native Americans for Clean Environment & Cherokee Nation motion for leave to reply to Sequoyah Fuels Corp.*
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. #495 17137. 95/09/25. Atomic Safety & Licensing Board Panel. 5pp. 85643:140-85643:167.

--9510030147 Native Americans for Clean Environment & Cherokee Nation reply to Sequoyah Fuels Corp replies to intervenors response to settlement agreement.*
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). WILCOXEN,J.G. Cherokee Nation. 95/09/25. Atomic Safety & Licensing Board Panel. 14pp. 85643:145-85643:158.

--9510030159 Affidavit of LR Hughes re 940512 ltr not transmitted for First Quarter Financial Rept 1994.W/Certificate of Svc.
HUGHES,L.R. Native Americans for a Clean Environment. 95/09/21. 9pp. 85643:159-85643:167.

9510030171 Order (request for info).* Directs that comments on Corps of Engineers 950911 ltr be filed by close of business on 950929.W/Certificate of Svc.Served on 950925.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #495 17136. 95/09/25. Office of the General Counsel (Post 860701). 4pp. 85643:181-85643:184.

9510040060 Sequoyah Fuels Corp opposition to intervenor motion for leave to reply,Sequoyah Fuels Corp motion for leave to respond if intervenor motion granted.*
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #495 17161. 95/09/28. Atomic Safety & Licensing Board Panel. 5pp. 85673:201-85673:228.

--9510040067 Sequoyah Fuels Corp reply to intervenor renewed opposition.* Requests Board approval of settlement agreement & that licensee be dismissed from proceeding.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. 95/09/29. Atomic Safety & Licensing Board Panel. 27pp. 85673:206-85673:228.

9510030064 Sequoyah Fuels Corp comments on ltr from Corps of Engineers.* Comments limited to observations re settlement agreement.W/Certificate of Svc.
AXELRAD,M. Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #495 17157. 95/09/29. 6pp. 85643:001-85643:006.

9510030072 NRC staff comments on Corps of Engineers ltr.* Corps expressed objections to proposed settlement agreement between NRC & Sequoyah Fuels Corp.W/ Certificate of Svc.
MARCO,C.L., HORN,S.R. Office of the General Counsel (Post 860701). #495 17156. 95/09/29. 5pp. 85643:007-85643:011.

9510040034 Native Americans for Clean Environment & Cherokee Nation comments on Corps of Engineer ltr of 950911.* W/Certificate of Svc.
WILCOXEN,J. Cherokee Nation. WILCOXEN,J. Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen &.Wilcoxen). CURRAN,D. Native Americans for a Clean Environment. #495 17160. 95/09/29. 5pp. 85673:164-85673:168.

9510040055 Requests that addl time be given to consider potential effect upon state interests of proposed "settlement agreement" between NRC & Sequoyah Fuels.Related correspondence.
HALE,J. Oklahoma, State of. #495 17164. 95/09/29. HOM,S.R. Office of the General Counsel (Post 860701). 1p. 85673:200-85673:200.

9510170170 Responds to 950810 ltr to F Combs re why Sequoyah Fuels Corp facility not on list of facilities for permanent records retention.Criteria for inclusion on list given in encl Records Mgt Guidelines 92-01 & 93-03.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/29. HUGHES,L. Native Americans for a Clean Environment. 2pp. 85862:305-85862:326.

9510040036 Forwards listed documents to suppl hearing file re proceeding.Informs that completion of staff review of license amend application delayed beyond projected completion date provided in 950525 ltr.
HOM,S.R. Office of the General Counsel (Post 860701). #495 17163. 95/10/02. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 13pp. 85673:172-85673:184.

9510040040 Native Americans for Clean Environment & Cherokee Nation opposition to Sequoyah Fuels Corp motion for leave to reply.* W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #495 17162. 95/10/02. Atomic Safety & Licensing Board Panel. 4pp. 85673:188-85673:191.

9510060077 Sequoyah Fuels Corp opposition to intervenor request to file reply.* Intervenor request should be denied because intervenor have provided no justification for addl submittal.W/Certificate of Svc.
AXELRAD,M Sequoyah Fuels Corp. AXELRAD,M. Morgan, Lewis & Bockius. #495 17171. 95/10/03. Atomic Safety & Licensing Board Panel. 4pp. 85693:100-85693:103.

9411030265 Forwards "Lessons Learned Rept for 921117 Release of Nitrogen Dioxide at Sequoyah Fuels Corp Facility in Gore, OK," per request in 940314 memo to review circumstances surrounding 921117 event.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data. Director. 94/10/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 86072:072-86072:108.

--9411030267 "Lessons Learned Rept for 921117 Release of Nitrogen Dioxide at Sequoyah Fuels Corp Facility in Gore,OK."
* Office of Nuclear Material Safety & Safeguards. 94/10/31. 33pp. 86072:074-86072:108.

9510120090 Greetings to Sequoyah Fuels Corp.* Expresses concern about licensee whining of lessons of moral or ethical obligations re actions or those of Native Americans for Clean Environ. W/Certificate of Svc.
HUGHES,L. Native Americans for a Clean Environment. #495 17190. 95/10/04. 5pp. 85751:078-85751:082.

9510120067 Forwards ltr from D Edmondson on behalf of Oklahoma Dept of Wildlife Conservation,requesting addl time to review settlement agreement between NRC & Sequoyah Fuels Corp.
UTTAL,S.L. Office of the General Counsel (Post 860701). #495 17178. 95/10/05. GLEASON,J.P., BOLLWERK,G.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 2pp. 85751:034-85751:035.

9510170327 Notifies that,in accordance w/Section IV.2 of MOU for remedial action at Sequoyah Fuels Corp site,facility coordinator responsible for oversight of implementation of MOU JC Shepherd.Shepherd mailing address listed.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/05. COLEMAN,S. Environmental Protection Agency. 3pp. 85862:302-85862:304.

9510120074 NRC Staff & General Atomics status rept on settlement negotiations & joint motion for addl stay of discovery beyond 951013.* W/Certificate of Svc.
HOM,S.R. Atomic Safety & Licensing Board Panel. DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #495 17179. 95/10/06. 5pp. 85751:045-85751:049.

9510180242 Native Americans for Clean Environ & Cherokee Nation Opposition to Joint Motion for addl stay of discovery.* Informs that Board should deny motion & order resumption of discovery on jurisdictional issues.W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. WILCOXEN,J.G. Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen). #495 17195. 95/10/11. Atomic Safety & Licensing Board Panel. 12pp. 85846:021-85846:031.

9510180262 General Atomic motion for leave to file reply.* Informs that interest of justice will be advanced if General Atomic given opportunity to file replies to position of Intervenors.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #495 17196. 95/10/12. Atomic Safety & Licensing Board Panel. 2pp. 85846:061-85846:078.

--9510180270 General Atomic reply to opposition of Intervenors (NRC Staff-General Atomics) joint motion for addl stay of discovery.Informs that request by Intervenors must be rejected.W/Certificate of Svc.
DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #495 17196. 95/10/12. Atomic Safety & Licensing Board Panel. 16pp. 85846:063-85846:078.

9510180208 NRC Staff motion for leave to reply to Native Americans for Clean Environ & Cherokee Nation opposition to joint motion for addl stay of discovery.* Recommends that Board grant staff motion.
HORN,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #495 17204. 95/10/13. Atomic Safety & Licensing Board Panel. 5pp. 85845:301-85845:314.

--9510180251 NRC Staff reply to Native Americans for Clean Environ & Cherokee Nation opposition to joint motion for addl stay of discovery.* W/Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). 95/10/13. Atomic Safety & Licensing Board Panel. 9pp. 85845:306-85845:314.

9510180250 Responds to 950929 ltr to SR Hom re proposed Settlement Agreement between NRC & Sequoyah Fuels.Related correspondence.
UTTAL,S.L. Office of the General Counsel (Post 860701). #495 17212. 95/10/13. HALE,J. Oklahoma, State of. 6pp. 85845:354-85845:359.

9510190041 Order (extending discovery stay).* Order granting General Atomics 951012 motion for leave to file reply & joint motion for extension of Board 950922 stay order. W/Certificate of Svc.Served on 951013.
GLEASON,J.P., KLINE,J.R., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #495 17203. 95/10/13. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 6pp. 85863:007-85863:012.

9510310259 Forwards signed original of FRN of intent to prepare environ impact statement & to conduct scoping process for decommissioning of Sequoyah Fuels Corp U conversion facility in Gore,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/13. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 2pp. 86058:342-86058:360.

--9510310268 Notice of intent to prepare environ impact statement & to conduct scoping process for decommissioning of Sequoyah Fuels Corp U conversion facility in Gore,OK.
WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 95/10/13. 17pp. 86058:344-86058:360.

9510180168 NRC Staff answer to Native Americans for Clean Environ & Cherokee Nation motion for leave to reply to licensee & NRC Staff.* Denies Intervenor motion.W/Certificate of Svc.
HOM,S.R., UTTAL,S.L. Office of the General Counsel (Post 860701). #495 17213. 95/10/16. Atomic Safety & Licensing Board Panel. 6pp. 85847:084-85847:089.

9510300006 Memorandum & order (approval of settlement agreement).* Settlement agreement will be approved after request of addl briefing re delaying Board ruling on agreement. W/Certificate of Svc.Served on 951026.
GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. #495 17256. 95/10/26. Office of the General Counsel (Post 860701). 21pp. 86000:001-86000:021.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9510270357 Fowards info to satisfy license condition 27 & requests that existing surety agreement be extended through 1996.Bond calculation revised to reflect current cost through 1995.
CHASE,G. Bear Creek Uranium Co. 95/10/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 54pp. 86048:169-86048:226.

9510200175 Application for amend to license SUA-1310,modifying background level for selenium,Th-230,radium & U. "Analysis of Water Quality Variability Associated W/Well MW-9, Comprehensive Data Review" encl.
SCOTT,E.Y. Union Pacific Resources Co. 95/10/17. 1p. 85912:274-85912:290.

--9510200181 "Analysis of Water Quality Variability Associated W/Well MW-9,Comprehensive Data Review."
* Union Pacific Resources Co. 95/10/01. 16pp. 85912:275-85912:290.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9510190081 Informs of review of computer spreadsheets provided by Kennecott Sweetwater to correct MILDOS-AREA output to current regulations.First pages of both basic template & Kennecott Sweetwater example encl.
AUSTIN,J.H, Performance Assessment & Hydrology Branch (NMSS 940403). 95/10/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85900:231-85900:233.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9510030112 Monthly Status Rept.* Advises Presiding officer & parties that no new developments to rept at present time. W/Certificate of Svc.
IPSEN,H.W. Atomic Safety & Licensing Board Panel. #495 17135. 95/09/20. 2pp. 85643:118-85643:119.

9510170399 Forwards amend 41 to license SUA-1358 & TER.Amend adds license condition 58 to receive & process source matl from Rhone-Poulenc Chemicals.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/28. SPARLING,D. Energy Fuels Nuclear, Inc. 4pp. 85862:327-85862:346.

-9510170400 Amend 41 to license SUA-1358 for Energy Fuels Nuclear,Inc, adding license condition 58 to receive & process source matl from Rhone-Poulenc Chemicals.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/28. 16pp. 85862:331-85862:346.

9510040155 Informs of withdrawal of request for amend to license SUA-1358 for disposal of Monticello mill tailings.
ROBERTS,H.R. Energy Fuels Nuclear, Inc. 95/09/29. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85709:351-85709:351.

9510120065 Motion to dismiss hearing request.* W/Certificate of Svc.
ISPEN,H.W. Energy Fuels Nuclear, Inc. ISPEN,H.W. Holme, Roberts & Owens. #495 17174. 95/10/02. Atomic Safety & Licensing Board Panel. 4pp. 85751:030-85751:033.

9510300043 NRC Staff response to licensee motion to dismiss hearing request.* Instant proceeding & request for hearing should be dismissed w/o prejudice to licensee ability to refile license amend application.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #495 17242. 95/10/23. Atomic Safety & Licensing Board Panel. 6pp. 86000:054-86000:059.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9510030089 Provides proposed sampling plan to demonstrate that concentration of radioactive contaminants in site closure cells within regulatory guidelines.Dames & Moore "Rept Validation Sampling Bert & Harvard Avenue Sites..." encl.
KOH,B. Chemetron Corp. 95/09/26. JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 85686:339-85686:355.

-9510030090 "Rept Validation Sampling Bert & Harvard Avenue Sites Chemetron Corp,Inc Newburgh Heights,OH."
* Dames & Moore. 95/09/26. 15pp. 85686:341-85686:355.

9510030148 Expresses gratitude for licensee forwarding Draft Environ Assessment of Chemetron Harvard Avenue site remediation for comments.
VANDEGRIFT,R.H. Ohio, State of. 95/09/26. JOHNSON,T.C. NRC - No Detailed Affiliation Given. 1p. 85688:351-85688:351.

9510170217 Forwards addl comments on Chemetron 950727 responses to NRC comments on Chemetron site remediation plan.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/27. SARGENT,D.R. Chemetron Corp. 3pp. 85852:358-85852:360.

9510170242 Informs of recent NRC actions pertinent to petition under 10CFR2.206 dtd 890106,to compel Chemetron Corp to immediately commence decontamination of Harvard Avenue site.
PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 95/09/29. ROMER,K.R. McGean-Rohco, Inc. (formerly McGean Chemical Co., Inc.). 4pp. 85852:354-85852:357.

9510170256 Forwards Chemetron statistical analysis supporting Chemetron sampling protocol to demonstrate that wastes placed into proposed Harvard Avenue & Bert Avenue disposal cells meet Option 2 limits for review.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/04. ADAMS,W. Oak Ridge Associated Universities. 1p. 85855:315-85855:332.

DOCKET 40-8778 MOLYCORP, INC., LOS ANGELES, CA

9510110081 Forwards insp rept 40-8778/95-01 on 950706.No violations noted.
KINNEMAN,J.D. Region 1 (Post 820201). 95/09/15. DANKMYER,B. Molycorp, Inc. 3pp. 85729:265-85729:273.

-9510110085 Insp rept 40-8778/95-01 on 950706.No violations noted.Major areas inspected:posting & labeling,instrumentation,training, internal & external dosimetry,respiratory protection & remediation activities.
BOUWENS,M.R., KINNEMAN,J.D. Region 1 (Post 820201). 95/09/12. 6pp. 85729:268-85729:273.

9510130241 FOIA request for decommissioning plan for Molycorp & characterization rept in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85800:201-85800:201.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9510130241 FOIA request for decommissioning plan for Molycorp & characterization rept in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85800:201-85800:201.

9510170245 Responds to 950814 ltrs,submitting site decommissioning plan & suppl SCR for facility.NRC completed preliminary completeness review of documents & no major deficiencies noted.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/03. DANKMEYER,B. Molycorp, Inc. 2pp. 85855:333-85855:344.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9510050161 Forwards insp rept 40-8838/95-01 on 950606-08.No violations identified.
MCCORMICK-BARGE Region 3 (Post 820201). 95/09/27. WEEKLY,T.M. Army, Dept. of. 2pp. 85686:034-85686:078.

-9510050167 Insp rept 40-8838/95-01 on 950606-08.No violations noted. Major areas inspected:radiological confirmatory survey including outdoor area surrounding bldgs 610,611 & portable magazine 1.
LAMBERT,K.J., KULZER,E.L., ABU-EID,B. Region 3 (Post 820201). 95/09/22. 43pp. 85686:036-85686:078.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9510250257 Forwards revised SOP 1.17,new SOP 1.27,revised SOP 6.14 & revised SOP 6.20 in response to 950510 NOV involving lack of emergency plans or procedures that address onsite yellowcake spills,natural disasters & fires.
KEARNEY,W.F. Power Resources Corp. 95/09/13. MCLEAN,L. Region 4 (Post 820201). 2pp. 85988:054-85988:068.

-9510250265 Revised SOP 1.17, "Off-Site Radioactive Matl Spill Response & Notification Procedure."
* Power Resources Corp. 95/09/12. 6pp. 85988:056-85988:061.

-9510250267 SOP 1.27, "Radioactive Matls Spill Contingency Procedure."
* Power Resources Corp. 95/09/12. 2pp. 85988:062-85988:063.

-9510250269 Revised SOP 6.14, "Fire Alarm/Fire Fighting."
* Power Resources Corp. 95/09/11. 4pp. 85988:064-85988:067.

-9510250274 Revised SOP 6.20, "Natural Disasters."
* Power Resources Corp. 95/09/11. 1p. 85988:068-85988:068.

9510040126 Forwards insp rept 40-8857/95-02 on 950828-31.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/22. HILDENBRAND,P. Power Resources, Inc. (formerly Sparkling City Nuclear Corp.). 4pp. 85673:120-85673:136.

-9510040134 Insp rept 40-8857/95-02 on 950828-31.No violations noted. Major areas inspected:licensee operations including mgt & organization controls,operations review,radiation protection radwaste mgt & environ monitoring.
CAIN,C.L. Region 4 (Post 820201). 95/09/21. 13pp. 85673:124-85673:136.

9510180387 Informs that licensee submittal for approval of amend,adding Section 22,T36N,R72W into existing permit at Highland U project reviewed by staff & found acceptable.
CHANCELLOR,R. Wyoming, State of. 95/10/06. KEARNEY,B. Power Resources Corp. 1p. 85900:150-85900:150.

9510260032 Forwards comments on Staff Technical Position (DWM 95-01) entitled, "Effluent Disposal at Licensed U Recovery Facilities" dtd April 1995.Licensee believes document contains significant flaws & inconsistencies.
HILDEBRAND,P.R. Power Resources Corp. 95/10/17. AUSTIN,J.H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 7pp. 85995:347-85995:353.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9510170413 "Nuclear Metals,Inc Decommissioning Plan for Holding Basin."
* Nuclear Metals, Inc. 95/08/31. 110pp. 85865:018-85865:157.

9510260206 FOIA request for decommissioning plan for Nuclear Metals, Concord,MA in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85998:185-85998:185.

9510260209 Final response to FOIA request for documents.Records in App A available in PDR.App B records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/17. BASTENBECK,B. Nuclear Energy Services, Inc. 3pp. 85998:186-85998:329.

DOCKET 40-8868 II-VI INC., SAXONBURG, PA

9510230234 Ack receipt of 950907 ltr informing NRC of steps taken to correct violations noted in insp rept 40-8868/95-01.
SHANBAKY,M.M. Region 1 (Post 820201). 95/09/26. JOHNSON,C.J. II-VI, Inc. 1p. 85890:143-85890:145.

-9510230243 Responds to NRC 950809 ltr re violations noted in insp rept 40-8868/95-01.Corrective actions:licensee purchasing low vol sampler & will be collecting weekly 24 hours continuous samples of air concentrations in coating operating areas.
JOHNSON,C.J. II-VI, Inc. 95/09/07. SHANBAKY,M.M. Region 1 (Post 820201). 2pp. 85890:144-85890:145.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9510270352 Forwards list of byproduct wastes at site.
CUNNEEN,P. Atlantic Richfield Co. (ARCO). 95/03/07. HOOKS,K. NRC - No Detailed Affiliation Given. 3pp. 86048:320-86048:322.

9510060258 Discusses status of reclamation of on-site landfills & by-product waste at Bluewater Mill site.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 95/09/28. HOLONICH,J. Office of Nuclear Material Safety & Safeguards. 2pp. 85748:279-85748:280.

9510200361 Discusses J Sales of EPA Region 6 visit to Bluewater Mill site re onsite disposal of byproduct matl containing PCBs.
PATEL,N. Atlantic Richfield Co. (ARCO). 95/10/02. JONES,C. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 2pp. 85916:348-85916:349.

9510120405 Forwards "Hydrologic Evaluation of By Product Matl Containing PCBs Disposal at Bluewater U site."
PATEL,N. Atlantic Richfield Co. (ARCO). 95/10/09. SALES,J. Environmental Protection Agency. 5pp. 85806:212-85806:216.

9510310250 Forwards rept of 950823,site visit by staff members of NRC. Visit conducted to familiarize NRC staff w/site & to discuss activities re groundwater alternate concentration limits for Atlantic Richfield Co Bluewater U mill site.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/13. ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 4pp. 86064:354-86064:357.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9510180179 Forwards revised summary of reclamation cost estimate, completed by Nielsons,Inc.
CRAFT,F.R. Homestake Mining Co. 95/09/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85867:347-85867:350.

9510170302 Forwards amend 22 to license SUA-1471 & TER.Amend incorporates revised radon barrier design,as requested in 950616 ltr.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/10. CRAFT,F. Homestake Mining Co. 9pp. 85855:290-85855:307.

--9510170308 Amend 22 to license SUA-1471 for Homestake Mining Co, incorporating revised radon barrier design.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/10. 9pp. 85855:299-85855:307.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9510040275 Proposes to update surety arrangement for L-Bar facility to reflect only effects of inflation since Jul 1995 & current surety in stated amount.Update reflects CPI change from that used in last update.
CROUCH,D.B. Kennecott Corp. 95/09/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85718:356-85718:357.

9510230245 Responds to 950718 ltr re NRC final position on review of previously approved reclamation plans on behalf of Sohio Western Mining Co. "NESHAPS Radon Flux Measurement Program Sohio L-Bar Site Near Laguna,NM" encl.W/one oversize encl.
CROUCH,D.B. Kennecott Corp. 95/10/13. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85981:239-85981:277.

--9510230250 "NESHAPS Radon Flux Measurement Program Sohio L-Bar Site Near Laguna,NM." W/one oversize drawing.
* . 91/11/30. 35pp. 85981:243-85981:277.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9510040179 Informs that due to amends to monitoring requirements for Discharge Plan-169,monitoring rept for third quarter no longer required.
LUTHINGER,P. Quivira Mining Co. 95/09/27. OHRBOM,R. New Mexico, State of. 1p. 85710:357-85710:357.

9510110361 Responds to 950726 ltr re insp fee invoice MM0633-95. Manpower Transaction Rept for Insp Rept 95-01,attributing 20.5 h to VJ Everett & 54.5 to ML Mclean,encl.
JACKSON,G.C. License Fee & Debt Collection Branch (Post 890827). 95/10/10. FERDINAND,B. Rio Algom Mining Corp. 3pp. 85756:355-85756:357.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

9510310300 Forwards major deliverables & correspondence re five yr review.
KING,S.K. Jacobs Engineering Group, Inc. 95/10/12. BRADLEY,V.C. NRC - No Detailed Affiliation Given. 7pp. 86076:001-86076:189.

--9510310303 "Five Yr Review Final Rept."
* Jacobs Engineering Group, Inc. 95/07/31. 43pp. 86076:008-86076:050.

--9510310307 Rev 1 to Calculation 1 for UNC Church Rock Site Gallup,NM.
* Jacobs Engineering Group, Inc. 1 R01. 93/07/09. 139pp. 86076:051-86076:189.

9510160308 Notification of 951025 meeting w/NRC & licensee in Bethesda, MD to discuss surety requirements for reclamation of Church Rock site.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/02. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85836:144-85836:144.

9510180030 Forwards contracts for 1996 surface reclamation of Church Rock Tailings Disposal site.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 95/10/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 85866:327-85866:340.

9510190090 Provides clarification of issue re contribution of nitrate from tailings seepage & background water at site,in response to L Hamden request in 950921 meeting at site.Clarification provided at request of UNC.
DU PONT,S. Affiliation Not Assigned. 95/10/13. HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85885:331-85885:336.

9510190273 Provides results of evaluation of data collected during 1977 prior to startup of mill operations & tailings disposal at Church Rock site,as suggested during 950720 meeting.
DU PONT,S. Affiliation Not Assigned. 95/10/16. HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 16pp. 85883:258-85883:273.

9510310228 Forwards rept of 950921,site visit by staff members of NRC. Site visit conducted to review activities related to United Nuclear Corp Church U mill site.
GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/16. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 3pp. 86064:350-86064:352.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9510170418 "Semiannual Radiological Effluent & Environ Monitoring Rept for First & Second Quarters 1995." W/950829 ltr.
KNODE,R. Affiliation Not Assigned. 95/06/30. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 94pp. 85865:158-85865:251.

9510190113 Withdraws 950118 request to use bentonite grout during well installation at Crow Butte Mine.NRC requested addl info not readily available re technique.Amend request will be resubmitted w/addl info.
COLLINGS,S.P. Affiliation Not Assigned. 95/09/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85900:207-85900:207.

9510040177 Forwards 1996 restoration/reclamation surety cost estimate for Crow Butte In-situ Mine.
COLLINGS,S.P. . 95/09/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 24pp. 85709:218-85709:241.

9510240111 Forwards insp rept 40-8943/95-02 on 950912-14.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/18. COLLINGS,S.P. Affiliation Not Assigned. 4pp. 85896:169-85896:180.

--9510240121 Insp rept 40-8943/95-02 on 950912-14.No violations noted. Major areas inspected:mgt & organizational controls, operations review,radiation protection & environ monitoring.
CAIN,C.L. Region 4 (Post 820201). 95/10/16. 8pp. 85896:173-85896:180.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9510310375 Forwards addendum to Shieldalloy Metallurgical Corp remedial investigation/feasibility study Vol II remedial investigation data repts.Submittals completes Vol II & instructions for assembling matls attached.
SHIELDS,W.J. PTI Services, Inc. 95/07/27. ACKMAN,O. Ohio, State of. 222pp. 86074:117-86074:338.

9510310293 Forwards draft "Phase II Ecological Risk Assessment Apps Addendum to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
SHIELDS,W.J. PTI Services, Inc. 95/08/09. ACKMAN,O. Ohio, State of. 1p. 86042:121-86042:168.

--9510310298 Draft "Phase II Ecological Risk Assessment Apps Addendum to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* PTI Services, Inc. 95/08/09. 45pp. 86042:122-86042:168.

9510310326 Forwards draft "Access Restriction Plan at Shieldalloy Metallurgical Corp Site in Cambridge,OH," & monthly progress rept for Jul 1995.
SHIELDS,W.J. PTI Services, Inc. 95/08/09. ACKMAN,O. Ohio, State of. 4pp. 86066:103-86066:133.

--9510310333 Draft "Access Restriction Plan at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
* PTI Services, Inc. 95/08/09. 24pp. 86066:107-86066:133.

9510310316 Informs that access restriction plan,as submitted,approvable w/exception of submitted comment.
ACKMAN,O. Ohio, State of. 95/08/22. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Cyprus Coal Co. (subs. of Cyprus Minerals Co.). 2pp. 86075:355-86075:356.

9510310275 Forwards "Access Restriction Work Plan at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/09/06. ACKMAN,O. Ohio, State of. 1p. 86066:134-86066:159.

--9510310278 "Access Restriction Work Plan at Shieldalloy Metallurgical Corp Site on Cambridge,OH."
* PTI Services, Inc. 95/09/30. 24pp. 86066:136-86066:159.

9510310340 Forwards monthly progress rept for period Aug 1995 for Shieldalloy Metallurgical Corp site for remedial investigation & feasibility study.
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/09/11. ACKMAN,O. Ohio, State of. 4pp. 86066:354-86066:357.

9510310267 Forwards "Phase II Ecological Risk Assessment Work Plan, Suppl to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge, OH."
VALENTI,J. Shieldalloy Metallurgical Corp. 95/09/13. ACKMAN,O. Ohio, State of. 1pp. 86071:063-86071:133.

--9510310271 "Phase II Ecological Risk Assessment Work Plan Suppl to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metalurgical Corp Site in Cambridge,OH."
* PTI Services, Inc. 95/09/30. 70pp. 86071:064-86071:133.

9510310357 Submits response to NRC request for addl info re source of matl for proposed west slag pile cap.
PEEK,D.C. PTI Services, Inc. 95/09/13. KENNEDY,J. Office of Nuclear Material Safety & Safeguards. 2pp. 86066:352-86066:353.

9510310403 Approves revised access restriction plan for Shieldalloy Metallurgical Corp site in Cambridge,OH,received on 950906.
ACKMAN,O. Ohio, State of. 95/09/14. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 1p. 86095:004-86095:004.

9510260288 FOIA request for decommissioning plan for Shieldalloy Cambridge,OH facility & characterization rept.
BASTENBECK,B. Integrated Environmental Services. 95/09/21. NRC - No Detailed Affiliation Given. 1p. 85995:001-85995:001.

9510310365 Forwards data tables for chemical analyses sediment & tissue samples collected last month at Shieldalloy Metallurgical Corp site.
SHIELDS,W.J. PTI Services, Inc. 95/09/25. ACKMAN,O. Ohio, State of. 20pp. 86066:080-86066:102.

9510310283 Informs that PTI will conduct testing of bedrock aquifer to suppl info gathered during remedial investigation,to aid NRC in preparation of EIS for site.Fieldwork tentatively scheduled for 951002-05.
SHIELDS,W.J. PTI Services, Inc. 95/09/26. ACKMAN,O. Ohio, State of. 3pp. 86077:173-86077:175.

9510310418 Notice of motion per Section 1121(d) of bankruptcy code to extend 120-day & 180-day periods during which debtors have exclusive rights to file plan of reorganization & solicit acceptances thereto to 951215 & 960216,respectively.
RAPISARDI,J.J. Metallurg, Inc. RAPISARDI,J.J. Shieldalloy Metallurgical Corp. RAPISARDI,J.J. Weil, Gotshal & Manges. 95/09/27. 26pp. 86077:103-86077:128.

9510040113 Discusses review of OH EPA comments on Shieldalloy Cambridge remedial investigation/feasibility study.Response to some comments provided by NRC,included w/OH EPA comments could require redoing some analyses.
THAGGARD,M. Performance Assessment & Hydrology Branch (NMSS 940403). 95/09/28. KENNEDY,J.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85709:350-85709:350.

9510170378 Responds to ltr faxed to SA Jackson on 950912,asking NRC to hold public info meeting to discuss expanded scope of EIS for Shieldalloy Metallurgical Corp facility in Cambridge,OH. Meeting tentatively scheduled in Nov 1995.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/09/28. BAUMAN,S. Affiliation Not Assigned. 8pp. 85864:196-85864:203.

9510310261 Forwards rept re identification of tadpoles collected on Shieldalloy Metallurgical Corp site in Aug 1995 during Phase II ERA field sampling.
MELLOTT,R. PTI Services, Inc. 95/09/29. ALTFATER,D. Ohio, State of. 5pp. 86076:329-86076:333.

9510310269 Forwards comments on draft remedial investigation (RI) Sections 6,8,9 & utilized input from OH Dept of Health. Requests draft RI be revised to correct deficiencies noted in encl comments.
ACKMAN,O. Ohio, State of. 95/10/02. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 8pp. 86076:348-86076:355.

9510170271 Informs that per 10CFR40.42(f)(2),NRC determined that alternative schedule for submission of site decommissioning plan necessary to effective conduct of decommissioning operations.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/05. EVES,C.S. Shieldalloy Metallurgical Corp. 2pp. 85855:313-85855:314.

9510310148 Forwards monthly progress rept 3 for period Sept 1995 for Shieldalloy Metallurgical Corp site remedial investigation/ feasibility study.
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/10/10. ACKMAN,O. Ohio, State of. 5pp. 86060:351-86060:355.

9510190026 Responds to ltr from D Salisbury & CK Johnson of Nuclear Free America dtd 950909 to SA Jackson requesting that comment period for FRN NRC published on 950821 re facility be extended for 60 days.No comment period associated w/FRN.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/11. SALISBURY,D. Affiliation Not Assigned. 2pp. 85883:345-85883:352.

-9510190032 Responds to CK Johnson & D Salisbury of Sycamore Valley Environ Group 950909 ltr to SA Jackson requesting that comment period for FRN NRC published on 950821 re facility be extended for 60 days.No comment period associated w/FRN.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/11. JOHNSON,C.K. Nuclear Free America. 6pp. 85883:347-85883:352.

9510260293 Final response to FOIA request.Forwards app A document which will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/20. BASTENBECK,B. Integrated Environmental Services. 2pp. 85995:002-85995:025.

-9510260296 Preliminary draft remedial investigation & feasability study for Shieldalloy facility.
* PTI Services, Inc. 95/04/21. 22pp. 85995:004-85995:025.

9510310255 Forwards responsiveness summary to OH EPA comments on draft remedial investigation rept dtd 950920 re groundwater issues.
SHIELDS,W.J. PTI Services, Inc. 95/10/25. ACKMAN,O. Ohio, State of. 22pp. 86077:129-86077:150.

DOCKET 40-8964 RIO ALGOM MINING CORP., OKLAHOMA CITY, OK

9510040131 Responds to WY Dept of Environ Quality 950803 ltr,asking for NRC review of Rio Algom Mining Corp permit application for Class I disposal well at Smith Ranch in-situ U mining facilty near Douglas,WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/20. LUCHT,R. Wyoming, State of. 2pp. 85698:353-85698:354.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9510160309 Notification of 951010 & 11-12 meeting w/licensees in HRI-Crownpoint,NM & Kinsville,TX re familiarization w/Hydro Resources,Inc,in-situ leach operations in TX & proposed facility in Crownpoint.
LAYTON,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/28. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85836:145-85836:145.

9510180186 Discusses meeting w/Eastern Navajo Allottee Assoc to discuss status of application to NRC for license to mine U.Makes inquiry re concern that approval process seems to be unnecessarily drawn out.Served on 951017.
DOMENICI,P.V. Senate. #495 17215. 95/10/01. COTTER,P.B. Atomic Safety & Licensing Board Panel. 3pp. 85847:026-85847:028.

9510300020 Responds to 951001 ltr re Eastern Navajo Allottee Assoc & forwards recently issued memorandum & order concerning application for leach mining license by Hydro Resources,Inc. W/o encl.W/Certificate of Svc.Served on 951019.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #495 17219. 95/10/06. DOMENICI,P.V. Senate. 3pp. 86000:035-86000:037.

9510270339 Submits comments re Crownpoint U solution mining project, Crownpoint,NM.
JENKINS,L. Hopi Tribe. 95/10/16. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 86048:165-86048:167.

9510270356 Comments on proposed U mining project in Crownpoint area,NM.
HOLYAN,A.W. Affiliation Not Assigned. 95/10/20. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 86048:323-86048:326.

9510300017 Supports proposed U mining project in Crownpoint area of New Mexico.Served on 951025.
HOLYAN,A.W., HOLYAN,J., HOLYAN,C. Affiliation Not Assigned. #495 17245. 95/10/24. NRC - No Detailed Affiliation Given. 5pp. 86000:030-86000:034.

DOCKET 40-8971 U.S. ENERGY CORP., RIVERTON, WY

9510170289 Forwards amend 9 to license SUA-1524,incorporating annual surety update as contained in licensee 950811 ltr.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/10. WEBBER,K. U.S. Energy Corp. 1p. 85855:308-85855:312.

-9510170296 Amend 9 to license SUA-1524 for US Energy Corp,incorporating annual surety update.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/10. 4pp. 85855:309-85855:312.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9510060252 Application for amend to license SMC-1559,revising license condition 11.1 & Table S-1 as listed.
HELLSTROM,G.W. Envirocare of Utah, Inc. 95/09/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85748:273-85748:278.

DOCKET 40-9015 MICHIGAN, STATE OF, BAY CITY, MI

9510230253 Informs that law firm represents group of potentially responsible parties at Hartley & Hartley site,located in Bay City,MI.
BASTA,J.C. Dykema, Gossett, Spencer, Goodnow & Trigg. 95/10/04. PARROTT,J. NRC - No Detailed Affiliation Given. 2pp. 85912:253-85912:254.

9510230395 Forwards insp rept 40-9015/95-01 on 950919.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 95/10/16. GRUBEN,D.S. Michigan, State of. 2pp. 85893:054-85893:058.

-9510230397 Insp rept 40-9015/95-01 on 950919.No violations noted.Major areas inspected:access controls to Th storage site,that proper postings were being utilized & to observe toxic waste leachate collection sys.
MCCANN,G.M., PARROTT,J.D., BARGER,J.W. Region 3 (Post 820201). 95/10/12. 3pp. 85893:056-85893:058.

DOCKET 40-9022 HARTLEY & HARTLEY LANDFILL

9510230253 Informs that law firm represents group of potentially responsible parties at Hartley & Hartley site,located in Bay City,MI.
BASTA,J.C. Dykema, Gossett, Spencer, Goodnow & Trigg. 95/10/04. PARROTT,J. NRC - No Detailed Affiliation Given. 2pp. 85912:253-85912:254.

9510240101 Forwards insp rept 40-9022/95-01 on 950918-19.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 95/10/18. KERN,T. . 2pp. 85896:146-85896:153.

-9510240109 Insp rept 40-9022/95-01 on 950918-19.No violations noted. Major areas inspected:access controlled to Th storage site, verifying that proper postings were being utilized & performing independent radiation measurements.
MCCANN,G.M., PARROTT,J.D., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/18. 6pp. 85896:148-85896:153.

DOCKET 40-9024 ENERGY FUELS NUCLEAR

9510060176 Forwards "Energy Fuels Nuclear,Inc 1994-95 Annual Rept to WY Dept of Environ Quality Land Quality Div (LQD) Reno Creek Project Permit 479." Rept for period from 941016-9510115 & conforms w/std LQD format used in rept for 1993-94.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 95/09/21. GIURGEVICH,B. Wyoming, State of. 1p. 85750:238-85750:262.

-9510060183 "Energy Fuels Nuclear,Inc 1994-95 Annual Rept to WY Dept of Environ Quality Land Quality Div Reno Creek Project Permit 479."
* Energy Fuels Nuclear, Inc. 95/10/15. 23pp. 85750:239-85750:262.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9510160306 Informs that JM Greenwald will replace RC Hogg as project manager for Reading & Revere sites under NRC License SMC-1562,effective 951013.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/06. CAMPITALLI,A. Cabot Corp. 1p. 85836:142-85836:142.

9510160307 Forwards ltr to J McGovern of Cintichem,Inc,dtd 941017.W/o encl.
HOGG,R.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/06. CAMPITELLI,A. Cabot Corp. 1p. 85836:143-85836:143.

9510170356 Approves site characterization plan for Reading slag pile submitted on 950413 & reissued by 950724 ltr.Proposes listed schedule,based on licensee comments during 951005 meeting re alternate schedule for submitting decommissioning plan.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/11. CAMPITELLI,A. Cabot Corp. 3pp. 85855:354-85855:356.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

P. Operating license stage documents & correspondence

9510200274 Forwards amend 43 to license R-28 & SE.Amend revises TS to add licensed SRO to list of individuals who may serve as reactor on-call supervisor & update composition & approval requirements for Safety Review Committee.
MICHAELS,T.S. . 95/10/13. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 85899:077-85899:085.

--9510200278 Amend 43 to license R-28,revising TS to add licensed SRO to list of individuals who may serve as reactor on-call supervisor & update composition & approval requirements for Safety Review Committee.
WEISS,S.H. . 95/10/13. 4pp. 85899:080-85899:083.

--9510200280 Safety evaluation supporting amend 43 to license R-28.
* . 95/10/13. 2pp. 85899:084-85899:085.

V. Operator Examinations

9510200274 Forwards amend 43 to license R-28 & SE.Amend revises TS to add licensed SRO to list of individuals who may serve as reactor on-call supervisor & update composition & approval requirements for Safety Review Committee.
MICHAELS,T.S. . 95/10/13. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 3pp. 85899:077-85899:085.

--9510200278 Amend 43 to license R-28,revising TS to add licensed SRO to list of individuals who may serve as reactor on-call supervisor & update composition & approval requirements for Safety Review Committee.
WEISS,S.H. . 95/10/13. 4pp. 85899:080-85899:083.

--9510200280 Safety evaluation supporting amend 43 to license R-28.
* . 95/10/13. 2pp. 85899:084-85899:085.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020221 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
WILLIAMS,F.J. . 95/09/26. QUINN,S.E. Commonwealth Edison Co. 4pp. 85673:302-85673:305.

9510260082 Forwards rev to emergency plan & implementation procedures.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/10/20. Document Control Branch (Document Control Desk). 1p. 85996:001-85996:071.

--9510260088 Revised emergency plan,including rev to pages 5-59 & 5-70.
* Consolidated Edison Co. of New York, Inc. 95/10/02. 3pp. 85996:002-85996:004.

--9510260092 Revised EPIPs,including Rev 16 to IP-1002,Rev 6 to IP-1015, Rev 10 to IAP-3,Rev 7 to IAP-7 & Rev 10 to IAP-10.
* Consolidated Edison Co. of New York, Inc. 95/10/02. 67pp. 85996:005-85996:071.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:012.

DOCKET 50-5 PENNSYLVANIA STATE UNIV. RESEARCH REACTOR

S. Reportable occurrences, LERs & related correspondence

9510310410 Suppl to 950707 RO re control rod reactivity worth measurements.Evaluation of data available suggested that problem w/1994 data.Incident discussed w/ROs & procedure for control rod calibr modified.
SHIRLEY,D.A. Pennsylvania State Univ., University Park, PA. 95/10/24. Document Control Branch (Document Control Desk). 5pp. 86073:329-86073:333.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9504040196 Forwards exercise scope of participation & objectives for 950711 Generating Station Emergency Plan annual exercise Dresden.
LESNIAK,M. Commonwealth Edison Co. 95/03/23. Document Control Branch (Document Control Desk). 18pp. 85724:248-85724:265.

9510050233 Forwards public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 85714:001-85714:344.

--9510050238 Public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/07/11. 343pp. 85714:002-85714:344.

9510020057 Rev 1 to EPMP 0300-01, "Emergency Planning Program Document Control & Review."
* Commonwealth Edison Co. 95/09/22. 8pp. 85683:216-85683:223.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510110285 Ack receipt of 950810 ltr re security involving escorting of visitors at facility.
CREED,J.R. Region 3 (Post 820201). 95/10/04. JOYCE,T. Commonwealth Edison Co. 2pp. 85731:066-85731:067.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190365 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/06. PERRY,S. Commonwealth Edison Co. 4pp. 85864:167-85864:170.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:012.

R. Periodic operating reports & related correspondence

9510170001 Monthly operating repts for Sept 1995 for Dresden Nuclear Power Station.W/951013 ltr.
CARROLL,E.W., HOLLAND,P.G. Commonwealth Edison Co. 95/09/30. 30pp. 85836:264-85836:293.

9510110307 Forwards 1995 third quarter rept of changes,tests & experiments,per 10CFR50.59 for plant.Rept contains info for period ending 950930.
HOLLAND,R.G. Commonwealth Edison Co. 95/10/06. . 158pp. 85783:001-85783:158.

V. Operator Examinations

9510020292 Ltr contract,mod 4 to task order 20,extending period of performance from 930930-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:353-85649:354.

W. Decommissioning Stage Documents & Correspondence

9510040117 Informs of completion of review of listed repts re Dresden Unit 1 fuel pool integrity.Recommends that ground water wells be periodically monitored.
AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). 95/09/20. WEISS,S. . 2pp. 85724:266-85724:267.

9510020091 Submits results of review of electric work control sys data base to confirm status of outstanding work requests & to describe corrective actions completed.
JOYCE,T.P. Commonwealth Edison Co. 95/09/23. Document Control Branch (Document Control Desk). 5pp. 85681:287-85681:291.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510260201 Amends 75 to licenses NPF-37 & NPF-66,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
DICK,G.F. . 95/10/20. 13pp. 86010:006-86010:018.

--9510310154 Amends 67 to licenses NPF-72 & NPF-77,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ASSA,R.R. . 12. 95/10/20. 13pp. 86010:019-86010:031.

--9510310169 Amends 38,141 & 135 to licenses DPR-2,DPR-19 & DPR-25, respectively,relocating requirements for "Review, Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ERICKSON,P.B. . 95/10/20. 47pp. 86010:032-86010:078.

--9510310174 Amends 107 & 93 to licenses NPF-11 & NPF-18,respectively, relocating requirements for "Review,Investigative Audit Functions" & frequencies of QA program from administrative controls section of TS.
LATTA,R.M. . 95/10/20. 24pp. 86010:079-86010:102.

--9510310185 Amends 163 & 159 to licenses DPR-29 & DPR-30,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
PULSIFER,R.M. . 95/10/20. 19pp. 86010:103-86010:121.

--9510310194 Amends 171 & 158 to licenses DPR-39 & DPR-48,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative conrols section of TS.
SHIRAKI,C.Y. . 95/10/20. 12pp. 86010:122-86010:133.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510260096 Informs that licensee in process of preparing responses,w/ response to questions re emergencies batteries to be submitted by 951130.Response re emergency plan will be submitted after clarification w/NRC at listed meeting.
NEWTON,T.H., LAU,E.S., BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/05/13. Document Control Branch (Document Control Desk). 1p. 85995:359-85995:359.

9510170318 Forwards insp repts 50-020/95-03 & 70-0938/95-01 on 950918- 19.No safety concerns or violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 85818:103-85818:109.

--9510170342 Insp repts 50-020/95-03 & 70-0938/95-01 on 950918-19.No violations noted.Major areas inspected:nuclear matl control & accounting & physical security including facility operation,shipping & receiving.
SMITH,G.C., KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. 5pp. 85818:105-85818:109.

H. General correspondence

9510190062 "NRC Sends Incident Investigation Team to MIT to Investigate Radioactive Contamination of Researcher."
* Office of Public Affairs (Post 911117). 95/10/17. 2pp. 85910:213-85910:214.

P. Operating license stage documents & correspondence

9510260096 Informs that licensee in process of preparing responses,w/ response to questions re emergencies batteries to be submitted by 951130.Response re emergency plan will be submitted after clarification w/NRC at listed meeting.
NEWTON,T.H., LAU,E.S., BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 95/05/13. Document Control Branch (Document Control Desk). 1p. 85995:359-85995:359.

Q. Inspection reports, IE Bulletins & correspondence

9510170318 Forwards insp repts 50-020/95-03 & 70-0938/95-01 on 950918- 19.No safety concerns or violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 85818:103-85818:109.

--9510170342 Insp repts 50-020/95-03 & 70-0938/95-01 on 950918-19.No violations noted.Major areas inspected:nuclear matl control & accounting & physical security including facility operation,shipping & receiving.
SMITH,G.C., KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. 5pp. 85818:105-85818:109.

9510110349 Forwards results of 950905-06 operator initial exam.
RICHARDS,S.A. . 95/10/06. BERNARD,J. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 85833:005-85833:056.

--9510160137 Exam rept 50-020/OL-95-01 on 950905-06.Exam results:three ROs & three SRO instant candidates passed OL exams.
ISAAC,P.J., MENDIOLA,A.J. . 95/10/05. 49pp. 85833:008-85833:056.

V. Operator Examinations

9510110349 Forwards results of 950905-06 operator initial exam.W/o exam.
RICHARDS,S.A. . 95/10/06. BERNARD,J. Massachusetts Institute of Technology, Cambridge, MA. 1p. 85766:193-85766:193.

9510110349 Forwards results of 950905-06 operator initial exam.
RICHARDS,S.A. . 95/10/06. BERNARD,J. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 85833:005-85833:056.

--9510160137 Exam rept 50-020/OL-95-01 on 950905-06.Exam results:three ROs & three SRO instant candidates passed OL exams.
ISAAC,P.J., MENDIOLA,A.J. . 95/10/05. 49pp. 85833:008-85833:056.

DOCKET 50-27 WASHINGTON STATE UNIV. RESEARCH REACTOR (TRIGA)

P. Operating license stage documents & correspondence

9510040159 Forwards draft documents related to proposed facility license extension.
WILSON,W.E. Washington State Univ., Pullman, WA. 95/09/22. MENDONCA,M. NRC - No Detailed Affiliation Given. 35pp. 85710:298-85710:332.

9510030146 Forwards second draft of changes licensee proposing to TS order to provide medical therapy team.
TRIPARD,G.E. Washington State Univ., Pullman, WA. 95/09/25. MENDONCA,M.M. NRC - No Detailed Affiliation Given. 13pp. 85691:346-85691:358.

9510180056 Forwards draft of brief document on consideration of reliability of existing previously utilized reactor components re relicensing of license R-76.
WILSON,W.E. Washington State Univ., Pullman, WA. 95/10/03. MENDONCA,M. NRC - No Detailed Affiliation Given. 3pp. 85867:076-85867:099.

--9510180060 SOP 5, "Std Procedure for Performing Preventive Maint on Reactor & Associated Equipment."
* Washington State Univ., Pullman, WA. 82/12/28. 21pp. 85867:079-85867:099.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9510120362 Revised EPIPs,including Rev 116 to EPIP table of contents & Rev 4 to AP-3450, "Emergency Preparedness Training."
* Yankee Atomic Electric Co. 95/09/12. 10pp. 85805:348-85805:357.

9510020337 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
FAIRTILE,M. . 95/09/26. KAY,J.A. Yankee Atomic Electric Co. 4pp. 85649:239-85649:242.

9510030102 Comment supporting petition for rulemaking PRM-50-61 re amending NRC regulations governing fire protection at power plants & issues raised in subj FR notice.
SCHULTZ,S.P. Yankee Atomic Electric Co. 95/09/29. Docketing & Services Branch. 3pp. 85643:325-85643:327.

G. Adjudicatory correspondence

9510260109 Requests that Yankee Atomic file suppl to comments which responded to FR notice containing status of activities scheduled for completion under Component Removal Project & schedule for other decommissioning activities.
MULLINS,C.E. Office of the General Counsel (Post 860701). 95/09/21. DIGNAN,T.G. Ropes & Gray. 1p. 85923:223-85923:223.

9510190095 Memorandum & order (CLI-95-14).* Commission holds that Citizens Awareness Network reinstatement of pre-1993 decommissioning policy requires issuance of notice of adjudicatory hearing.W/Certificate of Svc.Served on 951012.
CHILK,S.J. Office of the Secretary of the Commission. 95/10/12. Citizens Awareness Network. 11pp. 85845:290-85845:300.

9510260052 Comment on CLI-95-14,memo & order,in matter of YAEC plant, dtd 951012 & submission of compliance actions.
KADAK,A.C. Yankee Atomic Electric Co. 95/10/24. HOYLE,J. Office of the Secretary of the Commission. 6pp. 85923:216-85923:221.

H. General correspondence

9510030257 Comment urging NRC to prevent any further dismantling activity at plant until next trial & lawful plan for procedure,completed.
WORTHEN,E.M. Affiliation Not Assigned. 95/09/11. JULIAN,E. Docketing & Services Branch. 1p. 85673:051-85673:051.

9510120037 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
* Citizens Awareness Network. 95/09/11. JULIAN,E. Docketing & Services Branch. 1p. 85751:013-85751:013.

9510160059 Comment supporting decommissioning of plant.
MILLER,W. Affiliation Not Assigned. 95/09/13. JULIAN,E. Docketing & Services Branch. 6PP. 85801:039-85801:043.

9510060067 Comment supporting decommissioning of Yankee Nuclear Plant at Rowe,MA.
ALEXANDER,S. Affiliation Not Assigned. 95/09/24. JULIAN,E. Docketing & Services Branch. 1p. 85693:082-85693:082.

9510030078 Comment opposing decommissioning of plant.
ROEMER,E.K. Lake Michigan Federation. 95/09/25. JULIAN,E. Docketing & Services Branch. 2pp. 85643:310-85643:311.

9510020051 Comment on decommissioning of plant.Recommends onsite hearings on decommissioning operations & formation of Citizens Advisory Board.
WINCHELL,G.D. Affiliation Not Assigned. 95/09/26. JULIAN Office of the Secretary of the Commission. 1p. 85624:013-85624:013.

9510030055 Comment opposing decommissioning of plant.
GAVUTIS,S. Affiliation Not Assigned. 95/09/26. JULIAN,E. Docketing & Services Branch. 1p. 85643:267-85643:267.

9510060080 Comment urging NRC to immediately close Yankee Atomic & Savannah River facility reactors for safety of everyone.
REHN,R. Stanford Univ., Stanford, CA. 95/09/27. JULIAN,E. NRC - No Detailed Affiliation Given. 2pp. 85693:086-85693:087.

9510020055 Supplementary comment on decommissioning of plant.CRP should be separated from decommissioning activity.
BLOCK,J.M. Affiliation Not Assigned. 95/09/28. JULIAN,E. Docketing & Services Branch. 6pp. 85624:175-85624:180.

9510030067 Comments on decommissioning of plant.Responds to Block 950922 comment 97.Submits five important corrections to allegations re advertisements ref in comment ltr.
SMITH,K. Yankee Atomic Electric Co. 95/09/28. JULIAN,E. Docketing & Services Branch. BLOCK,J.M. Affiliation Not Assigned. 7pp. 85643:293-85643:299.

9510030071 Comment discussing intent of NRC to be responsive to citizen concerns re worker health & safety.Advises NRC ensure democratic process by instituting site-specific citizen Advisory Board to oversee decommissioning of plant.
* Affiliation Not Assigned. 95/09/28. JULIAN,E. NRC - No Detailed Affiliation Given. 1p. 85643:308-85643:308.

9510030086 Suppl to comment 72.Comments on decommissioning of plant. Licensee reiterated request for adjudicatory hearing.Court granted petition for review in part.
KATZ,D. Citizens Awareness Network. 95/09/29. JULIAN,E. Docketing & Services Branch. 2pp. 85643:316-85643:317.

9510030083 Comment opposing decommissioning of plant.
HERONEMUS,W.E. Citizens Awareness Network. 95/10/02. JULIAN,E. Docketing & Services Branch. 1p. 85643:314-85643:315.

9510030219 Comment urging NRC to cease activities of Yankee Atomic reactor until public hearing on CRP/decommissioning plan held.
CLANCY,D. Affiliation Not Assigned. 95/10/02. NRC - No Detailed Affiliation Given. 1p. 85643:358-85643:358.

9510030225 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on decommissioning plan held.
ROCHE,B. Affiliation Not Assigned. 95/10/02. NRC - No Detailed Affiliation Given. 1p. 85643:359-85643:359.

9510060043 Comment opposing decommissioning of plant.
YURMAN,R. Affiliation Not Assigned. 95/10/05. JULIAN,E. Docketing & Services Branch. 1p. 85693:054-85693:054.

9510170179 Comment opposing decommissioning at Yankee Rowe.
LAWALL,G. Affiliation Not Assigned. 95/10/13. JULIAN,E. Docketing & Services Branch. 1p. 85818:021-85818:021.

9510190303 Comments on decommissioning of plant.Requests that appropriate Commission personnel be directed to expedite actual issuance of contemplated notice re decommissioning.
DIGNAN,T.G. Yankee Atomic Electric Co. DIGNAN,T.G. Ropes & Gray. 95/10/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85864:086-85864:087.

9510230149 Forwards copy of Commission Memo & Order CLI-95-14 to YAEC in matter on remand from US Court of Appeals for First Circuit re Citizens Awareness Network v NRC.
MARKLEY,A.W. . 95/10/13. . 2pp. 85910:296-85910:309.

9510190265 Comments on decommissioning of plant.Expresses opposition at decision in CLI-95-14 which revoked plant decommissioning plan previously approved by NRC.
CARTER,R.J. Affiliation Not Assigned. 95/10/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85863:355-85863:355.

9510170183 Comment urging NRC to cease activities at Yankee Atomic reactor until public hearing on CRP/decommissioning plan held.
* Affiliation Not Assigned. 95/10/16. JULIAN,E. Docketing & Services Branch. 1p. 85818:023-85818:023.

9510190118 Comment opposing proposed rules 10CFR2,50 & 51 re decommissioning of Rowe reactor.
KATZ,D. Citizens Awareness Network. 95/10/16. Docketing & Services Branch. 5pp. 85863:069-85863:073.

9510270091 Comment supporting decision to order expedited hearing process.
STOBIERSKI,J., STRIEBEL,M., FORBES,M. Franklin County,MA. 95/10/19. JULIAN,E. Docketing & Services Branch. 1p. 85939:144-85939:144.

9510260042 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Supports Commission efforts to reduce regulatory burden of commercial nuclear power facilities.
GRANT,J.M. Yankee Atomic Electric Co. 95/10/23. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 85923:004-85923:013.

9510310135 Comment opposing decommissioning of Yankee Rowe Reactor.
BYE,M. Affiliation Not Assigned. 95/10/27. JULIAN,E. NRC - No Detailed Affiliation Given. 1p. 86003:213-86003:213.

Q. Inspection reports, IE Bulletins & correspondence

9510030005 Forwards insp rept 50-029/95-03 on 950808-10.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. THAYER,J.K. Yankee Atomic Electric Co. 3pp. 85643:209-85643:221.

--9510030008 Insp rept 50-029/95-03 on 950808-10.No violations noted. Major areas inspected:radiological controls program during dismantlement & decommissioning activities w/emphasis on radioactive matl storage/shipment.
NICK,J., BORES,R. Region 1 (Post 820201). 95/09/20. 10pp. 85643:212-85643:221.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/13. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

W. Decommissioning Stage Documents & Correspondence

9510250187 Provides info re on-site work activities at Yankee Nuclear Power Station.
MELLOR,R.A. Yankee Atomic Electric Co. 95/10/19. FAIRTILE,M.B. . 9pp. 85988:040-85988:048.

9510300166 Forwards copy of notice sent to FR,dtd 951023,re decommissioning of remaining portions of plant.
FAIRTILE,M.B. . 95/10/26. KAY,J.A. Yankee Atomic Electric Co. 1p. 86015:347-86015:357.

--9510300218 Notice of consideration of issuance of order & opportunity for hearing for licensee.Order involves approval of plant decommissioning plan as re decommissioning of remaining portions of plant.
HOYLE,J.C. Office of the Secretary of the Commission. 95/10/23. 9pp. 86015:349-86015:357.

DOCKET 50-57 BUFFALO MATERIALS RESEARCH CENTER

Q. Inspection reports, IE Bulletins & correspondence

9510230265 Forwards insp rept 50-057/95-01 on 950822-25.No violations or safety concerns noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/18. LANDI,D.M. New York, State Univ. of, Buffalo, NY. 2pp. 85890:315-85890:322.

--9510230266 Insp rept 50-057/95-01 on 950822-25.No violations noted. Major areas inspected:organization & staffing,procedures, operator requalification,reactor surveillance & calibrations & radiation protection.
DRAGOUN,T., WHITE,J.R. Region 1 (Post 820201). 95/10/18. 5pp. 85890:317-85890:322.

V. Operator Examinations

9510230265 Forwards insp rept 50-057/95-01 on 950822-25.No violations or safety concerns noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/18. LANDI,D.M. New York, State Univ. of, Buffalo, NY. 2pp. 85890:315-85890:322.

--9510230266 Insp rept 50-057/95-01 on 950822-25.No violations noted. Major areas inspected:organization & staffing,procedures, operator requalification,reactor surveillance & calibrations & radiation protection.
DRAGOUN,T., WHITE,J.R. Region 1 (Post 820201). 95/10/18. 5pp. 85890:317-85890:322.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9510130007 Forwards "SAR for Low-Enriched U Fueled Univ of VA Reactor."
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 95/10/10. Document Control Branch (Document Control Desk). 6pp. 85807:322-85807:358.

--9510130009 "SAR for Low-Enriched U Fueled Univ of VA Reactor."
BALL,J.R., BICKEL,M.G., DAHLHEIMER,J.A. Virginia, Univ. of, Charlottesville, VA. 95/10/31. 31pp. 85807:328-85807:358.

9510200287 Forwards RAI re 951010 amend request for Safety Analysis Rept of FOL R-66 for Univ of VA Research Reactor.
ADAMS,A. . 95/10/16. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 5pp. 85899:086-85899:090.

9510240342 Informs that N Anderson authorized to proceed w/development of TER,which performs leak analysis for Univ of VA heat exchanger & acceptability thereof for amend to Univ of VA SAR,per 951012 telcon w/J Miller & T Michaels.
WEISS,S.H. . 95/10/16. ANDERSON,N. . 2pp. 85911:182-85911:183.

9510250195 Forwards NRC questionaire & licensee answers re proposed amend to SAR of 951010,including proposed SAR Section 9.20.8 as component of response to NRC question 6. Replacement of proposed SAR amend also encl.
MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 95/10/19. ADAMS,A. . 6pp. 85985:174-85985:217.

--9510250199 Revised SAR,incorporating proposed Section 9.20.8.
* Virginia, Univ. of, Charlottesville, VA. 95/10/31. 38pp. 85985:180-85985:217.

9510300199 Forwards RAI re amend request for SAR of license R-66, submitted 951010.Requests response within 30 days of dtd ltr.
ADAMS,A. . 95/10/25. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 4pp. 86017:344-86017:347.

V. Operator Examinations

9510240152 Forwards certificate to listed newly licensed individual in recognition of achievement represented by meeting all NRC requirements for licenses.W/o encl.
BOGER,B.A. . 95/10/13. MULDER,R.U. Virginia, Univ. of, Charlottesville, VA. 1p. 85910:357-85910:357.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

F. Security, medical, emergency & fire protection plans

9510130380 Confirms that changes to Univ of Florida Research Reactor Emergency Plan submitted by 950120 ltr are acceptable & can be implemented w/o prior NRC approval IAW 10CFR50.54(q).
VERNETSON,W. . 95/10/10. MICHAELS,T.S. Florida, Univ. of, Gainesville, FL. 3pp. 85801:307-85801:309.

DOCKET 50-89 GENERAL ATOMICS

I. Financial information

9510260023 Requests addl info re 950331 submittal of financial statements for decommissioning assurance.
ADAMS,A. . 95/10/23. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 85947:258-85947:260.

DOCKET 50-113 UNIV. OF ARIZONA RESEARCH REACTOR

V. Operator Examinations

9510120222 Informs that written & operating exams scheduled for wk of 951113,per telcon.
ISAAC,P. . 95/10/04. WILLIAMS,J.G. Arizona, Univ. of, Tucson, AZ. 10pp. 85767:227-85767:236.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9510130201 Forwards request for addl info re operator requalification program for Iowa State Univ Research Reactor,per 950531 ltr.
MICHAELS,T.S. . 95/10/05. ADAMS,J.T. Iowa State Univ., Ames, IA. 4pp. 85778:347-85778:350.

DOCKET 50-123 UNIV. OF MISSOURI RESEARCH REACTOR-ROLLA

F. Security, medical, emergency & fire protection plans

9510200093 Forwards insp rept 50-123/95-02 on 950911-12.No violations noted.
CREED,J. Region 3 (Post 820201). 95/10/11. BOLON,A.E. Missouri, Univ. of, Rolla, MO. 2pp. 85871:001-85871:005.

--9510200097 Insp rept 50-123/95-02 on 950911-12.No violations noted. Major areas inspected:plans,procedures & rev,rept of safeguards events & matl control.Attachments withheld (ref 10CFR2.790).
BELANGER,J.L., CREED,J.R. Region 3 (Post 820201). 95/10/11. 3pp. 85871:003-85871:005.

Q. Inspection reports, IE Bulletins & correspondence

9510200093 Forwards insp rept 50-123/95-02 on 950911-12.No violations noted.
CREED,J. Region 3 (Post 820201). 95/10/11. BOLON,A.E. Missouri, Univ. of, Rolla, MO. 2pp. 85871:001-85871:005.

--9510200097 Insp rept 50-123/95-02 on 950911-12.No violations noted. Major areas inspected:plans,procedures & rev,rept of safeguards events & matl control.Attachments withheld (ref 10CFR2.790).
BELANGER,J.L., CREED,J.R. Region 3 (Post 820201). 95/10/11. 3pp. 85871:003-85871:005.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510120249 Forwards rev to "Emergency Preparedness Plan for Nuclear Science Ctr TX A&M Univ Sys." Change increases required time for emergency class event from minutes to hours.
O'KELLY,S. Texas A&M Univ., College Station, TX. 95/10/06. Document Control Branch (Document Control Desk). 1p. 85806:219-85806:253.

--9510120260 Rev to "Emergency Preparedness Plan for Nuclear Science Ctr TX A&M Univ Sys."
* Texas A&M Univ., College Station, TX. 95/09/14. 34pp. 85806:220-85806:253.

DOCKET 50-129 WEST VIRGINIA UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510300074 Forwards insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguards controls.
MOSELEY,N.C. Region II, IE (720101-810228). 75/06/23. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 4pp. 86125:226-86125:229.

--9510300082 Insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguard controls.
LITTLE,W.S., KENNA,W.B. Region II, IE (720101-810228). 75/06/20. 6pp. 86125:231-86125:235.

Q. Inspection reports, IE Bulletins & correspondence

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510300074 Forwards insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguards controls.
MOSELEY,N.C. Region II, IE (720101-810228). 75/06/23. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 4pp. 86125:226-86125:229.

--9510300082 Insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguard controls.
LITTLE,W.S., KENNA,W.B. Region II, IE (720101-810228). 75/06/20. 6pp. 86125:231-86125:235.

DOCKET 50-131 OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510020204 Informs that NRC completed review & evaluation of changes to license nuclear reactor lab emergency plan submitted on 950325 in complience w/ 10CFR50.54(q).Staff concludes that changes acceptable.
ADAMS,A. . 95/09/26. PHILLIPS,J.J. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 2pp. 85663:188-85663:190.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9510050059 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
MARKLEY,A.W. . 95/09/26. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85720:356-85720:359.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/13. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510300138 Forwards insp rept 50-133/95-02 on 950911-14.No violation noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. RUEGER,G.M. Baltimore Gas & Electric Co. 5pp. 86001:286-86001:304.

-9510300143 Insp rept 50-133/95-02 on 950911-14.No violations noted. Major areas inspected:operational safety verification,spent fuel pool activities,radiation protection program,environ monitoring & followup of previously identified issues.
CAIN,C.L. Region 4 (Post 820201). 95/10/26. 14pp. 86001:291-86001:304.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

P. Operating license stage documents & correspondence

9510110345 Forwards request for addl info in order to continue review of 950606 amend request for license DPR-4.
ADAMS,A. . 95/10/05. KUEHN,G.A. Saxton Nuclear Experimental Corp. 5pp. 85766:111-85766:115.

DOCKET 50-150 OHIO STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9510040116 "OH State University Research Reactor Annual Rept For FY94/95." W/ 950926 ltr.
CRUZ,J.B. Ohio State Univ., Columbus, OH. 95/06/30. 12pp. 85698:341-85698:352.

DOCKET 50-151 UNIV. OF ILLINOIS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510020193 Informs that NRC completed review & evaluation of changes to licensee nuclear reactor lab emergency plan submitted on 950313 in compliance w/ 10CFR50.54(q).Staff concludes that changes acceptable.
ADAMS,A. . 95/09/26. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 3pp. 85649:341-85649:343.

P. Operating license stage documents & correspondence

9510040225 Requests for addl info re amend request for facility license R-115 for Univ of Illinois Advanced TRIGA Research Reactor which was submitted on 950217.
ADAMS,A. . 95/09/29. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 5pp. 85704:332-85704:336.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9510170191 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
TRAN,L. . 95/09/29. DONNELLY,P.M. Consumers Power Co. 3pp. 85881:311-85881:313.

9510180206 Revised EPIPs,including Rev 168 to EPIP-5C & Rev 168 to EPIP-5G,including Rev 168 to coversheet & table of contents/ effective pages.W/951003 ltr.
WOOSTER,K.A. Consumers Power Co. 95/10/03. 24pp. 85868:255-85868:278.

9510180079 Rev 119 to "Site Emergency Plan," table of contents & App A, "Ltrs of Agreement." W/951013 ltr.
WOOSTER,K.A., THOMAS,P. Consumers Power Co. 95/10/11. 15pp. 85867:202-85867:216.

H. General correspondence

9510310102 Responds to 950707 ltr,which included petitions requesting that plant cease operation when licensee loses capability to fully offload fuel in reactor core.
TRAN,L.N. . 95/10/25. SCHALLER,D. Don't Waste Michigan. 2pp. 86033:111-86033:138.

P. Operating license stage documents & correspondence

9510020321 Requests for exemption from App J to 10CFR50;containment escape lock leakage rate test at Pa.
DONNELLY,P.M. Consumers Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85690:232-85690:234.

9510040284 Forwards safety evaluation re SEP Topic III-6 for weak links associated w/ masonry walls,reactor internal components, reactor vessel supports,control rod drive piping & emergency condensor shell support.
TRAN,L.N. . 95/09/29. DONNELLY,P.M. Consumers Power Co. 2pp. 85713:208-85713:218.

-9510040288 Safety evaluation supporting SEP Topic III-6 issues re seismic weak-links.
. 95/09/29. 9pp. 85713:210-85713:218.

9510170116 Forwards errata to amend 115 to license DPR-6,revising plant TS 11.3.1.5 ACTION,eliminating need to demonstrate actuation circuitry of unaffected reactor depressurization sys channels operable & issued to plant on 950728.
TRAN,L.N. . 95/10/11. DONNELLY,P.M. Consumers Power Co. 2pp. 85881:238-85881:240.

-9510170128 Errata to amend 116 to license DPR-6,revising plant TS 11.3.1.5 ACTION to eliminate need to demonstrate that actuation circuitry of unaffected reactor depressurization sys channels operable & issued to plant on 950728.
TRAN,L.N. . 95/10/11. 1p. 85881:240-85881:240.

9510240198 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
DONNELLY,P.M. Consumers Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:203-85929:204.

9510240172 Ack receipt of 950518 & 0609 10CFR50.54(a) submittals, incorporating changes in quality assurance program description,Topical Rept CPC-2A.Revs continue to meet requirements of 10CFR50,app B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/19. FENECH,R.A. Consumers Power Co. 2pp. 85896:259-85896:260.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190300 Informs of completion of semiannual PPR of plant for period Mar-Aug 1995 & forwards plant insp plan for approx next 6 months.Requests questions or comments re insp plan.
AXELSON,W.L. Region 3 (Post 820201). 95/10/02. DONNELLY,P.M. Consumers Power Co. 3pp. 85864:083-85864:085.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR.".
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170332 Discusses one-time schedular rev to response to Bulletin 78-14, "Deterioration of BUNA-N Components in ASCO Solenoids dtd 790202."
DONNELLY,P.M. Consumers Power Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85862:357-85862:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180013 Monthly operating rept for Sept 1995 for Big Rock Point Nuclear Plant.W/ 951002 ltr.
JOHNSTON,J.R., DONNELLY,P.M. Consumers Power Co. 95/09/30. 6pp. 85866:301-85866:306.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G., CHASENSKY,T.M., SCHMIDT,T.L. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-156 UNIV. OF WISCONSIN RESEARCH REACTOR

H. General correspondence

9510050283 Notifies that effective 950928,GL Kulcinski appointed to Radiation Safety Committee,per TS 6.7c(3) & 10CFR50.74.
CASHWELL,R.J. Wisconsin, Univ. of, Madison, WI. 95/09/28. Document Control Branch (Document Control Desk). 1p. 85738:350-85738:350.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510130061 Requests advance route approval for irradiated reactor fuel, (ref 10CFR73.77).
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 95/09/27. HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 85762:019-85762:021.

G. Adjudicatory correspondence

9510190065 Submits partial response to 10CFR2.206 petition filed on 941023,requesting shutdown & decontamination of Georgia Tech research reactor & revocation of liquid radioactive matl release authority to all licensees.W/FRN & decision.
RUSSELL,W.T. . #495 16956. 95/07/31. BLOCKEY-O'BRIEN Affiliation Not Assigned. 4pp. 85843:001-85845:280.

--9510190075 Notice of issuance of partial director's decision under 10CFR2.206.* Decision re Georgia Tech Research Reactor in response to petition received from P Blockey-O'Brien,dtd 941023 requesting shutdown & decontamination of reactor.
MIRAGLIA,F.J. . 95/07/31. 2pp. 85843:005-85843:006.

--9510190082 Partial director's decision under 10CFR2.206.* Petitioner requests for action on Georgia Tech Research Reactor,denied on issues A(1) through A(10),insofar as issues A(8) do not relate to petitioner concerns.Related documentation encl.
MIRAGLIA,F.J. . 95/07/31. Affiliation Not Assigned. 658pp. 85843:007-85845:280.

9510030186 Forwards copy of Congressman J Lewis ltr dtd 950907 re concern about presence of Co-60 on Georgia Tech Campus during Olympics.
CARROLL,G. Georgians Against Nuclear Energy. #495 17132. 95/09/19. NRC - No Detailed Affiliation Given. 4pp. 85643:205-85643:208.

9509290049 Board notification 95-015:forwards amend 11 to license R-97, GTRR,issued on 950920 re change in licensee organization. Informs also of appeals re licensing board admission of contention involving mgt issues (GANE Contention 9).
CRUTCHFIELD,D. . 95/09/21. THE CHAIRMAN, JACKSON, ROGERS,K.C. Commissioners (Post 750119). 4pp. 85645:337-85645:349.

9510030087 Georgia Institute of Technology response to board memorandum & order of 950907.* Georgia Tech requests that Board reverse order w/respect to contention 5 & determine that contention is moot.W/Certificate of Svc.
DUNN,D.R., GUILDAY,P. Georgia Institute of Technology, Atlanta, GA. DUNN,D.R. Georgia, State of. #495 17133. 95/09/22. Atomic Safety & Licensing Board Panel. 14pp. 85643:016-85643:029.

9510030181 NRC Staff response to Licensing Board memorandum & order of 950907.* Contention should be dismissed as moot. W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #495 17131. 95/09/22. Atomic Safety & Licensing Board Panel. 20pp. 85643:185-85643:204.

9510030124 Memorandum & order (effect of organizational changes on contention 9).* Georgins Against Nuclear Energy requested to advise Board & parties whether organizational change has any effect on contention 9.W/Certificate of Svc.Served 950926.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #495 17139. 95/09/26. Office of the General Counsel (Post 860701). 4pp. 85643:123-85643:126.

9510120068 Georgians Against Nuclear Energy motion for extension of comment deadline on Georgia Tech mgt structure changes.* Request will be granted if other parties involved agree. W/Certificate of Svc.
CARROLL,G. Georgians Against Nuclear Energy. #495 17189. 95/10/04. Commissioners (Post 750119). 3pp. 85751:036-85751:038.

9510120088 NRC staff response to licensing board memorandum & order of 950926 re Contention 9 (mgt).* Staff believes that organizational change reflected in license amend has no effect upon GANE Contention 9.
TURK,S.E. Office of the General Counsel (Post 860701). #495 17188. 95/10/06. Atomic Safety & Licensing Board Panel. 5pp. 85751:058-85751:077.

9510190094 Requests that encl 950930 ltr from P Blockey-O'Brien be distributed to Georgia Inst of Technology svc list.Served on 951011.
COMIEZ,A.M. Atomic Safety & Licensing Board Panel. #495 17193. 95/10/11. JULIAN,E.L. Docketing & Services Branch. 1p. 85863:013-85863:018.

--9510190102 Provides response to Bechhoefer memorandum & order of 950926 re Georgia Technology Research Reactor & GANE Contention 9.W/Certificate of Svc.
BLOCKEY-O'BRIAN Affiliation Not Assigned. 95/09/30. BECHHOEFER, KLINE, LAM Atomic Safety & Licensing Board Panel. 5pp. 85863:014-85863:018.

9510180279 Memorandum & order CLI-95-12.* Informs that appeals by Georgia Tech & NRC,denied & Licensing Board order in LBP-95-6,affirmed.W/Certificate of Svc.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17197. 95/10/12. Office of the General Counsel (Post 860701). 25pp. 85847:001-85847:025.

9510180210 GA Institute of Technology response to Board memorandum & order of 950926 concerning contention 9 (mgt).* W/Certificate of Svc.
* Georgia Institute of Technology, Atlanta, GA. DUNN,D.R., GUILDAY,P. Georgia, State of. #495 17198. 95/10/13. Atomic Safety & Licensing Board Panel. 4pp. 85842:356-85842:359.

9510300195 NRC response to motion for extension of comment deadline filed by Georgians Against Nuclear Energy.* Staff does not oppose motion.W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #495 17218. 95/10/18. Atomic Safety & Licensing Board Panel. 3pp. 86000:161-86000:163.

9510300179 Georgians Against Nuclear Energy comments on Georgia Tech mgt structure changes.* Informs that changes irrelevant to contention 9.W/Certificate of Svc.
CARROLL,G. Affiliation Not Assigned. #495 17237. 95/10/20. 2pp. 86000:151-86000:152.

9510300030 Requests listed additions &/or deletions to svc list in matter of GA Institute of Technology,Atlanta,GA,Georgia Tech Research Reactor.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #495 17247. 95/10/23. Docketing & Services Branch. 1p. 86000:048-86000:048.

9510300032 Requests listed additions &/or deletions to svc list in matter of GA Institute of Technology,Atlanta,GA,Georgia Tech Research Reactor.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #495 17246. 95/10/23. Docketing & Services Branch. 1p. 86000:049-86000:049.

9510300007 Notice of prehearing conferences.* Notifies that prehearing conferences will be held on 951115 in Atlanta,GA. W/Certificate of Svc.Served on 951024.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #495 17241. 95/10/24. 4pp. 86000:022-86000:025.

9510300061 Notice of prehearing conferences.* Notifies that prehearing conferences will be held on 951115 in Atlanta,GA. W/Certificate of Svc.Served on 951024.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #495 17240. 95/10/24. 4pp. 86000:085-86000:088.

S. Reportable occurrences, LERs & related correspondence

9510310396 PNO-II-95-061:on 951027,reporter from "A Current Affair" entered portions of Neely Nuclear Research Ctr on previous day.
MCALPINE,E. Region 2 (Post 820201). 95/10/30. 1p. 86079:021-86079:021.

V. Operator Examinations

9510050243 Discusses telcon between PJ Isaac & D Parker re arrangements made for administration of operating licensing exams at Georgia Institute of Technology.Written & operating exams scheduled for week of 951211.
ISAAC,P.J. . 95/10/02. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 11pp. 85721:349-85721:359.

DOCKET 50-163 GENERAL ATOMICS

I. Financial information

9510260023 Requests addl info re 950331 submittal of financial statements for decommissioning assurance.
ADAMS,A. . 95/10/23. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 85947:258-85947:260.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

F. Security, medical, emergency & fire protection plans

9510020009 Informs that licensee will conduct annual emergency drill on 951115.
KEARSLEY,E. Armed Forces Radiobiological Research Institute. 95/09/20. MENDONCA,M. . 1p. 85681:315-85681:315.

P. Operating license stage documents & correspondence

9510250082 Forwards draft Chapter 11, "Radiation Protection Program & Waste Mgt" of "Format & Content for Applications for Licensing of Non-Power Reactors" & "SAR Plan & Acceptance Criteria for Non-Power Reactors." W/o encl.
ADAMS,A. . 95/10/25. O'BRIEN,T.J. Armed Forces Radiobiological Research Institute. 2pp. 85943:359-85943:360.

V. Operator Examinations

9510050220 Requests that ref matl listed in Encl 1 be furnished at least 60 days prior to exam date scheduled for wk of 960122.
ISAAC,P.J. . 95/10/02. BUMGARNER,R.L. Armed Forces Radiobiological Research Institute. 10pp. 85722:001-85722:010.

9510110356 Discusses telcon between PJ Isaac & M Moore re arrangements made for administration of operator licensing exam at Armed Forces Radiobiological Research Inst reactor.Written & operating exam scheduled for wk of 960122.
ISAAC,P.J. . 95/10/02. BUMGARNER,R.L. Naval Medical Command, National Capitol Region, Bethesda, MD (formerly National. 2pp. 85764:321-85764:322.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9510020275 Forwards insp rept 50-184/95-02 on 950717-21.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/20. ROWE,J.M. Commerce, Dept. of. 2pp. 85642:352-85642:358.

--9510020280 Insp rept 50-184/95-02 on 950717-21.No violations noted. Major areas inspected:post-outage recovery of sys,reactor operator training re sys changes,procedure updates, calibr & engineering change closeouts.
DRAGOUN,T., BORES,R. Region 1 (Post 820201). 95/09/20. 5pp. 85642:354-85642:358.

V. Operator Examinations

9510020275 Forwards insp rept 50-184/95-02 on 950717-21.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/20. ROWE,J.M. Commerce, Dept. of. 2pp. 85642:352-85642:358.

--9510020280 Insp rept 50-184/95-02 on 950717-21.No violations noted. Major areas inspected:post-outage recovery of sys,reactor operator training re sys changes,procedure updates, calibr & engineering change closeouts.
DRAGOUN,T., BORES,R. Region 1 (Post 820201). 95/09/20. 5pp. 85642:354-85642:358.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9510230316 Forwards insp rept 50-186/95-02 on 950913-15.No violations noted.
CREED,J.R. Region 3 (Post 820201). 95/10/17. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 2pp. 85891:305-85891:309.

--9510230321 Insp rept 50-186/95-02 on 950913-15.No violations noted. Major areas inspected:physical security & matl control programs.
CREED,J.R., BELANGER,J.L. Region 3 (Post 820201). 95/10/17. 3pp. 85891:307-85891:309.

P. Operating license stage documents & correspondence

9510270382 Expresses thanks for review & assessment of safety environ at MURR.Rept of progress on recommendations of Independent Safety Assessment Team encl.
RHYNE,J.J., MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 95/09/29. KLEIN,D. Texas, Univ. of, Austin, TX. REMICK,F., HUGHES,G. Affiliation Not Assigned. 35pp. 86048:227-86048:261.

Q. Inspection reports, IE Bulletins & correspondence

9510230316 Forwards insp rept 50-186/95-02 on 950913-15.No violations noted.
CREED,J.R. Region 3 (Post 820201). 95/10/17. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 2pp. 85891:305-85891:309.

--9510230321 Insp rept 50-186/95-02 on 950913-15.No violations noted. Major areas inspected:physical security & matl control programs.
CREED,J.R., BELANGER,J.L. Region 3 (Post 820201). 95/10/17. 3pp. 85891:307-85891:309.

V. Operator Examinations

9510040230 Requests that listed ref matl be furnished re written & operating exams scheduled for wk of 960101.
ERESIAN,W.J. . 95/09/25. BOLON,A.E. Missouri, Univ. of, Rolla, MO. 10pp. 85713:174-85713:183.

9510230183 Forwards Initial Exam Rept 50-186/OL-95-01 administered week of 950925 to employee who applied for license to operate reactor.Exam conducted in accordance w/NUREG-1478.W/o encl.
RICHARDS,S.A. . 95/10/18. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 1p. 85904:351-85904:351.

DOCKET 50-188 KANSAS STATE UNIV. RESEARCH REACTOR

R. Periodic operating reports & related correspondence

9510170118 Advises that no changes in facility,procedures & test & experiments made during Oct 1994-Sept 1995.
FAW,R.E. Kansas State Univ., Manhattan, KS. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85854:345-85854:345.

DOCKET 50-199 MANHATTAN COLLEGE RESEARCH REACTOR

V. Operator Examinations

9510240176 Forwards certificate for listed newly licensed individual in recognition of achievement represented by meeting all NRC requirements for licenses.W/o encl.
BOGER,B.A. . 95/10/13. BERLIN,R.E. Manhattan College, Riverdale, NY. 1p. 85910:358-85910:358.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510050177 Revised pp to offsite emergency response plan,including Dana Point & jurisdictional policy.
* Southern California Edison Co. 95/09/26. 17pp. 85726:344-85726:360.

9510180248 "Orange County Nuclear Power Plant Emergency Plan for SONGS, Annex G."
* Southern California Edison Co. 95/09/30. 71pp. 85868:174-85868:244.

9510100063 Rev 3 to "SONGS Manual of Emergency Events."
* Southern California Edison Co. 95/10/05. 106pp. 85751:141-85751:246.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510300249 Revised EPIPs,including Temporary Change Notice (TCN) 1-2 to Rev 1 to SO23-VIII-50.3,TCN 5-3 to Rev 6 to SO123-VIII-1,TCN 3-1 to Rev 5 to SO123-VIII-30.5 & TCN 3-1 to Rev 3 to SO123-VIII-30.6.W/951024 ltr.
MORGAN,M., TOMLINSON,M.D., MARSH,W.C. Southern California Edison Co. 95/10/24. 170pp. 86040:224-86041:029.

J. Insurance & indemnity information

9510060222 Provides required rept for claim involving alleged bodily injury arising out of or in connection w/use of radioactive matl at SONGS Units 1,2 & 3,per 10CFR140.6.
MARSH,W.C. Southern California Edison Co. 95/10/03. . 2pp. 85733:359-85733:360.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

S. Reportable occurrences, LERs & related correspondence

9510270383 Forwards rept of NPDES permit violation reported to CA Regional Water Quality Board,San Diego Region during month of Aug 1995.
MARSH,W.C. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 1p. 86052:211-86052:213.

--9510270384 NPDES noncompliance rept:on 950824,sample obtained on facility sewage treatment plant effluent indicated 950 turbidity (TU),exceeding limit of 225 TU.Caused by elevated solids blanket in clarifier section of plant.
NEWTON,H.W. Southern California Edison Co. 95/09/28. COE,A.L. California, State of. 2pp. 86052:212-86052:213.

9510310161 Forwards Jul 1994 NPDES discharge monitoring repts for SONGS Units 1 & 3 re NPDES permit violations & SONGS Unit 3 rept for info as sample results not available for acute toxicity on Unit 3 combined discharge.
MARSH,W.C. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 86056:353-86056:359.

--9510310166 NPDES noncompliance notification:on 950726,samples taken on facility sewage treatment plant effluent exceeded limits for settleable solids & total suspended solids.Caused by operational error during high flow conditions.
NEWTON,H.W. Southern California Edison Co. 95/08/30. COE,A.L. California, State of. 2pp. 86056:355-86056:356.

--9510310175 NPDES noncompliance notification:on 950722,during scheduled refueling outage,found that results for acute toxicity on facility combined discharge not combined due to contract lab having unhealthy population of testing organisms on hand.
NEWTON,H.W. Southern California Edison Co. 95/08/30. COE,A.L. California, State of. 3pp. 86056:357-86056:359.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

8902070045 Forwards Insp Rept 50-213/88-23 on 881116-890103.No violations noted.Ack receipt of 881202 response to Insp Rept 50-213/88-03.
BETTENHAUSEN,L. Region 1 (Post 820201). 89/01/30. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 2pp. 85744:093-85744:113.

--9510100379 Insp rept 50-213/88-23 on 881117-890103.No violations noted. Major areas inspected:plant operations,radiation protection, fire protection,security,maintenance,surveillance testing, licensee events,open items,et al.
MCCABE,E.C. Region 1 (Post 820201). 89/01/26. 19pp. 85744:095-85744:113.

9510020159 Forwards insp rept 50-213/95-19 on 950725-0828.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/09/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 85642:148-85642:174.

9510040320 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
MCKEE,P.F. . 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 85713:304-85713:308.

9510030243 Revised EPIPs,including Rev 4 to EPIP 1.5-1A, "Non-Emergency Event Assessment" & Rev 15 to EPIP 1.5-14, "Evacuation & Assembly." W/EPIPs index.
BUCH,W.H. Connecticut Yankee Atomic Power Co. 95/09/28. 44pp. 85687:313-85687:356.

9510270037 Informs NRC of mods which have been completed resulting in restoration of App R qualification of Thermo-Lag 330-1 installed in cable vault at Haddem Neck Plant.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 6pp. 86010:336-86010:341.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

P. Operating license stage documents & correspondence

9510020013 Provides response to NRC 950725 request for info re use of specific computer software in SR applications.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85681:316-85681:320.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510120167 Requests for addl info re re-rack of facility spent fuel pool.
WANG,A.B. . 95/10/03. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 7pp. 85766:343-85766:349.

9510170325 Withdraws LAR which would permit Haddam Neck Plant to remain in modes 1,2 or 3 w/average water temperature of ultimate heat sink greater than 90 F for 18 hours during months of Aug & Sept 1995.
OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85848:358-85848:359.

9510250069 Provides 60 day response to GL 95-07 re operability of safety-related power-operated gate valves.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:160-85987:162.

9510270040 Application for amend to license DPR-61,proposing rev to TS, by changing TS to state that surveillances are to be performed at least once each refueling interval.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 6pp. 86012:195-86012:234.

--9510270043 Proposed tech specs stating that surveillances are to be performed at least once each refueling interval.
* Connecticut Yankee Atomic Power Co. * Northeast Utilities Service Co. 95/10/20. 33pp. 86012:201-86012:234.

9510270133 Submits relief request from performing required volumetric exam of inside radius sections of pressurizer relief nozzle, spray nozzle & nozzles for safety valves.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/24. Document Control Branch (Document Control Desk). 7pp. 86010:342-86010:348.

9510270147 Application for amend to license DPR-61,by proposing changes to TS by increasing trip setpoints & allowable values for low power block.
OPEKA,J.F., DEBARBA,E.A. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/24. Document Control Branch (Document Control Desk). 8pp. 86012:235-86012:251.

--9510270151 Proposed tech specs increasing trip setpoints & allowable values for low power block.
* Connecticut Yankee Atomic Power Co. * Northeast Utilities Service Co. 95/10/24. 9pp. 86012:243-86012:251.

9510310221 Forwards notice of withdrawal of application for amend to license DPR-61.
WANG,A.B. . 95/10/24. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 86033:343-86033:346.

--9510310226 Notice of withdrawal of application for amend to license DPR-61.
WANG,A.B. . 95/10/24. 1p. 86033:346-86033:346.

Q. Inspection reports, IE Bulletins & correspondence

8902070045 Forwards Insp Rept 50-213/88-23 on 881116-890103.No violations noted.Ack receipt of 881202 response to Insp Rept 50-213/88-03.
BETTENHAUSEN,L. Region 1 (Post 820201). 89/01/30. MROCZKA,E.J. Connecticut Yankee Atomic Power Co. 2pp. 85744:093-85744:113.

--9510100379 Insp rept 50-213/88-23 on 881117-890103.No violations noted. Major areas inspected:plant operations,radiation protection, fire protection,security,maintenance,surveillance testing, licensee events,open items,et al.
MCCABE,E.C. Region 1 (Post 820201). 89/01/26. 19pp. 85744:095-85744:113.

9510020159 Forwards insp rept 50-213/95-19 on 950725-0828.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/09/19. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 85642:148-85642:174.

--9510020163 Insp rept 50-213/95-19 on 950725-0828.No violations noted. Major areas inspected:plant operations,maint,engineering & technical support.
NICHOLSON,L.E. Region 1 (Post 820201). 95/09/19. 25pp. 85642:150-85642:174.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510110114 Forwards safety insp rept 50-213/95-12 on 950522-0602.No violations noted.NRC not determining acceptability of long- term plans for periodically verifying design-basis capability of safety-related MOVs at present time.
KELLY,E.M. Region 1 (Post 820201). 95/09/29. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85730:243-85730:265.

--9510110123 Insp rept 50-213/95-12 on 950522-0602,0821-25 & 0911-22.No violations noted.Major areas inspected:review of sample of MOVs in program population for design-basis capability, verifying that failures analyzed.
BUCKLEY,M.J., KELLY,E.M. Region 1 (Post 820201). 95/09/22. 17pp. 85730:246-85730:265.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190014 Forwards response to NRC 950913 ltr re violations noted in insp repts 50-213,50-245,50-336 & 50-423/95-26 on 950724-28. Corrective actions:included State Posture Code radiological levels in CYAPCO & NNECO EALs.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85887:350-85887:355.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating In Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230261 Forwards insp rept 50-213/95-22 on 951002-06.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85890:306-85890:314.

--9510230264 Insp rept 50-213/95-22 on 951002-06.No violations noted. Major areas inspected:plant operations,high & locked high radiation areas & radioactive contamination control.
FURIA,J., WHITE,J. Region 1 (Post 820201). 95/10/18. 5pp. 85890:309-85890:314.

9510270057 Forwards insp rept 50-213/95-21 on 950925-29.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/10/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 85939:004-85939:013.

--9510270062 Insp rept 50-213/95-21 on 950925-29.No violations noted. Major areas inspected:plant licensed operator requalification program through performance-based insp.
KENNY,T.J., MEYER,G.W. Region 1 (Post 820201). 95/10/20. 8pp. 85939:006-85939:013.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190200 Monthly operating rept for Sept 1995 for Haddam Neck Plant. W/951013 ltr.
EMMONS,K.W., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/09/30. 7pp. 85901:352-85901:358.

S. Reportable occurrences, LERs & related correspondence

9510190173 LER 95-018-00:on 950913,failure to enter action for inoperable EDG occurred.Caused by personnel error.Need for timely operability determinations discussed w/individuals involved in event.W/951010 ltr.
BRUNSGAARD,P., DACIMO,F.R. Connecticut Yankee Atomic Power Co. 95/10/10. 5pp. 85897:351-85897:356.

V. Operator Examinations

9510270057 Forwards insp rept 50-213/95-21 on 950925-29.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/10/23. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 2pp. 85939:004-85939:013.

--9510270062 Insp rept 50-213/95-21 on 950925-29.No violations noted. Major areas inspected:plant licensed operator requalification program through performance-based insp.
KENNY,T.J., MEYER,G.W. Region 1 (Post 820201). 95/10/20. 8pp. 85939:006-85939:013.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9510060065 Revised EPIPs,including Rev 14 to EPIP-OC-.06,Rev 13 to EPIP-OC-.25 & Rev 9 to EPIP-OC-.35.W/undated ltr.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/08/23. 145pp. 85748:001-85748:145.

9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:172.

9510040315 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
DROMERICK,A.W. . 95/09/25. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85713:286-85713:289.

9510030025 Informs that licensee 941227 & 950331 responses to 940915 & 1229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete & addl info required.Requests response within 60 days of receipt of ltr.
DROMERICK,A.W. . 95/09/27. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 85685:347-85685:352.

9510270068 Forwards insp rept 50-219/95-19 on 951002-04.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 95/10/20. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85939:040-85939:046.

--9510270076 Insp rept 50-219/95-19 on 951002-04.No violations noted. Major areas inspected:effectiveness of mgt control,mgt support,audits,protected area detection equipment & protected/vital area access control of personnel.
KING,E.B., KEIMIG,R.R. Region 1 (Post 820201). 95/10/20. 5pp. 85939:042-85939:046.

H. General correspondence

9510200115 Responds to 950915 ltr re release of radioactive matl from Oyster Creek Nuclear Generation Station.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/13. MCGREEVY,N. Affiliation Not Assigned. 2pp. 85871:104-85871:105.

P. Operating license stage documents & correspondence

9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:069.

9510050254 Forwards Biological Opinion re plant which concludes that continued operation of plant may adversely affect listed sea turtles,but not likely to jeopardize continued existance.
FOX,W.W. Commerce, Dept. of, National Marine Fisheries Service. 95/09/21. CRUTCHFIELD,D. . 25pp. 85721:324-85721:348.

9510030025 Informs that licensee 941227 & 950331 responses to 940915 & 1229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete & addl info required.Requests response within 60 days of receipt of ltr.
DROMERICK,A.W. . 95/09/27. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 85685:347-85685:352.

9510030025 Informs that licensee 941227 & 950331 responses to 940915 & 1229 RAIs re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," incomplete & addl info required.Requests response within 60 days of receipt of ltr.
DROMERICK,A.W. . 95/09/27. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 5pp. 85685:347-85685:352.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100187 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 6pp. 85727:001-85727:006.

9510130196 Eleventh final response to FOIA request for documents. Records in App N will be made available in PDR.App M records will be withheld in entirety (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/04. IRWIN,D. Hunton & Williams. 4pp. 85800:219-85800:274.

9510120073 Forwards copy of GPUN ltr to NRC transmitting GPUN response to follow-up to RAI re GL-92-08.
DROMERICK,A.W. . 95/10/05. GUNTER,P. Nuclear Information & Resource Service. GUNTER,P., DECAMP,W. Affiliation Not Assigned. 1p. 85766:350-85766:350.

9510200262 Forwards comments on Oyster Creek Nuclear Generating Station sea turtle biological opinion dtd 950921.
BROWNE,M. General Public Utilities Corp. - GPU Service Corp. 95/10/13. Document Control Branch (Document Control Desk). 9pp. 85911:337-85911:345.

9510270369 Expresses concur w/plant core shroud repair focus on shroud restraint assembly lowe hooked depicted in Figure 4 of NRC SE dtd 941125 & requests responses to listed questions.
GUNTER,P. Nuclear Information & Resource Service. 95/10/16. DROMERICK,A.W. NRC - No Detailed Affiliation Given. 2pp. 86048:306-86048:307.

9510250350 Advises that substitutions of other plant drawings can be included in UFSAR & acceptable.
DROMERICK,A.W. . 95/10/23. BARTON,J.J. Georgia Power Co. 4pp. 85981:332-85981:335.

Q. Inspection reports, IE Bulletins & correspondence

9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:172.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020254 Provides response to SALP evaluation,per 950901 request. Attachment 1 provides response to recent SALP evaluation.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/27. Document Control Branch (Document Control Desk). 18pp. 85690:281-85690:298.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

-8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110056 Forwards insp rept 50-219/95-15 on 950731-0910.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/04. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:156-85729:188.

-9510110064 Insp rept 50-219/95-15 on 950731-0910.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
ROGGE,J. Region 1 (Post 820201). 95/10/03. 30pp. 85729:159-85729:188.

9510120069 Informs of importance of proper adherence to codes of conduct & procedures,including those involving completion of training exams.
MARTIN,T.T. Region 1 (Post 820201). 95/10/04. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85751:022-85751:025.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230322 Grants 950920 request to perform self-assessment alternative to SWS operational performance insp at plant, subj to NRC in-process & final insps of licensee effort & licensee completion of plant self-assessment.
WIGGINS,J.T. Region 1 (Post 820201). 95/10/18. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85891:313-85891:315.

9510270068 Forwards insp rept 50-219/95-19 on 951002-04.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 95/10/20. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85939:040-85939:046.

-9510270076 Insp rept 50-219/95-19 on 951002-04.No violations noted. Major areas inspected:effectiveness of mgt control,mgt support,audits,protected area detection equipment & protected/vital area access control of personnel.
KING,E.B., KEIMIG,R.R. Region 1 (Post 820201). 95/10/20. 5pp. 85939:042-85939:046.

9510270095 Forwards insp rept 50-219/95-18 on 951002-06.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/10/23. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85939:151-85939:160.

-9510270101 Insp rept 50-219/95-18 on 951002-06.No violations noted. Major areas inspected:assessment of basement design, acceptance criteria,review of basement design loads & load combinations.
CARRASCO,J.E., MODES,M.C. Region 1 (Post 820201). 95/10/23. 8pp. 85939:153-85939:160.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200109 Monthly operating rept for Sept 1995 for Oyster Creek Nuclear Generating Station.W/951011 ltr.
EDELMANN,P., BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/09/30. 7pp. 85912:327-85912:333.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510310225 Submits notification of 951106 meeting w/GPU Nuclear Corp in Rockville,MD to discuss current status of dry spent fuel storage at plant.Agenda encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/24. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 86060:358-86060:359.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510130326 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
EDISON,G.E. . 95/10/06. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 85813:015-85813:019.

9510260335 Forwards Issue 4,Rev 3 of physical security plan.Rev addresses deletion of paragraph (d)(a) from 10CFR73.55 effective on 951010.Summary of changes also encl.Encls withheld.
CHRISTENSEN,H. Niagara Mohawk Power Corp. 95/10/19. Document Control Branch (Document Control Desk). 1p. 85998:330-85998:330.

P. Operating license stage documents & correspondence

9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:069.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

-9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100230 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85727:286-85727:292.

9510100339 Forwards GE Licensing TR GENE-A13-00360-02, "Application of Stability Long-Term Solution Option II to NMPNS Unit 1," per GL 94-02.
TERRY,C.D. Niagara Mohawk Power Corp. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85751:269-85751:306.

-9510100342 "Application of Stability Long-Term Solution Option II to NMPNS Unit 1."
* General Electric Co. GENE-A13-00360-02. 95/08/30. 36pp. 85751:271-85751:306.

9510100316 Forwards "NMP Nine Mile Point Unit 1 Nuclear Power Station Rept of RPV FW & CRD Return Line Nozzle Exams Performed for NUREG-0619...at Culmination of Refueling Outage 13 Which Ended on 950404," including ISI results.
TERRY,C.D. Niagara Mohawk Power Corp. 95/10/03. Document Control Branch (Document Control Desk). 1p. 85751:247-85751:268.

-9510100318 "NMP Nine Mile Point Unit 1 Nuclear Power Station Rept of RPV FW & CRD Return Line Nozzle Exams Performed for NUREG-0619...at Culmination of Refueling Outage 13 Which Ended on 950404."
* Niagara Mohawk Power Corp. 95/09/29. 21pp. 85751:248-85751:268.

9510130196 Eleventh final response to FOIA request for documents. Records in App N will be made available in PDR.App M records will be withheld in entirety (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/04. IRWIN,D. Hunton & Williams. 4pp. 85800:219-85800:274.

9510200267 Notification of 951019 meeting w/NMP in Rockville,MD to discuss Nine Mile Point Nuclear Station Unit 1 methodology for revising pressure/temperature limits for reactor operation.
EDISON,G.E. . 95/10/12. MARSH,L.B. . 4pp. 85899:275-85899:278.

9510230021 Forwards amend 155 to license DPR-63 & safety evaluation. Amend revises TS 3.6.13 & associated Bases to permit controls & instruments from both RSP to be considered when assuring that one complete set is operable.
EDISON,G.E. . 95/10/16. SYLVIA,B,R, Niagara Mohawk Power Corp. 3pp. 85910:253-85910:267.

--9510230026 Amend 155 to license DPR-63,revising TS 3.6.13 & associated Bases to permit controls & instruments from both RSP to be considered when assuring that one complete set of controls & instruments is operable.
MARSH,L.B, . 95/10/16. 7pp. 85910:256-85910:262.

--9510230029 Safety evaluation supporting amend 155 to license DPR-63.
* . 95/10/16. 5pp. 85910:263-85910:267.

9510240050 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TERRY,C.L. Niagara Mohawk Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85929:156-85929:159.

9510270067 Forwards viewgraphs package entitled "Technical Basis for Developed of NMP-1 Plant-Specfic Charpy Shift Model. Viewgraphs withheld (ref 10CFR2.790(b)(1)).
TERRY,C.D. Niagara Mohawk Power Corp. 95/10/19. Document Control Branch (Document Control Desk). 5pp. 86021:228-86021:232.

Q. Inspection reports, IE Bulletins & correspondence

9510020161 Requests that util provide response to allegations filed by former employee re unfavorable actions taken in Oct 1992 w/ respect to terms of employment,within 30 days of ltr date.
COOPER,R.W. Region 1 (Post 820201). 95/09/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 85642:175-85642:177.

9510020173 Forwards insp repts 50-220/95-21 & 50-410/95-21 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/18. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85642:184-85642:197.

--9510020175 Insp repts 50-220/95-21 & 50-410/95-21 on 950821-25.No violations noted.Major areas inspected:radiological chemistry program.
KOTTEN,J., BORES,R. Region 1 (Post 820201). 95/09/18. 11pp. 85642:187-85642:197.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510110050 Comment on proposed NRC Bulletin 95-XX, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors" & Regulatory Guide DG-1038, "Water Sources for Long-Term Recirculation Cooling Following LOCA."
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/09/29. NRC - No Detailed Affiliation Given. 3pp. 85729:141-85729:143.

9510100316 Forwards "NMP Nine Mile Point Unit 1 Nuclear Power Station Rept of RPV FW & CRD Return Line Nozzle Exams Performed for NUREG-0619...at Culmination of Refueling Outage 13 Which Ended on 950404," including ISI results.
TERRY,C.D. Niagara Mohawk Power Corp. 95/10/03. Document Control Branch (Document Control Desk). 1p. 85751:247-85751:268.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110051 Forwards summary of core shroud & core shroud stabilizers augmented ISI & responses to RAI re core shroud repair.
TERRY,C.D. Niagara Mohawk Power Corp. 95/10/04. Document Control Branch (Document Control Desk). 8pp. 85759:343-85759:350.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190335 Forwards combined insp repts 50-220/95-18 & 50-410/95-18 on 950723-0902.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/10/06. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85864:108-85864:126.

--9510190345 Combined insp repts 50-220/95-18 & 50-410/95-18 on 950723-0902.No violations noted.Major areas inspected:plant operations,maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/06. 16pp. 85864:111-85864:126.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200235 Monthly operating rept for Sept 1995 for Nine Mile Point Nuclear Station Unit 1.W/951011 ltr.
COLEMAN,D.E., RADEMACHER,N.L. Niagara Mohawk Power Corp. 95/09/30. 5pp. 85913:328-85913:332.

9510180340 Forwards "NMPNS SPDES Permit NY-000-1015 Discharge Monitoring Rept Comments & Repts of Noncompliance Events for Period of Jan-June 1995." Station unable to meet requirements of NPDES/SPDES permits on five occasions.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85883:189-85883:225.

--9510180345 "NMPNS SPDES Permit NY-000-1015 Discharge Monitoring Rept Comments & Repts of Noncompliance Events for Period of Jan- June 1995."
* Niagara Mohawk Power Corp. 95/06/30. 35pp. 85883:191-85883:225.

S. Reportable occurrences, LERs & related correspondence

9510050207 Special repton 950913,#12 HMS was removed from svc to allow performance of preventive maint on sample & sample bypass pumps for #12 containment H & O monitors.
RADEMACHER,N.L. Niagara Mohawk Power Corp. 95/09/27. Document Control Branch (Document Control Desk). 2pp. 85724:325-85724:326.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

P. Operating license stage documents & correspondence

9510110275 Responds to 950206 ltr re licenses & radiation safety requirements for irradiators.Forwards answers to specific questions raised in subj ltr re 10CFR36.
MICHAELS,T.S. . 95/10/05. BETTENHAUSEN,L. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 6pp. 85764:325-85764:330.

DOCKET 50-225 RPI CRITICAL EXPERIMENT

V. Operator Examinations

9510310040 Requests one set of reference matl, "Reference Matl for Reactor/Senior Reactor Operator Licensing Exam" at least 60 days prior to exam date.
ERESIAN,W.J. . 95/10/23. HARRIS,D.R. Rensselaer Polytechnic Institute, Troy, NY. 8pp. 86035:149-86035:158.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9504040196 Forwards exercise scope of participation & objectives for 950711 Generating Station Emergency Plan annual exercise Dresden.
LESNIAK,M. Commonwealth Edison Co. 95/03/23. Document Control Branch (Document Control Desk). 18pp. 85724:248-85724:265.

9510050233 Forwards public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 85714:001-85714:344.

--9510050238 Public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/07/11. 343pp. 85714:002-85714:344.

9510020057 Rev 1 to EPMP 0300-01, "Emergency Planning Program Document Control & Review."
* Commonwealth Edison Co. 95/09/22. 8pp. 85683:216-85683:223.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510110285 Ack receipt of 950810 ltr re security involving escorting of visitors at facility.
CREED,J.R. Region 3 (Post 820201). 95/10/04. JOYCE,T. Commonwealth Edison Co. 2pp. 85731:066-85731:067.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510190282 Revised DSSP procedures,including Rev 8 to DSSP 0100-A,Rev 7 to DSSP 0100-A1,Rev 8 to DSSP 0100-A2/B2,Rev 7 to DSSP 0100-B,Rev 7 to DSSP 0100-B1,Rev 7 to DSSP 0100-C,Rev 7 to DSSP 0100-CR,Rev 6 to DSSP 0100-D & Rev 9 to DSSP 0100-E.
WALLS,M. Commonwealth Edison Co. 95/10/12. 343pp. 85884:001-85884:341.

P. Operating license stage documents & correspondence

9510020248 Forwards amends 140,134,162 & 158 for licenses DPR-19, DPR-25,DPR-29 & DPR-30 & SE.Amend initiates TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods.
STANG,J.F. . 95/09/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85663:014-85663:125.

–9510020261 Amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,initiating TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods based on responses to GLs.
STANG,J.F., PULSIFER,R.M. . 95/09/21. 83pp. 85663:017-85663:099.

–9510020273 Safety evaluation supporting amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 95/09/21. 26pp. 85663:100-85663:125.

9510020091 Submits results of review of electric work control sys data base to confirm status of outstanding work requests & to describe corrective actions completed.
JOYCE,T.P. Commonwealth Edison Co. 95/09/23. Document Control Branch (Document Control Desk). 5pp. 85681:287-85681:291.

9510040246 Forwards notice of consideration of issuance of amends to licenses & proposed NSHC determination & opportunity for hearing re 950915 application.
STANG,J.F. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85718:248-85718:260.

–9510040259 Notice of consideration of issuance of amend to license DPR-19,DPR-25,DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend closes out open items identified in staff review of upgrade TS to STS.
STAY,D.M. . 95/09/29. 10pp. 85718:251-85718:260.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060373 Forwards responses to open items from NRC 950726 RAI re facilities core shroud repair,in ref to GL 94-03.Proprietary GE rept GE-NE-523-A100-0995,Rev 0, "Analyses of...Shroud Repair Hardware Seismic Design..." also encl.Rept withheld.
PIET,P.L. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 14pp. 85745:257-85745:274.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510300099 Forwards "Structural Flaw Evaluation Of Head Flange Weld At Dresden Nuclear Power Station,Unit 2," & "Dresden Unit 2 Recirculation Line Flaw Evaluation Rept."
RYBAK,B. Commonwealth Edison Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 86051:197-86051:226.

–9510300106 "Structural Flaw Evaluation Of Head Flange Weld At Dresden Nuclear Power Station,Unit 2."
DEBOO,G.H., DO,H.Q. Commonwealth Edison Co. 95/10/16. 11pp. 86051:200-86051:210.

–9510300111 "Dresden Unit 2 Recirculation Line Flaw Evaluation Rept."
DEBOO,G.H., MINICHIELLO,J. Commonwealth Edison Co. 95/10/12. 16pp. 86051:211-86051:226.

9510230036 Informs that licensee will implement new SR 4.3.D.3 as TS 4.3.C.2 prior to implementation of remaining portions of amends.
STANG,J.F. . 95/10/17. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85910:236-85910:237.

9510250061 Informs NRC of changes to Post-Accident Sampling Program.
RYBAK,B. Commonwealth Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 27pp. 85987:252-85987:278.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

–9510310169 Amends 38,141 & 135 to licenses DPR-2,DPR-19 & DPR-25, respectively,relocating requirements for "Review, Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ERICKSON,P.B. . 95/10/20. 47pp. 86010:032-86010:078.

–9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

–8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510170373 Forwards insp repts 50-237/95-11 & 50-249/95-11 on 950822-0929.Violation noted.Violation of concern due to ineffective implementation of radioactive matl shipping program w/respect to proper packaging.
PEDERSON,C.D. Region 3 (Post 820201). 95/10/04. JOYCE,T. Commonwealth Edison Co. 3pp. 85818:218-85818:225.

–9510170383 Insp repts 50-237/95-11 & 50-249/95-11 on 950822-0929. Violation noted.Major areas inspected:circumstances re incident involving radwaste shipment for transportation that arrived having radiation levels in excess of DOT limits.
CANIANO,R.J. Region 3 (Post 820201). 95/10/04. 5pp. 85818:221-85818:225.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190365 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/06. PERRY,S. Commonwealth Edison Co. 4pp. 85864:167-85864:170.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240197 Responds to NRC 950919 ltr re weaknesses noted in exam rept 50-237/OL-95-02.Corrective actions:Training Dept Instruction for Licensed Operator Initial Training (TDI-508,rev 7) revised.
PERRY,J.S. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85929:351-85929:355.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170001 Monthly operating repts for Sept 1995 for Dresden Nuclear Power Station.W/951013 ltr.
CARROLL,E.W., HOLLAND,P.G. Commonwealth Edison Co. 95/09/30. 30pp. 85836:264-85836:293.

9510110307 Forwards 1995 third quarter rept of changes,tests & experiments,per 10CFR50.59 for plant.Rept contains info for period ending 950930.
HOLLAND,R.G. Commonwealth Edison Co. 95/10/06. . 158pp. 85783:001-85783:158.

S. Reportable occurrences, LERs & related correspondence

9510050032 LER 95-003-01:on 950110,Unit TS violation occurred during idle reactor recirculation pump start due to mgt deficiency.Operations manager discussed event w/ operations mgt team involved.W/951002 ltr.
FENILI,R.M., PERRY,J.S. Commonwealth Edison Co. 95/09/29. 8pp. 85728:182-85728:189.

9510050035 LER 95-020-00:on 950903,primary containment boundaries not Type B tested due to mgt deficiency.Formal review has been performed by util.W/951002 ltr.
MCGIVERN,M., PERRY,J.S. Commonwealth Edison Co. 95/10/03. 5pp. 85728:190-85728:194.

9510130240 Forwards Rev 2 to LER 90-002.Supplemental rept submitted to clarify methods used to perform 4 kV motor insulation testing.
PERRY,J.S. Commonwealth Edison Co. 95/10/06. Document Control Branch (Document Control Desk). 1p. 85807:198-85807:218.

–9510130244 LER 90-002-02:on 900116,reactor scram occurred following condensate/condensate boster pump failure due to internal motor fault.Maint staff developed program for periodic temp corrected insulation resistance testing of 4 kV pump motors.
BUYAN,M. Commonwealth Edison Co. 95/10/06. 20pp. 85807:199-85807:218.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510020292 Ltr contract,mod 4 to task order 20,extending period of performance from 930930-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, inc. 2pp. 85649:353-85649:354.

9510240197 Responds to NRC 950919 ltr re weaknesses noted in exam rept 50-237/OL-95-02.Corrective actions:Training Dept Instruction for Licensed Operator Initial Training (TDI-508,rev 7) revised.
PERRY,J.S. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85929:351-85929:355.

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F., CARTEAUX,P.F., WEIDNER,R.C. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-241 MISSISSIPPI STATE UNIV. RESEARCH REACTOR

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-243 OREGON STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510110173 Forwards revised "Oregon State Univ Radiation Ctr & TRIGA Reactor Emergency Response Plan." Attachment B includes all of current replacement pages for plan.
DODD,B. Oregon State Univ., Corvallis, OR. 95/09/22. Document Control Branch (Document Control Desk). 5pp. 85781:331-85781:353.

--9510110179 Revised "Oregon State Univ Radiation Ctr & TRIGA Reactor Emergency Response Plan."
* Oregon State Univ., Corvallis, OR. 95/09/30. 18pp. 85781:336-85781:353.

9510110088 Informs that 950814 submittal of rev to Oregon State Univ Physical Security Plan,acceptable per 10CFR50.54(p).
SCARANO,R.A. Region 4 (Post 820201). 95/10/05. KELLER,G.H. Oregon State Univ., Corvallis, OR. 4pp. 85729:344-85729:347.

R. Periodic operating reports & related correspondence

9510310419 Forwards annual rept of changes,tests & experiments performed per 10CFR50.59 for period Jul 1994 - June 1995. There were four changes to reactor facility & four changes to reactor procedures conducted per 10CFR50.59 for period.
DODD,B. Oregon State Univ., Corvallis, OR. 95/10/23. Document Control Branch (Document Control Desk). 2pp. 86076:312-86076:328.

--9510310420 Annual rept of changes,tests & experiments performed per 10CFR50.59 for period Jul 1994 - June 1995.
* Oregon State Univ., Corvallis, OR. 95/06/30. 15pp. 86076:314-86076:328.

9510270100 Forwards "Annual Rept of Oregon State Univ Radiation Ctr & TRIGA Reactor June 1994-June 1995." Annual rept 1994-1995 continues pattern established over past few yrs & includes info about entire radiation ctr.
DODD,B. Oregon State Univ., Corvallis, OR. 95/10/24. Document Control Branch (Document Control Desk). 2pp. 86040:009-86040:223.

--9510270103 "Annual Rept of Oregon State Univ Radiation Ctr & TRIGA Reactor June 1994-June 1995."
DODD,B. Oregon State Univ., Corvallis, OR. 95/06/30. 110pp. 86040:011-86040:223.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510310327 Rev 3 to OSSI-92-402A-4-REG, "RE Ginna EALs Technical Bases."
* Rochester Gas & Electric Corp. 95/09/15. 173pp. 86056:165-86056:337.

9510020212 Informs that info being provided to plant security manager that could assist in effort to protect plant against design- basis threat for sabotage.
JOHNSON,A.R. . 95/09/26. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85673:298-85673:301.

9510180039 Forwards rev 4 of RE Ginna Nuclear Power Plant Training & Qualification Plan for Security Officers.Encl withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85867:001-85867:001.

9510180059 Forwards rev J to RE Ginna Nuclear Power Plant physical security plan,per 10CFR50.54(p).Plan withheld.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85867:100-85867:100.

P. Operating license stage documents & correspondence

9510030241 Forwards info re question of whether adequate svc water flow would be provided to safety related pump room coolers during accident conditions if only one SWP operating & info re current degree of verification of KYPIPE model for SWS.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/09/21. JOHNSON,A.R. . 9pp. 85688:239-85688:247.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100201 Extends invitation to participate w/NRC & Region I representatives in 951102 meeting in Wayne,PA to discuss principal technical issues,experience & analyses of pressure locking & thermal binding.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85725:183-85725:189.

9510050052 Notification of 951018 meeting w/util in Rockville,MD to present to NRC containment structural mods of SG Replacement Program supporting changeout of SGs per 10CFR50.59.
JOHNSON,A.R. . 95/09/28. MARSH,L.B. . 4pp. 85722:151-85722:154.

9510050078 Forwards spent fuel storage assessment findings for final planned on-site assessment conducted at plant on 950619-23.
MCCRACKEN,C.E. . 95/09/28. HOLAHAN,G.M. . 17pp. 85722:168-85722:184.

9510160105 Forwards response to request for addl info re 24 month cycle evaluation & Rev 1 to "Guidelines for Instrument Loop Performance Evaluation & Setpoint Verification."
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/06. JOHNSON,A.R. . 9pp. 85835:141-85835:226.

--9510160107 Rev 1 to "Guidelines for Instrument Loop Performance Evaluation & Setpoint Verification."
DANIELS,G.W. Rochester Gas & Electric Corp. 92/08/07. 87pp. 85835:150-85835:226.

9510180022 Requests relief from provisions of ASME Code,Section XI requirements for hydrostatic testing for welded repair & replacement activities for Class 1,2 & 3 systems.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/11. JOHNSON,A.R. . 3pp. 85866:276-85866:278.

9510180239 Provides pressurized thermal shock assessment for reactor pressure vessel limiting circumferential weld for review & approval.
MERCREDY,R.C. Rochester Gas & Electric Corp. 95/10/11. JOHNSON,A.R. . 7pp. 85866:280-85866:286.

9510190142 Notification of 951017 meeting w/Rochester Gas & Electric Corp in Rockville,MD to discuss containment structural mods of SG replacement program supporting changeout of steam generators pursuant to 10CFR50.59.
JOHNSON,A.R. . 95/10/12. MARSH,L.B. . 4pp. 85864:189-85864:192.

9510260319 Responds to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/17. JOHNSON,A.R. . 3pp. 86008:353-86008:355.

9510260338 Forwards info requested from 950921 & 1016 telcons re testing of ventilation sys & impact of 24-month fuel cycles.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/10/18. JOHNSON,A.R. . 6pp. 86009:230-86009:350.

--9510260339 Rev 3 to Procedure PT-2.3.1M, "Post Accident Charcoal Filter Dampers - Monthly."
MARLOW,T.A. Rochester Gas & Electric Corp. 94/11/02. 7pp. 86009:236-86009:242.

--9510260341 Rev 6 to Procedure PT-2.3.1Q, "Post Accident Charcoal Filter Dampers - Quarterly."
JOSS,G.E. Rochester Gas & Electric Corp. 95/07/26. 40pp. 86009:243-86009:282.

--9510260343 Rev 31 to Procedure PT-17.4, "Control Room Radiation R-36, R-37,R-38 & Toxic Gas Monitor Operability Test."
MARLOW,T.A. Rochester Gas & Electric Corp. 95/03/22. 20pp. 86009:283-86009:302.

--9510260344 Rev 17 to Procedure PT-47.3, "Control Room Air Handling Unit - Filtration Sys Efficiency Test."
JOSS,G.E. Rochester Gas & Electric Corp. 95/06/15. 16pp. 86009:303-86009:318.

--9510260345 Rev 3 to Procedure PT-47.5, "Containment Fan Recirculation Unit - HEPA Filtration Sys Efficiency Test."
* Rochester Gas & Electric Corp. 92/02/26. 10pp. 86009:319-86009:327.

--9510260346 Rev 10 to Procedure PT-47.10, "Spent Fuel Pit Charcoal Filtration Sys Efficiency Test."
MARLOW,T.A. Rochester Gas & Electric Corp. 95/04/05. 11pp. 86009:328-86009:339.

--9510260348 Rev 3 to Procedure PT-47.11, "Containment Post Accident Charcoal Filter Unit Efficiency Test."
* Rochester Gas & Electric Corp. 94/03/09. 11pp. 86009:340-86009:350.

Q. Inspection reports, IE Bulletins & correspondence

9510020165 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp rept 50-244/94-28.
JOYNER,J.H. Region 1 (Post 820201). 95/09/19. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 85642:178-85642:181.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030199 Requests relief from provisions of ASME Code,Section XI requirements for hydrostatic testing for welded repair & replacement activities on Class 3 portion of plant main steam sys.ISI program Relief Request 30 encl.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/09/26. JOHNSON,A.R. . 4pp. 85688:248-85688:251.

9510110037 Forwards insp rept 50-244/95-15 on 950730-0909.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/10/03. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85729:114-85729:135.

--9510110047 Insp rept 50-244/95-15 on 950730-0909.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/09/29. 19pp. 85729:117-85729:135.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230201 Forwards requalification program insp rept 50-244/95-16 conducted during wk of 950918.Administrative control & trackingof program content were excellent.
MEYER,G.W. Region 1 (Post 820201). 95/10/16. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 85890:011-85890:019.

--9510230216 Requalification program insp rept 50-244/95-16 conducted during wk of 950918.Exam results:facility evaluation of crew performance,acceptable.
D'ANTONIO,J. Region 1 (Post 820201). 95/10/13. 7pp. 85890:013-85890:019.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270044 Forwards insp rept 50-244/95-15 on 951002-06.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/20. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85938:001-85938:012.

--9510270048 Insp rept 50-244/95-18 on 951002-06.No violations noted. Major areas inspected:radiological chemistry program.
KOTTAN,J., MCNAMARA,N., WHITE,J. Region 1 (Post 820201). 95/10/20. 9pp. 85938:004-85938:012.

9510270108 Forwards plant performance review for Ginna Nuclear Power Plant,covering period of 950312 to 951010.Insp activities will be performed every six months so that two assessments will be performed during approx 18-month SALP cycle.
COOPER,R.W. Region 1 (Post 820201). 95/10/20. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 85939:172-85939:176.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110036 Monthly operating rept for Sept 1995 for RE Ginna Nuclear Power Plant.W/ 951003 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 95/09/30. 5pp. 85759:326-85759:330.

9510160273 Forwards revised pp 1 to monthly operating rept for Sept 1995.
WIDAY,J.A. Rochester Gas & Electric Corp. 95/10/05. Document Control Branch (Document Control Desk). 1p. 85836:113-85836:114.

--9510160275 Revised page 1 to monthly operating rept for Sept 1995.
WALDEN,J.V. Rochester Gas & Electric Corp. 95/09/30. 1p. 85836:114-85836:114.

S. Reportable occurrences, LERs & related correspondence

9510030079 LER 95-008-00:on 950825,secondary transient occurred.Caused by loss of "B" condenser circulating water pump that resulted in manual RT.Returned S/G levels to normal operating levels.W/950925 ltr.
ST MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 95/09/25. JOHNSON,A.R. . JOHNSON,A.R. Document Control Branch (Document Control Desk). 9pp. 85689:157-85689:165.

9510030061 Part 21 rept re fuel oil booster pump post-maint testing revealed fuel oil sys pressure readings of 32 PSIG in "required action" low range.Plant personnel installed rebuilt fuel oil booster pump on "B" EDG.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/09/28. QUAY,A.R. . QUAY,A.R. Document Control Branch (Document Control Desk). 4pp. 85728:110-85728:113.

V. Operator Examinations

9510230201 Forwards requalification program insp rept 50-244/95-16 conducted during wk of 950918.Administrative control & trackingof program content were excellent.
MEYER,G.W. Region 1 (Post 820201). 95/10/16. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 85890:011-85890:019.

--9510230216 Requalification program insp rept 50-244/95-16 conducted during wk of 950918.Exam results:facility evaluation of crew performance,acceptable.
D'ANTONIO,J. Region 1 (Post 820201). 95/10/13. 7pp. 85890:013-85890:019.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510050155 Requests info re 950915 rept that NRC licensed operator tested positive for alcohol following random FFD test within 30 days after dtd ltr & answers to encl questions.
MEYER,G.W. Region 1 (Post 820201). 95/09/20. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 85686:023-85686:026.

9510040320 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
MCKEE,P.F. . 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 85713:304-85713:308.

9510100401 Advises that 950901 rev 12 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/09/29. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85765:297-85765:299.

9510240007 Forwards table which provides listing of proposed insp for Millstone as result of 950920 meeting re site performance & projected NRC insps for next six months.
COOPER,R.W. Region 1 (Post 820201). 95/10/17. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85895:335-85895:337.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

--9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

G. Adjudicatory correspondence

9510050208 Provides update on five 10CFR2.206 which AJ Ross submitted re 941028 petition.
ANDERSEN,J.W. . 95/10/04. ROSS,A.J. Affiliation Not Assigned. 2pp. 85722:014-85722:015.

9510180157 Northeast Nuclear Energy Co answer to request for hearing & petition to intervene.* Denies petitioner request for hearing & intervenor status due to unsatisfactory requirements of 10CFR2.714.W/Certificate of Svc.
REPKA,D.A. Northeast Nuclear Energy Co. REPKA,D.A. Winston & Strawn. #495 17211. 95/10/13. Commissioners (Post 750119). 52pp. 85847:029-85847:080.

9510180255 Forwards request for hearing & petition to intervene dtd 950928 & submitted We the People,Seacoast Anti-Pollution League,New England Coalition on Nuclear Pollution & D Delcore.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17205. 95/10/13. COTTER,B.P. Atomic Safety & Licensing Board Panel. 1p. 85846:038-85846:060.

--9510180263 Forwards request for hearing & petition to intervene on behalf of WTP,SAPL,NECNP & D Delcore.
BACKUS,R.A. We The People of The United States (We The People, Inc.). BACKUS,R.A. Seacoast Anti-Pollution League. BACKUS,R.A. New England Coalition on Nuclear Pollution. 95/09/28. CHILK,S.J. Office of the Secretary of the Commission. 1p. 85846:039-85846:039.

--9510180280 Request for hearing & petition to intervene on behalf of WTP,SAPL,NECNP & D Delcore.*
HADLEY,E.C. We The People of The United States (We The People, Inc.). HADLEY,E.C. Seacoast Anti-Pollution League. HADLEY,E.C. New England Coalition on Nuclear Pollution. 95/09/28. Commissioners (Post 750119). 13pp. 85846:040-85846:060.

9510180213 Establishment of Atomic Safety & Licensing Board.* Board established in listed proceeding to rule on petitions for leave to intervene & requests for hearing & to preside over proceeding if ordered.W/Certificate of Svc.Served on 951017.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #495 17216. 95/10/16. 4pp. 85845:315-85845:318.

9510300093 NRC Staff response to request for hearing & petition to intervene on behalf of WTP,SAPL,NECNP & D Delcore.* Informs that petition should be denied.
MARCO,C.L. Office of the General Counsel (Post 860701). #495 17220. 95/10/18. Atomic Safety & Licensing Board Panel. 14pp. 86000:122-86000:135.

9510300184 Forwards corrected requests for hearing & petition.Ack receipt of 951011 memo refering request for hearing & petition on behalf of three organizations.
BACKUS,R.A. Backus, Meyer & Solomon. #495 17238. 95/10/18. HOYLE,J.C. Docketing & Services Branch. 1p. 86000:153-86000:160.

--9510300193 Corrected request for hearing & petition to intervene on behalf of WTP,SAPL,NECNP & DW Del Core.* W/Certificate of Svc.
BACKUS,R.A. We The People of The United States (We The People, Inc.). BACKUS,R.A. Affiliation Not Assigned. BACKUS,R.A. New England Coalition on Nuclear Pollution. 95/10/18. Commissioners (Post 750119). 7pp. 86000:154-86000:160.

9510300211 Ack receipt of 950821 petition submitted by recipient on behalf of G Galatis & petitioners,We The People re certain actions associated w/spent fuel pool issues at plant. Forwards notice being filed for FR publication.
RUSSELL,W.T. . 95/10/26. HADLEY,E.C. Affiliation Not Assigned. 5pp. 86015:321-86015:346.

--9510300228 Notice re petition for Director's Decision under 10CFR2.206 concerning actions associated w/spent fuel pool issues at plant.
GILLESPIE,F.P. . 95/10/26. 4pp. 86015:326-86015:339.

--9510300241 Discusses 950821 petition submitted by G Galatis & We The People,petitions,per 10CFR2.206 requesting certain action associated w/spent fuel pool issues at plant.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 95/08/30. RUSSELL,W.T. . 2pp. 86015:340-86015:346.

P. Operating license stage documents & correspondence

9510110208 Change 1 to Rev 18 of "Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/08/15. 48pp. 85761:290-85761:337.

9510020013 Provides response to NRC 950725 request for info re use of specific computer software in SR applications.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85681:316-85681:320.

9510020095 Forwards calculations documenting detailed approach used for developing realistic,median centered in-structure response spectra for facility reactor,auxiliary radwaste/control & turbine bldgs,for use in GL 87-02,Suppl 1,USI A-46 project.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/26. Document Control Branch (Document Control Desk). 6pp. 85672:089-85672:265.

--9510020099 "Reactor Bldg A-46 Spectra."
ALI,A., DERMITZAKIS,S., ABOU-JAOUDE,C. Vectra Technologies, Inc. 0024-00099-RB-1 R00. 95/05/25. 46pp. 85672:095-85672:139.

--9510020102 "Turbine Bldg A-46 Spectra."
ALI,A., DERMITZAKIS,S., ABOU-JAOUDE,C. Vectra Technologies, Inc. 0024-00099-TB-1 R00. 95/05/25. 46pp. 85672:140-85672:185.

--9510020107 "Radwaste/Control Bldg A-46 Spectra."
ALI,A., DERMITZAKIS,S., ABOU-JAOUDE,C. Vectra Technologies, Inc. 0024-00099-RCB-1 R00. 95/05/25. 80pp. 85672:186-85672:265.

9510050285 Forwards copies of faxes from P Blanch received 950925.
ZWOLINSKI,J.A. . 95/09/26. NRC - No Detailed Affiliation Given. 1p. 85714:348-85714:351.

--9510050314 Responds to encl 950918 NRC ltr re status of concerns raised in previous correspondence.Inquires as to status of responses to at least five previous ltrs of correspondence.
BLANCH,P.M. Affiliation Not Assigned. 95/09/25. STRYKER,W.J. NRC - No Detailed Affiliation Given. 3pp. 85714:349-85714:351.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100235 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85727:322-85727:328.

9510060230 Application for amend to License DPR-21,requesting to change seismic classification of Unit 1 re feedwater coolant injection subsystem.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/02. Document Control Branch (Document Control Desk). 4pp. 85748:229-85748:234.

--9510060231 Proposed tech specs re feedwater coolant injection subsystem.
* Northeast Nuclear Energy Co. 95/10/02. 2pp. 85748:233-85748:234.

9510060232 Informs NRC staff of current plans for implementation of dedicated shift technical advisor programs at Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/03. Document Control Branch (Document Control Desk). 2pp. 85748:359-85748:360.

9510110054 Application for amend to license DPR-21,proposing amend to TS,by modifying logic for loss of normal power instrumentation during Cycle 15 refueling outage to provide "split" logic configuration.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/03. Document Control Branch (Document Control Desk). 18pp. 85780:227-85780:269.

--9510110065 Proposed tech specs modifying logic for loss of normal power instrumentation during Cycle 15 refueling outage to provide "split" logic configuration.
* Northeast Nuclear Energy Co. * Northeast Utilities. 95/10/03. 23pp. 85780:246-85780:269.

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510110187 Forwards notice of withdrawal of application for amend to license DPR-21,Proposed amend to delete existing LCOs & surveillance requirements.
ANDERSEN,J.W. . 95/10/05. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85762:338-85762:342.

--9510110408 Notice of withdrawal of application for amend to license DPR-21.Proposed amend would have deleted existing LCOs.
ANDERSEN,J.W. . 95/10/05. 2pp. 85762:341-85762:342.

9510110304 Submits response to 950508 RAI re isolation condenser vent radiation monitors.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/05. Document Control Branch (Document Control Desk). 8pp. 85783:310-85783:317.

9510130023 Requests deviations from design & qualification criteria recommended in Reg Guide 1.97,Rev 2 re electrical equipment qualification.
OPEKA,J.F., BEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85810:264-85810:272.

9510180105 Change Requests 96-02,96-03,96-04,96-05,95-06 & 95-07 to "Northeast Utilities QA Program Topical Rept."
SILKO,T.B., BENNETT,E., BARANOWSKI,W.J. Northeast Nuclear Energy Co. 95/10/11. 14pp. 85864:345-85864:358.

9510190017 Submits info re upcoming plant refueling outage.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 3pp. 85900:298-85900:300.

9510190021 Submits suppl response to 950821 10CFR2.206 petition.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/11. RUSSELL,W.T. . 13pp. 85886:340-85886:352.

9510200190 Forwards RAI re proposed license amend on refueling & spent fuel handling.
ZIMMERMAN,R.P. . 95/10/13. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 6pp. 85900:068-85900:073.

9510260204 Provides addl info re quality group classification of components & sys.Util considers info provided to be sufficient to close SEP Topic III-1.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/13. Document Control Branch (Document Control Desk). 21pp. 86004:338-86004:358.

9510250069 Provides 60 day response to GL 95-07 re operability of safety-related power-operated gate valves.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:160-85987:162.

9510230137 Forwards response to 951013 RAI re 950912 & 0728 LARs on refueling & SF handling & plant design change record & supporting documentation used to modify design at facility to allow SDC sys B to provide addl means to cool SF pool.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/18. Document Control Branch (Document Control Desk). 71pp. 85901:226-85901:305.

--9510230145 Rev 2 to SE ISE/MP1-95-067, "Millstone Unit 1 Refueling Strategy & Spent Fuel Pool Analysis."
KAI,M., DUBE,D.A. Northeast Nuclear Energy Co. ISE/MP1-95-067 R02. 95/10/18. 9pp. 85901:297-85901:305.

9510250355 Requests safety assessment of issue,plans & schedule for disposition & summary of spent fuel pool issues not identified in rept.
MCKEE,P.F. . 95/10/20. OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85943:334-85943:336.

9510270049 Responds to request for addl info re proposed license amend on refueling & spent fuel handling.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 15pp. 86012:282-86012:296.

Q. Inspection reports, IE Bulletins & correspondence

9510020230 Ack receipt of 950817 ltr informing NRC of steps taken to correct violations noted in insp 50-245/95-16 on 950623. Documents 950825 mgt meeting re corrective actions for maint programs at plant.
MEYER,G.W. Region 1 (Post 820201). 95/09/20. OPEKA,J.F. Northeast Nuclear Energy Co. 30pp. 85642:311-85642:349.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020153 Notification of significant licensee meeting 95-88 w/util on 951005 to discuss design issues w/loss of normal power logic & standby gas treatment sys as discussed in NRC insp rept 50-245/95-31,dated 950915.
DURR,J.P. Region 1 (Post 820201). 95/10/02. Region 1 (Post 820201). 2pp. 85642:116-85642:117.

9510110025 Notification of significant licensee meeting 95-88 w/util on 951010 to discuss design issues w/loss of normal power logic & standby gas treatment sys.
DURR,J.P. Region 1 (Post 820201). 95/10/03. Region 1 (Post 820201). 2pp. 85729:082-85729:083.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190014 Forwards response to NRC 950913 ltr re violations noted in insp repts 50-213,50-245,50-336 & 50-423/95-26 on 950724-28. Corrective actions:included State Posture Code radiological levels in CYAPCO & NNECO EALs.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85887:350-85887:355.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240007 Forwards table which provides listing of proposed insp for Millstone as result of 950920 meeting re site performance & projected NRC insps for next six months.
COOPER,R.W. Region 1 (Post 820201). 95/10/17. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85895:335-85895:337.

9510250119 Forwards action plans for radwaste observations in insp repts 50-245/95-35,50-336/95-35 & 50-423/95-35 & summary of commitments.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/18. Document Control Branch (Document Control Desk). 10pp. 85986:343-85986:352.

9510260086 Forwards response to NRC 950919 ltr re violation noted in insp rept 50-245/95-31 on 950712-0822.Corrective actions: performed technical & safety assessment demonstrating acceptability of cross-tying 480 volt bus 12E to bus 12F.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/19. Document Control Branch (Document Control Desk). 6pp. 85996:133-85996:138.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

--9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170019 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85864:235-85864:252.

--9510170020 Monthly operating repts for Sept 1995 for Millstone Units 1, 2 & 3.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/09/30. 16pp. 85864:236-85864:250.

--9510170022 Revised monthly operating rept for Aug 1995 for Millstone Unit 2.
BORCHERT,R. Northeast Nuclear Energy Co. 95/08/31. 2pp. 85864:251-85864:252.

S. Reportable occurrences, LERs & related correspondence

9510110004 LER 95-013-01:on 950705,main steam safety relief pilot valve setpoint drift occurred.Caused by oxide bonding of pilot disc to pilot seat.Pilot valves refurbished & recertified.W/ 950929 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/09/29. 5pp. 85778:218-85778:222.

9510110154 LER 95-033-01:on 941124,MS SR pilot valve setpoint drift occurred.Caused by deterioration of pilot valve discs. Removed all pilot valve assemblies & replaced w/ pilot valves that had been refurbished.W/950929 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/09/29. 6pp. 85806:274-85806:279.

9510250129 Provides description of waste processing event that occurred on 950622.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/10/19. Document Control Branch (Document Control Desk). 8pp. 85983:289-85983:296.

9510270171 LER 95-006-02:on 950517,determined that section of skimmer surge tank piping was not designed for seismic loads.Event attributable to failure to recognize significance of non-seismic design of surge tank piping.W/951020 ltr.
HARRIS,D.N., MILLER,D.B. Northeast Nuclear Energy Co. 95/10/20. 6pp. 86019:275-86019:280.

9510300052 LER 95-020-00:on 950920,concluded that previous refuel electrical bus configurations may have introduced single active failure vulnerabilities due to insufficient detail in spec.Improved STS will be developed in 1996.W/951020 ltr.
HARRIS,D.N., MILLER,D.B., BOUCHARD,G.H. Northeast Nuclear Energy Co. 95/10/20. 4pp. 86079:007-86079:010.

V. Operator Examinations

9510050155 Requests info re 950915 rept that NRC licensed operator tested positive for alcohol following random FFD test within 30 days after dtd ltr & answers to encl questions.
MEYER,G.W. Region 1 (Post 820201). 95/09/20. OPEKA,J.F. Northeast Nuclear Energy Co. 4pp. 85686:023-85686:026.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510020221 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
WILLIAMS,F.J. . 95/09/26. QUINN,S.E. Commonwealth Edison Co. 4pp. 85673:302-85673:305.

9510260082 Forwards rev to emergency plan & implementation procedures.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/10/20. Document Control Branch (Document Control Desk). 1p. 85996:001-85996:071.

--9510260088 Revised emergency plan,including rev to pages 5-59 & 5-70.
* Consolidated Edison Co. of New York, Inc. 95/10/02. 3pp. 85996:002-85996:004.

--9510260092 Revised EPIPs,including Rev 16 to IP-1002,Rev 6 to IP-1015, Rev 10 to IAP-3,Rev 7 to IAP-7 & Rev 10 to IAP-10.
* Consolidated Edison Co. of New York, Inc. 95/10/02. 67pp. 85996:005-85996:071.

P. Operating license stage documents & correspondence

9510100207 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E. Region 1 (Post 820201). 95/09/27. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 3pp. 85727:229-85727:235.

9510200339 Forwards Amend 184 to License DPR-26 & safety evaluation. Amend revises surveillance intervals for boric acid tank level,svc water inlet temperature monitor instrument,boric acid makeup flow sys & plant noble gas activity monitor.
WILLIAMS,F.J. . 95/10/12. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 85883:151-85883:174.

--9510200342 Amend 184 to License DPR-26,which revises surveillance intervals for boric acid tank level,svc water inlet temperature monitor instrument,boric acid makeup flow sys & plant noble gas activity monitor.
MARSH,L.B. . 95/10/12. 13pp. 85883:155-85883:167.

--9510200344 Safety evaluation supporting Amend 184 to License DPR-26.
* . 95/10/12. 7pp. 85883:168-85883:174.

9510250268 Provides written response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85988:069-85988:071.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180193 Forwards insp rept 50-247/95-20 on 950730-0916.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/10/06. QUINN,S. Commonwealth Edison Co. 3pp. 85842:309-85842:328.

--9510180196 Insp rept 50-247/95-20 on 950730-0916.No violations noted. Major areas inspected:resident inspector core,regional initiative & reactive insps performed during day & backshift hours of station activities including plant operations.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/09/26. 17pp. 85842:312-85842:328.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270200 Responds to NRC 951018 ltr re violations noted in insp rept 50-247/95-18 on 950710-14.Corrective actions:alarming swing gates & self-closing doors being used wherever practical.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85939:222-85939:226.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510250140 Monthly operating rept for Sept 1995 for Indian Point Unit 2.W/951016 ltr.
REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/09/30. Document Control Branch (Document Control Desk). 6pp. 85988:191-85988:196.

S. Reportable occurrences, LERs & related correspondence

9510110078 LER 95-019-00:on 950901,discovered that surveillance interval for testing control room air filtration sys had been exceeded due to failure of communication.Revised control room log sheets.W/951002 ltr.
LOUIE,R., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 95/10/02. 4pp. 85778:246-85778:249.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9504040196 Forwards exercise scope of participation & objectives for 950711 Generating Station Emergency Plan annual exercise Dresden.
LESNIAK,M. Commonwealth Edison Co. 95/03/23. Document Control Branch (Document Control Desk). 18pp. 85724:248-85724:265.

9510050233 Forwards public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/05/11. Document Control Branch (Document Control Desk). 1p. 85714:001-85714:344.

--9510050238 Public version of "Dresden Station 1995 Annual Exercise 950711 Master Exercise Control Manual."
* Commonwealth Edison Co. 95/07/11. 343pp. 85714:002-85714:344.

9510020057 Rev 1 to EPMP 0300-01, "Emergency Planning Program Document Control & Review."
* Commonwealth Edison Co. 95/09/22. 8pp. 85683:216-85683:223.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510110285 Ack receipt of 950810 ltr re security involving escorting of visitors at facility.
CREED,J.R. Region 3 (Post 820201). 95/10/04. JOYCE,T. Commonwealth Edison Co. 2pp. 85731:066-85731:067.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510190282 Revised DSSP procedures,including Rev 8 to DSSP 0100-A,Rev 7 to DSSP 0100-A1,Rev 8 to DSSP 0100-A2/B2,Rev 7 to DSSP 0100-B,Rev 7 to DSSP 0100-B1,Rev 7 to DSSP 0100-C,Rev 7 to DSSP 0100-CR,Rev 6 to DSSP 0100-D & Rev 9 to DSSP 0100-E.
WALLS,M. Commonwealth Edison Co. 95/10/12. 343pp. 85884:001-85884:341.

P. Operating license stage documents & correspondence

9510020248 Forwards amends 140,134,162 & 158 for licenses DPR-19, DPR-25,DPR-29 & DPR-30 & SE.Amend initiates TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods.
STANG,J.F. . 95/09/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85663:014-85663:125.

--9510020261 Amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,initiating TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods based on responses to GLs.
STANG,J.F., PULSIFER,R.M. . 95/09/21. 83pp. 85663:017-85663:099.

--9510020273 Safety evaluation supporting amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 95/09/21. 26pp. 85663:100-85663:125.

9510020091 Submits results of review of electric work control sys data base to confirm status of outstanding work requests & to describe corrective actions completed.
JOYCE,T.P. Commonwealth Edison Co. 95/09/23. Document Control Branch (Document Control Desk). 5pp. 85681:287-85681:291.

9510040246 Forwards notice of consideration of issuance of amends to licenses & proposed NSHC determination & opportunity for hearing re 950915 application.
STANG,J.F. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85718:248-85718:260.

--9510040259 Notice of consideration of issuance of amend to license DPR-19,DPR-25,DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend closes out open items identified in staff review of upgrade TS to STS.
STAY,D.M. . 95/09/29. 10pp. 85718:251-85718:260.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060373 Forwards responses to open items from NRC 950726 RAI re facilities core shroud repair,in ref to GL 94-03.Proprietary GE rept GE-NE-523-A100-0995,Rev 0, "Analyses of...Shroud Repair Hardware Seismic Design..." also encl.Rept withheld.
PIET,P.L. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 14pp. 85745:257-85745:274.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230036 Informs that licensee will implement new SR 4.3.D.3 as TS 4.3.C.2 prior to implementation of remaining portions of amends.
STANG,J.F. . 95/10/17. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85910:236-85910:237.

9510250061 Informs NRC of changes to Post-Accident Sampling Program.
RYBAK,B. Commonwealth Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 27pp. 85987:252-85987:278.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310169 Amends 38,141 & 135 to licenses DPR-2,DPR-19 & DPR-25, respectively,relocating requirements for "Review, Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ERICKSON,P.B. . 95/10/20. 47pp. 86010:032-86010:078.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510170373 Forwards insp repts 50-237/95-11 & 50-249/95-11 on 950822-0929.Violation noted.Violation of concern due to ineffective implementation of radioactive matl shipping program w/respect to proper packaging.
PEDERSON,C.D. Region 3 (Post 820201). 95/10/04. JOYCE,T. Commonwealth Edison Co. 3pp. 85818:218-85818:225.

--9510170383 Insp repts 50-237/95-11 & 50-249/95-11 on 950822-0929. Violation noted.Major areas inspected:circumstances re incident involving radwaste shipment for transportation that arrived having radiation levels in excess of DOT limits.
CANIANO,R.J. Region 3 (Post 820201). 95/10/04. 5pp. 85818:221-85818:225.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190365 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/06. PERRY,S. Commonwealth Edison Co. 4pp. 85864:167-85864:170.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170001 Monthly operating repts for Sept 1995 for Dresden Nuclear Power Station.W/951013 ltr.
CARROLL,E.W., HOLLAND,P.G. Commonwealth Edison Co. 95/09/30. 30pp. 85836:264-85836:293.

9510110307 Forwards 1995 third quarter rept of changes,tests & experiments,per 10CFR50.59 for plant.Rept contains info for period ending 950930.
HOLLAND,R.G. Commonwealth Edison Co. 95/10/06. . 158pp. 85783:001-85783:158.

S. Reportable occurrences, LERs & related correspondence

9510050024 LER 95-013-00:on 950901,reactor recirculation pump speed mismatch verification was not performed due to defective procedure.Implemented appropriate procedure changes.W/951002 ltr.
FENILI,R.M., PERRY,J.S. Commonwealth Edison Co. 95/09/29. 5pp. 85728:177-85728:181.

9510060197 LER 95-015-00:on 950905,isolation condenser group V isolation occurred due to air trapped at piping high point between isolation condenser inboard & outboard condensate returned isolation valves.W/951003 ltr.
COOPER,G., PERRY,J.S. Commonwealth Edison Co. 95/10/03. 7pp. 85767:071-85767:077.

9510110007 LER 95-014-00:on 950907,unexpected operation of pressure suppression chamber to drywell vacuum breakers due to inadequate training & procedure deficiency.Setpoints were verified correct & heatup limit removed.W/951005 ltr.
WILLIAMS,J., PERRY,J.S. Commonwealth Edison Co. 95/10/04. 4pp. 85778:228-85778:231.

9510110388 LER 95-016-00:on 950911,failure of HPCI low pressure surveillance occurred due to exhaust drain pot high level alarm relay - switch failure.Orifice downstream of valve 3-2301-32 enlarged.W/951006 ltr.
KISH,J., PERRY,J.S. Commonwealth Edison Co. 95/10/06. 6pp. 85806:268-85806:273.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510020292 Ltr contract,mod 4 to task order 20,extending period of performance from 930930-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:353-85649:354.

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9510050004 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
NORRIS,J., CROTEAU,R.P. . 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85724:318-85724:321.

9510040128 Submits response to follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" w/respect to ampacity derating,informing that 941216,950324 & 950713 responses incomplete.Requests revised response within 45 days.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85693:309-85693:314.

9510170198 Forwards RAI re external events analyses in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds,floods.Requests response to RAI within 60 days of receipt of ltr.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 85833:271-85833:276.

9510230353 Forwards FEMA rept dtd 950928,re 950322 Turkey Point NPP exercise.One deficiency identified concerning failure to broadcast initial emergency broadcast sys message within 15 minute time limit
BARR,K.P. Region 2 (Post 820201). 95/10/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85892:225-85892:289.

-9510230367 FEMA evaluation of "Turkey Point Nuclear Power Plant Exercise," conducted on 950322.
* Federal Emergency Management Agency. 95/09/28. 68pp. 85892:228-85892:289.

P. Operating license stage documents & correspondence

9510180386 Confirms that B SSGF Pump returned to svc & that Operations Dept completed normal monthly surveillance test on pump on 950713,after post-mod testing.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/18. EBNETER,S.D. Region 2 (Post 820201). 1p. 85846:147-85846:147.

9510020303 Application for amends to licenses DPR-31 & DPR-41, implementing revised thermal design procedure & SG water level low-low setpoint.
PLUNKETT,T.F Florida Power & Light Co. 95/09/28. Document Control Branch (Document Control Desk). 26pp. 85689:309-85689:347.

-9510020306 Proposed tech specs,implementing revised thermal design procedure & SG water level low-low setpoint.
* Florida Power & Light Co. 95/09/28. 13pp. 85689:335-85689:347.

9510040128 Submits response to follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" w/respect to ampacity derating,informing that 941216,950324 & 950713 responses incomplete.Requests revised response within 45 days.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85693:309-85693:314.

9510160146 Forwards Technical Evaluation Rept re Offsite Dose Calculation Manual,Rev 4.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:043-85813:074.

-9510160153 "Evaluation of Turkey Point Nuclear Plant Units 3 & 4 Offsite Dose Calculation Manual,Rev 4."
MORCOS,N., AKERS,D.W. Lockheed Nuclear Products. MORCOS,N. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0472. 95/09/30. . 28pp. 85813:047-85813:074.

9510110184 Application for amend to license DPR-31 & DPR-41,modifying plant TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ ESFAS,Tables 4.3-1 & 4.3-2 SR for RPS/NIS/ESFAS & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentations.
PLUNKETT,T.F. Florida Power & Light Co. 95/10/04. Document Control Branch (Document Control Desk). 4pp. 85781:270-85781:275.

-9510110189 Proposed tech specs,modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS,Tables 4.3-1 & 4.3-2 SR for RPS/NIS/ESFAS & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentations.
* Florida Power & Light Co. 95/10/04. 2pp. 85781:274-85781:275.

9510170392 Extends invitation to power reactor licensees in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85818:255-85818:256.

9510170198 Forwards RAI re external events analyses in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds,floods.Requests response to RAI within 60 days of receipt of ltr.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 85833:271-85833:276.

9510190030 Responds to RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
PLUNKETT,T.F. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 5pp. 85887:356-85887:360.

9510240092 Provides initial response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
PLUNKETT,T.F. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85929:170-85929:171.

9510240182 Forwards revised Region II organizational charts reflecting increase in efficiency & span of control.Region II will be reorganized effective 951015.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. GOLDBERG,J.H. Florida Power & Light Co. 8pp. 85896:301-85896:308.

9510190149 Forwards proprietary response to request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
BOHLKE,W.H. Florida Power & Light Co. 95/10/12. Document Control Branch (Document Control Desk). 1p. 85886:353-85886:353.

9510240098 Forwards amends 178 & 172 to licenses DPR-31 & DPR-41, respectively & safety evaluation.Amends consist of changes to TS in response to application dtd 950726 to achieve consistency by removing outdated matl & correcting typos.
CROTEAU,R.P. . 95/10/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85911:006-85911:029.

-9510240112 Amends 178 & 172 to licenses DPR-31 & DPR-41,respectively, removing outdated matl,incorporating administrative clarifications & corrections & correcting typos.
MATTHEWS,D.B. . 95/10/17. 16pp. 85911:010-85911:025.

-9510240114 Safety evaluation supporting amends 178 & 172 to licenses DPR-31 & DPR-41,respectively.
* . 95/10/17. 4pp. 85911:026-85911:029.

9510240391 Forwards amends 177 & 171 to licenses DPR-31 & DPR-41, respectively & SE.Amends revise TS line-item improvements, per GL 93-05.
CROTEAU,R.P. . 95/10/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85911:231-85911:247.

-9510240394 Amends 177 & 171 to licenses DPR-31 & DPR-41,respectively, revising TS line-item improvements.
MATTHEWS,D.B. . 95/10/17. 10pp. 85911:235-85911:244.

-9510240396 Safety evaluation supporting amends 177 & 171 to licenses DPR-31 & DPR-41,respectively.
* . 95/10/17. 2pp. 85911:245-85911:247.

Q. Inspection reports, IE Bulletins & correspondence

8912080071 Informs that insp rept for insp conducted on 890710-13 assigned same Insp Rept Number 89-39 as insp conducted on 890808-11 due to administrative error.Insp Rept Number 89-38 assigned to insp conducted on 890710-13.
REYES,L.A. Region 2 (Post 820201). 89/11/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85744:070-85744:092.

-9510100381 Forwards corrected insp repts 50-250/89-39 & 50-251/89-39 on 890710-13.Insp rept numbers should be 50-250/89-38 & 50-251/89-38.No violations identified.
REYES,L.A. Region 2 (Post 820201). 89/09/08. WOODY,C.O. Florida Power & Light Co. 2pp. 85744:073-85744:074.

–9510100392 Errata to insp repts 50-250/89-38 & 50-251/89-38 on 890710-13.Two repts issued w/same rept number as result of administrative error.No violations noted.Major areas inspected:follow-up of allegations submitted on 890412.
HOLMES-RAY,P., RUFF,A., SINKULE,M.V. Region 2 (Post 820201). 89/09/06. 18pp. 85744:075-85744:092.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510060358 Forwards table provided identifying tubes plugged in SG B, per TS 4.4.5.5.a & insp conducted from 950914-19.
PLUNKETT,T.F. Florida Power & Light Co. 95/09/29. EBNETER,S.D. Region 2 (Post 820201). 2pp. 85745:357-85745:358.

9510100200 Forwards insp repts 50-250/95-15 & 50-251/95-15 on 950730-0902.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85725:154-85725:182.

–9510100216 Insp repts 50-250/95-15 & 50-251/95-15 on 950730-0902.No violations noted.Major areas inspected:plant operations, operational safety,refueling preparation,plant events, maintenance & engineering.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/09/29. 22pp. 85725:157-85725:182.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190192 Advises of planned insp effort resulting from Turkey Point PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85863:220-85863:224.

9510230344 Informs of complaint of alleged discrimination by employee after raising safety concerns while performing duties at St Lucie Nuclear Plants.
EBNETER,S.D. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85891:333-85891:336.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160127 Forwards SE accepting licensee 950220 & 0406 requests re relief from certain requirements concerning second 10-yr interval inservice insp program at plant,Units 3 & 4.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85833:119-85833:148.

–9510160131 Safety evaluation accepting licensee 951220 & 0406 requests re relief from certain requirements concerning second 10-yr interval inservice insp program at plant,Units 3 & 4.
* . 95/10/10. 27pp. 85833:122-85833:148.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200055 Monthly operating repts for Sept 1995 for Turkey Point Units 3 & 4.W/ 951012 ltr.
KNORR,J.E., PLUNKETT,T.F. Florida Power & Light Co. 95/09/30. 9pp. 85912:298-85912:306.

S. Reportable occurrences, LERs & related correspondence

9510240146 LER 95-006-00:on 950913,analysis showed that CCW exchangers susceptible to damage due to flow-induced vibration.CCW sys has been flow balanced to closer tolerances.W/951012 ltr.
MOWREY,C.L., PLUNKETT,T.F. Florida Power & Light Co. 95/10/12. 14pp. 85948:294-85948:307.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9510050004 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
NORRIS,J., CROTEAU,R.P. . 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85724:318-85724:321.

9510040128 Submits response to follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" w/respect to ampacity derating,informing that 941216,950324 & 950713 responses incomplete.Requests revised response within 45 days.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85693:309-85693:314.

9510170198 Forwards RAI re external events analyses in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds,floods.Requests response to RAI within 60 days of receipt of ltr.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 85833:271-85833:276.

9510230353 Forwards FEMA rept dtd 950928,re 950322 Turkey Point NPP exercise.One deficiency identified concerning failure to broadcast initial emergency broadcast sys message within 15 minute time limit
BARR,K.P. Region 2 (Post 820201). 95/10/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85892:225-85892:289.

–9510230367 FEMA evaluation of "Turkey Point Nuclear Power Plant Exercise," conducted on 950322.
* Federal Emergency Management Agency. 95/09/28. 68pp. 85892:228-85892:289.

P. Operating license stage documents & correspondence

9510180386 Confirms that B SSGF Pump returned to svc & that Operations Dept completed normal monthly surveillance test on pump on 950713,after post-mod testing.
PLUNKETT,T.F. Florida Power & Light Co. 95/07/18. EBNETER,S.D. Region 2 (Post 820201). 1p. 85846:147-85846:147.

9510050015 Forwards one-time schedular exemption to delay performance of Type A test,per requirements of 10CFR50,App J,for one refueling outage period of 18 months.
MATTHEWS,D.B. . 95/09/27. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85720:324-85720:331.

–9510050019 Exemption to delay performance of Type A test,per requirementss of 10CFR50,App J,for one refueling outage period of 18 months.
VARGA,S.A. . 95/09/27. Florida Power & Light Co. 6pp. 85720:326-85720:331.

9510020303 Application for amends to licenses DPR-31 & DPR-41, implementing revised thermal design procedure & SG water level low-low setpoint.
PLUNKETT,T.F Florida Power & Light Co. 95/09/28. Document Control Branch (Document Control Desk). 26pp. 85689:309-85689:347.

–9510020306 Proposed tech specs,implementing revised thermal design procedure & SG water level low-low setpoint.
* Florida Power & Light Co. 95/09/28. 13pp. 85689:335-85689:347.

9510040128 Submits response to follow-up to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers" w/respect to ampacity derating,informing that 941216,950324 & 950713 responses incomplete.Requests revised response within 45 days.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85693:309-85693:314.

9510160146 Forwards Technical Evaluation Rept re Offsite Dose Calculation Manual,Rev 4.
CROTEAU,R.P. . 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:043-85813:074.

9510110184 Application for amend to license DPR-31 & DPR-41,modifying plant TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ ESFAS,Tables 4.3-1 & 4.3-2 SR for RPS/NIS/ESFAS & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentations.
PLUNKETT,T.F. Florida Power & Light Co. 95/10/04. Document Control Branch (Document Control Desk). 4pp. 85781:270-85781:275.

–9510110189 Proposed tech specs,modifying TS Tables 3.3-1 & 3.3-2 action statements for RPS/NIS/ESFAS,Tables 4.3-1 & 4.3-2 SR for RPS/NIS/ESFAS & Bases 3/4.3.1 & 3/4.3.2 for RPS/NIS/ESFAS instrumentations.
* Florida Power & Light Co. 95/10/04. 2pp. 85781:274-85781:275.

9510170392 Extends invitation to power reactor licensees in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85818:255-85818:256.

9510170198 Forwards RAI re external events analyses in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds,floods.Requests response to RAI within 60 days of receipt of ltr.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 85833:271-85833:276.

9510190030 Responds to RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
PLUNKETT,T.F. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 5pp. 85887:356-85887:360.

9510240092 Provides initial response to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
PLUNKETT,T.F. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85929:170-85929:171.

9510240182 Forwards revised Region II organizational charts reflecting increase in efficiency & span of control.Region II will be reorganized effective 951015.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. GOLDBERG,J.H. Florida Power & Light Co. 8pp. 85896:301-85896:308.

9510190149 Forwards proprietary response to request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
BOHLKE,W.H. Florida Power & Light Co. 95/10/12. Document Control Branch (Document Control Desk). 1p. 85886:353-85886:353.

9510240098 Forwards amends 178 & 172 to licenses DPR-31 & DPR-41, respectively & safety evaluation.Amends consist of changes to TS in response to application dtd 950726 to achieve consistency by removing outdated matl & correcting typos.
CROTEAU,R.P. . 95/10/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85911:006-85911:029.

--9510240112 Amends 178 & 172 to licenses DPR-31 & DPR-41,respectively, removing outdated matl,incorporating administrative clarifications & corrections & correcting typos.
MATTHEWS,D.B. . 95/10/17. 16pp. 85911:010-85911:025.

--9510240114 Safety evaluation supporting amends 178 & 172 to licenses DPR-31 & DPR-41,respectively.
* . 95/10/17. 4pp. 85911:026-85911:029.

9510240391 Forwards amends 177 & 171 to licenses DPR-31 & DPR-41, respectively & SE.Amends revise TS line-item improvements, per GL 93-05.
CROTEAU,R.P. . 95/10/17. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85911:231-85911:247.

--9510240394 Amends 177 & 171 to licenses DPR-31 & DPR-41,respectively, revising TS line-item improvements.
MATTHEWS,D.B. . 95/10/17. 10pp. 85911:235-85911:244.

--9510240396 Safety evaluation supporting amends 177 & 171 to licenses DPR-31 & DPR-41,respectively.
* . 95/10/17. 2pp. 85911:245-85911:247.

Q. Inspection reports, IE Bulletins & correspondence

8912080071 Informs that insp rept for insp conducted on 890710-13 assigned same Insp Rept Number 89-39 as insp conducted on 890808-11 due to administrative error.Insp Rept Number 89-38 assigned to insp conducted on 890710-13.
REYES,L.A. Region 2 (Post 820201). 89/11/16. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85744:070-85744:092.

--9510100381 Forwards corrected insp repts 50-250/89-39 & 50-251/89-39 on 890710-13.Insp rept numbers should be 50-250/89-38 & 50-251/89-38.No violations identified.
REYES,L.A. Region 2 (Post 820201). 89/09/08. WOODY,C.O. Florida Power & Light Co. 2pp. 85744:073-85744:074.

--9510100392 Errata to insp repts 50-250/89-38 & 50-251/89-38 on 890710-13.Two repts issued w/same rept number as result of administrative error.No violations noted.Major areas inspected:follow-up of allegations submitted on 890412.
HOLMES-RAY,P., RUFF,A., SINKULE,M.V. Region 2 (Post 820201). 89/09/06. 18pp. 85744:075-85744:092.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100200 Forwards insp repts 50-250/95-15 & 50-251/95-15 on 950730-0902.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/09/29. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85725:154-85725:182.

--9510100216 Insp repts 50-250/95-15 & 50-251/95-15 on 950730-0902.No violations noted.Major areas inspected:plant operations, operational safety,refueling preparation,plant events, maintenance & engineering.
JOHNSON,T.P., LANDIS,K.D. Region 2 (Post 820201). 95/09/29. 22pp. 85725:157-85725:182.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110118 Forwards ISI of four SGs conducted on 941014-17.Informs of no SG tubes plugged as result of insp.
PLUNKETT,T.F. Florida Power & Light Co. 95/10/06. EBNETER,S.D. Region 2 (Post 820201). 2pp. 85762:179-85762:187.

--9510110128 "Turkey Point Unit 4 SG insp rept."
* Florida Power & Light Co. 94/11/23. 7pp. 85762:180-85762:187.

9510190192 Advises of planned insp effort resulting from Turkey Point PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85863:220-85863:224.

9510230344 Informs of complaint of alleged discrimination by employee after raising safety concerns while performing duties at St Lucie Nuclear Plants.
EBNETER,S.D. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85891:333-85891:336.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160127 Forwards SE accepting licensee 950220 & 0406 requests re relief from certain requirements concerning second 10-yr interval inservice insp program at plant,Units 3 & 4.
CROTEAU,R.P. . 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85833:119-85833:148.

--9510160131 Safety evaluation accepting licensee 951220 & 0406 requests re relief from certain requirements concerning second 10-yr interval inservice insp program at plant,Units 3 & 4.
* . 95/10/10. 27pp. 85833:122-85833:148.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200055 Monthly operating repts for Sept 1995 for Turkey Point Units 3 & 4.W/ 951012 ltr.
KNORR,J.E., PLUNKETT,T.F. Florida Power & Light Co. 95/09/30. 9pp. 85912:298-85912:306.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020075 Revised EPIPs,including Rev 15 to QEP 0105-00,Rev 8 to QEP 0105-S01,Rev 8 to QEP 0105-S02,Rev 8 to QEP 0105-S03,Rev 9 to QEP 0105-S05,Rev 14 to QEP 0160-00,Rev 10 to QEP 0160-S01,Rev 9 to QEP 0160-S02 & Rev 10 to QEP 0160-S03.
* Commonwealth Edison Co. 95/09/26. 75pp. 85681:130-85681:204.

9510020346 Responds to NRC 950825 ltr re violations noted in insp repts 50-254/95-05 & 50-265/95-05.C/As:all watertight doors verified to be properly secured & inoperable 8-h App R safe shutdown emergency light packs repaired.
KRAFT,E.S. Commonwealth Edison Co. 95/09/26. Ofc of Enforcement (Post 870413). 9pp. 85690:055-85690:063.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510110325 Revised EPIPs,including Rev 32 to QEP 0600-00 & Rev 14 to QEP 0600-S01.
* Commonwealth Edison Co. 95/10/06. 8pp. 85762:152-85762:159.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510020248 Forwards amends 140,134,162 & 158 for licenses DPR-19, DPR-25,DPR-29 & DPR-30 & SE.Amend initiates TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods.
STANG,J.F. . 95/09/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85663:014-85663:125.

--9510020261 Amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,initiating TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods based on responses to GLs.
STANG,J.F., PULSIFER,R.M. . 95/09/21. 83pp. 85663:017-85663:099.

--9510020273 Safety evaluation supporting amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 95/09/21. 26pp. 85663:100-85663:125.

9510040246 Forwards notice of consideration of issuance of amends to licenses & proposed NSHC determination & opportunity for hearing re 950915 application.
STANG,J.F. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85718:248-85718:260.

--9510040259 Notice of consideration of issuance of amend to license DPR-19,DPR-25,DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend closes out open items identified in staff review of upgrade TS to STS.
STAY,D.M. . 95/09/29. 10pp. 85718:251-85718:260.

9510050105 Forwards notice of consideration of issuance of amend re application dtd 950920,to upgrade section 6.0 of Quad Cities TS to BWR Std TS.
PULSIFER,R.M. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85721:289-85721:300.

--9510050119 Notice of consideration of issuance of amend to licenses DPR-20 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend would upgrade Quad Cities TS to std TS contained in NUREG-0123.
PULSIFER,R.M. . 95/09/29. 9pp. 85721:292-85721:300.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060373 Forwards responses to open items from NRC 950726 RAI re facilities core shroud repair,in ref to GL 94-03.Proprietary GE rept GE-NE-523-A100-0995,Rev 0, "Analyses of...Shroud Repair Hardware Seismic Design..." also encl.Rept withheld.
PIET,P.L. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 14pp. 85745:257-85745:274.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230036 Informs that licensee will implement new SR 4.3.D.3 as TS 4.3.C.2 prior to implementation of remaining portions of amends.
STANG,J.F. . 95/10/17. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85910:236-85910:237.

9510270139 Confirms discussion between staff members to have meeting to discuss results of recent Unit 2 refueling outage & plans for upcoming Unit 1 refueling outage.
HILAND,P.L. Region 3 (Post 820201). 95/10/17. KRAFT,E. Commonwealth Edison Co. 2pp. 85939:215-85939:216.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310185 Amends 163 & 159 to licenses DPR-29 & DPR-30,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
PULSIFER,R.M. . 95/10/20. 19pp. 86010:103-86010:121.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020346 Responds to NRC 950825 ltr re violations noted in insp repts 50-254/95-05 & 50-265/95-05.C/As:all watertight doors verified to be properly secured & inoperable 8-h App R safe shutdown emergency light packs repaired.
KRAFT,E.S. Commonwealth Edison Co. 95/09/26. Ofc of Enforcement (Post 870413). 9pp. 85690:055-85690:063.

9510100085 Submits suppl to third ten yr ISI plan.
PIET,P.L. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 1p. 85751:346-85751:346.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510100045 Requests results of review & disposition of requirements of ANSI N45.2.6-1978, "Qualifications of Insp,Exam & Testing Personnel for Nuclear Power Plants."
GARDNER,R.N. Region 3 (Post 820201). 95/10/04. KRAFT,E. Commonwealth Edison Co. 2pp. 85725:028-85725:029.

9510190352 Forwards insp repts 50-254/95-06 & 50-265/95-06 on 950723- 0901.No violations noted.
HILAND,P.L. Region 3 (Post 820201). 95/10/04. KRAFT,E. Commonwealth Edison Co. 2pp. 85864:144-85864:161.

--9510190359 Insp repts 50-254/95-06 & 50-265/95-06 on 950723-0901.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
HILAND,P. Region 3 (Post 820201). 95/10/04. 16pp. 85864:146-85864:161.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190357 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/06. KRAFT,E. Commonwealth Edison Co. 3pp. 85864:162-85864:164.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170108 Responds to violations noted insp repts 50-254/95-05 & 50-265/95-05.Corrective actions:training requirements for CRD removal & installation qualification will be rvised to address equipment actually used in field.
KRAFT,E.S. Commonwealth Edison Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85836:219-85836:224.

9510190029 Provides response to assessment of plant performance as in ref SALP rept & discussed at 950913 public meeting.
KRAFT,E.S. Commonwealth Edison Co. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85885:358-85885:360.

9510200117 Forwards insp rept 50-254/95-08 on 950918-22.No violations identified.Insp to assess licensed RO/SRO & LSRO requalification programs.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. KRAFT,E. Commonwealth Edison Co. 2pp. 85871:109-85871:118.

--9510200119 Insp rept 50-254/95-08 on 950918-22.No violations noted. Major areas inspected:licensed operator requalification programs to include review of training administrative procedures & operating & written exam matls.
PLETTNER,E.A., DOORNBOS,R.L., BURDICK,T.M. Region 3 (Post 820201). 95/10/16. 8pp. 85871:111-85871:118.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510120271 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during months of Jul-Aug 1995 for Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 95/09/26. Document Control Branch (Document Control Desk). 40pp. 85806:160-85806:200.

9510160261 Monthly operating repts for Sept 1995 for Quad Cities Nuclear Station.W/ 951005 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/09/30. 20pp. 85835:227-85835:246.

S. Reportable occurrences, LERs & related correspondence

9510250273 PNO-III-95-055:on 951021,shutdowns to modify reactor protection sys logic occurred.Licensee anticipates units being shutdown for days.
HILAND,P., CLAYTON,B. Region 3 (Post 820201). 95/10/23. 1p. 85995:121-85995:121.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510200117 Forwards insp rept 50-254/95-08 on 950918-22.No violations identified.Insp to assess licensed RO/SRO & LSRO requalification programs.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. KRAFT,E. Commonwealth Edison Co. 2pp. 85871:109-85871:118.

--9510200119 Insp rept 50-254/95-08 on 950918-22.No violations noted. Major areas inspected:licensed operator requalification programs to include review of training administrative procedures & operating & written exam matls.
PLETTNER,E.A., DOORNBOS,R.L., BURDICK,T.M. Region 3 (Post 820201). 95/10/16. 8pp. 85871:111-85871:118.

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9510180195 Corrections to Rev 22 to Emergency Implementing Procedure EI-1, "Activation of Site Emergency Plan/Emergency Classification," correcting copying/issuing error.
WYMER,L., BROTT,N.K. Consumers Power Co. 95/05/22. 46pp. 85868:018-85868:062.

9510170178 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
GAMBERONI,M. . 95/09/29. SMEDLEY,R.W. Consumers Power Co. 3pp. 85881:305-85881:307.

9510230093 Forwards FEMA 950829 correspondence transmitting evaluation rept for 940517 EP exercise at plant.No deficiencies identified & five areas requiring corrective action identified.
CREED,J.R. Region 3 (Post 820201). 95/10/06. PALMISANO,T. Consumers Power Co. 2pp. 85889:001-85889:091.

--9509220119 Forwards final exercise rept for 940517,plume exposure pathway exercise of offsite radiological emergency response plans site-specific to plant.No deficiencies identified during 940517 exercise.
HEPLER,O.M. Federal Emergency Management Agency. 95/08/29. CRUTCHFIELD,D. . 1p. 85889:003-85889:003.

--9509260113 "Palisades Nuclear Power Plant Offsite Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency. 95/08/08. 83pp. 85889:004-85889:091.

9510180200 Editorial changes to Rev 3 to Emergency Implementing Procedure EI-7.0, "Emergency Post Accident Sampling Decision Process."
WYMER,S., CALLOWAY,A.A. Consumers Power Co. 95/10/09. 12pp. 85868:063-85868:074.

9510180077 Rev 6 to EPIP EI-11, "Determination Of Extent Of Core Damage."
MCELRATH,J.W., MOORE,T.A. Consumers Power Co. 95/10/12. 10pp. 85867:191-85867:201.

9510180098 Rev 4 to EPIP EI-2.2, "Emergency Staff Augmentation." W/ 951012 ltr.
BROTT,N.K., FONTAINE,J.L. Consumers Power Co. 95/10/12. 7pp. 85867:272-85867:278.

9510180110 Rev 10 to EPIP EI-15.1, "Training & Drills." W/951012 ltr.
RIGOZZI,P.D. Consumers Power Co. 95/10/12. 7pp. 85867:279-85867:285.

9510180120 Rev 3 to EPIP-EI-5, "Reentry."
* Consumers Power Co. 95/10/12. 8pp. 85867:286-85867:293.

9510300173 Rev 6 to EPIP EI-12.1, "Personnel Accountability."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/10/20. 6pp. 86051:349-86051:355.

9510300182 Rev 14 to EPIP EI-3, "Communications & Notifications."
WYMER,S.L., BROTT,N.K. Consumers Power Co. 95/10/20. 15pp. 86051:324-86051:339.

9510310084 Rev 6 to EPIP EI-13, "Evacuation/Reassembly."
WYMER,S.L., BRUNET,J. Consumers Power Co. 95/10/20. 15pp. 86056:338-86056:352.

9510310090 Rev 8 to EPIP EI-4.1, "Technical Support Ctr Activation."
BRUNET,J., FONTAINE,J.L. Consumers Power Co. 95/10/20. 20pp. 86064:303-86064:323.

9510300165 Rev 19 to EPIP EI-2.1, "Emergency Actions/Notification/ Responsibilities."
WYMER,S.L., BRUNET,J.R., FONTAINE,J.L. Consumers Power Co. 95/10/23. 11pp. 86051:285-86051:295.

9510300170 Rev 8 to EPIP EI-6.13, "Protective Action Recommendations For Offsite Populations."
WYMER,S.L., BROTT,N.K., FONTAINE,J.L. Consumers Power Co. 95/10/23. 13pp. 86051:302-86051:317.

9510310095 Rev 11 to EPIP-EI-4.2, "Operational Support Ctr Activation."
WYMER,S.L., BRUNET,J.R. Consumers Power Co. 95/10/23. 25pp. 86064:277-86064:302.

H. General correspondence

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

P. Operating license stage documents & correspondence

9510020285 Informs that non-code repairs to SWS removed & replaced w/ code acceptable repairs during 1995 refueling outage which ended on 950821.
SMEDLEY,R.W. Consumers Power Co. 95/09/28. Document Control Branch (Document Control Desk). 1p. 85689:216-85689:216.

9510050181 Submits meeting highlights of 950921 monthly meeting of Steering Committee for Marble Hill Annealing Demonstration Project in Monroeville,PA.
VASSILAROS,M.G. Division of Engineering Technology (Post 941217). HACKET,E.M. . 95/10/02. MILLMAN,G.C. Division of Engineering Technology (Post 941217). WICHNAN,K.R. . 25pp. 85722:225-85722:249.

9510130183 Withdraws 910614 request for NRC to grant exemption from FSAR requirement to perform MHA analysis per standard review plan.
SMEDLEY,R.W. Consumers Power Co. 95/10/09. Document Control Branch (Document Control Desk). 2pp. 85809:356-85809:357.

9510170404 Provides preliminary thermal annealing rept Section 3 entitled "Fracture Toughness Recovery & Reembrittlement Assurance Program."
SMEDLEY,R.W. Consumers Power Co. 95/10/12. Document Control Branch (Document Control Desk). 24pp. 85862:269-85862:292.

9510240309 Forwards SE accepting licensee 950918 request that NRC authorize alternative to ASME Boiler & Pressure Vessel Code, per paragraph 50.55a(a)(ii) of 10CFR50.
GAMBERONI,M. . 95/10/12. SMEDLEY,R.W. Consumers Power Co. 2pp. 85911:152-85911:160.

--9510240313 Safety evaluation accepting licensee 950918 request that NRC authorize alternative to ASME Boiler & Pressure Vessel Code,per paragraph 50.55a(a)(ii) of 10CFR50.
* . 95/10/12. 7pp. 85911:154-85911:160.

9510250073 Provides 60-day response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SMEDLEY,R.W. Consumers Power Co. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85987:163-85987:165.

9510200131 Informs that mods which eliminate safety related to non- safety related isolation problem completed during 1995 refueling outage which ended on 950821.Approved deviation from commitments re CETs terminated.
SMEDLEY,R.W. Consumers Power Co. 95/10/16. Document Control Branch (Document Control Desk). 1p. 85912:334-85912:334.

9510250054 Discusses SR piping reverification program that was initiated to reverify seismic design adequacy of large bore piping sys.
SMEDLEY,R.W. Consumers Power Co. 95/10/17. Document Control Branch (Document Control Desk). 13pp. 85987:147-85987:159.

9510250215 Application for amend to license DPR-20,changing paragraph 2.B.(2) to ref 10CFR40 & to allow use of source matls as reactor fuel,rewording paragraph 2.E & deleting paragraph 2.7 & revising TS pressurizer cooldown limit.
SMEDLEY,R.W. Consumers Power Co. 95/10/17. Document Control Branch (Document Control Desk). 26pp. 85987:001-85987:099.

--9510250220 Proposed tech specs,changing pressurizer cooldown limit from 100 to 200 F/h,adding word "shall" to TS 3.1.2c,adding "average hourly" to column headings in TS 3.1.2c & removing Action 3.3.3C from page 3-31 to 3-30.
* Consumers Power Co. 95/10/17. 62pp. 85987:027-85987:099.

9510240172 Ack receipt of 950518 & 0609 10CFR50.54(a) submittals, incorporating changes in quality assurance program description,Topical Rept CPC-2A.Revs continue to meet requirements of 10CFR50,app B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/19. FENECH,R.A. Consumers Power Co. 2pp. 85896:259-85896:260.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020241 Provides response to Insp Rept 50-255/95-08 re control of mobile cranes.Corrective actions:permanent guy wire installed on leaning pole,permitted cables to sag.
SMEDLEY,R.W. Consumers Power Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85690:259-85690:261.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190267 Advises of planned insp effort resulting from Palisades PPR review on 950906 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. PALMISANO,T. Consumers Power Co. 3pp. 85863:356-85863:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110092 Monthly operating rept for Sept 1995 for Palisades Nuclear Plant.W/ 951004 ltr.
BERLES,B.W., WILLIAMS,A.L. Consumers Power Co. 95/09/30. 5pp. 85762:174-85762:178.

S. Reportable occurrences, LERs & related correspondence

9510110287 Part 21 rept re fastener products (hex bolts) mfg by Cardinal Industrial Products.Bolts used as header cover plate bolts in safety related containment air cooler replacement cooling coils furnished by Aerofin Corp to CPC.
ELLIOTT,B.C. . 95/10/04. Document Control Branch (Document Control Desk). DOTSON,B. Consumers Power Co. 11pp. 85806:325-85806:335.

9510300213 Forwards LER 95-008-01,suppl rept,describing final results of evaluation performed to determine safety significance of disabled containment high pressure trip function.
SMEDLEY,R.W. Consumers Power Co. 95/10/20. Document Control Branch (Document Control Desk). 2pp. 86089:331-86089:344.

--9510300219 LER 95-008-01:on 950728,discovered that none of four containment high pressure channels would initiate reactor trip due to programmatic deficiencies.Administrative Procedure (AP) 9.44,AP 9.45 & AP 10.44 will be revised.
GIRE,P.J. Consumers Power Co. 95/10/20. 11pp. 86089:334-86089:344.

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510040287 Forwards SE accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/09/26.
HAAS,K.M. Consumers Power Co. 3pp. 85713:219-85713:225.

--9510040294 Safety evaluation accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
* . 95/09/26. 4pp. 85713:222-85713:225.

9510060318 Forwards addl info supporting request for NRC concurrence w/interpretation certification of compliance for Pacific Sierra nuclear ventilated storage cask VSC-24.
SMEDLEY,R.W. Consumers Power Co. 95/09/29. Document Control Branch (Document Control Desk). 71pp. 85748:146-85748:215.

9510130365 Forwards Rev 2 to nonproprietary Siemens Power Corp (SPC) rept EMF-94-160(NP) & Rev 2 to proprietary SPC rept EMF-94-160(P), "Temp Criteria for Quenching of Fuel in Dry Storage." Proprietary SPC rept EMF-94-160(P) withheld.
SMEDLEY,R.W. Consumers Power Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85862:167-85862:207.

--9510130368 Nonproprietary version of Rev 2 to "Temp Criteria for Quenching of Fuel in Dry Storage."
BROWN,C.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-94-160(NP) R02. 95/09/27. 34pp. 85862:174-85862:207.

9510190126 Notification of 951017 meeting w/Sierra Nuclear Corp in Rockville,MD to discuss low burn-up fuel at Palisades Nuclear Power Plant.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/13.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 85900:213-85900:214.

9510250351 Forwards response to NRC 950914 RAI re util 950602 submittal of Rev 1 of procedure to unload spent fuel from multi- assembly sealed basket.
SMEDLEY,R.W. Consumers Power Co. 95/10/16. Document Control Branch (Document Control Desk). 21pp. 85982:001-85983:148.

--9510250356 Rev 0 to Engineering Analysis, "MSB Permissible Pressure During Unloading Operation."
WONG,J.C. Consumers Power Co. EA-SC-93-083-13 R00. 95/04/14. 18pp. 85982:022-85982:039.

--9510250359 Rev 0 to engineering analysis, "Max Fill Rate of MSB."
POMRANING,E. Consumers Power Co. EA-SC-93-083-14 R00. 95/03/13. 70pp. 85982:040-85982:100.

--9510250365 Rev 0 to Work Instruction (WI) WI-RSD-H-005, "Radiation Safety Monitoring Requirements for Unloading Multi-Assembly Sealed Basket."
* Consumers Power Co. 95/10/16. 23pp. 85982:101-85982:133.

--9510250369 Rev 3 to Admininstrative Procedure 5.26, "ISFSI Training & Certification Program."
BROSCHAK,J.P., ZERNICK,E.A., WHITAKER,R.E. Consumers Power Co. 95/08/07. 26pp. 85982:134-85982:159.

--9510250373 Rev 0 to engineering analysis, "Calculation for Max Temp Value for Ventilated Concrete Cask & Multi-Assembly Sealed Basket."
MACLEAN,S.R., REYNER,H.A. Consumers Power Co. EA-D-PAL-94-076B R00. 94/11/16. 111pp. 85982:160-85982:270.

--9510250375 Rev 0 to engineering analysis, "Heat Transfer Analysis of Ventilated Storage Cask (VSC)."
MAHENDRUNATHAR, VERMA,V. Consumers Power Co. EA-SC-93-083-10 R00. 95/02/27. 100pp. 85982:271-85983:017.

--9510250376 Rev 0 to engineering analysis, "MSB #4 Structural Integrity Assessment."
* Consumers Power Co. EA-FC-864-050 R00. 94/09/02. 98pp. 85983:018-85983:115.

--9510250378 Rev 1 to engineering analysis, "Dry Fuel Storage Project (FC-864) Support Analysis - Design Calculation - Weight Calculation for VCC,MTC & MSB."
MACLEAN,S. Consumers Power Co. EA-FC-864-020 R01. 93/02/05. 33pp. 85983:116-85983:148.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510030101 Revised EPIPs,including Rev 16 to EPIP-6,Rev 15 to EPIP-7, Rev 16 to EPIP-10,Rev 7 to EPIP-11 & Rev 6 to EPIP-13.W/ 950926 ltr.
SALAS,P. Tennessee Valley Authority. 95/09/26. 87pp. 85687:157-85687:243.

9510020363 Forwards SE accepting proposed changes to plant EALs, incorporating guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
WILLIAMS,J.F. . 95/09/27. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85673:350-85673:358.

--9510020364 Safety evaluation accepting proposed changes to plant EALs.
* . 95/09/27. 8pp. 85673:351-85673:358.

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510250123 Provides notification that util implemented hand geometry biometrics sys for site protected & vital area access control.
SALAS,P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85987:359-85987:360.

P. Operating license stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

--9510310390 Rev 0 to Policy & Organization Manual,Mgt Directive,MD-1.1, "Organization Structure & Responsibilities-Nuclear Power."
* Tennessee Valley Authority. 91/07/16. 8pp. 86033:166-86033:173.

9510020191 Provides supplemental info re program for assuring seismic adequacy of flexible conduit in response to verbal request from NRC.
SALAS,P. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85664:338-85664:342.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting seventh annual rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510100194 Confirms open meeting on 951016 in Atlanta,GA to discuss improvements in area of operations at plant,per 950925 conversation between P Salas & OD Kingsley.
LESSER,M.S. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:207-85727:209.

9510100203 Confirms telcon w/P Salas on 950926 re meeting scheduled for 951003 to discuss Service Water Self Assessment followup areas & overall Engineering performance at Browns Ferry Nuclear Plant.
LESSER,M.S. Region 2 (Post 820201). 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85725:190-85725:192.

9510110192 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, revising TS-371 Bases Sections 3.5.A & 3.5.B, "Core Spray Sys & Residual Heat Removal Sys" & 3.5.C, "RHR Svc Water & Emergency Equipment Cooling Water Sys."
SALAS,P. Tennessee Valley Authority. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85782:311-85782:356.

--9510110219 Proposed TS-371 Bases Sections 3.5.A & 3.5.B re core spray & RHRS & 3.5.C re RHR svc water & emergency equipment cooling water sys.
* Tennessee Valley Authority. 95/10/02. 43pp. 85782:314-85782:356.

9510050276 Forwards suppl SE accepting util 931015 submittal of info re seismic design & installation criteria for flexible conduit.
WILLIAMS,J.F. . 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85721:318-85721:323.

--9510050280 Suppl SE re flexible conduit design & installation criteria.
* . 95/10/03. 5pp. 85721:319-85721:323.

9510100325 Confirms installation schedule for Option III methodology of advanced digital power range neutron monitoring upgrade using GE Nuclear Measurement Analysis & Control equipment, as requested by GL 94-02.
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85756:284-85756:286.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510180166 Summarizes meeting on 951003 in Atlanta,GA to discuss status of corrective actions for licensee svc water self-assessment planned engineering activities for restart of unit 3 & engineering activities to support two-unit operation.
GIBSON,A.F. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 27pp. 85846:106-85846:132.

9510240307 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
CARIER,P.P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85929:088-85929:093.

9510310218 Forwards rev to commitments to provide continuous indication of containment pressure,piece part component qualification & cable separation for non-divisional cables on Q-list.
SALAS,P. Tennessee Valley Authority. 95/10/25. Document Control Branch (Document Control Desk). 10pp. 86064:336-86064:345.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100335 Ack receipt of 950906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-38, 50-260/95-38 & 50-296/95-38.
LESSER,M.S. Region 2 (Post 820201). 95/09/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85726:118-85726:120.

9510100260 Forwards insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:336-85727:349.

--9510100270 Insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11 & 0829-0901.No violations noted.Major areas inspected:fuse control & review of concerns identified as CATDs.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/29. 11pp. 85727:339-85727:349.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180130 Forwards insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85846:079-85846:089.

--9510180136 Insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.Major areas inspected:facility performance in operations,engineering & maint of selected risk-related components & activities.
MOORMAN,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/10/11. 7pp. 85846:083-85846:089.

9510180147 Forwards insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85846:090-85846:105.

--9510180152 Insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.Major areas inspected: implementation of MOV program to meet commitments made for unit 3 IAW GL 89-10, "SR MOV Testing & Surveillance."
WHITENER,H., SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 13pp. 85846:093-85846:105.

9510230333 Advises of planned insp effort resulting from Browns Ferry PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85891:296-85891:301.

9510170377 Forwards insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates & NOV.
CASTO,C.A. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85818:229-85818:246.

--9510170389 Notice of violation from insp on stated dates. Violation noted:flare level welds on vertical interfaces of bill of matl item numbers three & four for support number 319092-15-B1102-38 were not completed.
* Region 2 (Post 820201). 95/10/12. 1p. 85818:232-85818:232.

--9510170396 Insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates.Violations noted.Major areas inspected: GSI 40,pipe breaks in BWR scram sys,mods of HVAC supports, large bore piping & supports & CRD piping support mods.
LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/10/11. 14pp. 85818:233-85818:246.

9510240100 Forwards insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916 & notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85896:100-85896:145.

--9510240113 Notice of violation from insp on 950813-0916.Violation noted:while performing walkdown of torus interior,inspectors determined that temporary light stringer being utilized within Foreign Matl Exlusion Zone was not logged.
* Region 2 (Post 820201). 95/10/13. 2pp. 85896:104-85896:105.

--9510240130 Insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916.Violations noted.Major areas inspected: operations & plant support,maintenance & surveillance activities,recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/10/11. 36pp. 85896:106-85896:145.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190162 Monthly operating repts for Browns Ferry Nuclear Plant Units 1,2 & 3.W/ 951013 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/09/30. 13pp. 85900:324-85900:336.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510030101 Revised EPIPs,including Rev 16 to EPIP-6,Rev 15 to EPIP-7, Rev 16 to EPIP-10,Rev 7 to EPIP-11 & Rev 6 to EPIP-13.W/ 950926 ltr.
SALAS,P. Tennessee Valley Authority. 95/09/26. 87pp. 85687:157-85687:243.

9510020331 Notifies of rev to BFN Unit 2 ERDS data point library (DPL). Rev to BFN Unit 2 ERDS DPL encl.BFN Unit 3 ERDS DPL also encl.
SALAS,P. Tennessee Valley Authority. 95/09/27. Document Control Branch (Document Control Desk). 50pp. 85690:001-85690:050.

9510020363 Forwards SE accepting proposed changes to plant EALs, incorporating guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
WILLIAMS,J.F. . 95/09/27. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85673:350-85673:358.

--9510020364 Safety evaluation accepting proposed changes to plant EALs.
* . 95/09/27. 8pp. 85673:351-85673:358.

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510160123 Responds to NRC questions re fire protection rept.Util intends to modify safe shutdown analysis portion of rept.
SALAS,P. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85835:349-85835:357.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510250123 Provides notification that util implemented hand geometry biometrics sys for site protected & vital area access control.
SALAS,P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85987:359-85987:360.

P. Operating license stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

9510020191 Provides supplemental info re program for assuring seismic adequacy of flexible conduit in response to verbal request from NRC.
SALAS,P. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85664:338-85664:342.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting seventh annual rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510100194 Confirms open meeting on 951016 in Atlanta,GA to discuss improvements in area of operations at plant,per 950925 conversation between P Salas & OD Kingsley.
LESSER,M.S. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:207-85727:209.

9510100203 Confirms telcon w/P Salas on 950926 re meeting scheduled for 951003 to discuss Service Water Self Assessment followup areas & overall Engineering performance at Browns Ferry Nuclear Plant.
LESSER,M.S. Region 2 (Post 820201). 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85725:190-85725:192.

9510110192 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, revising TS-371 Bases Sections 3.5.A & 3.5.B, "Core Spray Sys & Residual Heat Removal Sys" & 3.5.C, "RHR Svc Water & Emergency Equipment Cooling Water Sys."
SALAS,P. Tennessee Valley Authority. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85782:311-85782:356.

--9510110219 Proposed TS-371 Bases Sections 3.5.A & 3.5.B re core spray & RHRS & 3.5.C re RHR svc water & emergency equipment cooling water sys.
* Tennessee Valley Authority. 95/10/02. 43pp. 85782:314-85782:356.

9510040213 Requests addl info re conformance w/NUREG-0737,item II.E.4.2 & 10CFR50,app J.
WILLIAMS,J.F. . 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85693:351-85693:354.

9510050276 Forwards suppl SE accepting util 931015 submittal of info re seismic design & installation criteria for flexible conduit.
WILLIAMS,J.F. . 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85721:318-85721:323.

--9510050280 Suppl SE re flexible conduit design & installation criteria.
* . 95/10/03. 5pp. 85721:319-85721:323.

9510100325 Confirms installation schedule for Option III methodology of advanced digital power range neutron monitoring upgrade using GE Nuclear Measurement,Analysis & Control equipment, as requested by GL 94-02.
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85756:284-85756:286.

9510160083 Forwards suppl info re conformance w/NUREG-0737,Item II.E.4.2, "Containment Isolation Dependability."
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 6pp. 85834:330-85834:335.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510180166 Summarizes meeting on 951003 in Atlanta,GA to discuss status of corrective actions for licensee svc water self-assessment planned engineering activities for restart of unit 3 & engineering activities to support two-unit operation.
GIBSON,A.F. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 27pp. 85846:106-85846:132.

9510240307 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
CARIER,P.P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85929:088-85929:093.

9510230405 Forwards GE rept GENE-B1100639-01, "Brown Ferry Steam Electric Station Unit 2 Vessel Surveillance Matls Testing & Fracture Toughness Analysis," providing reactor vessel matl surveillance specimen test results for BFN Unit 2.
SALAS,P. Tennessee Valley Authority. 95/10/18. Document Control Branch (Document Control Desk). 4pp. 85919:167-85919:267.

--9510230407 "Brown Ferry Steam Electric Station Unit 2 Vessel Surveillance Matls Testing & Fracture Toughness Analysis."
OZA,C., CAREY,R.G., BRANLUND,B.J. General Electric Co. GENE-B1100639-01. 95/06/30. 92pp. 85919:171-85919:267.

9510240306 Discusses supplemental info provided by TVA on 950803 re BFN Units 2 & 3 conformance w/NUREG-0737 Item II.E.4.2 & 10CFR50 App J.
WILLIAMS,J.F. . 95/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85911:149-85911:151.

9510310218 Forwards rev to commitments to provide continuous indication of containment pressure,piece part component qualification & cable separation for non-divisional cables on Q-list.
SALAS,P. Tennessee Valley Authority. 95/10/25. Document Control Branch (Document Control Desk). 10pp. 86064:336-86064:345.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100335 Ack receipt of 950906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-38, 50-260/95-38 & 50-296/95-38.
LESSER,M.S. Region 2 (Post 820201). 95/09/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85726:118-85726:120.

9510100260 Forwards insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:336-85727:349.

--9510100270 Insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11 & 0829-0901.No violations noted.Major areas inspected:fuse control & review of concerns identified as CATDs.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/29. 11pp. 85727:339-85727:349.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180130 Forwards insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85846:079-85846:089.

--9510180136 Insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.Major areas inspected:facility performance in operations,engineering & maint of selected risk-related components & activities.
MOORMAN,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/10/11. 7pp. 85846:083-85846:089.

9510180147 Forwards insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85846:090-85846:105.

--9510180152 Insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.Major areas inspected: implementation of MOV program to meet commitments made for unit 3 IAW GL 89-10, "SR MOV Testing & Surveillance."
WHITENER,H., SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 13pp. 85846:093-85846:105.

9510230333 Advises of planned insp effort resulting from Browns Ferry PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85891:296-85891:301.

9510170377 Forwards insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates & NOV.
CASTO,C.A. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85818:229-85818:246.

--9510170389 Notice of violation from insp on stated dates. Violation noted:flare level welds on vertical interfaces of bill of matl item numbers three & four for support number 319092-15-B1102-38 were not completed.
* Region 2 (Post 820201). 95/10/12. 1p. 85818:232-85818:232.

--9510170396 Insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates.Violations noted.Major areas inspected: GSI 40,pipe breaks in BWR scram sys,mods of HVAC supports, large bore piping & supports & CRD piping support mods.
LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/10/11. 14pp. 85818:233-85818:246.

9510240100 Forwards insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916 & notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85896:100-85896:145.

--9510240130 Insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916.Violations noted.Major areas inspected: operations & plant support,maintenance & surveillance activities,recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/10/11. 36pp. 85896:106-85896:145.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190162 Monthly operating repts for Browns Ferry Nuclear Plant Units 1,2 & 3.W/ 951013 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/09/30. 13pp. 85900:324-85900:336.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510050069 Informs licensee of info being provided to security manager to protect plant against design-basis threat for sabotage. Info applicable to sections of NUREG/CR-5172, "Tactical Training Ref Manual," dtd Apr 1989.
MOZAFARI,B. . 95/09/26. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85722:162-85722:164.

9510050221 Submits revised request for exemption from 10CFR50,App R, Section III.J.
KRICH,R.M. Carolina Power & Light Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85745:277-85745:278.

9510170311 Rev 14 to PEP-302, "Dose Projections." W/951008 ltr.
KRICH,R.M. Carolina Power & Light Co. 95/10/08. 8pp. 85855:282-85855:289.

9510230275 Discusses summary of EP meeting conducted at Region II on 951004 re upcoming revision to Robinson Emergency Action Level.
BARR,K.P. Region 2 (Post 820201). 95/10/11. HINNANT,C.S. Carolina Power & Light Co. 14pp. 85890:236-85890:249.

P. Operating license stage documents & correspondence

9510040256 Requests for addl info on seismic qualification of mechanical & electrical equipment at plant,unit 2.
MOZAFARI,B. . 95/09/29. HINNANT,C.S. Carolina Power & Light Co. 4pp. 85704:320-85704:323.

9510100078 Notifies of completion of actions taken in response to GL 88-14, "Instrument Air Supply Problems Affecting Safety-Related Equipment."
KRICH,R.M. Carolina Power & Light Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85756:083-85756:084.

9510180093 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. HINNANT,C.S. Carolina Power & Light Co. 2pp. 85842:041-85842:042.

9510170293 Provides notification of rev to initial test cut-off level for marijuana,effective 951031.Revised testing procedures to implement more stringent initial test cut-off level of 50ng/ml.
ROGAN,R.E. Carolina Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85848:357-85848:357.

9510230303 Forwards revised copy of organization charts,reflecting region II reorganization,effective 951015.
VERRELLI,D.M. Region 2 (Post 820201). 95/10/10. HINNANT,C.S. Carolina Power & Light Co. 8pp. 85891:230-85891:237.

9510200380 Forwards approved change to TS Basis section 4.4.1.2, clarifying that penetration pressurization sys may be used in either continuous or intermittent mode,consistent w/TS section 4.4.1.2.a.& 10CFR50,App J.
MOZAFARI,B. . 95/10/13. HINNANT,C.S. Carolina Power & Light Co. 4pp. 85900:090-85900:093.

9510230155 Notification of 951023 meeting in Rockville,MD to discuss function of peer group & introduce members.
MOZAFARI,B. . 95/10/16. MATTHEWS,D.B. . 3pp. 85904:352-85904:354.

9510230312 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power Operated.Gate Valves."
KRICH,R.M. Carolina Power & Light Co. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85923:356-85923:359.

9510240336 Informs that proposed changes to TS bases section 3.10.1.5 re control rod misalignment for plant,acceptable.
MOZAFARI,B. . 95/10/17. HINNANT,C.S. Carolina Power & Light Co. 2pp. 85916:271-85916:273.

9510240373 Informs that proposed change to TS bases section 4.8 re testing of steam driven auxiliary feedwater pump for plant, acceptable.
MOZAFARI,B. . 95/10/17. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85911:228-85911:230.

Q. Inspection reports, IE Bulletins & correspondence

9510100179 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/95-27.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/25. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85725:073-85725:075.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510180112 Advises of planned insp effort resulting from Robinson PPR review on 950918 that has been completed.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/02. HINNANT,C.S. Carolina Power & Light Co. 4pp. 85842:067-85842:070.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510180189 Forwards insp rept 50-261/95-26 on 950827-0916.No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 95/10/04. HINNANT,C.S. Carolina Power & Light Co. 4pp. 85842:296-85842:308.

–9510180198 Insp rept 50-261/95-26 on 950827-0916.No violations noted. Major areas inspected:plant operations,maint activities, engineering efforts & plant support functions.
ORDERS,W.T., VERRELLI,D.M. Region 2 (Post 820201). 95/10/04. 9pp. 85842:300-85842:308.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510170284 Submits revised corrective action date contained in response to violations noted in Insp Rept 50-262/95-13,per GL 88-05.
KRICH,R.M. Carolina Power & Light Co. 95/10/08. Document Control Branch (Document Control Desk). 1p. 85848:356-85848:356.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250216 Forwards response to NRC 950918 ltr re violations noted in insp rept 50-261/95-23.Corrective actions:review of plant operations using excess letdown was conducted.
HINNANT,C.S. Carolina Power & Light Co. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85988:049-85988:053.

9510250361 Provides revised response to violation A noted in insp rept 50-261/95-14,clarifying that ABB C-E performed work under own QA program.
HINNANT,C.S. Carolina Power & Light Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 85988:169-85988:170.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170008 Monthly operating rept for Sept 1995 for HB Robinson Unit 2. W/951010 ltr.
SCARBOROUGH,J., KRICH,R.M. Carolina Power & Light Co. 95/09/30. 4pp. 85854:346-85854:349.

DOCKET 50-262 BRIGHAM YOUNG UNIV. RESEARCH REACTOR

W. Decommissioning Stage Documents & Correspondence

9510240057 Forwards followup rept submitted by Brigham Young Univ re final decommissioning survey.Requests that rept be reviewed to determine that questions in 950807 ltr were answered.W/o encl.
SCARANO,R.A. Region 4 (Post 820201). 95/10/18. ADAMS,W.C. Affiliation Not Assigned. 2pp. 85896:057-85896:058.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9510170171 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage (ref NUREG/CR-5172).
KIM,T., WETZEL,B.A. . 95/09/29. ANDERSON,R.O. Northern States Power Co. 3pp. 85881:302-85881:304.

9510110116 Rev 6 to EPIP A.2-404, "Emergency Air Sampling & Analysis" & rev 67 to index.W/951004 ltr.
ANDERSON,R.O. Northern States Power Co. 95/10/04. 18pp. 85781:276-85781:293.

9510200038 Advises that 950914 rev 9 to safeguards contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/10/17. ANDERSON,R.O. Northern States Power Co. 2pp. 85916:338-85916:339.

9510230027 Advises that 950914 rev 45 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/10/17. ANDERSON,R.O. Northern States Power Co. 2pp. 85921:006-85921:007.

P. Operating license stage documents & correspondence

9510020348 Responds to NRC 950828 RAI re MSIV testing.
HILL,W.J. Northern States Power Co. 95/09/26. Document Control Branch (Document Control Desk). 12pp. 85690:064-85690:075.

9510130377 Forwards SE re Rev 3 of topical report NSPNAD-8698, "Reload SE Methods for Application to Plant." Staff concluded that SE methods using SIMULATE-3 based on DYNODE-B model, acceptable for plant BWR reload analyses.
KIM,T. . 95/09/29. ANDERSON,R.O. Northern States Power Co. 2pp. 85813:020-85813:023.

–9510130391 Safety Evaluation supporting Rev 3 to topical report NSPNAD-8608, "Reload SE Methods for Application to Monticello Nuclear Generating Plant."
* . 95/09/29. 2pp. 85813:022-85813:023.

9510170232 Forwards amend 94 to License DPR-22 & safety evaluation. Amend revises TS Sections 3.7/4.7,which pertain to SGTS & secondary containment.
KIM,T. . 95/10/02. ANDERSON,R.O. Northern States Power Co. 2pp. 85833:277-85833:294.

–9510170244 Amend 94 to License DPR-22,revising Tech Specs 3.7/4.7 which pertain to SGTS & secondary containment.
* . 95/10/02. 8pp. 85833:280-85833:287.

–9510170252 Safety evaluation supporting amend 94 to License DPR-22.
* . 95/10/02. 7pp. 85833:288-85833:294.

9510250134 Responds to GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
HILL,W.J. Northern States Power Co. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85988:185-85988:190.

9510260186 Summary of 950907 meeting w/NSP & WEPCO re merger of two utilities & future applications to NRC re merger.List of attendees & overhead slides used during presentation encl.
WETZEL,B.A. . 95/10/18. . 20pp. 85947:280-85947:299.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190322 Informs that on 950906,Region 3 staff completed semiannual PPR of plant for period Mar-Aug 1995 & forwards plant insp plan for approx next 6 months.Requests questions & comments re insp plan.
AXELSON,W.L. Region 3 (Post 820201). 95/10/02. WATZL,E. Northern States Power Co. 3pp. 85864:093-85864:095.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510190341 Forwards insp rept 50-263/95-08 on 950804-0922.No violations noted.
PHILLIPS,M.P. Region 3 (Post 820201). 95/10/05. WATZL,E. Northern States Power Co. 4pp. 85864:131-85864:143.

--9510190349 Insp rept 50-263/95-08 on 950804-0922.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
PHILLIPS,M.P. Region 3 (Post 820201). 95/10/05. 9pp. 85864:135-85864:143.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170006 Monthly operating rept for Sept 1995 for Monticello Nuclear Generating Plant.W/951012 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 95/09/30. 5pp. 85854:350-85854:354.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510020075 Revised EPIPs,including Rev 15 to QEP 0105-00,Rev 8 to QEP 0105-S01,Rev 8 to QEP 0105-S02,Rev 8 to QEP 0105-S03,Rev 9 to QEP 0105-S05,Rev 14 to QEP 0160-00,Rev 10 to QEP 0160-S01,Rev 9 to QEP 0160-S02 & Rev 10 to QEP 0160-S03.
* Commonwealth Edison Co. 95/09/26. 75pp. 85681:130-85681:204.

9510020346 Responds to NRC 950825 ltr re violations noted in insp repts 50-254/95-05 & 50-265/95-05.C/As:all watertight doors verified to be properly secured & inoperable 8-h App R safe shutdown emergency light packs repaired.
KRAFT,E.S. Commonwealth Edison Co. 95/09/26. Ofc of Enforcement (Post 870413). 9pp. 85690:055-85690:063.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510110325 Revised EPIPs,including Rev 32 to QEP 0600-00 & Rev 14 to QEP 0600-S01.
* Commonwealth Edison Co. 95/10/06. 8pp. 85762:152-85762:159.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510020248 Forwards amends 140,134,162 & 158 for licenses DPR-19, DPR-25,DPR-29 & DPR-30 & SE.Amend initiates TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods.
STANG,J.F. . 95/09/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85663:014-85663:125.

--9510020261 Amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively,initiating TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods based on responses to GLs.
STANG,J.F. . 95/09/21. 83pp. 85663:017-85663:099.

--9510020273 Safety evaluation supporting amends 140,134,162 & 158 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 95/09/21. 26pp. 85663:100-85663:125.

9510040246 Forwards notice of consideration of issuance of amends to licenses & proposed NSHC determination & opportunity for hearing re 950915 application.
STANG,J.F. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85718:248-85718:260.

--9510040259 Notice of consideration of issuance of amend to license DPR-19,DPR-25,DPR-29 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend closes out open items identified in staff review of upgrade TS to STS.
STAY,D.M. . 95/09/29. 10pp. 85718:251-85718:260.

9510050105 Forwards notice of consideration of issuance of amend re application dtd 950920,to upgrade section 6.0 of Quad Cities TS to BWR Std TS.
PULSIFER,R.M. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85721:289-85721:300.

--9510050119 Notice of consideration of issuance of amend to licenses DPR-20 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend would upgrade Quad Cities TS to std TS contained in NUREG-0123.
PULSIFER,R.M. . 95/09/29. 9pp. 85721:292-85721:300.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060373 Forwards responses to open items from NRC 950726 RAI re facilities core shroud repair,in ref to GL 94-03.Proprietary GE rept GE-NE-523-A100-0995,Rev 0, "Analyses of...Shroud Repair Hardware Seismic Design..." also encl.Rept withheld.
PIET,P.L. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 14pp. 85745:257-85745:274.

9510240379 Forwards "Quad-Cities Nuclear Power Station Unit 2 Cycle 14 Startup Test Results Summary." Facility Cycle 14 began commercial operation on 950720 following refueling outage & consists of 144 fresh fuel bundles & 580 reload bundles.
PEARCE,L.M. Commonwealth Edison Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85929:142-85929:148.

--9510240382 "Quad-Cities Nuclear Power Station Unit 2 Cycle 14 Startup Test Results Summary."
* Commonwealth Edison Co. 95/10/12. 5pp. 85929:144-85929:148.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510270139 Confirms discussion between staff members to have meeting to discuss results of recent Unit 2 refueling outage & plans for upcoming Unit 1 refueling outage.
HILAND,P.L. Region 3 (Post 820201). 95/10/17. KRAFT,E. Commonwealth Edison Co. 2pp. 85939:215-85939:216.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310185 Amends 163 & 159 to licenses DPR-29 & DPR-30,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
PULSIFER,R.M. . 95/10/20. 19pp. 86010:103-86010:121.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020346 Responds to NRC 950825 ltr re violations noted in insp repts 50-254/95-05 & 50-265/95-05.C/As:all watertight doors verified to be properly secured & inoperable 8-h App R safe shutdown emergency light packs repaired.
KRAFT,E.S. Commonwealth Edison Co. 95/09/26. Ofc of Enforcement (Post 870413). 9pp. 85690:055-85690:063.

9510100085 Submits suppl to third ten yr ISI plan.
PIET,P.L. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 1p. 85751:346-85751:346.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510100045 Requests results of review & disposition of requirements of ANSI N45.2.6-1978, "Qualifications of Insp,Exam & Testing Personnel for Nuclear Power Plants."
GARDNER,R.N. Region 3 (Post 820201). 95/10/04. KRAFT,E. Commonwealth Edison Co. 2pp. 85725:028-85725:029.

9510190352 Forwards insp repts 50-254/95-06 & 50-265/95-06 on 950723- 0901.No violations noted.
HILAND,P.L. Region 3 (Post 820201). 95/10/04. KRAFT,E. Commonwealth Edison Co. 2pp. 85864:144-85864:161.

--9510190359 Insp repts 50-254/95-06 & 50-265/95-06 on 950723-0901.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
HILAND,P. Region 3 (Post 820201). 95/10/04. 16pp. 85864:146-85864:161.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190357 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/06. KRAFT,E. Commonwealth Edison Co. 3pp. 85864:162-85864:164.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170108 Responds to violations noted insp repts 50-254/95-05 & 50-265/95-05.Corrective actions:training requirements for CRD removal & installation qualification will be rvised to address equipment actually used in field.
KRAFT,E.S. Commonwealth Edison Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85836:219-85836:224.

9510190029 Provides response to assessment of plant performance as in ref SALP rept & discussed at 950913 public meeting.
KRAFT,E.S. Commonwealth Edison Co. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85885:358-85885:360.

9510200117 Forwards insp rept 50-254/95-08 on 950918-22.No violations identified.Insp to assess licensed RO/SRO & LSRO requalification programs.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. KRAFT,E. Commonwealth Edison Co. 2pp. 85871:109-85871:118.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510120271 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during months of Jul-Aug 1995 for Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 95/09/26. Document Control Branch (Document Control Desk). 40pp. 85806:160-85806:200.

9510160261 Monthly operating repts for Sept 1995 for Quad Cities Nuclear Station.W/ 951005 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 95/09/30. 20pp. 85835:227-85835:246.

S. Reportable occurrences, LERs & related correspondence

9510030164 Submits revs that will be incorporated into vendor recommended EHC lineup instructions currently utilized at plant to calibr EHC sys.
PEARCE,L.W. Commonwealth Edison Co. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85689:166-85689:173.

--9510030175 LER 95-005-00:on 950825,Units experienced automatic reactor scram during EHC pressure regulator fail-over test.Caused by inadequate EHC sys pressure regulator setpoint bias.Adjusted EHC sys pressure setpoint bias & time lag constants.
CHRISSOTIMOS,N. Commonwealth Edison Co. 95/09/22. 6pp. 85689:168-85689:173.

9510250273 PNO-III-95-055:on 951021,shutdowns to modify reactor protection sys logic occurred.Licensee anticipates units being shutdown for days.
HILAND,P., CLAYTON,B. Region 3 (Post 820201). 95/10/23. 1p. 85995:121-85995:121.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510200117 Forwards insp rept 50-254/95-08 on 950918-22.No violations identified.Insp to assess licensed RO/SRO & LSRO requalification programs.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. KRAFT,E. Commonwealth Edison Co. 2pp. 85871:109-85871:118.

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060289 Forwards revs to security plan.Revs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/09/29. Document Control Branch (Document Control Desk). 1p. 85733:347-85733:347.

9510050239 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," to be withheld from public disclosure (ref 10CFR73.1(a)).
HANSEN,A.G. . 95/10/03. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85722:278-85722:281.

9510120408 Forwards Public & Central Files versions of revised EPIPs, including Rev 33 to EPIP index,Rev 27 to EPIP form index,Rev 14 to EPIP 3.2 & Rev 33 to EPIP index,Rev 27 to EPIP form index & Rev 14 to EPIP 3.2.Central Files version withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85848:287-85848:326.

--9510120409 Public version of revised EPIPs,including Rev 33 to EPIP index,Rev 27 to EPIP form index,Rev 14 to EPIP 3.2,Rev 12 to EPIP 6.1,Rev 18 to EPIP-22,Rev 17 to EPIP-23,Rev 11 to EPIP-24,Rev 16 to EPIP-25 & Rev 15 to EPIP-26.
* Wisconsin Electric Power Co. 95/10/04. 39pp. 85848:288-85848:326.

9510110003 Responds to violations noted in insp repts 50-266/95-08 & 50-301/95-08.Corrective actions:nonessential radios removed & ringdown of security ofc telephone to CAS discontinued.
LINK,B. Wisconsin Electric Power Co. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85780:157-85780:160.

9510110394 Requests one-time exemption from App E requirement to exercise onsite emergency plan for 1995.
LINK,B. Wisconsin Electric Power Co. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85762:168-85762:171.

9510310197 Forwards FEMA correspondence dtd 950905,transmitting FEMA evaluation rept for 941206 Emergency Preparedness Exercise at Point Beach Nuclear Power Plant.
CREED,J.R. Region 3 (Post 820201). 95/10/24. LINK,R. Wisconsin Electric Power Co. 2pp. 86003:258-86004:031.

--9510050189 Transmits FEMA final exercise rept for 941206, "Exercise of Offsite Radiological ER Plans for plant." Identified two deficiencies & thirteen areas requiring corrective action. Deficiencies corrected during 950426 exercise.
HEPLER,O.M. Federal Emergency Management Agency. 95/09/05. CRUTCHFIELD,D. . 2pp. 86003:260-86003:261.

--9510050194 "Exercise Rept-Plant-Joint Exercise on 941206."
* Federal Emergency Management Agency. 95/08/02. 134pp. 86003:262-86004:031.

H. General correspondence

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

P. Operating license stage documents & correspondence

9510030251 Ltr contract NRC-02-95-002 definitizing task order 10, "Technical Assistance in Review of Technical Problems RE VSC-24 at Plant."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5073. 95/09/28. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 85673:278-85673:281.

9510170258 Forwards request for addl info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes."
LINK,B. Wisconsin Electric Power Co. 95/10/06. Document Control Branch (Document Control Desk). 5pp. 85864:278-85864:282.

9510240370 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
LINK,B. Wisconsin Electric Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85929:292-85929:293.

9510130082 Notification of 951018 meeting w/util to discuss design of new reactor fuel.
HANSEN,A.G. . 95/10/10. MARCUS,G.H. . 3pp. 85801:317-85801:319.

9510170176 Forwards amends 163 & 167 to licenses DPR-24 & DPR-27 & SE. Amends change TS section 15.3.0,applicable bases,including bases for TS 15.3.3 & editorial mods.
HANSEN,A.G. . 95/10/12. LINK,R.E. Wisconsin Electric Power Co. 3pp. 85833:238-85833:257.

--9510170182 Amends 163 & 167 to licenses DPR-24 & DPR-27,respectively, changing TS 15.3.0,applicable bases,including TS 15.3.3 & editorial mods.
HANSEN,A.G. . 95/10/12. 13pp. 85833:241-85833:253.

--9510170186 Safety evaluation supporting amends 163 & 167 to licenses DPR-24 & DPR-27,respectively.
* . 95/10/12. 4pp. 85833:254-85833:257.

9510170410 Submits response to inquiry into reliability of radiation monitors re mods to Tech Specs Section 15.4.1, "Operational Safety Review."
LINK,B. Wisconsin Electric Power Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85862:293-85862:294.

9510190022 Submits response to RAI re TS change request 171 concerning heatup & cooldown limit curve expiration date extension.
LINK,B. Wisconsin Electric Power Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85886:001-85886:258.

--9510190023 Rev 3 to "Reactor Cavity Neutron Measurement Program for Wisconsin Electric Power Co at Point Beach Unit 2."
OSBORNE,M.P. Westinghouse Electric Corp. WCAP-12795 R03. 95/08/31. 256pp. 85886:003-85886:258.

9510200288 Forwards Amends 164 & 168 to Licenses DPR-24 & DPR-27 & safety evaluation.Amends change TS Sections 15.6.2, "Organization," & 15.6.3,"Facility Staff Qualifications."
HANSEN,A.G. . 95/10/12. LINK,R.E. Wisconsin Electric Power Co. 3pp. 85883:138-85883:150.

--9510200294 Amends 164 & 168 to licenses DPR-24 & DPR-27,respectively. Amends change TS Sections 15.6.2, "Organization," & 15.6.3, "Facility Staff Qualifications."
HANSEN,A.G. . 95/10/12. 8pp. 85883:141-85883:148.

--9510200305 Safety evaluation supporting Amends 164 & 168 to Licenses DPR-24 & DPR-27,respectively.
* . 95/10/12. 2pp. 85883:149-85883:150.

9510200194 Forwards SE re station blackout mod at Point Beach Nuclear Plant,Units 1 & 2 after installation of addl EDGs.
HANSEN,A.G. . 95/10/16. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85883:130-85883:137.

--9510200202 Safety evaluation supporting station blackout mod at plant after installation of EDGs.
* . 95/10/16. 4pp. 85883:134-85883:137.

9510260186 Summary of 950907 meeting w/NSP & WEPCO re merger of two utilities & future applications to NRC re merger.List of attendees & overhead slides used during presentation encl.
WETZEL,B.A. . 95/10/18. . 20pp. 85947:280-85947:299.

9510240097 Application for amend to licenses DPR-24 & DPR-27,revising modified TS 15.3.1.G, "Operational Limitation," Spec 3.b,to reduce RCS raw measured total flow rate limit by 4000 gpm for Unit 2.
LINK,B. Wisconsin Electric Power Co. 95/10/19. Document Control Branch (Document Control Desk). 10pp. 85976:239-85976:257.

--9510240108 Proposed tech specs,revising modified TS Section 15.3.1.G, "Operational Limitations," Spec 3.b,to reduce RCS raw measured total flow rate limit by 4000 gpm for Unit 2.
* Wisconsin Electric Power Co. 95/10/19. 3pp. 85976:249-85976:257.

9510310079 Forwards notice of consideration related to 950913 application for amend.Proposed amend would revise TS Section 15.1, "Definitions," bases for TS Section 15.3.1.G, "Operational Limitations" & TS Figure 15.2.1-2.
HANSEN,A.G. . 95/10/19. LINK,R.E. Wisconsin Electric Power Co. 2pp. 86033:101-86033:110.

--9510310089 Notice of consideration of issuance of amends to licenses DPR-24 & DPR-27 & proposed NSHC determination & opportunity for hearing.Amends would revise TS 15.1, "Definition," bases for TS 15.3.1.G, "Operational Limitations," & TS 15.2.1-2.
HANSEN,A.G. , 95/10/19. 8pp. 86033:103-86033:110.

9510260139 Summary of 951018 meeting w/util in Rockville,MD re new reactor fuel,scheduled to be loaded in fall of 1997.List of attendees encl.
HANSEN,A.G. . 95/10/23. . 9pp. 85947:271-85947:279.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110003 Responds to violations noted in insp repts 50-266/95-08 & 50-301/95-08.Corrective actions:nonessential radios removed & ringdown of security ofc telephone to CAS discontinued.
LINK,B. Wisconsin Electric Power Co. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85780:157-85780:160.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190260 Advises of planned insp effort resulting from Point Beach PPR review on 950907 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/13. LINK,R. Wisconsin Electric Power Co. 3pp. 85863:350-85863:352.

9510240340 Submits addl info to clarify PCC QA program,per NRC insp exit meeting on 950929.
KRIESER,G.M. Wisconsin Electric Power Co. 95/10/13. O'CONNER,S. NRC - No Detailed Affiliation Given. 8pp. 85929:252-85929:259.

9510200154 Forwards exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. LINK,R. Wisconsin Electric Power Co. 2pp. 85871:167-85871:251.

--9510200177 Exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.Exam results:one SRO passed both written & operating exam.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/10/16. 83pp. 85871:169-85871:251.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510130037 Monthly operating repts for Sept 1995 for Point Beach Nuclear Plant.W/ 951005 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/09/30. 9pp. 85810:337-85810:345.

V. Operator Examinations

9510190263 Provides individual exam results for applicant who took Oct 1995 initial license exam.Info considered proprietary.
BURDICK,T.M. Region 3 (Post 820201). 95/10/06. SEIZERT,R.D. Wisconsin Electric Power Co. 2pp. 85863:353-85863:354.

9510200154 Forwards exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. LINK,R. Wisconsin Electric Power Co. 2pp. 85871:167-85871:251.

--9510200177 Exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.Exam results:one SRO passed both written & operating exam.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/10/16. 83pp. 85871:169-85871:251.

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9510030231 Deleted Section DFP.5.1, "Fire Protection Operability Requirements."
* Public Service Co. of Colorado. 95/08/10. 2pp. 85691:280-85691:281.

9510060254 Forwards insp rept 50-267/95-03 on 950905-07.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 85711:013-85711:019.

--9510060265 Partially withheld insp rept 50-267/95-03 on 950905-07 (ref 10CFR73.21). No violation noted.Major areas inspected: physical security program,including review of implementation of program,approved procedures & activities of guard force.
MURRAY,B. Region 4 (Post 820201). 95/09/29. 2pp. 85711:018-85711:019.

H. General correspondence

9510190088 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Endorses nuclear industry comments provided by NEI.
CRAWFORD,A.C. Public Service Co. of Colorado. 95/10/16. Docketing & Services Branch. 5pp. 85863:028-85863:032.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510060254 Forwards insp rept 50-267/95-03 on 950905-07.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 85711:013-85711:019.

--9510060265 Partially withheld insp rept 50-267/95-03 on 950905-07 (ref 10CFR73.21). No violation noted.Major areas inspected: physical security program,including review of implementation of program,approved procedures & activities of guard force.
MURRAY,B. Region 4 (Post 820201). 95/09/29. 2pp. 85711:018-85711:019.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240257 Forwards insp rept 50-267/95-04 on 950925-28.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/19. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 85896:335-85896:355.

--9510240261 Insp rept 50-267/95-04 on 950925-28.No violations noted. Major areas inspected:final survey program & followup of several technical issues.
CAIN,C.L. Region 4 (Post 820201). 95/10/17. 16pp. 85896:340-85896:355.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

S. Reportable occurrences, LERs & related correspondence

9510100162 LER 95-006-00:on 950903,TS violation occurred due to failure to meet minimum degree of redundancy.Caused by equipment malfunction.Completed actions to remove channel PT-446 from svc per Procedure OWP.W/951003 ltr.
GARROU,A.L., YOUNG,D.E. Carolina Power & Light Co. 95/10/03. 6pp. 85767:107-85767:112.

W. Decommissioning Stage Documents & Correspondence

9510170397 Requests approval of updated Fort St Vrain Final Survey Plan For Site Release.Changes fully reflect commitment to aggressively decontaminate plant surfaces & reduce residual contamination ALARA.
* Public Service Co. of Colorado. 95/10/12. WEBER,M.F. Document Control Branch (Document Control Desk). 26pp. 85864:206-85864:231.

9510170412 Forwards survey package examples for info.
FISHER,M.J. Public Service Co. of Colorado. 95/10/12. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 614pp. 85851:001-85852:250.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510250170 Informs that LE Kokajko has assumed project mgt responsibilities for plant ISFSI.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/19. HOCK,D.D. Public Service Co. of Colorado. 1p. 85988:240-85988:240.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510200348 Rev 95-02 to Vol A to "Oconee Nuclear Station EPIPs." W/ 951017 ltr.
JENNINGS,C.C., HAMPTON,J.W. Duke Power Co. 95/10/17. 185pp. 85913:102-85913:284.

9510270337 Forwards Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1. W/951025 release memo.
HAMPTON,J.W. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 4pp. 85998:159-85998:184.

--9510270343 Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/10/16. 23pp. 85998:162-85998:184.

9510260329 Revised "Oconee Nuclear Station Selected Licensee Commitments Manual."
BREAZEALE,C.M. Duke Power Co. 95/10/26. 5pp. 86008:344-86008:348.

P. Operating license stage documents & correspondence

9510020158 Forwards rev 5 to "Duke Power Co Oconee 1 Cycle 16,Core Operating Limits Rept,QA Condition 1."
CANADY,K.S. Duke Power Co. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85664:323-85664:327.

--9510020162 Rev 5 to "Duke Power Co Oconee 1,Cycle 16,Core Operating Limits Rept,QA Condition 1."
FORSTER,J.D., ST CLAIR,R.R. Duke Power Co. ONEI-0400-50 R05. 95/09/21. 33pp. 85664:324-85664:327.

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510100324 Discusses 950914 mgt meeting w/util re work control related program associated w/implementing Keowee overhead emergency power path mod.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/09/25. HAMPTON,J.W. Duke Power Co. 29pp. 85726:065-85726:093.

9510020301 Forwards Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program," for Sept 1995.Summary of changes also encl.
HAMPTON,J.W. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 7pp. 85689:218-85689:305.

--9510020313 Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 95/09/26. 81pp. 85689:225-85689:305.

9510020189 Forwards responses to NRC 950901 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 7pp. 85664:331-85664:337.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510100337 Submits update on progress of resolution to USI A-46 & confirm revised submittal date as discussed in conference call on 950905,response to Suppl 1 to GL 87-02.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 3pp. 85756:300-85756:302.

9510100346 Forwards response to issues discussed during 950308 telcon between NRC & DPC re DPC 930311 proposed changes to electrical TS Sections 3.7 & 4.6.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 29pp. 85765:301-85765:329.

9510180322 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 2pp. 85848:229-85848:230.

9510180381 Forwards rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4 which adds Keowee operating restrictions on Keowee Hydro units during periods of commercial power generation.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85883:175-85883:188.

--9510180385 Rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4, "Keowee Operational Restrictions."
* Duke Power Co. 95/10/05. 13pp. 85883:176-85883:188.

9510170208 Forwards proprietary response to request for info re computer software.Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/10/07. Document Control Branch (Document Control Desk). 2pp. 85865:003-85865:004.

9510230305 Forwards new Region II organizational charts,reflecting reorganization,effective 951015.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. Duke Power Co. 8pp. 85891:238-85891:245.

9510230030 Forwards rev 6 to "Duke Power Co Oconee 1 Cycle 17,Core Operating Limits Rept,QA Condition 1."
CANADY,K.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 1p. 85901:306-85901:344.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

9510230032 "Duke Power Co Oconee 1 Cycle 17,Core Operating Limits Rept, QA Condition 1."
MCCLAIN,L.D., ST CLAIR,R.R. Duke Power Co. ONEI-0400-50 R06. 95/10/17. 38pp. 85901:307-85901:344.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510230382 Discusses response of 950721,denying deviation 50-269/95-02, 50-270/95-02 & 50-287/95-02 which will be withdrawn & records will be changed to reflect such.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 3pp. 85891:310-85891:312.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510170231 Forwards relief request 95-04,allowing util to take credit for limited ultrasonic exams on certain reactor vessel head welds,reactor vessel head-to-flange welds,SG nozzle-to- vessel welds & SG nozzle inside radius welds.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 10pp. 85862:347-85862:356.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180342 Forwards insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 3pp. 85848:235-85848:255.

--9510180349 Notice of violation from insp on 950730-0909.Violation noted:feeder breaker for Unit 2 low pressure injection valve 2LP-2 inadvertently opened during testing of 3LP-2 & reclosed w/o notifying control room operator.
* Region 2 (Post 820201). 95/10/03. 2pp. 85848:238-85848:239.

--9510180353 Insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909,Violations noted.Major areas inspected:plant operations,maint & surveillance testing,onsite engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/10/03. 16pp. 85848:240-85848:255.

9510230327 Advises of planned insp effort resulting from Oconee PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 4pp. 85891:284-85891:287.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190034 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85893:265-85893:282.

--9510190036 Monthly operating repts for Sept 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 15pp. 85893:267-85893:281.

--9510190037 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/08/31. 1p. 85893:282-85893:282.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510200348 Rev 95-02 to Vol A to "Oconee Nuclear Station EPIPs." W/ 951017 ltr.
JENNINGS,C.C., HAMPTON,J.W. Duke Power Co. 95/10/17. 185pp. 85913:102-85913:284.

9510270337 Forwards Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1. W/951025 release memo.
HAMPTON,J.W. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 4pp. 85998:159-85998:184.

--9510270343 Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/10/16. 23pp. 85998:162-85998:184.

9510260329 Revised "Oconee Nuclear Station Selected Licensee Commitments Manual."
BREAZEALE,C.M. Duke Power Co. 95/10/26. 5pp. 86008:344-86008:348.

P. Operating license stage documents & correspondence

9510020224 Forwards rev 3 to "Duke Power Co Oconee Unit 2,Cycle 15,Core Operating Limits Rept,QA Condition 1."
CANADY,K.S. Duke Power Co. 95/09/22. Document Control Branch (Document Control Desk). 1p. 85689:356-85689:360.

--9510020229 Rev 3 to "Duke Power Company Oconee 2,Cycle 15,Core Operating Limits Rept,QA Condition 1."
STCLAIR,R.R. Duke Power Co. 95/09/22. 4pp. 85689:357-85689:360.

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510100324 Discusses 950914 mgt meeting w/util re work control related program associated w/implementing Keowee overhead emergency power path mod.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/09/25. HAMPTON,J.W. Duke Power Co. 29pp. 85726:065-85726:093.

9510020301 Forwards Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program," for Sept 1995.Summary of changes also encl.
HAMPTON,J.W. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 7pp. 85689:218-85689:305.

--9510020313 Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 95/09/26. 81pp. 85689:225-85689:305.

9510020189 Forwards responses to NRC 950901 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 7pp. 85664:331-85664:337.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510100337 Submits update on progress of resolution to USI A-46 & confirm revised submittal date as discussed in conference call on 950905,response to Suppl 1 to GL 87-02.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 3pp. 85756:300-85756:302.

9510100346 Forwards response to issues discussed during 950308 telcon between NRC & DPC re DPC 930311 proposed changes to electrical TS Sections 3.7 & 4.6.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 29pp. 85765:301-85765:329.

9510180322 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 2pp. 85848:229-85848:230.

9510180381 Forwards rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4 which adds Keowee operating restrictions on Keowee Hydro units during periods of commercial power generation.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85883:175-85883:188.

--9510180385 Rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4, "Keowee Operational Restrictions."
* Duke Power Co. 95/10/05. 13pp. 85883:176-85883:188.

9510230305 Forwards new Region II organizational charts,reflecting reorganization,effective 951015.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. Duke Power Co. 8pp. 85891:238-85891:245.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

–8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510230382 Discusses response of 950721,denying deviation 50-269/95-02, 50-270/95-02 & 50-287/95-02 which will be withdrawn & records will be changed to reflect such.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 3pp. 85891:310-85891:312.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510170231 Forwards relief request 95-04,allowing util to take credit for limited ultrasonic exams on certain reactor vessel head welds,reactor vessel head-to-flange welds,SG nozzle-to- vessel welds & SG nozzle inside radius welds.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 10pp. 85862:347-85862:356.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180342 Forwards insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 3pp. 85848:235-85848:255.

–9510180349 Notice of violation from insp on 950730-0909.Violation noted:feeder breaker for Unit 2 low pressure injection valve 2LP-2 inadvertently opened during testing of 3LP-2 & reclosed w/o notifying control room operator.
* Region 2 (Post 820201). 95/10/03. 2pp. 85848:238-85848:239.

–9510180353 Insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909.Violations noted.Major areas inspected:plant operations,maint & surveillance testing,onsite engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/10/03. 16pp. 85848:240-85848:255.

9510230327 Advises of planned insp effort resulting from Oconee PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 4pp. 85891:284-85891:287.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190034 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85893:265-85893:282.

–9510190036 Monthly operating repts for Sept 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 15pp. 85893:267-85893:281.

–9510190037 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/08/31. 1p. 85893:282-85893:282.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9510160013 Rev 8 to "NH Radiological Emergency Response Plan."
* New Hampshire, State of. 95/07/31. 1,762pp. 85819:001-85823:306.

9510030009 Discusses 950822 correspondence re discovery of App R noncompliance findings & status re plant.Believes that licensee short-term corrective actions & ongoing efforts to address subj issues to be appropriate.
RULAND,W.H. Region 1 (Post 820201). 95/09/21. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85643:226-85643:228.

9510040250 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
DORMAN,D.H. . 95/09/25. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85696:351-85696:354.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

–9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100242 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85729:003-85729:009.

9510200272 Concludes that automated UT qualification acceptable for use by VYNPC as requested for exam of feedwater nozzles once every 4 refueling outages.
DORMAN,D.H. . 95/10/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 85900:143-85900:146.

9510200277 Forwards SE supporting request for relief from requirements of ASME Code for repair of leak in service water sys piping at VYNP.
MCKEE,P.F. . 95/10/12. REID,D.A. Vermont Yankee Nuclear Power Corp. 4pp. 85898:124-85898:130.

–9510200285 Safety evaluation supporting request for relief from requirements of ASME Code for repair of leak in service water sys piping at VYNP.
* . 95/10/12. 3pp. 85898:128-85898:130.

9510240096 Transmits 60 day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gates Valves."
REID,D.A. Vermont Yankee Nuclear Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:172-85929:173.

Q. Inspection reports, IE Bulletins & correspondence

9510030009 Discusses 950822 correspondence re discovery of App R noncompliance findings & status re plant.Believes that licensee short-term corrective actions & ongoing efforts to address subj issues to be appropriate.
RULAND,W.H. Region 1 (Post 820201). 95/09/21. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85643:226-85643:228.

9510030006 Ack receipt of 950905 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/95-18.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 85643:222-85643:225.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230191 Forwards insp rept 50-271/95-15 on 950828-0901.No violations noted.
RULAND,W.H. Region 1 (Post 820201). 95/10/17. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 85889:180-85889:190.

–9510230205 Insp rept 50-271/95-15 on 950828-0901.No violations noted. Major areas inspected:status of previously identified issues including one outstanding EDSFI issue & determine adequacy of licensee action to resolve these items.
BHATIA,R., RULAND,W.H. Region 1 (Post 820201). 95/10/13. 8pp. 85889:183-85889:190.

9510300116 Forwards insp rept 50-271/95-22 on 950918-29.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/10/20. REID,D.A. Vermont Yankee Nuclear Power Corp. 3pp. 86001:255-86001:269.

–9510300122 Insp rept 50-271/95-22 on 950918-29.No violations noted. Major areas inspected:surveillance test performance, containment & pressure isolation valve testing & scheduling & performance of deferred tests.
DEMPSEY,D., KELLY,E.M. Region 1 (Post 820201). 95/10/19. 12pp. 86001:258-86001:269.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180007 Monthly operating rept for Sept 1995 for VYNP.W/951010 ltr.
WALLIN,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 95/09/30. 7pp. 85866:287-85866:293.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280229 Discusses 920212 visit to plant to discuss decision to use 3M cable tray wrap matl.3M fire test rept used to qualify subj matl documents test which appears to have failed.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/02/21. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:252-85950:296.

9510050168 Revised EPIPs,including Rev 54 to EPIP table of contents & Rev 54 to EPIP 204S, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 95/09/17. 61pp. 85726:283-85726:343.

9510060079 Revised EPIPs,including Rev 28 to table of contents & Rev 4 to EPIP 401, "Emergency Response Manager - Response."
* Public Service Electric & Gas Co. of New Jersey. 95/09/25. 12pp. 85735:245-85735:256.

9510130382 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
OLSHAN,L.N., JAFFE,D.H. . 95/09/28. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 85801:310-85801:314.

9510170417 Revised "Salem Event Classification Guide."
* Public Service Electric & Gas Co. of New Jersey. 95/10/07. 21pp. 85865:252-85865:272.

9510260114 Revised "Salem Generating Station Event Classification Guide," including Rev 45 to table of contents,Rev 26 to signature section i-18,Rev 6 to Section 7,Rev 9 to Section 17 & Rev 11 to Section 18.
* Public Service Electric & Gas Co. of New Jersey. 95/10/12. 20pp. 85996:143-85996:162.

H. General correspondence

9510190222 "NRC Staff Proposes to Fine PSEG $600,000 for six alleged violations of NRC Requirements at Salem Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 95/10/17. 2pp. 85897:326-85897:328.

P. Operating license stage documents & correspondence

9510100214 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 7pp. 85727:007-85727:013.

9510050020 Application for amends to licenses DPR-70 & DPR-75, representing changes to "RCS - Chemistry" Spec 3/4.4.7 & Spec 3/4.4.8.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 12pp. 85726:205-85726:228.

--9510050021 Proposed tech specs,representing changes to "RCS - Chemistry" Spec 3/4.4.7 & Spec 3/4.4.8.
* Public Service Electric & Gas Co. of New Jersey. 95/09/28. 12pp. 85726:217-85726:228.

9510050111 Application for amend to license DPR-70,representing one- time extension to Spec 3/4.8.1.2 electric power sys - AC sources - shutdown.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 9pp. 85728:317-85728:326.

--9510050118 Proposed tech specs,representing one-time extension to Spec 3/4.8.1.2 electrical power sys - AC sources - shutdown.
* Public Service Electric & Gas Co. of New Jersey. 95/09/28. 1p. 85728:326-85728:326.

9510050120 Application for amends to licenses DPR-70 & DPR-75,modifying spec 3/4.8.1.2 electrical power sources - shutdown.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 10pp. 85728:327-85728:342.

--9510050124 Proposed tech specs,modifying spec 3/4.8.1.2 electrical power sources - shutdown.
* Public Service Electric & Gas Co. of New Jersey. 95/09/28. 6pp. 85728:337-85728:342.

9510100032 Discusses 950825 request for relief from 4 h notification requirements of 10CFR50.72(b)(2)(vi),reporting minor exceedances of New Jersey opacity stds for DG & AB.
OLSHAN,L. . 95/10/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85757:165-85757:168.

9510160231 Submits request for ASME Code Case N-523, "Mechanical Clamping Devices for Class 2 & 3 Piping," per GL 90-05.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/10. Document Control Branch (Document Control Desk). 7pp. 85836:091-85836:098.

9510250100 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:338-85987:340.

9510250370 Submits response to NRC request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/17. Document Control Branch (Document Control Desk). 9pp. 85988:171-85988:179.

9510260146 Submits comments on rept, "Review of NUREG-1435,suppl 4, 'Status of Safety Issues at Licensed Power Plants.'"
STOLZ,J.F. . 95/10/20. TOSCH,K.W. General Public Utilities Corp. - GPU Service Corp. 3pp. 85947:308-85947:311.

9510270371 Requests copies of encl to NRC 940121 ltr to PSE&G & Attachment 1 to PSE&G 940523 ltr.
JAN,F. ASTA, Inc. 95/10/20. STOLZ,J. . 1p. 86048:295-86048:302.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020209 Forwards request for addl info re Requalification Training Program Insp Repts 50-272/95-08 & 50-311/95-08.Corrective actions:barrier analysis used to determine root cause based on guidance provided in util Procedure NC.NA-BP.ZZ-0002(Z).
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 9pp. 85690:211-85690:219.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180284 Forwards notice of violation & proposed imposition of civil penalties re insp repts 50-272/94-32,50-311/94-32, 50-272/95-02,50-311/95-02,50-272/95-07,50-311/95-07, 50-272/95-10 & 50-311/95-10.
MILHOAN,J.L Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/10/16. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 4pp. 85848:132-85848:142.

--9510180296 Notice of violation & proposed imposition of civil penalty in amount of $600,000.Noncompliance noted:failure to promptly identify & correct conditions adverse to quality at Salem facility.
* Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/10/16. 7pp. 85848:136-85848:142.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270079 Forwards insp repts 50-272/95-18 & 50-311/95-18 on 950918-22.No violation observed.
WHITE,J.R. Region 1 (Post 820201). 95/10/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 85939:103-85939:115.

--9510270082 Insp repts 50-272/95-18 & 50-311/95-18 on 950918-22.No violations noted.Major areas inspected:training & qualifications,external exposure control,internal exposure control & exposure reduction.
NOGGLE,J., WHITE,J. Region 1 (Post 820201). 95/10/18. 11pp. 85939:105-85939:115.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190067 Monthly operating rept for Sept 1995 for Salem Unit 1.W/ 951011 ltr.
PHILLIPS,R., HELLER,R., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 95/09/30. 10pp. 85900:251-85900:260.

9510310408 NPDES discharge monitoring repts for Sept 1995 for Salem Generating Station.W/951023 ltr.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/09/30. CAPORALE,G. New Jersey, State of. 19pp. 86073:308-86073:326.

S. Reportable occurrences, LERs & related correspondence

9510110034 PNO-I-95-043:on 951004,temporary loss of CR annunciators occurred.Licensee continuing to troubleshoot sys.
NICHOLSON,L. Region 1 (Post 820201). 95/10/05. 1p. 85806:267-85806:267.

9510160155 Forwards LER 95-024-00 re TS violations involving differential pressure of handling bldg ventilation sys. Attachment A contains listing of commitments made as result of investigation into issue.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/11. Document Control Branch (Document Control Desk). 3pp. 85855:004-85855:016.

--9510160164 LER 95-024-00:on 950911,determined fuel handling bldg low differential pressure surveillance testing did not ensure compliance w/TS requirements.Caused by inadequate design basis info.Fuel handling bldg changed.
ZARECHNAK,A. Public Service Electric & Gas Co. of New Jersey. 95/09/11. 10pp. 85855:007-85855:016.

9510200220 Forwards LER 95-020-00 re inoperable volt motor control ctrs due to failed bus bar bolting.Attachment A contains commitments currently outstanding related to issue.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85910:188-85910:197.

--9510200228 LER 95-020-00:on 950914,vital 230 volt MCCs declared inoperable due to failed bus bar bolting.Caused by stress corrosion cracking.Design Change Package DCP-1ER-0098 implemented to replace bus bolts w/carbon steel bolts.
MORTARULO,M. Public Service Electric & Gas Co. of New Jersey. 95/10/13. 8pp. 85910:190-85910:197.

9510200275 Forwards LER 95-022-00 re auxiliary bldg ventilation sys exceeding allowable bypass leakage due to tear in expansion joint fabric.Attachment A contains commitments currently outstanding related to issue.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85910:171-85910:180.

--9510200284 LER 95-022-00:on 950916,ABV sys exceeded allowable bypass leakage due to tear in expansion joint fabric.Caused by equipment failure.Expansion joint fabric replaced.
O'DONNELL,P. Public Service Electric & Gas Co. of New Jersey. 95/10/13. 8pp. 85910:173-85910:180.

9510230393 LER 95-021-00:on 930403,both reactor vessel level indication sys trains inoperable due to inadvertent CO2 actuation due to water intrusion.Completed RVLIS & cabinet sealing repaired.W/951016 ltr.
FREGONESE,V., WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/15. 8pp. 85948:272-85948:279.

9510300060 Forwards LER 95-023-00 re failure to plug SG tubes due to missed eddy current indications.Commitments currently outstanding re issue also encl.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/10/24. Document Control Branch (Document Control Desk). 2pp. 86089:316-86089:321.

--9510300065 LER 95-023-00:on 950926,identified eight SG tubes which had exceeded TS plugging criteria due to missed eddy current indications.Structural integrity assessment being performed & data analyst guidelines being developed.
DULEE,R. Public Service Electric & Gas Co. of New Jersey. 95/10/24. 4pp. 86089:318-86089:321.

V. Operator Examinations

9510040238 Ltr contract,task order 24,definitizing task order 23,to "Technical Assistance in Initial Exam for Salem Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 95/09/27.
VOGEL,A.M. Sonalysts, Inc. 4pp. 85704:337-85704:340.

9510020209 Forwards request for addl info re Requalification Training Program Insp Repts 50-272/95-08 & 50-311/95-08.Corrective actions:barrier analysis used to determine root cause based on guidance provided in util Procedure NC.NA-BP.ZZ-0002(Z).
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 9pp. 85690:211-85690:219.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510130384 Public version of revised EPIPs,including Vol 3B to table of contents & Rev 28 to EP G-3, "Notification of Off-Site Agencies & Emergency Response Organization Personnel." W/951010 release memo.
ANGUS,M.J. Pacific Gas & Electric Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85804:254-85804:289.

--9510130388 Public version of EPIPs including Vol 3B to table of contents & Rev 28 to EP G-3, "Notification of Off-Site Agencies & Emergency Response Organization Personnel."
* Pacific Gas & Electric Co. 95/09/05. 32pp. 85804:256-85804:289.

9510020302 Requests acceptance of deviation from technical provisions of 10CFR50,App R,Section III.G.2.b for protection of train of redundant auxiliay saltwater pump & exhaust fan circuits in intake structure (Fire Area IS-1/Fire Zone 30-A-5).
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85690:203-85690:210.

9510100015 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
STONE,J.C. . 95/10/03. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85744:234-85744:237.

9510170172 Comment supporting petition for rulemaking PRM-50-61 re improving fire protection regulations.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/06. HOYLE,J.C. Office of the Secretary of the Commission. 20pp. 85818:001-85818:020.

P. Operating license stage documents & correspondence

9510020302 Requests acceptance of deviation from technical provisions of 10CFR50,App R,Section III.G.2.b for protection of train of redundant auxiliay saltwater pump & exhaust fan circuits in intake structure (Fire Area IS-1/Fire Zone 30-A-5).
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85690:203-85690:210.

9510030016 Responds to 950801 ltr re computer software.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 2pp. 85688:309-85688:310.

9510030058 Notifies of completion of issues noted in ASLB 941104 initial decision (LBP-94-35) on const period recovery for plant.Issues associated w/plant maint program listed & Rev 7 to MP E-57.8A & Rev 7 to MP E-57.11A encl.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85687:244-85687:312.

--9510030062 Rev 7 to MP E-57.8A, "Temp Monitoring."
* Pacific Gas & Electric Co. 95/08/11. 30pp. 85687:249-85687:278.

--9510030063 Rev 7 to MP E-57.11A, "Safety Precautions When Working on Potentially Energized Equipment."
* Pacific Gas & Electric Co. 95/08/31. 34pp. 85687:279-85687:312.

9510060208 Application for amends to licenses DPR-80 & DPR-82,revising bases for TS 3/4.7.1.2, "AFWS," reducing min AFW flow requirements consistent w/Westinghouse Std TS (NUREG-1431).
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/29. Document Control Branch (Document Control Desk). 7pp. 85747:302-85747:332.

--9510060209 Proposed TS 3/4.7.1.2, "AFWS" bases,reducing min AFW flow requirements.
* Pacific Gas & Electric Co. 95/09/29. 24pp. 85747:309-85747:332.

9510100093 Forwards license amend request 95-05,which proposes change to TS,by adding one-time footnote to EDG diesel fuel oil storage & transfer sys LCO.
RUEGER,R.M. Pacific Gas & Electric Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85750:307-85750:332.

--9510100117 Application for amends to licenses DPR-80 & DPR-82,revising TS,by adding one-time footnote to EDG diesel fuel oil storage & transfer sys limiting condition for operation.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/29. 17pp. 85750:309-85750:325.

--9510100126 Proposed tech specs adding one-time footnote to EDG diesel fuel oil storage & transfer sys LCO.
* Pacific Gas & Electric Co. 95/09/29. 7pp. 85750:326-85750:332.

9510060320 Forwards application for emergency license amend to increase setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. Document Control Branch (Document Control Desk). 2pp. 85747:202-85747:301.

--9510060323 Application for amends to licenses DPR-80 & DPR-82, increasing setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. 12pp. 85747:204-85747:215.

--9510060326 Proposed tech specs,increasing setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
* Pacific Gas & Electric Co. 95/09/30. 7pp. 85747:216-85747:222.

--9510060327 "Relaxation of MSL SV Pressure Setpoint Tolerance for Diablo Canyon NPP Units 1 & 2."
* Pacific Gas & Electric Co. 95/09/30. 79pp. 85747:223-85747:301.

9510050246 Forwards amends 108 & 107 to licenses DPR-80 & DPR-82 & SE. Amends increase setpoint tolerance of MSSVs from +1% to +3%, w/exception that lowest set MSSVs would have tolerance of -2%/+3%.
STONE,J.C. . 95/10/01. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85722:282-85722:300.

--9510050249 Amends 108 & 107 to licenses DPR-80 & DPR-82,respectively, increasing setpoint tolerance of MSSVs from +1% to +3%, w/exception that lowest set MSSVs would have tolerance of -2%/+3%.
BATEMAN,W.H. . 95/10/01. 9pp. 85722:286-85722:294.

--9510050251 Safety evaluation supporting amends 108 & 107 to licenses DPR-80 & DPR-82,respectively.
* . 95/10/01. 6pp. 85722:295-85722:300.

9510100080 Provides response to NRC requests for addl info re GL 95-03, "Circumferential Cracking Of SG Tubes."
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/02. Document Control Branch (Document Control Desk). 8pp. 85756:307-85756:314.

9510110027 Forwards application for amends to licenses DPR-80 & DPR-82 relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet any screening criteria for retention.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/04. Document Control Branch (Document Control Desk). 2pp. 85780:051-85780:156.

--9510110030 Application for amends to licenses DPR-80 & DPR-82, relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet screening criteria for retention.
WARNER,C.J. Pacific Gas & Electric Co. 95/10/04. 11pp. 85780:053-85780:063.

--9510110035 Proposed tech specs,relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet screening criteria for retention.
* Pacific Gas & Electric Co. 95/10/04. 93pp. 85780:064-85780:156.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240185 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
WOMACK,L.F. Pacific Gas & Electric Co. 95/10/11. Document Control Branch (Document Control Desk). 14pp. 85928:291-85928:304.

9510250111 Provides 30-day & annual rept of changes in Westinghouse ECCS evaluation model that effect PCT calculations for plant,per 10CFR50.46.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/19. Document Control Branch (Document Control Desk). 6pp. 85985:285-85985:290.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030207 Ack receipt of 950908 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/95-13 & 50-323/95-13.
SCARANO,R.A. Region 4 (Post 820201). 95/09/28. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 85644:115-85644:123.

9510060271 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/95-04 & 50-323/95-04.
GWYNN,T,P. Region 4 (Post 820201). 95/09/29. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 85711:097-85711:101.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510250367 Monthly operating repts for Sept 1995 for Diablo Canyon Units 1 & 2.W/ 951016 ltr.
EUBANK,T., MALONE,D., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. 12pp. 85985:291-85985:302.

9510250394 Forwards "Third Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/10/19. BRIGGS,R.W. California, State of. 4pp. 85985:084-85985:173.

–9510250395 "Third Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
* Pacific Gas & Electric Co. 95/09/30. 85pp. 85985:088-85985:173.

S. Reportable occurrences, LERs & related correspondence

9510110009 LER 95-009-00:on 950906,turbine trip & reactor trip occurred due to failure of auto stop oil pilot seat matl.Caused by vendor substitution of pilot valve seat matl.Solenoid valve replaced.W/951004 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/10/04. 8pp. 85778:232-85778:239.

9510110195 LER 95-010-00:on 950906,TS 3.8.1.1 was not met following inadequate surveillance testing of EDGs due to personnel error.Revised surveillance procedure to include step that required EDG to be started during testing.W/951006 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/10/06. 7pp. 85806:287-85806:293.

9510260028 LER 95-011-00:on 950914,MS sys was outside of design basis due to high initial MSSV lift points.MSSVs retested,adjusted as required & left within TS required tolerance of +/- 1 percent.W/951016 ltr.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/10/16. 15pp. 86007:104-86007:118.

9510250287 PNO-IV-95-045:on 951021,fire started at Unit 1 auxiliary transformer due to high current flow.Senior resident & resident inspectors responded to site & monitored licensee actions.
JOHNSTON,G., RUSSELL,J. Region 4 (Post 820201). 95/10/23. 2pp. 85995:122-85995:123.

9510310398 PNO-IV-95-045A:on 951021,fire occurred while in refueling outage & in Mode 6 conditions.Caused by personnel inadvertently leaving grounding device installed prior to energization of bus.
JOHNSTON,G., Region 4 (Post 820201). 95/10/27. 1p. 86079:022-86079:022.

V. Operator Examinations

9510300221 Informs that on 951003,NRC administered GFES of written operator licensing exam.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 86001:359-86001:360.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510240311 Discusses lessons learned re weaknesses & strengths identified during operational safeguards response evaluations pertaining to licensees capability.
RINALDI,F., SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 85911:161-85911:166.

9510050126 Requests schedule extension for 951120,submittal date for IPEEE & USI A-46 summary repts to 960531,per GLs 87-02 & 88-20.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:337-85724:338.

9510110131 Forwards ltr from JE Lamb transmitting FEMA Region II final report for 940822 exercise.
JOYNER,J.H. Region 3 (Post 820201). 95/09/29. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85731:163-85731:316.

–9510110134 Forwards final rept for Peach Bottom Atomic Power Station Radiological Emergency Preparedness exercise on 940822.
LAMB,J.E. Federal Emergency Management Agency. 95/09/13. SILK,D. Region 1 (Post 820201). 1p. 85731:166-85731:166.

–9509220145 "Radiological Emergency Preparedness Exercise Evaluation Rept," on 940822.
* Federal Emergency Management Agency. 95/07/14. 144pp. 85731:167-85731:316.

9510110061 Forwards revised Emergency Response Procedures (ERP), including central files version of Rev 41 to ERP-110,App 1 & public version of Rev 4 to ERP-800 & Rev 8 to ERP-810. Central files version of Rev 41 to ERP-110 App 1 withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/03. Document Control Branch (Document Control Desk). 1p. 85783:271-85783:277.

–9510110068 Public version of revised Emergency Response Procedures (ERP),including Rev 4 to ERP-800 & Rev 8 to ERP-810.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/15. 6pp. 85783:272-85783:277.

P. Operating license stage documents & correspondence

9510040171 Informs that info re ref ltrs was exchanged re approval of proposed repair plan for plant core shroud.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/27. Document Control Branch (Document Control Desk). 12pp. 85710:336-85710:355.

–9510040173 "Peach Bottom 2,3 Shroud Vertical Team Weld Evaluation."
MEHTA,H.S., RANGANATH,S., TSCHANTRE,L.E. General Electric Co. GENE-523-A062-0695. 95/09/30. 8pp. 85710:348-85710:355.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

–9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100264 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85725:277-85725:283.

9510130205 Informs that PECO Energy Co stated intention to discontinue practice of providing update reproduction of controlled drawings as part of periodic FSAR update,per 950403 ltr.
SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85778:342-85778:346.

9510050126 Requests schedule extension for 951120,submittal date for IPEEE & USI A-46 summary repts to 960531,per GLs 87-02 & 88-20.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:337-85724:338.

9510190278 Discusses future revs to updated FSARs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85900:357-85900:358.

9510240279 Forwards SE accepting proposed core shroud stabilizer design for PBAPS Units 2 & 3.
SHEA,J.W. . 95/10/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85911:072-85911:092.

--9510240291 Safety evaluation accepting proposed core shroud stabilizer design for PBAPS Units 2 & 3.
* . 95/10/16. 18pp. 85911:075-85911:092.

9510240377 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:294-85929:295.

9510310352 Forwards TER for Rev 5 of Peach Bottom ODCM, "Evaluation of Peach Bottom Atomic Power Station Units 2 & 3 ODCM,Rev 5," INEL-95/0359,dated July 1995.
SHEA,J.W. . 95/10/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86023:334-86023:359.

--9510310366 "Evaluation of Peach Bottom Atomic Power Station Units 2 & 3 ODCM,Rev 5."
MORCOS,N., AKERS,D.W. Idaho National Engineering Laboratory. INEL-95/0379. 95/07/31. . 23pp. 86023:337-86023:359.

9510310310 Discusses 920918 ltr in which licensee committed to submit summary rept re results of programs to resolve issues raised in GL 87-02,Suppl 1, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in OR,USI A-46."
SHEA,J.W. . 95/10/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 86033:158-86033:161.

Q. Inspection reports, IE Bulletins & correspondence

9510020222 Forwards insp repts 50-277/95-21 & 50-278/95-21 on 950821- 22.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/09/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85642:290-85642:310.

--9510020225 Insp repts 50-277/95-21 & 50-278/95-21 on 950821-25.No violations noted.Major areas inspected:revised process for performing plant mods,detailed review of several planned/or completed plant mod & mgt oversight of engineering activity.
LOHMEIER,A., MODES,M.C. Region 1 (Post 820201). 95/09/21. 18pp. 85642:293-85642:310.

9510050080 Forwards insp repts 50-277/95-23 & 50-278/95-23 on 950828-31 & notice of violation.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85728:343-85728:356.

--9510050082 Notice of violation from insp on 950828-31.Violation noted: procedures for personnel radiation protections were not adhered to.
* Region 1 (Post 820201). 95/09/22. 2pp. 85728:346-85728:347.

--9510050088 Insp repts 50-277/95-23 & 50-278/95-23 on 950828-31. Violations noted.Major areas inspected:planning & preparation for Unit 3 outage,program changes & enhancements & oversight of program activities.
NIMITZ,R.L., BORES,R. Region 1 (Post 820201). 95/09/21. 9pp. 85728:348-85728:356.

9510050187 Ack receipt of 950918 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624.
ANDERSON,C.J. Region 1 (Post 820201). 95/09/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85686:278-85686:287.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230298 Forwards insp repts 50-277/95-19 & 50-278/95-19 on 950813-0916.No violations identified.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/18. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85890:261-85890:278.

--9510230306 Insp repts 50-277/95-19 & 50-278/95-19 on 950813-0916.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support,plant support & overall assurance of quality.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/18. 15pp. 85890:264-85890:278.

9510270053 Forwards exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901.Results of exam reflect unexpected poor level of performance in simulator.
MODES,M.C. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85938:018-85938:307.

--9510270064 Exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901. Exam results:three of eight SRO applicants passed exams & all ROs passed initial exams.
FLOREK,D., MODES,M.C. Region 1 (Post 820201). 95/10/19. 287pp. 85938:021-85938:307.

9510310294 Forwards insp repts 50-277/95-25 & 50-278/95-25 on 951002- 06.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86004:136-86004:149.

--9510310305 Insp repts 50-277/95-25 & 50-278/95-25 on 951002-06.No violations noted.Major areas inspected:organization & staffing,training & qualifications,program oversight & activities.
NIMITZ,R.L., WHITE,J.R. Region 1 (Post 820201). 95/10/20. 11pp. 86004:139-86004:149.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190031 Monthly operating repts for Sept 1995 for PBAPS Units 1 & 2. W/951010 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/30. 14pp. 85887:309-85887:322.

S. Reportable occurrences, LERs & related correspondence

9510260077 LER 95-005-00:on 950922,discovered that narrow range indication on DWL PR (PR-2(3)508) being checked instead of wide range indicator required by TS.Surveillance tests associated w/monitoring parameters changed.W/undated ltr.
WASONG,A.J., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/20. 4pp. 85995:145-85995:148.

V. Operator Examinations

9510050211 Informs that senior licensed JV Gilber has been transferred & no longer requires license.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. MARTIN,T.T. Region 1 (Post 820201). 1p. 85724:330-85724:330.

9510270053 Forwards exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901.Results of exam reflect unexpected poor level of performance in simulator.
MODES,M.C. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85938:018-85938:307.

--9510270064 Exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901. Exam results:three of eight SRO applicants passed exams & all ROs passed initial exams.
FLOREK,D., MODES,M.C. Region 1 (Post 820201). 95/10/19. 287pp. 85938:021-85938:307.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510240311 Discusses lessons learned re weaknesses & strengths identified during operational safeguards response evaluations pertaining to licensees capability.
RINALDI,F., SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 85911:161-85911:166.

9510050126 Requests schedule extension for 951120,submittal date for IPEEE & USI A-46 summary repts to 960531,per GLs 87-02 & 88-20.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:337-85724:338.

9510110131 Forwards ltr from JE Lamb transmitting FEMA Region II final report for 940822 exercise.
JOYNER,J.H. Region 3 (Post 820201). 95/09/29. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85731:163-85731:316.

--9510110134 Forwards final rept for Peach Bottom Atomic Power Station Radiological Emergency Preparedness exercise on 940822.
LAMB,J.E. Federal Emergency Management Agency. 95/09/13. SILK,D. Region 1 (Post 820201). 1p. 85731:166-85731:166.

--9509220145 "Radiological Emergency Preparedness Exercise Evaluation Rept," on 940822.
* Federal Emergency Management Agency. 95/07/14. 144pp. 85731:167-85731:316.

9510110061 Forwards revised Emergency Response Procedures (ERP), including central files version of Rev 41 to ERP-110,App 1 & public version of Rev 4 to ERP-800 & Rev 8 to ERP-810. Central files version of Rev 41 to ERP-110 App 1 withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/03. Document Control Branch (Document Control Desk). 1p. 85783:271-85783:277.

--9510110068 Public version of revised Emergency Response Procedures (ERP),including Rev 4 to ERP-800 & Rev 8 to ERP-810.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/15. 6pp. 85783:272-85783:277.

P. Operating license stage documents & correspondence

9510040171 Informs that info re ref ltrs was exchanged re approval of proposed repair plan for plant core shroud.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/27. Document Control Branch (Document Control Desk). 12pp. 85710:336-85710:355.

--9510040173 "Peach Bottom 2,3 Shroud Vertical Team Weld Evaluation."
MEHTA,H.S., RANGANATH,S., TSCHANTRE,L.E. General Electric Co. GENE-523-A062-0695. 95/09/30. 8pp. 85710:348-85710:355.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100264 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85725:277-85725:283.

9510020194 Provides addl details to address concerns raised by NRC during review of 950613 request for NRC conditional approval to defer installing repair or performing volumetric exam to indicated crack in sleeve of B loop of CS sparger downcomer.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/28. Document Control Branch (Document Control Desk). 2pp. 85682:313-85682:351.

--9510020195 "Evaluation of Peach Bottom Unit 3 Core Spray Line."
HERRERA,M.L., CAILLAS,J.L., RANGANATH,S. General Electric Co. GENE-523-A092-0995. 95/09/30. 19pp. 85682:316-85682:334.

--9510020199 "Residual Stress Analysis of Peach Bottom Unit 3 Core Spray Pipe to Sleeve Fillet Weld."
STARK,R., HERRERA,M. General Electric Co. GENE-523-A101-0995. 95/09/30. 17pp. 85682:335-85682:351.

9510130205 Informs that PECO Energy Co stated intention to discontinue practice of providing update reproduction of controlled drawings as part of periodic FSAR update,per 950403 ltr.
SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85778:342-85778:346.

9510050126 Requests schedule extension for 951120,submittal date for IPEEE & USI A-46 summary repts to 960531,per GLs 87-02 & 88-20.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:337-85724:338.

9510190278 Discusses future revs to updated FSARs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85900:357-85900:358.

9510240279 Forwards SE accepting proposed core shroud stabilizer design for PBAPS Units 2 & 3.
SHEA,J.W. . 95/10/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85911:072-85911:092.

--9510240291 Safety evaluation accepting proposed core shroud stabilizer design for PBAPS Units 2 & 3.
* . 95/10/16. 16pp. 85911:075-85911:092.

9510240377 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:294-85929:295.

9510310277 Forwards amend 215 to license DPR-56 & safety evaluation. Amend deletes FOL license condition 2.C.(5) which restricts power levels to no less than 70% in coastdown condition.
SHEA,J.W. . 95/10/17. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86023:317-86023:328.

--9510310285 Amend 215 to license DPR-56,deleting FOL license condition 2.C.(5) that restricts power levels to no less than 70% in coastdown condition.
STOLZ,J.F. . 95/10/17. 4pp. 86023:320-86023:323.

--9510310288 Safety evaluation supporting amend 215 to license DPR-56.
* . 95/10/17. 5pp. 86023:324-86023:328.

9510230222 Informs that Amends 203 & 211 implemented,as requested in ltrs issuing TS.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/18. Document Control Branch (Document Control Desk). 2pp. 85912:257-85912:258.

9510310352 Forwards TER for Rev 5 of Peach Bottom ODCM, "Evaluation of Peach Bottom Atomic Power Station Units 2 & 3 ODCM,Rev 5," INEL-95/0359,dated July 1995.
SHEA,J.W. . 95/10/19. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86023:334-86023:359.

--9510310366 "Evaluation of Peach Bottom Atomic Power Station Units 2 & 3 ODCM,Rev 5."
MORCOS,N., AKERS,D.W. Idaho National Engineering Laboratory. INEL-95/0379. 95/07/31. . 23pp. 86023:337-86023:359.

9510270306 Forwards rev 0 to "Core Operating Limits Rept for PBAPS Unit 3,Reload 10,Cycle 11."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/24. Document Control Branch (Document Control Desk). 1p. 86048:337-86048:358.

--9510270311 Rev 0 to "Core Operating Limits Rept For PBAPS Unit 3, Reload 10,Cycle 11."
MCHALE,J.L., GASSMANN,W.P., TUSAR,J.J. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. 21pp. 86048:338-86048:358.

9510310069 Discusses GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWR," re PECO & PBAPS Unit 3.
SHEA,J.W. . 95/10/25. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 86033:347-86033:350.

9510310310 Discusses 920918 ltr in which licensee committed to submit summary rept re results of programs to resolve issues raised in GL 87-02,Suppl 1, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in OR,USI A-46."
SHEA,J.W. . 95/10/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 86033:158-86033:161.

Q. Inspection reports, IE Bulletins & correspondence

9510020222 Forwards insp repts 50-277/95-21 & 50-278/95-21 on 950821- 22.No violations noted.
MODES,M.C. Region 1 (Post 820201). 95/09/21. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85642:290-85642:310.

--9510020225 Insp repts 50-277/95-21 & 50-278/95-21 on 950821-25.No violations noted.Major areas inspected:revised process for performing plant mods,detailed review of several planned/or completed plant mod & mgt oversight of engineering activity.
LOHMEIER,A., MODES,M.C. Region 1 (Post 820201). 95/09/21. 18pp. 85642:293-85642:310.

9510050080 Forwards insp repts 50-277/95-23 & 50-278/95-23 on 950828-31 & notice of violation.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85728:343-85728:356.

--9510050082 Notice of violation from insp on 950828-31.Violation noted: procedures for personnel radiation protections were not adhered to.
* Region 1 (Post 820201). 95/09/22. 2pp. 85728:346-85728:347.

--9510050088 Insp repts 50-277/95-23 & 50-278/95-23 on 950828-31. Violations noted.Major areas inspected:planning & preparation for Unit 3 outage,program changes & enhancements & oversight of program activities.
NIMITZ,R.L., BORES,R. Region 1 (Post 820201). 95/09/21. 9pp. 85728:348-85728:356.

9510050187 Ack receipt of 950918 ltr informing NRC of steps taken to correct violations noted in insp repts 50-277/95-11 & 50-278/95-11 on 950423-0624.
ANDERSON,C.J. Region 1 (Post 820201). 95/09/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85686:278-85686:287.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510170201 Discusses util corrective actions associated w/crack indications in core spray sys & requests NRC approval to resume operations.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85864:232-85864:234.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510200211 Concludes that operation of Peach Bottom Unit 3 w/cracked but clamped core spray downcomers is acceptable,per IEB 80-13, "Cracking in Core Spray Spargers."
STOLZ,J.F. . 95/10/13. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85898:131-85898:134.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230298 Forwards insp repts 50-277/95-19 & 50-278/95-19 on 950813-0916.No violations identified.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/18. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85890:261-85890:278.

--9510230306 Insp repts 50-277/95-19 & 50-278/95-19 on 950813-0916.No violations noted.Major areas inspected:plant operations, maint & surveillance,engineering & technical support,plant support & overall assurance of quality.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/18. 15pp. 85890:264-85890:278.

9510270053 Forwards exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901.Results of exam reflect unexpected poor level of performance in simulator.
MODES,M.C. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85938:018-85938:307.

--9510270064 Exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901. Exam results:three of eight SRO applicants passed exams & all ROs passed initial exams.
FLOREK,D. Region 1 (Post 820201). 95/10/19. 287pp. 85938:021-85938:307.

9510310294 Forwards insp repts 50-277/95-25 & 50-278/95-25 on 951002- 06.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 86004:136-86004:149.

--9510310305 Insp repts 50-277/95-25 & 50-278/95-25 on 951002-06.No violations noted.Major areas inspected:organization & staffing,training & qualifications,program oversight & activities.
NIMITZ,R.L., WHITE,J.R. Region 1 (Post 820201). 95/10/20. 11pp. 86004:139-86004:149.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190031 Monthly operating repts for Sept 1995 for PBAPS Units 1 & 2. W/951010 ltr.
JEFFREY,W.J., RAINEY,G.R. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/30. 14pp. 85887:309-85887:322.

V. Operator Examinations

9510050211 Informs that senior licensed JV Gilber has been transferred & no longer requires license.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/29. MARTIN,T.T. Region 1 (Post 820201). 1p. 85724:330-85724:330.

9510270053 Forwards exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901.Results of exam reflect unexpected poor level of performance in simulator.
MODES,M.C. Region 1 (Post 820201). 95/10/20. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85938:018-85938:307.

--9510270064 Exam repts 50-277/95-20OL & 50-278/95-20OL on 950817-0901. Exam results:three of eight SRO applicants passed exams & all ROs passed initial exams.
FLOREK,D., MODES,M.C. Region 1 (Post 820201). 95/10/19. 287pp. 85938:021-85938:307.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510110059 Revised EPIPs,including rev 35 to EPIP-1.01,rev 12 to EPIP-3.03,rev 14 to EPIP-4.01,rev 16 to EPIP-4.02,rev 6 to EPIP-4.04 & rev 8 to EPIP-5.08.W/951005 ltr.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/10/05. 127pp. 85781:032-85781:158.

9510180232 Forwards final FEMA exercise rept for 950614 exercise at plant.Informs of one deficiency re inability to coordinate formulation & dissemination of accurate info & instructions to public.
BARR,K.P. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85848:017-85848:117.

--9510180243 "Final FEMA Exercise Rept for Plant."
* Federal Emergency Management Agency. 95/09/05. 98pp. 85848:020-85848:117.

9510200310 Application for amend to license SNM-2501,modifying administrates requirements including rev to security plan titles & rev numbers & submittal dates for radioactive effluent release repts.Exemption request encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. 3pp. 85916:319-85916:337.

--9510200313 Proposed ISFSI TS B.1.1.1,removing refs to dates & rev numbers of various security/physical protection documents & C.1.4.1,changing reporting requirement for radioactive effluent release rept from semiannual to annual.
* Virginia Power (Virginia Electric & Power Co.). 95/10/16. 16pp. 85916:322-85916:337.

P. Operating license stage documents & correspondence

9510100261 Summarizes 950912 meeting w/util in Atlanta,GA to discuss reorganization of oversight function at Virginia Electric Power Co.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 50pp. 85728:045-85728:094.

9510180102 Confirms 950926 telcon between D Sommers & A Belisle scheduling mgt meeting to discuss engineering issues at plant.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:047-85842:049.

9510180142 Extends invitation to power reactor licenses in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operator Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85842:147-85842:148.

9510110311 Responds to RAI re response to GL 95-03, "Circumferential Cracking of SG Tubes."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85762:141-85762:149.

9510120143 Forwards proprietary response to NRC request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85778:295-85778:296.

9510160210 Responds to concerns re leak detection sys in facilities in jurisdiction.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/10/10. RAY,A.C. Virginia, Commonwealth of. 2pp. 85835:307-85835:308.

9510240233 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 85897:070-85897:077.

9510200251 Forwards responses to IST program anomalies & Change 3 to Rev 0 of third interval IST program.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/12. Document Control Branch (Document Control Desk). 25pp. 85902:251-85902:362.

--9510200253 Change 3 to Rev 0 to third interval IST program.
* Virginia Power (Virginia Electric & Power Co.). 95/08/01. 87PP. 85902:276-85902:362.

9510240158 Informs that util will comply w/actions & responses within 180 days of date of GL 95-07.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85929:193-85929:196.

9510250142 Forwards EA re exemption from certain requirements of 10CFR50.60, "Accepting Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operation," for plants.
BUCKLEY,B.C. . 95/10/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85948:341-85948:349.

--9510250158 Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operation."
MATTHEWS,D.B. . 95/10/18. 6pp. 85948:344-85948:349.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100198 Forwards insp repts 50-280/95-16 & 50-281/95-16 on 950806-0902.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85725:133-85725:153.

--9510100215 Insp repts 50-280/95-16 & 50-281/95-16 on 950806-0902.No violations noted.Major areas inspected:plant status, operational safety verification,maint & surveillance insps, on-site engineering review & plant support.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 95/09/28. 17pp. 85725:137-85725:153.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190177 Advises of planned insp effort resulting from Surry PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85863:189-85863:193.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230330 Confirms 951004 telcon between M Bowling & G Belisle re predecisional enforcement conference scheduled for 951106 to discuss issues that contributed to Unit 1 unknowingly operating in reduced inventory condition on 950913-14.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85891:316-85891:318.

9510240292 Notifies of SG tube plugged during planned ISI of Surry Power Station Unit 1 SG C completed during 1995 refueling outage.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/12. Document Control Branch (Document Control Desk). 1p. 85929:242-85929:242.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200138 Monthly operating repts for Sept 1995 for Surry Power Station Units 1 & 2.W/951013 ltr.
MASON,D., OLSEN,C., SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/09/30. 23pp. 85912:335-85912:357.

S. Reportable occurrences, LERs & related correspondence

9510130342 LER 95-007-00:on 950912,boron crystals & corrosion products discovered outside diameter of vessel.Caused by through-wall leakage.Work request initiated,engineering & shift supervisor notified.W/951009 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/10/09. 10pp. 85807:233-85807:242.

9510240328 LER 95-008-00:on 950919,pressurizer safety valve found setpoint out of tolerance.Caused by PSVs being installed prior to start of most recent operating cycle.W/951018 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 95/10/17. 5pp. 85948:321-85948:325.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510200310 Application for amend to license SNM-2501,modifying administrates requirements including rev to security plan titles & rev numbers & submittal dates for radioactive effluent release repts.Exemption request encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. 3pp. 85916:319-85916:337.

--9510200313 Proposed ISFSI TS B.1.1.1,removing refs to dates & rev numbers of various security/physical protection documents & C.1.4.1,changing reporting requirement for radioactive effluent release rept from semiannual to annual.
* Virginia Power (Virginia Electric & Power Co.). 95/10/16. 16pp. 85916:322-85916:337.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510110059 Revised EPIPs,including rev 35 to EPIP-1.01,rev 12 to EPIP-3.03,rev 14 to EPIP-4.01,rev 16 to EPIP-4.02,rev 6 to EPIP-4.04 & rev 8 to EPIP-5.08.W/951005 ltr.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/10/05. 127pp. 85781:032-85781:158.

9510180232 Forwards final FEMA exercise rept for 950614 exercise at plant.Informs of one deficiency re inability to coordinate formulation & dissemination of accurate info & instructions to public.
BARR,K.P. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85848:017-85848:117.

--9510180243 "Final FEMA Exercise Rept for Plant."
* Federal Emergency Management Agency. 95/09/05. 98pp. 85848:020-85848:117.

9510200310 Application for amend to license SNM-2501,modifying administrates requirements including rev to security plan titles & rev numbers & submittal dates for radioactive effluent release repts.Exemption request encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. 3pp. 85916:319-85916:337.

--9510200313 Proposed ISFSI TS B.1.1.1,removing refs to dates & rev numbers of various security/physical protection documents & C.1.4.1,changing reporting requirement for radioactive effluent release rept from semiannual to annual.
* Virginia Power (Virginia Electric & Power Co.). 95/10/16. 16pp. 85916:322-85916:337.

P. Operating license stage documents & correspondence

9510100261 Summarizes 950912 meeting w/util in Atlanta,GA to discuss reorganization of oversight function at Virginia Electric Power Co.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 50pp. 85728:045-85728:094.

9510180102 Confirms 950926 telcon between D Sommers & A Belisle scheduling mgt meeting to discuss engineering issues at plant.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:047-85842:049.

9510180142 Extends invitation to power reactor licenses in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operator Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85842:147-85842:148.

9510110311 Responds to RAI re response to GL 95-03, "Circumferential Cracking of SG Tubes."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85762:141-85762:149.

9510120143 Forwards proprietary response to NRC request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85778:295-85778:296.

9510120173 Forwards Rev 1 to "COLR Surry 2 Cycle 13 Pattern UG," for Jul 1995.Changes results of accident reanalyses performed to support core uprate TS revs & implementation program.
SANDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/10/06. Document Control Branch (Document Control Desk). 1p. 85806:254-85806:260.

--9510120180 Rev 1 to "COLR Surry 2 Cycle 13 Pattern UG."
* Virginia Power (Virginia Electric & Power Co.). 95/07/31. 5pp. 85806:255-85806:260.

9510160210 Responds to concerns re leak detection sys in facilities in jurisdiction.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/10/10. RAY,A.C. Virginia, Commonwealth of. 2pp. 85835:307-85835:308.

9510240233 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 85897:070-85897:077.

9510200251 Forwards responses to IST program anomalies & Change 3 to Rev 0 of third interval IST program.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/12. Document Control Branch (Document Control Desk). 25pp. 85902:251-85902:362.

--9510200253 Change 3 to Rev 0 to third interval IST program.
* Virginia Power (Virginia Electric & Power Co.). 95/08/01. 87PP. 85902:276-85902:362.

9510240158 Informs that util will comply w/actions & responses within 180 days of date of GL 95-07.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85929:193-85929:196.

9510250142 Forwards EA re exemption from certain requirements of 10CFR50.60, "Accepting Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operation," for plants.
BUCKLEY,B.C. . 95/10/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85948:341-85948:349.

--9510250158 Environ assessment & finding of no significant impact re exemption from requirements of 10CFR50.60, "Acceptance Criteria for Fracture Prevention Measures for Light-Water Nuclear Power Reactors for Normal Operation."
MATTHEWS,D.B. . 95/10/18. 6pp. 85948:344-85948:349.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100198 Forwards insp repts 50-280/95-16 & 50-281/95-16 on 950806-0902.No violations noted.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85725:133-85725:153.

--9510100215 Insp repts 50-280/95-16 & 50-281/95-16 on 950806-0902.No violations noted.Major areas inspected:plant status, operational safety verification,maint & surveillance insps, on-site engineering review & plant support.
BRANCH,M.W., BELISLE,G.A. Region 2 (Post 820201). 95/09/28. 17pp. 85725:137-85725:153.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190177 Advises of planned insp effort resulting from Surry PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85863:189-85863:193.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200138 Monthly operating repts for Sept 1995 for Surry Power Station Units 1 & 2.W/951013 ltr.
MASON,D., OLSEN,C., SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/09/30. 23pp. 85912:335-85912:357.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510200310 Application for amend to license SNM-2501,modifying administrates requirements including rev to security plan titles & rev numbers & submittal dates for radioactive effluent release repts.Exemption request encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. 3pp. 85916:319-85916:337.

--9510200313 Proposed ISFSI TS B.1.1.1,removing refs to dates & rev numbers of various security/physical protection documents & C.1.4.1,changing reporting requirement for radioactive effluent release rept from semiannual to annual.
* Virginia Power (Virginia Electric & Power Co.). 95/10/16. 16pp. 85916:322-85916:337.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510170171 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage (ref NUREG/CR-5172).
KIM,T., WETZEL,B.A. . 95/09/29. ANDERSON,R.O. Northern States Power Co. 3pp. 85881:302-85881:304.

9510200198 Forwards amends 120 & 113 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS section 3.14 (fire protection & detection sys limiting conditions for operation).
WETZEL,B.A. . 95/10/06. ANDERSON,R.O Northern States Power Co. 3pp. 85898:279-85898:317.

--9510200205 Amends 120 & 113 to licenses DPR-42 & DPR-60,respectively, revising TS 3.14 re fire protection & detection sys,limiting conditions for operation & TS 4.16 re fire detection & protection.
WETZEL,B.A. . 95/10/06. 29pp. 85898:282-85898:311.

--9510200212 Safety evaluation supporting amends 120 & 113 to licenses DPR-42 & DPR-60,respectively.
* . 95/10/06. 6pp. 85898:312-85898:317.

9510250113 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
WADLEY,M.D. Northern States Power Co. 95/10/13. Document Control Branch (Document Control Desk). 8pp. 85987:345-85987:352.

H. General correspondence

9510310359 Forwards response to NRC 950925 RAI re reactor vessel head cracking issue raised in 950605 2.206 petition for plant.
WADLEY,M.D. Northern States Power Co. 95/10/24. Document Control Branch (Document Control Desk). 4pp. 86066:358-86066:361.

P. Operating license stage documents & correspondence

9510020028 Provides written notification of plants decision to use modified procedures for focused scope plants to satisfy objectives of seismic portion of IPEEE,in response to GL 88-20,Suppl 5.
HILL,W.J. Northern States Power Co. 95/09/25. Document Control Branch (Document Control Desk). 4pp. 85681:321-85681:324.

9510020237 Forwards request for addl info re issue raised in 950605,2.206 petition which dealt w/potential cracking of vessel head penetrations at plant.
WETZEL,B.A. . 95/09/25. ANDERSON,R.O. Northern States Power Co. 4pp. 85673:328-85673:331.

9510200198 Forwards amends 120 & 113 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS section 3.14 (fire protection & detection sys limiting conditions for operation).
WETZEL,B.A. . 95/10/06. ANDERSON,R.O Northern States Power Co. 3pp. 85898:279-85898:317.

--9510200205 Amends 120 & 113 to licenses DPR-42 & DPR-60,respectively, revising TS 3.14 re fire protection & detection sys,limiting conditions for operation & TS 4.16 re fire detection & protection.
WETZEL,B.A. . 95/10/06. 29pp. 85898:282-85898:311.

--9510200212 Safety evaluation supporting amends 120 & 113 to licenses DPR-42 & DPR-60,respectively.
* . 95/10/06. 6pp. 85898:312-85898:317.

9510250113 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
WADLEY,M.D. Northern States Power Co. 95/10/13. Document Control Branch (Document Control Desk). 8pp. 85987:345-85987:352.

9510230059 Forwards Rev 13 to H Procedures H4, "ODCM," in support of 950717 LAR re RETS conformance to STS & GL 89-01.
WADLEY,M.D. Northern States Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85912:001-85912:201.

--9510230062 Rev 13 to H Procedure H4, "ODCM."
* Northern States Power Co. 95/10/16. 197pp. 85912:004-85912:201.

9510250161 Provides 60 day response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
WADLEY,M.D. Northern States Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85983:314-85983:316.

9510260186 Summary of 950907 meeting w/NSP & WEPCO re merger of two utilities & future applications to NRC re merger.List of attendees & overhead slides used during presentation encl.
WETZEL,B.A. . 95/10/18. . 20pp. 85947:280-85947:299.

Q. Inspection reports, IE Bulletins & correspondence

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02,50-306/95-02 & 72-0010/95-02.
KROPP,W.J. Region 3 (Post 820201). 95/09/18. ANDERSON,R.O. Northern States Power Co. 1p. 85613:003-85613:003.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110293 Requests relief from 10-yr interval ISI program.
ANDERSON,R.O. Northern States Power Co. 95/10/05. Document Control Branch (Document Control Desk). 8pp. 85762:123-85762:130.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190268 Advises of planned insp effort resulting from Prairie Island PPR review on 950906 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. WATZL,E. Northern States Power Co. 3pp. 85863:359-85863:361.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110046 Monthly operating repts for Sept 1995 for Prairie Island Nuclear Generating Plant.W/951004 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 95/09/30. 9pp. 85759:331-85759:339.

S. Reportable occurrences, LERs & related correspondence

9510230158 LER 95-012-00:on 950915,determined that CW pump discharge check valves not tested adequately.Caused by failure to determine exact conditions that acceptance criteria must be met.Investigated alternate testing methods.W/951016 ltr.
HUNSTAD,A.A., LEVILLE,J. Northern States Power Co. 95/10/16. 4pp. 85928:261-85928:264.

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02,50-306/95-02 & 72-0010/95-02.
KROPP,W.J. Region 3 (Post 820201). 95/09/18. ANDERSON,R.O. Northern States Power Co. 1p. 85613:003-85613:003.

9510110243 Forwards license amend request for license SNM-2506, proposing rev to TS 6.3,which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85783:278-85783:288.

--9510110252 Application for amends to license SNM-2506,revising TS, which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. 6pp. 85783:280-85783:285.

--9510110261 Proposed tech specs correcting inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Genrating Plant TS.
* Northern States Power Co. 95/10/02. 3pp. 85783:286-85783:288.

9510270018 Forwards rev 4 to "Prairie Island ISFSI SAR" & proprietary figures by Transnuclear,Inc.Proprietary figures withheld.
WADLEY,M.D. Northern States Power Co. 95/10/19. Document Control Branch (Document Control Desk). 10pp. 86021:124-86021:225.

--9510270021 Rev 4 to "Prairie Island ISFSI SAR."
* Northern States Power Co. 95/10/31. 88pp. 86021:134-86021:220.

--9510270023 Requests that proprietary figues from SAR for Prairie Island ISFSI be withheld (ref 10CFR2.790).
DAWSON,D.M. Transnuclear, Inc. 95/10/09. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 86021:221-86021:225.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060329 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
BLOOM,S.D. . 95/10/03. PATTERSON,T.L. Omaha Public Power District. 4pp. 85737:300-85737:303.

9510200365 Forwards changes to EPIPs & radiological emergency response plan,including central files version of Rev 12 to EPIP-RR-17A.Central files version of Rev 12 to EPIP-RR-17A withheld.
PATTERSON,T.L. Omaha Public Power District. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85902:001-85902:120.

--9510200369 Revised "Radiological Emergency Response Plan (RERP)," including RERP index,page 1,Rev 20 to RERP-SECTION B,Rev 20 to RERP-SECTION E,Rev 10 to RERP-SECTION F & Rev 24 to RERP-SECTION H.
* Omaha Public Power District. 95/09/29. 65pp. 85902:003-85902:067.

--9510200372 Public version of revised EPIPs,including EPIP index,pages 1,2 & 3,Rev 18 to EPIP-TSC-1,Rev 9 to EPIP-EOF-1,Rev 16 to EPIP-EOF-11,Rev 12 to EPIP-RR-17,Rev 12 to EPIP-RR-17A & Rev 14 to EPIP-RR-29.
CHRISTENSEN,M. Omaha Public Power District. 95/09/29. 53pp. 85902:068-85902:120.

9510300224 Forwards rev 1 to EPIP-TSC-2,EPIP index,pages 1,2 & 3 & Rev 8 to "Radiological Emergency Response Plan," Section P.
PATTERSON,T.L. Omaha Public Power District. 95/10/23. Document Control Branch (Document Control Desk). 2pp. 86073:247-86073:277.

--9510300229 Rev 1 to EPIP-TSC-2, "Catastrophic Flooding Preparations" & EPIPs index,pages 1,2 & 3.
ROSS,R.D. Omaha Public Power District. 95/10/12. 24pp. 86073:249-86073:272.

--9510300231 Rev 8 to "Radiological Emergency Response Plan (RERP)," Section P & RERP index,page 1.
CHRISTENSEN,M. Omaha Public Power District. 95/10/12. 5pp. 86073:273-86073:277.

H. General correspondence

9510200125 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of NPPs.
PATTERSON,T.L. Omaha Public Power District. 95/10/11. Docketing & Services Branch. 1p. 85871:145-85871:145.

I. Financial information

9510180202 Forwards "OPPD Fort Calhoun Station Decommissioning External Trust Fund Financial Statements & Independent Auditors Rept," for period of 940701-950630.
PATTERSON,T.L. Omaha Public Power District. 95/10/03. WOOD,R.S. NRC - No Detailed Affiliation Given. 1p. 85868:245-85868:254.

--9510180211 "OPPD Fort Calhoun Station Decommissioning External Trust Fund Financial Statements & Independent Auditors Rept," for period of 940701-950630.
* Deloitte & Touche. 95/06/30. 9pp. 85868:246-85868:254.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510250087 Forwards rept of changes,tests & experiments performed per 10CFR50.59 & revs to USAR for period Jan 1994 - Apr 1995.
GATES,W.G. Omaha Public Power District. 95/10/12. Document Control Branch (Document Control Desk). 17pp. 85944:001-85945:264.

--9510250093 Revs to USAR for Fort Calhoun Station.
* Omaha Public Power District. 95/10/31. 611pp. 85944:018-85945:264.

P. Operating license stage documents & correspondence

9510040174 Forwards "Fort Calhoun Station Seismic Evaluation Rept," summarizing results of USI A-46 review,in response to GL 87-02.
PATTERSON,T.L. Omaha Public Power District. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85715:001-85718:158.

--9510040176 "Fort Calhoun Station Seismic Evaluation Rept."
* Omaha Public Power District. 95/09/28. 1,245pp. 85715:006-85718:158.

9510130193 Forwards Rev 3 to Engineering Analysis EA-FC-90-062, "DG Upper Temp Limits" & Rev 3 to Calculation FC05916, "Operating Temp Limits for DG-1 & DG-2," for EDG hot-weather testing.
PATTERSON,T.L. Omaha Public Power District. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85808:001-85808:241.

--9510130197 Rev 3 to Engineering Analysis, "DG Upper Temp Limits."
RICHARD,A.W. Omaha Public Power District. EA-FC-90-062 R03. 95/09/08. 190pp. 85808:003-85808:193.

--9510130202 Rev 3 to Calculation, "Operating Temp Limits for DG-1 & DG-2."
* Omaha Public Power District. FC05916 R03. 95/08/15. 48pp. 85808:194-85808:241.

9510130224 Forwards SE accepting licensee 950621 rev 2 to plant third 10-year interval program for inservice testing of pumps & valves including responses to eleven anomalies identified in 940621 SE.
BLOOM,S. . 95/10/05. PATTERSON,T.L. Omaha Public Power District. 5pp. 85778:313-85778:324.

--9510130229 Safety evaluation accepting rev 2 to plant third 10-year interval program for inservice testing of pumps & valves including responses to eleven anomalies identified in 940621 SE.
* . 95/10/05. 7pp. 85778:318-85778:324.

9510130346 Submits completion date extensions for corrective actions associated w/ Phase II response to GL 88-20,Suppl 4, "IPEEE."
PATTERSON,T.L. Omaha Public Power District. 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85810:346-85810:347.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510190330 Informs that util implemented necessary actions associated w/listed open TAC issues & that subject to agreement by NRR Project Manager,items considered ready to close.
PATTERSON,T.L. Omaha Public Power District. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85901:359-85901:360.

9510200308 Forwards responses to NRC questions provided in 950726 ltr re proposed rev to SER for spent fuel pool rerack at plant. Affidavit per 10CFR2.790 from Holtec Intl re info being provided in encl diskettes also encl.W/o diskettes.
PATTERSON,T.L. Omaha Public Power District. 95/10/13. Document Control Branch (Document Control Desk). 22pp. 85916:297-85916:318.

9510240325 Provides initial response to GL 95-07.Also,informs that util does intend to implement at FCS requested actions specified in GL 95-07.
PATTERSON,T.L. Omaha Public Power District. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85929:247-85929:249.

9510270174 Submits request for relief from modifying pipe supports SIS-63/65,SIH-3 & RCH-13 & that supports be accepted w/ current listed factor of safety & stress margins.
PATTERSON,T.L. Omaha Public Power District. 95/10/19. Document Control Branch (Document Control Desk). 3pp. 85939:219-85939:221.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510060260 Discusses results of 950911-22 assessment of safety performance at plant,related to insp rept 50-285/95-18.
GWYNN,T.P. Region 4 (Post 820201). 95/09/29. PATTERSON,T.L. Omaha Public Power District. 18pp. 85711:026-85711:043.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110075 Forwards insp rept 50-285/95-14 on 950813-0923 & NOV.
DYER,J.E. Region 4 (Post 820201). 95/10/04. PATTERSON,T.L. Omaha Public Power District. 3pp. 85729:225-85729:244.

--9510110079 Notice of violation from insp on 950813-0923.Violation noted:inspector observed that maint personnel had secured ladder to an electrical conduit that was less than 2 inches in nominal diameter.
* Region 4 (Post 820201). 95/10/04. 2pp. 85729:229-85729:230.

--9510110093 Insp rept 50-285/95-14 on 950813-0923.No violations noted. Major areas inspected:operational safety verification,plant support activities,maint & surveillance observations,onsite engineerig & followup of corrective actions for violations.
PELLET,J.L. Region 4 (Post 820201). 95/10/04. 15pp. 85729:231-85729:244.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510130224 Forwards SE accepting licensee 950621 rev 2 to plant third 10-year interval program for inservice testing of pumps & valves including responses to eleven anomalies identified in 940621 SE.
BLOOM,S. . 95/10/05. PATTERSON,T.L. Omaha Public Power District. 5pp. 85778:313-85778:324.

--9510130229 Safety evaluation accepting rev 2 to plant third 10-year interval program for inservice testing of pumps & valves including responses to eleven anomalies identified in 940621 SE.
* . 95/10/05. 7pp. 85778:318-85778:324.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160119 Responds to violations noted in insp rept 50-285/95-12. Corrective actions:contractor steam fitter mechanics presented training session on 950719.
PATTERSON,T.L. Omaha Public Power District. 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85835:249-85835:252.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250021 Forwards insp rept 50-285/95-11 on 950807-25 & notice of violation.Violation involves failure to perform SE for changes to facility.
GWYNN,T.P. Region 4 (Post 820201). 95/10/19. PATTERSON,T.L. Omaha Public Power District. 5pp. 85904:001-85904:045.

-9510250031 Notice of violation from insp on 950807-25.Violation noted:plant mod was implemented using substitute replacement process even though mod involved change to plant design basis.
* Region 4 (Post 820201). 95/10/19. 2pp. 85904:006-85904:007.

-9510250040 Insp rept 50-285/95-11 on 950807-25.Violation noted.Major areas inspected:125 Vdc power sys,EDG sys & high pressure safety injection sys.
VANDENBURGH,C. Region 4 (Post 820201). 95/10/19. 38pp. 85904:008-85904:045.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510020113 Forwards "Fort Calhoun Station Performance Indicators Rept, Aug 1995."
PATTERSON,T.L. Omaha Public Power District. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85682:174-85682:276.

-9510020123 "Fort Calhoun Station Performance Indicators Rept,Aug 1995."
* Omaha Public Power District. 95/08/30. 86pp. 85682:175-85682:276.

9510190217 Forwards monthly operating rept for Sept 1995 for Fort Calhoun Station Unit 1 & corrected pages to monthly operating rept for Aug 1995.
PATTERSON,T.L. Omaha Public Power District. 95/10/13. Document Control Branch (Document Control Desk). 1p. 85900:288-85900:297.

-9510190223 Monthly operating rept for Sept 1995 for Fort Calhoun Station Unit 1.
LIPPY,D.L. Omaha Public Power District. 95/09/30. 7pp. 85900:289-85900:295.

-9510190233 Corrected pages to monthly operating rept for Aug 1995 for FCS Unit 1.
LIPPY,D.L. Omaha Public Power District. 95/08/31. 2pp. 85900:296-85900:297.

S. Reportable occurrences, LERs & related correspondence

9510110098 Forwards Rev 0 of Analysis EA-FC-95-027, "DG Offnormal Loading Due to Full Speed Start ETP-6.5-DGT" re operability of DG One (DG-1).Analysis concluded that DG-1 operable under conditions discovered on 950824.
PATTERSON,T.L. Omaha Public Power District. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85780:270-85780:359.

-9510110110 "DG Offnormal Loading Due to Full Speed Start ETP-6.5-DGT."
MEHAFFEY,R.F. Omaha Public Power District. EA-FC-95-027 R00. 95/10/02. 88pp. 85780:272-85780:359.

V. Operator Examinations

9510300104 Forwards copy of master generic fundamentals exam & answer key of subj exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. PATTERSON,T.L. Omaha Public Power District. 2pp. 86001:249-86001:250.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510020216 Informs that info being provided to plant security manager that could assist in effort to protect plant against design- basis threat for sabotage.
HAROLD,J.F. . 95/09/26. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85663:168-85663:171.

9510170042 Revised EPIPs,including rev 4 to EPIP IP-2500,rev 16 to IP-1003,rev 14 to IP-1004,rev 18 to IP-1011 & rev 9 to IP-1054.
* Power Authority of the State of New York (New York Power Authority). 95/10/02. 100pp. 85855:172-85855:259.

9510200363 Revs to emergency plan,Vol II,emergency response activation, including table of contents,EP-Form index,EP-Form 16 & EP-Form 17 & Vol III,EPIPs,including table of contents & Rev 10 to IP-1063.
CHAUBARD,M.A. Power Authority of the State of New York (New York Power Authority). 95/10/10. 16pp. 85913:290-85913:305.

9510270178 Rev 18 to EPIP IP-1076, "Roster Notification Methods."
* Power Authority of the State of New York (New York Power Authority). 95/10/11. 4pp. 86010:356-86010:359.

9510260031 Requests exemption from requirements of 10CFR73.55(d)(5), "Requirements for Physical Protection...Against Radiological Sabotage,Access Requirements" to permit use of hand geometry biometrics sys to control unescorted access to PA.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/10/13. RUSSELL,W.T. . 8pp. 85995:320-85995:328.

P. Operating license stage documents & correspondence

9510020168 Notification of significant licensee meeting 95-86 w/util on 950919 to discuss results of self-assessment conducted during restart of Indian Point 3.
COWGILL,C.J. Region 1 (Post 820201). 95/09/19. Region 1 (Post 820201). 2pp. 85642:182-85642:183.

9510020172 Notification of significant licensee meeting 95-87 w/util on 951005 in King of Prussia,PA to discuss plant operation outside RCS operating pressure as described in Final Safety Analysis Rept.
COWGILL,C.J. Region 1 (Post 820201). 95/09/20. Region 1 (Post 820201). 1p. 85624:303-85624:303.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

-9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100268 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 85725:284-85725:290.

9510040192 Forwards exemption from requirements of 10CFR50.71(e)(4) which grants util one-time schedular exempton from FSAR.
MARSH,L.B. . 95/09/28. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85693:322-85693:330.

-9510040200 Exemption granting util one time schedular exemption from requirement of 10CFR50.71(e)(4),to extent that current FSAR update submittal due date has been extended from 950722-1227.
VARGA,S.A. . 95/09/28. Power Authority of the State of New York (New York Power Authority). 5pp. 85693:325-85693:330.

9510170334 Provides overview of self assessment of station performance after achieving full power operation in advance of scheduled 951018 meeting.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/10/11. Document Control Branch (Document Control Desk). 7pp. 85864:298-85864:304.

9510240144 Informs util implemented actions requested in GL 95-07 for both Indian Point 3 & JA Fitzpatrick Nuclear Power Plants.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:189-85929:192.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020187 Responds to NRC 950828 ltr re violation noted in insp rept 50-286/95-12.Corrective actions:Operations personnel authorized temporary removal of hold tag,tag removed by I&C technician & flux map continued.
HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/27. Document Control Branch (Document Control Desk). 6pp. 85682:307-85682:312.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510240240 Forwards demand for info being issued as result of NRC investigation by Ofc of Investigations in part,concluded knowingly maintained & substituted cold urine sample at time required to submit to fitness-for-duty test.
MILHOAN,J.L. . 95/10/06. BOLTON,E. Affiliation Not Assigned. 2pp. 85928:343-85928:350.

-9510240248 Demand for info re E Bolton as senior nuclear production technician at facility.
MILHOAN,J.L. . 95/10/06. 5pp. 85928:346-85928:350.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190166 Forwards insp rept 50-286/95-13 on 950808-0918 & notice of violation.Violations represent continuing weakness of CA sys.
COWGILL,C.J. Region 1 (Post 820201). 95/10/12. HILL,L. Power Authority of the State of New York (New York Power Authority). 4pp. 85863:131-85863:162.

--9510190170 Notice of violation from insp on 950808-0918.Violation noted:on 950816,condition of valve NNE-AOV-863 was not adequately assessed prior to declaring valve operable after having been identified as not stroking smoothly by operator.
* Region 1 (Post 820201). 95/10/12. 1p. 85863:135-85863:135.

--9510190174 Insp rept 50-286/95-13 on 950808-0918.Violations noted. Major areas inspected:plant operations,maint,engineering, plant support,safety assessment & quality assessment.
COWGILL,C.J. Region 1 (Post 820201). 95/10/12. 27pp. 85863:136-85863:162.

9510190180 Ack receipt of 950927 ltr informing NRC of steps taken to correct violations noted in insp rept 50-286/95-12.
COWGILL,C.J. Region 1 (Post 820201). 95/10/12. HILL,L.M. Power Authority of the State of New York (New York Power Authority). 3pp. 85863:194-85863:202.

9510230192 Provides summary of 950427 public meeting in Peekskill,NY to discuss results of NRC restart assessment team insp.
COWGILL,C.J. Region 1 (Post 820201). 95/10/12. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 159pp. 85889:191-85889:349.

9510250026 Discusses insp rept 50-286/95-12 on 950711-0807 & forwards notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 95/10/16. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 5pp. 85904:046-85904:052.

--9510250044 Notice of violation from insp on 950711-0807.Violation noted:licensee changed facility as described in SAR by operating w/RCS pressure below 2205 psig,while reactor was in operational mode.
* Region 1 (Post 820201). 95/10/16. 2pp. 85904:051-85904:052.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170005 Monthly operating rept for Sept 1995 for Indian Point 3 Nuclear Power Plant.W/951012 ltr.
ORLANDO,T., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/30. 6pp. 85846:335-85846:340.

S. Reportable occurrences, LERs & related correspondence

9510040152 LER 95-017-00:on 950823,failed to pursue TS required surveillance for inoperable level channel on 34 SI accumulator,condition prohibited by TS.Verified redundant channel operable.W/950922 ltr.
WHEELER,J., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/22. 11pp. 85728:130-85728:140.

9510020365 LER 95-015-01:on 950727,concluded maint on EDG room exhaust fan exceeded AOT due to misinterpretation of design inputs. DBD-315, "EDG Bldg Heating & Ventilation Sys" revised.W/ 950926 ltr.
GUARNIERI,T., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/09/26. 13pp. 85689:020-85689:032.

9510190056 LER 95-018-00:on 950914,manual reactor trip initiated due to high differential temperature for hydrogen gas discharged from generator stator coils.Performed troubleshooting of leak in hydrogen cooler 32.W/951013 ltr.
TOWNE,P., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/10/13. 9pp. 85897:341-85897:349.

9510240033 LER 95-019-00:on 950916,mgt started plant shutdown due to degraded vapor containment pipe penetration.Caused by inadequate corrective actions.Implemented Deviation Event Rept process.W/951014 ltr.
CONTE,F., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/10/14. 8pp. 85948:280-85948:287.

9510260008 LER 95-020-00:on 950917,plant was outside design basis due to lack of compliance w/10CFR50,App R.Updated App R analysis & fire hazards analysis & revised drawings & procedure for mod review.W/951016 ltr.
ETTLINGER,A., HILL,L.M. Tennessee Valley Authority. 95/10/16. 27pp. 86007:064-86007:090.

9510260011 LER 95-021-00:on 950919,found weld channel & containment penetration pressurization sys (WCCPPS) supply lines disconnected.Disconnected WCCPPS supply lines & supplying WCCPPS connected to spare process line 474.W/951018 ltr.
CONTE,F., HILL,L.M. Power Authority of the State of New York (New York Power Authority). 95/10/18. 8pp. 86007:091-86007:098.

V. Operator Examinations

9510020272 Ltr contract,mod 4 to task order 35,correcting mods 1 & 2 dtd 950405 & 0615 to read as listed & extending period of performance,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). FIN L-1933. 95/09/26. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:357-85649:358.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510200348 Rev 95-02 to Vol A to "Oconee Nuclear Station EPIPs." W/ 951017 ltr.
JENNINGS,C.C., HAMPTON,J.W. Duke Power Co. 95/10/17. 185pp. 85913:102-85913:284.

9510270337 Forwards Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1. W/951025 release memo.
HAMPTON,J.W. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 4pp. 85998:159-85998:184.

--9510270343 Public version of revised EPIPs,including Rev 95-07 to Vol B to table of contents & Chemistry Manual 5.1.
FOSTER,W.W. Duke Power Co. 95/10/16. 23pp. 85998:162-85998:184.

9510260329 Revised "Oconee Nuclear Station Selected Licensee Commitments Manual."
BREAZEALE,C.M. Duke Power Co. 95/10/26. 5pp. 86008:344-86008:348.

H. General correspondence

9510050145 Forwards copies of several e-mail messages from P Blanch recieved on 950928 & 1001.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 95/10/02. NRC - No Detailed Affiliation Given. 1p. 85735:215-85735:222.

--9510050153 Responds to INTERNET e-mail of 950316 re operability of Indian Point 3 MOV as required by plants TS.
BLANCH,P.M. Affiliation Not Assigned. 95/09/30. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 5pp. 85735:216-85735:220.

--9510050159 Discusses more Dirty Tricks to divert attention from true issues.
BLANCH,P.M. Affiliation Not Assigned. 95/10/01. ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 2pp. 85735:221-85735:222.

P. Operating license stage documents & correspondence

9510020233 Forwards rev 6 of "Duke Power Company Oconee 3,Cycle 16, Core Operating Limits Rept,QA Condition 1."
CANADY,K.S. Duke Power Co. 95/09/21. Document Control Branch (Document Control Desk). 1p. 85690:250-85690:258.

--9510020243 Rev 6 to "Duke Power Company Oconee 3,Cycle 16,Core Operating Limits Rept,QA Condition 1."
FORSTER,J.D., STCLAIR,R.R. Duke Power Co. ONEI-0400-70 R06. 95/09/21. 38pp. 85690:251-85690:258.

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510100324 Discusses 950914 mgt meeting w/util re work control related program associated w/implementing Keowee overhead emergency power path mod.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/09/25. HAMPTON,J.W. Duke Power Co. 29pp. 85726:065-85726:093.

9510020301 Forwards Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program," for Sept 1995.Summary of changes also encl.
HAMPTON,J.W. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 7pp. 85689:218-85689:305.

--9510020313 Rev 23 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 95/09/26. 81pp. 85689:225-85689:305.

9510020189 Forwards responses to NRC 950901 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 7pp. 85664:331-85664:337.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510100337 Submits update on progress of resolution to USI A-46 & confirm revised submittal date as discussed in conference call on 950905,response to Suppl 1 to GL 87-02.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 3pp. 85756:300-85756:302.

9510100346 Forwards response to issues discussed during 950308 telcon between NRC & DPC re DPC 930311 proposed changes to electrical TS Sections 3.7 & 4.6.
HAMPTON,J.W. Duke Power Co. 95/10/03. Document Control Branch (Document Control Desk). 29pp. 85765:301-85765:329.

9510180322 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 2pp. 85848:229-85848:230.

9510180381 Forwards rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4 which adds Keowee operating restrictions on Keowee Hydro units during periods of commercial power generation.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85883:175-85883:188.

--9510180385 Rev to "ONS Selected Licensee Commitments (SLC) Manual," adding new SLC 16.8-4, "Keowee Operational Restrictions."
* Duke Power Co. 95/10/05. 13pp. 85883:176-85883:188.

9510230305 Forwards new Region II organizational charts,reflecting reorganization,effective 951015.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. Duke Power Co. 8pp. 85891:238-85891:245.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510230382 Discusses response of 950721,denying deviation 50-269/95-02, 50-270/95-02 & 50-287/95-02 which will be withdrawn & records will be changed to reflect such.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/04. HAMPTON,J.W. Duke Power Co. 3pp. 85891:310-85891:312.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510250145 Forwards "ONS Unit 3 Reactor Bldg Post-Tensioning Sys Sixth Surveillance," per TS 6.6.3.f to fulfill requirements of TS 4.4.2.2 re tendon ISIs.
HAMPTON,J.W. Duke Power Co. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85988:197-85988:215.

--9510250150 "ONS Unit 3 Reactor Bldg Post-Tensioning Sys Sixth Surveillance."
* Duke Power Co. 95/07/31. 17pp. 85988:199-85988:215.

9510230077 Forwards "Inservice Insp Rept For Oconee Unit 3 Oconee 1995 Refueling Outage."
HAMPTON,J.W. Duke Power Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85920:001-85920:235.

--9510230085 "Inservice Insp Rept Unit 3 Oconee 1995 Refueling Outage 15."
KEITH,C.L. Duke Power Co. 95/10/09. 238pp. 85920:003-85920:235.

9510180342 Forwards insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 3pp. 85848:235-85848:255.

--9510180349 Notice of violation from insp on 950730-0909.Violation noted:feeder breaker for Unit 2 low pressure injection valve 2LP-2 inadvertently opened during testing of 3LP-2 & reclosed w/o notifying control room operator.
* Region 2 (Post 820201). 95/10/03. 2pp. 85848:238-85848:239.

--9510180353 Insp repts 50-269/95-18,50-270/95-18 & 50-287/95-18 on 950730-0909.Violations noted.Major areas inspected:plant operations,maint & surveillance testing,onsite engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 95/10/03. 16pp. 85848:240-85848:255.

9510230327 Advises of planned insp effort resulting from Oconee PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. HAMPTON,J.W. Duke Power Co. 4pp. 85891:284-85891:287.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190034 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85893:265-85893:282.

--9510190036 Monthly operating repts for Sept 1995 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 15pp. 85893:267-85893:281.

--9510190037 Monthly operating repts for Aug 1995 for Oconee Nuclear Station.
* Duke Power Co. 95/08/31. 1p. 85893:282-85893:282.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510030295 Revised EPIPs,including Rev 0 to TEP-ADM-1300.01, "Maintaining Emergency Preparedness," Rev 0 to TEP-ADM-1300.05, "Emergency Equipment Readiness" & Rev 0 to TEP-ADM-1300.04, "Administration of TMI Initial...."
* General Public Utilities Corp. - GPU Service Corp. 95/08/11. 85pp. 85698:153-85698:237.

9510040310 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design basis threat for sabotage.
HERMAN,R.W. . 95/09/22. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85713:271-85713:274.

9510110090 Forwards insp repts 50-289/95-11 & 50-320/95-11 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:350-85729:360.

--9510110103 Insp repts 50-289/95-11 & 50-320/95-06 on 950821-25.No violations noted.Major areas inspected:access authorization program administration & organization,background investigation elements & psychological evaluations.
LIMROTH,D.F., JOYNER,J.H. Region 1 (Post 820201). 95/09/22. 8pp. 85729:353-85729:360.

9510270088 Forwards insp rept 50-289/95-15 on 950920-21.No violations noted.
HEHL,C.W. Region 1 (Post 820201). 95/10/11. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85939:135-85939:143.

--9510270098 Insp rept 50-289/95-15 on 950920-21.No violations noted. Major areas inspected:security insp in response to two licensee-identified breaches in protected area boundary within 5 day period.
KING,E.B., KEIMIG,R.R. Region 1 (Post 820201). 95/10/11. 6pp. 85939:138-85939:143.

9510230272 Notification of significant licensee meeting 95-93 w/util on 951025 to discuss degradation of security boundary which could have resulted in unauthorized or undetected access to protected area.
ESELGROTH,P.W. Region 1 (Post 820201). 95/10/16. Region 1 (Post 820201). 3pp. 85890:233-85890:235.

P. Operating license stage documents & correspondence

9510020289 Requests for addl 30 days to complete response re GL 95-03, "Circumferential Cracking of SG Tubes."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/26. Document Control Branch (Document Control Desk). 1p. 85689:217-85689:217.

9510130034 Requests addl 60 days to respond to request for addl info re Topical Rept 093, "TMI-1 20th Yr Reactor Bldg Tendon Surveillance Test."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/26. Document Control Branch (Document Control Desk). 1p. 85807:359-85807:359.

9510020226 Forwards response to NRC 950829 RAI re util 950517 submittal for GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46." Revised pages 3 & 30 of 42105-R-002 also encl.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85690:244-85690:249.

--9510020236 Rev 1 to pages 3 & 30 of "TMI-1 USI A-46 Seismic Evaluation Rept."
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 42105-R-002 R01. 95/09/19. 2pp. 85690:248-85690:249.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100229 Extends invitation to Region I licensee to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 6pp. 85727:280-85727:285.

9510050179 Forwards amend 197 to license DPR-50 & safety evaluation. Amend changes TS to relocate procedural details of radiological effluent TS to ODCM,per GL 89-01 & NUREG-1430.
HERNAN,R.W. . 95/10/02. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 85722:026-85722:045.

--9510050188 Amend 197 to license DPR-50,changing TS to relocate procedural details of Radiological Effluent TS to Offsite Dose Calculation Manual.
MCKEE,P.F. . 95/10/02. 13pp. 85722:029-85722:041.

--9510050190 Safety evaluation supporting amend 197 to license DPR-50.
* . 95/10/02. 4pp. 85722:042-85722:045.

9510130028 Forwards response to request for addl info re Topical Rept TR-091,Rev 0, "Steady State Reactor Physics Methodology for TMI-1."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/05. Document Control Branch (Document Control Desk). 7pp. 85810:273-85810:279.

9510120086 Notification of 951012 meeting w/GPU in Rockville,MD to discuss abnormal corrosion pattern discovered on TMI-1 fuel rods during 10R refueling outage.
HERNAN,R.W. . 95/10/06. MCKEE,P.F. . 4pp. 85766:351-85766:354.

9510160214 Forwards amend 198 to license DPR-50 & SE.Amend revises TS to incorporate several improvements from revised standard TS for Babcock & Wilcox Plants & incorporate into TMI-1 TS Bases results from analysis of pressurizer code setpoints.
HERNAN,R.W. . 95/10/10. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85833:212-85833:237.

--9510160219 Amend 198 to license DPR-50,revising TS to incorporate several improvements from revised standard TS for Babcock & Wilcox Plants & to incorporate into TMI-1 TS Bases results from analysis of pressurizer code safety valve setpoints.
MCKEE,P.F. . 95/10/10. 19pp. 85833:215-85833:233.

--9510160221 Safety evaluation supporting amend 198 to license DPR-50.
* . 95/10/10. 4pp. 85833:234-85833:237.

9510170082 Forwards exemption from requirements of 10CFR50.44, 10CFR50.46 & 10CFR50,App K,enabling use of demonstration fuel assemblies using advanced clad matls during Cycles 11, 12 & 13 at plant.
HERNAN,R.W. . 95/10/12. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85881:226-85881:233.

--9510170094 Exemption from requirements 10CFR50.44,10CFR50.46 & 10CFR50,App K,enabling use of demonstration fuel assemblies using advanced clad matls during Cycles 11,12 & 13 at plant.
VARGA,S.A. . 95/10/11. General Public Utilities Corp. - GPU Service Corp. 5pp. 85881:229-85881:233.

9510240355 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/13. Document Control Branch (Document Control Desk). 1p. 85929:104-85929:104.

9510260180 Summary of 951012 meeting w/GPUN in Rockville,MD re safety implications of distinctive crud pattern observed on several fuel rods during 11R refueling outage.
HERNAN,R.W. . 95/10/20. . 46pp. 85949:043-85949:088.

9510260007 Discusses updated final safety analysis rept update 12 for Three Mile Island Nuclear Station,Unit 1.
HERNAN,R.W. . 95/10/23. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85947:254-85947:257.

Q. Inspection reports, IE Bulletins & correspondence

9510110090 Forwards insp repts 50-289/95-11 & 50-320/95-11 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:350-85729:360.

--9510110103 Insp repts 50-289/95-11 & 50-320/95-06 on 950821-25.No violations noted.Major areas inspected:access authorization program administration & organization,background investigation elements & psychological evaluations.
LIMROTH,D.F., JOYNER,J.H. Region 1 (Post 820201). 95/09/22. 8pp. 85729:353-85729:360.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9510110022 Forwards insp repts 50-289/95-09 & 50-320/95-03 on 950801-0907.Two identified violations not being cited because review found that issues self-identified.
DURR,J.P. Region 1 (Post 820201). 95/09/29. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:054-85729:079.

--9510110031 Insp repts 50-289/95-09 & 50-320/95-03 on 950801-0907.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
ROGGE,J.F. Region 1 (Post 820201). 95/09/29. 23pp. 85729:057-85729:079.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510170103 Repts number of SG tubes repaired or removed from svc in each OTSG within 15 days of completion of each ISI of OTSG tubes.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85836:225-85836:225.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170321 Discusses Plant Performance Review for plant,covering period of 950219-0919 which reviewed insp findings,significant events & other info re licensee performance.Concern re adequacy of planning process for maint activities,noted.
COOPER,R.W. Region 1 (Post 820201). 95/10/10. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 4pp. 85818:116-85818:119.

9510270088 Forwards insp rept 50-289/95-15 on 950920-21.No violations noted.
HEHL,C.W. Region 1 (Post 820201). 95/10/11. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85939:135-85939:143.

--9510270098 Insp rept 50-289/95-15 on 950920-21.No violations noted. Major areas inspected:security insp in response to two licensee-identified breaches in protected area boundary within 5 day period.
KING,E.B., KEIMIG,R.R. Region 1 (Post 820201). 95/10/11. 6pp. 85939:138-85939:143.

9510190238 Forwards insp rept 50-289/95-04 on 950503-0824.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/10/12. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 2pp. 85863:266-85863:319.

--9510190258 Insp rept 50-289/95-04 on 950503-0824.No violations noted. Major areas inspected:TI 2515/118, "Svc Water Sys Operational Performance Insp.
GREGG,H., KELLY,E.M. Region 1 (Post 820201). 95/10/11. 52pp. 85863:268-85863:319.

9510230272 Notification of significant licensee meeting 95-93 w/util on 951025 to discuss degradation of security boundary which could have resulted in unauthorized or undetected access to protected area.
ESELGROTH,P.W. Region 1 (Post 820201). 95/10/16. Region 1 (Post 820201). 3pp. 85890:233-85890:235.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170027 Monthly operating rept for Sept 1995 for TMI-1.W/951010 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/09/30. 9pp. 85836:255-85836:263.

S. Reportable occurrences, LERs & related correspondence

9510110001 LER 95-004-00:on 950912,short term interruption of DHR flow occurred due to inadvertent operation of DH-V-1 during ESAS relay coil replacement.Caused by less than adequate procedural guidance.Procedures revised.W/951003 ltr.
MILLER,A.W., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/03. 4pp. 85778:214-85778:217.

9510110012 LER 95-002-00:on 950908,control rod trip insertion times exceeded TS 4.7.1.1 limits.Caused by accumulation of corrosion deposits in CRDM thermal barrier call check valves & lead screw guide bushing.W/951003 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/03. 6pp. 85778:240-85778:245.

9510170091 LER 95-003-00:on 950909,reactor coolant leak occurred due to crack weld in cold leg drain line.Failed line replaced.W/ 951009 ltr.
KNIGHT,M.R., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 95/10/09. 16pp. 85855:055-85855:070.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020360 Informs that NRC operational safeguards response evaluation program has noted variety of weaknesses & strengths associated w/licensees contingency response capabilities re ability to protect plants against design basis threat.
EATON,R.B. . 95/09/26. BOULETTE,E.T. Boston Edison Co. 4pp. 85673:346-85673:349.

9510190317 Forwards scenario package for Pilgrim Nuclear Power Station NRC/FEMA evaluated exercise scheduled for 951213.W/o encl.
BOULETTE,E.T. Boston Edison Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85900:359-85900:360.

9510230212 Forwards insp rept 50-293/95-18 on 950828-31.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. BOULETTE,E.T. Boston Edison Co. 3pp. 85890:073-85890:100.

-9510230225 Insp rept 50-293/95-18 on 950828-31.No violations noted. Major areas inspected:Pilgrim Nuclear Power Station EP, E-Plan & EPIPs,emergency response facilities,equipment, instrumentation & supplies,organization & mgt control.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 95/10/16. 25pp. 85890:076-85890:100.

G. Adjudicatory correspondence

9510120080 Informs that time provided by NRC regulation within which Commission may act to review Director's Decision 95-19 expired.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17187. 95/10/06. LAMPERT,M.E. Affiliation Not Assigned. 2pp. 85751:056-85751:057.

H. General correspondence

9510100375 Informs of organizational changes.Contact name changes from A Shiever to J Keene.
KEENE,J.W. Boston Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85756:217-85756:218.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510100354 Forwards Rev 18 to FSAR for Pilgrim Nuclear Power Station reflecting changes for TS Amend 15 re spent fuel storage capacity.Informs of plans to remove util drawings from FSAR in next annual update.
BOULETTE,E.T. Boston Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85766:001-85766:110.

-9510100359 Rev 18 to FSAR for Pilgrim Nuclear Power Station.
* Boston Edison Co. 95/09/30. 108pp. 85766:003-85766:110.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

-9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100241 Extends invitation to Region 1 licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. BOULETTE,E.T. Boston Edison Co. 7pp. 85727:017-85727:023.

9510030242 Informs that L Marsh directed to serve as agency point-of- contact in addressing concerns.Provides opportunity to participate in regulatory process.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/29. FLEMING,J. Affiliation Not Assigned. 1p. 85673:282-85673:282.

9510240190 Informs that util intends to implement actions addressed in GL 95-07 by 960223,as requested.
BOULETTE,E.T. Boston Edison Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:201-85929:202.

9510260123 Submits results of plant performance review for period 941009-950930.Concludes that engineering staff continued to exhibit strong performance despite instances of untimely corrective actions in support of plant operations.
COOPER,R.W. Region 1 (Post 820201). 95/10/19. BOULETTE,E.T. Boston Edison Co. 6pp. 85923:261-85923:266.

9510310377 Applies for renewal of NPDES permit MA0003557,in accordance w/Consolidated Permits Regulations 40CFR122,123,124 & 125 (revised 940701).
BOULETTE,E.T. Boston Edison Co. 95/10/25. MCSWEENEY,K. Environmental Protection Agency. 68pp. 86066:225-86066:292.

Q. Inspection reports, IE Bulletins & correspondence

9510020148 Ack receipt of 950808 ltr informing NRC of steps taken to correct violations noted in insp rept 50-293/95-14.
KELLY,E.M. Region 1 (Post 820201). 95/09/18. BOULETTE,E.T. Boston Edison Co. 2pp. 85642:107-85642:114.

9510020211 Forwards insp rept 50-293/95-15 on 950706-0818.No violations noted.
LINVILLE,J. Region 1 (Post 820201). 95/09/21. BOULETTE,E.T. Boston Edison Co. 3pp. 85642:263-85642:286.

-9510020217 Insp rept 50-293/95-15 on 950706-0818.No violations noted. Major areas inspected:plant operations,maint & surveillance, engineering,plant support & safety assessment & quality verification.
CONTE,R. Region 1 (Post 820201). 95/08/20. 21pp. 85642:266-85642:286.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510120038 Comment on proposed bulletin 95-XX & reg guide DG-1038, "Debris Clogging of BWR ECCS Suction Strainers." Endorses BWROG comments.
BOULETTE,E.T. Boston Edison Co. 95/10/03. NRC - No Detailed Affiliation Given. 2pp. 85751:011-85751:012.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230212 Forwards insp rept 50-293/95-18 on 950828-31.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. BOULETTE,E.T. Boston Edison Co. 3pp. 85890:073-85890:100.

-9510230225 Insp rept 50-293/95-18 on 950828-31.No violations noted. Major areas inspected:Pilgrim Nuclear Power Station EP, E-Plan & EPIPs,emergency response facilities,equipment, instrumentation & supplies,organization & mgt control.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 95/10/16. 25pp. 85890:076-85890:100.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510310402 "Marine Ecology Studies Re Operation Of Pilgrim Station Semi-Annual Rept 46,Jan-June 1995." W/951017 ltr.
ANDERSON,R.D., OHEIM,H.V. Boston Edison Co. 95/06/30. 100pp. 86079:224-86079:328.

9510180010 Monthly operating rept for Sept 1995 for Pilgrim Nuclear Power Station.W/951012 ltr.
MONRO,W.J., OLIVIER,L.J. Boston Edison Co. 95/09/30. 7pp. 85866:294-85866:300.

9510250164 Discharge monitoring rept for Sept 1995 for Pilgrim Nuclear Power Station.W/951019 ltr.
SULLIVAN,T.A. Boston Edison Co. 95/09/30. 14pp. 85988:226-85988:239.

S. Reportable occurrences, LERs & related correspondence

9510060239 LER 95-009-00:on 950821,discovered Surveillance Procedure 8.5.1.3, "Core Spray Motor Operated Valve Quarterly Operability Test" not performed.Caused by personnel error. Appropriate mgt attention/action taken.W/950927 ltr.
CANNON,R.L., BOULETTE,E.T. Boston Edison Co. 95/09/27. 6pp. 85767:065-85767:070.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510260326 Revised CEPIPs,including CEPIP-2000 series to table of contents & Rev 2 to CEPIP-2121-01, "Augmentation Caller Instructions."
* Commonwealth Edison Co. 95/09/28. 19pp. 86002:342-86002:360.

9510100061 Provides update re status of upgrades to Thermo-Lag 330-1 fore-barriers installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85756:305-85756:306.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510260079 Provides update re status of upgrades to Thermo-Lag 330-1 fire barriers previously installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. . 2pp. 85998:331-85998:332.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510200033 Advises that 950908 rev 37 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/10/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 85912:259-85912:260.

9510240037 Discusses written rept to NRC on 950119 re security officer who falsified security records which allowed unauthorized contractor access to protected area on 940819,22 & 23.
GRANT,G.E. Region 3 (Post 820201). 95/10/20. TUETKEN,R. Commonwealth Edison Co. 4pp. 85896:039-85896:042.

9510260002 Forwards response to NRC 950713 ltr re violations noted in insp repts 50-295/95-08 & 50-304/95-08.Corrective actions: Zion Administration Procedure (ZAP) 1200-10 will be revised & ZAP 900-02 for fire impairments will be revised.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85995:329-85995:332.

P. Operating license stage documents & correspondence

9510110191 Rev 1.6 to "ODCM," Chapers 10 & 12 for Zion Station.
* Commonwealth Edison Co. 95/08/31. 84pp. 85761:204-85761:289.

9510020069 Provides updated status for GL 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment."
SIMPKIN,T.W. Commonwealth Edison Co. 95/09/27. Document Control Branch (Document Control Desk). 12pp. 85681:300-85681:311.

9510020177 Forwards response to NRC RAI for GL 95-03, "Circumferential Cracking of SG Tubes."
SCHWARTZ,G.K. Commonwealth Edison Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85682:293-85682:300.

9510020178 Notifies staff of rev in approach taken for indicator power supplies for valves.
SIMPKIN,T.W. Commonwealth Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 3pp. 85682:301-85682:303.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510050025 Forwards amends 169 & 156 to licenses DPR-39 & DPR-48 & safety evalution.Amends revise secondary undervoltage setpoint.
SHIRAKI,C.Y. . 95/10/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85720:334-85720:350.

--9510050030 Amends 169 & 156 to licenses DPR-39 & DPR-48,respectively, revising secondary undervoltage setpoint.
SHIRAKI,C.Y. . 95/10/02. 9pp. 85720:336-85720:344.

--9510050031 Safety evaluation supporting amends 169 & 156 to licenses DPR-39 & DPR-48,respectively.
* . 95/10/02. 5pp. 85720:345-85720:350.

9510100061 Provides update re status of upgrades to Thermo-Lag 330-1 fore-barriers installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85756:305-85756:306.

9510260079 Provides update re status of upgrades to Thermo-Lag 330-1 fire barriers previously installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. . 2pp. 85998:331-85998:332.

9510100158 Forwards "Zion Station Unit 1,Cycle 15 Reload Description & Core Operating Limits Rept."
SIMPKIN,T.W. Commonwealth Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85756:253-85756:261.

--9510100163 "Zion Station Unit 1,Cycle 15 Reload Description & Core Operating Rept."
* Commonwealth Edison Co. 95/10/04. 6pp. 85756:256-85756:261.

9510110135 Application for amends to licenses DPR-39 & DPR-48,revising TS 4.3.1.B SG tube SR to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
SIMPKIN,T.W. Commonwealth Edison Co. 95/10/06. Document Control Branch (Document Control Desk). 8pp. 85781:294-85781:311.

--9510110137 Proposed tech specs,revising TS 4.3.1.B SG tube SR to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
* Commonwealth Edison Co. 95/10/06. 10pp. 85781:302-85781:311.

9510200229 Advises that encl notice of consideration of issuance of amend to license,proposed no significant hazards consideration determination,& opportunity for hearing has been forwarded to Office of FR for publication.
SHIRAKI,C.Y. . 95/10/11. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85871:292-85871:303.

--9510200236 Notice of consideration of issuance of amend to Licenses DPR-39 & DPR-48,proposed NSHC determination & opportunity for hearing.Amends change definition of F* distance in TS.
SHIRAKI,C.Y. . 95/10/10. 10pp. 85871:294-85871:303.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510200231 Forwards amends 170 & 157 to licenses DPR-39 & DPR-48 & safety evaluation.Amends modify surveillance requirements for EDG.
SHIRAKI,C.Y. . 95/10/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85900:054-85900:063.

--9510200233 Amends 170 & 157 to licenses DPR-39 & DPR-48,respectively, modifying surveillance requirements for EDG.
SHIRAKI,C.Y. . 95/10/16. 8pp. 85900:056-85900:063.

9510200238 Safety evaluation supporting amends 170 & 157 to licenses DPR-39 & DPR-48,respectively.
* . 95/10/16. 4pp. 85900:064-85900:067.

9510240266 Discusses evaluation of anomaly responses for pump & valve IST program at Zion Nuclear Station,Units 1 & 2.
SHIRAKI,C.Y. . 95/10/17. FARRAR,D.L. Commonwealth Edison Co. 17pp. 85911:055-85911:071.

9510270015 Forwards addendum to NPDES permit IL0002763.
HOLDEN,L.E. Commonwealth Edison Co. 95/10/19. MILLER,H.J. Region 3 (Post 820201). 145pp. 86048:016-86048:160.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310194 Amends 171 & 158 to licenses DPR-39 & DPR-48,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative conrols section of TS.
SHIRAKI,C.Y. . 95/10/20. 12pp. 86010:122-86010:133.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190235 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR review.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. TUETKEN,R. Commonwealth Edison Co. 3pp. 85863:262-85863:264.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260002 Forwards response to NRC 950713 ltr re violations noted in insp repts 50-295/95-08 & 50-304/95-08.Corrective actions: Zion Administration Procedure (ZAP) 1200-10 will be revised & ZAP 900-02 for fire impairments will be revised.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85995:329-85995:332.

9510260003 Forwards response to NRC 950922 ltr re violations noted in insp repts 50-295/95-14 & 50-304/95-14.Corrective actions: performed applicable sections of procedure Periodic Test 5-1 to satisfy monthly channel functional test requirement.
TUETKEN,R. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 13pp. 85995:333-85995:345.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180050 Monthly operating repts for Sept 1995 for Zion Generating Station.W/ 951012 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/09/30. 13pp. 85864:332-85864:344.

S. Reportable occurrences, LERs & related correspondence

9510060278 LER 95-017-00:on 950901,penetration pressurization air isolated to isolation valve seal water tank due to personnel error & defective procedure.Zion Operability Determination Manual will be revised.W/951003 ltr.
SHELLTON,H., SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/02. 5pp. 85767:009-85767:013.

9510170422 LER 95-018-00:on 950914,identified that second 10 yr interval ISIs not performed due mgt deficiency.ISI program plan reviewed to ensure that proper instructions identified. W/951012 ltr.
DAVIS,S., SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/12. 6pp. 85855:139-85855:144.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

9510300056 LER 95-019-00:on 950924,RM rendered inoperable during containment purge due to personnel error.Individual radiation protection technician counseled on performance during event.W/951024 ltr.
LABURN,R., SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/24. 6pp. 86079:011-86079:016.

9510310224 Forwards Special Repts 304-123-95-004SR & 295-123-95-005SR re failure of 2A & "0" EDGs,respectively.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/25. Document Control Branch (Document Control Desk). 2pp. 86064:346-86064:349.

--9510310236 Special Rept 304-123-95-004SR:on 950925,valid failure of EDG 2A occurred due manipulation of motor operated potentiometer (MOP).EDG 2A secured & MOP replaced.Subsequent testing successful.
* Commonwealth Edison Co. 95/10/25. 1p. 86064:348-86064:348.

--9510310243 Special Rept 295-123-95-005SR:on 951005,valid failure of EDG "0" occurred due to fuel leak at 4R cylinder fuel oil injection pump.Failed compression fitting & tubing line associated w/fitting replaced.
* Commonwealth Edison Co. 95/10/25. 1p. 86064:349-86064:349.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510030101 Revised EPIPs,including Rev 16 to EPIP-6,Rev 15 to EPIP-7, Rev 16 to EPIP-10,Rev 7 to EPIP-11 & Rev 6 to EPIP-13.W/ 950926 ltr.
SALAS,P. Tennessee Valley Authority. 95/09/26. 87pp. 85687:157-85687:243.

9510020331 Notifies of rev to BFN Unit 2 ERDS data point library (DPL). Rev to BFN Unit 2 ERDS DPL encl.BFN Unit 3 ERDS DPL also encl.
SALAS,P. Tennessee Valley Authority. 95/09/27. Document Control Branch (Document Control Desk). 50pp. 85690:001-85690:050.

9510020363 Forwards SE accepting proposed changes to plant EALs, incorporating guidance in NUMARC/NESP-007,rev 2, "Methodology for Development of EALs."
WILLIAMS,J.F. . 95/09/27. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85673:350-85673:358.

--9510020364 Safety evaluation accepting proposed changes to plant EALs.
* . 95/09/27. 8pp. 85673:351-85673:358.

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510160123 Responds to NRC questions re fire protection rept.Util intends to modify safe shutdown analysis portion of rept.
SALAS,P. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85835:349-85835:357.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G., CARIER,P.P. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510250123 Provides notification that util implemented hand geometry biometrics sys for site protected & vital area access control.
SALAS,P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85987:359-85987:360.

P. Operating license stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

9510020191 Provides supplemental info re program for assuring seismic adequacy of flexible conduit in response to verbal request from NRC.
SALAS,P. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85664:338-85664:342.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting seventh annual rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510100194 Confirms open meeting on 951016 in Atlanta,GA to discuss improvements in area of operations at plant,per 950925 conversation between P Salas & OD Kingsley.
LESSER,M.S. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:207-85727:209.

9510100238 Summarizes 950921 meeting w/util at plant to discuss status & schedule for Unit 3 restart activities.List of attendees & handout matl supplied by util encl.
LESSER,M.S. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 44pp. 85728:001-85728:044.

9510100203 Confirms telcon w/P Salas on 950926 re meeting scheduled for 951003 to discuss Service Water Self Assessment followup areas & overall Engineering performance at Browns Ferry Nuclear Plant.
LESSER,M.S. Region 2 (Post 820201). 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85725:190-85725:192.

9510110192 Application for amends to Licenses DPR-33,DPR-52 & DPR-68, revising TS-371 Bases Sections 3.5.A & 3.5.B, "Core Spray Sys & Residual Heat Removal Sys" & 3.5.C, "RHR Svc Water & Emergency Equipment Cooling Water Sys."
SALAS,P. Tennessee Valley Authority. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85782:311-85782:356.

--9510110219 Proposed TS-371 Bases Sections 3.5.A & 3.5.B re core spray & RHRS & 3.5.C re RHR svc water & emergency equipment cooling water sys.
* Tennessee Valley Authority. 95/10/02. 43pp. 85782:314-85782:356.

9510040213 Requests addl info re conformance w/NUREG-0737,item II.E.4.2 & 10CFR50,app J.
WILLIAMS,J.F. . 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85693:351-85693:354.

9510050276 Forwards suppl SE accepting util 931015 submittal of info re seismic design & installation criteria for flexible conduit.
WILLIAMS,J.F. . 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85721:318-85721:323.

--9510050280 Suppl SE re flexible conduit design & installation criteria.
* . 95/10/03. 5pp. 85721:319-85721:323.

9510100325 Confirms installation schedule for Option III methodology of advanced digital power range neutron monitoring upgrade using GE Nuclear Measurement,Analysis & Control equipment, as requested by GL 94-02.
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85756:284-85756:286.

9510160083 Forwards suppl info re conformance w/NUREG-0737,Item II.E.4.2, "Containment Isolation Dependability."
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 6pp. 85834:330-85834:335.

9510160190 Provides suppl info re Unit 3 reactor pressure vessel shell welds augmented exam & ISI Relief Request 3-ISI-17.Rev 0 to Calculation MD-Q3001-940005 encl.
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85836:049-85836:090.

--9510160196 Rev 0 to Calculation MD-Q3001-940005, "Vessel Weld Flaw Evaluation for Browns Ferry Nuclear Plant Unit 3."
WINTERS,E.R. Tennessee Valley Authority. MD-Q3001-940005 R00. 94/02/07. 39pp. 85836:052-85836:090.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510190165 Confirms telcon between P Salas & S Shaefer on 951002 re 951026 meeting to discuss status & schedule for plant restart activities.
LESSER,M.S. Region 2 (Post 820201). 95/10/05. Tennessee Valley Authority. 3pp. 85863:128-85863:130.

9510180166 Summarizes meeting on 951003 in Atlanta,GA to discuss status of corrective actions for licensee svc water self-assessment planned engineering activities for restart of unit 3 & engineering activities to support two-unit operation.
GIBSON,A.F. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 27pp. 85846:106-85846:132.

9510190259 Forwards Rev 0 to TVA-COLR-BF3C7, "Brown Ferry Nuclear Plant Unit 3,Cycle 7," in accordance w/TS 6.9.1.7.
SALAS,P. Tennessee Valley Authority. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85903:342-85903:359.

--9510190261 Rev 0 to "Brown Ferry Nuclear Plant Unit 3,COLR."
RILEY,E.E., BRUCE,A.L, KEYS,T.A. Tennessee Valley Authority. TVA-COLR-BF3C7 R00. 95/09/22. 16pp. 85903:344-85903:359.

9510240307 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
CARIER,P.P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85929:088-85929:093.

9510200303 Notification of 951027 meeting w/TVA in Athens,AL to review Operational Readiness Assessment team findings for Browns Ferry Nuclear Plant Unit 3.
WILLIAMS,J.F. . 95/10/17. HEBDON,F.J. . 3pp. 85898:102-85898:104.

9510240306 Discusses supplemental info provided by TVA on 950803 re BFN Units 2 & 3 conformance w/NUREG-0737 Item II.E.4.2 & 10CFR50 App J.
WILLIAMS,J.F. . 95/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85911:149-85911:151.

9510310218 Forwards rev to commitments to provide continuous indication of containment pressure,piece part component qualification & cable separation for non-divisional cables on Q-list.
SALAS,P. Tennessee Valley Authority. 95/10/25. Document Control Branch (Document Control Desk). 10pp. 86064:336-86064:345.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100335 Ack receipt of 950906 ltr informing NRC of steps taken to correct violations noted in insp repts 50-259/95-38, 50-260/95-38 & 50-296/95-38.
LESSER,M.S. Region 2 (Post 820201). 95/09/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85726:118-85726:120.

9510100260 Forwards insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:336-85727:349.

--9510100270 Insp repts 50-259/95-45,50-260/95-45 & 50-296/95-45 on 950807-11 & 0829-0901.No violations noted.Major areas inspected:fuse control & review of concerns identified as CATDs.
RUDISAIL,S., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/29. 11pp. 85727:339-85727:349.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510160190 Provides suppl info re Unit 3 reactor pressure vessel shell welds augmented exam & ISI Relief Request 3-ISI-17.Rev 0 to Calculation MD-Q3001-940005 encl.
SALAS,P. Tennessee Valley Authority. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85836:049-85836:090.

--9510160196 Rev 0 to Calculation MD-Q3001-940005, "Vessel Weld Flaw Evaluation for Browns Ferry Nuclear Plant Unit 3."
WINTERS,E.R. Tennessee Valley Authority. MD-Q3001-940005 R00. 94/02/07. 39pp. 85836:052-85836:090.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180312 Provides suppl info re BFN Unit 3 RPV shell welds augmented exam & ISI Relief Request 3-ISI-17.W/one oversize encl.
SALAS,P. Tennessee Valley Authority. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85981:145-85981:238.

--9510180319 Rev 0 to "Vessel Flaw Evaluation for BFN Unit 3."
DIAS,K.P., PLAXTON,S.E., RANGANATH,S. General Electric Co. MD-Q3001-920553 R00. 93/02/12. 91pp. 85981:148-85981:238.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180130 Forwards insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85846:079-85846:089.

--9510180136 Insp repts 50-259/95-49,50-260/95-49 & 50-296/95-49 on 950918-22.No violations noted.Major areas inspected:facility performance in operations,engineering & maint of selected risk-related components & activities.
MOORMAN,J.H., PEEBLES,T.A. Region 2 (Post 820201). 95/10/11. 7pp. 85846:083-85846:089.

9510180147 Forwards insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.
CASTO,C.A. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85846:090-85846:105.

--9510180152 Insp repts 50-259/95-53,50-260/95-53 & 50-296/95-53 on 950911-15.No violations noted.Major areas inspected: implementation of MOV program to meet commitments made for unit 3 IAW GL 89-10, "SR MOV Testing & Surveillance."
WHITENER,H., SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 13pp. 85846:093-85846:105.

9510230333 Advises of planned insp effort resulting from Browns Ferry PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85891:296-85891:301.

9510170377 Forwards insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates & NOV.
CASTO,C.A. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85818:229-85818:246.

--9510170389 Notice of violation from insp on stated dates. Violation noted:flare level welds on vertical interfaces of bill of matl item numbers three & four for support number 319092-15-B1102-38 were not completed.
* Region 2 (Post 820201). 95/10/12. 1p. 85818:232-85818:232.

--9510170396 Insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates.Violations noted.Major areas inspected: GSI 40,pipe breaks in BWR scram sys,mods of HVAC supports, large bore piping & supports & CRD piping support mods.
LENAHAN,J.J., BLAKE,J.J. Region 2 (Post 820201). 95/10/11. 14pp. 85818:233-85818:246.

9510240100 Forwards insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916 & notice of violation.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85896:100-85896:145.

--9510240113 Notice of violation from insp on 950813-0916.Violation noted:while performing walkdown of torus interior,inspectors determined that temporary light stringer being utilized within Foreign Matl Exlusion Zone was not logged.
* Region 2 (Post 820201). 95/10/13. 2pp. 85896:104-85896:105.

--9510240130 Insp repts 50-259/95-51,50-260/95-51 & 50-296/95-51 on 950813-0916.Violations noted.Major areas inspected: operations & plant support,maintenance & surveillance activities,recovery actions & review of open items.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 95/10/11. 36pp. 85896:106-85896:145.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270013 Forwards discussion of changes to restart test program & power ascension program.
SALAS,P. Tennessee Valley Authority. 95/10/19. Document Control Branch (Document Control Desk). 26pp. 86012:304-86012:329.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190162 Monthly operating repts for Browns Ferry Nuclear Plant Units 1,2 & 3.W/ 951013 ltr.
SMITH,T.R., SALAS,P. Tennessee Valley Authority. 95/09/30. 13pp. 85900:324-85900:336.

S. Reportable occurrences, LERs & related correspondence

9510030321 Forwards LER 95-003-00,providing details concerning auto start of Unit 3 DGs.
MACHON,R.D. Tennessee Valley Authority. 95/09/26. Document Control Branch (Document Control Desk). 2pp. 85728:115-85728:121.

--9510030325 LER 95-003-00:on 950901,DGs auto start occurred due to personnel error during performance of common accident signal logic surveillance.Secured DGs & EECW pump & counseled electricians to further emphasize need to be more cautious.
HSIEH,C.S. Tennessee Valley Authority. 95/09/26. 5pp. 85728:117-85728:121.

9510190287 PNO-II-95-057:on 951018,util commenced loading fuel into reactor vessel.Fuel loading & other recovery activities monitored by resident inspectors & NRR operational readiness assessment team.
SHAEFFER,S. Region 2 (Post 820201). 95/10/18. 1p. 85897:334-85897:334.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9510100099 Informs that info being provided to plant security manager that could assist in efforts to protect plant against designing-basis threat for sabotage.
HALL,J.R. . 95/10/04. HORN,G.R. Nebraska Public Power District. 4pp. 85757:303-85757:306.

P. Operating license stage documents & correspondence

8707160810 Forwards Amend 38 to License DPR-46 & safety evaluation. Amend revises Tech Specs in response to 750910 & 770104 requests for exemption from 10CFR50,App J.Notice of issuance of amend also encl.
STELLO,V. Office of Nuclear Reactor Regulation, Director. 77/09/16. PILANT,J.M. Nebraska Public Power District. 3pp. 85668:305-85669:254.

--8707160815 Amend 38 to License DPR-46,revising Tech Specs in response to 750910 & 770104 requests for exemptions from requirements of 10CFR50,App J.Safety evaluation supporting amend to license encl.
DAVIS,D.K. Operating Reactors Branch 2 (Pre 800428). 77/09/16. 12pp. 85668:308-85668:319.

--8707160817 Notice of issuance of Amend 38 to License DPR-46,changing Tech Specs to incorporate approved exemptions from certain requirements of 10CFR50,App J re MSIV leak rate testing.
DAVIS,D.K. Operating Reactors Branch 2 (Pre 800428). 77/09/16. 150pp. 85668:320-85669:254.

--8708180118 Requests that util determine if containment leakage testing being conducted in full compliance w/10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Results of study to be submitted within 30 days.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/08/05. PILANT,J.M. Nebraska Public Power District. 6pp. 85668:295-85668:300.

--8708180120 Responds to NRC 750805 reuest for info re compliance w/ 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Util in full compliance w/App J requirements w/listed exceptions.
PILANT,J.M. Nebraska Public Power District. 75/09/10. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 3pp. 85668:292-85668:294.

--8708180140 Responds to NRC 770217 request for addl info re two proposed exemption requests from requirements of 10CFR50,App J.Square root of ratio of pressures used to correct 3 psig leak rates to 58 psig leak rates for personnel airlock leak testing.
PILANT,J.M. Nebraska Public Power District. 77/04/04. ZIEMANN,D.L. Operating Reactors Branch 2 (Pre 790625). 2pp. 85668:303-85668:304.

--8708180143 Forwards request for addl info re listed requests for exemption from requirements of 10CFR50,App J submitted in 750910 ltr.Response should be submitted within 45 days of ltr receipt.
ZIEMANN,D.L. Operating Reactors Branch 2 (Pre 790625). 77/02/17. PILANT,J.M. Nebraska Public Power District. 2pp. 85668:301-85668:302.

--9510020023 "Cooper Nuclear Station Diagnostic Self Assessment, " supporting documentation.
* Nebraska Public Power District. 94/08/31. 150pp. 85667:210-85668:047.

--9510020025 "Cooper Nuclear Station Diagnostic Self Assessment."
* Nebraska Public Power District. 94/09/02. 100pp. 85668:048-85668:207.

--9510020029 Safety evaluation re primary containment sys design.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/14. 84pp. 85668:208-85668:291.

--9510020034 Notifies of 941205 meeting of Cooper Restart Panel.Draft restart action plan encl.
REIS,T. NRC - No Detailed Affiliation Given. 94/11/29. NRC - No Detailed Affiliation Given. 43pp. 85669:255-85669:299.

--9510020035 "Nuclear Power Group Phase 2/3 Performance Improvement Plan W/ Phase 2 Action Plans."
* Nebraska Public Power District. 94/12/09. 100pp. 85669:300-85670:038.

--9510020036 Notifies of 950105 leeting of Cooper Restart Panel.Proposed agenda listed.Related info encl.
REIS,T. NRC - No Detailed Affiliation Given. 95/01/03. NRC - No Detailed Affiliation Given. 150pp. 85670:039-85670:281.

--9510020040 Rev 3 to "Cooper Nuclear Station Startup & Power Ascension Plan."
* Nebraska Public Power District. 95/01/31. 40pp. 85670:335-85671:028.

--9510020042 "Nuclear Power Group Phase 2/3 Performance Improvement Plan W/ Phase 2 Action Plans."
* Nebraska Public Power District. 95/03/06. 150pp. 85671:029-85671:166.

--9510020043 "Nuclear Power Group Phase 3 Performance Improvement Plan."
* Nebraska Public Power District. 95/06/12. 350pp. 85671:167-85672:088.

9510040274 Forwards notice of withdrawal of 930831 application for amend,modifying TS re SGTS,secondary sys & primary containment isolation valves.
HALL,J.R. . 95/10/02. HORN,G.R. Nebraska Public Power District. 4pp. 85713:193-85713:198.

--9510040277 Notice of withdrawal of 930831 application for amend, modifying TS re SGTS,secondary containment & primary containment isolation valves.
HALL,J.R. . 95/10/02. 2pp. 85713:197-85713:198.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240120 Provides 60 day response to GL 95-07 re pressure locking & thermal binding of safety-related power-operated gate valves.
HORN,G.R. Nebraska Public Power District. 95/10/13. Document Control Branch (Document Control Desk). 6pp. 85928:265-85928:270.

9510260105 Submits clarification of control rod mobility testing methodology contained in startup physics testing summary submittals.
MUELLER,J.H. Nebraska Public Power District. 95/10/18. Document Control Branch (Document Control Desk). 3pp. 85998:333-85998:335.

Q. Inspection reports, IE Bulletins & correspondence

9510020015 "Cooper Nuclear Station 1992 SALP Action Plan." Related info encl.
* Nebraska Public Power District. 92/07/31. 400pp. 85665:012-85665:338.

--9510020016 "Cooper Nuclear Station Near Term Integrated Enhancement Program." Related info encl.
* Nebraska Public Power District. 94/02/10. 400pp. 85665:339-85667:017.

--9510020020 "Cooper Nuclear Station Near Term Integrated Enhancement Program."
* Nebraska Public Power District. 94/05/20. 100pp. 85667:018-85667:198.

--9510020022 Rev 0 to "Cooper Nuclear Station Performance Improvement Plans Phase 1:Startup Planning Process."
* Nebraska Public Power District. 94/08/25. 11pp. 85667:199-85667:209.

--9510020037 Notifies of 950201 Cooper Restart Panel meeting re insp.
REIS,T. NRC - No Detailed Affiliation Given. 95/01/31. NRC - No Detailed Affiliation Given. 53pp. 85670:282-85670:334.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020114 Forwards insp rept 50-298/95-11 on 950814-17 & 0912-13 & forwards NOV.Violation of concern because indicates staff inability to identify & correct degraded condition.
DYER,J.E. Region 4 (Post 820201). 95/09/26. HORN,G.R. Nebraska Public Power District. 6pp. 85642:077-85642:095.

--9510020128 Notice of violation from insp on 950814-17 & 0912-13. Violation noted:condition adverse to quality existed & was not promptly identified.
* Region 4 (Post 820201). 95/09/26. 2pp. 85642:083-85642:084.

--9510020135 Insp rept 50-298/95-11 on 950814-17 & 0912-13.Violation noted.Major areas inspected:operations engineering,onsite response to event,event description,sys description, history & synopsis of licensee actions.
HARRELL,P.H. Region 4 (Post 820201). 95/09/26. 11pp. 85642:085-85642:095.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510130278 Final response to FOIA request for documents.Records in App A encl & are being made available for PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/06. PENDLETON,N. Affiliation Not Assigned. 2pp. 85778:195-85778:213.

--9510130292 Investigation rept 4-94-060 on 950817.No noncompliance noted.Major areas investigated:alleged discrimination for reporting safety concern to mgt.
ARMENTA,J., WILLIAMSON,E.L. Region 4 (Post 820201). 95/08/17. 17pp. 85778:197-85778:213.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250234 Forwards Rev 0 to "Third Ten-Yr Interval ISI Program for CNS." Relief Request RI-01 submitted in util 950721 ltr to allow for presence of fillet weld on 10-inch diameter branch connection on HPCI turbine exhaust line withdrawn.
MUELLER,J.H. Nebraska Public Power District. 95/10/18. Document Control Branch (Document Control Desk). 3pp. 85984:001-85985:049.

--9510250236 Rev 0 to "Third Ten-Yr Interval ISI Program for CNS."
* Nebraska Public Power District. 95/10/18. 410pp. 85984:004-85985:049.

9510270376 Forwards insp rept 50-298/95-13 on 950925-29.No violations noted.Concern re operability of four of util MOV that had been previously identified in contractor study as being susceptible to pressure locking,noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/24. HORN,G.R. Nebraska Public Power District. 5pp. 86002:054-86002:070.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160291 Monthly operating rept for Sept 1995 for Cooper Nuclear Plant.W/951010 ltr.
BALLINGER,P.L., HERRON,J.T. Nebraska Public Power District. 95/09/30. 5pp. 85836:133-85836:137.

9510260299 Forwards NRC Form 5s providing occupational radiation exposure data requested in GL 94-04 for personnel employed at plant & predecessor.
MUELLER,J.H. Nebraska Public Power District. 95/10/13. NRC - No Detailed Affiliation Given. 2pp. 86002:316-86002:317.

V. Operator Examinations

9510190179 Requests one-time exemption per 10CFR55.11,from two-year schedule requirement contained in 10CFR55.59(a)(2) in order to allow licensed operator requalification exam cycle to be rescheduled.
MUELLER,J.H. Nebraska Public Power District. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85900:338-85900:341.

9510300112 Forwards results of 951003 GFES of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. HORN,G.R. Nebraska Public Power District. 2pp. 86001:253-86001:254.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510060289 Forwards revs to security plan.Revs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/09/29. Document Control Branch (Document Control Desk). 1p. 85733:347-85733:347.

9510120408 Forwards Public & Central Files versions of revised EPIPs, including Rev 33 to EPIP index,Rev 27 to EPIP form index,Rev 14 to EPIP 3.2 & Rev 33 to EPIP index,Rev 27 to EPIP form index & Rev 14 to EPIP 3.2.Central Files version withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85848:287-85848:326.

--9510120409 Public version of revised EPIPs,including Rev 33 to EPIP index,Rev 27 to EPIP form index,Rev 14 to EPIP 3.2,Rev 12 to EPIP 6.1,Rev 18 to EPIP-22,Rev 17 to EPIP-23,Rev 11 to EPIP-24,Rev 16 to EPIP-25 & Rev 15 to EPIP-26.
* Wisconsin Electric Power Co. 95/10/04. 39pp. 85848:288-85848:326.

9510110003 Responds to violations noted in insp repts 50-266/95-08 & 50-301/95-08.Corrective actions:nonessential radios removed & ringdown of security ofc telephone to CAS discontinued.
LINK,B. Wisconsin Electric Power Co. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85780:157-85780:160.

9510110394 Requests one-time exemption from App E requirement to exercise onsite emergency plan for 1995.
LINK,B. Wisconsin Electric Power Co. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85762:168-85762:171.

9510310197 Forwards FEMA correspondence dtd 950905,transmitting FEMA evaluation rept for 941206 Emergency Preparedness Exercise at Point Beach Nuclear Power Plant.
CREED,J.R. Region 3 (Post 820201). 95/10/24. LINK,R. Wisconsin Electric Power Co. 2pp. 86003:258-86004:031.

--9510050189 Transmits FEMA final exercise rept for 941206, "Exercise of Offsite Radiological ER Plans for plant." Identified two deficiencies & thirteen areas requiring corrective action. Deficiencies corrected during 950426 exercise.
HEPLER,O.M. Federal Emergency Management Agency. 95/09/05. CRUTCHFIELD,D. . 2pp. 86003:260-86003:261.

--9510050194 "Exercise Rept-Plant-Joint Exercise on 941206."
* Federal Emergency Management Agency. 95/08/02. 134pp. 86003:262-86004:031.

H. General correspondence

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

P. Operating license stage documents & correspondence

9510030251 Ltr contract NRC-02-95-002 definitizing task order 10, "Technical Assistance in Review of Technical Problems RE VSC-24 at Plant."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5073. 95/09/28. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 85673:278-85673:281.

9510170258 Forwards request for addl info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes."
LINK,B. Wisconsin Electric Power Co. 95/10/06. Document Control Branch (Document Control Desk). 5pp. 85864:278-85864:282.

9510240370 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
LINK,B. Wisconsin Electric Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85929:292-85929:293.

9510130082 Notification of 951018 meeting w/util to discuss design of new reactor fuel.
HANSEN,A.G. . 95/10/10. MARCUS,G.H. . 3pp. 85801:317-85801:319.

9510170176 Forwards amends 163 & 167 to licenses DPR-24 & DPR-27 & SE. Amends change TS section 15.3.0,applicable bases,including bases for TS 15.3.3 & editorial mods.
HANSEN,A.G. . 95/10/12. LINK,R.E. Wisconsin Electric Power Co. 3pp. 85833:238-85833:257.

--9510170182 Amends 163 & 167 to licenses DPR-24 & DPR-27,respectively, changing TS 15.3.0,applicable bases,including TS 15.3.3 & editorial mods.
HANSEN,A.G. . 95/10/12. 13pp. 85833:241-85833:253.

--9510170186 Safety evaluation supporting amends 163 & 167 to licenses DPR-24 & DPR-27,respectively.
* . 95/10/12. 4pp. 85833:254-85833:257.

9510170410 Submits response to inquiry into reliability of radiation monitors re mods to Tech Specs Section 15.4.1, "Operational Safety Review."
LINK,B. Wisconsin Electric Power Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85862:293-85862:294.

9510190022 Submits response to RAI re TS change request 171 concerning heatup & cooldown limit curve expiration date extension.
LINK,B. Wisconsin Electric Power Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85886:001-85886:258.

--9510190023 Rev 3 to "Reactor Cavity Neutron Measurement Program for Wisconsin Electric Power Co at Point Beach Unit 2."
OSBORNE,M.P. Westinghouse Electric Corp. WCAP-12795 R03. 95/08/31. 256pp. 85886:003-85886:258.

9510200288 Forwards Amends 164 & 168 to Licenses DPR-24 & DPR-27 & safety evaluation.Amends change TS Sections 15.6.2, "Organization," & 15.6.3,"Facility Staff Qualifications."
HANSEN,A.G. . 95/10/12. LINK,R.E. Wisconsin Electric Power Co. 3pp. 85883:138-85883:150.

--9510200294 Amends 164 & 168 to licenses DPR-24 & DPR-27,respectively. Amends change TS Sections 15.6.2, "Organization," & 15.6.3, "Facility Staff Qualifications."
HANSEN,A.G. . 95/10/12. 8pp. 85883:141-85883:148.

--9510200305 Safety evaluation supporting Amends 164 & 168 to Licenses DPR-24 & DPR-27,respectively.
* . 95/10/12. 2pp. 85883:149-85883:150.

9510200194 Forwards SE re station blackout mod at Point Beach Nuclear Plant,Units 1 & 2 after installation of addl EDGs.
HANSEN,A.G. . 95/10/16. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85883:130-85883:137.

--9510200202 Safety evaluation supporting station blackout mod at plant after installation of EDGs.
* . 95/10/16. 4pp. 85883:134-85883:137.

9510260186 Summary of 950907 meeting w/NSP & WEPCO re merger of two utilities & future applications to NRC re merger.List of attendees & overhead slides used during presentation encl.
WETZEL,B.A. . 95/10/18. . 20pp. 85947:280-85947:299.

9510240097 Application for amend to licenses DPR-24 & DPR-27,revising modified TS 15.3.1.G, "Operational Limitation," Spec 3.b,to reduce RCS raw measured total flow rate limit by 4000 gpm for Unit 2.
LINK,B. Wisconsin Electric Power Co. 95/10/19. Document Control Branch (Document Control Desk). 10pp. 85976:239-85976:257.

--9510240108 Proposed tech specs,revising modified TS Section 15.3.1.G, "Operational Limitations," Spec 3.b,to reduce RCS raw measured total flow rate limit by 4000 gpm for Unit 2.
* Wisconsin Electric Power Co. 95/10/19. 3pp. 85976:249-85976:257.

9510310079 Forwards notice of consideration related to 950913 application for amend.Proposed amend would revise TS Section 15.1, "Definitions," bases for TS Section 15.3.1.G, "Operational Limitations" & TS Figure 15.2.1-2.
HANSEN,A.G. . 95/10/19. LINK,R.E. Wisconsin Electric Power Co. 2pp. 86033:101-86033:110.

--9510310089 Notice of consideration of issuance of amends to licenses DPR-24 & DPR-27 & proposed NSHC determination & opportunity for hearing.Amends would revise TS 15.1, "Definition," bases for TS 15.3.1.G, "Operational Limitations," & TS 15.2.1-2.
HANSEN,A.G. . 95/10/19. 8pp. 86033:103-86033:110.

9510260139 Summary of 951018 meeting w/util in Rockville,MD re new reactor fuel,scheduled to be loaded in fall of 1997.List of attendees encl.
HANSEN,A.G. . 95/10/23. . 9pp. 85947:271-85947:279.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110003 Responds to violations noted in insp repts 50-266/95-08 & 50-301/95-08.Corrective actions:nonessential radios removed & ringdown of security ofc telephone to CAS discontinued.
LINK,B. Wisconsin Electric Power Co. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85780:157-85780:160.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190260 Advises of planned insp effort resulting from Point Beach PPR review on 950907 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/13. LINK,R. Wisconsin Electric Power Co. 3pp. 85863:350-85863:352.

9510240340 Submits addl info to clarify PCC QA program,per NRC insp exit meeting on 950929.
KRIESER,G.M. Wisconsin Electric Power Co. 95/10/13. O'CONNER,S. NRC - No Detailed Affiliation Given. 8pp. 85929:252-85929:259.

9510200154 Forwards exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. LINK,R. Wisconsin Electric Power Co. 2pp. 85871:167-85871:251.

-9510200177 Exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.Exam results:one SRO passed both written & operating exam.
OSTERHOLTZ,C., BURDICK,T. Region 3 (Post 820201). 95/10/16. 83pp. 85871:169-85871:251.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510130037 Monthly operating repts for Sept 1995 for Point Beach Nuclear Plant.W/ 951005 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 95/09/30. 9pp. 85810:337-85810:345.

V. Operator Examinations

9510190263 Provides individual exam results for applicant who took Oct 1995 initial license exam.Info considered proprietary.
BURDICK,T.M. Region 3 (Post 820201). 95/10/06. SEIZERT,R.D. Wisconsin Electric Power Co. 2pp. 85863:353-85863:354.

9510200154 Forwards exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. LINK,R. Wisconsin Electric Power Co. 2pp. 85871:167-85871:251.

-9510200177 Exam repts 50-266/OL-95-01 & 50-301/OL-95-01 administered during wk of 951002.Exam results:one SRO passed both written & operating exam.
OSTERHOLTZ,C. Region 3 (Post 820201). 95/10/16. 83pp. 85871:169-85871:251.

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9510020160 Responds to NRC 950901 ltr re violation noted in insp rept 50-302/95-13 re postulated fire that could result in makeup tank vortexing & 10CFR50,App R concern.Formal operability evaluation conducted in accordance w/NOD-14
BEARD,P.M. Florida Power Corp. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:328-85664:330.

9510020170 Informs of removal of Control Complex 164 ft elevation Thermo-Lag fire barrier & that compensatory fire watches no longer required,based on util evaluation of function of barrier,fire hazards & FP features of fire area boundary.
BEARD,P.M. Florida Power Corp. 95/09/26. Document Control Branch (Document Control Desk). 2pp. 85682:277-85682:278.

9510100167 Confirms 950925 telcon between G Longhouser & C River re cancellation of 950928 meeting.Purpose of meeting to discuss security upgrade,plan rev & vehicle barriers.
COLLINS,D.M. Region 2 (Post 820201). 95/09/26. BEARD,P.M. Florida Power Corp. 3pp. 85727:204-85727:206.

9510030110 Comment supporting petition for rulemaking PRM-50-61 re proposed App S as improvement over existing App R on basis that it allows utilities to apply fire protection resources in proportion to safety significance of plant areas.
KELLEY,L.C. Florida Power Corp. 95/09/27. Docketing & Services Branch. 7pp. 85643:328-85643:334.

9510050008 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
RAGHAVAN,L. . 95/09/28. BEARD,P.M. Florida Power Corp. 3pp. 85722:358-85722:360.

9510170359 Forwards insp rept 50-302/95-17 on 950905-08.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. BEARD,P.M. Florida Power Corp. 3pp. 85818:200-85818:207.

-9510170363 Insp rept 50-302/95-17 on 950905-08.No violations noted. Major areas inspected:security training & qualification & safeguards info.
TOBIN,W.J., STRATTON,L.C., COLLINS,D.M. Region 2 (Post 820201). 95/10/02. 5pp. 85818:203-85818:207.

9510110109 Rev 12 to Annunciator Response AR-603, "TGF O Annunciator Response."
* Florida Power Corp. 95/10/04. 114pp. 85781:159-85781:269.

9510130001 Rev 23 to AR-403, "PSA H Annunciator Response."
* Florida Power Corp. 95/10/05. 150pp. 85807:001-85807:197.

9510240175 Informs that actions requested in GL 95-07 to evaluate pressure locking & thermal binding of safety-related power-operated gate valves will be implemented.
BOLDT,G.L. Florida Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:197-85929:198.

9510240211 Requests exemption from Section III.G.2 of 10CFR50,App R as applies to certain redundant cables & equipment in RCB at plant.
BOLDT,G.L. Florida Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 17pp. 85928:314-85928:328.

9510300067 Rev 72 to EPIP EM-206, "Emergency Plan Roster Notification."
STEPHENSON,J. Florida Power Corp. 95/10/20. 19pp. 86043:329-86043:347.

9510300167 Revised EPIPs,including Rev 3 to EOP-02,Rev 3 to EOP-03,Rev 3 to EOP-04,Rev 4 to EOP-06,Rev 4 to EOP-08,Rev 1 to EOP-09 & Rev 2 to EOP-10.
* Florida Power Corp. 95/10/23. 286pp. 86058:001-86058:286.

9510310384 Summary of 951019 meeting w/licensee in Rockville,MD re strategy for resolution of Thermo-Lag fire barrier issue.
RAGHAVEN,L. . 95/10/24. . 34pp. 86033:174-86033:207.

H. General correspondence

9510190024 Requests that NRC update svc list to reflect change to cc: listing currently found after signature page of NRC correspondence sent to util.
KELLEY,L.C. Florida Power & Light Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85885:356-85885:357.

P. Operating license stage documents & correspondence

9510100343 Forwards significant issues identified as result of review summarized in matrix.
GIBSON,A.F. Region 2 (Post 820201). 95/09/15. MERSCHOFF,E.W. Region 2 (Post 820201). 5pp. 85726:139-85726:143.

9510020170 Informs of removal of Control Complex 164 ft elevation Thermo-Lag fire barrier & that compensatory fire watches no longer required,based on util evaluation of function of barrier,fire hazards & FP features of fire area boundary.
BEARD,P.M. Florida Power Corp. 95/09/26. Document Control Branch (Document Control Desk). 2pp. 85682:277-85682:278.

9510100273 Confirms 950928 telcon between L Kelley & R Schin re meeting requested by NRC scheduled for 951013 at plant to discuss status of progress on corrective action plan.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. BEARD,P.M. Florida Power Corp. 3pp. 85727:354-85727:356.

9510050079 Forwards exemption from requirements of 10CFR50,app J re delay of next required type A leakage rate test,for period of approx 24 months.
MATTHEWS,D.B. . 95/09/29. BEARD,P.M. Florida Power Corp. 4pp. 85721:277-85721:288.

-9510050095 Exemption from requirements of 10CFR50,App J, "Containment Design."
VARGA,S.A. . 95/09/29. Florida Power Corp. 8pp. 85721:281-85721:288.

9510060337 Notification of 951019 meeting w/Florida Power Corp in Rockville,MD to discuss licensee proposed strategy for resolving thermolag issues.
RAGHAVAN,L. . 95/10/03. MATTHEWS,D.B. . 2pp. 85737:304-85737:307.

9510180225 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. BEARD,P.M. Florida Power Corp. 7pp. 85847:351-85847:352.

9510160112 Advises that util has elected to utilize optical disk document imaging sys for storage & retrieval of QA records.
BEARD,P.M. Florida Power Corp. 95/10/05. Document Control Branch (Document Control Desk). 1p. 85833:353-85833:353.

9510170367 Submits addl info to support TS Change Request 199 re rated thermal power increase to 2568 MWT.
BEARD,F.M. Florida Power Corp. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85862:359-85862:360.

9510240252 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revises Region II organizational charts.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. BEARD,P.M. Florida Power Corp. 8pp. 85897:078-85897:085.

9510230256 Discusses 951013 meeting w/Crystal River nuclear in Crystal River,FL re status of corrective action plan.
LANDIS,K.D. Region 2 (Post 820201). 95/10/16. BEARD,P.M. Florida Power Corp. 100pp. 85891:001-85891:100.

9510240175 Informs that actions requested in GL 95-07 to evaluate pressure locking & thermal binding of safety-related power-operated gate valves will be implemented.
BOLDT,G.L. Florida Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:197-85929:198.

9510240211 Requests exemption from Section III.G.2 of 10CFR50,App R as applies to certain redundant cables & equipment in RCB at plant.
BOLDT,G.L. Florida Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 17pp. 85928:314-85928:328.

9510270346 Clarifies commitment for use of self-contained breathing apparatus by Crystal River Unit 3 control room operators during event involving toxic gas.
BEARD,P.M. Florida Power Corp. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 86052:204-86052:207.

9510300176 Requests concurrence to perform surveillance of eight exempted tendons from fifth tendon surveillance w/sixth tendon surveillance scheduled for Refuel 11 outage in Spring of 1998.
BEARD,P.M. Florida Power Corp. 95/10/23. Document Control Branch (Document Control Desk). 6pp. 86051:318-86051:323.

9510310281 Forwards request for addl info needed in order to continue review of application to amend TS to utilize alternate methodology for dispositioning small vol,low signal-to-noise eddy current indications in OTSGs.
RAGHAVEN,L. . 95/10/24. BEARD,P.M. Florida Power Corp. 11pp. 86033:147-86033:157.

9510310384 Summary of 951019 meeting w/licensee in Rockville,MD re strategy for resolution of Thermo-Lag fire barrier issue.
RAGHAVEN,L. . 95/10/24. . 34pp. 86033:174-86033:207.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020160 Responds to NRC 950901 ltr re violation noted in insp rept 50-302/95-13 re postulated fire that could result in makeup tank vortexing & 10CFR50,App R concern.Formal operability evaluation conducted in accordance w/NOD-14
BEARD,P.M. Florida Power Corp. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:328-85664:330.

9510170359 Forwards insp rept 50-302/95-17 on 950905-08.No violations or deviations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. BEARD,P.M. Florida Power Corp. 3pp. 85818:200-85818:207.

--9510170363 Insp rept 50-302/95-17 on 950905-08.No violations noted. Major areas inspected:security training & qualification & safeguards info.
TOBIN,W.J., STRATTON,L.C., COLLINS,D.M. Region 2 (Post 820201). 95/10/02. 5pp. 85818:203-85818:207.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230320 Informs that NRC staff completed semiannual plant performance review of Crystal River.Staff conducts reviews for all operating NPP to develop an integrated understanding of safety performance.Insp plan encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/10. BEARD,P.M. Florida Power Corp. 5pp. 85890:290-85890:294.

9510240074 Forwards insp rept 50-302/95-16 on 950806-0916 & notices of violation & deviation.
LANDIS,K.D. Region 2 (Post 820201). 95/10/13. BEARD,P.M. Florida Power Corp. 4pp. 85895:264-85895:331.

--9510240078 Notice of violation from insp on 950806-0916.Violation noted:licensee procedure to perform flow balance of decay heat closed cooling water sys to makeup pump 1A motor inadequate.
* Region 2 (Post 820201). 95/10/13. 2pp. 85895:268-85895:269.

--9510240090 Notice of deviation from insp on 950806-0916.Deviation noted:licensee determined that TSC ventilation sys had not been maintained on sys,resulting in high flow rate of 4600 cfm in emergency mode of operation.
* Region 2 (Post 820201). 95/10/13. 2pp. 85895:270-85895:271.

--9510240104 Insp rept 50-302/95-16 on 950806-0916.Violation & deviation noted.Major areas inspected:plant operations,surveillance & maint observations,plant support,self assessment,on-site engineering evaluation & follow-up.
BUTCHER,R., LANDIS,K. Region 2 (Post 820201). 95/10/11. 60pp. 85895:272-85895:331.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170002 Monthly operating rept for Sept 1995 for Crystal River Unit 3.W/951010 ltr.
DAO,T.V., BOLDT,G.L. Florida Power Corp. 95/09/30. 5pp. 85836:214-85836:218.

S. Reportable occurrences, LERs & related correspondence

9510020143 LER 95-015-00:on 950830,revised calculations lead to non- conservative EFIC setpoint that resulted in entry in ITS 3.0.3.Caused by change in methodology used by util engineering personnel.Changed EFIC setpoints.W/950928 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power & Light Co. 95/09/28. 8pp. 85689:116-85689:123.

9510020240 LER 95-016-00:on 950831,revised calculations lead to non- conservative EFIC setpoint that resulted in operation outside design basis.Caused by change in methodology used by util personnel.Changed EFIC sys.W/950929 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power & Light Co. 95/09/29. 8pp. 85689:001-85689:008.

9510300073 LER 95-018-00:on 950922,determined that inadequate improved TS (ITS) note allowed delayed entry into ITS LCO,resulting in violation of ITS.Caused by personnel error.Clarified note in ITS SR 3.3.7.1.W/951023 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 95/10/23. 9pp. 86089:322-86089:330.

9510300238 Rescinds 1-h non-emergency rept (NRC Event 29384) re two valves,when opened simultaneously,comprising operation outside design basis of plant.
HICKLE,B.J. Florida Power Corp. 95/10/25. Document Control Branch (Document Control Desk). 2pp. 86051:347-86051:348.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510260326 Revised CEPIPs,including CEPIP-2000 series to table of contents & Rev 2 to CEPIP-2121-01, "Augmentation Caller Instructions."
* Commonwealth Edison Co. 95/09/28. 19pp. 86002:342-86002:360.

9510100061 Provides update re status of upgrades to Thermo-Lag 330-1 fore-barriers installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85756:305-85756:306.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510260079 Provides update re status of upgrades to Thermo-Lag 330-1 fire barriers previously installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. . 2pp. 85998:331-85998:332.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510200033 Advises that 950908 rev 37 to security plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 95/10/17. JOHNSON,I. Commonwealth Edison Co. 2pp. 85912:259-85912:260.

9510240037 Discusses written rept to NRC on 950119 re security officer who falsified security records which allowed unauthorized contractor access to protected area on 940819,22 & 23.
GRANT,G.E. Region 3 (Post 820201). 95/10/20. TUETKEN,R. Commonwealth Edison Co. 4pp. 85896:039-85896:042.

9510260002 Forwards response to NRC 950713 ltr re violations noted in insp repts 50-295/95-08 & 50-304/95-08.Corrective actions: Zion Administration Procedure (ZAP) 1200-10 will be revised & ZAP 900-02 for fire impairments will be revised.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85995:329-85995:332.

P. Operating license stage documents & correspondence

9510110191 Rev 1.6 to "ODCM," Chapers 10 & 12 for Zion Station.
* Commonwealth Edison Co. 95/08/31. 84pp. 85761:204-85761:289.

9510020069 Provides updated status for GL 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment."
SIMPKIN,T.W. Commonwealth Edison Co. 95/09/27. Document Control Branch (Document Control Desk). 12pp. 85681:300-85681:311.

9510020177 Forwards response to NRC RAI for GL 95-03, "Circumferential Cracking of SG Tubes."
SCHWARTZ,G.K. Commonwealth Edison Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85682:293-85682:300.

9510020178 Notifies staff of rev in approach taken for indicator power supplies for valves.
SIMPKIN,T.W. Commonwealth Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 3pp. 85682:301-85682:303.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510050025 Forwards amends 169 & 156 to licenses DPR-39 & DPR-48 & safety evalution.Amends revise secondary undervoltage setpoint.
SHIRAKI,C.Y. . 95/10/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85720:334-85720:350.

--9510050030 Amends 169 & 156 to licenses DPR-39 & DPR-48,respectively, revising secondary undervoltage setpoint.
SHIRAKI,C.Y. . 95/10/02. 9pp. 85720:336-85720:344.

--9510050031 Safety evaluation supporting amends 169 & 156 to licenses DPR-39 & DPR-48,respectively.
* . 95/10/02. 5pp. 85720:345-85720:350.

9510100061 Provides update re status of upgrades to Thermo-Lag 330-1 fore-barriers installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85756:305-85756:306.

9510260079 Provides update re status of upgrades to Thermo-Lag 330-1 fire barriers previously installed at plant.
VONK,M.J. Commonwealth Edison Co. 95/10/02. . 2pp. 85998:331-85998:332.

9510110135 Application for amends to licenses DPR-39 & DPR-48,revising TS 4.3.1.B SG tube SR to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
SIMPKIN,T.W. Commonwealth Edison Co. 95/10/06. Document Control Branch (Document Control Desk). 8pp. 85781:294-85781:311.

--9510110137 Proposed tech specs,revising TS 4.3.1.B SG tube SR to incorporate new acceptance criteria for SG tubes w/degradation in tubesheet roll expansion region.
* Commonwealth Edison Co. 95/10/06. 10pp. 85781:302-85781:311.

9510200229 Advises that encl notice of consideration of issuance of amend to license,proposed no significant hazards consideration determination,& opportunity for hearing has been forwarded to Office of FR for publication.
SHIRAKI,C.Y. . 95/10/11. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85871:292-85871:303.

--9510200236 Notice of consideration of issuance of amend to Licenses DPR-39 & DPR-48,proposed NSHC determination & opportunity for hearing.Amends change definition of F* distance in TS.
SHIRAKI,C.Y. . 95/10/10. 10pp. 85871:294-85871:303.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510200231 Forwards amends 170 & 157 to licenses DPR-39 & DPR-48 & safety evaluation.Amends modify surveillance requirements for EDG.
SHIRAKI,C.Y. . 95/10/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85900:054-85900:063.

--9510200233 Amends 170 & 157 to licenses DPR-39 & DPR-48,respectively, modifying surveillance requirements for EDG.
SHIRAKI,C.Y. . 95/10/16. 8pp. 85900:056-85900:063.

9510200238 Safety evaluation supporting amends 170 & 157 to licenses DPR-39 & DPR-48,respectively.
* . 95/10/16. 4pp. 85900:064-85900:067.

9510240266 Discusses evaluation of anomaly responses for pump & valve IST program at Zion Nuclear Station,Units 1 & 2.
SHIRAKI,C.Y. . 95/10/17. FARRAR,D.L. Commonwealth Edison Co. 17pp. 85911:055-85911:071.

9510270015 Forwards addendum to NPDES permit IL0002763.
HOLDEN,L.E. Commonwealth Edison Co. 95/10/19. MILLER,H.J. Region 3 (Post 820201). 145pp. 86048:016-86048:160.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310194 Amends 171 & 158 to licenses DPR-39 & DPR-48,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative conrols section of TS.
SHIRAKI,C.Y. . 95/10/20. 12pp. 86010:122-86010:133.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190235 Informs that on 950905,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR review.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. TUETKEN,R. Commonwealth Edison Co. 3pp. 85863:262-85863:264.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260002 Forwards response to NRC 950713 ltr re violations noted in insp repts 50-295/95-08 & 50-304/95-08.Corrective actions: Zion Administration Procedure (ZAP) 1200-10 will be revised & ZAP 900-02 for fire impairments will be revised.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85995:329-85995:332.

9510260003 Forwards response to NRC 950922 ltr re violations noted in insp repts 50-295/95-14 & 50-304/95-14.Corrective actions: performed applicable sections of procedure Periodic Test 5-1 to satisfy monthly channel functional test requirement.
TUETKEN,R. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 13pp. 85995:333-85995:345.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180050 Monthly operating repts for Sept 1995 for Zion Generating Station.W/ 951012 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 95/09/30. 13pp. 85864:332-85864:344.

S. Reportable occurrences, LERs & related correspondence

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

9510310224 Forwards Special Repts 304-123-95-004SR & 295-123-95-005SR re failure of 2A & "0" EDGs,respectively.
SCHWARTZ,G.K. Commonwealth Edison Co. 95/10/25. Document Control Branch (Document Control Desk). 2pp. 86064:346-86064:349.

--9510310236 Special Rept 304-123-95-004SR:on 950925,valid failure of EDG 2A occurred due manipulation of motor operated potentiometer (MOP).EDG 2A secured & MOP replaced.Subsequent testing successful.
* Commonwealth Edison Co. 95/10/25. 1p. 86064:348-86064:348.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9510040232 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
LAUFER,R.J. . 95/10/03. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 85693:273-85693:276.

9510200140 Revised EPIPs,including Rev M to EP-AD-19,Rev AO to APPX-A-2,Rev AO to APPX-A-5,Rev N to APPX-A-6,Rev L to APPX-A-7,Rev I to EPIP Form AD 7.1,Rev A to EPIP Form AD 7.3 & Rev A to EPIP Form ENV 1.1.W/951012 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 95/10/12. 39pp. 85911:298-85911:336.

9510180132 Provides response to request for addl info re individual plant exam for external events submittal,per Suppl 4 to GL 88-20.Revised summary of fire core melt frequency & release category results presented as App A.
STEINHARDT,C. Wisconsin Public Service Corp. 95/10/13. Document Control Branch (Document Control Desk). 81pp. 85868:093-85868:173.

P. Operating license stage documents & correspondence

9510020290 Forwards summary of calculated voltages & currents determined by load flow program against measured voltages & currents at various points in ESF electrical distribution sys at plant during plant operation,per 921217 commitment.
MARCHI,M.L. Wisconsin Public Service Corp. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85689:348-85689:350.

9510160115 Application for amend to license DPR-43,redefining pressure boundary for Westinghouse hybrid expansion joint sleeves.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/10/06. Document Control Branch (Document Control Desk). 19pp. 85835:309-85835:334.

--9510160116 Proposed tech specs,redefining pressure boundary for Westinghouse hybrid expansion joint sleeves.
* Wisconsin Public Service Corp. 95/10/06. 7pp. 85835:328-85835:334.

9510180132 Provides response to request for addl info re individual plant exam for external events submittal,per Suppl 4 to GL 88-20.Revised summary of fire core melt frequency & release category results presented as App A.
STEINHARDT,C. Wisconsin Public Service Corp. 95/10/13. Document Control Branch (Document Control Desk). 81pp. 85868:093-85868:173.

9510240056 Provides 60 day response which advises of intentions & general approaches in meeting schedule & recommendations of GL 95-07.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:160-85929:162.

9510240249 Requests permission to dispose of addl very-low-level radioactive matl from plant sewage treatment facility,on area identified on encl map.
MARCHI,M.L. Washington Public Power Supply System. 95/10/17. Document Control Branch (Document Control Desk). 3pp. 85929:001-85929:003.

9510240345 Proposed Amend 120A to license DPR-43,modifying & clarifying operability requirements for main steam safety valves,AFW sys & condensate storage tank sys.
STEINHARDT,C.R. Wisconsin Public Service Corp. 95/10/18. Document Control Branch (Document Control Desk). 15pp. 85929:260-85929:285.

--9510240352 Proposed tech specs modifying & clarifying operability requirements for main steam safety valves,AFW sys & condensate storage tank sys.
* Wisconsin Public Service Corp. 95/10/18. 11pp. 85929:275-85929:285.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190212 Forwards insp rept 50-305/95-09 on 950710-0903.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/09/27. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 85863:238-85863:250.

--9510190218 Insp rept 50-305/95-09 on 950710-0903.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & corrective actions of previous findings.
FARBER,M.J. Region 3 (Post 820201). 95/09/27. 11pp. 85863:240-85863:250.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190252 Advises of planned insp effort resulting from Kewuanee PPR review on 950907 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/13. MARCHI,M.L. Wisconsin Public Service Corp. 3pp. 85863:344-85863:346.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510300183 Forwards addl info requested in NRC 950615 ltr re safety insp rept 50-305/95-06 on 950522-26 re grouping of valves, plans for justification of assumptions for stem lubrication degradation & open stroke valve factors.
MARCHI,M.L. Wisconsin Public Service Corp. 95/10/24. Document Control Branch (Document Control Desk). 16pp. 86052:301-86052:334.

--9510300188 "MOV Valve Factor & Load Sensitive Behavior Evaluation."
* Wisconsin Public Service Corp. C10836. 95/10/24. 18pp. 86052:317-86052:334.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180019 Monthly operating rept for Sept 1995 for Kewaunee Nuclear Power Plant.W/951010 ltr.
ANDERSON,M.L., MARCHI,M.L. Wisconsin Public Service Corp. 95/09/30. 5pp. 85866:309-85866:313.

S. Reportable occurrences, LERs & related correspondence

9510110239 LER 95-005-00:on 950905,spurious RT occurred during surveillance testing.Caused by misaligned contact on trip relay which completed two out of four trip logic.Inspected affected protection channels.W/951005 ltr.
HARRINGTON,G.I., MARCHI,M.L. Wisconsin Public Service Corp. 95/10/05. 9pp. 85806:311-85806:319.

V. Operator Examinations

9510200095 Discusses 951012 telcon re arrangements made for administration of licensing exams at plant during wk of 960226.Requests that licensee furnish proposed exam outlines by 951228 in order to meet listed schedule.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 85871:008-85871:011.

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510170171 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage (ref NUREG/CR-5172).
KIM,T., WETZEL,B.A. . 95/09/29. ANDERSON,R.O. Northern States Power Co. 3pp. 85881:302-85881:304.

9510200198 Forwards amends 120 & 113 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS section 3.14 (fire protection & detection sys limiting conditions for operation).
WETZEL,B.A. . 95/10/06. ANDERSON,R.O Northern States Power Co. 3pp. 85898:279-85898:317.

--9510200205 Amends 120 & 113 to licenses DPR-42 & DPR-60,respectively, revising TS 3.14 re fire protection & detection sys,limiting conditions for operation & TS 4.16 re fire detection & protection.
WETZEL,B.A. . 95/10/06. 29pp. 85898:282-85898:311.

--9510200212 Safety evaluation supporting amends 120 & 113 to licenses DPR-42 & DPR-60,respectively.
* . 95/10/06. 6pp. 85898:312-85898:317.

9510250113 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
WADLEY,M.D. Northern States Power Co. 95/10/13. Document Control Branch (Document Control Desk). 8pp. 85987:345-85987:352.

H. General correspondence

9510310359 Forwards response to NRC 950925 RAI re reactor vessel head cracking issue raised in 950605 2.206 petition for plant.
WADLEY,M.D. Northern States Power Co. 95/10/24. Document Control Branch (Document Control Desk). 4pp. 86066:358-86066:361.

P. Operating license stage documents & correspondence

9510020028 Provides written notification of plants decision to use modified procedures for focused scope plants to satisfy objectives of seismic portion of IPEEE,in response to GL 88-20,Suppl 5.
HILL,W.J. Northern States Power Co. 95/09/25. Document Control Branch (Document Control Desk). 4pp. 85681:321-85681:324.

9510020237 Forwards request for addl info re issue raised in 950605,2.206 petition which dealt w/potential cracking of vessel head penetrations at plant.
WETZEL,B.A. . 95/09/25. ANDERSON,R.O. Northern States Power Co. 4pp. 85673:328-85673:331.

9510200198 Forwards amends 120 & 113 to licenses DPR-42 & DPR-60, respectively & safety evaluation.Amends revise TS section 3.14 (fire protection & detection sys limiting conditions for operation).
WETZEL,B.A. . 95/10/06. ANDERSON,R.O Northern States Power Co. 3pp. 85898:279-85898:317.

--9510200205 Amends 120 & 113 to licenses DPR-42 & DPR-60,respectively, revising TS 3.14 re fire protection & detection sys,limiting conditions for operation & TS 4.16 re fire detection & protection.
WETZEL,B.A. . 95/10/06. 29pp. 85898:282-85898:311.

--9510200212 Safety evaluation supporting amends 120 & 113 to licenses DPR-42 & DPR-60,respectively.
* . 95/10/06. 6pp. 85898:312-85898:317.

9510250113 Forwards response to RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
WADLEY,M.D. Northern States Power Co. 95/10/13. Document Control Branch (Document Control Desk). 8pp. 85987:345-85987:352.

9510230059 Forwards Rev 13 to H Procedures H4, "ODCM," in support of 950717 LAR re RETS conformance to STS & GL 89-01.
WADLEY,M.D. Northern States Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85912:001-85912:201.

--9510230062 Rev 13 to H Procedure H4, "ODCM."
* Northern States Power Co. 95/10/16. 197pp. 85912:004-85912:201.

9510250161 Provides 60 day response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
WADLEY,M.D. Northern States Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85983:314-85983:316.

9510260186 Summary of 950907 meeting w/NSP & WEPCO re merger of two utilities & future applications to NRC re merger.List of attendees & overhead slides used during presentation encl.
WETZEL,B.A. . 95/10/18. . 20pp. 85947:280-85947:299.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110293 Requests relief from 10-yr interval ISI program.
ANDERSON,R.O. Northern States Power Co. 95/10/05. Document Control Branch (Document Control Desk). 8pp. 85762:123-85762:130.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190268 Advises of planned insp effort resulting from Prairie Island PPR review on 950906 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. WATZL,E. Northern States Power Co. 3pp. 85863:359-85863:361.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110046 Monthly operating repts for Sept 1995 for Prairie Island Nuclear Generating Plant.W/951004 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 95/09/30. 9pp. 85759:331-85759:339.

S. Reportable occurrences, LERs & related correspondence

9510180118 LER 95-004-00:on 950907,lockout of 2RY transformer resulted in auto-start of number 22 CCW pump.Caused by ground fault on B phase substation terminal of feeder cable from 2RSY transformer.Replaced all substation potheads.W/951010 ltr.
HUNSTAD,A.A., ANDERSON,R.O. Northern States Power Co. 95/10/10. 5pp. 85855:168-85855:171.

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

Y. Dry Cask Independent Spent Fuel Storage Installations

9509280031 Ack receipt of 950731 ltr responding to special dry cask insp repts 50-282/95-02,50-306/95-02 & 72-0010/95-02.
KROPP,W.J. Region 3 (Post 820201). 95/09/18. ANDERSON,R.O. Northern States Power Co. 1p. 85613:003-85613:003.

9510110243 Forwards license amend request for license SNM-2506, proposing rev to TS 6.3,which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85783:278-85783:288.

--9510110252 Application for amends to license SNM-2506,revising TS, which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. 6pp. 85783:280-85783:285.

--9510110261 Proposed tech specs correcting inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Genrating Plant TS.
* Northern States Power Co. 95/10/02. 3pp. 85783:286-85783:288.

9510270018 Forwards rev 4 to "Prairie Island ISFSI SAR" & proprietary figures by Transnuclear,Inc.Proprietary figures withheld.
WADLEY,M.D. Northern States Power Co. 95/10/19. Document Control Branch (Document Control Desk). 10pp. 86021:124-86021:225.

--9510270021 Rev 4 to "Prairie Island ISFSI SAR."
* Northern States Power Co. 95/10/31. 88pp. 86021:134-86021:220.

--9510270023 Requests that proprietary figues from SAR for Prairie Island ISFSI be withheld (ref 10CFR2.790).
DAWSON,D.M. Transnuclear, Inc. 95/10/09. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 86021:221-86021:225.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9510020157 Discusses insp rept 50-309/95-15 on 950626-30 & 0720 & forwards NOV.Violation of concern because procedure weaknesses led to two examples of failure to follow procedure by util.
RULAND,W.H. Region 1 (Post 820201). 95/09/20. FRIZZLE,C.D. Maine Yankee Atomic Power.Co. 4pp. 85642:118-85642:147.

--9510020164 Notice of violation from insp on 950626-30 & 0720.Violation noted:procedure required to implement fire protection program not adhered to by util personnel.
* Region 1 (Post 820201). 95/09/20. 2pp. 85642:122-85642:123.

--9510020167 Insp rept 50-309/95-15 on 950626-30 & 0720.Violation noted. Major areas inspected:overall adequacy,implementation & maint of plant fire protection program.
HARRISON,L.M., RULAND,W.H. Region 1 (Post 820201). 95/09/18. 21pp. 85642:124-85642:147.

9510030280 Rev 17 to Procedure 2-50-16, "Protective Action Recommendations."
* Maine Yankee Atomic Power Co. 95/09/26. 3pp. 85696:324-85696:326.

9510020077 Forwards exemption request for separation of redundant flux monitoring circuits inside containment from lower pressurizer cubicle wall to crane wall,as extension of 831222 exemption request,in ref to NRC Bulletin 92-001.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85681:249-85681:255.

9510100400 Advises that 950825 rev 21 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/09/29. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85765:294-85765:296.

9510040218 Informs that info being provided to plant security manager that could assist in efforts to protect plant against threat for sabotage.
MCKEE,P.F. . 95/10/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 85704:328-85704:331.

9510160097 Rev 5 to EPIP 2-50-25, "Emergency Equipment Readiness Check."
* Maine Yankee Atomic Power Co. 95/10/05. 3pp. 85833:350-85833:352.

9510250333 Responds to NRC 950920 ltr re violation noted in Insp rept 50-309/95-15.Corrective actions:performed evaluation of all open fire permits & of all open combustible matl permits & initiated change to procedure 3-19-7.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85985:311-85985:314.

P. Operating license stage documents & correspondence

9510100180 Extends invitation to Region I licensees to participate w/NRC & Region I representatives on 951102 in Wayne,PA to discuss principal technical issues,experiences & analyses of pressure locking & thermal binding.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85725:076-85725:082.

9510020323 Informs that util set up QA procedures to incorporate timely chemical analysis & sample welds to verify purity of nitrogen gas used in welding of SG sleeves.
WHITTIER,G.D. Maine Yankee Atomic Power Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85690:235-85690:242.

9510040316 Advises of correction to amend 151 re svc water/component cooling pump subsystem reduced flow operation.
TROTTIER,E.H. . 95/09/28. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 85718:159-85718:162.

9510060028 Informs that response to 950804 ltr not supported by licensee investigation & prior written statements & plan no further action w/respect to matter.
MARTIN,T.T. Region 1 (Post 820201). 95/09/29. HAYNES,C. Affiliation Not Assigned. 2pp. 85693:023-85693:026.

--9508160023 Informs that more formal enforcement action not warranted concerning MYAP investigation & subsequent termination of employment for falsifying records re insp of delivery of fuel oil on 950119 & disposal of left over oil sample.
MARTIN,T.T. Region 1 (Post 820201). 95/08/04. HAYNES,C. Affiliation Not Assigned. 1p. 85693:025-85693:025.

--9510060040 Submits account of activities re 950119 event which led to termination of employee in response to ltr of reprimand issued on 950804.
HAYNES,C.R. Affiliation Not Assigned. 95/09/01. MARTIN,T.T. Region 1 (Post 820201). 1p. 85693:026-85693:026.

9510050081 Forwards amend 153 to license DPR-36 & SE.Amend extends STI for radiation area & effluent & process monitors from monthly to quarterly.
TROTTIER,E.H. . 95/10/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85722:185-85722:196.

--9510050086 Amend 153 to license DPR-36,extending STI for radiation area & effluent & process monitors from monthly to quarterly.
MCKEE,P.F. . 95/10/02. 6pp. 85722:188-85722:193.

--9510050089 Safety evaluation supporting amend 153 to license DPR-36.
* . 95/10/02. 3pp. 85722:194-85722:196.

9510250148 Submits 60 day response re implementation of requested actions for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
WHITTIER,G.D. Maine Yankee Atomic Power Co. 95/10/20. Document Control Branch (Document Control Desk). 3pp. 85983:309-85983:311.

Q. Inspection reports, IE Bulletins & correspondence

9510020157 Discusses insp rept 50-309/95-15 on 950626-30 & 0720 & forwards NOV.Violation of concern because procedure weaknesses led to two examples of failure to follow procedure by util.
RULAND,W.H. Region 1 (Post 820201). 95/09/20. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 85642:118-85642:147.

--9510020164 Notice of violation from insp on 950626-30 & 0720.Violation noted:procedure required to implement fire protection program not adhered to by util personnel.
* Region 1 (Post 820201). 95/09/20. 2pp. 85642:122-85642:123.

--9510020167 Insp rept 50-309/95-15 on 950626-30 & 0720.Violation noted. Major areas inspected:overall adequacy,implementation & maint of plant fire protection program.
HARRISON,L.M., RULAND,W.H. Region 1 (Post 820201). 95/09/18. 21pp. 85642:124-85642:147.

9510020196 Forwards insp rept 50-309/95-19 on stated date.No violations noted.
LINVILLE,J.C. Region 1 (Post 820201). 95/09/20. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85642:242-85642:256.

--9510020200 Insp rept 50-309/95-19 on stated date.No violations noted. Major areas inspected:resident insp & safety assessment of plant activities including operations,maint,engineering & overall plant support.
LAZARUS,W.J. Region 1 (Post 820201). 95/09/15. 12pp. 85642:245-85642:256.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020077 Forwards exemption request for separation of redundant flux monitoring circuits inside containment from lower pressurizer cubicle wall to crane wall,as extension of 831222 exemption request,in ref to NRC Bulletin 92-001.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85681:249-85681:255.

9510020307 Responds to NRC 950829 ltr re violation noted in insp rept 50-309/95-16.Corrective actions:all out of calib equipment replaced & Radiation Protection instrument technicians & supervisor counseled.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85689:353-85689:355.

9510040215 Summary of 950914 public meeting in Wiscasset,ME re steam generator insp history & summary description of project plan,goals & expectations,self assessments & quality verification,performance variables & future insp plans.
TROTTIER,E.H. . 95/09/29. . 88pp. 85693:132-85693:216.

9510060027 Discusses investigation re insp of delivery of fuel oil on 950119.Notifies of decision not to take any actions against licensee.
MARTIN,T.T. Region 1 (Post 820201). 95/09/29. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 85693:019-85693:022.

9510060028 Informs that response to 950804 ltr not supported by licensee investigation & prior written statements & plan no further action w/respect to matter.
MARTIN,T.T. Region 1 (Post 820201). 95/09/29. HAYNES,C. Affiliation Not Assigned. 2pp. 85693:023-85693:026.

--9508160023 Informs that more formal enforcement action not warranted concerning MYAP investigation & subsequent termination of employment for falsifying records re insp of delivery of fuel oil on 950119 & disposal of left over oil sample.
MARTIN,T.T. Region 1 (Post 820201). 95/08/04. HAYNES,C. Affiliation Not Assigned. 1p. 85693:025-85693:025.

9510100058 Forwards SALP rept 50-309/95-99 for 940206-950826.
MARTIN,T.T. Region 1 (Post 820201). 95/10/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 85725:041-85725:054.

--9510100062 SALP rept 50-309/95-99 for 940206-950826.
* Region 1 (Post 820201). 95/10/02. 10pp. 85725:045-85725:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110023 Notification of significant licensee meeting 95-91 w/util on 951006 to discuss results of NRC SALP for period of 940206- 950826.
ROGGE,J. Region 1 (Post 820201). 95/10/04. Region 1 (Post 820201). 2pp. 85729:080-85729:081.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250333 Responds to NRC 950920 ltr re violation noted in Insp rept 50-309/95-15.Corrective actions:performed evaluation of all open fire permits & of all open combustible matl permits & initiated change to procedure 3-19-7.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/10/20. Document Control Branch (Document Control Desk). 4pp. 85985:311-85985:314.

9510270078 Discusses insp rept 50-309/95-22 on 950827-0930 & forwards notice of violation.
ROGGE,J.F. Region 1 (Post 820201). 95/10/20. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 85939:071-85939:102.

--9510270084 Notice of violation from insp on 950827-0930.Violation noted:two individuals exited restricted area enclosed walkway to outside area w/o performing required hand & foot contamination survey.
* Region 1 (Post 820201). 95/10/20. 2pp. 85939:074-85939:075.

--9510270093 Insp rept 50-309/95-22 on 950827-0930.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support,specialist insp of SG tube sleeving activities.
ROGGE,J.F. Region 1 (Post 820201). 95/10/18. 27pp. 85939:076-85939:102.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510250167 Monthly operating rept for Sept 1995 for MYAP. W/951017 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/30. 6pp. 85983:317-85983:322.

S. Reportable occurrences, LERs & related correspondence

9510020370 LER 95-011-00:on 950803,discovered seat ring degradation in Contromatics butterfly valves.Caused by excessive crush of seat ring due to tolerance stack-up of mating parts.Valves will be modified by machining seat retainers.W/950928 ltr.
BRAND,E., HEBERT,J.R. Maine Yankee Atomic Power Co. 95/09/28. 4pp. 85685:354-85685:357.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280229 Discusses 920212 visit to plant to discuss decision to use 3M cable tray wrap matl.3M fire test rept used to qualify subj matl documents test which appears to have failed.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/02/21. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:252-85950:296.

9510050168 Revised EPIPs,including Rev 54 to EPIP table of contents & Rev 54 to EPIP 204S, "Emergency Response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 95/09/17. 61pp. 85726:283-85726:343.

9510060079 Revised EPIPs,including Rev 28 to table of contents & Rev 4 to EPIP 401, "Emergency Response Manager - Response."
* Public Service Electric & Gas Co. of New Jersey. 95/09/25. 12pp. 85735:245-85735:256.

9510130382 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
OLSHAN,L.N., JAFFE,D.H. . 95/09/28. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 85801:310-85801:314.

9510170417 Revised "Salem Event Classification Guide."
* Public Service Electric & Gas Co. of New Jersey. 95/10/07. 21pp. 85865:252-85865:272.

9510260114 Revised "Salem Generating Station Event Classification Guide," including Rev 45 to table of contents,Rev 26 to signature section i-18,Rev 6 to Section 7,Rev 9 to Section 17 & Rev 11 to Section 18.
* Public Service Electric & Gas Co. of New Jersey. 95/10/12. 20pp. 85996:143-85996:162.

H. General correspondence

9510190222 "NRC Staff Proposes to Fine PSEG $600,000 for six alleged violations of NRC Requirements at Salem Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 95/10/17. 2pp. 85897:326-85897:328.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100214 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 7pp. 85727:007-85727:013.

9510050020 Application for amends to licenses DPR-70 & DPR-75, representing changes to "RCS - Chemistry" Spec 3/4.4.7 & Spec 3/4.4.8.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 12pp. 85726:205-85726:228.

--9510050021 Proposed tech specs,representing changes to "RCS - Chemistry" Spec 3/4.4.7 & Spec 3/4.4.8.
* Public Service Electric & Gas Co. of New Jersey. 95/09/28. 12pp. 85726:217-85726:228.

9510050120 Application for amends to licenses DPR-70 & DPR-75,modifying spec 3/4.8.1.2 electrical power sources - shutdown.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 10pp. 85728:327-85728:342.

--9510050124 Proposed tech specs,modifying spec 3/4.8.1.2 electrical power sources - shutdown.
* Public Service Electric & Gas Co. of New Jersey. 95/09/28. 6pp. 85728:337-85728:342.

9510100032 Discusses 950825 request for relief from 4 h notification requirements of 10CFR50.72(b)(2)(vi),reporting minor exceedances of New Jersey opacity stds for DG & AB.
OLSHAN,L . 95/10/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85757:165-85757:168.

9510160231 Submits request for ASME Code Case N-523, "Mechanical Clamping Devices for Class 2 & 3 Piping," per GL 90-05.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/10. Document Control Branch (Document Control Desk). 7pp. 85836:091-85836:098.

9510250100 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:338-85987:340.

9510250370 Submits response to NRC request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/17. Document Control Branch (Document Control Desk). 9pp. 85988:171-85988:179.

9510260146 Submits comments on rept, "Review of NUREG-1435,suppl 4, 'Status of Safety Issues at Licensed Power Plants.'"
STOLZ,J.F. . 95/10/20. TOSCH,K.W. General Public Utilities Corp. - GPU Service Corp. 3pp. 85947:308-85947:311.

9510270371 Requests copies of encl to NRC 940121 ltr to PSE&G & Attachment 1 to PSE&G 940523 ltr.
JAN,F. ASTA, Inc. 95/10/20. STOLZ,J. . 1p. 86048:295-86048:302.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020209 Forwards request for addl info re Requalification Training Program Insp Repts 50-272/95-08 & 50-311/95-08.Corrective actions:barrier analysis used to determine root cause based on guidance provided in util Procedure NC.NA-BP.ZZ-0002(Z).
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 9pp. 85690:211-85690:219.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180284 Forwards notice of violation & proposed imposition of civil penalties re insp repts 50-272/94-32,50-311/94-32, 50-272/95-02,50-311/95-02,50-272/95-07,50-311/95-07, 50-272/95-10 & 50-311/95-10.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/10/16. FERLAND,E.J. Public Service Electric & Gas Co. of New Jersey. 4pp. 85848:132-85848:142.

--9510180296 Notice of violation & proposed imposition of civil penalty in amount of $600,000.Noncompliance noted:failure to promptly identify & correct conditions adverse to quality at Salem facility.
* Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/10/16. 7pp. 85848:136-85848:142.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270079 Forwards insp repts 50-272/95-18 & 50-311/95-18 on 950918-22.No violation observed.
WHITE,J.R. Region 1 (Post 820201). 95/10/18. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 85939:103-85939:115.

--9510270082 Insp repts 50-272/95-18 & 50-311/95-18 on 950918-22.No violations noted.Major areas inspected:training & qualifications,external exposure control,internal exposure control & exposure reduction.
NOGGLE,J., WHITE,J. Region 1 (Post 820201). 95/10/18. 11pp. 85939:105-85939:115.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190091 Monthly operating rept for Sept 1995 for Salem Unit 2.W/ 951011 ltr.
PHILLIPS,R., HELLER,R., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 95/09/30. 7pp. 85900:261-85900:267.

9510310408 NPDES discharge monitoring repts for Sept 1995 for Salem Generating Station.W/951023 ltr.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 95/09/30. CAPORALE,G. New Jersey, State of. 19pp. 86073:308-86073:326.

V. Operator Examinations

9510040238 Ltr contract,task order 24,definitizing task order 23,to "Technical Assistance in Initial Exam for Salem Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85704:337-85704:340.

9510020209 Forwards request for addl info re Requalification Training Program Insp Repts 50-272/95-08 & 50-311/95-08.Corrective actions:barrier analysis used to determine root cause based on guidance provided in util Procedure NC.NA-BP.ZZ-0002(Z).
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/09/28. Document Control Branch (Document Control Desk). 9pp. 85690:211-85690:219.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9510060037 Discusses changes to Rancho Seco Nuclear Generating Station Emergency Plan,Rev 7.Rev changes requirement for conducting Quarterly Emergency Communication Sys Test from "should be conducted" to "shall be conducted."
SCARANO,R.A. Region 4 (Post 820201). 95/10/02. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 85693:033-85693:035.

H. General correspondence

9510190137 Comment supporting proposed rule 10CFR2,50,51 re decommissioning of Nuclear Power Reactors.
REDEKER,S. Sacramento Municipal Utility District. 95/10/17. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 85863:092-85863:096.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030201 Forwards insp rept 50-312/95-03 on 950821-24.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 85644:068-85644:086.

--9510030206 Insp rept 50-312/95-03 on 950821-24.No violations noted. Major areas inspected:operational safety verfication, spent fuel pool activities,radiation protection program & environmental monitoring.
CAIN,C.L. Region 4 (Post 820201). 95/09/26. 14pp. 85644:073-85644:086.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

W. Decommissioning Stage Documents & Correspondence

9510040276 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," to be withheld from public disclosure (ref 10CFR73.1(a)).
DUDLEY,R.F. . 95/09/26. REDEKER,S.J. Sacramento Municipal Utility District. 4pp. 85713:199-85713:202.

9510110367 Forwards amend 123 to license DPR-54 & safety evaluation. Amend permits SMUD to change fuel storage bldg crane load handling limits in order to permit off-load of SFA from SFP to Rancho Seco Independent Spent Fuel Storage Installation.
DUDLEY,R.F. . 95/10/05. REDEKER,S.J. Sacramento Municipal Utility District. 3pp. 85765:345-85765:355.

--9510110382 Amend 123 to license DPR-54,permitting SMUD to change fuel storage bldg crane load handling limits in order to permit off-load of SFA from SFP to Rancho Seco Independent Spent Fuel Storage Installation.
WEISS,S.H. . 95/10/05. 5pp. 85765:348-85765:352.

--9510110386 Safety evaluation supporting amend 123 to license DPR-54.
* . 95/10/05. 3pp. 85765:353-85765:355.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9510040289 Forwards Amend 13 to ANO Unit 1 USAR & Rev 3 to ANO Units 1 & 2 "Fire Hazards Analysis."
YELVERTON,J.W. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 6pp. 85739:001-85743:322.

--9510040300 Rev 3 to "Fire Hazards Analysis."
* Entergy Operations, Inc. 95/05/04. 392pp. 85742:291-85743:322.

9510030020 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85685:334-85685:337.

9510180113 Advises that 950922 Rev 34 to industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
SCARANO,R.A. Region 4 (Post 820201). 95/10/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85867:294-85867:298.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510040289 Forwards Amend 13 to ANO Unit 1 USAR & Rev 3 to ANO Units 1 & 2 "Fire Hazards Analysis."
YELVERTON,J.W. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 6pp. 85739:001-85743:322.

--9510040296 Amend 13 to USAR for ANO Unit 1.
* Entergy Operations, Inc. 95/09/25. 1,350pp. 85739:008-85742:290.

--9510040300 Rev 3 to "Fire Hazards Analysis."
* Entergy Operations, Inc. 95/05/04. 392pp. 85742:291-85743:322.

P. Operating license stage documents & correspondence

9510040329 Forwards RAI re sys generator tube insp amend request.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85713:335-85713:339.

9510050042 Forwards TER for rev 2 of plant Offsite Dose Calculation Manual.Objective of TER to evaluate how well plant OCDM conforms w/methodology & guidance of listed NRC documents.
KALMAN,G. . 95/09/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85722:124-85722:150.

--9510050049 "Technical Evaluation Rept for Arkansas Nuclear One,Units 1 & 2 Plants ODCM,Rev 2."
MORCOS,N., AKERS,D.W. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0473. 95/09/30. NRC - No Detailed Affiliation Given. 23pp. 85722:128-85722:150.

9510040333 Forwards Safety Evaluation re Topical Rept ENEAD-01-P, "Qualification of Reactor Physics Methods for Application to PWR of Entergy Sys." Rept acceptable for ref in licensing applications.
KALMAN,G. . 95/09/29. TITUS,F.W. Entergy Operations, Inc. 4pp. 85713:340-85713:354.

--9510040334 Safety evaluation re topical rept ENEAD-01-P,rev 0, "Qualification of Reactor Physics Methods for Application to Pressurized Water Reactors of Entergy Sys." Rept acceptable.
* . 95/09/29. 11pp. 85713:344-85713:354.

9510040293 Forwards Rev 18 to "ANO QA Manual Operations."
YELVERTON,J.W. Entergy Operations, Inc. 95/10/02. Document Control Branch (Document Control Desk). 7pp. 85709:027-85709:194.

--9510040299 Rev 18 to "ANO QA Manual Operations."
* Entergy Operations, Inc. 95/10/02. 160pp. 85709:034-85709:194.

9510170083 Forwards list of Westinghouse Alloy 600 TT mechanical plugs in use at facility.
MIMS,D.C. Entergy Operations, Inc. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85846:357-85846:360.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510170385 Submits response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
MIMS,D.C. Entergy Operations, Inc. 95/10/12. Document Control Branch (Document Control Desk). 17pp. 85862:239-85862:255.

9510190285 Informs that util will like to submit IPEEE/USI A-46 summary repts by 960331 for Units 1 & 2,in order to allow sufficient time to complete review,per GL 88-20.
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85885:329-85885:330.

9510190360 Forwards NRC 950922 ltr providing on page 2 requested signature signifying util acceptance of conditions stated in NRC 950922 ltr re SCDAP/RELAP5 cpmputer code.
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85911:248-85911:251.

--9510190367 Responds to request to obtain latest version of SCDAP/RELAP5 code & SCDAP/RELAP5 input deck for ANO Unit 2.Approves util access to SCDAP/RELAP5 code within restrictions listed.
ADER,C.E. Accident Evaluation Branch (Post 941217). 95/09/22. MIMS,D.C. Entergy Operations, Inc. 2pp. 85911:250-85911:251.

9510240044 Provides sixty day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power Operated Gate Valves."
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:154-85929:155.

9510310335 Requests summary of design basis of plant,Units 1 & 2 emergency cooling pond to enable NRC to evaluate adequacy of cooling pond & document design related info.
KALMAN,G. . 95/10/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 86035:163-86035:166.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510040329 Forwards RAI re sys generator tube insp amend request.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85713:335-85713:339.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160092 Requests approval,per 10CFR50.55a(a)(3) for use of ASME Code Case N-532 as alternative to ASME Section XI Code requirements.
MIMS,D.C. Entergy Operations, Inc. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85834:356-85834:359.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170345 Forwards insp repts 50-313/95-21 & 50-368/95-21 on 950911-14.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85818:170-85818:183.

--9510170353 Insp repts 50-313/95-21 & 50-368/95-21 on 950911-14.No violations noted.Major areas inspected:radiation protection program including,audits & appraisals,changes,planning & preparation & external exposure control.
MURRAY,B. Region 4 (Post 820201). 95/10/11. 10pp. 85818:174-85818:183.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270362 Discusses insp repts 50-313/95-23 & 50-368/95-23 on 951002-06 & forwards NOV.Violation of concern because it indicates lack of understanding by craft personnel of procedural requirements & mgt expectations.
GWYNN,T.P. Region 4 (Post 820201). 95/10/24. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85999:333-85999:352.

--9510270363 Notice of violation from insp on 951002-06.Violation noted:951005,during continuous welding on unit 2 vol control tank bypass valve 2CV-4826,welders did not verify interpass temp before applying next layer of weld metal.
* Region 4 (Post 820201). 95/10/24. 2pp. 85999:338-85999:339.

--9510270367 Insp repts 50-313/95-23 & 50-368/95-23 on 951002-06.No Violations noted.Major areas inspected:inservice insp program & associated work activities.
POWERS,D.A. Region 4 (Post 820201). 95/10/19. 13pp. 85999:340-85999:352.

9510300205 Forwards request for addl info re ISI Relief Request 95-001. Relief request provided basis for supporting elimination of required ultrasonic exam of reactor vessel transition-piece- to-bottom-head weld.W/three oversize drawings.
MIMS,D.C. Entergy Operations, Inc. 95/10/24. Document Control Branch (Document Control Desk). 7pp. 86084:075-86084:079.

9510300078 Forwards insp repts 50-313/95-24 & 50-368/95-24 on 950828-0906.No violations noted.Violation of concern because past design change failed to maintain design bases of plant.
CALLAN,L.J. Region 4 (Post 820201). 95/10/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 86001:226-86001:240.

--9510300088 Insp repts 50-313/95-24 & 50-368/95-24 on 950828-0906.No violations noted.Major areas inspected:licensee identified unit 2 design deficiency where single failure of direct current electrical bus could affect both trains.
REIS,T. Region 4 (Post 820201). 95/10/20. 10pp. 86001:231-86001:240.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190196 Monthly operating rept for Sept 1995 for ANO Unit 1. W/951019 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/09/30. 7pp. 85901:345-85901:351.

9510300102 Forwards 10CFR50.59 summary rept for 1994,containing brief description of changes in procedures & in facility as described in SAR.
MIMS,D.C. Entergy Operations, Inc. 95/10/25. Document Control Branch (Document Control Desk). 121pp. 86043:108-86043:228.

S. Reportable occurrences, LERs & related correspondence

9510110247 LER 95-010-00:on 950904,failed to establish alternate radioactive gaseous effluent sampling within one h due to lack of guidance re prioritization for restoration of sampling capability.Inspected equipment.W/951004 ltr.
CANTWELL,D., MIMS,D.C. Entergy Operations, Inc. 95/10/04. 5pp. 85806:320-85806:324.

V. Operator Examinations

9510300121 Forwards results of 951003 GFES of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 86001:273-86001:274.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510170193 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
HICKMAN,J. . 95/09/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85881:314-85881:316.

9510060255 Forwards security concern details.Requests results of review & disposition of recent security procedure changes & training on procedures within 30 days of ltr.W/o encl.
CREED,J.R. Region 3 (Post 820201). 95/10/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 85711:020-85711:021.

9510170050 Responds to 941122 response to RAI re plant proposed emergency action levels,forwarding suppl RAI to support resolution of remaining issues.Suppl RAI encl.
HICKMAN,J.B. . 95/10/06. FITZPATRICK,E. Indiana Michigan Power Co. 28pp. 85881:185-85881:212.

9510200110 Forwards FEMA 950909 correspondence transmitting evaluation rept for 950509 EP Exercise at plant.Informs that two deficiencies & seven areas requiring corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/10/06. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 85871:050-85871:101.

--9510200114 Forwards final rept for 950509,plume exposure pathway exercise of offsite radiological emergency response plans site-specific to DC Cook NPP.
BURKETT,M.M. Federal Emergency Management Agency. 95/09/18. Region 3 (Post 820201). 2pp. 85871:052-85871:053.

--9510200249 "Final Rept for 950509 Plume Exposure Pathway Excercise of Offsite Radiological Emergency Response plans to site- specific to DC Cook Nuclear Power Station."
* Federal Emergency Management Agency. 95/10/06. 42pp. 85871:054-85871:101.

9510180240 Advises that 950815 rev to QA program description consistent w/provisions of 10CFR50.54(a),App B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/12. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 85847:354-85847:355.

9510200126 Forwards insp repts 50-315/95-11 & 50-316/95-11 on 950919. No violation noted.
GRANT,G.E. Region 3 (Post 820201). 95/10/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85871:146-85871:153.

--9510200128 Insp repts 50-315/95-11 & 50-316/95-11 on 950919.No violations noted.Major areas inspected:review oflicensee investigation of circumstances involving granting of unescorted access authorization to contract employee.
CREED,J.R. Region 3 (Post 820201). 95/10/13. 4pp. 85871:150-85871:153.

P. Operating license stage documents & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--8508070424 Forwards safety evaluation & SALP input re util 840308,0615, 27 & 0813 requests for three deviations from App A to Branch Technical Position APCSB 9.5-1.Deviations re seismic gaps & ventilation duct penetrations acceptable.
JOHNSTON,W.V. Assistant Director for Matls, Chem. & Environ Technology (830201-851124). 85/07/29. LAINAS,G.C. Assistant Director for Operating Reactors. 300pp. 85965:010-85966:023.

9510020041 Forwards rev 4 to "DC Cook Nuclear Plant,Unit 1,Cycle 15, COLR."
FITZPATRICK,E. Indiana Michigan Power Co. 95/09/26. Document Control Branch (Document Control Desk). 2pp. 85683:240-85683:253.

--9510020045 Rev 4 to "DC Cook Nuclear Plant Unit 1,Cycle 15,COLR."
* Indiana Michigan Power Co. 95/09/30. 12pp. 85683:242-85683:253.

9510050010 Forwards amends 201 & 186 to licenses DPR-58 & DPR-74, respectively & SE.Amends would delete TS sections & tables titled "Component Cyclic or Transient Limits" & relocate info to updated final safety analysis rept.
HICKMAN,J.B. . 95/09/28. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85721:254-85721:276.

--9510050013 Amends 201 & 186 to licenses DPR-58 & DPR-74,respectively, deleting TS section & tables titled "Conponent Cyclic or Transient Limits" & relocate info to updated final safety analysis rept.
HICKMAN,J.B. . 95/09/28. 16pp. 85721:257-85721:272.

--9510050018 Safety evaluation supporting amends 201 & 186 to licenses DPR-58 & DPR-74,respectively.
* . 95/09/28. 4pp. 85721:273-85721:276.

9510130176 Provides commitments re barrel former bolt issue for DC Cook Nuclear Plant Unit 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85810:348-85810:350.

9510170024 Forwards amends 202 & 187 to licenses DPR-58 & DPR-74 & SE. Amends modify TSs 3/4.3.1 & 3/4.3.2 & accompanying Bases,to relocated tables of response time limits to UFSAR.
HICKMAN,J.B. . 95/10/10. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 85881:136-85881:169.

--9510170031 Amends 202 & 187 to licenses DPR-58 & DPR-74,respectively, modifying TSs 3/4.3.1. & 3/4.3.2 & accompanying Bases,to relocate tables of response time limits to UFSAR.
HICKMAN,J.B. . 95/10/10. 27pp. 85881:139-85881:165.

--9510170035 Safety evaluation supporting amends 202 & 187 to licenses DPR-58 & DPR-74,respectively.
* . 95/10/10. 4pp. 85881:166-85881:169.

9510180173 Constitutes request to withdraw proposed changes to 1994 updated QA program description,addressing ltr dtd 950815.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 18pp. 85868:075-85868:092.

9510200213 Informs that version of submitted info marked as proprietary (WCAP-13187) will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HICKMAN,J.B. . 95/10/11. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 85900:094-85900:096.

9510180036 Responds to RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/13. Document Control Branch (Document Control Desk). 5pp. 85866:354-85866:358.

9510180146 Submits results of eddy current steam generator tube insp & subsequent steam generator tube repairs performed on steam generators during 1995 Unit 1 refueling outage.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/13. Document Control Branch (Document Control Desk). 7pp. 85867:329-85867:335.

9510250094 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
FITZPATRICK,E. Indiana Michigan Power Co. 95/10/13. Document Control Branch (Document Control Desk). 6pp. 85987:327-85987:332.

9510270161 Forwards amends 203 & 188 to licenses DPR-58 & DPR-74, respectively,& safety evaluation.Amend revises surveillance requirements for safety-related pump testing to eliminate recirculation alignments.
HICKMAN,J.B. . 95/10/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85949:337-85949:359.

--9510270202 Amends 203 & 188 to licenses DPR-58 & DPR-74,respectively, revising TS surveillance requirements for safety-related pump testing to eliminate recirculation alignments.
HICKMAN,J.B. . 95/10/17. 16pp. 85949:340-85949:355.

--9510270214 Safety evaluation supporting amends 203 & 188 to licenses DPR-58 & DPR-74,respectively.
* . 95/10/17. 4pp. 85949:356-85949:359.

9510270081 Forwards WCAP-14447, "Repair Boundary for Parent Tube Indications Within Upper Joint Zone of Hybrid Expansion Joint Sleeved Tubes."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/20. Document Control Branch (Document Control Desk). 1p. 86015:142-86015:223.

--9510270085 "Repair Boundary for Parent Tube Indications Within Upper Joint Zone of Hybrid Expansion Joint Sleeved Tubes."
KEATING,R.F., CULLEN,W.K., KUCHIRKA,P.J. Westinghouse Electric Corp. WCAP-14447. 95/09/30. 81pp. 86015:143-86015:223.

9510310308 Application for amends to licenses DPR-58 & DPR-74,proposing to add exemption to TS 4.0.4 in surveillance requirements for MSIV.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/20. Document Control Branch (Document Control Desk). 7pp. 86075:323-86075:354.

--9510310312 Proposed tech specs adding exemption to TS 4.0.4 in SR for MSIV.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/20. 26pp. 86075:330-86075:354.

9510300141 Forwards addl info requested re 950804 proposed TS changes re hybrid expansion joint sleeved tube repair boundary limits,in response to 950814 followup telcon & 950901 RAI.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/23. Document Control Branch (Document Control Desk). 25pp. 86043:229-86043:253.

9510310313 Forwards "Cook Nuclear Plant IPE," Rev 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/26. Document Control Branch (Document Control Desk). 55pp. 86065:001-86066:043.

--9510310315 Rev 1 to "Cook Nuclear Plant IPE."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/31. 110pp. 86065:057-86066:043.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160144 Responds to NRC 950912 ltr re violations noted in insp repts 50-315/95-09 & 50-316/95-09.Corrective actions:operators briefed shift supervisors on mgt expectations for procedure use & strict adherance.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 12pp. 85835:073-85835:084.

9510190269 Advises of planned insp effort resulting from DC Cook PPR review on 950906 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85864:048-85864:051.

9510180146 Submits results of eddy current steam generator tube insp & subsequent steam generator tube repairs performed on steam generators during 1995 Unit 1 refueling outage.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/13. Document Control Branch (Document Control Desk). 7pp. 85867:329-85867:335.

9510200126 Forwards insp repts 50-315/95-11 & 50-316/95-11 on 950919. No violation noted.
GRANT,G.E. Region 3 (Post 820201). 95/10/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85871:146-85871:153.

--9510200128 Insp repts 50-315/95-11 & 50-316/95-11 on 950919.No violations noted.Major areas inspected:review officensee investigation of circumstances involving granting of unescorted access authorization to contract employee.
CREED,J.R. Region 3 (Post 820201). 95/10/13. 4pp. 85871:150-85871:153.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160283 Forwards monthly operating rept for Sept 1995 for DC Cook Nuclear Plant Unit 1 & revised rept for Jul 1995.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/09. Document Control Branch (Document Control Desk). 1p. 85836:122-85836:127.

--9510160285 Monthly operating rept for Sept 1995 for DC Cook Unit 1.
JANISSE,J.D. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/30. 4pp. 85836:123-85836:126.

--9510160287 Revised monthly operating rept for Jul 1995 for DC Cook Unit 1.
BUSSONE,G.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/07/31. 1p. 85836:127-85836:127.

S. Reportable occurrences, LERs & related correspondence

9510050134 LER 95-008-00:on 950918,spent fuel pool exhaust sys was made inoperable by loss of auxiliary bldg integrity during fuel movement w/o compensatory actions being taken.Immediately stopped fuel movement.W/951002 ltr.
NOBLE,D., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/02. 4pp. 85728:202-85728:205.

9510060031 Forwards notifications re spill of hydraulic oil to intake forebay & discharge of monethanolamine through heating boiler blowdown that exceed concentrations submitted in NPDES application.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85735:223-85735:228.

--9510060042 NPDES noncompliance notification:on 950831,determined that discharge from Outfall 00C (heating boiler blowdown) exceeded concentration of monethanolamine submitted in NPDES application due to valve being aligned in open position.
FITZGERALD,D.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/07. MORLEY,F. Michigan, State of. 2pp. 85735:225-85735:226.

--9510060044 NPDES noncompliance notification:on 950829,hydraulic oil spill occurred while divers using hydraulic brushes to remove zebra mussels from plant screenhouse intake forebay walls.Oil absorbent booms deployed into forebay.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/08. MORLEY,F. Michigan, State of. 2pp. 85735:227-85735:228.

9510130390 LER 95-004-00:on 950704,TS 3.0.3 was entered on loss of injection capability due to personnel error during performance of surveillance.Restored RHR valves.W/951010 ltr.
NICHOLS,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/10. 4pp. 85810:357-85810:360.

9510190098 Forwards NPDES notification re unnatural turbidity observed during molluscicide treatment at plant.Turbidity observed during molluscicide treatment expected,since similar observations made during similar treatments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85900:236-85900:241.

--9510190105 NPDES noncompliance notification:on 950916,unnatural turbidity observed at plant Outfalls 001 & 002 during molluscicide treatment at plant.Preventive actions not possible due to detoxificaion requirements in NPDES permit.
FITZGERALD,D.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/21. MORLEY,F. Michigan, State of. 3pp. 85900:239-85900:241.

9510170401 LER 95-009-00:on 950913,fire protection compensatory actions incorrectly established.Caused by personnel error.Continuous fire watch patrol established & personnel counselled.W/ 951013 ltr.
BLIND,A.A., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/13. 4pp. 85855:135-85855:138.

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F., CARTEAUX,P.F., WEIDNER,R.C. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510170193 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
HICKMAN,J. . 95/09/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85881:314-85881:316.

9510060255 Forwards security concern details.Requests results of review & disposition of recent security procedure changes & training on procedures within 30 days of ltr.W/o encl.
CREED,J.R. Region 3 (Post 820201). 95/10/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 85711:020-85711:021.

9510170050 Responds to 941122 response to RAI re plant proposed emergency action levels,forwarding suppl RAI to support resolution of remaining issues.Suppl RAI encl.
HICKMAN,J.B. . 95/10/06. FITZPATRICK,E. Indiana Michigan Power Co. 28pp. 85881:185-85881:212.

9510200110 Forwards FEMA 950909 correspondence transmitting evaluation rept for 950509 EP Exercise at plant.Informs that two deficiencies & seven areas requiring corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/10/06. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 85871:050-85871:101.

-9510200114 Forwards final rept for 950509,plume exposure pathway exercise of offsite radiological emergency response plans site-specific to DC Cook NPP.
BURKETT,M.M. Federal Emergency Management Agency. 95/09/18. Region 3 (Post 820201). 2pp. 85871:052-85871:053.

-9510200249 "Final Rept for 950509 Plume Exposure Pathway Excercise of Offsite Radiological Emergency Response plans to site- specific to DC Cook Nuclear Power Station."
* Federal Emergency Management Agency. 95/10/06. 42pp. 85871:054-85871:101.

9510180240 Advises that 950815 rev to QA program description consistent w/provisions of 10CFR50.54(a),App B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/12. FITZPATRICK,E. Indiana Michigan Power Co. 2pp. 85847:354-85847:355.

9510200126 Forwards insp repts 50-315/95-11 & 50-316/95-11 on 950919. No violation noted.
GRANT,G.E. Region 3 (Post 820201). 95/10/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85871:146-85871:153.

-9510200128 Insp repts 50-315/95-11 & 50-316/95-11 on 950919.No violations noted.Major areas inspected:review oflicensee investigation of circumstances involving granting of unescorted access authorization to contract employee.
CREED,J.R. Region 3 (Post 820201). 95/10/13. 4pp. 85871:150-85871:153.

P. Operating license stage documents & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

-8508070424 Forwards safety evaluation & SALP input re util 840308,0615, 27 & 0813 requests for three deviations from App A to Branch Technical Position APCSB 9.5-1.Deviations re seismic gaps & ventilation duct penetrations acceptable.
JOHNSTON,W.V. Assistant Director for Matls, Chem. & Environ Technology (830201-851124). 85/07/29. LAINAS,G.C. Assistant Director for Operating Reactors. 300pp. 85965:010-85966:023.

9510050010 Forwards amends 201 & 186 to licenses DPR-58 & DPR-74, respectively & SE.Amends would delete TS sections & tables titled "Component Cyclic or Transient Limits" & relocate info to updated final safety analysis rept.
HICKMAN,J.B. . 95/09/28. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85721:254-85721:276.

-9510050013 Amends 201 & 186 to licenses DPR-58 & DPR-74,respectively, deleting TS section & tables titled "Conponent Cyclic or Transient Limits" & relocate info to updated final safety analysis rept.
HICKMAN,J.B. . 95/09/28. 16pp. 85721:257-85721:272.

-9510050018 Safety evaluation supporting amends 201 & 186 to licenses DPR-58 & DPR-74,respectively.
* . 95/09/28. 4pp. 85721:273-85721:276.

9510170024 Forwards amends 202 & 187 to licenses DPR-58 & DPR-74 & SE. Amends modify TSs 3/4.3.1 & 3/4.3.2 & accompanying Bases,to relocated tables of response time limits to UFSAR.
HICKMAN,J.B. . 95/10/10. FITZPATRICK,E. Indiana Michigan Power Co. 3pp. 85881:136-85881:169.

-9510170031 Amends 202 & 187 to licenses DPR-58 & DPR-74,respectively, modifying TSs 3/4.3.1. & 3/4.3.2 & accompanying Bases,to relocate tables of response time limits to UFSAR.
HICKMAN,J.B. . 95/10/10. 27pp. 85881:139-85881:165.

-9510170035 Safety evaluation supporting amends 202 & 187 to licenses DPR-58 & DPR-74,respectively.
* . 95/10/10. 4pp. 85881:166-85881:169.

9510180173 Constitutes request to withdraw proposed changes to 1994 updated QA program description,addressing ltr dtd 950815.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 18pp. 85868:075-85868:092.

9510180036 Responds to RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/13. Document Control Branch (Document Control Desk). 5pp. 85866:354-85866:358.

9510250094 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
FITZPATRICK,E. Indiana Michigan Power Co. 95/10/13. Document Control Branch (Document Control Desk). 6pp. 85987:327-85987:332.

9510270161 Forwards amends 203 & 188 to licenses DPR-58 & DPR-74, respectively,& safety evaluation.Amend revises surveillance requirements for safety-related pump testing to eliminate recirculation alignments.
HICKMAN,J.B. . 95/10/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85949:337-85949:359.

-9510270202 Amends 203 & 188 to licenses DPR-58 & DPR-74,respectively, revising TS surveillance requirements for safety-related pump testing to eliminate recirculation alignments.
HICKMAN,J.B. . 95/10/17. 16pp. 85949:340-85949:355.

-9510270214 Safety evaluation supporting amends 203 & 188 to licenses DPR-58 & DPR-74,respectively.
* . 95/10/17. 4pp. 85949:356-85949:359.

9510310308 Application for amends to licenses DPR-58 & DPR-74,proposing to add exemption to TS 4.0.4 in surveillance requirements for MSIV.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/20. Document Control Branch (Document Control Desk). 7pp. 86075:323-86075:354.

-9510310312 Proposed tech specs adding exemption to TS 4.0.4 in SR for MSIV.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/20. 26pp. 86075:330-86075:354.

9510310313 Forwards "Cook Nuclear Plant IPE," Rev 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/26. Document Control Branch (Document Control Desk). 55pp. 86065:001-86066:043.

-9510310315 Rev 1 to "Cook Nuclear Plant IPE."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/31. 110pp. 86065:057-86066:043.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160144 Responds to NRC 950912 ltr re violations noted in insp repts 50-315/95-09 & 50-316/95-09.Corrective actions:operators briefed shift supervisors on mgt expectations for procedure use & strict adherance.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 12pp. 85835:073-85835:084.

9510190269 Advises of planned insp effort resulting from DC Cook PPR review on 950906 that has been completed.
AXELSON,W.L. Region 3 (Post 820201). 95/10/12. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85864:048-85864:051.

9510200126 Forwards insp repts 50-315/95-11 & 50-316/95-11 on 950919. No violation noted.
GRANT,G.E. Region 3 (Post 820201). 95/10/16. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 4pp. 85871:146-85871:153.

-9510200128 Insp repts 50-315/95-11 & 50-316/95-11 on 950919.No violations noted.Major areas inspected:review oflicensee investigation of circumstances involving granting of unescorted access authorization to contract employee.
CREED,J.R. Region 3 (Post 820201). 95/10/13. 4pp. 85871:150-85871:153.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160276 Forwards monthly operating rept for Sept 1995 for DC Cook Nuclear Plant Unit 2 & revised rept for Aug 1995.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/09. Document Control Branch (Document Control Desk). 1p. 85836:115-85836:121.

-9510160277 Monthly operating rept for Sept 1995 for DC Cook Nuclear Station Unit 2.
JANISSE,J.D. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/30. 5pp. 85836:116-85836:120.

--9510160279 Revised monthly operating rept for Aug 1995 for DC Cook Nuclear Plant Unit 2.
BUSSONE,G.F. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/08/31. 1p. 85836:121-85836:121.

S. Reportable occurrences, LERs & related correspondence

9510030264 LER 95-005-00:on 950829,RT occurred on high negative rate resulted from trip of both CRD-MG sets due to mis-adjusted voltage regulators.Replaced CRD-MG common bus overvoltage relay body.W/950928 ltr.
NICHOLS,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/28. 6pp. 85728:122-85728:127.

9510060031 Forwards notifications re spill of hydraulic oil to intake forebay & discharge of monethanolamine through heating boiler blowdown that exceed concentrations submitted in NPDES application.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85735:223-85735:228.

--9510060042 NPDES noncompliance notification:on 950831,determined that discharge from Outfall 00C (heating boiler blowdown) exceeded concentration of monethanolamine submitted in NPDES application due to valve being aligned in open position.
FITZGERALD,D.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/07. MORLEY,F. Michigan, State of. 2pp. 85735:225-85735:226.

--9510060044 NPDES noncompliance notification:on 950829,hydraulic oil spill occurred while divers using hydraulic brushes to remove zebra mussels from plant screenhouse intake forebay walls.Oil absorbent booms deployed into forebay.
BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/08. MORLEY,F. Michigan, State of. 2pp. 85735:227-85735:228.

9510120233 LER 95-006-00:on 950908,Unit 2 reactor thermal power trip occurred.Caused by cognitive error by operations personnel. Surveillance procedure revised to add caution on operation of reactor trip breaker control switch.W/951009 ltr.
NICHOLS,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/09. 4pp. 85806:339-85806:342.

9510170247 LER 95-009-00:on 940402 conditions occurred outside design basis due to personnel error in aligning ESF fans for surveillance testing.Restarted filter exhaust train. W/951010 ltr.
NICHOLS,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/10. 4pp. 85855:082-85855:085.

9510190098 Forwards NPDES notification re unnatural turbidity observed during molluscicide treatment at plant.Turbidity observed during molluscicide treatment expected,since similar observations made during similar treatments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85900:236-85900:241.

--9510190105 NPDES noncompliance notification:on 950916,unnatural turbidity observed at plant Outfalls 001 & 002 during molluscicide treatment at plant.Preventive actions not possible due to detoxificaion requirements in NPDES permit.
FITZGERALD,D.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/21. MORLEY,F. Michigan, State of. 3pp. 85900:239-85900:241.

V. Operator Examinations

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020213 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
MCDONALD,D.G. . 95/09/26. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85663:172-85663:175.

9510110342 Responds to NRC 9510831 ltr re violations noted in insp repts 50-317/95-06 & 50-318/95-06.Corrective actions:all openings on SBO DG 0C-2 covered & more effective safety & FP qualification program developed & implemented.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85762:161-85762:167.

9510230227 Forwards insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85890:101-85890:139.

--9510230231 Notice of violation from insp on 950806-0916.Violation noted:areas that contained cables & equipment &/or associated non-safety circuits of redundant trains were not separated by barriers having 3-hr rating.
* Region 1 (Post 820201). 95/10/16. 1p. 85890:104-85890:104.

--9510230242 Insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916. Violations noted.Major areas inspected:maint,engineering, radiological environ & meteorological monitoring programs.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. 35pp. 85890:105-85890:139.

9510230390 Forwards insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85893:015-85893:029.

--9510230394 Insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations noted.Major areas inspected:annual, full-participation emergency preparedness exercise.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 95/10/16. 12pp. 85893:018-85893:029.

P. Operating license stage documents & correspondence

9510020294 Informs that licensee 950824 submittal of proposed revs 43 & 44 to QA policy meet reporting requirements of 10CFR50.54(a) & acceptable.
MODES,M.C. Region 1 (Post 820201). 95/09/19. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 85642:359-85642:360.

9510050255 Forwards amends 206 & 184 to licenses DPR-53 & DPR-69 & SE. Amends consist of changes to TSs in response to application transmitted by 950602 ltr.
MCDONALD,D.G. . 95/09/26. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85722:252-85722:266.

--9510050257 Amends 206 & 184 to licenses DPR-53 & DPR-69,respectively, consisting of changes to TSs in response to application transmitted by 950602 ltr.
MARSH,L.B. . 95/09/26. 7pp. 85722:255-85722:261.

--9510050259 Safety evaluation supporting amends 206 & 184 to licenses DPR-53 & DPR-69,respectively.
* . 95/09/26. 5pp. 85722:262-85722:266.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100317 Extends invitation to Region 1 licensees to participate w/NRR & Region 1 representatives in discussion of GL 95-07.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. DENTON,R.E. Baltimore Gas & Electric Co. 6pp. 85725:355-85725:360.

9510050303 Forwards SE granting licensee temporary relief from ASME Code,Section XI,Article IWA-5250,to repair leak in half- coupling located on bottom of common saltwater discharge header.
MARSH,L.B. . 95/10/02. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 85721:304-85721:311.

--9510050307 Safety evaluation granting relief from ASME Code requirements to delay repair of leak in half-coupling located in common saltwater discharge header.
* . 95/10/02. 4pp. 85721:308-85721:311.

9510110350 Forwards response to NRC 950906 RAI re util 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes."
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/05. Document Control Branch (Document Control Desk). 7pp. 85781:354-85781:360.

9510110378 Forwards amends 207 & 185 to licenses DPR-53 & DPR-69 & SE. Amends revise TSs to increase amount of TSP Dodecahydrate located in containment sump baskets required to be verified by TS surveillance.
MCDONALD,D.G. . 95/10/05. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85766:149-85766:170.

--9510110390 Amends 207 & 185 to licenses DPR-53 & DPR-69,respectively, revising TSs to increase amount of TSP Dodecahydrate located in containment sump baskets required to be verified by TS surveillance.
MARSH,L.B. . 95/10/05. 13pp. 85766:154-85766:166.

--9510110393 Safety evaluation supporting amends 207 & 185 to licenses DPR-53 & DPR-69,respectively.
* . 95/10/05. 4pp. 85766:167-85766:170.

9510240214 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related,Power-Operated Gate Valves."
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/13. Document Control Branch (Document Control Desk). 4pp. 85929:207-85929:210.

9510240321 Notification of 951101 meeting w/licensee in Rockville,MD to discuss licensing actions,activities & schedules for plant.
MCDONALD,D.G. . 95/10/16. MARSH,L.B. . 4pp. 85911:167-85911:170.

9510250231 Forwards amends 208 & 186 to licenses DPR-53 & DPR-69, respectively & safety evaluation.Amends extend nominal surveillance interval requirements of selected safety sys instruments from 18 to 24 months.
MCDONALD,D.G. . 95/10/19. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 85949:001-85949:042.

--9510250237 Amends 208 & 186 to licenses DPR-53 & DPR-69,respectively, which extends nominal surveillance interval requirements of selected safety sys instruments from 18 months to refueling interval of 24 months.
MARSH,L.B. . 95/10/19. 25pp. 85949:005-85949:029.

--9510250242 Safety evaluation supporting amends 208 & 186 to licenses DPR-53 & DPR-69,respectively.
* . 95/10/19. 13pp. 85949:030-85949:042.

9510260227 Discusses evaluation of isolation provisions for svc water sys for Calvert Cliffs Nuclear Power Plant,Units 1 & 2.Util proposal of including SRW sys seismic issue in IPEEE program for final resolution,acceptable.
MCDONALD,D.G. . 95/10/20. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85946:344-85946:348.

9510260280 Application for amend to license DPR-53,extending 18-month surveillances to 960331.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/20. Document Control Branch (Document Control Desk). 27pp. 86004:264-86004:304.

--9510260282 Proposed tech specs,extending 18-month surveillances to 960331.
* Baltimore Gas & Electric Co. 95/10/20. 14pp. 86004:291-86004:304.

9510310336 Informs of Project Directorate I-1 plans to host Licensee Counterpart meeting on 951115 to discuss license renewal, NOEDs,TS submittals,GLs & various other subjs.Tentative agenda encl.
MARSH,L.B. . 95/10/25. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 86033:162-86033:164.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100079 Notification of significant licensee meeting 95-89 w/util on 951026 to discuss findings of NRC insp of access authorization program.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/09/29. Region 1 (Post 820201). 1p. 85725:063-85725:063.

9510110082 Forwards copy of synopsis re investigations rept on falsification of background info by contractor & discuss enforcement conference.
HEHL,C.W. Region 1 (Post 820201). 95/09/29. DENTON,R.E. Baltimore Gas & Electric Co. 63pp. 85729:274-85729:339.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110342 Responds to NRC 9510831 ltr re violations noted in insp repts 50-317/95-06 & 50-318/95-06.Corrective actions:all openings on SBO DG 0C-2 covered & more effective safety & FP qualification program developed & implemented.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85762:161-85762:167.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230227 Forwards insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85890:101-85890:139.

--9510230231 Notice of violation from insp on 950806-0916.Violation noted:areas that contained cables & equipment &/or associated non-safety circuits of redundant trains were not separated by barriers having 3-hr rating.
* Region 1 (Post 820201). 95/10/16. 1p. 85890:104-85890:104.

--9510230242 Insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916. Violations noted.Major areas inspected:maint,engineering, radiological environ & meteorological monitoring programs.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. 35pp. 85890:105-85890:139.

9510230291 Ack receipt of 951006 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/95-06 & 50-318/95-06.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85891:167-85891:229.

9510230390 Forwards insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85893:015-85893:029.

--9510230394 Insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations noted.Major areas inspected:annual, full-participation emergency preparedness exercise.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 95/10/16. 12pp. 85893:018-85893:029.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510310304 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/95-02 & 50-318/95-02 on 950524.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/25. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 86004:207-86004:212.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190150 Monthly operating repts for Sept 1995 for Calvert Cliffs Nuclear Power Plants Units 1 & 2.W/951013 ltr.
OLSEN,H.O., CRUSE,C.H. Baltimore Gas & Electric Co. 95/09/30. 13pp. 85887:337-85887:349.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510020213 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
MCDONALD,D.G. . 95/09/26. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85663:172-85663:175.

9510110342 Responds to NRC 9510831 ltr re violations noted in insp repts 50-317/95-06 & 50-318/95-06.Corrective actions:all openings on SBO DG 0C-2 covered & more effective safety & FP qualification program developed & implemented.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85762:161-85762:167.

9510230227 Forwards insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85890:101-85890:139.

--9510230231 Notice of violation from insp on 950806-0916.Violation noted:areas that contained cables & equipment &/or associated non-safety circuits of redundant trains were not separated by barriers having 3-hr rating.
* Region 1 (Post 820201). 95/10/16. 1p. 85890:104-85890:104.

--9510230242 Insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916. Violations noted.Major areas inspected:maint,engineering, radiological environ & meteorological monitoring programs.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. 35pp. 85890:105-85890:139.

9510230390 Forwards insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85893:015-85893:029.

--9510230394 Insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations noted.Major areas inspected:annual, full-participation emergency preparedness exercise.
SILK,D. Region 1 (Post 820201). 95/10/16. 12pp. 85893:018-85893:029.

P. Operating license stage documents & correspondence

9510020294 Informs that licensee 950824 submittal of proposed revs 43 & 44 to QA policy meet reporting requirements of 10CFR50.54(a) & acceptable.
MODES,M.C. Region 1 (Post 820201). 95/09/19. DENTON,R.E. Baltimore Gas & Electric Co. 2pp. 85642:359-85642:360.

9510050255 Forwards amends 206 & 184 to licenses DPR-53 & DPR-69 & SE. Amends consist of changes to TSs in response to application transmitted by 950602 ltr.
MCDONALD,D.G. . 95/09/26. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85722:252-85722:266.

--9510050257 Amends 206 & 184 to licenses DPR-53 & DPR-69,respectively, consisting of changes to TSs in response to application transmitted by 950602 ltr.
MARSH,L.B. . 95/09/26. 7pp. 85722:255-85722:261.

--9510050259 Safety evaluation supporting amends 206 & 184 to licenses DPR-53 & DPR-69,respectively.
* . 95/09/26. 5pp. 85722:262-85722:266.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100317 Extends invitation to Region 1 licensees to participate w/NRR & Region 1 representatives in discussion of GL 95-07.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. DENTON,R.E. Baltimore Gas & Electric Co. 6pp. 85725:355-85725:360.

9510060234 Application for amend to license DPR-69,requesting extension of Unit 2 TS Action Statements 3.7.6.1.a & b from 7 days to 30 days for loss of emergency power to support 1996 refueling outage.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/02. Document Control Branch (Document Control Desk). 11pp. 85777:252-85777:265.

--9510060236 Proposed TS 3.7.6.1,extending action statements a & b from 7 days to 30 days for loss of emergency power.
* Baltimore Gas & Electric Co. 95/10/02. 3pp. 85777:263-85777:265.

9510110350 Forwards response to NRC 950906 RAI re util 950627 response to GL 95-03, "Circumferential Cracking of SG Tubes."
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/05. Document Control Branch (Document Control Desk). 7pp. 85781:354-85781:360.

9510110378 Forwards amends 207 & 185 to licenses DPR-53 & DPR-69 & SE. Amends revise TSs to increase amount of TSP Dodecahydrate located in containment sump baskets required to be verified by TS surveillance.
MCDONALD,D.G. . 95/10/05. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85766:149-85766:170.

--9510110390 Amends 207 & 185 to licenses DPR-53 & DPR-69,respectively, revising TSs to increase amount of TSP Dodecahydrate located in containment sump baskets required to be verified by TS surveillance.
MARSH,L.B. . 95/10/05. 13pp. 85766:154-85766:166.

--9510110393 Safety evaluation supporting amends 207 & 185 to licenses DPR-53 & DPR-69,respectively.
* . 95/10/05. 4pp. 85766:167-85766:170.

9510240214 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related,Power-Operated Gate Valves."
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/13. Document Control Branch (Document Control Desk). 4pp. 85929:207-85929:210.

9510240321 Notification of 951101 meeting w/licensee in Rockville,MD to discuss licensing actions,activities & schedules for plant.
MCDONALD,D.G. . 95/10/16. MARSH,L.B. . 4pp. 85911:167-85911:170.

9510250231 Forwards amends 208 & 186 to licenses DPR-53 & DPR-69, respectively & safety evaluation.Amends extend nominal surveillance interval requirements of selected safety sys instruments from 18 to 24 months.
MCDONALD,D.G. . 95/10/19. DENTON,R.E. Baltimore Gas & Electric Co. 4pp. 85949:001-85949:042.

--9510250237 Amends 208 & 186 to licenses DPR-53 & DPR-69,respectively, which extends nominal surveillance interval requirements of selected safety sys instruments from 18 months to refueling interval of 24 months.
MARSH,L.B. . 95/10/19. 25pp. 85949:005-85949:029.

--9510250242 Safety evaluation supporting amends 208 & 186 to licenses DPR-53 & DPR-69,respectively.
* . 95/10/19. 13pp. 85949:030-85949:042.

9510260227 Discusses evaluation of isolation provisions for svc water sys for Calvert Cliffs Nuclear Power Plant,Units 1 & 2.Util proposal of including SRW sys seismic issue in IPEEE program for final resolution,acceptable.
MCDONALD,D.G. . 95/10/20. DENTON,R.E. Baltimore Gas & Electric Co. 5pp. 85946:344-85946:348.

9510310336 Informs of Project Directorate I-1 plans to host Licensee Counterpart meeting on 951115 to discuss license renewal, NOEDs,TS submittals,GLs & various other subjs.Tentative agenda encl.
MARSH,L.B. . 95/10/25. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 86033:162-86033:164.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100079 Notification of significant licensee meeting 95-89 w/util on 951026 to discuss findings of NRC insp of access authorization program.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/09/29. Region 1 (Post 820201). 1p. 85725:063-85725:063.

9510110082 Forwards copy of synopsis re investigations rept on falsification of background info by contractor & discuss enforcement conference.
HEHL,C.W. Region 1 (Post 820201). 95/09/29. DENTON,R.E. Baltimore Gas & Electric Co. 63pp. 85729:274-85729:339.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110342 Responds to NRC 9510831 ltr re violations noted in insp repts 50-317/95-06 & 50-318/95-06.Corrective actions:all openings on SBO DG 0C-2 covered & more effective safety & FP qualification program developed & implemented.
DENTON,R.E. Baltimore Gas & Electric Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85762:161-85762:167.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230227 Forwards insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916 & notice of violation.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85890:101-85890:139.

--9510230231 Notice of violation from insp on 950806-0916.Violation noted:areas that contained cables & equipment &/or associated non-safety circuits of redundant trains were not separated by barriers having 3-hr rating.
* Region 1 (Post 820201). 95/10/16. 1p. 85890:104-85890:104.

--9510230242 Insp repts 50-317/95-08 & 50-318/95-08 on 950806-0916. Violations noted.Major areas inspected:maint,engineering, radiological environ & meteorological monitoring programs.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. 35pp. 85890:105-85890:139.

9510230291 Ack receipt of 951006 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/95-06 & 50-318/95-06.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85891:167-85891:229.

9510230390 Forwards insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations identified.
JOYNER,J.H. Region 1 (Post 820201). 95/10/16. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 85893:015-85893:029.

--9510230394 Insp repts 50-317/95-07 & 50-318/95-07 on 950918-20.No violations noted.Major areas inspected:annual, full-participation emergency preparedness exercise.
SILK,D., KEIMIG,R. Region 1 (Post 820201). 95/10/16. 12pp. 85893:018-85893:029.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510310304 Ack receipt of 950620 ltr informing NRC of steps taken to correct violations noted in insp repts 50-317/95-02 & 50-318/95-02 on 950524.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/25. DENTON,R.E. Baltimore Gas & Electric Co. 3pp. 86004:207-86004:212.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190150 Monthly operating repts for Sept 1995 for Calvert Cliffs Nuclear Power Plants Units 1 & 2.W/951013 ltr.
OLSEN,H.O., CRUSE,C.H. Baltimore Gas & Electric Co. 95/09/30. 13pp. 85887:337-85887:349.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510030295 Revised EPIPs,including Rev 0 to TEP-ADM-1300.01, "Maintaining Emergency Preparedness," Rev 0 to TEP-ADM-1300.05, "Emergency Equipment Readiness" & Rev 0 to TEP-ADM-1300.04, "Administration of TMI Initial...."
* General Public Utilities Corp. - GPU Service Corp. 95/08/11. 85pp. 85698:153-85698:237.

9510110090 Forwards insp repts 50-289/95-11 & 50-320/95-11 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:350-85729:360.

--9510110103 Insp repts 50-289/95-11 & 50-320/95-06 on 950821-25.No violations noted.Major areas inspected:access authorization program administration & organization,background investigation elements & psychological evaluations.
LIMROTH,D.F. Region 1 (Post 820201). 95/09/22. 8pp. 85729:353-85729:360.

P. Operating license stage documents & correspondence

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E.Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85764:197.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

Q. Inspection reports, IE Bulletins & correspondence

9510110090 Forwards insp repts 50-289/95-11 & 50-320/95-11 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/22. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:350-85729:360.

--9510110103 Insp repts 50-289/95-11 & 50-320/95-06 on 950821-25.No violations noted.Major areas inspected:access authorization program administration & organization,background investigation elements & psychological evaluations.
LIMROTH,D.F., JOYNER,J.H. Region 1 (Post 820201). 95/09/22. 8pp. 85729:353-85729:360.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9510110022 Forwards insp repts 50-289/95-09 & 50-320/95-03 on 950801-0907.Two identified violations not being cited because review found that issues self-identified. DURR,J.P. Region 1 (Post 820201). 95/09/29. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 3pp. 85729:054-85729:079.

--9510110031 Insp repts 50-289/95-09 & 50-320/95-03 on 950801-0907.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support. ROGGE,J.F. Region 1 (Post 820201). 95/09/29. 23pp. 85729:057-85729:079.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates." CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage." CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc." CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR." CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study." CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode." CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels." CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510180178 Forwards insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted. BARR,K.P. Region 2 (Post 820201). 95/10/06. BECKHAM,J.T. Georgia Power Co. 3pp. 85842:270-85842:293.

--9510180182 Insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise. SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/10/06. 21pp. 85842:273-85842:293.

P. Operating license stage documents & correspondence

9510180099 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves." CASTO,C.A. Region 2 (Post 820201). 95/10/04. BECKHAM,J.T. Georgia Power Co. 2pp. 85842:045-85842:046.

9510240215 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts. CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. BECKHAM,J.T. Georgia Power Co. 8pp. 85897:054-85897:061.

9510240169 Submits clarification for NRC review of USI A-46 summary rept. BECKHAM,J.T. Georgia Power Co. 95/10/13. Document Control Branch (Document Control Desk). 19pp. 85937:317-85937:335.

9510240206 Informs that util intends to implement actions requested by GL 95-07, "Pressure Locking & THermal Binding Of Safety-Related Power-Operated Gate Valves." BECKHAM,J.T. Georgia Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:205-85929:206.

9510240245 Forwards SE re reclassification of GL 89-10, "Safety-Related MOV Testing & Surveillance." JABBOUR,K.N. . 95/10/16. BECKHAM,J.T. Georgia Power Co. 4pp. 85911:030-85911:044.

--9510240254 Safety evaluation denying reclassification of GL 89-10, "Safety-Related MOV Testing & Surveillance." * . 95/10/16. 11pp. 85911:034-85911:044.

9510240073 Forwards corrected TS page 3.4-28 to license amend 138 to license NPF-5,authorizing increase in maximum power level, previously submitted in amends 197 & 138 to plant TS. JABBOUR,K.N. . 95/10/17. BECKHAM,J.T. Georgia Power Co. 4pp. 85911:001-85911:005.

--9510240083 Corrected TS page 3.4-28 to amend 138 to license NPF-5, revising LCO 3.4.10 on RCS. * . 95/10/17. 1p. 85911:005-85911:005.

Q. Inspection reports, IE Bulletins & correspondence

9510100195 Discusses insp repts 50-321/95-17 & 50-366/95-17 on 950705- 0815 & forwards notice of violation.Closed predecisional enforcement conference conducted on 950913 to discuss violation. GIBSON,A.F. Region 2 (Post 820201). 95/09/22. BECKHAM,J.T. Georgia Power Co. 5pp. 85725:083-85725:132.

--9510100212 Notice of violation from insp on 950705-0815.Violation noted:licensee failed to promptly correct conditions adverse to quality,namely,degradation of safety-related low pressure coolant injection & core spray injection valves. * Region 2 (Post 820201). 95/09/22. 43pp. 85725:088-85725:132.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors." COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020267 Forwards response to NRC 950829 ltr re violations noted in insp rept 50-321/95-16.Corrective actions:valve stem was replaced,repaired bonnet & valve guides & valve was packed correctly. BECKHAM,J.T. Georgia Power Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85689:306-85689:308.

9510100234 Forwards insp repts 50-321/95-18 & 50-366/95-18 on 950806- 0902 & notice of violation. CRLENJAK,R.V. Region 2 (Post 820201). 95/09/29. BECKHAM,J.T. Georgia Power Co. 3pp. 85725:239-85725:265.

--9510100250 Notice of violation from insp on 950906-0902.Violation noted:insp of intake structure pit was not accomplished in accordance w/procedure. * Region 3 (Post 820201). 95/09/29. 2pp. 85725:242-85725:243.

--9510100262 Insp repts 50-321/95-18 & 50-366/95-18 on 950806-0902. Violations noted.Major areas inspected:plant operations, maint,engineerig & plant support activities. HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 95/09/29. 23pp. 85725:244-85725:265.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates." CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage." CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc." CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR." CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180178 Forwards insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted. BARR,K.P. Region 2 (Post 820201). 95/10/06. BECKHAM,J.T. Georgia Power Co. 3pp. 85842:270-85842:293.

--9510180182 Insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise. SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/10/06. 21pp. 85842:273-85842:293.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study." CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510240005 Ack receipt of 950928 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/95-16 & 50-366/95-16. CRLENJAK,R.V. Region 2 (Post 820201). 95/10/11. BECKHAM,J.T. Georgia Power Co. 3pp. 85895:332-85895:334.

9510240106 Forwards insp repts 50-321/95-20 & 50-366/95-20 on 950911-15.No violations noted. BARR,K.P. Region 2 (Post 820201). 95/10/13. BECKHAM,J.T. Georgia Power Co. 3pp. 85896:157-85896:168.

--9510240117 Insp repts 50-321/95-20 & 50-366/95-20 on 950911-15.No violations noted.Major areas inspected:confirmatory measurements & water chemistry control program. JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/10/13. 9pp. 85896:160-85896:168.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode." CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510190290 Forwards "Inservice Inspection Program Third 10-Year Interval for EI Hatch Nuclear Plant Units 1 & 2." BECKHAM,J.T. Georgia Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85886:259-85886:339.

--9510190294 "Inservice Insp Program Third 10-Year Interval for EI Hatch Nuclear Plant Units 1 & 2." * Southern Nuclear Operating Co. 95/10/05. 77pp. 85886:261-85886:339.

9510250180 Responds to NRC 950922 ltr re violations noted in insp repts 50-321/95-17 & 50-366/95-17.Corrective actions:changed Units 1 & 2 LPCI valve surveillance procedures.
BECKHAM,J.T. Georgia Power Co. 95/10/19. Document Control Branch (Document Control Desk). 9pp. 85983:326-85983:334.

9510310273 Forwards response to NRC 950929 ltr re violations noted in insp repts 50-321/95-18 & 50-366/95-18.Corrective actions: disciplined involved personnel.
BECKHAM,J.T. Georgia Power Co. 95/10/26. Document Control Branch (Document Control Desk). 5pp. 86077:168-86077:172.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160266 Forwards monthly operating repts for Sept 1995 & revised page E1-4 for Aug 1995 repts.
BECKHAM,J.T. Georgia Power Co. 95/10/09. Document Control Branch (Document Control Desk). 2pp. 85835:335-85835:348.

--9510160267 Monthly operating repts for Sept 1995 for El Hatch Plant.
ROGERS,S.B. Georgia Power Co. 95/09/30. 10pp. 85835:337-85835:345.

--9510160270 Revised page E1-4 to Aug 1995 monthly operating rept for El Hatch Unit 1.
ROGERS,S.B. Georgia Power Co. 95/08/31. 2pp. 85835:346-85835:348.

S. Reportable occurrences, LERs & related correspondence

9510020119 LER 95-005-00:on 950829,ground on 600-volt affected HPCI & RPS.Isolated electrical ground,repaired grounded component & moved power source of freight elevator.W/950928 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 95/09/28. 8pp. 85689:095-85689:102.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

H. General correspondence

9510190083 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning procedures for nuclear power reactors.
KUMAR,S. . 95/10/18. Docketing & Services Branch. 3pp. 85863:024-85863:026.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510130384 Public version of revised EPIPs,including Vol 3B to table of contents & Rev 28 to EP G-3, "Notification of Off-Site Agencies & Emergency Response Organization Personnel." W/951010 release memo.
ANGUS,M.J. Pacific Gas & Electric Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85804:254-85804:289.

--9510130388 Public version of EPIPs including Vol 3B to table of contents & Rev 28 to EP G-3, "Notification of Off-Site Agencies & Emergency Response Organization Personnel."
* Pacific Gas & Electric Co. 95/09/05. 32pp. 85804:256-85804:289.

9510020302 Requests acceptance of deviation from technical provisions of 10CFR50,App R,Section III.G.2.b for protection of train of redundant auxiliay saltwater pump & exhaust fan circuits in intake structure (Fire Area IS-1/Fire Zone 30-A-5).
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85690:203-85690:210.

9510100015 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
STONE,J.C. . 95/10/03. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85744:234-85744:237.

9510170172 Comment supporting petition for rulemaking PRM-50-61 re improving fire protection regulations.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/06. HOYLE,J.C. Office of the Secretary of the Commission. 20pp. 85818:001-85818:020.

P. Operating license stage documents & correspondence

9510020302 Requests acceptance of deviation from technical provisions of 10CFR50,App R,Section III.G.2.b for protection of train of redundant auxiliay saltwater pump & exhaust fan circuits in intake structure (Fire Area IS-1/Fire Zone 30-A-5).
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 8pp. 85690:203-85690:210.

9510030016 Responds to 950801 ltr re computer software.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 2pp. 85688:309-85688:310.

9510030058 Notifies of completion of issues noted in ASLB 941104 initial decision (LBP-94-35) on const period recovery for plant.Issues associated w/plant maint program listed & Rev 7 to MP E-57.8A & Rev 7 to MP E-57.11A encl.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85687:244-85687:312.

--9510030062 Rev 7 to MP E-57.8A, "Temp Monitoring."
* Pacific Gas & Electric Co. 95/08/11. 30pp. 85687:249-85687:278.

--9510030063 Rev 7 to MP E-57.11A, "Safety Precautions When Working on Potentially Energized Equipment."
* Pacific Gas & Electric Co. 95/08/31. 34pp. 85687:279-85687:312.

9510060203 Forwards revised request for relief for non-welded repair using ASME Code Case N-523 of main Unit 2 SG instrumentation piping connection.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/29. Document Control Branch (Document Control Desk). 13pp. 85735:263-85735:275.

9510060208 Application for amends to licenses DPR-80 & DPR-82,revising bases for TS 3/4.7.1.2, "AFWS," reducing min AFW flow requirements consistent w/Westinghouse Std TS (NUREG-1431).
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/29. Document Control Branch (Document Control Desk). 7pp. 85747:302-85747:332.

--9510060209 Proposed TS 3/4.7.1.2, "AFWS" bases,reducing min AFW flow requirements.
* Pacific Gas & Electric Co. 95/09/29. 24pp. 85747:309-85747:332.

9510100093 Forwards license amend request 95-05,which proposes change to TS,by adding one-time footnote to EDG diesel fuel oil storage & transfer sys LCO.
RUEGER,R.M. Pacific Gas & Electric Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85750:307-85750:332.

--9510100117 Application for amends to licenses DPR-80 & DPR-82,revising TS,by adding one-time footnote to EDG diesel fuel oil storage & transfer sys limiting condition for operation.
RUEGER,G.M. Pacific Gas & Electric Co. 95/09/29. 17pp. 85750:309-85750:325.

--9510100126 Proposed tech specs adding one-time footnote to EDG diesel fuel oil storage & transfer sys LCO.
* Pacific Gas & Electric Co. 95/09/29. 7pp. 85750:326-85750:332.

9510060320 Forwards application for emergency license amend to increase setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. Document Control Branch (Document Control Desk). 2pp. 85747:202-85747:301.

--9510060323 Application for amends to licenses DPR-80 & DPR-82, increasing setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. 12pp. 85747:204-85747:215.

--9510060326 Proposed tech specs,increasing setpoint tolerance of MSSVs from +1% to +3% w/exception that lowest-set MSSVs would have tolerance of -2%/+3%.
* Pacific Gas & Electric Co. 95/09/30. 7pp. 85747:216-85747:222.

--9510060327 "Relaxation of MSL SV Pressure Setpoint Tolerance for Diablo Canyon NPP Units 1 & 2."
* Pacific Gas & Electric Co. 95/09/30. 79pp. 85747:223-85747:301.

9510050246 Forwards amends 108 & 107 to licenses DPR-80 & DPR-82 & SE. Amends increase setpoint tolerance of MSSVs from +1% to +3%, w/exception that lowest set MSSVs would have tolerance of -2%/+3%.
STONE,J.C. . 95/10/01. RUEGER,G.M. Pacific Gas & Electric Co. 4pp. 85722:282-85722:300.

--9510050249 Amends 108 & 107 to licenses DPR-80 & DPR-82,respectively, increasing setpoint tolerance of MSSVs from +1% to +3%, w/exception that lowest set MSSVs would have tolerance of -2%/+3%.
BATEMAN,W.H. . 95/10/01. 9pp. 85722:286-85722:294.

--9510050251 Safety evaluation supporting amends 108 & 107 to licenses DPR-80 & DPR-82,respectively.
* . 95/10/01. 6pp. 85722:295-85722:300.

9510100080 Provides response to NRC requests for addl info re GL 95-03, "Circumferential Cracking Of SG Tubes."
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/02. Document Control Branch (Document Control Desk). 8pp. 85756:307-85756:314.

9510110027 Forwards application for amends to licenses DPR-80 & DPR-82 relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet any screening criteria for retention.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/04. Document Control Branch (Document Control Desk). 2pp. 85780:051-85780:156.

--9510110030 Application for amends to licenses DPR-80 & DPR-82, relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet screening criteria for retention.
WARNER,C.J. Pacific Gas & Electric Co. 95/10/04. 11pp. 85780:053-85780:063.

--9510110035 Proposed tech specs,relocating selected TS per Commission Final Policy Statement for relocation of current TS that did not meet screening criteria for retention.
* Pacific Gas & Electric Co. 95/10/04. 93pp. 85780:064-85780:156.

9510110318 Forwards "Analysis Of Capsule Y From Pacific Gas & Electric Co,Diablo Canyon Unit 2,Reactor Vessel Radiation Surveillance Program."
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/04. Document Control Branch (Document Control Desk). 5pp. 85761:033-85761:203.

--9510110327 "Analysis Of Capsule Y Form Pacific Gas & Electric Co, Diablo Canyon Unit 2,Reactor Vessel Radiation Surveillance Program."
PETER,P.A., ANDERSON,S.L., WILLIAMS,J.F. Westinghouse Electric Corp. WCAP-14363. 95/08/31. 174pp. 85761:038-85761:203.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240185 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
WOMACK,L.F. Pacific Gas & Electric Co. 95/10/11. Document Control Branch (Document Control Desk). 14pp. 85928:291-85928:304.

9510200304 Forwards Team Environ Svcs,Inc 951005 request for withholding proprietary drawings,calculation methods & calculation results in Attachment 2 of PG&E ltr DCL-95-201, dtd 950920 from public disclosure.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85912:261-85912:268.

--9510200307 Requests that proprietary info designated as Attachment 2 in PG&E ltr,DCL-95-201 dtd 950920 be withheld from public disclosure per 10CFR2.790(b)(4).
KEAMS,J.P. . 95/10/05. STONE,J.C. Document Control Branch (Document Control Desk). 5pp. 85912:264-85912:268.

9510250111 Provides 30-day & annual rept of changes in Westinghouse ECCS evaluation model that effect PCT calculations for plant,per 10CFR50.46.
RUEGER,G.M. Pacific Gas & Electric Co. 95/10/19. Document Control Branch (Document Control Desk). 6pp. 85985:285-85985:290.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030207 Ack receipt of 950908 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/95-13 & 50-323/95-13.
SCARANO,R.A. Region 4 (Post 820201). 95/09/28. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 85644:115-85644:123.

9510060271 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp repts 50-275/95-04 & 50-323/95-04.
GWYNN,T.P. Region 4 (Post 820201). 95/09/29. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 85711:097-85711:101.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510250367 Monthly operating repts for Sept 1995 for Diablo Canyon Units 1 & 2.W/ 951016 ltr.
EUBANK,T., MALONE,D., FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/09/30. 12pp. 85985:291-85985:302.

9510250394 Forwards "Third Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
FUJIMOTO,W.H. Pacific Gas & Electric Co. 95/10/19. BRIGGS,R.W. California, State of. 4pp. 85985:084-85985:173.

--9510250395 "Third Quarter 1995 Rept on Discharge Monitoring at Diablo Canyon Power Plant."
* Pacific Gas & Electric Co. 95/09/30. 85pp. 85985:088-85985:173.

S. Reportable occurrences, LERs & related correspondence

9510300001 LER 95-002-00:on 950923,manual reactor trip initiated due to heavy debris loading & damage to traveling screens.AOP AP-7, "Degraded Condenser" revised & addl screen rakes will be added to screens.
BEHNKE,D.H., RUEGER,G.M. Pacific Gas & Electric Co. 95/10/23. 8pp. 86089:293-86089:300.

V. Operator Examinations

9510300221 Informs that on 951003,NRC administered GFES of written operator licensing exam.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 86001:359-86001:360.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510120290 Forwards original & Rev 7 to safeguards contingency plan for Units 1 & 2.Encl withheld,per 10CFR73.21.
HICKS,G.D. Carolina Power & Light Co. 95/08/18. Document Control Branch (Document Control Desk). 1p. 85778:294-85778:294.

9510100069 Informs of upcoming shipment of irradiated nuclear reactor fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-300 type cask by rail.
LEVIS,W. Carolina Power & Light Co. 95/09/25. STROUD,T.C. North Carolina, State of. 3pp. 85725:057-85725:059.

9510050002 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
TRIMBLE,D.C. . 95/09/26. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85722:355-85722:357.

9510030256 Forwards revs to plant emergency procedures & Rev 42 to "Radiological Emergency Response Plan."
HICKS,G.D. Carolina Power & Light Co. 95/09/27. Document Control Branch (Document Control Desk). 32pp. 85697:001-85698:095.

--9510030269 Revised plant emergency procedures (PEP),including Rev 16 to 0PEP-01.0,Rev 9 to 0PEP-02.6.6,Rev 18 to 0PEP-02.6.12,Rev 14 to 0PEP-02.6.20,Rev 30C to 0PEP-02.6.21,Rev 2 to 0PEP-02.6.26,Rev 2 to 0PEP-02.6.27 & Rev 0 to 0PEP-03.5.5.
NEWTON,R.R. Carolina Power & Light Co. 95/08/20. 427pp. 85697:033-85698:095.

9510060350 Responds to NRC 950901 ltr re violation & deviation noted in insp repts 50-324/95-15 & 50-325/95-15 on 950619-23 & 0701- 0804.Corrective actions:involved individual counseled & periodic TP OPT-34.2.2.1,swinging fire door revised.
LEVIS,W. Carolina Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85746:353-85746:358.

9510250342 Requests approval of proposed change to radiological emergency response plan (RERP),eliminating commitment to incorporate TSC into protected area.Proposed wording change to RERP,Rev 41 encl.
HICKS,G.D. Carolina Power & Light Co. 95/10/19. Document Control Branch (Document Control Desk). 14pp. 85985:268-85985:284.

--9510250344 Proposed change to radiological emergency response plan, eliminating commitment to incorporate TSC into protected area.
* Carolina Power & Light Co. 95/10/19. 3pp. 85985:282-85985:284.

9510270334 Forwards rev 22 to industrial security plan for Brunswick Steam Electric Plant Units 1 & 2.Plan Withheld.
HICKS,G.D. Carolina Power & Light Co. 95/10/19. Document Control Branch (Document Control Desk). 1p. 86010:335-86010:335.

P. Operating license stage documents & correspondence

9510180080 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. CAMPBELL,W.R. Carolina Power & Light Co. 2pp. 85842:003-85842:004.

9510170293 Provides notification of rev to initial test cut-off level for marijuana,effective 951031.Revised testing procedures to implement more stringent initial test cut-off level of 50ng/ml.
ROGAN,R.E. Carolina Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85848:357-85848:357.

9510180260 Informs of withdrawal of request for license amends removal of pressure-temp curves & vessel surveillance capsule withdrawal schedule from TS.
HICKS,G.D. Carolina Power & Light Co. 95/10/10. Document Control Branch (Document Control Desk). 1p. 85900:147-85900:147.

9510230323 Forwards revised organizational charts,reflecting region II reorganization,effective 951015.
VERRELLI,D.M. Region 2 (Post 820201). 95/10/10. CAMPBELL,W.R. Carolina Power & Light Co. 8pp. 85891:276-85891:283.

9510230155 Notification of 951023 meeting in Rockville,MD to discuss function of peer group & introduce members.
MOZAFARI,B. . 95/10/16. MATTHEWS,D.B. . 3pp. 85904:352-85904:354.

9510240163 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
CAMPBELL,W.R. Carolina Power & Light Co. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85928:283-85928:288.

9510300161 Application for amends to licenses DPR-71 & DPR-62,revising action "b" of TS 3.4.4 to allow for chemical decontamination of RCS during refueling outages.
CAMPBELL,W.R. Carolina Power & Light Co. 95/10/23. Document Control Branch (Document Control Desk). 7pp. 86051:253-86051:284.

--9510300164 Proposed tech specs re RCS conductivity.
* Carolina Power & Light Co. 95/10/23. 25pp. 86051:260-86051:284.

Q. Inspection reports, IE Bulletins & correspondence

9510100220 Forwards insp repts 50-324/95-19 & 50-325/95-19 on 950805- 0901.No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/25. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85727:236-85727:254.

--9510100226 Insp repts 50-324/95-19 & 50-325/95-19 on 950805-0901.No violations noted.Major areas inspected:operations,maint & surveillance,engineering & plant support.
PATTERSON,C.A., VERRELLI,D.M. Region 2 (Post 820201). 95/09/25. 16pp. 85727:239-85727:254.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020283 Responds to NRC 950828 ltr re violations noted in insp rept 50-325/95-10 on 950525.Corrective actions:will develop refuel floor project implementation plan.
LEVIS,W. Carolina Power & Light Co. 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85690:320-85690:323.

9510060350 Responds to NRC 950901 ltr re violation & deviation noted in insp repts 50-324/95-15 & 50-325/95-15 on 950619-23 & 0701- 0804.Corrective actions:involved individual counseled & periodic TP OPT-34.2.2.1,swinging fire door revised.
LEVIS,W. Carolina Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85746:353-85746:358.

9510180108 Advises of planned insp effort resulting from Brunswick PPR review on 950918 that has been completed.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/02. CAMPBELL,W.R. Carolina Power & Light Co. 4pp. 85842:063-85842:066.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160169 Responds to violations noted in insp repts 50-324/95-13 & 50-325/95-13.Corrective actions:permanent mod installed to provide isolated power supply to RCIC flow controller.
CAMPBELL,W.R. Carolina Power & Light Co. 95/10/06. Document Control Branch (Document Control Desk). 10pp. 85835:271-85835:280.

9510160173 Advises of util revised plans for insp of feedwater nozzle blend radii.Rev 1 to NEDC-30633, "Brunswick Steam Electric Plant Unit 2 Feedwater Nozzle Fracture Mechanics Analysis," encl.
CAMPBELL,W.R. Carolina Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 6pp. 85836:001-85836:048.

--9510160175 "Brunswick Steam Electric Plant Unit 2 Feedwater Nozzle Fracture Mechanics Analysis."
STEVENS,G.L. General Electric Co. NEDC-30633 R01. 91/05/31. 42pp. 85836:007-85836:048.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510240071 Forwards insp repts 50-324/95-18 & 50-325/95-18 on 950911-15.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/13. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85896:070-85896:080.

--9510240093 Insp repts 50-324/95-18 & 50-325/95-18 on 950911-15.No violations noted.Major areas inspected:annual requalification exams & activities in insp Procedure 71001.
HOPPER,G.L., PEEBLES,T.A. Region 2 (Post 820201). 95/10/13. 8pp. 85896:073-85896:080.

9510230332 Ack receipt of 951002 ltr informing NRC of steps taken to correct violations noted in insp repts 50-324/95-15 & 50-325/95-15.
SHYMLOCK,M.B. Region 2 (Post 820201). 95/10/16. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85891:293-85891:295.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250182 Requests approval to use Code Case N-524 re requirements for exam of longitudinal welds in Class 1 & 2 piping.
HICKS,G.D. Carolina Power & Light Co. 95/10/19. Document Control Branch (Document Control Desk). 5pp. 85988:035-85988:039.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190186 Monthly operating repts for Sept 1995 for BSEP Units 1 & 2. W/951013 ltr.
HARRISON,F., LOPRIORE,R. Carolina Power & Light Co. 95/09/30. 9pp. 85900:343-85900:351.

V. Operator Examinations

9510040260 Ltr contract,task order 27,definitizing task order, "Technical Assistance in Initial Exam for Brunswick Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85704:324-85704:327.

9510020284 Ltr contract,mod 3 to task order 29,extending period of performance from 940523-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Team Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/28. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:355-85649:356.

9510240071 Forwards insp repts 50-324/95-18 & 50-325/95-18 on 950911-15.No violations noted.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/13. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85896:070-85896:080.

--9510240093 Insp repts 50-324/95-18 & 50-325/95-18 on 950911-15.No violations noted.Major areas inspected:annual requalification exams & activities in insp Procedure 71001.
HOPPER,G.L., PEEBLES,T.A. Region 2 (Post 820201). 95/10/13. 8pp. 85896:073-85896:080.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510120290 Forwards original & Rev 7 to safeguards contingency plan for Units 1 & 2.Encl withheld,per 10CFR73.21.
HICKS,G.D. Carolina Power & Light Co. 95/08/18. Document Control Branch (Document Control Desk). 1p. 85778:294-85778:294.

9510100069 Informs of upcoming shipment of irradiated nuclear reactor fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-300 type cask by rail.
LEVIS,W. Carolina Power & Light Co. 95/09/25. STROUD,T.C. North Carolina, State of. 3pp. 85725:057-85725:059.

9510050002 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
TRIMBLE,D.C. . 95/09/26. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85722:355-85722:357.

9510030256 Forwards revs to plant emergency procedures & Rev 42 to "Radiological Emergency Response Plan."
HICKS,G.D. Carolina Power & Light Co. 95/09/27. Document Control Branch (Document Control Desk). 32pp. 85697:001-85698:095.

--9510030269 Revised plant emergency procedures (PEP),including Rev 16 to 0PEP-01.0,Rev 9 to 0PEP-02.6.6,Rev 18 to 0PEP-02.6.12,Rev 14 to 0PEP-02.6.20,Rev 30C to 0PEP-02.6.21,Rev 2 to 0PEP-02.6.26,Rev 2 to 0PEP-02.6.27 & Rev 0 to 0PEP-03.5.5.
NEWTON,R.R. Carolina Power & Light Co. 95/08/20. 427pp. 85697:033-85698:095.

9510060350 Responds to NRC 950901 ltr re violation & deviation noted in insp repts 50-324/95-15 & 50-325/95-15 on 950619-23 & 0701- 0804.Corrective actions:involved individual counseled & periodic TP OPT-34.2.2.1,swinging fire door revised.
LEVIS,W. Carolina Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85746:353-85746:358.

9510250342 Requests approval of proposed change to radiological emergency response plan (RERP),eliminating commitment to incorporate TSC into protected area.Proposed wording change to RERP,Rev 41 encl.
HICKS,G.D. Carolina Power & Light Co. 95/10/19. Document Control Branch (Document Control Desk). 14pp. 85985:268-85985:284.

--9510300004 LER 95-012-00:on 950923,determined that SRs associated w/ analog channel inputs to SSPS may not have been performed as required by TS because of inadequate performance guidance. Procedure established to ensure that stated tests performed.
PROFFITT,J.W. Tennessee Valley Authority. 95/10/23. 5pp. 86089:303-86089:307.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510260333 Forwards Rev 36 to physical security/contingency plan,along w/instructions for updating NRC copies 6 through 11.Encls withheld per 10CFR73.21.
SHELL,R.H. Tennessee Valley Authority. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85998:336-85998:337.

P. Operating license stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting Seventh Annual Rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510040298 Forwards corrected TS pages B 3/4 7-2 & B 3/4 7-2a of amend 196.
LABARGE,D.E. . 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85713:249-85713:252.

--9510050264 Corrected tech spec pages to amend 196 to license DPR-79, including changes per amend 196.
* . 95/10/02. 3pp. 85713:250-85713:252.

9510040322 Forwards amends 212 & 202 to licenses DPR-77 & DPR-79, respectively.Amends revise titles of various administrative positions found in section 6.0 of TS.
LABARGE,D.E. . 95/10/02. KINSGSLEY,O.D. Tennessee Valley Authority. 1p. 85713:309-85713:334.

--9510040326 Amends 212 & 202 to licenses DPR-77 & DPR-79,respectively, revising titles of administrative positions in section 6.0 of TS.
HEBDON,F.J. . 95/10/02. 20pp. 85713:310-85713:330.

--9510040327 Safety evaluation supporting amends 212 & 202 to licenses DPR-77 & DPR-79,respectively.
* . 95/10/02. 4pp. 85713:331-85713:334.

9510120152 Forwards amends 213 & 203 to licenses DPR-77 & DPR-79 & safety evaluation.Amends correct various editorial errors in text of TS & remove provisions that expired or are no longer applicable.
LABARGE,D.E. . 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85767:119-85767:169.

--9510120158 Amends 213 & 203 to licenses DPR-77 & DPR-79,respectively, correcting various editorial errors in text of TS & removing provisions that expired or are no longer applicable.
HEBDON,F.J. . 95/10/04. 46pp. 85767:121-85767:167.

--9510120161 Safety evaluation supporting amends 213 & 203 to licenses DPR-77 & DPR-79,respectively.
* . 95/10/04. 2pp. 85767:168-85767:169.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510240307 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
CARIER,P.P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85929:088-85929:093.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100367 Forwards insp repts 50-327/95-18 & 50-328/95-18 on 950729-0902.Violations noted.Violations of concern because it identifies lack of adequate prompt corrective action addressing degraded safety sys condition.
LESSER,M.S. Region 2 (Post 820201). 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85726:175-85726:204.

--9510100370 Notice of violation from insp on 950729-0902.Violation noted:corrective action was not implemented for condition adverse to quality.
* Region 2 (Post 820201). 95/10/02. 2pp. 85726:179-85726:180.

--9510100372 Insp repts 50-327/95-18 & 50-328/95-18 on 950729-0902. Violations noted.Major areas inspected:plant operations, maintenance observations,surveillance observations,onsite engineering & plant support.
HOLLAND,W.E., LESSER,M.S. Region 2 (Post 820201). 95/10/02. 22pp. 85726:181-85726:204.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190187 Advises of planned insp effort resulting from Sequoya PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 85863:211-85863:216.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230329 Informs that NRC will conduct Integrated Performance Assessment Process Insp at facility during 951127-1208.
GIBSON,A.F. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 85891:288-85891:292.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510300233 Forwards addl info to support NRC review of ISI program Relief Requests 1-ISI-25 & 2-ISI-30.
SHELL,R.H. Tennessee Valley Authority. 95/10/23. Document Control Branch (Document Control Desk). 5pp. 86052:351-86052:355.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180014 Monthly operating repts for Sept 1995 for Sequoyah Nuclear Plant.W/ 951011 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 95/09/30. 10pp. 85864:317-85864:326.

S. Reportable occurrences, LERs & related correspondence

9510190011 Special repton 950606,determined that waste gas analyzer & monitors H concentrations being operated incorrectly.Range 3 successfully calibrated by comparing analyzer readout to grab sample results.
SHELL,R.H. Tennessee Valley Authority. 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85887:305-85887:308.

9510190281 PNO-II-95-055:on 951014,contractor received 1/2 inch diameter cut on left palm while performing SG tube pulling. Licensee unable to decontaminate wound below level of 1,000 counts per minute due to metal shavings embedded in wound.
SPARKS,S. Region 2 (Post 820201). 95/10/16. 1p. 85897:332-85897:332.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consqlidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9510040243 Informs that info will be provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
KELLY,G. . 95/10/02. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 4pp. 85693:277-85693:280.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510270324 Rev 12 to "Duane Arnold Energy Ctr Updated FSAR." W/951019 ltr.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/10/19. RUSSELL,W.T. . 2,058pp. 86025:001-86030:238.

P. Operating license stage documents & correspondence

9510020139 Ltr contract,mod 5 to Task Order 15,extending period of performance of task order from 930416 through 961231 at no cost or obligation to Govt,to "IPE Reviews for Back End Containment Performance.
MACE,M. Division of Contracts (Post 940714). 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:332-85649:333.

9510060352 Informs staff that plant revising testing program by deleting requirement to test flash point of new fuel.
YOUNG,K.D. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/29. RUSSELL,W.T. . 2pp. 85777:266-85777:267.

9510250314 Forwards addl info re util vibration program & revised relief request PR-07,in response to NRC request in 950413 safety evaluation of original IST relief request PR-07,for use of vibrational spectrum data assessment.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/10/13. RUSSELL,W.T. . 37pp. 85988:077-85988:113.

9510250095 Provides 60-day response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:333-85987:335.

9510250293 Forwards amend 213 to license DPR-49 & safety evaluation. Amend deletes Sections 6.5.2.8,6.5.2.10.c & 6.5.3 of DAEC TS & revises Section 6.5.2.9 removing all ref to audits from TS.
KELLY,G.B. . 95/10/17. LUI,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 85981:319-85981:331.

--9510250298 Amend 213 to license DPR-49,which deletes Sections 6.5.2.8, 6.5.2.10.c & 6.5.3 of DAEC TS & revises Section 6.5.2.9 removing all ref to audits from TS.
KELLY,G.B. . 95/10/17. 6pp. 85981:322-85981:327.

--9510250304 Safety evaluation supporting amend 213 to license DPR-49.
* . 95/10/17. 4pp. 85981:328-85981:331.

Q. Inspection reports, IE Bulletins & correspondence

9510020111 Forwards insp rept 50-331/95-07 on 950624-0816 & notice of violation.Violations of NRC concern because procedures controlling corrective maint activities required by plant TS had not been properly maintained.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/22. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 85642:051-85642:076.

--9510020118 Notice of violation from insp on 950624-0816.Violation noted:licensee did not perform calculations for sizing thermal overloads,update control documents or complete 10CFR50.59 SE applicability checklist.
* Region 3 (Post 820201). 95/09/22. 1p. 85642:054-85642:054.

--9510020121 Insp rept 50-331/95-07 on 950624-0816.Violations noted. Major areas inspected:plant operations,maint,surveillance, onsite engineering,plant support,followup of events,followup of previous insp findings & LER followup.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/22. 22pp. 85642:055-85642:076.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190257 Informs that on 950907,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR review.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/10. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 85863:347-85863:349.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510300142 Forwards response to violations noted in Insp Rept 50-331/95-07.Corrective actions:new motor evaluated,after discrepancies in design documents discovered.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/10/17. Document Control Branch (Document Control Desk). 6pp. 86043:348-86043:353.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190190 Monthly operating rept for Sept 1995 for Duane Arnold Energy Ctr.W/ 951013 ltr.
WOODWARD,R., VANSMIDDLEWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/30. 6pp. 85893:356-85893:361.

9510300251 "1995 Cyclic Rept of Facility Changes,Tests & Experiments & Fire Plan Changes," covering period from 940101 - 951001.W/ 951019 ltr.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/10/01. RUSSELL,W.T. . 52pp. 86052:219-86052:270.

S. Reportable occurrences, LERs & related correspondence

9510020252 LER 95-009-00:on 950829,PCIS groups 2 through 5 isolations occurred due to EPA breaker trip on "undervoltage." Placed bus on alternate power supply.W/ 950922 ltr.
KLOTZ,B., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/09/22. 5pp. 85689:009-85689:013.

V. Operator Examinations

9510050182 Discusses telcon between RL Doornbos & W Render re arrangements made for administration of licensing exams scheduled for wk of 960115.Requests that util furnish ref matls by 951013.
BURDICK,T.M. Region 3 (Post 820201). 95/09/29. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 2pp. 85686:276-85686:277.

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9510020219 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
CARPENTER,C.E. . 95/09/26. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85663:126-85663:129.

9510030234 Revised EPIPs,including Rev 25 to EAP-4, "Dose Assessment Calculations" & Rev 3 to EAP-4.1, "Release Rate Determination."
* Power Authority of the State of New York (New York Power Authority). 95/09/28. 166pp;. 85692:001-85692:166.

9510170424 Revised EPIPs,including rev 15 to IAP-2,rev 10 to EAP-26 & rev 18 to SAP-2.
* Power Authority of the State of New York (New York Power Authority). 95/10/10. 77pp. 85866:171-85866:249.

9510300086 Forwards Rev 27 to emergency plan,section 5, "Organization" & revised EPIPs.
* Power Authority of the State of New York (New York Power Authority). 95/10/20. NRC - No Detailed Affiliation Given. 2pp. 86043:254-86043:328.

--9510300091 Rev 27 to emergency plan,section 5, "Organization" & emergency plan/vol 1 update list.
* Power Authority of the State of New York (New York Power Authority). 95/10/20. 17pp. 86043:255-86043:271.

--9510300100 Revised EPIPs,including Rev 29 to EAP-8,Rev 9 to EAPP-13,Rev 67 to EAP-17,Rev 29 to EAP-43,Rev 46 to SAP-3 & Rev 27 to SAP-7.
* Power Authority of the State of New York (New York Power Authority). 95/10/20. 57pp. 86043:272-86043:328.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100299 Extends invitation to Region 1 licensees to participate w/NRR & Region 1 representatives in discussion of GL 95-07.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 7pp. 85725:345-85725:351.

9510130196 Eleventh final response to FOIA request for documents. Records in App N will be made available in PDR.App M records will be withheld in entirety (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/04. IRWIN,D. Hunton & Williams. 4pp. 85800:219-85800:274.

9510240344 Forwards amend 229 to license DPR-59 & safety evaluation. Amend extends surveillance test intervals for nuclear steam supply sys to support 24-month operating cycles.
CARPENTER,C.E. . 95/10/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 3pp. 85911:184-85911:201.

--9510240354 Amend 229 to license DPR-59,extending surveillance test intervals for nuclear steam supply sys to support 24-month operating cycles.
MARSH,L.B. . 95/10/13. 8pp. 85911:187-85911:194.

--9510240357 Safety evaluation supporting amend 229 to license DPR-59.
* . 95/10/13. 7pp. 85911:195-85911:201.

9510240365 Forwards amend 228 to license DPR-59 & safety evaluation. Amend revises TS section 6.0 to replace title-specific list of members on Plant Operating Review Committee w/more general statement of membership requirements.
CARPENTER,C.E. . 95/10/13. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85911:202-85911:223.

--9510240368 Amend 228 to license DPR-59,revising TS section 6.0 to replace title-specific list of members on Plant Operating Review Committee w/more general statement of membership requirements.
MARSH,L.B. . 95/10/13. 15pp. 85911:206-85911:220.

--9510240374 Safety evaluation supporting amend 228 to license DPR-59.
* . 95/10/13. 3pp. 85911:221-85911:223.

9510240144 Informs util implemented actions requested in GL 95-07 for both Indian Point 3 & JA Fitzpatrick Nuclear Power Plants.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:189-85929:192.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190384 Ack receipt of 950828 ltr informing of addl actions related to extent of condition review documented in ltr re insp rept 50-333/95-02 & NOV.
COWGILL,C.J. Region 1 (Post 820201). 95/10/12. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 85897:086-85897:094.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260122 Forwards insp rept 50-333/95-18 on 950806-0923 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 95/10/20. SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 3pp. 85923:224-85923:260.

--9510260126 Notice of violation from insp on 950806-0923.Violation noted:discrepancy between fuse label & PTR not brought to attention of controller & incorrect fuse 6A-F-8 removed.
* Region 1 (Post 820201). 95/10/20. 2pp. 85923:227-85923:228.

--9510260129 Insp rept 50-333/95-18 on 950806-0923.Violations noted. Major areas inspected:plant operations,maint,engineering, plant support & QA/safety verifications.
COWGILL,C.J. Region 1 (Post 820201). 95/10/20. 32pp. 85923:229-85923:260.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190374 Monthly operating rept for Sept 1995 for JA FitzPatrick Nuclear Power Plant.W/951011 ltr.
FLAGG,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/09/30. 5pp. 85911:252-85911:256.

S. Reportable occurrences, LERs & related correspondence

9510110233 LER 95-013-00:on 950905,discovered loss feedwater flow transient due to personnel error.Revised abnormal operating procedure AOP-1.W/951005 ltr.
BRUNS,R., SALMON,H.P. Power Authority of the State of New York (New York Power Authority). 95/10/05. 10pp. 85806:301-85806:310.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020181 Forwards insp repts 50-334/95-13 & 50-412/95-13 on 950718- 0828 & forwards notice of violation.Human performance & root cause analysis weaknesses of concern because of significance of areas to performance weaknesses discussed in SALP.
LINVILLE,J.C. Region 1 (Post 820201). 95/09/22. CROSS,J.E. Duquesne Light Co. 3pp. 85642:198-85642:239.

9510130375 Informs that info provided to plant security manager that could assist in efforts to protect plants against design base threat for sabotage.
BRINKMAN,D.S. . 95/09/28. CROSS,J.E. Duquesne Light Co. 4pp. 85833:074-85833:077.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

P. Operating license stage documents & correspondence

9510130323 Forwards Rev 0 to "BVPS SSFI Technical Assessment Plan for Unit 1 - Safety Injection Sys."
THOMAS,G.S. Duquesne Light Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85810:280-85810:308.

--9510130329 Rev 0 to "BVPS SSFI Technical Assessment Plan for Unit 1 - Safety Injection Sys."
* Duquesne Light Co. 95/09/19. 26pp. 85810:281-85810:308.

9510020201 Forwards amend 193 to license DPR-66 & safety evaluation. Amend revised required area of RCS OPS vent from 3.14 square inches to 2.07 square inches which equal relief area of single power-operated relief valve.
BRINKMAN,D.S. . 95/09/26. CROSS,J.E. Duquesne Light Co. 3pp. 85649:281-85649:297.

--9510020206 Amend 193 to license DPR-66,revising required area of RCS OPS vent from 3.14 square inches to 2.07 square inches which equal relief of single power-operated relief valve.
STOLZ,J.F. . 95/09/26. 12pp. 85649:284-85649:295.

--9510020207 Safety evaluation supporting amend 193 to license DPR-66.
* . 95/09/26. 2pp. 85649:296-85649:297.

9510050077 Provides 10CFR50.46 rept of changes or errors in ECCS evaluation models.
THOMAS,G.S. Duquesne Light Co. 95/09/26. Document Control Branch (Document Control Desk). 49pp. 85735:166-85735:214.

9510050129 Provides info on plant that satisfies remaining staff concerns re Neutron flux instrumentation.
THOMAS,G.S. Duquesne Light Co. 95/09/27. Document Control Branch (Document Control Desk). 1p. 85724:336-85724:336.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees, w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100228 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. CROSS,J.E. Duquesne Light Co. 3pp. 85725:232-85725:238.

9510130282 Forwards pages reissued to correct submitted typographical errors in amends 192 & 75 to licenses DPR-66 & NPF-73.
THOMAS,G.S. Duquesne Light Co. 95/10/06. Document Control Branch (Document Control Desk). 1p. 85810:317-85810:323.

--9510130288 Proposed tech specs re Amends 192 & 75,administrative changes.
* Duquesne Light Co. 95/10/06. 6pp. 85810:318-85810:323.

9510250049 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
THOMAS,G.S. Duquesne Light Co. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85987:137-85987:140.

9510250193 Application for amends to licenses DPR-66 & NPF-73,revising Administrative Controls & Bases Sections to reflect implementation of revised 10CFR20 regulations re 10CFR50,App I & 40CFR190.
THOMAS,G.S. Duquesne Light Co. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85983:297-85983:305.

--9510250197 Proposed tech specs,revising Administrative Controls & Bases Sections to reflect implementation of revised 10CFR20 regulations re to 10CFR50,App I & 40CFR190.
* Duquesne Light Co. 95/10/16. 3pp. 85983:303-85983:305.

9510250001 Forwards corrected TS pages 3/4 3-6 & B 3/4 2-7 for plant Unit 1 & 3/4 2-9,3/4 3-6,B 3/4 2-7 & B 3/4 2-9 to license amends 192 & 75 for licenses DPR-66 & NPF-73.
BRINKMAN,D.S. . 95/10/19. CROSS,J.E. Duquesne Light Co. 3pp. 85939:344-85939:352.

--9510250002 Corrected tech spec pages 3/4 3-6 & B 3/4 2-7 for plant, Unit 1 & 3/4 2-9,3/4 2-7 & B 3/4 2-9 for plant,Unit 2, reissued due to typos contained in previously issued pages.
* . 95/10/19. 6pp. 85939:347-85939:352.

Q. Inspection reports, IE Bulletins & correspondence

9510130323 Forwards Rev 0 to "BVPS SSFI Technical Assessment Plan for Unit 1 - Safety Injection Sys."
THOMAS,G.S. Duquesne Light Co. 95/09/20. Document Control Branch (Document Control Desk). 1p. 85810:280-85810:308.

--9510130329 Rev 0 to "BVPS SSFI Technical Assessment Plan for Unit 1 - Safety Injection Sys."
* Duquesne Light Co. 95/09/19. 26pp. 85810:281-85810:308.

9510020181 Forwards insp repts 50-334/95-13 & 50-412/95-13 on 950718- 0828 & forwards notice of violation.Human performance & root cause analysis weaknesses of concern because of significance of areas to performance weaknesses discussed in SALP.
LINVILLE,J.C. Region 1 (Post 820201). 95/09/22. CROSS,J.E. Duquesne Light Co. 3pp. 85642:198-85642:239.

--9510020184 Notice of violation from insp on 950718-0808.Violation noted:reactor coolant pump seal injection flow exceeded 28 gpm & was not restored within limits within 4 h.
* Region 1 (Post 820201). 95/09/22. 1p. 85642:201-85642:201.

--9510020188 Insp repts 50-334/95-13 & 50-412/95-13 on 950708-0828. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering,plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/09/22. 38pp. 85642:202-85642:239.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510170326 Responds to request to perform self-assessment as alternative to SSFI conducted by NRC.Self-assessment plan, acceptable in lieu of NRC team conducted IAW IP 93801. Requests results be presented to NRC at later date.
BLOUGH,A.R. Region 1 (Post 820201). 95/10/06. CROSS,J.E. Duquesne Light Co. 18pp. 85818:145-85818:162.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270173 Responds to NRC 950922 ltr re violations noted in insp repts 50-334/95-13 & 50-412/95-13.Corrective actions:procedure 20M-7.4A has been revised (effective 951005) to add requirements to initial & date each action step.
THOMAS,G.S. Duquesne Light Co. 95/10/23. Document Control Branch (Document Control Desk). 2pp. 85939:217-85939:218.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510030073 NPDES monthly rept for Aug 1995 for BVPS,Units 1 & 2.W/ 950925 ltr.
ORNDORF,D., NOONAN,T.P. Duquesne Light Co. 95/08/31. 33pp. 85686:306-85686:338.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510050004 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
NORRIS,J., CROTEAU,R.P. . 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85724:318-85724:321.

9510020309 Withdraws portion of amend request involving audits of fire protection programmatic controls,fire protection equipment & program implementation.
SAGER,D.A. Florida Power & Light Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85690:345-85690:345.

9510130306 Responds to 941104 & 950328 responses to initial RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," forwarding second RAI since responses deemed incomplete.
NORRIS,J.A. . 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:011-85813:014.

9510180017 Forwards Rev 47 to Physical Security Plan for plant & has determined that rev does not decrease effectiveness of plan. Encl withheld.
SAGER,D.A. Florida Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85866:253-85866:253.

9510310302 Suppl response to request for addl info on matl properties & attributes of GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SAGER,D.A. Florida Power & Light Co. 95/10/27. Document Control Branch (Document Control Desk). 5pp. 86077:163-86077:167.

H. General correspondence

9510180103 Comment supporting proposed rule 10CFR2,50, & 51 re decommission of NPPs.
BOHLKE,W.H. Florida Power & Light Co. 95/10/15. HOYLE,J. Office of the Secretary of the Commission. 4pp. 85847:135-85847:138.

P. Operating license stage documents & correspondence

9510020309 Withdraws portion of amend request involving audits of fire protection programmatic controls,fire protection equipment & program implementation.
SAGER,D.A. Florida Power & Light Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85690:345-85690:345.

9510110340 Forwards rev 1 to plan to improve operational performance at plant.
SAGER,D.A. Florida Power & Light Co. 95/10/04. Document Control Branch (Document Control Desk). 12pp. 85783:159-85783:170.

9510170392 Extends invitation to power reactor licensees in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85818:255-85818:256.

9510110319 Application for amends to licenses DPR-67 & NPF-16,removing SR re dune & mangrove surveys from TS.
SAGER,D.A. Florida Power & Light Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85762:150-85762:151.

9510130306 Responds to 941104 & 950328 responses to initial RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," forwarding second RAI since responses deemed incomplete.
NORRIS,J.A. . 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:011-85813:014.

9510170391 Confirms telcon between B Dawson & E Lea on 951006 re 951101 meeting to discuss status of progress on corrective action plan for plant.
LANDIS,K.D. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85818:252-85818:254.

9510240167 Forwards revised Region II organizational charts,reflecting increase in efficiency & span of control.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. GOLDBERG,J.H. Florida Power & Light Co. 8pp. 85896:249-85896:256.

9510240268 Provides initial response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
SAGER,D.A. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85929:215-85929:216.

9510190149 Forwards proprietary response to request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
BOHLKE,W.H. Florida Power & Light Co. 95/10/12. Document Control Branch (Document Control Desk). 1p. 85886:353-85886:353.

9510310200 Forwards amends 140 & 80 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends delete min frequency criteria prescribed for QA audits from Administrative Controls sections 6.5.2.8 & 6.8.4 of TSs.
NORRIS,J.A. . 95/10/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 86035:130-86035:148.

--9510310207 Amends 140 & 80 to licenses DPR-17 & NPF-16,respectively. Amends delete min frequency criteria prescribed for QA audits from Administrative Controls sections 6.5.2.8 & 6.8.4 of TSs.
MATTHEWS,D.B. . 95/10/25. 12pp. 86035:133-86035:144.

--9510310213 Safety evaluation supporting amends 149 & 80 to licenses DPR-67 & NPF-16,respectively.
* . 95/10/25. 4pp. 86035:145-86035:148.

9510310302 Suppl response to request for addl info on matl properties & attributes of GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SAGER,D.A. Florida Power & Light Co. 95/10/27. Document Control Branch (Document Control Desk). 5pp. 86077:163-86077:167.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230304 Informs that NRC staff completed semiannual plant performance review on St Lucie.Staff conducts reviews for all operating NPP to develop an integrated understanding of safety performance.Insp plan encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85890:279-85890:283.

9510200371 Forwards SE,accepting request for alternative exam requirements for augmented RV weld insp required by 10CFR50.55a(g)(6)(ii)(A).Requests notification in writing of actual exam coverage obtained,upon performing RPV exam.
NORRIS,J.A. . 95/10/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85900:046-85900:053.

--9510200375 Safety evaluation accepting request for alternative exam requirements for augmented RV weld insp required by 10CFR50.55a(g)(6)(ii)(A).
* . 95/10/13. 5pp. 85900:049-85900:053.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200074 Monthly operating repts for Sept 1995 for St Lucie Units 1 & 2.W/951013 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/09/30. 10pp. 85912:314-85912:323.

S. Reportable occurrences, LERs & related correspondence

9510020133 LER 95-003-01:on 950708,automatic reactor trip occurred during overspeed surveillance testing due to personnel error.Counselled Operations personnel involved w/event & made procedure changes.W/950923 ltr.
BENKEN,E.J., SAGER,D.A. Florida Power & Light Co. 95/09/23. 6pp. 85689:110-85689:115.

9510020125 LER 95-008-00:on 950828,HPSI pump operation during plant conditions was not allowed by TS due to personnel error. Notified Operations dept personnel of lack of clarity in TS applicability statement & TS changes.W/950927 ltr.
SAGER,D.A. Florida Power & Light Co. 95/09/27. 7pp. 85689:103-85689:109.

V. Operator Examinations

9510040153 Comment supporting RG DG-1043,Rev 2 to RG 1.49, "NPP Simulation Facilities for Use in Operator License Exams."
BOHLKE,W.H. Florida Power & Light Co. 95/09/12. Office of Administration, Director (Post 940714). 1p. 85673:138-85673:138.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510040320 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
MCKEE,P.F. . 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 85713:304-85713:308.

9510100401 Advises that 950901 rev 12 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/09/29. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85765:297-85765:299.

9510260294 Notifies NRC of changes to facility ERDS data point library (DPL).Listed ERDS DPL changes became effective 951010.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 7pp. 86009:351-86009:357.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

--9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

G. Adjudicatory correspondence

9510050208 Provides update on five 10CFR2.206 which AJ Ross submitted re 941028 petition.
ANDERSEN,J.W. . 95/10/04. ROSS,A.J. Affiliation Not Assigned. 2pp. 85722:014-85722:015.

P. Operating license stage documents & correspondence

9510110208 Change 1 to Rev 18 of "Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/08/15. 48pp. 85761:290-85761:337.

9510020013 Provides response to NRC 950725 request for info re use of specific computer software in SR applications.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85681:316-85681:320.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100235 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85727:322-85727:328.

9510060242 Application for amend to license DPR-65,modifying TS re pressurizer & main steam safety valves.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/29. Document Control Branch (Document Control Desk). 13pp. 85748:236-85748:256.

--9510060243 Proposed tech specs re pressurizer & main steam safety valves.
* Northeast Nuclear Energy Co. 95/09/29. 8pp. 85748:249-85748:256.

9510060232 Informs NRC staff of current plans for implementation of dedicated shift technical advisor programs at Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/03. Document Control Branch (Document Control Desk). 2pp. 85748:359-85748:360.

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510110148 Application for amend to license DPR-65,extending AOT when one offsite circuit inoperable from current 72 h to seven days.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/10/06. Document Control Branch (Document Control Desk). 12pp. 85781:312-85781:330.

--9510110149 Proposed tech specs,extending AOT when one offsite circuit inoperable from current 72 h to seven days.
* Northeast Nuclear Energy Co. 95/10/06. 7pp. 85781:324-85781:330.

9510180105 Change Requests 96-02,96-03,96-04,96-05,95-06 & 95-07 to "Northeast Utilities QA Program Topical Rept."
SILKO,T.B., BENNETT,E., BARANOWSKI,W.J. Northeast Nuclear Energy Co. 95/10/11. 14pp. 85864:345-85864:358.

9510190021 Submits suppl response to 950821 10CFR2.206 petition.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/11. RUSSELL,W.T. . 13pp. 85886:340-85886:352.

9510170137 Forwards notice of consideration of issuance of amend to license DPR-65 & proposed NSHC determination & opportunity for hearing.Amend revises TS 3.8.1.1,AC SOURCES,adding footnote to extend allowed outage time for Cycle 13.
VISSING,G.S. . 95/10/12. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85881:245-85881:256.

--9510170150 Notice of consideration of issuance of amend to license DPR-65 & proposed NSHC determination & opportunity for hearing.Amend revises TS 3.8.1.1,AC SOURCES,adding footnote to extend allowed outage time for Cycle 13 operation only.
VISSING,G.S. . 95/10/12. 9pp. 85881:248-85881:256.

9510250069 Provides 60 day response to GL 95-07 re operability of safety-related power-operated gate valves.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:160-85987:162.

9510250003 Forwards SE which finds that proposed alternative to perform RPV exams authorized per 950609 util request & 10CFR50.55a(g)(ii)(A)(5).
MCKEE,P.F. . 95/10/20. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85981:348-85981:355.

--9510250022 Safety evaluation informing that licensee proposed alternative to augmented RPV exam requirements of 10CFR50.55a(g)(a)(ii)a,provides acceptable level of quality safety.
* . 95/10/20. 5pp. 85981:351-85981:355.

9510260067 Withdraws need for exigent handling of 950526 amend request, modifying TS re electrical power sys,shutdown & provides revised TS pages which address NRC comments re TS 3.8.11.2 & TS 3.8.2.2,including proposed change to TS 3.8.2.4.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 6pp. 85996:222-85996:237.

--9510260073 Proposed tech specs 3.8.1.2, "Electrical Power Sys, Shutdown," 3.8.2.2, "Electrical Power Sys,AC Distribution - Shutdown" & 3.8.2.4, "Electrical Power Sys,DC Distribution - Shutdown."
* Northeast Nuclear Energy Co. 95/10/20. 10pp. 85996:228-85996:237.

9510260286 Forwards addl info re 951006 proposed rev to TS,extending cycle-specific ac sources AOT & revised TS,as identified by NRC in 951012 telcon.
OPEKA,J.F., DEBARBA,E.A., DEBARBA,E.A. Northeast Nuclear Energy Co. 95/10/23. Document Control Branch (Document Control Desk). 25pp. 86030:239-86030:283.

--9510260292 Proposed TS 3.8.1.1,replacing words except that for Cycle 13 only w/ during Millstone Unit 1 Refueling Outage 15 & adding footnote to TS bases section on page B 3/4 8-1.
* Northeast Nuclear Energy Co. 95/10/23. 7pp. 86030:277-86030:283.

9510260302 Application for amend to license DPR-65,deferring next required surveillance to inspect SG tubes from 961020 to next Millstone Unit 2 refueling outage or no later than 971020.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/24. Document Control Branch (Document Control Desk). 13pp. 86002:318-86002:341.

--9510260307 Proposed tech specs 4.4.5.1, "SGs," deferring next required surveillance to insp SG tubes from 961020 to next Millstone Unit 2 refueling outage or no later than 971020 & revising bases for section 3/4.4.5.
* Northeast Nuclear Energy Co. 95/10/24. 11pp. 86002:331-86002:341.

Q. Inspection reports, IE Bulletins & correspondence

9510170223 Final response to FOIA request for investigation rept on allegations of reprisal & harassment against util employees. App A records in PDR.App B records partially withheld & App C records completely withheld (ref FOIA Exemptions 4,6 & 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. RINTOUL,D.S. Affiliation Not Assigned. 20pp. 86155:004-86168:105.

--9510190214 Provides documents unrelated to original allegation forwarded to OI by Regional Administrator for investigation & 890418,transcript for info & action,as appropriate.
WHITE,C.W. Ofc of Investigations (Post 880201). 90/05/01. KANE,W.F. Region 1 (Post 820201). 2pp. 86155:043-86155:044.

--9510250250 "Rept of Interview w/JB Moore."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/12/03. 60pp. 86155:192-86155:251.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190014 Forwards response to NRC 950913 ltr re violations noted in insp repts 50-213,50-245,50-336 & 50-423/95-26 on 950724-28. Corrective actions:included State Posture Code radiological levels in CYAPCO & NNECO EALs.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85887:350-85887:355.

9510230410 Forwards "NUSCO ISI Rept Class,1,2,Sys & IWF - Supports Millstone Nuclear Power Station Unit 2" for 1995.Insps covered by rept performed between 941001 & 950802.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85919:268-85919:357.

--9510230411 "NUSCO ISI Rept Class 1,2,Sys & IWF - Supports Millstone Nuclear Power Station Unit 2."
BAIRD,L.D., RILEY,J.W., NECCI,R.P. Northeast Nuclear Energy Co. 95/09/27. 87pp. 85919:271-85919:357.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250119 Forwards action plans for radwaste observations in insp repts 50-245/95-35,50-336/95-35 & 50-423/95-35 & summary of commitments.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/18. Document Control Branch (Document Control Desk). 10pp. 85986:343-85986:352.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

--9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510260302 Application for amend to license DPR-65,deferring next required surveillance to inspect SG tubes from 961020 to next Millstone Unit 2 refueling outage or no later than 971020.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/24. Document Control Branch (Document Control Desk). 13pp. 86002:318-86002:341.

--9510260307 Proposed tech specs 4.4.5.1, "SGs," deferring next required surveillance to insp SG tubes from 961020 to next Millstone Unit 2 refueling outage or no later than 971020 & revising bases for section 3/4.4.5.
* Northeast Nuclear Energy Co. 95/10/24. 11pp. 86002:331-86002:341.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170019 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85864:235-85864:252.

-9510170020 Monthly operating repts for Sept 1995 for Millstone Units 1, 2 & 3.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/09/30. 16pp. 85864:236-85864:250.

-9510170022 Revised monthly operating rept for Aug 1995 for Millstone Unit 2.
BORCHERT,R. Northeast Nuclear Energy Co. 95/08/31. 2pp. 85864:251-85864:252.

S. Reportable occurrences, LERs & related correspondence

9510110193 LER 95-035-00:on 950906,TS SR for AC sys was misinterpreted due to personnel error.Revised plant procedure.W/951005 ltr.
LUTZI,P.J., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/10/05. 5pp. 85778:263-85778:267.

9510300011 LER 95-036-00:on 950922,identified that quarterly surveillance for valve 2-SW-1A missed due to personnel error.Valve 2-SW-1A tested & verified operable & IST program surveillances reviewed.W/951023 ltr.
LUTZI,P.J., MILLER,D.B., RIFFER,W.J. Northeast Nuclear Energy Co. 95/10/23. 4pp. 86089:308-86089:311.

9510300016 LER 95-037-00:on 950923,determined that CEA TS SR not performed as required on previous two shifts due to lack of debriefing,communication problems & TS interpretation.AOP 2556, "CEA Malfunctions" will be revised.W/951023 ltr.
LUTZI,P.J., MILLER,D.B., RIFFER,W.J. Northeast Nuclear Energy Co. 95/10/23. 4pp. 86089:312-86089:315.

V. Operator Examinations

9510240062 Informs that exams for voluntary pilot exam program will be administered during week of 951016,per 951016 telcon between J Williams & R Heidecker.Requests that licensee furnish proposed exam outlines & reference matls by 951215.
MODES,M.C. Region 1 (Post 820201). 95/10/16. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 85896:059-85896:063.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510180159 Forward 950901 FEMA rept re 940622 exercise conducted at plant.Deficiencies identified re failure of Caroline,Orange & Spotsylvania Counties to complete primary route alerting within 15 minutes.
BARR,K.P. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85847:221-85847:331.

-9509250346 Forwards 940622 final exercise rept,full participation plume exposure pathway joint exercise of offsite radiological emergency response plans site-specific to plant.Informs of two deficiencies being identified & corrected.
HEPLER,O.M. Federal Emergency Management Agency. 95/09/01. CRUTCHFIELD,D. . 2pp. 85847:224-85847:225.

-9509250358 "Final Exercise Rept for 940622 Exercise at Plant."
* Federal Emergency Management Agency. 95/07/21. 106pp. 85847:226-85847:331.

9510310416 Informs of rev to commitment made in 950822 ltr for posting security officer at svc water pump house during svc water restoration.Security officer will no longer be posted at svc water pump house.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/26. Document Control Branch (Document Control Desk). 2pp. 86074:339-86074:340.

H. General correspondence

9510250196 Comment on proposed rules 10CFR2,50 & 51 re "Decommissioning of Nuclear Power Reactors."
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/10/19. Docketing & Services Branch. 7pp. 85904:062-85904:068.

P. Operating license stage documents & correspondence

9510100261 Summarizes 950912 meeting w/util in Atlanta,GA to discuss reorganization of oversight function at Virginia Electric Power Co.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 50pp. 85728:045-85728:094.

9510180102 Confirms 950926 telcon between D Sommers & A Belisle scheduling mgt meeting to discuss engineering issues at plant.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:047-85842:049.

9510180142 Extends invitation to power reactor licenses in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operator Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85842:147-85842:148.

9510110311 Responds to RAI re response to GL 95-03, "Circumferential Cracking of SG Tubes."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85762:141-85762:149.

9510120143 Forwards proprietary response to NRC request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85778:295-85778:296.

9510200243 Forwards amends 194 & 175 to licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise TS to allow one of two svc water loops to be isolated from component cooling water head exchangers.
ENGLE,L.B. . 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85898:329-85898:355.

-9510200252 Amends 194 & 175 to licenses NPF-4 & NPF-7,respectively, allowing one of two svc water loops to be isolated from component cooling water head exchangers during power operations in order to refurbish isolated svc water headers.
MATTHEWS,D.B. . 95/10/11. 17pp. 85898:333-85898:349.

-9510200256 Safety evaluation supporting amends 194 & 175 to licenses NPF-4 & NPF-7,respectively.
* . 95/10/11. 6pp. 85898:350-85898:355.

9510240229 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 85897:062-85897:069.

9510240278 Application for amends to licenses NPF-4 & NPF-7,modifying TS to allow both containment personnel airlock doors to remain open during refueling operations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/17. Document Control Branch (Document Control Desk). 33pp. 85929:303-85929:350.

-9510240284 Proposed tech specs,allowing both containment personnel airlock doors to remain open during refueling operations.
* Virginia Power (Virginia Electric & Power Co.). 95/10/17. 15pp. 85929:336-85929:350.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190169 Advises of planned insp effort resulting from North Anna PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 85863:163-85863:167.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190001 Responds to NRC 950914 ltr re violations noted in insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819.Corrective actions:dissambly of SAVS was stopped & insp port on ventilation duct was re-installed.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/12. Document Control Branch (Document Control Desk). 9pp. 85900:301-85900:309.

9510240143 Forwards insp repts 50-338/95-16 & 50-339/95-16 on 950820- 0916.No violations or deviations identified.
LANDIS,K.D. Region 2 (Post 820201). 95/10/13. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85896:218-85896:235.

-9510240151 Insp repts 50-338/95-16 & 50-339/95-16 on 950820-0916.No violations noted.Major areas inspected:plant status,plant operations,maintenance observations,surveillance observations & on-site engineering.
MCWHORTER,R., BELISLE,G.A. Region 2 (Post 820201). 95/10/11. 14pp. 85896:222-85896:235.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250122 Provides response for IST Program Anomalies.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/18. Document Control Branch (Document Control Desk). 141pp. 85983:149-85983:288.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160012 Monthly operating repts for Sept 1995 for North Anna Power Station Units 1 & 2.W/951009 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/30. 12pp. 85834:336-85834:347.

S. Reportable occurrences, LERs & related correspondence

9510100155 LER 95-004-00:on 950907,missed surveillance of N-16 monitors occurred.Caused by result of being unaware N-16s inoperable. Selector switch operated to both NI selector positions & proper power levels obtained/restored.W/951002 ltr.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/10/02. 4pp. 85767:103-85767:106.

V. Operator Examinations

9510180086 Requests that proposed exam outlines for exam repts 50-338/96-300 & 50-339/96-300 be furnished by 951127 for administration of licensing exams & operating tests scheduled for wk of 960129,per 950927 telcon.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:008-85842:010.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510180159 Forward 950901 FEMA rept re 940622 exercise conducted at plant.Deficiencies identified re failure of Caroline,Orange & Spotsylvania Counties to complete primary route alerting within 15 minutes.
BARR,K.P. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85847:221-85847:331.

9510310416 Informs of rev to commitment made in 950822 ltr for posting security officer at svc water pump house during svc water restoration.Security officer will no longer be posted at svc water pump house.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/26. Document Control Branch (Document Control Desk). 2pp. 86074:339-86074:340.

H. General correspondence

9510250196 Comment on proposed rules 10CFR2,50 & 51 re "Decommissioning of Nuclear Power Reactors."
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 95/10/19. Docketing & Services Branch. 7pp. 85904:062-85904:068.

P. Operating license stage documents & correspondence

9510100261 Summarizes 950912 meeting w/util in Atlanta,GA to discuss reorganization of oversight function at Virginia Electric Power Co.List of attendees & handouts encl.
LANDIS,K.D. Region 2 (Post 820201). 95/09/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 50pp. 85728:045-85728:094.

9510180102 Confirms 950926 telcon between D Sommers & A Belisle scheduling mgt meeting to discuss engineering issues at plant.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:047-85842:049.

9510180142 Extends invitation to power reactor licenses in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operator Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 2pp. 85842:147-85842:148.

9510110311 Responds to RAI re response to GL 95-03, "Circumferential Cracking of SG Tubes."
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85762:141-85762:149.

9510120143 Forwards proprietary response to NRC request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85778:295-85778:296.

9510200243 Forwards amends 194 & 175 to licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise TS to allow one of two svc water loops to be isolated from component cooling water head exchangers.
ENGLE,L.B. . 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85898:329-85898:355.

--9510200252 Amends 194 & 175 to licenses NPF-4 & NPF-7,respectively, allowing one of two svc water loops to be isolated from component cooling water head exchangers during power operations in order to refurbish isolated svc water headers.
MATTHEWS,D.B. . 95/10/11. 17pp. 85898:333-85898:349.

--9510200256 Safety evaluation supporting amends 194 & 175 to licenses NPF-4 & NPF-7,respectively.
* . 95/10/11. 6pp. 85898:350-85898:355.

9510240229 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 85897:062-85897:069.

9510240269 Application for amend to license NPF-7,modifying Table 4.4-1 of TS 4.4.5.1 to reduce from two to one min number of SGs required to be inspected during first ISI following SG replacement.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/17. Document Control Branch (Document Control Desk). 10pp. 85929:217-85929:232.

--9510240272 Proposed TS 4.4.5.1,Table 4.4-1,reducing from two to one min number of SGs required to be inspected during first ISI following SG replacement.
* Virginia Power (Virginia Electric & Power Co.). 95/10/17. 6pp. 85929:227-85929:232.

9510240278 Application for amends to licenses NPF-4 & NPF-7,modifying TS to allow both containment personnel airlock doors to remain open during refueling operations.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/17. Document Control Branch (Document Control Desk). 33pp. 85929:303-85929:350.

--9510240284 Proposed tech specs,allowing both containment personnel airlock doors to remain open during refueling operations.
* Virginia Power (Virginia Electric & Power Co.). 95/10/17. 15pp. 85929:336-85929:350.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190169 Advises of planned insp effort resulting from North Anna PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 85863:163-85863:167.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190001 Responds to NRC 950914 ltr re violations noted in insp repts 50-338/95-15 & 50-339/95-15 on 950716-0819.Corrective actions:dissambly of SAVS was stopped & insp port on ventilation duct was re-installed.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/12. Document Control Branch (Document Control Desk). 9pp. 85900:301-85900:309.

9510240143 Forwards insp repts 50-338/95-16 & 50-339/95-16 on 950820- 0916.No violations or deviations identified.
LANDIS,K.D. Region 2 (Post 820201). 95/10/13. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 85896:218-85896:235.

--9510240151 Insp repts 50-338/95-16 & 50-339/95-16 on 950820-0916.No violations noted.Major areas inspected:plant status,plant operations,maintenance observations,surveillance observations & on-site engineering.
MCWHORTER,R., BELISLE,G.A. Region 2 (Post 820201). 95/10/11. 14pp. 85896:222-85896:235.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240269 Application for amend to license NPF-7,modifying Table 4.4-1 of TS 4.4.5.1 to reduce from two to one min number of SGs required to be inspected during first ISI following SG replacement.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/17. Document Control Branch (Document Control Desk). 10pp. 85929:217-85929:232.

--9510240272 Proposed TS 4.4.5.1,Table 4.4-1,reducing from two to one min number of SGs required to be inspected during first ISI following SG replacement.
* Virginia Power (Virginia Electric & Power Co.). 95/10/17. 6pp. 85929:227-85929:232.

9510250122 Provides response for IST Program Anomalies.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/18. Document Control Branch (Document Control Desk). 141pp. 85983:149-85983:288.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160012 Monthly operating repts for Sept 1995 for North Anna Power Station Units 1 & 2.W/951009 ltr.
STALL,J.A., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/09/30. 12pp. 85834:336-85834:347.

S. Reportable occurrences, LERs & related correspondence

9510230389 LER 95-001-01:on 950403,MS pressurizer safety valve setpoints out of tolerance due to setpoint drift.Repaired MSSVs.W/951012 ltr.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 95/10/12. 5pp. 85948:267-85948:271.

V. Operator Examinations

9510180086 Requests that proposed exam outlines for exam repts 50-338/96-300 & 50-339/96-300 be furnished by 951127 for administration of licensing exams & operating tests scheduled for wk of 960129,per 950927 telcon.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85842:008-85842:010.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510170185 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
COLBURN,T.G. . 95/09/29. GIPSON,D.R. Detroit Edison Co. 3pp. 85881:308-85881:310.

9510110301 Ack receipt of 950825 correspondence transmitting findings for offsite emergency preparedness aspects of plant exercise on 940920.No new deficiencies noted.
CREED,J.R. Region 3 (Post 820201). 95/10/02. GIPSON,D.R. Detroit Edison Co. 2pp. 85731:080-85731:162.

--9510110314 Forwards final exercise rept for 940920,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/08/25. CRUTCHFIELD,D. . 1p. 85731:082-85731:082.

--9509210368 "Radiological Emergency Preparedness Exercise Evaluation Rept," for exercise conducted on 940920.
* Federal Emergency Management Agency. 95/08/08. 72pp. 85731:083-85731:162.

9510250117 Submits Fermi 2 Personnel Training & Qualification Plan, rev 13 per 10CFR50.54(p)(2).Plan Withheld.
GOODMAN,L.S. Detroit Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 2pp. 85985:353-85985:354.

9510250186 Forwards response to NRC ltr re violations noted in insp rept 50-341/95-09.Corrective actions:inspected App R emergency lights.
GIPSON,D.R. Detroit Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 5pp. 85983:335-85983:339.

H. General correspondence

9510110038 Comment on draft reg guide & NRC Bulletin, "Potential Plugging of ECCS Strainers for Debris in BWR." Supports points that bulletin should include option of justifying operability of currently installed passive strainers.
GOODMAN,L.S. Detroit Edison Co. 95/10/02. NRC - No Detailed Affiliation Given. 2pp. 85732:018-85732:019.

9510170298 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
GOODMAN,L.S. Detroit Edison Co. 95/10/12. Docketing & Services Branch. 2pp. 85818:031-85818:032.

9510270316 Informs that Monroe County Ofc Of Civil Preparedness has changed name to Monroe County Emergency Mgt Div,effective immediately.
GOODMAN,L.S. Detroit Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 1p. 86048:168-86048:168.

9510270070 Third final response to FOIA request for documents.Records in App D encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. DEER IN WATER Affiliation Not Assigned. 13pp. 86022:001-86023:189.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510030236 Forwards Rev 7a to "Fermi 2 UFSAR." Rev 7a incorporate changes to QA program as result of NRC approval of TS Amend 104,including revised pages to retract refs to plant mod not yet implemented & page inadvertently omitted from Rev 7.
MCKEON,R. Rochester Gas & Electric Corp. 95/09/29. Document Control Branch (Document Control Desk). 4pp. 85692:167-85692:261.

--9510030238 Rev 7a to "Fermi 2 UFSAR."
* Detroit Edison Co. 95/09/29. 91pp. 85692:171-85692:261.

P. Operating license stage documents & correspondence

9510130271 FOIA request for rept submitted to NRC by util re discharge into Lake Erie as permitted either under NPDES permit & correspondence submitted to NRC by Michigan agency or agencies w/oversight of NPDES permit.
DEER IN WATER Affiliation Not Assigned. 95/08/18. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85800:211-85800:212.

9510060219 Requests discretionary enforcement w/respect to requirements of TS Action Statement 3.8.1.1.d, "AC Sources - Operating" & TS 4.0.3, "Failure to Perform SR Within Allowed Surveillance Interval."
FESSIER,P. Detroit Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 11pp. 85777:268-85777:278.

9510060201 Revises 950929 request for discretionary enforcement w/ respect to requirements of TS Action Statement 3.8.1.1.d & TS 4.0.3,documenting that addl auto-connected loads affected by incomplete surveillance requirements.
MCKEON,R. Detroit Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 12pp. 85745:296-85745:307.

9510110276 Application for amend to license NPF-43,incorporating one- time deferral of limited aspects of SR 4.3.3.2,4.8.1.1.2.e. 4.b & 4.8.1.1.2.e.6.b into plant TS.
FESSLER,P. Detroit Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 17pp. 85783:289-85783:309.

--9510110279 Proposed tech specs,incorporating one-time deferral of limited aspects of SR 4.3.3.2,4.8.1.1.2.e.4.b & 4.8.1.1.2.e. 6.b into plant TS.
* Detroit Edison Co. 95/10/02. 4pp. 85783:306-85783:309.

9510110238 Discusses 950929 ltr which requested that NRC exercise discretion not to enforce compliance w/actions required in TS action statement 3.8.1.1.d, "AC Sources - Operating," & TS 4.0.3.
HOLIAN,B.E. . 95/10/03. GIPSON,D.R. Detroit Edison Co. 4pp. 85762:356-85762:359.

9510130264 First partial response to FOIA request for documents.Records in App A & B will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/06. DEER IN WATER Affiliation Not Assigned. 5pp. 85800:213-85800:218.

--9510130276 Forwards table, "Comparison of CST Sample Splitting Results, MI Dept of Radiological Health & Fermi 2."
OHLEMACHER,G. Detroit Edison Co. 94/02/22. COLBURN,T. NRC - No Detailed Affiliation Given. 1p. 85800:218-85800:218.

9510200135 Forwards Amend 105 to License NPF-43 & safety evaluation. Amend revises TSs 4.3.3.2,4.8.1.1.2.e.4.b & 4.8.1.1.2.e.6.b to allow deferral until first plant outage after 950929.
COLBURN,T.G. . 95/10/13. GIPSON,D.R. Detroit Edison Co. 4pp. 85898:135-85898:152.

--9510200145 Amend 105 to License NPF-43,changing TSs 4.3.3.2, 4.8.1.1.2.e.4.b & 4.8.1.1.2.e.6.b to allow deferral until first plant outage after 950929 for completion of diesel generator output breaker logic system functional testing.
HOLIAN,B.E. . 95/10/13. 7pp. 85898:139-85898:145.

--9510200155 Safety evaluation supporting Amend 105 to License NPF-43.
* . 95/10/13. 7pp. 85898:146-85898:152.

9510240137 Provides util response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
MCKEON,R. Detroit Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 8pp. 85928:271-85928:278.

9510270022 Second partial response to FOIA request for documents. Records in App C being made available for PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/10/16. DEER IN WATER Affiliation Not Assigned. 2pp. 86007:346-86007:355.

--9510270026 Informs that Fermi-2 turbine failed,damaging quite bit of equipment & spilling large quantity of contaminated water into turbine building basements.Event occurred on 931225.No injuries reported & plant safely shut down.
WILLIS,C.A. NRC - No Detailed Affiliation Given. 94/01/08. CONGEL,F. NRC - No Detailed Affiliation Given. 6pp. 86007:350-86007:355.

9510270070 Third final response to FOIA request for documents.Records in App D encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. DEER IN WATER Affiliation Not Assigned. 13pp. 86022:001-86023:189.

--9510270135 Forwards results of plant CST discharge overview. No problems noted during release.
ORTH,S. NRC - No Detailed Affiliation Given. 94/02/28. PEDERSON,C. NRC - No Detailed Affiliation Given. 32pp. 86022:348-86023:019.

--9510270249 Forwards lower limit of detection verification to Fermi 2 ODCM required criteria for radioactive liquid waste sampling & analysis program.
KOKOSKY,E. Detroit Edison Co. 94/03/03. SHAH,N. NRC - No Detailed Affiliation Given. 5pp. 86023:020-86023:024.

--9510270253 "Gamma Spectroscopy Analysis Rept."
* Detroit Edison Co. 94/03/03. 5pp. 86023:025-86023:029.

--9510270257 "Gamma Spectroscopy Analysis Rept."
* Detroit Edison Co. 94/03/03. 153pp. 86023:030-86023:184.

--9510270276 Submits results of analysis of first Fermi CST discharge.
ORTH,S. NRC - No Detailed Affiliation Given. 95/04/19. GROBE,J. NRC - No Detailed Affiliation Given. 5pp. 86023:185-86023:189.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190236 Ack receipt of 950417 & 0921 ltrs informing NRC of steps taken to correct violations noted in insp rept 50-341/95-03 on 950317.
PHILLIPS,M.P. Region 3 (Post 820201). 95/10/02. GIPSON,D.R. Detroit Edison Co. 1p. 85863:265-85863:265.

9510190331 Informs that on 950906,Region 3 staff completed semiannual PPR of plant for period Mar-Aug 1995 & forwards plant insp plan for approx next 6 months.Requests questions & comments re insp plan.
AXELSON,W.L. Region 3 (Post 820201). 95/10/02. GIPSON,D.R. Detroit Edison Co. 3pp. 85864:105-85864:107.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510270111 Forwards integrated insp rept 50-341/95-11 on 950818-0922.No violations noted.
JORDAN,M.S. Region 3 (Post 820201). 95/10/11. GIPSON,D.R. Detroit Edison Co. 2pp. 85939:178-85939:197.

--9510270116 Integrated insp rept 50/341/95-11 on 950818-0922.No violations noted.Major areas inspected:operations, engineering,maint & plant support.
JORDAN,M.J. Region 3 (Post 820201). 95/10/11. 18pp. 85939:180-85939:197.

9510190164 Forwards insp rept 50-341/95-10 on 950911-15.No violations noted.
JACOBSON,J.M. Region 3 (Post 820201). 95/10/12. GIPSON,D.R. Detroit Edison Co. 3pp. 85863:115-85863:127.

--9510190178 Insp rept 50-341/95-10 on 950911-15.No violations noted. Major areas inspected:licensee response to GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillance."
BURGESS,S.D., GUZMAN,J.G., JACOBSON,J.M. Region 2 (Post 820201). 95/10/12. 10pp. 85863:118-85863:127.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250186 Forwards response to NRC ltr re violations noted in insp rept 50-341/95-09.Corrective actions:inspected App R emergency lights.
GIPSON,D.R. Detroit Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 5pp. 85983:335-85983:339.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200273 Monthly operating rept for Sept 1995 for Fermi 2.W/951012 ltr.
STONE,B.J., MCKEON,R. Detroit Edison Co. 95/09/30. 4pp. 85911:346-85911:349.

9510270070 Third final response to FOIA request for documents.Records in App D encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. DEER IN WATER Affiliation Not Assigned. 13pp. 86022:001-86023:189.

--9510270121 "Turbine Incident Recovery Radiological Performance Rept," 941226-950413.
CRAINE,D.T., MACADAM,G.E., KOKOSKY,E.F. Detroit Edison Co. 95/04/13. 300pp. 86022:016-86022:347.

S. Reportable occurrences, LERs & related correspondence

9510300028 Submits change & clarification made in responses to CAL on 931225 turbine event,submitted on 940824 & 1013.Mod to moisture separator to improve moisture removal will be implemented during RFO5.
GIPSON,D.R. Detroit Edison Co. 95/10/20. Document Control Branch (Document Control Desk). 2pp. 86051:356-86051:357.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9510050062 Informs that info being provided to plant security managers that could assist in efforts to protect plant against design-basis threat for sabotage.
MASNIK,M.T. . 95/09/26. QUENNOZ,S.M. Portland General Electric Co. 4pp. 85722:155-85722:158.

9510060061 Advises that 950727 Rev 43 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plan.
SCARANO,R.A. Region 4 (Post 820201). 95/10/03. QUENNOZ,S.M. Portland General Electric Co. 4pp. 85733:352-85733:356.

9510170358 Forwards insp rept 50-344/95-08 on 950828-0907.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. QUENNOZ,S.M. Portland General Electric Co. 5pp. 85818:188-85818:199.

--9510170375 Insp rept 50-344/95-08 on 950828-0907.No violations noted. Major areas inspected:LCRP activities including planning & preparation of work activities,health physics controls during work activities & radwaste shipping.
CAIN,C.L. Region 4 (Post 820201). 95/10/02. 7pp. 85818:193-85818:199.

G. Adjudicatory correspondence

9510260060 Informs that Commission will review & respond to PGE ltr dtd 950913 requesting extension of time to file comments in response to FRN.
MULLINS,C.E. Office of the General Counsel (Post 860701). 95/09/14. NICHOLS,D. Portland General Electric Co. 1p. 85923:222-85923:222.

9510190101 Memorandum & order (CLI-95-13).* Commission will not require PGE to halt LCRP,however,Commission expects util to adhere to current NRC decommissioning rules & take no further action until final NRC approval.W/Certificate of Svc.
CHILK,S.J. Office of the Secretary of the Commission. 95/10/12. Portland General Electric Co. 8pp. 85845:282-85845:289.

9510310246 Provides info re steps taken to comply w/decommissioning rules.
QUENNOZ,S.M. Portland General Electric Co. 95/10/25. HOYLE,J.C. Office of the Secretary of the Commission. 4pp. 86004:120-86004:123.

H. General correspondence

9510030059 Comment on large component removal at Trojan.Asserts premise that further delay in removal process unncessary & creates more confusion in community.
CARLSON,G. Affiliation Not Assigned. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85643:289-85643:289.

9510030070 Comment supporting Trojan large component removal.
JACOBSEN,R.K. Affiliation Not Assigned. 95/09/26. JULIAN,E. Docketing & Services Branch. 1p. 85643:307-85643:307.

9510030052 Comment supporting work being performed at Trojan.
KELLY,M.L. Affiliation Not Assigned. 95/09/27. Docketing & Services Branch. 1p. 85643:266-85643:266.

9510030066 Comment on large component removal at Trojan.
MCKEE,R. Affiliation Not Assigned. 95/10/02. JULIAN,E. Docketing & Services Branch. 2pp. 85643:291-85643:292.

9510030213 Comment supporting decommissioning of Trojan Nuclear Power Plant.
SCHAFFRAN,R. . 95/10/02. JULIAN,E. Docketing & Services Branch. 1p. 85644:124-85644:124.

9510040087 Suppl to comment 3,supporting decommissioning of plant.
QUENNOZ,S.M. Portland General Electric Co. 95/10/02. JULIAN,E. Docketing & Services Branch. 6pp. 85673:067-85673:072.

9510200150 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Util generally endorses NEI comments on proposed rules.
QUENNOZ,S.M. Portland General Electric Co. 95/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 85871:158-85871:166.

9510250358 Ack receipt of "Request of Action to Halt Trojan Nuclear Plant Decommissioning Unless & Until Final Decommissioning Plan Approved," dtd 950925.
RUSSELL,W.T. . 95/10/19. WILLIAMS,L.K. Affiliation Not Assigned. 4pp. 85981:336-85981:339.

P. Operating license stage documents & correspondence

9509210204 Litigation Rept - 1995 - 9.
CORDES,J.F. Solicitor (Post 860701). SECY-95-235. 95/09/15. 23pp. 85910:122-85910:144.

9510050209 Notifies NRC of planned radioactive waste shipment #95-29 from plant.
QUENNOZ,S.M. Portland General Electric Co. 95/09/25. Document Control Branch (Document Control Desk). 3pp. 85724:327-85724:329.

9510050203 Notifies NRC of planned radioactive waste shipment #95-30 from plant.
QUENNOZ,S.M. Pacific Gas & Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85724:322-85724:324.

9510130075 Notifies of planned radwaste shipment (95-32) from plant,as described in encl ltr.Informs that NRC Certificate of Compliance Number shown incorrect & should have been 9259.
QUENNOZ,S.M. Portland General Electric Co. 95/10/05. Document Control Branch (Document Control Desk). 3pp. 85762:027-85762:029.

9510170237 Forwards rev 19 to PGE-8010, "Trojan Nuclear Plant Nuclear QA Program."
QUENNOZ,S.M. Portland General Electric Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85864:253-85864:277.

--9510170238 Rev 19 to PGE-8010, "Trojan Nuclear Plant Nuclear QA Program."
* Portland General Electric Co. 95/10/09. 23pp. 85864:256-85864:277.

9510240337 Forwards copy of Commission Memo & Order,CLI-95-13 to Trojan Nuclear Power Station.
MASNIK,M.T. . 95/10/13. Portland General Electric Co. 3pp. 85911:171-85911:181.

9510260036 Notifies of planned radwaste shipment (95-33) from plant,per licensee large component removal project transportation safety plan.
YUNDT,C.P. Portland General Electric Co. 95/10/19. Document Control Branch (Document Control Desk). 3pp. 85923:001-85923:003.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170358 Forwards insp rept 50-344/95-08 on 950828-0907.No violations or deviations identified.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. QUENNOZ,S.M. Portland General Electric Co. 5pp. 85818:188-85818:199.

--9510170375 Insp rept 50-344/95-08 on 950828-0907.No violations noted. Major areas inspected:LCRP activities including planning & preparation of work activities,health physics controls during work activities & radwaste shipping.
CAIN,C.L. Region 4 (Post 820201). 95/10/02. 7pp. 85818:193-85818:199.

9510200104 Forwards insp rept 50-344/95-09 on 950925-1002.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/16. QUENNOZ,S.M. Portland General Electric Co. 4pp. 85871:022-85871:032.

--9510200111 Insp rept 50-344/95-09 on 950925-1002.No violations noted. Major areas inspected:large component removal project activities,including transportation of SG B to US Ecology burial site at Hanford,WA.
CAIN,C.L. Region 4 (Post 820201). 95/10/12. 7pp. 85871:026-85871:032.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250030 Forwards response to NRC ltr re violations noted in insp rept 50-344/95-06.Corrective actions:installed locking device & non-reusable seal on valve SF-034.
QUENNOZ,S.M. Pacific Gas & Electric Co. 95/10/18. Document Control Branch (Document Control Desk). 3pp. 85987:141-85987:143.

9510310227 Ack receipt of 951018 ltr informing NRC of steps taken to correct violations noted in insp rept 50-344/95-06.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. QUENNOZ,S.M. Pacific Gas & Electric Co. 4pp. 86004:063-86004:069.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160271 Monthly operating repts for Sept 1995 for Beaver Valley Power Station.W/ 951006 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/09/30. 9pp. 85836:104-85836:112.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510180359 Forwards Amend 5 to PGE-1052, "Quality-Related List Classification Criteria for TNP." Amend addresses criteria specific to ISFSI at TNP.
QUENNOZ,S.M. Portland General Electric Co. 95/10/09. Document Control Branch (Document Control Desk). 2pp. 85883:226-85883:257.

--9510180372 Amend 5 to "Quality-Related List Classification Criteria for TNP."
* Portland General Electric Co. PGE-1052 A05. 95/10/09. 30pp. 85883:228-85883:257.

9510190080 Notification of 951017 meeting w/Portland General Electric Co in Rockville,MD to discuss transportation issues associated w/spent fuel transport cask under design by Sierra Nuclear Corp.
* Office of Nuclear Material Safety & Safeguards. 95/10/11. Office of Nuclear Material Safety & Safeguards. 1p. 85900:230-85900:230.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510130019 Revised EPIPs,including rev 0 to RA-EP-02820, "Earthquake" & rev 1 to RA-EP-02861, "Radiological Incidents."
GORDON,D.J. Southern Nuclear Operating Co. 95/09/29. 32pp. 85810:233-85810:263.

9510130015 Rev 1 to RA-EP-01500, "Emergency Classification" & revised table of contents.
* Southern Nuclear Operating Co. 95/10/03. 6pp. 85810:331-85810:336.

9510160045 Forwards "Davis-Besse Nuclear Power Station Emergency Preparedness Exercise Manual 950920."
STETZ,J.P. Centerior Energy. 95/10/10. Document Control Branch (Document Control Desk). 1p. 85834:005-85834:329.

--9510160048 "Davis-Besse Nuclear Power Station Emergency Preparedness Exercise Manual 950920."
* Centerior Energy. 95/09/20. 334pp. 85834:006-85834:329.

9510160090 Informs that util 941208,950322 & 950613 responses to NRC 940915 & 941223 RAI,incomplete.Requests that description of anticipated analytical methodology including typical calculations re GL 92-08 be submitted within 30 days.
GUNDRUM,L.G. . 95/10/11. STETZ,J.P. Centerior Energy. STETZ,J.P. Centerior Service Co. 5pp. 85823:339-85823:344.

H. General correspondence

9510020081 Submits questions re dry cask storage in general & insp rept 72-0014/95-202 & notice of nonconformance issued 950829.
JOHNSTON,C. Affiliation Not Assigned. 95/09/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85681:259-85681:261.

9510130049 Responds to 950905 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform operational testing for ISFSI.
MARCUS,G.H. . 95/10/05. WASHING,J.R. Affiliation Not Assigned. 4pp. 85778:355-85778:358.

9510130062 Responds to ltr to C Paperiello re plant ISFSI in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. SHIH,M. Affiliation Not Assigned. 4pp. 85778:351-85778:354.

9510130090 Responds to 950905 ltrs to Commissioners,C Paperiello & A Hansen re plant ISFSI,in which recipients expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform operational ISFSI testing.
MARCUS,G.H. . 95/10/05. JOHNSON,C.F. Affiliation Not Assigned. 4pp. 85801:334-85801:337.

9510130112 Responds to ltr addressed to C Paperiello re Davis-Besse Nuclear Power Station ISFSI.
MARCUS,G.H. . 95/10/05. BORK,J. Affiliation Not Assigned. 4pp. 85801:338-85801:341.

9510130198 Responds to 950902 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. HIRT,A. Affiliation Not Assigned. 4pp. 85801:345-85801:348.

9510130220 Responds to 950907 ltr re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. CRABTREE,C. Affiliation Not Assigned. 4pp. 85801:352-85801:355.

P. Operating license stage documents & correspondence

9510020086 Provides supplemental info for pending license amend application to revise license NPF-3 to reflect pending merger of TOED & CLEI.
STETZ,J.P. Centerior Energy. 95/09/27. Document Control Branch (Document Control Desk). 2pp. 85681:298-85681:299.

9510040306 Forwards notice of withdrawal of application for amend to license NPF-3.
GUNDRUM,L.L. . 95/09/27. STETZ,J.P. Centerior Energy. STETZ,J.P. Centerior Service Co. 2pp. 85713:262-85713:266.

--9510040314 Notice of withdrawal re request for amend to license NPF-3.
GUNDRUM,L.L. . 95/09/27. 2pp. 85713:264-85713:266.

9510040307 Forwards notice of transfer of license NPF-3 per 950919 request for consideration of approval under 10CFR50.80 of transfer of license to operate DBNPS,Unit 1 from TE to company resulting from merger of TE & CEI.
GUNDRUM,L.L. . 95/09/27. STETZ,J.P. Toledo Edison Co. 2pp. 85713:267-85713:270.

--9510040312 Notice of transfer of License NPF-3 re 950919 request for consideration of approval under 10CFR50.80 of transfer of license to operate DBNPS,Unit 1 from TE to company resulting from merger of TE & CEI.
MARCUS,G.H. . 95/09/27. 2pp. 85713:269-85713:270.

9510060247 Application for amend to license NPF-3,modifying TS 3.4.3 & associated bases for pressurizer code safety valve lift setpoint tolerances.
STETZ,J.P. Centerior Energy. 95/09/29. Document Control Branch (Document Control Desk). 13pp. 85748:257-85748:272.

--9510060251 Proposed TS 3.4.3 & associated bases,modifying lift setting of pressurizer code safety valves to greater than or equal to 2,575 psig,corresponding to lift setting tolerance of +3% of nominal lift pressure.
* Centerior Energy. 95/09/29. 3pp. 85748:270-85748:272.

9510100109 Forwards application for Amend to License NPF-3,revising TS 3/4.1.2.8, "Reactivity Control Sys - Borated Water Sources - Shutdown,TS 3/4.1.2.9, "Reactivity Control Sys - Operating" & TS 3/4.5.1, "ECCS - Core Flooding Tanks."
STETZ,J.P. Centerior Energy. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85751:307-85751:345.

--9510100124 Application for amend to License NPF-3,revising Tech Spec 3/4.1.2.8, "Reactivity Control Sys - Borated Water Sources - Shutdown," Tech Spec 3/4.1.2.9, "Reactivity Control Sys - Operating" & TS 3/4.5.1, "ECCS - Core Flooding Tanks."
STETZ,J.P. Centerior Energy. 95/09/29. 16pp. 85751:309-85751:324.

--9510100133 Proposed TS 3/4.1.2.8 re reactivity control sys - borated water sources - shutdown TS 3/4.1.2.8 re reactivity control sys - operating & TS 3/4.5.1 re ECCS - core flooding tanks.
* Centerior Energy. 95/09/29. 21pp. 85751:325-85751:345.

9510100174 Forwards application for amend to license NPF-3 & TS, involving revising TS Section 5.0,design features & adopting improved "STS for B&W Plants" format & content.
STETZ,J.P. Centerior Energy. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85750:333-85750:362.

--9510100182 Application for amend to license NPF-3,revising TS Section 5.0,design features & adopting improved "STS for B&W Plants" format & content.
STETZ,J.P. Centerior Energy. 95/10/02. 14pp. 85750:335-85750:349.

--9510100184 Proposed tech specs,revising TS Section 5.0,design features & adopting improved "STS for B&W Plants" format & content.
* Centerior Energy. 95/10/02. 15pp. 85750:350-85750:362.

9510170063 Requests that licensee provide NRC w/info re cause or reason behind discrepancy of plant ultimate heat sink/svc water temps.
HOPKINS,J.B. . 95/10/12. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 3pp. 85881:213-85881:215.

9510250133 Provides written response indicating whether or not util will implement actions requests in GL 95-07 & provide schedule for completing implementation.
STETZ,J.P. Centerior Energy. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85983:306-85983:308.

9510250137 Provides required notification that util has completed design basis reviews,testing & analyses consistent w/commitments re GL 89-10 MOV Testing Program.
STETZ,J.P. Centerior Energy. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85988:241-85988:243.

9510300133 Forwards proper event tree for small LOCA,in response to request for addl info on individual plant exam.
STETZ,J.P. Centerior Energy. 95/10/20. Document Control Branch (Document Control Desk). 2pp. 86051:358-86051:359.

9510300152 Forwards response to RAI re revised TS 3.8.1.1 - ac for power sources,operating.
STETZ,J.P. Centerior Energy. 95/10/20. Document Control Branch (Document Control Desk). 5pp. 86051:297-86051:301.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190172 Forwards insp rept 50-346/95-07 on 950626-0823 & NOV.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/28. STETZ,J.P. Toledo Edison Co. 2pp. 85863:173-85863:188.

--9510190184 Notice of violation from insp on 950626-0823.Violation noted:electrical maint personnel failed to adequately install the Limitorque operator limit switch compartment cover on SW valve SW 1399 upon completion of VOTES testing.
* Region 3 (Post 820201). 95/09/29. 2pp. 85863:175-85863:176.

--9510190193 Insp rept 50-346/95-07 on 950626-0823.Violations noted. Major areas inspected:operations,maint,engineering,plant support,preparations for dry cask storage of SF performed,SA & QV activities & certain previously identified items.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/28. 12pp. 85863:177-85863:188.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190327 Informs that on 950907,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.
AXELSON,W.L. Region 3 (Post 820201). 95/10/10. STETZ,J.P. Centerior Service Co. 4pp. 85864:101-85864:104.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200134 Wastewater rept for Sept 1995 for Davis-Besse Nuclear Power Station,Unit 1.W/951010 ltr.
WOOD,J.K. Toledo Edison Co. 95/09/30. 7pp. 85916:340-85916:343.

9510230162 Monthly operating rept for Sept 1995 for Davis-Besse Nuclear Power Station.W/951013 ltr.
WOLF,G.M., WOOD,J.K. Toledo Edison Co. 95/09/30. 6pp. 85912:247-85912:252.

S. Reportable occurrences, LERs & related correspondence

9510130263 LER 95-002-00:on 950906,discovered six post nuts missing from terminal strip in cabinet C3629.Caused by isolated wiring error.Terminal post nuts installed on terminal strip in cabinet C3629.W/951006 ltr.
ANTRASSIAN,A., WOOD,J.K. Toledo Edison Co. 95/10/06. 5pp. 85807:219-85807:223.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

Y. Dry Cask Independent Spent Fuel Storage Installations

9510190172 Forwards insp rept 50-346/95-07 on 950626-0823 & NOV.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/28. STETZ,J.P. Toledo Edison Co. 2pp. 85863:173-85863:188.

--9510190184 Notice of violation from insp on 950626-0823.Violation noted:electrical maint personnel failed to adequately install the Limitorque operator limit switch compartment cover on SW valve SW 1399 upon completion of VOTES testing.
* Region 3 (Post 820201). 95/09/29. 2pp. 85863:175-85863:176.

--9510190193 Insp rept 50-346/95-07 on 950626-0823.Violations noted. Major areas inspected:operations,maint,engineering,plant support,preparations for dry cask storage of SF performed,SA & QV activities & certain previously identified items.
LANKSBURY,R.D. Region 3 (Post 820201). 95/09/28. 12pp. 85863:177-85863:188.

9510160096 Forwards EA & FONSi re 950922 request for schedular exemption for relief to submit rept of preoperational test acceptance criteria & test results at least 3 days prior to receipt of fuel at ISFSI.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/29. STETZ,J.P. Toledo Edison Co. 2pp. 85813:193-85813:201.

--9510160104 Environ assessment & finding of no significant impact re request for schedular exemption for relief to submit rept of of preoperational test acceptance criteria & test results at least 3 days prior to receipt of fuel at ISFSI.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/29. 7pp. 85813:195-85813:201.

9510160009 Suppls response to CAL issues for NUHOMS components to be utilized at Davis-Besse facility.
FRANCESCHI,V. Vectra Technologies, Inc. 95/10/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85834:354-85834:355.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100389 Forwards rev 27A to JM Farley Nuclear Plant security plan. Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85756:303-85756:304.

9510170425 Revised EPIPs,including rev 2 to FNP-0-EIP-8.1 & rev 0 to FNP-0-EIP-8.2.W/951006 ltr.
HUDSPETH,J. Southern Nuclear Operating Co. 95/10/06. 110pp. 85866:001-85866:164.

9510180020 Provides changes to security plan for Biometrics Access Control Sys.Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85866:314-85866:316.

9510270009 Revised EPIPs,including rev 12 to GO-EIP-102,rev 31 to GO-EIP-111,rev 17 to GO-EIP-114,rev 21 to GO-EIP-118 & rev 8 to GO-EIP-138.W/951020 ltr.
AJLUNI,M.J. Southern Nuclear Operating Co. 95/10/20. 142pp. 85999:092-85999:233.

P. Operating license stage documents & correspondence

9510020138 Application for amends to licenses NPF-2 & NPF-8,changing TS 4.6.1.3 to incorporate improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431, "STS,Westinghouse Plants."
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85664:310-85664:319.

--9510020140 Proposed TS 4.6.1.3,incorporating improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431.
* Southern Nuclear Operating Co. 95/09/26. 6pp. 85664:314-85664:319.

9510020152 Responds to NRC 950906 ltr re GL 95-03,including addl request for info on use of terrain mapping for rotating pancake coil insps.
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:320-85664:322.

9510050033 Forwards amend 117 to license NPF-2 & safety evaluation. Amend revises TS 4.4.6.2,4.4.6.4,4.4.6.5,3.4.7.2 & 3.4.6 for Cycle 14 operation to permit use of voltage-based steam generator tube repair criteria for defects.
SIEGEL,B.L. . 95/09/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85721:225-85721:253.

--9510050037 Amend 117 to license NPF-2,revising TS 4.4.6.2,4.4.6.4, 4.4.6.5,3.4.7.2 & 3.4.9 for Cycle 14 operation to permit use of voltage-based steam generator tube repair criteria for defects confined within thickness of tube support plate.
BERKOW,H.N. . 95/09/28. 15pp. 85721:228-85721:242.

--9510050040 Safety evaluation supporting amend 117 to license NPF-2.
* . 95/09/28. 11pp. 85721:243-85721:253.

9510050048 Forwards amends 116 & 108 to licenses NPF-2 & NPF-8, respectively & SE.Amends eliminate periodic pressure sensor response time testing surveillance requirements for specific RTS & ESFAS instrumentation specified in TS sections.
SIEGEL,B.L. . 95/09/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85724:290-85724:312.

--9510050057 Amends 116 & 108 to licenses NPF-2 & NPF-8,respectively, eliminating periodic pressure sensor response time testing surveillance requirements for specific RTS & ESFAS instrumentation specified in TS Sections 4.3.1.3 & 4.3.2.3.
BERKOW,H.N. . 95/09/28. 14pp. 85724:293-85724:306.

--9510050063 Safety evaluation supporting amends 116 & 108 to licenses NPF-2 & NPF-8,respectively.
* . 95/09/28. 6pp. 85724:307-85724:312.

9510180087 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GI 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 85842:011-85842:012.

9510230346 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/10. MOREY,D.N. Southern Nuclear Operating Co. 7pp. 85891:337-85891:343.

9510170277 Forwards responses to request for addl info re "Unresolved Safety Issue A-46 Summary Rept," per GL 87-02.
MOREY,D. Southern Nuclear Operating Co. 95/10/11. Document Control Branch (Document Control Desk). 9pp. 85836:232-85836:240.

9510240059 Provides 60 day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves for Farley Nuclear Plant."
MOREY,D. Southern Nuclear Operating Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:163-85929:164.

9510300194 Forwards "Radial Peaking Factor Limit Rept" & elevation dependent peaking factor vs core height graph for Cycle 14 of JM Farley Nuclear Plant,Unit 1.
MOREY,D. Southern Nuclear Operating Co. 95/10/23. Document Control Branch (Document Control Desk). 1p. 86051:342-86051:346.

--9510300196 "Radial Peaking Factor Limit Rept."
* Southern Nuclear Operating Co. 95/07/21. 4pp. 86051:343-86051:346.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020152 Responds to NRC 950906 ltr re GL 95-03,including addl request for info on use of terrain mapping for rotating pancake coil insps.
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:320-85664:322.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190159 Advises of planned insp effort resulting from Farley Nuclear Plant PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 85863:107-85863:110.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230392 Forwards insp repts 50-348/95-16 & 50-364/95-16 on 950821-0917 & NOV.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/16. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85893:030-85893:053.

--9510230396 Notice of violation from insp on 950821-0917.Violation noted:number of scaffolds found installed over safety- related pumps & components that did not conform w/const requirements of GMP-60,Step 7.4.6.
* Region 2 (Post 820201). 95/10/16. 2pp. 85893:033-85893:034.

--9510230398 Insp repts 50-348/95-16 & 50-364/95-16 on 950821-0917. Violations noted.Major areas inspected:operations,maint/ surveillance,engineering/technical support & general plant support.
ROSS,T.M., SCOTT,M.A., CHRISTENSEN,H. Region 2 (Post 820201). 95/10/13. 19pp. 85893:035-85893:053.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170014 Monthly operating repts for Sept 1995 for JM Farley Nuclear Plant.W/ 951011 ltr.
ALLISON,S.M., MOREY,D. Southern Nuclear Operating Co. 95/09/30. 9pp. 85836:205-85836:213.

S. Reportable occurrences, LERs & related correspondence

9510050275 PNO-II-95-054:on 951004,util declared notification of unusual event due to anticipated hurricane conditions.Util plans to shut down approx 2 h before hurricane winds reach site.
CHRISTENSEN,C. Region 2 (Post 820201). 95/10/04. 1p. 85767:008-85767:008.

9510110042 PNO-II-95-054A:on 951005,facility,as precautionary measure, began to ramp down power at 5:00 pm due to Hurricane Opal. Plant did not experience any damage except for roof removed from old tin warehouse & loss of 44 kV overhead line.
SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 1p. 86019:002-86019:002.

9510110026 PNO-II-95-054B:on 951005,incident response ctr monitoring of Hurricane Opal was terminated.Unit 2 commenced restart at 7:29 pm CDT.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/06. 1p. 86019:001-86019:001.

9510200098 LER 95-007-00:on 950927,discovered that control room pressurization units moisture controllers incapable of performing intended function due to procedural inadequacy. Established repetitive PM tasks.W/951013 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/10/13. 6pp. 85910:207-85910:212.

9510200086 LER 95-008-00:on 950916,loop A main steam line isolation valves (MSIV) failed to close due to personnel error.Loop A MSIVs vented & closed,test procedure modified & operator coached on event.W/951016 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 95/10/16. 5pp. 85910:198-85910:202.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510240311 Discusses lessons learned re weaknesses & strengths identified during operational safeguards response evaluations pertaining to licensees capability.
RINALDI,F., SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 6pp. 85911:161-85911:166.

9510230098 Responds to 950926 ltr informing that NRC will not be participating in exercise activities at facility during Limerick Generation Station Exercise on 951024.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/12. BAHNWEG,J.L. Pennsylvania, Commonwealth of. 2pp. 85888:301-85888:302.

P. Operating license stage documents & correspondence

9510020271 Notifies NRC of implementation dates associated w/recently issued TS change requests for plant.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/27. Document Control Branch (Document Control Desk). 1p. 85690:319-85690:319.

9510100221 Extends invitation to Region I licenseees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85727:255-85727:261.

9510130205 Informs that PECO Energy Co stated intention to discontinue practice of providing update reproduction of controlled drawings as part of periodic FSAR update,per 950403 ltr.
SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85778:342-85778:346.

9510110008 Forwards summary of util post-diversion biological monitoring of aquatic community in East Branch Perkiomen Creek.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/02. GARG,S. Pennsylvania, Commonwealth of. 3pp. 85780:161-85780:163.

9510160293 Forwards revised page to TS change request 94-48-0 re primary containment isolation valves.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85836:138-85836:141.

--9510160294 Revised TS page re primary containment isolation valves.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/10. 2pp. 85836:140-85836:141.

9510190278 Discusses future revs to updated FSARs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85900:357-85900:358.

9510200334 Forwards amends 102 & 66 to licenses NPF-39 & NPF-85 & SE. Amend revise TS Table 3.3.3-3 by changing HPCI sys response times to reflect sys response time of less than or equal to 60 seconds instead of less than or equal to 30 seconds.
RINALDI,F. . 95/10/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85899:245-85899:257.

--9510200338 Amends 102 & 66 to licenses NPF-39 & NPF-85,respectively, revising TS Table 3.3.3-3 by changing HPCI sys response times to reflect system response time of less than or equal to 60 seconds instead of less than or equal to 30 seconds.
STOLZ,J.F. . 95/10/16. 8pp. 85899:248-85899:255.

--9510200341 Safety evaluation supporting amends 102 & 66 to licenses NPF-39 & NPF-85,respectively.
* . 95/10/16. 2pp. 85899:256-85899:257.

9510240377 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:294-85929:295.

9510230141 Forwards correction to amends 96 & 60 to licenses NPF-39 & NPF-85,respectively,changing administrative controls section of TS.Corrections include,inserting word "acceptable" at end of last paragraph on page 5.
RINALDI,F. . 95/10/17. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85910:268-85910:276.

--9510230152 Corrected amends 96 & 60 to licenses NPF-39 & NPF-85, respectively,making changes affecting administrative controls section of TS.
* . 95/10/17. 5pp. 85910:272-85910:276.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510060354 Forwards SE adopting licensee request for relief re revs to first ten-year interval inservice insp program for plant.
STOLZ,J.F. . 95/10/05. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85737:173-85737:196.

--9510060361 Safety evaluation adopting licensee 941004 & 25 relief requests 13,re revs to first ten-year interval inservice insp program for plant.
* . 95/10/05. 21pp. 85737:176-85737:196.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510120218 Provides details of plan re main steam safety valve/ emergency core cooling sys action plan.
MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/06. Document Control Branch (Document Control Desk). 3pp. 85805:358-85805:360.

9510180165 Forwards insp repts 50-352/95-12 & 50-353/95-12 on 950719-0918 & NOV.Violation reflected apparent need to reinforce expectations re worker actions when job plans change.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85842:193-85842:228.

--9510180169 Notice of violation from insp on 950719-0918.Violation noted:from Jul to Sept 1995,design controls for mod to three primary containment H recombiners did not assure that design basis was correctly translated into specs & instructions.
* Region 1 (Post 820201). 95/10/06. 1p. 85842:197-85842:197.

--9510180172 Notice of violation from insp on 950822.Violation noted: on 950822,worker did not follow oral radiological controls instructions.
* Region 1 (Post 820201). 95/10/06. 2pp. 85842:198-85842:199.

--9510180176 Insp repts 50-352/95-12 & 50-353/95-12 on 950719-0918. Violations noted.Major areas inspected:plant operations, maint,surveillance,engineering,plant support & safety assessment & quality verification.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/06. 29pp. 85842:200-85842:228.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250336 Revises commitment provided in 950905 response to NRC 950807 ltr re violation noted in insp repts 50-352/95-10 & 50-353/95-10 re contamination monitoring of personnel & matls leaving radiological controlled area.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/19. Document Control Branch (Document Control Desk). 2pp. 85985:341-85985:342.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170403 Monthly operating repts for Sept 1995 for Limerick Generating Station.W/ 951012 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/30. 11pp. 85836:294-85836:304.

S. Reportable occurrences, LERs & related correspondence

9510020098 LER 95-006-00:on 950828,unusual event & RPS actuation occurred after reactor manually shutdown due to leak into primary containment & temporary loss of normal startup level control valve.Conducted all hands meeting.W/950927 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/27. 6pp. 85689:074-85689:079.

9510060011 Forwards LER 95-007,discussing condition prohibited by TS due to personnel error.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/02. Document Control Branch (Document Control Desk). 1p. 85767:088-85767:093.

--9510060012 LER 95-007-00:on 950902,TS condition in Unit 1 A & B & Unit 2 B H recombiners inoperable due to inadequate post-mod test caused by personnel error.Conducted all hands meeting & maint training analysis.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/02. 5pp. 85767:089-85767:093.

9510110339 Summary of operating reactors events meeting 95-12 on 950927.
CHAFFEE,A.E. . 95/10/05. CRUTCHFIELD,D. . 17pp. 85833:057-85833:073.

9510310414 LER 95-008-00:on 950911,unusual event declared & RPS actuated when reactor manually shutdown due to inadvertent opening of MS SRV M.Caused by pilot valve seat leakage.SRV M & four other SRVs removed & replaced.W/951010 ltr.
KANTER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/10. 6pp. 86090:008-86090:013.

9510250045 Informs NRC of changes to NPDES Permit PA0051926.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85985:349-85985:352.

9510240189 LER 95-004-01:on 950728,actuations of Units 1 & 2 PCRVICS resulted from blown fuse.Issued station bulletin to all LGS supervision.W/951013 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/13. 6pp. 85948:308-85948:313.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510230098 Responds to 950926 ltr informing that NRC will not be participating in exercise activities at facility during Limerick Generation Station Exercise on 951024.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/12. BAHNWEG,J.L. Pennsylvania, Commonwealth of. 2pp. 85888:301-85888:302.

P. Operating license stage documents & correspondence

9510020271 Notifies NRC of implementation dates associated w/recently issued TS change requests for plant.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/27. Document Control Branch (Document Control Desk). 1p. 85690:319-85690:319.

9510100221 Extends invitation to Region I licenseees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85727:255-85727:261.

9510130205 Informs that PECO Energy Co stated intention to discontinue practice of providing update reproduction of controlled drawings as part of periodic FSAR update,per 950403 ltr.
SHEA,J.W. . 95/09/28. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 5pp. 85778:342-85778:346.

9510110008 Forwards summary of util post-diversion biological monitoring of aquatic community in East Branch Perkiomen Creek.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/02. GARG,S. Pennsylvania, Commonwealth of. 3pp. 85780:161-85780:163.

9510160293 Forwards revised page to TS change request 94-48-0 re primary containment isolation valves.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85836:138-85836:141.

--9510160294 Revised TS page re primary containment isolation valves.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/10. 2pp. 85836:140-85836:141.

9510190278 Discusses future revs to updated FSARs.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85900:357-85900:358.

9510200334 Forwards amends 102 & 66 to licenses NPF-39 & NPF-85 & SE. Amend revise TS Table 3.3.3-3 by changing HPCI sys response times to reflect sys response time of less than or equal to 60 seconds instead of less than or equal to 30 seconds.
RINALDI,F. . 95/10/16. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85899:245-85899:257.

--9510200338 Amends 102 & 66 to licenses NPF-39 & NPF-85,respectively, revising TS Table 3.3.3-3 by changing HPCI sys response times to reflect system response time of less than or equal to 60 seconds instead of less than or equal to 30 seconds.
STOLZ,J.F. . 95/10/16. 8pp. 85899:248-85899:255.

--9510200341 Safety evaluation supporting amends 102 & 66 to licenses NPF-39 & NPF-85,respectively.
* . 95/10/16. 2pp. 85899:256-85899:257.

9510240377 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:294-85929:295.

9510230141 Forwards correction to amends 96 & 60 to licenses NPF-39 & NPF-85,respectively,changing administrative controls section of TS.Corrections include,inserting word "acceptable" at end of last paragraph on page 5.
RINALDI,F. . 95/10/17. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85910:268-85910:276.

--9510230152 Corrected amends 96 & 60 to licenses NPF-39 & NPF-85, respectively,making changes affecting administrative controls section of TS.
* . 95/10/17. 5pp. 85910:272-85910:276.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510060354 Forwards SE adopting licensee request for relief re revs to first ten-year interval inservice insp program for plant.
STOLZ,J.F. . 95/10/05. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85737:173-85737:196.

--9510060361 Safety evaluation adopting licensee 941004 & 25 relief requests 13,re revs to first ten-year interval inservice insp program for plant.
* . 95/10/05. 21pp. 85737:176-85737:196.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510120218 Provides details of plan re main steam safety valve/ emergency core cooling sys action plan.
MACFARLAND,W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/06. Document Control Branch (Document Control Desk). 3pp. 85805:358-85805:360.

9510180165 Forwards insp repts 50-352/95-12 & 50-353/95-12 on 950719-0918 & NOV.Violation reflected apparent need to reinforce expectations re worker actions when job plans change.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/06. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85842:193-85842:228.

--9510180169 Notice of violation from insp on 950719-0918.Violation noted:from Jul to Sept 1995,design controls for mod to three primary containment H recombiners did not assure that design basis was correctly translated into specs & instructions.
* Region 1 (Post 820201). 95/10/06. 1p. 85842:197-85842:197.

--9510180176 Insp repts 50-352/95-12 & 50-353/95-12 on 950719-0918. Violations noted.Major areas inspected:plant operations, maint,surveillance,engineering,plant support & safety assessment & quality verification.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/06. 29pp. 85842:200-85842:228.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250336 Revises commitment provided in 950905 response to NRC 950807 ltr re violation noted in insp repts 50-352/95-10 & 50-353/95-10 re contamination monitoring of personnel & matls leaving radiological controlled area.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/19. Document Control Branch (Document Control Desk). 2pp. 85985:341-85985:342.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170403 Monthly operating repts for Sept 1995 for Limerick Generating Station.W/ 951012 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/09/30. 11pp. 85836:294-85836:304.

S. Reportable occurrences, LERs & related correspondence

9510250045 Informs NRC of changes to NPDES Permit PA0051926.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85985:349-85985:352.

9510240195 Forwards LER 94-010 re automatic reactor protection sys actuation resulted from low reactor water level.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/13. Document Control Branch (Document Control Desk). 1p. 85948:314-85948:320.

--9510240202 LER 94-010-01:on 941019,reactor scram & actuation of various ESF resulted from relay coil failure & inappropriate action by licensed reactor operator.Evaluated normal to alternate power supply transfer circuits.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/13. 6pp. 85948:315-85948:320.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510030270 Revised EPIPs,including Rev 54 to table of contents & EPIP 204H, "Emergency response Callout/Personnel Recall."
* Public Service Electric & Gas Co. of New Jersey. 95/09/17. 57pp. 85698:096-85698:152.

9510060079 Revised EPIPs,including Rev 28 to table of contents & Rev 4 to EPIP 401, "Emergency Response Manager - Response."
* Public Service Electric & Gas Co. of New Jersey. 95/09/25. 12pp. 85735:245-85735:256.

9510130382 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
OLSHAN,L.N., JAFFE,D.H. . 95/09/28. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 85801:310-85801:314.

9510270075 Forwards insp rept 50-354/95-16 on 950812-0923.No violations noted.
NICHOLSON,L.E. Region 1 (Post 820201). 95/10/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85939:049-85939:070.

--9510270087 Insp rept 50-354/95-16 on 950812-0923.No violations noted. Major areas inspected:operations,radiological controls, maintenance,surveillance testing,emergency preparedness & security.
NICHOLSON,L.E. Region 1 (Post 820201). 95/10/20. 15pp. 85939:052-85939:070.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100251 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 7pp. 85727:329-85727:335.

9510100032 Discusses 950825 request for relief from 4 h notification requirements of 10CFR50.72(b)(2)(vi),reporting minor exceedances of New Jersey opacity stds for DG & AB.
OLSHAN,L. . 95/10/05. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85757:165-85757:168.

9510160217 Submits request for extension of due date from 950930 to 951110 re GL 88-20, "Individual Plant Exam for Severe Accident Vulnerabilities."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85833:354-85833:355.

9510110041 Application for amend to license NPF-57,revising SR 4.8.1.1.2 re testing of EDGs to be consistent w/applicable licensing documents used for development of EDG surveillance.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/10/07. Document Control Branch (Document Control Desk). 11pp. 85780:213-85780:226.

--9510110045 Proposed tech specs,revising SR 4.8.1.1.2 re testing of EDGs to be consistent w/applicable licensing documents used for development of EDG surveillance.
* Public Service Electric & Gas Co. of New Jersey. 95/10/07. 3pp. 85780:224-85780:226.

9510130215 Forwards SE accepting licensee 940824 response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs," for plant.
JAFFE,D.H. . 95/10/10. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85778:325-85778:334.

--9510130218 Safety evaluation accepting licensee 940824 response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shroud in BWRs," for plant.
* . 95/10/10. 6pp. 85778:329-85778:334.

9510160231 Submits request for ASME Code Case N-523, "Mechanical Clamping Devices for Class 2 & 3 Piping," per GL 90-05.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/10. Document Control Branch (Document Control Desk). 7pp. 85836:091-85836:098.

9510200292 Forwards amend 83 to license NPF-57 & safety evaluation. Amend changes TS Table 4.3.7.1-1 by increasing channel functional test interval from monthly to quarterly for each instrument.
JAFFE,D.H. . 95/10/16. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85899:098-85899:106.

--9510200295 Amend 83 to license NPF-57,changing TS Table 4.3.7.1-1,by increasing channel functional test interval from monthly to quarterly for each instrument.
STOLZ,J.F. . 95/10/16. 4pp. 85899:101-85899:104.

--9510200299 Safety evaluation supporting amend 83 to license NPF-57.
* . 95/10/16. 2pp. 85899:105-85899:106.

9510200345 Forwards amend 84 to license NPF-57 & SE.Amend changes TS 3/4.6.1.8, "Drywell & Suppression Chamber Purge Sys," increases annual operational limit for drywell & suppression chamber purge sys from 120 to 500 h.
JAFFE,D.H. . 95/10/16. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85899:258-85899:268.

--9510200350 Amend 84 to license NPF-57,changing TS 3/4.6.1.8, "Drywell & Suppression Chamber Purge Sys," increases annual operational limit for drywell & suppression chamber purge sys from 120 to 500 h.
STOLZ,J.F. . 95/10/16. 5pp. 85899:261-85899:265.

--9510200351 Safety evaluation supporting amend 84 to license NPF-57.
* . 95/10/16. 3pp. 85899:266-85899:268.

9510240287 Supplements the amend to license NPF-57,consisting of change request 94-01 re high & low pressure ECCS.
BENJAMIN,J.A. Public Service Electric & Gas Co. of New Jersey. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:238-85929:241.

--9510240290 Proposed tech specs,consisting of change request 94-01 re high & low pressure ECCS.
* Public Service Electric & Gas Co. of New Jersey. 95/10/16. 2pp. 85929:240-85929:241.

9510250100 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:338-85987:340.

9510250160 Identifies specific sys for which four h hold times present problem & provides reasons for util 950920 request for NRC approval to use ASME Code Case N498-2,which does not have four h hold requirement for required sys pressure tests.
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85988:224-85988:225.

9510260146 Submits comments on rept, "Review of NUREG-1435,suppl 4, 'Status of Safety Issues at Licensed Power Plants.'"
STOLZ,J.F. . 95/10/20. TOSCH,K.W. General Public Utilities Corp. - GPU Service Corp. 3pp. 85947:308-85947:311.

9510270371 Requests copies of encl to NRC 940121 ltr to PSE&G & Attachment 1 to PSE&G 940523 ltr.
JAN,F. ASTA, Inc. 95/10/20. STOLZ,J. . 1p. 86048:295-86048:302.

Q. Inspection reports, IE Bulletins & correspondence

9510050003 Forwards special team insp rept 50-354/95-81 on 950807-16 to review shutdown cooling bypass event on 950707-09.
WIGGINS,J.T. Region 1 (Post 820201). 95/09/25. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 85735:105-85735:165.

--9510050005 Insp rept 50-354/95-81 on 950807-16 to evaluate circumstances surrounding 950707-09 partial bypass of shutdown cooling flow from reactor vessel.
TRAPP,J.M., BLOUGH,A.R. Region 1 (Post 820201). 95/09/22. 28pp. 85735:109-85735:136.

--9510050006 Forwards special team insp charter for review of Jul 1995 Hope Creek shutdown cooling flow bypass event & list of team members.
MARTIN,T.T. Region 1 (Post 820201). 95/08/03. WIGGINS,J.T. Region 1 (Post 820201). 29pp. 85735:137-85735:165.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100044 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp rept 50-354/95-10 on 950811.
WHITE,J.R. Region 1 (Post 820201). 95/09/29. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85725:009-85725:027.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190256 Informs that predecisional enforcement conference scheduled for 951106 in King of Prussia,PA to discuss violation identified in insp rept 50-354/95-81.
COOPER,R.W. Region 1 (Post 820201). 95/10/11. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 30pp. 85864:018-85864:047.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230270 Notification of significant licensee meeting 95-094 w/util on 951106 to discuss NRC findings surrounding circumstances & causes relative to plant cooling bypass event.
NICHOLSON,L.E. Region 1 (Post 820201). 95/10/18. Region 1 (Post 820201). 2pp. 85890:323-85890:324.

9510250083 Forwards response to NRC 950919 ltr re violations noted in insp rept 50-354/95-11.Corrective actions:prepared test procedures & untested segments of circuits.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 95/10/19. Document Control Branch (Document Control Desk). 11pp. 85987:308-85987:318.

9510260128 Responds to 951010 ltr re licensed activities under license SOP-10807-1 concerns dealt w/failure to rept violation of TS 6.2.b on 920603.
MODES,M.C. Region 1 (Post 820201). 95/10/19. WAGNER,L.M. Public Service Electric & Gas Co. of New Jersey. 2pp. 85923:267-85923:267.

9510270075 Forwards insp rept 50-354/95-16 on 950812-0923.No violations noted.
NICHOLSON,L.E. Region 1 (Post 820201). 95/10/20. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 85939:049-85939:070.

--9510270087 Insp rept 50-354/95-16 on 950812-0923.No violations noted. Major areas inspected:operations,radiological controls, maintenance,surveillance testing,emergency preparedness & security.
NICHOLSON,L.E. Region 1 (Post 820201). 95/10/20. 15pp. 85939:052-85939:070.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170015 Monthly operating rept for Sept 1995 for Hope Creek Generating Station.W/951012 ltr.
LYONS,D.W., REDDEMANN,M. Public Service Electric & Gas Co. of New Jersey. 95/09/30. 14pp. 85846:341-85846:354.

S. Reportable occurrences, LERs & related correspondence

9510060270 LER 95-016-01:on 950708,SDC bypass event occurred & continued until 950709,rendering SDC mode of RHR inoperable. Conditions worsened by subsequent actions.Operating procedures revised to reflect lessons learned.W/951002 ltr.
CLANCY,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/02. 15pp. 85767:035-85767:049.

9510110178 LER 95-019-00:on 860628,RCIC sys jockey pump suction piping has been inoperable since plant startup.Caused by failure to address suction from torus & required NPSH for FW water seal.Replaced RCIC jockey pump suction.W/951002 ltr.
LA MASTRA,D., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/02. 7pp. 85806:280-85806:286.

9510160178 LER 95-020-00:on 951009,automatic actuation of HPCI sys suction path swapover ESF occurred.Cause unknown.Roles & responsibilities of personnel assigned implementation.W/ 951009 ltr.
ZAMBUTO,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/09. 9pp. 85855:017-85855:025.

9510200259 LER 95-009-01:on 950613,squib valve explosive charges found to be past mfg expiration date.Caused by personnel error. Explosive charges in traversing in-core probe shear valves replaced.W/951011 ltr.
KIRWIN,T., REDDEMANN,M. Public Service Electric & Gas Co. of New Jersey. 95/10/11. 7pp. 85910:181-85910:187.

9510190388 LER 95-021-00:on 950920,results of HPCI sys oil reservoir sample indicated moisture content above specified limit established by vendor.Caused by steam leakage through turbine steam admission valve.HPCI drained.W/951016 ltr.
MOYLE,J.S., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/20. 6pp. 85897:357-85897:362.

9510270016 Special rept 95-02:on 951011,EDG tripped due to personnel manipulation error.TS surveillance procedure revised.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 85998:356-85998:358.

9510300150 Special Rept 95-03:on 950913,filtration recirculation & ventilation sys (FRVS) high range noble gas monitor declared inoperable.Listed repairs made & FRVS will be restored to operable status upon completion of required testing.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/24. Document Control Branch (Document Control Desk). 2pp. 86043:354-86043:355.

9510310239 LER 95-022-00:on 950720,failed to enter TS 4.0.3 when conditions dictated that all EDGs should have been declared inoperable due to inadequate analysis by operator experience feedback program.Counseled involved personnel.W/951026 ltr.
CLANCY,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 95/10/26. 7pp. 86090:001-86090:007.

V. Operator Examinations

9510040254 Ltr contract,task order 25,definitizing task order, "Technical Assistance in Initial Exam for Hope Creek Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85696:355-85696:358.

9510260128 Responds to 951010 ltr re licensed activities under license SOP-10807-1 concerns dealt w/failure to rept violation of TS 6.2.b on 920603.
MODES,M.C. Region 1 (Post 820201). 95/10/19. WAGNER,L.M. Public Service Electric & Gas Co. of New Jersey. 2pp. 85923:267-85923:267.

DOCKET 50-356 UNIV. OF ILLINOIS RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9510020193 Informs that NRC completed review & evaluation of changes to licensee nuclear reactor lab emergency plan submitted on 950313 in compliance w/ 10CFR50.54(q).Staff concludes that changes acceptable.
ADAMS,A. . 95/09/26. HOLM,R.L. Illinois, Univ. of, Urbana, IL. 3pp. 85649:341-85649:343.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510050177 Revised pp to offsite emergency response plan,including Dana Point & jurisdictional policy.
* Southern California Edison Co. 95/09/26. 17pp. 85726:344-85726:360.

9510180248 "Orange County Nuclear Power Plant Emergency Plan for SONGS, Annex G."
* Southern California Edison Co. 95/09/30. 71pp. 85868:174-85868:244.

9510100011 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
FIELDS,M.B. . 95/10/03. RAY,H.B. Southern California Edison Co. 4pp. 85757:295-85757:298.

9510100063 Rev 3 to "SONGS Manual of Emergency Events."
* Southern California Edison Co. 95/10/05. 106pp. 85751:141-85751:246.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510300249 Revised EPIPs,including Temporary Change Notice (TCN) 1-2 to Rev 1 to SO23-VIII-50.3,TCN 5-3 to Rev 6 to SO123-VIII-1,TCN 3-1 to Rev 5 to SO123-VIII-30.5 & TCN 3-1 to Rev 3 to SO123-VIII-30.6.W/951024 ltr.
MORGAN,M., TOMLINSON,M.D., MARSH,W.C. Southern California Edison Co. 95/10/24. 170pp. 86040:224-86041:029.

9510310356 Responds 951002 ltr requesting info re adequacy of emergency evacuation plans for SONGS.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/25. FEINSTEIN,D. Senate. 3pp. 86024:338-86024:359.

G. Adjudicatory correspondence

9510310356 Responds 951002 ltr requesting info re adequacy of emergency evacuation plans for SONGS.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/25. FEINSTEIN,D. Senate. 3pp. 86024:338-86024:359.

-9510310380 Forwards info re SONGS for review & consideration.
FEINSTEIN,D. Senate. 95/10/02. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 86024:358-86024:359.

J. Insurance & indemnity information

9510060222 Provides required rept for claim involving alleged bodily injury arising out of or in connection w/use of radioactive matl at SONGS Units 1,2 & 3,per 10CFR140.6.
MARSH,W.C. Southern California Edison Co. 95/10/03. . 2pp. 85733:359-85733:360.

P. Operating license stage documents & correspondence

9510030150 Notifies that util will perform actions & provide info as requested by GL 95-07.
MARSH,W.C. Southern California Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85688:352-85688:353.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510180139 Summary of 950926 meeting w/Southern California Edison Co in Rockville,MD re proposed amend to Tech Specs to allow implementation of mods to containment area radiation monitors.W/viewgraphs.
FIELDS,M.B. . 95/10/10. . 39pp. 85861:310-85861:348.

9510230350 Forwards change request 446 for amends 147 & 131 to licenses NPF-10 & NPF-15 re toxic gas isolation sys temporary outage time.
KRIEGER,R.W. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 85920:332-85920:355.

-9510230354 Application for amends 147 & 131 to license NPF-10 & NPF-15 re toxic gas isolation sys temporary outage time.Application is suppl 1.
KRIEGER,R.W. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85920:334-85920:338.

-9510230358 Proposed tech specs,consisting of change request 446 re toxic gas isolation sys temporary outage time.Change request is suppl 1.
* Southern California Edison Co. 95/10/18. 16pp. 85920:339-85920:355.

9510260179 Forwards request for addl info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes."
FIELDS,M.B. . 95/10/23. RAY,H.B. Southern California Edison Co. 4pp. 85947:300-85947:304.

Q. Inspection reports, IE Bulletins & correspondence

9510110121 Forwards insp repts 50-361/95-14 & 50-362/95-14 on 950710-0808.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/21. RAY,H.B. Southern California Edison Co. 5pp. 85730:270-85730:351.

-9510110132 Insp repts 50-361/95-14 & 50-362/95-14 on 950710-0830.No violations noted.Major areas inspected:history & matl condition of SG tubing,effectiveness of licensee programs in detection & analysis of degraded tubing & repair of defects.
BROCKMAN,K.E. Region 4 (Post 820201). 95/09/21. 77pp. 85730:275-85730:351.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510050247 Forwards insp repts 50-361/95-201 & 50-362/95-201 on 950911- 22.No violations noted.Second phase of assessment will consist of 2 wk on-site assessment scheduled to begin on 951016.
GALLO,R.M. . 95/10/02. RAY,H.B. Southern California Edison Co. 2pp. 85722:063-85722:090.

-9510050253 Insp repts 50-361/95-201 & 50-362/95-201 on 950911-22.No violations noted.Major areas inspected:in-ofc review of insp record & performance history for 2-yr period spanning Sept 1993 to Sept 1995.
JACOBSON,J.B., NORKIN,D.P., GALLO,R.M. . 95/10/02. 26pp. 85722:065-85722:090.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190054 Monthly operating repts for Sept 1995 for SONGS,Units 2 & 3. W/951013 ltr.
WILLIAMS,C.E., MARSH,W.C. Southern California Edison Co. 95/09/30. 14pp. 85893:340-85893:353.

S. Reportable occurrences, LERs & related correspondence

9510110286 Special rept:on 950917,noted plant vent monitors been out of svc for longer than allowed.Operators annotate log books each time equipment operability status changes.Rept delayed in order to provide complete response.
MARSH,W. Southern California Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85761:356-85761:357.

9510110214 Informs that util had not completed evaluation of cause of occurrence involving inoperable fire dampers.
KRIEGER,R.W. Southern California Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85806:300-85806:300.

V. Operator Examinations

9510300118 Forwards copy of master generic fundamentals exam & answer key of subj exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. RAY,H.B. Southern California Edison Co. 2pp. 86001:271-86001:272.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510050177 Revised pp to offsite emergency response plan,including Dana Point & jurisdictional policy.
* Southern California Edison Co. 95/09/26. 17pp. 85726:344-85726:360.

9510180248 "Orange County Nuclear Power Plant Emergency Plan for SONGS, Annex G."
* Southern California Edison Co. 95/09/30. 71pp. 85868:174-85868:244.

9510100011 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
FIELDS,M.B. . 95/10/03. RAY,H.B. Southern California Edison Co. 4pp. 85757:295-85757:298.

9510100063 Rev 3 to "SONGS Manual of Emergency Events."
* Southern California Edison Co. 95/10/05. 106pp. 85751:141-85751:246.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

9510300249 Revised EPIPs,including Temporary Change Notice (TCN) 1-2 to Rev 1 to SO23-VIII-50.3,TCN 5-3 to Rev 6 to SO123-VIII-1,TCN 3-1 to Rev 5 to SO123-VIII-30.5 & TCN 3-1 to Rev 3 to SO123-VIII-30.6.W/951024 ltr.
MORGAN,M., TOMLINSON,M.D., MARSH,W.C. Southern California Edison Co. 95/10/24. 170pp. 86040:224-86041:029.

G. Adjudicatory correspondence

9510310356 Responds 951002 ltr requesting info re adequacy of emergency evacuation plans for SONGS.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/25. FEINSTEIN,D. Senate. 3pp. 86024:338-86024:359.

--9510310380 Forwards info re SONGS for review & consideration.
FEINSTEIN,D. Senate. 95/10/02. RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 2pp. 86024:358-86024:359.

J. Insurance & indemnity information

9510060222 Provides required rept for claim involving alleged bodily injury arising out of or in connection w/use of radioactive matl at SONGS Units 1,2 & 3,per 10CFR140.6.
MARSH,W.C. Southern California Edison Co. 95/10/03. . 2pp. 85733:359-85733:360.

P. Operating license stage documents & correspondence

9510030150 Notifies that util will perform actions & provide info as requested by GL 95-07.
MARSH,W.C. Southern California Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85688:352-85688:353.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510180139 Summary of 950926 meeting w/Southern California Edison Co in Rockville,MD re proposed amend to Tech Specs to allow implementation of mods to containment area radiation monitors.W/viewgraphs.
FIELDS,M.B. . 95/10/10. . 39pp. 85861:310-85861:348.

9510180123 Notifies NRC that util has completed design-bases reviews, analyses,verifications,tests & insps to comply w/recommendations (a) through (h) of GL 89-10 for plant.
MARSH,W.C. Southern California Edison Co. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85867:303-85867:304.

9510230350 Forwards change request 446 for amends 147 & 131 to licenses NPF-10 & NPF-15 re toxic gas isolation sys temporary outage time.
KRIEGER,R.W. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 85920:332-85920:355.

--9510230354 Application for amends 147 & 131 to license NPF-10 & NPF-15 re toxic gas isolation sys temporary outage time.Application is suppl 1.
KRIEGER,R.W. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 5pp. 85920:334-85920:338.

--9510230358 Proposed tech specs,consisting of change request 446 re toxic gas isolation sys temporary outage time.Change request is suppl 1.
* Southern California Edison Co. 95/10/18. 16pp. 85920:339-85920:355.

9510260179 Forwards request for addl info re GL 95-03, "Circumferential Cracking of Steam Generator Tubes."
FIELDS,M.B. . 95/10/23. RAY,H.B. Southern California Edison Co. 4pp. 85947:300-85947:304.

Q. Inspection reports, IE Bulletins & correspondence

9510110121 Forwards insp repts 50-361/95-14 & 50-362/95-14 on 950710-0808.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/21. RAY,H.B. Southern California Edison Co. 5pp. 85730:270-85730:351.

--9510110132 Insp repts 50-361/95-14 & 50-362/95-14 on 950710-0830.No violations noted.Major areas inspected:history & matl condition of SG tubing,effectiveness of licensee programs in detection & analysis of degraded tubing & repair of defects.
BROCKMAN,K.E. Region 4 (Post 820201). 95/09/21. 77pp. 85730:275-85730:351.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510050247 Forwards insp repts 50-361/95-201 & 50-362/95-201 on 950911- 22.No violations noted.Second phase of assessment will consist of 2 wk on-site assessment scheduled to begin on 951016.
GALLO,R.M. . 95/10/02. RAY,H.B. Southern California Edison Co. 2pp. 85722:063-85722:090.

--9510050253 Insp repts 50-361/95-201 & 50-362/95-201 on 950911-22.No violations noted.Major areas inspected:in-ofc review of insp record & performance history for 2-yr period spanning Sept 1993 to Sept 1995.
JACOBSON,J.B., NORKIN,D.P., GALLO,R.M. . 95/10/02. 26pp. 85722:065-85722:090.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190054 Monthly operating repts for Sept 1995 for SONGS,Units 2 & 3. W/951013 ltr.
WILLIAMS,C.E., MARSH,W.C. Southern California Edison Co. 95/09/30. 14pp. 85893:340-85893:353.

S. Reportable occurrences, LERs & related correspondence

9510110214 Informs that util had not completed evaluation of cause of occurrence involving inoperable fire dampers.
KRIEGER,R.W. Southern California Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85806:300-85806:300.

9510310161 Forwards Jul 1994 NPDES discharge monitoring repts for SONGS Units 1 & 3 re NPDES permit violations & SONGS Unit 3 rept for info as sample results not available for acute toxicity on Unit 3 combined discharge.
MARSH,W.C. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 86056:353-86056:359.

--9510310175 NPDES noncompliance notification:on 950722,during scheduled refueling outage,found that results for acute toxicity on facility combined discharge not combined due to contract lab having unhealthy population of testing organisms on hand.
NEWTON,H.W. Southern California Edison Co. 95/08/30. COE,A.L. California, State of. 3pp. 86056:357-86056:359.

V. Operator Examinations

9510300118 Forwards copy of master generic fundamentals exam & answer key of subj exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. RAY,H.B. Southern California Edison Co. 2pp. 86001:271-86001:272.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510100389 Forwards rev 27A to JM Farley Nuclear Plant security plan. Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85756:303-85756:304.

9510170425 Revised EPIPs,including rev 2 to FNP-0-EIP-8.1 & rev 0 to FNP-0-EIP-8.2.W/951006 ltr.
HUDSPETH,J. Southern Nuclear Operating Co. 95/10/06. 110pp. 85866:001-85866:164.

9510180020 Provides changes to security plan for Biometrics Access Control Sys.Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85866:314-85866:316.

9510270009 Revised EPIPs,including rev 12 to GO-EIP-102,rev 31 to GO-EIP-111,rev 17 to GO-EIP-114,rev 21 to GO-EIP-118 & rev 8 to GO-EIP-138.W/951020 ltr.
AJLUNI,M.J. Southern Nuclear Operating Co. 95/10/20. 142pp. 85999:092-85999:233.

P. Operating license stage documents & correspondence

9510020138 Application for amends to licenses NPF-2 & NPF-8,changing TS 4.6.1.3 to incorporate improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431, "STS,Westinghouse Plants."
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85664:310-85664:319.

--9510020140 Proposed TS 4.6.1.3,incorporating improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431.
* Southern Nuclear Operating Co. 95/09/26. 6pp. 85664:314-85664:319.

9510020152 Responds to NRC 950906 ltr re GL 95-03,including addl request for info on use of terrain mapping for rotating pancake coil insps.
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:320-85664:322.

9510050048 Forwards amends 116 & 108 to licenses NPF-2 & NPF-8, respectively & SE.Amends eliminate periodic pressure sensor response time testing surveillance requirements for specific RTS & ESFAS instrumentation specified in TS sections.
SIEGEL,B.L. . 95/09/28. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85724:290-85724:312.

--9510050057 Amends 116 & 108 to licenses NPF-2 & NPF-8,respectively, eliminating periodic pressure sensor response time testing surveillance requirements for specific RTS & ESFAS instrumentation specified in TS Sections 4.3.1.3 & 4.3.2.3.
BERKOW,H.N. . 95/09/28. 14pp. 85724:293-85724:306.

--9510050063 Safety evaluation supporting amends 116 & 108 to licenses NPF-2 & NPF-8,respectively.
* . 95/09/28. 6pp. 85724:307-85724:312.

9510180087 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GI 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 85842:011-85842:012.

9510230346 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/10. MOREY,D.N. Southern Nuclear Operating Co. 7pp. 85891:337-85891:343.

9510240059 Provides 60 day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves for Farley Nuclear Plant."
MOREY,D. Southern Nuclear Operating Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:163-85929:164.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Mate Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020152 Responds to NRC 950906 ltr re GL 95-03,including addl request for info on use of terrain mapping for rotating pancake coil insps.
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85664:320-85664:322.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190159 Advises of planned insp effort resulting from Farley Nuclear Plant PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. MOREY,D.N. Southern Nuclear Operating Co. 4pp. 85863:107-85863:110.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230392 Forwards insp repts 50-348/95-16 & 50-364/95-16 on 950821-0917 & NOV.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/16. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 85893:030-85893:053.

--9510230396 Notice of violation from insp on 950821-0917.Violation noted:number of scaffolds found installed over safety- related pumps & components that did not conform w/const requirements of GMP-60,Step 7.4.6.
* Region 2 (Post 820201). 95/10/16. 2pp. 85893:033-85893:034.

--9510230398 Insp repts 50-348/95-16 & 50-364/95-16 on 950821-0917. Violations noted.Major areas inspected:operations,maint/ surveillance,engineering/technical support & general plant support.
ROSS,T.M., SCOTT,M.A., CHRISTENSEN,H. Region 2 (Post 820201). 95/10/13. 19pp. 85893:035-85893:053.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170014 Monthly operating repts for Sept 1995 for JM Farley Nuclear Plant.W/ 951011 ltr.
ALLISON,S.M., MOREY,D. Southern Nuclear Operating Co. 95/09/30. 9pp. 85836:205-85836:213.

S. Reportable occurrences, LERs & related correspondence

9510050275 PNO-II-95-054:on 951004,util declared notification of unusual event due to anticipated hurricane conditions.Util plans to shut down approx 2 h before hurricane winds reach site.
CHRISTENSEN,C. Region 2 (Post 820201). 95/10/04. 1p. 85767:008-85767:008.

9510110042 PNO-II-95-054A:on 951005,facility,as precautionary measure, began to ramp down power at 5:00 pm due to Hurricane Opal. Plant did not experience any damage except for roof removed from old tin warehouse & loss of 44 kV overhead line.
SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 1p. 86019:002-86019:002.

9510110026 PNO-II-95-054B:on 951005,incident response ctr monitoring of Hurricane Opal was terminated.Unit 2 commenced restart at 7:29 pm CDT.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/06. 1p. 86019:001-86019:001.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510180178 Forwards insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/10/06. BECKHAM,J.T. Georgia Power Co. 3pp. 85842:270-85842:293.

--9510180182 Insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M. Region 2 (Post 820201). 95/10/06. 21pp. 85842:273-85842:293.

P. Operating license stage documents & correspondence

9510040305 Advises that info in GE rept DRF B11-00617-20 submitted by 950825 application will be withheld from public disclosure ref 10CFR2.790.
JABBOUR,K.N. . 95/09/28. BECKHAM,J.T. Georgia Power Co. 4pp. 85713:258-85713:261.

9510180099 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. BECKHAM,J.T. Georgia Power Co. 2pp. 85842:045-85842:046.

9510240215 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency,span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. BECKHAM,J.T. Georgia Power Co. 8pp. 85897:054-85897:061.

9510240206 Informs that util intends to implement actions requested by GL 95-07, "Pressure Locking & THermal Binding Of Safety-Related Power-Operated Gate Valves."
BECKHAM,J.T. Georgia Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:205-85929:206.

9510240245 Forwards SE re reclassification of GL 89-10, "Safety-Related MOV Testing & Surveillance."
JABBOUR,K.N. . 95/10/16. BECKHAM,J.T. Georgia Power Co. 4pp. 85911:030-85911:044.

--9510240254 Safety evaluation denying reclassification of GL 89-10, "Safety-Related MOV Testing & Surveillance."
* . 95/10/16. 11pp. 85911:034-85911:044.

9510240073 Forwards corrected TS page 3.4-28 to license amend 138 to license NPF-5,authorizing increase in maximum power level, previously submitted in amends 197 & 138 to plant TS.
JABBOUR,K.N. . 95/10/17. BECKHAM,J.T. Georgia Power Co. 4pp. 85911:001-85911:005.

--9510240083 Corrected TS page 3.4-28 to amend 138 to license NPF-5, revising LCO 3.4.10 on RCS.
* . 95/10/17. 1p. 85911:005-85911:005.

9510250382 Forwards EA & FONSI re 950620 application for exemption from testing & acceptance criteria of App J to 10CFR50,per 10CFR50012(a).
JABBOUR,K.N. . 95/10/19. BECKHAM,J.T. Georgia Power Co. 3pp. 85981:340-85981:347.

--9510250384 Environ assessment & finding of no significant impact re issuance of exemption from requirements of 10CFR50,App J to license NPF-5,for operation of plant.
NERSES,V. . 95/10/19. 5pp. 85981:343-85981:347.

Q. Inspection reports, IE Bulletins & correspondence

9510100195 Discusses insp repts 50-321/95-17 & 50-366/95-17 on 950705- 0815 & forwards notice of violation.Closed predecisional enforcement conference conducted on 950913 to discuss violation.
GIBSON,A.F. Region 2 (Post 820201). 95/09/22. BECKHAM,J.T. Georgia Power Co. 5pp. 85725:083-85725:132.

--9510100212 Notice of violation from insp on 950705-0815.Violation noted:licensee failed to promptly correct conditions adverse to quality,namely,degradation of safety-related low pressure coolant injection & core spray injection valves.
* Region 2 (Post 820201). 95/09/22. 43pp. 85725:088-85725:132.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100234 Forwards insp repts 50-321/95-18 & 50-366/95-18 on 950806- 0902 & notice of violation.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/29. BECKHAM,J.T. Georgia Power Co. 3pp. 85725:239-85725:265.

--9510100250 Notice of violation from insp on 950906-0902.Violation noted:insp of intake structure pit was not accomplished in accordance w/procedure.
* Region 3 (Post 820201). 95/09/29. 2pp. 85725:242-85725:243.

--9510100262 Insp repts 50-321/95-18 & 50-366/95-18 on 950806-0902. Violations noted.Major areas inspected:plant operations, maint,engineerig & plant support activities.
HOLBROOK,B.L., CHRISTNOT,E.F., SKINNER,P.H. Region 2 (Post 820201). 95/09/29. 23pp. 85725:244-85725:265.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180178 Forwards insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/10/06. BECKHAM,J.T. Georgia Power Co. 3pp. 85842:270-85842:293.

--9510180182 Insp repts 50-321/95-15 & 50-366/95-15 on 950821-25.No violations noted.Major areas inspected:observation & evaluation of annual emergency preparedness exercise.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/10/06. 21pp. 85842:273-85842:293.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510240005 Ack receipt of 950928 ltr informing NRC of steps taken to correct violations noted in insp repts 50-321/95-16 & 50-366/95-16.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/11. BECKHAM,J.T. Georgia Power Co. 3pp. 85895:332-85895:334.

9510240106 Forwards insp repts 50-321/95-20 & 50-366/95-20 on 950911-15.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/10/13. BECKHAM,J.T. Georgia Power Co. 3pp. 85896:157-85896:168.

--9510240117 Insp repts 50-321/95-20 & 50-366/95-20 on 950911-15.No violations noted.Major areas inspected:confirmatory measurements & water chemistry control program.
JONES,D.W., DECKER,T.R. Region 2 (Post 820201). 95/10/13. 9pp. 85896:160-85896:168.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510190290 Forwards "Inservice Inspection Program Third 10-Year Interval for El Hatch Nuclear Plant Units 1 & 2."
BECKHAM,J.T. Georgia Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85886:259-85886:339.

--9510190294 "Inservice Insp Program Third 10-Year Interval for El Hatch Nuclear Plant Units 1 & 2."
* Southern Nuclear Operating Co. 95/10/05. 77pp. 85886:261-85886:339.

9510250180 Responds to NRC 950922 ltr re violations noted in insp repts 50-321/95-17 & 50-366/95-17.Corrective actions:changed Units 1 & 2 LPCI valve surveillance procedures.
BECKHAM,J.T. Georgia Power Co. 95/10/19. Document Control Branch (Document Control Desk). 9pp. 85983:326-85983:334.

9510310263 Provides results of internal core spray piping insps. GENE-523-A110-1095, "Structural Margin Evaluation for Hatch 2 Internal Core Spray Lines," encl.
BECKHAM,J.T. Georgia Power Co. 95/10/26. Document Control Branch (Document Control Desk). 3pp. 86076:334-86076:346.

--9510310264 "Structural Margin Evlauation for Hatch 2 Internal Core Spray Lines."
DANIEL,R., MEHTA,H.S., RANGANATH,S. Georgia Power Co. GENE-523-A110-1095. 95/10/31. 10pp. 86076:337-86076:346.

9510310273 Forwards response to NRC 950929 ltr re violations noted in insp repts 50-321/95-18 & 50-366/95-18.Corrective actions: disciplined involved personnel.
BECKHAM,J.T. Georgia Power Co. 95/10/26. Document Control Branch (Document Control Desk). 5pp. 86077:168-86077:172.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160266 Forwards monthly operating repts for Sept 1995 & revised page E1-4 for Aug 1995 repts.
BECKHAM,J.T. Georgia Power Co. 95/10/09. Document Control Branch (Document Control Desk). 2pp. 85835:335-85835:348.

--9510160267 Monthly operating repts for Sept 1995 for El Hatch Plant.
ROGERS,S.B. Georgia Power Co. 95/09/30. 10pp. 85835:337-85835:345.

S. Reportable occurrences, LERs & related correspondence

9510020106 LER 95-003-00:on 950902,reduction in main condenser vacuum prompted manual reactor shutdown.Vented waterbox,returned cooling tower to svc & briefed operations shift personnel on event.W/950928 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 95/10/02. 6pp. 85689:089-85689:094.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emergency & fire protection plans

9510040289 Forwards Amend 13 to ANO Unit 1 USAR & Rev 3 to ANO Units 1 & 2 "Fire Hazards Analysis."
YELVERTON,J.W. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 6pp. 85739:001-85743:322.

--9510040300 Rev 3 to "Fire Hazards Analysis."
* Entergy Operations, Inc. 95/05/04. 392pp. 85742:291-85743:322.

9510030020 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85685:334-85685:337.

9510180113 Advises that 950922 Rev 34 to industrial security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
SCARANO,R.A. Region 4 (Post 820201). 95/10/12. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85867:294-85867:298.

P. Operating license stage documents & correspondence

9510020179 Forwards amend 165 to license NPF-6 & safety evaluation. Amend provides one-time extension of RCP flywheel ISI.
KALMAN,G. . 95/09/22. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85649:298-85649:309.

--9510020182 Amend 165 to license NPF-6,providing one-time extension of RCP flywheel ISI.
KALMAN,G. . 95/09/22. 5pp. 85649:301-85649:305.

--9510020185 Safety evaluation supporting amend 165 to license NPF-6.
* . 95/09/22. 4pp. 85649:306-85649:309.

9510060330 Application for amend to license NPF-6,adding repair limit specifically for circumferential cracks in expansion transition region of ANO-2 SGs.
YELVERTON,J.W. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 11pp. 85748:288-85748:316.

--9510060333 Proposed tech specs,adding repair limit specifically for circumferential cracks in expansion transition region of ANO-2 SGs.
* Entergy Operations, Inc. 95/09/25. 18pp. 85748:299-85748:316.

9510040329 Forwards RAI re sys generator tube insp amend request.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85713:335-85713:339.

9510040336 Forwards Safety Evaluation re Topical Rept ENEAD-02-NP, "Verification of CECOR Coefficient Methodology for Application to PWRs of Entergy Operations,Inc." Rept acceptable for licensing applications.
PATEL,C.P. . 95/09/27. TITUS,F.W. Entergy Operations, Inc. 3pp. 85713:355-85713:361.

--9510040337 Safety evaluation accepting Topical Rept re "Verification of CECOR Coefficient Methodology for Application to Pressurized Water Reactors of Entergy Sys."
* . 95/09/27. 4pp. 85713:358-85713:361.

9510050042 Forwards TER for rev 2 of plant Offsite Dose Calculation Manual.Objective of TER to evaluate how well plant OCDM conforms w/methodology & guidance of listed NRC documents.
KALMAN,G. . 95/09/27. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85722:124-85722:150.

--9510050049 "Technical Evaluation Rept for Arkansas Nuclear One,Units 1 & 2 Plants ODCM,Rev 2."
MORCOS,N., AKERS,D.W. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0473. 95/09/30. NRC - No Detailed Affiliation Given. 23pp. 85722:128-85722:150.

9510020269 Forwards response to NRC questions re util 950404 TS change request to allow latching & unlatching of CEAs w/less than 23 ft of water over top of irradiated fuel assemblies.
MIMS,D.C. Entergy Operations, Inc. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85690:314-85690:318.

9510050212 Forwards amend 167 to license NPF-6 & safety evaluation. Amend removes requirement to maintain water level 23 ft above irradiated fuel assemblies in reactor while latching & unlatching control element assemblies.
KALMAN,G. . 95/09/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85722:016-85722:025.

--9510050213 Amend 167 to license NPF-6,removing requirement to maintain water level 23 ft above irradiated fuel assemblies in reactor while latching & unlatching control element assemblies.
KALMAN,G. . 95/09/28. 4pp. 85722:019-85722:022.

--9510050215 Safety evaluation supporting amend 167 to license NPF-6.
* . 95/09/28. 3pp. 85722:023-85722:025.

9510050236 Forwards amend 166 to license NPF-6 & safety evaluation. Amend revises specifications to permit containment personnel airlock doors to remain open during fuel handling.
KALMAN,G. . 95/09/28. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85722:091-85722:105.

--9510050240 Amend 166 to license NPF-6,revising specifications to permit containment personnel airlock doors to remain open during fuel handling.
KALMAN,G. . 95/09/28. 7pp. 85722:094-85722:100.

--9510050241 Safety evaluation supporting amend 166 to license NPF-6.
* . 95/09/28. 5pp. 85722:101-85722:105.

9510040333 Forwards Safety Evaluation re Topical Rept ENEAD-01-P, "Qualification of Reactor Physics Methods for Application to PWR of Entergy Sys." Rept acceptable for ref in licensing applications.
KALMAN,G. . 95/09/29. TITUS,F.W. Entergy Operations, Inc. 4pp. 85713:340-85713:354.

--9510040334 Safety evaluation re topical rept ENEAD-01-P,rev 0, "Qualification of Reactor Physics Methods for Application to Pressurized Water Reactors of Entergy Sys." Rept acceptable.
* . 95/09/29. 11pp. 85713:344-85713:354.

9510040293 Forwards Rev 18 to "ANO QA Manual Operations."
YELVERTON,J.W. Entergy Operations, Inc. 95/10/02. Document Control Branch (Document Control Desk). 7pp. 85709:027-85709:194.

--9510040299 Rev 18 to "ANO QA Manual Operations."
* Entergy Operations, Inc. 95/10/02. 160pp. 85709:034-85709:194.

9510110067 Forwards addl info re IPE.
MIMS,D.C. Entergy Operations, Inc. 95/10/05. Document Control Branch (Document Control Desk). 71pp. 85762:052-85762:122.

9510170083 Forwards list of Westinghouse Alloy 600 TT mechanical plugs in use at facility.
MIMS,D.C. Entergy Operations, Inc. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85846:357-85846:360.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510160118 Forwards amend 168 to license NPF-6 & safety evaluation. Amend revises requirements associated w/channel functional tests of core protection calculator following high temperature alarm.
KALMAN,G. . 95/10/11. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85823:349-85823:358.

--9510160128 Amend 168 to license NPF-6,revising requirements associated w/channel functional tests of core protection calculator following high temperature alarm.
KALMAN,G. . 95/10/11. 4pp. 85823:353-85823:356.

--9510160130 Safety evaluation supporting amend 168 to license NPF-6.
* . 95/10/11. 2pp. 85823:357-85823:358.

9510170385 Submits response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
MIMS,D.C. Entergy Operations, Inc. 95/10/12. Document Control Branch (Document Control Desk). 17pp. 85862:239-85862:255.

9510190051 Provides requested info re containment cooling response time TS change request.
MIMNS,D.C. Entergy Operations, Inc. 95/10/12. Document Control Branch (Document Control Desk). 6pp.p. 85885:350-85885:355.

9510200314 Forwards amend 169 to license NPF-6 & SE.Amend deletes TS requirements associated w/part length control assemblies.
KALMAN,G. . 95/10/12. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85898:074-85898:101.

--9510200318 Amend 169 to License NPF-6,deleting TS requirments associated w/part length control assemblies.
KALMAN,G. . 95/10/12. 23pp. 85898:077-85898:099.

--9510200322 Safety evaluation supporting Amend 169 to license NPF-6.
* . 95/10/12. 2pp. 85898:100-85898:101.

9510190285 Informs that util will like to submit IPEEE/USI A-46 summary repts by 960331 for Units 1 & 2,in order to allow sufficient time to complete review,per GL 88-20.
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85885:329-85885:330.

9510190360 Forwards NRC 950922 ltr providing on page 2 requested signature signifying util acceptance of conditions stated in NRC 950922 ltr re SCDAP/RELAP5 cpmputer code.
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85911:248-85911:251.

--9510190367 Responds to request to obtain latest version of SCDAP/RELAP5 code & SCDAP/RELAP5 input deck for ANO Unit 2.Approves util access to SCDAP/RELAP5 code within restrictions listed.
ADER,C.E. Accident Evaluation Branch (Post 941217). 95/09/22. MIMS,D.C. Entergy Operations, Inc. 2pp. 85911:250-85911:251.

9510240044 Provides sixty day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power Operated Gate Valves."
MIMS,D.C. Entergy Operations, Inc. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:154-85929:155.

9510260162 Forwards amend 170 to license NPF-6 & safety evaluation. Amend deletes requirements associated w/surveillances to verify position stops for HPSI ECCS throttle valves.
KALMAN,G. . 95/10/18. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 85947:312-85947:322.

--9510260164 Amend 170 to license NPF-6,deleting requirements associated w/surveillances to verify position stops for HPSI ECCS throttle valves.
KALMAN,G. . 95/10/18. 6pp. 85947:315-85947:319.

--9510260165 Safety evaluation supporting amend 170 to license NPF-6.
* . 95/10/18. 3pp. 85947:320-85947:322.

9510300216 Forwards Rev 0 to 95-R-2003-01, "Entergy Operations ANO-2 COLR for Cycle 12."
MIMS,D.C. Entergy Operations, Inc. 95/10/24. Document Control Branch (Document Control Desk). 2pp. 86052:335-86052:350.

--9510300220 Rev 0 to 95-R-2003-01, "Entergy Operations ANO-2 COLR for Cycle 12."
* Entergy Operations, Inc. 95-R-2003-01 R00. 95/10/24. 14pp. 86052:337-86052:350.

9510310335 Requests summary of design basis of plant,Units 1 & 2 emergency cooling pond to enable NRC to evaluate adequacy of cooling pond & document design related info.
KALMAN,G. . 95/10/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 86035:163-86035:166.

Q. Inspection reports, IE Bulletins & correspondence

9510020179 Forwards amend 165 to license NPF-6 & safety evaluation. Amend provides one-time extension of RCP flywheel ISI.
KALMAN,G. . 95/09/22. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85649:298-85649:309.

--9510020182 Amend 165 to license NPF-6,providing one-time extension of RCP flywheel ISI.
KALMAN,G. . 95/09/22. 5pp. 85649:301-85649:305.

--9510020185 Safety evaluation supporting amend 165 to license NPF-6.
* . 95/09/22. 4pp. 85649:306-85649:309.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510040329 Forwards RAI re sys generator tube insp amend request.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85713:335-85713:339.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160092 Requests approval,per 10CFR50.55a(a)(3) for use of ASME Code Case N-532 as alternative to ASME Section XI Code requirements.
MIMS,D.C. Entergy Operations, Inc. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85834:356-85834:359.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170345 Forwards insp repts 50-313/95-21 & 50-368/95-21 on 950911-14.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85818:170-85818:183.

--9510170353 Insp repts 50-313/95-21 & 50-368/95-21 on 950911-14.No violations noted.Major areas inspected:radiation protection program including,audits & appraisals,changes,planning & preparation & external exposure control.
MURRAY,B. Region 4 (Post 820201). 95/10/11. 10pp. 85818:174-85818:183.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250089 Grants Relief Request B-J/B4.5 to Revised First 10-Year Inservice Insp Program for Arkansas Nuclear One,Unit 2 & forwards related SE & Technical Ltr Rept.
KALMAN,G. . 95/10/19. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 85943:351-85943:358.

--9510250102 Safety evaluation approving Relief Request B-J/B4.5 to revised First 10-Year Inservice Insp Program for Arkansas Nuclear One,Unit 2.
* . 95/10/19. 5pp. 85943:354-85943:358.

9510270362 Discusses insp repts 50-313/95-23 & 50-368/95-23 on 951002-06 & forwards NOV.Violation of concern because it indicates lack of understanding by craft personnel of procedural requirements & mgt expectations.
GWYNN,T.P. Region 4 (Post 820201). 95/10/24. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 85999:333-85999:352.

--9510270363 Notice of violation from insp on 951002-06.Violation noted:951005,during continuous welding on unit 2 vol control tank bypass valve 2CV-4826,welders did not verify interpass temp before applying next layer of weld metal.
* Region 4 (Post 820201). 95/10/24. 2pp. 85999:338-85999:339.

--9510270367 Insp repts 50-313/95-23 & 50-368/95-23 on 951002-06.No Violations noted.Major areas inspected:inservice insp program & associated work activities.
POWERS,D.A. Region 4 (Post 820201). 95/10/19. 13pp. 85999:340-85999:352.

9510300078 Forwards insp repts 50-313/95-24 & 50-368/95-24 on 950828-0906.No violations noted.Violation of concern because past design change failed to maintain design bases of plant.
CALLAN,L.J. Region 4 (Post 820201). 95/10/25. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 86001:226-86001:240.

--9510300088 Insp repts 50-313/95-24 & 50-368/95-24 on 950828-0906.No violations noted.Major areas inspected:licensee identified unit 2 design deficiency where single failure of direct current electrical bus could affect both trains.
REIS,T. Region 4 (Post 820201). 95/10/20. 10pp. 86001:231-86001:240.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190202 Monthly operating rept for Sept 1995 for ANO Unit 2. W/951016 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 95/09/30. 7pp. 85900:281-85900:287.

S. Reportable occurrences, LERs & related correspondence

9510030190 LER 95-003-00:on 950902,automatic RT on high axial shape index during startup due to inadequate monitoring & action to maintain excore power below core protection calculator trip enable setpoint.Revised procedure.W/950927 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 95/09/27. 7pp. 85689:174-85689:180.

9510030235 LER 95-002-00:on 950901,Unit 2 experienced automatic RT on "B" SG high level as resust of human error involving use of improper work surface by contract painter.Caused by human error.Mgt suspended all plant painting.W/950928 ltr.
MILLER,K.J., MIMS,D.C. Entergy Operations, Inc. 95/09/28. 5pp. 85689:181-85689:186.

V. Operator Examinations

9510300121 Forwards results of 951003 GFES of written OL exam.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 86001:273-86001:274.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020256 Change to EPIP HP/0/B/1009/02, "Alternative Method for Determining Dose Rate Within Reactor Bldg." W/950926 ltr.
BECHHAM,R.E., HASTY,R.L., MCMEEKIN,T.C. Duke Power Co. 95/09/26. 9pp. 85690:300-85690:308.

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510260024 Forwards public version of revised EPIPs,including EPIP index,change 0 to RP/0/A/5700/00,change 0 to RP/0/A/5700/01, change 0 to RP/0/A/5700/02,change 0 to RP/0/A/5700/03 & change 0 to RP/0/A/5700/04.W/951016 release memo.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85947:001-85947:253.

--9510260029 Public version of revised EPIPs,including EPIPs index,change 0 to RP/0/A/5700/00,changes 0 to RP/0/A/5700/01 & to RP/0/A/5700/02,change 0 to RP/0/A/570003 & change 0 to RP/0/A/5700/04.
DOLAN,B. Duke Power Co. 95/10/01. 150pp. 85947:005-85947:253.

9510110216 Revised EPIPs,including HP/0/B/1009/16 & HP/0/B/1009/21.W/ 951004 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/10/04. 24pp. 85762:197-85762:220.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510190134 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual," from Chapter 16 of FSAR.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. 2pp. 85900:216-85900:217.

P. Operating license stage documents & correspondence

9510020092 Forwards addl info re spent fuel pool cooling to suppl responses provided in util 950721 ltr re proposed fuel enrichment increase.
TUCKMAN,M.S. Duke Power Co. 95/09/22. Document Control Branch (Document Control Desk). 6pp. 85681:292-85681:297.

9510060094 Rev 5 to "MNS Selected Licensee Commitments Manual." Reissue due to typographical error.
CRANE,K. Duke Power Co. 95/09/22. 9pp. 85747:333-85747:341.

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510020263 Informs NRC of util intention to extend closure of GL 89-10 program to 951228 & suggests time from after June 1996 for GL 89-10 closure insp,considering listed outage dates for MNS Units 1 & 2.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85689:213-85689:215.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510100376 Submits rept per 10CFR50.46 re changes to or errors in ECCS evaluation model.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 1p. 85765:300-85765:300.

9510180332 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCMEEKIN,T.C. Duke Power Co. 2pp. 85848:231-85848:232.

9510160177 Forwards suppl to proposed TS reflecting separate vols for Units 1 & 2.
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85856:001-85861:219.

--9510160179 Proposed tech specs reflecting separate vols for Units 1 & 2.
* Duke Power Co. 95/10/09. 2,036pp. 85856:004-85861:219.

9510170218 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 5pp. 85861:356-85861:360.

9510170411 Submits intent to perform svc water operational performance insp,currently scheduled for beginning 960716.
MCMEEKIN,T.C. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85854:355-85854:357.

9510130200 Advises that 940930 application for amend to licenses NPF-9 & NPF-17,modifying TS re replacement of SGs at plant,will be withdrawn,per 950918 request.
NERSES,V. . 95/10/10. TUCKMAN,M.S. Duke Power Co. 3pp. 85801:349-85801:351.

9510230361 Informs that Region II will be reorganized effective 951015, as part of NRC initiative to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCMEEKIN,T.C. Duke Power Co. 8pp. 85892:307-85892:314.

9510200087 Discusses NRC review of licensee submittals for portion re ISM methodology.Concludes that ISM methodology conforms to NUREG-1061,Vol 4,Section 2.4.1 & acceptable for general piping applications including main steam lines at plants.
BERKOW,H.N. . 95/10/13. TUCKMAN,M.S. Duke Power Co. 6pp. 85900:084-85900:089.

9510200368 Informs of acceptance of proposed schedule of 951228,for completion of entire GL-89-10 program at plant.Requests notification of GL completion within 30 days of completion date.Informs that requirement not subj to OMB review.
NERSES,V. . 95/10/13. MCMEEKIN,T.C. Duke Power Co. 4pp. 85899:329-85899:332.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

9510250277 Provides suppl to 950901 proposed revs to TS 6.9.1.9 re listings of core operating limit methodologies,per discussions w/NRC.
TUCKMAN,M.S. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85988:132-85988:137.

--9510250284 Proposed tech specs listings of core operating limit methodologies.
* Duke Power Co. 95/10/17. 4pp. 85988:134-85988:137.

9510270014 Forwards summary of nuclear station mods,minor mods & procedure changes for period Apr 1994-Apr 1995.
MCMEEKIN,T.C. Duke Power Co. 95/10/20. Document Control Branch (Document Control Desk). 102pp. 86014:263-86015:010.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020263 Informs NRC of util intention to extend closure of GL 89-10 program to 951228 & suggests time from after June 1996 for GL 89-10 closure insp,considering listed outage dates for MNS Units 1 & 2.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85689:213-85689:215.

9510020354 Forwards supplemental response to NOV dtd 950510 re GL 89-10 analysis & calculation errors.Corrective actions:thrust calculations for 1CA0050 & 2CA0054 corrected,VOTES traces re-marked & VOTES summary repts re-issued.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85690:140-85690:143.

9510100307 Ack receipt of 950918 ltr informing NRC of steps taken to correct violations noted in insp rept 50-369/95-19 & 50-370/95-19.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 85725:352-85725:354.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510240242 Forwards exam repts 50-369/95-300 & 50-370/95-300 during period 950925.Informs that six candidates from facility participated & passed generic fundamentals exam section.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. MCMEEKIN,T.C. Duke Power Co. 2pp. 85895:159-85895:263.

--9510240247 Exam repts 50-369/95-300 & 50-370/95-300 during period of 950925.Exam results:examiner administered written retake exam under guidelines of ES,NUREG-1021,rev 7,to two RO candidates.
BALDWIN,R.S., PEEBLES,T.A. Region 2 (Post 820201). 95/10/06. 100pp. 85895:161-85895:263.

9510230314 Discusses 951002 mgt meeting re performance during past SALP cycle.List of attendees & handout encl.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCMEEKIN,T.C. Duke Power Co. 12pp. 85891:246-85891:267.

9510240136 Advises of planned insp effort resulting from McGuire PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. MCMEEKIN,T.C. Duke Power Co. 4pp. 85896:214-85896:217.

9510250352 Discusses SALP Repts 50-369/95-99 & 50-370/95-99 dtd 950915 presented during 951002 SALP Board meetingProposes next McGuire plant performance update meeting be held in Feb 1996.
MCMEEKIN,T.C. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85985:346-85985:348.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250127 Forwards rev 22 & 17 of "Pump Inservice Testing Program for McGuire Nuclear Station Units 1 & 2."
MCMEEKIN,T.C. Duke Power Co. 95/10/19. Document Control Branch (Document Control Desk). 22pp. 85986:001-85986:287.

--9510250130 Rev 17 & 22 of "Pump Inservice Testing Program,for McGuire Nuclear Station Units 1 & 2."
* Duke Power Co. 95/10/18. 261pp. 85986:027-85986:287.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190046 Forwards monthly operating repts for Sept 1995 for McGuire Nuclear Station & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85885:337-85885:349.

--9510190049 Monthly operating repts for Sept 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 10pp. 85885:339-85885:348.

--9510190050 Revised monthly operating repts for Aug 1995 for McGuire Nuclear Station.
* Duke Power Co. 95/08/31. 1p. 85885:349-85885:349.

V. Operator Examinations

9510240242 Forwards exam repts 50-369/95-300 & 50-370/95-300 during period 950925.Informs that six candidates from facility participated & passed generic fundamentals exam section.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. MCMEEKIN,T.C. Duke Power Co. 2pp. 85895:159-85895:263.

--9510240247 Exam repts 50-369/95-300 & 50-370/95-300 during period of 950925.Exam results:examiner administered written retake exam under guidelines of ES,NUREG-1021,rev 7,to two RO candidates.
BALDWIN,R.S., PEEBLES,T.A. Region 2 (Post 820201). 95/10/06. 100pp. 85895:161-85895:263.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510020256 Change to EPIP HP/0/B/1009/02, "Alternative Method for Determining Dose Rate Within Reactor Bldg." W/950926 ltr.
BECHHAM,R.E., HASTY,R.L., MCMEEKIN,T.C. Duke Power Co. 95/09/26. 9pp. 85690:300-85690:308.

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510260024 Forwards public version of revised EPIPs,including EPIP index,change 0 to RP/0/A/5700/00,change 0 to RP/0/A/5700/01, change 0 to RP/0/A/5700/02,change 0 to RP/0/A/5700/03 & change 0 to RP/0/A/5700/04.W/951016 release memo.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85947:001-85947:253.

--9510260029 Public version of revised EPIPs,including EPIPs index,change 0 to RP/0/A/5700/00,changes 0 to RP/0/A/5700/01 & to RP/0/A/5700/02,change 0 to RP/0/A/570003 & change 0 to RP/0/A/5700/04.
DOLAN,B. Duke Power Co. 95/10/01. 150pp. 85947:005-85947:253.

9510110216 Revised EPIPs,including HP/0/B/1009/16 & HP/0/B/1009/21.W/ 951004 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/10/04. 24pp. 85762:197-85762:220.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510190134 Revised "McGuire Nuclear Station Selected Licensee Commitments Manual," from Chapter 16 of FSAR.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. 2pp. 85900:216-85900:217.

P. Operating license stage documents & correspondence

9510020092 Forwards addl info re spent fuel pool cooling to suppl responses provided in util 950721 ltr re proposed fuel enrichment increase.
TUCKMAN,M.S. Duke Power Co. 95/09/22. Document Control Branch (Document Control Desk). 6pp. 85681:292-85681:297.

9510060094 Rev 5 to "MNS Selected Licensee Commitments Manual." Reissue due to typographical error.
CRANE,K. Duke Power Co. 95/09/22. 9pp. 85747:333-85747:341.

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510020263 Informs NRC of util intention to extend closure of GL 89-10 program to 951228 & suggests time from after June 1996 for GL 89-10 closure insp,considering listed outage dates for MNS Units 1 & 2.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85689:213-85689:215.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510100376 Submits rept per 10CFR50.46 re changes to or errors in ECCS evaluation model.
MCMEEKIN,T.C. Duke Power Co. 95/10/02. Document Control Branch (Document Control Desk). 1p. 85765:300-85765:300.

9510180332 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCMEEKIN,T.C. Duke Power Co. 2pp. 85848:231-85848:232.

9510160177 Forwards suppl to proposed TS reflecting separate vols for Units 1 & 2.
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85856:001-85861:219.

--9510160179 Proposed tech specs reflecting separate vols for Units 1 & 2.
* Duke Power Co. 95/10/09. 2,036pp. 85856:004-85861:219.

9510170218 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 5pp. 85861:356-85861:360.

9510170411 Submits intent to perform svc water operational performance insp,currently scheduled for beginning 960716.
MCMEEKIN,T.C. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85854:355-85854:357.

9510130200 Advises that 940930 application for amend to licenses NPF-9 & NPF-17,modifying TS re replacement of SGs at plant,will be withdrawn,per 950918 request.
NERSES,V. . 95/10/10. TUCKMAN,M.S. Duke Power Co. 3pp. 85801:349-85801:351.

9510200087 Discusses NRC review of licensee submittals for portion re ISM methodology.Concludes that ISM methodology conforms to NUREG-1061,Vol 4,Section 2.4.1 & acceptable for general piping applications including main steam lines at plants.
BERKOW,H.N. . 95/10/13. TUCKMAN,M.S. Duke Power Co. 6pp. 85900:084-85900:089.

9510200368 Informs of acceptance of proposed schedule of 951228,for completion of entire GL-89-10 program at plant.Requests notification of GL completion within 30 days of completion date.Informs that requirement not subj to OMB review.
NERSES,V. , 95/10/13. MCMEEKIN,T.C. Duke Power Co. 4pp. 85899:329-85899:332.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

9510250277 Provides suppl to 950901 proposed revs to TS 6.9.1.9 re listings of core operating limit methodologies,per discussions w/NRC.
TUCKMAN,M.S. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85988:132-85988:137.

--9510250284 Proposed tech specs listings of core operating limit methodologies.
* Duke Power Co. 95/10/17. 4pp. 85988:134-85988:137.

9510270014 Forwards summary of nuclear station mods,minor mods & procedure changes for period Apr 1994-Apr 1995.
MCMEEKIN,T.C. Duke Power Co. 95/10/20. Document Control Branch (Document Control Desk). 102pp. 86014:263-86015:010.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020263 Informs NRC of util intention to extend closure of GL 89-10 program to 951228 & suggests time from after June 1996 for GL 89-10 closure insp,considering listed outage dates for MNS Units 1 & 2.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85689:213-85689:215.

9510020354 Forwards supplemental response to NOV dtd 950510 re GL 89-10 analysis & calculation errors.Corrective actions:thrust calculations for 1CA0050 & 2CA0054 corrected,VOTES traces re-marked & VOTES summary repts re-issued.
MCMEEKIN,T.C. Duke Power Co. 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85690:140-85690:143.

9510100307 Ack receipt of 950918 ltr informing NRC of steps taken to correct violations noted in insp rept 50-369/95-19 & 50-370/95-19.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. MCMEEKIN,T.C. Duke Power Co. 3pp. 85725:352-85725:354.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510240242 Forwards exam repts 50-369/95-300 & 50-370/95-300 during period 950925.Informs that six candidates from facility participated & passed generic fundamentals exam section.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. MCMEEKIN,T.C. Duke Power Co. 2pp. 85895:159-85895:263.

--9510240247 Exam repts 50-369/95-300 & 50-370/95-300 during period of 950925.Exam results:examiner administered written retake exam under guidelines of ES,NUREG-1021,rev 7,to two RO candidates.
BALDWIN,R.S., PEEBLES,T.A. Region 2 (Post 820201). 95/10/06. 100pp. 85895:161-85895:263.

9510230314 Discusses 951002 mgt meeting re performance during past SALP cycle.List of attendees & handout encl.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCMEEKIN,T.C. Duke Power Co. 12pp. 85891:246-85891:267.

9510240136 Advises of planned insp effort resulting from McGuire PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. MCMEEKIN,T.C. Duke Power Co. 4pp. 85896:214-85896:217.

9510250352 Discusses SALP Repts 50-369/95-99 & 50-370/95-99 dtd 950915 presented during 951002 SALP Board meetingProposes next McGuire plant performance update meeting be held in Feb 1996.
MCMEEKIN,T.C. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85985:346-85985:348.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250127 Forwards rev 22 & 17 of "Pump Inservice Testing Program for McGuire Nuclear Station Units 1 & 2."
MCMEEKIN,T.C. Duke Power Co. 95/10/19. Document Control Branch (Document Control Desk). 22pp. 85986:001-85986:287.

--9510250130 Rev 17 & 22 of "Pump Inservice Testing Program,for McGuire Nuclear Station Units 1 & 2."
* Duke Power Co. 95/10/18. 261pp. 85986:027-85986:287.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190046 Forwards monthly operating repts for Sept 1995 for McGuire Nuclear Station & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85885:337-85885:349.

--9510190049 Monthly operating repts for Sept 1995 for McGuire Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 10pp. 85885:339-85885:348.

--9510190050 Revised monthly operating repts for Aug 1995 for McGuire Nuclear Station.
* Duke Power Co. 95/08/31. 1p. 85885:349-85885:349.

V. Operator Examinations

9510240242 Forwards exam repts 50-369/95-300 & 50-370/95-300 during period 950925.Informs that six candidates from facility participated & passed generic fundamentals exam section.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. MCMEEKIN,T.C. Duke Power Co. 2pp. 85895:159-85895:263.

--9510240247 Exam repts 50-369/95-300 & 50-370/95-300 during period of 950925.Exam results:examiner administered written retake exam to two RO candidates.
BALDWIN,R.S. Region 2 (Post 820201). 95/10/06. 100pp. 85895:161-85895:263.

DOCKET 50-372 ATLANTIC RICHFIELD CO.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100377 Revised EPIPs,including LZP index,Rev 3 to LZP-1135-1,Rev 6 LZP-1140-1,Rev 5 to LZP-1190-1 & Rev 1 to LZP-1200-6.
* Commonwealth Edison Co. 95/09/20. 29pp. 85765:233-85765:261.

9510230115 Rev 8 to EPIP LZP-1200-5, "GSEP Guidelines for Recommended Offsite Protective Actions." W/LZP index.
* Commonwealth Edison Co. 95/09/26. 15pp. 85912:226-85912:240.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510310319 Requests addl info to identify number of open issues & concerns requiring clarification.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86023:329-86023:333.

P. Operating license stage documents & correspondence

9510050281 Forwards amends 106 & 92 to licenses NPF-11 & NPF-18 & safety evaluation.Amends add operating license condition 2.C.(35) & 2.C.(19) for units 1 & 2.
LATTA,R.M. . 95/09/27. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85724:272-85724:289.

--9510050287 Amends 106 & 92 to licenses NPF-11 & NPF-18,respectively, adding operating license conditions 2.c.(35) & 2.C.(19) for unit 1 & 2.
LATTA,R.M. . 95/09/27. 7pp. 85724:274-85724:280.

--9510050290 Safety evaluation supporting amends 106 & 92 to licenses NPF-11 & NPF-18,respectively.
* . 95/09/27. 9pp. 85724:281-85724:289.

9510110227 Informs of close out of GL 89-10, "SR MOV Testing & Surveillances" activities.
QUERIO,R.E. Commonwealth Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85761:340-85761:341.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510130253 Application for amend to license NPF-11,revising SRV safety function lift setting tolerance.Nonproprietary & proprietary versions of GE SRV setpoint tolerance relaxation analysis encl.Proprietary analysis withheld.
BENES,G.G. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 18pp. 85862:083-85862:166.

--9510130257 Proposed TS Section 3.4.2,changing SRV safety valve function lift setting tolerance.
* Commonwealth Edison Co. 95/10/02. 7pp. 85862:101-85862:107.

--9510130262 "Evaluation of Effect of Relaxing LaSalle Mainsteam SRV Overpressurization Setpoint Tolerance" for LaSalle Unit 1.
GERSHMAN,A.I. Sargent & Lundy, Inc. LAS-NPD-95-0032 R00. 95/07/14. 6pp. 85862:108-85862:166.

9510190383 Forwards rev 1 to "Pump & Valve Inservice Testing Program Plan 2nd Ten Year Interval," for LaSalle County Station Units 1 & 2.
BENES,G.G. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 4pp. 85885:001-85885:284.

--9510190391 Rev 1 to "Pump & Valve Inservice Testing Program Plan,2nd Ten Year Interval" for LaSalle County Station Units 1 & 2.
* Commonwealth Edison Co. 95/10/10. 281pp. 85885:005-85885:284.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510250035 Forwards draft info notice re failures of main steam isolation valves caused by sticking solenoid pilot valves.
CHAFFEE,A.E. . 95/10/18. SANK,R.J. Automatic Switch Co. 5pp. 85981:356-85981:360.

9510300120 Requests that GE proprietary TR NEDC-32424P, "Generic Guidelines for GE BWR Extended Power Uprate" submitted by GE 950224 ltr to NRC,be considered as cost beneficial licensing action.
BENES,G.G. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 86043:359-86043:360.

9510300132 Forwards core shroud insp plan for LaSalle County Nuclear Power Station Unit 1 seventh refuel outage,as indicated in 940823 response to GL 94-03, "IGSCC of Core Shrouds in BWRs."
BENES,G.G. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 6pp. 86051:186-86051:191.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310174 Amends 107 & 93 to licenses NPF-11 & NPF-18,respectively, relocating requirements for "Review,Investigative Audit Functions" & frequencies of QA program from administrative controls section of TS.
LATTA,R.M. . 95/10/20. 24pp. 86010:079-86010:102.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

9510310026 Forwards request for addl info,in order to continue evaluation of NRC GE rept GE-NE-523-A166-1294,DRF 137-0010-7,Rev 1, "LaSalle Unit 1 RPV Surveillance Matl Testing & Analysis," dtd Jun 1995.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 3pp. 86033:063-86033:065.

9510310319 Requests addl info to identify number of open issues & concerns requiring clarification.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86023:329-86023:333.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510170065 Requests extension of 90 days to response to request for addl info re second ten-yr interval ISI program plan.
QUERIO,R.E. Commonwealth Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85846:355-85846:355.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510190264 Forwards insp repts 50-373/95-07 & 50-374/95-07 on 950722-0831.No violations noted.
CLAYTON,B. Region 3 (Post 820201). 95/10/05. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85864:001-85864:017.

--9510190266 Insp repts 50-373/95-07 & 50-374/95-07 on 950722-0831.No violations noted.Major areas inspected:operations, maintenance,plant support & safety assessment.
CLAYTON,B. Region 3 (Post 820201). 95/10/05. 15pp. 85864:003-85864:017.

9510190323 Advises of planned insp effort resulting from plant PPR review on 950909.
AXELSON,W.L. Region 3 (Post 820201). 95/10/05. QUERIO,R.E. Commonwealth Edison Co. 5pp. 85864:096-85864:100.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510300132 Forwards core shroud insp plan for LaSalle County Nuclear Power Station Unit 1 seventh refuel outage,as indicated in 940823 response to GL 94-03, "IGSCC of Core Shrouds in BWRs."
BENES,G.G. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 6pp. 86051:186-86051:191.

9510270047 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/95-05 & 50-374/95-05.
CLAYTON,H.B. Region 3 (Post 820201). 95/10/19. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85938:013-85938:014.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170004 Monthly operating repts for Sept 1995 for LaSalle County Nuclear Power Station.W/951013 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/09/30. 18pp. 85846:317-85846:334.

S. Reportable occurrences, LERs & related correspondence

9510020073 LER 95-014-00:on 950816,reactor scram occurred due to 1D RPS trip causing Group 1 isolation.Upgrade model of EPM assembly logic cards installed on both Unit 1 RPS motor generator sets & upper main steam tunnel switches calib.W/ 950915 ltr.
HAMMERICH,T., RAY,D.J. Commonwealth Edison Co. 95/09/15. 7pp. 85689:067-85689:073.

9510020061 LER 95-015-00:on 950824,TS fire protection valve surveillance was missed due to insufficient review of TS fire surveillance during mod process.Implemented fire watch in Unit 1 CSR.W/950925 ltr.
DIAZ,C., RAY,D.J. Commonwealth Edison Co. 95/09/25. 5pp. 85689:062-85689:066.

9510110220 Special rept:on 950830,1B DG tripped due to reverse power. Caused by improper setting on paralleling circuit of 1B voltage regulator.
RAY,D.J. Commonwealth Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 2pp. 85761:338-85761:339.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

9510310141 LER 95-016-00:on 950924,initiated manual reactor scram due to emergency governor lockout valve sticking.Oil samples taken of supply oil (turbine lube oil sys) for 1A & 1B turbine driven reactor feed pump for analysis.W/951024 ltr.
WIX,S., RAY,D.J. Commonwealth Edison Co. 95/10/24. 5pp. 86089:351-86089:355.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

9510310368 Provides individual exam results for applicants who took Oct 1995 initial license exam.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. WALLACE,B.J. Commonwealth Edison Co. 2pp. 86004:258-86004:259.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510100377 Revised EPIPs,including LZP index,Rev 3 to LZP-1135-1,Rev 6 LZP-1140-1,Rev 5 to LZP-1190-1 & Rev 1 to LZP-1200-6.
* Commonwealth Edison Co. 95/09/20. 29pp. 85765:233-85765:261.

9510230115 Rev 8 to EPIP LZP-1200-5, "GSEP Guidelines for Recommended Offsite Protective Actions." W/LZP index.
* Commonwealth Edison Co. 95/09/26. 15pp. 85912:226-85912:240.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510310319 Requests addl info to identify number of open issues & concerns requiring clarification.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86023:329-86023:333.

P. Operating license stage documents & correspondence

9510050281 Forwards amends 106 & 92 to licenses NPF-11 & NPF-18 & safety evaluation.Amends add operating license condition 2.C.(35) & 2.C.(19) for units 1 & 2.
LATTA,R.M. . 95/09/27. FARRAR,D.L. Commonwealth Edison Co. 2pp. 85724:272-85724:289.

--9510050287 Amends 106 & 92 to licenses NPF-11 & NPF-18,respectively, adding operating license conditions 2.c.(35) & 2.C.(19) for unit 1 & 2.
LATTA,R.M. . 95/09/27. 7pp. 85724:274-85724:280.

--9510050290 Safety evaluation supporting amends 106 & 92 to licenses NPF-11 & NPF-18,respectively.
* . 95/09/27. 9pp. 85724:281-85724:289.

9510170156 Rev 1,1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510190383 Forwards rev 1 to "Pump & Valve Inservice Testing Program Plan 2nd Ten Year Interval," for LaSalle County Station Units 1 & 2.
BENES,G.G. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 4pp. 85885:001-85885:284.

--9510190391 Rev 1 to "Pump & Valve Inservice Testing Program Plan,2nd Ten Year Interval" for LaSalle County Station Units 1 & 2.
* Commonwealth Edison Co. 95/10/10. 281pp. 85885:005-85885:284.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510250035 Forwards draft info notice re failures of main steam isolation valves caused by sticking solenoid pilot valves.
CHAFFEE,A.E. . 95/10/18. SANK,R.J. Automatic Switch Co. 5pp. 85981:356-85981:360.

9510300120 Requests that GE proprietary TR NEDC-32424P, "Generic Guidelines for GE BWR Extended Power Uprate" submitted by GE 950224 ltr to NRC,be considered as cost beneficial licensing action.
BENES,G.G. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 86043:359-86043:360.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310174 Amends 107 & 93 to licenses NPF-11 & NPF-18,respectively, relocating requirements for "Review,Investigative Audit Functions" & frequencies of QA program from administrative controls section of TS.
LATTA,R.M. . 95/10/20. 24pp. 86010:079-86010:102.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

9510310026 Forwards request for addl info,in order to continue evaluation of NRC GE rept GE-NE-523-A166-1294,DRF 137-0010-7,Rev 1, "LaSalle Unit 1 RPV Surveillance Matl Testing & Analysis," dtd Jun 1995.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 3pp. 86033:063-86033:065.

9510310319 Requests addl info to identify number of open issues & concerns requiring clarification.
LATTA,R.M. . 95/10/25. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86023:329-86023:333.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510170065 Requests extension of 90 days to response to request for addl info re second ten-yr interval ISI program plan.
QUERIO,R.E. Commonwealth Edison Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85846:355-85846:355.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510190264 Forwards insp repts 50-373/95-07 & 50-374/95-07 on 950722-0831.No violations noted.
CLAYTON,B. Region 3 (Post 820201). 95/10/05. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85864:001-85864:017.

--9510190266 Insp repts 50-373/95-07 & 50-374/95-07 on 950722-0831.No violations noted.Major areas inspected:operations, maintenance,plant support & safety assessment.
CLAYTON,B. Region 3 (Post 820201). 95/10/05. 15pp. 85864:003-85864:017.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270047 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-373/95-05 & 50-374/95-05.
CLAYTON,H.B. Region 3 (Post 820201). 95/10/19. QUERIO,R.E. Commonwealth Edison Co. 2pp. 85938:013-85938:014.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170004 Monthly operating repts for Sept 1995 for LaSalle County Nuclear Power Station.W/951013 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 95/09/30. 18pp. 85846:317-85846:334.

S. Reportable occurrences, LERs & related correspondence

9510020104 LER 95-006-01:on 950302,primary containment maximum allowable leakage was exceeded due to LLRT failure.Repaired valves.W/950921 ltr.
SIWIEC,W.J., SIWIEC,W.J. Commonwealth Edison Co. 95/09/21. 5pp. 85689:080-85689:088.

9510240178 Special rept:on 950921,Fire Door 615 was inoperable for period greater than seven days.Door was opened 950914 to allow access to reactor recirculation sys panel 2H13-P634. Established hourly fire watch.
RAY,D.J. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:199-85929:200.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

9510310368 Provides individual exam results for applicants who took Oct 1995 initial license exam.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. WALLACE,B.J. Commonwealth Edison Co. 2pp. 86004:258-86004:259.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505180425 Forwards "Waterford 3 SES Drill 95-04 Emergency Preparedness Annual Exercise 950712."
BURSKI,R.F. Entergy Operations, Inc. 95/05/12. Document Control Branch (Document Control Desk). 2pp. 85723:001-85724:024.

--9505180427 "Waterford 3 SES Drill 95-04 Emergency Preparedness Annual Exercise 950712."
* Entergy Operations, Inc. 95/07/12. 386pp. 85723:003-85724:024.

9510030122 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
PATEL,C.P. . 95/09/26. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 85685:326-85685:329.

9510040054 Revised EPIPs,including Rev 20 to EP-002-060,Rev 8 to EP-002-061 & Rev 19 to EP-003-040.W/951002 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/10/02. 100pp. 85710:001-85710:131.

9510060229 Forwards update to ERDS plant attribute library,per 10CFR50, App E,VI,3.b.Update associated w/equipment & software changes being incorporated during plant monitoring computer upgrade.
BURSKI,R.F. Entergy Operations, Inc. 95/10/05. Document Control Branch (Document Control Desk). 13pp. 85748:216-85748:228.

9510160203 Responds to violations noted in insp rept 50-382/95-17. Corrective actions:white strobe light installed on fire detection sys control panel in control room.
BURSKI,R.F. Entergy Operations, Inc. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85848:327-85848:332.

9510180191 Rev 4 to EPIP EP-003-060, "Emergency Communications Guidelines." W/ 951012 ltr.
BURSKI,R.F. Entergy Operations, Inc. 95/10/12. 17pp. 85868:001-85868:017.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184,Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

P. Operating license stage documents & correspondence

9510040336 Forwards Safety Evaluation re Topical Rept ENEAD-02-NP, "Verification of CECOR Coefficient Methodology for Application to PWRs of Entergy Operations,Inc." Rept acceptable for licensing applications.
PATEL,C.P. . 95/09/27. TITUS,F.W. Entergy Operations, Inc. 3pp. 85713:355-85713:361.

--9510040337 Safety evaluation accepting Topical Rept re "Verification of CECOR Coefficient Methodology for Application to Pressurized Water Reactors of Entergy Sys."
* . 95/09/27. 4pp. 85713:358-85713:361.

9510100047 Forwards amend 114 to license NPF-38 & safety evaluation. Amend changes App A by increasing control room radiation monitor setpoint to fixed value of 5.45E-6 uCi/cc instead of being set at two times background.
PATEL,C.P. . 95/09/27. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 85744:316-85744:325.

--9510100051 Amend 114 to license NPF-38,changing App A by increasing control room radiation monitor setpoints to fixed value of 5.45E-6 uCi/cc instead of being set at two times background.
PATEL,C.P. . 95/09/27. 5pp. 85744:319-85744:323.

--9510100060 Safety evaluation supporting amend 114 to license NPF-38.
* . 95/09/27. 2pp. 85744:324-85744:325.

9510040333 Forwards Safety Evaluation re Topical Rept ENEAD-01-P, "Qualification of Reactor Physics Methods for Application to PWR of Entergy Sys." Rept acceptable for ref in licensing applications.
KALMAN,G. . 95/09/29. TITUS,F.W. Entergy Operations, Inc. 4pp. 85713:340-85713:354.

--9510040334 Safety evaluation re topical rept ENEAD-01-P,rev 0, "Qualification of Reactor Physics Methods for Application to Pressurized Water Reactors of Entergy Sys." Rept acceptable.
* . 95/09/29. 11pp. 85713:344-85713:354.

9510100016 Forwards amend 115 to license NPF-38 & safety evaluation. Amend changes App A by subdividing TS 3/4.7.6, "Control Room Air Conditioning Sys," into five separate TSs covering following three distinct functions.
PATEL,C.P. . 95/10/04. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 85744:238-85744:264.

--9510100022 Amend 115 to license NPF-85,changing App A by subdividing TS 3/4.7.6, "Control Room Air Conditioning Sys," into five separate TS covering following three distinct functions.
PATEL,C.P. . 95/10/04. 14pp. 85744:242-85744:255.

--9510100024 Safety evaluation supporting amend 115 to license NPF-38.
* . 95/10/04. 9pp. 85744:256-85744:264.

9510060227 Provides response to NRC requests for addl info dtd 910831 & 950921 re GL 95-03.
BURSKI,R.F. Entergy Operations, Inc. 95/10/05. Document Control Branch (Document Control Desk). 3pp. 85747:357-85747:359.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510160133 Forwards correction to amend 114 to license NPF-38.Amend changed App A TSs by increasing control room radiation monitor setpoint to fixed value of 5.45E-6 uCi/cc instead of being set at two times background.
PATEL,C.P. . 95/10/11. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 85833:115-85833:118.

--9510160135 Correct page 3/4 3-29 to amend 114 to license NPF-38.Amend changed App A TSs by increasing control room radiation monitor setpoint to fixed value of 5.45E-6 uCi/cc instead of being set at two times background.
* . 95/10/11. 1p. 85833:118-85833:118.

9510240129 Provides notification that Waterford 3 will implement requested actions of GL 95-07.
BURSKI,R.F. Entergy Operations, Inc. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85929:186-85929:188.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160092 Requests approval,per 10CFR50.55a(a)(3) for use of ASME Code Case N-532 as alternative to ASME Section XI Code requirements.
MIMS,D.C. Entergy Operations, Inc. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85834:356-85834:359.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510160203 Responds to violations noted in insp rept 50-382/95-17. Corrective actions:white strobe light installed on fire detection sys control panel in control room.
BURSKI,R.F. Entergy Operations, Inc. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85848:327-85848:332.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270361 Forwards insp rept 50-382/95-19 on 951003-07.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/23. BARKHURST,R.P. Entergy Operations, Inc. 5pp. 85999:315-85999:332.

--9510270366 Insp rept 50-382/95-19 on 951003-07.No violations noted. Major areas inspected:inservice insp program & implementation of associated work activities.
POWERS,D.A. Region 4 (Post 820201). 95/10/18. 12pp. 85999:320-85999:332.

9510310115 Ack receipt of 951026 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/95-17.
DYER,J.E. Region 4 (Post 820201). 95/10/26. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 86003:162-86003:171.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510130154 Monthly operating rept for Sept 1995 for Waterford 3. W/951011 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 95/09/30. 7pp. 85810:324-85810:330.

S. Reportable occurrences, LERs & related correspondence

9510060263 LER 95-004-00:on 950907,discovered failure to perform TS SR 4.3.3.6 for RG 1.97 containment isolation valve position indicators due to inadequate procedure.Procedure OP-903-013 will be revised.W/951005 ltr.
VINCI,D.W., KEUTER,D.R. Entergy Operations, Inc. 95/10/05. 10pp. 85767:055-85767:064.

9510260091 Special rept SR-95-002-00 on 951011,ABB C-E identified leaking plug due to build-up of boric acided crystals around OD of plug.Leaking plug removed by TIG relaxation & replaced/another rolled mechanical plug.
KEUTER,D.R. Entergy Operations, Inc. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 85995:355-85995:358.

V. Operator Examinations

9510300217 Forwards results of GFES of written operator licensing exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. BARKHURST,R.P. Entergy Operations, Inc. 3pp. 86001:356-86001:358.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100210 Forwards insp repts 50-387/95-16 & 50-388/95-16 on 950814- 17.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/25. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:193-85725:203.

--9510100218 Insp repts 50-387/95-16 & 50-388/95-16 on 950814-17.No violations noted.Major areas inspected:licensee performance, full-participation emergency preparedness exercise conducted.
LAUGHLIN,J. Region 1 (Post 820201). 95/09/25. 8pp. 85725:196-85725:203.

9510110019 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
POSLUSNY,C. . 95/09/28. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 85780:206-85780:209.

9510050094 Forwards addl change to proposed rev to emergency plan re moving EOF to div headquarters.EOF shall be functional within 1 h of activation of site area emergency,per NUREG-0696.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85726:276-85726:281.

--9510050096 Addl changes to proposed rev 21 to emergency plan re moving of EOF to div headquarters.
* Pennsylvania Power & Light Co. 95/10/02. 3pp. 85726:279-85726:281.

9510110087 Responds to NRC staff questions on rev of emergency plan that implemented NUMARC NESP-007.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 243pp. 85782:001-85782:243.

H. General correspondence

9510040291 Responds to 950126,0228 & 0302 ltrs re technical issues which identify as having substantial safety signficance.
ZWOLINSKI,J.A. . 95/09/28. BLANCH,P.M. Affiliation Not Assigned. 8pp. 85713:226-85713:241.

P. Operating license stage documents & correspondence

9510040255 Forwards "SSES Unit 1 Power Uprate test Program Startup Rept," per Tech Specs 6.9.1.1,6.9.1.2 & 6.9.1.3.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/27. Document Control Branch (Document Control Desk). 2pp. 85718:261-85718:328.

--9510040263 "SSES Unit 1 Power Uprate Test Program Startup Rept."
SHERANKO,R.G. Pennsylvania Power & Light Co. 95/09/27. 65pp. 85718:263-85718:328.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100244 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:266-85725:272.

9510040240 Forwards correction to amends 151 & 121 to licenses NPF-14 & NPF-22 for plant Units 1 & 2.Amends delete ref to MSIV leakage control sys & associated primary containment isolation valves.
POSLUSNY,C. . 95/09/28. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85696:339-85696:344.

--9510040247 Corrected figures 1-3 to amends 151 & 121 to licenses NPF-14 & NPF-22,respectively.
* . 95/09/28. 3pp. 85696:342-85696:344.

9510050068 Notification of significant licensee meeting 95-90 w/util on 951006 to discuss NRC systematic assessment of licensee performance for period 940227-0805.
WHITE,J.R. Region 1 (Post 820201). 95/09/28. Region 1 (Post 820201). 1p. 85724:355-85724:355.

9510040268 Forwards notice of withdrawal of 941111 application for amend to licenses NPF-14 & NPF-22 re main turbine valve surveillance test interval.
POSLUSNY,C. . 95/10/02. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 85693:221-85693:225.

--9510040283 Notice of withdrawal of 941111 application for amend to licenses NPF-14 & NPF-22.
POSLUSNY,C. . 95/10/02. 2pp. 85693:224-85693:225.

9510110062 Ack receipt of licensee 950918 10CFR50.54 submittal transmitting FSAR/QA change request for plant.Informs of delay in review of greater than 30 days due to cost beneficial licensing action from change.
MODES,M.C. Region 1 (Post 820201). 95/10/03. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 85729:217-85729:218.

9510240338 Provides required 60 day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:250-85929:251.

9510240343 Forwards amends 164 & 119 to licenses NPF-14 & NPF-22, removing all frequency requirements for audits performed under congnizance of plant review committee described in TS 4.5.2.8 in favor of existing FSAR commitments.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/20. Document Control Branch (Document Control Desk). 3pp. 85981:300-85981:308.

--9510240349 Application for amends 164 & 119 to licenses NPF-14 & NPF-22 removing all frequency requirements for audits performed under cognizance of plant review committee described in TS 6.5.2.8 in favor of existing FSAR commitments.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/20. 2pp. 85981:303-85981:304.

--9510240353 Proposed tech specs,removing all frequency requirements for audits performed under cognizance of plant review committee described in TS 6.5.2.8 in favor of existing FSAR commitments.
* Pennsylvania Power & Light Co. 95/10/20. 4pp. 85981:305-85981:308.

9510310151 Informs that licensee 950608 request to withhold GE repts MDE-79-0485 & RE-022 from public disclosure per 10CFR2.790, granted.
POSLUSNY,C. . 95/10/26. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 86033:286-86033:289.

Q. Inspection reports, IE Bulletins & correspondence

9510100210 Forwards insp repts 50-387/95-16 & 50-388/95-16 on 950814- 17.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/25. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:193-85725:203.

--9510100218 Insp repts 50-387/95-16 & 50-388/95-16 on 950814-17.No violations noted.Major areas inspected:licensee performance, full-participation emergency preparedness exercise conducted.
LAUGHLIN,J. Region 1 (Post 820201). 95/09/25. 8pp. 85725:196-85725:203.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020335 Forwards response to NRC 950829 ltr re violations noted in insp repts 50-387/95-17 & 50-388/95-17.Corrective actions: counseling was provided to applicable operations mgt personnel by senior station mgt.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85690:052-85690:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510170231 Forwards relief request 95-04,allowing util to take credit for limited ultrasonic exams on certain reactor vessel head welds,reactor vessel head-to-flange welds,SG nozzle-to- vessel welds & SG nozzle inside radius welds.
HAMPTON,J.W. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 10pp. 85862:347-85862:356.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190131 Forwards insp repts 50-387/95-20 & 50-388/95-20 on 950806- 0918.No violations noted.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/12. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85863:074-85863:091.

--9510190145 Insp repts 50-387/95-20 & 50-388/95-20 on 950806-0918.No violations noted.Major areas inspected:operations,maint/ surveillance,engineering/technical support & plant support.
ANDERSON,C. Region 1 (Post 820201). 95/10/12. 15pp. 85863:077-85863:091.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510310318 Forwards insp repts 50-387/95-21 & 50-388/95-21 on 951002-06.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/10/24. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 86004:180-86004:192.

--9510310325 Insp repts 50-387/95-21 & 50-388/95-21 on 951002-06.No violations noted.Major areas inspected:radiological controls implemented during plant refueling outage,including,audits & appraisals,changes to organization & facilities.
RAGLAND,R.C., WHITE,J.R. Region 1 (Post 820201). 95/10/23. 10pp. 86004:183-86004:192.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190144 Monthly operating repts for Sept 1995 for SSES Unit 1 & 2. W/951013 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/30. 9pp. 85887:323-85887:331.

9510250115 "Quarterly Hazardous Waste Rept - General Info for Sept 1995." W/ 951012 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 95/09/30. 6pp. 85987:353-85987:358.

S. Reportable occurrences, LERs & related correspondence

9510130350 LER 95-010-00:on 950908,containment radiation monitors declared inoperable.Caused by inadequate ventilation of local control panels.Failed power supply restored within required time to preclude shutdown.W/951009 ltr.
KICHLINE,R.D., STANLEY,H.G. Pennsylvania Power & Light Co. 95/10/09. 4pp. 85807:243-85807:246.

T. Hearing transcripts on non-antitrust matters

9510160002 Transcript of 951011 prehearing conference in matter of JE Bauer in Rockville,MD.Pp 1-10.
* Atomic Safety & Licensing Board Panel. 95/10/11. 12pp. 85835:129-85835:140.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510100210 Forwards insp repts 50-387/95-16 & 50-388/95-16 on 950814- 17.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/25. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:193-85725:203.

--9510100218 Insp repts 50-387/95-16 & 50-388/95-16 on 950814-17.No violations noted.Major areas inspected:licensee performance, full-participation emergency preparedness exercise conducted.
LAUGHLIN,J. Region 1 (Post 820201). 95/09/25. 8pp. 85725:196-85725:203.

9510110019 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
POSLUSNY,C. . 95/09/28. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 85780:206-85780:209.

9510050094 Forwards addl change to proposed rev to emergency plan re moving EOF to div headquarters.EOF shall be functional within 1 h of activation of site area emergency,per NUREG-0696.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85726:276-85726:281.

--9510050096 Addl changes to proposed rev 21 to emergency plan re moving of EOF to div headquarters.
* Pennsylvania Power & Light Co. 95/10/02. 3pp. 85726:279-85726:281.

9510110087 Responds to NRC staff questions on rev of emergency plan that implemented NUMARC NESP-007.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/02. Document Control Branch (Document Control Desk). 243pp. 85782:001-85782:243.

H. General correspondence

9510040291 Responds to 950126,0228 & 0302 ltrs re technical issues which identify as having substantial safety signficance.
ZWOLINSKI,J.A. . 95/09/28. BLANCH,P.M. Affiliation Not Assigned. 8pp. 85713:226-85713:241.

P. Operating license stage documents & correspondence

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100244 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:266-85725:272.

9510040240 Forwards correction to amends 151 & 121 to licenses NPF-14 & NPF-22 for plant Units 1 & 2.Amends delete ref to MSIV leakage control sys & associated primary containment isolation valves.
POSLUSNY,C. . 95/09/28. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85696:339-85696:344.

--9510040247 Corrected figures 1-3 to amends 151 & 121 to licenses NPF-14 & NPF-22,respectively.
* . 95/09/28. 3pp. 85696:342-85696:344.

9510050068 Notification of significant licensee meeting 95-90 w/util on 951006 to discuss NRC systematic assessment of licensee performance for period 940227-0805.
WHITE,J.R. Region 1 (Post 820201). 95/09/28. Region 1 (Post 820201). 1p. 85724:355-85724:355.

9510040268 Forwards notice of withdrawal of 941111 application for amend to licenses NPF-14 & NPF-22 re main turbine valve surveillance test interval.
POSLUSNY,C. . 95/10/02. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 85693:221-85693:225.

--9510040283 Notice of withdrawal of 941111 application for amend to licenses NPF-14 & NPF-22.
POSLUSNY,C. . 95/10/02. 2pp. 85693:224-85693:225.

9510110062 Ack receipt of licensee 950918 10CFR50.54 submittal transmitting FSAR/ QA change request for plant.Informs of delay in review of greater than 30 days due to cost beneficial licensing action from change.
MODES,M.C. Region 1 (Post 820201). 95/10/03. BYRAM,R.G. Pennsylvania Power & Light Co. 2pp. 85729:217-85729:218.

9510160245 Forwards proprietary addl info for "GE12 Fuel Description Rept for Pennsylvania Power & Light Co Susquehanna Steam Electric Station,Unit 2," during Reload 7,Cycle 8 refueling outage.Encl withheld (ref 10CFR2.790).
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85848:333-85848:355.

--9510160248 "GE12 Lead Use Assembly Rept for Pennsylvania Power & Light Susquehanna Steam Electric Station Unit 2 Reload 7,Cycle 8."
KLAPPROTH,J.F. General Electric Co. 95/09/08. 21pp. 85848:335-85848:355.

9510240338 Provides required 60 day response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85929:250-85929:251.

9510240343 Forwards amends 164 & 119 to licenses NPF-14 & NPF-22, removing all frequency requirements for audits performed under congnizance of plant review committee described in TS 4.5.2.8 in favor of existing FSAR commitments.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/20. Document Control Branch (Document Control Desk). 3pp. 85981:300-85981:308.

--9510240349 Application for amends 164 & 119 to licenses NPF-14 & NPF-22 removing all frequency requirements for audits performed under cognizance of plant review committee described in TS 6.5.2.8 in favor of existing FSAR commitments.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/20. 2pp. 85981:303-85981:304.

--9510240353 Proposed tech specs,removing all frequency requirements for audits performed under cognizance of plant review committee described in TS 6.5.2.8 in favor of existing FSAR commitments.
* Pennsylvania Power & Light Co. 95/10/20. 4pp. 85981:305-85981:308.

9510240358 Transmits "Susquehanna SES Unit 2 Cycle 8 COLR."
BYRAM,R.G. Pennsylvania Power & Light Co. 95/10/20. Document Control Branch (Document Control Desk). 1p. 85937:336-85937:362.

--9510240361 "Susquehanna SES Unit 2 Cycle COLR."
GEOSITS,J.J., LEHMANN,C.R., SPADARA,J.P. Pennsylvania Power & Light Co. PL-NF-95-006 R00. 95/09/12. 26pp. 85937:337-85937:362.

9510300191 Forwards internal note & evaluation to be placed in PDR & on docket.
POSLUSNY,C. . 95/10/26. Document Control Branch (Document Control Desk). 1p. 86017:322-86017:326.

--9510300202 Forwards summary of 50.59 evaluation performed in 1994 along w/summary of evaluation done by BNL re design & testing of passive water level mod installed at both plant Units.
POSLUSNY,C. . 95/10/24. BANERJEE,M. Region 1 (Post 820201). 5pp. 86017:323-86017:326.

9510310151 Informs that licensee 950608 request to withhold GE repts MDE-79-0485 & RE-022 from public disclosure per 10CFR2.790, granted.
POSLUSNY,C. . 95/10/26. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 86033:286-86033:289.

Q. Inspection reports, IE Bulletins & correspondence

9510100210 Forwards insp repts 50-387/95-16 & 50-388/95-16 on 950814- 17.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/25. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85725:193-85725:203.

--9510100218 Insp repts 50-387/95-16 & 50-388/95-16 on 950814-17.No violations noted.Major areas inspected:licensee performance, full-participation emergency preparedness exercise conducted.
LAUGHLIN,J. Region 1 (Post 820201). 95/09/25. 8pp. 85725:196-85725:203.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020335 Forwards response to NRC 950829 ltr re violations noted in insp repts 50-387/95-17 & 50-388/95-17.Corrective actions: counseling was provided to applicable operations mgt personnel by senior station mgt.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85690:052-85690:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190131 Forwards insp repts 50-387/95-20 & 50-388/95-20 on 950806- 0918.No violations noted.
ANDERSON,C.J. Region 1 (Post 820201). 95/10/12. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 85863:074-85863:091.

--9510190145 Insp repts 50-387/95-20 & 50-388/95-20 on 950806-0918.No violations noted.Major areas inspected:operations,maint/ surveillance,engineering/technical support & plant support.
ANDERSON,C. Region 1 (Post 820201). 95/10/12. 15pp. 85863:077-85863:091.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510310318 Forwards insp repts 50-387/95-21 & 50-388/95-21 on 951002-06.No violations identified.
WHITE,J.R. Region 1 (Post 820201). 95/10/24. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 86004:180-86004:192.

--9510310325 Insp repts 50-387/95-21 & 50-388/95-21 on 951002-06.No violations noted.Major areas inspected:radiological controls implemented during plant refueling outage,including,audits & appraisals,changes to organization & facilities.
RAGLAND,R.C., WHITE,J.R. Region 1 (Post 820201). 95/10/23. 10pp. 86004:183-86004:192.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190144 Monthly operating repts for Sept 1995 for SSES Unit 1 & 2. W/951013 ltr.
BALL,R.S., BYRAM,R.G. Pennsylvania Power & Light Co. 95/09/30. 9pp. 85887:323-85887:331.

9510250115 "Quarterly Hazardous Waste Rept - General Info for Sept 1995." W/ 951012 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 95/09/30. 6pp. 85987:353-85987:358.

S. Reportable occurrences, LERs & related correspondence

9510200159 LER 95-010-00:on 950913,facility manually shut down per TS Action 3.6.1.1 due to failed LLRT.Resilient seal for valve HV25724 replaced & four other drywell & suppression chamber purge supply valves resilient seals replaced.W/ 951013 ltr.
KICHLINE,R.D., STANLEY,H.G. Pennsylvania Power & Light Co. 95/10/13. 4pp. 85910:203-85910:206.

9510230012 LER 95-011-00:on 950920,MS line penetration leakage rate exceeded TS limit.Stroked "B" & "D" inboard & "A" outboard MSL MSIVs & reperformed MSIV LLRT.W/951017 ltr.
CODDINGTON,C.T., STANLEY,H.G. Pennsylvania Power & Light Co. 95/10/17. 4pp. 85928:257-85928:260.

T. Hearing transcripts on non-antitrust matters

9510160002 Transcript of 951011 prehearing conference in matter of JE Bauer in Rockville,MD.Pp 1-10.
* Atomic Safety & Licensing Board Panel. 95/10/11. 12pp. 85835:129-85835:140.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510050004 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
NORRIS,J. . 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85724:318-85724:321.

9510020309 Withdraws portion of amend request involving audits of fire protection programmatic controls,fire protection equipment & program implementation.
SAGER,D.A. Florida Power & Light Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85690:345-85690:345.

9510130306 Responds to 941104 & 950328 responses to initial RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," forwarding second RAI since responses deemed incomplete.
NORRIS,J.A. . 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:011-85813:014.

9510180017 Forwards Rev 47 to Physical Security Plan for plant & has determined that rev does not decrease effectiveness of plan. Encl withheld.
SAGER,D.A. Florida Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85866:253-85866:253.

9510310302 Suppl response to request for addl info on matl properties & attributes of GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SAGER,D.A. Florida Power & Light Co. 95/10/27. Document Control Branch (Document Control Desk). 5pp. 86077:163-86077:167.

H. General correspondence

9510180103 Comment supporting proposed rule 10CFR2,50, & 51 re decommission of NPPs.
BOHLKE,W.H. Florida Power & Light Co. 95/10/15. HOYLE,J. Office of the Secretary of the Commission. 4pp. 85847:135-85847:138.

P. Operating license stage documents & correspondence

9510020309 Withdraws portion of amend request involving audits of fire protection programmatic controls,fire protection equipment & program implementation.
SAGER,D.A. Florida Power & Light Co. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85690:345-85690:345.

9510110340 Forwards rev 1 to plan to improve operational performance at plant.
SAGER,D.A. Florida Power & Light Co. 95/10/04. Document Control Branch (Document Control Desk). 12pp. 85783:159-85783:170.

9510170392 Extends invitation to power reactor licensees in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. GOLDBERG,J.H. Florida Power & Light Co. 2pp. 85818:255-85818:256.

9510110319 Application for amends to licenses DPR-67 & NPF-16,removing SR re dune & mangrove surveys from TS.
SAGER,D.A. Florida Power & Light Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85762:150-85762:151.

9510130306 Responds to 941104 & 950328 responses to initial RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers," forwarding second RAI since responses deemed incomplete.
NORRIS,J.A. . 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85813:011-85813:014.

9510170391 Confirms telcon between B Dawson & E Lea on 951006 re 951101 meeting to discuss status of progress on corrective action plan for plant.
LANDIS,K.D. Region 2 (Post 820201). 95/10/06. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85818:252-85818:254.

9510240167 Forwards revised Region II organizational charts,reflecting increase in efficiency & span of control.
LANDIS,K.D. Region 2 (Post 820201). 95/10/11. GOLDBERG,J.H. Florida Power & Light Co. 8pp. 85896:249-85896:256.

9510240268 Provides initial response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
SAGER,D.A. Florida Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85929:215-85929:216.

9510190149 Forwards proprietary response to request for addl info re computer software.Response withheld (ref 10CFR2.790(a)).
BOHLKE,W.H. Florida Power & Light Co. 95/10/12. Document Control Branch (Document Control Desk). 1p. 85886:353-85886:353.

9510310200 Forwards amends 140 & 80 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends delete min frequency criteria prescribed for QA audits from Administrative Controls sections 6.5.2.8 & 6.8.4 of TSs.
NORRIS,J.A. . 95/10/25. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 86035:130-86035:148.

--9510310207 Amends 140 & 80 to licenses DPR-17 & NPF-16,respectively. Amends delete min frequency criteria prescribed for QA audits from Administrative Controls sections 6.5.2.8 & 6.8.4 of TSs.
MATTHEWS,D.B. . 95/10/25. 12pp. 86035:133-86035:144.

--9510310213 Safety evaluation supporting amends 149 & 80 to licenses DPR-67 & NPF-16,respectively.
* . 95/10/25. 4pp. 86035:145-86035:148.

9510310302 Suppl response to request for addl info on matl properties & attributes of GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
SAGER,D.A. Florida Power & Light Co. 95/10/27. Document Control Branch (Document Control Desk). 5pp. 86077:163-86077:167.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc." .
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230304 Informs that NRC staff completed semiannual plant performance review on St Lucie.Staff conducts reviews for all operating NPP to develop an integrated understanding of safety performance.Insp plan encl.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/10. GOLDBERG,J.H. Florida Power & Light Co. 5pp. 85890:279-85890:283.

9510200371 Forwards SE,accepting request for alternative exam requirements for augmented RV weld insp required by 10CFR50.55a(g)(6)(ii)(A).Requests notification in writing of actual exam coverage obtained,upon performing RPV exam.
NORRIS,J.A. . 95/10/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85900:046-85900:053.

--9510200375 Safety evaluation accepting request for alternative exam requirements for augmented RV weld insp required by 10CFR50.55a(g)(6)(ii)(A).
* . 95/10/13. 5pp. 85900:049-85900:053.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200074 Monthly operating repts for Sept 1995 for St Lucie Units 1 & 2.W/951013 ltr.
ROGERS,J.A., SAGER,D.A. Florida Power & Light Co. 95/09/30. 10pp. 85912:314-85912:323.

V. Operator Examinations

9510040153 Comment supporting RG DG-1043,Rev 2 to RG 1.49, "NPP Simulation Facilities for Use in Operator License Exams."
BOHLKE,W.H. Florida Power & Light Co. 95/09/12. Office of Administration, Director (Post 940714). 1p. 85673:138-85673:138.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

9510270388 Responds to NRC 950227 ltr re complaint filed w/DOL by RO Klock,former contract worker at plant. TVA OIG "Rept of Administrative Inquiry," dtd 950207 encl.
MEDFORD,M.O. Tennessee Valley Authority. 95/04/05. EBNETER,S.D. Region 2 (Post 820201). 6pp. 86048:262-86048:294.

--9510270389 "Rept of Administrative Inquiry."
HICKMAN,G.D. Tennessee Valley Authority. 2D-143. 95/02/07. 26pp. 86048:268-86048:294.

9509250325 Informs Commission of Tennessee Valley Authority request for an exemption from ingestion pathway portion of requirement in 10CFR50,App E,section IV.F.2(a) for Watts Bar Nuclear Plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-239. 95/09/20. 11pp. 85910:145-85910:149.

9510040141 Forwards SE which finds methodology to be acceptable for referencing in administrative controls section of plant, Unit 1 TS to extent specified & under limitations delineated in submittals.
HEBDON,F.J. . 95/09/22. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 85693:281-85693:300.

--9510040154 SER finding proposed Watts Bar PTLR & associated methodology acceptable.
* . 95/09/22. 15pp. 85693:286-85693:300.

9510020065 Provides revised schedule for completion of baseline program for dual-phase erosion/corrosion program,per GL 89-08.Encl 1 provides addl details of work performed to date & justification for revising commitment.
BARON,R.R. Tennessee Valley Authority. 95/09/25. Document Control Branch (Document Control Desk). 4pp. 85683:236-85683:239.

9510020044 Submits request for relief from requirements of ASME Section XI pump & valve inservice testing program for review & approval.
BARON,R.R. Tennessee Valley Authority. 95/09/26. Document Control Branch (Document Control Desk). 7pp. 85683:254-85683:260.

9510020071 Notifies NRC of util reassessment for human engineering discrepancy from Category 1, "Safety Significant," to Category 4, "Non-Safety Related." Encl provides brief history & justification for category change.
BARON,R.R. Tennessee Valley Authority. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85681:312-85681:314.

9510200221 Expresses thanks for providing TVA opportunity to brief Commission on 950911 re status of Watts Bar Nuclear Plant Unit 1.
CROWELL,C. Tennessee Valley Authority. 95/09/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85912:359-85912:359.

9510030013 Provides notification that implementation of DBVP has been completed.
BARON,R.R. Tennessee Valley Authority. 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85688:302-85688:308.

9510020299 Advises that handout matl from 950223 mgt meeting will be withheld from public disclosure ref 10CFR2.790,per 950828 request.
TAM,P.S. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85649:344-85649:346.

9510040267 Notifies NRC that containment cooling special program punchlist items completed.Resolution of punchlist items listed in encl.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85718:358-85718:360.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting Seventh Annual Rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510040224 Forwards EA & FONSI re 950726 request for exemption involving requirements of 10CFR50,App E,Section IV.F.2(a).
TAM,P.S. . 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85693:267-85693:272.

--9510040229 Environ assessment & finding of no significant impact re schedular exemption from requirements of 10CFR50,App E, Section IV.F.2(a).
TAM,P.S. . 95/10/02. 5pp. 85693:268-85693:272.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510100050 Forwards Rev 0 to Engineering Rept 0006-00922-02, "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
BARON,R.R. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85752:001-85756:082.

--9510100055 "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
* Vectra Technologies, Inc. 0006-00922-02 R00. 95/10/05. 1,534pp. 85752:005-85756:082.

9510110017 Forwards FR notice 60FR51821 dated 951003,announcing meeting of ACRS Ad Hoc Subcommittee on Watts Bar.
TAM,P.S. . 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85780:210-85780:212.

9510160260 Forwards SER,Suppl 17,related to operation of plant & notice of availability sent to FR for publication.
TAM,P.S. . 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85833:149-85833:211.

--9510160264 Notice of availability of safety evaluation rept,suppl 17 related to operation of plant.
TAM,P.S. . 95/10/06. 61pp. 85833:152-85833:211.

9510180034 Notifies that activities re GL 88-17, "Loss of DHR" complete for Watts Bar Nuclear Plant Unit 1,as requested by NRC in 901002 ltr.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85866:352-85866:353.

9510180117 Notifies NRC that TVA completed HVAC CAP as defined in Watts Bar Nuclear Plant Unit 1 performance plan,vol 4,rev 1. Listing of major elements implemented by CAP & resolution of items noted in insp repts 50-390/95-46 & 50-391/95-46 encl.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85867:299-85867:302.

9510190042 Forwards updated to WBN's Final Safety Analysis Rept to clarify basis for electrical separation requirements where cable trays cross.
BARON,R.R. Tennessee Valley Authority. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85893:331-85893:339.

--9510190045 Updated Final Safety Analysis Rept section 8.3.1.4.2.
* Tennessee Valley Authority. 95/10/11. 7pp. 85893:333-85893:339.

9510180038 Responds to question from NRC sent to TVA by FAX on 950907 re max pressure case for postulated accident scenario w/ inadvertent ECCS actuation.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85866:359-85866:361.

9510180053 Forwards rev 1 to "Watts Bar Nuclear Plant Unit 1,Cycle 1, Core Operating Limits Rept." Rev conforms new numbering of TS & corrects typographical errors.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85867:059-85867:075.

--9510180058 Rev 1 of "Watts Bar Nuclear Plant Unit,Cycle 1,Core Operating Limits Rept."
STEWART,H.A. Tennessee Valley Authority. 95/08/30. 14pp. 85867:062-85867:075.

9510230361 Informs that Region II will be reorganized effective 951015, as part of NRC initiative to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCMEEKIN,T.C. Duke Power Co. 8pp. 85892:307-85892:314.

9510240140 Advises of 950929 recommended decision & order from DOL Ofc of Administrative Law Judges involving former contract employee at Watts Bar Nuclear Plant,RO Klock & informs that TVA taking prompt action to implement decision.
MEDFORD,M.O. Tennessee Valley Authority. 95/10/12. EBNETER,S.D. Region 2 (Post 820201). 4pp. 85929:356-85929:359.

9510260297 Revises Variable 93 for auxiliary bldg vent (particulates & halogens),Variable 99 from Reg Guide 1.97 Table of Variables in TVA 950718 ltr & other variables to reconcile applicable differences between FSAR & Reg Guide 1.97 submittals.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 33pp. 86004:305-86004:337.

9510200080 Notifies NRC that TVA completed replacement items project CAP as defined in Watts Bar Unit 1 Nuclear Performance Plan, Vol 4,Rev 1.Punchlist listing resolution of items open at time of CAP final rept encl.
BARON,R.R. Tennessee Valley Authority. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85912:324-85912:326.

9510200230 Requests that licensee provide,within 14 days of ltr, response in writing & under oath or affirmation to listed info re RO Klock v TVA & United Energy Svcs Corp.
ZIMMERMAN,R.P. . 95/10/13. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. 85900:097-85900:101.

9510240307 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
CARIER,P.P. Tennessee Valley Authority. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85929:088-85929:093.

9510310320 Forwards final photo-ready copy of TSs.
SCALICE,J.A. Tennessee Valley Authority. 95/10/18. Document Control Branch (Document Control Desk). 3pp. 86044:001-86048:015.

--9510310321 Final photo-ready copy of TSs.
* Tennessee Valley Authority. 95/10/18. 1,471pp. 86044:004-86048:015.

9510250090 Forwards technical evaluation rept INEL-95/0468,dtd Sept 1995 re TS audit.
TAM,P.S. . 95/10/19. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85943:290-85943:329.

--9510250096 "Evaluation of Watts Bar Nuclear Unit 1 TS."
PARRISH,M.W. Idaho National Engineering Laboratory. PARRISH,M.W. . INEL-95/0468. 95/09/30. NRC - No Detailed Affiliation Given. 73pp. 85943:291-85943:329.

E. NRC Safety Evaluation Report (SER), suppls & correspondence

9510050011 Forwards SER,Suppl 16,re operation of plant Units 1 & 2 (NUREG-0847) & related notice of availability.
TAM,P.S. . 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85720:212-85720:323.

--9510050016 Notice of availability of SER,Suppl 16 (NUREG-0847) re operation of plant Units 1 & 2.Copies of rept placed in NRC PDR in Washington,DC.
TAM,P.S. . 95/09/29. 100pp. 85720:215-85720:323.

F. Security, medical, emergency & fire protection plans

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510040279 Forwards Rev 4 to "Fire Protection Rept." Rev addresses review comments received during insps of plant fire protection program.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 4pp. 85719:001-85720:211.

--9510040282 Rev 4 to "Fire Protection Rept."
PIERCE,J.J., DAVIS,T.R. Tennessee Valley Authority. 95/09/28. 571pp. 85719:005-85720:211.

9510040224 Forwards EA & FONSI re 950726 request for exemption involving requirements of 10CFR50,App E,Section IV.F.2(a).
TAM,P.S. . 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85693:267-85693:272.

--9510040229 Environ assessment & finding of no significant impact re schedular exemption from requirements of 10CFR50,App E, Section IV.F.2(a).
TAM,P.S. . 95/10/02. 5pp. 85693:268-85693:272.

9510050265 Notification of 951010 meeting w/licensee in Rockville,MD to discuss licensee proposed technical resolution of fire protection concerns related to certain cable tray penetration seals.
TAM,P.S. . 95/10/02. HEBDON,F.J. . 3pp. 85714:345-85714:347.

9510100050 Forwards Rev 0 to Engineering Rept 0006-00922-02, "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
BARON,R.R. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85752:001-85756:082.

--9510100055 "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
* Vectra Technologies, Inc. 0006-00922-02 R00. 95/10/05. 1,534pp. 85752:005-85756:082.

9510180141 Forwards insp repts 50-390/95-61 & 50-391/95-61 on 950809- 0914.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85842:088-85842:146.

--9510180155 Insp repts 50-390/95-61 & 50-391/95-61 on 950809-14.No violations noted.Major areas inspected:construction insp program review,instrument line corrective action program, fire protection CAP & material control.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 95/10/04. 53pp. 85842:092-85842:146.

9510230292 Forwards insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85890:335-85890:340.

--9510230297 Partially withheld insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plan & implementing procedures & mgt effectiveness.
THOMPSON,D.H., JULIAN,C.A. Region 2 (Post 820201). 95/10/02. 2pp. 85890:339-85890:340.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510200219 Summary of 951010 meeting w/TVA in Rockville,MD re technical issues re cable penetration seals for fire protection at Watts Bar Nuclear Plant Unit 1.W/viewgraphs.
BUGG,M.T. . 95/10/13. . 27pp. 85871:265-85871:291.

9510240255 Forwards exemption re ingestion pathway portion of requirement in 10CFR50,App E,IV.F.2(a),which states that full-participation exercise shall be conducted within two yrs before issuance of first operating license.
TAM,P.S. . 95/10/17. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85911:045-85911:054.

--9510240283 Exemption from requirements of 10CFR50,App E,section IV.F.2(a) re full participation exercise to be conducted within 2 yrs before issuance of first operating license for full power.
VARGA,S.A. . 95/10/17. Tennessee Valley Authority. 8pp. 85911:047-85911:054.

H. General correspondence

9510040318 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.
TAM,P.S. . 95/09/30. SALO,E.W. Affiliation Not Assigned. 1p. 85713:290-85713:291.

--9510040324 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
SALO,E.W., SALO,T.P. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85713:291-85713:291.

9510050043 Responds to undated ltr requesting that recipient be added to svc list for documents re TVA.Determined that recipient name will not be added to disribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HONICKER,J. Affiliation Not Assigned. 1p. 85714:356-85714:357.

--9510050051 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
HONICKER,J. Affiliation Not Assigned. 95/09/30. HANNAH.R.D. Office of Public Affairs (Post 911117). 1p. 85714:357-85714:357.

9510050053 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HURGETON,J.C. Affiliation Not Assigned. 1p. 85714:358-85714:359.

--9510050060 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
HURGETON,J.C. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85714:359-85714:359.

9510050066 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. SCHERCH,J.M. Affiliation Not Assigned. 1p. 85721:218-85721:219.

--9510050072 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
SCHERCH,J.M. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85721:219-85721:219.

9510130077 Responds to 951003 ltr addressed to R Hannah requesting any & all other repts as available.
TAM,P.S. . 95/10/11. YOUNG,F. Affiliation Not Assigned. 2pp. 85801:315-85801:316.

9510160251 Responds to 950828 ltr to SA Jackson.Informs that plant must meet all applicable regulations in 10CFR before NRC grants operating license.W/o encl.
HEBDON,F.J. . 95/10/11. GABLE,L.J. Affiliation Not Assigned. 3pp. 85833:108-85833:112.

--9510160255 Forwards 950828 ltr to C Crowell expressing concerns re work of TVA.
GABLE,L.J. Affiliation Not Assigned. 95/08/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85833:111-85833:112.

9510160080 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. VINCENT,B.S. Affiliation Not Assigned. 2pp. 85813:029-85813:030.

9510160091 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. SMITH,N. Affiliation Not Assigned. 2pp. 85813:031-85813:032.

9510160095 Responds to requests to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. WEBER,G. Affiliation Not Assigned. 2pp. 85813:033-85813:034.

9510160098 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. BINA,J. Affiliation Not Assigned. 2pp. 85813:141-85813:142.

9510160157 Responds to undated ltr to R Hannah,requesting that recipient be added to svc list for documents re TVA. Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. FOSTER,M. Affiliation Not Assigned. 1p. 85833:113-85833:114.

--9510160163 Undated ltr requesting copy of NRC insp repts 50-391/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
FOSTER,M. Affiliation Not Assigned. 95/10/12. HANNAH,R.D. Office of Public Affairs (Post 911117). pp. 85833:114-85833:114.

9510160206 Responds to undated ltr requesting that recipient be added to svc list for document re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. CHAUEZ,R.J. Affiliation Not Assigned. 1p. 85833:106-85833:107.

--9510160211 Undated ltr requesting copy of NRC insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
CHAUEZ,R.J. Affiliation Not Assigned. 95/10/12. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85833:107-85833:107.

9510200349 Responds to undated ltr requesting copy of insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.Determined that recipient name will not be added to TVA mail distribution list.
TAM,P.S. . 95/10/16. WILSON,S. Affiliation Not Assigned. 1p. 85900:141-85900:142.

--9510200352 Undated ltr requesting copy of insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
WILSON,S. Affiliation Not Assigned. 95/10/16. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85900:142-85900:142.

9510240265 Responds to request for R Hannah to be added to "svc list for documents re licensee." NUREG/BR-0010,Rev 2 encl.W/o encl.
TAM,P.S. . 95/10/16. CHAPIN,S. Affiliation Not Assigned. 1p. 85910:359-85910:360.

--9510240273 Requests NRC insp repts 50-390/95-47,50-391/95-47, 50-390/95-50 & 50-391/95-50 & addition to svc list for documents re TVA.
CHAPIN,S. Affiliation Not Assigned. 95/10/13. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85910:360-85910:360.

9510190337 Requests that M Neal name replace that of D Droitsch. Droitsch no longer working in same capacity at Foundation for Global Sustainability.
NEAL,M. Foundation for Global Sustainability. 95/10/17. TAM,P. . 2pp. 85883:353-85883:354.

9510250374 Forwards ltr received from constituent stating concerns w/NRC granting TVA license to operate NPP.
GORDON,B. House of Rep. 95/09/11. RATHBUN,D. Office of Congressional Affairs (Post 911117). 2pp. 85943:332-85943:333.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510160099 Forwards changes to FSAR chapter 8 to resolve amend 90 issues.
BARON,R.R. Tennessee Valley Authority. 95/10/06. Document Control Branch (Document Control Desk). 10pp. 85836:146-85836:155.

Q. Inspection reports, IE Bulletins & correspondence

9510100246 Provides clarification of consequences of violations of NRC requirements governing fitness-for-duty as licensed operator & forwards notice of violation.
GIBSON,A.F. Region 2 (Post 820201). 95/06/23. INGLE,R.W. Affiliation Not Assigned. 3pp. 85725:273-85725:276.

--9510100255 Notice of violation from insp on 950501.Violation noted: licensee used illegal drug.
* Region 2 (Post 820201). 95/06/23. 1p. 85725:276-85725:276.

9510100294 Ack receipt of 950715 ltr informing NRC of steps taken to correct violations noted in insp of licenses OP-20199-1. Request for hearing prior to any NRC action re 10CFR55 license has been noted by staff.
GIBSON,A.F Region 2 (Post 820201). 95/09/03. INGLE,R.W. Affiliation Not Assigned. 5pp. 85725:328-85725:332.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510040279 Forwards Rev 4 to "Fire Protection Rept." Rev addresses review comments received during insps of plant fire protection program.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 4pp. 85719:001-85720:211.

9510050022 Responds to undated ltr requesting copy of NRC insp repts 50-390/95-47,50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.Determines that recipient will not be added to TVA mail distribution list.
TAM,P.S. . 95/09/28. COLVIN-ROBERSON Affiliation Not Assigned. 1p. 85720:332-85720:333.

--9510050027 Requests NRC insp repts 50-390/95-47,50-391/95-47, 50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
COLVIN-ROBERSON Affiliation Not Assigned. 95/09/28. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85720:333-85720:333.

9510100281 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-45 & 50-391/95-45 on 950815.
JAUDON,J.P. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:357-85727:359.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510180082 Forwards insp repts 50-390/95-63 & 50-391/95-63 on 950828-0915 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85847:112-85847:132.

--9510180084 Notice of violation from insp on 950828-0915.Violation noted:from 950124-0828,applicant failed to identify & document condition adverse to quality in corrective action program.
* Region 2 (Post 820201). 95/10/04. 2pp. 85847:116-85847:117.

--9510180091 Insp repts 50-390/95-63 & 50-391/95-63 on 950828-0915. Violations noted.Major areas inspected:applicant & contractor employee concerns programs.
BRADY,J.B. Region 2 (Post 820201). 95/10/03. 14pp. 85847:118-85847:132.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510180141 Forwards insp repts 50-390/95-61 & 50-391/95-61 on 950809- 0914.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85842:088-85842:146.

--9510180155 Insp repts 50-390/95-61 & 50-391/95-61 on 950809-14.No violations noted.Major areas inspected:construction insp program review,instrument line corrective action program, fire protection CAP & material control.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 95/10/04. 53pp. 85842:092-85842:146.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180114 Forwards insp repts 50-390/95-60 & 50-391/95-60 on 950806- 0909.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85847:142-85847:214.

--9510180122 Insp repts 50-390/95-60 & 50-391/95-60 on 950806-0909.No violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test witnessing & preoperational test results evaluation.
VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/10/05. 4pp. 85847:146-85847:214.

9510230292 Forwards insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85890:335-85890:340.

--9510230297 Partially withheld insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plan & implementing procedures & mgt effectiveness.
THOMPSON,D.H., JULIAN,C.A. Region 2 (Post 820201). 95/10/02. 2pp. 85890:339-85890:340.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180061 Forwards suppl response to NRC ltr re violations noted in insp repts 50-390/95-51 & 50-391/95-51.Maint improvement in place to ensure that vendor tech info incorporated into planned work packages.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 6pp. 85867:101-85867:106.

9510180065 Forwards response to violations noted in insp repts 50-390/95-22 & 50-391/95-22.Corrective actions:performed review of upstream calculation E31 841214301,R3 & downstream calculations.
ZERINGUE,O.J. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85867:107-85867:110.

9510180068 Provides revised response to NRC 950815 ltr re violations noted in insp repts 50-390/95-45 & 50-391/95-45.Corrective actions:issued design change notices W-37478-A & W-37395-A for installation of supports at pressurizer.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 5pp. 85867:111-85867:115.

9510180117 Notifies NRC that TVA completed HVAC CAP as defined in Watts Bar Nuclear Plant Unit 1 performance plan,vol 4,rev 1. Listing of major elements implemented by CAP & resolution of items noted in insp repts 50-390/95-46 & 50-391/95-46 encl.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85867:299-85867:302.

9510240095 Ack receipt of 950919 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-52 & 50-391/95-52.
JAUDON,J.P. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85896:097-85896:099.

9510180174 Forwards insp repts 50-390/95-48 & 50-391/95-48 on 950905-09.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85847:332-85847:346.

--9510180185 Insp repts 50-390/95-48 & 50-391/95-48 on 950905-15.No violations noted.Major areas inspected:applicants completion of implementation of commitments made in response to GL 89-10, "SR MOV Testing & Surveillance."
GIRARD,E., JULIAN,C. Region 2 (Post 820201). 95/10/11. 12pp. 85847:335-85847:346.

9510230280 Forwards insp repts 50-390/95-64 & 50-391/95-64 on 950820- 0916 & forwards NOV.
JAUDON,J.P. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 85891:101-85891:166.

--9510230282 Notice of violation from insp on 950820-0916.Violation noted:TVA quality assurance plan not complied w/.
* Region 2 (Post 820201). 95/10/11. 3pp. 85891:106-85891:108.

--9510230289 Insp repts 50-390/95-64 & 50-391/95-64 on 950820-0916. Violations noted.Major areas inspected:electrical construction work activities,walkdown verification for damaged,loose or missing hardware.
WALTON,G.A., FREDRICKSON,P.E Region 2 (Post 820201). 95/10/11. 56pp. 85891:109-85891:166.

9510170138 Forwards insp rept 50-390/95-201 on 950731-0818.No violations noted.
GALLO,R.M. . 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 85881:257-85881:301.

--9510170144 Insp rept 50-390/95-201 on 950731-0818.No violations noted. Major areas inspected:facility mgt,operations,maint,safety assessment & quality evaluation,surveillance testing & radiological controls.
FOLEY,T., NORKIN,D., GALLO,R. . 95/10/12. 40pp. 85881:262-85881:301.

9510180043 Provides revised response to NRC 870515 ltr re violation noted in insp rept 50-390/87-05,involving inadequate design control re vendor info & deficiencies re classes of cleanness.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 7pp. 85867:002-85867:008.

9510200378 Provides response to violations noted in Insp Rept 50-390/95-63.Corrective actions:concerns resolution staff specialist investigated File ECP-94-WB-791-F1 no longer works at util.
ZERINGUE,O.J. Tennessee Valley Authority. 95/10/13. Document Control Branch (Document Control Desk). 5pp. 85913:322-85913:326.

9510230373 Forwards insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations identified.
JAUDON,J.P. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85892:290-85892:304.

--9510230381 Insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations noted.Major areas inspected:assessment of applicant conformance to RG 1.97, "Instrumentation for Light Water-Cooled NPPs to Assess Plant & Environs Conditions...."
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/10/13. 12pp. 85892:293-85892:304.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

S. Reportable occurrences, LERs & related correspondence

9510260014 Suppl to final deficiency re undetectable failure in SSPS P-4 signal.TVA will revise appropriate procedures to require tests to verify P-4 contact status following automatic reactor trip or any condition requiring opening of RTBs
BARON,R.R. Tennessee Valley Authority. CDR-50-390/79-43-03. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85998:341-85998:342.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9510310343 Forwards "Policy & Organization Manual,Mgt Directive, Organization Structure & Responsibilities-Nuclear Power," for TVA,per request.
BURZYNSKI,M.J. Tennessee Valley Authority. 91/10/01. WILSON,B.A. Region 2 (Post 820201). 1p. 86033:165-86033:173.

9510270388 Responds to NRC 950227 ltr re complaint filed w/DOL by RO Klock,former contract worker at plant. TVA OIG "Rept of Administrative Inquiry," dtd 950207 encl.
MEDFORD,M.O. Tennessee Valley Authority. 95/04/05. EBNETER,S.D. Region 2 (Post 820201). 6pp. 86048:262-86048:294.

--9510270389 "Rept of Administrative Inquiry."
HICKMAN,G.D. Tennessee Valley Authority. 2D-143. 95/02/07. 26pp. 86048:268-86048:294.

9509250325 Informs Commission of Tennessee Valley Authority request for an exemption from ingestion pathway portion of requirement in 10CFR50,App E,section IV.F.2(a) for Watts Bar Nuclear Plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-239. 95/09/20. 11pp. 85910:145-85910:149.

9510020044 Submits request for relief from requirements of ASME Section XI pump & valve inservice testing program for review & approval.
BARON,R.R. Tennessee Valley Authority. 95/09/26. Document Control Branch (Document Control Desk). 7pp. 85683:254-85683:260.

9510020071 Notifies NRC of util reassessment for human engineering discrepancy from Category 1, "Safety Significant," to Category 4, "Non-Safety Related." Encl provides brief history & justification for category change.
BARON,R.R. Tennessee Valley Authority. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85681:312-85681:314.

9510030013 Provides notification that implementation of DBVP has been completed.
BARON,R.R. Tennessee Valley Authority. 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85688:302-85688:308.

9510020299 Advises that handout matl from 950223 mgt meeting will be withheld from public disclosure ref 10CFR2.790,per 950828 request.
TAM,P.S. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85649:344-85649:346.

9510040267 Notifies NRC that containment cooling special program punchlist items completed.Resolution of punchlist items listed in encl.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85718:358-85718:360.

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting Seventh Annual Rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510040224 Forwards EA & FONSI re 950726 request for exemption involving requirements of 10CFR50,App E,Section IV.F.2(a).
TAM,P.S. . 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85693:267-85693:272.

--9510040229 Environ assessment & finding of no significant impact re schedular exemption from requirements of 10CFR50,App E, Section IV.F.2(a).
TAM,P.S. . 95/10/02. 5pp. 85693:268-85693:272.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510100050 Forwards Rev 0 to Engineering Rept 0006-00922-02, "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
BARON,R.R. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85752:001-85756:082.

--9510100055 "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
* Vectra Technologies, Inc. 0006-00922-02 R00. 95/10/05. 1,534pp. 85752:005-85756:082.

9510110017 Forwards FR notice 60FR51821 dated 951003,announcing meeting of ACRS Ad Hoc Subcommittee on Watts Bar.
TAM,P.S. . 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85780:210-85780:212.

9510160260 Forwards SER,Suppl 17,related to operation of plant & notice of availability sent to FR for publication.
TAM,P.S. . 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85833:149-85833:211.

--9510160264 Notice of availability of safety evaluation rept,suppl 17 related to operation of plant.
TAM,P.S. . 95/10/06. 61pp. 85833:152-85833:211.

9510190042 Forwards updated to WBN's Final Safety Analysis Rept to clarify basis for electrical separation requirements where cable trays cross.
BARON,R.R. Tennessee Valley Authority. 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85893:331-85893:339.

--9510190045 Updated Final Safety Analysis Rept section 8.3.1.4.2.
* Tennessee Valley Authority. 95/10/11. 7pp. 85893:333-85893:339.

9510180038 Responds to question from NRC sent to TVA by FAX on 950907 re max pressure case for postulated accident scenario w/ inadvertent ECCS actuation.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85866:359-85866:361.

9510240140 Advises of 950929 recommended decision & order from DOL Ofc of Administrative Law Judges involving former contract employee at Watts Bar Nuclear Plant,RO Klock & informs that TVA taking prompt action to implement decision.
MEDFORD,M.O. Tennessee Valley Authority. 95/10/12. EBNETER,S.D. Region 2 (Post 820201). 4pp. 85929:356-85929:359.

9510260297 Revises Variable 93 for auxiliary bldg vent (particulates & halogens),Variable 99 from Reg Guide 1.97 Table of Variables in TVA 950718 ltr & other variables to reconcile applicable differences between FSAR & Reg Guide 1.97 submittals.
BARON,R.R. Tennessee Valley Authority. 95/10/12. Document Control Branch (Document Control Desk). 33pp. 86004:305-86004:337.

9510200080 Notifies NRC that TVA completed replacement items project CAP as defined in Watts Bar Unit 1 Nuclear Performance Plan, Vol 4,Rev 1.Punchlist listing resolution of items open at time of CAP final rept encl.
BARON,R.R. Tennessee Valley Authority. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85912:324-85912:326.

9510200230 Requests that licensee provide,within 14 days of ltr, response in writing & under oath or affirmation to listed info re RO Klock v TVA & United Energy Svcs Corp.
ZIMMERMAN,R.P. . 95/10/13. ZERINGUE,O.J. Tennessee Valley Authority. 5pp. 85900:097-85900:101.

E. NRC Safety Evaluation Report (SER), suppls & correspondence

9510050011 Forwards SER,Suppl 16,re operation of plant Units 1 & 2 (NUREG-0847) & related notice of availability.
TAM,P.S. . 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85720:212-85720:323.

--9510050016 Notice of availability of SER,Suppl 16 (NUREG-0847) re operation of plant Units 1 & 2.Copies of rept placed in NRC PDR in Washington,DC.
TAM,P.S. . 95/09/29. 100pp. 85720:215-85720:323.

F. Security, medical, emergency & fire protection plans

9510310399 Rev 24 to "Radiological Emergency Plan." W/951023 ltr.
WHITE,G. Tennessee Valley Authority. 95/09/27. 116pp. 86074:001-86074:116.

9510040279 Forwards Rev 4 to "Fire Protection Rept." Rev addresses review comments received during insps of plant fire protection program.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 4pp. 85719:001-85720:211.

--9510040282 Rev 4 to "Fire Protection Rept."
PIERCE,J.J., DAVIS,T.R. Tennessee Valley Authority. 95/09/28. 571pp. 85719:005-85720:211.

9510040224 Forwards EA & FONSI re 950726 request for exemption involving requirements of 10CFR50,App E,Section IV.F.2(a).
TAM,P.S. . 95/10/02. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85693:267-85693:272.

--9510040229 Environ assessment & finding of no significant impact re schedular exemption from requirements of 10CFR50,App E, Section IV.F.2(a).
TAM,P.S. . 95/10/02. 5pp. 85693:268-85693:272.

9510100050 Forwards Rev 0 to Engineering Rept 0006-00922-02, "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
BARON,R.R. Tennessee Valley Authority. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85752:001-85756:082.

--9510100055 "Watts Bar Nuclear Plant Engineering Rept for Penetration Seal Program Assessment."
* Vectra Technologies, Inc. 0006-00922-02 R00. 95/10/05. 1,534pp. 85752:005-85756:082.

9510180141 Forwards insp repts 50-390/95-61 & 50-391/95-61 on 950809- 0914.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85842:088-85842:146.

--9510180155 Insp repts 50-390/95-61 & 50-391/95-61 on 950809-14.No violations noted.Major areas inspected:construction insp program review,instrument line corrective action program, fire protection CAP & material control.
BRADY,J.B. Region 2 (Post 820201). 95/10/04. 53pp. 85842:092-85842:146.

9510230292 Forwards insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85890:335-85890:340.

--9510230297 Partially withheld insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plan & implementing procedures & mgt effectiveness.
THOMPSON,D.H. Region 2 (Post 820201). 95/10/02. 2pp. 85890:339-85890:340.

9510180134 Rev 6 to Central Emergency Control Ctr (CECC) EPIP CECC-EPIP-13, "Termination & Recovery," including CECC EPIPs list of effective pages & table of contents.W/951010 ltr.
WHITE,G. Tennessee Valley Authority. 95/10/10. 20pp. 85867:305-85867:324.

9510240255 Forwards exemption re ingestion pathway portion of requirement in 10CFR50,App E,IV.F.2(a),which states that full-participation exercise shall be conducted within two yrs before issuance of first operating license.
TAM,P.S. . 95/10/17. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85911:045-85911:054.

--9510240283 Exemption from requirements of 10CFR50,App E,section IV.F.2(a) re full participation exercise to be conducted within 2 yrs before issuance of first operating license for full power.
VARGA,S.A. . 95/10/17. Tennessee Valley Authority. 8pp. 85911:047-85911:054.

G. Adjudicatory correspondence

9510300015 Informs that time provided by NRC regulation within which Commission may act to review DD-95-20 has expired.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17255. 95/10/26. GILLILAN,G.M. Affiliation Not Assigned. 2pp. 86000:028-86000:029.

H. General correspondence

9510040318 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.
TAM,P.S. . 95/09/30. SALO,E.W. Affiliation Not Assigned. 1p. 85713:290-85713:291.

--9510040324 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
SALO,E.W., SALO,T.P. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85713:291-85713:291.

9510050043 Responds to undated ltr requesting that recipient be added to svc list for documents re TVA.Determined that recipient name will not be added to disribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HONICKER,J. Affiliation Not Assigned. 1p. 85714:356-85714:357.

--9510050051 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
HONICKER,J. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85714:357-85714:357.

9510050053 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HURGETON,J.C. Affiliation Not Assigned. 1p. 85714:358-85714:359.

--9510050060 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
HURGETON,J.C. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85714:359-85714:359.

9510050066 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. SCHERCH,J.M. Affiliation Not Assigned. 1p. 85721:218-85721:219.

--9510050072 Undated ltr requesting copy of NRC insp repts 50-390/95-47, 50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
SCHERCH,J.M. Affiliation Not Assigned. 95/09/30. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85721:219-85721:219.

9510160157 Responds to undated ltr to R Hannah,requesting that recipient be added to svc list for documents re TVA. Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. FOSTER,M. Affiliation Not Assigned. 1p. 85833:113-85833:114.

--9510160163 Undated ltr requesting copy of NRC insp repts 50-391/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
FOSTER,M. Affiliation Not Assigned. 95/10/12. HANNAH,R.D. Office of Public Affairs (Post 911117). pp. 85833:114-85833:114.

9510160206 Responds to undated ltr requesting that recipient be added to svc list for document re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. CHAUEZ,R.J. Affiliation Not Assigned. 1p. 85833:106-85833:107.

--9510160211 Undated ltr requesting copy of NRC insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
CHAUEZ,R.J. Affiliation Not Assigned. 95/10/12. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85833:107-85833:107.

9510200349 Responds to undated ltr requesting copy of insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.Determined that recipient name will not be added to TVA mail distribution list.
TAM,P.S. . 95/10/16. WILSON,S. Affiliation Not Assigned. 1p. 85900:141-85900:142.

--9510200352 Undated ltr requesting copy of insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.
WILSON,S. Affiliation Not Assigned. 95/10/16. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85900:142-85900:142.

9510240265 Responds to request for R Hannah to be added to "svc list for documents re licensee." NUREG/BR-0010,Rev 2 encl.W/o encl.
TAM,P.S. . 95/10/16. CHAPIN,S. Affiliation Not Assigned. 1p. 85910:359-85910:360.

--9510240273 Requests NRC insp repts 50-390/95-47,50-391/95-47, 50-390/95-50 & 50-391/95-50 & addition to svc list for documents re TVA.
CHAPIN,S. Affiliation Not Assigned. 95/10/13. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85910:360-85910:360.

9510190337 Requests that M Neal name replace that of D Droitsch. Droitsch no longer working in same capacity at Foundation for Global Sustainability.
NEAL,M. Foundation for Global Sustainability. 95/10/17. TAM,P. . 2pp. 85883:353-85883:354.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510160099 Forwards changes to FSAR chapter 8 to resolve amend 90 issues.
BARON,R.R. Tennessee Valley Authority. 95/10/06. Document Control Branch (Document Control Desk). 10pp. 85836:146-85836:155.

Q. Inspection reports, IE Bulletins & correspondence

9510100246 Provides clarification of consequences of violations of NRC requirements governing fitness-for-duty as licensed operator & forwards notice of violation.
GIBSON,A.F. Region 2 (Post 820201). 95/06/23. INGLE,R.W. Affiliation Not Assigned. 3pp. 85725:273-85725:276.

--9510100255 Notice of violation from insp on 950501.Violation noted: licensee used illegal drug.
* Region 2 (Post 820201). 95/06/23. 1p. 85725:276-85725:276.

9510100294 Ack receipt of 950715 ltr informing NRC of steps taken to correct violations noted in insp of licenses OP-20199-1. Request for hearing prior to any NRC action re 10CFR55 license has been noted by staff.
GIBSON,A.F Region 2 (Post 820201). 95/09/03. INGLE,R.W. Affiliation Not Assigned. 5pp. 85725:328-85725:332.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510040279 Forwards Rev 4 to "Fire Protection Rept." Rev addresses review comments received during insps of plant fire protection program.
BARON,R.R. Tennessee Valley Authority. 95/09/28. Document Control Branch (Document Control Desk). 4pp. 85719:001-85720:211.

9510050022 Responds to undated ltr requesting copy of NRC insp repts 50-390/95-47,50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.Determines that recipient will not be added to TVA mail distribution list.
TAM,P.S. . 95/09/28. COLVIN-ROBERSON Affiliation Not Assigned. 1p. 85720:332-85720:333.

--9510050027 Requests NRC insp repts 50-390/95-47,50-391/95-47, 50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.
COLVIN-ROBERSON Affiliation Not Assigned. 95/09/28. HANNAH,R.D. Office of Public Affairs (Post 911117). 1p. 85720:333-85720:333.

9510100281 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-45 & 50-391/95-45 on 950815.
JAUDON,J.P. Region 2 (Post 820201). 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85727:357-85727:359.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510180082 Forwards insp repts 50-390/95-63 & 50-391/95-63 on 950828-0915 & notice of violation.
JAUDON,J.P. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85847:112-85847:132.

--9510180084 Notice of violation from insp on 950828-0915.Violation noted:from 950124-0828,applicant failed to identify & document condition adverse to quality in corrective action program.
* Region 2 (Post 820201). 95/10/04. 2pp. 85847:116-85847:117.

--9510180091 Insp repts 50-390/95-63 & 50-391/95-63 on 950828-0915. Violations noted.Major areas inspected:applicant & contractor employee concerns programs.
BRADY,J.B. Region 2 (Post 820201). 95/10/03. 14pp. 85847:118-85847:132.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510180141 Forwards insp repts 50-390/95-61 & 50-391/95-61 on 950809- 0914.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/05. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85842:088-85842:146.

--9510180155 Insp repts 50-390/95-61 & 50-391/95-61 on 950809-14.No violations noted.Major areas inspected:construction insp program review,instrument line corrective action program, fire protection CAP & material control.
BRADY,J.B., FREDRICKSON,P. Region 2 (Post 820201). 95/10/04. 53pp. 85842:092-85842:146.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180114 Forwards insp repts 50-390/95-60 & 50-391/95-60 on 950806- 0909.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85847:142-85847:214.

--9510180122 Insp repts 50-390/95-60 & 50-391/95-60 on 950806-0909.No violations noted.Major areas inspected:preoperational test program implementation verification,preoperational test witnessing & preoperational test results evaluation.
VAN DOORN,P.K., JULIAN,C. Region 2 (Post 820201). 95/10/05. 4pp. 85847:146-85847:214.

9510230292 Forwards insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15.No violations or deviations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/06. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85890:335-85890:340.

--9510230297 Partially withheld insp repts 50-390/95-62 & 50-391/95-62 on 950829-30 & 0911-15 (ref 10CFR73.21).No violations or deviations noted.Major areas inspected:security plan & implementing procedures & mgt effectiveness.
THOMPSON,D.H., JULIAN,C.A. Region 2 (Post 820201). 95/10/02. 2pp. 85890:339-85890:340.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180061 Forwards suppl response to NRC ltr re violations noted in insp repts 50-390/95-51 & 50-391/95-51.Maint improvement in place to ensure that vendor tech info incorporated into planned work packages.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 6pp. 85867:101-85867:106.

9510180065 Forwards response to violations noted in insp repts 50-390/95-22 & 50-391/95-22.Corrective actions:performed review of upstream calculation E31 841214301,R3 & downstream calculations.
ZERINGUE,O.J. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85867:107-85867:110.

9510180068 Provides revised response to NRC 950815 ltr re violations noted in insp repts 50-390/95-45 & 50-391/95-45.Corrective actions:issued design change notices W-37478-A & W-37395-A for installation of supports at pressurizer.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 5pp. 85867:111-85867:115.

9510180117 Notifies NRC that TVA completed HVAC CAP as defined in Watts Bar Nuclear Plant Unit 1 performance plan,vol 4,rev 1. Listing of major elements implemented by CAP & resolution of items noted in insp repts 50-390/95-46 & 50-391/95-46 encl.
BARON,R.R. Tennessee Valley Authority. 95/10/10. Document Control Branch (Document Control Desk). 4pp. 85867:299-85867:302.

9510240095 Ack receipt of 950919 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-52 & 50-391/95-52.
JAUDON,J.P. Region 2 (Post 820201). 95/10/10. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85896:097-85896:099.

9510180174 Forwards insp repts 50-390/95-48 & 50-391/95-48 on 950905-09.No violations noted.
JAUDON,J.P. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85847:332-85847:346.

--9510180185 Insp repts 50-390/95-48 & 50-391/95-48 on 950905-15.No violations noted.Major areas inspected:applicants completion of implementation of commitments made in response to GL 89-10, "SR MOV Testing & Surveillance."
GIRARD,E., JULIAN,C. Region 2 (Post 820201). 95/10/11. 12pp. 85847:335-85847:346.

9510230280 Forwards insp repts 50-390/95-64 & 50-391/95-64 on 950820- 0916 & forwards NOV.
JAUDON,J.P. Region 2 (Post 820201). 95/10/11. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 85891:101-85891:166.

--9510230289 Insp repts 50-390/95-64 & 50-391/95-64 on 950820-0916. Violations noted.Major areas inspected:electrical construction work activities,walkdown verification for damaged,loose or missing hardware.
WALTON,G.A., FREDRICKSON,P.E Region 2 (Post 820201). 95/10/11. 56pp. 85891:109-85891:166.

9510230373 Forwards insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations identified.
JAUDON,J.P. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85892:290-85892:304.

--9510230381 Insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations noted.Major areas inspected:assessment of applicant conformance to RG 1.97, "Instrumentation for Light Water-Cooled NPPs to Assess Plant & Environs Conditions...."
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 95/10/13. 12pp. 85892:293-85892:304.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

S. Reportable occurrences, LERs & related correspondence

9510260014 Suppl to final deficiency re undetectable failure in SSPS P-4 signal.TVA will revise appropriate procedures to require tests to verify P-4 contact status following automatic reactor trip or any condition requiring opening of RTBs
BARON,R.R. Tennessee Valley Authority. CDR-50-390/79-43-03. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85998:341-85998:342.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510020082 Submits eleven sets of amend 95-02 to fire protection evaluation rept for plant.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/09/19. Document Control Branch (Document Control Desk). 22pp. 85681:262-85681:283.

9510060342 Forwards draft amend 35 to Physical Security Plan requested by S Dembek on 950803.Encl withheld.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/05. Document Control Branch (Document Control Desk). 1p. 85733:348-85733:348.

9510110232 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-11.Corrective actions:conducted emergency plan drills on each operating shift as part of licensed operator requalification training.
TAYLOR,G.J. Southern California Edison Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85761:344-85761:345.

9510120057 Forwards request for addl info re GL 92-08,issued per 10CFR50.54(f) for Virgil C Summer Nuclear Station.
DEMBEK,S. . 95/10/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 85777:346-85777:350.

9510130005 Revised EPIPs,including rev 5,change D to EPP-001.2,rev 5, change D to EPP-001.3,rev 5,change F to EPP-001.4,rev 30 to EPP-002,rev 12 to EPP-003,rev 11,change B to EPP-004,rev 7 to EPP-006 & rev 9 to EPP-007.W/951006 ltr.
FOWLKES,R.M. South Carolina Electric & Gas Co. 95/10/06. 154pp. 85810:079-85810:232.

9510180040 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-15.Corrective actions:detector bypass was found & removed approx 18 h after seurveillance test by on-coming shift Fire Protection Officer.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85867:009-85867:011.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510200268 Forwards Amend 95-03 to FSAR for VC Summer Nuclear Station. FSAR amend updated as of Aug 1995 & constitutes third update to FSAR for 1995,including required info in accordance w/ 10CFR50.71(e).
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/09/19. Document Control Branch (Document Control Desk). 2pp. 85907:166-85907:358.

--9510200270 Amend 95-03 to FSAR for VC Summer Nuclear Station.
* South Carolina Electric & Gas Co. 95/08/31. 190pp. 85907:168-85907:358.

P. Operating license stage documents & correspondence

9510180095 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 85842:043-85842:044.

9510120057 Forwards request for addl info re GL 92-08,issued per 10CFR50.54(f) for Virgil C Summer Nuclear Station.
DEMBEK,S. . 95/10/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 85777:346-85777:350.

9510230339 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/10. TAYLOR,G.J. South Carolina Electric & Gas Co. 7pp. 85891:323-85891:329.

9510240293 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85929:243-85929:244.

9510180049 Forwards Rev 7 to General Test Procedure (GTP) GTP-301, "IST of Pumps Second Ten Yr Interval," incorporating guidance from NUREG-1482 in response to GL 89-04,Suppl 1.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/11. DEMBEK,S. Document Control Branch (Document Control Desk). 4pp. 85867:014-85867:058.

--9510180051 Rev 7 to General Test Procedure (GTP) GTP-301, "IST of Pumps Second Ten Yr Interval."
* South Carolina Electric & Gas Co. 95/08/31. 41pp. 85867:018-85867:058.

9510160160 Responds to 940519 request for concurrence from JL Skolds re conclusion that no action necessary to meet licensing basis w/respect to BTP EICSB 18.Concludes that NRC cannot concur w/licensee & that valves should have their power locked out.
DEMBEK,S. . 95/10/12. TAYLOR,G.J. South Carolina Electric & Gas Co. 3pp. 85813:075-85813:077.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100213 Ack receipt of 950921 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/95-13.
CHRISTENSEN,H. Region 2 (Post 820201). 95/09/28. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 85729:001-85729:002.

9510040186 Forwards SE & technical ltr rept,granting 940217 & 950427 request for relief RR-02 for plant re ISI program,providing that min of 10% of all integral attachments in non-exempt Code Class 1,2 & 3 sys scheduled.SE & technical ltr encl.
HEBDON,F.J. . 95/09/29. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 85693:315-85693:321.

--9510040188 Safety evaluation approving request for relief RR-02 for plant re ISI program,providing min of 10% of all integral attachments in non-exempt Code Class 1-3 sys scheduled.
* . 95/09/30. 6pp. 85693:316-85693:321.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110232 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-11.Corrective actions:conducted emergency plan drills on each operating shift as part of licensed operator requalification training.
TAYLOR,G.J. Southern California Edison Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85761:344-85761:345.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190181 Advises of planned insp effort resulting from VC Summer PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/06. TAYLOR,G.J. South Carolina Electric & Gas Co. 4pp. 85863:203-85863:206.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180040 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-15.Corrective actions:detector bypass was found & removed approx 18 h after seurveillance test by on-coming shift Fire Protection Officer.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85867:009-85867:011.

9510240088 Ack receipt of 951005 ltr informing NRC of steps taken to correct violations noted in insp rept 50-395/95-11.
BARR,K.P. Region 2 (Post 820201). 95/10/12. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 85896:095-85896:096.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160289 Monthly operating rept for Sept 1995 for VC Summer Nuclear Station.W/ 951009 ltr.
HALTWANGER,J.W., TAYLOR,G.J. South Carolina Electric & Gas Co. 95/09/30. 5pp. 85836:128-85836:132.

9510200376 Forwards twelfth annual 10CFR50.59 rept for VC Summer Nuclear Station,containing description of changes & mods to facility or QA program,as described in FSAR & fire protection rept,as well as summary of SEs performed.
TAYLOR,G.J. South Carolina Electric & Gas Co. 95/10/10. Document Control Branch (Document Control Desk). 16pp. 85913:306-85913:321.

V. Operator Examinations

9510110232 Forwards response to NRC ltr re violations noted in insp rept 50-395/95-11.Corrective actions:conducted emergency plan drills on each operating shift as part of licensed operator requalification training.
TAYLOR,G.J. Southern California Edison Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85761:344-85761:345.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp. 85950:001-85975:254.

--8210070009 Discusses results of testing re fire simulation & endurance of test articles.All test articles instrumented w/chromel/ alumel thermocouples.
FELDMAN,R. TSI, Inc. 82/10/04. KUBICKI,D. Division of Licensing (800428-851124). 2pp. 85959:339-85960:069.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

--9208280288 Plant procedure 10.25.89, "One Hour - Three Hour Fire Barrier Installation."
HAROLD,L.T. Washington Public Power Supply System. 92/04/23. 87pp. 85952:108-85952:274.

--9510060022 Informs that insp scheduled for 920504-08 has been rescheduled for week of 920727 due to availability of inspector re fire protection program concerns.
ZIMMERMAN,R.P. Region 5 (820201 - 940403). 92/04/16. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 28pp. 85951:280-85952:016.

9510030195 Forwards SALP rept 50-397/95-99 for period of 940401-950902.
CALLAN,L. Region 4 (Post 820201). 95/09/27. PARRISH,J.V. Washington Public Power Supply System. 5pp. 85643:335-85643:345.

--9510030204 SALP rept 50-397/95-99 for period 940401-950902.
* Region 4 (Post 820201). 95/09/27. 6pp. 85643:340-85643:345.

9510060301 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
CLIFFORD,J.W. . 95/10/03. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85737:252-85737:255.

9510200102 Notification of 951024 meeting w/util in Richland,WA to discuss NRC SALP rept 50-397/95-99.
DYER,J.E. Region 4 (Post 820201). 95/10/16. Region 4 (Post 820201). 5pp. 85871:012-85871:016.

P. Operating license stage documents & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

9510020255 Withdraws request of amend to TS 3/4.6.1.4, "Main Steam Isolation Valve Leakage Control Sys."
PARRISH,J.V. Washington Public Power Supply System. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85690:299-85690:299.

9510020208 Requests extension of exam interval for GL 88-01 category C welds after completion of stress improvements process,from within 2 refueling outages of stress improvement to within 4 yrs after stress improvement.
PARRISH,J.V. Washington Public Power Supply System. 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85683:212-85683:215.

9510020265 Notification of 951005 meeting w/util in Rockville,MD to discuss use of ABB-CE fuel at plant.
CLIFFORD,J.W. . 95/09/27. BATEMAN,W.H. . 4pp. 85673:332-85673:335.

9510100136 Provides summary of results of review re potential concerns about certain computer software used at WNP-2.
PARRISH,J.V. Washington Public Power Supply System. 95/10/02. Document Control Branch (Document Control Desk). 4pp. 85756:296-85756:299.

9510130086 Forwards amend 142 to license NPF-2 & safety evaluation. Amend changes surveillance requirement contained in TS 4.6.6.1.b.3 to provide more appropriate criteria for demonstrating operability of PCHRS.
CLIFFORD,J.W. . 95/10/05. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85801:320-85801:333.

--9510130098 Amend 142 to license NPF-2,changing surveillance requirement contained in TS 4.6.6.1.b.3 to provide more appropriate acceptance criteria for demonstrating operability of PCHRS.
CLIFFORD,J.W. . 95/10/05. 7pp. 85801:324-85801:330.

--9510130104 Safety evaluation supporting amend 142 to license NPF-2.
* . 95/10/05. 3pp. 85801:331-85801:333.

9510110277 Forwards EA & findings of no significant impact re 950606 request for license amend.Amend would remove reference to TS Bases in TS index.
CLIFFORD,J.W. . 95/10/06. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85764:314-85764:320.

--9510110303 Environ assessment & finding of no significant impact re licensee 950606 request for amend to remove reference to TS bases in TS index.
THOMAS,K.M. . 95/10/06. 3pp. 85764:318-85764:320.

9510170394 Requests review & approval of relief request for exam category C-G pump casing welds to support planning for Spring,1997 & Spring,1998 refueling outages.
PARRISH,J.V. Washington Public Power Supply System. 95/10/06. Document Control Branch (Document Control Desk). 13pp. 85862:256-85862:268.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510190006 Requests approval to revise Tornado Design Criteria.
PARRISH,J.V. Washington Public Power Supply System. 95/10/10. Document Control Branch (Document Control Desk). 5pp. 85887:332-85887:336.

9510250151 Responds to GL 95-07 & provides requested info re implementation actions & completion schedule.
PARRISH,J.V. Washington Public Power Supply System. 95/10/13. Document Control Branch (Document Control Desk). 6pp. 85988:217-85988:222.

9510200124 Notification of significant licensee meeting w/util on 951024 to discuss performance enhancement strategy w/NRC oversight panel.Submits list of attendees.
MYER,J.E. Region 4 (Post 820201). 95/10/16. NRC - No Detailed Affiliation Given. 5pp. 85871:140-85871:144.

9510230041 Summary of 951005 meeting w/WPPS sys in Rockville,MD to discuss use of ABB-CE fuel at WNP-2.List of attendees & presentation matl encl.
CLIFFORD,J.W. . 95/10/16. . 25pp. 85910:316-85910:340.

9510230409 Forwards response to NRC 950807 RAI util IPE submittal dtd 940727,per GL 88-20.Util current schedule calls for completion of next major PSA update cycle by Summer of 1996.
PARRISH,J.V. Washington Public Power Supply System. 95/10/20. Document Control Branch (Document Control Desk). 166pp. 85919:001-85919:166.

9510310372 Notifies that on 951009,State of WA Energy Facility Site Evaluation Council approved renewal of facility NPDES permit for five-yr term.Renewed Permit WA-002515-1 encl.
PARRISH,J.V. Washington Public Power Supply System. 95/10/26. Document Control Branch (Document Control Desk). 28pp. 86077:075-86077:102.

9510310381 Application for amend to license NPF-21,revising TS to reflect replacement of existing reactor recirculation flow control sys w/adjustable speed drive sys.
PARRISH,J.V. Washington Public Power Supply System. 95/10/26. Document Control Branch (Document Control Desk). 74pp. 86077:001-86077:074.

--9510310383 Proposed tech specs,replacing existing reactor recirculation flow control sys w/adjustable speed drive sys.
* Washington Public Power Supply System. 95/10/26. 11pp. 86077:064-86077:074.

Q. Inspection reports, IE Bulletins & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9510060022 Informs that insp scheduled for 920504-08 has been rescheduled for week of 920727 due to availability of inspector re fire protection program concerns.
ZIMMERMAN,R.P. Region 5 (820201 - 940403). 92/04/16. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 28pp. 85951:280-85952:016.

9510020260 Responds to NRC 950824 ltr re violations noted in insp rept 50-397/95-21.Corrective actions:repaired affected radiation barrier.
PARRISH,J.V. Washington Public Power Supply System. 95/09/25. Document Control Branch (Document Control Desk). 5pp. 85690:309-85690:313.

9510040129 Forwards response to NRC 950602 ltr re violations noted in insp repts 50-397/95-07 & 50-397/95-13.Corrective actions: on-coming operator questioned CRS & obtained permission to close valve.
PARRISH,J.V. Washington Public Power Supply System. 95/09/25. Document Control Branch (Document Control Desk). 17pp. 85709:263-85709:279.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020202 Forwards relief request 2ISI-16 for temporary non-code repair of standby svc water piping per GL 90-05.
PARRISH,J.V. Washington Public Power Supply System. 95/09/27. Document Control Branch (Document Control Desk). 9pp. 85682:352-85682:360.

9510030195 Forwards SALP rept 50-397/95-99 for period of 940401-950902.
CALLAN,L. Region 4 (Post 820201). 95/09/27. PARRISH,J.V. Washington Public Power Supply System. 5pp. 85643:335-85643:345.

--9510030204 SALP rept 50-397/95-99 for period 940401-950902.
* Region 4 (Post 820201). 95/09/27. 6pp. 85643:340-85643:345.

9510030223 Forwards written exam & answer keys to be placed as attachment 4 to insp rept 50-397/95-12 issued on 950921. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/09/28. PARRISH,J.V. Washington Public Power Supply System. 3pp. 85644:125-85644:127.

9510100035 Forwards insp rept 50-397/95-21 on 950807-17.No violations noted.
GALLO,R.M. . 95/10/03. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85744:281-85744:310.

--9510100046 Insp rept 50-397/95-201 on 950807-17.No violations noted. Major areas inspected:results of licensee efforts to effect improvement in areas over past six months,w/specific attention given to human performance.
KOLTAY,P.S., NORKIN,D.P., GALLO,R.M. . 95/10/03. 26pp. 85744:285-85744:310.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110084 Forwards insp rept 50-397/95-26 on 950716-0902 & notice of violation.Violation of NRC concern because of history of poor interdepartmental communications when attempting to troubleshoot degraded reactor feedwater control sys.
DYER,J.E. Region 4 (Post 820201). 95/10/06. PARRISH,J.V. Washington Public Power Supply System. 5pp. 85730:134-85730:166.

--9510110099 Notice of violation from insp on 950716-0902.Violation noted:on 950726,second person verification check had been performed by watching primary worker perform valve manipulations rather than "hands-on" check.
* Region 4 (Post 820201). 95/10/06. 2pp. 85730:139-85730:140.

--9510110105 Insp rept 50-397/95-26 on 950716-0902.Violations noted. Major areas inspected:control room operation,licensee action on previous insp findings,operational safety verification, surveillance program,maint program & LER.
WONG,H.J. Region 4 (Post 820201). 95/09/28. 22pp. 85730:141-85730:166.

9510180032 Forwards response to NRC 950907 re violations noted in insp rept 50-397/95-16.Corrective actions:implemented extensive performance enhancement strategy program.
PARRISH,J.V. Washington Public Power Supply System. 95/10/09. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 11pp. 85866:341-85866:351.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180088 Forwards insp rept 50-397/95-28 on 950911-15.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/13. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85842:013-85842:025.

--9510180092 Insp rept 50-397/95-28 on 950911-15.No violations noted. Major areas inspected:plant status,follow on engineering open items & background.
VANDENBURGH,C. Region 4 (Post 820201). 95/10/06. 9pp. 85842:017-85842:025.

9510200102 Notification of 951024 meeting w/util in Richland,WA to discuss NRC SALP rept 50-397/95-99.
DYER,J.E. Region 4 (Post 820201). 95/10/16. Region 4 (Post 820201). 5pp. 85871:012-85871:016.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160263 Monthly operating rept for Sept 1995 for WNP-2.W/951009 ltr.
ENBREE,D.G., PARRISH,J.V. Washington Public Power Supply System. 95/09/30. 5pp. 85836:099-85836:103.

S. Reportable occurrences, LERs & related correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9201100295 Forwards Incident Reporting Sys rept re 911007 incident on discrepancies identified in installation of cable tray raceway fire barriers comprised of THERMO-LAG 330-1.Caused by inadequate fire barrier installation.
NOVAK,T.M. Division of Operational Assessment (Post 870413). 91/12/31. ISHACK,G. Organization for Economic Cooperation & Development. 8pp. 85975:247-85975:254.

9510190004 LER 95-009-01:on 950907,unexpected closure of inboard & outboard MSIV occurred during performance of surveillance test.Caused by activity performed under procedure that did not define necessary steps.Updated procedure.W/951010 ltr.
FOLEY,C.J., PARRISH,J.V. Washington Public Power Supply System. 95/10/10. 5pp. 85897:336-85897:340.

9510260005 LER 95-011-00:on 950919,failed to comply w/TS SR for RCIC sys due to analysis deficiency that resulted in inadequate surveillance test procedure.Surveillance procedure revised to correct deficiency.W/951019 ltr.
MACKAMAN,C.D., PARRISH,J.V. Washington Public Power Supply System. 95/10/19. 5pp. 85995:140-85995:144.

V. Operator Examinations

9510030223 Forwards written exam & answer keys to be placed as attachment 4 to insp rept 50-397/95-12 issued on 950921. W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/09/28. PARRISH,J.V. Washington Public Power Supply System. 3pp. 85644:125-85644:127.

9510300215 Forwards results of GFES of written operator licensing exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. PARRISH,J.V. Washington Public Power Supply System. 3pp. 86001:353-86001:355.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510050279 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
LE,N.B. . 95/09/22. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 85721:301-85721:303.

9510100069 Informs of upcoming shipment of irradiated nuclear reactor fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-300 type cask by rail.
LEVIS,W. Carolina Power & Light Co. 95/09/25. STROUD,T.C. North Carolina, State of. 3pp. 85725:057-85725:059.

9510050192 Forwards Rev 25 to Vol 1 to "Shearon Harris Nuclear Power Plant Emergency Plan," replacing pages of previous rev w/ exception of emergency action level flow paths,remaining same as previous rev.W/one oversize drawing.
ROBINSON,W.R. Carolina Power & Light Co. 95/09/28. Document Control Branch (Document Control Desk). 43pp. 85778:001-85778:193.

--9510050196 Rev 25 to Vol 1 to "Shearon Harris Nuclear Power Plant Emergency Plan." W/one oversize plant operations map.
* Carolina Power & Light Co. 95/09/28. 150pp. 85778:045-85778:193.

9510110210 Forwards rev 9 to security plan for SHNPP,per 10CFR50.54(p)(2).Encl withheld.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85756:323-85756:324.

9510180245 Forwards final FEMA exercise rept for 950418 exercise at plant.
BARR,K.P. Region 2 (Post 820201). 95/10/06. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 85848:143-85848:228.

--9510180247 "Final FEMA Exercise Rept."
* Federal Emergency Management Agency. 95/09/21. 83pp. 85848:146-85848:228.

P. Operating license stage documents & correspondence

9510110011 Forwards RAI re proposed TSs change eliminating pressure sensor response time testing requirements for plant.
LE,N.B. . 95/09/22. ROBINSON,W.R. Carolina Power & Light Co. 5pp. 85766:116-85766:141.

9510130013 Forwards application for renewal of NPDES permit NC0039586, submitted to NC Div of Environ Mgt on 951003.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/03. Document Control Branch (Document Control Desk). 179pp. 85809:169-85809:347.

9510180063 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. ROBINSON,W.R. Carolina Power & Light Co. 2pp. 85842:001-85842:002.

9510170293 Provides notification of rev to initial test cut-off level for marijuana,effective 951031.Revised testing procedures to implement more stringent initial test cut-off level of 50ng/ml.
ROGAN,R.E. Carolina Power & Light Co. 95/10/09. Document Control Branch (Document Control Desk). 1p. 85848:357-85848:357.

9510180164 Submits addl info re RAB emergency exhaust sys design & licensing basis issues.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85867:344-85867:346.

--9510180167 Proposed tech specs re RAB emergency exhaust sys design & licensing basis issues.
* Carolina Power & Light Co. 95/10/10. 1p. 85867:346-85867:346.

9510190002 Submits plant Rev 1 to COLR in support of Cycle 7 operations per requirements of HNP TS 6.9.1.6.4.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85900:310-85900:323.

--9510190003 Rev 1 to "Harris Uit Cycle 7 COLR for 950905."
* Carolina Power & Light Co. 95/10/10. 12pp. 85900:312-85900:323.

9510200225 Summary of 950925 meeting w/util in Rockville,MD re discrepancy involving design of EES located in Reactor Auxiliary Building has been determined to constitute condition that involves portion of ECCS.
LE,N.B. . 95/10/10. . 33pp. 85899:001-85899:033.

9510230317 Forwards revised organizational charts,reflecting region II reorganization,effective 951015.
VERRELLI,D.M. Region 2 (Post 820201). 95/10/10. ROBINSON,W.R. Florida Power & Light Co. 8pp. 85891:268-85891:275.

9510240218 Provides addl info requested by NRC 950627 ltr re GL 95-03, "Circumferential Cracking of SG Tubes."
ROBINSON,W.R. Carolina Power & Light Co. 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85929:211-85929:214.

9510230155 Notification of 951023 meeting in Rockville,MD to discuss function of peer group & introduce members.
MOZAFARI,B. . 95/10/16. MATTHEWS,D.B. . 3pp. 85904:352-85904:354.

9510240312 Informs that personnel from util will attend NRC GL 95-07 meeting on 951024 in Atlanta,GA to discuss & clarify various aspects re issue.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/16. Document Control Branch (Document Control Desk). 1p. 85929:094-85929:094.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100223 Forwards insp rept 50-400/95-13 on 950806-0902.No violations noted.
VERRELLI,D.M. Region 2 (Post 820201). 95/09/28. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 85727:262-85727:279.

--9510100232 Insp rept 50-400/95-13 on 950806-0902.No violations noted. Major areas inspected:operations,maint,surveillance, engineering,plant support,review of LERs & licensee action on previous insp items.
ELROD,S., VERRELLI,D. Region 2 (Post 820201). 95/09/28. 15pp. 85727:265-85727:279.

9510180127 Advises of planned insp effort resulting from Harris PPR review on 950918 that has been completed.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/02. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 85842:077-85842:080.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR.",
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180021 Monthly operating rept for Sept 1995 for Harris Nuclear Plant.W/951012 ltr.
ROGERS,S.G., ROBINSON,W.R. Carolina Power & Light Co. 95/09/30. 5pp. 85866:317-85866:321.

S. Reportable occurrences, LERs & related correspondence

9510050206 LER 95-007-00:on 950901,inadvertent start of turbine driven AFW pump/ unplanned ESF actuation occurred due to inadequate test procedures.Revised appropriate procedures.W/950928 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 95/09/28. 4pp. 85728:220-85728:223.

9510050289 LER 95-008-00:on 950902,charging/SI pump B (CSIP) returned to svc prior to required acceptance testing.Caused by personnel error.CSIP A placed in svc on 950902 & CSIP B declared inoperable.W/950928 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 95/09/28. 5pp. 85767:001-85767:005.

9510050085 Forwards NPDES noncompliance notification made to State of NC Dept of Environ,Health & Natural Resources,Water Quality Section on 950911.
ROBINSON,W.R. Carolina Power & Light Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:356-85724:358.

--9510050093 NPDES noncompliance notification:on 950908,discovered zinc concentrations of approx 3 ppm in cooling tower blowdown discharge.Caused by decrease in pH of cooling tower water. Cause of pH change being investigated.
ROBINSON,W.R. Carolina Power & Light Co. 95/09/13. SCHUSTER,K. North Carolina, State of. 1p. 85724:358-85724:358.

9510060257 Part 21 rept re failure of charging SI pump miniflow check valves.Caused by cocking of piston towards valve outlet port due to large hydraulic surge.Valves that experienced failures replaced.
ROBINSON,W.R. Carolina Power & Light Co. 95/09/29. Document Control Branch (Document Control Desk). 5pp. 85767:050-85767:054.

9510110194 Special rept,identifying number of SG tubes plugged as result of recent SG tube ISI conducted during Refueling Outage 6.
ROBINSON,W.R. Carolina Power & Light Co. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85762:191-85762:192.

9510250125 PNO-II-95-059:on 951020,Unit 1 commenced normal shutdown in excess of 72 h,to repair body-to-bonnet leak on main feedwater isolation valve.Resident inspector responded to site & monitored activities throughout weekend.
STAREFOS,J. Region 2 (Post 820201). 95/10/23. 1p. 85995:110-85995:110.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

F. Security, medical, emergency & fire protection plans

9510020334 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
FAIRTILE,M. . 95/09/26. Dairyland Power Cooperative. 4pp. 85649:347-85649:350.

9510100048 Forwards insp rept 50-409/95-02 on 950905-06.No violations noted.
RING,M.A. Region 3 (Post 820201). 95/10/04. BERG,W.L. Dairyland Power Cooperative. 2pp. 85725:030-85725:034.

--9510100053 Insp rept 50-409/95-02 on 950905-06.No violations noted. Major areas inspected:fire protection insp of surveillances, equipment,impairments,control of combustibles,fire brigade training & drills & fire protection audits.
SCHRUM,D., RING,M.A. Region 3 (Post 820201). 95/10/04. 3pp. 85725:032-85725:034.

H. General correspondence

9510200127 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Util fully supports & endorses NEI comments.
GREEN,W. Dairyland Power Cooperative. 95/10/18. Docketing & Services Branch. 1p. 85871:154-85871:154.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510100048 Forwards insp rept 50-409/95-02 on 950905-06.No violations noted.
RING,M.A. Region 3 (Post 820201). 95/10/04. BERG,W.L. Dairyland Power Cooperative. 2pp. 85725:030-85725:034.

--9510100053 Insp rept 50-409/95-02 on 950905-06.No violations noted. Major areas inspected:fire protection insp of surveillances, equipment,impairments,control of combustibles,fire brigade training & drills & fire protection audits.
SCHRUM,D., RING,M.A. Region 3 (Post 820201). 95/10/04. 3pp. 85725:032-85725:034.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

S. Reportable occurrences, LERs & related correspondence

9510130187 Special Rept 95-01:on 950922,HPSW diesel-driven fire pump 1B declared inoperable following failure of auto-start circuitry during monthly diesel fire pump test.Cause of failure of auto-start circuitry determined & corrected.
BERG,W.L. Dairyland Power Cooperative. 95/09/28. Region 3 (Post 820201). 2pp. 85809:358-85809:359.

W. Decommissioning Stage Documents & Correspondence

9510190276 Forwards revised "Decommissioning Plan."
BERGY,W.L. Dairyland Power Cooperative. 95/10/06. Document Control Branch (Document Control Desk). 5pp. 85903:301-85903:341.

--9510190280 Revised "Decommissioning Plan."
Dairyland Power Cooperative. 95/09/30. 36pp. 85903:306-85903:341.

9510240119 Discusses 950822 submittal re 10CFR50.54,which incorporates changes in quality assurance program description.Informs that revisions continue to meet requirements of 10CFR50,App B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/19. BERG,W.L. Dairyland Power Cooperative. 1p. 85896:205-85896:205.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510260335 Forwards Issue 4,Rev 3 of physical security plan.Rev addresses deletion of paragraph (d)(a) from 10CFR73.55 effective on 951010.Summary of changes also encl.Encls withheld.
CHRISTENSEN,H. Niagara Mohawk Power Corp. 95/10/19. Document Control Branch (Document Control Desk). 1p. 85998:330-85998:330.

P. Operating license stage documents & correspondence

9510030157 Notifies Commission that util has completed actions required by GL 89-10 delineated in plant MOV program plan.
TERRY,C.D. Niagara Mohawk Power Corp. 95/09/25. Document Control Branch (Document Control Desk). 1p. 85686:357-85686:357.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100230 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85727:286-85727:292.

9510110163 Forwards corrected Amend 69 to license NPF-69 consisting of corrected page 3/4 4-10.
EDISON,G.E. . 95/10/05. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 85766:213-85766:216.

–9510120407 Corrected amend 69 to license NPF-69.
* . 95/10/05. 2pp. 85766:216-85766:216.

9510240050 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TERRY,C.L. Niagara Mohawk Power Corp. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85929:156-85929:159.

Q. Inspection reports, IE Bulletins & correspondence

9510020161 Requests that util provide response to allegations filed by former employee re unfavorable actions taken in Oct 1992 w/ respect to terms of employment,within 30 days of ltr date.
COOPER,R.W. Region 1 (Post 820201). 95/09/07. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 85642:175-85642:177.

9510020173 Forwards insp repts 50-220/95-21 & 50-410/95-21 on 950821-25.No violations noted.
JOYNER,J.H. Region 1 (Post 820201). 95/09/18. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85642:184-85642:197.

–9510020175 Insp repts 50-220/95-21 & 50-410/95-21 on 950821-25.No violations noted.Major areas inspected:radiological chemistry program.
KOTTEN,J., BORES,R. Region 1 (Post 820201). 95/09/18. 11pp. 85642:187-85642:197.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510110050 Comment on proposed NRC Bulletin 95-XX, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors" & Regulatory Guide DG-1038, "Water Sources for Long-Term Recirculation Cooling Following LOCA."
SYLVIA,B.R. Niagara Mohawk Power Corp. 95/09/29. NRC - No Detailed Affiliation Given. 3pp. 85729:141-85729:143.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510190335 Forwards combined insp repts 50-220/95-18 & 50-410/95-18 on 950723-0902.No violations noted.
COWGILL,C.J. Region 1 (Post 820201). 95/10/06. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 85864:108-85864:126.

–9510190345 Combined insp repts 50-220/95-18 & 50-410/95-18 on 950723-0902.No violations noted.Major areas inspected:plant operations,maint,engineering & plant support.
DOERFLEIN,L.T. Region 1 (Post 820201). 95/10/06. 16pp. 85864:111-85864:126.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200048 Monthly operating rept for Sept 1995 for Nine Mile Point Unit 2.W/951013 ltr.
CAROCCIO,C.J., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/09/30. 6pp. 85912:292-85912:297.

9510180340 Forwards "NMPNS SPDES Permit NY-000-1015 Discharge Monitoring Rept Comments & Repts of Noncompliance Events for Period of Jan-June 1995." Station unable to meet requirements of NPDES/SPDES permits on five occasions.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85883:189-85883:225.

–9510180345 "NMPNS SPDES Permit NY-000-1015 Discharge Monitoring Rept Comments & Repts of Noncompliance Events for Period of Jan- June 1995."
* Niagara Mohawk Power Corp. 95/06/30. 35pp. 85883:191-85883:225.

S. Reportable occurrences, LERs & related correspondence

9510060014 Forwards suppl to LER 95-005,containing addl info on cause of high turbine vibration & addl corrective actions to address cause.
ABBOTT,R.B. Niagara Mohawk Power Corp. 95/09/29. Document Control Branch (Document Control Desk). 1p. 85767:082-85767:087.

–9510060015 LER 95-005-01:on 950530,reactor manual scram was initiated to protect turbine-generator from high vibrations.Caused by turbine bearing beyond allowable in connection w/startup of new low pressure rotors.Started scram recovery activities.
WARD,K.D. Niagara Mohawk Power Corp. 95/09/29. 5pp. 85767:083-85767:087.

9510060024 LER 95-008-00:on 950901,reactor manual scram on high turbine generator vibration occurred.Caused by radial packing rub that resulted from tight clearances within low pressure turbine.Commenced scram recovery activities.W/951002 ltr.
WARD,K.D., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/10/02. 4pp. 85767:078-85767:081.

9510060070 Special repton 950911,Division I EDG 2 EGS*EG1 failed to synchronize to switchgear 2ENS*SWG101.
ABBOTT,R.B. Niagara Mohawk Power Corp. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85745:275-85745:276.

9510110207 LER 95-009-00:on 950902,Division I H recombiner was inoperable due to obstruction in flow path.Performed partial borescopic insps of Division I & II H recombiner sys piping. W/951002 ltr.
CONWAY,J.T., ABBOTT,R.B. Niagara Mohawk Power Corp. 95/10/02. 6pp. 85806:294-85806:299.

9510160212 LER 95-010-00:on 950906,experience partial loss of offsite power which activated several ESFs.Caused by fault from phase C.Failed & degraded components replaced.W/951006 ltr.
DEAN,R., ADDOTT,R.B. Niagara Mohawk Power Corp. 95/10/06. 18pp. 85855:047-85855:053.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510020181 Forwards insp repts 50-334/95-13 & 50-412/95-13 on 950718- 0828 & forwards notice of violation.Human performance & root cause analysis weaknesses of concern because of significance of areas to performance weaknesses discussed in SALP.
LINVILLE,J.C. Region 1 (Post 820201). 95/09/22. CROSS,J.E. Duquesne Light Co. 3pp. 85642:198-85642:239.

9510050098 Advises that 941222 & 950323 responses to GL 92-08, "Thermo- Lag 330-1 Fire Barriers" incomplete.Response to encl follow- up RAI should be submitted within 60 days.
BRINKMAN,D.S. . 95/09/28. CROSS,J.E. Duquesne Light Co. 5pp. 85724:313-85724:317.

9510200298 Forwards ERDS implementation documents & PAL for Waterford number 184.Request that changes be entered into ERDS database as soon as possible.W/o encl.
JOLICOEUR,J.R. Incident Response Branch. 95/10/12. SAUL,K.L. Halliburton NUS Environmental Corp. 1p. 85899:282-85899:282.

P. Operating license stage documents & correspondence

9510050077 Provides 10CFR50.46 rept of changes or errors in ECCS evaluation models.
THOMAS,G.S. Duquesne Light Co. 95/09/26. Document Control Branch (Document Control Desk). 49pp. 85735:166-85735:214.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

–9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100228 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. CROSS,J.E. Duquesne Light Co. 3pp. 85725:232-85725:238.

9510050098 Advises that 941222 & 950323 responses to GL 92-08, "Thermo- Lag 330-1 Fire Barriers" incomplete.Response to encl follow- up RAI should be submitted within 60 days.
BRINKMAN,D.S. . 95/09/28. CROSS,J.E. Duquesne Light Co. 5pp. 85724:313-85724:317.

9510110305 Clarifies statements which NRC included in SER that supports approval of amend 73 to license NPF-73.Statements involve flow paths for facility charging sys alternate min flow sys & normal min flow sys.Diagram of sys encl.
THOMAS,G.S. Duquesne Light Co. 95/10/04. Document Control Branch (Document Control Desk). 3pp. 85761:358-85761:360.

9510130073 Forwards change to Bases of plant TS 2.1.1.Change would revise paragraph beginning near bottom of Bases page B 2-1 & extending onto page B 2-2.
BRINKMAN,D.S. . 95/10/05. CROSS,J.E. Duquesne Light Co. 5pp. 85778:337-85778:341.

9510130282 Forwards pages reissued to correct submitted typographical errors in amends 192 & 75 to licenses DPR-66 & NPF-73.
THOMAS,G.S. Duquesne Light Co. 95/10/06. Document Control Branch (Document Control Desk). 1p. 85810:317-85810:323.

–9510130288 Proposed tech specs re Amends 192 & 75,administrative changes.
* Duquesne Light Co. 95/10/06. 6pp. 85810:318-85810:323.

9510160100 Forwards changes to Bases of plant TS 3/4..2.Changes would revise second sentence of fourth paragraph on page B 3/4 1-3 of BVPS-2 TSs to replace words "EOL" & "Equilibrium" w/"BOL" & "Peak" respectively.
BRINKMAN,D.S. . 95/10/11. CROSS,J.E. Duquesne Light Co. 4pp. 85823:345-85823:348.

9510200293 Responds to util 951004 ltr which provided clarifying comments re SE for plant license amend 73 issued on 950825.
BRINKMAN,D.S. . 95/10/16. CROSS,J.E. Duquesne Light Co. 3pp. 85898:359-85898:361.

9510250049 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
THOMAS,G.S. Duquesne Light Co. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85987:137-85987:140.

9510250193 Application for amends to licenses DPR-66 & NPF-73,revising Administrative Controls & Bases Sections to reflect implementation of revised 10CFR20 regulations re 10CFR50,App I & 40CFR190.
THOMAS,G.S. Duquesne Light Co. 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85983:297-85983:305.

--9510250197 Proposed tech specs,revising Administrative Controls & Bases Sections to reflect implementation of revised 10CFR20 regulations re to 10CFR50,App I & 40CFR190.
* Duquesne Light Co. 95/10/16. 3pp. 85983:303-85983:305.

9510250001 Forwards corrected TS pages 3/4 3-6 & B 3/4 2-7 for plant Unit 1 & 3/4 2-9,3/4 3-6,B 3/4 2-7 & B 3/4 2-9 to license amends 192 & 75 for licenses DPR-66 & NPF-73.
BRINKMAN,D.S. . 95/10/19. CROSS,J.E. Duquesne Light Co. 3pp. 85939:344-85939:352.

--9510250002 Corrected tech spec pages 3/4 3-6 & B 3/4 2-7 for plant, Unit 1 & 3/4 2-9,3/4 2-7 & B 3/4 2-9 for plant,Unit 2, reissued due to typos contained in previously issued pages.
* . 95/10/19. 6pp. 85939:347-85939:352.

Q. Inspection reports, IE Bulletins & correspondence

9510020181 Forwards insp repts 50-334/95-13 & 50-412/95-13 on 950718- 0828 & forwards notice of violation.Human performance & root cause analysis weaknesses of concern because of significance of areas to performance weaknesses discussed in SALP.
LINVILLE,J.C. Region 1 (Post 820201). 95/09/22. CROSS,J.E. Duquesne Light Co. 3pp. 85642:198-85642:239.

--9510020184 Notice of violation from insp on 950718-0808.Violation noted:reactor coolant pump seal injection flow exceeded 28 gpm & was not restored within limits within 4 h.
* Region 1 (Post 820201). 95/09/22. 1p. 85642:201-85642:201.

--9510020188 Insp repts 50-334/95-13 & 50-412/95-13 on 950708-0828. Violations noted.Major areas inspected:plant operations, maint & surveillance,engineering,plant support & safety assessment/quality verification.
LAZARUS,W.J. Region 1 (Post 820201). 95/09/22. 38pp. 85642:202-85642:239.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510170326 Responds to request to perform self-assessment as alternative to SSFI conducted by NRC.Self-assessment plan, acceptable in lieu of NRC team conducted IAW IP 93801. Requests results be presented to NRC at later date.
BLOUGH,A.R. Region 1 (Post 820201). 95/10/06. CROSS,J.E. Duquesne Light Co. 18pp. 85818:145-85818:162.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270173 Responds to NRC 950922 ltr re violations noted in insp repts 50-334/95-13 & 50-412/95-13.Corrective actions:procedure 20M-7.4A has been revised (effective 951005) to add requirements to initial & date each action step.
THOMAS,G.S. Duquesne Light Co. 95/10/23. Document Control Branch (Document Control Desk). 2pp. 85939:217-85939:218.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510030073 NPDES monthly rept for Aug 1995 for BVPS,Units 1 & 2.W/ 950925 ltr.
ORNDORF,D., NOONAN,T.P. Duquesne Light Co. 95/08/31. 33pp. 85686:306-85686:338.

9510160271 Monthly operating repts for Sept 1995 for Beaver Valley Power Station.W/ 951006 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 95/09/30. 9pp. 85836:104-85836:112.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510030261 Forwards public version of rev 9 to EPIP Site Directive 3.8.4, "Catawba Nuclear Site Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 4pp. 85680:309-85680:359.

--9510030274 Public version of Rev 9 to EPIP Site Directive 3.8.4, "Catawba Nuclear Site Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 95/08/24. 47pp. 85680:314-85680:359.

9510240165 Requests info re NRC licensed operator who tested positive for alcohol following 950912 fitness-for-duty test.
GIBSON,A.F. Region 2 (Post 820201). 95/09/18. MCCOLLUM,W.R. Duke Power Co. 3pp. 85896:244-85896:246.

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

P. Operating license stage documents & correspondence

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510020127 Forwards rev 8 to "Catawba Unit 1,Cycle 9,Core Operating Limits Rept," Sept 1995.
CANADY,K.S. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 1p. 85664:289-85664:309.

--9510020134 "Catawba Unit 1,Cycle 9,Core Operating Limits Rept," Sept 1995.
CLARK,R.H. Duke Power Co. CNEI-0400-24 R08. 95/09/30. 20pp. 85664:290-85664:309.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510180336 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCCOLLUM,W.R. Duke Power Co. 2pp. 85848:233-85848:234.

9510160177 Forwards suppl to proposed TS reflecting separate vols for Units 1 & 2.
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85856:001-85861:219.

--9510160179 Proposed tech specs reflecting separate vols for Units 1 & 2.
* Duke Power Co. 95/10/09. 2,036pp. 85856:004-85861:219.

9510230299 Forwards revised Region II organization charts reflecting changes in Region II ofc,effective 951015.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOLLUM,W.R. Duke Power Co. 8pp. 85890:348-85890:355.

9510200087 Discusses NRC review of licensee submittals for portion re ISM methodology.Concludes that ISM methodology conforms to NUREG-1061,Vol 4,Section 2.4.1 & acceptable for general piping applications including main steam lines at plants.
BERKOW,H.N. . 95/10/13. TUCKMAN,M.S. Duke Power Co. 6pp. 85900:084-85900:089.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

9510250277 Provides suppl to 950901 proposed revs to TS 6.9.1.9 re listings of core operating limit methodologies,per discussions w/NRC.
TUCKMAN,M.S. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85988:132-85988:137.

--9510250284 Proposed tech specs listings of core operating limit methodologies.
* Duke Power Co. 95/10/17. 4pp. 85988:134-85988:137.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100202 Forwards insp repts 50-413/95-19 & 50-414/95-19 on 950806- 0902.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 85727:210-85727:228.

--9510100206 Insp repts 50-413/95-19 & 50-414/95-19 on 950806-0902.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/09/26. 16pp. 85727:213-85727:228.

9510060078 Forwards response to NRC 950831 ltr re violations noted in insp repts 50-413/95-18 & 50-414/95-18 on 950709-0805. Corrective actions:representatives from sys engineering training & radiation protection formed working group.
MCCOLLUM,W.R. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85747:342-85747:346.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510160209 Confirms 950918 telcon re response to SC Dept of Health & Environ Control air permit insp.
COOK,T.E. Duke Power Co. 95/10/05. SPIGNER,S. South Carolina, State of. 2pp. 85835:301-85835:302.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230328 Ack receipt of 950928 ltr informing NRC of steps taken to correct violations noted in insp rept 50-413/95-18 & 50-414/95-18.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOLLUM,W.R. Duke Power Co. 3pp. 85890:358-85890:360.

9510200222 Forward RAI re release from second 10-yr interval inservice insp program plan for Catawba Nuclear Station, Unit 1.
MARTIN,R.E. . 95/10/13. MCCOLLUM,W.R. Duke Power Co. 8pp. 85898:321-85898:328.

9510230296 Advises of planned insp effort resulting from Catawba PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. MCCOLLUM,W.R. Duke Power Co. 5pp. 85890:343-85890:347.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190096 Forwards monthly operating repts for Sept 1995 for Catawba Nuclear Station & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85900:268-85900:280.

--9510190104 Monthly operating repts for Sept 1995 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 10pp. 85900:270-85900:279.

--9510190117 Revised monthly operating for Aug 1995 for Catawba Nuclear Station,Units 1 & 2.
* Duke Power Co. 95/08/31. 1p. 85900:280-85900:280.

S. Reportable occurrences, LERs & related correspondence

9510180072 LER 95-005-00:on 950913,TS violation occurred.Caused by inadequate written communication due to technical inaccuracies in calibr.Calibr procedures placed on hold until revs made to ensure integrity.W/951012 ltr.
KIMBALL,D.P., MCCOLLUM,W.R. Duke Power Co. 95/10/12. 10pp. 85855:158-85855:167.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510030261 Forwards public version of rev 9 to EPIP Site Directive 3.8.4, "Catawba Nuclear Site Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 95/09/12. Document Control Branch (Document Control Desk). 4pp. 85680:309-85680:359.

--9510030274 Public version of Rev 9 to EPIP Site Directive 3.8.4, "Catawba Nuclear Site Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 95/08/24. 47pp. 85680:314-85680:359.

9510240165 Requests info re NRC licensed operator who tested positive for alcohol following 950912 fitness-for-duty test.
GIBSON,A.F. Region 2 (Post 820201). 95/09/18. MCCOLLUM,W.R. Duke Power Co. 3pp. 85896:244-85896:246.

9510100382 Advises that 950627 rev 1 to security & contingency plan consistent w/ provisions of 10CFR50.54(p) & acceptable.
COLLINS,D.M. Region 2 (Post 820201). 95/10/02. TUCKMAN,M.S. Duke Power Co. 5pp. 85765:284-85765:288.

9510160117 Notification of 951107 meeting w/DPC in Seneca,SC to discuss licensing issues & safety initiatives of interest to all licensee nuclear stations & NRC.
WIENS,L.A. . 95/10/11. BERKOW,H.N. . 8pp. 85813:035-85813:042.

P. Operating license stage documents & correspondence

9510030004 Requests for addl info re circumferential cracking of steam generator tubes.
BERKOW,H.N. . 95/09/25. TUCKMAN,M.S. Duke Power Co. 7pp. 85683:323-85683:329.

9510020288 Forwards rev 5 to "Catawba Unit 2,Cycle 7,Core Operating Limits Rept,Sept 1995,QA Condition 1." Rev establishes LCO for spent fuel pool boron concentration.
CANADY,K.S. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 1p. 85690:324-85690:344.

--9510020300 "Catawba Unit 2,Cycle 7,Core Operating Limits Rept,Sept 1995,QA Condition 1."
CLARK,R.H. Duke Power Co. ONEI-0400-25 R05. 95/09/27. 20pp. 85690:325-85690:344.

9510050282 Advises that proprietary Rev 1 to NE-3000P will be withheld from public disclosure,per 10CFR2.790,in response to 950912 request.
BERKOW,H.N. . 95/10/02. TUCKMAN,M.S. Duke Power Co. 6pp. 85721:312-85721:317.

9510180336 Extends invitation to power reactor licensees in Region II to participate w/ NRR & Region II in 951024 meeting to discuss GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCCOLLUM,W.R. Duke Power Co. 2pp. 85848:233-85848:234.

9510190033 Addresses issues raised by NRC & INEL personnel during 950925 conference call.
MCCOLLUM,W.R. Duke Power Co. 95/10/05. Document Control Branch (Document Control Desk). 39pp. 85893:226-85893:264.

9510160177 Forwards suppl to proposed TS reflecting separate vols for Units 1 & 2.
TUCKMAN,M.S. Duke Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85856:001-85861:219.

--9510160179 Proposed tech specs reflecting separate vols for Units 1 & 2.
* Duke Power Co. 95/10/09. 2,036pp. 85856:004-85861:219.

9510230299 Forwards revised Region II organization charts reflecting changes in Region II ofc,effective 951015.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOLLUM,W.R. Duke Power Co. 8pp. 85890:348-85890:355.

9510200087 Discusses NRC review of licensee submittals for portion re ISM methodology.Concludes that ISM methodology conforms to NUREG-1061,Vol 4,Section 2.4.1 & acceptable for general piping applications including main steam lines at plants.
BERKOW,H.N. . 95/10/13. TUCKMAN,M.S. Duke Power Co. 6pp. 85900:084-85900:089.

9510230127 Notifies of intent to begin using BWFC BWU-Z critical heat flux correlation on Catawba Unit 2 Cycle 9.
TUCKMAN,M.S. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85912:243-85912:245.

9510240359 Provides response to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
TUCKMAN,M.S. Duke Power Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:288-85929:291.

9510230038 Forwards rev 6 to "Catawba Unit 2 Cycle 8,Core Operating Limits Rept."
CANADY,K.S. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 1p. 85901:001-85901:225.

--9510230042 "Catawba Unit 2 Cycle 8,Core Operating Limits Rept."
* Duke Power Co. CNEI-0400-25 R06. 95/10/17. 224pp. 85901:002-85901:225.

9510250277 Provides suppl to 950901 proposed revs to TS 6.9.1.9 re listings of core operating limit methodologies,per discussions w/NRC.
TUCKMAN,M.S. Duke Power Co. 95/10/17. Document Control Branch (Document Control Desk). 2pp. 85988:132-85988:137.

--9510250284 Proposed tech specs listings of core operating limit methodologies.
* Duke Power Co. 95/10/17. 4pp. 85988:134-85988:137.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100202 Forwards insp repts 50-413/95-19 & 50-414/95-19 on 950806- 0902.No violations noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/26. MCCOLLUM,W.R. Duke Power Co. 3pp. 85727:210-85727:228.

--9510100206 Insp repts 50-413/95-19 & 50-414/95-19 on 950806-0902.No violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
FREUDENBERGER, CRLENJAK,R.V. Region 2 (Post 820201). 95/09/26. 16pp. 85727:213-85727:228.

9510060078 Forwards response to NRC 950831 ltr re violations noted in insp repts 50-413/95-18 & 50-414/95-18 on 950709-0805. Corrective actions:representatives from sys engineering training & radiation protection formed working group.
MCCOLLUM,W.R. Duke Power Co. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85747:342-85747:346.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510160209 Confirms 950918 telcon re response to SC Dept of Health & Environ Control air permit insp.
COOK,T.E. Duke Power Co. 95/10/05. SPIGNER,S. South Carolina, State of. 2pp. 85835:301-85835:302.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230328 Ack receipt of 950928 ltr informing NRC of steps taken to correct violations noted in insp rept 50-413/95-18 & 50-414/95-18.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOLLUM,W.R. Duke Power Co. 3pp. 85890:358-85890:360.

9510230296 Advises of planned insp effort resulting from Catawba PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/13. MCCOLLUM,W.R. Duke Power Co. 5pp. 85890:343-85890:347.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190096 Forwards monthly operating repts for Sept 1995 for Catawba Nuclear Station & revised repts for Aug 1995.
WEBER,R.L. Duke Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85900:268-85900:280.

--9510190104 Monthly operating repts for Sept 1995 for Catawba Nuclear Station,Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 95/09/30. 10pp. 85900:270-85900:279.

--9510190117 Revised monthly operating for Aug 1995 for Catawba Nuclear Station,Units 1 & 2.
* Duke Power Co. 95/08/31. 1p. 85900:280-85900:280.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510030145 Informs that info that could assist in efforts to protect plants against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
O'CONNOR,P.W. . 95/09/26. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85685:330-85685:333.

9510250227 Rev 29 to "Grand Gulf Nuclear Station Emergency Plan Non- Safety Related." W/951019 ltr.
ELLIS,D.R., MEISNER,M.J. Entergy Operations, Inc. 95/09/26. 43pp. 85985:225-85985:267.

9510020250 Rev 18 to EPIP 10-S-01-14, "Emergency Radiological Monitoring." W/ 950927 ltr.
ELLIS,D.R., MEISNER,M.J. Entergy Operations, Inc. 95/09/27. 17pp. 85690:264-85690:280.

9510100233 Forwards insp rept 50-416/95-13 on 950911-15.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/28. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85727:293-85727:321.

--9510100247 Insp rept 50-416/95-13 on 950911-15.No violations noted. Major areas inspected:adequacy of ER program,implementation of emergency plan & procedures in response to simulated emergency conditions & effectiveness of ER training program.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/09/26. 25pp. 85727:297-85727:321.

9510180209 Forwards insp rept 50-416/95-14 on 950813-0909.No violations noted.
CHRISTENSEN,H. Region 2 (Post 820201). 95/09/29. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85848:001-85848:016.

--9510180216 Insp rept 50-416/95-14 on 950813-0909.No violations noted. Major areas inspected:plant operations,maint & surveillance observations,security,FP,EP & onsite engineering.
TEDROW,J., HUGHEY,C., CHRISTENSEN,H. Region 2 (Post 820201). 95/09/29. 12pp. 85848:005-85848:016.

P. Operating license stage documents & correspondence

9510180097 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region V ofc,Arlington,TX from Region II ofc in Atlanta,GA & Region III ofc in Lisle,IL,respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. COCHRAN,N. . 2pp. 85847:133-85847:134.

9510180104 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region IV ofc in Arlington,TX & Region III ofc in Lisle,IL, respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SHAIFER,L. . 2pp. 85847:139-85847:140.

9510180217 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. GUNNELS,B. Transportation, Dept. of. 2pp. 85842:329-85842:330.

9510180224 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. MILLER,M.L. Federal Emergency Management Agency. 2pp. 85842:331-85842:332.

9510180228 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DUGGER,R. Labor, Dept. of. 2pp. 85842:333-85842:334.

9510180233 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SIRMONS,J.G. Health & Human Services, Dept. of, U.S. Public Health Service. 2pp. 85842:335-85842:336.

9510180238 Informs of transfer of regional oversight for Grand Gulf & Callaway to Regin IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DAVIS,B. Energy, Dept. of. 2pp. 85842:337-85842:338.

9510180244 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. FUENTE,E.S. Mississippi, State of. 2pp. 85847:356-85847:357.

9510180246 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. WAGNER,F.P. Environmental Protection Agency. 2pp. 85847:358-85847:359.

9510050170 Discusses meeting on 950920 in Arlington,TX re transfer of NRC oversight of plants from Regions 2 & 3 to Region 4. List of attendees,meeting agenda,meeting handouts & transition implementation plan encl.
DYER,J.E. Region 4 (Post 820201). 95/09/27. SCHNELL,D.F. Union Electric Co. 61pp. 85686:087-85686:147.

9510050175 Discusses 950920 mgt meeting re transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to NRC Region IV.
DYER,J.E. Region 4 (Post 820201). 95/09/27. HUTCHINSON,C.R. Entergy Operations, Inc. 39pp. 85686:154-85686:214.

9510050180 Discusses meeting conducted in Region IV ofc on 950920 re discussion of transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to Region IV.List of attendees & slides encl.
DYER,L.E. Region 4 (Post 820201). 95/09/28. KUCERA,R.A. Missouri, State of. 19pp. 85686:215-85686:275.

9510110058 Comment on draft reg guide DG-1038 (proposed rev 2 to reg guide 1.82), "Water Sources for Long-Term Recirculation Cooling Following LOCA."
MEISNER,M.J. Entergy Operations, Inc. 95/10/02. Document Control Branch (Document Control Desk). 4pp. 85729:190-85729:193.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510250039 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
HUTCHINSON,C.R. Entergy Operations, Inc. 95/10/11. Document Control Branch (Document Control Desk). 3pp. 85987:144-85987:146.

9510190084 Notification of 951024 meeting w/Entergy Operations,Inc in Rockville,MD to discuss QA criteria to be used for procurement of low safety significance components during implementation of graded QA program at Grand Gulf.
O'CONNOR,P.W. . 95/10/12. BECKNER,W.D. . 4pp. 85864:185-85864:188.

9510170301 Summarizes 950927 mgt meeting w/util in Region IV ofc to discuss plant approach to safety & regulatory interaction. List of attendees & licensee presentation encl.
DYER,J.E. Region 4 (Post 820201). 95/10/13. HUTCHINSON,C.R. Entergy Operations, Inc. 53pp. 85818:034-85818:086.

9510190375 Notification of 951020 meeting w/util in Region IV Training Conference Room to provide opportunity for Region IV staff to become familiar w/licensee Operations organization.
DYER,J.E. Region 4 (Post 820201). 95/10/16. Region 4 (Post 820201). 5pp. 85864:171-85864:175.

9510310235 Discusses 951020 meeting re operations organization & description of strengths & challenges.List of attendees & handouts encl.
DYER,J.E. Region 4 (Post 820201). 95/10/26. HUTCHINSON,C.R. Entergy Operations, Inc. 46pp. 86004:070-86004:115.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100233 Forwards insp rept 50-416/95-13 on 950911-15.No violations noted.
BARR,K.P. Region 2 (Post 820201). 95/09/28. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85727:293-85727:321.

--9510100247 Insp rept 50-416/95-13 on 950911-15.No violations noted. Major areas inspected:adequacy of ER program,implementation of emergency plan & procedures in response to simulated emergency conditions & effectiveness of ER training program.
SARTOR,W.M., BARR,K.P. Region 2 (Post 820201). 95/09/26. 25pp. 85727:297-85727:321.

9510180209 Forwards insp rept 50-416/95-14 on 950813-0909.No violations noted.
CHRISTENSEN,H. Region 2 (Post 820201). 95/09/29. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85848:001-85848:016.

--9510180216 Insp rept 50-416/95-14 on 950813-0909.No violations noted. Major areas inspected:plant operations,maint & surveillance observations,security,FP,EP & onsite engineering.
TEDROW,J., HUGHEY,C., CHRISTENSEN,H. Region 2 (Post 820201). 95/09/29. 12pp. 85848:005-85848:016.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160092 Requests approval,per 10CFR50.55a(a)(3) for use of ASME Code Case N-532 as alternative to ASME Section XI Code requirements.
MIMS,D.C. Entergy Operations, Inc. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85834:356-85834:359.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170003 Monthly operating rept for Sept 1995 for Grand Gulf Nuclear Station.W/ 951012 ltr.
LIN,S.D., HUTCHISON,C.R. Entergy Operations, Inc. 95/09/30. 5pp. 85846:312-85846:316.

S. Reportable occurrences, LERs & related correspondence

9510170398 LER 95-011-00:on 950917,trip of "B" reactor feed pump turbine occurred.Caused by partial loss of feedwater.Reactor level stabilized & sys secured.W/951012 ltr.
OWENS,J., HUTCHINSON,C. Entergy Operations, Inc. 95/10/12. 5pp. 85855:130-85855:134.

V. Operator Examinations

9510110122 Responds to 950811 ltr re proposed alternate requalification program for licensed SOR at plant.NRC concurs w/proposed alternative requalification program.
GWYNN,T.P. Region 4 (Post 820201). 95/10/05. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 85730:356-85730:360.

9510300168 Informs that on 951003,NRC administered Generic Fundamentals Exam section of written operator licensing exam.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. HUTCHINSON,C.R. Entergy Operations, Inc. 2pp. 86002:004-86002:005.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9510180097 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region V ofc,Arlington,TX from Region II ofc in Atlanta,GA & Region III ofc in Lisle,IL,respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. COCHRAN,N. . 2pp. 85847:133-85847:134.

9510180104 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region IV ofc in Arlington,TX & Region III ofc in Lisle,IL, respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SHAIFER,L. . 2pp. 85847:139-85847:140.

9510180217 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. GUNNELS,B. Transportation, Dept. of. 2pp. 85842:329-85842:330.

9510180224 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. MILLER,M.L. Federal Emergency Management Agency. 2pp. 85842:331-85842:332.

9510180228 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DUGGER,R. Labor, Dept. of. 2pp. 85842:333-85842:334.

9510180233 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SIRMONS,J.G. Health & Human Services, Dept. of, U.S. Public Health Service. 2pp. 85842:335-85842:336.

9510180238 Informs of transfer of regional oversight for Grand Gulf & Callaway to Regin IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DAVIS,B. Energy, Dept. of. 2pp. 85842:337-85842:338.

9510180244 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. FUENTE,E.S. Mississippi, State of. 2pp. 85847:356-85847:357.

9510180246 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. WAGNER,F.P. Environmental Protection Agency. 2pp. 85847:358-85847:359.

9510050170 Discusses meeting on 950920 in Arlington,TX re transfer of NRC oversight of plants from Regions 2 & 3 to Region 4. List of attendees,meeting agenda,meeting handouts & transition implementation plan encl.
DYER,J.E. Region 4 (Post 820201). 95/09/27. SCHNELL,D.F. Union Electric Co. 61pp. 85686:087-85686:147.

9510050175 Discusses 950920 mgt meeting re transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to NRC Region IV.
DYER,J.E. Region 4 (Post 820201). 95/09/27. HUTCHINSON,C.R. Entergy Operations, Inc. 39pp. 85686:154-85686:214.

9510050180 Discusses meeting conducted in Region IV ofc on 950920 re discussion of transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to Region IV.List of attendees & slides encl.
DYER,L.E. Region 4 (Post 820201). 95/09/28. KUCERA,R.A. Missouri, State of. 19pp. 85686:215-85686:275.

9510190084 Notification of 951024 meeting w/Entergy Operations,Inc in Rockville,MD to discuss QA criteria to be used for procurement of low safety significance components during implementation of graded QA program at Grand Gulf.
O'CONNOR,P.W. . 95/10/12. BECKNER,W.D. . 4pp. 85864:185-85864:188.

9510170301 Summarizes 950927 mgt meeting w/util in Region IV ofc to discuss plant approach to safety & regulatory interaction. List of attendees & licensee presentation encl.
DYER,J.E. Region 4 (Post 820201). 95/10/13. HUTCHINSON,C.R. Entergy Operations, Inc. 53pp. 85818:034-85818:086.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9510040320 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage.
MCKEE,P.F. . 95/09/25. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 5pp. 85713:304-85713:308.

9510100401 Advises that 950901 rev 12 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
JOYNER,J.H. Region 1 (Post 820201). 95/09/29. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85765:297-85765:299.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

--9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

G. Adjudicatory correspondence

9510050208 Provides update on five 10CFR2.206 which AJ Ross submitted re 941028 petition.
ANDERSEN,J.W. . 95/10/04. ROSS,A.J. Affiliation Not Assigned. 2pp. 85722:014-85722:015.

P. Operating license stage documents & correspondence

9510110208 Change 1 to Rev 18 of "Northeast Utilities QA Program TR."
* Northeast Nuclear Energy Co. 95/08/15. 48pp. 85761:290-85761:337.

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E.Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85764:197.

--9212210138 Informs that ltr to President Bush referred to DOE,then NRC for response re safe operation of facility.NRC takes all allegations of safety problems at licensed nuclear power plants & retaliation against employees seriously.
INGRAM,F.L. Office of Public Affairs (Post 911117). 92/12/04. GUNDERSEN,L. Affiliation Not Assigned. 7pp. 85763:033-85763:039.

9510020013 Provides response to NRC 950725 request for info re use of specific computer software in SR applications.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85681:316-85681:320.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100235 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85727:322-85727:328.

9510060218 Requests relief from ASME Code Section XI requirements for interim repair in svc water sys piping line 3SWP-030-344-3.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85747:355-85747:356.

9510060232 Informs NRC staff of current plans for implementation of dedicated shift technical advisor programs at Units 1,2 & 3.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/03. Document Control Branch (Document Control Desk). 2pp. 85748:359-85748:360.

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510130002 Forwards "Generic Ltr 89-10 Design-Basis Closure Millstone Unit 3."
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85807:247-85807:321.

--9510130003 "Generic Ltr 89-10 Design-Basis Closure Millstone Unit 3."
HODGE,S.T. Northeast Nuclear Energy Co. 95/10/06. 71pp. 85807:251-85807:321.

9510180105 Change Requests 96-02,96-03,96-04,96-05,95-06 & 95-07 to "Northeast Utilities QA Program Topical Rept."
SILKO,T.B., BENNETT,E., BARANOWSKI,W.J. Northeast Nuclear Energy Co. 95/10/11. 14pp. 85864:345-85864:358.

9510190021 Submits suppl response to 950821 10CFR2.206 petition.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/11. RUSSELL,W.T. . 13pp. 85886:340-85886:352.

9510250069 Provides 60 day response to GL 95-07 re operability of safety-related power-operated gate valves.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85987:160-85987:162.

9510230401 Forwards amend 120 to license NPF-49 & safety evaluation. Amend modifies current TSs that have cycle specific parameter limits in COLR to include addl cycle specific parameter & supporting methodologies.
ROONEY,V.L . 95/10/18. OPEKA,J.F. Connecticut Yankee Atomic Power Co. OPEKA,J.F. Northeast Nuclear Energy Co. 3pp. 85910:277-85910:293.

--9510230406 Amend 120 to license NPF-49 modifying current TSs that have cycle specific parameter limits in COLR to include addl cycle-specific parameter & supporting methodologies.
MCKEE,P.F. . 95/10/18. 12pp. 85910:280-85910:291.

--9510230408 Safety evaluation supporting amend 120 to license NPF-49.
* . 95/10/18. 2pp. 85910:292-85910:293.

9510260062 Provides addl info to support util 950501 application for amend to license NPF-49,by modifying SRs re Type B & Type C tests & bypass leakage tests.Summary of component leakage results from each refueling outage to present encl.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/20. Document Control Branch (Document Control Desk). 11pp. 85996:211-85996:221.

Q. Inspection reports, IE Bulletins & correspondence

9510170223 Final response to FOIA request for investigation rept on allegations of reprisal & harassment against util employees. App A records in PDR.App B records partially withheld & App C records completely withheld (ref FOIA Exemptions 4,6 & 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. RINTOUL,D.S. Affiliation Not Assigned. 20pp. 86155:004-86168:105.

--9510170275 Requests investigation into matter re alleged harassment & intimidation of P Blanch & alleged failure to address legitimate safety concerns by modifying documents &/or destroying original evaluations/reviews to conceal concerns.
RUSSELL,W.T. Region 1 (Post 820201). 89/12/18. WHITE,C.W. Ofc of Investigations (Post 880201). 4pp. 86155:024-86155:027.

--9510190214 Provides documents unrelated to original allegation forwarded to OI by Regional Administrator for investigation & 890418,transcript for info & action,as appropriate.
WHITE,C.W. Ofc of Investigations (Post 880201). 90/05/01. KANE,W.F. Region 1 (Post 820201). 2pp. 86155:043-86155:044.

--9510250250 "Rept of Interview w/JB Moore."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/12/03. 60pp. 86155:192-86155:251.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020245 Revises completion date of commitment made in 950330 response to NOV re mod associated w/engineering work request (EWR) 3-93-109.Mod should be implemented by 960331.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/09/27. Document Control Branch (Document Control Desk). 2pp. 85690:262-85690:263.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190014 Forwards response to NRC 950913 ltr re violations noted in insp repts 50-213,50-245,50-336 & 50-423/95-26 on 950724-28. Corrective actions:included State Posture Code radiological levels in CYAPCO & NNECO EALs.
DEBARBA,E.A. Northeast Nuclear Energy Co. 95/10/11. Document Control Branch (Document Control Desk). 6pp. 85887:350-85887:355.

9510260312 Revises commitment re unresolved item 50-423/93-81-04 associated w/ max grid voltage.
OPEKA,J.F., DEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 86008:338-86008:340.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250119 Forwards action plans for radwaste observations in insp repts 50-245/95-35,50-336/95-35 & 50-423/95-35 & summary of commitments.
OPEKA,J.F., SCACE,S.E. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 95/10/18. Document Control Branch (Document Control Desk). 10pp. 85986:343-85986:352.

9510270054 Forwards insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/10/20. Northeast Nuclear Energy Co. 3pp. 85938:308-85938:338.

–9510270061 Insp repts 50-245/95-34,50-336/95-34 & 50-423/95-34 on 950823-1003.No violations noted.Major areas inspected: plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 95/10/20. 28pp. 85938:311-85938:338.

9510310232 Forwards response to NRC 950913 & 950915 ltr re violations noted in insp repts 50-245/95-26,50-336/95-26,50-423/95-26 & 50-213/95-17.C/As:included state posture code radiological levels in CYAPCO & NNECO EALs & consistence w/procedures.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/25. Document Control Branch (Document Control Desk). 6pp. 86057:352-86057:357.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170019 Forwards monthly operating repts for Sept 1995 & revised repts for Aug 1995.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities Service Co. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85864:235-85864:252.

–9510170020 Monthly operating repts for Sept 1995 for Millstone Units 1, 2 & 3.
NEWBURGH,G. Northeast Nuclear Energy Co. 95/09/30. 16pp. 85864:236-85864:250.

S. Reportable occurrences, LERs & related correspondence

9510160290 LER 95-016-00:on 950911,A train quench spray pump discharge valve exceeded TS surveillence periodicity limit.Caused by programmatic error.Surveillance tracking procedure revised. W/951010 ltr.
MCGUINNESS,R., MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities. 95/10/10. 3pp. 85855:043-85855:046.

V. Operator Examinations

9510110334 Informs of withdrawal of license application for TG Harvey, due to early retirement.
MILLER,D.B. Northeast Nuclear Energy Co. MILLER,D.B. Northeast Utilities. 95/10/04. MARTIN,T.T. Region 1 (Post 820201). 1p. 85762:160-85762:160.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510170267 Revised EPIPs,including rev 30 to EPIP-91002-C,rev 6 to EPIP-91111-C,rev 11 to EPIP-91601-C,rev 10 to EPIP-91110-C, rev 11 to EPIP-91102-C,rev 18 to EPIP-91704-C, rev EPIP-91101-C & rev EPIP-91401-C.W/951006 ltr.
MAYO,L.E., BEASLEY,J.B. Georgia Power Co. 95/10/06. 100pp. 85852:251-85852:353.

G. Adjudicatory correspondence

9509250343 Board notification 95-016:on 950804,Secretary of Labor issued encl decision & remand order in Dept of Labor Case 90-ERA-30 re GPC senior managers discrimination against one of employees,M Hobby.
VARGA,S.A. . 95/09/25. THE CHAIRMAN, JACKSON,S., ROGERS Commissioners (Post 750119). 6pp. 85645:295-85645:336.

9510030097 Georgia Power Co response to intervenor addl discovery request dtd 950905.* Request granted.W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17145. 95/09/26. Atomic Safety & Licensing Board Panel. 7pp. 85643:078-85643:084.

9510030074 Requests leave for M Hobby to make oral presentation to NRC during enforcement conference & response be transmitted no later than 950928.Related correspondence.
KOHN,S.M., KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17146. 95/09/27. YOUNG,M. Office of the General Counsel (Post 860701). 1p. 85643:012-85643:012.

9510030085 Informs that predecisional enforcement conference identified in 950901 ltr from S Ebneter has been scheduled for 951004. Requests on behalf of M Hobby that conference be transcribed & public be allowed to attend.Related correspondence.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17153. 95/09/27. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 85643:015-85643:015.

9510030142 Georgia Power Company response to Board Interrogatory re rev to LER 90-006.*
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17152. 95/09/28. Atomic Safety & Licensing Board Panel. 2pp. 85643:171-85643:180.

–9510030154 Affidavit.* Affidavit of TE Webb re revision to LER 90-006.
WEBB,T.E. Georgia Power Co. 95/09/28. 1p. 85643:173-85643:173.

–9510030179 Affidavit.* Affidavit of GR Frederick re recollection of recommendation made to keep special record of diesel testing activities.
FREDERICK,G.R. Georgia Power Co. 95/09/28. 2pp. 85643:174-85643:175.

–9510030197 Affidavit.* Affidavit of H Handfinger re review of documents & amount of involvement of quality control organization. W/Certificate of Svc.
HANDFINGER,H. Georgia Power Co. 95/09/28. 5pp. 85643:176-85643:180.

9510030098 Informs that staff does not intend to file response to GPC petition for review of order to produce atty notes of priviledged communications.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17154. 95/09/29. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85643:085-85643:085.

9510040031 Intervenor request for continuance to file response to Georgia Power Co petition for review.* W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17158. 95/10/02. Commissioners (Post 750119). 3pp. 85673:139-85673:141.

9510040033 Intervenor opposition to Georgia Power Company petition for review of order to produce attorney interview notes.* W/Certificate of Svc & svc list.
KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17169. 95/10/02. Commissioners (Post 750119). 22pp. 85673:142-85673:163.

9510040037 Order.* Informs that time within which intervenor may file response extended until 951003.W/Certificate of Svc.Served on 951002.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17159. 95/10/02. Affiliation Not Assigned. 3pp. 85673:185-85673:187.

9510040035 Memorandum & order (effect of Dept of Labor Case 90-ERA-30).* Orders parties to file briefs re effect on case of 950804,decision of Secretary of Labor in Dept of Labor Case 90-ERA-30.W/Certificate of Svc.Served on 951003.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #495 17167. 95/10/03. Office of the General Counsel (Post 860701). 3pp. 85673:169-85673:171.

9510060054 Georgia Power Company supplemental response to intervenor addl discovery request dtd 950905.* W/Certificate of Svc & Svc List.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17170. 95/10/03. Atomic Safety & Licensing Board Panel. 4pp. 85693:096-85693:099.

9510120071 Intervenor motion to admit exhibit II-247 (transcript of tape 99B).* Intervenor requests that Intervenor Exhibit II-247 be admitted into evidence.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17181. 95/10/05. Atomic Safety & Licensing Board Panel. 6pp. 85751:039-85751:044.

9510120077 Intervenor motion to complete discovery against NRC Staff expert witness (mgt panel).* W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17182. 95/10/05. Atomic Safety & Licensing Board Panel. 6pp. 85751:050-85751:055.

9510120118 Intervenor motion to strike affidavit of H Handfinger.* Affidavit of H Handfinger should be stricken,in entirety, from record of proceeding.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17180. 95/10/05. Atomic Safety & Licensing Board Panel. 8pp. 85751:092-85751:099.

9510120136 Intervenor motion to conduct discovery re Dew Point instruments.* Intervenor requests to conduct addl discovery & to obtain further relief.W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17183. 95/10/06. Atomic Safety & Licensing Board Panel. 6pp. 85751:100-85751:105.

9510120153 Intervenor motion to admit certain admissions of Georgia Power.* Intervenor requests that admission responses & corresponding OI paragraphs listed be admitted into record. W/Certificate of Svc.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17184. 95/10/06. Atomic Safety & Licensing Board Panel. 35pp. 85751:106-85751:140.

9510180219 GA Power Company response to intervenor motion to strike affidavit of H Handfinger.* W/Certificate of Svc.
LAMBERSKI,J.E. Georgia Power Co. LAMBERSKI,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17200. 95/10/12. Atomic Safety & Licensing Board Panel. 5pp. 85845:339-85845:343.

9510180227 GA Power Company response to intervenors motion to admit Exhibit II-247 (transcript of tape 99B).* Intervenor motion to admit Intervenor Exhibit II-247 into evidence should be denied.W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17201. 95/10/12. Atomic Safety & Licensing Board Panel. 7pp. 85845:347-85845:353.

9510180235 GA Power Company response to intervenor motion to admit certain admissions of GA Power.* Intervenor motion to admit certain admissions of GA Power,dtd 951006,should be denied. W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17202. 95/10/12. Atomic Safety & Licensing Board Panel. 20pp. 85846:001-85846:020.

9510180292 Georgia Power Co response to intervenors motion to conduct further discovery against NRC Staff.* Motion to conduct further discovery denied.W/Certificate of Svc.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #495 17206. 95/10/12. Atomic Safety & Licensing Board Panel. 6pp. 85846:032-85846:037.

9510180180 Intervenor response to Board memorandum & order (effect of DOL case 90-ERA-30).* Bloomburg & Comanche Peak precedents demonstrate applicability of issue preclusion to matl fact containing to Hobby decision.W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17208. 95/10/13. Atomic Safety & Licensing Board Panel. 6pp. 85842:342-85842:347.

9510180207 Georgia Power Co position on effect of DOL case 90 ERA-30.* Recommends Board should refrain from considering or giving any effect to Secretary of Labor determination in 90 EAR-30. W/Certificate of Svc.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #495 17209. 95/10/13. Atomic Safety & Licensing Board Panel. 8pp. 85842:348-85842:355.

9510180214 Georgia Power Co response to intervenor motion to conduct discovery re Dew Point Instruments.* Recommends that intervenor motion to conduct discovery re Dew Point Instruments dtd 951006 be denied.W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17210. 95/10/13. Atomic Safety & Licensing Board Panel. 20pp. 85845:319-85845:338.

9510180307 NRC Staff response to order requesting briefs on impact of Hobby DOL decision.* Staff does not view Hobby decision having impact on proceeding.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17207. 95/10/13. Atomic Safety & Licensing Board Panel. 8pp. 85847:090-85847:097.

9510300053 NRC Staff response to intervenor motion to conduct discovery related to Dew Point Instruments.* Advises that motion should be denied.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17225. 95/10/19. Atomic Safety & Licensing Board Panel. 5pp. 86000:074-86000:078.

9510300062 NRC Staff motion for receipt of affidavit of P Skinner in response to Board questions on sensor calibr procedures.* Staff requests that document be marked as Exhibit II-77 & received in advance.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17223. 95/10/19. Atomic Safety & Licensing Board Panel. 1p. 86000:089-86000:095.

--9510300064 Affidavit of PH Skinner in response to Board questions on sensor calibr procedures.* W/Certificate of Svc.
SKINNER,P.H. Region 2 (Post 820201). #495 17223. 95/10/19. 6pp. 86000:090-86000:095.

9510300071 NRC Staff opposition to intervenor motion for discovery against Staff mgt panel.* Advises that Board should deny motion.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17222. 95/10/19. Atomic Safety & Licensing Board Panel. 13pp. 86000:096-86000:108.

9510300079 Informs that Staff will not be filing response to motion as pleadings of parties contain sufficient info for Board to resolve matters raised.
BARTH,C.A. Office of the General Counsel (Post 860701). #495 17221. 95/10/19. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 86000:116-86000:116.

9510310001 NRC response to Intervenor motion to admit Exhibit II-247.* W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17226. 95/10/19. Atomic Safety & Licensing Board Panel. 11pp. 86003:001-86003:011.

9510300059 Forwards page three of affidavit appended to 951019, "NRC Staff Motion for Receipt of Affidavit of P Skinner in Response to Board Questions on Sensor Calibr Procedures," for insertion into Board copy.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17224. 95/10/20. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 86000:083-86000:084.

9510300145 Memorandum & order (Intervenor motions;effect of hobby decision).* Orders that A Mosbaugh shall not be permitted addl discovery w/respect to witnesses RP Zimmerman & LA Reyes.W/Certificate of Svc.Served on 951023.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #495 17234. 95/10/23. Affiliation Not Assigned. 15pp. 86000:136-86000:150.

9510300041 Informs that Intervenor has failed to disclose to Commission or to GAP that legal authority exists & directly adverse to principal case cited.W/Certificate of Svc.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #495 17253. 95/10/25. Office of Commission Appellate Adjudication (Post 910701). 3pp. 86000:050-86000:053.

9510300092 Forwards updated Table of Contents for notebook,reflecting revisions made through 951025.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17250. 95/10/25. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 86000:117-86000:121.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510040024 Forwards rev 5 to updated FSAR for Vogtle Electric Generating Plant.Rev 5 reflects removal of figures that are reproductions of controlled engineering drawings.
MCCOY,C.K. Georgia Power Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85699:001-85704:319.

--9510040025 Rev 5 to updated FSAR for Vogtle Electric Generating Plant.
* Georgia Power Co. 95/09/30. 2,136pp. 85699:003-85704:319.

P. Operating license stage documents & correspondence

9510040265 Notification of 951012 meeting w/GPC in Rockville,MD to discuss status of NRC review of GPC application for conversion to new STS.
WHEELER,L.L. . 95/09/29. BERKOW,H.N. . 4pp. 85693:217-85693:220.

9510060072 Forwards addl info for response to individual plant exam questions & should be inserted into response as pages 42a through 42g.
MCCOY,C.K. Georgia Power Co. 95/10/02. Document Control Branch (Document Control Desk). 8pp. 85745:288-85745:295.

9510060291 Submits addl info re util request for exemption from 10CFR50,App J Type A test schedule for Unit 1 & associated TS.
MCCOY,C.K. Georgia Power Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85745:346-85745:348.

--9510060296 Proposed tech specs,allowing next Type A test to be rescheduled.
* Georgia Power Co. 95/10/02. 1p. 85745:348-85745:348.

9510180106 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCCOY,C.K. Georgia Power Co. 2pp. 85842:050-85842:051.

9510180254 Confirms telcon between M Cheibani of GPC & BR Bonser of NRC on 950926 re management meeting scheduled for 951019 to discuss GPC assessment of plant performance at Vogtle.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/04. MCCOY,C.K. Georgia Power Co. 3pp. 85842:339-85842:341.

9510230369 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOY,C.K. Georgia Power Co. 8pp. 85892:315-85892:322.

9510240348 Informs that util will implement recommendations outlined in GL consistent w/requested actions actions to be completed within 90 days & 180 from date of GL.
MCCOY,C.K. Georgia Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:286-85929:287.

9510240126 Application for amends to licenses NPF-68 & NPF-81,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J.
MCCOY,C.K. Georgia Power Co. 95/10/16. Document Control Branch (Document Control Desk). 8pp. 85998:343-85998:351.

--9510240133 Proposed tech specs,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J & using guidance of RG 1.163,Rev 0.
* Georgia Power Co. 95/10/16. 1p. 85998:351-85998:351.

9510300021 Forwards rev to util 950913 response to IPE Front End Question 2(b).
MCCOY,C.K. Georgia Power Co. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 86042:356-86042:359.

Q. Inspection reports, IE Bulletins & correspondence

9510110151 FOIA request for Exhibit Numbers 16 & 26 to OI Rept 2-90-001.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 95/09/11. FORTUNA,R. Ofc of Investigations (Post 880201). 1p. 85777:301-85777:301.

9509250343 Board notification 95-016:on 950804,Secretary of Labor issued encl decision & remand order in Dept of Labor Case 90-ERA-30 re GPC senior managers discrimination against one of employees,M Hobby.
VARGA,S.A. . 95/09/25. THE CHAIRMAN, JACKSON,S., ROGERS Commissioners (Post 750119). 6pp. 85645:296-85645:336.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100285 Confirms 950928 conversation revising arrangements for predecisional enforcement conference scheduled for 951004 in Atlanta,GA to discuss apparent violation of 10CFR50.7, "Employee Protection," that occurred in 1990.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/28. HAIRSTON,W.G. Georgia Power Co. 4pp. 85728:095-85728:098.

9510100272 Forwards insp repts 50-424/95-19 & 50-425/95-19 on 950814-18 & 950828-0901 & notice of violation.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. MCCOY,C.K. Georgia Power Co. 3pp. 85725:291-85725:313.

--9510100287 Notice of violation from insp on 950828-09.Violation noted: licensee failed to promptly identify & correct significant conditions adverse to quality.
* Region 2 (Post 820201). 95/09/29. 2pp. 85725:294-85725:295.

--9510100289 Insp repts 50-424/95-19 & 50-425/95-19 on 950829-0901. Violations noted.Major areas inspected:design changes & plant mods,engineering support activities & followup insp of previously identified DG problems.
WHITENER,H., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/30. 18pp. 85725:296-85725:313.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180154 Provides response to NRC ltr re violations noted in insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819.Corrective actions:counseled involved operator on necessity of familiarity & compliance w/applicable procedures.
MCCOY,C.K. Georgia Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85867:338-85867:340.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230343 Forwards 951004 predecisional enforcement conference summary.List of attendees,meeting transcripts & handouts encl.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/11. HAIRSTON.W.G. Georgia Power Co. 224pp. 85892:001-85892:224.

9510240179 Advises of planned insp effort resulting from Vogtle PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/12. MCCOY,C.K. Georgia Power Co. 4pp. 85896:297-85896:300.

9510240008 Forwards insp repts 50-424/95-21 & 50-425/95-21 on 950820-0916.No violations or deviations,noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/13. MCCOY,C.K. Georgia Power Co. 3pp. 85895:338-85895:355.

--9510240010 Insp repts 50-424/95-21 & 50-425/95-21 on 950820-0916.No violations noted.Major areas inspected:plant operations, surveillance,maint,onsite engineering,plant support & follow-up.
OGLE,C.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/10/10. 15pp. 85895:341-85895:355.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240068 Ack receipt of 951009 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-18 & 50-425/95-18.
SKINNER,P.H. Region 2 (Post 820201). 95/10/17. MCCOY,C.K. Georgia Power Co. 4pp. 85896:066-85896:069.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510020074 "10CFR50.59(B) Rept Of Facility Changes,Tests & Experiments, Vogtle Electric Generating Plant,Unit 1 & 2." W/950925 ltr.
MCCOY,C.K. Georgia Power Co. 95/09/25. 42pp. 85681:205-85681:246.

9510180004 Monthly operating repts for Sept 1995 for Vogtle Electric Generating Plant.W/951009 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/09/30. 12pp. 85864:305-85864:316.

S. Reportable occurrences, LERs & related correspondence

9510260018 LER 95-004-00:on 950924,MFW pump A speed controller malfunctioned,causing pump to slowdown & speedup erratically.Caused by failure of tracker driver circuit card.Failed circuit card replaced.W/951019 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 95/10/19. 5pp. 86007:099-86007:103.

T. Hearing transcripts on non-antitrust matters

9510110161 Final response to FOIA request for documents.Records in App A will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 85777:302-85777:345.

--9510110165 Transcript of 900314 interview of G Bockhold in Waynesboro,GA re chemical cleaning of RCS using H peroxide. Pp 1-42.
* NRC - No Detailed Affiliation Given. 90/03/14. 42pp. 85777:304-85777:345.

9510020174 Transcript of 950928 meeting in Rockville,MD re Vogtle Electric Generating Plant,Units 1 & 2.Pp 15,276-15,482. Certificate encl.
* Atomic Safety & Licensing Board Panel. 95/09/28. 208pp. 85683:001-85683:211.

9510110102 Transcript of 951006 hearing in Rockville,MD re facility.Pp 15,483-15,511.
* Atomic Safety & Licensing Board Panel. 95/10/06. 34pp. 85780:169-85780:202.

9510160001 Transcript of 951011 hearing in Rockville,MD re facility.Pp 15,512-15,554.
* Atomic Safety & Licensing Board Panel. 95/10/11. 42pp. 85835:001-85835:053.

9510300046 Forwards copies of Intervenor Exhibit II-247.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17252. 95/10/24. JULIAN,E. Docketing & Services Branch. 5pp. 86000:060-86000:064.

9510300075 Forwards Intervenor exhibit II-247A tape 99,side B (staff ver).
HULL,J.T. Office of the General Counsel (Post 860701). #495 17251. 95/10/25.
HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 86000:109-86000:115.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510170267 Revised EPIPs,including rev 30 to EPIP-91002-C,rev 6 to EPIP-91111-C,rev 11 to EPIP-91601-C,rev 10 to EPIP-91110-C, rev 11 to EPIP-91102-C,rev 18 to EPIP-91704-C, rev EPIP-91101-C & rev EPIP-91401-C.W/951006 ltr.
MAYO,L.E., BEASLEY,J.B. Georgia Power Co. 95/10/06. 100pp. 85852:251-85852:353.

G. Adjudicatory correspondence

9509250343 Board notification 95-016:on 950804,Secretary of Labor issued encl decision & remand order in Dept of Labor Case 90-ERA-30 re GPC senior managers discrimination against one of employees,M Hobby.
VARGA,S.A. . 95/09/25. THE CHAIRMAN, JACKSON,S., ROGERS Commissioners (Post 750119). 6pp. 85645:296-85645:336.

9510030097 Georgia Power Co response to intervenor addl discovery request dtd 950905.* Request granted.W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17145. 95/09/26. Atomic Safety & Licensing Board Panel. 7pp. 85643:078-85643:084.

9510030074 Requests leave for M Hobby to make oral presentation to NRC during enforcement conference & response be transmitted no later than 950928.Related correspondence.
KOHN,S.M., KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17146. 95/09/27. YOUNG,M. Office of the General Counsel (Post 860701). 1p. 85643:012-85643:012.

9510030085 Informs that predecisional enforcement conference identified in 950901 ltr from S Ebneter has been scheduled for 951004. Requests on behalf of M Hobby that conference be transcribed & public be allowed to attend.Related correspondence.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17153. 95/09/27. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 1p. 85643:015-85643:015.

9510030142 Georgia Power Company response to Board Interrogatory re rev to LER 90-006.*
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17152. 95/09/28. Atomic Safety & Licensing Board Panel. 2pp. 85643:171-85643:180.

--9510030154 Affidavit.* Affidavit of TE Webb re revision to LER 90-006.
WEBB,T.E. Georgia Power Co. 95/09/28. 1p. 85643:173-85643:173.

--9510030179 Affidavit.* Affidavit of GR Frederick re recollection of recommendation made to keep special record of diesel testing activities.
FREDERICK,G.R. Georgia Power Co. 95/09/28. 2pp. 85643:174-85643:175.

--9510030197 Affidavit.* Affidavit of H Handfinger re review of documents & amount of involvement of quality control organization. W/Certificate of Svc.
HANDFINGER,H. Georgia Power Co. 95/09/28. 5pp. 85643:176-85643:180.

9510030098 Informs that staff does not intend to file response to GPC petition for review of order to produce atty notes of priviledged communications.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17154. 95/09/29.
HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85643:085-85643:085.

9510040031 Intervenor request for continuance to file response to Georgia Power Co petition for review.* W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17158. 95/10/02. Commissioners (Post 750119). 3pp. 85673:139-85673:141.

9510040033 Intervenor opposition to Georgia Power Company petition for review of order to produce attorney interview notes.* W/Certificate of Svc & svc list.
KOHN,M.D. Georgia Power Co. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17169. 95/10/02. Commissioners (Post 750119). 22pp. 85673:142-85673:163.

9510040037 Order.* Informs that time within which intervenor may file response extended until 951003.W/Certificate of Svc.Served on 951002.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17159. 95/10/02. Affiliation Not Assigned. 3pp. 85673:185-85673:187.

9510040035 Memorandum & order (effect of Dept of Labor Case 90-ERA-30).* Orders parties to file briefs re effect on case of 950804,decision of Secretary of Labor in Dept of Labor Case 90-ERA-30.W/Certificate of Svc.Served on 951003.
BLOCH,P.B. Atomic ,Safety & Licensing Board Panel. #495 17167. 95/10/03. Office of the General Counsel (Post 860701). 3pp. 85673:169-85673:171.

9510060054 Georgia Power Company supplemental response to intervenor addl discovery request dtd 950905.* W/Certificate of Svc & Svc List.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17170. 95/10/03. Atomic Safety & Licensing Board Panel. 4pp. 85693:096-85693:099.

9510120071 Intervenor motion to admit exhibit II-247 (transcript of tape 99B).* Intervenor requests that Intervenor Exhibit II-247 be admitted into evidence.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17181. 95/10/05. Atomic Safety & Licensing Board Panel. 6pp. 85751:039-85751:044.

9510120077 Intervenor motion to complete discovery against NRC Staff expert witness (mgt panel).* W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17182. 95/10/05. Atomic Safety & Licensing Board Panel. 6pp. 85751:050-85751:055.

9510120118 Intervenor motion to strike affidavit of H Handfinger.* Affidavit of H Handfinger should be stricken,in entirety, from record of proceeding.W/Certificate of Svc & svc list.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17180. 95/10/05. Atomic Safety & Licensing Board Panel. 8pp. 85751:092-85751:099.

9510120136 Intervenor motion to conduct discovery re Dew Point instruments.* Intervenor requests to conduct addl discovery & to obtain further relief.W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17183. 95/10/06. Atomic Safety & Licensing Board Panel. 6pp. 85751:100-85751:105.

9510120153 Intervenor motion to admit certain admissions of Georgia Power.* Intervenor requests that admission responses & corresponding OI paragraphs listed be admitted into record. W/Certificate of Svc.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17184. 95/10/06. Atomic Safety & Licensing Board Panel. 35pp. 85751:106-85751:140.

9510180219 GA Power Company response to intervenor motion to strike affidavit of H Handfinger.* W/Certificate of Svc.
LAMBERSKI,J.E. Georgia Power Co. LAMBERSKI,J.E. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17200. 95/10/12. Atomic Safety & Licensing Board Panel. 5pp. 85845:339-85845:343.

9510180227 GA Power Company response to intervenors motion to admit Exhibit II-247 (transcript of tape 99B).* Intervenor motion to admit Intervenor Exhibit II-247 into evidence should be denied.W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17201. 95/10/12. Atomic Safety & Licensing Board Panel. 7pp. 85845:347-85845:353.

9510180235 GA Power Company response to intervenor motion to admit certain admissions of GA Power.* Intervenor motion to admit certain admissions of GA Power,dtd 951006,should be denied. W/Certificate of Svc & svc list.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17202. 95/10/12. Atomic Safety & Licensing Board Panel. 20pp. 85846:001-85846:020.

9510180292 Georgia Power Co response to intervenors motion to conduct further discovery against NRC Staff.* Motion to conduct further discovery denied.W/Certificate of Svc.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #495 17206. 95/10/12. Atomic Safety & Licensing Board Panel. 6pp. 85846:032-85846:037.

9510180180 Intervenor response to Board memorandum & order (effect of DOL case 90-ERA-30).* Bloomburg & Comanche Peak precedents demonstrate applicability of issue preclusion to matl fact containing to Hobby decision.W/Certificate of Svc.
KOHN,M.D. Affiliation Not Assigned. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17208. 95/10/13. Atomic Safety & Licensing Board Panel. 6pp. 85842:342-85842:347.

9510180207 Georgia Power Co position on effect of DOL case 90 ERA-30.* Recommends Board should refrain from considering or giving any effect to Secretary of Labor determination in 90 EAR-30. W/Certificate of Svc.
LEWIS,D.R. Georgia Power Co. LEWIS,D.R. Shaw, Pittman, Potts & Trowbridge. #495 17209. 95/10/13. Atomic Safety & Licensing Board Panel. 8pp. 85842:348-85842:355.

9510180214 Georgia Power Co response to intervenor motion to conduct discovery re Dew Point Instruments.* Recommends that intervenor motion to conduct discovery re Dew Point Instruments dtd 951006 be denied.W/Certificate of Svc.
LAMBERSKI,J. Georgia Power Co. LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #495 17210. 95/10/13. Atomic Safety & Licensing Board Panel. 20pp. 85845:319-85845:338.

9510180307 NRC Staff response to order requesting briefs on impact of Hobby DOL decision.* Staff does not view Hobby decision having impact on proceeding.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17207. 95/10/13. Atomic Safety & Licensing Board Panel. 8pp. 85847:090-85847:097.

9510300053 NRC Staff response to intervenor motion to conduct discovery related to Dew Point Instruments.* Advises that motion should be denied.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17225. 95/10/19. Atomic Safety & Licensing Board Panel. 5pp. 86000:074-86000:078.

9510300062 NRC Staff motion for receipt of affidavit of P Skinner in response to Board questions on sensor calibr procedures.* Staff requests that document be marked as Exhibit II-77 & received in advance.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17223. 95/10/19. Atomic Safety & Licensing Board Panel. 1p. 86000:089-86000:095.

--9510300064 Affidavit of PH Skinner in response to Board questions on sensor calibr procedures.* W/Certificate of Svc.
SKINNER,P.H. Region 2 (Post 820201). #495 17223. 95/10/19. 6pp. 86000:090-86000:095.

9510300071 NRC Staff opposition to intervenor motion for discovery against Staff mgt panel.* Advises that Board should deny motion.W/Certificate of Svc.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17222. 95/10/19. Atomic Safety & Licensing Board Panel. 13pp. 86000:096-86000:108.

9510300079 Informs that Staff will not be filing response to motion as pleadings of parties contain sufficient info for Board to resolve matters raised.
BARTH,C.A. Office of the General Counsel (Post 860701). #495 17221. 95/10/19. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 86000:116-86000:116.

9510310001 NRC response to Intervenor motion to admit Exhibit II-247.* W/Certificate of Svc.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17226. 95/10/19. Atomic Safety & Licensing Board Panel. 11pp. 86003:001-86003:011.

9510300059 Forwards page three of affidavit appended to 951019, "NRC Staff Motion for Receipt of Affidavit of P Skinner in Response to Board Questions on Sensor Calibr Procedures," for insertion into Board copy.
YOUNG,M.A. Office of the General Counsel (Post 860701). #495 17224. 95/10/20. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 2pp. 86000:083-86000:084.

9510300145 Memorandum & order (Intervenor motions;effect of hobby decision).* Orders that A Mosbaugh shall not be permitted addl discovery w/respect to witnesses RP Zimmerman & LA Reyes.W/Certificate of Svc.Served on 951023.
BLOCH,P.B. Atomic Safety & Licensing Board Panel. #495 17234. 95/10/23. Affiliation Not Assigned. 15pp. 86000:136-86000:150.

9510300041 Informs that Intervenor has failed to disclose to Commission or to GAP that legal authority exists & directly adverse to principal case cited.W/Certificate of Svc.
BLAKE,E.L. Georgia Power Co. BLAKE,E.L. Shaw, Pittman, Potts & Trowbridge. #495 17253. 95/10/25. Office of Commission Appellate Adjudication (Post 910701). 3pp. 86000:050-86000:053.

9510300092 Forwards updated Table of Contents for notebook,reflecting revisions made through 951025.
HULL,J.T. Office of the General Counsel (Post 860701). #495 17250. 95/10/25. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 5pp. 86000:117-86000:121.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510040024 Forwards rev 5 to updated FSAR for Vogtle Electric Generating Plant.Rev 5 reflects removal of figures that are reproductions of controlled engineering drawings.
MCCOY,C.K. Georgia Power Co. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85699:001-85704:319.

--9510040025 Rev 5 to updated FSAR for Vogtle Electric Generating Plant.
* Georgia Power Co. 95/09/30. 2,136pp. 85699:003-85704:319.

P. Operating license stage documents & correspondence

9510040265 Notification of 951012 meeting w/GPC in Rockville,MD to discuss status of NRC review of GPC application for conversion to new STS.
WHEELER,L.L. . 95/09/29. BERKOW,H.N. . 4pp. 85693:217-85693:220.

9510060072 Forwards addl info for response to individual plant exam questions & should be inserted into response as pages 42a through 42q.
MCCOY,C.K. Georgia Power Co. 95/10/02. Document Control Branch (Document Control Desk). 8pp. 85745:288-85745:295.

9510180106 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves.
CASTO,C.A. Region 2 (Post 820201). 95/10/04. MCCOY,C.K. Georgia Power Co. 2pp. 85842:050-85842:051.

9510180254 Confirms telcon between M Cheibani of GPC & BR Bonser of NRC on 950926 re management meeting scheduled for 951019 to discuss GPC assessment of plant performance at Vogtle.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/04. MCCOY,C.K. Georgia Power Co. 3pp. 85842:339-85842:341.

9510230369 Informs that Region II will be reorganized effective 951015, as part of NRC initiatives to increase efficiency & span of control & more effectively regulate nuclear industry. Forwards revised Region II organization charts.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/12. MCCOY,C.K. Georgia Power Co. 8pp. 85892:315-85892:322.

9510240348 Informs that util will implement recommendations outlined in GL consistent w/requested actions actions to be completed within 90 days & 180 from date of GL.
MCCOY,C.K. Georgia Power Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:286-85929:287.

9510240126 Application for amends to licenses NPF-68 & NPF-81,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J.
MCCOY,C.K. Georgia Power Co. 95/10/16. Document Control Branch (Document Control Desk). 8pp. 85998:343-85998:351.

--9510240133 Proposed tech specs,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J & using guidance of RG 1.163,Rev 0.
* Georgia Power Co. 95/10/16. 1p. 85998:351-85998:351.

9510300021 Forwards rev to util 950913 response to IPE Front End Question 2(b).
MCCOY,C.K. Georgia Power Co. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 86042:356-86042:359.

Q. Inspection reports, IE Bulletins & correspondence

9510110151 FOIA request for Exhibit Numbers 16 & 26 to OI Rept 2-90-001.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 95/09/11. FORTUNA,R. Ofc of Investigations (Post 880201). 1p. 85777:301-85777:301.

9509250343 Board notification 95-016:on 950804,Secretary of Labor issued encl decision & remand order in Dept of Labor Case 90-ERA-30 re GPC senior managers discrimination against one of employees,M Hobby.
VARGA,S.A. . 95/09/25. THE CHAIRMAN Commissioners (Post 750119). 6pp. 85645:296-85645:336.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510100285 Confirms 950928 conversation revising arrangements for predecisional enforcement conference scheduled for 951004 in Atlanta,GA to discuss apparent violation of 10CFR50.7, "Employee Protection," that occurred in 1990.
CRLENJAK,R.V. Region 2 (Post 820201). 95/09/28. HAIRSTON,W.G. Georgia Power Co. 4pp. 85728:095-85728:098.

9510100272 Forwards insp repts 50-424/95-19 & 50-425/95-19 on 950814-18 & 950828-0901 & notice of violation.
CASTO,C.A. Region 2 (Post 820201). 95/09/29. MCCOY,C.K. Georgia Power Co. 3pp. 85725:291-85725:313.

–9510100287 Notice of violation from insp on 950828-09.Violation noted: licensee failed to promptly identify & correct significant conditions adverse to quality.
* Region 2 (Post 820201). 95/09/29. 2pp. 85725:294-85725:295.

–9510100289 Insp repts 50-424/95-19 & 50-425/95-19 on 950829-0901. Violations noted.Major areas inspected:design changes & plant mods,engineering support activities & followup insp of previously identified DG problems.
WHITENER,H., SHYMLOCK,M.B. Region 2 (Post 820201). 95/09/30. 18pp. 85725:296-85725:313.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510180154 Provides response to NRC ltr re violations noted in insp repts 50-424/95-18 & 50-425/95-18 on 950716-0819.Corrective actions:counseled involved operator on necessity of familiarity & compliance w/applicable procedures.
MCCOY,C.K. Georgia Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85867:338-85867:340.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510230343 Forwards 951004 predecisional enforcement conference summary.List of attendees,meeting transcripts & handouts encl.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/11. HAIRSTON.W.G. Georgia Power Co. 224pp. 85892:001-85892:224.

9510240179 Advises of planned insp effort resulting from Vogtle PPR review.
MERSCHOFF,E.W. Region 2 (Post 820201). 95/10/12. MCCOY,C.K. Georgia Power Co. 4pp. 85896:297-85896:300.

9510240008 Forwards insp repts 50-424/95-21 & 50-425/95-21 on 950820-0916.No violations or deviations,noted.
CRLENJAK,R.V. Region 2 (Post 820201). 95/10/13. MCCOY,C.K. Georgia Power Co. 3pp. 85895:338-85895:355.

–9510240010 Insp repts 50-424/95-21 & 50-425/95-21 on 950820-0916.No violations noted.Major areas inspected:plant operations, surveillance,maint,onsite engineering,plant support & follow-up.
OGLE,C.R., HOPKINS,P.C., WIDMANN,M.T. Region 2 (Post 820201). 95/10/10. 15pp. 85895:341-85895:355.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240068 Ack receipt of 951009 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-18 & 50-425/95-18.
SKINNER,P.H. Region 2 (Post 820201). 95/10/17. MCCOY,C.K. Georgia Power Co. 4pp. 85896:066-85896:069.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510020074 "10CFR50.59(B) Rept Of Facility Changes,Tests & Experiments, Vogtle Electric Generating Plant,Unit 1 & 2." W/950925 ltr.
MCCOY,C.K. Georgia Power Co. 95/09/25. 42pp. 85681:205-85681:246.

9510180004 Monthly operating repts for Sept 1995 for Vogtle Electric Generating Plant.W/951009 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 95/09/30. 12pp. 85864:305-85864:316.

T. Hearing transcripts on non-antitrust matters

9510110161 Final response to FOIA request for documents.Records in App A will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 85777:302-85777:345.

–9510110165 Transcript of 900314 interview of G Bockhold in Waynesboro,GA re chemical cleaning of RCS using H peroxide. Pp 1-42.
* NRC - No Detailed Affiliation Given. 90/03/14. 42pp. 85777:304-85777:345.

9510020174 Transcript of 950928 meeting in Rockville,MD re Vogtle Electric Generating Plant,Units 1 & 2.Pp 15,276-15,482. Certificate encl.
* Atomic Safety & Licensing Board Panel. 95/09/28. 208pp. 85683:001-85683:211.

9510110102 Transcript of 951006 hearing in Rockville,MD re facility.Pp 15,483-15,511.
* Atomic Safety & Licensing Board Panel. 95/10/06. 34pp. 85780:169-85780:202.

9510160001 Transcript of 951011 hearing in Rockville,MD re facility.Pp 15,512-15,554.
* Atomic Safety & Licensing Board Panel. 95/10/11. 42pp. 85835:001-85835:053.

9510300046 Forwards copies of Intervenor Exhibit II-247.
WILMOTH,M.J. Affiliation Not Assigned. WILMOTH,M.J. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). #495 17252. 95/10/24. JULIAN,E. Docketing & Services Branch. 5pp. 86000:060-86000:064.

9510300075 Forwards Intervenor exhibit II-247A tape 99,side B (staff ver).
HULL,J.T. Office of the General Counsel (Post 860701). #495 17251. 95/10/25. HOYLE,J.C. Office of the Secretary of the Commission. 7pp. 86000:109-86000:115.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

–9510050227 Safety evaluation supporting Seventh Annual Rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510240039 Provides response to GL 95-07 re pressure locking & thermal binding of safety-related power-operated gate valves.
KAZANAS,N.C. Tennessee Valley Authority. 95/10/09. Document Control Branch (Document Control Desk). 4pp. 85929:150-85929:153.

9510230385 Informs that NRC resident inspector ofc at Bellefonte closed.
JAUDON,J.P. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85892:334-85892:336.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9510050221 Forwards safety evaluation re seventh annual rept on corrective actions implementation for Employee Concerns Special Program.No disagreement w/deviations noted.
HEBDON,F.J. . 95/09/28. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85722:109-85722:123.

--9510050227 Safety evaluation supporting Seventh Annual Rept on ECSP corrective action plans deviations.
* . 95/09/28. 11pp. 85722:113-85722:123.

9510180125 Extends invitation to power reactor license in Region II to participate w/ NRR in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
CASTO,C.A. Region 2 (Post 820201). 95/10/04. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85842:071-85842:072.

9510240039 Provides response to GL 95-07 re pressure locking & thermal binding of safety-related power-operated gate valves.
KAZANAS,N.C. Tennessee Valley Authority. 95/10/09. Document Control Branch (Document Control Desk). 4pp. 85929:150-85929:153.

9510230385 Informs that NRC resident inspector ofc at Bellefonte closed.
JAUDON,J.P. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85892:334-85892:336.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280204 Lists actions to be taken in response to 920110 memo re plant fire protection program concerns.Fire protection insp planned for early 1993.
MILLER,H.J. Region 3 (Post 820201). 92/02/07. DAVIS,A.B. Region 3 (Post 820201). 3pp. 85951:153-85951:279.

--9208280256 Responds to 920110 memo re plant fire protection concerns. Encl outlines planned actions.
DAVIS,A.B. Region 3 (Post 820201). 92/03/20. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85951:152-85951:152.

9510120039 FOIA request for documents re all versions of Perry Nuclear Plant security plans in effect during 1995.
SAGGIO,J.A. Affiliation Not Assigned. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85777:357-85777:358.

9510040245 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
HOPKINS,J.B. . 95/10/02. SHELTON,D.C. Centerior Energy. 4pp. 85696:345-85696:348.

9510250222 Change 6 to Rev 1 to Emergency Plan Implementing Instruction (EPI) EPI-A11, "Activation of Backup EOF." W/951005 ltr.
YAGER,L.A., SHELTON,D.C. Centerior Energy. 95/10/05. 10pp. 85985:318-85985:327.

G. Adjudicatory correspondence

9510060097 Memorandum & order (ruling on motions for summary disposition).* Grants intervenor motion for summary disposition.Applicant cross-motion for summary disposition, denied.W/Certificate of Svc.Served on 951004.
MOORE,T.S., COLE,R.F., KELBER,C.N. Atomic Safety & Licensing Board Panel. #495 17172. 95/10/04. Cleveland Electric Illuminating Co. 25pp. 85693:104-85693:128.

9510300057 Licensee request for extension of time to file petition for review.* Requests that Commission grant extension until 951107 of deadline for filing petition for review. W/Certificate of Svc.
SILBERG,J.E. Cleveland Electric Illuminating Co. SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. #495 17244. 95/10/23. Atomic Safety & Licensing Board Panel. 4pp. 86000:079-86000:082.

9510300014 Order.* Grants licensee request for extension of time to file petition for review of ASLB order LBP-95-17 until 951107.W/Certificate of Svc.Served on 951024.
HOYLE,J.C. Office of the Secretary of the Commission. #495 17239. 95/10/24. Cleveland Electric Illuminating Co. 2pp. 86000:026-86000:027.

P. Operating license stage documents & correspondence

9510040319 Forwards amend 73 to license NPF-58 & SE.Amend revises TS to make them more restrictive re CRD scram time testing.
HOPKINS,J.B. . 95/09/26. SHELTON,D.C. Centerior Service Co. 3pp. 85713:292-85713:303.

--9510040323 Amend 73 to license NPF-58,revising TS to make them more restrictive re CRD scram time testing.
HOPKINS,J.B. . 95/09/26. 7pp. 85713:295-85713:301.

--9510040325 Safety evaluation supporting amend 73 to license NPF-58.
* . 95/09/26. 2pp. 85713:302-85713:303.

9510050036 Forwards notice of transfer of 19.91% ownership of plant re license NPF-58,from Toledo Edison Co to company resulting from merger & to CEIC,per amend request of 940602.
HOPKINS,J.B. . 95/09/27. SHELTON,D.C. Centerior Energy. 3pp. 85720:351-85720:355.

--9510050038 Notice of transfer of 19.91% ownership of plant re license NPF-58,from Toledo Edison Co to company resulting from merger & to CEIC,per amend request of 940602.
MARCUS,G.H. . 95/09/27. 2pp. 85720:354-85720:355.

9510020327 Informs that Centerior Electric Co should be substituted wherever nomenclature "NEWCO" appears in 940602 proposed amend submittal re proposed merger of TOED & CLEI.
SHELTON,D.C. Centerior Energy. 95/09/28. Document Control Branch (Document Control Desk). 1p. 85690:243-85690:243.

9510240105 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
SHELTON,D.C. Centerior Energy. 95/10/16. Document Control Branch (Document Control Desk). 3pp. 85929:174-85929:176.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020100 Ack receipt of 950822 ltr in response to Notice of Violation dtd 950725.Concludes that response inconsistent w/licensee investigation.Violation occurred as stated in notice.
MILLER,H.J. Region 3 (Post 820201). 95/09/26. BAIR,A.C. Affiliation Not Assigned. 3pp. 85642:001-85642:004.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510190316 Informs that on 950907,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.Insp plan encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/10. SHELTON,D.C. Centerior Service Co. 5pp. 85864:088-85864:092.

9510270120 Forwards insp rept 50-440/95-07 on 950715-0901.No violations noted.
LANKSBURY,R.D. Region 3 (Post 820201). 95/10/13. SHELTON,D.C. Centerior Energy. 3pp. 85939:198-85939:214.

-9510270127 Insp rept 50-440/95-07 on 950715-0901.No violations noted. Major areas inspected:operations,engineering,maintenance & plant support.
LANKSBURY,R.D. Region 3 (Post 820201). 95/10/12. 13pp. 85939:202-85939:214.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190376 NPDES monthy rept forms for month of Sept 1995.W/951013 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 95/09/30. WILBURN,R. Ohio, State of. 5pp. 85911:257-85911:261.

9510190380 Monthly operating rept for Sept 1995 for Perry Nuclear Power Plant.W/951016 ltr.
NEUMAN,G.M., SHELTON,D.C. Centerior Energy. 95/09/30. 6pp. 85911:262-85911:267.

9510100387 Forwards revised NPDES monthly rept forms for Aug 1995.
SHELTON,D.C. Centerior Energy. 95/10/05. WILBURN,R. Ohio, State of. 5pp. 85765:289-85765:293.

S. Reportable occurrences, LERs & related correspondence

9510050139 Forwards LERs 95-005,95-006 & 95-007 re inverter failure results in reactor scram,ESF actuation during inverter restoration & improper feedwater pump transfer results in reactor scram.
SHELTON,D.C. Centerior Energy. 95/10/02. Document Control Branch (Document Control Desk). 1p. 85728:206-85728:219.

-9510050143 LER 95-005-00:on 950831,reactor automatically scramed.Caused by equipment failure.Inverter unit replaced & instrument power supply restored.
JURY,K.R. Centerior Energy. 95/10/02. 5pp. 85728:207-85728:211.

-9510050151 LER 95-006-00:on 950901,ESF actuation during inverter restoration occurred.Caused by personnel error.Engineers involved in technical review of work order coached & counseled by mgt/supervision.
JURY,K.R. Centerior Energy. 95/10/02. 4pp. 85728:212-85728:215.

-9510050156 LER 95-007-00:on 950902,reactor automatically scramed.Caused by operator error.Operators involved in event removed from licensed duties & counseled w/respect to improper actions.
JURY,K.R. Centerior Energy. 95/10/02. 4pp. 85728:216-85728:219.

9510170283 LER 95-008-00:on 950911,reactor scram occurred due to trip of main turbine & subsequent closure of turbine control & stop valves.Replaced inverter & restored instrument power supply.W/951010 ltr.
JURY,K.R., SHELTON,D.C. Centerior Energy. 95/10/10. 5pp. 85855:125-85855:129.

V. Operator Examinations

9510130059 Forwards individual exam results for applicants who took initial license exam week of 950828.W/o encl.
RING,M.A. Region 3 (Post 820201). 95/09/15. KANDA,W.R. Cleveland Electric Illuminating Co. 2pp. 85762:017-85762:018.

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

-9208280204 Lists actions to be taken in response to 920110 memo re plant fire protection program concerns.Fire protection insp planned for early 1993.
MILLER,H.J. Region 3 (Post 820201). 92/02/07. DAVIS,A.B. Region 3 (Post 820201). 3pp. 85951:153-85951:279.

-9208280256 Responds to 920110 memo re plant fire protection concerns. Encl outlines planned actions.
DAVIS,A.B. Region 3 (Post 820201). 92/03/20. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85951:152-85951:152.

9510250222 Change 6 to Rev 1 to Emergency Plan Implementing Instruction (EPI) EPI-A11, "Activation of Backup EOF." W/951005 ltr.
YAGER,L.A., SHELTON,D.C. Centerior Energy. 95/10/05. 10pp. 85985:318-85985:327.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510190376 NPDES monthy rept forms for month of Sept 1995.W/951013 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 95/09/30. WILBURN,R. Ohio, State of. 5pp. 85911:257-85911:261.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510160013 Rev 8 to "NH Radiological Emergency Response Plan."
* New Hampshire, State of. 95/07/31. 1,762pp. 85819:001-85823:306.

9510040313 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
DE AGAZIO,A.W. . 95/09/26. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 85713:282-85713:285.

G. Adjudicatory correspondence

9510300184 Forwards corrected requests for hearing & petition.Ack receipt of 951011 memo referring request for hearing & petition on behalf of three organizations.
BACKUS,R.A. Backus, Meyer & Solomon. #495 17238. 95/10/18. HOYLE,J.C. Docketing & Services Branch. 1p. 86000:153-86000:160.

-9510300193 Corrected request for hearing & petition to intervene on behalf of WTP,SAPL,NECNP & DW Del Core.* W/Certificate of Svc.
BACKUS,R.A. We The People of The United States (We The People, Inc.). BACKUS,R.A. Affiliation Not Assigned. BACKUS,R.A. New England Coalition on Nuclear Pollution. 95/10/18. Commissioners (Post 750119). 7pp. 86000:154-86000:160.

P. Operating license stage documents & correspondence

9510040080 Express appreciation for 950914 meeting.Key points discussed listed.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/25.
RUSSELL,W.T. . 2pp. 85709:195-85709:196.

9510020013 Provides response to NRC 950725 request for info re use of specific computer software in SR applications.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85681:316-85681:320.

9510020332 Forwards "Notice of Consideration of Issuance of Amend to FOL & Proposed No Significant Hazards Consideration Determination & Opportunity for Hearing." Notice re 950905 application for amend to TS.
DE AGAZIO,A.W. . 95/09/26. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 4pp. 85663:176-85663:187.

--9510020339 Notice of consideration of issuance of amend to license NPF-86 & proposed NSHC determination & opportunity for hearing.Amend modifies TS for turbine cycle safety valves.
DE AGAZIO,A.W. . 95/09/26. 8pp. 85663:180-85663:187.

9510050157 Extends invitation to Region I licensees to participate in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
KELLY,E.M. Region 1 (Post 820201). 95/09/27. OPEKA,J.F. Connecticut Yankee Atomic Power Co. 3pp. 85686:027-85686:033.

--9510050164 Notification of significant licensee meeting w/utils on 951102 to discuss power-operated valve pressure locking & thermal binding issues w/Region I licensees w/special emphasis on listed issues.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 4pp. 85686:030-85686:033.

9510100256 Extends invitation to Region I licensees to participate w/NRR & Region I representatives in discussion of GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power Operated Gate Valves," on 951102 in Wayne,PA.
KELLY,E.M. Region 1 (Post 820201). 95/09/27. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85727:024-85727:030.

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510190021 Submits suppl response to 950821 10CFR2.206 petition.
OPEKA,J.F. Northeast Nuclear Energy Co. 95/10/11. RUSSELL,W.T. . 13pp. 85886:340-85886:352.

9510200226 Forwards changes to TS Bases Section 3/4.4.2 safety valves. Proposed change would clarify what constitutes operable pressurizer safety valve when reactor is in Operational Mode 5.
DE AGAZIO,A.W. . 95/10/12. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 8pp. 85908:352-85908:360.

9510200269 Forwards changes to TS Bases Section 3/4.9.1,refueling boron concentration,providing clarification of limitations on positive reactivity changes.
DE AGAZIO,A.W. . 95/10/13. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 9pp. 85898:115-85898:123.

9510240310 Informs that util will implement requested actions as specified in GL 95-07.Also,within 90 days or by 951115,util will perform screening evaluation of operational configurations of all SR power-operated gate valves.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85929:245-85929:246.

9510240154 Requests relief from ASME B&PV Code Section XI requirements per 10CFR50.55.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/10/16. Document Control Branch (Document Control Desk). 17pp. 85937:300-85937:316.

9510250185 Forwards notice of consideration of issuance of amend to license & proposed NSHC determination & opportunity for hearing re 950920 application to amend TS to remove functional unit 6b.
DE AGAZIO,A.W. . 95/10/19. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85943:340-85943:350.

--9510250191 Notice of consideration of issuance of amend to license NPF-86 & proposed NSHC determination & opportunity for hearing.Amend to remove functional unit 6b, "Feedwater Isolation - Low RCS T Average Coincident W/Reactor Trip."
DE AGAZIO,A.W. . 95/10/19. 8pp. 85943:343-85943:350.

9510300154 Forwards response to NRC 950912 & 1013 RAIs re GL 95-03, "Circumferential Cracking of SG Tubes."
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/10/23. Document Control Branch (Document Control Desk). 8pp. 86051:227-86051:234.

9510310029 Forwards radiochemical procedure used at plant for rapid determination of Sr-89 & 90 in effluents.W/o encl.
ESSIG,T.H. . 95/10/24. RAMOS,L.M. Spain, Govt. of. 1p. 86033:352-86033:352.

Q. Inspection reports, IE Bulletins & correspondence

9510030012 Discusses results of 950829 executive plant performance review for plant on 950107-0824.Process consists of review of insp findings,significant events & other info relating to licensee performance.
COOPER,R.W. Region 1 (Post 820201). 95/09/22. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 85643:229-85643:233.

9510030051 Forwards insp rept 50-443/95-08 on 950627-0814.No violations noted.
DURR,J.P. Region 1 (Post 820201). 95/09/22. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 5pp. 85643:245-85643:265.

--9510030053 Insp rept 50-443/95-08 on 950627-0814.No violations noted. Major areas inspected:plant operations,maintenance, engineering & plant support.
ROGGE,J. Region 1 (Post 820201). 95/09/22. 14pp. 85643:249-85643:265.

9510050044 Forwards engineering insp rept 50-443/95-10 on 950821-25.No violations noted.
KELLY,E.M. Region 1 (Post 820201). 95/09/25. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 2pp. 85724:346-85724:353.

--9510050047 Insp rept 50-443/95-10 on 950821-25.No violations noted. Major areas inspected:effectiveness of engineering organization to provide technical support for plant.
PRIVIDY,L., KELLY,E.M. Region 1 (Post 820201). 95/09/22. 6pp. 85724:348-85724:353.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510180151 Forwards insp rept 50-443/95-12 on 950814-0901.No violations noted.
MEYER,G.W. Region 1 (Post 820201). 95/10/05. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 3pp. 85842:167-85842:182.

--9510180158 Insp rept 50-443/95-12 on 950814-0901.No violations noted. Major areas inspected:operations,maint,engineering & plant support.
BISSETT,P., MEYER,G.W. Region 1 (Post 820201). 95/10/05. 13pp. 85842:170-85842:182.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510180018 Monthly operating rept for Sept 1995 for Seabrook Station Unit 1.W/ 951013 ltr.
NARDONE,P.E., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/09/30. 5pp. 85864:327-85864:331.

S. Reportable occurrences, LERs & related correspondence

9510180024 LER 95-005-01:on 950731,util failed to comply w/action requirements in TS 3.3.1.Caused by inadequate job scoping of NI calibr work package.Ceased all TS related work removed from refueling outage to non-outage period.W/951013 ltr.
PESCHEL,J.M., FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/10/13. 6pp. 85855:145-85855:150.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

P. Operating license stage documents & correspondence

9510110127 Expresses gratitude for participation at 950920 meeting re status of nuclear reengineering of Northeast Util.List of attendees & presentation handouts encl.
DURR,J.P. Region 1 (Post 820201). 95/10/03. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 32pp. 85731:033-85731:064.

9510310029 Forwards radiochemical procedure used at plant for rapid determination of Sr-89 & 90 in effluents.W/o encl.
ESSIG,T.H. . 95/10/24. RAMOS,L.M. Spain, Govt. of. 1p. 86033:352-86033:352.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8907070192 Forwards Insp Repts 50-445/89-31 & 50-446/89-31 on 890515-19.No violations or deviations noted.Insp rept withheld w/exception of rept cover page,per 10CFR73.21.
WARNICK,R.F. Assistant Director for Inspection Programs. 89/06/29. CAHILL,C.J., COUNSIL,W.G. Texas Utilities Electric Co. (TU Electric). 5pp. 85897:234-85897:241.

--9510200283 Partially withheld insp repts 50-445/89-31 & 50-446/89-31 on 890515-19 (ref 10CFR73.21).No violations noted.Major areas inspected:security training & qualifications,security organization & protection of safeguards info.
CALDWELL,R.A., KELLY,J.A., EVERETT,R.J. Region 4 (Post 820201). 89/06/20. 3pp. 85897:239-85897:241.

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

9510030153 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
POLICH,T.J. . 95/09/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85685:343-85685:346.

9510020239 Forwards comments on draft Technical Ltr Rept entitled, "Assessment of Cable Functionality Performance Issues for TUE Comanche Peak,Unit 1 Thermo-Lag Fire Endurance Test."
JENKINS,R. . 95/09/27. NOWLEN,S.P. Sandia National Laboratories. 21pp. 85663:143-85663:163.

9510110320 Revised Emergency Plan Procedures (EPP),including PCN EPP-112-R8-2 to Rev 8 to EPP-112,Rev 12 to EPP-206 & PCN EPP-303-R10-1 to Rev 10 to EPP-303.W/951005 ltr.
MANROE,M., TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/10/05. 36pp. 85782:244-85782:279.

9510180266 Forwards insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violation noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85848:118-85848:131.

--9510180274 Insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violations noted.Major areas inspected:radiological environmental monitoring program including organization & mgt controls,training qualifications & QA program.
MURRAY,B. Region 4 (Post 820201). 95/10/09. 10pp. 85848:122-85848:131.

9510310150 Forwards insp repts 50-445/95-23 & 50-446/95-23 on 951002- 05 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 86003:219-86003:228.

--9510310157 Notice of violation from insp on 951002-05.Violations noted: safeguards safe in Security Shift Commanders ofc in Alternate Access Point bldg left unsecured for approx one hour.
* Region 4 (Post 820201). 95/10/26. 2pp. 86003:225-86003:226.

--9510310163 Insp repts 50-445/95-23 & 50-446/95-23 on 951002-05. Violations noted.Major areas inspected:records & repts, security audit program,package access control,vehicle access control,test & maint.
MURRAY,B. Region 4 (Post 820201). 95/10/26. 2pp. 86003:227-86003:228.

P. Operating license stage documents & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp. 85950:001-85975:254.

--9208280137 Discusses potential discrepancies between current data being compiled at Omega Point & acceptance criteria for gap widths at Comanche Peak.
WALKER,K. Office of the Inspector General (Post 890417). 92/06/29. ARCHITZEL,R.E. Plant Systems Branch. 1p. 85953:220-85953:220.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

9510020253 Forwards exemption from certain requirements of 10CFR50.71(e)(4) re submission of revisions to FSAR & design change repts for facility changes made under 10CFR50.59 for CPSES Units 1 & 2 & SE.
POLICH,T.J. . 95/09/25. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 85663:134-85663:142.

--9510020270 Exemption from certain requirements of 10CFR50.71(e)(4) re submission of revisions to FSAR & design change repts for facility changes made under 10CFR50.59.
ROE,J.W. . 95/09/25. Texas Utilities Electric Co. (TU Electric). 4pp. 85663:137-85663:140.

--9510020279 Safety evaluation supporting exemption to 10CFR50.71(e)(4).
* . 95/09/25. 2pp. 85663:141-85663:142.

9510020239 Forwards comments on draft Technical Ltr Rept entitled, "Assessment of Cable Functionality Performance Issues for TUE Comanche Peak,Unit 1 Thermo-Lag Fire Endurance Test."
JENKINS,R. . 95/09/27. NOWLEN,S.P. Sandia National Laboratories. 21pp. 85663:143-85663:163.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510180259 Forwards SF pool storage assessment repts for plants,based on expressed interest in task action plan.Informs that no addl assessment visits planned & that staff proceeding w/consolidation of findings from four assessments completed.
SHEA,J.W. . 95/10/12. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 32pp. 85882:001-85882:031.

9510240384 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power Operated Gate Valves."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/16. Document Control Branch (Document Control Desk). 5pp. 85929:298-85929:302.

9510260101 Final response to FOIA request for documents.Records in App A being made available for PDR.App B already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. O'MEALIA,M. Affiliation Not Assigned. 3pp. 85994:350-85994:354.

--9510260107 Responds to 930203 ltr requesting meeting to discuss plant const & licensing activities.
MILHOAN,J.L. Region 4 (Post 820201). 93/03/01. FOGEL,S. . 2pp. 85994:353-85994:354.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

Q. Inspection reports, IE Bulletins & correspondence

8907070192 Forwards Insp Repts 50-445/89-31 & 50-446/89-31 on 890515-19.No violations or deviations noted.Insp rept withheld w/exception of rept cover page,per 10CFR73.21.
WARNICK,R.F. Assistant Director for Inspection Programs. 89/06/29. CAHILL,C.J., COUNSIL,W.G. Texas Utilities Electric Co. (TU Electric). 5pp. 85897:234-85897:241.

--9510200283 Partially withheld insp repts 50-445/89-31 & 50-446/89-31 on 890515-19 (ref 10CFR73.21).No violations noted.Major areas inspected:security training & qualifications,security organization & protection of safeguards info.
CALDWELL,R.A., KELLY,J.A., EVERETT,R.J. Region 4 (Post 820201). 89/06/20. 3pp. 85897:239-85897:241.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030262 Forwards insp repts 50-445/95-16 & 50-446/95-16 on stated dates.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/26. TERRY,C.L. Texas Utilities Co. 5pp. 85673:001-85673:035.

--9510030268 Insp repts 50-445/95-16 & 50-446/95-16 on stated date.No violations noted.Major areas inspected:maint activities,erosion/corrosion program & program implementation.
POWERS,D.A. Region 4 (Post 820201). 95/09/13. 30pp. 85673:006-85673:035.

9510060039 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-08 & 50-446/95-08.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85693:044-85693:052.

--9510060048 Responds to NRC 950810 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13.Corrective actions: changes noted in Ref 1,Radiation Protection Instruction RPI-528 will be revised to include listed enhancement.
WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/09/29. Document Control Branch (Document Control Desk). 5pp. 85693:048-85693:052.

9510060351 Responds to NRC 950901 ltr re violations noted in insp repts 50-445/95-13 & 50-446/95-13 on 950612-0720.Corrective actions:deficiency document issued,operator involved counseled & lessons learned issued.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85748:353-85748:358.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110053 Ack receipt of 951002 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-13 & 50-446/95-13.
GWYNN,T.P. Region 4 (Post 820201). 95/10/04. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85729:144-85729:153.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110125 Forwards insp repts 50-445/95-17 & 50-446/95-17 & notice of violation.NRC concerned that findings reflect poor engineering followup in failure to develop adequate CAs from Dec 1992 recognition of spent fuel pool high level alarm.
DYER,J.E. Region 4 (Post 820201). 95/10/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85731:001-85731:032.

--9510110136 Notice of violation from insp on 950730-0909.Violation noted:while aligning refueling water purification sys to RWST on 950803,licensee operators cross-connected RWST to spent fuel pool when opened Valve XSF-0025.
* Region 4 (Post 820201). 95/10/05. 2pp. 85731:006-85731:007.

--9510110142 Insp repts 50-445/95-17 & 50-446/95-17 on 950730-0909.No violations noted.Major areas inspected:plant operations, surveillance observations,maintenance,on-site engineering, plant support,review of LERs,et al.
KIRSCH,D. Region 4 (Post 820201). 95/10/04. 26pp. 85731:008-85731:032.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110097 Forwards insp rept 50-445/95-19 & 50/446/95-19 on 950821-25 & 0905-08.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 85730:192-85730:218.

--9510110107 Insp repts 50-445/95-19 & 50-446/95-19 on 950821-25 & 0905-08.No violations noted.Major areas inspected:activities related to completion of licensee commitments to GL 89-10.
VANDENBURGH,C. Region 4 (Post 820201). 95/10/06. 25pp. 85730:197-85730:218.

9510110299 Forwards response to NRC 950908 ltr re violations noted in insp repts 50-445/95-12 & 50-446/95-12 on 950626-0720. Corrective actions:performed technical evaluation 95-767 to analyze effect of waiting until next refuel outage.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85762:135-85762:138.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180266 Forwards insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violation noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85848:118-85848:131.

--9510180274 Insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violations noted.Major areas inspected:radiological environmental monitoring program including organization & mgt controls,training qualifications & QA program.
MURRAY,B. Region 4 (Post 820201). 95/10/09. 10pp. 85848:122-85848:131.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

9510310150 Forwards insp repts 50-445/95-23 & 50-446/95-23 on 951002- 05 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 86003:219-86003:228.

--9510310157 Notice of violation from insp on 951002-05.Violations noted: safeguards safe in Security Shift Commanders ofc in Alternate Access Point bldg left unsecured for approx one hour.
* Region 4 (Post 820201). 95/10/26. 2pp. 86003:225-86003:226.

--9510310163 Insp repts 50-445/95-23 & 50-446/95-23 on 951002-05. Violations noted.Major areas inspected:records & repts, security audit program,package access control,vehicle access control,test & maint.
MURRAY,B. Region 4 (Post 820201). 95/10/26. 2pp. 86003:227-86003:228.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170009 Forwards monthly operating repts for Sept 1995 & revised repts for Jul & Aug 1995.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/13. Document Control Branch (Document Control Desk). 1p. 85836:194-85836:204.

--9510170010 Monthly operating repts for Sept 1995 for Comanche Peak SES Units 1 & 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/09/30. 8pp. 85836:195-85836:202.

--9510170012 Revised monthly operating rept for Jul 1995 for Comanche Peak SES Unit 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/07/31. 1p. 85836:203-85836:203.

--9510170013 Revised monthly operating rept for Aug 1995 for Comanche Peak SES Unit 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/08/31. 1p. 85836:204-85836:204.

V. Operator Examinations

9510300083 Forwards results of Generic Fundamental Exam Section of written operator licensing exam administered on 951003.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 86001:241-86001:243.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

8907070192 Forwards Insp Repts 50-445/89-31 & 50-446/89-31 on 890515-19.No violations or deviations noted.Insp rept withheld w/exception of rept cover page,per 10CFR73.21.
WARNICK,R.F. Assistant Director for Inspection Programs. 89/06/29. CAHILL,C.J. Texas Utilities Electric Co. (TU Electric). 5pp. 85897:234-85897:241.

--9510200283 Partially withheld insp repts 50-445/89-31 & 50-446/89-31 on 890515-19 (ref 10CFR73.21).No violations noted.Major areas inspected:security training & qualifications,security organization & protection of safeguards info.
CALDWELL,R.A. Region 4 (Post 820201). 89/06/20. 3pp. 85897:239-85897:241.

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp. 85950:001-85975:254.

--9208280140 Discusses 920625 telcon re ongoing installation of Thermo-Lag at plant.
PAUL,R.C. Region 3 (Post 820201). 92/06/25. WALKER,K.E. NRC - No Detailed Affiliation Given. 1p. 85953:221-85953:222.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

--9510060220 Submits daily highlight re confirmatory testing of protective fire barrier sys (Thermo-Lag) at Omega Point Lab.
HOLIAN,B.E. Project Directorate III-1. 92/06/20. MURLEY,T., MIRALIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 9pp. 85953:165-85953:219.

9510030153 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
POLICH,T.J. . 95/09/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85685:343-85685:346.

9510020239 Forwards comments on draft Technical Ltr Rept entitled, "Assessment of Cable Functionality Performance Issues for TUE Comanche Peak,Unit 1 Thermo-Lag Fire Endurance Test."
JENKINS,R. . 95/09/27. NOWLEN,S.P. Sandia National Laboratories. 21pp. 85663:143-85663:163.

9510110320 Revised Emergency Plan Procedures (EPP),including PCN EPP-112-R8-2 to Rev 8 to EPP-112,Rev 12 to EPP-206 & PCN EPP-303-R10-1 to Rev 10 to EPP-303.W/951005 ltr.
MANROE,M., TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 95/10/05. 36pp. 85782:244-85782:279.

9510180266 Forwards insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violation noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85848:118-85848:131.

--9510180274 Insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violations noted.Major areas inspected:radiological environmental monitoring program including organization & mgt controls,training qualifications & QA program.
MURRAY,B. Region 4 (Post 820201). 95/10/09. 10pp. 85848:122-85848:131.

9510310150 Forwards insp repts 50-445/95-23 & 50-446/95-23 on 951002- 05 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 86003:219-86003:228.

--9510310157 Notice of violation from insp on 951002-05.Violations noted: safeguards safe in Security Shift Commanders ofc in Alternate Access Point bldg left unsecured for approx one hour.
* Region 4 (Post 820201). 95/10/26. 2pp. 86003:225-86003:226.

--9510310163 Insp repts 50-445/95-23 & 50-446/95-23 on 951002-05. Violations noted.Major areas inspected:records & repts, security audit program,package access control,vehicle access control,test & maint.
MURRAY,B. Region 4 (Post 820201). 95/10/26. 2pp. 86003:227-86003:228.

P. Operating license stage documents & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp. 85950:001-85975:254.

--9208280137 Discusses potential discrepancies between current data being compiled at Omega Point & acceptance criteria for gap widths at Comanche Peak.
WALKER,K. Office of the Inspector General (Post 890417). 92/06/29. ARCHITZEL,R.E. Plant Systems Branch. 1p. 85953:220-85953:220.

--9208280140 Discusses 920625 telcon re ongoing installation of Thermo-Lag at plant.
PAUL,R.C. Region 3 (Post 820201). 92/06/25. WALKER,K.E. NRC - No Detailed Affiliation Given. 1p. 85953:221-85953:222.

--9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

--9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

--9510060220 Submits daily highlight re confirmatory testing of protective fire barrier sys (Thermo-Lag) at Omega Point Lab.
HOLIAN,B.E. Project Directorate III-1. 92/06/20. MURLEY,T., MIRALIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 9pp. 85953:165-85953:219.

9510020253 Forwards exemption from certain requirements of 10CFR50.71(e)(4) re submission of revisions to FSAR & design change repts for facility changes made under 10CFR50.59 for CPSES Units 1 & 2 & SE.
POLICH,T.J. . 95/09/25. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 85663:134-85663:142.

--9510020270 Exemption from certain requirements of 10CFR50.71(e)(4) re submission of revisions to FSAR & design change repts for facility changes made under 10CFR50.59.
ROE,J.W. . 95/09/25. Texas Utilities Electric Co. (TU Electric). 4pp. 85663:137-85663:140.

--9510020279 Safety evaluation supporting exemption to 10CFR50.71(e)(4).
* . 95/09/25. 2pp. 85663:141-85663:142.

9510020239 Forwards comments on draft Technical Ltr Rept entitled, "Assessment of Cable Functionality Performance Issues for TUE Comanche Peak,Unit 1 Thermo-Lag Fire Endurance Test."
JENKINS,R. . 95/09/27. NOWLEN,S.P. Sandia National Laboratories. 21pp. 85663:143-85663:163.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510180259 Forwards SF pool storage assessment repts for plants,based on expressed interest in task action plan.Informs that no addl assessment visits planned & that staff proceeding w/consolidation of findings from four assessments completed.
SHEA,J.W. . 95/10/12. LOCHBAUM,D.A., PREVATTE,D.C. Affiliation Not Assigned. 32pp. 85882:001-85882:031.

9510240384 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power Operated Gate Valves."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/16. Document Control Branch (Document Control Desk). 5pp. 85929:298-85929:302.

9510260101 Final response to FOIA request for documents.Records in App A being made available for PDR.App B already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. O'MEALIA,M. Affiliation Not Assigned. 3pp. 85994:350-85994:354.

--9510260107 Responds to 930203 ltr requesting meeting to discuss plant const & licensing activities.
MILHOAN,J.L. Region 4 (Post 820201). 93/03/01. FOGEL,S. . 2pp. 85994:353-85994:354.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

Q. Inspection reports, IE Bulletins & correspondence

8907070192 Forwards Insp Repts 50-445/89-31 & 50-446/89-31 on 890515-19.No violations or deviations noted.Insp rept withheld w/exception of rept cover page,per 10CFR73.21.
WARNICK,R.F. Assistant Director for Inspection Programs. 89/06/29. CAHILL,C.J., COUNSIL,W.G. Texas Utilities Electric Co. (TU Electric). 5pp. 85897:234-85897:241.

--9510200283 Partially withheld insp repts 50-445/89-31 & 50-446/89-31 on 890515-19 (ref 10CFR73.21).No violations noted.Major areas inspected:security training & qualifications,security organization & protection of safeguards info.
CALDWELL,R.A., KELLY,J.A., EVERETT,R.J. Region 4 (Post 820201). 89/06/20. 3pp. 85897:239-85897:241.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030262 Forwards insp repts 50-445/95-16 & 50-446/95-16 on stated dates.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/26. TERRY,C.L. Texas Utilities Co. 5pp. 85673:001-85673:035.

--9510030268 Insp repts 50-445/95-16 & 50-446/95-16 on stated date.No violations noted.Major areas inspected:maint activities,erosion/corrosion program & program implementation.
POWERS,D.A. Region 4 (Post 820201). 95/09/13. 30pp. 85673:006-85673:035.

9510060039 Ack receipt of 950911 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-08 & 50-446/95-08.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85693:044-85693:052.

--9510060048 Responds to NRC 950810 ltr re violations noted in insp repts 50-445/95-08 & 50-446/95-08 on 950410-13.Corrective actions: changes noted in Ref 1,Radiation Protection Instruction RPI-528 will be revised to include listed enhancement.
WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/09/29. Document Control Branch (Document Control Desk). 5pp. 85693:048-85693:052.

9510060351 Responds to NRC 950901 ltr re violations noted in insp repts 50-445/95-13 & 50-446/95-13 on 950612-0720.Corrective actions:deficiency document issued,operator involved counseled & lessons learned issued.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85748:353-85748:358.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110053 Ack receipt of 951002 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/95-13 & 50-446/95-13.
GWYNN,T.P. Region 4 (Post 820201). 95/10/04. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85729:144-85729:153.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110125 Forwards insp repts 50-445/95-17 & 50-446/95-17 & notice of violation.NRC concerned that findings reflect poor engineering followup in failure to develop adequate CAs from Dec 1992 recognition of spent fuel pool high level alarm.
DYER,J.E. Region 4 (Post 820201). 95/10/05. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85731:001-85731:032.

--9510110142 Insp repts 50-445/95-17 & 50-446/95-17 on 950730-0909.No violations noted.Major areas inspected:plant operations, surveillance observations,maintenance,on-site engineering, plant support,review of LERs,et al.
KIRSCH,D. Region 4 (Post 820201). 95/10/04. 26pp. 85731:008-85731:032.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110097 Forwards insp rept 50-445/95-19 & 50/446/95-19 on 950821-25 & 0905-08.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 85730:192-85730:218.

--9510110107 Insp repts 50-445/95-19 & 50-446/95-19 on 950821-25 & 0905-08.No violations noted.Major areas inspected:activities related to completion of licensee commitments to GL 89-10.
VANDENBURGH,C. Region 4 (Post 820201). 95/10/06. 25pp. 85730:197-85730:218.

9510110299 Forwards response to NRC 950908 ltr re violations noted in insp repts 50-445/95-12 & 50-446/95-12 on 950626-0720. Corrective actions:performed technical evaluation 95-767 to analyze effect of waiting until next refuel outage.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85762:135-85762:138.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180266 Forwards insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violation noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85848:118-85848:131.

--9510180274 Insp repts 50-445/95-20 & 50-446/95-20 on 950918-22.No violations noted.Major areas inspected:radiological environmental monitoring program including organization & mgt controls,training qualifications & QA program.
MURRAY,B. Region 4 (Post 820201). 95/10/09. 10pp. 85848:122-85848:131.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

9510310150 Forwards insp repts 50-445/95-23 & 50-446/95-23 on 951002- 05 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 86003:219-86003:228.

--9510310157 Notice of violation from insp on 951002-05.Violations noted: safeguards safe in Security Shift Commanders ofc in Alternate Access Point bldg left unsecured for approx one hour.
* Region 4 (Post 820201). 95/10/26. 2pp. 86003:225-86003:226.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170009 Forwards monthly operating repts for Sept 1995 & revised repts for Jul & Aug 1995.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/13. Document Control Branch (Document Control Desk). 1p. 85836:194-85836:204.

--9510170010 Monthly operating repts for Sept 1995 for Comanche Peak SES Units 1 & 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/09/30. 8pp. 85836:195-85836:202.

--9510170012 Revised monthly operating rept for Jul 1995 for Comanche Peak SES Unit 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/07/31. 1p. 85836:203-85836:203.

--9510170013 Revised monthly operating rept for Aug 1995 for Comanche Peak SES Unit 2.
HUGHES,J. Texas Utilities Electric Co. (TU Electric). 95/08/31. 1p. 85836:204-85836:204.

S. Reportable occurrences, LERs & related correspondence

9510100030 LER 95-002-00:on 950902,invalid TS surveillance occurred due to reading incorrect instrument.Performed surveillance. W/950929 ltr.
KROSS,D., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/02. 5pp. 85767:098-85767:102.

9510240049 LER 95-003-01:on 950914,discovered incomplete surveillance to confirm turbine driven AFW pump steam admission valves open stroke for black out signal.Caused by less than adequate procedures.Procedures revised.W/951016 ltr.
MARVRAY,T., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 95/10/16. 6pp. 85948:288-85948:293.

V. Operator Examinations

9510300083 Forwards results of Generic Fundamental Exam Section of written operator licensing exam administered on 951003.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 86001:241-86001:243.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100385 Revised EPIPs,including EPIP index,Rev 42 to BZP 600-A1 & Rev 39 to BZP 600-A4.
* Commonwealth Edison Co. 95/09/26. 22pp. 85765:262-85765:283.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510020186 Suppl response to GL 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment."
PONTIOUS,H.D. Commonwealth Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 3pp. 85682:304-85682:306.

9510040281 Notification of 951005 meeting w/util in Rockville,MD to discuss util calculation of hydrodynamic loads on tube support plates in plants,Unit 1,SG under postulated accident loads.
LYNCH,M.D. . 95/09/29. CAPRA,R.A. . 3pp. 85713:205-85713:207.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060288 Provides addl info re increase in interim plugging criteria for plants.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 23pp.. 85746:329-85746:352.

9510100269 Application for amends to Licenses NPF-37 & NPF-66,revising allowable time intervals for performing certain TS surveillance requirements on plant components during power operation,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 15pp. 85750:263-85750:306.

--9510100282 Proposed tech specs re line-item improvements to reduce surveillance requirements for testing during power operation,per GL 93-05.
* Commonwealth Edison Co. 95/10/03. 29pp. 85750:278-85750:306.

9510130219 Forwards clarification of three issues discussed during 951003 & 04 telcons re util request to increase interim plugging criteria for Braidwood Unit 1 & Byron Unit 1 SGs.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/07. . 4pp. 85810:351-85810:354.

9510190262 Submits clarification re increase in interim plugging criteria for plant SGs,per GL 95-05.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/11. . 10pp. 85884:342-85884:351.

9510200215 Forwards items discussed during 951005 meeting w/NRC re hydrodynamic load model for application of 3 volt interim plugging criteria.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/11. . 3pp. 85911:350-85911:352.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510190271 Forwards Rev 0 to PSA-B-95-17, "Calculation of Byron 1/ Braidwood 1 D4 SG Tube Support Plate Loads w/RELAP5M3," addressing addl info discussed during meeting.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/12. . 1p. 85883:274-85883:344.

--9510190274 Rev 0 to PSA-B-95-17, "Calculation of Byron 1/Braidwood 1 D4 SG Tube Support Plate Loads w/RELAP5M3."
RAMSDEN,K.B. Commonwealth Edison Co. PSA-B-95-17 R00. 95/10/11. 70pp. 85883:275-85883:344.

9510190197 Forwards Rev 0 to PSA-B-95-18, "RELAP5M3 Comparison of Model Boiler 2 MSLB from HZP Test."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 1p. 85887:217-85887:304.

--9510190209 Rev 0 to PSA-B-95-18, "RELAP5M3 Comparison of Model Boiler 2 MSLB from HZP Test."
RAMSDEN,K.B. Commonwealth Edison Co. PSA-B-95-18 R00. 95/10/12. 87pp. 85887:218-85887:304.

9510190228 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 9pp. 85885:320-85885:328.

9510190286 Forwards nonproprietary Addendum 1 to WCAP-14274 & proprietary Addendum 1 to WCAP-14273 re request to increase interim plugging criteria for facilities SGs,to reflect TSP analysis using RELAP5 loads.Proprietary rept withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/13. . 2pp. 85885:285-85885:319.

--9510190293 Requests that proprietary Addendun 1 to WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for...Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads" be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/10/12. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 85885:287-85885:296.

--9510190301 Nonproprietary Addendum 1 to "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Braidwood-1 & Byron-1 Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads."
* Westinghouse Electric Corp. WCAP-14274 ADD 01. 95/10/31. 23pp. 85885:297-85885:319.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230311 Summary of 950922 meeting w/util at Westinghouse Waltz Mill Facility re issues associated w/insp of various SG loan path components in support of util 950901 proposal to increase tube repair limits.W/viewgraphs.
SULLIVAN,E. . 95/10/17. STROSNIDER,J.R. . 10pp. 85910:226-85910:235.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510260201 Amends 75 to licenses NPF-37 & NPF-66,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
DICK,G.F. . 95/10/20. 13pp. 86010:006-86010:018.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

9510300081 Forwards clarification of items previously docketed re increase interim plugging criteria for facilities,per 951018 telcon w/NRC.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/23. . 5pp. 86051:192-86051:196.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190270 Discusses insp repts 50-454/95-07 & 50-455/95-07 on 950623- 0803 & forwards notice of violation.
FARBER,M.J. Region 3 (Post 820201). 95/09/26. GRAESSER,K. Commonwealth Edison Co. 5pp. 85864:052-85864:077.

--9510190275 Notice of violation from insp on 950623-0803.Violation noted:scaffold,documents pre-qualified seismic,constructed on & over safety re equipment in 2A DG room & did not maintain adequate clearance distance.
* Region 3 (Post 820201). 95/09/26. 2pp. 85864:057-85864:058.

--9510190277 Insp repts 50-454/95-07 & 50-455/95-07 on 950623-0803. Violations noted.Major areas inspected:operations,maint, engineering & plant support was performed.
FARBER,M.J. Region 3 (Post 820201). 95/09/26. 19pp. 85864:059-85864:077.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270055 Advises util of planned insp effort resulting from Byron PPR review.Insp plan,encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/17. GRAESSER,K. Commonwealth Edison Co. 3pp. 85939:001-85939:003.

9510260150 Notification of 951026 meeting w/util in Rockville,MD to discuss results of prevailing eddy current,insp of plant steam generator tubes.
LYNCH,M.D. . 95/10/24. CAPRA,R.A. . 3pp. 85947:305-85947:307.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170017 Monthly operating repts for Sept 1995 for Byron Nuclear Power Station.W/ 951006 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/09/30. 14pp. 85836:241-85836:254.

S. Reportable occurrences, LERs & related correspondence

9510180055 LER 95-003-00:on 950913,containment leak detector was inoperable.Caused by misinterpretation of TS requirements by shift control room engineers involved.Wrote daily order to identify correct interpretation of TS 3.4.6.1.W/ 951011 ltr.
JACOBSEN,B., KOFRON,K.L. Commonwealth Edison Co. 95/10/11. 7pp. 85855:151-85855:157.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510100385 Revised EPIPs,including EPIP index,Rev 42 to BZP 600-A1 & Rev 39 to BZP 600-A4.
* Commonwealth Edison Co. 95/09/26. 22pp. 85765:262-85765:283.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info.being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510020186 Suppl response to GL 89-13, "Svc Water Sys Problems Affecting Safety-Related Equipment."
PONTIOUS,H.D. Commonwealth Edison Co. 95/09/29. Document Control Branch (Document Control Desk). 3pp. 85682:304-85682:306.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510100269 Application for amends to Licenses NPF-37 & NPF-66,revising allowable time intervals for performing certain TS surveillance requirements on plant components during power operation,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 15pp. 85750:263-85750:306.

--9510100282 Proposed tech specs re line-item improvements to reduce surveillance requirements for testing during power operation,per GL 93-05.
* Commonwealth Edison Co. 95/10/03. 29pp. 85750:278-85750:306.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510190228 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 9pp. 85885:320-85885:328.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230311 Summary of 950922 meeting w/util at Westinghouse Waltz Mill Facility re issues associated w/insp of various SG loan path components in support of util 950901 proposal to increase tube repair limits.W/viewgraphs.
SULLIVAN,E. . 95/10/17. STROSNIDER,J.R. . 10pp. 85910:226-85910:235.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510260201 Amends 75 to licenses NPF-37 & NPF-66,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
DICK,G.F. . 95/10/20. 13pp. 86010:006-86010:018.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510190270 Discusses insp repts 50-454/95-07 & 50-455/95-07 on 950623- 0803 & forwards notice of violation.
FARBER,M.J. Region 3 (Post 820201). 95/09/26. GRAESSER,K. Commonwealth Edison Co. 5pp. 85864:052-85864:077.

--9510190275 Notice of violation from insp on 950623-0803.Violation noted:scaffold,documents pre-qualified seismic,constructed on & over safety re equipment in 2A DG room & did not maintain adequate clearance distance.
* Region 3 (Post 820201). 95/09/26. 2pp. 85864:057-85864:058.

--9510190277 Insp repts 50-454/95-07 & 50-455/95-07 on 950623-0803. Violations noted.Major areas inspected:operations,maint, engineering & plant support was performed.
FARBER,M.J. Region 3 (Post 820201). 95/09/26. 19pp. 85864:059-85864:077.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270055 Advises util of planned insp effort resulting from Byron PPR review.Insp plan,encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/17. GRAESSER,K. Commonwealth Edison Co. 3pp. 85939:001-85939:003.

9510260150 Notification of 951026 meeting w/util in Rockville,MD to discuss results of prevailing eddy current,insp of plant steam generator tubes.
LYNCH,M.D. . 95/10/24. CAPRA,R.A. . 3pp. 85947:305-85947:307.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170017 Monthly operating repts for Sept 1995 for Byron Nuclear Power Station.W/ 951006 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 95/09/30. 14pp. 85836:241-85836:254.

S. Reportable occurrences, LERs & related correspondence

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510050296 Revised EPIPs,including Rev 2 to BwZP 1000-1A2,Rev 2 to BwZP 1000-1A3,Rev 2 to BwZP 1000-1A4,Rev 1 to BwZP 1000-3, Rev 1 to BwZP 1000-3A1,Rev 1 to BwZP 1000-3A2,Rev 1 to BwZP 1000-3A3,Rev 0 to BwZP 2000-5 & Rev 0 to BwZP 2000-5A1.
* Commonwealth Edison Co. 95/09/05. 37pp. 85750:199-85750:237.

9510020266 Provides NRC w/update on status of resolving GL 92-08, "Thermo-Lag Fire Barriers,per 10CFR50.54(f)."
KAUP,K.L. Commonwealth Edison Co. 95/09/25. . 2pp. 85689:351-85689:352.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510040210 Forwards notice of consideration of issuance of amends to licenses,proposed NSHC determination & opportunity for hearing re 950815 application for publication in FR.
LYNCH,M.D. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85693:334-85693:350.

--9510040221 Notice of consideration of issuance of amend to license NPF-72 & NPF-77,proposed NSHC determination & opportunity for hearing.Amend would renew present voltage-based repair criteria in plant TS.
DICK,G.F. . 95/09/29. 14pp. 85693:336-85693:350.

9510040281 Notification of 951005 meeting w/util in Rockville,MD to discuss util calculation of hydrodynamic loads on tube support plates in plants,Unit 1,SG under postulated accident loads.
LYNCH,M.D. . 95/09/29. CAPRA,R.A. . 3pp. 85713:205-85713:207.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510060288 Provides addl info re increase in interim plugging criteria for plants.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 23pp.. 85746:329-85746:352.

9510100269 Application for amends to Licenses NPF-37 & NPF-66,revising allowable time intervals for performing certain TS surveillance requirements on plant components during power operation,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 15pp. 85750:263-85750:306.

--9510100282 Proposed tech specs re line-item improvements to reduce surveillance requirements for testing during power operation,per GL 93-05.
* Commonwealth Edison Co. 95/10/03. 29pp. 85750:278-85750:306.

9510130219 Forwards clarification of three issues discussed during 951003 & 04 telcons re util request to increase interim plugging criteria for Braidwood Unit 1 & Byron Unit 1 SGs.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/07. . 4pp. 85810:351-85810:354.

9510190262 Submits clarification re increase in interim plugging criteria for plant SGs,per GL 95-05.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/11. . 10pp. 85884:342-85884:351.

9510200215 Forwards items discussed during 951005 meeting w/NRC re hydrodynamic load model for application of 3 volt interim plugging criteria.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/11. . 3pp. 85911:350-85911:352.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510190271 Forwards Rev 0 to PSA-B-95-17, "Calculation of Byron 1/ Braidwood 1 D4 SG Tube Support Plate Loads w/RELAP5M3," addressing addl info discussed during meeting.
SACCOMANDO,D. Commonwealth Edison Co. 95/10/12. . 1p. 85883:274-85883:344.

--9510190274 Rev 0 to PSA-B-95-17, "Calculation of Byron 1/Braidwood 1 D4 SG Tube Support Plate Loads w/RELAP5M3."
RAMSDEN,K.B. Commonwealth Edison Co. PSA-B-95-17 R00. 95/10/11. 70pp. 85883:275-85883:344.

9510190197 Forwards Rev 0 to PSA-B-95-18, "RELAP5M3 Comparison of Model Boiler 2 MSLB from HZP Test."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 1p. 85887:217-85887:304.

--9510190209 Rev 0 to PSA-B-95-18, "RELAP5M3 Comparison of Model Boiler 2 MSLB from HZP Test."
RAMSDEN,K.B. Commonwealth Edison Co. PSA-B-95-18 R00. 95/10/12. 87pp. 85887:218-85887:304.

9510190228 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 9pp. 85885:320-85885:328.

9510190286 Forwards nonproprietary Addendum 1 to WCAP-14274 & proprietary Addendum 1 to WCAP-14273 re request to increase interim plugging criteria for facilities SGs,to reflect TSP analysis using RELAP5 loads.Proprietary rept withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/13. . 2pp. 85885:285-85885:319.

--9510190293 Requests that proprietary Addendun 1 to WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for...Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads" be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. 95/10/12. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 85885:287-85885:296.

--9510190301 Nonproprietary Addendum 1 to "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Braidwood-1 & Byron-1 Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads."
* Westinghouse Electric Corp. WCAP-14274 ADD 01. 95/10/31. 23pp. 85885:297-85885:319.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230311 Summary of 950922 meeting w/util at Westinghouse Waltz Mill Facility re issues associated w/insp of various SG loan path components in support of util 950901 proposal to increase tube repair limits.W/viewgraphs.
SULLIVAN,E. . 95/10/17. STROSNIDER,J.R. . 10pp. 85910:226-85910:235.

9510240383 Responds to GL 89-13 which addressed various concerns re SW sys that might affect safety-related equipment.
TULON,T.J. Commonwealth Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 2pp. 85929:296-85929:297.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310154 Amends 67 to licenses NPF-72 & NPF-77,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ASSA,R.R. . 12. 95/10/20. 13pp. 86010:019-86010:031.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

9510300081 Forwards clarification of items previously docketed re increase interim plugging criteria for facilities,per 951018 telcon w/NRC.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/23. . 5pp. 86051:192-86051:196.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230053 Forwards insp repts 50-456/95-14 & 50-457/95-14 on 950921 & NOV.
GRANT,G.E. Region 3 (Post 820201). 95/10/17. KAUP,K. Commonwealth Edison Co. 5pp. 85888:075-85888:098.

--9510230063 Notice of violation from insp on 950717-0821.Violation noted:from 941122-1202 & 0719-22,operability assessment not performed when battery 211 exhaust ventilation sys inoperable,sys supporting 125-volt DC Bus 211 subj to TSs.
* Region 3 (Post 820201). 95/10/17. 2pp. 85888:080-85888:081.

--9510230078 Enforcement conference repts 50-456/95-14 & 50-457/95-14 on 950717-0821.Violations noted.Major areas discussed:root causes,contributing factors & licensee corrective actions in response to violations identified.
RING,M.A. Region 3 (Post 820201). 95/10/10. 17pp. 85888:082-85888:098.

9510270051 Advises util of planned insp effort resulting from Braidwood PPR review.Insp plan,encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/17. KAUP,K. Commonwealth Edison Co. 3pp. 85938:015-85938:017.

9510260150 Notification of 951026 meeting w/util in Rockville,MD to discuss results of prevailing eddy current,insp of plant steam generator tubes.
LYNCH,M.D. . 95/10/24. CAPRA,R.A. . 3pp. 85947:305-85947:307.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110033 Monthly operating repts for Sept 1995 for Braidwood Nuclear Generating Station.W/951006 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 95/09/30. 10pp. 85759:316-85759:325.

S. Reportable occurrences, LERs & related correspondence

9510020058 LER 95-010-00:on 950828,determined that inadequate surveillance procedure could have led to ECCS inoperability due to personnel error & mgt deficiency.Satisfactorily completed operability determination.W/950925 ltr.
MILLS,D., TULON,T.J. Commonwealth Edison Co. 95/09/25. 6pp. 85689:056-85689:061.

9510170126 LER 95-009-00:on 950908,control room ventilation missed one LCOAR due to personnel error & equipment failure.Counseled personnel involved in event.W/951005 ltr.
STUDDARD,P., TULON,T.J. Commonwealth Edison Co. 95/10/05. 7pp. 85855:075-85855:081.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G., CHASENSKY,T.M., SCHMIDT,T.L. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510050296 Revised EPIPs,including Rev 2 to BwZP 1000-1A2,Rev 2 to BwZP 1000-1A3,Rev 2 to BwZP 1000-1A4,Rev 1 to BwZP 1000-3, Rev 1 to BwZP 1000-3A1,Rev 1 to BwZP 1000-3A2,Rev 1 to BwZP 1000-3A3,Rev 0 to BwZP 2000-5 & Rev 0 to BwZP 2000-5A1.
* Commonwealth Edison Co. 95/09/05. 37pp. 85750:199-85750:237.

9510020266 Provides NRC w/update on status of resolving GL 92-08, "Thermo-Lag Fire Barriers,per 10CFR50.54(f)."
KAUP,K.L. Commonwealth Edison Co. 95/09/25. . 2pp. 85689:351-85689:352.

9510100071 Provides NRC w/results of successful interim emergency operations facility staffing drills.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85778:287-85778:292.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

P. Operating license stage documents & correspondence

9510040210 Forwards notice of consideration of issuance of amends to licenses,proposed NSHC determination & opportunity for hearing re 950815 application for publication in FR.
LYNCH,M.D. . 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85693:334-85693:350.

--9510040221 Notice of consideration of issuance of amend to license NPF-72 & NPF-77,proposed NSHC determination & opportunity for hearing.Amend would renew present voltage-based repair criteria in plant TS.
DICK,G.F. . 95/09/29. 14pp. 85693:336-85693:350.

9510170156 Rev 1.1 to "ODCM."
* Commonwealth Edison Co. 95/09/29. 375pp. 85853:001-85854:011.

9510100269 Application for amends to Licenses NPF-37 & NPF-66,revising allowable time intervals for performing certain TS surveillance requirements on plant components during power operation,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 95/10/03. Document Control Branch (Document Control Desk). 15pp. 85750:263-85750:306.

--9510100282 Proposed tech specs re line-item improvements to reduce surveillance requirements for testing during power operation,per GL 93-05.
* Commonwealth Edison Co. 95/10/03. 29pp. 85750:278-85750:306.

9510170125 Forwards request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes," which requested addresses to evaluate recent operating experience.
DICK,G.F. . 95/10/12. FARRAR,D.L. Commonwealth Edison Co. 4pp. 85881:241-85881:244.

9510190228 Forwards response to request for addl info re GL 95-03, "Circumferential Cracking of SG Tubes."
SACCOMANDO,D. Commonwealth Edison Co. 95/10/13. . 9pp. 85885:320-85885:328.

9510250086 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
PIET,P.L. Commonwealth Edison Co. 95/10/13. Document Control Branch (Document Control Desk). 2pp. 85987:319-85987:320.

9510230311 Summary of 950922 meeting w/util at Westinghouse Waltz Mill Facility re issues associated w/insp of various SG loan path components in support of util 950901 proposal to increase tube repair limits.W/viewgraphs.
SULLIVAN,E. . 95/10/17. STROSNIDER,J.R. . 10pp. 85910:226-85910:235.

9510240383 Responds to GL 89-13 which addressed various concerns re SW sys that might affect safety-related equipment.
TULON,T.J. Commonwealth Edison Co. 95/10/19. Document Control Branch (Document Control Desk). 2pp. 85929:296-85929:297.

9510260190 Forwards amends 75 to licenses NPF-37,NPF-66,67 to NPF-72, NPF-77 & amends 107,93 to licenses NPF-11,NPF-18 & amends 38,141,135,163,159,171 & 158 to licenses DPR-2,DPR-19, DPR-25,DPR-29,DPR-30,DPR-39 & DPR-48,respectively & SE.
CAPRA,R.A. . 95/10/20. FARRAR,D.L. Commonwealth Edison Co. 5pp. 86010:001-86010:146.

--9510310154 Amends 67 to licenses NPF-72 & NPF-77,respectively, relocating requirements for "Review,Investigative & Audit Functions" & frequencies of QA program from administrative controls section of TS.
ASSA,R.R. . 12. 95/10/20. 13pp. 86010:019-86010:031.

--9510260212 Safety evaluation supporting amends 75,67,107 & 93 to licenses NPF-37,NPF-66,NPF-72 & NPF-77 & amends 38,141,135, 163,159,171 & 158 to licenses DPR-2,DPR-19,DPR-25,DPR-29, DPR-30,DPR-39 & DPR-48,respectively.
* . 95/10/20. 13pp. 86010:134-86010:146.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510230053 Forwards insp repts 50-456/95-14 & 50-457/95-14 on 950921 & NOV.
GRANT,G.E. Region 3 (Post 820201). 95/10/17. KAUP,K. Commonwealth Edison Co. 5pp. 85888:075-85888:098.

--9510230063 Notice of violation from insp on 950717-0821.Violation noted:from 941122-1202 & 0719-22,operability assessment not performed when battery 211 exhaust ventilation sys inoperable,sys supporting 125-volt DC Bus 211 subj to TSs.
* Region 3 (Post 820201). 95/10/17. 2pp. 85888:080-85888:081.

--9510230078 Enforcement conference repts 50-456/95-14 & 50-457/95-14 on 950717-0821.Violations noted.Major areas discussed:root causes,contributing factors & licensee corrective actions in response to violations identified.
RING,M.A. Region 3 (Post 820201). 95/10/10. 17pp. 85888:082-85888:098.

9510270051 Advises util of planned insp effort resulting from Braidwood PPR review.Insp plan,encl.
AXELSON,W.L. Region 3 (Post 820201). 95/10/17. KAUP,K. Commonwealth Edison Co. 3pp. 85938:015-85938:017.

9510260150 Notification of 951026 meeting w/util in Rockville,MD to discuss results of prevailing eddy current,insp of plant steam generator tubes.
LYNCH,M.D. . 95/10/24. CAPRA,R.A. . 3pp. 85947:305-85947:307.

9510270004 Forwards "Braidwood Nuclear Station Unit 2 Fourth Refuel Outage (Oct 1994) SG ISI Results."
TULON,T.J. Commonwealth Edison Co. 95/10/24. Document Control Branch (Document Control Desk). 2pp. 86038:001-86039:135.

--9510270005 "Braidwood Nuclear Station Unit 2 Fourth Refuel Outage (Oct 1994) SG ISI Results."
* Commonwealth Edison Co. 95/10/24. 497pp. 86038:003-86039:135.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110033 Monthly operating repts for Sept 1995 for Braidwood Nuclear Generating Station.W/951006 ltr.
PERSHEY,C., TULON,T.J. Commonwealth Edison Co. 95/09/30. 10pp. 85759:316-85759:325.

S. Reportable occurrences, LERs & related correspondence

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

V. Operator Examinations

9510310184 Forwards GFES answer key forms "A" & "B," NRC response to facility comments,grading results & copies of individual answer sheets for people taking exam.Requests forwarding of results & answer sheets to subj individuals.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. LACROIX,D.G., CHASENSKY,T.M., SCHMIDT,T.L. Region 3 (Post 820201). 1p. 86003:247-86003:247.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9107310385 Forwards proposed info notice re possible deficiencies in fire barriers for safe shutdown components constructed of Thermolag.
MCCRACKEN,C.E. Plant Systems Branch. 91/07/23. BERLINGER,C. Generic Communications Branch. 80pp. 85974:266-85975:142.

9510030131 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
WIGGINTON,D.L. . 95/09/25. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 85685:338-85685:341.

9510060313 Forwards SE accepting licensee 950120 request for deviation from technical requirements for fire protection,fire area C-17 for plant Unit 1.
WIGGINTON,D.L. . 95/10/04. MCGAHA,J.R. Entergy Operations, Inc. 3pp. 85735:278-85735:284.

--9510110016 Safety Evaluation granting licensee 950120 request for deviation from technical requirements for fire protection, fire area C-17 for plant Unit 1.
* . 95/10/04. 4pp. 85735:281-85735:284.

9510110074 Rev 12 to EPIP EIP-1-101, "Periodic Review of Emergency Plan." W/ 951004 ltr.
FISICARO,J.J. Entergy Operations, Inc. 95/10/04. 10pp. 85759:351-85759:360.

9510310369 Forwards destructive exam sampling plan & summary results,as supplement to 950328 response to follow-up to RAI re Generic Ltr 92-08 issued per 10CFR50.54(f) on 941228.
FISICARO,J.J. Entergy Operations, Inc. 95/10/26. Document Control Branch (Document Control Desk). 13pp. 86066:335-86066:347.

G. Adjudicatory correspondence

9510190025 Joint motion to extend hearing date & scheduling order.* Trustee & GSU request that prehearing schedule & hearing schedule be revised so that all depositions be completed by 960623.W/Certificate of Svc.
LEVANWAY,D.E. Gulf States Utilities Co. LEVANWAY,D.E. Affiliation Not Assigned. PEMBROKE,J.D. Cajun Electric Power Cooperative, Inc. #495 17199. 95/10/10. Atomic Safety & Licensing Board Panel. 6pp. 85863:001-85863:006.

9510180175 Memorandum & order (granting prehearing schedule extension request).* Orders that prehearing schedule extended so that all depositions shall be completed by 960123.W/Certificate of Svc.Served on 951016.
COTTER,B.P. Atomic Safety & Licensing Board Panel. #495 17214. 95/10/16. Office of the General Counsel (Post 860701). 3pp. 85847:081-85847:083.

P. Operating license stage documents & correspondence

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510250171 Responds to GL 95-07, "Pressure Locking & Thermal Binding Of Safety-Related Power-Operated Gate Valves."
FISICARO,J.J. Entergy Operations, Inc. 95/10/11. Document Control Branch (Document Control Desk). 3pp. 85983:323-85983:325.

9510230023 Discusses 950926 meeting re status of implementation of improved technical specifications.
DYER,J.E. Region 4 (Post 820201). 95/10/16. MCGAHA,J.R. Entergy Operations, Inc. 59pp. 85888:001-85888:059.

9510260049 Application for amend to license NPF-47,consisting of LAR 95-21,changing TS 3.6.1.1 through 3.6.1.3 re containment sys & notifies of intent to implement performance-based containment leak rate testing program.
SELLMAN,M.B. Entergy Operations, Inc. 95/10/24. Document Control Branch (Document Control Desk). 16pp. 85996:179-85996:210.

-9510260056 Proposed tech specs 3.6.1.1 through 3.6.1.3 re containment sys.
* Entergy Operations, Inc. 95/10/24. 16pp. 85996:195-85996:210.

9510310248 Application for amend to license NPF-47,consisting of change request 95-10,deleting TS 5.5.12, "Biofouling Prevention & Detection," & various editorial corrections.
MCGAHA,J.R. Entergy Operations, Inc. 95/10/26. Document Control Branch (Document Control Desk). 10pp. 86066:044-86066:079.

-9510310252 Proposed tech specs,consisting of change request 95-10, deleting TS 5.5.12, "Biofouling Prevention & Detection," & various editorial corrections.
* Entergy Operations, Inc. 95/10/26. 26pp. 86066:054-86066:079.

9510310369 Forwards destructive exam sampling plan & summary results,as supplement to 950328 response to follow-up to RAI re Generic Ltr 92-08 issued per 10CFR50.54(f) on 941228.
FISICARO,J.J. Entergy Operations, Inc. 95/10/26. Document Control Branch (Document Control Desk). 13pp. 86066:335-86066:347.

Q. Inspection reports, IE Bulletins & correspondence

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

-9107310385 Forwards proposed info notice re possible deficiencies in fire barriers for safe shutdown components constructed of Thermolag.
MCCRACKEN,C.E. Plant Systems Branch. 91/07/23. BERLINGER,C. Generic Communications Branch. 80pp. 85974:266-85975:142.

9510020088 Requests relief from insp requirements in Table IWB/C-2412-1 of ASME Section XI per 10CFR50.55a(g)(6) & approval per 10CFR50.55a(a)(3) for use of Code Case N-509.
FISICARO,J.J. Entergy Operations, Inc. 95/09/25. Document Control Branch (Document Control Desk). 3pp. 85681:284-85681:286.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510050183 Forwards insp rept 50-485/95-13 on 950814-0901.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/28. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 85687:003-85687:156.

-9510050186 Insp rept 50-458/95-13 on 950814-0901.No violations noted. Major areas inspected:qualifications of applicants for operator licenses at River Bend Station facility.
TAPIA,J.I. . 95/09/26. 149pp. 85687:008-85687:156.

9510060280 Forwards insp rept 50-458/95-23 on 950730-0909 & NOV.First violation of concern because painting & masking activities affecting operability of div II DG implemented w/o knowledge of operations shift superintendent.
DYER,J.E. Region 4 (Post 820201). 95/09/29. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 85711:127-85711:158.

-9510060283 Notice of violation from insp on 950730-0909.Violation noted:license plant mod & construction department installed & designated an individual to manually remove plastic overspray protection from division II DG.
* Region 4 (Post 820201). 95/09/29. 3pp. 85711:132-85711:134.

-9510060286 Insp rept 50-458/95-23 on 950730-0909.Violations noted. Major areas inspected:plant operations,maint & surveillance activities,onsite engineering,plant support activities, followup on corrective actions for violations.
VANDENBURGH,C. Region 3 (Post 820201). 95/09/22. 24pp. 85711:135-85711:158.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510160092 Requests approval,per 10CFR50.55a(a)(3) for use of ASME Code Case N-532 as alternative to ASME Section XI Code requirements.
MIMS,D.C. Entergy Operations, Inc. 95/10/06. Document Control Branch (Document Control Desk). 4pp. 85834:356-85834:359.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510250181 Forwards rev summary for facility SBO analysis previously submitted 911018,as result of requests from NRC during Engineering & Technical Support Insp 50-458/95-10 on 950320- 24,0403-07 & 21.
FISICARO,J.J. Entergy Operations, Inc. 95/10/17. Document Control Branch (Document Control Desk). 34pp. 85988:001-85988:034.

9510310258 Forwards response to NRC ltr re violations noted in insp rept 50-458/95-23.Corrective actions:notified operations personnel in MCR,halted painting activities & immediately removed coverings.
FISICARO,J.J. Entergy Operations, Inc. 95/10/26. Document Control Branch (Document Control Desk). 7pp. 86077:151-86077:157.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510170018 Monthly operating rept for Sept 1995 for River Bend Station. W/951012 ltr.
BOLKE,T.J., FISICARO,J.J. Entergy Operations, Inc. 95/09/30. 6pp. 85836:226-85836:231.

S. Reportable occurrences, LERs & related correspondence

9510100347 LER 95-007-00:on 950905,fan hub for HPCS pump room unit cooler failed.Cause presently being investigated.Unit cooler repaired & restored to operations.W/951005 ltr.
ROUGEUX,L.W., FISICARO,J.J. Entergy Operations, Inc. 95/10/05. 4pp. 85767:094-85767:097.

V. Operator Examinations

9510050183 Forwards insp rept 50-485/95-13 on 950814-0901.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/09/28. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 85687:003-85687:156.

-9510050186 Insp rept 50-458/95-13 on 950814-0901.No violations noted. Major areas inspected:qualifications of applicants for operator licenses at River Bend Station facility.
TAPIA,J.I. . 95/09/26. 149pp. 85687:008-85687:156.

9510300172 Informs that on 951003,NRC administered Generic Fundamentals Exam section of written operator licensing exam.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. MCGAHA,J.R. Entergy Operations, Inc. 2pp. 86002:008-86002:009.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

G. Adjudicatory correspondence

9510120096 Submits quarterly status rept re deferred plant project IAW 931014,Memorandum & Order in proceeding.
REYNOLDS,N.S. Washington Public Power Supply System. REYNOLDS,N.S. Winston & Strawn. #495 17175. 95/10/04. BLOCH,P.B. Atomic Safety & Licensing Board Panel. SCHINK,D.R. Texas A&M Univ., College Station, TX. 1p. 85751:087-85751:087.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510060071 Forwards "CPS IPE for External Events Final Rept," per GL 88-20.Seismic events evaluated using EPRI seismic margins assessment & fire events evaluated w/ fire PRA method described in EPRI draft rept 3385-01,dtd Jan 1994.
COOK,J.S. Illinois Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85747:001-85747:201.

9510040237 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
PICKETT,D.V. . 95/10/02. PHARES,R.F. Illinois Power Co. 4pp. 85693:303-85693:306.

K. Utility Final Safety Analysis Report (FSAR) & amends

9510250398 Forwards rev 6 to CPS USAR & 10CFR50.59 rept identifying SEs for implemented changes affecting USAR for period of 931210- 950429.
COOK,J.G. Illinois Power Co. 95/10/18. Document Control Branch (Document Control Desk). 50pp. 85989:001-85993:217.

--9510250400 Rev 6 to Vols 1-12 of CPS USAR.
* Illinois Power Co. 95/10/18. 1,623pp, 85989:051-85993:217.

P. Operating license stage documents & correspondence

9510030260 Forwards proposed change to QA program description re method proposes to use to meet procedure adherence guidelines contained in ANSI N18.7-1976, "Administrative Controls & QA for Operational Phase of Nuclear Power Plants."
PHARES,R.F. Illinois Power Co. 95/09/26. Document Control Branch (Document Control Desk). 5pp. 85696:327-85696:331.

9510060071 Forwards "CPS IPE for External Events Final Rept," per GL 88-20.Seismic events evaluated using EPRI seismic margins assessment & fire events evaluated w/ fire PRA method described in EPRI draft rept 3385-01,dtd Jan 1994.
COOK,J.S. Illinois Power Co. 95/09/27. Document Control Branch (Document Control Desk). 3pp. 85747:001-85747:201.

--9510060076 "CPS IPE for External Events Final Rept."
HAHLE,A.A, FLAHERTY,M.O., TIEDEMAMM,E.E. Illinois Power Co. 95/09/30. 197p. 85747:004-85747:201.

9510250077 Provides 60-day response to GL 95-07, "Pressure Locking & Thermal Binding of SR Power-Operated Gate Valves."
COOK,J.G. Illinois Power Co. 95/10/16. Document Control Branch (Document Control Desk). 4pp. 85987:279-85987:282.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510190339 Advises of planned insp effort resulting from plant PPR review on 950907.
AXELSON,W.L. Region 3 (Post 820201). 95/10/05. COOK,J. Illinois Power Co. 4pp. 85864:127-85864:130.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270086 Forwards insp rept 50-461/95-12 on 950808-0925 & notice of violation.
CLAYTON,B. Region 3 (Post 820201). 95/10/18. COOK,J. Illinois Power Co. 3pp. 85939:116-85939:134.

--9510270099 Notice of violation from insp on 950808-0925.Violation noted:following testing of reactor mode switch interlock functions on 950909,operators failed to reactor mode switch to shutdown & entered mode 2 without applicable LCOs met.
* Region 3 (Post 820201). 95/10/18. 2pp. 85939:119-85939:120.

--9510270106 Insp rept 50-461/95-12 on 950808-0925.Violations noted. Major areas inspected:operations,engineering,maint & plant support.
CLAYTON,B. Region 3 (Post 820201). 95/10/18. 14pp. 85939:121-85939:134.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510110095 Monthly operating rept for Sept 1995 for Clinton Power Station.W/951004 ltr.
HOLLON,M.C., PHARES,R.F. Illinois Power Co. 95/09/30. 5pp. 85783:266-85783:270.

S. Reportable occurrences, LERs & related correspondence

9510110230 Interim Part 21 Rept 21-95-018 re failure of solid state trip devices type SS-13 mfg by Gould/ITE (now ABB,Asea Brown Boveri).Investigation found return air fan circuit breaker in tripped condition.Breaker replaced w/spare breaker.
COOK,J.G. Illinois Power Co. 95/10/06. Document Control Branch (Document Control Desk). 3pp. 85806:336-85806:338.

9510130311 LER 95-007-00:on 950909,personnel discovered process radiation monitor high alarm setpoint incorrectly set.Caused by lack of attention to detail by operation & personnel. Switch returned to shutdown position.W/951009 ltr.
BEECHER,A.K., DODDS,M.S., COOK,J.G. Illinois Power Co. 95/10/09. 9pp. 85807:224-85807:232.

V. Operator Examinations

9510110002 Informs that JA Neuschwanger no longer needs operating license effective 951101.
PHARES,R.F. Illinois Power Co. 95/10/04. Document Control Branch (Document Control Desk). 1p. 85762:173-85762:173.

9510310149 Forwards master BWR/PWR GFES w/answer key,administered at other facilities on 951003.W/o encl.
BURDICK,T.M. Region 3 (Post 820201). 95/10/25. PALCHAK,J.F., CARTEAUX,P.F., WEIDNER,R.C. Region 3 (Post 820201). 1p. 86003:218-86003:218.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9505190228 Forwards objectives for 1995 Wolf Creek Generating Station emergency preparedness field exercise scheduled for 950815 & 16.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/05/15. Document Control Branch (Document Control Desk). 3pp. 85713:141-85713:143.

9506190437 Forwards WCGS emergency preparedness field exercise scenario for 1995 exercise scheduled to be conducted 950815 & 16.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/06/15. Document Control Branch (Document Control Desk). 160pp. 85724:025-85724:184.

9510060066 Advises that 950906 Rev 25 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion into plans.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85735:240-85735:244.

9510100021 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
STONE,J.C. . 95/10/03. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85744:268-85744:271.

9510180089 Responds to NRC 950908 ltr re emergency preparedness exercise weaknesses noted in insp rept 50-482/95-12. C/A:in future,status of emergency response activities re activation of TSC & EOF will be announced to CR staff.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/10/13. Document Control Branch (Document Control Desk). 11pp. 85867:261-85867:271.

P. Operating license stage documents & correspondence

9510200321 Forwards amend 89 to license NPF-42 & SE.Amend revises TS to implement NRCs final policy statement on TS improvements for nuclear power reactors.
STONE,J.C. . 95/10/02. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 3pp. 85899:107-85899:244.

--9510200328 Amend 89 to license NPF-42,revising TS to implement NRCs final policy statement on TS improvements for nuclear power reactors.
STONE,J.C. . 95/10/02. 4pp. 85899:110-85899:212.

--9510200330 Safety evaluation supporting amend 89 to license NPF-42.
* . 95/10/02. 32pp. 85899:213-85899:244.

9510120134 Forwards amend 90 to license NPF-42 & safety evaluation. Amend deletes clause from TS 4.0.5a, "Surveillance Requirements for ISI & Testing Program."
STONE,J.C. . 95/10/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85767:170-85767:181.

--9510120140 Amend 90 to license NPF-42,deleting clause from TS 4.0.5a, "Surveillance Requirements for ISI & Testing Program."
STONE,J.C. . 95/10/04. 5pp. 85767:174-85767:178.

--9510120144 Safety evaluation supporting amend 90 to license NPF-42.
* . 95/10/04. 3pp. 85767:179-85767:181.

9510120116 Forwards SE granting licensee 950328 request for relief I1R-40 - I1R-44 for plant ISI program.
BATEMAN,W. . 95/10/05. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85767:182-85767:194.

--9510120122 Safety evaluation granting licensee requests for relief I1R-40 - I1R-44 for plant ISI program.
* . 95/10/05. 9pp. 85767:186-85767:194.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510250104 Responds to GL 95-07, "Pressure Locking & THermal Binding Of Safety-Related Power-Operated Gate Valves."
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/10/11. Document Control Branch (Document Control Desk). 4pp. 85987:341-85987:344.

9510240300 Application for amend to license NPF-42,replacing current fuel oil vol requirement in EDG day tank in TS 3.8.1.1.b.1 & 3.8.1.2.b.1 w/ fuel oil level requirement.
HAGAN,R.C. Wolf Creek Nuclear Operating Corp. 95/10/18. Document Control Branch (Document Control Desk). 14pp. 85929:069-85929:087.

--9510240302 Proposed tech specs,replacing current fuel oil vol requirement in EDG day tank in TS 3.8.1.1.b.1 & 3.8.1.2.b.1 w/fuel fuel oil level requirement.
* Wolf Creek Nuclear Operating Corp. 95/10/18. 5pp. 85929:083-85929:087.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510030220 Ack receipt of 950908 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-19.
GWYNN,T.P. Region 4 (Post 820201). 95/09/27. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85644:088-85644:091.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510120134 Forwards amend 90 to license NPF-42 & safety evaluation. Amend deletes clause from TS 4.0.5a, "Surveillance Requirements for ISI & Testing Program."
STONE,J.C. . 95/10/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85767:170-85767:181.

--9510120140 Amend 90 to license NPF-42,deleting clause from TS 4.0.5a, "Surveillance Requirements for ISI & Testing Program."
STONE,J.C. . 95/10/04. 5pp. 85767:174-85767:178.

--9510120144 Safety evaluation supporting amend 90 to license NPF-42.
* . 95/10/04. 3pp. 85767:179-85767:181.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9510110167 Responds to NRC ltr re violations noted in insp rept 50-482/89-09.Corrective actions:performed required valve stroke tests approx 1,000 times.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/10/05. Document Control Branch (Document Control Desk). 2pp. 85762:193-85762:194.

9510110298 Responds to NRC 950911 ltr re deviation noted in insp rept 50-482/95-17.Corrective actions:excessive spacing of end-to- cell gap of NK13 battery corrected & spacing distance of other safety-related NK battery gaps inspected.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/10/05. Document Control Branch (Document Control Desk). 4pp. 85762:131-85762:134.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180089 Responds to NRC 950908 ltr re emergency preparedness exercise weaknesses noted in insp rept 50-482/95-12. C/A:in future,status of emergency response activities re activation of TSC & EOF will be announced to CR staff.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 95/10/13. Document Control Branch (Document Control Desk). 11pp. 85867:261-85867:271.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240155 Ack receipt of 951005 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/95-17.
DYER,J.E. Region 4 (Post 820201). 95/10/19. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85896:236-85896:243.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200060 Monthly operating rept for Sept 1995 for Wolf Creek Generating Station.W/ 951016 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/09/30. 7pp. 85912:307-85912:313.

S. Reportable occurrences, LERs & related correspondence

9510110143 LER 95-005-00:on 950907,failed to develop adequate fire protection program emergency lighting.Caused by personnel error re failure to identify addl emergency lighting requirements.Issued memo to shift supervisors.W/951005 ltr.
LINDSAY,W.M., MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 95/10/05. 13pp. 85778:250-85778:262.

V. Operator Examinations

9510300110 Forwards copy of master generic fundamentals exam & answer key of subj exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 86001:251-86001:252.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510100209 Rev 12 to EIP-ZZ-PR020, "Activation & Operation of Joint Public Info Ctr."
NEVELS,G. Union Electric Co. 95/09/28. 10pp. 85756:268-85756:277.

9510130011 Rev 105 to EPIP EIP-ZZ-00101, "EALs Indications Bases."
* Union Electric Co. 95/10/02. 78pp. 85810:001-85810:078.

9510060305 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
WHARTON,L.R. . 95/10/03. SCHNELL,D.F. Union Electric Co. 4pp. 85737:256-85737:259.

9510180071 Rev 10A to EIP-ZZ-00101,App A, "EALs Indications Bases."
* Union Electric Co. 95/10/06. 75pp. 85867:116-85867:190.

9510200297 Revised EPIPs,including Rev 14 to EIP-ZZ-C0010, "Emergency Operations Facility Operations," Rev 23 to EIP-ZZ-00201, "Notifications" & Rev 16 to EIP-ZZ-00240, "Technical Support Ctr Operations."
CRAWFORD,S.J., NEVELS,G. Union Electric Co. 95/10/13. 100pp. 85913:001-85913:099.

9510260198 Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Response should be provided within 45 days of ltr receipt.
THOMAS,K.M. . 95/10/23. SCHNELL,D.F. Union Electric Co. 6pp. 85946:354-85946:359.

P. Operating license stage documents & correspondence

9510100041 Notifies that operators of Callaway Nuclear Plant intends to deliver low-level radwaste to common carrier for transport through Region III states of Missouri & Illinois to disposal facility.
BLOSSER,J.D. Union Electric Co. 94/05/31. Region 3 (Post 820201). 4pp. 85725:002-85725:005.

9510100084 Notifies that operators of Callaway NPP intend to deliver low-level radiactive waste to common carrier for transport through Region II states of KY,TN,GA & NC to disposal facility.
BLOSSER,J.D. Union Electric Co. 94/05/31. Region 2 (Post 820201). 4pp. 85725:064-85725:067.

9510180097 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region V ofc,Arlington,TX from Region II ofc in Atlanta,GA & Region III ofc in Lisle,IL,respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. COCHRAN,N. . 2pp. 85847:133-85847:134.

9510180104 Informs of transfer of regional oversight responsibility for GGNS in Claiborne County,MS & CP in Callaway County,MO to Region IV ofc in Arlington,TX & Region III ofc in Lisle,IL, respectively.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SHAIFER,L. . 2pp. 85847:139-85847:140.

9510180217 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. GUNNELS,B. Transportation, Dept. of. 2pp. 85842:329-85842:330.

9510180224 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. MILLER,M.L. Federal Emergency Management Agency. 2pp. 85842:331-85842:332.

9510180228 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DUGGER,R. Labor, Dept. of. 2pp. 85842:333-85842:334.

9510180233 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. SIRMONS,J.G. Health & Human Services, Dept. of, U.S. Public Health Service. 2pp. 85842:335-85842:336.

9510180238 Informs of transfer of regional oversight for Grand Gulf & Callaway to Regin IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. DAVIS,B. Energy, Dept. of. 2pp. 85842:337-85842:338.

9510180244 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. FUENTE,E.S. Mississippi, State of. 2pp. 85847:356-85847:357.

9510180246 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. WAGNER,F.P. Environmental Protection Agency. 2pp. 85847:358-85847:359.

9510030346 Submits Westinghouse Alloy 600 re steam generator mechanical plugs.Util currently plans to replace or repair plugs during Refuel 8 or Refuel 9.
SCHNELL,D.F. Union Electric Co. 95/09/26. Document Control Branch (Document Control Desk). 2pp. 85696:305-85696:306.

9510050170 Discusses meeting on 950920 in Arlington,TX re transfer of NRC oversight of plants from Regions 2 & 3 to Region 4. List of attendees,meeting agenda,meeting handouts & transition implementation plan encl.
DYER,J.E. Region 4 (Post 820201). 95/09/27. SCHNELL,D.F. Union Electric Co. 61pp. 85686:087-85686:147.

9510050175 Discusses 950920 mgt meeting re transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to NRC Region IV.
DYER,J.E. Region 4 (Post 820201). 95/09/27. HUTCHINSON,C.R. Entergy Operations, Inc. 39pp. 85686:154-85686:214.

9510020351 Forwards responses to NRC 950718 RAI re plant IPE rept submitted by util 920929 ltr in response to GL 88-20.
SCHNELL,D.F. Union Electric Co. 95/09/28. Document Control Branch (Document Control Desk). 65pp. 85690:076-85690:139.

9510050180 Discusses meeting conducted in Region IV ofc on 950920 re discussion of transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to Region IV.List of attendees & slides encl.
DYER,L.E. Region 4 (Post 820201). 95/09/28. KUCERA,R.A. Missouri, State of. 19pp. 85686:215-85686:275.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510250128 Forwards response to NRC GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves."
SCHNELL,D.F. Union Electric Co. 95/10/10. Document Control Branch (Document Control Desk). 5pp. 85988:180-85988:184.

9510260147 Forwards amend 103 to license NPF-30 & safety evaluation. Amend revises TSs to implement NRC Final Policy Statement on TS Improvements for Nuclear Power Reactors.
WHARTON,L.R. . 95/10/20. SCHNELL,D.F. Union Electric Co. 4pp. 85948:147-85948:266.

--9510260155 Amend 103 to license NPF-30,revising TSs to implement NRC Final Policy Statement on TS Improvements for Nuclear Power Reactors.
WHARTON,L.R. . 95/10/20. 87pp. 85948:151-85948:236.

--9510260168 Safety evaluation supporting amend 103 to license NPF-30.
* . 95/10/20. 30pp. 85948:237-85948:266.

9510260198 Forwards RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers." Response should be provided within 45 days of ltr receipt.
THOMAS,K.M. . 95/10/23. SCHNELL,D.F. Union Electric Co. 6pp. 85946:354-85946:359.

9510300206 Forwards revised TS pages,relocating audit frequencies in former TS 6.5.2.9 to Operational QA Manual,in response to NRC 950901 ltr & 951010 telcon w/ NRC.
SCHNELL,D.F. Union Electric Co. 95/10/23. Document Control Branch (Document Control Desk). 10pp. 86058:287-86058:341.

--9510300209 Proposed tech specs,relocating audit frequencies in former TS 6.5.2.9 to Operational QA Manual.
* Union Electric Co. 95/10/23. 42pp. 86058:297-86058:341.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510270059 Forwards insp rept 50-483/95-11 on 950903-30.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 95/10/20. SCHNELL,D.F. Union Electric Co. 2pp. 85939:014-85939:023.

--9510270072 Insp rept 50-483/95-11 on 950903-30.No violations noted. Major areas inspected:plant operations,maint/surveillance, onsite engineering & plant support.
FARBER,M.J. Region 3 (Post 820201). 95/10/20. 8pp. 85939:016-85939:023.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510100329 Monthly operating rept for Sept 1995 for Callaway Plant Unit 1.W/951006 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 95/09/30. 6pp. 85756:290-85756:295.

S. Reportable occurrences, LERs & related correspondence

9510030233 PNO-IV-95-043:on 951002,as result of lowering vol control tank level,small RCS leak identified.Exact source of leak could not be determined.Reactor shutdown commenced.
PASSEHL,D., GRAVES,D. Region 4 (Post 820201). 95/10/02. 1p. 85728:114-85728:114.

9510050268 PNO-IV-95-043A:on 951002,leakage greater than TS limits resulted in reactor shutdown.Caused by leak on elbow weld on excess letdown line.Repairs anticipated to take several days.
PASSEHL,D., GRAVES,D. Region 4 (Post 820201). 95/10/03. 1p. 85767:006-85767:006.

V. Operator Examinations

9510300101 Forwards results of Generic Fundamentals Exam Section of written operator licensing exam administered on 951003.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. SCHNELL,D.F. Union Electric Co. 3pp. 86001:244-86001:246.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260125 Discusses OI transcript of interview of alleger re potential safeguards concerns.
DEXTER,T.W. NRC - No Detailed Affiliation Given. 93/06/23. WISE,R. NRC - No Detailed Affiliation Given. 1p. 85995:051-85995:051.

--9510260132 Responds to 930505 memo that requested Region 4 staff to review OI transcript of interview of contract security guard employed at facility.
WISE,R. Region 4 (Post 820201). 93/07/08. WILLIAMSON,W.L. Ofc of Investigations (Post 880201). 1p. 85995:052-85995:052.

9510020223 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabatoge.
ALEXION,T.W. . 95/09/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85663:164-85663:167.

9510100088 Revised EPIPs,including Rev 2 to 0ERP01-ZV-1N01, "Emergency Classification," Rev 4 to 0ERP01-ZV-IN05, "Site Evacuation" & Rev 1 to 0PGP05-ZV-0007, "Tone Alert Radios." W/951002 ltr.
SERRA,P.L. Houston Lighting & Power Co. 95/10/02. 29pp. 85756:223-85756:252.

9510110106 Submits description update to vehicle control measures as required by 10CFR73.55(c)(7).One oversize drawing encl.
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/05. Document Control Branch (Document Control Desk). 5pp. 85818:339-85818:343.

9510180026 Forwards Physical Security Plan temporary addenda that reflects addl security measures during const activities associated w/Vehicle Barrier Upgrade Project.Plan withheld.
MARTIN,L.E. Houston Lighting & Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85866:250-85866:252.

9510240186 Forwards notice of violation & proposed imposition of civil penalties in amount of $160,000 re violations noted from investigation into alleged discrimination,in violation of 10CFR50.7 requirements.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85896:316-85896:332.

--9510240203 Notice of violation & proposed imposition of civil penalty in amount of $160,000.Noncompliance noted:supervisor in licensee Nuclear Security Dept was unlawfully discriminated against on May 1992.
* Region 4 (Post 820201). 95/10/17. 4pp. 85896:322-85896:325.

--9510240213 Discusses predecisional enforcement conference on 950616 between HL&P & NRC re alleged discrimination in violation of 10CFR50.7,against two former members of licensee nuclear security dept.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. BALCOM,R.L. Affiliation Not Assigned. 5pp. 85896:326-85896:330.

9510250377 Revised EPIPs,including Rev 2 to 0ERP01-ZV-IN06, "Radiological Exposure Guidelines," Rev 1 to 0PGP05-ZV-0003, "Emergency Response Organization" & Rev 0 to 0PGP05-ZV-0009, "Emergency Facility Inventories & Insps." W/951017 ltr.
PULEO,F.J., MAYBERRY,R.T., SERRA,P.L. Houston Lighting & Power Co. 95/10/17. 55pp. 85986:288-85986:342.

9510310260 Rev 3 to EPIP 0ERP01-ZV-IN01, "Emergency Classification." W/ 951026 ltr.
SERRA,P.L. Houston Lighting & Power Co. 95/10/26. 122pp. 86076:190-86076:311.

H. General correspondence

9510020047 Informs of listed changes to distribution list for facility.
MARTIN,L.E. Houston Lighting & Power Co. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85681:357-85681:358.

P. Operating license stage documents & correspondence

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260112 Discusses 930525 telcon re alleged statements by manager in HL&P concerning station problem repts.
BEACH,A.B. Region 4 (Post 820201). 93/06/01. COTTLE,W.T. Houston Lighting & Power Co. 9pp. 85995:039-85995:050.

--9510260142 Advises that allegation number RIV-93-A-0072 be closed.
LOVELESS,D.P. NRC - No Detailed Affiliation Given. 93/11/19. WISE,R. NRC - No Detailed Affiliation Given. 7pp. 85995:057-85995:066.

--9510260148 Partially withheld memo re 861105 meeting w/MK Hess,S Dew & JT Westermeier re concerns involving valves & equipment inconvenient or inaccessible locations.
JOHNSON,C.E. Region 4 (Post 820201). 86/11/06. DRISKILL,D. Region 4 (Post 820201). 1p. 85995:067-85995:069.

--9510260151 Partially withheld memo re allegation 4-86-A-111.Documents meetings held between NRC & alleger during Nov 1986.
CARPENTER,G.L. Region 4 (Post 820201). 87/01/13. EMERSON,M.E. Region 4 (Post 820201). 8pp. 85995:070-85995:077.

--9510260158 Partially withheld memo forwarding proposed response to Senator Bentsen 861224 ltr to C Kammerer.
MARTIN,R.D. Region 4 (Post 820201). 87/01/14. STELLO,V. Ofc of the Executive Director for Operations. 5pp. 85995:078-85995:082.

9510020286 Forwards request for addl info to complete review of GL 95-03, "Circumferential Cracking of SG Tubes." Requests response within 30 days of date of ltr.
ALEXION,T.W. . 95/09/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85673:336-85673:339.

9510020367 Notification of 951003-04 meeting w/util in Bay City,TX to discuss licensee graded quality assurance implementation methodology.
ALEXION,T.W. . 95/09/26. BECKNER,W.D. . 5pp. 85683:290-85683:294.

9510100190 Forwards addl info re NRC GL 95-03, "Circumferential Cracking of SG Tubes."
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85756:262-85756:267.

9510130245 Responds to 950912 ltr requesting that NRC issue opinion ltr to Westinghouse indicating licensability of increase of 0.6% in core power of existing domestic plant.
CRUTCHFIELD,D. . 95/10/05. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85801:356-85801:358.

9510130031 Notification of significant licensee meeting on 951026 w/util in Arlington,TX to present results of recent assessment of facility employee concerns program,sitewide survey of organizational effectiveness & related issues.
DYER,J.E. Region 4 (Post 820201). 95/10/06. Region 4 (Post 820201). 5pp. 85762:008-85762:012.

9510170049 Forwards addl info re proposed amend to TS surveillance 4.8.1.1.2.e.7 to allow performance of surveillance w/plant at power.
MYERS,L.W. Houston Lighting & Power Co. 95/10/09. Document Control Branch (Document Control Desk). 5pp. 85836:315-85836:319.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510230125 Informs that util will be developing formal calculations for determining optimal instantaneous trip settings for molded case circuit breakers based on parameters established in IN 92-051 suppl 1 & current IEEE stds.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85912:241-85912:242.

9510240081 Provides schedule for completion of actions requested in GL 95-07 for South TX Project Units 1 & 2.
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 5pp. 85929:165-85929:169.

9510260349 Final response to FOIA request for documents.Forwards documents listed in App K released in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. COPELAND,J.G. Baker & Botts. 2pp. 85994:180-85994:197.

--9403010263 Informs Commission of restart of Unit 1 & related actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/02/17. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 85994:192-85994:197.

9510270351 Provides addl info & clarification re South TX Projects response on 950627 to GL 95-03.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 86048:161-86048:164.

9510310057 Forwards Rev 6 to TER INEL-95/0376, "Offsite Dose Calculation Manual."
ALEXION,T.W. . 95/10/24. COTTEL,W.T. Houston Lighting & Power Co. 4pp. 86033:066-86033:098.

--9510310071 "Technical Evaluation Rept,Rev 6 for Plant ODCM."
MENKE,L.H., AKERS,D.W. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0376. 95/08/31. . 29pp. 86033:070-86033:098.

9510310126 Discusses 951016 plant Co-Owner Mgt Committee Meeting re NRC views on current trends within industry & NRC & open discussion on Co-Owner Mgt Committee role at plant.
DYER,J.E. Region 4 (Post 820201). 95/10/26. COTTLE,W.T. Houston Lighting & Power Co. 14pp. 86003:180-86003:193.

Q. Inspection reports, IE Bulletins & correspondence

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260136 Responds to 930601 ltr re allegation by manager of HLP on station problem rept at facility.
COTTLE,W.T. Houston Lighting & Power Co. 93/09/08. BEACH,A.B. Region 4 (Post 820201). 4pp. 85995:053-85995:056.

9510130208 FOIA request for documents re responses to encl request for production of documents.
COPELAND,J.G. Baker & Botts. 95/06/15. Division of Freedom of Information & Publications Services (Post 940714). 10pp. 85798:001-85798:010.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8802090328 Forwards draft SALP input for review.Comments received by 880202 will be considered in final rept.Tabulation of SALP input from technical staff also encl.Applicant evaluated to be Category 2 during SALP period for CY87.W/o input.
KADAMBI,N.P. Project Directorate IV. 88/01/28. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (870411-901215). 31pp. 85798:021-85798:051.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

--8902150122 Forwards NRR SALP input for Jan-Dec 1988,for SALP Board meeting currently scheduled for 890210.
DICK,G.F. Project Directorate IV. 89/02/09. CALLAN,L.J. Region 4 (Post 820201). 10pp. 85798:055-85798:064.

--9001120062 Provides SALP input for Jan 1989 - Jan 1990.Offers no reportable licensing activities re plant for rating period.
MCKEE,P.F. Reactor Safeguards Branch. 90/01/04. GODY,A.T. Performance & Quality Evaluation Branch (890101-921003). 3pp. 85798:065-85798:067.

--9003010373 Forwards Project Directorate IV input to SALP rept for Jan 1989 to Jan 1990.Licensee handled 891128 failure of emergency diesel generator 22,which delayed restart by 6 wks,in well-organized & structured manner.
DICK,G.F. Project Directorate IV (891001-900602). 90/02/22. COLLINS,S.J. Region 4 (Post 820201). 21pp. 85798:068-85798:088.

--9107250048 Forwards NRR SALP input rept for functional area of safety assessment/quality verification for Feb 90 - May 1991.
DICK,G.F. Project Directorate IV-2. 91/07/16. COLLINS,S.J. Region 4 (Post 820201). 9pp. 85798:089-85798:097.

--9210190155 Forwards SALP input based on results of service water sys operational performance insp on 920622-0710.
LMBRO,E.V. Special Inspection Branch. 92/10/13. BLACK,S.C. Division of Reactor Projects - III,IV,V (Post 901216). 7pp. 85798:098-85798:104.

--9308120120 Concurs w/proposed schedule to adjust current SALP end date until 6 to 9 months after unit startup,per 930630 memo.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/22. MILHOAN,J.L. Region 4 (Post 820201). 8pp. 85798:105-85798:198.

--9510130281 "Region IV Div of Reactor Projects Pre-SALP Board for South Texas Project," presented at 900201-910531 SALP meeting.
* Region 4 (Post 820201). 90/02/01. 58pp. 85798:199-85798:290.

--9510130297 "Region IV Div of Reactor Projects Plant Performance Midcycle Review for South Texas Project,SALP Cycle 009."
* Region 4 (Post 820201). 92/04/23. 8pp. 85798:291-85798:298.

--9510130310 "South Texas Project Pre-SALP Board MIP Close Out Interim MIP," presented at 910602-920801 SALP meeting.
* Region 4 (Post 820201). 92/07/21. 156pp. 85798:299-85799:187.

--9510130341 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/10/19. 168pp. 85799:188-85799:341.

--9510130343 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/01/19. 211pp. 85799:342-85800:200.

9510060261 Forwards insp repts 50-498/95-22 & 50-499/95-22 on 950828-0901.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85711:044-85711:096.

--9510060264 Insp repts 50-498/95-22 & 50-499/95-22 on 950828-0901.No violations noted.Major areas inspected:licensee water chemistry & radiochemisty programs including water chemistry & radiochemistry confirmatory measurements.
MURRAY,B. Region 4 (Post 820201). 95/09/20. 48pp. 85711:049-85711:096.

9510050166 Discusses investigation rept 4-95-031 which involved alleged discrimination against employee of HLP.Informs that NRC plans no action unless new info comes to light or DOL review results in determination that unlawful discrimination noted.
GALLAN,L.J. Region 4 (Post 820201). 95/10/02. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85686:081-85686:086.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110111 Forwards insp repts 50-498/95-21 & 50-499/95-21 on 950828-0914.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/04. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85730:223-85730:238.

--9510110126 Insp repts 50-498/95-21 & 50-499/95-21 on 950828-0914.No violations noted.Major areas inspected:followup assessment was performed re licensee response to unit 2 SF pool loss of water inventory on 950718.
POWERS,D.A. Region 4 (Post 820201). 95/10/02. 8pp. 85730:228-85730:238.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110080 Forwards insp repts 50-498/95-13 & 50-499/95-13 on 950821- 0915.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85730:001-85730:133.

--9510110091 Insp repts 50-498/95-13 & 50-499/95-13 on 950821-0915.No violations noted.Major areas inspected:qualifications of applicants for operator licenses,which included eligibility determination & administration of comprehensive exams.
TAPIA,J.I. Region 4 (Post 820201). 95/10/03. 128pp. 85730:006-85730:133.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170056 Forwards Rev 0,Suppl 1 to "ISI Plan for First Insp Interval of South TX Project Electric Generating Station Unit 1."
THOMAS,S.E. Houston Lighting & Power Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85836:307-85836:314.

--9510170059 Rev 0,Suppl 1 to "ISI Plan for First Insp Interval of South TX Project Electric Generating Station Unit 1."
BEVERLY,R.L. Houston Lighting & Power Co. 95/10/02. 6pp. 85836:309-85836:314.

9510200103 Informs that requalification program insp for insp repts 50-498/95-28 & 50-499/95-28 has been scheduled for wk of 951127,per 951010 telcon.
GWYNN,T.P. Region 4 (Post 820201). 95/10/11. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85871:017-85871:021.

9510230125 Informs that util will be developing formal calculations for determining optimal instantaneous trip settings for molded case circuit breakers based on parameters established in IN 92-051 suppl 1 & current IEEE stds.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85912:241-85912:242.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240186 Forwards notice of violation & proposed imposition of civil penalties in amount of $160,000 re violations noted from investigation into alleged discrimination,in violation of 10CFR50.7 requirements.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85896:316-85896:332.

--9510240203 Notice of violation & proposed imposition of civil penalty in amount of $160,000.Noncompliance noted:supervisor in licensee Nuclear Security Dept was unlawfully discriminated against on May 1992.
* Region 4 (Post 820201). 95/10/17. 4pp. 85896:322-85896:325.

--9510240213 Discusses predecisional enforcement conference on 950616 between HL&P & NRC re alleged discrimination in violation of 10CFR50.7,against two former members of licensee nuclear security dept.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. BALCOM,R.L. Affiliation Not Assigned. 5pp. 85896:326-85896:330.

--9510240222 Notice of violation from insp on May 1992 to Feb 1993. Violations noted:manager discriminated against two employees of HL&P.
* Region 4 (Post 820201). 95/10/17. 2pp. 85896:331-85896:332.

9510230002 "NRC Proposes $160,000 Fine for HL&P in Whistleblower Discrimination Case,"
* Office of Public Affairs (Post 911117). 95/10/18. 2pp. 85928:255-85928:256.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200044 Monthly operating repts for Sept 1995 for South TX Project. W/951013 ltr.
HILL,R.L., BERGENDAHL,D.M., MALLEN,F.H. Houston Lighting & Power Co. 95/09/30. 14pp. 85911:282-85911:295.

S. Reportable occurrences, LERs & related correspondence

9510020356 LER 95-009-00:on 950829,reactor tripped due to loss of reactor coolant flow.Caused by inadequate supervisory practices.Discussion conducted w/supervisors on importance of proper supervisory involvement.W/950928 ltr.
HEAD,S.M., MYERS,L.W. Houston Lighting & Power Co. 95/09/28. 6pp. 85689:014-85689:019.

V. Operator Examinations

9510040223 Ltr contract,Mod 1 to task order 18,increasing funding to allow for increase in scope of work to include preparation of six simulator scenarios & administration of nine operator exams,to "Initial Exam at South Texas,Bay City,TX."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 3pp. 85696:336-85696:338.

9510110080 Forwards insp repts 50-498/95-13 & 50-499/95-13 on 950821- 0915.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85730:001-85730:133.

--9510110091 Insp repts 50-498/95-13 & 50-499/95-13 on 950821-0915.No violations noted.Major areas inspected:qualifications of applicants for operator licenses,which included eligibility determination & administration of comprehensive exams.
TAPIA,J.I. Region 4 (Post 820201). 95/10/03. 128pp. 85730:006-85730:133.

9510250341 Notifies Commission that WJ Aimone,WS Blair,JH Hodges,RW Hubenak,DL Thomlinson,RW Fellingham & RS Graham will no longer serve in position requiring RO & SRO licenses, effective 950921.
MARTIN,L.E. Houston Lighting & Power Co. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85985:343-85985:345.

9510300225 Forwards results of GFES of written operator licensing exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 86002:001-86002:003.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260125 Discusses OI transcript of interview of alleger re potential safeguards concerns.
DEXTER,T.W. NRC - No Detailed Affiliation Given. 93/06/23. WISE,R. NRC - No Detailed Affiliation Given. 1p. 85995:051-85995:051.

--9510260132 Responds to 930505 memo that requested Region 4 staff to review OI transcript of interview of contract security guard employed at facility.
WISE,R. Region 4 (Post 820201). 93/07/08. WILLIAMSON,W.L. Ofc of Investigations (Post 880201). 1p. 85995:052-85995:052.

9510020223 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabatoge.
ALEXION,T.W. . 95/09/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85663:164-85663:167.

9510100088 Revised EPIPs,including Rev 2 to 0ERP01-ZV-1N01, "Emergency Classification," Rev 4 to 0ERP01-ZV-IN05, "Site Evacuation" & Rev 1 to 0PGP05-ZV-0007, "Tone Alert Radios." W/951002 ltr.
SERRA,P.L. Houston Lighting & Power Co. 95/10/02. 29pp. 85756:223-85756:252.

9510110106 Submits description update to vehicle control measures as required by 10CFR73.55(c)(7).One oversize drawing encl.
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/05. Document Control Branch (Document Control Desk). 5pp. 85818:339-85818:343.

9510180026 Forwards Physical Security Plan temporary addenda that reflects addl security measures during const activities associated w/Vehicle Barrier Upgrade Project.Plan withheld.
MARTIN,L.E. Houston Lighting & Power Co. 95/10/09. Document Control Branch (Document Control Desk). 3pp. 85866:250-85866:252.

9510240186 Forwards notice of violation & proposed imposition of civil penalties in amount of $160,000 re violations noted from investigation into alleged discrimination,in violation of 10CFR50.7 requirements.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85896:316-85896:332.

--9510240203 Notice of violation & proposed imposition of civil penalty in amount of $160,000.Noncompliance noted:supervisor in licensee Nuclear Security Dept was unlawfully discriminated against on May 1992.
* Region 4 (Post 820201). 95/10/17. 4pp. 85896:322-85896:325.

--9510240213 Discusses predecisional enforcement conference on 950616 between HL&P & NRC re alleged discrimination in violation of 10CFR50.7,against two former members of licensee nuclear security dept.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. BALCOM,R.L. Affiliation Not Assigned. 5pp. 85896:326-85896:330.

9510250377 Revised EPIPs,including Rev 2 to 0ERP01-ZV-IN06, "Radiological Exposure Guidelines," Rev 1 to 0PGP05-ZV-0003, "Emergency Response Organization" & Rev 0 to 0PGP05-ZV-0009, "Emergency Facility Inventories & Insps." W/951017 ltr.
PULEO,F.J., MAYBERRY,R.T., SERRA,P.L. Houston Lighting & Power Co. 95/10/17. 55pp. 85986:288-85986:342.

9510310260 Rev 3 to EPIP 0ERP01-ZV-IN01, "Emergency Classification." W/ 951026 ltr.
SERRA,P.L. Houston Lighting & Power Co. 95/10/26. 122pp. 86076:190-86076:311.

H. General correspondence

9510020047 Informs of listed changes to distribution list for facility.
MARTIN,L.E. Houston Lighting & Power Co. 95/09/21. Document Control Branch (Document Control Desk). 2pp. 85681:357-85681:358.

P. Operating license stage documents & correspondence

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260112 Discusses 930525 telcon re alleged statements by manager in HL&P concerning station problem repts.
BEACH,A.B. Region 4 (Post 820201). 93/06/01. COTTLE,W.T. Houston Lighting & Power Co. 9pp. 85995:039-85995:050.

--9510260142 Advises that allegation number RIV-93-A-0072 be closed.
LOVELESS,D.P. NRC - No Detailed Affiliation Given. 93/11/19. WISE,R. NRC - No Detailed Affiliation Given. 7pp. 85995:057-85995:066.

--9510260148 Partially withheld memo re 861105 meeting w/MK Hess,S Dew & JT Westermeier re concerns involving valves & equipment inconvenient or inaccessible locations.
JOHNSON,C.E. Region 4 (Post 820201). 86/11/06. DRISKILL,D. Region 4 (Post 820201). 1p. 85995:067-85995:069.

--9510260151 Partially withheld memo re allegation 4-86-A-111.Documents meetings held between NRC & alleger during Nov 1986.
CARPENTER,G.L. Region 4 (Post 820201). 87/01/13. EMERSON,M.E. Region 4 (Post 820201). 8pp. 85995:070-85995:077.

--9510260158 Partially withheld memo forwarding proposed response to Senator Bentsen 861224 ltr to C Kammerer.
MARTIN,R.D. Region 4 (Post 820201). 87/01/14. STELLO,V. Ofc of the Executive Director for Operations. 5pp. 85995:078-85995:082.

9510020286 Forwards request for addl info to complete review of GL 95-03, "Circumferential Cracking of SG Tubes." Requests response within 30 days of date of ltr.
ALEXION,T.W. . 95/09/26. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85673:336-85673:339.

9510020367 Notification of 951003-04 meeting w/util in Bay City,TX to discuss licensee graded quality assurance implementation methodology.
ALEXION,T.W. . 95/09/26. BECKNER,W.D. . 5pp. 85683:290-85683:294.

9510100190 Forwards addl info re NRC GL 95-03, "Circumferential Cracking of SG Tubes."
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/02. Document Control Branch (Document Control Desk). 6pp. 85756:262-85756:267.

9510130245 Responds to 950912 ltr requesting that NRC issue opinion ltr to Westinghouse indicating licensability of increase of 0.6% in core power of existing domestic plant.
CRUTCHFIELD,D. . 95/10/05. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85801:356-85801:358.

9510130031 Notification of significant licensee meeting on 951026 w/util in Arlington,TX to present results of recent assessment of facility employee concerns program,sitewide survey of organizational effectiveness & related issues.
DYER,J.E. Region 4 (Post 820201). 95/10/06. Region 4 (Post 820201). 5pp. 85762:008-85762:012.

9510170049 Forwards addl info re proposed amend to TS surveillance 4.8.1.1.2.e.7 to allow performance of surveillance w/plant at power.
MYERS,L.W. Houston Lighting & Power Co. 95/10/09. Document Control Branch (Document Control Desk). 5pp. 85836:315-85836:319.

9510170352 Clarifies statement by noting that Unit 1 inconel stem replaced during fifth refueling outage ended on 950414 & Unit 2 stem replaced after Apr 25th overspeed occurrence.
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/09. Document Control Branch (Document Control Desk). 2pp. 85836:305-85836:306.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510230125 Informs that util will be developing formal calculations for determining optimal instantaneous trip settings for molded case circuit breakers based on parameters established in IN 92-051 suppl 1 & current IEEE stds.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85912:241-85912:242.

9510240081 Provides schedule for completion of actions requested in GL 95-07 for South TX Project Units 1 & 2.
CLONINGER,T.H. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 5pp. 85929:165-85929:169.

9510260349 Final response to FOIA request for documents.Forwards documents listed in App K released in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. COPELAND,J.G. Baker & Botts. 2pp. 85994:180-85994:197.

9510270351 Provides addl info & clarification re South TX Projects response on 950627 to GL 95-03.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/23. Document Control Branch (Document Control Desk). 4pp. 86048:161-86048:164.

9510310057 Forwards Rev 6 to TER INEL-95/0376, "Offsite Dose Calculation Manual."
ALEXION,T.W. . 95/10/24. COTTEL,W.T. Houston Lighting & Power Co. 4pp. 86033:066-86033:098.

--9510310071 "Technical Evaluation Rept,Rev 6 for Plant ODCM."
MENKE,L.H., AKERS,D.W. Idaho National Engineering Laboratory. FIN E-2084. INEL-95/0376. 95/08/31. . 29pp. 86033:070-86033:098.

9510310126 Discusses 951016 plant Co-Owner Mgt Committee Meeting re NRC views on current trends within industry & NRC & open discussion on Co-Owner Mgt Committee role at plant.
DYER,J.E. Region 4 (Post 820201). 95/10/26. COTTLE,W.T. Houston Lighting & Power Co. 14pp. 86003:180-86003:193.

Q. Inspection reports, IE Bulletins & correspondence

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

--9510260136 Responds to 930601 ltr re allegation by manager of HLP on station problem rept at facility.
COTTLE,W.T. Houston Lighting & Power Co. 93/09/08. BEACH,A.B. Region 4 (Post 820201). 4pp. 85995:053-85995:056.

9510130208 FOIA request for documents re responses to encl request for production of documents.
COPELAND,J.G. Baker & Botts. 95/06/15. Division of Freedom of Information & Publications Services (Post 940714). 10pp. 85798:001-85798:010.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

--8802090328 Forwards draft SALP input for review.Comments received by 880202 will be considered in final rept.Tabulation of SALP input from technical staff also encl.Applicant evaluated to be Category 2 during SALP period for CY87.W/o input.
KADAMBI,N.P. Project Directorate IV. 88/01/28. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (870411-901215). 31pp. 85798:021-85798:051.

--8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

--8902150122 Forwards NRR SALP input for Jan-Dec 1988,for SALP Board meeting currently scheduled for 890210.
DICK,G.F. Project Directorate IV. 89/02/09. CALLAN,L.J. Region 4 (Post 820201). 10pp. 85798:055-85798:064.

--9003010373 Forwards Project Directorate IV input to SALP rept for Jan 1989 to Jan 1990.Licensee handled 891128 failure of emergency diesel generator 22,which delayed restart by 6 wks,in well-organized & structured manner.
DICK,G.F. Project Directorate IV (891001-900602). 90/02/22. COLLINS,S.J. Region 4 (Post 820201). 21pp. 85798:068-85798:088.

--9107250048 Forwards NRR SALP input rept for functional area of safety assessment/quality verification for Feb 90 - May 1991.
DICK,G.F. Project Directorate IV-2. 91/07/16. COLLINS,S.J. Region 4 (Post 820201). 9pp. 85798:089-85798:097.

--9210190155 Forwards SALP input based on results of service water sys operational performance insp on 920622-0710.
LMBRO,E.V. Special Inspection Branch. 92/10/13. BLACK,S.C. Division of Reactor Projects - III,IV,V (Post 901216). 7pp. 85798:098-85798:104.

--9308120120 Concurs w/proposed schedule to adjust current SALP end date until 6 to 9 months after unit startup,per 930630 memo.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/22. MILHOAN,J.L. Region 4 (Post 820201). 8pp. 85798:105-85798:198.

--9510130281 "Region IV Div of Reactor Projects Pre-SALP Board for South Texas Project," presented at 900201-910531 SALP meeting.
* Region 4 (Post 820201). 90/02/01. 58pp. 85798:199-85798:290.

--9510130297 "Region IV Div of Reactor Projects Plant Performance Midcycle Review for South Texas Project,SALP Cycle 009."
* Region 4 (Post 820201). 92/04/23. 8pp. 85798:291-85798:298.

--9510130310 "South Texas Project Pre-SALP Board MIP Close Out Interim MIP," presented at 910602-920801 SALP meeting.
* Region 4 (Post 820201). 92/07/21. 156pp. 85798:299-85799:187.

--9510130341 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/10/19. 168pp. 85799:188-85799:341.

--9510130343 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/01/19. 211pp. 85799:342-85800:200.

9510060261 Forwards insp repts 50-498/95-22 & 50-499/95-22 on 950828-0901.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/09/29. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85711:044-85711:096.

--9510060264 Insp repts 50-498/95-22 & 50-499/95-22 on 950828-0901.No violations noted.Major areas inspected:licensee water chemistry & radiochemisty programs including water chemistry & radiochemistry confirmatory measurements.
MURRAY,B. Region 4 (Post 820201). 95/09/20. 48pp. 85711:049-85711:096.

9510050166 Discusses investigation rept 4-95-031 which involved alleged discrimination against employee of HLP.Informs that NRC plans no action unless new info comes to light or DOL review results in determination that unlawful discrimination noted.
GALLAN,L.J. Region 4 (Post 820201). 95/10/02. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85686:081-85686:086.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510110111 Forwards insp repts 50-498/95-21 & 50-499/95-21 on 950828-0914.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/04. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 85730:223-85730:238.

--9510110126 Insp repts 50-498/95-21 & 50-499/95-21 on 950828-0914.No violations noted.Major areas inspected:followup assessment was performed re licensee response to unit 2 SF pool loss of water inventory on 950718.
POWERS,D.A. Region 4 (Post 820201). 95/10/02. 8pp. 85730:228-85730:238.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510110080 Forwards insp repts 50-498/95-13 & 50-499/95-13 on 950821- 0915.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85730:001-85730:133.

--9510110091 Insp repts 50-498/95-13 & 50-499/95-13 on 950821-0915.No violations noted.Major areas inspected:qualifications of applicants for operator licenses,which included eligibility determination & administration of comprehensive exams.
TAPIA,J.I. Region 4 (Post 820201). 95/10/03. 128pp. 85730:006-85730:133.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510170056 Forwards Rev 0,Suppl 1 to "ISI Plan for First Insp Interval of South TX Project Electric Generating Station Unit 1."
THOMAS,S.E. Houston Lighting & Power Co. 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85836:307-85836:314.

--9510170059 Rev 0,Suppl 1 to "ISI Plan for First Insp Interval of South TX Project Electric Generating Station Unit 1."
BEVERLY,R.L. Houston Lighting & Power Co. 95/10/02. 6pp. 85836:309-85836:314.

9510200103 Informs that requalification program insp for insp repts 50-498/95-28 & 50-499/95-28 has been scheduled for wk of 951127,per 951010 telcon.
GWYNN,T.P. Region 4 (Post 820201). 95/10/11. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85871:017-85871:021.

9510230125 Informs that util will be developing formal calculations for determining optimal instantaneous trip settings for molded case circuit breakers based on parameters established in IN 92-051 suppl 1 & current IEEE stds.
THOMAS,S.E. Houston Lighting & Power Co. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85912:241-85912:242.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240186 Forwards notice of violation & proposed imposition of civil penalties in amount of $160,000 re violations noted from investigation into alleged discrimination,in violation of 10CFR50.7 requirements.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 85896:316-85896:332.

--9510240203 Notice of violation & proposed imposition of civil penalty in amount of $160,000.Noncompliance noted:supervisor in licensee Nuclear Security Dept was unlawfully discriminated against on May 1992.
* Region 4 (Post 820201). 95/10/17. 4pp. 85896:322-85896:325.

--9510240213 Discusses predecisional enforcement conference on 950616 between HL&P & NRC re alleged discrimination in violation of 10CFR50.7,against two former members of licensee nuclear security dept.
CALLAN,L.J. Region 4 (Post 820201). 95/10/17. BALCOM,R.L. Affiliation Not Assigned. 5pp. 85896:326-85896:330.

--9510240222 Notice of violation from insp on May 1992 to Feb 1993. Violations noted:manager discriminated against two employees of HL&P.
* Region 4 (Post 820201). 95/10/17. 2pp. 85896:331-85896:332.

9510230002 "NRC Proposes $160,000 Fine for HL&P in Whistleblower Discrimination Case."
* Office of Public Affairs (Post 911117). 95/10/18. 2pp. 85928:255-85928:256.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510200044 Monthly operating repts for Sept 1995 for South TX Project. W/951013 ltr.
HILL,R.L., BERGENDAHL,D.M., MALLEN,F.H. Houston Lighting & Power Co. 95/09/30. 14pp. 85911:282-85911:295.

S. Reportable occurrences, LERs & related correspondence

9510110005 LER 95-006-00:on 950905,failure to fully meet requirements of TSs occurred due to not placing control room envelope HVAC sys in required mode.Individual involved counseled.W/ 951004 ltr.
HEAD,S.M., MASSE,R.E. Houston Lighting & Power Co. 95/10/04. 5pp. 85778:223-85778:227.

V. Operator Examinations

9510040223 Ltr contract,Mod 1 to task order 18,increasing funding to allow for increase in scope of work to include preparation of six simulator scenarios & administration of nine operator exams,to "Initial Exam at South Texas,Bay City,TX."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 3pp. 85696:336-85696:338.

9510110080 Forwards insp repts 50-498/95-13 & 50-499/95-13 on 950821- 0915.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 95/10/06. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 85730:001-85730:133.

--9510110091 Insp repts 50-498/95-13 & 50-499/95-13 on 950821-0915.No violations noted.Major areas inspected:qualifications of applicants for operator licenses,which included eligibility determination & administration of comprehensive exams.
TAPIA,J.I. Region 4 (Post 820201). 95/10/03. 128pp. 85730:006-85730:133.

9510250341 Notifies Commission that WJ Aimone,WS Blair,JH Hodges,RW Hubenak,DL Thomlinson,RW Fellingham & RS Graham will no longer serve in position requiring RO & SRO licenses, effective 950921.
MARTIN,L.E. Houston Lighting & Power Co. 95/10/13. Document Control Branch (Document Control Desk). 3pp. 85985:343-85985:345.

9510300225 Forwards results of GFES of written operator licensing exam administered on 951003.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 86002:001-86002:003.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9505080268 Provides,for review & comment, "Exercise Objectives & Extent of Play" for 1995 PVNGS Annual Emergency Plan Exercise.
BIELING,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/10. CALLAN,J. Region 4 (Post 820201). 12pp. 85712:001-85713:108.

9510040103 Forwards public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.W/951003 release memo.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85718:163-85718:245.

-9510040106 Public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/15. 81pp. 85718:165-85718:245.

9510180338 Forwards public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85881:317-85881:356.

-9510180343 Public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/07. 35pp. 85881:322-85881:356.

9510170070 Forwards revised data point library pages reflecting changes to EOPs.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/29. Document Control Branch (Document Control Desk). 57pp. 85854:287-85854:344.

9510060363 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
HOLIAN,B.E. . 95/10/03. STEWART,W.L. Alabama Public Service Co. 4pp. 85735:346-85735:349.

9510190310 Forwards controlled copy numbers 8-3,8-4 & 8-9 of amend 39 to PVNGS physical security plan.Encls withheld per 10CFR73.21 & 10CFR2.790(d).
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85893:354-85893:355.

9510180149 Discusses BWNT access authorization certification,per 940429 response to NOV & proposed imposition of civil penalty 528/93-54-01013 & 01023,EA 94-011.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85867:336-85867:337.

P. Operating license stage documents & correspondence

9510130396 Forwards amends 101,89 & 72 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation.Amends add analytical method supplement CEN-372-P-A "Fuel Rod Maximum Allowable Gas Pressure," to Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85804:227-85804:253.

-9510130397 Amends 101,89 & 72 to licenses NPF-41,NPF-51 & NPF-74, respectively,adding May 1990 analytical method suppl CEN-372-P-A entitled "Fuel Rod Max Allowable Gas Pressure" to list of analytical methods in Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. 12pp. 85804:231-85804:247.

-9510130398 Safety evaluation supporting amends 101,89 & 72 to Licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/10/04. 6pp. 85804:248-85804:253.

9510170184 Forwards corrected pages to Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74,respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
THOMAS,C.R. . 95/10/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85861:220-85861:232.

-9510170197 Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
* NRC - No Detailed Affiliation Given. 95/10/05. 6pp. 85861:224-85861:232.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240276 Transmits 60 day response to GL 95-07, "Pressure Locking & Thermal Binding oF Safety-Related Power-Operated Gate Valves."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 3pp. 85929:235-85929:237.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510170076 Forwards response to request for addl info re actions requested by NRC Bulletin 90-001,Suppl 1.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 7pp. 85861:349-85861:355.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180150 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-12, 50-529/95-12 & 50-530/95-12.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/10. STEWARD,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85842:164-85842:166.

9510180149 Discusses BWNT access authorization certification,per 940429 response to NOV & proposed imposition of civil penalty 528/93-54-01013 & 01023,EA 94-011.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/11. Document Control Branch (Document Control Desk). 2pp. 85867:336-85867:337.

9510270089 Forwards "Palo Verde Nuclear Generating Station Unit 1 SG Eddy Current Exam 5th Refueling Outage."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/11. Document Control Branch (Document Control Desk). 1p. 86015:011-86015:141.

-9510270094 "Palo Verde Nuclear Generating Station Unit 1 SG Eddy Current Exam 5th Refueling Outage."
BROWN,C.T. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/14. 130pp. 86015:012-86015:141.

9510200107 Ack receipt of 950927 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-14, 50-529/95-14 & 50-530/95-14.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85871:044-85871:046.

9510200137 Forwards SE re licensee response to NRC Bulletin 90-01,Suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount," for plant Units 1,2 & 3.
THOMAS,C.R. . 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85900:074-85900:083.

-9510200157 Safety evaluation concluding that licensee to conform to requested actions of NRC Bulletin 90-01,Suppl 1 & completed reporting requirements for plant Units 1,2 & 3.
* . 95/10/12. 6pp. 85900:078-85900:083.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

9510300192 Forwards insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/10/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 86002:021-86002:053.

-9510300198 Notice of violation from insp on 950813-0923.Violation noted:on 950815 CRDR review committee did not classify CRDR 3-5-0119 as "potentially significant" or "significant."
* Region 4 (Post 820201). 95/10/25. 2pp. 86002:026-86002:027.

-9510300204 Insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923.Violations noted.Major areas inspected:plant events,operational safety,maint & surveillance activities, onsite engineering & plant support activities.
HUEY,F.R. Region 4 (Post 820201). 95/10/25. 26pp. 86002:028-86002:053.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160011 Monthly operating repts for Sept 1995 for Palo Verde Nuclear Generating Station.W/951011 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/30. 16pp. 85835:253-85835:268.

S. Reportable occurrences, LERs & related correspondence

9510040136 PNO-IV-95-044:on 951002,female contract employee found w/ loaded 357 magnum revolver inside large knapsack.Licensee immediately suspended womans unescorted access pending completion of investigation.
SCHAEFER,D., MURRAY,B. Region 4 (Post 820201). 95/10/02. 1p. 85728:142-85728:142.

V. Operator Examinations

9510300103 Informs that NRC administered Generic Fundamentals Exam on 951003.Forwards copy of exam results.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 86001:247-86001:248.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9505080268 Provides,for review & comment, "Exercise Objectives & Extent of Play" for 1995 PVNGS Annual Emergency Plan Exercise.
BIELING,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/10. CALLAN,J. Region 4 (Post 820201). 12pp. 85712:001-85713:108.

9510040103 Forwards public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.W/951003 release memo.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85718:163-85718:245.

--9510040106 Public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/15. 81pp. 85718:165-85718:245.

9510180338 Forwards public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85881:317-85881:356.

--9510180343 Public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/07. 35pp. 85881:322-85881:356.

9510170070 Forwards revised data point library pages reflecting changes to EOPs.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/29. Document Control Branch (Document Control Desk). 57pp. 85854:287-85854:344.

9510060363 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
HOLIAN,B.E. . 95/10/03. STEWART,W.L. Alabama Public Service Co. 4pp. 85735:346-85735:349.

9510190310 Forwards controlled copy numbers 8-3,8-4 & 8-9 of amend 39 to PVNGS physical security plan.Encls withheld per 10CFR73.21 & 10CFR2.790(d).
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85893:354-85893:355.

I. Financial information

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

M. Antitrust correspondence

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

P. Operating license stage documents & correspondence

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

9510130396 Forwards amends 101,89 & 72 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation.Amends add analytical method supplement CEN-372-P-A "Fueld Rod Maximum Allowable Gas Pressure," to Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85804:227-85804:253.

--9510130397 Amends 101,89 & 72 to licenses NPF-41,NPF-51 & NPF-74, respectively,adding May 1990 analytical method suppl CEN-372-P-A entitled "Fuel Rod Max Allowable Gas Pressure" to list of analytical methods in Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. 12pp. 85804:231-85804:247.

--9510130398 Safety evaluation supporting amends 101,89 & 72 to Licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/10/04. 6pp. 85804:248-85804:253.

9510170184 Forwards corrected pages to Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74,respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
THOMAS,C.R. . 95/10/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85861:220-85861:232.

--9510170197 Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
* NRC - No Detailed Affiliation Given. 95/10/05. 6pp. 85861:224-85861:232.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240276 Transmits 60 day response to GL 95-07, "Pressure Locking & Thermal Binding oF Safety-Related Power-Operated Gate Valves."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 3pp. 85929:235-85929:237.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510170076 Forwards response to request for addl info re actions requested by NRC Bulletin 90-001,Suppl 1.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 7pp. 85861:349-85861:355.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180150 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-12, 50-529/95-12 & 50-530/95-12.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/10. STEWARD,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85842:164-85842:166.

9510270010 Forwards Suppl 1 to "Palo Verde Nuclear Generating Station Unit 2 SG Eddy Current Exam 5th Refueling Outage."
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/11. Document Control Branch (Document Control Desk). 1p. 86014:001-86014:262.

--9510270012 "Palo Verde Nuclear Generating Station Unit 2 SG Eddy Current Exam 5th Refueling Outage Feb 1995."
BROWN,C.T. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/14. 261pp. 86014:002-86014:262.

9510200107 Ack receipt of 950927 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-14, 50-529/95-14 & 50-530/95-14.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85871:044-85871:046.

9510200137 Forwards SE re licensee response to NRC Bulletin 90-01,Suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount," for plant Units 1,2 & 3.
THOMAS,C.R. . 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85900:074-85900:083.

--9510200157 Safety evaluation concluding that licensee to conform to requested actions of NRC Bulletin 90-01,Suppl 1 & completed reporting requirements for plant Units 1,2 & 3.
* . 95/10/12. 6pp. 85900:078-85900:083.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

9510300192 Forwards insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/10/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 86002:021-86002:053.

--9510300204 Insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923.Violations noted.Major areas inspected:plant events,operational safety,maint & surveillance activities, onsite engineering & plant support activities.
HUEY,F.R. Region 4 (Post 820201). 95/10/25. 26pp. 86002:028-86002:053.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160011 Monthly operating repts for Sept 1995 for Palo Verde Nuclear Generating Station.W/951011 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/30. 16pp. 85835:253-85835:268.

S. Reportable occurrences, LERs & related correspondence

9510040136 PNO-IV-95-044:on 951002,female contract employee found w/ loaded 357 magnum revolver inside large knapsack.Licensee immediately suspended womans unescorted access pending completion of investigation.
SCHAEFER,D., MURRAY,B. Region 4 (Post 820201). 95/10/02. 1p. 85728:142-85728:142.

V. Operator Examinations

9510300103 Informs that NRC administered Generic Fundamentals Exam on 951003.Forwards copy of exam results.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 86001:247-86001:248.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9505080268 Provides,for review & comment, "Exercise Objectives & Extent of Play" for 1995 PVNGS Annual Emergency Plan Exercise.
BIELING,H.F. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/01/10. CALLAN,J. Region 4 (Post 820201). 12pp. 85712:001-85713:108.

9510040103 Forwards public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.W/951003 release memo.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/13. Document Control Branch (Document Control Desk). 2pp. 85718:163-85718:245.

--9510040106 Public version of revised EPIPs,including revised EPIP listing,EPIPs index,Rev 21 to EPIP-04 & Rev 16 to EPIP-11.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/08/15. 81pp. 85718:165-85718:245.

9510180338 Forwards public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85881:317-85881:356.

--9510180343 Public version of revised EPIPs,including rev 12 to EPIP-19 & rev 15 to EPIP-20.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/07. 35pp. 85881:322-85881:356.

9510170070 Forwards revised data point library pages reflecting changes to EOPs.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/29. Document Control Branch (Document Control Desk). 57pp. 85854:287-85854:344.

9510060363 Informs that info being provided to plant security manager that could assist in efforts to protect plants against design-basis threat for sabotage.
HOLIAN,B.E. . 95/10/03. STEWART,W.L. Alabama Public Service Co. 4pp. 85735:346-85735:349.

9510190310 Forwards controlled copy numbers 8-3,8-4 & 8-9 of amend 39 to PVNGS physical security plan.Encls withheld per 10CFR73.21 & 10CFR2.790(d).
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 2pp. 85893:354-85893:355.

I. Financial information

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

M. Antitrust correspondence

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

P. Operating license stage documents & correspondence

9510050083 Advises that document entitled, "PVNGS-3 Cycle 6 ECCS Performance Analysis," marked as proprietary & will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
THOMAS,C.R. . 95/09/28. RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 4pp. 85722:197-85722:202.

9510100366 Forwards application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC. Discussion of NSHC determination,environ considerations & antitrust considerations also encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 4pp. 85765:001-85765:232.

--9510100368 Application for amends to licenses NPF-51 & NPF-74, rescinding previous sale & leaseback transactions by EPEC re EPEC ownership share of PVNGS Units 2 & 3.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. 226pp. 85765:006-85765:232.

9510130396 Forwards amends 101,89 & 72 to licenses NPF-41, NPF-51 & NPF-74 & safety evaluation.Amends add analytical method supplement CEN-372-P-A "Fuel Rod Maximum Allowable Gas Pressure," to Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85804:227-85804:253.

--9510130397 Amends 101,89 & 72 to licenses NPF-41,NPF-51 & NPF-74, respectively,adding May 1990 analytical method suppl CEN-372-P-A entitled "Fuel Rod Max Allowable Gas Pressure" to list of analytical methods in Section 6.9.1.10 of TS.
THOMAS,C.R. . 95/10/04. 12pp. 85804:231-85804:247.

--9510130398 Safety evaluation supporting amends 101,89 & 72 to Licenses NPF-41,NPF-51 & NPF-74,respectively.
* Office of Nuclear Reactor Regulation (Post 941001). 95/10/04. 6pp. 85804:248-85804:253.

9510170184 Forwards corrected pages to Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74,respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
THOMAS,C.R. . 95/10/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85861:220-85861:232.

--9510170197 Amends 100,88 & 71 to Licenses NPF-41,NPF-51 & NPF-74, respectively.Amends change power calibr requirements for linear power level,CPC delta T power & CPC nuclear power signals.
* NRC - No Detailed Affiliation Given. 95/10/05. 6pp. 85861:224-85861:232.

9510170336 Notification of significant licensee meeting w/listed utils on 951109 to discuss pressure locking & thermal binding of power-operated gate valves (GL 95-07).Meeting agenda encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/10. NRC - No Detailed Affiliation Given. 22pp. 85818:123-85818:144.

9510240276 Transmits 60 day response to GL 95-07, "Pressure Locking & Thermal Binding oF Safety-Related Power-Operated Gate Valves."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/10. Document Control Branch (Document Control Desk). 3pp. 85929:235-85929:237.

9510250190 Forwards revised ARC region projections for PVNGS Unit 3 Refueling Outage 5,as requested during 950920 meeting w/NRC.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/16. Document Control Branch (Document Control Desk). 6pp. 85983:341-85983:346.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

Q. Inspection reports, IE Bulletins & correspondence

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9510020310 Forwards response to NRC 950828 ltr re violations noted in insp rept 50-530/95-14 on 950702-0813.Corrective actions: managers stopped all work & held recovery meeting.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85690:225-85690:231.

9510170076 Forwards response to request for addl info re actions requested by NRC Bulletin 90-001,Suppl 1.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/03. Document Control Branch (Document Control Desk). 7pp. 85861:349-85861:355.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510180150 Ack receipt of 950825 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-12, 50-529/95-12 & 50-530/95-12.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/10. STEWARD,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85842:164-85842:166.

9510200107 Ack receipt of 950927 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-14, 50-529/95-14 & 50-530/95-14.
PERKINS,K.E. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 3pp. 85871:044-85871:046.

9510200137 Forwards SE re licensee response to NRC Bulletin 90-01,Suppl 1, "Loss of Fill-Oil in Transmitters Mfg by Rosemount," for plant Units 1,2 & 3.
THOMAS,C.R. . 95/10/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 85900:074-85900:083.

--9510200157 Safety evaluation concluding that licensee to conform to requested actions of NRC Bulletin 90-01,Suppl 1 & completed reporting requirements for plant Units 1,2 & 3.
* . 95/10/12. 6pp. 85900:078-85900:083.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating In Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510260310 Notification of 951101 meeting w/util in Bethesda,MD to discuss proposed risk-based Inservice Testing Pilot Program submittals for plants.
POLICH,T.J. . 95/10/19. BECKNER,W.D. . 5pp. 85946:349-85946:353.

9510300192 Forwards insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 95/10/25. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 86002:021-86002:053.

--9510300204 Insp repts 50-528/95-16,50-529/95-16 & 50-530/95-16 on 950813-0923.Violations noted.Major areas inspected:plant events,operational safety,maint & surveillance activities, onsite engineering & plant support activities.
HUEY,F.R. Region 4 (Post 820201). 95/10/25. 26pp. 86002:028-86002:053.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

R. Periodic operating reports & related correspondence

9510160011 Monthly operating repts for Sept 1995 for Palo Verde Nuclear Generating Station.W/951011 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/09/30. 16pp. 85835:253-85835:268.

S. Reportable occurrences, LERs & related correspondence

9510040136 PNO-IV-95-044:on 951002,female contract employee found w/ loaded 357 magnum revolver inside large knapsack.Licensee immediately suspended womans unescorted access pending completion of investigation.
SCHAEFER,D. Region 4 (Post 820201). 95/10/02. 1p. 85728:142-85728:142.

9510300034 Forwards LER 95-002-00 re condition where max power level of facility OL exceeded for nine h.Highest rolling 12 h average 100.97 percent power.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/20. Document Control Branch (Document Control Desk). 1p. 86079:001-86079:006.

--9510300042 LER 95-002-00:on 950924,identified that abnormal blowdown valves to blowdown flash tank (BFT) isolated,resulting in reactor core power exceeding 3,800 MWt due to personnel error.Procedure for aligning blowdown to BFT revised.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/10/20. 5pp. 86079:002-86079:006.

V. Operator Examinations

9510300103 Informs that NRC administered Generic Fundamentals Exam on 951003.Forwards copy of exam results.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 95/10/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 86001:247-86001:248.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9510250203 Notice of 951204 meeting in Rockville,MD to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 95/10/11. 2pp. 85904:069-85904:070.

9510250210 Notice of 951204 meeting to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 95/10/11. 2pp. 85904:071-85904:072.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9510110309 Requests addl explanation of probablistic risk assessment. Request for clarification & does not impact conclusions of evaluation already reported in FSER.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. 95/10/06. Document Control Branch (Document Control Desk). 2pp. 85756:321-85756:322.

9510250203 Notice of 951204 meeting in Rockville,MD to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 95/10/11. 2pp. 85904:069-85904:070.

9510250210 Notice of 951204 meeting to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 95/10/11. 2pp. 85904:071-85904:072.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9510040311 Advises that application submitted June 1992 re AP600 preliminary validations repts for NOTRUMP will be withheld from public disclosure & forwards RAI in order to complete review.
HUFFMAN,W.C. . 95/08/22. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 85713:275-85713:281.

9510040302 Advises that application submitted June 1992 for design certification of AP600 will be withheld pending staff final determination & forwards RAI re AP600 review.
HUFFMAN,W.C. . 95/08/31. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 85713:253-85713:257.

9510040295 Advises that info submitted in June 1992 application for design certification will be withheld from public disclosure pending NRC final determination.Forwards RAI re AP600 PRA.
JACKSON,D.T. . 95/09/14. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. 85713:242-85713:248.

9510040226 Forwards questions & comments on NOTRUMP preliminary validation rept for OSU tests & NOTRUMP preliminary validation rept for SPES-2 tests.
HUFFMAN,W.C. . 95/09/22. LIPARULO,N.J. Westinghouse Electric Corp. 17pp. 85713:157-85713:173.

9510040270 Forwards questions & comments on three test program final repts, "OSU Final Data Rept," "OSU Test Analysis Rept" & "SPES-2 Test Analysis Rept."
HUFFMAN,W.C. . 95/09/22. LIPARULO,N.J. Westinghouse Electric Corp. 9pp. 85713:184-85713:192.

9510020347 Forwards rept, "Evaluation of W PRHR Test Facility & Test Matrix for RELAP5/MOD3 Code Assessment." Rept withheld (ref 10CFR2.790).
HUFFMAN,W.C. . 95/09/26. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85673:343-85673:345.

9510020358 Forwards evaluation re probability of pipe break in MFW line within turbine bldg & load combinations for leak-before- break in AP600 plant.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/26. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85690:144-85690:150.

9510020276 Advises that info submitted by Westinghouse ltr NTD-NRC-95-4437 & affidavit AW-95-810,dtd 950412 will be withheld from public disclosure,ref 10CFR2.790.
JACKSON,D.T. . 95/09/27. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85673:340-85673:342.

9510030245 Forwards proprietary Rev 1 to WCAP-14112, "ADS Test Spec." Encl withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/27. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85691:282-85691:292.

--9510030246 Requests that proprietary Rev 1 to WCAP-14112, "ADS Test Spec" be withheld from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/27. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85691:286-85691:292.

9510040261 Summary of 950816 meeting w/W in Rockville,MD to discuss proposed closure paths for issues associated w/PCCS program approach.List of attendees & meeting agenda encl.
JACKSON,D.T. . 95/09/27. . 38pp. 85693:226-85693:263.

9510030028 Provides discussion on bases for mass transfer correlation biases used for AP600 containment design basis analyses.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/28. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 85688:320-85688:325.

9510030114 Provides list of matl that contain no info that licensee considers proprietary.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/28. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 85688:334-85688:334.

9510030237 Forwards Vols I & II DOE/ID-10460, "In-Vessel Coolability & Retention of Core Melt."
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/28. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 85694:001-85696:124.

--9510030239 Vols I & II "In-Vessel Coolability & Retention of Core Melt."
THEOFANOUS,T., LIU,C., ADDITON,S. Energy, Dept. of. DOE/ID-10460. 95/07/31. 850pp. 85694:003-85696:124.

9510050071 Informs that draft documents encl in NTD-NRC-95-4504 not proprietary & will be placed in PDR,in accordance w/ 10CFR2.790(c).
HUFFMAN,W.C. . 95/09/28. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:165-85722:167.

9510050084 Discusses status of AP600 DSER open item re requirements for SPDS.
HUFFMAN,W.C. . 95/09/28. LIPARULO,N.J. Westinghouse Electric Corp. 12pp. 85722:340-85722:351.

9510050142 Advises that info submitted on 950915 re two "as built" drawing of AP600 Automatic Depressurization Sys Phase B Test facility will be held from public disclosure.
HUFFMAN,W.C. . 95/09/28. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:352-85722:354.

9510020232 Forwards proprietary rev 1 to WCAP-14292, "AP600 Low- Pressure Integral Sys Test at Oregon State Univ Test Analysis Rept." Vol I & II.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/29. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85683:268-85683:278.

--9510020238 Requests that Rev 1 to WCAP-14292, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Test Analysis Rept," Vols I & II be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/09/29. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85683:272-85683:278.

9510050263 Summary of 950830-31 meeting w/listed attendees in Plainsfield,IL to discuss analysis & design of W AP600 containment vessel & review related DSER open items.Meeting agenda encl.
JACKSON,D.T. . 95/09/29. . 199pp. 85721:001-85721:199.

9510050064 Advises that info submitted in Westinghouse rept, LTCT-GSR-003, "WCOBRA/TRAC OSU Long Term Cooling Preliminary Validation Rept," to be withheld from public disclosure per 10CFR2.790.
HOFFMAN,W.C. . 95/10/02. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:159-85722:161.

9510050216 Requests addl info to complete review re use of ASME Boiler & Pressure Vessel Code Case N-284,Rev 1 to AP600 design within 60 days of ltr receipt,in response to W 950913 ltr.
JACKSON,D.T. . 95/10/03. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:011-85722:013.

9510050231 Advises that info submitted in Westinghouse ltr NTD-NRC-95-4534,dtd 950818,will be withheld from public disclosure,per 10CFR2.790.WCAP-14442 will be withheld.
HUFFMAN,W.C. . 95/10/03. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:106-85722:108.

9510050248 Summary of telcon on 950918 w/W to discuss listed draft DSER open items in SSAR chapter 9.
JACKSON,D.T. . 95/10/03. NRC - No Detailed Affiliation Given. 4pp. 85722:217-85722:224.

--9510050262 Submits list of SPLB items needing clarification or discussion w/W,as result of review of SSAR revs 3 & 4.
JACKSON,D. . 95/09/05. LINDGEN,D. Westinghouse Electric Corp. 4pp. 85722:221-85722:224.

9510050252 Provides comments on AP600 draft implementation plan for integrating human reliability analysis w/human factors engineering design.
HUFFMAN,W.C. . 95/10/03. LIPARULO,N.J. Westinghouse Electric Corp. 10pp. 85722:053-85722:062.

9510110395 Informs that staff developing revised schedule for review of AP600 design certification application,as discussed in 950828 ltr.
RUSSELL,W.T. . 95/10/05. BRUSCHI,H. Westinghouse Electric Corp. 3pp. 85762:346-85762:348.

9510120181 Advises that Rev 1 to WCAP-14112, "AP600 ADS Test Spec Rept" will be withheld from public disclosure (ref 10CFR2.790),in response to 950927 request.Understands that W agreed to submit nonproprietary version of subj rept by 951231.
HUFFMAN,W.C. . 95/10/05. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85766:340-85766:342.

9510120191 Advises that Vols I & II to WCAP-14254, "AP600 SPES-2 Test Analysis Rept" will be withheld from public disclosure (ref 10CFR2.790),per 950605 request.
HUFFMAN,W.C. . 95/10/06. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85766:337-85766:339.

9510120256 Forwards insp rept 99900404/95-02 on 950724-26 & notice of nonconformance.Insp to determine if ADS test activities for AP600 conducted under provisions of WCAP-8370,Rev 12A.
GALLO,R.M. . 95/10/06. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 85767:196-85767:208.

--9510120282 Notice of nonconformance from insp on 950724-26. Nonconformance noted:as-built drawings not generated for AP600 ADS Phase B testing at VAPORE.
* . 95/10/06. 1p. 85767:200-85767:200.

--9510120335 Insp rept 99900404/95-02 on 950724-26.Noncompliance noted. Major areas inspected:automatic ADS Phase B test program at Ente Nazionale Energia e Ambiente VAPORE test facility.
MCINTYRE,R.P., GALLO,R.M. . 95/10/06. 8pp. 85767:201-85767:208.

9510130188 Notification of 951016,17 & 18 meetings w/Westinghouse in Rockville,MD to discuss thermal-hydraulic uncertainty concerns re application of MAAP4 computer code to analysis of AP600 accident sequences.Agenda encl.
HUFFMAN,W.C. . 95/10/06. QUAY,T.R. . 3pp. 85778:359-85778:361.

9510130301 Notification of 951012 meeting w/W in Rockville,MD to discuss NOTRUMP computer code issues re to design of AP600.
HUFFMAN,W.C. . 95/10/06. QUAY,T.R. . 2pp. 85813:008-85813:010.

9510190246 Forwards justification for use of ASME Code,Section VIII for const of air storage tanks in emergency habitability sys,per request.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/10/09. QUAY,T.R. Document Control Branch (Document Control Desk). 3pp. 85900:248-85900:250.

9510130399 Notification of 951013 meeting w/Westinghouse in Monroeville,PA to discuss open item resolutions re matls engineering for the AP600 design.
JACKSON,D.T. . 95/10/10. QUAY,T.R. . 2pp. 85778:335-85778:336.

9510190255 Forwards responses to NRC RAIs on AP600 from NRC 950213 & 0705 ltrs & responses to preliminary comments on SPES-2 final data rept & test analysis rept received in 950914 ltr.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/10/10. QUAY,T.R. Document Control Branch (Document Control Desk). 49pp. 85893:177-85893:225.

9510190397 Forwards summary of differences identified through comparison of currently configured version of W-GOTHIC S, Version 1.2 & QA-reviewed EPRI version of GOTHIC S,Version 4.0 & W-GOTHIC S models not used in analysis of AP600.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/10/12. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85911:275-85911:281.

9510200291 Forwards sample problem for Westinghouse to validate Chicago Bridge & Iron Company in-house computer code "E0781B" which involves axisymmetric model for internal pressure & wind analyses.
JACKSON,D.T. . 95/10/16. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. 85899:091-85899:097.

9510300254 Forwards AP600 RTNSS focused PRA sensitivity study electronic computer files.Copy of encls sent separately to D Jackson to be forwarded to N Siu of INEL.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/10/17. QUAY,T.R. Document Control Branch (Document Control Desk). 6pp. 86052:356-86052:361.

9510230147 Summary of 951012 meeting w/Westinghouse Electric Corp to discuss status of review of AP600.Staff provided indication of review status of each technical review area.
KENYON,T.J. . 95/10/18. NRC - No Detailed Affiliation Given. 1p. 85904:355-85904:357.

9510240055 Forwards RAI to complete review re level 1 PRA for internal events & power flooding analysis.
FRANOVICH,M.X. . 95/10/18. LIPARULO,N.J. Westinghouse Electric Corp. 6pp. 85910:351-85910:356.

9510250072 Summary of 950912-14 meeting w/Westinghouse in Monroeville, PA re thermal-hydraulic uncertainties in various multiple failure accident sequences as presented in App A of AP600 probabilistic risk assessment.
HUFFMAN,W.C. . 95/10/18. . 44pp. 85943:245-85943:289.

9510260271 Notification of 951024-25 meeting w/W in Rockville,MD to discuss thermal-hydraulic uncertainty concerns re application of MAAP4 computer code to analysis of AP600 accident sequence.
HUFFMAN,W.C. . 95/10/19. QUAY,T.R. . 4pp. 85947:323-85947:326.

9510270117 Forwards WCAP-14293,rev 1, "AP600 Low Pressure Integral Sys Test At Oregon State Univ Test Analysis Rept," non- proprietary.
MCINTYRE,B.A. Westinghouse Electric Corp. 95/10/20. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 86036:001-86037:341.

--9510270126 Rev 1 to "Low Pressure Integral Sys Test At Oregon St Univ Test Analysis," non-proprietary.
* Westinghouse Electric Corp. WCAP-14293 R01. 95/09/30. 703pp. 86036:003-86037:341.

9510300212 Summary of 950425-26 meeting w/W in Rockville,MD to address items re AP600 reactor sys design.List of attendees & licensee handouts encl.
HUFFMAN,W.C. . 95/10/24. . 67pp. 86030:284-86030:350.

9510300208 Advises that WCAP-14307 encl in NTD-NRC-95-4493 will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HUFFMAN,W.C. . 95/10/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 86017:334-86017:336.

9510310244 Advises that rept encl in NTD-NRC-95-4502 will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HUFFMAN,W.C. . 95/10/25. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 86033:143-86033:145.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9510020246 Forwards insp rept 99900404/95-02 on stated date.No violations noted.
GALLO,R.M. . 95/09/25. QUINN,J.E. General Electric Co. 3pp. 85673:306-85673:325.

9510020033 Forwards listing of data files related to PANTHERS-PCC thermal-hydraulic testing,per A Drozd request of NRC staff.
QUINN,J.E. General Electric Co. 95/09/27. QUAY,T.E. . 30pp. 85681:327-85681:356.

9510030021 Transmits 23 copies of licensee response to RAI re WCAP 14416-P,entitled "Westinghouse Spent Fuel Rack Criticality Analysis Methodology."
BUSH,L. Westinghouse Electric Corp. 95/09/28. KOPP,L. Document Control Branch (Document Control Desk). 9pp. 85688:311-85688:319.

9510030352 Forwards "Pre-Test Analysis of GIRAFFE Sys Interaction Tests:GS1-GS4."
QUINN,J.E. General Electric Co. 95/09/29. QUAY,T.E. . 2pp. 85696:248-85696:304.

--9510030354 "Pre-Test Analysis of GIRAFFE Sys Interaction Tests:GS1- GS4."
SITARAMAN,S., SHIRALKAR,B.S. General Electric Co. 95/09/29. 55pp. 85696:250-85696:304.

9510050294 Forwards progress rept on evaluation of GE Licensing Topical Rept NEDE-32176-P,Rev 0, "TRACG Model Description." Rept provides documentation of staff review to date & to provide GE w/single document identifying remaining staff concerns.
WILSON,J.H. . 95/10/03. QUINN,J.E. General Electric Co. 3pp. 85721:200-85721:217.

--9510050299 "Progress Rept on Staff Evaluation of GE Licensing Topical Rept NEDE-32176P,Rev 0,TRACG Model Description for October 1995."
* , 95/10/03. 15pp. 85721:203-85721:217.

9510110237 Informs that GE Licensing Topical Rept, "SBWR Test & Analysis Program Description," NEDC-32391P,Rev C & Suppl 1, to be withheld from public disclosure,per 10CFR2.790.
SCALETTI,D.C. . 95/10/05. QUINN,J.E. General Electric Co. 3pp. 85762:343-85762:345.

9510160154 Requests withdrawal of presentation charts from 940818 meeting.Charts should be returned to GE or disposed of in manner appropriate for proprietary matls.
QUINN,J.E. General Electric Co. 95/10/10. QUAY,T.E. . 2pp. 85835:247-85835:248.

9510160158 Requests withdrawal of subj test matrix.Matrix should be returned to GE or disposed of in manner appropriate for proprietary matl.
QUINN,J.E. General Electric Co. 95/10/10. QUAY,T.E. . 2pp. 85835:269-85835:270.

9510160161 Requests withdrawal of "SBWR GIRAFFE Heat Removal Performance Tests Test Plan & Procedures."
QUINN,J.E. General Electric Co. 95/10/10. QUAY,T.E. . 3pp. 85835:358-85835:360.

9510160162 Requests withdrawal of GIST test QA program documentation.
QUINN,J.E. General Electric Co. 95/10/10. QUAY,T.E. . 2pp. 85835:303-85835:304.

9510160165 Requests withdrawal of Section 4.3.2 of GERAFFE Testing Program Rept "Feature Technology of Simplified BWR."
QUINN,J.E. General Electric Co. 95/10/10. QUAY,T.E. . 2pp. 85835:305-85835:306.

9510200187 Summary of 950821-22 meeting w/GE representatives in San Jose,CA re containment TRACG analysis,PANTHERS/PCC test results & GIRAFFE test issues.List of attendees encl.
NINH,S.Q. . 95/10/11. . 124pp. 85898:153-85898:278.

9510170414 Forwards Rev 1 to NEDC-32288P, "Licensing Topical Rept Scaling of SBWR Related Tests." Rept withheld.
QUINN,J.E. General Electric Co. 95/10/13. QUAY,T.E. . 3pp. 85865:005-85865:007.

9510180370 Informs that listed documents should be removed & destroyed from docket file because requests for proprietary treatment for documents,unacceptable.
QUAY,T.R. . 95/10/13. GALLO,R.M., GRIMES,C.I., STROSNIDER,J.R. . 3pp. 85865:275-85865:277.

9510230102 Provides proprietary TRACG input decks for PANTHERS 8-tube model & SBWR containment model included on single electronic computer disk,in response to NRC request during GE/NRC weekly telcon on SBWR testing on 951003.Encl withheld.
QUINN,J.E. General Electric Co. 95/10/13. QUAY,T.E. . 6pp. 85912:215-85912:220.

9510230400 Forwards proprietary diagrams of TRACG PANTHERS facility nodalization & SBWR containment model,in response to NRC request during GE/NRC weekly telcon on SBWR testing on 951003.Diagrams withheld.
QUINN,J.E. General Electric Co. 95/10/13. QUAY,T.E. . 2pp. 85920:356-85920:357.

9510230091 Forwards revs to drawings associated w/PANTHERS test program.Areas of change indicated on drawings.W/one oversize encl.
QUINN,J.E. General Electric Co. 95/10/16. QUAY,T.E. . 4pp. 85947:339-85947:343.

9510250177 Informs that GE respectively declines request to provide requested drawings & suggests that NRC make reference to listed schematic as non-proprietary version of drawings.
QUINN,J.E. General Electric Co. 95/10/18. QUAY,T.E. . 2pp. 85986:353-85986:354.

9510250327 Forwards nonproprietary version of presentation charts used during GE/NRC meeting on 931116 on GIST heat loss & TRACG application to SBWR
QUINN,J.E. General Electric Co. 95/10/18. QUAY,T.E. . 13pp. 85985:328-85985:340.

9510250317 Submits background matl & discussion of schedule for informing Commission of staff evaluation of SBWR test program.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 85981:309-85981:311.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0008 BATTELLE COLUMBUS DIV. (BATTELLE MEMORIAL INSTITUTE),

9510310177 Ack receipt of 950904 ltr re notification of leaking Ni-63 detector cell.
GATTONE,R.G. Region 3 (Post 820201). 95/10/24. LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 1p. 86003:239-86003:241.

--9510310182 Notifies that on 950929,identified leaking 15 mCi Ni-63 source housed in electron capture detector within gas chromatograph.Gas chromatograph instrument tagged "out of svc" do not operate.
LAYENDECKER,S. Battelle Memorial Institute, Columbus Laboratories. 95/09/04. HOLT,B.J. Region 3 (Post 820201). 2pp. 86003:240-86003:241.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9510190135 Application for amend to License SNM-42,incorporating organizational changes.
OLSEN,A.F. Babcock & Wilcox Co. 95/10/10. PIERSON,R.C. Licensing Branch. 216pp. 85887:001-85887:216.

9510250289 Submits advance notification of shipment of listed special nuclear matls to BNL in Upton,NY.
CAMPLIN,W.F. Babcock & Wilcox Co. 95/08/21. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. MASNYKE,O. Region 2 (Post 820201). 2pp. 85904:119-85904:120.

9510250256 Provides info re NRC Window Shipments to Univ of Missouri.
CAMPLIN,W. Babcock & Wilcox Co. 95/09/21. BENNINGTON,G. NRC - No Detailed Affiliation Given. 3pp. 85904:098-85904:100.

9510250099 Informs that licensee will soon begin processing U scrap matl (sapphire) received from Kazakhstan in licensee U recovery facility.
WARD,D.C. Babcock & Wilcox Co. 95/09/26. Region 2 (Post 820201). 2pp. 85987:336-85987:337.

9510020317 Responds to NRC ltr re violations noted in insp rept 70-0027/95-16.C/A:held workplace meeting w/personnel to be reinstructed on need to follow procedure requirements verbatim & to emphasize seriousness of incident.
CONNER,J.A. Babcock & Wilcox Co. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85690:220-85690:224.

9510040144 Forwards renewed license SNM-42 & SER.
PIERSON,R.C. Licensing Branch. 95/10/02. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 85711:221-85711:299.

--9510040147 Renewed license SNM-42 for B&W.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/02. 9pp. 85711:224-85711:232.

--9510040150 SER supporting license SNM-42 renewal.
* Licensing Branch. 95/10/02. 67pp. 85711:233-85711:299.

9510180171 Discusses mgt meeting on 950720 re schedules & planned activities for receipt,storage & processing of Project Sapphire material at facility.
MALLETT,B.S. Region 2 (Post 820201). 95/10/02. CONNER,J.A. Babcock & Wilcox Co. 34pp. 85842:229-85842:262.

9510110253 Forwards revised page 8 of renewal license issued 951002. Requests that licensee replace page 8 w/attached rev.
PIERSON,R.C. Licensing Branch. 95/10/05. OLSEN,A.F. Babcock & Wilcox Co. 1p. 85761:342-85761:343.

9510200320 Forwards insp rept 70-0027/95-203 on 950911-15 of MC&A safeguards program.Non-cited violation noted & new inspector follow-up item open.Rept withheld per 10CFR2.790.
TING,P. Operations Branch. 95/10/12. CONNER,J.A. Babcock & Wilcox Co. 2pp. 85913:100-85913:101.

9510230386 Forwards insp rept 70-0027/95-18 on 950805-0915 & notice of violation.
COOLINS,D.M. Region 2 (Post 820201). 95/10/13. CONNER,J.A. Babcock & Wilcox Co. 3pp. 85892:337-85892:358.

--9510230387 Notice of violation from insp on 950805-0915.Violation noted:licensee failed to conduct activities in accordance w/nuclear criticality safety postings.
* Region 2 (Post 820201). 95/10/13. 2pp. 85892:340-85892:341.

--9510230391 Insp rept 70-0027/95-18 on 950805-0915.Violations noted. Major areas inspected:selected records,interviews w/ personnel & direct observation of work activities in area of mgt organization,security & fire protection.
ELLIOTT,M.P., TROUP,G.L., TESTA,E.D. Region 2 (Post 820201). 95/10/13. 17pp. 85892:342-85892:358.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9510310282 Forwards response to NRC 950712 ltr re violations noted in insp rept 70-0036/95-201.Corrective actions:reassigned responsibility for performing operability & calibr checks for oxide conversion equipment.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/08/10. TING,P. Operations Branch. 5pp. 86097:001-86097:005.

9510310291 Forwards response to NRC recommendations re chemical safety program.Existing PHA will be revisited for potential changes as part of bringing second tank on line.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/09. TING,P. Operations Branch. 4pp. 86066:348-86066:351.

9510040168 Refers to 950710 TAR,received on 950911,requesting guidance on whether C-E authorized per 10CFR20.106 to make shipments of sewage treatment plant under old Part 20.
PIERSON,R.C. Licensing Branch. 95/09/28. SHEAR,G.L. Region 3 (Post 820201). 1p. 85709:352-85709:352.

9510100067 Forwards comments from review of final survey for ABB C-E, highlighting areas inconsistent w/NUREG-5849.
SHEAR,G.L. Region 3 (Post 820201). 95/09/28. Region 3 (Post 820201). 2pp. 85725:055-85725:056.

9510040097 Refers to 950810 ltr responding to Notice of Violation identified in 950712 ltr & forwards demand for info.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/09/29. JUNKRANS,S.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 85673:089-85673:100.

--9510040109 Demand for listed info,including statement as to why Commission should not conclude that failure to meet requirement willful violation of NRC requirements.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/09/29. 9pp. 85673:092-85673:100.

9510180015 Provides updated listing of individuals authorized to make license commitments & preferred distribution of correspondence from NRC.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). SHARKEY,R.W. ASEA Brown Boveri, Inc. 95/10/11. PIERSON,R.C. Licensing Branch. 2pp. 85866:307-85866:308.

9510250036 Confirms arrangements made by telephone between RW Sharkey & J Roth re management meeting to be held on 951107.Purpose of meeting to discuss demand for info.
EYCK,E.Q. Office of Nuclear Material Safety & Safeguards. 95/10/20. SUIDEK,R.S. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 85987:251-85987:251.

9510250112 Notification of significant licensee meeting w/util on 951107 to discuss concerns re licensee's Criticality Safety Program.
ROTH,J. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/20. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 85985:218-85985:220.

DOCKET 70-0133 CLEVITE CORP., CLEVELAND, OH

9510190199 Forwards insp rept 70-0133/95-01 on 950906.No violations noted.
MCCORMICK-BARGE Region 3 (Post 820201). 95/10/12. PIERCE,R. . 2pp. 85863:231-85863:236.

--9510190213 Insp rept 70-0133/95-01 on 950906.No violations noted. Major areas inspected:routine insp to examine compliance of survey methodology,instrumentation & instrument calibrations w/authorized survey,remediation plan for former facility.
GLINSKI,R.L., HOUSE,J., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/12. 5pp. 85863:233-85863:236.

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

9510040166 Requests that B&W submit Apollo final decommissioning rept within 30 days of receipt of ltr & that final rept for groundwater monitoring be submitted in Jan 1996,NRC expected to receive final decommissioning rept for site by Jul 1995.
PIERSON,R. Licensing Branch. 95/09/28. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 85709:356-85709:356.

9510200081 Forwards requested info re quarterly ground water monitoring radiological analytical results for Apollo Decommissioning Project.
SGARLATA,D.K. Babcock & Wilcox Co. 95/10/13. HARDIN,K.J. Division of Fuel Cycle Safety & Safeguards (Post 930207). 2pp. 85911:296-85911:297.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9510270017 Forwards "RCRA Facility Investigation Rept for SWMUs 9 & 10 at Nuclear Fuel Svcs Inc in Erwin,TN."
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/10/17. FARMER,G.A. Environmental Protection Agency. 1p. 86031:001-86032:007.

--9510270019 "RCRA Facility Investigation Rept for SWMUs 9 & 10 at Nuclear Svcs Inc in Erwin,TN."
* Nuclear Fuel Services, Inc. 95/10/17. 369pp. 86031:002-86032:007.

9510040169 Demands immediate shutdown of facility,revocation of license forever & cleanup of site & surrounding area to distance necessary per 10CFR2.206.
BLOCKEY-O'BRIEN Affiliation Not Assigned. 95/09/13. Ofc of the Executive Director for Operations. 4pp. 85709:357-85709:361.

9510030139 Forwards response to NRC 950828 ltr re violations noted in insp rept 70-143/95-05.Corrective actions:picked up items that prohibited activities possibly occurring in 300 complex & properly discarded as found.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/09/27. Document Control Branch (Document Control Desk). 7pp. 85688:341-85688:347.

9510050199 Forwards results of nuclear safety analyses for current operations at Erwin site.License changes proposed by NRC in ltr dtd 950523,would have direct,negative commercial impact on licensee.
MAXIN,A.M Nuclear Fuel Services, Inc. 95/09/29. PIERSON,R.C. Licensing Branch. 39pp. 85726:229-85726:275.

9510110174 Application for amend to License SNM-124,incorporating NRC Apr 1993 conditions for leak testing sealed radioactive sources.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/10/06. PIERSON,R.C. Licensing Branch. 9pp. 85783:318-85783:326.

9510110188 Forwards quarterly RCRA Facility Investigation (RFI) & interim measures (IM) progress repts.Next quarterly RFI/IM progress repts will be submitted by 960104.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/10/06. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 31pp. 85782:280-85782:310.

9510250396 Refers encl 10CFR2.206 petition from P Blockey-O'Brien dtd 950913 to OIG because petition asserts that NRC negligently allowed licensee to continue to operate.
PIERSON,R.C. Licensing Branch. 95/10/10. NORTON,L.J. Office of the Inspector General (Post 890417). 1p. 85983:356-85983:360.

9510190386 Requests technical assistance in reviewing encl ltr from NFS dtd 950922,requesting approval to include two former onsite waste disposal areas,designated as Solid Waste Mgt Unit 11, under scope of Pond 4 remediation effort.
PIERSON,R.C. Licensing Branch. 95/10/12. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 85884:352-85884:356.

9510230336 Ack receipt of 950927 ltr informing NRC of steps taken to correct violations noted in insp rept 70-0143/95-05.
COLLINS,D.M. Region 2 (Post 820201). 95/10/12. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 85891:302-85891:303.

9510250051 Requests addl info re 950518 application,requesting amend to license SNM-124 for bringing license into conformance w/current 10CFR20,effective 940101.
COX,T.H. Office of Nuclear Material Safety & Safeguards. 95/10/16. MAXIN,A.M. Nuclear Fuel Services, Inc. 4pp. 85985:221-85985:224.

9510250062 Notification of 951025 meeting w/Nuclear Fuel Services,Inc in Rockville,MD to discuss implementation of 10CFR73.45-46.
* NRC - No Detailed Affiliation Given. 95/10/19. NRC - No Detailed Affiliation Given. 1p. 85986:355-85986:355.

9510310409 Requests extension to schedule requirements for conducting independents audits of nuclear safety program & emergency plan & for conducting biannual full-scale emergency preparedness drill.
MAXIN,A.M. Nuclear Fuel Services, Inc. 95/10/19. PIERSON,R.C. Licensing Branch. 2pp. 86073:327-86073:328.

DOCKET 70-0161 WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510270138 Forwards application for SNM license.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/10/22. Atomic Energy Commission (Pre 750119). 1p. 86125:080-86125:080.

--9510270143 Application for license,authorizing use of 5 Ci Plutonium- beryllium neutron source.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/10/11. 4pp. 86125:081-86125:084.

--9510270145 Advises that applications for SNM license should be submitted in quadruplicate,signed under oath or affirmation & should include description of procedures for leak testing source & frequency tests conducted.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/10/25. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:085-86125:085.

--9510270146 Forwards application for SNM license which superseded 571022 application.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/11/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 86125:086-86125:086.

--9510270150 Application for SNM license,authorizing possession & use of 5 Ci Plutonium-beryllium neutron source.
STEWART,I. West Virginia Univ., Morgantown, WV. 57/11/08. 4pp. 86125:087-86125:090.

--9510270154 Discusses analysis & findings re 571108 application for license.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/12/09. Atomic Energy Commission (Pre 750119). 1p. 86125:091-86125:091.

--9510270156 Forwards SNM license SNM-151.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/12/11. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:092-86125:092.

--9510270158 License SNM-151 for WV Univ,authorizing possession & use of 91.54 grams Pu on neutron sources.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/12/11. 1p. 86125:093-86125:093.

--9510270162 Application for amend to License SNM-151,authorizing possession & use of 6 mCi Sr-90 in beta absorption experiments.
KENT,J.A. West Virginia Univ., Morgantown, WV. 58/02/13. 4pp. 86125:094-86125:097.

--9510270164 Advises that AEC issued license SNM-151 to WV Univ.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/05/02. DYER,H.H. West Virginia, State of. 1p. 86125:098-86125:098.

--9510270168 Forwards SNM license SNM-151 as amended to permit possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/14. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:099-86125:099.

--9510270172 Amend to license SNM-151 for WV Univ,authorizing possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/14. 3pp. 86125:100-86125:102.

--9510270194 Advises that license SNM-151 may be amended to authorize 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/19. Atomic Energy Commission (Pre 750119). 1p. 86125:103-86125:103.

--9510270196 Forwards SNM license SNM-151,as amended.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/05/20. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:104-86125:104.

--9510270207 Amend to license SNM-0151 for WV Univ,authorizing possession & use of 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/05/20. 1p. 86125:105-86125:107.

--9510270220 Forwards SNM license SNM-151 as amended to permit possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/28. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:108-86125:108.

--9510270222 Amend to license SNM-151 for WV Univ,authorizing possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/28. 2pp. 86125:109-86125:110.

--9510270228 Forwards SNM license issued for WV Univ.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/11. DYER,H.H. West Virginia, State of, 1p. 86125:111-86125:111.

--9510270233 Forwards insp rept re licensed activities of WV Univ under license SNM-151.
* Atomic Energy Commission (Pre 750119). 58/09/15. Atomic Energy Commission (Pre 750119). 1p. 86125:112-86125:112.

--9510270238 Insp of license SNM-151 on 580529.No violations noted.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/08/20. 4pp. 86125:113-86125:117.

--9510270244 Notifies of expiration of license SNM-151 on 600630.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/04/25. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:118-86125:118.

--9510270247 Application for amend,renewing license SNM-151.
KENT,J.A. West Virginia Univ., Morgantown, WV. 60/05/11. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:119-86125:119.

--9510270251 Ack receipt of 610721 ltr re interest in obtaining U rods for use in research program.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/08/15. FAIRBANKS,H.V. West Virginia Univ., Morgantown, WV. 2pp. 86125:120-86125:121.

--9510270254 Requests info re procedures required & availability of obtaining U rods approx 1/4 inch diameter & 12 inches long.
FAIRBANKS,H.V. West Virginia Univ., Morgantown, WV. 61/07/21. Atomic Energy Commission (Pre 750119). 1p. 86125:122-86125:122.

--9510270256 Application for amend to License SNM-151,authorizing possession & use of up to 0.0015 grams to U-235 as U3O8.
KENT,J.A. West Virginia Univ., Morgantown, WV. 63/01/22. Atomic Energy Commission (Pre 750119). 2pp. 86125:123-86125:124.

--9510270259 Amend 1 to license SNM-151 for WV Univ,authorizing possession & use of U enriched in U-235 isotope & Pu.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 63/02/05. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:125-86125:125.

--9510270261 Notifies that license SNM-151 expires on 650630.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 65/05/03. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:126-86125:126.

--9510270262 Forwards application for renewal of license SNM-151.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 65/05/12. Atomic Energy Commission (Pre 750119). 1p. 86125:127-86125:127.

--9510270263 Application for renewal of license SNM-151.
KENT,J.A. West Virginia Univ., Morgantown, WV. 65/05/12. 2pp. 86125:128-86125:129.

--9510270264 Forwards license SNM-151,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/06/11. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:130-86125:130.

--9510270265 License SNM-151 for WV Univ as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/06/11. 2pp. 86125:131-86125:133.

--9510270266 Notifies that License SNM-151 expires on 680630.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/04/22. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:134-86125:134.

--9510270267 Application for amend,renewing license SNM-151.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/05/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 86125:135-86125:137.

--9510270269 Forwards SNM license SNM-151,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/06/13. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:138-86125:138.

--9510270271 Amend to license SNM-151 for WV Univ renewing license in entirety.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/06/13. 2pp. 86125:139-86125:140.

--9510270272 Requests matl status rept (Form AEC-742) for period ending 700630.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 70/09/04. BOYLE,W.R. West Virginia Univ., Morgantown, WV. 1p. 86125:141-86125:141.

--9510270273 Requests matl status rept for periods ending 701231 & 710630.
THORNTON,C.D. Atomic Energy Commission (Pre 750119). 71/09/21. HARLOW,J. West Virginia Univ., Morgantown, WV. 1p. 86125:142-86125:142.

--9510270275 Ack receipt of 710921 ltr re failure to fully comply w/AEC regulations.Investigation being undertaken.
HARLOW,J.G. West Virginia Univ., Morgantown, WV. 71/09/28. THORNTON Atomic Energy Commission (Pre 750119). 2pp. 86125:143-86125:144.

--9510270277 Requests matl status rept for period ending 720630.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 72/09/07. GAILBRAITH,H. West Virginia Univ., Morgantown, WV. 1p. 86125:145-86125:147.

--9510270278 Notifies that license SNM-151 expires on 730630.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/03/27. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:148-86125:148.

--9510270280 Requests matl status rept for period ending 721231.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 73/03/29. West Virginia Univ., Morgantown, WV. 1p. 86125:149-86125:149.

--9510270285 Application for amend to License SNM-151,extending license to 731231.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 2pp. 86125:150-86125:153.

--9510270287 Amend 1 to license SNM-151 for WV Univ,extending expiration date to 731231.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/06/25. 2pp. 86125:154-86125:155.

--9510270288 Notifies that license SNM-151 expires on 731231.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/09/15. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:156-86125:156.

--9510270289 Advises that SNM license SNM-151 expired on 731231 & no application for renewal filed.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 74/01/25. West Virginia Univ., Morgantown, WV. 2pp. 86125:157-86125:158.

--9510270294 Forwards proposed order to cease & desist from use of matls which licensee continues to possess after expiration of 9 licenses.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 74/12/04. NUSSBAUMER,D.A., MURRAY,J.P., INGRAM,F.L. Atomic Energy Commission (Pre 750119). 2pp. 86125:159-86125:160.

--9510300005 Forwards order to cease & desist & notification of license expiration & request for licensing info.
KNUTH,D.F. Atomic Energy Commission (Pre 750119). 74/12/27. HARLOW,J.G. West Virginia Univ., Morgantown, WV. 8pp. 86125:161-86125:168.

--9510300008 Order to cease & desist from further use of matls in possession,store matl & within 30 days transfer matl to authorized recipient.
KNUTH,D.F. Atomic Energy Commission (Pre 750119). 74/12/27. West Virginia Univ., Morgantown, WV. 17pp. 86125:169-86125:185.

--9510300013 Informs that Commission has issued order rescinding 741227 order.
KNUTH,D.F. Office of Inspection & Enforcement (750101-801210). 75/03/04. MURPHY,G.F. West Virginia Univ., Morgantown, WV. 2pp. 86125:186-86125:193.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9510170209 Informs that per 10CFR40.42(f)(2),NRC determined that alternative schedule for submission of site decommissioning plan necessary to effective conduct of decommissioning operations & presents no undue risk from radiation.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/26. SGARLATA,D.K. Babcock & Wilcox Co. 2pp. 85855:345-85855:346.

9510130211 Concludes that Bldg A hot cell may be released for unrestricted use,based on review of info provided in B&W 950531 ltr re Bldg A hot cell decontamination.
PIERSON,R.C. Licensing Branch. 95/10/05. SGARLATA,D.K. Babcock & Wilcox Co. 1p. 85808:242-85808:242.

DOCKET 70-0435 LAFAYETTE COLLEGE, EASTON, PA

9510230186 Safety insp on 950920 of license SNM-0394.Insp findings: no violations noted.
WEIDAR,T.L. Region 1 (Post 820201). * Lafayette College, Easton, PA. 95/09/20. 1p. 85889:359-85889:359.

DOCKET 70-0698 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9510020190 PNO-I-95-042:on 950928 & 29,contamination found on several pieces of equipment & shipping containers.Packages originated in Madrid,Spain where Westinghouse subsidiary ENWESA leased equipment for use at Almaraz Nuclear Plant.
WHITE,D., COSTELLO,F. Region 1 (Post 820201). 95/09/29. 2pp. 85673:295-85673:296.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9510020146 Application for amend to License SNM-696,requesting permanently cease principal activities,authorized by License SNM-696.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/09/26. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 85681:359-85681:360.

9510120295 Forwards proprietary "SNM & Source Matl Physical Inventory Summary Rept," for period ending 950918.Rept withheld.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/10/06. PIERSON,R.C. Licensing Branch. 1p. 85778:293-85778:293.

9510180144 Forwards insp rept 70-0734/95-04 on 950905-08.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/10. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 85842:149-85842:162.

--9510180148 Insp rept 70-0734/95-04 on 950905-08.No violations noted. Major areas inspected:mgt controls,operations review,maint & surveillance testing,radiological effluents & emergency preparedness & radiation protection.
WENSLAWSKI,F.A. Region 4 (Post 820201). 95/10/06. 11pp. 85842:152-85842:162.

9510190120 Requests addl info re 950926 application requesting amend to license SNM-696 for possession only license & notification of permanent cessation of principle activities.
GASKIN,C.E. Licensing Branch. 95/10/12. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 85900:211-85900:211.

9510260035 Forwards amend 33 to license SNM-696 & SER.Amend incorporates changes to emergency plan.
PIERSON,R.C. Licensing Branch. 95/10/13. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 85996:165-85996:177.

--9510260038 Amend 33 to license SNM-696,incorporating changes to emergency plan.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/13. 10pp. 85996:166-85996:175.

--9510260039 SER supporting amend 33 to license SNM-696.
* NRC - No Detailed Affiliation Given. 95/10/13. 2pp. 85996:176-85996:177.

9510250056 Requests addl info re 950706 application,requesting approval of Hot Cell Facility Decommissioning Plan.
GASKIN,C.E. Licensing Branch. 95/10/19. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 85985:315-85985:317.

9510300113 Requests NRC & State of CA Dept of Health Svcs Radiologic Health Branch (CAL-RHB) to mutually agree that,CAL-RHB assume role of responsible agency for licensee hot cell facility decommissioning.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/10/23. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). WONG,G. California, State of. 3pp. 86043:356-86043:358.

DOCKET 70-0754 GENERAL ELECTRIC CO., PLEASANTON, CA

9510110138 Responds to violations noted in insp of license SNM-960. Sampling equipment being installed in case of hot cell air locks.
STIMMELL,G.L. General Electric Co. 95/09/25. Region 4 (Post 820201). 3pp. 85762:190-85762:190.

DOCKET 70-0801 OHIO STATE UNIV., COLUMBUS, OH

9510120394 Amend 9 to license SNM-732 for Ohio State Univ.Control: 397903.
NULL,K.G. Region 3 (Post 820201). 95/09/07. 19pp. 85794:094-85794:112.

DOCKET 70-0820 UNC RECOVERY SYSTEMS (UNITED NUCLEAR CORP.), WOOD RIVER

9509210207 Informs Commission that staff plans to terminate license at UNC Recovery Sys site at Wood River Junction,Rhode Island & remove from SDMP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-95-236. 95/09/15. 57pp. 85910:071-85910:120.

9510130099 Requests EA mentioned in FR notice of 950907.
DOHERTY,J.F. Affiliation Not Assigned. 95/09/28. PARRALT,J. NRC - No Detailed Affiliation Given. 1p. 85809:165-85809:165.

9510170343 Forwards EA re license termination request for United Nuclear Corp Wood River Junction,RI,site,in ref to 950928 ltr.
PARROTT,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/11. DOHERTY,J.F. Affiliation Not Assigned. 1p. 85862:208-85862:238.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9510310405 Confirms that licensee in agreement w/Region IV assessment to lift 10CFR2.790 restriction on certain License SNM-928 & License SNM-1174 docket files.
STAUTER,J.C. Cimarron Corp. 95/05/09. CAIN,C.L. Region 4 (Post 820201). 1p. 86073:305-86073:307.

DOCKET 70-0938 MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, MA

9510170318 Forwards insp repts 50-020/95-03 & 70-0938/95-01 on 950918- 19.No safety concerns or violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 85818:103-85818:109.

--9510170342 Insp repts 50-020/95-03 & 70-0938/95-01 on 950918-19.No violations noted.Major areas inspected:nuclear matl control & accounting & physical security including facility operation,shipping & receiving.
SMITH,G.C., KEIMIG,R.R. Region 1 (Post 820201). 95/10/04. 5pp. 85818:105-85818:109.

DOCKET 70-0948 WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/05/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510300018 Application for SNM license,authorizing possession & use of 20,000 dpm Pu.
PATRICK,H. West Virginia Univ., Morgantown, WV. 65/05/07. 2pp. 86125:194-86125:195.

--9510300023 Forwards SNM license SNM-896.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/05/19. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:196-86125:196.

--9510300025 License SNM-0896 for WV Univ,authorizing possession & use of .06 microcuries Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/05/18. 1p. 86125:197-86125:197.

--9510300029 Safety insp on 651207 of license SNM-0896.Insp findings: no noncompliances noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 65/12/07. 1p. 86125:198-86125:198.

--9510300033 Notifies that license SNM-0896 expires on 680531.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/03/28. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:199-86125:199.

--9510300036 Advises that license SNM-0896 expired on 680531.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/07/16. West Virginia Univ., Morgantown, WV. 1p. 86125:200-86125:200.

--9510300039 Requests response to 681018 ltr.
LOW,L.D. Atomic Energy Commission (Pre 750119). 68/11/22. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:201-86125:201.

--9510300045 Application for amend,renewing license SNM-0896.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/12/13. 4pp. 86125:202-86125:205.

--9510300049 Forwards license SNM-0896,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 69/01/08. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:206-86125:206.

--9510300050 Amend to license SNM-0896 for WV Univ,authorizing possession & use of .06 microcuries Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 69/01/10. 1p. 86125:207-86125:212.

--9510300054 Notifies that license SNM-0896 expires on 731231.
MALARO,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/15. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:213-86125:213.

--9510300058 Advises that license SNM-0896 expired 731231.
MALARO,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/25. West Virginia Univ., Morgantown, WV. 2pp. 86125:214-86125:222.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9510310189 Application for amend to License SNM-1067,proposing license condition to implement method for determining action levels for environ monitoring of program data.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 95/10/25. PIERSON,R.C. Licensing Branch. 11pp. 86064:324-86064:334.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9510040062 Forwards proprietary physical inventory summary repts for period of 950705-0806.Encls withheld per 10CFR2.790(d).
KLAPPROTH,J.F. General Electric Co. 95/09/28. PIERSON,R.C. Licensing Branch. 1p. 85709:026-85709:026.

9510040091 Forwards proprietary changes to FNMCP.Encl withheld per 10CFR2.790(d).
KLAPPROTH,J.F. General Electric Co. 95/09/28. PIERSON,R.C. Licensing Branch. 2pp. 85709:024-85709:025.

9510180212 Forwards insp rept 70-1113/95-08 on stated date.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/09/28. KIPP,C.P. General Electric Co. 2pp. 85846:137-85846:146.

--9510180218 Insp rept 70-1113/95-08 on stated date.No violations noted. Major areas inspected:mgt & organization,nuclear criticality safety,facility operations,facility changes,training & FP.
TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 95/09/28. 8pp. 85846:139-85846:146.

9510180090 Forwards insp rept 70-1113/95-07 on 950905-08.No violations noted.
COLLINS,D.M. Region 2 (Post 820201). 95/10/05. KIPP,C.P. General Electric Co. 2pp. 85842:026-85842:040.

--9510180100 Insp rept 70-1113/95-07 on 950905-08.No violations noted. Major areas inspected:LLRW mgt & shipping & transportation of radioactive matls.
GLOERSEN,W.B., MCALPINE,E.J. Region 2 (Post 820201). 95/10/05. 13pp. 85842:028-85842:040.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9510040088 Application for amend to license SNM-1107,changing Authorization 12.1.1.
WILLIAMS,R.A. Westinghouse Electric Corp. 95/09/25. KEEGAN,E. Licensing Branch. 8pp. 85698:333-85698:340.

9510240262 Forwards NPDES discharge monitoring rept for Aug 1995 which provides notification re exceedance conditions w/fecal coliform parameter,total suspended solids parameter & acute toxicity test.
FISCHER,R.E. Westinghouse Electric Corp. 95/09/26. GLOERSON,B. Region 2 (Post 820201). 3pp. 85928:351-85928:360.

--9510240264 NPDES discharge monitoring rept for Aug 1995.
FICI,J.A. Westinghouse Electric Corp. 95/08/31. 7pp. 85928:354-85928:360.

9510040084 Forwards CSE summary & fault trees for URRS dissolver sys, CSA summary for URRS scrap processing sys (LLW processing sys & mop water sys equipment) & CSE summary & fault trees for UN bulk storage tank sys.
GOODWIN,W.L. Westinghouse Electric Corp. 95/09/29. KEEGAN,E. Licensing Branch. 15pp. 85698:318-85698:332.

9510110331 Forwards proprietary revised "SNM & Source Matl Physical Inventory Summary Rept," for period ending 950809.Rept withheld.
SANDERS,C.F. Westinghouse Electric Corp. 95/10/03. Licensing Branch. 1p. 85780:205-85780:205.

9510200379 Ack receipt of ltr dtd 950925 re Insp Rept 70-1151/95-07 on 950914-15.
GOODWIN,W.L. Westinghouse Electric Corp. 95/10/04. COLLINS,D.M. Region 2 (Post 820201). 1p. 85912:291-85912:291.

DOCKET 70-1193 CIMARRON CORP., OKLAHOMA CITY, OK

9510310405 Confirms that licensee in agreement w/Region IV assessment to lift 10CFR2.790 restriction on certain License SNM-928 & License SNM-1174 docket files.
STAUTER,J.C. Cimarron Corp. 95/05/09. CAIN,C.L. Region 4 (Post 820201). 1p. 86073:305-86073:307.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9510040163 RAI re amend to license SNM-1168 for release of wet-weather stream.
LAMASTRA,M. Licensing Branch. 95/09/27. KNAPP,K.S. B&W Fuel Co. 4pp. 85709:344-85709:347.

9510200326 Application for amend to License SNM-1168,authorizing operation of refurbishment facility (SERF-4).
KNAPP,K.S. B&W Fuel Co. 95/09/29. PIERSON,R. Licensing Branch. 78pp. 85902:121-85902:198.

9510180205 Informs that 950918 response to violation A,noted on insp rept 70-1201/95-02,determined to be inadequate & requires suppl response within 30 days.
COLLINS,D.M. Region 2 (Post 820201). 95/10/10. CARR,C.W. B&W Fuel Co. 2pp. 85846:135-85846:136.

9510270349 Requests that NRC reinstate exemption for maintaining emergency plan,Page 8-1 of license revised to reflect that exemption evalaution conducted & paragraph 1.4.3 of license revised to reflect compliance w/10CFR40.31(j)(1).
KNAPP,K.S. Babcock & Wilcox Co. 95/10/18. PIERSON,R.C. Licensing Branch. 3pp. 86052:208-86052:210.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9510060091 Submits advance notification of listed shipments,per requirements of Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
CONDUY,D. Edlow International Co. 95/07/11. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85693:089-85693:090.

9510060192 Submits rev 1,advance notification of shipment of 44,780 kg of U hexafluoride,fissile from Moscow,Russia.
CONDREY,D. Edlow International Co. 95/07/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85693:091-85693:092.

9510060032 Submits advance notification for export shipment of five cylinders of UF6,from UK,IAW convention on physical protection of nuclear matl & 870326 FR.
* Edlow International Co. 95/08/16. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:027-85693:027.

9510060051 Submits notification of upcoming shipment of UF6,fissile gross weight 44,780 kgs,UF6 contained in twelve cylinders & PSPs.
CANDREY,D. Edlow International Co. 95/08/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85693:066-85693:067.

9510060068 Notifies of upcoming shipment of U hexafluoride,fissile from Moscow,Russia to arrive in Piketon,OH on 950919.
CONDREY,D. Edlow International Co. 95/08/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:083-85693:083.

9510100049 Submits notification of upcoming shipment of Uranium hexafluoride fissle,gross weight 44,197 kgs U,UF6 contained in 12 cylinders & PSPs.
CONDREY,D. Edlow International Co. 95/08/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85725:035-85725:035.

9510060073 Rev 1 to 950814 notice.Notifies of upcoming shipment of U hexafluoride,fissile from Russia to arrive in Piketon,OH on 950907-12.Rev changes date from 950901 to 950907-12.
CONDREY,D. Edlow International Co. 95/08/23. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:084-85693:085.

--9510060075 Notifies of upcoming shipment of U hexafluoride,fissile from Russia to arrive in Piketon,OH on 950901.
CONDREY,D. Edlow International Co. 95/08/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:085-85693:085.

9510060041 Submits advance notification of export shipment of six cylinders of UF6,from UK,IAW convention on physical protection of nuclear matl & 870326 FR.
* Edlow International Co. 95/08/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:053-85693:053.

9510060035 Notifies of U hexafluoride,non-fissle shipment to US Energy Corp in Paducah,Kentucky.
* Edlow International Co. 95/09/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:032-85693:032.

9510060026 Submits rev 1 to advance notification of upcoming shipment of UF6,fissile,to Columbia,SC.
* Edlow International Co. 95/09/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85693:017-85693:018.

9510060052 Rev 3 to upcoming notification of shipment of U hexaflouride fissle to Columbia,SC on 950919,IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
* Edlow International Co. 95/09/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:068-85693:071.

--9510060057 Rev 2 to upcoming notification of shipment of U hexaflouride fissle to Columbia SC on 950919,IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
* Edlow International Co. 95/09/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:069-85693:069.

--9510060058 Rev 1,cancelling upcoming shipment of U hexaflouride,fissle to Columbia,SC.
* Edlow International Co. 95/09/01. Office of Nuclear Material Safety & Safeguards. 1p. 85693:070-85693:070.

--9510060069 Submits notification of upcoming shipment of U hexafluride, fissle to Columbia,SC on 950919 & 20,IAW Convention on Physical Protection of Nuclear Matl & NRC Final Rule of 870326.
* Edlow International Co. 95/08/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:071-85693:071.

9510100040 Submits list of deliveries provided in accordance w/requirements of Convention on Physical Protection of Nuclear Matls,made between 950816 & 0912.
CONDREY,D. Edlow International Co. 95/09/13. BENNINGTON,G.M. Division of Safeguards & Transportation (870413-930206). 1p. 85725:001-85725:001.

9510060059 Provides list of deliveries made between 950913-29 in accordance w/requirements of convention on physical protection of nuclear matl.
CONDREY,D. Edlow International Co. 95/09/29. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:072-85693:072.

9510250139 PNO-II-95-058:on 951019,railroad shipment of foreign research reactor spent fuel departed Sunny Point,NC.DOE Savannah river issued press release upon arrival of shipment at Savannah river site.
TOBIN,W. Region 2 (Post 820201). 95/10/20. 1p. 85995:111-85995:111.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9510050291 Forwards "Siemens Power Corp Emergency Assessment Resource Manual (EARM)."
PROBASCO,T.C. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/09/20. PIERSON,R.C. Licensing Branch. 1p. 85766:217-85766:330.

--9510050293 "Siemens Power Corp Emergency Assessment Resource Manual (EARM)."
* Battelle Memorial Institute, Pacific Northwest Laboratory. 95/08/31. 114pp. 85766:218-85766:330.

9510050148 Forwards revised Chapters 4,14 & 15 on listed sections in support of license renewal per NRC 950719 RAI.Licensee intends to further revise Chapter 15 by adding process SA info on criticality SA - defined sys.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/10/02. PIERSON,R.C. Licensing Branch. 113pp. 85744:114-85744:226.

9510230109 Forwards gaseous effluent,liquid effluent & solid effluent data from Jan-June 1995.Containerized waste shipments to US Ecology & Allied Technology Group reflect licensee continued efforts & progress re reducing solid waste inventory.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/08/29. CALLAN,L.J. Region 4 (Post 820201). 1p. 85912:221-85912:224.

--9510230111 Gaseous effluent,liquid effluent & solid effluent data from Jan-June 1995.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/06/30. 3pp. 85912:222-85912:224.

9510260342 Forwards proprietary Rev 13 to EMF-538(P), "Siemens Power Corp Physical Protection Plan for Special Nuclear Matl of Low Strategic Significance." Plan withheld.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/10/16. Office of Nuclear Material Safety & Safeguards. 2pp. 86008:356-86008:357.

9510260030 Requests review of revised Chapters 4 & 14 submitted by licensee,addressing nuclear criticality safety in license renewal application.
ADAMS,M.T. Licensing Branch. FIN J-5026. 95/10/19. HAMMELMAN,J.E. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 85995:346-85995:346.

9510270221 Submits follow-up to Bulletin 91-001,Rept 29348 on invalid criticality safety analysis assumption re U density.
MASS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/10/19. Document Control Branch (Document Control Desk). 3pp. 86012:267-86012:269.

9510270260 Responds to memo dtd 950613,requesting guidance on issues re whether licensee should rept concentration of U in sludge on wet or dry weight basis & appropriate action level for concentration of U in sludge.
PIERSON,R.C. Licensing Branch. 95/10/19. WENSLAWSKI,F. Region 4 (Post 820201). 1p. 86010:353-86010:355.

--9508310133 Responds 950707 TAR & informs that action required when concentration exceeds 30 pCi/g of sludge for any sample or six month average concentration exceeds 25 pCi/g.
PANGBURN,G.C. Operations Branch. 95/08/22. PIERSON,R.C. Licensing Branch. 2pp. 86010:354-86010:355.

9510310133 Forwards insp rept 70-1257/95-05 on 950925-29.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 95/10/19. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 86003:198-86003:212.

--9510310139 Insp rept 70-1257/95-05 on 950925-29.No violations noted. Major areas inspected:criticality safety,operations review & follow-up on open items.
WENSLAWSKI,F.A. Region 4 (Post 820201). 95/10/17. 12pp. 86003:201-86003:212.

9510250321 Forwards chapter 2 for existing license & renewal application,per recent conversations w/NRC.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/10/20. PIERSON,R.C. Licensing Branch. 24pp. 85987:284-85987:307.

DOCKET 70-1426 TRANSNUCLEAR, INC., FALLS CHURCH, VA

9510250252 Notification of import shipment of low strategic material from countries not party to Convention on Physical Protection of Nuclear Material.
GEORGE,M. Transnuclear, Inc. 95/08/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:089-85904:090.

9510250258 Submits advance notification of import shipment of low strategic significance matl from countries not party to Convention on Physical Protection of Nuclear Matl.Lists details of shipment as required in 10CFR73.74(a)(1).
MCLAUGHLIN,J. Transnuclear, Inc. 95/09/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:101-85904:102.

9510250254 Submits advance notification of import shipment of nuclear matl from countries not party to Convention on Physical Protection of Nuclear Matl.Lists details of shipment as required in 10CFR73.74(a)(1).
MCLAUGHLIN,J. Transnuclear, Inc. 95/09/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 85904:091-85904:093.

9510250251 Submits advance notification of import shipment of nuclear matl from countries not party to Convention on Physical Protection of Nuclear Matl.
MCLAUGHLIN,J. Transnuclear, Inc. 95/09/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 85904:086-85904:088.

DOCKET 70-1766 WEST VIRGINIA UNIV., MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

-9510300063 Requests listed addl info for application for possession & use of 1.5 milligrams U-235 & 79 grams Pu.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/03. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 2pp. 86125:223-86125:224.

-9510300069 Advises that response to 750103 request for addl info re 740918 application for byproduct matl license required within 30 days or application will be considered abandoned.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/05/19. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 1p. 86125:225-86125:225.

-9510300074 Forwards insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguards controls.
MOSELEY,N.C. Region II, IE (720101-810228). 75/06/23. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 4pp. 86125:226-86125:229.

-9510300082 Insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguard controls.
LITTLE,W.S. Region II, IE (720101-810228). 75/06/20. 6pp. 86125:231-86125:235.

DOCKET 70-1767 WEST VIRGINIA UNIVERSITY, MORGANTOWN, WV

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

-9510300063 Requests listed addl info for application for possession & use of 1.5 milligrams U-235 & 79 grams Pu.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/03. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 2pp. 86125:223-86125:224.

-9510300069 Advises that response to 750103 request for addl info re 740918 application for byproduct matl license required within 30 days or application will be considered abandoned.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/05/19. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 1p. 86125:225-86125:225.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9510060093 Expresses appreciation for postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Informs that correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. SANFORD,D.L. Affiliation Not Assigned. 2pp. 85731:318-85731:319.

9510060104 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. JULIAN,E.L. Affiliation Not Assigned. 2pp. 85731:340-85731:341.

9510060106 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. GREEN,E.A. Affiliation Not Assigned. 2pp. 85735:292-85735:293.

9510060108 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. SONN,P. Affiliation Not Assigned. 2pp. 85731:342-85731:343.

9510060111 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. HALLUM,J.D. Affiliation Not Assigned. 2pp. 85735:298-85735:299.

9510060112 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CANTY,R.W. Affiliation Not Assigned. 2pp. 85735:300-85735:301.

9510060113 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. HARRIS,R. Affiliation Not Assigned. 2pp. 85735:302-85735:303.

9510060114 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. SNOW,S.K. Affiliation Not Assigned. 2pp. 85731:346-85731:347.

9510060115 Ack receipt of encl postcard sent to Chairman Jackson re Lousiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CUPIT,R. Affiliation Not Assigned. 2pp. 85735:304-85735:305.

9510060117 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. WILLIAMS,L. Affiliation Not Assigned. 2pp. 85735:308-85735:309.

9510060118 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CAGAN,L. Affiliation Not Assigned. 2pp. 85735:310-85735:311.

9510060122 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. THOMPSON,L. Affiliation Not Assigned. 2pp. 85731:350-85731:351.

9510060123 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. HENDERSON,J. Affiliation Not Assigned. 2pp. 85737:269-85737:270.

9510060125 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CREECL,J.E. Affiliation Not Assigned. 2pp. 85737:271-85737:272.

9510060126 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. BURSET,V. Affiliation Not Assigned. 2pp. 85737:273-85737:274.

9510060128 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. BURNS,J.G. Affiliation Not Assigned. 2pp. 85737:277-85737:278.

9510060130 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. SMITH,N.B. Affiliation Not Assigned. 2pp. 85731:352-85731:353.

9510060131 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs Facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. BRODY,C. Affiliation Not Assigned. 2pp. 85738:359-85738:360.

9510060132 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CHAPPUIS,S.B. Affiliation Not Assigned. 2pp. 85743:323-85743:324.

9510060136 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. CASTELLI,P.D. Affiliation Not Assigned. 2pp. 85743:329-85743:330.

9510060138 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. BRASSEAUX,M.M. Affiliation Not Assigned. 2pp. 85743:331-85743:332.

9510060142 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. FLEISCHER,B.J. Affiliation Not Assigned. 2pp. 85743:335-85743:336.

9510060144 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. GRANT,G.R. Affiliation Not Assigned. 2pp. 85743:339-85743:340.

9510060145 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/02. Affiliation Not Assigned. 2pp. 85743:341-85743:342.

9510060146 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. GILBERT,M.A. Affiliation Not Assigned. 2pp. 85737:317-85737:318.

9510060149 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. FERGUSON,L. Affiliation Not Assigned. 2pp. 85737:319-85737:320.

9510060150 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. FAVORITE,A.J. Affiliation Not Assigned. 2pp. 85737:321-85737:322.

9510060153 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. RABINOWLIS,M. Affiliation Not Assigned. 2pp. 85735:358-85735:359.

9510060154 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. HOUGH-MARTIN,R. Affiliation Not Assigned. 2pp. 85737:325-85737:326.

9510060155 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. COLEMAN,L.T. Affiliation Not Assigned. 2pp. 85737:327-85737:328.

9510060157 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. JOHNSON,K.M. Affiliation Not Assigned. 2pp. 85743:354-85743:355.

9510060158 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. NAKOS,N.E. Affiliation Not Assigned. 2pp. 85737:329-85737:330.

9510060162 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. COLE,C.E. Affiliation Not Assigned. 2pp. 85737:335-85737:337.

9510060166 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. CLEMENSON,C. Affiliation Not Assigned. 2pp. 85737:342-85737:343.

9510060170 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. O'GORMAN,K. Affiliation Not Assigned. 2pp. 85737:344-85737:345.

9510060178 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. KIRK,L. Affiliation Not Assigned. 2pp. 85757:025-85757:026.

9510060181 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. JAUNIE,C.L. Affiliation Not Assigned. 2pp. 85757:027-85757:028.

9510060189 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. KERR,M. Affiliation Not Assigned. 2pp. 85738:355-85738:356.

9510060190 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. THOMAS,F.L. Affiliation Not Assigned. 2pp. 85738:357-85738:358.

9510060191 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. UMEMOTO,K. Affiliation Not Assigned. 2pp. 85757:031-85757:032.

9510060193 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. WEINSTOWE,D. Affiliation Not Assigned. 2pp. 85757:033-85757:034.

9510060196 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. WALKER,R. Affiliation Not Assigned. 2pp. 85757:037-85757:038.

9510060199 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. WALKER,B. Affiliation Not Assigned. 2pp. 85757:039-85757:040.

9510060200 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. VOLENTINE,D.M. Affiliation Not Assigned. 2pp. 85757:041-85757:042.

9510180371 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/02. INGRAM,A. Affiliation Not Assigned. 2pp. 85881:359-85881:360.

9510060081 Ack receipt of postcard sent to Chairman Jackson re Lousiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. DRAIN,G.W. Affiliation Not Assigned. 2pp. 85735:286-85735:287.

9510060088 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. SUTCLIFFE,J.N. Affiliation Not Assigned. 2pp. 85731:330-85731:331.

9510060089 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate actions. JULIAN,E.L. Docketing & Services Branch. 95/10/03. CARPENTER,T. Affiliation Not Assigned. 2pp. 85731:332-85731:333.

9510060092 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. STEPHENS,K. Affiliation Not Assigned. 2pp. 85731:334-85731:335.

9510060095 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. STEELE,J. Affiliation Not Assigned. 2pp. 85737:248-85737:249.

9510060098 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. ROVNYAK,V.G. Affiliation Not Assigned. 2pp. 85731:320-85731:321.

9510060099 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. THOMPSON,G.W. Affiliation Not Assigned. 2pp. 85731:336-85731:337.

9510060102 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. ST AMANT,M.T. Affiliation Not Assigned. 2pp. 85731:338-85731:339.

9510060103 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WILLORAHLY,R. Affiliation Not Assigned. 2pp. 85735:288-85735:289.

9510060105 Ack receipt of encl postcard sent to Chairman Jackson Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E. Docketing & Services Branch. 95/10/03. Affiliation Not Assigned. 2pp. 85735:290-85735:291.

9510060107 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. DEAN,H.A. Affiliation Not Assigned. 2pp. 85735:294-85735:295.

9510060109 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. TRUJILLO,A.T. Affiliation Not Assigned. 2pp. 85731:344-85731:345.

9510060110 Ack receipt of encl postcard sent to chairman Jackson re Louisiana Energy Svc facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. MAY,F. Affiliation Not Assigned. 2pp. 85735:296-85735:297.

9510060116 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. SWANIER,D.H. Affiliation Not Assigned. 2pp. 85735:306-85735:307.

9510060119 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. HART,A. Affiliation Not Assigned. 2pp. 85735:312-85735:313.

9510060121 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. SMITH,O.A. Affiliation Not Assigned. 2pp. 85731:348-85731:349.

9510060127 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WILLIAMS,C. Affiliation Not Assigned. 2pp. 85737:275-85737:276.

9510060129 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. MCKNIGHT,M.R. Affiliation Not Assigned. 2pp. 85737:279-85737:280.

9510060133 Ack receipt of encl postcard sent to Chairman Jackson re Louisana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. COOK,J. Affiliation Not Assigned. 2pp. 85743:325-85743:326.

9510060134 Ack receipt of encl postcard sent to Chairman Jackson re Louisana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. BESSE,D. Affiliation Not Assigned. 2pp. 85731:354-85731:355.

9510060135 Ack receipt of encl postcard sent to Chairman Jackson re Louisana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. HIRSH,N.E. Affiliation Not Assigned. 2pp. 85743:327-85743:328.

9510060137 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. SCOTT,W.R. Affiliation Not Assigned. 2pp. 85731:356-85731:357.

9510060139 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. TORETT,D.D. Affiliation Not Assigned. 2pp. 85731:358-85731:359.

9510060140 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. MIDDLETON,A Affiliation Not Assigned. 2pp. 85743:333-85743:334.

9510060141 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. BARNES,P. Affiliation Not Assigned. 2pp. 85735:350-85735:351.

9510060143 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. COLLETTE,W. Affiliation Not Assigned. 2pp. 85743:337-85743:338.

9510060147 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. POWELL,H.M. Affiliation Not Assigned. 2pp. 85735:352-85735:353.

9510060148 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. BAJON,E. Affiliation Not Assigned. 2pp. 85735:354-85735:355.

9510060151 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. MILLER,R. Affiliation Not Assigned. 2pp. 85737:323-85737:324.

9510060152 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. LEWIS,J.D. Affiliation Not Assigned. 2pp. 85735:356-85735:357.

9510060156 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. LOUAILLIER,K. Affiliation Not Assigned. 2pp. 85737:246-85737:247.

9510060159 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwardsed to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. EWELL,B.C. Affiliation Not Assigned. 2pp. 85737:331-85737:332.

9510060160 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwards to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. OTT,B. Affiliation Not Assigned. 2pp. 85737:333-85737:334.

9510060161 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WILSON,E. Affiliation Not Assigned. 2pp. 85743:356-85743:357.

9510060163 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. NWANGAZA,E. Affiliation Not Assigned. 2pp. 85737:338-85737:339.

9510060164 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WIMBY,E.B. Affiliation Not Assigned. 2pp. 85743:358-85743:359.

9510060165 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. VALENTINE,A. Affiliation Not Assigned. 2pp. 85737:340-85737:341.

9510060168 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WORIAX,C.C. Affiliation Not Assigned. 2pp. 85757:019-85757:020.

9510060169 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. IMPASTATO,M. Affiliation Not Assigned. 2pp. 85757:021-85757:022.

9510060171 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WILLIAMS,M. Affiliation Not Assigned. 2pp. 85737:346-85737:347.

9510060172 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. CHUTROO,B. Affiliation Not Assigned. 2pp. 85737:348-85737:349.

9510060173 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. FOUT,J.K. Affiliation Not Assigned. 2pp. 85737:350-85737:351.

9510060174 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. ZUCKETT,G.R. Affiliation Not Assigned. 2pp. 85737:250-85737:251.

9510060175 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwards to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. OWEN,T.C. Affiliation Not Assigned. 2pp. 85737:352-85737:353.

9510060177 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. IOUP,G. Affiliation Not Assigned. 2pp. 85757:023-85757:024.

9510060179 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. PETERSON,C. Affiliation Not Assigned. 2pp. 85737:354-85737:355.

9510060180 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate actions. JULIAN,E.L. Docketing & Services Branch. 95/10/03. FRIEDMAN,M. Affiliation Not Assigned. 2pp. 85737:356-85737:357.

9510060182 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. THOMAS,A Affiliation Not Assigned. 2pp. 85737:358-85737:359.

9510060184 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. FLOYD-SOUTH,K. Affiliation Not Assigned. 2pp. 85738:351-85738:352.

9510060185 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. EURQUHART,R.L. Affiliation Not Assigned. 2pp. 85738:353-85738:354.

9510060188 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WILSON,N. Affiliation Not Assigned. 2pp. 85757:029-85757:030.

9510060195 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WEISBROD,J. Affiliation Not Assigned. 2pp. 85757:035-85757:036.

9510110150 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/03. WITCHER,J.C. Affiliation Not Assigned. 2pp. 85764:337-85764:338.

9510060202 Submits response to 950605 ltr,of NRC Region IV ofc in Arlington,TX. HICKEY,J.W. Enrichment Branch. 95/10/04. LEMING,E.C. Energy, Dept. of. 2pp. 85735:276-85735:277.

9510100064 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. SEYDEL,G.R. Affiliation Not Assigned. 2pp. 85744:332-85744:333.

9510100065 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. WARNOCK,N.L. Affiliation Not Assigned. 2pp. 85744:334-85744:335.

9510100087 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. BURSEY,B. Affiliation Not Assigned. 2pp. 85751:349-85751:350.

9510100090 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. GORDON,B. Affiliation Not Assigned. 2pp. 85757:230-85757:231.

9510100094 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. OWENS,O.D. Affiliation Not Assigned. 2pp. 85757:118-85757:119.

9510100101 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. ELSWICK,A.J. Affiliation Not Assigned. 2pp. 85757:307-85757:308.

9510100129 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. SENTER,K.B. Affiliation Not Assigned. 2pp. 85757:318-85757:319.

9510100139 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. COLEMAN,W.D. Affiliation Not Assigned. 2pp. 85757:104-85757:105.

9510100145 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. COLEMAN,E.L. Affiliation Not Assigned. 2pp. 85757:219-85757:220.

9510100147 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. ROSSO,M. Affiliation Not Assigned. 2pp. 85757:241-85757:242.

9510100159 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action. JULIAN,E.L. Docketing & Services Branch. 95/10/04. REY,R. Affiliation Not Assigned. 2pp. 85757:243-85757:244.

9510100181 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/04. HARRISON,B. Affiliation Not Assigned. 2pp. 85757:209-85757:210.

9510100186 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/04. GRAHAM,J. Affiliation Not Assigned. 2pp. 85757:207-85757:208.

9510100361 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/04. DAVIES,B. Affiliation Not Assigned. 2pp. 85757:283-85757:284.

9510100054 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. WALLACE,A.F. Affiliation Not Assigned. 2pp. 85744:326-85744:327.

9510100056 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. TRUESDALE,M. Affiliation Not Assigned. 2pp. 85744:328-85744:329.

9510100059 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. STEWART,M. Affiliation Not Assigned. 2pp. 85744:330-85744:331.

9510100082 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. CAUDILL,J. Affiliation Not Assigned. 2pp. 85751:353-85751:354.

9510100086 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. CAFORD,M. Affiliation Not Assigned. 2pp. 85751:351-85751:352.

9510100091 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. ARMINUEOW,N.A. Affiliation Not Assigned. 2pp. 85751:347-85751:348.

9510100097 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. Affiliation Not Assigned. 2pp. 85757:301-85757:302.

9510100102 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. MCCLUSKEY,R. Affiliation Not Assigned. 2pp. 85757:116-85757:117.

9510100103 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. MACKIE,L. Affiliation Not Assigned. 2pp. 85757:114-85757:115.

9510100104 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. MARTIN,C. Affiliation Not Assigned. 2pp. 85757:112-85757:113.

9510100105 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. DWYER,M.M. Affiliation Not Assigned. 2pp. 85757:309-85757:310.

9510100132 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. COLONNA,E.J. Affiliation Not Assigned. 2pp. 85757:108-85757:109.

9510100144 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. SCHUEWBHUM,E. Affiliation Not Assigned. 2pp. 85757:197-85757:198.

9510100149 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. CLARK,J.P. Affiliation Not Assigned. 2pp. 85757:217-85757:218.

9510100177 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. HEARD,G. Affiliation Not Assigned. 2pp. 85757:211-85757:212.

9510100189 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. GORDON,C. Affiliation Not Assigned. 2pp. 85757:205-85757:206.

9510100348 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. DAIGREPONT,C.V Affiliation Not Assigned. 2pp. 85757:275-85757:276.

9510100351 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. DAHLEM,C.B. Affiliation Not Assigned. 2pp. 85757:277-85757:278.

9510100353 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. WELSH,P. Affiliation Not Assigned. 2pp. 85757:279-85757:280.

9510100358 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. DUGAS,M.T. Affiliation Not Assigned. 2pp. 85757:281-85757:282.

9510110164 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. ANIMASHAUN,K. Affiliation Not Assigned. 2pp. 85764:346-85764:347.

9510110166 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. ANDERSON,A. Affiliation Not Assigned. 2pp. 85764:348-85764:349.

9510110169 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/05. ADAMS,A.P. Affiliation Not Assigned. 2pp. 85783:349-85783:350.

9510160042 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MCCARTHY,R. Affiliation Not Assigned. 2pp. 85813:144-85813:145.

9510160044 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. GISCLAIR,D. Affiliation Not Assigned. 2pp. 85813:146-85813:147.

9510160046 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. ZAMORA,R.N. Affiliation Not Assigned. 2pp. 85813:148-85813:149.

9510160047 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. YOUNGBLOOD,E. Affiliation Not Assigned. 2pp. 85813:150-85813:151.

9510160050 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MCCABE,W. Affiliation Not Assigned. 2pp. 85813:152-85813:153.

9510160051 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. PASS,D.A. Affiliation Not Assigned. 2pp. 85813:154-85813:155.

9510160053 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. NEVLE,P.B. Affiliation Not Assigned. 2pp. 85813:156-85813:157.

9510160054 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. TUTWILER,M. Affiliation Not Assigned. 2pp. 85813:138-85813:139.

9510160056 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MOORE,R.T. Affiliation Not Assigned. 2pp. 85813:158-85813:159.

9510160057 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. FRAZIER,M.J. Affiliation Not Assigned. 2pp. 85813:136-85813:137.

9510160058 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. JACKSON,M. Affiliation Not Assigned. 2pp. 85813:134-85813:135.

9510160060 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. JACKSON,L. Affiliation Not Assigned. 2pp. 85813:132-85813:133.

9510160062 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. Affiliation Not Assigned. 2pp. 85813:125-85813:126.

9510160063 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BIVINS,J. Affiliation Not Assigned. 2pp. 85813:127-85813:128.

9510160064 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BACON,R.G. Affiliation Not Assigned. 2pp. 85813:129-85813:130.

9510160065 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. ANDERSON,R.D. Affiliation Not Assigned. 2pp. 85813:123-85813:124.

9510160066 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MILLER,A. Affiliation Not Assigned. 2pp. 85813:160-85813:161.

9510160067 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC.for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. ALDRICH,S.C. Affiliation Not Assigned. 2pp. 85813:121-85813:122.

9510160068 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MEYERS,F.D. Affiliation Not Assigned. 2pp. 85813:162-85813:163.

9510160071 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. THOMAS KING,S. Affiliation Not Assigned. 2pp. 85813:174-85813:175.

9510160073 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. ADAIR,B. Affiliation Not Assigned. 2pp. 85813:176-85813:177.

9510160074 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. JACKSON,R. Affiliation Not Assigned. 2pp. 85813:178-85813:179.

9510160075 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. WISECARNER,S.D. Affiliation Not Assigned. 2pp. 85823:307-85823:308.

9510160076 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. JOHNSON,C. Affiliation Not Assigned. 2pp. 85813:180-85813:181.

9510160078 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. FOSCO,J.L. Affiliation Not Assigned. 2pp. 85813:182-85813:183.

9510160081 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BOYKIN,E. Affiliation Not Assigned. 2pp. 85813:184-85813:185.

9510160082 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BOYD,N.W. Affiliation Not Assigned. 2pp. 85813:186-85813:187.

9510160085 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BOYCE,M. Affiliation Not Assigned. 2pp. 85813:188-85813:189.

9510160088 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BIVINS,R. Affiliation Not Assigned. 2pp. 85813:190-85813:191.

9510160182 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. HILL,I. Affiliation Not Assigned. 2pp. 85833:104-85833:105.

9510160185 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. GRUESCH,G.L. Affiliation Not Assigned. 2pp. 85833:102-85833:103.

9510160186 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. FOWLER,R. Affiliation Not Assigned. 2pp. 85833:100-85833:101.

9510160188 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. FERTITTA,M.K. Affiliation Not Assigned. 2pp. 85833:098-85833:099.

9510160191 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. EVANS,A. Affiliation Not Assigned. 2pp. 85833:096-85833:097.

9510160194 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. ENGLISH,D. Affiliation Not Assigned. 2pp. 85833:094-85833:095.

9510160195 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. EDWARDS,W.H. Affiliation Not Assigned. 2pp. 85833:092-85833:093.

9510160197 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. CUCCIA,Y.V. Affiliation Not Assigned. 2pp. 85823:359-85823:360.

9510160201 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. JUSTICE,J. Affiliation Not Assigned. 2pp. 85813:221-85813:222.

9510160202 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. BIVINS,M. Affiliation Not Assigned. 2pp. 85813:223-85813:224.

9510160205 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. FRINDIK,K.J. Affiliation Not Assigned. 2pp. 85813:225-85813:226.

9510160207 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. MAYGARDEN,D. Affiliation Not Assigned. 2pp. 85813:227-85813:228.

9510160213 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. LUTHER,A.S. Affiliation Not Assigned. 2pp. 85813:229-85813:230.

9510160215 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. TURNER,M.K. Affiliation Not Assigned. 2pp. 85813:231-85813:232.

9510160216 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. SMITH,O. Affiliation Not Assigned. 2pp. 85881:134-85881:135.

9510160218 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. SMITH,M. Affiliation Not Assigned. 2pp. 85813:233-85813:234.

9510160220 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. SMITH,L. Affiliation Not Assigned. 2pp. 85813:235-85813:236.

9510160222 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/12. RIDLEY,J. Affiliation Not Assigned. 2pp. 85813:237-85813:238.

9510180369 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. INGRAM,J. Affiliation Not Assigned. 2pp. 85881:357-85881:358.

9510180373 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. HOLSAERT,F.S. Affiliation Not Assigned. 2pp. 85882:096-85882:097.

9510180374 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. HARDWELL,S. Affiliation Not Assigned. 2pp. 85882:098-85882:099.

9510180377 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. GREEN,D. Affiliation Not Assigned. 2pp. 85882:100-85882:101.

9510180378 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. GLOVER,J. Affiliation Not Assigned. 2pp. 85882:102-85882:103.

9510180380 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. GILMOUR,M.T. Affiliation Not Assigned. 2pp. 85882:104-85882:105.

9510180382 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. GILMORE,M.A. Affiliation Not Assigned. 2pp. 85882:106-85882:107.

9510190201 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. JACKSON,C. Affiliation Not Assigned. 2pp. 85865:284-85865:285.

9510190203 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. JONES,E.H. Affiliation Not Assigned. 2pp. 85865:286-85865:287.

9510190205 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. JONES,L.E. Affiliation Not Assigned. 2pp. 85865:288-85865:289.

9510190208 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. KIRKPATRICK,M. Affiliation Not Assigned. 2pp. 85865:290-85865:291.

9510190210 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. KIRKPATRICK,M. Affiliation Not Assigned. 2pp. 85865:292-85865:293.

9510190216 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. MCLEOD,F.H. Affiliation Not Assigned. 2pp. 85865:294-85865:295.

9510190219 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. MITCHELL,J.M. Affiliation Not Assigned. 2pp. 85865:296-85865:297.

9510190224 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. PEARL,B.R. Affiliation Not Assigned. 2pp. 85865:298-85865:299.

9510190227 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. PEARL,L.R. Affiliation Not Assigned. 2pp. 85865:300-85865:301.

9510190230 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. PEARL,R.L. Affiliation Not Assigned. 2pp. 85865:302-85865:303.

9510190237 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. PEARL,V. Affiliation Not Assigned. 2pp. 85865:304-85865:305.

9510190239 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. RAMEY,G. Affiliation Not Assigned. 2pp. 85865:306-85865:307.

9510190240 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. ROBINSON,C.B. Affiliation Not Assigned. 2pp. 85865:308-85865:309.

9510190241 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. ROBINSON,E.M. Affiliation Not Assigned. 2pp. 85865:310-85865:311.

9510190245 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. ROBINSON,F. Affiliation Not Assigned. 2pp. 85865:312-85865:313.

9510190247 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. ROBINSON,S. Affiliation Not Assigned. 2pp. 85865:314-85865:315.

9510190248 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. ROBINSON,V.M. Affiliation Not Assigned. 2pp. 85865:316-85865:317.

9510190249 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. SCOTT,B. Affiliation Not Assigned. 2pp. 85865:318-85865:319.

9510190250 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. SCOTT,L.F. Affiliation Not Assigned. 2pp. 85865:320-85865:321.

9510190251 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. SHELMAN,B. Affiliation Not Assigned. 2pp. 85865:322-85865:323.

9510190254 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. SMITH,M.R. Affiliation Not Assigned. 2pp. 85865:324-85865:325.

9510190302 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. GILMORE,I. Affiliation Not Assigned. 2pp. 85865:330-85865:331.

9510190305 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. FREEMAN,A. Affiliation Not Assigned. 2pp. 85865:332-85865:333.

9510190307 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. EVANS,M.N. Affiliation Not Assigned. 2pp. 85865:334-85865:335.

9510190311 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. EVANS,O.L. Affiliation Not Assigned. 2pp. 85865:336-85865:337.

9510190313 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. EVANS,E.M. Affiliation Not Assigned. 2pp. 85865:282-85865:283.

9510190314 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. EVANS,B. Affiliation Not Assigned. 2pp. 85865:338-85865:339.

9510190318 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. DUGGAN,J.C. Affiliation Not Assigned. 2pp. 85865:340-85865:341.

9510190319 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. DAVIS,G.E. Affiliation Not Assigned. 2pp. 85865:342-85865:343.

9510190321 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. CROSS,K. Affiliation Not Assigned. 2pp. 85865:344-85865:345.

9510190324 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. CRITTENDEN,L. Affiliation Not Assigned. 2pp. 85865:346-85865:347.

9510190326 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. CREIGHTON,S. Affiliation Not Assigned. 2pp. 85865:348-85865:349.

9510190329 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. BARTHIEWIZ,B.A. Affiliation Not Assigned. 2pp. 85865:350-85865:351.

9510190332 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. WOODFORK,A. Affiliation Not Assigned. 2pp. 85865:352-85865:353.

9510190336 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. WINCHELL,E.J. Affiliation Not Assigned. 2pp. 85865:354-85865:355.

9510190338 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. WEBB,V. Affiliation Not Assigned. 2pp. 85865:356-85865:357.

9510190342 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. VINCENT,J.I. Affiliation Not Assigned. 2pp. 85865:358-85865:359.

9510190344 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. VINCENT,B.C. Affiliation Not Assigned. 2pp. 85865:360-85865:361.

9510190346 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. TOWNS,M. Affiliation Not Assigned. 2pp. 85866:165-85866:166.

9510190351 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. STERNGLASS,E.J. Affiliation Not Assigned. 2pp. 85866:167-85866:168.

9510190354 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/16. SMITH,R. Affiliation Not Assigned. 2pp. 85866:169-85866:170.

9510200016 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MANOUCHEHRI,A. Affiliation Not Assigned. 2pp. 85900:044-85900:045.

9510200018 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MALONE,A. Affiliation Not Assigned. 2pp. 85900:042-85900:043.

9510200021 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. LOWENBURG,T.P. Affiliation Not Assigned. 2pp. 85900:040-85900:041.

9510200022 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. LOGAN,W. Affiliation Not Assigned. 2pp. 85900:038-85900:039.

9510200026 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. LEBER,J. Affiliation Not Assigned. 2pp. 85900:036-85900:037.

9510200027 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. JOHNSON,K. Affiliation Not Assigned. 2pp. 85900:034-85900:035.

9510200029 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. JAMES,A. Affiliation Not Assigned. 2pp. 85900:032-85900:033.

9510200032 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. JACOBS,T. Affiliation Not Assigned. 2pp. 85900:030-85900:031.

9510200034 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. JACOBS,C.M. Affiliation Not Assigned. 2pp. 85900:028-85900:029.

9510200039 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. JACKSON,K. Affiliation Not Assigned. 2pp. 85900:026-85900:027.

9510200041 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. HILBURD,D.R. Affiliation Not Assigned. 2pp. 85900:024-85900:025.

9510200043 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. HAMILTON,K. Affiliation Not Assigned. 2pp. 85900:022-85900:023.

9510200046 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. HAMILTON,J.C. Affiliation Not Assigned. 2pp. 85900:020-85900:021.

9510200047 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. GRIDER,D. Affiliation Not Assigned. 2pp. 85900:018-85900:019.

9510200050 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. GENTILUCCI,G.D. Affiliation Not Assigned. 2pp. 85900:016-85900:017.

9510200053 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. FRANKLIN,B.L. Affiliation Not Assigned. 2pp. 85900:014-85900:015.

9510200056 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. FRANCIS,C. Affiliation Not Assigned. 2pp. 85900:012-85900:013.

9510200059 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. FAULK,H. Affiliation Not Assigned. 2pp. 85900:010-85900:011.

9510200061 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. EWELL,B.C. Affiliation Not Assigned. 2pp. 85900:008-85900:009.

9510200062 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. EDDINS,B. Affiliation Not Assigned. 2pp. 85900:006-85900:007.

9510200064 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. DAIGREPONT,T. Affiliation Not Assigned. 2pp. 85900:004-85900:005.

9510200066 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. COLEMAN,D.R. Affiliation Not Assigned. 2pp. 85900:002-85900:003.

9510200141 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. WILLIAMS,D. Affiliation Not Assigned. 2pp. 85899:359-85899:360.

9510200146 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. WEST,C.L. Affiliation Not Assigned. 2pp. 85899:357-85899:358.

9510200149 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. WEST,B.A. Affiliation Not Assigned. 2pp. 85899:355-85899:356.

9510200152 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. WEILAND,H. Affiliation Not Assigned. 2pp. 85899:353-85899:354.

9510200153 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. TRIMBS,C. Affiliation Not Assigned. 2pp. 85899:351-85899:352.

9510200158 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. TONES,R. Affiliation Not Assigned. 2pp. 85899:349-85899:350.

9510200160 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. Affiliation Not Assigned. 2pp. 85899:347-85899:348.

9510200162 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. ROBINETT,J. Affiliation Not Assigned. 2pp. 85899:345-85899:346.

9510200164 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. BROWN,A.W. Affiliation Not Assigned. 2pp. 85882:354-85882:355.

9510200165 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. PADDOCK,S. Affiliation Not Assigned. 2pp. 85899:343-85899:344.

9510200167 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. PACE,D Affiliation Not Assigned. 2pp. 85908:350-85908:351.

9510200170 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. BATTLE,C.C. Affiliation Not Assigned. 2pp. 85882:356-85882:357.

9510200171 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. NELSON,L.C. Affiliation Not Assigned. 2pp. 85899:341-85899:342.

9510200174 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MONTGOMERY,T. Affiliation Not Assigned. 2pp. 85899:339-85899:340.

9510200176 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. BAKER,S.D. Affiliation Not Assigned. 2pp. 85882:358-85882:359.

9510200179 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MONCREASE,L. Affiliation Not Assigned. 2pp. 85899:337-85899:338.

9510200182 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MCKINSEY,L.T. Affiliation Not Assigned. 2pp. 85899:335-85899:336.

9510200184 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 95/10/17. MCDANIEL,S. Affiliation Not Assigned. 2pp. 85899:333-85899:334.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9510270199 Application for amend to License SNM-1999,supporting decommissioning of Cushing site,approval of radiation safety procedures & bioassay program implemented under radiation safety program.
LUX,F. Kerr-McGee Corp. 95/10/20. FAUVER,D. Office of Nuclear Material Safety & Safeguards. 8pp. 86012:252-86012:266.

--9510270211 "Evaluation of Lapel air Sample Results for 1994 at Kerr- McGee Cushing Site."
DAROIS,E.L., TARZIA,J.P. Radiation Safety Services, Inc. 95/08/31. 7pp. 86012:260-86012:266.

9510310219 Informs that attached comments address general issues that staff believes should be considered in more detail during development of final characterization plan for proposed disposal cell.W/o encl.
FAUVER,D.N. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/20. LUX,J. Kerr-McGee Corp. 1p. 86064:353-86064:353.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9510270006 Forwards responses to NRC questions/comments on Group A sections of Rev 1 to application for certificate of compliance for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 95/10/25. HICHEY,J.W. Enrichment Branch. 370pp. 86020:001-86021:007.

9510100165 Forwards revised application compliance plan issues for NRC review.Encl 1 lists application sections addressed & issues associated w/section.
PARKS,J.W. Energy, Dept. of. 95/09/11. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 71pp. 85756:085-85756:156.

9510100178 Forwards revised application compliance plan issues for NRC review.Encl 1 lists application sections addressed & issues associated w/section.
PARKS,J.W. Energy, Dept. of. 95/09/15. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 60pp. 85756:157-85756:216.

9510020122 Responds to 950814 ltr,informing that NRC unable to accommodate request for electronic transfer of info since Region III not equipped or prepared to transfer insp repts requiring signature.
SHEAR,G.L. Region 3 (Post 820201). 95/09/21. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85624:240-85624:240.

9510060339 Responds to weaknesses noted in NRC Observation Rept 70-7001/95-03.Initiatives that address NRC concerns listed.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/09/25. MILLER,H.J. Region 3 (Post 820201). 4pp. 85745:349-85745:352.

9510040332 Forwards proprietary Addendum 1 to Rev 3 to POEF-NM-152 & Addendum 3 to Rev 3 to POEF-NM-152, "TID Program Plan." Encl withheld.
SMITH,E.R. Affiliation Not Assigned. 95/09/26. GIARRANTANA,J. NRC - No Detailed Affiliation Given. 1p. 85709:021-85709:021.

9510020076 Notification of 950928 meeting w/US Enrichment Corp in Rockville,MD re US Enrichment Corp resubmitted application for certificate of gaseous diffusion plants at Paducah,KY & Portsmouth,OH on 950915.
* NRC - No Detailed Affiliation Given. 95/09/27. NRC - No Detailed Affiliation Given. 2pp. 85681:247-85681:248.

9510040137 Informs of acceptance of listed draft compliance plan items, submitted by DOE 950915 ltr.NRC comments encl.
HICKEY,J.W. Enrichment Branch. 95/09/29. PARKS,J. Energy, Dept. of. 6pp. 85698:355-85698:360.

9510060223 Forwards request for addl info re review of application dtd 950915,for certification of gaseous diffusion plants in KY & OH.Addl info specified in encl to ltr,should be provided by 951025,to meet projected certification schedule.
HICKEY,J.W. Enrichment Branch. 95/10/04. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 37pp. 85745:309-85745:345.

9510200289 Forwards "near final" DOE compliance plan items based on United States Enrichment Corp draft revised application for NRC advance review.
PARKS,J.W. Energy, Dept. of. 95/10/04. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 51pp. 85902:199-85902:250.

9510100326 Forwards NRC comments on near final compliance plan items submitted by DOE dtd 950922.
HICKEY,J.W. Enrichment Branch. 95/10/06. PARKS,J.W. Energy, Dept. of. 2pp. 85756:287-85756:289.

9510120263 Forwards NRC questions/comments from partial review of 950915 application for certification of gaseous diffusion plants in KY & OH.
HICKEY,J.W. Enrichment Branch. 95/10/06. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 20pp. 85806:140-85806:159.

9510170366 Designates listed staff members,in response to memo requesting assistance in support of seismic safety review of two gaseous diffusion U enrichment plants operated by US Enrichment Corp.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/10/06. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 85855:353-85855:353.

9510130349 Forwards proposed plan of action & schedule for inclusion in compliance plan,in preparation for 951012 meeting w/DOE & NRC re definition of commitment to integrate results of DOE SAR upgrade program when completed & available.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 95/10/10. HICKEY,J.W. NRC - No Detailed Affiliation Given. 4pp. 85808:337-85808:340.

9510160304 Forwards safety analysis rept upgrade project Drawing K/G 95-704 GSS,showing flow chart of activities for gaseous diffusion plants at Paducah & Portsmouth.
JACKSON,J.D. Energy, Dept. of. 95/10/10. HICKEY,J.W. NRC - No Detailed Affiliation Given. 2pp. 85834:001-85834:004.

9510170402 Discusses US Enrichment Corp (USEC) 950915 application, requesting that encls 1-4 to USEC ltr GDP 95-0011 & encls 1-5 to USEC ltr GDP 95-0015 be withheld from public disclosure.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/12. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 4pp. 85855:357-85855:360.

9510190103 Requests addl info re 950915 application for certification of gaseous diffusion plants in Kentucky & Ohio.
HICKEY,J.W. Enrichment Branch. 95/10/13. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 5pp.. 85900:242-85900:246.

9510190111 Requests addl info re 950915 application for certification of gaseous diffusion plants in Kentucky & Ohio.
HICKEY,J.W. Enrichment Branch. 95/10/16. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85900:247-85900:247.

9510200367 Forwards "near final" DOE compliance plan item based on United States Enrichment Corp draft revised application for NRC advance review.
PARKS,J.W. Energy, Dept. of. 95/10/17. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 5pp. 85913:285-85913:289.

9510270056 Forwards cover ltr addressed to GP Rifakes & rept of safety & safeguard observations conducted during period from 950811-0922 of US Enrichment Corp activities at plant.
SHEAR,G.L. Region 3 (Post 820201). 95/10/17. JACKSON,J.D. Energy, Dept. of. 2pp. 85938:339-85938:360.

--9510270069 Forwards insp rept 70-7001/95-04 on 950811-0922.Weaknesses re timely & proper compliance w/operational safety requirements noted.
SHEAR,G.L. Region 3 (Post 820201). 95/10/23. RIFAKES,G.P. United States Enrichment Corp. (USEC). 2pp. 85938:341-85938:342.

--9510270074 Insp rept 70-7001/95-04 on 950811-0922.Weaknesses noted. Major areas observed:plant operations,maint,engineering & plant support.
SHEAR,G.L. Region 3 (Post 820201). 95/10/17. 18pp. 85938:343-85938:360.

9510230068 Informs of completion of partial review of 950915 application for certification of gaseous diffusion plants in KY & OH.NRC questions/comments on Group B sections encl.
HICKEY,J.W. Enrichment Branch. 95/10/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 13pp. 85912:202-85912:214.

9510230150 Forwards comments on near final compliance plan items submitted by DOE 951004 ltr.
HICKEY,J.W. Enrichment Branch. 95/10/18. PARKS,J.W. Energy, Dept. of. 4pp. 85916:356-85916:359.

9510230309 Informs of completion of review of physical security plans for protection of SNM of low strategic significance portion of 950915 application for certification of gaseous diffusion plants in KY & OH.Addl info needed.
HICKEY,J.W. Enrichment Branch. 95/10/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85923:342-85923:342.

9510230114 Summary of 951019 meeting w/United States Enrichment Corp re application status,compliance plan status & PGDP seismic.
* NRC - No Detailed Affiliation Given. 95/10/19. NRC - No Detailed Affiliation Given. 1p. 85912:225-85912:225.

9510270279 Forwards "Regulatory Approach for Post NRC Certification of Gaseous Diffusion Plants," for Paducah KY & Portsmouth,OH
RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/10/19. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 86012:297-86012:303.

--9510270281 "Regulatory Approach for Post-NRC Certification of Gaseous Diffusion Plants."
PARKS,J.W. Energy, Dept. of. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/10/10. 5pp. 86012:299-86012:303.

9510200366 Forwards "near final" DOE compliance plan items based on United States Enrichment Corp draft revised application for NRC advance review.
PARKS,J.W. Energy, Dept. of. 95/10/22. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 29pp. 85918:324-85918:353.

9510300128 Provides responses to environmental & waste management portions of application for Paducah Gaseous Diffusion Plant.
HORN,M. Enrichment Branch. 95/10/27. LINTON,A.G. Environmental Protection Agency. 1p. 86051:296-86051:296.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9510270007 Forwards responses to NRC questions/comments on Group A sections of Rev 1 to application for certificate of compliance for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 95/10/25. HICKEY,J.W. Enrichment Branch. 340pp. 86013:001-86013:340.

9510100165 Forwards revised application compliance plan issues for NRC review.Encl 1 lists application sections addressed & issues associated w/section.
PARKS,J.W. Energy, Dept. of. 95/09/11. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 71pp. 85756:085-85756:156.

9510100178 Forwards revised application compliance plan issues for NRC review.Encl 1 lists application sections addressed & issues associated w/section.
PARKS,J.W. Energy, Dept. of. 95/09/15. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 60pp. 85756:157-85756:216.

9510020122 Responds to 950814 ltr,informing that NRC unable to accommodate request for electronic transfer of info since Region III not equipped or prepared to transfer insp repts requiring signature.
SHEAR,G.L. Region 3 (Post 820201). 95/09/21. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85624:240-85624:240.

9510020076 Notification of 950928 meeting w/US Enrichment Corp in Rockville,MD re US Enrichment Corp resubmitted application for certificate of gaseous diffusion plants at Paducah,KY & Portsmouth,OH on 950915.
* NRC - No Detailed Affiliation Given. 95/09/27. NRC - No Detailed Affiliation Given. 2pp. 85681:247-85681:248.

9510040137 Informs of acceptance of listed draft compliance plan items, submitted by DOE 950915 ltr.NRC comments encl.
HICKEY,J.W. Enrichment Branch. 95/09/29. PARKS,J. Energy, Dept. of. 6pp. 85698:355-85698:360.

9510060223 Forwards request for addl info re review of application dtd 950915,for certification of gaseous diffusion plants in KY & OH.Addl info specified in encl to ltr,should be provided by 951025,to meet projected certification schedule.
HICKEY,J.W. Enrichment Branch. 95/10/04. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 37pp. 85745:309-85745:345.

9510200289 Forwards "near final" DOE compliance plan items based on United States Enrichment Corp draft revised application for NRC advance review.
PARKS,J.W. Energy, Dept. of. 95/10/04. TEN EYCK,E. Division of Fuel Cycle Safety & Safeguards (Post 930207). 51pp. 85902:199-85902:250.

9510100326 Forwards NRC comments on near final compliance plan items submitted by DOE dtd 950922.
HICKEY,J.W. Enrichment Branch. 95/10/06. PARKS,J.W. Energy, Dept. of. 2pp. 85756:287-85756:289.

9510120263 Forwards NRC questions/comments from partial review of 950915 application for certification of gaseous diffusion plants in KY & OH.
HICKEY,J.W. Enrichment Branch. 95/10/06. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 20pp. 85806:140-85806:159.

9510170366 Designates listed staff members,in response to memo requesting assistance in support of seismic safety review of two gaseous diffusion U enrichment plants operated by US Enrichment Corp.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/10/06. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 1p. 85855:353-85855:353.

9510180066 Forwards cover ltr to G Rifakes,USEC & observation rept 70-7002/95-05,which covers activities of United States Enrichment Corp at Portsmouth gaseous diffusion plant.
SHEAR,G.L. Region 3 (Post 820201). 95/10/06. JACKSON,J.D. Energy, Dept. of. 2pp. 85847:098-85847:111.

--9510180070 Forwards observation rept 70-7002/95-05 on 950727-0914. Major areas observed:plant operations,maint/matl condition, engineering & mgt controls.
SHEAR,G.L. Region 3 (Post 820201). 95/10/12. RIFAKES,G. Energy, Dept. of. 2pp. 85847:100-85847:101.

--9510180075 Observation rept 70-7002/95-05 on 950727-0914.No violations noted.Major areas observed:plant operations,maint/matl condition,engineering,mgt controls & plant support.
SHEAR,G.L. Region 3 (Post 820201). 95/10/06. 10pp. 85847:102-85847:111.

9510130349 Forwards proposed plan of action & schedule for inclusion in compliance plan,in preparation for 951012 meeting w/DOE & NRC re definition of commitment to integrate results of DOE SAR upgrade program when completed & available.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 95/10/10. HICKEY,J.W. NRC - No Detailed Affiliation Given. 4pp. 85808:337-85808:340.

9510160304 Forwards safety analysis rept upgrade project Drawing K/G 95-704 GSS,showing flow chart of activities for gaseous diffusion plants at Paducah & Portsmouth.
JACKSON,J.D. Energy, Dept. of. 95/10/10. HICKEY,J.W. NRC - No Detailed Affiliation Given. 2pp. 85834:001-85834:004.

9510170402 Discusses US Enrichment Corp (USEC) 950915 application, requesting that encls 1-4 to USEC ltr GDP 95-0011 & encls 1-5 to USEC ltr GDP 95-0015 be withheld from public disclosure.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 95/10/12. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 4pp. 85855:357-85855:360.

9510190103 Requests addl info re 950915 application for certification of gaseous diffusion plants in Kentucky & Ohio.
HICKEY,J.W. Enrichment Branch. 95/10/13. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 5pp.. 85900:242-85900:246.

9510190111 Requests addl info re 950915 application for certification of gaseous diffusion plants in Kentucky & Ohio.
HICKEY,J.W. Enrichment Branch. 95/10/16. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85900:247-85900:247.

9510230068 Informs of completion of partial review of 950915 application for certification of gaseous diffusion plants in KY & OH.NRC questions/comments on Group B sections encl.
HICKEY,J.W. Enrichment Branch. 95/10/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 13pp. 85912:202-85912:214.

9510230150 Forwards comments on near final compliance plan items submitted by DOE 951004 ltr.
HICKEY,J.W. Enrichment Branch. 95/10/18. PARKS,J.W. Energy, Dept. of. 4pp. 85916:356-85916:359.

9510230309 Informs of completion of review of physical security plans for protection of SNM of low strategic significance portion of 950915 application for certification of gaseous diffusion plants in KY & OH.Addl info needed.
HICKEY,J.W. Enrichment Branch. 95/10/18. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 85923:342-85923:342.

9510230114 Summary of 951019 meeting w/United States Enrichment Corp re application status,compliance plan status & PGDP seismic.
* NRC - No Detailed Affiliation Given. 95/10/19. NRC - No Detailed Affiliation Given. 1p. 85912:225-85912:225.

9510270279 Forwards "Regulatory Approach for Post NRC Certification of Gaseous Diffusion Plants," for Paducah KY & Portsmouth,OH
RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/10/19. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 2pp. 86012:297-86012:303.

--9510270281 "Regulatory Approach for Post-NRC Certification of Gaseous Diffusion Plants."
PARKS,J.W. Energy, Dept. of. RIFAKES,G.P. United States Enrichment Corp. (USEC). 95/10/10. 5pp. 86012:299-86012:303.

9510200366 Forwards "near final" DOE compliance plan items based on United States Enrichment Corp draft revised application for NRC advance review.
PARKS,J.W. Energy, Dept. of. 95/10/22. EYCK,E.T. Division of Fuel Cycle Safety & Safeguards (Post 930207). 29pp. 85918:324-85918:353.

9510300123 Provides responses to environmental & waste management portions of application for Portsmouth Gaseous Diffusion Plant.
HORN,M. Enrichment Branch. 95/10/27. MACMULLEN,M. Environmental Protection Agency. 1p. 86051:360-86051:360.

DOCKET DOCKET UNKNOWN

9510040065 Application for renewal of QA program approval for radioactive matl package:0830.Fee paid.
ROUDEBUSH,C. Affiliation Not Assigned. 95/09/29. BAER,R. Office of Nuclear Material Safety & Safeguards. 1p. 85709:202-85709:204.

--9510040070 "Insp-Tech Technicians 10CFR71 QA Program."
* Affiliation Not Assigned. 95/09/29. 2pp. 85709:203-85709:204.

9510100330 Forwards (Docket 71-0831) "Georgia Inst of Technology 10CFR71/GA 391-3-17-06 QA Program" for approval for shipping of nuclear reactor fuel using NRC approved containers.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 95/10/02. JANKOVITCH,J. NRC - No Detailed Affiliation Given. 1p. 85756:219-85756:222.

--9510100332 "Georgia Inst of Technology 10CFR71/GA 391-3-17-06 QA Program." (Docket 71-0831).
* Georgia Institute of Technology, Atlanta, GA. 95/10/02. 3pp. 85756:220-85756:222.

9510230232 Requests review of encl 71003030 Japanese Certificate of Competent Authority J/79/AF-85,Rev 1 for Model BU-J package & recommedation re DOE revalidation of certificate for import & export shipments.
BOYLE,R.W. Transportation, Dept. of. 95/10/04. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 13pp. 85923:343-85923:355.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0122 J.L. SHEPHERD & ASSOCIATES

9510110205 Advises that QA program approval for radioactive matl package:0122 expires on 951130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/10. SHEPARD,J.L. J.L. Shepherd & Associates. 1p. 85762:196-85762:196.

9510270114 Application for renewal of QA Program Approval for radioactive material packages 0122.
SHEPHERD,M.F. J.L. Shepherd & Associates. 95/10/19. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 86012:149-86012:194.

--9510270159 "Quality Asssurance Program Plan."
SHEPHERD,J.L. J.L. Shepherd & Associates. 95/10/05. 43pp. 86012:150-86012:194.

DOCKET 71-0153 ANCHOR-DARLING VALVE CO.

9510170181 Notifies that had staff been aware of licensee matls license termination request,dtd 950118,staff would have terminated licensee QA program approval at that time,in response to D Weiss 950929 memo.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/13. WEISS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 85855:347-85855:347.

DOCKET 71-0170 GENERAL ELECTRIC CO.

9510040068 Advises that QA program approval for radioactive matl package:0170 expires on 951130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/28. CUNNINGHAM,G.E. General Electric Co. 1p. 85709:255-85709:255.

9510250380 Application for renewal of QA program approval for radioactive matl package:0170,Rev 5.Fee paid.Rev 6 to QAP-1 encl.
CUNNINGHAM,G.E. General Electric Co. 95/10/18. BAER,R.L. Source Containment & Devices Branch (Post 911213). 5pp. 85985:050-85985:083.

--9510250381 Rev 6 to QAP-1, "QA Program for Shipping Packages for Radioactive Matl."
* General Electric Co. 95/10/18. 29pp. 85985:055-85985:083.

DOCKET 71-0346 PUBLIC SERVICE CO. OF COLORADO

9510020062 Forwards QA program approval for radioactive matl package: 0346,Rev 7.Informs that NRC reviewed request for amend to FSV Operational Quality Program & changes appropriate for meeting 10CFR72 QA requirements.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/27. FISHER,M.J. Public Service Co. of Colorado. 3pp. 85683:224-85683:235.

--9510020063 QA program approval for radioactive matl package:0346,Rev 7.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/27. 1p. 85683:227-85683:235.

DOCKET 71-0380 GENERAL ELECTRIC CO.

9510040071 Advises that QA program approval for radioactive matl package:0380 expires on 951130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/28. CUNNINGHAM,G.E. General Electric Co. 1p. 85709:256-85709:256.

9510270331 Requests that QA Program Approval for radioactive material package 0380 be renewed.
CUNNINGHAM,G.E. General Electric Co. 95/10/18. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 86048:359-86048:359.

DOCKET 71-0383 BALTIMORE GAS & ELECTRIC CO.

9510030118 Requests renewal of NRC QA program approval for radioactive matl packages 0383 for five yrs.
DENTON,R.E. Baltimore Gas & Electric Co. 95/09/28. Office of Nuclear Material Safety & Safeguards. 2pp. 85688:337-85688:338.

DOCKET 71-0417 CARIBE SHELL & TUBE, INC.

9510310136 Forwards QA program approval of radioactive material package 0417,rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26. LILLARD,R. NDT Services, Inc. (formerly Caribe Shell & Tube, Inc.). 1p. 86060:356-86060:357.

--9510310138 QA program approval for radioactive matl package:0417,rev 4.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26. 1p. 86060:357-86060:357.

DOCKET 71-0484 NEBRASKA PUBLIC POWER DISTRICT

9510040158 Application for amend to QA program approval for radioactive material packages.Fee paid.
MUELLER,J.H. Nebraska Public Power District. 95/09/30. Document Control Branch (Document Control Desk). 3pp. 85709:353-85709:355.

DOCKET 71-0538 WALASHEK ENTERPRISES, INC.

9510040162 Forwards "10CFR71 QA Program for Industrial Radiography Licensees." Fee paid.
YAMANOTO,C.K. Walashek Enterprises, Inc. 95/09/26. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 85709:338-85709:343.

--9510040165 "10CFR71 QA Program for Industrial Radiography Licensees."
* Walashek Enterprises, Inc. 95/08/31. 5pp. 85709:339-85709:343.

9510300085 Forwards QA program approval for radioactive matl package 0538,rev 2.
JANKOVICH,J.P. Source Containment,& Devices Branch (Post 911213). 95/10/26.
YAMAMOTO,C.K. Walashek Enterprises, Inc. 1p. 86051:251-86051:252.

--9510300090 QA program approval for radioactive matl package:0538,Rev 2.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
1p. 86051:252-86051:252.

DOCKET 71-0558 CRAMER & LINDELL ENGINEERS, INC.

9510310400 Informs that request for amend to QA program indicating change of address & any other changes made since approval should be submitted in order to remain current,along w/$240.00 fee.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
ORLOSKY,D. Cramer & Lindell Engineers, Inc. 1p. 86095:005-86095:005.

DOCKET 71-0617 POWER PIPING CO.

9510040164 Responds to 950801 ltr requesting exemption from FY95 annual fee for QA approval 0617 (Invoice AM01567-95).
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/28. COLE,G.L. Power Piping Co. (subs. of Harlan Electric Co.). 1p. 85801:044-85801:044.

DOCKET 71-0677 ANVIL CORP.

9510270166 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
TURNER,K.L. Anvil Corp. 95/10/19. Document Control Branch (Document Control Desk). 4pp. 86010:349-86010:352.

DOCKET 71-0678 PACTEC, INC.

9510040076 Application for amend to rev of QA program approval for radioactive package:0678,Fee paid.
HAELSIG,R.T. PacTec, Inc. 95/09/27. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 85698:297-85698:317.

--9510040077 Rev 2 to QA.01.89, "10CFR71,Subpart H QA Program for Design & Fabrication of Radioactive Matl Transportation Containers."
HAELSIG,R.T. PacTec, Inc. 95/09/27. 20pp. 85698:298-85698:317.

DOCKET 71-0710 ADCO SERVICES, INC.

9510040072 Advises that QA program approval for radioactive matl package:0710 expires on 951130.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/28.
WIZA,J. ADCO Services, Inc. 1p. 85709:257-85709:257.

9510180023 Informs that ADCO Services,Inc will not renew QA program 0710.
WIZA,J.P. ADCO Services, Inc. 95/10/12. JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 1p. 85866:322-85866:322.

9510260033 Informs that QA program approval 0710 terminated,in response to 951012 request.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/23.
WIZA,J.P. ADCO Services, Inc. 1p. 85995:354-85995:354.

DOCKET 71-0719 CCC INTERNATIONAL, INC.

9510200311 Responds to 950725 ltr re annual fees assessed for Quality Assurance Approval 0719 issued to CCC Intl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/13. POPE,R.D. . 2pp. 85908:023-85908:024.

DOCKET 71-0728 ACCU-TECH EVALUATION SERVICES, INC.

9510270386 Responds to NRC Bulletin 95-001, "QA Program for Transportation of Radioactive Matl."
FERENC,J. Accu-Tech Evaluation Services, Inc. 95/09/26. Document Control Branch (Document Control Desk). 4pp. 86048:327-86048:330.

DOCKET 71-0733 TRIAD NONDESTRUCTIVE TESTING, INC.

9510310280 Informs that request for amend to QA program indicating change of address & any other changes made to program since approved should be submitted in order to remain current.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
SPANGLER,L.L. Triad Nondestructive Testing, Inc. 1p. 86075:359-86075:359.

DOCKET 71-0751 S&ME, INC.

9510310295 Informs that request for amend to QA program indicating change of address & any other changes made since approved should be submitted in order to remain current.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
OWENS,R.D. Westinghouse Environmental & Geotechnical Services, Inc. (formerly S&ME, Inc. &. 1p. 86075:358-86075:358.

DOCKET 71-0766 QUAD CITY TESTING LABORATORY, INC.

9510260037 Informs that QA program approval 0766 terminated,in response to 950901 request.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/23.
BLACK,S.P. Quad City Testing Laboratory, Inc. 1p. 85996:178-85996:178.

DOCKET 71-0767 ALPHA QUALITY SERVICES

9510130057 Informs that QA program approval 0767 is hereby terminated, as requested by 950613 ltr.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/10.
FOSTER,R. Alpha Quality Services. 1p. 85809:166-85809:166.

9510130060 Informs that QA program approval 0767 is hereby terminated, as requested by 950613 ltr.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/10.
FOSTER,R. Alpha Quality Services. 1p. 85809:167-85809:167.

DOCKET 71-0772 AIR FORCE, DEPT. OF

9510050222 Requests that addl 30 day extension to NRC Invoice AM06276-95 be granted,since revised QA program (QAP) in final stages of staffing through organization & author expect to have revised QAP in mail not later than 950929.
HOPKINS,A.T. Air Force, Dept. of. 95/09/21. SCROGGINS,R.M. Office of the Controller (Post 890205). 1p. 85724:331-85724:331.

9510270284 Forwards revised "QA Program for Transportation of RTGs," as requested in 950814 ltr.
HOPKINS,A.T. Air Force, Dept. of. 95/09/25. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 86048:308-86048:319.

--9510270286 Revised "QA Program for Transportation of RTGs."
* Air Force, Dept. of. 95/09/25. 11pp. 86048:309-86048:319.

DOCKET 71-0785 GTS DURATEK

9510130072 Informs that QA program approval 0785 is hereby terminated due to subsequent sale of Florida business.
BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 95/10/10.
JANKOVICH,J.P. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 85809:348-85809:350.

DOCKET 71-0786 DOE

9510110341 Responds to 950926 ltr re annual fee Invoice AM02426-95 for Quality Assurance Program Approval 786.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/10/10.
MILNER,R.A. Energy, Dept. of. 1p. 85756:358-85756:358.

9510250037 Responds to 950926 ltr re annual fee Invoice AM02426-95 for QA Program Approval 0786.Informs that subj invoice cancelled & costs associated w/Approval 0786 recovered through NWF & annual fee should not have been assessed.
DANDOIS,D.B. Division of Accounting & Finance (Post 890205). 95/10/10.
MILNER,R.A. Energy, Dept. of. 1p. 85976:356-85976:356.

DOCKET 71-0817 MESCALERO ENVIRO, INC.

9510200223 Provides clarifying info in response to 950605 request for approval of QA program for meeting requirements of 10CFR72,Subpart G.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/12. PESO,F. Mescalero Apache Tribe. 5pp. 85911:356-85911:360.

9510200188 Clarifies issues re opportunity for hearing on QA program & info in PDR,as requested in 950919 ltr.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/17.
HUGHES,L. Native Americans for a Clean Environment. 2pp. 85916:346-85916:347.

DOCKET 71-0829 MESCALERO UTILITY FUEL STORAGE INITIATIVE

9510270328 Forwards revised page 10 to Issue 0 of "Mescalero Fuel Storage LLC QA Program Description," correcting discrepancy where "heat numbers" identified as "host numbers."
PARKYN,J.D. . 95/08/28. Office of Nuclear Material Safety & Safeguards. 1p. 86048:303-86048:305.

--9510270333 Revised page 10 to Issue 0 of "Mescalero Fuel Storage LLC QA Program Description."
* . 95/08/28. 2pp. 86048:304-86048:305.

DOCKET 71-0830 ITT INSPECTION-TECH TECHNICIANS,INC.

9510310122 Forwards QA program approval for radioactive material package 0830,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
ROUDEBUSH,C.V. Affiliation Not Assigned. 1p. 86076:356-86076:357.

--9510310127 QA program approval for radioactive matl package:0830,Rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/26.
1p. 86076:357-86076:357.

DOCKET 71-0831 GEORGIA INSTITUTE OF TECHNOLOGY

9510190153 Forwards QA program approval for docket 7100831 for radioactive material package 0831,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/17.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 1p. 85883:355-85883:356.

--9510190155 QA program approval for docket 7100831 for radioactive material package 0831,rev 0.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/10/17.
1p. 85883:356-85883:356.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9510250146 Requests addl info re 950627 application,requesting amend to COC 4986,for model RA-2 & RA-3 packages.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/19. KLAPPROTH,J.F. General Electric Co. 2pp. 85983:347-85983:348.

DOCKET 71-5740 MODEL: ORNL TRU CALIF., ENERGY, DEPT. OF

9510270284 Forwards revised "QA Program for Transportation of RTGs," as requested in 950814 ltr.
HOPKINS,A.T. Air Force, Dept. of. 95/09/25. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 86048:308-86048:319.

DOCKET 71-5805 MODEL: CNS 3-55, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-5830 MODEL: SNAP 21, NAVY, DEPT. OF

9510030188 Requests renewal of Certificate of compliance for for radioactive materials packages for 3M SNAP-21 thermoelectric generator.Forwards COC 5830.
MALINOSKI,J.W. Navy, Dept. of. 95/09/20. Office of Nuclear Material Safety & Safeguards. 1p. 85691:277-85691:279.

--9510030192 Certificate of compliance 5830,rev 5,for model SNAP-21.
MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 90/11/02. 2pp. 85691:278-85691:279.

DOCKET 71-5862 MODEL: SENTINEL-100F, TELEDYNE ENERGY SYSTEMS

9510060210 Forwards certificate of compliance 5862,rev 7,for model Sentinel-100F package,as requested by 950815 application.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03. MONTGOMERY,N.D. Air Force, Dept. of. 1p. 85747:347-85747:350.

--9510060213 Certificate of compliance 5862,rev 7,for model Sentinel 100-F.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03. 3pp. 85747:348-85747:350.

DOCKET 71-5939 MODEL: 1500, GENERAL ELECTRIC CO.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9510030117 Requests that amend to COC 5957,which authorizes up to four shipments of irradiated Mark 22 fuel in BMI-1 cask,be extended to run concurrently w/next period of recertification of BMI-1.
ACHARYA,S. Energy, Dept. of. 95/08/30. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 85688:335-85688:336.

9510190151 Advises of registration as user of certificate of compliance 5957.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 1p. 85883:360-85883:360.

DOCKET 71-6244 MODEL: CNS 4-85, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9510250260 Forwards request for addl info identified in encl to ltr dtd 951019 re application dtd 950426,requesting amend to Certificate of Compliance 6294,for Model UNC-2901 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/19. MICHELSEN,M.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 85983:349-85983:350.

DOCKET 71-6574 MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-6601 MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-6642 MODEL: 4.5 TON CF, ENERGY, DEPT. OF

9510270284 Forwards revised "QA Program for Transportation of RTGs," as requested in 950814 ltr.
HOPKINS,A.T. Air Force, Dept. of. 95/09/25. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 86048:308-86048:319.

DOCKET 71-9001 MODEL: IF-300, NUCLEAR PACKAGING, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9010 MODEL: NLI-1/2, NUCLEAR ASSURANCE CORP.

9510240274 Requests authorization to transport contents up to 18 PWR fuel rods in LNI-1/2 cask per all conditions of Ref 1 COC except for maximum specific power specified in 5(b)(1)(iv).
TJERSLAND,G.T. NAC International Corp. (formerly Nuclear Assurance Corp.),. 95/10/09. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 85929:233-85929:234.

DOCKET 71-9027 MODEL: 741 & 741E, AMERSHAM CORP.

9510190114 Requests addl info re 950803 application for amend to certificate of compliance 9027 for Models 741,741E,741A, 741AE,741B & 741BE packages.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. OKVIST,E. Amersham Corp. 2pp. 85900:208-85900:209.

DOCKET 71-9028 MODEL: 684 & 684E, AMERSHAM CORP.

9510270046 Forwards "SAR Amersham Corp Model 684 Type B(U) Package."
OKVIST,E. Amersham Corp. 95/10/12. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85999:234-85999:314.

--9510270052 "SAR Amersham Corp Model 684 Type B(U) Package."
* Amersham Corp. 95/10/12. 77p. 85999:235-85999:314.

DOCKET 71-9030 MODEL: SENTINEL-8, -3 & MW-3000, TELEDYNE ENERGY

9510030166 Requests renewal of certificate of compliance for radiaoctive materials packages for Teledyne MW-3000 & Sentinel-8 thermoelectric generators.
MALINOSKI,J.W. Navy, Dept. of. 95/09/20. Office of Nuclear Material Safety & Safeguards. 1p. 85688:354-85688:356.

--9510030170 Certificate of compliance 9030,rev 5,for model MW-3000 & Sentinel-8.
MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 91/02/13. 2pp. 85688:355-85688:356.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9510040081 Forwards Rev 0 to "SAR Amersham Corp Model 650L Type B(U) Package USA/9032/B(U)."
ROUGHAN,C. Amersham Corp. 95/10/02. WITHEE,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85709:280-85709:337.

--9510040090 Rev 0 to "SAR Amersham Corp Model 650L Type B(U) Package USA/9032/B(U)."
* Amersham Corp. 95/09/30. 62pp. 85709:282-85709:337.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9510020039 Requests registration of R Nisbet Assoc as users of Certificate of Compliance USA/9033/B (U) for TECH OPS 660 gamma radiography exposure device.
CARROLL,D. Ronald Nisbet Associates. 95/09/19. MCDONALD,C.E. Transportation Branch (Post 930207). 2pp. 85681:325-85681:326.

9510190130 Advises of registration as user of certificate of compliance 9033.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. CARROLL,D. Ronald Nisbet Associates. 1p. 85900:215-85900:215.

DOCKET 71-9034 MODEL: TRIGA-1, GENERAL ATOMICS

9510130227 Forwards rev 1 to application for revalidation of COCs & competent authority certifications (USA/9034/AF & USA/9037/AF) for TRIGA 1 & TRIGA 2 shipping packages.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/10/04. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85808:243-85808:294.

--9510130233 Rev 1 to application for revalidation of COCs & competent authority certifications (USA/9034/AF & USA/9037/AF for TRIGA 1 & TRIGA 2 shipping packages.
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/10. 50pp. 85808:244-85808:294.

DOCKET 71-9035 MODEL: 680 & 680E, AMERSHAM CORP.

9510110057 Requests to register Sivalls,Inc as user of listed transportation packages.
SIMMONS,T.H. Affiliation Not Assigned. 95/10/02. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 85729:189-85729:189.

9510260124 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 951002 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24.
SIMMONS,T.H. . 1p. 85995:319-85995:319.

DOCKET 71-9036 MODEL: C-1, SOURCE PRODUCTION & EQUIPMENT CO., INC.

9510060355 Requests registration as user of model SPEC-150 iridium exposure devices.Vendor isz user & registered previously w/ NRC as user of models SPEC 2T & C-1.
DAVENPORT,C. Mitternight Boiler Works, Inc. 95/10/02. HAUGHTON,C. Office of Nuclear Material Safety & Safeguards. 1p. 85745:359-85745:359.

DOCKET 71-9037 MODEL: TRIGA-2, GENERAL ATOMICS

9510130227 Forwards rev 1 to application for revalidation of COCs & competent authority certifications (USA/9034/AF & USA/9037/AF) for TRIGA 1 & TRIGA 2 shipping packages.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/10/04. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85808:243-85808:294.

--9510130233 Rev 1 to application for revalidation of COCs & competent authority certifications (USA/9034/AF & USA/9037/AF for TRIGA 1 & TRIGA 2 shipping packages.
* General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/07/10. 50pp. 85808:244-85808:294.

DOCKET 71-9053 MODEL: 683, AMERSHAM CORP.

9510190119 Advises that certificates of compliance 9053 & 9141 expire on 951130.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
ROUGHAN,C. Amersham Corp. 1p. 85900:210-85900:210.

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO.,

9510060355 Requests registration as user of model SPEC-150 iridium exposure devices.Vendor isz user & registered previously w/ NRC as user of models SPEC 2T & C-1.
DAVENPORT,C. Mitternight Boiler Works, Inc. 95/10/02. HAUGHTON,C. Office of Nuclear Material Safety & Safeguards. 1p. 85745:359-85745:359.

DOCKET 71-9057 MODEL: FPD-100, GENERAL ATOMICS

9510060214 Forwards certificate of compliance 9057,rev 7,for model FPD-100 package,as requested 950830.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 85747:351-85747:354.

--9510060216 Certificate of compliance 9057,rev 7,for model FPD-100 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03. 3pp. 85747:352-85747:354.

DOCKET 71-9079 MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9081 MODEL: CNS 1-13C, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9086 MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9089 MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.

9510030091 Submits application for renewal of certificate of compliance 9094 for CNS 14-195H packaging.
LINDER,C. Chem-Nuclear Systems, Inc. 95/09/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85688:328-85688:328.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

9510190158 Advises of registration of user of certificate of compliance 9094.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
COUTURE,K. Navy, Dept. of. 1p. 85883:359-85883:359.

9510190191 Forwards certificate of compliance 9094,rev 12 for model CNS 14-195H package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/16.
LINDNER,C. Chem-Nuclear Systems, Inc. 1p. 85900:352-85900:356.

--9510190194 Certificate of compliance 9094,rev 12,for model CNS 14-195-H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/16. 4pp. 85900:353-85900:356.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

9510250157 Requests registration as user of model CNSI 21-300 cask.
MCCARTER,J.F. Scientific Ecology Group, Inc. 95/10/16. ZIEGLER,E. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85988:223-85988:223.

9510250076 Notification of registration as user of certificate of compliance 9096,in response to 951016 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/20.
MCCARTER,J.F. Affiliation Not Assigned. 1p. 85987:166-85987:166.

DOCKET 71-9099 MODEL: ATR, ENERGY, DEPT. OF

9510230214 Application for rev to certificate of compliance 9099 for model ATR fresh fuel shipping container to raise U-235 enrichment from 93 to 94 wt%.Rev 7 to DOE COC 9099,approval record & SER for ATR fresh fuel shipping container encl.
ACHARYA,S. Energy, Dept. of. 95/10/13. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 4pp. 85913:346-85913:358.

--9510230219 Certificate of compliance 9099,rev 7,for model ATR fresh fuel package.
WANGLER,M.E. Energy, Dept. of. 95/10/12. 5pp. 85913:350-85913:354.

--9510230224 SER approving rev 7 to COC 9099 to allow for max U-235 enrichment of 94wt% for ATR fuel elements.
WANGLER,M.E. Energy, Dept. of. 95/10/12. 4pp. 85913:355-85913:358.

DOCKET 71-9108 MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

DOCKET 71-9111 MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.

9510190136 Advises of deletion as registered user of certificate of compliance 5805,5939,6244,6574,6601,9001,9079,9081,9086, 9089,9094,9096,9108 & 9111.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
KENEALLY,J.T. Long Island Lighting Co. 1p. 85883:358-85883:358.

9510250292 Requests registration as user of model CNS 6-80-2 & that distribution list for future correspondence re shipping cask include listed individual at util.
FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 95/10/19.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85995:182-85995:182.

DOCKET 71-9137 MODEL: 820, AMERSHAM CORP.

9510250357 Requests addl 60 days to comply w/NRC 950829 ltr.Addl info will be provided by 951215.
OKVIST,E. Amersham Corp. 95/10/13. WITHEE,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85988:138-85988:139.

DOCKET 71-9141 MODEL: 900, AMERSHAM CORP.

9510190119 Advises that certificates of compliance 9053 & 9141 expire on 951130.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16.
ROUGHAN,C. Amersham Corp. 1p. 85900:210-85900:210.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9510110057 Requests to register Sivalls,Inc as user of listed transportation packages.
SIMMONS,T.H. Affiliation Not Assigned. 95/10/02. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 85729:189-85729:189.

9510170388 Requests registration as user of model IR-50 source changer & IR-100 exposure device.
MULLIKIN,M.S. Universal Testing, Inc. 95/10/04. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 85855:351-85855:352.

9510260124 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 951002 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24.
SIMMONS,T.H. . 1p. 85995:319-85995:319.

9510260172 Notification of registration as user of certificates of compliance 9156 & 9157,in response to 951004 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24.
MULLIKIN,M.S. Universal Testing, Inc. 1p. 85996:164-85996:164.

9510310350 Notification of registration as user of COCs 9156,9157 & 9185,in response to 950926 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/30. YAMAMOTO,C.K. Walashek Enterprises, Inc. 1p. 86075:357-86075:357.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9510030125 Requests registration as user of model exposure device IR-100.
HANGES,P.J. Diamond H. Testing Co. 95/09/15. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85688:339-85688:339.

9510110057 Requests to register Sivalls,Inc as user of listed transportation packages.
SIMMONS,T.H. Affiliation Not Assigned. 95/10/02. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 85729:189-85729:189.

9510170388 Requests registration as user of model IR-50 source changer & IR-100 exposure device.
MULLIKIN,M.S. Universal Testing, Inc. 95/10/04. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 85855:351-85855:352.

9510260124 Notification of registration as user of certificates of compliance 9035,9156 & 9157,in response to 951002 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. SIMMONS,T.H. . 1p. 85995:319-85995:319.

9510260172 Notification of registration as user of certificates of compliance 9156 & 9157,in response to 951004 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. MULLIKIN,M.S. Universal Testing, Inc. 1p. 85996:164-85996:164.

9510260284 Notification of registration as user of certificate of compliance 9157,in response to 950915 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. HANGES,P. Diamond H. Testing Co. 1p. 86007:358-86007:358.

9510310350 Notification of registration as user of COCs 9156,9157 & 9185,in response to 950926 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/30. YAMAMOTO,C.K. Walashek Enterprises, Inc. 1p. 86075:357-86075:357.

DOCKET 71-9159 MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC

9510110024 Requests registration as user of radioactive matls shipping casks.
SIMPKIN,T.W. Commonwealth Edison Co. 95/10/04. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 85780:164-85780:168.

9510260144 Notification of registration as user of certificate of compliance 9159,in response to 951004 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. SIMPKIN,T.W. Commonwealth Edison Co. 1p. 85996:163-85996:163.

DOCKET 71-9165 MODEL: 855, AMERSHAM CORP.

9510040074 Forwards "Safety Analysis Rept,Amersham Corp Model 855 Type B(U) Package USA/9165 B(U)." Rept should contain pages missing from rept sent on 950804.
OKVIST,E. Amersham Corp. 95/09/28. DUDES,L. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85698:238-85698:296.

9510190078 Requests addl info re 950804 application for amend to certificate of compliance 9165 for model 855 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. OKVIST,E. Amersham Corp. 2pp. 85900:218-85900:219.

DOCKET 71-9167 MODEL: 3206B, 3227B & 3218, AMERSHAM CORP.

9510030129 Requests registration as user of model 3206B.
LONG,K.D. Babcock & Wilcox Co. 95/09/20. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85688:340-85688:340.

9510260111 Notification of registration as user of certificate of compliance 9167,in response to 950920 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. LONG,K.D. Babcock & Wilcox Co. 1p. 85995:360-85995:360.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9510190183 Advises that since DuPont Merck Pharmaceutical Co does not have approved QA program NRC unable to register DuPont as user.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. GREAVES,R.A. DuPont Merck Pharmaceutical Co. 1p. 85900:342-85900:342.

DOCKET 71-9181 MODEL: PAS-2, NUCLEAR PACKAGING, INC.

9510040156 Requests that COC 9181 for models PAS-2 & PAS-2A packages be renewed for another term w/only change being that of company name & address.
PATKO,A.L. Vectra Technologies, Inc. 95/09/07. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85709:349-85709:349.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9510310350 Notification of registration as user of COCs 9156,9157 & 9185,in response to 950926 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/30. YAMAMOTO,C.K. Walashek Enterprises, Inc. 1p. 86075:357-86075:357.

DOCKET 71-9193 MODEL: NES-5, NUCLEAR ENERGY SERVICES, INC.

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E.Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85764:197.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9510250081 Notification of registration as user of certificate of compliance 9196,in response to 951019 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/20. LOVELL,E.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 85986:360-85986:360.

9510310412 Part 21 rept re defects found in model UX-30 overpack.UX-30 overpack sent to Law Engineering for evaluation.Law Engineering preliminary rept including listed conclusions encl.
ARNOLD,W.M. Nuclear Containers, Inc. 95/10/26. Document Control Branch (Document Control Desk). 4pp. 86089:356-86089:359.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9510250043 Forwards certificate of compliance 9203,rev 3,for model DHTF package,as requested by 950525 application.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. KNAPP,K. Babcock & Wilcox Co. 1p. 85985:303-85985:307.

--9510250047 Certificate of compliance 9203,rev 3,for model DHTF package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. 4pp. 85985:304-85985:307.

DOCKET 71-9204 MODEL: CNS 10-160B, CHEM-NUCLEAR SYSTEMS, INC.

9510030103 Submits application for renewal of certificate of compliance 9204 for CNS 10-160B packaging.
LINDNER,C. Chem-Nuclear Systems, Inc. 95/09/29. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85688:331-85688:331.

DOCKET 71-9222 MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.

9510250301 Application for amend to certificate of compliance 9222 for model 14-215 to accommodate inclusion of optional flatwashers w/cask secondary lid holdown nuts.Rev 5 to STD-R-02-016, "SAR for 14-215 Radwaste...Container" encl.
MCCARTER,J.F. Scientific Ecology Group, Inc. 95/09/06. WITHEE,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85995:183-85995:318.

--9510250392 Authorizes NRC use of matls marked as proprietary in incorporating info in NRC directory of COCs for radioactive matls packagings & inclusion in NRC public records.
MCCARTER,J.F. Scientific Ecology Group, Inc. 95/09/15. WITHEE,C. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85995:184-85995:184.

--9510250399 "Safety Analysis Rept for 14-215 Radwaste Shipping Cask." W/ two oversize drawings.
HARRIS,L.W. Scientific Ecology Group, Inc. STD-R-02-016 R05. 95/09/07. 134pp. 85995:185-85995:318.

9510060194 Forwards Certificate of Compliance 9222,Rev 4,for Model 14-215 shipping package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03. MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 85735:257-85735:262.

--9510060198 Certificate of Compliance 9222,Rev 4,for Model 14-215.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/03. 5pp. 85735:258-85735:262.

9510250149 Requests registration as user of model 14-215 radioactive materials shipping cask.
KATZMAN,E. Public Service Electric & Gas Co. of New Jersey. 95/10/17. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85988:216-85988:216.

9510250152 Requests registration as user of model 14-215 package.
BOULETTE,E.T. Boston Edison Co. 95/10/18. Office of Nuclear Material Safety & Safeguards. 2pp. 85983:312-85983:313.

9510250079 Notification of registration as user of certificate of compliance 9222,in response to 951018 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/20. BOULETTE,E.T. Boston Edison Co. 1p. 85987:283-85987:283.

9510260254 Responds to 951017 ltr,requesting registration as user of COC 9222.NRC records indicate that PSE&G previously registered as user.No further action necessary.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/24. AVESON,R. Public Service Electric & Gas Co. of New Jersey. 1p. 86007:357-86007:357.

DOCKET 71-9225 MODEL: NAC-LWT, NUCLEAR ASSURANCE CORP.

9510130146 Requests registration as user of model NAC-LWT cask.
KARAM,R.A. Georgia Institute of Technology, Atlanta, GA. 95/09/28. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 85809:168-85809:168.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9510040041 Submits answers to questions of 950815 re water inleakage, containment,stainless steel corrosion,thermal,foam spec, cylinder leakage measurements & drawings w/regard to NCI-21PF-1 overpack.
ARNOLD,W.M. Nuclear Containers, Inc. 95/09/27. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 7pp. 85711:300-85711:361.

--**9510040048** "U Hexafluoride Safe Handling,Processing & Transporting," presented at 880524-26 conference proceedings in Oak Ridge, TN.
* Energy, Dept. of. CONF-880558. 88/05/24. 10pp. 85711:312-85711:321.

--**9510040050** "U Hexafluoride Handling," presented at 911029-31 second intl conference in Oak Ridge,TN.
* Energy, Dept. of. * Martin Marietta Energy Systems, Inc. 91/10/29. 7pp. 85711:322-85711:328.

--**9510040051** Rev 1 to Matl & Equipment Spec NCI-PF-1, "NCI-PF-1 Phenolic Foam Spec."
ARNOLD,W.M. Nuclear Containers, Inc. 95/09/27. 24pp. 85711:329-85711:361.

DOCKET 71-9243 MODEL: 934, AMERSHAM CORP.

9510270188 Submits response to 950821 ltr,requesting addl info re Model 934 shipping package.Encl Section 7.0 of SAR revised to incorporate changes requested in ltr.
PODOLAK,L. Amersham Corp. 95/10/16. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 12pp. 86012:270-86012:281.

DOCKET 71-9252 MODEL: 51032-2, B&W FUEL CO.

9510060266 Informs that licensee will not be providing response to 950821 request for addl info re amend to certificate of compliance 9252 until Jan 1996.
KNAPP,K.S. B&W Fuel Co. 95/09/25. HAUGHNEY,C.J. Transportation Branch (Post 930207). 1p. 85746:359-85746:359.

DOCKET 71-9255 MODEL: NUHOMS-MP187, PACIFIC NUCLEAR

9510060336 Informs that licensee will submit requested info by 951117 in form of revised pages to application.
TEMUS,C.J. Vectra Technologies, Inc. 95/09/27. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85748:317-85748:317.

DOCKET 71-9257 NORDION INTERNATIONAL INC.

9510060275 Advises that licensee will not mfg Titan Gamma Radiography Exposure Device or dedicated C-990 sealed source assembly.
GOVINDAPILLAI Nordion International, Inc. 95/09/19. BAGGETT,S. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85745:308-85745:308.

9510170189 Informs that NRC terminated review of model Titan Gamma radiography device package,as requested in ltr dtd 950919.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/13. GOVINDAPAILLAI Nordion International, Inc. 1p. 85854:358-85854:358.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9510310404 Forwards rev 3 proprietary & non-proprietary, Holtec Rept HI-951251 both entitled, "SAR For Packaging For Holtec International Storage,Transport & Repository Cask Sys (HI-Star 100 Cask Sys)."
SOLER,M. Holtec International. 95/10/23. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 6pp. 86080:001-86083:117.

--**9510310406** "10CFR71 SAR for Packaging for Holtec Intl Storage, Transport & Repository Cask Sys,(HI-STAR 100 Cask Sys)."
SOLER,M. Holtec International. HI-951251 R03. 95/10/23. 1,199pp. 86080:011-86083:117.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9510040139 Requests registration as user of model Source Production & Equipment Model SPEC-150 Iridium Exposure devices.
DAVENPORT,C. . 95/09/27. MACDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 85709:217-85709:217.

9510060355 Requests registration as user of model SPEC-150 iridium exposure devices.Vendor isz user & registered previously w/ NRC as user of models SPEC 2T & C-1.
DAVENPORT,C. Mitternight Boiler Works, Inc. 95/10/02. HAUGHTON,C. Office of Nuclear Material Safety & Safeguards. 1p. 85745:359-85745:359.

9510190167 Advises of registration as user of certificate of compliance 9263.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. DAVENPORT,C. . 1p. 85883:357-85883:357.

9510190176 Advises of registration of user of certificate of compliance 9263.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. MCINTIRE,M. Southwest X-Ray. 1p. 85900:337-85900:337.

DOCKET 71-9268 MODEL: MSC-1, SIERRA NUCLEAR CORP.

9510200265 Notification of 951017 meeting w/licensee in Rockville,MD to discuss cask body design features & analyses of spent fuel transport cask being designed by licensee.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/10. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 85898:105-85898:107.

--**9510200266** Forwards agenda for meeting on 951017 w/NRC.Requests that meeting be proprietary because topics of discussion relate to new shipping cask design that is being developed.
THOMPSON,T.C. Sierra Nuclear, Inc. 95/10/05. BAILEY,M. NRC - No Detailed Affiliation Given. 2pp. 85898:106-85898:107.

DOCKET 71-9792 MODEL: D1G CB-TS, ENERGY, DEPT. OF

9510250066 Forwards certificate of compliance 9792,rev 3 for model 1 D1G Core Basket-Thermal Shield Shipping & Storage Container,as requested by 950410 application.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. ENGEL,W.P. Energy, Dept. of. 1p. 85983:351-85983:355.

--**9510250070** Certificate of compliance 9792,rev 3,for model 1 D1G Core Basket-Thermal Shield Shipping & Storage Container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/19. 4pp. 85983:352-85983:355.

DOCKET 71-9932 MODEL: UC-609, ENERGY, DEPT. OF

9510190124 Advises that certificate of compliance 9932 expires on 951130.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 95/10/16. ACHARYA,S. Energy, Dept. of. 1p. 85900:212-85900:212.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-001 MORRIS OPERATIONS, ISFSI

9510250006 Forwards two copies of "GE Morris Operation Emergency Plan." W/one oversize drawings.
ELLIS,J.E. General Electric Co. 95/10/02. MCGINTY,T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 42pp. 86002:188-86002:315.

--**9510250010** "Morris Operation Emergency Plan." Drawings encl.
ELLIS,J.E. General Electric Co. NEDO-31955. 95/06/30. 81pp. 86002:230-86002:315.

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9510200310 Application for amend to license SNM-2501,modifying administrates requirements including rev to security plan titles & rev numbers & submittal dates for radioactive effluent release repts.Exemption request encl.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 95/10/16. 3pp. 85916:319-85916:337.

--**9510200313** Proposed ISFSI TS B.1.1.1,removing refs to dates & rev numbers of various security/physical protection documents & C.1.4.1,changing reporting requirement for radioactive effluent release rept from semiannual to annual.
* Virginia Power (Virginia Electric & Power Co.). 95/10/16. 16pp. 85916:322-85916:337.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301

9510240340 Submits addl info to clarify PCC QA program,per NRC insp exit meeting on 950929.
KRIESER,G.M. Wisconsin Electric Power Co. 95/10/13. O'CONNER,S. NRC - No Detailed Affiliation Given. 8pp. 85929:252-85929:259.

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

DOCKET 72-0007 PALISADES ISFSI GEN LIC/VSC-24, 50-255

9510250351 Forwards response to NRC 950914 RAI re util 950602 submittal of Rev 1 of procedure to unload spent fuel from multi- assembly sealed basket.
SMEDLEY,R.W. Consumers Power Co. 95/10/16. Document Control Branch (Document Control Desk). 21pp. 85982:001-85983:148.

--**9510250356** Rev 0 to Engineering Analysis, "MSB Permissible Pressure During Unloading Operation."
WONG,J.C. Consumers Power Co. EA-SC-93-083-13 R00. 95/04/14. 18pp. 85982:022-85982:039.

--**9510250359** Rev 0 to engineering analysis, "Max Fill Rate of MSB."
POMRANING,E. Consumers Power Co. EA-SC-93-083-14 R00. 95/03/13. 70pp. 85982:040-85982:100.

--**9510250365** Rev 0 to Work Instruction (WI) WI-RSD-H-005, "Radiation Safety Monitoring Requirements for Unloading Multi-Assembly Sealed Basket."
* Consumers Power Co. 95/10/16. 23pp. 85982:101-85982:133.

--**9510250369** Rev 3 to Admininstrative Procedure 5.26, "ISFSI Training & Certification Program."
BROSCHAK,J.P., ZERNICK,E.A., WHITAKER,R.E. Consumers Power Co. 95/08/07. 26pp. 85982:134-85982:159.

--**9510250373** Rev 0 to engineering analysis, "Calculation for Max Temp Value for Ventilated Concrete Cask & Multi-Assembly Sealed Basket."
MACLEAN,S.R., REYNER,H.A. Consumers Power Co. EA-D-PAL-94-076B R00. 94/11/16. 111pp. 85982:160-85982:270.

--**9510250375** Rev 0 to engineering analysis, "Heat Transfer Analysis of Ventilated Storage Cask (VSC)."
MAHENDRUNATHAR, VERMA,V. Consumers Power Co. EA-SC-93-083-10 R00. 95/02/27. 100pp. 85982:271-85983:017.

--9510250376 Rev 0 to engineering analysis, "MSB #4 Structural Integrity Assessment."
* Consumers Power Co. EA-FC-864-050 R00. 94/09/02. 98pp. 85983:018-85983:115.

--9510250378 Rev 1 to engineering analysis, "Dry Fuel Storage Project (FC-864) Support Analysis - Design Calculation - Weight Calculation for VCC,MTC & MSB."
MACLEAN,S. Consumers Power Co. EA-FC-864-020 R01. 93/02/05. 33pp. 85983:116-85983:148.

9510040287 Forwards SE accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/09/26.
HAAS,K.M. Consumers Power Co. 3pp. 85713:219-85713:225.

--9510040294 Safety evaluation accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
* . 95/09/26. 4pp. 85713:222-85713:225.

9510130365 Forwards Rev 2 to nonproprietary Siemens Power Corp (SPC) rept EMF-94-160(NP) & Rev 2 to proprietary SPC rept EMF-94-160(P), "Temp Criteria for Quenching of Fuel in Dry Storage." Proprietary SPC rept EMF-94-160(P) withheld.
SMEDLEY,R.W. Consumers Power Co. 95/10/06. Document Control Branch (Document Control Desk). 7pp. 85862:167-85862:207.

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9510020062 Forwards QA program approval for radioactive matl package: 0346,Rev 7.Informs that NRC reviewed request for amend to FSV Operational Quality Program & changes appropriate for meeting 10CFR72 QA requirements.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/09/27.
FISHER,M.J. Public Service Co. of Colorado. 3pp. 85683:224-85683:235.

9510250170 Informs that LE Kokajko has assumed project mgt responsibilities for plant ISFSI.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/19.
HOCK,D.D. Public Service Co. of Colorado. 1p. 85988:240-85988:240.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9510110243 Forwards license amend request for license SNM-2506, proposing rev to TS 6.3,which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85783:278-85783:288.

--9510110252 Application for amends to license SNM-2506,revising TS, which corrects inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Generating Plant TS.
WADLEY,M.D. Northern States Power Co. 95/10/02. 6pp. 85783:280-85783:285.

--9510110261 Proposed tech specs correcting inconsistency between Prairie Island ISFSI TS & Prairie Island Nuclear Genrating Plant TS.
* Northern States Power Co. 95/10/02. 3pp. 85783:286-85783:288.

9510270018 Forwards rev 4 to "Prairie Island ISFSI SAR" & proprietary figures by Transnuclear,Inc.Proprietary figures withheld.
WADLEY,M.D. Northern States Power Co. 95/10/19. Document Control Branch (Document Control Desk). 10pp. 86021:124-86021:225.

--9510270021 Rev 4 to "Prairie Island ISFSI SAR."
* Northern States Power Co. 95/10/31. 88pp. 86021:134-86021:220.

--9510270023 Requests that proprietary figues from SAR for Prairie Island ISFSI be withheld (ref 10CFR2.790).
DAWSON,D.M. Transnuclear, Inc. 95/10/09. PAPERIELLO,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 5pp. 86021:221-86021:225.

DOCKET 72-0014 ISFSI DAVIS BESSE GEN LIC/NUHOMS, 50-346

9510020081 Submits questions re dry cask storage in general & insp rept 72-0014/95-202 & notice of nonconformance issued 950829.
JOHNSTON,C. Affiliation Not Assigned. 95/09/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85681:259-85681:261.

9510160096 Forwards EA & FONSi re 950922 request for schedular exemption for relief to submit rept of preoperational test acceptance criteria & test results at least 3 days prior to receipt of fuel at ISFSI.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/29. STETZ,J.P. Toledo Edison Co. 2pp. 85813:193-85813:201.

--9510160104 Environ assessment & finding of no significant impact re request for schedular exemption for relief to submit rept of of preoperational test acceptance criteria & test results at least 3 days prior to receipt of fuel at ISFSI.
HAUGHNEY,C.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/29. 7pp. 85813:195-85813:201.

9510130049 Responds to 950905 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform operational testing for ISFSI.
MARCUS,G.H. . 95/10/05. WASHING,J.R. Affiliation Not Assigned. 4pp. 85778:355-85778:358.

9510130062 Responds to ltr to C Paperiello re plant ISFSI in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. SHIH,M. Affiliation Not Assigned. 4pp. 85778:351-85778:354.

9510130090 Responds to 950905 ltrs to Commissioners,C Paperiello & A Hansen re plant ISFSI,in which recipients expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform operational ISFSI testing.
MARCUS,G.H. . 95/10/05. JOHNSON,C.F. Affiliation Not Assigned. 4pp. 85801:334-85801:337.

9510130112 Responds to ltr addressed to C Paperiello re Davis-Besse Nuclear Power Station ISFSI.
MARCUS,G.H. . 95/10/05. BORK,J. Affiliation Not Assigned. 4pp. 85801:338-85801:341.

9510130198 Responds to 950902 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. HIRT,A. Affiliation Not Assigned. 4pp. 85801:345-85801:348.

9510130220 Responds to 950907 ltr re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. CRABTREE,C. Affiliation Not Assigned. 4pp. 85801:352-85801:355.

9510190327 Informs that on 950907,Region III mgt & staff completed semiannual PPR of plant.Advises of NRC planned insp effort resulting from plant PPR.
AXELSON,W.L. Region 3 (Post 820201). 95/10/10. STETZ,J.P. Centerior Service Co. 4pp. 85864:101-85864:104.

9510170177 Discusses CAL issued to VECTRA Technologies,Inc (VECTRA),dtd 950707 & actions that VECTRA took in response to safety concerns identified in CAL.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/12.
FRANCESCHI,V. Vectra Technologies, Inc. 3pp. 85855:348-85855:350.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9510190080 Notification of 951017 meeting w/Portland General Electric Co in Rockville,MD to discuss transportation issues associated w/spent fuel transport cask under design by Sierra Nuclear Corp.
* Office of Nuclear Material Safety & Safeguards. 95/10/11. Office of Nuclear Material Safety & Safeguards. 1p. 85900:230-85900:230.

DOCKET 72-0019 MESCALERO ENVIRONMENTAL, INC. ISFSI

9510040148 Acks 950911 ltr,which responded to several questions re Mescalero "initiative," & forwards Reg Guide 7.10.W/o encl.
HUGHES,L. Native Americans for a Clean Environment. 95/09/19. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 2pp. 85709:261-85709:262.

DOCKET 72-1004 CASK: 24P

9510160006 Forwards schedule summarizing status of CAL responses & closeout activities.
FRANCESCHI,V. Vectra Technologies, Inc. 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85834:351-85834:353.

9510020081 Submits questions re dry cask storage in general & insp rept 72-0014/95-202 & notice of nonconformance issued 950829.
JOHNSTON,C. Affiliation Not Assigned. 95/09/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85681:259-85681:261.

9510160005 Suppls response to confirmatory action ltr re safety evaluation for design changes.
FRANCESCHI,V. Vectra Technologies, Inc. 95/09/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85833:356-85833:357.

9510160010 Suppls response to CAL re dry shielded canister pressure tests.
FRANCESCHI,V. Vectra Technologies, Inc. 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 20pp. 85835:281-85835:300.

9510160007 Suppls response to CAL issue re safety evaluations, including fabrication documentation review.
FRANCESCHI,V. Vectra Technologies, Inc. 95/10/02. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85833:358-85833:359.

9510160008 Advises that review of RT films for all loaded NUHOMS-24P canisters performed,in response to CAL.
FRANCESCHI,V. Vectra Technologies, Inc. 95/10/02. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85834:348-85834:350.

9510160009 Suppls response to CAL issues for NUHOMS components to be utilized at Davis-Besse facility.
FRANCESCHI,V. Vectra Technologies, Inc. 95/10/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85834:354-85834:355.

9510130049 Responds to 950905 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform operational testing for ISFSI.
MARCUS,G.H. . 95/10/05. WASHING,J.R. Affiliation Not Assigned. 4pp. 85778:355-85778:358.

9510130062 Responds to ltr to C Paperiello re plant ISFSI in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. SHIH,M. Affiliation Not Assigned. 4pp. 85778:351-85778:354.

9510130090 Responds to 950905 ltrs to Commissioners,C Paperiello & A Hansen re plant ISFSI,in which recipients expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform operational ISFSI testing.
MARCUS,G.H. . 95/10/05. JOHNSON,C.F. Affiliation Not Assigned. 4pp. 85801:334-85801:337.

9510130112 Responds to ltr addressed to C Paperiello re Davis-Besse Nuclear Power Station ISFSI.
MARCUS,G.H. . 95/10/05. BORK,J. Affiliation Not Assigned. 4pp. 85801:338-85801:341.

9510130198 Responds to 950902 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. HIRT,A. Affiliation Not Assigned. 4pp. 85801:345-85801:348.

9510130220 Responds to 950907 ltr re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. CRABTREE,C. Affiliation Not Assigned. 4pp. 85801:352-85801:355.

9510120272 Informs that 30 day extension to respond to items identified in NRC insp rept 72-1004/95-202 acceptable,as requested in 950929 ltr.
BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/10/06. FRANCESCHI,V. Vectra Technologies, Inc. 2pp. 85806:261-85806:264.

--9510120278 Requests 30 day extension to respond to NRC 950829 ltr re nonconformances noted in insp rept 72-1004/95-202.
FRANCESCHI,V. Vectra Technologies, Inc. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85806:263-85806:264.

9510170177 Discusses CAL issued to VECTRA Technologies,Inc (VECTRA),dtd 950707 & actions that VECTRA took in response to safety concerns identified in CAL.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/12. FRANCESCHI,V. Vectra Technologies, Inc. 3pp. 85855:348-85855:350.

9510310225 Submits notification of 951106 meeting w/GPU Nuclear Corp in Rockville,MD to discuss current status of dry spent fuel storage at plant.Agenda encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/24. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 86060:358-86060:359.

DOCKET 72-1007 CASK: VSC-24

9510040287 Forwards SE accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/09/26. HAAS,K.M. Consumers Power Co. 3pp. 85713:219-85713:225.

--9510040294 Safety evaluation accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
* . 95/09/26. 4pp. 85713:222-85713:225.

9510190126 Notification of 951017 meeting w/Sierra Nuclear Corp in Rockville,MD to discuss low burn-up fuel at Palisades Nuclear Power Plant.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/13. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 85900:213-85900:214.

DOCKET 72-1008 CASK: HI-STAR 100

9510270130 Forwards non-proprietary Rev 3 to Holtec Rept HI-941184, "Topical SAR for Holtec Intl Storage Transport & Repository Cask Sys (HI-Star 100 Cask Sys)." Updated Rev 3 included matl for criticality analyses in Chapter 6.
SOLER,M. Holtec International. 95/10/23. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 8pp. 86213:001-86215:186.

--9510270153 Forwards non-proprietary Rev 3 to HI-941184, "Topical SAR for Holtec Intl Storage Transport & Repository Cask Sys (HI-star 100 Cask Sys)." Ack receipt of documents by signing & dating as submitted & returning form to licensee promptly.
SOLER,M. Holtec International. 95/10/23. RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 1p. 86213:009-86213:009.

--9511160351 Nonproprietary Rev 3 to "10CFR72 Topical SAR for Holtec Intl Storage,Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)," including updated matl for criticalityy analyses in Chapter 6 & Rev 1 of HI-STAR design drawings.
* Holtec International. HI-941184 R03. 95/08/21. 1,000pp. 86213:010-86215:186.

9510270295 Forwards proprietary Rev 3 to Holtec Rept HI-941184 "Topical SAR For Holtec International Storage,Transport & Repository Cask Sys (HI-STAR 100 Cask Sys)." Rev withheld.
SOLER,M. Holtec International. 95/10/23. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 7pp. 86021:233-86021:239.

DOCKET 72-1009 CASK: DOE-MPC-21P

9510040108 Summary of 950629 meeting w/DOE & Westinghouse re technical exchange on multi-purpose canister.List of attendees encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. MILNER,R. Energy, Dept. of. 75pp. 85710:132-85710:206.

9510040145 Submits notification of 951005 mgt meeting w/DOE in Rockville,MD to discuss activities & issues re spent fuel storage & transport.Agenda encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/09/21. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 85709:258-85709:260.

9510180389 Forwards minutes from pre-application technical exchange between representatives from US DOE,NRC & Westinghouse Electric Corp re Westinghouse MPC design.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/10. MILNER,R.M. Energy, Dept. of. 77pp. 85861:233-85861:309.

9510180131 Summarizes 950713 meeting w/DOE & Westinghouse Electric Corp multi-purpose canister (MPC) team re QA for MPC program.W/viewgraphs.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/10/11. MILNER,R. Energy, Dept. of. 82pp. 85862:001-85862:082.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9510130379 Staff requirements memo re Committee briefing by NAS on recommendations for technical bases of Yucca Mountain Stds of Natl Research Council.
BATES,A.L. Office of the Secretary of the Commission. M951003. 95/10/10. NRC - No Detailed Affiliation Given. 1p. 85813:026-85813:026.

9510160069 Staff requirements memo re approving final revisions to 10CFR50 for reactor vessel integrity & adding new rule on thermal annealing of reactor pressure vessels.
HOYLE,J.C. Docketing & Services Branch. M951012. 95/10/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). CORDES,J.F. Solicitor (Post 860701). 4pp. 85813:164-85813:167.

9510180291 Transcript of 951003 meeting in Rockville,MD re briefing by NAS on recommendations for Technical Bases of Yucca Mountain Stds.Pp 1-53.Supporting documentation.
THE CHAIRMAN Commissioners (Post 750119). 95/10/03. 64pp. 85882:032-85882:095,

9510190406 Transcript of 951010 public meeting in Rockville,MD re "Briefing on NRC Technical Training Program." Pp 1-64.
THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 95/10/10, 101pp. 85882:109-85882:211.

9510200263 Staff requirements memo re SECY-95-217,comments on US EPA proposed criteria for certification & compliance of Waste Isolation Pilot Plant w/US EPA Radiation Protection Std.
HOYLE,J.C. Office of the Secretary of the Commission. 95/10/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85899:274-85899:274.

9510200279 Staff requirements memo advising that Commission has not objected to issuance of SECY-95-226, "Rept to Congress on Abnormal Occurrences for Apr-Jun 1995.
HOYLE,J.C. Office of the Secretary of the Commission. 95/09/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85899:281-85899:281.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9510060279 Summary of 77th meeting of ACNW on streamlining site decommissioning mgt plan program.
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/09/28. JACKSON,S.A. Commissioners (Post 750119). 2pp. 85767:033-85767:034.

9510100037 Forwards ACNW repts re streamlining NRC site decommissioning mgt plan program.
* Office of Public Affairs (Post 911117). 95/10/04. 1p. 85855:001-85855:003.

9510160004 "NRC ACNW to Meet 951024-26."
* Office of Public Affairs (Post 911117). 95/10/11. 2pp. 85855:054-85855:054.

9510260119 Forwards summary of actions,agreements,assignments & requests made during 65th ACNW meeting on 940629-30.
LARKINS,J.L. Advisory Committee on Nuclear Waste. 94/08/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 85995:149-85995:152.

9510260127 Forwards summary of actions,agreements,assignments & requests made during 64th ACNW meeting on 940517-18 & 0609.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/06/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86007:119-86007:122.

9510260131 Forwards summary of actions,agreements,assignments & requests made during 63rd ACNW meeting on 940420-21.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/05/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86007:123-86007:126.

9510260135 Forwards summary of actions,agreements,assignments & requests made during 62nd ACNW meeting on 940323-24.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/04/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 7pp. 86007:127-86007:133.

9510260141 Forwards summary of actions,agreements,assignments & requests made during 61st ACNW meeting on 940223-24.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/03/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 7pp. 86007:134-86007:140.

9510260149 Summary of 72nd meeting of ACNW on 950315-16 in Rockville,MD re DOE program approach,DOE engineered barrier sys program, radiological criteria for decommissioning & Commission paper on BTP on LLW performance assessment.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/04/18. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:141-86007:144.

9510260152 Summary of 71st meeting of ACNW on 950221-22 in Rockville,MD re proposed EPA stds for land disposal of LLW,model validation,topical guidelines for LSS & lessons learned from attempt to site LLW disposal facility in Martinsville,IL.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/03/22. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:145-86007:148.

9510260156 Summary of 70th meeting of ACNW on 950118-19 in Rockville,MD re rept, "Private Ownership of LLW Sites," nuclear waste container matls research program,history of unsaturated zone & GTT & meeting w/Director,Div of Waste Mgt,NMSS.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/02/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:149-86007:152.

9510260159 Summary of 69th meeting of ACNW on 941110 in Rockvile,MD re memo,final rule to amend 10CFR72 for notification of events & meeting w/M Knapp & M Federline,NMSS re current waste mgt issues.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/11/30. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 86007:153-86007:155.

9510260161 Summary of 67th meeting of ACNW on 940921-22 in Rockville,MD re rept, "General Comments on Impact of DOE Proposed Program Approach on NRC's HLW Licensing Activities," 940930 & DOE proposed program approach.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/10/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:156-86007:160.

9510260163 Summary of 68th meeting of ACNW on 941018-19 in Rockville,MD re accelerated pneumatic testing program,status of electronic data transfer between DOE & NRC & status of saturated & unsaturated zone activities.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/11/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:161-86007:164.

9510260166 Summary of 66th meeting of ACNW on 940816-17 in Rockville,MD re rept, "Comments on HLW Research Programs on Volcanism, Natural Analogs & Tectonics," dtd 940824,waste confidence decision & meeting w/NMSS on DOE proposed program approach.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/09/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:165-86007:169.

9510260167 Summary of 65th meeting of ACNW on 940629-30 in Rockville,MD re draft notice of proposed rulemaking on design basis events for geologic repository operations area & proposed amends to 10CFR60, "Disposal of HLW in Geologic...."
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/08/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:170-86007:173.

9510260170 Summary of 61st meeting of ACNW on 940223-24 in Rockville,MD re volcanism programs,NRC TR review plan,compatibility of NRC & agreement state regulations & repts on recent technical meetings & site visits.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/03/23. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 86007:174-86007:179.

9510260171 Summary of 940322 ACNW Working Group meeting on NRC performance assessment capabilities in low-level waste program.
* Advisory Committee on Nuclear Waste. 94/09/20. Advisory Committee on Nuclear Waste. 33pp. 86007:180-86007:212.

9510260173 Summary of 62nd meeting of ACNW on 940323-24 in Rockville,MD re rept, "Recently Discovered Faulting at Yucca Mountain & Implication for NRC On-Site Geologic Representation," dtd 940408 & NRC research on natural analogs.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/04/21. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:213-86007:217.

9510260181 Summary of 940516 ACNW Working Group meeting in Bethesda,MD re NRC performance assessment computer modeling capabilities in high-level radwaste mgt & disposal program.
* Advisory Committee on Nuclear Waste. 94/10/31. Advisory Committee on Nuclear Waste. 39pp. 86007:300-86007:338.

9510260184 Summary of 64th meeting of ACNW on 940517-18 & 0609 in Bethesda,MD re repts, "Review of HLW Performance Assessment Capability of NRC Staff," dtd 940527 & "Review of LLW Performance Assessment Program," dtd 940603.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/07/01. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:218-86007:222.

9510260187 Summary of 63rd meeting of ACNW on 940420-21 in Bethesda,MD re volcanism studies underway in characterization of Yucca Mountain,multi-purpose canister concept & rulemaking package on disposal of HLW in geologic repositories.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/05/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:223-86007:227.

9510260188 Summary of 76th meeting of ACNW on 950726-28 in Rockville,MD re repts, "Regulations Pertaining to Contaminated Steel- Smelting Facilities..." & "Lessons Learned From Ward Valley, CA,LLW Disposal Facility Siting Process."
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/08/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 86007:228-86007:231.

9510260189 Advises that ACNW closed portions of listed meetings since last rept on 941005.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 95/01/11. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:006-86019:006.

9510260191 Summary of 75th meeting of ACNW on 950721-22 in Rockville,MD re ACNW rept, "Regulatory Issues in LLW Disposal Performance Assessment," dtd 950628,technical site suitability process & seismic hazard analyses.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/07/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 86019:007-86019:009.

9510260192 Summary of 74th meeting of ACNW on 950510-11 in Rockville,MD re ACNW rept, "Issues Re Guidance on 10CFR60 GTT Regulations," dtd 950525 & NRC position on substantially complete containment.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/06/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 86019:010-86019:012.

9510260193 Advises that ACNW closed portions of listed meetings since last rept on 940418.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/07/27. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:013-86019:013.

9510260194 Advises that ACNW closed portions of listed meetings since last rept on 940727.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/10/05. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:014-86019:014.

9510260195 Advises that ACNW held listed meetings since last rept on 940114,in accordance w/10CFR7.17(b)(c).
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/04/18. HOYLE,J.C. Advisory Committee on Nuclear Waste. 1p. 86019:015-86019:015.

9510260196 Summary of 73rd meeting of ACNW on 950412-13 in Rockville,MD re listed ACNW rept,DOE approach to GTT evaluation,meeting w/J Greeves,NMSS on current waste mgt issues,natl performance review Phase II & meeting w/CJ Paperiello,NMSS. STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/05/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86019:016-86019:019.

9510260197 Summary of 77th meeting of ACNW on 950920-21 in Rockville,MD re ACNW rept, "Comments on Streamlining Site Decommissioning Mgt Plan Program," dtd 950928 & meeting w/Deputy Director, Div of Waste Mgt (DWM) re DWM programs.
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/10/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 86019:020-86019:023.

9510260199 Forwards summary of actions,agreements,assignments & requests made during 67th ACNW meeting on 940921-22,dealing w/requests made of NRC or matter pertinent to NRC activities.
LARKINS,J.L. Advisory Committee on Nuclear Waste. 94/10/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86019:024-86019:027.

9510260203 Forwards summary of actions,agreements,assignments & requests made during 66th ACNW meeting on 940816-17,dealing w/requests made of NRC or matters pertinent to NRC activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/09/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86019:028-86019:031.

9510270050 Summary of 931214 meeting of ACNW Working Group on unsaturated zone flow at potential Yucca Mountain HLW repository site in Las Vegas,NV.
* Advisory Committee on Nuclear Waste. 94/04/25. Advisory Committee on Nuclear Waste. 59pp. 86008:140-86008:198.

9510270058 Summary of 61st meeting of ACNW on 940223-24 in Bethesda,MD re status of volcanism research & technical assistance related to proposed HLW repository,Div of HLW Mgt TR review plan & State compatibility issues.
* Advisory Committee on Nuclear Waste. 94/04/16. Advisory Committee on Nuclear Waste. 40pp. 86008:100-86008:139.

9510270065 Summary of 62nd meeting of ACNW on 940323-24 in Bethesda,MD re NRC research & natural analogs,meeting Director of NMSS, review of NRC staff technical position on fault avoidance & summary of NWTRB meeting on 940308-09.
* Advisory Committee on Nuclear Waste. 94/05/09. Advisory Committee on Nuclear Waste. 40pp. 86008:199-86008:238.

9510270077 Summary of 63rd meeting of ACNW on 940420-21 in Bethesda,MD re volcanism studies underway in characterization of Yucca Mountain site,multi-purpose canister concept,meeting w/ Director of NMSS & rept on NWTRB meeting on 940411-13.
* Advisory Committee on Nuclear Waste. 94/06/14. Advisory Committee on Nuclear Waste. 41pp. 86008:239-86008:279.

9510270083 Summary of 64th meeting of ACNW on 940517-18 & 0609 in Bethesda,MD re NRC research & technical assistance related to tectonics of proposed Yucca Mountain site & rept on NAS Committee on technical basis for Yucca Mountain stds.
* Advisory Committee on Nuclear Waste. 94/08/15. Advisory Committee on Nuclear Waste. 29pp. 86008:280-86008:308.

9510270090 Summary of 65th meeting of ACNW on 940629-30 in Bethesda,MD re lessons learned from Martinsville,IL LLW disposal facility siting experience & use of systematic regulatory analysis in HLW program.
* Advisory Committee on Nuclear Waste. 94/08/15. Advisory Committee on Nuclear Waste. 27pp. 86019:040-86019:066.

9510270097 Summary of 66th meeting of ACNW on 940816-17 in Bethesda,MD re waste confidence decision,meeting w/Deputy Director,Div of Waste Mgt,NMSS,meeting w/Commissioner K Rogers & DOE TR on extreme erosion.
* Advisory Committee on Nuclear Waste. 94/09/21. Advisory Committee on Nuclear Waste. 26pp. 86019:067-86019:092.

9510270105 Summary of 67th meeting of ACNW on 940921-22 in Rockville,MD re DOE proposed program approach to site characterization at Yucca Mountain & subtantially complete containment for HLW repository.
* Advisory Committee on Nuclear Waste. 94/11/03. Advisory Committee on Nuclear Waste. 27pp. 86019:093-86019:119.

9510270112 Summary of 68th meeting of ACNW on 941018-19 in Las Vegas,NV re accelerated pneumatic pathways program,electronic data transfer & saturated & unsaturated zone studies & impacts from DOE proposed program approach.
* Advisory Committee on Nuclear Waste. 94/12/08. Advisory Committee on Nuclear Waste. 29pp. 86008:309-86008:337.

9510270115 Summary of 69th meeting of ACNW on 941110 in Rockville,MD re meeting w/Director,Div of Waste Mgt,NMSS,NRC research program on LLW,meeting w/Commissioners & reconciliation of ACNW comments & recommendations.
* Advisory Committee on Nuclear Waste. 94/12/08. Advisory Committee on Nuclear Waste. 74pp. 86019:120-86019:194.

9510270119 Summary of 70th meeting of ACNW on 950118-19 in Rockville,MD re nuclear waste container matls research program,history of unsaturated zone & GTT requirement,meeting w/Director,NMSS & & rock mechanics research & technical assistance programs.
* Advisory Committee on Nuclear Waste. 95/02/21. Advisory Committee on Nuclear Waste. 37pp. 86009:001-86009:037.

9510270123 Summary of 71st meeting of ACNW on 950221-22 in Rockville,MD re proposed EPA stds for land disposal of LLW,including NRC presentation of concerns w/ EPA preproposal draft,model validation & topical guidelines for LSS.
* Advisory Committee on Nuclear Waste. 95/04/11. Advisory Committee on Nuclear Waste. 31pp. 86009:038-86009:068.

9510270131 Summary of 72nd meeting of ACNW on 950315-16 in Rockville,MD re DOE program approach,engineered barrier sys program, radiological criteria for decommissioning,review items for future consideration,future meeting agenda & GTT.
* Advisory Committee on Nuclear Waste. 95/04/20. Advisory Committee on Nuclear Waste. 53pp. 86019:195-86019:247.

9510270140 Summary of 73rd meeting of ACNW on 950412-13 in Rockville,MD re DOE approach to GTT evaluation,meeting w/Director,Div of Waste Mgt,NMSS,NRC briefing on natl performance review Phase II & meeting w/Director of NMSS.
* Advisory Committee on Nuclear Waste. 95/05/19. Advisory Committee on Nuclear Waste. 27pp. 86019:248-86019:274.

9510310286 Transcript of ACNW 78th meeting on 951025 in Rockville,MD.Pp 220-253.
* Advisory Committee on Nuclear Waste. 95/10/25. 42pp. 86066:293-86066:334.

9510310292 Transcript of ACNW 78th meeting on 951024in Rockville,MD.Pp 1-219.Related info encl.
* Advisory Committee on Nuclear Waste. 95/10/24. 322pp. 86075:001-86075:322.

9510310382 Transcript of ACNW 78th meeting in Rockville,MD.Pp 254-295. Certificate of svc encl.
* Advisory Committee on Nuclear Waste. 95/10/26. 69pp. 86066:160-86066:224.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9510040167 "NRC Advisory Group Schedules Meeting on Watts Bar Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 95/10/03. 1p. 85728:148-85728:148.

9510110371 Transcript of 951006 ACRS 425th meeting re open session in Rockville,MD.Pp 322-380.Supporting documentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/10/06. 95pp. 85783:171-85783:265.

9510110384 Transcript of 951005 ACRS 425th meeting in Rockville,MD.Pp 1-305.Supporting documentations encl.
* ACRS - Advisory Committee on Reactor Safeguards. 95/10/05. 414pp. 85779:001-85780:050.

9510130111 Responds to 950720 ltr re health effects evaluation.Agrees that MACCS results should prove useful in determining if review of previous regulatory decisions warranted for decisions where property damage would be projected outcome.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/01. KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 2pp. 85778:311-85778:312.

9510190295 Forwards draft SER for ACRS review in late Oct & early Nov 1995.
JONES,R.C. . 95/10/12. BOEHNERT,P. ACRS - Advisory Committee on Reactor Safeguards. 19pp. 85898:018-85898:073.

--9510200206 ORNL/NRC/LTR-94-28R1 Rev 1 to "Technical Support for Reactor Sys Branch,Review of Proposed Mods to Emergency Procedure Guidelines for ATWS Events."
MARCH-LEUBA,J. Oak Ridge National Laboratory. FIN L-1697. 95/06/30. . 38pp. 85898:037-85898:073.

9510200317 Expresses gratitude for opportunity to present views on SG tube NDE & ACRS comments & ongoing activities re RM.Informs that draft rule,concerning development of improved NDE techniques,will be issued in June 1996 for public comment.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/16. KRESS,T.S. Committee to Review Generic Requirements. 2pp. 85899:283-85899:286.

9510230035 Summary of 425th meeting of ACRS on 951005-07 re NAS-NRC Phase 1 rept on digital I&C sys in NPPs,safety & reliability issues.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/10/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85928:253-85928:254.

9510230039 Summary of 425th meeting of ACRS on 951005-07 re proposed Rev 1 to RG 1.152, "Criteria for Digital Computers in Safety Sys of NPPs."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/10/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 85928:251-85928:252.

9510230043 Summary of 425th meeting of ACRS on 951005-07 re fatigue action plan developed to help resolve GI 166, "Adequacy of Fatigue Life of Metal Components."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/10/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 85928:248-85928:250.

9510230404 Forwards ACRS repts re NAS/NRC study on safety & reliability issues & action plan developed to help resolve generic issue 166.
* Office of Public Affairs (Post 911117). 95/10/18. 1p. 85995:083-85995:090.

9510250109 "NRC ACRS to Meet 951102-04 in Rockville,MD."
* Office of Public Affairs (Post 911117). 95/10/20. 3pp. 85995:099-85995:101.

9510310413 Forwards documents re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
SHAPAKER,J.W. . IEB-95-002. 95/10/25. Document Control Branch (Document Control Desk). 1p. 86073:334-86073:360.

--9510310415 Forwards NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . IEB-95-002. 95/10/23. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. 86073:352-86073:360.

ADVCM NRC ADVISORY COMMITTEE

9510060100 Transcript of 950726 meeting in Bethesda,MD re review of overall research program plans & priorities,deliberate on repts of NSRRC Subcommittees on Waste,Instrumentation & Controls,Human Factors,Research & Support-based regulations.
* Nuclear Safety Research Review Committee. 95/07/26. 376pp. 85736:001-85737:012.

9510060224 Transcript of Nuclear Safety Research Review Committee 950727 meeting in Bethesda,MD.Pp 371-528.Related info encl.
* Commissioners (Post 750119). 95/07/27. 160pp. 85737:013-85737:172.

9510060279 Summary of 77th meeting of ACNW on streamlining site decommissioning mgt plan program.
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/09/28. JACKSON,S.A. Commissioners (Post 750119). 2pp. 85767:033-85767:034.

9510100037 Forwards ACNW repts re streamlining NRC site decommissioning mgt plan program.
* Office of Public Affairs (Post 911117). 95/10/04. 1p. 85855:001-85855:003.

9510130130 Forwards transcript of ACMUI subcommittee meeting on 950927-29,for placement in NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/10/11. Document Control Branch (Document Control Desk). 1p. 86005:001-86006:292.

-9510130142 Transcript of 950927 subcommittee meeting "ACMUI Subcommittee on Mobile Medical Svc," in Rockville,MD. Pp 1-176.Supporting documentation encl.
* Advisory Committee on Medical Uses of Isotopes. 95/09/27. 333pp. 86005:002-86005;342.

-9510310190 Transcript of Advisory Committee on Uses of Isotopes, Subcommittee on Brachytherapy Teletherapy & Gamma Stereostatic Radiosurgery 950929 meeting in Rockville,MD. Pages 1-307.
* Advisory Committee on Medical Uses of Isotopes. 95/09/29. 310pp. 86005:343-86006:292.

9510130152 Requests that submitted copy of summary minutes of subcommittee meeting of Advisory Committee on Medical Uses of Isotopes on 950927-29 be placed into NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/10/11. Document Control Branch (Document Control Desk). 1p. 85801:342-85801:344.

-9510130158 Certifies that minutes for subcommittee meeting of ACMUI held on 950927-29,accurate record of proceedings for meeting.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 95/10/05. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 85801:343-85801:344.

9510160004 "NRC ACNW to Meet 951024-26."
* Office of Public Affairs (Post 911117). 95/10/11. 2pp. 85855:054-85855:054.

9510260119 Forwards summary of actions,agreements,assignments & requests made during 65th ACNW meeting on 940629-30.
LARKINS,J.L. Advisory Committee on Nuclear Waste. 94/08/01. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 85995:149-85995:152.

9510260127 Forwards summary of actions,agreements,assignments & requests made during 64th ACNW meeting on 940517-18 & 0609.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/06/24. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86007:119-86007:122.

9510260131 Forwards summary of actions,agreements,assignments & requests made during 63rd ACNW meeting on 940420-21.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/05/13. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86007:123-86007:126.

9510260135 Forwards summary of actions,agreements,assignments & requests made during 62nd ACNW meeting on 940323-24.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/04/21. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 7pp. 86007:127-86007:133.

9510260141 Forwards summary of actions,agreements,assignments & requests made during 61st ACNW meeting on 940223-24.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/03/23. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 7pp. 86007:134-86007:140.

9510260149 Summary of 72nd meeting of ACNW on 950315-16 in Rockville,MD re DOE program approach,DOE engineered barrier sys program, radiological criteria for decommissioning & Commission paper on BTP on LLW performance assessment.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/04/18. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:141-86007:144.

9510260152 Summary of 71st meeting of ACNW on 950221-22 in Rockville,MD re proposed EPA stds for land disposal of LLW,model validation,topical guidelines for LSS & lessons learned from attempt to site LLW disposal facility in Martinsville,IL.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/03/22. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:145-86007:148.

9510260156 Summary of 70th meeting of ACNW on 950118-19 in Rockville,MD re rept, "Private Ownership of LLW Sites," nuclear waste container matls research program,history of unsaturated zone & GTT & meeting w/Director,Div of Waste Mgt,NMSS.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/02/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:149-86007:152.

9510260159 Summary of 69th meeting of ACNW on 941110 in Rockvile,MD re memo,final rule to amend 10CFR72 for notification of events & meeting w/M Knapp & M Federline,NMSS re current waste mgt issues.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/11/30. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 86007:153-86007:155.

9510260161 Summary of 67th meeting of ACNW on 940921-22 in Rockville,MD re rept, "General Comments on Impact of DOE Proposed Program Approach on NRC's HLW Licensing Activities," 940930 & DOE proposed program approach.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/10/25. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:156-86007:160.

9510260163 Summary of 68th meeting of ACNW on 941018-19 in Rockville,MD re accelerated pneumatic testing program,status of electronic data transfer between DOE & NRC & status of saturated & unsaturated zone activities.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/11/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:161-86007:164.

9510260166 Summary of 66th meeting of ACNW on 940816-17 in Rockville,MD re rept, "Comments on HLW Research Programs on Volcanism, Natural Analogs & Tectonics," dtd 940824,waste confidence decision & meeting w/NMSS on DOE proposed program approach.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/09/07. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:165-86007:169.

9510260167 Summary of 65th meeting of ACNW on 940629-30 in Rockville,MD re draft notice of proposed rulemaking on design basis events for geologic repository operations area & proposed amends to 10CFR60, "Disposal of HLW in Geologic...."
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/08/03. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86007:170-86007:173.

9510260170 Summary of 61st meeting of ACNW on 940223-24 in Rockville,MD re volcanism programs,NRC TR review plan,compatibility of NRC & agreement state regulations & repts on recent technical meetings & site visits.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/03/23. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 6pp. 86007:174-86007:179.

9510260171 Summary of 940322 ACNW Working Group meeting on NRC performance assessment capabilities in low-level waste program.
* Advisory Committee on Nuclear Waste. 94/09/20. Advisory Committee on Nuclear Waste. 33pp. 86007:180-86007:212.

9510260173 Summary of 62nd meeting of ACNW on 940323-24 in Rockville,MD re rept, "Recently Discovered Faulting at Yucca Mountain & Implication for NRC On-Site Geologic Representation," dtd 940408 & NRC research on natural analogs.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/04/21. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:213-86007:217.

9510260181 Summary of 940516 ACNW Working Group meeting in Bethesda,MD re NRC performance assessment computer modeling capabilities in high-level radwaste mgt & disposal program.
* Advisory Committee on Nuclear Waste. 94/10/31. Advisory Committee on Nuclear Waste. 39pp. 86007:300-86007:338.

9510260184 Summary of 64th meeting of ACNW on 940517-18 & 0609 in Bethesda,MD re repts, "Review of HLW Performance Assessment Capability of NRC Staff," dtd 940527 & "Review of LLW Performance Assessment Program," dtd 940603.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/07/01. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:218-86007:222.

9510260187 Summary of 63rd meeting of ACNW on 940420-21 in Bethesda,MD re volcanism studies underway in characterization of Yucca Mountain,multi-purpose canister concept & rulemaking package on disposal of HLW in geologic repositories.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 94/05/13. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 5pp. 86007:223-86007:227.

9510260188 Summary of 76th meeting of ACNW on 950726-28 in Rockville,MD re repts, "Regulations Pertaining to Contaminated Steel- Smelting Facilities..." & "Lessons Learned From Ward Valley, CA,LLW Disposal Facility Siting Process."
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/08/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 86007:228-86007:231.

9510260189 Advises that ACNW closed portions of listed meetings since last rept on 941005.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 95/01/11. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:006-86019:006.

9510260191 Summary of 75th meeting of ACNW on 950721-22 in Rockville,MD re ACNW rept, "Regulatory Issues in LLW Disposal Performance Assessment," dtd 950628,technical site suitability process & seismic hazard analyses.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/07/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 86019:007-86019:009.

9510260192 Summary of 74th meeting of ACNW on 950510-11 in Rockville,MD re ACNW rept, "Issues Re Guidance on 10CFR60 GTT Regulations," dtd 950525 & NRC position on substantially complete containment.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/06/16. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 3pp. 86019:010-86019:012.

9510260193 Advises that ACNW closed portions of listed meetings since last rept on 940418.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/07/27. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:013-86019:013.

9510260194 Advises that ACNW closed portions of listed meetings since last rept on 940727.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/10/05. BATES,A.L. Advisory Committee on Nuclear Waste. 1p. 86019:014-86019:014.

9510260195 Advises that ACNW held listed meetings since last rept on 940114,in accordance w/10CFR7.17(b)(c).
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/04/18. HOYLE,J.C. Advisory Committee on Nuclear Waste. 1p. 86019:015-86019:015.

9510260196 Summary of 73rd meeting of ACNW on 950412-13 in Rockville,MD re listed ACNW rept,DOE approach to GTT evaluation,meeting w/J Greeves,NMSS on current waste mgt issues,natl performance review Phase II & meeting w/CJ Paperiello,NMSS.
STEINDLER,M.J. Advisory Committee on Nuclear Waste. 95/05/09. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 4pp. 86019:016-86019:019.

9510260197 Summary of 77th meeting of ACNW on 950920-21 in Rockville,MD re ACNW rept, "Comments on Streamlining Site Decommissioning Mgt Plan Program," dtd 950928 & meeting w/Deputy Director, Div of Waste Mgt (DWM) re DWM programs.
POMEROY,P.W. Advisory Committee on Nuclear Waste. 95/10/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 86019:020-86019:023.

9510260199 Forwards summary of actions,agreements,assignments & requests made during 67th ACNW meeting on 940921-22,dealing w/requests made of NRC or matter pertinent to NRC activities.
LARKINS,J.L. Advisory Committee on Nuclear Waste. 94/10/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86019:024-86019:027.

9510260203 Forwards summary of actions,agreements,assignments & requests made during 66th ACNW meeting on 940816-17,dealing w/requests made of NRC or matters pertinent to NRC activities.
LARKINS,J.T. Advisory Committee on Nuclear Waste. 94/09/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. BLAHA,J.L. NRC - No Detailed Affiliation Given. 4pp. 86019:028-86019:031.

9510270050 Summary of 931214 meeting of ACNW Working Group on unsaturated zone flow at potential Yucca Mountain HLW repository site in Las Vegas,NV.
* Advisory Committee on Nuclear Waste. 94/04/25. Advisory Committee on Nuclear Waste. 59pp. 86008:140-86008:198.

9510270058 Summary of 61st meeting of ACNW on 940223-24 in Bethesda,MD re status of volcanism research & technical assistance related to proposed HLW repository,Div of HLW Mgt TR review plan & State compatibility issues.
* Advisory Committee on Nuclear Waste. 94/04/16. Advisory Committee on Nuclear Waste. 40pp. 86008:100-86008:139.

9510270065 Summary of 62nd meeting of ACNW on 940323-24 in Bethesda,MD re NRC research & natural analogs,meeting Director of NMSS, review of NRC staff technical position on fault avoidance & summary of NWTRB meeting on 940308-09.
* Advisory Committee on Nuclear Waste. 94/05/09. Advisory Committee on Nuclear Waste. 40pp. 86008:199-86008:238.

9510270077 Summary of 63rd meeting of ACNW on 940420-21 in Bethesda,MD re volcanism studies underway in characterization of Yucca Mountain site,multi-purpose canister concept,meeting w/ Director of NMSS & rept on NWTRB meeting on 940411-13.
* Advisory Committee on Nuclear Waste. 94/06/14. Advisory Committee on Nuclear Waste. 41pp. 86008:239-86008:279.

9510270083 Summary of 64th meeting of ACNW on 940517-18 & 0609 in Bethesda,MD re NRC research & technical assistance related to tectonics of proposed Yucca Mountain site & rept on NAS Committee on technical basis for Yucca Mountain stds.
* Advisory Committee on Nuclear Waste. 94/08/15. Advisory Committee on Nuclear Waste. 29pp. 86008:280-86008:308.

9510270090 Summary of 65th meeting of ACNW on 940629-30 in Bethesda,MD re lessons learned from Martinsville,IL LLW disposal facility siting experience & use of systematic regulatory analysis in HLW program.
* Advisory Committee on Nuclear Waste. 94/08/15. Advisory Committee on Nuclear Waste. 27pp. 86019:040-86019:066.

9510270097 Summary of 66th meeting of ACNW on 940816-17 in Bethesda,MD re waste confidence decision,meeting w/Deputy Director,Div of Waste Mgt,NMSS,meeting w/Commissioner K Rogers & DOE TR on extreme erosion.
* Advisory Committee on Nuclear Waste. 94/09/21. Advisory Committee on Nuclear Waste. 26pp. 86019:067-86019:092.

9510270105 Summary of 67th meeting of ACNW on 940921-22 in Rockville,MD re DOE proposed program approach to site characterization at Yucca Mountain & subtantially complete containment for HLW repository.
* Advisory Committee on Nuclear Waste. 94/11/03. Advisory Committee on Nuclear Waste. 27pp. 86019:093-86019:119.

9510270112 Summary of 68th meeting of ACNW on 941018-19 in Las Vegas,NV re accelerated pneumatic pathways program,electronic data transfer & saturated & unsaturated zone studies & impacts from DOE proposed program approach.
* Advisory Committee on Nuclear Waste. 94/12/08. Advisory Committee on Nuclear Waste. 29pp. 86008:309-86008:337.

9510270115 Summary of 69th meeting of ACNW on 941110 in Rockville,MD re meeting w/Director,Div of Waste Mgt,NMSS,NRC research program on LLW,meeting w/Commissioners & reconciliation of ACNW comments & recommendations.
* Advisory Committee on Nuclear Waste. 94/12/08. Advisory Committee on Nuclear Waste. 74pp. 86019:120-86019:194.

9510270119 Summary of 70th meeting of ACNW on 950118-19 in Rockville,MD re nuclear waste container matls research program,history of unsaturated zone & GTT requirement,meeting w/Director,NMSS & & rock mechanics research & technical assistance programs.
* Advisory Committee on Nuclear Waste. 95/02/21. Advisory Committee on Nuclear Waste. 37pp. 86009:001-86009:037.

9510270123 Summary of 71st meeting of ACNW on 950221-22 in Rockville,MD re proposed EPA stds for land disposal of LLW,including NRC presentation of concerns w/ EPA preproposal draft,model validation & topical guidelines for LSS.
* Advisory Committee on Nuclear Waste. 95/04/11. Advisory Committee on Nuclear Waste. 31pp. 86009:038-86009:068.

9510270131 Summary of 72nd meeting of ACNW on 950315-16 in Rockville,MD re DOE program approach,engineered barrier sys program, radiological criteria for decommissioning,review items for future consideration,future meeting agenda & GTT.
* Advisory Committee on Nuclear Waste. 95/04/20. Advisory Committee on Nuclear Waste. 53pp. 86019:195-86019:247.

9510270140 Summary of 73rd meeting of ACNW on 950412-13 in Rockville,MD re DOE approach to GTT evaluation,meeting w/Director,Div of Waste Mgt,NMSS,NRC briefing on natl performance review Phase II & meeting w/Director of NMSS.
* Advisory Committee on Nuclear Waste. 95/05/19. Advisory Committee on Nuclear Waste. 27pp. 86019:248-86019:274.

9510270165 Submits transcript of Advisory Committee on Medical Uses of Isotopes meeting on 951018-19,for placement in PDR.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 95/10/26. Document Control Branch (Document Control Desk). 1p. 86011:001-86012:148.

-9510270183 Transcript of ACRS general meeting on 951018 in Rockville,MD re Advisory Committee on Medical Uses of Isotopes.Pp 1-224 & 280-307.
* ACRS - Advisory Committee on Reactor Safeguards. NRC-363. 95/10/18. 254pp. 86011:002-86011:256.

-9510270184 Transcript of ACRS general meeting on 951019 in Rockville,MD re Advisory Committee on Medical Uses of Isotopes.Pp 308- 429.
* ACRS - Advisory Committee on Reactor Safeguards. NRC-363. 95/10/19. 122pp. 86011:257-86012:148.

9510310286 Transcript of ACNW 78th meeting on 951025 in Rockville,MD.Pp 220-253.
* Advisory Committee on Nuclear Waste. 95/10/25. 42pp. 86066:293-86066:334.

9510310292 Transcript of ACNW 78th meeting on 951024in Rockville,MD.Pp 1-219.Related info encl.
* Advisory Committee on Nuclear Waste. 95/10/24. 322pp. 86075:001-86075:322.

9510310382 Transcript of ACNW 78th meeting in Rockville,MD.Pp 254-295. Certificate of svc encl.
* Advisory Committee on Nuclear Waste. 95/10/26. 69pp. 86066:160-86066:224.

COMMISSION NRC COMMISSIONERS

9510100191 Responds to 950808 ltr,urging Commission to reconsider proposed reduction in funding for NRC's State environmental surveillance & monitoring program.
THE CHAIRMAN, ROGERS,K.C. Commissioners (Post 750119). 95/09/28. HUTCHISON,K.B. Senate. 1p. 85897:242-85897:244.

-9510100197 Requests reconsideration re reduction in funding for NRC's state environmental surveillance/monitoring contracts.
HUTCHINSON,K.B. Senate. 95/08/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 85897:243-85897:244.

9510110290 SECY-95-250 Weekly info rept for wk ending 950929.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/04. 19pp. 85766:194-85766:212.

9510120317 Forwards testimony by SA Jackson to Subcommittee on Basic Research & Subcommittee on Energy & Environ,Committee on Science US House of Representatives re HR 2142, "DOE Lab Missions Act" & HR 1510, "DOE...Efficiency Improvement Act."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/06. WIGGINS,M.E. House of Rep. 1pp. 85805:338-85805:347.

-9510120351 Statement submitted by SA Jackson to Subcommittee on Basic Research & Subcommittee on Energy & Environ,Committee on Science US House of Representatives re HR 2142, "DOE Lab Missions Act" & HR 1510, "DOE...Efficiency Improvement Act."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). CCS. 95/09/07. 8pp. 85805:339-85805:347.

9510170032 Responds to 950918 ltr which expressed concern over NRC decision to transfer oversight responsibility for plant to Region IV effective 951001.
THE CHAIRMAN, ROGERS,K.C. Commissioners (Post 750119). 95/09/28. CARNAHAN,M. Missouri, State of. 2pp. 85881:170-85881:173.

-9510170037 Comments on NRC decision to transfer oversight responsibility for plant to Region IV effective 951001.
CARNAHAN,M. Missouri, State of. 95/09/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85881:172-85881:173.

9510170047 Responds to 950901 ltr on issue of Agreement State reimbursement of NRC costs.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/05. ORTCIGER,T.W. Illinois, State of. 2pp. 85881:174-85881:184.

9510170047 Responds to 950901 ltr on issue of Agreement State reimbursement of NRC costs.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/05. ORTCIGER,T.W. Illinois, State of. 1p. 85897:245-85897:259.

-9510230126 Informs that NRC staff directed to initiate strategic assessment & rebaselining of NRC operations.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/08/31. NRC - No Detailed Affiliation Given. 5pp. 85897:246-85897:259.

9510170078 Responds to 950807 ltr which requested that NRC reconsider decision to withdraw advance notice of proposed rulemaking on land ownership requirements for LLRW sites.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/03. BURTON,D.A. Heartland Operation to Protect the Environment, Inc. 6pp. 85881:216-85881:225.

-9510170089 Requests that Commission reconsider 950712 decision to withdraw advanced notice of proposed rulemaking,for listed reasons.
BURTON,D.A. Heartland Operation to Protect the Environment, Inc. 95/08/07. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 3pp. 85881:222-85881:225.

9510170102 Affirmation vote,approving w/comments SECY-95-205, "Revs to Regulatory Requirements for Reactor Pressure Vessel Intergrity in 10CFR50."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/03. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 85881:234-85881:236.

9510170106 Affirmation vote,approving w/comments,SECY-95-205, "Revs to Regulatory Requirements for Reactors Pressure Vessel Integrity in 10CFR50."
ROGERS,K.C. Commissioners (Post 750119). 95/10/03. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85881:237-85881:237.

9510190207 "Challenges & Opportunities in Nuclear Energy," by SA Jackson to 11th Annual Util Women's Conference Kansas City,MO 951006.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/06. 9pp. 85897:315-85897:323.

9510200092 Requests response to listed issues re NIH incident,which evoked concern re sufficiency & completeness of regulatory procedures governing matls licensees & follow-up regulatory actions specific to incident.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/13. Ofc of the Executive Director for Operations. 1p. 85900:001-85900:001.

9510200254 SECY-95-247 Weekly info rept for wk ending 950922.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/28. 22pp. 85899:034-85899:055.

9510200258 SECY-95-251 Weekly info rept for wk ending 951006.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/12. 21pp. 85899:056-85899:076.

9510200325 Expresses appreciation for support during visit to Vienna,Au to participate in Sept 1995 39th Session of IAEA General Conference.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/12. RICHARDSON,J. Austria. 1p. 85899:287-85899:288.

--9510200329 Expresses appreciation to P Danesi for meeting w/ S Jackson during Sept 1995 visit to Vienna for 39th Session of IAEA General Conference.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/12. DANESI,P.R. International Atomic Energy Agency. 1p. 85899:288-85899:288.

9510200332 Provides NRC Agency Declassification Compliance Plan,as requested in 950817 ltr which had been developed to implement provisions of Section 3.4(e) of Executive Order 12958, "Classified Natl Security Info."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/10. GARFINKEL,S. Office of Management & Budget. 1p. 85899:289-85899:327.

--9510200335 Agency Declassification Compliance Plan for Executive Order 12958, "Classified Natl Security Info," dtd Sept 1995.
* NRC - No Detailed Affiliation Given. 95/09/30. 11pp. 85899:290-85899:300.

--9510200337 Forwards Info Security Oversight Office document entitled, "Guidance for Agency Development Plans," which intended to assist agencies in complying w/Section 3.4(e) of Executive Order 12958, "Classifed Natl Security Info."
GARFINKEL,S. Office of Management & Budget. 95/08/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85899:301-85899:301.

--9510200343 Forwards Info Security Oversight Office document entitled, "Guidance for Agency Development of Automatic Declassification Plan," intented to assist agencies in complying w/Section 3.4(e) of Executive Order 12958.
GARFINKEL,S. Office of Management & Budget. 95/08/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 85899:302-85899:302.

--9510200347 "Guidance for Agency Development of Automatic Declassification Plans."
* NRC - No Detailed Affiliation Given. 95/08/17. 21pp . 85899:303-85899:327.

9510250116 "Responding to Double Bind," by SA Jackson at Third Annual Conference Committee on Women in Science & Engineering Natl Research Council 951022 in Washington,DC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/22. 8pp. 85995:102-85995:109.

9510260265 SECY-95-256 Weekly info rept for wk ending 951013.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/18. 18pp. 85946:326-85946:343.

9510300024 Responds to 950929 ltr re Agreement State reimbursement of NRC costs.Informs of intent to undertake comprehensive assessment of all NRC activities & programs.
ROGERS,K.C. Commissioners (Post 750119). 95/10/20. SWEENEY,J.E New York, State of, 5pp. 86001:176-86001:196.

--9510300097 Discusses options paper on NRC charges to Agreement States prepared for Commission consideration by staff & received by dept on 950814.
SWEEENEY,J.E. New York, State of. 95/09/29. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 86001:181-86001:196.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9510020011 Ltr contract,mod 2 to task 14,definitizing mod 2 to subject task order,to "Revision of 10CFR20 to Include Provision for Constraint of 10 MREM Yearly to any Member of Public from Air Effluents from NRC Licensees Other Than Power...."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-91-047. 95/09/27. KNOX,I.H. Advanced Systems Technology, Inc. 1p. 85648:358-85648:358.

9510020021 Ltr contract definitizing task order 2,to "Reassessment of Debris Ingestion Effects on ECCS Pump Performance."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-047. FIN W-6325. 95/09/15. COLINA,I.R. Science & Engineering Associates, Inc. 7pp. 85649:325-85649:331.

9510020038 Ltr contract,Mod 1,to task order 11,extending period of performance from 951130 to 960130,to "QA for Forecast Code."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-93-058. 95/09/25. COHEN,S. S. Cohen & Associates, Inc. 2pp. 85649:339-85649:340.

9510020046 Ltr contract,Mod 3,to Task Order 9,extending period of performance from 950905 to 951231,to "Reporting of Defects & Noncompliance:Matls Licensees - Technical Support."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-93-058. 95/09/25. COHEN,S. S. Cohen & Associates, Inc. 2pp. 85649:337-85649:338.

9510020049 Ltr contact,Mod 1,to Task Order 1,extending period of performance from 950916 to 951231,to "Support for Study of Non-Profit Financial Assurance Self-Guarantee."
MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-002. 95/09/22. HALL,A.D. ICF, Inc. 2pp. 85649:334-85649:335.

9510020139 Ltr contract,mod 5 to Task Order 15,extending period of performance of task order from 930416 through 961231 at no cost or obligation to Govt,to "IPE Reviews for Back End Containment Performance.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:332-85649:333.

9510020258 Ltr contract,Mod 7 to task order 10,extending period of performance of task order from 921201-961231,at no addl cost or obligation,to "IPE Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:359-85649:360.

9510020262 Ltr contract,mod 4 to task order 19,extending period of performance,to "Individual Plant Exam Reviews for Back End Containment Performance & Source Term Analysis - Internal Events Only."
MACE,M. Division of Contracts (Post 940714). 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85673:326-85673:327.

9510020272 Ltr contract,mod 4 to task order 35,correcting mods 1 & 2 dtd 950405 & 0615 to read as listed & extending period of performance,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). FIN L-1933. NRC-04-91-068. 95/09/26. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:357-85649:358.

9510020284 Ltr contract,mod 3 to task order 29,extending period of performance from 940523-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Team Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/28. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:355-85649:356.

9510020292 Ltr contract,mod 4 to task order 20,extending period of performance from 930930-961231 at no addl cost to Govt,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internal Events Only."
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/27. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:353-85649:354.

9510020319 Ltr contract,mod 3 to task 26,extending period of performance of,from 940314-961231,to "IPE Reviews for Back End Containment Performance & Source Term Analysis-Internals Events Only" under contract NRC-04-91-068.
MACE,M. Division of Contracts (Post 940714). NRC-04-91-068. 95/09/26. AFABLE,S. SCIENTECH, Inc. 2pp. 85649:351-85649:352.

9510020357 Ltr contract NRC-04-95-065,definitizing task order 3,to "Technical Assistance for Rulemaking:Financial Assurance for U Recovery Licensees."
MACE,M.H. Division of Contracts (Post 940714). FIN W-6432. NRC-04-95-065. 95/09/28. HALL,A. ICF, Inc. 4pp. 85663:130-85663:133.

9510030251 Ltr contract NRC-02-95-002 definitizing task order 10, "Technical Assistance in Review of Technical Problems RE VSC-24 at Plant."
MACE,M.H. Division of Contracts (Post 940714). FIN J-5073. NRC-02-95-002. 95/09/28. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 85673:278-85673:281.

9510040130 Ltr contract,definitizing task order 54 to "1996 LER Review & Data Inc into Human Factors Info Sys."
WIGGINS,E.J. Contract Negotiation Branch 2 (860421-870412). NRC-03-93-036. FIN J-2015-5. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 2pp. 85704:357-85704:358.

9510040135 Ltr contract,definitizing task order 55 to "Upgrades to Human Factors Info Sys Database."
WIGGINS,E.J. Contract Negotiation Branch 2 (860421-870412). NRC-03-93-036. FIN J-2015-5. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 2pp. 85696:359-85696:360.

9510040138 Ltr contract,definitizing task order 56 to "Develop HFIS Repts."
WIGGINS,E.J. Contract Negotiation Branch 2 (860421-870412). NRC-03-93-036. FIN J-2015-5. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 2pp. 85704:359-85704:360.

9510040223 Ltr contract,Mod 1 to task order 18,increasing funding to allow for increase in scope of work to include preparation of six simulator scenarios & administration of nine operator exams,to "Initial Exam at South Texas,Bay City,TX."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-5. NRC-03-94-035. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 3pp. 85696:336-85696:338.

9510040238 Ltr contract,task order 24,definitizing task order 23,to "Technical Assistance in Initial Exam for Salem Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. FIN J-2073-5. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85704:337-85704:340.

9510040254 Ltr contract,task order 25,definitizing task order, "Technical Assistance in Initial Exam for Hope Creek Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. FIN J-2073-5. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85696:355-85696:358.

9510040260 Ltr contract,task order 27,definitizing task order, "Technical Assistance in Initial Exam for Brunswick Nuclear Power Plant."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-035. FIN J-2073-5. 95/09/27. VOGEL,A.M. Sonalysts, Inc. 4pp. 85704:324-85704:327.

9510050176 Ltr Interagency Agreement NRC-26-95-350 entitled, "Direct Emergency Response Support to NRC Operations Center."
MATTIA,M. Division of Contracts (Post 940714). NRC-26-95-350. 95/09/07. WINGFIELD,S. Commerce, Dept. of, National Oceanic & Atmospheric Administration. 7pp. 85722:046-85722:052.

9510050302 Ltr contract NRC-03-93-031,mod 5 to task order 23,increasing funding by listed amount,to "Shut-Down Risk Support."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN E-2095-5. NRC-03-93-031. 95/09/22. AFABLE,S. SCIENTECH, Inc. 1p. 85714:355-85714:355.

9510050310 Ltr contract NRC-03-94-021,mod 7,providing addl funding for listed amount & to revise Article V,to "Protection of Safety Equipment Against Malevolent Use of Vehicles."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2064. NRC-03-94-021. 95/09/21. THEDENS,R. Army, Dept. of, Corps of Engineers. 3pp. 85714:352-85714:354.

9510060241 Ltr contract NRC-33-92-203,mod 9 to task order 7,extending period of performance through 960802 & increasing level of effort required to perform task order by listed hours,to "Application Sys Hotline & Customer Support Svcs."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/06. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85735:314-85735:315.

9510060246 Forwards mod 2 to contract NRC-02-93-005.
MEEHAN,B. Division of Contracts (Post 940714). NRC-02-93-005. 95/09/06. CHATEN,R.E. Southwest Research Institute. 1p. 85737:281-85737:286.

--9510060253 Mod 82,to contract NRC-02-93-005,providing incremental funding in listed amount for job code B6666,to "Establish Federally Funded Research & Development Ctr for Operation of Ctr for Nuclear Waste Regulatory Analysis."
* Southwest Research Institute. MEEHAN,B. Division of Contracts (Post 940714). 95/09/06. 5pp. 85737:282-85737:286.

9510060267 Ltr contract NRC-33-92-203,mod 7 to task order 10,extending period of performance through 960802 & increasing task order ceiling by listed amount,to "NUDOCS Maint & Enhancement."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/21. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85735:316-85735:317.

9510060273 Forwards mod 6 to contract NRC-33-92-202,to "Local & Natl Newspaper Clipping Svcs."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-92-202. 95/08/25. ISREAL,M. Burrelle's Press Clipping Service, dba Burrelle's Information Services. 1p. 85735:318-85735:320.

--9510060281 Mod 6,revising Section G.1 entitled, "Project Officer Authority," to "Local & Natl Newspaper Clipping Svcs."
* Burrelle's Press Clipping Service, dba Burrelle's Information Services. MATTIA,M.J. Division of Contracts (Post 940714). 95/08/25. 2pp. 85735:319-85735:320.

9510060274 Forwards mod 1,extending term of contract to March 1989,to "Operation of Health Unit."
* Division of Contracts (Post 940714). 95/09/25. HUMMER,J. . 1p. 85731:322-85731:324.

--9510060269 Mod 1,extending term of contract to March 1989,to "Operation of Health Unit."
HUMMER,J. . WEBBER,R. . 95/09/25. 2pp. 85731:323-85731:324.

9510060284 Mod 9,incorporating addl storage location under contract & allowing for addl listed space,to "Archival Record Storage & Related Svcs."
MAHR,J. Data Base, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1871. 95/08/25. 7pp. 85735:321-85735:327.

9510060290 Mod 35 to task order 1,extending period of performance to 951220 & increasing ceiling by listed amount,to "Project Plan & Mgt."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1926. 95/09/20. 4pp. 85735:328-85735:331.

9510060299 Mod 6,upgrading Zyindex software now being used at NRC Headquarters form current version 5.0 to latest release version 5.2,to "Text Retrieval Sys for Standard Review Plan Update & Development Program."
ENOS,J.T. Certrec Corp. WIGGINS,E.J. Division of Contracts (Post 940714). 95/08/23. 3pp. 86019:003-86019:005.

9510060300 Forwards mod 22 to contract NRC-33-90-178 for review & signature.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. 95/09/19. LIN,B. CEXEC, Inc. 1p. 85735:332-85735:334.

--9510060303 Mod 22,increasing current ceiling by listed amount & extending period of performance from 950920-1220,to "Agency Upgrade of Technology for Ofc Sys."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/19. 2pp. 85735:333-85735:334.

9510060304 Mod 53,providing for administrative change which corrects total amount reflected under mod 51 to listed amount due to typo,to "Lease of Telecommunication Equipment."
TOWNSEND,G. AT&T Information Systems. MATTIA,M.J. Division of Contracts (Post 940714). FIN J-9230. 95/08/25. 3pp. 85735:335-85735:337.

9510060308 Ltr contract,Mod 1 to task order 2,adding incremental funding in listed amount to permit contractor to continue providing technical assistance in reviewing nonstandard financial assurance, "Perform Financial Assurance Review."
MACE,M. Division of Contracts (Post 940714). NRC-02-95-002. FIN J-5054. 95/08/25. HALL,A.D. ICF, Inc. 2pp. 85737:298-85737:299.

9510060309 Mod 8,extending period of performance to "Cooperative Agreement - Maint & Operation of LPDR."
HATHAWAY,B. Auburn, NE. MACE,M. Division of Contracts (Post 940714). FIN D-2416. 95/07/28. 4pp. 85743:343-85743:346.

9510060310 Grant: "24TH DOE/NRC Nuclear Air Cleaning & Treatment Concurrence awarded to Harvard Univ.
MERCIER,K. Harvard Univ., Cambridge, MA. MACE,M. Division of Contracts (Post 940714). FIN G-6543. 95/09/22. 5pp. 85737:290-85737:294.

9510060314 Mod 6,revising Section H to incorporate Subsection H.7,to "Technical Assistance on Sealed Source & Device Reviews."
MCCARTHY,P. Jupiter Corp. (formerly Jupiter Associates, Inc.). MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-001. 95/08/28. 3pp. 85737:295-85737:297.

9510060316 Contract: "Operation & Mgt of NRC Fitness Ctr" awarded to Hummer Associates.
HUMMER,J. . WEBBER,R.B. Division of Contracts (Post 940714). FIN A-8410. 95/08/25. 39pp. 85737:207-85737:245.

9510060321 Mod 8,modifying schedule of items to increase number of CLIN 1030 by 4 units,from 2 to 6 units,to "Telephone Switching Sys-Region IV-Arlington,TX."
COLLINS,E.J. GTI Corp. WIGGINS,E.J. Division of Contracts (Post 940714). FIN C-4020. 95/08/15. 3pp. 85735:338-85735:340.

9510060324 Forwards mod 5,deobligating funds in stated amount to place under separate task order,to "Support of Development of Regulations - Reactors Matls."
MACE,M.H. Division of Contracts (Post 940714). 95/09/27. HALL,A. ICF, Inc. 1p. 85731:327-85731:329.

--9510060334 Mod 5,deobligating funds in stated amount to place under separate task order,to "Support of Development of Regulations - Reactors & Matls."
* ICF, Inc. MACE,M. Division of Contracts (Post 940714). 95/09/27. 2pp. 85731:328-85731:329.

9510060328 Mod 3,providing incremental funding in listed amount which increases amount of contract & modifying Section H to security requirements for ADP svcs,to "Data Entry Svcs for Region III."
* Small Business Administration. GRAY,J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-9318. 95/08/11. 10pp. 85737:197-85737:206.

9510060335 Mod 7,increasing contract ceiling by listed amount & providing incremental funding,to "Confirmatory Integral Sys Testing for GE SBWR Design."
ISOM,G.E. Purdue Research Foundation. MACE,M. Division of Contracts (Post 940714). FIN L-2202. 95/08/28. 5pp. 85735:341-85735:345.

9510060356 Mod 4,revising principal investigator/technical contact in block 8 of SF30,to "SBIR - Phase II,FY 1994 Characterization of Concrete Condition Using Acoustic Tomographic."
* Atkinson-Noland & Associates. MACE,M.H. Division of Contracts (Post 940714). 95/09/27. 2pp. 85737:308-85737:309.

9510060359 Mod 17,obligating incremental funding in listed amount,to "Replace Electronic Infrastructure Software Hardware & Personal Computer Support."
* Trico Industries, Inc. MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-94-185. 95/09/20. 2pp. 85737:310-85737:311.

9510060360 Mod 3,increasing obligated amount,to "Incorporating Organizational Performance into Probabilistic Risk Assessment."
PAULS,H.M. JBF Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 95/09/12. 2pp. 85737:312-85737:313.

9510060364 Mod 1,extending term of contract by one year,to "Purchase of Public Transit Fare Media."
BEARINGER,R.F. . WIGGINS,E.J. Division of Contracts (Post 940714). 95/08/30. 2pp. 85737:314-85737:315.

9510060365 Ltr contract,Mod 10 to task order 7,providing incremental funding for listed amount,to "Application Sys Hotline & Customer Support Svcs."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/22. HUTCHISON,M. Applied Management Systems, Inc. 1p. 85737:316-85737:316.

9510060368 Mod 11,revising contract expiration date,to "Purchase & Installation of Audiovisual Euquipment in TWFN Main Auditorium & ACRS Hearing Room."
DEITZ,J. . WIGGINS,E. Division of Contracts (Post 940714). 95/08/30. 4pp. 85737:260-85737:263.

9510060369 Mod 7,revising payee name & address,to "Moving & Warehouse Support Svc."
SHARPE,H.F. Facilities Management, Inc., Vienna, VA. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/20. 5pp. 85737:264-85737:268.

9510100001 Ltr contract,Mod 20 to task order 6,providing incremental funding in listed amount,to "PC/LAN Sys Support."
HUTCHISON,M. Division of Contracts (Post 940714). NRC-33-92-203. FIN D-1391. 95/09/28. MATTIA,J. Applied Management Systems, Inc. 2pp. 85757:290-85757:291.

9510100002 Ltr contract,Mod 8 to task order 3,providing incremental funding in listed amount,to "General Data Entry Support."
MATTIA,M. Division of Contracts (Post 940714). NRC-33-93-182. FIN D-1920. 95/08/25. BILGER,S. Data Computer Corp. of America. 2pp. 85757:292-85757:293.

9510100003 Mod 16 to task order 1,to extend period of performance through 960802,increase level of effort required to perform task order by 3,852 h & increase task order ceiling by listed amount,to "Project Mgt & Other Direct Costs."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-34-92-203. 95/08/31. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85757:163-85757:164.

9510100004 Mod 8,increasing contract ceiling by listed amount & funds obligated to listed amount & extending period of performance through 960131,to "Support for NPP License Renewal Environ Protection Rulemaking."
BEVARD,M. MITRE Corp. MACE,M.H. Division of Contracts (Post 940714). 95/08/30. 2pp. 85757:288-85757:289.

9510100005 Ltr contract,Mod 2 to task order 3,confirming verbal authorization provided on 950420,to change previously schedule date of Incident Investigation Team Training course to be held NRC Headquarter from 950501-12 to 950424-0505.
MATTIA,M. Division of Contracts (Post 940714). NRC-26-94-263. 95/07/02. CONGER,D.S. . 1p. 85757:294-85757:294.

9510100006 Mod 10 to task order 2,to extend period of performance through 951031,increase level of effort required to perform task order by 300 h & increase incremental funding by listed amount,to "Software Administration."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/28. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85757:161-85757:162.

9510100008 Ltr contract,awarding task order 12, "Implementation of New Payroll/Personnel Sys," to Applied Mgt Sys,Inc.
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/29. HUTCHISON,M. Applied Management Systems, Inc. 19pp. 85757:142-85757:160.

9510100010 Forwards mod 8 to contract NRC-04-92-040 entitled, "Maint of Trac BWR Thermal Hydraulic Simulation Computer Codes for Reactor Transients."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-92-040. 95/08/16. ANTOLOSKY,P. Pennsylvania State Univ., Harrisburg, PA. 1p. 85751:355-85751:357.

--9510100014 Mod 8,revising accounting & appropriation data under mod 7 of contract,to "Maint of Trac BWR Thermal Hydraulic Simulation Computer Codes for Reactor Transients."
* Pennsylvania State Univ., Harrisburg, PA. MACE,M.H. Division of Contracts (Post 940714). FIN F-6464. FIN L-1971. 95/08/15. 2pp. 85751:356-85751:357.

9510100012 Mod 6,revising section H.6 entitled "Site Access Badge Requirements," to "Analysis,Expansion & Integration of NRC Computer Sys."
* Small Business Administration. LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/08/25. 7pp. 85744:227-85744:233.

9510100017 Mod 13 to task order 3,to extend period of performance through 960802,increase level of effort required to perform task order by 7,360 h & increase task order ceiling by listed amount,to "Documentation/Technical Writers."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/08/31. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85757:140-85757:141.

9510100019 Mod 2,increasing amount obligated in contract in listed amount to fund option period III of contract to, "Security Guard Svc."
GUIDICE,W.J. . WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2370. 95/09/18. 3pp. 85744:265-85744:267.

9510100020 Mod 23,revising statement of work within scope of contract per FAR 52.243-2 changes-cost reimbursement & raising contract estimated cost & fixed fee,to "Second Intl Piping Integrity Research Group (IPIRG-2) Program."
MERCIER,I.M. Battelle Memorial Institute, Columbus Laboratories. MACE,M.H. Division of Contracts (Post 940714). 95/09/27. 5pp. 85757:236-85757:240.

9510100023 Mod 8,exercising option yr 2 of basis contract,increasing max Ordering Limitation (MOL) by stated amount & extending period of performance,to "Telecommunications & Network Support."
* Small Business Administration. AUGUSTINE,H.H. Global Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/08/23. 3pp. 85744:272-85744:274.

9510100025 Mod 15 to task order 5,to extend period of performance through 960802,increase level of effort required to perform task order by 31,698 h & increase task order ceiling by listed amount,to "Mainframe/Minicomputer Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/09/21. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85757:138-85757:139.

9510100026 Mod 22,allotting listed amount in incremental funding,to "Second Intl Piping Integrity Research Group (IPIRG-2) Program."
* Battelle Memorial Institute, Columbus Laboratories. MACE,M.H. Division of Contracts (Post 940714). FIN D-2545. 95/09/07. 4pp. 85757:232-85757:235.

9510100028 Mod 19 to task order 6,to extend period of performance through 960802,increase level of effort required to perform task order by 47,000 h & increase task order ceiling by listed amount,to "PC/LAN Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 95/08/31. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 85813:001-85813:002.

9510100031 Mod 12,deleting Octel Branch XP Sys from list of sys equipment to be purchased under contract,to "Voice Messaging Sys Replacement."
* Small Business Administration. KATHPAL,H.B. . MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1036. 95/08/25. 3pp. 85744:275-85744:277.

9510100033 Mod 11,increasing amount obligated in contract to fund addl coverage required & TAS,to "Security Guard Svc."
GUIDICE,W.J. . WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2370. 95/09/27. 3pp. 85744:278-85744:280.

9510100034 Mod 2,revising Section H.1,Key Personnel to add A Saunders, RF Zuevsky & AA Fyodorov as key personnel,to "SBIR Program, Phase II FY95 - Broad-Range Yttrium Aluminum Perovskite- Based Gamma-Ray Dosimeter."
* . MACE,M.H. Division of Contracts (Post 940714). 95/09/27. 2pp. 85744:314-85744:315.

9510100036 Mod 17,extending period of performance of subject Interagency Agreement & provides FY95 incremental funds in listed amount to "Cross-Service to NRC Using Federal Financial Sys."
* Treasury, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN L-1694. 95/09/20. 3pp. 85757:133-85757:135.

9510100038 Mod 2,revising task 2 to SOW,IAW contractor proposal dtd 950815,revising section F to reflect deliverable dates & extending period of performance at no addl cost or obligation to govt,to "Review & Assessment of Software...."
HECHT,H. SoHaR, Inc. MACE,M.H. Division of Contracts (Post 940714). 95/09/19. 4pp. 85757:129-85757:132.

9510100042 Mod 10,revising statement of work to reflect within scope change to DOE portion of work,to "Operation & Maint of Radiation Exposure Info Reporting Sys Database."
YOUNG,B.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). FIN W-6358. 95/08/28. 3pp. 85744:311-85744:313.

9510100066 Mod 1,changing Section F.3 to show period of performance as date instead of month to "Assessment of Fiber Optic Sensors & Other Advanced Sensing Technologies for Nuclear Power Plants."
* Analysis & Measurement Services Corp. MACE,M.H. Division of Contracts (Post 940714). 95/09/11. 1p. 85744:336-85744:336.

9510100072 Grant: "Paleoseismology Research: Precise Dating of Prehistoric Earthquakes in New Madrid Seismic Zone," awarded to Univ of MD.
GERONIMO,A. Maryland, Univ. of, College Park, MD. MACE,M. Division of Contracts (Post 940714). FIN G-6544. 95/09/05. 2pp. 85744:357-85744:358.

9510100074 Mod 3,reducing total cost ceiling by listed amount, deobligating listed amount in excess of funds,extending period of performance through 951231 at no addl cost or obligation & revising deliverable schedule, to "Severe ...."
KOMORIYA,H. International Technical Services, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN L-2541. 95/09/25. 3pp. 85757:126-85757:128.

9510100077 Mod 29,incorporating NRC Publications Sales Program Procedures to, "Document Distribution Svcs."
KELLEY,W. Government Printing Office. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-1872-5. 95/07/27. 3pp. 85757:123-85757:125.

9510100081 Grant: "Bayesian Statistics in Science & Technology: Case Studies" awarded to Carnegie Mellon Univ.
BURKETT,S. . MACE,M.H. Division of Contracts (Post 940714). FIN G-6549. 95/08/25. 2pp. 85744:359-85744:360.

9510100089 Mod 1,exercising CLIN 0002 option for one addl month of storage,providing addl funding for listed amount,increasing ceiling by listed amount & extending period of performance, to "Relocation & Storage of Trojan NPP Simulator & W...."
CAMPBELL,D.M. Pulau Electronics Corp. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/14. 3pp. 85757:120-85757:122.

9510100095 Mod 9,increasing funds,to "Sealed Source & Device Design Safety Testing."
* Southwest Research Institute. MACE,M.H. Division of Contracts (Post 940714). FIN D-2553. 95/09/11. 2pp. 85757:299-85757:300.

9510100107 Mod 6,revising SOW task 3,revising section F.6.2 to allow NAS addl time to complete task 1 rept,to "Study & Workshop on Application of Computer Based (Digital) Instrumentation & Control Sys to Nuclear Power Plants."
WESTBROOK,D. . MACE,M.H. Division of Contracts (Post 940714). 95/08/14. 3pp. 85757:311-85757:313.

9510100110 Contract: "Assessment of Fiber Optic Sensors & Other Advanced Sensing Technologies for NPP," awarded to Analysis & Measurement Svc Corp.
MITCHELL,D.W. Analysis & Measurement Services Corp. MACE,M.H. Division of Contracts (Post 940714). FIN W-6554. 95/08/15. 20pp. 85744:337-85744:356.

9510100112 Contract: "Russian Ofc & Training Equipment," awarded to ELMAR.
RAIKMEL,I. Russia. MACE,M.H. Division of Contracts (Post 940714). 95/09/19. 62pp. 85757:043-85757:103.

9510100115 Forwards executed copy of mod 3 to contract NRC-04-94-86.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-94-086. 95/08/31. CHRISTENSEN,J. . 1p. 85757:314-85757:316.

-9510100120 Mod 3,changing remittance address under section G per executed Instrument of Claims dtd 950614,to "SBIR program- phase II FY 1994,work underload in modern NPP CR."
CHRISTENSEN,J. . MACE,M. Division of Contracts (Post 940714). 95/08/31. 2pp. 85757:315-85757:316.

9510100118 Ltr contract,Mod 3 to task order 34,extending expiration date from 950630 to 950930,to "Technical Assistance in Review of BG&E License Amend Request."
MACE,M. Division of Contracts (Post 940714). 95/08/04. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 85757:317-85757:317.

9510100121 Mod 4,providing for key·personnel changes in accordance w/Subsection H.7-NCAR 2052.215-70,to "Operation & Maint of NRC Computer Facilities."
* Ruland Associates, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/11. 3pp. 85757:169-85757:171.

9510100128 Mod 6,adding incremental funding in listed amount & increasing obligated amount, to "Nation-Wide Urine Specimen Collections."
* Tracor Technology Resources, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/21. 3pp. 85757:110-85757:111.

9510100135 Mod 1,incorporating change in research focus into task 1 of section C,Statement of Work,per FAR 52.243 ALT V changes-cost reimbursement at no change in contract estimate cost to, "Unsaturated Zone Monitoring & Field Studies."
CUSANOVICH,M. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). 95/08/15. 2pp. 85757:106-85757:107.

9510100138 Contract: "SBIR Program Phase II FY95 - Broad-Range Yttrium Aluminum Perovskite-Based Gamma-Ray Dosimeter," awarded to W Peter Trower,Inc.
TROWER,W.P. . MACE,M. Division of Contracts (Post 940714). FIN W-6553. 95/08/09. 25pp. 85757:172-85757:196.

9510100141 Forwards unilaterally executed copy of Mod 2 to contract NRC-04-95-039.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-95-039. 95/09/13. LACAVA,C. Oregon State Univ., Corvallis, OR. 2pp. 85757:221-85757:223.

-9510100156 Mod 2,providing incremental funds in listed amount,thereby increasing total amount obligated,to "Scaled Integral Test Facility."
REYES,J. Oregon State Univ., Corvallis, OR. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6273. 95/09/13. 2pp. 85757:222-85757:223.

9510100152 Mod 3,exercising first of three options for increased effort under CLIN 002 of Subsection B.5 - schedule of costs, base period of contract,to "Sys Programming Support Svcs for Data General & Hewlett Packard Minicomputers."
RULAND,J.K. Ruland Associates, Inc. MACE,M.J. Division of Contracts (Post 940714). 95/08/21. 6pp. 85757:224-85757:229.

9510100160 Contract: "SBIR Program-Development of Methodology for Analizing Precursors to Earthquake-Initiated & Fire- Initiated Accident Precursors" awarded to Future Resources Assoc,Inc.
BUDNITZ,R.J. Future Resources Associates, Inc. MACE,M. Division of Contracts (Post 940714). NRC-04-95-037. FIN W-6555. 95/09/20. 30pp. 85757:245-85757:274.

9510100170 Forwards mod 8 to contract NRC-33-93-364.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-364. 95/09/01. POWELL,J. FirstPage. 1p. 85751:358-85751:360.

-9510060295 Mod 8,exercising second one-year option IAW w/section 1.7 & increasing ceiling amount of contract by stated amount,to "Airtime & Maint for NRC Owned Pagers/Skypagers to Include Direct Intl Airtime."
* FirstPage. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/01. 3pp. 85751:359-85751:360.

9510100171 Mod 1,increasing contract ceiling & obligated amount & revising Section C to incorporate within scope changes,to "Completion of Strainer Blockage Study & Technical Assistance for Resolving Strainer Blockage Issues."
COLINA,I.R. Science & Engineering Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). FIN W-6459. 95/09/22. 5pp. 85757:213-85757:216.

9510100373 Mod 16,providing incremental funding thereby increasing obligated amount to, "Replace Electronic Infrastructure Software,Hardware & Personal Computer Support."
* Small Business Administration. CLARY,J.R. Trico Industries, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN J-1013-5. FIN J-1001-5. 95/09/20. 7pp. 85757:199-85757:204.

9510100384 Grant: "Partial Support for Board on Sciences & Resources," awarded to National Academy of Science.
NOWACK,P. National Academy of Sciences. MACE,M.J. Division of Contracts (Post 940714). FIN G-6508. 95/08/11. 2pp. 85778:285-85778:286.

9510100395 Ltr contract,mod 3 to task order 31,increasing funds,to "Radiological Impacts from Vehicle Bomb Attack on Dry Cask Stored Spent Nuclear Fuel."
MACE,M.H. Division of Contracts (Post 940714). 95/08/28. LONG,D. Science Applications International Corp. (formerly Science Applications, Inc.). 3pp. 85757:285-85757:287.

9510110018 Mod 4,revising Section H.7 entitled "Site Access Badge Requirements",to "Data Entry/Processing FBI Cards,Criminal History Rule."
MASON,W.E. Kenrob & Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-93-134. 95/09/14. 6pp. 85765:330-85765:335.

9510110152 Mod 9,increasing maximum ordering limitation,to "Hardware, Software,telecommunication & Network Support."
ZAHLRIEH,S. Small Business Administration. STARK,R. Global Management Systems, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/27. 3pp. 85764:334-85764:336.

9510110155 Mod 9,extending period of performance for one addl yr, effective 950625-960624,to "Cooperative Agreement-Maint & Operation of LPDRs."
* Louisiana State Univ., Baton Rouge, LA. MACE,M. Division of Contracts (Post 940714). FIN D-2416. 95/08/18. 3pp. 85762:349-85762:351.

9510110157 Ltr contract,mod 4 to task order 28,extending expiration date from 950630 to 960128,to "Environment for license Renewal of CABOT Corp in Boyerstown,PA."
MACE,M. Division of Contracts (Post 940714). 95/09/15. LONG,D. Science Applications International Corp. (formerly Science Applications, Inc.). 1p. 85764:339-85764:339.

9510110159 Mod 4,increasing funds,to "Microfiche Svc for Source & Drawing Documents."
GRAZIER,L. Science Applications International Corp. (formerly Science Applications, Inc.). MATTIA,M.J. Division of Contracts (Post 940714). 95/09/11. 2pp. 85764:341-85764:342.

9510110160 Mod 7,extending period of performance for 12 months & increasing obligated & ceiling amounts,to "Commercial Elevator Operation & Maint-One White Flint North."
HOOVER,S. United Technologies Corp. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-93-127. 95/08/17. 3pp. 85764:343-85764:345.

9510110162 Forwards mod 12 to Cooperative Agreement NRC-10-87-437, "Maint & Operation of LPDRs."
MACE,M. Division of Contracts (Post 940714). NRC-10-87-437. 95/08/30. BRUNSON,E. Perry, OH. 1p. 85762:352-85762:353.

-9510110171 Mod 12 to Cooperative Agreement NRC-10-87-437, "Maint & Operation of LPDRs."
* Perry, OH. MACE,M. Division of Contracts (Post 940714). FIN D-24165. 95/08/30. 1p. 85762:353-85762:353.

9510110170 Forwards mod 3 to contract NRC-10-94-142.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-94-142. 95/09/07. FEITUS . 1p. 85764:350-85764:352.

-9510110176 Mod 3,increasing contract ceiling by stated amount & providing incremental funding,to "Translation Svcs."
FEITUS . WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/07. 2pp. 85764:351-85764:352.

9510110185 Grant: "Methodology for Explicit Modeling of Influence of Organizational Factors in Probabilistic Risk Assessment," awarded to Univ of Maryland.
MAGRUM,E. Maryland, Univ. of, College Park, MD. MACE,M. Division of Contracts (Post 940714). FIN G-6548. NRC-G-04-95-076. 95/09/14. 2pp. 85762:354-85762:355.

9510110186 Mod 1,increasing contract ceiling in listed amount,to "Safeguards Support for Ukraine-Administrative Assistance."
* Small Business Administration. NORK,J.N. . MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-008. 95/09/05. 7pp. 85766:142-85766:148.

9510110190 Ltr contract,Mod 5 to task order 1,increasing task order ceiling amount & obligated amount,to "TCP/IP Implementation."
LIN,B. Division of Contracts (Post 940714). 95/09/28. MATTIA,M.J. CEXEC, Inc. 2pp. 85764:353-85764:354.

9510110222 Ltr contract,Mod 6 to task order 2,increasing task order ceiling amount & providing incremental funding,to "Unix Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). 95/09/28. LIN,B. CEXEC, Inc. 2pp. 85764:357-85764:358.

9510120010 Ltr contract,mod 3,making administrative change to mod 2 by adding listed funding data,to "Optical Character Recognition of Text & Scanning of Images."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2415. NRC-10-95-146. 95/10/10. HURST,F. Justice, Dept. of. 1p. 85767:195-85767:195.

9510130133 Ltr contract definitizing task order 54,to "1996 LER Review & Data Incorporation into Human Factors Info Sys."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2015-5. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 5pp. 85778:306-85778:310.

9510130156 Mod 6,increasing contract ceiling by listed amount & exercising govt option of extending term of contract,to "Health Svcs for NRC Region 3 Employees."
JENNETTEN,S.C. Wheaton Medical Clinic, Wheaton, IL. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/14. 2pp. 85778:304-85778:305.

9510130169 Forwards Statement of Work for task order 56,"Develop HFIS Rept," & requests indication of acceptance of this task order.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 4pp. 85813:003-85813:007.

9510130243 Ltr contract,definitizing task order 55,to "Upgrades to Human Factors Info Sys Database."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. FIN J-2015-5. 95/09/29. COLINA,I. Science & Engineering Associates, Inc. 7pp. 85778:297-85778:303.

9510270163 Forwards executed copy of contract NRC-26-95-351,for records.J Lawson designated as project officer under contract.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-95-351. 95/10/02. DEVITO,J. . 1p. 85949:228-85949:274.

-9510270170 Contract: "Aydin Display Generator Upgrade," awarded to Aydid Corp.
SIMMONS,M. . MATTIA,M.J. Division of Contracts (Post 940714). 95/10/02. 42pp. 85949:229-85949:274.

9510270167 Mod 5,to task order 23,extending period of performance,to "Agency Upgrade of Technology for Ofc Sys."
LIN,B.T. CEXEC, Inc. MATTIA,M. Division of Contracts (Post 940714). 95/09/19. 3pp. 85998:013-85998:015.

9510270169 Mod 11,extending period of performance,to "Interpreters for Soviet/US Program Interagency Agreement Number Previously NRC-06-90-331."
* State, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/27. 2pp. 86033:039-86033:040.

9510270175 Contract: "Supply,Deliver & Warranty Thermoluminescent Dosimeter Irradiator," awarded to Performance Data,Inc.
VAUGHN,J.W. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2271-5. 95/08/11. 23pp. 85949:315-85949:336.

9510270176 Contract: "Ukranian Interactive Laser Videodisc Sys: Support for Lisbon Initiative Ukranian Priority 2, Establishment of Regulatory training,awarded to CATCO,Inc.
* . MACE,M.H. Division of Contracts (Post 940714). 95/09/29. 41pp. 85949:275-85949:314.

9510270177 Grant: "Grant Program FY95-Experimental Analysis & Measurement of Situation Awareness," awarded to Embry-Riddle Aeronautical Univ.
* Affiliation Not Assigned. JACOBSON,I.D., MEEHAN,B. Division of Contracts (Post 940714). FIN W-6601. 95/09/28. 2pp. 86033:043-86033:044.

9510270180 Mod 2,increasing obligated amount,to "Pressurized Water Reactor Maintenance Overview Course."
TENCH,W.A. Westinghouse Electric Corp. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/29. 2pp. 85949:360-85949:361.

9510270181 Contract: "Support to Former Soviet Union Republics for Activities Under Cooperative Threat reduction Program & Lisbon Initiatives" awarded to Ogden Environ & Energy Svcs.
HOCKERT Ogden Environmental & Energy Services (Formerly Multiple Dynamics Corp). MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-009. 95/09/28. 39pp. 85998:016-85998:055.

9510270185 Mod 14,increasing total amount obligated under contract for performance of reimbursable contract svcs to "Commercial Facilities Mgt Svcs."
LAYCOCK,R.L. . FIELDS,J. Division of Contracts (Post 940714). FIN D-2316. FIN R-0125. 95/09/28. 2pp. 85993:340-85993:341.

9510270186 Contract: "Computer Graphic Svc," awarded to CJ Enterprises,Inc.
YETTER,G. . MATTIA,M.J. Division of Contracts (Post 940714). 95/09/29. 58pp. 85993:243-85993:299.

9510270189 Mod 1,increasing obligated amount,clarifying milestones & deliverables schedule & providing partial payment schedule under contract to "Diagnostic & Therapeutic Nuclear Medicine Teletherapy & Brachytherapy Courses."
SACKETT,M. . MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8277. 95/09/29. 2pp. 85998:056-85998:057.

9510270191 Forwards three copies of Contract NRC-02-95-006.
MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-006. 95/09/25. NAIR,S.K. . 2pp. 85998:058-85998:094.

-9510270197 Contract: "Review of Models Used for Determining Consequences of UF6 Releases" awarded to SENES Oak Ridge, Inc.
NAIR,K.C. . MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-006. 95/09/27. 35pp. 85998:060-85998:094.

9510270192 Contract: "Local Area Dial Tone Svc for Region IV Offices," awarded to Southwestern Bell Telephone Co.
SPIEGEL,E. Southwestern Bell Telephone Co. WIGGINS,E.J. Division of Contracts (Post 940714). FIN C-4020. 95/09/27. 25pp. 85993:218-85993:242.

9510270203 Contract: "Diagnostic & Therapeutic Nuclear Medicine Teletherapy & Brachytherapy Courses," awarded to Advanced Health Educ Ctr.
SACKETT,M.H. . MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8277. 95/08/21. 49pp. 85998:095-85998:143.

9510270204 Contract: "Pressurized Water Reactor Nuclear Engineering," awarded to Westinghouse Electric Corp.
PYLE,P. Westinghouse Electric Corp. MATTIA,M. Division of Contracts (Post 940714). FIN E-8291. 95/09/28. 35pp. 85993:300-85993:334.

9510270206 Ltr contract,mod 1 to task order 7,increasing obligated amount,to "Review of Structural Calculations of Vectrals Dry Shielded Canister."
MACE,M.H. Division of Contracts (Post 940714). NRC-02-95-003. 95/08/25. GREEN,S. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 85998:144-85998:145.

9510270209 Forwards three copies of contract NRC-33-90-178,for review.
MATTIA,M. Division of Contracts (Post 940714). NRC-33-90-178. 95/09/20. LIN,B. CEXEC, Inc. 1p. 85998:146-85998:149.

-9510270217 Mod 12,to task order 3,extending period of performance,to "Ofc Plans,Integration & Implementation."
* CEXEC, Inc. * Division of Contracts (Post 940714). NRC-333-90-178. 95/09/20. 3pp. 85998:147-85998:149.

9510270210 Mod 2,providing incremental funding in listed amount,to "Field Studies at Apache Leap Tuff Site."
WHEELER,J.T. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). FIN W-6387. 95/09/29. 3pp. 86010:330-86010:332.

9510270213 Mod 4,exercising Option Year Two IAW Section I.6 to "Lab Testing of NRC Urine Specimens & Quality Control Samples."
SMITH,S.R. Northwest Toxicology, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2375. 95/09/13. 5pp. 85993:335-85993:339.

9510270215 Mod 3,providing for 7 month extension of period of performance through 960428,in accordance w/contractor 950727 ltr,to "SBIR Program-Phase II,FY93 Measurement of Residual Radioactive Contamination by 2-D Laser-Heated TLD."
JONES,S.C. Affiliation Not Assigned. MACE,M.H. Division of Contracts (Post 940714). 95/09/25. 3pp. 86021:358-86021:360.

9510270218 Cooperative agreement: "Grant Program,FY95-NRC HBCU Participation Program," awarded to Oak Ridge Associated Univ.
VEIGEL,J.M. Oak Ridge Associated Universities. MACE,M. Division of Contracts (Post 940714). 95/09/06. 39pp. 85949:184-85949:221.

9510270219 Grant: "Grant Program,FY95-30th ASME/AICHE/ANS National Heat Transfer Conference," awarded to American Nuclear Society.
* American Nuclear Society. GARDNER,M.B., MEEHAN,B. Division of Contracts (Post 940714). FIN G-6587. 95/09/22. 2pp. 86033:041-86033:042.

9510270225 Forwards fully executed copy of amend 3 to grant NRC-G-04-93-087.
THOMPSON,S.W. North Carolina, Univ. of, Chapel Hill, NC. NRCG-04-93-087. 95/08/23. MACE,M. Division of Contracts (Post 940714). 1p. 86010:167-86010:168.

--9510270241 Mod 3,extending period of performance of grant through 960319,at no addl cost or obligation to Govt,to "Grant Program-Comprehensive Study of Eastern Tennessee Seismic Zone."
LOWMAN,R.P. North Carolina, Univ. of, Chapel Hill, NC. MACE,M. Division of Contracts (Post 940714). 95/08/22. 1p. 86010:168-86010:168.

9510270227 Forwards three presigned copies of cooperative agreement NRC-10-91-145,mod 5,for review & signature.
MACE,M. Contract Negotiation Branch 1 (860421-870412). 95/09/28. KINNISON,L. Greeley, CO. 6pp. 85949:222-85949:227.

--9510270223 Mod 5,extending period of performance by one addl year effective 950929-960921,to "Cooperative Agreement - Maint & Operation of LPDR."
KINNISON,L. Greeley, CO. MACE,M. Division of Contracts (Post 940714). FIN D-2416. 95/09/29. 5pp. 85949:223-85949:227.

9510270229 Mod 2,providing incremental funding in listed amount,to "Testing & Evaluation of Groundwater Flow & Transport Models."
NEUMAN,S. Arizona, Univ. of, Tucson, AZ. MACE,M.H. Division of Contracts (Post 940714). FIN W-6388. 95/09/29. 2pp. 86010:163-86010:164.

9510270231 Ltr contract,increasing ceiling & obligated amounts of Task Order 3, "Incident Investigation Team Training," under contract NRC-26-94-263.
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8219. NRC-26-94-263. 95/09/11. CONGER,D.S. . 2pp. 85998:150-85998:151.

9510270232 Forwards NRC contract NRC-33-95-187.
MOORE,F.G. . 95/10/06. KNOX-DAVIN,E. NRC - No Detailed Affiliation Given. 1p. 85949:089-85949:183.

--9510270239 Contract: "Intergrated Library Sys Upgrade," awarded to Kestrel Assoc,Inc.
* Small Business Administration. MATTIA,M.J. Division of Contracts (Post 940714). WILSON,L.P. . FIN D-1418. 95/09/29. 94pp. 85949:090-85949:183.

9510270235 Forwards three presigned copies of cooperative agreement NRC-10-87-331,mod 11,for review & signature.
MACE,M. Contract Negotiation Branch 1 (860421-870412). NRC-10-87-331. 95/08/03. LYON,D.A. York County, SC. 1p. 85993:342-85993:345.

--9510270240 Mod 11,extending period of performance by one addl year, effective 950512-960511,to "Cooperative Agreement - Maint & Operation of LPDR."
LYON,D.A. York County, SC. MACE,M. Division of Contracts (Post 940714). FIN D-2416. 95/08/03. 3pp. 85993:343-85993:345.

9510270242 Ltr contract,definitizing Task Order 4, "Incident Investigation Team Training," under contract NRC-26-94-263.
MATTIA,M.J. Division of Contracts (Post 940714). FIN J-5124. NRC-26-94-263. 95/09/27. CONGER,D.S. . 4pp. 85998:152-85998:155.

9510270245 Mod 2,providing for 1.5-month extension of period of performance of contract through 951214,to "Development of Tools for SA of Control Software in Advanced Reactors."
GUARRO,S. Advanced Systems & Associates. MACE,M.H. Division of Contracts (Post 940714). 95/09/26. 2pp. 86010:165-86010:166.

9510270248 Mod 1,revising Section H.1,key personnel & correct Section G.4.C,in accordance w/contractors 950801 request,to "SBIR Program,Phase II FY95 - Broad-Range Y AL Perovskite-Based Gamma-Ray Dosimeter."
* . MEEHAN,B. Division of Contracts (Post 940714). 95/08/09. 3pp. 86033:045-86033:047.

9510270252 Mod 13,revising listed subsections,including B.3 re option yr & B.6 re fixed price,to "Voice Messaging Sys Replacement."
* Small Business Administration. MATTIA,M.J. Division of Contracts (Post 940714). KATHPAL,H.B. . FIN E-1036. 95/09/29. 3pp. 85993:358-85993:360.

9510270258 Ltr contract,increasing cost of course,increasing ceiling & obligated amounts & deleting first sentence of paragraph 3 of Task Order 2, "Root Cause & Safety Analysis Software Workshop Dates for Headquarters & Regions 3 & 4."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8219. 95/09/11. CONGER,D.S. . 3pp. 85998:156-85998:158.

9510270270 Ltr contract,mod 16 to task 5,providing incremental funding to "Mainframe/Minicomputer Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8285. NRC-33-92-203. 95/09/28. HUTCHISON,M. Applied Management Systems, Inc. 1p. 85993:346-85993:346.

9510270282 Mod 15,revising Article III-period of performance & extending period of performance to 960930,to "Technical Assistance for Evaluation of Fire Barrier Performance."
MCGUFFIN,J.C. Commerce, Dept. of. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/29. 2pp. 86010:333-86010:334.

9510270290 Contract: "Techniques for Identifying Faults & Determining Their Origin" awarded to Geomatrix Consultants,Inc.
HANSON,K.L. Geomatrix Consultants, Inc. MEEHAN,B. Division of Contracts (Post 940714). FIN L-2267. 95/09/28. 38pp. 86010:290-86010:327.

9510270319 Grant: "Development of Risk-Consistent Seismic Ground Motion for Linear & Non-Linear Soil & Structure Assessment & Design," awarded to Leland Stanford Junior Univ.
KAEMPF Affiliation Not Assigned. MACE,M. Division of Contracts (Post 940714). FIN 6547. 95/09/22. 2pp. 86033:048-86033:049.

9510270326 Grant: "Research Validating Model of Effect of Operator Info Processing Behavior on Performance while Using Traditional & Ecological User Interface for Nuclear Power Plant," awarded to Univ of Southern California.
ARMSTRONG,L. Southern California, Univ. of, Los Angeles, CA. MACE,M. Division of Contracts (Post 940714). FIN G-6539. 95/09/18. 2pp. 86010:328-86010:329.

9510270336 Forwards mod 1 to contract NRC-04-95-049.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-049. 95/10/03. RYAN,J.L. . 1p. 86021:355-86021:357.

--9510270345 Mod 1,revising Section G.1, "Project Officer Authority," from J Persensky to I Schoenfeld,to "SBIR Program - Phase I, FY95 Advanced Digital Man-Machine Interface Analysis."
* . MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-049. RES-94-049. 95/10/03. 2pp. 86021:356-86021:357.

9510300012 Mod 9,providing incremental funding in listed amount and increasing ceiling by listed amount,to "NRC Supervisory Managerial & Organizational Development Programs."
* Resolution Dynamics, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/09/21. 2pp. 86015:358-86015:359.

9510300019 Mod 3,transferring govt property from contract NRC-03-92-030 & incorporating by ref FAR 52.245-5 Govt Property (Cost- Reimbursement,Time-&-Matl,or Labor-Hour Contracts) Jan 1986, to "Generic Fundamentals Exam."
* Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 95/08/11. 3pp. 86017:327-86017:329.

9510300026 Mod 8,extending period of performance & time available for exercise of Option Year Two (CLIN 0003) by 1 month to 951106 to "Technical Support for Russian & Ukrainian Nuclear Regulatory Agencies (Lisbon Initiative)."
KNIGHT,D.A. SCIENTECH, Inc. MACE,M.H. Division of Contracts (Post 940714). 95/10/06. 2pp. 86017:330-86017:331.

9510300035 Mod 17,revising subsection G2 of Project Officer Authority (June 1988) to "Financial Svcs."
* Small Business Administration. WIGGINS,E. Division of Contracts (Post 940714). 95/10/11. 2pp. 86017:332-86017:333.

9510300044 Contract: "Paleoliquefaction Studies Northwest of the Madrid Seismic Zone" awarded to the University of Maryland.
MAGRUM,E. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 95/09/25. 37pp. 86015:284-86015:320.

9510300235 Mod 14,reflecting administrative changes,changing fixed price & changing cost reimbursement,to "NRC Operations Ctr Info Mgt Sys Implementation."
BAKER,L.J. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). NRC-10-93-133. 95/09/29. 4pp. 86017:338-86017:341.

9510300246 Contract: "Word Processing Services," awarded to KBM Group.
DRISKO,S.C. Small Business Administration. JOSEPH,B. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-95-152. 95/09/29. 56pp. 86015:224-86015:283.

9510310031 Contract: "Establishment of Regulatory Emergency Response Sys in Russia & Ukraine" awarded to Science Applications Intl Corp.
RODEHALL,T.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). 95/09/29. 134pp. 86024:186-86024:319.

9510310033 Mod 4,extending term of contract,to "Division of Contract Administrative Support Services & Closeout Operation."
* Small Business Administration. BYRD,N.G. Affiliation Not Assigned. WIGGINS,E. Division of Contracts (Post 940714). NRC-10-94-158. 95/10/03. 8pp. 86035:119-86035:126.

9510310046 Mod 11,extending period of performance by 1 addl yr, effective 950827-960826,providing funds in listed amount & revising SOW to incorporate option yr,to "Cooperative Agreement - Maint & Operation of LPDRs."
DICKERSON,L.R. Omaha, NE. MACE,M. Division of Contracts (Post 940714). 95/09/29. 3pp. 86033:355-86033:357.

9510310061 Mod 4,correcting inadvertent omission of ref to incident investigation assistance training course,currently listed as CLINS 07 & 15,under applicable sections of contract,to "Incident Investigation Team Training."
* Conger & Elsea, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/10/11. 4pp. 86035:159-86035:162.

9510310075 Mod 6,revising Paragraph B.4.(b) consideration & obligation - delivery orders,to provide incremental funding in listed amount,to "Wide Area Network Enhancement."
* Small Business Administration. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/28. 2pp. 86033:358-86033:359.

9510310086 Mod 10,extends period of performance one addl yr,effective 950812 through 960811,provides incremental funding in listed amount & revises SOW to incorporate option yr,to "Cooperative Agreement - Maint & Operation of LPDRs."
* Aliquippa, PA. MACE,M. Division of Contracts (Post 940714). 95/09/29. 3pp. 86035:127-86035:129.

9510310118 Contract: "Lisbon Initiative:Ukrainian Ofc & Training Equipment," awarded to Science Applications Intl Corp.
RODEHALL,T.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). 95/09/29. 47pp. 86033:290-86033:336.

9510310131 Mod 14,increasing task order ceiling by listed amount to Task Order 4,to "Network Mgt & Administration."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/28. 3pp. 86033:337-86033:339.

9510310145 Mod 13,extending period of performance & increasing task order ceiling by listed amount & providing funding in listed amount to Task Order 4,to "Administration."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 95/09/20. 3pp. 86033:340-86033:342.

9510310233 Mod 3,extending period of performance through 950331,to "Cooperative Agreement - Historically Black Colleges & Universities Research Participation Program."
DREWRY,J.E. Oak Ridge Associated Universities. MACE,M. Division of Contracts & Property Management (890206-940714). NRC-G-27-92-361. 95/10/02. 1p. 86033:351-86033:351.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

7912310302 Ack receipt of 791107 ltr informing NRC of steps taken to correct violations noted in IE insp of License 34-05124-01 on 791016.
KEPPLER,J.G. Region III, IE (720101-810228). 79/12/05. GRESKO,M. Meridia Suburban Hosp., Warrensville, OH (formerly Suburban Community Hosp.). 1p. 85675:246-85675:253.

--8303220194 Discusses IE insp of License 34-01505-01 on 830302 & forwards notice of violation.
MILLER,J.R. Region 3 (Post 820201). 83/03/18. NOTEBAERT,E. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 1p. 85674:233-85674:235.

--8303220196 Notice of violation from insp on 830302.Noncompliance noted:failure to perform physical inventories quarterly to account for calibr & ref sources & to perform dose calibrator linearity annually.
MILLER,J.R. Region 3 (Post 820201). 83/03/17. 2pp. 85674:234-85674:235.

--8305060221 Responds to NRC 830318 ltr re violations noted in IE insp of License 34-01505-01.Corrective actions:inventory will be performed on quarterly basis & linearity check will be performed each Jan.
MOEBIUS,G.D. Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.). 83/04/12. MILLER,J.R. Region 3 (Post 820201). 1p. 85674:232-85674:232.

--9510030299 Insp rept 30-02791/79-01 on 790201.No noncompliance noted. Major areas inspected:organization,license internal audits, training & qualification of personnel.
* Region 3 (Post 820201). 79/02/01. 10pp. 85674:070-85674:079.

--9510030315 Insp rept 30-02680/83-01 on 830302.Noncompliance noted. Major areas inspected:organization,summary of program, internal audits or insp.
* Region 3 (Post 820201). 83/03/11. 19pp. 85674:236-85674:254.

9509220002 Discusses weekly conference call re Shieldalloy contractors concerning item of interest.
NELSON,R.A. NRC - No Detailed Affiliation Given. 95/03/03. GLINSKI NRC - No Detailed Affiliation Given. 1p. 85735:048-85735:048.

--9509220004 Discusses class action lawsuit filed by four families against Cyprus Foote Mineral,Cyprus Amax Minerals,Newmont Mining & Cabot Corp.
GLINSKI,R.L. NRC - No Detailed Affiliation Given. 95/03/07. NELSON NRC - No Detailed Affiliation Given. 1p. 85735:049-85735:049.

9509180041 First partial response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/08/24. DEKOK,D. Affiliation Not Assigned. 6pp. 85676:004-85676:069.

9509250060 Third partial response to FOIA request for documents. Forwards documents listed App E.Documents will be placed in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/06. GHEZZI,J.W. Affiliation Not Assigned. 9pp. 85763:001-85764:197.

--9109130114 Responds to 910815 ltr re constituent continued concerns about safety & labor issues at facility in Danbury,CT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 91/09/06. LIEBERMAN,J.I. Senate. 6pp. 85764:043-85764:048.

--9109130116 Forwards 910813 ltr from A Gundersen re health & safety issues at facility in Danbury,CT.Constituent requests NRC look into issue again because concerns were not properly addressed in NRC 910729 reply.
LIEBERMAN,J.I. Senate. 91/08/15. CARR,K.M. Commissioners (Post 750119). 4pp. 85764:062-85764:072.

--9208170040 Responds to 920622 ltr to Chairman Selin requesting status rept on all matters under consideration by NRC w/regard to concerns of A Gundersen about safety & labor issues at Nuclear Energy Svcs facility in Danbury,CT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. CCS. 92/08/04. LIEBERMAN,J.I. Senate. 2pp. 85763:049-85763:056.

--9212210138 Informs that ltr to President Bush referred to DOE,then NRC for response re safe operation of facility.NRC takes all allegations of safety problems at licensed nuclear power plants & retaliation against employees seriously.
INGRAM,F.L. Office of Public Affairs (Post 911117). 92/12/04. GUNDERSEN,L. Affiliation Not Assigned. 7pp. 85763:033-85763:039.

9510020014 First partial response to FOIA request for records.App A records encl & available in PDR.
POOL,M.J. Division of Freedom of Information & Publications Services (Post 940714). 95/09/05. PATTERSON,S.J. Morgan, Lewis & Bockius. 6pp. 85665:001-85672:088.

--8707160810 Forwards Amend 38 to License DPR-46 & safety evaluation. Amend revises Tech Specs in response to 750910 & 770104 requests for exemption from 10CFR50,App J.Notice of issuance of amend also encl.
STELLO,V. Office of Nuclear Reactor Regulation, Director. TAC 01909. 77/09/16. PILANT,J.M. Nebraska Public Power District. 3pp. 85668:305-85669:254.

--8707160815 Amend 38 to License DPR-46,revising Tech Specs in response to 750910 & 770104 requests for exemptions from requirements of 10CFR50,App J.Safety evaluation supporting amend to license encl.
DAVIS,D.K. Operating Reactors Branch 2 (Pre 800428). TAC 01909. 77/09/16. 12pp. 85668:308-85668:319.

--8707160817 Notice of issuance of Amend 38 to License DPR-46,changing Tech Specs to incorporate approved exemptions from certain requirements of 10CFR50,App J re MSIV leak rate testing.
DAVIS,D.K. Operating Reactors Branch 2 (Pre 800428). TAC 01909. 77/09/16. 150pp. 85668:320-85669:254.

--8708180118 Requests that util determine if containment leakage testing being conducted in full compliance w/10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Results of study to be submitted within 30 days.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). TAC 11040. 75/08/05. PILANT,J.M. Nebraska Public Power District. 6pp. 85668:295-85668:300.

--8708180120 Responds to NRC 750805 reuest for info re compliance w/ 10CFR50,App J, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors." Util in full compliance w/App J requirements w/listed exceptions.
PILANT,J.M. Nebraska Public Power District. TAC 11040. 75/09/10. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 3pp. 85668:292-85668:294.

--8708180140 Responds to NRC 770217 request for addl info re two proposed exemption requests from requirements of 10CFR50,App J.Square root of ratio of pressures used to correct 3 psig leak rates to 58 psig leak rates for personnel airlock leak testing.
PILANT,J.M. Nebraska Public Power District. TAC 11040. 77/04/04. ZIEMANN,D.L. Operating Reactors Branch 2 (Pre 790625). 2pp. 85668:303-85668:304.

--8708180143 Forwards request for addl info re listed requests for exemption from requirements of 10CFR50,App J submitted in 750910 ltr.Response should be submitted within 45 days of ltr receipt.
ZIEMANN,D.L. Operating Reactors Branch 2 (Pre 790625). TAC 11040. 77/02/17. PILANT,J.M. Nebraska Public Power District. 2pp. 85668:301-85668:302.

--9510020015 "Cooper Nuclear Station 1992 SALP Action Plan." Related info encl.
* Nebraska Public Power District. 92/07/31. 400pp. 85665:012-85665:338.

--9510020016 "Cooper Nuclear Station Near Term Integrated Enhancement Program." Related info encl.
* Nebraska Public Power District. 94/02/10. 400pp. 85665:339-85667:017.

--9510020020 "Cooper Nuclear Station Near Term Integrated Enhancement Program."
* Nebraska Public Power District. 94/05/20. 100pp. 85667:018-85667:198.

--9510020022 Rev 0 to "Cooper Nuclear Station Performance Improvement Plans Phase 1:Startup Planning Process."
* Nebraska Public Power District. 94/08/25. 11pp. 85667:199-85667:209.

--9510020023 "Cooper Nuclear Station Diagnostic Self Assessment, " supporting documentation.
* Nebraska Public Power District. 94/08/31. 150pp. 85667:210-85668:047.

--9510020025 "Cooper Nuclear Station Diagnostic Self Assessment."
* Nebraska Public Power District. 94/09/02. 100pp. 85668:048-85668:207.

--9510020029 Safety evaluation re primary containment sys design.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/02/14. 84pp. 85668:208-85668:291.

--9510020034 Notifies of 941205 meeting of Cooper Restart Panel.Draft restart action plan encl.
REIS,T. NRC - No Detailed Affiliation Given. 94/11/29. NRC - No Detailed Affiliation Given. 43pp. 85669:255-85669:299.

--9510020035 "Nuclear Power Group Phase 2/3 Performance Improvement Plan W/ Phase 2 Action Plans."
* Nebraska Public Power District. 94/12/09. 100pp. 85669:300-85670:038.

--9510020036 Notifies of 950105 leeting of Cooper Restart Panel.Proposed agenda listed.Related info encl.
REIS,T. NRC - No Detailed Affiliation Given. 95/01/03. NRC - No Detailed Affiliation Given. 150pp. 85670:039-85670:281.

--9510020037 Notifies of 950201 Cooper Restart Panel meeting re insp.
REIS,T. NRC - No Detailed Affiliation Given. 95/01/31. NRC - No Detailed Affiliation Given. 53pp. 85670:282-85670:334.

--9510020040 Rev 3 to "Cooper Nuclear Station Startup & Power Ascension Plan."
* Nebraska Public Power District. 95/01/31. 40pp. 85670:335-85671:028.

--9510020042 "Nuclear Power Group Phase 2/3 Performance Improvement Plan W/ Phase 2 Action Plans."
* Nebraska Public Power District. 95/03/06. 150pp. 85671:029-85671:166.

--9510020043 "Nuclear Power Group Phase 3 Performance Improvement Plan."
* Nebraska Public Power District. 95/06/12. 350pp. 85671:167-85672:088.

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp. 85950:001-85975:254.

--8108260090 Forwards repts re 1-h ASTM E119 fire simulation facility fire test & subsequent short-term hose stream impact test on Class IE cable tray,conduits & air drop assemblies.Review requested.
FELDMAN,R. TSI, Inc. 81/08/21. HARRISON,G. NRC - No Detailed Affiliation Given. 3pp. 85956:294-85958:165.

--8108260099 "Engineering Rept on 1-H ASTM-E-119 Fire Simulation Facility Fire Test Followed by Short-Term Water Hose Stream Impact Test on Nuclear Facility Class IE Cable Tray Conduits & Air Drop Assembly," prepared for TSI,Inc.
* Affiliation Not Assigned. 81/08/31. 400pp. 85956:297-85958:165.

--8210070009 Discusses results of testing re fire simulation & endurance of test articles.All test articles instrumented w/chromel/ alumel thermocouples.
FELDMAN,R. TSI, Inc. 82/10/04. KUBICKI,D. Division of Licensing (800428-851124). 2pp. 85959:339-85960:069.

--8508070424 Forwards safety evaluation & SALP input re util 840308,0615, 27 & 0813 requests for three deviations from App A to Branch Technical Position APCSB 9.5-1.Deviations re seismic gaps & ventilation duct penetrations acceptable.
JOHNSTON,W.V. Assistant Director for Matls, Chem. & Environ Technology (830201-851124). TAC 55809. 85/07/29. LAINAS,G.C. Assistant Director for Operating Reactors. 300pp. 85965:010-85966:023.

-9107310385 Forwards proposed info notice re possible deficiencies in fire barriers for safe shutdown components constructed of Thermolag.
MCCRACKEN,C.E. Plant Systems Branch. 91/07/23. BERLINGER,C. Generic Communications Branch. 80pp. 85974:266-85975:142.

-9112100123 Forwards IRS rept, "Failure of THERMO-LAG Fire Barrier Matl to Pass Fire Endurance Test."
NOVAK,T.M. Division of Safety Programs (Post 870413). 91/11/19. ISHACK,G. Organization for Economic Cooperation & Development. 7pp. 85975:240-85975:246.

-9201100295 Forwards Incident Reporting Sys rept re 911007 incident on discrepancies identified in installation of cable tray raceway fire barriers comprised of THERMO-LAG 330-1.Caused by inadequate fire barrier installation.
NOVAK,T.M. Division of Operational Assessment (Post 870413). 91/12/31. ISHACK,G. Organization for Economic Cooperation & Development. 8pp. 85975:247-85975:254.

-9206250182 Forwards technical rept re Thermo-Lag fire barriers,which documents team review & technical bases for findings & recommendations.W/o encl.
THADANI,A.C. Division of Systems Technology (890827-921003). 92/05/13. FELDMAN,R. Thermal Science, Inc. 1p. 85952:279-85952:279.

-9206260290 Concludes thermal decomposition of Thermo-lag under actual fire conditions does not increase toxicity of fire gases & Technical Issues 4.1 & 5.3 can be closed.
THADANI,A.C. Division of Systems Technology (890827-921003). 92/06/17. WALKER,K.E. Division of Systems Technology (890827-921003). 3pp. 85953:051-85953:164.

-9207200319 Provides guidance for closure of NRC bulletin 92-001 re failure of Thermo-Lag 330 fire barrier sys.
MASCIANTONIO,A. Project Directorate III-1. IEB-92-001. 92/07/13. Office of Nuclear Reactor Regulation, Director (Post 870411). 30pp. 85953:295-85953:343.

-9208260106 82-11-241 "One-Hour Fire Endurance Tests Conducted on Thermo-Lag 330-1 Subliming Coating Sys Applied by Direct Spray-On Design to 4-Inch Diameter Std Electrical Conduit Containing 'Generic' Cables."
STORMENT,D. Industrial Testing Laboratories, Inc. 82/11/30. 46pp. 85960:070-85960:115.

-9208260118 Project Plan PJ-25, "Proposal for Qualification 3M/TSI Interface Fire Test at Const Technology Labs 1-Hour Sys." Related documentation encl.
KOZA,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 86/11/14. 471pp. 85967:205-85968:268.

-9208260199 84-12-181 R02 "Three Hour Fire Endurance Test Conducted on Ladder Cable Tray w/P1000 Unistrut Attachment & Transition Section Protected w/Thermo-Lag 330 Fire Barrier Sys."
SIEGEL,A.M. Industrial Testing Laboratories, Inc. 85/06/30. 37pp. 85975:143-85975:178.

-9208260213 "Qualification Fire Tests of 3-Hour M Interam E-D Interface to 3-Hour TSI Board on 2 1/2 Inch Diameter Steel Conduit," final test rept.Related documentation encl.
BLANDIN,W.A. Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory, In. 86/10/31. 200pp. 85966:209-85967:073.

-9208260216 PJ-24 "Proposal for Qualification Fire Test of 3M/TSI Interface on 1-Hour Sys."
PEISERT,J.C. Minnesota Mining & Manufacturing Co. (3M Co.). 86/10/10. 267pp. 85967:074-85967:204.

-9208260219 82-11-240 "One-Hour Fire Endurance Tests Conducted on Thermo-Lag 330-1 Subliming Coating Sys Applied by Direct Spray-On Design to 4-Inch Diameter Std Electrical Conduit for WPSS Nuclear Projects."
STORMENT,D. Industrial Testing Laboratories, Inc. 82/11/30. 277pp. 85960:116-85961:183.

-9208260262 84-3-275 "Ampacity Derating Test for 1,000-Volt Power Cables Installed in Ladder Cable Tray Test Assembly Protected w/ Three Hour Fire Rated Design of Thermo-Lag 330 Fire Barrier Sys for CE Nuclear Power Generating Plants."
STORMENT,D. Industrial Testing Laboratories, Inc. 84/03/31. 150pp. 85966:024-85966:208.

-9208260276 Forwards info on US DOT/FRA/BRL high energy impact testing of thermo-lag 330-1 fireproofing matls evaluated & approved for thermal protection of DOT railroad tank cars carrying LPG & similar type products.
WESSON,H.R. Wesson, H.R. 91/10/01. PAUL,R.C. Region 3 (Post 820201). 28pp. 85975:179-85975:239.

-9208260341 "Synopsis on Thermo-lag 330 Fire Barrier Sys for Power Generating Plant Applications."
* Thermal Science, Inc. 87/02/10. 358pp. 85968:269-85969:140.

-9208280054 Forwards technical note 1130-83A, "Subliming Info on Thermo-Lag 330-1 Subliming Fire Barrier Sys for Use as Protective Fire Barrier for Safe Hot Shutdown of Critical Components in Nuclear Power Generating Plants." W/o encl.
LOHMAN,R.A. Thermal Science, Inc. 91/05/11. ULIE,J. Region 3 (Post 820201). 150pp. 85973:264-85974:059.

-9208280082 82-3-2 "Three-Hour ASTM E119 Fire Endurance Test to Qualify Thermo-Lag 330 Conformable Three Hour Stress Skin Fire Wall Sys as Nuclear Fire Wall."
* Industrial Testing Laboratories, Inc. 82/03/01. 28pp. 85958:166-85959:338.

-9208280096 Discusses interactions w/Thermal Science,Inc personnel during May 1992 visit to Omega Point Labs in San Antonio,TX.
WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/05/21. WALKER,K. Office of the Inspector General (Post 890417). 3pp. 85952:339-85952:341.

-9208280098 87-4-3 "One Hour Fire Endurance Test Conducted on Four Inch Diameter WPPS 'In-Situ' Steel Conduit Sections Protected w/ Thermo-Lag 330 Fire Barrier Sys Previously Applied by WPPS Using Low Pressure Extrusion Procedure."
SIEGEL,A.M. Industrial Testing Laboratories, Inc. 87/04/30. 154pp. 85969:141-85969:294.

-9208280104 Accepts invitation to observe fire endurance tests of Thermo-Lag fire barriers at Omega Point Lab in San Antonio, TX.Visit scheduled for 920609.
THADANI,A.C. Division of Systems Technology (890827-921003). 92/06/05. FELDMAN,R. Thermal Science, Inc. 1p. 85953:002-85953:002.

-9208280107 Discusses potential health & safety issues re Thermo-Lag fire barrier sys.
THADANI,A.C. Division of Systems Technology (890827-921003). 92/06/08. WALKER,K.E. NRC - No Detailed Affiliation Given. 2pp. 85953:003-85953:015.

-9208280118 835-92-046A "Rept of Analysis - Exam & Comparision of Six Samples of Fire Retardant Matls."
* National Institute of Standards & Technology (formerly National Bureau of Standa. 92/05/19. 115pp. 85954:097-85954:208.

-9208280128 Summary of 920629 meeting w/NUMARC in Rockville,MD to discuss industry response to NRC bulletin 92-001. W/list of attendees.
MASCIANTONIO,A. Project Directorate III-1. IEB-92-001. 92/07/22. MARSH,L.B. Project Directorate III-1. 3pp. 85954:089-85954:096.

-9208280131 Discusses validity of Thermo-Lag 330-1 ampacity derating test results obtained during testing at Underwriters Labs.
ULIE,J.M. Region 3 (Post 820201). 92/06/16. WALKER,K.E. NRC - No Detailed Affiliation Given. 24pp. 85953:021-85953:044.

-9208280137 Discusses potential discrepancies between current data being compiled at Omega Point & acceptance criteria for gap widths at Comanche Peak.
WALKER,K. Office of the Inspector General (Post 890417). 92/06/29. ARCHITZEL,R.E. Plant Systems Branch. 1p. 85953:220-85953:220.

-9208280140 Discusses 920625 telcon re ongoing installation of Thermo-Lag at plant.
PAUL,R.C. Region 3 (Post 820201). 92/06/25. WALKER,K.E. NRC - No Detailed Affiliation Given. 1p. 85953:221-85953:222.

-9208280145 Provides referral of safety significant issue re Thermo-Lag 330-1 ampacity derating.Documents encl raise questions re 861011 & 25 ampacity tests conducted.
ARCHITZEL,R.E. Plant Systems Branch. 92/07/01. GILL,P.S. Electrical Systems Branch. 28pp. 85953:234-85953:294.

-9208280148 83-5-472A "One-Hour Fire Endurance Test Conducted on Thermo-Lag 330 Subliming Fire Barrier Sys Applied by Direct Spraying, Rolling & Troweling Methods to Class 1E Electrical Cables Installed in Modified Ladder Cable Tray Test Article."
* Industrial Testing Laboratories, Inc. 83/07/31. 200pp. 85961:290-85962:135.

-9208280162 Forwards 2.206 petition re Thermo-Lag & rept staff prepared on subj.W/o encl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 2.206. 92/07/21. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 1p. 85954:002-85954:088.

-9208280177 "Fire Test on Aluminium Ladder Back Cable Tray Protected by Thermo-Lag Prefabricated Panels in Steel Bulkhead," rev 1.
HALL,G.R. Construction Technology Laboratories, Inc. 89/10/31. 100pp. 85971:012-85971:230.

-9208280182 Discusses 920218 telcon w/L Bickwit of Thermal Science,Inc re meeting to discuss technical concerns raised in NRC draft GL discussed w/NUMARC.Thermal Science,Inc wants meeting to assure that testing of product acceptable.
MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 92/02/18. Office of Nuclear Reactor Regulation, Director (Post 870411). 186pp. 85950:065-85950:249.

-9208280184 "Fire Test on Steel Ladder Back Cable Tray Protected w/ Modified Three-Hour Design Using Thermo-Lag Prefabricated Panels & Stress Skin."
HALL,G.R. Construction Technology Laboratories, Inc. 89/11/30. 91pp. 85970:278-85971:011.

-9208280189 Discusses potential health & safety issues re Thermo-Lag due to apparent lack of independence & expertise of Industrial Testing Lab & consequences weaknesses may have had on reported results.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/05/19. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 85952:280-85952:338.

-9208280191 87-5-76 "Three Hour Fire Endurance Test Conducted on Two-Inch Diameter Conduit Test Section Protected w/Thermo-Lag 330 Fire Barrier Sys Interfacing w/Interam E50D/E-54A Series Flexible Wrap Sys."
SIEGEL,A.M. Industrial Testing Laboratories, Inc. 87/06/30. 31pp. 85969:322-85970:027.

-9208280192 Comments on backfit discussion in Thermo-Lag GL.
MIZUNO,G. Office of the General Counsel (Post 860701). 92/02/20. WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 85950:250-85950:251.

-9208280204 Lists actions to be taken in response to 920110 memo re plant fire protection program concerns.Fire protection insp planned for early 1993.
MILLER,H.J. Region 3 (Post 820201). 92/02/07. DAVIS,A.B. Region 3 (Post 820201). 3pp. 85951:153-85951:279.

-9208280215 "Three Hour Qualification Test Flex Conduit Protected w/ 'App R' Insulation in Conjunction w/PROMATEC Ldse," final rept.
* Affiliation Not Assigned. 85/10/31. 259pp. 85962:136-85965:009.

-9208280229 Discusses 920212 visit to plant to discuss decision to use 3M cable tray wrap matl.3M fire test rept used to qualify subj matl documents test which appears to have failed.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/02/21. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:252-85950:296.

-9208280239 Forwards memo describing series of technical concerns developed by task force involving WNP & Comanche Peak. Concerns related to Thermo-Lag fire barrier sys & may have health & safety implications.
WALKER,K.E. Office of the Inspector General (Post 890417). 92/03/04. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85950:297-85950:297.

-9208280247 Discusses rept on technical issues re Thermo-Lag fire barrier sys at plants.
ULIE,J.M. Region 3 (Post 820201). 92/02/18. WALKER,K.E. Office of the Inspector General (Post 890417). 4pp. 85950:298-85950:320.

--9208280248 Provides preliminary results from fire endurance tests of subliming fire barrier panels,per request.
STECKLER,K.D. National Institute of Standards & Technology (formerly National Bureau of Standa. 92/07/21. MADDEN,P.M. Office of Nuclear Reactor Regulation, Director (Post 870411). 18pp. 85953:344-85954:001.

--9208280252 Responds to 920228 ltr commenting on draft GL on Thermo-Lag fire barriers.Ack receipt of request for addl technical info re specific test failures or deficiencies & recognizes need for info.
THADANI,A.C. Division of Systems Technology (890827-921003). 92/03/12. FELDMAN,R. Thermal Science, Inc. 1p. 85951:091-85951:151.

--9208280256 Responds to 920110 memo re plant fire protection concerns. Encl outlines planned actions.
DAVIS,A.B. Region 3 (Post 820201). 92/03/20. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 1p. 85951:152-85951:152.

--9208280261 Summary of 920330-0401 Edison Electric Institute Fire Protection Committee meeting in Tempe,AZ.List of attendees, agenda & meeting rept encl.
ULIE,J.M. Region 3 (Post 820201). 92/04/09. WALKER,K.E. Office of the Inspector General (Post 890417). 165pp. 85956:079-85956:293.

--9208280262 Comments on circuit integrity tests performed in conjunction w/TU sponsored testing at Omega Point Lab.Post- test cable insulation resistance measurements can not be considered to reflect state of cables during testing.
NOWLEN,S. Sandia National Laboratories. 92/07/01. MADDEN,P. Office of Nuclear Reactor Regulation, Director (Post 870411). 37pp. 85953:223-85953:233.

--9208280273 ER-ME-067 R00 "Design Engineering Organization Scope B Engineering Rept, Evaluation of Thermo-Lag Fire Barrier Sys."
* Texas Utilities Electric Co. (TU Electric). 92/03/30. 129pp. 85950:321-85951:090.

--9208280288 Plant procedure 10.25.89, "One Hour - Three Hour Fire Barrier Installation."
HAROLD,L.T. Washington Public Power Supply System. 92/04/23. 87pp. 85952:108-85952:274.

--9510060018 Forwards updated slides presented at 920602 meeting per request.
WINDMANN,M.T. Plant Systems Branch. 92/06/10. RUSSELL,W. NRC - No Detailed Affiliation Given. 4pp. 85953:016-85953:019.

--9510060019 Forwards memo & attachments provided by J Ulie based on analysis of Thermo-Lag ampacity derating tests.
WALKER,K. Office of the Inspector General (Post 890417). 92/06/16. ARCHITZEL,R.E. Plant Systems Branch. 1p. 85953:020-85953:020.

--9510060022 Informs that insp scheduled for 920504-08 has been rescheduled for week of 920727 due to availability of inspector re fire protection program concerns.
ZIMMERMAN,R.P. Region 5 (820201 - 940403). 92/04/16. MIRAGLIA,F.J. Office of Nuclear Reactor Regulation, Director (Post 870411). 28pp. 85951:280-85952:016.

--9510060064 Forwards info notice re status of Thermo-Lag fire barrier sys.
MCCRACKEN,C.E. Plant Systems Branch. TAC M82809. 92/06/16. BERLINGER,C.H. Generic Communications Branch. 4pp. 85953:045-85953:050.

--9510060187 82-5-355F Rept 82-5-355F, "Ampacity Derating Test for 1000 Volt Power Cables in Ladder Cable Tray Protected W/3 H Rated Design of Thermo-Lag 330-1 Subliming Coating Envelope Sys."
STORMENT,D., SIEGEL,A.M. Industrial Testing Laboratories, Inc. 82/07/31. 152pp. 85954:209-85955:001.

--9510060204 Forwards completed Vendor Insp Branch for Thermal Science, Inc which incorporates comments forwarded by 920214 memo from JM Ulie to RC Wilson.
NORRHOLM,L.J. Vendor Inspection Branch. 92/03/09. HAYES,B.B. Ofc of Investigations (Post 880201). WALKER,K.E. Office of the Inspector General (Post 890417). 7pp. 85952:017-85952:107.

--9510060206 82-5-355-B Rept 82-5-355B, "3 H Fire Endurance Tests on Thermo-Lag 330-1 Subliming Coating Envelope Sys for WPPSS Nuclear Projects."
STORMENT,D., SIEGEL,A.M. Industrial Testing Laboratories, Inc. 82/07/31. 280pp. 85955:002-85955:336.

--9510060211 "Rept of Pilot Scale Vertical Fire Endurance Test of Insulation Sys for Rigid Conduits."
* Warnock Hersey Professional Services, Ltd. 87/04/13. 22pp. 85969:295-85969:321.

--9510060215 Project Plan PJ-21, "3M/TSI Interface Proposal Installation Only."
LANWERMEYER,D. Minnesota Mining & Manufacturing Co. (3M Co.). 86/08/27. 70pp. 85955:337-85956:078.

--9510060217 Forwards final rept, "Special Review Team for Review of Thermo-Lag Fire Barrier Performance," dtd 920417.Comments on draft GL should be provided to allow thorough review prior to followup meeting.
THADANI,A.C. Division of Systems Safety & Analysis (Post 921004). 92/05/12. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 85952:275-85952:278.

--9510060220 Submits daily highlight re confirmatory testing of protective fire barrier sys (Thermo-Lag) at Omega Point Lab.
HOLIAN,B.E. Project Directorate III-1. 92/06/20. MURLEY,T., MIRALIA,F., RUSSELL,W. NRC - No Detailed Affiliation Given. 9pp. 85953:165-85953:219.

--9510060225 Preliminary "Engineering Test Rept on One & Three Hour Fire Resistive Test Program Conducted on Test Articles Protected W/GSU In Situ Fire Barrier Designs &/or Upgraded Thermo-Lag 330 Fire Barrier Designs."
* Industrial Testing Laboratories, Inc. 91/01/31. 600pp. 85971:231-85973:263.

--9510060226 Forwards request for procurement action,NRC Form 400,Parts 1 & 2,for action.
SCHWINK,W.S. Office of Nuclear Reactor Regulation, Director (Post 870411). FIN L-2063. 92/05/19. HALMAN,E.L. Division of Contracts & Property Management (890206-940714). 11pp. 85952:342-85953:001.

--9510060228 Discusses allegations at meeting on 910305,involving Thermal Science,Inc allegation NRR-91-A-0011.
NOTLEY,D.P. Office of Nuclear Reactor Regulation, Director (Post 870411). 91/07/29. MCCRACKEN,C.E. Plant Systems Branch. 2pp. 85974:060-85974:265.

--9510060235 "ANI/MAERP RA Guidelines for Fire Stop & Wrap Sys in NPP Facilities," draft B.3.
* American Nuclear Insurers & MAERP Reinsurance Association. 87/06/25. 59pp. 85970:028-85970:086.

--9510060238 "ANI/MAERP RA Guidelines for Fire Stop & Wrap Sys at Nuclear Facilities."
* American Nuclear Insurers & MAERP Reinsurance Association. 87/11/30. 95pp. 85970:087-85970:277.

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--7902020216 Requests addl info re 781120 application for amend of Matl/Biproduct License 47-01163-20.Info needed includes: confirmation of nonhuman use for all byproduct matls & description of radiation safety for Charleston Div.
WALKER,W.J. Radioisotopes Licensing Branch (Pre 790501). 97383. 79/01/19. SLACK,S.T. West Virginia Univ., Morgantown, WV. 2pp. 86123:245-86123:246.

--7905250250 Responds to NRC ltr re violation noted in IE insp of License 47-01163-20 on 771215-16.Corrective action: investigation into missing sealed sources initiated.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 79/04/06. O'REILLY,J.P. Region II, IE (720101-810228). 2pp. 86123:247-86123:248.

--7911150201 Requests status of application for renewal of License 47-01163-20.
SLACK,S.T. West Virginia University Hospitals, Inc., Morgantown, WV. 99444. 79/10/09. LAMASTRA,M.A. Materials Licensing Branch. 1p. 86123:251-86123:251.

--7911190190 Ack receipt of 791009 request for status of request to renew License 47-01163-20.Review should be complete by 791201.
LAMASTRA,M.A. Materials Licensing Branch. 99444. 79/10/29. SLACK,S.T. West Virginia University Hospitals, Inc., Morgantown, WV. 1p. 86123:252-86123:252.

--8001040273 Requests amend of Matl/Byproduct License 47-01163-20 authorizing N-63 sources of 15 mCi each for gas chromatographs.
KOPPELMAN,R., SLACK,S.T. West Virginia University Hospitals, Inc., Morgantown, WV. 02096. 79/12/05. LAMASTRA,M. Materials Licensing Branch. 15pp. 86123:253-86123:267.

--8002010386 Forwards Amend 12 to Matl/Byproduct License 47-00163-20. Indicates that ALARA program submission dtd 791204 will be maintained on file until further notice.W/o encl.
LAMASTRA,M.A. Materials Licensing Branch. 80/01/03. SLACK,S.T. West Virginia University Hospitals, Inc.,-Morgantown, WV. 1p. 86123:268-86123:268.

--8005130856 Discusses IE insp of License 47-01163-20 on 800219 & forwards notice of violation.
STOHR,J.P. Fuel Facility & Materials Safety Branch, R2. 80/03/11. BUDIG,G. West Virginia Univ., Morgantown, WV. 2pp. 86123:270-86123:271.

--8008200228 Requests amend of Matl/Byproduct License 47-01163-20 to increase possession limit of Mo-99 & Tc-99m to 5 Ci each. Renewal application forwarded.
SLACK,S.T. West Virginia University Hospitals, Inc., Morgantown, WV. 04660. 80/07/08. WALKER,W.J. Materials Licensing Branch. 1p. 86123:285-86123:285.

--8008200232 Application for renewal of Matl/Byproduct License 47-01163-20 authorizing use of Groups I-VI byproduct matls, I-131,P-32,Au-198 & Xe-133 for diagnostic & therapeutic purposes & treatment of humans.
* West Virginia University Hospitals, Inc., Morgantown, WV. 04660. 80/07/08. 1p. 86123:286-86123:286.

--8209160333 Responds to NRC 820630 ltr re violations noted in IE insp of Licenses 47-01163-20 & 47-01163-22 on 820519.Corrective actions:teletherapy calibr performed annually & linearity checks performed quarterly.
SLACK,S.T., COLLINS,W.E. West Virginia Univ., Morgantown, WV. 82/07/29. OLSHINSKI,J. Div of Engineering & Operational Programs, R2. 3pp. 86124:180-86124:182.

--8209160337 Confirms 820722 telcon re application for amend to License 47-01163-20 to store radwaste in leased space.Carbon dioxide sys will be designed to preclude fire hazard.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 82/05/23. ST MARY,F.A. Materials Licensing Branch. 2pp. 86124:183-86124:184.

--8209160341 Requests relocation of long-term radwaste storage site to bldg formerly owned by Bailey Glass Co in Morgantown,WV.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 82/04/22. Materials Licensing Branch. 4pp. 86124:185-86124:189.

--8406230455 IE Insp Findings & Licensee Ack dtd 840524 of License 47-01163-22.Insp findings:no violations observed.Steps taken to correct violations identified during previous insp verified.
BROWN,R.A. Region 2 (Post 820201). 84/05/24. 1p. 86124:190-86124:190.

--8506190460 Amend 5 to License 47-01163-24 for West Virginia Univ, revising Item 4 to extend expiration date to 851231.
WRIGHT,E.G. Region 2 (Post 820201). 85/05/24. 1p. 86124:286-86124:286.

--8506190462 Application for amend to License 47-01163-24,requesting extension of license expiration date to 851231.
COLLINS,W.E., SLACK,S.T. West Virginia Univ., Morgantown, WV. 50561. 85/04/16. WRIGHT,E.G. Region 2 (Post 820201). 1p. 86124:285-86124:285.

--8602260084 Amend 6,terminating License 47-01163-24 for West Virginia Univ.License terminated concurrent w/issuance of License 47-23035-02.
WRIGHT,E.G. Region 2 (Post 820201). 85/09/30. 1p. 86124:287-86124:287.

--8606190501 Amend 17,terminating License 47-01163-20 for West Virginia Univ Medical Ctr.
WRIGHT,E.G. Region 2 (Post 820201). 85/04/09. 1p. 86124:015-86124:037.

--8606190548 Application for license to implant Medtronic Laurens Alcatel Model 9000 isotopic pulse generator.
KHURI,N. West Virginia University Hospitals, Inc., Morgantown, WV. 6093. 77/02/14. SINGER,B. Radioisotopes Licensing Branch (Pre 790501). 7pp. 86124:038-86124:075.

--9510100076 Responds to 540210 ltr re stable isotope of O18.Booklet from Oak Ridge Natl Lab very useful.Most recent issue of booklet requested.
SEBASTIAN,J.J. Interior, Dept. of. 56/08/14. BRYDEN,R.R. Atomic Energy Commission (Pre 750119). 3pp. 86118:064-86118:066.

--9510100083 Requests approval of project to determine effect of gamma radiation.
STEWART,R.F. Interior, Dept. of, Bureau of Mines. 56/09/24. Atomic Energy Commission (Pre 750119). 2pp. 86118:067-86118:068.

--9510100092 Responds to ltr discussing Co-60 sources.Proposed stds,form AEC-313 & sealed sources encl.
BLANS,G.A. Atomic Energy Commission (Pre 750119). 56/10/18. STEWART,R.F. Interior, Dept. of, Bureau of Mines. 2pp. 86118:069-86118:070.

--9510100100 Ack receipt of 561016 ltr re license for use of 1 Ci Co-60 source to determine effects of gamma radiation on steam- carbon reaction.
STEWART,R.F. Interior, Dept. of, Bureau of Mines. 56/11/05. BLANS,G.A. Atomic Energy Commission (Pre 750119). 1p. 86118:071-86118:071.

--9510100106 Forwards background of GE Fore from West Virginia Univ, Extension Div.
SIEBENTRITT,C. Defense, Dept. of. 63/08/02. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 18pp. 86126:223-86126:240.

--9510100108 Ack receipt of 561106 ltr re Co-60 source to determine effects of gamma radiation on steam carbon reaction.
FERRELL,C.L. Atomic Energy Commission (Pre 750119). 56/11/19. STEWART,R.F. Interior, Dept. of, Bureau of Mines. 2pp. 86118:072-86118:073.

--9510100111 Forwards class roster for RMI course held in Buckhannon, West Virginia in May of 1965.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/05/16. BASSIN,N. Atomic Energy Commission (Pre 750119). 6pp. 86126:241-86126:246.

--9510100114 Application for license,authorizing possession & use of 10 mCi Co-60 & Cs-Ba-137.
STEWART,J. West Virginia Univ., Morgantown, WV. 56/09/08. 8pp. 86118:074-86118:081.

--9510100119 Lists students that still have to take final exams.Results will be forwarded as soon as results received.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/06/27. BASSIN,N. Atomic Energy Commission (Pre 750119). 4pp. 86126:247-86126:254.

--9510100123 Advises that handling of activity will be supervised by Professor MO Coover & CD Thomas.Monitoring will be carried out w/1615 nuclear instruments monitors.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 24332. 54/03/05. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 86118:082-86118:082.

--9510100125 Forwards list of satisfactory completions of Civil Defense Course titled Radiological Monitoring for Instructors.Course taught by CD Thomas at Charleston,West Virginia 660912-16.
NEWLON,S. West Virginia Univ., Morgantown, WV. 66/09/27. Atomic Energy Commission (Pre 750119). 11pp. 86126:255-86126:265.

--9510100127 Amend 4 to License 47-01163-01 for WV Univ,authorizing possession & use of 10 mCi Co-60 & 10 mCi Cs-137 & Am-137.
* Atomic Energy Commission (Pre 750119). 56/09/20. 1p. 86118:083-86118:086.

--9510100130 Forwards AEC Form 313a,ltr in support from L Zieve,Chief Radioisotope Svc,Veterans Admin Hosp,Minneapolis,MN & photograph of certificate establishing completion of course of instruction in "Radioisotope Technique in Nuclear...."
JONES,J.E. West Virginia Univ., Morgantown, WV. 67/12/06. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 7pp. 86126:266-86126:272.

--9510100131 Forwards application for byproduct matl license,authorizing possession & use of Co source for determination of effect of gamma radiation on steam carbon reaction.
STEWART,R.F. West Virginia Univ., Morgantown, WV. 56/11/26. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86118:087-86118:087.

--9510100134 Application for license,authorizing possession & use of 1,000 mCi Co-60.
STEWART,R.E. West Virginia Univ., Morgantown, WV. 56/11/28. 4pp. 86118:088-86118:091.

--9510100137 Certifies that JE Jones participated in activities of radioisotope svc during yr 1959-1960.
ZIEVE,L. Veterans Admin. Medical Center, Minneapolis, MN. 67/11/29. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 9pp. 86126:273-86126:281.

--9510100140 Forwards amend 1 to license 47-01163-01.
HITCH,J.W. Atomic Energy Commission (Pre 750119). 56/12/20. STEWART,R.F. Interior, Dept. of, Bureau of Mines. 1p. 86118:092-86118:092.

--9510100142 Amend 1 to license 47-01163-01 for West Virginia Univ, authorizing possession & use of 1 Curie Co-60.
* Atomic Energy Commission (Pre 750119). 56/12/20. 1p. 86118:093-86118:096.

--9510100143 Forwards page 3 of application Form AEC-313a for completion by clinical radioisotope preceptor in behalf of JE Jones.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/11/06. JONES,J.E. West Virginia Univ., Morgantown, WV. 1p. 86126:282-86126:282.

--9510100148 Forwards addl info re license 47-01163-01.Std operating procedures,emergency procedures & formal administrative procedures encl.
STEWART,R.F. Interior, Dept. of, Bureau of Mines. 57/02/21. HITCH,J.W. Atomic Energy Commission (Pre 750119). 6pp. 86118:097-86118:102.

--9510100150 Requests that AEC check & advise JE Jones whether or not record on file w/AEC of JE Jones having had isotope & nuclear medicine training,in view of recent delays & difficulties encountered re stated request.
JONES,J.E. West Virginia Univ., Morgantown, WV. 67/09/25. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 18pp. 86126:283-86126:300.

--9510100151 Application for amend to license 47-01163-01,permitting determination of effect of gamma radiation on steam-carbon reaction at 1,500 F instead of 1,000 F.
STEWART,R.F. Interior, Dept. of, Bureau of Mines. 57/03/27. HITCH,J.W. Atomic Energy Commission (Pre 750119). 3pp. 86118:103-86118:105.

--9510100153 Confirms 570410 telcon re operating temps of steam-carbon gamma radiation experiment.
HITCH,J.W. Atomic Energy Commission (Pre 750119). 57/04/10. STEWART,R.F. Interior, Dept. of, Bureau of Mines. 1p. 86118:106-86118:106.

--9510100157 Forwards application for byproduct license & authorization for radioisotope procurement.W/o encl.
LILLY,V.G. West Virginia Univ., Morgantown, WV. 57/04/17. ABERSOLD,P.C. Atomic Energy Commission (Pre 750119). 1p. 86118:107-86118:107.

--9510100161 Ack receipt of 570221 ltr containing addl info re program at Univ of WV.
HITCH,J.V. Atomic Energy Commission (Pre 750119). 57/04/22. STEWART,R.F. Interior, Dept. of, Bureau of Mines. 1p. 86118:108-86118:108.

--9510100164 Advises that licenses 47-01163-01,47-01163-02 & 47-01163-03 assigned to Oak Ridge Operations Ofc for compliance insps.
MCALDUFF,H.J. Atomic Energy Commission (Pre 750119). 57/09/23. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 2pp. 86118:109-86118:110.

--9510100168 Advises that author will be in physics bldg on 571010 & be glad to meet JT Sutherland.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 57/09/26. MCALDUFF,H.J. Atomic Energy Commission (Pre 750119). 1p. 86118:111-86118:111.

--9510100172 Application for amends to licenses 47-01163-01,47-01163-02 & 47-01163-03,authorizing possession & use of 500 mCi Co-60.
STEWART,J. West Virginia Univ., Morgantown, WV. 57/10/30. 3pp. 86118:112-86118:114.

--9510100175 Requests listed addl info re application for amend to license 47-01163-01 re possession & use of Co-60 source.
HITCH,J.V. Atomic Energy Commission (Pre 750119). 57/11/19. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86118:115-86118:115.

--9510100176 Application for license,authorizing possession & operation of Co-60 irradiator.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/03/30. Materials Licensing Branch. 48pp. 86126:301-86126:348.

--9510100183 Requests listed addl info re application for amend to license 47-01163-01.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 57/11/29. HITCH,J.W. Atomic Energy Commission (Pre 750119). 1p. 86118:116-86118:119.

--9510100188 Amend 2 to license 47-01163-01 for WV Univ,authorizing possession & use of 96 mCi Co-60.
* Atomic Energy Commission (Pre 750119). 57/12/05. 1p. 86118:120-86118:120.

--9510100196 Discusses insp of license 47-01163-01 on 571009.Records of surveys were not maintained as required by 10CFR20.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/01/30. THOMAS,C.B. West Virginia Univ., Morgantown, WV. 1p. 86118:121-86118:121.

--9510100199 Forwards insp rept of activities under license 47-01163-01. W/o encl.
MANN,M.M. Atomic Energy Commission (Pre 750119). 57/12/16. PITTMAN,F.K. Atomic Energy Commission (Pre 750119). 1p. 86118:122-86118:122.

--9510100205 Application for amend,renewing license 47-01163-01.
STEWART,J. West Virginia Univ., Morgantown, WV. 58/08/05. 3pp. 86118:123-86118:125.

--9510100208 Ack receipt of application for byproduct license.Application assigned control number 43171 & being reviewed.
MASON,J.R. Atomic Energy Commission (Pre 750119). 43171. 62/05/10. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86126:349-86126:349.

--9510100211 Amend 3 to license 47-01163-01 for West Virginia Univ, authorizing possession & use of 10 mCi Co-60,10 mCi Cs-137 & Ba-137 & 98 mCi C0-60 sealed source.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/09/16. 1p. 86118:126-86118:128.

--9510100217 License 47-01163-01 for West Virginia Univ,authorizing possession & use of 10 mCi Co-60 & 10 mCi Cs-137-Ba-137.
* Atomic Energy Commission (Pre 750119). 56/09/20. 2pp. 86118:129-86118:132.

--9510100219 Requests that AEC expedite processing request for amend to license 47-01163-08,in view that licensee working on project for Div of Isotopes Development which will be accelerated ten-fold by procurement of activity described in request.
KENT,J.A. West Virginia Univ., Morgantown, WV. 43171. 62/05/14. BELL,J.M. Atomic Energy Commission (Pre 750119). 1p. 86126:350-86126:350.

--9510100224 Application for license,authorizing use of 100 mCi of I-131, 50 mCi of soluable phosphate P-32 & 10 mCi of Cs-134.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/01/07. 3pp. 86118:191-86118:193.

--9510100225 Application for amend,renewing license 47-01163-01.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 59/05/12. 7pp. 86118:133-86118:139.

--9510100231 Amend 4 to license 47-01163-01 for WV Univ,authorizing possession & use of 10 mCi Iron-55.
MASON Atomic Energy Commission (Pre 750119). 59/05/20. 1p. 86118:140-86118:144.

--9510100236 Revised application for amend to license 47-01163-08, incorporating encl drawing into 620503 request for amend to license 47-01163-08,paragraph (6),page 2.
KENT,J.A., THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/05/25. Atomic Energy Commission (Pre 750119). 2pp. 86126:351-86126:352.

--9510100237 Forwards application for OCDM sealed source set.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/06/02. Atomic Energy Commission (Pre 750119). 1p. 86118:145-86118:145.

--9510100243 Application for amend to license 47-01163-01,authorizing 30 mCi Co-60 in OCDM sealed source set.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/06/02. 3pp. 86118:146-86118:148.

--9510100245 Application for license,authorizing use of 100 mCi of I-131, 50 mCi soluable phosphate of P-32 & 10 mCi Cs-134.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/01/07. 3pp. 86118:194-86118:196.

--9510100248 Amend 5 to license 47-01163-01 for West Virginia Univ, authorizing possession & use of 30 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/06/09. 1pp. 86118:149-86118:155.

--9510100249 Requests that listed info be incorporated into request for amend to license 47-01163-08 to permit procurement & use of up to 12,000 Ci of Co-60,per questions brought to licensee attention by M Stein.
KENT,J.A. West Virginia Univ., Morgantown, WV. 43171. 62/06/15. BELL,J. Atomic Energy Commission (Pre 750119). 3pp. 86126:353-86126:355.

--9510100254 Application for amend to license 47-01163-01,authorizing possession & use of 108 mCi Co-60,10 mCi Cs-137 & Ba-137 & 10 mCi Iron-55.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/08/10. 4pp. 86118:156-86118:159.

--9510100257 Amend 2 to license 47-01163-08 for West Virginia Univ.
BELL,J.M. Atomic Energy Commission (Pre 750119). 62/06/26. 2pp. 86126:356-86126:357.

--9510100258 Amend 8 to license 47-01163-01 for West Virginia Univ, authorizing use of 100 mCi I-131,50 mCi P-32 & 10 mCi Cs-134.
BWOYER,J.E. Atomic Energy Commission (Pre 750119). 69/01/29. 1p. 86118:197-86118:197.

--9510100259 Forwards amend 6 to license 47-01163-01.
BASSIN,N. Atomic Energy Commission (Pre 750119). 60/10/10. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86118:160-86118:160.

--9510100265 Amend 6 to license 47-01163-01 for WV Univ,authorizing possession & use of 10 mCi Co-60,10 mCi Cs-137 & Ba-137 & 10 mCi Iron-55.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/10. 3pp. 86118:161-86118:170.

--9510100271 Informs that 9 Ci Tritium target for use w/HEV generator has been on order & should be added to application in NRC hands.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/01/27. Atomic Energy Commission (Pre 750119). 1p. 86118:198-86118:198.

--9510100275 Requests 10 copies of Form AEC-3 for posting in various installations in institution.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/11/29. Atomic Energy Commission (Pre 750119). 1p. 86118:171-86118:171.

--9510100276 Advises that change to emergency procedures,proposed in JA Kent 610627 ltr which led to amend 1 to license 47-01163-08 ack in amend 2 to license 47-01163-08 by ref to JA Kent 610627 ltr in license condition 15.
BELL,J.M. Atomic Energy Commission (Pre 750119). 62/08/22. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86126:358-86126:358.

--9510100278 Forwards 10 copies of Forms AEC-3,AEC-4 & AEC-5.W/o encl.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 60/12/01. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86118:172-86118:172.

--9510100279 Informs of addl info needed to continue review of request for amend to license 47-01163-01 re neutron generator.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/06. THOMAS,C.E. West Virginia Univ., Morgantown, WV. 2pp. 86118:199-86118:200.

--9510100280 Requests 12-15 copies of revised Form AEC-3.
WILSON,R.W. West Virginia Univ., Morgantown, WV. 61/07/06. Atomic Energy Commission (Pre 750119). 1p. 86118:173-86118:173.

--9510100283 Expresses thanks for prompt review of request for amend to license 47-01163-08.Licensee able to complete facility on schedule & order for Co-60 placed as result of AEC action. Licensee 610627 ltr & amend 1 to license encl for info.
KENT,J.A. West Virginia Univ., Morgantown, WV. 62/08/17. BELL,J. Atomic Energy Commission (Pre 750119). 4pp. 86126:359-86127:003.

--9510100284 Forwards 15 copies of revised Form AEC-3.W/o encl.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 61/07/10. West Virginia Univ., Morgantown, WV. 1p. 86118:174-86118:174.

--9510100286 Forwards compliance insp repts covering reinsp of activities under licenses 47-01163-01 & 47-01163-02.Noncompliances noted.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 61/11/07. Atomic Energy Commission (Pre 750119). 2pp. 86118:175-86118:176.

--9510100288 Insp of licenses 47-01163-01 & 47-01163-02 on 611017. Noncompliance noted:records of results of radiation survey not properly maintained.
GUINN,P.R., SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 61/10/27. 6pp. 86118:177-86118:182.

--9510100290 Discusses insp of licenses 47-01163-01 & 47-01163-02 on 611017.Noncompliance noted.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/01/22. STAHR,E.J. West Virginia Univ., Morgantown, WV. 1p. 86118:183-86118:185.

--9510100291 Submits data re license 47-01163-01 to include tritium.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/02/11. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 86118:201-86118:206.

--9510100293 Ack receipt of 621005 ltr reporting transfer of radioactive contamination to facilities & equipment during unloading of cask containing 10,000 Ci of Co-60 in pool irradiator.
PRICE,E.R. Atomic Energy Commission (Pre 750119). 62/10/17. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86127:004-86127:004.

--9510100295 Ack receipt of 620122 ltr addressing former President Stahr re deficiencies in maint of certain records required under AEC.
MILLER,P.A. West Virginia Univ., Morgantown, WV. 62/03/01. PRICE,E.R. Atomic Energy Commission (Pre 750119). 1p. 86118:186-86118:186.

--9510100296 Informs that on 621002,cask containing 10,000 Ci of Co-60 unloaded in pool irradiator referred to in license 47-01163-08.Listed observations made.
KENT,J.A. West Virginia Univ., Morgantown, WV. 62/10/05. Atomic Energy Commission (Pre 750119). 2pp. 86127:005-86127:006.

--9510100300 Amend 9 to license 47-01163-01 for West Virginia Univ, authorizing use of 9 mCi H-3.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/25. 1p. 86118:207-86118:207.

--9510100301 Application for amend,renewing license 47-01163-01.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/10/09. 2pp. 86118:187-86118:188.

--9510100303 Amend 7 to license 47-01163-01 for WV Univ,revising Conditions 12 & 16 as listed.
KWAST,C.Z. Atomic Energy Commission (Pre 750119). 62/10/19. 1p. 86118:189-86118:189.

--9510100305 Insp on 621108 of license 47-01163-08.Insp findings:Form AEC-3 not properly posted.
* Atomic Energy Commission (Pre 750119). KENT,J.A. West Virginia Univ., Morgantown, WV. 62/11/08. 4pp. 86127:007-86127:010.

--9510100306 Discusses qualifications of GE Fore.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/08/20. Atomic Energy Commission (Pre 750119). 1p. 86118:190-86118:190.

--9510100309 Notifies that license 47-01163-08 expires on 640531.Renewal must be requested within 30 days of expiration.If renewal not desired,encl Form WA-277, "Certificate - Disposition of Radioisotopes" must be completed & returned to AEC.W/o encl.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 64/03/23. KENT,J.A. West Virginia Univ., Morgantown, WV. 2pp. 86127:011-86127:012.

--9510100328 Amend 10 to license 47-01163-01 for West Virginia Univ.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/01/09. 1p. 86118:208-86118:208.

--9510100371 Requests that license 47-01163-01 be amended to cover tritium to amount of 12 Ci.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/04/27. Atomic Energy Commission (Pre 750119). 1p. 86118:209-86118:209.

--9510100374 Application for amend to license 47-01163-01,authorizing use of listed matls in sample preparation in research lab & target bombardment for neutron production.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/09/25. Atomic Energy Commission (Pre 750119). 3pp. 86118:210-86118:212.

--9510100383 Amend 11 to license 47-01163-01 for West Virginia Univ, authorizing use of 10 mCi Co-60,10 mCi Cs-137 & Ba-137,10 mCi Fe-55,98 mCi Co-60,30 mCi Co-60,100 mCi I-132,50 mCi P- 32,10 mCi Cs-132 & 12 Ci H-3.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/10/30. 6pp. 86118:213-86118:219.

--9510100388 Application for amend to license 47-01163-01,authorizing use of 50 mCi Te-129,100 mCi Nd-149 & Sn-125.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/11/12. 3pp. 86118:220-86118:222.

--9510100390 Amend 12 to license 47-01163-01 for West Virginia Univ, authorizing use of 50 mCi Te-129,100 mCi Nd-149 & 50 mCi Sn-125.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/12/15. 1p. 86118:223-86118:226.

--9510100396 Informs that licensee does not have specific health or safety problem re license 47-01163-01.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 65/12/15. Atomic Energy Commission (Pre 750119). 7pp. 86118:227-86118:233.

--9510100399 Informs that three of activities under AEC license 47-01163-01 & six activities under AEC license 47-01163-09 appear to be in noncompliance w/AEC requirements.
DAVIS,J.G. Atomic Energy Commission (Pre 750119). 65/12/17. MILLER,P.A. West Virginia Univ., Morgantown, WV. 1p. 86118:234-86118:234.

--9510100402 Notice of deviation/nonconformance from insp of license 47-01163-01.Deviation/Nonconformance noted:inventory of licensed matl included two metallic bars of Co-60 not in form of sealed sources as required by license.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 65/12/09. 7pp. 86118:235-86118:242.

--9510110251 Application for amends,terminating Licenses 47-01163-01 & 47-01163-03 & transferring listed sealed sources on License 47-01163-05 to License 47-01163-20.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/11/14. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 86119:313-86119:314.

--9510110256 Application for license,authorizing possession & use of 300 Ci Cs-137 for ionizing irradiation.
PATRICK,H. West Virginia Univ., Morgantown, WV. 59/09/04. 5pp. 86119:315-86119:319.

--9510110264 Forwards matl unintentionally omitted from 590921 application for byproduct matl license.
PATRICK,H. West Virginia Univ., Morgantown, WV. 59/09/24. Atomic Energy Commission (Pre 750119). 4pp. 86119:320-86119:323.

--9510110267 Requests addl listed info in support of 590904 application for license.
SMITH,D.A. Atomic Energy Commission (Pre 750119). 59/10/12. PATRICK,H. West Virginia Univ., Morgantown, WV. 2pp. 86119:324-86119:325.

--9510110269 Answers questions posed in 591012 ltr re application for license.
PATRICK,H. West Virginia Univ., Morgantown, WV. 59/10/21. SMITH,D.A. Atomic Energy Commission (Pre 750119). 2pp. 86119:326-86119:327.

--9510110272 Requests comments on perfecting transfer technique & emergency procedures employed during source transfer in support of 590904 application.
SMITH,D.A. Atomic Energy Commission (Pre 750119). 59/11/02. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86119:328-86119:328.

--9510110278 Informs that author constructing 4 capsules similiar to ones which will hold Cs-137,Capsule design discussed.
PATRICK,H. West Virginia Univ., Morgantown, WV. 59/11/10. SMITH,D.A. Atomic Energy Commission (Pre 750119). 2pp. 86119:329-86119:330.

--9510110283 License 47-01163-09 for WV Univ,authorizing possession & use of 300 Ci Cs-137.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/11/13. 2pp. 86119:331-86119:332.

--9510110288 Safety insp on 611017 of license 47-01163-09.Insp findings: rooms or areas were not posted in indicate presence of high radiation area,form AEC-3 was not posted & records of leak tests not maintained as required by license.
GUINN,P.R. Atomic Energy Commission (Pre 750119). PATRICK,T. West Virginia Univ., Morgantown, WV. 61/10/17. 1p. 86119:333-86119:333.

--9510110292 Application for amend,renewing license 47-01163-08.
PATRICK,B. West Virginia Univ., Morgantown, WV. 64/04/14. 3pp. 86119:334-86119:336.

--9510110295 Record of telcon w/H Patrick on 650104 re status of application for 500 mCi Tritium.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 65/01/04. 1p. 86119:337-86119:337.

--9510110302 Amend 1 to license 47-01163-09 for WV Univ,authorizing possession & use of 300 Ci Cs-137 for irradiation studies.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 65/01/18. 4pp. 86119:338-86119:341.

--9510110308 Responds to 651217 ltr re handling of matls under control of AEC.
MILLER,P.A. West Virginia Univ., Morgantown, WV. 66/01/07. DAVIS,J.G. Atomic Energy Commission (Pre 750119). 3pp. 86119:342-86119:344.

--9510110312 Requests response to noncompliances noted in insps of licenses 47-01163-01 & 47-01163-09.
DAVIS,J.G. Atomic Energy Commission (Pre 750119). 65/12/17. MILLER,J.G. West Virginia Univ., Morgantown, WV. 1p. 86119:345-86119:345.

--9510110321 Insp of license 47-01163-09 on 651207.Noncompliances noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 65/12/17. 9pp. 86119:346-86119:355.

--9510110326 Insp of license 47-01163-01 on 651109.Noncompliances noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 65/12/09. 7pp. 86119:356-86120:002.

--9510110329 Application for license,authorizing use of 10 mCi Co-60,10 mCi Cs-137,Ba-137,10 mCi Fe-55,98 mCi Co-60,30 mCi Co-60,100 mCi I-131,50 mCi P-32,10 mCi Cs-134 & 12 Ci H-3.
THOMAS,C.D West Virginia Univ., Morgantown, WV. 66/10/05. 2pp. 86118:243-86118:244.

--9510110330 Ack receipt of 691217 ltr re notice of expiration of license.License 47-01163-20 expires 740731.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 70/01/07. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86120:003-86120:003.

--9510110335 Amend 13 to license 47-01163-01 for West Virginia Univ.
BOWYER,J.E Atomic Energy Commission (Pre 750119). 66/10/20. 1p. 86118:245-86118:248.

--9510110336 Application for amend,renewing license 47-01163-07.
THOMAS,C.D. Atomic Energy Commission (Pre 750119). 60/07/29. 3pp. 86120:004-86120:006.

--9510110343 License 47-01163-10 for WV Univ,authorizing possession & use of 16.5 mCi Cs-137 in soil density probe.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/08/18. 2pp. 86120:007-86120;008.

--9510110347 Notifies that license 47-01163-10 expires on 620831.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/06/27. BOUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 2pp. 86120:009-86120:010.

--9510110353 Application for license,authorizing 10 mCi Cs-137 & Be-137, 10 mCi Na-22,10 mCi Co-60,10 mCi Ba-133,10 mCi Mn-54,10 mCi Te-129 & I-129,10 mCi Sn-125,10 mCi Nd-147,10 mCi Te-124,10 mCi Te-132 & 10 mCi Ru-101.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/11/15. 4pp. 86118:249-86118:252.

--9510110354 Application for amend,renewing license 47-01163-10.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/07/10. 3pp. 86120:011-86120:013.

--9510110358 Amend 1 to license 47-01163-10 for WV Univ,authorizing possession & use of 3.8 mCi Cs-137 in density gauge.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/07/25. 2pp. 86120:014-86120:015.

--9510110365 Safety insp on 640422 of license 47-01163-10.Insp findings: records of receipt,transfer,disposal,export or inventory of licensed matl not properly maintained.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). BROUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 64/04/22. 1p. 86120:016-86120:016.

--9510110366 Informs that licensee should note Na-22,Mn-54,Te-124 & Ru-101 not included in license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/01/02. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86118:253-86118:253.

--9510110369 Notifies that license 47-01163-10 expires on 670831.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 67/07/03. West Virginia Univ., Morgantown, WV. 2pp. 86120:017-86120:018.

--9510110374 Notifies that license 47-01163-10 expires on 670831.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 67/09/20. West Virginia Univ., Morgantown, WV. 1p. 86120:019-86120:019.

--9510110377 Amend to license 47-01163-01 for West Virginia Univ, authorizing use of 60 mCi Te-129 & I-129,10 mCi Ba-133,10 mCi Te-132 & 10 mCi Nd-147 & Pm-147.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/01/03. 2pp. 86118:254-86118:255.

--9510110379 Discusses compliance inquiry re license 47-01163-10.License terminated.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 67/11/14. REEDER,J.R. Atomic Energy Commission (Pre 750119). 2pp. 86120:020-86120:021.

--9510110385 Application for amend,renewing license 47-01163-07.
* Atomic Energy Commission (Pre 750119). 60/08/10. 2pp. 86120:022-86120:023.

--9510110387 License 47-01163-11 for WV Univ,authorizing possession & use of 3.5 mCi Cs-137 in density gauge.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/08/23. 2pp. 86120:024-86120:025.

--9510110392 Forwards amend 1 to license 47-01163-11,terminating license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 60/09/12. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86120:026-86120:026.

--9510110397 Amend 1,terminating license 47-01163-11.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/09/14. 1p. 86120:027-86120:027.

--9510120001 Application for license,authorizing possession & use of 1 mCi C-14 & P-32 in radiography experiments.
GOLDBERG,E. West Virginia Univ., Morgantown, WV. 60/07/13. 4pp. 86120:028-86120:031.

--9510120002 Ack receipt of 600713 application for license.C Norman radioisotope experience deficient.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 60/08/11. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86120:032-86120:032.

--9510120003 Forwards requested info re C Norman radioisotope experience.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/08/19. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86120:033-86120:034.

--9510120004 License 47-01163-12 for WV Univ,authorizing possession & use of 1 mCi C-14 & P-32 for radiography experiments.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/08/30. 1p. 86120:035-86120:035.

--9510120006 Amend 1 to license 47-01163-12 for WV Univ,revising items 3 & 4 as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/10. 1p. 86120:036-86120:036.

--9510120007 Application for amend to license 47-01163-12,authorizing possession & use of 1 mCi C-14 & P-32 in radiography experiments.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/05/17. 2pp. 86120:037-86120:038.

--9510120009 Safety insp on 640422 of license 47-01163-12.Insp findings: no noncompliance noted.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 64/04/22. 1p. 86120:039-86120:039.

--9510120011 Application for amend,renewing license 47-01163-12.
NORMAN,C. West Virginia Univ., Morgantown, WV. 64/05/26. Atomic Energy Commission (Pre 750119). 1p. 86120:040-86120:040.

--9510120013 Amend 2 to license 47-01163-12 for WV Univ,revising items 3 & 4 as listed re expiration date.
* Atomic Energy Commission (Pre 750119). 64/06/15. 1p. 86120:041-86120:041.

--9510120014 Notifies that license 47-01163-12 will expire on 660831.
* Atomic Energy Commission (Pre 750119). 66/07/01. West Virginia Univ., Morgantown, WV. 1p. 86120:042-86120:042.

--9510120015 Application for amend,renewing license 47-01163-12.
COOVER,M.O. West Virginia Univ., Morgantown, WV. 66/07/12. Atomic Energy Commission (Pre 750119). 1p. 86120:043-86120:043.

--9510120018 Amend 3 to license 47-01163-12 for WV Univ,extending expiration date to 680831.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/07/21. 1p. 86120:044-86120:044.

--9510120019 Safety insp on 670518 of license 47-01163-12.Insp findings: no noncompliances noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 67/05/18. 1p. 86120:045-86120:045.

--9510120021 Insp of license 47-01163-12 on 670518.No noncompliances noted.Major areas inspected:licensed program.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 67/05/25. 2pp. 86120:046-86120:048.

--9510120023 Insp of license 47-01163-12 on 640422.No noncompliances noted.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 64/05/01. 3pp. 86120:049-86120:051.

--9510120027 Forwards application for byproduct matl license.
CHEN,H.R. West Virginia Univ., Morgantown, WV. 67/07/18. Atomic Energy Commission (Pre 750119). 1p. 86120:052-86120:052.

--9510120029 Amend 4 to license 47-01163-12 for WV Univ.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/09/07. 1p. 86120:053-86120:053.

--9510120032 Application for amend,renewing license 47-01163-12.
NORMAN,C. West Virginia Univ., Morgantown, WV. 68/07/15. 2pp. 86120:054-86120:055.

--9510120035 Amend 5 to license 47-01163-12 for WV Univ,revising expiration date to 730831.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/07/25. 1p. 86120:056-86120:056.

--9510120040 Application for amend to license 47-01163-05,authorizing GL Blackshaw & C Norman as licensed investigators.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/02/23. DRAGONETTE,K. Atomic Energy Commission (Pre 750119). 3pp. 86120:057-86120:059.

--9510120041 Application for license,authorizing 10 mCi CO-60,10 mCi Cs- 137 & Ba-137,10 mCi Fe-55,98 mCI Co-60,100 mCI I-131,50 mCi P,12 Ci H-3,50 mCi Sn-125,60 mCi Te-129 & I-129,10 mCi Ba- 133 & Nd-147.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/10/01. 3pp. 86118:256-86118:258.

--9510120043 Amend 6 to license 47-01163-12 for WV Univ,terminating license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/05/05. 1p. 86120:060-86120:060.

--9510120044 Returns 621010 application for signature.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/10/17. AMORY,H.I., SMITH,S.W. West Virginia Univ., Morgantown, WV. 1p. 86120:061-86120:061.

--9510120046 Denies w/o prejudice 621127 application for broad license for medical research,diagnosis & therapy.
JOHNSON,L.E. Atomic Energy Commission (Pre 750119). 62/12/27. MILLER,P.A. West Virginia Univ., Morgantown, WV. 2pp. 86120:062-86120:063.

--9510120048 Forwards application for institutional medical radioisotope program license.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 63/03/21. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86120:064-86120:064.

--9510120049 License 47-01163-13 for WV Univ,authorizing possession & use of listed license matls for diagnosis & treatment.
* Atomic Energy Commission (Pre 750119). 63/04/02. 3pp. 86120:065-86120:067.

--9510120053 Requests listed addl info for each proposed use in 630802 application for amend to license 47-01163-13.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/08/16. AMORY,H.I. West Virginia Univ., Morgantown, WV. 1p. 86120:068-86120:068.

--9510120061 Forwards addl info in support of application for amend to license 47-01163-13.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 63/08/28. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 86120:069-86120:073.

--9510120064 Requests addl listed info re 630802 application for amend to license 47-01163-13.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/08/26. AMORY,H.I. West Virginia Univ., Morgantown, WV. 9pp. 86120:074-86120:082.

--9510120066 Advises that addl info requested within 30 days or 630802 application will be considered abandoned.
CUNNINGAHM,R.E. Atomic Energy Commission (Pre 750119). 63/09/30. AMORY,H.I. West Virginia Univ., Morgantown, WV. 1p. 86120:083-86120:083.

--9510120072 Resubmits 630828 response to 630816 request for addl info re application for license.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 63/10/02. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 3pp. 86120:084-86120:093.

--9510120075 Amend 15 to license 47-01163-01,authorizing use of 10 mCi Co-60,10 mCi Cs-137,10 mCi Fe-55,98 mCi Co-60,100 mCi I-131, 50 mCi P-32,12 Ci H-3,50 mCi Sn-125,60 mCi Te-129 & I-129, 10 mCi Ba-133,10 mCi Nd-147 & Pm-147.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/10/31. 3pp. 86118:259-86118:261.

--9510120076 Amend 1 to license 47-01163-13 for WV Univ,authorizing possession & use of 1 mCi I-131 for gastrointestinal protein excretion studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/10/15. 1p. 86120:094-86120:094.

--9510120079 Forwards Amend 2 to license 47-01163-13.W/o encl.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/24. AMORY,H.I. West Virginia Univ., Morgantown, WV. 3pp. 86120:095-86120:097.

--9510120082 Forwards response to request for addl info re application for amend to license 47-01163-13.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 64/03/09. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 86120:098-86120:101.

--9510120083 Requests that name be deleted from application.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 69/01/02. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86118:262-86118:262.

--9510120084 Submits required info re license 47-01163-01.
ARYA,A.T. West Virginia Univ., Morgantown, WV. 69/01/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 17pp. 86118:263-86118:279.

--9510120085 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning.Program approved.
RAWSON,R.W. Atomic Energy Commission (Pre 750119). 64/04/15. 1p. 86120:102-86120:103.

--9510120087 Amend 16 to license 47-01163-01 for West Virginia Univ, authorizing use of byproduct matl.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/02/19. 1p. 86118:280-86118:280.

--9510120089 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning & all radioisotopes.Program approved.
ARMSTRONG,W.D. Atomic Energy Commission (Pre 750119). 64/04/20. 1p. 86120:104-86120:104.

--9510120091 Application for license,authorizing use of 10 mCi Te-127,10 mCi Te-121,10 mCi Sn-123 & 10 mCi I-114m.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 69/09/19. 2pp. 86118:281-86118:282.

--9510120092 Safety insp on 640421 of license 47-01163-13.Insp findings: no noncompliances noted.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 64/04/21. 7pp. 86120:105-86120:111.

--9510120094 Informs that licensee will be returning application requesting amend to AEC license 47-01163-01.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/09/23. ARYA,A.P. West Virginia Univ., Morgantown, WV. 1p. 86118:283-86118:283.

--9510120095 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning & all radioisotopes.Program approved.
BROWN,R.F. Atomic Energy Commission (Pre 750119). 64/04/21. 1p. 86120:112-86120:112.

--9510120097 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning & all radioisotopes.Program approved.
* Atomic Energy Commission (Pre 750119). 64/04/22. 1p. 86120:113-86120:113.

--9510120099 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning & all radioisotopes.Program approved.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 64/04/30. 1p. 86120:114-86120:114.

--9510120102 Advises that licensee has adequate procedures & control measures to ensure safe handling,use & storage of byproduct matls.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 64/05/04. Atomic Energy Commission (Pre 750119). 16pp. 86120:115-86120:130.

--9510120104 Amend 17 to license 47-01163-01,authorizing use of 10 mCi Te-127,10 mCi Te-121,10 mCi Sn-123 & 10 mCi I-114m.
BUCHANAN Atomic Energy Commission (Pre 750119). 69/12/01. 1p. 86118:284-86118:286.

--9510120107 First appraisal of WV Univ Medical Ctr use of Se-75 for scanning & all radioisotopes.Protocol not precise in how evaluation of test made.
CHILDS,D.S. Atomic Energy Commission (Pre 750119). 64/05/22. 1p. 86120:131-86120:131.

--9510120108 Informs NRC of resignation from univ as RSO.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/11/16. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 1p. 86118:287-86118:287.

--9510120111 Requests addl info re 640525 application for amend to license 47-01163-13.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/06/15. AMORY,H.I. West Virginia Univ., Morgantown, WV. 1p. 86120:132-86120:132.

--9510120112 Requests that listed facts be distributed to appropriate departments.
CAMPBELL,A. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 1p. 86118:288-86118:288.

--9510120114 Responds to 640615 requests for addl info re application for amend to license 47-01163-13.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 64/06/19. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 3pp. 86120:133-86120:135.

--9510120121 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.
LEROY,G.V. Atomic Energy Commission (Pre 750119). 64/07/09. 1p. 86120:136-86120:136.

--9510120123 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.Program disapproved.
QUIMBY,E.H. Atomic Energy Commission (Pre 750119). 64/07/13. 1p. 86120:137-86120:137.

--9510120124 Application for license,authorizing use of 10 mCi s-137,10 mCi Na-22,10 mCi Co-60,10 mCi Ba-133,10 mCi Mn-54,10 mCi Te- 129 & I-129,10 mCi Sn-125,10 mCi Nd-147,10 mCi Te-124,10 mCi Te-132 & 10 mCi Ru-101.
ARYA,A.P. West Virginia Univ., Morgantown, WV. 73/09/11. 6pp. 86118:289-86118:294.

--9510120129 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.Program approved.
GREENLAW,R.H. Atomic Energy Commission (Pre 750119). 64/07/17. 1p. 86120:138-86120:138.

--9510120132 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 64/07/22. 1p. 86120:139-86120:139.

--9510120133 Discusses application for byproduct matl license & ltr in which licensee notified NRC that application was deficient & certain addl info was required.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/11/20. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86118:295-86118:295.

--9510120137 Requests addl info re methods for disposal of solid waste matls contaminated w/H-3 & C-14.
DAVIS,J.G. Atomic Energy Commission (Pre 750119). 64/07/30. AMORY,H.I. West Virginia Univ., Morgantown, WV. 2pp. 86120:140-86120:141.

--9510120138 Discusses application for byproduct matl license & ltr in which licensee notified NRC that application was deficient & certain addl info was required.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/11/27. LING,A. West Virginia Univ., Morgantown, WV. 1p. 86118:296-86118:296.

--9510120142 Requests addl info re satisfactory methods of disposal of C-14 & H-3 wastes.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 64/07/17. ELLIS,W.P. Atomic Energy Commission (Pre 750119). 1p. 86120:142-86120:142.

--9510120147 Forwards amend 3 to license 47-01163-13.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/08/03. AMORY,H.I. West Virginia Univ., Morgantown, WV. 1p. 86120:143-86120:143.

--9510120148 Informs that licensee may dispose of Cs-137 by transfer to commercial firm specifically authorized to accept radioactive waste for disposal.
WADE,L. Atomic Energy Commission (Pre 750119). 74/02/13. LING,A.C. West Virginia Univ,, Morgantown, WV. 1p. 86118:297-86118:298.

--9510120150 Amend 3 to license 47-01163-13 for WV Univ,authorizing possession & use of 3 mCi Sr-85 for bone scans.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/08/03. 1p. 86120:144-86120:144.

--9510120157 Provides up-to-date info that application for renewal of byproduct matl license 47-01163-01 should be supported with.
DRAGONETTE,K.S. Atomic Energy Commission (Pre 750119). 73/10/12. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 3pp. 86118:299-86118:307.

--9510120164 Submits current status of matls on listed licenses.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/11/14. WADE,L. Atomic Energy Commission (Pre 750119). 2pp. 86118:308-86118:309.

--9510120168 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.Program approved.
KING,E.R. Atomic Energy Commission (Pre 750119). 64/08/04. 1p. 86120:145-86120:145.

--9510120171 Forwards Form AEC-591,indicating results of insp conducted on 741105-07 under license 47-01163-01.
GUINN,P.R. Atomic Energy Commission (Pre 750119). 74/12/31. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 6pp. 86118:310-86118:315.

--9510120172 Amend 4 to license 47-01163-13 for WV Univ,authorizing possession & use of 1 mCi Selenium 75 for pancreas scanning.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/09/08. 1p. 86120:146-86120:146.

--9510120176 Amend 18 to license 47-01163-01 for West Virginia Univ, notifying of termination.
* Atomic Energy Commission (Pre 750119). 75/09/24. 1p. 86118:316-86118:322.

--9510120178 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.Program approved.
* Atomic Energy Commission (Pre 750119). 64/09/20. 1p. 86120:147-86120:147.

--9510120183 Discusses dosage calculations in response to telcon re use of Diotyrosine I-131.
* West Virginia Univ., Morgantown, WV. 64/10/27. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86120:148-86120:148.

--9510120184 Amend 5 to license 47-01163-13 for WV Univ,authorizing possession & use of 1 mCi I-131 for diagnostic studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/11/02. 1p. 86120:149-86120:149.

--9510120185 Application for license,authorizing use & possession of 2 mCi C-14.
LILLY,V.G. West Virginia Univ., Morgantown, WV. 57/04/08. 4pp. 86118:323-86118;326.

--9510120186 Expresses need to use I-131 diiodotyrosine in addl cases.
JONES,J.E. West Virginia Univ., Morgantown, WV. 64/12/08. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 13pp. 86120:150-86120:162.

--9510120190 Corrected amend 5 to license 47-01163-13 for WV Univ, authorizing possession & use of 1 mCi I-131 for diagnostic studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/12/09. 1p. 86120:163-86120:163.

--9510120192 License 47-01163-03,authorizing use of 2 mCi C-14.
* Atomic Energy Commission (Pre 750119). 57/04/23. 1p. 86118:327-86118:327.

--9510120194 Forwards application for renewal of license 47-01163-13.
GREEN,G.C. West Virginia Univ., Morgantown, WV. 65/02/16. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86120:164-86120:164.

--9510120196 Requests ack of receipt of 650217 application for renewal of license 47-01163-13.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 65/03/08. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 28pp. 86120:165-86120:191.

--9510120197 Discusses insp on 571009 of activities authorized under license 47-01163-03,47-01163-04 & 47-01163-05.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/01/14. West Virginia Univ., Morgantown, WV. 1p. 86118:328-86118:328.

--9510120200 Application for license,authorizing use of 1 mCi Mn-54.
LILLY,V.G. West Virginia Univ., Morgantown, WV. 58/05/13. 1p. 86118:329-86118:330.

--9510120202 Forwards amend 6 to license 47-01163-13,which renews license in entirety.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/03/23. GREEN,G.G. West Virginia Univ., Morgantown, WV. 2pp. 86120:192-86120:193.

--9510120204 Amend 6 to license 47-01163-13 for WV Univ,authorizing possession & use of listed licensed matls for tracer studies.
* Atomic Energy Commission (Pre 750119). 65/03/23. 5pp. 86120:194-86120:198.

--9510120207 Amend 1 to license 47-01163-03,authorizing use of 1 mCi Mn- 54.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/06/12. 1p. 86118:331-86118:331.

--9510120208 First appraisal of WV Univ Medical Ctr use of Sr-85 for bone scanning & all radioisotopes.Program approved.
BROWN,R.F. Atomic Energy Commission (Pre 750119). 64/07/14. 1p. 86120:199-86120:199.

--9510120212 Amend 2 to license 47-01163-03,authorizing use of 5 mCi C-14 & 1 mCi Mn-54.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/04/03. 1p. 86118:332-86118:333.

--9510120219 Application for license,authorizing use of 5 mCi c-14,1 mCi Mn-54 & 20 mCi H-3.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/04/12. 5pp. 86118:334-86118:338.

--9510120221 Forwards addl info re application for renewal of license 47-01163-13.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 65/03/26. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 110pp. 86120:200-86120:308.

--9510120225 Forwards three copies of application for renewal submitted by VG Lilly on 660314.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/05/24. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86118:339-86118:339.

--9510120228 Appraisal of WV Medical Ctr use of Kr-85 & Xe-133.
ROSSI,H.H. Atomic Energy Commission (Pre 750119). 65/05/10. 1p. 86120:309-86120:309.

--9510120230 Amend 4 to license 47-01163-03 for West Virginia Univ, authorizing use of 10 mCi C-14 & 25 mCi H-3.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/06/16. 1p. 86118:342-86118:342.

--9510120232 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program approved.
ARMSTRONG,W.D. Atomic Energy Commission (Pre 750119). 65/05/10. 1p. 86120:310-86120:310.

--9510120234 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program disapproved w/listed remarks.
QUIMBY,E.H. Atomic Energy Commission (Pre 750119). 65/05/11. 1p. 86120:311-86120:311.

--9510120236 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program approved.
CHILDS,D.S. Atomic Energy Commission (Pre 750119). 65/05/11. 1p. 86120:312-86120:312.

--9510120239 Application for license,authorizing use of 10 mCi Rb-86, 10 mCi Sb-124,10 mCi Au-198 & 10 mCi Tb-160.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/02/15. 3pp. 86118:343-86118:345.

--9510120241 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program disapproved w/listed remarks.
RAWSON,R.E. Atomic Energy Commission (Pre 750119). 65/05/14. 1p. 86120:313-86120:313.

--9510120244 Advises that licensee will use Tracerlab for bioassays of radiation workers exposed to tritium.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 65/05/17. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86120:314-86120:314.

--9510120246 Amend 5 to license 47-01163-03 for West Virginia Univ, authorizing use of 10 mCi Rb-86,10 mCi Sb-124,10 mCi Au-198, 10 mCi Tb-160.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/03/22. 2pp. 86118:346-86118:347.

--9510120248 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program approved.
GREENLAW,R.H. Atomic Energy Commission (Pre 750119). 65/05/24. 1p. 86120:315-86120:315.

--9510120251 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program approved.
BROWN,R. Atomic Energy Commission (Pre 750119). 65/05/25. 1p. 86120:316-86120:316.

--9510120255 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Program approved.
KING,E.R. Atomic Energy Commission (Pre 750119). 65/06/04. 1p. 86120:317-86120:317.

--9510120257 Application for license,authorizing use of 10 mCi C-14,25 mCi H-3 & .1 mCi P-32.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/06/24. 3pp. 86118:348-86118:350.

--9510120259 Appraisal of WV Univ Medical Ctr use of Kr-85 & Xe-133. Requests appropriate protocol.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 65/06/08. 1p. 86120:318-86120:318.

--9510120264 Amend 7 to license 47-01163-13 for WV Univ,authorizing possession & use of 10 mCi Sr-90,10 mCi H-3,100 mCi Kr-85 & 100 mCi Xe-133.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/06/23. 1p. 86120:319-86120:319.

--9510120270 Amend 6 to license 47-01163-03 for West Virginia Univ.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/06/28. 1p. 86118:351-86118:351.

--9510120273 Advises that use of Chromiun 51 labeled Human Serum Albumin for diagnosis of gastro-intestinal protein loss undergoing investigation & AEC licensed use for investigational purposes only.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 65/11/29. Atomic Energy Commission (Pre 750119). 46pp. 86120:320-86121:006.

--9510120275 Ack receipt of application for extension of license 47-01163-13.
BOWYER,J.H. Atomic Energy Commission (Pre 750119). 66/01/04. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86121:007-86121:007.

--9510120277 Requests issuance of license for Form AEC-313.Informs that licensee will be ready to start radionuclide work.
PATRICK,H. West Virginia Univ., Morgantown, WV. 57/08/15. MORGAN,G.W. Atomic Energy Commission (Pre 750119). 1p. 86118:352-86118:352.

--9510120286 Amend 9 to license 47-01163-13 for WV Univ,authorizing possession & use of 10 mCi Cr-51 for diagnosis of gastrointestinal protein loss.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/01/18. 1p. 86121:008-86121:008.

--9510120288 Amend 10 to license 47-01163-13 for WV Univ,authorizing possession & use of .10 mCi Ni-63 for use in Micro-Tek Model 220 gas chromatograph.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/05/03. 1p. 86121:009-86121:009.

--9510120291 Advises of licensee intention to use Kr-85 intravenously for regional blood flow measurements.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 66/07/06. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86121:010-86121:010.

--9510120294 Requests that AEC grant necessary license to GM Simmons re introduction of C-14 into Smith Mountain & Claytor Lake Reservoirs for research studies.
PAESSLER,A.H. Virginia, Commonwealth of. 66/07/06. RESEMER,E. Atomic Energy Commission (Pre 750119). 1p. 86121:011-86121:011.

--9510120300 Application for license,authorizing use of 10 mCi Ca-45,5 mCi Zn-65 & 5 mCi Se-75.
STEWART,J. West Virginia Univ., Morgantown, WV. 57/08/15. 4pp. 86118:353-86118:356.

--9510120301 Application for amend to license 47-01163-13,authorizing use of Tc-99m.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 66/09/20. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 54pp. 86121:012-86121:065.

--9510120305 Advises that licensee investigating feasibility of sterility & purogen testing.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 66/01/21. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86121:066-86121:066.

--9510120307 License 47-01163-05 for West Virginia Univ,authorizing use of 10 mCi Ca-45,5 mCi Zn-65 & 5 mCi Se-75.
* Atomic Energy Commission (Pre 750119). 57/08/29. 1p. 86118:357-86118:357.

--9510120310 Amend 11 to license 47-01163-13 for WV Univ,authorizing possession & use of 350 mCi Mo-99 & 100 mCi Tc-99m for brain scans.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/10/05. 2pp. 86121:067-86121:068.

--9510120313 Application for license,authorizing use of 10 mCi S-35,5 mCi Cs-134 & 10 mCi Mo-99.
STEWART West Virginia Univ., Morgantown, WV. 58/01/18. 4pp. 86118:358-86119:001.

--9510120318 Forwards completed application for human use of I-131 Thyroxine & I-125 Thyroxine.W/o encl.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 66/11/21. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86121:069-86121:069.

--9510120320 Amend 1 to license 47-01163-05 for West Virginia Univ. authorizing use of 10 mCi S-35,5 mCi Cs-134 & 10 mCi Mo-99.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/01/30. 1p. 86119:002-86119:002.

--9510120321 First appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program disapproved.
LEROY,G. Atomic Energy Commission (Pre 750119). 66/12/16. 1p. 86121:070-86121:070.

--9510120327 First appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program disapproved.
ROSSI,H.H. Atomic Energy Commission (Pre 750119). 66/12/21. 1p. 86121:071-86121:071.

--9510120329 Application for license,authorizing use of 1 mCi C-14.
STEWART,I. West Virginia Univ., Morgantown, WV. 58/06/06. 5pp. 86119:003-86119:007.

--9510120330 Amend 2 to license 47-01163-05 re use of 1 mCi C-14.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/07/07. 1p. 86119:008-86119:008.

--9510120334 Amend 13 to license 47-01163-13 for WV Univ,authorizing possession & use of 10 mCi I-125 or I-131 for evaluation of thyroid function.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/12/28. 1p. 86121:072-86121:072.

--9510120338 Amend 1 to license 47-01163-06 for West Virginia Univ for use of 1 mCi Co-60.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/03/09. 1p. 86119:009-86119:009.

--9510120341 Application for amend to license 47-01163-13,authorizing use of hood over patient to collect Kr-85 & Xe-133 gas & apply forced exhaust to vent gas directly outside.
* West Virginia Univ., Morgantown, WV. 66/12/29. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86121:073-86121:073.

--9510120347 Amend 12 to license 47-01163-06 for West Virginia Univ for use of 1 mCi Sr-90,1 mCi Co-60 & 25 mCi Cs-137.
MASON,J.R. Atomic Energy Commission (Pre 750119). 68/02/27. 4pp. 86119:010-86119:013.

--9510120348 First appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program disapproved.
RAWSON,R.W. Atomic Energy Commission (Pre 750119). 67/01/04. 1p. 86121:074-86121:074.

--9510120354 Application for amend to license 47-01163-13,authorizing use of I-125 & I-131 for human use.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/01/05. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86121:075-86121:075.

--9510120355 Amend 13 to license 47-01163-06 for West Virginia Univ re use of 10 mCi Ni-63.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/10/06. 1p. 86119:014-86119:014.

--9510120356 Application for license,authorizing use of 10 mCi Sr-89.
PATRICK,H. West Virginia Univ., Morgantown, WV. 59/04/25. 4pp. 86119:015-86119:019.

--9510120359 Requests status of amends 12 & 13 to license 47-01163-13.
* Atomic Energy Commission (Pre 750119). 67/01/11. Atomic Energy Commission (Pre 750119). 1p. 86121:076-86121:076.

--9510120363 Amend 3 to license 47-01163-05 for West Virginia re use of 10 mCi Ca-45 & 5 mCi Zn-65.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/05/11. 2pp. 86119:020-86119:022.

--9510120365 First appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 67/01/17. 1p. 86121:077-86121:077.

--9510120368 Application for amend to license 47-01163-05,authorizing use of 33 mCi Ar-76 & 20 mCi I-131.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/12/13. 2pp. 86119:023-86119:024.

--9510120369 Corrected amend 12 to license 47-01163-13 for WV Univ, authorizing possession & use of 10 mCi I-125 or I-131 for thyroid functions.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/01/24. 1p. 86121:078-86121:078.

--9510120371 Amend 4 to license 47-01163-05 for West Virginia Univ re use of 33 mCi Ar-76 & 20 mCi I-131.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/01/23. 1p. 86119:025-86119:028.

--9510120374 Informs of corrections to amend 12 to license 47-01163-13.
GREEN,G.G.G. West Virginia Univ., Morgantown, WV. 67/01/30. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86121:079-86121:079.

--9510120380 Informs that NRC will need identification of location of Evansdale campus & description of facilities re request to use radioisotopes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/06/11. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86119:029-86119:030.

--9510120383 Requests addl info re purpose for conducting study,types of patients studied & results to support request for further use of I-125 & I-131.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/02/10. GREEN,G.G. West Virginia Univ., Morgantown, WV. 2pp. 86121:080-86121:081.

--9510120389 Ack receipt of 661229 ltr advising AEC of proposal to use exhaust hood over patient to evacuate Kr-85 & Xe-133 from room.Sys approved.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/02/10. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86121:082-86121:082.

--9510120391 Application for license,extending date of expiration.
PATRICK,H. West Virginia Univ., Morgantown, WV. 64/12/11. 2pp. 86119:031-86119:032.

--9510120395 Informs that electron capture tritium cell should be used w/Wilkins Instrument & Research.
PATRICK,H. West Virginia Univ., Morgantown, WV. 65/02/03. Atomic Energy Commission (Pre 750119). 1p. 86119:033-86119:033.

--9510120397 Requests response to 650203 ltr re license to purchase electron capture tritium cell to be used in pesticide residue research.
PATRICK,H. West Virginia Univ., Morgantown, WV. 65/02/23. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86119:034-86119:034.

--9510120398 Amend 6 to license 47-01163-05 for WV Univ re use of 500 mCi H-3.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 65/03/05. 1p. 86119:035-86119:035.

--9510120399 Requests copies of application for by product matl license.
HORVATH,D.J. West Virginia Univ., Morgantown, WV. 65/05/27. Atomic Energy Commission (Pre 750119). 1p. 86119:036-86119:036.

--9510120400 Amend 7 to license 47-01163-05 for WV Univ re use of 10 mCi Cs-144.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/07/13. 1p. 86119:037-86119:037.

--9510120401 Informs that usage of S-35,Ca-45 & Zn-65 have increased to extent that licensee would like to amend license 47-01163-05 to make possible to secure larger amounts of listed matls.
PATRICK,H. West Virginia Univ., Morgantown, WV. 65/07/26. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86119:038-86119:038.

--9510120402 Amend 8 to license 47-01163-05 for WV Univ,authorizing use of 20 mCi Ca-45,10 mCi Zn-65,5 mCi Se-75,40 mCi S-35 & 5 mCi Cs-134.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/08/30. 3pp. 86119:039-86119:041.

--9510120403 Expresses appreciation for promptness in which staff processed request for use of Ce-144 as non-absorbed digestibility indicator.
HORVATH,D.J. West Virginia Univ., Morgantown, WV. 65/09/24. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86119:042-86119:043.

--9510120404 Amend 9 to license 47-01163-05 for WV Univ,authorizing use of 10mCi Cr-51 & 5 mCi Mn-28.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/10/14. 1p. 86119:044-86119:044.

--9510130004 Amend 10 to license 47-01163-05 for WV Univ.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/08/10. 1p. 86119:045-86119:045.

--9510130006 Safety insp on 651207 of license 47-01163-05.Insp findings: rooms or areas not properly posted to indicate presence of radioactive matl.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). PATRICK,H. West Virginia Univ., Morgantown, WV. 65/12/07. 1p. 86119:046-86119:046.

--9510130008 Informs that work in Biochemistry & related fields expanding rapidly & requests amend to license 47-01163-05.
PATRICK,H. West Virginia Univ., Morgantown, WV. 67/08/15. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 86119:047-86119:052.

--9510130010 Forwards amend 11 to license 47-01163-05 which increases possession limit of C-14 from one uCi to 5 uCi.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/09/28. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86119:053-86119:053.

--9510130012 Amend 11 to license 47-01163-05 increasing possession of C-14 from one uCi to 5 uCi.
* Atomic Energy Commission (Pre 750119). 67/09/28. 1p. 86119:054-86119:054.

--9510130014 Application for license,authorizing use of 2 mCi Ra-Be & 100 mCi Am-Be.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/07/08. 3pp. 86119:055-86119:057.

--9510130016 Application for license,authorizing use of 20 mCi Ca-45,10 mCi Zn-65,5 mCi Se-75,40 mCi S-35,5 mCi Cs-134,10 mCi Mo-99, 5 mCi C-14,10 mCi Sr-89,33 mCi As-76,20 mCi I-131,10 mCi Cs- 144,500 mCi H-3 & 10 mCi Cr-51.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/07/08. 4pp. 86119:058-86119:061.

--9510130025 Amend 12 to license 47-01163-05 for WV Univ,authorizing possession & use of listed matls for lab studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/08/16. 4pp. 86119:062-86119:065.

--9510130029 Amend 13 to license 47-01163-05 for WV Univ,authorizing possession & use of 10 mCi P-32 on lab studies on lower animals & bacteria.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/03/21. 1p. 86119:066-86119:066.

--9510130032 Amend 14 to license 47-01163-05,revising condition 12 as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/12/11. 1p. 86119:067-86119:067.

--9510130036 Requests copy of license w/amends stating that licensee name has been added as user of byproduct matl.
MARTIN,W.G. West Virginia Univ., Morgantown, WV. 73/01/15. BOWYER,J.E Atomic Energy Commission (Pre 750119). 1p. 86119:068-86119:068.

--9510130039 Requests amend to license 47-01163-05 to read 12 byproduct matl should be used by or under supervision of H Patrick.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/11/10. DRAGONETTE,K. Atomic Energy Commission (Pre 750119). 1p. 86119:069-86119:077.

--9510130040 Provides addl info outlining licensee request to carry out radiothyroxine turnover studies in humans.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/02/15. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 86121:083-86121:087.

--9510130041 Requests that license 47-01163-05 be amended to include 10 mCi of P-32.
PATRICK,H. West Virginia Univ., Morgantown, WV. 69/01/29. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86119:078-86119:078.

--9510130043 Forwards application for renewal of license 47-01163-13.W/o encl.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/02/16. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86121:088-86121:088.

--9510130047 Amend 13 to license 47-01163-13 for WV Univ,authorizing possession & use of listed matls.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/02/28. 7pp. 86121:089-86121:095.

--9510130050 Requests that listed amends be made to license 47-01163-05 issued to School of Agriculture.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/02/23. DRAGONETTE,K. Atomic Energy Commission (Pre 750119). 3pp. 86119:079-86119:082.

--9510130051 Requests clarification of license number.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/03/06. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86121:096-86121:096.

--9510130054 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid functions.
LEROY,G.V. Atomic Energy Commission (Pre 750119). 67/03/06. 1p. 86121:097-86121:097.

--9510130056 Second appraisal of WV Univ use of I-125 & I-131 for evaluation of thyroid functions.
ROSSI,H.H. Atomic Energy Commission (Pre 750119). 67/03/07. 1p. 86121:098-86121:098.

--9510130058 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid functions.
KING,E.R. Atomic Energy Commission (Pre 750119). 67/03/08. 1p. 86121:099-86121:099.

--9510130064 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid functions.Program disapproved.
RAWSON,R.W. Atomic Energy Commission (Pre 750119). 67/03/09. 1p. 86121:100-86121:100.

--9510130068 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid functions.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 67/04/03. 1p. 86121:101-86121:101.

--9510130069 Amend 15 to license 47-01163-05 for WV Univ,authorizing use of listed matls for instructional purposes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/05/05. 2pp. 86119:083-86119:084.

--9510130071 Requests addl info re experience of Dr James in medical research.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/05/10. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86121:102-86121:102.

--9510130076 Safety insp on 670517 of license 47-01163-13.Insp findings: rooms were not properly posed to indicate presence of radiation area & containers not properly labeled to indicate presence of radioactive matl.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/05/17. 4pp. 86121:103-86121:106.

--9510130080 Requests that NRC grant extension of expiration date from 730831 to 731231.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 1p. 86119:085-86119:085.

--9510130081 Forwards curriculum vitae of JE Jones.Author personally verifies experience of Dr Jones.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/05/23. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86121:107-86121:108.

--9510130083 Amend 16 to license 47-01163-05 for WV Univ,changing expiration date to 731231.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/08/08. 1p. 86119:086-86119:087.

--9510130085 Advises that no health or safety problem was evident in licensed program.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 67/05/25. Atomic Energy Commission (Pre 750119). 6pp. 86121:109-86121:114.

--9510130087 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.
* Atomic Energy Commission (Pre 750119). 67/06/09. 1p. 86121:115-86121:115.

--9510130088 Submits up-to-date info supporting application for renewal of license 47-01163-05.
DRAGONETTE,K.S. Atomic Energy Commission (Pre 750119). 73/09/21. LING,A.C. West Virginia Univ., Morgantown, WV. 2pp. 86119:088-86119:089.

--9510130091 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.
ARMSTRONG,W.D. Atomic Energy Commission (Pre 750119). 67/06/14. 1p. 86121:116-86121:116.

--9510130092 Requests that RH Frist be added to licensee School of Agriculture AEC license number 47-01163-05.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/08/29. DRAGONETTE,K. Atomic Energy Commission (Pre 750119). 1p. 86119:090-86119:092.

--9510130095 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program approved.
LEROY,G.V. Atomic Energy Commission (Pre 750119). 67/06/19. 1p. 86121:117-86121:117.

--9510130096 Amend 17,informing that license 47-01163-05 has been terminated.
* Atomic Energy Commission (Pre 750119). 75/09/24. 1p. 86119:093-86119:093.

--9510130097 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program approved.
RAWSON,R.W. Atomic Energy Commission (Pre 750119). 67/06/23. 1p. 86121:118-86121:118.

--9510130102 Second appraisal of WV Univ use of I-131 & I-125 for evaluation of thyroid function.Program approved.
COOPER,J.A. Atomic Energy Commission (Pre 750119). 67/06/28. 1p. 86121:119-86121:119.

--9510130103 License 47-01163-06,authorizing use of 6 mCi Sr-90 in beta absorption experiments in nuclear engineering lab course.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/03/21. 1p. 86119:094-86119:094.

--9510130105 Amend 14 to license 47-01163-13 for WV Univ,revising Subitem 9.QQ to authorize evaluation of thyroid function on 20 patients.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 67/08/15. 1p. 86121:120-86121:121.

--9510130106 Application for license,authorizing use of one mCi Co-60.
KENT,J.A. West Virginia Univ., Morgantown, WV. 59/02/23. 8pp. 86119:095-86119:102.

--9510130109 Provides four copies of AEC-313 "Application for Byproduct Matl Licenses" for consideration.
KENT,J.A. West Virginia Univ., Morgantown, WV. 59/02/23. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 86119:103-86119:105.

--9510130114 Application for broad use medical license.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 67/12/26. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 41pp. 86121:122-86121:162.

--9510130115 Forwards six signed copies of listed applications.
ARENTS,C.A. West Virginia Univ., Morgantown, WV. 59/03/26. Atomic Energy Commission (Pre 750119). 3pp. 86119:106-86119:107.

--9510130117 Requests listed addl info to support 671226 application for medical license of broad scope.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/01/30. ANDREWS,C.E. West Virginia Univ., Morgantown, WV. 61pp. 86121:163-86121:222.

--9510130120 Application for license,authorizing acquisition,possession & operation of AGN-211P nuclear reactor.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 59/05/11. 29pp. 86119:108-86119:139.

--9510130122 Provides addl info requested in 680130 ltr re application for broad scope medical license.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/03/12. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86121:223-86121:223.

--9510130126 Amend 15 to license 47-01163-13 for WV Univ,amending license in entirety.
* Atomic Energy Commission (Pre 750119). 68/09/12. 7pp. 86121:224-86121:230.

--9510130128 Amend 2 to license,authorizing use of 25 mCi of any byproduct matl between Atomic Numbers 3-83 inclusive.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/05/26. 1p. 86119:140-86119:140.

--9510130134 Advises of listed changes to membership on medical isotopes committee & responsibility changes in radioactive isotope program.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/10/07. VEERLING,P. Atomic Energy Commission (Pre 750119). 2pp. 86121:231-86121:232.

--9510130135 Application for renewal of license 47-01163-06,authorizing possession & use of listed matls for lab course.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/02/12. 3pp. 86119:141-86119:143.

--9510130136 Forwards application for renewal of license 47-01163-13.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 69/01/21. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86121:233-86121:233.

--9510130140 Application for amend,renewing license 47-01163-13.
ANDREWS,C.E. West Virginia Univ., Morgantown, WV. 69/01/21. 4pp. 86121:234-86121:237.

--9510130143 Amend 3 to license 47-01163-06 for WV Univ,authorizing possession & use of 6 mCi Sr-90 for use in beta absorption experiments in nuclear engineering lab course.
* Atomic Energy Commission (Pre 750119). 60/02/23. 2pp. 86119:144-86119:145.

--9510130144 Amend 16 to license 47-01163-13 for WV Univ,extending expiration date to 740228.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/02/20. 1p. 86121:238-86121:238.

--9510130148 Safety insp on 611017 of license 47-01163-06.Insp findings: no items of noncompliance found.
GUINN,P.R. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 61/10/17. 1p. 86119:146-86119:146.

--9510130149 Advises that latest leak test performed 690304 on Sr-90 sealed source indicates .023 microcurie of beta activity.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 69/03/07. Atomic Energy Commission (Pre 750119). 3pp. 86121:239-86121:241.

--9510130157 Application for license,authorizing use of 6 mCi Sr-90,1 mCi Co-60 & 25 mCi any byproduct matl w/Atomic numbers 3-83 inclusive.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/01/04. 3pp. 86119:147-86119:149.

--9510130159 Ack receipt of 690307 ltr informing of detection of removable contamination on Sr-90 source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 69/03/25. GREEN,G.G. West Virginia Univ., Morgantown, WV. 2pp. 86121:242-86121:246.

--9510130164 Compliance inquiry memo re WV Univ leaking Sr-90 sealed source.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 69/03/12. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p. 86121:247-86121:254.

--9510130165 Amend 4 to license 47-01163-06 for WV Univ,authorizing possession & use of 6 mCi Sr-90,1 mCi Co-60 & 25 mCi any byproduct matl w/Atomic Numbers 3-83 inclusive.
MASON,J.R. Atomic Energy Commission (Pre 750119). 62/01/15. 3pp. 86119:150-86119:152.

--9510130171 Ack receipt of 690307 ltr informing of detection of removable contamination on Sr-90 source.
ROEDER,J.R. Atomic Energy Commission (Pre 750119). 69/03/24. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86121:255-86121:255.

--9510130173 Requests that license 47-01163-06 be amended to include 1 mCi Sr-90 calibr source.
KENT,J.A. West Virginia Univ., Morgantown, WV. 62/08/06. Atomic Energy Commission (Pre 750119). 1p. 86119:153-86119:153.

--9510130174 Requests confirmation that AEC 313a preceptor form in files.
LIZARRALDE,G. West Virginia Univ., Morgantown, WV. 69/04/08. Atomic Energy Commission (Pre 750119). 1p. 86121:256-86121:256.

--9510130175 Amend 5 to license 47-01163-06 for WV Univ,authorizing use of 1 mCi Sr-90.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/08/22. 1p. 86119:154-86119:154.

--9510130177 Forwards curriculum vitae for A Ucmakli,chairman of radiation & isotope committee.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 69/05/27. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86121:257-86121:258.

--9510130178 Application for renewal of license 47-01163-06,authorizing use of 6 mCi Sr-90,1 mCi Co-60 & 25 mCi any byproduct matl between Atomic Numbers 3-83 inclusive.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/01/11. 4pp. 86119:155-86119:158.

--9510130181 Amend 6 to license 47-01163-06 for WV Univ,changing expiration symbol from B64 to B66.
* Atomic Energy Commission (Pre 750119). 64/01/30. 1p. 86119:159-86119:159.

--9510130182 Advises that A Ucmakli in process of relocating to position as full time staff radiotherapist.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 69/05/28. HENDRICKS Atomic Energy Commission (Pre 750119). 1p. 86121:259-86121:259.

--9510130185 Requests consideration of A Ucmakli as chairman of radiation & isotope committee.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 69/06/23. HENDRIX,G. Atomic Energy Commission (Pre 750119). 1p. 86121:260-86121:260.

--9510130186 Requests that paragraph 12 of license 47-01163-06 be changed.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/02/06. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 2pp. 86119:160-86119:161.

--9510130190 Forwards curriculum vitae of SR Amtey,medical radiation physicist.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 69/06/23. HENDRIX,G. Atomic Energy Commission (Pre 750119). 2pp. 86121:261-86121:262.

--9510130194 Forwards preceptor statement for A Ucmakli,chairman of radiation & isotope committee.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 69/06/27. HENDRIX,G. Atomic Energy Commission (Pre 750119). 3pp. 86121:263-86121:265.

--9510130199 Advises that 651122 application for extension of license 47-01163-13 will be reviewed upon receipt of research protocol.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/06/27. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86121:266-86121:266.

--9510130203 Amend 17,terminating license 47-01163-13 for WV Univ.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/07/18. 1p. 86121:267-86121:267.

--9510130206 Advises that S Amtey has been appointed chief of section on medical physics & assigned as univ radiation safety officer.
GABRIELE,O.F. West Virginia Univ., Morgantown, WV. 73/06/25. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 1p. 86121:268-86121:268.

--9510130210 Application for amend,terminating licenses 47-01163-17, 47-01163-18,47-01163-21 & SUD-156.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/10/11. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86121:269-86121:269.

--9510130212 License 47-01163-14 for WV Univ,authorizing possession & use of 30 mCi Co-60 for use in teaching civil defense training course.
BASSIN,N. Atomic Energy Commission (Pre 750119). 63/10/29. 6pp. 86121:270-86121:275.

--9510130213 Amend 7 to license 47-01163-06 for WV Univ,revising conditions 12 & 14.C as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/02/25. 1p. 86119:162-86119:163.

--9510130222 Application for renewal of license 47-01163-06,authorizing possession & use of 6 mCi Sr-90,1 mCi Co-60 & 25 mCi of any matl between atomic numbers 3-83 inclusive.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/01/31. 5pp. 86119:164-86119:168.

--9510130269 Amend 8 to license 47-01163-06 for WV Univ,amending license in entirety.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/02/23. 3pp. 86119:169-86119:171.

--9510130274 Requests response to listed questions re background for radiological defense officer.
FORE,G.E. West Virginia Univ., Morgantown, WV. 64/09/01. BASSIN,N. Atomic Energy Commission (Pre 750119). 3pp. 86121:276-86121:278.

--9510130279 Responds to 640901 ltr re qualifications for radiological monitors for instructors course.
BASSIN,N. Atomic Energy Commission (Pre 750119). 64/10/19. FORE,G.E. West Virginia Univ., Morgantown, WV. 2pp. 86121:279-86121:280.

--9510130284 Requests that GE Fore be removed from license as univ trainer for program for radiological monitoring for instructors.
FORE,G.E. West Virginia Univ., Morgantown, WV. 65/03/26. BASSIN,N. Atomic Energy Commission (Pre 750119). 2pp. 86121:281-86121:282.

--9510130285 Requests adviseement on action that should be taken to have license properly indicate license capability.
BOYLE,W.R. West Virginia Univ., Morgantown, WV. 66/03/03. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86119:172-86119:172.

--9510130286 Application for amend,renewing license 47-01163-14.
* West Virginia Univ., Morgantown, WV. 65/07/12. 2pp. 86121:283-86121:284.

--9510130290 Requests that WR Boyle,D Snodgrass,GL Blackshaw & W Loos be authorized to perform leak tests under license 47-01163-06.
KENT,J.A. West Virginia Univ., Morgantown, WV. 66/03/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86119:173-86119:173.

--9510130293 Forwards application for amend/renewal of license 47-01163-14.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 65/07/12. Atomic Energy Commission (Pre 750119). 2pp. 86121:285-86121:286.

--9510130296 Amend 9 to license 47-01163-06 for WV Univ,correcting items 8B & 8C.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/03/21. 1p. 86119:174-86119:174.

--9510130299 Notifies that license 47-01163-14 expires on 651130.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 65/09/30. West Virginia Univ., Morgantown, WV. 2pp. 86121:287-86121:288.

--9510130302 Forwards application for amend to license 47-01163-14.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/02/16. BASSIN,N. Atomic Energy Commission (Pre 750119). 1p. 86121:289-86121:289.

--9510130305 Application for amend to license 47-01163-14,authorizing use of Model CDV 786 or CDV 784 sealed source sets.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 66/02/16. 2pp. 86121:290-86121:291.

--9510130308 Amend 2 to license 47-01163-14 for WV Univ,authorizing possession & use of 90 mCi Co-60.
* Atomic Energy Commission (Pre 750119). 66/03/03. 1p. 86121:292-86121:295.

--9510130312 Notifies of expiration of license 47-01163-14 on 670731.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 67/06/01. West Virginia Univ., Morgantown, WV. 2pp. 86121:296-86121:297.

--9510130314 Application for amend,renewing license 47-01163-14.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/06/27. 4pp. 86121:298-86121:301.

--9510130315 Amend 3 to license 47-01163-14 for WV Univ,authorizing possession & use of 90 mCi Co-60 & 1 mCi Cs-137 for training.
BASSIN,N. Atomic Energy Commission (Pre 750119). 67/07/28. 4pp. 86121:302-86121:305.

--9510130316 Application for amend,renewing license 47-01163-14.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/06/17. 4pp. 86121:306-86121:309.

--9510130317 Application for license,authorizing possession & use of 10 mCi Co-60 for training.
* West Virginia Univ., Morgantown, WV. 63/09/05. 4pp. 86121:310-86121:313.

--9510130319 Safety insp on 680311 of license 47-01163-14.Insp findings: records of receipt,transfer,disposal,export or inventory of licensed matl not properly maintained.
* Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 68/03/11. 1p. 86121:314-86121:314.

--9510130324 Requests that GE Fore be added as user under license 47-01163-14.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 69/12/05. BASSIN,N. Atomic Energy Commission (Pre 750119). 2pp. 86121:315-86121:316.

--9510130327 Amend 4 to license 47-01163-14 for WV Univ,revising Condition 12 as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 69/12/15. 1p. 86121:317-86121:319.

--9510130331 Application for amend to license 14-12438-01,authorizing EC Olsen as user.
OLSON,R.C. Mercy Hosp. Medical Center, Des Moines, IA. 69/12/05. Atomic Energy Commission (Pre 750119). 1p. 86121:320-86121:320.

--9510130334 Application for amend to license 47-01163-14,authorizing SW Cox as user.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 70/10/01. DAVIS,F. Atomic Energy Commission (Pre 750119). 2pp. 86121:321-86121:322.

--9510130336 Amend 5 to license 47-01163-14 for WV Univ,revising Condition 12 as listed.
* Atomic Energy Commission (Pre 750119). 70/10/19. 1p. 86121:323-86121:325.

--9510130339 Forwards application for amend to license 47-01163-14,adding SW Cox as user.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 71/04/01. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86121:326-86121:326.

--9510130354 Amend 6 to license 47-01163-14 for WV Univ,revising Condition 19 as listed.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 71/04/16. 1p. 86121:327-86121:327.

--9510130355 Application for amend to license 47-01163-14,authorizing SW Cox as user.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 71/04/01. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86121:328-86121:328.

--9510130356 Forwards application for amend to license 47-01163-14.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 72/06/30. Atomic Energy Commission (Pre 750119). 1p. 86121:329-86121:329.

--9510130357 Application for amend,renewing license 47-01163-14.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 72/06/30. 2pp. 86121:330-86121:331.

--9510130358 Amend 7 to license 47-01163-14 for WV Univ,extending expiration date to 770731.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 72/08/02. 1p. 86121:332-86121:334.

--9510130359 Forwards results of insp conducted 741105-07 of licenses 47-01163-14,47-01163-20,47-01163-21,47-01163-22,47-01163-23, 47-01163-24 & SUD-156.
GUINN,P.R. Atomic Energy Commission (Pre 750119). 74/12/10. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 2pp. 86121:335-86121:336.

--9510130360 Safety insp on 680314 of license 47-01163-14.Insp findings: records of receipt,transfer,disposal,export or inventory of licensed matl were not properly maintained.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/03/14. 6pp. 86121:337-86121:342.

--9510130362 Safety insp on 741105 of license 47-01163-14.Insp findings: no 10CFR19 posting.
* Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 74/11/05. 6pp. 86121:349-86121:360.

--9510130363 Application for amend,terminating license 47-01163-14.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/04/11. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 86121:361-86121:362.

--9510130364 Amend 8 to license 47-01163-14 for WV Univ,terminating license.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/05/13. 1p. 86122:001-86122:001.

--9510130366 Application for license,authorizing possession & use of 2.5 mCi Cs-137 in soil density gauge.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/06/30. 2pp. 86122:002-86122:003.

--9510130367 License 47-01163-15 for WV Univ,authorizing possession & use of 3.5 mCi Cs-137.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 64/07/27. 2pp. 86122:004-86122:005.

--9510130369 Application for amend to license 47-01163-15,authorizing possession & use of 2.5 mCi Cs-137 for soil density.
PATRICK,H. West Virginia Univ., Morgantown, WV. 66/06/10. 2pp. 86122:006-86122:007.

--9510130371 Amend 1 to license 47-01163-15 for WV Univ,extending expiration date to 680731.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/07/07. 1p. 86122:008-86122:010.

--9510130373 Application for amend to license 47-01163-15,authorizing possession & use of 2.5 mCi Cs-137 for soil density.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/06/25. 2pp. 86122:011-86122:012.

--9510130374 Amend 2 to license 47-01163-15 for WV Univ,extending expiration date to 730731.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/07/05. 1p. 86122:013-86122:015.

--9510130378 Safety insp on 681125 of license 47-01163-15.Insp findings: records of leak tests were not maintained.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). ENGLE,C.F. West Virginia Univ., Morgantown, WV. 68/11/25. 4pp. 86122:016-86122:019.

--9510130381 Advises that licensee has good equipment & properly trained personnel for use of matl.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 68/12/05. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 1p. 86122:020-86122:020.

--9510130385 Advises that future correspondence re listed licenses should be directed to listed address.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 1p. 86122:021-86122:021.

--9510160014 Advises that univ has no records of license 47-01163-06.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/01/04. BOWYER,J.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86122:022-86122:022.

--9510160015 Discusses 740104 ltr re Cs-137 source previously used by C Engle under expired license 47-01163-06.Matl authorized under license 47-01163-15 w/expiration date of 730731.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/13. LING,A.C. West Virginia Univ., Morgantown, WV. 2pp. 86122:023-86122:024.

--9510160016 Advises that license 47-01163-15 expires on 730731.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/08/28. West Virginia Univ., Morgantown, WV. 2pp. 86122:025-86122:026.

--9510160017 Submits compliance inquiry memo re expired license 47-01163-10.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 67/11/14. ROEDER,J.R. Atomic Energy Commission (Pre 750119). 1p. 86122:027-86122:027.

--9510160018 Forwards order rescinding order to cease & desist issued on 741227.
KNUTH,D.F. Office of Inspection & Enforcement (750101-801210). 75/02/19. HARLOW,J.G. West Virginia Univ., Morgantown, WV. 10pp. 86122:028-86122:038.

--9510160019 Order rescinding order issued 741227.Conditions of order met as verified in 750210 insp.
KNUTH,D.F. Office of Inspection & Enforcement (750101-801210). 75/02/19. West Virginia Univ., Morgantown, WV. 5pp. 86122:039-86122:043.

--9510160020 Advises that on 750210 special limited insps were conducted to determine whether licensee had taken action described in 750121 ltr in response to Commission order of 741227.
DAVIS,J.G. Region II, IE (720101-810228). 75/02/19. Region II, IE (720101-810228). 8pp. 86122:044-86122:051.

--9510160021 Responds to request for info re improved mgt control of univ licensed programs.
HARLOW,J.G. West Virginia Univ., Morgantown, WV. 75/01/21. KNUTH Office of Inspection & Enforcement (750101-801210). 6pp. 86122:052-86122:057.

--9510160022 Forwards application for amend to license 47-01163-13, authorizing Co-60 teletherapy installation.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 65/05/28. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86122:058-86122:058.

--9510160023 Application for amend to license 47-01163-13,authorizing Co-60 teletherapy installation.
PENROD,K.E. West Virginia Univ., Morgantown, WV. 65/05/28. 16pp. 86122:059-86122:075.

--9510160024 Forwards license 47-01163-16.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 65/06/24. GUINN,G.G. West Virginia Univ., Morgantown, WV. 2pp. 86122:076-86122:077.

--9510160025 License 47-01163-16 for WV Univ,authorizing possession & use of 7,200 Ci Co-60 & 88 pounds depleted U in AECL Theratron 80 teletherapy unit.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 65/06/24. 4pp. 86122:078-86122:081.

--9510160026 Application for amend to license 47-01163-16,revising article 7,part A to read AECL Model C-151 or C-146.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 65/11/22. HOWELL,D.B. Atomic Energy Commission (Pre 750119). 1p. 86122:082-86122:082.

--9510160027 Advises that both AECL Model C-146 & C-151 teletherapy sources acceptable for licensing.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 65/11/02. KELLEY,J.P. West Virginia Univ., Morgantown, WV. 3pp. 86122:083-86122:085.

--9510160028 Application for amend to license 47-01163-16,authorizing possession & use of AECL Model C-146 or C-151 source.
KELLEY,J.P. General Electric Co. 65/11/15. 1p. 86122:086-86122:088.

--9510160029 Amend 1 to license 47-01163-16 for WV Univ,authorizing possession & use of 7,200 Ci Co-60.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 65/12/01. 1p. 86122:089-86122:089.

--9510160030 Forwards "Radiation Survey & Calibr AECL Theratron 80 W/ Nominal 3,350 Ci Co-60 Source."
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/05/20. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86122:090-86122:090.

--9510160031 "Radiation Survey & Calibr AECL Theratron 80 W/Nominal 3,350 Ci Co-60 Source."
MALONE,K. West Virginia Univ., Morgantown, WV. 68/04/25. 9pp. 86122:091-86122:099.

--9510160032 Ack receipt of 680520 teletherapy test & survey rept.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 68/08/02. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86122:100-86122:100.

--9510160033 Forwards radiation survey for proposed change in operating conditions of Theratron 80 Co-60 teletherapy equipment.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/09/27. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 5pp. 86122:101-86122:105.

--9510160034 Agrees that proposed mod to angulate unattenuated primary beam of radiation from vertically downward position up to 90 degrees toward outside earth backed wall acceptable.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 68/11/06. GREEN,G.G. West Virginia Univ., Morgantown, WV. 1p. 86122:106-86122:106.

--9510160035 Application for amend to license 47-01163-20,authorizing A Ucmakli as user.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 69/10/22. Atomic Energy Commission (Pre 750119). 1p. 86122:107-86122:107.

--9510160036 Amend 2 to license 47-01163-16 for WV Univ,revising condition 12 as listed.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/11/07. 1p. 86122:108-86122:108.

--9510160037 Requests that future correspondence be sent to author at listed address.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 70/08/21. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86122:109-86122:109.

--9510160038 Application for renewal of license 47-01163-16.
UCMAKLI,A. West Virginia Univ., Morgantown, WV. 70/08/31. HENDRIX,G. Atomic Energy Commission (Pre 750119). 1p. 86122:110-86122:110.

--9510160041 Application for license,authorizing possession & use of Barber-Colman Co electron affinity detector model 5120.
* West Virginia Univ., Morgantown, WV. 65/05/24. 2pp. 86122:111-86122:112.

--9510160086 Amend 10 to license 47-01163-06 for WV Univ,informing that leak tests for contamination should be performed by listed individuals.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/05/04. 1p. 86119:175-86119:175.

--9510160094 Forwards three copies of Form AEC-313,requesting amend to license 47-01163-06.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/01/18. Atomic Energy Commission (Pre 750119). 3pp. 86119:176-86119:176.

--9510160102 Application for amend to license 47-01163-06 for WV Univ,re use of 25 mCi Cs-137.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/01/19. 2pp. 86119:177-86119:178.

--9510160106 Amend 11 to license 47-01163-06 for WV Univ re use of 25 mCi Cs-137.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/02/16. 1p. 86119:179-86119:179.

--9510160109 Forwards two copies of Form AEC-313 for renewal of license 47-01163-06.Informs that JA Kent name has been removed from list of individual users on license.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/01/22. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86119:180-86119:180.

--9510160113 Application for renewal of license 47-01163-06,authorizing use of listed matls for lab course.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/02/02. 4pp. 86119:181-86119:184.

--9510160114 Amend 12 to license 47-01163-06 for WV Univ,amending license in entirety.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/02/27. 4pp. 86119:185-86119:188.

--9510160122 Requests that license 47-01163-06 be amended so that 10 mCi Ni-63 can be used in Mineral Industries Bldg in model 714 electron capture detector being purchased w/gas chromatograph.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/09/25. DRAGONETTE Atomic Energy Commission (Pre 750119). 2pp. 86119:189-86119:190.

--9510160124 Amend 13 to license 47-01163-06 for WV Univ,authorizing use of 10 mCi Ni-63 in gas chromatograph.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/10/06. 1p. 86119:191-86119:195.

--9510160138 Amend 14 to license 47-01163-06 for WV Univ,revising expiration date to 730930.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/03/15. 1p. 86119:196-86119:196.

--9510160140 Amend 15 to license 47-01163-06 for WV Univ,terminating license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/05/05. 1p. 86119:197-86119:197.

--9510160143 Informs that licensee will be returning two copies of application for by-product matl license.
BAUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 58/05/22. Atomic Energy Commission (Pre 750119). 2pp. 86119:198-86119:199.

--9510160145 Application for license,authorizing use of Cs-137 in Nuclear-Chicago P20 density probe.
STEWART,I. West Virginia Univ., Morgantown, WV. 58/05/22. 2pp. 86119:200-86119:201.

--9510160147 Requests that application for byproduct matl be amended.
BAUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 58/07/01. SIMS,R.W. Atomic Energy Commission (Pre 750119). 1p. 86119:202-86119:202.

--9510160152 Forwards license 47-01163-07.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 58/07/18. BAUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 1p. 86119:203-86119:203.

--9510160156 Amend 1 to license 47-01163-07 for WV Univ,authorizing use of listed amounts of Cs-137.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/10/22. 1p. 86119:204-86119:204.

--9510160166 Informs that Form AEC-313 will be submitted within required fifteen days.
BAUGHMAN,N.M. West Virginia Univ., Morgantown, WV. 60/07/27. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86119:205-86119:205.

--9510160167 Informs that NRC does not require that licensee leak test capsules.
SMITH,D.A. Atomic Energy Commission (Pre 750119). 59/03/06. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86119:206-86119:206.

--9510160170 Provides info requested in 590507 ltr.
KENT,J.A. West Virginia Univ., Morgantown, WV. 59/05/20. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 86119:207-86119:210.

--9510160171 License 47-01163-08 for WV Univ,authorizing use of Co-60 in irradiator.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/05/27. 2pp. 86119:211-86119:212.

--9510160172 Informs that College of Engineering has moved to new quarters approx one mile from Co-60 irradiation facility w/result that certain procedures outlined in application.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 61/06/27. Atomic Energy Commission (Pre 750119). 3pp. 86119:213-86119:215.

--9510160174 Amend 1 to license 47-01163-08 for WV Univ,informing that license amended to ack certain revised procedures for use of licensed matl.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/07/18. 1p. 86119:216-86119:221.

--9510160176 Forwards 21 copies of request for amend of license 47-01163- 08.Informs that proposed facility will be used to expedite work on AEC Contract AT-(40-1)-2945.
KENT,J.A. West Virginia Univ., Morgantown, WV. 62/05/03. Atomic Energy Commission (Pre 750119). 1p. 86119:222-86119:222.

--9510160180 Application for license,authorizing 12,000 Ci of Co-60,1000 Ci Co-60 in water well irradiator & addl 11,000 Ci of Co-60 will be stored & used.
KENT,J.A., THOMAS,C.D. West Virginia Univ., Morgantown, WV. 62/05/03. 10pp. 86119:223-86119:232.

--9510170273 License 47-01163-17 for license WV Univ,authorizing possession & use of 300 mCi H-3 in gas chromatography.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/06/30. 4pp. 86122:113-86122:116.

--9510170278 Application for license,authorizing possession & use of 300 mCi tritium in Barber-Colman Co Electron Affinity Detector Model 5120.
* West Virginia Univ., Morgantown, WV. 67/05/29. 2pp. 86122:117-86122:118.

--9510170281 Amend 1 to license 47-01163-17 for WV Univ,authorizing possession & use of 300 mCi H-3 in Barber-Colman Co Model 500 gas chromatography unit.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 67/07/19. 2pp. 86122:119-86122:120.

--9510170285 Safety insp on 681125 of license 47-01163-17.Insp findings: records of surveys or dosposals not properly maintained & records of receipt,transfer,disposal,export or inventory of licensed matl not properly maintained.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). BAKER,W.H. West Virginia Univ., Morgantown, WV. 68/11/25. 1p. 86122:121-86122:121.

--9510170290 Advises that licensee personnel properly qualified for use of matls authorized under license 47-01163-17.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 68/12/06. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 4pp. 86122:122-86122:125.

--9510170294 Insp of license 47-01163-17 on 681125.One item of noncompliance noted re licensee failure to maintain records of matl receipt.
ELLIS,W.P. Atomic Energy Commission (Pre 750119). 68/12/06. 3pp. 86122:126-86122:128.

--9510170299 Application for amend,renewing license 47-01163-17.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/07/26. DRAGONETTE Atomic Energy Commission (Pre 750119). 1p. 86122:129-86122:129.

--9510170303 Amend 2 to license 47-01163-17 for WV Univ,authorizing possession & use of 300 mCi H-3 in gas chromatography unit.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/08/03. 2pp. 86122:130-86122:131.

--9510170309 Amend 3 to license 47-01163-17 for WV Univ,authorizing possession & use of listed source of Cs-137 & H-3.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/11/15. 2pp. 86122:132-86122:134.

--9510170317 Advises that license 47-01163-17 expired on 740731.
SINGER,B. Atomic Energy Commission (Pre 750119). 74/08/21. West Virginia Univ., Morgantown, WV. 2pp. 86122:135-86122:160.

--9510170324 Advises of special insp on 750210 to determine if licensee 750121 ltr in response to Commission 741227 order accurate.
MOSELEY,N.C. Region II, IE (720101-810228). 75/02/19. DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 13pp. 86122:161-86122:174.

--9510170331 Application for license,authorizing possession & use of 2 mCi Ra-Be & 100 mCi Am-Be in moisture density gauge.
* West Virginia Univ., Morgantown, WV. 66/06/27. 3pp. 86122:175-86122:177.

--9510170338 License 47-01163-18 for WV Univ,authorizing possession & use of 100 mCi Am-241 in depth moisture probe.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 66/07/28. 3pp. 86122:178-86122:180.

--9510170344 Application for amend to license 47-01163-18,authorizing possession & use of 100 mCi Am-241.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/10/02. 2pp. 86122:181-86122:182.

--9510170347 Amend 1 to license 47-01163-18 for WV Univ,authorizing possession & use of 100 mCi Am-241 in depth moisture probe.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/10/14. 3pp. 86122:183-86122:185.

--9510170350 Advises that license 47-01163-18 expired on 731031.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/11/27. West Virginia Univ., Morgantown, WV. 3pp. 86122:186-86122:188.

--9510170351 Forwards application for byproduct matl license.
MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 68/04/08. Atomic Energy Commission (Pre 750119). 1p. 86122:189-86122:189.

--9510170355 License 47-01163-19 for WV Univ,authorizing possession & use of listed matls for educ purposes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/05/17. 2pp. 86122:196-86122:197.

--9510170360 Requests correction to typo in license.
MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 68/08/05. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86122:198-86122:198.

--9510170365 Amend 1 to license 47-01163-19 for WV Univ,revising Subitem G to read Gold 198.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/08/15. 1p. 86122:199-86122:199.

--9510170369 Application for license,authorizing possession & use of H-3,C-14,P-32 & S-35 for research.
LING,A.C. West Virginia Univ., Morgantown, WV. 68/10/01. 6pp. 86122:200-86122:205.

--9510170376 Amend 2 to license 47-01163-19 for WV Univ,adding 25 mCi H-3 for educ purposes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/10/31. 2pp. 86122:206-86122:207.

--9510170380 Application for amend to license 47-01163-19,authorizing listed radioisotopes.
LING,A.C. West Virginia Univ., Morgantown, WV. 69/07/11. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 3pp. 86122:208-86122:210.

--9510180006 Application for amend to license 47-01163-19,deleting WJ McCarthy as user.
LING,A.C. West Virginia Univ., Morgantown, WV. 69/07/25. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86122:211-86122:211.

--9510180008 Amend 3 to license 47-01163-19 for WV Univ,amending license in entirety.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/08/14. 2pp. 86122:212-86122:213.

--9510180009 Application for amend to license 47-01163-19,authorizing possession & use of 25 mCi H-3,2 mCi C-14,2 mCi P-32 & 2 mCi S-35 for research.
LING,A.C. West Virginia Univ., Morgantown, WV. 69/08/28. DRAGONETTE,K. Atomic Energy Commission (Pre 750119). 1p. 86122:214-86122:214.

--9510180011 Amend 4 to license 47-01163-19 for WV Univ,authorizing possession & use of 50 mCi any byproduct matl w/Atomic Numbers between 3 & 83 inclusive for teaching & research purposes.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/09/10. 1p. 86122:215-86122:215.

--9510180012 Safety insp on 691106 of license 47-01163-19.Insp findings: Form AEC-3 not properly posted & records of surveys or disposal were not properly maintained.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). LING,A.C. West Virginia Univ., Morgantown, WV. 69/11/06. 4pp. 86122:216-86122:219.

--9510180016 Provides inspector evaluation & opinion of license 47-01163-19 activities.No health or safety problem was noted during insp.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 69/11/26. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 1p. 86122:220-86122:222.

--9510180025 Amend 5 to license 47-01163-19 for WV Univ,terminating license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 73/05/05. 2pp. 86122:223-86122:224.

--9510180027 Requests medical licensing guide,additions to App D & rept guide.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/02/13. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86122:225-86122:225.

--9510180029 Application for license,authorizing possession & use of listed matls for teaching purposes.
MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 68/04/08. 6pp. 86122:190-86122:195.

--9510180031 Expresses thanks for opportunity to discuss program on 680501.Name & qualifications of physicist will be forwarded as soon as definite appointment made.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/05/03. VEERLING,P. Atomic Energy Commission (Pre 750119). 2pp. 86122:226-86122:227.

--9510180033 Discusses duties & authority of radiation safety officer.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/05/22. VEERLING,P. Atomic Energy Commission (Pre 750119). 2pp. 86122:228-86122:229.

--9510180035 Forwards application for amend to license 47-01163-20, authorizing use of I-131 cholografin for cardiac scanning.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/08/22. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86122:230-86122:230.

--9510180037 Application for amend to license 47-01163-20,authorizing use of I-131 cholografin for cardiac scanning.
GREEN,G.G. West Virginia Univ., Morgantown, WV. 68/08/27. 2pp. 86122:231-86122:232.

--9510180041 License 47-01163-20 for WV Univ,authorizing possession & use of listed matls for medical research,diagnosis & therapy.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/07/18. 6pp. 86122:233-86122:238.

--9510180045 Provides inspector evaluation & opinion re activities under license 47-01163-20.No health or safety problem noted during insp.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 69/11/25. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 1p. 86122:239-86122:239.

--9510180048 Safety insp on 691105 of license 47-01163-20.Insp findings: no noncompliance noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 69/11/05. 14pp. 86122:240-86122:254.

--9510180052 Provides evaluation & opinion re activities under license 47-01163-20.No health or safety problems noted during insp.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 71/05/19. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 1p. 86122:255-86122:255.

--9510180057 Safety insp on 710510 of license 47-01163-20.Insp findings: no noncompliance noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 71/05/10. 14pp. 86122:256-86122:271.

--9510180064 Application for amend to license 47-01163-20,authorizing listed matls.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/06/02. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 3pp. 86122:272-86122:274.

--9510180069 Amend 1 to license 47-01163-20 for WV Univ,amending Subitems 8.D,8.E,8.J,8.K & 8.L as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/06/11. 1p. 86122:275-86122:275.

--9510180073 Amend 2 to license 47-01163-20 for WV Univ,revising Subitem 8.L as listed.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/06/16. 1p. 86122:276-86122:276.

--9510180109 Application for amend to license 47-01163-20,authorizing 1 Ci Xe-133.
GELBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/02/22. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86122:277-86122:277.

--9510180115 Requests addl listed info re request to increase possession limit for Xe-133.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 72/03/07. GALBRAITH,H. West Virginia Univ., Morgantown, WV. 1p. 86122:278-86122:278.

--9510180119 Advises that response to 720307 request for addl info re 720222 application requested within 30 days or application will be considered abandoned.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 72/06/13. GALBRAITH,H. West Virginia Univ., Morgantown, WV. 1p. 86122:279-86122:279.

--9510180124 Confirms 720713 telcon re purchase of byproduct matls used under license 47-01163-20.
DRAGONETTE,K.S. Atomic Energy Commission (Pre 750119). 72/07/25. JONES,R. Affiliation Not Assigned. 1p. 86122:280-86122:280.

--9510180128 Provides inspector evaluation & opinion re insp of activities under license 47-01163-20.No health or safety problems noted.
YOUNG,H.W. Region II, IE (720101-810228). 72/07/06. SUTHERLAND,J.T. Region II, IE (720101-810228). 1p. 86122:281-86122:281.

--9510180133 Safety insp on 720627 of license 47-01163-20.Insp findings: no noncompliance noted.
YOUNG,H.W. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 72/06/27. 10pp. 86122:282-86122:292.

--9510180194 Discusses 720712 telcon w/RSO at WV Univ re legal aspects of purchase of matls.
DRAGONETTE,K.S. Atomic Energy Commission (Pre 750119). 72/07/12. Atomic Energy Commission (Pre 750119). 1p. 86122:293-86122:293.

--9510180199 Advises that license 47-01163-20 amended on 730511 to prohibit administration to humans of Tc 99m ferrous hydroxide macroaggregates compounded from Diagnostic Isotopes,Inc kits.
O'LEARY,J.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/07/23. Affiliation Not Assigned. 2pp. 86122:294-86122:295.

--9510180221 Advises that effective immediately license 47-01163-20 amended to read Tc 99m ferrous hydroxide macroaggregates compounded from Diagnostic Isotope,Inc shall not be administered to humans.
O'LEARY,J.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/05/11. West Virginia Univ., Morgantown, WV. 1p. 86122:296-86122:296.

--9510180223 Advises that application for renewal of license 47-01163-20 should be supported w/listed info.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/03. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 5pp. 86122:297-86122:301.

--9510180226 Amend 3 to license 47-01163-20 for WV Univ,authorizing possession & use of 500 mCi Cs-137 for medical research, diagnosis & therapy.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 74/06/07. 1p. 86122:302-86122:302.

--9510180229 Responds to questions raised in 740603 ltr.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/06/25. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp. 86122:303-86122:308.

--9510180231 Ack receipt of application for renewal of license 47-01163-20.
BOWYER,J.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 46503. 74/07/31. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86122:309-86122:309.

--9510180236 Ack receipt of 740625 ltr re review of application for license.Description of method for calibr of dose calibrator requested.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/09/21. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 2pp. 86122:310-86122:311.

--9510180241 Advises that response to 740821 request for info re 740625 application for byproduct matl license required in 30 days or application will be considered abandoned.
BOWYER,J.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/03. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86122:312-86122:312.

--9510180253 Response to 740821 ltr.Survey instruments calibrated according to procedures outlined in Bureau of Radiological Health Instruction Bulletin TP-260.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/10/10. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 13pp. 86122:313-86122:327.

--9510180256 Requests listed addl info re 741010 application for amend to license.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/11/27. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 2pp. 86122:328-86122:329.

--9510180264 Forwards Form AEC-591 indicating results of insp on 741105- 07 of licenses 47-011163-14,47-01163-20,47-01163-21, 47-01163-22,47-01163-23,47-01163-24 & SUD-156.
GUINN,P.R. Region II, IE (720101-810228). 74/12/10. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86122:330-86122:330.

--9510180268 Safety insp on 741105 of license 47-01163-20.Insp findings: noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 74/11/05. 28pp. 86122:331-86122:358.

--9510180273 Provides addl info in response to 741202 request re dose calibrator.Calibrator calibrated every day using std sources of known activity.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/12/19. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp. 86122:359-86123:003.

--9510180276 Requests listed addl info re 741219 application.Description of methods for calibrating dose calibrator requested.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/02/18. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86123:004-86123:004.

--9510180281 Advises that response to request for addl info re application required within 30 days or application will be considered abandoned.
BOWYER,J.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/05/07. West Virginia Univ., Morgantown, WV. 1p. 86123:005-86123:005.

--9510180283 Advises that licensee instituted new protocol re calibr of dose meter.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/05/16. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 86123:006-86123:007.

--9510180287 Application for amend to license 47-01163-20,authorizing addition of 45 mCi Am-241 & 200 mCi I-125.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/05/27. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp. 86123:008-86123:013.

--9510180290 Advises that calibr procedures adequate,but auxiliary procedures should be used to determine that response of instruments is linear over entire range of activity for which used.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/06/16. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86123:014-86123:014.

--9510180295 Forwards copy of check calibr performed on dose calibrator for sensitivity on all different ranges.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 46503. 75/07/09. WADE Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 86123:015-86123:016.

--9510180297 Ack receipt of 750709 ltr & offers no objection to calibr procedures described.
WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/07/23. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86123:017-86123:017.

--9510180299 Ack receipt of 750723 ltr re measure of total elution from Mo-99/Tc-99m generator.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/08/26. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86123:018-86123:018.

--9510180302 Amend 4 to license 47-01163-20 for WV Univ,amending license in entirety.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/09/24. 105pp. 86123:019-86123:153.

--9510190005 Advises that matls used under license 47-01163-21 being disposed of.Requests 90 day extension of license to complete disposal process.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/02/27. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp. 86124:106-86124:110.

--9510190007 Amend 1 to license 47-01163-21 for WV Univ,extending license until 750630.
COLLINS,D.M. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/03/25. 2pp. 86124:111-86124:117.

--9510190009 Advises that notice of expiration & forms AEC-313 & AEC-314 being forwarded to SR Amtey.
TOWNSEND,E.C. West Virginia Univ., Morgantown, WV. 75/05/14. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86124:118-86124:118.

--9510190010 Forwards certificate of disposition of matl for license 47-01163-25.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/06/30. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86124:119-86124:119.

--9510190012 Certificate of disposition of matls:matls transfered to Neutron Products,Inc.
* West Virginia Univ., Morgantown, WV. 75/06/30. 4pp. 86124:120-86124:123.

--9510190013 Safety insp on 760426-27 of license 47-01163-21.Insp findings:no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 76/04/26. 1p. 86124:124-86124:125.

--9510190015 License 47-01163-22 of WV Univ,authorizing possession & use of 7,200 Ci Co-60 for treatment of humans.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 70/09/14. 5pp. 86124:126-86124:130.

--9510190016 Amend 1 to license 47-01163-22 for WV Univ,authorizing possession & use of 18,000 Ci.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 71/02/19. 1p. 86124:131-86124:131.

--9510190018 Ack receipt of teletherapy tests & surveys rept,completing requirements of condition 18 of license 47-01163-22.
HENDRIX,G.W. Atomic Energy Commission (Pre 750119). 71/05/17. GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 1p. 86124:132-86124:132.

--9510190019 Forwards survey & calibr rept prepared following installation of 6,678 Ci Co-60 source.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/04/02. HENDRIX,G. Atomic Energy Commission (Pre 750119). 1p. 86124:133-86124:133.

--9510190020 "Radiation Survey & Calibr AECL Theratron 80 W/6,678 Ci Co-60 Source."
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/03/27. 8pp. 86124:134-86124:141.

--9510190043 Discusses insp of license 47-01163-20 on 760426-27 & forwards NOV.
SUTHERLAND,J.T. Region II, IE (720101-810228). 76/05/10. HARLOW,J.G. West Virginia Univ., Morgantown, WV. 1p. 86123:154-86123:154.

--9510190047 Notice of violation from insp on 760426-27.Violation noted: on 760402 package containing 17 mCi of I-125 was received that was not monitored for external surface contamination.
* Region II, IE (720101-810228). 76/05/10. 14pp. 86123:155-86123:168.

--9510190059 Requests amend to license 47-01163-20 to read as 1 mCi of Co-60,25 mci Cs-137 & 100 mci Am-241.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/11/01. BOWYER,J.E. Materials Licensing Branch. 8pp. 86123:169-86123:176.

--9510190071 Requests that license 47-01163-20 be amended to authorize use & possession of 10 mCi Tc-99m.
* West Virginia Univ., Morgantown, WV. 76/11/10. CUNNINGHAM,R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86123:177-86123:177.

--9510190107 Amend 5 to license 47-01163-20,informing of addition of 1 mCi of Am-241.
BOWYER,J.E. Radioisotopes Licensing Branch (Pre 790501). 76/11/24. 1p. 86123:178-86123:178.

--9510190112 Informs that licensee has transferred matl Am-241 in form of sealed source 100 mCi to Broad license bearing number 47-01163-20.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 77/01/04. BOWYER,J.E. Radioisotopes Licensing Branch (Pre 790501). 1p. 86123:179-86123:179.

--9510190123 Informs that licensee has ordered model 78-2M beam calibr from JL Shepherd & Assoc of California.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 77/04/08. PSOMOS,P.P. Radioisotopes Licensing Branch (Pre 790501). 5pp. 86123:180-86123:184.

--9510190129 Submits suppl to 770408 ltr & informs that model 78-2M will be stored in room 132 Hodges Hall.
ALLAN,M.D. West Virginia Univ., Morgantown, WV. 77/06/10. LAMASTRA,M.A. Radioisotopes Licensing Branch (Pre 790501). 5pp. 86123:185-86123:194.

--9510190133 Advises that as of 770701 S Slack has replaced SR Amtey as Univ RSO.
KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 77/07/27. PSOMES,P.P. Radioisotopes Licensing Branch (Pre 790501). 1p. 86123:195-86123:195.

--9510190139 Informs of inability to determine that Slack has sufficient training & experience in radiation safety to serve as RSO for program of size & scope authorized by Type A broad license.
LAMASTRA,M.A. Radioisotopes Licensing Branch (Pre 790501). 77/09/01. ALLEN,M.D. West Virginia Univ., Morgantown, WV. 1p. 86123:196-86123:196.

--9510190148 Informs that NRC has not received response re request for renewal of license 47-01163-20 & RAI dtd 770901.Advises that response will be needed within 30 days.
LAMASTRA,M.A. Radioisotopes Licensing Branch (Pre 790501). 77/11/10. ALLEN,M.D. West Virginia Univ., Morgantown, WV. 1p. 86123:197-86123:197.

--9510190152 Amend 6 to license 47-01163-20 for WV Univ,revising Condition 19 as listed.
WADE,L. Radioisotopes Licensing Branch (Pre 790501). 77/12/07. 1p. 86123:198-86123:198.

--9510190296 Application for amend to license 47-01163-22,authorizing A Ucmakli,A Elmahdi,OF Gabriele & WC Constable as users.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 72/08/09. DRAGONETTE Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86124:142-86124:142.

--9510190299 Amend 3 to license 47-01163-22 for WV Univ,revising condition 12 as listed.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/08. 1p. 86124:143-86124:143.

--9510190306 Amend 4 to license 47-01163-22 for WV Univ,authorizing possession & use of 18,000 Ci Co-60 in AECL Theratron 80 source.
DAVIS,F.C. Office of Inspection & Enforcement (750101-801210). 75/11/18. 5pp. 86124:144-86124:148.

--9510190334 Ack receipt of application for renewal of license 47-01163-22.
DAVIS,F.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 58174. 75/09/29. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86124:149-86124:149.

--9510190343 Ack receipt of 750828 application for renewal of license 47-01163-22 covering Co-60 teletherapy program.
DAVIS,F.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/10/16. GABRIELS,O.F. West Virginia Univ., Morgantown, WV. 1p. 86124:150-86124:150.

--9510190347 Amend 5 to license 47-01163-22 for WV Univ,revising condition 12 to read as listed.
DAVIS,F.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 76/01/16. 1p. 86124:151-86124:151.

--9510190353 Amend 6 to license 47-01163-22 for WV Univ,adding condition 23 as listed.
* Radioisotopes Licensing Branch (Pre 790501). 77/12/07. 1p. 86124:152-86124:152.

--9510190358 Safety insp on 771215 of license 47-01163-22.Insp findings: no noncompliance noted.
WOODRUFF,R.L. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 77/12/15. 1p. 86124:153-86124:153.

--9510190362 Amend 7 to license 47-01163-22 for WV Univ adding 21,600 Ci Co-60 in Theratron 780 teletherapy unit.
* Radioisotopes Licensing Branch (Pre 790501). 78/03/03. 1p. 86124:154-86124:154.

--9510190364 Advises of one week delay in submission of survey rept for Co-60 teletherapy unit under license 47-01163-22.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 78/07/18. VACCA,P.A. Materials Licensing Branch. 1p. 86124:155-86124:155.

--9510190366 Requests listed addl info re 780803 radiation survey of Co-60 teletherapy facility.
VACCA,P.C. Radioisotopes Licensing Branch (Pre 790501). 78/09/21. SLACK,S.T. West Virginia Univ., Morgantown, WV. 3pp. 86124:156-86124:158.

--9510230001 Discusses insp of license 47-01163-20 on 771215-16 & forwards NOV.
SUTHERLAND,J.T. Region II, IE (720101-810228). 79/01/17. BUDIG,G. West Virginia Univ., Morgantown, WV. 2pp. 86123:199-86123:200.

--9510230003 Notice of violation from insp on 771215-16.Violations noted stored licensed matls received during hs that radiation saftey ofc was open in unrestricted room & not secured from unauthorized removal.
* Region II, IE (720101-810228). 77/01/17. 2pp. 86123:201-86123:202.

--9510230033 Ack receipt of 780921 ltr.Ltr took in excess of two weeks to reach licensee & response within 30 days impossible.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 78/10/26. VACCA,P.C. Radioisotopes Licensing Branch (Pre 790501). 1p. 86124:159-86124:159.

--9510230037 Safety insp on 781114 of license 47-01163-22.Insp findings: no noncompliance noted.
* Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 78/11/14. 2pp. 86124:160-86124:161.

--9510230040 Forwards Amend 8 to License 47-01163-22.
ST MARY,F.A. Materials Licensing Branch. 78/12/06. SLACK,S.T. West Virginia Univ., Morgantown, WV. 2pp. 86124:162-86124:163.

--9510230044 Amend 8 to license 47-01163-22 for WV Univ,deleting Subitems 6.A,7.A,8.A & 9.A & revising Condition 23.
* Materials Licensing Branch. 78/12/06. 1p. 86124:164-86124:164.

--9510230046 Requests addl info re 800828 application for renewal of license 47-01163-22.
VACCA,P.C. Materials Licensing Branch. 05054. 80/12/29. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 2pp. 86124:165-86124:166.

--9510230047 Forwards amend 9 to license 47-01163-22.
VACCA,P.C. Materials Licensing Branch. 81/04/16. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 2pp. 86124:167-86124:168.

--9510230048 Amend 9 to license 47-01163-22 to WV Univ,authorizing possession & use of 21,600 Ci Co-60.
VACCA,P.C. Materials Licensing Branch. 81/04/16. 6pp. 86124:169-86124:179.

--9510230055 Safety insp on 760426-27 of license 47-01163-23.Insp findings:no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 76/04/26. 14pp. 86124:191-86124:204.

--9510230058 Amend 10 to license 47-01163-22 for WV Univ,terminating license.
WRIGHT,E.G. Region 2 (Post 820201). 85/04/09. 1p. 86124:205-86124:205.

--9510230060 Application for license,authorizing possession & use of 100 mCi Am-241 sealed source.
KOWAL,N.E. West Virginia Univ., Morgantown, WV. 71/03/05. 2pp. 86124:206-86124:207.

--9510230065 License 47-01163-23 for WV Univ,authorizing 100 mCi Am-241 to be used in Troxler Electronic Lab Inc Model 1255.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 71/04/19. 3pp. 86124:208-86124:211.

--9510230072 Safety insp on 741105-07 of license 47-01163-23.Insp findings:noncompliances noted.
* Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 74/11/07. 5pp. 86124:212-86124:218.

--9510230075 Safety insp on 750201 of license 47-01163-23.Insp findings: no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 75/02/01. 1p. 86124:219-86124:226.

--9510230080 Notifies of expiration of license 47-01163-23 on 760430.
SINGER,B. Materials Licensing Branch. 76/06/16. West Virginia Univ., Morgantown, WV. 2pp. 86124:227-86124:228.

--9510230084 Application for amend to license 47-01163-23,terminating license.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 77/01/04. BOWYER,J.E. Radioisotopes Licensing Branch (Pre 790501). 2pp. 86124:229-86124:230.

--9510230087 "Source Transfer Procedures for WV Univ."
* West Virginia Univ., Morgantown, WV. 77/01/04. 11pp. 86124:231-86124:241.

--9510230090 Provides listed comments re design & operations of irradiator proposed in application for byproduct matl license.
FALLON,P.T. Atomic Energy Commission (Pre 750119). 73/05/16. LING,A.C. West Virginia Univ., Morgantown, WV. 2pp. 86124:242-86124:243.

--9510230097 Forwards addl info re application for license to operate Co-60 irradiator device.
LING,A.C. West Virginia Univ., Morgantown, WV. 74/02/05. FALLON,P.T. Atomic Energy Commission, Directorate of Licensing (720101-750118). 16pp. 86124:244-86124:259.

--9510230101 Safety insp on 741105-07 of license 47-01163-24.Insp findings:10CFR19.11(a)(1)(2)(3) & (b) posting of notice to workers not in compliance.
GUINN,P.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). AMTEY West Virginia Univ., Morgantown, WV. 74/11/05. 2pp. 86124:260-86124:262.

--9510230103 Advises that AC Ling moved from WV Univ Chemistry Dept to Nuclear Chemistry Facility at San Jose State Univ,CA.
LING,A.C. San Jose State Univ., San Jose, CA. 75/08/05. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp. 86124:263-86124:264.

--9510230108 Requests name & description of training & experience of individuals responsible for use of byproduct matls possessed under license 47-01163-24.
COLLINS,D.M. Materials Licensing Branch. 57911. 75/09/26. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:265-86124:265.

--9510230112 Safety insp on 760126-29 of license 47-01163-24.Insp findings:no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 76/01/26. 9pp. 86124:266-86124:274.

--9510230113 Application for amend to license 47-01163-24,authorizing WE Vehse or GW Stewart as user.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/11/08. DAVIS,F.C. Materials Licensing Branch. 1p. 86124:275-86124:275.

--9510230116 Requests addl info re 761108 application for amend to license 47-01163-24.
COMBS,F. Radioisotopes Licensing Branch (Pre 790501). 84547. 77/02/25. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:276-86124:276.

--9510230118 Forwards addl info re amend to license 47-01163-24.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 77/06/08. DAVIS,F.C. Materials Licensing Branch. 2pp. 86124:277-86124:278.

--9510230120 Amend 1 to license 47-01163-24 for WV Univ,authorizing possession & use of 1,000 Ci Co-60 to be stored in custom- designed irradiator.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 77/07/18. 2pp. 86124:279-86124:280.

--9510230123 Amend 2 to license 47-01163-24 for WV Univ,revising condition 15 as listed.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 77/10/05. 1p. 86124:281-86124:281.

--9510230128 Amend 3 to license 47-01163-24 for WV Univ,amending condition 15 as listed.
* Radioisotopes Licensing Branch (Pre 790501). 78/02/13. 1p. 86124:282-86124:282.

--9510230132 Amend 4 to license 47-01163-24 for WV Univ,authorizing 1,000 Ci Co-60.
LAMASTRA,M. Materials Licensing Branch. 80/04/08. 2pp. 86124:283-86124:284.

--9510230136 Amend 3 to license 47-01163-25 for WV Univ,terminating license.
COMBS,F.C. Radioisotopes Licensing Branch (Pre 790501). 70/05/26. 1p. 86124:288-86124:288.

--9510230308 Advises that matl on license 47-01163-21 & some of Co-60 on license 47-01163-25 has been transmitted for disposal.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/06/30. WADE,L. Materials Licensing Branch. 3pp. 86124:289-86124:295.

--9510230315 License 47-01163-25 for WV Univ,authorizing possession & use of 57,000 Ci Co-60 for storage only.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/13. 2pp. 86124:296-86124:297.

--9510230319 Safety insp on 750210 & 14 of license 47-01163-25.Insp findings:no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 75/02/10. 1p. 86124:298-86124:298.

--9510230326 Ack receipt of 750227 application for renewal of license 47-01163-25.
COLLINS,D.M. Materials Licensing Branch. 75/03/25. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:299-86124:299.

--9510230331 Requests completion of AEC form 314 re renewal of license 47-01163-25.
COLLINS,D.M. Materials Licensing Branch. 75/06/30. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:300-86124:303.

--9510230337 Forwards certificate of disposal of matls under license 47-01163-25.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/07/22. COLLINS,D.M. Materials Licensing Branch. 1p. 86124:304-86124:307.

--9510230342 Ack receipt of 750709 ltr & offers no objection to calibr procedures.
WADE,L. Materials Licensing Branch. 75/07/23. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:308-86124:308.

--9510230345 Ack receipt of 750723 ltr re methods of measuring total elution from Mo-99/Tc-99m generator.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/08/26. WADE,L. Materials Licensing Branch. 1p. 86124:309-86124:309.

--9510230348 Advises that response to 750630 request for addl info re renewal of license 47-01163-25 required in 30 days or license will be terminated.
COLLINS,D.M. Materials Licensing Branch. 75/10/20. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:310-86124:310.

--9510230352 Requests response to request for addl info re 751125 application for renewal of license 47-01163-25.
COLLINS,D.M. Radioisotopes Licensing Branch (Pre 790501). 76/01/14. AMTEY,S. West Virginia Univ., Morgantown, WV. 1p. 86124:311-86124:311.

--9510230355 Application for amend to license 47-01163-25,authorizing 12,260 Ci Co-60.
* West Virginia Univ., Morgantown, WV. 76/01/14. 2pp. 86124:312-86124:313.

--9510230360 Safety insp on 760426-27 of license 47-01163-25.Insp findings:no noncompliance noted.
GUINN,P.R. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 76/04/26. 1p. 86124:314-86124:315.

--9510230362 Requests 90 day extension to provide info re disposal of source.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/06/16. BOWYER,J.E. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 86124:316-86124:316.

--9510230368 Grants 90 days extension for disposal of Co-60 source.
DAVIS,F.C. Radioisotopes Licensing Branch (Pre 790501). 76/08/09. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86124:317-86124:317.

--9510230370 Forwards two quotes on disposal of matls under license 47-01163-25.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/10/21. DAVIS,F.C. Radioisotopes Licensing Branch (Pre 790501). 8pp. 86124:318-86124:325.

--9510230375 Application for amend to license 47-01163-25,authorizing renewal up to 770331.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 76/12/14. COLLINS,D.M. Materials Licensing Branch. 1p. 86124:326-86124:327.

--9510230376 Forwards amend 1 to license 47-01163-25,extending expiration date to 770131.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 76/12/21. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86124:328-86124:328.

--9510230380 Amend 1 to license 47-01163-25 for WV Univ,extending expiration date in item 4 to 770131.
* Radioisotopes Licensing Branch (Pre 790501). 76/12/21. 1p. 86124:329-86124:329.

--9510240015 Amend 2 to license 47-01163-25 for WV Univ,extending expiration date to 770430.
BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 77/03/10. 1p. 86124:330-86124:330.

--9510240017 Informs that Co-60 sources under license 47-01163-25 sent for disposal through Neutron Products of MD.License should be deleted.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 77/04/08. PSOMAS,P.P. Radioisotopes Licensing Branch (Pre 790501). 2pp. 86124:331-86124:332.

--9510240019 Requests survey rept which provides results of analyses of pool water radioactivity & results of smear & instrument surveys in support of 770408 application for termination of license 47-01163-25.
COMBS,F. Radioisotopes Licensing Branch (Pre 790501). 77/06/27. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86124:333-86124:333.

--9510240021 Advises that S Slack replaced SR Amtey as radiation safety officer.
KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 77/07/27. PSOMES,P.P. Radioisotopes Licensing Branch (Pre 790501). 1p. 86124:334-86124:334.

--9510240023 Forwards results of water samples & swipe tests in support of application for termination of license 47-01163-25.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 77/10/06. COMBS,F. Radioisotopes Licensing Branch (Pre 790501). 3pp. 86124:335-86124:337.

--9510240026 Requests closeout insp & survey of license 47-01163-25 per procedure 83890B.
MEYER,R. Core Performance Branch. 78/02/27. SUTHERLAND,J.T. Fuel Facility & Materials Safety Branch, R2. 1p. 86124:338-86124:338.

--9510240027 Forwards survey results of former water-shielded irradiator facility located at WV Univ.
SINGER,B. Radioisotopes Licensing Branch (Pre 790501). 78/02/23. MEYER,R. Core Performance Branch. 1p. 86124:339-86124:344.

--9510240034 Advises as result of closeout insp that Co-60 facility will present no significant hazard to future occupants & may be released for unrestricted use.
SUTHERLAND,J.T. Fuel Facility & Materials Safety Branch, R2. 78/04/25. MEYER,R. Core Performance Branch. 1p. 86124:345-86124:345.

--9510240038 Discusses 780407 closeout survey on Co-60 irradiator pool at Morgantown,WV Univ.
WOODRUFF,R.L. Fuel Facility & Materials Safety Branch, R2. 78/05/09. Fuel Facility & Materials Safety Branch, R2. 2pp. 86124:346-86124:349.

--9510240041 Forwards memoranda re closeout survey of license 47-01163-25 for WV Univ.Matter considered closed & license retired.
MEYER,R. Core Performance Branch. 78/05/15. SINGER,B. Radioisotopes Licensing Branch (Pre 790501). 1p. 86124:350-86124:353.

--9510240048 License 47-01163-26 for WV Univ,authorizing possession & use of 132 Ci Cs-137 for storage.
* Radioisotopes Licensing Branch (Pre 790501). 77/06/17. 4pp. 86124:354-86124:358.

--9510240054 Provides supplemental info re application for amend to license 47-01163-26,allowing possession & use of Cs-137 dual source projector.
ALLAN,M.D. West Virginia Univ., Morgantown, WV. 77/06/10. LAMASTRA Radioisotopes Licensing Branch (Pre 790501). 6pp. 86124:359-86125:005.

--9510240061 Amend 1 to license 47-01163-26 for WV Univ,amending Condition 13 as listed.
* Radioisotopes Licensing Branch (Pre 790501). 77/12/13. 1p. 86125:006-86125:006.

--9510240064 Safety insp on 771215 of license 47-01163-26.Insp findings: no noncompliance noted.
WOODRUFF,R.L. Region II, IE (720101-810228). * West Virginia Univ., Morgantown, WV. 77/12/15. 1p. 86125:007-86125:009.

--9510240072 Amend 2 to license 47-01163-26 for WV Univ,terminating license.
* Radioisotopes Licensing Branch (Pre 790501). 78/06/26. 1p. 86125:010-86125:010.

--9510240080 Forwards compliance insp rept on 771009 of license 47-01605-01.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/01/20. KRAUSE,R.F. West Virginia Univ., Morgantown, WV. 3pp. 86125:011-86125:013.

--9510240084 Insp of license 47-01605-01 on 571009.No noncompliance noted.
SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 57/10/23. 5pp. 86125:014-86125:018.

--9510240107 Application for amend to license 47-01605-01,authorizing possession & use of 10 mCi C-14.
* Atomic Energy Commission (Pre 750119). 58/10/28. 5pp. 86125:019-86125:023.

--9510240116 License 47-01605-01 for WV Univ,authorizing possession & use of 10 mCi C-14.
* Atomic Energy Commission (Pre 750119). 56/12/14. 1p. 86125:024-86125:024.

--9510240122 Application for amend to license 47-01605-01,authorizing possession & use of 10 mCi C-14,5 mCi P-32 & 5 mCi Ca-45.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/09/15. 4pp. 86125:025-86125:028.

--9510240127 Amend 1 to license 47-01605-01 for WV Univ,authorizing possession & use of 20 mCi C-14,5 mCi P-32 & 5 mCi Ca-45.
MASON,J.R. Atomic Energy Commission (Pre 750119). 60/10/05. 1p. 86125:029-86125:029.

--9510240131 Safety insp on 611018 of license 47-01605-01.Insp findings: form AEC-3 not properly posted.
QUINN,P.R. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 61/10/18. 1p. 86125:030-86125:030.

--9510240135 Application for amend to license 47-01605-01,authorizing addition of 50 mCi H-3.
KRAUSE,R.F. West Virginia Univ., Morgantown, WV. 62/04/20. Atomic Energy Commission (Pre 750119). 1p. 86125:031-86125:031.

--9510240139 Amend 3 to license 47-01605-01 for WV Univ,authorizing possession & use of 50 mCi H-3 for lab studies.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/05/04. 1p. 86125:032-86125:032.

--9510240142 Application for amend to license 47-01605-01,authorizing addition of 10 mCi Sr-90.
KRAUSE,R.F. West Virginia Univ., Morgantown, WV. 62/08/06. Atomic Energy Commission (Pre 750119). 1p. 86125:033-86125:033.

--9510240145 Amend 4 to license 47-01605-01 for WV Univ,authorizing possession & use of 10 mCi Sr-90 in gas chromatography.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/08/30. 2pp. 86125:034-86125:035.

--9510240148 Requests listed addl info re 620806 application for amend to license 47-01605-01 re addition of 10 mCi Sr-90.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 62/08/22. KRAUSE,R.F. West Virginia Univ., Morgantown, WV. 1p. 86125:036-86125:036.

--9510240153 Application for amend to license 47-01605-01,authorizing use of Research Specialties Co ionization detector sys Model 600-3.
KRAUSE,R.F. West Virginia Univ., Morgantown, WV. 62/08/23. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86125:037-86125:037.

--9510240156 Advises that license 47-01605-01 for RF Krause expired on 631130.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 63/12/17. West Virginia Univ., Morgantown, WV. 1p. 86125:038-86125:038.

--9510240162 Provides supplemental info re application for renewal of license 47-01605-01.
SHELTON,D.C. West Virginia Univ., Morgantown, WV. 64/01/28. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 86125:039-86125:039.

--9510240164 Certificate of disposition of matls:RF Krause & DC Shelton retained matls & will be subject to license issued to HI Amory at WV Univ.
* West Virginia Univ., Morgantown, WV. 64/01/28. 2pp. 86125:040-86125:041.

--9510240170 Forwards application for license.
BURKE,W.T. West Virginia Univ., Morgantown, WV. 60/11/14. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 86125:042-86125:046.

--9510240173 Application for license,authorizing possession & use of listed matls in biochemical & metabolism studies.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 60/11/16. 5pp. 86125:047-86125:051.

--9510240180 License 47-01605-02 for WV Univ,authorizing possession & use of listed matls in biochemical & metabolism studies in lab animals.
* Atomic Energy Commission (Pre 750119). 60/11/28. 2pp. 86125:052-86125:053.

--9510240184 Safety insp on 611018 of license 47-01605-02.Insp findings: form AEC-3 not properly posted.
QUINN,P.R. Atomic Energy Commission (Pre 750119). West Virginia Univ., Morgantown, WV. 61/10/18. 1p. 86125:054-86125:054.

--9510240187 Amend 1 to license 47-01605-02 for WV Univ,revising items 3 & 4 & condition 12 as listed.
* Atomic Energy Commission (Pre 750119). 62/10/25. 1p. 86125:055-86125:055.

--9510240191 Application for amend to license 47-01605-02,authorizing possession & use of listed matls in biochemical & metabolism studies in animals.
BURKE,W.T. West Virginia Univ., Morgantown, WV. 62/10/11. 2pp. 86125:056-86125:057.

--9510240194 Amend 2 to license 47-01605-02 for WV Univ,terminating license.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 65/03/23. 3pp. 86125:058-86125:060.

--9510240199 Application for license,authorizing possession & use of listed matls for studies.
MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 68/04/23. 7pp. 86125:061-86125:067.

--9510240210 Forwards source matl license SMB-951.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/03. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:068-86125:068.

--9510240216 License SMB-951 for WV Univ,authorizing possession & use of 400 lbs U & Thorium.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/03. 1p. 86125:069-86125:069.

--9510240221 Advises of error in license SMB-951.Expiration date should be 730531.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 68/05/14. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:070-86125:070.

--9510240225 Safety insp on 691106 of license SMB-0951.Insp findings: form AEC-3 not properly posted & records of surveys or disposals not properly maintained.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). LING,A.C. West Virginia Univ., Morgantown, WV. 69/11/06. 1p. 86125:071-86125:074.

--9510270025 Insp of license 47-01163-20 on 771215-16.Violations noted. Major areas inspected:organization,licensee internal audits, training & qualification of personnel,radiation protection procedures & use & storage of matls.
WOODRUFF,R.L. Region II, IE (720101-810228). 77/12/20. 18pp. 86123:203-86123:220.

--9510270027 Informs that licensee has to reexamine calculations of maximum activity on hand for 99-Mo & 99 mTc that results from weekly shipment of Mallinkrodt Nuclear 2.5 Ci generator.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 78/02/01. WADE,L. Materials Licensing Branch. 3pp. 86123:221-86123:223.

--9510270028 Informs that licensee has reviewed ltr & NOV dtd 780117 & notes that program had been initiated to improve situation before visit of insp team.
BUDIG,G.A. West Virginia Univ., Morgantown, WV. 78/02/06. SUTHERLAND,J.T. Region II, IE (720101-810228). 4pp. 86123:224-86123:229.

--9510270029 Application for amend to license 47-01163-20,adding Item 6.z re Troxler moisture density gauge model 3401.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 78/02/22. WADE,L. Radioisotopes Licensing Branch (Pre 790501). 2pp. 86123:230-86123:231.

--9510270031 Amend 7 to license 47-01163-20 for WV Univ,revising subitems 8.G & 8.H as listed.
WADE,L. Radioisotopes Licensing Branch (Pre 790501). 78/02/27. 1p. 86123:232-86123:232.

--9510270032 Ack receipt of 780206 ltr informing NRC of steps taken to correct violations noted in insp of license 47-01163-20.
SUTHERLAND,J.T. Region II, IE (720101-810228). 78/02/28. BUDIG,G. West Virginia Univ., Morgantown, WV. 1p. 86123:233-86123:233.

--9510270036 Amend 8 to license 47-01163-20,authorizing use of 400 mCi H- 3,100 mCi C-14,100 P-32,100 mCi Kr-85,60 mCi Sr-90,2 Ci Mo- 99,2 mCi Tc-99m,50 mCi Sn-125,60 mCi Te-129,100 mCi I-125, 750 mCi I-131,100 mCi I-132,300 mCi Xi-133 & 300 mCi Au-198.
WADE,L. Radioisotopes Licensing Branch (Pre 790501). 78/04/04. 4pp. 86123:234-86123:237.

--9510270038 Amend 9 to license 47-01163-20 for WV Univ,authorizing use of 132 Ci Cs-137.
WADE,L. Radioisotopes Licensing Branch (Pre 790501). 78/06/30. 1p. 86123:238-86123:238.

--9510270041 Application for amend to license 47-01163-20,allowing up to 100 mCi S-35 in any chemical form.
SLACK,S.T., KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 78/07/24. WADE,L. Materials Licensing Branch. 1p. 86123:239-86123:239.

--9510270042 Amend 10 to license 47-01163-20 for WV Univ,authorizing possession & use of 100 mCi S-35.
WADE,L. Radioisotopes Licensing Branch (Pre 790501). 78/09/06. 1p. 86123:240-86123:240.

--9510270045 Requests that license 47-01163-20 be added to West Virginia Univ Medical Ctr in Charleston,WV.
SLACK,S.T., KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 78/11/20. WADE,L. Materials Licensing Branch. 2pp. 86123:241-86123:244.

--9510270109 Amend 11 to license 47-01163-20 for WV Univ,authorizing matl use at licensee address stated in Item 2 only.
WALKER,W.J. Materials Licensing Branch. 79/04/23. 2pp. 86123:249-86123:250.

--9510270118 Amend 12 to license 47-01163-20 for WV Univ,authorizing use of six foils not to exceed 15 mCi each.
* Materials Licensing Branch. 80/01/13. 1p. 86123:269-86123:269.

--9510270122 Notifies that license SMB-951 expires on 730531.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/03/06. MCCARTHY,W.J. West Virginia Univ., Morgantown, WV. 1p. 86125:075-86125:075.

--9510270124 Insp of license 47-01163-20 on 800219.Violations noted.Major areas inspected:organization,licensee internal audits, training of personnel,radiation protection procedures & use & storage of matls.
SLACK,D.S., ALLAN,W.D., BOYLES,J. Region II, IE (720101-810228). 80/02/27. 12pp. 86123:273-86123:284.

--9510270125 Application for renewal of license SMB-951.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 1p. 86125:076-86125:076.

--9510270128 Ack receipt of 730601 ltr requesting renewal of license SMB-951.Advises that due to limited matl possesses specific license not required.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/07/03. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:077-86125:077.

--9510270132 Requests termination of action on linense SMB-951 for WV Univ.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/07/18. DAVIS,F.C. Atomic Energy Commission (Pre 750119). 2pp. 86125:078-86125:079.

--9510270134 Amend 13 to license 47-01163-20 for WV Univ,revising subitems 6.G & 6.H as listed.
LAMASTRA,M.A. Materials Licensing Branch. 80/08/06. 1p. 86123:287-86123:287.

--9510270138 Forwards application for SNM license.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/10/22. Atomic Energy Commission (Pre 750119). 1p. 86125:080-86125:080.

--9510270142 Amend 14 to license 47-01163-20 for WV Univ,authorizing use of 5 Ci each of byproduct matls authorized in 6.B.
* Materials Licensing Branch. 81/01/23. 7pp. 86123:288-86123:294.

--9510270143 Application for license,authorizing use of 5 Ci Plutonium- beryllium neutron source.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/10/11. 4pp. 86125:081-86125:084.

--9510270144 Notifies of expiration of license 47-01163-08 on 640331.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 64/03/31. PATRICK,H. West Virginia Univ., Morgantown, WV. 2pp. 86119:233-86119:234.

--9510270145 Advises that applications for SNM license should be submitted in quadruplicate,signed under oath or affirmation & should include description of procedures for leak testing source & frequency tests conducted.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/10/25. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:085-86125:085.

--9510270146 Forwards application for SNM license which superseded 571022 application.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/11/15. JOHNSON,L. Atomic Energy Commission (Pre 750119). 1p. 86125:086-86125:086.

--9510270149 Forwards application for renewal of license 47-01163-08.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/05/19. Atomic Energy Commission (Pre 750119). 3pp. 86119:235-86119:237.

--9510270150 Application for SNM license,authorizing possession & use of 5 Ci Plutonium-beryllium neutron source.
STEWART,I. West Virginia Univ., Morgantown, WV. 57/11/08. 4pp. 86125:087-86125:090.

--9510270154 Discusses analysis & findings re 571108 application for license.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/12/09. Atomic Energy Commission (Pre 750119). 1p. 86125:091-86125:091.

--9510270155 Application for amend,renewing license 47-01163-08.
* West Virginia Univ., Morgantown, WV. 64/05/19. 3pp. 86119:238-86119:240.

--9510270156 Forwards SNM license SNM-151.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/12/11. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:092-86125:092.

--9510270157 Ack receipt of application for renewal of license 47-01163-08.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 64/05/28. PATRICK,H. West Virginia Univ., Morgantown, WV. 2pp. 86119:241-86119:249.

--9510270158 License SNM-151 for WV Univ,authorizing possession & use of 91.54 grams Pu on neutron sources.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/12/11. 1p. 86125:093-86125:093.

--9510270162 Application for amend to License SNM-151,authorizing possession & use of 6 mCi Sr-90 in beta absorption experiments.
KENT,J.A. West Virginia Univ., Morgantown, WV. 58/02/13. 4pp. 86125:094-86125:097.

--9510270164 Advises that AEC issued license SNM-151 to WV Univ.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/05/02. DYER,H.H. West Virginia, State of. 1p. 86125:098-86125:098.

--9510270168 Forwards SNM license SNM-151 as amended to permit possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/14. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:099-86125:099.

--9510270172 Amend to license SNM-151 for WV Univ,authorizing possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/14. 3pp. 86125:100-86125:102.

--9510270179 Requests that info presently applicable to use of Co-60 irradiator be submitted,to permit amend of license 47-01163-08 to extend expiration date,in regard to 640414 application.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 64/07/01. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86119:250-86119:250.

--9510270182 Forwards renewal amend 3 for license 47-01163-08.W/o encl.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 64/07/14. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86119:251-86119:251.

--9510270187 Forwards application for amend to license 47-01163-08.
KENT,J.A. West Virginia Univ., Morgantown, WV. 64/08/25. Atomic Energy Commission (Pre 750119). 1p. 86119:252-86119:252.

--9510270190 Application for amend to license 47-01163-08,authorizing possession of 57,000 Ci of Co-60.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 64/09/01. 9pp. 86119:253-86119:261.

--9510270193 Amend 4 to license 47-01163-08 for West VA Univ.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 64/10/21. 2pp. 86119:262-86119:273.

--9510270194 Advises that license SNM-151 may be amended to authorize 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/19. Atomic Energy Commission (Pre 750119). 1p. 86125:103-86125:103.

--9510270196 Forwards SNM license SNM-151,as amended.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/05/20. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:104-86125:104.

--9510270198 Safety insp on 651209 of license 47-01163-08.Insp findings: no item of noncompliance found.
YOUNG,H. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 65/12/09. 1p. 86119:274-86119:274.

--9510270205 Discusses health & safety evaluation of West VA Univ.No evidence noted of specific health or safety problem.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 66/01/11. Atomic Energy Commission (Pre 750119). 10pp. 86119:275-86119:285.

--9510270207 Amend to license SNM-0151 for WV Univ,authorizing possession & use of 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/05/20. 1p. 86125:105-86125:107.

--9510270208 Application for amend to license 47-01163-08,authorizing addition of listed individual users.Resumes of training experience of individuals encl.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/03/15. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 4pp. 86119:286-86119:289.

--9510270212 Amend 5 to license 47-01163-08 for West VA Univ.
HOWELL,D.B. Atomic Energy Commission (Pre 750119). 66/04/04. 1p. 86119:290-86119:290.

--9510270216 Amend 6 to license 47-01163-08 for West VA Univ.
CHURCHILL,B.W. Atomic Energy Commission (Pre 750119). 67/02/28. 1p. 86119:291-86119:291.

--9510270220 Forwards SNM license SNM-151 as amended to permit possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/28. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:108-86125:108.

--9510270222 Amend to license SNM-151 for WV Univ,authorizing possession & use of up to 91.54 grams Pu.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 58/05/28. 2pp. 86125:109-86125:110.

--9510270224 Application for amend to license 47-01163-08,requesting authority to transfer BNL double encapsulated welded sources & Picker X-Ray double encapsulated sources to Forestry Bldg to be installed in same source well.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/06/06. Atomic Energy Commission (Pre 750119). 2pp. 86119:292-86119:293.

--9510270226 Forwards amend 7 to license 47-01163-08,in response to 680606 ltr.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 68/06/26. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86119:294-86119:294.

--9510270228 Forwards SNM license issued for WV Univ.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/07/11. DYER,H.H. West Virginia, State of. 1p. 86125:111-86125:111.

--9510270230 Amend 7 to license 47-01163-08 for West VA Univ.
* Atomic Energy Commission (Pre 750119). 68/06/26. 1p. 86119:295-86119:295.

--9510270233 Forwards insp rept re licensed activities of WV Univ under license SNM-151.
* Atomic Energy Commission (Pre 750119). 58/09/15. Atomic Energy Commission (Pre 750119). 1p. 86125:112-86125:112.

--9510270236 Notifies that license 47-01163-08 expires on 690531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 69/03/20. West Virginia Univ., Morgantown, WV. 1p. 86119:296-86119:296.

--9510270238 Insp of license SNM-151 on 580529.No violations noted.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/08/20. 4pp. 86125:113-86125:117.

--9510270243 Application for renewal of license 47-01163-08.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 69/04/08. 2pp. 86119:297-86119:298.

--9510270244 Notifies of expiration of license SNM-151 on 600630.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 60/04/25. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:118-86125:118.

--9510270247 Application for amend,renewing license SNM-151.
KENT,J.A. West Virginia Univ., Morgantown, WV. 60/05/11. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:119-86125:119.

--9510270250 Amend 8 to license 47-01163-08,extending expiration date to 740531.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/05/19. 1p. 86119:299-86119:301.

--9510270251 Ack receipt of 610721 ltr re interest in obtaining U rods for use in research program.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 61/08/15. FAIRBANKS,H.V. West Virginia Univ., Morgantown, WV. 2pp. 86125:120-86125:121.

--9510270254 Requests info re procedures required & availability of obtaining U rods approx 1/4 inch diameter & 12 inches long.
FAIRBANKS,H.V. West Virginia Univ., Morgantown, WV. 61/07/21. Atomic Energy Commission (Pre 750119). 1p. 86125:122-86125:122.

--9510270256 Application for amend to License SNM-151,authorizing possession & use of up to 0.0015 grams to U-235 as U3O8.
KENT,J.A. West Virginia Univ., Morgantown, WV. 63/01/22. Atomic Energy Commission (Pre 750119). 2pp. 86125:123-86125:124.

--9510270259 Amend 1 to license SNM-151 for WV Univ,authorizing possession & use of U enriched in U-235 isotope & Pu.
NUSSBAUMER,D. Atomic Energy Commission (Pre 750119). 63/02/05. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:125-86125:125.

--9510270261 Notifies that license SNM-151 expires on 650630.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 65/05/03. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:126-86125:126.

--9510270262 Forwards application for renewal of license SNM-151.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 65/05/12. Atomic Energy Commission (Pre 750119). 1p. 86125:127-86125:127.

--9510270263 Application for renewal of license SNM-151.
KENT,J.A. West Virginia Univ., Morgantown, WV. 65/05/12. 2pp. 86125:128-86125:129.

--9510270264 Forwards license SNM-151,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/06/11. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:130-86125:130.

--9510270265 License SNM-151 for WV Univ as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/06/11. 2pp. 86125:131-86125:133.

--9510270266 Notifies that License SNM-151 expires on 680630.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/04/22. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:134-86125:134.

--9510270267 Application for amend,renewing license SNM-151.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/05/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 86125:135-86125:137.

--9510270269 Forwards SNM license SNM-151,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/06/13. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:138-86125:138.

--9510270271 Amend to license SNM-151 for WV Univ renewing license in entirety.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 68/06/13. 2pp. 86125:139-86125:140.

--9510270272 Requests matl status rept (Form AEC-742) for period ending 700630.
PAGE,R.G. Atomic Energy Commission (Pre 750119). 70/09/04. BOYLE,W.R. West Virginia Univ., Morgantown, WV. 1p. 86125:141-86125:141.

--9510270273 Requests matl status rept for periods ending 701231 & 710630.
THORNTON,C.D. Atomic Energy Commission (Pre 750119). 71/09/21. HARLOW,J. West Virginia Univ., Morgantown, WV. 1p. 86125:142-86125:142.

--9510270275 Ack receipt of 710921 ltr re failure to fully comply w/AEC regulations.Investigation being undertaken.
HARLOW,J.G. West Virginia Univ., Morgantown, WV. 71/09/28. THORNTON Atomic Energy Commission (Pre 750119). 2pp. 86125:143-86125:144.

--9510270277 Requests matl status rept for period ending 720630.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 72/09/07. GAILBRAITH,H. West Virginia Univ., Morgantown, WV. 1p. 86125:145-86125:147.

--9510270278 Notifies that license SNM-151 expires on 730630.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/03/27. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:148-86125:148.

--9510270280 Requests matl status rept for period ending 721231.
KRUESI,F.E. Atomic Energy Commission (Pre 750119). 73/03/29. West Virginia Univ., Morgantown, WV. 1p. 86125:149-86125:149.

--9510270285 Application for amend to License SNM-151,extending license to 731231.
LING,A.C. West Virginia Univ., Morgantown, WV. 73/06/01. Atomic Energy Commission (Pre 750119). 2pp. 86125:150-86125:153.

--9510270287 Amend 1 to license SNM-151 for WV Univ,extending expiration date to 731231.
DAVIS,F.C. Atomic Energy Commission (Pre 750119). 73/06/25. 2pp. 86125:154-86125:155.

--9510270288 Notifies that license SNM-151 expires on 731231.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 73/09/15. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:156-86125:156.

--9510270289 Advises that SNM license SNM-151 expired on 731231 & no application for renewal filed.
MALARO,J.C. Atomic Energy Commission (Pre 750119). 74/01/25. West Virginia Univ., Morgantown, WV. 2pp. 86125:157-86125:158.

--9510270292 Forwards application for 5 yr renewal of license 47-01163-08.
BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 69/05/08. DAVIS,F. Atomic Energy Commission (Pre 750119). 1p. 86119:302-86119:302.

--9510270294 Forwards proposed order to cease & desist from use of matls which licensee continues to possess after expiration of 9 licenses.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 74/12/04. NUSSBAUMER,D.A., MURRAY,J.P., INGRAM,F.L. Atomic Energy Commission (Pre 750119). 2pp. 86125:159-86125:160.

--9510270296 Requests that condition permitting licensee to hold for decay in storage & dispose of ordinary trash radioactive matl having physical half life of less that 65 days be added to license 47-01163-20.
KOPPELMAN,J., SLACK,S.T. West Virginia Univ., Morgantown, WV. 81/09/14. WALKER,W. NRC - No Detailed Affiliation Given. 12pp. 86123:295-86123:306.

--9510270297 Application for amend to license 47-01163-08,amending conditions 6,7 & 8 re possession of Co-60 sealed sources.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/01/20. VEERLING,P. Atomic Energy Commission (Pre 750119). 2pp. 86119:303-86119:304.

--9510270299 Requests listed info in support of 710127 application for amend to license 47-01163-08,to include approx 65,000 Ci of Co-60 sealed sources for use in water well irradiator.
VEERLING,J.P. Atomic Energy Commission (Pre 750119). 71/02/03. GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 2pp. 86119:305-86119:306.

--9510270301 Amend 15 to license 47-01163-20 for WV Univ,authorizing possession & use of licensed matl in items 6,7 & 8.
* Materials Licensing Branch. 81/11/09. 1p. 86123:307-86123:323.

--9510270302 Informs that immediate processing of amend to license 47-01163-08 not necessary since shipment of Co-60 from Wright-Patterson canceled.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/02/15. VEERLING,J.P. Atomic Energy Commission (Pre 750119). 1p. 86119:307-86119:307.

--9510270305 Informs that AEC records show that license 47-01163-08 expired & that no renewal application filed.
SINGER,B. Atomic Energy Commission (Pre 750119). 74/05/31. West Virginia Univ., Morgantown, WV. 2pp. 86119:308-86119:309.

--9510270309 Expresses licensee desire to renew license 47-01163-08,which expired on 740531.Requests that NRC send copy of original license,licensee application for license & any amends,since licensee misplaced paper re license.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/08/16. WADE,L. Atomic Energy Commission (Pre 750119). 1p. 86119:310-86119:311.

--9510270313 Informs that licensee trying to dispose of sources under listed licenses & requests copy of original application made by licensee for license.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/10/10. Atomic Energy Commission (Pre 750119). 1p. 86119:312-86119:312.

--9510270338 Application for amend to license 47-01163-20,permitting acquisition of 10 ug Cf-252 source under DOE loan program.
COLLINS,W.E. West Virginia Univ., Morgantown, WV. 82/08/26. Materials Licensing Branch. 11pp. 86123:324-86123:334.

--9510270340 Amend 16 to license 47-01163-20 for WV Univ,authorizing possession & use of 10 ug Cf-252.
WALKER,W.J. Materials Licensing Branch. 82/11/15. 1p. 86123:335-86123:335.

--9510270342 Updates info furnished in 820523 ltr concerning radioactive waste at WV Univ.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 82/11/22. ST MARY,F.A. Materials Licensing Branch. 2pp. 86123:336-86123:337.

--9510270347 Informs of addl info needed to further evaluate proposal re authorization for storage of radioactive waste in bldg in Morgantown,WV.
ST MARY,F.A. Materials Licensing Branch. 83/01/28. SLACK,S.T. West Virginia Univ., Morgantown, WV. 2pp. 86123:338-86123:339.

--9510270350 Responds to 830128 ltr re request for amend to license to allow storage of radioactive waste in leased space in former Bailey Glass Co bldg.
GROSE,E. West Virginia Univ., Morgantown, WV. 83/04/12. ST MARY,F.A. Materials Licensing Branch. 10pp. 86123:340-86123:349.

--9510300005 Forwards order to cease & desist & notification of license expiration & request for licensing info.
KNUTH,D.F. Atomic Energy Commission (Pre 750119). 74/12/27. HARLOW,J.G. West Virginia Univ., Morgantown, WV. 8pp. 86125:161-86125:168.

--9510300008 Order to cease & desist from further use of matls in possession,store matl & within 30 days transfer matl to authorized recipient.
KNUTH,D.F. Atomic Energy Commission (Pre 750119). 74/12/27. West Virginia Univ., Morgantown, WV. 17pp. 86125:169-86125:185.

--9510300013 Informs that Commission has issued order rescinding 741227 order.
KNUTH,D.F. Office of Inspection & Enforcement (750101-801210). 75/03/04. MURPHY,G.F. West Virginia Univ., Morgantown, WV. 2pp. 86125:186-86125:193.

--9510300018 Application for SNM license,authorizing possession & use of 20,000 dpm Pu.
PATRICK,H. West Virginia Univ., Morgantown, WV. 65/05/07. 2pp. 86125:194-86125:195.

--9510300023 Forwards SNM license SNM-896.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/05/19. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:196-86125:196.

--9510300025 License SNM-0896 for WV Univ,authorizing possession & use of .06 microcuries Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 65/05/18. 1p. 86125:197-86125:197.

--9510300029 Safety insp on 651207 of license SNM-0896.Insp findings: no noncompliances noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 65/12/07. 1p. 86125:198-86125:198.

--9510300033 Notifies that license SNM-0896 expires on 680531.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/03/28. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:199-86125:199.

--9510300036 Advises that license SNM-0896 expired on 680531.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 68/07/16. West Virginia Univ., Morgantown, WV. 1p. 86125:200-86125:200.

--9510300039 Requests response to 681018 ltr.
LOW,L.D. Atomic Energy Commission (Pre 750119). 68/11/22. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:201-86125:201.

--9510300045 Application for amend,renewing license SNM-0896.
PATRICK,H. West Virginia Univ., Morgantown, WV. 68/12/13. 4pp. 86125:202-86125:205.

--9510300049 Forwards license SNM-0896,as renewed.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 69/01/08. PATRICK,H. West Virginia Univ., Morgantown, WV. 1p. 86125:206-86125:206.

--9510300050 Amend to license SNM-0896 for WV Univ,authorizing possession & use of .06 microcuries Pu.
LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 69/01/10. 1p. 86125:207-86125:212.

--9510300054 Notifies that license SNM-0896 expires on 731231.
MALARO,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/15. LING,A.C. West Virginia Univ., Morgantown, WV. 1p. 86125:213-86125:213.

--9510300058 Advises that license SNM-0896 expired 731231.
MALARO,J.C. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/25. West Virginia Univ., Morgantown, WV. 2pp. 86125:214-86125:222.

--9510300063 Requests listed addl info for application for possession & use of 1.5 milligrams U-235 & 79 grams Pu.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/03. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 2pp. 86125:223-86125:224.

--9510300069 Advises that response to 750103 request for addl info re 740918 application for byproduct matl license required within 30 days or application will be considered abandoned.
DRAGONETTE,K.S. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/05/19. KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 1p. 86125:225-86125:225.

--9510300072 Forwards copy of 830412 ltr to F St Mary that was in response to ltr of 830128 ref control number 11217.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 11217. 83/04/25. GUINN,P.R. Region 2 (Post 820201). 1p. 86123:350-86123:354.

--9510300074 Forwards insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguards controls.
MOSELEY,N.C. Region II, IE (720101-810228). 75/06/23. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 4pp. 86125:226-86125:229.

--9510300076 Informs that licensee has not provided info concerning automatic sprinkler sys for new location.
GUINN,P.R. Region 2 (Post 820201). 83/05/04. SLACK,S.T. West Virginia Univ., Morgantown, WV. 1p. 86123:355-86123:355.

--9510300082 Insp repts 50-129/75-01 & 70-1766/75-02 on 750516 of safeguard controls.
LITTLE,W.S., KENNA,W.B. Region II, IE (720101-810228). 70-1766/75-02. 75/06/20. 6pp. 86125:231-86125:235.

--9510300084 Submits up-to-date info re efforts to meet Natl Fire Protection Assoc stds.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 83/06/22. GUINN,P.R. Region 2 (Post 820201). 3pp. 86123:356-86123:358.

--9510300087 Ack receipt of 570513 application for source matl license.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 57/05/21. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 3pp. 86125:236-86125:238.

--9510300094 Wishes withdraw of request for amend to license 47-01163-20 to store radwaste in leased space in former Bailey Glass Bldg.
COLLINS,W.E., SLACK,S.T. West Virginia Univ., Morgantown, WV. 83/12/09. GUINN,P.R. Region 2 (Post 820201). 1p. 86123:359-86123:359.

--9510300095 License CSA-3846 for WV Univ,authorizing possession & use of 4,000 lbs natural U.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/10/09. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:239-86125:239.

--9510300098 Forwards Source Matl License CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 57/10/09. KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:240-86125:240.

--9510300105 Application for amend to license CSA-3846,authorizing possession & use of 4,000 lbs U metal slugs.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 57/05/13. 4pp. 86125:241-86125:244.

--9510300107 Submits rept of diagnostic misadministrations of radionuclides under license 47-01163-20 held by West Virginia Univ.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 84/01/11. Region 2 (Post 820201). 1p. 86123:360-86123:360.

--9510300109 Forwards compliance insp rept of license CSA-3846 on 580731. No noncompliance noted.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/07/10. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:245-86125:245.

--9510300115 Insp of license CSA-3846 on 580731.No noncompliances noted. Major areas inspected:organization & procedures,storage & controlled areas.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/08/18. 6pp. 86125:246-86125:251.

--9510300119 Forwards compliance insp rept of license CSA-3846.
* Atomic Energy Commission (Pre 750119). 58/09/15. Atomic Energy Commission (Pre 750119). 1p. 86125:252-86125:256.

--9510300125 Informs that West Virginia Univ Hosp will be legally separated from West Virginia Univ.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 84/04/06. Region 2 (Post 820201). 1p. 86124:001-86124:001.

--9510300127 Application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/01/13. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:257-86125:257.

--9510300129 Requests addl listed info re 610113 application for renewal of license CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/01/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 2pp. 86125:258-86125:259.

--9510300134 Responds to 610130 request for addl info re application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/02/10. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:260-86125:260.

--9510300135 Safety insp on 840523-24 of license 47-01163-20.Insp findings:no violations noted.
* Region 2 (Post 820201). * West Virginia Univ., Morgantown, WV. 84/05/24. 1p. 86124:002-86124:002.

--9510300137 Requests review of WV Univ 610210 application for renewal of license CSA-3846.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/02/15. BARKER,R.F. Atomic Energy Commission (Pre 750119). 1p. 86125:261-86125:261.

--9510300140 Advises that WV Univ 610210 application for renewal of license CSA-3846 satisfactory from radiological safety standpoint.
BARKER,R.F. Atomic Energy Commission (Pre 750119). 61/03/28. DELANEY,J. Atomic Energy Commission (Pre 750119). 1p. 86125:262-86125:262.

--9510300144 Requests status for application for renewal of license CSA-3846.
KENT,J.A. West Virginia Univ., Morgantown, WV. 61/03/29. DELANEY,J.C. Atomic Energy Commission (Pre 750119). 1p. 86125:263-86125:263.

--9510300146 Insp of license 47-01163-20 on 840523-24.No violations noted.Major areas inspected:licensee internal audits, training & instructions to employees,radiation protection procedures,matls,facilities & instruments.
SLACK,S.T., SHEETS,P., TURNER,D. Region 2 (Post 820201). 84/05/31. 12pp. 86124:003-86124:014.

--9510300148 License SUD-0156 for WV Univ,authorizing possession & use of 4,000 lbs natural U.
DELANEY,J.C. Atomic Energy Commission (Pre 750119). 61/03/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:264-86125:268.

--9510300149 Notifies that license SUD-156 expires on 640331.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/01/30. KENT,J.A. West Virginia Univ., Morgantown, WV. 1p. 86125:269-86125:269.

--9510300151 Application for amend,renewing license SUD-156.
* West Virginia Univ., Morgantown, WV. 64/03/02. 3pp. 86125:270-86125:272.

--9510300153 Forwards source matl license SUD-156,as renewed.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/19. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:273-86125:273.

--9510300155 Amend to license SUD-0156 for WV Univ,renewing license in entirety.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 64/03/20. 4pp. 86125:274-86125:277.

--9510300156 Notifies that license SUD-0156 expires on 670331.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 67/01/26. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:278-86125:278.

--9510300158 Forwards application for renewal of license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/02/17. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 86125:279-86125:279.

--9510300159 Application for amend,renewing license SUD-0156.
* West Virginia Univ., Morgantown, WV. 67/02/17. 1p. 86125:280-86125:281.

--9510300163 Safety insp on 651209 of license SUD-0156.Insp findings: no noncompliance noted.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 65/12/09. 1p. 86125:282-86125:282.

--9510310007 Safety insp on 631207 of license 47-01163-09.Insp findings: permissible levels of radiation in unrestricted areas.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 63/12/07. 2pp. 86124:076-86124:077.

--9510310008 Forwards source matl license SUD-0156,as renewed.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 67/02/28. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:283-86125:283.

--9510310009 Notifies that source matl license SUD-0156 expires on 700228.
NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 69/11/25. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:284-86125:284.

--9510310010 Forwards source matl license SUD-0156,as renewed.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 70/04/02. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:285-86125:285.

--9510310011 Amend to license SUD-0156 for WV Univ,authorizing possession & use of 4,000 lbs U.
HARMON,D.F. Atomic Energy Commission (Pre 750119). 70/04/02. 2pp. 86125:286-86125:287.

--9510310012 Forwards application for renewal of license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 70/03/06. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 86125:288-86125:288.

--9510310013 Application for amend,renewing license SUD-0156.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 70/03/23. 2pp. 86125:289-86125:296.

--9510310015 Application for license,authorizing use of 110 Ci of Co-60, Ca-45,Zn-65,Mo-99,K-42,P-32,Cs-134,S-35 & La-140.
PATRICK,H. West Virginia Univ., Morgantown, WV. 70/01/05. 9pp. 86124:078-86124:086.

--9510310017 Safety insp on 741105-07 of license SUD-0156.Insp findings: noncompliance noted.
* Atomic Energy Commission (Pre 750119). * West Virginia Univ., Morgantown, WV. 74/11/05. 6pp. 86125:297-86125:302.

--9510310018 Notifies that license SUD-0156 expires on 750331.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/28. West Virginia Univ., Morgantown, WV. 1p. 86125:303-86125:303.

--9510310019 License 47-01163-21 for WV Univ,authorizing possession & use of 300 Ci Cs-137.
* Atomic Energy Commission (Pre 750119). 70/03/27. 11pp. 86124:087-86124:097.

--9510310021 Application for amend to license SUD-0156,extending license for 90 days.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 75/02/27. WADE,L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p. 86125:304-86125:304.

--9510310025 Requests appropriate info & forms re transfer of 1,086 pieces of normal U slugs.
BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 75/01/07. ROGOSA,G.L. Atomic Energy Commission (Pre 750119). 2pp. 86125:305-86125:306.

--9510310027 Informs that licensee use of licensed matl has not resulted in health or safety problem.
YOUNG,B.W. Region II, IE (720101-810228). 71/05/19. SUTHERLAND,J.T. Region II, IE (720101-810228). 1p. 86124:098-86124:098.

--9510310028 Amend to license SUD-0156 for WV Univ,amending license in entirety.
* Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/03/27. 17pp. 86125:307-86125:326.

--9510310030 Safety insp on 710511 of license 47-01163-21.Insp findings: containers not properly labeled to indicate presence of radioactive matl & records of surveys or disposals not properly maintained.
YOUNG,H.W. Region II, IE (720101-810228). PATRICK,H. West Virginia Univ., Morgantown, WV. 71/05/11. 1p. 86124:099-86124:099.

--9510310032 Forwards Bulletin 74-7, "Personnel Overexposure-Irradiator Facility," to provide info obtained during investigation.
MOSELEY,N.C. Region II, IE (720101-810228). IEB-74-07. 74/06/28. West Virginia Univ., Morgantown, WV. 5pp. 86124:100-86124:105.

--9510310036 Provides summary of radioisotope experience to date for DL Wilhelm.
WILHELM,D.L. West Virginia Univ., Morgantown, WV. 56/03/16. FOWLER,E.E. Atomic Energy Commission (Pre 750119). 1p. 86125:327-86125:327.

--9510310037 Requests loan of listed prints for use in preparation of slide illustrations.
KAPNICKY,J.A. West Virginia Univ., Morgantown, WV. 56/04/26. Atomic Energy Commission (Pre 750119). 1p. 86125:328-86125:328.

--9510310039 Forwards addl info & forms re 570601 ltr concerning plans for labeling compounds w/Tritium.
HITCH,J.W. Atomic Energy Commission (Pre 750119). 57/06/14. FAN,L.T. West Virginia Univ., Morgantown, WV. 1p. 86125:329-86125:329.

--9510310041 Requests to be advised of possibility of securing svc in labeling experiments.
FAN,L.T. West Virginia Univ., Morgantown, WV. 57/06/01. Atomic Energy Commission (Pre 750119). 1p. 86125:330-86125:330.

--9510310043 Forwards insp of license 47-1163-6C60.
* Atomic Energy Commission (Pre 750119). 58/08/15. Atomic Energy Commission (Pre 750119). 1p. 86125:331-86125:331.

--9510310045 Forwards three copies of request for amend to license 47-01163-08.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 67/01/31. Atomic Energy Commission (Pre 750119). 11pp. 86126:046-86126:056.

--9510310047 Insp of license 47-1163-6C60 on 580731.No noncompliance noted.
SUTHERLAND,J.T., DUBINSKI,L. Atomic Energy Commission (Pre 750119). 58/08/06. 1p. 86125:332-86125:333.

--9510310048 Amend 1 to license 47-01163-14 for WV Univ,revising condition 12 & iten 4 as listed.
BASSIN,N. Atomic Energy Commission (Pre 750119). 65/07/21. 1p. 86126:057-86126:058.

--9510310051 Requests addl info re required leak testing procedures.
KENT,J.A. West Virginia Univ., Morgantown, WV. 59/03/03. SMITH,D.A. Atomic Energy Commission (Pre 750119). 1p. 86125:334-86125:334.

--9510310053 Submits info on CD Thomas for position of Instructor under Univ Extension Civil Defense program,University Extension Svcs,West Virginia Ctr for Appalachian Studies & Development.
LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 65/06/09. BRYANT,J. Atomic Energy Commission (Pre 750119). 2pp. 86126:059-86126:060.

--9510310055 Forwards drawing R105780 for approval.
LLEWELLYN,E. Curtiss-Wright Corp. 59/03/11. MILLER,W.O. Atomic Energy Commission (Pre 750119). 2pp. 86125:335-86125:336.

--9510310056 Submits info re qualifications of CD Thomas for position as Radiological Defense Instructor.
MCFARLAND,C.R. Atomic Energy Commission (Pre 750119). 65/06/01. LIVINGSTONE,S. West Virginia Univ., Morgantown, WV. 4pp. 86126:061-86126:066.

--9510310059 Requests 4 copies of Form AEC-313 & general info sheet.
LINDSAY,H.A. West Virginia Univ., Morgantown, WV. 59/04/23. Atomic Energy Commission (Pre 750119). 3pp. 86125:337-86125:340.

--9510310060 Expresses appreciation for 700901 ltr informing NRC of appointment of RH Galbraith as RSO at West Virginia Univ Medical Ctr.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 70/09/08. MCKEE,F.W. West Virginia Univ., Morgantown, WV. 1p. 86126:067-86126:067.

--9510310062 Discusses Amory telcon re 621227 denial ltr.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 63/01/07. Atomic Energy Commission (Pre 750119). 1p. 86125:341-86125:341.

--9510310063 Forwards copy of resume of RH Galbraith,appointed RSO at West Virginia Univ Medical Ctr.
MCKEE,F.W. West Virginia Univ., Morgantown, WV. 70/09/01. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 5pp. 86126:068-86126:072.

--9510310066 Advises that listed literature might be helpful in response to 671113 ltr re safe handling of radioisotopes.
MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 67/11/30. REXROAD,H.N. West Virginia Univ., Morgantown, WV. 1p. 86125:342-86125:342.

--9510310067 Expresses regret in such late response to 770901 request.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 77/11/18. LAMASTRA,M.A. Radioisotopes Licensing Branch (Pre 790501). 1p. 86126:073-86126:077.

--9510310068 Requests answers to two listed questions re safe handling of radioisotopes.
REXROAD,H.N. West Virginia Univ., Morgantown, WV. 57/11/13. MCBRIDE,J.A. Atomic Energy Commission (Pre 750119). 1p. 86125:343-86125:343.

--9510310070 Discusses contamination found on shipment of 10,000 Ci Co-60.
KENT,J.A. West Virginia Univ., Morgantown, WV. 62/10/04. NELSON,P.R. Atomic Energy Commission (Pre 750119). 11pp. 86125:344-86125:354.

--9510310072 Forwards application for amend to license 47-01163-06.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/07/31. Atomic Energy Commission (Pre 750119). 1p. 86125:355-86125:355.

--9510310074 Application for amend to license 47-01163-06,adding 100 Ci H-3.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 68/07/31. 3pp. 86125:356-86125:357.

--9510310076 Informs that licensee has sent two copies of reply to 790119 ltr re amend to license 47-01163-20.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 79/03/30. WALKER,W.J. Materials Licensing Branch. 25pp. 86126:078-86126:102.

--9510310078 Requests addl info re application covering tritium targets used in neutron generators.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 68/10/17. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:358-86125:359.

--9510310081 Forwards three copies of form AEC-313 w/completed parts 1-7 per Sections 30.38 & 30.32 of Title 10 NRC Rules & Regulations.
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 70/10/20. HENDRIX,G. Atomic Energy Commission (Pre 750119). 1p. 86126:103-86126:103.

--9510310082 Advises that response to 681017 RAI re 680731 application for license required in 30 days or application will be considered abandoned.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 68/12/19. THOMAS,C.D. West Virginia Univ., Morgantown, WV. 1p. 86125:360-86125:360.

--9510310085 Application for amend to license 47-01163-72,authorizing use of 18,000 Ci Co-60.
ANDREWS,C.E. West Virginia Univ., Morgantown, WV. 70/10/20. 2pp. 86126:104-86126:105.

--9510310087 Requests addl info re application for amend to license 47-01163-06.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 69/02/20. BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 1p. 86125:361-86125:361.

--9510310091 Advises that response to 690220 RAI re 680731 application for license required within 30 days or application will be considered abandoned.
BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 69/04/28. BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 1p. 86125:362-86125:362.

--9510310093 "Radiation Survey & Calibr Atomic Energy of Canada LTD Theratron 80 w/Nominal 3,350 Ci Co Source."
GALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 70/10/20. 8pp. 86126:106-86126:113.

--9510310094 Responds to 690220 & 0428 ltrs re installation of neutron generator facility.Requests that application for amend to license 47-01163-06 be cancelled.
BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 69/05/07. BUCHANAN,C.R. Atomic Energy Commission (Pre 750119). 1p. 86125:363-86126:002.

--9510310097 Forwards addl info needed for completion of amend for larger Co-60 source for license 47-01163-22.
HALBRAITH,R.H. West Virginia Univ., Morgantown, WV. 71/02/03. HENDRIX,G. Atomic Energy Commission (Pre 750119). 5pp. 86126:114-86126:118.

--9510310100 Application for broad medical & R&D licenses for use of radioisotopes.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 62/10/05. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 18pp. 86126:003-86126:021.

--9510310103 Requests that A Ucmakli be changed to JC Evans in item 12 of license 47-01163-22 & that 0.49 Ci of Cs-137 be added as sealed tubes on license 47-01163-20.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 74/04/23. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 6pp. 86126:119-86126:124.

--9510310109 Application for amend to license 47-01163-22,authorizing possession & use of 18,000 Ci Co-60.
ANDREWS,C.E. West Virginia Univ., Morgantown, WV. 75/08/28. 5pp. 86126:125-86126:129.

--9510310112 "Protection Survey Theratron-80 at West Virginia Univ Medical Ctr."
RENNER,W.D. West Virginia Univ., Morgantown, WV. 75/01/31. 16pp. 86126:130-86126:145.

--9510310116 Application for license,authorizing all radioisotopes between atomic numbers 3 & 83 inclusive.
* West Virginia Univ., Morgantown, WV. 62/06/19. 17pp. 86126:022-86126:038.

--9510310120 Informs that licensee will continue review of procedures for dealing w/ irradiation facilities.
SLACK,S.T. West Virginia Univ., Morgantown, WV. 77/11/29. Radioisotopes Licensing Branch (Pre 790501). 3pp. 86126:146-86126:148.

--9510310124 Informs of change of personnel within radiation safety program at West Virginia Univ.
ALLAN,M.D. West Virginia Univ., Morgantown, WV. 77/08/10. BOWYER,J.E. Materials Licensing Branch. 2pp. 86126:149-86126:151.

--9510310125 Forwards Form 313 signed by PA Miller.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 62/10/30. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86126:039-86126:039.

--9510310129 Application for license,authorizing possession & use of all radioisotopes between atomic numbers 3 & 83 inclusive.
MILLER,P.A. West Virginia Univ., Morgantown, WV. 62/11/27. 2pp. 86126:040-86126:044.

--9510310134 Informs that renewal application should be complete in all respects & reflect program at time of renewal.
BASSIN,N. Materials Licensing Branch. 79/04/09. SLACK,S.T. West Virginia Univ., Morgantown, WV. 1p. 86126:152-86126:153.

--9510310140 Provides one copy of application for renewal of license 47-01163-24.Informs that other copy being mailed in separate envelope.
SLACK,S.T., KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 79/03/30. Materials Licensing Branch. 27pp. 86126:154-86126:181.

--9510310143 Informs that University Radiological Safety Committee has decided to keep Co-60 source Item B in Forestry Towers.
AMTEY,S. West Virginia Univ., Morgantown, WV. 75/02/27. WADE,L. Materials Licensing Branch. 4pp. 86126:182-86126:187.

--9510310147 Application for amend,renewing license 47-01163-26.
KOPPELMAN,R. West Virginia Univ., Morgantown, WV. 78/05/26. 6pp. 86126:188-86126:195.

--9510310153 Application for license,authorizing use of 1.5 mg of U-235.
BLACKSHAW,G.L. West Virginia Univ., Morgantown, WV. 74/09/18. 4pp. 86126:196-86126:199.

--9510310155 Requests status of application for broad medical license submitted 621005 & returned w/PA Miller signature on 621030.
AMORY,H.I. West Virginia Univ., Morgantown, WV. 62/12/31. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 86126:045-86126:045.

--9510310159 Submits info requested in support of licensee concerning 1,000 Ci Co-60.
BOWYER,J.E. Atomic Energy Commission (Pre 750119). 59/05/07. KENT,J.A. West Virginia Univ., Morgantown, WV. 3pp. 86126:200-86126:202.

--9510310160 Forwards three copis of AEC form 313 w/suppl info requesting license for 1,000 Ci Co-60.
ARENTS,C.A. West Virginia Univ., Morgantown, WV. 59/04/07. MASON,J.R. Atomic Energy Commission (Pre 750119). 1p. 86126:203-86126:203.

–9510310164 Application for license,authorizing 1,000 Ci Co-60.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 59/04/08. 19pp. 86126:204-86126:222.

–9510310192 Partially withheld ltr ack receipt of 730720 ltr,informing of appointment of SR Amtey as radiation safety officer.
WADE,L. Atomic Energy Commission (Pre 750119). 73/08/15. AMTEY,S.R. West Virginia Univ., Morgantown, WV. 1p. 86127:013-86127:013.

–9510310196 Forwards curriculum vitae of SR Amtey,radiation safety officer WV Univ.
AMTEY,S.R. West Virginia Univ., Morgantown, WV. 73/07/20. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 206pp. 86127:014-86127:291.

–9510310199 Partially withheld ltr forwarding application for renewal & consolidation of listed licenses.
HARLOW,J.G. West Virginia Univ., Morgantown, WV. 74/03/15. BOWYER Atomic Energy Commission (Pre 750119). 4pp. 86127:292-86127:295.

–9510310204 Application for amend,renewing licenses 47-01163-20, 47-01163-01,47-01163-05 & 47-13941-01.
HARLOW,J.G. West Virginia Univ., Morgantown, WV. 74/03/15. 101pp. 86127:296-86128:041.

–9510310215 Responds to 751016 ltr.CE Andrews is Provost of Univ in charge of medical affairs.
GABRIELE,O.F. West Virginia Univ., Morgantown, WV. 75/10/23. DAVIS,F.C. Office of Inspection & Enforcement (750101-801210). 12pp. 86128:042-86128:053.

–9511060237 Application for amend to license 47-02263-01,authorizing possession & use of 10 mCi C-14 & 25 mCi H-3.
THOMAS,C.D. West Virginia Univ., Morgantown, WV. 66/03/14. 2pp. 86118:340-86118:341.

–9511130051 Discusses inspector evaluation & opinion of West Virginia Univ extension svc.No health or safety problem was evident.
YOUNG,H.W. Atomic Energy Commission (Pre 750119). 68/04/03. SUTHERLAND,J.T. Atomic Energy Commission (Pre 750119). 6pp. 86121:343-86121:348.

9510110151 FOIA request for Exhibit Numbers 16 & 26 to OI Rept 2-90-001.
KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 95/09/11. FORTUNA,R. Ofc of Investigations (Post 880201). 1p. 85777:301-85777:301.

9510110161 Final response to FOIA request for documents.Records in App A will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 85777:302-85777:345.

–9510110165 Transcript of 900314 interview of G Bockhold in Waynesboro,GA re chemical cleaning of RCS using H peroxide. Pp 1-42.
* NRC - No Detailed Affiliation Given. 90/03/14. 42pp. 85777:304-85777:345.

9510110204 FOIA requests for documents re regulatory analysis or other documentation justifying staff basis for establishing limitations on structures,sys & components,background of which provided listed discussions.
WILLIAMS,O.G. JRA Associates. OGW-95-098. 95/09/08. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85764:238-85764:239.

9510110211 Final response to FOIA request for documents.No agency records found.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. WILLIAMS,O.G. JRA Associates. 1p. 85764:240-85764:240.

9510110231 FOIA request for documents re transcripts of statements made at 931109 hearing in Manistee.
BOTT,T.J. Affiliation Not Assigned. 95/08/26. BERSON,B.A. Region 3 (Post 820201). 1p. 85764:198-85764:198.

9510110240 Final response to FOIA request for documents.Forwards App A records being released in entirety in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. BOTT,T.J. Affiliation Not Assigned. 2pp. 85764:199-85764:237.

–9510110257 Investigation rept 3-93-014R on 941019.Noncompliance noted. Major areas investigated:allegations re deliberate violation by unsupervised Radiographer Assistants while handling & utilizing sealed sources.
ANDERSON,R.T., PAWLIK,E.T. Region 3 (Post 820201). FITZGERALD,J.A. Ofc of Investigations (Post 880201). 94/10/19. 33pp. 85764:201-85764:237.

9510110317 FOIA request for documents re decommissioning plan for RMI Titanium Co Extrusion Plan,submitted to NRC on 950427.
BASTENBECK,B. Affiliation Not Assigned. ESA-2279. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85777:298-85777:298.

9510110323 Final response to FOIA request for documents.Records in App A available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. BASTENBECK,B. Affiliation Not Assigned. 2pp. 85777:299-85777:300.

9510120039 FOIA request for documents re all versions of Perry Nuclear Plant security plans in effect during 1995.
SAGGIO,J.A. Affiliation Not Assigned. 95/08/31. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85777:357-85777:358.

9510120045 Final response to FOIA request for documents.Forwards documents listed in App A.Records completely withheld (ref FOIA exemption 3).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. SAGGIO,J.A. Affiliation Not Assigned. 3pp. 85777:359-85777:361.

9510130113 FOIA request for documents re draft rept of 600 potentially contaminated sites being reviewed for potential inclusion on site decommissioning mgt plan.
POWERS,S.M. Affiliation Not Assigned. 95/09/06. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85800:340-85800:341.

9510130121 Final response to FOIA request for documents.Records in App A available in PDR.Records in App B withheld in their entirety (ref FOIA exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/28. POWERS,S.M. Affiliation Not Assigned. 5pp. 85800:342-85800:350.

–9510130125 Package consisting of list of sites found contaminated by terminated license review.
* Division of Freedom of Information & Publications Services (Post 940714). 95/09/28. 2pp. 85800:346-85800:350.

9510130196 Eleventh final response to FOIA request for documents. Records in App N will be made available in PDR.App M records will be withheld in entirety (ref Exemption 4).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/04. IRWIN,D. Hunton & Williams. 4pp. 85800:219-85800:274.

9510130208 FOIA request for documents re responses to encl request for production of documents.
COPELAND,J.G. Baker & Botts. H-3991. 95/06/15. Division of Freedom of Information & Publications Services (Post 940714). 10pp. 85798:001-85798:010.

9510130217 First partial response to FOIA request for documents. Forwards App A records already available in PDR & App B & C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/27. COPELAND,J.G. Baker & Botts. 9pp. 85798:011-85800:200.

–8802090328 Forwards draft SALP input for review.Comments received by 880202 will be considered in final rept.Tabulation of SALP input from technical staff also encl.Applicant evaluated to be Category 2 during SALP period for CY87.W/o input.
KADAMBI,N.P. Project Directorate IV. 88/01/28. CRUTCHFIELD,D. Division of Reactor Projects - III,IV,V & Special Projects (870411-901215). 31pp. 85798:021-85798:051.

–8901240492 Forwards schedule of meetings to develop SALP inputs.If written input has been submitted in response to memos of 881114 & 1222,attendance not required.
ZWOLINSKI,J.A. Division of Licensee Performance & Quality Evaluation (870411-921003). 89/01/09. LANNING,W. NRC - No Detailed Affiliation Given. 3pp. 85798:052-85798:054.

–8902150122 Forwards NRR SALP input for Jan-Dec 1988,for SALP Board meeting currently scheduled for 890210.
DICK,G.F. Project Directorate IV. 89/02/09. CALLAN,L.J. Region 4 (Post 820201). 10pp. 85798:055-85798:064.

–9001120062 Provides SALP input for Jan 1989 - Jan 1990.Offers no reportable licensing activities re plant for rating period.
MCKEE,P.F. Reactor Safeguards Branch. 90/01/04. GODY,A.T. Performance & Quality Evaluation Branch (890101-921003). 3pp. 85798:065-85798:067.

–9003010373 Forwards Project Directorate IV input to SALP rept for Jan 1989 to Jan 1990.Licensee handled 891128 failure of emergency diesel generator 22,which delayed restart by 6 wks,in well-organized & structured manner.
DICK,G.F. Project Directorate IV (891001-900602). 90/02/22. COLLINS,S.J. Region 4 (Post 820201). 21pp. 85798:068-85798:088.

–9107250048 Forwards NRR SALP input rept for functional area of safety assessment/quality verification for Feb 90 - May 1991.
DICK,G.F. Project Directorate IV-2. 91/07/16. COLLINS,S.J. Region 4 (Post 820201). 9pp. 85798:089-85798:097.

–9210190155 Forwards SALP input based on results of service water sys operational performance insp on 920622-0710.
LMBRO,E.V. Special Inspection Branch. 92/10/13. BLACK,S.C. Division of Reactor Projects - III,IV,V (Post 901216). 7pp. 85798:098-85798:104.

–9308120120 Concurs w/proposed schedule to adjust current SALP end date until 6 to 9 months after unit startup,per 930630 memo.
MURLEY,T.E. Office of Nuclear Reactor Regulation, Director (Post 870411). 93/07/22. MILHOAN,J.L. Region 4 (Post 820201). 8pp. 85798:105-85798:198.

–9510130281 "Region IV Div of Reactor Projects Pre-SALP Board for South Texas Project," presented at 900201-910531 SALP meeting.
* Region 4 (Post 820201). 90/02/01. 58pp. 85798:199-85798:290.

–9510130297 "Region IV Div of Reactor Projects Plant Performance Midcycle Review for South Texas Project,SALP Cycle 009."
* Region 4 (Post 820201). 92/04/23. 8pp. 85798:291-85798:298.

–9510130310 "South Texas Project Pre-SALP Board MIP Close Out Interim MIP," presented at 910602-920801 SALP meeting.
* Region 4 (Post 820201). 92/07/21. 156pp. 85798:299-85799:187.

–9510130341 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/10/19. 168pp. 85799:188-85799:341.

–9510130343 "Region IV Div of Reactor Projects Quarterly Plant Performance Review," for SALP period 920802-940702.
* Region 4 (Post 820201). 93/01/19. 211pp. 85799:342-85800:200.

9510130237 Final response to FOIA request for documents.Records in App A available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/06. BASTENBECK,B. Nuclear Energy Services, Inc. 2pp. 85800:202-85800:203.

9510130241 FOIA request for decommissioning plan for Molycorp & characterization rept in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. ESA-2312. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85800:201-85800:201.

9510130264 First partial response to FOIA request for documents.Records in App A & B will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/06. DEER IN WATER Affiliation Not Assigned. 5pp. 85800:213-85800:218.

--9510130276 Forwards table, "Comparison of CST Sample Splitting Results, MI Dept of Radiological Health & Fermi 2."
OHLEMACHER,G. Detroit Edison Co. 94/02/22. COLBURN,T. NRC - No Detailed Affiliation Given. 1p. 85800:218-85800:218.

9510130270 FOIA request for documents re NRC rept 4-94-060.
PENDLETON,N. Affiliation Not Assigned. 95/08/21. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85778:194-85778:194.

9510130271 FOIA request for rept submitted to NRC by util re discharge into Lake Erie as permitted either under NPDES permit & correspondence submitted to NRC by Michigan agency or agencies w/oversight of NPDES permit.
DEER IN WATER Affiliation Not Assigned. 95/08/18. ROBINSON,L. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85800:211-85800:212.

9510130278 Final response to FOIA request for documents.Records in App A encl & are being made available for PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/06. PENDLETON,N. Affiliation Not Assigned. 2pp. 85778:195-85778:213.

--9510130292 Investigation rept 4-94-060 on 950817.No noncompliance noted.Major areas investigated:alleged discrimination for reporting safety concern to mgt.
ARMENTA,J., WILLIAMSON,E.L. Region 4 (Post 820201). 95/08/17. 17pp. 85778:197-85778:213.

9510130294 Final response to FOIA request for documents.Records in App A will be made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/12. MAYGARDEN,B. . 2pp. 85800:280-85800:298.

--9510130320 License 17-02108-01 for Allied Chemical & Dye Corp, authorizing use of 60 mCi Sb-124 tracer for oil covered w/ brine in salt dome in field.
* Atomic Energy Commission (Pre 750119). 57/02/27. 1p. 85800:282-85800:282.

--9510130325 License 17-02688-01 for Kaiser Aluminium & Chemical Corp, authorizing use of 645 mCi Cs-137 as sealed sources.
* Atomic Energy Commission (Pre 750119). 57/06/10. 1p. 85800:283-85800:283.

--9510130328 License 17-03786-01 for US Post Ofc,authorizing use of 30 mCi Co-60 in training civil defense monitors & for instrument calibr purposes.
MASON,J.R. Atomic Energy Commission (Pre 750119). 58/10/24. 4pp. 85800:284-85800:287.

--9510130332 License 17-03503-03 for Cities Svc R&D Co,authorizing use of 1,000 mCi & 2,000 mCi Co-60 & Ir-192,respectively for industrial radiography.
MASON,J.R. Atomic Energy Commission (Pre 750119). 59/06/03. 3pp. 85800:288-85800:290.

--9510130335 License 17-07137-01 for Dow Chemical Co,authorizing 1 Ci Cs-137 in Ohmart Corp Model HM source holder for measurement of density of matl in pipe.
MASON,J.R. Atomic Energy Commission (Pre 750119). 61/02/24. 2pp. 85800:291-85800:292.

--9510130338 License 17-07137-03 for Dow Chemical Co,authorizing use of 8 mCi,1.002 Ci & 2 mCi C-14,H-3 & Kr-85,respectively.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 95/10/12. 1p. 85800:293-85800:293.

--9510130340 License 17-07137-04 for Dow Chemical Co,authorizing use of 1,050 mCi Hg-197 to determine mercury content in electrolytic cells.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 64/07/21. 1p. 85800:294-85800:294.

--9510130345 License 17-13310-01 for Chevron Chemical Corp,authorizing use of 75 mCi & 10 mCi Sc-46 & Sr-90,respectively.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 65/10/04. 1p. 85800:295-85800:295.

--9510130347 License 17-11710-01 for Lafayette Parish Civil Defense, authorizing use of 30 mCi Co-60 in training instrument operators & for instrument calibr.
BASSIN,N. Atomic Energy Commission (Pre 750119). 66/06/01. 3pp. 85800:296-85800:298.

9510130321 FOIA request for documents re investigation rept & exhibits including transcripts from conversations w/people pertaining to investigation of Mid-America Insp Svc & R Hamilton.
TOWNSEND,J.D. Affiliation Not Assigned. 95/08/25. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85800:299-85800:300.

9510130333 Final response to FOIA request for documents.Records in App A encl & are being made available for PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/09/26. TOWNSEND,J.D. Affiliation Not Assigned. 2pp. 85800:301-85800:339.

9510130392 FOIA request for documents re storage of any hazardous &/or radioactive matls,including low-level radwaste.
MAYGARDEN,B.D. . 95/05/23. NRC - No Detailed Affiliation Given. 5pp. 85800:275-85800:279.

9510130393 FOIA request for documents re list of I.M.P.A.C credit card holders,addresses & phone numbers.
EARLY,K. Affiliation Not Assigned. 95/10/06. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 85800:204-85800:204.

9510130394 Final response to FOIA request for documents.Forwards documents listed in App A.Documents also available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/10. EARLY,E.M. Affiliation Not Assigned. 2pp. 85800:205-85800:210.

--9510130395 Listing of IMPAC holders.
* NRC - No Detailed Affiliation Given. 95/09/30. 4pp. 85800:207-85800:210.

9510160298 Third partial response to FOIA request for documents.Records in App E being made available in PDR & encl.App F records in possession of requester.Apps G & H documents partially & totally withheld (ref exemptions 7C & 5 & 7A),respectively.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/11. JOHNSON,D.G. LeBoeuf, Lamb, Leiby & MacRae. 10pp. 85917:001-85918:127.

--9510160300 "QA Manual."
* Five Star Products, Inc. 91/07/23. 150pp. 85917:017-85917:193.

--9510160301 "QA Manual."
* Five Star Products, Inc. 92/06/08. 85pp. 85917:194-85917:276.

--9510160302 Interview of E Holub,taken on 930112 in Fairfield,CT.
* Affiliation Not Assigned. 93/01/12. 203pp. 85917:277-85918:118.

--9510160303 Notifies that J Donovan represents listed employees of Five Star Products,Inc.
DONOVAN,J. Affiliation Not Assigned. 94/02/24. TEETER,J. Region 1 (Post 820201). 1p. 85918:119-85918:119.

--9510160305 Advises that J Donovan requests subpoenas issued to three of J Donovan clients prior to being interviewed by OI.
LETTS,B.R. Ofc of Investigations (Post 880201). 94/02/28. HAYES,B.B. Ofc of Investigations (Post 880201). 1p. 85918:120-85918:120.

--9510170243 Notifies that in addition to representation of eight other employees of Five Star Products,J Donovan has undertaken representation of JR Frattaroli.
DONOVAN,J. Affiliation Not Assigned. 94/03/15. TEETER,J. Region 1 (Post 820201). 3pp. 85918:121-85918:123.

--9510170251 Responds to 941005 ltr requesting on behalf of H Allen & D Marrone,copies of transcripts of NRC OI.
LETTS,B.R. Ofc of Investigations (Post 880201). 94/10/17. DONOVAN,J. Affiliation Not Assigned. 1p. 85918:124-85918:124.

--9510170259 Ack receipt of 941017 ltr re exam of transcripts.
DONOVAN,J. Affiliation Not Assigned. 94/10/25. LETTS,B.R. Ofc of Investigations (Post 880201). 3pp. 85918:125-85918:127.

9510170223 Final response to FOIA request for investigation rept on allegations of reprisal & harassment against util employees. App A records in PDR.App B records partially withheld & App C records completely withheld (ref FOIA Exemptions 4,6 & 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/07/26. RINTOUL,D.S. Affiliation Not Assigned. 20pp. 86155:004-86168:105.

--9510170275 Requests investigation into matter re alleged harassment & intimidation of P Blanch & alleged failure to address legitimate safety concerns by modifying documents &/or destroying original evaluations/reviews to conceal concerns.
RUSSELL,W.T. Region 1 (Post 820201). 89/12/18. WHITE,C.W. Ofc of Investigations (Post 880201). 4pp. 86155:024-86155:027.

--9510170333 Rept of "Interview w/PM Blanch."
MATAKAS,R.A. Ofc of Investigations (Post 880201). WENZINGER,E. Region 1 (Post 820201). 89/10/29. 15pp. 86155:028-86155:042.

--9510190214 Provides documents unrelated to original allegation forwarded to OI by Regional Administrator for investigation & 890418,transcript for info & action,as appropriate.
WHITE,C.W. Ofc of Investigations (Post 880201). 90/05/01. KANE,W.F. Region 1 (Post 820201). 2pp. 86155:043-86155:044.

--9510190225 Informs that no addl investigative effort will be expended on circumstances surrounding technical issues addressed in documents which had been part of Regional Administrator referral to OI.
WILSON,E.P. Ofc of Investigations (Post 880201). 90/12/17. Ofc of Investigations (Post 880201). 1p. 86155:045-86155:065.

--9510190242 Rev 2 to nuclear engineering & operations procedure NEO 2.01, "Implementation of 10CFR21:Reporting of Defects & Noncompliances."
* . 87/07/24. 84pp. 86155:066-86155:146.

--9510250163 Partially withheld "Rept of Interview w/MF Samek."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/07/19. 12pp. 86156:358-86157:009.

--9510250168 Transcript of 911108 investigative interview W/RM Kacich in Berlin,CT.Pp 1-105.Related info encl.
* NRC - No Detailed Affiliation Given. 91/11/08. 107pp. 86165:049-86165:155.

--9510250173 Partially withheld "Rept of Interview W/GM Olsen."
WILSON,E.P. Ofc of Investigations (Post 880201). BARKLEY,S.A. Region 1 (Post 820201). 90/07/10. 12pp. 86157:010-86157:021.

--9510250176 Transcript of 901030 investigative interview w/M Brothers in Waterford,CT.Pp 1-53.Related info encl.
* NRC - No Detailed Affiliation Given. 95/10/30. 55pp. 86165:156-86165:210.

--9510250183 Partially withheld "Rept of Interview W/RC Lasell."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/01/29. 6pp. 86157:022-86157:027.

--9510250188 Partially withheld "Rept of Interview W/DB Miller."
WILSON,E.P. Ofc of Investigations (Post 880201). 92/05/20. 7pp. 86157:028-86157:034.

--9510250189 Transcript of 910912 investigative interview w/TA Shaffer in Berlin,CT.Pp 1-180.Related info encl.
* Ofc of Investigations (Post 880201). 91/09/12. 183pp. 86165:211-86166:033.

--9510250201 Transcript of 901030 investigative interview w/M Brown in Waterford,CT.Pp 1-103.Related info encl.
* NRC - No Detailed Affiliation Given. 90/10/30. 105pp. 86166:034-86166:138.

–9510250202 "Rept of Interview w/PM Blanch."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/10/01. 3pp. 86155:147-86155:149.

–9510250207 "Rept of Interview of PM Blanch."
WILSON,E.P., MONROE,K.L. Ofc of Investigations (Post 880201). 92/02/04. 18pp. 86155:150-86155:167.

–9510250213 Transcript of 910910 investigative interview of w/GL Johnson in Rocky Hill,CT.Pp 1-205.Related info encl.
* Ofc of Investigations (Post 880201). 91/09/10. 207pp. 86166:344-86167:188.

–9510250214 "Rept of Interview w/WJ Raymond."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/05/16. 20pp. 86155:168-86155:187.

–9510250218 Transcript of 911108 investigative interview w/RT Laudenat in Berlin,CT.Pp 1-50.Related info encl.
* NRC - No Detailed Affiliation Given. 91/11/08. 52pp. 86167:189-86167:240.

–9510250221 Partially withheld transript of investigative interview of EJ Mroczka in Berlin,CT.Pp 1-154.Related documentation encl.
* Ofc of Investigations (Post 880201). 95/04/03. 303pp. 86157:035-86158:060.

–9510250223 Transcript of 920324 investigative interview w/RP Werner in Hartford,CT.Pp 1-224.Related info encl.
* Ofc of Investigations (Post 880201). 92/03/24. 226pp. 86167:241-86168:105.

–9510250232 Rev 2 to Nuclear Engineering & Operations Procedure NEO 2.10, "Safeguarding Supplier Proprietary Matl."
* . 88/08/02. 4pp. 86155:188-86155:191.

–9510250250 "Rept of Interview w/JB Moore."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/12/03. 60pp. 86155:192-86155:251.

–9510250266 Partially deleted "Rept of Interview W/PM Blanch."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/03/04. 2pp. 86158:296-86158:297.

–9510250270 Partially deleted transcript of investigative interview of CF Sears in Berlin,CT on 910906.Pp 1-191.
HANDY,M. Ofc of Investigations (Post 880201). 91/09/06. 196pp. 86158:298-86159:135.

–9510250276 Discusses 901019 meeting w/LRS Inc officials at NRC Headquarters in Bethesda,MD re handwritten notes apparently made by LRS during various investigative visits to util & to confirm findings & conclusions contained in LRS repts.
WILSON,E.P. Ofc of Investigations (Post 880201). 95/07/26. Ofc of Investigations (Post 880201). 11pp. 86155:252-86155:262.

–9510250280 Partially deleted transcript of investigative interview of WD Romberg in Berlin,CT on 910830.Pp 1-53.
* Ofc of Investigations (Post 880201). 91/08/30. 53pp. 86159:136-86159:190.

–9510250282 Transcript of 910415 investigative interview w/J Reilly from Palo Alto,CA.Pp 1-2.
WILSON,E.P. Region 1 (Post 820201). 91/06/11. 2pp. 86166:208-86166:209.

–9510250283 "Rept of Interview w/NT Thomas."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/11/28. 8pp. 86155:263-86155:271.

–9510250286 Partially deleted rept of interview w/JA Mahannah.
WILSON,E.P. Ofc of Investigations (Post 880201). 90/06/18. 8pp. 86159:191-86159:198.

–9510250296 Transcript of 910411 investigative interview w/RW Colley from Palo Alto,CA.Pp 1-6.W/related documentation.
WILSON,E.P. Region 1 (Post 820201). 91/06/11. 7pp. 86166:210-86166:216.

–9510250303 Partially deleted transcript of investigative interview of JF Opeka in Berlin,CT on 910912.Pp 1-151.
* Ofc of Investigations (Post 880201). 91/09/12. 151pp. 86159:199-86159:351.

–9510250308 Partially deleted "Rept of Interview w/PM Meehan."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/06/12. 3pp. 86159:352-86159:354.

–9510250310 Rev 5 to Nuclear Engineering & Operations Procedure NEO 2.15, "Nuclear Concerns."
* . 95/07/26. 11pp. 86155:272-86155:282.

–9510250313 Partially deleted "Rept of Interview w/NT Thomas."
WILSON,E.R. Ofc of Investigations (Post 880201). 95/06/13. 4pp. 86159:355-86159:358.

–9510250315 Transcript of 900312 walk-in investigative interview w/PM Blanch.Pp 1-27.W/related documentation.
SANTORO,P. Affiliation Not Assigned. 90/03/12. 42pp. 86166:217-86166:258.

–9510250318 Partially deleted transcript of investigative interview of EJ Mroczka in Berlin,CT on 910828.Pp 1-319.
* Ofc of Investigations (Post 880201). 91/08/28. 320pp. 86159:359-86160:319.

–9510250319 Northeast Utilities Sys personnel policy & procedures NUP 23, "Employee Grievances & Complaints."
* Northeast Utilities. 81/09/01. 13pp. 86155:283-86155:295.

–9510250322 Partially deleted "Rept of Interview w/GJ Silberquit."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/06/14. 4pp. 86160:320-86160:323.

–9510250323 Transcript of 910829 investigative interview w/GD Uhl from Berlin,CT.Pp 1-3.W/related documentation.
WILSON,E.P., MONROE,K.L. Region 1 (Post 820201). 92/05/20. 76pp. 86166:259-86166:334.

–9510250328 Forwards documents which may be responsive to request for all written policies & procedures on initiative & conduct of internal audits that had been in place in 1989.
REYNOLDS,N.S. Winston & Strawn. 90/11/21. WILSON,E.P. Ofc of Investigations (Post 880201). 32pp. 86155:296-86155:327.

–9510250332 Responds to request that original version of SSH Evaluation MP3-87-01 be provided to OI.Informs that original document cannot be located at present time.
REYNOLDS,N.S. Winston & Strawn. 91/12/13. WILSON,E.P. Ofc of Investigations (Post 880201). 9pp. 86166:335-86166:343.

–9510250343 "Rept of Interview w/RR Linthicum."
WILSON,E.P., MONROE,K.L. Ofc of Investigations (Post 880201). 91/10/09. 2pp. 86155:328-86155:329.

–9510250347 "Rept of Interview w/MJ Whitelaw."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/02/27. 44pp. 86155:330-86156:357.

–9510250388 Partially deleted transcript of 910207 interview of A Pollock in Berlin,CT.Pp 1-282.
* Ofc of Investigations (Post 880201). 91/02/07. 281pp. 86160:324-86161:246.

–9510250389 Partially withheld transcript of 911009 investigative interview of CF Sears in Berlin,CT.Pp 1-57.Related info encl.
* Ofc of Investigations (Post 880201). 91/10/09. 65pp. 86161:247-86161:311.

–9510250390 Partially deleted transcript of 910206 investigative interview of MD Marinaccio in Berlin,CT.Pp 1-150.
* Ofc of Investigations (Post 880201). 91/02/06. 150pp. 86161:312-86162:103.

–9510250393 Partially deleted transcript of 910308 investigative interview of RV Ahlstrand in Rocky Hill,CT.Pp 1-94.
* Ofc of Investigations (Post 880201). 91/03/08. 94pp. 86162:104-86162:199.

–9510260013 Partially deleted transcript of 910321 investigative interview of SS Mirabella in Rocky Hill,CT.Pp 1-124.
SISSON,D. Ofc of Investigations (Post 880201). 91/03/21. 124pp. 86162:200-86162:324.

–9510260015 Partially deleted transcript of 910321 investigative interview of EM Ettorre in Rocky Hill,CT.Pp 1-77.
* Ofc of Investigations (Post 880201). 91/03/21. 77pp. 86162:325-86163:043.

–9510260016 Partially deleted transcript of 910308 investigative interview of CM Kloczko in Rocky Hill,CT.Pp 1-26.
* Ofc of Investigations (Post 880201). 91/03/08. 28pp. 86163:044-86163:071.

–9510260019 Partially deleted "Rept of Interview w/KM McBrien."
WILSON,E.P. Ofc of Investigations (Post 880201). 92/04/29. 2pp. 86163:072-86163:073.

–9510260020 Forwards four documents to assist in investigation re P Blanch & Northeast Util.Transmittal ltr,contract between EPRI & Performance Assoc,890601 authorization ltr from EPRI & 890808 ltr cancelling subcontract w/J Mahannah encl.
LORD,R. . 91/02/11. WILSON,E.P. NRC - No Detailed Affiliation Given. 12pp. 86166:139-86166:150.

–9510260021 Partially deleted "Rept of Interview w/F Comstock."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/10/12. 1p. 86163:074-86163:074.

–9510260022 Partially deleted transcript of 900927 investigative interview of RR Linthicum in Berlin,CT.Pp 1-35.
* Ofc of Investigations (Post 880201). 90/09/27. 35pp. 86163:075-86163:111.

–9510260026 Partially deleted transcript of 910916 investigative interview w/BM Fox in Berlin,CT.Pp 1-150.
* Ofc of Investigations (Post 880201). 91/09/16. 150pp. 86163:112-86163:263.

–9510260027 Partially deleted transcript of 910918 investigative interview of WB Ellis in Berlin,CT.Pp 1-137.
* Ofc of Investigations (Post 880201). 91/09/18. 145pp. 86163:264-86164:050.

–9510260034 Partially withheld rept of interview w/JK Humphreys of Performance Assoc,Inc,to ascertain what,if any,contacts had been made w/him by EPRI officials concerning PM Blanch involvement on certain contracts let by EPRI.
WILSON,E.P. Ofc of Investigations (Post 880201). 92/05/22. 3pp. 86166:151-86166:153.

–9510260053 Partially deleted "Rept of Interview w/JM Weiss."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/03/27. 5pp. 86164:051-86164:055.

–9510260057 Partially deleted "Rept of Interview w/JM Weiss."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/04/21. 5pp. 86164:056-86164:063.

–9510260059 Partially deleted "Rept of Interview w/A Rubio."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/04/19. 2pp. 86164:064-86164:065.

–9510260063 Partially withheld, "Rept of Interview w/HH Tufts."
WILSON,E.P., WALSH,R.J. Ofc of Investigations (Post 880201). 91/11/20. 5pp. 86164:267-86164:271.

–9510260064 Partially withheld "Rept of Interview w/SA Modoono."
WILSON,E.P., MONROE,K.L. Ofc of Investigations (Post 880201). 91/11/27. 4pp. 86164:272-86164:275.

–9510260065 Partially deleted "Rept of Interview w/BK Sun."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/04/12. 2pp. 86164:066-86164:067.

–9510260066 Partially deleted "Rept of Interview w/RW Colley."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/03/28. 3pp. 86164:068-86164:070.

–9510260068 Partially withheld "Rept of Interview w/KJ Filippides."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/07/18. 9pp. 86164:276-86164:286.

–9510260070 Partially deleted "Rept of Interview w/TU Marston."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/04/12. 6pp. 86164:071-86164:076.

–9510260072 Partially withheld "Rept of Interview w/ME Brown."
WILSON,E.P., TEATOR,J.A. Ofc of Investigations (Post 880201). 91/01/03. 4pp. 86164:287-86164:290.

–9510260075 Partially withheld "Rept of Interview w/RJ Schmidt."
WILSON,E.P. Ofc of Investigations (Post 880201). 92/03/02. 25pp. 86164:291-86164:315.

–9510260078 Partially deleted "Rept of Interview w/JJ Taylor."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/04/23. 3pp. 86164:077-86164:079.

–9510260080 Partially deleted transcript of 910807 investigative interview of M Brown in New London,CT.Pp 1-91.
* Ofc of Investigations (Post 880201). 91/08/07. 93pp. 86164:316-86165:048.

–9510260081 Partially deleted "Rept of Interview w/RJ Lord."
WILSON,E.P. Ofc of Investigations (Post 880201). 91/01/31. 6pp. 86164:080-86164:085.

–9510260084 Partially deleted statement of SW Miller on 911018 re possible statements made concerning Northeast Util Audit Dept investigation of employee,P Blanch.
WILSON,E.P., MONROE,K. Ofc of Investigations (Post 880201). 91/10/18. 3pp. 86166:172-86166:174.

–9510260085 Partially deleted transcript of 911009 investigative interview of P Santoro in Berlin,CT.Pp 1-102.
* Ofc of Investigations (Post 880201). 91/10/09. 102pp. 86164:086-86164:189.

–9510260089 Partially deleted transcript of 900927 investigative interview of PF Santoro in Berlin,CT.Pp 1-31.
HANDY,M. Ofc of Investigations (Post 880201). 90/09/27. 32pp. 86164:190-86164:222.

–9510260095 Partially deleted "Rept of Interview w/G Caccavale."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/09/18. 9pp. 86164:223-86164:231.

–9510260097 Partially withheld rept of interview w/NR Bhatt on 900517 to obtain details of internal audit initiated in Sept 1989 against NR Bhatt & other individuals in P Blanch group at Northeast Util.
WILSON,E.P. Ofc of Investigations (Post 880201). 90/05/17. 9pp. 86166:175-86166:182.

–9510260104 Partially deleted "Rept of Interview w/HJ Scully."
WILSON,E.P. Ofc of Investigations (Post 880201). 90/06/15. 33pp. 86164:232-86164:266.

–9510260108 Partially withheld rept of interview w/G Caccavale on 900517 re alleged harassment & intimidation of Northeast Util supervisor,PM Blanch & circumstances surrounding internal audit.Records of 910604 & 891024 telcon encl.
WILSON,E.P. Ofc of Investigations (Post 880201). 90/05/17. 21pp. 86166:183-86166:207.

–9510260118 Partially withheld "Northeast Util-Internal Audit Dept-Audit Rept-Review of PM Blanch Complaint re Alleged Improprieties by (name withheld)."
MIRABELLA,S.S., MORSER,F.R. Northeast Utilities. 90/03/14. 7pp. 86166:154-86166:160.

–9510260121 Partially withheld rept of interview w/VJ Mazzie on 900628 re allegations of H&I made by Northeast Util employee, PM Blanch,against mgt & possibility of "chilling effect" being in existence at Northeast Util.
MAZZIE,V.J. Ofc of Investigations (Post 880201). 90/06/28. 11pp. 86166:161-86166:171.

9510170268 FOIA request for Rept of Investigation recently completed by OI into allegations of reprisal & harassment against G Caccavale & P Blanch by Northeast Utilities.
RINTOUL,D.S. Affiliation Not Assigned. 93/03/15. POWELL,R.A. Rules & Directives Review Branch (Post 920323). 3pp. 86155:001-86155:003.

9510260051 FOIA request for documents re application by W & authorization by DOE since 1980 for transfer of nuclear or nuclear-related technology to People Republic of China.
BAYLON,J.M. Affiliation Not Assigned. 95/03/20. SESSOMS,G. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85994:198-85994:199.

9510260058 Final response to FOIA request for documents.Forwards App C records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. BAYLON,J. Affiliation Not Assigned. 2pp. 85994:200-85994:203.

–9510260074 Discusses DOE request for assurance that any export of matl produced from U mill to People Republic of China will be under IAEA safeguards.Requests that Ofc of Intl Programs acquire from DOE explanation of intent & basis for request.
BURNETT,R.F. Division of Safeguards (Pre 870413). 80/05/14. SHEA,J.R. Office of International Programs (Pre 870413). 2pp. 85994:202-85994:203.

9510260061 FOIA request for documents re all written correspondence between Chaparral Steel in Midlothian,TX or representatives w/Commission during 1992-94.
VAN BUREN,G. Affiliation Not Assigned. 95/09/25. NRC - No Detailed Affiliation Given. 1p. 85994:355-85994:355.

9510260069 Final response to FOIA request for documents.No agency records subj to request have been located.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/17. VAN BUREN,G. Affiliation Not Assigned. 1p. 85994:356-85994:356.

9510260087 FOIA request for 930301 ltr from J Milhoan to S Fogel, Associate Public Counsel,Ofc of Public Util Counsel.
O'MEALIA,M. Affiliation Not Assigned. 95/09/20. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85994:349-85994:349.

9510260099 Fifteenth partial response to FOIA request for documents. App II documents available in PDR.Forwards App JJ documents. Documents also available in PDR.App KK documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/01/05. LAWRENCE,J.W. Shaw, Pittman, Potts & Trowbridge. 5pp. 85995:026-85995:082.

–9510260112 Discusses 930525 telcon re alleged statements by manager in HL&P concerning station problem repts.
BEACH,A.B. Region 4 (Post 820201). 93/06/01. COTTLE,W.T. Houston Lighting & Power Co. 9pp. 85995:039-85995:050.

–9510260125 Discusses OI transcript of interview of alleger re potential safeguards concerns.
DEXTER,T.W. NRC - No Detailed Affiliation Given. 93/06/23. WISE,R. NRC - No Detailed Affiliation Given. 1p. 85995:051-85995:051.

–9510260132 Responds to 930505 memo that requested Region 4 staff to review OI transcript of interview of contract security guard employed at facility.
WISE,R. Region 4 (Post 820201). 93/07/08. WILLIAMSON,W.L. Ofc of Investigations (Post 880201). 1p. 85995:052-85995:052.

–9510260136 Responds to 930601 ltr re allegation by manager of HLP on station problem rept at facility.
COTTLE,W.T. Houston Lighting & Power Co. ST-HLP-AE-4565. 93/09/08. BEACH,A.B. Region 4 (Post 820201). 4pp. 85995:053-85995:056.

–9510260142 Advises that allegation number RIV-93-A-0072 be closed.
LOVELESS,D.P. NRC - No Detailed Affiliation Given. 93/11/19. WISE,R. NRC - No Detailed Affiliation Given. 7pp. 85995:057-85995:066.

–9510260148 Partially withheld memo re 861105 meeting w/MK Hess,S Dew & JT Westermeier re concerns involving valves & equipment inconvenient or inaccessible locations.
JOHNSON,C.E. Region 4 (Post 820201). 86/11/06. DRISKILL,D. Region 4 (Post 820201). 1p. 85995:067-85995:069.

–9510260151 Partially withheld memo re allegation 4-86-A-111.Documents meetings held between NRC & alleger during Nov 1986.
CARPENTER,G.L. Region 4 (Post 820201). 87/01/13. EMERSON,M.E. Region 4 (Post 820201). 8pp. 85995:070-85995:077.

–9510260158 Partially withheld memo forwarding proposed response to Senator Bentsen 861224 ltr to C Kammerer.
MARTIN,R.D. Region 4 (Post 820201). 87/01/14. STELLO,V. Ofc of the Executive Director for Operations. 5pp. 85995:078-85995:082.

9510260101 Final response to FOIA request for documents.Records in App A being made available for PDR.App B already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. O'MEALIA,M. Affiliation Not Assigned. 3pp. 85994:350-85994:354.

–9510260107 Responds to 930203 ltr requesting meeting to discuss plant const & licensing activities.
MILHOAN,J.L. Region 4 (Post 820201). 93/03/01. FOGEL,S. . 2pp. 85994:353-85994:354.

9510260110 FOIA request for documents that Tulsa Cordis Pharmacy has had w/NRC re license application,amend requests,license amends,insps & responses.
MCANANY,J. Syncor International Corp. 95/09/11. Public Document Branch. 1p. 85994:001-85994:001.

9510260140 Third final response to FOIA request for documents.Records in App C being made available for PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. VOINCHE,W. Affiliation Not Assigned. 2pp. 86007:342-86007:345.

–9510260153 Discusses request from Dravo Corp to provide portable U mill to People's Republic of China.
BURNETT,R.F. Division of Safeguards (Pre 870413). 80/05/14. SHEA,J.R. Office of International Programs (Pre 870413). 2pp. 86007:344-86007:345.

9510260145 FOIA request for documents re Sequoyah Fuels Corp licenses SUB-1010 & 35-12636-03,from 930405-950815.
HUGHES,L. Native Americans for a Clean Environment. 95/08/15. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 6pp. 86072:001-86072:006.

9510260154 First partial response to FOIA request for documents.Records in App A available in PDR.App B records encl & being made available for PDR.App C records withheld in part (ref FOIA exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/03. HUGHES,L. Native Americans for a Clean Environment. 8pp. 86072:007-86073:125.

–9404180219 Forwards evaluation plan & schedule for lessons learned review of Sequoyah Fuels Corp 921117 event at Gore,OK facility.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 94/04/11. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 86072:059-86072:064.

–9404270349 Forwards listing of addl documents that should be included in reviews re facility 921117 event involving chemical airborne release of nitrogen dioxide.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/03/14. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 4pp. 86072:050-86072:052.

--9411030265 Forwards "Lessons Learned Rept for 921117 Release of Nitrogen Dioxide at Sequoyah Fuels Corp Facility in Gore, OK," per request in 940314 memo to review circumstances surrounding 921117 event.
BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 94/10/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 86072:072-86072:108.

--9411030267 "Lessons Learned Rept for 921117 Release of Nitrogen Dioxide at Sequoyah Fuels Corp Facility in Gore,OK."
* Office of Nuclear Material Safety & Safeguards. 94/10/31. 33pp. 86072:074-86072:108.

--9510260160 Requests answers to listed questions,from NMSS & OI,re situation concerning NO2 emissions at Sequoyah Fuels Corp.
THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 94/02/21. TING,P., WINSBURG,K.L., RATHBUN,D.K. NRC - No Detailed Affiliation Given. 1p. 86072:015-86072:015.

--9510260175 Submits contract costs incurred & staffhours in reviewing application dtd 930127 for license SUB-1010.
HORN,M. Division of Fuel Cycle Safety & Safeguards (Post 930207). 93/08/04. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:293-86072:295.

--9510260178 Discusses telcon w/P Hammock re types of enforcement actions EPA has taken re releases.
VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 94/02/24. THOMPSON,H.L. NRC - No Detailed Affiliation Given. 1p. 86072:016-86072:016.

--9510260182 Informs that Sequoyah County Memorial & Sparks Hosps contacted & info verified that Bogardus met w/individuals as stated in rept.
VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 94/03/08. THOMPSON,H.L. NRC - No Detailed Affiliation Given. 1p. 86072:017-86072:017.

--9510260183 Submits contract costs incurred & staffhours used in reviewing application dtd 930127 for license SUB-1010.
HORN,M. Licensing Branch. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:296-86072:297.

--9510260185 Informs that application dtd 930127 has been reviewed by NMSS IAW 10CFR170.31 & requires amend to license.
ADAMS,M. NRC - No Detailed Affiliation Given. 93/02/08. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:298-86072:311.

--9510260200 Forwards demand for info dtd 921229,staff hours re decommissioning,synopsis of events & response to J Shepard request to define whether demand for info should be treated like order.
DEFINO,C.V. Program Management, Policy Development & Analysis Staff (Post 870413). 94/11/18. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:312-86072:328.

--9510260202 Forwards list of case numbers & status.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 94/11/08. SEELIG,C. Program Implementation Branch (Post 870729). 2pp. 86072:329-86072:330.

--9510260208 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:197-86072:200.

--9510260210 Informs that based on criteria noted,work related effort can not be billed to licensee.
BELL,L.B. NRC - No Detailed Affiliation Given. 94/07/27. SHEPHERD,J., JONES,B., AUSTIN,J. NRC - No Detailed Affiliation Given. 2pp. 86072:331-86072:332.

--9510260211 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/30. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:201-86072:203.

--9510260213 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:204-86072:205.

--9510260215 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:206-86072:207.

--9510260216 Informs that demand for info would not be final agency action in sense not reviewable by court of appeals.
HOM,S.R. NRC - No Detailed Affiliation Given. 94/08/08. SHEPHERD,J. NRC - No Detailed Affiliation Given. 1p. 86072:333-86072:333.

--9510260217 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:208-86072:209.

--9510260218 Submits contract cost incurred & staff hours used in reviewing 940128 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/05/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 86072:334-86072:334.

--9510260219 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/12/08. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:210-86072:212.

--9510260220 Submits contract cost incurred & staff hours used in reviewing 930707 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 1p. 86072:335-86072:335.

--9510260222 Discusses 921221 Commission meeting on Sequoyah Fuels.
BATES,A.L. NRC - No Detailed Affiliation Given. 94/09/29. THOMPSON,J.L. NRC - No Detailed Affiliation Given. 3pp. 86072:018-86072:020.

--9510260223 Responds to 930215 ltr re contractual costs incurred by ICF,Inc for review of case number 04008027010S,TAC L50878.
MESSIER,M. License Fee & Debt Collection Branch (Post 890827). TAC L50878. 94/03/18. JONES,B. Program Analysis Branch. 2pp. 86072:336-86072:340.

--9510260225 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:213-86072:216.

--9510260226 "Recognition & Classification of Emergencies."
* NRC - No Detailed Affiliation Given. 94/02/25. 29pp. 86072:021-86072:049.

--9510260229 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:217-86072:219.

--9510260230 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:220-86072:221.

--9510260231 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:222-86072:223.

--9510260233 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/08/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:224-86072:225.

--9510260234 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/05/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:226-86072:227.

--9510260235 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/02/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:228-86072:229.

--9510260237 Submits contract cost incurred & staff hours used in reviewing 930707 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 93/10/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:230-86072:233.

--9510260238 Discusses status of LFDCB request dtd 931029.
MESSIER,M.E. NRC - No Detailed Affiliation Given. 94/01/24. JONES,B.S. NRC - No Detailed Affiliation Given. 1p. 86072:341-86072:341.

--9510260239 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:234-86072:237.

--9510260240 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:238-86072:239.

--9510260241 Discusses status of independent review of NACE allegations contained in "Silent Sirens" rept & responds to Chairman questions re Sequoyah Fuels Corp.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 94/04/22. TING,P. Commissioners (Post 750119). 3pp. 86072:053-86072:058.

--9510260243 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/04/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:240-86072:249.

--9510260244 Informs that LFDCB would like to know status of requests or if info should be requested from Director re 931027 & 29.
BEVERIDGE,G. NRC - No Detailed Affiliation Given. 94/01/24. JONES,B.S. NRC - No Detailed Affiliation Given. 1p. 86072:342-86072:342.

--9510260245 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:250-86072:253.

--9510260246 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/11/08. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:254-86072:255.

--9510260248 Submits contract cost incurred & staff hours used in reviewing 900829 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/09/30. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:256-86072:257.

--9510260249 Requests status of 931027 & 1029 memos to G Beveridge re contract costs.
JONES,B.S. NRC - No Detailed Affiliation Given. 95/01/21. MESSIER,M.E. NRC - No Detailed Affiliation Given. 1p. 86072:343-86072:344.

--9510260250 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:258-86072:261.

--9510260251 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:262-86072:263.

--9510260252 Informs that unless Board does something to change status, decommissioning now & under current fee regulations,no annual fee assessed for license authorizing only decommissioning activities.
SHEPHERD,J. NRC - No Detailed Affiliation Given. 93/10/06. DANDOIS,D.B. NRC - No Detailed Affiliation Given. 1p. 86072:345-86072:345.

--9510260253 Submits contract cost incurred & staff hours used in reviewing 940805 application for amend to license SUB-1010.
SHEPHERD,J. Office of Nuclear Material Safety & Safeguards. 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:264-86072:266.

--9510260256 Discusses rev of licensee contingency plan for license SUB-1010.
ELLIS,J.H. Sequoyah Fuels Corp. 94/08/05. BERNERO,R.M. Office of Nuclear Material Safety & Safeguards. 4pp. 86072:267-86072:274.

--9510260257 Forwards responses to questions re NRC response to Native Americans for Clean Environ allegations about 921117, Sequoyah Fuels event.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/08/17. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 86072:065-86072:071.

--9510260258 Submits contract cost incurred & staff hours used in reviewing 900330 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:275-86072:277.

--9510260259 Submits contract cost incurred & staff hours used in reviewing 903030 application for amend to license SUB-1010.
ROBINSON,C. Office of Nuclear Material Safety & Safeguards. 93/02/23. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:278-86072:279.

--9510260260 Requests info on whether fee category has been changed for Sequoyah Fuels Corp.
SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 93/10/06. DANDOIS,D. NRC - No Detailed Affiliation Given. 1p. 86072:346-86072:350.

--9510260261 Submits contract cost incurred & staff hours used in reviewing 930114 application for amend to license SUB-1010.
HORN,M. Office of Nuclear Material Safety & Safeguards. 93/05/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:280-86072:292.

--9510260263 Submits text of ltr from NMSS to Sequoyah Fuels Corp re 40.42 shutdown notification.
SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 93/08/26. JACKSON,G. NRC - No Detailed Affiliation Given. 2pp. 86072:351-86072:353.

--9510260264 Forwards file containing staff-hour expenditures for Sequoyah Fuels for FY90-FY94,per H Thompson request.
JONES,B.S. NRC - No Detailed Affiliation Given. 94/11/04. BAKER,P. NRC - No Detailed Affiliation Given. 6pp. 86072:109-86072:114.

--9510260266 Responds to 950508 fax requesting addl info on contractual costs billed on Invoice JR520-95.Monthly ltr status repts from Aug 1994 through Feb 1995,not encl.
WEISS,D. License Fee & Debt Collection Branch (Post 890827). 95/06/08. HARLIN,C. Sequoyah Fuels Corp. 14pp. 86072:354-86073:006.

--9510260269 Forwards unofficial copy of revised proposal for L2094 Task 10,Technical Assistance in Preparation of & EIS for Decommissioning of Sequoyah Fuels Corp Facility.
MCCOLD,L. Oak Ridge National Laboratory. 95/04/10. DEMARCO,D. Office of Nuclear Material Safety & Safeguards. 42pp. 86073:007-86073:048.

--9510260270 Informs that 921117 draft lessons learned rept re release of N dioxide at Sequoyah Fuels Corp facility,placed in PDR.
BLAHA,J.L. Assistant for Operations (Post 890205). 94/11/21. MCCONNELL,K., COPLAN,S., WHITFIELD,K. Commissioners (Post 750119). 1p. 86072:115-86072:115.

--9510260273 Responds to memo to C Seeling re request for addl info on contractual svcs billed to Sequoyah Fuels Nuclear,Inc under Invoice JR0520-95.
BEVERIDGE,G.G. Program Management, Policy Development & Analysis Staff (Post 870413). 95/03/23. DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 1p. 86073:049-86073:049.

--9510260274 Forwards 950508 ltr from Sequoyah Fuels requesting addl info re contractual svcs billed under Invoice JR0520-95.
DANDOIS,D.B. License Fee & Debt Collection Branch (Post 890827). 95/05/17. SEELIG,C. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 86073:050-86073:050.

--9510260277 Requests any available info on scope of work that could assist C Harlin in understanding nature of charges which had been incurred from 8/94 to 2/95.
HARLIN,C. Sequoyah Fuels Corp. 95/05/08. MESSIER,M. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:051-86073:052.

--9510260278 Submits contract cost incurred & staff hours used in reviewing 930216 application to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:053-86073:054.

--9510260279 Submits contract cost incurred & staff hours used in reviewing 930216 application for amend to license SUB-1010.
SHEPHERD,J. NRC - No Detailed Affiliation Given. 95/04/06. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86073:055-86073:056.

--9510260283 Forwards e-mail for LL Kasner which transmitted Region IV position on offsite sirens.
VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 94/03/01. THOMPSON,H.L., STABLEIN,N.K. NRC - No Detailed Affiliation Given. 2pp. 86072:116-86072:117.

--9510260285 Forwards arguments for sounding off-site alarms during Nov 1992 event.
KASNER,L.L. NRC - No Detailed Affiliation Given. 94/03/01. VASQUEZ,G.M. NRC - No Detailed Affiliation Given. 25pp. 86072:118-86072:140.

--9510260291 Submits contract costs incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:141-86072:145.

--9510260295 Submits contract cost incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:146-86072:148.

--9510260298 Submits contract cost incurred & staff hours used in reviewing 941003 application for amend 23 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:149-86072:151.

--9510260301 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:152-86072:154.

--9510260303 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:155-86072:157.

--9510260304 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:158-86072:159.

--9510260306 Submits contract cost incurred & staff hours used in reviewing 940719 application for amend 21 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:160-86072:163.

--9510260308 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:164-86072:167.

--9510260309 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:168-86072:170.

--9510260311 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:171-86072:172.

--9510260313 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:173-86072:174.

--9510260314 Submits contract cost incurred & staff hours used in reviewing 940506 application for amend 20 to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:175-86072:180.

--9510260317 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/07/02. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 4pp. 86072:181-86072:184.

–9510260318 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/03/28. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 3pp. 86072:185-86072:187.

–9510260320 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/01/03. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:188-86072:189.

–9510260321 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/09/27. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:190-86072:191.

–9510260322 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/08/11. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:192-86072:193.

–9510260324 Submits contract cost incurred & staff hours used in reviewing 940128 application for amend to license SUB-1010.
SHEPHERD,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 94/11/16. DANDOIS,D. License Fee & Debt Collection Branch (Post 890827). 2pp. 86072:194-86072:196.

9510260205 FOIA request for documents re info tangent to Master Intl Sys USA Corp,dtd 950822 for exportation of radwaste to Dagestan.
MEDDICK,S.L. Affiliation Not Assigned. 95/09/07. HAUBER,R.D. Office of International Programs (Post 911117). 5pp. 85994:117-85994:121.

9510260206 FOIA request for decommissioning plan for Nuclear Metals, Concord,MA in support of decommissioning plan.
BASTENBECK,B. Nuclear Energy Services, Inc. ESA-2312. 95/09/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85998:185-85998:185.

9510260207 First partial response to FOIA request for documents. Forwards App A records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. MEDDICK,S.L. Affiliation Not Assigned. 3pp. 85994:122-85994:179.

–9510260214 Discusses M Adams question re Siemens-Hanford practice of disposing of filters & other combustible matls.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/09. SWEENEY,M.F., WRIGHT,B.L., HEMBY,E.O. Office of International Programs (Post 911117). 1p. 85994:125-85994:125.

–9510260221 Responds to discussion re incineration of filters containing AE matls.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/10. FONNER,S.G. Office of the General Counsel (Post 860701). 1p. 85994:126-85994:126.

–9510260228 Discusses Siemens specific export license which covers shipments to Germany of U in contaminated HEPA filters & contaminated noncombustible matl in drums.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/10. FONNER,S.G. Office of the General Counsel (Post 860701). 2pp. 85994:127-85994:128.

–9510260232 Responds to call from Maine Senator Cohen ofc ref constituents concern re contemplated shipment of waste through Maine to Russia.
CHANEY,D.C. Office of International Programs (Post 911117). 95/08/23. WRIGHT,B.L. Office of International Programs (Post 911117). 3pp. 85994:129-85994:131.

–9510260236 Informs that RA Nelson item of interest looks good.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/26. NELSON,R.A. Office of Nuclear Material Safety & Safeguards. 1p. 85994:132-85994:132.

–9510260247 Discusses Siemens Power Corp incineration/recovery vs disposal w/o incineration of radioactive matl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/01. NELSON,R.A. Office of Nuclear Material Safety & Safeguards. 1p. 85994:133-85994:133.

–9510260255 Discusses definition of radwaste.Believes that NRC should strive to minimize intrusion of new rule into already- regulated fuel cycle activities of marginal interest under Code of Practice.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/05. FONNER,S. Office of the General Counsel (Post 860701). 1p. 85994:134-85994:153.

–9510260268 Discusses 950907 supplementary submission from D Silverman of waste export application for license to export Class A LLRW to Russian Republic of Dagestan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/11. FONNER,S.G. Office of the General Counsel (Post 860701). NELSON,R.A., WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 85994:154-85994:154.

–9510260272 Expresses appreciation for comments re Dagestan waste export application.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/12. FONNER,S.G. Office of the General Counsel (Post 860701). 1p. 85994:155-85994:155.

–9510260276 Suggests that Mike points be called to attention of Glasgow & Silverman re client final call on what will or will not be added to Dagestan waste export application.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/14. FONNER,S.G., WRIGHT,B.L., RAMSEY,J.E. Office of the General Counsel (Post 860701). 1p. 85994:156-85994:156.

–9510260281 Submits message re intl waste shipping plan from Maine to Russia.Informs that Masters Intl Sys made proposal to Bangor Intl Airport in Bangor,ME to become first LLRW transfer site for temporary storage.
* Affiliation Not Assigned. 95/09/16. KENNEDY,J. Office of Nuclear Material Safety & Safeguards. 3pp. 85994:157-85994:179.

9510260209 Final response to FOIA request for documents.Records in App A available in PDR.App B records being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/17. BASTENBECK,B. Nuclear Energy Services, Inc. 3pp. 85998:186-85998:329.

9510260287 Final response to FOIA request for documents.Forwards documents listed in App A.Documents will be placed in PDR. App B documents partially withheld (ref FOIA exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/20. MCANANY,J. Syncor International Corp. 4pp. 85994:002-85994:116.

–9510260300 Corrected application for matl license.
STINCHCOMB,R. . 95/03/29. 24pp. 85994:006-85994:028.

–9510260305 Requests list of radioactive materials to be possessed by licensee using listed format.
CAMPBELL,V.H. Region 4 (Post 820201). 465613. 95/06/07. STINCHCOMB,R. . 2pp. 85994:029-85994:030.

–9510260316 Application for amend to license 35-27517-01MD,amending items 5 & 6.
STINCHCOMB,R. . 465613. 95/07/03. Region 4 (Post 820201). 2pp. 85994:031-85994:038.

–9510260323 Forwards license 35-27517-01MD,for review & advises that use of radioactive material must be in accordance w/NRC conditions of license.
CAMPBELL,V.H. Region 4 (Post 820201). 465613. 95/07/28. STINCHCOMB,R. . 5pp. 85994:039-85994:043.

–9510260328 Requests change of ownership for Tulsa Cordis Pharmacy.
STOMCHCOMB,R. . IEIN-89-025. 95/08/23. Region 4 (Post 820201). 2pp. 85994:044-85994:047.

–9510260331 Partially withheld application for matl license.
STINCHCOMB,R. . 465748. 95/04/05. 33pp. 85994:048-85994:078.

–9510260334 Partially deleted ltr submitting addl info re byproduct license,per 950525 request.
STINCHCOMB,R. . 465613. 95/06/17. CAMPBELL Region 4 (Post 820201). 5pp. 85994:079-85994:083.

–9510260337 Requests for addl info re 950329 application for license for commercial nuclear pharmacy.
CAMPBELL,V.H. Region 4 (Post 820201). 465613. 95/05/25. STINCHCOMB,R. . 21pp. 85994:084-85994:104.

–9510260340 Partially deleted ltr addressing issues raised in 950714 meeting.
STINCHCOMB,R. . 465613. 95/07/18. CAMPBELL,V. Region 4 (Post 820201). 12pp. 85994:105-85994:116.

9510260288 FOIA request for decommissioning plan for Shieldalloy Cambridge,OH facility & characterization rept.
BASTENBECK,B. Integrated Environmental Services. 95/09/21. NRC - No Detailed Affiliation Given. 1p. 85995:001-85995:001.

9510260293 Final response to FOIA request.Forwards app A document which will be available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/20. BASTENBECK,B. Integrated Environmental Services. 2pp. 85995:002-85995:025.

–9510260296 Preliminary draft remedial investigation & feasability study for Shieldalloy facility.
* PTI Services, Inc. 95/04/21. 22pp. 85995:004-85995:025.

9510260349 Final response to FOIA request for documents.Forwards documents listed in App K released in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. COPELAND,J.G. Baker & Botts. 2pp. 85994:180-85994:197.

–9403010263 Informs Commission of restart of Unit 1 & related actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/02/17. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 3pp. 85994:192-85994:197.

9510270022 Second partial response to FOIA request for documents. Records in App C being made available for PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/10/16. DEER IN WATER Affiliation Not Assigned. 2pp. 86007:346-86007:355.

–9510270026 Informs that Fermi-2 turbine failed,damaging quite bit of equipment & spilling large quantity of contaminated water into turbine building basements.Event occurred on 931225.No injuries reported & plant safely shut down.
WILLIS,C.A. NRC - No Detailed Affiliation Given. 94/01/08. CONGEL,F. NRC - No Detailed Affiliation Given. 6pp. 86007:350-86007:355.

9510270030 FOIA request for documents re monthly newsletter that was designed to inform NRC & Agreement State Licensee about new & proposed changes in NRC & State regulations & policies.
FELTON,J.M. Nuclear Licensing Reports. 95/10/05. KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 1p. 86023:190-86023:193.

9510270033 Final response to FOIA request for documents.Records in App A being made available for PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 95/10/24. FELTON,J.M. Nuclear Licensing Reports. 2pp. 86023:194-86023:215.

--9510270274 "Thirteen Draft Regulations to be Administratively Withdrawn."
* NRC - No Detailed Affiliation Given. 95/10/24. 20pp. 86023:196-86023:215.

9510270070 Third final response to FOIA request for documents.Records in App D encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/10/23. DEER IN WATER Affiliation Not Assigned. 13pp. 86022:001-86023:189.

--9510270121 "Turbine Incident Recovery Radiological Performance Rept," 941226-950413.
CRAINE,D.T., MACADAM,G.E., KOKOSKY,E.F. Detroit Edison Co. 95/04/13. 300pp. 86022:016-86022:347.

--9510270135 Forwards results of plant CST discharge overview. No problems noted during release.
ORTH,S. NRC - No Detailed Affiliation Given. 94/02/28. PEDERSON,C. NRC - No Detailed Affiliation Given. 32pp. 86022:348-86023:019.

--9510270249 Forwards lower limit of detection verification to Fermi 2 ODCM required criteria for radioactive liquid waste sampling & analysis program.
KOKOSKY,E. Detroit Edison Co. 94/03/03. SHAH,N. NRC - No Detailed Affiliation Given. 5pp. 86023:020-86023:024.

--9510270253 "Gamma Spectroscopy Analysis Rept."
* Detroit Edison Co. 94/03/03. 5pp. 86023:025-86023:029.

--9510270257 "Gamma Spectroscopy Analysis Rept."
* Detroit Edison Co. 94/03/03. 153pp. 86023:030-86023:184.

--9510270276 Submits results of analysis of first Fermi CST discharge.
ORTH,S. NRC - No Detailed Affiliation Given. 95/04/19. GROBE,J. NRC - No Detailed Affiliation Given. 5pp. 86023:185-86023:189.

9510270148 Second partial response to FOIA request for documents. Forwards App B records already available in PDR & App C records being made available in PDR.Lists topics discussed during meeting.
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 95/10/16. LEE,S.K. Affiliation Not Assigned. 3pp. 86073:057-86073:125.

--7902210024 Responds to NRC 781012 ltr & forwards changes for License 22-00057-32G re non-return of static eliminators,statistical sampling for leak tests,potential release of radioactive matl due to fires & leak test records & reports.
LAHR,T.N. Minnesota Mining & Manufacturing Co. (3M Co.). 79/01/16. BASSIN,N. Radioisotopes Licensing Branch (Pre 790501). 11pp. 86073:114-86073:125.

--9510270160 Summary of 741211 meeting w/R Wissink & Reichart of 3M Co to discuss pending application for renewal of license 22-00057-32G.
BELL,J. Division of Fuel Cycle & Material Safety (Pre 870413). 75/01/10. Division of Fuel Cycle & Material Safety (Pre 870413). 4pp. 86073:061-86073:072.

--9510270315 Confirms recent telcon between JM Bell & RG Wissink re draft application for renewal of license 22-00057-32G.Advises that some questions could best be considered through meeting between NRC & 3M representatives.
BELL,J.M. Radioisotopes Licensing Branch (Pre 790501). 76/09/08. WISSINK,R.G. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 86073:073-86073:113.

GEN TEC IS GENERIC TECHNICAL ISSUES

9510020095 Forwards calculations documenting detailed approach used for developing realistic,median centered in-structure response spectra for facility reactor,auxiliary radwaste/control & turbine bldgs,for use in GL 87-02,Suppl 1,USI A-46 project.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. B15358. 95/09/26. Document Control Branch (Document Control Desk). 6pp. 85672:089-85672:265.

--9510020099 0024-00099-RB-1 R00 "Reactor Bldg A-46 Spectra."
ALI,A., DERMITZAKIS,S., ABOU-JAOUDE,C. Vectra Technologies, Inc. 95/05/25. 46pp. 85672:095-85672:139.

--9510020107 0024-00099-RCB-1 R00 "Radwaste/Control Bldg A-46 Spectra."
ALI,A., DERMITZAKIS,S., ABOU-JAOUDE,C. Vectra Technologies, Inc. 95/05/25. 80pp. 85672:186-85672:265.

9510020226 Forwards response to NRC 950829 RAI re util 950517 submittal for GL 87-02, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors,USI A-46." Revised pages 3 & 30 of 42105-R-002 also encl.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. C311-95-2361. 95/09/27. Document Control Branch (Document Control Desk). 4pp. 85690:244-85690:249.

9510030298 Comment re proposed bulletin, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors."
WITHROW,G.C. Consumers Power Co. 60FR39021 00002. 95/09/28. NRC - No Detailed Affiliation Given. 13pp. 85673:036-85673:048.

9510040174 Forwards "Fort Calhoun Station Seismic Evaluation Rept," summarizing results of USI A-46 review,in response to GL 87-02.
PATTERSON,T.L. Omaha Public Power District. LIC-95-0181. 95/09/28. Document Control Branch (Document Control Desk). 5pp. 85715:001-85718:158.

--9510040176 "Fort Calhoun Station Seismic Evaluation Rept."
* Omaha Public Power District. 95/09/28. 1,245pp. 85715:006-85718:158.

9510050126 Requests schedule extension for 951120,submittal date for IPEEE & USI A-46 summary repts to 960531,per GLs 87-02 & 88-20.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). GL-88-20. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85724:337-85724:338.

9510050276 Forwards suppl SE accepting util 931015 submittal of info re seismic design & installation criteria for flexible conduit.
WILLIAMS,J.F. . TAC M69431. 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 85721:318-85721:323.

--9510050280 Suppl SE re flexible conduit design & installation criteria.
* . 95/10/03. 5pp. 85721:319-85721:323.

9510100337 Submits update on progress of resolution to USI A-46 & confirm revised submittal date as discussed in conference call on 950905,response to Suppl 1 to GL 87-02.
HAMPTON,J.W. Duke Power Co. GL-87-02. 95/10/03. Document Control Branch (Document Control Desk). 3pp. 85756:300-85756:302.

9510170277 Forwards responses to request for addl info re "Unresolved Safety Issue A-46 Summary Rept," per GL 87-02.
MOREY,D. Southern Nuclear Operating Co. GL-87-02. 95/10/11. Document Control Branch (Document Control Desk). 9pp. 85836:232-85836:240.

9510170377 Forwards insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates & NOV.
CASTO,C.A. Region 2 (Post 820201). 95/10/12. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85818:229-85818:246.

--9510170396 Insp repts 50-259/95-52,50-260/95-52 & 50-296/95-52 on stated dates.Violations noted.Major areas inspected: GSI 40,pipe breaks in BWR scram sys,mods of HVAC supports, large bore piping & supports & CRD piping support mods.
LENAHAN,J.J. Region 2 (Post 820201). 50-296/95-52. 95/10/11. 14pp. 85818:233-85818:246.

9510190285 Informs that util will like to submit IPEEE/USI A-46 summary repts by 960331 for Units 1 & 2,in order to allow sufficient time to complete review,per GL 88-20.
MIMS,D.C. Entergy Operations, Inc. 0CAN109505. 95/10/16. Document Control Branch (Document Control Desk). 2pp. 85885:329-85885:330.

9510230043 Summary of 425th meeting of ACRS on 951005-07 re fatigue action plan developed to help resolve GI 166, "Adequacy of Fatigue Life of Metal Components."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/10/16. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 85928:248-85928:250.

9510230404 Forwards ACRS repts re NAS/NRC study on safety & reliability issues & action plan developed to help resolve generic issue 166.
* Office of Public Affairs (Post 911117). 95/10/18. 1p. 85995:083-85995:090.

9510240169 Submits clarification for NRC review of USI A-46 summary rept.
BECKHAM,J.T. Georgia Power Co. HL-5041. 95/10/13. Document Control Branch (Document Control Desk). 19pp. 85937:317-85937:335.

9510310310 Discusses 920918 ltr in which licensee committed to submit summary rept re results of programs to resolve issues raised in GL 87-02,Suppl 1, "Verification of Seismic Adequacy of Mechanical & Electrical Equipment in OR,USI A-46."
SHEA,J.W. . GL-87-02. 95/10/30. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 86033:158-86033:161.

I&E INSPECTION AND ENFORCEMENT

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . IEIN-95-012. 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . IEIN-91-040. 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510020180 PNO-I-95-041:on 950928,therapeutic misadministration occurred when patient was administered 2,724 centigray due to error by physics staff.Procedure revised for second person verification.
COURTEMANCHE,S., COSTELLO,F. Region 1 (Post 820201). 95/09/29. 1p. 85673:293-85673:293.

9510020183 PNO-III-95-049:on 950921,patient was administered 77 uCi dose of I-131 sodium iodide for thyroid uptake study,rather than prescribed 7 uCi.Caused by technologist error.
PISKURA,D.A., HOLT,B.J. Region 3 (Post 820201). 95/09/29. 1p. 85673:294-85673:294.

9510020190 PNO-I-95-042:on 950928 & 29,contamination found on several pieces of equipment & shipping containers.Packages originated in Madrid,Spain where Westinghouse subsidiary ENWESA leased equipment for use at Almaraz Nuclear Plant.
WHITE,D., COSTELLO,F. Region 1 (Post 820201). 95/09/29. 2pp. 85673:295-85673:296.

9510020197 PNO-IV-95-042:on 950918,three patients were scheduled to receive 5 mCi dosages of sodium I-131.Patients only received 2.5 mCi due to technologist only administering one of two capsules to each patient.
HOWELL,L.L. Region 4 (Post 820201). 95/09/28. 1p. 85673:297-85673:297.

9510030014 Comment supporting proposed GL re revised contents of monthly operating rept.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 60FR43174 00013. 95/09/17. MEYER,D.L. NRC - No Detailed Affiliation Given. 2pp. 85643:234-85643:235.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510030233 PNO-IV-95-043:on 951002,as result of lowering vol control tank level,small RCS leak identified.Exact source of leak could not be determined.Reactor shutdown commenced.
PASSEHL,D., GRAVES,D. Region 4 (Post 820201). 95/10/02. 1p. 85728:114-85728:114.

9510040018 Submits comments & suggested changes to NRC Bulletin 95-XX, "Potential Plugging of ECCS Strainers by Debris in Boiling Water Reactors."
HART,G.H. Performance Contracting, Inc. 95/09/22. NRC - No Detailed Affiliation Given. 2pp. 85693:307-85693:308.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510040136 PNO-IV-95-044:on 951002,female contract employee found w/ loaded 357 magnum revolver inside large knapsack.Licensee immediately suspended womans unescorted access pending completion of investigation.
SCHAEFER,D., MURRAY,B. Region 4 (Post 820201). 95/10/02. 1p. 85728:142-85728:142.

9510040143 PNO-III-95-050:on 951003,package containing 31 mCi of Tl-201 was run over by fork lift type truck.Tl-201 spilled into package & onto loading area.Damaged package was placed in drum & loading area decontaminated.
WIEDEMAN,D., HOLT,B.J. Region 3 (Post 820201). 95/10/03. 1p. 85728:141-85728:141.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . IEIN-91-077. 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510050268 PNO-IV-95-043A:on 951002,leakage greater than TS limits resulted in reactor shutdown.Caused by leak on elbow weld on excess letdown line.Repairs anticipated to take several days.
PASSEHL,D., GRAVES,D. Region 4 (Post 820201). 95/10/03. 1p. 85767:006-85767:006.

9510050272 PNO-III-95-051:on 951003,package containing depleted Mo-99/ Tc99m generator fell from vehicle door when unexpectedly door opened.Package was struck by several vehicles, extensively damaging package & generator.
LYNCH,J., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/04. 1p. 85767:007-85767:007.

9510050275 PNO-II-95-054:on 951004,util declared notification of unusual event due to anticipated hurricane conditions.Util plans to shut down approx 2 h before hurricane winds reach site.
CHRISTENSEN,C. Region 2 (Post 820201). 95/10/04. 1p. 85767:008-85767:008.

9510110026 PNO-II-95-054B:on 951005,incident response ctr monitoring of Hurricane Opal was terminated.Unit 2 commenced restart at 7:29 pm CDT.
CHRISTENSEN,H. Region 2 (Post 820201). 95/10/06. 1p. 86019:001-86019:001.

9510110034 PNO-I-95-043:on 951004,temporary loss of CR annunciators occurred.Licensee continuing to troubleshoot sys.
NICHOLSON,L. Region 1 (Post 820201). 95/10/05. 1p. 85806:267-85806:267.

9510110042 PNO-II-95-054A:on 951005,facility,as precautionary measure, began to ramp down power at 5:00 pm due to Hurricane Opal. Plant did not experience any damage except for roof removed from old tin warehouse & loss of 44 kV overhead line.
SHYMLOCK,M. Region 2 (Post 820201). 95/10/05. 1p. 86019:002-86019:002.

9510130383 EN-95-057:on 950928,notice of violation issued to unlicensed individual,physician employed by Hosp Ctr at Orange,NRC licensee.Action based on individual deliberate misconduct of discrimination against technician.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-038. 95/09/25. 1p. 85810:355-85810:355.

9510130387 EN-95-058:on 950928,notice of proposed imposition of civil penalty in amount of $2,500 issued to licensee.Action based on Severity III violation involving discrimination of technician for engaging in protected activity.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-130. 95/09/25. 1p. 85810:356-85810:356.

9510180001 Forwards documents re proposed suppl 1 to GL 83-11 on licensee qualification for performing safety analysis.
SHAPAKER,J.W. . GL-83-11. 95/10/17. Document Control Branch (Document Control Desk). 11pp. 85866:254-85866:264.

9510180002 Forwards documents associated w/proposed generic ltr re Boraflex degradation in spent fuel pool storage racks.
SHAPAKER,J.W. . TAC M91447. 95/10/17. Document Control Branch (Document Control Desk). 11pp. 85866:265-85866:275.

9510180003 PNO-III-95-052:on 951009,vehicle which had Troxler Model 3411 moisture-density gauge secured inside was stolen.Local & state police notified of theft.
KOZAK,T., JONES,J. Region 3 (Post 820201). 95/10/10. 1p. 85881:049-85881:049.

9510180005 PNO-IV-95-040A:on 950824,damaged well logging source containing 3 Ci of Am-241 became lodged down hole.Well logging source was cut into during subsequent fishing & recovery operations & some contamination found at wellsite.
DODA,R.J. Region 4 (Post 820201). 95/10/11. 1p. 85881:050-85881:050.

9510190279 PNO-I-95-044:on 951016,licensee informed Region I of uptake of 579 uCi P-32 by male researcher discovered on 950819. RSO has required more stringent inventory & accountability of radioactive matls in lab.
KINNEMAN,J. Region 1 (Post 820201). 95/10/16. 2pp. 85897:330-85897:331.

9510190281 PNO-II-95-055:on 951014,contractor received 1/2 inch diameter cut on left palm while performing SG tube pulling. Licensee unable to decontaminate wound below level of 1,000 counts per minute due to metal shavings embedded in wound.
SPARKS,S. Region 2 (Post 820201). 95/10/16. 1p. 85897:332-85897:332.

9510190284 PNO-II-95-056:on 951017,FI Steel of Charlotte,NC detected radiation in incoming shipment of scrap metal.Surveys underway by Florida Steel.
COLLINS,D.M. Region 2 (Post 820201). 95/10/17. 1p. 85897:333-85897:333.

9510190287 PNO-II-95-057:on 951018,util commenced loading fuel into reactor vessel.Fuel loading & other recovery activities monitored by resident inspectors & NRR operational readiness assessment team.
SHAEFFER,S. Region 2 (Post 820201). 95/10/18. 1p. 85897:334-85897:334.

9510190291 PNO-IIT-95-001:on 951017,incident investigation team arrived & conducted entrance meeting w/licensee re event.
GLENN,J. Incident Investigation Team. 95/10/18. 1p. 85897:335-85897:335.

9510230130 Forwards list of generic communications under development by NRC staff which includes bulletins,GL,IN & Administrative Ltrs reported dtd 950928.
CHAFFEE,A.E. . IEB-93-002. 95/10/12. LARHETTE,R.P. Institute of Nuclear Power Operations. 10pp. 85910:341-85910:350.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . GL-92-08. 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:012.

-9503300067 Forwards proposed info notice, "Seismic Adequacy of Thermo-Lag Panels," for further processing.Would like published by 950327.
SHERON,B. . 95/03/21. GRIMES,B. . 6pp. 85998:011-85998:012.

9510250125 PNO-II-95-059:on 951020,Unit 1 commenced normal shutdown in excess of 72 h,to repair body-to-bonnet leak on main feedwater isolation valve.Resident inspector responded to site & monitored activities throughout weekend.
STAREFOS,J. Region 2 (Post 820201). 95/10/23. 1p. 85995:110-85995:110.

9510250139 PNO-II-95-058:on 951019,railroad shipment of foreign research reactor spent fuel departed Sunny Point,NC.DOE Savannah river issued press release upon arrival of shipment at Savannah river site.
TOBIN,W. Region 2 (Post 820201). 95/10/20. 1p. 85995:111-85995:111.

9510250159 PNO-III-95-053:on 951019,male patient treated for separate lungs tumors,simultaneously w/high dose rate afterloader.NRC medical consultant will be retained to review case.Licensee notified NRC operations ctr of misadministration.
SIMMONS,T.L., HOLT,B.J. Region 3 (Post 820201). 95/10/20. 1p. 85995:112-85995:112.

9510250172 PNO-III-95-054:on 951020,small leak of U hexaflouride occurred in "Tails Withdrawal Area." Plant notified local news media of event & there has been significant local news interest.
BROWN,F., SHEAR,G. Region 3 (Post 820201). 95/10/20. 1p. 85995:113-85995:113.

9510250184 PNO-I-95-045:on 951020,licensee reported potential therapeutic misadministration involving thyroid patient prescribed dose of 29.9 mCi of Iodine-131.
WEIDNER,T. Region 1 (Post 820201). 95/10/20. 1p. 85995:114-85995:114.

9510250217 PNO-II-95-060:on 951020,licensee radiation RSO notified Region II staff of high personnel dosimeter result.Region II plans to conduct special insp to follow up on reported event during wk of 951106.
HOSEY,C. Region 2 (Post 820201). 95/10/23. 1p. 85995:115-85995:115.

9510250229 PNO-IIT-95-002:on 951020,IIT Charter modified to remove from scope evaluation w/respect to potential wrongdoing at MIT Cancer Ctr.Final status rept will be issued prior to IIT departure from site.
GLENN,J. Incident Investigation Team. 95/10/20. 5pp. 85995:116-85995:120.

9510250273 PNO-III-95-055:on 951021,shutdowns to modify reactor protection sys logic occurred.Licensee anticipates units being shutdown for days.
HILAND,P., CLAYTON,B. Region 3 (Post 820201). 95/10/23. 1p. 85995:121-85995:121.

9510250287 PNO-IV-95-045:on 951021,fire started at Unit 1 auxiliary transformer due to high current flow.Senior resident & resident inspectors responded to site & monitored licensee actions.
JOHNSTON,G., RUSSELL,J. Region 4 (Post 820201). 95/10/23. 2pp. 85995:122-85995:123.

9510260174 Comment on proposal to reduce amount of operational data reported by nuclear power plant licensees.
LEWIS,M.I. Affiliation Not Assigned. 60FR43174 00014. 95/10/15. NRC - No Detailed Affiliation Given. 3pp. 85923:274-85923:276.

9510310202 Responds to 951018 ltr received from AE Chaffee,requesting review of draft info notice re failure of MSIVs caused by sticking solenoid pilot valves.
SHANK,J.R. Automatic Switch Co. 95/10/24. SKEEN,D. . 3pp. 86076:358-86076:360.

9510310388 PNO-I-95-047A:on 951026,Troxler Model 3430 portable nuclear density gauge containing approx 8 mCi Cs-137 & 40 mCi Am-241 run over by dump truck.
ARREDONDO,S., WHITE,D. Region 1 (Post 820201). 95/10/30. 1p. 86079:017-86079:017.

9510310391 PNO-II-95-062:on 951029,undamaged Troxler soil moisture density gauge stolen from trailer at const site.
JONES,A. Region 2 (Post 820201). 95/10/30. 1p. 86079:018-86079:018.

9510310393 PNO-I-95-046:on 951020,during removal of 60 Ir-192 seeds in nylon ribbon from breast of patient,licensee cut ribbon leaving one seed inside patient.Seed surgically removed.
EVERHART,D.B., SHANBAKY,M.M. Region 1 (Post 820201). 95/10/26. 1p. 86079:019-86079:019.

9510310395 PNO-I-95-047:on 951026,Troxler model 3430 portable nuclear density gauge containing 8 mCi Cs-137 & 40 mCi Am-241 run over by dump truck.Rod was extended 20 centimeters at time of accident.Attempts to retract source unsuccessful.
ARREDONDO,S., WHITE,D. Region 1 (Post 820201). 95/10/27. 1p. 86079:020-86079:020.

9510310396 PNO-II-95-061:on 951027,reporter from "A Current Affair" entered portions of Neely Nuclear Research Ctr on previous day.
MCALPINE,E. Region 2 (Post 820201). 95/10/30. 1p. 86079:021-86079:021.

9510310398 PNO-IV-95-045A:on 951021,fire occurred while in refueling outage & in Mode 6 conditions.Caused by personnel inadvertently leaving grounding device installed prior to energization of bus.
JOHNSTON,G., Region 4 (Post 820201). 95/10/27. 1p. 86079:022-86079:022.

9510310401 PNO-IIT-95-003:on 951025,IIT completed initial onsite phase of investigation & conducted exit meeting w/licensee.
GLENN,J. Incident Investigation Team. 95/10/25. 1p. 86079:023-86079:023.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9510040244 Submits answer to NRC 950918 order prohibiting H Yu involvement in NRC licensed activities.
YU,H. Affiliation Not Assigned. 95/09/21. Docketing & Services Branch. 2pp. 85710:358-85710:359.

9510100070 Discusses NRC review of 950921 answer to order prohibiting involvement in NRC licensed activities issued on 950918. Concludes that answer does not provide adequate basis for relaxing order at present time.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-95-037. 95/10/06. YU,H. Affiliation Not Assigned. 3pp. 85725:060-85725:062.

9510310386 Supplies name of organization contacted in order to fulfill stipulation that,as RSO,R Heath complete 40 h industrial radiography course prior to restart of WIX.Proposed course outline for Radiography Level I encl.W/o encl.
HEATH,R. Affiliation Not Assigned. 95/10/24. HOWELL,L. Region 4 (Post 820201). 1p. 86076:347-86076:347.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9509120225 SECY-95-226 Approves of final draft of "Rept to Congress on Abnormal Occurrences,April-June 1995."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/06. 39pp. 85897:260-85897:298.

9510020138 Application for amends to licenses NPF-2 & NPF-8,changing TS 4.6.1.3 to incorporate improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431, "STS,Westinghouse Plants."
MOREY,D. Southern Nuclear Operating Co. 95/09/26. Document Control Branch (Document Control Desk). 4pp. 85664:310-85664:319.

--9510020140 Proposed TS 4.6.1.3,incorporating improvements to containment air lock testing ref in Chapter 3.6,containment sys of NUREG-1431.
* Southern Nuclear Operating Co. 95/09/26. 6pp. 85664:314-85664:319.

9510020219 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
CARPENTER,C.E. . 95/09/26. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 85663:126-85663:129.

9510020248 Forwards amends 140,134,162 & 158 for licenses DPR-19, DPR-25,DPR-29 & DPR-30 & SE.Amend initiates TS upgrade program to include integration of addl info,clarifying requirements & deleting superseded requirements & mods.
STANG,J.F. . TAC M90402. 95/09/21. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85663:014-85663:125.

9510020334 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
FAIRTILE,M. . 95/09/26. Dairyland Power Cooperative. 4pp. 85649:347-85649:350.

9510020337 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
FAIRTILE,M. . 95/09/26. KAY,J.A. Yankee Atomic Electric Co. 4pp. 85649:239-85649:242.

9510030020 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
KALMAN,G. . 95/09/26. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 85685:334-85685:337.

9510030122 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
PATEL,C.P. . 95/09/26. BARKHURST,R.P. Entergy Operations, Inc. 4pp. 85685:326-85685:329.

9510030131 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
WIGGINTON,D.L. . 95/09/25. MCGAHA,J.R. Entergy Operations, Inc. 4pp. 85685:338-85685:341.

9510030145 Informs that info that could assist in efforts to protect plants against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
O'CONNOR,P.W. . 95/09/26. HUTCHINSON,C.R. Entergy Operations, Inc. 4pp. 85685:330-85685:333.

9510030153 Informs that info that could assist in efforts to protect plant against design-basis threat for sabotage,being provided to plant security manager.Advises that info has safeguards info & is being withheld from public disclosure.
POLICH,T.J. . 95/09/26. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 85685:343-85685:346.

9510030158 NUREG/BR-0191 V02 N4 INSIDE INFORMATION.Volume 2,Number 4.
* Office of Information Resources Management (Post 890205). 95/09/30. 8pp. 85664:281-85664:288.

9510030169 NUREG/CR-4667 V19 ENVIRONMENTALLY ASSISTED CRACKING IN LIGHT WATER REACTORS. Semiannual Report,April-September 1994.
CHOPRA,O.K., CHUNG,H.M., GAVENDA,D.J. Argonne National Laboratory. FIN A-2212. ANL-95/25. 95/09/30. Division of Engineering Technology (Post 941217). 67pp. 85688:172-85688:238.

9510030191 NUREG/CR-6002 RISK-BASED MAINTENANCE MODELING.Prioritization Of Maintenance Importances And Quantification Of Maintenance Effectiveness.
VESELY,W.E., REZOS,J.T. Science Applications International Corp. (formerly Science Applications, Inc.). * Brookhaven National Laboratory. FIN A-3230. BNL-NUREG-52332. 95/09/30. Division of Systems Technology (Post 941217). 90pp. 85672:266-85672:355.

9510030198 NUREG-0540 V17 N07 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE.July 1-31, 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 95/09/30. 278pp. 85664:001-85664:280.

9510030203 NUREG-0936 V14 N01 NRC REGULATORY AGENDA.Semiannual Report,January-June 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 95/09/30. 56pp. 85663:193-85663:254.

9510030209 NUREG/CR-6159 USING MICRO SAINT TO PREDICT PERFORMANCE IN A NUCLEAR POWER PLANT CONTROL ROOM.A Test Of Validity And Feasibility.
LAWLESS,M.T., LAUGHERY,K.R. Micro Analysis & Design, Inc. PERSENSKY,J.J. Control, Instrumentation & Human Factors Branch (Post 941217). FIN L-2009. 95/09/30. Division of Systems Technology (Post 941217). 38pp. 85663:255-85663:292.

9510040213 Requests addl info re conformance w/NUREG-0737,item II.E.4.2 & 10CFR50,app J.
WILLIAMS,J.F. . TAC M74615. 95/10/03. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 85693:351-85693:354.

9510040276 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," to be withheld from public disclosure (ref 10CFR73.1(a)).
DUDLEY,R.F. . 95/09/26. REDEKER,S.J. Sacramento Municipal Utility District. 4pp. 85713:199-85713:202.

9510040318 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.
TAM,P.S. . 95/09/30. SALO,E.W. Affiliation Not Assigned. 1p. 85713:290-85713:291.

9510050002 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
TRIMBLE,D.C. . 95/09/26. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 85722:355-85722:357.

9510050004 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
NORRIS,J. . 95/09/20. GOLDBERG,J.H. Florida Power & Light Co. 4pp. 85724:318-85724:321.

9510050008 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
RAGHAVAN,L. . 95/09/28. BEARD,P.M. Florida Power Corp. 3pp. 85722:358-85722:360.

9510050011 Forwards SER,Suppl 16,re operation of plant Units 1 & 2 (NUREG-0847) & related notice of availability.
TAM,P.S. . TAC M73755. 95/09/29. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85720:212-85720:323.

--9510050016 Notice of availability of SER,Suppl 16 (NUREG-0847) re operation of plant Units 1 & 2.Copies of rept placed in NRC PDR in Washington,DC.
TAM,P.S. . 95/09/29. 100pp. 85720:215-85720:323.

9510050022 Responds to undated ltr requesting copy of NRC insp repts 50-390/95-47,50-391/95-47,50-390/95-50 & 50-391/95-50 & to be added to svc list for documents re TVA.Determines that recipient will not be added to TVA mail distribution list.
TAM,P.S. . 95/09/28. COLVIN-ROBERSON Affiliation Not Assigned. 1p. 85720:332-85720:333.

9510050043 Responds to undated ltr requesting that recipient be added to svc list for documents re TVA.Determined that recipient name will not be added to disribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HONICKER,J. Affiliation Not Assigned. 1p. 85714:356-85714:357.

9510050053 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. HURGETON,J.C. Affiliation Not Assigned. 1p. 85714:358-85714:359.

9510050066 Responds to undated ltr requesting that recipients be added to svc list for documents re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/09/30. SCHERCH,J.M. Affiliation Not Assigned. 1p. 85721:218-85721:219.

9510050069 Informs licensee of info being provided to security manager to protect plant against design-basis threat for sabotage. Info applicable to sections of NUREG/CR-5172, "Tactical Training Ref Manual," dtd Apr 1989.
MOZAFARI,B. . 95/09/26. HINNANT,C.S. Carolina Power & Light Co. 3pp. 85722:162-85722:164.

9510050094 Forwards addl change to proposed rev to emergency plan re moving EOF to div headquarters.EOF shall be functional within 1 h of activation of site area emergency,per NUREG-0696.
BYRAM,R.G. Pennsylvania Power & Light Co. PLA-4372. 95/10/02. Document Control Branch (Document Control Desk). 3pp. 85726:276-85726:281.

9510050105 Forwards notice of consideration of issuance of amend re application dtd 950920,to upgrade section 6.0 of Quad Cities TS to BWR Std TS.
PULSIFER,R.M. . TAC M93686. 95/09/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 85721:289-85721:300.

–9510050119 Notice of consideration of issuance of amend to licenses DPR-20 & DPR-30 & proposed NSHC determination & opportunity for hearing.Amend would upgrade Quad Cities TS to std TS contained in NUREG-0123.
PULSIFER,R.M. . 95/09/29. 9pp. 85721:292-85721:300.

9510050179 Forwards amend 197 to license DPR-50 & safety evaluation. Amend changes TS to relocate procedural details of radiological effluent TS to ODCM,per GL 89-01 & NUREG-1430.
HERNAN,R.W. . TAC M92536. 95/10/02. BROUGHTON,T.G. General Public Utilities Corp. - GPU Service Corp. 3pp. 85722:026-85722:045.

9510050239 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," to be withheld from public disclosure (ref 10CFR73.1(a)).
HANSEN,A.G. . 95/10/03. LINK,R.E. Wisconsin Electric Power Co. 4pp. 85722:278-85722:281.

9510050279 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage.
LE,N.B. . 95/09/22. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 85721:301-85721:303.

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

–9208280192 Comments on backfit discussion in Thermo-Lag GL.
MIZUNO,G. Office of the General Counsel (Post 860701). 92/02/20. WEST,S. Office of Nuclear Reactor Regulation, Director (Post 870411). 2pp. 85950:250-85950:251.

9510060208 Application for amends to licenses DPR-80 & DPR-82,revising bases for TS 3/4.7.1.2, "AFWS," reducing min AFW flow requirements consistent w/Westinghouse Std TS (NUREG-1431).
RUEGER,G.M. Pacific Gas & Electric Co. DCL-95-217. 95/09/29. Document Control Branch (Document Control Desk). 7pp. 85747:302-85747:332.

9510060240 NUREG/CP-0148 TRANSACTIONS OF THE TWENTY-THIRD WATER REACTOR SAFETY INFORMATION MEETING.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 95/09/30. Office of Nuclear Regulatory Research (Post 941217). 76pp. 85746:182-85746:328.

9510060245 NUREG/CR-6323 RELATIVE RISK ANALYSIS IN REGULATING THE USE OF RADIATION- EMITTING MEDICAL DEVICES.A Preliminary Application.
JONES,E.D., BANKS,W.W., ALTENBACH,T.J. Lawrence Livermore National Laboratory. FIN L-1938. UCRL-ID-120051. 95/09/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 181pp. 85746:001-85746:181.

9510060248 NUREG/CR-6324 QUALITY ASSURANCE FOR GAMMA KNIVES.
JONES,E.D., BANKS,W.W., FISCHER,L.E. Lawrence Livermore National Laboratory. FIN L-1938. UCRL-ID-120056. 95/09/30. Division of Industrial & Medical Nuclear Safety (Post 870729). 146pp. 85745:121-85745:256.

9510060250 NUREG/CR-6100 GATE VALVE AND MOTOR-OPERATOR RESEARCH FINDINGS.
STEELE,R., DEWALL,K.G., WATKINS,J.C. Idaho National Engineering Laboratory. FIN A-6857. INEL-94/0156. 95/09/30. Division of Engineering Technology (Post 941217). 130pp. 85745:001-85745:120.

9510060301 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
CLIFFORD,J.W. . 95/10/03. PARRISH,J.V. Washington Public Power Supply System. 4pp. 85737:252-85737:255.

9510060305 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
WHARTON,L.R. . 95/10/03. SCHNELL,D.F. Union Electric Co. 4pp. 85737:256-85737:259.

9510060329 Informs that applicable sections of NUREG/CR-5172, "Tactical Training Ref Manual," will be withheld from public disclosure (ref 10CFR73.1(a)).
BLOOM,S.D. . 95/10/03. PATTERSON,T.L. Omaha Public Power District. 4pp. 85737:300-85737:303.

9510100067 Forwards comments from review of final survey for ABB C-E, highlighting areas inconsistent w/NUREG-5849.
SHEAR,G.L. Region 3 (Post 820201). 95/09/28. Region 3 (Post 820201). 2pp. 85725:055-85725:056.

9510100316 Forwards "NMP Nine Mile Point Unit 1 Nuclear Power Station Rept of RPV FW & CRD Return Line Nozzle Exams Performed for NUREG-0619...at Culmination of Refueling Outage 13 Which Ended on 950404," including ISI results.
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 0986. 95/10/03. Document Control Branch (Document Control Desk). 1p. 85751:247-85751:268.

–9510100318 "NMP Nine Mile Point Unit 1 Nuclear Power Station Rept of RPV FW & CRD Return Line Nozzle Exams Performed for NUREG-0619...at Culmination of Refueling Outage 13 Which Ended on 950404."
* Niagara Mohawk Power Corp. 95/09/29. 21pp. 85751:248-85751:268.

9510120134 Forwards amend 90 to license NPF-42 & safety evaluation. Amend deletes clause from TS 4.0.5a, "Surveillance Requirements for ISI & Testing Program."
STONE,J.C. . TAC M93002. 95/10/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 4pp. 85767:170-85767:181.

–9510120144 Safety evaluation supporting amend 90 to license NPF-42.
* . 95/10/04. 3pp. 85767:179-85767:181.

9510120209 Informs that info being provided to plant security managers assist in effort to protect plants against design-basis threat for sabotage.
PULSIFER,R.M. . 95/10/06. FARRAR,D.L. Commonwealth Edison Co. 6pp. 85766:331-85766:336.

9510130326 Informs licensee of info provided to security manager to assist in plant protection effort against design-basis threat for sabotage,per 10CFR73.1(a).Info includes sections of NUREG/CR-5172 & lessons learned from response evaluation.
EDISON,G.E. . 95/10/06. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 85813:015-85813:019.

9510130375 Informs that info provided to plant security manager that could assist in efforts to protect plants against design base threat for sabotage.
BRINKMAN,D.S. . 95/09/28. CROSS,J.E. Duquesne Light Co. 4pp. 85833:074-85833:077.

9510160080 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. VINCENT,B.S. Affiliation Not Assigned. 2pp. 85813:029-85813:030.

9510160083 Forwards suppl info re conformance w/NUREG-0737,Item II.E.4.2, "Containment Isolation Dependability."
SALAS,P. Tennessee Valley Authority. TAC M74615. 95/10/04. Document Control Branch (Document Control Desk). 6pp. 85834:330-85834:335.

9510160091 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. SMITH,N. Affiliation Not Assigned. 2pp. 85813:031-85813:032.

9510160095 Responds to requests to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. WEBER,G. Affiliation Not Assigned. 2pp. 85813:033-85813:034.

9510160098 Responds to request to be added to NRC svc list for documents re TVA.Informs of LPDRs located near plants for dispensing of public documents & forwards NUREG/BR-0010, containing info re how to obtain various forms of info.
TAM,P.S. . 95/10/12. BINA,J. Affiliation Not Assigned. 2pp. 85813:141-85813:142.

9510160157 Responds to undated ltr to R Hannah,requesting that recipient be added to svc list for documents re TVA. Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. FOSTER,M. Affiliation Not Assigned. 1p. 85833:113-85833:114.

9510160206 Responds to undated ltr requesting that recipient be added to svc list for document re TVA.Determined that recipient name will not be added to distribution list.Forwards NUREG/BR-0010,rev 2.W/o encl.
TAM,P.S. . 95/10/12. CHAUEZ,R.J. Affiliation Not Assigned. 1p. 85833:106-85833:107.

9510170171 Informs that info being provided to plant security managers that could assist in efforts to protect plants against design-basis threat for sabotage (ref NUREG/CR-5172).
KIM,T. . 95/09/29. ANDERSON,R.O. Northern States Power Co. 3pp. 85881:302-85881:304.

9510170178 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
GAMBERONI,M. . 95/09/29. SMEDLEY,R.W. Consumers Power Co. 3pp. 85881:305-85881:307.

9510170185 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
COLBURN,T.G. . 95/09/29. GIPSON,D.R. Detroit Edison Co. 3pp. 85881:308-85881:310.

9510170191 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
TRAN,L. . 95/09/29. DONNELLY,P.M. Consumers Power Co. 3pp. 85881:311-85881:313.

9510170193 Informs that info being provided to plant security manager that could assist in efforts to protect plant against design-basis threat for sabotage (ref NUREG/CR-5172).
HICKMAN,J. . 95/09/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 85881:314-85881:316.

9510180049 Forwards Rev 7 to General Test Procedure (GTP) GTP-301, "IST of Pumps Second Ten Yr Interval," incorporating guidance from NUREG-1482 in response to GL 89-04,Suppl 1.
TAYLOR,G.J. South Carolina Electric & Gas Co. RC-95-0252. 95/10/11. DEMBEK,S. Document Control Branch (Document Control Desk). 4pp. 85867:014-85867:058.

9510180192 NUREG-0750 V41 I02 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES.January- June 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 95/09/30. 65pp. 85849:001-85849:066.

9510200087 Discusses NRC review of licensee submittals for portion re ISM methodology.Concludes that ISM methodology conforms to NUREG-1061,Vol 4,Section 2.4.1 & acceptable for general piping applications including main steam lines at plants.
BERKOW,H.N. . TAC M91834. 95/10/13. TUCKMAN,M.S. Duke Power Co. 6pp. 85900:084-85900:089.

9510200095 Discusses 951012 telcon re arrangements made for administration of licensing exams at plant during wk of 960226.Requests that licensee furnish proposed exam outlines by 951228 in order to meet listed schedule.
BURDICK,T.M. Region 3 (Post 820201). 95/10/16. MARCHI,M.L. Wisconsin Public Service Corp. 4pp. 85871:008-85871:011.

9510200120 Comment opposing petition for rulemaking PRM-50-62 re proposal to reduce amount of operational data reported by nuclear power plant licensees,per NUREG/BR-0032.
LEWIS,M.I. Affiliation Not Assigned. 60FR47716 00002. 95/10/15. Docketing & Services Branch. 3pp. 85871:129-85871:131.

9510200172 Reg Guide 01.163 (Draft was DG-1037), "Performance-Based Containment Leak-Test Program."
* Office of Nuclear Regulatory Research (Post 941217). 95/09/30. 16pp. 85903:250-85903:265.

--9510200180 Rev 0 to "Industry Guideline for Implementing Performance- Based Option of 10CFR50,App J."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/26. 35pp, 85903:266-85903:300.

9510200226 Forwards changes to TS Bases Section 3/4.4.2 safety valves. Proposed change would clarify what constitutes operable pressurizer safety valve when reactor is in Operational Mode 5.
DE AGAZIO,A.W. . TAC M93711. 95/10/12. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 8pp. 85908:352-85908:360.

9510200241 Advises that 950418 ltr by Gregor will be placed in PDR after finalization of NUREG/CR.
MURPHY,A.J. Structural & Geological Engineering Branch (Post 941217). 95/09/13. BLANTON,J. Information & Records Management Branch (Post 890827). 1p. 85899:270-85899:273.

--9510200247 Provides review & comments re NUREG/CR,vol 1, "Experimental Results from Containment Piping Bellows Subjected to Severe Accident Conditions."
GREGOR,F.E. Affiliation Not Assigned. 95/07/14. Division of Engineering Technology (Post 941217). 2pp. 85899:271-85899:273.

9510200269 Forwards changes to TS Bases Section 3/4.9.1,refueling boron concentration,providing clarification of limitations on positive reactivity changes.
DE AGAZIO,A.W. . TAC M93712. 95/10/13. FEIGENBAUM,T.C. North Atlantic Energy Service Corp. (NAESCO). 9pp. 85898:115-85898:123.

9510200349 Responds to undated ltr requesting copy of insp repts 50-390/95-47 & 50-391/95-47 & to be added to svc list for documents re TVA.Determined that recipient name will not be added to TVA mail distribution list.
TAM,P.S. . 95/10/16. WILSON,S. Affiliation Not Assigned. 1p. 85900:141-85900:142.

9510230183 Forwards Initial Exam Rept 50-186/OL-95-01 administered week of 950925 to employee who applied for license to operate reactor.Exam conducted in accordance w/NUREG-1478.W/o encl.
RICHARDS,S.A. . 95/10/18. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 1p. 85904:351-85904:351.

9510230334 Forwards nonproprietary & proprietary versions of Rev 1 to "Generic TR for ABB Option III Oscillation Power Range Monitor (OPRM)," in accordance w/procedures in NUREG-0390. Proprietary version of TR withheld.
PINELLI,R.A. BWR Owners Group. BWROG-95087. 95/10/06. BOGER,B.A. . 2pp. 85920:236-85920:331.

9510240062 Informs that exams for voluntary pilot exam program will be administered during week of 951016,per 951016 telcon between J Williams & R Heidecker.Requests that licensee furnish proposed exam outlines & reference matls by 951215.
MODES,M.C. Region 1 (Post 820201). 95/10/16. OPEKA,J.F. Northeast Nuclear Energy Co. 5pp. 85896:059-85896:063.

9510240074 Forwards insp rept 50-302/95-16 on 950806-0916 & notices of violation & deviation.
LANDIS,K.D. Region 2 (Post 820201). 95/10/13. BEARD,P.M. Florida Power Corp. 4pp. 85895:264-85895:331.

--9510240090 Notice of deviation from insp on 950806-0916.Deviation noted:licensee determined that TSC ventilation sys had not been maintained on sys,resulting in high flow rate of 4600 cfm in emergency mode of operation.
* Region 2 (Post 820201). GL-81-10. 95/10/13. 2pp. 85895:270-85895:271.

9510240242 Forwards exam repts 50-369/95-300 & 50-370/95-300 during period 950925.Informs that six candidates from facility participated & passed generic fundamentals exam section.
PEEBLES,T.A. Region 2 (Post 820201). 95/10/10. MCMEEKIN,T.C. Duke Power Co. 2pp. 85895:159-85895:263.

--9510240247 Exam repts 50-369/95-300 & 50-370/95-300 during period of 950925.Exam results:examiner administered written retake exam to two RO candidates.
BALDWIN,R.S. Region 2 (Post 820201). 50-370/95-300. 95/10/06. 100pp. 85895:161-85895:263.

9510240265 Responds to request for R Hannah to be added to "svc list for documents re licensee." NUREG/BR-0010,Rev 2 encl.W/o encl.
TAM,P.S. . 95/10/16. CHAPIN,S. Affiliation Not Assigned. 1p. 85910:359-85910:360.

9510240306 Discusses supplemental info provided by TVA on 950803 re BFN Units 2 & 3 conformance w/NUREG-0737 Item II.E.4.2 & 10CFR50 App J.
WILLIAMS,J.F. . TAC M74615. 95/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85911:149-85911:151.

9510250342 Requests approval of proposed change to radiological emergency response plan (RERP),eliminating commitment to incorporate TSC into protected area.Proposed wording change to RERP,Rev 41 encl.
HICKS,G.D. Carolina Power & Light Co. BSEP 95-0511. 95/10/19. Document Control Branch (Document Control Desk). 14pp. 85985:268-85985:284.

9510260146 Submits comments on rept, "Review of NUREG-1435,suppl 4, 'Status of Safety Issues at Licensed Power Plants.'"
STOLZ,J.F. . 95/10/20. TOSCH,K.W. General Public Utilities Corp. - GPU Service Corp. 3pp, 85947:308-85947:311.

9510260147 Forwards amend 103 to license NPF-30 & safety evaluation. Amend revises TSs to implement NRC Final Policy Statement on TS Improvements for Nuclear Power Reactors.
WHARTON,L.R. . TAC M88741. 95/10/20. SCHNELL,D.F. Union Electric Co. 4pp. 85948:147-85948:266.

9510300157 Forwards info re NDE of FW nozzles & safe ends performed during BSEP,Unit 1 Refueling Outage 9,per NUREG-0619.
HICKS,G.D. Carolina Power & Light Co. BSEP 95-0531. 95/10/23. Document Control Branch (Document Control Desk). 16pp. 86051:235-86051:250.

9510310218 Forwards rev to commitments to provide continuous indication of containment pressure,piece part component qualification & cable separation for non-divisional cables on Q-list.
SALAS,P. Tennessee Valley Authority. 95/10/25. Document Control Branch (Document Control Desk). 10pp. 86064:336-86064:345.

9510310370 NUREG/CR-6358 V01 ASSESSMENT OF UNITED STATES INDUSTRY STRUCTURAL CODES AND STANDARDS FOR APPLICATION TO ADVANCED NUCLEAR POWER REACTORS.Final Report.
ADAMS,T.M., STEVENSON,J.D. Stevenson & Associates. FIN L-2256. 95/10/31. Division of Engineering Technology (Post 941217). 188pp. 86032:154-86032:342.

9510310376 NUREG/CR-6358 V02 ASSESSMENT OF UNITED STATES INDUSTRY STRUCTURAL CODES AND STANDARDS FOR APPLICATION TO ADVANCED NUCLEAR POWER REACTORS.Appendices.
ADAMS,T.M., STEVENSON,J.D. Stevenson & Associates. FIN L-2256. 95/10/31. Division of Engineering Technology (Post 941217). 150pp. 86032:008-86032:153.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9508210253 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment on 10CFR35.32 & 35.33, "Quality Mgt Program & Notifications, Repts & Records of Misadministration."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 60FR40204. 95/08/02. 23pp. 86007:012-86007:060.

9509260149 NRC Info Notice 95-044, "Ensuring Compatible Use of Drive Cables Incorporating Industrial Nuclear Company Ball-Type Male Connectors."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/09/26. Consolidated Edison Co. of New York, Inc. 4pp. 85897:311-85897:314.

9509270134 NRC Info Notice 95-045, "American Power Svc Falsification of American Society for Nondestructive Testing (ASNT) Certificates."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 9pp. 85711:212-85711:220.

9509270257 Suppl 1 to NRC Info Notice 95-012, "Potentially Nonconforming Fasteners Supplied by A&G Engineering II,Inc."
CRUTCHFIELD,D. . IEIN-95-012. 95/10/05. Consolidated Edison Co. of New York, Inc. 7pp. 85711:205-85711:211.

9509280321 NRC Info Notice 95-046, "Unplanned,Undetected Release of Radioactivity From Exhaust Ventilation Sys of BWR."
CRUTCHFIELD,D. . IEC-80-18. 95/10/06. Consolidated Edison Co. of New York, Inc. 10pp. 85757:001-85757:010.

9510020274 Submits summary of 950717-18 DRP div directors counterpart meeting.
ADENSAM,E.G. . 95/09/19. ZIMMERMAN,R.P. . 14pp. 85649:310-85649:323.

9510020345 Expresses appreciation for arrangement of meeting & for RPV matl properties data received,during recent visit to Japan.
STROSNIDER,J.R. . 95/09/26. KOGA,Y. Japan. 1p. 85649:324-85649:324.

9510030107 NRC Info Notice 95-047, "Unexpected Opening of Safety/Relief Valve & Complications re Suppression Pool Cooling Strainer Blockage."
CRUTCHFIELD,D. . 95/10/04. Consolidated Edison Co. of New York, Inc. 8pp. 85757:011-85757:018.

9510030196 Ack receipt of 950807 which included draft rept entitled, "Fire Endurance Test of 3M Interam Mat Fire Protective Envelopes" dtd 950802, & evaluation entitled "E-50 Series Fire Endurance Test Thermal Evaluation" dtd 950801.
WEST,K.S. . GL-86-10. 95/09/26. BROWN,R.W. . 1p. 85685:353-85685:353.

9510030240 Expresses appreciation for 950828 ltr informing of current plans for transmittal of electronic copies of 1994 LERs.
SULLIVAN,T.J. Institute of Nuclear Power Operations. 95/09/25. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 1p. 85673:283-85673:283.

9510030318 Forwards monthly rept reflecting status of 10CFR2.206 petitions as of end of Aug 1995.Attachments 3 & 4 of rept available in Central Files.
ZIMMERMAN,R.P. . 2.206. 95/09/25. TAYLOR,J.M. Ofc of the Executive Director for Operations. 26pp. 85683:295-85683:320.

9510030355 Informs that NRR Allegation Coordinator has issued ltrs requesting participation in survey of "customer satisfaction," & survey forms in accordance w/request.
RUSSELL,W.T. . 95/09/28. BAKER,E.T. . 1p. 85685:342-85685:342.

9510040059 NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . 95/10/17. Consolidated Edison Co. of New York, Inc. 12pp. 85897:299-85897:310.

9510040181 NRC Info Notice 95-048, "Results of Shift Staffing Study."
CRUTCHFIELD,D. . IEIN-91-077. 95/10/10. Consolidated Edison Co. of New York, Inc. 8pp. 85800:351-85800:358.

9510040217 Notifies of fourth FRMAC course to be conducted 951128-30 in Las Vegas,NV at DOE Remote Sensing Lab at Nellis Air Force Base.Requests that J Quissell be informed of availability to attend,by COB 951106.FRMAC course agenda encl.
BARRETT,R.J. Incident Response Branch. 95/09/25. QUISSELL,J., TREFETHEN,J., GIITTER,J. Office for Analysis & Evaluation of Operational Data, Director. 6pp. 85693:355-85693:360.

9510040233 Forwards requested copies of draft Chapters 2, "Site Characteristics," Chapter 3, "Design of Structures,Sys & Components" & Chapter 4, "Reactor Description." W/o encl.
ADAMS,A. . 95/09/26. ELMER,J. . 2pp. 85704:354-85704:355.

9510040249 Forwards requested copies of draft Chapters 2, "Site Characteristics," 3, "Design of Structure,Sys & Components," 4, "Reactor Description" & 7, "Instruction & Control Sys.W/o encl.
ADAMS,A. . 95/09/26. ALLAN,P. Affiliation Not Assigned. 2pp. 85696:349-85696:350.

9510050256 Responds to 950829 INTERNET e-mail re questions concerning process used by staff in making significant hazards consideration determination.Informs that initial staff review done by Project Manager.
ZWOLINSKI,J.A. . 95/10/02. BLANCH,P.M. Affiliation Not Assigned. 11pp. 85722:267-85722:277.

9510050292 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
LEVIN,A.E. Licensing Support System Administrator's Staff (IRM, 940220). 95/10/03. 39pp. 85722:301-85722:339.

9510060332 Forwards technical review rept AEOD/T95-02, "Potential Damage to Low Pressure Injection Valves During Surveillance Testing." Both BWRs & PWRs could be susceptible to formation of loading conditions that cause failure.
ROSENTHAL,J.E. Division of Safety Programs (Post 870413). AEOD/T95-02. 95/10/02. WESSMAN,R.H. . 2pp. 85743:347-85743:353.

–9510060340 Technical review rept AEOD/T95-02, "Potential Damage to Low Pressure Injection Valves During Surveillance Testing."
BROWN,E.J. Division of Safety Programs (Post 870413). AEOD/T95-02. 95/10/31. 5pp. 85743:349-85743:353.

9510100266 Forwards final amend to Commission's rules in 10CFR50. Amend allows licenses to voluntarily adopt performance-based approaches to reactor containment leakage testing.
RATHBUN,D.K. Office of the General Counsel (Post 860701). 95/09/27. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 3pp. 85756:278-85756:281.

9510110131 Forwards ltr from JE Lamb transmitting FEMA Region II final report for 940822 exercise.
JOYNER,J.H. Region 3 (Post 820201). 95/09/29. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 85731:163-85731:316.

–9510110134 Forwards final rept for Peach Bottom Atomic Power Station Radiological Emergency Preparedness exercise on 940822.
LAMB,J.E. Federal Emergency Management Agency. 95/09/13. SILK,D. Region 1 (Post 820201). 1p. 85731:166-85731:166.

–9509220145 "Radiological Emergency Preparedness Exercise Evaluation Rept," on 940822.
* Federal Emergency Management Agency. 95/07/14. 144pp. 85731:167-85731:316.

9510110301 Ack receipt of 950825 correspondence transmitting findings for offsite emergency preparedness aspects of plant exercise on 940920.No new deficiencies noted.
CREED,J.R. Region 3 (Post 820201). 95/10/02. GIPSON,D.R. Detroit Edison Co. 2pp. 85731:080-85731:162.

–9510110314 Forwards final exercise rept for 940920,plume exposure pathway exercise of offsite radiological emergency response plans.
HEPLER,O.M. Federal Emergency Management Agency. 95/08/25. CRUTCHFIELD,D. . 1p. 85731:082-85731:082.

–9509210368 "Radiological Emergency Preparedness Exercise Evaluation Rept," for exercise conducted on 940920.
* Federal Emergency Management Agency. 95/08/08. 72pp. 85731:083-85731:162.

9510110339 Summary of operating reactors events meeting 95-12 on 950927.
CHAFFEE,A.E. . OREM-95-12. 95/10/05. CRUTCHFIELD,D. . 17pp. 85833:057-85833:073.

9510120105 Forwards FRN announcing closed meetings to discuss Safeguards Info w/ nuclear power plant licensees required to implement rule published in FR on 940801,re protection against malevolent use of vehicles at NPPs.
HEBDON,F.J. . 95/10/06. BEESON,J.F. Division of Facility & Property Management (Post 940714). 1p. 85766:355-85766:358.

–9510120117 Notice of closed meetings to discuss Safeguards Info w/nuclear power plant licensees required to implement rule published in FR on 940801 re malevolent use of vehicles at NPPs.
HEBDON,F.J. . 95/10/06. 2pp. 85766:356-85766:357.

–9510120127 Forwards publication in FR of Notice of closed meetings.
* . 95/10/06. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85766:358-85766:358.

9510120130 Forwards draft Chapter 11, "Radiation Protection Program & Waste Mgt," of "Format & Content for Applications for Licensing of Non-Power Reactors" & "Safety Analysis Rept Review Plan & Acceptance Criteria for Non-Power Reactors."
ADAMS,A. . 95/10/10. MCWILLIAMS,F.F. Massachusetts Institute of Technology, Cambridge, MA. 2pp. 85766:359-85766:360.

9510120199 Forwards Technical Review Rept, "Review of Natl Transportation Safety Board Safety Study,NTSB/SS-94/01, 'Review of Flight Crew-Involved,Major Accidents of US Air Carriers,1978-1990.'"
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/10/05. RUSSELL,W.T. . 3pp. 85767:209-85767:226.

–9510120206 AEOD/T95-03 "Technical Review Rept,Review of Natl Transportation Safety Board Safety Study NTSB/SS-94/01, 'Review of Flight Crew-Involved,Major Accidents of US Air Carriers,1978-1990.'"
KAUFFMAN,J.V. Office for Analysis & Evaluation of Operational Data, Director. AEOD T95-03. 95/10/31. 15pp. 85767:212-85767:226.

9510120379 Responds to constituent inquiry re AEC & const & operation of NPPs.Cover of booklet, "NRC Regulator of Nuclear Safety" & summary of licensing process for NPPs encl.Other documents which explain basics of NPP operation also encl.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/19. GIBBONS,S. House of Rep. 1p. 85806:001-85806:139.

–9510120387 Forwards ltr from constituent D Barnes,requesting info on const & operation of nuclear power plant.
GIBBONS,S.M. House of Rep. CCS. 95/09/07. RATHBUN,D. Office of Congressional Affairs (Post 911117). 137pp. 85806:002-85806:139.

9510130353 Documents preliminary concurrence for evaluation method for applying temp data from more than one test to create qualified hybrid design consisting of conduit raceway fire barrier & optional hanger thermal short design technique.
JAROSZ,G.J. Transco Products, Inc. 95/09/26. WEST,S. Office of Nuclear Regulatory Research (Post 941217). 8pp. 85801:299-85801:306.

9510160089 OIG/95A-18 "OIG Survey Observations on NRC New Rulemaking Process."
* Office of the Inspector General (Post 890417). 95/10/02. 15pp. 86033:025-86033:038.

9510180224 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. MILLER,M.L. Federal Emergency Management Agency. 2pp. 85842:331-85842:332.

9510180232 Forwards final FEMA exercise rept for 950614 exercise at plant.Informs of one deficiency re inability to coordinate formulation & dissemination of accurate info & instructions to public.
BARR,K.P. Region 2 (Post 820201). 95/10/06. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 85848:017-85848:117.

–9510180243 "Final FEMA Exercise Rept for Plant."
* Federal Emergency Management Agency. 95/09/05. 98pp. 85848:020-85848:117.

9510180245 Forwards final FEMA exercise rept for 950418 exercise at plant.
BARR,K.P. Region 2 (Post 820201). 95/10/06. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 85848:143-85848:228.

–9510180247 "Final FEMA Exercise Rept."
* Federal Emergency Management Agency. 95/09/21. 83pp. 85848:146-85848:228.

9510190055 Provides status of Section 2.206 petition dated 941026.Staff is performing chemical composition & mechanical properties tests at NIST.
GAMBERONI,M. . 2.206. 95/10/12. BENJAN,R. Affiliation Not Assigned. 1p. 85865:326-85865:326.

9510190069 Provides status of Section 2.206 petition dated 941114.Staff performing chemical composition & mechanical tests at NIST.
GAMBERONI,M. . 2.206. 95/10/12. DEBOLT,B. Affiliation Not Assigned. 1p. 85865:329-85865:329.

9510190127 Submit info provided in telcons on 951010 & 11 to P Birnie, Cinquemani & C Johnston re status of Thermo-Lag 2.206 petition status.Informs that NEI testing & analysis of Thermo-Lag matls completed & results provided to NRC.
GAMBERONI,M. NRC - No Detailed Affiliation Given. 2.206. 95/10/11. NRC - No Detailed Affiliation Given. 1p. 85882:216-85882:216.

9510190350 Forwards review of draft IAEA SGs, "Safety in Commissioning of Research Reactors," series 35-G4 & "Operational Limits & Conditions of Research Reactors," series 34-G6,per 950926 request.
BLAHA,J.L. Ofc of the Executive Director for Operations. 95/10/13. HAUBER,R.D. Office of International Programs (Post 911117). 3pp. 85923:277-85923:281.

–9510230028 Requests comment on SGs, "Safety in Commissioning of Research Reactors," (series 35-G4) & "Operational Limits & Conditions of Research Reactors," (series 35-G6),to be submitted in listed format by 951030.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/26. BLAHA,J.L. Ofc of the Executive Director for Operations. 1p. 85923:281-85923:281.

9510190368 Forwards copy of Commission Biweekly Notice of Applications & Amends to Operating Licenses involving no significant hazards considerations,published in FR on 950913.W/o encl.
RUSSELL,W.T. . 95/10/10. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep., Energy & Commerce. 2pp. 85865:327-85865:328.

9510200007 Forwards Apr 1995 generic fundamentals exam & answer key.
MCCAIN,D. . 95/10/10. NRC - No Detailed Affiliation Given. 124pp. 85882:217-85882:340.

9510200009 Forwards Oct 1994 generic fundamentals exam & answer key.
MCCAIN,D. . 95/10/10. NRC - No Detailed Affiliation Given. 129pp. 85883:001-85883:129.

9510200110 Forwards FEMA 950909 correspondence transmitting evaluation rept for 950509 EP Exercise at plant.Informs that two deficiencies & seven areas requiring corrective actions identified.
CREED,J.R. Region 3 (Post 820201). 95/10/06. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 85871:050-85871:101.

–9510200114 Forwards final rept for 950509,plume exposure pathway exercise of offsite radiological emergency response plans site-specific to DC Cook NPP.
BURKETT,M.M. Federal Emergency Management Agency. 95/09/18. Region 3 (Post 820201). 2pp. 85871:052-85871:053.

–9510200249 "Final Rept for 950509 Plume Exposure Pathway Excercise of Offsite Radiological Emergency Response plans to site- specific to DC Cook Nuclear Power Station."
* Federal Emergency Management Agency. 95/10/06. 42pp. 85871:054-85871:101.

9510200276 Responds to 950906 to BB Hayes re procedures used by NRC to conduct investigations of serious incidents at facilities.
JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 95/10/13. MCATEER,J.D. Affiliation Not Assigned. 2pp. 85899:279-85899:280.

9510200353 Notification of 951016 meeting w/ABB/CE on 951019 in Rockville,MD to discuss CENPD 300.
CHATTERSON,M. . 95/10/16. JONES,R.C. . 1p. 85899:269-85899:269.

9510230007 Confirms participation of listed participants in Fuel Cycle Safeguards exercise w/Siemens Power Corp on 951025.Informs that,in preparation for exercise,safeguards team training will be conducted on 951024.
BARRETT,R.J. Incident Response Branch. 95/10/12. SEBROSKY,J., HASSELBERG,R. Office for Analysis & Evaluation of Operational Data, Director. WENSLAWSKI,R. Walnut Creek Field Ofc, R4 (Post 940404). 2pp. 85910:294-85910:295.

9510230034 Informs of one-day Response Technical Manual Overview training to be conducted 951101,to be limited to 40 attendees.Requests confirmation of attendance by way of e-mail by COB 951020.Course agenda encl.
BARRETT,R.J. Incident Response Branch. 95/10/12. AKSTULEWICZ,F., BARSS,D., BROWN,L. NRC - No Detailed Affiliation Given. 6pp. 85910:310-85910:315.

9510230093 Forwards FEMA 950829 correspondence transmitting evaluation rept for 940517 EP exercise at plant.No deficiencies identified & five areas requiring corrective action identified.
CREED,J.R. Region 3 (Post 820201). 95/10/06. PALMISANO,T. Consumers Power Co. 2pp. 85889:001-85889:091.

--9509220119 Forwards final exercise rept for 940517,plume exposure pathway exercise of offsite radiological emergency response plans site-specific to plant.No deficiencies identified during 940517 exercise.
HEPLER,O.M. Federal Emergency Management Agency. 95/08/29. CRUTCHFIELD,D. . 1p. 85889:003-85889:003.

--9509260113 "Palisades Nuclear Power Plant Offsite Radiological Emergency Preparedness Exercise Evaluation Rept."
* Federal Emergency Management Agency. 95/08/08. 83pp. 85889:004-85889:091.

9510230353 Forwards FEMA rept dtd 950928,re 950322 Turkey Point NPP exercise.One deficiency identified concerning failure to broadcast initial emergency broadcast sys message within 15 minute time limit
BARR,K.P. Region 2 (Post 820201). 95/10/13. GOLDBERG,J.H. Florida Power & Light Co. 3pp. 85892:225-85892:289.

--9510230367 FEMA evaluation of "Turkey Point Nuclear Power Plant Exercise," conducted on 950322.
* Federal Emergency Management Agency. 95/09/28. 68pp. 85892:228-85892:289.

9510240388 NRC Info Notice 95-049, "Seismic Adequacy of Thermo-Lag Panels."
CRUTCHFIELD,D. . GL-87-02. 95/10/27. Consolidated Edison Co. of New York, Inc. 12pp. 85998:001-85998:010.

9510240400 "Subgroup on IAEA Safeguards in US,dtd 940801."
* International Atomic Energy Agency. 95/08/01. 5pp. 85923:282-85923:286.

9510250098 Forwards draft Chapter 17, "Decommissioning & Possession- Only Amends," of "Format & Content for Applications for Licensing of Nonpower Reactors," & "Safety Analysis Rept Review Plan & Acceptance Criteria for...." W/o encl.
ADAMS,A. . 95/10/18. SMITH,D.W. Affiliation Not Assigned. 2pp. 85946:303-85946:304.

9510250244 Notice of pending submittal to OMB for review of documents containing reporting or recordkeeping requirements for 10CFR20, "Stds for Protection Against Radiation."
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 60FR36038. 95/10/24. 18pp. 85987:233-85987:250.

9510250291 Provides results of license recapture survey breakdown of plant license terms.
SCHAAF,B. , 95/10/19. BECKNER,B. . 7pp. 85981:312-85981:318.

9510250306 Responds to 950915 ltr re NRC Policy on Communications Between NRC & Licensees.
MILHOAN,J.L. Assistant for Operations (Post 890205). 95/10/18. KINDLEY,W.R. Institute of Nuclear Power Operations. 1p. 85943:337-85943:339.

--9510250312 Forwards INPO recommended changes to NRC Policy on Communications Between NRC & Licensees.
KINDLEY,W.R. Institute of Nuclear Power Operations. 95/09/15. MILHOAN,J.L. Ofc of the Executive Director for Operations. 2pp. 85943:338-85943:339.

9510250354 Informs that NRC in process of developing for non-power reactor, "Format & Content for Applications or Licensing of Non-Power Reactor & Std Review Plan & Acceptance Criteria for Application for Licensing of Non-Power Reactor."
WEISS,S.H. . 95/08/31. Affiliation Not Assigned. 2pp. 85946:001-85946:297.

--9509070100 NRC availability of draft application format & content guidance & review plan & acceptance criteria for non-power reactors.
WEISS,S.H. . 95/08/31. 295pp. 85946:003-85946:297.

9510250364 Discusses draft application "Format & Content for Applications for Licensing of Non-Power Reactors," & "Standard Review Plan & Acceptance Criteria for Applications for Licensing of Non-Power Reactors."
WEISS,S.H. . 95/09/15. Affiliation Not Assigned. 48pp. 85939:268-85939:315.

--9510250368 Notice of availability of draft application format & content guidance,review plan & acceptance criteria for non- power reactors.
WEISS,S.H. . 95/09/15. 1p. 85939:315-85939:315.

9510250401 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/10/19. 9pp. 85923:287-85923:295.

9510250402 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/10/19. 17pp. 85923:296-85923:312.

9510250403 Notice of pending NRC action to submit info collection request to OMB & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/10/19. 13pp. 85923:313-85923:325.

9510250405 Summary of 951006 meeting w/US Fuel & Security,Inc to discuss preliminary proposal re design of dual-purpose, spent fuel storage & transport sys.List of attendees attached.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/10/11. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 2pp. 85923:326-85923:327.

9510270137 Forwards October 1994 generic fundamentals exam & answer key to be placed in PDR.
MCCAIN,D. , 95/10/25. Document Control Branch (Document Control Desk). 121pp. 86010:169-86010:289.

9510300136 Requests 100 word abstract re transportation & radioactive matls in preparation for 1996 ASME/JSME PVs & piping conference.
HAFNER,R.S., CARLSON,R.W. Lawrence Livermore National Laboratory. 95/09/08. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. 86013:358-86013:359.

9510300186 Submits comments on draft proposed mgt directive 8.12, "Decommissioning Financial Assurance Instrument Security Program."
CRUTCHFIELD,D. . 95/10/23. GREEVES,J.T. Division of Waste Management (NMSS 940403). 15pp. 86013:341-86013:357.

9510310038 Notifies of 951108 meeting w/NRC technical staff,applicants & licenses at Tampa,FL to discuss EQ task action plan status at NUS EQDB Technical meeting.
HUBBARD,G. . 95/10/23. HOLAHAN,G.M. . 1p. 86033:353-86033:353.

9510310044 Approved policy statements, "Criteria for Agreement State Assumption of Regulatory Authority," "NRC Review of Agreement State Radiation Control Programs," & comprehensive & update radiation IAW Paper Reduction Act.
SHELTON,B.J. Information & Records Management Branch (Post 890827). OMB 3150-0183. 95/04/02. 1p. 86003:036-86003:036.

9510310197 Forwards FEMA correspondence dtd 950905,transmitting FEMA evaluation rept for 941206 Emergency Preparedness Exercise at Point Beach Nuclear Power Plant.
CREED,J.R. Region 3 (Post 820201). 95/10/24. LINK,R. Wisconsin Electric Power Co. 2pp. 86003:258-86004:031.

--9510050189 Transmits FEMA final exercise rept for 941206, "Exercise of Offsite Radiological ER Plans for plant." Identified two deficiencies & thirteen areas requiring corrective action. Deficiencies corrected during 950426 exercise.
HEPLER,O.M. Federal Emergency Management Agency. 95/09/05. CRUTCHFIELD,D. . 2pp. 86003:260-86003:261.

--9510050194 "Exercise Rept-Plant-Joint Exercise on 941206."
* Federal Emergency Management Agency. 95/08/02. 134pp. 86003:262-86004:031.

9510310413 Forwards documents re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
SHAPAKER,J.W. . IEB-95-002. 95/10/25. Document Control Branch (Document Control Desk). 1p. 86073:334-86073:360.

--9510260275 SECY-95-255 Notifies of staff intent to issue bulletin addressing issues of ECCS operability in light of recent ECCS suction strainer clogging event at Limerick.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/16. 2pp. 86073:335-86073:351.

--9510310415 Forwards NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
CRUTCHFIELD,D. . IEB-95-002. 95/10/23. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. 86073:352-86073:360.

PR PROPOSED RULE

9510020048 Comment supporting proposed rule 10CFR30,40 & 70 re extension of term of licenses for licensees that have good record of safety & compliance.
YOCUM,R. Affiliation Not Assigned. 60FR46784 00012. 95/09/25. Docketing & Services Branch. 1p. 85624:012-85624:012.

9510020054 Final rule 10CFR71, "IAEA," revising regulations governing transportation of radioactive matl.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 53FR21550. 95/09/13. 161pp. 85624:014-85624:174.

9510020060 Final rule 10CFR50, "Primary Reactor Containment Leakage Testing for Water-Cooled Power Reactors," amending regulations to provide performance-based option for leakage-rate testing of containments.
HOYLE,J.C. Office of the Secretary of the Commission. 60FR09634. 95/09/20. 50pp. 85624:181-85624:230.

9510030077 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Urges NRC to take opportunity to either integrate funding requirement for spent fuel storage into 50.75 to require immediate creation of post-shutdown.
MANION,W.J. Nuclear Energy Services, Inc. 60FR37374 00003. 95/09/22. Docketing & Services Branch. 1p. 85643:309-85643:309.

9510030080 Comment supporting proposed rules 10CFR30,40 & 70 re concept of extending certain matls licensing by five years.
VERMEERE,B. National Aeronautics & Space Administration. 60FR46784 00013. 95/09/29. Office of the Secretary of the Commission. 1p. 85643:312-85643:312.

9510030082 Comment supporting proposed rules 10CFR30,40 & 70 re proposal to extend license duration beyond current five year term.
GRABKO,M. . 60FR46784 00014. 95/10/02. Docketing & Services Branch. 1p. 85643:313-85643:313.

9510030293 Comment supporting NEI comments on revised NRC SALP program.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 60FR39193 00024. 95/09/28. MEYER,D.R. . 2pp. 85673:049-85673:050.

9510050070 Comment supporting proposed rules 10CFR30,40 & 70 re extension of certain matl licenses by five years.
NORTON,G.A. . 60FR46784 00015. 95/09/29. Docketing & Services Branch. 2pp. 85686:013-85686:014.

9510050074 Comment supporting proposed rules 10CFR30,40 & 70 re extension of certain matl license by 5 years.
SEM,G. TSI, Inc. 60FR46784 00016. 95/10/03. Office of the Secretary of the Commission. 1p. 85686:015-85686:015.

9510060038 Notice of policy statement on conversion to Metric Sys in FR.Requests addl info on state of metric sys use by NRC licensees so that Commission may determine whether NRC metrication policy should be modified.
TAYLOR,J. Ofc of the Executive Director for Operations. 60FR49928. 95/09/14. 9pp. 85693:036-85693:043.

9510060344 Forwards FR for publication re one-time extension of certain byproduct,source & special nuclear matls licenses.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/12. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. Commerce, Dept. of. 2pp. 85748:322-85748:352.

--9510060349 FR re one-time extension of certain byproduct,source & special nuclear matls licenses.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/29. 28pp. 85748:324-85748:352.

9510120024 Comment supporting proposed rules 10CFR30,40 & 70 re one- time extension of certain byproduct source & SNM licenses.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR46784 00023. 95/10/10. Docketing & Services Branch. 2pp. 85751:001-85751:002.

9510120025 Comment supporting PR 10CFR30,40 & 70 re one-time five-yr extension of byproduct,source & special nuclear matls licenses.
SPINAR,L.H. South Dakota State Univ., Brookings, SD. 60FR46784 00021. 95/10/06. Docketing & Services Branch. 1p. 85751:003-85751:003.

9510120028 Comment on proposed rules 10CFR30,40 & 70 re "One-Time Extension of Certain Byproduct Source & SNM License." NRC should effectuate automatic five-year extension of certain ML.
SILBERG,J.E. Shaw, Pittman, Potts & Trowbridge. 60FR46784 00020. 95/10/06. Docketing & Services Branch. 3pp. 85751:004-85751:006.

9510120030 Comment supporting PRs 10CFR30,40 & 70 re one-time five-yr extension to certain byproduct,source & special nuclear matl licenses.
BRYAN,D.C. RTI, Inc. (formerly Radiation Technology, Inc.). 60FR46784 00022. 95/10/06. Docketing & Services Branch. 2pp. 85751:007-85751:008.

9510120033 Comment on proposed rule 10CFR110, "Export & Import of Radwaste." Requests that Commission vacate present 10CFR110 rule & reopen rulemaking on timely & dangerous issue of export & import of nuclear waste.
NOVAK,K.J. Affiliation Not Assigned. 57FR17859. 95/09/29. Commissioners (Post 750119). 2pp. 85751:009-85751:010.

9510120052 Comment on proposed rules 10CFR30,40 & 70 re proposed rule to extend certain matl licenses.Supports proposed rules.
SMITH,L.R. . 60FR46784 00018. 95/10/04. Docketing & Services Branch. 5pp. 85751:014-85751:019.

9510120169 Comment supporting proposed rules 10CFR30,40 & 70 re allowing certain matls licenses to be extended 5 yrs w/o submission of new application.
VETTER,R.J. Mayo Clinic, Rochester, MN. 60FR46784 00017. 95/09/28. Docketing & Services Branch. 1p. 85751:028-85751:028.

9510120252 Comment on proposed rule 10CFR30,40 70 re one-time extension of certain byproduct,source & special matl licensees.
COLLINS,S.C. Illinois, State of. 60FR46784 00019. 95/10/04. Docketing & Services Branch. 1p. 85751:029-85751:029.

9510120293 Forwards final rules 10CFR20 & 35, "Medical Administration of Radiation & Radioactive Matls."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/20. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 3pp. 85805:317-85805:337.

--9510120296 Final rules 10CFR20 & 35, "Medical Administration of Radiation & Radioactive Matls."
HOYLE,J.C. Office of the Secretary of the Commission. CCS. 95/09/14. 17pp. 85805:320-85805:337.

9510120364 Forwards final rule 10CFR73, "Changes to NPP Security Requirements Associated W/Containment Access Control."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/12. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 85806:201-85806:211.

9510130307 Forwards final rule 10CFR71, "Compatibility W/IAEA."
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/19. FAIRCLOTH,L. Senate, Environment & Public Works. SCHAEFER,D. House of Rep. 2pp. 85809:001-85809:164.

9510160043 Comment on proposed rules 10CFR2,50 & 51 that would amend rules in regard to decommissioning of nuclear reactors.
ORTCIGER,T.W. Illinois, State of. 60FR37374 00004. 95/10/10. Docketing & Services Branch. 3pp. 85801:036-85801:038.

9510170180 Comment supporting PRs 10CFR30,40 & 70 re extension of license renewal by 5 yrs.
HENRIX,J., HAMMES,C. Southwest Medical Center of Oklahoma, Oklahoma City, OK (formerly South Communit. 60FR46784 00024. 95/10/04. NRC - No Detailed Affiliation Given. 1p. 85818:022-85818:022.

9510170249 Notice of availability of world-wide web site to support interactive discussions re development of implementation guidance for decommissioning rulemaking.
MORRIS,B.M. Division of Regulatory Applications (Post 941217). 60FR43200. 95/10/04. 3pp. 85818:024-85818:026.

9510170298 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
GOODMAN,L.S. Detroit Edison Co. 60FR37374 00005. 95/10/12. Docketing & Services Branch. 2pp. 85818:031-85818:032.

9510180103 Comment supporting proposed rules 10CFR2,50 & 51 re decommission of NPPs.
BOHLKE,W.H. Florida Power & Light Co. 60FR37374 00006. 95/10/15. HOYLE,J. Office of the Secretary of the Commission. 4pp. 85847:135-85847:138.

9510190083 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning procedures for nuclear power reactors.
KUMAR,S. . 60FR37374 00009. 95/10/18. Docketing & Services Branch. 3pp. 85863:024-85863:026.

9510190085 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Westinghouse supports NEI comments re proposed rule.
LIPARULO,N.J. Westinghouse Electric Corp. 60FR37374 00011. 95/10/17. HOYLE,J. Office of the Secretary of the Commission. 1p. 85863:027-85863:027.

9510190088 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Endorses nuclear industry comments provided by NEI.
CRAWFORD,A.C. Public Service Co. of Colorado. 60FR37374 00010. 95/10/16. Docketing & Services Branch. 5pp. 85863:028-85863:032.

9510190093 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactor.Believes that proposed rule represents significant improvement in Commission decommissioning requirements.
FRANTZ,S.P. Morgan, Lewis & Bockius. 60FR37374 00012. 95/10/18. Docketing & Services Branch. 13pp. 85863:033-85863:045.

9510190097 Comment supporting proposed rule 10CFR2,50 & 51 re expanding public notification & participation sections contained in proposed rule.
SANDERSON,R.E. Environmental Protection Agency. 60FR37374 00013. 95/10/13. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85863:046-85863:046.

9510190099 Comment supporting PR 10CFR30,40 & 70 re extension of certain MLs by five yrs.
JOHNSTON,D.R. Affiliation Not Assigned. 60FR46784 00025. 95/09/28. COOL,D.A. Office of Nuclear Material Safety & Safeguards. 1p. 85863:047-85863:047.

9510190106 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR37374 00014. 95/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 20pp. 85863:048-85863:067.

9510190110 Comment supporting PR 10CFR30,40 & 70 re extension of certain MLs by five yrs.
PEVEY,L.E. National Institute of Standards & Technology (formerly National Bureau of Standa. 60FR46784 00026. 95/09/21. COOL,D.A. Office of Nuclear Material Safety & Safeguards. 1p. 85863:068-85863:068.

9510190118 Comment opposing proposed rules 10CFR2,50 & 51 re decommissioning of Rowe reactor.
KATZ,D. Citizens Awareness Network. 60FR37374 00007. 95/10/16. Docketing & Services Branch. 5pp. 85863:069-85863:073.

9510190137 Comment supporting proposed rule 10CFR2,50,51 re decommissioning of Nuclear Power Reactors.
REDEKER,S. Sacramento Municipal Utility District. 60FR37374 00008. 95/10/17. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 85863:092-85863:096.

9510190140 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
BLOCK,J.M. Affiliation Not Assigned. 60FR37374 00017. 95/10/18. Docketing & Services Branch. 6pp. 85863:098-85863:103.

9510190161 Comment supporting proposed rules 10CFR30,40 & 70 re extension of certain matl licenses by 5 yrs.
NICOLOSI,C.R. St. Johns Hosp., Red Wing, MN. 60FR46784 00027. 95/09/26. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85863:111-85863:111.

9510190171 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
GUNTER,P. Nuclear Information & Resource Service. 60FR37374 00018. 95/10/18. Docketing & Services Branch. 5pp. 85863:168-85863:172.

9510190198 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
EGAN,J.R. Affiliation Not Assigned. EGAN,J.R. Austin, TX. 60FR37374 00015. 95/10/18. Docketing & Services Branch. 5pp. 85863:226-85863:230.

9510190231 Comment opposing proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
SIDEBOTHAM,D.P. Affiliation Not Assigned. 60FR37374 00016. 95/10/18. JULIAN,E. Docketing & Services Branch. 2pp. 85863:260-85863:261.

9510200116 Comment opposing proposed rule 10CFR71 re entire group of noted recent rulemakings & other actions for which NRC has invited or allowed.
LEWIS,M.I. Lewis, M. 53FR21550 00175. 95/10/15. NRC - No Detailed Affiliation Given. 3pp. 85871:106-85871:108.

9510200118 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
KNOTTS,J.B. Winston & Strawn. KNOTTS,J.B. Duke Power Co. KNOTTS,J.B. Texas Utilities Electric Co. (TU Electric). 60FR37374 00023. 95/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 12pp. 85871:119-85871:128.

9510200122 Comment on PR 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
MINGST,B.C. . 60FR37374 00019. 95/10/16. Office of the Secretary of the Commission. 8pp. 85871:132-85871:139.

9510200125 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of NPPs.
PATTERSON,T.L. Omaha Public Power District. 60FR37374 00022. 95/10/11. Docketing & Services Branch. 1p. 85871:145-85871:145.

9510200127 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Util fully supports & endorses NEI comments.
GREEN,W. Dairyland Power Cooperative. 60FR37374 00020. 95/10/18. Docketing & Services Branch. 1p. 85871:154-85871:154.

9510200132 Comment on proposed rules 10CFR30,40 & 50 re one-time extension of certain byproduct source & special nuclear matl licenses.
LEWIS,M.I. Affiliation Not Assigned. 60FR46784 00028. 95/10/15. Docketing & Services Branch. 3pp. 85871:155-85871:157.

9510200150 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Util generally endorses NEI comments on proposed rules.
QUENNOZ,S.M. Portland General Electric Co. 60FR37374 00021. 95/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 9pp. 85871:158-85871:166.

9510240166 Comments on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
HIATT,S.L. Ohio Citizens for Responsible Energy. 60FR37374 00029. 95/10/18. Docketing & Services Branch. 2pp. 85896:247-85896:248.

9510240171 Comment opposing proposed rules 10CFR2,50 & 51 re nuclear power reactor decommissioning.
SINCLAIR,M.P. Affiliation Not Assigned. 60FR37374 00028. 95/10/18. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 85896:257-85896:258.

9510240181 Comment opposing PR 10CFR2,50 & 51 re "Nuclear Power Reactors Decommissioning FR/Vol 60,No 139/950720."
ROEMER,E.K. Lake Michigan Federation. 60FR37374 00027. 95/10/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 85896:309-85896:312.

9510240201 Comment on proposed rule 10CFR2,50 & 51 re 950720 60FR139.
DUMS,D. Affiliation Not Assigned. 60FR37374 00026. 95/10/18. THE CHAIRMAN Docketing & Services Branch. JACKSON,S. Commissioners (Post 750119). 3pp. 85896:313-85896:315.

9510240207 Comment opposing proposed rules 10CFR2,50 & 51 re citizens rights to adjudicatory hearing before decommissioning of nuclear power reactors.
WILLIAMS,M.J. Affiliation Not Assigned. 60FR37374 00024. 95/10/16. Docketing & Services Branch. 2pp. 85896:333-85896:334.

9510240271 Comment on proposed rule 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
DELGEORGE,L.O. Commonwealth Edison Co. 60FR37374 00025. 95/10/18. HOYLE,J.C. Docketing & Services Branch. 10pp. 85897:044-85897:053.

9510250196 Comment on proposed rules 10CFR2,50 & 51 re "Decommissioning of Nuclear Power Reactors."
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 60FR37374 00030. 95/10/19. Docketing & Services Branch. 7pp. 85904:062-85904:068.

9510250203 Notice of 951204 meeting in Rockville,MD to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 60FR17902. 95/10/11. 2pp. 85904:069-85904:070.

9510250210 Notice of 951204 meeting to discuss comments submitted on proposed DCR for US ABWR & Sys 80+ Std Designs.
QUAY,T.R. . 60FR17924. 95/10/11. 2pp. 85904:071-85904:072.

9510250226 Final rules 10CFR50 & 70, "Physical Security Plan Format Changes," amending regulation to eliminate requirement for applicants for power reactor,Category I fuel cycle & spent fuel storage licenses to submit security plans in two parts.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 60FR19170. 95/10/03. 13pp. 85904:073-85904:085.

9510260042 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.Supports Commission efforts to reduce regulatory burden of commercial nuclear power facilities.
GRANT,J.M. Yankee Atomic Electric Co. 60FR37374 00032. 95/10/23. HOYLE,J.C. Office of the Secretary of the Commission. 10pp. 85923:004-85923:013.

9510260043 Comments on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
TOSCH,K. New Jersey, State of. 60FR37374 00031. 95/10/18. Docketing & Services Branch. 2pp. 85923:014-85923:015.

9510260047 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactor,Util believes that rule should explicitly permit licensees to access decommissioning activities that take place prior to cessation of operations.
FORNICOLA,J.C. General Public Utilities Corp. - GPU Service Corp. 60FR37374 00033, 95/10/23. Docketing & Services Branch. 2pp. 85923:214-85923:215.

9510260137 Comment supporting joint NRC/EPA guidance on storage of mixed radioactive & hazardous waste.
DIXON,W.T. Westinghouse Electric Corp. 60FR40204 00001. 95/10/19. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 3pp. 85923:270-85923:272.

9510270063 Comment supporting proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
BEARD,P.M. Florida Power Corp. 60FR37374 00034. 95/02/15. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 85939:026-85939:028.

9510270110 Comment supporting proposed rule 10CFR50 re implementation of Rule RIN 3150-AF00 reducing containment leak rate testing schedule from three times every ten years to once every ten years.
GUNTER,P. Nuclear Information & Resource Service. 60FR9634. 95/10/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 85939:177-85939:177.

9510300038 Ack 951006 telcon & submit comments,urging retention of 10CFR34.20,radiography equipment rule,w/o change.
DICHARRY,R.D. Source Production & Equipment Co., Inc. 95/10/15. CAMPER,L. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 86001:198-86001:204.

PRESS PRESS RELEASES

9510020001 "NRC Amends Regulations on Transportation of Radioactive Matl."
* Office of Public Affairs (Post 911117). 95/09/28. 2pp. 85673:284-85673:285.

9510020007 "NRC Amends Rules for Testing Leakage Rate of Nuclear Power Plants Containments."
* Office of Public Affairs (Post 911117). 95/09/29. 2pp. 85673:292-85673:292.

9510040038 "NRC Issues Final Regulations on Procuring Safety-Related Items for Nuclear Power Plants."
* Office of Public Affairs (Post 911117). 95/10/02. 2pp. 85728:143-85728:143.

9510040167 "NRC Advisory Group Schedules Meeting on Watts Bar Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 95/10/03. 1p. 85728:148-85728:148.

9510100037 Forwards ACNW repts re streamlining NRC site decommissioning mgt plan program.
* Office of Public Affairs (Post 911117). 95/10/04. 1p. 85855:001-85855:003.

9510160004 "NRC ACNW to Meet 951024-26."
* Office of Public Affairs (Post 911117). 95/10/11. 2pp. 85855:054-85855:054.

9510190062 "NRC Sends Incident Investigation Team to MIT to Investigate Radioactive Contamination of Researcher."
* Office of Public Affairs (Post 911117). 95/10/17. 2pp. 85910:213-85910:214.

9510190211 "NRC Announces Completion of Cleanup at two Contaminated Sites."
* Office of Public Affairs (Post 911117). 95/10/16. 2pp. 85897:324-85897:325.

9510190222 "NRC Staff Proposes to Fine PSEG $600,000 for six alleged violations of NRC Requirements at Salem Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 95/10/17. 2pp. 85897:326-85897:328.

9510230002 "NRC Proposes $160,000 Fine for HL&P in Whistleblower Discrimination Case."
* Office of Public Affairs (Post 911117). 95/10/18. 2pp. 85928:255-85928:256.

9510230404 Forwards ACRS repts re NAS/NRC study on safety & reliability issues & action plan developed to help resolve generic issue 166.
* Office of Public Affairs (Post 911117). 95/10/18. 1p. 85995:083-85995:090.

9510250109 "NRC ACRS to Meet 951102-04 in Rockville,MD."
* Office of Public Affairs (Post 911117). 95/10/20. 3pp. 85995:099-85995:101.

9510270291 "NRC & Federal Republic of Germany Sign Arrangement on Nuclear Safety Matters."
* Office of Public Affairs (Post 911117). 95/10/26. 1p. 86089:292-86089:292.

PRM PETITION FOR RULEMAKING

9510030056 Comment on petition for rulemaking PRM-50-61 re fire protection at nuclear power plant.Believes that insight provided would be valuable in improving regulations on fire protection.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR29784 00005. 95/09/28. HOYLE,J.C. Docketing & Services Branch. 21pp. 85643:268-85643:288.

9510030060 Comment on petition for rulemaking PRM-50-61 re fire protection at nuclear power plants.Agrees that petition provides more flexible alternative to current requirements.
BOHLKE,W.H. Florida Power & Light Co. 60FR29784 00010. 95/09/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 85643:290-85643:290.

9510030068 Comments opposing petition for rulemaking PRM-50-61 amending fire protection regulations.
GUNTER,P. Nuclear Information & Resource Service. 60FR29784 00009. 95/09/28. JULIAN,E. Docketing & Services Branch. 5pp. 85643:300-85643:304.

9510030075 Comment on petition for rulemaking PRM-50-61 re fire protection policy.Comments provided in hard-copy & media format in response to NEI petition for rulemaking.
MALONEY,S. Devonrue, Ltd. 60FR29784 00006. 95/09/28. Docketing & Services Branch. 67pp. 85644:001-85644:067.

9510030095 Comment supporting Petition for Rulemaking PRM-50-61 re fire protection.
TRUBATCH,S.L. Winston & Strawn. TRUBATCH,S.L. Affiliation Not Assigned. 60FR29784 00004. 95/09/28. Docketing & Services Branch. 7pp. 85643:318-85643:324.

9510030102 Comment supporting petition for rulemaking PRM-50-61 re amending NRC regulations governing fire protection at power plants & issues raised in subj FR notice.
SCHULTZ,S.P. Yankee Atomic Electric Co. 60FR29784 00007. 95/09/29. Docketing & Services Branch. 3pp. 85643:325-85643:327.

9510030110 Comment supporting petition for rulemaking PRM-50-61 re proposed App S as improvement over existing App R on basis that it allows utilities to apply fire protection resources in proportion to safety significance of plant areas.
KELLEY,L.C. Florida Power Corp. 60FR29784 00008. 95/09/27. Docketing & Services Branch. 7pp. 85643:328-85643:334.

9510030211 Comment supporting petition for rulemaking PRM-50-61 re sound methodology for evaluation of fire models & application in risk assessment needs.
SMITH,R.L. George Mason Univ., Fairfax, VA. 60FR29784 00011. 95/09/28. Docketing & Services Branch. 1p. 85644:087-85644:087.

9510050045 Comment opposing petition for rulemaking PRM-50-61, requesting that NRC amend regulations governing fire protection at nuclear power plants.
HIATT,S.L. Ohio Citizens for Responsible Energy. 60FR29784 00013. 95/10/02. Docketing & Services Branch. 6pp. 85686:001-85686:006.

9510050058 Comment on petition for rulemaking PRM 50-61 re amending existing fire protection requirements.
CASEY,T.J. Affiliation Not Assigned. 60FR29784 00012. 95/09/29. Docketing & Services Branch. 5pp. 85686:008-85686:012.

9510060084 Comment supporting petition for rulemaking PRM-50-61 re revising section 50.48 & providing new App S to Part 50 which may be utilized by licensees as alternative to App R.
ROGAN,R.E. Carolina Power & Light Co. 60FR29784 00014. 95/09/29. Docketing & Services Branch. 1p. 85693:088-85693:088.

9510120063 Comment opposing petition for rulemaking PRM-50-62 re expansion of 10CFR50.59 to QA requirements.
* . 60FR47716 00001. 95/10/10. Docketing & Services Branch. 2pp. 85751:020-85751:021.

9510120100 Comment on petition for rulemaking PRM-50-61 re fire protection.Supports NEI comments.
SAUNDERS,R.F. Virginia Power (Virginia Electric & Power Co.). 60FR29784 00015. 95/10/05. HOYLE,J.C. Docketing & Services Branch. 2pp. 85751:026-85751:027.

9510130318 Forwards petition for rulemaking (PRM-50-62),filed by Nuclear Energy Inst requesting that NRC amend 10CFR50 to permit licensees to change QA program as described or ref in SAR,w/o prior NRC approval under specified conditions.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/12. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 85808:295-85808:329.

--9510130322 Forwards petition for rulemaking (PRM-50-62) that Nuclear Energy Inst filed w/Secretary of Commission,requesting that NRC amend 10CFR50.54(a) to permit more efficient & effective implementation of QA programs at commercial NPPs.
BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). CCS. 95/06/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 16pp. 85808:297-85808:329.

9510170172 Comment supporting petition for rulemaking PRM-50-61 re improving fire protection regulations.
RUEGER,G.M. Pacific Gas & Electric Co. 60FR29784 00016. 95/10/06. HOYLE,J.C. Office of the Secretary of the Commission. 20pp. 85818:001-85818:020.

9510200120 Comment opposing petition for rulemaking PRM-50-62 re proposal to reduce amount of operational data reported by nuclear power plant licensees,per NUREG/BR-0032.
LEWIS,M.I. Affiliation Not Assigned. 60FR47716 00002. 95/10/15. Docketing & Services Branch. 3pp. 85871:129-85871:131.

9510200123 Comment opposing petition for rulemaking PRM-50-61 re production of radioactive wastes.
LEWIS,M.I. Lewis, M. 60FR29784 00017. 95/10/18. Docketing & Services Branch. 3pp. 85870:357-85870:359.

PROJ PROJECTS - PREDOCKET LICENSING

9510020324 Summary of 950907 meeting w/NEI in Rockville,MD re results of staff preliminary review of "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10,Rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 11pp. 85683:279-85683:289.

9510020343 Summary of 950914 meeting w/NEI in Rockville,MD re results of staff preliminary review of, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10,rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 14pp. 85649:243-85649:256.

9510020350 Summary of 950915 meeting w/NEI in Rockville,MD to initiate staff detailed review, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10, Rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 24pp. 85649:257-85649:280.

9510020362 Forwards responses to 14 papers addressing topics re NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule" & marked-up pages of NEI 95-10.
WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/27. NEWBERRY,S.F. . 52pp. 85690:151-85690:202.

9510030263 Notification of 951114 meeting w/NEI in Rockville,MD to discuss status of staff review of NEI guideline for implementing license renewal rule & issuance of RG.
HOFFMAN,S.T. . 95/09/28. NEWBERRY,S.F. . 3pp. 85673:275-85673:277.

9510040043 Appreciates NRC support for West Valley Demonstration Project.
ROWLAND,T.J. Energy, Dept. of. 95/09/25. COMFORT,G.C. NRC - No Detailed Affiliation Given. FURIA,J. Region 1 (Post 820201). 3pp. 85709:242-85709:244.

9510040108 Summary of 950629 meeting w/DOE & Westinghouse re technical exchange on multi-purpose canister.List of attendees encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 95/09/21. MILNER,R. Energy, Dept. of. 75pp. 85710:132-85710:206.

9510040145 Submits notification of 951005 mgt meeting w/DOE in Rockville,MD to discuss activities & issues re spent fuel storage & transport.Agenda encl.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 95/09/21. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 85709:258-85709:260.

9510040185 Notification of 951010 meeting w/NEI in Rockville,MD to discuss NEI issues re new 10CFR21 rule.
FRANOVICH,M.X. . 95/09/29. QUAY,T.R. . 2pp. 85693:301-85693:302.

9510040287 Forwards SE accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. TAC M92520. 95/09/26. HAAS,K.M. Consumers Power Co. 3pp. 85713:219-85713:225.

--9510040294 Safety evaluation accepting licensee 950612 request re interpretation of Section 1.2.13 of Certificate of Compliance 1007 for VSC-24 spent fuel storage cask.
* . 95/09/26. 4pp. 85713:222-85713:225.

9510050054 Informs that NMSS considers rept acceptable & waste solidification sys intermediate milestone 20-5706-002-570 to be complete,based upon description of work to be done in Program Manager Periodic Rept for Period 95-9.
COMFORT,G.C. Licensing Branch. 95/09/27. SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. 1p. 85686:007-85686:007.

9510050162 Requests assistance in arranging for CJ Haughney & CJ Withee to visit La Hague plant on 951116 w/empahsis on plant criticality safety.
WITHEE,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/04. GUILLOU,E. COGEMA, Inc. 1p. 85724:334-85724:334.

9510050169 Requests meeting w/P Cousinou & appropriate staff at CEA/ IPSN on 951113 & 14 to discuss technical basis & procedures developed for allowing burnup credit in criticality SA of spent reactor fuel in storage & transport containers.
WITHEE,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/04. COUSINOU,P. France. 2pp. 85724:332-85724:333.

9510100052 Forwards radiation protection insp on 950907 re Project Code 687.No violations noted.
MCCORMICK,J.W. Region 3 (Post 820201). 95/09/28. POTTER,R.W. Chevron Chemical Co. (subs of Standard Oil Co. of California). 1p. 85725:036-85725:040.

--9510100068 Radiation protection insp for Project Code 687 on 950907.No violations noted.Major areas inspected:access radiation protection training & practices conducted for decommissioning activities at former Harshaw Chemical Plant.
GLINSKI,R.L. Region 3 (Post 820201). 95/09/25. 4pp. 85725:037-85725:040.

9510120126 Notification of 951012 meeting w/NEI in Cleveland,OH to provide industry w/addl info re NRC audit program for Util Demonstration Program for NEI 95-10, "Industry Guideline for Implementating Requirements of 10CFR54...."
FLANDERS,S.C. . 95/10/10. NEWBERRY,S.F. . 3pp. 85777:354-85777:356.

9510120214 Summary of 950922 meeting w/NEI in Rockville,MD re "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule."
REGAN,C.M. . 95/10/10. . 7pp. 85778:268-85778:284.

--9510120227 "Guideline to Implement 10CFR54 License Renewal," Draft Rev C.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/08/18. 10pp. 85778:275-85778:284.

9510120272 Informs that 30 day extension to respond to items identified in NRC insp rept 72-1004/95-202 acceptable,as requested in 950929 ltr.
BAER,R.L. Source Containment & Devices Branch (Post 911213). 95/10/06. FRANCESCHI,V. Vectra Technologies, Inc. 2pp. 85806:261-85806:264.

--9510120278 Requests 30 day extension to respond to NRC 950829 ltr re nonconformances noted in insp rept 72-1004/95-202.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-051. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85806:263-85806:264.

9510120287 Discusses request to shorten long-term test programs for PUREX sludge wash Type I & Type V Portland cement solidification recipes,submitted by 950918 ltr.
COMFORT,G.C. Licensing Branch. TAC L21412. 95/10/04. ROWLAND,T.J. Energy, Dept. of. 2pp. 85806:265-85806:266.

9510130049 Responds to 950905 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform operational testing for ISFSI.
MARCUS,G.H. . 95/10/05. WASHING,J.R. Affiliation Not Assigned. 4pp. 85778:355-85778:358.

9510130062 Responds to ltr to C Paperiello re plant ISFSI in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures that plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. SHIH,M. Affiliation Not Assigned. 4pp. 85778:351-85778:354.

9510130090 Responds to 950905 ltrs to Commissioners,C Paperiello & A Hansen re plant ISFSI,in which recipients expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform operational ISFSI testing.
MARCUS,G.H. . 95/10/05. JOHNSON,C.F. Affiliation Not Assigned. 4pp. 85801:334-85801:337.

9510130112 Responds to ltr addressed to C Paperiello re Davis-Besse Nuclear Power Station ISFSI.
MARCUS,G.H. . 95/10/05. BORK,J. Affiliation Not Assigned. 4pp. 85801:338-85801:341.

9510130198 Responds to 950902 ltr to C Paperiello re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. HIRT,A. Affiliation Not Assigned. 4pp. 85801:345-85801:348.

9510130220 Responds to 950907 ltr re plant ISFSI,in which recipient expressed concerns that plant 950728 ltr would possibly result in decrease in safety.Assures plant will perform preoperational testing for ISFSI.
MARCUS,G.H. . 95/10/05. CRABTREE,C. Affiliation Not Assigned. 4pp. 85801:352-85801:355.

9510160005 Suppls response to confirmatory action ltr re safety evaluation for design changes.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-046. 95/09/20. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85833:356-85833:357.

9510160006 Forwards schedule summarizing status of CAL responses & closeout activities.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-045. 95/09/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85834:351-85834:353.

9510160007 Suppls response to CAL issue re safety evaluations, including fabrication documentation review.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-052. 95/10/02. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85833:358-85833:359.

9510160008 Advises that review of RT films for all loaded NUHOMS-24P canisters performed,in response to CAL.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-049. 95/10/02. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 3pp. 85834:348-85834:350.

9510160009 Suppls response to CAL issues for NUHOMS components to be utilized at Davis-Besse facility.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-053. 95/10/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85834:354-85834:355.

9510160010 Suppls response to CAL re dry shielded canister pressure tests.
FRANCESCHI,V. Vectra Technologies, Inc. VF-95-047. 95/09/22. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 20pp. 85835:281-85835:300.

9510170177 Discusses CAL issued to VECTRA Technologies,Inc (VECTRA),dtd 950707 & actions that VECTRA took in response to safety concerns identified in CAL.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. CAL. 95/10/12. FRANCESCHI,V. Vectra Technologies, Inc. 3pp. 85855:348-85855:350.

9510170229 Discusses info burnup credit task group review of DOE Topical Rept.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 95/10/06. BAILEY,M.G., CARLSON,D.E., DAMON,D.R. Office of Nuclear Material Safety & Safeguards. 1p. 85854:359-85854:359.

9510180190 Rev 2 to Process Safety Requirements (PSR) PSR-16, "Anhydrous Ammonia Requirements."
* West Valley Nuclear Services Co., Inc. 95/10/06. 11pp. 85867:351-85867:361.

9510240294 Summary of 950919 meeting w/BWROG in Rockville,MD re status of BWROG topics.
WILSON,J.G. . GL-89-10. 95/10/05. QUAY,T.R. . 44pp. 85911:093-85911:148.

9510250009 Summary of 951013 meeting w/Westinghouse Owners Group in Rockville,MD re status of WOG Generic Topical Rept Program & staff RAI dtd 950906 related to WCAP-14422.
* NRC - No Detailed Affiliation Given. 95/10/13. NRC - No Detailed Affiliation Given. 20pp. 85939:316-85939:336.

9510250299 Forwards Rev 3A to "Topical SAR for NAC Storable Transport Cask for ISFSI." Rev 3A incorporates changes agreed to during final review of topical SAR,as directed.
TSJERLAND,G.T. NAC International Corp. (formerly Nuclear Assurance Corp.),. 95/10/16. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 85940:001-85943:244.

-9510250302 Rev 3A to "Topical SAR for NAC Storable Transport Cask for use at ISFSI."
* NAC International Corp. (formerly Nuclear Assurance Corp.),. 95/09/30. 1,200pp. 85941:003-85943:244.

9510250385 Extends invitation to CJ Haughney to serve as faculty for 951110 conference in Las Vegas,NV on spent fuel storage & disposal.Tentative agenda for conference encl.
RUNYON,L.C. National Conference of State Legislatures, Denver, CO. 95/09/13. HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 85985:355-85985:359.

9510260290 Informs that NY State Energy Research & Development Authority preparing to transfer ownership of parcel of land within Western NY Nuclear Service Ctr to town of Ashford.
PICIULO,P.L. New York, State of. 95/10/20. COMFORT,G. NRC - No Detailed Affiliation Given. 2pp. 86007:359-86007:360.

9510260332 Documents approval of WVNS-SAR-002,Rev 3,Draft H, "SER for Low-Level Waste Processing & Support Activities."
HAMRIC,J.P. Energy, Dept. of. OH-0042-96. 95/10/11. ROWLAND,T.J. Energy, Dept. of, 1p, 86010:147-86010:162.

-9510260336 WVNS-SAR-002 DRFH003 Draft H,Rev 3 to "SER for Low-Level Waste Processing & Support Activities."
HAMRIC,J.P., ROWLAND,T.J. Energy, Dept. of. 95/10/11. 14pp. 86010:148-86010:162.

9510270355 Forwards response to questions re TN-32 Topical Safety Analysis Rept.Also includes revised topical safety analysis rept pages which incorporates all responses to date.
MASON,M. Transnuclear, Inc. 95/10/20. STURZ,F.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 86073:126-86073:246.

-9510310411 Revised pages to TN-32 Topical Safety Analysis Rept.
* Transnuclear, Inc. 95/10/20. 118pp. 86073:134-86073:246.

9510270375 Forwards final rept SNL-366, "Measurements on Spent-Fuel Assemblies at ANO Using Fork Sys" & ORNL/TM-12959, "Analysis of Fresh Fuel Critical Experiements Appropriate for Burnup Credit Validation." Repts ref in stated TR submitted 950531.
MILNER,R.A. Energy, Dept. of. 95/10/17. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 86052:001-86052:203.

-9510270377 SNL-366 Final rept, "Measurements on Spent-Fuel Assemblies at ANO Using Fork Sys."
EWING,R.I. Sandia National Laboratories. 95/01/31. 26pp. 86052:003-86052:028.

-9510270379 ORNL/TM-12959 "Analysis of Fresh Fuel Critical Experiments Appropriate for Burnup Credit Validation."
DEHART,M.D., BOWMAN,S.M. Oak Ridge National Laboratory. 95/09/30. 173pp. 86052:029-86052:203.

9510300245 Notification of 951102 meeting between NRC staff & NEI in Rockville,MD to discuss NEI petition to move requirements for reporting changes to licensee QA programs from 10CFR50.54(a) to 10CFR50.59.
MAGRUDER,S.L. . 95/10/24. QUAY,T.R. . 1p. 86017:320-86017:321.

9510310006 Errata to notification of 951027 meeting w/NEI in Rockville,MD to present comments on NEI guidelines for implementing license renewal rule.Meeting cancelled.
HOFFMAN,S.T. . 95/09/19. NEWBERRY,S.F. . 1p. 86033:354-86033:354.

9510310324 Responds to ltrs to A Hansen dtd 950830 & 0914 & to Marcus dtd 950915 re dry cask storage at plant.
MARCUS,G.H. . 95/10/27. SHILLINGLAW,F. Affiliation Not Assigned. 12pp. 86033:050-86033:062.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9510030061 Part 21 rept re fuel oil booster pump post-maint testing revealed fuel oil sys pressure readings of 32 PSIG in "required action" low range.Plant personnel installed rebuilt fuel oil booster pump on "B" EDG.
MECREDY,R.C. Rochester Gas & Electric Corp. 95/09/28. QUAY,A.R. . QUAY,A.R. Document Control Branch (Document Control Desk). 4pp. 85728:110-85728:113.

9510060257 Part 21 rept re failure of charging SI pump miniflow check valves.Caused by cocking of piston towards valve outlet port due to large hydraulic surge.Valves that experienced failures replaced.
ROBINSON,W.R. Carolina Power & Light Co. HNP-95-087. 95/09/29. Document Control Branch (Document Control Desk). 5pp. 85767:050-85767:054.

9510110230 Interim Part 21 Rept 21-95-018 re failure of solid state trip devices type SS-13 mfg by Gould/ITE (now ABB,Asea Brown Boveri).Investigation found return air fan circuit breaker in tripped condition.Breaker replaced w/spare breaker.
COOK,J.G. Illinois Power Co. L16-95(10-06)LP. 95/10/06. Document Control Branch (Document Control Desk). 3pp. 85806:336-85806:338.

9510110287 Part 21 rept re fastener products (hex bolts) mfg by Cardinal Industrial Products.Bolts used as header cover plate bolts in safety related containment air cooler replacement cooling coils furnished by Aerofin Corp to CPC.
ELLIOTT,B.C. . 95/10/04. Document Control Branch (Document Control Desk). DOTSON,B. Consumers Power Co. 11pp. 85806:325-85806:335.

9510160200 Part 21 rept re four addl defective lots of 5/8 inch diameter x 3 inch blank hex capscrews ASTM-A193 Grade B7 & one addl lot of 3/8 diameter x 6 inch blank hex capscrews ASTM-A193 grade B7.
HATHCOCK,D.Z. Cardinal Industrial Products Corp. 95/09/26. Document Control Branch (Document Control Desk). 13pp. 85855:030-85855:042.

9510180081 Part 21 rept re rev to Instruction Manual 4235,dtd Jul 1995, including corrected spare parts list.Revised manual should be used for Model 1152 transmitters regardless of transmitter shipment date.
LAYER,T.J. Rosemount, Inc. 95/10/13. NRC - No Detailed Affiliation Given. 43pp. 85867:217-85867:260.

9510250397 Part 21 rept,consisting of error notices 95-52 through 95-55 & error summary repts for Rev 5.0A & Rev 5.1 from former software customers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. 95/10/10. Document Control Branch (Document Control Desk). 37pp. 85987:100-85987:136.

9510260001 Part 21 rept re software error in Isolation Valve Assessment Software (IVA) Version 4.10.Users of IVA Version 4.10 notified of error by ltrs dtd 950915.Error will be corrected & program reissued after reverification.
BENNETT,R.G. Idaho National Engineering Laboratory. BENNETT,R.G. . RGB-18-95. 95/09/19. SCARBOROUGH,T. . 3pp. 86007:061-86007:063.

9510270234 Part 21 rept,consisting of error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Computer Services Co. (div. of Boeing Co.). 95/10/16. Document Control Branch (Document Control Desk). 4pp. 86019:281-86019:284.

9510300253 Final Part 21 Rept 95-007 re Comm Ed Amerace E7000 series relay timers being in unqualified configurations.Comm Ed tested relay contacts to demonstrate capability of contacts & has dispositioned all potentially affected applications.
JOHNSON,I.M. Commonwealth Edison Co. 95-007. 95/10/23. Document Control Branch (Document Control Desk). 3pp. 86089:348-86089:350.

9510310412 Part 21 rept re defects found in model UX-30 overpack.UX-30 overpack sent to Law Engineering for evaluation.Law Engineering preliminary rept including listed conclusions encl.
ARNOLD,W.M. Nuclear Containers, Inc. 95/10/26. Document Control Branch (Document Control Desk). 4pp. 86089:356-86089:359.

QA999 QUALITY ASSURANCE INSPECTIONS

9510020246 Forwards insp rept 99900404/95-02 on stated date.No violations noted.
GALLO,R.M. . 95/09/25. QUINN,J.E. General Electric Co. 3pp. 85673:306-85673:325.

-9510020257 Insp rept 99900404/95-02 on stated date.No violations noted.Major areas inspected:activities which had been performed to support design of SBWR & testing activities performed at GIRAFFE Test Facility in Kawasaki City,Japan.
MCINTYRE,R.P., CWALINA,G.C., GALLO,R.M. . 95/09/25. 17pp. 85673:308-85673:325.

9510040079 Responds to nonconformance noted in insp rept 99901225/95-01 on 950808 & 09.Corrective actions:evaluation of virus problem documented,along w/actions taken to notify employees & customers & virus protection procedures instituted.
YANKANICH,S. Liberty Technologies (formerly Liberty Technology Center, Inc.). 95/09/25. GALLO,R.M. . 11pp. 85709:205-85709:216.

9510040095 Forwards insp rept 99901270/95-01 on 950822-25 & forwards notice of nonconformance.
GALLO,R.M. . 95/09/27. GEORGE,E.A. . 2pp. 85673:075-85673:087.

-9510040110 Notice of nonconformance from insp on 950822-25. Nonconformance noted:established measures did not assure that matl supplied IAW customer purchase order requirements.
* . 95/09/27. 2pp. 85673:077-85673:078.

-9510030279 Insp rept 99901270/95-01 on 950822-25.No violations noted. Major areas inspected:inspector evaluated Mid-South Nuclear Inc (MSN) Commercial Grade Item dedication process & assess effectiveness of MSN corrective actions in 940125-28 insp.
POTAPOVS,U., CWALINA,G.C., GALLO,R.M. . 95/09/27. 9pp. 85673:079-85673:087.

9510100323 Submits mod re NRC non-conformance noted in Insp Repts 99900002/94-01 & 99900102/94-01 on 941003-07.Corrective actions:development program scheduled to be completed by 951231.
ALLEN,D.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/28. MATTHEWS,S.M. NRC - No Detailed Affiliation Given. 2pp. 85756:282-85756:283.

9510100378 Discusses results of review of 950818 ltr,which responded to 950719 ltr,forwarding NOV.Review determined that there was misunderstanding of reason for issuance of NOV.
GILLESPIE,F.P. . EA-93-074. 95/09/27. MITCHELL,M.R. Energy Steel & Supply Co. 2pp. 85727:078-85727:079.

9510100386 Ack receipt of 950901 ltr which responded to NRC 950707 ltr. Informs that proposed rev to Nuclear QA Manual,Procedure 10, adequately corrected violation noted in insp rept 99901117/95-01.
CWALINA,G.C. . 95/10/02. FISHER,S.K. DIVESCO, Inc. 1p. 85727:080-85727:080.

9510110120 Responds to nonconformances noted in insp 99901287/95-01. Corrective actions:Rev J of vendor QA manual will be issued adding Section 21.0, "Rupture Discs & Rupture Disc Holders for ASME Section III Application."
SHAW,K. . 95/10/06. . 3pp. 85759:313-85759:315.

9510120256 Forwards insp rept 99900404/95-02 on 950724-26 & notice of nonconformance.Insp to determine if ADS test activities for AP600 conducted under provisions of WCAP-8370,Rev 12A.
GALLO,R.M. . 95/10/06. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 85767:196-85767:208.

--9510120282 Notice of nonconformance from insp on 950724-26. Nonconformance noted:as-built drawings not generated for AP600 ADS Phase B testing at VAPORE.
* . 95/10/06. 1p. 85767:200-85767:200.

--9510120335 Insp rept 99900404/95-02 on 950724-26.Noncompliance noted. Major areas inspected:automatic ADS Phase B test program at Ente Nazionale Energia e Ambiente VAPORE test facility.
MCINTYRE,R.P., GALLO,R.M. . 95/10/06. 8pp. 85767:201-85767:208.

9510180067 Requests that Account 130244146040 be change as listed.
BUTLER,D.M. United Controls, Inc. 95/10/13. . 1p. 85866:279-85866:279.

9510180111 Confirms 951023-27 visit to W Waltz Mill facility to review specific program & process areas re eddy current testing of SG tubes & resulting analysis/evaluation of test results for testing activities performed by Westinghouse at Salem.
GALLO,R.M. . 95/10/12. Westinghouse Electric Corp. 1p. 85847:141-85847:141.

9510190147 Ack receipt of 951011 ltr informing NRC of steps taken to correct violations noted in insp rept 99900060/95-01 on 950817.
CWALINA,G.C. . 95/10/16. BENANTE,M.R. Target Rock Corp. 2pp. 85863:104-85863:105.

9510200383 Forwards insp rept 99901270/95-01 on 950822-25 of Mid-South Nuclear,Inc.Insp identified inconsistency in processing & certifying of material.TVA apparently accepted matl that did not meet applicable purchase order & matl spec requirements.
HEBDON,F.J. . 95/10/18. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 85882:341-85882:351.

9510250397 Part 21 rept,consisting of error notices 95-52 through 95-55 & error summary repts for Rev 5.0A & Rev 5.1 from former software customers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Co. 95/10/10. Document Control Branch (Document Control Desk). 37pp. 85987:100-85987:136.

9510260076 Forwards revised NOV dtd 951010 re NRC Investigation Rept 4-93-001R concerning former employee of Power Sys Energy Svcs allegation that employee termination result of raising safety concerns re issuance of screening certification ltrs.
GALLO,R.M. . IA-95-041. 95/10/19. NEWHOLM,R.G. Affiliation Not Assigned. 3pp. 85947:261-85947:270.

--9510260093 Notice of violation re NRC Investigation Rept 4-93-001R. Violation noted:manager of support svcs for Power Sys Energy Svc,Inc engaged in deliberate misconduct that caused number of licensees to be in violation of NRC requirements.
* . 95/10/10. 2pp. 85947:264-85947:265.

--9510260102 Forwards NOV dtd 951010 re NRC Investigation Rept 4-93-001R concerning former employee of Power Sys Energy Svcs,Inc allegation that employee termination result of raising safety concerns re issuance of screening certification ltr.
GALLO,R.M. . EA-92-233. 95/10/19. AMT,W. . 2pp. 85947:266-85947:267.

--9510260106 Notice of violation re NRC Investigation Rept 4-93-001R. Violation noted:manager of support svcs for Power Sys Energy Svcs,Inc engaged in deliberate misconduct that caused number of licensees to be in violation of NRC requirements.
* . EA-92-233. 95/10/10. 2pp. 85947:268-85947:269.

--9510260115 Discusses NRC Investigation Rept 4-93-001R concerning former employee of Power Sys Energy Svcs allegation that employee termination was result of raising safety concerns re issuance of screening certification ltrs to NRC licensees.
GALLO,R.M. . 95/10/19. SUIDEK,R.S. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 85947:270-85947:270.

REGGD REGULATORY GUIDES

9510030069 Comment on Draft Regulatory Guide DG-1038, "Water Sources for Long-Term Recirculation Cooling Following LOCA."
HART,G.H. Performance Contracting, Inc. 60FR39021 00001. 95/09/22. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 85643:305-85643:306.

9510030298 Comment re proposed bulletin, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors."
WITHROW,G.C. Consumers Power Co. 60FR39021 00002. 95/09/28. NRC - No Detailed Affiliation Given. 13pp. 85673:036-85673:048.

9510030324 Recommends either review of ORNL verification & validation procedures for LWRARC code to assure that program correctly perform calculations in draft RG 3.54 or verify & validate LWRARC code inhouse.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/09/28.
MORRIS,B.M. Division of Regulatory Applications (Post 941217). 1p. 85696:307-85696:307.

9510040026 Comment on draft bulletin 95-XX, "Potential Plugging of ECC Suction Strainers by Debris in BWR," & Draft RG DG-1038, "Water Sources for Long Term Recirculation Cooling Following Loss-of-Coolant Accident," dtd July 1995.
HYVARINEN,J. Finland, Govt. of. 60FR39021 00003. 95/10/02. Division of Freedom of Information & Publications Services (Post 940714). 13pp. 85673:052-85673:064.

9510040133 Comment on draft reg guide 1.82,rev 2 re ECC Strainer Blockage.
TRYBOM,J. Germany, Democratic Republic. 60FR39021 00004. 95/08/28. NRC - No Detailed Affiliation Given. 1p. 85673:137-85673:137.

9510040148 Acks 950911 ltr,which responded to several questions re Mescalero "initiative," & forwards Reg Guide 7.10.W/o encl.
HUGHES,L. Native Americans for a Clean Environment. 95/09/19. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 2pp. 85709:261-85709:262.

9510040153 Comment supporting RG DG-1043,Rev 2 to RG 1.49, "NPP Simulation Facilities for Use in Operator License Exams."
BOHLKE,W.H. Florida Power & Light Co. 60FR36833. 95/09/12. Office of Administration, Director (Post 940714). 1p. 85673:138-85673:138.

9510040321 Forwards proprietary overview of Westinghouse methodology for combining uncertainties for Best-Estimate LOCA analyses & assessment of compliance of revised methodology w/Reg Guide 1.157.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4571. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85709:022-85709:023.

9510050216 Requests addl info to complete review re use of ASME Boiler & Pressure Vessel Code Case N-284,Rev 1 to AP600 design within 60 days of ltr receipt,in response to W 950913 ltr.
JACKSON,D.T. . 95/10/03. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:011-85722:013.

9510060263 LER 95-004-00:on 950907,discovered failure to perform TS SR 4.3.3.6 for RG 1.97 containment isolation valve position indicators due to inadequate procedure.Procedure OP-903-013 will be revised.W/951005 ltr.
VINCI,D.W., KEUTER,D.R. Entergy Operations, Inc. W3F1-95-0155. 95/10/05. 10pp. 85767:055-85767:064.

9510110038 Comment on draft reg guide & NRC Bulletin, "Potential Plugging of ECCS Strainers for Debris in BWR." Supports points that bulletin should include option of justifying operability of currently installed passive strainers.
GOODMAN,L.S. Detroit Edison Co. 60FR39021 00006. 95/10/02. NRC - No Detailed Affiliation Given. 2pp. 85732:018-85732:019.

9510110044 Comment on NRC draft bulletin & reg guide re "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors." Strongly recommend that final Bulletin & Reg Guide not be issued.
PINELLI,R.A. General Electric Co. 60FR39021 00005. 95/10/02. NRC - No Detailed Affiliation Given. 5pp. 85729:136-85729:140.

9510110050 Comment on proposed NRC Bulletin 95-XX, "Potential Plugging of Emergency Core Cooling Suction Strainers by Debris in Boiling Water Reactors" & Regulatory Guide DG-1038, "Water Sources for Long-Term Recirculation Cooling Following LOCA."
SYLVIA,B.R. Niagara Mohawk Power Corp. 60FR39021 00007. 95/09/29. NRC - No Detailed Affiliation Given. 3pp. 85729:141-85729:143.

9510110058 Comment on draft reg guide DG-1038 (proposed rev 2 to reg guide 1.82), "Water Sources for Long-Term Recirculation Cooling Following LOCA."
MEISNER,M.J. Entergy Operations, Inc. 60FR39021 00008. 95/10/02. Document Control Branch (Document Control Desk). 4pp. 85729:190-85729:193.

9510110115 Comment on NRC draft generic communication & draft RG re "Potential Plugging of ECCS Strainers by Debris in BWR."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 60FR39021 00009. 95/10/02. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 1p. 85730:266-85730:266.

9510120038 Comment on proposed bulletin 95-XX & reg guide DG-1038, "Debris Clogging of BWR ECCS Suction Strainers." Endorses BWROG comments.
BOULETTE,E.T. Boston Edison Co. 60FR39021 00010. 95/10/03. NRC - No Detailed Affiliation Given. 2pp. 85751:011-85751:012.

9510130023 Requests deviations from design & qualification criteria recommended in Reg Guide 1.97,Rev 2 re electrical equipment qualification.
OPEKA,J.F., BEBARBA,E.A. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. B15336. 95/10/05. Document Control Branch (Document Control Desk). 9pp. 85810:264-85810:272.

9510200172 Reg Guide 01.163 (Draft was DG-1037), "Performance-Based Containment Leak-Test Program."
* Office of Nuclear Regulatory Research (Post 941217). 95/09/30. 16pp. 85903:250-85903:265.

9510230039 Summary of 425th meeting of ACRS on 951005-07 re proposed Rev 1 to RG 1.152, "Criteria for Digital Computers in Safety Sys of NPPs."
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 95/10/13.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 85928:251-85928:252.

9510230134 Responds to NRC ltr re violations noted insp of licenses SMB-602 & 34-10618-01.Corrective actions:doses will be assigned using air sampling data described in RG 8.34.
HENDERSON,J.W. RMI Co. RMI-MGR-95-252. 95/10/19. Document Control Branch (Document Control Desk). 4pp. 85921:008-85921:011.

9510230373 Forwards insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations identified.
JAUDON,J.P. Region 2 (Post 820201). 95/10/13. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 85892:290-85892:304.

--9510230381 Insp repts 50-390/95-66 & 50-391/95-66 on 950911-22.No violations noted.Major areas inspected:assessment of applicant conformance to RG 1.97, "Instrumentation for Light Water-Cooled NPPs to Assess Plant & Environs Conditions...."
MERRIWEATHER,N., JULIAN,C. Region 2 (Post 820201). 50-391/95-66. 95/10/13. 12pp. 85892:293-85892:304.

9510240126 Application for amends to licenses NPF-68 & NPF-81,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J.
MCCOY,C.K. Georgia Power Co. LCV-0679. 95/10/16. Document Control Branch (Document Control Desk). 8pp. 85998:343-85998:351.

--9510240133 Proposed tech specs,adding footnote to spec 4.6.1.2.d stating that type B & C tests scheduled for refueling outage 1R6 will be conducted per Option B of 10CFR50 App J & using guidance of RG 1.163,Rev 0.
* Georgia Power Co. 95/10/16. 1p. 85998:351-85998:351.

9510250074 "For comment" issue of draft reg guide,task DG-1037, "Performance-Based Containment Leak Test Program."
* Office of Nuclear Regulatory Research (Post 941217). 95/02/28. 6pp. 85939:337-85939:343.

9510260297 Revises Variable 93 for auxiliary bldg vent (particulates & halogens),Variable 99 from Reg Guide 1.97 Table of Variables in TVA 950718 ltr & other variables to reconcile applicable differences between FSAR & Reg Guide 1.97 submittals.
BARON,R.R. Tennessee Valley Authority. TAC M77550. 95/10/12. Document Control Branch (Document Control Desk). 33pp. 86004:305-86004:337.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9509260355 Forwards Rev 1 to Vols 1 & 2 of B&WOG document 69-1224353-01, "Generic Severe Accident Guideline" for info & ref.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/08/01. THADANI,A. . 2pp. 86098:001-86099:200.

--9509260357 Rev 1 to Vols 1 2 of "Generic Severe Accident Guideline."
* Babcock & Wilcox Co. 94/03/11. 561pp. 86098:003-86099:200.

9510020324 Summary of 950907 meeting w/NEI in Rockville,MD re results of staff preliminary review of "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10,Rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 11pp. 85683:279-85683:289.

9510020343 Summary of 950914 meeting w/NEI in Rockville,MD re results of staff preliminary review of, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10,rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 14pp. 85649:243-85649:256.

9510020350 Summary of 950915 meeting w/NEI in Rockville,MD to initiate staff detailed review, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule," NEI 95-10, Rev C,August 1995.List of attendees encl.
HOFFMAN,S.T. . 95/09/26. . 24pp. 85649:257-85649:280.

9510020362 Forwards responses to 14 papers addressing topics re NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule" & marked-up pages of NEI 95-10.
WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/27. NEWBERRY,S.F. . 52pp. 85690:151-85690:202.

9510030056 Comment on petition for rulemaking PRM-50-61 re fire protection at nuclear power plant.Believes that insight provided would be valuable in improving regulations on fire protection.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR29784 00005. 95/09/28. HOYLE,J.C. Docketing & Services Branch. 21pp. 85643:268-85643:288.

9510030075 Comment on petition for rulemaking PRM-50-61 re fire protection policy.Comments provided in hard-copy & media format in response to NEI petition for rulemaking.
MALONEY,S. Devonrue, Ltd. 60FR29784 00006. 95/09/28. Docketing & Services Branch. 67pp. 85644:001-85644:067.

9510030263 Notification of 951114 meeting w/NEI in Rockville,MD to discuss status of staff review of NEI guideline for implementing license renewal rule & issuance of RG.
HOFFMAN,S.T. . 95/09/28. NEWBERRY,S.F. . 3pp. 85673:275-85673:277.

9510030293 Comment supporting NEI comments on revised NRC SALP program.
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 60FR39193 00024. 95/09/28. MEYER,D.R. . 2pp. 85673:049-85673:050.

9510040183 Forwards detailed description of performance-based regulatory approach for shutdown operations,addressing questions raised by staff in discussions.
RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/09/28. RUSSELL,W.T. . 5pp. 85709:197-85709:201.

9510040185 Notification of 951010 meeting w/NEI in Rockville,MD to discuss NEI issues re new 10CFR21 rule.
FRANOVICH,M.X. . 95/09/29. QUAY,T.R. . 2pp. 85693:301-85693:302.

9510040208 Advises that NRC staff approved method for demonstrating acceptable probe variability & can only issue amends re voltage-based repair criteria on cycle-by-cycle basis rather than permanent basis.
SHERON,B.W. . GL-95-05. 95/09/26. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 85693:332-85693:333.

9510040330 Forwards Rev 0 of Vols 1,2 & 3 of "WOG Severe Accident Mgt Guidance."
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 94/07/11. THADANI,A. Associate Director for Inspection & Technical Assessment (Post 870411). 2pp. 85705:001-85709:020.

--9510040331 Rev 0 of Vols 1,2 & 3 of WOG Program MUHP-2310, "WOG Severe Accident Mgt Guidance."
* Westinghouse Electric Corp. 94/06/30. 1,473pp. 85705:003-85709:020.

9510050113 Summary of 950803 meeting w/NEI & industry to discuss development of draft SG rule & RG.List of attendees & handouts encl.
REED,T.A. . 95/08/15. STROSNIDER,J. . 11pp. 85722:203-85722:213.

9510050117 Summary of 950810 meeting w/NEI re voluntary approach for industry to provide equipment reliability & availability data.
BARANOWSKY,P.W. Division of Safety Programs (Post 870413). 95/08/29. ROSSI,C.E. Division of Safety Programs (Post 870413). 3pp. 85722:214-85722:216.

9510050201 Informs that NRC determined that Encl 7,rept from EPRI entitled "Addendum to Seismic Verification of Nuclear Plant Equipment Anchorage" to SQUG 950731 submittal proprietary & will be withheld from public disclosure per 10CFR2.790.
DORMAN,D.H. . 95/10/02. KENNY,A. Electric Power Research Institute. 5pp. 85738:001-85738:349.

--9510050205 Forwards Rev 3 to "Generic Implementation Procedure for Seismic Verification of Nuclear Power Plant Equipment."
SMITH,N.P. Seismic Qualification Utility Group. 95/07/31. ZIMMERMAN,R. . 137pp. 85738:006-85738:142.

--9510050210 Rev 3 to "Generic Implementation Procedure (GIP) for Seismic Verification of Nuclear Power Plant Equipment."
* Winston & Strawn. * EQE, Inc. * MPR Associates, Inc. 95/07/31. 206pp. 85738:143-85738:349.

9510060008 Ninth partial response to FOIA request for documents.Records in App L being made available in PDR.
GUNTER,P. Division of Freedom of Information & Publications Services (Post 940714). 95/02/23. Nuclear Information & Resource Service. 32pp.. 85950:001-85975:254.

--9208280128 Summary of 920629 meeting w/NUMARC in Rockville,MD to discuss industry response to NRC bulletin 92-001. W/list of attendees.
MASCIANTONIO,A. Project Directorate III-1. IEB-92-001. 92/07/22. MARSH,L.B. Project Directorate III-1. 3pp. 85954:089-85954:096.

9510060084 Comment supporting petition for rulemaking PRM-50-61 re revising section 50.48 & providing new App S to Part 50 which may be utilized by licensees as alternative to App R.
ROGAN,R.E. Carolina Power & Light Co. 60FR29784 00014. 95/09/29. Docketing & Services Branch. 1p. 85693:088-85693:088.

9510110213 Requests technical info to support development of draft SG rule from NEI.
SHERON,B. . 95/10/04. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 9pp. 85765:336-85765:344.

9510110221 Summary of 950922 meeting w/NEI re residual Thermo-Lag 330-1 Thermo-Lag 330-1 fire barrier issue including resolution fire barrier issues including resolution process for issues.
MCCRACKEN,C.E. . 95/10/05. HOLAHAN,G.M. . 22pp. 85766:171-85766:192.

9510110362 Recommends that proposed revisions to NUMARC 93-01 include addl guidance on monitoring & preventive maintenance of structures.
THADANI,A.C. . 95/10/06. TIPTON,T. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 85765:356-85765:359.

9510110381 Submits daily highlight.Notification of 951004 meeting w/ util & NEI to discuss implementation of maint rule 10CFR50.65.
BLACK,S.C. . 95/10/02. RUSSELL,W., MIRAGLIA,F., THADANI,A. NRC - No Detailed Affiliation Given. 1p. 85764:333-85764:333.

9510120024 Comment supporting proposed rules 10CFR30,40 & 70 re one- time extension of certain byproduct source & SNM licenses.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR46784 00023. 95/10/10. Docketing & Services Branch. 2pp. 85751:001-85751:002.

9510120126 Notification of 951012 meeting w/NEI in Cleveland,OH to provide industry w/addl info re NRC audit program for Util Demonstration Program for NEI 95-10, "Industry Guideline for Implementating Requirements of 10CFR54...."
FLANDERS,S.C. . 95/10/10. NEWBERRY,S.F. . 3pp. 85777:354-85777:356.

9510120159 Submits agenda for CRGR meeting 278 on 951011 to present proposed urgent bulletin, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode," for CRGR review.
JORDON,E.L. Committee to Review Generic Requirements. 95/10/06. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). RUTBERG,J. Office of the General Counsel (Post 860701). 1p. 85777:353-85777:353.

9510120214 Summary of 950922 meeting w/NEI in Rockville,MD re "Industry Guideline for Implementing Requirements of 10CFR54 - License Renewal Rule."
REGAN,C.M. . 95/10/10. . 7pp. 85778:268-85778:284.

--9510120227 "Guideline to Implement 10CFR54 License Renewal," Draft Rev C.
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/08/18. 10pp. 85778:275-85778:284.

9510130247 Informs that chemical analysis testing completed & resulting summary rept prepared by NUCON labs should be forwarded. Results of program discussed in meeting conducted w/NRC & staff on 950922.
MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/10/03. HOLAHAN,G.M. . 2pp. 85808:356-85808:359.

--9510130254 NUCON 06VA764/04 "Pyrolysis Gas Chromatography Analysis & Energy Dispersive Spectroscopy of Thermo-Lag Fire Barrier Samples,Executive Summary."
* Nucon, Inc. 95/08/29. 2pp. 85808:358-85808:359.

9510130318 Forwards petition for rulemaking (PRM-50-62),filed by Nuclear Energy Inst requesting that NRC amend 10CFR50 to permit licensees to change QA program as described or ref in SAR,w/o prior NRC approval under specified conditions.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). CCS. 95/09/12. SCHAEFER,D. House of Rep. FAIRCLOTH,L. Senate, Environment & Public Works. 2pp. 85808:295-85808:329.

--9510130322 Forwards petition for rulemaking (PRM-50-62) that Nuclear Energy Inst filed w/Secretary of Commission,requesting that NRC amend 10CFR50.54(a) to permit more efficient & effective implementation of QA programs at commercial NPPs.
BAYNE,P. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). CCS. 95/06/08. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 16pp. 85808:297-85808:329.

9510190106 Comment on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR37374 00014. 95/10/18. HOYLE,J.C. Office of the Secretary of the Commission. 20pp. 85863:048-85863:067.

9510200084 Discusses 951006 meeting w/Regional Training Association representatives at NEI to discuss listed topics,including training insp & exam question bank access.
BOGER,B.A. . 95/10/11. THADANI,A.C. . 2pp. 85882:352-85882:353.

9510200180 Rev 0 to "Industry Guideline for Implementing Performance- Based Option of 10CFR50,App J."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/07/26. 35pp. 85903:266-85903:300.

9510200317 Expresses gratitude for opportunity to present views on SG tube NDE & ACRS comments & ongoing activities re RM.Informs that draft rule,concerning development of improved NDE techniques,will be issued in June 1996 for public comment.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/16. KRESS,T.S. Committee to Review Generic Requirements. 2pp. 85899:283-85899:286.

9510230031 Summary of 950921 meeting w/NUPIC & NEI representatives re NUPIC audit activities.
CAMPBELL,L.L. . 95/10/16. BLACK,S. . 15pp. 85910:238-85910:252.

9510240227 Provides three copies of listed documents & requests that one copy of response be provided to T Scarborough of NRC & one copy to G Weidenhamer of Nuclear Regulatory Research.
CALLAWAY,C. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/10/13. WESSMAN,R.H. . 38pp. 85929:004-85929:041.

9510240282 Provides response to NRC RAI re Chapters 5 & 6 of NEI 95-10, "Industry Guideline for Implementing Requirements of 10CFR54 License Renewal Rule."
WALTERS,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/10/17. NEWBERRY,S.F. Document Control Branch (Document Control Desk). 26pp. 85929:043-85929:068.

9510250078 Discusses 950922 meeting re comments & concerns re "NEI Application Guide for Evaluation of Thermo-Lag 330 Fire Barrier Sys."
MCCRACKEN,C.E. Office of Nuclear Regulatory Research (Post 941217). 95/10/16. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 7pp. 85939:353-85939:359.

9510250143 Ack receipt of 951003 ltr re copy of title pp & Executive Summary of NUCON International,Inc.Rept 06VA764/04,entitled "Pyrolysis Gas Cromatography Analysis & Energy Dispersive Spectroscopy of Thermo-Lag Fire Barrier Samples."
MCCRACKEN,C.E. Office of Nuclear Regulatory Research (Post 941217). 95/10/20. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 4pp. 85946:299-85946:302.

9510250330 Provides industry model Tech Specs for implementing Option B to 10CFR50,App J.Model specs focus on implementing Option B to App J & reflect min level of detail necessary to ensure correct & consistent usage among all licensees.
MODEEN,D.J. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/10/20. GRIMES,C.I. . 2pp. 85988:114-85988:131.

--9510250335 Proposed tech specs for implementing Option B to 10CFR50,App J.
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/10/20. 16pp. 85988:116-85988:131.

9510300245 Notification of 951102 meeting between NRC staff & NEI in Rockville,MD to discuss NEI petition to move requirements for reporting changes to licensee QA programs from 10CFR50.54(a) to 10CFR50.59.
MAGRUDER,S.L. . 95/10/24. QUAY,T.R. . 1p. 86017:320-86017:321.

9510310006 Errata to notification of 951027 meeting w/NEI in Rockville,MD to present comments on NEI guidelines for implementing license renewal rule.Meeting cancelled.
HOFFMAN,S.T. . 95/09/19. NEWBERRY,S.F. . 1p. 86033:354-86033:354.

9510310272 Notification of 951031 meeting w/NEI in North Bethesda,MD to discuss aspects of rulemaking effort & related technical topics.
LYONS,W.C. . TAC M77701. 95/10/24. JONES,R.C. . 1p. 86033:146-86033:146.

SECY POSITION PAPERS BEFORE THE COMMISSION

9508150062 SECY-95-205 Requests Commission approval to publish final rule revising regulatory requirements in 10CFR50 for RPV integrity & adding new rule on thermal annealing of RPV.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/04. 144pp. 85897:103-85897:233.

9509060339 SECY-95-217 Advises Commission of staff intention to transmit to EPA, attached ltr & comments on proposed criteria for certifying & determining whether DOE WIPP complies w/EPAs disposal std set in 10CFR191.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/28. 61pp. 85910:001-85910:059.

9509120225 SECY-95-226 Approves of final draft of "Rept to Congress on Abnormal Occurrences,April-June 1995."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/06. 39pp. 85897:260-85897:298.

9509210204 SECY-95-235 Litigation Rept - 1995 - 9.
CORDES,J.F. Solicitor (Post 860701). 95/09/15. 23pp. 85910:122-85910:144.

9509210207 SECY-95-236 Informs Commission that staff plans to terminate license at UNC Recovery Sys site at Wood River Junction,Rhode Island & remove from SDMP.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/15. 57pp. 85910:071-85910:120.

9509250325 SECY-95-239 Informs Commission of Tennessee Valley Authority request for an exemption from ingestion pathway portion of requirement in 10CFR50,App E,section IV.F.2(a) for Watts Bar Nuclear Plant.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/20. 11pp. 85910:145-85910:149.

9509250334 SECY-95-237 Informs Commission that remedial action has been completed at licensed Pratt & Whitney site in Middletown,CT.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/18. 20pp. 85910:060-85910:070.

9509290040 SECY-95-245 Informs Commission that staff completed work on Fatigue Action Plan & provides summary of staff actions.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/09/25. 26pp. 85910:150-85910:170.

9510110290 SECY-95-250 Weekly info rept for wk ending 950929.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/04. 19pp. 85766:194-85766:212.

9510200254 SECY-95-247 Weekly info rept for wk ending 950922.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/09/28. 22pp. 85899:034-85899:055.

9510200258 SECY-95-251 Weekly info rept for wk ending 951006.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/12. 21pp. 85899:056-85899:076.

9510260265 SECY-95-256 Weekly info rept for wk ending 951013.
BLAHA,J.L. Assistant for Operations (Post 890205). 95/10/18. 18pp. 85946:326-85946:343.

9510310413 Forwards documents re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
SHAPAKER,J.W. . IEB-95-002. 95/10/25. Document Control Branch (Document Control Desk). 1p. 86073:334-86073:360.

--9510260275 SECY-95-255 Notifies of staff intent to issue bulletin addressing issues of ECCS operability in light of recent ECCS suction strainer clogging event at Limerick.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/10/16. 2pp. 86073:335-86073:351.

SPEECHES SPEECHES

9510190207 "Challenges & Opportunities in Nuclear Energy," by SA Jackson to 11th Annual Util Women's Conference Kansas City,MO 951006.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/06. 9pp. 85897:315-85897:323.

9510250116 "Responding to Double Bind," by SA Jackson at Third Annual Conference Committee on Women in Science & Engineering Natl Research Council 951022 in Washington,DC.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/22. 8pp. 85995:102-85995:109.

9510270001 "The Role of Research in NRC Regulatory Programs," by SA Jackson,Chairman NRC to 23rd Water Reactor Safety Info Meeting Bethesda,MD 951023.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/23. 8pp. 86019:032-86019:039.

STATE PROG STATE PROGRAMS

9510020110 Forwards Amend 31 to Kerr-McGee license issued on 950925.
KERR,G.W. Illinois, State of. 95/09/27. BANGART,R. Office of State Programs (Post 911117). 21pp. 85642:028-85642:050.

9510020341 Forwards info packet for joint Agreement State-NRC Working Group to review regulation of devices containing radioactive matl.Informs that first meeting will be held from 951024-26 at NRC headquarters.
LUBENAU,J.O. NRC - No Detailed Affiliation Given. 95/09/13. NRC - No Detailed Affiliation Given. 71pp. 85679:001-85680:189.

--9510030040 Forwards notice of final rulemaking to be published in FR re 10CFR31 which establishes general licenses for possession & use of byproduct matl contained in certain devices.
RATHBUN,D.K. Office of Congressional Affairs (Post 911117). 93/04/15. LEHMAN,R.H. House of Rep. 8pp. 85679:184-85679:325.

--9510030043 Forwards draft rept on "Survey of 10CFR31.5 General Licensees," which represents preliminary results of survey effort in listed respects.
DEAN,C. ICF, Inc. 90/12/16. BAGGETT,S. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 85679:326-85679:326.

--9510030049 "Draft Rept on Survey of General Licensees Under 10CFR31.5."
DEAN,C.M., LAWRENCE,M.S., LESTER,H. ICF, Inc. 90/12/31. Office of Nuclear Material Safety & Safeguards. 78pp. 85679:327-85680:189.

9510030023 Responds to 950622 ltr,informing that there are no currently active Tennessee Radioactive MLs authorizing distribution of generally licensed devices on file w/ Div of Radiological Health.Forwards termination ltrs for last licensed facility.
ARNOTT,C. Tennessee, State of. 95/09/27. LOHAUS,P.H. Office of State Programs (Post 911117). 7pp. 85643:236-85643:241.

9510030148 Expresses gratitude for licensee forwarding Draft Environ Assessment of Chemetron Harvard Avenue site remediation for comments.
VANDEGRIFT,R.H. Ohio, State of. 95/09/26. JOHNSON,T.C. NRC - No Detailed Affiliation Given. 1p. 85688:351-85688:351.

9510040055 Requests that addl time be given to consider potential effect upon state interests of proposed "settlement agreement" between NRC & Sequoyah Fuels.Related correspondence.
HALE,J. Oklahoma, State of. #495 17164. EA. 95/09/29. HOM,S.R. Office of the General Counsel (Post 860701). 1p. 85673:200-85673:200.

9510040099 Forwards sealed source evaluation IL-136-S-344-S & informs that copy provided to Amersham Corp.
KLINGER,J.G. Illinois, State of. IL-136-S-344-S. 95/09/27. BOLLING,L. Document Control Branch (Document Control Desk). 1p. 85673:101-85673:111.

--9510040107 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Gamma Source (Gauging) for Model CKC.P4 (CO-60 sources) & CDC.P4 (Ce-137 sources).Certificate: IL-136-S-344-S.
BURKHART,M.E., COLLINS,S.C. Illinois, State of. IL-136-S-344-S. 95/09/27. 10pp. 85673:102-85673:111.

9510040131 Responds to WY Dept of Environ Quality 950803 ltr,asking for NRC review of Rio Algom Mining Corp permit application for Class I disposal well at Smith Ranch in-situ U mining facility near Douglas,WY.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/20. LUCHT,R. Wyoming, State of. 2pp. 85698:353-85698:354.

9510040143 PNO-III-95-050:on 951003,package containing 31 mCi of Tl-201 was run over by fork lift type truck.Tl-201 spilled into package & onto loading area.Damaged package was placed in drum & loading area decontaminated.
WIEDEMAN,D., HOLT,B.J. Region 3 (Post 820201). 95/10/03. 1p. 85728:141-85728:141.

9510040179 Informs that due to amends to monitoring requirements for Discharge Plan-169,monitoring rept for third quarter no longer required.
LUTHINGER,P. Quivira Mining Co. 95/09/27. OHRBOM,R. New Mexico, State of. 1p. 85710:357-85710:357.

9510040278 Expresses appreciation for submitting memorandum of understanding w/ State of DE based on standardized format for emergency response data sys.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 94/12/22. MULHERN,J.P. Delaware, State of. 2pp. 85713:203-85713:204.

9510050180 Discusses meeting conducted in Region IV ofc on 950920 re discussion of transfer of NRC oversight of Grand Gulf Nuclear Station & Callaway plant from NRC Regions II & III to Region IV.List of attendees & slides encl.
DYER,L.E. Region 4 (Post 820201). 95/09/28. KUCERA,R.A. Missouri, State of. 19pp. 85686:215-85686:275.

9510050272 PNO-III-95-051:on 951003,package containing depleted Mo-99/ Tc99m generator fell from vehicle door when unexpectedly door opened.Package was struck by several vehicles, extensively damaging package & generator.
LYNCH,J., MCCORMICK-BARGE Region 3 (Post 820201). 95/10/04. 1p. 85767:007-85767:007.

9510060176 Forwards "Energy Fuels Nuclear,Inc 1994-95 Annual Rept to WY Dept of Environ Quality Land Quality Div (LQD) Reno Creek Project Permit 479." Rept for period from 941016-9510115 & conforms w/std LQD format used in rept for 1993-94.
REHMANN,M.R. Energy Fuels Nuclear, Inc. 95/09/21. GIURGEVICH,B. Wyoming, State of. 1p. 85750:238-85750:262.

9510060287 Forwards staff rept re review visit to radioactive matls program during period of 950627-30 & 0705-06,reflecting NRC comments following 940311 review & updated info collected during review visit on other selected indicators.
DODA,R. Region 4 (Post 820201). 95/10/03. RATLIFF,R.A., HIBBS,M.B. Texas, State of. 19pp. 85711:159-85711:196.

9510100069 Informs of upcoming shipment of irradiated nuclear reactor fuel from Brunswick nuclear project to Harris nuclear project in State of NC.Nuclear fuel to be shipped in IF-300 type cask by rail.
LEVIS,W. Carolina Power & Light Co. B10-13020. 95/09/25. STROUD,T.C. North Carolina, State of. 3pp. 85725:057-85725:059.

9510100073 Fourth & final response to FOIA request for records on matl & byproduct licensing.App D records encl & placed in PDR. App E records partially withheld (ref FOIA Exemption 6).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/21. MOFFETT,B. Affiliation Not Assigned. 63pp. 86118:001-86126:281.

--9510120294 Requests that AEC grant necessary license to GM Simmons re introduction of C-14 into Smith Mountain & Claytor Lake Reservoirs for research studies.
PAESSLER,A.H. Virginia, Commonwealth of. 66/07/06. RESEMER,E. Atomic Energy Commission (Pre 750119). 1p. 86121:011-86121:011.

--9510270164 Advises that AEC issued license SNM-151 to WV Univ.
JOHNSON,L. Atomic Energy Commission (Pre 750119). 58/05/02. DYER,H.H. West Virginia, State of. 1p. 86125:098-86125:098.

9510100387 Forwards revised NPDES monthly rept forms for Aug 1995.
SHELTON,D.C. Centerior Energy. PY-CEI/OEPA-023. 95/10/05. WILBURN,R. Ohio, State of. 5pp. 85765:289-85765:293.

9510110008 Forwards summary of util post-diversion biological monitoring of aquatic community in East Branch Perkiomen Creek.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/10/02. GARG,S. Pennsylvania, Commonwealth of. 3pp. 85780:161-85780:163.

9510110060 Forwards amend 32 to Kerr-McGee license issued on 951003. Change is in condition 35 which authorizes second phase of delineation drilling program.
KERR,G.W. Illinois, State of. 95/10/04. BANGART,R. Office of State Programs (Post 911117). 23pp. 85729:194-85729:216.

9510110076 Forwards sealed source/device evaluation IL-136-D-333-B.
KLINGER,J.G. Illinois, State of. IL-136-D-333-B. 95/10/04. BOLLING,L. Document Control Branch (Document Control Desk). 1p. 85729:245-85729:264.

9510110188 Forwards quarterly RCRA Facility Investigation (RFI) & interim measures (IM) progress repts.Next quarterly RFI/IM progress repts will be submitted by 960104.
MAXIN,A.M. Nuclear Fuel Services, Inc. 21G-95-0134. 95/10/06. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 31pp. 85782:280-85782:310.

9510110255 Forwards response to request for info on radiography licensing rules & practices.
APPEL,G. Illinois, State of. 95/10/04. BANGART,R. Office of State Programs (Post 911117). 2pp. 85732:020-85732:021.

9510110259 Forwards Maryland 1994 revised radiation regulations entitled, "Regulations for Control of Ionizing Radiation," effective 951009,making Maryland compatible w/all 13 NRC regulations currently in effect for three or more yrs.
FLETCHER,R.G. Maryland, State of. 95/10/02. BANGART,R. Office of State Programs (Post 911117). 2pp. 85732:022-85733:067.

--9510110273 "Regulations for Control of Ionizing Radiation (1994)."
* Maryland, State of. 95/10/09. 410pp. 85732:025-85733:067.

9510110282 Discusses review of circumstances described herein & evaluates likelihood of similar errors at institution.
FRAZEE,T.C. Washington, State of. 95/10/04. Affiliation Not Assigned. 1p. 85731:065-85731:065.

9510110294 Requests that appropriate person within organization be given encl paper entitled, "Ionizing Radiation: Long Sought Environ 'Trigger for Multiple Sclerosis,'" for review & comment.
FLATER,D.A. Iowa, State of. 95/09/29. BANGART,R.L. Office of State Programs (Post 911117). 11pp. 85732:001-85732:011.

9510110310 Notifies that R Fletcher will replace GW Kerr on Adaquacy & Compatability Work Group.
RATLIFF,R.A. Organization of Agreement States. RATLIFF,R.A. Texas, State of. 95/10/02. BANGART,R.L. Office of State Programs (Post 911117). 1p. 85731:317-85731:317.

9510120252 Comment on proposed rule 10CFR30,40 70 re one-time extension of certain byproduct,source & special matl licensees.
COLLINS,S.C. Illinois, State of. 60FR46784 00019. 95/10/04. Docketing & Services Branch. 1p. 85751:029-85751:029.

9510130372 Requests concurrence that it is acceptable for Dept to adopt current NRC evaluations for devices numbers NR-112-D-101-B through NR-112-D-112-B.
ARNOTT,C. Tennessee, State of. NR-112-D-101-B. 95/10/06. WOODRUFF,R. NRC - No Detailed Affiliation Given. 1p. 85777:297-85777:297.

9510160013 Rev 8 to "NH Radiological Emergency Response Plan."
* New Hampshire, State of. 95/07/31. 1,762pp. 85819:001-85823:306.

9510160043 Comment on proposed rules 10CFR2,50 & 51 that would amend rules in regard to decommissioning of nuclear reactors.
ORTCIGER,T.W. Illinois, State of. 60FR37374 00004. 95/10/10. Docketing & Services Branch. 3pp. 85801:036-85801:038.

9510160209 Confirms 950918 telcon re response to SC Dept of Health & Environ Control air permit insp.
COOK,T.E. Duke Power Co. 95/10/05. SPIGNER,S. South Carolina, State of. 2pp. 85835:301-85835:302.

9510160210 Responds to concerns re leak detection sys in facilities in jurisdiction.
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 95/10/10. RAY,A.C. Virginia, Commonwealth of. 2pp. 85835:307-85835:308.

9510170032 Responds to 950918 ltr which expressed concern over NRC decision to transfer oversight responsibility for plant to Region IV effective 951001.
THE CHAIRMAN, ROGERS,K.C. Commissioners (Post 750119). 95/09/28. CARNAHAN,M. Missouri, State of. 2pp. 85881:170-85881:173.

--9510170037 Comments on NRC decision to transfer oversight responsibility for plant to Region IV effective 951001.
CARNAHAN,M. Missouri, State of. 95/09/18. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 85881:172-85881:173.

9510170047 Responds to 950901 ltr on issue of Agreement State reimbursement of NRC costs.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/05. ORTCIGER,T.W. Illinois, State of. 2pp. 85881:174-85881:184.

9510170047 Responds to 950901 ltr on issue of Agreement State reimbursement of NRC costs.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 95/10/05. ORTCIGER,T.W. Illinois, State of. 1p. 85897:245-85897:259.

9510170307 Requests info in order to plan best uses of dept resources considering Commission current policy.Satisfactory determination that staff adequately trained,generally premised on being trained in certain "core" sources,listed.
ORTCIGER,T.W. Illinois, State of. 95/10/11. BANGART,R.L. Document Control Branch (Document Control Desk). 4pp. 85818:091-85818:094.

9510170390 Safety insp on 950727 of North Carolina license 034-0916-1. Insp findings:no violations observed.
FRANKLIN,L. Region 2 (Post 820201). * . 95/07/27. 1p. 85818:251-85818:251.

9510180005 PNO-IV-95-040A:on 950824,damaged well logging source containing 3 Ci of Am-241 became lodged down hole.Well logging source was cut into during subsequent fishing & recovery operations & some contamination found at wellsite.
DODA,R.J. Region 4 (Post 820201). 95/10/11. 1p. 85881:050-85881:050.

9510180135 Requests permission to inspect property that H Sperber owns for potential residual radioactive contamination.
SCARANO,R.A. Region 4 (Post 820201). 95/10/12. SPERBER,H. Affiliation Not Assigned. 3pp. 85842:081-85842:084.

9510180143 Advises of opportunity for win-win solution to several problems that involve NRC,States & DOE.Forwards legislative proposal that removes DOE AEA exemption & allows states to collect fees from federal licensees.
MOBLEY,M.H. Tennessee, State of. 95/10/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 85847:215-85847:219.

9510180156 Ack receipt of 950914 ltr informing NRC of steps taken to correct violations noted in insp rept SC-383/95-02 on 950803.
COLLINS,D.M. Region 2 (Post 820201). 95/10/06. HAYES,J.D. . 1p. 85847:220-85847:220.

9510180197 Safety insp on 950725 of North Carolina license 009-0998-01. Insp findings:no violations observed.
FRANKLIN,L. Region 2 (Post 820201). * North Carolina, State of. 95/07/25. 1p. 85847:347-85847:347.

9510180210 GA Institute of Technology response to Board memorandum & order of 950926 concerning contention 9 (mgt).* W/Certificate of Svc.
* Georgia Institute of Technology, Atlanta, GA. DUNN,D.R., GUILDAY,P. Georgia, State of. #495 17198. REN. 95/10/13. Atomic Safety & Licensing Board Panel. 4pp. 85842:356-85842:359.

9510180244 Informs of transfer of regional oversight for Grand Gulf & Callaway to Region IV in Arlington,TX from Region II in Atlanta,GA & Region III in Lisle,IL.Transfer will become effective 951001.
EBNETER,S.D. Region 2 (Post 820201). 95/09/15. FUENTE,E.S. Mississippi, State of. 2pp. 85847:356-85847:357.

9510180250 Responds to 950929 ltr to SR Hom re proposed Settlement Agreement between NRC & Sequoyah Fuels.Related correspondence.
UTTAL,S.L. Office of the General Counsel (Post 860701). #495 17212. EA. 95/10/13. HALE,J. Oklahoma, State of. 6pp. 85845:354-85845:359.

9510180387 Informs that licensee submittal for approval of amend,adding Section 22,T36N,R72W into existing permit at Highland U project reviewed by staff & found acceptable.
CHANCELLOR,R. Wyoming, State of. 95/10/06. KEARNEY,B. Power Resources Corp. 1p. 85900:150-85900:150.

9510190098 Forwards NPDES notification re unnatural turbidity observed during molluscicide treatment at plant.Turbidity observed during molluscicide treatment expected,since similar observations made during similar treatments.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). AEP:NRC:1208N. 95/10/12. Document Control Branch (Document Control Desk). 3pp. 85900:236-85900:241.

--9510190105 NPDES noncompliance notification:on 950916,unnatural turbidity observed at plant Outfalls 001 & 002 during molluscicide treatment at plant.Preventive actions not possible due to detoxificaion requirements in NPDES permit.
FITZGERALD,D.M. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/09/21. MORLEY,F. Michigan, State of. 3pp. 85900:239-85900:241.

9510190284 PNO-II-95-056:on 951017,FI Steel of Charlotte,NC detected radiation in incoming shipment of scrap metal.Surveys underway by Florida Steel.
COLLINS,D.M. Region 2 (Post 820201). 95/10/17. 1p. 85897:333-85897:333.

9510190376 NPDES monthy rept forms for month of Sept 1995.W/951013 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 95/09/30. WILBURN,R. Ohio, State of. 5pp. 85911:257-85911:261.

9510200094 Responds to question raised in 950912 ltr re state involvement & state/federal cooperation in response to events at research reactors.
GORDON,C.Z. Maryland, State of. 95/10/12. FLETCHER,R.G. Maryland, State of. 2pp. 85871:006-85871:007.

9510200105 Forwards Integrated Matls Performance Evaluation Program questionaire to be used in evaluation of Agreement State Programs beginning in FY96.Requests that appointment be set up w/appropriate state mgt official to discuss results.
HORNOR,J.W. Walnut Creek Field Ofc, R4 (Post 940404). 95/10/17. BROWN,D.H. North Carolina, State of. 9pp. 85871:033-85871:041.

9510200106 Forwards EPA Referral form on air emissions collected for facilities in District of Columbia,Delaware,Maryland & Pennsylvania for period from Dec 1994 to Sept 1995.W/o form.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/12. BELANGER,W. Environmental Protection Agency. 2pp. 85871:042-85871:043.

9510200112 Forwards EPA Referral Forms on air emissions collected for facilities in New Jersey & New York for period from December 1994 to September 1995.W/o forms.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/12. GIARDINA,P.A. Environmental Protection Agency. 2pp. 85871:102-85871:103.

9510200163 Provides follow-up to 950919 meeting in Casper re Title X reimbursement for American Nuclear reclamation project.
MOXLEY,M. Wyoming, State of. 95/10/05. JOYCE,J. Energy, Dept. of. 5pp. 85912:269-85912:273.

9510230049 Transmits all Agreement States program info SP-95-166 re draft rulemaking plan proposing changes to 10CFR150.20, "Recognition of Agreement State Licensees."
BANGART,R.L. Office of State Programs (Post 911117). SP-95-166. 95/10/11. General. 10pp. 85888:060-85888:069.

9510230052 Expresses appreciation for 950825 ltr re MD responses to NRC review findings for period of 910328-940407.
ZAW-MON,M. Maryland, State of. 95/09/21. BANGART,R. Office of State Programs (Post 911117). 5pp. 85888:070-85888:074.

9510230054 Responds to 940614 ltr requesting NRC consideration of inquiry received from constituent DR Scullin re adequacy of NRC & State of LA reviews of allegations concerning training of cardiologists.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/07/21. BREAUX,J. Senate. 3pp. 85888:099-85888:101.

9510230056 Transmits All Agreement State Program Info SP-95-116 re Commission paper SECY-95-136 & SRM re Agreement State SS&D evaluation programs.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-116. 95/07/25. General. 8pp. 85888:102-85888:132.

9510230057 Informs of NMSS one day orientation & training program for IMPEP review team members on 951129 & encl list of Agreement States participants.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 95/10/10. BUNN,D. California, State of. CARDWELL,C. Texas, State of. DRINNON,E. Georgia, State of. 13pp. 85888:133-85888:145.

9510230061 Forwards for info ltr to Agreement States,meeting agenda & info on travel & hotel reservations on 951030-1101 1995 All Agreement States meeting.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/28. THOMPSON,H.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). MILLER,H.J. Region 3 (Post 820201). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 85888:146-85888:156.

9510230064 Provides updated info re no significant hazards contact for New Jersey.
TOSCH,K.W. New Jersey, State of. 95/10/11. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 85888:157-85888:158.

9510230066 Forwards concurrence on staff findings on compatibility of Kentucky Regulations on notification of incidents.
LOHAUS,P. Office of State Programs (Post 911117). 95/10/10. CAMERON,F.X. Deputy Assistant General Counsel for Enforcement. 2pp. 85888:185-85888:217.

--9510230073 Forwards info containing Kentucky Administrative Regulations 902 KAR 100:040,100 & 142.
JEFFS,V.D. Kentucky, Commonwealth of. 95/06/08. BANGART,R.L. Office of State Programs (Post 911117). 31pp. 85888:187-85888:217.

9510230067 Transmits State Agreement Info SP-95-159 re acceptance to October environmental monitoring for radioactivity coarse scheduled for 951023-27.List of students selected to attend encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-159. 95/09/26. General. 22pp. 85888:159-85888:180.

9510230070 Responds to 950814 ltr transmitting summary of preliminary comments & recommendations based upon agency recent review of Radiological Health Unit regulatory program.
SWEENEY,J.E. New York, State of. 95/09/27. BANGART,R.L. Office of State Programs (Post 911117). 4pp. 85888:181-85888:184.

9510230074 Forwards SEPA determination for implementation & construction of Tailings Reclamation Plan,IAW Chapter 246-252 WAC & Radioactive Matls License WN-I0133-1 & environmental checklist.
STRONG,T.R. Washington, State of. 95/09/21. . 16pp. 85888:218-85888:233.

9510230081 Transmits State Agreements Program info SP-95-163 re joint NRC/EPA guidance on storage of mixed radioactive & hazardous waste.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-163. 95/10/05. General. 20pp. 85888:234-85888:253.

9510230083 Responds to 910920 ltr re request for final guidance on disposal of matls other than 11e.(2) byproduct matl in waste disposal impoundments at licensed milling facilities. Forwards requested documents.
BANGART,R.L. Office of State Programs (Post 911117). 95/10/11. MIYAHARA,B. Washington, State of. 1p. 85897:001-85897:043.

9510230092 Notifies that State of North Dakota relinquishes Sealed Source & Device evaluation authority.
SCHAFER,E.T. North Dakota, State of. 95/09/25. BANGART,R.L. Office of State Programs (Post 911117). 1p. 85888:295-85888:295.

9510230095 Commends listed members of staff for outstanding contribution to OI Conduct of Agreement State Licensee Wrongdoing Awareness Workshops,held during period Mar-July 1995.
BANGART,R.L. Office of State Programs (Post 911117). 95/10/05. CAPUTO,G. Ofc of Investigations (Post 880201). 3pp. 85888:296-85888:298.

9510230096 Submits mods & additions to alternatives presented by NRC re proposed policy to eliminate funding for Agreement State training,travel & technical support & poses questions concerning NRC analysis of fee changes.
FLATER,D.A. Iowa, State of. 95/06/26. THE CHAIRMAN, SELIN,I. Commissioners (Post 750119). 2pp. 85888:299-85888:300.

9510230098 Responds to 950926 ltr informing that NRC will not be participating in exercise activities at facility during Limerick Generation Station Exercise on 951024.
CHAWAGA,D.J. Region 1 (Post 820201). 95/10/12. BAHNWEG,J.L. Pennsylvania, Commonwealth of. 2pp. 85888:301-85888:302.

9510230099 Forwards list of students from States selected to attend 951030-1103,Safety Aspects of Well Logging course.Requests list of students & instructions to individual from program on list,be provided.
LOHAUS,R.H. Office of State Programs (Post 911117). 95/09/28. General. 11pp. 85888:303-85888:324.

9510230100 Informs of NRC policy decision to require states to pay for travel to required meetings & training courses effective in federal FY97.
FRAZEE,T.C. Washington, State of. 95/09/19. Affiliation Not Assigned. 2pp. 85888:325-85888:326.

9510230104 Forwards 950921 ltr from M Zaw-Mon responding to NRC findings during 1994 routine review of State of MD definition of "person."
LOHAUS,P. Office of State Programs (Post 911117). 95/10/10. CAMERON,F.X. Deputy Assistant General Counsel for Enforcement. 5pp. 85888:327-85888:336.

9510230106 Submits revised instructions to State attendees to Safety Aspects of Well Logging to be held in Houston,TX on 951030- 1103.
SOLLENBERGER,D. NRC - No Detailed Affiliation Given. 95/10/06. PASS,R.I. Alabama, State of. BRADLEY,K. Arkansas, State of. MONNELL,M.J. Colorado, State of. 5pp. 85888:337-85888:342.

9510230122 Transmits State Agreements Program Info SP-95-165,forwarding sealed source & device registry certificates.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-165. 95/10/10. General. 5pp. 85889:092-85889:137.

--9510230146 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Circular Flood Source for listed models. Certificate:MA-219-S-111-S.
SAVASTANO,A., O'CONNELL,T.F. Massachusetts, Commonwealth of. MA-219-S-111-S. 95/09/22. 6pp. 85889:106-85889:111.

--9510230151 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Line Source for Model 301 Series (formerly Model A-3402).Certificate:CA-406-S-154-S.
* California, State of. CA-406-S-154-S. 95/08/25. 7pp. 85889:112-85889:118.

--9510230156 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Welded Beta Source for Model IND1500. Certificate:CA-510-S-125-S.
* California, State of. CA-510-S-125-S. 95/06/28. 6pp. 85889:119-85889:137.

9510230131 Responds to 950414 ltr requesting that NRC state what position would be w/regards to acceptability of WNI proposed cover design for reclamation of Sherwood Mill tailings impoundment.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/09/28. ROBERTSON,G. Washington, State of. 12pp. 85888:343-85888:354.

9510230139 Informs that IMPEP review team members from AS will participate in one day training meeting at NRC headquarters on 951129.Agenda encl.
RATLIFF,R.A. Organization of Agreement States. 95/10/05. General. 4pp. 85888:355-85888:358.

9510230140 Responds to 950814 ltr to Commissioner Hamburg which transmitted preliminary comments & recommendations for Bureau of Radiological Health radioactive matls program.
MOJICA,B. New York, NY. 95/09/29. BANGART,R.L. Office of State Programs (Post 911117). 11pp. 85889:138-85889:147.

9510230167 Advises of upload rulemaking plans for amending nuclear power reactor decommissioning cost requirements & financial assurance implementation requirements to NRC Rulemaking Bulletin Board Sys.
BANGART,R.L. Office of State Programs (Post 911117). SP-95-164. 95/10/06. General. 4pp. 85889:152-85889:155.

9510230210 Forwards Policy & Guidance Directive 9-12 entitled, "Reviewing Efforts to Dispose of Licensed Matl & Requesting DOE Assistance," & NRC Insp MC 1303 entitled, "Requesting Emergency Acceptance of Radioactive Matl by US DOE."
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-162. 95/10/05. General. 4pp. 85890:039-85890:062.

--9510230226 Policy & Guidance Directive PG 9-12, "Reviewing Efforts to Dispose of Licensed Matl & Requesting DOE Assistance."
BROADDUS,D.A., BAGGETT,S.L., BAER,R.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 95/08/04. 20pp. 85890:043-85890:062.

9510230351 Informs that Ofc of State Programs will fund one person from each State that has at least one U recovery facility for 951024-25 joint NRC/NMA recovery meeting.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-161. 95/10/03. General. 11pp. 85891:344-85891:354.

9510230395 Forwards insp rept 40-9015/95-01 on 950919.No violations noted.
BARGER,J.W. Region 3 (Post 820201). 95/10/16. GRUBEN,D.S. Michigan, State of. 2pp. 85893:054-85893:058.

9510240016 Forwards comment re proposed revs to Louisiana Radiation Regulations,LAC 33:XV.777,dtd 950117,discussed in 950302 telcon w/W Spell.
BLANTON,R. Office of State Programs (Post 911117). 95/09/28. NRC - No Detailed Affiliation Given. 2pp. 85896:001-85896:025.

--9510240022 Submits comments re proposed revs to Louisiana Radiation Regulations,revising LAC 33:XV.777,subsection B.1,to reflect listed changes for clarification purposes & correcting possible typo in LAC 33:XV.2051,subsection A.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/03/27. SPELL,W. Environmental Protection Agency. 3pp. 85896:003-85896:005.

--9510240031 Submits comments re proposed revs to Louisiana Radiation Regulations,revising LAC 33:XV.777,subsection B.1 & correcting possible typo in LAC 33:XV.2051,subsection A.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/03/27. SPELL,W. Environmental Protection Agency. 19pp. 85896:006-85896:025.

9510240052 Transmits requested legal interpretation of language that exists in regulations concerning low-level radwaste from electric power generating facilities.
HALLISEY,R.M. Massachusetts, Commonwealth of. 95/10/19. BLANTON,D. Office of State Programs (Post 911117). 2pp. 85896:049-85896:050.

9510240053 Discusses insp rept 15000005/95-02 on 950919 & forwards notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 95/10/19. HOLLINGSWORTH Colorado, State of. 4pp. 85896:051-85896:056.

--9510240060 Notice of violation from insp on 950919.Violation noted: licensee conducted licensed activities using byproduct matl at Master Addition Development in Casper,WY on 950801 & failed to report activity on NRC Form 241 dtd 950717.
* Region 4 (Post 820201). 95/10/19. 2pp. 85896:055-85896:056.

9510240124 Forwards addl matls in response to comments on Massachusetts draft request for Agreement under Section 274b of AEA.
BANGART,R.L. Office of State Programs (Post 911117). 95/09/27. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. CAMERON,F.X. Office of the General Counsel (Post 860701). MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 85894:001-85895:158.

--9510240134 Transmits responses to comments made by NRC staff on various portions of Massachusetts Agreement State package & step-by- step response to each comment.
HALLISEY,R.M. Massachusetts, Commonwealth of. 95/09/22. LOHAUS,P.H. Office of State Programs (Post 911117). 518pp. 85894:005-85895:158.

9510240132 Ack receipt of 950821 response to NRC comments on 10CFR20 equivalent regulations.Informs that responses,acceptable.
LOHAUS,P.H. Office of State Programs (Post 911117). 95/09/22. FLETCHER,R.G. Maryland, State of. 4pp. 85896:206-85896:213.

--9510240141 Submits Maryland Dept of Environ Radiological Health Program response to NRC 950804 comments re updated draft revs to Maryland Stds for Protection Against Radiation.
FLETCHER,R.G. Maryland, State of. 95/08/21. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 85896:210-85896:213.

9510240174 Forwards reprinted rept, "LLRW Mgt in North Carolina for CY94."
BROWN,D.H. North Carolina, State of. 95/09/12. North Carolina, State of. 1p. 85896:261-85896:296.

--9510240380 "LLRW Mgt in North Carolina for CY 94."
* North Carolina, State of. 94/12/31. 32pp. 85896:262-85896:296.

9510240263 Safety insp on 950814 of license 201-523-05.Insp findings: no violations noted.
* Region 2 (Post 820201). * Kentucky, Commonwealth of. 95/08/14. 2pp. 85896:356-85896:357.

9510250027 Ack receipt of 950814 ltr informing NRC of steps taken to correct violations noted in insp rept 15000026/95-01.
HOWELL,L.L. Region 4 (Post 820201). 95/10/23. JOHNSON,L. Wyoming, State of. 3pp. 85904:053-85904:061.

--9510250042 Responds to NRC 950717 ltr re violations noted in insp rept 15000026/95-01.Corrective actions:authorized physician, Rademacher,will be used as authorized user for all State of WY patients treated.
JOHNSON,L. Wyoming, State of. 95/10/14. Region 4 (Post 820201). 2pp. 85904:056-85904:057.

--9510250071 Ack receipt of 940401 ltr modifying NRC Form 241 dtd 931228. Informs that licensee Agreement State license recognized as valid for uses listed.
HERNANDEZ,C. Region 4 (Post 820201). 94/04/13. JOHNSON,L. Wyoming, State of. 1p. 85904:058-85904:058.

--9510250080 Ack receipt of 941115 & 1216 ltrs,clarifying info provided on NRC Form 241 dtd 931228.Informs that licensee Agreement State license recognized as valid for use of licensed matl at listed hosps.
HERNANDEZ,C. Region 4 (Post 820201). 94/12/29. JOHNSON,L. Wyoming, State of. 1p. 85904:059-85904:059.

--9510250084 Disagrees w/violation noted in 950717 ltr re 180 days reciprocity agreement date & provides listed info to clarify info provided in NRC Form 241.
JOHNSON,L. Wyoming, State of. 95/03/15. Region 4 (Post 820201). 2pp. 85904:060-85904:061.

9510250115 "Quarterly Hazardous Waste Rept - General Info for Sept 1995." W/ 951012 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. PLES-5770. 95/09/30. 6pp. 85987:353-85987:358.

9510250164 Discharge monitoring rept for Sept 1995 for Pilgrim Nuclear Power Station.W/951019 ltr.
SULLIVAN,T.A. Boston Edison Co. BECO 5.95.081. 95/09/30. 14pp. 85988:226-85988:239.

9510260043 Comments on proposed rules 10CFR2,50 & 51 re decommissioning of nuclear power reactors.
TOSCH,K. New Jersey, State of. 60FR37374 00031. 95/10/18. Docketing & Services Branch. 2pp. 85923:014-85923:015.

9510260290 Informs that NY State Energy Research & Development Authority preparing to transfer ownership of parcel of land within Western NY Nuclear Service Ctr to town of Ashford.
PICIULO,P.L. New York, State of. 95/10/20. COMFORT,G. NRC - No Detailed Affiliation Given. 2pp. 86007:359-86007:360.

9510270104 Requests listed device registrations & supporting documentation to office be sent to GA Dept of Natural Resources due to transfer of licenses from region 1 to GA.
HILL,T.E. Georgia, State of. NR-232-D-101-S. 95/10/23. BANGART,R.L. Office of State Programs (Post 911117). 1p. 85939:171-85939:171.

9510270383 Forwards rept of NPDES permit violation reported to CA Regional Water Quality Board,San Diego Region during month of Aug 1995.
MARSH,W.C. Southern California Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 1p. 86052:211-86052:213.

--9510270384 NPDES noncompliance repton 950824,sample obtained on facility sewage treatment plant effluent indicated 950 turbidity (TU),exceeding limit of 225 TU.Caused by elevated solids blanket in clarifier section of plant.
NEWTON,H.W. Southern California Edison Co. 95/09/28. COE,A.L. California, State of. 2pp. 86052:212-86052:213.

9510300009 Advises that address listed in 950921 correspondence for Manhattan College,obsolete.Provides address for future correspondence w/licensees in New York State.
SPATH,J.P. New York, State of. 95/10/19. RICHARDS,S. . 2pp. 86000:178-86000:180.

9510300010 Discusses Agreement States Sealed Source & Device Evaluation Programs,SP-95-116.
ORTCIGER,T.W. Illinois, State of. SP-95-116. 95/10/23. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 86000:181-86000:183.

9510300022 Informs that compatible quality mgt rule will not be used as basis for withholding finding of Agreement State RCP compatibility & will notify of NRC position on compatibility determinations when rule final.
BANGART,R.L. Office of State Programs (Post 911117). 95/10/24. WILLIAMSON,D.E. Alabama, State of. 4pp. 86000:184-86000:187.

9510300024 Responds to 950929 ltr re Agreement State reimbursement of NRC costs.Informs of intent to undertake comprehensive assessment of all NRC activities & programs.
ROGERS,K.C. Commissioners (Post 750119). 95/10/20. SWEENEY,J.E New York, State of. 5pp. 86001:176-86001:196.

--9510300097 Discusses options paper on NRC charges to Agreement States prepared for Commission consideration by staff & received by dept on 950814.
SWEEENEY,J.E. New York, State of. 95/09/29. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 86001:181-86001:196.

9510300055 Extends invitation to attend annual "All Agreement States Meeting" on 951030-1101 in Chicago,IL to discuss issues re Agreement States.Meeting agenda,list of restaurants & map of Chicago w/points of interest encl.
ORTCIGER,T.W. Illinois, State of. 95/10/16. NRC - No Detailed Affiliation Given. 7pp. 86001:206-86001:212.

9510300070 Informs that NRC will be implementing Integrated Matls Performance Evaluation Program to be used in evaluation of Agreement State Programs beginning in FY96.Forwards latest rev to chronology of NRC amends as of Sept 1995.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-95-168. 95/10/19. General. 13pp. 86001:213-86001:225.

9510300096 Forwards, "Technical Training Div Course Catalog," which lists all courses offered by NRC Technical Training Div.
LOHAUS,P. Office of State Programs (Post 911117). SP-95-169. 95/10/19. General. 7pp. 86000:188-86001:004.

--9510300108 "Technical Training Div Course Catalog."
* Office for Analysis & Evaluation of Operational Data, Director. 95/09/30. 174pp. 86000:195-86001:004.

9510300113 Requests NRC & State of CA Dept of Health Svcs Radiologic Health Branch (CAL-RHB) to mutually agree that,CAL-RHB assume role of responsible agency for licensee hot cell facility decommissioning.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 696/CAL-2478. 95/10/23. PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). WONG,G. California, State of. 3pp. 86043:356-86043:358.

9510300117 Informs of change of Southern Regional Office FAX telephone number,effective 951023.
MORRIS,J. Georgia, State of. 95/10/23. LOHAUS,P. Office of State Programs (Post 911117). 1p. 86001:270-86001:270.

9510300130 Informs that period to comment on amend to 10CFR150.20, "Recognition of Agreement State Licensees," extended from 951018 to 951115.
LOHAUS,P. Office of State Programs (Post 911117). SP-95-166. 95/10/17. General. 5pp. 86001:281-86001:285.

9510300169 Discusses 951002-03 Regional State Liaison Officer counterpart meeting.Informs that in-depth training of briefings on various issues for RSLO identified.
BANGART,R.L. Office of State Programs (Post 911117). 95/10/25. MARTIN,T.T. Region 1 (Post 820201). EBNETER,S.D., MILLER,H.J. Region 2 (Post 820201). 2pp. 86002:006-86002:007.

9510300177 Forwards draft "Procedures for Placing Agreement State Program on Probation." Requests comments on procedure.
BANGART,R.L. Office of State Programs (Post 911117). 95/10/20. RATLIFF,R.A. Texas, State of. 11pp. 86002:010-86002:020.

9510300240 "Review Rept for Evaluation of Agreement State Program."
HORNOR,J., SCHNEIDER,K. Walnut Creek Field Ofc, R4 (Post 940404). 94/12/28. 171pp. 86001:005-86001:175.

9510310003 Forwards correction & additions to facsimile listing & Agreement States Listing.Requests that listed info be added to "Functional Directory."
KERR,K. Office of State Programs (Post 911117). 95/10/19. LANIER,J.A. Telecommunications Branch. 23pp. 86003:012-86003:035.

9510310044 Approved policy statements, "Criteria for Agreement State Assumption of Regulatory Authority," "NRC Review of Agreement State Radiation Control Programs," & comprehensive & update radiation IAW Paper Reduction Act.
SHELTON,B.J. Information & Records Management Branch (Post 890827). OMB 3150-0183. 95/04/02. 1p. 86003:036-86003:036.

9510310049 Forwards Ofc of State Programs key documents & CDTS cover sheet for subject of Agreement States identified since last request for update.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 95/10/19. VANDERMEL,K. NRC - No Detailed Affiliation Given. 4pp. 86003:037-86003:134.

--9505250087 Responds to 950317 SRM directing NRC staff to consider comments & concerns expressed subsequent to briefing on Performance Indicators Matls Performance Evaluation Program on 950309.Forwards 950413 memo from RA Ratliff in response.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/15. THE CHAIRMAN, SELIN,I., ROGERS,K.C. Commissioners (Post 750119). 2pp. 86003:106-86003:131.

--9510310064 Requests key documents that have been identified since last collection effort be submitted by close of business 951027.
ANDERSON,P.A. NRC - No Detailed Affiliation Given. 95/10/03. GLENN,J., SCHNEIDER,K., CAMERON,F. NRC - No Detailed Affiliation Given. 1p. 86003:132-86003:132.

--9510310104 Requests that key documents that have been identified since last collection effort be submitted by close of business 951027.
CHILK,S.J. NRC - No Detailed Affiliation Given. 95/10/05. AKSTULEWICZ,F., CLEARY,D., GUENTHER,F. NRC - No Detailed Affiliation Given. 2pp. 86003:133-86003:134.

9510310148 Forwards monthly progress rept 3 for period Sept 1995 for Shieldalloy Metallurgical Corp site remedial investigation/ feasibility study.
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/10/10. ACKMAN,O. Ohio, State of. 5pp. 86060:351-86060:355.

9510310158 Responds to 950725 ltr re Agreement State ltr (SP-95-116) concerning Agreement State sealed source & device evaluation programs.
JERRETT,L.E. Florida, State of. SP-95-116. 95/10/26. BANGART,R.L. Office of State Programs (Post 911117). 1p. 86003:230-86003:230.

9510310255 Forwards responsiveness summary to OH EPA comments on draft remedial investigation rept dtd 950920 re groundwater issues.
SHIELDS,W.J. PTI Services, Inc. 95/10/25. ACKMAN,O. Ohio, State of. 22pp. 86077:129-86077:150.

9510310261 Forwards rept re identification of tadpoles collected on Shieldalloy Metallurgical Corp site in Aug 1995 during Phase II ERA field sampling.
MELLOTT,R. PTI Services, Inc. 95/09/29. ALTFATER,D. Ohio, State of. 5pp. 86076:329-86076:333.

9510310267 Forwards "Phase II Ecological Risk Assessment Work Plan, Suppl to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge, OH."
VALENTI,J. Shieldalloy Metallurgical Corp. 95/09/13. ACKMAN,O. Ohio, State of. 1pp. 86071:063-86071:133.

9510310269 Forwards comments on draft remedial investigation (RI) Sections 6,8,9 & utilized input from OH Dept of Health. Requests draft RI be revised to correct deficiencies noted in encl comments.
ACKMAN,O. Ohio, State of. 95/10/02. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 8pp. 86076:348-86076:355.

9510310275 Forwards "Access Restriction Work Plan at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/09/06. ACKMAN,O. Ohio, State of. 1p. 86066:134-86066:159.

9510310283 Informs that PTI will conduct testing of bedrock aquifer to suppl info gathered during remedial investigation,to aid NRC in preparation of EIS for site.Fieldwork tentatively scheduled for 951002-05.
SHIELDS,W.J. PTI Services, Inc. 95/09/26. ACKMAN,O. Ohio, State of. 3pp. 86077:173-86077:175.

9510310293 Forwards draft "Phase II Ecological Risk Assessment Apps Addendum to Work Plan for Remedial Investigation & Feasibility Study at Shieldalloy Metallurgical Corp Site in Cambridge,OH."
SHIELDS,W.J. PTI Services, Inc. 95/08/09. ACKMAN,O. Ohio, State of. 1p. 86042:121-86042:168.

9510310311 Requests that written comments from licensee staff,re "Decommissioning Plan for Holding Basin," be provided to NRC as soon as possible.
BELLAMY,R.R. Region 1 (Post 820201). 95/10/24. JOHNSON,S.M. Massachusetts, Commonwealth of. 3pp. 86004:177-86004:179.

9510310316 Informs that access restriction plan,as submitted,approvable w/exception of submitted comment.
ACKMAN,O. Ohio, State of. 95/08/22. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Cyprus Coal Co. (subs. of Cyprus Minerals Co.). 2pp. 86075:355-86075:356.

9510310326 Forwards draft "Access Restriction Plan at Shieldalloy Metallurgical Corp Site in Cambridge,OH." & monthly progress rept for Jul 1995.
SHIELDS,W.J. PTI Services, Inc. 95/08/09. ACKMAN,O. Ohio, State of. 4pp. 86066:103-86066:133.

9510310340 Forwards monthly progress rept for period Aug 1995 for Shieldalloy Metallurgical Corp site for remedial investigation & feasibility study.
VALENTI,J.P. Shieldalloy Metallurgical Corp. 95/09/11. ACKMAN,O. Ohio, State of. 4pp. 86066:354-86066:357.

9510310354 Forwards IN 95-44 in order to alert licensees to situation w/Industrial Nuclear Co ball-type drive cable connectors.
SCROGGS,A.C. Washington, State of. IEIN-95-044. 95/10/27. Affiliation Not Assigned. 1p. 86004:202-86004:204.

9510310365 Forwards data tables for chemical analyses sediment & tissue samples collected last month at Shieldalloy Metallurgical Corp site.
SHIELDS,W.J. PTI Services, Inc. 95/09/25. ACKMAN,O. Ohio, State of. 20pp. 86066:080-86066:102.

9510310375 Forwards addendum to Shieldalloy Metallurgical Corp remedial investigation/feasibility study Vol II remedial investigation data repts.Submittals completes Vol II & instructions for assembling matls attached.
SHIELDS,W.J. PTI Services, Inc. 95/07/27. ACKMAN,O. Ohio, State of. 222pp. 86074:117-86074:338.

9510310402 "Marine Ecology Studies Re Operation Of Pilgrim Station Semi-Annual Rept 46,Jan-June 1995." W/951017 ltr.
ANDERSON,R.D., OHEIM,H.V. Boston Edison Co. BECO 95-085. 95/06/30. 100pp. 86079:224-86079:328.

9510310403 Approves revised access restriction plan for Shieldalloy Metallurgical Corp site in Cambridge,OH,received on 950906.
ACKMAN,O. Ohio, State of. 95/09/14. VALENTI,J. Shieldalloy Metallurgical Corp. LEE,P. Foote Mineral Co. 1p. 86095:004-86095:004.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9509260355 Forwards Rev 1 to Vols 1 & 2 of B&WOG document 69-1224353-01, "Generic Severe Accident Guideline" for info & ref.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 95/08/01. THADANI,A. . 2pp. 86098:001-86099:200.

--9509260357 Rev 1 to Vols 1 2 of "Generic Severe Accident Guideline."
* Babcock & Wilcox Co. 94/03/11. 561pp. 86098:003-86099:200.

9510020050 Forwards proprietary addl info on response to RAI Question A6 re Licensing TR CENPD-292-P, "BISON - One Dimensional Dynamic Analysis Code for BWRs:Suppl 1 to Code Description & Qualification." Encl withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-135. 95/09/25. CHATTERTON,M. . 2pp. 85663:191-85663:192.

9510020232 Forwards proprietary rev 1 to WCAP-14292, "AP600 Low- Pressure Integral Sys Test at Oregon State Univ Test Analysis Rept," Vol I & II.Encl withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. NTD-NRC-95-4565. 95/09/29. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 85683:268-85683:278.

--9510020238 Requests that Rev 1 to WCAP-14292, "AP600 Low-Pressure Integral Sys Test at Oregon State Univ Test Analysis Rept," Vols I & II be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. AW-95-885. 95/09/29. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 85683:272-85683:278.

9510030021 Transmits 23 copies of licensee response to RAI re WCAP 14416-P,entitled "Westinghouse Spent Fuel Rack Criticality Analysis Methodology."
BUSH,L. Westinghouse Electric Corp. OG-95-080. 95/09/28. KOPP,L. Document Control Branch (Document Control Desk). 9pp. 85688:311-85688:319.

9510030130 Forwards proprietary EPRI rept TR-105697, "BWR Vessel & Internals Project BWR RPV Shell Weld Insp Recommendations (BWRVIP-05)." Rept withheld.
BECKHAM,J.T. Southern Nuclear Operating Co. BECKHAM,J.T. Affiliation Not Assigned. 95-454. 95/09/28. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. 85686:299-85686:303.

--9510030134 Requests that proprietary EPRI rept TR-105697, "BWR Vessel & Internals Project BWR RPV Shell Weld Insp Recommendations (BWRVIP-05)" be withheld from public disclosure per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 95/09/28. Document Control Branch (Document Control Desk). 3pp. 85686:301-85686:303.

9510030160 "Nuclear Power Plant Shift Staffing Levels:Site Data Collection Rept."
HABER,S. Brookhaven National Laboratory. 95/02/28. 57pp. 85692:262-85692:318.

9510030172 Requests that encl proprietary EPRI repts NP-5439, NP-4690-SR,NP-4768 & TR-100034 be withheld from public disclosure per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 95/09/28. Document Control Branch (Document Control Desk). 4pp. 85686:295-85686:298.

9510030174 "Identification of Issues Associated W/Nuclear Power Plant Shift Staffing Levels."
SHURBERG,D. Brookhaven National Laboratory. BARNES,V., PLOTT,B. Affiliation Not Assigned. 94/07/20. 54pp. 85688:252-85688:301.

9510030212 Ack receipt of final rept, "Fire Barrier Sys Cable Ampacity Departing;Review of Experimental & Analytical Studies.
JENKINS,R.V. . FIN J-2018. 95/09/28. NOWLEN,S.P. Sandia National Laboratories. 1p. 85683:330-85683:330.

9510030217 Ack receipt of final ltr rept submitted on 950811,as deliverable under Task Order 5.
JENKINS,R.V. . FIN J-2017. 95/09/28. NOWLEN,S.P. Sandia National Laboratories. 1p. 85683:331-85683:331.

9510030222 Forwards non-proprietary WCAP-14333 & 14334,Appendices A & B "Probabilistic Risk Analysis of RPS & ESFAS Test Times & Completion Times."
BUSH,L. Westinghouse Operating Plants Owners Group. OG-95-079. 95/09/27. . 3pp. 85696:125-85696:247.

--9510030227 WCAP-14333 & 14334 Nonproprietary Apps A & B to WCAP-14333 & WCAP-14334, "Probabilistic Risk Analysis of RPS & ESFAS Test Times & Completion Times,WOG Program MUHP-3051."
ANDRACHEK,J.D., ANDRE,G.R., HEASSLER,R.L. Westinghouse Electric Corp. 95/09/30. 121pp. 85696:128-85696:247.

9510030244 Summarizes 950908 meeting w/EPRI & industry to discuss issues associated w/NDE of SG tubes.List of attendees & meeting handouts encl.
STROSNIDER,J.R. . 95/09/21. SHERON,B.W. . 119pp. 85680:190-85680:308.

9510030286 Submits GE nuclear energy organizational change.All quality functions & associated organizational independence per criteria of 10CFR50,App B,retained.
SICK,P.W. General Electric Co. NEDO-11209-04A. 95/09/26. Document Control Branch (Document Control Desk). 3pp. 85696:321-85696:323.

9510030291 Notification of 951005 meeting w/EPRI in Rockville,MD to discuss status of steam generator sleeving.Meeting cancelled.
DEMBEK,S. . 95/09/15. JEBDON,F.J. . 3pp. 85673:272-85673:274.

9510030327 Forwards errata to Suppl 2 to Licensing TR NEDC-32339P, "Reactor Stability Long-Term Solution Enhanced Option I-A Solution Design." Errata withheld.
PINELLI,R.A. BWR Owners Group. BWROG-95082. 95/09/28. WERMIEL,J.S. . 7pp. 85686:288-85686:294.

9510030333 Forwards proprietary preliminary responses to RAIs on WCAP-12945-P, "Westinghouse Code Qualification Document for Best Estimate LOCA Analysis." Encl withheld per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4567. 95/09/27. Document Control Branch (Document Control Desk). 2pp. 85686:304-85686:305.

9510040132 Submits list of documents to be removed from docket file & destroyed.Response requested by 951016.
QUAY,T.R. . TAC M91923. 95/09/27. GALLO,R., GRIMES,C.I., STROSNIDER,J.R. . 2pp. 85718:246-85718:247.

9510040187 Ack receipt of final rept, "Review of Ampacity Analyses for TSI Matls," submitted on 950621 & deliverable under Task Order 1,JCN J-2018.
JENKINS,R.V. . FIN J-2018. 95/09/28. NOWLEN,S.P. Sandia National Laboratories. 1p. 85704:356-85704:356.

9510040194 Notification of 951018 meeting w/ABB/CE in Rockville,MD to discuss proposed improvements in reload analyses.
KOPP,L. . 95/09/28. JONES,R. . 1p. 85693:331-85693:331.

9510040219 Notification of 951023 meeting w/Westinghouse Nuclear Co in Rockville,MD to discuss best estimate LOCA evaluation model.
WEISS,E.W. . 95/10/02. JONES,R.C. . 2pp. 85696:334-85696:335.

9510040222 Notification of 950927 meeting w/Westinghouse Owners Group in Rockville,MD to discuss TS relocation program.
JACKSON,D.T. . 95/09/27. QUAY,T.R. . 3pp. 85693:264-85693:266.

9510040321 Forwards proprietary overview of Westinghouse methodology for combining uncertainties for Best-Estimate LOCA analyses & assessment of compliance of revised methodology w/Reg Guide 1.157.
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4571. 95/09/29. Document Control Branch (Document Control Desk). 2pp. 85709:022-85709:023.

9510050064 Advises that info submitted in Westinghouse rept, LTCT-GSR-003, "WCOBRA/TRAC OSU Long Term Cooling Preliminary Validation Rept," to be withheld from public disclosure per 10CFR2.790.
HOFFMAN,W.C. . 95/10/02. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:159-85722:161.

9510050200 Advises that licensee TR EMF-95-084(P), "PWR Neutronics Design Code/Code Sys Evaluation & Validation," will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 130(b) of AEA of 1954,as amended.
JONES,R.C. . 95/10/02. COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 2pp. 85722:250-85722:251.

9510050201 Informs that NRC determined that Encl 7,rept from EPRI entitled "Addendum to Seismic Verification of Nuclear Plant Equipment Anchorage" to SQUG 950731 submittal proprietary & will be withheld from public disclosure per 10CFR2.790.
DORMAN,D.H. . 95/10/02. KENNY,A. Electric Power Research Institute. 5pp. 85738:001-85738:349.

--9510050205 Forwards Rev 3 to "Generic Implementation Procedure for Seismic Verification of Nuclear Power Plant Equipment."
SMITH,N.P. Seismic Qualification Utility Group. 95/07/31. ZIMMERMAN,R. . 137pp. 85738:006-85738:142.

--9510050210 Rev 3 to "Generic Implementation Procedure (GIP) for Seismic Verification of Nuclear Power Plant Equipment."
* Winston & Strawn. * EQE, Inc. * MPR Associates, Inc. 95/07/31. 206pp. 85738:143-85738:349.

9510050231 Advises that info submitted in Westinghouse ltr NTD-NRC-95-4534,dtd 950818,will be withheld from public disclosure,per 10CFR2.790.WCAP-14442 will be withheld.
HUFFMAN,W.C. . 95/10/03. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85722:106-85722:108.

9510050288 Forwards comments & questions re GE licensing topical rept NEDC-3242P, "Generic Guidelines for GE Boiling Water Reactor Extended Power Uprate," dtd Feb 1995.Response requested within 45 days.
KIM,T. . TAC M91680. 95/09/28. ROBARE,D.J. General Electric Co. 5pp. 85721:220-85721:224.

9510050294 Forwards progress rept on evaluation of GE Licensing Topical Rept NEDE-32176-P,Rev 0, "TRACG Model Description." Rept provides documentation of staff review to date & to provide GE w/single document identifying remaining staff concerns.
WILSON,J.H. . TAC M85913. 95/10/03. QUINN,J.E. General Electric Co. 3pp. 85721:200-85721:217.

--9510050299 "Progress Rept on Staff Evaluation of GE Licensing Topical Rept NEDE-32176P,Rev 0,TRACG Model Description for October 1995."
* . 95/10/03. 15pp. 85721:203-85721:217.

9510060347 Notification of 951017 meeting w/B&W Owners Group in Rockville,MD to discuss issues of mutual interest re B&W operating plants.
SCALETTI,D. . 95/10/04. QUAY,T.E. . 2pp. 85731:325-85731:326.

9510060362 Forwards proprietary EPRI rept TR-105692, "BWR Vessel & Internals Project Guide for Format & Content of Core Shroud Repair Design Submittals (BWRVIP-04)." Proprietary rept withheld.
BECKHAM,J.T. Southern Nuclear Operating Co. 95-466. 95/10/05. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 85745:353-85745:356.

--9510060370 Requests that proprietary document TR-105692, "BWR Vessel & Internals Project Guide for Format & Content of Core Shroud Repair Design Submittals (BWRVIP-04)," EPRI rept,Oct 1995 be withheld from public disclosure per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 95/10/03. Document Control Branch (Document Control Desk). 3pp. 85745:354-85745:356.

9510060367 Forwards proprietary EPRI document TR-105707, "BWR Vessel & Internals Project Safety Assessment of BWR Reactor Internals (BWRVIP-06)." Proprietary EPRI document TR-105707 withheld.
BECKHAM,J.T. Southern Nuclear Operating Co. 95-456. 95/10/05. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. 85745:279-85745:287.

--9510060371 Requests that proprietary EPRI rept TR-105707, "BWR Vessel & Internals Project Safety Assessment of BWR Reactor Internals (BWRVIP-06)" be withheld from public disclosure per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 95/10/03. Document Control Branch (Document Control Desk). 7pp. 85745:281-85745:287.

9510100339 Forwards GE Licensing TR GENE-A13-00360-02, "Application of Stability Long-Term Solution Option II to NMPNS Unit 1," per GL 94-02.
TERRY,C.D. Niagara Mohawk Power Corp. NMP1L 0985. 95/10/02. Document Control Branch (Document Control Desk). 2pp. 85751:269-85751:306.

--9510100342 GENE-A13-00360-02 "Application of Stability Long-Term Solution Option II to NMPNS Unit 1."
* General Electric Co. 95/08/30. 36pp. 85751:271-85751:306.

9510110281 Requests addl info to complete review of WCAP-14416-P, "Westinghouse Spent Fuel Rack Criticality Analysis Methodolgy."
KOPP,L. . 95/10/05. NEWTON,R.A. Westinghouse Electric Corp. 2pp. 85764:331-85764:332.

9510110318 Forwards "Analysis Of Capsule Y From Pacific Gas & Electric Co,Diablo Canyon Unit 2,Reactor Vessel Radiation Surveillance Program."
RUEGER,G.M. Pacific Gas & Electric Co. DCL-95-215. 95/10/04. Document Control Branch (Document Control Desk). 5pp. 85761:033-85761:203.

--9510110327 WCAP-14363 "Analysis Of Capsule Y Form Pacific Gas & Electric Co, Diablo Canyon Unit 2,Reactor Vessel Radiation Surveillance Program."
PETER,P.A., ANDERSON,S.L., WILLIAMS,J.F. Westinghouse Electric Corp. 95/08/31. 174pp. 85761:038-85761:203.

9510110338 Notification of 951006 meeting w/Westinghouse in Rockville, MD to discuss current WOG programs & issues.
JACKSON,D.T. . 95/10/06. QUAY,T.R. . 2pp. 85764:359-85764:360.

9510110359 Forwards proprietary amended response to Question A6 on Licensing TR CENPD-292-P-RAI, "BISON - One Dimensional Dynamic Analysis Code for BWRs:Suppl 1 to Code Description & Qualification." Proprietary amended response withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-145. 95/10/03. CHATTERTON,M. . 2pp. 85780:203-85780:204.

9510120181 Advises that Rev 1 to WCAP-14112, "AP600 ADS Test Spec Rept" will be withheld from public disclosure (ref 10CFR2.790),in response to 950927 request.Understands that W agreed to submit nonproprietary version of subj rept by 951231.
HUFFMAN,W.C. . 95/10/05. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85766:340-85766:342.

9510120191 Advises that Vols I & II to WCAP-14254, "AP600 SPES-2 Test Analysis Rept" will be withheld from public disclosure (ref 10CFR2.790),per 950605 request.
HUFFMAN,W.C. . 95/10/06. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 85766:337-85766:339.

9510130028 Forwards response to request for addl info re Topical Rept TR-091,Rev 0, "Steady State Reactor Physics Methodology for TMI-1."
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. C311-95-2406. 95/10/05. Document Control Branch (Document Control Desk). 7pp. 85810:273-85810:279.

9510160072 Summarizes participation in 951005 Westinghouse Owners Group meeting.Completed & currently ongoing studies in safety programs div,discussed.
ROSSI,C.E. Office for Analysis & Evaluation of Operational Data, Director. 95/10/10. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 31pp. 85813:090-85813:120.

9510170136 Forwards proprietary amended response to Question A6 of NRC 951003 ltr on Licensing TR CENPD-292-P-RAI.Amended response corrects typos in titles of Figures A6-7 through A6-12. Amended response withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-146. 95/10/06. CHATTERTON,M. . 2pp. 85865:001-85865:002.

9510170208 Forwards proprietary response to request for info re computer software.Encl withheld (ref 10CFR2.790).
TUCKMAN,M.S. Duke Power Co. 95/10/07. Document Control Branch (Document Control Desk). 2pp. 85865:003-85865:004.

9510170414 Forwards Rev 1 to NEDC-32288P, "Licensing Topical Rept Scaling of SBWR Related Tests." Rept withheld.
QUINN,J.E. General Electric Co. MFN 191-95. 95/10/13. QUAY,T.E. . 3pp. 85865:005-85865:007.

9510170420 Forwards proprietary answers to NRC informal questions on dynamic rod worth measurement technique,WCAP-13360.Rept withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. NTD-NRC-95-4515. 95/10/11. JONES,R.C. . 2pp. 85865:008-85865:017.

--9510170421 Requests that proprietary answers to NRC informal questions on dynamic rod worth measurement technique (WCAP-13360) be withheld per 10CFR2.790(b)(1).
LIPARULO,N.J. Westinghouse Electric Corp. AW-95-863. 95/10/11. JONES,R.C. . 8pp. 85865:010-85865:017.

9510180383 Informs that memo & evaluation forms being returned because NRR will not be able to participate in annual NRC performance evaluation due to insufficient resources.
CRUTCHFIELD,D. . 95/10/13. THOMPSON,R.D. Division of Contracts (Post 940714). 1p. 85865:278-85865:278.

9510190022 Submits response to RAI re TS change request 171 concerning heatup & cooldown limit curve expiration date extension.
LINK,B. Wisconsin Electric Power Co. VPNPD-95-080. 95/10/12. Document Control Branch (Document Control Desk). 2pp. 85886:001-85886:258.

--9510190023 WCAP-12795 R03 Rev 3 to "Reactor Cavity Neutron Measurement Program for Wisconsin Electric Power Co at Point Beach Unit 2."
OSBORNE,M.P. Westinghouse Electric Corp. 95/08/31. 256pp. 85886:003-85886:258.

9510190086 Transmits info re TRACG Separator Head Predictions discussed last month W/KA Kavanaugh.Provided info supports NRC staff review of GE Nuclear Energy TRACG Model application to safety assessment of BWR core shroud cracking studies.
CASILLAS,J.L. General Electric Co. MFN-143-955. 95/08/07. CARPENTER,G. Document Control Branch (Document Control Desk). 2pp. 85900:234-85900:235.

9510190089 Notification of 951108 meeting w/EPRI,DOE & Transnuclear Corp in Rockville,MD to discuss update on final EPRI dry transfer sys design & to identify licensing issues & strategies.
* NRC - No Detailed Affiliation Given. 95/10/10. NRC - No Detailed Affiliation Given. 1p. 85882:212-85882:212.

9510190286 Forwards nonproprietary Addendum 1 to WCAP-14274 & proprietary Addendum 1 to WCAP-14273 re request to increase interim plugging criteria for facilities SGs,to reflect TSP analysis using RELAP5 loads.Proprietary rept withheld.
SACCOMANDO,D.M. Commonwealth Edison Co. 95/10/13. . 2pp. 85885:285-85885:319.

--9510190293 Requests that proprietary Addendun 1 to WCAP-14273, "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for...Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads" be withheld.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-95-892. 95/10/12. RUSSELL,W.T. Document Control Branch (Document Control Desk). 10pp. 85885:287-85885:296.

--9510190301 WCAP-14274 ADD 01 Nonproprietary Addendum 1 to "Technical Support for Alternate Plugging Criteria W/Tube Expansion at TSP Intersections for Braidwood-1 & Byron-1 Model D4 SGs Addendum 1 TSP Analysis Using 'RELAP5' Loads."
* Westinghouse Electric Corp. SG-95-10-006. 95/10/31. 23pp. 85885:297-85885:319.

9510200079 Summary of 950927 meeting w/Westinghouse & Westinghouse Owners Group utilities in Rockville,MD re Owners Group proposal for addl TS limits to be relocated to COLR.
JACKSON,D.T. . 95/10/16. . 39pp. 85900:102-85900:140.

9510200211 Concludes that operation of Peach Bottom Unit 3 w/cracked but clamped core spray downcomers is acceptable,per IEB 80-13, "Cracking in Core Spray Spargers."
STOLZ,J.F. . TAC M92639. 95/10/13. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 85898:131-85898:134.

9510200213 Informs that version of submitted info marked as proprietary (WCAP-13187) will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954.
HICKMAN,J.B. . CAW-95-878. 95/10/11. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). FITZPATRICK,E. American Electric Power Service Corp. 3pp. 85900:094-85900:096.

9510200214 Notification of meeting w/W on 951017 in Rockville,MD to discuss WOG proposal for elimination of insp requirements for RCP flywheel.Proposed agenda encl.
JACKSON,D.T. . 95/10/16. QUAY,T.R. . 3pp. 85898:318-85898:320.

9510200346 Forwards DSER defining staff position on proposed mods to EPGs,provided in advance of upcoming ACRS meeting.
JONES,R.C. . 95/10/16. PINELLI,R.A. General Electric Co. 1p. 85899:328-85899:328.

9510230050 Submits update on present GLRP topical rept status.
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1549. 95/10/13. NEWBERRY,S.F. . 2pp. 85919:358-85919:360.

9510230334 Forwards nonproprietary & proprietary versions of Rev 1 to "Generic TR for ABB Option III Oscillation Power Range Monitor (OPRM)," in accordance w/procedures in NUREG-0390. Proprietary version of TR withheld.
PINELLI,R.A. BWR Owners Group. BWROG-95087. 95/10/06. BOGER,B.A. . 2pp. 85920:236-85920:331.

--9510230341 CENPD-400-NP-A R01 Nonproprietary version of Rev 1 to "Generic TR for ABB Option III Oscillation Power Range Monitor (OPRM)."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/05/31. 91pp. 85920:238-85920:331.

9510230359 Forwards proprietary info supporting extrapolation of subcooling to desired range,as requested by NRC per audit of GE12 & compliance w/GESTAR II Amend 22 acceptance criteria for new fuel design conducted in Aug 1995.Info withheld.
KLAPPROTH,J.F. General Electric Co. JFK-95-073. 95/10/17. JONES,R.C. . 5pp. 85921:001-85921:005.

9510240172 Ack receipt of 950518 & 0609 10CFR50.54(a) submittals, incorporating changes in quality assurance program description,Topical Rept CPC-2A.Revs continue to meet requirements of 10CFR50,app B & acceptable.
GARDNER,R.N. Region 3 (Post 820201). 95/10/19. FENECH,R.A. Consumers Power Co. 2pp. 85896:259-85896:260.

9510240294 Summary of 950919 meeting w/BWROG in Rockville,MD re status of BWROG topics.
WILSON,J.G. . GL-89-10. 95/10/05. QUAY,T.R. . 44pp. 85911:093-85911:148.

9510250009 Summary of 951013 meeting w/Westinghouse Owners Group in Rockville,MD re status of WOG Generic Topical Rept Program & staff RAI dtd 950906 related to WCAP-14422.
* NRC - No Detailed Affiliation Given. 95/10/13. NRC - No Detailed Affiliation Given. 20pp. 85939:316-85939:336.

9510250068 Accepts request for rev of fuel rod power history uncertainty associated w/ neutronics code used w/approved TACO3 fuel performance code.
JONES,R.C. . 95/10/18. TAYLOR,J.H. Babcock & Wilcox Co. 1p. 85946:298-85946:298.

9510250239 Forwards SE accepting TR WCAP-14040,Rev 1, "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves," for referencing in ACs section of TSs for license amend applications.
GRIMES,C.I. . WCAP-14040. 95/10/16. NEWTON,R.A. Westinghouse Electric Corp. 3pp. 85948:326-85948:340.

--9510250247 Safety evaluation accepting TR WCAP-14040,Rev 1, "Methodology Used to Develop Cold Overpressure Mitigating Sys Setpoints & RCS Heatup & Cooldown Limit Curves," for referencing in ACs section of TSs for amend applications.
* . 95/10/16. 12pp. 85948:329-85948:340.

9510250300 Forwards nonproprietary version of CENPD-384-NP, "Rept on Continued Applicability of 60 MWD/KgU for ABB C-E PWR Fuel," in response to NRC request for info re impact of recent test data on high burnup nuclear fuel behavior.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. LD-95-048. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 85987:167-85987:232.

--9510250305 CENPD-384-NP Nonproprietary version of "Rept on Continued Applicability of 60 MWD/kgU for ABB C-E PWR Fuel."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 95/09/30. 63pp. 85987:169-85987:232.

9510250407 Notification of 951024 meeting w/Westinghouse Owners Group in Rockville,MD to discuss proposal for possible repair techniques for CRDM head penetration.
JACKSON,D.T. . 95/10/20. QUAY,T.R. . 3pp. 85923:328-85923:330.

9510270081 Forwards WCAP-14447, "Repair Boundary for Parent Tube Indications Within Upper Joint Zone of Hybrid Expansion Joint Sleeved Tubes."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). AEP:NRC:1129H. 95/10/20. Document Control Branch (Document Control Desk). 1p. 86015:142-86015:223.

--9510270085 WCAP-14447 "Repair Boundary for Parent Tube Indications Within Upper Joint Zone of Hybrid Expansion Joint Sleeved Tubes."
KEATING,R.F., CULLEN,W.K., KUCHIRKA,P.J. Westinghouse Electric Corp. 95/09/30. 81pp. 86015:143-86015:223.

9510270318 Forwards proprietary rev 2 to response to Question A7 of NRC 950328 RAI.Rev supports NRC review of Licensing TR CENPD-283-P which describe application of ABB LOCA methodology for SVEA-96 reload fuel.Encl withheld.
EBELING-KONING ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). EBELING-KONING ASEA Brown Boveri, Inc. NFBWR-95-154. 95/10/16. FRAHM,R. . 2pp. 86021:226-86021:227.

9510270387 Responds to concern re,voiced in 951019 telcon,that critical power correlations described in recent GE repts not of form(s) approved by NRC.
KLAPPROTH,J.F. General Electric Co. JFK95-091. 95/10/20. PHILLIPS,L.E. Document Control Branch (Document Control Desk). 2pp. 86052:217-86052:218.

9510300120 Requests that GE proprietary TR NEDC-32424P, "Generic Guidelines for GE BWR Extended Power Uprate" submitted by GE 950224 ltr to NRC,be considered as cost beneficial licensing action.
BENES,G.G. Commonwealth Edison Co. 95/10/18. Document Control Branch (Document Control Desk). 2pp. 86043:359-86043:360.

9510300136 Requests 100 word abstract re transportation & radioactive matls in preparation for 1996 ASME/JSME PVs & piping conference.
HAFNER,R.S., CARLSON,R.W. Lawrence Livermore National Laboratory. 95/09/08. HAUGHNEY,C. Office of Nuclear Material Safety & Safeguards. 2pp. 86013:358-86013:359.

9510300189 Notification of 951026 meeting w/ABB/CE in Rockville,MD to discuss CENPD 300.
CHATTERTON,M. . 95/10/20. JONES,R.C. . 1p. 86017:342-86017:343.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9510020006 Trip rept of 950822-25 visit to Chihuahua,Mexico re field research at Pena Blaca natural analog site & attendance at IV Intl Conference on Advanced Matls.
MURPHY,W.M., GREEN,R.T., PRIKRYL,J.D. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/09/18. Center for Nuclear Waste Regulatory Analyses. 6pp. 85673:286-85673:291.

9510020008 Responds to 950815 ltr & clarifies OCRWM Affected Organizations roles in qualification of OCRWM suppliers.
MILNER,R.A. Energy, Dept. of. HLWR. 95/09/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85689:036-85689:037.

9510020010 Informs that staff has verified corrective actions to CAR YM-95-021 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/25. CRAIG,R.W. Interior, Dept. of, Geological Survey. 13pp. 85689:200-85689:212.

9510020031 Provides response to NRC request,describing recent contractor realignment & QA responsibilities as of Apr 1995.
MILNER,R.A. Energy, Dept. of. HLWR. 95/09/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85689:033-85689:035.

9510020096 Forwards "Supplier Audit Rept Of Desert Research Institute Quaternary Sciences Ctr."
HORTON,D.G. Energy, Dept. of. HLWR. 95/09/28. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 85689:050-85689:055.

--9510020097 OQA-SA-95-007 "Supplier Audit Rept Of Desert Research Institute Quaternary Sciences Ctr."
MASLAR,S.R., HORTON,D.G. Energy, Dept. of. 95/09/27. 4pp. 85689:052-85689:055.

9510020166 Issues deficiency rept YMQAD-95-D-016 through YMQAD-95-D-018 resulting from Yucca Mountain QA Division's audit YM-ARP-95-20.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/28. CRAIG,R.W. Interior, Dept. of, Geological Survey. 12pp. 85689:038-85689:049.

9510020251 Issues surveillance record YMP-SR-95-053 resulting from Yucca Mountain QA Division surveillance at Reynolds Electrical & Engineering Co facilities at Yucca Mountain Site,NV on 950906-16.
SPENCE,R.E. Energy, Dept. of. 95/09/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 85689:124-85689:128.

9510020311 Forwards record of Surveillance YMP-SR-95-051 resulting from Yucca Mountain QA Div surveillance of USGS facilities in Denver,CO on 950907.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/27. CRAIG,R.W. Interior, Dept. of, Geological Survey. 3pp. 85689:129-85689:131.

9510020314 Forwards observations on technical repts & supporting activities.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/27. FOUST,L.D. Energy, Dept. of. CRAIG,R.W. Interior, Dept. of, Geological Survey. 3pp. 85689:132-85689:134.

9510020336 Informs of verification of corrective action & closure of Corrective Action Request (CAR) YM-94-048 resulting from Yucca Mountain QA Div Audit YMP-94-06 of USGS.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/26. CRAIG,R.W. Interior, Dept. of, Geological Survey. 9pp. 85689:135-85689:143.

9510020338 Forwards Corrective Action Request YMQAD-95-C-051 resulting from Yucca Mountain QA Div Audit YM-ARP-95-20 of USGS.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/26. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 85689:144-85689:148.

9510020342 Informs of evaluation of verification info,verification of C/A & closure of Corrective Action Request YM-95-042 resulting from Yucca Mountain QA Div Audit YM-ARP-95-09 of USGS.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/26. CRAIG,R.W. Interior, Dept. of, Geological Survey. 8pp. 85689:149-85689:156.

9510030115 Informs that DOE should provide addl info on expert elicitation process & satisfactory responses to encl comments on TR, "Methodology to Assess Fault Displacement & Vibratory Ground Motion Hazards at Yucca Mountain."
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/09/22. BROCOUM,S.J. Energy, Dept. of. 11pp. 85728:099-85728:109.

9510030143 Informs NRC that licensees reviewed resumes of M Shoesmith & C Arquiett & seems to have training & background required for work.
BYRNE,M.R. Performance Assessment & Hydrology Branch (NMSS 940403). 95/09/28. BAO,S. Oak Ridge National Laboratory. 1p. 85688:348-85688:348.

9510030173 Forwards specific comments on draft "Main Lines of NEA Programme of Work & Estimates of Expenditures for 1996."
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/09/21. BLAHA,J.L. Ofc of the Executive Director for Operations. 4pp. 85688:357-85688:360.

9510030176 Informs that staff has evaluated amended response to DR YMQAD-95-D-004 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/09/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 11pp. 85689:187-85689:199.

9510030182 Forwards list of sites that NRC consider meet criteria PH Lohaus specified.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/09/21. LOHAUS,P.H. Office of State Programs (Post 911117). 2pp. 85691:275-85691:276.

9510030290 Describes NRC position re Lake City Army Ammunition Plant decommissioning to clarify bases for NRC proposed topics for next meeting Dept of Army (Army),in response to Army 950718 ltr.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/14. MAPLEY,S.R. Army, Dept. of. 7pp. 85696:314-85696:320.

9510030324 Recommends either review of ORNL verification & validation procedures for LWRARC code to assure that program correctly perform calculations in draft RG 3.54 or verify & validate LWRARC code inhouse.
GREEVES,J.T. Division of Waste Management (NMSS 940403). 95/09/28. MORRIS,B.M. Division of Regulatory Applications (Post 941217). 1p. 85696:307-85696:307.

9510030348 Informs that on 950918,NRC briefed by CNWRA on Intermediate Milestone (IM) 5702-451-503, "Rept on GWTT Calculational Results - FY95." IM found to be acceptable.
BROOKS,D. Division of Waste Management (NMSS 940403). HLWR. 95/09/28. PEARCY,E. Center for Nuclear Waste Regulatory Analyses. 1p. 85728:129-85728:129.

9510030357 Informs of completion of review of Intermediate Milestone 5702-426-501, "Ltr Rept on Technical Assessment Methods: Hydrology & Geochemistry - FY95," [CNWRA 950152].Product found to be acceptable.
BROOKS,D. Division of Waste Management (NMSS 940403). HLWR. 95/09/28. PEARCY,E. Center for Nuclear Waste Regulatory Analyses. 1p. 85728:128-85728:128.

9510040005 Trip rept of 950828-0901 visit to CNWRA re development of Engineered Barrier Sys Performance Assessment Code & other waste package issues.
AHN,T.M. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/09/26. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 4pp. 85728:144-85728:147.

9510050099 Forwards paper on migration behavior of naturally-occurring radionuclides at Nopal I U deposit,Chihuahua,Mexico for programmatic review.
SAGAR,B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/08/04. FORTUNA,S.L. NRC - No Detailed Affiliation Given. 28pp. 85728:149-85728:176.

9510050102 Forwards manuscript entitled, "Recurrence Rates of Volcanism in Basaltic Volcanic Fields:Example From Springerville Volcanic Field,AZ,USA" to be submitted to Geological Society of America Bulletin pending NRC approval.
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/06/30. MEEHAN,B.D. Division of Contracts (Post 940714). 2pp. 85728:239-85728:313.

--9510050106 "Recurrence Rates of Volcanism in Basaltic Volcanic Fields: Example From Springerville Volcanic Field,AZ,USA."
CONDIT,C.D. Massachusetts, Univ. of, Amherst, MA. CONNOR,C.B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/06/29. 71pp. 85728:241-85728:313.

9510050115 Forwards record of resolution of comments on WVNS-SAR-002, Rev 3,Draft G,entitled "SAR for LLW Processing & Support Activities" dtd 940617.
SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/08. COMFORT,G.C. Office of Nuclear Material Safety & Safeguards. 7pp. 85728:195-85728:201.

9510050121 Forwards CNWRA 95-020, "Expert-Panel Review of Integrated Waste Package Experiments Research Project."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/20. MEEHAN,B.D. Division of Contracts (Post 940714). 2pp. 85733:068-85733:205.

--9510050141 CNWRA 95-020 "Expert-Panel Review of Integrated Waste Package Experiments Research Project."
CRAGNOLINO,G.A., SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/30. Office of Nuclear Regulatory Research (Post 941217). 136pp. 85733:070-85733:205.

9510050223 Forwards "Compliance Determination Method for Review Plan 4.4:Assessment of Compliance W/Design Criteria for Underground Facility-Progress Rept."
CHOWDHURY,A.H. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/14. JAGANNATH,B.N. Division of Waste Management (NMSS 940403). 1p. 85728:224-85728:238.

--9510050226 "Compliance Determination Method for Review Plan 4.4: Assessment of Compliance W/Design Criteria for Underground Facility-Progress Rept."
* Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/30. NRC - No Detailed Affiliation Given. 14pp. 85728:225-85728:238.

9510050230 Forwards sets of final remedial action plan for Slick Rock, CO,U mill tailings remedial action project site,for review & comments.Calculations encl also.
EDGE,R. Energy, Dept. of. 95/09/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85768:001-85777:251.

--9510050234 Rev 0 to DOE/AL/62350-197, "Comment & Response Document for Final Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Sites at Slick Rock,CO."
* Energy, Dept. of. * Jacobs Engineering Group, Inc. 95/09/30. 136pp. 85768:004-85768:139.

--9510050245 Rev 1 to DOE/AL/62350-21F, "Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Sites at Slick Rock,CO." W/one oversize map.
* Energy, Dept. of. * Jacobs Engineering Group, Inc. 95/09/30. 1,676pp. 85768:140-85772:358.

--9510050267 "UMTRA Project - Slick Rock Final Design for Review Calculation Index,Vols I,II,III & IV."
* Morrison-Knudsen Co., Inc. 95/09/12. 1,375pp. 85772:359-85776:278.

--9510050274 "UMTRA Project,Slick Rock,CO."
* Morrison-Hershfield, Ltd. 95/09/25. 336pp. 85776:279-85777:251.

9510050298 DOE/RW-0477 "Site Characterization Progress Rept:Yucca Mountain,NV," Oct 1994 - Mar 1995,Number 12.
* Energy, Dept. of. 95/08/31. 562pp. 85749:001-85750:198.

9510060050 Forwards "DOE OCRWM Ofc of QA Audit YM-ARP-95-19 of SNL Albuquerque,NM & Civilian Radwaste Mgt Sys Mgt & Operating Contractor Las Vegas,NV 950821-25."
HORTON,D.G. Energy, Dept. of. HLWR. 95/09/28. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 85767:014-85767:032.

--9510060056 YM-ARP-95-19 "DOE OCRWM Ofc of QA Audit YM-ARP-95-19 of SNL Albuquerque, NM & Civilian Radwaste Mgt Sys Mgt & Operating Contractor Las Vegas,NV 950821-25."
WEEKS,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 95/09/27. 17pp. 85767:016-85767:032.

9510060062 Forwards notes for meeting held at DOE office on 950913 re Clive Completion Rept,Central Valley Water Reclamation Facility Completion Rept & erosion protection matl at Gunnison,CO UMTRA site.
ARP,S.J. Energy, Dept. of. 95/09/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 11pp. 85735:229-85735:239.

9510060312 Responds to NRC 950602 ltr which provided evaluation of DOE Final Remedial Action Plan Comment & Response Document for Maybell,CO UMTRA site.
WOODWORTH,L.A. Energy, Dept. of. 95/09/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 7pp. 85748:281-85748:287.

9510100298 Forwards "OCRWM QA Audit Plan for Audit YM-ARC-96-02 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor at Lawrence Berkeley Lab Berkeley,CA 951030-1103."
HORTON,D.G. Energy, Dept. of. HLWR. 95/10/03. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 85767:113-85767:118.

--9510100312 "OCRWM QA Audit Plan for Audit YM-ARC-96-02 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor at Lawrence Berkeley,CA 951030-1103."
WARREN,C.C., HORTON,D.G. Energy, Dept. of. HLWR. 95/10/02. 4pp. 85767:115-85767:118.

9510120378 Notification of 951017 meeting w/DOE & NRC in Rockville,MD to discuss regulatory plan for repository alternative for plutonium disposition of excess weapons matl.
GARCIA,A. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/10/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85806:343-85806:345.

9510120390 Notification of 951010 meeting w/DOE & NRC in Rockville,MD to discuss items of mutual interest re disposal criticality control.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/25. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 85806:346-85806:348.

9510120406 Forwards recently revised UMTRA project audit schedule for CY95.Schedule lists dates for DOE/TAC QA in-process surveillance & health & safety,radiological & environ audits conducted at active UMTRA sites.
PAPUSCH,R. Jacobs Engineering Group, Inc. 95/09/29. BENNETT,R. Jacobs Engineering Group, Inc. 2pp. 85806:217-85806:218.

9510160199 Trip rept of 950910-15 visit to Saint Malo,France re fifth intl conference on chemistry & migration behaviour of actinides & fission products in Geosphere.
MURPHY,W.M., PEARCY,E.C. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/10/03. Center for Nuclear Waste Regulatory Analyses. 4pp. 85855:026-85855:029.

9510170124 Informs that DOE decided to discontinue quarterly hard copy distribution of Yucca Mountain Site Characterization Project technical data catalog,due to FY96 funding constraints.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/10/09. DELLIGATTI,M. NRC - No Detailed Affiliation Given. 4pp. 85855:071-85855:074.

9510170257 Trip rept of 950912-15,17-21 & 22 courses in Los Alamos,NM & Albuquerque,NM re MCNP computer code,nuclear criticality safety & tour of Sandia.
* Center for Nuclear Waste Regulatory Analyses. HLWR. 95/09/12. Center for Nuclear Waste Regulatory Analyses. 35pp. 85855:086-85855:119.

9510170269 Verifies Corrective Action & Closure of Corrective Action Request YM-95-048 resulting from Yucca Mountain QA Div Audit YM-ARP-95-13.Results satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/10/11. BARNES,W.E. Energy, Dept. of. 5pp. 85855:120-85855:124.

9510170407 Forwards "Comment & Response Document for Ground Water Protection Strategy for U Mill..." & "Ground Water Protection Strategy for U Mill Tailings Site...App E to Remedial Action Plan & Site Design for Stabilization...."
ABRAMS,M.F. Energy, Dept. of. 95/10/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 85854:012-85854:286.

--9510170408 DOE/AL/62350-194 R00 "Comment & Response Document for Ground Water Protection Strategy for U Mill Tailings Site at Green River,UT."
* Energy, Dept. of. 95/09/30. 21pp. 85854:013-85854:034.

--9510170409 "Ground Water Protection Strategy for U Mill Tailings Site At Green River,UT App E to Remedial Action Plan & Site Design for Stabilization of Inactive U Mill Tailings Site at Green River,UT."
* Energy, Dept. of. 95/09/30. 251pp. 85854:036-85854:286.

9510180028 Forwards radon barrier matl fill data re Tuba City,AZ UMTRA Project site completion rept.Data inadvertently omitted from Attachment 10 in 950623 transmittal.
EDGE,R. Energy, Dept. of. 95/09/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85866:323-85866:326.

9510180047 Notification of significant licensee meeting w/util on 951026 to discuss Title I uranium recovery project concerns. Agenda enclosed.
ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/06. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85867:012-85867:013.

9510180074 Trip rept of 950918-22 visit to City Of NY-Hunter College, New York,NY re exploration of digital terrain models for unmapped surface faults.
HENDERSON,D.B., MCKAGUE,H.L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/10/10. Center for Nuclear Waste Regulatory Analyses. 4pp. 85881:120-85881:123.

9510180162 Trip rept of 950827 visit to Beatty,NTS/Yucca Mountain & Las Vegas to discuss stops on all three field trip days & meeting held at Beatty Community Ctr.
MIKLAS,M.P., BAGTZOGLOU,A.C., MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/10/09. Center for Nuclear Waste Regulatory Analyses. 10pp. 85881:124-85881:133.

9510180184 Informs that per NRC 950830 request,arrangement made w/Univ of AZ,Dept of Hydrology & Water Resources point-of-contact to receive about two tons of core from DOE Apache Leap test site in AZ.Shipment made on 951003.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/10/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 85881:047-85881:048.

9510180222 Forwards DOE/NRC correspondence log that reports actions taken w/respect to all SCA open items since DOE initial Dec 1990 responses.
BROCOUM,S.J. Energy, Dept. of. HLWR. 95/10/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 6pp. 85881:105-85881:119.

9510180327 Forwards PMPR 95-13, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 950902- 29."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/10/12. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 1p. 85881:051-85881:104.

--9510180330 PMPR 95-13 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 950902-29."
* Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/10/13. NRC - No Detailed Affiliation Given. 53pp. 85881:052-85881:104.

9510180337 Forwards El du Pont,Glasgow site,El du Pont - Experimental Station,Hartley & Hartley - State of MI,US Army - Rock Island & Battelle Memorial Labs - Columbus non-standard submittals for review.W/o encl.
BYKOSKI,L.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/11. BAILEY,P. ICF, Inc. 1p. 85900:149-85900:149.

9510180367 Requests that Ofc of Admin provide support to NMSS in identifying room that can be given priority for videoconference & support in installling features necessary to accomodate equipment in room.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/09/21. NORRY,P.G. Office of Administration, Director (Post 940714). 3pp. 85865:279-85865:281.

9510180388 Responds to technical assisstance request of 950731 re Quanterra Environ Svcs request for disposal of soils in hazardous landfill at radioactivity limits of less than or equal to pCi/g.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/10/02. MADERA,J. Region 3 (Post 820201). 4pp. 85900:151-85900:154.

9510190038 Trip rept of 950914-15 & 950917-21 visit to Georgetown,CA- DOE Workshop re final DOE Workshop on Modeling Of Ground Motion At Yucca Mountain,NV & Present Technical Papers to American Nuclear Society's FOCUS '95 Meeting.
HOFMANN,R.B., MCKAGUE,H.L., SAGAR,B. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/10/03. Center for Nuclear Waste Regulatory Analyses. 10pp. 85910:215-85910:225.

9510190040 Forwards 950901 SRM approving final revised guidance of Non-AEA Act of 1954,Section 11e(2) byproduct matl in tailings impoundments & final position & guidance on use of U mill feed matls other than natural ores & 950922 FRN.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/06. PAULSON,O., GIBSON,M.H. Kennecott Corp. FERDINAND,B. Quivira Mining Co. 9pp. 85900:155-85900:206.

9510190079 Forwards final agenda for 951024-25 NRC/Natl Mining Assoc U recovery meeting in Rockville,MD.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/10/11. PAULSON,O., GIBSON,M.H. Kennecott Corp. FERDINAND,B. Quivira Mining Co. 10pp. 85900:220-85900:229.

9510190143 Requests review of DOE annotated outline for TR, "Disposal Criticality Analysis." Comments requested by 950929 for transmittal to DOE before NRC-DOE technical exchange on disposal criticality scheduled for 951010.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 95/09/14. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 1p. 85897:350-85897:350.

9510190182 Forwards Administrative Item 20-5702-411-503, "Justification of SEISM 1.1 Activities."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/10/04. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 6pp. 85898:001-85898:006.

9510190221 Trip rept of 950903-08 visit to Berlin,Germany to present paper, "Sharpening Focus:Defining Research Needs in Resource-Constrained Environ" at 5th Intl Conference on Radwaste Mgt & Environ Remediation.
PATRICK,W. Center for Nuclear Waste Regulatory Analyses. HLWR. 95/09/18. Center for Nuclear Waste Regulatory Analyses. 11pp. 85898:007-85898:017.

9510200068 Forwards "Audit Rept of Environmental Restoration & Waste Mgt (EM) Verification Projects Div (EM-323),Germantown,MD, Audit HQ-ARC-95-08 Conducted 950621-30."
HORTON,D.G. Energy, Dept. of. HLWR. 95/10/17. Energy, Dept. of. 2pp. 85928:071-85928:083.

--9510200070 HQ-ARC-95-08 "Audit Rept of Environmental Restoration & Waste Mgt (EM) Verification Projects Div (EM-323),Germantown,MD,Audit HQ-ARC-95-08 Conducted 950621-30."
BEARHAM,F., HORTON,D.G. Energy, Dept. of. HLWR. 95/10/18. 11pp. 85928:073-85928:083.

9510200355 Responds to 950713 ltr,requesting info on whether Salesco Sys USA will be required to obtain radioactive matls license from NRC in order to recycle metal halide lamps that contain thorium & thorium/tungsten alloy components.
ORLANDO,D.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/15. QUINN,J. Affiliation Not Assigned. 6pp. 85916:350-85916:355.

9510200370 Forwards revised ltr rept "Review of DOE Seismic Topical Rept YMP/TR-002-NP,Methodology to Assess Fault Displacement & Vibratory Ground Motion Hazards at Yucca Mountain."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/07/28. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 1p. 85928:084-85928:104.

--9510200374 Revised ltr rept "Review of DOE Seismic Topical Rept YMP/TR-002-NP,Methodology to Assess Fault Displacement & Vibratory Ground Motion Hazards at Yucca Mountain."
HOFMANN,R.B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/07/31. NRC - No Detailed Affiliation Given. 20pp. 85928:085-85928:104.

9510230086 Forwards CNWRA 95-015, "Potential Implications of Colloids on Long-Term Performance of High-Level Radwaste Repository."
SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/27. INTERRANTE,C.G. Division of Waste Management (NMSS 940403). 1p. 85928:136-85928:247.

--9510230088 CNWRA 95-015 "Potential Implications of Colloids on Long-Term Performance of High-Level Waste Repository."
MANAKTALA,H., TURNER,D. Center for Nuclear Waste Regulatory Analyses. AHN,T. NRC - No Detailed Affiliation Given. NRC-02-93-005. HLWR. 95/09/30. Division of Waste Management (NMSS 940403). 100pp. 85928:137-85928:247.

9510230094 Advises that auditors from Yucca Mountain QA Division will conduct QA audit of CRWMS M & O QA program for Kiewit/PB in Las Vegas,NV 951113-17.
HORTON,D.G. Energy, Dept. of. HLWR. 95/10/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 85928:105-85928:110.

--9510230110 "OCRWM QA Audit Plan for Audit YM-ARC-96-03 of CRWM Sys Mgt & Operating Contractor at Kiewit/Parsons Brinckerhoff in Las Vegas,NV 951113-17."
MARTIN,J.S., HORTON,D.G. Energy, Dept. of. 95/10/06. 4pp. 85928:107-85928:110.

9510230117 Forwards record of Surveillance YMP-SR-95-042 to verify that LBL ready to implement own QA program & QA requirements & description document DOE/RW-0333P,Rev 4,requirements for applicable QA program elements selected.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/10/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 16pp. 85928:111-85928:126.

9510230121 Forwards Issuance of Surveillance Record YMP-SR-95-054 resulting from Yucca Mountain QA Div Surveillance of Yucca Mountain Site Characterization Ofc Mgt & Operating Contractor,Las Vegas,NV.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/10/06. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 85928:127-85928:132.

9510230154 Forwards public background info on Interagency Steering Committee on Radiation Stds.W/o encl.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 95/09/15. GORDAY,C. End User Support Services Branch (IRM, 940220). 1p. 85912:246-85912:246.

9510230197 Responds to Governors Nelson & Schafer 950726 ltr to Selin, providing Western Governors Assoc (WGA) policy resolutions re transportation,storage & disposal of spent fuel & HLW, adopted during WGA 1995 annual meeting.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. HLWR. 95/09/06. SOUBY,J.M. Western Governors' Association. 2pp. 85928:133-85928:135.

9510230203 Accepts DOE final long-term surveillance plan for Lakeview, OR UMTRA Project site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 95/09/15. SENA,R.F. Energy, Dept. of. 2pp. 85912:255-85912:256.

9510240161 Informs that staff has evaluated responses to DRs YMQAD-95- D011 & YMQAD-95-D013 & determined responses to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/10/13. FOUST,L.D. TRW Environmental Safety Systems, Inc. 8pp. 85995:091-85995:098.

9510250034 Submits response to 950515 ltr re DOE Generic Applications for Suppl Stds for Underground Utility Lines within Grand Junction Vicinity Properties Project Area GJ-97013-OT.
HAMP,S. Energy, Dept. of. 95/10/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 85986:356-85986:359.

9510250107 Requests that responsible individual review reported info for any action.
HORTON,D.G. Energy, Dept. of. HLWR. 95/10/18. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 16pp. 85995:124-85995:139.

9510250281 Forwards draft Rev 1 to DOE/AL/62350-187, "Long-Term Surveillance Plan for Falls City Disposal Site,Falls City, TX" for review & comment.W/two oversize drawings.
WOODWORTH,L.A. Energy, Dept. of. 95/08/09. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 86021:008-86021:123.

-9510250288 Draft Rev 1 to DOE/AL/62350-187, "Long-Term Surveillance Plan for Falls City Disposal Site,Falls City,TX." W/two oversize drawings.
* Jacobs Engineering Group, Inc. 95/08/31. 112pp. 86021:011-86021:123.

9510260040 Informs that rept, "Potential Implications of Colloids on Long-Term Performance of HLW Repository" transmitted via 950927 ltr reviewed & found to meet requirements for Intermediate Milestone 20-5702-523-540.
INTERRANTE,C.G. Engineering & Geosciences Branch (NMSS 940403). HLWR. 95/10/17. SRIDHAR,N. Center for Nuclear Waste Regulatory Analyses. 1p. 86007:232-86007:232.

9510260044 Forwards Rev 1 to CNWRA 94-023, "Three-Dimensional Geological Framework Model for Yucca Mountain,NV,W/ Hydrologic Application:Rept to Accompany 1995 Model Transfer to NRC."
MCKAGUE,H.L. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/28. JUSTUS,P.S. Office of Nuclear Material Safety & Safeguards. 1p. 86007:233-86007:299.

-9510260045 CNWRA 94-023 R01 Rev 1 to "Three-Dimensional Geological Framework Model for Yucca Mountain,NV,W/Hydrologic Application:Rept to Accompany 1995 Model Transfer to NRC."
STIREWALT,G.L., HENDERSON,D.B. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/30. Division of Waste Management (NMSS 940403). 66pp. 86007:234-86007:299.

9510260048 Forwards Intermediate Milestone 20-5702-723-602, CNWRA 95-018, "Initial Analysis of Selected Site-Specific Dose Assessment Parameters & Exposure Pathways Applicable to Groundwater Release Scenario at Yucca Mountain."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/10/02. LEE,M.P. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 86008:001-86008:099.

-9510260054 CNWRA 95-018 "Initial Analysis of Selected Site-Specific Dose Assessment Parameters & Exposure Pathways Applicable to Groundwater Release Scenario at Yucca Mountain."
LAPLANTE,P.A., MAHERAS,S.J., JARZEMBA,M.S. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 95/09/30. Division of Waste Management (NMSS 940403). 98pp. 86008:002-86008:099.

9510260083 Forwards Project Interface Documents 14-S-01,14-S-02, 14-S-04,Rev 1 & 14-S-05 for Maybell,CO U mill tailings site.
WOODWORTH,L.A. Energy, Dept. of. 95/10/16. CARLSON,R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 62pp. 85996:072-85996:132.

9510270195 Forwards OCRWM QA Audit YM-ARP-95-20 rept of USGS in support of Yucca Mountain Site Characterization Project.Audit conducted during period 950906-15.
HORTON,D.G. Energy, Dept. of. 95/10/23. CRAIG,R.W. Affiliation Not Assigned. 2pp. 85939:233-85939:260.

-9510270201 "OCRWM Ofc of QA Audit Rept YM-ARP-95-20 of USGS," for period 950906-14.
GILKERSON,K.O., HORTON,D.G. Energy, Dept. of. 95/10/20. 26pp. 85939:235-85939:260.

9510270237 Forwards rept of OCRWM QA supplier survey OQA-95-DE-002. Survey did not identify deficiencies that would prevent Baker Hughes from being added to qualified suppliers list.
HORTON,D.G. Energy, Dept. of. 95/10/23. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 85939:261-85939:267.

-9510270246 "Supplier Survey Rept of Baker Hughes,INTEQ,Rept Number OQA-95-SE-002,951004-05."
MASLER,S.R., HORTON,D.G. Energy, Dept. of. 95/10/20. 5pp. 85939:263-85939:267.

9510270341 Forwards "Supplier Audit Rept of Dubose National Energy Services,Inc Clinton,NC."
HORTON,D.G. Energy, Dept. of. HLWR. 95/10/20. FOUST,L.D. Energy, Dept. of. 2pp. 86048:331-86048:336.

-9510270344 OQA-SA-95-003 "Supplier Audit Rept Of Dubose National Energy Services,Inc Clinton,NC."
KLIMAS,D.A., HORTON,D.G. Energy, Dept. of. HLWR. 95/10/20. 4pp. 86048:333-86048:336.

9510300244 Verifies Corrective Action & Closure of Deficiency Rept YMQAD-95-D013 resulting from Yucca Mountain QA Div Audit YM-ARP-95-19 of Civilian Radwaste Mgt Sys Mgt & Operating Contractor.
SPENCE,R.E. Energy, Dept. of. HLWR. 95/10/24. FOUST,L.D. TRW Environmental Safety Systems, Inc. 3pp. 86089:345-86089:347.

XPORTLIC EXPORT AND IMPORT LICENSES

9510060034 Forwards rev 2 to NRC notification of 950803,which changes internal ref from ABB-E-4 to ABB-E-5.
CONDREY,D. Edlow International Co. 95/08/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:028-85693:031.

-9510060045 Rev 1 to licensee original of 950803,notifying of upcoming shipment of U hexafluoride,fissile to Sweden on 950912. Rev changes transfer point from Baltimore,MD to Port Elizabeth,NJ.
CONDREY,D. Edlow International Co. ABB-E-4. 95/08/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:029-85693:029.

-9510060049 Notifies of upcoming shipment of U hexafluoride,fissile to Sweden on 950905.Transfer point will be in Baltimore,MD.
* Edlow International Co. ABB-E-4. 95/08/03. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:030-85693:030.

-9510060063 Rev 2 to licensee original of 950803,notifying of upcoming shipment of U hexafluoride,fissile to Sweden on 950912. Rev changes internal ref from ABB-E-4 to ABB-E-5.
CONDREY,D. Edlow International Co. ABB-E-5. 95/08/17. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 85693:031-85693:031.

9510110014 Application for license to export "Class A" LLW to Russia.
* . 95/08/22. 16pp. 85786:001-85786:116.

-9510110156 Forwards application of Master Intl Sys USA Corp for export license for export of class A LLW to Russia.Application fee for listed amount encl.
GLASGOW,J.A. Morgan, Lewis & Bockius. 95/08/22. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85786:005-85786:005.

-9510110168 Forwards rev to 950907 briefing paper on behalf of Master Intl Sys USA Corp.Responds to inquiries re supplementation of data on typical,anticipated radionuclide content & concentrations & operation of disposal facility in Russia.
SILVERMAN,D.J. Morgan, Lewis & Bockius. 95/09/26. HAUBER,R. Office of International Programs (Post 911117). 2pp. 85786:006-85786:007.

-9510110182 Memoradum & brief providing background info w/respect to request by Master Intl Sys USA Corp for specific license to export LLW to Republic of Dagestan,Russia,in addition to info contained in 950822 application.
MAGOMEDOV,N., ILYASOV,Z . 95/09/26. 18pp. 85786:008-85786:028.

-9510110198 Discusses waste export application,advising that statement concerning compliance w/US requirements be removed & explanatory ltr should be written by D Silverman of Morgan, Lewis & Bockius.
FONNER,S. NRC - No Detailed Affiliation Given.* 95/09/14. WRIGHT,B.L., HEMBY,E.O., RAMSEY,J.E. NRC - No Detailed Affiliation Given. 1p. 85786:029-85786:029.

-9510110203 Discusses Dagestan waste export application,advising that low concentrations of waste to be exported,as reported in briefing,could be viewed as misleading,if higher concentrations of waste exported by licensee at later date.
WEBER,M.F. NRC - No Detailed Affiliation Given. 95/09/14. HAUBER,R.D. NRC - No Detailed Affiliation Given. 1p. 85786:030-85786:031.

-9510110234 Discusses waste export application,advising that statement concerning facility operation according to US govt regulations potentially confusing,if not misleading,since NRC will not be licensing or inspecting site operations.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/14. WRIGHT,B.L., HEMBY,E.O., RAMSEY,J.E. NRC - No Detailed Affiliation Given. 1p. 85786:032-85786:033.

-9510110328 Submits e-mail posted on nukenet,discussing intl waste shipping plan & proposal between Master Intl Sys & Maine Intl Airport in Bangor,ME for LLW transfer site for LLW on its way to Russia.
* Affiliation Not Assigned. 95/09/16. KENNEDY,J.E. NRC - No Detailed Affiliation Given. 2pp. 85786:034-85786:037.

-9510110375 Ack receipt of comments & informs that State Dept will sort out required consultations & approvals from Russia & Dagestan.Advises that license could place continuing obligations on exporter to distribute to affected parties.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/12. FONNER,S.G. NRC - No Detailed Affiliation Given. 1p. 85786:038-85786:039.

-9510120054 Informs of desire to expedite distribution of application & suppls to States & Compacts,distribute ltr to State Dept requesting US consultations w/ Russia,Dagestan & other countries & views of Executive Branch re subj proposal.
HAUBER,R.D. NRC - No Detailed Affiliation Given. 95/09/11. FONNER,S.G., NELSON,R.A., WEBER,M.F. NRC - No Detailed Affiliation Given. 1p. 85786:040-85786:041.

-9510120060 Advises that NRC should strive to minimize intrusion of new rule into already-regulated FC activities of marginal interest under Code of Practice.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/05. FONNER,S.G. NRC - No Detailed Affiliation Given. 1p. 85786:042-85786:042.

-9510120070 Advises determining whether or not nuclear matl going back to FC or going into storage/disposal mode.Advises of incinerating as treatment in process of recovery of nuclear matl,if matl not intended for storage or disposal.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/01. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85786:043-85786:043.

--9510120078 Discusses terms of Siemens specific export license,exporting U to Germany in contaminated HEPA filters & noncombustible matl in drums.Advises that Siemens/Hanford does not need any new export authority,since specific licenses not effected.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/10. FONNER,S.G. NRC - No Detailed Affiliation Given. 1p. 85786:044-85786:044.

--9510120098 Submits "creative solution" re incineration of radwaste, advising that NRC state further use of exported ash by visualizing leaching process as that use & that export of ash listed as incidental radioactive matl.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/08/10. HAULIA,R.D. NRC - No Detailed Affiliation Given. 1p. 85786:045-85786:046.

--9510120106 Concurs w/interpretation that filters containing AE matls have leaching/resource recovery use that will be consummated following incineration in US.
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/10. FONNER,S.G. NRC - No Detailed Affiliation Given. 1p. 85786:047-85786:047.

--9510120120 Inquires as to whether transactions waste exports or recycle/resource recovery activities under new rule & whether we can issue single license covering both import & export transactions if determined to involve waste.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/08/10. HAUBER,R.D. NRC - No Detailed Affiliation Given. 3pp. 85786:048-85786:050.

--9510120177 Submits comments re Dagestan waste export application.States that getting consent document from Russian govt depends upon whether Russia retains any legal authority over imports into Degestan.Requests that State Dept address this issue.
FONNER,S. NRC - No Detailed Affiliation Given. 95/09/12. WEBER,M.F., NELSON,R.A., ROTHSCHILD,T.T. NRC - No Detailed Affiliation Given. 1p. 85786:051-85786:051.

--9510120195 Forwards briefing paper re Master Intl Sys USA Corp LLW export plans in order to expedite review of 950822 application for specific license under 10CFR110 to export Class A LLW to Russian Republic of Dagestan.
SILVERMAN,D.J. Morgan, Lewis & Bockius. 95/09/07. HAUBER,R. Office of International Programs (Post 911117). 1p. 85786:052-85786:052.

--9510120203 Memo & brief providing background info w/respect to request by Master Intl Sys Corp for specific license to export LLW to Republic of Dagestan,in addition to info contained in 950822 license application.
MAGOMEDOV,N., ILYASOV,Z. . 95/09/07. 18pp. 85786:053-85786:070.

--9510120216 Concurs w/proposed "Item of Interest."
HAUBER,R.D. Office of International Programs (Post 911117). 95/08/26. NELSON,R.A. NRC - No Detailed Affiliation Given. 3pp. 85786:071-85786:073.

--9510120262 Informs of desire to meet next Mon or Wed to discuss listed topics & actions necessary for support of Master Intl Sys USA Corp license application.Requests advisement re availability to attend meeting.
NELSON,R.A. NRC - No Detailed Affiliation Given. 95/08/24. HAUBER,R.D., SALOMON,S.N., SOLLENBERGER,D. NRC - No Detailed Affiliation Given. 3pp. 85786:074-85786:076.

--9510120268 Comments that license application from Morgan,Lewis & Bockious appears very lightweight & that applicant appears to be looking for open ended license for 4 yrs.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/08/23. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 85786:077-85786:077.

--9510120284 Forwards proposed "Item of Interest-Div of Waste Mgt-Export of LLW to Dagestan" re meeting w/legal representatives for Master Intl Sys USA Corp discussing export licensing process. "Item of Interest" encl.
NELSON,R.A. NRC - No Detailed Affiliation Given. 95/08/16. HAUBER,R.D. NRC - No Detailed Affiliation Given. 2pp. 85786:078-85786:079.

--9510120297 Summary of 950815 meeting w/legal representatives from Master Intl Sys USA Corp re export of LLW,by prospective licensee applicant,to Russia.
SWEENEY,M. NRC - No Detailed Affiliation Given. 95/08/16. HEMBY,E. NRC - No Detailed Affiliation Given. 3pp. 85786:080-85786:084.

--9510120333 Ack receipt of info & news clippings & informs that Master Intl Sys has made no shipment to Dagestan,but will submit export application & fly waste out of Bangor,ME to Dagestan upon implementation of NRC rule,per project atty,T Tascano.
HAUBER,R.D. Office of International Programs (Post 911117). 95/07/10. HEMBY,E.O. NRC - No Detailed Affiliation Given. 9pp. 85786:085-85786:095.

--9510120393 Informs of advising atty representing Master Intl Sys USA Corp,T Tascano,that Commission approved rule requiring specific licensing of radwaste exports & imports.States that rept of 10,000 barrel shipment of LLW untrue,per T Tascano.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/09. THOMPSON,H.R. NRC - No Detailed Affiliation Given. 13pp. 85786:096-85786:109.

--9510130045 Informs that technical library has map where Dagestahn can be located.Comments that it appears that export of radwaste will take place over long period of time & purpose of shipment disposal or storage,requiring specific license.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/06/07. SALOMON,S.N. NRC - No Detailed Affiliation Given. 1p. 85786:110-85786:112.

--9510130053 Informs of response to inquiry from state programs re legal obligations of exporter under part 110,discussing specific export license requirements as re current rule & proposed export/import rule amends.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/06/07. HAUBER,R.D. NRC - No Detailed Affiliation Given. 1p. 85786:113-85786:113.

--9510130070 Requests response from Region I re status of exports of LLW from Maine to Russia.Comments that export taking place under general license would need verification depending upon radionuclides involved & destination.
WEBER,M.F. NRC - No Detailed Affiliation Given. 95/06/06. KENNEDY,J.E. NRC - No Detailed Affiliation Given. 1p. 85786:114-85786:114.

--9510130074 Informs of being unable to confirm Russian ban on import of all radioactive waste & that according to Ukranian proposal, transport of radioactive waste & matls into Russia prohibited,IAW law on environ protection enacted in Russia.
FONNER,S.G. NRC - No Detailed Affiliation Given. 95/07/07. SALOMON,S.N. NRC - No Detailed Affiliation Given. 1p. 85786:115-85786:115.

--9510130089 Informs that Afton reps still interested in exporting to Dagestan due to price differential & that Russians have ban on import of all radioactive waste,per L Lehman quote from article 50,environ laws.Requests that ban be checked out.
SALOMON,S. NRC - No Detailed Affiliation Given. 95/07/06. FONNER,S.G. NRC - No Detailed Affiliation Given. 1p. 85786:116-85786:116.

9510110355 Forwards application for export & requests that Dept of State assist in obtaining necessary assurances required. W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/27. DELABARRE,R. State, Dept. of. 1p. 85765:360-85765:360.

9510110402 Forwards ltr for General Electric Co requesting addl changes to pending amend 2 for export license XSNM-1662.Changes listed.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/09/27. DELABARRE,R. State, Dept. of. 1p. 85762:360-85762:360.

9510110403 Requests listed changes to proposed amend to license XSNM-1662.
LARUE,M.J. General Electric Co. 95/09/25. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85764:323-85764:324.

9510120413 Forwards request for issuance of export license to authorize listed shipments of UO2 fuel assemblies.
NOSS,D.L. Siemens Corp. DLN:95:130. 95/09/20. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85777:351-85777:352.

--9510110400 Application for license to export UO2 fuel assemblies containing 158,000 kg U enriched to max of 5.0 w/o U,to Taiwan.
NOSS,A.L. Siemens Corp. 95/09/19. 1p. 85777:352-85777:352.

9510130348 Responds to 950830 request,concluding that listed W application meets requirements of AEA,amended by NNPA of 1978 & that proposed export will not be inimical to common defense & security of US.Recommends issuance of license.
MCGOLDRICK,F. State, Dept. of. 95/10/05. STOIBER,C.R. Office of International Programs (Pre 870413). 2pp. 85813:027-85813:028.

9510130352 License for Westinghouse Electric Corp to export .30 kg U-235 contained in 28 kg U in form of irradiated fuel rods & .35 kg Pu,to Canada.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/06. 2pp. 85813:024-85813:025.

9510160052 Forwards application for export license XSNM-2901 for export of low-enriched U for use as reload fuel for Tomari Unit 1 in Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/12. DELABARRE,R. State, Dept. of. 1p. 85813:140-85813:140.

9510160070 Forwards repts listing all NRC export cases which were completed,received or pending during month of Aug 1995, for info.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/12. DELABARRE,R. State, Dept. of. 7pp. 85833:337-85833:349.

9510160093 Forwards application for export license for low enriched U for use as reload fuel for Fukushima I,Unit 3 & Fukushima II Unit 3 in Japan.Ltr of assurance requested.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/12. DELABARRE,R. Energy, Dept. of. 1p. 85813:192-85813:192.

9510160101 Forwards application for export license for low enriched U for use as reload fuel for Tsuruga,Unit 2 in Japan.Ltr of assurance requested.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/12. DELABARRE,R. Energy, Dept. of. 1p. 85813:202-85813:202.

9510160110 Forwards application for license to export slightly enriched UF6 to Japan.
LANG,Y. Mitsubishi International Corp. HSA-5496-03. 95/10/04. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85813:171-85813:173.

--9510160108 Application for license to export enriched UF6 to Japan.
MAYEDA,Y. Mitsubishi International Corp. HSA-5496-03. 95/10/02. 1p. 85813:173-85813:173.

9510160120 Informs that US Embassy has exchanged w/Govt of Japan diplomatic notes for cases 329-332.
TANSKI,S. U.S. Embassies. 95/10/12. DELABARRE,R., WEANT,D. State, Dept. of. 1p. 85813:203-85813:203.

9510160126 Forwards ltr from General Atomics requesting update on status of pending export license application.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/11. DELABARRE,R. State, Dept. of. 1p. 85813:204-85813:204.

9510160129 Forwards application for license to export natural & enriched UF6 to Japan.
LANG,Y. Mitsubishi International Corp. HSA-5496-02. 95/09/27. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85813:168-85813:170.

--9510160125 Application for license to export natural & enriched UF6 to Japan.
MAEDA,Y. Mitsubishi International Corp. HSA-5496-02. 95/09/28. 1p. 85813:170-85813:170.

9510160132 Application for license to export enriched UF6 to Japan.
* Mitsui & Co. (USA), Inc. MBK-F3-R17. 95/09/28. 2pp. 85813:205-85813:206.

9510160134 Forwards 950926 ltr to J Bellinger & R Leslie re export to Canada some of Australian-origin matl,including plutonium for post irradiation exam.
KINCAID,C. Energy, Dept. of. 95/09/26. WRIGHT,B. Office of International Programs (Post 911117). 3pp. 85813:207-85813:209.

9510160139 Forwards 950928 ltr to C Kincaid on behalf of Australian Govt & w/ref to NRC export license application XSNM02890.
KINCAID,C. Energy, Dept. of. 95/09/28. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85813:210-85813:211.

9510160148 Requests status of application for export license XSNM-2858, submitted 950103,for shipment of SNM to Columbia.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/10/02. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85813:143-85813:143.

9510160150 Responds to 950926 inquiry on proposed transfer of license XSNM-2890.
LAIDLAW,A. Canada Atomic Energy Control Board. 95/09/26. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 85813:212-85813:212.

9510160159 Confirms that items listed in attachments to note 579 will be held subj to agreement upon entries into territorial jurisdiction of Japan & that proposed recipients authorized persons in Japan.
* Japan. 95/09/12. U.S. Embassies. 8pp. 85813:213-85813:220.

9510160183 Forwards check payable to NRC in stated amount for processing two requested license amends.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-95-044. 95/09/21. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85816:351-85816:355.

--9510160189 Requests for amend to NRC license XR-150 re two export of nuclear utilization units to South Korea.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). LD-95-041. 95/09/14. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 85816:352-85816:352.

--9510160193 Discusses requested amends to licenses XR-150 & XSNM-2258.
PAGGEN,V. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 95/09/15. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 85816:353-85816:355.

9510190407 Discusses Master Intl Sys,USA Corp license application XW001 for export of LLW to Republic of Dagestan,Russia.
HAUBER,R.D., STOIBER,C.R., SHEE,J.R. Office of International Programs (Post 911117). 95/10/12. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 85882:108-85882:108.

9510250255 Submits advance notification of import shipment of 7 cylinders of UF6 in sealed overpacks.
HEHR,W. Affiliation Not Assigned. 0895-625. 95/09/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 4pp. 85904:094-85904:097.

9510250259 Submits advance notification of listed import shipment of 432 drums of U ore concentrate in 9x 20 ft ocean containers, per requirements for implementation of Convention of Physical Protection of Nuclear Matl.
HEHR,W. Affiliation Not Assigned. 95/08/29. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 85904:103-85904:104.

9510250261 Submits advanced notification of export shipment of special nuclear matl of low strategic significance,per 10CFR73.73.
HOLDEN,D.W. General Electric Co. SPN-51782-F. 95/09/11. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:106-85904:108.

9510250262 Submits advance notification of listed export shipment,per requirememnts by 10CFR73.73.
SHIROTA,Y. Mitsui & Co. (USA), Inc. 95/09/11. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:109-85904:110.

9510250272 Submits advance notification of export shipment of listed special nuclear matl of low strategic significance,IAW requirements in 10CFR73.73,to Japan.
MCLAUGHLIN,J. Transnuclear, Inc. 95072-6. 95/08/15. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:111-85904:112.

9510250275 Submits advance notification of listed import shipment,per requirements from implementation of convention of physical protection of nuclear matl.
HEHR,W. . 95/08/01. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85904:113-85904:114.

9510250279 Submits advance notification of import shipment of eight cylinders of UF6 in sealed overpacks.Cylinder 30-B containing 18,480 kgs U enriched to approximately 2.7% weight of U-235.
HEHR,W. Affiliation Not Assigned. 0895-618. 95/08/24. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 4pp. 85904:115-85904:118.

9510250290 Notifies NRC of upcoming shipment of low enriched UF6 to Japan.
ASAMI,K. Affiliation Not Assigned. 95/08/03. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 85904:121-85904:123.

9510250307 Forwards copy of export license XSNM-2878 per 950803 ltr.
SAITO,A. Affiliation Not Assigned. 95/09/06. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 3pp. 85904:124-85904:126.

9510260133 Submits advance notification of import shipment of one 40 ft ocean container containing 54 empty U02 drums to arrive at Port of Elizabeth,NJ on or about 951012.
HEHR,W. Affiliation Not Assigned. 95/09/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 85923:268-85923:269.

9510260138 Submits confirmation that U02 for U F6-R13 second shipment arrived at JNF on 951012,as scheduled,in good condition.
SVEJKOVSKY,J. Mitsui & Co. (USA), Inc. 95/10/23. BENNINGTON,G. NRC - No Detailed Affiliation Given. HOLDEN,D.W., BRECHTLEIN,T. General Electric Co. 1p. 85923:273-85923:273.

9510260143 Forwards repts that list all NRC export cases which were completed,received or pending during month of Aug 1995. Informs that 11 export cases completed,5 new export license applications received & 44 cases pending as of 950930.
HAUBER,R.D. Office of International Programs (Post 911117). 95/10/24. DELABARRE,R. State, Dept. of. 7pp. 85947:327-85947:338.

9510270129 Confirms that items listed in attachments to note 622 will be held subj to agreement upon entries into territorial jurisdiction of Japan.
* U.S. Embassies. 95/09/05. Japan. 11pp. 85993:347-85993:357.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ABBOTT,R.B.	9510060014	50-410 S
ABBOTT,R.B.	9510060024	50-410 S
ABBOTT,R.B.	9510060070	50-410 S
ABBOTT,R.B.	9510110207	50-410 S
ABBOTT,R.B.	9510200048	50-410 R
ABOU-JAOUDE,C.	9510020099*	50-245 P
ABOU-JAOUDE,C.	9510020102*	50-245 P
ABOU-JAOUDE,C.	9510020107*	50-245 P
ABRAMS,C.	9510180047	WASTE MGT
ABRAMS,M.F.	9510170407	WASTE MGT
ABU-EID,B.	9510050167*	40-8838
ACHARYA,S.	9510030117	71-5957
ACHARYA,S.	9510230214	71-9099
ACKMAN,O.	9510310269	40-8948
ACKMAN,O.	9510310316	40-8948
ACKMAN,O.	9510310403	40-8948
ADAMS,A.	9510020193	50-151 F
ADAMS,A.	9510020204	50-131 F
ADAMS,A.	9510040225	50-151 P
ADAMS,A.	9510040233	ORG
ADAMS,A.	9510040249	ORG
ADAMS,A.	9510110345	50-146 P
ADAMS,A.	9510120130	ORG
ADAMS,A.	9510200287	50-62 P
ADAMS,A.	9510250082	50-170 P
ADAMS,A.	9510250098	ORG
ADAMS,A.	9510260023	50-89 I
ADAMS,A.	9510300199	50-62 P
ADAMS,M.	9510260185*	40-8027
ADAMS,M.T.	9510260030	70-1257
ADAMS,T.M.	9510310370	NUREG
ADAMS,T.M.	9510310376	NUREG
ADDITON,S.	9510030239*	52-3
ADDOTT,R.B.	9510160212	50-410 S
ADENSAM,E.G.	9510020274	ORG
ADER,C.E.	9510190367*	50-313 P
ADNEY,R.J.	9510300002	50-327 S
AFFOLTER,R.D.	9510100329	50-483 R
AHN,T.	9510230088*	WASTE MGT
AHN,T.M.	9510040005	WASTE MGT
AJLUNI,M.J.	9510270009	50-348 F
AKERS,D.W.	9510050049*	50-313 P
AKERS,D.W.	9510160153*	50-250 P
AKERS,D.W.	9510160153*	50-250 P
AKERS,D.W.	9510310071*	50-498 P
AKERS,D.W.	9510310366*	50-277 P
ALEXANDER,S.	9510060067	50-29 H
ALEXION,T.W.	9510020223	50-498 F
ALEXION,T.W.	9510020286	50-498 P
ALEXION,T.W.	9510020367	50-498 P
ALEXION,T.W.	9510310057	50-498 P
ALI,A.	9510020099*	50-245 P
ALI,A.	9510020102*	50-245 P
ALI,A.	9510020107*	50-245 P
ALLAN,M.D.	9510190129*	FOIA
ALLAN,M.D.	9510240054*	FOIA
ALLAN,M.D.	9510310124*	FOIA
ALLAN,W.D.	9510270124*	FOIA
ALLEN,D.E.	9510100323	QA999
ALLEN,J.	9510240303*	27-47
ALLISON,S.M.	9510170014	50-348 R
ALTENBACH,T.J.	9510060245	NUREG
AMORY,H.I.	9510120048*	FOIA
AMORY,H.I.	9510120061*	FOIA
AMORY,H.I.	9510120072*	FOIA
AMORY,H.I.	9510120082*	FOIA
AMORY,H.I.	9510120114*	FOIA
AMORY,H.I.	9510120142*	FOIA
AMORY,H.I.	9510310100*	FOIA
AMORY,H.I.	9510310125*	FOIA
AMORY,H.I.	9510310155*	FOIA
AMTEY	9510230101*	FOIA
AMTEY,S.	9510310143*	FOIA
AMTEY,S.R.	9510110251*	FOIA
AMTEY,S.R.	9510120164*	FOIA
AMTEY,S.R.	9510130210*	40-962
AMTEY,S.R.	9510130363*	FOIA
AMTEY,S.R.	9510160014*	FOIA
AMTEY,S.R.	9510180229*	FOIA
AMTEY,S.R.	9510180253*	FOIA
AMTEY,S.R.	9510180273*	FOIA
AMTEY,S.R.	9510180283*	FOIA
AMTEY,S.R.	9510180287*	FOIA
AMTEY,S.R.	9510180295*	FOIA
AMTEY,S.R.	9510180299*	FOIA
AMTEY,S.R.	9510190005*	FOIA
AMTEY,S.R.	9510190010*	FOIA
AMTEY,S.R.	9510190059*	FOIA
AMTEY,S.R.	9510190112*	FOIA
AMTEY,S.R.	9510190123*	FOIA
AMTEY,S.R.	9510230084*	FOIA
AMTEY,S.R.	9510230113*	FOIA
AMTEY,S.R.	9510230118*	FOIA
AMTEY,S.R.	9510230308*	FOIA
AMTEY,S.R.	9510230337*	FOIA
AMTEY,S.R.	9510230345*	FOIA
AMTEY,S.R.	9510230362*	FOIA
AMTEY,S.R.	9510230370*	FOIA
AMTEY,S.R.	9510230375*	FOIA
AMTEY,S.R.	9510240017*	FOIA
AMTEY,S.R.	9510270309*	FOIA
AMTEY,S.R.	9510270313*	FOIA
AMTEY,S.R.	9510310021*	40-962
AMTEY,S.R.	9510310103*	FOIA
AMTEY,S.R.	9510310196*	FOIA
ANDERSEN,J.W.	9510050208	50-245 G
ANDERSEN,J.W.	9510110187	50-245 P
ANDERSEN,J.W.	9510110408*	50-245 P
ANDERSON,C.	9510190145*	50-387 Q
ANDERSON,C.J.	9510050187	50-277 Q
ANDERSON,C.J.	9510180165	50-352 Q
ANDERSON,C.J.	9510180176*	50-352 Q
ANDERSON,C.J.	9510190131	50-387 Q
ANDERSON,C.J.	9510230298	50-277 Q
ANDERSON,C.J.	9510230306*	50-277 Q
ANDERSON,M.L.	9510180019	50-305 R
ANDERSON,P.A.	9510310064*	STATE PRO G
ANDERSON,R.D.	9510310402	50-293 R
ANDERSON,R.O.	9510110116	50-263 F
ANDERSON,R.O.	9510110293	50-282 Q
ANDERSON,R.O.	9510170006	50-263 R
ANDERSON,R.O.	9510180118	50-306 S
ANDERSON,R.T.	9510110257*	FOIA
ANDERSON,S.L.	9510110327*	50-323 P
ANDRACHEK,J.D.	9510030227*	TOPREP
ANDRE,G.R.	9510030227*	TOPREP
ANDREWS,C.E.	9510130140*	FOIA
ANDREWS,C.E.	9510310085*	FOIA
ANDREWS,C.E.	9510310109*	FOIA
ANDREWS,S.J.	9510250397	QA999
ANDREWS,S.J.	9510270234	PT21
ANGUS,M.J.	9510130384	50-275 F
ANTRASSIAN,A.	9510130263	50-346 S
APPEL,G.	9510110255	STATE PRO G
ARCHITZEL,R.E.	9208280145*	FOIA
ARENTS,C.A.	9510130115*	FOIA
ARENTS,C.A.	9510310160*	FOIA
ARMENTA,J.	9510130292*	50-298 Q
ARMSTRONG,L.	9510270326	CONTRACT
ARMSTRONG,W.D.	9510120089*	FOIA
ARMSTRONG,W.D.	9510120232*	FOIA
ARMSTRONG,W.D.	9510130091*	FOIA
ARNOLD,W.M.	9510040041	71-9234
ARNOLD,W.M.	9510040051*	71-9234
ARNOLD,W.M.	9510310412	71-9196
ARNOTT,C.	9510030023	STATE PRO G
ARNOTT,C.	9510130372	STATE PRO G
ARP,S.J.	9510060062	WASTE MGT
ARREDONDO,S.	9510310388	30-29251
ARREDONDO,S.	9510310395	30-29251
ARREDONDO,S.A.	9510230175*	40-6940
ARYA,A.P.	9510120124*	FOIA
ARYA,A.T.	9510120084*	FOIA
ASAMI,K.	9510250290	XPORTLIC
ASMUSSEN,K.E.	9510020146	70-734
ASMUSSEN,K.E.	9510130227	71-9034
ASMUSSEN,K.E.	9510160148	XPORTLIC
ASMUSSEN,K.E.	9510300113	70-734
ASSA,R.R.	9510310154*	50-10 W
AUGUSTINE,H.H.	9510100023	CONTRACT
AUSTIN,J,H,	9510190081	40-8584
AUSTIN,J.	9510040117	50-10 W
AVSEC,S.	9510230019*	40-2384
AXELRAD,M	9510060077	40-8027
AXELRAD,M	9510060077	40-8027
AXELRAD,M.	9510030064	40-8027
AXELRAD,M.	9510030064	40-8027
AXELRAD,M.	9510030093	40-8027
AXELRAD,M.	9510030093	40-8027
AXELRAD,M.	9510030123*	40-8027
AXELRAD,M.	9510030123*	40-8027
AXELRAD,M.	9510040060	40-8027
AXELRAD,M.	9510040060	40-8027
AXELRAD,M.	9510040067*	40-8027
AXELRAD,M.	9510040067*	40-8027
AXELSON,W.L.	9510190235	50-295 Q
AXELSON,W.L.	9510190252	50-305 Q
AXELSON,W.L.	9510190257	50-331 Q
AXELSON,W.L.	9510190260	50-266 Q
AXELSON,W.L.	9510190267	50-255 Q
AXELSON,W.L.	9510190268	50-282 Q
AXELSON,W.L.	9510190269	50-315 Q
AXELSON,W.L.	9510190300	50-155 Q
AXELSON,W.L.	9510190316	50-440 Q
AXELSON,W.L.	9510190322	50-263 Q
AXELSON,W.L.	9510190323	50-373 Q
AXELSON,W.L.	9510190327	50-346 Q
AXELSON,W.L.	9510190331	50-341 Q
AXELSON,W.L.	9510190339	50-461 Q
AXELSON,W.L.	9510190357	50-254 Q
AXELSON,W.L.	9510190365	50-10 Q
AXELSON,W.L.	9510270051	50-456 Q
AXELSON,W.L.	9510270055	50-454 Q
BACA,R.G.	9510260048	WASTE MGT
BACKUS,R.A.	9510180263*	50-245 G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BACKUS,R.A.	9510180263*	50-245 G
BACKUS,R.A.	9510180263*	50-245 G
BACKUS,R.A.	9510180263*	50-245 G
BACKUS,R.A.	9510180263*	50-245 G
BACKUS,R.A.	9510300184	50-245 G
BACKUS,R.A.	9510300193*	50-245 G
BACKUS,R.A.	9510300193*	50-245 G
BACKUS,R.A.	9510300193*	50-245 G
BAER,R.L.	9510120272	72-1004
BAER,R.L.	9510230226*	STATE PRO G
BAGGETT,S.L.	9510230226*	STATE PRO G
BAGTZOGLOU,A.C.	9510180162	WASTE MGT
BAILEY,S.J.	9510250167	50-309 R
BAIRD,L.D.	9510230411*	50-336 Q
BAKER,L.J.	9510300235	CONTRACT
BAKER,W.H.	9510170285*	FOIA
BALDWIN,R.S.	9510240247*	50-369 Q
BALL,J.R.	9510130009*	50-62 P
BALL,R.S.	9510190144	50-387 R
BALLINGER,P.L.	9510160291	50-298 R
BANGART,R.L.	9510230049	STATE PRO G
BANGART,R.L.	9510230056	STATE PRO G
BANGART,R.L.	9510230061	STATE PRO G
BANGART,R.L.	9510230083	STATE PRO G
BANGART,R.L.	9510230095	STATE PRO G
BANGART,R.L.	9510230167	STATE PRO G
BANGART,R.L.	9510240124	STATE PRO G
BANGART,R.L.	9510300022	STATE PRO G
BANGART,R.L.	9510300169	STATE PRO G
BANGART,R.L.	9510300177	STATE PRO G
BANKS,W.W.	9510060245	NUREG
BANKS,W.W.	9510060248	NUREG
BARANOWSKI,W.J.	9510180105	50-245 P
BARANOWSKY,P.W.	9510050117	REVIEW GR P
BARGER,J.W.	9510180177	40-*****
BARGER,J.W.	9510180181*	40-*****
BARGER,J.W.	9510230395	40-9015
BARGER,J.W.	9510230397*	40-9015
BARGER,J.W.	9510240101	40-9022
BARKER,R.F.	9510300140*	40-962
BARKLEY,S.A.	9510250173*	FOIA
BARNES,V.	9510030174	TOPREP
BARON,R.R.	9510020044	50-390 A
BARON,R.R.	9510020065	50-390 A
BARON,R.R.	9510020071	50-390 A
BARON,R.R.	9510030013	50-390 A
BARON,R.R.	9510040267	50-390 A
BARON,R.R.	9510040279	50-390 F
BARON,R.R.	9510100050	50-390 A
BARON,R.R.	9510160099	50-390 K
BARON,R.R.	9510180034	50-390 A
BARON,R.R.	9510180038	50-390 A
BARON,R.R.	9510180043	50-390 Q
BARON,R.R.	9510180053	50-390 A
BARON,R.R.	9510180061	50-390 Q
BARON,R.R.	9510180068	50-390 Q
BARON,R.R.	9510180117	50-390 A
BARON,R.R.	9510190042	50-390 A
BARON,R.R.	9510200080	50-390 A
BARON,R.R.	9510260014	50-390 S
BARON,R.R.	9510260297	50-390 A
BARR,K.P.	9510100233	50-416 Q
BARR,K.P.	9510100247*	50-416 Q
BARR,K.P.	9510180159	50-338 F
BARR,K.P.	9510180178	50-321 Q
BARR,K.P.	9510180182*	50-321 Q
BARR,K.P.	9510180232	50-280 F
BARR,K.P.	9510180245	50-400 F
BARR,K.P.	9510230275	50-261 F
BARR,K.P.	9510230353	50-250 F
BARR,K.P.	9510240088	50-395 Q
BARR,K.P.	9510240106	50-321 Q
BARRETT,R.J.	9510040217	ORG
BARRETT,R.J.	9510230007	ORG
BARRETT,R.J.	9510230034	ORG
BARTH,C.A.	9510300079	50-424 G
BARTON,J.J.	9510020254	50-219 Q
BARTON,J.J.	9510060065	50-219 F
BARTON,J.J.	9510200109	50-219 R
BASSIN,N.	9510100259*	FOIA
BASSIN,N.	9510130212*	FOIA
BASSIN,N.	9510130279*	FOIA
BASSIN,N.	9510130315*	FOIA
BASSIN,N.	9510130327*	FOIA
BASSIN,N.	9510130347*	FOIA
BASSIN,N.	9510230120*	FOIA
BASSIN,N.	9510230123*	FOIA
BASSIN,N.	9510230376*	FOIA
BASSIN,N.	9510240015*	FOIA
BASSIN,N.	9510310048*	FOIA
BASSIN,N.	9510310134*	FOIA
BASTA,J.C.	9510230253	40-17
BASTENBECK,B.	9510110317	FOIA
BASTENBECK,B.	9510130241	40-8778
BASTENBECK,B.	9510260206	40-672
BASTENBECK,B.	9510260288	40-8948
BATEMAN,W.	9510120116	50-482 P
BATEMAN,W.H.	9510050249*	50-275 P
BATES,A.L.	9510130379	10CFR
BATES,A.L.	9510260222*	40-8027
BAUGHMAN,N.M.	9510160143*	FOIA
BAUGHMAN,N.M.	9510160147*	FOIA
BAUGHMAN,N.M.	9510160166*	FOIA
BAYLON,J.M.	9510260051	FOIA
BAYNE,P.	9510130322*	PRM
BEACH,A.B.	9510260112*	50-498 P
BEARD,F.M.	9510170367	50-302 P
BEARD,P.M.	9510020160	50-302 Q
BEARD,P.M.	9510020170	50-302 P
BEARD,P.M.	9510160112	50-302 P
BEARD,P.M.	9510270063	PR
BEARD,P.M.	9510270346	50-302 P
BEARD,P.M.	9510300176	50-302 P
BEARHAM,F.	9510200070*	WASTE MGT
BEARINGER,R.F.	9510060364	CONTRACT
BEASLEY,J.B.	9510170267	50-424 F
BEBARBA,E.A.	9510130023	50-245 P
BECHHAM,R.E.	9510020256	50-369 F
BECHHOEFER,C.	9510030124	50-160 G
BECHHOEFER,C.	9510300007	50-160 G
BECHHOEFER,C.	9510300030	50-160 G
BECHHOEFER,C.	9510300032	50-160 G
BECHHOEFER,C.	9510300061	50-160 G
BECKHAM,J.T.	9510020106	50-366 S
BECKHAM,J.T.	9510020119	50-321 S
BECKHAM,J.T.	9510020267	50-321 Q
BECKHAM,J.T.	9510030130	TOPREP
BECKHAM,J.T.	9510030130	TOPREP
BECKHAM,J.T.	9510060362	TOPREP
BECKHAM,J.T.	9510060367	TOPREP
BECKHAM,J.T.	9510160266	50-321 R
BECKHAM,J.T.	9510190290	50-321 Q
BECKHAM,J.T.	9510240169	50-321 P
BECKHAM,J.T.	9510240206	50-321 P
BECKHAM,J.T.	9510250180	50-321 Q
BECKHAM,J.T.	9510310263	50-366 Q
BECKHAM,J.T.	9510310273	50-321 Q
BEECHER,A.K.	9510130311	50-461 S
BEHNKE,D.H.	9510110009	50-275 S
BEHNKE,D.H.	9510110195	50-275 S
BEHNKE,D.H.	9510260028	50-275 S
BEHNKE,D.H.	9510300001	50-323 S
BELANGER,J.L.	9510200097*	50-123 Q
BELANGER,J.L.	9510230321*	50-186 Q
BELISLE,G.A.	9510100215*	50-280 Q
BELISLE,G.A.	9510240151*	50-338 Q
BELL,J.	9510270160*	FOIA
BELL,J.M.	9510100257*	FOIA
BELL,J.M.	9510100276*	FOIA
BELL,J.M.	9510270315*	FOIA
BELL,L.B.	9510260210*	40-8027
BELL,M.J.	9510030115	WASTE MGT
BELLAMY,R.R.	9510310311	40-672
BELLES,T.D.	9510250115	50-387 R
BENES,G.G.	9510130253	50-373 P
BENES,G.G.	9510190383	50-373 P
BENES,G.G.	9510300120	50-373 P
BENES,G.G.	9510300132	50-373 P
BENJAMIN,J.A.	9510240287	50-354 P
BENJAMIN,M.	9510240316*	27-47
BENJAMIN,M.	9510240327*	27-47
BENJAMIN,M.	9510240333*	27-47
BENJAMIN,M.	9510240395*	27-47
BENJAMIN,M.J.	9510240372*	27-47
BENJAMIN,M.J.	9510240386*	27-47
BENKEN,E.J.	9510020133	50-335 S
BENNETT,E.	9510180105	50-245 P
BENNETT,R.G.	9510260001	PT21
BENNETT,R.G.	9510260001	PT21
BENNINGTON,G.M.	9510130072	71-785
BERG,W.L.	9510130187	50-409 S
BERGENDAHL,D.M.	9510200044	50-498 R
BERGY,W.L.	9510190276	50-409 W
BERKOW,H.N.	9510030004	50-269 P
BERKOW,H.N.	9510050037*	50-348 P
BERKOW,H.N.	9510050057*	50-348 P
BERKOW,H.N.	9510050282	50-269 P
BERKOW,H.N.	9510200087	50-369 P
BERLES,B.W.	9510110092	50-255 R
BERLIN,R.E.	9510240110	40-17
BERNARD,J.A.	9510260096	50-20 P
BERNERO,R.M.	9404180219*	40-8027
BERNERO,R.M.	9411030265*	40-8027
BETTENHAUSEN,L.	8902070045	50-213 Q
BEVARD,M.	9510100004	CONTRACT
BEVERIDGE,G.	9510260244*	FOIA
BEVERIDGE,G.G.	9510260273*	40-8027
BEVERLY,R.L.	9510170059*	50-498 Q
BHATIA,R.	9510230205*	50-271 Q
BICKEL,M.G.	9510130009*	50-62 P
BIELING,H.F.	9505080268	50-528 F
BISSETT,P.	9510180158*	50-443 Q
BLACK,S.C.	9510110381	REVIEW GR P
BLACKSHAW,G.L.	9510270292*	FOIA
BLACKSHAW,G.L.	9510310025*	40-962
BLACKSHAW,G.L.	9510310094*	FOIA
BLACKSHAW,G.L.	9510310153*	FOIA
BLAHA,J.L.	9510110290	COMMISSION
BLAHA,J.L.	9510190350	ORG
BLAHA,J.L.	9510200254	COMMISSION
BLAHA,J.L.	9510200258	COMMISSION
BLAHA,J.L.	9510260265	COMMISSION
BLAHA,J.L.	9510260270*	40-8027
BLAKE,E.L.	9510180292	50-424 G
BLAKE,E.L.	9510180292	50-424 G
BLAKE,E.L.	9510300041	50-424 G
BLAKE,E.L.	9510300041	50-424 G
BLAKE,J.J.	9510170396*	50-259 Q
BLANCH,P.M.	9510050153*	50-287 H
BLANCH,P.M.	9510050159*	50-287 H
BLANCH,P.M.	9510050314*	50-245 P
BLANDIN,W.A.	9208260213*	FOIA
BLANS,G.A.	9510100092*	FOIA
BLANTON,R.	9510240016	STATE PRO G
BLIND,A.A.	9510030264	50-316 S
BLIND,A.A.	9510050134	50-315 S
BLIND,A.A.	9510060044*	50-315 S
BLIND,A.A.	9510120233	50-316 S
BLIND,A.A.	9510130390	50-315 S
BLIND,A.A.	9510160276	50-316 R
BLIND,A.A.	9510160283	50-315 R
BLIND,A.A.	9510170247	50-316 S
BLIND,A.A.	9510170401	50-315 S
BLOCH,P.B.	9510040035	50-424 G
BLOCH,P.B.	9510300145	50-424 G
BLOCK,J.M.	9510020055	50-29 H
BLOCK,J.M.	9510190140	PR
BLOCKEY-O'BRIAN	9510190102*	50-160 G
BLOCKEY-O'BRIEN	9510040169	70-143
BLOOM,S.	9510130224	50-285 P
BLOOM,S.D.	9510060329	50-285 F
BLOSSER,J.D.	9510100041	50-483 P
BLOSSER,J.D.	9510100084	50-483 P
BLOUGH,A.R.	9510050005*	50-354 Q
BLOUGH,A.R.	9510170326	50-334 Q
BLUBAUGH,R.E.	9510040157	40-3453
BLUBAUGH,R.E.	9510040175	40-3453
BLUBAUGH,R.E.	9510130168	40-3453
BLUBAUGH,R.E.	9510200382	40-3453
BOGER,B.A.	9510200084	REVIEW GR P
BOGER,B.A.	9510240152	50-62 V
BOGER,B.A.	9510240176	50-199 V
BOHLKE,W.H.	9510030060	PRM
BOHLKE,W.H.	9510180103	PR
BOHLKE,W.H.	9510190149	50-250 P
BOHLKE,W.H.	9510040153	50-335 V
BOLDT,G.L.	9510170002	50-302 R
BOLDT,G.L.	9510240175	50-302 P
BOLDT,G.L.	9510240211	50-302 P
BOLKE,T.J.	9510170018	50-458 R
BOLLWERK,G.P.	9510030088	40-8027
BOLLWERK,G.P.	9510190041	40-8027
BONSER,B.R.	9510240010*	50-424 Q
BORCHERT,R.	9510170022*	50-245 R
BORES,R.	9510020175*	50-220 Q
BORES,R.	9510020280*	50-184 Q
BORES,R.	9510030008*	50-29 Q
BORES,R.	9510050088*	50-277 Q
BOTT,T.J.	9510110231	FOIA
BOUCHARD,G.H.	9510300052	50-245 S
BOULETTE,E.T.	9510060239	50-293 S
BOULETTE,E.T.	9510100354	50-293 K
BOULETTE,E.T.	9510120038	50-293 Q
BOULETTE,E.T.	9510190317	50-293 F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BOULETTE,E.T.	9510240190	50-293 P
BOULETTE,E.T.	9510250152	71-9222
BOULETTE,E.T.	9510310377	50-293 P
BOUWENS,M.R.	9510110085*	40-8778
BOWERS,C.	9510240316*	27-47
BOWERS,C.	9510240322*	27-47
BOWLING,M.L.	9510160012	50-338 R
BOWMAN,S.M.	9510270379*	PROJ
BOWYER,J.E	9510110335*	FOIA
BOWYER,J.E.	9510100143*	FOIA
BOWYER,J.E.	9510100279*	FOIA
BOWYER,J.E.	9510100300*	FOIA
BOWYER,J.E.	9510100328*	FOIA
BOWYER,J.E.	9510100383*	FOIA
BOWYER,J.E.	9510100390*	FOIA
BOWYER,J.E.	9510110358*	FOIA
BOWYER,J.E.	9510110366*	FOIA
BOWYER,J.E.	9510110377*	FOIA
BOWYER,J.E.	9510110392*	FOIA
BOWYER,J.E.	9510120002*	FOIA
BOWYER,J.E.	9510120006*	FOIA
BOWYER,J.E.	9510120018*	FOIA
BOWYER,J.E.	9510120029*	FOIA
BOWYER,J.E.	9510120035*	FOIA
BOWYER,J.E.	9510120043*	FOIA
BOWYER,J.E.	9510120044*	FOIA
BOWYER,J.E.	9510120053*	FOIA
BOWYER,J.E.	9510120064*	FOIA
BOWYER,J.E.	9510120075*	FOIA
BOWYER,J.E.	9510120076*	FOIA
BOWYER,J.E.	9510120079*	FOIA
BOWYER,J.E.	9510120087*	FOIA
BOWYER,J.E.	9510120094*	FOIA
BOWYER,J.E.	9510120111*	FOIA
BOWYER,J.E.	9510120133*	FOIA
BOWYER,J.E.	9510120138*	FOIA
BOWYER,J.E.	9510120147*	FOIA
BOWYER,J.E.	9510120150*	FOIA
BOWYER,J.E.	9510120172*	FOIA
BOWYER,J.E.	9510120184*	FOIA
BOWYER,J.E.	9510120190*	FOIA
BOWYER,J.E.	9510120202*	FOIA
BOWYER,J.E.	9510120230*	FOIA
BOWYER,J.E.	9510120246*	FOIA
BOWYER,J.E.	9510120264*	FOIA
BOWYER,J.E.	9510120270*	FOIA
BOWYER,J.E.	9510120286*	FOIA
BOWYER,J.E.	9510120288*	FOIA
BOWYER,J.E.	9510120310*	FOIA
BOWYER,J.E.	9510120334*	FOIA
BOWYER,J.E.	9510120355*	FOIA
BOWYER,J.E.	9510120369*	FOIA
BOWYER,J.E.	9510120371*	FOIA
BOWYER,J.E.	9510120380*	FOIA
BOWYER,J.E.	9510120383*	FOIA
BOWYER,J.E.	9510120389*	FOIA
BOWYER,J.E.	9510120400*	FOIA
BOWYER,J.E.	9510120402*	FOIA
BOWYER,J.E.	9510120404*	FOIA
BOWYER,J.E.	9510130004*	FOIA
BOWYER,J.E.	9510130010*	FOIA
BOWYER,J.E.	9510130025*	FOIA
BOWYER,J.E.	9510130029*	FOIA
BOWYER,J.E.	9510130032*	FOIA
BOWYER,J.E.	9510130047*	FOIA
BOWYER,J.E.	9510130069*	FOIA
BOWYER,J.E.	9510130071*	FOIA
BOWYER,J.E.	9510130083*	FOIA
BOWYER,J.E.	9510130117*	FOIA
BOWYER,J.E.	9510130144*	FOIA
BOWYER,J.E.	9510130175*	FOIA
BOWYER,J.E.	9510130213*	FOIA
BOWYER,J.E.	9510130269*	FOIA
BOWYER,J.E.	9510130296*	FOIA
BOWYER,J.E.	9510130367*	FOIA
BOWYER,J.E.	9510130371*	FOIA
BOWYER,J.E.	9510130374*	FOIA
BOWYER,J.E.	9510160086*	FOIA
BOWYER,J.E.	9510160106*	FOIA
BOWYER,J.E.	9510160114*	FOIA
BOWYER,J.E.	9510160124*	FOIA
BOWYER,J.E.	9510160138*	FOIA
BOWYER,J.E.	9510160140*	FOIA
BOWYER,J.E.	9510160152*	FOIA
BOWYER,J.E.	9510170273*	FOIA
BOWYER,J.E.	9510170281*	FOIA
BOWYER,J.E.	9510170303*	FOIA
BOWYER,J.E.	9510170309*	FOIA
BOWYER,J.E.	9510170338*	FOIA
BOWYER,J.E.	9510170347*	FOIA
BOWYER,J.E.	9510170355*	FOIA
BOWYER,J.E.	9510170365*	FOIA
BOWYER,J.E.	9510170376*	FOIA
BOWYER,J.E.	9510180008*	FOIA
BOWYER,J.E.	9510180011*	FOIA
BOWYER,J.E.	9510180025*	FOIA
BOWYER,J.E.	9510180069*	FOIA
BOWYER,J.E.	9510180073*	FOIA
BOWYER,J.E.	9510180115*	FOIA
BOWYER,J.E.	9510180226*	FOIA
BOWYER,J.E.	9510180231*	FOIA
BOWYER,J.E.	9510180241*	FOIA
BOWYER,J.E.	9510180281*	FOIA
BOWYER,J.E.	9510190107*	FOIA
BOWYER,J.E.	9510230065*	FOIA
BOWYER,J.E.	9510240139*	FOIA
BOWYER,J.E.	9510240145*	FOIA
BOWYER,J.E.	9510240148*	FOIA
BOWYER,J.E.	9510240194*	FOIA
BOWYER,J.E.	9510310060*	FOIA
BOWYER,J.E.	9510310062*	FOIA
BOWYER,J.E.	9510310078*	FOIA
BOWYER,J.E.	9510310087*	FOIA
BOWYER,J.E.	9510310159*	FOIA
BOWYER,J.H.	9510120275*	FOIA
BOYCE,R.W.	9510020098	50-352 S
BOYCE,R.W.	9510060011	50-352 S
BOYCE,R.W.	9510240189	50-352 S
BOYCE,R.W.	9510240195	50-353 S
BOYCE,R.W.	9510310414	50-352 S
BOYLE,R.W.	9510230232	71-*****
BOYLE,W.R.	9510130285*	FOIA
BOYLES,J.	9510270124*	FOIA
BRADY,J.B.	9510180091*	50-390 Q
BRADY,J.B.	9510180155*	50-390 Q
BRAMWELL,D.	9510060250	NUREG
BRANCH,M.W.	9510100215*	50-280 Q
BRAND,E.	9510020370	50-309 S
BRANLUND,B.J.	9510230407*	50-260 P
BREAZEALE,C.M.	9510260329	50-269 F
BRINKMAN,C.B.	9510110309	52-2
BRINKMAN,C.B.	9510110309	52-2
BRINKMAN,C.B.	9510160183	XPORTLIC
BRINKMAN,C.B.	9510160189*	XPORTLIC
BRINKMAN,D.S.	9510020201	50-334 P
BRINKMAN,D.S.	9510050098	50-412 P
BRINKMAN,D.S.	9510130073	50-412 P
BRINKMAN,D.S.	9510130375	50-334 F
BRINKMAN,D.S.	9510160100	50-412 P
BRINKMAN,D.S.	9510200293	50-412 P
BRINKMAN,D.S.	9510250001	50-334 P
BRINKMAN,R.E.	9510130338*	FOIA
BRINKMAN,R.E.	9510130340*	FOIA
BRINKMAN,R.E.	9510130345*	FOIA
BROADDUS,D.A.	9510230226*	STATE PRO G
BROCKMAN,K.E.	9510110132*	50-361 Q
BROCOUM,S.J.	9510170124	WASTE MGT
BROCOUM,S.J.	9510180184	WASTE MGT
BROCOUM,S.J.	9510180222	WASTE MGT
BROOKS,D.	9510030348	WASTE MGT
BROOKS,D.	9510030357	WASTE MGT
BROSCHAK,J.P.	9510250369*	50-255 Y
BROTT,N.K.	9510180098	50-255 F
BROTT,N.K.	9510180195	50-255 F
BROTT,N.K.	9510300170	50-255 F
BROTT,N.K.	9510300173	50-255 F
BROTT,N.K.	9510300182	50-255 F
BROUGHMAN,N.M.	9510110365*	FOIA
BROWN,C.A.	9510130368*	50-255 Y
BROWN,C.T.	9510270012*	50-529 Q
BROWN,C.T.	9510270094*	50-528 Q
BROWN,D.H.	9510240174	STATE PRO G
BROWN,E.J.	9510060340*	ORG
BROWN,F.	9510250172	I&E
BROWN,R.	9510120251*	FOIA
BROWN,R.A.	8406230455*	FOIA
BROWN,R.F.	9510120095*	FOIA
BROWN,R.F.	9510120208*	FOIA
BROWNE,M.	9510200262	50-219 P
BRUCE,A.L.	9510190261*	50-296 P
BRUNET,J.	9510310084	50-255 F
BRUNET,J.	9510310090	50-255 F
BRUNET,J.R.	9510300165	50-255 F
BRUNET,J.R.	9510310095	50-255 F
BRUNS,R.	9510110233	50-333 S
BRUNSGAARD,P.	9510190173	50-213 S
BRYAN,D.C.	9510120030	PR
BUCH,W.H.	9510030243	50-213 F
BUCHANAN	9510120104*	FOIA
BUCHANAN,C.R.	9510110295*	FOIA
BUCHANAN,C.R.	9510120398*	FOIA
BUCHANAN,C.R.	9510130105*	FOIA
BUCHANAN,C.R.	9510130199*	FOIA
BUCHANAN,C.R.	9510130203*	FOIA
BUCHANAN,C.R.	9510130354*	FOIA
BUCHANAN,C.R.	9510160032*	FOIA
BUCHANAN,C.R.	9510160036*	FOIA
BUCHANAN,C.R.	9510180041*	FOIA
BUCHANAN,C.R.	9510180119*	FOIA
BUCHANAN,C.R.	9510270226*	FOIA
BUCHANAN,C.R.	9510270250*	FOIA
BUCHANAN,C.R.	9510310082*	FOIA
BUCHANAN,C.R.	9510310091*	FOIA
BUCKLEY,B.C.	9510250142	50-280 P
BUCKLEY,M.J.	9510110123*	50-213 Q
BUDIG,G.A.	9510270028*	FOIA
BUDNITZ,R.J.	9510100160	CONTRACT
BUGG,M.T.	9510200219	50-390 F
BURDICK,T.	9510200177*	50-266 V
BURDICK,T.M.	9510050182	50-331 V
BURDICK,T.M.	9510190263	50-266 V
BURDICK,T.M.	9510200095	50-305 V
BURDICK,T.M.	9510200117	50-254 Q
BURDICK,T.M.	9510200119*	50-254 Q
BURDICK,T.M.	9510200154	50-266 V
BURDICK,T.M.	9510310149	50-237 V
BURDICK,T.M.	9510310184	50-155 V
BURDICK,T.M.	9510310368	50-373 V
BURGESS,S.D.	9510190178*	50-341 Q
BURKE,W.T.	9510240170*	FOIA
BURKE,W.T.	9510240191*	FOIA
BURKETT,M.M.	9510200114*	50-315 F
BURKETT,S.	9510100081	CONTRACT
BURKHART,M.E.	9510040107*	STATE PRO G
BURNETT,R.F.	9510260074*	FOIA
BURNETT,R.F.	9510260153*	FOIA
BURSKI,R.F.	9505180425	50-382 F
BURSKI,R.F.	9510040054	50-382 F
BURSKI,R.F.	9510060227	50-382 P
BURSKI,R.F.	9510060229	50-382 F
BURSKI,R.F.	9510130154	50-382 R
BURSKI,R.F.	9510160203	50-382 Q
BURSKI,R.F.	9510180191	50-382 F
BURSKI,R.F.	9510240129	50-382 P
BURTON,D.A.	9510170089*	COMMISSIO N
BURZYNSKI,M.J.	9510310343	50-259 P
BUSH,L.	9510030021	52-4
BUSH,L.	9510030222	TOPREP
BUSSONE,G.F.	9510160279*	50-316 R
BUSSONE,G.F.	9510160287*	50-315 R
BUTCHER,R.	9510240104*	50-302 Q
BUTLER,D.M.	9510180067	QA999
BUYAN,M.	9510130244*	50-237 S
BWOYER,J.E.	9510100258*	FOIA
BYE,M.	9510310135	50-29 H
BYKOSKI,L.M.	9510180337	WASTE MGT
BYRAM,R.G.	9510020335	50-387 Q
BYRAM,R.G.	9510040255	50-387 P
BYRAM,R.G.	9510050094	50-387 F
BYRAM,R.G.	9510110087	50-387 F
BYRAM,R.G.	9510160245	50-388 P
BYRAM,R.G.	9510190144	50-387 R
BYRAM,R.G.	9510240338	50-387 P
BYRAM,R.G.	9510240343	50-387 P
BYRAM,R.G.	9510240349*	50-387 P
BYRAM,R.G.	9510240358	50-388 P
BYRD,N.G.	9510310033	CONTRACT
BYRNE,M.R.	9510030143	WASTE MGT
CAHILL,W.J.	9510240144	50-286 P
CAILLAS,J.L.	9510020195*	50-278 P
CAIN,C.L.	9510030206*	50-312 Q
CAIN,C.L.	9510030221*	40-7580
CAIN,C.L.	9510040134*	40-8857
CAIN,C.L.	9510160055*	40-1341
CAIN,C.L.	9510170375*	50-344 Q
CAIN,C.L.	9510200111*	50-344 Q
CAIN,C.L.	9510240121*	40-8943
CAIN,C.L.	9510240261*	50-267 Q
CAIN,C.L.	9510300143*	50-133 Q
CALDWELL,R.A.	9510200283*	50-445 Q
CALLAN,L.	9510030195	50-397 Q
CALLAN,L.J.	9510240186	50-498 Q
CALLAN,L.J.	9510240213*	50-498 Q
CALLAN,L.J.	9510300078	50-313 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CALLAWAY,C.	9510240227	REVIEW GR P
CALLOWAY,A.A.	9510180200	50-255 F
CAMPBELL,A.	9510120112*	FOIA
CAMPBELL,D.M.	9510100089	CONTRACT
CAMPBELL,L.L.	9510230031	REVIEW GR P
CAMPBELL,V.H.	9510260305*	FOIA
CAMPBELL,V.H.	9510260323*	FOIA
CAMPBELL,V.H.	9510260337*	FOIA
CAMPBELL,W.R.	9510160169	50-324 Q
CAMPBELL,W.R.	9510160173	50-324 Q
CAMPBELL,W.R.	9510240163	50-324 P
CAMPBELL,W.R.	9510300161	50-324 P
CAMPLIN,W.	9510250256	70-27
CAMPLIN,W.F.	9510250289	70-27
CANADY,K.S.	9510020127	50-413 P
CANADY,K.S.	9510020158	50-269 P
CANADY,K.S.	9510020224	50-270 P
CANADY,K.S.	9510020233	50-287 P
CANADY,K.S.	9510020288	50-414 P
CANADY,K.S.	9510230030	50-269 P
CANADY,K.S.	9510230038	50-414 P
CANDREY,D.	9510060051	70-1252
CANIANO,R.J.	9510170383*	50-237 Q
CANNON,R.L.	9510060239	50-293 S
CANTWELL,D.	9510110247	50-313 S
CAPRA,R.A.	9510260190	50-10 W
CAREY,R.G.	9510230407*	50-260 P
CARIER,P.P.	9510180134	50-259 F
CARIER,P.P.	9510240307	50-259 P
CARIER,P.P.	9510310399	50-259 F
CARLSON,G.	9510030059	50-344 H
CARLSON,R.W.	9510300136	ORG
CARNAHAN,M.	9510170037*	COMMISSIO N
CARNS,N.S.	9510110167	50-482 Q
CARNS,N.S.	9510110298	50-482 Q
CARNS,N.S.	9510180089	50-482 Q
CAROCCIO,C.J.	9510200048	50-410 R
CARPENTER,C.E.	9510020219	50-333 F
CARPENTER,C.E.	9510240344	50-333 P
CARPENTER,C.E.	9510240365	50-333 P
CARPENTER,G.L.	9510260151*	50-498 P
CARRASCO,J.E.	9510270101*	50-219 Q
CARROLL,D.	9510020039	71-9033
CARROLL,E.W.	9510170001	50-10 R
CARROLL,G.	9510030186	50-160 G
CARROLL,G.	9510120068	50-160 G
CARROLL,G.	9510300179	50-160 G
CARTER,R.J.	9510190265	50-29 H
CASEY,T.J.	9510050058	PRM
CASHWELL,R.J.	9510050283	50-156 H
CASILLAS,J.L.	9510190086	TOPREP
CASTO,C.A.	9510100260	50-259 Q
CASTO,C.A.	9510100272	50-424 Q
CASTO,C.A.	9510100307	50-369 Q
CASTO,C.A.	9510170377	50-259 Q
CASTO,C.A.	9510170392	50-250 P
CASTO,C.A.	9510180063	50-400 P
CASTO,C.A.	9510180080	50-324 P
CASTO,C.A.	9510180087	50-348 P
CASTO,C.A.	9510180093	50-261 P
CASTO,C.A.	9510180095	50-395 P
CASTO,C.A.	9510180099	50-321 P
CASTO,C.A.	9510180102	50-280 P
CASTO,C.A.	9510180106	50-424 P
CASTO,C.A.	9510180125	50-259 P
CASTO,C.A.	9510180142	50-280 P
CASTO,C.A.	9510180147	50-259 Q
CASTO,C.A.	9510180225	50-302 P
CASTO,C.A.	9510180322	50-269 P
CASTO,C.A.	9510180332	50-369 P
CASTO,C.A.	9510180336	50-413 P
CATCHPOLE,T.W.	9510300073	50-302 S
CHAFFEE,A.E.	9510110339	50-352 S
CHAFFEE,A.E.	9510230130	I&E
CHAFFEE,A.E.	9510250035	50-373 P
CHANCELLOR,R.	9510180387	40-8857
CHANEY,D.C.	9510260232*	FOIA
CHAPIN,S.	9510240273*	50-390 H
CHAPMAN,L.H.	9510230006*	40-2384
CHAPMAN,L.H.	9510230010*	40-2384
CHAPPELL,C.R.	9510170189	71-9257
CHAPPELL,C.R.	9510190078	71-9165
CHAPPELL,C.R.	9510190114	71-9027
CHAPPELL,C.R.	9510190119	71-9053
CHAPPELL,C.R.	9510190124	71-9932
CHAPPELL,C.R.	9510190130	71-9033
CHAPPELL,C.R.	9510190136	71-5805
CHAPPELL,C.R.	9510190151	71-5957
CHAPPELL,C.R.	9510190158	71-9094
CHAPPELL,C.R.	9510190167	71-9263
CHAPPELL,C.R.	9510190176	71-9263
CHAPPELL,C.R.	9510190183	71-9168
CHAPPELL,C.R.	9510250076	71-9096
CHAPPELL,C.R.	9510250079	71-9222
CHAPPELL,C.R.	9510250081	71-9196
CHAPPELL,C.R.	9510250146	71-4986
CHAPPELL,C.R.	9510250260	71-6294
CHAPPELL,C.R.	9510260111	71-9167
CHAPPELL,C.R.	9510260124	71-9035
CHAPPELL,C.R.	9510260144	71-9159
CHAPPELL,C.R.	9510260172	71-9156
CHAPPELL,C.R.	9510260254	71-9222
CHAPPELL,C.R.	9510260284	71-9157
CHAPPELL,C.R.	9510310350	71-9156
CHASE,G.	9510270357	40-8452
CHATTERSON,M.	9510200353	ORG
CHATTERTON,M.	9510300189	TOPREP
CHAUBARD,M.A.	9510200363	50-286 F
CHAUEZ,R.J.	9510160211*	50-390 H
CHAWAGA,D.J.	9510200106	STATE PRO G
CHAWAGA,D.J.	9510200112	STATE PRO G
CHAWAGA,D.J.	9510200115	50-219 H
CHAWAGA,D.J.	9510230098	50-352 F
CHEN,H.R.	9510120027*	FOIA
CHILDS,D.S.	9510120107*	FOIA
CHILDS,D.S.	9510120236*	FOIA
CHILK,S.J.	9510190095	50-29 G
CHILK,S.J.	9510190101	50-344 G
CHILK,S.J.	9510310104*	STATE PRO G
CHOPRA,O.K.	9510030169	NUREG
CHOWDHURY,A.H.	9510050223	WASTE MGT
CHRISSOTIMOS,N.	9510030175*	50-265 S
CHRISTENSEN,C.	9510050275	50-348 S
CHRISTENSEN,H.	9510100213	50-395 Q
CHRISTENSEN,H.	9510110026	50-348 S
CHRISTENSEN,H.	9510180209	50-416 Q
CHRISTENSEN,H.	9510180216*	50-416 Q
CHRISTENSEN,H.	9510230339	50-395 P
CHRISTENSEN,H.	9510230346	50-348 P
CHRISTENSEN,H.	9510230392	50-348 Q
CHRISTENSEN,H.	9510230398*	50-348 Q
CHRISTENSEN,H.	9510260335	50-220 F
CHRISTENSEN,J.	9510100120*	CONTRACT
CHRISTENSEN,M.	9510200372*	50-285 F
CHRISTENSEN,M.	9510300231*	50-285 F
CHRISTIAN,D.A.	9510130342	50-280 S
CHRISTIAN,D.A.	9510240328	50-280 S
CHRISTNOT,E.F.	9510100262*	50-321 Q
CHRISTOPHER,D.	9510240386*	27-47
CHRISTOPHER,D.	9510240395*	27-47
CHUNG,H.M.	9510030169	NUREG
CHURCHILL,B.W.	9510270216*	FOIA
CIALKOWSKI,M.J.	9510170004	50-373 R
CLANCY,D.	9510030219	50-29 H
CLANCY,J.	9510060270	50-354 S
CLANCY,J.	9510310239	50-354 S
CLARK,R.H.	9510020134*	50-413 P
CLARK,R.H.	9510020300*	50-414 P
CLARY,J.R.	9510100373	CONTRACT
CLAYTON,B.	9510190264	50-373 Q
CLAYTON,B.	9510190266*	50-373 Q
CLAYTON,B.	9510250273	50-254 S
CLAYTON,B.	9510270086	50-461 Q
CLAYTON,B.	9510270106*	50-461 Q
CLAYTON,H.B.	9510270047	50-373 Q
CLIFFORD,J.W.	9510020265	50-397 P
CLIFFORD,J.W.	9510060301	50-397 F
CLIFFORD,J.W.	9510110277	50-397 P
CLIFFORD,J.W.	9510130086	50-397 P
CLIFFORD,J.W.	9510130098*	50-397 P
CLIFFORD,J.W.	9510230041	50-397 P
CLONINGER,T.H.	9510100190	50-498 P
CLONINGER,T.H.	9510110106	50-498 F
CLONINGER,T.H.	9510170352	50-499 P
CLONINGER,T.H.	9510240081	50-498 P
CODDINGTON,C.T.	9510230012	50-388 S
COLBURN,T.G.	9510170185	50-341 F
COLBURN,T.G.	9510200135	50-341 P
COLE,R.F.	9510060097	50-440 G
COLEMAN,D.E.	9510200235	50-220 R
COLEMAN,S.	9510240220	40-8027
COLEMAN,S.	9510240231*	40-8027
COLINA,I.R.	9510100171	CONTRACT
COLLINGS,S.P.	9510040177	40-8943
COLLINGS,S.P.	9510190113	40-8943
COLLINS,D.M.	9510100167	50-302 F
COLLINS,D.M.	9510100382	50-269 F
COLLINS,D.M.	9510170359	50-302 Q
COLLINS,D.M.	9510170363*	50-302 Q
COLLINS,D.M.	9510180090	70-1113
COLLINS,D.M.	9510180156	STATE PRO G
COLLINS,D.M.	9510180205	70-1201
COLLINS,D.M.	9510180212	70-1113
COLLINS,D.M.	9510190007*	FOIA
COLLINS,D.M.	9510190284	I&E
COLLINS,D.M.	9510230108*	FOIA
COLLINS,D.M.	9510230326*	FOIA
COLLINS,D.M.	9510230331*	FOIA
COLLINS,D.M.	9510230336	70-143
COLLINS,D.M.	9510230348*	FOIA
COLLINS,D.M.	9510230352*	FOIA
COLLINS,E.J.	9510060321	CONTRACT
COLLINS,S.C.	9510040107*	STATE PRO G
COLLINS,S.C.	9510120252	PR
COLLINS,W.E.	8209160333*	FOIA
COLLINS,W.E.	8506190462*	FOIA
COLLINS,W.E.	9510270338*	FOIA
COLLINS,W.E.	9510300094*	FOIA
COLVIN-ROBERSON	9510050027*	50-390 Q
COMBS,F.	9510230116*	FOIA
COMBS,F.	9510240019*	FOIA
COMBS,F.C.	9510230136*	FOIA
COMFORT,G.C.	9510050054	PROJ
COMFORT,G.C.	9510120287	PROJ
COMFORT,G.C.	9510190393	40-7102
COMIEZ,A.M.	9510190094	50-160 G
CONDIT,C.D.	9510050106*	WASTE MGT
CONDREY,D.	9510060034	XPORTLIC
CONDREY,D.	9510060045*	XPORTLIC
CONDREY,D.	9510060059	70-1252
CONDREY,D.	9510060063*	XPORTLIC
CONDREY,D.	9510060068	70-1252
CONDREY,D.	9510060073	70-1252
CONDREY,D.	9510060075*	70-1252
CONDREY,D.	9510060192	70-1252
CONDREY,D.	9510100040	70-1252
CONDREY,D.	9510100049	70-1252
CONDUY,D.	9510060091	70-1252
CONNER,J.A.	9510020317	70-27
CONNOR,C.B.	9510050106*	WASTE MGT
CONTE,F.	9510240033	50-286 S
CONTE,F.	9510260011	50-286 S
CONTE,R.	9510020217*	50-293 Q
CONWAY,J.T.	9510110207	50-410 S
COOK,J.G.	9510110230	50-461 S
COOK,J.G.	9510130311	50-461 S
COOK,J.G.	9510250077	50-461 P
COOK,J.G.	9510250398	50-461 K
COOK,J.S.	9510060071	50-461 P
COOK,T.E.	9510160209	50-413 Q
COOL,D.A.	9509260149	50-3 Q
COOLINS,D.M.	9510230386	70-27
COOPER,G.	9510060197	50-249 S
COOPER,J.A.	9510120099*	FOIA
COOPER,J.A.	9510120132*	FOIA
COOPER,J.A.	9510120259*	FOIA
COOPER,J.A.	9510120365*	FOIA
COOPER,J.A.	9510130068*	FOIA
COOPER,J.A.	9510130102*	FOIA
COOPER,R.W.	9510020161	50-220 Q
COOPER,R.W.	9510030012	50-443 Q
COOPER,R.W.	9510170321	50-289 Q
COOPER,R.W.	9510190256	50-354 Q
COOPER,R.W.	9510240007	50-245 Q
COOPER,R.W.	9510260123	50-293 P
COOPER,R.W.	9510270108	50-244 Q
COOVER,M.O.	9510120015*	FOIA
COPELAND,J.G.	9510130208	50-498 Q
CORDES,J.F.	9509210204	50-344 P
COSTELLO,F.	9510020180	30-458
COSTELLO,F.	9510020190	70-698
COTTER,B.P.	9510180175	50-458 G
COTTER,B.P.	9510180213	50-245 G
COTTER,B.P.	9510300020	40-8968
COTTLE,W.T.	9510260136*	50-498 Q
COURTEMANCHE,S.	9510020180	30-458
COWGILL,C.J.	9510020168	50-286 P
COWGILL,C.J.	9510020172	50-286 P
COWGILL,C.J.	9510180193	50-247 Q
COWGILL,C.J.	9510190166	50-286 Q
COWGILL,C.J.	9510190174*	50-286 Q
COWGILL,C.J.	9510190180	50-286 Q
COWGILL,C.J.	9510190335	50-220 Q
COWGILL,C.J.	9510190384	50-333 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COWGILL,C.J.	9510230192	50-286 Q
COWGILL,C.J.	9510260122	50-333 Q
COWGILL,C.J.	9510260129*	50-333 Q
COX,T.H.	9510250051	70-143
CRAFT,F.R.	9510180179	40-8903
CRAGNOLINO,G.A.	9510050141*	WASTE MGT
CRAINE,D.T.	9510270121*	50-341 R
CRANE,K.	9510060094	50-369 P
CRANFORD,G.F.	9508210253	ORG
CRANFORD,G.F.	9510250244	ORG
CRANFORD,G.F.	9510250401	ORG
CRANFORD,G.F.	9510250402	ORG
CRANFORD,G.F.	9510250403	ORG
CRAWFORD,A.C.	9510190088	PR
CRAWFORD,S.J.	9510200297	50-483 F
CREED,J.	9510200093	50-123 Q
CREED,J.R.	9510060255	50-315 F
CREED,J.R.	9510110285	50-10 F
CREED,J.R.	9510110301	50-341 F
CREED,J.R.	9510200033	50-295 F
CREED,J.R.	9510200038	50-263 F
CREED,J.R.	9510200097*	50-123 Q
CREED,J.R.	9510200110	50-315 F
CREED,J.R.	9510200128*	50-315 Q
CREED,J.R.	9510230027	50-263 F
CREED,J.R.	9510230093	50-255 F
CREED,J.R.	9510230316	50-186 Q
CREED,J.R.	9510230321*	50-186 Q
CREED,J.R.	9510310197	50-266 F
CRLENJAK,R.V.	9510100202	50-413 Q
CRLENJAK,R.V.	9510100206*	50-413 Q
CRLENJAK,R.V.	9510100234	50-321 Q
CRLENJAK,R.V.	9510100285	50-424 Q
CRLENJAK,R.V.	9510180254	50-424 P
CRLENJAK,R.V.	9510180342	50-269 Q
CRLENJAK,R.V.	9510180353*	50-269 Q
CRLENJAK,R.V.	9510230299	50-413 P
CRLENJAK,R.V.	9510230305	50-269 P
CRLENJAK,R.V.	9510230314	50-369 Q
CRLENJAK,R.V.	9510230328	50-413 Q
CRLENJAK,R.V.	9510230343	50-424 Q
CRLENJAK,R.V.	9510230361	50-369 P
CRLENJAK,R.V.	9510230369	50-424 P
CRLENJAK,R.V.	9510240005	50-321 Q
CRLENJAK,R.V.	9510240008	50-424 Q
CRLENJAK,R.V.	9510240215	50-321 P
CRONEBERGER,D.	9510230050	TOPREP
CROTEAU,R.P.	9510040128	50-250 P
CROTEAU,R.P.	9510050004	50-250 F
CROTEAU,R.P.	9510160127	50-250 Q
CROTEAU,R.P.	9510160146	50-250 P
CROTEAU,R.P.	9510170198	50-250 P
CROTEAU,R.P.	9510240098	50-250 P
CROTEAU,R.P.	9510240391	50-250 P
CROUCH,D.B.	9510040275	40-8904
CROUCH,D.B.	9510230245	40-8904
CROWELL,C.	9510200221	50-390 A
CRUSE,C.H.	9510190150	50-317 R
CRUTCHFIELD,D.	9509270134	50-3 Q
CRUTCHFIELD,D.	9509270257	50-3 Q
CRUTCHFIELD,D.	9509280321	50-3 Q
CRUTCHFIELD,D.	9509290049	50-160 G
CRUTCHFIELD,D.	9510030107	50-3 Q
CRUTCHFIELD,D.	9510040059	50-29 Q
CRUTCHFIELD,D.	9510040059	50-3 Q
CRUTCHFIELD,D.	9510040181	50-3 Q
CRUTCHFIELD,D.	9510130245	50-498 P
CRUTCHFIELD,D.	9510180383	TOPREP
CRUTCHFIELD,D.	9510240388	50-3 Q
CRUTCHFIELD,D.	9510300186	ORG
CRUTCHFIELD,D.	9510310415*	ORG
CRUZ,J.B.	9510040116	50-150 R
CULLEN,W.K.	9510270085*	50-315 P
CUNNEEN,P.	9510270352	40-8902
CUNNINGAHM,R.E.	9510120066*	FOIA
CUNNINGHAM,G.E.	9510250380	71-170
CUNNINGHAM,G.E.	9510270331	71-380
CUNNINGHAM,R.E.	9510100306*	FOIA
CUNNINGHAM,R.E.	9510100309*	FOIA
CUNNINGHAM,R.E.	9510110347*	FOIA
CUNNINGHAM,R.E.	9510110369*	FOIA
CUNNINGHAM,R.E.	9510110374*	FOIA
CUNNINGHAM,R.E.	9510120273*	FOIA
CUNNINGHAM,R.E.	9510130299*	FOIA
CUNNINGHAM,R.E.	9510130312*	FOIA
CUNNINGHAM,R.E.	9510160024*	FOIA
CUNNINGHAM,R.E.	9510240156*	FOIA
CUNNINGHAM,R.E.	9510270144*	FOIA
CUNNINGHAM,R.E.	9510270157*	FOIA
CUNNINGHAM,R.E.	9510270236*	FOIA
CURRAN,D.	9510030136	40-8027
CURRAN,D.	9510030136	40-8027
CURRAN,D.	9510030147*	40-8027
CURRAN,D.	9510030147*	40-8027
CURRAN,D.	9510040034	40-8027
CURRAN,D.	9510040034	40-8027
CURRAN,D.	9510040040	40-8027
CURRAN,D.	9510040040	40-8027
CURRAN,D.	9510180242	40-8027
CUSANOVICH,M.	9510100135	CONTRACT
CWALINA,G.C.	9510020257*	QA999
CWALINA,G.C.	9510030279*	QA999
CWALINA,G.C.	9510100386	QA999
CWALINA,G.C.	9510190147	QA999
CYGAN,J.	9510180050	50-295 R
D'ANTONIO,J.	9510230216*	50-244 Q
DACIMO,F.R.	9510190173	50-213 S
DACIMO,F.R.	9510190200	50-213 R
DAHLHEIMER,J.A.	9510130009*	50-62 P
DANDOIS,D.B.	9510110341	71-786
DANDOIS,D.B.	9510250037	71-786
DANDOIS,D.B.	9510260202*	40-8027
DANDOIS,D.B.	9510260274*	40-8027
DANIEL,R.	9510310264*	50-366 Q
DANIELS,G.W.	9510160107*	50-244 P
DAO,T.V.	9510170002	50-302 R
DAROIS,E.L.	9510270211*	70-3073
DAVENPORT,C.	9510040139	71-9263
DAVENPORT,C.	9510060355	71-9263
DAVIS,A.B.	9208280256*	50-440 F
DAVIS,D.K.	8707160815*	50-298 P
DAVIS,D.K.	8707160817*	50-298 P
DAVIS,F.C.	9510130358*	FOIA
DAVIS,F.C.	9510160034*	FOIA
DAVIS,F.C.	9510190306*	FOIA
DAVIS,F.C.	9510190334*	FOIA
DAVIS,F.C.	9510190343*	FOIA
DAVIS,F.C.	9510190347*	FOIA
DAVIS,F.C.	9510230368*	FOIA
DAVIS,F.C.	9510270128*	40-7841
DAVIS,F.C.	9510270287*	70-161
DAVIS,J.G.	9510100399*	FOIA
DAVIS,J.G.	9510110312*	FOIA
DAVIS,J.G.	9510120137*	FOIA
DAVIS,J.G.	9510160020*	FOIA
DAVIS,S.	9510170422	50-295 S
DAVIS,T.R.	9510040282*	50-390 F
DAWSON,D.M.	9510270023*	50-282 Y
DE AGAZIO,A.W.	9510020332	50-443 P
DE AGAZIO,A.W.	9510020339*	50-443 P
DE AGAZIO,A.W.	9510040313	50-443 P
DE AGAZIO,A.W.	9510200226	50-443 P
DE AGAZIO,A.W.	9510200269	50-443 P
DE AGAZIO,A.W.	9510250185	50-443 P
DE AGAZIO,A.W.	9510250191*	50-443 P
DEAN,C.	9510030043*	STATE PRO G
DEAN,C.M.	9510030049*	STATE PRO G
DEAN,R.	9510160212	50-410 S
DEBARBA,E.A.	9510110148	50-336 P
DEBARBA,E.A.	9510110148	50-336 P
DEBARBA,E.A.	9510130002	50-423 P
DEBARBA,E.A.	9510190014	50-213 Q
DEBARBA,E.A.	9510190014	50-213 Q
DEBARBA,E.A.	9510250129	50-245 S
DEBARBA,E.A.	9510250129	50-245 S
DEBARBA,E.A.	9510260062	50-423 P
DEBARBA,E.A.	9510260067	50-336 P
DEBARBA,E.A.	9510260204	50-245 P
DEBARBA,E.A.	9510260286	50-336 P
DEBARBA,E.A.	9510260294	50-336 F
DEBARBA,E.A.	9510260302	50-336 P
DEBARBA,E.A.	9510260312	50-423 Q
DEBARBA,E.A.	9510270037	50-213 F
DEBARBA,E.A.	9510270040	50-213 P
DEBARBA,E.A.	9510270049	50-245 P
DEBARBA,E.A.	9510270133	50-213 P
DEBARBA,E.A.	9510270147	50-213 P
DEBOO,G.H.	9510300106*	50-237 P
DEBOO,G.H.	9510300111*	50-237 P
DECKER,T.R.	9510240117*	50-321 Q
DEER IN WATER	9510130271	50-341 P
DEFINO,C.V.	9510260200*	40-8027
DEHART,M.D.	9510270379*	PROJ
DEITZ,J.	9510060368	CONTRACT
DELANEY,J.C.	9510270154*	70-161
DELANEY,J.C.	9510270168*	70-161
DELANEY,J.C.	9510270172*	70-161
DELANEY,J.C.	9510270194*	70-161
DELANEY,J.C.	9510270196*	70-161
DELANEY,J.C.	9510270207*	70-161
DELANEY,J.C.	9510270220*	70-161
DELANEY,J.C.	9510270222*	70-161
DELANEY,J.C.	9510270244*	70-161
DELANEY,J.C.	9510300095*	40-962
DELANEY,J.C.	9510300098*	40-962
DELANEY,J.C.	9510300129*	40-962
DELANEY,J.C.	9510300137*	40-962
DELANEY,J.C.	9510300148*	40-962
DELGEORGE,L.O.	9510240271	PR
DEMBEK,S.	9510030291	TOPREP
DEMBEK,S.	9510120057	50-395 P
DEMBEK,S.	9510160160	50-395 P
DEMPSEY,D.	9510300122*	50-271 Q
DENTON,R.E.	9510030118	71-383
DENTON,R.E.	9510060234	50-318 P
DENTON,R.E.	9510110342	50-317 Q
DENTON,R.E.	9510110350	50-317 P
DENTON,R.E.	9510240214	50-317 P
DENTON,R.E.	9510260280	50-317 P
DERMITZAKIS,S.	9510020099*	50-245 P
DERMITZAKIS,S.	9510020102*	50-245 P
DERMITZAKIS,S.	9510020107*	50-245 P
DEWALL,K.G.	9510060250	NUREG
DEXTER,T.W.	9510260125*	50-498 F
DIAS,K.P.	9510180319*	50-296 Q
DIAZ,C.	9510020061	50-373 S
DICHARRY,R.D.	9510300038	PR
DICK,G.F.	8902150122*	50-498 Q
DICK,G.F.	9003010373*	50-498 Q
DICK,G.F.	9107250048*	50-498 Q
DICK,G.F.	9510040221*	50-456 P
DICK,G.F.	9510170125	50-295 P
DICK,G.F.	9510260201*	50-10 W
DICKERSON,L.R.	9510310046	CONTRACT
DIGNAN,T.G.	9510190303	50-29 H
DIGNAN,T.G.	9510190303	50-29 H
DIXON,W.T.	9510260137	PR
DO,H.Q.	9510300106*	50-237 P
DODA,R.	9510060287	STATE PRO G
DODA,R.J.	9510180005	I&E
DODD,B.	9510110173	50-243 F
DODD,B.	9510270100	50-243 R
DODD,B.	9510270103*	50-243 R
DODD,B.	9510310419	50-243 R
DODDS,M.S.	9510130311	50-461 S
DOERFLEIN,L.T.	9510100079	50-317 Q
DOERFLEIN,L.T.	9510180196*	50-247 Q
DOERFLEIN,L.T.	9510190345*	50-220 Q
DOERFLEIN,L.T.	9510230227	50-317 Q
DOERFLEIN,L.T.	9510230242*	50-317 Q
DOERFLEIN,L.T.	9510230291	50-317 Q
DOERFLEIN,L.T.	9510310304	50-317 Q
DOHERTY,J.F.	9510130099	70-820
DOLAN,B.	9510260029*	50-369 F
DOMENICI,P.V.	9510180186	40-8968
DONAHUE,J.W.	9510050206	50-400 S
DONAHUE,J.W.	9510050289	50-400 S
DONNELLY,P.M.	9510020321	50-155 P
DONNELLY,P.M.	9510170332	50-155 Q
DONNELLY,P.M.	9510180013	50-155 R
DONNELLY,P.M.	9510240198	50-155 P
DONOVAN,J.	9510160303*	FOIA
DONOVAN,J.	9510170243*	FOIA
DONOVAN,J.	9510170259*	FOIA
DOORNBOS,R.L.	9510200119*	50-254 Q
DORMAN,D.H.	9510040250	50-271 F
DORMAN,D.H.	9510050201	REVIEW GR P
DORMAN,D.H.	9510200272	50-271 P
DRAGONETTE,K.S.	9510120157*	FOIA
DRAGONETTE,K.S.	9510130088*	FOIA
DRAGONETTE,K.S.	9510180124*	FOIA
DRAGONETTE,K.S.	9510180194*	FOIA
DRAGONETTE,K.S.	9510300063*	70-1766
DRAGONETTE,K.S.	9510300069*	70-1766
DRAGOUN,T.	9510020280*	50-184 Q
DRAGOUN,T.	9510230266*	50-57 Q
DREWRY,J.E.	9510310233	CONTRACT
DRISKO,S.C.	9510300246	CONTRACT
DROMERICK,A.W.	9510030025	50-219 P
DROMERICK,A.W.	9510040315	50-219 F
DROMERICK,A.W.	9510120073	50-219 P
DROMERICK,A.W.	9510250350	50-219 P
DU PONT,S.	9510190090	40-8907
DU PONT,S.	9510190273	40-8907

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DUBE,D.A.	9510230145*	50-245 P
DUBINSKI,L.	9510100278*	FOIA
DUBINSKI,L.	9510270238*	70-161
DUBINSKI,L.	9510300109*	40-962
DUBINSKI,L.	9510300115*	40-962
DUBINSKI,L.	9510310047*	FOIA
DUDLEY,R.F.	9510040276	50-312 W
DUDLEY,R.F.	9510110367	50-312 W
DUGSTAD,D.	9510110046	50-282 R
DULEE,R.	9510300065*	50-272 S
DUMS,D.	9510240201	PR
DUNCAN,S.M.	9510120074	40-8027
DUNCAN,S.M.	9510120074	40-8027
DUNCAN,S.M.	9510180262	40-8027
DUNCAN,S.M.	9510180262	40-8027
DUNCAN,S.M.	9510180270*	40-8027
DUNCAN,S.M.	9510180270*	40-8027
DUNN,D.R.	9510030087	50-160 G
DUNN,D.R.	9510030087	50-160 G
DUNN,D.R.	9510180210	50-160 G
DURR,J.P.	9510020153	50-245 Q
DURR,J.P.	9510020159	50-213 Q
DURR,J.P.	9510030051	50-443 Q
DURR,J.P.	9510110022	50-289 Q
DURR,J.P.	9510110025	50-245 Q
DURR,J.P.	9510110056	50-219 Q
DURR,J.P.	9510110127	50-213 P
DURR,J.P.	9510270054	50-245 Q
DURR,J.P.	9510270061*	50-245 Q
DYER,J.E.	9510020114	50-298 Q
DYER,J.E.	9510050170	50-416 P
DYER,J.E.	9510050175	50-416 P
DYER,J.E.	9510060280	50-458 Q
DYER,J.E.	9510110075	50-285 Q
DYER,J.E.	9510110084	50-397 Q
DYER,J.E.	9510110125	50-445 Q
DYER,J.E.	9510130031	50-498 P
DYER,J.E.	9510170301	50-416 P
DYER,J.E.	9510190375	50-416 P
DYER,J.E.	9510200102	50-397 Q
DYER,J.E.	9510230023	50-458 P
DYER,J.E.	9510240155	50-482 Q
DYER,J.E.	9510300192	50-528 Q
DYER,J.E.	9510310115	50-382 Q
DYER,J.E.	9510310126	50-498 P
DYER,J.E.	9510310235	50-416 P
DYER,L.E.	9510050180	50-416 P
EARLY,K.	9510130393	FOIA
EATON,R.B.	9510020360	50-293 F
EBELING-KONING	9510020050	TOPREP
EBELING-KONING	9510020050	TOPREP
EBELING-KONING	9510110359	TOPREP
EBELING-KONING	9510110359	TOPREP
EBELING-KONING	9510170136	TOPREP
EBELING-KONING	9510170136	TOPREP
EBELING-KONING	9510270318	TOPREP
EBELING-KONING	9510270318	TOPREP
EBNETER,S.D.	9510180097	50-416 P
EBNETER,S.D.	9510180104	50-416 P
EBNETER,S.D.	9510180217	50-416 P
EBNETER,S.D.	9510180224	50-416 P
EBNETER,S.D.	9510180228	50-416 P
EBNETER,S.D.	9510180233	50-416 P
EBNETER,S.D.	9510180238	50-416 P
EBNETER,S.D.	9510180244	50-416 P
EBNETER,S.D.	9510180246	50-416 P
EBNETER,S.D.	9510230344	50-250 Q
EDELMANN,P.	9510200109	50-219 R
EDGAR,J.B.	9510050148	70-1257
EDGAR,J.B.	9510250321	70-1257
EDGAR,J.B.	9510260342	70-1257
EDGE,R.	9510050230	WASTE MGT
EDGE,R.	9510180028	WASTE MGT
EDISON,G.E.	9510110163	50-410 P
EDISON,G.E.	9510130326	50-220 F
EDISON,G.E.	9510200267	50-220 P
EDISON,G.E.	9510230021	50-220 P
EDWARDS,G.D.	9510050211	50-277 V
EDWARDS,G.D.	9510230222	50-278 P
EDWARDS,G.D.	9510260077	50-277 S
EGAN,J.R.	9510190198	PR
EGAN,J.R.	9510190198	PR
ELIASON,L.R.	9510030293	PR
ELLIOTT,B.C.	9510110287	50-255 S
ELLIOTT,M.P.	9510230391*	70-27
ELLIS,D.R.	9510020250	50-416 F
ELLIS,D.R.	9510250227	50-416 F
ELLIS,J.E.	9510250006	72-1
ELLIS,J.E.	9510250010*	72-1
ELLIS,J.H.	9510030108*	40-8027
ELLIS,J.H.	9510260256*	FOIA
ELLIS,W.P.	9510110365*	FOIA
ELLIS,W.P.	9510120009*	FOIA
ELLIS,W.P.	9510120023*	FOIA
ELLIS,W.P.	9510120092*	FOIA
ELLIS,W.P.	9510120102*	FOIA
ELLIS,W.P.	9510130378*	FOIA
ELLIS,W.P.	9510130381*	FOIA
ELLIS,W.P.	9510170285*	FOIA
ELLIS,W.P.	9510170290*	FOIA
ELLIS,W.P.	9510170294*	FOIA
ELROD,S.	9510100232*	50-400 Q
EMMONS,K.W.	9510190200	50-213 R
ENBREE,D.G.	9510160263	50-397 R
ENGLE,C.F.	9510130378*	FOIA
ENGLE,L.B.	9510200243	50-338 P
ENOS,J.T.	9510060299	CONTRACT
ERESIAN,W.J.	9510040230	50-186 V
ERESIAN,W.J.	9510310040	50-225 V
ERICKSON,P.B.	9510310169*	50-10 W
ESELGROTH,P.W.	9510230272	50-289 Q
ESSIG,T.H.	9510310029	50-443 P
ETTLINGER,A.	9510260008	50-286 S
EUBANK,T.	9510250367	50-275 R
EVERETT,R.J.	9510200283*	50-445 Q
EVERHART,D.B.	9510310393	30-1274
EVES,C.S.	9510240364	40-7102
EVES,C.S.	9510240375	40-7102
EVES,C.S.	9510240399	40-7102
EVES,C.S.	9510250241	40-7102
EWING,R.I.	9510270377*	PROJ
EYCK,E.Q.	9510250036	70-36
FAIRBANKS,H.V.	9510270254*	70-161
FAIRTILE,M.	9510020334	50-409 F
FAIRTILE,M.	9510020337	50-29 F
FAIRTILE,M.B.	9510300166	50-29 W
FALLON,P.T.	9510230090*	FOIA
FAN,L.T.	9510310041*	FOIA
FARBER,M.J.	9510190212	50-305 Q
FARBER,M.J.	9510190218*	50-305 Q
FARBER,M.J.	9510190270	50-454 Q
FARBER,M.J.	9510190277*	50-454 Q
FARBER,M.J.	9510270059	50-483 Q
FARBER,M.J.	9510270072*	50-483 Q
FAUVER,D.N.	9510310219	70-3073
FAW,R.E.	9510170118	50-188 R
FEIGENBAUM,T.C.	9510040080	50-443 P
FEIGENBAUM,T.C.	9510180018	50-443 R
FEIGENBAUM,T.C.	9510180024	50-443 S
FEIGENBAUM,T.C.	9510240154	50-443 P
FEIGENBAUM,T.C.	9510240310	50-443 P
FEIGENBAUM,T.C.	9510250292	71-9111
FEIGENBAUM,T.C.	9510300154	50-443 P
FEINSTEIN,D.	9510310380*	50-361 G
FEITUS	9510110176*	CONTRACT
FELDMAN,R.	8108260090*	FOIA
FELDMAN,R.	8210070009*	50-397 F
FELTON,J.M.	9510270030	FOIA
FENILI,R.M.	9510050024	50-249 S
FENILI,R.M.	9510050032	50-237 S
FERENC,J.	9510270386	71-728
FERRELL,C.L.	9510100108*	FOIA
FESSIER,P.	9510060219	50-341 P
FESSLER,P.	9510110276	50-341 P
FICI,J.A.	9510240264*	70-1151
FIELDS,J.	9510270185	CONTRACT
FIELDS,M.B.	9510100011	50-361 F
FIELDS,M.B.	9510180139	50-361 P
FIELDS,M.B.	9510260179	50-361 P
FISCHER,L.E.	9510060245	NUREG
FISCHER,L.E.	9510060248	NUREG
FISCHER,R.E.	9510240262	70-1151
FISHER,M.J.	9510170412	50-267 W
FISICARO,J.J.	9510020088	50-458 Q
FISICARO,J.J.	9510100347	50-458 S
FISICARO,J.J.	9510110074	50-458 F
FISICARO,J.J.	9510170018	50-458 R
FISICARO,J.J.	9510250171	50-458 P
FISICARO,J.J.	9510250181	50-458 Q
FISICARO,J.J.	9510310258	50-458 Q
FISICARO,J.J.	9510310369	50-458 P
FITZGERALD,D.M.	9510060042*	50-315 S
FITZGERALD,D.M.	9510190105*	50-315 S
FITZGERALD,J.A.	9510110257*	FOIA
FITZPATRICK,E.	9510020041	50-315 P
FITZPATRICK,E.	9510060031	50-315 S
FITZPATRICK,E.	9510130176	50-315 P
FITZPATRICK,E.	9510160144	50-315 Q
FITZPATRICK,E.	9510180036	50-315 P
FITZPATRICK,E.	9510180146	50-315 P
FITZPATRICK,E.	9510180173	50-315 P
FITZPATRICK,E.	9510190098	50-315 S
FITZPATRICK,E.	9510250094	50-315 P
FITZPATRICK,E.	9510270081	50-315 P
FITZPATRICK,E.	9510300141	50-315 P
FITZPATRICK,E.	9510310308	50-315 P
FITZPATRICK,E.	9510310313	50-315 P
FLAGG,R.	9510190374	50-333 R
FLAHERTY,M.O.	9510060076*	50-461 P
FLANDERS,S.C.	9510120126	PROJ
FLATER,D.A.	9510110294	STATE PRO G
FLATER,D.A.	9510230096	STATE PRO G
FLETCHER,R.G.	9510110259	STATE PRO G
FLETCHER,R.G.	9510240141*	STATE PRO G
FLOREK,D.	9510270064*	50-277 V
FLYNN,F.C.	9510240333*	27-47
FOLEY,C.J.	9510190004	50-397 S
FOLEY,T.	9510170144*	50-390 Q
FONNER,S.	9510110198*	XPORTLIC
FONNER,S.	9510120177*	XPORTLIC
FONNER,S.G.	9510120098*	XPORTLIC
FONNER,S.G.	9510120120*	XPORTLIC
FONNER,S.G.	9510120268*	XPORTLIC
FONNER,S.G.	9510130045*	XPORTLIC
FONNER,S.G.	9510130053*	XPORTLIC
FONNER,S.G.	9510130074*	XPORTLIC
FONTAINE,J.L.	9510180098	50-255 F
FONTAINE,J.L.	9510300165	50-255 F
FONTAINE,J.L.	9510300170	50-255 F
FONTAINE,J.L.	9510310090	50-255 F
FORBES,M.	9510270091	50-29 H
FORE,G.E.	9510130274*	FOIA
FORE,G.E.	9510130284*	FOIA
FORNICOLA,J.C.	9510260047	PR
FORSTER,J.D.	9510020162*	50-269 P
FORSTER,J.D.	9510020243*	50-287 P
FOSTER,M.	9510160163*	50-390 H
FOSTER,W.W.	9510270343*	50-269 F
FOWLKES,R.M.	9510130005	50-395 F
FOX,W.W.	9510050254	50-219 P
FRANCESCHI,V.	9510120278*	72-1004
FRANCESCHI,V.	9510160005	72-1004
FRANCESCHI,V.	9510160006	72-1004
FRANCESCHI,V.	9510160007	72-1004
FRANCESCHI,V.	9510160008	72-1004
FRANCESCHI,V.	9510160009	72-1004
FRANCESCHI,V.	9510160010	72-1004
FRANKLIN,L.	9510170390	STATE PRO G
FRANKLIN,L.	9510180197	STATE PRO G
FRANOVICH,M.X.	9510040185	PROJ
FRANOVICH,M.X.	9510240055	52-3
FRANTZ,S.P.	9510190093	PR
FRANZ,J.F.	9510250095	50-331 P
FRANZ,J.F.	9510250314	50-331 P
FRANZ,J.F.	9510270324	50-331 K
FRANZ,J.F.	9510300142	50-331 Q
FRANZ,J.F.	9510300251	50-331 R
FRAZEE,T.C.	9510110282	STATE PRO G
FRAZEE,T.C.	9510230100	STATE PRO G
FRAZIER,J.R.	9510050217	40-7397
FREDERICK,G.R.	9510030179*	50-424 G
FREDRICKSON,P.	9510180155*	50-390 Q
FREDRICKSON,P.E	9510230289*	50-390 Q
FREEMAN,D.S.	9510130154	50-382 R
FREGONESE,V.	9510230393	50-272 S
FREUDENBERGER	9510100206*	50-413 Q
FRIJOUF,J.A.	9510020143	50-302 S
FRIJOUF,J.A.	9510020240	50-302 S
FUJIMOTO,W.H.	9510020302	50-275 P
FUJIMOTO,W.H.	9510060203	50-323 P
FUJIMOTO,W.H.	9510060320	50-275 P
FUJIMOTO,W.H.	9510060323*	50-275 P
FUJIMOTO,W.H.	9510200304	50-323 P
FUJIMOTO,W.H.	9510250367	50-275 R
FUJIMOTO,W.H.	9510250394	50-275 R
FULTON,J.D.	9510160011	50-528 R
FURIA,J.	9510230264*	50-213 Q
GABLE,L.J.	9510160255*	50-390 H
GABRIELE,O.F.	9510130205*	FOIA
GABRIELE,O.F.	9510310215*	FOIA
GAFFIGAN,D.L.	9510200245	40-7102
GALBRAITH,R.H.	9510120108*	FOIA
GALBRAITH,R.H.	9510130039*	FOIA
GALBRAITH,R.H.	9510160122*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GALBRAITH,R.H.	9510170299*	FOIA
GALBRAITH,R.H.	9510180064*	FOIA
GALBRAITH,R.H.	9510190019*	FOIA
GALBRAITH,R.H.	9510190020*	FOIA
GALBRAITH,R.H.	9510190296*	FOIA
GALBRAITH,R.H.	9510270297*	FOIA
GALBRAITH,R.H.	9510270302*	FOIA
GALBRAITH,R.H.	9510310081*	FOIA
GALBRAITH,R.H.	9510310093*	FOIA
GALLAGHER,M.P.	9510170403	50-352 R
GALLAN,L.J.	9510050166	50-498 Q
GALLO,R.	9510170144*	50-390 Q
GALLO,R.M.	9510020246	52-4
GALLO,R.M.	9510020257*	QA999
GALLO,R.M.	9510030279*	QA999
GALLO,R.M.	9510040095	QA999
GALLO,R.M.	9510050247	50-361 Q
GALLO,R.M.	9510050253*	50-361 Q
GALLO,R.M.	9510100035	50-397 Q
GALLO,R.M.	9510100046*	50-397 Q
GALLO,R.M.	9510120256	52-3
GALLO,R.M.	9510120335*	52-3
GALLO,R.M.	9510170138	50-390 Q
GALLO,R.M.	9510180111	QA999
GALLO,R.M.	9510260076	QA999
GALLO,R.M.	9510260102*	QA999
GALLO,R.M.	9510260115*	QA999
GAMBERONI,M.	9510170178	50-255 F
GAMBERONI,M.	9510190055	ORG
GAMBERONI,M.	9510190069	ORG
GAMBERONI,M.	9510190127	ORG
GAMBERONI,M.	9510240309	50-255 P
GAMMON,G.D.	9510230024*	40-2384
GARCIA,A.	9510120378	WASTE MGT
GARDNER,M.B.	9510270219	CONTRACT
GARDNER,R.N.	9510100045	50-254 Q
GARDNER,R.N.	9510180240	50-315 F
GARDNER,R.N.	9510240119	50-409 W
GARDNER,R.N.	9510240172	50-155 P
GARFINKEL,S.	9510200337*	COMMISSIO N
GARFINKEL,S.	9510200343*	COMMISSIO N
GARROU,A.L.	9510100162	50-267 S
GASKIN,C.E.	9510190120	70-734
GASKIN,C.E.	9510250056	70-734
GASSMANN,W,P.	9510270311*	50-278 P
GATES,W.G.	9510250087	50-285 K
GATTONE,R.G.	9510310177	70-8
GAVENDA,D.J.	9510030169	NUREG
GAVUTIS,S.	9510030055	50-29 H
GELBRAITH,R.H.	9510180109*	FOIA
GEORGE,M.	9510250252	70-1426
GEOSITS,J.J.	9510240361*	50-388 P
GERALD,W.C.	9510110224*	40-341
GERONIMO,A.	9510100072	CONTRACT
GERSHMAN,A.I.	9510130262*	50-373 P
GIBBONS,S.M.	9510120387*	ORG
GIBSON,A.F	9510100294	50-390 Q
GIBSON,A.F.	9510100195	50-321 Q
GIBSON,A.F.	9510100246	50-390 Q
GIBSON,A.F.	9510100343	50-302 P
GIBSON,A.F.	9510180166	50-259 P
GIBSON,A.F.	9510230329	50-327 Q
GIBSON,A.F.	9510240165	50-413 F
GILKERSON,K.O.	9510270201*	WASTE MGT
GILLEN,D.	9510170319	40-3453
GILLEN,D.M.	9510310228	40-8907
GILLEN,D.M.	9510310250	40-8902
GILLESPIE,F.P.	9510100378	QA999
GILLESPIE,F.P.	9510300228*	50-245 G
GIPSON,D.R.	9510250186	50-341 Q
GIPSON,D.R.	9510300028	50-341 S
GIRARD,E.	9510180185*	50-390 Q
GIRE,P.J.	9510300219*	50-255 S
GLASGOW,J.A.	9510110156*	XPORTLIC
GLEASON,J.P.	9510030132	40-8027
GLEASON,J.P.	9510030171	40-8027
GLEASON,J.P.	9510190041	40-8027
GLEASON,J.P.	9510300006	40-8027
GLENN,J.	9510190291	30-763
GLENN,J.	9510250229	30-763
GLENN,J.	9510310401	30-763
GLINSKI,R.L.	9509220004*	40-7397
GLINSKI,R.L.	9510020108*	40-*****
GLINSKI,R.L.	9510020126*	40-*****
GLINSKI,R.L.	9510100068*	PROJ
GLINSKI,R.L.	9510190213*	70-133
GLINSKI,R.L.	9510240123*	40-7708
GLOERSEN,W.B.	9510180100*	70-1113
GOLDBERG,E.	9510120001*	FOIA
GOLDBERG,J.R.	9510300241*	50-245 G
GOLLER,K.R.	8708180118*	50-298 P
GOODMAN,L.S.	9510110038	50-341 H
GOODMAN,L.S.	9510170298	PR
GOODMAN,L.S.	9510250117	50-341 F
GOODMAN,L.S.	9510270316	50-341 H
GOODWIN,W.L.	9510040084	70-1151
GOODWIN,W.L.	9510200379	70-1151
GORDON,B.	9510250374*	50-390 H
GORDON,C.Z.	9510200094	STATE PRO G
GORDON,D.J.	9510130019	50-346 F
GOVINDAPILLAI	9510060275	71-9257
GRABKO,M.	9510030082	PR
GRABO,B.A.	9510300042*	50-530 S
GRANT,G.E.	9510200126	50-315 Q
GRANT,G.E.	9510230053	50-456 Q
GRANT,G.E.	9510240037	50-295 F
GRANT,J.M.	9510260042	PR
GRAVES,D.	9510030233	50-483 S
GRAVES,D.	9510050268	50-483 S
GRAY,J.	9510060328	CONTRACT
GRAZIER,L.	9510110159	CONTRACT
GREEN,G.C.	9510120194*	FOIA
GREEN,G.G.	9510120196*	FOIA
GREEN,G.G.	9510120221*	FOIA
GREEN,G.G.	9510120244*	FOIA
GREEN,G.G.	9510120291*	FOIA
GREEN,G.G.	9510120301*	FOIA
GREEN,G.G.	9510120305*	FOIA
GREEN,G.G.	9510120318*	FOIA
GREEN,G.G.	9510120354*	FOIA
GREEN,G.G.	9510130040*	FOIA
GREEN,G.G.	9510130043*	FOIA
GREEN,G.G.	9510130051*	FOIA
GREEN,G.G.	9510130076*	FOIA
GREEN,G.G.	9510130081*	FOIA
GREEN,G.G.	9510130114*	FOIA
GREEN,G.G.	9510130122*	FOIA
GREEN,G.G.	9510130134*	FOIA
GREEN,G.G.	9510130136*	FOIA
GREEN,G.G.	9510130149*	FOIA
GREEN,G.G.	9510130177*	FOIA
GREEN,G.G.	9510130185*	FOIA
GREEN,G.G.	9510130190*	FOIA
GREEN,G.G.	9510160022*	FOIA
GREEN,G.G.	9510160026*	FOIA
GREEN,G.G.	9510160030*	FOIA
GREEN,G.G.	9510160033*	FOIA
GREEN,G.G.	9510180027*	FOIA
GREEN,G.G.	9510180031*	FOIA
GREEN,G.G.	9510180033*	FOIA
GREEN,G.G.	9510180035*	FOIA
GREEN,G.G.	9510180037*	FOIA
GREEN,G.G.G.	9510120374*	FOIA
GREEN,R.T.	9510020006	WASTE MGT
GREEN,W.	9510200127	PR
GREENLAW,R.H.	9510120129*	FOIA
GREENLAW,R.H.	9510120248*	FOIA
GREEVES,J.T.	9510030173	WASTE MGT
GREEVES,J.T.	9510030182	WASTE MGT
GREEVES,J.T.	9510030324	WASTE MGT
GREEVES,J.T.	9510170366	70-7001
GREGG,H.	9510190258*	50-289 Q
GREGOR,F.E.	9510200247*	NUREG
GRIMES,C.I.	9510250239	TOPREP
GROSE,E.	9510270350*	FOIA
GRUBER,E.E.	9510030169	NUREG
GUARNIERI,T.	9510020365	50-286 S
GUARRO,S.	9510270245	CONTRACT
GUIDICE,W.J.	9510100019	CONTRACT
GUIDICE,W.J.	9510100033	CONTRACT
GUILDAY,P.	9510030087	50-160 G
GUILDAY,P.	9510030087	50-160 G
GUILDAY,P.	9510180210	50-160 G
GUINN,P.R.	9510100288*	FOIA
GUINN,P.R.	9510110288*	FOIA
GUINN,P.R.	9510120171*	FOIA
GUINN,P.R.	9510130148*	FOIA
GUINN,P.R.	9510130359*	40-962
GUINN,P.R.	9510180264*	FOIA
GUINN,P.R.	9510180268*	FOIA
GUINN,P.R.	9510190013*	FOIA
GUINN,P.R.	9510230055*	FOIA
GUINN,P.R.	9510230075*	FOIA
GUINN,P.R.	9510230101*	FOIA
GUINN,P.R.	9510230112*	FOIA
GUINN,P.R.	9510230319*	FOIA
GUINN,P.R.	9510230360*	FOIA
GUINN,P.R.	9510300076*	FOIA
GUNDRUM,L.G.	9510160090	50-346 F
GUNDRUM,L.L.	9510040306	50-346 P
GUNDRUM,L.L.	9510040307	50-346 P
GUNDRUM,L.L.	9510040314*	50-346 P
GUNTER,P.	9510030068	PRM
GUNTER,P.	9510060008	50-445 P
GUNTER,P.	9510190171	PR
GUNTER,P.	9510270110	PR
GUNTER,P.	9510270369	50-219 P
GUZMAN,J.G.	9510190178*	50-341 Q
GWYNN,T.P.	9510030220	50-482 Q
GWYNN,T.P.	9510030223	50-397 Q
GWYNN,T.P.	9510030262	50-445 Q
GWYNN,T.P.	9510050183	50-458 Q
GWYNN,T.P.	9510060260	50-285 Q
GWYNN,T.P.	9510060271	50-275 Q
GWYNN,T.P.	9510110053	50-445 Q
GWYNN,T.P.	9510110080	50-498 Q
GWYNN,T.P.	9510110097	50-445 Q
GWYNN,T.P.	9510110111	50-498 Q
GWYNN,T.P.	9510110121	50-361 Q
GWYNN,T.P.	9510110122	50-416 V
GWYNN,T.P.	9510170336	50-275 P
GWYNN,T.P.	9510180088	50-397 Q
GWYNN,T.P.	9510200103	50-498 Q
GWYNN,T.P.	9510250021	50-285 Q
GWYNN,T.P.	9510270361	50-382 Q
GWYNN,T.P.	9510270362	50-313 Q
GWYNN,T.P.	9510270376	50-298 Q
GWYNN,T.P.	9510300083	50-445 V
GWYNN,T.P.	9510300101	50-483 V
GWYNN,T.P.	9510300103	50-528 V
GWYNN,T.P.	9510300104	50-285 V
GWYNN,T.P.	9510300110	50-482 V
GWYNN,T.P.	9510300112	50-298 V
GWYNN,T.P.	9510300118	50-361 V
GWYNN,T.P.	9510300121	50-313 V
GWYNN,T.P.	9510300168	50-416 V
GWYNN,T.P.	9510300172	50-458 V
GWYNN,T.P.	9510300215	50-397 V
GWYNN,T.P.	9510300217	50-382 V
GWYNN,T.P.	9510300221	50-275 V
GWYNN,T.P.	9510300225	50-498 V
HABER,S.	9510030160	TOPREP
HACKET,E.M.	9510050181	50-255 P
HADDER,A.W.	9510160210	50-280 P
HADLEY,E.C.	9510180280*	50-245 G
HADLEY,E.C.	9510180280*	50-245 G
HADLEY,E.C.	9510180280*	50-245 G
HADLEY,E.C.	9510180280*	50-245 G
HAELSIG,R.T.	9510040076	71-678
HAELSIG,R.T.	9510040077*	71-678
HAFNER,R.S.	9510300136	ORG
HAGAN,R.C.	9510240300	50-482 P
HAGAN,R.C.	9510250104	50-482 P
HAHLE,A.A	9510060076*	50-461 P
HALBRAITH,R.H.	9510310097*	FOIA
HALE,J.	9510040055	40-8027
HALL,G.R.	9208280177*	FOIA
HALL,G.R.	9208280184*	FOIA
HALL,J.R.	9510040274	50-298 P
HALL,J.R.	9510040277*	50-298 P
HALL,J.R.	9510100099	50-298 F
HALLISEY,R.M.	9510240052	STATE PRO G
HALLISEY,R.M.	9510240134*	STATE PRO G
HALTWANGER,J.W.	9510160289	50-395 R
HAMMERICH,T.	9510020073	50-373 S
HAMMES,C.	9510170180	PR
HAMP,S.	9510250034	WASTE MGT
HAMPTON,J.W.	9510020301	50-269 P
HAMPTON,J.W.	9510100337	50-269 P
HAMPTON,J.W.	9510100346	50-269 P
HAMPTON,J.W.	9510170231	50-269 Q
HAMPTON,J.W.	9510180381	50-269 P
HAMPTON,J.W.	9510200348	50-269 F
HAMPTON,J.W.	9510230077	50-287 Q
HAMPTON,J.W.	9510250145	50-287 Q
HAMPTON,J.W.	9510270337	50-269 F
HAMRIC,J.P.	9510260332	PROJ
HAMRIC,J.P.	9510260336*	PROJ
HAMRICK,J.S	9510240270	40-299
HANDFINGER,H.	9510030197*	50-424 G
HANDY,M.	9510250270*	FOIA
HANDY,M.	9510260089*	FOIA
HANGES,P.J.	9510030125	71-9157
HANSEN,A.G.	9510050239	50-266 F

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HANSEN,A.G.	9510130082	50-266 P
HANSEN,A.G.	9510170176	50-266 P
HANSEN,A.G.	9510170182*	50-266 P
HANSEN,A.G.	9510200194	50-266 P
HANSEN,A.G.	9510200288	50-266 P
HANSEN,A.G.	9510200294*	50-266 P
HANSEN,A.G.	9510260139	50-266 P
HANSEN,A.G.	9510310079	50-266 P
HANSEN,A.G.	9510310089*	50-266 P
HANSON,K.L.	9510270290	CONTRACT
HARDGROVE,T.W.	9510190157	40-6622
HARDGROVE,T.W.	9510190168*	40-6622
HARLIN,C.	9510260277*	40-8027
HARLOW,J.G.	9510160021*	FOIA
HARLOW,J.G.	9510270275*	70-161
HARLOW,J.G.	9510310199*	FOIA
HARLOW,J.G.	9510310204*	FOIA
HARMON,D.F.	9510240210*	40-7841
HARMON,D.F.	9510240216*	40-7841
HARMON,D.F.	9510240221*	40-7841
HARMON,D.F.	9510310008*	40-962
HARMON,D.F.	9510310010*	40-962
HARMON,D.F.	9510310011*	40-962
HARMON,P.E.	9510180353*	50-269 Q
HAROLD,J.F.	9510020216	50-286 F
HAROLD,L.T.	9208280288*	50-397 F
HARRELL,P.H.	9510020135*	50-298 Q
HARRINGTON,G.I.	9510110239	50-305 S
HARRIS,D.N.	9510110004	50-245 S
HARRIS,D.N.	9510110154	50-245 S
HARRIS,D.N.	9510270171	50-245 S
HARRIS,D.N.	9510300052	50-245 S
HARRIS,L.W.	9510250399*	71-9222
HARRISON,F.	9510190186	50-324 R
HARRISON,L.M.	9510020167*	50-309 Q
HART,G.H.	9510030069	REGGD
HART,G.H.	9510040018	I&E
HASTY,R.L.	9510020256	50-369 F
HATHAWAY,B.	9510060309	CONTRACT
HATHCOCK,D.Z.	9510160200	PT21
HAUBER,R.D.	9510110234*	XPORTLIC
HAUBER,R.D.	9510110355	XPORTLIC
HAUBER,R.D.	9510110375*	XPORTLIC
HAUBER,R.D.	9510110402	XPORTLIC
HAUBER,R.D.	9510120054*	XPORTLIC
HAUBER,R.D.	9510120060*	XPORTLIC
HAUBER,R.D.	9510120070*	XPORTLIC
HAUBER,R.D.	9510120078*	XPORTLIC
HAUBER,R.D.	9510120106*	XPORTLIC
HAUBER,R.D.	9510120216*	XPORTLIC
HAUBER,R.D.	9510120333*	XPORTLIC
HAUBER,R.D.	9510120393*	XPORTLIC
HAUBER,R.D.	9510130352	XPORTLIC
HAUBER,R.D.	9510160052	XPORTLIC
HAUBER,R.D.	9510160070	XPORTLIC
HAUBER,R.D.	9510160093	XPORTLIC
HAUBER,R.D.	9510160101	XPORTLIC
HAUBER,R.D.	9510160126	XPORTLIC
HAUBER,R.D.	9510190407	XPORTLIC
HAUBER,R.D.	9510230028*	ORG
HAUBER,R.D.	9510260143	XPORTLIC
HAUBER,R.D.	9510260214*	FOIA
HAUBER,R.D.	9510260221*	FOIA
HAUBER,R.D.	9510260228*	FOIA
HAUBER,R.D.	9510260236*	FOIA
HAUBER,R.D.	9510260247*	FOIA
HAUBER,R.D.	9510260255*	FOIA
HAUBER,R.D.	9510260268*	FOIA
HAUBER,R.D.	9510260272*	FOIA
HAUBER,R.D.	9510260276*	FOIA
HAUGHNEY,C.J.	9510160096	50-346 Y
HAUGHNEY,C.J.	9510160104*	50-346 Y
HAUGHNEY,C.J.	9510170229	PROJ
HAYNES,C.R.	9510060040*	50-309 P
HEAD,S.M.	9510020356	50-498 S
HEAD,S.M.	9510110005	50-499 S
HEASSLER,R.L.	9510030227*	TOPREP
HEATH,R.	9510310386	MISC
HEBDON,F.J.	9510040141	50-390 A
HEBDON,F.J.	9510040186	50-395 Q
HEBDON,F.J.	9510040326*	50-327 P
HEBDON,F.J.	9510050221	50-259 P
HEBDON,F.J.	9510120105	ORG
HEBDON,F.J.	9510120117*	ORG
HEBDON,F.J.	9510120158*	50-327 P
HEBDON,F.J.	9510160079*	50-327 P
HEBDON,F.J.	9510160251	50-390 H
HEBDON,F.J.	9510200383	QA999
HEBERT,J.R.	9510020077	50-309 Q
HEBERT,J.R.	9510020307	50-309 Q
HEBERT,J.R.	9510020370	50-309 S
HEBERT,J.R.	9510250167	50-309 R
HEBERT,J.R.	9510250333	50-309 Q
HECHT,H.	9510100038	CONTRACT
HEHL,C.W.	9510020203	40-6940
HEHL,C.W.	9510110082	50-317 Q
HEHL,C.W.	9510230171	40-6940
HEHL,C.W.	9510270088	50-289 Q
HEHR,W.	9510250255	XPORTLIC
HEHR,W.	9510250259	XPORTLIC
HEHR,W.	9510250275	XPORTLIC
HEHR,W.	9510250279	XPORTLIC
HEHR,W.	9510260133	XPORTLIC
HELLER,R.	9510190067	50-272 R
HELLER,R.	9510190091	50-311 R
HELLSTROM,G.W.	9510060252	40-8989
HENDERSON,D.B.	9510180074	WASTE MGT
HENDERSON,D.B.	9510260045*	WASTE MGT
HENDERSON,J.W.	9510230004	40-2384
HENDERSON,J.W.	9510230005*	40-2384
HENDERSON,J.W.	9510230020*	40-2384
HENDERSON,J.W.	9510230134	40-2384
HENDRIX,G.W.	9510190018*	FOIA
HENRICKS,D.R.	9510170403	50-352 R
HENRIX,J.	9510170180	PR
HEPLER,O.M.	9509220119*	50-255 F
HEPLER,O.M.	9509250346*	50-338 F
HEPLER,O.M.	9510050189*	50-266 F
HEPLER,O.M.	9510110314*	50-341 F
HERMAN,R.W.	9510040310	50-289 F
HERNAN,R.W.	9510050179	50-289 P
HERNAN,R.W.	9510120086	50-289 P
HERNAN,R.W.	9510160214	50-289 P
HERNAN,R.W.	9510170082	50-289 P
HERNAN,R.W.	9510260007	50-289 P
HERNAN,R.W.	9510260180	50-289 P
HERNANDEZ,C.	9510250071*	STATE PRO G
HERNANDEZ,C.	9510250080*	STATE PRO G
HERONEMUS,W.E.	9510030083	50-29 H
HERRERA,M.	9510020199*	50-278 P
HERRERA,M.L.	9510020195*	50-278 P
HERRON,J.T.	9510160291	50-298 R
HEYSEK,W.G.	9510110012	50-289 S
HEYSEK,W.G.	9510170027	50-289 R
HIATT,S.L.	9510050045	PRM
HIATT,S.L.	9510240166	PR
HICKEY,J.W.	9510040137	70-7001
HICKEY,J.W.	9510060202	70-3070
HICKEY,J.W.	9510060223	70-7001
HICKEY,J.W.	9510100326	70-7001
HICKEY,J.W.	9510120263	70-7001
HICKEY,J.W.	9510190103	70-7001
HICKEY,J.W.	9510190111	70-7001
HICKEY,J.W.	9510230068	70-7001
HICKEY,J.W.	9510230150	70-7001
HICKEY,J.W.	9510230309	70-7001
HICKLE,B.J.	9510020143	50-302 S
HICKLE,B.J.	9510020240	50-302 S
HICKLE,B.J.	9510300073	50-302 S
HICKLE,B.J.	9510300238	50-302 S
HICKMAN,G.D.	9510270389*	50-390 A
HICKMAN,J.	9510170193	50-315 F
HICKMAN,J.B.	9510050010	50-315 P
HICKMAN,J.B.	9510050013*	50-315 P
HICKMAN,J.B.	9510170024	50-315 P
HICKMAN,J.B.	9510170031*	50-315 P
HICKMAN,J.B.	9510170050	50-315 F
HICKMAN,J.B.	9510200213	50-315 P
HICKMAN,J.B.	9510270161	50-315 P
HICKMAN,J.B.	9510270202*	50-315 P
HICKS,G.D.	9510030256	50-324 F
HICKS,G.D.	9510120290	50-324 F
HICKS,G.D.	9510180260	50-324 P
HICKS,G.D.	9510250182	50-324 Q
HICKS,G.D.	9510250342	50-324 F
HICKS,G.D.	9510270334	50-324 F
HICKS,G.D.	9510300157	50-325 P
HILAND,P.	9510190359*	50-254 Q
HILAND,P.	9510250273	50-254 S
HILAND,P.L.	9510190352	50-254 Q
HILAND,P.L.	9510270139	50-254 P
HILDEBRAND,P.R.	9510260032	40-8857
HILL,L.M.	9510020187	50-286 Q
HILL,L.M.	9510020365	50-286 S
HILL,L.M.	9510040152	50-286 S
HILL,L.M.	9510170005	50-286 R
HILL,L.M.	9510170334	50-286 P
HILL,L.M.	9510190056	50-286 S
HILL,L.M.	9510240033	50-286 S
HILL,L.M.	9510260008	50-286 S
HILL,L.M.	9510260011	50-286 S
HILL,L.M.	9510260031	50-286 F
HILL,R.D.	9510200086	50-348 S
HILL,R.D.	9510200098	50-348 S
HILL,R.L.	9510200044	50-498 R
HILL,T.E.	9510270104	STATE PRO G
HILL,W.J.	9510020028	50-282 P
HILL,W.J.	9510020348	50-263 P
HILL,W.J.	9510250134	50-263 P
HINNANT,C.S.	9510250216	50-261 Q
HINNANT,C.S.	9510250361	50-261 Q
HINS,A.G.	9510030169	NUREG
HITCH,J.V.	9510100161*	FOIA
HITCH,J.V.	9510100175*	FOIA
HITCH,J.W.	9510100140*	FOIA
HITCH,J.W.	9510100153*	FOIA
HITCH,J.W.	9510310039*	FOIA
HOCKERT	9510270181	CONTRACT
HODGE,S.T.	9510130003*	50-423 P
HOFFMAN,S.T.	9510020324	PROJ
HOFFMAN,S.T.	9510020343	PROJ
HOFFMAN,S.T.	9510020350	PROJ
HOFFMAN,S.T.	9510030263	PROJ
HOFFMAN,S.T.	9510310006	PROJ
HOFFMAN,W.C.	9510050064	52-3
HOFMANN,R.B.	9510190038	WASTE MGT
HOFMANN,R.B.	9510200374*	WASTE MGT
HOGG,R.C.	9510040160	27-47
HOGG,R.C.	9510160307	40-9027
HOGG,R.C.	9510180163	27-48
HOGG,R.C.	9510180278	27-47
HOLBROOK,B.L.	9510100262*	50-321 Q
HOLDEN,D.W.	9510250261	XPORTLIC
HOLDEN,L.E.	9510270015	50-295 P
HOLIAN,B.E.	9510060220*	50-446 P
HOLIAN,B.E.	9510060363	50-528 F
HOLIAN,B.E.	9510110238	50-341 P
HOLIAN,B.E.	9510200145*	50-341 P
HOLLAND,P.G.	9510170001	50-10 R
HOLLAND,R.G.	9510110307	50-10 R
HOLLAND,W.E.	9510100372*	50-327 Q
HOLLOMON,T.J.	9510180014	50-327 R
HOLLON,M.C.	9510110095	50-461 R
HOLMES,M.A.	9510100329	50-483 R
HOLMES-RAY,P.	9510100392*	50-250 Q
HOLONICH,J.J.	9510040131	40-8964
HOLONICH,J.J.	9510040161	40-3453
HOLONICH,J.J.	9510120390	WASTE MGT
HOLONICH,J.J.	9510170289	40-8971
HOLONICH,J.J.	9510170296*	40-8971
HOLONICH,J.J.	9510170302	40-8903
HOLONICH,J.J.	9510170308*	40-8903
HOLONICH,J.J.	9510170399	40-8681
HOLONICH,J.J.	9510170400*	40-8681
HOLONICH,J.J.	9510190040	WASTE MGT
HOLONICH,J.J.	9510190079	WASTE MGT
HOLONICH,J.J.	9510190143	WASTE MGT
HOLONICH,J.J.	9510230203	WASTE MGT
HOLT,B.J.	9510020183	30-2643
HOLT,B.J.	9510040143	I&E
HOLT,B.J.	9510250159	30-3465
HOLYAN,A.W.	9510270356	40-8968
HOLYAN,A.W.	9510300017	40-8968
HOM,R.C.	9510030096	40-8027
HOM,S.R.	9510040036	40-8027
HOM,S.R.	9510120074	40-8027
HOM,S.R.	9510180168	40-8027
HOM,S.R.	9510180251*	40-8027
HOM,S.R.	9510260216*	FOIA
HONICKER,J.	9510050051*	50-390 H
HOOKS,K.R.	9510160308	40-8907
HOOPER,G.L.	9510180004	50-424 R
HOOVER,S.	9510110160	CONTRACT
HOPKINS,A.T.	9510050222	71-772
HOPKINS,A.T.	9510270284	71-772
HOPKINS,J.B.	9510040245	50-440 F
HOPKINS,J.B.	9510040319	50-440 P
HOPKINS,J.B.	9510040323*	50-440 P
HOPKINS,J.B.	9510050036	50-440 P
HOPKINS,J.B.	9510170063	50-346 P
HOPKINS,P.C.	9510240010*	50-424 Q
HOPPER,G.L.	9510240093*	50-324 Q
HORN,G.R.	9510240120	50-298 P
HORN,M.	9510260175*	40-8027

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HORN,M.	9510260183*	40-8027
HORN,M.	9510260245*	40-8027
HORN,M.	9510260246*	40-8027
HORN,M.	9510260248*	40-8027
HORN,M.	9510260258*	40-8027
HORN,M.	9510260261*	40-8027
HORN,M.	9510300123	70-7002
HORN,M.	9510300128	70-7001
HORN,S.R.	9510030072	40-8027
HORN,S.R.	9510180208	40-8027
HORNOR,J.	9510300240	STATE PRO G
HORNOR,J.W.	9510200105	STATE PRO G
HORTON,D.G.	9510020096	WASTE MGT
HORTON,D.G.	9510020097*	WASTE MGT
HORTON,D.G.	9510060050	WASTE MGT
HORTON,D.G.	9510060056*	WASTE MGT
HORTON,D.G.	9510100298	WASTE MGT
HORTON,D.G.	9510100312*	WASTE MGT
HORTON,D.G.	9510200068	WASTE MGT
HORTON,D.G.	9510200070*	WASTE MGT
HORTON,D.G.	9510230094	WASTE MGT
HORTON,D.G.	9510230110*	WASTE MGT
HORTON,D.G.	9510250107	WASTE MGT
HORTON,D.G.	9510270195	WASTE MGT
HORTON,D.G.	9510270201*	WASTE MGT
HORTON,D.G.	9510270237	WASTE MGT
HORTON,D.G.	9510270246*	WASTE MGT
HORTON,D.G.	9510270341	WASTE MGT
HORTON,D.G.	9510270344*	WASTE MGT
HORVATH,D.J.	9510120399*	FOIA
HORVATH,D.J.	9510120403*	FOIA
HOSEY,C.	9510250217	I&E
HOUSE,J.	9510020126*	40-*****
HOUSE,J.	9510190213*	70-133
HOUSE,J.E.	9510020108*	40-*****
HOUSE,J.E.	9510240123*	40-7708
HOUSE,W.B.	9510240298	27-47
HOWELL,D.B.	9510110302*	FOIA
HOWELL,D.B.	9510160027*	FOIA
HOWELL,D.B.	9510160029*	FOIA
HOWELL,D.B.	9510270179*	FOIA
HOWELL,D.B.	9510270182*	FOIA
HOWELL,D.B.	9510270193*	FOIA
HOWELL,D.B.	9510270212*	FOIA
HOWELL,L.L.	9510020197	30-29708
HOWELL,L.L.	9510250027	STATE PRO G
HOYLE,J.C.	9510020060	PR
HOYLE,J.C.	9510040037	50-424 G
HOYLE,J.C.	9510120080	50-293 G
HOYLE,J.C.	9510120296*	PR
HOYLE,J.C.	9510160069	10CFR
HOYLE,J.C.	9510180255	50-245 G
HOYLE,J.C.	9510180279	50-160 G
HOYLE,J.C.	9510190141	40-2061
HOYLE,J.C.	9510200263	10CFR
HOYLE,J.C.	9510200279	10CFR
HOYLE,J.C.	9510300014	50-440 G
HOYLE,J.C.	9510300015	50-391 G
HOYLE,J.C.	9510300218*	50-29 W
HSIEH,C.S.	9510030325*	50-296 S
HUBBARD,G.	9510310038	ORG
HUDSPETH,J.	9510170425	50-348 F
HUEY,F.R.	9510300204*	50-528 Q
HUFFMAN,W.C.	9510020347	52-3
HUFFMAN,W.C.	9510040226	52-3
HUFFMAN,W.C.	9510040270	52-3
HUFFMAN,W.C.	9510040302	52-3
HUFFMAN,W.C.	9510040311	52-3
HUFFMAN,W.C.	9510050071	52-3
HUFFMAN,W.C.	9510050084	52-3
HUFFMAN,W.C.	9510050142	52-3
HUFFMAN,W.C.	9510050231	52-3
HUFFMAN,W.C.	9510050252	52-3
HUFFMAN,W.C.	9510120181	52-3
HUFFMAN,W.C.	9510120191	52-3
HUFFMAN,W.C.	9510130188	52-3
HUFFMAN,W.C.	9510130301	52-3
HUFFMAN,W.C.	9510250072	52-3
HUFFMAN,W.C.	9510260271	52-3
HUFFMAN,W.C.	9510300208	52-3
HUFFMAN,W.C.	9510300212	52-3
HUFFMAN,W.C.	9510310244	52-3
HUGHES,J.	9510170010*	50-445 R
HUGHES,J.	9510170012*	50-445 R
HUGHES,J.	9510170013*	50-445 R
HUGHES,L.	9510040148	72-19
HUGHES,L.	9510120090	40-8027
HUGHES,L.	9510260145	40-8027
HUGHES,L.R.	9510030159*	40-8027
HUGHES,T.H.	9510030169	NUREG
HUGHEY,C.	9510180216*	50-416 Q
HULL,J.T.	9510030098	50-424 G
HULL,J.T.	9510300075	50-424 T
HULL,J.T.	9510300092	50-424 G
HULL,J.T.	9510310001	50-424 G
HUMMER,J.	9510060269*	CONTRACT
HUMMER,J.	9510060316	CONTRACT
HUNGER,G.A.	9510020194	50-278 P
HUNGER,G.A.	9510020271	50-352 P
HUNGER,G.A.	9510040171	50-277 P
HUNGER,G.A.	9510050126	50-277 P
HUNGER,G.A.	9510110008	50-352 P
HUNGER,G.A.	9510110061	50-277 F
HUNGER,G.A.	9510110115	REGGD
HUNGER,G.A.	9510160293	50-352 P
HUNGER,G.A.	9510170201	50-278 Q
HUNGER,G.A.	9510190278	50-277 P
HUNGER,G.A.	9510240377	50-277 P
HUNGER,G.A.	9510250045	50-352 S
HUNGER,G.A.	9510270306	50-278 P
HUNSTAD,A.A.	9510180118	50-306 S
HUNSTAD,A.A.	9510230158	50-282 S
HUNTER,J.J.	9510200242	40-7580
HURGETON,J.C.	9510050060*	50-390 H
HURST,G.	9510240386*	27-47
HURST,G.E.	9510240372*	27-47
HUTCHINSON,C.	9510170398	50-416 S
HUTCHINSON,C.R.	9510250039	50-416 P
HUTCHINSON,K.B.	9510100197*	COMMISSION
HUTCHISON,C.R.	9510170003	50-416 R
HUTCHISON,M.	9510100001	CONTRACT
HYVARINEN,J.	9510040026	REGGD
ICHIMURA,V.	9510240362*	27-47
ILYASOV,Z.	9510110182*	XPORTLIC
ILYASOV,Z.	9510120203*	XPORTLIC
INGRAM,F.L.	9212210138*	50-423 P
INTERRANTE,C.G.	9510260040	WASTE MGT
IPSEN,H.W.	9510030112	40-8681
ISAAC,P.	9510120222	50-113 V
ISAAC,P.J.	9510050220	50-170 V
ISAAC,P.J.	9510050243	50-160 V
ISAAC,P.J.	9510110356	50-170 V
ISAAC,P.J.	9510160137*	50-20 V
ISOM,G.E.	9510060335	CONTRACT
ISPEN,H.W.	9510120065	40-8681
ISPEN,H.W.	9510120065	40-8681
JABBOUR,K.N.	9510040305	50-366 P
JABBOUR,K.N.	9510240073	50-321 P
JABBOUR,K.N.	9510240245	50-321 P
JABBOUR,K.N.	9510250382	50-366 P
JACKSON,D.	9510050262*	52-3
JACKSON,D.T.	9510020276	52-3
JACKSON,D.T.	9510040222	TOPREP
JACKSON,D.T.	9510040261	52-3
JACKSON,D.T.	9510040295	52-3
JACKSON,D.T.	9510050216	52-3
JACKSON,D.T.	9510050248	52-3
JACKSON,D.T.	9510050263	52-3
JACKSON,D.T.	9510110338	TOPREP
JACKSON,D.T.	9510130399	52-3
JACKSON,D.T.	9510200079	TOPREP
JACKSON,D.T.	9510200214	TOPREP
JACKSON,D.T.	9510200291	52-3
JACKSON,D.T.	9510250407	TOPREP
JACKSON,G.C.	9510110361	40-8905
JACKSON,J.D.	9510160304	70-7001
JACKSON,S.A.	9510120351*	COMMISSION
JACKSON,S.A.	9510170047	COMMISSION
JACKSON,S.A.	9510170078	COMMISSION
JACKSON,S.A.	9510170102	COMMISSION
JACKSON,S.A.	9510180291	10CFR
JACKSON,S.A.	9510190207	SPEECHES
JACKSON,S.A.	9510190406	10CFR
JACKSON,S.A.	9510200092	COMMISSION
JACKSON,S.A.	9510200325	COMMISSION
JACKSON,S.A.	9510200329*	COMMISSION
JACKSON,S.A.	9510200332	COMMISSION
JACKSON,S.A.	9510230126*	COMMISSION
JACKSON,S.A.	9510250116	SPEECHES
JACKSON,S.A.	9510270001	SPEECHES
JACOBSEN,B.	9510180055	50-454 S
JACOBSEN,R.K.	9510030070	50-344 H
JACOBSON,I.D.	9510270177	CONTRACT
JACOBSON,J.B.	9510050253*	50-361 Q
JACOBSON,J.M.	9510110271*	40-3392
JACOBSON,J.M.	9510190164	50-341 Q
JACOBSON,J.M.	9510190178*	50-341 Q
JAFFE,D.H.	9510130215	50-354 P
JAFFE,D.H.	9510130382	50-272 F
JAFFE,D.H.	9510200292	50-354 P
JAFFE,D.H.	9510200345	50-354 P
JAN,F.	9510270371	50-272 P
JANISSE,J.D.	9510160277*	50-316 R
JANISSE,J.D.	9510160285*	50-315 R
JANKOVICH,J.P.	9510020062	71-346
JANKOVICH,J.P.	9510020063*	71-346
JANKOVICH,J.P.	9510040068	71-170
JANKOVICH,J.P.	9510040071	71-380
JANKOVICH,J.P.	9510040072	71-710
JANKOVICH,J.P.	9510110205	71-122
JANKOVICH,J.P.	9510130057	71-767
JANKOVICH,J.P.	9510130060	71-767
JANKOVICH,J.P.	9510170181	71-153
JANKOVICH,J.P.	9510190153	71-831
JANKOVICH,J.P.	9510190155*	71-831
JANKOVICH,J.P.	9510260033	71-710
JANKOVICH,J.P.	9510260037	71-766
JANKOVICH,J.P.	9510300085	71-538
JANKOVICH,J.P.	9510300090*	71-538
JANKOVICH,J.P.	9510310122	71-830
JANKOVICH,J.P.	9510310127*	71-830
JANKOVICH,J.P.	9510310136	71-417
JANKOVICH,J.P.	9510310138*	71-417
JANKOVICH,J.P.	9510310280	71-733
JANKOVICH,J.P.	9510310295	71-751
JANKOVICH,J.P.	9510310400	71-558
JAROSZ,G.J.	9510130353	ORG
JARZEMBA,M.S.	9510260054*	WASTE MGT
JAUDON,J.P.	9510100281	50-390 Q
JAUDON,J.P.	9510180082	50-390 Q
JAUDON,J.P.	9510180114	50-390 Q
JAUDON,J.P.	9510180141	50-390 Q
JAUDON,J.P.	9510180174	50-390 Q
JAUDON,J.P.	9510230280	50-390 Q
JAUDON,J.P.	9510230292	50-390 Q
JAUDON,J.P.	9510230373	50-390 Q
JAUDON,J.P.	9510230385	50-438 A
JAUDON,J.P.	9510240095	50-390 Q
JEFFREY,W.J.	9510190031	50-277 R
JEFFS,V.D.	9510230073*	STATE PRO G
JENKINS,L.	9510270339	40-8968
JENKINS,R.	9510020239	50-445 P
JENKINS,R.V.	9510030212	TOPREP
JENKINS,R.V.	9510030217	TOPREP
JENKINS,R.V.	9510040187	TOPREP
JENNETTEN,S.C.	9510130156	CONTRACT
JENNINGS,C.C.	9510200348	50-269 F
JERRETT,L.E.	9510310158	STATE PRO G
JOHNSON,A.R.	9510020212	50-244 F
JOHNSON,A.R.	9510050052	50-244 P
JOHNSON,A.R.	9510190142	50-244 P
JOHNSON,C.E.	9510260148*	50-498 P
JOHNSON,C.J.	9510230243*	40-8868
JOHNSON,I.M.	9510100071	50-10 F
JOHNSON,I.M.	9510300253	50-237 S
JOHNSON,L.	9510160025*	FOIA
JOHNSON,L.	9510250042*	STATE PRO G
JOHNSON,L.	9510250084*	STATE PRO G
JOHNSON,L.	9510270145*	70-161
JOHNSON,L.	9510270156*	70-161
JOHNSON,L.	9510270158*	70-161
JOHNSON,L.	9510270164*	70-161
JOHNSON,L.	9510270228*	70-161
JOHNSON,L.	9510300087*	40-962
JOHNSON,L.E.	9510120046*	FOIA
JOHNSON,T.C.	9510170217	40-8724
JOHNSON,T.C.	9510170256	40-8724
JOHNSON,T.C.	9510170395	40-*****
JOHNSON,T.P.	9510100216*	50-250 Q
JOHNSTON,C.	9510020081	50-346 H
JOHNSTON,D.R.	9510190099	PR
JOHNSTON,G.	9510250287	50-275 S
JOHNSTON,G.	9510310398	50-275 S
JOHNSTON,J.R.	9510180013	50-155 R
JOHNSTON,W.V.	8508070424*	50-315 P
JOLICOEUR,J.R.	9510200298	50-206 F
JONES,A.	9510310391	30-15228
JONES,B.S.	9510260249*	FOIA
JONES,B.S.	9510260264*	40-8027
JONES,D.T.	9510160271	50-344 R
JONES,D.W.	9510240117*	50-321 Q
JONES,E.D.	9510060245	NUREG
JONES,E.D.	9510060248	NUREG
JONES,J.	9510180003	30-8223

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JONES,J.E.	9510100130*	FOIA
JONES,J.E.	9510100150*	FOIA
JONES,J.E.	9510120186*	FOIA
JONES,R.C.	9510050200	TOPREP
JONES,R.C.	9510190295	ACRS
JONES,R.C.	9510200346	TOPREP
JONES,R.C.	9510250068	TOPREP
JONES,S.C.	9510270215	CONTRACT
JORDAN,E.L.	9404180219*	40-8027
JORDAN,E.L.	9411030265*	40-8027
JORDAN,E.L.	9510120199	ORG
JORDAN,E.L.	9510200276	ORG
JORDAN,M.J.	9510270116*	50-341 Q
JORDAN,M.S.	9510270111	50-341 Q
JORDON,E.L.	9510120159	REVIEW GR P
JOSEPH,B.	9510300246	CONTRACT
JOSS,G.E.	9510260341*	50-244 P
JOSS,G.E.	9510260344*	50-244 P
JOYCE,T.P.	9510020091	50-10 W
JOYNER,J.H.	9510020165	50-244 Q
JOYNER,J.H.	9510020173	50-220 Q
JOYNER,J.H.	9510020275	50-184 Q
JOYNER,J.H.	9510030005	50-29 Q
JOYNER,J.H.	9510030006	50-271 Q
JOYNER,J.H.	9510050080	50-277 Q
JOYNER,J.H.	9510100210	50-387 Q
JOYNER,J.H.	9510100400	50-309 F
JOYNER,J.H.	9510100401	50-245 F
JOYNER,J.H.	9510110090	50-289 Q
JOYNER,J.H.	9510110103*	50-289 Q
JOYNER,J.H.	9510110131	50-277 F
JOYNER,J.H.	9510230212	50-293 Q
JOYNER,J.H.	9510230390	50-317 Q
JUDAY,R.A.	9510200133	40-6659
JULIAN,C.	9510180122*	50-390 Q
JULIAN,C.	9510180185*	50-390 Q
JULIAN,C.	9510230381*	50-390 Q
JULIAN,C.A.	9510230297*	50-390 Q
JULIAN,E.	9510060105	70-3070
JULIAN,E.L.	9510060081	70-3070
JULIAN,E.L.	9510060088	70-3070
JULIAN,E.L.	9510060089	70-3070
JULIAN,E.L.	9510060092	70-3070
JULIAN,E.L.	9510060093	70-3070
JULIAN,E.L.	9510060095	70-3070
JULIAN,E.L.	9510060098	70-3070
JULIAN,E.L.	9510060099	70-3070
JULIAN,E.L.	9510060102	70-3070
JULIAN,E.L.	9510060103	70-3070
JULIAN,E.L.	9510060104	70-3070
JULIAN,E.L.	9510060106	70-3070
JULIAN,E.L.	9510060107	70-3070
JULIAN,E.L.	9510060108	70-3070
JULIAN,E.L.	9510060109	70-3070
JULIAN,E.L.	9510060110	70-3070
JULIAN,E.L.	9510060111	70-3070
JULIAN,E.L.	9510060112	70-3070
JULIAN,E.L.	9510060113	70-3070
JULIAN,E.L.	9510060114	70-3070
JULIAN,E.L.	9510060115	70-3070
JULIAN,E.L.	9510060116	70-3070
JULIAN,E.L.	9510060117	70-3070
JULIAN,E.L.	9510060118	70-3070
JULIAN,E.L.	9510060119	70-3070
JULIAN,E.L.	9510060121	70-3070
JULIAN,E.L.	9510060122	70-3070
JULIAN,E.L.	9510060123	70-3070
JULIAN,E.L.	9510060125	70-3070
JULIAN,E.L.	9510060126	70-3070
JULIAN,E.L.	9510060127	70-3070
JULIAN,E.L.	9510060128	70-3070
JULIAN,E.L.	9510060129	70-3070
JULIAN,E.L.	9510060130	70-3070
JULIAN,E.L.	9510060131	70-3070
JULIAN,E.L.	9510060132	70-3070
JULIAN,E.L.	9510060133	70-3070
JULIAN,E.L.	9510060134	70-3070
JULIAN,E.L.	9510060135	70-3070
JULIAN,E.L.	9510060136	70-3070
JULIAN,E.L.	9510060137	70-3070
JULIAN,E.L.	9510060138	70-3070
JULIAN,E.L.	9510060139	70-3070
JULIAN,E.L.	9510060140	70-3070
JULIAN,E.L.	9510060141	70-3070
JULIAN,E.L.	9510060142	70-3070
JULIAN,E.L.	9510060143	70-3070
JULIAN,E.L.	9510060144	70-3070
JULIAN,E.L.	9510060145	70-3070
JULIAN,E.L.	9510060146	70-3070
JULIAN,E.L.	9510060147	70-3070
JULIAN,E.L.	9510060148	70-3070
JULIAN,E.L.	9510060149	70-3070
JULIAN,E.L.	9510060150	70-3070
JULIAN,E.L.	9510060151	70-3070
JULIAN,E.L.	9510060152	70-3070
JULIAN,E.L.	9510060153	70-3070
JULIAN,E.L.	9510060154	70-3070
JULIAN,E.L.	9510060155	70-3070
JULIAN,E.L.	9510060156	70-3070
JULIAN,E.L.	9510060157	70-3070
JULIAN,E.L.	9510060158	70-3070
JULIAN,E.L.	9510060159	70-3070
JULIAN,E.L.	9510060160	70-3070
JULIAN,E.L.	9510060161	70-3070
JULIAN,E.L.	9510060162	70-3070
JULIAN,E.L.	9510060163	70-3070
JULIAN,E.L.	9510060164	70-3070
JULIAN,E.L.	9510060165	70-3070
JULIAN,E.L.	9510060166	70-3070
JULIAN,E.L.	9510060168	70-3070
JULIAN,E.L.	9510060169	70-3070
JULIAN,E.L.	9510060170	70-3070
JULIAN,E.L.	9510060171	70-3070
JULIAN,E.L.	9510060172	70-3070
JULIAN,E.L.	9510060173	70-3070
JULIAN,E.L.	9510060174	70-3070
JULIAN,E.L.	9510060175	70-3070
JULIAN,E.L.	9510060177	70-3070
JULIAN,E.L.	9510060178	70-3070
JULIAN,E.L.	9510060179	70-3070
JULIAN,E.L.	9510060180	70-3070
JULIAN,E.L.	9510060181	70-3070
JULIAN,E.L.	9510060182	70-3070
JULIAN,E.L.	9510060184	70-3070
JULIAN,E.L.	9510060185	70-3070
JULIAN,E.L.	9510060188	70-3070
JULIAN,E.L.	9510060189	70-3070
JULIAN,E.L.	9510060190	70-3070
JULIAN,E.L.	9510060191	70-3070
JULIAN,E.L.	9510060193	70-3070
JULIAN,E.L.	9510060195	70-3070
JULIAN,E.L.	9510060196	70-3070
JULIAN,E.L.	9510060199	70-3070
JULIAN,E.L.	9510060200	70-3070
JULIAN,E.L.	9510100054	70-3070
JULIAN,E.L.	9510100056	70-3070
JULIAN,E.L.	9510100059	70-3070
JULIAN,E.L.	9510100064	70-3070
JULIAN,E.L.	9510100065	70-3070
JULIAN,E.L.	9510100082	70-3070
JULIAN,E.L.	9510100086	70-3070
JULIAN,E.L.	9510100087	70-3070
JULIAN,E.L.	9510100090	70-3070
JULIAN,E.L.	9510100091	70-3070
JULIAN,E.L.	9510100094	70-3070
JULIAN,E.L.	9510100097	70-3070
JULIAN,E.L.	9510100101	70-3070
JULIAN,E.L.	9510100102	70-3070
JULIAN,E.L.	9510100103	70-3070
JULIAN,E.L.	9510100104	70-3070
JULIAN,E.L.	9510100105	70-3070
JULIAN,E.L.	9510100129	70-3070
JULIAN,E.L.	9510100132	70-3070
JULIAN,E.L.	9510100139	70-3070
JULIAN,E.L.	9510100144	70-3070
JULIAN,E.L.	9510100145	70-3070
JULIAN,E.L.	9510100147	70-3070
JULIAN,E.L.	9510100149	70-3070
JULIAN,E.L.	9510100159	70-3070
JULIAN,E.L.	9510100177	70-3070
JULIAN,E.L.	9510100181	70-3070
JULIAN,E.L.	9510100186	70-3070
JULIAN,E.L.	9510100189	70-3070
JULIAN,E.L.	9510100348	70-3070
JULIAN,E.L.	9510100351	70-3070
JULIAN,E.L.	9510100353	70-3070
JULIAN,E.L.	9510100358	70-3070
JULIAN,E.L.	9510100361	70-3070
JULIAN,E.L.	9510110150	70-3070
JULIAN,E.L.	9510110164	70-3070
JULIAN,E.L.	9510110166	70-3070
JULIAN,E.L.	9510110169	70-3070
JULIAN,E.L.	9510160042	70-3070
JULIAN,E.L.	9510160044	70-3070
JULIAN,E.L.	9510160046	70-3070
JULIAN,E.L.	9510160047	70-3070
JULIAN,E.L.	9510160050	70-3070
JULIAN,E.L.	9510160051	70-3070
JULIAN,E.L.	9510160053	70-3070
JULIAN,E.L.	9510160054	70-3070
JULIAN,E.L.	9510160056	70-3070
JULIAN,E.L.	9510160057	70-3070
JULIAN,E.L.	9510160058	70-3070
JULIAN,E.L.	9510160060	70-3070
JULIAN,E.L.	9510160062	70-3070
JULIAN,E.L.	9510160063	70-3070
JULIAN,E.L.	9510160064	70-3070
JULIAN,E.L.	9510160065	70-3070
JULIAN,E.L.	9510160066	70-3070
JULIAN,E.L.	9510160067	70-3070
JULIAN,E.L.	9510160068	70-3070
JULIAN,E.L.	9510160071	70-3070
JULIAN,E.L.	9510160073	70-3070
JULIAN,E.L.	9510160074	70-3070
JULIAN,E.L.	9510160075	70-3070
JULIAN,E.L.	9510160076	70-3070
JULIAN,E.L.	9510160078	70-3070
JULIAN,E.L.	9510160081	70-3070
JULIAN,E.L.	9510160082	70-3070
JULIAN,E.L.	9510160085	70-3070
JULIAN,E.L.	9510160088	70-3070
JULIAN,E.L.	9510160182	70-3070
JULIAN,E.L.	9510160185	70-3070
JULIAN,E.L.	9510160186	70-3070
JULIAN,E.L.	9510160188	70-3070
JULIAN,E.L.	9510160191	70-3070
JULIAN,E.L.	9510160194	70-3070
JULIAN,E.L.	9510160195	70-3070
JULIAN,E.L.	9510160197	70-3070
JULIAN,E.L.	9510160201	70-3070
JULIAN,E.L.	9510160202	70-3070
JULIAN,E.L.	9510160205	70-3070
JULIAN,E.L.	9510160207	70-3070
JULIAN,E.L.	9510160213	70-3070
JULIAN,E.L.	9510160215	70-3070
JULIAN,E.L.	9510160216	70-3070
JULIAN,E.L.	9510160218	70-3070
JULIAN,E.L.	9510160220	70-3070
JULIAN,E.L.	9510160222	70-3070
JULIAN,E.L.	9510180369	70-3070
JULIAN,E.L.	9510180371	70-3070
JULIAN,E.L.	9510180373	70-3070
JULIAN,E.L.	9510180374	70-3070
JULIAN,E.L.	9510180377	70-3070
JULIAN,E.L.	9510180378	70-3070
JULIAN,E.L.	9510180380	70-3070
JULIAN,E.L.	9510180382	70-3070
JULIAN,E.L.	9510190201	70-3070
JULIAN,E.L.	9510190203	70-3070
JULIAN,E.L.	9510190205	70-3070
JULIAN,E.L.	9510190208	70-3070
JULIAN,E.L.	9510190210	70-3070
JULIAN,E.L.	9510190216	70-3070
JULIAN,E.L.	9510190219	70-3070
JULIAN,E.L.	9510190224	70-3070
JULIAN,E.L.	9510190227	70-3070
JULIAN,E.L.	9510190230	70-3070
JULIAN,E.L.	9510190237	70-3070
JULIAN,E.L.	9510190239	70-3070
JULIAN,E.L.	9510190240	70-3070
JULIAN,E.L.	9510190241	70-3070
JULIAN,E.L.	9510190245	70-3070
JULIAN,E.L.	9510190247	70-3070
JULIAN,E.L.	9510190248	70-3070
JULIAN,E.L.	9510190249	70-3070
JULIAN,E.L.	9510190250	70-3070
JULIAN,E.L.	9510190251	70-3070
JULIAN,E.L.	9510190254	70-3070
JULIAN,E.L.	9510190302	70-3070
JULIAN,E.L.	9510190305	70-3070
JULIAN,E.L.	9510190307	70-3070
JULIAN,E.L.	9510190311	70-3070
JULIAN,E.L.	9510190313	70-3070
JULIAN,E.L.	9510190314	70-3070
JULIAN,E.L.	9510190318	70-3070
JULIAN,E.L.	9510190319	70-3070
JULIAN,E.L.	9510190321	70-3070
JULIAN,E.L.	9510190324	70-3070
JULIAN,E.L.	9510190326	70-3070
JULIAN,E.L.	9510190329	70-3070
JULIAN,E.L.	9510190332	70-3070
JULIAN,E.L.	9510190336	70-3070
JULIAN,E.L.	9510190338	70-3070
JULIAN,E.L.	9510190342	70-3070

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
JULIAN,E.L.	9510190344	70-3070
JULIAN,E.L.	9510190346	70-3070
JULIAN,E.L.	9510190351	70-3070
JULIAN,E.L.	9510190354	70-3070
JULIAN,E.L.	9510200016	70-3070
JULIAN,E.L.	9510200018	70-3070
JULIAN,E.L.	9510200021	70-3070
JULIAN,E.L.	9510200022	70-3070
JULIAN,E.L.	9510200026	70-3070
JULIAN,E.L.	9510200027	70-3070
JULIAN,E.L.	9510200029	70-3070
JULIAN,E.L.	9510200032	70-3070
JULIAN,E.L.	9510200034	70-3070
JULIAN,E.L.	9510200039	70-3070
JULIAN,E.L.	9510200041	70-3070
JULIAN,E.L.	9510200043	70-3070
JULIAN,E.L.	9510200046	70-3070
JULIAN,E.L.	9510200047	70-3070
JULIAN,E.L.	9510200050	70-3070
JULIAN,E.L.	9510200053	70-3070
JULIAN,E.L.	9510200056	70-3070
JULIAN,E.L.	9510200059	70-3070
JULIAN,E.L.	9510200061	70-3070
JULIAN,E.L.	9510200062	70-3070
JULIAN,E.L.	9510200064	70-3070
JULIAN,E.L.	9510200066	70-3070
JULIAN,E.L.	9510200141	70-3070
JULIAN,E.L.	9510200146	70-3070
JULIAN,E.L.	9510200149	70-3070
JULIAN,E.L.	9510200152	70-3070
JULIAN,E.L.	9510200153	70-3070
JULIAN,E.L.	9510200158	70-3070
JULIAN,E.L.	9510200160	70-3070
JULIAN,E.L.	9510200162	70-3070
JULIAN,E.L.	9510200164	70-3070
JULIAN,E.L.	9510200165	70-3070
JULIAN,E.L.	9510200167	70-3070
JULIAN,E.L.	9510200170	70-3070
JULIAN,E.L.	9510200171	70-3070
JULIAN,E.L.	9510200174	70-3070
JULIAN,E.L.	9510200176	70-3070
JULIAN,E.L.	9510200179	70-3070
JULIAN,E.L.	9510200182	70-3070
JULIAN,E.L.	9510200184	70-3070
JURY,K.R.	9510050143*	50-440 S
JURY,K.R.	9510050151*	50-440 S
JURY,K.R.	9510050156*	50-440 S
JURY,K.R.	9510170283	50-440 S
KADAK,A.C.	9510260052	50-29 G
KADAMBI,N.P.	8802090328*	50-498 Q
KAEMPF	9510270319	CONTRACT
KAI,M.	9510230145*	50-245 P
KALMAN,G.	9510020179	50-368 P
KALMAN,G.	9510020182*	50-368 P
KALMAN,G.	9510030020	50-313 F
KALMAN,G.	9510040329	50-313 P
KALMAN,G.	9510040333	50-313 P
KALMAN,G.	9510050042	50-313 P
KALMAN,G.	9510050212	50-368 P
KALMAN,G.	9510050213*	50-368 P
KALMAN,G.	9510050236	50-368 P
KALMAN,G.	9510050240*	50-368 P
KALMAN,G.	9510160118	50-368 P
KALMAN,G.	9510160128*	50-368 P
KALMAN,G.	9510200314	50-368 P
KALMAN,G.	9510200318*	50-368 P
KALMAN,G.	9510250089	50-368 Q
KALMAN,G.	9510260162	50-368 P
KALMAN,G.	9510260164*	50-368 P
KALMAN,G.	9510310335	50-313 P
KANTER,J.L.	9510310414	50-352 S
KANTNER,J.L.	9510020098	50-352 S
KANTNER,J.L.	9510060012*	50-352 S
KANTNER,J.L.	9510240189	50-352 S
KANTNER,J.L.	9510240202*	50-353 S
KAPNICKY,J.A.	9510270138*	70-161
KAPNICKY,J.A.	9510270143*	70-161
KAPNICKY,J.A.	9510270146*	70-161
KAPNICKY,J.A.	9510300105*	40-962
KAPNICKY,J.A.	9510310037*	FOIA
KARAM,R.A.	9510100330	71-*****
KARAM,R.A.	9510130061	50-160 F
KARAM,R.A.	9510130146	71-9225
KASNER,L.L.	9510260285*	FOIA
KASSNER,T.F.	9510030169	NUREG
KATHPAL,H.B.	9510100031	CONTRACT
KATHPAL,H.B.	9510270252	CONTRACT
KATZ,D.	9510030086	50-29 H
KATZ,D.	9510190118	PR
KATZMAN,E.	9510250149	71-9222
KAUFFMAN,J.V.	9510120206*	ORG
KAUP,K.L.	9510020266	50-456 F
KAZANAS,N.C.	9510240039	50-438 A
KEAMS,J.P.	9510200307*	50-323 P
KEARNEY,W.F.	9510250257	40-8857
KEARSLEY,E.	9510020009	50-170 F
KEATING,R.F.	9510270085*	50-315 P
KEENE,J.W.	9510100375	50-293 H
KEIMIG,R.	9510230225*	50-293 Q
KEIMIG,R.	9510230394*	50-317 Q
KEIMIG,R.R.	9510170318	50-20 Q
KEIMIG,R.R.	9510170342*	50-20 Q
KEIMIG,R.R.	9510270068	50-219 Q
KEIMIG,R.R.	9510270076*	50-219 Q
KEIMIG,R.R.	9510270098*	50-289 Q
KEITH,C.L.	9510230085*	50-287 Q
KELBER,C.N.	9510060097	50-440 G
KELLEY,J.P.	9510160028*	FOIA
KELLEY,L.C.	9510030110	50-302 F
KELLEY,L.C.	9510190024	50-302 H
KELLEY,W.	9510100077	CONTRACT
KELLY,E.	9510100207	50-247 P
KELLY,E.M.	9510020148	50-293 Q
KELLY,E.M.	9510050044	50-443 Q
KELLY,E.M.	9510050047*	50-443 Q
KELLY,E.M.	9510050157	50-213 P
KELLY,E.M.	9510050164*	50-213 P
KELLY,E.M.	9510100180	50-309 P
KELLY,E.M.	9510100187	50-219 P
KELLY,E.M.	9510100201	50-244 P
KELLY,E.M.	9510100214	50-272 P
KELLY,E.M.	9510100221	50-352 P
KELLY,E.M.	9510100228	50-334 P
KELLY,E.M.	9510100229	50-289 P
KELLY,E.M.	9510100230	50-220 P
KELLY,E.M.	9510100235	50-245 P
KELLY,E.M.	9510100241	50-293 P
KELLY,E.M.	9510100242	50-271 P
KELLY,E.M.	9510100244	50-387 P
KELLY,E.M.	9510100251	50-354 P
KELLY,E.M.	9510100256	50-443 P
KELLY,E.M.	9510100264	50-277 P
KELLY,E.M.	9510100268	50-286 P
KELLY,E.M.	9510100299	50-333 P
KELLY,E.M.	9510100317	50-317 P
KELLY,E.M.	9510110114	50-213 Q
KELLY,E.M.	9510110123*	50-213 Q
KELLY,E.M.	9510190238	50-289 Q
KELLY,E.M.	9510190258*	50-289 Q
KELLY,E.M.	9510300116	50-271 Q
KELLY,E.M.	9510300122*	50-271 Q
KELLY,G.	9510040243	50-331 F
KELLY,G.B.	9510250293	50-331 P
KELLY,G.B.	9510250298*	50-331 P
KELLY,J.A.	9510200283*	50-445 Q
KELLY,M.L.	9510030052	50-344 H
KENNA,W.B.	9510300082*	50-129 Q
KENNY,A.	9510030134*	TOPREP
KENNY,A.	9510030172	TOPREP
KENNY,A.	9510060370*	TOPREP
KENNY,A.	9510060371*	TOPREP
KENNY,T.J.	9510270062*	50-213 Q
KENT,J.A.	9510100219*	FOIA
KENT,J.A.	9510100236*	FOIA
KENT,J.A.	9510100249*	FOIA
KENT,J.A.	9510100283*	FOIA
KENT,J.A.	9510100296*	FOIA
KENT,J.A.	9510100305*	FOIA
KENT,J.A.	9510130106*	FOIA
KENT,J.A.	9510130109*	FOIA
KENT,J.A.	9510130173*	FOIA
KENT,J.A.	9510130290*	FOIA
KENT,J.A.	9510160170*	FOIA
KENT,J.A.	9510160176*	FOIA
KENT,J.A.	9510160180*	FOIA
KENT,J.A.	9510270162*	70-161
KENT,J.A.	9510270187*	FOIA
KENT,J.A.	9510270247*	70-161
KENT,J.A.	9510270256*	70-161
KENT,J.A.	9510270263*	70-161
KENT,J.A.	9510300127*	40-962
KENT,J.A.	9510300134*	40-962
KENT,J.A.	9510300144*	40-962
KENT,J.A.	9510310051*	FOIA
KENT,J.A.	9510310070*	FOIA
KENYON,T.J.	9510230147	52-3
KEPPLER,J.G.	7912310302*	FOIA
KERR,G.W.	9510020110	STATE PRO G
KERR,G.W.	9510110060	STATE PRO G
KERR,K.	9510310003	STATE PRO G
KEUTER,D.R.	9510060263	50-382 S
KEUTER,D.R.	9510260091	50-382 S
KEYS,T.A.	9510190261*	50-296 P
KHURI,N.	8606190548*	FOIA
KICHLINE,R.D.	9510130350	50-387 S
KICHLINE,R.D.	9510200159	50-388 S
KILLAR,F.M.	9510120024	PR
KIM,T.	9510050288	TOPREP
KIM,T.	9510130377	50-263 P
KIM,T.	9510170171	50-263 F
KIM,T.	9510170232	50-263 P
KIMBALL,D.P.	9510180072	50-413 S
KINCAID,C.	9510160134	XPORTLIC
KINCAID,C.	9510160139	XPORTLIC
KINDLEY,W.R.	9510250312*	ORG
KING,E.B.	9510270076*	50-219 Q
KING,E.B.	9510270098*	50-289 Q
KING,E.R.	9510120168*	FOIA
KING,E.R.	9510120255*	FOIA
KING,E.R.	9510130058*	FOIA
KING,S.K.	9510310300	40-8907
KINNEMAN,J.	9510190279	30-763
KINNEMAN,J.D.	9510110081	40-8778
KINNEMAN,J.D.	9510110085*	40-8778
KINNEMAN,J.D.	9510230173	40-791
KINNEMAN,J.D.	9510260071	40-7354
KINNISON,L.	9510270223*	CONTRACT
KIRSCH,D.	9510110142*	50-445 Q
KIRWIN,T.	9510200259	50-354 S
KISH,J.	9510110388	50-249 S
KLAPPROTH,J.F.	9510040062	70-1113
KLAPPROTH,J.F.	9510040091	70-1113
KLAPPROTH,J.F.	9510160248*	50-388 P
KLAPPROTH,J.F.	9510230359	TOPREP
KLAPPROTH,J.F.	9510270387	TOPREP
KLIMAS,D.A.	9510270344*	WASTE MGT
KLINE,J.R.	9510030088	40-8027
KLINE,J.R.	9510190041	40-8027
KLINE,J.R.	9510300006	40-8027
KLINGER,J.G.	9510040099	STATE PRO G
KLINGER,J.G.	9510110076	STATE PRO G
KLOTZ,B.	9510020252	50-331 S
KNAPP,K.S.	9510060266	71-9252
KNAPP,K.S.	9510200326	70-1201
KNAPP,K.S.	9510270349	70-1201
KNIGHT,D.A.	9510300026	CONTRACT
KNIGHT,M.R.	9510170091	50-289 S
KNODE,R.	9510170418	40-8943
KNORR,J.E.	9510200055	50-250 R
KNOTTS,J.B.	9510200118	PR
KNOTTS,J.B.	9510200118	PR
KNOTTS,J.B.	9510200118	PR
KNOTTS,J.B.	9510200118	PR
KNOTTS,J.B.	9510200118	PR
KNUBEL,J.	9510020226	50-289 P
KNUBEL,J.	9510020289	50-289 P
KNUBEL,J.	9510110001	50-289 S
KNUBEL,J.	9510110012	50-289 S
KNUBEL,J.	9510130028	50-289 P
KNUBEL,J.	9510130034	50-289 P
KNUBEL,J.	9510170027	50-289 R
KNUBEL,J.	9510170091	50-289 S
KNUBEL,J.	9510170103	50-289 Q
KNUBEL,J.	9510240355	50-289 P
KNUTH,D.F.	9510160018*	FOIA
KNUTH,D.F.	9510160019*	FOIA
KNUTH,D.F.	9510300005*	70-161
KNUTH,D.F.	9510300008*	70-161
KNUTH,D.F.	9510300013*	70-161
KOFRON,K.L.	9510170017	50-454 R
KOFRON,K.L.	9510180055	50-454 S
KOH,B.	9510030089	40-8724
KOHN,M.D.	9510030085	50-424 G
KOHN,M.D.	9510040031	50-424 G
KOHN,M.D.	9510040031	50-424 G
KOHN,M.D.	9510040033	50-424 G
KOHN,M.D.	9510040033	50-424 G
KOHN,M.D.	9510110151	50-424 Q
KOHN,M.D.	9510120136	50-424 G
KOHN,M.D.	9510120136	50-424 G
KOHN,M.D.	9510180180	50-424 G
KOHN,M.D.	9510180180	50-424 G
KOHN,S.M.	9510030074	50-424 G
KOKOSKY,E.	9510270249*	50-341 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KOKOSKY,E.F.	9510270121*	50-341 R
KOLTAY,P.S.	9510100046*	50-397 Q
KOMORIYA,H.	9510100074	CONTRACT
KOPP,L.	9510040194	TOPREP
KOPP,L.	9510110281	TOPREP
KOPPELMAN,J.	9510270296*	FOIA
KOPPELMAN,R.	8001040273*	FOIA
KOPPELMAN,R.	9510190133*	FOIA
KOPPELMAN,R.	9510240021*	FOIA
KOPPELMAN,R.	9510270041*	FOIA
KOPPELMAN,R.	9510270045*	FOIA
KOPPELMAN,R.	9510310140*	FOIA
KOPPELMAN,R.	9510310147*	FOIA
KOTTAN,J.	9510270048*	50-244 Q
KOTTEN,J.	9510020175*	50-220 Q
KOUDELKA,M.B.	9510130037	50-266 R
KOWAL,N.E.	9510230060*	FOIA
KOZA,R.G.	9208260118*	FOIA
KOZAK,T.	9510180003	30-8223
KRAFT,E.S.	9510020346	50-254 Q
KRAFT,E.S.	9510170108	50-254 Q
KRAFT,E.S.	9510190029	50-254 Q
KRAINIK,A.K.	9510040103	50-528 F
KRAINIK,A.K.	9510170070	50-528 F
KRAINIK,A.K.	9510180338	50-528 F
KRAUSE,R.F.	9510240135*	FOIA
KRAUSE,R.F.	9510240142*	FOIA
KRAUSE,R.F.	9510240153*	FOIA
KRESS,T.S.	9510230035	ACRS
KRESS,T.S.	9510230039	ACRS
KRESS,T.S.	9510230043	ACRS
KRICH,R.M.	9510060221	50-261 F
KRICH,R.M.	9510100078	50-261 P
KRICH,R.M.	9510170008	50-261 R
KRICH,R.M.	9510170284	50-261 Q
KRICH,R.M.	9510170311	50-261 F
KRICH,R.M.	9510230312	50-261 P
KRIEGER,R.W.	9510110214	50-361 S
KRIEGER,R.W.	9510230350	50-361 P
KRIEGER,R.W.	9510230354*	50-361 P
KRIESER,G.M.	9510240340	50-266 Q
KROPP,W.J.	9509280031	50-282 Q
KROSS,D.	9510100030	50-446 S
KRUESI,F.E.	9510270277*	70-161
KRUESI,F.E.	9510270280*	70-161
KUCHIRKA,P.J.	9510270085*	50-315 P
KULZER,E.L.	9510050167*	40-8838
KUMAR,S.	9510190083	PR
KURTH,M.F.	9510130065*	40-*****
KURTH,M.F.	9510180181*	40-*****
KWAST,C.Z.	9510100303*	FOIA
LA MASTRA,D.	9510110178	50-354 S
LABARGE,D.E.	9510040298	50-327 P
LABARGE,D.E.	9510040322	50-327 P
LABARGE,D.E.	9510120152	50-327 P
LABARGE,D.E.	9510160077	50-327 P
LABARGE,D.E.	9510200260	50-327 Q
LABARGE,D.E.	9510240366	50-327 Q
LABURN,R.	9510300056	50-295 S
LAHR,T.N.	7902210024*	FOIA
LAIDLAW,A.	9510160150	XPORTLIC
LAMASTRA,M.	9510040163	70-1201
LAMASTRA,M.	9510230132*	FOIA
LAMASTRA,M.A.	7911190190*	FOIA
LAMASTRA,M.A.	8002010386*	FOIA
LAMASTRA,M.A.	9510190139*	FOIA
LAMASTRA,M.A.	9510190148*	FOIA
LAMASTRA,M.A.	9510270134*	FOIA
LAMB,J.E.	9510110134*	50-277 F
LAMBERSKI,J.	9510030097	50-424 G
LAMBERSKI,J.	9510030097	50-424 G
LAMBERSKI,J.	9510030142	50-424 G
LAMBERSKI,J.	9510030142	50-424 G
LAMBERSKI,J.	9510060054	50-424 G
LAMBERSKI,J.	9510060054	50-424 G
LAMBERSKI,J.	9510180214	50-424 G
LAMBERSKI,J.	9510180214	50-424 G
LAMBERSKI,J.	9510180227	50-424 G
LAMBERSKI,J.	9510180227	50-424 G
LAMBERSKI,J.	9510180235	50-424 G
LAMBERSKI,J.	9510180235	50-424 G
LAMBERSKI,J.E.	9510180219	50-424 G
LAMBERSKI,J.E.	9510180219	50-424 G
LAMBERT,K.J.	9510050167*	40-8838
LANDIS,K.	9510240104*	50-302 Q
LANDIS,K.D.	9510100198	50-280 Q
LANDIS,K.D.	9510100200	50-250 Q
LANDIS,K.D.	9510100216*	50-250 Q
LANDIS,K.D.	9510100261	50-280 P
LANDIS,K.D.	9510100273	50-302 P
LANDIS,K.D.	9510170391	50-335 P
LANDIS,K.D.	9510230256	50-302 P
LANDIS,K.D.	9510230330	50-280 Q
LANDIS,K.D.	9510240074	50-302 Q
LANDIS,K.D.	9510240143	50-338 Q
LANDIS,K.D.	9510240167	50-335 P
LANDIS,K.D.	9510240182	50-250 P
LANDIS,K.D.	9510240229	50-338 P
LANDIS,K.D.	9510240233	50-280 P
LANDIS,K.D.	9510240252	50-302 P
LANG,Y.	9510160110	XPORTLIC
LANG,Y.	9510160129	XPORTLIC
LANGAN,D.L.	9510240339*	27-47
LANGAN,D.L.	9510240347*	27-47
LANKSBURY,R.D.	9510020111	50-331 Q
LANKSBURY,R.D.	9510020121*	50-331 Q
LANKSBURY,R.D.	9510190172	50-346 Q
LANKSBURY,R.D.	9510190193*	50-346 Q
LANKSBURY,R.D.	9510270120	50-440 Q
LANKSBURY,R.D.	9510270127*	50-440 Q
LANWERMEYER,D.	9510060215*	FOIA
LANZISERA,P.	9510230175*	40-6940
LAPLANTE,P.A.	9510260054*	WASTE MGT
LARKINS,J.L.	9510260119	ADVCM
LARKINS,J.L.	9510260199	ADVCM
LARKINS,J.T.	9510260127	ADVCM
LARKINS,J.T.	9510260131	ADVCM
LARKINS,J.T.	9510260135	ADVCM
LARKINS,J.T.	9510260141	ADVCM
LARKINS,J.T.	9510260189	ADVCM
LARKINS,J.T.	9510260193	ADVCM
LARKINS,J.T.	9510260194	ADVCM
LARKINS,J.T.	9510260195	ADVCM
LARKINS,J.T.	9510260203	ADVCM
LARUE,M.J.	9510110403	XPORTLIC
LATTA,R.M.	9510050281	50-373 P
LATTA,R.M.	9510050287*	50-373 P
LATTA,R.M.	9510310026	50-373 P
LATTA,R.M.	9510310174*	50-10 W
LATTA,R.M.	9510310319	50-373 P
LAU,E.S.	9510260096	50-20 P
LAUFER,R.J.	9510040232	50-305 F
LAUGHERY,K.R.	9510030209	NUREG
LAUGHLIN,J.	9510100218*	50-387 Q
LAWALL,G.	9510170179	50-29 H
LAWLESS,M.T.	9510030209	NUREG
LAWRENCE,M.S.	9510030049*	STATE PRO G
LAYCOCK,R.L.	9510270185	CONTRACT
LAYENDECKER,S.	9510310182*	70-8
LAYER,T.J.	9510180081	PT21
LAYFIELD,R.L.	9510270264*	70-161
LAYFIELD,R.L.	9510270265*	70-161
LAYFIELD,R.L.	9510270269*	70-161
LAYFIELD,R.L.	9510270271*	70-161
LAYFIELD,R.L.	9510300023*	70-948
LAYFIELD,R.L.	9510300025*	70-948
LAYFIELD,R.L.	9510300049*	70-948
LAYFIELD,R.L.	9510300050*	70-948
LAYTON,M.	9510160309	40-8968
LAZARUS,W.J.	9510020188*	50-334 Q
LAZARUS,W.J.	9510020200*	50-309 Q
LAZARUS,W.J.	9510110047*	50-244 Q
LE,N.B.	9510050279	50-400 F
LE,N.B.	9510110011	50-400 P
LE,N.B.	9510200225	50-400 P
LEE,D.	9510240362*	27-47
LEE,P.J.	9510130065*	40-*****
LEHMANN,C.R.	9510240361*	50-388 P
LENAHAN,J.J.	9510170396*	50-259 Q
LEROY,G.	9510120321*	FOIA
LEROY,G.V.	9510120121*	FOIA
LEROY,G.V.	9510130054*	FOIA
LEROY,G.V.	9510130095*	FOIA
LESNIAK,M.	9504040196	50-10 F
LESSER,M.S.	9510100194	50-259 P
LESSER,M.S.	9510100203	50-259 P
LESSER,M.S.	9510100238	50-296 P
LESSER,M.S.	9510100335	50-259 Q
LESSER,M.S.	9510100367	50-327 Q
LESSER,M.S.	9510100372*	50-327 Q
LESSER,M.S.	9510190165	50-296 P
LESSER,M.S.	9510240130*	50-259 Q
LESTER,H.	9510030049*	STATE PRO G
LETTS,B.R.	9510160305*	FOIA
LETTS,B.R.	9510170251*	FOIA
LEVANWAY,D.E.	9510190025	50-458 G
LEVANWAY,D.E.	9510190025	50-458 G
LEVILLE,J.	9510230158	50-282 S
LEVIN,A.E.	9510050292	ORG
LEVINE,J.M.	9510160011	50-528 R
LEVINE,J.M.	9510270010	50-529 Q
LEVINE,J.M.	9510270089	50-528 Q
LEVINE,J.M.	9510300034	50-530 S
LEVIS,W.	9510020283	50-324 Q
LEVIS,W.	9510060350	50-324 Q
LEVIS,W.	9510100069	50-324 F
LEWIS,D.R.	9510180207	50-424 G
LEWIS,D.R.	9510180207	50-424 G
LEWIS,M.I.	9510200116	PR
LEWIS,M.I.	9510200120	PRM
LEWIS,M.I.	9510200123	PRM
LEWIS,M.I.	9510200132	PR
LEWIS,M.I.	9510260174	I&E
LIEBERMAN,J.	9510100070	MISC
LIEBERMAN,J.	9510130383	I&E
LIEBERMAN,J.	9510130387	I&E
LIEBERMAN,J.I.	9109130116*	FOIA
LILLY,V.G.	9510100157*	FOIA
LILLY,V.G.	9510120185*	FOIA
LILLY,V.G.	9510120200*	FOIA
LIMROTH,D.F.	9510110103*	50-289 Q
LIN,B.	9510110190	CONTRACT
LIN,B.T.	9510060290	CONTRACT
LIN,B.T.	9510060303*	CONTRACT
LIN,B.T.	9510100012	CONTRACT
LIN,B.T.	9510270167	CONTRACT
LIN,B.T.	9510310131	CONTRACT
LIN,B.T.	9510310145	CONTRACT
LIN,S.D.	9510170003	50-416 R
LINDER,C.	9510030091	71-9094
LINDNER,C.	9510030103	71-9204
LINDSAY,H.A.	9510310059*	FOIA
LINDSAY,W.M.	9510110143	50-482 S
LING,A.C.	9510100176*	FOIA
LING,A.C.	9510120040*	FOIA
LING,A.C.	9510130050*	FOIA
LING,A.C.	9510130080*	FOIA
LING,A.C.	9510130092*	FOIA
LING,A.C.	9510130385*	FOIA
LING,A.C.	9510170369*	FOIA
LING,A.C.	9510170380*	FOIA
LING,A.C.	9510180006*	FOIA
LING,A.C.	9510180009*	FOIA
LING,A.C.	9510180012*	FOIA
LING,A.C.	9510230097*	FOIA
LING,A.C.	9510230103*	FOIA
LING,A.C.	9510240225*	40-7841
LING,A.C.	9510270125*	40-7841
LING,A.C.	9510270132*	40-7841
LING,A.C.	9510270285*	70-161
LINK,B.	9510110003	50-266 Q
LINK,B.	9510110394	50-266 F
LINK,B.	9510170258	50-266 P
LINK,B.	9510170410	50-266 P
LINK,B.	9510190022	50-266 P
LINK,B.	9510240097	50-266 P
LINK,B.	9510240370	50-266 P
LINVILLE,J.	9510020211	50-293 Q
LINVILLE,J.C.	9510020181	50-334 Q
LINVILLE,J.C.	9510020196	50-309 Q
LINVILLE,J.C.	9510110037	50-244 Q
LIPARULO,N.J.	9510030333	TOPREP
LIPARULO,N.J.	9510040321	TOPREP
LIPARULO,N.J.	9510170420	TOPREP
LIPARULO,N.J.	9510170421*	TOPREP
LIPARULO,N.J.	9510190085	PR
LIPARULO,N.J.	9510190293*	50-454 P
LIPPY,D.L.	9510190223*	50-285 R
LIPPY,D.L.	9510190233*	50-285 R
LITTLE,W.S.	9510300082*	50-129 Q
LIU,C.	9510030239*	52-3
LIVINGSTONE,S.	9510130293*	FOIA
LIVINGSTONE,S.	9510130305*	FOIA
LIVINGSTONE,S.	9510130324*	FOIA
LIVINGSTONE,S.	9510130334*	FOIA
LIVINGSTONE,S.	9510130339*	FOIA
LIVINGSTONE,S.	9510130355*	FOIA
LIVINGSTONE,S.	9510130356*	FOIA
LIVINGSTONE,S.	9510130357*	FOIA
LIVINGSTONE,S.	9510310053*	FOIA
LIZARRALDE,G.	9510130174*	FOIA
LLEWELLYN,E.	9510310055*	FOIA
LMBRO,E.V.	9210190155*	50-498 Q
LOHAUS,P.	9510230066	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LOHAUS,P.	9510230104	STATE PRO G
LOHAUS,P.	9510300096	STATE PRO G
LOHAUS,P.	9510300130	STATE PRO G
LOHAUS,P.H.	9510230067	STATE PRO G
LOHAUS,P.H.	9510230081	STATE PRO G
LOHAUS,P.H.	9510230122	STATE PRO G
LOHAUS,P.H.	9510230131	STATE PRO G
LOHAUS,P.H.	9510230210	STATE PRO G
LOHAUS,P.H.	9510230351	STATE PRO G
LOHAUS,P.H.	9510240022*	STATE PRO G
LOHAUS,P.H.	9510240031*	STATE PRO G
LOHAUS,P.H.	9510240132	STATE PRO G
LOHAUS,P.H.	9510300070	STATE PRO G
LOHAUS,R.H.	9510230099	STATE PRO G
LOHMAN,R.A.	9208280054*	FOIA
LOHMEIER,A.	9510020225*	50-277 Q
LONG,K.D.	9510030129	71-9167
LOPRIORE,R.	9510190186	50-324 R
LORD,R.	9510260020*	FOIA
LOUIE,R.	9510110078	50-247 S
LOVELESS,D.P.	9510260142*	50-498 P
LOW,L.D.	9510300039*	70-948
LOWMAN,R.P.	9510270241*	CONTRACT
LUBENAU,J.O.	9510020341	STATE PRO G
LUTHINGER,P.	9510040179	40-8905
LUTZI,P.J.	9510110193	50-336 S
LUTZI,P.J.	9510300011	50-336 S
LUTZI,P.J.	9510300016	50-336 S
LUX,F.	9510270199	70-3073
LYNCH,J.	9510050272	I&E
LYNCH,M.D.	9510040210	50-456 P
LYNCH,M.D.	9510040281	50-454 P
LYNCH,M.D.	9510260150	50-454 Q
LYON,D.A.	9510270240*	CONTRACT
LYONS,D.W.	9510170015	50-354 R
LYONS,P.J.L.	9510190253*	40-299
LYONS,W.C.	9510310272	REVIEW GR P
MAAS,L.J.	9510230109	70-1257
MACADAM,G.E.	9510270121*	50-341 R
MACDONALD,C.E.	9510030170*	71-9030
MACDONALD,C.E.	9510030192*	71-5830
MACE,M.	9510020139	50-331 P
MACE,M.	9510020258	CONTRACT
MACE,M.	9510020262	CONTRACT
MACE,M.	9510020272	50-286 V
MACE,M.	9510020284	50-324 V
MACE,M.	9510020292	50-10 V
MACE,M.	9510020319	CONTRACT
MACE,M.	9510060308	CONTRACT
MACE,M.	9510060309	CONTRACT
MACE,M.	9510060310	CONTRACT
MACE,M.	9510060334*	CONTRACT
MACE,M.	9510060335	CONTRACT
MACE,M.	9510100072	CONTRACT
MACE,M.	9510100118	CONTRACT
MACE,M.	9510100120*	CONTRACT
MACE,M.	9510100138	CONTRACT
MACE,M.	9510100160	CONTRACT
MACE,M.	9510110155	CONTRACT
MACE,M.	9510110157	CONTRACT
MACE,M.	9510110162	CONTRACT
MACE,M.	9510110171*	CONTRACT
MACE,M.	9510110185	CONTRACT
MACE,M.	9510270218	CONTRACT
MACE,M.	9510270223*	CONTRACT
MACE,M.	9510270227	CONTRACT
MACE,M.	9510270235	CONTRACT
MACE,M.	9510270240*	CONTRACT
MACE,M.	9510270241*	CONTRACT
MACE,M.	9510270319	CONTRACT
MACE,M.	9510270326	CONTRACT
MACE,M.	9510310046	CONTRACT
MACE,M.	9510310086	CONTRACT
MACE,M.	9510310233	CONTRACT
MACE,M.H.	9510020011	CONTRACT
MACE,M.H.	9510020021	CONTRACT
MACE,M.H.	9510020038	CONTRACT
MACE,M.H.	9510020046	CONTRACT
MACE,M.H.	9510020049	CONTRACT
MACE,M.H.	9510020357	CONTRACT
MACE,M.H.	9510030251	50-266 P
MACE,M.H.	9510060314	CONTRACT
MACE,M.H.	9510060324	CONTRACT
MACE,M.H.	9510060356	CONTRACT
MACE,M.H.	9510060360	CONTRACT
MACE,M.H.	9510100004	CONTRACT
MACE,M.H.	9510100010	CONTRACT
MACE,M.H.	9510100014*	CONTRACT
MACE,M.H.	9510100020	CONTRACT
MACE,M.H.	9510100026	CONTRACT
MACE,M.H.	9510100034	CONTRACT
MACE,M.H.	9510100038	CONTRACT
MACE,M.H.	9510100042	CONTRACT
MACE,M.H.	9510100066	CONTRACT
MACE,M.H.	9510100074	CONTRACT
MACE,M.H.	9510100081	CONTRACT
MACE,M.H.	9510100095	CONTRACT
MACE,M.H.	9510100107	CONTRACT
MACE,M.H.	9510100110	CONTRACT
MACE,M.H.	9510100112	CONTRACT
MACE,M.H.	9510100115	CONTRACT
MACE,M.H.	9510100135	CONTRACT
MACE,M.H.	9510100171	CONTRACT
MACE,M.H.	9510100395	CONTRACT
MACE,M.H.	9510110186	CONTRACT
MACE,M.H.	9510270176	CONTRACT
MACE,M.H.	9510270181	CONTRACT
MACE,M.H.	9510270191	CONTRACT
MACE,M.H.	9510270197*	CONTRACT
MACE,M.H.	9510270206	CONTRACT
MACE,M.H.	9510270210	CONTRACT
MACE,M.H.	9510270215	CONTRACT
MACE,M.H.	9510270229	CONTRACT
MACE,M.H.	9510270245	CONTRACT
MACE,M.H.	9510270336	CONTRACT
MACE,M.H.	9510270345*	CONTRACT
MACE,M.H.	9510300026	CONTRACT
MACE,M.H.	9510300044	CONTRACT
MACE,M.H.	9510310031	CONTRACT
MACE,M.H.	9510310118	CONTRACT
MACE,M.J.	9510100152	CONTRACT
MACE,M.J.	9510100384	CONTRACT
MACFARLAND,W.	9510120218	50-352 Q
MACFARLAND,W.G.	9510250336	50-352 Q
MACHON,R.D.	9510030321	50-296 S
MACKAMAN,C.D.	9510260005	50-397 S
MACLEAN,S.	9510250378*	50-255 Y
MACLEAN,S.R.	9510250373*	50-255 Y
MAEDA,Y.	9510160125*	XPORTLIC
MAGOMEDOV,N.	9510110182*	XPORTLIC
MAGOMEDOV,N.	9510120203*	XPORTLIC
MAGRUDER,S.L.	9510300245	PROJ
MAGRUM,E.	9510110185	CONTRACT
MAGRUM,E.	9510300044	CONTRACT
MAHENDRUNATHAR	9510250375*	50-255 Y
MAHERAS,S.J.	9510260054*	WASTE MGT
MAHR,J.	9510060284	CONTRACT
MALARO,J.C.	9510160016*	FOIA
MALARO,J.C.	9510170350*	FOIA
MALARO,J.C.	9510190015*	FOIA
MALARO,J.C.	9510190016*	FOIA
MALARO,J.C.	9510270122*	40-7841
MALARO,J.C.	9510270278*	70-161
MALARO,J.C.	9510270288*	70-161
MALARO,J.C.	9510270289*	70-161
MALARO,J.C.	9510300054*	70-948
MALARO,J.C.	9510300058*	70-948
MALINOSKI,J.W.	9510030166	71-9030
MALINOSKI,J.W.	9510030188	71-5830
MALLEN,F.H.	9510200044	50-498 R
MALLETT,B.S.	9510180171	70-27
MALONE,D.	9510250367	50-275 R
MALONE,K.	9510160031*	FOIA
MALONEY,S.	9510030075	PRM
MAMISH,N.	9510130383	I&E
MAMISH,N.	9510130387	I&E
MANAKTALA,H.	9510230088*	WASTE MGT
MANION,W.J.	9510030077	PR
MANN,M.M.	9510100199*	FOIA
MANROE,M.	9510110320	50-445 F
MARCH-LEUBA,J.	9510200206*	ACRS
MARCHI,M.L.	9510020290	50-305 P
MARCHI,M.L.	9510110239	50-305 S
MARCHI,M.L.	9510180019	50-305 R
MARCHI,M.L.	9510200140	50-305 F
MARCHI,M.L.	9510240249	50-305 P
MARCHI,M.L.	9510300183	50-305 Q
MARCO,C.	9510030096	40-8027
MARCO,C.L.	9510030072	40-8027
MARCO,C.L.	9510300093	50-245 G
MARCUS,G.H.	9510040312*	50-346 P
MARCUS,G.H.	9510050038*	50-440 P
MARCUS,G.H.	9510130049	50-346 H
MARCUS,G.H.	9510130062	50-346 H
MARCUS,G.H.	9510130090	50-346 H
MARCUS,G.H.	9510130112	50-346 H
MARCUS,G.H.	9510130198	50-346 H
MARCUS,G.H.	9510130220	50-346 H
MARCUS,G.H.	9510310324	50-255 H
MARION,A.	9510130247	REVIEW GR P
MARKLEY,A.W.	9510050059	50-133 F
MARKLEY,A.W.	9510230149	50-29 H
MARLOW,T.A.	9510260339*	50-244 P
MARLOW,T.A.	9510260343*	50-244 P
MARLOW,T.A.	9510260345*	50-244 P
MARSH,E.P.	9510230016*	40-2384
MARSH,L.B.	9510040192	50-286 P
MARSH,L.B.	9510050257*	50-317 P
MARSH,L.B.	9510050303	50-317 P
MARSH,L.B.	9510110390*	50-317 P
MARSH,L.B.	9510200342*	50-247 P
MARSH,L.B.	9510230026*	50-220 P
MARSH,L.B.	9510240354*	50-333 P
MARSH,L.B.	9510240368*	50-333 P
MARSH,L.B.	9510250237*	50-317 P
MARSH,L.B.	9510310336	50-317 P
MARSH,W.	9510110286	50-361 S
MARSH,W.C.	9510030150	50-361 P
MARSH,W.C.	9510060222	50-206 J
MARSH,W.C.	9510180123	50-362 P
MARSH,W.C.	9510190054	50-361 R
MARSH,W.C.	9510270383	50-206 S
MARSH,W.C.	9510300249	50-206 F
MARSH,W.C.	9510310161	50-206 S
MARSHALL,J.S.	9510110320	50-445 F
MARTIN,J.S.	9510230110*	WASTE MGT
MARTIN,L.E.	9510020047	50-498 H
MARTIN,L.E.	9510180026	50-498 F
MARTIN,L.E.	9510250341	50-498 V
MARTIN,R.D.	9510260158*	50-498 P
MARTIN,R.E.	9510200222	50-413 Q
MARTIN,T.T.	9508160023*	50-309 P
MARTIN,T.T.	9510050006*	50-354 Q
MARTIN,T.T.	9510060027	50-309 Q
MARTIN,T.T.	9510060028	50-309 P
MARTIN,T.T.	9510100058	50-309 Q
MARTIN,T.T.	9510120069	50-219 Q
MARTIN,T.T.	9510250026	50-286 Q
MARTIN,W.G.	9510130036*	FOIA
MARVRAY,T.	9510240049	50-446 S
MASCIANTONIO,A.	9207200319*	FOIA
MASCIANTONIO,A.	9208280128*	FOIA
MASLAR,S.R.	9510020097*	WASTE MGT
MASLER,S.R.	9510270246*	WASTE MGT
MASNIK,M.T.	9510050062	50-344 F
MASNIK,M.T.	9510240337	50-344 P
MASON	9510100231*	FOIA
MASON,D.	9510200138	50-280 R
MASON,J.R.	9510100196*	FOIA
MASON,J.R.	9510100208*	FOIA
MASON,J.R.	9510100211*	FOIA
MASON,J.R.	9510100248*	FOIA
MASON,J.R.	9510100265*	FOIA
MASON,J.R.	9510110283*	FOIA
MASON,J.R.	9510110343*	FOIA
MASON,J.R.	9510110387*	FOIA
MASON,J.R.	9510110397*	FOIA
MASON,J.R.	9510120004*	FOIA
MASON,J.R.	9510120197*	FOIA
MASON,J.R.	9510120207*	FOIA
MASON,J.R.	9510120212*	FOIA
MASON,J.R.	9510120320*	FOIA
MASON,J.R.	9510120330*	FOIA
MASON,J.R.	9510120338*	FOIA
MASON,J.R.	9510120347*	FOIA
MASON,J.R.	9510120363*	FOIA
MASON,J.R.	9510130103*	FOIA
MASON,J.R.	9510130128*	FOIA
MASON,J.R.	9510130165*	FOIA
MASON,J.R.	9510130328*	FOIA
MASON,J.R.	9510130332*	FOIA
MASON,J.R.	9510130335*	FOIA
MASON,J.R.	9510160156*	FOIA
MASON,J.R.	9510160171*	FOIA
MASON,J.R.	9510160174*	FOIA
MASON,J.R.	9510240080*	FOIA
MASON,J.R.	9510240127*	FOIA
MASON,M.	9510270355	PROJ
MASON,W.E.	9510110018	CONTRACT
MASS,L.J.	9510270221	70-1257
MASSE,R.E.	9510110005	50-499 S
MATAKAS,R.A.	9510170333*	FOIA
MATTHEWS,D.B.	9510050015	50-251 P
MATTHEWS,D.B.	9510050079	50-302 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MATTHEWS,D.B.	9510200252*	50-338 P
MATTHEWS,D.B.	9510240112*	50-250 P
MATTHEWS,D.B.	9510240394*	50-250 P
MATTHEWS,D.B.	9510250158*	50-280 P
MATTHEWS,D.B.	9510310207*	50-335 P
MATTIA,M.	9510050176	CONTRACT
MATTIA,M.	9510100002	CONTRACT
MATTIA,M.	9510100005	CONTRACT
MATTIA,M.	9510270167	CONTRACT
MATTIA,M.	9510270204	CONTRACT
MATTIA,M.	9510270209	CONTRACT
MATTIA,M.J.	9510060241	CONTRACT
MATTIA,M.J.	9510060267	CONTRACT
MATTIA,M.J.	9510060273	CONTRACT
MATTIA,M.J.	9510060281*	CONTRACT
MATTIA,M.J.	9510060284	CONTRACT
MATTIA,M.J.	9510060290	CONTRACT
MATTIA,M.J.	9510060295*	CONTRACT
MATTIA,M.J.	9510060300	CONTRACT
MATTIA,M.J.	9510060303*	CONTRACT
MATTIA,M.J.	9510060304	CONTRACT
MATTIA,M.J.	9510060359	CONTRACT
MATTIA,M.J.	9510060365	CONTRACT
MATTIA,M.J.	9510100003	CONTRACT
MATTIA,M.J.	9510100006	CONTRACT
MATTIA,M.J.	9510100008	CONTRACT
MATTIA,M.J.	9510100012	CONTRACT
MATTIA,M.J.	9510100017	CONTRACT
MATTIA,M.J.	9510100023	CONTRACT
MATTIA,M.J.	9510100025	CONTRACT
MATTIA,M.J.	9510100028	CONTRACT
MATTIA,M.J.	9510100031	CONTRACT
MATTIA,M.J.	9510100089	CONTRACT
MATTIA,M.J.	9510100121	CONTRACT
MATTIA,M.J.	9510100170	CONTRACT
MATTIA,M.J.	9510100373	CONTRACT
MATTIA,M.J.	9510110152	CONTRACT
MATTIA,M.J.	9510110159	CONTRACT
MATTIA,M.J.	9510110222	CONTRACT
MATTIA,M.J.	9510270163	CONTRACT
MATTIA,M.J.	9510270170*	CONTRACT
MATTIA,M.J.	9510270180	CONTRACT
MATTIA,M.J.	9510270186	CONTRACT
MATTIA,M.J.	9510270189	CONTRACT
MATTIA,M.J.	9510270203	CONTRACT
MATTIA,M.J.	9510270231	CONTRACT
MATTIA,M.J.	9510270239*	CONTRACT
MATTIA,M.J.	9510270242	CONTRACT
MATTIA,M.J.	9510270252	CONTRACT
MATTIA,M.J.	9510270258	CONTRACT
MATTIA,M.J.	9510270270	CONTRACT
MATTIA,M.J.	9510300235	CONTRACT
MATTIA,M.J.	9510310061	CONTRACT
MATTIA,M.J.	9510310075	CONTRACT
MATTIA,M.J.	9510310131	CONTRACT
MATTIA,M.J.	9510310145	CONTRACT
MAXFIELD,G.J.	9510060289	50-266 F
MAXFIELD,G.J.	9510120408	50-266 F
MAXFIELD,G.J.	9510130037	50-266 R
MAXIN,A.M	9510050199	70-143
MAXIN,A.M.	9510030139	70-143
MAXIN,A.M.	9510110174	70-143
MAXIN,A.M.	9510110188	70-143
MAXIN,A.M.	9510270017	70-143
MAXIN,A.M.	9510310409	70-143
MAYBERRY,R.T.	9510250377	50-498 F
MAYEDA,Y.	9510160108*	XPORTLIC
MAYGARDEN,B.D.	9510130392	FOIA
MAYNARD,O.L.	9505190228	50-482 F
MAYNARD,O.L.	9506190437	50-482 F
MAYNARD,O.L.	9510110143	50-482 S
MAYNARD,O.L.	9510200060	50-482 R
MAYO,L.E.	9510170267	50-424 F
MAZZIE,V.J.	9510260121*	FOIA
MCALDUFF,H.J.	9510100164*	FOIA
MCALPINE,E.	9510310396	50-160 S
MCALPINE,E.J.	9510180100*	70-1113
MCALPINE,E.J.	9510180218*	70-1113
MCALPINE,E.J.	9510230391*	70-27
MCANANY,J.	9510260110	FOIA
MCBRIDE,J.A.	9510310066*	FOIA
MCCABE,E.C.	9510100379*	50-213 Q
MCCAIN,D.	9510200007	ORG
MCCAIN,D.	9510200009	ORG
MCCAIN,D.	9510270137	ORG
MCCANN,G.M.	9510130065*	40-*****
MCCANN,G.M.	9510180181*	40-*****
MCCANN,G.M.	9510190244*	40-17
MCCANN,G.M.	9510230397*	40-9015
MCCANN,G.M.	9510240109*	40-9022
MCCARTER,J.F.	9510250157	71-9096
MCCARTER,J.F.	9510250301	71-9222
MCCARTER,J.F.	9510250392*	71-9222
MCCARTHY,P.	9510060314	CONTRACT
MCCARTHY,W.J.	9510170351*	FOIA
MCCARTHY,W.J.	9510170360*	FOIA
MCCARTHY,W.J.	9510180029*	FOIA
MCCARTHY,W.J.	9510240199*	40-7841
MCCLAIN,L.D.	9510230032*	50-269 P
MCCOLD,L.	9510260269*	40-8027
MCCOLLUM,W.R.	9510030261	50-413 F
MCCOLLUM,W.R.	9510030274*	50-413 F
MCCOLLUM,W.R.	9510060078	50-413 Q
MCCOLLUM,W.R.	9510180072	50-413 S
MCCOLLUM,W.R.	9510190033	50-414 P
MCCONNELL,K.	9510160055*	40-1341
MCCORMICK,J.W.	9510100052	PROJ
MCCORMICK,M.J.	9510180340	50-220 R
MCCORMICK-BARGE	9510020101	40-*****
MCCORMICK-BARGE	9510020108*	40-*****
MCCORMICK-BARGE	9510020117	40-*****
MCCORMICK-BARGE	9510020126*	40-*****
MCCORMICK-BARGE	9510050161	40-8838
MCCORMICK-BARGE	9510050167*	40-8838
MCCORMICK-BARGE	9510050272	I&E
MCCORMICK-BARGE	9510130055	40-*****
MCCORMICK-BARGE	9510130065*	40-*****
MCCORMICK-BARGE	9510190199	70-133
MCCORMICK-BARGE	9510190213*	70-133
MCCORMICK-BARGE	9510190220	40-17
MCCORMICK-BARGE	9510190244*	40-17
MCCORMICK-BARGE	9510240109*	40-9022
MCCORMICK-BARGE	9510240115	40-7708
MCCORMICK-BARGE	9510240123*	40-7708
MCCOY,C.K.	9510020074	50-424 R
MCCOY,C.K.	9510040024	50-424 K
MCCOY,C.K.	9510060072	50-424 P
MCCOY,C.K.	9510060291	50-424 P
MCCOY,C.K.	9510180004	50-424 R
MCCOY,C.K.	9510180154	50-424 Q
MCCOY,C.K.	9510240126	50-424 P
MCCOY,C.K.	9510240348	50-424 P
MCCOY,C.K.	9510260018	50-424 S
MCCOY,C.K.	9510300021	50-424 P
MCCRACKEN,C.E.	9107310385*	50-458 Q
MCCRACKEN,C.E.	9510050078	50-244 P
MCCRACKEN,C.E.	9510060064*	FOIA
MCCRACKEN,C.E.	9510110221	REVIEW GR P
MCCRACKEN,C.E.	9510250078	REVIEW GR P
MCCRACKEN,C.E.	9510250143	REVIEW GR P
MCDONALD,D.G.	9510020213	50-317 F
MCDONALD,D.G.	9510050255	50-317 P
MCDONALD,D.G.	9510110378	50-317 P
MCDONALD,D.G.	9510240321	50-317 P
MCDONALD,D.G.	9510250231	50-317 P
MCDONALD,D.G.	9510260227	50-317 P
MCELRATH,J.W.	9510180077	50-255 F
MCFARLAND,C.R.	9510310056*	FOIA
MCGAHA,J.R.	9510310248	50-458 P
MCGIVERN,M.	9510050035	50-237 S
MCGOLDRICK,F.	9510130348	XPORTLIC
MCGUFFIN,J.C.	9510270282	CONTRACT
MCGUINNESS,R.	9510160290	50-423 S
MCHALE,J.L.	9510270311*	50-278 P
MCINTYRE,B.A.	9510020232	52-3
MCINTYRE,B.A.	9510020238*	52-3
MCINTYRE,B.A.	9510020358	52-3
MCINTYRE,B.A.	9510030028	52-3
MCINTYRE,B.A.	9510030114	52-3
MCINTYRE,B.A.	9510030237	52-3
MCINTYRE,B.A.	9510030245	52-3
MCINTYRE,B.A.	9510030246*	52-3
MCINTYRE,B.A.	9510190246	52-3
MCINTYRE,B.A.	9510190255	52-3
MCINTYRE,B.A.	9510190397	52-3
MCINTYRE,B.A.	9510270117	52-3
MCINTYRE,B.A.	9510300254	52-3
MCINTYRE,R.P.	9510020257*	QA999
MCINTYRE,R.P.	9510120335*	52-3
MCKAGUE,H.L.	9510180074	WASTE MGT
MCKAGUE,H.L.	9510180162	WASTE MGT
MCKAGUE,H.L.	9510190038	WASTE MGT
MCKAGUE,H.L.	9510190182	WASTE MGT
MCKAGUE,H.L.	9510200370	WASTE MGT
MCKAGUE,H.L.	9510260044	WASTE MGT
MCKEE,F.W.	9510310063*	FOIA
MCKEE,P.F.	9001120062*	50-498 Q
MCKEE,P.F.	9510040218	50-309 F
MCKEE,P.F.	9510040320	50-213 F
MCKEE,P.F.	9510050086*	50-309 P
MCKEE,P.F.	9510050188*	50-289 P
MCKEE,P.F.	9510160219*	50-289 P
MCKEE,P.F.	9510200277	50-271 P
MCKEE,P.F.	9510230406*	50-423 P
MCKEE,P.F.	9510250003	50-336 P
MCKEE,P.F.	9510250355	50-245 P
MCKEE,R.	9510030066	50-344 H
MCKEON,R.	9510030236	50-341 K
MCKEON,R.	9510060201	50-341 P
MCKEON,R.	9510200273	50-341 R
MCKEON,R.	9510240137	50-341 P
MCKIBBEN,J.C.	9510270382	50-186 P
MCLAUGHLIN,J.	9510250251	70-1426
MCLAUGHLIN,J.	9510250254	70-1426
MCLAUGHLIN,J.	9510250258	70-1426
MCLAUGHLIN,J.	9510250272	XPORTLIC
MCMEEKIN,T.C.	9510020256	50-369 F
MCMEEKIN,T.C.	9510020263	50-369 P
MCMEEKIN,T.C.	9510020354	50-369 Q
MCMEEKIN,T.C.	9510100376	50-369 P
MCMEEKIN,T.C.	9510110216	50-369 F
MCMEEKIN,T.C.	9510170411	50-369 P
MCMEEKIN,T.C.	9510190134	50-369 K
MCMEEKIN,T.C.	9510250127	50-369 Q
MCMEEKIN,T.C.	9510250352	50-369 Q
MCMEEKIN,T.C.	9510260024	50-369 F
MCMEEKIN,T.C.	9510270014	50-369 P
MCNAMARA,N.	9510270048*	50-244 Q
MCWHORTER,R.	9510240151*	50-338 Q
MEARSE,S.D.	9510100141	CONTRACT
MEARSE,S.D.	9510100156*	CONTRACT
MECREDY,R.C.	9510030061	50-244 S
MECREDY,R.C.	9510030079	50-244 S
MECREDY,R.C.	9510030199	50-244 Q
MECREDY,R.C.	9510030241	50-244 P
MECREDY,R.C.	9510160105	50-244 P
MECREDY,R.C.	9510180022	50-244 P
MECREDY,R.C.	9510180039	50-244 F
MECREDY,R.C.	9510180059	50-244 F
MECREDY,R.C.	9510260319	50-244 P
MECREDY,R.C.	9510260338	50-244 P
MEDDICK,S.L.	9510260205	FOIA
MEDFORD,M.O.	9510240140	50-390 A
MEDFORD,M.O.	9510270388	50-390 A
MEEHAN,B.	9510060246	CONTRACT
MEEHAN,B.	9510060253*	CONTRACT
MEEHAN,B.	9510270177	CONTRACT
MEEHAN,B.	9510270219	CONTRACT
MEEHAN,B.	9510270248	CONTRACT
MEEHAN,B.	9510270290	CONTRACT
MEHAFFEY,R.F.	9510110110*	50-285 S
MEHTA,H.S.	9510040173*	50-277 P
MEHTA,H.S.	9510310264*	50-366 Q
MEISNER,M.J.	9510020250	50-416 F
MEISNER,M.J.	9510110058	50-416 P
MEISNER,M.J.	9510250227	50-416 F
MELLOR,R.A.	9510250187	50-29 W
MELLOTT,R.	9510310261	40-8948
MENDIOLA,A.J.	9510160137*	50-20 V
MENKE,L.H.	9510310071*	50-498 P
MERCIER,I.M.	9510100020	CONTRACT
MERCIER,K.	9510060310	CONTRACT
MERCREDY,R.C.	9510180239	50-244 P
MERRIWEATHER,N.	9510230381*	50-390 Q
MERSCHOFF,E.W.	9510100324	50-269 P
MERSCHOFF,E.W.	9510180108	50-324 Q
MERSCHOFF,E.W.	9510180112	50-261 Q
MERSCHOFF,E.W.	9510180127	50-400 Q
MERSCHOFF,E.W.	9510190159	50-348 Q
MERSCHOFF,E.W.	9510190169	50-338 Q
MERSCHOFF,E.W.	9510190177	50-280 Q
MERSCHOFF,E.W.	9510190181	50-395 Q
MERSCHOFF,E.W.	9510190187	50-327 Q
MERSCHOFF,E.W.	9510190192	50-250 Q
MERSCHOFF,E.W.	9510230296	50-413 Q
MERSCHOFF,E.W.	9510230304	50-335 Q
MERSCHOFF,E.W.	9510230320	50-302 Q
MERSCHOFF,E.W.	9510230327	50-269 Q
MERSCHOFF,E.W.	9510230333	50-259 Q
MERSCHOFF,E.W.	9510230382	50-269 Q
MERSCHOFF,E.W.	9510240100	50-259 Q
MERSCHOFF,E.W.	9510240136	50-369 Q
MERSCHOFF,E.W.	9510240179	50-424 Q
MESSIER,M.	9510260223*	40-8027

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MESSIER,M.E.	9510260238*	FOIA
MEYER,G.W.	9510020230	50-245 Q
MEYER,G.W.	9510050155	50-245 F
MEYER,G.W.	9510180151	50-443 Q
MEYER,G.W.	9510180158*	50-443 Q
MEYER,G.W.	9510230201	50-244 Q
MEYER,G.W.	9510270057	50-213 Q
MEYER,G.W.	9510270062*	50-213 Q
MEYER,R.	9510240026*	FOIA
MEYER,R.	9510240041*	FOIA
MICHAELS,T.S.	9510110275	50-223 P
MICHAELS,T.S.	9510130201	50-116 V
MICHAELS,T.S.	9510200274	50-2 P
MIKLAS,M.P.	9510180162	WASTE MGT
MILHOAN,J.L.	9510180284	50-272 Q
MILHOAN,J.L.	9510240240	50-286 Q
MILHOAN,J.L.	9510240248*	50-286 Q
MILHOAN,J.L.	9510250306	ORG
MILHOAN,J.L.	9510260107*	50-445 P
MILLER,A.W.	9510110001	50-289 S
MILLER,D.B.	9510060218	50-423 P
MILLER,D.B.	9510060218	50-423 P
MILLER,D.B.	9510110004	50-245 S
MILLER,D.B.	9510110004	50-245 S
MILLER,D.B.	9510110154	50-245 S
MILLER,D.B.	9510110154	50-245 S
MILLER,D.B.	9510110193	50-336 S
MILLER,D.B.	9510110193	50-336 S
MILLER,D.B.	9510110334	50-423 V
MILLER,D.B.	9510110334	50-423 V
MILLER,D.B.	9510160290	50-423 S
MILLER,D.B.	9510160290	50-423 S
MILLER,D.B.	9510170019	50-245 R
MILLER,D.B.	9510170019	50-245 R
MILLER,D.B.	9510270171	50-245 S
MILLER,D.B.	9510300011	50-336 S
MILLER,D.B.	9510300016	50-336 S
MILLER,D.B.	9510300052	50-245 S
MILLER,H.J.	9208280204*	50-440 F
MILLER,H.J.	9510020100	50-440 Q
MILLER,J.R.	8303220194*	FOIA
MILLER,J.R.	8303220196*	FOIA
MILLER,K.J.	9510030235	50-368 S
MILLER,P.A.	9510100295*	FOIA
MILLER,P.A.	9510110308*	FOIA
MILLER,P.A.	9510310129*	FOIA
MILLER,W.	9510160059	50-29 H
MILLS,D.	9510020058	50-456 S
MILNER,R.A.	9510020008	WASTE MGT
MILNER,R.A.	9510020031	WASTE MGT
MILNER,R.A.	9510270375	PROJ
MIMNS,D.C.	9510190051	50-368 P
MIMS,D.C.	9510020269	50-368 P
MIMS,D.C.	9510030190	50-368 S
MIMS,D.C.	9510030235	50-368 S
MIMS,D.C.	9510110067	50-368 P
MIMS,D.C.	9510110247	50-313 S
MIMS,D.C.	9510160092	50-313 Q
MIMS,D.C.	9510170083	50-313 P
MIMS,D.C.	9510170385	50-313 P
MIMS,D.C.	9510190196	50-313 R
MIMS,D.C.	9510190202	50-368 R
MIMS,D.C.	9510190285	50-313 P
MIMS,D.C.	9510190360	50-313 P
MIMS,D.C.	9510240044	50-313 P
MIMS,D.C.	9510300102	50-313 R
MIMS,D.C.	9510300205	50-313 Q
MIMS,D.C.	9510300216	50-368 P
MINGST,B.C.	9510200122	PR
MINICHIELLO,J.	9510300111*	50-237 P
MIRABELLA,S.S.	9510260118*	FOIA
MIRAGLIA,F.J.	9208280182*	FOIA
MIRAGLIA,F.J.	9510190075*	50-160 G
MIRAGLIA,F.J.	9510190082*	50-160 G
MITCHELL,D.W.	9510100110	CONTRACT
MIZUNO,G.	9208280192*	FOIA
MOBLEY,M.H.	9510180143	STATE PRO G
MODEEN,D.J.	9510250330	REVIEW GR P
MODES,M.C.	9510020222	50-277 Q
MODES,M.C.	9510020225*	50-277 Q
MODES,M.C.	9510020294	50-317 P
MODES,M.C.	9510110062	50-387 P
MODES,M.C.	9510240062	50-336 V
MODES,M.C.	9510260128	50-354 V
MODES,M.C.	9510270053	50-277 V
MODES,M.C.	9510270064*	50-277 V
MODES,M.C.	9510270095	50-219 Q
MODES,M.C.	9510270101*	50-219 Q
MOEBIUS,G.D.	8305060221*	FOIA
MOHUNDRO,M.D.	9510240339*	27-47
MOHUNDRO,M.D.	9510240347*	27-47
MOJICA,B.	9510230140	STATE PRO G
MONRO,W.J.	9510180010	50-293 R
MONROE,K.	9510260084*	FOIA
MONROE,K.L.	9510250207*	FOIA
MONROE,K.L.	9510250323*	FOIA
MONROE,K.L.	9510250343*	FOIA
MONROE,K.L.	9510260064*	FOIA
MONTELEONE,S.	9510060240	NUREG
MOORE,F.G.	9510270232	CONTRACT
MOORE,K.	9510160261	50-254 R
MOORE,T.A.	9510180077	50-255 F
MOORE,T.S.	9510060097	50-440 G
MOORMAN,J.H.	9510180136*	50-259 Q
MORCOS,N.	9510050049*	50-313 P
MORCOS,N.	9510160153*	50-250 P
MORCOS,N.	9510160153*	50-250 P
MORCOS,N.	9510310366*	50-277 P
MOREY,D.	9510020138	50-348 P
MOREY,D.	9510020152	50-348 P
MOREY,D.	9510100389	50-348 F
MOREY,D.	9510170014	50-348 R
MOREY,D.	9510170277	50-348 P
MOREY,D.	9510180020	50-348 F
MOREY,D.	9510200086	50-348 S
MOREY,D.	9510200098	50-348 S
MOREY,D.	9510240059	50-348 P
MOREY,D.	9510300194	50-348 P
MORGAN,M.	9510300249	50-206 F
MORRIS,B.M.	9510170249	PR
MORRIS,J.	9510300117	STATE PRO G
MORSER,F.R.	9510260118*	FOIA
MORTARULO,M.	9510200228*	50-272 S
MOSELEY,N.C.	9510170324*	FOIA
MOSELEY,N.C.	9510300074*	50-129 Q
MOSELEY,N.C.	9510310032*	FOIA
MOWREY,C.L.	9510240146	50-250 S
MOXLEY,M.	9510200163	40-4492
MOYLE,J.S.	9510190388	50-354 S
MOZAFARI,B.	9510040256	50-261 P
MOZAFARI,B.	9510050069	50-261 F
MOZAFARI,B.	9510200380	50-261 P
MOZAFARI,B.	9510230155	50-261 P
MOZAFARI,B.	9510240336	50-261 P
MOZAFARI,B.	9510240373	50-261 P
MUELLER,J.H.	9510040158	71-484
MUELLER,J.H.	9510190179	50-298 V
MUELLER,J.H.	9510250234	50-298 Q
MUELLER,J.H.	9510260105	50-298 P
MUELLER,J.H.	9510260299	50-298 R
MULDER,R.U.	9510130007	50-62 P
MULDER,R.U.	9510250195	50-62 P
MULLIKIN,M.S.	9510170388	71-9156
MULLINS,C.E.	9510260060	50-344 G
MULLINS,C.E.	9510260109	50-29 G
MURLEY,T.E.	9308120120*	50-498 Q
MURPHY,A.J.	9510200241	NUREG
MURPHY,W.M.	9510020006	WASTE MGT
MURPHY,W.M.	9510160199	WASTE MGT
MURRAY,B.	9510040136	50-528 S
MURRAY,B.	9510060264*	50-498 Q
MURRAY,B.	9510060265*	50-267 Q
MURRAY,B.	9510170353*	50-313 Q
MURRAY,B.	9510180274*	50-445 Q
MURRAY,B.	9510310163*	50-445 Q
MYER,J.E.	9510200124	50-397 P
MYERS,L.W.	9510020356	50-498 S
MYERS,L.W.	9510170049	50-498 P
NAIR,K.C.	9510270197*	CONTRACT
NARDONE,P.E.	9510180018	50-443 R
NEAL,M.	9510190337	50-390 H
NECCI,R.P.	9510230411*	50-336 Q
NELSON,R.A.	9510160306	40-9027
NELSON,R.A.	9509220002*	40-7397
NELSON,R.A.	9510120262*	XPORTLIC
NELSON,R.A.	9510120284*	XPORTLIC
NELSON,R.A.	9510170356	40-9027
NERSES,V.	9510130200	50-369 P
NERSES,V.	9510200368	50-369 P
NERSES,V.	9510250384*	50-366 P
NEUMAN,G.M.	9510190380	50-440 R
NEUMAN,S.	9510270229	CONTRACT
NEVELS,G.	9510100209	50-483 F
NEVELS,G.	9510200297	50-483 F
NEWBURGH,G.	9510170020*	50-245 R
NEWLON,S.	9510100125*	FOIA
NEWTON,H.W.	9510270384*	50-206 S
NEWTON,H.W.	9510310166*	50-206 S
NEWTON,H.W.	9510310175*	50-206 S
NEWTON,R.R.	9510030269*	50-324 F
NEWTON,T.H.	9510260096	50-20 P
NICHOLS,W.	9510030264	50-316 S
NICHOLS,W.	9510120233	50-316 S
NICHOLS,W.	9510130390	50-315 S
NICHOLS,W.	9510170247	50-316 S
NICHOLSON,L.	9510110034	50-272 S
NICHOLSON,L.E.	9510020163*	50-213 Q
NICHOLSON,L.E.	9510230270	50-354 Q
NICHOLSON,L.E.	9510270075	50-354 Q
NICHOLSON,L.E.	9510270087*	50-354 Q
NICK,J.	9510030008*	50-29 Q
NICOLOSI,C.R.	9510190161	PR
NIEGOWSKI,D.	9510240395*	27-47
NIMITZ,R.L.	9510050088*	50-277 Q
NIMITZ,R.L.	9510310305*	50-277 Q
NINH,S.Q.	9510200187	52-4
NOBLE,D.	9510050134	50-315 S
NOGGLE,J.	9510270082*	50-272 Q
NOONAN,T.P.	9510030073	50-334 R
NOONAN,T.P.	9510160271	50-344 R
NORK,J.N.	9510110186	CONTRACT
NORKIN,D.	9510170144*	50-390 Q
NORKIN,D.P.	9510050253*	50-361 Q
NORKIN,D.P.	9510100046*	50-397 Q
NORMAN,C.	9510120011*	FOIA
NORMAN,C.	9510120032*	FOIA
NORRHOLM,L.J.	9510060204*	FOIA
NORRIS,J.	9510050004	50-250 F
NORRIS,J.A.	9510130306	50-335 P
NORRIS,J.A.	9510200371	50-335 Q
NORRIS,J.A.	9510310200	50-335 P
NORTON,G.A.	9510050070	PR
NOSS,A.L.	9510110400*	XPORTLIC
NOSS,D.L.	9510120413	XPORTLIC
NOTLEY,D.P.	9510060228*	FOIA
NOVAK,K.J.	9510120033	PR
NOVAK,T.M.	9112100123*	FOIA
NOVAK,T.M.	9201100295*	50-397 S
NOWACK,P.	9510100384	CONTRACT
NOWLEN,S.	9208280262*	FOIA
NULL,K.G.	9510120394	70-801
NUSSBAUMER,D.	9510270259*	70-161
NUSSBAUMER,D.A.	9510270251*	70-161
NUSSBAUMER,D.A.	9510270261*	70-161
NUSSBAUMER,D.A.	9510270266*	70-161
NUSSBAUMER,D.A.	9510300033*	70-948
NUSSBAUMER,D.A.	9510300036*	70-948
NUSSBAUMER,D.A.	9510300149*	40-962
NUSSBAUMER,D.A.	9510300153*	40-962
NUSSBAUMER,D.A.	9510300155*	40-962
NUSSBAUMER,D.A.	9510300156*	40-962
NUSSBAUMER,D.A.	9510310009*	40-962
O'CONNELL,T.F.	9510230146*	STATE PRO G
O'CONNOR,P.W.	9510030145	50-416 F
O'CONNOR,P.W.	9510190084	50-416 P
O'DONNELL,P.	9510200284*	50-272 S
O'HANLON,J.P.	9510110311	50-280 P
O'HANLON,J.P.	9510120143	50-280 P
O'HANLON,J.P.	9510190001	50-338 Q
O'HANLON,J.P.	9510200251	50-280 P
O'HANLON,J.P.	9510200310	50-280 Y
O'HANLON,J.P.	9510240158	50-280 P
O'HANLON,J.P.	9510240269	50-339 P
O'HANLON,J.P.	9510240278	50-338 P
O'HANLON,J.P.	9510240292	50-280 Q
O'HANLON,J.P.	9510250122	50-338 Q
O'HANLON,J.P.	9510310416	50-338 F
O'KELLY,S.	9510120249	50-128 F
O'LEARY,J.F.	9510180199*	FOIA
O'LEARY,J.F.	9510180221*	FOIA
O'MEALIA,M.	9510260087	FOIA
OGLE,C.R.	9510240010*	50-424 Q
OHEIM,H.V.	9510310402	50-293 R
OHLEMACHER,G.	9510130276*	50-341 P
OKVIST,E.	9510040074	71-9165
OKVIST,E.	9510250357	71-9137
OKVIST,E.	9510270046	71-9028
OLIVIER,L.J.	9510180010	50-293 R
OLSEN,A.F.	9510190135	70-27
OLSEN,C.	9510200138	50-280 R
OLSEN,H.O.	9510190150	50-317 R
OLSHAN,L.	9510100032	50-272 P
OLSHAN,L.N.	9510130382	50-272 F
OLSON,R.C.	9510130331*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
OPEKA,J.F.	9510020013	50-213 P
OPEKA,J.F.	9510020013	50-213 P
OPEKA,J.F.	9510020095	50-245 P
OPEKA,J.F.	9510020095	50-245 P
OPEKA,J.F.	9510020245	50-423 Q
OPEKA,J.F.	9510020245	50-423 Q
OPEKA,J.F.	9510060230	50-245 P
OPEKA,J.F.	9510060230	50-245 P
OPEKA,J.F.	9510060232	50-245 P
OPEKA,J.F.	9510060232	50-245 P
OPEKA,J.F.	9510060242	50-336 P
OPEKA,J.F.	9510060242	50-336 P
OPEKA,J.F.	9510110054	50-245 P
OPEKA,J.F.	9510110054	50-245 P
OPEKA,J.F.	9510110304	50-245 P
OPEKA,J.F.	9510110304	50-245 P
OPEKA,J.F.	9510130002	50-423 P
OPEKA,J.F.	9510130002	50-423 P
OPEKA,J.F.	9510130023	50-245 P
OPEKA,J.F.	9510130023	50-245 P
OPEKA,J.F.	9510170325	50-213 P
OPEKA,J.F.	9510170325	50-213 P
OPEKA,J.F.	9510190017	50-245 P
OPEKA,J.F.	9510190017	50-245 P
OPEKA,J.F.	9510190021	50-245 P
OPEKA,J.F.	9510190021	50-245 P
OPEKA,J.F.	9510230137	50-245 P
OPEKA,J.F.	9510230410	50-336 Q
OPEKA,J.F.	9510250069	50-213 P
OPEKA,J.F.	9510250069	50-213 P
OPEKA,J.F.	9510250119	50-245 Q
OPEKA,J.F.	9510250119	50-245 Q
OPEKA,J.F.	9510260062	50-423 P
OPEKA,J.F.	9510260062	50-423 P
OPEKA,J.F.	9510260067	50-336 P
OPEKA,J.F.	9510260067	50-336 P
OPEKA,J.F.	9510260086	50-245 Q
OPEKA,J.F.	9510260086	50-245 Q
OPEKA,J.F.	9510260204	50-245 P
OPEKA,J.F.	9510260204	50-245 P
OPEKA,J.F.	9510260286	50-336 P
OPEKA,J.F.	9510260294	50-336 F
OPEKA,J.F.	9510260294	50-336 F
OPEKA,J.F.	9510260302	50-336 P
OPEKA,J.F.	9510260302	50-336 P
OPEKA,J.F.	9510260312	50-423 Q
OPEKA,J.F.	9510260312	50-423 Q
OPEKA,J.F.	9510270037	50-213 F
OPEKA,J.F.	9510270037	50-213 F
OPEKA,J.F.	9510270040	50-213 P
OPEKA,J.F.	9510270040	50-213 P
OPEKA,J.F.	9510270049	50-245 P
OPEKA,J.F.	9510270049	50-245 P
OPEKA,J.F.	9510270133	50-213 P
OPEKA,J.F.	9510270133	50-213 P
OPEKA,J.F.	9510270147	50-213 P
OPEKA,J.F.	9510270147	50-213 P
OPEKA,J.F.	9510310232	50-213 Q
OPEKA,J.F.	9510310232	50-213 Q
ORDERS,W.T.	9510180198*	50-261 Q
ORLANDO,D.A.	9510200355	WASTE MGT
ORLANDO,T.	9510170005	50-286 R
ORNDORF,D.	9510030073	50-334 R
ORTCIGER,T.W.	9510160043	PR
ORTCIGER,T.W.	9510170307	STATE PRO G
ORTCIGER,T.W.	9510300010	STATE PRO G
ORTCIGER,T.W.	9510300055	STATE PRO G
ORTH,S.	9510270135*	50-341 P
ORTH,S.	9510270276*	50-341 P
OSBORNE,M.P.	9510190023*	50-266 P
OSTERHOLTZ,C.	9510200177*	50-266 V
OVERBECK,G.R.	9510180149	50-528 Q
OVERBECK,G.R.	9510190310	50-528 F
OWENS,J.	9510170398	50-416 S
OZA,C.	9510230407*	50-260 P
PAESSLER,A.H.	9510120294*	FOIA
PAGE,R.G.	9510270272*	70-161
PAGGEN,V.	9510160193*	XPORTLIC
PANGBURN,G.C.	9508310133*	70-1257
PAPERIELLO,C.	9510170242	40-8724
PAPERIELLO,C.	9510250309	40-7580
PAPERIELLO,C.J.	9510170177	72-14
PAPERIELLO,C.J.	9510170327	40-8027
PAPERIELLO,C.J.	9510170378	40-8948
PAPERIELLO,C.J.	9510180367	WASTE MGT
PAPERIELLO,C.J.	9510190026	40-8948
PAPERIELLO,C.J.	9510190032*	40-8948
PAPERIELLO,C.J.	9510230197	WASTE MGT
PAPERIELLO,C.J.	9510240231*	40-8027
PAPUSCH,R.	9510120406	WASTE MGT
PARKS,J.W.	9510100165	70-7001
PARKS,J.W.	9510100178	70-7001
PARKS,J.W.	9510200289	70-7001
PARKS,J.W.	9510200366	70-7001
PARKS,J.W.	9510200367	70-7001
PARKS,J.W.	9510270281*	70-7001
PARKYN,J.D.	9510270328	71-829
PARRISH,J.V.	9510020202	50-397 Q
PARRISH,J.V.	9510020208	50-397 P
PARRISH,J.V.	9510020255	50-397 P
PARRISH,J.V.	9510020260	50-397 Q
PARRISH,J.V.	9510040129	50-397 Q
PARRISH,J.V.	9510100136	50-397 P
PARRISH,J.V.	9510160263	50-397 R
PARRISH,J.V.	9510170394	50-397 P
PARRISH,J.V.	9510180032	50-397 Q
PARRISH,J.V.	9510190004	50-397 S
PARRISH,J.V.	9510190006	50-397 P
PARRISH,J.V.	9510230409	50-397 P
PARRISH,J.V.	9510250151	50-397 P
PARRISH,J.V.	9510260005	50-397 S
PARRISH,J.V.	9510310372	50-397 P
PARRISH,J.V.	9510310381	50-397 P
PARRISH,M.W.	9510250096*	50-390 A
PARRISH,M.W.	9510250096*	50-390 A
PARROTT,J.	9510170343	70-820
PARROTT,J.D.	9510190244*	40-17
PARROTT,J.D.	9510230397*	40-9015
PARROTT,J.D.	9510240109*	40-9022
PARROTT,J.D.	9510310209	40-17
PASHA,M.A.	9510040052	40-1162
PASSEHL,D.	9510030233	50-483 S
PASSEHL,D.	9510050268	50-483 S
PATEL,C.P.	9510030122	50-382 F
PATEL,C.P.	9510040336	50-368 P
PATEL,C.P.	9510100016	50-382 P
PATEL,C.P.	9510100022*	50-382 P
PATEL,C.P.	9510100047	50-382 P
PATEL,C.P.	9510100051*	50-382 P
PATEL,C.P.	9510160133	50-382 P
PATEL,N.	9510120405	40-8902
PATEL,N.	9510200361	40-8902
PATKO,A.L.	9510040156	71-9181
PATRICK,B.	9510110292*	FOIA
PATRICK,H.	9510110256*	FOIA
PATRICK,H.	9510110264*	FOIA
PATRICK,H.	9510110269*	FOIA
PATRICK,H.	9510110278*	FOIA
PATRICK,H.	9510120277*	FOIA
PATRICK,H.	9510120356*	FOIA
PATRICK,H.	9510120391*	FOIA
PATRICK,H.	9510120395*	FOIA
PATRICK,H.	9510120397*	FOIA
PATRICK,H.	9510120401*	FOIA
PATRICK,H.	9510130006*	FOIA
PATRICK,H.	9510130008*	FOIA
PATRICK,H.	9510130014*	FOIA
PATRICK,H.	9510130016*	FOIA
PATRICK,H.	9510130041*	FOIA
PATRICK,H.	9510130369*	FOIA
PATRICK,H.	9510130373*	FOIA
PATRICK,H.	9510170344*	FOIA
PATRICK,H.	9510300018*	70-948
PATRICK,H.	9510300045*	70-948
PATRICK,H.	9510310015*	FOIA
PATRICK,H.	9510310030*	FOIA
PATRICK,T.	9510110288*	FOIA
PATRICK,W.	9510190221	WASTE MGT
PATRICK,W.C.	9510050102	WASTE MGT
PATRICK,W.C.	9510050121	WASTE MGT
PATRICK,W.C.	9510180327	WASTE MGT
PATTERSON,C.A.	9510100226*	50-324 Q
PATTERSON,T.L.	9510020113	50-285 R
PATTERSON,T.L.	9510040174	50-285 P
PATTERSON,T.L.	9510110098	50-285 S
PATTERSON,T.L.	9510130193	50-285 P
PATTERSON,T.L.	9510130346	50-285 P
PATTERSON,T.L.	9510160119	50-285 Q
PATTERSON,T.L.	9510180202	50-285 I
PATTERSON,T.L.	9510190217	50-285 R
PATTERSON,T.L.	9510190330	50-285 P
PATTERSON,T.L.	9510200125	PR
PATTERSON,T.L.	9510200308	50-285 P
PATTERSON,T.L.	9510200365	50-285 F
PATTERSON,T.L.	9510240325	50-285 P
PATTERSON,T.L.	9510270174	50-285 P
PATTERSON,T.L.	9510300224	50-285 F
PAUL,R.C.	9208280140*	50-446 P
PAULS,H.M.	9510060360	CONTRACT
PAUSTIAN,H.H.	9510170006	50-263 R
PAWLIK,E.T.	9510110257*	FOIA
PEARCE,L.M.	9510240379	50-265 P
PEARCE,L.W.	9510030164	50-265 S
PEARCE,L.W.	9510120271	50-254 R
PEARCE,L.W.	9510160261	50-254 R
PEARCY,E.C.	9510160199	WASTE MGT
PEAY,L.D.	9510240303*	27-47
PEAY,L.G.	9510240339*	27-47
PEAY,L.G.	9510240347*	27-47
PEDERSON,C.D.	9510170373	50-237 Q
PEEBLES,T.A.	9510180086	50-338 V
PEEBLES,T.A.	9510180130	50-259 Q
PEEBLES,T.A.	9510180136*	50-259 Q
PEEBLES,T.A.	9510240071	50-324 Q
PEEBLES,T.A.	9510240093*	50-324 Q
PEEBLES,T.A.	9510240242	50-369 Q
PEEBLES,T.A.	9510240247*	50-369 Q
PEEK,D.C.	9510310357	40-8948
PEISERT,J.C.	9208260216*	FOIA
PELLET,J.L.	9510110093*	50-285 Q
PEMBROKE,J.D.	9510190025	50-458 G
PENDLETON,N.	9510130270	FOIA
PENROD,K.E.	9510160023*	FOIA
PERKINS,K.E.	9510180150	50-528 Q
PERKINS,K.E.	9510200107	50-528 Q
PERRY,J.S.	9510050024	50-249 S
PERRY,J.S.	9510050032	50-237 S
PERRY,J.S.	9510050035	50-237 S
PERRY,J.S.	9510060197	50-249 S
PERRY,J.S.	9510110007	50-249 S
PERRY,J.S.	9510110388	50-249 S
PERRY,J.S.	9510130240	50-237 S
PERRY,J.S.	9510240197	50-237 V
PERSENSKY,J.J.	9510030209	NUREG
PERSHEY,C.	9510110033	50-456 R
PERSON,L.S.	9510170245	40-8794
PESCHEL,J.M.	9510180024	50-443 S
PETER,P.A.	9510110327*	50-323 P
PEVEY,L.E.	9510190110	PR
PHARES,R.F.	9510030260	50-461 P
PHARES,R.F.	9510110002	50-461 V
PHARES,R.F.	9510110095	50-461 R
PHILLIPS,M.P.	9510190236	50-341 Q
PHILLIPS,M.P.	9510190341	50-263 Q
PHILLIPS,M.P.	9510190349*	50-263 Q
PHILLIPS,R.	9510190067	50-272 R
PHILLIPS,R.	9510190091	50-311 R
PICIULO,P.L.	9510260290	PROJ
PICKETT,D.V.	9510040237	50-461 F
PIERCE,J.J.	9510040282*	50-390 F
PIERSON,R.	9510040166	70-135
PIERSON,R.C.	9510040144	70-27
PIERSON,R.C.	9510040147*	70-27
PIERSON,R.C.	9510040168	70-36
PIERSON,R.C.	9510110253	70-27
PIERSON,R.C.	9510130211	70-364
PIERSON,R.C.	9510190386	70-143
PIERSON,R.C.	9510250396	70-143
PIERSON,R.C.	9510260035	70-734
PIERSON,R.C.	9510260038*	70-734
PIERSON,R.C.	9510270260	70-1257
PIET,P.L.	9510060373	50-237 P
PIET,P.L.	9510100085	50-254 Q
PIET,P.L.	9510250086	50-237 P
PILANT,J.M.	8708180120*	50-298 P
PILANT,J.M.	8708180140*	50-298 P
PINELLI,R.A.	9510030327	TOPREP
PINELLI,R.A.	9510110044	REGGD
PINELLI,R.A.	9510230334	TOPREP
PISKURA,D.A.	9510020183	30-2643
PLAXTON,S.E.	9510180319*	50-296 Q
PLETTNER,E.A.	9510200119*	50-254 Q
PLOTT,B.	9510030174	TOPREP
PLUNKETT,T.F	9510020303	50-250 P
PLUNKETT,T.F.	9510060358	50-250 Q
PLUNKETT,T.F.	9510110118	50-251 Q
PLUNKETT,T.F.	9510110184	50-250 P
PLUNKETT,T.F.	9510180386	50-250 P
PLUNKETT,T.F.	9510190030	50-250 P
PLUNKETT,T.F.	9510200055	50-250 R
PLUNKETT,T.F.	9510240092	50-250 P
PLUNKETT,T.F.	9510240146	50-250 S
PODOLAK,L.	9510270188	71-9243
POLICH,T.J.	9510020253	50-445 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
POLICH,T.J.	9510030153	50-445 F
POLICH,T.J.	9510260310	50-445 P
POMEROY,P.W.	9510060279	ADVCM
POMEROY,P.W.	9510260188	ADVCM
POMEROY,P.W.	9510260197	ADVCM
POMRANING,E.	9510250359*	50-255 Y
PONTIOUS,H.D.	9510020186	50-454 P
PONTIOUS,H.D.	9510100269	50-454 P
POOL,M.J.	9509250060	50-423 P
POOL,M.J.	9510020014	FOIA
POSLUSNY,C.	9510040240	50-387 P
POSLUSNY,C.	9510040268	50-387 P
POSLUSNY,C.	9510040283*	50-387 P
POSLUSNY,C.	9510110019	50-387 F
POSLUSNY,C.	9510300191	50-388 P
POSLUSNY,C.	9510300202*	50-388 P
POSLUSNY,C.	9510310151	50-387 P
POTAPOVS,U.	9510030279*	QA999
POWELL,R.	9509180041	50-219 P
POWELL,R.	9510110323	FOIA
POWELL,R.	9510120045	FOIA
POWELL,R.	9510130278	50-298 Q
POWELL,R.	9510160298	FOIA
POWELL,R.	9510260069	FOIA
POWELL,R.	9510260140	FOIA
POWELL,R.	9510270033	FOIA
POWELL,R.A.	9510100073	40-7841
POWELL,R.A.	9510110161	50-424* T
POWELL,R.A.	9510110211	FOIA
POWELL,R.A.	9510130121	FOIA
POWELL,R.A.	9510130196	50-219 P
POWELL,R.A.	9510130217	50-219 Q
POWELL,R.A.	9510130237	FOIA
POWELL,R.A.	9510130264	50-341 P
POWELL,R.A.	9510130294	FOIA
POWELL,R.A.	9510130333	FOIA
POWELL,R.A.	9510130394	FOIA
POWELL,R.A.	9510170223	50-336 Q
POWELL,R.A.	9510260058	FOIA
POWELL,R.A.	9510260099	50-498 Q
POWELL,R.A.	9510260101	50-445 P
POWELL,R.A.	9510260154	40-8027
POWELL,R.A.	9510260207	FOIA
POWELL,R.A.	9510260209	40-672
POWELL,R.A.	9510260287	FOIA
POWELL,R.A.	9510260293	40-8948
POWELL,R.A.	9510260349	50-498 P
POWELL,R.A.	9510270070	50-341 R
POWERS,D.A.	9510030268*	50-445 Q
POWERS,D.A.	9510110126*	50-498 Q
POWERS,D.A.	9510270366*	50-382 Q
POWERS,D.A.	9510270367*	50-313 Q
POWERS,S.M.	9510130113	FOIA
PRICE,E.R.	9510100290*	FOIA
PRICE,E.R.	9510100293*	FOIA
PRIKRYL,J.D.	9510020006	WASTE MGT
PRIVIDY,L.	9510050047*	50-443 Q
PROBASCO,T.C.	9510050291	70-1257
PROFFITT,J.W.	9510300004*	50-327 S
PUGH,N.L.	9510270148	FOIA
PULEO,F.J.	9510250377	50-498 F
PULSIFER,R.M.	9510020261*	50-237 P
PULSIFER,R.M.	9510050105	50-254 P
PULSIFER,R.M.	9510050119*	50-254 P
PULSIFER,R.M.	9510120209	50-10 F
PULSIFER,R.M.	9510310185*	50-10 W
PYLE,P.	9510270204	CONTRACT
QUAY,T.R.	9510040132	TOPREP
QUAY,T.R.	9510180370	52-4
QUAY,T.R.	9510250203	52-1
QUAY,T.R.	9510250210	52-1
QUENNOZ,S.M.	9510040087	50-344 H
QUENNOZ,S.M.	9510050203	50-344 P
QUENNOZ,S.M.	9510050209	50-344 P
QUENNOZ,S.M.	9510130075	50-344 P
QUENNOZ,S.M.	9510170237	50-344 P
QUENNOZ,S.M.	9510180359	50-344 Y
QUENNOZ,S.M.	9510200150	PR
QUENNOZ,S.M.	9510250030	50-344 Q
QUENNOZ,S.M.	9510310246	50-344 G
QUERIO,R.E.	9510110227	50-373 P
QUERIO,R.E.	9510170065	50-373 Q
QUIMBY,E.H.	9510120123*	FOIA
QUIMBY,E.H.	9510120234*	FOIA
QUINN,J.E.	9510020033	52-4
QUINN,J.E.	9510030352	52-4
QUINN,J.E.	9510160154	52-4
QUINN,J.E.	9510160158	52-4
QUINN,J.E.	9510160161	52-4
QUINN,J.E.	9510160162	52-4
QUINN,J.E.	9510160165	52-4
QUINN,J.E.	9510170414	52-4
QUINN,J.E.	9510230091	52-4
QUINN,J.E.	9510230102	52-4
QUINN,J.E.	9510230400	52-4
QUINN,J.E.	9510250177	52-4
QUINN,J.E.	9510250327	52-4
QUINN,P.R.	9510240131*	FOIA
QUINN,P.R.	9510240184*	FOIA
QUINN,S.E.	9510110078	50-247 S
QUINN,S.E.	9510250140	50-247 R
QUINN,S.E.	9510250268	50-247 P
QUINN,S.E.	9510260082	50-3 F
QUINN,S.E.	9510270200	50-247 Q
RADDATZ,M.G.	9510040145	72-1009
RADDATZ,M.G.	9510190126	50-255 Y
RADDATZ,M.G.	9510200188	71-817
RADDATZ,M.G.	9510200265	71-9268
RADDATZ,M.G.	9510250170	50-267 Y
RADDATZ,M.G.	9510250405	ORG
RADDATZ,M.G.	9510310225	50-219 Y
RADEMACHER,N.L.	9510050207	50-220 S
RADEMACHER,N.L.	9510200235	50-220 R
RAGHAVAN,L.	9510050008	50-302 F
RAGHAVAN,L.	9510060337	50-302 P
RAGHAVEN,L.	9510310281	50-302 P
RAGHAVEN,L.	9510310384	50-302 P
RAGLAND,R.C.	9510310325*	50-387 Q
RAIKMEL,I.	9510100112	CONTRACT
RAINEY,G.R.	9510190031	50-277 R
RAMSDEN,K.B.	9510190209*	50-454 P
RAMSDEN,K.B.	9510190274*	50-454 P
RANGANATH,S.	9510020195*	50-278 P
RANGANATH,S.	9510040173*	50-277 P
RANGANATH,S.	9510180319*	50-296 Q
RANGANATH,S.	9510310264*	50-366 Q
RAPISARDI,J.J.	9510310418	40-8948
RAPISARDI,J.J.	9510310418	40-8948
RAPISARDI,J.J.	9510310418	40-8948
RASIN,W.H.	9510040183	REVIEW GR P
RATHBUN,D.K.	9510030040*	STATE PRO G
RATHBUN,D.K.	9510060344	PR
RATHBUN,D.K.	9510100266	ORG
RATHBUN,D.K.	9510120293	PR
RATHBUN,D.K.	9510120317	COMMISSION
RATHBUN,D.K.	9510120364	PR
RATHBUN,D.K.	9510120379	ORG
RATHBUN,D.K.	9510130307	PR
RATHBUN,D.K.	9510130318	PRM
RATLIFF,R.A.	9510110310	STATE PRO G
RATLIFF,R.A.	9510110310	STATE PRO G
RATLIFF,R.A.	9510230139	STATE PRO G
RAWSON,R.E.	9510120241*	FOIA
RAWSON,R.W.	9510120085*	FOIA
RAWSON,R.W.	9510120348*	FOIA
RAWSON,R.W.	9510130064*	FOIA
RAWSON,R.W.	9510130097*	FOIA
RAY,D.J.	9510020061	50-373 S
RAY,D.J.	9510020073	50-373 S
RAY,D.J.	9510110220	50-373 S
RAY,D.J.	9510170004	50-373 R
RAY,D.J.	9510240178	50-374 S
RAY,D.J.	9510310141	50-373 S
REDDEMANN,M.	9510170015	50-354 R
REDDEMANN,M.	9510200259	50-354 S
REDDEMANN,M.E.	9510060270	50-354 S
REDDEMANN,M.E.	9510110178	50-354 S
REDDEMANN,M.E.	9510160178	50-354 S
REDDEMANN,M.E.	9510190388	50-354 S
REDDEMANN,M.E.	9510270016	50-354 S
REDDEMANN,M.E.	9510300150	50-354 S
REDDEMANN,M.E.	9510310239	50-354 S
REDEKER,S.	9510190137	PR
REED,A.	9510250140	50-247 R
REED,C.A.	9510110240	FOIA
REED,T.A.	9510050113	REVIEW GR P
REGAN,C.M.	9510120214	PROJ
REHMANN,M.R.	9510060176	40-9024
REHN,R.	9510060080	50-29 H
REID,D.A.	9510240096	50-271 P
REIDINGER,T.D.	9510110271*	40-3392
REILLY,F.	9510310276	40-341
REILLY,F.K.	9510110401	40-341
REILLY,K.A.	9510110217	40-341
REIS,T.	9510020034*	50-298 P
REIS,T.	9510020036*	50-298 P
REIS,T.	9510020037*	50-298 Q
REIS,T.	9510300088*	50-313 Q
RENNER,W.D.	9510310112*	FOIA
REPKA,D.A.	9510180157	50-245 G
REPKA,D.A.	9510180157	50-245 G
REXROAD,H.N.	9510310068*	FOIA
REYES,J.	9510100156*	CONTRACT
REYES,L.A.	8912080071	50-250 Q
REYES,L.A.	9510100381*	50-250 Q
REYNER,H.A.	9510250373*	50-255 Y
REYNOLDS,N.S.	9510120096	50-460 G
REYNOLDS,N.S.	9510120096	50-460 G
REYNOLDS,N.S.	9510250328*	FOIA
REYNOLDS,N.S.	9510250332*	FOIA
REZOS,J.T.	9510030191	NUREG
RHYNE,J.J.	9510270382	50-186 P
RICHARD,A.W.	9510130197*	50-285 P
RICHARDS,S.A.	9510110349	50-20 V
RICHARDS,S.A.	9510230183	50-186 V
RICKARD,I.C.	9510250300	TOPREP
RICKARD,I.C.	9510250300	TOPREP
RICKARD,I.C.	9510310189	70-1100
RICKARD,I.C.	9510310189	70-1100
RIFAKES,G.P.	9510060339	70-7001
RIFAKES,G.P.	9510270279	70-7001
RIFAKES,G.P.	9510270281*	70-7001
RIFFER,W.J.	9510300011	50-336 S
RIFFER,W.J.	9510300016	50-336 S
RIGOZZI,P.D.	9510180110	50-255 F
RILEY,E.E.	9510190261*	50-296 P
RILEY,J.W.	9510230411*	50-336 Q
RINALDI,F.	9510200334	50-352 P
RINALDI,F.	9510230141	50-352 P
RINALDI,F.	9510240311	50-277 F
RING,M.A.	9510100048	50-409 Q
RING,M.A.	9510100053*	50-409 Q
RING,M.A.	9510130059	50-440 V
RING,M.A.	9510230078*	50-456 Q
RINTOUL,D.S.	9510170268	FOIA
ROBERTS,H.R.	9510040155	40-8681
ROBINSON,C.	9510260259*	40-8027
ROBINSON,W.R.	9510050085	50-400 S
ROBINSON,W.R.	9510050093*	50-400 S
ROBINSON,W.R.	9510050192	50-400 F
ROBINSON,W.R.	9510060257	50-400 S
ROBINSON,W.R.	9510110194	50-400 S
ROBINSON,W.R.	9510110210	50-400 F
ROBINSON,W.R.	9510130013	50-400 P
ROBINSON,W.R.	9510180021	50-400 R
ROBINSON,W.R.	9510180164	50-400 P
ROBINSON,W.R.	9510190002	50-400 P
ROBINSON,W.R.	9510240218	50-400 P
ROBINSON,W.R.	9510240312	50-400 P
ROCHE,B.	9510030225	50-29 H
RODEHALL,T.J.	9510310031	CONTRACT
RODEHALL,T.J.	9510310118	CONTRACT
ROE,J.W.	9510020270*	50-445 P
ROEDER,J.R.	9510130159*	FOIA
ROEDER,J.R.	9510130171*	FOIA
ROEMER,E.K.	9510030078	50-29 H
ROEMER,E.K.	9510240181	PR
ROGAN,R.E.	9510060084	PRM
ROGAN,R.E.	9510170293	50-261 P
ROGERS,J.A.	9510200074	50-335 R
ROGERS,K.C.	9510100191	COMMISSION
ROGERS,K.C.	9510170032	COMMISSION
ROGERS,K.C.	9510170106	COMMISSION
ROGERS,K.C.	9510190406	10CFR
ROGERS,K.C.	9510300024	COMMISSION
ROGERS,S.B.	9510160267*	50-321 R
ROGERS,S.B.	9510160270*	50-321 R
ROGERS,S.G.	9510180021	50-400 R
ROGGE,J.	9510030053*	50-443 Q
ROGGE,J.	9510110023	50-309 Q
ROGGE,J.	9510110064*	50-219 Q
ROGGE,J.F.	9510110031*	50-289 Q
ROGGE,J.F.	9510270078	50-309 Q
ROGGE,J.F.	9510270093*	50-309 Q
ROONEY,V.L.	9510230401	50-423 P
ROSENTHAL,J.E.	9510060332	ORG
ROSS,R.D.	9510300229*	50-285 F
ROSS,T.M.	9510230398*	50-348 Q
ROSSI,C.E.	9510160072	TOPREP
ROSSI,H.H.	9510120228*	FOIA
ROSSI,H.H.	9510120327*	FOIA
ROSSI,H.H.	9510130056*	FOIA
ROTH,J.	9510250112	70-36
ROUDEBUSH,C.	9510040065	71-*****

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROUGEUX,L.W.	9510100347	50-458 S
ROUGHAN,C.	9510040081	71-9032
ROWLAND,T.J.	9510040043	PROJ
ROWLAND,T.J.	9510260336*	PROJ
RUCKER,D.	9510240362*	27-47
RUDISAIL,S.	9510100270*	50-259 Q
RUEGER,G.M.	9510030016	50-275 P
RUEGER,G.M.	9510030058	50-275 P
RUEGER,G.M.	9510060208	50-275 P
RUEGER,G.M.	9510100080	50-275 P
RUEGER,G.M.	9510100117*	50-275 P
RUEGER,G.M.	9510110009	50-275 S
RUEGER,G.M.	9510110027	50-275 P
RUEGER,G.M.	9510110195	50-275 S
RUEGER,G.M.	9510110318	50-323 P
RUEGER,G.M.	9510170172	50-275 F
RUEGER,G.M.	9510250111	50-275 P
RUEGER,G.M.	9510260028	50-275 S
RUEGER,G.M.	9510300001	50-323 S
RUEGER,R.M.	9510100093	50-275 P
RUFF,A.	9510100392*	50-250 Q
RULAND,J.K.	9510100152	CONTRACT
RULAND,W.H.	9510020157	50-309 Q
RULAND,W.H.	9510020167*	50-309 Q
RULAND,W.H.	9510030009	50-271 Q
RULAND,W.H.	9510230191	50-271 Q
RULAND,W.H.	9510230205*	50-271 Q
RUNYON,L.C.	9510250385	PROJ
RUSSELL,J.	9510250287	50-275 S
RUSSELL,M.J.	9510060250	NUREG
RUSSELL,W.T.	9510030355	ORG
RUSSELL,W.T.	9510110395	52-3
RUSSELL,W.T.	9510170275*	50-423 Q
RUSSELL,W.T.	9510190065	50-160 G
RUSSELL,W.T.	9510190368	ORG
RUSSELL,W.T.	9510250358	50-344 H
RUSSELL,W.T.	9510300211	50-245 G
RUTHER,W.E.	9510030169	NUREG
RYAN,M.T.	9510240322*	27-47
RYAN,M.T.	9510240327*	27-47
RYBAK,B.	9510250061	50-237 P
RYBAK,B.	9510300099	50-237 P
SACCOMANDO,D.	9510190197	50-454 P
SACCOMANDO,D.	9510190228	50-454 P
SACCOMANDO,D.	9510190262	50-454 P
SACCOMANDO,D.	9510190271	50-454 P
SACCOMANDO,D.	9510200215	50-454 P
SACCOMANDO,D.M.	9510060288	50-454 P
SACCOMANDO,D.M.	9510130219	50-454 P
SACCOMANDO,D.M.	9510190286	50-454 P
SACCOMANDO,D.M.	9510300081	50-454 P
SACKETT,M.	9510270189	CONTRACT
SACKETT,M.H.	9510270203	CONTRACT
SAGAR,B.	9510050099	WASTE MGT
SAGAR,B.	9510180074	WASTE MGT
SAGAR,B.	9510190038	WASTE MGT
SAGER,D.A.	9510020125	50-335 S
SAGER,D.A.	9510020133	50-335 S
SAGER,D.A.	9510020309	50-335 P
SAGER,D.A.	9510110319	50-335 P
SAGER,D.A.	9510110340	50-335 P
SAGER,D.A.	9510180017	50-335 F
SAGER,D.A.	9510200074	50-335 R
SAGER,D.A.	9510240268	50-335 P
SAGER,D.A.	9510310302	50-335 P
SAGGIO,J.A.	9510120039	50-440 F
SAITO,A.	9510250307	XPORTLIC
SALAS,P.	9510020191	50-259 P
SALAS,P.	9510020331	50-260 F
SALAS,P.	9510030101	50-259 F
SALAS,P.	9510100325	50-259 P
SALAS,P.	9510110192	50-259 P
SALAS,P.	9510160083	50-260 P
SALAS,P.	9510160123	50-260 F
SALAS,P.	9510160190	50-296 P
SALAS,P.	9510180312	50-296 Q
SALAS,P.	9510190162	50-259 R
SALAS,P.	9510190259	50-296 P
SALAS,P.	9510230405	50-260 P
SALAS,P.	9510250123	50-259 F
SALAS,P.	9510270013	50-296 Q
SALAS,P.	9510310218	50-259 P
SALMON,H.P.	9510110233	50-333 S
SALMON,H.P.	9510190374	50-333 R
SALO,E.W.	9510040324*	50-390 H
SALOMON,S.	9510130089*	XPORTLIC
SANDERS,C.F.	9510110331	70-1151
SANDERS,R.F.	9510120173	50-281 P
SANDERSON,R.E.	9510190097	PR
SANTORO,P.	9510250315*	FOIA
SARTOR,W.M.	9510100247*	50-416 Q
SARTOR,W.M.	9510180182*	50-321 Q
SAUNDERS,R.F.	9510110059	50-280 F
SAUNDERS,R.F.	9510120100	PRM
SAUNDERS,R.F.	9510200138	50-280 R
SAUNDERS,R.F.	9510250196	PR
SAVASTANO,A.	9510230146*	STATE PRO G
SCACE,S.E.	9510250119	50-245 Q
SCACE,S.E.	9510260086	50-245 Q
SCALETTI,D.	9510060347	TOPREP
SCALETTI,D.C.	9510110237	52-4
SCALICE,J.A.	9510310320	50-390 A
SCARANO,R.A.	9510030194	40-7580
SCARANO,R.A.	9510030201	50-312 Q
SCARANO,R.A.	9510030207	50-275 Q
SCARANO,R.A.	9510040126	40-8857
SCARANO,R.A.	9510060037	50-312 F
SCARANO,R.A.	9510060039	50-445 Q
SCARANO,R.A.	9510060061	50-344 F
SCARANO,R.A.	9510060066	50-482 F
SCARANO,R.A.	9510060254	50-267 Q
SCARANO,R.A.	9510060261	50-498 Q
SCARANO,R.A.	9510110088	50-243 F
SCARANO,R.A.	9510160039	40-1341
SCARANO,R.A.	9510170345	50-313 Q
SCARANO,R.A.	9510170358	50-344 Q
SCARANO,R.A.	9510180113	50-313 F
SCARANO,R.A.	9510180135	STATE PRO G
SCARANO,R.A.	9510180144	70-734
SCARANO,R.A.	9510180266	50-445 Q
SCARANO,R.A.	9510190243	40-299
SCARANO,R.A.	9510200104	50-344 Q
SCARANO,R.A.	9510240053	STATE PRO G
SCARANO,R.A.	9510240057	50-262 W
SCARANO,R.A.	9510240111	40-8943
SCARANO,R.A.	9510240257	50-267 Q
SCARANO,R.A.	9510300138	50-133 Q
SCARANO,R.A.	9510310133	70-1257
SCARANO,R.A.	9510310150	50-445 Q
SCARANO,R.A.	9510310227	50-344 Q
SCARBOROUGH,J.	9510170008	50-261 R
SCHAAF,B.	9510250291	ORG
SCHAEFER,D.	9510040136	50-528 S
SCHAFER,E.T.	9510230092	STATE PRO G
SCHAFFRAN,R.	9510030213	50-344 H
SCHERCH,J.M.	9510050072*	50-390 H
SCHMITT,J.F.	9510190106	PR
SCHNEIDER,K.	9510300240	STATE PRO G
SCHNEIDER,K.N.	9510230057	STATE PRO G
SCHNEIDER,K.N.	9510310049	STATE PRO G
SCHNELL,D.F.	9510020351	50-483 P
SCHNELL,D.F.	9510030346	50-483 P
SCHNELL,D.F.	9510250128	50-483 P
SCHNELL,D.F.	9510300206	50-483 P
SCHOOLEY,H.N.	9510240399	40-7102
SCHRUM,D.	9510100053*	50-409 Q
SCHULTZ,S.P.	9510030102	50-29 F
SCHWARTZ,G.K.	9510020177	50-295 P
SCHWARTZ,G.K.	9510060278	50-295 S
SCHWARTZ,G.K.	9510170422	50-295 S
SCHWARTZ,G.K.	9510180050	50-295 R
SCHWARTZ,G.K.	9510260002	50-295 Q
SCHWARTZ,G.K.	9510300056	50-295 S
SCHWARTZ,G.K.	9510310224	50-295 S
SCHWINK,W.S.	9510060226*	FOIA
SCOTT,E.Y.	9510200175	40-8452
SCOTT,M.A.	9510230398*	50-348 Q
SCOTT,T.F.	9510030190	50-368 S
SCROGGS,A.C.	9510310354	STATE PRO G
SEBASTIAN,J.J.	9510100076*	FOIA
SELIN,I.	9510260160*	40-8027
SELLMAN,M.B.	9510260049	50-458 P
SEM,G.	9510050074	PR
SERRA,P.L.	9510100088	50-498 F
SERRA,P.L.	9510250377	50-498 F
SERRA,P.L.	9510310260	50-498 F
SGARLATA,D.K.	9510200081	70-135
SHACK,W.J.	9510030169	NUREG
SHAEFFER,S.	9510190287	50-296 S
SHAKOOR,M.	9510230009*	40-2384
SHANBAKY,M.M.	9510230175*	40-6940
SHANBAKY,M.M.	9510230234	40-8868
SHANBAKY,M.M.	9510310393	30-1274
SHANK,J.R.	9510310202	I&E
SHAPAKER,J.W.	9510180001	I&E
SHAPAKER,J.W.	9510180002	I&E
SHAPAKER,J.W.	9510310413	ORG
SHARKEY,R.W.	9510180015	70-36
SHARKEY,R.W.	9510180015	70-36
SHARKEY,R.W.	9510310282	70-36
SHARKEY,R.W.	9510310291	70-36
SHARPE,H.F.	9510060369	CONTRACT
SHAVER,H.W.	9510310417	40-1162
SHAW,K.	9510110120	QA999
SHEA,J.W.	9510130205	50-277 P
SHEA,J.W.	9510180259	50-445 P
SHEA,J.W.	9510240279	50-277 P
SHEA,J.W.	9510240311	50-277 P
SHEA,J.W.	9510310069	50-278 P
SHEA,J.W.	9510310277	50-278 P
SHEA,J.W.	9510310310	50-277 P
SHEA,J.W.	9510310352	50-277 P
SHEAR,G.	9510250172	I&E
SHEAR,G.L.	9510020122	70-7001
SHEAR,G.L.	9510100067	70-36
SHEAR,G.L.	9510110250	40-3392
SHEAR,G.L.	9510110271*	40-3392
SHEAR,G.L.	9510180066	70-7002
SHEAR,G.L.	9510180070*	70-7002
SHEAR,G.L.	9510180075*	70-7002
SHEAR,G.L.	9510270056	70-7001
SHEAR,G.L.	9510270069*	70-7001
SHEAR,G.L.	9510270074*	70-7001
SHEE,J.R.	9510190407	XPORTLIC
SHEETS,P.	9510300146*	FOIA
SHEIBANI,M.	9510260018	50-424 S
SHELL,R.H.	9510030311	50-327 P
SHELL,R.H.	9510110265	50-327 S
SHELL,R.H.	9510170305	50-327 P
SHELL,R.H.	9510180014	50-327 R
SHELL,R.H.	9510190008	50-327 P
SHELL,R.H.	9510190011	50-327 S
SHELL,R.H.	9510260333	50-327 F
SHELL,R.H.	9510300233	50-327 Q
SHELLTON,H.	9510060278	50-295 S
SHELTON,B.J.	9510310044	ORG
SHELTON,D.C.	9510020327	50-440 P
SHELTON,D.C.	9510050139	50-440 S
SHELTON,D.C.	9510100387	50-440 R
SHELTON,D.C.	9510170283	50-440 S
SHELTON,D.C.	9510190376	50-440 R
SHELTON,D.C.	9510190380	50-440 R
SHELTON,D.C.	9510240105	50-440 P
SHELTON,D.C.	9510240162*	FOIA
SHELTON,D.C.	9510250222	50-440 F
SHEPHERD,J.	9510260208*	40-8027
SHEPHERD,J.	9510260211*	40-8027
SHEPHERD,J.	9510260213*	40-8027
SHEPHERD,J.	9510260215*	40-8027
SHEPHERD,J.	9510260217*	40-8027
SHEPHERD,J.	9510260218*	40-8027
SHEPHERD,J.	9510260219*	40-8027
SHEPHERD,J.	9510260220*	40-8027
SHEPHERD,J.	9510260225*	40-8027
SHEPHERD,J.	9510260229*	40-8027
SHEPHERD,J.	9510260230*	40-8027
SHEPHERD,J.	9510260231*	40-8027
SHEPHERD,J.	9510260233*	40-8027
SHEPHERD,J.	9510260234*	40-8027
SHEPHERD,J.	9510260235*	40-8027
SHEPHERD,J.	9510260237*	40-8027
SHEPHERD,J.	9510260239*	40-8027
SHEPHERD,J.	9510260240*	40-8027
SHEPHERD,J.	9510260243*	40-8027
SHEPHERD,J.	9510260250*	40-8027
SHEPHERD,J.	9510260251*	40-8027
SHEPHERD,J.	9510260252*	FOIA
SHEPHERD,J.	9510260253*	40-8027
SHEPHERD,J.	9510260278*	40-8027
SHEPHERD,J.	9510260279*	40-8027
SHEPHERD,J.	9510260291*	40-8027
SHEPHERD,J.	9510260295*	40-8027
SHEPHERD,J.	9510260298*	40-8027
SHEPHERD,J.	9510260301*	40-8027
SHEPHERD,J.	9510260303*	40-8027
SHEPHERD,J.	9510260304*	40-8027
SHEPHERD,J.	9510260306*	40-8027
SHEPHERD,J.	9510260308*	40-8027
SHEPHERD,J.	9510260309*	40-8027
SHEPHERD,J.	9510260311*	40-8027
SHEPHERD,J.	9510260313*	40-8027
SHEPHERD,J.	9510260314*	40-8027
SHEPHERD,J.	9510260317*	40-8027
SHEPHERD,J.	9510260318*	40-8027

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SHEPHERD,J.	9510260320*	40-8027
SHEPHERD,J.	9510260321*	40-8027
SHEPHERD,J.	9510260322*	40-8027
SHEPHERD,J.	9510260324*	40-8027
SHEPHERD,J.C.	9510260260*	40-8027
SHEPHERD,J.C.	9510260263*	40-8027
SHEPHERD,J.L.	9510270159*	71-122
SHEPHERD,M.F.	9510270114	71-122
SHERANKO,R.G.	9510040263*	50-387 P
SHERON,B.	9503300067*	I&E
SHERON,B.	9510110213	REVIEW GR P
SHERON,B.W.	9510040208	REVIEW GR P
SHIELDS,W.J.	9510310255	40-8948
SHIELDS,W.J.	9510310283	40-8948
SHIELDS,W.J.	9510310293	40-8948
SHIELDS,W.J.	9510310326	40-8948
SHIELDS,W.J.	9510310365	40-8948
SHIELDS,W.J.	9510310375	40-8948
SHIRAKI,C.Y.	9510050025	50-295 P
SHIRAKI,C.Y.	9510050030*	50-295 P
SHIRAKI,C.Y.	9510200229	50-295 P
SHIRAKI,C.Y.	9510200231	50-295 P
SHIRAKI,C.Y.	9510200233*	50-295 P
SHIRAKI,C.Y.	9510200236*	50-295 P
SHIRAKI,C.Y.	9510240266	50-295 P
SHIRAKI,C.Y.	9510310194*	50-10 W
SHIRALKAR,B.S.	9510030354*	52-4
SHIRLEY,D.A.	9510310410	50-5 S
SHIROTA,Y.	9510250262	XPORTLIC
SHURBERG,D.	9510030174	TOPREP
SHYMLOCK,M.	9510110042	50-348 S
SHYMLOCK,M.	9510180152*	50-259 Q
SHYMLOCK,M.B.	9510100270*	50-259 Q
SHYMLOCK,M.B.	9510100289*	50-424 Q
SHYMLOCK,M.B.	9510230332	50-324 Q
SICK,P.W.	9510030286	TOPREP
SIDEBOTHAM,D.P.	9510190231	PR
SIEBENTRITT,C.	9510100106*	FOIA
SIEGEL,A.M.	9208260199*	FOIA
SIEGEL,A.M.	9208280098*	FOIA
SIEGEL,A.M.	9208280191*	FOIA
SIEGEL,A.M.	9510060187*	FOIA
SIEGEL,A.M.	9510060206*	FOIA
SIEGEL,B.A.	9510130158*	ADVCM
SIEGEL,B.L.	9510050033	50-348 P
SIEGEL,B.L.	9510050048	50-348 P
SILBERG,J.E.	9510120028	PR
SILBERG,J.E.	9510300057	50-440 G
SILBERG,J.E.	9510300057	50-440 G
SILK,D.	9510230225*	50-293 Q
SILK,D.	9510230394*	50-317 Q
SILKO,T.B.	9510180105	50-245 P
SILVERMAN,D.J.	9510110168*	XPORTLIC
SILVERMAN,D.J.	9510120195*	XPORTLIC
SIMMONS,M.	9510270170*	CONTRACT
SIMMONS,T.H.	9510110057	71-9035
SIMMONS,T.L.	9510250159	30-3465
SIMPKIN,T.W.	9510020069	50-295 P
SIMPKIN,T.W.	9510020178	50-295 P
SIMPKIN,T.W.	9510100158	50-295 P
SIMPKIN,T.W.	9510110024	71-9159
SIMPKIN,T.W.	9510110135	50-295 P
SIMPSON,E.C.	9510160217	50-354 P
SIMPSON,E.C.	9510160231	50-272 P
SIMPSON,E.C.	9510250100	50-272 P
SIMPSON,E.C.	9510250160	50-354 P
SIMPSON,E.C.	9510250370	50-272 P
SINCLAIR,M.P.	9510240171	PR
SINGER,B.	9510170317*	FOIA
SINGER,B.	9510230080*	FOIA
SINGER,B.	95102400027*	FOIA
SINGER,B.	9510270305*	FOIA
SINKULE,M.V.	9510100392*	50-250 Q
SISSON,D.	9510260013*	FOIA
SITARAMAN,S.	9510030354*	52-4
SIWIEC,W.J.	9510020104	50-374 S
SKINNER,P.H.	9510100262*	50-321 Q
SKINNER,P.H.	9510240068	50-424 Q
SKINNER,P.H.	9510300064*	50-424 G
SLACK,D.S.	9510270124*	FOIA
SLACK,S.T.	7905250250*	FOIA
SLACK,S.T.	7911150201*	FOIA
SLACK,S.T.	8001040273*	FOIA
SLACK,S.T.	8008200228*	FOIA
SLACK,S.T.	8209160333*	FOIA
SLACK,S.T.	8209160337*	FOIA
SLACK,S.T.	8209160341*	FOIA
SLACK,S.T.	8506190462*	FOIA
SLACK,S.T.	9510190364*	FOIA
SLACK,S.T.	9510230033*	FOIA
SLACK,S.T.	9510240023*	FOIA
SLACK,S.T.	9510270027*	FOIA
SLACK,S.T.	9510270029*	FOIA
SLACK,S.T.	9510270041*	FOIA
SLACK,S.T.	9510270045*	FOIA
SLACK,S.T.	9510270296*	FOIA
SLACK,S.T.	9510270342*	FOIA
SLACK,S.T.	9510300072*	FOIA
SLACK,S.T.	9510300084*	FOIA
SLACK,S.T.	9510300094*	FOIA
SLACK,S.T.	9510300107*	FOIA
SLACK,S.T.	9510300125*	FOIA
SLACK,S.T.	9510300146*	FOIA
SLACK,S.T.	9510310067*	FOIA
SLACK,S.T.	9510310076*	FOIA
SLACK,S.T.	9510310140*	FOIA
SLACK,S.T.	9510310120*	FOIA
SMEDLEY,R.W.	9510020241	50-255 Q
SMEDLEY,R.W.	9510020285	50-255 P
SMEDLEY,R.W.	9510060318	50-255 Y
SMEDLEY,R.W.	9510130183	50-255 P
SMEDLEY,R.W.	9510130365	50-255 Y
SMEDLEY,R.W.	9510170404	50-255 P
SMEDLEY,R.W.	9510200131	50-255 P
SMEDLEY,R.W.	9510250054	50-255 P
SMEDLEY,R.W.	9510250073	50-255 P
SMEDLEY,R.W.	9510250215	50-255 P
SMEDLEY,R.W.	9510250351	50-255 Y
SMEDLEY,R.W.	9510300213	50-255 S
SMITH,D.A.	9510110267*	FOIA
SMITH,D.A.	9510110272*	FOIA
SMITH,D.A.	9510160167*	FOIA
SMITH,E.R.	9510040332	70-7001
SMITH,G.C.	9510170342*	50-20 Q
SMITH,K.	9510030067	50-29 H
SMITH,L.R.	9510120052	PR
SMITH,N.P.	9510050205*	REVIEW GR P
SMITH,R.L.	9510030211	PRM
SMITH,S.R.	9510270213	CONTRACT
SMITH,T.R.	9510190162	50-259 R
SOLER,M.	9510270130	72-1008
SOLER,M.	9510270153*	72-1008
SOLER,M.	9510270295	72-1008
SOLER,M.	9510310404	71-9261
SOLER,M.	9510310406*	71-9261
SOLLENBERGER,D.	9510230106	STATE PRO G
SOPPET,W.K.	9510030169	NUREG
SPADARA,J.P.	9510240361*	50-388 P
SPARKS,S.	9510190281	50-327 S
SPATH,J.P.	9510300009	STATE PRO G
SPENCE,R.E.	9510020010	WASTE MGT
SPENCE,R.E.	9510020166	WASTE MGT
SPENCE,R.E.	9510020251	WASTE MGT
SPENCE,R.E.	9510020311	WASTE MGT
SPENCE,R.E.	9510020314	WASTE MGT
SPENCE,R.E.	9510020336	WASTE MGT
SPENCE,R.E.	9510020338	WASTE MGT
SPENCE,R.E.	9510020342	WASTE MGT
SPENCE,R.E.	9510030176	WASTE MGT
SPENCE,R.E.	9510170269	WASTE MGT
SPENCE,R.E.	9510230117	WASTE MGT
SPENCE,R.E.	9510230121	WASTE MGT
SPENCE,R.E.	9510240161	WASTE MGT
SPENCE,R.E.	9510300244	WASTE MGT
SPIEGEL,E.	9510270192	CONTRACT
SPINAR,L.H.	9510120025	PR
SRIDHAR,N.	9510050115	WASTE MGT
SRIDHAR,N.	9510050141*	WASTE MGT
SRIDHAR,N.	9510230086	WASTE MGT
ST CLAIR,R.R.	9510020162*	50-269 P
ST CLAIR,R.R.	9510230032*	50-269 P
ST MARTIN,J.T.	9510030079	50-244 S
ST MARY,F.A.	9510230040*	FOIA
ST MARY,F.A.	9510270347*	FOIA
STALL,J.A.	9510100155	50-338 S
STALL,J.A.	9510160012	50-338 R
STALL,J.A.	9510230389	50-339 S
STANG,J.F.	9510020248	50-237 P
STANG,J.F.	9510020261*	50-237 P
STANG,J.F.	9510040246	50-237 P
STANG,J.F.	9510230036	50-237 P
STANLEY,H.G.	9510130350	50-387 S
STANLEY,H.G.	9510200159	50-388 S
STANLEY,H.G.	9510230012	50-388 S
STAREFOS,J.	9510250125	50-400 S
STARK,R.	9510020199*	50-278 P
STARK,R.	9510110152	CONTRACT
STAUTER,J.C.	9510310405	70-925
STAY,D.M.	9510040259*	50-237 P
STCLAIR,R.R.	9510020229*	50-270 P
STCLAIR,R.R.	9510020243*	50-287 P
STECKLER,K.D.	9208280248*	FOIA
STEELE,R.	9510060250	NUREG
STEINDLER,M.J.	9510260149	ADVCM
STEINDLER,M.J.	9510260152	ADVCM
STEINDLER,M.J.	9510260156	ADVCM
STEINDLER,M.J.	9510260159	ADVCM
STEINDLER,M.J.	9510260161	ADVCM
STEINDLER,M.J.	9510260163	ADVCM
STEINDLER,M.J.	9510260166	ADVCM
STEINDLER,M.J.	9510260167	ADVCM
STEINDLER,M.J.	9510260170	ADVCM
STEINDLER,M.J.	9510260173	ADVCM
STEINDLER,M.J.	9510260184	ADVCM
STEINDLER,M.J.	9510260187	ADVCM
STEINDLER,M.J.	9510260191	ADVCM
STEINDLER,M.J.	9510260192	ADVCM
STEINDLER,M.J.	9510260196	ADVCM
STEINHARDT,C.	9510180132	50-305 P
STEINHARDT,C.R.	9510160115	50-305 P
STEINHARDT,C.R.	9510240056	50-305 P
STEINHARDT,C.R.	9510240345	50-305 P
STELLO,V.	8707160810*	50-298 P
STEPHENSON,J.	9510300067	50-302 F
STETZ,J.P.	9510020086	50-346 P
STETZ,J.P.	9510060247	50-346 P
STETZ,J.P.	9510100109	50-346 P
STETZ,J.P.	9510100124*	50-346 P
STETZ,J.P.	9510100174	50-346 P
STETZ,J.P.	9510100182*	50-346 P
STETZ,J.P.	9510160045	50-346 F
STETZ,J.P.	9510250133	50-346 P
STETZ,J.P.	9510250137	50-346 P
STETZ,J.P.	9510300133	50-346 P
STETZ,J.P.	9510300152	50-346 P
STEVENS,G.L.	9510160175*	50-324 Q
STEVENSON,J.D.	9510310370	NUREG
STEVENSON,J.D.	9510310376	NUREG
STEWART	9510120313*	FOIA
STEWART,H.A.	9510180058*	50-390 A
STEWART,I.	9510120329*	FOIA
STEWART,I.	9510160145*	FOIA
STEWART,I.	9510270150*	70-161
STEWART,J.	9510100114*	FOIA
STEWART,J.	9510100172*	FOIA
STEWART,J.	9510100205*	FOIA
STEWART,J.	9510120300*	FOIA
STEWART,R.E.	9510100134*	FOIA
STEWART,R.F.	9510100083*	FOIA
STEWART,R.F.	9510100100*	FOIA
STEWART,R.F.	9510100131*	FOIA
STEWART,R.F.	9510100148*	FOIA
STEWART,R.F.	9510100151*	FOIA
STEWART,W.L.	9510020310	50-530 Q
STEWART,W.L.	9510030014	I&E
STEWART,W.L.	9510100366	50-529 P
STEWART,W.L.	9510170076	50-528 Q
STEWART,W.L.	9510240276	50-528 P
STEWART,W.L.	9510250190	50-530 P
STILL,J.J.	9510240372*	27-47
STIMMELL,G.L.	9510110138	70-754
STINCHCOMB,R.	9510260300*	FOIA
STINCHCOMB,R.	9510260316*	FOIA
STINCHCOMB,R.	9510260331*	FOIA
STINCHCOMB,R.	9510260334*	FOIA
STINCHCOMB,R.	9510260340*	FOIA
STIREWALT,G.L.	9510260045*	WASTE MGT
STOBIERSKI,J.	9510270091	50-29 H
STOHR,J.P.	8005130856*	FOIA
STOIBER,C.R.	9510190407	XPORTLIC
STOLZ,J.F.	9510020206*	50-334 P
STOLZ,J.F.	9510060354	50-352 Q
STOLZ,J.F.	9510200211	50-278 Q
STOLZ,J.F.	9510200295*	50-354 P
STOLZ,J.F.	9510200338*	50-352 P
STOLZ,J.F.	9510200350*	50-354 P
STOLZ,J.F.	9510260146	50-272 P
STOLZ,J.F.	9510310285*	50-278 P
STOMCHCOMB,R.	9510260328*	FOIA
STONE,B.J.	9510200273	50-341 R
STONE,J.C.	9510050246	50-275 P
STONE,J.C.	9510100015	50-275 F
STONE,J.C.	9510100021	50-482 F
STONE,J.C.	9510120134	50-482 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STONE,J.C.	9510120140*	50-482 P
STONE,J.C.	9510200321	50-482 P
STONE,J.C.	9510200328*	50-482 P
STORMENT,D.	9208260106*	FOIA
STORMENT,D.	9208260219*	FOIA
STORMENT,D.	9208260262*	FOIA
STORMENT,D.	9510060187*	FOIA
STORMENT,D.	9510060206*	FOIA
STORZ,L.F.	9510020209	50-272 Q
STORZ,L.F.	9510050020	50-272 P
STORZ,L.F.	9510050111	50-272 P
STORZ,L.F.	9510050120	50-272 P
STORZ,L.F.	9510110041	50-354 P
STORZ,L.F.	9510250083	50-354 Q
STRATTON,L.C.	9510170363*	50-302 Q
STRIEBEL,M.	9510270091	50-29 H
STRONG,T.R.	9510230074	STATE PRO G
STROSNIDER,J.R.	9510020345	ORG
STROSNIDER,J.R.	9510030244	TOPREP
STUDDARD,P.	9510170126	50-456 S
SULLIVAN,E.	9510230311	50-454 P
SULLIVAN,T.A.	9510250164	50-293 R
SULLIVAN,T.J.	9510030240	ORG
SUTHERLAND,J.T.	9510100284*	FOIA
SUTHERLAND,J.T.	9510100286*	FOIA
SUTHERLAND,J.T.	9510100288*	FOIA
SUTHERLAND,J.T.	9510110379*	FOIA
SUTHERLAND,J.T.	9510130164*	FOIA
SUTHERLAND,J.T.	9510160017*	FOIA
SUTHERLAND,J.T.	9510190043*	FOIA
SUTHERLAND,J.T.	9510230001*	FOIA
SUTHERLAND,J.T.	9510240034*	FOIA
SUTHERLAND,J.T.	9510240084*	FOIA
SUTHERLAND,J.T.	9510270032*	FOIA
SUTHERLAND,J.T.	9510310047*	FOIA
SVEJKOVSKY,J.	9510260138	XPORTLIC
SWEEENEY,J.E.	9510300097*	COMMISSION
SWEENEY,J.E.	9510230070	STATE PRO G
SWEENEY,M.	9510120297*	XPORTLIC
SYLVIA,B.R.	9510110050	50-220 Q
TAM,P.S.	9510020299	50-390 A
TAM,P.S.	9510040224	50-390 A
TAM,P.S.	9510040229*	50-390 A
TAM,P.S.	9510040318	50-390 H
TAM,P.S.	9510050011	50-390 E
TAM,P.S.	9510050016*	50-390 E
TAM,P.S.	9510050022	50-390 Q
TAM,P.S.	9510050043	50-390 H
TAM,P.S.	9510050053	50-390 H
TAM,P.S.	9510050066	50-390 H
TAM,P.S.	9510050265	50-390 F
TAM,P.S.	9510110017	50-390 A
TAM,P.S.	9510130077	50-390 H
TAM,P.S.	9510160080	50-390 H
TAM,P.S.	9510160091	50-390 H
TAM,P.S.	9510160095	50-390 H
TAM,P.S.	9510160098	50-390 H
TAM,P.S.	9510160157	50-390 H
TAM,P.S.	9510160206	50-390 H
TAM,P.S.	9510160260	50-390 A
TAM,P.S.	9510160264*	50-390 A
TAM,P.S.	9510200349	50-390 H
TAM,P.S.	9510240255	50-390 F
TAM,P.S.	9510240265	50-390 H
TAM,P.S.	9510250090	50-390 A
TANSKI,S.	9510160120	XPORTLIC
TAPIA,J.I.	9510050186*	50-458 Q
TAPIA,J.I.	9510110091*	50-498 Q
TARZIA,J.P.	9510270211*	70-3073
TAYLOR,G.J.	9510020082	50-395 F
TAYLOR,G.J.	9510060342	50-395 F
TAYLOR,G.J.	9510110232	50-395 Q
TAYLOR,G.J.	9510160289	50-395 R
TAYLOR,G.J.	9510180040	50-395 Q
TAYLOR,G.J.	9510180049	50-395 P
TAYLOR,G.J.	9510200268	50-395 K
TAYLOR,G.J.	9510200376	50-395 R
TAYLOR,G.J.	9510240293	50-395 P
TAYLOR,J.	9510060038	PR
TAYLOR,J.M.	9109130114*	FOIA
TAYLOR,J.M.	9208170040*	FOIA
TAYLOR,J.M.	9208280162*	FOIA
TAYLOR,J.M.	9403010263*	50-498 P
TAYLOR,J.M.	9404270349*	40-8027
TAYLOR,J.M.	9505250087*	STATE PRO G
TAYLOR,J.M.	9508150062	SECY
TAYLOR,J.M.	9509060339	SECY
TAYLOR,J.M.	9509120225	SECY
TAYLOR,J.M.	9509210207	70-820
TAYLOR,J.M.	9509250325	50-390 A
TAYLOR,J.M.	9509250334	40-791
TAYLOR,J.M.	9509290040	SECY
TAYLOR,J.M.	9510020054	PR
TAYLOR,J.M.	9510030242	50-293 P
TAYLOR,J.M.	9510040164	71-617
TAYLOR,J.M.	9510040278	STATE PRO G
TAYLOR,J.M.	9510060349*	PR
TAYLOR,J.M.	9510130111	ACRS
TAYLOR,J.M.	9510200311	71-719
TAYLOR,J.M.	9510200317	ACRS
TAYLOR,J.M.	9510230054	STATE PRO G
TAYLOR,J.M.	9510250226	PR
TAYLOR,J.M.	9510250317	52-4
TAYLOR,J.M.	9510260257*	40-8027
TAYLOR,J.M.	9510260275*	ORG
TAYLOR,J.M.	9510310356	50-361 G
TAYLOR,T.	9510130130	ADVCM
TAYLOR,T.	9510130152	ADVCM
TAYLOR,T.	9510270165	ADVCM
TEATOR,J.A.	9510260072*	FOIA
TEDROW,J.	9510180216*	50-416 Q
TEMUS,C.J.	9510060336	71-9255
TEN EYCK,E.Q.	9510040097	70-36
TEN EYCK,E.Q.	9510040109*	70-36
TEN EYCK,E.Q.	9510170402	70-7001
TENCH,W.A.	9510270180	CONTRACT
TERRY,C.D.	9510030157	50-410 P
TERRY,C.D.	9510100316	50-220 P
TERRY,C.D.	9510100339	50-220 P
TERRY,C.D.	9510110051	50-220 Q
TERRY,C.D.	9510270067	50-220 P
TERRY,C.L.	9510060351	50-445 Q
TERRY,C.L.	9510100030	50-446 S
TERRY,C.L.	9510110299	50-445 Q
TERRY,C.L.	9510110320	50-445 F
TERRY,C.L.	9510170009	50-445 R
TERRY,C.L.	9510240049	50-446 S
TERRY,C.L.	9510240050	50-220 P
TERRY,C.L.	9510240384	50-445 P
TESTA,E.D.	9510230391*	70-27
THADANI,A.C.	9206250182*	FOIA
THADANI,A.C.	9206260290*	FOIA
THADANI,A.C.	9208280104*	FOIA
THADANI,A.C.	9208280107*	FOIA
THADANI,A.C.	9208280252*	FOIA
THADANI,A.C.	9510060217*	FOIA
THADANI,A.C.	9510110362	REVIEW GR P
THAGGARD,M.	9510040113	40-8948
THE CHAIRMAN	9510100191	COMMISSION
THE CHAIRMAN	9510120351*	COMMISSION
THE CHAIRMAN	9510170032	COMMISSION
THE CHAIRMAN	9510170047	COMMISSION
THE CHAIRMAN	9510170078	COMMISSION
THE CHAIRMAN	9510170102	COMMISSION
THE CHAIRMAN	9510180291	10CFR
THE CHAIRMAN	9510190207	SPEECHES
THE CHAIRMAN	9510190406	10CFR
THE CHAIRMAN	9510200092	COMMISSION
THE CHAIRMAN	9510200325	COMMISSION
THE CHAIRMAN	9510200329*	COMMISSION
THE CHAIRMAN	9510200332	COMMISSION
THE CHAIRMAN	9510230126*	COMMISSION
THE CHAIRMAN	9510250116	SPEECHES
THE CHAIRMAN	9510260160*	40-8027
THE CHAIRMAN	9510270001	SPEECHES
THEOFANOUS,T.	9510030239*	52-3
THOMAS,C.D	9510110329*	FOIA
THOMAS,C.D.	9510100111*	FOIA
THOMAS,C.D.	9510100119*	FOIA
THOMAS,C.D.	9510100123*	FOIA
THOMAS,C.D.	9510100168*	FOIA
THOMAS,C.D.	9510100183*	FOIA
THOMAS,C.D.	9510100224*	FOIA
THOMAS,C.D.	9510100225*	FOIA
THOMAS,C.D.	9510100236*	FOIA
THOMAS,C.D.	9510100237*	FOIA
THOMAS,C.D.	9510100243*	FOIA
THOMAS,C.D.	9510100245*	FOIA
THOMAS,C.D.	9510100254*	FOIA
THOMAS,C.D.	9510100271*	FOIA
THOMAS,C.D.	9510100275*	FOIA
THOMAS,C.D.	9510100291*	FOIA
THOMAS,C.D.	9510100301*	FOIA
THOMAS,C.D.	9510100371*	FOIA
THOMAS,C.D.	9510100374*	FOIA
THOMAS,C.D.	9510100388*	FOIA
THOMAS,C.D.	9510110336*	FOIA
THOMAS,C.D.	9510110353*	FOIA
THOMAS,C.D.	9510110354*	FOIA
THOMAS,C.D.	9510120003*	FOIA
THOMAS,C.D.	9510120007*	FOIA
THOMAS,C.D.	9510120041*	FOIA
THOMAS,C.D.	9510120083*	FOIA
THOMAS,C.D.	9510120091*	FOIA
THOMAS,C.D.	9510120219*	FOIA
THOMAS,C.D.	9510120225*	FOIA
THOMAS,C.D.	9510120239*	FOIA
THOMAS,C.D.	9510120257*	FOIA
THOMAS,C.D.	9510120368*	FOIA
THOMAS,C.D.	9510130120*	FOIA
THOMAS,C.D.	9510130135*	FOIA
THOMAS,C.D.	9510130157*	FOIA
THOMAS,C.D.	9510130178*	FOIA
THOMAS,C.D.	9510130186*	FOIA
THOMAS,C.D.	9510130222*	FOIA
THOMAS,C.D.	9510130302*	FOIA
THOMAS,C.D.	9510130314*	FOIA
THOMAS,C.D.	9510130316*	FOIA
THOMAS,C.D.	9510130360*	FOIA
THOMAS,C.D.	9510130366*	FOIA
THOMAS,C.D.	9510160094*	FOIA
THOMAS,C.D.	9510160102*	FOIA
THOMAS,C.D.	9510160109*	FOIA
THOMAS,C.D.	9510160113*	FOIA
THOMAS,C.D.	9510160172*	FOIA
THOMAS,C.D.	9510160180*	FOIA
THOMAS,C.D.	9510240122*	FOIA
THOMAS,C.D.	9510240173*	FOIA
THOMAS,C.D.	9510270149*	FOIA
THOMAS,C.D.	9510270190*	FOIA
THOMAS,C.D.	9510270208*	FOIA
THOMAS,C.D.	9510270224*	FOIA
THOMAS,C.D.	9510270243*	FOIA
THOMAS,C.D.	9510270262*	70-161
THOMAS,C.D.	9510270267*	70-161
THOMAS,C.D.	9510300158*	40-962
THOMAS,C.D.	9510310012*	40-962
THOMAS,C.D.	9510310013*	40-962
THOMAS,C.D.	9510310045*	FOIA
THOMAS,C.D.	9510310072*	FOIA
THOMAS,C.D.	9510310074*	FOIA
THOMAS,C.D.	9510310164*	FOIA
THOMAS,C.D.	9511060237*	FOIA
THOMAS,C.R.	9510050083	50-530 P
THOMAS,C.R.	9510130396	50-528 P
THOMAS,C.R.	9510130397*	50-528 P
THOMAS,C.R.	9510170184	50-528 P
THOMAS,C.R.	9510200137	50-528 Q
THOMAS,G.S.	9510050077	50-334 P
THOMAS,G.S.	9510050129	50-334 P
THOMAS,G.S.	9510110305	50-412 P
THOMAS,G.S.	9510130282	50-334 P
THOMAS,G.S.	9510130323	50-334 P
THOMAS,G.S.	9510250049	50-334 P
THOMAS,G.S.	9510250193	50-334 P
THOMAS,G.S.	9510270173	50-334 Q
THOMAS,K.M.	9510110303*	50-397 P
THOMAS,K.M.	9510260198	50-483 P
THOMAS,P.	9510180079	50-155 F
THOMAS,S.E.	9510170056	50-498 Q
THOMAS,S.E.	9510230125	50-498 P
THOMAS,S.E.	9510270351	50-498 P
THOMPSON,D.H.	9510230297*	50-390 Q
THOMPSON,H.L.	9510260241*	40-8027
THOMPSON,S.W.	9510270225	CONTRACT
THOMPSON,T.C.	9510200266*	71-9268
THORNBURG,H.D.	9510270294*	70-161
THORNTON,C.D.	9510270273*	70-161
TIEDEMAMM,E.E.	9510060076*	50-461 P
TING,P.	9510200320	70-27
TIPPS,S.B.	9510020106	50-366 S
TIPPS,S.B.	9510020119	50-321 S
TIPTON,T.E.	9509260355	TOPREP
TIPTON,T.E.	9510030056	PRM
TIPTON,T.E.	9510040330	REVIEW GR P
TIZZANO,D.G.	9510190376	50-440 R
TJERSLAND,G.T.	9510240274	71-9010
TOBIN,W.	9510250139	70-1252
TOBIN,W.J.	9510170363*	50-302 Q
TOMLINSON,M.D.	9510300249	50-206 F
TORRINI,R.E.	9510020066	40-7397
TORRINI,R.E.	9510020112	40-7397
TOSCH,K.	9510260043	PR
TOSCH,K.W.	9510230064	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TOWNE,P.	9510190056	50-286 S
TOWNSEND,E.C.	9510190009*	FOIA
TOWNSEND,G.	9510060304	CONTRACT
TOWNSEND,J.D.	9510130321	FOIA
TRAN,L.	9510170191	50-155 F
TRAN,L.N.	9510040284	50-155 P
TRAN,L.N.	9510170116	50-155 P
TRAN,L.N.	9510170128*	50-155 P
TRAN,L.N.	9510310102	50-155 H
TRAPP,J.M.	9510050005*	50-354 Q
TRAVERS,W.D.	9510040108	72-1009
TRAVERS,W.D.	9510040287	50-255 Y
TRAVERS,W.D.	9510060194	71-9222
TRAVERS,W.D.	9510060198*	71-9222
TRAVERS,W.D.	9510060210	71-5862
TRAVERS,W.D.	9510060213*	71-5862
TRAVERS,W.D.	9510060214	71-9057
TRAVERS,W.D.	9510060216*	71-9057
TRAVERS,W.D.	9510180131	72-1009
TRAVERS,W.D.	9510180389	72-1009
TRAVERS,W.D.	9510190191	71-9094
TRAVERS,W.D.	9510190194*	71-9094
TRAVERS,W.D.	9510200223	71-817
TRAVERS,W.D.	9510250043	71-9203
TRAVERS,W.D.	9510250047*	71-9203
TRAVERS,W.D.	9510250066	71-9792
TRAVERS,W.D.	9510250070*	71-9792
TRIMBLE,D.C.	9510050002	50-324 F
TRIPARD,G.E.	9510030146	50-27 P
TROTTIER,E.H.	9510040215	50-309 Q
TROTTIER,E.H.	9510040316	50-309 P
TROTTIER,E.H.	9510050081	50-309 P
TROUP,G.L.	9510180218*	70-1113
TROUP,G.L.	9510230391*	70-27
TROWER,W.P.	9510100138	CONTRACT
TRUBATCH,S.L.	9510030095	PRM
TRUBATCH,S.L.	9510030095	PRM
TRYBOM,J.	9510040133	REGGD
TSCHANTRE,L.E.	9510040173*	50-277 P
TSJERLAND,G.T.	9510250299	PROJ
TUCKMAN,M.S.	9510020092	50-369 P
TUCKMAN,M.S.	9510020189	50-269 P
TUCKMAN,M.S.	9510160177	50-369 P
TUCKMAN,M.S.	9510170208	50-269 P
TUCKMAN,M.S.	9510170218	50-369 P
TUCKMAN,M.S.	9510230127	50-414 P
TUCKMAN,M.S.	9510240359	50-269 P
TUCKMAN,M.S.	9510250277	50-369 P
TUETKEN,R.	9510260003	50-295 Q
TULON,T.J.	9510020058	50-456 S
TULON,T.J.	9510110033	50-456 R
TULON,T.J.	9510170126	50-456 S
TULON,T.J.	9510240383	50-456 P
TULON,T.J.	9510270004	50-457 Q
TURK,S.E.	9510030181	50-160 G
TURK,S.E.	9510120088	50-160 G
TURK,S.E.	9510300043	40-8681
TURK,S.E.	9510300195	50-160 G
TURNER,D.	9510230088*	WASTE MGT
TURNER,D.	9510300146*	FOIA
TURNER,K.L.	9510270166	71-677
TUSAR,J.J.	9510270311*	50-278 P
UCMAKLI,A.	9510110330*	FOIA
UCMAKLI,A.	9510130182*	FOIA
UCMAKLI,A.	9510130194*	FOIA
UCMAKLI,A.	9510160035*	FOIA
UCMAKLI,A.	9510160037*	FOIA
UCMAKLI,A.	9510160038*	FOIA
ULIE,J.M.	9208280131*	FOIA
ULIE,J.M.	9208280247*	50-397 P
ULIE,J.M.	9208280261*	FOIA
UTTAL,S.L.	9510120067	40-8027
UTTAL,S.L.	9510180168	40-8027
UTTAL,S.L.	9510180208	40-8027
UTTAL,S.L.	9510180250	40-8027
UTTAL,S.L.	9510180251*	40-8027
VACCA,P.C.	9510190366*	FOIA
VACCA,P.C.	9510230046*	FOIA
VACCA,P.C.	9510230047*	FOIA
VACCA,P.C.	9510230048*	FOIA
VALENTI,J.	9510310267	40-8948
VALENTI,J.P.	9510310148	40-8948
VALENTI,J.P.	9510310275	40-8948
VALENTI,J.P.	9510310340	40-8948
VAN BUREN,G.	9510260061	FOIA
VAN DOORN,P.K.	9510180122*	50-390 Q
VANDEGRIFT,R.H.	9510030148	40-8724
VANDENBURGH,C.	9510060286*	50-458 Q
VANDENBURGH,C.	9510110107*	50-445 Q
VANDENBURGH,C.	9510180092*	50-397 Q
VANDENBURGH,C.	9510250040*	50-285 Q
VANMIDDLESWORTH	9510020252	50-331 S
VANSMIDDLEWORTH	9510190190	50-331 R
VARGA,S.A.	9509250343	50-424 G
VARGA,S.A.	9510040200*	50-286 P
VARGA,S.A.	9510050019*	50-251 P
VARGA,S.A.	9510050095*	50-302 P
VARGA,S.A.	9510170094*	50-289 P
VARGA,S.A.	9510240283*	50-390 F
VASQUEZ,G.M.	9510260178*	FOIA
VASQUEZ,G.M.	9510260182*	FOIA
VASQUEZ,G.M.	9510260283*	FOIA
VASSILAROS,M.G.	9510050181	50-255 P
VAUGHN,J.W.	9510270175	CONTRACT
VEERLING,J.P.	9510270299*	FOIA
VEIGEL,J.M.	9510270218	CONTRACT
VELASQUEZ,J.R.	9510180030	40-8907
VERMA,V.	9510250375*	50-255 Y
VERMEERE,B.	9510030080	PR
VERNETSON,W.	9510130380	50-83 F
VERRELLI,D.	9510100232*	50-400 Q
VERRELLI,D.M.	9510100179	50-261 Q
VERRELLI,D.M.	9510100220	50-324 Q
VERRELLI,D.M.	9510100223	50-400 Q
VERRELLI,D.M.	9510100226*	50-324 Q
VERRELLI,D.M.	9510180189	50-261 Q
VERRELLI,D.M.	9510180198*	50-261 Q
VERRELLI,D.M.	9510230303	50-261 P
VERRELLI,D.M.	9510230317	50-400 P
VERRELLI,D.M.	9510230323	50-324 P
VERRELLI,D.M.	9510240076	50-325 Q
VERRILLI,M.	9510050206	50-400 S
VERRILLI,M.	9510050289	50-400 S
VESELY,W.E.	9510030191	NUREG
VETTER,R.J.	9510120169	PR
VINCI,D.W.	9510060263	50-382 S
VISSING,G.S.	9510170137	50-336 P
VISSING,G.S.	9510170150*	50-336 P
VOGL,J.	9510170017	50-454 R
VONK,M.J.	9510100061	50-295 P
VONK,M.J.	9510260079	50-295 P
WADE,L.	9510120148*	FOIA
WADE,L.	9510160015*	FOIA
WADE,L.	9510180223*	FOIA
WADE,L.	9510180236*	FOIA
WADE,L.	9510180256*	FOIA
WADE,L.	9510180276*	FOIA
WADE,L.	9510180290*	FOIA
WADE,L.	9510180297*	FOIA
WADE,L.	9510190152*	FOIA
WADE,L.	9510230342*	FOIA
WADE,L.	9510270031*	FOIA
WADE,L.	9510270036*	FOIA
WADE,L.	9510270038*	FOIA
WADE,L.	9510270042*	FOIA
WADE,L.	9510310192*	FOIA
WADLEY,M.D.	9510110046	50-282 R
WADLEY,M.D.	9510110243	50-282 Y
WADLEY,M.D.	9510110252*	50-282 Y
WADLEY,M.D.	9510230059	50-282 P
WADLEY,M.D.	9510250113	50-282 P
WADLEY,M.D.	9510250161	50-282 P
WADLEY,M.D.	9510270018	50-282 Y
WADLEY,M.D.	9510310359	50-282 H
WALDEN,J.V.	9510110036	50-244 R
WALDEN,J.V.	9510160275*	50-244 R
WALKER,K.	9208280137*	50-445 P
WALKER,K.	9510060019*	FOIA
WALKER,K.E.	9208280189*	FOIA
WALKER,K.E.	9208280229*	50-272 F
WALKER,K.E.	9208280239*	50-397 P
WALKER,R.D.	9510060048*	50-445 Q
WALKER,W.J.	7902020216*	FOIA
WALKER,W.J.	9510270109*	FOIA
WALKER,W.J.	9510270340*	FOIA
WALLIN,G.A.	9510180007	50-271 R
WALLS,M.	9510190282	50-237 F
WALSH,R.J.	9510260063*	FOIA
WALTERS,D.J.	9510020362	PROJ
WALTERS,D.J.	9510240282	REVIEW GR P
WALTON,G.A.	9510230289*	50-390 Q
WANCZYK,R.J.	9510180007	50-271 R
WANG,A.B.	9510120167	50-213 P
WANG,A.B.	9510310221	50-213 P
WANG,A.B.	9510310226*	50-213 P
WANGLER,M.E.	9510230219*	71-9099
WANGLER,M.E.	9510230224*	71-9099
WARD,D.C.	9510250099	70-27
WARD,K.D.	9510060015*	50-410 S
WARD,K.D.	9510060024	50-410 S
WARNER,C.J.	9510110030*	50-275 P
WARNICK,R.F.	8907070192	50-445 Q
WARREN,C.	9510190067	50-272 R
WARREN,C.	9510190091	50-311 R
WARREN,C.C.	9510100312*	WASTE MGT
WARREN,C.C.	9510160155	50-272 S
WARREN,C.C.	9510200220	50-272 S
WARREN,C.C.	9510200275	50-272 S
WARREN,C.C.	9510230393	50-272 S
WARREN,C.C.	9510300060	50-272 S
WARREN,C.C.	9510310408	50-272 R
WASONG,A.J.	9510260077	50-277 S
WATKINS,J.C.	9510060250	NUREG
WEBB,T.E.	9510030154*	50-424 G
WEBBER,R.	9510060269*	CONTRACT
WEBBER,R.B.	9510060316	CONTRACT
WEBER,M.F.	9510030290	WASTE MGT
WEBER,M.F.	9510110203*	XPORTLIC
WEBER,M.F.	9510130070*	XPORTLIC
WEBER,M.F.	9510170170	40-8027
WEBER,M.F.	9510170209	70-364
WEBER,M.F.	9510170220	40-*****
WEBER,M.F.	9510170271	40-8948
WEBER,M.F.	9510180388	WASTE MGT
WEBER,M.F.	9510230154	WASTE MGT
WEBER,M.F.	9510310259	40-8027
WEBER,M.F.	9510310268*	40-8027
WEBER,R.L.	9510190034	50-269 R
WEBER,R.L.	9510190046	50-369 R
WEBER,R.L.	9510190096	50-413 R
WEEKS,R.L.	9510060056*	WASTE MGT
WEIDAR,T.L.	9510230186	70-435
WEIDNER,T.	9510250184	30-1317
WEISS,D.	9510260266*	40-8027
WEISS,E.W.	9510040219	TOPREP
WEISS,S.H.	9509070100*	ORG
WEISS,S.H.	9510110382*	50-312 W
WEISS,S.H.	9510200278*	50-2 P
WEISS,S.H.	9510240342	50-62 P
WEISS,S.H.	9510250354	ORG
WEISS,S.H.	9510250364	ORG
WEISS,S.H.	9510250368*	ORG
WENSLAWSKI,F.A.	9510180148*	70-734
WENSLAWSKI,F.A.	9510310139*	70-1257
WENZINGER,E.	9510170333*	FOIA
WERT,L.D.	9510240130*	50-259 Q
WESSON,H.R.	9208260276*	FOIA
WEST,K.S.	9510030196	ORG
WEST,S.	9208280096*	FOIA
WESTBROOK,D.	9510100107	CONTRACT
WETZEL,B.A.	9510020237	50-282 P
WETZEL,B.A.	9510170171	50-263 F
WETZEL,B.A.	9510200198	50-282 P
WETZEL,B.A.	9510200205*	50-282 P
WETZEL,B.A.	9510260186	50-263 P
WHARTON,L.R.	9510060305	50-483 F
WHARTON,L.R.	9510260147	50-483 P
WHARTON,L.R.	9510260155*	50-483 P
WHEELER,J.	9510040152	50-286 S
WHEELER,J.T.	9510270210	CONTRACT
WHEELER,L.L.	9510040265	50-424 P
WHITAKER,R.E.	9510250369*	50-255 Y
WHITE,C.W.	9510190214*	50-336 Q
WHITE,D.	9510020190	70-698
WHITE,D.	9510310388	30-29251
WHITE,D.	9510310395	30-29251
WHITE,G.	9510180134	50-259 F
WHITE,G.	9510310399	50-259 F
WHITE,J.	9510230264*	50-213 Q
WHITE,J.	9510270048*	50-244 Q
WHITE,J.	9510270082*	50-272 Q
WHITE,J.R.	9510050068	50-387 P
WHITE,J.R.	9510100044	50-354 Q
WHITE,J.R.	9510230261	50-213 Q
WHITE,J.R.	9510230265	50-57 Q
WHITE,J.R.	9510230266*	50-57 Q
WHITE,J.R.	9510270044	50-244 Q
WHITE,J.R.	9510270079	50-272 Q
WHITE,J.R.	9510310294	50-277 Q
WHITE,J.R.	9510310305*	50-277 Q
WHITE,J.R.	9510310318	50-387 Q
WHITE,J.R.	9510310325*	50-387 Q
WHITENER,H.	9510100289*	50-424 Q
WHITENER,H.	9510180152*	50-259 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WHITT,M.S.	9510190196	50-313 R
WHITT,M.S.	9510190202	50-368 R
WHITTAKER,M.	9510240316*	27-47
WHITTAKER,M.	9510240327*	27-47
WHITTAKER,M.	9510240333*	27-47
WHITTAKER,M.S.	9510240303*	27-47
WHITTAKER,M.S.	9510240322*	27-47
WHITTIER,G.D.	9510020323	50-309 P
WHITTIER,G.D.	9510250148	50-309 P
WIDAY,J.A.	9510110036	50-244 R
WIDAY,J.A.	9510160273	50-244 R
WIDMANN,M.T.	9510240010*	50-424 Q
WIEDEMAN,D.	9510040143	I&E
WIENS,L.A.	9510160117	50-269 F
WIGGINS,E.	9510060368	CONTRACT
WIGGINS,E.	9510300035	CONTRACT
WIGGINS,E.	9510310033	CONTRACT
WIGGINS,E.J.	9510040130	CONTRACT
WIGGINS,E.J.	9510040135	CONTRACT
WIGGINS,E.J.	9510040138	CONTRACT
WIGGINS,E.J.	9510040223	50-498 V
WIGGINS,E.J.	9510040238	50-272 V
WIGGINS,E.J.	9510040254	50-354 V
WIGGINS,E.J.	9510040260	50-324 V
WIGGINS,E.J.	9510050302	CONTRACT
WIGGINS,E.J.	9510050310	CONTRACT
WIGGINS,E.J.	9510060299	CONTRACT
WIGGINS,E.J.	9510060321	CONTRACT
WIGGINS,E.J.	9510060328	CONTRACT
WIGGINS,E.J.	9510060364	CONTRACT
WIGGINS,E.J.	9510060369	CONTRACT
WIGGINS,E.J.	9510100019	CONTRACT
WIGGINS,E.J.	9510100033	CONTRACT
WIGGINS,E.J.	9510100036	CONTRACT
WIGGINS,E.J.	9510100077	CONTRACT
WIGGINS,E.J.	9510100128	CONTRACT
WIGGINS,E.J.	9510110018	CONTRACT
WIGGINS,E.J.	9510110160	CONTRACT
WIGGINS,E.J.	9510110170	CONTRACT
WIGGINS,E.J.	9510110176*	CONTRACT
WIGGINS,E.J.	9510120010	CONTRACT
WIGGINS,E.J.	9510130133	CONTRACT
WIGGINS,E.J.	9510130156	CONTRACT
WIGGINS,E.J.	9510130169	CONTRACT
WIGGINS,E.J.	9510130243	CONTRACT
WIGGINS,E.J.	9510270169	CONTRACT
WIGGINS,E.J.	9510270175	CONTRACT
WIGGINS,E.J.	9510270192	CONTRACT
WIGGINS,E.J.	9510270213	CONTRACT
WIGGINS,E.J.	9510270282	CONTRACT
WIGGINS,E.J.	9510300012	CONTRACT
WIGGINS,E.J.	9510300019	CONTRACT
WIGGINS,E.J.	9510300246	CONTRACT
WIGGINS,J.T.	9510050003	50-354 Q
WIGGINS,J.T.	9510230322	50-219 Q
WIGGINTON,D.L.	9510030131	50-458 F
WIGGINTON,D.L.	9510060313	50-458 F
WILCOXEN,J.	9510040034	40-8027
WILCOXEN,J.	9510040034	40-8027
WILCOXEN,J.G.	9510030136	40-8027
WILCOXEN,J.G.	9510030136	40-8027
WILCOXEN,J.G.	9510030147*	40-8027
WILCOXEN,J.G.	9510030147*	40-8027
WILCOXEN,J.G.	9510040040	40-8027
WILCOXEN,J.G.	9510040040	40-8027
WILCOXEN,J.G.	9510180242	40-8027
WILCOXEN,J.G.	9510180242	40-8027
WILHELM,D.L.	9510310036*	FOIA
WILLIAMS,A.L.	9510110092	50-255 R
WILLIAMS,C.E.	9510190054	50-361 R
WILLIAMS,F.J.	9510020221	50-3 F
WILLIAMS,F.J.	9510200339	50-247 P
WILLIAMS,J.	9510110007	50-249 S
WILLIAMS,J.F.	9510020363	50-259 F
WILLIAMS,J.F.	9510040213	50-260 P
WILLIAMS,J.F.	9510050276	50-259 P
WILLIAMS,J.F.	9510110327*	50-323 P
WILLIAMS,J.F.	9510200303	50-296 P
WILLIAMS,J.F.	9510240306	50-260 P
WILLIAMS,M.J.	9510240207	PR
WILLIAMS,O.	9510230283	40-8027
WILLIAMS,O.G.	9510110204	FOIA
WILLIAMS,R.A.	9510040088	70-1151
WILLIAMS,R.A.	9510190036*	50-269 R
WILLIAMS,R.A.	9510190049*	50-369 R
WILLIAMS,R.A.	9510190104*	50-413 R
WILLIAMS,R.E.	9510230011*	40-2384
WILLIAMSON,E.L.	9510130292*	50-298 Q
WILLIS,C.A.	9510270026*	50-341 P
WILMOTH,M.J.	9510120071	50-424 G
WILMOTH,M.J.	9510120071	50-424 G
WILMOTH,M.J.	9510120077	50-424 G
WILMOTH,M.J.	9510120077	50-424 G
WILMOTH,M.J.	9510120118	50-424 G
WILMOTH,M.J.	9510120118	50-424 G
WILMOTH,M.J.	9510120153	50-424 G
WILMOTH,M.J.	9510120153	50-424 G
WILMOTH,M.J.	9510300046	50-424 T
WILMOTH,M.J.	9510300046	50-424 T
WILSON,E.P.	9510190225*	FOIA
WILSON,E.P.	9510250163*	FOIA
WILSON,E.P.	9510250173*	FOIA
WILSON,E.P.	9510250183*	FOIA
WILSON,E.P.	9510250188*	FOIA
WILSON,E.P.	9510250202*	FOIA
WILSON,E.P.	9510250207*	FOIA
WILSON,E.P.	9510250214*	FOIA
WILSON,E.P.	9510250250*	50-336 Q
WILSON,E.P.	9510250266*	FOIA
WILSON,E.P.	9510250276*	FOIA
WILSON,E.P.	9510250282*	FOIA
WILSON,E.P.	9510250283*	FOIA
WILSON,E.P.	9510250286*	FOIA
WILSON,E.P.	9510250296*	FOIA
WILSON,E.P.	9510250308*	FOIA
WILSON,E.P.	9510250322*	FOIA
WILSON,E.P.	9510250323*	FOIA
WILSON,E.P.	9510250343*	FOIA
WILSON,E.P.	9510250347*	FOIA
WILSON,E.P.	9510260019*	FOIA
WILSON,E.P.	9510260021*	FOIA
WILSON,E.P.	9510260034*	FOIA
WILSON,E.P.	9510260053*	FOIA
WILSON,E.P.	9510260057*	FOIA
WILSON,E.P.	9510260059*	FOIA
WILSON,E.P.	9510260063*	FOIA
WILSON,E.P.	9510260064*	FOIA
WILSON,E.P.	9510260065*	FOIA
WILSON,E.P.	9510260066*	FOIA
WILSON,E.P.	9510260068*	FOIA
WILSON,E.P.	9510260070*	FOIA
WILSON,E.P.	9510260072*	FOIA
WILSON,E.P.	9510260075*	FOIA
WILSON,E.P.	9510260078*	FOIA
WILSON,E.P.	9510260081*	FOIA
WILSON,E.P.	9510260084*	FOIA
WILSON,E.P.	9510260095*	FOIA
WILSON,E.P.	9510260097*	FOIA
WILSON,E.P.	9510260104*	FOIA
WILSON,E.P.	9510260108*	FOIA
WILSON,E.R.	9510250313*	FOIA
WILSON,J.G.	9510240294	PROJ
WILSON,J.H.	9510050294	52-4
WILSON,L.P.	9510270239*	CONTRACT
WILSON,R.W.	9510100280*	FOIA
WILSON,S.	9510200352*	50-390 H
WILSON,W.E.	9510040159	50-27 P
WILSON,W.E.	9510180056	50-27 P
WINCHELL,G.D.	9510020051	50-29 H
WINDMANN,M.T.	9510060018*	FOIA
WINTERS,E.R.	9510160196*	50-296 P
WISE,R.	9510260132*	50-498 F
WISHAM,C.L.	9510120295	70-734
WITHEE,C.J.	9510050162	PROJ
WITHEE,C.J.	9510050169	PROJ
WITHROW,G.C.	9510030298	REGGD
WIX,S.	9510310141	50-373 S
WIZA,J.P.	9510180023	71-710
WOLF,G.M.	9510230162	50-346 R
WOMACK,L.F.	9510240185	50-275 P
WONG,H.J.	9510110105*	50-397 Q
WONG,I.G.	9510020171	40-3453
WONG,J.C.	9510250356*	50-255 Y
WOOD,J.K.	9510130263	50-346 S
WOOD,J.K.	9510200134	50-346 R
WOOD,J.K.	9510230162	50-346 R
WOODRUFF,R.L.	9510190358*	FOIA
WOODRUFF,R.L.	9510240038*	FOIA
WOODRUFF,R.L.	9510240064*	FOIA
WOODRUFF,R.L.	9510270025*	FOIA
WOODWARD,R.	9510190190	50-331 R
WOODWORTH,L.A.	9510060312	WASTE MGT
WOODWORTH,L.A.	9510250281	WASTE MGT
WOODWORTH,L.A.	9510260083	WASTE MGT
WOOLLEY,R.L.	9510130349	70-7001
WOOLLEY,R.L.	9510270006	70-7001
WOOLLEY,R.L.	9510270007	70-7002
WOOSTER,K.A.	9510180079	50-155 F
WOOSTER,K.A.	9510180206	50-155 F
WORTHEN,E.M.	9510030257	50-29 H
WRIGHT,E.G.	8506190460*	FOIA
WRIGHT,E.G.	8602260084*	FOIA
WRIGHT,E.G.	8606190501*	FOIA
WRIGHT,E.G.	9510230058*	FOIA
WYMER,L.	9510180195	50-255 F
WYMER,S.	9510180200	50-255 F
WYMER,S.L.	9510300165	50-255 F
WYMER,S.L.	9510300170	50-255 F
WYMER,S.L.	9510300173	50-255 F
WYMER,S.L.	9510300182	50-255 F
WYMER,S.L.	9510310084	50-255 F
WYMER,S.L.	9510310095	50-255 F
YAGER,L.A.	9510250222	50-440 F
YAMANOTO,C.K.	9510040162	71-538
YANKANICH,S.	9510040079	QA999
YELVERTON,J.W.	9510040289	50-313 K
YELVERTON,J.W.	9510040293	50-313 P
YELVERTON,J.W.	9510060330	50-368 P
YETTER,G.	9510270186	CONTRACT
YOCUM,R.	9510020048	PR
YOUNG,B.J.	9510100042	CONTRACT
YOUNG,B.W.	9510310027*	FOIA
YOUNG,D.E.	9510100162	50-267 S
YOUNG,H.	9510270198*	FOIA
YOUNG,H.W.	9510100396*	FOIA
YOUNG,H.W.	9510100402*	FOIA
YOUNG,H.W.	9510110321*	FOIA
YOUNG,H.W.	9510110326*	FOIA
YOUNG,H.W.	9510120019*	FOIA
YOUNG,H.W.	9510120021*	FOIA
YOUNG,H.W.	9510130006*	FOIA
YOUNG,H.W.	9510130076*	FOIA
YOUNG,H.W.	9510130085*	FOIA
YOUNG,H.W.	9510130360*	FOIA
YOUNG,H.W.	9510180012*	FOIA
YOUNG,H.W.	9510180016*	FOIA
YOUNG,H.W.	9510180045*	FOIA
YOUNG,H.W.	9510180048*	FOIA
YOUNG,H.W.	9510180052*	FOIA
YOUNG,H.W.	9510180057*	FOIA
YOUNG,H.W.	9510180128*	FOIA
YOUNG,H.W.	9510180133*	FOIA
YOUNG,H.W.	9510240225*	40-7841
YOUNG,H.W.	9510270205*	FOIA
YOUNG,H.W.	9510300029*	70-948
YOUNG,H.W.	9510300163*	40-962
YOUNG,H.W.	9510310007*	FOIA
YOUNG,H.W.	9510310030*	FOIA
YOUNG,H.W.	9511130051*	FOIA
YOUNG,K.D.	9510060352	50-331 P
YOUNG,M.A.	9510180307	50-424 G
YOUNG,M.A.	9510300053	50-424 G
YOUNG,M.A.	9510300059	50-424 G
YOUNG,M.A.	9510300062	50-424 G
YOUNG,M.A.	9510300071	50-424 G
YU,H.	9510040244	MISC
YUNDT,C.P.	9510260036	50-344 P
YURMAN,R.	9510060043	50-29 H
ZAHLRIEH,S.	9510110152	CONTRACT
ZAMBUTO,J.	9510160178	50-354 S
ZARECHNAK,A.	9510160164*	50-272 S
ZAW-MON,M.	9510230052	STATE PRO G
ZERINGUE,O.J.	9510180065	50-390 Q
ZERINGUE,O.J.	9510200378	50-390 Q
ZERNICK,E.A.	9510250369*	50-255 Y
ZIEGLER,R.S.	9510060258	40-8902
ZIEMANN,D.L.	8708180143*	50-298 P
ZIEVE,L.	9510100137*	FOIA
ZIMMERMAN,R.P.	9510030318	ORG
ZIMMERMAN,R.P.	9510060022*	50-397 Q
ZIMMERMAN,R.P.	9510200190	50-245 P
ZIMMERMAN,R.P.	9510200230	50-390 A
ZWOLINSKI,J.A.	8901240492*	50-219 Q
ZWOLINSKI,J.A.	9510040291	50-387 H
ZWOLINSKI,J.A.	9510050145	50-287 H
ZWOLINSKI,J.A.	9510050256	ORG
ZWOLINSKI,J.A.	9510050285	50-245 P

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9510020050	TOPREP	
	9510100323	QA999	
	9510110309	52-2	
	9510110359	TOPREP	
	9510160183	XPORTLIC	
	9510160189*	XPORTLIC	
	9510160193*	XPORTLIC	
	9510170136	TOPREP	
	9510180015	70-36	
	9510230341*	TOPREP	
	9510250300	TOPREP	
	9510250305*	TOPREP	
	9510270318	TOPREP	
	9510310189	70-1100	
	9510310282	70-36	
	9510310291	70-36	
ADCO Services, Inc.	9510180023	71-710	
ASEA Brown Boveri, Inc.	9510020050	TOPREP	
	9510110309	52-2	
	9510110359	TOPREP	
	9510170136	TOPREP	
	9510180015	70-36	
	9510230341*	TOPREP	
	9510250300	TOPREP	
	9510250305*	TOPREP	
	9510270318	TOPREP	
	9510310189	70-1100	
ASTA, Inc.	9510270371	50-272	P
AT&T Information Systems	9510060304	CONTRACT	
Accu-Tech Evaluation Services, Inc.	9510270386	71-728	
Advanced Systems & Associates	9510270245	CONTRACT	
Air Force, Dept. of	9510050222	71-772	
	9510270284	71-772	
	9510270284	71-772	
	9510270286*	71-772	
Aliquippa, PA	9510310086	CONTRACT	
American Nuclear Insurers & MAERP Reinsurance Association	9510060235*	FOIA	
	9510060238*	FOIA	
American Nuclear Society	9510270219	CONTRACT	
Amersham Corp.	9510040074	71-9165	
	9510040081	71-9032	
	9510040090*	71-9032	
	9510250357	71-9137	
	9510270046	71-9028	
	9510270052*	71-9028	
	9510270188	71-9243	
Analysis & Measurement Services Corp.	9510100066	CONTRACT	
	9510100110	CONTRACT	
Anvil Corp.	9510270166	71-677	
Argonne National Laboratory	9510030169	NUREG	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9505080268	50-528	F
	9510020310	50-530	Q
	9510030014	I&E	
	9510040103	50-528	F
	9510040106*	50-528	F
	9510100366	50-529	P
	9510100366	50-529	P
	9510100368*	50-529	P
	9510100368*	50-529	P
	9510160011	50-528	R
	9510170070	50-528	F
	9510170076	50-528	Q
	9510170076	50-528	Q
	9510170076	50-528	Q
	9510180149	50-528	Q
	9510180338	50-528	F
	9510180338	50-528	F
	9510180343*	50-528	F
	9510190310	50-528	F
	9510190310	50-528	F
	9510190310	50-528	F
	9510240276	50-528	P
	9510240276	50-528	P
	9510240276	50-528	P
	9510250190	50-530	P
	9510270010	50-529	Q
	9510270012*	50-529	Q
	9510270089	50-528	Q
	9510270094*	50-528	Q
	9510300034	50-530	S
	9510300042*	50-530	S
Arizona, Univ. of, Tucson, AZ	9510100135	CONTRACT	
	9510270210	CONTRACT	
	9510270229	CONTRACT	
Armed Forces Radiobiological Research Institute	9510020009	50-170	F
Army, Dept. of, Corps of Engineers	9510230283	40-8027	
Atkinson-Noland & Associates	9510060356	CONTRACT	
Atlantic Richfield Co. (ARCO)	9510060258	40-8902	
	9510120405	40-8902	
	9510200361	40-8902	
	9510270352	40-8902	
Atlas Corp.	9510040157	40-3453	
	9510040175	40-3453	
	9510130168	40-3453	
	9510200382	40-3453	
Auburn, NE	9510060309	CONTRACT	
Austin, TX	9510190198	PR	
Automatic Switch Co.	9510310202	I&E	
B&W Fuel Co.	9510060266	71-9252	
	9510200326	70-1201	
BWR Owners Group	9510030327	TOPREP	
	9510230334	TOPREP	
Babcock & Wilcox Co.	9509260357*	TOPREP	
	9510020317	70-27	
	9510030129	71-9167	
	9510190135	70-27	
	9510200081	70-135	
	9510250099	70-27	
	9510250256	70-27	
	9510250289	70-27	
	9510270349	70-1201	
Babcock & Wilcox Operating Plants Owners Group	9510230050	TOPREP	
Backus, Meyer & Solomon	9510180263*	50-245	G
	9510300184	50-245	G
Baker & Botts	9510130208	50-498	Q
Baltimore Gas & Electric Co.	9510030118	71-383	
	9510060234	50-318	P
	9510060236*	50-318	P
	9510110342	50-317	Q
	9510110350	50-317	P
	9510190150	50-317	R
	9510240214	50-317	P
	9510260280	50-317	P
	9510260282*	50-317	P
Battelle Memorial Institute, Columbus Laboratories	9510100020	CONTRACT	
	9510100026	CONTRACT	
	9510310182*	70-8	
Battelle Memorial Institute, Pacific Northwest Laboratory	9510050293*	70-1257	
Bear Creek Uranium Co.	9510270357	40-8452	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Boeing Co.	9510250397	QA999	
Boeing Computer Services Co. (div. of Boeing Co.)	9510270234	PT21	
Boston Edison Co.	9510060239	50-293	S
	9510100354	50-293	K
	9510100359*	50-293	K
	9510100375	50-293	H
	9510120038	50-293	Q
	9510180010	50-293	R
	9510190317	50-293	F
	9510240190	50-293	P
	9510250152	71-9222	
	9510250164	50-293	R
	9510310377	50-293	P
	9510310402	50-293	R
Brookhaven National Laboratory	9510030160	TOPREP	
	9510030174	TOPREP	
	9510030191	NUREG	
	9510060240	NUREG	
Burrelle's Press Clipping Service, dba	9510060281*	CONTRACT	
Burrelle's Information Services			
CEXEC, Inc.	9510060290	CONTRACT	
	9510060303*	CONTRACT	
	9510100012	CONTRACT	
	9510270167	CONTRACT	
	9510270217*	CONTRACT	
	9510310131	CONTRACT	
	9510310145	CONTRACT	
Cajun Electric Power Cooperative, Inc.	9510190025	50-458	G
California, State of	9510230151*	STATE PRO	G
	9510230156*	STATE PRO	G
Canada Atomic Energy Control Board	9510160150	XPORTLIC	
Cardinal Industrial Products Corp.	9510160200	PT21	
Carolina Power & Light Co.	9510020283	50-324	Q
	9510030256	50-324	F
	9510030269*	50-324	F
	9510050085	50-400	S
	9510050093*	50-400	S
	9510050192	50-400	F
	9510050196*	50-400	F
	9510050206	50-400	S
	9510050289	50-400	S
	9510060084	PRM	
	9510060221	50-261	F
	9510060257	50-400	S
	9510060350	50-324	Q
	9510100069	50-324	F
	9510100078	50-261	P
	9510100162	50-267	S
	9510110194	50-400	S
	9510110210	50-400	F
	9510120290	50-324	F
	9510130013	50-400	P
	9510160169	50-324	Q
	9510160173	50-324	Q
	9510170008	50-261	R
	9510170284	50-261	Q
	9510170293	50-261	P
	9510170293	50-261	P
	9510170311	50-261	F
	9510180021	50-400	R
	9510180164	50-400	P
	9510180167*	50-400	P
	9510180260	50-324	P
	9510190002	50-400	P
	9510190003*	50-400	P
	9510190186	50-324	R
	9510230312	50-261	P
	9510240163	50-324	P
	9510240218	50-400	P
	9510240312	50-400	P
	9510250182	50-324	Q
	9510250182	50-324	Q
	9510250216	50-261	Q
	9510250342	50-324	F
	9510250342	50-324	F
	9510250344*	50-324	F
	9510250344*	50-324	F
	9510250361	50-261	Q
	9510270334	50-324	F
	9510270334	50-324	F
	9510300157	50-325	P
	9510300161	50-324	P
	9510300161	50-324	P
	9510300164*	50-324	P
	9510300164*	50-324	P
Center for Nuclear Waste Regulatory Analyses	9510020006	WASTE MGT	
	9510050099	WASTE MGT	
	9510050102	WASTE MGT	
	9510050106*	WASTE MGT	
	9510050115	WASTE MGT	
	9510050121	WASTE MGT	
	9510050141*	WASTE MGT	
	9510050223	WASTE MGT	
	9510050226*	WASTE MGT	
	9510160199	WASTE MGT	
	9510170257	WASTE MGT	
	9510180074	WASTE MGT	
	9510180162	WASTE MGT	
	9510180327	WASTE MGT	
	9510180330*	WASTE MGT	
	9510190038	WASTE MGT	
	9510190182	WASTE MGT	
	9510190221	WASTE MGT	
	9510200370	WASTE MGT	
	9510200374*	WASTE MGT	
	9510230086	WASTE MGT	
	9510230088*	WASTE MGT	
	9510260044	WASTE MGT	
	9510260045*	WASTE MGT	
	9510260048	WASTE MGT	
	9510260054*	WASTE MGT	
Centerior Energy	9510020086	50-346	P
	9510020327	50-440	P
	9510050139	50-440	S
	9510050143*	50-440	S
	9510050151*	50-440	S
	9510050156*	50-440	S
	9510060247	50-346	P
	9510060251*	50-346	P
	9510100109	50-346	P
	9510100124*	50-346	P
	9510100133*	50-346	P
	9510100174	50-346	P
	9510100182*	50-346	P
	9510100184*	50-346	P
	9510100387	50-440	R
	9510160045	50-346	F
	9510160048*	50-346	F
	9510170283	50-440	S
	9510190376	50-440	R
	9510190376	50-440	R
	9510190380	50-440	R
	9510240105	50-440	P
	9510250133	50-346	P
	9510250137	50-346	P
	9510250222	50-440	F
	9510300133	50-346	P
	9510300152	50-346	P
Certrec Corp.	9510060299	CONTRACT	
Chem-Nuclear Systems, Inc.	9510030091	71-9094	
	9510030103	71-9204	
	9510240298	27-47	
	9510240303*	27-47	
	9510240316*	27-47	
	9510240322*	27-47	
	9510240327*	27-47	
	9510240333*	27-47	
	9510240339*	27-47	
	9510240347*	27-47	
	9510240362*	27-47	
	9510240372*	27-47	
	9510240386*	27-47	
	9510240395*	27-47	
Chemetron Corp.	9510030089	40-8724	
Cherokee Nation	9510030136	40-8027	
	9510030147*	40-8027	
	9510040034	40-8027	
	9510040040	40-8027	
	9510180242	40-8027	
Cimarron Corp.	9510310405	70-925	
Citizens Awareness Network	9510030083	50-29	H
	9510030086	50-29	H
	9510120037	50-29	H
	9510190118	PR	
Cleveland Electric Illuminating Co.	9510300057	50-440	G
Commerce, Dept. of	9510270282	CONTRACT	
Commerce, Dept. of, National Marine Fisheries Service	9510050254	50-219	P
Commonwealth Edison Co.	9504040196	50-10	F
	9510020057	50-10	F
	9510020058	50-456	S
	9510020061	50-373	S
	9510020069	50-295	P
	9510020073	50-373	S
	9510020075	50-254	F
	9510020075	50-254	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510020091	50-10	W
	9510020104	50-374	S
	9510020177	50-295	P
	9510020177	50-295	P
	9510020178	50-295	P
	9510020178	50-295	P
	9510020186	50-454	P
	9510020186	50-454	P
	9510020266	50-456	F
	9510020346	50-254	Q
	9510020346	50-254	Q
	9510030164	50-265	S
	9510030175*	50-265	S
	9510050024	50-249	S
	9510050032	50-237	S
	9510050035	50-237	S
	9510050233	50-10	F
	9510050238*	50-10	F
	9510050296	50-456	F
	9510060197	50-249	S
	9510060278	50-295	S
	9510060288	50-454	P
	9510060288	50-454	P
	9510060373	50-237	P
	9510060373	50-237	P
	9510060373	50-237	P
	9510060373	50-237	P
	9510100061	50-295	P
	9510100061	50-295	P
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100071	50-10	F
	9510100085	50-254	Q
	9510100158	50-295	P
	9510100163*	50-295	P
	9510100269	50-454	P
	9510100269	50-454	P
	9510100269	50-454	P
	9510100269	50-454	P
	9510100282*	50-454	P
	9510100282*	50-454	P
	9510100282*	50-454	P
	9510100282*	50-454	P
	9510100377	50-373	F
	9510100385	50-454	F
	9510110007	50-249	S
	9510110024	71-9159	
	9510110033	50-456	R
	9510110135	50-295	P
	9510110135	50-295	P
	9510110137*	50-295	P
	9510110137*	50-295	P
	9510110191	50-295	P
	9510110220	50-373	S
	9510110227	50-373	P
	9510110307	50-10	R
	9510110307	50-10	R
	9510110325	50-254	F
	9510110388	50-249	S
	9510120271	50-254	R
	9510120271	50-254	R
	9510130219	50-454	P
	9510130240	50-237	S
	9510130244*	50-237	S
	9510130253	50-373	P
	9510130257*	50-373	P
	9510160261	50-254	R
	9510170001	50-10	R
	9510170004	50-373	R
	9510170017	50-454	R
	9510170065	50-373	Q
	9510170108	50-254	Q
	9510170126	50-456	S
	9510170156	50-10	W
	9510170156	50-10	W
	9510170156	50-10	W
	9510170156	50-10	W
	9510170156	50-10	W
	9510170156	50-10	W
	9510170156	50-10	W
	9510170422	50-295	S
	9510180050	50-295	R
	9510180055	50-454	S
	9510190029	50-254	Q
	9510190197	50-454	P
	9510190197	50-454	P
	9510190209*	50-454	P
	9510190209*	50-454	P
	9510190228	50-454	P
	9510190228	50-454	P
	9510190228	50-454	P
	9510190228	50-454	P
	9510190262	50-454	P
	9510190262	50-454	P
	9510190271	50-454	P
	9510190271	50-454	P
	9510190274*	50-454	P
	9510190274*	50-454	P
	9510190282	50-237	F
	9510190282	50-237	F
	9510190286	50-454	P
	9510190286	50-454	P
	9510190383	50-373	P
	9510190383	50-373	P
	9510190391*	50-373	P
	9510200215	50-454	P
	9510200215	50-454	P
	9510230115	50-373	F
	9510240178	50-374	S
	9510240197	50-237	V
	9510240271	PR	
	9510240379	50-265	P
	9510240382*	50-265	P
	9510240383	50-456	P
	9510250061	50-237	P
	9510250086	50-237	P
	9510250086	50-237	P
	9510250086	50-237	P
	9510250086	50-237	P
	9510250086	50-237	P
	9510250086	50-237	P
	9510260002	50-295	Q
	9510260003	50-295	Q
	9510260003	50-295	Q
	9510260079	50-295	P
	9510260079	50-295	P
	9510260326	50-295	F
	9510260326	50-295	F
	9510270004	50-457	Q
	9510270005*	50-457	Q
	9510270015	50-295	P
	9510300056	50-295	S
	9510300081	50-454	P
	9510300081	50-454	P
	9510300099	50-237	P
	9510300106*	50-237	P
	9510300111*	50-237	P
	9510300120	50-373	P
	9510300120	50-373	P
	9510300132	50-373	P
	9510300253	50-237	S
	9510300253	50-237	S
	9510300253	50-237	S
	9510300253	50-237	S
	9510300253	50-237	S
	9510310141	50-373	S
	9510310224	50-295	S
	9510310224	50-295	S
	9510310236*	50-295	S
	9510310243*	50-295	S
Conger & Elsea, Inc.	9510310061	CONTRACT	
Connecticut Yankee Atomic Power Co.	9510030243	50-213	F
	9510170325	50-213	P
	9510190173	50-213	S
	9510190200	50-213	R
	9510270037	50-213	F
	9510270040	50-213	P
	9510270043*	50-213	P
	9510270133	50-213	P
	9510270147	50-213	P
	9510270151*	50-213	P
Consolidated Edison Co. of New York, Inc	9510110078	50-247	S
	9510250140	50-247	R
	9510250268	50-247	P
	9510260082	50-3	F
	9510260088*	50-3	F
	9510260088*	50-3	F
	9510260092*	50-3	F
	9510260092*	50-3	F
	9510270200	50-247	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Construction Technology Laboratories, Inc.	9208280177*	FOIA	
	9208280184*	FOIA	
Consumers Power Co.	9510020241	50-255	Q
	9510020285	50-255	P
	9510020321	50-155	P
	9510030298	REGGD	
	9510060318	50-255	Y
	9510110092	50-255	R
	9510130183	50-255	P
	9510130365	50-255	Y
	9510170332	50-155	Q
	9510170404	50-255	P
	9510180013	50-155	R
	9510180077	50-255	F
	9510180079	50-155	F
	9510180098	50-255	F
	9510180110	50-255	F
	9510180120	50-255	F
	9510180195	50-255	F
	9510180200	50-255	F
	9510180206	50-155	F
	9510200131	50-255	P
	9510240198	50-155	P
	9510250054	50-255	P
	9510250073	50-255	P
	9510250215	50-255	P
	9510250220*	50-255	P
	9510250351	50-255	Y
	9510250351	50-255	Y
	9510250356*	50-255	Y
	9510250359*	50-255	Y
	9510250365*	50-255	Y
	9510250365*	50-255	Y
	9510250369*	50-255	Y
	9510250373*	50-255	Y
	9510250375*	50-255	Y
	9510250376*	50-255	Y
	9510250378*	50-255	Y
	9510300165	50-255	F
	9510300170	50-255	F
	9510300173	50-255	F
	9510300182	50-255	F
	9510300213	50-255	S
	9510300219*	50-255	S
	9510310084	50-255	F
	9510310090	50-255	F
	9510310095	50-255	F
Curtiss-Wright Corp.	9510310055*	FOIA	
Dairyland Power Cooperative	9510130187	50-409	S
	9510190276	50-409	W
	9510190280*	50-409	W
	9510200127	PR	
Dames & Moore	9510030090*	40-8724	
	9510240110	40-17	
	9510240128*	40-17	
Data Base, Inc.	9510060284	CONTRACT	
Defense, Dept. of	9510100106*	FOIA	
Defense, Dept. of, Defense Logistics Agency	9510110217	40-341	
	9510110224*	40-341	
	9510110401	40-341	
	9510310276	40-341	
Deloitte & Touche	9510180211*	50-285	I
Detroit Edison Co.	9510030238*	50-341	K
	9510060201	50-341	P
	9510060219	50-341	P
	9510110038	50-341	H
	9510110276	50-341	P
	9510110279*	50-341	P
	9510130276*	50-341	P
	9510170298	PR	
	9510200273	50-341	R
	9510240137	50-341	P
	9510250117	50-341	F
	9510250186	50-341	Q
	9510270121*	50-341	R
	9510270249*	50-341	P
	9510270253*	50-341	P
	9510270257*	50-341	P
	9510270316	50-341	H
	9510300028	50-341	S
Devonrue, Ltd.	9510030075	PRM	
Diamond H. Testing Co.	9510030125	71-9157	
Dow Chemical Co.	9510240128*	40-17	
Duke Power Co.	9510020092	50-369	P
	9510020092	50-369	P
	9510020127	50-413	P
	9510020134*	50-413	P
	9510020158	50-269	P
	9510020162*	50-269	P
	9510020189	50-269	P
	9510020224	50-270	P
	9510020229*	50-270	P
	9510020233	50-287	P
	9510020243*	50-287	P
	9510020256	50-369	F
	9510020263	50-369	P
	9510020263	50-369	P
	9510020288	50-414	P
	9510020300*	50-414	P
	9510020301	50-269	P
	9510020313*	50-269	P
	9510020354	50-369	Q
	9510020354	50-369	Q
	9510030261	50-413	F
	9510030274*	50-413	F
	9510060078	50-413	Q
	9510060078	50-413	Q
	9510060094	50-369	P
	9510060094	50-369	P
	9510100337	50-269	P
	9510100337	50-269	P
	9510100337	50-269	P
	9510100346	50-269	P
	9510100346	50-269	P
	9510100346	50-269	P
	9510100376	50-369	P
	9510100376	50-369	P
	9510110216	50-369	F
	9510160177	50-369	P
	9510160177	50-369	P
	9510160177	50-369	P
	9510160177	50-369	P
	9510160179*	50-369	P
	9510160179*	50-369	P
	9510160179*	50-369	P
	9510160179*	50-369	P
	9510160209	50-413	Q
	9510170208	50-269	P
	9510170218	50-369	P
	9510170218	50-369	P
	9510170231	50-269	Q
	9510170231	50-269	Q
	9510170231	50-269	Q
	9510170411	50-369	P
	9510170411	50-369	P
	9510180072	50-413	S
	9510180381	50-269	P
	9510180381	50-269	P
	9510180381	50-269	P
	9510180385*	50-269	P
	9510180385*	50-269	P
	9510180385*	50-269	P
	9510190033	50-414	P
	9510190034	50-269	R
	9510190036*	50-269	R
	9510190037*	50-269	R
	9510190046	50-369	R
	9510190049*	50-369	R
	9510190050*	50-369	R
	9510190096	50-413	R
	9510190104*	50-413	R
	9510190117*	50-413	R
	9510190134	50-369	K
	9510190134	50-369	K
	9510200118	PR	
	9510200348	50-269	F
	9510200348	50-269	F
	9510200348	50-269	F
	9510230030	50-269	P
	9510230032*	50-269	P
	9510230038	50-414	P
	9510230042*	50-414	P
	9510230077	50-287	Q
	9510230085*	50-287	Q
	9510230127	50-414	P
	9510240359	50-269	P
	9510240359	50-269	P
	9510240359	50-269	P
	9510240359	50-269	P
	9510240359	50-269	P
	9510250127	50-369	Q
	9510250130*	50-369	Q
	9510250145	50-287	Q
	9510250150*	50-287	Q
	9510250277	50-369	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510250277	50-369	P
	9510250277	50-369	P
	9510250277	50-369	P
	9510250284*	50-369	P
	9510250284*	50-369	P
	9510250284*	50-369	P
	9510250284*	50-369	P
	9510250352	50-369	Q
	9510250352	50-369	Q
	9510260024	50-369	F
	9510260024	50-369	F
	9510260029*	50-369	F
	9510260329	50-269	F
	9510270014	50-369	P
	9510270337	50-269	F
	9510270337	50-269	F
	9510270337	50-269	F
	9510270343*	50-269	F
	9510270343*	50-269	F
	9510270343*	50-269	F
Duquesne Light Co.	9510030073	50-334	R
	9510050077	50-334	P
	9510050129	50-334	P
	9510110305	50-412	P
	9510130282	50-334	P
	9510130282	50-334	P
	9510130288*	50-334	P
	9510130288*	50-334	P
	9510130323	50-334	P
	9510130329*	50-334	P
	9510160271	50-344	R
	9510250049	50-334	P
	9510250049	50-334	P
	9510250193	50-334	P
	9510250193	50-334	P
	9510250197*	50-334	P
	9510250197*	50-334	P
	9510270173	50-334	Q
Dykema, Gossett, Spencer, Goodnow & Trig	9510230253	40-17	
EQE Engineering Consultants (formerly EQ Engineering, Inc.)	9510020236*	50-289	P
EQE, Inc.	9510050210*	REVIEW GR	P
Edlow International Co.	9510060026	70-1252	
	9510060032	70-1252	
	9510060034	XPORTLIC	
	9510060035	70-1252	
	9510060041	70-1252	
	9510060045*	XPORTLIC	
	9510060049*	XPORTLIC	
	9510060051	70-1252	
	9510060052	70-1252	
	9510060057*	70-1252	
	9510060058*	70-1252	
	9510060059	70-1252	
	9510060063*	XPORTLIC	
	9510060068	70-1252	
	9510060069*	70-1252	
	9510060073	70-1252	
	9510060075*	70-1252	
	9510060091	70-1252	
	9510060192	70-1252	
	9510100040	70-1252	
	9510100049	70-1252	
Electric Power Research Institute	9510030134*	TOPREP	
	9510030172	TOPREP	
	9510060370*	TOPREP	
	9510060371*	TOPREP	
Energy Fuels Nuclear, Inc.	9510040155	40-8681	
	9510060176	40-9024	
	9510060183*	40-9024	
	9510120065	40-8681	
Energy, Dept. of	9510020008	WASTE MGT	
	9510020010	WASTE MGT	
	9510020031	WASTE MGT	
	9510020096	WASTE MGT	
	9510020097*	WASTE MGT	
	9510020166	WASTE MGT	
	9510020251	WASTE MGT	
	9510020311	WASTE MGT	
	9510020314	WASTE MGT	
	9510020336	WASTE MGT	
	9510020338	WASTE MGT	
	9510020342	WASTE MGT	
	9510030117	71-5957	
	9510030176	WASTE MGT	
	9510030239*	52-3	
	9510040043	PROJ	
	9510040048*	71-9234	
	9510040050*	71-9234	
	9510050230	WASTE MGT	
	9510050234*	WASTE MGT	
	9510050245*	WASTE MGT	
	9510050298	WASTE MGT	
	9510060050	WASTE MGT	
	9510060056*	WASTE MGT	
	9510060062	WASTE MGT	
	9510060312	WASTE MGT	
	9510100165	70-7001	
	9510100178	70-7001	
	9510100298	WASTE MGT	
	9510100312*	WASTE MGT	
	9510160134	XPORTLIC	
	9510160139	XPORTLIC	
	9510160304	70-7001	
	9510160304	70-7001	
	9510170124	WASTE MGT	
	9510170269	WASTE MGT	
	9510170407	WASTE MGT	
	9510170408*	WASTE MGT	
	9510170409*	WASTE MGT	
	9510180028	WASTE MGT	
	9510180184	WASTE MGT	
	9510180222	WASTE MGT	
	9510200068	WASTE MGT	
	9510200070*	WASTE MGT	
	9510200289	70-7001	
	9510200366	70-7001	
	9510200367	70-7001	
	9510230094	WASTE MGT	
	9510230110*	WASTE MGT	
	9510230117	WASTE MGT	
	9510230121	WASTE MGT	
	9510230214	71-9099	
	9510230219*	71-9099	
	9510230224*	71-9099	
	9510240161	WASTE MGT	
	9510250034	WASTE MGT	
	9510250107	WASTE MGT	
	9510250281	WASTE MGT	
	9510260083	WASTE MGT	
	9510260332	PROJ	
	9510260336*	PROJ	
	9510270195	WASTE MGT	
	9510270201*	WASTE MGT	
	9510270237	WASTE MGT	
	9510270246*	WASTE MGT	
	9510270281*	70-7001	
	9510270281*	70-7001	
	9510270341	WASTE MGT	
	9510270344*	WASTE MGT	
	9510270375	PROJ	
	9510300244	WASTE MGT	
Entergy Operations, Inc.	9505180425	50-382	F
	9505180427*	50-382	F
	9510020088	50-458	Q
	9510020250	50-416	F
	9510020269	50-368	P
	9510030190	50-368	S
	9510030235	50-368	S
	9510040054	50-382	F
	9510040289	50-313	K
	9510040289	50-313	K
	9510040293	50-313	P
	9510040293	50-313	P
	9510040296*	50-313	K
	9510040299*	50-313	P
	9510040299*	50-313	P
	9510040300*	50-313	K
	9510060227	50-382	P
	9510060229	50-382	F
	9510060263	50-382	S
	9510060330	50-368	P
	9510060333*	50-368	P
	9510100347	50-458	S
	9510110058	50-416	P
	9510110067	50-368	P
	9510110074	50-458	F
	9510110247	50-313	S
	9510130154	50-382	R
	9510160092	50-313	Q
	9510160203	50-382	Q
	9510170003	50-416	R
	9510170018	50-458	R
	9510170083	50-313	P
	9510170385	50-313	P
	9510170398	50-416	S
	9510180191	50-382	F
	9510190051	50-368	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510190196	50-313	R
	9510190202	50-368	R
	9510190285	50-313	P
	9510190285	50-313	P
	9510190360	50-313	P
	9510190360	50-313	P
	9510240044	50-313	P
	9510240044	50-313	P
	9510240129	50-382	P
	9510250039	50-416	P
	9510250171	50-458	P
	9510250181	50-458	Q
	9510250227	50-416	F
	9510260049	50-458	P
	9510260056*	50-458	P
	9510260091	50-382	S
	9510300102	50-313	R
	9510300205	50-313	Q
	9510300216	50-368	P
	9510300220*	50-368	P
	9510310248	50-458	P
	9510310252*	50-458	P
	9510310258	50-458	Q
	9510310369	50-458	P
Envirocare of Utah, Inc.	9510060252	40-8989	
Environmental Protection Agency	9510190097	PR	
	9510240220	40-8027	
	9510240231*	40-8027	
Facilities Management, Inc., Vienna, VA	9510060369	CONTRACT	
Fansteel, Inc.	9510200242	40-7580	
Federal Emergency Management Agency	9509210368*	50-341	F
	9509220119*	50-255	F
	9509220145*	50-277	F
	9509250346*	50-338	F
	9509250358*	50-338	F
	9509260113*	50-255	F
	9510050189*	50-266	F
	9510050189*	50-266	F
	9510050194*	50-266	F
	9510110134*	50-277	F
	9510110314*	50-341	F
	9510180243*	50-280	F
	9510180247*	50-400	F
	9510200114*	50-315	F
	9510200249*	50-315	F
	9510230367*	50-250	F
Finland, Govt. of	9510040026	REGGD	
FirstPage	9510060295*	CONTRACT	
Five Star Products, Inc.	9510160300*	FOIA	
	9510160301*	FOIA	
Florida Power & Light Co.	9510020125	50-335	S
	9510020133	50-335	S
	9510020143	50-302	S
	9510020240	50-302	S
	9510020303	50-250	P
	9510020303	50-250	P
	9510020306*	50-250	P
	9510020306*	50-250	P
	9510020309	50-335	P
	9510030060	PRM	
	9510040153	50-335	V
	9510060358	50-250	Q
	9510110118	50-251	Q
	9510110128*	50-251	Q
	9510110184	50-250	P
	9510110184	50-250	P
	9510110189*	50-250	P
	9510110189*	50-250	P
	9510110319	50-335	P
	9510110340	50-335	P
	9510180017	50-335	F
	9510180103	PR	
	9510180386	50-250	P
	9510190024	50-302	H
	9510190030	50-250	P
	9510190030	50-250	P
	9510190149	50-250	P
	9510190149	50-250	P
	9510200055	50-250	R
	9510200074	50-335	R
	9510240092	50-250	P
	9510240092	50-250	P
	9510240146	50-250	S
	9510240268	50-335	P
	9510310302	50-335	P
Florida Power Corp.	9510020160	50-302	Q
	9510020170	50-302	P
	9510030110	50-302	F
	9510110109	50-302	F
	9510130001	50-302	F
	9510160112	50-302	P
	9510170002	50-302	R
	9510170367	50-302	P
	9510240175	50-302	P
	9510240211	50-302	P
	9510270063	PR	
	9510270346	50-302	P
	9510300067	50-302	F
	9510300073	50-302	S
	9510300167	50-302	F
	9510300176	50-302	P
	9510300238	50-302	S
Florida, State of	9510310158	STATE PRO	G
Foundation for Global Sustainability	9510190337	50-390	H
Franklin County,MA	9510270091	50-29	H
Future Resources Associates, Inc.	9510100160	CONTRACT	
GTI Corp.	9510060321	CONTRACT	
General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9510020146	70-734	
	9510120074	40-8027	
	9510120295	70-734	
	9510130227	71-9034	
	9510130233*	71-9034	
	9510160148	XPORTLIC	
	9510180262	40-8027	
	9510180270*	40-8027	
	9510300113	70-734	
General Electric Co.	9510020033	52-4	
	9510020195*	50-278	P
	9510020199*	50-278	P
	9510030286	TOPREP	
	9510030352	52-4	
	9510030354*	52-4	
	9510040062	70-1113	
	9510040091	70-1113	
	9510040173*	50-277	P
	9510040173*	50-277	P
	9510100342*	50-220	P
	9510110044	REGGD	
	9510110138	70-754	
	9510110403	XPORTLIC	
	9510160028*	FOIA	
	9510160154	52-4	
	9510160158	52-4	
	9510160161	52-4	
	9510160162	52-4	
	9510160165	52-4	
	9510160175*	50-324	Q
	9510160248*	50-388	P
	9510170414	52-4	
	9510180319*	50-296	Q
	9510190086	TOPREP	
	9510230091	52-4	
	9510230102	52-4	
	9510230359	TOPREP	
	9510230400	52-4	
	9510230407*	50-260	P
	9510250006	72-1	
	9510250010*	72-1	
	9510250177	52-4	
	9510250261	XPORTLIC	
	9510250327	52-4	
	9510250380	71-170	
	9510250381*	71-170	
	9510270331	71-380	
	9510270387	TOPREP	
General Public Utilities Corp. - GPU Service Corp.	9510020226	50-289	P
	9510020254	50-219	Q
	9510020289	50-289	P
	9510030295	50-289	F
	9510060065	50-219	F
	9510110001	50-289	S
	9510110012	50-289	S
	9510130028	50-289	P
	9510130034	50-289	P
	9510170027	50-289	R
	9510170091	50-289	S
	9510170103	50-289	Q
	9510200109	50-219	R
	9510200262	50-219	P
	9510240355	50-289	P
	9510260047	PR	
Geomatrix Consultants, Inc.	9510270290	CONTRACT	
George Mason Univ., Fairfax, VA	9510030211	PRM	
Georgia Institute of Technology, Atlanta GA	9510030087	50-160	G
	9510100330	71-*****	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510100332*	71-*****	
	9510130061	50-160	F
	9510130146	71-9225	
	9510180210	50-160	G
Georgia Power Co.	9510020074	50-424	R
	9510020106	50-366	S
	9510020119	50-321	S
	9510020267	50-321	Q
	9510030097	50-424	G
	9510030142	50-424	G
	9510030142	50-424	G
	9510030154*	50-424	G
	9510030154*	50-424	G
	9510030179*	50-424	G
	9510030179*	50-424	G
	9510030197*	50-424	G
	9510030197*	50-424	G
	9510040024	50-424	K
	9510040025*	50-424	K
	9510040025*	50-424	K
	9510040033	50-424	G
	9510040033	50-424	G
	9510060054	50-424	G
	9510060072	50-424	P
	9510060072	50-424	P
	9510060291	50-424	P
	9510060296*	50-424	P
	9510160266	50-321	R
	9510160267*	50-321	R
	9510160270*	50-321	R
	9510170267	50-424	F
	9510180004	50-424	R
	9510180004	50-424	R
	9510180154	50-424	Q
	9510180207	50-424	G
	9510180207	50-424	G
	9510180214	50-424	G
	9510180214	50-424	G
	9510180219	50-424	G
	9510180219	50-424	G
	9510180227	50-424	G
	9510180227	50-424	G
	9510180235	50-424	G
	9510180235	50-424	G
	9510180292	50-424	G
	9510180292	50-424	G
	9510190290	50-321	Q
	9510240126	50-424	P
	9510240126	50-424	P
	9510240133*	50-424	P
	9510240133*	50-424	P
	9510240169	50-321	P
	9510240206	50-321	P
	9510240348	50-424	P
	9510240348	50-424	P
	9510250180	50-321	Q
	9510260018	50-424	S
	9510300021	50-424	P
	9510300041	50-424	G
	9510310263	50-366	Q
	9510310264*	50-366	Q
	9510310273	50-321	Q
	9510310273	50-321	Q
Georgia, State of	9510030087	50-160	G
	9510180210	50-160	G
	9510270104	STATE PRO	G
	9510300117	STATE PRO	G
Georgians Against Nuclear Energy	9510030186	50-160	G
	9510120068	50-160	G
Germany, Democratic Republic	9510040133	REGGD	
Global Management Systems, Inc.	9510100023	CONTRACT	
	9510110152	CONTRACT	
Government Printing Office	9510100077	CONTRACT	
Greeley, CO	9510270223*	CONTRACT	
Gulf States Utilities Co.	9510190025	50-458	G
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9510030136	40-8027	
	9510030147*	40-8027	
	9510040034	40-8027	
	9510040040	40-8027	
Harvard Univ., Cambridge, MA	9510060310	CONTRACT	
Heartland Operation to Protect the Environment, Inc.	9510170089*	COMMISSIO	N
Holme, Roberts & Owens	9510120065	40-8681	
Holtec International	9510270130	72-1008	
	9510270153*	72-1008	
	9510270295	72-1008	
	9510310404	71-9261	
	9510310406*	71-9261	
	9511160351*	72-1008	
Homestake Mining Co.	9510180179	40-8903	
Hopi Tribe	9510270339	40-8968	
House of Rep.	9510120387*	ORG	
	9510250374*	50-390	H
Houston Lighting & Power Co.	9510020047	50-498	H
	9510020356	50-498	S
	9510100088	50-498	F
	9510100088	50-498	F
	9510100190	50-498	P
	9510100190	50-498	P
	9510110005	50-499	S
	9510110106	50-498	F
	9510170049	50-498	P
	9510170049	50-498	P
	9510170056	50-498	Q
	9510170059*	50-498	Q
	9510170059*	50-498	Q
	9510170352	50-499	P
	9510180026	50-498	F
	9510180026	50-498	F
	9510200044	50-498	R
	9510230125	50-498	P
	9510230125	50-498	P
	9510240081	50-498	P
	9510240081	50-498	P
	9510250341	50-498	V
	9510250377	50-498	F
	9510260136*	50-498	Q
	9510270351	50-498	P
	9510310260	50-498	F
ICF, Inc.	9510030043*	STATE PRO	G
	9510030049*	STATE PRO	G
	9510060334*	CONTRACT	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9510020252	50-331	S
	9510060352	50-331	P
	9510190190	50-331	R
	9510250095	50-331	P
	9510250314	50-331	P
	9510270324	50-331	K
	9510300142	50-331	Q
	9510300251	50-331	R
II-VI, Inc.	9510230243*	40-8868	
Idaho National Engineering Laboratory	9510050049*	50-313	P
	9510060250	NUREG	
	9510160153*	50-250	P
	9510200374*	WASTE MGT	
	9510250096*	50-390	A
	9510260001	PT21	
	9510310071*	50-498	P
	9510310366*	50-277	P
Illinois Power Co.	9510030260	50-461	P
	9510060071	50-461	P
	9510060076*	50-461	P
	9510110002	50-461	V
	9510110095	50-461	R
	9510110230	50-461	S
	9510130311	50-461	S
	9510250077	50-461	P
	9510250398	50-461	K
	9510250400*	50-461	K
Illinois, State of	9510020110	STATE PRO	G
	9510040099	STATE PRO	G
	9510040107*	STATE PRO	G
	9510110060	STATE PRO	G
	9510110076	STATE PRO	G
	9510110255	STATE PRO	G
	9510120252	PR	
	9510160043	PR	
	9510170307	STATE PRO	G
	9510300010	STATE PRO	G
	9510300055	STATE PRO	G
Indiana Michigan Power Co.	9510020041	50-315	P
	9510020045*	50-315	P
	9510250094	50-315	P
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9510030264	50-316	S
	9510050134	50-315	S
	9510060031	50-315	S
	9510060042*	50-315	S
	9510060044*	50-315	S
	9510120233	50-316	S
	9510130176	50-315	P
	9510130390	50-315	S
	9510160144	50-315	Q
	9510160144	50-315	Q
	9510160276	50-316	R
	9510160277*	50-316	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510160279*	50-316	R
	9510160283	50-315	R
	9510160285*	50-315	R
	9510160287*	50-315	R
	9510170247	50-316	S
	9510170401	50-315	S
	9510180036	50-315	P
	9510180036	50-315	P
	9510180146	50-315	P
	9510180173	50-315	P
	9510180173	50-315	P
	9510190098	50-315	S
	9510190105*	50-315	S
	9510270081	50-315	P
	9510300141	50-315	P
	9510310308	50-315	P
	9510310308	50-315	P
	9510310312*	50-315	P
	9510310312*	50-315	P
	9510310313	50-315	P
	9510310315*	50-315	P
Industrial Testing Laboratories, Inc.	9208260106*	FOIA	
	9208260199*	FOIA	
	9208260219*	FOIA	
	9208260262*	FOIA	
	9208280082*	FOIA	
	9208280098*	FOIA	
	9208280148*	FOIA	
	9208280191*	FOIA	
	9510060187*	FOIA	
	9510060206*	FOIA	
	9510060225*	FOIA	
Institute of Nuclear Power Operations	9510030240	ORG	
	9510250312*	ORG	
Integrated Environmental Services	9510260288	40-8948	
Interior, Dept. of	9510100076*	FOIA	
Interior, Dept. of, Bureau of Mines	9510100083*	FOIA	
	9510100100*	FOIA	
	9510100148*	FOIA	
	9510100151*	FOIA	
International Atomic Energy Agency	9510240400	ORG	
International Technical Services, Inc.	9510100074	CONTRACT	
Iowa, State of	9510110294	STATE PRO	G
	9510230096	STATE PRO	G
J.L. Shepherd & Associates	9510270114	71-122	
	9510270159*	71-122	
JBF Associates, Inc.	9510060360	CONTRACT	
JRA Associates	9510110204	FOIA	
Jacobs Engineering Group, Inc.	9510050234*	WASTE MGT	
	9510050245*	WASTE MGT	
	9510120406	WASTE MGT	
	9510250288*	WASTE MGT	
	9510310300	40-8907	
	9510310303*	40-8907	
	9510310307*	40-8907	
Japan	9510160159	XPORTLIC	
Jupiter Corp. (formerly Jupiter Associates, Inc.)	9510060314	CONTRACT	
Kansas State Univ., Manhattan, KS	9510170118	50-188	R
Kennecott Corp.	9510040275	40-8904	
	9510230245	40-8904	
Kenrob & Associates, Inc.	9510110018	CONTRACT	
Kentucky, Commonwealth of	9510230073*	STATE PRO	G
	9510240263	STATE PRO	G
Kerr-McGee Corp.	9510270199	70-3073	
Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9510030074	50-424	G
	9510030074	50-424	G
	9510030085	50-424	G
	9510030085	50-424	G
	9510040031	50-424	G
	9510040031	50-424	G
	9510040033	50-424	G
	9510040033	50-424	G
	9510110151	50-424	Q
	9510120071	50-424	G
	9510120071	50-424	G
	9510120077	50-424	G
	9510120077	50-424	G
	9510120118	50-424	G
	9510120118	50-424	G
	9510120136	50-424	G
	9510120136	50-424	G
	9510120153	50-424	G
	9510120153	50-424	G
	9510180180	50-424	G
	9510300046	50-424	T
Lafayette College, Easton, PA	9510230186	70-435	
Lake Michigan Federation	9510030078	50-29	H
Lawrence Livermore National Laboratory	9510240181	PR	
	9510060245	NUREG	
	9510060248	NUREG	
	9510300136	ORG	
Lewis, M.	9510200116	PR	
	9510200123	PRM	
Liberty Technologies (formerly Liberty Technology Center, Inc.)	9510040079	QA999	
Lockheed Nuclear Products	9510160153*	50-250	P
Louisiana State Univ., Baton Rouge, LA	9510110155	CONTRACT	
MITRE Corp.	9510100004	CONTRACT	
MPR Associates, Inc.	9510050210*	REVIEW GR	P
Maine Yankee Atomic Power Co.	9510020077	50-309	Q
	9510020307	50-309	Q
	9510020323	50-309	P
	9510020370	50-309	S
	9510030280	50-309	F
	9510160097	50-309	F
	9510250148	50-309	P
	9510250167	50-309	R
	9510250333	50-309	Q
Martin Marietta Energy Systems, Inc.	9510040050*	71-9234	
Maryland, State of	9510110259	STATE PRO	G
	9510110273*	STATE PRO	G
	9510200094	STATE PRO	G
	9510230052	STATE PRO	G
	9510240141*	STATE PRO	G
Maryland, Univ. of, College Park, MD	9510100072	CONTRACT	
	9510110185	CONTRACT	
	9510300044	CONTRACT	
Massachusetts Institute of Technology, Cambridge, MA	9510260096	50-20	P
Massachusetts, Commonwealth of	9510230146*	STATE PRO	G
	9510240052	STATE PRO	G
	9510240134*	STATE PRO	G
Massachusetts, Univ. of, Amherst, MA	9510050106*	WASTE MGT	
Mayo Clinic, Rochester, MN	9510120169	PR	
Mays & Valentine	9510120074	40-8027	
	9510180262	40-8027	
	9510180270*	40-8027	
Mercy Hosp. Medical Center, Des Moines, IA	9510130331*	FOIA	
Meridia Huron Hosp., Cleveland, OH (formerly Huron Road Hosp.)	8305060221*	FOIA	
Metallurg, Inc.	9510310418	40-8948	
Micro Analysis & Design, Inc.	9510030209	NUREG	
Minnesota Mining & Manufacturing Co. (3M Co.)	7902210024*	FOIA	
	9208260118*	FOIA	
	9208260216*	FOIA	
	9510060215*	FOIA	
Missouri, State of	9510170037*	COMMISSIO	N
Missouri, Univ. of, Columbia, MO	9510270382	50-186	P
Mitsubishi International Corp.	9510160108*	XPORTLIC	
	9510160110	XPORTLIC	
	9510160125*	XPORTLIC	
	9510160129	XPORTLIC	
Mitsui & Co. (USA), Inc.	9510160132	XPORTLIC	
	9510250262	XPORTLIC	
	9510260138	XPORTLIC	
Mittemight Boiler Works, Inc.	9510060355	71-9263	
Morgan, Lewis & Bockius	9510030064	40-8027	
	9510030093	40-8027	
	9510030123*	40-8027	
	9510040060	40-8027	
	9510040067*	40-8027	
	9510060077	40-8027	
	9510110156*	XPORTLIC	
	9510110168*	XPORTLIC	
	9510120195*	XPORTLIC	
	9510190093	PR	
Morrison-Hershfield, Ltd.	9510050274*	WASTE MGT	
Morrison-Knudsen Co., Inc.	9510050267*	WASTE MGT	
NAC International Corp. (formerly Nuclea Assurance Corp.),	9510240274	71-9010	
	9510250299	PROJ	
	9510250302*	PROJ	
National Academy of Sciences	9510100384	CONTRACT	
National Aeronautics & Space Administrat ion	9510030080	PR	
National Conference of State Legislature s, Denver, CO	9510250385	PROJ	
National Institute of Standards & Technology (formerly National Bureau of	9208280118*	FOIA	
	9208280248*	FOIA	
	9510190110	PR	
Native Americans for a Clean Environment	9510030136	40-8027	
	9510030147*	40-8027	
	9510030159*	40-8027	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510040034	40-8027	
	9510040040	40-8027	
	9510040148	72-19	
	9510120090	40-8027	
	9510180242	40-8027	
	9510260145	40-8027	
Navy, Dept. of	9510030166	71-9030	
	9510030188	71-5830	
Nebraska Public Power District	8708180120*	50-298	P
	8708180140*	50-298	P
	9510020015*	50-298	Q
	9510020016*	50-298	Q
	9510020020*	50-298	Q
	9510020022*	50-298	Q
	9510020023*	50-298	P
	9510020025*	50-298	P
	9510020035*	50-298	P
	9510020040*	50-298	P
	9510020042*	50-298	P
	9510020043*	50-298	P
	9510040158	71-484	
	9510160291	50-298	R
	9510190179	50-298	V
	9510240120	50-298	P
	9510250234	50-298	Q
	9510250236*	50-298	Q
	9510260105	50-298	P
	9510260299	50-298	R
New England Coalition on Nuclear Pollution	9510180263*	50-245	G
	9510180280*	50-245	G
	9510300193*	50-245	G
New Hampshire, State of	9510160013	50-271	F
New Jersey, State of	9510200245	40-7102	
	9510230064	STATE PRO	G
	9510260043	PR	
New York, NY	9510230140	STATE PRO	G
New York, State of	9510230070	STATE PRO	G
	9510260290	PROJ	
	9510300009	STATE PRO	G
	9510300097*	COMMISSIO	N
Niagara Mohawk Power Corp.	9510030157	50-410	P
	9510050207	50-220	S
	9510060014	50-410	S
	9510060015*	50-410	S
	9510060024	50-410	S
	9510060070	50-410	S
	9510100316	50-220	P
	9510100318*	50-220	P
	9510100339	50-220	P
	9510110050	50-220	Q
	9510110050	50-220	Q
	9510110051	50-220	Q
	9510110207	50-410	S
	9510160212	50-410	S
	9510180340	50-220	R
	9510180340	50-220	R
	9510180345*	50-220	R
	9510200048	50-410	R
	9510200235	50-220	R
	9510240050	50-220	P
	9510260335	50-220	F
	9510260335	50-220	F
	9510270067	50-220	P
Nordion International, Inc.	9510060275	71-9257	
North Atlantic Energy Service Corp. (NAESCO)	9510040080	50-443	P
	9510180018	50-443	R
	9510180024	50-443	S
	9510240154	50-443	P
	9510240310	50-443	P
	9510250292	71-9111	
	9510300154	50-443	P
North Carolina, State of	9510180197	STATE PRO	G
	9510240174	STATE PRO	G
	9510240380*	STATE PRO	G
North Carolina, Univ. of, Chapel Hill, N	9510270225	CONTRACT	
	9510270241*	CONTRACT	
North Dakota, State of	9510230092	STATE PRO	G
Northeast Nuclear Energy Co.	9510020013	50-213	P
	9510020013	50-213	P
	9510020095	50-245	P
	9510020245	50-423	Q
	9510060218	50-423	P
	9510060230	50-245	P
	9510060231*	50-245	P
	9510060232	50-245	P
	9510060232	50-245	P
	9510060242	50-336	P
	9510060243*	50-336	P
	9510110004	50-245	S
	9510110054	50-245	S
	9510110065*	50-245	P
	9510110148	50-336	P
	9510110149*	50-336	P
	9510110154	50-245	S
	9510110193	50-336	S
	9510110208	50-245	S
	9510110304	50-245	P
	9510110334	50-423	V
	9510130002	50-423	P
	9510130003*	50-423	P
	9510130023	50-245	P
	9510160290	50-423	S
	9510170019	50-245	R
	9510170019	50-245	R
	9510170019	50-245	R
	9510170020*	50-245	R
	9510170022*	50-245	R
	9510180105	50-245	P
	9510180105	50-245	P
	9510180105	50-245	P
	9510180157	50-245	G
	9510190014	50-213	Q
	9510190014	50-213	Q
	9510190014	50-213	Q
	9510190014	50-213	Q
	9510190017	50-245	P
	9510190021	50-245	P
	9510190021	50-245	P
	9510190021	50-245	P
	9510230137	50-245	P
	9510230145*	50-245	P
	9510230410	50-336	Q
	9510230411*	50-336	Q
	9510250069	50-213	P
	9510250069	50-213	P
	9510250119	50-245	Q
	9510250129	50-245	S
	9510260062	50-423	P
	9510260067	50-336	P
	9510260073*	50-336	P
	9510260086	50-245	Q
	9510260204	50-245	P
	9510260286	50-336	P
	9510260292*	50-336	P
	9510260294	50-336	F
	9510260302	50-336	P
	9510260307*	50-336	P
	9510260312	50-423	Q
	9510270049	50-245	P
	9510270171	50-245	S
	9510300011	50-336	S
	9510300016	50-336	S
	9510300052	50-245	S
	9510310232	50-213	Q
Northeast Utilities	9510060230	50-245	P
	9510060232	50-245	P
	9510060232	50-245	P
	9510110054	50-245	P
	9510110065*	50-245	P
	9510110334	50-423	V
	9510130002	50-423	P
	9510130023	50-245	P
	9510160290	50-423	S
	9510170325	50-213	P
	9510250319*	FOIA	
	9510260118*	FOIA	
Northeast Utilities Service Co.	9510020013	50-213	P
	9510020013	50-213	P
	9510020095	50-245	P
	9510020245	50-423	Q
	9510060218	50-423	P
	9510060242	50-336	P
	9510110004	50-245	S
	9510110148	50-336	P
	9510110154	50-245	S
	9510110193	50-336	S
	9510110304	50-245	P
	9510170019	50-245	R
	9510170019	50-245	R
	9510170019	50-245	R
	9510190014	50-213	Q
	9510190014	50-213	Q
	9510190014	50-213	Q
	9510190017	50-245	P
	9510190021	50-245	P
	9510190021	50-245	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510190021	50-245	P
	9510250069	50-213	P
	9510250119	50-245	Q
	9510250129	50-245	S
	9510260062	50-423	P
	9510260067	50-336	P
	9510260086	50-245	Q
	9510260204	50-245	P
	9510260294	50-336	F
	9510260302	50-336	P
	9510260312	50-423	Q
	9510270037	50-213	F
	9510270040	50-213	P
	9510270043*	50-213	P
	9510270049	50-245	P
	9510270133	50-213	P
	9510270147	50-213	P
	9510270151*	50-213	P
	9510310232	50-213	Q
Northern States Power Co.	9510020028	50-282	P
	9510020348	50-263	P
	9510110046	50-282	R
	9510110116	50-263	F
	9510110243	50-282	Y
	9510110243	50-282	Y
	9510110243	50-282	Y
	9510110252*	50-282	Y
	9510110252*	50-282	Y
	9510110252*	50-282	Y
	9510110261*	50-282	Y
	9510110261*	50-282	Y
	9510110261*	50-282	Y
	9510110293	50-282	Q
	9510170006	50-263	R
	9510180118	50-306	S
	9510230059	50-282	P
	9510230059	50-282	P
	9510230062*	50-282	P
	9510230062*	50-282	P
	9510230158	50-282	S
	9510250113	50-282	P
	9510250134	50-263	P
	9510250161	50-282	P
	9510250161	50-282	P
	9510270018	50-282	Y
	9510270021*	50-282	Y
	9510310359	50-282	H
Northwest Toxicology, Inc.	9510270213	CONTRACT	
Nuclear Containers, Inc.	9510040041	71-9234	
	9510040051*	71-9234	
	9510310412	71-9196	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9509260355	TOPREP	
	9510020362	PROJ	
	9510030056	PRM	
	9510040183	REVIEW GR	P
	9510040330	REVIEW GR	P
	9510120024	PR	
	9510120227*	PROJ	
	9510130247	REVIEW GR	P
	9510130322*	PRM	
	9510190106	PR	
	9510200180*	NUREG	
	9510240227	REVIEW GR	P
	9510240282	REVIEW GR	P
	9510250330	REVIEW GR	P
	9510250335*	REVIEW GR	P
Nuclear Energy Services, Inc.	9510030077	PR	
	9510130241	40-8778	
	9510260206	40-672	
	9510260206	40-672	
Nuclear Fuel Services, Inc.	9510030139	70-143	
	9510050199	70-143	
	9510110174	70-143	
	9510110188	70-143	
	9510270017	70-143	
	9510270019*	70-143	
	9510310409	70-143	
Nuclear Information & Resource Service	9510030068	PRM	
	9510190171	PR	
	9510270110	PR	
	9510270369	50-219	P
Nuclear Licensing Reports	9510270030	FOIA	
Nuclear Metals, Inc.	9510170413	40-672	
Nucon, Inc.	9510130254*	REVIEW GR	P
Oak Ridge Associated Universities	9510270218	CONTRACT	
	9510310233	CONTRACT	
Oak Ridge National Laboratory	9510200206*	ACRS	
	9510260269*	40-8027	
	9510270379*	PROJ	
Office of Management & Budget	9510200337*	COMMISSIO	N
	9510200343*	COMMISSIO	N
Ogden Environmental & Energy Services (Formerly Multiple Dynamics Corp)	9510270181	CONTRACT	
Ohio Citizens for Responsible Energy	9510050045	PRM	
	9510240166	PR	
Ohio State Univ., Columbus, OH	9510040116	50-150	R
Ohio, State of	9510030148	40-8724	
	9510310269	40-8948	
	9510310316	40-8948	
	9510310403	40-8948	
Oklahoma, State of	9510040055	40-8027	
Omaha Public Power District	9510020113	50-285	R
	9510020123*	50-285	R
	9510040174	50-285	P
	9510040176*	50-285	P
	9510110098	50-285	S
	9510110110*	50-285	S
	9510130193	50-285	P
	9510130197*	50-285	P
	9510130202*	50-285	P
	9510130346	50-285	P
	9510160119	50-285	Q
	9510180202	50-285	I
	9510190217	50-285	R
	9510190223*	50-285	R
	9510190233*	50-285	R
	9510190330	50-285	P
	9510200125	PR	
	9510200308	50-285	P
	9510200365	50-285	F
	9510200369*	50-285	F
	9510200372*	50-285	F
	9510240325	50-285	P
	9510250087	50-285	K
	9510250093*	50-285	K
	9510270174	50-285	P
	9510300224	50-285	F
	9510300229*	50-285	F
	9510300231*	50-285	F
Omaha, NE	9510310046	CONTRACT	
Oregon State Univ., Corvallis, OR	9510100156*	CONTRACT	
	9510110173	50-243	F
	9510110179*	50-243	F
	9510270100	50-243	R
	9510270103*	50-243	R
	9510310419	50-243	R
	9510310420*	50-243	R
Organization of Agreement States	9510110310	STATE PRO	G
	9510230139	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9510020098	50-352	S
	9510020194	50-278	P
	9510020271	50-352	P
	9510040171	50-277	P
	9510050126	50-277	P
	9510050126	50-277	P
	9510050211	50-277	V
	9510050211	50-277	V
	9510060011	50-352	S
	9510060012*	50-352	S
	9510110008	50-352	P
	9510110061	50-277	F
	9510110068*	50-277	F
	9510110115	REGGD	
	9510120218	50-352	Q
	9510160293	50-352	P
	9510160293	50-352	P
	9510160294*	50-352	P
	9510160294*	50-352	P
	9510170201	50-278	Q
	9510170403	50-352	R
	9510190031	50-277	R
	9510190278	50-277	P
	9510230222	50-278	P
	9510240189	50-352	S
	9510240195	50-353	S
	9510240202*	50-353	S
	9510240377	50-277	P
	9510250045	50-352	S
	9510250336	50-352	Q
	9510260077	50-277	S
	9510270306	50-278	P
	9510270311*	50-278	P
	9510310414	50-352	S
PTI Services, Inc.	9510260296*	40-8948	
	9510310255	40-8948	
	9510310261	40-8948	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510310271*	40-8948	
	9510310278*	40-8948	
	9510310283	40-8948	
	9510310293	40-8948	
	9510310298*	40-8948	
	9510310326	40-8948	
	9510310333*	40-8948	
	9510310357	40-8948	
	9510310365	40-8948	
	9510310375	40-8948	
PacTec, Inc.	9510040076	71-678	
	9510040077*	71-678	
Pacific Gas & Electric Co.	9510020302	50-275	P
	9510020302	50-275	P
	9510030016	50-275	P
	9510030016	50-275	P
	9510030058	50-275	P
	9510030058	50-275	P
	9510030062*	50-275	P
	9510030063*	50-275	P
	9510050203	50-344	P
	9510060203	50-323	P
	9510060208	50-275	P
	9510060208	50-275	P
	9510060209*	50-275	P
	9510060209*	50-275	P
	9510060320	50-275	P
	9510060320	50-275	P
	9510060323*	50-275	P
	9510060323*	50-275	P
	9510060326*	50-275	P
	9510060326*	50-275	P
	9510060327*	50-275	P
	9510060327*	50-275	P
	9510100080	50-275	P
	9510100093	50-275	P
	9510100093	50-275	P
	9510100117*	50-275	P
	9510100117*	50-275	P
	9510100126*	50-275	P
	9510100126*	50-275	P
	9510110009	50-275	S
	9510110027	50-275	P
	9510110027	50-275	P
	9510110030*	50-275	P
	9510110030*	50-275	P
	9510110035*	50-275	P
	9510110035*	50-275	P
	9510110195	50-275	S
	9510110318	50-323	P
	9510130384	50-275	F
	9510130388*	50-275	F
	9510170172	50-275	F
	9510200304	50-323	P
	9510240185	50-275	P
	9510250030	50-344	Q
	9510250111	50-275	P
	9510250111	50-275	P
	9510250367	50-275	R
	9510250367	50-275	R
	9510250394	50-275	R
	9510250394	50-275	R
	9510250395*	50-275	R
	9510250395*	50-275	R
	9510260028	50-275	S
	9510300001	50-323	S
Pathfinder Mines Corp.	9510190157	40-6622	
	9510190168*	40-6622	
Pennsylvania Power & Light Co.	9510020335	50-387	Q
	9510040255	50-387	P
	9510040263*	50-387	P
	9510050094	50-387	F
	9510050094	50-387	F
	9510050096*	50-387	F
	9510050096*	50-387	F
	9510110087	50-387	F
	9510110087	50-387	F
	9510130350	50-387	S
	9510160245	50-388	P
	9510190144	50-387	R
	9510190144	50-387	R
	9510200159	50-388	S
	9510230012	50-388	S
	9510240338	50-387	P
	9510240343	50-387	P
	9510240343	50-387	P
	9510240349*	50-387	P
	9510240349*	50-387	P
	9510240353*	50-387	P
	9510240353*	50-387	P
	9510240358	50-388	P
	9510240361*	50-388	P
	9510250115	50-387	R
	9510250115	50-387	R
Pennsylvania State Univ., Harrisburg, PA	9510100014*	CONTRACT	
Pennsylvania State Univ., University Park, PA	9510310410	50-5	S
Performance Contracting, Inc.	9510030069	REGGD	
	9510040018	I&E	
Perry, OH	9510110171*	CONTRACT	
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9510200133	40-6659	
Portland General Electric Co.	9510040087	50-344	H
	9510050209	50-344	P
	9510130075	50-344	P
	9510170237	50-344	P
	9510170238*	50-344	P
	9510180359	50-344	Y
	9510180372*	50-344	Y
	9510200150	PR	
	9510260036	50-344	P
	9510310246	50-344	G
Power Authority of the State of New York (New York Power Authority)	9510020187	50-286	Q
	9510020365	50-286	S
	9510030234	50-333	F
	9510040152	50-286	S
	9510110233	50-333	S
	9510170005	50-286	R
	9510170042	50-286	F
	9510170334	50-286	P
	9510170424	50-333	F
	9510190056	50-286	S
	9510190374	50-333	R
	9510200363	50-286	F
	9510240033	50-286	S
	9510240144	50-286	P
	9510260011	50-286	S
	9510260031	50-286	F
	9510270178	50-286	F
	9510300086	50-333	F
	9510300091*	50-333	F
	9510300100*	50-333	F
Power Resources Corp.	9510250257	40-8857	
	9510250265*	40-8857	
	9510250267*	40-8857	
	9510250269*	40-8857	
	9510250274*	40-8857	
	9510260032	40-8857	
Public Service Co. of Colorado	9510030231	50-267	F
	9510170397	50-267	W
	9510170412	50-267	W
	9510190088	PR	
Public Service Electric & Gas Co. of New Jersey	9510020209	50-272	Q
	9510020209	50-272	Q
	9510030270	50-354	F
	9510030293	PR	
	9510050020	50-272	P
	9510050020	50-272	P
	9510050021*	50-272	P
	9510050021*	50-272	P
	9510050111	50-272	P
	9510050118*	50-272	P
	9510050120	50-272	P
	9510050120	50-272	P
	9510050124*	50-272	P
	9510050124*	50-272	P
	9510050168	50-272	F
	9510060079	50-272	F
	9510060270	50-354	S
	9510110041	50-354	P
	9510110045*	50-354	P
	9510110178	50-354	S
	9510160155	50-272	S
	9510160164*	50-272	S
	9510160178	50-354	S
	9510160217	50-354	P
	9510160231	50-272	P
	9510170015	50-354	R
	9510170417	50-272	F
	9510190067	50-272	R
	9510190091	50-311	R
	9510190388	50-354	S
	9510200220	50-272	S
	9510200228*	50-272	S
	9510200259	50-354	S
	9510200275	50-272	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510200284*	50-272	S
	9510230393	50-272	S
	9510240287	50-354	P
	9510240290*	50-354	P
	9510250083	50-354	Q
	9510250100	50-272	P
	9510250100	50-272	P
	9510250149	71-9222	
	9510250160	50-354	P
	9510250370	50-272	P
	9510260114	50-272	F
	9510270016	50-354	S
	9510300060	50-272	S
	9510300065*	50-272	S
	9510300150	50-354	S
	9510310239	50-354	S
	9510310408	50-272	R
	9510310408	50-272	R
Pulau Electronics Corp.	9510100089	CONTRACT	
Purdue Research Foundation	9510060335	CONTRACT	
Quivira Mining Co.	9510040179	40-8905	
RMI Co.	9510230004	40-2384	
	9510230005*	40-2384	
	9510230006*	40-2384	
	9510230009*	40-2384	
	9510230010*	40-2384	
	9510230011*	40-2384	
	9510230014*	40-2384	
	9510230016*	40-2384	
	9510230019*	40-2384	
	9510230020*	40-2384	
	9510230024*	40-2384	
	9510230134	40-2384	
RTI, Inc. (formerly Radiation Technology Inc.)	9510120030	PR	
Radiation Safety Services, Inc.	9510270211*	70-3073	
Resolution Dynamics, Inc.	9510300012	CONTRACT	
Rochester Gas & Electric Corp.	9510030061	50-244	S
	9510030079	50-244	S
	9510030199	50-244	Q
	9510030236	50-341	K
	9510030241	50-244	P
	9510110036	50-244	R
	9510160105	50-244	P
	9510160107*	50-244	P
	9510160273	50-244	R
	9510160275*	50-244	R
	9510180022	50-244	P
	9510180039	50-244	F
	9510180059	50-244	F
	9510180239	50-244	P
	9510200118	PR	
	9510260319	50-244	P
	9510260338	50-244	P
	9510260339*	50-244	P
	9510260341*	50-244	P
	9510260343*	50-244	P
	9510260344*	50-244	P
	9510260345*	50-244	P
	9510260346*	50-244	P
	9510260348*	50-244	P
	9510310327	50-244	F
Ronald Nisbet Associates	9510020039	71-9033	
Ropes & Gray	9510190303	50-29	H
Rosemount, Inc.	9510180081	PT21	
Ruland Associates, Inc.	9510100121	CONTRACT	
	9510100152	CONTRACT	
Russia	9510100112	CONTRACT	
SCIENTECH, Inc.	9510300026	CONTRACT	
Sacramento Municipal Utility District	9510190137	PR	
San Jose State Univ., San Jose, CA	9510230103*	FOIA	
Sandia National Laboratories	9208280262*	FOIA	
	9510270377*	PROJ	
Sargent & Lundy, Inc.	9510130262*	50-373	P
Science & Engineering Associates, Inc.	9510100171	CONTRACT	
Science Applications International Corp. (formerly Science Applications, Inc.)	9510030191	NUREG	
	9510100042	CONTRACT	
	9510110159	CONTRACT	
	9510310031	CONTRACT	
	9510310118	CONTRACT	
Scientific Ecology Group, Inc.	9510250157	71-9096	
	9510250301	71-9222	
	9510250392*	71-9222	
	9510250399*	71-9222	
Seacoast Anti-Pollution League	9510180263*	50-245	G
	9510180280*	50-245	G
Seismic Qualification Utility Group	9510050205*	REVIEW GR	P
Senate	9109130116*	FOIA	
	9510100197*	COMMISSIO	N
	9510180186	40-8968	
	9510310380*	50-361	G
Sequoyah Fuels Corp.	9510030064	40-8027	
	9510030093	40-8027	
	9510030108*	40-8027	
	9510030123*	40-8027	
	9510040060	40-8027	
	9510040067*	40-8027	
	9510060077	40-8027	
	9510260256*	FOIA	
	9510260277*	40-8027	
Shaw, Pittman, Potts & Trowbridge	9510120028	PR	
	9510180207	50-424	G
	9510180292	50-424	G
	9510300041	50-424	G
	9510300057	50-440	G
Shieldalloy Metallurgical Corp.	9510240364	40-7102	
	9510240375	40-7102	
	9510240399	40-7102	
	9510250241	40-7102	
	9510250245*	40-7102	
	9510250248*	40-7102	
	9510310148	40-8948	
	9510310267	40-8948	
	9510310275	40-8948	
	9510310340	40-8948	
	9510310418	40-8948	
Siemens Corp.	9510110400*	XPORTLIC	
	9510120413	XPORTLIC	
Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear	9510050148	70-1257	
	9510050291	70-1257	
	9510130368*	50-255	Y
	9510230109	70-1257	
	9510230111*	70-1257	
	9510250321	70-1257	
	9510260342	70-1257	
	9510270221	70-1257	
Sierra Nuclear, Inc.	9510200266*	71-9268	
Small Business Administration	9510060328	CONTRACT	
	9510100012	CONTRACT	
	9510100023	CONTRACT	
	9510100031	CONTRACT	
	9510100373	CONTRACT	
	9510110152	CONTRACT	
	9510110186	CONTRACT	
	9510270239*	CONTRACT	
	9510270252	CONTRACT	
	9510300035	CONTRACT	
	9510300246	CONTRACT	
	9510310033	CONTRACT	
	9510310075	CONTRACT	
SoHaR, Inc.	9510100038	CONTRACT	
Sonalysts, Inc.	9510300019	CONTRACT	
Source Production & Equipment Co., Inc.	9510300038	PR	
South Carolina Electric & Gas Co.	9510020082	50-395	F
	9510060342	50-395	F
	9510130005	50-395	F
	9510160289	50-395	R
	9510180040	50-395	Q
	9510180049	50-395	P
	9510180051*	50-395	P
	9510200268	50-395	K
	9510200270*	50-395	K
	9510200376	50-395	R
	9510240293	50-395	P
South Dakota State Univ., Brookings, SD	9510120025	PR	
Southern California Edison Co.	9510030150	50-361	P
	9510050177	50-206	F
	9510060222	50-206	J
	9510100063	50-206	F
	9510110214	50-361	S
	9510110232	50-395	Q
	9510110286	50-361	S
	9510180123	50-362	P
	9510180248	50-206	F
	9510180248	50-206	F
	9510190054	50-361	R
	9510190054	50-361	R
	9510230350	50-361	P
	9510230350	50-361	P
	9510230354*	50-361	P
	9510230354*	50-361	P
	9510230358*	50-361	P
	9510230358*	50-361	P
	9510270383	50-206	S
	9510270384*	50-206	S
	9510300249	50-206	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510310161	50-206	S
	9510310161	50-206	S
	9510310166*	50-206	S
	9510310175*	50-206	S
Southern California, Univ. of, Los Angeles, CA	9510270326	CONTRACT	
Southern Nuclear Operating Co.	9510020138	50-348	P
	9510020138	50-348	P
	9510020140*	50-348	P
	9510020140*	50-348	P
	9510020152	50-348	P
	9510020152	50-348	P
	9510030130	TOPREP	
	9510060362	TOPREP	
	9510060367	TOPREP	
	9510100389	50-348	F
	9510130015	50-346	F
	9510130019	50-346	F
	9510170014	50-348	R
	9510170277	50-348	P
	9510170425	50-348	F
	9510180020	50-348	F
	9510190294*	50-321	Q
	9510190294*	50-321	Q
	9510200086	50-348	S
	9510200098	50-348	S
	9510240059	50-348	P
	9510270009	50-348	F
	9510300194	50-348	P
	9510300196*	50-348	P
Southwest Medical Center of Oklahoma, Oklahoma City, OK (formerly South	9510170180	PR	
Southwest Research Institute	9510060253*	CONTRACT	
	9510100095	CONTRACT	
Southwestern Bell Telephone Co.	9510270192	CONTRACT	
St. Johns Hosp., Red Wing, MN	9510190161	PR	
Stanford Univ., Stanford, CA	9510060080	50-29	H
State, Dept. of	9510130348	XPORTLIC	
	9510270169	CONTRACT	
Stevenson & Associates	9510310370	NUREG	
	9510310376	NUREG	
Syncor International Corp.	9510260110	FOIA	
TSI, Inc.	8108260090*	FOIA	
	8210070009*	50-397	F
	9510050074	PR	
Tennessee Valley Authority	9510020044	50-390	A
	9510020044	50-390	A
	9510020065	50-390	A
	9510020071	50-390	A
	9510020071	50-390	A
	9510020191	50-259	P
	9510020331	50-260	F
	9510020331	50-260	F
	9510030013	50-390	A
	9510030013	50-390	A
	9510030101	50-259	F
	9510030311	50-327	P
	9510030321	50-296	S
	9510030325*	50-296	S
	9510040267	50-390	A
	9510040267	50-390	A
	9510040279	50-390	F
	9510040279	50-390	F
	9510040282*	50-390	F
	9510040282*	50-390	F
	9510100050	50-390	A
	9510100325	50-259	P
	9510100325	50-259	P
	9510110192	50-259	P
	9510110192	50-259	P
	9510110192	50-259	P
	9510110219*	50-259	P
	9510110219*	50-259	P
	9510110219*	50-259	P
	9510110265	50-327	S
	9510160083	50-260	P
	9510160083	50-260	P
	9510160099	50-390	K
	9510160123	50-260	F
	9510160190	50-296	P
	9510160196*	50-296	P
	9510170305	50-327	P
	9510170313*	50-327	P
	9510180014	50-327	R
	9510180034	50-390	A
	9510180038	50-390	A
	9510180038	50-390	A
	9510180043	50-390	Q
	9510180053	50-390	A
	9510180058*	50-390	A
	9510180061	50-390	Q
	9510180061	50-390	Q
	9510180065	50-390	Q
	9510180065	50-390	Q
	9510180068	50-390	Q
	9510180068	50-390	Q
	9510180117	50-390	A
	9510180117	50-390	A
	9510180134	50-259	F
	9510180134	50-259	F
	9510180134	50-259	F
	9510180134	50-259	F
	9510180312	50-296	Q
	9510190008	50-327	P
	9510190011	50-327	S
	9510190042	50-390	A
	9510190042	50-390	A
	9510190045*	50-390	A
	9510190045*	50-390	A
	9510190162	50-259	R
	9510190259	50-296	P
	9510190261*	50-296	P
	9510200080	50-390	A
	9510200080	50-390	A
	9510200221	50-390	A
	9510200378	50-390	Q
	9510230405	50-260	P
	9510240039	50-438	A
	9510240140	50-390	A
	9510240140	50-390	A
	9510240307	50-259	P
	9510240307	50-259	P
	9510240307	50-259	P
	9510240307	50-259	P
	9510250123	50-259	F
	9510250123	50-259	F
	9510250123	50-259	F
	9510260008	50-286	S
	9510260014	50-390	S
	9510260297	50-390	A
	9510260297	50-390	A
	9510260333	50-327	F
	9510270013	50-296	Q
	9510270388	50-390	A
	9510270389*	50-390	A
	9510300002	50-327	S
	9510300004*	50-327	S
	9510300233	50-327	Q
	9510310218	50-259	P
	9510310320	50-390	A
	9510310321*	50-390	A
	9510310343	50-259	P
	9510310390*	50-259	P
	9510310399	50-259	F
	9510310399	50-259	F
	9510310399	50-259	F
	9510310399	50-259	F
	9510310399	50-259	F
Tennessee, State of	9510030023	STATE PRO	G
	9510130372	STATE PRO	G
	9510180143	STATE PRO	G
Texas A&M Univ., College Station, TX	9510120249	50-128	F
	9510120260*	50-128	F
Texas Utilities Electric Co. (TU Electric)	9208280273*	FOIA	
	9510060048*	50-445	Q
	9510060351	50-445	Q
	9510100030	50-446	S
	9510110299	50-445	Q
	9510110320	50-445	F
	9510170009	50-445	R
	9510170010*	50-445	R
	9510170012*	50-445	R
	9510170013*	50-445	R
	9510200118	PR	
	9510240049	50-446	S
	9510240384	50-445	P
	9510240384	50-445	P
Texas, State of	9510110310	STATE PRO	G
Thermal Science, Inc.	9208260341*	FOIA	
	9208280054*	FOIA	
Toledo Edison Co.	9510130263	50-346	S
	9510200134	50-346	R
	9510230162	50-346	R
Tracor Technology Resources, Inc.	9510100128	CONTRACT	
Transco Products, Inc.	9510130353	ORG	
Transnuclear, Inc.	9510250251	70-1426	
	9510250252	70-1426	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510250254	70-1426	
	9510250258	70-1426	
	9510250272	XPORTLIC	
	9510270023*	50-282	Y
	9510270355	PROJ	
	9510310411*	PROJ	
Transportation, Dept. of	9510230232	71-*****	
Treasury, Dept. of	9510100036	CONTRACT	
Trico Industries, Inc.	9510060359	CONTRACT	
	9510100373	CONTRACT	
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9510030097	50-424	G
	9510030142	50-424	G
	9510060054	50-424	G
	9510180214	50-424	G
	9510180219	50-424	G
	9510180219	50-424	G
	9510180227	50-424	G
	9510180227	50-424	G
	9510180235	50-424	G
	9510180235	50-424	G
Twin City Testing Corp. (formerly Twin City Testing & Engineering Laboratory,	9208260213*	FOIA	
U.S. Embassies	9510160120	XPORTLIC	
	9510270129	XPORTLIC	
UMETCO Minerals Corp.	9510190253*	40-299	
	9510240270	40-299	
Union Electric Co.	9510020351	50-483	P
	9510030346	50-483	P
	9510100041	50-483	P
	9510100084	50-483	P
	9510100209	50-483	F
	9510100329	50-483	R
	9510130011	50-483	F
	9510180071	50-483	F
	9510200297	50-483	F
	9510250128	50-483	P
	9510300206	50-483	P
	9510300209*	50-483	P
Union Pacific Resources Co.	9510200175	40-8452	
	9510200181*	40-8452	
United Controls, Inc.	9510180067	QA999	
United Nuclear Corp. (subs. of UNC, Inc.	9510180030	40-8907	
United States Enrichment Corp. (USEC)	9510060339	70-7001	
	9510130349	70-7001	
	9510130349	70-7001	
	9510270006	70-7001	
	9510270007	70-7002	
	9510270279	70-7001	
	9510270281*	70-7001	
	9510270281*	70-7001	
United Technologies Corp.	9510110160	CONTRACT	
Universal Testing, Inc.	9510170388	71-9156	
Vectra Technologies, Inc.	9510020099*	50-245	P
	9510020102*	50-245	P
	9510020107*	50-245	P
	9510040156	71-9181	
	9510060336	71-9255	
	9510100055*	50-390	A
	9510120278*	72-1004	
	9510160005	72-1004	
	9510160006	72-1004	
	9510160007	72-1004	
	9510160007	72-1004	
	9510160008	72-1004	
	9510160008	72-1004	
	9510160009	72-1004	
	9510160010	72-1004	
Vermont Yankee Nuclear Power Corp.	9510180007	50-271	R
	9510240096	50-271	P
Veterans Admin. Medical Center, Minneapolis, MN	9510100137*	FOIA	
Virginia Power (Virginia Electric & Powe Co.)	9510100155	50-338	S
	9510110059	50-280	F
	9510110059	50-280	F
	9510110311	50-280	P
	9510110311	50-280	P
	9510120100	PRM	
	9510120143	50-280	P
	9510120143	50-280	P
	9510120173	50-281	P
	9510120180*	50-281	P
	9510130342	50-280	S
	9510160012	50-338	R
	9510160210	50-280	P
	9510190001	50-338	Q
	9510200138	50-280	R
	9510200251	50-280	P
	9510200251	50-280	P
	9510200253*	50-280	P
	9510200310	50-280	Y
	9510200310	50-280	Y
	9510200310	50-280	Y
	9510200313*	50-280	Y
	9510200313*	50-280	Y
	9510200313*	50-280	Y
	9510230389	50-339	S
	9510240158	50-280	P
	9510240158	50-280	P
	9510240269	50-339	P
	9510240272*	50-339	P
	9510240278	50-338	P
	9510240278	50-338	P
	9510240284*	50-338	P
	9510240284*	50-338	P
	9510240292	50-280	Q
	9510240328	50-280	S
	9510250122	50-338	Q
	9510250196	PR	
	9510310416	50-338	F
Virginia, Commonwealth of	9510120294*	FOIA	
Virginia, Univ. of, Charlottesville, VA	9510130007	50-62	P
	9510130009*	50-62	P
	9510250195	50-62	P
	9510250199*	50-62	P
Walashek Enterprises, Inc.	9510040162	71-538	
	9510040165*	71-538	
Warnock Hersey Professional Services,	9510060211*	FOIA	
Ltd.			
Washington Public Power Supply System	9208280288*	50-397	F
	9510020202	50-397	Q
	9510020208	50-397	P
	9510020255	50-397	P
	9510020260	50-397	Q
	9510040129	50-397	Q
	9510100136	50-397	P
	9510120096	50-460	G
	9510160263	50-397	R
	9510170394	50-397	P
	9510180032	50-397	Q
	9510190004	50-397	S
	9510190006	50-397	P
	9510200118	PR	
	9510230409	50-397	P
	9510240249	50-305	P
	9510250151	50-397	P
	9510260005	50-397	S
	9510310372	50-397	P
	9510310381	50-397	P
	9510310383*	50-397	P
Washington State Univ., Pullman, WA	9510030146	50-27	P
	9510040159	50-27	P
	9510180056	50-27	P
	9510180060*	50-27	P
Washington, State of	9510110282	STATE PRO	G
	9510230074	STATE PRO	G
	9510230100	STATE PRO	G
	9510310354	STATE PRO	G
We The People of The United States (We The People, Inc.)	9510180263*	50-245	G
	9510180280*	50-245	G
	9510300193*	50-245	G
Weil, Gotshal & Manges	9510310418	40-8948	
Wesson, H.R.	9208260276*	FOIA	
West Valley Nuclear Services Co., Inc.	9510180190	PROJ	
West Virginia Univ., Morgantown, WV	7905250250*	FOIA	
	8209160333*	FOIA	
	8209160337*	FOIA	
	8209160341*	FOIA	
	8506190462*	FOIA	
	9510100111*	FOIA	
	9510100114*	FOIA	
	9510100119*	FOIA	
	9510100123*	FOIA	
	9510100125*	FOIA	
	9510100130*	FOIA	
	9510100131*	FOIA	
	9510100134*	FOIA	
	9510100150*	FOIA	
	9510100157*	FOIA	
	9510100168*	FOIA	
	9510100172*	FOIA	
	9510100176*	FOIA	
	9510100183*	FOIA	
	9510100205*	FOIA	
	9510100219*	FOIA	
	9510100224*	FOIA	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9510100225*	FOIA
	9510100236*	FOIA
	9510100237*	FOIA
	9510100243*	FOIA
	9510100245*	FOIA
	9510100249*	FOIA
	9510100254*	FOIA
	9510100271*	FOIA
	9510100275*	FOIA
	9510100280*	FOIA
	9510100283*	FOIA
	9510100291*	FOIA
	9510100295*	FOIA
	9510100296*	FOIA
	9510100301*	FOIA
	9510100305*	FOIA
	9510100371*	FOIA
	9510100374*	FOIA
	9510100388*	FOIA
	9510110251*	FOIA
	9510110256*	FOIA
	9510110264*	FOIA
	9510110269*	FOIA
	9510110278*	FOIA
	9510110288*	FOIA
	9510110292*	FOIA
	9510110308*	FOIA
	9510110329*	FOIA
	9510110330*	FOIA
	9510110353*	FOIA
	9510110354*	FOIA
	9510110365*	FOIA
	9510120001*	FOIA
	9510120003*	FOIA
	9510120007*	FOIA
	9510120009*	FOIA
	9510120011*	FOIA
	9510120015*	FOIA
	9510120019*	FOIA
	9510120027*	FOIA
	9510120032*	FOIA
	9510120040*	FOIA
	9510120041*	FOIA
	9510120048*	FOIA
	9510120061*	FOIA
	9510120072*	FOIA
	9510120082*	FOIA
	9510120083*	FOIA
	9510120084*	FOIA
	9510120091*	FOIA
	9510120092*	FOIA
	9510120108*	FOIA
	9510120112*	FOIA
	9510120114*	FOIA
	9510120124*	FOIA
	9510120142*	FOIA
	9510120164*	FOIA
	9510120183*	FOIA
	9510120185*	FOIA
	9510120186*	FOIA
	9510120194*	FOIA
	9510120196*	FOIA
	9510120200*	FOIA
	9510120219*	FOIA
	9510120221*	FOIA
	9510120225*	FOIA
	9510120239*	FOIA
	9510120244*	FOIA
	9510120257*	FOIA
	9510120277*	FOIA
	9510120291*	FOIA
	9510120300*	FOIA
	9510120301*	FOIA
	9510120305*	FOIA
	9510120313*	FOIA
	9510120318*	FOIA
	9510120329*	FOIA
	9510120341*	FOIA
	9510120354*	FOIA
	9510120356*	FOIA
	9510120368*	FOIA
	9510120374*	FOIA
	9510120391*	FOIA
	9510120395*	FOIA
	9510120397*	FOIA
	9510120399*	FOIA
	9510120401*	FOIA
	9510120403*	FOIA
	9510130006*	FOIA
	9510130008*	FOIA
	9510130014*	FOIA
	9510130016*	FOIA
	9510130036*	FOIA
	9510130039*	FOIA
	9510130040*	FOIA
	9510130041*	FOIA
	9510130043*	FOIA
	9510130050*	FOIA
	9510130051*	FOIA
	9510130076*	FOIA
	9510130080*	FOIA
	9510130081*	FOIA
	9510130092*	FOIA
	9510130106*	FOIA
	9510130109*	FOIA
	9510130114*	FOIA
	9510130115*	FOIA
	9510130120*	FOIA
	9510130122*	FOIA
	9510130134*	FOIA
	9510130135*	FOIA
	9510130136*	FOIA
	9510130140*	FOIA
	9510130148*	FOIA
	9510130149*	FOIA
	9510130157*	FOIA
	9510130173*	FOIA
	9510130174*	FOIA
	9510130177*	FOIA
	9510130178*	FOIA
	9510130182*	FOIA
	9510130185*	FOIA
	9510130186*	FOIA
	9510130190*	FOIA
	9510130194*	FOIA
	9510130206*	FOIA
	9510130210*	40-962
	9510130222*	FOIA
	9510130274*	FOIA
	9510130284*	FOIA
	9510130285*	FOIA
	9510130286*	FOIA
	9510130290*	FOIA
	9510130293*	FOIA
	9510130302*	FOIA
	9510130305*	FOIA
	9510130314*	FOIA
	9510130316*	FOIA
	9510130317*	FOIA
	9510130319*	FOIA
	9510130324*	FOIA
	9510130334*	FOIA
	9510130339*	FOIA
	9510130355*	FOIA
	9510130356*	FOIA
	9510130357*	FOIA
	9510130360*	FOIA
	9510130362*	FOIA
	9510130363*	FOIA
	9510130366*	FOIA
	9510130369*	FOIA
	9510130373*	FOIA
	9510130378*	FOIA
	9510130385*	FOIA
	9510160014*	FOIA
	9510160021*	FOIA
	9510160022*	FOIA
	9510160023*	FOIA
	9510160026*	FOIA
	9510160030*	FOIA
	9510160031*	FOIA
	9510160033*	FOIA
	9510160035*	FOIA
	9510160037*	FOIA
	9510160038*	FOIA
	9510160041*	FOIA
	9510160094*	FOIA
	9510160102*	FOIA
	9510160109*	FOIA
	9510160113*	FOIA
	9510160122*	FOIA
	9510160143*	FOIA
	9510160145*	FOIA
	9510160147*	FOIA
	9510160166*	FOIA
	9510160170*	FOIA
	9510160172*	FOIA
	9510160176*	FOIA

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	9510160180*	FOIA
	9510170278*	FOIA
	9510170285*	FOIA
	9510170299*	FOIA
	9510170331*	FOIA
	9510170344*	FOIA
	9510170351*	FOIA
	9510170360*	FOIA
	9510170369*	FOIA
	9510170380*	FOIA
	9510180006*	FOIA
	9510180009*	FOIA
	9510180012*	FOIA
	9510180027*	FOIA
	9510180029*	FOIA
	9510180031*	FOIA
	9510180033*	FOIA
	9510180035*	FOIA
	9510180037*	FOIA
	9510180048*	FOIA
	9510180057*	FOIA
	9510180064*	FOIA
	9510180109*	FOIA
	9510180133*	FOIA
	9510180229*	FOIA
	9510180253*	FOIA
	9510180268*	FOIA
	9510180273*	FOIA
	9510180283*	FOIA
	9510180287*	FOIA
	9510180295*	FOIA
	9510180299*	FOIA
	9510190005*	FOIA
	9510190009*	FOIA
	9510190010*	FOIA
	9510190012*	FOIA
	9510190013*	FOIA
	9510190019*	FOIA
	9510190020*	FOIA
	9510190059*	FOIA
	9510190071*	FOIA
	9510190112*	FOIA
	9510190123*	FOIA
	9510190129*	FOIA
	9510190133*	FOIA
	9510190296*	FOIA
	9510190358*	FOIA
	9510190364*	FOIA
	9510230033*	FOIA
	9510230037*	FOIA
	9510230055*	FOIA
	9510230060*	FOIA
	9510230072*	FOIA
	9510230075*	FOIA
	9510230084*	FOIA
	9510230087*	FOIA
	9510230097*	FOIA
	9510230101*	FOIA
	9510230112*	FOIA
	9510230113*	FOIA
	9510230118*	FOIA
	9510230308*	FOIA
	9510230319*	FOIA
	9510230337*	FOIA
	9510230345*	FOIA
	9510230355*	FOIA
	9510230360*	FOIA
	9510230362*	FOIA
	9510230370*	FOIA
	9510230375*	FOIA
	9510240017*	FOIA
	9510240021*	FOIA
	9510240023*	FOIA
	9510240054*	FOIA
	9510240064*	FOIA
	9510240122*	FOIA
	9510240131*	FOIA
	9510240135*	FOIA
	9510240142*	FOIA
	9510240153*	FOIA
	9510240162*	FOIA
	9510240164*	FOIA
	9510240170*	FOIA
	9510240173*	FOIA
	9510240184*	FOIA
	9510240191*	FOIA
	9510240199*	40-7841
	9510240225*	40-7841
	9510270027*	FOIA
	9510270028*	FOIA
	9510270029*	FOIA
	9510270041*	FOIA
	9510270045*	FOIA
	9510270125*	40-7841
	9510270132*	40-7841
	9510270138*	70-161
	9510270143*	70-161
	9510270146*	70-161
	9510270149*	FOIA
	9510270150*	70-161
	9510270155*	FOIA
	9510270162*	70-161
	9510270187*	FOIA
	9510270190*	FOIA
	9510270198*	FOIA
	9510270208*	FOIA
	9510270224*	FOIA
	9510270243*	FOIA
	9510270247*	70-161
	9510270254*	70-161
	9510270256*	70-161
	9510270262*	70-161
	9510270263*	70-161
	9510270267*	70-161
	9510270275*	70-161
	9510270285*	70-161
	9510270292*	FOIA
	9510270296*	FOIA
	9510270297*	FOIA
	9510270302*	FOIA
	9510270309*	FOIA
	9510270313*	FOIA
	9510270338*	FOIA
	9510270342*	FOIA
	9510270350*	FOIA
	9510300018*	70-948
	9510300029*	70-948
	9510300045*	70-948
	9510300072*	FOIA
	9510300084*	FOIA
	9510300094*	FOIA
	9510300105*	40-962
	9510300107*	FOIA
	9510300125*	FOIA
	9510300127*	40-962
	9510300134*	40-962
	9510300135*	FOIA
	9510300144*	40-962
	9510300151*	40-962
	9510300158*	40-962
	9510300159*	40-962
	9510300163*	40-962
	9510310007*	FOIA
	9510310012*	40-962
	9510310013*	40-962
	9510310015*	FOIA
	9510310017*	40-962
	9510310021*	40-962
	9510310025*	40-962
	9510310030*	FOIA
	9510310036*	FOIA
	9510310037*	FOIA
	9510310041*	FOIA
	9510310045*	FOIA
	9510310051*	FOIA
	9510310053*	FOIA
	9510310059*	FOIA
	9510310063*	FOIA
	9510310067*	FOIA
	9510310068*	FOIA
	9510310070*	FOIA
	9510310072*	FOIA
	9510310074*	FOIA
	9510310076*	FOIA
	9510310081*	FOIA
	9510310085*	FOIA
	9510310093*	FOIA
	9510310094*	FOIA
	9510310097*	FOIA
	9510310100*	FOIA
	9510310103*	FOIA
	9510310109*	FOIA
	9510310112*	FOIA
	9510310116*	FOIA
	9510310120*	FOIA
	9510310124*	FOIA
	9510310125*	FOIA
	9510310129*	FOIA

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9510310140*	FOIA	
	9510310143*	FOIA	
	9510310147*	FOIA	
	9510310153*	FOIA	
	9510310155*	FOIA	
	9510310160*	FOIA	
	9510310164*	FOIA	
	9510310196*	FOIA	
	9510310199*	FOIA	
	9510310204*	FOIA	
	9510310215*	FOIA	
	9511060237*	FOIA	
West Virginia University Hospitals, Inc. Morgantown, WV	7911150201*	FOIA	
	8001040273*	FOIA	
	8008200228*	FOIA	
	8008200232*	FOIA	
	8606190548*	FOIA	
Western Nuclear, Inc.	9510040052	40-1162	
Westinghouse Electric Corp.	9510020232	52-3	
	9510020238*	52-3	
	9510020358	52-3	
	9510030021	52-4	
	9510030028	52-3	
	9510030114	52-3	
	9510030227*	TOPREP	
	9510030237	52-3	
	9510030245	52-3	
	9510030246*	52-3	
	9510030333	TOPREP	
	9510040084	70-1151	
	9510040088	70-1151	
	9510040321	TOPREP	
	9510040331*	REVIEW GR	P
	9510110327*	50-323	P
	9510110331	70-1151	
	9510170420	TOPREP	
	9510170421*	TOPREP	
	9510190023*	50-266	P
	9510190085	PR	
	9510190246	52-3	
	9510190255	52-3	
	9510190293*	50-454	P
	9510190301*	50-454	P
	9510190397	52-3	
	9510200379	70-1151	
	9510240262	70-1151	
	9510240264*	70-1151	
	9510260137	PR	
	9510270085*	50-315	P
	9510270117	52-3	
	9510270126*	52-3	
	9510270180	CONTRACT	
	9510270204	CONTRACT	
	9510300254	52-3	
Westinghouse Operating Plants Owners Group	9510030222	TOPREP	
Wheaton Medical Clinic, Wheaton, IL	9510130156	CONTRACT	
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9510030136	40-8027	
	9510030147*	40-8027	
	9510040034	40-8027	
	9510040040	40-8027	
	9510180242	40-8027	
Winston & Strawn	9510030095	PRM	
	9510050210*	REVIEW GR	P
	9510120096	50-460	G
	9510180157	50-245	G
	9510200118	PR	
	9510250328*	FOIA	
	9510250332*	FOIA	
Wisconsin Electric Power Co.	9510060289	50-266	F
	9510110003	50-266	Q
	9510110394	50-266	F
	9510110394	50-266	F
	9510120408	50-266	F
	9510120408	50-266	F
	9510120409*	50-266	F
	9510120409*	50-266	F
	9510130037	50-266	R
	9510170258	50-266	P
	9510170258	50-266	P
	9510170410	50-266	P
	9510170410	50-266	P
	9510190022	50-266	P
	9510190022	50-266	P
	9510240097	50-266	P
	9510240097	50-266	P
	9510240108*	50-266	P
	9510240108*	50-266	P
	9510240340	50-266	Q
	9510240370	50-266	P
Wisconsin Public Service Corp.	9510020290	50-305	P
	9510110239	50-305	S
	9510160115	50-305	P
	9510160116*	50-305	P
	9510180019	50-305	R
	9510180132	50-305	P
	9510200140	50-305	F
	9510240056	50-305	P
	9510240345	50-305	P
	9510240352*	50-305	P
	9510300183	50-305	Q
	9510300188*	50-305	Q
Wisconsin, Univ. of, Madison, WI	9510050283	50-156	H
Wolf Creek Nuclear Operating Corp.	9505190228	50-482	F
	9506190437	50-482	F
	9510110143	50-482	S
	9510110167	50-482	Q
	9510110298	50-482	Q
	9510180089	50-482	Q
	9510200060	50-482	R
	9510240300	50-482	P
	9510240302*	50-482	P
	9510250104	50-482	P
Woodward-Clyde Consultants, Inc.	9510020066	40-7397	
	9510020068*	40-7397	
	9510020112	40-7397	
	9510020130*	40-7397	
	9510020171	40-3453	
Wyoming, State of	9510180387	40-8857	
	9510200163	40-4492	
	9510250042*	STATE PRO	G
	9510250084*	STATE PRO	G
Yankee Atomic Electric Co.	9510030067	50-29	H
	9510030102	50-29	F
	9510120362	50-29	F
	9510190303	50-29	H
	9510250187	50-29	W
	9510260042	PR	
	9510260052	50-29	G
York County, SC	9510270240*	CONTRACT	

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
0006-00922-02 R00	9510100055*	50-390	A
0024-00099-RB-1 R00	9510020099*	50-245	P
0024-00099-RCB-1 R00	9510020107*	50-245	P
0024-00099-TB-1 R00	9510020102*	50-245	P
1 R01	9510310307*	40-8907	
2D-143	9510270389*	50-390	A
42105-R-002 R01	9510020236*	50-289	P
82-11-240	9208260219*	FOIA	
82-11-241	9208260106*	FOIA	
82-3-2	9208280082*	FOIA	
82-5-355-B	9510060206*	FOIA	
82-5-355F	9510060187*	FOIA	
83-5-472A	9208280148*	FOIA	
835-92-046A	9208280118*	FOIA	
84-12-181 R02	9208260199*	FOIA	
84-3-275	9208260262*	FOIA	
87-4-3	9208280098*	FOIA	
87-5-76	9208280191*	FOIA	
95-R-2003-01 R00	9510300220*	50-368	P
C10836	9510300188*	50-305	Q
CENPD-384-NP	9510250305*	TOPREP	
CENPD-400-NP-A R01	9510230341*	TOPREP	
CNEI-0400-24 R08	9510020134*	50-413	P
CNEI-0400-25 R06	9510230042*	50-414	P
CNWRA 94-023 R01	9510260045*	WASTE MGT	HLWR
CNWRA 95-015	9510230088*	WASTE MGT	HLWR
CNWRA 95-018	9510260054*	WASTE MGT	HLWR
CNWRA 95-020	9510050141*	WASTE MGT	HLWR
CONF-880558	9510040048*	71-9234	
DOE/AL/62350-194 R00	9510170408*	WASTE MGT	
DOE/ID-10460	9510030239*	52-3	
DOE/RW-0477	9510050298	WASTE MGT	
EA-D-PAL-94-076B R00	9510250373*	50-255	Y
EA-FC-864-020 R01	9510250378*	50-255	Y
EA-FC-864-050 R00	9510250376*	50-255	Y
EA-FC-90-062 R03	9510130197*	50-285	P
EA-FC-95-027 R00	9510110110*	50-285	S
EA-SC-93-083-10 R00	9510250375*	50-255	Y
EA-SC-93-083-13 R00	9510250356*	50-255	Y
EA-SC-93-083-14 R00	9510250359*	50-255	Y
EMF-94-160(NP) R02	9510130368*	50-255	Y
ER-ME-067 R00	9208280273*	FOIA	
FC05916 R03	9510130202*	50-285	P
GENE-523-A062-0695	9510040173*	50-277	P
GENE-523-A092-0995	9510020195*	50-278	P
GENE-523-A101-0995	9510020199*	50-278	P
GENE-523-A110-1095	9510310264*	50-366	Q
GENE-A13-00360-02	9510100342*	50-220	P
GENE-B1100639-01	9510230407*	50-260	P
HI-941184 R03	9511160351*	72-1008	
HI-951251 R03	9510310406*	71-9261	
HQ-ARC-95-08	9510200070*	WASTE MGT	HLWR
INEL-95/0376	9510310071*	50-498	P
INEL-95/0379	9510310366*	50-277	P FIN E-2084
INEL-95/0468	9510250096*	50-390	A TAC M76742
INEL-95/0472	9510160153*	50-250	P
INEL-95/0473	9510050049*	50-313	P
ISE/MP1-95-067 R02	9510230145*	50-245	P
LAS-NPD-95-0032 R00	9510130262*	50-373	P
MD-Q3001-920553 R00	9510180319*	50-296	Q
MD-Q3001-940005 R00	9510160196*	50-296	P
NEDC-30533 R01	9510160175*	50-324	Q
NEDO-31955	9510250010*	72-1	
NUCON 06VA764/04	9510130254*	REVIEW GR	P
NUREG-0540 V17 N07	9510030198	NUREG	
NUREG-0750 V41 I02	9510180192	NUREG	
NUREG-0936 V14 N01	9510030203	NUREG	
NUREG/BR-0191 V02 N4	9510030158	NUREG	
NUREG/CP-0148	9510060240	NUREG	
NUREG/CR-4667 V19	9510030169	NUREG	ANL-95/25
NUREG/CR-6002	9510030191	NUREG	BNL-NUREG-52332
NUREG/CR-6100	9510060250	NUREG	INEL-94/0156
NUREG/CR-6159	9510030209	NUREG	
NUREG/CR-6323	9510060245	NUREG	UCRL-ID-120051
NUREG/CR-6324	9510060248	NUREG	UCRL-ID-120056
NUREG/CR-6358 V01	9510310370	NUREG	
NUREG/CR-6358 V02	9510310376	NUREG	
OIG/95A-18	9510160089	ORG	
ONEI-0400-25 R05	9510020300*	50-414	P
ONEI-0400-50 R05	9510020162*	50-269	P
ONEI-0400-50 R06	9510230032*	50-269	P
ONEI-0400-70 R06	9510020243*	50-287	P
OQA-SA-95-003	9510270344*	WASTE MGT	HLWR
OQA-SA-95-007	9510020097*	WASTE MGT	
ORNL/NRC/LTR-94-28R1	9510200206*	ACRS	
ORNL/TM-12959	9510270379*	PROJ	
PGE-1052 A05	9510180372*	50-344	Y
PJ-24	9208260216*	FOIA	
PL-NF-95-006 R00	9510240361*	50-388	P
PMPR 95-13	9510180330*	WASTE MGT	HLWR
PSA-B-95-17 R00	9510190274*	50-454	P
PSA-B-95-18 R00	9510190209*	50-454	P
SECY-95-205	9508150062	SECY	
SECY-95-217	9509060339	SECY	
SECY-95-226	9509120225	SECY	
SECY-95-235	9509210204	50-344	P
SECY-95-236	9509210207	70-820	
SECY-95-237	9509250334	40-791	
SECY-95-239	9509250325	50-390	A
SECY-95-245	9509290040	SECY	
SECY-95-247	9510200254	COMMISSIO	N
SECY-95-250	9510110290	COMMISSIO	N
SECY-95-251	9510200258	COMMISSIO	N
SECY-95-255	9510260275*	ORG	
SECY-95-256	9510260265	COMMISSIO	N
SNL-366	9510270377*	PROJ	
STD-R-02-016 R05	9510250399*	71-9222	
TVA-COLR-BF3C7 R00	9510190261*	50-296	P
WCAP-12795 R03	9510190023*	50-266	P
WCAP-14274 ADD 01	9510190301*	50-454	P SG-95-10-006
WCAP-14293 R01	9510270126*	52-3	
WCAP-14333 & 14334	9510030227*	TOPREP	
WCAP-14363	9510110327*	50-323	P
WCAP-14447	9510270085*	50-315	P
WVNS-SAR-002 DRFH003	9510260336*	PROJ	
YM-ARP-95-19	9510060056*	WASTE MGT	HLWR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
7902020216	9510100073	95/06/21	FOIA		9208280096	9510060008	95/02/23	FOIA	
7902210024	9510270148	95/10/16	FOIA		9208280098	9510060008	95/02/23	FOIA	
7905250250	9510100073	95/06/21	FOIA		9208280104	9510060008	95/02/23	FOIA	
7911150201	9510100073	95/06/21	FOIA		9208280107	9510060008	95/02/23	FOIA	
7911190190	9510100073	95/06/21	FOIA		9208280118	9510060008	95/02/23	FOIA	
7912310302	9509110321	95/03/08	FOIA		9208280128	9510060008	95/02/23	FOIA	
8001040273	9510100073	95/06/21	FOIA		9208280131	9510060008	95/02/23	FOIA	
8002010386	9510100073	95/06/21	FOIA		9208280137	9510060008	95/02/23	50-445	P
8005130856	9510100073	95/06/21	FOIA		9208280140	9510060008	95/02/23	50-446	P
8008200228	9510100073	95/06/21	FOIA		9208280145	9510060008	95/02/23	FOIA	
8008200232	9510100073	95/06/21	FOIA		9208280148	9510060008	95/02/23	FOIA	
8108260090	9510060008	95/02/23	FOIA		9208280162	9510060008	95/02/23	FOIA	
8108260099	9510060008	95/02/23	FOIA		9208280177	9510060008	95/02/23	FOIA	
8209160333	9510100073	95/06/21	FOIA		9208280182	9510060008	95/02/23	FOIA	
8209160337	9510100073	95/06/21	FOIA		9208280184	9510060008	95/02/23	FOIA	
8209160341	9510100073	95/06/21	FOIA		9208280189	9510060008	95/02/23	FOIA	
8210070009	9510060008	95/02/23	50-397	F	9208280191	9510060008	95/02/23	FOIA	
8303220194	9509110321	95/03/08	FOIA		9208280192	9510060008	95/02/23	FOIA	
8303220196	9509110321	95/03/08	FOIA		9208280204	9510060008	95/02/23	50-440	F
8305060221	9509110321	95/03/08	FOIA		9208280215	9510060008	95/02/23	FOIA	
8406230455	9510100073	95/06/21	FOIA		9208280229	9510060008	95/02/23	50-272	F
8506190460	9510100073	95/06/21	FOIA		9208280239	9510060008	95/02/23	50-397	P
8506190462	9510100073	95/06/21	FOIA		9208280247	9510060008	95/02/23	50-397	P
8508070424	9510060008	95/02/23	50-315	P	9208280248	9510060008	95/02/23	FOIA	
8602260084	9510100073	95/06/21	FOIA		9208280252	9510060008	95/02/23	FOIA	
8606190501	9510100073	95/06/21	FOIA		9208280256	9510060008	95/02/23	50-440	F
8606190548	9510100073	95/06/21	FOIA		9208280261	9510060008	95/02/23	FOIA	
8707160810	9510020014	95/09/05	50-298	P	9208280262	9510060008	95/02/23	FOIA	
8707160815	9510020014	95/09/05	50-298	P	9208280273	9510060008	95/02/23	FOIA	
8707160817	9510020014	95/09/05	50-298	P	9208280288	9510060008	95/02/23	50-397	F
8708180118	9510020014	95/09/05	50-298	P	9210190155	9510130217	95/09/27	50-498	Q
8708180120	9510020014	95/09/05	50-298	P	9212210138	9509250060	95/09/06	50-423	P
8708180140	9510020014	95/09/05	50-298	P	9308120120	9510130217	95/09/27	50-498	Q
8708180143	9510020014	95/09/05	50-298	P	9403010263	9510260349	95/10/23	50-498	P
8802090328	9510130217	95/09/27	50-498	Q	9404180219	9510260154	95/10/03	40-8027	
8901240492	9510130217	95/09/27	50-219	Q	9404270349	9510260154	95/10/03	40-8027	
8902150122	9510130217	95/09/27	50-498	Q	9411030265	9510260154	95/10/03	40-8027	
9001120062	9510130217	95/09/27	50-498	Q	9411030267	9510260154	95/10/03	40-8027	
9003010373	9510130217	95/09/27	50-498	Q	9503300067	9510240388	95/10/27	I&E	
9107250048	9510130217	95/09/27	50-498	Q	9505180427	9505180425	95/05/12	50-382	F
9107310385	9510060008	95/02/23	50-458	Q	9505250087	9510310049	95/10/19	STATE PRO	G
9109130114	9509250060	95/09/06	FOIA		9508160023	9510060028	95/09/29	50-309	P
9109130116	9509250060	95/09/06	FOIA		9508310133	9510270260	95/10/19	70-1257	
9112100123	9510060008	95/02/23	FOIA		9509070100	9510250354	95/08/31	ORG	
9201100295	9510060008	95/02/23	50-397	S	9509210368	9510110301	95/10/02	50-341	F
9206250182	9510060008	95/02/23	FOIA		9509220002	9509150027	95/05/01	40-7397	
9206260290	9510060008	95/02/23	FOIA		9509220004	9509150027	95/05/01	40-7397	
9207200319	9510060008	95/02/23	FOIA		9509220119	9510230093	95/10/06	50-255	F
9208170040	9509250060	95/09/06	FOIA		9509220145	9510110131	95/09/29	50-277	F
9208260106	9510060008	95/02/23	FOIA		9509250346	9510180159	95/10/06	50-338	F
9208260118	9510060008	95/02/23	FOIA		9509250358	9510180159	95/10/06	50-338	F
9208260199	9510060008	95/02/23	FOIA		9509260113	9510230093	95/10/06	50-255	F
9208260213	9510060008	95/02/23	FOIA		9509260357	9509260355	95/08/01	TOPREP	
9208260216	9510060008	95/02/23	FOIA		9510020015	9510020014	95/09/05	50-298	Q
9208260219	9510060008	95/02/23	FOIA		9510020016	9510020014	95/09/05	50-298	Q
9208260262	9510060008	95/02/23	FOIA		9510020020	9510020014	95/09/05	50-298	Q
9208260276	9510060008	95/02/23	FOIA		9510020022	9510020014	95/09/05	50-298	Q
9208260341	9510060008	95/02/23	FOIA		9510020023	9510020014	95/09/05	50-298	P
9208280054	9510060008	95/02/23	FOIA		9510020025	9510020014	95/09/05	50-298	P
9208280082	9510060008	95/02/23	FOIA		9510020029	9510020014	95/09/05	50-298	P

ACCESSION NUMBER

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510020034	9510020014	95/09/05	50-298	P
9510020035	9510020014	95/09/05	50-298	P
9510020036	9510020014	95/09/05	50-298	P
9510020037	9510020014	95/09/05	50-298	Q
9510020040	9510020014	95/09/05	50-298	P
9510020042	9510020014	95/09/05	50-298	P
9510020043	9510020014	95/09/05	50-298	P
9510020045	9510020041	95/09/26	50-315	P
9510020063	9510020062	95/09/27	71-346	
9510020068	9510020066	95/08/03	40-7397	
9510020097	9510020096	95/09/28	WASTE MGT	
9510020099	9510020095	95/09/26	50-245	P
9510020102	9510020095	95/09/26	50-245	P
9510020107	9510020095	95/09/26	50-245	P
9510020108	9510020101	95/09/21	40-*****	
9510020118	9510020111	95/09/22	50-331	Q
9510020121	9510020111	95/09/22	50-331	Q
9510020123	9510020113	95/09/21	50-285	R
9510020126	9510020117	95/09/21	40-*****	
9510020128	9510020114	95/09/26	50-298	Q
9510020130	9510020112	95/09/21	40-7397	
9510020134	9510020127	95/09/28	50-413	P
9510020135	9510020114	95/09/26	50-298	Q
9510020140	9510020138	95/09/26	50-348	P
9510020162	9510020158	95/09/21	50-269	P
9510020163	9510020159	95/09/19	50-213	Q
9510020164	9510020157	95/09/20	50-309	Q
9510020167	9510020157	95/09/20	50-309	Q
9510020175	9510020173	95/09/18	50-220	Q
9510020182	9510020179	95/09/22	50-368	P
9510020184	9510020181	95/09/22	50-334	Q
9510020185	9510020179	95/09/22	50-368	P
9510020188	9510020181	95/09/22	50-334	Q
9510020195	9510020194	95/09/28	50-278	P
9510020199	9510020194	95/09/28	50-278	P
9510020200	9510020196	95/09/20	50-309	Q
9510020206	9510020201	95/09/26	50-334	P
9510020207	9510020201	95/09/26	50-334	P
9510020217	9510020211	95/09/21	50-293	Q
9510020225	9510020222	95/09/21	50-277	Q
9510020229	9510020224	95/09/22	50-270	P
9510020236	9510020226	95/09/27	50-289	P
9510020238	9510020232	95/09/29	52-3	
9510020243	9510020233	95/09/21	50-287	P
9510020257	9510020246	95/09/25	QA999	
9510020261	9510020248	95/09/21	50-237	P
9510020270	9510020253	95/09/25	50-445	P
9510020273	9510020248	95/09/21	50-237	P
9510020279	9510020253	95/09/25	50-445	P
9510020280	9510020275	95/09/20	50-184	Q
9510020300	9510020288	95/09/28	50-414	P
9510020306	9510020303	95/09/28	50-250	P
9510020313	9510020301	95/09/28	50-269	P
9510020339	9510020332	95/09/26	50-443	P
9510020364	9510020363	95/09/27	50-259	F
9510030008	9510030005	95/09/22	50-29	Q
9510030040	9510020341	95/09/13	STATE PRO	G
9510030043	9510020341	95/09/13	STATE PRO	G
9510030049	9510020341	95/09/13	STATE PRO	G
9510030053	9510030051	95/09/22	50-443	Q
9510030062	9510030058	95/09/28	50-275	P
9510030063	9510030058	95/09/28	50-275	P
9510030090	9510030089	95/09/26	40-8724	
9510030108	9510030093	95/09/20	40-8027	
9510030123	9510030093	95/09/20	40-8027	
9510030134	9510030130	95/09/28	TOPREP	
9510030147	9510030136	95/09/25	40-8027	
9510030154	9510030142	95/09/28	50-424	G
9510030159	9510030136	95/09/25	40-8027	
9510030170	9510030166	95/09/20	71-9030	
9510030175	9510030164	95/09/21	50-265	S
9510030179	9510030142	95/09/28	50-424	G
9510030192	9510030188	95/09/20	71-5830	
9510030197	9510030142	95/09/28	50-424	G
9510030204	9510030195	95/09/27	50-397	Q
9510030206	9510030201	95/09/29	50-312	Q
9510030216	9510030194	95/09/28	40-7580	
9510030221	9510030194	95/09/28	40-7580	
9510030227	9510030222	95/09/27	TOPREP	
9510030238	9510030236	95/09/29	50-341	K
9510030239	9510030237	95/09/28	52-3	
9510030246	9510030245	95/09/27	52-3	
9510030268	9510030262	95/09/26	50-445	Q
9510030269	9510030256	95/09/27	50-324	F
9510030274	9510030261	95/09/12	50-413	F
9510030279	9510040095	95/09/27	QA999	
9510030299	9509110321	95/03/08	FOIA	

ACCESSION NUMBER

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510030315	9509110321	95/03/08	FOIA	
9510030325	9510030321	95/09/26	50-296	S
9510030354	9510030352	95/09/29	52-4	
9510040025	9510040024	95/09/29	50-424	K
9510040048	9510040041	95/09/27	71-9234	
9510040050	9510040041	95/09/27	71-9234	
9510040051	9510040041	95/09/27	71-9234	
9510040067	9510040060	95/09/28	40-8027	
9510040070	9510040065	95/09/29	71-*****	
9510040077	9510040076	95/09/27	71-678	
9510040090	9510040081	95/10/02	71-9032	
9510040106	9510040103	95/09/13	50-528	F
9510040107	9510040099	95/09/27	STATE PRO	G
9510040109	9510040097	95/09/29	70-36	
9510040110	9510040095	95/09/27	QA999	
9510040134	9510040126	95/09/22	40-8857	
9510040147	9510040144	95/10/02	70-27	
9510040150	9510040144	95/10/02	70-27	
9510040154	9510040141	95/09/22	50-390	A
9510040165	9510040162	95/09/26	71-538	
9510040173	9510040171	95/09/27	50-277	P
9510040176	9510040174	95/09/28	50-285	P
9510040188	9510040186	95/09/29	50-395	Q
9510040200	9510040192	95/09/28	50-286	P
9510040221	9510040210	95/09/29	50-456	P
9510040229	9510040224	95/10/02	50-390	A
9510040247	9510040240	95/09/28	50-387	P
9510040259	9510040246	95/09/29	50-237	P
9510040263	9510040255	95/09/27	50-387	P
9510040277	9510040274	95/10/02	50-298	P
9510040282	9510040279	95/09/28	50-390	F
9510040283	9510040268	95/10/02	50-387	P
9510040288	9510040284	95/09/29	50-155	P
9510040294	9510040287	95/09/26	50-255	Y
9510040296	9510040289	95/09/25	50-313	K
9510040299	9510040293	95/10/02	50-313	P
9510040300	9510040289	95/09/25	50-313	K
9510040312	9510040307	95/09/27	50-346	P
9510040314	9510040306	95/09/27	50-346	P
9510040323	9510040319	95/09/26	50-440	P
9510040324	9510040318	95/09/30	50-390	H
9510040325	9510040319	95/09/26	50-440	P
9510040326	9510040322	95/10/02	50-327	P
9510040327	9510040322	95/10/02	50-327	P
9510040331	9510040330	94/07/11	REVIEW GR	P
9510040334	9510040333	95/09/29	50-313	P
9510040337	9510040336	95/09/27	50-368	P
9510050005	9510050003	95/09/25	50-354	Q
9510050006	9510050003	95/09/25	50-354	Q
9510050013	9510050010	95/09/28	50-315	P
9510050016	9510050011	95/09/29	50-390	E
9510050018	9510050010	95/09/28	50-315	P
9510050019	9510050015	95/09/27	50-251	P
9510050021	9510050020	95/09/28	50-272	P
9510050027	9510050022	95/09/28	50-390	Q
9510050030	9510050025	95/10/02	50-295	P
9510050031	9510050025	95/10/02	50-295	P
9510050037	9510050033	95/09/28	50-348	P
9510050038	9510050036	95/09/27	50-440	P
9510050040	9510050033	95/09/28	50-348	P
9510050047	9510050044	95/09/25	50-443	Q
9510050049	9510050042	95/09/27	50-313	P
9510050051	9510050043	95/09/30	50-390	H
9510050057	9510050048	95/09/28	50-348	P
9510050060	9510050053	95/09/30	50-390	H
9510050063	9510050048	95/09/28	50-348	P
9510050072	9510050066	95/09/30	50-390	H
9510050082	9510050080	95/09/22	50-277	Q
9510050086	9510050081	95/10/02	50-309	P
9510050088	9510050080	95/09/22	50-277	Q
9510050089	9510050081	95/10/02	50-309	P
9510050093	9510050085	95/09/29	50-400	S
9510050095	9510050079	95/09/29	50-302	P
9510050096	9510050094	95/10/02	50-387	F
9510050106	9510050102	95/06/30	WASTE MGT	
9510050118	9510050111	95/09/28	50-272	P
9510050119	9510050105	95/09/29	50-254	P
9510050124	9510050120	95/09/28	50-272	P
9510050141	9510050121	95/09/20	WASTE MGT	
9510050143	9510050139	95/10/02	50-440	S
9510050151	9510050139	95/10/02	50-440	S
9510050153	9510050145	95/10/02	50-287	H
9510050156	9510050139	95/10/02	50-440	S
9510050159	9510050145	95/10/02	50-287	H
9510050164	9510050157	95/09/27	50-213	P
9510050167	9510050161	95/09/27	40-8838	
9510050186	9510050183	95/09/28	50-458	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510050188	9510050179	95/10/02	50-289	P	9510060334	9510060324	95/09/27	CONTRACT	
9510050189	9510310197	95/10/24	50-266	F	9510060340	9510060332	95/10/02	ORG	
9510050190	9510050179	95/10/02	50-289	P	9510060349	9510060344	95/09/12	PR	
9510050194	9510310197	95/10/24	50-266	F	9510060361	9510060354	95/10/05	50-352	Q
9510050196	9510050192	95/09/28	50-400	F	9510060370	9510060362	95/10/05	TOPREP	
9510050205	9510050201	95/10/02	REVIEW GR	P	9510060371	9510060367	95/10/05	TOPREP	
9510050210	9510050201	95/10/02	REVIEW GR	P	9510100014	9510100010	95/08/16	CONTRACT	
9510050213	9510050212	95/09/28	50-368	P	9510100022	9510100016	95/10/04	50-382	P
9510050215	9510050212	95/09/28	50-368	P	9510100024	9510100016	95/10/04	50-382	P
9510050219	9510050217	95/09/12	40-7397		9510100046	9510100035	95/10/03	50-397	Q
9510050226	9510050223	95/09/14	WASTE MGT		9510100051	9510100047	95/09/27	50-382	P
9510050227	9510050221	95/09/28	50-259	P	9510100053	9510100048	95/10/04	50-409	Q
9510050234	9510050230	95/09/25	WASTE MGT		9510100055	9510100050	95/10/05	50-390	A
9510050238	9510050233	95/05/11	50-10	F	9510100060	9510100047	95/09/27	50-382	P
9510050240	9510050236	95/09/28	50-368	P	9510100062	9510100058	95/10/02	50-309	Q
9510050241	9510050236	95/09/28	50-368	P	9510100068	9510100052	95/09/28	PROJ	
9510050245	9510050230	95/09/25	WASTE MGT		9510100076	9510100073	95/06/21	FOIA	
9510050249	9510050246	95/10/01	50-275	P	9510100083	9510100073	95/06/21	FOIA	
9510050251	9510050246	95/10/01	50-275	P	9510100092	9510100073	95/06/21	FOIA	
9510050253	9510050247	95/10/02	50-361	Q	9510100100	9510100073	95/06/21	FOIA	
9510050257	9510050255	95/09/26	50-317	P	9510100106	9510100073	95/06/21	FOIA	
9510050259	9510050255	95/09/26	50-317	P	9510100108	9510100073	95/06/21	FOIA	
9510050262	9510050248	95/10/03	52-3		9510100111	9510100073	95/06/21	FOIA	
9510050264	9510040298	95/10/02	50-327	P	9510100114	9510100073	95/06/21	FOIA	
9510050267	9510050230	95/09/25	WASTE MGT		9510100117	9510100093	95/09/29	50-275	P
9510050274	9510050230	95/09/25	WASTE MGT		9510100119	9510100073	95/06/21	FOIA	
9510050280	9510050276	95/10/03	50-259	P	9510100120	9510100115	95/08/31	CONTRACT	
9510050287	9510050281	95/09/27	50-373	P	9510100123	9510100073	95/06/21	FOIA	
9510050290	9510050281	95/09/27	50-373	P	9510100124	9510100109	95/09/29	50-346	P
9510050293	9510050291	95/09/20	70-1257		9510100125	9510100073	95/06/21	FOIA	
9510050299	9510050294	95/10/03	52-4		9510100126	9510100093	95/09/29	50-275	P
9510050307	9510050303	95/10/02	50-317	P	9510100127	9510100073	95/06/21	FOIA	
9510050314	9510050285	95/09/26	50-245	P	9510100130	9510100073	95/06/21	FOIA	
9510060012	9510060011	95/10/02	50-352	S	9510100131	9510100073	95/06/21	FOIA	
9510060015	9510060014	95/09/29	50-410	S	9510100133	9510100109	95/09/29	50-346	P
9510060018	9510060008	95/02/23	FOIA		9510100134	9510100073	95/06/21	FOIA	
9510060019	9510060008	95/02/23	FOIA		9510100137	9510100073	95/06/21	FOIA	
9510060022	9510060008	95/02/23	50-397	Q	9510100140	9510100073	95/06/21	FOIA	
9510060040	9510060028	95/09/29	50-309	P	9510100142	9510100073	95/06/21	FOIA	
9510060042	9510060031	95/10/02	50-315	S	9510100143	9510100073	95/06/21	FOIA	
9510060044	9510060031	95/10/02	50-315	S	9510100148	9510100073	95/06/21	FOIA	
9510060045	9510060034	95/08/17	XPORTLIC		9510100150	9510100073	95/06/21	FOIA	
9510060048	9510060039	95/09/29	50-445	Q	9510100151	9510100073	95/06/21	FOIA	
9510060049	9510060034	95/08/17	XPORTLIC		9510100153	9510100073	95/06/21	FOIA	
9510060056	9510060050	95/09/28	WASTE MGT		9510100156	9510100141	95/09/13	CONTRACT	
9510060057	9510060052	95/09/08	70-1252		9510100157	9510100073	95/06/21	FOIA	
9510060058	9510060052	95/09/08	70-1252		9510100161	9510100073	95/06/21	FOIA	
9510060063	9510060034	95/08/17	XPORTLIC		9510100163	9510100158	95/10/04	50-295	P
9510060064	9510060008	95/02/23	FOIA		9510100164	9510100073	95/06/21	FOIA	
9510060069	9510060052	95/09/08	70-1252		9510100168	9510100073	95/06/21	FOIA	
9510060075	9510060073	95/08/23	70-1252		9510100172	9510100073	95/06/21	FOIA	
9510060076	9510060071	95/09/27	50-461	P	9510100175	9510100073	95/06/21	FOIA	
9510060183	9510060176	95/09/21	40-9024		9510100176	9510100073	95/06/21	FOIA	
9510060187	9510060008	95/02/23	FOIA		9510100182	9510100174	95/10/02	50-346	P
9510060198	9510060194	95/10/03	71-9222		9510100183	9510100073	95/06/21	FOIA	
9510060204	9510060008	95/02/23	FOIA		9510100184	9510100174	95/10/02	50-346	P
9510060206	9510060008	95/02/23	FOIA		9510100188	9510100073	95/06/21	FOIA	
9510060209	9510060208	95/09/29	50-275	P	9510100196	9510100073	95/06/21	FOIA	
9510060211	9510060008	95/02/23	FOIA		9510100197	9510100191	95/09/28	COMMISSIO	N
9510060213	9510060210	95/10/03	71-5862		9510100199	9510100073	95/06/21	FOIA	
9510060215	9510060008	95/02/23	FOIA		9510100205	9510100073	95/06/21	FOIA	
9510060216	9510060214	95/10/03	71-9057		9510100206	9510100202	95/09/26	50-413	Q
9510060217	9510060008	95/02/23	FOIA		9510100208	9510100073	95/06/21	FOIA	
9510060220	9510060008	95/02/23	50-446	P	9510100211	9510100073	95/06/21	FOIA	
9510060225	9510060008	95/02/23	FOIA		9510100212	9510100195	95/09/22	50-321	Q
9510060226	9510060008	95/02/23	FOIA		9510100215	9510100198	95/09/28	50-280	Q
9510060228	9510060008	95/02/23	FOIA		9510100216	9510100200	95/09/29	50-250	Q
9510060231	9510060230	95/10/02	50-245	P	9510100217	9510100073	95/06/21	FOIA	
9510060235	9510060008	95/02/23	FOIA		9510100218	9510100210	95/09/25	50-387	Q
9510060236	9510060234	95/10/02	50-318	P	9510100219	9510100073	95/06/21	FOIA	
9510060238	9510060008	95/02/23	FOIA		9510100224	9510100073	95/06/21	FOIA	
9510060243	9510060242	95/09/29	50-336	P	9510100225	9510100073	95/06/21	FOIA	
9510060251	9510060247	95/09/29	50-346	P	9510100226	9510100220	95/09/25	50-324	Q
9510060253	9510060246	95/09/06	CONTRACT		9510100231	9510100073	95/06/21	FOIA	
9510060264	9510060261	95/09/29	50-498	Q	9510100232	9510100223	95/09/28	50-400	Q
9510060265	9510060254	95/09/29	50-267	Q	9510100236	9510100073	95/06/21	FOIA	
9510060269	9510060274	95/09/25	CONTRACT		9510100237	9510100073	95/06/21	FOIA	
9510060281	9510060273	95/08/25	CONTRACT		9510100243	9510100073	95/06/21	FOIA	
9510060283	9510060280	95/09/29	50-458	Q	9510100245	9510100073	95/06/21	FOIA	
9510060286	9510060280	95/09/29	50-458	Q	9510100247	9510100233	95/09/28	50-416	Q
9510060295	9510100170	95/09/01	CONTRACT		9510100248	9510100073	95/06/21	FOIA	
9510060296	9510060291	95/10/02	50-424	P	9510100249	9510100073	95/06/21	FOIA	
9510060303	9510060300	95/09/19	CONTRACT		9510100250	9510100234	95/09/29	50-321	Q
9510060323	9510060320	95/09/30	50-275	P	9510100254	9510100073	95/06/21	FOIA	
9510060326	9510060320	95/09/30	50-275	P	9510100255	9510100246	95/06/23	50-390	Q
9510060327	9510060320	95/09/30	50-275	P	9510100257	9510100073	95/06/21	FOIA	
9510060333	9510060330	95/09/25	50-368	P	9510100258	9510100073	95/06/21	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510100259	9510100073	95/06/21	FOIA		9510110234	9510110014	95/08/22	XPORTLIC	
9510100262	9510100234	95/09/29	50-321	Q	9510110251	9510100073	95/06/21	FOIA	
9510100265	9510100073	95/06/21	FOIA		9510110252	9510110243	95/10/02	50-282	Y
9510100270	9510100260	95/09/29	50-259	Q	9510110256	9510100073	95/06/21	FOIA	
9510100271	9510100073	95/06/21	FOIA		9510110257	9510110240	95/10/02	FOIA	
9510100275	9510100073	95/06/21	FOIA		9510110258	9510110250	95/10/04	40-3392	
9510100276	9510100073	95/06/21	FOIA		9510110261	9510110243	95/10/02	50-282	Y
9510100278	9510100073	95/06/21	FOIA		9510110264	9510100073	95/06/21	FOIA	
9510100279	9510100073	95/06/21	FOIA		9510110267	9510100073	95/06/21	FOIA	
9510100280	9510100073	95/06/21	FOIA		9510110269	9510100073	95/06/21	FOIA	
9510100282	9510100269	95/10/03	50-454	P	9510110271	9510110250	95/10/04	40-3392	
9510100283	9510100073	95/06/21	FOIA		9510110272	9510100073	95/06/21	FOIA	
9510100284	9510100073	95/06/21	FOIA		9510110273	9510110259	95/10/02	STATE PRO	G
9510100286	9510100073	95/06/21	FOIA		9510110278	9510100073	95/06/21	FOIA	
9510100287	9510100272	95/09/29	50-424	Q	9510110279	9510110276	95/10/02	50-341	P
9510100288	9510100073	95/06/21	FOIA		9510110283	9510100073	95/06/21	FOIA	
9510100289	9510100272	95/09/29	50-424	Q	9510110288	9510100073	95/06/21	FOIA	
9510100290	9510100073	95/06/21	FOIA		9510110292	9510100073	95/06/21	FOIA	
9510100291	9510100073	95/06/21	FOIA		9510110295	9510100073	95/06/21	FOIA	
9510100293	9510100073	95/06/21	FOIA		9510110302	9510100073	95/06/21	FOIA	
9510100295	9510100073	95/06/21	FOIA		9510110303	9510110277	95/10/06	50-397	P
9510100296	9510100073	95/06/21	FOIA		9510110308	9510100073	95/06/21	FOIA	
9510100300	9510100073	95/06/21	FOIA		9510110312	9510100073	95/06/21	FOIA	
9510100301	9510100073	95/06/21	FOIA		9510110314	9510110301	95/10/02	50-341	F
9510100303	9510100073	95/06/21	FOIA		9510110321	9510100073	95/06/21	FOIA	
9510100305	9510100073	95/06/21	FOIA		9510110326	9510100073	95/06/21	FOIA	
9510100306	9510100073	95/06/21	FOIA		9510110327	9510110318	95/10/04	50-323	P
9510100309	9510100073	95/06/21	FOIA		9510110328	9510110014	95/08/22	XPORTLIC	
9510100312	9510100298	95/10/03	WASTE MGT		9510110329	9510100073	95/06/21	FOIA	
9510100318	9510100316	95/10/03	50-220	P	9510110330	9510100073	95/06/21	FOIA	
9510100328	9510100073	95/06/21	FOIA		9510110335	9510100073	95/06/21	FOIA	
9510100332	9510100330	95/10/02	71-*****		9510110336	9510100073	95/06/21	FOIA	
9510100342	9510100339	95/10/02	50-220	P	9510110343	9510100073	95/06/21	FOIA	
9510100359	9510100354	95/09/29	50-293	K	9510110347	9510100073	95/06/21	FOIA	
9510100368	9510100366	95/10/03	50-529	P	9510110353	9510100073	95/06/21	FOIA	
9510100370	9510100367	95/10/02	50-327	Q	9510110354	9510100073	95/06/21	FOIA	
9510100371	9510100073	95/06/21	FOIA		9510110358	9510100073	95/06/21	FOIA	
9510100372	9510100367	95/10/02	50-327	Q	9510110365	9510100073	95/06/21	FOIA	
9510100374	9510100073	95/06/21	FOIA		9510110366	9510100073	95/06/21	FOIA	
9510100379	8902070045	89/01/30	50-213	Q	9510110369	9510100073	95/06/21	FOIA	
9510100381	8912080071	89/11/16	50-250	Q	9510110374	9510100073	95/06/21	FOIA	
9510100383	9510100073	95/06/21	FOIA		9510110375	9510110014	95/08/22	XPORTLIC	
9510100388	9510100073	95/06/21	FOIA		9510110377	9510100073	95/06/21	FOIA	
9510100390	9510100073	95/06/21	FOIA		9510110379	9510100073	95/06/21	FOIA	
9510100392	8912080071	89/11/16	50-250	Q	9510110382	9510110367	95/10/05	50-312	W
9510100396	9510100073	95/06/21	FOIA		9510110385	9510100073	95/06/21	FOIA	
9510100399	9510100073	95/06/21	FOIA		9510110386	9510110367	95/10/05	50-312	W
9510100402	9510100073	95/06/21	FOIA		9510110387	9510100073	95/06/21	FOIA	
9510110016	9510060313	95/10/04	50-458	F	9510110390	9510110378	95/10/05	50-317	P
9510110030	9510110027	95/10/04	50-275	P	9510110392	9510100073	95/06/21	FOIA	
9510110031	9510110022	95/09/29	50-289	Q	9510110393	9510110378	95/10/05	50-317	P
9510110035	9510110027	95/10/04	50-275	P	9510110397	9510100073	95/06/21	FOIA	
9510110045	9510110041	95/10/07	50-354	P	9510110400	9510120413	95/09/20	XPORTLIC	
9510110047	9510110037	95/10/03	50-244	Q	9510110408	9510110187	95/10/05	50-245	P
9510110064	9510110056	95/10/04	50-219	Q	9510120001	9510100073	95/06/21	FOIA	
9510110065	9510110054	95/10/03	50-245	P	9510120002	9510100073	95/06/21	FOIA	
9510110068	9510110061	95/10/03	50-277	F	9510120003	9510100073	95/06/21	FOIA	
9510110079	9510110075	95/10/04	50-285	Q	9510120004	9510100073	95/06/21	FOIA	
9510110085	9510110081	95/09/15	40-8778		9510120006	9510100073	95/06/21	FOIA	
9510110091	9510110080	95/10/06	50-498	Q	9510120007	9510100073	95/06/21	FOIA	
9510110093	9510110075	95/10/04	50-285	Q	9510120009	9510100073	95/06/21	FOIA	
9510110099	9510110084	95/10/06	50-397	Q	9510120011	9510100073	95/06/21	FOIA	
9510110103	9510110090	95/09/22	50-289	Q	9510120013	9510100073	95/06/21	FOIA	
9510110105	9510110084	95/10/06	50-397	Q	9510120014	9510100073	95/06/21	FOIA	
9510110107	9510110097	95/10/06	50-445	Q	9510120015	9510100073	95/06/21	FOIA	
9510110110	9510110098	95/10/02	50-285	S	9510120018	9510100073	95/06/21	FOIA	
9510110123	9510110114	95/09/29	50-213	Q	9510120019	9510100073	95/06/21	FOIA	
9510110126	9510110111	95/10/04	50-498	Q	9510120021	9510100073	95/06/21	FOIA	
9510110128	9510110118	95/10/06	50-251	Q	9510120023	9510100073	95/06/21	FOIA	
9510110132	9510110121	95/09/21	50-361	Q	9510120027	9510100073	95/06/21	FOIA	
9510110134	9510110131	95/09/29	50-277	F	9510120029	9510100073	95/06/21	FOIA	
9510110136	9510110125	95/10/05	50-445	Q	9510120032	9510100073	95/06/21	FOIA	
9510110137	9510110135	95/10/06	50-295	P	9510120035	9510100073	95/06/21	FOIA	
9510110142	9510110125	95/10/05	50-445	Q	9510120040	9510100073	95/06/21	FOIA	
9510110149	9510110148	95/10/06	50-336	P	9510120041	9510100073	95/06/21	FOIA	
9510110156	9510110014	95/08/22	XPORTLIC		9510120043	9510100073	95/06/21	FOIA	
9510110165	9510110161	95/09/26	50-424	T	9510120044	9510100073	95/06/21	FOIA	
9510110168	9510110014	95/08/22	XPORTLIC		9510120046	9510100073	95/06/21	FOIA	
9510110171	9510110162	95/08/30	CONTRACT		9510120048	9510100073	95/06/21	FOIA	
9510110176	9510110170	95/09/07	CONTRACT		9510120049	9510100073	95/06/21	FOIA	
9510110179	9510110173	95/09/22	50-243	F	9510120053	9510100073	95/06/21	FOIA	
9510110182	9510110014	95/08/22	XPORTLIC		9510120054	9510110014	95/08/22	XPORTLIC	
9510110189	9510110184	95/10/04	50-250	P	9510120060	9510110014	95/08/22	XPORTLIC	
9510110198	9510110014	95/08/22	XPORTLIC		9510120061	9510100073	95/06/21	FOIA	
9510110203	9510110014	95/08/22	XPORTLIC		9510120064	9510100073	95/06/21	FOIA	
9510110219	9510110192	95/10/02	50-259	P	9510120066	9510100073	95/06/21	FOIA	
9510110224	9510110217	95/08/16	40-341		9510120070	9510110014	95/08/22	XPORTLIC	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510120072	9510100073	95/06/21	FOIA		9510120248	9510100073	95/06/21	FOIA	
9510120075	9510100073	95/06/21	FOIA		9510120251	9510100073	95/06/21	FOIA	
9510120076	9510100073	95/06/21	FOIA		9510120255	9510100073	95/06/21	FOIA	
9510120078	9510110014	95/08/22	XPORTLIC		9510120257	9510100073	95/06/21	FOIA	
9510120079	9510100073	95/06/21	FOIA		9510120259	9510100073	95/06/21	FOIA	
9510120082	9510100073	95/06/21	FOIA		9510120260	9510120249	95/10/06	50-128	F
9510120083	9510100073	95/06/21	FOIA		9510120262	9510110014	95/08/22	XPORTLIC	
9510120084	9510100073	95/06/21	FOIA		9510120264	9510100073	95/06/21	FOIA	
9510120085	9510100073	95/06/21	FOIA		9510120268	9510110014	95/08/22	XPORTLIC	
9510120087	9510100073	95/06/21	FOIA		9510120270	9510100073	95/06/21	FOIA	
9510120089	9510100073	95/06/21	FOIA		9510120273	9510100073	95/06/21	FOIA	
9510120091	9510100073	95/06/21	FOIA		9510120275	9510100073	95/06/21	FOIA	
9510120092	9510100073	95/06/21	FOIA		9510120277	9510100073	95/06/21	FOIA	
9510120094	9510100073	95/06/21	FOIA		9510120278	9510120272	95/10/06	72-1004	
9510120095	9510100073	95/06/21	FOIA		9510120282	9510120256	95/10/06	52-3	
9510120097	9510100073	95/06/21	FOIA		9510120284	9510110014	95/08/22	XPORTLIC	
9510120098	9510110014	95/08/22	XPORTLIC		9510120286	9510100073	95/06/21	FOIA	
9510120099	9510100073	95/06/21	FOIA		9510120288	9510100073	95/06/21	FOIA	
9510120102	9510100073	95/06/21	FOIA		9510120291	9510100073	95/06/21	FOIA	
9510120104	9510100073	95/06/21	FOIA		9510120294	9510100073	95/06/21	FOIA	
9510120106	9510110014	95/08/22	XPORTLIC		9510120296	9510120293	95/09/20	PR	
9510120107	9510100073	95/06/21	FOIA		9510120297	9510110014	95/08/22	XPORTLIC	
9510120108	9510100073	95/06/21	FOIA		9510120300	9510100073	95/06/21	FOIA	
9510120111	9510100073	95/06/21	FOIA		9510120301	9510100073	95/06/21	FOIA	
9510120112	9510100073	95/06/21	FOIA		9510120305	9510100073	95/06/21	FOIA	
9510120114	9510100073	95/06/21	FOIA		9510120307	9510100073	95/06/21	FOIA	
9510120117	9510120105	95/10/06	ORG		9510120310	9510100073	95/06/21	FOIA	
9510120120	9510110014	95/08/22	XPORTLIC		9510120313	9510100073	95/06/21	FOIA	
9510120121	9510100073	95/06/21	FOIA		9510120318	9510100073	95/06/21	FOIA	
9510120122	9510120116	95/10/05	50-482	P	9510120320	9510100073	95/06/21	FOIA	
9510120123	9510100073	95/06/21	FOIA		9510120321	9510100073	95/06/21	FOIA	
9510120124	9510100073	95/06/21	FOIA		9510120327	9510100073	95/06/21	FOIA	
9510120127	9510120105	95/10/06	ORG		9510120329	9510100073	95/06/21	FOIA	
9510120129	9510100073	95/06/21	FOIA		9510120330	9510100073	95/06/21	FOIA	
9510120132	9510100073	95/06/21	FOIA		9510120333	9510110014	95/08/22	XPORTLIC	
9510120133	9510100073	95/06/21	FOIA		9510120334	9510100073	95/06/21	FOIA	
9510120137	9510100073	95/06/21	FOIA		9510120335	9510120256	95/10/06	52-3	
9510120138	9510100073	95/06/21	FOIA		9510120338	9510100073	95/06/21	FOIA	
9510120140	9510120134	95/10/04	50-482	P	9510120341	9510100073	95/06/21	FOIA	
9510120142	9510100073	95/06/21	FOIA		9510120347	9510100073	95/06/21	FOIA	
9510120144	9510120134	95/10/04	50-482	P	9510120348	9510100073	95/06/21	FOIA	
9510120147	9510100073	95/06/21	FOIA		9510120351	9510120317	95/09/06	COMMISSIO	N
9510120148	9510100073	95/06/21	FOIA		9510120354	9510100073	95/06/21	FOIA	
9510120150	9510100073	95/06/21	FOIA		9510120355	9510100073	95/06/21	FOIA	
9510120157	9510100073	95/06/21	FOIA		9510120356	9510100073	95/06/21	FOIA	
9510120158	9510120152	95/10/04	50-327	P	9510120359	9510100073	95/06/21	FOIA	
9510120161	9510120152	95/10/04	50-327	P	9510120363	9510100073	95/06/21	FOIA	
9510120164	9510100073	95/06/21	FOIA		9510120365	9510100073	95/06/21	FOIA	
9510120168	9510100073	95/06/21	FOIA		9510120368	9510100073	95/06/21	FOIA	
9510120171	9510100073	95/06/21	FOIA		9510120369	9510100073	95/06/21	FOIA	
9510120172	9510100073	95/06/21	FOIA		9510120371	9510100073	95/06/21	FOIA	
9510120176	9510100073	95/06/21	FOIA		9510120374	9510100073	95/06/21	FOIA	
9510120177	9510110014	95/08/22	XPORTLIC		9510120380	9510100073	95/06/21	FOIA	
9510120178	9510100073	95/06/21	FOIA		9510120383	9510100073	95/06/21	FOIA	
9510120180	9510120173	95/10/06	50-281	P	9510120387	9510120379	95/09/19	ORG	
9510120183	9510100073	95/06/21	FOIA		9510120389	9510100073	95/06/21	FOIA	
9510120184	9510100073	95/06/21	FOIA		9510120391	9510100073	95/06/21	FOIA	
9510120185	9510100073	95/06/21	FOIA		9510120393	9510110014	95/08/22	XPORTLIC	
9510120186	9510100073	95/06/21	FOIA		9510120395	9510100073	95/06/21	FOIA	
9510120190	9510100073	95/06/21	FOIA		9510120397	9510100073	95/06/21	FOIA	
9510120192	9510100073	95/06/21	FOIA		9510120398	9510100073	95/06/21	FOIA	
9510120194	9510100073	95/06/21	FOIA		9510120399	9510100073	95/06/21	FOIA	
9510120195	9510110014	95/08/22	XPORTLIC		9510120400	9510100073	95/06/21	FOIA	
9510120196	9510100073	95/06/21	FOIA		9510120401	9510100073	95/06/21	FOIA	
9510120197	9510100073	95/06/21	FOIA		9510120402	9510100073	95/06/21	FOIA	
9510120200	9510100073	95/06/21	FOIA		9510120403	9510100073	95/06/21	FOIA	
9510120202	9510100073	95/06/21	FOIA		9510120404	9510100073	95/06/21	FOIA	
9510120203	9510110014	95/08/22	XPORTLIC		9510120407	9510110163	95/10/05	50-410	P
9510120204	9510100073	95/06/21	FOIA		9510120409	9510120408	95/10/04	50-266	P
9510120206	9510120199	95/10/05	ORG		9510130003	9510130002	95/10/06	50-423	P
9510120207	9510100073	95/06/21	FOIA		9510130004	9510100073	95/06/21	FOIA	
9510120208	9510100073	95/06/21	FOIA		9510130006	9510100073	95/06/21	FOIA	
9510120212	9510100073	95/06/21	FOIA		9510130008	9510100073	95/06/21	FOIA	
9510120216	9510110014	95/08/22	XPORTLIC		9510130009	9510130007	95/10/10	50-62	P
9510120219	9510100073	95/06/21	FOIA		9510130010	9510100073	95/06/21	FOIA	
9510120221	9510100073	95/06/21	FOIA		9510130012	9510100073	95/06/21	FOIA	
9510120225	9510100073	95/06/21	FOIA		9510130014	9510100073	95/06/21	FOIA	
9510120227	9510120214	95/10/10	PROJ		9510130016	9510100073	95/06/21	FOIA	
9510120228	9510100073	95/06/21	FOIA		9510130025	9510100073	95/06/21	FOIA	
9510120230	9510100073	95/06/21	FOIA		9510130029	9510100073	95/06/21	FOIA	
9510120232	9510100073	95/06/21	FOIA		9510130032	9510100073	95/06/21	FOIA	
9510120234	9510100073	95/06/21	FOIA		9510130036	9510100073	95/06/21	FOIA	
9510120236	9510100073	95/06/21	FOIA		9510130039	9510100073	95/06/21	FOIA	
9510120239	9510100073	95/06/21	FOIA		9510130040	9510100073	95/06/21	FOIA	
9510120241	9510100073	95/06/21	FOIA		9510130041	9510100073	95/06/21	FOIA	
9510120244	9510100073	95/06/21	FOIA		9510130043	9510100073	95/06/21	FOIA	
9510120246	9510100073	95/06/21	FOIA		9510130045	9510110014	95/08/22	XPORTLIC	

ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510130047	9510100073	95/06/21	FOIA	
9510130050	9510100073	95/06/21	FOIA	
9510130051	9510100073	95/06/21	FOIA	
9510130053	9510110014	95/08/22	XPORTLIC	
9510130054	9510100073	95/06/21	FOIA	
9510130056	9510100073	95/06/21	FOIA	
9510130058	9510100073	95/06/21	FOIA	
9510130064	9510100073	95/06/21	FOIA	
9510130065	9510130055	95/10/06	40-*****	
9510130068	9510100073	95/06/21	FOIA	
9510130069	9510100073	95/06/21	FOIA	
9510130070	9510110014	95/08/22	XPORTLIC	
9510130071	9510100073	95/06/21	FOIA	
9510130074	9510110014	95/08/22	XPORTLIC	
9510130076	9510100073	95/06/21	FOIA	
9510130080	9510100073	95/06/21	FOIA	
9510130081	9510100073	95/06/21	FOIA	
9510130083	9510100073	95/06/21	FOIA	
9510130085	9510100073	95/06/21	FOIA	
9510130087	9510100073	95/06/21	FOIA	
9510130088	9510100073	95/06/21	FOIA	
9510130089	9510110014	95/08/22	XPORTLIC	
9510130091	9510100073	95/06/21	FOIA	
9510130092	9510100073	95/06/21	FOIA	
9510130095	9510100073	95/06/21	FOIA	
9510130096	9510100073	95/06/21	FOIA	
9510130097	9510100073	95/06/21	FOIA	
9510130098	9510130086	95/10/05	50-397	P
9510130102	9510100073	95/06/21	FOIA	
9510130103	9510100073	95/06/21	FOIA	
9510130104	9510130086	95/10/05	50-397	P
9510130105	9510100073	95/06/21	FOIA	
9510130106	9510100073	95/06/21	FOIA	
9510130109	9510100073	95/06/21	FOIA	
9510130114	9510100073	95/06/21	FOIA	
9510130115	9510100073	95/06/21	FOIA	
9510130117	9510100073	95/06/21	FOIA	
9510130120	9510100073	95/06/21	FOIA	
9510130122	9510100073	95/06/21	FOIA	
9510130125	9510130121	95/09/28	FOIA	
9510130126	9510100073	95/06/21	FOIA	
9510130128	9510100073	95/06/21	FOIA	
9510130134	9510100073	95/06/21	FOIA	
9510130135	9510100073	95/06/21	FOIA	
9510130136	9510100073	95/06/21	FOIA	
9510130140	9510100073	95/06/21	FOIA	
9510130142	9510130130	95/10/11	ADVCM	
9510130143	9510100073	95/06/21	FOIA	
9510130144	9510100073	95/06/21	FOIA	
9510130148	9510100073	95/06/21	FOIA	
9510130149	9510100073	95/06/21	FOIA	
9510130157	9510100073	95/06/21	FOIA	
9510130158	9510130152	95/10/11	ADVCM	
9510130159	9510100073	95/06/21	FOIA	
9510130164	9510100073	95/06/21	FOIA	
9510130165	9510100073	95/06/21	FOIA	
9510130171	9510100073	95/06/21	FOIA	
9510130173	9510100073	95/06/21	FOIA	
9510130174	9510100073	95/06/21	FOIA	
9510130175	9510100073	95/06/21	FOIA	
9510130177	9510100073	95/06/21	FOIA	
9510130178	9510100073	95/06/21	FOIA	
9510130181	9510100073	95/06/21	FOIA	
9510130182	9510100073	95/06/21	FOIA	
9510130185	9510100073	95/06/21	FOIA	
9510130186	9510100073	95/06/21	FOIA	
9510130190	9510100073	95/06/21	FOIA	
9510130194	9510100073	95/06/21	FOIA	
9510130197	9510130193	95/10/05	50-285	P
9510130199	9510100073	95/06/21	FOIA	
9510130202	9510130193	95/10/05	50-285	P
9510130203	9510100073	95/06/21	FOIA	
9510130206	9510100073	95/06/21	FOIA	
9510130210	9510100073	95/06/21	40-962	
9510130212	9510100073	95/06/21	FOIA	
9510130213	9510100073	95/06/21	FOIA	
9510130218	9510130215	95/10/10	50-354	P
9510130222	9510100073	95/06/21	FOIA	
9510130229	9510130224	95/10/05	50-285	P
9510130233	9510130227	95/10/04	71-9034	
9510130244	9510130240	95/10/06	50-237	S
9510130254	9510130247	95/10/03	REVIEW GR	P
9510130257	9510130253	95/10/02	50-373	P
9510130262	9510130253	95/10/02	50-373	P
9510130269	9510100073	95/06/21	FOIA	
9510130274	9510100073	95/06/21	FOIA	
9510130276	9510130264	95/10/06	50-341	P

ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510130279	9510100073	95/06/21	FOIA	
9510130281	9510130217	95/09/27	50-498	Q
9510130284	9510100073	95/06/21	FOIA	
9510130285	9510100073	95/06/21	FOIA	
9510130286	9510100073	95/06/21	FOIA	
9510130288	9510130282	95/10/06	50-334	P
9510130290	9510100073	95/06/21	FOIA	
9510130292	9510130278	95/10/06	50-298	Q
9510130293	9510100073	95/06/21	FOIA	
9510130296	9510100073	95/06/21	FOIA	
9510130297	9510130217	95/09/27	50-498	Q
9510130299	9510100073	95/06/21	FOIA	
9510130302	9510100073	95/06/21	FOIA	
9510130305	9510100073	95/06/21	FOIA	
9510130308	9510100073	95/06/21	FOIA	
9510130310	9510130217	95/09/27	50-498	Q
9510130312	9510100073	95/06/21	FOIA	
9510130314	9510100073	95/06/21	FOIA	
9510130315	9510100073	95/06/21	FOIA	
9510130316	9510100073	95/06/21	FOIA	
9510130317	9510100073	95/06/21	FOIA	
9510130319	9510100073	95/06/21	FOIA	
9510130320	9510130294	95/10/12	FOIA	
9510130322	9510130318	95/09/12	PRM	
9510130324	9510100073	95/06/21	FOIA	
9510130325	9510130294	95/10/12	FOIA	
9510130327	9510100073	95/06/21	FOIA	
9510130328	9510130294	95/10/12	FOIA	
9510130329	9510130323	95/09/20	50-334	P
9510130331	9510100073	95/06/21	FOIA	
9510130332	9510130294	95/10/12	FOIA	
9510130334	9510100073	95/06/21	FOIA	
9510130335	9510130294	95/10/12	FOIA	
9510130336	9510100073	95/06/21	FOIA	
9510130338	9510130294	95/10/12	FOIA	
9510130339	9510100073	95/06/21	FOIA	
9510130340	9510130294	95/10/12	FOIA	
9510130341	9510130217	95/09/27	50-498	Q
9510130343	9510130217	95/09/27	50-498	Q
9510130345	9510130294	95/10/12	FOIA	
9510130347	9510130294	95/10/12	FOIA	
9510130354	9510100073	95/06/21	FOIA	
9510130355	9510100073	95/06/21	FOIA	
9510130356	9510100073	95/06/21	FOIA	
9510130357	9510100073	95/06/21	FOIA	
9510130358	9510100073	95/06/21	FOIA	
9510130359	9510100073	95/06/21	40-962	
9510130360	9510100073	95/06/21	FOIA	
9510130362	9510100073	95/06/21	FOIA	
9510130363	9510100073	95/06/21	FOIA	
9510130364	9510100073	95/06/21	FOIA	
9510130366	9510100073	95/06/21	FOIA	
9510130367	9510100073	95/06/21	FOIA	
9510130368	9510130365	95/10/06	50-255	Y
9510130369	9510100073	95/06/21	FOIA	
9510130371	9510100073	95/06/21	FOIA	
9510130373	9510100073	95/06/21	FOIA	
9510130374	9510100073	95/06/21	FOIA	
9510130378	9510100073	95/06/21	FOIA	
9510130381	9510100073	95/06/21	FOIA	
9510130385	9510100073	95/06/21	FOIA	
9510130388	9510130384	95/09/25	50-275	F
9510130391	9510130377	95/09/29	50-263	P
9510130395	9510130394	95/10/10	FOIA	
9510130397	9510130396	95/10/04	50-528	P
9510130398	9510130396	95/10/04	50-528	P
9510160014	9510100073	95/06/21	FOIA	
9510160015	9510100073	95/06/21	FOIA	
9510160016	9510100073	95/06/21	FOIA	
9510160017	9510100073	95/06/21	FOIA	
9510160018	9510100073	95/06/21	FOIA	
9510160019	9510100073	95/06/21	FOIA	
9510160020	9510100073	95/06/21	FOIA	
9510160021	9510100073	95/06/21	FOIA	
9510160022	9510100073	95/06/21	FOIA	
9510160023	9510100073	95/06/21	FOIA	
9510160024	9510100073	95/06/21	FOIA	
9510160025	9510100073	95/06/21	FOIA	
9510160026	9510100073	95/06/21	FOIA	
9510160027	9510100073	95/06/21	FOIA	
9510160028	9510100073	95/06/21	FOIA	
9510160029	9510100073	95/06/21	FOIA	
9510160030	9510100073	95/06/21	FOIA	
9510160031	9510100073	95/06/21	FOIA	
9510160032	9510100073	95/06/21	FOIA	
9510160033	9510100073	95/06/21	FOIA	
9510160034	9510100073	95/06/21	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510160035	9510100073	95/06/21	FOIA		9510170238	9510170237	95/10/09	50-344	P
9510160036	9510100073	95/06/21	FOIA		9510170243	9510160298	95/10/11	FOIA	
9510160037	9510100073	95/06/21	FOIA		9510170244	9510170232	95/10/02	50-263	P
9510160038	9510100073	95/06/21	FOIA		9510170251	9510160298	95/10/11	FOIA	
9510160041	9510100073	95/06/21	FOIA		9510170252	9510170232	95/10/02	50-263	P
9510160048	9510160045	95/10/10	50-346	F	9510170259	9510160298	95/10/11	FOIA	
9510160055	9510160039	95/10/11	40-1341		9510170273	9510100073	95/06/21	FOIA	
9510160079	9510160077	95/10/11	50-327	P	9510170275	9510170223	95/07/26	50-423	Q
9510160084	9510160077	95/10/11	50-327	P	9510170278	9510100073	95/06/21	FOIA	
9510160086	9510100073	95/06/21	FOIA		9510170281	9510100073	95/06/21	FOIA	
9510160094	9510100073	95/06/21	FOIA		9510170285	9510100073	95/06/21	FOIA	
9510160102	9510100073	95/06/21	FOIA		9510170290	9510100073	95/06/21	FOIA	
9510160104	9510160096	95/09/29	50-346	Y	9510170294	9510100073	95/06/21	FOIA	
9510160106	9510100073	95/06/21	FOIA		9510170296	9510170289	95/10/10	40-8971	
9510160107	9510160105	95/10/06	50-244	P	9510170299	9510100073	95/06/21	FOIA	
9510160108	9510160110	95/10/04	XPORTLIC		9510170303	9510100073	95/06/21	FOIA	
9510160109	9510100073	95/06/21	FOIA		9510170308	9510170302	95/10/10	40-8903	
9510160113	9510100073	95/06/21	FOIA		9510170309	9510100073	95/06/21	FOIA	
9510160114	9510100073	95/06/21	FOIA		9510170313	9510170305	95/10/10	50-327	P
9510160116	9510160115	95/10/06	50-305	P	9510170317	9510100073	95/06/21	FOIA	
9510160122	9510100073	95/06/21	FOIA		9510170324	9510100073	95/06/21	FOIA	
9510160124	9510100073	95/06/21	FOIA		9510170331	9510100073	95/06/21	FOIA	
9510160125	9510160129	95/09/27	XPORTLIC		9510170333	9510170223	95/07/26	FOIA	
9510160128	9510160118	95/10/11	50-368	P	9510170338	9510100073	95/06/21	FOIA	
9510160130	9510160118	95/10/11	50-368	P	9510170342	9510170318	95/10/04	50-20	Q
9510160131	9510160127	95/10/10	50-250	Q	9510170344	9510100073	95/06/21	FOIA	
9510160135	9510160133	95/10/11	50-382	P	9510170347	9510100073	95/06/21	FOIA	
9510160137	9510110349	95/10/06	50-20	V	9510170350	9510100073	95/06/21	FOIA	
9510160138	9510100073	95/06/21	FOIA		9510170351	9510100073	95/06/21	FOIA	
9510160140	9510100073	95/06/21	FOIA		9510170353	9510170345	95/10/11	50-313	Q
9510160143	9510100073	95/06/21	FOIA		9510170355	9510100073	95/06/21	FOIA	
9510160145	9510100073	95/06/21	FOIA		9510170360	9510100073	95/06/21	FOIA	
9510160147	9510100073	95/06/21	FOIA		9510170363	9510170359	95/10/02	50-302	Q
9510160152	9510100073	95/06/21	FOIA		9510170365	9510100073	95/06/21	FOIA	
9510160153	9510160146	95/09/29	50-250	P	9510170369	9510100073	95/06/21	FOIA	
9510160156	9510100073	95/06/21	FOIA		9510170375	9510170358	95/10/11	50-344	Q
9510160163	9510160157	95/10/12	50-390	H	9510170376	9510100073	95/06/21	FOIA	
9510160164	9510160155	95/10/11	50-272	S	9510170380	9510100073	95/06/21	FOIA	
9510160166	9510100073	95/06/21	FOIA		9510170383	9510170373	95/10/04	50-237	Q
9510160167	9510100073	95/06/21	FOIA		9510170389	9510170377	95/10/12	50-259	Q
9510160170	9510100073	95/06/21	FOIA		9510170396	9510170377	95/10/12	50-259	Q
9510160171	9510100073	95/06/21	FOIA		9510170400	9510170399	95/09/28	40-8681	
9510160172	9510100073	95/06/21	FOIA		9510170408	9510170407	95/10/10	WASTE MGT	
9510160174	9510100073	95/06/21	FOIA		9510170409	9510170407	95/10/10	WASTE MGT	
9510160175	9510160173	95/10/09	50-324	Q	9510170421	9510170420	95/10/11	TOPREP	
9510160176	9510100073	95/06/21	FOIA		9510180006	9510100073	95/06/21	FOIA	
9510160179	9510160177	95/10/09	50-369	P	9510180008	9510100073	95/06/21	FOIA	
9510160180	9510100073	95/06/21	FOIA		9510180009	9510100073	95/06/21	FOIA	
9510160189	9510160183	95/09/21	XPORTLIC		9510180011	9510100073	95/06/21	FOIA	
9510160193	9510160183	95/09/21	XPORTLIC		9510180012	9510100073	95/06/21	FOIA	
9510160196	9510160190	95/10/04	50-296	P	9510180016	9510100073	95/06/21	FOIA	
9510160211	9510160206	95/10/12	50-390	H	9510180025	9510100073	95/06/21	FOIA	
9510160219	9510160214	95/10/10	50-289	P	9510180027	9510100073	95/06/21	FOIA	
9510160221	9510160214	95/10/10	50-289	P	9510180029	9510100073	95/06/21	FOIA	
9510160248	9510160245	95/10/10	50-388	P	9510180031	9510100073	95/06/21	FOIA	
9510160255	9510160251	95/10/11	50-390	H	9510180033	9510100073	95/06/21	FOIA	
9510160264	9510160260	95/10/06	50-390	A	9510180035	9510100073	95/06/21	FOIA	
9510160267	9510160266	95/10/09	50-321	R	9510180037	9510100073	95/06/21	FOIA	
9510160270	9510160266	95/10/09	50-321	R	9510180041	9510100073	95/06/21	FOIA	
9510160275	9510160273	95/10/05	50-244	R	9510180045	9510100073	95/06/21	FOIA	
9510160277	9510160276	95/10/09	50-316	R	9510180048	9510100073	95/06/21	FOIA	
9510160279	9510160276	95/10/09	50-316	R	9510180051	9510180049	95/10/11	50-395	P
9510160285	9510160283	95/10/09	50-315	R	9510180052	9510100073	95/06/21	FOIA	
9510160287	9510160283	95/10/09	50-315	R	9510180057	9510100073	95/06/21	FOIA	
9510160294	9510160293	95/10/10	50-352	P	9510180058	9510180053	95/10/12	50-390	A
9510160300	9510160298	95/10/11	FOIA		9510180060	9510180056	95/10/03	50-27	P
9510160301	9510160298	95/10/11	FOIA		9510180064	9510100073	95/06/21	FOIA	
9510160302	9510160298	95/10/11	FOIA		9510180069	9510100073	95/06/21	FOIA	
9510160303	9510160298	95/10/11	FOIA		9510180070	9510180066	95/10/06	70-7002	
9510160305	9510160298	95/10/11	FOIA		9510180073	9510100073	95/06/21	FOIA	
9510170010	9510170009	95/10/13	50-445	R	9510180075	9510180066	95/10/06	70-7002	
9510170012	9510170009	95/10/13	50-445	R	9510180084	9510180082	95/10/04	50-390	Q
9510170013	9510170009	95/10/13	50-445	R	9510180091	9510180082	95/10/04	50-390	Q
9510170020	9510170019	95/10/11	50-245	R	9510180092	9510180088	95/10/13	50-397	Q
9510170022	9510170019	95/10/11	50-245	R	9510180100	9510180090	95/10/05	70-1113	
9510170031	9510170024	95/10/10	50-315	P	9510180109	9510100073	95/06/21	FOIA	
9510170035	9510170024	95/10/10	50-315	P	9510180115	9510100073	95/06/21	FOIA	
9510170037	9510170032	95/09/28	COMMISSIO	N	9510180119	9510100073	95/06/21	FOIA	
9510170059	9510170056	95/10/10	50-498	Q	9510180122	9510180114	95/10/06	50-390	Q
9510170089	9510170078	95/10/03	COMMISSIO	N	9510180124	9510100073	95/06/21	FOIA	
9510170094	9510170082	95/10/12	50-289	P	9510180128	9510100073	95/06/21	FOIA	
9510170128	9510170116	95/10/11	50-155	P	9510180133	9510100073	95/06/21	FOIA	
9510170144	9510170138	95/10/12	50-390	Q	9510180136	9510180130	95/10/10	50-259	Q
9510170150	9510170137	95/10/12	50-336	P	9510180148	9510180144	95/10/10	70-734	
9510170182	9510170176	95/10/12	50-266	P	9510180152	9510180147	95/10/11	50-259	Q
9510170186	9510170176	95/10/12	50-266	P	9510180155	9510180141	95/10/05	50-390	Q
9510170197	9510170184	95/10/05	50-528	P	9510180158	9510180151	95/10/05	50-443	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510180167	9510180164	95/10/10	50-400	P	9510190148	9510100073	95/06/21	FOIA	
9510180169	9510180165	95/10/06	50-352	Q	9510190152	9510100073	95/06/21	FOIA	
9510180172	9510180165	95/10/06	50-352	Q	9510190155	9510190153	95/10/17	71-831	
9510180176	9510180165	95/10/06	50-352	Q	9510190168	9510190157	95/10/05	40-6622	
9510180181	9510180177	95/10/06	40-*****		9510190170	9510190166	95/10/12	50-286	Q
9510180182	9510180178	95/10/06	50-321	Q	9510190174	9510190166	95/10/12	50-286	Q
9510180185	9510180174	95/10/11	50-390	Q	9510190178	9510190164	95/10/12	50-341	Q
9510180194	9510100073	95/06/21	FOIA		9510190184	9510190172	95/09/28	50-346	Q
9510180196	9510180193	95/10/06	50-247	Q	9510190193	9510190172	95/09/28	50-346	Q
9510180198	9510180189	95/10/04	50-261	Q	9510190194	9510190191	95/10/16	71-9094	
9510180199	9510100073	95/06/21	FOIA		9510190209	9510190197	95/10/13	50-454	P
9510180211	9510180202	95/10/03	50-285	I	9510190213	9510190199	95/10/12	70-133	
9510180216	9510180209	95/09/29	50-416	Q	9510190214	9510170223	95/07/26	50-336	Q
9510180218	9510180212	95/09/28	70-1113		9510190218	9510190212	95/09/27	50-305	Q
9510180221	9510100073	95/06/21	FOIA		9510190223	9510190217	95/10/13	50-285	R
9510180223	9510100073	95/06/21	FOIA		9510190225	9510170223	95/07/26	FOIA	
9510180226	9510100073	95/06/21	FOIA		9510190232	9510190220	95/10/12	40-17	
9510180229	9510100073	95/06/21	FOIA		9510190233	9510190217	95/10/13	50-285	R
9510180231	9510100073	95/06/21	FOIA		9510190242	9510170223	95/07/26	FOIA	
9510180236	9510100073	95/06/21	FOIA		9510190244	9510190220	95/10/12	40-17	
9510180241	9510100073	95/06/21	FOIA		9510190253	9510190243	95/10/17	40-299	
9510180243	9510180232	95/10/06	50-280	F	9510190258	9510190238	95/10/12	50-289	Q
9510180247	9510180245	95/10/06	50-400	F	9510190261	9510190259	95/10/13	50-296	P
9510180251	9510180208	95/10/13	40-8027		9510190266	9510190264	95/10/05	50-373	Q
9510180253	9510100073	95/06/21	FOIA		9510190274	9510190271	95/10/12	50-454	P
9510180256	9510100073	95/06/21	FOIA		9510190275	9510190270	95/09/26	50-454	Q
9510180263	9510180255	95/10/13	50-245	G	9510190277	9510190270	95/09/26	50-454	Q
9510180264	9510100073	95/06/21	FOIA		9510190280	9510190276	95/10/06	50-409	W
9510180268	9510100073	95/06/21	FOIA		9510190293	9510190286	95/10/13	50-454	P
9510180270	9510180262	95/10/12	40-8027		9510190294	9510190290	95/10/17	50-321	Q
9510180273	9510100073	95/06/21	FOIA		9510190296	9510100073	95/06/21	FOIA	
9510180274	9510180266	95/10/11	50-445	Q	9510190299	9510100073	95/06/21	FOIA	
9510180276	9510100073	95/06/21	FOIA		9510190301	9510190286	95/10/13	50-454	P
9510180280	9510180255	95/10/13	50-245	G	9510190306	9510100073	95/06/21	FOIA	
9510180281	9510100073	95/06/21	FOIA		9510190334	9510100073	95/06/21	FOIA	
9510180283	9510100073	95/06/21	FOIA		9510190343	9510100073	95/06/21	FOIA	
9510180287	9510100073	95/06/21	FOIA		9510190345	9510190335	95/10/06	50-220	Q
9510180290	9510100073	95/06/21	FOIA		9510190347	9510100073	95/06/21	FOIA	
9510180295	9510100073	95/06/21	FOIA		9510190349	9510190341	95/10/05	50-263	Q
9510180296	9510180284	95/10/16	50-272	Q	9510190353	9510100073	95/06/21	FOIA	
9510180297	9510100073	95/06/21	FOIA		9510190358	9510100073	95/06/21	FOIA	
9510180299	9510100073	95/06/21	FOIA		9510190359	9510190352	95/10/04	50-254	Q
9510180302	9510100073	95/06/21	FOIA		9510190362	9510100073	95/06/21	FOIA	
9510180319	9510180312	95/10/09	50-296	Q	9510190364	9510100073	95/06/21	FOIA	
9510180330	9510180327	95/10/12	WASTE MGT		9510190366	9510100073	95/06/21	FOIA	
9510180343	9510180338	95/09/27	50-528	F	9510190367	9510190360	95/10/16	50-313	P
9510180345	9510180340	95/10/06	50-220	R	9510190391	9510190383	95/10/13	50-373	P
9510180349	9510180342	95/10/13	50-269	Q	9510200070	9510200068	95/10/17	WASTE MGT	
9510180353	9510180342	95/10/13	50-269	Q	9510200097	9510200093	95/10/11	50-123	Q
9510180372	9510180359	95/10/09	50-344	Y	9510200111	9510200104	95/10/16	50-344	Q
9510180385	9510180381	95/10/05	50-269	P	9510200114	9510200110	95/10/06	50-315	F
9510190003	9510190002	95/10/10	50-400	P	9510200119	9510200117	95/10/16	50-254	Q
9510190005	9510100073	95/06/21	FOIA		9510200128	9510200126	95/10/16	50-315	Q
9510190007	9510100073	95/06/21	FOIA		9510200145	9510200135	95/10/13	50-341	P
9510190009	9510100073	95/06/21	FOIA		9510200155	9510200135	95/10/13	50-341	P
9510190010	9510100073	95/06/21	FOIA		9510200157	9510200137	95/10/12	50-528	Q
9510190012	9510100073	95/06/21	FOIA		9510200172	9510200161	95/09/30	NUREG	
9510190013	9510100073	95/06/21	FOIA		9510200177	9510200154	95/10/16	50-266	V
9510190015	9510100073	95/06/21	FOIA		9510200180	9510200161	95/09/30	NUREG	
9510190016	9510100073	95/06/21	FOIA		9510200181	9510200175	95/10/17	40-8452	
9510190018	9510100073	95/06/21	FOIA		9510200202	9510200194	95/10/16	50-266	P
9510190019	9510100073	95/06/21	FOIA		9510200205	9510200198	95/10/06	50-282	P
9510190020	9510100073	95/06/21	FOIA		9510200206	9510190295	95/10/12	ACRS	
9510190023	9510190022	95/10/12	50-266	P	9510200212	9510200198	95/10/06	50-282	P
9510190032	9510190026	95/10/11	40-8948		9510200228	9510200220	95/10/13	50-272	S
9510190036	9510190034	95/10/13	50-269	R	9510200233	9510200231	95/10/16	50-295	P
9510190037	9510190034	95/10/13	50-269	R	9510200236	9510200229	95/10/11	50-295	P
9510190043	9510100073	95/06/21	FOIA		9510200247	9510200241	95/09/13	NUREG	
9510190045	9510190042	95/10/11	50-390	A	9510200249	9510200110	95/10/06	50-315	F
9510190047	9510100073	95/06/21	FOIA		9510200252	9510200243	95/10/11	50-338	P
9510190049	9510190046	95/10/13	50-369	R	9510200253	9510200251	95/10/12	50-280	P
9510190050	9510190046	95/10/13	50-369	R	9510200256	9510200243	95/10/11	50-338	P
9510190059	9510100073	95/06/21	FOIA		9510200266	9510200265	95/10/10	71-9268	
9510190071	9510100073	95/06/21	FOIA		9510200270	9510200268	95/09/19	50-395	K
9510190075	9510190065	95/07/31	50-160	G	9510200278	9510200274	95/10/13	50-2	P
9510190082	9510190065	95/07/31	50-160	G	9510200280	9510200274	95/10/13	50-2	P
9510190102	9510190094	95/10/11	50-160	G	9510200283	8907070192	89/06/29	50-445	Q
9510190104	9510190096	95/10/13	50-413	R	9510200284	9510200275	95/10/13	50-272	S
9510190105	9510190098	95/10/12	50-315	S	9510200285	9510200277	95/10/12	50-271	P
9510190107	9510100073	95/06/21	FOIA		9510200294	9510200288	95/10/12	50-266	P
9510190112	9510100073	95/06/21	FOIA		9510200295	9510200292	95/10/16	50-354	P
9510190117	9510190096	95/10/13	50-413	R	9510200299	9510200292	95/10/16	50-354	P
9510190123	9510100073	95/06/21	FOIA		9510200305	9510200288	95/10/12	50-266	P
9510190129	9510100073	95/06/21	FOIA		9510200307	9510200304	95/10/12	50-323	P
9510190133	9510100073	95/06/21	FOIA		9510200313	9510200310	95/10/16	50-280	Y
9510190139	9510100073	95/06/21	FOIA		9510200318	9510200314	95/10/12	50-368	P
9510190145	9510190131	95/10/12	50-387	Q	9510200322	9510200314	95/10/12	50-368	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510200328	9510200321	95/10/02	50-482	P	9510230242	9510230227	95/10/16	50-317	Q
9510200329	9510200325	95/10/12	COMMISSIO	N	9510230243	9510230234	95/09/26	40-8868	
9510200330	9510200321	95/10/02	50-482	P	9510230250	9510230245	95/10/13	40-8904	
9510200335	9510200332	95/10/10	COMMISSIO	N	9510230264	9510230261	95/10/18	50-213	Q
9510200337	9510200332	95/10/10	COMMISSIO	N	9510230266	9510230265	95/10/18	50-57	Q
9510200338	9510200334	95/10/16	50-352	P	9510230282	9510230280	95/10/11	50-390	Q
9510200341	9510200334	95/10/16	50-352	P	9510230289	9510230280	95/10/11	50-390	Q
9510200342	9510200339	95/10/12	50-247	P	9510230297	9510230292	95/10/06	50-390	Q
9510200343	9510200332	95/10/10	COMMISSIO	N	9510230306	9510230298	95/10/18	50-277	Q
9510200344	9510200339	95/10/12	50-247	P	9510230308	9510100073	95/06/21	FOIA	
9510200347	9510200332	95/10/10	COMMISSIO	N	9510230315	9510100073	95/06/21	FOIA	
9510200350	9510200345	95/10/16	50-354	P	9510230319	9510100073	95/06/21	FOIA	
9510200351	9510200345	95/10/16	50-354	P	9510230321	9510230316	95/10/17	50-186	Q
9510200352	9510200349	95/10/16	50-390	H	9510230326	9510100073	95/06/21	FOIA	
9510200369	9510200365	95/10/10	50-285	F	9510230331	9510100073	95/06/21	FOIA	
9510200372	9510200365	95/10/10	50-285	F	9510230337	9510100073	95/06/21	FOIA	
9510200374	9510200370	95/07/28	WASTE MGT		9510230341	9510230334	95/10/06	TOPREP	
9510200375	9510200371	95/10/13	50-335	Q	9510230342	9510100073	95/06/21	FOIA	
9510230001	9510100073	95/06/21	FOIA		9510230345	9510100073	95/06/21	FOIA	
9510230003	9510100073	95/06/21	FOIA		9510230348	9510100073	95/06/21	FOIA	
9510230005	9510230004	95/10/12	40-2384		9510230352	9510100073	95/06/21	FOIA	
9510230006	9510230004	95/10/12	40-2384		9510230354	9510230350	95/10/18	50-361	P
9510230009	9510230004	95/10/12	40-2384		9510230355	9510100073	95/06/21	FOIA	
9510230010	9510230004	95/10/12	40-2384		9510230358	9510230350	95/10/18	50-361	P
9510230011	9510230004	95/10/12	40-2384		9510230360	9510100073	95/06/21	FOIA	
9510230014	9510230004	95/10/12	40-2384		9510230362	9510100073	95/06/21	FOIA	
9510230016	9510230004	95/10/12	40-2384		9510230367	9510230353	95/10/13	50-250	F
9510230019	9510230004	95/10/12	40-2384		9510230368	9510100073	95/06/21	FOIA	
9510230020	9510230004	95/10/12	40-2384		9510230370	9510100073	95/06/21	FOIA	
9510230024	9510230004	95/10/12	40-2384		9510230375	9510100073	95/06/21	FOIA	
9510230026	9510230021	95/10/16	50-220	P	9510230376	9510100073	95/06/21	FOIA	
9510230028	9510190350	95/10/13	ORG		9510230380	9510100073	95/06/21	FOIA	
9510230029	9510230021	95/10/16	50-220	P	9510230381	9510230373	95/10/13	50-390	Q
9510230032	9510230030	95/10/17	50-269	P	9510230387	9510230386	95/10/13	70-27	
9510230033	9510100073	95/06/21	FOIA		9510230391	9510230386	95/10/13	70-27	
9510230037	9510100073	95/06/21	FOIA		9510230394	9510230390	95/10/16	50-317	Q
9510230040	9510100073	95/06/21	FOIA		9510230396	9510230392	95/10/16	50-348	Q
9510230042	9510230038	95/10/17	50-414	P	9510230397	9510230395	95/10/16	40-9015	
9510230044	9510100073	95/06/21	FOIA		9510230398	9510230392	95/10/16	50-348	Q
9510230046	9510100073	95/06/21	FOIA		9510230406	9510230401	95/10/18	50-423	P
9510230047	9510100073	95/06/21	FOIA		9510230407	9510230405	95/10/18	50-260	P
9510230048	9510100073	95/06/21	FOIA		9510230408	9510230401	95/10/18	50-423	P
9510230055	9510100073	95/06/21	FOIA		9510230411	9510230410	95/10/16	50-336	Q
9510230058	9510100073	95/06/21	FOIA		9510240010	9510240008	95/10/13	50-424	Q
9510230060	9510100073	95/06/21	FOIA		9510240015	9510100073	95/06/21	FOIA	
9510230062	9510230059	95/10/16	50-282	P	9510240017	9510100073	95/06/21	FOIA	
9510230063	9510230053	95/10/17	50-456	Q	9510240019	9510100073	95/06/21	FOIA	
9510230065	9510100073	95/06/21	FOIA		9510240021	9510100073	95/06/21	FOIA	
9510230072	9510100073	95/06/21	FOIA		9510240022	9510240016	95/09/28	STATE PRO	G
9510230073	9510230066	95/10/10	STATE PRO	G	9510240023	9510100073	95/06/21	FOIA	
9510230075	9510100073	95/06/21	FOIA		9510240026	9510100073	95/06/21	FOIA	
9510230078	9510230053	95/10/17	50-456	Q	9510240027	9510100073	95/06/21	FOIA	
9510230080	9510100073	95/06/21	FOIA		9510240031	9510240016	95/09/28	STATE PRO	G
9510230084	9510100073	95/06/21	FOIA		9510240034	9510100073	95/06/21	FOIA	
9510230085	9510230077	95/10/12	50-287	Q	9510240038	9510100073	95/06/21	FOIA	
9510230087	9510100073	95/06/21	FOIA		9510240041	9510100073	95/06/21	FOIA	
9510230088	9510230086	95/09/27	WASTE MGT		9510240048	9510100073	95/06/21	FOIA	
9510230090	9510100073	95/06/21	FOIA		9510240054	9510100073	95/06/21	FOIA	
9510230097	9510100073	95/06/21	FOIA		9510240060	9510240053	95/10/19	STATE PRO	G
9510230101	9510100073	95/06/21	FOIA		9510240061	9510100073	95/06/21	FOIA	
9510230103	9510100073	95/06/21	FOIA		9510240064	9510100073	95/06/21	FOIA	
9510230108	9510100073	95/06/21	FOIA		9510240072	9510100073	95/06/21	FOIA	
9510230110	9510230094	95/10/06	WASTE MGT		9510240078	9510240074	95/10/13	50-302	Q
9510230111	9510230109	95/08/29	70-1257		9510240080	9510100073	95/06/21	FOIA	
9510230112	9510100073	95/06/21	FOIA		9510240083	9510240073	95/10/17	50-321	P
9510230113	9510100073	95/06/21	FOIA		9510240084	9510100073	95/06/21	FOIA	
9510230116	9510100073	95/06/21	FOIA		9510240090	9510240074	95/10/13	50-302	Q
9510230118	9510100073	95/06/21	FOIA		9510240093	9510240071	95/10/13	50-324	Q
9510230120	9510100073	95/06/21	FOIA		9510240104	9510240074	95/10/13	50-302	Q
9510230123	9510100073	95/06/21	FOIA		9510240107	9510100073	95/06/21	FOIA	
9510230126	9510170047	95/10/05	COMMISSIO	N	9510240108	9510240097	95/10/19	50-266	P
9510230128	9510100073	95/06/21	FOIA		9510240109	9510240101	95/10/18	40-9022	
9510230132	9510100073	95/06/21	FOIA		9510240112	9510240098	95/10/17	50-250	P
9510230136	9510100073	95/06/21	FOIA		9510240113	9510240100	95/10/13	50-259	Q
9510230145	9510230137	95/10/18	50-245	P	9510240114	9510240098	95/10/17	50-250	P
9510230146	9510230122	95/10/10	STATE PRO	G	9510240116	9510100073	95/06/21	FOIA	
9510230151	9510230122	95/10/10	STATE PRO	G	9510240117	9510240106	95/10/13	50-321	Q
9510230152	9510230141	95/10/17	50-352	P	9510240121	9510240111	95/10/18	40-8943	
9510230156	9510230122	95/10/10	STATE PRO	G	9510240122	9510100073	95/06/21	FOIA	
9510230175	9510230171	95/09/22	40-6940		9510240123	9510240115	95/10/18	40-7708	
9510230205	9510230191	95/10/17	50-271	Q	9510240127	9510100073	95/06/21	FOIA	
9510230216	9510230201	95/10/16	50-244	Q	9510240128	9510240110	95/10/12	40-17	
9510230219	9510230214	95/10/13	71-9099		9510240130	9510240100	95/10/13	50-259	Q
9510230224	9510230214	95/10/13	71-9099		9510240131	9510100073	95/06/21	FOIA	
9510230225	9510230212	95/10/16	50-293	Q	9510240133	9510240126	95/10/16	50-424	P
9510230226	9510230210	95/10/05	STATE PRO	G	9510240134	9510240124	95/09/27	STATE PRO	G
9510230231	9510230227	95/10/16	50-317	Q	9510240135	9510100073	95/06/21	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510240139	9510100073	95/06/21	FOIA		9510250189	9510170223	95/07/26	FOIA	
9510240141	9510240132	95/09/22	STATE PRO	G	9510250191	9510250185	95/10/19	50-443	P
9510240142	9510100073	95/06/21	FOIA		9510250197	9510250193	95/10/16	50-334	P
9510240145	9510100073	95/06/21	FOIA		9510250199	9510250195	95/10/19	50-62	P
9510240148	9510100073	95/06/21	FOIA		9510250201	9510170223	95/07/26	FOIA	
9510240151	9510240143	95/10/13	50-338	Q	9510250202	9510170223	95/07/26	FOIA	
9510240153	9510100073	95/06/21	FOIA		9510250207	9510170223	95/07/26	FOIA	
9510240156	9510100073	95/06/21	FOIA		9510250213	9510170223	95/07/26	FOIA	
9510240162	9510100073	95/06/21	FOIA		9510250214	9510170223	95/07/26	FOIA	
9510240164	9510100073	95/06/21	FOIA		9510250218	9510170223	95/07/26	FOIA	
9510240170	9510100073	95/06/21	FOIA		9510250220	9510250215	95/10/17	50-255	P
9510240173	9510100073	95/06/21	FOIA		9510250221	9510170223	95/07/26	FOIA	
9510240180	9510100073	95/06/21	FOIA		9510250223	9510170223	95/07/26	FOIA	
9510240184	9510100073	95/06/21	FOIA		9510250232	9510170223	95/07/26	FOIA	
9510240187	9510100073	95/06/21	FOIA		9510250236	9510250234	95/10/18	50-298	Q
9510240191	9510100073	95/06/21	FOIA		9510250237	9510250231	95/10/19	50-317	P
9510240194	9510100073	95/06/21	FOIA		9510250242	9510250231	95/10/19	50-317	P
9510240199	9510100073	95/06/21	40-7841		9510250245	9510250241	95/10/12	40-7102	
9510240202	9510240195	95/10/13	50-353	S	9510250247	9510250239	95/10/16	TOPREP	
9510240203	9510240186	95/10/17	50-498	Q	9510250248	9510250241	95/10/12	40-7102	
9510240210	9510100073	95/06/21	40-7841		9510250250	9510170223	95/07/26	50-336	Q
9510240213	9510240186	95/10/17	50-498	Q	9510250265	9510250257	95/09/13	40-8857	
9510240216	9510100073	95/06/21	40-7841		9510250266	9510170223	95/07/26	FOIA	
9510240221	9510100073	95/06/21	40-7841		9510250267	9510250257	95/09/13	40-8857	
9510240222	9510240186	95/10/17	50-498	Q	9510250269	9510250257	95/09/13	40-8857	
9510240225	9510100073	95/06/21	40-7841		9510250270	9510170223	95/07/26	FOIA	
9510240231	9510240220	95/09/21	40-8027		9510250274	9510250257	95/09/13	40-8857	
9510240247	9510240242	95/10/10	50-369	Q	9510250276	9510170223	95/07/26	FOIA	
9510240248	9510240240	95/10/06	50-286	Q	9510250280	9510170223	95/07/26	FOIA	
9510240254	9510240245	95/10/16	50-321	P	9510250282	9510170223	95/07/26	FOIA	
9510240261	9510240257	95/10/19	50-267	Q	9510250283	9510170223	95/07/26	FOIA	
9510240264	9510240262	95/09/26	70-1151		9510250284	9510250277	95/10/17	50-369	P
9510240272	9510240269	95/10/17	50-339	P	9510250286	9510170223	95/07/26	FOIA	
9510240273	9510240265	95/10/16	50-390	H	9510250288	9510250281	95/08/09	WASTE MGT	
9510240283	9510240255	95/10/17	50-390	F	9510250296	9510170223	95/07/26	FOIA	
9510240284	9510240278	95/10/17	50-338	P	9510250298	9510250293	95/10/17	50-331	P
9510240290	9510240287	95/10/16	50-354	P	9510250302	9510250299	95/10/16	PROJ	
9510240291	9510240279	95/10/16	50-277	P	9510250303	9510170223	95/07/26	FOIA	
9510240302	9510240300	95/10/18	50-482	P	9510250304	9510250293	95/10/17	50-331	P
9510240303	9510240298	95/10/10	27-47		9510250305	9510250300	95/10/18	TOPREP	
9510240313	9510240309	95/10/12	50-255	P	9510250308	9510170223	95/07/26	FOIA	
9510240316	9510240298	95/10/10	27-47		9510250310	9510170223	95/07/26	FOIA	
9510240322	9510240298	95/10/10	27-47		9510250312	9510250306	95/10/18	ORG	
9510240327	9510240298	95/10/10	27-47		9510250313	9510170223	95/07/26	FOIA	
9510240333	9510240298	95/10/10	27-47		9510250315	9510170223	95/07/26	FOIA	
9510240339	9510240298	95/10/10	27-47		9510250318	9510170223	95/07/26	FOIA	
9510240347	9510240298	95/10/10	27-47		9510250319	9510170223	95/07/26	FOIA	
9510240349	9510240343	95/10/20	50-387	P	9510250322	9510170223	95/07/26	FOIA	
9510240352	9510240345	95/10/18	50-305	P	9510250323	9510170223	95/07/26	FOIA	
9510240353	9510240343	95/10/20	50-387	P	9510250328	9510170223	95/07/26	FOIA	
9510240354	9510240344	95/10/13	50-333	P	9510250332	9510170223	95/07/26	FOIA	
9510240357	9510240344	95/10/13	50-333	P	9510250335	9510250330	95/10/20	REVIEW GR	P
9510240361	9510240358	95/10/20	50-388	P	9510250343	9510170223	95/07/26	FOIA	
9510240362	9510240298	95/10/10	27-47		9510250344	9510250342	95/10/19	50-324	F
9510240368	9510240365	95/10/13	50-333	P	9510250347	9510170223	95/07/26	FOIA	
9510240372	9510240298	95/10/10	27-47		9510250356	9510250351	95/10/16	50-255	Y
9510240374	9510240365	95/10/13	50-333	P	9510250359	9510250351	95/10/16	50-255	Y
9510240380	9510240174	95/09/12	STATE PRO	G	9510250365	9510250351	95/10/16	50-255	Y
9510240382	9510240379	95/10/12	50-265	P	9510250368	9510250364	95/09/15	ORG	
9510240386	9510240298	95/10/10	27-47		9510250369	9510250351	95/10/16	50-255	Y
9510240394	9510240391	95/10/17	50-250	P	9510250373	9510250351	95/10/16	50-255	Y
9510240395	9510240298	95/10/10	27-47		9510250374	9510250371	95/10/19	50-390	H
9510240396	9510240391	95/10/17	50-250	P	9510250375	9510250351	95/10/16	50-255	Y
9510250002	9510250001	95/10/19	50-334	P	9510250376	9510250351	95/10/16	50-255	Y
9510250010	9510250006	95/10/02	72-1		9510250378	9510250351	95/10/16	50-255	Y
9510250022	9510250003	95/10/20	50-336	P	9510250381	9510250380	95/10/18	71-170	
9510250031	9510250021	95/10/19	50-285	Q	9510250384	9510250382	95/10/19	50-366	P
9510250040	9510250021	95/10/19	50-285	Q	9510250388	9510170223	95/07/26	FOIA	
9510250042	9510250027	95/10/23	STATE PRO	G	9510250389	9510170223	95/07/26	FOIA	
9510250044	9510250026	95/10/16	50-286	Q	9510250390	9510170223	95/07/26	FOIA	
9510250047	9510250043	95/10/19	71-9203		9510250392	9510250301	95/09/06	71-9222	
9510250070	9510250066	95/10/19	71-9792		9510250393	9510170223	95/07/26	FOIA	
9510250071	9510250027	95/10/23	STATE PRO	G	9510250395	9510250394	95/10/19	50-275	R
9510250080	9510250027	95/10/23	STATE PRO	G	9510250399	9510250301	95/09/06	71-9222	
9510250084	9510250027	95/10/23	STATE PRO	G	9510250400	9510250398	95/10/18	50-461	K
9510250093	9510250087	95/10/12	50-285	K	9510260013	9510170223	95/07/26	FOIA	
9510250096	9510250090	95/10/19	50-390	A	9510260015	9510170223	95/07/26	FOIA	
9510250102	9510250089	95/10/19	50-368	Q	9510260016	9510170223	95/07/26	FOIA	
9510250130	9510250127	95/10/19	50-369	Q	9510260019	9510170223	95/07/26	FOIA	
9510250150	9510250145	95/10/11	50-287	Q	9510260020	9510170223	95/07/26	FOIA	
9510250158	9510250142	95/10/18	50-280	P	9510260021	9510170223	95/07/26	FOIA	
9510250163	9510170223	95/07/26	FOIA		9510260022	9510170223	95/07/26	FOIA	
9510250168	9510170223	95/07/26	FOIA		9510260026	9510170223	95/07/26	FOIA	
9510250173	9510170223	95/07/26	FOIA		9510260027	9510170223	95/07/26	FOIA	
9510250176	9510170223	95/07/26	FOIA		9510260029	9510260024	95/10/02	50-369	F
9510250183	9510170223	95/07/26	FOIA		9510260034	9510170223	95/07/26	FOIA	
9510250188	9510170223	95/07/26	FOIA		9510260038	9510260035	95/10/13	70-734	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510260039	9510260035	95/10/13	70-734		9510260238	9510260154	95/10/03	FOIA	
9510260045	9510260044	95/09/28	WASTE MGT		9510260239	9510260154	95/10/03	40-8027	
9510260053	9510170223	95/07/26	FOIA		9510260240	9510260154	95/10/03	40-8027	
9510260054	9510260048	95/10/02	WASTE MGT		9510260241	9510260154	95/10/03	40-8027	
9510260056	9510260049	95/10/24	50-458	P	9510260243	9510260154	95/10/03	40-8027	
9510260057	9510170223	95/07/26	FOIA		9510260244	9510260154	95/10/03	FOIA	
9510260059	9510170223	95/07/26	FOIA		9510260245	9510260154	95/10/03	40-8027	
9510260063	9510170223	95/07/26	FOIA		9510260246	9510260154	95/10/03	40-8027	
9510260064	9510170223	95/07/26	FOIA		9510260247	9510260207	95/10/18	FOIA	
9510260065	9510170223	95/07/26	FOIA		9510260248	9510260154	95/10/03	40-8027	
9510260066	9510170223	95/07/26	FOIA		9510260249	9510260154	95/10/03	FOIA	
9510260068	9510170223	95/07/26	FOIA		9510260250	9510260154	95/10/03	40-8027	
9510260070	9510170223	95/07/26	FOIA		9510260251	9510260154	95/10/03	40-8027	
9510260072	9510170223	95/07/26	FOIA		9510260252	9510260154	95/10/03	FOIA	
9510260073	9510260067	95/10/20	50-336	P	9510260253	9510260154	95/10/03	40-8027	
9510260074	9510260058	95/10/18	FOIA		9510260255	9510260207	95/10/18	FOIA	
9510260075	9510170223	95/07/26	FOIA		9510260256	9510260154	95/10/03	FOIA	
9510260078	9510170223	95/07/26	FOIA		9510260257	9510260154	95/10/03	40-8027	
9510260080	9510170223	95/07/26	FOIA		9510260258	9510260154	95/10/03	40-8027	
9510260081	9510170223	95/07/26	FOIA		9510260259	9510260154	95/10/03	40-8027	
9510260084	9510170223	95/07/26	FOIA		9510260260	9510260154	95/10/03	40-8027	
9510260085	9510170223	95/07/26	FOIA		9510260261	9510260154	95/10/03	40-8027	
9510260088	9510260082	95/10/20	50-3	F	9510260263	9510260154	95/10/03	40-8027	
9510260089	9510170223	95/07/26	FOIA		9510260264	9510260154	95/10/03	40-8027	
9510260092	9510260082	95/10/20	50-3	F	9510260266	9510260154	95/10/03	40-8027	
9510260093	9510260076	95/10/19	QA999		9510260268	9510260207	95/10/18	FOIA	
9510260095	9510170223	95/07/26	FOIA		9510260269	9510260154	95/10/03	40-8027	
9510260097	9510170223	95/07/26	FOIA		9510260270	9510260154	95/10/03	40-8027	
9510260102	9510260076	95/10/19	QA999		9510260272	9510260207	95/10/18	FOIA	
9510260104	9510170223	95/07/26	FOIA		9510260273	9510260154	95/10/03	40-8027	
9510260106	9510260076	95/10/19	QA999		9510260274	9510260154	95/10/03	40-8027	
9510260107	9510260101	95/10/18	50-445	P	9510260275	9510310413	95/10/25	ORG	
9510260108	9510170223	95/07/26	FOIA		9510260276	9510260207	95/10/18	FOIA	
9510260112	9510260099	95/01/05	50-498	P	9510260277	9510260154	95/10/03	40-8027	
9510260115	9510260076	95/10/19	QA999		9510260278	9510260154	95/10/03	40-8027	
9510260118	9510170223	95/07/26	FOIA		9510260279	9510260154	95/10/03	40-8027	
9510260121	9510170223	95/07/26	FOIA		9510260281	9510260207	95/10/18	FOIA	
9510260125	9510260099	95/01/05	50-498	F	9510260282	9510260280	95/10/20	50-317	P
9510260126	9510260122	95/10/20	50-333	Q	9510260283	9510260154	95/10/03	FOIA	
9510260129	9510260122	95/10/20	50-333	Q	9510260285	9510260154	95/10/03	FOIA	
9510260132	9510260099	95/01/05	50-498	F	9510260291	9510260154	95/10/03	40-8027	
9510260136	9510260099	95/01/05	50-498	Q	9510260292	9510260286	95/10/23	50-336	P
9510260142	9510260099	95/01/05	50-498	P	9510260295	9510260154	95/10/03	40-8027	
9510260148	9510260099	95/01/05	50-498	P	9510260296	9510260293	95/10/20	40-8948	
9510260151	9510260099	95/01/05	50-498	P	9510260298	9510260154	95/10/03	40-8027	
9510260153	9510260140	95/10/18	FOIA		9510260300	9510260287	95/10/20	FOIA	
9510260155	9510260147	95/10/20	50-483	P	9510260301	9510260154	95/10/03	40-8027	
9510260158	9510260099	95/01/05	50-498	P	9510260303	9510260154	95/10/03	40-8027	
9510260160	9510260154	95/10/03	40-8027		9510260304	9510260154	95/10/03	40-8027	
9510260164	9510260162	95/10/18	50-368	P	9510260305	9510260287	95/10/20	FOIA	
9510260165	9510260162	95/10/18	50-368	P	9510260306	9510260154	95/10/03	40-8027	
9510260168	9510260147	95/10/20	50-483	P	9510260307	9510260302	95/10/24	50-336	P
9510260175	9510260154	95/10/03	40-8027		9510260308	9510260154	95/10/03	40-8027	
9510260178	9510260154	95/10/03	FOIA		9510260309	9510260154	95/10/03	40-8027	
9510260182	9510260154	95/10/03	FOIA		9510260311	9510260154	95/10/03	40-8027	
9510260183	9510260154	95/10/03	40-8027		9510260313	9510260154	95/10/03	40-8027	
9510260185	9510260154	95/10/03	40-8027		9510260314	9510260154	95/10/03	40-8027	
9510260200	9510260154	95/10/03	40-8027		9510260316	9510260287	95/10/20	FOIA	
9510260201	9510260190	95/10/20	50-10	W	9510260317	9510260154	95/10/03	40-8027	
9510260202	9510260154	95/10/03	40-8027		9510260318	9510260154	95/10/03	40-8027	
9510260208	9510260154	95/10/03	40-8027		9510260320	9510260154	95/10/03	40-8027	
9510260210	9510260154	95/10/03	40-8027		9510260321	9510260154	95/10/03	40-8027	
9510260211	9510260154	95/10/03	40-8027		9510260322	9510260154	95/10/03	40-8027	
9510260212	9510260190	95/10/20	50-10	W	9510260323	9510260287	95/10/20	FOIA	
9510260213	9510260154	95/10/03	40-8027		9510260324	9510260154	95/10/03	40-8027	
9510260214	9510260207	95/10/18	FOIA		9510260328	9510260287	95/10/20	FOIA	
9510260215	9510260154	95/10/03	40-8027		9510260331	9510260287	95/10/20	FOIA	
9510260216	9510260154	95/10/03	FOIA		9510260334	9510260287	95/10/20	FOIA	
9510260217	9510260154	95/10/03	40-8027		9510260336	9510260332	95/10/11	PROJ	
9510260218	9510260154	95/10/03	40-8027		9510260337	9510260287	95/10/20	FOIA	
9510260219	9510260154	95/10/03	40-8027		9510260339	9510260338	95/10/18	50-244	P
9510260220	9510260154	95/10/03	40-8027		9510260340	9510260287	95/10/20	FOIA	
9510260221	9510260207	95/10/18	FOIA		9510260341	9510260338	95/10/18	50-244	P
9510260222	9510260154	95/10/03	40-8027		9510260343	9510260338	95/10/18	50-244	P
9510260223	9510260154	95/10/03	40-8027		9510260344	9510260338	95/10/18	50-244	P
9510260225	9510260154	95/10/03	40-8027		9510260345	9510260338	95/10/18	50-244	P
9510260226	9510260154	95/10/03	FOIA		9510260346	9510260338	95/10/18	50-244	P
9510260228	9510260207	95/10/18	FOIA		9510260348	9510260338	95/10/18	50-244	P
9510260229	9510260154	95/10/03	40-8027		9510270005	9510270004	95/10/24	50-457	Q
9510260230	9510260154	95/10/03	40-8027		9510270012	9510270010	95/10/11	50-529	Q
9510260231	9510260154	95/10/03	40-8027		9510270019	9510270017	95/10/17	70-143	
9510260232	9510260207	95/10/18	FOIA		9510270021	9510270018	95/10/19	50-282	Y
9510260233	9510260154	95/10/03	40-8027		9510270023	9510270018	95/10/19	50-282	Y
9510260234	9510260154	95/10/03	40-8027		9510270025	9510100073	95/06/21	FOIA	
9510260235	9510260154	95/10/03	40-8027		9510270026	9510270022	95/10/16	50-341	P
9510260236	9510260207	95/10/18	FOIA		9510270027	9510100073	95/06/21	FOIA	
9510260237	9510260154	95/10/03	40-8027		9510270028	9510100073	95/06/21	FOIA	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510270029	9510100073	95/06/21	FOIA		9510270223	9510270227	95/09/28	CONTRACT	
9510270031	9510100073	95/06/21	FOIA		9510270224	9510100073	95/06/21	FOIA	
9510270032	9510100073	95/06/21	FOIA		9510270226	9510100073	95/06/21	FOIA	
9510270036	9510100073	95/06/21	FOIA		9510270228	9510100073	95/06/21	70-161	
9510270038	9510100073	95/06/21	FOIA		9510270230	9510100073	95/06/21	FOIA	
9510270041	9510100073	95/06/21	FOIA		9510270233	9510100073	95/06/21	70-161	
9510270042	9510100073	95/06/21	FOIA		9510270236	9510100073	95/06/21	FOIA	
9510270043	9510270040	95/10/20	50-213	P	9510270238	9510100073	95/06/21	70-161	
9510270045	9510100073	95/06/21	FOIA		9510270239	9510270232	95/10/06	CONTRACT	
9510270048	9510270044	95/10/20	50-244	Q	9510270240	9510270235	95/08/03	CONTRACT	
9510270052	9510270046	95/10/12	71-9028		9510270241	9510270225	95/08/23	CONTRACT	
9510270061	9510270054	95/10/20	50-245	Q	9510270243	9510100073	95/06/21	FOIA	
9510270062	9510270057	95/10/23	50-213	Q	9510270244	9510100073	95/06/21	70-161	
9510270064	9510270053	95/10/20	50-277	V	9510270246	9510270237	95/10/23	WASTE MGT	
9510270069	9510270056	95/10/17	70-7001		9510270247	9510100073	95/06/21	70-161	
9510270072	9510270059	95/10/20	50-483	Q	9510270249	9510270070	95/10/23	50-341	P
9510270074	9510270056	95/10/17	70-7001		9510270250	9510100073	95/06/21	FOIA	
9510270076	9510270068	95/10/20	50-219	Q	9510270251	9510100073	95/06/21	70-161	
9510270082	9510270079	95/10/18	50-272	Q	9510270253	9510270070	95/10/23	50-341	P
9510270084	9510270078	95/10/20	50-309	Q	9510270254	9510100073	95/06/21	70-161	
9510270085	9510270081	95/10/20	50-315	P	9510270256	9510100073	95/06/21	70-161	
9510270087	9510270075	95/10/20	50-354	Q	9510270257	9510270070	95/10/23	50-341	P
9510270093	9510270078	95/10/20	50-309	Q	9510270259	9510100073	95/06/21	70-161	
9510270094	9510270089	95/10/11	50-528	Q	9510270261	9510100073	95/06/21	70-161	
9510270098	9510270088	95/10/11	50-289	Q	9510270262	9510100073	95/06/21	70-161	
9510270099	9510270086	95/10/18	50-461	Q	9510270263	9510100073	95/06/21	70-161	
9510270101	9510270095	95/10/23	50-219	Q	9510270264	9510100073	95/06/21	70-161	
9510270103	9510270100	95/10/24	50-243	R	9510270265	9510100073	95/06/21	70-161	
9510270106	9510270086	95/10/18	50-461	Q	9510270266	9510100073	95/06/21	70-161	
9510270109	9510100073	95/06/21	FOIA		9510270267	9510100073	95/06/21	70-161	
9510270116	9510270111	95/10/11	50-341	Q	9510270269	9510100073	95/06/21	70-161	
9510270118	9510100073	95/06/21	FOIA		9510270271	9510100073	95/06/21	70-161	
9510270121	9510270070	95/10/23	50-341	R	9510270272	9510100073	95/06/21	70-161	
9510270122	9510100073	95/06/21	40-7841		9510270273	9510100073	95/06/21	70-161	
9510270124	9510100073	95/06/21	FOIA		9510270274	9510270033	95/10/24	FOIA	
9510270125	9510100073	95/06/21	40-7841		9510270275	9510100073	95/06/21	70-161	
9510270126	9510270117	95/10/20	52-3		9510270276	9510270070	95/10/23	50-341	P
9510270127	9510270120	95/10/13	50-440	Q	9510270277	9510100073	95/06/21	70-161	
9510270128	9510100073	95/06/21	40-7841		9510270278	9510100073	95/06/21	70-161	
9510270132	9510100073	95/06/21	40-7841		9510270280	9510100073	95/06/21	70-161	
9510270134	9510100073	95/06/21	FOIA		9510270281	9510270279	95/10/19	70-7001	
9510270135	9510270070	95/10/23	50-341	P	9510270285	9510100073	95/06/21	70-161	
9510270138	9510100073	95/06/21	70-161		9510270286	9510270284	95/09/25	71-772	
9510270142	9510100073	95/06/21	FOIA		9510270287	9510100073	95/06/21	70-161	
9510270143	9510100073	95/06/21	70-161		9510270288	9510100073	95/06/21	70-161	
9510270144	9510100073	95/06/21	FOIA		9510270289	9510100073	95/06/21	70-161	
9510270145	9510100073	95/06/21	70-161		9510270292	9510100073	95/06/21	FOIA	
9510270146	9510100073	95/06/21	70-161		9510270294	9510100073	95/06/21	70-161	
9510270149	9510100073	95/06/21	FOIA		9510270296	9510100073	95/06/21	FOIA	
9510270150	9510100073	95/06/21	70-161		9510270297	9510100073	95/06/21	FOIA	
9510270151	9510270147	95/10/24	50-213	P	9510270299	9510100073	95/06/21	FOIA	
9510270153	9510270130	95/10/23	72-1008		9510270301	9510100073	95/06/21	FOIA	
9510270154	9510100073	95/06/21	70-161		9510270302	9510100073	95/06/21	FOIA	
9510270155	9510100073	95/06/21	FOIA		9510270305	9510100073	95/06/21	FOIA	
9510270156	9510100073	95/06/21	70-161		9510270309	9510100073	95/06/21	FOIA	
9510270157	9510100073	95/06/21	FOIA		9510270311	9510270306	95/10/24	50-278	P
9510270158	9510100073	95/06/21	70-161		9510270313	9510100073	95/06/21	FOIA	
9510270159	9510270114	95/10/19	71-122		9510270315	9510270148	95/10/16	FOIA	
9510270160	9510270148	95/10/16	FOIA		9510270333	9510270328	95/08/28	71-829	
9510270162	9510100073	95/06/21	70-161		9510270338	9510100073	95/06/21	FOIA	
9510270164	9510100073	95/06/21	70-161		9510270340	9510100073	95/06/21	FOIA	
9510270168	9510100073	95/06/21	70-161		9510270342	9510100073	95/06/21	FOIA	
9510270170	9510270163	95/10/02	CONTRACT		9510270343	9510270337	95/10/17	50-269	F
9510270172	9510100073	95/06/21	70-161		9510270344	9510270341	95/10/20	WASTE MGT	
9510270179	9510100073	95/06/21	FOIA		9510270345	9510270336	95/10/03	CONTRACT	
9510270182	9510100073	95/06/21	FOIA		9510270347	9510100073	95/06/21	FOIA	
9510270183	9510270165	95/10/26	ADVCM		9510270350	9510100073	95/06/21	FOIA	
9510270184	9510270165	95/10/26	ADVCM		9510270363	9510270362	95/10/24	50-313	Q
9510270187	9510100073	95/06/21	FOIA		9510270366	9510270361	95/10/23	50-382	Q
9510270190	9510100073	95/06/21	FOIA		9510270367	9510270362	95/10/24	50-313	Q
9510270193	9510100073	95/06/21	FOIA		9510270377	9510270375	95/10/17	PROJ	
9510270194	9510100073	95/06/21	70-161		9510270379	9510270375	95/10/17	PROJ	
9510270196	9510100073	95/06/21	70-161		9510270384	9510270383	95/10/18	50-206	S
9510270197	9510270191	95/09/25	CONTRACT		9510270389	9510270388	95/04/05	50-390	A
9510270198	9510100073	95/06/21	FOIA		9510300004	9510300002	95/10/23	50-327	S
9510270201	9510270195	95/10/23	WASTE MGT		9510300005	9510100073	95/06/21	70-161	
9510270202	9510270161	95/10/17	50-315	P	9510300008	9510100073	95/06/21	70-161	
9510270205	9510100073	95/06/21	FOIA		9510300013	9510100073	95/06/21	70-161	
9510270207	9510100073	95/06/21	70-161		9510300018	9510100073	95/06/21	70-948	
9510270208	9510100073	95/06/21	FOIA		9510300023	9510100073	95/06/21	70-948	
9510270211	9510270199	95/10/20	70-3073		9510300025	9510100073	95/06/21	70-948	
9510270212	9510100073	95/06/21	FOIA		9510300029	9510100073	95/06/21	70-948	
9510270214	9510270161	95/10/17	50-315	P	9510300033	9510100073	95/06/21	70-948	
9510270216	9510100073	95/06/21	FOIA		9510300036	9510100073	95/06/21	70-948	
9510270217	9510270209	95/09/20	CONTRACT		9510300039	9510100073	95/06/21	70-948	
9510270220	9510100073	95/06/21	70-161		9510300042	9510300034	95/10/20	50-530	S
9510270222	9510100073	95/06/21	70-161		9510300045	9510100073	95/06/21	70-948	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9510300049	9510100073	95/06/21	70-948		9510310045	9510100073	95/06/21	FOIA	
9510300050	9510100073	95/06/21	70-948		9510310047	9510100073	95/06/21	FOIA	
9510300054	9510100073	95/06/21	70-948		9510310048	9510100073	95/06/21	FOIA	
9510300058	9510100073	95/06/21	70-948		9510310051	9510100073	95/06/21	FOIA	
9510300063	9510100073	95/06/21	70-1766		9510310053	9510100073	95/06/21	FOIA	
9510300064	9510300062	95/10/19	50-424	G	9510310055	9510100073	95/06/21	FOIA	
9510300065	9510300060	95/10/24	50-272	S	9510310056	9510100073	95/06/21	FOIA	
9510300069	9510100073	95/06/21	70-1766		9510310059	9510100073	95/06/21	FOIA	
9510300072	9510100073	95/06/21	FOIA		9510310060	9510100073	95/06/21	FOIA	
9510300074	9510100073	95/06/21	50-129	Q	9510310062	9510100073	95/06/21	FOIA	
9510300076	9510100073	95/06/21	FOIA		9510310063	9510100073	95/06/21	FOIA	
9510300082	9510100073	95/06/21	50-129	Q	9510310064	9510310049	95/10/19	STATE PRO	G
9510300084	9510100073	95/06/21	FOIA		9510310066	9510100073	95/06/21	FOIA	
9510300087	9510100073	95/06/21	40-962		9510310067	9510100073	95/06/21	FOIA	
9510300088	9510300078	95/10/25	50-313	Q	9510310068	9510100073	95/06/21	FOIA	
9510300090	9510300085	95/10/26	71-538		9510310070	9510100073	95/06/21	FOIA	
9510300091	9510300086	95/10/20	50-333	F	9510310071	9510310057	95/10/24	50-498	P
9510300094	9510100073	95/06/21	FOIA		9510310072	9510100073	95/06/21	FOIA	
9510300095	9510100073	95/06/21	40-962		9510310074	9510100073	95/06/21	FOIA	
9510300097	9510300024	95/10/20	COMMISSIO	N	9510310076	9510100073	95/06/21	FOIA	
9510300098	9510100073	95/06/21	40-962		9510310078	9510100073	95/06/21	FOIA	
9510300100	9510300086	95/10/20	50-333	F	9510310081	9510100073	95/06/21	FOIA	
9510300105	9510100073	95/06/21	40-962		9510310082	9510100073	95/06/21	FOIA	
9510300106	9510300099	95/10/16	50-237	P	9510310085	9510100073	95/06/21	FOIA	
9510300107	9510100073	95/06/21	FOIA		9510310087	9510100073	95/06/21	FOIA	
9510300108	9510300096	95/10/19	STATE PRO	G	9510310089	9510310079	95/10/19	50-266	P
9510300109	9510100073	95/06/21	40-962		9510310091	9510100073	95/06/21	FOIA	
9510300111	9510300099	95/10/16	50-237	P	9510310093	9510100073	95/06/21	FOIA	
9510300115	9510100073	95/06/21	40-962		9510310094	9510100073	95/06/21	FOIA	
9510300119	9510100073	95/06/21	40-962		9510310097	9510100073	95/06/21	FOIA	
9510300122	9510300116	95/10/20	50-271	Q	9510310100	9510100073	95/06/21	FOIA	
9510300125	9510100073	95/06/21	FOIA		9510310103	9510100073	95/06/21	FOIA	
9510300127	9510100073	95/06/21	40-962		9510310104	9510310049	95/10/19	STATE PRO	G
9510300129	9510100073	95/06/21	40-962		9510310109	9510100073	95/06/21	FOIA	
9510300134	9510100073	95/06/21	40-962		9510310112	9510100073	95/06/21	FOIA	
9510300135	9510100073	95/06/21	FOIA		9510310116	9510100073	95/06/21	FOIA	
9510300137	9510100073	95/06/21	40-962		9510310120	9510100073	95/06/21	FOIA	
9510300140	9510100073	95/06/21	40-962		9510310124	9510100073	95/06/21	FOIA	
9510300143	9510300138	95/10/26	50-133	Q	9510310125	9510100073	95/06/21	FOIA	
9510300144	9510100073	95/06/21	40-962		9510310127	9510310122	95/10/26	71-830	
9510300146	9510100073	95/06/21	FOIA		9510310129	9510100073	95/06/21	FOIA	
9510300148	9510100073	95/06/21	40-962		9510310134	9510100073	95/06/21	FOIA	
9510300149	9510100073	95/06/21	40-962		9510310138	9510310136	95/10/26	71-417	
9510300151	9510100073	95/06/21	40-962		9510310139	9510310133	95/10/19	70-1257	
9510300153	9510100073	95/06/21	40-962		9510310140	9510100073	95/06/21	FOIA	
9510300155	9510100073	95/06/21	40-962		9510310143	9510100073	95/06/21	FOIA	
9510300156	9510100073	95/06/21	40-962		9510310147	9510100073	95/06/21	FOIA	
9510300158	9510100073	95/06/21	40-962		9510310153	9510100073	95/06/21	FOIA	
9510300159	9510100073	95/06/21	40-962		9510310154	9510260190	95/10/20	50-10	W
9510300163	9510100073	95/06/21	40-962		9510310155	9510100073	95/06/21	FOIA	
9510300164	9510300161	95/10/23	50-324	P	9510310157	9510310150	95/10/26	50-445	Q
9510300188	9510300183	95/10/24	50-305	Q	9510310159	9510100073	95/06/21	FOIA	
9510300193	9510300184	95/10/18	50-245	G	9510310160	9510100073	95/06/21	FOIA	
9510300196	9510300194	95/10/23	50-348	P	9510310163	9510310150	95/10/26	50-445	Q
9510300198	9510300192	95/10/25	50-528	Q	9510310164	9510100073	95/06/21	FOIA	
9510300202	9510300191	95/10/26	50-388	P	9510310166	9510310161	95/10/18	50-206	S
9510300204	9510300192	95/10/25	50-528	Q	9510310169	9510260190	95/10/20	50-10	W
9510300209	9510300206	95/10/23	50-483	P	9510310174	9510260190	95/10/20	50-10	W
9510300218	9510300166	95/10/26	50-29	W	9510310175	9510310161	95/10/18	50-206	S
9510300219	9510300213	95/10/20	50-255	S	9510310182	9510310177	95/10/24	70-8	
9510300220	9510300216	95/10/24	50-368	P	9510310185	9510260190	95/10/20	50-10	W
9510300228	9510300211	95/10/26	50-245	G	9510310190	9510130130	95/10/11	ADVCM	
9510300229	9510300224	95/10/23	50-285	F	9510310192	9510100073	95/06/21	FOIA	
9510300231	9510300224	95/10/23	50-285	F	9510310194	9510260190	95/10/20	50-10	W
9510300241	9510300211	95/10/26	50-245	G	9510310196	9510100073	95/06/21	FOIA	
9510310007	9510100073	95/06/21	FOIA		9510310199	9510100073	95/06/21	FOIA	
9510310008	9510100073	95/06/21	40-962		9510310204	9510100073	95/06/21	FOIA	
9510310009	9510100073	95/06/21	40-962		9510310207	9510310200	95/10/25	50-335	P
9510310010	9510100073	95/06/21	40-962		9510310213	9510310200	95/10/25	50-335	P
9510310011	9510100073	95/06/21	40-962		9510310215	9510100073	95/06/21	FOIA	
9510310012	9510100073	95/06/21	40-962		9510310226	9510310221	95/10/24	50-213	P
9510310013	9510100073	95/06/21	40-962		9510310236	9510310224	95/10/25	50-295	S
9510310015	9510100073	95/06/21	FOIA		9510310243	9510310224	95/10/25	50-295	S
9510310017	9510100073	95/06/21	40-962		9510310252	9510310248	95/10/26	50-458	P
9510310018	9510100073	95/06/21	40-962		9510310264	9510310263	95/10/26	50-366	Q
9510310019	9510100073	95/06/21	FOIA		9510310268	9510310259	95/10/13	40-8027	
9510310021	9510100073	95/06/21	40-962		9510310271	9510310267	95/09/13	40-8948	
9510310025	9510100073	95/06/21	40-962		9510310278	9510310275	95/09/06	40-8948	
9510310027	9510100073	95/06/21	FOIA		9510310285	9510310277	95/10/17	50-278	P
9510310028	9510100073	95/06/21	40-962		9510310288	9510310277	95/10/17	50-278	P
9510310030	9510100073	95/06/21	FOIA		9510310298	9510310293	95/08/09	40-8948	
9510310032	9510100073	95/06/21	FOIA		9510310303	9510310300	95/10/12	40-8907	
9510310036	9510100073	95/06/21	FOIA		9510310305	9510310294	95/10/20	50-277	Q
9510310037	9510100073	95/06/21	FOIA		9510310307	9510310300	95/10/12	40-8907	
9510310039	9510100073	95/06/21	FOIA		9510310312	9510310308	95/10/20	50-315	P
9510310041	9510100073	95/06/21	FOIA		9510310315	9510310313	95/10/26	50-315	P
9510310043	9510100073	95/06/21	FOIA		9510310321	9510310320	95/10/18	50-390	A

ACCESSION NUMBER

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9510310325	9510310318	95/10/24	50-387 Q
9510310333	9510310326	95/08/09	40-8948
9510310366	9510310352	95/10/19	50-277 P
9510310380	9510310356	95/10/25	50-361 G
9510310383	9510310381	95/10/26	50-397 P
9510310390	9510310343	91/10/01	50-259 P
9510310406	9510310404	95/10/23	71-9261

ACCESSION NUMBER

ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9510310411	9510270355	95/10/20	PROJ
9510310415	9510310413	95/10/25	ORG
9510310420	9510310419	95/10/23	50-243 R
9511060237	9510100073	95/06/21	FOIA
9511130051	9510100073	95/06/21	FOIA
9511160351	9510270130	95/10/23	72-1008

APPENDIX A

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes submitted by applicants and licensees.
4. NRC questions, requests for additional information, and applicant responses.
5. Early site review.
6. Correspondence and documents relating to unresolved design and construction issues.
7. Meeting announcements and summaries of meeting discussions on issues of item 6.
8. Correspondence regarding the utility Preliminary Safety Analysis Report (PSAR).
9. Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.).
10. Construction Permit, amendments, and correspondence relating to the construction permit and related orders issued by the Office of Nuclear Reactor Regulation (NRR show cause and modifications) not involving the Atomic Safety Licensing and Appeal Board.
11. Scheduling of license application submission or review.
12. Environmental review information (other environmental documents are filed in Categories C, D, P, or R).
13. Seismic qualification review teams (SQRT) reports and related correspondence.
14. Application for operating license.
15. General Information submitted with operating license application.
16. Amendments and changes submitted by applicants and licensees.
17. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and the Updated Final Safety Analysis Report (USAR).
18. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

DEFINITIONS OF DOCKET 50 CATEGORIES

19. Safety Evaluation Reports (SERs) on specific generic issues.

20. Reports of site visits.

21. Backup technical documents (e.g., topical reports) submitted in support of the application.

22. Proposed equipment failure/instructions.

23. NRC's changes in internal organizational structure.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORTS (PSAR) AND AMENDMENTS

All related correspondence is filed in Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Hazards Summary Report or Safety Analysis Report).

2. Amendments and changes to the PSAR.

3. Transmittal and acknowledgment letters.

4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

1. Environmental Report (ER) submitted by the utility.

2. Amendments and supplements to the ER.

3. Transmittal and acknowledgment letters.

4. Information on scheduling of submittal or review of ER.

5. NRC questions, requests for additional information, and applicant responses.

6. Federal Register notices citing the availability of items 1 and 2.

7. Correspondence relating to the review of ER.

8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

9. Correspondence relating to certification of pollution control devices.

NOTE: Other environmental documents are filed in Categories A, D, P, or R.

DEFINITIONS OF DOCKET 50 CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by NRC.
2. Supplements to the DES and FES.
3. Correspondence relating to the DES and FES.
4. Comments from other Federal, State, and local government agencies; organizations; and interested individuals.
5. Transmittal and acknowledgment letters.
6. Documents related to NRC review of environmental issues or of the ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal Register notices citing availability of items 1 and 2.
9. Reports of site visits to obtain information for the DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

NOTE: Other environmental documents and correspondence are filed in Categories A, C, P, or R.

E. NRC SAFETY EVALUATION REPORTS (SER), SUPPLEMENTS AND CORRESPONDENCE

1. Formal Safety Evaluation Report (SER) prepared by NRC (formerly called NRC-AEC Hazard Analysis Report) in review of PSAR.
2. Supplements to the SER.
3. Correspondence relating to the SER and supplements.
4. Federal Register notices citing availability of items 1 and 2.
5. Information on scheduling of SER submittals and review.
6. Requests for additional information for use in preparing SER; responses to such requests.
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgment letters.

NOTE: Other documents dealing with specific safety-related issues are filed in Categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET 50 CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in this category.

1. Fire Hazard Protection Plans and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Health Physics Program and its review.
5. Emergency Plans.
6. Correspondence relating to aforementioned plans.
7. Supplements, changes, and revisions to plans.
8. Correspondence and documentation relating to Appendix R of 10 CFR Part 50 (fire protection), guard training, emergency response centers, and emergency preparedness.
9. Transmittal and acknowledgment letters.
10. Meeting announcements and reports of meetings where the primary subject of discussion is related to the aforementioned plans and topics covered in item 8.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in Category T. Show-cause orders and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) (not before the Board) are filed in Categories A and P. Exhibits for proceedings (Hearings) are available only on microfiche (1984 to present) in the PDR, but upon request paper files are available to the PDR from the Docketing and Service Branch, Office of the Secretary.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents.
2. Federal Register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the Boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

DEFINITIONS OF DOCKET 50 CATEGORIES

H. GENERAL CORRESPONDENCE

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

1. Change of address notifications (external only).
2. Changes in structure of organization (external only).
3. Changes in service lists.
4. NRC requests to applicants for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters.
7. Letters of support, concern, or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.
10. Constituent, organizational, or utility correspondence forwarded by Congressman to NRC for response.
11. Resolutions passed by State and local governing bodies (e.g., town councils).

NOTE: Since 1982, letters of concern, support, or opposition for all plants are filed in a General Public Comments folder.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership.
2. Separately submitted financial information and related correspondence.
3. Transcripts and testimony before State commissions pertinent to financial information requested by NRC.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments.
2. Endorsements of insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

DEFINITIONS OF DOCKET 50 CATEGORIES

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR), AND AMENDMENTS

1. Final Safety Analysis Report (FSAR), (formerly called Final Hazards Summary Report), submitted by the utility.
2. Updated Final Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility.
3. Amendments and changes to the FSAR and USAR.
4. Federal Register notices citing availability of the FSAR and amendments.
5. Transmittal and acknowledgment letters.
6. Certificates of service to the FSAR and USAR.

NOTE: All related correspondence falls in Category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in Category F.

L. LIMITED WORK AUTHORIZATIONS (LWA) AND RELATED CORRESPONDENCE

This category is limited to documents pertaining to Limited Work Authorizations (LWAs) whereby applicants can carry out limited site preparation and construction prior to the granting of a Construction Permit.

1. Limited Work Authorizations (LWAs) and amendments
2. Correspondence pertaining to work performed under LWAs.

M. ANTITRUST REVIEWS AND ANTITRUST CORRESPONDENCE

1. Documents submitted as part of the application for a Construction Permit and Operating License entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding documents, except for hearing transcripts, testimony, and briefings, which are filed in Category N.

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence falls in Category M.

DEFINITIONS OF DOCKET 50 CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews.

1. ACRS reports relating to facility license applications.

2. Announcement of ACRS meetings relating to facility license applications, including description of meeting agendas.

3. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings, relating to both facility license applications and safety-related matters.

4. Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications.

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS file category.

P. OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (Category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes, and related correspondence.

2. Show-cause and modification orders issued by NRR (not before the Board) for the operating license.

3. Technical specifications and changes.

4. Backup technical documents (e.g., topical reports) submitted in support of items 1 and 2.

5. Federal Register notices citing availability of item 1 and the FSAR.

6. Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Final Safety Analysis Report (USAR).

7. All general technical correspondence, meeting announcements or meeting summaries relating to Technical Specifications, the Operating License or technical issues arising after the issuance of the Operating License.

8. Correspondence regarding codes (e.g., American Society of Mechanical Engineers), regulations, laws, or changes in policy that may affect plant operation or bear on the Operating License.

9. Information on the Standard Review Plan (STP).

10. Results of surveys or tests conducted in accordance with the Technical Specifications (not periodic reports, which fall in Category R).

11. Correspondence relating to NRC's Systematic Evaluation Program (SEP).

DEFINITIONS OF DOCKET 50 CATEGORIES

12. Owner's group meeting announcements and reports.

13. Quality assurance information.

14. Environmental matters (technical).

15. Seismic qualification review team (SQRT) reports and related correspondence.

16. Emergency core cooling system documents.

17. Radioactive waste information excluding onsite storage of low-level waste, filed in Category X, and independent spent fuel installations of high-level waste, filed in Category Y.

18. Correspondence regarding expansion of spent fuel storage pool.

19. Start-up test reports.

20. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; *not covered by an IE Bulletin.*

21. SERs on specific generic issues.

22. Proposed equipment failure/instructions.

23. Inservice testing (not inspections).

24. Reports of site visits.

25. Application to voluntarily surrender license, dismantle, and dispose of component parts.

26. Changes in NRC's internal organizational structure.

Q. INSPECTION REPORTS, RESPONSE TO BULLETINS, CIRCULARS AND INFORMATION NOTICES, CIVIL PENALTIES, AND RELATED CORRESPONDENCE

1. Inspection reports.

2. Responses to IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars (not published since 1981) and Information Notices.

3. Responses by applicant to IE correspondence.

4. Applicant's determination of proprietary nature of Inspection Reports.

5. Letters concerning areas of noncompliance.

6. Pre-service and in-service inspections and procedures.

7. Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).

8. Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in Category S.

9. Health physics inspections/appraisals.

10. Emergency preparedness inspections/appraisals.

11. Inspections and related correspondence from the International Atomic Energy Agency.

12. Systematic Assessment of Licensee Performance (SALP).

DEFINITIONS OF DOCKET 50 CATEGORIES

13. Construction Appraisal Team/Construction Assessment Team (CAT) reports.

    A. Integrated Design Inspection (IDI) reports.

    B. Independent Design Verification Program (IDVP) reports.

14. Notice of significant licensee meetings.

15. Performance Appraisal Team (PAT) reports.

16. Licensee/Vendor interface inspections.

17. Correspondence relating to items 12, 13, 14, 15 and 16.

NOTE: For IE Bulletins and Information Notices, see I&E file series.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature.

1. Monthly, semiannual, or annual operating reports (other than financial) for construction and operating stages.

2. Periodic environmental monitoring, effluent testing, or similar reports.

3. Periodic personnel exposure reports.

4. Periodic nonconformance reports (issued pursuant to Board orders).

5. Operational Logbooks on Environmental Data, Radiological Data, operating log on plant systems core, plant status summary sheets.

6. Correspondence or other documents relating to the items listed.

S. REPORTABLE OCCURRENCES, PNOs, PNSs, AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, or nonroutine occurrences or events. These include:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called Incident Reports, Abnormal Occurrence Reports and Reportable Occurrences).

2. Potential or possible reportable Deficiency Reports and related correspondence.

3. Individual Personnel Exposure Reports.

4. Construction Deficiency Reports submitted under 10 CFR 50.55(e).

5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNs).

6. Environmental Technical Specifications Violation Reports and Environmental Event Reports.

7. Part 21 Reports or Defects and Noncompliance.

8. Correspondence or other documents relating to items 1–7.

DEFINITIONS OF DOCKET 50 CATEGORIES

NOTE: For PNOs and PNSs, see I&E file series.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, testimony, and briefings, except for congressional matters (Category V), and antitrust matters (Category N).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Corrections to above items.

NOTE: Transcripts on specific dockets are also filed on ACRS and 9.21 files series.

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches.
2. Information supplied for the record of Congressional hearings.
3. Correspondence to and from Congress and the Executive Branch on other than constituent response matters.
4. Correspondence to or from State Legislative bodies.

NOTE: This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in Category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

1. Information bearing on licensing operators and shift engineers.
2. Power plant examination summary sheet.
3. Correspondence pertaining to operator examinations.

DEFINITIONS OF DOCKET 50 CATEGORIES

W. DECOMMISSIONING DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (Category P) file for general technical items from the order for termination of the operating license onward.

1. Order granting authority to dismantle/decommission.

2. Technical documents submitted, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.

3. Documents relating to disposal of radioactive material and decontamination of the site.

4. Other correspondence relating to decommissioning.

5. All documentation relating to the ongoing operation of the plant, formerly filed in Category P.

X. ONSITE STORAGE OF LOW-LEVEL WASTE

1. License application, license, proposed amendments and amendments to store low-level waste at a commercial reactor.

2. All related correspondence and reports.

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) license or Docket–30 number associated with the Docket–50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSI)

1. License applications, licenses, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)

2. All related correspondence and reports to the above.

NOTE: These documents will have an NMSS license and/or a Docket–72 number. For these installations on a reactor site, the associated Docket–50 number also has been identified.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10 CFR—Commission Meeting Records

Contains documentation pertaining to open and closed Commission meetings.

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification by the General Counsel on closed meetings.
4. Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10 CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff Requirements Memoranda for open meetings; memoranda of record; record of votes of Commissioners on items under consideration at meetings.

ACRS—Advisory Committee on Reactor Safeguards

This category contains documents pertaining to safety-related areas reviewed by ACRS. ACRS serves as an independent advisory committee to the Commission.

1. ACRS reports relating to safety-related matters.
2. Announcements of ACRS meetings relating to safety-related matters, including description of meeting agendas.
3. Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety-related matters.
4. Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both facility license applications and safety-related matters.
5. Minutes of ACRS subcommittee and full committee meetings relating to both facility license application and safety-related matters.
6. ACRS consultant reports, comments and related correspondence relating to both facility license applications and safety-related matters.
7. Technical correspondence, and memoranda to and from ACRS pertaining to safety-related matters.
8. General correspondence and related material about ACRS, but not authored by ACRS or its consultants.

DEFINITIONS OF NONDOCKETED CATEGORIES

NOTE: For Docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 series.

ADVCM—NRC Advisory Committees

This category contains documentation pertaining to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards. Documents in this category include:

1. Charters of each advisory committee.
2. Meeting announcements; description of meeting agenda.
3. Minutes and verbatim transcripts of committee meetings.
4. Committee-generated reports, memoranda, and correspondence that are publicly available.
5. Committee-related correspondence.

COMMISSION—NRC Commissioner Correspondence

Contains documentation pertaining to the daily conduct of Commission business in the Office of the Commission.

1. Incoming and outgoing Commission-level correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures to the aforementioned.
2. Travel vouchers, telephone logs and official appointment calendars of participating Commissioner (placed in the PDR at the discretion of individual Commissioners).
3. Speeches, interviews, and testimony given by Commissioners at meetings, symposia, and Congressional hearings.
4. Weekly Information Reports (SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices.

NOTE: For transcripts of Commission meetings, see 10 CFR 9.7. For all other staff papers with a SECY series designation prepared for Commission review, see SECY file category.

CONTRACT—NRC Contracts and Modifications

Contains documentation pertaining to AEC and NRC contracts, grants, and Interagency Agreements.

DEFINITIONS OF NONDOCKETED CATEGORIES

1. Notification of contracts and grant execution, specifying contract number; project title; contractor name; contract type; funding and period of performance.
2. Contractual documents and modifications to contracts.

FOIA—Freedom of Information Act Requests and Appeals

Contains requests for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA), or denial.

1. Requests made under the FOIA for NRC records (each is assigned a sequential identification number based on the year that the request is made, so that 89–100 refers to the 100th FOIA request made in 1989).
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request, and appeal of a denial.
3. Records or portions thereof released in response to FOIA requests made under FOIA appeals.

GEN TECH IS—Generic Technical Issues

Contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR).

1. Draft reports of action plans to accomplish generic tasks in the NRR program.
2. Correspondence with industry and within NRC discussing methodologies, analyses, the program and technical aspects of issues.
3. Meeting notifications and minutes.
4. Interim findings and status reports on generic tasks addressing related aspects of Generic Technical Issues.

I&E—Inspection and Enforcement Issuances

Contains bulletins, circulars and information notices that are issued by the NRC Office responsible for Inspection and Enforcement. These issuances describe some event that has occurred at a facility that may require some follow-up action by the licensee. Also included in this category are draft bulletins and information notices (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards

Events or Unusual Occurrences (PNSs), and Notifications of Significant Enforcement Actions (ENs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature (discontinued in 1981).
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of that event.

4. Draft I&E Bulletins and Information Notices which are being considered for issuance, and related comments and evaluations.

5. Preliminary Notifications of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest.

6. Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), which provide early notice of events of possible safety significance.

7. Notification of Significant Enforcement Actions (ENs), which provide information on a Notice of Violation and Proposed Imposition of Civil Penalties.

NOTE: For utility responses to such issuances and related correspondence, see Categories Q and S of file.

MISC—Public Document Miscellaneous

Contains documents about topics not included in the scope of the other non-docketed categories.

NUREG—Staff and Contractor Formal Reports, Conference Proceedings, Brochures, and Related Correspondence

Formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other Governmental entities, and the public are published in the NUREG series.

1. Results of licensing studies of specific plants or facilities preliminary to licensing actions.

2. Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry.

3. Action and review plans, as well as guidance, for meeting NRC requirements.

4. Task force reports on specific topics.

5. Proceeding of conferences and workshops.

6. Management and program analysis reports.

7. Statistical analyses that are of interest to the staff, the industry, and the public.

8. Administrative reports that are of interest to the staff, the industry, and the public.

9. Correspondence from industry, government, and the public commenting on reports.

10. Internal NRC memoranda summarizing meetings or discussions pertaining to the contents of the reports.

NOTE: NUREG reports on specific plants or facilities are filed in Docket 50 Categories A, P, E, or D.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG—Organization File

Contains correspondence with professional organizations, Government agencies, and associations with which NRC is in contact; records other than Regulatory Guides that pertain to NRC's activities in standards development; records pertaining to specific NRC offices; and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue.

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.

2. Correspondence between NRC's Office of Nuclear Regulatory Research and other Government agencies in which both parties have joint regulatory responsibility; e.g., EPA has authority to control all radioactive pollutants emitted into the air.

3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Nuclear Regulatory Research in developing standards.

NOTE: For Regulatory Guides and comments on Regulatory Guides issued by the NRC Office of Nuclear Regulatory Research, see the REGGD file category. For petitions for rulemaking filed by the public to amend, rescind or change an NRC regulation, see the PRM file category.

PR—Proposed Rule

Contains records dealing with NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive; a staff proposal; or as a result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person.

1. Federal Register notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved.

2. Text of the Proposed Rule (PR).

3. Draft and generic proposed rules and Federal Register notices (PR Misc.).

4. Comments, statements, information, opinions, or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.

5. Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR.

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

DEFINITIONS OF NONDOCKETED CATEGORIES

PRM—Petition for Rulemaking

Contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation.

1. Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation.

2. Federal Register notice of the filing of the petition.

3. Correspondence between NRC and the Petitioner relevant to the status and substance of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM.

5. Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY file category. For Commission review of staff recommendations, see the 10 CFR 9.7 file category.

PROJ—Projects

Contains records pertaining to two classes of projects: (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) Government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

These files contain all documentation up until the time that the NRC considers the application and the Safety Analysis Report (PSAR) is submitted by the utility complete enough for staff review. The unit is then assigned a docket number and the file transferred to the Docket–50 series category.

The documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket–50 series.

A. Application/Construction Stage

1. Application submitted by the utility.

2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the Preliminary Safety Analysis Report (PSAR).

3. Applicant Quality Assurance Manual.

4. Early site review information.

5. Backup technical documents submitted in support of the application.

6. Early site visits.

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

1. PSAR submitted by the utility.

2. Amendments and change to the PSAR.

3. Transmittal and acknowledgment letters.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, etc., pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related materials pertaining to the antitrust review.

Q. Inspection Reports

1. Inspection reports of the applicant quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.
2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other Government technical people relating to test reactors, critical experiments, and Department of Defense (DOD) reactors on U.S. Naval ships and other sites.

PT 21—10 CFR Part 21 Deficiency Reports

Deficiency reports submitted in compliance with Part 21 of Title 10 of the Code of Federal Regulations.

1. Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA 999—Quality Assurance Inspections

Contains inspection reports of vendor licensee interface from vendor's view, vendor products, vendor programs including equipment environmental qualification testing, and follow-up correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of both nuclear components, or supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, PSAR and FSAR submitted by utilities for specific facilities, and vendor QA Topical Reports.

1. NRC inspection reports of vendor facilities that cover the design, fabrication and testing of components for use in nuclear facilities and vendor/licensee interface.
2. Notices of deviation.
3. Vendor corrective actions and other follow-up correspondence associated with resolution of inspection findings.

NOTE: For vendor licensee interface inspection from licensee's view, see Docket 50 Category Q.

DEFINITIONS OF NONDOCKETED CATEGORIES

REGGD—Regulatory Guides

Contains new and revised Regulatory Guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of the NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

1. Federal Register notices announcing the issuance and availability of a proposed Regulatory Guide.
2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Nuclear Regulatory Research, which is responsible for standards development, see the Organization (ORG) file category. Industry codes and standards cited in Regulatory Guides are available for reference use only in the NRC Library.

RES—Research and Technical Assistance Reports

Contains reports, generally interim, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission.

1. *Technical letter reports* provide information on the technical aspects of work by contractors or other government agencies and their contractors. These letter reports may consist of transmittal letters with interim or final informal reports attached, or the technical information may be incorporated in the body of the letter. The form and frequency of reporting is specified in the Contract Statement of Work.

    a. Interim technical letter reports provide information on the technical aspects of the work at various stages and form a basis for development of the formal reports required by the contract. Interim technical letter reports may include, but are not limited to, informal (interim) progress reports, "quick-look" reports, data reports, project descriptions, pretest predictions, model verifications, experiment safety analyses, experiment operating procedures, facility certification reports, and test results.

    b. Final technical letter reports are prepared to record the results of contract work that comprises review and evaluation of the work of others or work to be used by the staff in the licensing and regulation process. These technical letter reports are not followed by a formal report.

2. *Formal technical reports*, which may be periodic progress reports on long-term projects of final reports, are published in the NUREG/CR series. These reports are final products of research, original investigations, or significant compilations of information, or they may be progress reports.

3. *Research Information Letters* (RILs) summarize research information for staff use. They are prepared in the NRC Office of Nuclear Regulatory Research (RES).

4. *Conference Proceedings* report the information presented at conferences sponsored or co-sponsored by NRC. Sponsorship or co-sponsorship by NRC requires that the subjects covered be of interest and value to NRC.

NOTE: For final reports of research conducted by contractors and conference proceedings, see NUREG reports series file. See also the WMRES file for research reports on disposal of high level waste.

REVIEW GRP–Research Review Groups

Contains records pertaining to the activities of internal and external Research Review Groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results; possible redirection of research projects; new research projects; and priorities within the technical areas covered by the Research Preview Group.

1. Agendas for quarterly Review Group meetings.
2. Summary minutes of Review Group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments and presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies.
5. Internal memoranda relating to topics under discussion.
6. Correspondence related to items 1 through 5.

RM—Rulemakings

Contains records pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration.

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of Hearing Board meetings.
3. Petitions, motions, testimony, and statements submitted by parties to the hearings.
4. Hearing Board orders and rulings.
5. Technical reports submitted as evidence in the proceedings.
6. Reports, if any, of the special Board to the Commission regarding the subject proceeding.

SECY—Staff Papers (Generally Referred to as SECY Papers) Before the Commission

Includes staff papers prepared for the information or approval of the Commission. They are assigned a SECY report series code.

1. Policy Issue Papers are used to present matters relating to policy formulation.

2. Rulemaking Issue Papers are used to present rulemaking activities of the Commission.

3. Adjudicatory Issue Papers are used to present matters relating to the granting, suspending, revoking or amending of licenses, or construction permits for nuclear power plants, and activities in which the Commission has an interest.

4. Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provide general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication.

These categories of staff papers may be issued as one of the following: (a) a Commission Meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper which does not require interactive discussion among the Commissioners in a Commission meeting, but by law must be voted upon by the Commissioners in the presence of each other; (c) a Notation Vote paper which does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a Negative Consent paper which contains issues which the Commission would like brought to its attention before action is taken but which do not require the formality of a Commission vote, and (e) Information Papers which provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence file.

STATE PROG—State Programs

Contains records that pertain to the Commission's relations with State Governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing and siting.

1. Correspondence between and among NRC Office of Governmental and Public Affairs and State officials, mostly State liaison officers and radiation control management health officials, regarding:

   a. Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance.

   b. NRC review of Agreement State radiation control program.

   c. Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and in other areas.

2. Agendas, reports, and transcripts of regional workshops and training programs on current matters of policy and regulations, i.e., decommissioning and radioactive waste disposal.

3. State Legislative Reports (discontinued as of December 1984).

4. Agreement State Licensing Statistics Reports (discontinued as of December 1984).

NOTE: For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects series file category.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, If any.)

NUREG-0540
Vol. 17, No. 10

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

October 1-31, 1995

3. DATE REPORT PUBLISHED

MONTH	YEAR
December	1995

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)
Unclassified

(This Report)
Unclassified

15. NUMBER OF PAGES

16. PRICE