



---

## **CORRECTIVE ACTION MANAGEMENT UNIT REPORT OF POST-CLOSURE CARE ACTIVITIES CALENDAR YEAR 2018**

**SANDIA NATIONAL LABORATORIES, NEW MEXICO  
LONG-TERM STEWARDSHIP  
POST-CLOSURE CARE**

---

**MARCH 2019**



**United States Department of Energy  
Sandia Field Office**

---

## **CORRECTIVE ACTION MANAGEMENT UNIT REPORT OF POST-CLOSURE CARE ACTIVITIES**

**Facility:** Corrective Action Management Unit (CAMU)

**Location:** Sandia National Laboratories  
Kirtland Air Force Base  
Albuquerque, New Mexico

**EPA ID No.:** NM5890110518

**Permit Basis:** Hazardous Waste Facility Operating Permit, Sandia National Laboratories,  
EPA ID Number NM5890110518, February 26, 2015

**Owner:** United States Department of Energy  
Sandia Field Office  
Technical Contact: Mr. David Rast, General Engineer  
U.S. Department of Energy, Sandia Field Office  
P.O. Box 5400/MS 0184  
Albuquerque, NM 87185-5400  
(505) 845-5349  
David.Rast@nnsa.doe.gov

**Operator:** National Technology & Engineering Solutions of Sandia, LLC  
Technical Contact: Ms. Christi Leigh, Department Manager  
Environmental Restoration and Stewardship  
Department  
Sandia National Laboratories  
P.O. Box 5800/MS 1395  
Albuquerque, NM 87185-1103  
(505) 845-0407  
cdleigh@sandia.gov

## TABLE OF CONTENTS

LIST OF FIGURES .....	iv
LIST OF TABLES.....	v
LIST OF ANNEXES .....	vi
ACRONYMS AND ABBREVIATIONS .....	xi
EXECUTIVE SUMMARY .....	ES-1
1.0 INTRODUCTION.....	1-1
1.1 Purpose and Scope .....	1-1
1.2 Report Organization.....	1-2
2.0 CORRECTIVE ACTION MANAGEMENT UNIT DESCRIPTION.....	2-1
2.1 Containment Cell .....	2-1
2.2 Vadose Zone Monitoring System .....	2-1
2.2.1 Primary Subliner Monitoring Subsystem.....	2-1
2.2.2 Vertical Sensor Array Monitoring Subsystem.....	2-5
2.2.3 Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem .....	2-5
2.3 Chemical Waste Landfill.....	2-9
3.0 VADOSE ZONE MONITORING SYSTEM MONITORING REQUIREMENTS.....	3-1
4.0 VADOSE ZONE MONITORING SYSTEM DATA COLLECTION EQUIPMENT AND METHODOLOGIES.....	4-1
4.1 Neutron Moisture Probe .....	4-1
4.1.1 Primary Subliner Neutron Moisture Probe .....	4-1
4.1.2 Chemical Waste Landfill Sanitary Sewer Neutron Moisture Probe.....	4-2
4.2 Time-Domain Reflectometry Moisture Probe.....	4-2
4.3 Thermocouple Temperature Probe .....	4-2
4.4 Active Soil-Vapor Sampling Equipment.....	4-3
5.0 VADOSE ZONE MONITORING SYSTEM QUALITY ASSURANCE/QUALITY CONTROL MEASURES AND DATA MANAGEMENT .....	5-1
5.1 Data Collection Procedures .....	5-1
5.1.1 Measurement of Soil Moisture Using the Neutron Probe .....	5-2
5.1.2 Measurement of Soil Moisture Using Time-Domain Reflectometry Probe .....	5-2
5.1.3 Measurement of Temperature Using Thermocouple Temperature Probe .....	5-2
5.1.4 Collection and Analysis of Soil-Vapor Samples .....	5-2

## TABLE OF CONTENTS (Continued)

5.2	Data Management and Archiving .....	5-3
6.0	VADOSE ZONE MONITORING SYSTEM DATA ANALYSIS .....	6-1
6.1	Seasonal Temperature Variations in Soil Underlying the Containment Cell .....	6-1
6.2	Distribution of Soil-Vapor Volatile Organic Compounds Underlying, and Adjacent to, the Containment Cell.....	6-1
6.2.1	Soil-Vapor Volatile Organic Compounds Detected in the Vertical Sensor Array Monitoring Subsystem .....	6-2
6.2.2	Soil-Vapor Volatile Organic Compounds Detected in the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem.....	6-3
6.2.3	Residual Volatile Organic Compound Soil-Vapor Plume from the Chemical Waste Landfill .....	6-4
6.3	Soil Moisture Distribution and Trends.....	6-5
6.3.1	Lateral Distribution of Moisture Underlying the Containment Cell as Indicated by the Primary Subliner Monitoring Subsystem .....	6-6
6.3.2	Vertical Distribution of Moisture along the Margins of the Containment Cell as Indicated by the Vertical Sensor Array Monitoring Subsystem.....	6-6
6.3.3	Distribution of Moisture Adjacent to the East Side of the Containment Cell as Indicated by the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem .....	6-7
7.0	LEACHATE COLLECTION AND REMOVAL SYSTEM.....	7-1
7.1	Description.....	7-1
7.2	Operation.....	7-1
7.3	Waste Management.....	7-1
7.4	Results.....	7-1
8.0	INSPECTION, MAINTENANCE, AND REPAIR RESULTS .....	8-1
8.1	Final Cover System Inspection/Maintenance/Repair Activities .....	8-1
8.2	Stormwater Diversion Structures System Inspection/Maintenance/Repair Activities .....	8-3
8.3	Security Fence Inspection/Maintenance/Repair Activities .....	8-4
8.4	Leachate Collection Removal System Inspection/Maintenance/Repair Activities .....	8-4
8.5	Vadose Zone Monitoring System Inspection/Maintenance/Repair Activities.....	8-5
8.6	Safety and Emergency Equipment/Maintenance/Repair Activities .....	8-5
8.7	Site Maintenance .....	8-6

## TABLE OF CONTENTS (Concluded)

9.0	SUMMARY AND CONCLUSIONS.....	9-1
9.1	Vadose Zone Monitoring System .....	9-1
9.2	Inspections.....	9-2
9.3	Regulatory Activities .....	9-2
9.4	Conclusions .....	9-3
10.0	REFERENCES.....	10-1

## LIST OF FIGURES

<b>Figure</b>		<b>Page</b>
2-1	Local Area Map of Corrective Action Management Unit Containment Cell.....	2-2
2-2	Plan View of Containment Cell and Vadose Zone Monitoring System.....	2-3
2-3	Block Diagram of Containment Cell and Vadose Zone Monitoring System .....	2-4
2-4	Cross-Sectional View of Containment Cell and Primary Subliner Monitoring Subsystem.....	2-6
2-5	Configuration of Vertical Sensor Array Monitoring Subsystem .....	2-7
2-6	Cross-Section of the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem.....	2-8
7-1	North-South Cross-Section of Leachate Collection and Removal System Sump ....	7-3
7-2	West-East Cross-Section of Containment Cell.....	7-4

## LIST OF TABLES

<b>Table</b>		<b>Page</b>
3-1	Monitoring Frequency, Parameters, and Methods for the Vadose Zone Monitoring System .....	3-1
7-1	Gallons of Leachate Pumped from the Leachate Collection and Removal System Sump, Calendar Year 2018.....	7-2
8-1	Inspection Frequency and Dates Performed, Calendar Year 2018 .....	8-2

## LIST OF ANNEXES

### Annex

Annex A	Vertical Sensor Array Temperature Monitoring Results
Table A-1	VSA Temperature Monitoring Results, 5-Foot Monitoring Depth, Calendar Year 2018
Table A-2	VSA Temperature Monitoring Results, 15-Foot Monitoring Depth, Calendar Year 2018
Annex B	Summaries of Volatile Organic Compound Concentrations
Table B-1	Soil Vapor Monitoring Quality Control VOC Analytical Results, VSA Environmental Duplicate Sample Pair, Calendar Year 2018
Table B-2	Soil Vapor Monitoring Quality Control VOC Analytical Results, CSS Environmental Duplicate Sample Pair, Calendar Year 2018
Table B-3	Soil Vapor Monitoring Quality Control VOC Analytical Results, Field Blank Sample, Calendar Year 2018
Table B-4	Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling, 5-Foot Monitoring Depth, Calendar Year 2018
Table B-5	Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling, 15-Foot Monitoring Depth, Calendar Year 2018
Table B-6	Summary of VOC Analyte Concentrations for CCS Soil Vapor Sampling, Calendar Year 2018
Table B-7	Total VOC Concentrations for VSA Soil Vapor Sampling, 5-foot Monitoring Depth, Calendar Year 2018
Table B-8	Total VOC Concentrations for VSA Soil Vapor Sampling, 15-foot Monitoring Depth, Calendar Year 2018
Table B-9	Total VOC Concentrations for CSS Soil Vapor Sampling, Calendar Year 2018
Figure B-1	Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-1, September 2002 through May 2018
Figure B-2	Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-2, September 2002 through May 2018

## LIST OF ANNEXES (Continued)

### Annex

- Annex B      Summaries of Volatile Organic Compound Concentrations
- Figure B-3      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-3, September 2002 through May 2018
- Figure B-4      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-4, September 2002 through May 2018
- Figure B-5      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-5, September 2002 through May 2018
- Figure B-6      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-6, September 2002 through May 2018
- Figure B-7      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-1 (5-ft), September 2002 through May 2018
- Figure B-8      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-1 (15-ft), September 2002 through May 2018
- Figure B-9      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-2 (5-ft), September 2002 through May 2018
- Figure B-10      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-2 (15-ft), September 2002 through May 2018
- Figure B-11      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-3 (5-ft), September 2002 through May 2018
- Figure B-12      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-3 (15-ft), September 2002 through May 2018
- Figure B-13      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-4 (5-ft), September 2002 through May 2018
- Figure B-14      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-4 (15-ft), September 2002 through May 2018
- Figure B-15      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-5 (5-ft), September 2002 through May 2018
- Figure B-16      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-5 (15-ft), September 2002 through May 2018
- Figure B-17      Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-6 (5-ft), September 2002 through May 2018

## LIST OF ANNEXES (Continued)

### Annex

- Annex B      Summaries of Volatile Organic Compound Concentrations
- Figure B-18    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-6 (15-ft), September 2002 through May 2018
- Figure B-19    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-7 (5-ft), September 2002 through May 2018
- Figure B-20    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-7 (15-ft), September 2002 through May 2018
- Figure B-21    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-8 (5-ft), September 2002 through May 2018
- Figure B-22    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-8 (15-ft), September 2002 through May 2018
- Figure B-23    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-9 (5-ft), September 2002 through May 2018
- Figure B-24    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-9 (15-ft), September 2002 through May 2018
- Figure B-25    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-10 (5-ft), September 2002 through May 2018
- Figure B-26    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-10 (15-ft), September 2002 through May 2018
- Figure B-27    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-11 (5-ft), September 2002 through May 2018
- Figure B-28    Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-11 (15-ft), September 2002 through May 2018
- Annex C      Primary Subliner Soil Moisture Monitoring Results
- Table C-1      PSL Soil Moisture Monitoring Results for the West Vitrified Clay Pipe, Calendar Year 2018
- Figure C-1      Graph of PSL Soil Moisture Monitoring Results for the West Vitrified Clay Pipe, Calendar Year 2018
- Table C-2      PSL Soil Moisture Monitoring Results for the West-Central Vitrified Clay Pipe, Calendar Year 2018

## LIST OF ANNEXES (Continued)

### Annex

- Annex C Primary Subliner Soil Moisture Monitoring Results
- Figure C-2 Graph of PSL Soil Moisture Monitoring Results for the West-Central Vitrified Clay Pipe, Calendar Year 2018
  - Table C-3 PSL Soil Moisture Monitoring Results for the Central Vitrified Clay Pipe, Calendar Year 2018
  - Figure C-3 Graph of PSL Soil Moisture Monitoring Results for the Central Vitrified Clay Pipe, Calendar Year 2018
  - Table C-4 PSL Soil Moisture Monitoring Results for the East-Central Vitrified Clay Pipe, Calendar Year 2018
  - Figure C-4 Graph of PSL Soil Moisture Monitoring Results for the East-Central Vitrified Clay Pipe, Calendar Year 2018
  - Table C-5 PSL Soil Moisture Monitoring Results for the East Vitrified Clay Pipe, Calendar Year 2018
  - Figure C-5 Graph of PSL Soil Moisture Monitoring Results for the East Vitrified Clay Pipe, Calendar Year 2018
- Annex D Vertical Sensor Array Time-Domain Reflectometry Soil Moisture Monitoring Results
- Table D-1 TDR Soil Moisture Monitoring Results for the VSA, 5-Foot Monitoring Depth, Calendar Year 2018
  - Figure D-1 Graph of VSA Soil Moisture Monitoring Results (5-Foot Monitoring Depth), Calendar Year 2018
  - Table D-2 TDR Soil Moisture Monitoring Results for the VSA, 15-Foot Monitoring Depth, Calendar Year 2018
  - Figure D-2 Graph of VSA Soil Moisture Monitoring Results (15-Foot Monitoring Depth), Calendar Year 2018
- Annex E Chemical Waste Landfill Sanitary Sewer Soil Moisture Monitoring Results
- Table E-1 CSS Soil Moisture Monitoring Results, 12-Foot Monitoring Depth, Calendar Year 2018
  - Figure E-1 Graph of CSS Soil Moisture Monitoring Results (12-Foot Monitoring Depth), Calendar Year 2018

## **LIST OF ANNEXES (Concluded)**

### **Annex**

- Annex E      Chemical Waste Landfill Sanitary Sewer Soil Moisture Monitoring Results
- Table E-2      CSS Soil Moisture Monitoring Results, 16-Foot Monitoring Depth,  
Calendar Year 2018
- Figure E-2      Graph of CSS Soil Moisture Monitoring Results (16-Foot Monitoring  
Depth), Calendar Year 2018
- Figure E-3      Graph of CSS-2 Soil Moisture Increase (12- and 16-Foot Monitoring  
Depth), October 2003–December 2018
- Figure E-4      Graph of CSS-3 Soil Moisture Increase (12- and 16-Foot Monitoring  
Depth), October 2003–December 2018

## ACRONYMS AND ABBREVIATIONS

°C	degrees Celsius
%	percent
Campbell	Campbell® Scientific, Inc.
CAMU	Corrective Action Management Unit
CPN	California Pacific Nuclear
CSS	CWL sanitary sewer
CWL	Chemical Waste Landfill
CY	calendar year
DOE	U.S. Department of Energy
EPA	U.S. Environmental Protection Agency
FOP	Field Operating Procedure
HDPE	high-density polyethylene
LCRS	leachate collection and removal system
LRL	laboratory reporting limit
MDL	method detection limit
NMED	New Mexico Environment Department
PCCP	Post-Closure Care Permit
Permit	Hazardous Waste Facility Operating Permit
PID	photoionization detector
ppbv	parts per billion by volume
ppmv	parts per million by volume
PSL	primary subliner
PVC	polyvinyl chloride
QA	quality assurance
QC	quality control
RCRA	Resource Conservation and Recovery Act
SNL	Sandia National Laboratories
SNL/NM	Sandia National Laboratories, New Mexico
TDR	time-domain reflectometry
VCM	voluntary corrective measure
VCP	vitrified clay pipe
VOC	volatile organic compound
VSA	vertical sensor array
VZMS	vadose zone monitoring system

**This page intentionally left blank.**

## EXECUTIVE SUMMARY

The Corrective Action Management Unit (CAMU) at Sandia National Laboratories, New Mexico (SNL/NM) consists of a containment cell and ancillary systems that underwent regulatory closure in 2003 in accordance with the Closure Plan in Appendix D of the Class 3 Permit Modification (SNL/NM September 1997). The containment cell was closed with wastes in place. On January 26, 2015, the New Mexico Environment Department (NMED) issued the Hazardous Waste Facility Operating Permit (Permit) for Sandia National Laboratories (NMED January 2015). The Permit became effective February 26, 2015. The CAMU is undergoing post-closure care in accordance with the Permit, as revised and updated. This CAMU Report of Post-Closure Care Activities documents all activities and results for calendar year (CY) 2018 as required by the Permit.

The CAMU containment cell consists of wastes surrounded by engineered barriers, including a cover system, a bottom liner system with a leachate collection and removal system (LCRS), and a vadose zone monitoring system (VZMS). The cover system provides protection against surface water run-on and erosion of the cover and underlying wastes. The bottom liner system provides containment of the wastes together with management of leachate. The VZMS provides information on soil conditions under the cell for early leak detection. The VZMS consists of three monitoring subsystems, which include the primary subliner (PSL), a vertical sensor array (VSA), and the Chemical Waste Landfill (CWL) sanitary sewer (CSS) line. The PSL, VSA, and CSS monitoring subsystems are monitored quarterly for soil moisture concentration, the VSA is monitored quarterly for soil temperature, and the VSA and CSS monitoring subsystems are monitored annually for volatile organic compound (VOC) concentrations in the soil vapor at various depths.

The cover system continues to meet successful revegetation criteria and is in good condition with even coverage of mature, native perennial grasses. Maintenance was performed in CY 2018 in response to inspection results and to promote the growth and health of the desired native grass species on the cover system by reducing competition with weedy species for limited moisture and nutrients.

Four leachate pumping events, scheduled quarterly, were conducted in CY 2018. Approximately 256 gallons of leachate were generated. The leachate was containerized and sent to a permitted, off-site hazardous waste management facility.

Four VZMS soil moisture and soil temperature monitoring events, scheduled quarterly, were conducted in CY 2018. Monitoring results were consistent with previous years and no measurements exceeded the established trigger levels.

One annual VZMS soil vapor monitoring event was conducted in May 2018. The soil vapor data including VOC concentrations continue to indicate the presence of contamination from the residual soil vapor plume emanating from the CWL. VOC concentrations did not exceed the established trigger levels for the CY 2018 reporting period.

Inspections of the CAMU cover system, stormwater diversion structures, VZMS, security fence, and safety and emergency equipment were performed in accordance with post-closure care

requirements. Required repairs were minor and made within 60 days of identification as is required by the Permit.

CY 2018 regulatory activities included the following:

- CAMU Report of Post-Closure Care Activities, Calendar Year 2017 (SNL/NM March 2018a).
- On March 19 the Department of Energy and National Technology & Engineering Solutions of Sandia, LLC notified the NMED of modifications to the Permit consisting of changes to contact information for personnel serving as emergency coordinators at the CAMU. These changes went into effect on March 21, 2018 (SNL/NM March 2018b).
- In September 2018, the updated procedure Field Operating Procedure 08-21, Soil Moisture Monitoring Using Time Domain Reflectometry (SNL/NM August 2018), was submitted to the NMED. The submittal was within 30 days of the procedure's effective date.

All post-closure care requirements were met for CY 2018. Based upon monitoring, inspection, and maintenance results, the containment cell including ancillary systems is functioning as designed and site conditions remain protective of human health and the environment.

## 1.0 INTRODUCTION

Sandia National Laboratories (SNL) is a multi-purpose engineering and science laboratory owned by the U.S. Department of Energy (DOE)/National Nuclear Security Administration, and operated and managed by National Technology & Engineering Solutions of Sandia, LLC, a wholly owned subsidiary of Honeywell International Inc.

The Corrective Action Management Unit (CAMU) at SNL, New Mexico (SNL/NM) consisted of a containment cell, two treatment systems, four associated waste staging and storage areas, and support areas; all were used for management of remediation wastes between 1997 and 2003. The CAMU operations were conducted in accordance with the requirements of:

- The Class 3 Permit Modification Request for the CAMU (SNL/NM September 1997, as amended); and
- Module IV of Permit NM5890110518, "Special Conditions Pursuant to the 1984 Hazardous and Solid Waste Amendments to Resource Conservation and Recovery Act (RCRA) for Sandia National Laboratory, U.S. Environmental Protection Agency (EPA) Identification Number NM5890110518," August 1993, (EPA 1993, as amended) and subsequently administered by the New Mexico Environment Department (NMED).

The CAMU underwent closure in 2003 in accordance with the Closure Plan in Appendix D of the Class 3 Permit Modification (SNL/NM September 1997). The containment cell was closed with wastes in place. Hazardous wastes were removed from all other CAMU systems and areas, and they underwent clean closure. The NMED approved completion of closure in May 2004 (Kieling May 2004). From May 2004 until February 2015, the containment cell underwent post-closure care (i.e., monitoring, inspections, maintenance, and repairs) in accordance with the Closure Plan.

On January 27, 2015, the NMED issued the Hazardous Waste Facility Operating Permit (Permit) for SNL (NMED January 2015). The Permit became effective February 26, 2015. The CAMU is undergoing post-closure care in accordance with the Permit, as revised and updated.

### 1.1 Purpose and Scope

The purpose and scope of this report is to describe post-closure care at the CAMU during calendar year (CY) 2018, in accordance with the requirements of the Permit, particularly Permit Part 7, Section 7.3.

Human health and the environment at the CAMU are protected through continued monitoring and maintenance of the containment cell and monitoring systems, which minimize the potential for exposure to the containment cell contents. This report documents the overall performance of the CAMU systems during CY 2018. Performance is based on the following:

- Maintaining the final cover's integrity and effectiveness. Permit Part 7, Section 7.3; Permit Attachment E, Sections E.3 and E.10; and Permit Attachment H define the requirements.
- Using the monitoring systems to assess the vadose zone environment underlying the containment cell. Permit Attachment H, Section H.5 defines the monitoring requirements. Monitored parameters include soil moisture, soil temperature, and concentrations of volatile organic compounds (VOCs) in the soil vapor.
- Operating the containment cell leachate collection and removal system (LCRS). Permit Attachment A, Section A.7.6.3, and Attachment E, Section E.10.4 define the requirements.
- Maintaining security measures to restrict access to the CAMU. Permit Attachment H, Section H.3 defines the requirements.
- Other inspection, maintenance, and repair activities. Permit Attachment E, Sections E.3 and E.10 define the requirements.

## **1.2 Report Organization**

This report is organized as follows:

- Chapter 2.0 provides a description of the CAMU, including the containment cell and each vadose zone monitoring system (VZMS) monitoring subsystem.
- Chapter 3.0 reviews the monitoring requirements for the VZMS.
- Chapter 4.0 describes the data collection equipment and the data collection methodologies for the VZMS.
- Chapter 5.0 discusses the quality assurance (QA)/quality control (QC) procedures employed as part of the data collection and management process for the VZMS.
- Chapter 6.0 presents the 2018 VZMS data together with an assessment of the distribution and trends noted in the VZMS data sets.
- Chapter 7.0 provides a description and summary of the LCRS.
- Chapter 8.0 provides a description and summary of all inspections, maintenance, and repair activities.
- Chapter 9.0 presents general conclusions concerning containment cell performance and post-closure care of the CAMU.
- Chapter 10.0 lists the references cited in this report.

Annexes A through E include the monitoring results for CY 2018.

## **2.0 CORRECTIVE ACTION MANAGEMENT UNIT DESCRIPTION**

The CAMU consists of a containment cell and ancillary systems surrounded by a fence with two locking gates. It occupies a 3.75-acre site located in the southeastern portion of SNL/NM Technical Area III, directly north of the SNL/NM Radioactive and Mixed Waste Management Unit, and approximately 400 feet northwest of the Chemical Waste Landfill (CWL) (Figure 2-1). The Radioactive and Mixed Waste Management Unit is used for storage and treatment of hazardous and mixed wastes under the Permit. The CWL is undergoing post-closure care and monitoring under a separate Post-Closure Care Permit (PCCP) (NMED October 2009, as revised and updated). Certain aspects of the CWL are relevant to post-closure care at the CAMU; therefore, Section 2.3 of this report describes the CWL in more detail.

### **2.1 Containment Cell**

The containment cell was constructed with an engineered liner system on the bottom and sides. During closure, an engineered final cover system was installed. The components of the final cover system from bottom to top include the following: textured 60-mil (0.06 inches) high-density polyethylene (HDPE) membrane, bedding sand, pea gravel, filter sand, native soil blend, topsoil with gravel mulch, and native vegetation. The sides of the containment cell cover are sloped to minimize erosion and to minimize infiltration by directing precipitation away from the cell. The soil immediately around the cell is also sloped to direct precipitation away from the cell.


The engineered liner system on the bottom and sides of the containment cell consists of several layers installed over prepared subgrade. The layers include a geosynthetic clay layer overlain by an HDPE liner. The construction of the containment cell incorporated an LCRS; the LCRS is designed to collect and withdraw leachate from the closed cell during the post-closure care period.

### **2.2 Vadose Zone Monitoring System**

Three subsystems for monitoring the condition of the vadose zone under the closed containment cell were installed during construction of the cell. The set of three subsystems comprise the VZMS; they are designed to provide real-time information on containment cell performance with respect to early detection of any leaks from the cell. They are located beneath and adjacent to the containment cell. As shown in Figures 2-2 and 2-3, each subsystem includes multiple surface locations. The following sections detail the subsystems.

#### **2.2.1 Primary Subliner Monitoring Subsystem**

The primary subliner (PSL) monitoring subsystem is the primary monitoring component of the VZMS. This subsystem is designed to detect increased moisture content immediately below the engineered liner system on the bottom of the containment cell.



146239\_02012000\_A1.ai

Figure 2-1  
Local Area Map of Corrective Action Management Unit Containment Cell




Figure 2-2  
 Plan View of Containment Cell and Vadose Zone Monitoring System




Figure 2-3  
 Block Diagram of Containment Cell and Vadose Zone Monitoring System

Five vitrified clay pipes (VCPs) are located in trenches approximately 4 feet below the engineered liner system (Figure 2-4). The VCPs allow for detection of moisture in the soil beneath the containment cell. The pipes are spaced approximately 17 to 27 feet apart (Figures 2-2 and 2-3) and run along the north-south (long) axis of the containment cell. The VCP trenches are backfilled with a wicking material (Figure 2-4) consisting of native soil of a specified particle size distribution (i.e., silty sand). The bottom of the original cell excavation, between the VCP trenches, is covered with a HDPE cell subliner membrane underlying the engineered liner system. The wicking material and edges of the cell subliner membrane drape into each trench to facilitate transport of moisture to the VCP if the primary liner system fails (Figure 2-4).

Inclined sections of polyvinyl chloride (PVC) riser pipes are connected to each end of the VCPs to allow access for soil moisture measurements. A neutron moisture probe is deployed into the VCP to collect the soil moisture data. The probe reports neutron counts at preselected points along each pipe run. The neutron counts are then translated into soil moisture data by using a site-specific empirical formula (developed using site-specific properties described in Section 4.1) that relate count values to soil moisture content.

## 2.2.2 Vertical Sensor Array Monitoring Subsystem


The vertical sensor array (VSA) monitoring subsystem provides information on moisture content, temperature, and concentrations of VOCs in soil vapor beneath the edges of the containment cell. The soil moisture data may help determine whether increases are the result of containment cell leakage or related to a source adjacent to the cell.

This subsystem consists of eleven pairs of vertically oriented monitoring locations. Five are located on both the eastern and western margins of the containment cell (Figures 2-2 and 2-3). The eleventh monitoring location is situated at the northern end of the cell, beneath the LCRS sump. Each VSA location contains monitoring points at both 5 and 15 feet beneath the containment cell subliner. Each monitoring point contains the following three components: a time-domain reflectometry (TDR) soil moisture content probe, a soil temperature sensor, and a soil vapor port (Figure 2-5).

## 2.2.3 Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem

The CWL sanitary sewer (CSS) monitoring subsystem, located east of the containment cell, is designed to detect leaks emanating from the sanitary sewer line that could impact the PSL or VSA soil moisture monitoring subsystems (Figure 2-3). The sanitary sewer line runs from south to north approximately 45 feet east of the containment cell (Figures 2-1 and 2-2). Six vertical monitoring well points are positioned between the containment cell and the sanitary sewer line. The monitoring well points are approximately 20 feet deep and 100 feet apart. The bottom of each well contains a 2-foot section of galvanized steel screen to support soil vapor sampling. The remaining length is constructed of 2-inch diameter, galvanized steel pipe (Figure 2-6).

Each monitoring well is equipped for soil vapor sampling and is accessible by a neutron moisture probe to monitor soil moisture content. Soil vapor monitoring is used to detect VOCs within the vadose zone.



146239\_02012000\_A4.ai

Figure 2-4  
 Cross-Sectional View of Containment Cell and Primary Subliner Monitoring Subsystem




Figure 2-5  
Configuration of Vertical Sensor Array Monitoring Subsystem




Figure 2-6  
Cross-Section of the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem

## 2.3 Chemical Waste Landfill

The CWL, located southeast of the CAMU, is a 1.9-acre hazardous waste landfill undergoing post-closure care. Two voluntary corrective measures (VCMs) were conducted at the CWL during closure. A soil vapor extraction VCM was conducted from 1997 through 1998 to reduce the concentrations of VOCs in soil vapor in the vadose zone, to control the VOC soil vapor plume, and to reduce trichloroethene concentrations in the groundwater below the landfill (SNL/NM May 2000). Following the soil vapor extraction VCM, a landfill excavation VCM was conducted from September 1998 through February 2002. All former disposal areas were excavated during the landfill excavation VCM. The excavation was backfilled and an evapotranspirative cover was constructed over the landfill.

Additional information on the VCMs, closure activities, and CWL current conditions can be found in the CWL Final RCRA Closure Report for the CWL (SNL/NM September 2010), the PCCP (NMED October 2009, as revised and updated), and the CWL Corrective Measures Study Report (SNL/NM December 2004). Part 3, Section 3.1 and Table 3-1 of the PCCP details information on residual soil contamination at the CWL.

Post-closure care activities at the CWL include monitoring soil vapor concentrations of several chlorinated VOCs, and monitoring groundwater concentrations of selected chlorinated VOCs, chromium, and nickel. Annual reports document monitoring results submitted to the NMED in accordance with the PCCP.

Residual soil contamination is present in the vadose zone under the CWL. VOC vapors associated with the residual soil vapor plume are still present throughout the 500-foot vadose zone extending beneath the CWL to groundwater. The residual vapor plume also extends outward from the CWL in all directions.

The most common VOCs present in the residual soil vapor plume include:

- Dichlorodifluoromethane
- Tetrachloroethane
- 1,1,1-Trichloroethane
- 1,1,2-Trichloro-1,2,2-trifluoroethane
- Trichloroethene
- Trichlorofluoromethane

The conceptual model of the CWL residual VOC soil vapor plume, supported by annual CWL monitoring results, indicates it is controlled and slowly dissipating through diffusion and advection (SNL/NM December 2004).

**This page intentionally left blank**

### 3.0 VADOSE ZONE MONITORING SYSTEM MONITORING REQUIREMENTS

Section H.5 and Table H-1 in Permit Attachment H (NMED January 2015, as revised and updated) define the requirements for VZMS monitoring frequency, parameters, and methods. Table 3-1 presents these requirements.

Table 3-1  
 Monitoring Frequency, Parameters, and Methods for the Vadose Zone Monitoring System

Monitoring Frequency	Monitoring Subsystems	Monitoring Parameter	Monitoring Method
Quarterly	PSL	Moisture content	Neutron Moisture Probe
	VSA	Moisture content	TDR Probe
		Temperature	Temperature Sensor
	CSS	Moisture content	Neutron Moisture Probe
Annually <sup>a</sup>	VSA	Active soil vapor	EPA Method TO-14A or equivalent, as revised and updated <sup>b</sup>
	CSS		

Notes:

<sup>a</sup>Active soil vapor sampling shall be conducted annually unless increased soil moisture (exceeding the trigger level) is detected, in which case active soil vapor sampling shall be conducted on a quarterly basis.

<sup>b</sup>EPA Method TO-14A (EPA January 1999a) or an equivalent method, such as TO-15 (EPA January 1999b), that includes the same analyte list, method detection limits equal to or lower than the TO-14A limits, and provides the same or higher level of data quality.

- CSS = CWL sanitary sewer.
- CWL = Chemical Waste Landfill.
- EPA = U.S. Environmental Protection Agency.
- PSL = Primary subliner.
- TDR = Time-domain reflectometry.
- VSA = Vertical sensor array.

**This page intentionally left blank**

## **4.0 VADOSE ZONE MONITORING SYSTEM DATA COLLECTION EQUIPMENT AND METHODOLOGIES**

The following sections describe the equipment and methodologies used to collect data from the three subsystems that comprise the VZMS.

### **4.1 Neutron Moisture Probe**

A neutron moisture probe manufactured by California Pacific Nuclear (CPN) is used to measure neutron counts in the PSL and CSS monitoring subsystems. The probe is a Model 503 DR Hydroprobe® that utilizes a neutron source (50-millicuries Americium-241/Beryllium) and a neutron detector. The source emits fast neutrons into the surrounding material. The fast neutrons interact with hydrogen atoms of water molecules and are slowed (thermalized). The detector measures the thermalized neutrons, which are returned. The number of thermalized neutrons detected is a function of the hydrogen concentration, which is proportionally related to the soil moisture content. Neutron counts can be directly read and recorded from the CPN probe, which is queried at predetermined locations within the PSL and CSS monitoring subsystems.

In situ soil moisture content is determined by correlating neutron counts with known moisture values in accordance with Permit Attachment H, Section H.6.2. In order to develop the correlations, test fixtures were built (using native soil with known moisture content) that simulated the configuration of the PSL and CSS subsystems. Instrument measurements were taken within these fixtures to develop empirical formulas for the correlation between neutron counts and soil moisture content. These correlation formulas provide the basis for determining soil moisture values within the PSL and CSS monitoring subsystems.

#### **4.1.1 Primary Subliner Neutron Moisture Probe**

The neutron moisture probe data collection procedures are the same for each of the five VCPs. There are 34 data collection (count) locations in both the East and West VCPs, and 35 count locations in each of the East-Central, Central, and West-Central VCPs. Count locations are numbered consecutively from north to south along each of the VCPs and are spaced approximately 6.25 feet apart. The neutron moisture probe is stopped at each of the predefined count locations and a neutron count is obtained. The probe is positioned based upon the distance measured by a winch line counter.

At each count location, the probe measures hydrogen concentrations within a sphere that includes air space around the probe, the VCP wall, and a portion of the wicking material in the trench surrounding the pipe. The manufacturer of the CPN probe reports an effective radius measurement of 10 inches, or about 6 inches beyond the pipe wall into the wicking material and surrounding soil (under dry conditions). As moisture values surrounding the neutron moisture probe increase, the radius of detection decreases. Soil moisture content for the PSL subsystem is reported as a percentage of soil mass.

#### 4.1.2 Chemical Waste Landfill Sanitary Sewer Neutron Moisture Probe

Neutron count measurements are collected at depths of approximately 12 and 16 feet below ground surface in each of the 6 CSS monitoring wells.

The monitoring environment of the CSS subsystem is different from that of the PSL. The neutron moisture probe is operating in a galvanized steel pipe that has no moisture-absorbing capacity. Material adjacent to the pipe consists of a 2-inch annular borehole space filled with bentonite grout. Native soil surrounds the grout (Figure 2-6). Because the galvanized pipe diameter is smaller than the diameter of the VCP, more of the surrounding material is measured. The effective radius measurement is approximately 8 inches from the outside pipe wall into the surrounding soil. Soil moisture content for the CSS subsystem is reported as percentage of soil mass.

#### 4.2 Time-Domain Reflectometry Moisture Probe

TDR soil moisture measurements are made using a Campbell® Scientific, Inc. (Campbell) Model CS 610-L TDR probe connected by a coaxial cable to a TDR100 signal generator. The TDR100 sends a voltage signal to the probe. The signal travels from the TDR100 to the probe, then into the surrounding soil, back to the probe, and back to the TDR100. The delay between the initial signal and the return pulse is related to the moisture content of the soil. The TDR100 software uses a preprogrammed algorithm, Topp Equation (Campbell April 2002), to convert this distance into a volumetric soil moisture value.

The probes are positioned at 5 and 15 feet below the containment cell subliner at each of the 11 VSA locations. The probes have been repacked in native material to duplicate the effective pore size of the adjacent native materials. Soil moisture content is reported on a volumetric basis as a percentage of soil volume.

Occasionally, the TDR coaxial cables at the VSA-4 and VSA-5 locations experience interference from an outside, unidentified source at the 5-foot depth that affects the voltage signal waveform. When this occurs, the TDR100 software cannot read the waveform. Additional attempts are made until the software recognizes the waveform and can calculate a soil moisture value. Thus far, the soil moisture values calculated by the TDR100 have been consistent with baseline values.

#### 4.3 Thermocouple Temperature Probe

Each VSA monitoring location has thermocouple temperature probes located at 5 and 15 feet below the containment cell subliner. Temperature measurements are obtained by connecting a Fluke® 52 II microprocessor-based, digital thermometer to the thermocouple temperature probes. The Fluke® 52 II converts the drop in voltage across the thermocouple junction to a temperature in degrees Celsius (°C) and displays the value.

Soil temperature does affect the TDR soil moisture values because the dielectric value of water is temperature dependent. However, the effect is negligible (i.e., for a 30°C change in temperature, the change in measured water content using the Topp Equation is

approximately 2 percent [%]). Temperature values at the VSA monitoring locations varied less than 2°C (Tables A-1 and A-2 in Annex A).

#### **4.4 Active Soil Vapor Sampling Equipment**

The CSS and VSA subsystems are sampled for VOCs in soil vapor. The equipment consists of a vacuum pump, sampling manifold assembly, and photoionization detector (PID). The vacuum pump is used to draw soil vapor through the monitoring port, sampling tubing (VSA), or well casing (CSS), and the sampling screen until a minimum of three volumes are evacuated, and until VOC levels stabilized as determined with the PID. The pump is turned off and a valve is opened on the manifold assembly that directs soil vapor flow to the SUMMA™ canister. Because the SUMMA™ canister is under vacuum, it draws the soil vapor sample into the canister. Annex B contains the soil vapor VOC data.

**This page intentionally left blank**

## **5.0 VADOSE ZONE MONITORING SYSTEM QUALITY ASSURANCE/QUALITY CONTROL MEASURES AND DATA MANAGEMENT**

This chapter summarizes the procedures and QA/QC measures used to collect the VZMS data and QA/QC requirements for characterizing the vadose zone underneath the containment cell in accordance with the Permit. The data flow process, from the initial instrument readings and sample collection through final archival data storage, is also presented.

### **5.1 Data Collection Procedures**

The scope of CY 2018 monitoring includes the following activities:

- Measurement of soil moisture content using neutron counts at 185 locations within the PSL (173) and CSS (12) subsystems.
- Measurement of temperature and soil moisture content using TDR at 22 locations within the VSA subsystem.
- Collection of soil vapor samples from the VSA (22 samples) and CSS (6 samples) subsystems.

The QA/QC elements designed to minimize errors during data collection include the following:

- Use properly trained and experienced field personnel.
- Follow plans and procedures.
- Perform annual function checks or calibrations of instrumentation.
- Perform field function checks of instrumentation (if applicable).
- Perform initial data review.

The following Field Operating Procedures (FOPs) for the CAMU VZMS define operational and data collection procedures that ensure adherence to a standardized method of data collection:

- FOP 08-20 for use of the CPN neutron moisture probe (SNL/NM April 2016).
- FOP 08-21 for data collection using TDR and temperature probes (SNL/NM June 2015, SNL/NM August 2018).
- FOP 08-22 for soil vapor sampling procedures (SNL/NM October 2016).

The following sections provide a brief review of the field data collection procedures specified in the FOPs.

### 5.1.1 Measurement of Soil Moisture Using the Neutron Probe

A standard count is collected with the CPN probe prior to collecting field data to verify that it is operating properly. When collecting field data, the CPN probe is queried at each monitoring location via a control panel. The neutron count data are displayed on the control panel and recorded on the associated field forms.

An empirical coefficient equation is used to correlate neutron counts to soil moisture content (see Section 4.1). The neutron moisture probe is returned to the manufacturer annually for calibration and is adjusted to account for the decay of the Americium-241 source. This allows for continual use of the original coefficient equation.

### 5.1.2 Measurement of Soil Moisture Using Time-Domain Reflectometry Probe

The TDR waveforms are displayed on a laptop computer when running the TDR100 software. Software settings are selected ensuring the complete TDR waveform is measured during data collection. Calculated soil moisture content values are read directly from the software display window and recorded on the associated field forms.

The TDR100 signal generator is returned to the manufacturer annually where a QC check is performed to ensure that it is operating within the design specifications.

### 5.1.3 Measurement of Temperature Using Thermocouple Temperature Probe

The thermocouple temperature data are collected using a Fluke® 52 II microprocessor-based, digital thermometer that converts the voltage drop across the thermocouple junctions to a temperature in degrees Celsius. The temperatures are read from the Fluke® 52 II display and recorded on the associated field forms.

The Fluke® 52 II digital thermometer undergoes an annual calibration to ensure it is functioning within the manufacturer's specifications.

### 5.1.4 Collection and Analysis of Soil Vapor Samples

The analytical laboratory provides certified clean SUMMA™ canisters to SNL/NM for soil vapor sample collection. To assure the integrity of soil vapor samples, the following steps are taken during sampling activities:

- SNL/NM personnel check the vacuum of each SUMMA™ canister and record the value prior to collecting a sample. The initial vacuum values are supplied to the laboratory with the samples.
- A PID is used to determine stabilized VOC levels prior to collection of the sample. These data are recorded on a field form. The PID undergoes an annual calibration to ensure it is functioning within the manufacturer's specifications.

- A vacuum gauge (part of the sampling manifold assembly) monitors the volume of soil vapor collected in the SUMMA™ canisters during the sampling process. With a vacuum of approximately 10 inches of mercury remaining in the SUMMA™ canister, sampling is completed by closing the valve on the canister. The ending vacuum values are recorded and supplied to the laboratory with the samples.
- Samples are assigned unique identification numbers. Sample labels with pertinent information (i.e., sample date, time, identification, and location; analysis required; and sampling crew) are attached to each SUMMA™ canister when the samples are collected. Completed analysis request/chain-of-custody forms accompany the samples from the collection point to the analytical laboratory.

Duplicate environmental sample pairs are collected to check the precision of the sampling process. The duplicate sample is collected using a split-stream sampling manifold.

A trip blank is collected at the CAMU Field Office and a field blank is collected during the sampling event. They consist of SUMMA™ canisters filled with ultra-pure grade nitrogen, which are kept in the presence of the other SUMMA™ canisters during sampling, storage, and shipment to the analytical laboratory. The trip blank and field blank are used to confirm whether contamination of the samples may have resulted from ambient field conditions, and/or during shipment and analysis at the laboratory.

## **5.2 Data Management and Archiving**

Field and analytical laboratory data are evaluated and retained in the Operating Record for the CAMU in accordance with Permit Part 2, Section 2.14.

All instrument field data (i.e., neutron counts and TDR soil moisture and temperature data) are entered into electronic spreadsheets for preliminary review. The electronic files and field form entries are transferred into a VZMS software program that creates a standardized data set. The program also incorporates the neutron count/soil moisture content correlation equations for the PSL and CSS subsystems and calculates in situ soil moisture values. The output files are downloaded into a database and retained in the CAMU Operating Record in accordance with Permit Part 2, Section 2.14.

SNL/NM personnel review the analytical results (including QA/QC documentation) from the analytical laboratory to determine conformance to established QA/QC criteria. Any discrepancies are resolved with the laboratory prior to finalizing the electronic results stored in the database. Corrective actions that may be required of the analytical laboratory include providing additional data, qualifying conditionally acceptable data, or reanalyzing samples. If these measures do not resolve data quality issues, resampling and reanalysis will be performed. Any corrections to the data are documented and included with the data archived in the operating record.

**This page intentionally left blank.**

## 6.0 VADOSE ZONE MONITORING SYSTEM DATA ANALYSIS

This chapter presents soil temperature, soil moisture, and soil vapor VOC results along with a discussion of the distribution and trends in the VZMS data collected during the CY 2018.

### 6.1 Seasonal Temperature Variations in Soil Underlying the Containment Cell

Four monitoring events were conducted during CY 2018 fulfilling the quarterly monitoring requirements in Permit Attachment H. The VSA subsystem collected soil temperature data in February, May, August, and November of 2018. Annex A includes the VSA subsystem temperature data. The soil temperature data exhibit minor seasonal variations. During the winter months, the subsurface soil temperature is slightly warmer than it is during the summer months. During this reporting period, the maximum soil temperature variation at the 5-foot monitoring points was 1.0°C (Table A-1) and 1.1°C (Table A-2) at the 15-foot monitoring points. These temperature variations are not large enough to significantly affect the TDR soil moisture values (see Section 4.3).

### 6.2 Distribution of Soil Vapor Volatile Organic Compounds Underlying, and Adjacent to, the Containment Cell

The VSA and CSS subsystems were sampled on May 18, 2018 fulfilling the annual soil vapor monitoring requirements in Permit Attachment H. Soil vapor samples were submitted to Test America, Inc. for chemical analyses by EPA Method TO-15 (EPA January 1999b). EPA Method TO-15 provides equal or lower detection limits with improved QA/QC compared to EPA Method TO-14A (EPA January 1999a), which historically has been used to analyze soil vapor samples collected at the CAMU.

Annex B provides all related soil vapor data and figures. Tables B-1, B-2, and B-3 present results of QC samples including field duplicate results of samples collected from the VSA and CSS locations, and field the blank sample. There were no VOCs detected in the trip blank sample. Section 5.1.4 discusses the sample descriptions. Overall, the analytical results for the environmental and duplicate sample pairs are very similar and demonstrate good precision. This indicates the field collection procedures and laboratory analytical method are producing representative data.

Tables B-1 and B-2 present the duplicate environmental sample pair results collected at the VSA-8 (5- and 15-foot monitoring depths) monitoring location. Table B-2 presents the duplicate environmental sample pair results collected at the CSS-3 monitoring location.

Table B-3 presents the field blank sample results. The field blank was collected at monitoring location CAMUVZMSBH1. The following VOCs were detected and the associated results reported; acetone (0.74 parts per billion by volume [ppbv]) and carbon disulfide (0.16 ppbv). Each result was qualified as an estimated result less than the laboratory reporting limit (LRL). The trip blank was collected at the CAMU Field Office prior to collecting samples at the VSA and CSS locations. No VOCs were detected in the trip blank.

Tables B-4 through B-6 provide a list of analytes, method detection limits (MDLs), LRLs, and sample results for the following subsystems: VSA (5-foot monitoring depth), VSA (15-foot monitoring depth), and CSS, respectively. For duplicate environmental sample pairs, the higher detection is reported in the tables. Tables B-7, B-8, and B-9 summarize the total VOC concentrations (i.e., the sum of validated, detected VOCs) for the following subsystems: VSA (5-foot monitoring depth), VSA (15-foot monitoring depth), and CSS, respectively. All sample results met analytical method requirements and indicated the field collection procedures and laboratory analytical method are producing representative data.

### 6.2.1 Soil Vapor Volatile Organic Compounds Detected in the Vertical Sensor Array Monitoring Subsystem

The VSA locations were sampled for VOCs in May 2018. The 38 VOCs listed below were detected above laboratory MDLs, compared to 26 VOCs detected above the laboratory MDLs in the June 2017 samples (SNL/NM March 2018a). Tables B-4 and B-5 present all the results, including the MDLs and LRLs.

Acetone	Ethyl Benzene
Benzene	4-Ethyltoluene
Bromodichloromethane	2-Hexanone
Bromoform	Methylene Chloride
2-Butanone	4-Methyl-2-Pentanone
Carbon Disulfide	Styrene
Carbon Tetrachloride	1,1,2,2-Tetrachloroethane
Chlorobenzene	Tetrachloroethene
Chloroethane	Toluene
Chloroform	1,1,2-Trichloro-1,2,2-Trifluoroethane
Chloromethane	1,1,1-Trichloroethane
Dibromochloromethane	1,1,2-Trichloroethane
1,2-Dibromoethane	Trichloroethene
1,3-Dichlorobenzene	Trichlorofluoromethane
1,4-Dichlorobenzene	1,2,4-Trimethylbenzene
Dichlorodifluoromethane	1,3,5-Trimethylbenzene
1,1-Dichloroethane	Vinyl Chloride
Trans-1,2-Dichloroethene	m,p-Xylene
Trans-1,3-Dichloropropene	o-Xylene

Of 38 VOCs, the following VOCs have been consistently detected at or above the LRL since monitoring began and are primary constituents of the CWL residual soil vapor plume.

- Dichlorodifluoromethane
- Tetrachloroethene
- 1,1,2-Trichloro-1,2,2-Trifluoroethane
- 1,1,1-Trichloroethane
- Trichloroethene
- Trichlorofluoromethane

Acetone and methylene chloride have been detected during previous reporting periods, but at a lower frequency than the VOCs listed above. Due to its presence in the field blank sample

(Table B-3), most acetone results were qualified during data validation as non-detections at the LRL or as estimated results. Methylene chloride was detected in samples collected at several VSA sampling locations and depths. One result, at VSA-1 (5-monitoring depth), was qualified during data validation as a non-detection due to contamination greater than the MDL in the laboratory method blank associated with the sample. Both VOCs are constituents of concern at the CWL, are common laboratory contaminants, and occur at very low concentrations near the CAMU (i.e., low ppbv).

Other VOCs were detected above the LRL at very low concentrations but have not consistently been detected since monitoring began. During the last three reporting periods, benzene and chloroform have been detected more frequently at the VSA locations.

Total VOCs were reported for all sample locations at concentrations ranging from 0.03366 parts per million by volume (ppmv) (VSA-11) to 0.13085 ppmv (VSA-8) at the 5-foot monitoring depth (Table B-7), and from 0.02833 ppmv (VSA-11) to 0.10590 ppmv (VSA-2) at the 15-foot monitoring depth (Table B-8). All concentrations are well below the 20 ppmv trigger level.

### 6.2.2 Soil Vapor Volatile Organic Compounds Detected in the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem

The CSS locations were sampled for VOCs in May 2018. The 22 VOCs listed below were detected above laboratory MDLs, compared to 19 VOCs in the June 2017 samples (SNL/NM March 2018a). Table B-6 presents all the results, including the MDLs and LRLs.

Acetone	2-Hexanone
Benzene	Methylene Chloride
Bromodichloromethane	Tetrachloroethene
2-Butanone	Toluene
Carbon Disulfide	1,1,2-Trichloro-1,2,2-Trifluoroethane
Carbon Tetrachloride	1,1,1-Trichloroethane
Chloroethane	Trichloroethene
Chloroform	Trichlorofluoromethane
Chloromethane	1,2,4-Trimethylbenzene
Dichlorodifluoromethane	m,p-Xylene
Ethyl Benzene	o-Xylene

Of 22 VOCs, the following VOCs have been consistently detected at or above the LRL since monitoring began, except for tetrachloroethene which has been consistently detected since the July 2007 through June 2008 reporting period (SNL/NM September 2008). All are primary constituents of the CWL residual soil vapor plume.

- Dichlorodifluoromethane
- Tetrachloroethene
- 1,1,2-Trichloro-1,2,2-Trifluoroethane
- Trichloroethene
- Trichlorofluoromethane

Similar to the VSA data set, acetone and methylene chloride have been detected during previous reporting periods, but with less frequency than the VOCs listed above. During this

reporting period, acetone was detected in the samples collected at all CSS locations. However, due to contamination in the laboratory method blank greater than the MDL, the results were all qualified during data validation as non-detections at the LRL, except for CSS-4 which had a result greater than the LRL.

Methylene chloride was detected in the samples collected at all CSS locations; however, due to contamination in the laboratory method blank greater than the MDL, the results were all qualified during data validation as non-detections at the LRL.

Both VOCs are constituents of concern at the CWL, common laboratory contaminants, and occur at very low concentrations near the CAMU (i.e., low ppbv).

Other VOCs were detected above the LRL at low concentrations but have not been consistently detected since monitoring began. During this reporting period 1,1,1-trichloroethane was detected above the LRL at all CSS locations and carbon tetrachloride was detected below the LRL at all CSS locations.

Total VOCs ranged from 0.00576 ppmv (CSS-1) to 0.03942 ppmv (CSS-4); all concentrations are well below the 20 ppmv trigger level (Table B-9).

### 6.2.3 Residual Volatile Organic Compound Soil Vapor Plume from the Chemical Waste Landfill

The CAMU containment cell overlies the CWL residual VOC soil vapor plume, as demonstrated by the consistent low-concentration detections of the same VOCs. The VOC concentrations observed beneath the containment cell are well below those measured in the CWL soil vapor monitoring network and are consistent with the CWL conceptual model (i.e., the CAMU overlies the outer, very low-concentration portion of the CWL plume).

It is expected that detections of VOCs will continue to occur, and may even increase, but will remain at very low concentrations near the containment cell. This will continue until the CWL VOC soil vapor plume completely dissipates by either one or both of the following mechanisms:

- Diffusion in three dimensions, including to the atmosphere
- Degradation by soil bacteria

Directly beneath the CAMU containment cell, VOC concentrations are expected to be higher relative to the immediate surrounding area. The slightly higher levels are a result of reduced soil vapor movement underneath the containment cell. The containment cell bottom liner system (e.g., geosynthetic clay liner and HDPE liners) prevents the soil vapors from venting directly to the surface as the residual soil vapor plume slowly diffuses underneath the containment cell. Over time, the VOC soil vapors will diffuse laterally around the containment cell and dissipate by the mechanisms listed above.

Subsurface soil conditions (i.e., grain size, pore space, moisture content) around the containment cell, as well as the residual VOC soil vapor plume, are not homogeneous, which causes variations in the observed trends. VOC concentrations tend to be higher in the CSS locations closest to the CWL and decrease as the distance from the CWL increases. This is demonstrated in Figures B-1 through B-6, with the CSS-6 location being the closest to, and

the CSS-1 location the farthest from, the CWL. Figures B-1 through B-6 show concentrations over time for the following VOCs:

- Dichlorodifluoromethane
- Tetrachloroethene
- 1,1,2-Trichloro-1,2,2-Trifluoroethane
- Trichloroethene
- Trichlorofluoromethane

VOC concentrations appear to correlate with soil temperature variations. The VOC results demonstrate increases in concentration when the soil temperature is warmer and decreases in concentration when the soil temperature is cooler (Figures B-7 through B-28).

Based upon the analysis of the existing data, the containment cell is not a source of VOCs in the vadose zone. The residual VOC soil vapor plume centered beneath the CWL is the source of VOCs identified in the CAMU containment cell area. Monitoring of the residual CWL soil vapor plume is being performed in accordance with the CWL PCCP (NMED October 2009, as revised and updated) and the results are provided to the NMED annually.

### **6.3 Soil Moisture Distribution and Trends**

Four monitoring events were conducted during CY 2018 fulfilling the quarterly monitoring requirement (NMED January 2015, as revised and updated). Soil moisture data were collected from the VZMS in February/March, May, August, and November 2018. Annexes C, D, and E provide the data in tables and corresponding figures. Each figure shows a graph with the following six plots for each subsystem:

- The four quarterly soil moisture results for each monitoring location.
- Baseline soil moisture – defined as data collected monthly for one year after the closure of the containment cell in October 2003. The data are averaged at each monitoring location.
- Trigger level – defined as the baseline soil moisture plus 4%. An unexplained increase of 4% in soil moisture will trigger a secondary assessment and confirmation/rejection phase. If the 4% moisture value increase is confirmed, the NMED will be notified and consulted to determine an appropriate course of action in accordance with the requirements of Permit Attachment H, Section H.5.2.1.

The data tables and figures for each subsystem are located in the following annexes:

- Annex C—PSL Subsystem
- Annex D—VSA Subsystem
- Annex E—CSS Subsystem

### 6.3.1 Lateral Distribution of Moisture Underlying the Containment Cell as Indicated by the Primary Subliner Monitoring Subsystem

Tables C-1 through C-5 (Annex C) present soil moisture values (% by mass) recorded during this reporting period for each PSL VCP monitoring location. The quarterly monitoring results were compared to the trigger level, which is 4% above the established baseline soil moisture. The quarterly monitoring results track very closely to the soil moisture baseline for the five PSL VCPs and do not exceed the trigger level at any location. The soil moisture for all monitoring locations averaged 7.7% for this reporting period, which is consistent with the baseline average of 7.8%.

There were anomalous soil moisture values (i.e., low values) recorded at the first monitoring location inside the Central VCP (Table C-3 and Figure C-3). Soil moisture levels for March, May, August, and November 2018 were 6.2%, 6.0%, 5.2%, and 8.0%, respectively. The baseline average for the first monitoring location is 8.2%. The first monitoring location is only 1-foot inside the VCP from where it transitions from the PVC riser. It is likely the neutron probe was partially inside the PVC riser when the soil moisture measurements were made during the March, May, and August 2018 monitoring events. Chlorine in PVC absorbs thermalized neutrons which would lower the number of neutrons detected resulting in a lower soil moisture value. Section 4.1 provides a general description of the neutron count soil moisture measurement process. The November 2018 soil moisture value is comparable to the baseline average indicating the neutron probe was inside the VCP.

The historical trend of lateral variability in soil moisture levels in the West-Central, Central, East-Central, and East VCPs continued during CY 2018. The levels were consistently lower in the northern portion of these VCPs, which is consistent with the baseline average. The zone of lower soil moisture values is attributed to a temporary construction ramp that shielded the area from water infiltration during a significant precipitation event that occurred in November 1998 (before the bottom liner system was installed) (SNL/NM April 1999).

Figures C-1 through C-5 (Annex C) present soil moisture (% by mass) graphically for each PSL VCP monitoring location. The data in the tables and graphs demonstrate stable soil moisture values during this reporting period.

### 6.3.2 Vertical Distribution of Moisture Along the Margins of the Containment Cell As Indicated by the Vertical Sensor Array Monitoring Subsystem

Tables D-1 and D-2 (Annex D) present soil moisture values (% by volume) recorded during this reporting period for each VSA monitoring location. Soil moisture content was determined using TDR monitoring points at depths of 5 and 15 feet below the containment cell. The quarterly monitoring results were compared to the trigger level, which is 4% above the established baseline soil moisture. The quarterly monitoring results track very closely to the soil moisture baseline for all VSA locations, except for VSA-2 (15-foot depth), where there was fluctuation from 6.1% (February 2018) to 8.0% (August 2018) soil moisture. Similar fluctuations occurred during CY 2017 (SNL/NM March 2018a) with values ranging from 7.8% (February 2017) to 6.2% (November 2017) soil moisture. Soil moisture values did not exceed the trigger level at any VSA locations during CY 2018.

Average soil moisture values range from 5.7% to 13.1% at the 5-foot monitoring depth (Table D-1) which is consistent with the baseline average range of 5.2% to 14.6%. Average soil moisture values range from 5.0% to 8.4% at the 15-foot depth (Table D-2), which is consistent with the baseline average range of 4.9% to 8.2%.

Figures D-1 and D-2 (Annex D) present soil moisture (% by volume) graphically for the 5- and 15-foot depths, respectively, for each VSA monitoring location. The VSA data in the tables and graphs demonstrate stable soil moisture values during the CY 2018 reporting period.

### 6.3.3 Distribution of Moisture Adjacent to the East Side of the Containment Cell as Indicated by the Chemical Waste Landfill Sanitary Sewer Monitoring Subsystem

Tables E-1 and E-2 (Annex E) present soil moisture values (% by mass) recorded during this reporting period for each CSS monitoring location. The CSS locations were established to monitor potential leakage from the sewer line located east of the CAMU facility. Figures E-1 and E-2 (Annex E) present soil moisture (% by mass) graphically for the 12- and 16-foot depths, respectively, for each CSS monitoring location.

The quarterly monitoring results were compared to the trigger level, which is 4% above the established baseline soil moisture. Soil moisture values did not exceed the trigger level at any CSS locations. The quarterly monitoring results track very closely to the soil moisture baseline for CSS-1, CSS-4, and CSS-5. For these three locations, average soil moisture values range from 2.1% to 3.0% at the 12-foot depth (Table E-1), which is consistent with the baseline average range of 2.1% to 2.3%. At these three locations, the average soil moisture values range from 2.8% to 3.2% at the 16-foot depth (Table E-2), which is consistent with the baseline average of 2.7% to 3.1%.

Average soil moisture values of 3.6% and 3.8% were recorded for CSS-2 at the 12- and 16-foot depths, respectively, compared to baseline averages of 2.2% and 2.3%. Soil moisture values began increasing at the CSS-2 location in September 2005, continued to increase through September 2008, and now appear stabilized with just minor fluctuations occurring since September 2008. Figure E-3 (Annex E) graphically shows the soil moisture (% by mass) upward and stabilization trends that occurred at the 12- and 16-foot monitoring depths of location CSS-2.

Average soil moisture values of 4.1 and 3.1% were recorded for CSS-3 at the 12- and 16-foot depths, respectively, compared to baseline averages of 3.0% and 2.6%. Figure E-4 (Annex E) graphically shows the soil moisture values at the 12-foot and 16-foot monitoring depths of location CSS-3. Soil moisture values began increasing at the 12-foot depth in March 2007, continued to increase through March 2012, fluctuated during the 2013 reporting period (July 2012 to June 2013, (SNL/NM September 2013), and now appear stabilized with only minor fluctuations occurring since June 2013. Soil moisture values have remained relatively stable at the 16-foot depth.

Quarterly soil moisture monitoring results at the CSS-6 location for the 12- and 16-foot depths track very closely to the soil moisture baseline but are higher compared to the other CSS locations. Average soil moisture values were 4.3% and 5.9% at the 12- and 16-foot depths, respectively, compared to the baseline averages of 4.4% and 5.8%. Originally, CSS-6 was

situated in a slight topographic depression. The suspected likely explanation is that surface water runoff accumulated in the depression after heavy rainfall and infiltrated, causing the higher soil moisture values at this location. In May 2002, the area was graded to direct runoff away from the CSS-6 wellhead.

Initially, the increased values below the sanitary sewer line were attributed to a suspected leak in the sewer line near the CSS-2 and CSS-3 monitoring locations. SNL/NM personnel conducted a camera survey of the sewer line adjacent to the CSS monitoring wells in September 2006. The camera survey showed no obvious evidence of potential leakage near the CSS-2 and CSS-3 locations.

The soil moisture continued to increase, and the levels remained consistently higher at the CSS-2 and CSS-3 locations after September 2006; therefore, SNL/NM personnel performed another camera survey of the sewer line in August 2010. The camera survey showed no obvious evidence for potential leakage near the CSS-2 and CSS-3 locations. However, the soil moisture data indicated otherwise, and there was no other explanation for the soil moisture increases. Therefore, SNL/NM personnel relined approximately 895 feet of sewer line in September 2010. A dual-tube, polyester felt, cured-in-place pipe lining tube system with a coated resin-carrying tube and coated, stay-in-place, calibration hose were used to reline the sewer line from approximately 255 feet north of CSS-1 to 140 feet south of CSS-6. The soil moisture trends at CSS-2 and CSS-3 appear to have stabilized; however, it may take some time to discern the overall effect of the liner insert.

## **7.0 LEACHATE COLLECTION AND REMOVAL SYSTEM**

### **7.1 Description**

The LCRS is designed to collect and withdraw leachate from the containment cell at the CAMU during the post-closure care period. The LCRS includes a lined sump at the northern end of the containment cell, a collection pipe in a central trench located above the geomembrane liner, a dedicated pump, and a geocomposite drainage layer (Figure 7-1). The central trench extends the length of the bottom of the containment cell from the south to the north and is sloped approximately 1% toward the north. The bottom of the containment cell is sloped approximately 2% to drain toward the central trench (Figure 7-2). The trench receives leachate from the geocomposite drainage layer. The collection pipe in the bottom of the trench is a slotted, 4-inch diameter, PVC pipe. A sloped, 10-inch diameter, PVC pipe (Figure 7-1) provides pump access to the LCRS sump from the northern end of the containment cell cover. The pump is turned on manually to deliver leachate to aboveground, portable, polyethylene containers.

### **7.2 Operation**

Operation of the LCRS was reduced from weekly to quarterly pumping of leachate after January 15, 2015, in accordance with Permit Part E, Section E.10.4 (NMED January 2015).

### **7.3 Waste Management**

The leachate is pumped directly into portable polyethylene containers, which are closed, labeled, and placed on secondary containment pallets in a hazardous waste less than 90-day accumulation area adjacent to the containment cell. The containers of leachate are sent to a permitted, off-site hazardous waste management facility.

Solid waste includes nitrile gloves generated during the leachate pumping process, which are packaged and disposed at a permitted, off-site hazardous waste management facility.

### **7.4 Results**

Approximately 256 gallons of leachate were generated during the CY 2018 reporting period. Table 7-1 provides the quarterly quantities.

Table 7-1  
Gallons of Leachate Pumped from the Leachate Collection and Removal System Sump  
Calendar Year 2018

Collection Dates	Leachate Volume (gallons)
March 7, 2018	71
June 13, 2018	63
September 5, 2018	60
December 5, 2018	62
Total Volume (gallons)	256




Figure 7-1  
North-South Cross-Section of Leachate Collection and Removal System Sump




Figure 7-2  
 West-East Cross-Section of Containment Cell

## 8.0 INSPECTION, MAINTENANCE, AND REPAIR RESULTS

Permit Attachment E, Section E.10 details inspection requirements for the final cover system, stormwater diversion structures, LCRS, VZMS, security fence, and safety and emergency equipment. Personnel meeting the qualification and training requirements of Permit, Attachment F performed all inspections. Permit Attachment E, Table E-6 provides the schedule for implementing inspections and prescribed maintenance and/or repairs. Table 8-1 of this report summarizes the inspection date, type, frequency, and documentation form for inspections performed during the CY 2018 reporting period.

### 8.1 Final Cover System Inspection/Maintenance/Repair Activities

Inspection of the cover system is divided into two parts. Part I is a quarterly inspection performed by a field technician. The inspections were performed in March, June, September, and December 2018, and included the following parameters:

- Visible settlement of the soil cover in excess of 6 inches.
- Erosion of the soil cover in excess of 6 inches deep.
- Identifying, for removal, plant species that are invasive or can develop a deep-root system of 8 feet or greater at maturity.
- Animal burrows more than 4 inches in diameter or burrows that appear to be of a species able to burrow to a depth of 6 feet or greater.
- Contiguous areas of no vegetation greater than 200 square feet.

The results are provided below.

#### March 9, 2018 Inspection

No inspection items required maintenance or repairs.

#### June 12, 2018 Inspection

Five *atriplex canescens* (commonly known as four-wing saltbush) plants were identified on the cover system. The plants were removed by the field technician during the inspection. No other conditions were identified that required repair or maintenance.

#### September 12, 2018 Inspection

No inspection items required maintenance or repairs.

#### December 4, 2018 Inspection

No inspection items required maintenance or repairs.

Table 8-1  
 Inspection Frequency and Dates Performed  
 Calendar Year 2018

Inspection Type	Frequency <sup>a</sup>	Inspection Documentation Form	Date Performed
Final Cover System – Part I  Stormwater Diversion Structures  Security Fence	Quarterly	CAMU Post-Closure Quarterly Inspection Form Final Cover System/Stormwater Diversion Structures/Security Fence	March 9, 2018
			June 12, 2018
			September 12, 2018
			December 4, 2018
Final Cover System – Part II (vegetative cover)	Annually <sup>b</sup>	CAMU Post-Closure Inspection Form Final Cover Biology System	September 10, 2018
LCRS	Quarterly	CAMU Post-Closure Quarterly Inspection Form LCRS	March 7, 2018
			June 13, 2018
			September 5, 2018
			December 5, 2018
VZMS	Quarterly	CAMU Post-Closure Quarterly Inspection Form VZMS CSS Soil Moisture/Soil Vapor Monitoring Locations & Equipment	March 8, 2018
			May 17, 2018
			August 14, 2018
		CAMU Post-Closure Quarterly Inspection Form VZMS PSL Soil Moisture Monitoring Locations & Equipment	November 7, 2018
			March 14 & 15, 2018
			May 22 & 23, 2018
		CAMU Post-Closure Quarterly Inspection Form VZMS VSA Soil Moisture Monitoring Locations & Equipment	August 13 & 14, 2018
			November 15 & 21, 2018
			February 1, 2018
Safety and Emergency Equipment	Monthly	CAMU Post-Closure Monthly Inspection Form Safety and Emergency Equipment	May 21, 2018
			August 9, 2018
			November 6, 2018
			January 3, 2018
			February 1, 2018
			March 6, 2018
			April 4, 2018
			May 2, 2018
			June 12, 2018
			July 17, 2018
August 1, 2018			
September 5, 2018			
October 5, 2018			
November 7, 2018			
December 5, 2018			

Notes:

<sup>a</sup>Inspection frequency and criteria taken from Permit Attachment E, Table E-6.

<sup>b</sup>Changed from quarterly to annually after meeting successful revegetation criteria as determined by the staff biologist during the September 2015 growing season inspection. Revegetation criteria specified in Permit Attachment E, Section E.10.2.

- CAMU = Corrective Action Management Unit.
- CSS = Chemical Waste Landfill sanitary sewer.
- LCRS = Leachate collection and removal system.
- PSL = Primary subliner.
- VSA = Vertical sensor array.
- VZMS = Vadose zone monitoring system.

Part II of the cover system inspection included a staff biologist performing an annual biological inspection on September 10, 2018; and included the following inspection parameters:

- Approximate percentage vegetative coverage (actively photosynthesizing or living plants as determined during the growing season).
- Of the total vegetative cover, the approximate percentage native vegetation.
- Main plant species growing on the cover and the approximate percentage of the cover populated by each species.

Approximately 38% of the vegetative cover was identified as actively photosynthesizing, primarily comprised of galleta grass (27%), mesa dropseed (8%), blue grama (2%), and side-oats grama (1%). Approximately 96% of the actively photosynthesizing plants were identified as native vegetation.

## **8.2 Stormwater Diversion Structures System Inspection/Maintenance/Repair Activities**

A field technician performed inspections of the stormwater diversion structures system in March, June, September, and December of 2018; and included the following parameters:

- Channel or sidewall erosion in excess of 6 inches deep.
- Channel sediment accumulation in excess of 6 inches deep.
- Debris that blocks more than one-third of the channel width.

The results are provided below.

### March 9, 2018 Inspection

No inspection items required maintenance or repairs.

### June 12, 2018 Inspection

Wind-blown plant debris was identified in the off-site drainage area north of the security fence. The plant debris was removed by the field technician during the inspection. No other conditions were identified that required repair or maintenance.

### September 12, 2018 Inspection

Accumulation of silt more than 6-inches deep was identified in the north catch basin. The silt was removed by the cover system maintenance contractor on October 22, 2018. No other conditions were identified that required repair or maintenance.

### December 4, 2018 Inspection

No inspection items required maintenance or repairs.

### **8.3 Security Fence Inspection/Maintenance/Repair Activities**

A field technician performed an inspection of the security fence. The inspections were performed in March, June, September, and December 2018. The inspections included the following parameters:

- Accumulation of wind-blown plants and debris.
- Fence wires and posts in need of repair/maintenance.
- Gates in need of oiling/repair/maintenance.
- Locks in need of cleaning or replacement.
- Warning signs in need of repair or replacement.

The results are provided below.

#### March 9, 2018 Inspection

Wind-blown plant debris was identified along the security fence. The plant debris was removed by the cover system maintenance contractor as of April 24, 2018, within 60 days of the inspection. No other conditions were identified that required repair or maintenance.

#### June 12, 2018 Inspection

Wind-blown plant debris was identified along the security fence. The plant debris was removed by the field technician during the inspection. No other conditions were identified that required repair or maintenance.

#### September 12, 2018 Inspection

Wind-blown plant debris was identified along the security fence. The plant debris was removed by the field technician during the inspection. No other conditions were identified that required repair or maintenance.

#### December 4, 2018 Inspection

Wind-blown plant debris was identified along the security fence. The plant debris was removed by the field technician during the inspection. No other conditions were identified that required repair or maintenance.

### **8.4 Leachate Collection Removal System Inspection/Maintenance/Repair Activities**

A field technician performed an inspection of the LCRS during the leachate removal operation. The inspections were performed in March, June, September, and December of 2018; and included the following parameters:

- Visual inspection of the dedicated hose and fittings (i.e., connections and end caps).
- Testing of the ground fault circuit interrupter used to power the submersible pump.

- Audible check to verify the pump is operational. If there is no audible sound and/or the pump fails to extract leachate from the sump, it is pulled from the sump and inspected. If determined that the pump is functioning properly, yet no leachate was removed, a visual inspection is made of the sump with a down-hole video camera to determine the leachate level.

No conditions were identified that required repair or maintenance during CY 2018.

## **8.5 Vadoso Zone Monitoring System Inspection/Maintenance/Repair Activities**

A field technician performs an inspection of the VZMS (i.e., CSS, PSL, and VSA subsystems) in conjunction with VZMS monitoring. Inspections were performed in February/March, May, August, and November 2018; and included the following parameters:

- Protective casings, access covers and doors, instrumentation access boxes, and compression caps (repair/maintenance or replacement).
- Locks (cleaning or replacement).
- Electronic monitoring system (calibration/repair/maintenance).
- Aboveground VZMS components exposed to weather (general condition).
- Monitoring equipment, such as pump, tubing, gauges, valves, etc. (repair/maintenance or replacement).

No conditions were identified that required repair or maintenance during CY 2018.

## **8.6 Safety and Emergency Equipment/Maintenance/Repair Activities**

A field technician performed inspection of the safety and emergency equipment and included the following parameters:

- Spill control materials, including sorbent material, brooms and shovels are present, accessible, and in good condition.
- Fire extinguisher is present, charged, accessible, and in good condition.
- Portable eyewash station is operational and in good condition.
- Fire hydrant is operational, accessible, and in good condition.

During the November 2018 inspection, the field technician noted the eyewash solution would expire at the end of that month. The eyewash cartridge was replaced at time of the inspection. No other conditions were identified that required repair or maintenance during CY 2018.

## **8.7 Site Maintenance**

Site maintenance activities were performed three times during CY 2018.

April 24 through May 2, 2018 (performed by the cover system maintenance contractor)

Wind-blown plant debris was removed from the security fence, the perimeter drainage feature, the north catch basin, and the containment cell cover. Live vegetation was removed from the less than 90-day accumulation area, and a weed barrier and gravel were installed to prevent future growth of vegetation in the less than 90-day accumulation area.

August 22 through August 30, 2018 (performed by SNL/NM field technicians)

Sediment was removed from the containment cell perimeter drainage and erosion repairs were made to the perimeter road after a July 26, 2018 rainfall event produced approximately 1 inch of rain within a 15-minute period. There was no damage to the containment cell cover.

October 22 through October 30, 2018 (performed by the cover system maintenance contractor)

Live vegetation and/or wind-blown plant debris were removed from the north catch basin, security fence, containment cell cover, and the previously larger less than 90-day accumulation area. A pre-/post-emergent herbicide mix was applied to the previously larger less than 90-day accumulation area.

## 9.0 SUMMARY AND CONCLUSIONS

This chapter provides a summary of CY 2018 activities and results, along with conclusions.

### 9.1 Vadose Zone Monitoring System

The VZMS results provide information about the subsurface environment and indicate the containment cell system is operating as designed. The data analysis completed as part of this annual evaluation confirms that the monitoring equipment is functioning properly and providing results that are representative of conditions in the subsurface near the containment cell.

The increasing soil moisture trend at the CSS-2 location (12- and 16-foot depths) was first observed in September 2005. An increasing soil moisture trend at the CSS-3 location (12-foot depth) was first observed in March 2007. During the same periods, the PSL and VSA monitoring locations have remained stable indicating the containment cell is not the source of the moisture. The source of the soil moisture increase was the sanitary sewer line that was repaired with a liner in September 2010. The soil moisture trends at CSS-2 and CSS-3 appear to have stabilized.

The moisture in the soil beneath the containment cell liner is the result of historic residual water and water added for soil compaction during containment cell construction activities. The soil and soil moisture content are not homogeneous. Slight soil moisture fluctuations are expected as the soil moisture levels continue to equilibrate and stabilize. The soil moisture monitoring results show no significant changes and are consistent with those presented in the most recent report of CAMU post-closure care activities (SNL/NM March 2018a). The results at all monitoring locations are significantly below the soil moisture trigger level. These trends indicate that the containment cell is performing as designed and no leaks have been detected.

During this reporting period, acetone was detected at all CSS locations; however, due to contamination in the laboratory method blank greater than the MDL, the results were all qualified during data validation as non-detections at the LRL, except for one location (CSS-4), which had a result greater than the LRL. Methylene chloride was detected at all CSS locations; however, due to contamination in the laboratory method blank greater than the MDL, the results were all qualified during data validation as non-detections at the LRL. Acetone was detected at all VSA locations (5- and 15-foot depths) with some values at or above the LRL; however, 17 of the 22 results were qualified during data validation as non-detections at the LRL due to its presence in the field blank. Methylene chloride was detected at 14 of the 22 VSA monitoring locations (5- and 15-foot depths); however, one of the results was qualified during data validation as a non-detection due to contamination greater than the MDL in the laboratory method blank. Both VOCs are constituents of concern at the CWL, are common laboratory contaminants, and occur at very low concentrations near the CAMU (i.e., low ppbv).

The soil vapor data reflect VOC contamination from the residual VOC soil vapor plume emanating from the CWL. This is consistent with the conceptual model of the CWL residual soil vapor plume (SNL/NM December 2004) based on more than 20 years of VOC soil vapor monitoring at the CWL and 20 years of VOC soil vapor monitoring at the CAMU.

Total VOC results for all sample locations were far below the 20-ppmv trigger level. VOC concentrations continue to correlate with seasonal soil temperature variations, increasing when the soil temperature is warmer and decreasing when soil temperature is cooler.

Detections of the CWL residual VOC soil vapor plume in the VZMS are expected to continue until the residual VOC plume completely dissipates (see Section 6.2.3).

## **9.2 Inspections**

Inspections of the CAMU cover system, stormwater diversion structures, LCRS, VZMS, security fence, and safety and emergency equipment were performed in accordance with Permit requirements. CY 2018 maintenance and repair activities included:

- Removing plants capable of developing deep-root systems and invasive plants (June 2018).
- Removing wind-blown debris from perimeter drainage system (June 2018).
- Removing accumulation of silt more than 6 inches deep from the north drainage sump (October 2018).
- Removing wind-blown plant debris along the fence (March, June, September, and December 2018).
- Replacing the eyewash cartridge (November 2018).

## **9.3 Regulatory Activities**

CY 2018 regulatory activities included the following:

- CAMU Report of Post-Closure Care Activities, Calendar Year 2017 (SNL/NM March 2018a).
- On March 19 the DOE and National Technology & Engineering Solutions of Sandia, LLC notified the NMED of modifications to the Permit consisting of changes to contact information for personnel serving as emergency coordinators at the CAMU. These changes went into effect on March 21, 2018 (SNL/NM March 2018b).
- On May 1, 2018, the NMED approved the modifications to the Permit that were submitted in March 2018 (NMED May 2018).
- In September 2018, the updated procedure FOP 08-21, Soil Moisture Monitoring Using Time-Domain Reflectometry (SNL/NM August 2018), was submitted to the NMED. The submittal was within 30 days of the procedure's effective date.

- On October 22, the DOE and National Technology & Engineering Solutions of Sandia, LLC notified the NMED approved of modifications to the Permit that included minor changes to correct errors in Permit Attachment H and revisions to Figure 36 in Permit Attachment L. The revised figure shows planned drainage improvements at the CAMU. These changes took effect on October 22, 2018 (SNL/NM October 2018).
- On November 27, 2018, the NMED approved the modifications to the Permit that were submitted in October 2018 (NMED November 2018).

## **9.4 Conclusions**

All CAMU post-closure monitoring, inspection, and maintenance/repair requirements have been met for CY 2018, as required by Permit Part 7, Section 7.3. Specifically, SNL/NM personnel maintained and monitored the following as discussed in this report:

- The integrity and effectiveness of the final cover, including engineering controls to minimize erosion damage.
- The LCRS, VZMS, fencing, security signs, and locks.

SNL/NM personnel also maintained records of personnel training, operations, inspections, and monitoring activities. This Annual Post-Closure Care Report documents all activities and results.

**This page intentionally left blank.**

## 10.0 REFERENCES

Campbell® Scientific, Inc. (Campbell). April 2002. "TDR100 Instruction Manual."

EPA, see U.S. Environmental Protection Agency.

Kieling, J. (New Mexico Environment Department). May 2004. Letter to P. Wagner (U.S. Department of Energy) and P. Davies (SNL/NM), "Re: Approval: Closure Certification and Closure Report for the Corrective Action Management Unit (CAMU), Including Low Temperature Thermal Desorption Unit and Temporary Unit, Technical Area III, Sandia National Laboratories, EPA ID No. NM5890110518 HWB-SNL-SNL-03-026," May 10, 2004.

New Mexico Environment Department (NMED). October 2009. "Resource Conservation and Recovery Act, Post-Closure Care Permit, EPA ID No. NM5890110518, to the U.S. Department of Energy/Sandia Corporation, for the Sandia National Laboratories Chemical Waste Landfill," New Mexico Environment Department Hazardous Waste Bureau, Santa Fe, New Mexico. October 15, 2009.

New Mexico Environment Department (NMED). January 2015. Resource Conservation and Recovery Act Facility Operating Permit, EPA ID No. NM5890110518, to the U.S. Department of Energy/Sandia Corporation, for the Sandia National Laboratories Hazardous and Mixed Waste Treatment and Storage Units and Post-Closure Care of the Corrective Action Management Unit," New Mexico Environment Department Hazardous Waste Bureau, Santa Fe, New Mexico. January 26, 2015.

New Mexico Environment Department (NMED). May 2018. "Approval of Class 1 Permit Modification (Without Prior Approval), Sandia National Laboratories/New Mexico, NM5890110518, HWB-SNL-18-005." May 1, 2018.

New Mexico Environment Department (NMED). November 2018. "Approval of Class 1 Permit Modification (Without Prior Approval), Sandia National Laboratories/New Mexico, NM5890110518, HWB-SNL-18-014." November 27, 2018.

NMED, see New Mexico Environment Department.

Sandia National Laboratories, New Mexico (SNL/NM). September 1997. Reprinted June 2002. "Class III Permit Modification Request for the Management of Hazardous Remediation Waste in the Corrective Action Management Unit, Technical Area III." Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico (as amended).

Sandia National Laboratories, New Mexico (SNL/NM). April 1999. "CAMU Containment Cell Construction Quality Assurance Report—Phase II Subsurface Components." Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). May 2000. "Chemical Waste Landfill Vapor Extraction Voluntary Corrective Measures Final Report." Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). December 2004. "Chemical Waste Landfill Corrective Measures Study Report." Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories (SNL/NM). September 2008. "Corrective Action Management Unit Vadose Zone Monitoring System Annual Monitoring Results Report." Long-Term Stewardship Post-Closure Care, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). September 2010. "Chemical Waste Landfill Final Resource Conservation and Recovery Act Closure Report." Environmental Restoration Project, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories (SNL/NM). September 2013. "Corrective Action Management Unit Vadose Zone Monitoring System Annual Monitoring Results Report." Long-Term Stewardship Post-Closure Care, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). June 2015. "Field Operating Procedure, Soil Moisture Monitoring Using Time-Domain Reflectometry, Revision 03." SNL/NM FOP 08-21, Stewardship & Analytical Services Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). April 2016. "Field Operating Procedure Utilizing Neutron Logging, Revision 03." SNL/NM FOP 08-20, Environmental Programs and Assurance Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). October 2016. "Field Operating Procedure, Soil Vapor Monitoring, Revision 04." SNL/NM FOP 08-22, Long-Term Stewardship Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). March 2018a. "Corrective Action Management Unit Report of Post-Closure Care Activities, Calendar Year 2017." Long-Term Stewardship, Post-Closure Care, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). March 2018b. "Notification of Class 1 Modification to Resource Conservation and Recovery Act Facility Operating and Post-Closure Care Permits." Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). August 2018. "Field Operating Procedure, Soil Moisture Monitoring Using Time-Domain Reflectometry, Revision 04." SNL/NM FOP 08-21, Long-Term Stewardship Department, Sandia National Laboratories, Albuquerque, New Mexico.

Sandia National Laboratories, New Mexico (SNL/NM). October 2018. "Notification of Class 1 Modifications to Resource Conservation and Recovery Act Facility Operating Permit." Sandia National Laboratories, Albuquerque, New Mexico.

SNL/NM, see Sandia National Laboratories, New Mexico.

U.S. Environmental Protection Agency (EPA). 1993. "Module IV. Special Conditions Pursuant to the 1984 Hazardous and Solid Waste Amendments (HSWA) to RCRA for Sandia National

Laboratory, EPA ID Number NM5890110518." August 1993, Region 6, U.S. Environmental Protection Agency, Dallas, Texas.

U.S. Environmental Protection Agency (EPA). January 1999a. "Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition, Compendium Method TO-14A." Center for Environmental Research Information, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, Ohio.

U.S. Environmental Protection Agency (EPA). January 1999b. "Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition, Compendium Method TO-15." Center for Environmental Research Information, Office of Research and Development, U.S. Environmental Protection Agency, Cincinnati, Ohio.

**ANNEX A**  
**VSA TDR Temperature Monitoring Results**

**This page intentionally left blank.**

Table A-1  
VSA Temperature Monitoring Results  
5-Foot Monitoring Depth  
Calendar Year 2018

Collection Dates	Instrument Location										
	VSA-1	VSA-2	VSA-3	VSA-4	VSA-5	VSA-6	VSA-7	VSA-8	VS8-9	VSA-10	VSA-11
(Temperature in Degrees Celsius)											
February	18.3	17.4	18.0	18.0	18.0	18.7	18.6	18.4	18.4	18.3	17.7
May	17.4	17.6	17.6	17.6	17.6	17.8	17.8	17.6	17.7	17.7	17.5
August	18.2	17.9	18.5	18.6	18.4	18.2	18.1	18.0	18.0	18.0	17.9
November	17.9	17.5	18.0	18.0	17.9	18.5	18.5	18.3	18.1	18.2	17.3
Minimum	17.4	17.5	17.6	17.6	17.6	17.8	17.8	17.6	17.7	17.7	17.3
Maximum	18.3	17.9	18.5	18.6	18.4	18.5	18.5	18.3	18.1	18.2	17.9
Difference	0.8	0.4	0.9	1.0	0.8	0.7	0.7	0.7	0.4	0.5	0.6

Notes:

VSA = Vertical sensor array.

Table A-2  
VSA Temperature Monitoring Results  
15-Foot Monitoring Depth  
Calendar Year 2018

Collection Dates	Instrument Location										
	VSA-1	VSA-2	VSA-3	VSA-4	VSA-5	VSA-6	VSA-7	VSA-8	VS8-9	VSA-10	VSA-11
	(Temperature in Degrees Celsius)										
February	17.7	17.8	17.6	17.6	17.5	18.3	18.0	17.9	18.0	17.8	17.5
May	17.5	17.8	17.8	17.7	17.6	18.0	18.0	17.8	17.8	17.8	17.6
August	17.8	18.3	18.2	18.4	18.1	18.5	18.4	18.5	18.5	18.2	17.8
November	17.5	17.2	17.8	17.7	17.6	18.2	18.0	18.0	18.0	17.8	17.3
Minimum	17.5	17.2	17.6	17.6	17.5	18.0	18.0	17.8	17.8	17.8	17.3
Maximum	17.8	18.3	18.2	18.4	18.1	18.5	18.4	18.5	18.5	18.2	17.8
Difference	0.3	1.1	0.6	0.8	0.6	0.5	0.4	0.7	0.7	0.4	0.5

Notes:

VSA = Vertical sensor array.

**ANNEX B**  
**Summaries of VOC Analyte Concentrations**

**This page intentionally left blank.**

Table B-1  
Soil Vapor Monitoring Quality Control VOC Analytical Results  
VSA Environmental Duplicate Sample Pair  
Calendar Year 2018

Analyte Detected	Sample Location (May 24, 2018)									
	VSA-8 5-foot monitoring depth					VSA-8 5-foot monitoring depth (duplicate)				
	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
	(ppbv)					(ppbv)				
Acetone	7.2	0.18	5.0	--	J+,B2	5.2	0.18	5.0	*	J+,B2,RP2
Benzene	0.15	0.079	0.40	J	--	0.12	0.079	0.40	J	--
2-Butanone	0.58	0.20	0.80	J	--	1.3	0.20	0.80	--	--
Carbon disulfide	0.27	0.078	0.80	J	0.8U,B2	0.36	0.078	0.80	J	0.8U,B2
Carbon tetrachloride	0.16	0.064	0.80	J	--	0.090	0.064	0.80	J	--
Chlorobenzene	0.086	0.064	0.30	J	--	0.064	0.064	0.30	J	--
Chloroform	0.33	0.095	0.30	--	--	0.23	0.095	0.30	J	--
Chloromethane	0.21	0.20	0.80	J	--	ND	0.20	0.80	U	--
Dichlorodifluoromethane	1.1	0.15	0.40	--	--	1.6	0.15	0.40	--	--
1,1-Dichloroethane	0.45	0.072	0.30	--	--	0.39	0.072	0.30	--	--
trans-1,2-Dichloroethene	0.24	0.10	0.40	J	--	0.22	0.10	0.40	J	--
2-Hexanone	ND	0.087	0.40	U	--	0.21	0.087	0.40	J	--
Methylene chloride	0.098	0.072	0.40	J	--	ND	0.072	0.40	U	--
4-methyl-,2-Pentanone	1.5	0.14	0.40	--	--	ND	0.14	0.40	U	--
Tetrachloroethene	24	0.051	0.40	B	--	16	0.051	0.40	--	--
Toluene	0.12	0.051	0.40	J	--	0.097	0.051	0.40	J	--
1,1,2-Trichloro-1,2,2-trifluoroethane	3.8	0.16	0.40	--	--	3.3	0.16	0.40	--	--
1,1,1-Trichloroethane	2.3	0.065	0.30	--	--	1.9	0.065	0.30	--	--
Trichloroethene	81	0.11	0.40	--	--	58	0.11	0.40	--	--
Trichlorofluoromethane	6.1	0.20	0.40	--	--	4.3	0.20	0.40	--	--
m,p-Xylene	0.23	0.10	0.80	J,B	0.8U,B	ND	0.10	0.80	U	--
o-Xylene	0.064	0.054	0.40	J,B	0.4U,B	ND	0.054	0.40	U	--
Total Organics <sup>a</sup>	129.99	NA	NA	NA	NA	93.38	NA	NA	NA	NA

Refer to notes at end of Table B-1.

Table B-1 (Concluded)  
Soil Vapor Monitoring Quality Control VOC Analytical Results  
VSA Environmental Duplicate Sample Pair  
Calendar Year 2018

Analyte Detected	Sample Location (May 24, 2018)									
	VSA-8 15-foot monitoring depth					VSA-8 15-foot monitoring depth (duplicate)				
	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
	(ppbv)					(ppbv)				
Acetone	8.1	0.18	5.0	*	J,RP2	3.0	0.18	5.0	J*	5.0UJ,B2,RP2
Benzene	0.12	0.079	0.40	J	--	0.11	0.079	0.40	J	--
2-Butanone	0.70	0.20	0.80	J	--	0.52	0.20	0.80	J	--
Carbon disulfide	ND	0.078	0.80	U	--	0.13	0.078	0.80	J	0.8U,B2
Carbon tetrachloride	ND	0.064	0.80	U	--	0.14	0.064	0.80	J	--
Chloroform	0.25	0.095	0.30	J	--	0.25	0.095	0.30	J	--
Dichlorodifluoromethane	1.8	0.15	0.40	--	--	1.8	0.15	0.40	--	--
1,1-Dichloroethane	0.35	0.072	0.30	--	--	0.34	0.072	0.30	--	--
trans-1,2-Dichloroethene	0.21	0.10	0.40	J	--	0.20	0.10	0.40	J	--
4-methyl-2-Pentanone	0.21	0.14	0.40	J	--	ND	0.14	0.40	U	--
Tetrachloroethene	14	0.051	0.40	--	--	14	0.051	0.40	J	--
Toluene	0.053	0.051	0.40	J	--	0.056	0.051	0.40	--	--
1,1,2-Trichloro-1,2,2-trifluoroethane	4.2	0.16	0.40	--	--	4.2	0.16	0.40	--	--
1,1,1-Trichloroethane	2.1	0.065	0.30	--	--	2.1	0.065	0.30	--	--
Trichloroethene	54	0.11	0.40	--	--	55	0.11	0.40	--	--
Trichlorofluoromethane	4.9	0.20	0.40	--	--	4.9	0.20	0.40	--	--
Total VOCs <sup>a</sup>	90.99	NA	NA	NA	NA	86.75	NA	NA	NA	NA

Notes:

Concentrations above the MDL and below the LRL are qualified as estimated values by the laboratory.

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

\* RPD of the LCS and LCSD exceeds the control limits.

<sup>a</sup> Total VOCs = Sum of validated detected organic analytes (i.e., results for analytes reported as detections by the laboratory but qualified during data validation as not detected are not included in the Total VOC value).

B = Method blank contamination at concentration >MDL.

B2 = Field blank contamination at concentration >MDL.

J = Estimated result that is less than the LRL.

J+ = Estimated result that is less than the LRL with a suspected positive bias.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

NA = Not applicable.

ND = Non-detection.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

RP2 = Replicate RPD failed. RPD for LCS/LCSD exceeds the control limits.

U = Qualified by laboratory and/or data validation as a non-detection.

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

VOC = Volatile organic compound.

VSA = Vertical sensor array.

Table B-2  
Soil Vapor Monitoring Quality Control VOC Analytical Results  
CSS Environmental Duplicate Sample Pair  
Calendar Year 2018

Analyte Detected	Sample Location (May 24, 2018)									
	CSS-3					CSS-3 (duplicate)				
	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
	(ppbv)					(ppbv)				
Acetone	3.5	0.18	5	J	5.0UJ,B2	4.0	0.18	5	J*	5.0UJ,B2,RP2
2-Butanone	ND	0.2	0.8	U	--	0.41	0.2	0.8	J	--
Carbon disulfide	ND	0.078	0.8	U	--	0.26	0.078	0.8	J	0.8U,B2
Carbon tetrachloride	0.1	0.064	0.8	J	--	ND	0.064	0.8	U	--
Chloromethane	0.37	0.2	0.8	J	--	0.35	0.2	0.8	J	--
Dichlorodifluoromethane	0.71	0.15	0.4	B	J+	0.58	0.15	0.4	--	--
Ethyl benzene	ND	0.063	0.4	U	--	0.11	0.063	0.4	J	--
Methylene chloride	0.19	0.072	0.4	J,B	0.4U	0.17	0.072	0.4	J	--
Tetrachloroethene	0.98	0.051	0.4	--	--	0.79	0.051	0.4	--	--
Toluene	0.11	0.051	0.4	J	--	0.17	0.051	0.4	J	--
1,1,2-Trichloro-1,2,2-trifluoroethane	0.91	0.16	0.4	--	--	0.7	0.16	0.4	--	--
1,1,1-Trichloroethane	0.31	0.065	0.3	--	--	0.21	0.065	0.3	J	--
Trichloroethene	4.1	0.11	0.4	--	--	3.2	0.11	0.4	--	--
Trichlorofluoromethane	1.2	0.2	0.4	--	--	0.78	0.2	0.4	--	--
1,2,4-Trimethylbenzene	ND	0.16	0.8	U	--	0.27	0.16	0.8	J	--
m,p-Xylene	ND	0.1	0.8	U	--	0.28	0.1	0.8	J	--
o-Xylene	ND	0.054	0.4	U	--	0.14	0.054	0.4	J	--
Total VOCs <sup>a</sup>	12.48	NA	NA	NA	NA	12.42	NA	NA	NA	NA

Notes:

Concentrations above the MDL and below the LRL are qualified as estimated values by the laboratory.

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

\* RPD of the LCS and LCSD exceeds the control limits.

<sup>a</sup> Total VOCs = Sum of validated detected organic analytes (i.e., results for analytes reported as detections by the laboratory but qualified during data validation as not detected are not included in the Total VOC value).

B = Method blank contamination at concentration >MDL.

B2 = Field blank contamination at concentration >MDL.

CSS = CWL sanitary sewer.

CWL = Chemical Waste Landfill.

J = Estimated result that is less than the LRL.

J+ = Estimated result that is less than the LRL with a suspected positive bias.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

NA = Not applicable.

ND = Non-detection.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

RP2 = Replicate RPD failed. RPD for LCS/LCSD exceeds the control limits.

U = Qualified by laboratory and/or data validation as a non-detection.

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

VOC = Volatile organic compound.

Table B-3  
 Soil Vapor Monitoring Quality Control VOC Analytical Results  
 Field Blank Sample  
 Calendar Year 2018

Analyte Detected	Sample Location (May 24, 2018)				
	CAMUVZMSBH1 (Field Blank)				
	Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
	(ppbv)				
Acetone	0.74	0.18	5	J <sup>a</sup>	J
Carbon disulfide	0.16	0.078	0.8	J	--

Notes:

Concentrations above the MDL and below the LRL are qualified as estimated values by the laboratory.

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

<sup>a</sup> RPD of the LCS and LCSD exceeds the control limits.

J = Estimated result that is less than the LRL.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

VOC = Volatile organic compound.

Table B-4  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
Acetone	VSA-1	1.1	0.18	5.0	J	5.0U,B2
	VSA-2	1.4	0.18	5.0	J	5.0U,B2
	VSA-3	2.4	0.18	5.0	J	5.0U,B2
	VSA-4	3.5	0.18	5.0	J	5.0U,B2
	VSA-5	1.0	0.18	5.0	J	5.0U,B2
	VSA-6	4.1	0.18	5.0	J	5.0U,B2
	VSA-7	2.8	0.18	5.0	J	5.0U,B2
	VSA-8 <sup>a</sup>	7.2	0.18	5.0	--	J+,B2
	VSA-9	1.5	0.18	5.0	J*	5.0UJ,B2,RP2
	VSA-10	3.8	0.18	5.0	J*	5.0UJ,B2,RP2
	VSA-11	1.7	0.18	5.0	J*	5.0UJ,B2,RP2
Benzene	VSA-1	ND	0.079	0.40	U	--
	VSA-2	0.12	0.079	0.40	J	--
	VSA-3	0.13	0.079	0.40	J	--
	VSA-4	0.086	0.079	0.40	J	--
	VSA-5	ND	0.079	0.40	U	--
	VSA-6	ND	0.079	0.40	U	--
	VSA-7	0.15	0.079	0.40	J	--
	VSA-8 <sup>a</sup>	0.15	0.079	0.40	J	--
	VSA-9	ND	0.079	0.40	U	--
	VSA-10	ND	0.079	0.40	U	--
	VSA-11	ND	0.079	0.40	U	--
Benzyl chloride	VSA-1	ND	0.16	0.80	U	--
	VSA-2	ND	0.16	0.80	U	--
	VSA-3	ND	0.16	0.80	U	--
	VSA-4	ND	0.16	0.80	U	--
	VSA-5	ND	0.16	0.80	U	--
	VSA-6	ND	0.16	0.80	U	--
	VSA-7	ND	0.16	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.80	U	--
	VSA-9	ND	0.16	0.80	U	--
	VSA-10	ND	0.16	0.80	U	--
	VSA-11	ND	0.16	0.80	U	--
Bromodichloromethane	VSA-1	ND	0.066	0.30	U	--
	VSA-2	ND	0.066	0.30	U	--
	VSA-3	ND	0.066	0.30	U	--
	VSA-4	ND	0.066	0.30	U	--
	VSA-5	ND	0.066	0.30	U	--
	VSA-6	ND	0.066	0.30	U	--
	VSA-7	ND	0.066	0.30	U	--
	VSA-8 <sup>a</sup>	ND	0.066	0.30	U	--
	VSA-9	ND	0.066	0.30	U	--
	VSA-10	ND	0.066	0.30	U	--
	VSA-11	ND	0.066	0.30	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Bromoform	VSA-1	ND	0.070	0.40	U	--
	VSA-2	ND	0.070	0.40	U	--
	VSA-3	ND	0.070	0.40	U	--
	VSA-4	ND	0.070	0.40	U	--
	VSA-5	ND	0.070	0.40	U	--
	VSA-6	ND	0.070	0.40	U	--
	VSA-7	ND	0.070	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.070	0.40	U	--
	VSA-9	ND	0.070	0.40	U	--
	VSA-10	ND	0.070	0.40	U	--
	VSA-11	ND	0.070	0.40	U	--
Bromomethane	VSA-1	ND	0.34	0.80	U	--
	VSA-2	ND	0.34	0.80	U	--
	VSA-3	ND	0.34	0.80	U	--
	VSA-4	ND	0.34	0.80	U	--
	VSA-5	ND	0.34	0.80	U	--
	VSA-6	ND	0.34	0.80	U	--
	VSA-7	ND	0.34	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.34	0.80	U	--
	VSA-9	ND	0.34	0.80	U	--
	VSA-10	ND	0.34	0.80	U	--
	VSA-11	ND	0.34	0.80	U	--
2-Butanone	VSA-1	ND	0.20	0.80	U	--
	VSA-2	ND	0.20	0.80	U	--
	VSA-3	ND	0.20	0.80	U	--
	VSA-4	ND	0.20	0.80	U	--
	VSA-5	ND	0.20	0.80	U	--
	VSA-6	ND	0.20	0.80	U	--
	VSA-7	ND	0.20	0.80	U	--
	VSA-8 <sup>a</sup>	1.3	0.20	0.80	--	--
	VSA-9	0.21	0.20	0.80	J	--
	VSA-10	0.32	0.20	0.80	J	--
	VSA-11	0.27	0.20	0.80	J	--
Carbon disulfide	VSA-1	ND	0.078	0.80	U	--
	VSA-2	0.40	0.078	0.80	J	0.8U,B2
	VSA-3	0.52	0.078	0.80	J	0.8U,B2
	VSA-4	ND	0.078	0.80	U	--
	VSA-5	ND	0.078	0.80	U	--
	VSA-6	ND	0.078	0.80	U	--
	VSA-7	0.77	0.078	0.80	J	0.8U,B2
	VSA-8 <sup>a</sup>	0.36	0.078	0.80	J	0.8U,B2
	VSA-9	0.87	0.078	0.80	--	--
	VSA-10	0.12	0.078	0.80	J	0.8U,B2
	VSA-11	ND	0.078	0.80	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
Carbon tetrachloride	VSA-1	0.14	0.064	0.80	J	--
	VSA-2	0.15	0.064	0.80	J	--
	VSA-3	0.14	0.064	0.80	J	--
	VSA-4	0.13	0.064	0.80	J	--
	VSA-5	0.10	0.064	0.80	J	--
	VSA-6	0.099	0.064	0.80	J	--
	VSA-7	0.22	0.064	0.80	J	--
	VSA-8 <sup>a</sup>	0.16	0.064	0.80	J	--
	VSA-9	0.11	0.064	0.80	J	--
	VSA-10	0.10	0.064	0.80	J	--
	VSA-11	0.080	0.064	0.80	J	--
Chlorobenzene	VSA-1	ND	0.064	0.30	U	--
	VSA-2	ND	0.064	0.30	U	--
	VSA-3	ND	0.064	0.30	U	--
	VSA-4	ND	0.064	0.30	U	--
	VSA-5	ND	0.064	0.30	U	--
	VSA-6	ND	0.064	0.30	U	--
	VSA-7	0.080	0.064	0.30	J	--
	VSA-8 <sup>a</sup>	0.086	0.064	0.30	J	--
	VSA-9	ND	0.064	0.30	U	--
	VSA-10	ND	0.064	0.30	U	--
	VSA-11	ND	0.064	0.30	U	--
Chloroethane	VSA-1	ND	0.31	0.80	U	--
	VSA-2	ND	0.31	0.80	U	--
	VSA-3	ND	0.31	0.80	U	--
	VSA-4	ND	0.31	0.80	U	--
	VSA-5	ND	0.31	0.80	U	--
	VSA-6	ND	0.31	0.80	U	--
	VSA-7	ND	0.31	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.31	0.80	U	--
	VSA-9	ND	0.31	0.80	U	--
	VSA-10	ND	0.31	0.80	U	--
	VSA-11	ND	0.31	0.80	U	--
Chloroform	VSA-1	0.49	0.095	0.30	--	--
	VSA-2	0.43	0.095	0.30	--	--
	VSA-3	0.52	0.095	0.30	--	--
	VSA-4	0.57	0.095	0.30	--	--
	VSA-5	0.41	0.095	0.30	--	--
	VSA-6	0.12	0.095	0.30	J	--
	VSA-7	0.21	0.095	0.30	J	--
	VSA-8 <sup>a</sup>	0.33	0.095	0.30	--	--
	VSA-9	0.29	0.095	0.30	J	--
	VSA-10	0.30	0.095	0.30	--	--
	VSA-11	0.18	0.095	0.30	J	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
Chloromethane	VSA-1	ND	0.20	0.80	U	--
	VSA-2	0.20	0.20	0.80	J	--
	VSA-3	0.22	0.20	0.80	J	--
	VSA-4	0.21	0.20	0.80	J	--
	VSA-5	0.20	0.20	0.80	J	--
	VSA-6	0.25	0.20	0.80	J	--
	VSA-7	0.45	0.20	0.80	J	--
	VSA-8 <sup>a</sup>	0.21	0.20	0.80	J	--
	VSA-9	ND	0.20	0.80	U	--
	VSA-10	ND	0.20	0.80	U	--
	VSA-11	ND	0.20	0.80	U	--
Dibromochloromethane	VSA-1	ND	0.079	0.40	U	--
	VSA-2	ND	0.079	0.40	U	--
	VSA-3	ND	0.079	0.40	U	--
	VSA-4	ND	0.079	0.40	U	--
	VSA-5	ND	0.079	0.40	U	--
	VSA-6	ND	0.079	0.40	U	--
	VSA-7	ND	0.079	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.079	0.40	U	--
	VSA-9	ND	0.079	0.40	U	--
	VSA-10	ND	0.079	0.40	U	--
	VSA-11	ND	0.079	0.40	U	--
1,2-Dibromoethane	VSA-1	ND	0.075	0.80	U	--
	VSA-2	ND	0.075	0.80	U	--
	VSA-3	ND	0.075	0.80	U	--
	VSA-4	ND	0.075	0.80	U	--
	VSA-5	ND	0.075	0.80	U	--
	VSA-6	ND	0.075	0.80	U	--
	VSA-7	ND	0.075	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.075	0.80	U	--
	VSA-9	ND	0.075	0.80	U	--
	VSA-10	ND	0.075	0.80	U	--
	VSA-11	ND	0.075	0.80	U	--
1,2-Dichloro-1,1,2,2-tetrafluoroethane	VSA-1	ND	0.16	0.40	U	--
	VSA-2	ND	0.16	0.40	U	--
	VSA-3	ND	0.16	0.40	U	--
	VSA-4	ND	0.16	0.40	U	--
	VSA-5	ND	0.16	0.40	U	--
	VSA-6	ND	0.16	0.40	U	--
	VSA-7	ND	0.16	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.40	U	--
	VSA-9	ND	0.16	0.40	U	--
	VSA-10	ND	0.16	0.40	U	--
	VSA-11	ND	0.16	0.40	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,2-Dichlorobenzene	VSA-1	ND	0.13	0.40	U	--
	VSA-2	ND	0.13	0.40	U	--
	VSA-3	ND	0.13	0.40	U	--
	VSA-4	ND	0.13	0.40	U	--
	VSA-5	ND	0.13	0.40	U	--
	VSA-6	ND	0.13	0.40	U	--
	VSA-7	ND	0.13	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.40	U	--
	VSA-9	ND	0.13	0.40	U	--
	VSA-10	ND	0.13	0.40	U	--
	VSA-11	ND	0.13	0.40	U	--
1,3-Dichlorobenzene	VSA-1	ND	0.11	0.40	U	--
	VSA-2	ND	0.11	0.40	U	--
	VSA-3	0.12	0.11	0.40	J	--
	VSA-4	ND	0.11	0.40	U	--
	VSA-5	ND	0.11	0.40	U	--
	VSA-6	ND	0.11	0.40	U	--
	VSA-7	ND	0.11	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.11	0.40	U	--
	VSA-9	ND	0.11	0.40	U	--
	VSA-10	ND	0.11	0.40	U	--
	VSA-11	ND	0.11	0.40	U	--
1,4-Dichlorobenzene	VSA-1	ND	0.15	0.40	U	--
	VSA-2	ND	0.15	0.40	U	--
	VSA-3	ND	0.15	0.40	U	--
	VSA-4	ND	0.15	0.40	U	--
	VSA-5	ND	0.15	0.40	U	--
	VSA-6	ND	0.15	0.40	U	--
	VSA-7	ND	0.15	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.15	0.40	U	--
	VSA-9	ND	0.15	0.40	U	--
	VSA-10	ND	0.15	0.40	U	--
	VSA-11	ND	0.15	0.40	U	--
Dichlorodifluoromethane	VSA-1	1.2	0.15	0.40	B	--
	VSA-2	0.99	0.15	0.40	--	--
	VSA-3	0.91	0.15	0.40	--	--
	VSA-4	1.0	0.15	0.40	--	--
	VSA-5	0.71	0.15	0.40	--	--
	VSA-6	0.92	0.15	0.40	--	--
	VSA-7	1.0	0.15	0.40	--	--
	VSA-8 <sup>a</sup>	1.6	0.15	0.40	--	--
	VSA-9	1.7	0.15	0.40	--	--
	VSA-10	1.7	0.15	0.40	--	--
	VSA-11	1.2	0.15	0.40	--	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,1-Dichloroethane	VSA-1	0.19	0.072	0.30	J	--
	VSA-2	0.61	0.072	0.30	--	--
	VSA-3	0.63	0.072	0.30	--	--
	VSA-4	0.61	0.072	0.30	--	--
	VSA-5	0.37	0.072	0.30	--	--
	VSA-6	0.15	0.072	0.30	J	--
	VSA-7	0.42	0.072	0.30	--	--
	VSA-8 <sup>a</sup>	0.45	0.072	0.30	--	--
	VSA-9	0.099	0.072	0.30	J	--
	VSA-10	ND	0.072	0.30	U	--
	VSA-11	ND	0.072	0.30	U	--
1,2-Dichloroethane	VSA-1	ND	0.088	0.80	U	--
	VSA-2	ND	0.088	0.80	U	--
	VSA-3	ND	0.088	0.80	U	--
	VSA-4	ND	0.088	0.80	U	--
	VSA-5	ND	0.088	0.80	U	--
	VSA-6	ND	0.088	0.80	U	--
	VSA-7	ND	0.088	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.088	0.80	U	--
	VSA-9	ND	0.088	0.80	U	--
	VSA-10	ND	0.088	0.80	U	--
	VSA-11	ND	0.088	0.80	U	--
1,1-Dichloroethene	VSA-1	ND	0.13	0.80	U	--
	VSA-2	ND	0.13	0.80	U	--
	VSA-3	ND	0.13	0.80	U	--
	VSA-4	ND	0.13	0.80	U	--
	VSA-5	ND	0.13	0.80	U	--
	VSA-6	ND	0.13	0.80	U	--
	VSA-7	ND	0.13	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.80	U	--
	VSA-9	ND	0.13	0.80	U	--
	VSA-10	ND	0.13	0.80	U	--
	VSA-11	ND	0.13	0.80	U	--
cis-1,2-Dichloroethene	VSA-1	ND	0.089	0.40	U	--
	VSA-2	ND	0.089	0.40	U	--
	VSA-3	ND	0.089	0.40	U	--
	VSA-4	ND	0.089	0.40	U	--
	VSA-5	ND	0.089	0.40	U	--
	VSA-6	ND	0.089	0.40	U	--
	VSA-7	ND	0.089	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.089	0.40	U	--
	VSA-9	ND	0.089	0.40	U	--
	VSA-10	ND	0.089	0.40	U	--
	VSA-11	ND	0.089	0.40	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
trans-1,2- Dichloroethene	VSA-1	ND	0.10	0.40	U	--
	VSA-2	0.32	0.10	0.40	J	--
	VSA-3	0.31	0.10	0.40	J	--
	VSA-4	0.21	0.10	0.40	J	--
	VSA-5	ND	0.10	0.40	U	--
	VSA-6	ND	0.10	0.40	U	--
	VSA-7	0.25	0.10	0.40	J	--
	VSA-8 <sup>a</sup>	0.24	0.10	0.40	J	--
	VSA-9	ND	0.10	0.40	U	--
	VSA-10	ND	0.10	0.40	U	--
	VSA-11	ND	0.10	0.40	U	--
1,2-Dichloropropane	VSA-1	ND	0.24	0.40	U	--
	VSA-2	ND	0.24	0.40	U	--
	VSA-3	ND	0.24	0.40	U	--
	VSA-4	ND	0.24	0.40	U	--
	VSA-5	ND	0.24	0.40	U	--
	VSA-6	ND	0.24	0.40	U	--
	VSA-7	ND	0.24	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.24	0.40	U	--
	VSA-9	ND	0.24	0.40	U	--
	VSA-10	ND	0.24	0.40	U	--
	VSA-11	ND	0.24	0.40	U	--
cis-1,3-Dichloropropene	VSA-1	ND	0.10	0.40	U	--
	VSA-2	ND	0.10	0.40	U	--
	VSA-3	ND	0.10	0.40	U	--
	VSA-4	ND	0.10	0.40	U	--
	VSA-5	ND	0.10	0.40	U	--
	VSA-6	ND	0.10	0.40	U	--
	VSA-7	ND	0.10	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.10	0.40	U	--
	VSA-9	ND	0.10	0.40	U	--
	VSA-10	ND	0.10	0.40	U	--
	VSA-11	ND	0.10	0.40	U	--
trans-1,3-Dichloropropene	VSA-1	ND	0.088	0.40	U	--
	VSA-2	ND	0.088	0.40	U	--
	VSA-3	ND	0.088	0.40	U	--
	VSA-4	ND	0.088	0.40	U	--
	VSA-5	ND	0.088	0.40	U	--
	VSA-6	ND	0.088	0.40	U	--
	VSA-7	ND	0.088	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.088	0.40	U	--
	VSA-9	ND	0.088	0.40	U	--
	VSA-10	ND	0.088	0.40	U	--
	VSA-11	ND	0.088	0.40	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Ethyl benzene	VSA-1	ND	0.063	0.40	U	--
	VSA-2	ND	0.063	0.40	U	--
	VSA-3	ND	0.063	0.40	U	--
	VSA-4	ND	0.063	0.40	U	--
	VSA-5	ND	0.063	0.40	U	--
	VSA-6	ND	0.063	0.40	U	--
	VSA-7	0.064	0.063	0.40	J	--
	VSA-8 <sup>a</sup>	ND	0.063	0.40	U	--
	VSA-9	ND	0.063	0.40	U	--
	VSA-10	ND	0.063	0.40	U	--
	VSA-11	ND	0.063	0.40	U	--
4-Ethyltoluene	VSA-1	ND	0.19	0.40	U	--
	VSA-2	ND	0.19	0.40	U	--
	VSA-3	ND	0.19	0.40	U	--
	VSA-4	ND	0.19	0.40	U	--
	VSA-5	ND	0.19	0.40	U	--
	VSA-6	ND	0.19	0.40	U	--
	VSA-7	ND	0.19	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.19	0.40	U	--
	VSA-9	ND	0.19	0.40	U	--
	VSA-10	ND	0.19	0.40	U	--
	VSA-11	ND	0.19	0.40	U	--
Hexachlorobutadiene	VSA-1	ND	0.43	2.0	U	--
	VSA-2	ND	0.43	2.0	U	--
	VSA-3	ND	0.43	2.0	U	--
	VSA-4	ND	0.43	2.0	U	--
	VSA-5	ND	0.43	2.0	U	--
	VSA-6	ND	0.43	2.0	U	--
	VSA-7	ND	0.43	2.0	U	--
	VSA-8 <sup>a</sup>	ND	0.43	2.0	U	--
	VSA-9	ND	0.43	2.0	U	--
	VSA-10	ND	0.43	2.0	U	--
	VSA-11	ND	0.43	2.0	U	--
2-Hexanone	VSA-1	ND	0.087	0.40	U	--
	VSA-2	ND	0.087	0.40	U	--
	VSA-3	ND	0.087	0.40	U	--
	VSA-4	ND	0.087	0.40	U	--
	VSA-5	ND	0.087	0.40	U	--
	VSA-6	ND	0.087	0.40	U	--
	VSA-7	ND	0.087	0.40	U	--
	VSA-8 <sup>a</sup>	0.21	0.087	0.40	J	--
	VSA-9	0.15	0.087	0.40	J	--
	VSA-10	ND	0.087	0.40	U	--
	VSA-11	0.096	0.087	0.40	J	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Methylene chloride	VSA-1	0.084	0.072	0.40	J,B	0.4U,B
	VSA-2	0.18	0.072	0.40	J	--
	VSA-3	0.30	0.072	0.40	J	--
	VSA-4	0.29	0.072	0.40	J	--
	VSA-5	0.14	0.072	0.40	J	--
	VSA-6	0.081	0.072	0.40	J	--
	VSA-7	0.12	0.072	0.40	J	--
	VSA-8 <sup>a</sup>	0.098	0.072	0.40	J	--
	VSA-9	ND	0.072	0.40	U	--
	VSA-10	ND	0.072	0.40	U	--
	VSA-11	ND	0.072	0.40	U	--
4-methyl-,2-Pentanone	VSA-1	ND	0.14	0.40	U	--
	VSA-2	ND	0.14	0.40	U	--
	VSA-3	ND	0.14	0.40	U	--
	VSA-4	ND	0.14	0.40	U	--
	VSA-5	ND	0.14	0.40	U	--
	VSA-6	ND	0.14	0.40	U	--
	VSA-7	ND	0.14	0.40	U	--
	VSA-8 <sup>a</sup>	1.5	0.14	0.40	--	--
	VSA-9	ND	0.14	0.40	U	--
	VSA-10	0.27	0.14	0.40	J	--
	VSA-11	ND	0.14	0.40	U	--
Styrene	VSA-1	ND	0.059	0.40	U	--
	VSA-2	0.18	0.059	0.40	J,B	0.4U,B
	VSA-3	ND	0.059	0.40	U	--
	VSA-4	ND	0.059	0.40	U	--
	VSA-5	ND	0.059	0.40	U	--
	VSA-6	ND	0.059	0.40	U	--
	VSA-7	ND	0.059	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.059	0.40	U	--
	VSA-9	ND	0.059	0.40	U	--
	VSA-10	ND	0.059	0.40	U	--
	VSA-11	ND	0.059	0.40	U	--
1,1,2,2-Tetrachloroethane	VSA-1	ND	0.069	0.40	U	--
	VSA-2	ND	0.069	0.40	U	--
	VSA-3	ND	0.069	0.40	U	--
	VSA-4	ND	0.069	0.40	U	--
	VSA-5	ND	0.069	0.40	U	--
	VSA-6	ND	0.069	0.40	U	--
	VSA-7	ND	0.069	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.069	0.40	U	--
	VSA-9	ND	0.069	0.40	U	--
	VSA-10	ND	0.069	0.40	U	--
	VSA-11	ND	0.069	0.40	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Tetrachloroethene	VSA-1	7.3	0.051	0.40	--	--
	VSA-2	14	0.051	0.40	B	--
	VSA-3	17	0.051	0.40	B	--
	VSA-4	11	0.051	0.40	B	--
	VSA-5	8.6	0.051	0.40	B	--
	VSA-6	16	0.051	0.40	B	--
	VSA-7	20	0.051	0.40	B	--
	VSA-8 <sup>a</sup>	24	0.051	0.40	B	--
	VSA-9	8.6	0.051	0.40	--	--
	VSA-10	3.5	0.051	0.40	--	--
	VSA-11	5.7	0.051	0.40	--	--
Toluene	VSA-1	ND	0.051	0.40	U	--
	VSA-2	ND	0.051	0.40	U	--
	VSA-3	ND	0.051	0.40	U	--
	VSA-4	0.13	0.051	0.40	J	--
	VSA-5	ND	0.051	0.40	U	--
	VSA-6	ND	0.051	0.40	U	--
	VSA-7	0.11	0.051	0.40	J	--
	VSA-8 <sup>a</sup>	0.12	0.051	0.40	J	--
	VSA-9	ND	0.051	0.40	U	--
	VSA-10	1.3	0.051	0.40	--	--
	VSA-11	0.13	0.051	0.40	J	--
1,1,2-Trichloro-1,2,2-trifluoroethane	VSA-1	1.7	0.16	0.40	--	--
	VSA-2	2.2	0.16	0.40	--	--
	VSA-3	1.9	0.16	0.40	--	--
	VSA-4	1.9	0.16	0.40	--	--
	VSA-5	1.0	0.16	0.40	--	--
	VSA-6	3.4	0.16	0.40	--	--
	VSA-7	3.8	0.16	0.40	--	--
	VSA-8 <sup>a</sup>	3.8	0.16	0.40	--	--
	VSA-9	3.0	0.16	0.40	--	--
	VSA-10	2.7	0.16	0.40	--	--
	VSA-11	1.4	0.16	0.40	--	--
1,2,4-Trichlorobenzene	VSA-1	ND	0.43	2.0	U	--
	VSA-2	ND	0.43	2.0	U	--
	VSA-3	ND	0.43	2.0	U	--
	VSA-4	ND	0.43	2.0	U	--
	VSA-5	ND	0.43	2.0	U	--
	VSA-6	ND	0.43	2.0	U	--
	VSA-7	ND	0.43	2.0	U	--
	VSA-8 <sup>a</sup>	ND	0.43	2.0	U	--
	VSA-9	ND	0.43	2.0	U	--
	VSA-10	ND	0.43	2.0	U	--
	VSA-11	ND	0.43	2.0	U	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
1,1,1-Trichloroethane	VSA-1	1.7	0.065	0.30	--	--
	VSA-2	2.2	0.065	0.30	--	--
	VSA-3	2.3	0.065	0.30	--	--
	VSA-4	2.4	0.065	0.30	--	--
	VSA-5	2.0	0.065	0.30	--	--
	VSA-6	1.9	0.065	0.30	--	--
	VSA-7	1.8	0.065	0.30	--	--
	VSA-8 <sup>a</sup>	2.3	0.065	0.30	--	--
	VSA-9	2.6	0.065	0.30	--	--
	VSA-10	2.7	0.065	0.30	--	--
	VSA-11	1.6	0.065	0.30	--	--
1,1,2-Trichloroethane	VSA-1	ND	0.067	0.40	U	--
	VSA-2	ND	0.067	0.40	U	--
	VSA-3	ND	0.067	0.40	U	--
	VSA-4	ND	0.067	0.40	U	--
	VSA-5	ND	0.067	0.40	U	--
	VSA-6	ND	0.067	0.40	U	--
	VSA-7	ND	0.067	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.067	0.40	U	--
	VSA-9	ND	0.067	0.40	U	--
	VSA-10	ND	0.067	0.40	U	--
	VSA-11	ND	0.067	0.40	U	--
Trichloroethene	VSA-1	31	0.11	0.40	--	--
	VSA-2	65	0.11	0.40	--	--
	VSA-3	62	0.11	0.40	--	--
	VSA-4	54	0.11	0.40	--	--
	VSA-5	37	0.11	0.40	--	--
	VSA-6	41	0.11	0.40	--	--
	VSA-7	67	0.11	0.40	--	--
	VSA-8 <sup>a</sup>	81	0.11	0.40	--	--
	VSA-9	28	0.11	0.40	--	--
	VSA-10	21	0.11	0.40	--	--
	VSA-11	19	0.11	0.40	--	--
Trichlorofluoromethane	VSA-1	3.4	0.20	0.40	--	--
	VSA-2	4.8	0.20	0.40	--	--
	VSA-3	5.2	0.20	0.40	--	--
	VSA-4	5.8	0.20	0.40	--	--
	VSA-5	4.9	0.20	0.40	--	--
	VSA-6	5.4	0.20	0.40	--	--
	VSA-7	5.4	0.20	0.40	--	--
	VSA-8 <sup>a</sup>	6.1	0.20	0.40	--	--
	VSA-9	5.0	0.20	0.40	--	--
	VSA-10	5.8	0.20	0.40	--	--
	VSA-11	4.0	0.20	0.40	--	--

Refer to notes at end of Table B-4.

Table B-4 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
1,2,4-Trimethylbenzene	VSA-1	ND	0.16	0.80	U	--
	VSA-2	ND	0.16	0.80	U	--
	VSA-3	ND	0.16	0.80	U	--
	VSA-4	ND	0.16	0.80	U	--
	VSA-5	ND	0.16	0.80	U	--
	VSA-6	ND	0.16	0.80	U	--
	VSA-7	ND	0.16	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.80	U	--
	VSA-9	ND	0.16	0.80	U	--
	VSA-10	ND	0.16	0.80	U	--
	VSA-11	ND	0.16	0.80	U	--
1,3,5-Trimethylbenzene	VSA-1	ND	0.13	0.40	U	--
	VSA-2	ND	0.13	0.40	U	--
	VSA-3	ND	0.13	0.40	U	--
	VSA-4	ND	0.13	0.40	U	--
	VSA-5	ND	0.13	0.40	U	--
	VSA-6	ND	0.13	0.40	U	--
	VSA-7	ND	0.13	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.40	U	--
	VSA-9	ND	0.13	0.40	U	--
	VSA-10	ND	0.13	0.40	U	--
	VSA-11	ND	0.13	0.40	U	--
Vinyl acetate	VSA-1	ND	0.15	0.80	U	--
	VSA-2	ND	0.15	0.80	U	--
	VSA-3	ND	0.15	0.80	U	--
	VSA-4	ND	0.15	0.80	U	--
	VSA-5	ND	0.15	0.80	U	--
	VSA-6	ND	0.15	0.80	U	--
	VSA-7	ND	0.15	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.15	0.80	U	--
	VSA-9	ND	0.15	0.80	U*	UJ,RP2
	VSA-10	ND	0.15	0.80	U*	UJ,RP2
	VSA-11	ND	0.15	0.80	U*	UJ,RP2
Vinyl chloride	VSA-1	ND	0.12	0.40	U	--
	VSA-2	ND	0.12	0.40	U	--
	VSA-3	ND	0.12	0.40	U	--
	VSA-4	ND	0.12	0.40	U	--
	VSA-5	ND	0.12	0.40	U	--
	VSA-6	ND	0.12	0.40	U	--
	VSA-7	ND	0.12	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.12	0.40	U	--
	VSA-9	ND	0.12	0.40	U	--
	VSA-10	ND	0.12	0.40	U	--
	VSA-11	ND	0.12	0.40	U	--

Refer to notes at end of Table B-4.

Table B-4 (Concluded)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 5-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
m,p-Xylene	VSA-1	ND	0.10	0.80	U	--
	VSA-2	ND	0.10	0.80	U	--
	VSA-3	0.10	0.10	0.80	J,B	0.8U,B
	VSA-4	ND	0.10	0.80	U	--
	VSA-5	ND	0.10	0.80	U	--
	VSA-6	ND	0.10	0.80	U	--
	VSA-7	0.11	0.10	0.80	J,B	0.8U,B
	VSA-8 <sup>a</sup>	0.23	0.10	0.80	J,B	0.8U,B
	VSA-9	ND	0.10	0.80	U	--
	VSA-10	0.13	0.10	0.80	J	--
	VSA-11	ND	0.10	0.80	U	--
o-Xylene	VSA-1	ND	0.054	0.40	U	--
	VSA-2	ND	0.054	0.40	U	--
	VSA-3	0.061	0.054	0.40	J,B	0.4U,B
	VSA-4	ND	0.054	0.40	U	--
	VSA-5	ND	0.054	0.40	U	--
	VSA-6	ND	0.054	0.40	U	--
	VSA-7	ND	0.054	0.40	U	--
	VSA-8 <sup>a</sup>	0.064	0.054	0.40	J,B	0.4U,B
	VSA-9	ND	0.054	0.40	U	--
	VSA-10	ND	0.054	0.40	U	--
	VSA-11	ND	0.054	0.40	U	--

Notes:

Concentrations above the MDL and below the LRL are qualified as estimated values by the laboratory.

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

\* RPD of the LCS and LCSD exceeds the control limits.

<sup>a</sup> VSA location where duplicate sample was collected. The higher detection of the sample pair is reported.

B = Method blank contamination at concentration >MDL.

B2 = Field blank contamination at concentration >MDL.

J = Estimated result that is less than the LRL.

J+ = Estimated result that is less than the LRL with a suspected positive bias.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

ND = Non-detection.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

RP2 = Replicate RPD failed. RPD for LCS/LCSD exceeds the control limits.

U = Qualified by laboratory and/or data validation as a non-detection.

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

VOC = Volatile organic compound.

VSA = Vertical sensor array.

Table B-5  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
Acetone	VSA-1	9.5	0.18	5.0	--	--
	VSA-2	7.5	0.18	5.0	--	--
	VSA-3	2.6	0.18	5.0	J	5.0U,B2
	VSA-4	3.1	0.18	5.0	J	5.0U,B2
	VSA-5	2.6	0.18	5.0	J	5.0U,B2
	VSA-6	3.7	0.18	5.0	J	5.0U,B2
	VSA-7	3.3	0.18	5.0	J	5.0U,B2
	VSA-8 <sup>a</sup>	8.1	0.18	5.0	*	J,RP2
	VSA-9	4.4	0.18	5.0	J*	5.0UJ,B2,RP2
	VSA-10	6.6	0.18	5.0	*	J+,B2,RP2
	VSA-11	1.5	0.18	5.0	J*	5.0UJ,B2,RP2
Benzene	VSA-1	0.18	0.079	0.40	J	--
	VSA-2	0.20	0.079	0.40	J	--
	VSA-3	0.12	0.079	0.40	J	--
	VSA-4	ND	0.079	0.40	U	--
	VSA-5	ND	0.079	0.40	U	--
	VSA-6	0.086	0.079	0.40	J	--
	VSA-7	0.12	0.079	0.40	J	--
	VSA-8 <sup>a</sup>	0.12	0.079	0.40	J	--
	VSA-9	0.20	0.079	0.40	J	--
	VSA-10	0.088	0.079	0.40	J	--
	VSA-11	ND	0.079	0.40	U	--
Benzyl chloride	VSA-1	ND	0.16	0.80	U	--
	VSA-2	ND	0.16	0.80	U	--
	VSA-3	ND	0.16	0.80	U	--
	VSA-4	ND	0.16	0.80	U	--
	VSA-5	ND	0.16	0.80	U	--
	VSA-6	ND	0.16	0.80	U	--
	VSA-7	ND	0.16	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.80	U	--
	VSA-9	ND	0.16	0.80	U	--
	VSA-10	ND	0.16	0.80	U	--
	VSA-11	ND	0.16	0.80	U	--
Bromodichloromethane	VSA-1	0.11	0.066	0.30	J	--
	VSA-2	ND	0.066	0.30	U	--
	VSA-3	ND	0.066	0.30	U	--
	VSA-4	ND	0.066	0.30	U	--
	VSA-5	ND	0.066	0.30	U	--
	VSA-6	ND	0.066	0.30	U	--
	VSA-7	ND	0.066	0.30	U	--
	VSA-8 <sup>a</sup>	ND	0.066	0.30	U	--
	VSA-9	ND	0.066	0.30	U	--
	VSA-10	ND	0.066	0.30	U	--
	VSA-11	ND	0.066	0.30	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Bromoform	VSA-1	0.099	0.070	0.40	J	--
	VSA-2	ND	0.070	0.40	U	--
	VSA-3	ND	0.070	0.40	U	--
	VSA-4	ND	0.070	0.40	U	--
	VSA-5	ND	0.070	0.40	U	--
	VSA-6	ND	0.070	0.40	U	--
	VSA-7	ND	0.070	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.070	0.40	U	--
	VSA-9	ND	0.070	0.40	U	--
	VSA-10	ND	0.070	0.40	U	--
	VSA-11	ND	0.070	0.40	U	--
Bromomethane	VSA-1	ND	0.34	0.80	U	--
	VSA-2	ND	0.34	0.80	U	--
	VSA-3	ND	0.34	0.80	U	--
	VSA-4	ND	0.34	0.80	U	--
	VSA-5	ND	0.34	0.80	U	--
	VSA-6	ND	0.34	0.80	U	--
	VSA-7	ND	0.34	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.34	0.80	U	--
	VSA-9	ND	0.34	0.80	U	--
	VSA-10	ND	0.34	0.80	U	--
	VSA-11	ND	0.34	0.80	U	--
2-Butanone	VSA-1	2.0	0.20	0.80	--	--
	VSA-2	0.81	0.20	0.80	--	--
	VSA-3	0.49	0.20	0.80	J	--
	VSA-4	0.24	0.20	0.80	J	--
	VSA-5	0.63	0.20	0.80	J	--
	VSA-6	ND	0.20	0.80	U	--
	VSA-7	0.48	0.20	0.80	J	--
	VSA-8 <sup>a</sup>	0.70	0.20	0.80	J	--
	VSA-9	0.82	0.20	0.80	--	--
	VSA-10	1.4	0.20	0.80	--	--
	VSA-11	0.57	0.20	0.80	J	--
Carbon disulfide	VSA-1	4.9	0.078	0.80	--	--
	VSA-2	1.2	0.078	0.80	--	--
	VSA-3	ND	0.078	0.80	U	--
	VSA-4	ND	0.078	0.80	U	--
	VSA-5	ND	0.078	0.80	U	--
	VSA-6	ND	0.078	0.80	U	--
	VSA-7	0.78	0.078	0.80	J	0.8U,B2
	VSA-8 <sup>a</sup>	0.13	0.078	0.80	J	0.8U,B2
	VSA-9	0.17	0.078	0.80	J	0.8U,B2
	VSA-10	3.8	0.078	0.80	--	--
	VSA-11	0.089	0.078	0.80	J	0.8U,B2

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
(ppbv)						
Carbon tetrachloride	VSA-1	0.25	0.064	0.80	J	--
	VSA-2	0.19	0.064	0.80	J	--
	VSA-3	0.094	0.064	0.80	J	--
	VSA-4	0.093	0.064	0.80	J	--
	VSA-5	0.12	0.064	0.80	J	--
	VSA-6	0.17	0.064	0.80	J	--
	VSA-7	0.19	0.064	0.80	J	--
	VSA-8 <sup>a</sup>	0.14	0.064	0.80	J	--
	VSA-9	0.13	0.064	0.80	J	--
	VSA-10	0.13	0.064	0.80	J	--
	VSA-11	0.072	0.064	0.80	J	--
Chlorobenzene	VSA-1	0.10	0.064	0.30	J	--
	VSA-2	ND	0.064	0.30	U	--
	VSA-3	ND	0.064	0.30	U	--
	VSA-4	ND	0.064	0.30	U	--
	VSA-5	ND	0.064	0.30	U	--
	VSA-6	0.090	0.064	0.30	J	--
	VSA-7	ND	0.064	0.30	U	--
	VSA-8 <sup>a</sup>	ND	0.064	0.30	U	--
	VSA-9	ND	0.064	0.30	U	--
	VSA-10	ND	0.064	0.30	U	--
	VSA-11	ND	0.064	0.30	U	--
Chloroethane	VSA-1	0.89	0.31	0.80	--	--
	VSA-2	0.43	0.31	0.80	J	--
	VSA-3	ND	0.31	0.80	U	--
	VSA-4	ND	0.31	0.80	U	--
	VSA-5	ND	0.31	0.80	U	--
	VSA-6	ND	0.31	0.80	U	--
	VSA-7	ND	0.31	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.31	0.80	U	--
	VSA-9	ND	0.31	0.80	U	--
	VSA-10	0.53	0.31	0.80	J	--
	VSA-11	ND	0.31	0.80	U	--
Chloroform	VSA-1	0.55	0.095	0.30	--	--
	VSA-2	0.55	0.095	0.30	--	--
	VSA-3	0.58	0.095	0.30	--	--
	VSA-4	0.43	0.095	0.30	--	--
	VSA-5	0.52	0.095	0.30	--	--
	VSA-6	0.15	0.095	0.30	J	--
	VSA-7	0.17	0.095	0.30	J	--
	VSA-8 <sup>a</sup>	0.25	0.095	0.30	J	--
	VSA-9	0.36	0.095	0.30	--	--
	VSA-10	0.42	0.095	0.30	--	--
	VSA-11	0.14	0.095	0.30	J	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
Chloromethane	VSA-1	1.5	0.20	0.80	--	--
	VSA-2	1.1	0.20	0.80	--	--
	VSA-3	0.26	0.20	0.80	J	--
	VSA-4	0.33	0.20	0.80	J	--
	VSA-5	0.22	0.20	0.80	J	--
	VSA-6	0.28	0.20	0.80	J	--
	VSA-7	0.32	0.20	0.80	J	--
	VSA-8 <sup>a</sup>	ND	0.20	0.80	U	--
	VSA-9	0.21	0.20	0.80	J	--
	VSA-10	0.84	0.20	0.80	--	--
	VSA-11	ND	0.20	0.80	U	--
Dibromochloromethane	VSA-1	0.092	0.079	0.40	J	--
	VSA-2	ND	0.079	0.40	U	--
	VSA-3	ND	0.079	0.40	U	--
	VSA-4	ND	0.079	0.40	U	--
	VSA-5	ND	0.079	0.40	U	--
	VSA-6	ND	0.079	0.40	U	--
	VSA-7	ND	0.079	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.079	0.40	U	--
	VSA-9	ND	0.079	0.40	U	--
	VSA-10	ND	0.079	0.40	U	--
	VSA-11	ND	0.079	0.40	U	--
1,2-Dibromoethane	VSA-1	0.11	0.075	0.80	J	--
	VSA-2	ND	0.075	0.80	U	--
	VSA-3	ND	0.075	0.80	U	--
	VSA-4	ND	0.075	0.80	U	--
	VSA-5	ND	0.075	0.80	U	--
	VSA-6	ND	0.075	0.80	U	--
	VSA-7	ND	0.075	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.075	0.80	U	--
	VSA-9	ND	0.075	0.80	U	--
	VSA-10	ND	0.075	0.80	U	--
	VSA-11	ND	0.075	0.80	U	--
1,2-Dichloro-1,1,2,2-tetrafluoroethane	VSA-1	ND	0.16	0.40	U	--
	VSA-2	ND	0.16	0.40	U	--
	VSA-3	ND	0.16	0.40	U	--
	VSA-4	ND	0.16	0.40	U	--
	VSA-5	ND	0.16	0.40	U	--
	VSA-6	ND	0.16	0.40	U	--
	VSA-7	ND	0.16	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.40	U	--
	VSA-9	ND	0.16	0.40	U	--
	VSA-10	ND	0.16	0.40	U	--
	VSA-11	ND	0.16	0.40	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,2-Dichlorobenzene	VSA-1	ND	0.13	0.40	U	--
	VSA-2	ND	0.13	0.40	U	--
	VSA-3	ND	0.13	0.40	U	--
	VSA-4	ND	0.13	0.40	U	--
	VSA-5	ND	0.13	0.40	U	--
	VSA-6	0.19	0.13	0.40	J	--
	VSA-7	ND	0.13	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.40	U	--
	VSA-9	ND	0.13	0.40	U	--
	VSA-10	ND	0.13	0.40	U	--
	VSA-11	ND	0.13	0.40	U	--
1,3-Dichlorobenzene	VSA-1	0.25	0.11	0.40	J	--
	VSA-2	ND	0.11	0.40	U	--
	VSA-3	ND	0.11	0.40	U	--
	VSA-4	ND	0.11	0.40	U	--
	VSA-5	ND	0.11	0.40	U	--
	VSA-6	0.27	0.11	0.40	J	--
	VSA-7	ND	0.11	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.11	0.40	U	--
	VSA-9	ND	0.11	0.40	U	--
	VSA-10	ND	0.11	0.40	U	--
	VSA-11	ND	0.11	0.40	U	--
1,4-Dichlorobenzene	VSA-1	0.19	0.15	0.40	J	--
	VSA-2	ND	0.15	0.40	U	--
	VSA-3	ND	0.15	0.40	U	--
	VSA-4	ND	0.15	0.40	U	--
	VSA-5	ND	0.15	0.40	U	--
	VSA-6	0.26	0.15	0.40	J	--
	VSA-7	ND	0.15	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.15	0.40	U	--
	VSA-9	ND	0.15	0.40	U	--
	VSA-10	ND	0.15	0.40	U	--
	VSA-11	ND	0.15	0.40	U	--
Dichlorodifluoromethane	VSA-1	1.0	0.15	0.40	--	--
	VSA-2	1.2	0.15	0.40	--	--
	VSA-3	1.0	0.15	0.40	--	--
	VSA-4	0.71	0.15	0.40	--	--
	VSA-5	0.94	0.15	0.40	--	--
	VSA-6	1.1	0.15	0.40	--	--
	VSA-7	1.1	0.15	0.40	--	--
	VSA-8 <sup>a</sup>	1.8	0.15	0.40	--	--
	VSA-9	1.8	0.15	0.40	--	--
	VSA-10	1.7	0.15	0.40	--	--
	VSA-11	1.1	0.15	0.40	--	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,1-Dichloroethane	VSA-1	0.35	0.072	0.30	--	--
	VSA-2	0.63	0.072	0.30	--	--
	VSA-3	0.70	0.072	0.30	--	--
	VSA-4	0.54	0.072	0.30	--	--
	VSA-5	0.38	0.072	0.30	--	--
	VSA-6	0.24	0.072	0.30	J	--
	VSA-7	0.34	0.072	0.30	--	--
	VSA-8 <sup>a</sup>	0.35	0.072	0.30	--	--
	VSA-9	0.13	0.072	0.30	J	--
	VSA-10	0.084	0.072	0.30	J	--
	VSA-11	ND	0.072	0.30	U	--
1,2-Dichloroethane	VSA-1	ND	0.088	0.80	U	--
	VSA-2	ND	0.088	0.80	U	--
	VSA-3	ND	0.088	0.80	U	--
	VSA-4	ND	0.088	0.80	U	--
	VSA-5	ND	0.088	0.80	U	--
	VSA-6	ND	0.088	0.80	U	--
	VSA-7	ND	0.088	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.088	0.80	U	--
	VSA-9	ND	0.088	0.80	U	--
	VSA-10	ND	0.088	0.80	U	--
	VSA-11	ND	0.088	0.80	U	--
1,1-Dichloroethene	VSA-1	ND	0.13	0.80	U	--
	VSA-2	ND	0.13	0.80	U	--
	VSA-3	ND	0.13	0.80	U	--
	VSA-4	ND	0.13	0.80	U	--
	VSA-5	ND	0.13	0.80	U	--
	VSA-6	ND	0.13	0.80	U	--
	VSA-7	ND	0.13	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.80	U	--
	VSA-9	ND	0.13	0.80	U	--
	VSA-10	ND	0.13	0.80	U	--
	VSA-11	ND	0.13	0.80	U	--
cis-1,2-Dichloroethene	VSA-1	ND	0.089	0.40	U	--
	VSA-2	ND	0.089	0.40	U	--
	VSA-3	ND	0.089	0.40	U	--
	VSA-4	ND	0.089	0.40	U	--
	VSA-5	ND	0.089	0.40	U	--
	VSA-6	ND	0.089	0.40	U	--
	VSA-7	ND	0.089	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.089	0.40	U	--
	VSA-9	ND	0.089	0.40	U	--
	VSA-10	ND	0.089	0.40	U	--
	VSA-11	ND	0.089	0.40	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
trans-1,2-Dichloroethene	VSA-1	0.19	0.10	0.40	J	--
	VSA-2	0.32	0.10	0.40	J	--
	VSA-3	0.30	0.10	0.40	J	--
	VSA-4	0.18	0.10	0.40	J	--
	VSA-5	0.12	0.10	0.40	J	--
	VSA-6	0.13	0.10	0.40	J	--
	VSA-7	0.21	0.10	0.40	J	--
	VSA-8 <sup>a</sup>	0.21	0.10	0.40	J	--
	VSA-9	ND	0.10	0.40	U	--
	VSA-10	ND	0.10	0.40	U	--
	VSA-11	ND	0.10	0.40	U	--
1,2-Dichloropropane	VSA-1	ND	0.24	0.40	U	--
	VSA-2	ND	0.24	0.40	U	--
	VSA-3	ND	0.24	0.40	U	--
	VSA-4	ND	0.24	0.40	U	--
	VSA-5	ND	0.24	0.40	U	--
	VSA-6	ND	0.24	0.40	U	--
	VSA-7	ND	0.24	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.24	0.40	U	--
	VSA-9	ND	0.24	0.40	U	--
	VSA-10	ND	0.24	0.40	U	--
	VSA-11	ND	0.24	0.40	U	--
cis-1,3-Dichloropropene	VSA-1	ND	0.10	0.40	U	--
	VSA-2	ND	0.10	0.40	U	--
	VSA-3	ND	0.10	0.40	U	--
	VSA-4	ND	0.10	0.40	U	--
	VSA-5	ND	0.10	0.40	U	--
	VSA-6	ND	0.10	0.40	U	--
	VSA-7	ND	0.10	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.10	0.40	U	--
	VSA-9	ND	0.10	0.40	U	--
	VSA-10	ND	0.10	0.40	U	--
	VSA-11	ND	0.10	0.40	U	--
trans-1,3-Dichloropropene	VSA-1	0.12	0.088	0.40	J	--
	VSA-2	ND	0.088	0.40	U	--
	VSA-3	ND	0.088	0.40	U	--
	VSA-4	ND	0.088	0.40	U	--
	VSA-5	ND	0.088	0.40	U	--
	VSA-6	ND	0.088	0.40	U	--
	VSA-7	ND	0.088	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.088	0.40	U	--
	VSA-9	ND	0.088	0.40	U	--
	VSA-10	ND	0.088	0.40	U	--
	VSA-11	0.35	0.088	0.40	J	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
Ethyl benzene	VSA-1	0.12	0.063	0.40	J	--
	VSA-2	ND	0.063	0.40	U	--
	VSA-3	ND	0.063	0.40	U	--
	VSA-4	ND	0.063	0.40	U	--
	VSA-5	ND	0.063	0.40	U	--
	VSA-6	0.13	0.063	0.40	J	--
	VSA-7	ND	0.063	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.063	0.40	U	--
	VSA-9	ND	0.063	0.40	U	--
	VSA-10	ND	0.063	0.40	U	--
	VSA-11	ND	0.063	0.40	U	--
4-Ethyltoluene	VSA-1	0.26	0.19	0.40	J	--
	VSA-2	ND	0.19	0.40	U	--
	VSA-3	ND	0.19	0.40	U	--
	VSA-4	ND	0.19	0.40	U	--
	VSA-5	ND	0.19	0.40	U	--
	VSA-6	0.46	0.19	0.40	--	--
	VSA-7	ND	0.19	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.19	0.40	U	--
	VSA-9	ND	0.19	0.40	U	--
	VSA-10	ND	0.19	0.40	U	--
	VSA-11	ND	0.19	0.40	U	--
Hexachlorobutadiene	VSA-1	ND	0.43	2.0	U	--
	VSA-2	ND	0.43	2.0	U	--
	VSA-3	ND	0.43	2.0	U	--
	VSA-4	ND	0.43	2.0	U	--
	VSA-5	ND	0.43	2.0	U	--
	VSA-6	ND	0.43	2.0	U	--
	VSA-7	ND	0.43	2.0	U	--
	VSA-8 <sup>a</sup>	ND	0.43	2.0	U	--
	VSA-9	ND	0.43	2.0	U	--
	VSA-10	ND	0.43	2.0	U	--
	VSA-11	ND	0.43	2.0	U	--
2-Hexanone	VSA-1	0.30	0.087	0.40	J	--
	VSA-2	ND	0.087	0.40	U	--
	VSA-3	ND	0.087	0.40	U	--
	VSA-4	ND	0.087	0.40	U	--
	VSA-5	ND	0.087	0.40	U	--
	VSA-6	ND	0.087	0.40	U	--
	VSA-7	ND	0.087	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.087	0.40	U	--
	VSA-9	ND	0.087	0.40	U	--
	VSA-10	0.20	0.087	0.40	J	--
	VSA-11	ND	0.087	0.40	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Methylene chloride	VSA-1	0.30	0.072	0.40	J	--
	VSA-2	0.27	0.072	0.40	J	--
	VSA-3	0.32	0.072	0.40	J	--
	VSA-4	1.2	0.072	0.40	--	--
	VSA-5	0.13	0.072	0.40	J	--
	VSA-6	ND	0.072	0.40	U	--
	VSA-7	ND	0.072	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.072	0.40	U	--
	VSA-9	ND	0.072	0.40	U	--
	VSA-10	0.086	0.072	0.40	J	--
	VSA-11	ND	0.072	0.40	U	--
4-methyl-,2-Pentanone	VSA-1	ND	0.14	0.40	U	--
	VSA-2	ND	0.14	0.40	U	--
	VSA-3	ND	0.14	0.40	U	--
	VSA-4	ND	0.14	0.40	U	--
	VSA-5	ND	0.14	0.40	U	--
	VSA-6	ND	0.14	0.40	U	--
	VSA-7	ND	0.14	0.40	U	--
	VSA-8 <sup>a</sup>	0.21	0.14	0.40	J	--
	VSA-9	ND	0.14	0.40	U	--
	VSA-10	ND	0.14	0.40	U	--
	VSA-11	ND	0.14	0.40	U	--
Styrene	VSA-1	0.11	0.059	0.40	J,B	0.4U,B
	VSA-2	ND	0.059	0.40	U	--
	VSA-3	ND	0.059	0.40	U	--
	VSA-4	ND	0.059	0.40	U	--
	VSA-5	ND	0.059	0.40	U	--
	VSA-6	0.75	0.059	0.40	B	--
	VSA-7	0.28	0.059	0.40	J,B	0.4U,B
	VSA-8 <sup>a</sup>	ND	0.059	0.40	U	--
	VSA-9	ND	0.059	0.40	U	--
	VSA-10	ND	0.059	0.40	U	--
	VSA-11	ND	0.059	0.40	U	--
1,1,2,2-Tetrachloroethane	VSA-1	0.075	0.069	0.40	J	--
	VSA-2	ND	0.069	0.40	U	--
	VSA-3	ND	0.069	0.40	U	--
	VSA-4	ND	0.069	0.40	U	--
	VSA-5	ND	0.069	0.40	U	--
	VSA-6	ND	0.069	0.40	U	--
	VSA-7	ND	0.069	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.069	0.40	U	--
	VSA-9	ND	0.069	0.40	U	--
	VSA-10	ND	0.069	0.40	U	--
	VSA-11	ND	0.069	0.40	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
(ppbv)						
Tetrachloroethene	VSA-1	9.0	0.051	0.40	B	--
	VSA-2	14	0.051	0.40	B	--
	VSA-3	16	0.051	0.40	B	--
	VSA-4	11	0.051	0.40	B	--
	VSA-5	9.8	0.051	0.40	B	--
	VSA-6	14	0.051	0.40	B	--
	VSA-7	17	0.051	0.40	B	--
	VSA-8 <sup>a</sup>	14	0.051	0.40	--	--
	VSA-9	9.8	0.051	0.40	--	--
	VSA-10	9.0	0.051	0.40	--	--
	VSA-11	5.1	0.051	0.40	--	--
Toluene	VSA-1	ND	0.051	0.40	U	--
	VSA-2	ND	0.051	0.40	U	--
	VSA-3	ND	0.051	0.40	U	--
	VSA-4	ND	0.051	0.40	U	--
	VSA-5	0.077	0.051	0.40	J	--
	VSA-6	0.12	0.051	0.40	J	--
	VSA-7	0.13	0.051	0.40	J	--
	VSA-8 <sup>a</sup>	0.056	0.051	0.40	J	--
	VSA-9	0.052	0.051	0.40	J	--
	VSA-10	0.097	0.051	0.40	J	--
	VSA-11	ND	0.051	0.40	U	--
1,1,2-Trichloro-1,2,2-trifluoroethane	VSA-1	3.6	0.16	0.40	--	--
	VSA-2	3.1	0.16	0.40	--	--
	VSA-3	2.5	0.16	0.40	--	--
	VSA-4	0.91	0.16	0.40	--	--
	VSA-5	1.7	0.16	0.40	--	--
	VSA-6	5.4	0.16	0.40	--	--
	VSA-7	4.5	0.16	0.40	--	--
	VSA-8 <sup>a</sup>	4.2	0.16	0.40	--	--
	VSA-9	3.7	0.16	0.40	--	--
	VSA-10	3.1	0.16	0.40	--	--
	VSA-11	1.1	0.16	0.40	--	--
1,2,4-Trichlorobenzene	VSA-1	ND	0.43	2.0	U	--
	VSA-2	ND	0.43	2.0	U	--
	VSA-3	ND	0.43	2.0	U	--
	VSA-4	ND	0.43	2.0	U	--
	VSA-5	ND	0.43	2.0	U	--
	VSA-6	ND	0.43	2.0	U	--
	VSA-7	ND	0.43	2.0	U	--
	VSA-8 <sup>a</sup>	ND	0.43	2.0	U	--
	VSA-9	ND	0.43	2.0	U	--
	VSA-10	ND	0.43	2.0	U	--
	VSA-11	ND	0.43	2.0	U	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
1,1,1-Trichloroethane	VSA-1	2.2	0.065	0.30	--	--
	VSA-2	2.4	0.065	0.30	--	--
	VSA-3	2.4	0.065	0.30	--	--
	VSA-4	1.7	0.065	0.30	--	--
	VSA-5	2.4	0.065	0.30	--	--
	VSA-6	2.3	0.065	0.30	--	--
	VSA-7	1.7	0.065	0.30	--	--
	VSA-8 <sup>a</sup>	2.1	0.065	0.30	--	--
	VSA-9	2.8	0.065	0.30	--	--
	VSA-10	3.0	0.065	0.30	--	--
	VSA-11	1.5	0.065	0.30	--	--
1,1,2-Trichloroethane	VSA-1	0.067	0.067	0.40	J	--
	VSA-2	ND	0.067	0.40	U	--
	VSA-3	ND	0.067	0.40	U	--
	VSA-4	ND	0.067	0.40	U	--
	VSA-5	ND	0.067	0.40	U	--
	VSA-6	ND	0.067	0.40	U	--
	VSA-7	ND	0.067	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.067	0.40	U	--
	VSA-9	ND	0.067	0.40	U	--
	VSA-10	ND	0.067	0.40	U	--
	VSA-11	ND	0.067	0.40	U	--
Trichloroethene	VSA-1	37	0.11	0.40	--	--
	VSA-2	66	0.11	0.40	--	--
	VSA-3	67	0.11	0.40	--	--
	VSA-4	46	0.11	0.40	--	--
	VSA-5	43	0.11	0.40	--	--
	VSA-6	43	0.11	0.40	--	--
	VSA-7	62	0.11	0.40	--	--
	VSA-8 <sup>a</sup>	55	0.11	0.40	--	--
	VSA-9	34	0.11	0.40	--	--
	VSA-10	30	0.11	0.40	--	--
	VSA-11	15	0.11	0.40	--	--
Trichlorofluoromethane	VSA-1	5.8	0.20	0.40	--	--
	VSA-2	6.0	0.20	0.40	--	--
	VSA-3	6.1	0.20	0.40	--	--
	VSA-4	3.7	0.20	0.40	--	--
	VSA-5	6.7	0.20	0.40	--	--
	VSA-6	7.3	0.20	0.40	--	--
	VSA-7	5.7	0.20	0.40	--	--
	VSA-8 <sup>a</sup>	4.9	0.20	0.40	--	--
	VSA-9	5.7	0.20	0.40	--	--
	VSA-10	6.1	0.20	0.40	--	--
	VSA-11	3.4	0.20	0.40	--	--

Refer to notes at end of Table B-5.

Table B-5 (Continued)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
1,2,4-Trimethylbenzene	VSA-1	0.20	0.16	0.80	J	--
	VSA-2	ND	0.16	0.80	U	--
	VSA-3	ND	0.16	0.80	U	--
	VSA-4	ND	0.16	0.80	U	--
	VSA-5	ND	0.16	0.80	U	--
	VSA-6	0.83	0.16	0.80	--	--
	VSA-7	ND	0.16	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.16	0.80	U	--
	VSA-9	ND	0.16	0.80	U	--
	VSA-10	ND	0.16	0.80	U	--
	VSA-11	ND	0.16	0.80	U	--
1,3,5-Trimethylbenzene	VSA-1	0.13	0.13	0.40	J	--
	VSA-2	ND	0.13	0.40	U	--
	VSA-3	ND	0.13	0.40	U	--
	VSA-4	ND	0.13	0.40	U	--
	VSA-5	ND	0.13	0.40	U	--
	VSA-6	0.54	0.13	0.40	--	--
	VSA-7	ND	0.13	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.13	0.40	U	--
	VSA-9	ND	0.13	0.40	U	--
	VSA-10	ND	0.13	0.40	U	--
	VSA-11	ND	0.13	0.40	U	--
Vinyl acetate	VSA-1	ND	0.15	0.80	U	--
	VSA-2	ND	0.15	0.80	U	--
	VSA-3	ND	0.15	0.80	U	--
	VSA-4	ND	0.15	0.80	U	--
	VSA-5	ND	0.15	0.80	U	--
	VSA-6	ND	0.15	0.80	U	--
	VSA-7	ND	0.15	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.15	0.80	U*	UJ,RP2
	VSA-9	ND	0.15	0.80	U*	UJ,RP2
	VSA-10	ND	0.15	0.80	U*	UJ,RP2
	VSA-11	ND	0.15	0.80	U*	UJ,RP2
Vinyl chloride	VSA-1	0.16	0.12	0.40	J	--
	VSA-2	ND	0.12	0.40	U	--
	VSA-3	ND	0.12	0.40	U	--
	VSA-4	ND	0.12	0.40	U	--
	VSA-5	ND	0.12	0.40	U	--
	VSA-6	ND	0.12	0.40	U	--
	VSA-7	ND	0.12	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.12	0.40	U	--
	VSA-9	ND	0.12	0.40	U	--
	VSA-10	ND	0.12	0.40	U	--
	VSA-11	ND	0.12	0.40	U	--

Refer to notes at end of Table B-5.

Table B-5 (Concluded)  
 Summary of VOC Analyte Concentrations for VSA Soil Vapor Sampling  
 15-Foot Monitoring Depth  
 Calendar Year 2018

Analyte	VSA Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
m,p-Xylene	VSA-1	0.26	0.10	0.80	J,B	0.8U,B
	VSA-2	ND	0.10	0.80	U	--
	VSA-3	ND	0.10	0.80	U	--
	VSA-4	ND	0.10	0.80	U	--
	VSA-5	ND	0.10	0.80	U	--
	VSA-6	0.69	0.10	0.80	J,B	0.8U,B
	VSA-7	ND	0.10	0.80	U	--
	VSA-8 <sup>a</sup>	ND	0.10	0.80	U	--
	VSA-9	ND	0.10	0.80	U	--
	VSA-10	ND	0.10	0.80	U	--
	VSA-11	ND	0.10	0.80	U	--
o-Xylene	VSA-1	0.14	0.054	0.40	J,B	0.4U,B
	VSA-2	ND	0.054	0.40	U	--
	VSA-3	ND	0.054	0.40	U	--
	VSA-4	ND	0.054	0.40	U	--
	VSA-5	ND	0.054	0.40	U	--
	VSA-6	0.36	0.054	0.40	J,B	0.4U,B
	VSA-7	ND	0.054	0.40	U	--
	VSA-8 <sup>a</sup>	ND	0.054	0.40	U	--
	VSA-9	ND	0.054	0.40	U	--
	VSA-10	ND	0.054	0.40	U	--
	VSA-11	ND	0.054	0.40	U	--

Notes:

Concentrations above the MDL and below the LRL are qualified as estimated values by the laboratory.

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

\* RPD of the LCS and LCSD exceeds the control limits.

<sup>a</sup> VSA location where duplicate sample was collected. The higher detection of the sample pair is reported.

B = Method blank contamination at concentration >MDL.

B2 = Field blank contamination at concentration >MDL.

J = Estimated result that is less than the LRL.

J+ = Estimated result that is less than the LRL with a suspected positive bias.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

RP2 = Replicate RPD failed. RPD for LCS/LCSD exceeds the control limits.

U = Qualified by laboratory and/or data validation as a non-detection.

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

VOC = Volatile organic compound.

VSA = Vertical sensor array.

Table B-6  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
Acetone	CSS-1	2.6	0.18	5.0	J	5.0U,B2
	CSS-2	1.8	0.18	5.0	J	5.0U,B2
	CSS-3 <sup>a</sup>	4.0	0.18	5.0	J*	5.0UJ,B2,RP2
	CSS-4	8.8	0.18	5.0	--	--
	CSS-5	4.7	0.18	5.0	J	5.0U,B2
	CSS-6	4.6	0.18	5.0	J	5.0U,B2
Benzene	CSS-1	ND	0.079	0.40	U	--
	CSS-2	ND	0.079	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.079	0.40	U	--
	CSS-4	0.084	0.079	0.40	J	--
	CSS-5	ND	0.079	0.40	U	--
	CSS-6	ND	0.079	0.40	U	--
Benzyl chloride	CSS-1	ND	0.16	0.80	U	--
	CSS-2	ND	0.16	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.16	0.80	U	--
	CSS-4	ND	0.16	0.80	U	--
	CSS-5	ND	0.16	0.80	U	--
	CSS-6	ND	0.16	0.80	U	--
Bromodichloromethane	CSS-1	ND	0.066	0.30	U	--
	CSS-2	ND	0.066	0.30	U	--
	CSS-3 <sup>a</sup>	ND	0.066	0.30	U	--
	CSS-4	ND	0.066	0.30	U	--
	CSS-5	ND	0.066	0.30	U	--
	CSS-6	0.16	0.066	0.30	J	--
Bromoform	CSS-1	ND	0.070	0.40	U	--
	CSS-2	ND	0.070	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.070	0.40	U	--
	CSS-4	ND	0.070	0.40	U	--
	CSS-5	ND	0.070	0.40	U	--
	CSS-6	ND	0.070	0.40	U	--
Bromomethane	CSS-1	ND	0.34	0.80	U	--
	CSS-2	ND	0.34	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.34	0.80	U	--
	CSS-4	ND	0.34	0.80	U	--
	CSS-5	ND	0.34	0.80	U	--
	CSS-6	ND	0.34	0.80	U	--
2-Butanone	CSS-1	0.22	0.20	0.80	J	--
	CSS-2	ND	0.20	0.80	U	--
	CSS-3 <sup>a</sup>	0.41	0.20	0.80	J	--
	CSS-4	1.3	0.20	0.80	--	--
	CSS-5	0.29	0.20	0.80	J	--
	CSS-6	0.81	0.20	0.80	--	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
 Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
 Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
Carbon disulfide	CSS-1	0.57	0.078	0.80	J	0.8U,B2
	CSS-2	ND	0.078	0.80	U	--
	CSS-3 <sup>a</sup>	0.26	0.078	0.80	J	0.8U,B2
	CSS-4	2.6	0.078	0.80	--	--
	CSS-5	0.53	0.078	0.80	J	0.8U,B2
	CSS-6	0.75	0.078	0.80	J	0.8U,B2
Carbon tetrachloride	CSS-1	0.077	0.064	0.80	J	--
	CSS-2	0.12	0.064	0.80	J	--
	CSS-3 <sup>a</sup>	0.10	0.064	0.80	J	--
	CSS-4	0.23	0.064	0.80	J	--
	CSS-5	0.16	0.064	0.80	J	--
	CSS-6	0.25	0.064	0.80	J	--
Chlorobenzene	CSS-1	ND	0.064	0.30	U	--
	CSS-2	ND	0.064	0.30	U	--
	CSS-3 <sup>a</sup>	ND	0.064	0.30	U	--
	CSS-4	ND	0.064	0.30	U	--
	CSS-5	ND	0.064	0.30	U	--
	CSS-6	ND	0.064	0.30	U	--
Chloroethane	CSS-1	ND	0.31	0.80	U	--
	CSS-2	ND	0.31	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.31	0.80	U	--
	CSS-4	0.37	0.31	0.80	J	--
	CSS-5	0.67	0.31	0.80	J	--
	CSS-6	0.38	0.31	0.80	J	--
Chloroform	CSS-1	ND	0.095	0.30	U	--
	CSS-2	0.12	0.095	0.30	J	--
	CSS-3 <sup>a</sup>	ND	0.095	0.30	U	--
	CSS-4	0.12	0.095	0.30	J	--
	CSS-5	ND	0.095	0.30	U	--
	CSS-6	0.39	0.095	0.30	--	--
Chloromethane	CSS-1	ND	0.20	0.80	U	--
	CSS-2	0.25	0.20	0.80	J	--
	CSS-3 <sup>a</sup>	0.37	0.20	0.80	J	--
	CSS-4	0.73	0.20	0.80	J	--
	CSS-5	1.0	0.20	0.80	--	--
	CSS-6	0.50	0.20	0.80	J	--
Dibromochloromethane	CSS-1	ND	0.079	0.40	U	--
	CSS-2	ND	0.079	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.079	0.40	U	--
	CSS-4	ND	0.079	0.40	U	--
	CSS-5	ND	0.079	0.40	U	--
	CSS-6	ND	0.079	0.40	U	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
 Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
 Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,2-Dibromoethane	CSS-1	ND	0.075	0.80	U	--
	CSS-2	ND	0.075	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.075	0.80	U	--
	CSS-4	ND	0.075	0.80	U	--
	CSS-5	ND	0.075	0.80	U	--
	CSS-6	ND	0.075	0.80	U	--
1,2-Dichloro-1,1,2,2-tetrafluoroethane	CSS-1	ND	0.16	0.40	U	--
	CSS-2	ND	0.16	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.16	0.40	U	--
	CSS-4	ND	0.16	0.40	U	--
	CSS-5	ND	0.16	0.40	U	--
	CSS-6	ND	0.16	0.40	U	--
1,2-Dichlorobenzene	CSS-1	ND	0.13	0.40	U	--
	CSS-2	ND	0.13	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.13	0.40	U	--
	CSS-4	ND	0.13	0.40	U	--
	CSS-5	ND	0.13	0.40	U	--
	CSS-6	ND	0.13	0.40	U	--
1,3-Dichlorobenzene	CSS-1	ND	0.11	0.40	U	--
	CSS-2	ND	0.11	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.11	0.40	U	--
	CSS-4	ND	0.11	0.40	U	--
	CSS-5	ND	0.11	0.40	U	--
	CSS-6	ND	0.11	0.40	U	--
1,4-Dichlorobenzene	CSS-1	ND	0.15	0.40	U	--
	CSS-2	ND	0.15	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.15	0.40	U	--
	CSS-4	ND	0.15	0.40	U	--
	CSS-5	ND	0.15	0.40	U	--
	CSS-6	ND	0.15	0.40	U	--
Dichlorodifluoromethane	CSS-1	0.70	0.15	0.40	B	J+,B
	CSS-2	0.99	0.15	0.40	B	--
	CSS-3 <sup>a</sup>	0.71	0.15	0.40	B	J+,B
	CSS-4	1.3	0.15	0.40	B	--
	CSS-5	0.81	0.15	0.40	B	J+,B
	CSS-6	1.3	0.15	0.40	B	--
1,1-Dichloroethane	CSS-1	ND	0.072	0.30	U	--
	CSS-2	ND	0.072	0.30	U	--
	CSS-3 <sup>a</sup>	ND	0.072	0.30	U	--
	CSS-4	ND	0.072	0.30	U	--
	CSS-5	ND	0.072	0.30	U	--
	CSS-6	ND	0.072	0.30	U	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL (ppbv)	LRL	Laboratory Qualifier	Validation Qualifier
1,2-Dichloroethane	CSS-1	ND	0.088	0.80	U	--
	CSS-2	ND	0.088	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.088	0.80	U	--
	CSS-4	ND	0.088	0.80	U	--
	CSS-5	ND	0.088	0.80	U	--
	CSS-6	ND	0.088	0.80	U	--
1,1-Dichloroethene	CSS-1	ND	0.13	0.80	U	--
	CSS-2	ND	0.13	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.13	0.80	U	--
	CSS-4	ND	0.13	0.80	U	--
	CSS-5	ND	0.13	0.80	U	--
	CSS-6	ND	0.13	0.80	U	--
cis-1,2-Dichloroethene	CSS-1	ND	0.089	0.40	U	--
	CSS-2	ND	0.089	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.089	0.40	U	--
	CSS-4	ND	0.089	0.40	U	--
	CSS-5	ND	0.089	0.40	U	--
	CSS-6	ND	0.089	0.40	U	--
trans-1,2-Dichloroethene	CSS-1	ND	0.10	0.40	U	--
	CSS-2	ND	0.10	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.10	0.40	U	--
	CSS-4	ND	0.10	0.40	U	--
	CSS-5	ND	0.10	0.40	U	--
	CSS-6	ND	0.10	0.40	U	--
1,2-Dichloropropane	CSS-1	ND	0.24	0.40	U	--
	CSS-2	ND	0.24	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.24	0.40	U	--
	CSS-4	ND	0.24	0.40	U	--
	CSS-5	ND	0.24	0.40	U	--
	CSS-6	ND	0.24	0.40	U	--
cis-1,3-Dichloropropene	CSS-1	ND	0.10	0.40	U	--
	CSS-2	ND	0.10	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.10	0.40	U	--
	CSS-4	ND	0.10	0.40	U	--
	CSS-5	ND	0.10	0.40	U	--
	CSS-6	ND	0.10	0.40	U	--
trans-1,3-Dichloropropene	CSS-1	ND	0.088	0.40	U	--
	CSS-2	ND	0.088	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.088	0.40	U	--
	CSS-4	ND	0.088	0.40	U	--
	CSS-5	ND	0.088	0.40	U	--
	CSS-6	ND	0.088	0.40	U	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
Ethyl benzene	CSS-1	ND	0.063	0.40	U	--
	CSS-2	ND	0.063	0.40	U	--
	CSS-3 <sup>a</sup>	0.11	0.063	0.40	J	--
	CSS-4	ND	0.063	0.40	U	--
	CSS-5	ND	0.063	0.40	U	--
	CSS-6	ND	0.063	0.40	U	--
4-Ethyltoluene	CSS-1	ND	0.19	0.40	U	--
	CSS-2	ND	0.19	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.19	0.40	U	--
	CSS-4	ND	0.19	0.40	U	--
	CSS-5	ND	0.19	0.40	U	--
	CSS-6	ND	0.19	0.40	U	--
Hexachlorobutadiene	CSS-1	ND	0.43	2.0	U	--
	CSS-2	ND	0.43	2.0	U	--
	CSS-3 <sup>a</sup>	ND	0.43	2.0	U	--
	CSS-4	ND	0.43	2.0	U	--
	CSS-5	ND	0.43	2.0	U	--
	CSS-6	ND	0.43	2.0	U	--
2-Hexanone	CSS-1	ND	0.087	0.40	U	--
	CSS-2	ND	0.087	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.087	0.40	U	--
	CSS-4	ND	0.087	0.40	U	--
	CSS-5	ND	0.087	0.40	U	--
	CSS-6	0.18	0.087	0.40	J	--
Methylene chloride	CSS-1	0.10	0.072	0.40	J,B	0.4U,B
	CSS-2	0.12	0.072	0.40	J,B	0.4U,B
	CSS-3 <sup>a</sup>	0.19	0.072	0.40	J,B	0.4U,B
	CSS-4	0.13	0.072	0.40	J,B	0.4U,B
	CSS-5	0.20	0.072	0.40	J,B	0.4U,B
	CSS-6	0.13	0.072	0.40	J,B	0.4U,B
4-methyl-,2-Pentanone	CSS-1	ND	0.14	0.40	U	--
	CSS-2	ND	0.14	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.14	0.40	U	--
	CSS-4	ND	0.14	0.40	U	--
	CSS-5	ND	0.14	0.40	U	--
	CSS-6	ND	0.14	0.40	U	--
Styrene	CSS-1	ND	0.059	0.40	U	--
	CSS-2	ND	0.059	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.059	0.40	U	--
	CSS-4	ND	0.059	0.40	U	--
	CSS-5	ND	0.059	0.40	U	--
	CSS-6	ND	0.059	0.40	U	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
		(ppbv)				
1,1,2,2-Tetrachloroethane	CSS-1	ND	0.069	0.40	U	--
	CSS-2	ND	0.069	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.069	0.40	U	--
	CSS-4	ND	0.069	0.40	U	--
	CSS-5	ND	0.069	0.40	U	--
	CSS-6	ND	0.069	0.40	U	--
Tetrachloroethene	CSS-1	0.64	0.051	0.40	--	--
	CSS-2	2.3	0.051	0.40	--	--
	CSS-3 <sup>a</sup>	0.98	0.051	0.40	--	--
	CSS-4	2.9	0.051	0.40	--	--
	CSS-5	0.24	0.051	0.40	J	--
	CSS-6	0.5	0.051	0.40	--	--
Toluene	CSS-1	ND	0.051	0.40	U	--
	CSS-2	ND	0.051	0.40	U	--
	CSS-3 <sup>a</sup>	0.17	0.051	0.40	J	--
	CSS-4	ND	0.051	0.40	U	--
	CSS-5	0.063	0.051	0.40	J	--
	CSS-6	ND	0.051	0.40	U	--
1,1,2-Trichloro-1,2,2-trifluoroethane	CSS-1	1.1	0.16	0.40	--	--
	CSS-2	1.7	0.16	0.40	--	--
	CSS-3 <sup>a</sup>	0.91	0.16	0.40	--	--
	CSS-4	6.1	0.16	0.40	--	--
	CSS-5	3.5	0.16	0.40	--	--
	CSS-6	10.0	0.16	0.40	--	--
1,2,4-Trichlorobenzene	CSS-1	ND	0.43	2.0	U	--
	CSS-2	ND	0.43	2.0	U	--
	CSS-3 <sup>a</sup>	ND	0.43	2.0	U	--
	CSS-4	ND	0.43	2.0	U	--
	CSS-5	ND	0.43	2.0	U	--
	CSS-6	ND	0.43	2.0	U	--
1,1,1-Trichloroethane	CSS-1	0.32	0.065	0.30	--	--
	CSS-2	1.3	0.065	0.30	--	--
	CSS-3 <sup>a</sup>	0.31	0.065	0.30	--	--
	CSS-4	0.89	0.065	0.30	--	--
	CSS-5	0.08	0.065	0.30	J	--
	CSS-6	0.084	0.065	0.30	J	--
1,1,2-Trichloroethane	CSS-1	ND	0.067	0.40	U	--
	CSS-2	ND	0.067	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.067	0.40	U	--
	CSS-4	ND	0.067	0.40	U	--
	CSS-5	ND	0.067	0.40	U	--
	CSS-6	ND	0.067	0.40	U	--

Refer to notes at end of Table B-6.

Table B-6 (Continued)  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
(ppbv)						
Trichloroethene	CSS-1	1.4	0.11	0.40	--	--
	CSS-2	7.3	0.11	0.40	--	--
	CSS-3 <sup>a</sup>	4.1	0.11	0.40	--	--
	CSS-4	9.6	0.11	0.40	--	--
	CSS-5	4.6	0.11	0.40	--	--
	CSS-6	17	0.11	0.40	--	--
Trichlorofluoromethane	CSS-1	1.3	0.20	0.40	--	--
	CSS-2	3.0	0.20	0.40	--	--
	CSS-3 <sup>a</sup>	1.2	0.20	0.40	--	--
	CSS-4	4.4	0.20	0.40	--	--
	CSS-5	2.0	0.20	0.40	--	--
	CSS-6	4.8	0.20	0.40	--	--
1,2,4-Trimethylbenzene	CSS-1	ND	0.16	0.80	U	--
	CSS-2	ND	0.16	0.80	U	--
	CSS-3 <sup>a</sup>	0.27	0.16	0.80	J	--
	CSS-4	ND	0.16	0.80	U	--
	CSS-5	ND	0.16	0.80	U	--
	CSS-6	ND	0.16	0.80	U	--
1,3,5-Trimethylbenzene	CSS-1	ND	0.13	0.40	U	--
	CSS-2	ND	0.13	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.13	0.40	U	--
	CSS-4	ND	0.13	0.40	U	--
	CSS-5	ND	0.13	0.40	U	--
	CSS-6	ND	0.13	0.40	U	--
Vinyl acetate	CSS-1	ND	0.15	0.80	U	--
	CSS-2	ND	0.15	0.80	U	--
	CSS-3 <sup>a</sup>	ND	0.15	0.80	U	--
	CSS-4	ND	0.15	0.80	U	--
	CSS-5	ND	0.15	0.80	U	--
	CSS-6	ND	0.15	0.80	U	--
Vinyl chloride	CSS-1	ND	0.12	0.40	U	--
	CSS-2	ND	0.12	0.40	U	--
	CSS-3 <sup>a</sup>	ND	0.12	0.40	U	--
	CSS-4	ND	0.12	0.40	U	--
	CSS-5	ND	0.12	0.40	U	--
	CSS-6	ND	0.12	0.40	U	--
m,p-Xylene	CSS-1	ND	0.10	0.80	U	--
	CSS-2	ND	0.10	0.80	U	--
	CSS-3 <sup>a</sup>	0.28	0.10	0.80	J	--
	CSS-4	ND	0.10	0.80	U	--
	CSS-5	ND	0.10	0.80	U	--
	CSS-6	ND	0.10	0.80	U	--

Refer to notes at end of Table B-6.

Table B-6 (Concluded)  
Summary of VOC Analyte Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

Analyte	CSS Location	Date Sampled				
		May 24, 2018				
		Result	MDL	LRL	Laboratory Qualifier	Validation Qualifier
(ppbv)						
o-Xylene	CSS-1	ND	0.054	0.40	U	--
	CSS-2	ND	0.054	0.40	U	--
	CSS-3 <sup>a</sup>	0.14	0.054	0.40	J	--
	CSS-4	ND	0.054	0.40	U	--
	CSS-5	ND	0.054	0.40	U	--
	CSS-6	ND	0.054	0.40	U	--

Notes:

Concentrations above the MDL and below the LRL are

Blank cells (--) in laboratory and validation columns denote all quality control samples met acceptance criteria.

\* RPD of the LCS and LCSD exceeds the control limits.

<sup>a</sup> CSS location where duplicate sample was collected. The higher detection of the sample pair is reported.

B = Method blank contamination at concentration >MDL.

B2 = Field blank contamination at concentration >MDL.

CSS = CWL sanitary sewer.

CWL = Chemical Waste Landfill.

J = Estimated result. Result is less than the LRL.

J+ = Estimated result that is less than the LRL with a suspected positive bias.

LCS = Laboratory control standard.

LCSD = Laboratory control standard duplicate.

LRL = Laboratory reporting limit.

MDL = Method detection limit.

ND = Non-detection.

ppbv = Part(s) per billion by volume.

RPD = Relative percent difference.

RP2 = Replicate RPD failed. RPD for LCS/LCSD exceeds the control limits.

U = Qualified by laboratory and/or data validation as a non-detection.

UJ = The analyte was analyzed for but was not detected. The associated value is an estimate and may be inaccurate or imprecise.

VOC = Volatile organic compound.

Table B-7  
 Total VOC<sup>a</sup> Concentrations for VSA Soil Vapor Sampling  
 5-foot Monitoring Depth  
 Calendar Year 2018

VSA Location	Date Sampled	Trigger Level <sup>b</sup> (ppmv)
	May 24, 2018	
	Result (ppmv)	
VSA-1	0.04712	20
VSA-2	0.09120	
VSA-3	0.09168	
VSA-4	0.07834	
VSA-5	0.05543	
VSA-6	0.06932	
VSA-7	0.10107	
VSA-8 <sup>c</sup>	0.13085	
VSA-9	0.05063	
VSA-10	0.03982	
VSA-11	0.03366	

Notes:

<sup>a</sup> Sum of validated detected organic analytes (i.e., results for analytes reported as detections by the laboratory but qualified during data validation as not detected are not included in the Total VOCs value).

<sup>b</sup> Level at which verification sampling is required.

<sup>c</sup> VSA location where duplicate sample was collected. The higher detections of the sample pair are used to calculate the Total VOC<sup>a</sup> value.

ppmv = Part(s) per million by volume.

VOC = Volatile organic compound.

VSA = Vertical sensor array.

Table B-8  
 Total VOC<sup>a</sup> Concentrations for VSA Soil Vapor Sampling  
 15-foot Monitoring Depth  
 Calendar Year 2018

VSA Location	Date Sampled	Trigger Level <sup>b</sup> (ppmv)
	May 24, 2018	
	Result (ppmv)	
VSA-1	0.08159	20
VSA-2	0.10590	
VSA-3	0.09786	
VSA-4	0.06703	
VSA-5	0.06674	
VSA-6	0.07780	
VSA-7	0.09396	
VSA-8 <sup>c</sup>	0.09214	
VSA-9	0.05970	
VSA-10	0.06718	
VSA-11	0.02833	

Notes:

<sup>a</sup> Sum of validated detected organic analytes (i.e., results for analytes reported as detections by the laboratory but qualified during data validation as not detected are not included in the Total VOCs value).

<sup>b</sup> Level at which verification sampling is required.

<sup>c</sup> VSA location where duplicate sample was collected. The higher detections of the sample pair are used to calculate the Total VOC<sup>a</sup> value.

ppmv = Part(s) per million by volume.

VOC = Volatile organic compound.

VSA = Vertical sensor array.

Table B-9  
Total VOC<sup>a</sup> Concentrations for CSS Soil Vapor Sampling  
Calendar Year 2018

VSA Location	Date Sampled	Trigger Level <sup>b</sup> (ppmv)
	May 24, 2018	
	Result (ppmv)	
CSS-1	0.00576	20
CSS-2	0.01708	
CSS-3 <sup>c</sup>	0.01023	
CSS-4	0.03942	
CSS-5	0.01341	
CSS-6	0.03635	

Notes:

<sup>a</sup> Sum of validated detected organic analytes (i.e., results for analytes reported as detections by the laboratory but qualified during data validation as not detected are not included in the Total VOCs value).

<sup>b</sup> Level at which verification sampling is required.

<sup>c</sup> CSS location where duplicate sample was collected. The higher detections of the sample pair are used to calculate the Total VOC<sup>a</sup> value.

CSS = CWL sanitary sewer.

CWL = Chemical Waste Landfill.

ppmv = Part(s) per million by volume.

VOC = Volatile organic compound.




Figure B-1  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-1  
 September 2002 through May 2018




Figure B-2  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-2  
 September 2002 through May 2018




Figure B-3  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-3  
 September 2002 through May 2018




Figure B-4  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-4  
 September 2002 through May 2018




Figure B-5  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-5  
 September 2002 through May 2018




Figure B-6  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at CSS-6  
 September 2002 through May 2018




Figure B-7  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-1 (5-ft)  
 September 2002 through May 2018




Figure B-8  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-1 (15-ft)  
 September 2002 through May 2018




Figure B-9  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-2 (5-ft)  
 September 2002 through May 2018




Figure B-10  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-2 (15-ft)  
 September 2002 through May 2018




Figure B-11  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-3 (5-ft)  
 September 2002 through May 2018




Figure B-12  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-3 (15-ft)  
 September 2002 through May 2018




Figure B-13  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-4 (5-ft)  
 September 2002 through May 2018




Figure B-14  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-4 (15-ft)  
 September 2002 through May 2018




Figure B-15  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-5 (5-ft)  
 September 2002 through May 2018




Figure B-16  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds VSA-5 (15-ft)  
 September 2002 through May 2018




Figure B-17  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-6 (5-ft)  
 September 2002 through May 2018




Figure B-18  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-6 (15-ft)  
 September 2002 through May 2018




Figure B-19  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-7 (5-ft)  
 September 2002 through May 2018




Figure B-20  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-7 (15-ft)  
 September 2002 through May 2018




Figure B-21  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-8 (5-ft)  
 September 2002 through May 2018




Figure B-22  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-8 (15-ft)  
 September 2002 through May 2018




Figure B-23  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-9 (5-ft)  
 September 2002 through May 2018




Figure B-24  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-9 (15-ft)  
 September 2002 through May 2018




Figure B-25  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-10 (5-ft)  
 September 2002 through May 2018




Figure B-26  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-10 (15-ft)  
 September 2002 through May 2018




Figure B-27  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-11 (5-ft)  
 September 2002 through May 2018




Figure B-28  
 Concentration Graph of Most Frequently Detected Volatile Organic Compounds at VSA-11 (15-ft)  
 September 2002 through May 2018

**This page intentionally left blank.**

**ANNEX C**  
**PSL Subsystem**  
**Soil Moisture Monitoring Results**

**This page intentionally left blank.**

Table C-1  
PSL Soil Moisture Monitoring Results for the West Vitrified Clay Pipe  
Calendar Year 2018

Monitoring Location	Collection Dates				Reporting Period Minimum	Reporting Period Maximum	Reporting Period Average	Reporting Period Std Dev	Baseline Average (10/2003-9/2004)	Difference between Baseline Average & Reporting Period Average	Trigger Level (Baseline plus 4%)
	March	May	August	November							
	Moisture (% by mass)								Moisture (% by mass)		
1	6.9	7.2	7.1	6.9	6.9	7.2	7.0	6.9	7.9	-0.9	11.9
2	7.7	7.6	7.7	7.6	7.6	7.7	7.7	7.6	8.1	-0.4	12.1
3	8.0	8.1	8.0	7.8	7.8	8.1	8.0	7.8	8.4	-0.4	12.4
4	8.1	8.2	8.1	7.9	7.9	8.2	8.1	7.9	8.2	-0.1	12.2
5	8.3	8.4	8.2	8.2	8.2	8.4	8.3	8.2	8.5	-0.2	12.5
6	8.3	8.1	8.2	8.2	8.1	8.3	8.2	8.2	8.3	-0.1	12.3
7	8.1	8.2	8.1	8.0	8.0	8.2	8.1	8.0	8.2	-0.1	12.2
8	7.9	8.0	7.9	7.9	7.9	8.0	7.9	7.9	8.0	-0.1	12.0
9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	8.1	-0.2	12.1
10	8.1	7.8	8.0	8.1	7.8	8.1	8.0	8.1	8.1	-0.1	12.1
11	8.1	7.8	8.1	8.0	7.8	8.1	8.0	8.0	8.1	-0.1	12.1
12	7.7	7.8	7.8	8.0	7.7	8.0	7.8	8.0	8.0	-0.2	12.0
13	8.1	8.0	8.0	7.8	7.8	8.1	8.0	7.8	8.0	0.0	12.0
14	7.9	7.9	8.1	8.1	7.9	8.1	8.0	8.1	8.1	-0.1	12.1
15	7.7	7.7	7.8	7.8	7.7	7.8	7.8	7.8	7.8	0.0	11.8
16	8.3	7.9	8.2	8.2	7.9	8.3	8.2	8.2	8.1	0.1	12.1
17	7.9	7.8	7.9	7.8	7.8	7.9	7.9	7.8	7.9	0.0	11.9
18	8.0	7.6	7.9	7.8	7.6	8.0	7.8	7.8	7.8	0.0	11.8
19	7.8	7.8	7.7	7.7	7.7	7.8	7.8	7.7	7.8	0.0	11.8
20	7.9	7.6	7.6	7.7	7.6	7.9	7.7	7.7	7.7	0.0	11.7
21	7.7	7.7	7.8	7.8	7.7	7.8	7.8	7.8	7.8	0.0	11.8
22	7.7	7.6	7.8	7.6	7.6	7.8	7.7	7.6	7.7	0.0	11.7
23	7.7	7.7	7.8	7.7	7.7	7.8	7.7	7.7	7.8	-0.1	11.8
24	7.7	7.5	7.9	7.6	7.5	7.9	7.7	7.6	7.7	0.0	11.7
25	7.7	7.9	7.8	7.6	7.6	7.9	7.8	7.6	7.8	0.0	11.8
26	8.1	7.8	8.0	7.8	7.8	8.1	7.9	7.8	8.0	-0.1	12.0
27	7.9	7.8	7.9	7.8	7.8	7.9	7.9	7.8	8.0	-0.1	12.0
28	8.0	7.8	8.0	7.9	7.8	8.0	7.9	7.9	8.0	-0.1	12.0
29	7.9	7.8	7.8	7.9	7.8	7.9	7.9	7.9	7.8	0.0	11.8
30	8.1	8.2	8.3	8.0	8.0	8.3	8.2	8.0	8.1	0.0	12.1
31	7.9	8.0	8.0	7.8	7.8	8.0	7.9	7.8	8.1	-0.2	12.1
32	7.9	7.8	7.9	7.9	7.8	7.9	7.9	7.9	8.0	-0.1	12.0
33	7.9	8.0	7.9	7.8	7.8	8.0	7.9	7.8	8.2	-0.3	12.2
34	8.0	7.9	8.0	7.9	7.9	8.0	8.0	7.9	8.2	-0.3	12.2
Average	7.9	7.9	7.9	7.8		Average	7.9	Average	8.0		
Std Dev	0.3	0.2	0.2	0.2							

Notes:  
% = Percent.  
PSL = Primary subliner.  
Std Dev = Standard deviation.




Figure C-1  
 Graph of PSL Soil Moisture Monitoring Results for the West Vitrified Clay Pipe  
 Calendar Year 2018

Table C-2  
PSL Soil Moisture Monitoring Results for the West-Central Vitrified Clay Pipe  
Calendar Year 2018

Monitoring Location	Collection Dates				Reporting Period Minimum	Reporting Period Maximum	Reporting Period Average	Reporting Period Std Dev	Baseline Average (10/2003-9/2004)	Difference between Baseline Average & Reporting Period Average	Trigger Level (Baseline plus 4%)
	March	May	August	November							
	Moisture (% by mass)								Moisture (% by mass)		
1	7.3	7.2	7.1	7.3	7.1	7.3	7.2	0.1	7.6	-0.4	11.6
2	5.6	5.5	5.6	5.7	5.5	5.7	5.6	0.1	7.5	-1.9	11.5
3	4.8	4.9	4.9	4.9	4.8	4.9	4.9	0.1	7.1	-2.2	11.1
4	4.8	4.7	4.9	5.1	4.7	5.1	4.9	0.2	6.6	-1.7	10.6
5	4.9	5.1	5.0	5.1	4.9	5.1	5.0	0.1	6.8	-1.8	10.8
6	6.0	6.4	6.5	6.6	6.0	6.6	6.4	0.3	7.2	-0.8	11.2
7	7.2	7.1	7.2	7.3	7.1	7.3	7.2	0.1	7.5	-0.3	11.5
8	7.4	7.4	7.6	7.7	7.4	7.7	7.5	0.2	7.5	0.0	11.5
9	7.8	7.8	7.7	7.8	7.7	7.8	7.8	0.0	7.8	0.0	11.8
10	7.6	8.1	7.9	8.0	7.6	8.1	7.9	0.2	8.1	-0.2	12.1
11	7.8	7.9	7.8	7.9	7.8	7.9	7.9	0.1	8.0	-0.2	12.0
12	8.3	8.1	8.2	8.1	8.1	8.3	8.2	0.1	8.2	0.0	12.2
13	7.9	8.3	7.8	7.9	7.8	8.3	8.0	0.2	8.2	-0.2	12.2
14	8.2	8.0	8.1	8.1	8.0	8.2	8.1	0.1	8.1	0.0	12.1
15	8.0	8.0	8.1	8.1	8.0	8.1	8.1	0.1	8.1	0.0	12.1
16	8.0	7.9	7.9	7.9	7.9	8.0	7.9	0.0	8.0	-0.1	12.0
17	7.7	7.8	7.6	7.7	7.6	7.8	7.7	0.1	7.8	-0.1	11.8
18	7.9	7.8	8.0	8.0	7.8	8.0	7.9	0.1	8.1	-0.2	12.1
19	8.0	7.7	7.8	7.7	7.7	8.0	7.8	0.1	7.8	0.0	11.8
20	7.7	7.8	7.6	7.8	7.6	7.8	7.7	0.1	8.0	-0.3	12.0
21	8.4	8.1	8.2	7.9	7.9	8.4	8.2	0.2	8.0	0.2	12.0
22	8.0	7.9	7.8	7.9	7.8	8.0	7.9	0.1	8.0	-0.1	12.0
23	7.9	7.7	7.9	7.7	7.7	7.9	7.8	0.1	7.8	0.0	11.8
24	7.9	8.2	7.8	7.9	7.8	8.2	8.0	0.2	8.0	0.0	12.0
25	7.9	7.6	8.1	8.2	7.6	8.2	8.0	0.3	7.8	0.2	11.8
26	7.7	7.9	7.7	7.6	7.6	7.9	7.7	0.1	7.8	-0.1	11.8
27	7.8	7.7	7.9	8.1	7.7	8.1	7.9	0.2	7.9	0.0	11.9
28	7.8	8.0	7.8	7.5	7.5	8.0	7.8	0.2	7.9	-0.1	11.9
29	7.9	7.8	7.8	7.7	7.7	7.9	7.8	0.1	7.9	-0.1	11.9
30	7.6	7.6	7.6	7.6	7.6	7.6	7.6	0.0	7.7	-0.1	11.7
31	7.8	7.8	7.7	7.9	7.7	7.9	7.8	0.1	8.0	-0.2	12.0
32	8.1	8.1	8.0	8.1	8.0	8.1	8.1	0.0	8.1	0.0	12.1
33	7.9	7.9	7.9	8.4	7.9	8.4	8.0	0.3	8.1	-0.1	12.1
34	8.1	8.0	7.7	7.9	7.7	8.1	7.9	0.2	8.1	-0.2	12.1
35	8.0	7.4	8.0	7.7	7.4	8.0	7.8	0.3	8.0	-0.2	12.0
Average	7.5	7.5	7.5	7.5		Average	7.5	Average	7.5		
Std Dev	1.0	1.0	0.9	0.9							

Notes:  
 % = Percent.  
 PSL = Primary subliner.  
 Std Dev = Standard deviation




Figure C-2  
 Graph of PSL Soil Moisture Monitoring Results for the West-Central Vitrified Clay Pipe  
 Calendar Year 2018

Table C-3  
PSL Soil Moisture Monitoring Results for the Central Vitrified Clay Pipe  
Calendar Year 2018

Monitoring Location	Collection Dates				Reporting Period Minimum	Reporting Period Maximum	Reporting Period Average	Reporting Period Std Dev	Baseline Average (10/2003-9/2004)	Difference between Baseline Average & Reporting Period Average	Trigger Level (Baseline plus 4%)
	March	May	August	November							
	Moisture (% by mass)								Moisture (% by mass)		
1	6.2	6.0	5.2	8.0	5.2	8.0	6.4	1.2	8.2	-1.9	12.2
2	8.3	8.4	8.3	8.2	8.2	8.4	8.3	0.1	8.6	-0.3	12.6
3	7.3	7.3	7.4	7.3	7.3	7.4	7.3	0.1	8.3	-1.0	12.3
4	7.4	7.3	7.4	7.2	7.2	7.4	7.3	0.1	8.2	-0.9	12.2
5	7.4	7.5	7.5	7.6	7.4	7.6	7.5	0.1	7.7	-0.2	11.7
6	7.8	7.8	7.8	7.8	7.8	7.8	7.8	0.0	7.7	0.1	11.7
7	7.6	7.7	7.7	7.6	7.6	7.7	7.7	0.1	7.5	0.2	11.5
8	8.0	7.9	7.7	7.8	7.7	8.0	7.9	0.1	7.9	0.0	11.9
9	8.2	8.1	8.3	8.3	8.1	8.3	8.2	0.1	8.2	0.0	12.2
10	8.0	8.1	8.2	8.0	8.0	8.2	8.1	0.1	8.0	0.1	12.0
11	7.6	8.1	7.9	7.8	7.6	8.1	7.9	0.2	7.8	0.1	11.8
12	7.9	7.9	8.0	8.0	7.9	8.0	8.0	0.1	8.0	0.0	12.0
13	8.0	8.3	8.1	8.0	8.0	8.3	8.1	0.1	7.9	0.2	11.9
14	7.9	8.0	8.0	8.2	7.9	8.2	8.0	0.1	8.0	0.0	12.0
15	8.0	8.2	8.0	7.9	7.9	8.2	8.0	0.1	7.8	0.2	11.8
16	7.8	7.9	7.8	7.7	7.7	7.9	7.8	0.1	7.8	0.0	11.8
17	8.1	8.1	7.9	8.0	7.9	8.1	8.0	0.1	7.9	0.1	11.9
18	8.1	8.1	8.0	8.0	8.0	8.1	8.1	0.1	8.0	0.1	12.0
19	8.2	8.1	7.9	7.9	7.9	8.2	8.0	0.1	7.8	0.2	11.8
20	7.8	7.7	7.7	7.6	7.6	7.8	7.7	0.1	7.7	0.0	11.7
21	7.9	7.7	7.6	7.7	7.6	7.9	7.7	0.1	7.8	-0.1	11.8
22	7.6	7.5	7.6	7.6	7.5	7.6	7.6	0.0	7.6	0.0	11.6
23	7.7	7.6	7.7	7.7	7.6	7.7	7.7	0.1	7.8	-0.1	11.8
24	7.9	7.8	7.6	7.7	7.6	7.9	7.8	0.1	7.9	-0.2	11.9
25	7.9	7.8	7.8	7.7	7.7	7.9	7.8	0.1	7.8	0.0	11.8
26	7.8	7.9	7.8	7.7	7.7	7.9	7.8	0.1	7.9	-0.1	11.9
27	7.9	8.2	7.8	7.9	7.8	8.2	8.0	0.2	8.0	0.0	12.0
28	7.8	7.9	7.7	7.9	7.7	7.9	7.8	0.1	7.8	0.0	11.8
29	7.8	7.8	7.8	7.6	7.6	7.8	7.8	0.1	7.9	-0.2	11.9
30	7.7	7.8	7.7	8.0	7.7	8.0	7.8	0.1	7.9	-0.1	11.9
31	7.8	7.7	7.8	7.8	7.7	7.8	7.8	0.0	7.8	0.0	11.8
32	7.7	7.8	7.8	7.9	7.7	7.9	7.8	0.1	7.7	0.1	11.7
33	7.8	7.9	7.9	7.9	7.8	7.9	7.9	0.1	8.0	-0.1	12.0
34	7.7	7.6	7.9	7.9	7.6	7.9	7.8	0.2	7.8	0.0	11.8
35	7.7	7.9	7.9	7.8	7.7	7.9	7.8	0.1	7.9	-0.1	11.9
Average	7.8	7.8	7.7	7.8		Average	7.8	Average	7.9		
Std Dev	0.4	0.4	0.5	0.2							

Notes:  
 % = Percent.  
 PSL = Primary subliner.  
 Std Dev = Standard deviation.




Figure C-3  
 Graph of PSL Soil Moisture Monitoring Results for the Central Vitrified Clay Pipe  
 Calendar Year 2018

Table C-4  
PSL Soil Moisture Monitoring Results for the East-Central Vitrified Clay Pipe  
Calendar Year 2018

Monitoring Location	Collection Dates				Reporting Period Minimum	Reporting Period Maximum	Reporting Period Average	Reporting Period Std Dev	Baseline Average (10/2003-9/2004)	Difference between Baseline Average & Reporting Period Average	Trigger Level (Baseline plus 4%)
	March	May	August	November							
	Moisture (% by mass)								Moisture (% by mass)		
1	8.0	7.5	8.0	8.0	7.5	8.0	7.9	0.3	8.2	-0.4	12.2
2	7.5	7.4	7.6	7.6	7.4	7.6	7.5	0.1	8.1	-0.5	12.1
3	6.5	6.7	6.5	6.4	6.4	6.7	6.5	0.1	6.7	-0.2	10.7
4	6.7	6.7	6.7	6.7	6.7	6.7	6.7	0.0	6.6	0.1	10.6
5	7.2	7.4	7.3	7.2	7.2	7.4	7.3	0.1	7.5	-0.2	11.5
6	7.4	7.4	7.6	7.4	7.4	7.6	7.5	0.1	7.5	-0.1	11.5
7	7.2	7.4	7.2	7.2	7.2	7.4	7.3	0.1	7.5	-0.2	11.5
8	7.4	7.6	7.5	7.5	7.4	7.6	7.5	0.1	7.6	0.0	11.6
9	7.5	7.5	7.4	7.4	7.4	7.5	7.5	0.1	7.6	-0.2	11.6
10	7.6	7.5	8.0	7.8	7.5	8.0	7.7	0.2	7.8	-0.1	11.8
11	8.1	8.0	8.1	8.1	8.0	8.1	8.1	0.0	8.2	-0.1	12.2
12	8.0	7.9	8.0	8.0	7.9	8.0	8.0	0.0	8.0	0.0	12.0
13	7.7	7.6	7.8	7.7	7.6	7.8	7.7	0.1	8.0	-0.3	12.0
14	8.3	7.9	8.0	8.2	7.9	8.3	8.1	0.2	8.0	0.1	12.0
15	7.8	7.7	7.7	7.8	7.7	7.8	7.8	0.1	7.9	-0.2	11.9
16	7.9	7.7	7.8	7.8	7.7	7.9	7.8	0.1	7.7	0.1	11.7
17	7.8	7.8	7.8	7.8	7.8	7.8	7.8	0.0	7.9	-0.1	11.9
18	7.8	7.7	7.7	7.8	7.7	7.8	7.8	0.1	7.9	-0.1	11.9
19	7.5	7.7	7.5	7.8	7.5	7.8	7.6	0.2	7.7	-0.1	11.7
20	7.9	7.5	7.7	7.7	7.5	7.9	7.7	0.2	7.7	0.0	11.7
21	7.7	7.5	7.7	7.7	7.5	7.7	7.7	0.1	7.7	0.0	11.7
22	7.9	7.6	7.6	7.7	7.6	7.9	7.7	0.1	7.7	0.0	11.7
23	7.6	7.5	7.5	7.5	7.5	7.6	7.5	0.0	7.6	-0.1	11.6
24	7.7	7.6	7.7	7.7	7.6	7.7	7.7	0.1	7.6	0.1	11.6
25	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	7.6	-0.1	11.6
26	7.3	7.5	7.3	7.3	7.3	7.5	7.4	0.1	7.5	-0.2	11.5
27	7.3	7.3	7.5	7.3	7.3	7.5	7.4	0.1	7.5	-0.1	11.5
28	7.5	7.6	7.5	7.5	7.5	7.6	7.5	0.0	7.4	0.1	11.4
29	7.6	7.5	7.7	7.6	7.5	7.7	7.6	0.1	7.6	0.0	11.6
30	7.6	7.6	7.4	7.6	7.4	7.6	7.6	0.1	7.4	0.2	11.4
31	7.7	7.5	7.9	7.8	7.5	7.9	7.7	0.2	7.5	0.2	11.5
32	8.0	7.9	7.8	7.8	7.8	8.0	7.9	0.1	7.9	0.0	11.9
33	8.2	7.9	8.3	8.2	7.9	8.3	8.2	0.2	8.1	0.1	12.1
34	8.1	7.9	8.1	8.3	7.9	8.3	8.1	0.2	8.0	0.1	12.0
35	8.1	7.9	8.0	8.1	7.9	8.1	8.0	0.1	8.2	-0.2	12.2
Average	7.6	7.6	7.6	7.6		Average	7.6	Average	7.7		
Std Dev	0.4	0.3	0.4	0.4							

Notes:  
 % = Percent.  
 PSL = Primary subliner.  
 Std Dev = Standard deviation.




Figure C-4  
 Graph of PSL Soil Moisture Monitoring Results for the East-Central Vitrified Clay Pipe  
 Calendar Year 2018

Table C-5  
PSL Soil Moisture Monitoring Results for the East Vitrified Clay Pipe  
Calendar Year 2018

Monitoring Location	Collection Dates				Reporting Period Minimum	Reporting Period Maximum	Reporting Period Average	Reporting Period Std Dev	Baseline Average (10/2003-9/2004)	Difference between Baseline Average & Reporting Period Average	Trigger Level (Baseline plus 4%)
	March	May	August	November							
	Moisture (% by mass)								Moisture (% by mass)		
1	6.9	6.9	6.9	6.9	6.9	6.9	6.9	0.0	7.9	-1.0	11.9
2	7.1	6.3	7.0	7.0	6.3	7.1	6.9	0.4	7.9	-1.1	11.9
3	6.2	6.4	6.3	6.4	6.2	6.4	6.3	0.1	7.4	-1.1	11.4
4	6.5	6.6	6.5	6.5	6.5	6.6	6.5	0.0	6.8	-0.3	10.8
5	6.5	6.5	6.6	6.5	6.5	6.6	6.5	0.0	6.6	-0.1	10.6
6	7.1	6.8	6.9	6.9	6.8	7.1	6.9	0.1	7.1	-0.2	11.1
7	7.1	6.9	6.9	6.9	6.9	7.1	7.0	0.1	6.7	0.2	10.7
8	7.0	6.8	6.8	6.9	6.8	7.0	6.9	0.1	6.9	0.0	10.9
9	7.1	7.2	7.1	7.1	7.1	7.2	7.1	0.1	7.2	-0.1	11.2
10	7.4	7.3	7.4	7.5	7.3	7.5	7.4	0.1	7.7	-0.3	11.7
11	7.4	7.4	7.3	7.3	7.3	7.4	7.4	0.1	7.5	-0.1	11.5
12	7.6	7.6	7.5	7.7	7.5	7.7	7.6	0.1	8.1	-0.5	12.1
13	7.8	7.9	7.8	7.8	7.8	7.9	7.8	0.1	8.0	-0.2	12.0
14	7.9	7.9	7.9	8.0	7.9	8.0	7.9	0.0	8.4	-0.5	12.4
15	8.1	8.0	8.1	8.0	8.0	8.1	8.1	0.1	8.2	-0.1	12.2
16	8.3	8.3	8.2	8.3	8.2	8.3	8.3	0.1	8.4	-0.1	12.4
17	7.7	7.5	7.5	7.6	7.5	7.7	7.6	0.1	7.8	-0.2	11.8
18	7.5	7.5	7.4	7.5	7.4	7.5	7.5	0.0	7.7	-0.2	11.7
19	7.5	7.7	7.6	7.7	7.5	7.7	7.6	0.1	7.7	-0.1	11.7
20	7.6	7.6	7.6	7.8	7.6	7.8	7.7	0.1	7.9	-0.3	11.9
21	7.7	7.6	7.7	7.8	7.6	7.8	7.7	0.1	7.8	-0.1	11.8
22	7.8	7.8	7.7	7.8	7.7	7.8	7.8	0.0	7.9	-0.1	11.9
23	7.6	7.5	7.5	7.6	7.5	7.6	7.6	0.1	7.7	-0.1	11.7
24	7.9	8.0	7.9	7.9	7.9	8.0	7.9	0.0	7.9	0.0	11.9
25	7.8	7.6	7.6	7.7	7.6	7.8	7.7	0.1	7.7	0.0	11.7
26	7.6	7.7	7.5	7.7	7.5	7.7	7.6	0.1	7.9	-0.3	11.9
27	7.8	7.7	7.8	7.9	7.7	7.9	7.8	0.1	7.8	0.0	11.8
28	7.8	7.8	7.9	8.0	7.8	8.0	7.9	0.1	8.0	-0.1	12.0
29	7.8	7.9	7.7	8.2	7.7	8.2	7.9	0.2	7.9	0.0	11.9
30	7.8	7.9	7.8	7.9	7.8	7.9	7.9	0.1	8.2	-0.4	12.2
31	7.9	8.0	8.0	8.2	7.9	8.2	8.0	0.1	8.1	-0.1	12.1
32	8.2	8.2	7.9	8.0	7.9	8.2	8.1	0.1	8.4	-0.3	12.4
33	8.1	7.9	8.1	8.3	7.9	8.3	8.1	0.2	8.2	-0.1	12.2
34	7.9	7.8	7.9	7.7	7.7	7.9	7.8	0.1	8.2	-0.4	12.2
Average	7.5	7.5	7.5	7.6		Average	7.5	Average	7.8		
Std Dev	0.5	0.5	0.5	0.5							

Notes:  
% = Percent.  
PSL = Primary subliner.  
Std Dev = Standard deviation.




Figure C-5  
 Graph of PSL Soil Moisture Monitoring Results for the East Vitrified Clay Pipe  
 Calendar Year 2018

**ANNEX D**  
**VSA TDR Waveform and**  
**Soil Moisture Monitoring Results**

**This page intentionally left blank.**

Table D-1  
TDR Soil Moisture Monitoring Results for the VSA  
5-Foot Monitoring Depth  
Calendar Year 2018

Collection Date	Instrument Location (5-Foot Monitoring Depth)										
	VSA-1	VSA-2	VSA-3	VSA-4	VSA-5	VSA-6	VSA-7	VSA-8	VSA-9	VSA-10	VSA-11
	Moisture (% by volume)										
February	11.4	8.5	7.9	13.2	13.2	8.5	7.2	6.0	8.7	5.6	7.3
May	11.3	8.7	8.1	13.5	13.0	8.5	7.4	6.1	8.7	5.6	7.5
August	11.8	8.7	8.3	12.7	13.5	8.7	7.6	5.1	8.9	5.7	7.6
November	11.6	8.6	8.2	12.7	12.8	8.6	7.5	6.2	9.0	5.8	7.5
Reporting Period Minimum	11.3	8.5	7.9	12.7	12.8	8.5	7.2	5.1	8.7	5.6	7.3
Reporting Period Maximum	11.8	8.7	8.3	13.5	13.5	8.7	7.6	6.2	9.0	5.8	7.6
Reporting Period Average	11.5	8.6	8.1	13.1	13.1	8.6	7.4	5.8	8.8	5.7	7.5
Collection Period Std Dev	0.2	0.1	0.2	0.4	0.3	0.1	0.2	0.5	0.1	0.1	0.1
Baseline Average (10/2003-9/2004)	12.4	7.8	6.5	14.0	14.6	9.4	6.8	5.9	7.7	5.2	8.4
Difference between Baseline Average & Reporting Period Average	-0.9	0.8	1.6	-0.9	-1.5	-0.8	0.6	-0.1	1.1	0.5	-0.9
Trigger Level (Baseline plus 4%)	16.4	11.8	10.5	18.0	18.6	13.4	10.8	9.9	11.7	9.2	12.4

Notes:

% = Percent.

Std Dev = Standard deviation.

TDR = Time-domain reflectometry.

VSA = Vertical sensor array.




Figure D-1  
 Graph of VSA Soil Moisture Monitoring Results (5-Foot Monitoring Depth)  
 Calendar Year 2018

Table D-2  
TDR Soil Moisture Monitoring Results for the VSA  
15-Foot Monitoring Depth  
Calendar Year 2018

Collection Date	Instrument Location (15-Foot Monitoring Depth)										
	VSA-1	VSA-2	VSA-3	VSA-4	VSA-5	VSA-6	VSA-7	VSA-8	VSA-9	VSA-10	VSA-11
	Moisture (% by volume)										
February	8.2	6.1	6.6	7.4	7.7	7.7	6.5	6.4	4.8	7.1	5.2
May	8.4	6.4	6.8	7.6	7.9	8.0	6.8	6.6	5.1	7.2	5.5
August	8.4	8.0	6.9	7.6	8.0	7.9	6.8	6.6	5.1	7.3	5.5
November	8.4	7.5	6.8	7.7	8.1	7.8	6.8	6.6	5.1	7.3	5.4
Reporting Period Minimum	8.2	6.1	6.6	7.4	7.7	7.7	6.5	6.4	4.8	7.1	5.2
Reporting Period Maximum	8.4	8.0	6.9	7.7	8.1	8.0	6.8	6.6	5.1	7.3	5.5
Reporting Period Average	8.4	7.0	6.8	7.6	7.9	7.9	6.7	6.6	5.0	7.2	5.4
Collection Period Std Dev	0.1	0.9	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1
Baseline Average (10/2003-9/2004)	8.2	7.7	6.7	7.5	7.6	7.7	6.6	6.5	4.9	7.2	5.7
Difference between Baseline Average & Reporting Period Average	0.2	-0.7	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.0	-0.3
Trigger Level (Baseline plus 4%)	12.2	11.7	10.7	11.5	11.6	11.7	10.6	10.5	8.9	11.2	9.7

Notes:

% = Percent.

Std Dev = Standard deviation.

TDR = Time-domain reflectometry.

VSA = Vertical sensor array.




Figure D-2  
 Graph of VSA Soil Moisture Monitoring Results (15-Foot Monitoring Depth)  
 Calendar Year 2018

**ANNEX E**  
**CSS Soil Moisture Monitoring Results**

**This page intentionally left blank.**

Table E-1  
 CSS Soil Moisture Monitoring Results  
 12-Foot Monitoring Depth  
 Calendar Year 2018

Collection Date	Monitoring Location					
	CSS-1	CSS-2	CSS-3	CSS-4	CSS-5	CSS-6
	Moisture (% by mass)					
March	2.1	3.6	4.2	2.4	2.9	4.4
May	2.1	3.5	4.1	2.4	2.9	4.3
August	2.1	3.6	4.0	2.3	3.0	4.2
November	2.2	3.6	4.2	2.4	3.1	4.2
Reporting Period Minimum	2.1	3.5	4.0	2.3	2.9	4.2
Reporting Period Maximum	2.2	3.6	4.2	2.4	3.1	4.4
Reporting Period Average	2.1	3.6	4.1	2.4	3.0	4.3
Reporting Period Std Dev	0.0	0.0	0.1	0.0	0.1	0.1
Baseline Average (10/2003-9/2004)	2.1	2.2	3.0	2.3	2.2	4.4
Difference between Baseline Average & Reporting Period Average	0.0	1.4	1.1	0.1	0.8	-0.1
Trigger Level (Baseline plus 4%)	6.1	6.2	7.0	6.3	6.2	8.4

Notes:

- % = Percent.
- CSS = CWL sanitary sewer.
- CWL = Chemical Waste Landfill.
- Std Dev = Standard deviation.




Figure E-1  
 Graph of CSS Soil Moisture Monitoring Results (12-Foot Monitoring Depth)  
 Calendar Year 2018

Table E-2  
 CSS Soil Moisture Monitoring Results  
 16-Foot Monitoring Depth  
 Calendar Year 2018

Collection Date	Monitoring Location					
	CSS-1	CSS-2	CSS-3	CSS-4	CSS-5	CSS-6
	Moisture (% by mass)					
March	3.2	3.8	3.0	2.8	2.8	5.9
May	3.1	3.8	3.1	2.6	2.9	5.9
August	3.2	3.8	3.0	3.0	3.0	5.8
November	3.2	3.8	3.1	2.7	2.9	5.9
Reporting Period Minimum	3.1	3.8	3.0	2.6	2.8	5.8
Reporting Period Maximum	3.2	3.8	3.1	3.0	3.0	5.9
Reporting Period Average	3.2	3.8	3.1	2.8	2.9	5.9
Reporting Period Std Dev	0.1	0.0	0.1	0.2	0.1	0.1
Baseline Average (10/2003-9/2004)	3.1	2.3	2.6	2.7	2.7	5.8
Difference between Baseline Average & Reporting Period Average	0.1	1.5	0.5	0.1	0.2	0.1
Trigger Level (Baseline plus 4%)	7.1	6.3	6.6	6.7	6.7	9.8

Notes:

- % = Percent.
- CSS = CWL sanitary sewer.
- CWL = Chemical Waste Landfill.
- Std Dev = Standard deviation.




Figure E-2  
 Graph of CSS Soil Moisture Monitoring Results (16-Foot Monitoring Depth)  
 Calendar Year 2018




Figure E-3  
 Graph of CSS-2 Soil Moisture Increase  
 (12- and 16-Foot Monitoring Depth)  
 October 2003 – December 2018




Figure E-4  
 Graph of CSS-3 Soil Moisture Increase  
 (12- and 16-Foot Monitoring Depth)  
 October 2003 – December 2018