SANDIA REPORT
SAND2017-6219
Unlimited Release
June 2017

Country-Level Climate Uncertainty for Risk Assessments: Volume 5 Appendix D – Forecast Maximum Near-Surface Air Temperature

George A. Backus, Thomas S. Lowry, Shannon M. Jones, La Tonya Walker, Barry L. Roberts, Leonard A. Malczynski

Prepared by
Sandia National Laboratories
Albuquerque, New Mexico 87185 and Livermore, California 94550

Sandia National Laboratories is a multimission laboratory managed and operated by National Technology and Engineering Solutions of Sandia LLC, a wholly owned subsidiary of Honeywell International Inc. for the U.S. Department of Energy's National Nuclear Security Administration under contract DE-NA0003525.

Approved for public release; further dissemination unlimited.

Sandia National Laboratories

Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from
U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831

Telephone: (865) 576-8401
Facsimile: (865) 576-5728
E-Mail: reports@osti.gov
Online ordering: http://www.osti.gov/scitech

Available to the public from
U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Rd
Alexandria, VA 22312

Telephone: (800) 553-6847
Facsimile: (703) 605-6900
E-Mail: orders@ntis.gov
Online order: http://www.ntis.gov/search

SAND2017-6219
Unlimited Release
June 2017

Country-Level Climate Uncertainty for Risk Assessments: Volume 5 Appendix D – Forecast Maximum Near-Surface Air Temperature

George Backus, Leonard Malczynski
Policy & Decision Analytics

Thomas Lowry, Shannon Jones, La Tonya Walker
Earth Systems Analysis

Barry Roberts
Geotechnology & Engineering

Sandia National Laboratories
P.O. Box 5800
Albuquerque, New Mexico 87185-MS1137

Abstract

This report uses the CMIP5 series of climate model simulations to produce country-level uncertainty distributions for use in socioeconomic risk assessments of climate change impacts. It provides appropriate probability distributions, by month, for 169 countries and autonomous-areas on temperature, precipitation, maximum temperature, maximum wind speed, humidity, runoff, soil moisture and evaporation for the historical period (1976-2005), and for decadal time periods to 2100. It also provides historical and future distributions for the Arctic region on ice concentration, ice thickness, age of ice, and ice ridging in 15-degree longitude arc segments from the Arctic Circle to 80 degrees latitude, plus two polar semicircular regions from 80 to 90 degrees latitude. The uncertainty is meant to describe the lack of knowledge rather than imprecision in the physical simulation because the emphasis is on unfalsified risk and its use to determine potential socioeconomic impacts. The full report is contained in 27 volumes.

ACKNOWLEDGMENTS

The authors are grateful to Group 0150 for providing support in preparing this report and for appreciating the potential impact of climate change on international security and on Sandia's mission.

CONTENTS

D.1. Introduction.....7
D.2. Country-Level Maximum Near-Surface Air Temperature.....9

FIGURES

Figure 1: Normal Distribution.....10

TABLES

Table 1: Report Volume to Variable-Data Mapping.....7
Table 2: Uncertainty Data.....12

NOMENCLATURE

CMIP5	Coupled Model Intercomparison Project Phase 5
DOE	Department of Energy
SNL	Sandia National Laboratories
m	Meter
s	Second
da	Day
C	Degrees Centigrade
K	Degrees Kelvin
kg	Kilogram
yr	Year
m2	Square meters (area)
m3	Cubic meters (volume)

D.1. INTRODUCTION

This volume contains one of the appendices noted in Volume 1. Each appendix details the data for a single variable. The next section describes the basic information needed to interpret the data and then provides the actual data. The data for each variable are contained in separate report volumes as noted in the table below. **The report and all appendices are publicly available[1] and the data in EXCEL format are available upon request.[2]**

Volume	Appendix	Description	Unit of Measure	Time Period
1	-	Main Text	All	All
2	A	Near-Surface Air Temperature	K	Historical
3	B	Near-Surface Air Temperature	K	Forecast
4	C	Maximum Near-Surface Air Temperature	K	Historical
5	D	Maximum Near-Surface Air Temperature	K	Forecast
6	E	Minimum Near-Surface Air Temperature	K	Historical
7	F	Minimum Near-Surface Air Temperature	K	Forecast
8	G	Precipitation	m/day	Historical
9	H	Precipitation	m/day	Forecast
10	I	Evaporation	m/day	Historical
11	J	Evaporation	m/day	Forecast
12	K	Near-Surface Relative Humidity	% (monthly mean)	Historical
13	L	Near Surface Relative Humidity	% (monthly mean)	Forecast
14	M	Surface Runoff	m3/day	Historical
15	N	Surface Runoff	m3/day	Forecast
16	O	Soil Moisture (Upper Column)	m3/m3	Historical
17	P	Soil Moisture (Upper Column)	m3/m3	Forecast
18	Q	Maximum Near-Surface Wind Speed	m/day	Historical
19	R	Maximum Near-Surface Wind Speed	m/day	Forecast
20	S	Sea Ice Area Fraction	m2/m2	Historical
21	T	Sea Ice Area Fraction	m2/m2	Forecast
22	U	Sea Ice Thickness	M	Historical
23	V	Sea Ice Thickness	M	Forecast
24	W	Age of Sea Ice	day	Historical
25	X	Age of Sea Ice	day	Forecast
26	Y	Sea Ice Ridging Rate	(m2/day)/m2	Historical
27	Z	Sea Ice Ridging Rate	(m2/day)/m2	Forecast

Table 1: Report Volume to Variable-Data Mapping

[1] http://www.sandia.gov (https://cfwebprod.sandia.gov/cfdocs/CompResearch/templates/insert/pubs.cfm)
[2] Contact Dr. Thomas Lowry, Sandia National Laboratories, tslowry@sandia.gov.

D.2. COUNTRY-LEVEL MAXIMUM SURFACE AIR TEMPERTURE

This appendix contains the uncertainty distribution information on country (land) Maximum Near-Surface Air Temperature for the historical period (CMIP5 output variable name: tasmax). The parametrization is for the Normal distribution. Note that the parameters enable the calculation of the mean, median, and mode values, as well as of the exceedance-probability values. See the main text (Volume 1) for a further description of the variable, and on finding or using the appropriate data. The raw values from the models have been used directly and have dimensions of degrees K.

The pages that follow alphabetically cover each country or autonomous-area, with the distribution parameters for a time period, for a specific month. The table shows the centroid (average) year for the time period, should a user, for simulation purposes only, want to create linearly interpolated values between years. Interpolation requires both historical and forecast data for the years through 2015. The data maintain consistency across the historical and forecast time period to allow such interpolations. Although the change between years are closely approximated through linear interpolation, no claim is made here for the legitimacy of this usage for all purposes.

For forecast data, the values correspond to the average over the (typically) decadal period noted in Columns 6 and 7 of the data table below. For historical data, the values correspond to the average over the 30 year, 1976 to 2005, "historical period" segment from the CMIP5 model runs. Thirty years is typically the averaging time period used to describe the "normal" condition. Because, for example, conventional macroeconomic models do not generally include climate impacts, their results implicitly include the historical normal. Because climatic changes are relatively gradual during the historical period and the first decade of the forecast period, it is generally acceptable, for continuous-simulation purposes, to consider the average as representing a 1990 referent year.

The models used to calculate the distribution are compared in Chapter 2 of Volume 1. Essential information on the functional aspects of the probability distribution are shown on the next page.

Normal Distribution: $Parameter1 = \mu, Parameter2 = \sigma$



Figure 1: Normal Distribution[3]

$$PDF(x) = \frac{1}{\sigma * \sqrt{2\pi}} * e^{-(\frac{(x-\mu)^2}{2*\sigma^2}}$$

$$CDF(x) = \frac{1}{2} * \left[1 + \text{erf}\,(\frac{x-\mu}{\sigma\sqrt{2}})\right]$$

Where erf(·) is the Error Function.

$$Mean = \mu$$
$$Median = \mu$$
$$Mode = \mu$$

[3] The graphic comes from the Wikimedia commons. For more information, see the Wikipedia entry for the specified distribution in Volume 1, Chapter 5.

The data columns of all the tables first include the country, then the type of distribution, the two parameters that define the distribution (as noted in the Chapter 5 of Volume 1), the standard error on the CDF estimate (the second order uncertainty), the beginning year of the data used to calculate the distribution, the last year of data used to calculate the distribution, the mid-year centroid, the month associated with the uncertainty distribution, and the short, CMIP5 variable name (noted in Table 3 of Volume 1).

As noted in the main text (Volume 1), the most legitimate use of the data is the comparison of a future sampled value to the historical mean or sampled value. The ratio of the forecasted and historical values minus 1 denotes the percentage change from historical values. This value most likely corresponds to the information needed to perform the impact analysis. Alternatively, but somewhat less meaningful, the difference between the numeric value of the forecast and historic values may be required for the impact analysis, for example, those associated with food production or water flow. For an example risk assessment see Backus et al. 2010.[4]

The Uncertainty Data begin on the next page.

[4] Backus, George A., Thomas S. Lowry, and Drake E. Warren. "The near-term risk of climate uncertainty among the US states." Climatic Change 116.3-4 (2013): 495-522. http://link.springer.com/article/10.1007/s10584-012-0511-8. See full report for the study at: http://prod.sandia.gov/techlib/access-control.cgi/2010/102052.pdf

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Afghanistan	Normal	2.779E+02	3.001E+00	8.093E-01	2006	2015	2010	1	tasmax
Afghanistan	Normal	2.805E+02	3.223E+00	9.449E-01	2006	2015	2010	2	tasmax
Afghanistan	Normal	2.862E+02	3.197E+00	8.125E-01	2006	2015	2010	3	tasmax
Afghanistan	Normal	2.925E+02	2.950E+00	5.518E-01	2006	2015	2010	4	tasmax
Afghanistan	Normal	2.986E+02	2.900E+00	3.632E-01	2006	2015	2010	5	tasmax
Afghanistan	Normal	3.041E+02	2.688E+00	4.214E-01	2006	2015	2010	6	tasmax
Afghanistan	Normal	3.068E+02	2.505E+00	4.286E-01	2006	2015	2010	7	tasmax
Afghanistan	Normal	3.060E+02	2.613E+00	4.030E-01	2006	2015	2010	8	tasmax
Afghanistan	Normal	3.012E+02	2.819E+00	5.794E-01	2006	2015	2010	9	tasmax
Afghanistan	Normal	2.937E+02	2.784E+00	6.601E-01	2006	2015	2010	10	tasmax
Afghanistan	Normal	2.856E+02	3.097E+00	7.183E-01	2006	2015	2010	11	tasmax
Afghanistan	Normal	2.794E+02	2.911E+00	7.527E-01	2006	2015	2010	12	tasmax
Afghanistan	Normal	2.781E+02	3.025E+00	5.863E-01	2016	2025	2020	1	tasmax
Afghanistan	Normal	2.809E+02	3.173E+00	6.616E-01	2016	2025	2020	2	tasmax
Afghanistan	Normal	2.865E+02	3.528E+00	7.634E-01	2016	2025	2020	3	tasmax
Afghanistan	Normal	2.928E+02	3.107E+00	5.351E-01	2016	2025	2020	4	tasmax
Afghanistan	Normal	2.988E+02	2.913E+00	4.499E-01	2016	2025	2020	5	tasmax
Afghanistan	Normal	3.046E+02	2.850E+00	5.194E-01	2016	2025	2020	6	tasmax
Afghanistan	Normal	3.074E+02	2.562E+00	3.304E-01	2016	2025	2020	7	tasmax
Afghanistan	Normal	3.063E+02	2.622E+00	4.271E-01	2016	2025	2020	8	tasmax
Afghanistan	Normal	3.018E+02	2.785E+00	6.545E-01	2016	2025	2020	9	tasmax
Afghanistan	Normal	2.942E+02	2.781E+00	4.781E-01	2016	2025	2020	10	tasmax
Afghanistan	Normal	2.855E+02	2.961E+00	6.725E-01	2016	2025	2020	11	tasmax
Afghanistan	Normal	2.796E+02	3.055E+00	8.608E-01	2016	2025	2020	12	tasmax
Afghanistan	Normal	2.790E+02	3.078E+00	6.205E-01	2026	2035	2030	1	tasmax
Afghanistan	Normal	2.817E+02	3.426E+00	9.535E-01	2026	2035	2030	2	tasmax
Afghanistan	Normal	2.870E+02	3.381E+00	7.247E-01	2026	2035	2030	3	tasmax
Afghanistan	Normal	2.931E+02	3.386E+00	8.923E-01	2026	2035	2030	4	tasmax
Afghanistan	Normal	2.994E+02	2.682E+00	4.820E-01	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Afghanistan	Normal	3.050E+02	2.785E+00	6.600E-01	2026	2035	2030	6	tasmax
Afghanistan	Normal	3.078E+02	2.690E+00	4.772E-01	2026	2035	2030	7	tasmax
Afghanistan	Normal	3.069E+02	2.648E+00	4.872E-01	2026	2035	2030	8	tasmax
Afghanistan	Normal	3.022E+02	2.811E+00	5.070E-01	2026	2035	2030	9	tasmax
Afghanistan	Normal	2.947E+02	2.926E+00	5.472E-01	2026	2035	2030	10	tasmax
Afghanistan	Normal	2.863E+02	3.004E+00	6.128E-01	2026	2035	2030	11	tasmax
Afghanistan	Normal	2.803E+02	3.084E+00	6.201E-01	2026	2035	2030	12	tasmax
Afghanistan	Normal	2.793E+02	3.203E+00	7.198E-01	2036	2045	2040	1	tasmax
Afghanistan	Normal	2.820E+02	3.273E+00	7.979E-01	2036	2045	2040	2	tasmax
Afghanistan	Normal	2.878E+02	3.675E+00	6.495E-01	2036	2045	2040	3	tasmax
Afghanistan	Normal	2.936E+02	3.667E+00	7.868E-01	2036	2045	2040	4	tasmax
Afghanistan	Normal	3.000E+02	3.265E+00	7.049E-01	2036	2045	2040	5	tasmax
Afghanistan	Normal	3.056E+02	2.857E+00	6.177E-01	2036	2045	2040	6	tasmax
Afghanistan	Normal	3.085E+02	2.633E+00	4.184E-01	2036	2045	2040	7	tasmax
Afghanistan	Normal	3.076E+02	2.558E+00	4.622E-01	2036	2045	2040	8	tasmax
Afghanistan	Normal	3.027E+02	2.780E+00	5.202E-01	2036	2045	2040	9	tasmax
Afghanistan	Normal	2.952E+02	2.673E+00	5.331E-01	2036	2045	2040	10	tasmax
Afghanistan	Normal	2.866E+02	3.251E+00	6.460E-01	2036	2045	2040	11	tasmax
Afghanistan	Normal	2.807E+02	3.101E+00	6.928E-01	2036	2045	2040	12	tasmax
Afghanistan	Normal	2.800E+02	3.331E+00	7.831E-01	2046	2055	2050	1	tasmax
Afghanistan	Normal	2.827E+02	3.409E+00	9.291E-01	2046	2055	2050	2	tasmax
Afghanistan	Normal	2.882E+02	3.578E+00	1.061E+00	2046	2055	2050	3	tasmax
Afghanistan	Normal	2.945E+02	3.475E+00	7.354E-01	2046	2055	2050	4	tasmax
Afghanistan	Normal	3.007E+02	3.132E+00	5.812E-01	2046	2055	2050	5	tasmax
Afghanistan	Normal	3.065E+02	2.958E+00	6.468E-01	2046	2055	2050	6	tasmax
Afghanistan	Normal	3.092E+02	2.755E+00	5.691E-01	2046	2055	2050	7	tasmax
Afghanistan	Normal	3.084E+02	2.710E+00	4.877E-01	2046	2055	2050	8	tasmax
Afghanistan	Normal	3.038E+02	3.087E+00	6.512E-01	2046	2055	2050	9	tasmax
Afghanistan	Normal	2.961E+02	2.780E+00	6.243E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Afghanistan	Normal	2.876E+02	3.034E+00	6.131E-01	2046	2055	2050	11	tasmax
Afghanistan	Normal	2.813E+02	3.179E+00	9.054E-01	2046	2055	2050	12	tasmax
Afghanistan	Normal	2.808E+02	3.479E+00	8.144E-01	2056	2065	2060	1	tasmax
Afghanistan	Normal	2.837E+02	3.594E+00	8.238E-01	2056	2065	2060	2	tasmax
Afghanistan	Normal	2.890E+02	3.682E+00	8.797E-01	2056	2065	2060	3	tasmax
Afghanistan	Normal	2.951E+02	3.553E+00	8.366E-01	2056	2065	2060	4	tasmax
Afghanistan	Normal	3.015E+02	3.156E+00	7.126E-01	2056	2065	2060	5	tasmax
Afghanistan	Normal	3.072E+02	3.095E+00	6.876E-01	2056	2065	2060	6	tasmax
Afghanistan	Normal	3.100E+02	2.684E+00	5.417E-01	2056	2065	2060	7	tasmax
Afghanistan	Normal	3.090E+02	2.655E+00	4.641E-01	2056	2065	2060	8	tasmax
Afghanistan	Normal	3.044E+02	2.907E+00	4.940E-01	2056	2065	2060	9	tasmax
Afghanistan	Normal	2.969E+02	2.956E+00	6.585E-01	2056	2065	2060	10	tasmax
Afghanistan	Normal	2.884E+02	3.393E+00	6.628E-01	2056	2065	2060	11	tasmax
Afghanistan	Normal	2.824E+02	3.264E+00	7.338E-01	2056	2065	2060	12	tasmax
Afghanistan	Normal	2.813E+02	3.256E+00	6.756E-01	2066	2075	2070	1	tasmax
Afghanistan	Normal	2.845E+02	3.659E+00	8.495E-01	2066	2075	2070	2	tasmax
Afghanistan	Normal	2.899E+02	3.724E+00	1.068E+00	2066	2075	2070	3	tasmax
Afghanistan	Normal	2.957E+02	3.558E+00	1.064E+00	2066	2075	2070	4	tasmax
Afghanistan	Normal	3.024E+02	3.213E+00	7.574E-01	2066	2075	2070	5	tasmax
Afghanistan	Normal	3.083E+02	2.820E+00	5.053E-01	2066	2075	2070	6	tasmax
Afghanistan	Normal	3.109E+02	2.746E+00	4.363E-01	2066	2075	2070	7	tasmax
Afghanistan	Normal	3.098E+02	2.719E+00	4.685E-01	2066	2075	2070	8	tasmax
Afghanistan	Normal	3.052E+02	3.115E+00	5.174E-01	2066	2075	2070	9	tasmax
Afghanistan	Normal	2.978E+02	2.787E+00	5.696E-01	2066	2075	2070	10	tasmax
Afghanistan	Normal	2.890E+02	3.227E+00	6.342E-01	2066	2075	2070	11	tasmax
Afghanistan	Normal	2.829E+02	3.151E+00	7.120E-01	2066	2075	2070	12	tasmax
Afghanistan	Normal	2.822E+02	3.487E+00	7.310E-01	2076	2085	2080	1	tasmax
Afghanistan	Normal	2.850E+02	3.803E+00	1.082E+00	2076	2085	2080	2	tasmax
Afghanistan	Normal	2.907E+02	3.805E+00	8.178E-01	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Afghanistan	Normal	2.967E+02	3.593E+00	9.739E-01	2076	2085	2080	4	tasmax
Afghanistan	Normal	3.034E+02	3.308E+00	6.964E-01	2076	2085	2080	5	tasmax
Afghanistan	Normal	3.088E+02	2.922E+00	6.876E-01	2076	2085	2080	6	tasmax
Afghanistan	Normal	3.117E+02	2.600E+00	5.300E-01	2076	2085	2080	7	tasmax
Afghanistan	Normal	3.106E+02	2.667E+00	4.653E-01	2076	2085	2080	8	tasmax
Afghanistan	Normal	3.061E+02	3.116E+00	4.641E-01	2076	2085	2080	9	tasmax
Afghanistan	Normal	2.986E+02	2.959E+00	6.254E-01	2076	2085	2080	10	tasmax
Afghanistan	Normal	2.899E+02	3.251E+00	5.271E-01	2076	2085	2080	11	tasmax
Afghanistan	Normal	2.840E+02	3.646E+00	7.430E-01	2076	2085	2080	12	tasmax
Afghanistan	Normal	2.832E+02	3.468E+00	6.693E-01	2086	2099	2092	1	tasmax
Afghanistan	Normal	2.857E+02	3.418E+00	8.401E-01	2086	2099	2092	2	tasmax
Afghanistan	Normal	2.915E+02	3.708E+00	1.103E+00	2086	2099	2092	3	tasmax
Afghanistan	Normal	2.974E+02	3.623E+00	1.149E+00	2086	2099	2092	4	tasmax
Afghanistan	Normal	3.039E+02	3.617E+00	6.462E-01	2086	2099	2092	5	tasmax
Afghanistan	Normal	3.094E+02	3.088E+00	6.723E-01	2086	2099	2092	6	tasmax
Afghanistan	Normal	3.124E+02	3.015E+00	6.511E-01	2086	2099	2092	7	tasmax
Afghanistan	Normal	3.114E+02	2.926E+00	5.497E-01	2086	2099	2092	8	tasmax
Afghanistan	Normal	3.068E+02	3.254E+00	5.344E-01	2086	2099	2092	9	tasmax
Afghanistan	Normal	2.993E+02	2.848E+00	6.119E-01	2086	2099	2092	10	tasmax
Afghanistan	Normal	2.907E+02	3.270E+00	5.244E-01	2086	2099	2092	11	tasmax
Afghanistan	Normal	2.848E+02	3.551E+00	8.138E-01	2086	2099	2092	12	tasmax
Albania	Normal	2.815E+02	1.774E+00	2.391E-01	2006	2015	2010	1	tasmax
Albania	Normal	2.829E+02	1.756E+00	4.369E-01	2006	2015	2010	2	tasmax
Albania	Normal	2.853E+02	1.873E+00	5.000E-01	2006	2015	2010	3	tasmax
Albania	Normal	2.893E+02	1.723E+00	3.709E-01	2006	2015	2010	4	tasmax
Albania	Normal	2.940E+02	2.178E+00	5.358E-01	2006	2015	2010	5	tasmax
Albania	Normal	2.991E+02	2.555E+00	4.539E-01	2006	2015	2010	6	tasmax
Albania	Normal	3.027E+02	2.929E+00	5.639E-01	2006	2015	2010	7	tasmax
Albania	Normal	3.027E+02	2.716E+00	8.088E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Albania	Normal	2.979E+02	1.999E+00	4.539E-01	2006	2015	2010	9	tasmax
Albania	Normal	2.914E+02	2.015E+00	3.874E-01	2006	2015	2010	10	tasmax
Albania	Normal	2.861E+02	1.607E+00	3.287E-01	2006	2015	2010	11	tasmax
Albania	Normal	2.828E+02	1.476E+00	2.700E-01	2006	2015	2010	12	tasmax
Albania	Normal	2.820E+02	1.662E+00	4.038E-01	2016	2025	2020	1	tasmax
Albania	Normal	2.832E+02	1.840E+00	3.755E-01	2016	2025	2020	2	tasmax
Albania	Normal	2.859E+02	2.190E+00	5.302E-01	2016	2025	2020	3	tasmax
Albania	Normal	2.895E+02	1.947E+00	3.047E-01	2016	2025	2020	4	tasmax
Albania	Normal	2.943E+02	2.067E+00	4.880E-01	2016	2025	2020	5	tasmax
Albania	Normal	2.995E+02	2.485E+00	3.596E-01	2016	2025	2020	6	tasmax
Albania	Normal	3.033E+02	3.015E+00	5.688E-01	2016	2025	2020	7	tasmax
Albania	Normal	3.034E+02	3.131E+00	8.590E-01	2016	2025	2020	8	tasmax
Albania	Normal	2.984E+02	2.446E+00	6.958E-01	2016	2025	2020	9	tasmax
Albania	Normal	2.920E+02	2.040E+00	4.054E-01	2016	2025	2020	10	tasmax
Albania	Normal	2.865E+02	1.595E+00	3.988E-01	2016	2025	2020	11	tasmax
Albania	Normal	2.832E+02	1.529E+00	2.537E-01	2016	2025	2020	12	tasmax
Albania	Normal	2.823E+02	1.633E+00	2.847E-01	2026	2035	2030	1	tasmax
Albania	Normal	2.835E+02	1.508E+00	3.051E-01	2026	2035	2030	2	tasmax
Albania	Normal	2.864E+02	1.705E+00	3.900E-01	2026	2035	2030	3	tasmax
Albania	Normal	2.901E+02	1.894E+00	6.025E-01	2026	2035	2030	4	tasmax
Albania	Normal	2.948E+02	2.360E+00	5.468E-01	2026	2035	2030	5	tasmax
Albania	Normal	3.002E+02	2.703E+00	4.565E-01	2026	2035	2030	6	tasmax
Albania	Normal	3.042E+02	3.335E+00	7.107E-01	2026	2035	2030	7	tasmax
Albania	Normal	3.042E+02	3.087E+00	1.146E+00	2026	2035	2030	8	tasmax
Albania	Normal	2.988E+02	2.516E+00	8.624E-01	2026	2035	2030	9	tasmax
Albania	Normal	2.926E+02	2.181E+00	5.159E-01	2026	2035	2030	10	tasmax
Albania	Normal	2.869E+02	1.774E+00	5.330E-01	2026	2035	2030	11	tasmax
Albania	Normal	2.838E+02	1.475E+00	2.238E-01	2026	2035	2030	12	tasmax
Albania	Normal	2.829E+02	1.570E+00	4.052E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Albania	Normal	2.840E+02	1.605E+00	3.477E-01	2036	2045	2040	2	tasmax
Albania	Normal	2.867E+02	1.970E+00	3.732E-01	2036	2045	2040	3	tasmax
Albania	Normal	2.906E+02	2.046E+00	3.481E-01	2036	2045	2040	4	tasmax
Albania	Normal	2.954E+02	2.343E+00	4.287E-01	2036	2045	2040	5	tasmax
Albania	Normal	3.010E+02	3.135E+00	4.834E-01	2036	2045	2040	6	tasmax
Albania	Normal	3.050E+02	3.350E+00	6.529E-01	2036	2045	2040	7	tasmax
Albania	Normal	3.050E+02	3.521E+00	1.056E+00	2036	2045	2040	8	tasmax
Albania	Normal	2.997E+02	2.518E+00	6.765E-01	2036	2045	2040	9	tasmax
Albania	Normal	2.931E+02	2.173E+00	2.636E-01	2036	2045	2040	10	tasmax
Albania	Normal	2.875E+02	1.494E+00	3.858E-01	2036	2045	2040	11	tasmax
Albania	Normal	2.842E+02	1.541E+00	2.548E-01	2036	2045	2040	12	tasmax
Albania	Normal	2.834E+02	1.590E+00	4.516E-01	2046	2055	2050	1	tasmax
Albania	Normal	2.844E+02	1.573E+00	3.703E-01	2046	2055	2050	2	tasmax
Albania	Normal	2.869E+02	1.630E+00	4.352E-01	2046	2055	2050	3	tasmax
Albania	Normal	2.910E+02	2.161E+00	4.417E-01	2046	2055	2050	4	tasmax
Albania	Normal	2.957E+02	2.498E+00	4.912E-01	2046	2055	2050	5	tasmax
Albania	Normal	3.014E+02	3.071E+00	5.703E-01	2046	2055	2050	6	tasmax
Albania	Normal	3.057E+02	3.852E+00	8.569E-01	2046	2055	2050	7	tasmax
Albania	Normal	3.057E+02	3.429E+00	1.152E+00	2046	2055	2050	8	tasmax
Albania	Normal	3.004E+02	2.619E+00	6.344E-01	2046	2055	2050	9	tasmax
Albania	Normal	2.937E+02	2.240E+00	3.236E-01	2046	2055	2050	10	tasmax
Albania	Normal	2.879E+02	1.766E+00	2.995E-01	2046	2055	2050	11	tasmax
Albania	Normal	2.843E+02	1.555E+00	2.558E-01	2046	2055	2050	12	tasmax
Albania	Normal	2.841E+02	1.418E+00	2.680E-01	2056	2065	2060	1	tasmax
Albania	Normal	2.849E+02	1.713E+00	4.030E-01	2056	2065	2060	2	tasmax
Albania	Normal	2.876E+02	1.900E+00	5.385E-01	2056	2065	2060	3	tasmax
Albania	Normal	2.915E+02	2.446E+00	4.497E-01	2056	2065	2060	4	tasmax
Albania	Normal	2.965E+02	3.044E+00	6.643E-01	2056	2065	2060	5	tasmax
Albania	Normal	3.020E+02	3.167E+00	6.090E-01	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Albania	Normal	3.065E+02	3.904E+00	1.031E+00	2056	2065	2060	7	tasmax
Albania	Normal	3.067E+02	3.815E+00	1.226E+00	2056	2065	2060	8	tasmax
Albania	Normal	3.011E+02	2.874E+00	8.685E-01	2056	2065	2060	9	tasmax
Albania	Normal	2.941E+02	2.365E+00	5.834E-01	2056	2065	2060	10	tasmax
Albania	Normal	2.886E+02	1.735E+00	4.611E-01	2056	2065	2060	11	tasmax
Albania	Normal	2.853E+02	1.618E+00	3.186E-01	2056	2065	2060	12	tasmax
Albania	Normal	2.842E+02	1.564E+00	2.768E-01	2066	2075	2070	1	tasmax
Albania	Normal	2.854E+02	1.575E+00	3.417E-01	2066	2075	2070	2	tasmax
Albania	Normal	2.881E+02	1.975E+00	6.041E-01	2066	2075	2070	3	tasmax
Albania	Normal	2.923E+02	2.170E+00	4.800E-01	2066	2075	2070	4	tasmax
Albania	Normal	2.975E+02	2.979E+00	6.466E-01	2066	2075	2070	5	tasmax
Albania	Normal	3.031E+02	3.634E+00	7.111E-01	2066	2075	2070	6	tasmax
Albania	Normal	3.075E+02	4.035E+00	1.081E+00	2066	2075	2070	7	tasmax
Albania	Normal	3.075E+02	3.844E+00	1.366E+00	2066	2075	2070	8	tasmax
Albania	Normal	3.021E+02	3.115E+00	8.920E-01	2066	2075	2070	9	tasmax
Albania	Normal	2.951E+02	2.584E+00	6.057E-01	2066	2075	2070	10	tasmax
Albania	Normal	2.892E+02	2.044E+00	5.093E-01	2066	2075	2070	11	tasmax
Albania	Normal	2.857E+02	1.601E+00	2.827E-01	2066	2075	2070	12	tasmax
Albania	Normal	2.850E+02	1.677E+00	2.873E-01	2076	2085	2080	1	tasmax
Albania	Normal	2.861E+02	1.951E+00	6.359E-01	2076	2085	2080	2	tasmax
Albania	Normal	2.887E+02	2.164E+00	5.821E-01	2076	2085	2080	3	tasmax
Albania	Normal	2.927E+02	2.623E+00	8.044E-01	2076	2085	2080	4	tasmax
Albania	Normal	2.980E+02	2.998E+00	4.988E-01	2076	2085	2080	5	tasmax
Albania	Normal	3.043E+02	3.721E+00	6.815E-01	2076	2085	2080	6	tasmax
Albania	Normal	3.085E+02	4.147E+00	1.204E+00	2076	2085	2080	7	tasmax
Albania	Normal	3.086E+02	4.138E+00	1.318E+00	2076	2085	2080	8	tasmax
Albania	Normal	3.030E+02	3.222E+00	6.777E-01	2076	2085	2080	9	tasmax
Albania	Normal	2.955E+02	2.626E+00	4.590E-01	2076	2085	2080	10	tasmax
Albania	Normal	2.895E+02	2.010E+00	4.360E-01	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Albania	Normal	2.861E+02	1.672E+00	2.525E-01	2076	2085	2080	12	tasmax
Albania	Normal	2.852E+02	1.570E+00	2.370E-01	2086	2099	2092	1	tasmax
Albania	Normal	2.865E+02	1.660E+00	4.258E-01	2086	2099	2092	2	tasmax
Albania	Normal	2.893E+02	2.168E+00	5.362E-01	2086	2099	2092	3	tasmax
Albania	Normal	2.932E+02	2.679E+00	4.774E-01	2086	2099	2092	4	tasmax
Albania	Normal	2.990E+02	3.432E+00	5.408E-01	2086	2099	2092	5	tasmax
Albania	Normal	3.046E+02	3.973E+00	7.549E-01	2086	2099	2092	6	tasmax
Albania	Normal	3.093E+02	4.405E+00	1.181E+00	2086	2099	2092	7	tasmax
Albania	Normal	3.092E+02	4.121E+00	1.455E+00	2086	2099	2092	8	tasmax
Albania	Normal	3.037E+02	3.287E+00	9.442E-01	2086	2099	2092	9	tasmax
Albania	Normal	2.964E+02	3.053E+00	5.882E-01	2086	2099	2092	10	tasmax
Albania	Normal	2.904E+02	1.945E+00	3.446E-01	2086	2099	2092	11	tasmax
Albania	Normal	2.865E+02	1.763E+00	2.887E-01	2086	2099	2092	12	tasmax
Algeria	Normal	2.914E+02	2.358E+00	5.248E-01	2006	2015	2010	1	tasmax
Algeria	Normal	2.946E+02	2.433E+00	7.702E-01	2006	2015	2010	2	tasmax
Algeria	Normal	2.987E+02	2.587E+00	8.634E-01	2006	2015	2010	3	tasmax
Algeria	Normal	3.030E+02	2.864E+00	9.464E-01	2006	2015	2010	4	tasmax
Algeria	Normal	3.071E+02	2.699E+00	9.439E-01	2006	2015	2010	5	tasmax
Algeria	Normal	3.110E+02	2.531E+00	5.923E-01	2006	2015	2010	6	tasmax
Algeria	Normal	3.136E+02	2.567E+00	4.475E-01	2006	2015	2010	7	tasmax
Algeria	Normal	3.126E+02	2.364E+00	4.618E-01	2006	2015	2010	8	tasmax
Algeria	Normal	3.085E+02	2.130E+00	4.396E-01	2006	2015	2010	9	tasmax
Algeria	Normal	3.028E+02	2.460E+00	7.916E-01	2006	2015	2010	10	tasmax
Algeria	Normal	2.965E+02	2.186E+00	5.931E-01	2006	2015	2010	11	tasmax
Algeria	Normal	2.920E+02	2.019E+00	5.014E-01	2006	2015	2010	12	tasmax
Algeria	Normal	2.918E+02	2.279E+00	4.733E-01	2016	2025	2020	1	tasmax
Algeria	Normal	2.947E+02	2.608E+00	7.522E-01	2016	2025	2020	2	tasmax
Algeria	Normal	2.989E+02	2.955E+00	9.050E-01	2016	2025	2020	3	tasmax
Algeria	Normal	3.033E+02	2.869E+00	1.004E+00	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Algeria	Normal	3.074E+02	2.614E+00	8.615E-01	2016	2025	2020	5	tasmax
Algeria	Normal	3.115E+02	2.506E+00	6.484E-01	2016	2025	2020	6	tasmax
Algeria	Normal	3.140E+02	2.528E+00	4.781E-01	2016	2025	2020	7	tasmax
Algeria	Normal	3.130E+02	2.520E+00	5.110E-01	2016	2025	2020	8	tasmax
Algeria	Normal	3.090E+02	2.423E+00	5.935E-01	2016	2025	2020	9	tasmax
Algeria	Normal	3.033E+02	2.457E+00	7.145E-01	2016	2025	2020	10	tasmax
Algeria	Normal	2.969E+02	2.256E+00	7.301E-01	2016	2025	2020	11	tasmax
Algeria	Normal	2.923E+02	2.076E+00	5.358E-01	2016	2025	2020	12	tasmax
Algeria	Normal	2.922E+02	2.240E+00	3.927E-01	2026	2035	2030	1	tasmax
Algeria	Normal	2.954E+02	2.741E+00	8.825E-01	2026	2035	2030	2	tasmax
Algeria	Normal	2.996E+02	2.801E+00	1.109E+00	2026	2035	2030	3	tasmax
Algeria	Normal	3.039E+02	2.734E+00	9.307E-01	2026	2035	2030	4	tasmax
Algeria	Normal	3.081E+02	2.605E+00	8.141E-01	2026	2035	2030	5	tasmax
Algeria	Normal	3.122E+02	2.539E+00	5.212E-01	2026	2035	2030	6	tasmax
Algeria	Normal	3.147E+02	2.435E+00	4.584E-01	2026	2035	2030	7	tasmax
Algeria	Normal	3.136E+02	2.509E+00	5.116E-01	2026	2035	2030	8	tasmax
Algeria	Normal	3.095E+02	2.572E+00	6.050E-01	2026	2035	2030	9	tasmax
Algeria	Normal	3.039E+02	2.590E+00	5.720E-01	2026	2035	2030	10	tasmax
Algeria	Normal	2.974E+02	2.314E+00	5.035E-01	2026	2035	2030	11	tasmax
Algeria	Normal	2.929E+02	1.960E+00	3.756E-01	2026	2035	2030	12	tasmax
Algeria	Normal	2.927E+02	2.343E+00	5.608E-01	2036	2045	2040	1	tasmax
Algeria	Normal	2.956E+02	2.500E+00	6.536E-01	2036	2045	2040	2	tasmax
Algeria	Normal	3.000E+02	2.892E+00	1.035E+00	2036	2045	2040	3	tasmax
Algeria	Normal	3.043E+02	2.790E+00	9.173E-01	2036	2045	2040	4	tasmax
Algeria	Normal	3.086E+02	2.614E+00	8.965E-01	2036	2045	2040	5	tasmax
Algeria	Normal	3.128E+02	2.572E+00	5.713E-01	2036	2045	2040	6	tasmax
Algeria	Normal	3.153E+02	2.557E+00	5.772E-01	2036	2045	2040	7	tasmax
Algeria	Normal	3.143E+02	2.392E+00	5.055E-01	2036	2045	2040	8	tasmax
Algeria	Normal	3.101E+02	2.447E+00	6.125E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Algeria	Normal	3.044E+02	2.631E+00	6.791E-01	2036	2045	2040	10	tasmax
Algeria	Normal	2.978E+02	2.438E+00	5.844E-01	2036	2045	2040	11	tasmax
Algeria	Normal	2.933E+02	2.015E+00	3.708E-01	2036	2045	2040	12	tasmax
Algeria	Normal	2.933E+02	2.376E+00	6.684E-01	2046	2055	2050	1	tasmax
Algeria	Normal	2.961E+02	2.555E+00	8.198E-01	2046	2055	2050	2	tasmax
Algeria	Normal	3.006E+02	2.917E+00	8.860E-01	2046	2055	2050	3	tasmax
Algeria	Normal	3.051E+02	2.866E+00	1.236E+00	2046	2055	2050	4	tasmax
Algeria	Normal	3.093E+02	2.634E+00	9.565E-01	2046	2055	2050	5	tasmax
Algeria	Normal	3.134E+02	2.598E+00	6.457E-01	2046	2055	2050	6	tasmax
Algeria	Normal	3.160E+02	2.591E+00	4.735E-01	2046	2055	2050	7	tasmax
Algeria	Normal	3.151E+02	2.393E+00	4.469E-01	2046	2055	2050	8	tasmax
Algeria	Normal	3.110E+02	2.570E+00	6.071E-01	2046	2055	2050	9	tasmax
Algeria	Normal	3.052E+02	2.649E+00	7.045E-01	2046	2055	2050	10	tasmax
Algeria	Normal	2.985E+02	2.454E+00	4.378E-01	2046	2055	2050	11	tasmax
Algeria	Normal	2.937E+02	2.029E+00	5.278E-01	2046	2055	2050	12	tasmax
Algeria	Normal	2.938E+02	2.282E+00	5.190E-01	2056	2065	2060	1	tasmax
Algeria	Normal	2.969E+02	2.690E+00	7.747E-01	2056	2065	2060	2	tasmax
Algeria	Normal	3.013E+02	2.797E+00	8.034E-01	2056	2065	2060	3	tasmax
Algeria	Normal	3.056E+02	3.020E+00	1.183E+00	2056	2065	2060	4	tasmax
Algeria	Normal	3.099E+02	2.779E+00	1.067E+00	2056	2065	2060	5	tasmax
Algeria	Normal	3.142E+02	2.645E+00	7.713E-01	2056	2065	2060	6	tasmax
Algeria	Normal	3.167E+02	2.630E+00	5.197E-01	2056	2065	2060	7	tasmax
Algeria	Normal	3.158E+02	2.450E+00	5.366E-01	2056	2065	2060	8	tasmax
Algeria	Normal	3.116E+02	2.631E+00	6.392E-01	2056	2065	2060	9	tasmax
Algeria	Normal	3.057E+02	2.839E+00	7.109E-01	2056	2065	2060	10	tasmax
Algeria	Normal	2.992E+02	2.533E+00	6.401E-01	2056	2065	2060	11	tasmax
Algeria	Normal	2.944E+02	1.902E+00	3.468E-01	2056	2065	2060	12	tasmax
Algeria	Normal	2.942E+02	2.209E+00	5.933E-01	2066	2075	2070	1	tasmax
Algeria	Normal	2.973E+02	2.614E+00	8.073E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Algeria	Normal	3.019E+02	2.843E+00	1.066E+00	2066	2075	2070	3	tasmax
Algeria	Normal	3.065E+02	2.873E+00	1.087E+00	2066	2075	2070	4	tasmax
Algeria	Normal	3.108E+02	2.829E+00	9.657E-01	2066	2075	2070	5	tasmax
Algeria	Normal	3.148E+02	2.770E+00	6.427E-01	2066	2075	2070	6	tasmax
Algeria	Normal	3.177E+02	2.482E+00	5.285E-01	2066	2075	2070	7	tasmax
Algeria	Normal	3.166E+02	2.405E+00	5.463E-01	2066	2075	2070	8	tasmax
Algeria	Normal	3.125E+02	2.691E+00	7.410E-01	2066	2075	2070	9	tasmax
Algeria	Normal	3.065E+02	2.959E+00	7.810E-01	2066	2075	2070	10	tasmax
Algeria	Normal	2.998E+02	2.537E+00	5.662E-01	2066	2075	2070	11	tasmax
Algeria	Normal	2.949E+02	2.076E+00	4.716E-01	2066	2075	2070	12	tasmax
Algeria	Normal	2.947E+02	2.366E+00	5.555E-01	2076	2085	2080	1	tasmax
Algeria	Normal	2.979E+02	2.602E+00	8.524E-01	2076	2085	2080	2	tasmax
Algeria	Normal	3.026E+02	2.936E+00	8.942E-01	2076	2085	2080	3	tasmax
Algeria	Normal	3.071E+02	2.990E+00	1.168E+00	2076	2085	2080	4	tasmax
Algeria	Normal	3.115E+02	2.822E+00	7.878E-01	2076	2085	2080	5	tasmax
Algeria	Normal	3.158E+02	2.859E+00	5.554E-01	2076	2085	2080	6	tasmax
Algeria	Normal	3.183E+02	2.586E+00	4.790E-01	2076	2085	2080	7	tasmax
Algeria	Normal	3.173E+02	2.745E+00	6.249E-01	2076	2085	2080	8	tasmax
Algeria	Normal	3.131E+02	3.009E+00	8.305E-01	2076	2085	2080	9	tasmax
Algeria	Normal	3.071E+02	3.387E+00	8.771E-01	2076	2085	2080	10	tasmax
Algeria	Normal	3.003E+02	2.744E+00	7.818E-01	2076	2085	2080	11	tasmax
Algeria	Normal	2.955E+02	2.136E+00	5.195E-01	2076	2085	2080	12	tasmax
Algeria	Normal	2.953E+02	2.447E+00	5.520E-01	2086	2099	2092	1	tasmax
Algeria	Normal	2.988E+02	2.718E+00	9.411E-01	2086	2099	2092	2	tasmax
Algeria	Normal	3.033E+02	3.110E+00	1.113E+00	2086	2099	2092	3	tasmax
Algeria	Normal	3.078E+02	3.045E+00	1.205E+00	2086	2099	2092	4	tasmax
Algeria	Normal	3.121E+02	2.977E+00	1.070E+00	2086	2099	2092	5	tasmax
Algeria	Normal	3.165E+02	2.942E+00	6.263E-01	2086	2099	2092	6	tasmax
Algeria	Normal	3.192E+02	2.751E+00	4.844E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Algeria	Normal	3.181E+02	2.854E+00	5.384E-01	2086	2099	2092	8	tasmax
Algeria	Normal	3.136E+02	2.820E+00	7.166E-01	2086	2099	2092	9	tasmax
Algeria	Normal	3.078E+02	3.135E+00	7.749E-01	2086	2099	2092	10	tasmax
Algeria	Normal	3.011E+02	2.802E+00	5.279E-01	2086	2099	2092	11	tasmax
Algeria	Normal	2.960E+02	2.210E+00	3.955E-01	2086	2099	2092	12	tasmax
Angola	Normal	3.006E+02	1.989E+00	2.711E-01	2006	2015	2010	1	tasmax
Angola	Normal	3.008E+02	1.806E+00	3.300E-01	2006	2015	2010	2	tasmax
Angola	Normal	3.012E+02	1.573E+00	3.090E-01	2006	2015	2010	3	tasmax
Angola	Normal	3.013E+02	1.642E+00	2.395E-01	2006	2015	2010	4	tasmax
Angola	Normal	3.013E+02	1.595E+00	2.600E-01	2006	2015	2010	5	tasmax
Angola	Normal	3.010E+02	1.648E+00	3.344E-01	2006	2015	2010	6	tasmax
Angola	Normal	3.015E+02	1.637E+00	3.310E-01	2006	2015	2010	7	tasmax
Angola	Normal	3.035E+02	1.441E+00	5.124E-01	2006	2015	2010	8	tasmax
Angola	Normal	3.052E+02	1.471E+00	2.776E-01	2006	2015	2010	9	tasmax
Angola	Normal	3.047E+02	1.937E+00	4.985E-01	2006	2015	2010	10	tasmax
Angola	Normal	3.025E+02	2.057E+00	4.183E-01	2006	2015	2010	11	tasmax
Angola	Normal	3.011E+02	2.059E+00	3.075E-01	2006	2015	2010	12	tasmax
Angola	Normal	3.009E+02	2.029E+00	3.527E-01	2016	2025	2020	1	tasmax
Angola	Normal	3.011E+02	1.726E+00	2.916E-01	2016	2025	2020	2	tasmax
Angola	Normal	3.015E+02	1.581E+00	2.527E-01	2016	2025	2020	3	tasmax
Angola	Normal	3.017E+02	1.673E+00	2.259E-01	2016	2025	2020	4	tasmax
Angola	Normal	3.016E+02	1.662E+00	3.320E-01	2016	2025	2020	5	tasmax
Angola	Normal	3.013E+02	1.751E+00	3.383E-01	2016	2025	2020	6	tasmax
Angola	Normal	3.019E+02	1.616E+00	3.700E-01	2016	2025	2020	7	tasmax
Angola	Normal	3.040E+02	1.445E+00	4.587E-01	2016	2025	2020	8	tasmax
Angola	Normal	3.057E+02	1.604E+00	2.940E-01	2016	2025	2020	9	tasmax
Angola	Normal	3.051E+02	1.983E+00	4.530E-01	2016	2025	2020	10	tasmax
Angola	Normal	3.029E+02	2.224E+00	5.033E-01	2016	2025	2020	11	tasmax
Angola	Normal	3.014E+02	2.238E+00	4.465E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Angola	Normal	3.012E+02	1.997E+00	3.380E-01	2026	2035	2030	1	tasmax
Angola	Normal	3.015E+02	1.798E+00	3.028E-01	2026	2035	2030	2	tasmax
Angola	Normal	3.018E+02	1.711E+00	3.560E-01	2026	2035	2030	3	tasmax
Angola	Normal	3.021E+02	1.795E+00	3.588E-01	2026	2035	2030	4	tasmax
Angola	Normal	3.022E+02	1.732E+00	2.786E-01	2026	2035	2030	5	tasmax
Angola	Normal	3.019E+02	1.836E+00	3.832E-01	2026	2035	2030	6	tasmax
Angola	Normal	3.024E+02	1.612E+00	4.118E-01	2026	2035	2030	7	tasmax
Angola	Normal	3.044E+02	1.454E+00	3.702E-01	2026	2035	2030	8	tasmax
Angola	Normal	3.061E+02	1.611E+00	3.119E-01	2026	2035	2030	9	tasmax
Angola	Normal	3.056E+02	2.028E+00	4.825E-01	2026	2035	2030	10	tasmax
Angola	Normal	3.032E+02	2.135E+00	4.723E-01	2026	2035	2030	11	tasmax
Angola	Normal	3.017E+02	2.276E+00	3.481E-01	2026	2035	2030	12	tasmax
Angola	Normal	3.017E+02	1.976E+00	3.031E-01	2036	2045	2040	1	tasmax
Angola	Normal	3.020E+02	1.833E+00	2.845E-01	2036	2045	2040	2	tasmax
Angola	Normal	3.024E+02	1.691E+00	3.495E-01	2036	2045	2040	3	tasmax
Angola	Normal	3.026E+02	1.913E+00	2.146E-01	2036	2045	2040	4	tasmax
Angola	Normal	3.027E+02	1.716E+00	2.734E-01	2036	2045	2040	5	tasmax
Angola	Normal	3.023E+02	1.814E+00	3.806E-01	2036	2045	2040	6	tasmax
Angola	Normal	3.028E+02	1.634E+00	4.107E-01	2036	2045	2040	7	tasmax
Angola	Normal	3.050E+02	1.509E+00	5.371E-01	2036	2045	2040	8	tasmax
Angola	Normal	3.067E+02	1.662E+00	3.300E-01	2036	2045	2040	9	tasmax
Angola	Normal	3.062E+02	1.958E+00	4.376E-01	2036	2045	2040	10	tasmax
Angola	Normal	3.039E+02	2.194E+00	4.307E-01	2036	2045	2040	11	tasmax
Angola	Normal	3.022E+02	2.227E+00	4.432E-01	2036	2045	2040	12	tasmax
Angola	Normal	3.021E+02	2.082E+00	4.351E-01	2046	2055	2050	1	tasmax
Angola	Normal	3.024E+02	1.933E+00	2.978E-01	2046	2055	2050	2	tasmax
Angola	Normal	3.028E+02	1.863E+00	3.884E-01	2046	2055	2050	3	tasmax
Angola	Normal	3.030E+02	1.847E+00	2.870E-01	2046	2055	2050	4	tasmax
Angola	Normal	3.032E+02	1.832E+00	2.642E-01	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Angola	Normal	3.028E+02	1.888E+00	3.619E-01	2046	2055	2050	6	tasmax
Angola	Normal	3.033E+02	1.694E+00	4.120E-01	2046	2055	2050	7	tasmax
Angola	Normal	3.054E+02	1.596E+00	5.103E-01	2046	2055	2050	8	tasmax
Angola	Normal	3.073E+02	1.739E+00	3.131E-01	2046	2055	2050	9	tasmax
Angola	Normal	3.069E+02	2.036E+00	4.810E-01	2046	2055	2050	10	tasmax
Angola	Normal	3.044E+02	2.224E+00	5.022E-01	2046	2055	2050	11	tasmax
Angola	Normal	3.028E+02	2.337E+00	4.486E-01	2046	2055	2050	12	tasmax
Angola	Normal	3.027E+02	2.331E+00	5.068E-01	2056	2065	2060	1	tasmax
Angola	Normal	3.029E+02	2.070E+00	3.871E-01	2056	2065	2060	2	tasmax
Angola	Normal	3.034E+02	1.853E+00	3.078E-01	2056	2065	2060	3	tasmax
Angola	Normal	3.036E+02	1.939E+00	3.118E-01	2056	2065	2060	4	tasmax
Angola	Normal	3.038E+02	1.950E+00	3.905E-01	2056	2065	2060	5	tasmax
Angola	Normal	3.035E+02	1.917E+00	4.192E-01	2056	2065	2060	6	tasmax
Angola	Normal	3.039E+02	1.696E+00	4.416E-01	2056	2065	2060	7	tasmax
Angola	Normal	3.060E+02	1.670E+00	5.623E-01	2056	2065	2060	8	tasmax
Angola	Normal	3.079E+02	1.775E+00	3.344E-01	2056	2065	2060	9	tasmax
Angola	Normal	3.075E+02	2.022E+00	3.791E-01	2056	2065	2060	10	tasmax
Angola	Normal	3.051E+02	2.329E+00	5.135E-01	2056	2065	2060	11	tasmax
Angola	Normal	3.032E+02	2.378E+00	5.336E-01	2056	2065	2060	12	tasmax
Angola	Normal	3.033E+02	2.319E+00	5.162E-01	2066	2075	2070	1	tasmax
Angola	Normal	3.036E+02	2.137E+00	4.030E-01	2066	2075	2070	2	tasmax
Angola	Normal	3.041E+02	2.071E+00	4.321E-01	2066	2075	2070	3	tasmax
Angola	Normal	3.044E+02	1.973E+00	2.882E-01	2066	2075	2070	4	tasmax
Angola	Normal	3.046E+02	1.942E+00	3.439E-01	2066	2075	2070	5	tasmax
Angola	Normal	3.041E+02	1.963E+00	4.533E-01	2066	2075	2070	6	tasmax
Angola	Normal	3.045E+02	1.786E+00	4.483E-01	2066	2075	2070	7	tasmax
Angola	Normal	3.066E+02	1.596E+00	4.096E-01	2066	2075	2070	8	tasmax
Angola	Normal	3.086E+02	1.794E+00	3.485E-01	2066	2075	2070	9	tasmax
Angola	Normal	3.083E+02	2.112E+00	4.845E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Angola	Normal	3.058E+02	2.396E+00	6.549E-01	2066	2075	2070	11	tasmax
Angola	Normal	3.039E+02	2.497E+00	5.176E-01	2066	2075	2070	12	tasmax
Angola	Normal	3.039E+02	2.489E+00	4.436E-01	2076	2085	2080	1	tasmax
Angola	Normal	3.042E+02	2.323E+00	3.797E-01	2076	2085	2080	2	tasmax
Angola	Normal	3.046E+02	2.115E+00	3.944E-01	2076	2085	2080	3	tasmax
Angola	Normal	3.050E+02	2.226E+00	3.840E-01	2076	2085	2080	4	tasmax
Angola	Normal	3.052E+02	2.098E+00	3.862E-01	2076	2085	2080	5	tasmax
Angola	Normal	3.047E+02	2.051E+00	4.601E-01	2076	2085	2080	6	tasmax
Angola	Normal	3.052E+02	1.774E+00	4.841E-01	2076	2085	2080	7	tasmax
Angola	Normal	3.074E+02	1.643E+00	4.073E-01	2076	2085	2080	8	tasmax
Angola	Normal	3.093E+02	1.829E+00	3.669E-01	2076	2085	2080	9	tasmax
Angola	Normal	3.090E+02	2.198E+00	4.547E-01	2076	2085	2080	10	tasmax
Angola	Normal	3.066E+02	2.413E+00	5.417E-01	2076	2085	2080	11	tasmax
Angola	Normal	3.047E+02	2.674E+00	5.511E-01	2076	2085	2080	12	tasmax
Angola	Normal	3.045E+02	2.712E+00	5.976E-01	2086	2099	2092	1	tasmax
Angola	Normal	3.047E+02	2.399E+00	4.483E-01	2086	2099	2092	2	tasmax
Angola	Normal	3.052E+02	2.256E+00	4.778E-01	2086	2099	2092	3	tasmax
Angola	Normal	3.056E+02	2.383E+00	3.698E-01	2086	2099	2092	4	tasmax
Angola	Normal	3.058E+02	2.261E+00	4.611E-01	2086	2099	2092	5	tasmax
Angola	Normal	3.054E+02	2.031E+00	4.112E-01	2086	2099	2092	6	tasmax
Angola	Normal	3.058E+02	1.774E+00	3.843E-01	2086	2099	2092	7	tasmax
Angola	Normal	3.079E+02	1.700E+00	3.542E-01	2086	2099	2092	8	tasmax
Angola	Normal	3.099E+02	1.815E+00	3.691E-01	2086	2099	2092	9	tasmax
Angola	Normal	3.098E+02	2.148E+00	6.055E-01	2086	2099	2092	10	tasmax
Angola	Normal	3.075E+02	2.493E+00	5.825E-01	2086	2099	2092	11	tasmax
Angola	Normal	3.053E+02	2.849E+00	7.449E-01	2086	2099	2092	12	tasmax
Argentina	Normal	3.019E+02	1.952E+00	6.559E-01	2006	2015	2010	1	tasmax
Argentina	Normal	3.013E+02	1.957E+00	6.748E-01	2006	2015	2010	2	tasmax
Argentina	Normal	2.986E+02	2.194E+00	9.106E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Argentina	Normal	2.942E+02	2.268E+00	1.117E+00	2006	2015	2010	4	tasmax
Argentina	Normal	2.900E+02	1.942E+00	8.088E-01	2006	2015	2010	5	tasmax
Argentina	Normal	2.870E+02	1.837E+00	5.764E-01	2006	2015	2010	6	tasmax
Argentina	Normal	2.866E+02	2.176E+00	5.077E-01	2006	2015	2010	7	tasmax
Argentina	Normal	2.886E+02	2.249E+00	6.058E-01	2006	2015	2010	8	tasmax
Argentina	Normal	2.916E+02	1.996E+00	6.623E-01	2006	2015	2010	9	tasmax
Argentina	Normal	2.948E+02	2.314E+00	1.039E+00	2006	2015	2010	10	tasmax
Argentina	Normal	2.980E+02	2.370E+00	1.284E+00	2006	2015	2010	11	tasmax
Argentina	Normal	3.005E+02	2.124E+00	7.721E-01	2006	2015	2010	12	tasmax
Argentina	Normal	3.022E+02	1.932E+00	6.832E-01	2016	2025	2020	1	tasmax
Argentina	Normal	3.015E+02	1.928E+00	7.622E-01	2016	2025	2020	2	tasmax
Argentina	Normal	2.988E+02	2.187E+00	9.346E-01	2016	2025	2020	3	tasmax
Argentina	Normal	2.945E+02	2.136E+00	9.955E-01	2016	2025	2020	4	tasmax
Argentina	Normal	2.901E+02	1.985E+00	8.483E-01	2016	2025	2020	5	tasmax
Argentina	Normal	2.873E+02	1.883E+00	5.633E-01	2016	2025	2020	6	tasmax
Argentina	Normal	2.868E+02	2.078E+00	4.265E-01	2016	2025	2020	7	tasmax
Argentina	Normal	2.890E+02	2.054E+00	7.063E-01	2016	2025	2020	8	tasmax
Argentina	Normal	2.918E+02	2.131E+00	7.419E-01	2016	2025	2020	9	tasmax
Argentina	Normal	2.950E+02	2.455E+00	1.085E+00	2016	2025	2020	10	tasmax
Argentina	Normal	2.984E+02	2.406E+00	1.277E+00	2016	2025	2020	11	tasmax
Argentina	Normal	3.009E+02	2.190E+00	8.551E-01	2016	2025	2020	12	tasmax
Argentina	Normal	3.025E+02	1.976E+00	6.088E-01	2026	2035	2030	1	tasmax
Argentina	Normal	3.019E+02	1.980E+00	6.702E-01	2026	2035	2030	2	tasmax
Argentina	Normal	2.992E+02	2.098E+00	8.010E-01	2026	2035	2030	3	tasmax
Argentina	Normal	2.948E+02	2.195E+00	1.037E+00	2026	2035	2030	4	tasmax
Argentina	Normal	2.903E+02	2.088E+00	7.729E-01	2026	2035	2030	5	tasmax
Argentina	Normal	2.875E+02	1.987E+00	6.890E-01	2026	2035	2030	6	tasmax
Argentina	Normal	2.873E+02	2.036E+00	5.275E-01	2026	2035	2030	7	tasmax
Argentina	Normal	2.892E+02	2.181E+00	7.220E-01	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Argentina	Normal	2.923E+02	2.195E+00	7.404E-01	2026	2035	2030	9	tasmax
Argentina	Normal	2.955E+02	2.462E+00	1.099E+00	2026	2035	2030	10	tasmax
Argentina	Normal	2.987E+02	2.516E+00	1.267E+00	2026	2035	2030	11	tasmax
Argentina	Normal	3.012E+02	2.187E+00	8.683E-01	2026	2035	2030	12	tasmax
Argentina	Normal	3.030E+02	2.091E+00	8.152E-01	2036	2045	2040	1	tasmax
Argentina	Normal	3.024E+02	2.039E+00	8.288E-01	2036	2045	2040	2	tasmax
Argentina	Normal	2.996E+02	2.263E+00	1.141E+00	2036	2045	2040	3	tasmax
Argentina	Normal	2.950E+02	2.151E+00	1.175E+00	2036	2045	2040	4	tasmax
Argentina	Normal	2.906E+02	2.041E+00	1.043E+00	2036	2045	2040	5	tasmax
Argentina	Normal	2.877E+02	2.069E+00	6.532E-01	2036	2045	2040	6	tasmax
Argentina	Normal	2.874E+02	1.929E+00	4.020E-01	2036	2045	2040	7	tasmax
Argentina	Normal	2.896E+02	2.170E+00	5.338E-01	2036	2045	2040	8	tasmax
Argentina	Normal	2.926E+02	2.291E+00	8.857E-01	2036	2045	2040	9	tasmax
Argentina	Normal	2.957E+02	2.498E+00	1.025E+00	2036	2045	2040	10	tasmax
Argentina	Normal	2.992E+02	2.563E+00	1.302E+00	2036	2045	2040	11	tasmax
Argentina	Normal	3.017E+02	2.319E+00	1.014E+00	2036	2045	2040	12	tasmax
Argentina	Normal	3.034E+02	2.123E+00	8.923E-01	2046	2055	2050	1	tasmax
Argentina	Normal	3.028E+02	2.125E+00	8.142E-01	2046	2055	2050	2	tasmax
Argentina	Normal	3.001E+02	2.319E+00	1.074E+00	2046	2055	2050	3	tasmax
Argentina	Normal	2.956E+02	2.249E+00	1.151E+00	2046	2055	2050	4	tasmax
Argentina	Normal	2.911E+02	2.203E+00	1.168E+00	2046	2055	2050	5	tasmax
Argentina	Normal	2.882E+02	2.054E+00	5.645E-01	2046	2055	2050	6	tasmax
Argentina	Normal	2.878E+02	1.940E+00	5.768E-01	2046	2055	2050	7	tasmax
Argentina	Normal	2.900E+02	2.036E+00	5.720E-01	2046	2055	2050	8	tasmax
Argentina	Normal	2.928E+02	2.209E+00	7.320E-01	2046	2055	2050	9	tasmax
Argentina	Normal	2.963E+02	2.697E+00	1.096E+00	2046	2055	2050	10	tasmax
Argentina	Normal	2.995E+02	2.536E+00	1.371E+00	2046	2055	2050	11	tasmax
Argentina	Normal	3.021E+02	2.370E+00	9.780E-01	2046	2055	2050	12	tasmax
Argentina	Normal	3.040E+02	2.298E+00	1.058E+00	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Argentina	Normal	3.034E+02	2.248E+00	9.610E-01	2056	2065	2060	2	tasmax
Argentina	Normal	3.006E+02	2.377E+00	1.282E+00	2056	2065	2060	3	tasmax
Argentina	Normal	2.960E+02	2.436E+00	1.468E+00	2056	2065	2060	4	tasmax
Argentina	Normal	2.914E+02	2.194E+00	1.146E+00	2056	2065	2060	5	tasmax
Argentina	Normal	2.885E+02	2.061E+00	6.975E-01	2056	2065	2060	6	tasmax
Argentina	Normal	2.883E+02	2.166E+00	7.179E-01	2056	2065	2060	7	tasmax
Argentina	Normal	2.903E+02	2.392E+00	7.389E-01	2056	2065	2060	8	tasmax
Argentina	Normal	2.934E+02	2.452E+00	8.758E-01	2056	2065	2060	9	tasmax
Argentina	Normal	2.969E+02	2.583E+00	1.013E+00	2056	2065	2060	10	tasmax
Argentina	Normal	3.001E+02	2.693E+00	1.446E+00	2056	2065	2060	11	tasmax
Argentina	Normal	3.027E+02	2.402E+00	1.128E+00	2056	2065	2060	12	tasmax
Argentina	Normal	3.047E+02	2.337E+00	9.618E-01	2066	2075	2070	1	tasmax
Argentina	Normal	3.039E+02	2.364E+00	1.108E+00	2066	2075	2070	2	tasmax
Argentina	Normal	3.010E+02	2.444E+00	1.324E+00	2066	2075	2070	3	tasmax
Argentina	Normal	2.964E+02	2.490E+00	1.440E+00	2066	2075	2070	4	tasmax
Argentina	Normal	2.917E+02	2.292E+00	1.053E+00	2066	2075	2070	5	tasmax
Argentina	Normal	2.888E+02	2.080E+00	7.367E-01	2066	2075	2070	6	tasmax
Argentina	Normal	2.887E+02	2.270E+00	5.382E-01	2066	2075	2070	7	tasmax
Argentina	Normal	2.908E+02	2.166E+00	6.114E-01	2066	2075	2070	8	tasmax
Argentina	Normal	2.937E+02	2.510E+00	9.634E-01	2066	2075	2070	9	tasmax
Argentina	Normal	2.971E+02	2.712E+00	1.010E+00	2066	2075	2070	10	tasmax
Argentina	Normal	3.006E+02	2.715E+00	1.431E+00	2066	2075	2070	11	tasmax
Argentina	Normal	3.032E+02	2.515E+00	1.170E+00	2066	2075	2070	12	tasmax
Argentina	Normal	3.053E+02	2.453E+00	1.004E+00	2076	2085	2080	1	tasmax
Argentina	Normal	3.044E+02	2.474E+00	1.018E+00	2076	2085	2080	2	tasmax
Argentina	Normal	3.017E+02	2.741E+00	1.357E+00	2076	2085	2080	3	tasmax
Argentina	Normal	2.968E+02	2.592E+00	1.565E+00	2076	2085	2080	4	tasmax
Argentina	Normal	2.923E+02	2.274E+00	1.194E+00	2076	2085	2080	5	tasmax
Argentina	Normal	2.892E+02	2.192E+00	7.499E-01	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Argentina	Normal	2.891E+02	2.234E+00	6.065E-01	2076	2085	2080	7	tasmax
Argentina	Normal	2.910E+02	2.318E+00	6.748E-01	2076	2085	2080	8	tasmax
Argentina	Normal	2.942E+02	2.589E+00	8.888E-01	2076	2085	2080	9	tasmax
Argentina	Normal	2.977E+02	2.899E+00	1.108E+00	2076	2085	2080	10	tasmax
Argentina	Normal	3.011E+02	2.702E+00	1.315E+00	2076	2085	2080	11	tasmax
Argentina	Normal	3.039E+02	2.493E+00	1.097E+00	2076	2085	2080	12	tasmax
Argentina	Normal	3.057E+02	2.546E+00	1.014E+00	2086	2099	2092	1	tasmax
Argentina	Normal	3.051E+02	2.607E+00	1.031E+00	2086	2099	2092	2	tasmax
Argentina	Normal	3.023E+02	2.911E+00	1.472E+00	2086	2099	2092	3	tasmax
Argentina	Normal	2.973E+02	2.710E+00	1.582E+00	2086	2099	2092	4	tasmax
Argentina	Normal	2.926E+02	2.281E+00	1.209E+00	2086	2099	2092	5	tasmax
Argentina	Normal	2.897E+02	2.139E+00	7.906E-01	2086	2099	2092	6	tasmax
Argentina	Normal	2.893E+02	2.288E+00	6.684E-01	2086	2099	2092	7	tasmax
Argentina	Normal	2.915E+02	2.527E+00	9.048E-01	2086	2099	2092	8	tasmax
Argentina	Normal	2.947E+02	2.584E+00	8.565E-01	2086	2099	2092	9	tasmax
Argentina	Normal	2.983E+02	2.901E+00	1.026E+00	2086	2099	2092	10	tasmax
Argentina	Normal	3.016E+02	2.943E+00	1.487E+00	2086	2099	2092	11	tasmax
Argentina	Normal	3.043E+02	2.693E+00	1.325E+00	2086	2099	2092	12	tasmax
Armenia	Normal	2.744E+02	1.913E+00	3.807E-01	2006	2015	2010	1	tasmax
Armenia	Normal	2.765E+02	2.791E+00	7.785E-01	2006	2015	2010	2	tasmax
Armenia	Normal	2.809E+02	3.206E+00	1.044E+00	2006	2015	2010	3	tasmax
Armenia	Normal	2.864E+02	2.881E+00	1.067E+00	2006	2015	2010	4	tasmax
Armenia	Normal	2.914E+02	2.462E+00	7.656E-01	2006	2015	2010	5	tasmax
Armenia	Normal	2.969E+02	3.253E+00	7.268E-01	2006	2015	2010	6	tasmax
Armenia	Normal	3.011E+02	4.433E+00	1.063E+00	2006	2015	2010	7	tasmax
Armenia	Normal	3.013E+02	3.900E+00	5.665E-01	2006	2015	2010	8	tasmax
Armenia	Normal	2.958E+02	2.930E+00	6.893E-01	2006	2015	2010	9	tasmax
Armenia	Normal	2.883E+02	2.685E+00	7.469E-01	2006	2015	2010	10	tasmax
Armenia	Normal	2.812E+02	2.563E+00	5.545E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Armenia	Normal	2.762E+02	2.135E+00	5.603E-01	2006	2015	2010	12	tasmax
Armenia	Normal	2.751E+02	2.458E+00	7.298E-01	2016	2025	2020	1	tasmax
Armenia	Normal	2.768E+02	2.735E+00	8.485E-01	2016	2025	2020	2	tasmax
Armenia	Normal	2.812E+02	3.398E+00	1.264E+00	2016	2025	2020	3	tasmax
Armenia	Normal	2.867E+02	2.952E+00	1.145E+00	2016	2025	2020	4	tasmax
Armenia	Normal	2.917E+02	2.567E+00	9.051E-01	2016	2025	2020	5	tasmax
Armenia	Normal	2.972E+02	2.740E+00	5.585E-01	2016	2025	2020	6	tasmax
Armenia	Normal	3.018E+02	4.128E+00	9.896E-01	2016	2025	2020	7	tasmax
Armenia	Normal	3.016E+02	3.837E+00	8.673E-01	2016	2025	2020	8	tasmax
Armenia	Normal	2.959E+02	2.822E+00	7.823E-01	2016	2025	2020	9	tasmax
Armenia	Normal	2.887E+02	2.734E+00	5.818E-01	2016	2025	2020	10	tasmax
Armenia	Normal	2.813E+02	2.748E+00	6.157E-01	2016	2025	2020	11	tasmax
Armenia	Normal	2.765E+02	2.288E+00	6.368E-01	2016	2025	2020	12	tasmax
Armenia	Normal	2.753E+02	2.188E+00	4.721E-01	2026	2035	2030	1	tasmax
Armenia	Normal	2.775E+02	2.661E+00	1.190E+00	2026	2035	2030	2	tasmax
Armenia	Normal	2.821E+02	3.042E+00	1.507E+00	2026	2035	2030	3	tasmax
Armenia	Normal	2.870E+02	2.882E+00	1.217E+00	2026	2035	2030	4	tasmax
Armenia	Normal	2.922E+02	2.659E+00	7.921E-01	2026	2035	2030	5	tasmax
Armenia	Normal	2.979E+02	3.088E+00	7.292E-01	2026	2035	2030	6	tasmax
Armenia	Normal	3.024E+02	4.252E+00	1.123E+00	2026	2035	2030	7	tasmax
Armenia	Normal	3.023E+02	3.762E+00	7.554E-01	2026	2035	2030	8	tasmax
Armenia	Normal	2.969E+02	2.826E+00	7.457E-01	2026	2035	2030	9	tasmax
Armenia	Normal	2.892E+02	2.729E+00	4.896E-01	2026	2035	2030	10	tasmax
Armenia	Normal	2.819E+02	2.687E+00	7.459E-01	2026	2035	2030	11	tasmax
Armenia	Normal	2.770E+02	2.282E+00	6.130E-01	2026	2035	2030	12	tasmax
Armenia	Normal	2.755E+02	2.165E+00	5.758E-01	2036	2045	2040	1	tasmax
Armenia	Normal	2.778E+02	2.353E+00	8.287E-01	2036	2045	2040	2	tasmax
Armenia	Normal	2.825E+02	3.219E+00	1.210E+00	2036	2045	2040	3	tasmax
Armenia	Normal	2.875E+02	3.129E+00	1.006E+00	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Armenia	Normal	2.931E+02	2.711E+00	7.261E-01	2036	2045	2040	5	tasmax
Armenia	Normal	2.987E+02	3.354E+00	8.645E-01	2036	2045	2040	6	tasmax
Armenia	Normal	3.032E+02	4.469E+00	1.120E+00	2036	2045	2040	7	tasmax
Armenia	Normal	3.033E+02	3.665E+00	7.321E-01	2036	2045	2040	8	tasmax
Armenia	Normal	2.979E+02	2.929E+00	7.150E-01	2036	2045	2040	9	tasmax
Armenia	Normal	2.900E+02	3.005E+00	6.917E-01	2036	2045	2040	10	tasmax
Armenia	Normal	2.824E+02	3.054E+00	5.243E-01	2036	2045	2040	11	tasmax
Armenia	Normal	2.772E+02	2.593E+00	4.943E-01	2036	2045	2040	12	tasmax
Armenia	Normal	2.765E+02	2.622E+00	8.145E-01	2046	2055	2050	1	tasmax
Armenia	Normal	2.788E+02	2.819E+00	1.011E+00	2046	2055	2050	2	tasmax
Armenia	Normal	2.832E+02	3.024E+00	1.232E+00	2046	2055	2050	3	tasmax
Armenia	Normal	2.882E+02	2.870E+00	1.291E+00	2046	2055	2050	4	tasmax
Armenia	Normal	2.936E+02	2.831E+00	8.106E-01	2046	2055	2050	5	tasmax
Armenia	Normal	2.993E+02	3.342E+00	8.776E-01	2046	2055	2050	6	tasmax
Armenia	Normal	3.040E+02	4.250E+00	1.165E+00	2046	2055	2050	7	tasmax
Armenia	Normal	3.042E+02	4.036E+00	6.944E-01	2046	2055	2050	8	tasmax
Armenia	Normal	2.985E+02	2.955E+00	6.701E-01	2046	2055	2050	9	tasmax
Armenia	Normal	2.907E+02	2.801E+00	6.642E-01	2046	2055	2050	10	tasmax
Armenia	Normal	2.830E+02	2.867E+00	6.003E-01	2046	2055	2050	11	tasmax
Armenia	Normal	2.777E+02	2.560E+00	4.502E-01	2046	2055	2050	12	tasmax
Armenia	Normal	2.771E+02	2.623E+00	5.489E-01	2056	2065	2060	1	tasmax
Armenia	Normal	2.794E+02	2.799E+00	6.758E-01	2056	2065	2060	2	tasmax
Armenia	Normal	2.837E+02	3.324E+00	1.225E+00	2056	2065	2060	3	tasmax
Armenia	Normal	2.887E+02	3.167E+00	1.022E+00	2056	2065	2060	4	tasmax
Armenia	Normal	2.941E+02	2.721E+00	1.011E+00	2056	2065	2060	5	tasmax
Armenia	Normal	3.001E+02	3.281E+00	8.860E-01	2056	2065	2060	6	tasmax
Armenia	Normal	3.051E+02	4.406E+00	9.194E-01	2056	2065	2060	7	tasmax
Armenia	Normal	3.051E+02	3.813E+00	6.686E-01	2056	2065	2060	8	tasmax
Armenia	Normal	2.996E+02	3.227E+00	8.720E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Armenia	Normal	2.914E+02	2.797E+00	6.084E-01	2056	2065	2060	10	tasmax
Armenia	Normal	2.837E+02	2.833E+00	6.064E-01	2056	2065	2060	11	tasmax
Armenia	Normal	2.786E+02	2.536E+00	5.612E-01	2056	2065	2060	12	tasmax
Armenia	Normal	2.777E+02	2.732E+00	5.702E-01	2066	2075	2070	1	tasmax
Armenia	Normal	2.800E+02	2.876E+00	8.675E-01	2066	2075	2070	2	tasmax
Armenia	Normal	2.844E+02	3.265E+00	1.445E+00	2066	2075	2070	3	tasmax
Armenia	Normal	2.895E+02	2.974E+00	1.192E+00	2066	2075	2070	4	tasmax
Armenia	Normal	2.950E+02	3.200E+00	8.878E-01	2066	2075	2070	5	tasmax
Armenia	Normal	3.010E+02	3.762E+00	9.230E-01	2066	2075	2070	6	tasmax
Armenia	Normal	3.059E+02	4.462E+00	7.591E-01	2066	2075	2070	7	tasmax
Armenia	Normal	3.062E+02	3.806E+00	7.487E-01	2066	2075	2070	8	tasmax
Armenia	Normal	3.006E+02	3.032E+00	6.040E-01	2066	2075	2070	9	tasmax
Armenia	Normal	2.921E+02	3.210E+00	7.650E-01	2066	2075	2070	10	tasmax
Armenia	Normal	2.843E+02	3.124E+00	7.356E-01	2066	2075	2070	11	tasmax
Armenia	Normal	2.795E+02	2.872E+00	8.651E-01	2066	2075	2070	12	tasmax
Armenia	Normal	2.784E+02	2.635E+00	7.393E-01	2076	2085	2080	1	tasmax
Armenia	Normal	2.808E+02	3.218E+00	1.375E+00	2076	2085	2080	2	tasmax
Armenia	Normal	2.851E+02	3.538E+00	1.372E+00	2076	2085	2080	3	tasmax
Armenia	Normal	2.903E+02	3.438E+00	1.284E+00	2076	2085	2080	4	tasmax
Armenia	Normal	2.953E+02	2.996E+00	8.196E-01	2076	2085	2080	5	tasmax
Armenia	Normal	3.018E+02	3.853E+00	8.193E-01	2076	2085	2080	6	tasmax
Armenia	Normal	3.068E+02	4.500E+00	8.943E-01	2076	2085	2080	7	tasmax
Armenia	Normal	3.066E+02	3.834E+00	7.730E-01	2076	2085	2080	8	tasmax
Armenia	Normal	3.007E+02	3.233E+00	7.161E-01	2076	2085	2080	9	tasmax
Armenia	Normal	2.928E+02	3.167E+00	7.503E-01	2076	2085	2080	10	tasmax
Armenia	Normal	2.852E+02	3.277E+00	9.079E-01	2076	2085	2080	11	tasmax
Armenia	Normal	2.797E+02	2.918E+00	8.914E-01	2076	2085	2080	12	tasmax
Armenia	Normal	2.787E+02	2.726E+00	7.007E-01	2086	2099	2092	1	tasmax
Armenia	Normal	2.811E+02	2.880E+00	1.031E+00	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Armenia	Normal	2.858E+02	3.820E+00	1.664E+00	2086	2099	2092	3	tasmax
Armenia	Normal	2.907E+02	3.485E+00	1.358E+00	2086	2099	2092	4	tasmax
Armenia	Normal	2.961E+02	3.512E+00	1.127E+00	2086	2099	2092	5	tasmax
Armenia	Normal	3.028E+02	3.678E+00	8.283E-01	2086	2099	2092	6	tasmax
Armenia	Normal	3.077E+02	4.594E+00	6.642E-01	2086	2099	2092	7	tasmax
Armenia	Normal	3.079E+02	4.053E+00	7.304E-01	2086	2099	2092	8	tasmax
Armenia	Normal	3.018E+02	3.402E+00	8.225E-01	2086	2099	2092	9	tasmax
Armenia	Normal	2.935E+02	3.587E+00	8.757E-01	2086	2099	2092	10	tasmax
Armenia	Normal	2.857E+02	3.255E+00	7.239E-01	2086	2099	2092	11	tasmax
Armenia	Normal	2.804E+02	3.212E+00	7.146E-01	2086	2099	2092	12	tasmax
Australia	Normal	3.078E+02	2.518E+00	7.099E-01	2006	2015	2010	1	tasmax
Australia	Normal	3.070E+02	2.589E+00	8.559E-01	2006	2015	2010	2	tasmax
Australia	Normal	3.051E+02	2.415E+00	8.320E-01	2006	2015	2010	3	tasmax
Australia	Normal	3.019E+02	2.176E+00	8.171E-01	2006	2015	2010	4	tasmax
Australia	Normal	2.976E+02	1.910E+00	4.819E-01	2006	2015	2010	5	tasmax
Australia	Normal	2.940E+02	1.605E+00	3.157E-01	2006	2015	2010	6	tasmax
Australia	Normal	2.936E+02	1.656E+00	4.597E-01	2006	2015	2010	7	tasmax
Australia	Normal	2.961E+02	1.709E+00	5.229E-01	2006	2015	2010	8	tasmax
Australia	Normal	3.001E+02	1.770E+00	5.696E-01	2006	2015	2010	9	tasmax
Australia	Normal	3.039E+02	2.103E+00	7.213E-01	2006	2015	2010	10	tasmax
Australia	Normal	3.065E+02	2.232E+00	6.022E-01	2006	2015	2010	11	tasmax
Australia	Normal	3.078E+02	2.389E+00	4.173E-01	2006	2015	2010	12	tasmax
Australia	Normal	3.083E+02	2.578E+00	7.492E-01	2016	2025	2020	1	tasmax
Australia	Normal	3.074E+02	2.690E+00	7.932E-01	2016	2025	2020	2	tasmax
Australia	Normal	3.055E+02	2.653E+00	1.091E+00	2016	2025	2020	3	tasmax
Australia	Normal	3.022E+02	2.249E+00	7.773E-01	2016	2025	2020	4	tasmax
Australia	Normal	2.980E+02	1.774E+00	5.551E-01	2016	2025	2020	5	tasmax
Australia	Normal	2.944E+02	1.629E+00	4.018E-01	2016	2025	2020	6	tasmax
Australia	Normal	2.938E+02	1.658E+00	3.691E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Australia	Normal	2.965E+02	1.703E+00	6.262E-01	2016	2025	2020	8	tasmax
Australia	Normal	3.005E+02	1.906E+00	7.669E-01	2016	2025	2020	9	tasmax
Australia	Normal	3.043E+02	2.151E+00	9.782E-01	2016	2025	2020	10	tasmax
Australia	Normal	3.069E+02	2.224E+00	7.217E-01	2016	2025	2020	11	tasmax
Australia	Normal	3.082E+02	2.518E+00	5.803E-01	2016	2025	2020	12	tasmax
Australia	Normal	3.088E+02	2.586E+00	7.179E-01	2026	2035	2030	1	tasmax
Australia	Normal	3.079E+02	2.599E+00	8.697E-01	2026	2035	2030	2	tasmax
Australia	Normal	3.058E+02	2.542E+00	9.874E-01	2026	2035	2030	3	tasmax
Australia	Normal	3.027E+02	2.238E+00	7.913E-01	2026	2035	2030	4	tasmax
Australia	Normal	2.983E+02	1.750E+00	5.145E-01	2026	2035	2030	5	tasmax
Australia	Normal	2.946E+02	1.560E+00	3.669E-01	2026	2035	2030	6	tasmax
Australia	Normal	2.943E+02	1.532E+00	4.074E-01	2026	2035	2030	7	tasmax
Australia	Normal	2.969E+02	1.632E+00	5.828E-01	2026	2035	2030	8	tasmax
Australia	Normal	3.009E+02	1.913E+00	7.547E-01	2026	2035	2030	9	tasmax
Australia	Normal	3.047E+02	2.199E+00	8.059E-01	2026	2035	2030	10	tasmax
Australia	Normal	3.073E+02	2.241E+00	6.685E-01	2026	2035	2030	11	tasmax
Australia	Normal	3.087E+02	2.627E+00	4.892E-01	2026	2035	2030	12	tasmax
Australia	Normal	3.091E+02	2.624E+00	6.873E-01	2036	2045	2040	1	tasmax
Australia	Normal	3.081E+02	2.572E+00	7.818E-01	2036	2045	2040	2	tasmax
Australia	Normal	3.062E+02	2.465E+00	8.728E-01	2036	2045	2040	3	tasmax
Australia	Normal	3.031E+02	2.258E+00	9.379E-01	2036	2045	2040	4	tasmax
Australia	Normal	2.987E+02	1.802E+00	5.120E-01	2036	2045	2040	5	tasmax
Australia	Normal	2.950E+02	1.623E+00	2.868E-01	2036	2045	2040	6	tasmax
Australia	Normal	2.946E+02	1.840E+00	4.180E-01	2036	2045	2040	7	tasmax
Australia	Normal	2.972E+02	1.775E+00	5.528E-01	2036	2045	2040	8	tasmax
Australia	Normal	3.014E+02	1.950E+00	7.071E-01	2036	2045	2040	9	tasmax
Australia	Normal	3.051E+02	2.086E+00	8.485E-01	2036	2045	2040	10	tasmax
Australia	Normal	3.077E+02	2.252E+00	6.905E-01	2036	2045	2040	11	tasmax
Australia	Normal	3.090E+02	2.450E+00	5.262E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Australia	Normal	3.098E+02	2.691E+00	7.755E-01	2046	2055	2050	1	tasmax
Australia	Normal	3.088E+02	2.574E+00	8.515E-01	2046	2055	2050	2	tasmax
Australia	Normal	3.068E+02	2.652E+00	1.045E+00	2046	2055	2050	3	tasmax
Australia	Normal	3.037E+02	2.247E+00	8.663E-01	2046	2055	2050	4	tasmax
Australia	Normal	2.991E+02	1.771E+00	5.393E-01	2046	2055	2050	5	tasmax
Australia	Normal	2.954E+02	1.733E+00	3.488E-01	2046	2055	2050	6	tasmax
Australia	Normal	2.950E+02	1.902E+00	5.395E-01	2046	2055	2050	7	tasmax
Australia	Normal	2.977E+02	1.828E+00	7.683E-01	2046	2055	2050	8	tasmax
Australia	Normal	3.018E+02	1.855E+00	8.189E-01	2046	2055	2050	9	tasmax
Australia	Normal	3.058E+02	2.170E+00	8.464E-01	2046	2055	2050	10	tasmax
Australia	Normal	3.083E+02	2.376E+00	6.317E-01	2046	2055	2050	11	tasmax
Australia	Normal	3.097E+02	2.642E+00	5.439E-01	2046	2055	2050	12	tasmax
Australia	Normal	3.104E+02	2.865E+00	7.258E-01	2056	2065	2060	1	tasmax
Australia	Normal	3.093E+02	2.842E+00	8.492E-01	2056	2065	2060	2	tasmax
Australia	Normal	3.074E+02	2.762E+00	9.233E-01	2056	2065	2060	3	tasmax
Australia	Normal	3.041E+02	2.374E+00	8.690E-01	2056	2065	2060	4	tasmax
Australia	Normal	2.996E+02	1.843E+00	7.062E-01	2056	2065	2060	5	tasmax
Australia	Normal	2.961E+02	1.608E+00	3.670E-01	2056	2065	2060	6	tasmax
Australia	Normal	2.957E+02	1.637E+00	4.722E-01	2056	2065	2060	7	tasmax
Australia	Normal	2.983E+02	1.848E+00	8.700E-01	2056	2065	2060	8	tasmax
Australia	Normal	3.024E+02	2.071E+00	8.340E-01	2056	2065	2060	9	tasmax
Australia	Normal	3.063E+02	2.299E+00	9.274E-01	2056	2065	2060	10	tasmax
Australia	Normal	3.088E+02	2.550E+00	6.750E-01	2056	2065	2060	11	tasmax
Australia	Normal	3.101E+02	2.749E+00	5.336E-01	2056	2065	2060	12	tasmax
Australia	Normal	3.109E+02	2.909E+00	6.927E-01	2066	2075	2070	1	tasmax
Australia	Normal	3.100E+02	2.951E+00	9.589E-01	2066	2075	2070	2	tasmax
Australia	Normal	3.080E+02	2.836E+00	1.020E+00	2066	2075	2070	3	tasmax
Australia	Normal	3.048E+02	2.300E+00	9.820E-01	2066	2075	2070	4	tasmax
Australia	Normal	3.003E+02	1.831E+00	6.780E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Australia	Normal	2.966E+02	1.661E+00	4.801E-01	2066	2075	2070	6	tasmax
Australia	Normal	2.963E+02	1.736E+00	5.453E-01	2066	2075	2070	7	tasmax
Australia	Normal	2.989E+02	1.920E+00	7.771E-01	2066	2075	2070	8	tasmax
Australia	Normal	3.031E+02	2.193E+00	8.519E-01	2066	2075	2070	9	tasmax
Australia	Normal	3.069E+02	2.297E+00	8.945E-01	2066	2075	2070	10	tasmax
Australia	Normal	3.095E+02	2.462E+00	7.781E-01	2066	2075	2070	11	tasmax
Australia	Normal	3.107E+02	2.773E+00	5.791E-01	2066	2075	2070	12	tasmax
Australia	Normal	3.113E+02	3.014E+00	8.705E-01	2076	2085	2080	1	tasmax
Australia	Normal	3.104E+02	3.012E+00	8.703E-01	2076	2085	2080	2	tasmax
Australia	Normal	3.084E+02	2.892E+00	8.989E-01	2076	2085	2080	3	tasmax
Australia	Normal	3.054E+02	2.409E+00	8.467E-01	2076	2085	2080	4	tasmax
Australia	Normal	3.009E+02	1.929E+00	6.299E-01	2076	2085	2080	5	tasmax
Australia	Normal	2.973E+02	1.638E+00	4.474E-01	2076	2085	2080	6	tasmax
Australia	Normal	2.969E+02	1.703E+00	6.133E-01	2076	2085	2080	7	tasmax
Australia	Normal	2.994E+02	1.990E+00	8.298E-01	2076	2085	2080	8	tasmax
Australia	Normal	3.038E+02	2.199E+00	7.806E-01	2076	2085	2080	9	tasmax
Australia	Normal	3.076E+02	2.418E+00	8.588E-01	2076	2085	2080	10	tasmax
Australia	Normal	3.100E+02	2.668E+00	7.145E-01	2076	2085	2080	11	tasmax
Australia	Normal	3.112E+02	2.914E+00	6.711E-01	2076	2085	2080	12	tasmax
Australia	Normal	3.119E+02	3.037E+00	8.857E-01	2086	2099	2092	1	tasmax
Australia	Normal	3.109E+02	3.071E+00	7.460E-01	2086	2099	2092	2	tasmax
Australia	Normal	3.090E+02	3.109E+00	7.644E-01	2086	2099	2092	3	tasmax
Australia	Normal	3.058E+02	2.508E+00	9.079E-01	2086	2099	2092	4	tasmax
Australia	Normal	3.014E+02	1.881E+00	6.639E-01	2086	2099	2092	5	tasmax
Australia	Normal	2.978E+02	1.671E+00	5.604E-01	2086	2099	2092	6	tasmax
Australia	Normal	2.975E+02	1.828E+00	5.981E-01	2086	2099	2092	7	tasmax
Australia	Normal	3.001E+02	2.172E+00	8.439E-01	2086	2099	2092	8	tasmax
Australia	Normal	3.043E+02	2.286E+00	8.161E-01	2086	2099	2092	9	tasmax
Australia	Normal	3.082E+02	2.556E+00	9.826E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Australia	Normal	3.106E+02	2.781E+00	6.760E-01	2086	2099	2092	11	tasmax
Australia	Normal	3.118E+02	2.970E+00	5.571E-01	2086	2099	2092	12	tasmax
Austria	Normal	2.755E+02	2.303E+00	3.099E-01	2006	2015	2010	1	tasmax
Austria	Normal	2.772E+02	2.579E+00	5.422E-01	2006	2015	2010	2	tasmax
Austria	Normal	2.804E+02	2.289E+00	4.682E-01	2006	2015	2010	3	tasmax
Austria	Normal	2.855E+02	2.450E+00	3.962E-01	2006	2015	2010	4	tasmax
Austria	Normal	2.903E+02	2.402E+00	3.535E-01	2006	2015	2010	5	tasmax
Austria	Normal	2.950E+02	2.322E+00	6.006E-01	2006	2015	2010	6	tasmax
Austria	Normal	2.970E+02	2.140E+00	4.868E-01	2006	2015	2010	7	tasmax
Austria	Normal	2.963E+02	2.300E+00	4.736E-01	2006	2015	2010	8	tasmax
Austria	Normal	2.919E+02	2.183E+00	3.880E-01	2006	2015	2010	9	tasmax
Austria	Normal	2.859E+02	2.713E+00	7.780E-01	2006	2015	2010	10	tasmax
Austria	Normal	2.801E+02	2.432E+00	6.508E-01	2006	2015	2010	11	tasmax
Austria	Normal	2.767E+02	2.352E+00	3.893E-01	2006	2015	2010	12	tasmax
Austria	Normal	2.758E+02	2.413E+00	6.561E-01	2016	2025	2020	1	tasmax
Austria	Normal	2.777E+02	2.357E+00	5.601E-01	2016	2025	2020	2	tasmax
Austria	Normal	2.811E+02	2.432E+00	4.488E-01	2016	2025	2020	3	tasmax
Austria	Normal	2.856E+02	2.288E+00	4.408E-01	2016	2025	2020	4	tasmax
Austria	Normal	2.910E+02	2.250E+00	4.175E-01	2016	2025	2020	5	tasmax
Austria	Normal	2.956E+02	2.406E+00	7.808E-01	2016	2025	2020	6	tasmax
Austria	Normal	2.977E+02	2.344E+00	7.333E-01	2016	2025	2020	7	tasmax
Austria	Normal	2.970E+02	2.596E+00	6.741E-01	2016	2025	2020	8	tasmax
Austria	Normal	2.926E+02	2.786E+00	5.230E-01	2016	2025	2020	9	tasmax
Austria	Normal	2.865E+02	2.568E+00	6.337E-01	2016	2025	2020	10	tasmax
Austria	Normal	2.807E+02	2.285E+00	4.304E-01	2016	2025	2020	11	tasmax
Austria	Normal	2.769E+02	2.226E+00	5.563E-01	2016	2025	2020	12	tasmax
Austria	Normal	2.762E+02	2.338E+00	3.965E-01	2026	2035	2030	1	tasmax
Austria	Normal	2.778E+02	1.990E+00	2.762E-01	2026	2035	2030	2	tasmax
Austria	Normal	2.817E+02	2.158E+00	3.259E-01	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Austria	Normal	2.861E+02	2.336E+00	4.180E-01	2026	2035	2030	4	tasmax
Austria	Normal	2.913E+02	2.510E+00	4.178E-01	2026	2035	2030	5	tasmax
Austria	Normal	2.957E+02	2.405E+00	5.534E-01	2026	2035	2030	6	tasmax
Austria	Normal	2.982E+02	2.399E+00	6.637E-01	2026	2035	2030	7	tasmax
Austria	Normal	2.975E+02	2.540E+00	6.209E-01	2026	2035	2030	8	tasmax
Austria	Normal	2.927E+02	2.573E+00	4.852E-01	2026	2035	2030	9	tasmax
Austria	Normal	2.870E+02	2.628E+00	7.356E-01	2026	2035	2030	10	tasmax
Austria	Normal	2.810E+02	2.415E+00	6.040E-01	2026	2035	2030	11	tasmax
Austria	Normal	2.776E+02	2.548E+00	5.856E-01	2026	2035	2030	12	tasmax
Austria	Normal	2.771E+02	2.212E+00	4.521E-01	2036	2045	2040	1	tasmax
Austria	Normal	2.786E+02	2.129E+00	4.098E-01	2036	2045	2040	2	tasmax
Austria	Normal	2.819E+02	2.410E+00	3.231E-01	2036	2045	2040	3	tasmax
Austria	Normal	2.867E+02	2.432E+00	4.553E-01	2036	2045	2040	4	tasmax
Austria	Normal	2.916E+02	2.458E+00	5.960E-01	2036	2045	2040	5	tasmax
Austria	Normal	2.965E+02	2.777E+00	7.941E-01	2036	2045	2040	6	tasmax
Austria	Normal	2.992E+02	2.659E+00	8.484E-01	2036	2045	2040	7	tasmax
Austria	Normal	2.984E+02	2.791E+00	7.186E-01	2036	2045	2040	8	tasmax
Austria	Normal	2.937E+02	2.432E+00	4.441E-01	2036	2045	2040	9	tasmax
Austria	Normal	2.875E+02	2.224E+00	4.629E-01	2036	2045	2040	10	tasmax
Austria	Normal	2.817E+02	2.322E+00	7.619E-01	2036	2045	2040	11	tasmax
Austria	Normal	2.782E+02	2.283E+00	3.097E-01	2036	2045	2040	12	tasmax
Austria	Normal	2.774E+02	2.310E+00	3.969E-01	2046	2055	2050	1	tasmax
Austria	Normal	2.789E+02	2.065E+00	3.410E-01	2046	2055	2050	2	tasmax
Austria	Normal	2.823E+02	2.242E+00	3.748E-01	2046	2055	2050	3	tasmax
Austria	Normal	2.871E+02	2.946E+00	4.465E-01	2046	2055	2050	4	tasmax
Austria	Normal	2.920E+02	2.673E+00	4.592E-01	2046	2055	2050	5	tasmax
Austria	Normal	2.970E+02	2.794E+00	7.659E-01	2046	2055	2050	6	tasmax
Austria	Normal	3.000E+02	3.128E+00	9.938E-01	2046	2055	2050	7	tasmax
Austria	Normal	2.991E+02	2.955E+00	9.323E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Austria	Normal	2.943E+02	2.438E+00	5.428E-01	2046	2055	2050	9	tasmax
Austria	Normal	2.881E+02	2.534E+00	5.622E-01	2046	2055	2050	10	tasmax
Austria	Normal	2.821E+02	2.295E+00	4.276E-01	2046	2055	2050	11	tasmax
Austria	Normal	2.783E+02	2.134E+00	3.934E-01	2046	2055	2050	12	tasmax
Austria	Normal	2.780E+02	2.298E+00	4.861E-01	2056	2065	2060	1	tasmax
Austria	Normal	2.794E+02	2.567E+00	5.858E-01	2056	2065	2060	2	tasmax
Austria	Normal	2.829E+02	2.623E+00	5.134E-01	2056	2065	2060	3	tasmax
Austria	Normal	2.875E+02	2.691E+00	4.762E-01	2056	2065	2060	4	tasmax
Austria	Normal	2.925E+02	3.050E+00	5.669E-01	2056	2065	2060	5	tasmax
Austria	Normal	2.975E+02	2.907E+00	7.152E-01	2056	2065	2060	6	tasmax
Austria	Normal	3.005E+02	3.078E+00	1.119E+00	2056	2065	2060	7	tasmax
Austria	Normal	3.000E+02	3.164E+00	1.039E+00	2056	2065	2060	8	tasmax
Austria	Normal	2.952E+02	2.790E+00	7.418E-01	2056	2065	2060	9	tasmax
Austria	Normal	2.887E+02	2.723E+00	8.254E-01	2056	2065	2060	10	tasmax
Austria	Normal	2.828E+02	2.377E+00	5.793E-01	2056	2065	2060	11	tasmax
Austria	Normal	2.793E+02	2.392E+00	5.064E-01	2056	2065	2060	12	tasmax
Austria	Normal	2.785E+02	1.956E+00	2.509E-01	2066	2075	2070	1	tasmax
Austria	Normal	2.800E+02	2.133E+00	2.674E-01	2066	2075	2070	2	tasmax
Austria	Normal	2.834E+02	2.561E+00	4.286E-01	2066	2075	2070	3	tasmax
Austria	Normal	2.884E+02	2.677E+00	6.305E-01	2066	2075	2070	4	tasmax
Austria	Normal	2.934E+02	2.892E+00	6.097E-01	2066	2075	2070	5	tasmax
Austria	Normal	2.986E+02	3.366E+00	9.736E-01	2066	2075	2070	6	tasmax
Austria	Normal	3.014E+02	3.430E+00	1.164E+00	2066	2075	2070	7	tasmax
Austria	Normal	3.011E+02	3.524E+00	1.039E+00	2066	2075	2070	8	tasmax
Austria	Normal	2.962E+02	3.145E+00	7.953E-01	2066	2075	2070	9	tasmax
Austria	Normal	2.895E+02	2.997E+00	7.169E-01	2066	2075	2070	10	tasmax
Austria	Normal	2.832E+02	2.486E+00	5.109E-01	2066	2075	2070	11	tasmax
Austria	Normal	2.797E+02	2.404E+00	5.562E-01	2066	2075	2070	12	tasmax
Austria	Normal	2.793E+02	2.158E+00	5.184E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Austria	Normal	2.807E+02	2.584E+00	5.233E-01	2076	2085	2080	2	tasmax
Austria	Normal	2.840E+02	2.985E+00	5.012E-01	2076	2085	2080	3	tasmax
Austria	Normal	2.885E+02	3.190E+00	8.693E-01	2076	2085	2080	4	tasmax
Austria	Normal	2.941E+02	3.032E+00	4.927E-01	2076	2085	2080	5	tasmax
Austria	Normal	2.995E+02	3.198E+00	8.098E-01	2076	2085	2080	6	tasmax
Austria	Normal	3.027E+02	3.630E+00	1.238E+00	2076	2085	2080	7	tasmax
Austria	Normal	3.021E+02	3.774E+00	9.572E-01	2076	2085	2080	8	tasmax
Austria	Normal	2.970E+02	2.997E+00	5.529E-01	2076	2085	2080	9	tasmax
Austria	Normal	2.899E+02	2.903E+00	7.728E-01	2076	2085	2080	10	tasmax
Austria	Normal	2.838E+02	2.409E+00	5.247E-01	2076	2085	2080	11	tasmax
Austria	Normal	2.803E+02	2.170E+00	4.793E-01	2076	2085	2080	12	tasmax
Austria	Normal	2.797E+02	1.890E+00	4.648E-01	2086	2099	2092	1	tasmax
Austria	Normal	2.812E+02	2.131E+00	3.382E-01	2086	2099	2092	2	tasmax
Austria	Normal	2.844E+02	2.563E+00	5.224E-01	2086	2099	2092	3	tasmax
Austria	Normal	2.892E+02	3.026E+00	5.539E-01	2086	2099	2092	4	tasmax
Austria	Normal	2.946E+02	3.011E+00	6.472E-01	2086	2099	2092	5	tasmax
Austria	Normal	3.000E+02	3.511E+00	9.166E-01	2086	2099	2092	6	tasmax
Austria	Normal	3.035E+02	4.060E+00	1.251E+00	2086	2099	2092	7	tasmax
Austria	Normal	3.028E+02	3.842E+00	1.133E+00	2086	2099	2092	8	tasmax
Austria	Normal	2.978E+02	3.309E+00	8.428E-01	2086	2099	2092	9	tasmax
Austria	Normal	2.908E+02	3.155E+00	8.718E-01	2086	2099	2092	10	tasmax
Austria	Normal	2.846E+02	2.182E+00	5.265E-01	2086	2099	2092	11	tasmax
Austria	Normal	2.808E+02	2.304E+00	4.024E-01	2086	2099	2092	12	tasmax
Azerbaijan	Normal	2.798E+02	3.732E+00	1.205E+00	2006	2015	2010	1	tasmax
Azerbaijan	Normal	2.813E+02	3.360E+00	8.203E-01	2006	2015	2010	2	tasmax
Azerbaijan	Normal	2.849E+02	3.066E+00	7.171E-01	2006	2015	2010	3	tasmax
Azerbaijan	Normal	2.899E+02	3.131E+00	7.595E-01	2006	2015	2010	4	tasmax
Azerbaijan	Normal	2.953E+02	3.462E+00	4.653E-01	2006	2015	2010	5	tasmax
Azerbaijan	Normal	3.007E+02	3.800E+00	8.622E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Azerbaijan	Normal	3.040E+02	4.265E+00	7.403E-01	2006	2015	2010	7	tasmax
Azerbaijan	Normal	3.035E+02	3.713E+00	7.326E-01	2006	2015	2010	8	tasmax
Azerbaijan	Normal	2.985E+02	3.016E+00	4.690E-01	2006	2015	2010	9	tasmax
Azerbaijan	Normal	2.920E+02	2.867E+00	6.058E-01	2006	2015	2010	10	tasmax
Azerbaijan	Normal	2.861E+02	3.166E+00	6.309E-01	2006	2015	2010	11	tasmax
Azerbaijan	Normal	2.818E+02	3.525E+00	9.706E-01	2006	2015	2010	12	tasmax
Azerbaijan	Normal	2.804E+02	3.442E+00	8.462E-01	2016	2025	2020	1	tasmax
Azerbaijan	Normal	2.817E+02	2.935E+00	5.842E-01	2016	2025	2020	2	tasmax
Azerbaijan	Normal	2.853E+02	3.120E+00	1.025E+00	2016	2025	2020	3	tasmax
Azerbaijan	Normal	2.901E+02	3.030E+00	8.906E-01	2016	2025	2020	4	tasmax
Azerbaijan	Normal	2.955E+02	3.343E+00	5.473E-01	2016	2025	2020	5	tasmax
Azerbaijan	Normal	3.011E+02	3.748E+00	8.631E-01	2016	2025	2020	6	tasmax
Azerbaijan	Normal	3.045E+02	4.247E+00	6.478E-01	2016	2025	2020	7	tasmax
Azerbaijan	Normal	3.039E+02	3.715E+00	6.723E-01	2016	2025	2020	8	tasmax
Azerbaijan	Normal	2.987E+02	2.990E+00	5.004E-01	2016	2025	2020	9	tasmax
Azerbaijan	Normal	2.924E+02	2.824E+00	6.981E-01	2016	2025	2020	10	tasmax
Azerbaijan	Normal	2.861E+02	3.261E+00	6.740E-01	2016	2025	2020	11	tasmax
Azerbaijan	Normal	2.820E+02	3.396E+00	9.393E-01	2016	2025	2020	12	tasmax
Azerbaijan	Normal	2.808E+02	3.294E+00	7.706E-01	2026	2035	2030	1	tasmax
Azerbaijan	Normal	2.823E+02	2.915E+00	6.265E-01	2026	2035	2030	2	tasmax
Azerbaijan	Normal	2.859E+02	3.021E+00	1.019E+00	2026	2035	2030	3	tasmax
Azerbaijan	Normal	2.905E+02	3.037E+00	7.497E-01	2026	2035	2030	4	tasmax
Azerbaijan	Normal	2.959E+02	3.225E+00	5.542E-01	2026	2035	2030	5	tasmax
Azerbaijan	Normal	3.015E+02	3.855E+00	1.128E+00	2026	2035	2030	6	tasmax
Azerbaijan	Normal	3.051E+02	4.139E+00	7.085E-01	2026	2035	2030	7	tasmax
Azerbaijan	Normal	3.044E+02	3.620E+00	8.352E-01	2026	2035	2030	8	tasmax
Azerbaijan	Normal	2.996E+02	2.991E+00	4.634E-01	2026	2035	2030	9	tasmax
Azerbaijan	Normal	2.928E+02	2.787E+00	7.110E-01	2026	2035	2030	10	tasmax
Azerbaijan	Normal	2.866E+02	3.194E+00	5.588E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Azerbaijan	Normal	2.824E+02	3.496E+00	9.744E-01	2026	2035	2030	12	tasmax
Azerbaijan	Normal	2.809E+02	3.704E+00	1.264E+00	2036	2045	2040	1	tasmax
Azerbaijan	Normal	2.825E+02	2.823E+00	6.199E-01	2036	2045	2040	2	tasmax
Azerbaijan	Normal	2.863E+02	3.024E+00	8.749E-01	2036	2045	2040	3	tasmax
Azerbaijan	Normal	2.908E+02	3.099E+00	7.865E-01	2036	2045	2040	4	tasmax
Azerbaijan	Normal	2.967E+02	3.425E+00	5.700E-01	2036	2045	2040	5	tasmax
Azerbaijan	Normal	3.022E+02	3.849E+00	7.944E-01	2036	2045	2040	6	tasmax
Azerbaijan	Normal	3.056E+02	4.249E+00	7.374E-01	2036	2045	2040	7	tasmax
Azerbaijan	Normal	3.052E+02	3.792E+00	9.555E-01	2036	2045	2040	8	tasmax
Azerbaijan	Normal	3.002E+02	3.284E+00	5.513E-01	2036	2045	2040	9	tasmax
Azerbaijan	Normal	2.935E+02	2.949E+00	8.013E-01	2036	2045	2040	10	tasmax
Azerbaijan	Normal	2.870E+02	3.585E+00	7.911E-01	2036	2045	2040	11	tasmax
Azerbaijan	Normal	2.825E+02	3.920E+00	1.161E+00	2036	2045	2040	12	tasmax
Azerbaijan	Normal	2.817E+02	3.500E+00	6.958E-01	2046	2055	2050	1	tasmax
Azerbaijan	Normal	2.832E+02	2.804E+00	7.922E-01	2046	2055	2050	2	tasmax
Azerbaijan	Normal	2.868E+02	2.867E+00	1.157E+00	2046	2055	2050	3	tasmax
Azerbaijan	Normal	2.916E+02	3.144E+00	7.495E-01	2046	2055	2050	4	tasmax
Azerbaijan	Normal	2.971E+02	3.643E+00	6.858E-01	2046	2055	2050	5	tasmax
Azerbaijan	Normal	3.028E+02	4.025E+00	1.114E+00	2046	2055	2050	6	tasmax
Azerbaijan	Normal	3.064E+02	4.487E+00	7.107E-01	2046	2055	2050	7	tasmax
Azerbaijan	Normal	3.059E+02	4.143E+00	8.839E-01	2046	2055	2050	8	tasmax
Azerbaijan	Normal	3.006E+02	3.215E+00	4.999E-01	2046	2055	2050	9	tasmax
Azerbaijan	Normal	2.940E+02	2.795E+00	8.300E-01	2046	2055	2050	10	tasmax
Azerbaijan	Normal	2.877E+02	3.123E+00	5.869E-01	2046	2055	2050	11	tasmax
Azerbaijan	Normal	2.831E+02	3.561E+00	8.442E-01	2046	2055	2050	12	tasmax
Azerbaijan	Normal	2.822E+02	3.291E+00	7.921E-01	2056	2065	2060	1	tasmax
Azerbaijan	Normal	2.838E+02	2.881E+00	6.677E-01	2056	2065	2060	2	tasmax
Azerbaijan	Normal	2.873E+02	3.276E+00	1.203E+00	2056	2065	2060	3	tasmax
Azerbaijan	Normal	2.920E+02	3.373E+00	7.998E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Azerbaijan	Normal	2.977E+02	3.526E+00	5.684E-01	2056	2065	2060	5	tasmax
Azerbaijan	Normal	3.035E+02	3.993E+00	9.047E-01	2056	2065	2060	6	tasmax
Azerbaijan	Normal	3.072E+02	4.444E+00	6.882E-01	2056	2065	2060	7	tasmax
Azerbaijan	Normal	3.066E+02	3.913E+00	8.341E-01	2056	2065	2060	8	tasmax
Azerbaijan	Normal	3.015E+02	3.383E+00	6.363E-01	2056	2065	2060	9	tasmax
Azerbaijan	Normal	2.946E+02	2.947E+00	8.478E-01	2056	2065	2060	10	tasmax
Azerbaijan	Normal	2.883E+02	3.312E+00	6.679E-01	2056	2065	2060	11	tasmax
Azerbaijan	Normal	2.840E+02	3.567E+00	9.035E-01	2056	2065	2060	12	tasmax
Azerbaijan	Normal	2.828E+02	3.416E+00	7.259E-01	2066	2075	2070	1	tasmax
Azerbaijan	Normal	2.843E+02	2.897E+00	6.767E-01	2066	2075	2070	2	tasmax
Azerbaijan	Normal	2.880E+02	3.033E+00	1.305E+00	2066	2075	2070	3	tasmax
Azerbaijan	Normal	2.927E+02	3.222E+00	9.778E-01	2066	2075	2070	4	tasmax
Azerbaijan	Normal	2.984E+02	3.598E+00	6.657E-01	2066	2075	2070	5	tasmax
Azerbaijan	Normal	3.042E+02	4.115E+00	8.006E-01	2066	2075	2070	6	tasmax
Azerbaijan	Normal	3.080E+02	4.535E+00	7.697E-01	2066	2075	2070	7	tasmax
Azerbaijan	Normal	3.076E+02	4.184E+00	1.030E+00	2066	2075	2070	8	tasmax
Azerbaijan	Normal	3.023E+02	3.306E+00	5.197E-01	2066	2075	2070	9	tasmax
Azerbaijan	Normal	2.952E+02	3.150E+00	7.956E-01	2066	2075	2070	10	tasmax
Azerbaijan	Normal	2.887E+02	3.425E+00	7.413E-01	2066	2075	2070	11	tasmax
Azerbaijan	Normal	2.847E+02	3.330E+00	7.559E-01	2066	2075	2070	12	tasmax
Azerbaijan	Normal	2.833E+02	3.191E+00	5.867E-01	2076	2085	2080	1	tasmax
Azerbaijan	Normal	2.851E+02	2.977E+00	1.058E+00	2076	2085	2080	2	tasmax
Azerbaijan	Normal	2.886E+02	3.327E+00	1.136E+00	2076	2085	2080	3	tasmax
Azerbaijan	Normal	2.934E+02	3.534E+00	9.971E-01	2076	2085	2080	4	tasmax
Azerbaijan	Normal	2.986E+02	3.535E+00	6.181E-01	2076	2085	2080	5	tasmax
Azerbaijan	Normal	3.048E+02	4.098E+00	7.880E-01	2076	2085	2080	6	tasmax
Azerbaijan	Normal	3.086E+02	4.387E+00	8.231E-01	2076	2085	2080	7	tasmax
Azerbaijan	Normal	3.078E+02	3.912E+00	9.329E-01	2076	2085	2080	8	tasmax
Azerbaijan	Normal	3.027E+02	3.489E+00	6.575E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Azerbaijan	Normal	2.957E+02	3.141E+00	1.015E+00	2076	2085	2080	10	tasmax
Azerbaijan	Normal	2.895E+02	3.370E+00	8.271E-01	2076	2085	2080	11	tasmax
Azerbaijan	Normal	2.849E+02	3.646E+00	8.286E-01	2076	2085	2080	12	tasmax
Azerbaijan	Normal	2.838E+02	3.238E+00	9.226E-01	2086	2099	2092	1	tasmax
Azerbaijan	Normal	2.853E+02	2.779E+00	1.004E+00	2086	2099	2092	2	tasmax
Azerbaijan	Normal	2.890E+02	3.514E+00	1.383E+00	2086	2099	2092	3	tasmax
Azerbaijan	Normal	2.937E+02	3.610E+00	1.030E+00	2086	2099	2092	4	tasmax
Azerbaijan	Normal	2.994E+02	4.033E+00	8.130E-01	2086	2099	2092	5	tasmax
Azerbaijan	Normal	3.057E+02	4.052E+00	8.435E-01	2086	2099	2092	6	tasmax
Azerbaijan	Normal	3.092E+02	4.574E+00	7.644E-01	2086	2099	2092	7	tasmax
Azerbaijan	Normal	3.088E+02	4.218E+00	1.006E+00	2086	2099	2092	8	tasmax
Azerbaijan	Normal	3.035E+02	3.764E+00	7.270E-01	2086	2099	2092	9	tasmax
Azerbaijan	Normal	2.963E+02	3.389E+00	8.249E-01	2086	2099	2092	10	tasmax
Azerbaijan	Normal	2.899E+02	3.449E+00	8.283E-01	2086	2099	2092	11	tasmax
Azerbaijan	Normal	2.855E+02	3.822E+00	8.807E-01	2086	2099	2092	12	tasmax
Bahrain	Normal	2.936E+02	2.685E+00	5.143E-01	2006	2015	2010	1	tasmax
Bahrain	Normal	2.956E+02	3.942E+00	7.367E-01	2006	2015	2010	2	tasmax
Bahrain	Normal	2.994E+02	5.123E+00	7.877E-01	2006	2015	2010	3	tasmax
Bahrain	Normal	3.036E+02	5.737E+00	9.552E-01	2006	2015	2010	4	tasmax
Bahrain	Normal	3.080E+02	6.418E+00	1.249E+00	2006	2015	2010	5	tasmax
Bahrain	Normal	3.124E+02	7.048E+00	1.558E+00	2006	2015	2010	6	tasmax
Bahrain	Normal	3.139E+02	6.959E+00	1.399E+00	2006	2015	2010	7	tasmax
Bahrain	Normal	3.137E+02	6.356E+00	1.187E+00	2006	2015	2010	8	tasmax
Bahrain	Normal	3.115E+02	5.379E+00	1.055E+00	2006	2015	2010	9	tasmax
Bahrain	Normal	3.069E+02	3.774E+00	7.304E-01	2006	2015	2010	10	tasmax
Bahrain	Normal	3.005E+02	2.876E+00	7.008E-01	2006	2015	2010	11	tasmax
Bahrain	Normal	2.953E+02	2.460E+00	7.293E-01	2006	2015	2010	12	tasmax
Bahrain	Normal	2.940E+02	2.991E+00	7.619E-01	2016	2025	2020	1	tasmax
Bahrain	Normal	2.958E+02	3.855E+00	6.074E-01	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bahrain	Normal	2.998E+02	5.266E+00	8.100E-01	2016	2025	2020	3	tasmax
Bahrain	Normal	3.039E+02	5.898E+00	9.459E-01	2016	2025	2020	4	tasmax
Bahrain	Normal	3.083E+02	6.427E+00	1.258E+00	2016	2025	2020	5	tasmax
Bahrain	Normal	3.126E+02	7.087E+00	1.492E+00	2016	2025	2020	6	tasmax
Bahrain	Normal	3.142E+02	6.915E+00	1.342E+00	2016	2025	2020	7	tasmax
Bahrain	Normal	3.139E+02	6.387E+00	1.162E+00	2016	2025	2020	8	tasmax
Bahrain	Normal	3.119E+02	5.492E+00	9.293E-01	2016	2025	2020	9	tasmax
Bahrain	Normal	3.073E+02	3.966E+00	7.361E-01	2016	2025	2020	10	tasmax
Bahrain	Normal	3.008E+02	2.883E+00	7.198E-01	2016	2025	2020	11	tasmax
Bahrain	Normal	2.956E+02	2.566E+00	7.596E-01	2016	2025	2020	12	tasmax
Bahrain	Normal	2.944E+02	3.032E+00	6.708E-01	2026	2035	2030	1	tasmax
Bahrain	Normal	2.963E+02	4.081E+00	7.216E-01	2026	2035	2030	2	tasmax
Bahrain	Normal	3.001E+02	5.192E+00	8.227E-01	2026	2035	2030	3	tasmax
Bahrain	Normal	3.042E+02	5.915E+00	9.138E-01	2026	2035	2030	4	tasmax
Bahrain	Normal	3.089E+02	6.611E+00	1.196E+00	2026	2035	2030	5	tasmax
Bahrain	Normal	3.132E+02	7.183E+00	1.534E+00	2026	2035	2030	6	tasmax
Bahrain	Normal	3.148E+02	7.100E+00	1.354E+00	2026	2035	2030	7	tasmax
Bahrain	Normal	3.145E+02	6.348E+00	1.180E+00	2026	2035	2030	8	tasmax
Bahrain	Normal	3.124E+02	5.497E+00	9.493E-01	2026	2035	2030	9	tasmax
Bahrain	Normal	3.079E+02	3.954E+00	7.277E-01	2026	2035	2030	10	tasmax
Bahrain	Normal	3.012E+02	2.883E+00	6.991E-01	2026	2035	2030	11	tasmax
Bahrain	Normal	2.961E+02	2.465E+00	5.569E-01	2026	2035	2030	12	tasmax
Bahrain	Normal	2.949E+02	2.909E+00	6.262E-01	2036	2045	2040	1	tasmax
Bahrain	Normal	2.967E+02	3.950E+00	7.676E-01	2036	2045	2040	2	tasmax
Bahrain	Normal	3.007E+02	5.214E+00	8.322E-01	2036	2045	2040	3	tasmax
Bahrain	Normal	3.047E+02	5.994E+00	8.895E-01	2036	2045	2040	4	tasmax
Bahrain	Normal	3.093E+02	6.575E+00	1.147E+00	2036	2045	2040	5	tasmax
Bahrain	Normal	3.138E+02	7.355E+00	1.474E+00	2036	2045	2040	6	tasmax
Bahrain	Normal	3.152E+02	7.122E+00	1.265E+00	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bahrain	Normal	3.150E+02	6.360E+00	1.153E+00	2036	2045	2040	8	tasmax
Bahrain	Normal	3.129E+02	5.403E+00	9.971E-01	2036	2045	2040	9	tasmax
Bahrain	Normal	3.083E+02	3.897E+00	7.712E-01	2036	2045	2040	10	tasmax
Bahrain	Normal	3.017E+02	3.135E+00	7.687E-01	2036	2045	2040	11	tasmax
Bahrain	Normal	2.965E+02	2.618E+00	7.611E-01	2036	2045	2040	12	tasmax
Bahrain	Normal	2.954E+02	2.974E+00	7.905E-01	2046	2055	2050	1	tasmax
Bahrain	Normal	2.973E+02	4.016E+00	7.703E-01	2046	2055	2050	2	tasmax
Bahrain	Normal	3.011E+02	5.231E+00	8.966E-01	2046	2055	2050	3	tasmax
Bahrain	Normal	3.053E+02	5.935E+00	9.129E-01	2046	2055	2050	4	tasmax
Bahrain	Normal	3.099E+02	6.592E+00	1.178E+00	2046	2055	2050	5	tasmax
Bahrain	Normal	3.144E+02	7.304E+00	1.391E+00	2046	2055	2050	6	tasmax
Bahrain	Normal	3.158E+02	7.103E+00	1.380E+00	2046	2055	2050	7	tasmax
Bahrain	Normal	3.156E+02	6.467E+00	1.106E+00	2046	2055	2050	8	tasmax
Bahrain	Normal	3.137E+02	5.715E+00	1.089E+00	2046	2055	2050	9	tasmax
Bahrain	Normal	3.090E+02	4.088E+00	9.537E-01	2046	2055	2050	10	tasmax
Bahrain	Normal	3.024E+02	3.094E+00	9.134E-01	2046	2055	2050	11	tasmax
Bahrain	Normal	2.971E+02	2.648E+00	7.213E-01	2046	2055	2050	12	tasmax
Bahrain	Normal	2.959E+02	3.099E+00	8.353E-01	2056	2065	2060	1	tasmax
Bahrain	Normal	2.978E+02	4.002E+00	9.086E-01	2056	2065	2060	2	tasmax
Bahrain	Normal	3.017E+02	5.138E+00	8.008E-01	2056	2065	2060	3	tasmax
Bahrain	Normal	3.061E+02	6.182E+00	8.768E-01	2056	2065	2060	4	tasmax
Bahrain	Normal	3.106E+02	6.765E+00	1.152E+00	2056	2065	2060	5	tasmax
Bahrain	Normal	3.151E+02	7.476E+00	1.397E+00	2056	2065	2060	6	tasmax
Bahrain	Normal	3.165E+02	7.314E+00	1.360E+00	2056	2065	2060	7	tasmax
Bahrain	Normal	3.161E+02	6.634E+00	1.143E+00	2056	2065	2060	8	tasmax
Bahrain	Normal	3.141E+02	5.615E+00	9.943E-01	2056	2065	2060	9	tasmax
Bahrain	Normal	3.098E+02	4.096E+00	9.313E-01	2056	2065	2060	10	tasmax
Bahrain	Normal	3.031E+02	3.172E+00	7.868E-01	2056	2065	2060	11	tasmax
Bahrain	Normal	2.976E+02	2.534E+00	7.128E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bahrain	Normal	2.965E+02	2.894E+00	8.290E-01	2066	2075	2070	1	tasmax
Bahrain	Normal	2.984E+02	4.091E+00	1.037E+00	2066	2075	2070	2	tasmax
Bahrain	Normal	3.022E+02	5.240E+00	9.333E-01	2066	2075	2070	3	tasmax
Bahrain	Normal	3.065E+02	6.047E+00	8.593E-01	2066	2075	2070	4	tasmax
Bahrain	Normal	3.113E+02	6.911E+00	1.079E+00	2066	2075	2070	5	tasmax
Bahrain	Normal	3.157E+02	7.494E+00	1.385E+00	2066	2075	2070	6	tasmax
Bahrain	Normal	3.172E+02	7.257E+00	1.320E+00	2066	2075	2070	7	tasmax
Bahrain	Normal	3.169E+02	6.639E+00	1.120E+00	2066	2075	2070	8	tasmax
Bahrain	Normal	3.149E+02	5.800E+00	1.075E+00	2066	2075	2070	9	tasmax
Bahrain	Normal	3.104E+02	4.231E+00	9.902E-01	2066	2075	2070	10	tasmax
Bahrain	Normal	3.040E+02	3.343E+00	8.935E-01	2066	2075	2070	11	tasmax
Bahrain	Normal	2.984E+02	2.611E+00	7.418E-01	2066	2075	2070	12	tasmax
Bahrain	Normal	2.971E+02	2.957E+00	9.950E-01	2076	2085	2080	1	tasmax
Bahrain	Normal	2.990E+02	4.179E+00	1.031E+00	2076	2085	2080	2	tasmax
Bahrain	Normal	3.028E+02	5.439E+00	1.016E+00	2076	2085	2080	3	tasmax
Bahrain	Normal	3.072E+02	6.321E+00	8.701E-01	2076	2085	2080	4	tasmax
Bahrain	Normal	3.120E+02	7.135E+00	1.205E+00	2076	2085	2080	5	tasmax
Bahrain	Normal	3.164E+02	7.723E+00	1.384E+00	2076	2085	2080	6	tasmax
Bahrain	Normal	3.177E+02	7.542E+00	1.327E+00	2076	2085	2080	7	tasmax
Bahrain	Normal	3.174E+02	6.725E+00	1.288E+00	2076	2085	2080	8	tasmax
Bahrain	Normal	3.154E+02	5.954E+00	1.215E+00	2076	2085	2080	9	tasmax
Bahrain	Normal	3.110E+02	4.385E+00	1.105E+00	2076	2085	2080	10	tasmax
Bahrain	Normal	3.046E+02	3.319E+00	8.315E-01	2076	2085	2080	11	tasmax
Bahrain	Normal	2.991E+02	2.776E+00	8.055E-01	2076	2085	2080	12	tasmax
Bahrain	Normal	2.977E+02	3.133E+00	1.026E+00	2086	2099	2092	1	tasmax
Bahrain	Normal	2.994E+02	4.268E+00	1.131E+00	2086	2099	2092	2	tasmax
Bahrain	Normal	3.034E+02	5.712E+00	1.211E+00	2086	2099	2092	3	tasmax
Bahrain	Normal	3.078E+02	6.436E+00	1.081E+00	2086	2099	2092	4	tasmax
Bahrain	Normal	3.125E+02	7.235E+00	1.185E+00	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bahrain	Normal	3.170E+02	7.782E+00	1.422E+00	2086	2099	2092	6	tasmax
Bahrain	Normal	3.183E+02	7.555E+00	1.355E+00	2086	2099	2092	7	tasmax
Bahrain	Normal	3.180E+02	6.837E+00	1.255E+00	2086	2099	2092	8	tasmax
Bahrain	Normal	3.160E+02	5.875E+00	1.124E+00	2086	2099	2092	9	tasmax
Bahrain	Normal	3.115E+02	4.323E+00	1.018E+00	2086	2099	2092	10	tasmax
Bahrain	Normal	3.052E+02	3.390E+00	1.085E+00	2086	2099	2092	11	tasmax
Bahrain	Normal	2.997E+02	3.148E+00	9.570E-01	2086	2099	2092	12	tasmax
Bangladesh	Normal	2.967E+02	3.021E+00	1.098E+00	2006	2015	2010	1	tasmax
Bangladesh	Normal	3.001E+02	3.033E+00	9.854E-01	2006	2015	2010	2	tasmax
Bangladesh	Normal	3.051E+02	2.587E+00	1.088E+00	2006	2015	2010	3	tasmax
Bangladesh	Normal	3.083E+02	2.253E+00	8.355E-01	2006	2015	2010	4	tasmax
Bangladesh	Normal	3.085E+02	2.714E+00	5.987E-01	2006	2015	2010	5	tasmax
Bangladesh	Normal	3.072E+02	3.018E+00	8.155E-01	2006	2015	2010	6	tasmax
Bangladesh	Normal	3.047E+02	2.689E+00	5.451E-01	2006	2015	2010	7	tasmax
Bangladesh	Normal	3.042E+02	2.025E+00	4.142E-01	2006	2015	2010	8	tasmax
Bangladesh	Normal	3.042E+02	1.904E+00	5.218E-01	2006	2015	2010	9	tasmax
Bangladesh	Normal	3.030E+02	2.349E+00	5.045E-01	2006	2015	2010	10	tasmax
Bangladesh	Normal	2.998E+02	2.824E+00	6.336E-01	2006	2015	2010	11	tasmax
Bangladesh	Normal	2.967E+02	2.821E+00	8.123E-01	2006	2015	2010	12	tasmax
Bangladesh	Normal	2.969E+02	2.954E+00	1.143E+00	2016	2025	2020	1	tasmax
Bangladesh	Normal	3.002E+02	2.927E+00	1.280E+00	2016	2025	2020	2	tasmax
Bangladesh	Normal	3.051E+02	2.508E+00	1.029E+00	2016	2025	2020	3	tasmax
Bangladesh	Normal	3.087E+02	2.550E+00	8.223E-01	2016	2025	2020	4	tasmax
Bangladesh	Normal	3.089E+02	2.458E+00	4.538E-01	2016	2025	2020	5	tasmax
Bangladesh	Normal	3.074E+02	3.017E+00	7.484E-01	2016	2025	2020	6	tasmax
Bangladesh	Normal	3.049E+02	2.540E+00	7.364E-01	2016	2025	2020	7	tasmax
Bangladesh	Normal	3.045E+02	2.168E+00	5.158E-01	2016	2025	2020	8	tasmax
Bangladesh	Normal	3.044E+02	2.098E+00	7.400E-01	2016	2025	2020	9	tasmax
Bangladesh	Normal	3.031E+02	2.496E+00	5.673E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bangladesh	Normal	3.000E+02	2.741E+00	5.805E-01	2016	2025	2020	11	tasmax
Bangladesh	Normal	2.969E+02	2.823E+00	8.631E-01	2016	2025	2020	12	tasmax
Bangladesh	Normal	2.975E+02	2.968E+00	1.076E+00	2026	2035	2030	1	tasmax
Bangladesh	Normal	3.007E+02	3.001E+00	1.203E+00	2026	2035	2030	2	tasmax
Bangladesh	Normal	3.054E+02	2.843E+00	1.040E+00	2026	2035	2030	3	tasmax
Bangladesh	Normal	3.086E+02	2.475E+00	8.332E-01	2026	2035	2030	4	tasmax
Bangladesh	Normal	3.089E+02	2.675E+00	8.623E-01	2026	2035	2030	5	tasmax
Bangladesh	Normal	3.078E+02	2.825E+00	6.789E-01	2026	2035	2030	6	tasmax
Bangladesh	Normal	3.056E+02	2.594E+00	7.263E-01	2026	2035	2030	7	tasmax
Bangladesh	Normal	3.047E+02	2.152E+00	4.382E-01	2026	2035	2030	8	tasmax
Bangladesh	Normal	3.047E+02	2.023E+00	6.958E-01	2026	2035	2030	9	tasmax
Bangladesh	Normal	3.036E+02	2.341E+00	5.950E-01	2026	2035	2030	10	tasmax
Bangladesh	Normal	3.006E+02	2.801E+00	5.797E-01	2026	2035	2030	11	tasmax
Bangladesh	Normal	2.975E+02	2.972E+00	8.283E-01	2026	2035	2030	12	tasmax
Bangladesh	Normal	2.978E+02	2.977E+00	1.053E+00	2036	2045	2040	1	tasmax
Bangladesh	Normal	3.012E+02	2.952E+00	1.129E+00	2036	2045	2040	2	tasmax
Bangladesh	Normal	3.059E+02	2.609E+00	9.028E-01	2036	2045	2040	3	tasmax
Bangladesh	Normal	3.093E+02	2.279E+00	6.009E-01	2036	2045	2040	4	tasmax
Bangladesh	Normal	3.098E+02	2.487E+00	4.898E-01	2036	2045	2040	5	tasmax
Bangladesh	Normal	3.081E+02	2.760E+00	7.147E-01	2036	2045	2040	6	tasmax
Bangladesh	Normal	3.057E+02	2.753E+00	8.342E-01	2036	2045	2040	7	tasmax
Bangladesh	Normal	3.051E+02	2.277E+00	5.614E-01	2036	2045	2040	8	tasmax
Bangladesh	Normal	3.051E+02	2.099E+00	6.627E-01	2036	2045	2040	9	tasmax
Bangladesh	Normal	3.040E+02	2.316E+00	6.125E-01	2036	2045	2040	10	tasmax
Bangladesh	Normal	3.009E+02	2.852E+00	6.429E-01	2036	2045	2040	11	tasmax
Bangladesh	Normal	2.978E+02	2.890E+00	7.986E-01	2036	2045	2040	12	tasmax
Bangladesh	Normal	2.984E+02	3.043E+00	9.538E-01	2046	2055	2050	1	tasmax
Bangladesh	Normal	3.018E+02	2.914E+00	9.055E-01	2046	2055	2050	2	tasmax
Bangladesh	Normal	3.067E+02	2.880E+00	8.647E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bangladesh	Normal	3.099E+02	2.590E+00	6.118E-01	2046	2055	2050	4	tasmax
Bangladesh	Normal	3.100E+02	2.754E+00	5.968E-01	2046	2055	2050	5	tasmax
Bangladesh	Normal	3.088E+02	2.831E+00	7.864E-01	2046	2055	2050	6	tasmax
Bangladesh	Normal	3.063E+02	2.570E+00	6.816E-01	2046	2055	2050	7	tasmax
Bangladesh	Normal	3.056E+02	2.090E+00	6.109E-01	2046	2055	2050	8	tasmax
Bangladesh	Normal	3.057E+02	2.102E+00	5.692E-01	2046	2055	2050	9	tasmax
Bangladesh	Normal	3.046E+02	2.372E+00	6.779E-01	2046	2055	2050	10	tasmax
Bangladesh	Normal	3.017E+02	2.816E+00	5.801E-01	2046	2055	2050	11	tasmax
Bangladesh	Normal	2.985E+02	2.972E+00	7.845E-01	2046	2055	2050	12	tasmax
Bangladesh	Normal	2.991E+02	2.902E+00	9.172E-01	2056	2065	2060	1	tasmax
Bangladesh	Normal	3.022E+02	2.934E+00	8.592E-01	2056	2065	2060	2	tasmax
Bangladesh	Normal	3.069E+02	2.739E+00	7.993E-01	2056	2065	2060	3	tasmax
Bangladesh	Normal	3.102E+02	2.824E+00	5.989E-01	2056	2065	2060	4	tasmax
Bangladesh	Normal	3.104E+02	2.783E+00	6.754E-01	2056	2065	2060	5	tasmax
Bangladesh	Normal	3.092E+02	2.994E+00	1.013E+00	2056	2065	2060	6	tasmax
Bangladesh	Normal	3.066E+02	2.561E+00	6.184E-01	2056	2065	2060	7	tasmax
Bangladesh	Normal	3.061E+02	2.239E+00	7.152E-01	2056	2065	2060	8	tasmax
Bangladesh	Normal	3.062E+02	2.194E+00	6.600E-01	2056	2065	2060	9	tasmax
Bangladesh	Normal	3.050E+02	2.485E+00	6.050E-01	2056	2065	2060	10	tasmax
Bangladesh	Normal	3.021E+02	2.795E+00	5.200E-01	2056	2065	2060	11	tasmax
Bangladesh	Normal	2.990E+02	2.857E+00	6.249E-01	2056	2065	2060	12	tasmax
Bangladesh	Normal	2.996E+02	2.966E+00	8.577E-01	2066	2075	2070	1	tasmax
Bangladesh	Normal	3.028E+02	2.916E+00	8.988E-01	2066	2075	2070	2	tasmax
Bangladesh	Normal	3.074E+02	2.905E+00	6.582E-01	2066	2075	2070	3	tasmax
Bangladesh	Normal	3.105E+02	2.995E+00	5.684E-01	2066	2075	2070	4	tasmax
Bangladesh	Normal	3.111E+02	2.891E+00	7.765E-01	2066	2075	2070	5	tasmax
Bangladesh	Normal	3.096E+02	2.958E+00	9.514E-01	2066	2075	2070	6	tasmax
Bangladesh	Normal	3.072E+02	2.606E+00	8.499E-01	2066	2075	2070	7	tasmax
Bangladesh	Normal	3.065E+02	2.360E+00	8.666E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bangladesh	Normal	3.066E+02	2.454E+00	8.607E-01	2066	2075	2070	9	tasmax
Bangladesh	Normal	3.058E+02	2.600E+00	8.631E-01	2066	2075	2070	10	tasmax
Bangladesh	Normal	3.027E+02	2.897E+00	6.458E-01	2066	2075	2070	11	tasmax
Bangladesh	Normal	2.998E+02	2.978E+00	7.128E-01	2066	2075	2070	12	tasmax
Bangladesh	Normal	3.004E+02	3.063E+00	1.002E+00	2076	2085	2080	1	tasmax
Bangladesh	Normal	3.036E+02	2.971E+00	8.887E-01	2076	2085	2080	2	tasmax
Bangladesh	Normal	3.081E+02	2.981E+00	5.698E-01	2076	2085	2080	3	tasmax
Bangladesh	Normal	3.114E+02	2.841E+00	5.702E-01	2076	2085	2080	4	tasmax
Bangladesh	Normal	3.116E+02	2.629E+00	5.747E-01	2076	2085	2080	5	tasmax
Bangladesh	Normal	3.102E+02	2.961E+00	9.787E-01	2076	2085	2080	6	tasmax
Bangladesh	Normal	3.077E+02	2.831E+00	8.006E-01	2076	2085	2080	7	tasmax
Bangladesh	Normal	3.070E+02	2.355E+00	7.427E-01	2076	2085	2080	8	tasmax
Bangladesh	Normal	3.073E+02	2.500E+00	8.874E-01	2076	2085	2080	9	tasmax
Bangladesh	Normal	3.062E+02	2.672E+00	8.561E-01	2076	2085	2080	10	tasmax
Bangladesh	Normal	3.033E+02	2.832E+00	5.139E-01	2076	2085	2080	11	tasmax
Bangladesh	Normal	3.002E+02	3.016E+00	7.545E-01	2076	2085	2080	12	tasmax
Bangladesh	Normal	3.008E+02	2.939E+00	9.512E-01	2086	2099	2092	1	tasmax
Bangladesh	Normal	3.041E+02	2.834E+00	8.643E-01	2086	2099	2092	2	tasmax
Bangladesh	Normal	3.087E+02	2.669E+00	4.450E-01	2086	2099	2092	3	tasmax
Bangladesh	Normal	3.119E+02	2.825E+00	5.431E-01	2086	2099	2092	4	tasmax
Bangladesh	Normal	3.118E+02	2.880E+00	5.514E-01	2086	2099	2092	5	tasmax
Bangladesh	Normal	3.105E+02	3.240E+00	1.048E+00	2086	2099	2092	6	tasmax
Bangladesh	Normal	3.080E+02	2.862E+00	9.128E-01	2086	2099	2092	7	tasmax
Bangladesh	Normal	3.074E+02	2.459E+00	7.576E-01	2086	2099	2092	8	tasmax
Bangladesh	Normal	3.078E+02	2.543E+00	9.587E-01	2086	2099	2092	9	tasmax
Bangladesh	Normal	3.067E+02	2.680E+00	8.601E-01	2086	2099	2092	10	tasmax
Bangladesh	Normal	3.038E+02	2.805E+00	6.636E-01	2086	2099	2092	11	tasmax
Bangladesh	Normal	3.008E+02	2.742E+00	6.138E-01	2086	2099	2092	12	tasmax
Belarus	Normal	2.711E+02	2.927E+00	6.303E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belarus	Normal	2.730E+02	3.141E+00	4.880E-01	2006	2015	2010	2	tasmax
Belarus	Normal	2.774E+02	3.041E+00	6.887E-01	2006	2015	2010	3	tasmax
Belarus	Normal	2.852E+02	2.968E+00	6.104E-01	2006	2015	2010	4	tasmax
Belarus	Normal	2.926E+02	2.797E+00	6.230E-01	2006	2015	2010	5	tasmax
Belarus	Normal	2.978E+02	3.035E+00	6.097E-01	2006	2015	2010	6	tasmax
Belarus	Normal	2.997E+02	3.514E+00	7.988E-01	2006	2015	2010	7	tasmax
Belarus	Normal	2.979E+02	3.429E+00	7.992E-01	2006	2015	2010	8	tasmax
Belarus	Normal	2.920E+02	3.095E+00	7.442E-01	2006	2015	2010	9	tasmax
Belarus	Normal	2.846E+02	3.139E+00	1.021E+00	2006	2015	2010	10	tasmax
Belarus	Normal	2.772E+02	2.643E+00	9.552E-01	2006	2015	2010	11	tasmax
Belarus	Normal	2.730E+02	2.923E+00	6.293E-01	2006	2015	2010	12	tasmax
Belarus	Normal	2.717E+02	2.715E+00	4.828E-01	2016	2025	2020	1	tasmax
Belarus	Normal	2.733E+02	2.736E+00	3.953E-01	2016	2025	2020	2	tasmax
Belarus	Normal	2.784E+02	3.060E+00	6.120E-01	2016	2025	2020	3	tasmax
Belarus	Normal	2.858E+02	3.076E+00	5.481E-01	2016	2025	2020	4	tasmax
Belarus	Normal	2.931E+02	2.833E+00	6.729E-01	2016	2025	2020	5	tasmax
Belarus	Normal	2.981E+02	3.178E+00	6.099E-01	2016	2025	2020	6	tasmax
Belarus	Normal	3.005E+02	3.813E+00	7.910E-01	2016	2025	2020	7	tasmax
Belarus	Normal	2.985E+02	3.763E+00	8.452E-01	2016	2025	2020	8	tasmax
Belarus	Normal	2.925E+02	3.180E+00	7.340E-01	2016	2025	2020	9	tasmax
Belarus	Normal	2.849E+02	2.796E+00	7.746E-01	2016	2025	2020	10	tasmax
Belarus	Normal	2.780E+02	2.539E+00	6.133E-01	2016	2025	2020	11	tasmax
Belarus	Normal	2.733E+02	2.754E+00	9.570E-01	2016	2025	2020	12	tasmax
Belarus	Normal	2.718E+02	3.021E+00	5.386E-01	2026	2035	2030	1	tasmax
Belarus	Normal	2.737E+02	2.531E+00	4.276E-01	2026	2035	2030	2	tasmax
Belarus	Normal	2.790E+02	2.837E+00	4.703E-01	2026	2035	2030	3	tasmax
Belarus	Normal	2.863E+02	2.980E+00	6.278E-01	2026	2035	2030	4	tasmax
Belarus	Normal	2.934E+02	3.043E+00	7.677E-01	2026	2035	2030	5	tasmax
Belarus	Normal	2.984E+02	2.883E+00	5.358E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belarus	Normal	3.008E+02	3.737E+00	8.297E-01	2026	2035	2030	7	tasmax
Belarus	Normal	2.990E+02	3.305E+00	6.473E-01	2026	2035	2030	8	tasmax
Belarus	Normal	2.926E+02	2.960E+00	8.258E-01	2026	2035	2030	9	tasmax
Belarus	Normal	2.853E+02	2.992E+00	1.274E+00	2026	2035	2030	10	tasmax
Belarus	Normal	2.783E+02	2.758E+00	1.124E+00	2026	2035	2030	11	tasmax
Belarus	Normal	2.740E+02	3.060E+00	6.694E-01	2026	2035	2030	12	tasmax
Belarus	Normal	2.729E+02	3.115E+00	4.252E-01	2036	2045	2040	1	tasmax
Belarus	Normal	2.746E+02	2.632E+00	7.765E-01	2036	2045	2040	2	tasmax
Belarus	Normal	2.793E+02	2.929E+00	4.447E-01	2036	2045	2040	3	tasmax
Belarus	Normal	2.868E+02	2.875E+00	5.230E-01	2036	2045	2040	4	tasmax
Belarus	Normal	2.937E+02	2.770E+00	6.386E-01	2036	2045	2040	5	tasmax
Belarus	Normal	2.991E+02	3.518E+00	6.889E-01	2036	2045	2040	6	tasmax
Belarus	Normal	3.016E+02	3.988E+00	8.101E-01	2036	2045	2040	7	tasmax
Belarus	Normal	2.999E+02	3.463E+00	8.625E-01	2036	2045	2040	8	tasmax
Belarus	Normal	2.936E+02	2.899E+00	8.362E-01	2036	2045	2040	9	tasmax
Belarus	Normal	2.860E+02	2.795E+00	7.271E-01	2036	2045	2040	10	tasmax
Belarus	Normal	2.791E+02	2.744E+00	9.022E-01	2036	2045	2040	11	tasmax
Belarus	Normal	2.747E+02	2.763E+00	7.383E-01	2036	2045	2040	12	tasmax
Belarus	Normal	2.734E+02	2.882E+00	4.174E-01	2046	2055	2050	1	tasmax
Belarus	Normal	2.751E+02	2.694E+00	6.372E-01	2046	2055	2050	2	tasmax
Belarus	Normal	2.801E+02	2.725E+00	6.293E-01	2046	2055	2050	3	tasmax
Belarus	Normal	2.874E+02	3.348E+00	6.634E-01	2046	2055	2050	4	tasmax
Belarus	Normal	2.942E+02	3.202E+00	8.699E-01	2046	2055	2050	5	tasmax
Belarus	Normal	2.997E+02	3.586E+00	8.175E-01	2046	2055	2050	6	tasmax
Belarus	Normal	3.021E+02	3.839E+00	1.023E+00	2046	2055	2050	7	tasmax
Belarus	Normal	3.006E+02	3.742E+00	1.007E+00	2046	2055	2050	8	tasmax
Belarus	Normal	2.944E+02	2.870E+00	6.683E-01	2046	2055	2050	9	tasmax
Belarus	Normal	2.868E+02	2.962E+00	9.770E-01	2046	2055	2050	10	tasmax
Belarus	Normal	2.795E+02	2.714E+00	7.791E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belarus	Normal	2.751E+02	2.840E+00	5.040E-01	2046	2055	2050	12	tasmax
Belarus	Normal	2.744E+02	2.749E+00	3.807E-01	2056	2065	2060	1	tasmax
Belarus	Normal	2.756E+02	2.818E+00	5.237E-01	2056	2065	2060	2	tasmax
Belarus	Normal	2.806E+02	3.043E+00	3.674E-01	2056	2065	2060	3	tasmax
Belarus	Normal	2.878E+02	2.741E+00	6.371E-01	2056	2065	2060	4	tasmax
Belarus	Normal	2.948E+02	3.334E+00	7.025E-01	2056	2065	2060	5	tasmax
Belarus	Normal	3.000E+02	3.742E+00	7.312E-01	2056	2065	2060	6	tasmax
Belarus	Normal	3.026E+02	4.052E+00	9.499E-01	2056	2065	2060	7	tasmax
Belarus	Normal	3.011E+02	3.722E+00	1.044E+00	2056	2065	2060	8	tasmax
Belarus	Normal	2.949E+02	3.084E+00	5.392E-01	2056	2065	2060	9	tasmax
Belarus	Normal	2.873E+02	3.089E+00	9.318E-01	2056	2065	2060	10	tasmax
Belarus	Normal	2.802E+02	2.349E+00	7.210E-01	2056	2065	2060	11	tasmax
Belarus	Normal	2.759E+02	2.657E+00	7.374E-01	2056	2065	2060	12	tasmax
Belarus	Normal	2.751E+02	2.573E+00	4.295E-01	2066	2075	2070	1	tasmax
Belarus	Normal	2.765E+02	2.445E+00	3.582E-01	2066	2075	2070	2	tasmax
Belarus	Normal	2.812E+02	3.008E+00	4.656E-01	2066	2075	2070	3	tasmax
Belarus	Normal	2.885E+02	3.061E+00	5.998E-01	2066	2075	2070	4	tasmax
Belarus	Normal	2.952E+02	3.103E+00	4.633E-01	2066	2075	2070	5	tasmax
Belarus	Normal	3.013E+02	3.925E+00	6.562E-01	2066	2075	2070	6	tasmax
Belarus	Normal	3.034E+02	4.144E+00	1.042E+00	2066	2075	2070	7	tasmax
Belarus	Normal	3.021E+02	3.894E+00	9.199E-01	2066	2075	2070	8	tasmax
Belarus	Normal	2.958E+02	3.413E+00	6.854E-01	2066	2075	2070	9	tasmax
Belarus	Normal	2.878E+02	3.124E+00	8.407E-01	2066	2075	2070	10	tasmax
Belarus	Normal	2.808E+02	2.540E+00	8.494E-01	2066	2075	2070	11	tasmax
Belarus	Normal	2.767E+02	2.886E+00	6.368E-01	2066	2075	2070	12	tasmax
Belarus	Normal	2.758E+02	2.799E+00	7.521E-01	2076	2085	2080	1	tasmax
Belarus	Normal	2.772E+02	2.899E+00	6.945E-01	2076	2085	2080	2	tasmax
Belarus	Normal	2.819E+02	3.342E+00	6.026E-01	2076	2085	2080	3	tasmax
Belarus	Normal	2.888E+02	3.262E+00	7.918E-01	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belarus	Normal	2.955E+02	3.408E+00	7.105E-01	2076	2085	2080	5	tasmax
Belarus	Normal	3.016E+02	3.783E+00	6.468E-01	2076	2085	2080	6	tasmax
Belarus	Normal	3.042E+02	4.479E+00	1.137E+00	2076	2085	2080	7	tasmax
Belarus	Normal	3.031E+02	4.165E+00	1.108E+00	2076	2085	2080	8	tasmax
Belarus	Normal	2.964E+02	3.330E+00	7.036E-01	2076	2085	2080	9	tasmax
Belarus	Normal	2.885E+02	3.147E+00	9.346E-01	2076	2085	2080	10	tasmax
Belarus	Normal	2.813E+02	2.633E+00	6.116E-01	2076	2085	2080	11	tasmax
Belarus	Normal	2.773E+02	2.695E+00	6.860E-01	2076	2085	2080	12	tasmax
Belarus	Normal	2.763E+02	2.418E+00	4.642E-01	2086	2099	2092	1	tasmax
Belarus	Normal	2.776E+02	2.418E+00	3.525E-01	2086	2099	2092	2	tasmax
Belarus	Normal	2.822E+02	2.840E+00	5.176E-01	2086	2099	2092	3	tasmax
Belarus	Normal	2.891E+02	3.129E+00	5.925E-01	2086	2099	2092	4	tasmax
Belarus	Normal	2.961E+02	3.193E+00	7.394E-01	2086	2099	2092	5	tasmax
Belarus	Normal	3.024E+02	4.135E+00	8.274E-01	2086	2099	2092	6	tasmax
Belarus	Normal	3.050E+02	4.351E+00	1.289E+00	2086	2099	2092	7	tasmax
Belarus	Normal	3.036E+02	4.200E+00	1.352E+00	2086	2099	2092	8	tasmax
Belarus	Normal	2.973E+02	3.242E+00	5.360E-01	2086	2099	2092	9	tasmax
Belarus	Normal	2.892E+02	2.996E+00	8.702E-01	2086	2099	2092	10	tasmax
Belarus	Normal	2.819E+02	2.535E+00	7.103E-01	2086	2099	2092	11	tasmax
Belarus	Normal	2.778E+02	2.579E+00	4.754E-01	2086	2099	2092	12	tasmax
Belgium	Normal	2.794E+02	1.730E+00	2.774E-01	2006	2015	2010	1	tasmax
Belgium	Normal	2.802E+02	1.997E+00	3.712E-01	2006	2015	2010	2	tasmax
Belgium	Normal	2.827E+02	2.547E+00	6.177E-01	2006	2015	2010	3	tasmax
Belgium	Normal	2.866E+02	3.023E+00	7.594E-01	2006	2015	2010	4	tasmax
Belgium	Normal	2.906E+02	2.672E+00	5.463E-01	2006	2015	2010	5	tasmax
Belgium	Normal	2.948E+02	2.971E+00	8.671E-01	2006	2015	2010	6	tasmax
Belgium	Normal	2.968E+02	2.910E+00	8.632E-01	2006	2015	2010	7	tasmax
Belgium	Normal	2.962E+02	2.977E+00	9.157E-01	2006	2015	2010	8	tasmax
Belgium	Normal	2.927E+02	2.807E+00	1.053E+00	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belgium	Normal	2.875E+02	2.481E+00	7.936E-01	2006	2015	2010	10	tasmax
Belgium	Normal	2.827E+02	1.771E+00	4.373E-01	2006	2015	2010	11	tasmax
Belgium	Normal	2.803E+02	1.697E+00	3.525E-01	2006	2015	2010	12	tasmax
Belgium	Normal	2.796E+02	1.781E+00	3.954E-01	2016	2025	2020	1	tasmax
Belgium	Normal	2.807E+02	1.905E+00	2.886E-01	2016	2025	2020	2	tasmax
Belgium	Normal	2.832E+02	2.716E+00	6.259E-01	2016	2025	2020	3	tasmax
Belgium	Normal	2.867E+02	2.657E+00	3.786E-01	2016	2025	2020	4	tasmax
Belgium	Normal	2.912E+02	2.784E+00	6.838E-01	2016	2025	2020	5	tasmax
Belgium	Normal	2.956E+02	2.927E+00	6.839E-01	2016	2025	2020	6	tasmax
Belgium	Normal	2.976E+02	3.082E+00	7.674E-01	2016	2025	2020	7	tasmax
Belgium	Normal	2.968E+02	2.789E+00	7.158E-01	2016	2025	2020	8	tasmax
Belgium	Normal	2.934E+02	2.693E+00	7.005E-01	2016	2025	2020	9	tasmax
Belgium	Normal	2.881E+02	2.627E+00	9.310E-01	2016	2025	2020	10	tasmax
Belgium	Normal	2.833E+02	1.735E+00	3.265E-01	2016	2025	2020	11	tasmax
Belgium	Normal	2.804E+02	1.497E+00	3.659E-01	2016	2025	2020	12	tasmax
Belgium	Normal	2.799E+02	1.646E+00	3.350E-01	2026	2035	2030	1	tasmax
Belgium	Normal	2.807E+02	1.489E+00	3.468E-01	2026	2035	2030	2	tasmax
Belgium	Normal	2.835E+02	2.482E+00	5.272E-01	2026	2035	2030	3	tasmax
Belgium	Normal	2.870E+02	2.773E+00	5.924E-01	2026	2035	2030	4	tasmax
Belgium	Normal	2.915E+02	2.885E+00	5.611E-01	2026	2035	2030	5	tasmax
Belgium	Normal	2.954E+02	3.311E+00	8.812E-01	2026	2035	2030	6	tasmax
Belgium	Normal	2.978E+02	3.424E+00	9.010E-01	2026	2035	2030	7	tasmax
Belgium	Normal	2.971E+02	2.966E+00	9.438E-01	2026	2035	2030	8	tasmax
Belgium	Normal	2.936E+02	2.988E+00	7.897E-01	2026	2035	2030	9	tasmax
Belgium	Normal	2.886E+02	2.729E+00	1.064E+00	2026	2035	2030	10	tasmax
Belgium	Normal	2.834E+02	1.757E+00	4.822E-01	2026	2035	2030	11	tasmax
Belgium	Normal	2.811E+02	1.749E+00	4.328E-01	2026	2035	2030	12	tasmax
Belgium	Normal	2.806E+02	1.678E+00	4.176E-01	2036	2045	2040	1	tasmax
Belgium	Normal	2.814E+02	1.868E+00	3.574E-01	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belgium	Normal	2.839E+02	2.578E+00	5.767E-01	2036	2045	2040	3	tasmax
Belgium	Normal	2.875E+02	2.767E+00	4.856E-01	2036	2045	2040	4	tasmax
Belgium	Normal	2.917E+02	2.815E+00	5.398E-01	2036	2045	2040	5	tasmax
Belgium	Normal	2.963E+02	3.414E+00	7.938E-01	2036	2045	2040	6	tasmax
Belgium	Normal	2.985E+02	3.353E+00	6.420E-01	2036	2045	2040	7	tasmax
Belgium	Normal	2.978E+02	2.901E+00	7.739E-01	2036	2045	2040	8	tasmax
Belgium	Normal	2.942E+02	2.770E+00	7.754E-01	2036	2045	2040	9	tasmax
Belgium	Normal	2.888E+02	2.219E+00	6.993E-01	2036	2045	2040	10	tasmax
Belgium	Normal	2.840E+02	1.852E+00	6.737E-01	2036	2045	2040	11	tasmax
Belgium	Normal	2.815E+02	1.687E+00	4.241E-01	2036	2045	2040	12	tasmax
Belgium	Normal	2.808E+02	1.688E+00	3.460E-01	2046	2055	2050	1	tasmax
Belgium	Normal	2.816E+02	1.685E+00	2.967E-01	2046	2055	2050	2	tasmax
Belgium	Normal	2.840E+02	2.379E+00	4.389E-01	2046	2055	2050	3	tasmax
Belgium	Normal	2.877E+02	2.930E+00	6.358E-01	2046	2055	2050	4	tasmax
Belgium	Normal	2.922E+02	3.098E+00	8.469E-01	2046	2055	2050	5	tasmax
Belgium	Normal	2.968E+02	3.533E+00	8.127E-01	2046	2055	2050	6	tasmax
Belgium	Normal	2.991E+02	3.252E+00	5.959E-01	2046	2055	2050	7	tasmax
Belgium	Normal	2.984E+02	3.023E+00	6.784E-01	2046	2055	2050	8	tasmax
Belgium	Normal	2.948E+02	2.786E+00	8.337E-01	2046	2055	2050	9	tasmax
Belgium	Normal	2.894E+02	2.609E+00	9.616E-01	2046	2055	2050	10	tasmax
Belgium	Normal	2.845E+02	1.899E+00	4.472E-01	2046	2055	2050	11	tasmax
Belgium	Normal	2.817E+02	1.584E+00	3.233E-01	2046	2055	2050	12	tasmax
Belgium	Normal	2.813E+02	1.697E+00	2.576E-01	2056	2065	2060	1	tasmax
Belgium	Normal	2.820E+02	1.966E+00	5.837E-01	2056	2065	2060	2	tasmax
Belgium	Normal	2.845E+02	2.403E+00	3.488E-01	2056	2065	2060	3	tasmax
Belgium	Normal	2.883E+02	2.869E+00	5.193E-01	2056	2065	2060	4	tasmax
Belgium	Normal	2.926E+02	3.351E+00	7.102E-01	2056	2065	2060	5	tasmax
Belgium	Normal	2.975E+02	3.639E+00	8.006E-01	2056	2065	2060	6	tasmax
Belgium	Normal	3.000E+02	3.508E+00	7.951E-01	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belgium	Normal	2.994E+02	3.144E+00	6.684E-01	2056	2065	2060	8	tasmax
Belgium	Normal	2.956E+02	3.146E+00	9.153E-01	2056	2065	2060	9	tasmax
Belgium	Normal	2.900E+02	2.837E+00	9.122E-01	2056	2065	2060	10	tasmax
Belgium	Normal	2.850E+02	1.802E+00	5.626E-01	2056	2065	2060	11	tasmax
Belgium	Normal	2.823E+02	1.648E+00	2.972E-01	2056	2065	2060	12	tasmax
Belgium	Normal	2.818E+02	1.405E+00	3.266E-01	2066	2075	2070	1	tasmax
Belgium	Normal	2.824E+02	1.869E+00	3.533E-01	2066	2075	2070	2	tasmax
Belgium	Normal	2.849E+02	2.407E+00	4.726E-01	2066	2075	2070	3	tasmax
Belgium	Normal	2.889E+02	2.940E+00	7.296E-01	2066	2075	2070	4	tasmax
Belgium	Normal	2.933E+02	3.011E+00	6.538E-01	2066	2075	2070	5	tasmax
Belgium	Normal	2.979E+02	3.627E+00	6.117E-01	2066	2075	2070	6	tasmax
Belgium	Normal	3.005E+02	3.906E+00	6.993E-01	2066	2075	2070	7	tasmax
Belgium	Normal	3.002E+02	3.427E+00	6.776E-01	2066	2075	2070	8	tasmax
Belgium	Normal	2.965E+02	3.308E+00	7.662E-01	2066	2075	2070	9	tasmax
Belgium	Normal	2.906E+02	2.903E+00	8.885E-01	2066	2075	2070	10	tasmax
Belgium	Normal	2.854E+02	1.884E+00	5.302E-01	2066	2075	2070	11	tasmax
Belgium	Normal	2.828E+02	1.635E+00	4.814E-01	2066	2075	2070	12	tasmax
Belgium	Normal	2.823E+02	1.489E+00	2.954E-01	2076	2085	2080	1	tasmax
Belgium	Normal	2.830E+02	1.854E+00	3.662E-01	2076	2085	2080	2	tasmax
Belgium	Normal	2.853E+02	2.623E+00	4.516E-01	2076	2085	2080	3	tasmax
Belgium	Normal	2.890E+02	3.406E+00	9.074E-01	2076	2085	2080	4	tasmax
Belgium	Normal	2.941E+02	3.335E+00	8.623E-01	2076	2085	2080	5	tasmax
Belgium	Normal	2.987E+02	3.781E+00	7.850E-01	2076	2085	2080	6	tasmax
Belgium	Normal	3.014E+02	3.887E+00	6.918E-01	2076	2085	2080	7	tasmax
Belgium	Normal	3.010E+02	3.498E+00	6.094E-01	2076	2085	2080	8	tasmax
Belgium	Normal	2.970E+02	3.121E+00	7.177E-01	2076	2085	2080	9	tasmax
Belgium	Normal	2.911E+02	2.564E+00	5.525E-01	2076	2085	2080	10	tasmax
Belgium	Normal	2.859E+02	1.610E+00	3.876E-01	2076	2085	2080	11	tasmax
Belgium	Normal	2.833E+02	1.427E+00	3.735E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belgium	Normal	2.827E+02	1.274E+00	2.357E-01	2086	2099	2092	1	tasmax
Belgium	Normal	2.834E+02	1.597E+00	2.847E-01	2086	2099	2092	2	tasmax
Belgium	Normal	2.856E+02	2.235E+00	4.030E-01	2086	2099	2092	3	tasmax
Belgium	Normal	2.896E+02	2.977E+00	6.715E-01	2086	2099	2092	4	tasmax
Belgium	Normal	2.941E+02	3.274E+00	7.751E-01	2086	2099	2092	5	tasmax
Belgium	Normal	2.993E+02	4.014E+00	7.995E-01	2086	2099	2092	6	tasmax
Belgium	Normal	3.021E+02	3.916E+00	6.492E-01	2086	2099	2092	7	tasmax
Belgium	Normal	3.017E+02	3.445E+00	6.471E-01	2086	2099	2092	8	tasmax
Belgium	Normal	2.980E+02	3.244E+00	6.035E-01	2086	2099	2092	9	tasmax
Belgium	Normal	2.919E+02	3.034E+00	9.722E-01	2086	2099	2092	10	tasmax
Belgium	Normal	2.865E+02	1.803E+00	4.774E-01	2086	2099	2092	11	tasmax
Belgium	Normal	2.837E+02	1.660E+00	5.120E-01	2086	2099	2092	12	tasmax
Belize	Normal	3.000E+02	1.967E+00	7.148E-01	2006	2015	2010	1	tasmax
Belize	Normal	3.012E+02	2.270E+00	7.317E-01	2006	2015	2010	2	tasmax
Belize	Normal	3.031E+02	2.609E+00	8.429E-01	2006	2015	2010	3	tasmax
Belize	Normal	3.049E+02	2.713E+00	7.443E-01	2006	2015	2010	4	tasmax
Belize	Normal	3.053E+02	2.648E+00	7.094E-01	2006	2015	2010	5	tasmax
Belize	Normal	3.045E+02	2.463E+00	9.011E-01	2006	2015	2010	6	tasmax
Belize	Normal	3.042E+02	2.518E+00	7.868E-01	2006	2015	2010	7	tasmax
Belize	Normal	3.045E+02	2.440E+00	5.990E-01	2006	2015	2010	8	tasmax
Belize	Normal	3.041E+02	2.340E+00	6.017E-01	2006	2015	2010	9	tasmax
Belize	Normal	3.030E+02	2.238E+00	7.487E-01	2006	2015	2010	10	tasmax
Belize	Normal	3.016E+02	1.972E+00	6.808E-01	2006	2015	2010	11	tasmax
Belize	Normal	3.004E+02	1.976E+00	7.417E-01	2006	2015	2010	12	tasmax
Belize	Normal	3.003E+02	2.101E+00	8.538E-01	2016	2025	2020	1	tasmax
Belize	Normal	3.015E+02	2.472E+00	8.874E-01	2016	2025	2020	2	tasmax
Belize	Normal	3.035E+02	2.534E+00	6.506E-01	2016	2025	2020	3	tasmax
Belize	Normal	3.051E+02	2.647E+00	6.387E-01	2016	2025	2020	4	tasmax
Belize	Normal	3.054E+02	2.531E+00	6.351E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belize	Normal	3.046E+02	2.494E+00	8.105E-01	2016	2025	2020	6	tasmax
Belize	Normal	3.045E+02	2.437E+00	5.898E-01	2016	2025	2020	7	tasmax
Belize	Normal	3.048E+02	2.389E+00	4.556E-01	2016	2025	2020	8	tasmax
Belize	Normal	3.043E+02	2.235E+00	6.089E-01	2016	2025	2020	9	tasmax
Belize	Normal	3.031E+02	2.199E+00	7.931E-01	2016	2025	2020	10	tasmax
Belize	Normal	3.018E+02	2.183E+00	8.033E-01	2016	2025	2020	11	tasmax
Belize	Normal	3.007E+02	1.849E+00	6.398E-01	2016	2025	2020	12	tasmax
Belize	Normal	3.007E+02	1.988E+00	5.460E-01	2026	2035	2030	1	tasmax
Belize	Normal	3.018E+02	2.307E+00	4.978E-01	2026	2035	2030	2	tasmax
Belize	Normal	3.039E+02	2.526E+00	6.229E-01	2026	2035	2030	3	tasmax
Belize	Normal	3.055E+02	2.484E+00	6.059E-01	2026	2035	2030	4	tasmax
Belize	Normal	3.059E+02	2.509E+00	6.588E-01	2026	2035	2030	5	tasmax
Belize	Normal	3.050E+02	2.364E+00	7.919E-01	2026	2035	2030	6	tasmax
Belize	Normal	3.048E+02	2.574E+00	6.844E-01	2026	2035	2030	7	tasmax
Belize	Normal	3.051E+02	2.368E+00	4.614E-01	2026	2035	2030	8	tasmax
Belize	Normal	3.046E+02	2.270E+00	6.800E-01	2026	2035	2030	9	tasmax
Belize	Normal	3.035E+02	2.212E+00	8.163E-01	2026	2035	2030	10	tasmax
Belize	Normal	3.021E+02	2.107E+00	8.061E-01	2026	2035	2030	11	tasmax
Belize	Normal	3.010E+02	1.957E+00	7.722E-01	2026	2035	2030	12	tasmax
Belize	Normal	3.010E+02	2.049E+00	7.663E-01	2036	2045	2040	1	tasmax
Belize	Normal	3.023E+02	2.373E+00	8.013E-01	2036	2045	2040	2	tasmax
Belize	Normal	3.044E+02	2.562E+00	6.678E-01	2036	2045	2040	3	tasmax
Belize	Normal	3.061E+02	2.736E+00	7.035E-01	2036	2045	2040	4	tasmax
Belize	Normal	3.063E+02	2.729E+00	6.344E-01	2036	2045	2040	5	tasmax
Belize	Normal	3.055E+02	2.702E+00	8.618E-01	2036	2045	2040	6	tasmax
Belize	Normal	3.052E+02	2.657E+00	7.493E-01	2036	2045	2040	7	tasmax
Belize	Normal	3.055E+02	2.587E+00	5.779E-01	2036	2045	2040	8	tasmax
Belize	Normal	3.050E+02	2.385E+00	7.031E-01	2036	2045	2040	9	tasmax
Belize	Normal	3.039E+02	2.300E+00	8.982E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belize	Normal	3.025E+02	2.118E+00	8.100E-01	2036	2045	2040	11	tasmax
Belize	Normal	3.013E+02	2.047E+00	7.841E-01	2036	2045	2040	12	tasmax
Belize	Normal	3.015E+02	2.253E+00	7.266E-01	2046	2055	2050	1	tasmax
Belize	Normal	3.028E+02	2.405E+00	6.316E-01	2046	2055	2050	2	tasmax
Belize	Normal	3.048E+02	2.824E+00	7.763E-01	2046	2055	2050	3	tasmax
Belize	Normal	3.064E+02	2.888E+00	7.908E-01	2046	2055	2050	4	tasmax
Belize	Normal	3.067E+02	2.779E+00	7.788E-01	2046	2055	2050	5	tasmax
Belize	Normal	3.060E+02	2.655E+00	9.120E-01	2046	2055	2050	6	tasmax
Belize	Normal	3.058E+02	2.641E+00	7.676E-01	2046	2055	2050	7	tasmax
Belize	Normal	3.061E+02	2.482E+00	4.998E-01	2046	2055	2050	8	tasmax
Belize	Normal	3.057E+02	2.361E+00	7.401E-01	2046	2055	2050	9	tasmax
Belize	Normal	3.044E+02	2.337E+00	7.435E-01	2046	2055	2050	10	tasmax
Belize	Normal	3.030E+02	2.232E+00	8.271E-01	2046	2055	2050	11	tasmax
Belize	Normal	3.018E+02	2.157E+00	7.060E-01	2046	2055	2050	12	tasmax
Belize	Normal	3.020E+02	2.284E+00	5.329E-01	2056	2065	2060	1	tasmax
Belize	Normal	3.034E+02	2.647E+00	4.959E-01	2056	2065	2060	2	tasmax
Belize	Normal	3.054E+02	2.788E+00	6.619E-01	2056	2065	2060	3	tasmax
Belize	Normal	3.070E+02	2.877E+00	6.741E-01	2056	2065	2060	4	tasmax
Belize	Normal	3.073E+02	2.664E+00	6.916E-01	2056	2065	2060	5	tasmax
Belize	Normal	3.066E+02	2.537E+00	8.417E-01	2056	2065	2060	6	tasmax
Belize	Normal	3.064E+02	2.738E+00	7.126E-01	2056	2065	2060	7	tasmax
Belize	Normal	3.068E+02	2.551E+00	4.614E-01	2056	2065	2060	8	tasmax
Belize	Normal	3.062E+02	2.544E+00	6.350E-01	2056	2065	2060	9	tasmax
Belize	Normal	3.050E+02	2.610E+00	7.374E-01	2056	2065	2060	10	tasmax
Belize	Normal	3.036E+02	2.451E+00	7.337E-01	2056	2065	2060	11	tasmax
Belize	Normal	3.023E+02	2.075E+00	5.529E-01	2056	2065	2060	12	tasmax
Belize	Normal	3.023E+02	2.183E+00	6.030E-01	2066	2075	2070	1	tasmax
Belize	Normal	3.036E+02	2.610E+00	6.085E-01	2066	2075	2070	2	tasmax
Belize	Normal	3.061E+02	2.843E+00	6.848E-01	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belize	Normal	3.076E+02	3.040E+00	7.771E-01	2066	2075	2070	4	tasmax
Belize	Normal	3.079E+02	2.899E+00	6.791E-01	2066	2075	2070	5	tasmax
Belize	Normal	3.071E+02	2.799E+00	8.675E-01	2066	2075	2070	6	tasmax
Belize	Normal	3.069E+02	2.817E+00	7.607E-01	2066	2075	2070	7	tasmax
Belize	Normal	3.072E+02	2.651E+00	4.755E-01	2066	2075	2070	8	tasmax
Belize	Normal	3.067E+02	2.558E+00	7.511E-01	2066	2075	2070	9	tasmax
Belize	Normal	3.055E+02	2.677E+00	8.339E-01	2066	2075	2070	10	tasmax
Belize	Normal	3.040E+02	2.474E+00	8.867E-01	2066	2075	2070	11	tasmax
Belize	Normal	3.027E+02	2.169E+00	7.661E-01	2066	2075	2070	12	tasmax
Belize	Normal	3.028E+02	2.433E+00	5.616E-01	2076	2085	2080	1	tasmax
Belize	Normal	3.043E+02	2.788E+00	7.358E-01	2076	2085	2080	2	tasmax
Belize	Normal	3.063E+02	3.026E+00	6.544E-01	2076	2085	2080	3	tasmax
Belize	Normal	3.079E+02	2.980E+00	7.519E-01	2076	2085	2080	4	tasmax
Belize	Normal	3.083E+02	2.768E+00	7.251E-01	2076	2085	2080	5	tasmax
Belize	Normal	3.076E+02	2.929E+00	9.354E-01	2076	2085	2080	6	tasmax
Belize	Normal	3.075E+02	2.865E+00	7.405E-01	2076	2085	2080	7	tasmax
Belize	Normal	3.078E+02	2.712E+00	5.070E-01	2076	2085	2080	8	tasmax
Belize	Normal	3.074E+02	2.643E+00	6.018E-01	2076	2085	2080	9	tasmax
Belize	Normal	3.060E+02	2.618E+00	7.655E-01	2076	2085	2080	10	tasmax
Belize	Normal	3.046E+02	2.655E+00	8.412E-01	2076	2085	2080	11	tasmax
Belize	Normal	3.033E+02	2.305E+00	6.630E-01	2076	2085	2080	12	tasmax
Belize	Normal	3.035E+02	2.520E+00	6.002E-01	2086	2099	2092	1	tasmax
Belize	Normal	3.048E+02	2.908E+00	5.664E-01	2086	2099	2092	2	tasmax
Belize	Normal	3.070E+02	3.190E+00	7.695E-01	2086	2099	2092	3	tasmax
Belize	Normal	3.086E+02	3.003E+00	7.002E-01	2086	2099	2092	4	tasmax
Belize	Normal	3.087E+02	3.047E+00	7.648E-01	2086	2099	2092	5	tasmax
Belize	Normal	3.081E+02	2.924E+00	8.773E-01	2086	2099	2092	6	tasmax
Belize	Normal	3.080E+02	3.004E+00	7.759E-01	2086	2099	2092	7	tasmax
Belize	Normal	3.084E+02	2.775E+00	4.848E-01	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Belize	Normal	3.078E+02	2.743E+00	5.912E-01	2086	2099	2092	9	tasmax
Belize	Normal	3.066E+02	2.842E+00	7.184E-01	2086	2099	2092	10	tasmax
Belize	Normal	3.051E+02	2.583E+00	7.088E-01	2086	2099	2092	11	tasmax
Belize	Normal	3.038E+02	2.365E+00	5.846E-01	2086	2099	2092	12	tasmax
Benin	Normal	3.071E+02	1.788E+00	5.721E-01	2006	2015	2010	1	tasmax
Benin	Normal	3.092E+02	1.779E+00	5.230E-01	2006	2015	2010	2	tasmax
Benin	Normal	3.103E+02	1.555E+00	2.307E-01	2006	2015	2010	3	tasmax
Benin	Normal	3.090E+02	1.731E+00	2.791E-01	2006	2015	2010	4	tasmax
Benin	Normal	3.069E+02	2.050E+00	4.926E-01	2006	2015	2010	5	tasmax
Benin	Normal	3.050E+02	2.190E+00	5.339E-01	2006	2015	2010	6	tasmax
Benin	Normal	3.037E+02	2.156E+00	6.139E-01	2006	2015	2010	7	tasmax
Benin	Normal	3.027E+02	1.695E+00	4.243E-01	2006	2015	2010	8	tasmax
Benin	Normal	3.034E+02	1.787E+00	4.097E-01	2006	2015	2010	9	tasmax
Benin	Normal	3.050E+02	1.801E+00	3.766E-01	2006	2015	2010	10	tasmax
Benin	Normal	3.064E+02	1.751E+00	5.319E-01	2006	2015	2010	11	tasmax
Benin	Normal	3.066E+02	1.639E+00	5.278E-01	2006	2015	2010	12	tasmax
Benin	Normal	3.077E+02	1.698E+00	5.307E-01	2016	2025	2020	1	tasmax
Benin	Normal	3.095E+02	1.725E+00	4.777E-01	2016	2025	2020	2	tasmax
Benin	Normal	3.107E+02	1.556E+00	2.859E-01	2016	2025	2020	3	tasmax
Benin	Normal	3.094E+02	1.838E+00	3.042E-01	2016	2025	2020	4	tasmax
Benin	Normal	3.073E+02	2.338E+00	4.520E-01	2016	2025	2020	5	tasmax
Benin	Normal	3.054E+02	2.367E+00	6.532E-01	2016	2025	2020	6	tasmax
Benin	Normal	3.040E+02	2.194E+00	5.917E-01	2016	2025	2020	7	tasmax
Benin	Normal	3.030E+02	1.826E+00	4.056E-01	2016	2025	2020	8	tasmax
Benin	Normal	3.039E+02	1.973E+00	4.504E-01	2016	2025	2020	9	tasmax
Benin	Normal	3.053E+02	1.981E+00	4.123E-01	2016	2025	2020	10	tasmax
Benin	Normal	3.068E+02	2.008E+00	7.103E-01	2016	2025	2020	11	tasmax
Benin	Normal	3.069E+02	1.680E+00	4.037E-01	2016	2025	2020	12	tasmax
Benin	Normal	3.080E+02	1.989E+00	6.970E-01	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Benin	Normal	3.101E+02	1.978E+00	5.754E-01	2026	2035	2030	2	tasmax
Benin	Normal	3.112E+02	1.713E+00	3.524E-01	2026	2035	2030	3	tasmax
Benin	Normal	3.098E+02	1.917E+00	3.534E-01	2026	2035	2030	4	tasmax
Benin	Normal	3.076E+02	2.340E+00	5.028E-01	2026	2035	2030	5	tasmax
Benin	Normal	3.059E+02	2.407E+00	5.419E-01	2026	2035	2030	6	tasmax
Benin	Normal	3.045E+02	2.273E+00	5.933E-01	2026	2035	2030	7	tasmax
Benin	Normal	3.034E+02	1.769E+00	3.827E-01	2026	2035	2030	8	tasmax
Benin	Normal	3.041E+02	1.921E+00	3.886E-01	2026	2035	2030	9	tasmax
Benin	Normal	3.057E+02	1.985E+00	4.623E-01	2026	2035	2030	10	tasmax
Benin	Normal	3.072E+02	1.973E+00	6.183E-01	2026	2035	2030	11	tasmax
Benin	Normal	3.073E+02	1.868E+00	6.192E-01	2026	2035	2030	12	tasmax
Benin	Normal	3.085E+02	1.974E+00	7.987E-01	2036	2045	2040	1	tasmax
Benin	Normal	3.105E+02	1.994E+00	5.280E-01	2036	2045	2040	2	tasmax
Benin	Normal	3.116E+02	1.996E+00	5.017E-01	2036	2045	2040	3	tasmax
Benin	Normal	3.102E+02	1.941E+00	3.194E-01	2036	2045	2040	4	tasmax
Benin	Normal	3.082E+02	2.287E+00	4.776E-01	2036	2045	2040	5	tasmax
Benin	Normal	3.063E+02	2.406E+00	6.244E-01	2036	2045	2040	6	tasmax
Benin	Normal	3.048E+02	2.274E+00	7.383E-01	2036	2045	2040	7	tasmax
Benin	Normal	3.038E+02	1.824E+00	4.432E-01	2036	2045	2040	8	tasmax
Benin	Normal	3.046E+02	1.885E+00	3.431E-01	2036	2045	2040	9	tasmax
Benin	Normal	3.062E+02	2.102E+00	5.276E-01	2036	2045	2040	10	tasmax
Benin	Normal	3.077E+02	1.998E+00	6.317E-01	2036	2045	2040	11	tasmax
Benin	Normal	3.078E+02	1.730E+00	5.355E-01	2036	2045	2040	12	tasmax
Benin	Normal	3.091E+02	1.926E+00	6.320E-01	2046	2055	2050	1	tasmax
Benin	Normal	3.111E+02	2.299E+00	7.920E-01	2046	2055	2050	2	tasmax
Benin	Normal	3.121E+02	2.055E+00	5.273E-01	2046	2055	2050	3	tasmax
Benin	Normal	3.108E+02	2.097E+00	3.734E-01	2046	2055	2050	4	tasmax
Benin	Normal	3.089E+02	2.523E+00	6.144E-01	2046	2055	2050	5	tasmax
Benin	Normal	3.070E+02	2.675E+00	6.898E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Benin	Normal	3.053E+02	2.452E+00	7.751E-01	2046	2055	2050	7	tasmax
Benin	Normal	3.043E+02	1.911E+00	5.062E-01	2046	2055	2050	8	tasmax
Benin	Normal	3.051E+02	1.978E+00	4.374E-01	2046	2055	2050	9	tasmax
Benin	Normal	3.066E+02	2.098E+00	4.955E-01	2046	2055	2050	10	tasmax
Benin	Normal	3.081E+02	2.192E+00	6.868E-01	2046	2055	2050	11	tasmax
Benin	Normal	3.084E+02	1.794E+00	4.400E-01	2046	2055	2050	12	tasmax
Benin	Normal	3.096E+02	2.013E+00	7.051E-01	2056	2065	2060	1	tasmax
Benin	Normal	3.116E+02	2.282E+00	7.287E-01	2056	2065	2060	2	tasmax
Benin	Normal	3.128E+02	2.280E+00	6.835E-01	2056	2065	2060	3	tasmax
Benin	Normal	3.113E+02	2.229E+00	4.096E-01	2056	2065	2060	4	tasmax
Benin	Normal	3.093E+02	2.576E+00	5.489E-01	2056	2065	2060	5	tasmax
Benin	Normal	3.074E+02	2.702E+00	6.253E-01	2056	2065	2060	6	tasmax
Benin	Normal	3.060E+02	2.559E+00	6.844E-01	2056	2065	2060	7	tasmax
Benin	Normal	3.048E+02	2.018E+00	4.388E-01	2056	2065	2060	8	tasmax
Benin	Normal	3.056E+02	2.149E+00	5.083E-01	2056	2065	2060	9	tasmax
Benin	Normal	3.071E+02	2.103E+00	4.930E-01	2056	2065	2060	10	tasmax
Benin	Normal	3.086E+02	2.119E+00	6.578E-01	2056	2065	2060	11	tasmax
Benin	Normal	3.088E+02	1.839E+00	5.732E-01	2056	2065	2060	12	tasmax
Benin	Normal	3.101E+02	1.861E+00	6.250E-01	2066	2075	2070	1	tasmax
Benin	Normal	3.122E+02	2.097E+00	5.785E-01	2066	2075	2070	2	tasmax
Benin	Normal	3.133E+02	2.310E+00	5.683E-01	2066	2075	2070	3	tasmax
Benin	Normal	3.119E+02	2.280E+00	3.687E-01	2066	2075	2070	4	tasmax
Benin	Normal	3.099E+02	2.635E+00	5.410E-01	2066	2075	2070	5	tasmax
Benin	Normal	3.080E+02	2.823E+00	7.369E-01	2066	2075	2070	6	tasmax
Benin	Normal	3.065E+02	2.610E+00	9.874E-01	2066	2075	2070	7	tasmax
Benin	Normal	3.054E+02	2.138E+00	6.685E-01	2066	2075	2070	8	tasmax
Benin	Normal	3.061E+02	2.082E+00	5.110E-01	2066	2075	2070	9	tasmax
Benin	Normal	3.075E+02	2.110E+00	3.796E-01	2066	2075	2070	10	tasmax
Benin	Normal	3.093E+02	2.115E+00	7.142E-01	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Benin	Normal	3.094E+02	1.816E+00	4.316E-01	2066	2075	2070	12	tasmax
Benin	Normal	3.106E+02	1.847E+00	6.543E-01	2076	2085	2080	1	tasmax
Benin	Normal	3.126E+02	1.947E+00	4.154E-01	2076	2085	2080	2	tasmax
Benin	Normal	3.138E+02	1.976E+00	2.867E-01	2076	2085	2080	3	tasmax
Benin	Normal	3.124E+02	2.340E+00	4.985E-01	2076	2085	2080	4	tasmax
Benin	Normal	3.103E+02	2.619E+00	5.720E-01	2076	2085	2080	5	tasmax
Benin	Normal	3.086E+02	2.914E+00	6.618E-01	2076	2085	2080	6	tasmax
Benin	Normal	3.071E+02	2.779E+00	9.409E-01	2076	2085	2080	7	tasmax
Benin	Normal	3.059E+02	2.261E+00	6.949E-01	2076	2085	2080	8	tasmax
Benin	Normal	3.065E+02	2.210E+00	5.842E-01	2076	2085	2080	9	tasmax
Benin	Normal	3.080E+02	2.211E+00	4.472E-01	2076	2085	2080	10	tasmax
Benin	Normal	3.096E+02	2.238E+00	8.193E-01	2076	2085	2080	11	tasmax
Benin	Normal	3.098E+02	1.810E+00	5.522E-01	2076	2085	2080	12	tasmax
Benin	Normal	3.111E+02	1.784E+00	5.920E-01	2086	2099	2092	1	tasmax
Benin	Normal	3.133E+02	1.829E+00	4.216E-01	2086	2099	2092	2	tasmax
Benin	Normal	3.143E+02	2.024E+00	3.375E-01	2086	2099	2092	3	tasmax
Benin	Normal	3.130E+02	2.325E+00	4.658E-01	2086	2099	2092	4	tasmax
Benin	Normal	3.110E+02	2.812E+00	5.717E-01	2086	2099	2092	5	tasmax
Benin	Normal	3.092E+02	3.065E+00	7.168E-01	2086	2099	2092	6	tasmax
Benin	Normal	3.078E+02	3.013E+00	1.053E+00	2086	2099	2092	7	tasmax
Benin	Normal	3.066E+02	2.372E+00	6.675E-01	2086	2099	2092	8	tasmax
Benin	Normal	3.072E+02	2.330E+00	5.450E-01	2086	2099	2092	9	tasmax
Benin	Normal	3.087E+02	2.262E+00	4.508E-01	2086	2099	2092	10	tasmax
Benin	Normal	3.105E+02	2.180E+00	6.882E-01	2086	2099	2092	11	tasmax
Benin	Normal	3.105E+02	1.802E+00	5.822E-01	2086	2099	2092	12	tasmax
Bhutan	Normal	2.820E+02	3.606E+00	8.738E-01	2006	2015	2010	1	tasmax
Bhutan	Normal	2.845E+02	3.999E+00	1.110E+00	2006	2015	2010	2	tasmax
Bhutan	Normal	2.888E+02	4.117E+00	1.260E+00	2006	2015	2010	3	tasmax
Bhutan	Normal	2.926E+02	4.334E+00	1.005E+00	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bhutan	Normal	2.942E+02	4.041E+00	7.472E-01	2006	2015	2010	5	tasmax
Bhutan	Normal	2.940E+02	3.169E+00	6.709E-01	2006	2015	2010	6	tasmax
Bhutan	Normal	2.928E+02	2.372E+00	4.022E-01	2006	2015	2010	7	tasmax
Bhutan	Normal	2.929E+02	2.356E+00	4.313E-01	2006	2015	2010	8	tasmax
Bhutan	Normal	2.921E+02	2.487E+00	3.915E-01	2006	2015	2010	9	tasmax
Bhutan	Normal	2.896E+02	3.117E+00	4.788E-01	2006	2015	2010	10	tasmax
Bhutan	Normal	2.860E+02	3.175E+00	6.759E-01	2006	2015	2010	11	tasmax
Bhutan	Normal	2.826E+02	3.443E+00	7.200E-01	2006	2015	2010	12	tasmax
Bhutan	Normal	2.826E+02	3.675E+00	9.789E-01	2016	2025	2020	1	tasmax
Bhutan	Normal	2.847E+02	3.951E+00	1.106E+00	2016	2025	2020	2	tasmax
Bhutan	Normal	2.892E+02	4.019E+00	1.465E+00	2016	2025	2020	3	tasmax
Bhutan	Normal	2.932E+02	4.087E+00	1.135E+00	2016	2025	2020	4	tasmax
Bhutan	Normal	2.946E+02	4.243E+00	7.743E-01	2016	2025	2020	5	tasmax
Bhutan	Normal	2.941E+02	3.392E+00	7.482E-01	2016	2025	2020	6	tasmax
Bhutan	Normal	2.931E+02	2.585E+00	4.057E-01	2016	2025	2020	7	tasmax
Bhutan	Normal	2.932E+02	2.380E+00	4.153E-01	2016	2025	2020	8	tasmax
Bhutan	Normal	2.924E+02	2.475E+00	3.438E-01	2016	2025	2020	9	tasmax
Bhutan	Normal	2.899E+02	3.254E+00	5.579E-01	2016	2025	2020	10	tasmax
Bhutan	Normal	2.865E+02	3.247E+00	7.442E-01	2016	2025	2020	11	tasmax
Bhutan	Normal	2.832E+02	3.409E+00	8.102E-01	2016	2025	2020	12	tasmax
Bhutan	Normal	2.831E+02	3.844E+00	8.960E-01	2026	2035	2030	1	tasmax
Bhutan	Normal	2.854E+02	3.916E+00	1.073E+00	2026	2035	2030	2	tasmax
Bhutan	Normal	2.895E+02	4.219E+00	1.347E+00	2026	2035	2030	3	tasmax
Bhutan	Normal	2.933E+02	4.431E+00	1.060E+00	2026	2035	2030	4	tasmax
Bhutan	Normal	2.950E+02	4.398E+00	9.623E-01	2026	2035	2030	5	tasmax
Bhutan	Normal	2.946E+02	3.308E+00	6.945E-01	2026	2035	2030	6	tasmax
Bhutan	Normal	2.936E+02	2.619E+00	5.504E-01	2026	2035	2030	7	tasmax
Bhutan	Normal	2.935E+02	2.353E+00	4.712E-01	2026	2035	2030	8	tasmax
Bhutan	Normal	2.929E+02	2.743E+00	4.464E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bhutan	Normal	2.905E+02	3.176E+00	5.143E-01	2026	2035	2030	10	tasmax
Bhutan	Normal	2.870E+02	3.342E+00	6.840E-01	2026	2035	2030	11	tasmax
Bhutan	Normal	2.837E+02	3.512E+00	9.291E-01	2026	2035	2030	12	tasmax
Bhutan	Normal	2.837E+02	3.765E+00	8.160E-01	2036	2045	2040	1	tasmax
Bhutan	Normal	2.860E+02	4.117E+00	1.106E+00	2036	2045	2040	2	tasmax
Bhutan	Normal	2.901E+02	3.923E+00	1.360E+00	2036	2045	2040	3	tasmax
Bhutan	Normal	2.939E+02	4.149E+00	1.254E+00	2036	2045	2040	4	tasmax
Bhutan	Normal	2.957E+02	4.265E+00	8.994E-01	2036	2045	2040	5	tasmax
Bhutan	Normal	2.949E+02	3.349E+00	8.321E-01	2036	2045	2040	6	tasmax
Bhutan	Normal	2.937E+02	2.563E+00	4.715E-01	2036	2045	2040	7	tasmax
Bhutan	Normal	2.940E+02	2.389E+00	5.615E-01	2036	2045	2040	8	tasmax
Bhutan	Normal	2.932E+02	2.602E+00	4.275E-01	2036	2045	2040	9	tasmax
Bhutan	Normal	2.909E+02	3.231E+00	5.681E-01	2036	2045	2040	10	tasmax
Bhutan	Normal	2.875E+02	3.116E+00	8.071E-01	2036	2045	2040	11	tasmax
Bhutan	Normal	2.841E+02	3.630E+00	8.826E-01	2036	2045	2040	12	tasmax
Bhutan	Normal	2.841E+02	3.899E+00	7.817E-01	2046	2055	2050	1	tasmax
Bhutan	Normal	2.866E+02	3.887E+00	1.038E+00	2046	2055	2050	2	tasmax
Bhutan	Normal	2.907E+02	4.043E+00	1.204E+00	2046	2055	2050	3	tasmax
Bhutan	Normal	2.945E+02	4.261E+00	1.031E+00	2046	2055	2050	4	tasmax
Bhutan	Normal	2.960E+02	4.014E+00	7.044E-01	2046	2055	2050	5	tasmax
Bhutan	Normal	2.956E+02	3.528E+00	7.920E-01	2046	2055	2050	6	tasmax
Bhutan	Normal	2.943E+02	2.534E+00	4.775E-01	2046	2055	2050	7	tasmax
Bhutan	Normal	2.945E+02	2.546E+00	5.282E-01	2046	2055	2050	8	tasmax
Bhutan	Normal	2.939E+02	2.695E+00	4.526E-01	2046	2055	2050	9	tasmax
Bhutan	Normal	2.914E+02	3.013E+00	5.298E-01	2046	2055	2050	10	tasmax
Bhutan	Normal	2.881E+02	3.207E+00	6.867E-01	2046	2055	2050	11	tasmax
Bhutan	Normal	2.848E+02	3.609E+00	9.958E-01	2046	2055	2050	12	tasmax
Bhutan	Normal	2.850E+02	3.651E+00	7.523E-01	2056	2065	2060	1	tasmax
Bhutan	Normal	2.871E+02	3.695E+00	7.708E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bhutan	Normal	2.910E+02	3.788E+00	1.125E+00	2056	2065	2060	3	tasmax
Bhutan	Normal	2.949E+02	4.233E+00	1.045E+00	2056	2065	2060	4	tasmax
Bhutan	Normal	2.965E+02	4.366E+00	9.818E-01	2056	2065	2060	5	tasmax
Bhutan	Normal	2.962E+02	3.470E+00	7.730E-01	2056	2065	2060	6	tasmax
Bhutan	Normal	2.948E+02	2.611E+00	4.863E-01	2056	2065	2060	7	tasmax
Bhutan	Normal	2.949E+02	2.529E+00	5.341E-01	2056	2065	2060	8	tasmax
Bhutan	Normal	2.943E+02	2.619E+00	4.433E-01	2056	2065	2060	9	tasmax
Bhutan	Normal	2.919E+02	3.082E+00	6.174E-01	2056	2065	2060	10	tasmax
Bhutan	Normal	2.886E+02	3.172E+00	6.933E-01	2056	2065	2060	11	tasmax
Bhutan	Normal	2.855E+02	3.375E+00	9.043E-01	2056	2065	2060	12	tasmax
Bhutan	Normal	2.854E+02	3.848E+00	8.412E-01	2066	2075	2070	1	tasmax
Bhutan	Normal	2.877E+02	3.746E+00	8.885E-01	2066	2075	2070	2	tasmax
Bhutan	Normal	2.916E+02	3.999E+00	1.238E+00	2066	2075	2070	3	tasmax
Bhutan	Normal	2.953E+02	4.268E+00	1.137E+00	2066	2075	2070	4	tasmax
Bhutan	Normal	2.972E+02	4.451E+00	9.260E-01	2066	2075	2070	5	tasmax
Bhutan	Normal	2.965E+02	3.271E+00	1.042E+00	2066	2075	2070	6	tasmax
Bhutan	Normal	2.954E+02	2.783E+00	6.120E-01	2066	2075	2070	7	tasmax
Bhutan	Normal	2.955E+02	2.692E+00	6.018E-01	2066	2075	2070	8	tasmax
Bhutan	Normal	2.949E+02	2.724E+00	4.999E-01	2066	2075	2070	9	tasmax
Bhutan	Normal	2.926E+02	3.151E+00	6.376E-01	2066	2075	2070	10	tasmax
Bhutan	Normal	2.892E+02	3.134E+00	5.922E-01	2066	2075	2070	11	tasmax
Bhutan	Normal	2.863E+02	3.550E+00	8.008E-01	2066	2075	2070	12	tasmax
Bhutan	Normal	2.863E+02	3.683E+00	9.584E-01	2076	2085	2080	1	tasmax
Bhutan	Normal	2.885E+02	3.792E+00	9.370E-01	2076	2085	2080	2	tasmax
Bhutan	Normal	2.924E+02	4.037E+00	1.226E+00	2076	2085	2080	3	tasmax
Bhutan	Normal	2.962E+02	4.417E+00	1.232E+00	2076	2085	2080	4	tasmax
Bhutan	Normal	2.977E+02	4.319E+00	1.024E+00	2076	2085	2080	5	tasmax
Bhutan	Normal	2.973E+02	3.823E+00	1.128E+00	2076	2085	2080	6	tasmax
Bhutan	Normal	2.957E+02	2.980E+00	6.418E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bhutan	Normal	2.960E+02	2.672E+00	6.019E-01	2076	2085	2080	8	tasmax
Bhutan	Normal	2.955E+02	2.844E+00	5.524E-01	2076	2085	2080	9	tasmax
Bhutan	Normal	2.932E+02	3.352E+00	6.846E-01	2076	2085	2080	10	tasmax
Bhutan	Normal	2.898E+02	3.259E+00	7.331E-01	2076	2085	2080	11	tasmax
Bhutan	Normal	2.868E+02	3.451E+00	9.211E-01	2076	2085	2080	12	tasmax
Bhutan	Normal	2.868E+02	3.783E+00	8.360E-01	2086	2099	2092	1	tasmax
Bhutan	Normal	2.892E+02	3.985E+00	8.907E-01	2086	2099	2092	2	tasmax
Bhutan	Normal	2.932E+02	4.112E+00	1.206E+00	2086	2099	2092	3	tasmax
Bhutan	Normal	2.969E+02	4.730E+00	1.139E+00	2086	2099	2092	4	tasmax
Bhutan	Normal	2.982E+02	4.313E+00	1.071E+00	2086	2099	2092	5	tasmax
Bhutan	Normal	2.976E+02	3.363E+00	1.032E+00	2086	2099	2092	6	tasmax
Bhutan	Normal	2.963E+02	2.868E+00	6.601E-01	2086	2099	2092	7	tasmax
Bhutan	Normal	2.967E+02	2.599E+00	5.600E-01	2086	2099	2092	8	tasmax
Bhutan	Normal	2.961E+02	2.886E+00	6.116E-01	2086	2099	2092	9	tasmax
Bhutan	Normal	2.937E+02	3.243E+00	6.390E-01	2086	2099	2092	10	tasmax
Bhutan	Normal	2.904E+02	3.062E+00	6.473E-01	2086	2099	2092	11	tasmax
Bhutan	Normal	2.873E+02	3.344E+00	9.009E-01	2086	2099	2092	12	tasmax
Bolivia	Normal	2.999E+02	2.324E+00	5.944E-01	2006	2015	2010	1	tasmax
Bolivia	Normal	2.997E+02	2.201E+00	5.192E-01	2006	2015	2010	2	tasmax
Bolivia	Normal	2.993E+02	2.005E+00	5.552E-01	2006	2015	2010	3	tasmax
Bolivia	Normal	2.985E+02	2.067E+00	4.144E-01	2006	2015	2010	4	tasmax
Bolivia	Normal	2.977E+02	2.276E+00	3.539E-01	2006	2015	2010	5	tasmax
Bolivia	Normal	2.970E+02	2.462E+00	6.917E-01	2006	2015	2010	6	tasmax
Bolivia	Normal	2.978E+02	2.734E+00	9.742E-01	2006	2015	2010	7	tasmax
Bolivia	Normal	2.995E+02	3.128E+00	1.061E+00	2006	2015	2010	8	tasmax
Bolivia	Normal	3.016E+02	3.152E+00	7.535E-01	2006	2015	2010	9	tasmax
Bolivia	Normal	3.022E+02	3.007E+00	4.350E-01	2006	2015	2010	10	tasmax
Bolivia	Normal	3.016E+02	2.722E+00	6.570E-01	2006	2015	2010	11	tasmax
Bolivia	Normal	3.004E+02	2.521E+00	6.510E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bolivia	Normal	3.004E+02	2.473E+00	7.112E-01	2016	2025	2020	1	tasmax
Bolivia	Normal	3.000E+02	2.152E+00	5.457E-01	2016	2025	2020	2	tasmax
Bolivia	Normal	2.996E+02	2.039E+00	6.540E-01	2016	2025	2020	3	tasmax
Bolivia	Normal	2.989E+02	2.116E+00	4.455E-01	2016	2025	2020	4	tasmax
Bolivia	Normal	2.980E+02	2.350E+00	3.309E-01	2016	2025	2020	5	tasmax
Bolivia	Normal	2.975E+02	2.520E+00	6.898E-01	2016	2025	2020	6	tasmax
Bolivia	Normal	2.980E+02	2.831E+00	1.101E+00	2016	2025	2020	7	tasmax
Bolivia	Normal	3.002E+02	2.914E+00	8.738E-01	2016	2025	2020	8	tasmax
Bolivia	Normal	3.019E+02	2.926E+00	6.758E-01	2016	2025	2020	9	tasmax
Bolivia	Normal	3.027E+02	3.025E+00	4.651E-01	2016	2025	2020	10	tasmax
Bolivia	Normal	3.020E+02	2.697E+00	6.437E-01	2016	2025	2020	11	tasmax
Bolivia	Normal	3.008E+02	2.525E+00	7.153E-01	2016	2025	2020	12	tasmax
Bolivia	Normal	3.007E+02	2.435E+00	6.368E-01	2026	2035	2030	1	tasmax
Bolivia	Normal	3.006E+02	2.325E+00	6.525E-01	2026	2035	2030	2	tasmax
Bolivia	Normal	3.000E+02	2.099E+00	6.189E-01	2026	2035	2030	3	tasmax
Bolivia	Normal	2.993E+02	2.180E+00	5.581E-01	2026	2035	2030	4	tasmax
Bolivia	Normal	2.985E+02	2.315E+00	4.140E-01	2026	2035	2030	5	tasmax
Bolivia	Normal	2.979E+02	2.419E+00	5.565E-01	2026	2035	2030	6	tasmax
Bolivia	Normal	2.986E+02	2.790E+00	9.016E-01	2026	2035	2030	7	tasmax
Bolivia	Normal	3.008E+02	3.115E+00	1.128E+00	2026	2035	2030	8	tasmax
Bolivia	Normal	3.027E+02	3.257E+00	6.893E-01	2026	2035	2030	9	tasmax
Bolivia	Normal	3.032E+02	3.194E+00	6.049E-01	2026	2035	2030	10	tasmax
Bolivia	Normal	3.025E+02	2.852E+00	8.627E-01	2026	2035	2030	11	tasmax
Bolivia	Normal	3.013E+02	2.480E+00	7.472E-01	2026	2035	2030	12	tasmax
Bolivia	Normal	3.012E+02	2.453E+00	6.821E-01	2036	2045	2040	1	tasmax
Bolivia	Normal	3.009E+02	2.192E+00	5.549E-01	2036	2045	2040	2	tasmax
Bolivia	Normal	3.005E+02	2.038E+00	6.100E-01	2036	2045	2040	3	tasmax
Bolivia	Normal	2.998E+02	2.146E+00	5.528E-01	2036	2045	2040	4	tasmax
Bolivia	Normal	2.990E+02	2.444E+00	3.453E-01	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bolivia	Normal	2.984E+02	2.676E+00	8.015E-01	2036	2045	2040	6	tasmax
Bolivia	Normal	2.991E+02	2.893E+00	9.701E-01	2036	2045	2040	7	tasmax
Bolivia	Normal	3.013E+02	2.971E+00	1.061E+00	2036	2045	2040	8	tasmax
Bolivia	Normal	3.033E+02	3.065E+00	6.657E-01	2036	2045	2040	9	tasmax
Bolivia	Normal	3.037E+02	3.145E+00	4.884E-01	2036	2045	2040	10	tasmax
Bolivia	Normal	3.031E+02	2.844E+00	8.300E-01	2036	2045	2040	11	tasmax
Bolivia	Normal	3.019E+02	2.604E+00	8.442E-01	2036	2045	2040	12	tasmax
Bolivia	Normal	3.018E+02	2.596E+00	7.752E-01	2046	2055	2050	1	tasmax
Bolivia	Normal	3.015E+02	2.399E+00	6.569E-01	2046	2055	2050	2	tasmax
Bolivia	Normal	3.011E+02	2.244E+00	6.561E-01	2046	2055	2050	3	tasmax
Bolivia	Normal	3.005E+02	2.205E+00	5.329E-01	2046	2055	2050	4	tasmax
Bolivia	Normal	2.996E+02	2.410E+00	3.751E-01	2046	2055	2050	5	tasmax
Bolivia	Normal	2.990E+02	2.613E+00	5.893E-01	2046	2055	2050	6	tasmax
Bolivia	Normal	2.997E+02	2.828E+00	9.310E-01	2046	2055	2050	7	tasmax
Bolivia	Normal	3.020E+02	3.003E+00	9.562E-01	2046	2055	2050	8	tasmax
Bolivia	Normal	3.040E+02	3.205E+00	7.150E-01	2046	2055	2050	9	tasmax
Bolivia	Normal	3.046E+02	3.145E+00	4.513E-01	2046	2055	2050	10	tasmax
Bolivia	Normal	3.039E+02	2.852E+00	8.466E-01	2046	2055	2050	11	tasmax
Bolivia	Normal	3.024E+02	2.823E+00	9.066E-01	2046	2055	2050	12	tasmax
Bolivia	Normal	3.025E+02	2.666E+00	8.631E-01	2056	2065	2060	1	tasmax
Bolivia	Normal	3.022E+02	2.504E+00	7.082E-01	2056	2065	2060	2	tasmax
Bolivia	Normal	3.017E+02	2.347E+00	5.832E-01	2056	2065	2060	3	tasmax
Bolivia	Normal	3.011E+02	2.338E+00	5.382E-01	2056	2065	2060	4	tasmax
Bolivia	Normal	3.003E+02	2.519E+00	5.046E-01	2056	2065	2060	5	tasmax
Bolivia	Normal	2.997E+02	2.649E+00	6.088E-01	2056	2065	2060	6	tasmax
Bolivia	Normal	3.004E+02	2.865E+00	8.493E-01	2056	2065	2060	7	tasmax
Bolivia	Normal	3.025E+02	3.071E+00	9.612E-01	2056	2065	2060	8	tasmax
Bolivia	Normal	3.048E+02	3.342E+00	6.619E-01	2056	2065	2060	9	tasmax
Bolivia	Normal	3.055E+02	3.354E+00	7.131E-01	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bolivia	Normal	3.045E+02	3.104E+00	1.043E+00	2056	2065	2060	11	tasmax
Bolivia	Normal	3.032E+02	2.823E+00	1.032E+00	2056	2065	2060	12	tasmax
Bolivia	Normal	3.032E+02	2.842E+00	9.592E-01	2066	2075	2070	1	tasmax
Bolivia	Normal	3.027E+02	2.554E+00	7.455E-01	2066	2075	2070	2	tasmax
Bolivia	Normal	3.023E+02	2.419E+00	7.929E-01	2066	2075	2070	3	tasmax
Bolivia	Normal	3.016E+02	2.389E+00	6.739E-01	2066	2075	2070	4	tasmax
Bolivia	Normal	3.008E+02	2.515E+00	4.719E-01	2066	2075	2070	5	tasmax
Bolivia	Normal	3.003E+02	2.747E+00	7.143E-01	2066	2075	2070	6	tasmax
Bolivia	Normal	3.012E+02	3.041E+00	9.506E-01	2066	2075	2070	7	tasmax
Bolivia	Normal	3.034E+02	3.062E+00	9.054E-01	2066	2075	2070	8	tasmax
Bolivia	Normal	3.056E+02	3.182E+00	5.794E-01	2066	2075	2070	9	tasmax
Bolivia	Normal	3.063E+02	3.470E+00	6.658E-01	2066	2075	2070	10	tasmax
Bolivia	Normal	3.054E+02	3.091E+00	1.059E+00	2066	2075	2070	11	tasmax
Bolivia	Normal	3.038E+02	2.865E+00	1.031E+00	2066	2075	2070	12	tasmax
Bolivia	Normal	3.037E+02	2.790E+00	8.443E-01	2076	2085	2080	1	tasmax
Bolivia	Normal	3.032E+02	2.612E+00	7.209E-01	2076	2085	2080	2	tasmax
Bolivia	Normal	3.030E+02	2.544E+00	6.735E-01	2076	2085	2080	3	tasmax
Bolivia	Normal	3.023E+02	2.467E+00	7.578E-01	2076	2085	2080	4	tasmax
Bolivia	Normal	3.015E+02	2.765E+00	6.982E-01	2076	2085	2080	5	tasmax
Bolivia	Normal	3.008E+02	3.018E+00	7.909E-01	2076	2085	2080	6	tasmax
Bolivia	Normal	3.017E+02	3.224E+00	9.559E-01	2076	2085	2080	7	tasmax
Bolivia	Normal	3.039E+02	3.315E+00	9.578E-01	2076	2085	2080	8	tasmax
Bolivia	Normal	3.064E+02	3.476E+00	8.161E-01	2076	2085	2080	9	tasmax
Bolivia	Normal	3.071E+02	3.654E+00	7.977E-01	2076	2085	2080	10	tasmax
Bolivia	Normal	3.061E+02	3.188E+00	1.095E+00	2076	2085	2080	11	tasmax
Bolivia	Normal	3.045E+02	2.875E+00	9.308E-01	2076	2085	2080	12	tasmax
Bolivia	Normal	3.044E+02	2.862E+00	8.342E-01	2086	2099	2092	1	tasmax
Bolivia	Normal	3.042E+02	2.714E+00	7.538E-01	2086	2099	2092	2	tasmax
Bolivia	Normal	3.037E+02	2.653E+00	6.823E-01	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bolivia	Normal	3.029E+02	2.643E+00	7.194E-01	2086	2099	2092	4	tasmax
Bolivia	Normal	3.022E+02	2.835E+00	7.116E-01	2086	2099	2092	5	tasmax
Bolivia	Normal	3.017E+02	2.936E+00	6.410E-01	2086	2099	2092	6	tasmax
Bolivia	Normal	3.022E+02	3.183E+00	9.727E-01	2086	2099	2092	7	tasmax
Bolivia	Normal	3.049E+02	3.305E+00	1.020E+00	2086	2099	2092	8	tasmax
Bolivia	Normal	3.073E+02	3.285E+00	7.772E-01	2086	2099	2092	9	tasmax
Bolivia	Normal	3.078E+02	3.636E+00	8.813E-01	2086	2099	2092	10	tasmax
Bolivia	Normal	3.069E+02	3.433E+00	1.299E+00	2086	2099	2092	11	tasmax
Bolivia	Normal	3.053E+02	2.954E+00	8.977E-01	2086	2099	2092	12	tasmax
Bosnia & Herzegovina	Normal	2.793E+02	2.199E+00	5.536E-01	2006	2015	2010	1	tasmax
Bosnia & Herzegovina	Normal	2.811E+02	2.297E+00	3.991E-01	2006	2015	2010	2	tasmax
Bosnia & Herzegovina	Normal	2.840E+02	2.076E+00	6.265E-01	2006	2015	2010	3	tasmax
Bosnia & Herzegovina	Normal	2.885E+02	2.123E+00	3.917E-01	2006	2015	2010	4	tasmax
Bosnia & Herzegovina	Normal	2.933E+02	2.139E+00	4.404E-01	2006	2015	2010	5	tasmax
Bosnia & Herzegovina	Normal	2.983E+02	2.170E+00	4.213E-01	2006	2015	2010	6	tasmax
Bosnia & Herzegovina	Normal	3.013E+02	2.444E+00	4.288E-01	2006	2015	2010	7	tasmax
Bosnia & Herzegovina	Normal	3.011E+02	2.630E+00	7.688E-01	2006	2015	2010	8	tasmax
Bosnia & Herzegovina	Normal	2.962E+02	2.079E+00	4.623E-01	2006	2015	2010	9	tasmax
Bosnia & Herzegovina	Normal	2.897E+02	2.117E+00	5.772E-01	2006	2015	2010	10	tasmax
Bosnia & Herzegovina	Normal	2.841E+02	1.985E+00	3.343E-01	2006	2015	2010	11	tasmax
Bosnia & Herzegovina	Normal	2.807E+02	2.049E+00	4.754E-01	2006	2015	2010	12	tasmax
Bosnia & Herzegovina	Normal	2.798E+02	2.109E+00	4.899E-01	2016	2025	2020	1	tasmax
Bosnia & Herzegovina	Normal	2.815E+02	2.013E+00	5.031E-01	2016	2025	2020	2	tasmax
Bosnia & Herzegovina	Normal	2.847E+02	2.364E+00	4.371E-01	2016	2025	2020	3	tasmax
Bosnia & Herzegovina	Normal	2.887E+02	2.150E+00	4.067E-01	2016	2025	2020	4	tasmax
Bosnia & Herzegovina	Normal	2.937E+02	1.959E+00	4.050E-01	2016	2025	2020	5	tasmax
Bosnia & Herzegovina	Normal	2.988E+02	2.095E+00	3.869E-01	2016	2025	2020	6	tasmax
Bosnia & Herzegovina	Normal	3.020E+02	2.681E+00	4.928E-01	2016	2025	2020	7	tasmax
Bosnia & Herzegovina	Normal	3.018E+02	2.730E+00	6.839E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bosnia & Herzegovina	Normal	2.968E+02	2.413E+00	6.817E-01	2016	2025	2020	9	tasmax
Bosnia & Herzegovina	Normal	2.903E+02	2.265E+00	5.337E-01	2016	2025	2020	10	tasmax
Bosnia & Herzegovina	Normal	2.846E+02	1.943E+00	4.276E-01	2016	2025	2020	11	tasmax
Bosnia & Herzegovina	Normal	2.810E+02	1.944E+00	2.773E-01	2016	2025	2020	12	tasmax
Bosnia & Herzegovina	Normal	2.802E+02	1.946E+00	4.095E-01	2026	2035	2030	1	tasmax
Bosnia & Herzegovina	Normal	2.817E+02	1.599E+00	3.820E-01	2026	2035	2030	2	tasmax
Bosnia & Herzegovina	Normal	2.852E+02	1.999E+00	3.866E-01	2026	2035	2030	3	tasmax
Bosnia & Herzegovina	Normal	2.893E+02	2.085E+00	5.618E-01	2026	2035	2030	4	tasmax
Bosnia & Herzegovina	Normal	2.941E+02	2.255E+00	4.290E-01	2026	2035	2030	5	tasmax
Bosnia & Herzegovina	Normal	2.992E+02	2.260E+00	4.651E-01	2026	2035	2030	6	tasmax
Bosnia & Herzegovina	Normal	3.028E+02	2.786E+00	5.796E-01	2026	2035	2030	7	tasmax
Bosnia & Herzegovina	Normal	3.026E+02	2.773E+00	8.903E-01	2026	2035	2030	8	tasmax
Bosnia & Herzegovina	Normal	2.971E+02	2.395E+00	9.134E-01	2026	2035	2030	9	tasmax
Bosnia & Herzegovina	Normal	2.909E+02	2.355E+00	4.550E-01	2026	2035	2030	10	tasmax
Bosnia & Herzegovina	Normal	2.849E+02	2.013E+00	4.326E-01	2026	2035	2030	11	tasmax
Bosnia & Herzegovina	Normal	2.816E+02	1.961E+00	3.310E-01	2026	2035	2030	12	tasmax
Bosnia & Herzegovina	Normal	2.810E+02	1.900E+00	2.973E-01	2036	2045	2040	1	tasmax
Bosnia & Herzegovina	Normal	2.824E+02	1.698E+00	3.442E-01	2036	2045	2040	2	tasmax
Bosnia & Herzegovina	Normal	2.854E+02	2.134E+00	4.864E-01	2036	2045	2040	3	tasmax
Bosnia & Herzegovina	Normal	2.898E+02	2.220E+00	4.999E-01	2036	2045	2040	4	tasmax
Bosnia & Herzegovina	Normal	2.946E+02	2.420E+00	4.794E-01	2036	2045	2040	5	tasmax
Bosnia & Herzegovina	Normal	3.001E+02	2.795E+00	4.707E-01	2036	2045	2040	6	tasmax
Bosnia & Herzegovina	Normal	3.038E+02	3.089E+00	5.678E-01	2036	2045	2040	7	tasmax
Bosnia & Herzegovina	Normal	3.034E+02	3.072E+00	9.471E-01	2036	2045	2040	8	tasmax
Bosnia & Herzegovina	Normal	2.980E+02	2.318E+00	7.652E-01	2036	2045	2040	9	tasmax
Bosnia & Herzegovina	Normal	2.915E+02	2.055E+00	4.054E-01	2036	2045	2040	10	tasmax
Bosnia & Herzegovina	Normal	2.856E+02	1.818E+00	4.283E-01	2036	2045	2040	11	tasmax
Bosnia & Herzegovina	Normal	2.822E+02	1.947E+00	4.650E-01	2036	2045	2040	12	tasmax
Bosnia & Herzegovina	Normal	2.813E+02	1.799E+00	2.983E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bosnia & Herzegovina	Normal	2.827E+02	1.608E+00	3.061E-01	2046	2055	2050	2	tasmax
Bosnia & Herzegovina	Normal	2.857E+02	1.733E+00	3.667E-01	2046	2055	2050	3	tasmax
Bosnia & Herzegovina	Normal	2.902E+02	2.462E+00	5.148E-01	2046	2055	2050	4	tasmax
Bosnia & Herzegovina	Normal	2.949E+02	2.489E+00	4.101E-01	2046	2055	2050	5	tasmax
Bosnia & Herzegovina	Normal	3.003E+02	2.622E+00	4.445E-01	2046	2055	2050	6	tasmax
Bosnia & Herzegovina	Normal	3.044E+02	3.365E+00	7.002E-01	2046	2055	2050	7	tasmax
Bosnia & Herzegovina	Normal	3.041E+02	3.238E+00	1.113E+00	2046	2055	2050	8	tasmax
Bosnia & Herzegovina	Normal	2.987E+02	2.438E+00	6.874E-01	2046	2055	2050	9	tasmax
Bosnia & Herzegovina	Normal	2.920E+02	2.386E+00	5.643E-01	2046	2055	2050	10	tasmax
Bosnia & Herzegovina	Normal	2.860E+02	2.011E+00	4.143E-01	2046	2055	2050	11	tasmax
Bosnia & Herzegovina	Normal	2.823E+02	1.895E+00	3.276E-01	2046	2055	2050	12	tasmax
Bosnia & Herzegovina	Normal	2.821E+02	1.639E+00	2.772E-01	2056	2065	2060	1	tasmax
Bosnia & Herzegovina	Normal	2.832E+02	1.934E+00	4.521E-01	2056	2065	2060	2	tasmax
Bosnia & Herzegovina	Normal	2.864E+02	2.133E+00	4.024E-01	2056	2065	2060	3	tasmax
Bosnia & Herzegovina	Normal	2.906E+02	2.552E+00	4.019E-01	2056	2065	2060	4	tasmax
Bosnia & Herzegovina	Normal	2.956E+02	2.923E+00	5.514E-01	2056	2065	2060	5	tasmax
Bosnia & Herzegovina	Normal	3.010E+02	2.931E+00	4.947E-01	2056	2065	2060	6	tasmax
Bosnia & Herzegovina	Normal	3.051E+02	3.588E+00	6.836E-01	2056	2065	2060	7	tasmax
Bosnia & Herzegovina	Normal	3.051E+02	3.487E+00	1.166E+00	2056	2065	2060	8	tasmax
Bosnia & Herzegovina	Normal	2.995E+02	2.747E+00	1.054E+00	2056	2065	2060	9	tasmax
Bosnia & Herzegovina	Normal	2.925E+02	2.455E+00	5.872E-01	2056	2065	2060	10	tasmax
Bosnia & Herzegovina	Normal	2.868E+02	1.950E+00	4.221E-01	2056	2065	2060	11	tasmax
Bosnia & Herzegovina	Normal	2.833E+02	1.963E+00	3.201E-01	2056	2065	2060	12	tasmax
Bosnia & Herzegovina	Normal	2.824E+02	1.699E+00	2.811E-01	2066	2075	2070	1	tasmax
Bosnia & Herzegovina	Normal	2.838E+02	1.731E+00	3.042E-01	2066	2075	2070	2	tasmax
Bosnia & Herzegovina	Normal	2.868E+02	2.161E+00	4.935E-01	2066	2075	2070	3	tasmax
Bosnia & Herzegovina	Normal	2.915E+02	2.473E+00	5.877E-01	2066	2075	2070	4	tasmax
Bosnia & Herzegovina	Normal	2.966E+02	2.944E+00	5.557E-01	2066	2075	2070	5	tasmax
Bosnia & Herzegovina	Normal	3.021E+02	3.339E+00	6.126E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bosnia & Herzegovina	Normal	3.061E+02	3.891E+00	8.431E-01	2066	2075	2070	7	tasmax
Bosnia & Herzegovina	Normal	3.060E+02	3.785E+00	1.051E+00	2066	2075	2070	8	tasmax
Bosnia & Herzegovina	Normal	3.005E+02	3.082E+00	1.049E+00	2066	2075	2070	9	tasmax
Bosnia & Herzegovina	Normal	2.934E+02	2.727E+00	9.313E-01	2066	2075	2070	10	tasmax
Bosnia & Herzegovina	Normal	2.872E+02	2.279E+00	5.361E-01	2066	2075	2070	11	tasmax
Bosnia & Herzegovina	Normal	2.836E+02	2.023E+00	5.665E-01	2066	2075	2070	12	tasmax
Bosnia & Herzegovina	Normal	2.831E+02	1.832E+00	3.488E-01	2076	2085	2080	1	tasmax
Bosnia & Herzegovina	Normal	2.845E+02	2.082E+00	5.071E-01	2076	2085	2080	2	tasmax
Bosnia & Herzegovina	Normal	2.875E+02	2.557E+00	5.522E-01	2076	2085	2080	3	tasmax
Bosnia & Herzegovina	Normal	2.917E+02	2.775E+00	8.026E-01	2076	2085	2080	4	tasmax
Bosnia & Herzegovina	Normal	2.972E+02	2.875E+00	4.446E-01	2076	2085	2080	5	tasmax
Bosnia & Herzegovina	Normal	3.032E+02	3.368E+00	6.264E-01	2076	2085	2080	6	tasmax
Bosnia & Herzegovina	Normal	3.073E+02	3.832E+00	9.992E-01	2076	2085	2080	7	tasmax
Bosnia & Herzegovina	Normal	3.072E+02	4.046E+00	1.216E+00	2076	2085	2080	8	tasmax
Bosnia & Herzegovina	Normal	3.015E+02	3.094E+00	6.260E-01	2076	2085	2080	9	tasmax
Bosnia & Herzegovina	Normal	2.938E+02	2.629E+00	5.268E-01	2076	2085	2080	10	tasmax
Bosnia & Herzegovina	Normal	2.877E+02	2.275E+00	5.322E-01	2076	2085	2080	11	tasmax
Bosnia & Herzegovina	Normal	2.842E+02	1.891E+00	3.569E-01	2076	2085	2080	12	tasmax
Bosnia & Herzegovina	Normal	2.835E+02	1.588E+00	2.983E-01	2086	2099	2092	1	tasmax
Bosnia & Herzegovina	Normal	2.849E+02	1.721E+00	2.965E-01	2086	2099	2092	2	tasmax
Bosnia & Herzegovina	Normal	2.879E+02	2.212E+00	2.953E-01	2086	2099	2092	3	tasmax
Bosnia & Herzegovina	Normal	2.922E+02	2.852E+00	6.243E-01	2086	2099	2092	4	tasmax
Bosnia & Herzegovina	Normal	2.979E+02	3.062E+00	5.629E-01	2086	2099	2092	5	tasmax
Bosnia & Herzegovina	Normal	3.037E+02	3.576E+00	7.906E-01	2086	2099	2092	6	tasmax
Bosnia & Herzegovina	Normal	3.080E+02	4.235E+00	1.188E+00	2086	2099	2092	7	tasmax
Bosnia & Herzegovina	Normal	3.078E+02	4.064E+00	1.291E+00	2086	2099	2092	8	tasmax
Bosnia & Herzegovina	Normal	3.021E+02	3.131E+00	1.114E+00	2086	2099	2092	9	tasmax
Bosnia & Herzegovina	Normal	2.946E+02	3.042E+00	9.272E-01	2086	2099	2092	10	tasmax
Bosnia & Herzegovina	Normal	2.886E+02	2.131E+00	5.909E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bosnia & Herzegovina	Normal	2.847E+02	2.036E+00	3.958E-01	2086	2099	2092	12	tasmax
Botswana	Normal	3.037E+02	2.977E+00	7.743E-01	2006	2015	2010	1	tasmax
Botswana	Normal	3.033E+02	3.001E+00	7.038E-01	2006	2015	2010	2	tasmax
Botswana	Normal	3.028E+02	2.892E+00	6.885E-01	2006	2015	2010	3	tasmax
Botswana	Normal	3.014E+02	2.635E+00	5.211E-01	2006	2015	2010	4	tasmax
Botswana	Normal	2.984E+02	2.087E+00	3.799E-01	2006	2015	2010	5	tasmax
Botswana	Normal	2.958E+02	1.485E+00	3.510E-01	2006	2015	2010	6	tasmax
Botswana	Normal	2.961E+02	1.502E+00	2.749E-01	2006	2015	2010	7	tasmax
Botswana	Normal	2.995E+02	1.592E+00	2.679E-01	2006	2015	2010	8	tasmax
Botswana	Normal	3.041E+02	1.614E+00	3.910E-01	2006	2015	2010	9	tasmax
Botswana	Normal	3.069E+02	2.298E+00	3.069E-01	2006	2015	2010	10	tasmax
Botswana	Normal	3.059E+02	2.810E+00	6.888E-01	2006	2015	2010	11	tasmax
Botswana	Normal	3.045E+02	2.763E+00	5.739E-01	2006	2015	2010	12	tasmax
Botswana	Normal	3.040E+02	3.085E+00	6.397E-01	2016	2025	2020	1	tasmax
Botswana	Normal	3.035E+02	3.058E+00	6.065E-01	2016	2025	2020	2	tasmax
Botswana	Normal	3.031E+02	3.021E+00	6.569E-01	2016	2025	2020	3	tasmax
Botswana	Normal	3.016E+02	2.765E+00	6.135E-01	2016	2025	2020	4	tasmax
Botswana	Normal	2.988E+02	2.073E+00	3.889E-01	2016	2025	2020	5	tasmax
Botswana	Normal	2.963E+02	1.615E+00	3.250E-01	2016	2025	2020	6	tasmax
Botswana	Normal	2.966E+02	1.559E+00	3.197E-01	2016	2025	2020	7	tasmax
Botswana	Normal	2.999E+02	1.727E+00	2.813E-01	2016	2025	2020	8	tasmax
Botswana	Normal	3.045E+02	1.827E+00	4.073E-01	2016	2025	2020	9	tasmax
Botswana	Normal	3.073E+02	2.286E+00	3.738E-01	2016	2025	2020	10	tasmax
Botswana	Normal	3.066E+02	2.893E+00	5.141E-01	2016	2025	2020	11	tasmax
Botswana	Normal	3.049E+02	2.923E+00	5.651E-01	2016	2025	2020	12	tasmax
Botswana	Normal	3.047E+02	3.191E+00	6.115E-01	2026	2035	2030	1	tasmax
Botswana	Normal	3.042E+02	3.043E+00	6.618E-01	2026	2035	2030	2	tasmax
Botswana	Normal	3.037E+02	3.088E+00	6.275E-01	2026	2035	2030	3	tasmax
Botswana	Normal	3.024E+02	2.865E+00	3.899E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Botswana	Normal	2.995E+02	2.165E+00	4.145E-01	2026	2035	2030	5	tasmax
Botswana	Normal	2.970E+02	1.712E+00	3.940E-01	2026	2035	2030	6	tasmax
Botswana	Normal	2.972E+02	1.380E+00	2.285E-01	2026	2035	2030	7	tasmax
Botswana	Normal	3.005E+02	1.609E+00	2.416E-01	2026	2035	2030	8	tasmax
Botswana	Normal	3.051E+02	1.771E+00	4.557E-01	2026	2035	2030	9	tasmax
Botswana	Normal	3.078E+02	2.427E+00	3.496E-01	2026	2035	2030	10	tasmax
Botswana	Normal	3.068E+02	2.652E+00	7.163E-01	2026	2035	2030	11	tasmax
Botswana	Normal	3.055E+02	3.082E+00	4.702E-01	2026	2035	2030	12	tasmax
Botswana	Normal	3.051E+02	3.160E+00	6.175E-01	2036	2045	2040	1	tasmax
Botswana	Normal	3.047E+02	3.117E+00	7.542E-01	2036	2045	2040	2	tasmax
Botswana	Normal	3.043E+02	3.045E+00	6.147E-01	2036	2045	2040	3	tasmax
Botswana	Normal	3.030E+02	2.746E+00	5.364E-01	2036	2045	2040	4	tasmax
Botswana	Normal	3.002E+02	2.118E+00	4.395E-01	2036	2045	2040	5	tasmax
Botswana	Normal	2.973E+02	1.546E+00	3.020E-01	2036	2045	2040	6	tasmax
Botswana	Normal	2.974E+02	1.611E+00	4.056E-01	2036	2045	2040	7	tasmax
Botswana	Normal	3.011E+02	1.710E+00	2.434E-01	2036	2045	2040	8	tasmax
Botswana	Normal	3.058E+02	1.608E+00	4.449E-01	2036	2045	2040	9	tasmax
Botswana	Normal	3.087E+02	2.376E+00	4.981E-01	2036	2045	2040	10	tasmax
Botswana	Normal	3.074E+02	2.812E+00	6.878E-01	2036	2045	2040	11	tasmax
Botswana	Normal	3.060E+02	2.866E+00	4.698E-01	2036	2045	2040	12	tasmax
Botswana	Normal	3.060E+02	3.270E+00	5.476E-01	2046	2055	2050	1	tasmax
Botswana	Normal	3.053E+02	3.294E+00	7.586E-01	2046	2055	2050	2	tasmax
Botswana	Normal	3.049E+02	3.392E+00	8.243E-01	2046	2055	2050	3	tasmax
Botswana	Normal	3.036E+02	3.034E+00	5.458E-01	2046	2055	2050	4	tasmax
Botswana	Normal	3.007E+02	2.234E+00	4.790E-01	2046	2055	2050	5	tasmax
Botswana	Normal	2.981E+02	1.718E+00	3.401E-01	2046	2055	2050	6	tasmax
Botswana	Normal	2.981E+02	1.629E+00	2.328E-01	2046	2055	2050	7	tasmax
Botswana	Normal	3.015E+02	1.703E+00	2.585E-01	2046	2055	2050	8	tasmax
Botswana	Normal	3.064E+02	1.828E+00	3.512E-01	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Botswana	Normal	3.094E+02	2.254E+00	3.528E-01	2046	2055	2050	10	tasmax
Botswana	Normal	3.084E+02	2.882E+00	6.360E-01	2046	2055	2050	11	tasmax
Botswana	Normal	3.066E+02	2.968E+00	4.967E-01	2046	2055	2050	12	tasmax
Botswana	Normal	3.063E+02	3.288E+00	5.745E-01	2056	2065	2060	1	tasmax
Botswana	Normal	3.057E+02	3.160E+00	4.998E-01	2056	2065	2060	2	tasmax
Botswana	Normal	3.053E+02	3.256E+00	6.017E-01	2056	2065	2060	3	tasmax
Botswana	Normal	3.041E+02	2.933E+00	5.713E-01	2056	2065	2060	4	tasmax
Botswana	Normal	3.013E+02	2.270E+00	6.300E-01	2056	2065	2060	5	tasmax
Botswana	Normal	2.988E+02	1.683E+00	4.744E-01	2056	2065	2060	6	tasmax
Botswana	Normal	2.987E+02	1.665E+00	4.237E-01	2056	2065	2060	7	tasmax
Botswana	Normal	3.023E+02	1.850E+00	4.858E-01	2056	2065	2060	8	tasmax
Botswana	Normal	3.070E+02	1.679E+00	3.353E-01	2056	2065	2060	9	tasmax
Botswana	Normal	3.102E+02	2.188E+00	4.089E-01	2056	2065	2060	10	tasmax
Botswana	Normal	3.093E+02	2.724E+00	5.096E-01	2056	2065	2060	11	tasmax
Botswana	Normal	3.074E+02	3.114E+00	5.834E-01	2056	2065	2060	12	tasmax
Botswana	Normal	3.074E+02	3.491E+00	5.309E-01	2066	2075	2070	1	tasmax
Botswana	Normal	3.066E+02	3.567E+00	7.132E-01	2066	2075	2070	2	tasmax
Botswana	Normal	3.065E+02	3.573E+00	8.285E-01	2066	2075	2070	3	tasmax
Botswana	Normal	3.053E+02	2.968E+00	4.929E-01	2066	2075	2070	4	tasmax
Botswana	Normal	3.024E+02	2.375E+00	6.360E-01	2066	2075	2070	5	tasmax
Botswana	Normal	2.996E+02	1.651E+00	5.770E-01	2066	2075	2070	6	tasmax
Botswana	Normal	2.995E+02	1.665E+00	5.414E-01	2066	2075	2070	7	tasmax
Botswana	Normal	3.028E+02	1.869E+00	3.105E-01	2066	2075	2070	8	tasmax
Botswana	Normal	3.079E+02	1.912E+00	3.979E-01	2066	2075	2070	9	tasmax
Botswana	Normal	3.110E+02	2.234E+00	3.978E-01	2066	2075	2070	10	tasmax
Botswana	Normal	3.101E+02	2.925E+00	6.944E-01	2066	2075	2070	11	tasmax
Botswana	Normal	3.083E+02	3.072E+00	5.836E-01	2066	2075	2070	12	tasmax
Botswana	Normal	3.078E+02	3.468E+00	6.130E-01	2076	2085	2080	1	tasmax
Botswana	Normal	3.073E+02	3.541E+00	5.606E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Botswana	Normal	3.071E+02	3.659E+00	6.589E-01	2076	2085	2080	3	tasmax
Botswana	Normal	3.058E+02	3.262E+00	5.359E-01	2076	2085	2080	4	tasmax
Botswana	Normal	3.030E+02	2.306E+00	5.651E-01	2076	2085	2080	5	tasmax
Botswana	Normal	3.003E+02	1.843E+00	6.084E-01	2076	2085	2080	6	tasmax
Botswana	Normal	3.002E+02	1.563E+00	4.179E-01	2076	2085	2080	7	tasmax
Botswana	Normal	3.038E+02	1.868E+00	3.585E-01	2076	2085	2080	8	tasmax
Botswana	Normal	3.088E+02	1.836E+00	3.969E-01	2076	2085	2080	9	tasmax
Botswana	Normal	3.118E+02	2.298E+00	4.405E-01	2076	2085	2080	10	tasmax
Botswana	Normal	3.111E+02	2.864E+00	7.684E-01	2076	2085	2080	11	tasmax
Botswana	Normal	3.090E+02	3.073E+00	6.245E-01	2076	2085	2080	12	tasmax
Botswana	Normal	3.087E+02	3.877E+00	6.892E-01	2086	2099	2092	1	tasmax
Botswana	Normal	3.081E+02	3.969E+00	7.162E-01	2086	2099	2092	2	tasmax
Botswana	Normal	3.078E+02	3.972E+00	6.317E-01	2086	2099	2092	3	tasmax
Botswana	Normal	3.068E+02	3.451E+00	5.349E-01	2086	2099	2092	4	tasmax
Botswana	Normal	3.039E+02	2.668E+00	5.871E-01	2086	2099	2092	5	tasmax
Botswana	Normal	3.011E+02	1.838E+00	4.825E-01	2086	2099	2092	6	tasmax
Botswana	Normal	3.010E+02	1.646E+00	4.211E-01	2086	2099	2092	7	tasmax
Botswana	Normal	3.045E+02	1.790E+00	2.161E-01	2086	2099	2092	8	tasmax
Botswana	Normal	3.094E+02	1.887E+00	4.783E-01	2086	2099	2092	9	tasmax
Botswana	Normal	3.128E+02	2.316E+00	3.550E-01	2086	2099	2092	10	tasmax
Botswana	Normal	3.119E+02	2.872E+00	8.580E-01	2086	2099	2092	11	tasmax
Botswana	Normal	3.096E+02	3.501E+00	9.311E-01	2086	2099	2092	12	tasmax
Brazil	Normal	3.036E+02	2.013E+00	5.636E-01	2006	2015	2010	1	tasmax
Brazil	Normal	3.037E+02	1.885E+00	4.748E-01	2006	2015	2010	2	tasmax
Brazil	Normal	3.035E+02	1.804E+00	4.570E-01	2006	2015	2010	3	tasmax
Brazil	Normal	3.028E+02	1.846E+00	5.421E-01	2006	2015	2010	4	tasmax
Brazil	Normal	3.021E+02	1.898E+00	5.426E-01	2006	2015	2010	5	tasmax
Brazil	Normal	3.017E+02	1.826E+00	3.788E-01	2006	2015	2010	6	tasmax
Brazil	Normal	3.025E+02	1.817E+00	3.560E-01	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brazil	Normal	3.043E+02	2.132E+00	4.386E-01	2006	2015	2010	8	tasmax
Brazil	Normal	3.065E+02	2.522E+00	5.031E-01	2006	2015	2010	9	tasmax
Brazil	Normal	3.070E+02	2.762E+00	6.762E-01	2006	2015	2010	10	tasmax
Brazil	Normal	3.058E+02	2.653E+00	6.763E-01	2006	2015	2010	11	tasmax
Brazil	Normal	3.040E+02	2.229E+00	6.129E-01	2006	2015	2010	12	tasmax
Brazil	Normal	3.039E+02	2.180E+00	7.159E-01	2016	2025	2020	1	tasmax
Brazil	Normal	3.040E+02	1.996E+00	5.731E-01	2016	2025	2020	2	tasmax
Brazil	Normal	3.039E+02	1.932E+00	5.521E-01	2016	2025	2020	3	tasmax
Brazil	Normal	3.032E+02	1.917E+00	5.741E-01	2016	2025	2020	4	tasmax
Brazil	Normal	3.024E+02	1.900E+00	6.211E-01	2016	2025	2020	5	tasmax
Brazil	Normal	3.020E+02	1.814E+00	3.780E-01	2016	2025	2020	6	tasmax
Brazil	Normal	3.029E+02	1.877E+00	3.810E-01	2016	2025	2020	7	tasmax
Brazil	Normal	3.048E+02	2.139E+00	4.202E-01	2016	2025	2020	8	tasmax
Brazil	Normal	3.068E+02	2.510E+00	4.206E-01	2016	2025	2020	9	tasmax
Brazil	Normal	3.074E+02	2.819E+00	5.901E-01	2016	2025	2020	10	tasmax
Brazil	Normal	3.062E+02	2.844E+00	7.489E-01	2016	2025	2020	11	tasmax
Brazil	Normal	3.045E+02	2.474E+00	8.096E-01	2016	2025	2020	12	tasmax
Brazil	Normal	3.043E+02	2.063E+00	6.292E-01	2026	2035	2030	1	tasmax
Brazil	Normal	3.045E+02	1.943E+00	5.167E-01	2026	2035	2030	2	tasmax
Brazil	Normal	3.042E+02	1.867E+00	5.171E-01	2026	2035	2030	3	tasmax
Brazil	Normal	3.035E+02	1.859E+00	5.167E-01	2026	2035	2030	4	tasmax
Brazil	Normal	3.029E+02	1.948E+00	5.633E-01	2026	2035	2030	5	tasmax
Brazil	Normal	3.025E+02	1.785E+00	3.546E-01	2026	2035	2030	6	tasmax
Brazil	Normal	3.033E+02	1.799E+00	3.567E-01	2026	2035	2030	7	tasmax
Brazil	Normal	3.053E+02	2.123E+00	5.039E-01	2026	2035	2030	8	tasmax
Brazil	Normal	3.074E+02	2.500E+00	3.857E-01	2026	2035	2030	9	tasmax
Brazil	Normal	3.080E+02	2.845E+00	6.918E-01	2026	2035	2030	10	tasmax
Brazil	Normal	3.067E+02	2.793E+00	6.979E-01	2026	2035	2030	11	tasmax
Brazil	Normal	3.049E+02	2.316E+00	6.996E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brazil	Normal	3.047E+02	2.101E+00	6.947E-01	2036	2045	2040	1	tasmax
Brazil	Normal	3.048E+02	1.879E+00	4.915E-01	2036	2045	2040	2	tasmax
Brazil	Normal	3.046E+02	1.878E+00	5.155E-01	2036	2045	2040	3	tasmax
Brazil	Normal	3.040E+02	1.952E+00	6.194E-01	2036	2045	2040	4	tasmax
Brazil	Normal	3.033E+02	2.011E+00	6.765E-01	2036	2045	2040	5	tasmax
Brazil	Normal	3.030E+02	1.899E+00	4.756E-01	2036	2045	2040	6	tasmax
Brazil	Normal	3.037E+02	1.886E+00	4.733E-01	2036	2045	2040	7	tasmax
Brazil	Normal	3.058E+02	2.148E+00	4.387E-01	2036	2045	2040	8	tasmax
Brazil	Normal	3.079E+02	2.428E+00	3.434E-01	2036	2045	2040	9	tasmax
Brazil	Normal	3.084E+02	2.778E+00	6.810E-01	2036	2045	2040	10	tasmax
Brazil	Normal	3.071E+02	2.887E+00	8.897E-01	2036	2045	2040	11	tasmax
Brazil	Normal	3.053E+02	2.427E+00	7.823E-01	2036	2045	2040	12	tasmax
Brazil	Normal	3.052E+02	2.310E+00	7.890E-01	2046	2055	2050	1	tasmax
Brazil	Normal	3.053E+02	2.019E+00	5.494E-01	2046	2055	2050	2	tasmax
Brazil	Normal	3.052E+02	1.995E+00	4.884E-01	2046	2055	2050	3	tasmax
Brazil	Normal	3.046E+02	2.052E+00	6.200E-01	2046	2055	2050	4	tasmax
Brazil	Normal	3.039E+02	2.066E+00	5.694E-01	2046	2055	2050	5	tasmax
Brazil	Normal	3.035E+02	1.943E+00	3.558E-01	2046	2055	2050	6	tasmax
Brazil	Normal	3.044E+02	1.993E+00	3.858E-01	2046	2055	2050	7	tasmax
Brazil	Normal	3.064E+02	2.256E+00	4.865E-01	2046	2055	2050	8	tasmax
Brazil	Normal	3.085E+02	2.486E+00	3.171E-01	2046	2055	2050	9	tasmax
Brazil	Normal	3.092E+02	2.857E+00	7.526E-01	2046	2055	2050	10	tasmax
Brazil	Normal	3.079E+02	3.063E+00	8.919E-01	2046	2055	2050	11	tasmax
Brazil	Normal	3.059E+02	2.675E+00	8.176E-01	2046	2055	2050	12	tasmax
Brazil	Normal	3.057E+02	2.364E+00	8.659E-01	2056	2065	2060	1	tasmax
Brazil	Normal	3.058E+02	2.112E+00	6.795E-01	2056	2065	2060	2	tasmax
Brazil	Normal	3.057E+02	2.082E+00	5.963E-01	2056	2065	2060	3	tasmax
Brazil	Normal	3.050E+02	2.104E+00	6.161E-01	2056	2065	2060	4	tasmax
Brazil	Normal	3.044E+02	2.139E+00	6.271E-01	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brazil	Normal	3.040E+02	1.982E+00	4.354E-01	2056	2065	2060	6	tasmax
Brazil	Normal	3.049E+02	2.103E+00	3.731E-01	2056	2065	2060	7	tasmax
Brazil	Normal	3.069E+02	2.265E+00	3.972E-01	2056	2065	2060	8	tasmax
Brazil	Normal	3.091E+02	2.545E+00	3.723E-01	2056	2065	2060	9	tasmax
Brazil	Normal	3.099E+02	2.994E+00	8.155E-01	2056	2065	2060	10	tasmax
Brazil	Normal	3.084E+02	3.192E+00	9.179E-01	2056	2065	2060	11	tasmax
Brazil	Normal	3.064E+02	2.639E+00	8.269E-01	2056	2065	2060	12	tasmax
Brazil	Normal	3.064E+02	2.390E+00	8.042E-01	2066	2075	2070	1	tasmax
Brazil	Normal	3.064E+02	2.111E+00	6.945E-01	2066	2075	2070	2	tasmax
Brazil	Normal	3.063E+02	2.025E+00	6.610E-01	2066	2075	2070	3	tasmax
Brazil	Normal	3.056E+02	2.148E+00	6.806E-01	2066	2075	2070	4	tasmax
Brazil	Normal	3.050E+02	2.194E+00	6.310E-01	2066	2075	2070	5	tasmax
Brazil	Normal	3.047E+02	2.046E+00	4.295E-01	2066	2075	2070	6	tasmax
Brazil	Normal	3.057E+02	2.074E+00	3.590E-01	2066	2075	2070	7	tasmax
Brazil	Normal	3.077E+02	2.261E+00	4.308E-01	2066	2075	2070	8	tasmax
Brazil	Normal	3.100E+02	2.405E+00	3.515E-01	2066	2075	2070	9	tasmax
Brazil	Normal	3.108E+02	2.904E+00	7.256E-01	2066	2075	2070	10	tasmax
Brazil	Normal	3.092E+02	3.239E+00	1.019E+00	2066	2075	2070	11	tasmax
Brazil	Normal	3.071E+02	2.747E+00	9.268E-01	2066	2075	2070	12	tasmax
Brazil	Normal	3.069E+02	2.467E+00	7.962E-01	2076	2085	2080	1	tasmax
Brazil	Normal	3.069E+02	2.233E+00	5.854E-01	2076	2085	2080	2	tasmax
Brazil	Normal	3.069E+02	2.177E+00	5.162E-01	2076	2085	2080	3	tasmax
Brazil	Normal	3.063E+02	2.394E+00	6.793E-01	2076	2085	2080	4	tasmax
Brazil	Normal	3.056E+02	2.407E+00	6.510E-01	2076	2085	2080	5	tasmax
Brazil	Normal	3.053E+02	2.264E+00	4.258E-01	2076	2085	2080	6	tasmax
Brazil	Normal	3.062E+02	2.232E+00	3.891E-01	2076	2085	2080	7	tasmax
Brazil	Normal	3.082E+02	2.382E+00	4.232E-01	2076	2085	2080	8	tasmax
Brazil	Normal	3.106E+02	2.650E+00	3.823E-01	2076	2085	2080	9	tasmax
Brazil	Normal	3.115E+02	3.113E+00	7.425E-01	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brazil	Normal	3.099E+02	3.324E+00	8.826E-01	2076	2085	2080	11	tasmax
Brazil	Normal	3.077E+02	2.836E+00	7.291E-01	2076	2085	2080	12	tasmax
Brazil	Normal	3.076E+02	2.484E+00	6.870E-01	2086	2099	2092	1	tasmax
Brazil	Normal	3.077E+02	2.220E+00	4.702E-01	2086	2099	2092	2	tasmax
Brazil	Normal	3.075E+02	2.222E+00	4.635E-01	2086	2099	2092	3	tasmax
Brazil	Normal	3.069E+02	2.447E+00	7.095E-01	2086	2099	2092	4	tasmax
Brazil	Normal	3.063E+02	2.434E+00	6.335E-01	2086	2099	2092	5	tasmax
Brazil	Normal	3.060E+02	2.368E+00	5.068E-01	2086	2099	2092	6	tasmax
Brazil	Normal	3.068E+02	2.217E+00	4.760E-01	2086	2099	2092	7	tasmax
Brazil	Normal	3.090E+02	2.355E+00	4.163E-01	2086	2099	2092	8	tasmax
Brazil	Normal	3.114E+02	2.579E+00	4.045E-01	2086	2099	2092	9	tasmax
Brazil	Normal	3.122E+02	3.062E+00	6.316E-01	2086	2099	2092	10	tasmax
Brazil	Normal	3.106E+02	3.375E+00	9.151E-01	2086	2099	2092	11	tasmax
Brazil	Normal	3.085E+02	2.879E+00	7.516E-01	2086	2099	2092	12	tasmax
Brunei	Normal	3.007E+02	1.283E+00	3.882E-01	2006	2015	2010	1	tasmax
Brunei	Normal	3.009E+02	1.331E+00	4.112E-01	2006	2015	2010	2	tasmax
Brunei	Normal	3.015E+02	1.369E+00	3.858E-01	2006	2015	2010	3	tasmax
Brunei	Normal	3.019E+02	1.391E+00	3.454E-01	2006	2015	2010	4	tasmax
Brunei	Normal	3.019E+02	1.226E+00	2.594E-01	2006	2015	2010	5	tasmax
Brunei	Normal	3.020E+02	1.095E+00	2.720E-01	2006	2015	2010	6	tasmax
Brunei	Normal	3.018E+02	9.720E-01	1.800E-01	2006	2015	2010	7	tasmax
Brunei	Normal	3.018E+02	1.039E+00	1.738E-01	2006	2015	2010	8	tasmax
Brunei	Normal	3.018E+02	1.057E+00	1.687E-01	2006	2015	2010	9	tasmax
Brunei	Normal	3.016E+02	9.391E-01	1.754E-01	2006	2015	2010	10	tasmax
Brunei	Normal	3.015E+02	9.407E-01	2.619E-01	2006	2015	2010	11	tasmax
Brunei	Normal	3.012E+02	9.974E-01	2.227E-01	2006	2015	2010	12	tasmax
Brunei	Normal	3.009E+02	1.342E+00	2.274E-01	2016	2025	2020	1	tasmax
Brunei	Normal	3.010E+02	1.523E+00	3.444E-01	2016	2025	2020	2	tasmax
Brunei	Normal	3.016E+02	1.449E+00	3.938E-01	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brunei	Normal	3.020E+02	1.350E+00	3.653E-01	2016	2025	2020	4	tasmax
Brunei	Normal	3.021E+02	1.193E+00	2.960E-01	2016	2025	2020	5	tasmax
Brunei	Normal	3.022E+02	1.225E+00	3.406E-01	2016	2025	2020	6	tasmax
Brunei	Normal	3.020E+02	1.176E+00	2.826E-01	2016	2025	2020	7	tasmax
Brunei	Normal	3.019E+02	1.040E+00	1.891E-01	2016	2025	2020	8	tasmax
Brunei	Normal	3.019E+02	1.050E+00	2.388E-01	2016	2025	2020	9	tasmax
Brunei	Normal	3.017E+02	1.069E+00	3.016E-01	2016	2025	2020	10	tasmax
Brunei	Normal	3.017E+02	1.033E+00	2.815E-01	2016	2025	2020	11	tasmax
Brunei	Normal	3.014E+02	1.088E+00	1.641E-01	2016	2025	2020	12	tasmax
Brunei	Normal	3.013E+02	1.199E+00	3.002E-01	2026	2035	2030	1	tasmax
Brunei	Normal	3.014E+02	1.320E+00	4.387E-01	2026	2035	2030	2	tasmax
Brunei	Normal	3.021E+02	1.334E+00	4.415E-01	2026	2035	2030	3	tasmax
Brunei	Normal	3.025E+02	1.259E+00	3.182E-01	2026	2035	2030	4	tasmax
Brunei	Normal	3.025E+02	1.139E+00	2.480E-01	2026	2035	2030	5	tasmax
Brunei	Normal	3.026E+02	1.085E+00	2.465E-01	2026	2035	2030	6	tasmax
Brunei	Normal	3.024E+02	1.022E+00	2.176E-01	2026	2035	2030	7	tasmax
Brunei	Normal	3.024E+02	1.046E+00	1.769E-01	2026	2035	2030	8	tasmax
Brunei	Normal	3.023E+02	9.861E-01	1.770E-01	2026	2035	2030	9	tasmax
Brunei	Normal	3.021E+02	9.292E-01	2.330E-01	2026	2035	2030	10	tasmax
Brunei	Normal	3.021E+02	9.310E-01	3.277E-01	2026	2035	2030	11	tasmax
Brunei	Normal	3.017E+02	9.373E-01	2.442E-01	2026	2035	2030	12	tasmax
Brunei	Normal	3.015E+02	1.315E+00	3.727E-01	2036	2045	2040	1	tasmax
Brunei	Normal	3.017E+02	1.479E+00	3.649E-01	2036	2045	2040	2	tasmax
Brunei	Normal	3.023E+02	1.422E+00	3.523E-01	2036	2045	2040	3	tasmax
Brunei	Normal	3.027E+02	1.387E+00	3.624E-01	2036	2045	2040	4	tasmax
Brunei	Normal	3.028E+02	1.340E+00	3.851E-01	2036	2045	2040	5	tasmax
Brunei	Normal	3.028E+02	1.108E+00	2.841E-01	2036	2045	2040	6	tasmax
Brunei	Normal	3.026E+02	1.085E+00	2.448E-01	2036	2045	2040	7	tasmax
Brunei	Normal	3.027E+02	1.131E+00	2.472E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brunei	Normal	3.026E+02	1.092E+00	2.121E-01	2036	2045	2040	9	tasmax
Brunei	Normal	3.024E+02	1.009E+00	3.108E-01	2036	2045	2040	10	tasmax
Brunei	Normal	3.023E+02	1.058E+00	3.025E-01	2036	2045	2040	11	tasmax
Brunei	Normal	3.020E+02	1.074E+00	1.955E-01	2036	2045	2040	12	tasmax
Brunei	Normal	3.020E+02	1.323E+00	3.216E-01	2046	2055	2050	1	tasmax
Brunei	Normal	3.022E+02	1.505E+00	4.340E-01	2046	2055	2050	2	tasmax
Brunei	Normal	3.028E+02	1.427E+00	4.197E-01	2046	2055	2050	3	tasmax
Brunei	Normal	3.032E+02	1.457E+00	3.959E-01	2046	2055	2050	4	tasmax
Brunei	Normal	3.033E+02	1.250E+00	2.862E-01	2046	2055	2050	5	tasmax
Brunei	Normal	3.032E+02	1.078E+00	2.238E-01	2046	2055	2050	6	tasmax
Brunei	Normal	3.030E+02	1.065E+00	2.033E-01	2046	2055	2050	7	tasmax
Brunei	Normal	3.030E+02	1.116E+00	2.892E-01	2046	2055	2050	8	tasmax
Brunei	Normal	3.030E+02	1.121E+00	2.528E-01	2046	2055	2050	9	tasmax
Brunei	Normal	3.028E+02	1.059E+00	2.618E-01	2046	2055	2050	10	tasmax
Brunei	Normal	3.027E+02	1.048E+00	3.627E-01	2046	2055	2050	11	tasmax
Brunei	Normal	3.024E+02	1.116E+00	2.498E-01	2046	2055	2050	12	tasmax
Brunei	Normal	3.025E+02	1.270E+00	3.648E-01	2056	2065	2060	1	tasmax
Brunei	Normal	3.027E+02	1.364E+00	3.511E-01	2056	2065	2060	2	tasmax
Brunei	Normal	3.033E+02	1.448E+00	3.853E-01	2056	2065	2060	3	tasmax
Brunei	Normal	3.038E+02	1.379E+00	3.090E-01	2056	2065	2060	4	tasmax
Brunei	Normal	3.037E+02	1.145E+00	2.336E-01	2056	2065	2060	5	tasmax
Brunei	Normal	3.037E+02	1.071E+00	2.271E-01	2056	2065	2060	6	tasmax
Brunei	Normal	3.035E+02	1.047E+00	2.478E-01	2056	2065	2060	7	tasmax
Brunei	Normal	3.036E+02	1.173E+00	2.652E-01	2056	2065	2060	8	tasmax
Brunei	Normal	3.035E+02	1.229E+00	2.322E-01	2056	2065	2060	9	tasmax
Brunei	Normal	3.032E+02	1.098E+00	2.676E-01	2056	2065	2060	10	tasmax
Brunei	Normal	3.032E+02	1.035E+00	2.930E-01	2056	2065	2060	11	tasmax
Brunei	Normal	3.028E+02	1.083E+00	3.152E-01	2056	2065	2060	12	tasmax
Brunei	Normal	3.030E+02	1.313E+00	3.871E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brunei	Normal	3.031E+02	1.548E+00	4.910E-01	2066	2075	2070	2	tasmax
Brunei	Normal	3.038E+02	1.490E+00	4.280E-01	2066	2075	2070	3	tasmax
Brunei	Normal	3.041E+02	1.384E+00	3.674E-01	2066	2075	2070	4	tasmax
Brunei	Normal	3.042E+02	1.226E+00	3.015E-01	2066	2075	2070	5	tasmax
Brunei	Normal	3.041E+02	1.096E+00	2.503E-01	2066	2075	2070	6	tasmax
Brunei	Normal	3.040E+02	1.176E+00	2.396E-01	2066	2075	2070	7	tasmax
Brunei	Normal	3.040E+02	1.191E+00	2.090E-01	2066	2075	2070	8	tasmax
Brunei	Normal	3.040E+02	1.235E+00	2.127E-01	2066	2075	2070	9	tasmax
Brunei	Normal	3.038E+02	1.083E+00	2.805E-01	2066	2075	2070	10	tasmax
Brunei	Normal	3.037E+02	1.110E+00	3.560E-01	2066	2075	2070	11	tasmax
Brunei	Normal	3.033E+02	1.140E+00	3.047E-01	2066	2075	2070	12	tasmax
Brunei	Normal	3.034E+02	1.428E+00	3.415E-01	2076	2085	2080	1	tasmax
Brunei	Normal	3.036E+02	1.625E+00	3.996E-01	2076	2085	2080	2	tasmax
Brunei	Normal	3.042E+02	1.649E+00	4.541E-01	2076	2085	2080	3	tasmax
Brunei	Normal	3.046E+02	1.602E+00	5.145E-01	2076	2085	2080	4	tasmax
Brunei	Normal	3.046E+02	1.273E+00	3.088E-01	2076	2085	2080	5	tasmax
Brunei	Normal	3.046E+02	1.180E+00	2.801E-01	2076	2085	2080	6	tasmax
Brunei	Normal	3.044E+02	1.267E+00	2.885E-01	2076	2085	2080	7	tasmax
Brunei	Normal	3.045E+02	1.293E+00	2.367E-01	2076	2085	2080	8	tasmax
Brunei	Normal	3.044E+02	1.305E+00	2.521E-01	2076	2085	2080	9	tasmax
Brunei	Normal	3.041E+02	1.210E+00	3.304E-01	2076	2085	2080	10	tasmax
Brunei	Normal	3.041E+02	1.173E+00	3.457E-01	2076	2085	2080	11	tasmax
Brunei	Normal	3.038E+02	1.249E+00	2.434E-01	2076	2085	2080	12	tasmax
Brunei	Normal	3.038E+02	1.421E+00	4.157E-01	2086	2099	2092	1	tasmax
Brunei	Normal	3.041E+02	1.651E+00	4.132E-01	2086	2099	2092	2	tasmax
Brunei	Normal	3.047E+02	1.739E+00	3.263E-01	2086	2099	2092	3	tasmax
Brunei	Normal	3.052E+02	1.626E+00	3.492E-01	2086	2099	2092	4	tasmax
Brunei	Normal	3.052E+02	1.516E+00	4.462E-01	2086	2099	2092	5	tasmax
Brunei	Normal	3.051E+02	1.302E+00	2.892E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Brunei	Normal	3.049E+02	1.280E+00	2.590E-01	2086	2099	2092	7	tasmax
Brunei	Normal	3.050E+02	1.349E+00	2.893E-01	2086	2099	2092	8	tasmax
Brunei	Normal	3.049E+02	1.384E+00	3.253E-01	2086	2099	2092	9	tasmax
Brunei	Normal	3.046E+02	1.223E+00	3.017E-01	2086	2099	2092	10	tasmax
Brunei	Normal	3.046E+02	1.195E+00	3.666E-01	2086	2099	2092	11	tasmax
Brunei	Normal	3.042E+02	1.212E+00	2.914E-01	2086	2099	2092	12	tasmax
Bulgaria	Normal	2.790E+02	2.884E+00	8.029E-01	2006	2015	2010	1	tasmax
Bulgaria	Normal	2.812E+02	3.212E+00	6.936E-01	2006	2015	2010	2	tasmax
Bulgaria	Normal	2.846E+02	2.966E+00	1.062E+00	2006	2015	2010	3	tasmax
Bulgaria	Normal	2.897E+02	2.324E+00	6.914E-01	2006	2015	2010	4	tasmax
Bulgaria	Normal	2.949E+02	2.217E+00	6.284E-01	2006	2015	2010	5	tasmax
Bulgaria	Normal	2.999E+02	2.118E+00	4.468E-01	2006	2015	2010	6	tasmax
Bulgaria	Normal	3.034E+02	2.436E+00	4.911E-01	2006	2015	2010	7	tasmax
Bulgaria	Normal	3.031E+02	2.487E+00	6.730E-01	2006	2015	2010	8	tasmax
Bulgaria	Normal	2.979E+02	2.088E+00	3.274E-01	2006	2015	2010	9	tasmax
Bulgaria	Normal	2.907E+02	2.637E+00	7.540E-01	2006	2015	2010	10	tasmax
Bulgaria	Normal	2.845E+02	2.557E+00	6.271E-01	2006	2015	2010	11	tasmax
Bulgaria	Normal	2.806E+02	2.640E+00	4.858E-01	2006	2015	2010	12	tasmax
Bulgaria	Normal	2.796E+02	2.754E+00	4.813E-01	2016	2025	2020	1	tasmax
Bulgaria	Normal	2.815E+02	2.818E+00	8.240E-01	2016	2025	2020	2	tasmax
Bulgaria	Normal	2.853E+02	3.100E+00	1.152E+00	2016	2025	2020	3	tasmax
Bulgaria	Normal	2.899E+02	2.450E+00	6.585E-01	2016	2025	2020	4	tasmax
Bulgaria	Normal	2.953E+02	2.018E+00	6.210E-01	2016	2025	2020	5	tasmax
Bulgaria	Normal	3.004E+02	2.002E+00	3.525E-01	2016	2025	2020	6	tasmax
Bulgaria	Normal	3.041E+02	2.565E+00	7.322E-01	2016	2025	2020	7	tasmax
Bulgaria	Normal	3.038E+02	2.757E+00	9.423E-01	2016	2025	2020	8	tasmax
Bulgaria	Normal	2.983E+02	2.497E+00	5.861E-01	2016	2025	2020	9	tasmax
Bulgaria	Normal	2.912E+02	2.513E+00	8.003E-01	2016	2025	2020	10	tasmax
Bulgaria	Normal	2.848E+02	2.427E+00	5.998E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bulgaria	Normal	2.809E+02	2.607E+00	4.398E-01	2016	2025	2020	12	tasmax
Bulgaria	Normal	2.800E+02	2.691E+00	4.381E-01	2026	2035	2030	1	tasmax
Bulgaria	Normal	2.819E+02	2.725E+00	7.158E-01	2026	2035	2030	2	tasmax
Bulgaria	Normal	2.858E+02	2.448E+00	8.778E-01	2026	2035	2030	3	tasmax
Bulgaria	Normal	2.905E+02	2.334E+00	8.425E-01	2026	2035	2030	4	tasmax
Bulgaria	Normal	2.956E+02	2.483E+00	7.474E-01	2026	2035	2030	5	tasmax
Bulgaria	Normal	3.010E+02	2.211E+00	5.188E-01	2026	2035	2030	6	tasmax
Bulgaria	Normal	3.049E+02	2.817E+00	9.209E-01	2026	2035	2030	7	tasmax
Bulgaria	Normal	3.047E+02	2.759E+00	1.149E+00	2026	2035	2030	8	tasmax
Bulgaria	Normal	2.987E+02	2.372E+00	8.223E-01	2026	2035	2030	9	tasmax
Bulgaria	Normal	2.917E+02	2.607E+00	7.726E-01	2026	2035	2030	10	tasmax
Bulgaria	Normal	2.852E+02	2.676E+00	6.869E-01	2026	2035	2030	11	tasmax
Bulgaria	Normal	2.815E+02	2.474E+00	5.106E-01	2026	2035	2030	12	tasmax
Bulgaria	Normal	2.807E+02	2.561E+00	6.179E-01	2036	2045	2040	1	tasmax
Bulgaria	Normal	2.827E+02	2.407E+00	9.539E-01	2036	2045	2040	2	tasmax
Bulgaria	Normal	2.862E+02	2.859E+00	1.059E+00	2036	2045	2040	3	tasmax
Bulgaria	Normal	2.912E+02	2.659E+00	6.371E-01	2036	2045	2040	4	tasmax
Bulgaria	Normal	2.964E+02	2.404E+00	5.961E-01	2036	2045	2040	5	tasmax
Bulgaria	Normal	3.020E+02	2.641E+00	6.279E-01	2036	2045	2040	6	tasmax
Bulgaria	Normal	3.061E+02	2.891E+00	6.549E-01	2036	2045	2040	7	tasmax
Bulgaria	Normal	3.056E+02	3.008E+00	9.850E-01	2036	2045	2040	8	tasmax
Bulgaria	Normal	2.998E+02	2.318E+00	6.367E-01	2036	2045	2040	9	tasmax
Bulgaria	Normal	2.926E+02	2.713E+00	6.823E-01	2036	2045	2040	10	tasmax
Bulgaria	Normal	2.859E+02	2.595E+00	6.727E-01	2036	2045	2040	11	tasmax
Bulgaria	Normal	2.820E+02	2.612E+00	5.597E-01	2036	2045	2040	12	tasmax
Bulgaria	Normal	2.813E+02	2.613E+00	6.168E-01	2046	2055	2050	1	tasmax
Bulgaria	Normal	2.830E+02	2.366E+00	5.828E-01	2046	2055	2050	2	tasmax
Bulgaria	Normal	2.867E+02	2.559E+00	8.886E-01	2046	2055	2050	3	tasmax
Bulgaria	Normal	2.917E+02	2.789E+00	7.025E-01	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bulgaria	Normal	2.968E+02	2.605E+00	6.697E-01	2046	2055	2050	5	tasmax
Bulgaria	Normal	3.023E+02	2.659E+00	4.616E-01	2046	2055	2050	6	tasmax
Bulgaria	Normal	3.066E+02	3.499E+00	1.094E+00	2046	2055	2050	7	tasmax
Bulgaria	Normal	3.063E+02	3.248E+00	1.125E+00	2046	2055	2050	8	tasmax
Bulgaria	Normal	3.003E+02	2.647E+00	5.100E-01	2046	2055	2050	9	tasmax
Bulgaria	Normal	2.932E+02	2.616E+00	6.252E-01	2046	2055	2050	10	tasmax
Bulgaria	Normal	2.863E+02	2.417E+00	6.367E-01	2046	2055	2050	11	tasmax
Bulgaria	Normal	2.821E+02	2.434E+00	4.462E-01	2046	2055	2050	12	tasmax
Bulgaria	Normal	2.820E+02	2.501E+00	7.018E-01	2056	2065	2060	1	tasmax
Bulgaria	Normal	2.835E+02	2.763E+00	8.231E-01	2056	2065	2060	2	tasmax
Bulgaria	Normal	2.873E+02	2.971E+00	1.133E+00	2056	2065	2060	3	tasmax
Bulgaria	Normal	2.920E+02	2.872E+00	8.774E-01	2056	2065	2060	4	tasmax
Bulgaria	Normal	2.975E+02	2.946E+00	7.793E-01	2056	2065	2060	5	tasmax
Bulgaria	Normal	3.030E+02	2.839E+00	4.136E-01	2056	2065	2060	6	tasmax
Bulgaria	Normal	3.074E+02	3.603E+00	1.291E+00	2056	2065	2060	7	tasmax
Bulgaria	Normal	3.072E+02	3.516E+00	1.275E+00	2056	2065	2060	8	tasmax
Bulgaria	Normal	3.012E+02	2.872E+00	7.927E-01	2056	2065	2060	9	tasmax
Bulgaria	Normal	2.936E+02	2.911E+00	9.378E-01	2056	2065	2060	10	tasmax
Bulgaria	Normal	2.871E+02	2.588E+00	6.798E-01	2056	2065	2060	11	tasmax
Bulgaria	Normal	2.831E+02	2.375E+00	5.405E-01	2056	2065	2060	12	tasmax
Bulgaria	Normal	2.823E+02	2.447E+00	5.514E-01	2066	2075	2070	1	tasmax
Bulgaria	Normal	2.841E+02	2.577E+00	7.762E-01	2066	2075	2070	2	tasmax
Bulgaria	Normal	2.878E+02	2.998E+00	1.194E+00	2066	2075	2070	3	tasmax
Bulgaria	Normal	2.929E+02	2.671E+00	7.173E-01	2066	2075	2070	4	tasmax
Bulgaria	Normal	2.983E+02	2.894E+00	6.654E-01	2066	2075	2070	5	tasmax
Bulgaria	Normal	3.040E+02	3.134E+00	5.998E-01	2066	2075	2070	6	tasmax
Bulgaria	Normal	3.084E+02	3.553E+00	1.352E+00	2066	2075	2070	7	tasmax
Bulgaria	Normal	3.081E+02	3.568E+00	1.395E+00	2066	2075	2070	8	tasmax
Bulgaria	Normal	3.020E+02	2.968E+00	6.327E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Bulgaria	Normal	2.944E+02	2.911E+00	6.387E-01	2066	2075	2070	10	tasmax
Bulgaria	Normal	2.876E+02	2.956E+00	9.664E-01	2066	2075	2070	11	tasmax
Bulgaria	Normal	2.836E+02	2.505E+00	5.401E-01	2066	2075	2070	12	tasmax
Bulgaria	Normal	2.831E+02	2.548E+00	6.521E-01	2076	2085	2080	1	tasmax
Bulgaria	Normal	2.850E+02	3.061E+00	1.165E+00	2076	2085	2080	2	tasmax
Bulgaria	Normal	2.885E+02	3.349E+00	1.086E+00	2076	2085	2080	3	tasmax
Bulgaria	Normal	2.934E+02	3.601E+00	1.245E+00	2076	2085	2080	4	tasmax
Bulgaria	Normal	2.988E+02	3.221E+00	8.647E-01	2076	2085	2080	5	tasmax
Bulgaria	Normal	3.052E+02	3.273E+00	5.160E-01	2076	2085	2080	6	tasmax
Bulgaria	Normal	3.095E+02	3.704E+00	1.360E+00	2076	2085	2080	7	tasmax
Bulgaria	Normal	3.092E+02	3.849E+00	1.378E+00	2076	2085	2080	8	tasmax
Bulgaria	Normal	3.030E+02	3.226E+00	6.902E-01	2076	2085	2080	9	tasmax
Bulgaria	Normal	2.948E+02	3.073E+00	9.052E-01	2076	2085	2080	10	tasmax
Bulgaria	Normal	2.880E+02	2.925E+00	7.579E-01	2076	2085	2080	11	tasmax
Bulgaria	Normal	2.840E+02	2.547E+00	5.592E-01	2076	2085	2080	12	tasmax
Bulgaria	Normal	2.832E+02	2.180E+00	6.790E-01	2086	2099	2092	1	tasmax
Bulgaria	Normal	2.852E+02	2.656E+00	8.491E-01	2086	2099	2092	2	tasmax
Bulgaria	Normal	2.889E+02	2.953E+00	1.035E+00	2086	2099	2092	3	tasmax
Bulgaria	Normal	2.938E+02	3.252E+00	9.871E-01	2086	2099	2092	4	tasmax
Bulgaria	Normal	2.999E+02	3.240E+00	5.515E-01	2086	2099	2092	5	tasmax
Bulgaria	Normal	3.058E+02	3.453E+00	7.380E-01	2086	2099	2092	6	tasmax
Bulgaria	Normal	3.104E+02	3.945E+00	1.505E+00	2086	2099	2092	7	tasmax
Bulgaria	Normal	3.099E+02	3.789E+00	1.503E+00	2086	2099	2092	8	tasmax
Bulgaria	Normal	3.035E+02	3.056E+00	6.913E-01	2086	2099	2092	9	tasmax
Bulgaria	Normal	2.956E+02	3.333E+00	9.630E-01	2086	2099	2092	10	tasmax
Bulgaria	Normal	2.889E+02	2.553E+00	6.221E-01	2086	2099	2092	11	tasmax
Bulgaria	Normal	2.845E+02	2.522E+00	6.476E-01	2086	2099	2092	12	tasmax
Burkina Faso	Normal	3.062E+02	1.962E+00	3.491E-01	2006	2015	2010	1	tasmax
Burkina Faso	Normal	3.091E+02	1.818E+00	3.112E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burkina Faso	Normal	3.119E+02	1.484E+00	5.352E-01	2006	2015	2010	3	tasmax
Burkina Faso	Normal	3.121E+02	1.725E+00	2.543E-01	2006	2015	2010	4	tasmax
Burkina Faso	Normal	3.105E+02	2.300E+00	4.763E-01	2006	2015	2010	5	tasmax
Burkina Faso	Normal	3.085E+02	3.064E+00	5.900E-01	2006	2015	2010	6	tasmax
Burkina Faso	Normal	3.069E+02	3.177E+00	5.037E-01	2006	2015	2010	7	tasmax
Burkina Faso	Normal	3.055E+02	2.755E+00	4.438E-01	2006	2015	2010	8	tasmax
Burkina Faso	Normal	3.064E+02	2.717E+00	5.175E-01	2006	2015	2010	9	tasmax
Burkina Faso	Normal	3.081E+02	2.597E+00	7.978E-01	2006	2015	2010	10	tasmax
Burkina Faso	Normal	3.083E+02	1.930E+00	7.985E-01	2006	2015	2010	11	tasmax
Burkina Faso	Normal	3.062E+02	1.596E+00	2.632E-01	2006	2015	2010	12	tasmax
Burkina Faso	Normal	3.068E+02	1.659E+00	2.394E-01	2016	2025	2020	1	tasmax
Burkina Faso	Normal	3.093E+02	1.654E+00	2.603E-01	2016	2025	2020	2	tasmax
Burkina Faso	Normal	3.122E+02	1.406E+00	5.456E-01	2016	2025	2020	3	tasmax
Burkina Faso	Normal	3.126E+02	1.876E+00	2.855E-01	2016	2025	2020	4	tasmax
Burkina Faso	Normal	3.109E+02	2.633E+00	5.136E-01	2016	2025	2020	5	tasmax
Burkina Faso	Normal	3.090E+02	2.987E+00	6.479E-01	2016	2025	2020	6	tasmax
Burkina Faso	Normal	3.073E+02	3.086E+00	6.126E-01	2016	2025	2020	7	tasmax
Burkina Faso	Normal	3.058E+02	2.852E+00	4.660E-01	2016	2025	2020	8	tasmax
Burkina Faso	Normal	3.068E+02	2.910E+00	6.124E-01	2016	2025	2020	9	tasmax
Burkina Faso	Normal	3.084E+02	2.681E+00	8.276E-01	2016	2025	2020	10	tasmax
Burkina Faso	Normal	3.086E+02	2.248E+00	1.062E+00	2016	2025	2020	11	tasmax
Burkina Faso	Normal	3.067E+02	1.568E+00	2.852E-01	2016	2025	2020	12	tasmax
Burkina Faso	Normal	3.070E+02	1.857E+00	3.325E-01	2026	2035	2030	1	tasmax
Burkina Faso	Normal	3.098E+02	1.795E+00	3.162E-01	2026	2035	2030	2	tasmax
Burkina Faso	Normal	3.126E+02	1.538E+00	5.075E-01	2026	2035	2030	3	tasmax
Burkina Faso	Normal	3.130E+02	1.844E+00	3.416E-01	2026	2035	2030	4	tasmax
Burkina Faso	Normal	3.113E+02	2.485E+00	4.329E-01	2026	2035	2030	5	tasmax
Burkina Faso	Normal	3.095E+02	3.078E+00	4.899E-01	2026	2035	2030	6	tasmax
Burkina Faso	Normal	3.077E+02	3.146E+00	6.227E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burkina Faso	Normal	3.062E+02	2.804E+00	4.957E-01	2026	2035	2030	8	tasmax
Burkina Faso	Normal	3.070E+02	2.871E+00	5.898E-01	2026	2035	2030	9	tasmax
Burkina Faso	Normal	3.087E+02	2.677E+00	8.579E-01	2026	2035	2030	10	tasmax
Burkina Faso	Normal	3.090E+02	2.172E+00	9.266E-01	2026	2035	2030	11	tasmax
Burkina Faso	Normal	3.070E+02	1.760E+00	3.525E-01	2026	2035	2030	12	tasmax
Burkina Faso	Normal	3.075E+02	1.984E+00	3.702E-01	2036	2045	2040	1	tasmax
Burkina Faso	Normal	3.102E+02	1.755E+00	2.860E-01	2036	2045	2040	2	tasmax
Burkina Faso	Normal	3.132E+02	1.615E+00	5.624E-01	2036	2045	2040	3	tasmax
Burkina Faso	Normal	3.134E+02	1.862E+00	3.133E-01	2036	2045	2040	4	tasmax
Burkina Faso	Normal	3.118E+02	2.449E+00	4.552E-01	2036	2045	2040	5	tasmax
Burkina Faso	Normal	3.098E+02	3.003E+00	4.824E-01	2036	2045	2040	6	tasmax
Burkina Faso	Normal	3.080E+02	3.012E+00	6.464E-01	2036	2045	2040	7	tasmax
Burkina Faso	Normal	3.066E+02	2.861E+00	4.879E-01	2036	2045	2040	8	tasmax
Burkina Faso	Normal	3.075E+02	2.843E+00	6.058E-01	2036	2045	2040	9	tasmax
Burkina Faso	Normal	3.092E+02	2.551E+00	8.067E-01	2036	2045	2040	10	tasmax
Burkina Faso	Normal	3.095E+02	2.100E+00	9.008E-01	2036	2045	2040	11	tasmax
Burkina Faso	Normal	3.076E+02	1.704E+00	4.244E-01	2036	2045	2040	12	tasmax
Burkina Faso	Normal	3.081E+02	1.867E+00	3.298E-01	2046	2055	2050	1	tasmax
Burkina Faso	Normal	3.109E+02	1.881E+00	3.085E-01	2046	2055	2050	2	tasmax
Burkina Faso	Normal	3.137E+02	1.690E+00	6.048E-01	2046	2055	2050	3	tasmax
Burkina Faso	Normal	3.140E+02	1.940E+00	4.019E-01	2046	2055	2050	4	tasmax
Burkina Faso	Normal	3.125E+02	2.621E+00	5.181E-01	2046	2055	2050	5	tasmax
Burkina Faso	Normal	3.105E+02	3.192E+00	5.609E-01	2046	2055	2050	6	tasmax
Burkina Faso	Normal	3.086E+02	3.176E+00	7.053E-01	2046	2055	2050	7	tasmax
Burkina Faso	Normal	3.071E+02	3.005E+00	5.796E-01	2046	2055	2050	8	tasmax
Burkina Faso	Normal	3.080E+02	2.950E+00	6.405E-01	2046	2055	2050	9	tasmax
Burkina Faso	Normal	3.098E+02	2.668E+00	7.884E-01	2046	2055	2050	10	tasmax
Burkina Faso	Normal	3.101E+02	2.197E+00	9.505E-01	2046	2055	2050	11	tasmax
Burkina Faso	Normal	3.082E+02	1.719E+00	4.271E-01	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burkina Faso	Normal	3.086E+02	1.969E+00	3.378E-01	2056	2065	2060	1	tasmax
Burkina Faso	Normal	3.114E+02	1.946E+00	3.245E-01	2056	2065	2060	2	tasmax
Burkina Faso	Normal	3.143E+02	1.619E+00	3.986E-01	2056	2065	2060	3	tasmax
Burkina Faso	Normal	3.146E+02	2.161E+00	4.867E-01	2056	2065	2060	4	tasmax
Burkina Faso	Normal	3.129E+02	2.845E+00	3.616E-01	2056	2065	2060	5	tasmax
Burkina Faso	Normal	3.110E+02	3.216E+00	4.390E-01	2056	2065	2060	6	tasmax
Burkina Faso	Normal	3.093E+02	3.254E+00	8.164E-01	2056	2065	2060	7	tasmax
Burkina Faso	Normal	3.076E+02	2.968E+00	5.594E-01	2056	2065	2060	8	tasmax
Burkina Faso	Normal	3.085E+02	3.132E+00	7.165E-01	2056	2065	2060	9	tasmax
Burkina Faso	Normal	3.102E+02	2.701E+00	7.357E-01	2056	2065	2060	10	tasmax
Burkina Faso	Normal	3.105E+02	2.319E+00	8.768E-01	2056	2065	2060	11	tasmax
Burkina Faso	Normal	3.086E+02	1.745E+00	4.477E-01	2056	2065	2060	12	tasmax
Burkina Faso	Normal	3.092E+02	1.835E+00	3.792E-01	2066	2075	2070	1	tasmax
Burkina Faso	Normal	3.121E+02	1.696E+00	2.902E-01	2066	2075	2070	2	tasmax
Burkina Faso	Normal	3.148E+02	1.646E+00	5.441E-01	2066	2075	2070	3	tasmax
Burkina Faso	Normal	3.152E+02	2.132E+00	5.635E-01	2066	2075	2070	4	tasmax
Burkina Faso	Normal	3.136E+02	2.696E+00	3.886E-01	2066	2075	2070	5	tasmax
Burkina Faso	Normal	3.117E+02	3.234E+00	4.645E-01	2066	2075	2070	6	tasmax
Burkina Faso	Normal	3.099E+02	3.194E+00	7.933E-01	2066	2075	2070	7	tasmax
Burkina Faso	Normal	3.082E+02	3.219E+00	6.904E-01	2066	2075	2070	8	tasmax
Burkina Faso	Normal	3.090E+02	3.100E+00	5.921E-01	2066	2075	2070	9	tasmax
Burkina Faso	Normal	3.107E+02	2.656E+00	7.430E-01	2066	2075	2070	10	tasmax
Burkina Faso	Normal	3.112E+02	2.300E+00	8.833E-01	2066	2075	2070	11	tasmax
Burkina Faso	Normal	3.093E+02	1.778E+00	3.614E-01	2066	2075	2070	12	tasmax
Burkina Faso	Normal	3.097E+02	1.949E+00	3.860E-01	2076	2085	2080	1	tasmax
Burkina Faso	Normal	3.126E+02	1.967E+00	3.982E-01	2076	2085	2080	2	tasmax
Burkina Faso	Normal	3.156E+02	1.847E+00	5.711E-01	2076	2085	2080	3	tasmax
Burkina Faso	Normal	3.158E+02	2.316E+00	5.174E-01	2076	2085	2080	4	tasmax
Burkina Faso	Normal	3.142E+02	2.689E+00	4.764E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burkina Faso	Normal	3.125E+02	3.363E+00	5.047E-01	2076	2085	2080	6	tasmax
Burkina Faso	Normal	3.105E+02	3.489E+00	8.519E-01	2076	2085	2080	7	tasmax
Burkina Faso	Normal	3.089E+02	3.360E+00	7.135E-01	2076	2085	2080	8	tasmax
Burkina Faso	Normal	3.094E+02	3.332E+00	7.906E-01	2076	2085	2080	9	tasmax
Burkina Faso	Normal	3.112E+02	2.916E+00	8.421E-01	2076	2085	2080	10	tasmax
Burkina Faso	Normal	3.116E+02	2.740E+00	1.165E+00	2076	2085	2080	11	tasmax
Burkina Faso	Normal	3.098E+02	1.888E+00	5.463E-01	2076	2085	2080	12	tasmax
Burkina Faso	Normal	3.103E+02	1.937E+00	4.087E-01	2086	2099	2092	1	tasmax
Burkina Faso	Normal	3.132E+02	2.005E+00	3.588E-01	2086	2099	2092	2	tasmax
Burkina Faso	Normal	3.163E+02	1.985E+00	5.550E-01	2086	2099	2092	3	tasmax
Burkina Faso	Normal	3.165E+02	2.294E+00	5.737E-01	2086	2099	2092	4	tasmax
Burkina Faso	Normal	3.149E+02	2.984E+00	4.304E-01	2086	2099	2092	5	tasmax
Burkina Faso	Normal	3.131E+02	3.422E+00	5.917E-01	2086	2099	2092	6	tasmax
Burkina Faso	Normal	3.113E+02	3.658E+00	8.819E-01	2086	2099	2092	7	tasmax
Burkina Faso	Normal	3.096E+02	3.518E+00	6.900E-01	2086	2099	2092	8	tasmax
Burkina Faso	Normal	3.101E+02	3.482E+00	7.916E-01	2086	2099	2092	9	tasmax
Burkina Faso	Normal	3.119E+02	2.962E+00	6.297E-01	2086	2099	2092	10	tasmax
Burkina Faso	Normal	3.125E+02	2.325E+00	7.708E-01	2086	2099	2092	11	tasmax
Burkina Faso	Normal	3.105E+02	1.946E+00	4.922E-01	2086	2099	2092	12	tasmax
Burundi	Normal	2.975E+02	1.384E+00	2.160E-01	2006	2015	2010	1	tasmax
Burundi	Normal	2.985E+02	1.412E+00	2.383E-01	2006	2015	2010	2	tasmax
Burundi	Normal	2.991E+02	1.265E+00	2.045E-01	2006	2015	2010	3	tasmax
Burundi	Normal	2.990E+02	1.358E+00	3.214E-01	2006	2015	2010	4	tasmax
Burundi	Normal	2.988E+02	1.827E+00	3.086E-01	2006	2015	2010	5	tasmax
Burundi	Normal	2.991E+02	2.088E+00	6.087E-01	2006	2015	2010	6	tasmax
Burundi	Normal	3.001E+02	2.167E+00	5.975E-01	2006	2015	2010	7	tasmax
Burundi	Normal	3.016E+02	1.969E+00	3.913E-01	2006	2015	2010	8	tasmax
Burundi	Normal	3.019E+02	1.914E+00	4.950E-01	2006	2015	2010	9	tasmax
Burundi	Normal	2.999E+02	2.399E+00	6.493E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burundi	Normal	2.976E+02	2.482E+00	8.755E-01	2006	2015	2010	11	tasmax
Burundi	Normal	2.969E+02	1.510E+00	3.483E-01	2006	2015	2010	12	tasmax
Burundi	Normal	2.979E+02	1.431E+00	2.692E-01	2016	2025	2020	1	tasmax
Burundi	Normal	2.988E+02	1.392E+00	2.369E-01	2016	2025	2020	2	tasmax
Burundi	Normal	2.995E+02	1.404E+00	2.365E-01	2016	2025	2020	3	tasmax
Burundi	Normal	2.996E+02	1.328E+00	2.637E-01	2016	2025	2020	4	tasmax
Burundi	Normal	2.992E+02	1.791E+00	2.916E-01	2016	2025	2020	5	tasmax
Burundi	Normal	2.995E+02	2.022E+00	6.368E-01	2016	2025	2020	6	tasmax
Burundi	Normal	3.005E+02	2.100E+00	6.826E-01	2016	2025	2020	7	tasmax
Burundi	Normal	3.019E+02	2.008E+00	4.984E-01	2016	2025	2020	8	tasmax
Burundi	Normal	3.025E+02	2.087E+00	5.344E-01	2016	2025	2020	9	tasmax
Burundi	Normal	3.004E+02	2.539E+00	7.029E-01	2016	2025	2020	10	tasmax
Burundi	Normal	2.981E+02	2.240E+00	6.471E-01	2016	2025	2020	11	tasmax
Burundi	Normal	2.973E+02	1.444E+00	2.212E-01	2016	2025	2020	12	tasmax
Burundi	Normal	2.982E+02	1.370E+00	2.657E-01	2026	2035	2030	1	tasmax
Burundi	Normal	2.993E+02	1.284E+00	2.273E-01	2026	2035	2030	2	tasmax
Burundi	Normal	2.997E+02	1.434E+00	1.941E-01	2026	2035	2030	3	tasmax
Burundi	Normal	2.999E+02	1.425E+00	2.244E-01	2026	2035	2030	4	tasmax
Burundi	Normal	2.997E+02	1.858E+00	3.553E-01	2026	2035	2030	5	tasmax
Burundi	Normal	2.999E+02	2.192E+00	9.289E-01	2026	2035	2030	6	tasmax
Burundi	Normal	3.010E+02	2.235E+00	7.709E-01	2026	2035	2030	7	tasmax
Burundi	Normal	3.025E+02	2.168E+00	5.994E-01	2026	2035	2030	8	tasmax
Burundi	Normal	3.028E+02	2.130E+00	4.590E-01	2026	2035	2030	9	tasmax
Burundi	Normal	3.009E+02	2.660E+00	6.018E-01	2026	2035	2030	10	tasmax
Burundi	Normal	2.984E+02	2.486E+00	7.020E-01	2026	2035	2030	11	tasmax
Burundi	Normal	2.976E+02	1.507E+00	2.578E-01	2026	2035	2030	12	tasmax
Burundi	Normal	2.986E+02	1.448E+00	2.934E-01	2036	2045	2040	1	tasmax
Burundi	Normal	2.995E+02	1.517E+00	3.015E-01	2036	2045	2040	2	tasmax
Burundi	Normal	3.002E+02	1.347E+00	2.594E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burundi	Normal	3.000E+02	1.354E+00	2.433E-01	2036	2045	2040	4	tasmax
Burundi	Normal	2.999E+02	1.764E+00	2.931E-01	2036	2045	2040	5	tasmax
Burundi	Normal	3.002E+02	2.165E+00	7.842E-01	2036	2045	2040	6	tasmax
Burundi	Normal	3.012E+02	2.359E+00	7.729E-01	2036	2045	2040	7	tasmax
Burundi	Normal	3.027E+02	2.177E+00	5.819E-01	2036	2045	2040	8	tasmax
Burundi	Normal	3.031E+02	2.091E+00	5.240E-01	2036	2045	2040	9	tasmax
Burundi	Normal	3.010E+02	2.468E+00	6.198E-01	2036	2045	2040	10	tasmax
Burundi	Normal	2.988E+02	2.356E+00	8.498E-01	2036	2045	2040	11	tasmax
Burundi	Normal	2.977E+02	1.469E+00	2.870E-01	2036	2045	2040	12	tasmax
Burundi	Normal	2.989E+02	1.443E+00	2.904E-01	2046	2055	2050	1	tasmax
Burundi	Normal	3.000E+02	1.538E+00	2.738E-01	2046	2055	2050	2	tasmax
Burundi	Normal	3.007E+02	1.337E+00	1.971E-01	2046	2055	2050	3	tasmax
Burundi	Normal	3.006E+02	1.373E+00	3.200E-01	2046	2055	2050	4	tasmax
Burundi	Normal	3.005E+02	1.812E+00	3.273E-01	2046	2055	2050	5	tasmax
Burundi	Normal	3.009E+02	2.235E+00	8.175E-01	2046	2055	2050	6	tasmax
Burundi	Normal	3.019E+02	2.301E+00	6.977E-01	2046	2055	2050	7	tasmax
Burundi	Normal	3.033E+02	2.236E+00	5.448E-01	2046	2055	2050	8	tasmax
Burundi	Normal	3.038E+02	1.940E+00	5.075E-01	2046	2055	2050	9	tasmax
Burundi	Normal	3.018E+02	2.532E+00	4.718E-01	2046	2055	2050	10	tasmax
Burundi	Normal	2.993E+02	2.456E+00	8.410E-01	2046	2055	2050	11	tasmax
Burundi	Normal	2.984E+02	1.538E+00	3.975E-01	2046	2055	2050	12	tasmax
Burundi	Normal	2.995E+02	1.542E+00	3.035E-01	2056	2065	2060	1	tasmax
Burundi	Normal	3.004E+02	1.558E+00	3.397E-01	2056	2065	2060	2	tasmax
Burundi	Normal	3.011E+02	1.362E+00	2.689E-01	2056	2065	2060	3	tasmax
Burundi	Normal	3.011E+02	1.434E+00	2.663E-01	2056	2065	2060	4	tasmax
Burundi	Normal	3.012E+02	1.905E+00	3.486E-01	2056	2065	2060	5	tasmax
Burundi	Normal	3.016E+02	2.231E+00	7.487E-01	2056	2065	2060	6	tasmax
Burundi	Normal	3.026E+02	2.301E+00	5.815E-01	2056	2065	2060	7	tasmax
Burundi	Normal	3.040E+02	2.181E+00	5.900E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burundi	Normal	3.044E+02	2.265E+00	6.542E-01	2056	2065	2060	9	tasmax
Burundi	Normal	3.026E+02	2.697E+00	5.585E-01	2056	2065	2060	10	tasmax
Burundi	Normal	2.998E+02	2.363E+00	6.371E-01	2056	2065	2060	11	tasmax
Burundi	Normal	2.989E+02	1.621E+00	3.580E-01	2056	2065	2060	12	tasmax
Burundi	Normal	3.000E+02	1.610E+00	4.093E-01	2066	2075	2070	1	tasmax
Burundi	Normal	3.010E+02	1.487E+00	2.635E-01	2066	2075	2070	2	tasmax
Burundi	Normal	3.018E+02	1.399E+00	2.461E-01	2066	2075	2070	3	tasmax
Burundi	Normal	3.018E+02	1.443E+00	3.025E-01	2066	2075	2070	4	tasmax
Burundi	Normal	3.019E+02	1.943E+00	4.707E-01	2066	2075	2070	5	tasmax
Burundi	Normal	3.024E+02	2.276E+00	7.630E-01	2066	2075	2070	6	tasmax
Burundi	Normal	3.033E+02	2.427E+00	6.121E-01	2066	2075	2070	7	tasmax
Burundi	Normal	3.047E+02	2.184E+00	4.812E-01	2066	2075	2070	8	tasmax
Burundi	Normal	3.052E+02	2.205E+00	5.723E-01	2066	2075	2070	9	tasmax
Burundi	Normal	3.030E+02	2.622E+00	6.477E-01	2066	2075	2070	10	tasmax
Burundi	Normal	3.002E+02	2.192E+00	5.916E-01	2066	2075	2070	11	tasmax
Burundi	Normal	2.993E+02	1.515E+00	3.339E-01	2066	2075	2070	12	tasmax
Burundi	Normal	3.004E+02	1.548E+00	3.415E-01	2076	2085	2080	1	tasmax
Burundi	Normal	3.015E+02	1.492E+00	2.885E-01	2076	2085	2080	2	tasmax
Burundi	Normal	3.022E+02	1.469E+00	2.809E-01	2076	2085	2080	3	tasmax
Burundi	Normal	3.023E+02	1.532E+00	3.700E-01	2076	2085	2080	4	tasmax
Burundi	Normal	3.025E+02	1.984E+00	5.880E-01	2076	2085	2080	5	tasmax
Burundi	Normal	3.030E+02	2.313E+00	7.098E-01	2076	2085	2080	6	tasmax
Burundi	Normal	3.039E+02	2.352E+00	5.975E-01	2076	2085	2080	7	tasmax
Burundi	Normal	3.054E+02	2.271E+00	5.656E-01	2076	2085	2080	8	tasmax
Burundi	Normal	3.057E+02	2.454E+00	6.935E-01	2076	2085	2080	9	tasmax
Burundi	Normal	3.036E+02	2.883E+00	5.686E-01	2076	2085	2080	10	tasmax
Burundi	Normal	3.009E+02	2.468E+00	7.454E-01	2076	2085	2080	11	tasmax
Burundi	Normal	2.998E+02	1.700E+00	3.262E-01	2076	2085	2080	12	tasmax
Burundi	Normal	3.009E+02	1.828E+00	3.732E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Burundi	Normal	3.020E+02	1.753E+00	3.743E-01	2086	2099	2092	2	tasmax
Burundi	Normal	3.026E+02	1.505E+00	2.552E-01	2086	2099	2092	3	tasmax
Burundi	Normal	3.025E+02	1.526E+00	2.817E-01	2086	2099	2092	4	tasmax
Burundi	Normal	3.028E+02	2.047E+00	4.587E-01	2086	2099	2092	5	tasmax
Burundi	Normal	3.032E+02	2.525E+00	6.179E-01	2086	2099	2092	6	tasmax
Burundi	Normal	3.043E+02	2.575E+00	6.930E-01	2086	2099	2092	7	tasmax
Burundi	Normal	3.058E+02	2.463E+00	5.082E-01	2086	2099	2092	8	tasmax
Burundi	Normal	3.060E+02	2.232E+00	5.891E-01	2086	2099	2092	9	tasmax
Burundi	Normal	3.040E+02	2.704E+00	5.177E-01	2086	2099	2092	10	tasmax
Burundi	Normal	3.013E+02	2.439E+00	8.085E-01	2086	2099	2092	11	tasmax
Burundi	Normal	3.002E+02	1.710E+00	3.559E-01	2086	2099	2092	12	tasmax
Cambodia	Normal	3.012E+02	2.050E+00	4.912E-01	2006	2015	2010	1	tasmax
Cambodia	Normal	3.043E+02	2.308E+00	5.341E-01	2006	2015	2010	2	tasmax
Cambodia	Normal	3.072E+02	2.249E+00	6.774E-01	2006	2015	2010	3	tasmax
Cambodia	Normal	3.082E+02	2.241E+00	6.865E-01	2006	2015	2010	4	tasmax
Cambodia	Normal	3.064E+02	2.199E+00	7.294E-01	2006	2015	2010	5	tasmax
Cambodia	Normal	3.041E+02	1.779E+00	3.964E-01	2006	2015	2010	6	tasmax
Cambodia	Normal	3.030E+02	1.457E+00	2.487E-01	2006	2015	2010	7	tasmax
Cambodia	Normal	3.026E+02	1.422E+00	2.381E-01	2006	2015	2010	8	tasmax
Cambodia	Normal	3.025E+02	1.150E+00	3.568E-01	2006	2015	2010	9	tasmax
Cambodia	Normal	3.024E+02	1.304E+00	2.920E-01	2006	2015	2010	10	tasmax
Cambodia	Normal	3.015E+02	1.495E+00	3.197E-01	2006	2015	2010	11	tasmax
Cambodia	Normal	3.005E+02	1.763E+00	5.015E-01	2006	2015	2010	12	tasmax
Cambodia	Normal	3.015E+02	2.067E+00	5.183E-01	2016	2025	2020	1	tasmax
Cambodia	Normal	3.045E+02	2.560E+00	6.577E-01	2016	2025	2020	2	tasmax
Cambodia	Normal	3.075E+02	2.475E+00	8.174E-01	2016	2025	2020	3	tasmax
Cambodia	Normal	3.085E+02	2.427E+00	7.329E-01	2016	2025	2020	4	tasmax
Cambodia	Normal	3.067E+02	2.616E+00	8.865E-01	2016	2025	2020	5	tasmax
Cambodia	Normal	3.044E+02	2.015E+00	5.785E-01	2016	2025	2020	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cambodia	Normal	3.033E+02	1.621E+00	3.250E-01	2016	2025	2020	7	tasmax
Cambodia	Normal	3.029E+02	1.529E+00	2.497E-01	2016	2025	2020	8	tasmax
Cambodia	Normal	3.027E+02	1.271E+00	4.587E-01	2016	2025	2020	9	tasmax
Cambodia	Normal	3.027E+02	1.323E+00	2.746E-01	2016	2025	2020	10	tasmax
Cambodia	Normal	3.019E+02	1.458E+00	2.537E-01	2016	2025	2020	11	tasmax
Cambodia	Normal	3.008E+02	1.547E+00	4.537E-01	2016	2025	2020	12	tasmax
Cambodia	Normal	3.019E+02	2.075E+00	5.880E-01	2026	2035	2030	1	tasmax
Cambodia	Normal	3.047E+02	2.433E+00	4.976E-01	2026	2035	2030	2	tasmax
Cambodia	Normal	3.078E+02	2.485E+00	8.347E-01	2026	2035	2030	3	tasmax
Cambodia	Normal	3.088E+02	2.448E+00	7.633E-01	2026	2035	2030	4	tasmax
Cambodia	Normal	3.070E+02	2.591E+00	1.002E+00	2026	2035	2030	5	tasmax
Cambodia	Normal	3.047E+02	2.073E+00	6.252E-01	2026	2035	2030	6	tasmax
Cambodia	Normal	3.036E+02	1.472E+00	3.439E-01	2026	2035	2030	7	tasmax
Cambodia	Normal	3.032E+02	1.348E+00	2.215E-01	2026	2035	2030	8	tasmax
Cambodia	Normal	3.031E+02	1.169E+00	5.137E-01	2026	2035	2030	9	tasmax
Cambodia	Normal	3.030E+02	1.374E+00	2.308E-01	2026	2035	2030	10	tasmax
Cambodia	Normal	3.020E+02	1.529E+00	2.768E-01	2026	2035	2030	11	tasmax
Cambodia	Normal	3.009E+02	1.909E+00	5.119E-01	2026	2035	2030	12	tasmax
Cambodia	Normal	3.023E+02	2.059E+00	4.795E-01	2036	2045	2040	1	tasmax
Cambodia	Normal	3.052E+02	2.286E+00	4.642E-01	2036	2045	2040	2	tasmax
Cambodia	Normal	3.083E+02	2.419E+00	7.111E-01	2036	2045	2040	3	tasmax
Cambodia	Normal	3.092E+02	2.445E+00	6.688E-01	2036	2045	2040	4	tasmax
Cambodia	Normal	3.074E+02	2.649E+00	1.047E+00	2036	2045	2040	5	tasmax
Cambodia	Normal	3.050E+02	1.772E+00	6.100E-01	2036	2045	2040	6	tasmax
Cambodia	Normal	3.039E+02	1.435E+00	3.030E-01	2036	2045	2040	7	tasmax
Cambodia	Normal	3.035E+02	1.421E+00	2.437E-01	2036	2045	2040	8	tasmax
Cambodia	Normal	3.033E+02	1.214E+00	4.040E-01	2036	2045	2040	9	tasmax
Cambodia	Normal	3.033E+02	1.417E+00	2.423E-01	2036	2045	2040	10	tasmax
Cambodia	Normal	3.025E+02	1.592E+00	2.537E-01	2036	2045	2040	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cambodia	Normal	3.014E+02	1.826E+00	4.698E-01	2036	2045	2040	12	tasmax
Cambodia	Normal	3.029E+02	2.068E+00	3.463E-01	2046	2055	2050	1	tasmax
Cambodia	Normal	3.058E+02	2.478E+00	6.273E-01	2046	2055	2050	2	tasmax
Cambodia	Normal	3.089E+02	2.528E+00	7.057E-01	2046	2055	2050	3	tasmax
Cambodia	Normal	3.098E+02	2.806E+00	9.539E-01	2046	2055	2050	4	tasmax
Cambodia	Normal	3.081E+02	2.975E+00	1.133E+00	2046	2055	2050	5	tasmax
Cambodia	Normal	3.057E+02	2.507E+00	8.661E-01	2046	2055	2050	6	tasmax
Cambodia	Normal	3.044E+02	1.566E+00	2.917E-01	2046	2055	2050	7	tasmax
Cambodia	Normal	3.039E+02	1.545E+00	2.807E-01	2046	2055	2050	8	tasmax
Cambodia	Normal	3.038E+02	1.284E+00	4.925E-01	2046	2055	2050	9	tasmax
Cambodia	Normal	3.038E+02	1.357E+00	2.769E-01	2046	2055	2050	10	tasmax
Cambodia	Normal	3.030E+02	1.499E+00	2.248E-01	2046	2055	2050	11	tasmax
Cambodia	Normal	3.021E+02	1.810E+00	4.178E-01	2046	2055	2050	12	tasmax
Cambodia	Normal	3.033E+02	2.366E+00	4.192E-01	2056	2065	2060	1	tasmax
Cambodia	Normal	3.063E+02	2.656E+00	5.238E-01	2056	2065	2060	2	tasmax
Cambodia	Normal	3.091E+02	2.741E+00	6.771E-01	2056	2065	2060	3	tasmax
Cambodia	Normal	3.103E+02	2.899E+00	9.376E-01	2056	2065	2060	4	tasmax
Cambodia	Normal	3.084E+02	2.850E+00	1.149E+00	2056	2065	2060	5	tasmax
Cambodia	Normal	3.062E+02	2.323E+00	8.740E-01	2056	2065	2060	6	tasmax
Cambodia	Normal	3.048E+02	1.707E+00	3.423E-01	2056	2065	2060	7	tasmax
Cambodia	Normal	3.043E+02	1.437E+00	3.103E-01	2056	2065	2060	8	tasmax
Cambodia	Normal	3.041E+02	1.236E+00	4.936E-01	2056	2065	2060	9	tasmax
Cambodia	Normal	3.044E+02	1.469E+00	2.445E-01	2056	2065	2060	10	tasmax
Cambodia	Normal	3.034E+02	1.698E+00	3.238E-01	2056	2065	2060	11	tasmax
Cambodia	Normal	3.024E+02	2.032E+00	4.787E-01	2056	2065	2060	12	tasmax
Cambodia	Normal	3.039E+02	2.342E+00	4.048E-01	2066	2075	2070	1	tasmax
Cambodia	Normal	3.067E+02	2.618E+00	4.992E-01	2066	2075	2070	2	tasmax
Cambodia	Normal	3.098E+02	2.596E+00	6.906E-01	2066	2075	2070	3	tasmax
Cambodia	Normal	3.109E+02	2.835E+00	9.401E-01	2066	2075	2070	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cambodia	Normal	3.091E+02	2.908E+00	1.070E+00	2066	2075	2070	5	tasmax
Cambodia	Normal	3.065E+02	2.026E+00	4.894E-01	2066	2075	2070	6	tasmax
Cambodia	Normal	3.053E+02	1.671E+00	2.852E-01	2066	2075	2070	7	tasmax
Cambodia	Normal	3.049E+02	1.608E+00	3.328E-01	2066	2075	2070	8	tasmax
Cambodia	Normal	3.047E+02	1.370E+00	5.047E-01	2066	2075	2070	9	tasmax
Cambodia	Normal	3.049E+02	1.429E+00	2.883E-01	2066	2075	2070	10	tasmax
Cambodia	Normal	3.040E+02	1.889E+00	2.462E-01	2066	2075	2070	11	tasmax
Cambodia	Normal	3.031E+02	1.918E+00	4.350E-01	2066	2075	2070	12	tasmax
Cambodia	Normal	3.043E+02	2.279E+00	3.457E-01	2076	2085	2080	1	tasmax
Cambodia	Normal	3.071E+02	2.767E+00	5.311E-01	2076	2085	2080	2	tasmax
Cambodia	Normal	3.103E+02	3.003E+00	8.223E-01	2076	2085	2080	3	tasmax
Cambodia	Normal	3.115E+02	3.048E+00	7.832E-01	2076	2085	2080	4	tasmax
Cambodia	Normal	3.097E+02	3.073E+00	1.146E+00	2076	2085	2080	5	tasmax
Cambodia	Normal	3.071E+02	2.724E+00	1.044E+00	2076	2085	2080	6	tasmax
Cambodia	Normal	3.059E+02	1.806E+00	3.437E-01	2076	2085	2080	7	tasmax
Cambodia	Normal	3.054E+02	1.703E+00	2.793E-01	2076	2085	2080	8	tasmax
Cambodia	Normal	3.051E+02	1.366E+00	4.779E-01	2076	2085	2080	9	tasmax
Cambodia	Normal	3.052E+02	1.493E+00	2.997E-01	2076	2085	2080	10	tasmax
Cambodia	Normal	3.046E+02	1.826E+00	2.544E-01	2076	2085	2080	11	tasmax
Cambodia	Normal	3.036E+02	2.248E+00	4.023E-01	2076	2085	2080	12	tasmax
Cambodia	Normal	3.048E+02	2.682E+00	5.475E-01	2086	2099	2092	1	tasmax
Cambodia	Normal	3.077E+02	3.090E+00	6.225E-01	2086	2099	2092	2	tasmax
Cambodia	Normal	3.108E+02	3.147E+00	7.954E-01	2086	2099	2092	3	tasmax
Cambodia	Normal	3.121E+02	2.966E+00	8.117E-01	2086	2099	2092	4	tasmax
Cambodia	Normal	3.104E+02	3.327E+00	1.307E+00	2086	2099	2092	5	tasmax
Cambodia	Normal	3.078E+02	2.978E+00	1.234E+00	2086	2099	2092	6	tasmax
Cambodia	Normal	3.064E+02	1.825E+00	3.841E-01	2086	2099	2092	7	tasmax
Cambodia	Normal	3.058E+02	1.714E+00	3.173E-01	2086	2099	2092	8	tasmax
Cambodia	Normal	3.057E+02	1.408E+00	4.781E-01	2086	2099	2092	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cambodia	Normal	3.057E+02	1.586E+00	2.756E-01	2086	2099	2092	10	tasmax
Cambodia	Normal	3.049E+02	1.920E+00	3.133E-01	2086	2099	2092	11	tasmax
Cambodia	Normal	3.039E+02	2.266E+00	4.490E-01	2086	2099	2092	12	tasmax
Cameroon	Normal	3.037E+02	1.599E+00	2.986E-01	2006	2015	2010	1	tasmax
Cameroon	Normal	3.053E+02	1.824E+00	3.353E-01	2006	2015	2010	2	tasmax
Cameroon	Normal	3.056E+02	1.873E+00	4.801E-01	2006	2015	2010	3	tasmax
Cameroon	Normal	3.039E+02	1.756E+00	2.633E-01	2006	2015	2010	4	tasmax
Cameroon	Normal	3.024E+02	1.518E+00	3.661E-01	2006	2015	2010	5	tasmax
Cameroon	Normal	3.014E+02	1.259E+00	3.363E-01	2006	2015	2010	6	tasmax
Cameroon	Normal	3.009E+02	1.210E+00	3.652E-01	2006	2015	2010	7	tasmax
Cameroon	Normal	3.006E+02	1.255E+00	3.428E-01	2006	2015	2010	8	tasmax
Cameroon	Normal	3.008E+02	1.389E+00	3.471E-01	2006	2015	2010	9	tasmax
Cameroon	Normal	3.012E+02	1.494E+00	2.897E-01	2006	2015	2010	10	tasmax
Cameroon	Normal	3.020E+02	1.480E+00	2.897E-01	2006	2015	2010	11	tasmax
Cameroon	Normal	3.025E+02	1.289E+00	2.353E-01	2006	2015	2010	12	tasmax
Cameroon	Normal	3.040E+02	1.625E+00	3.034E-01	2016	2025	2020	1	tasmax
Cameroon	Normal	3.056E+02	1.819E+00	3.669E-01	2016	2025	2020	2	tasmax
Cameroon	Normal	3.060E+02	1.970E+00	5.151E-01	2016	2025	2020	3	tasmax
Cameroon	Normal	3.043E+02	1.804E+00	3.041E-01	2016	2025	2020	4	tasmax
Cameroon	Normal	3.027E+02	1.668E+00	3.879E-01	2016	2025	2020	5	tasmax
Cameroon	Normal	3.018E+02	1.348E+00	3.542E-01	2016	2025	2020	6	tasmax
Cameroon	Normal	3.013E+02	1.236E+00	3.650E-01	2016	2025	2020	7	tasmax
Cameroon	Normal	3.010E+02	1.291E+00	3.724E-01	2016	2025	2020	8	tasmax
Cameroon	Normal	3.012E+02	1.463E+00	3.844E-01	2016	2025	2020	9	tasmax
Cameroon	Normal	3.015E+02	1.558E+00	2.965E-01	2016	2025	2020	10	tasmax
Cameroon	Normal	3.023E+02	1.553E+00	3.036E-01	2016	2025	2020	11	tasmax
Cameroon	Normal	3.029E+02	1.441E+00	2.982E-01	2016	2025	2020	12	tasmax
Cameroon	Normal	3.043E+02	1.706E+00	3.049E-01	2026	2035	2030	1	tasmax
Cameroon	Normal	3.061E+02	1.819E+00	3.439E-01	2026	2035	2030	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cameroon	Normal	3.064E+02	1.914E+00	4.503E-01	2026	2035	2030	3	tasmax
Cameroon	Normal	3.048E+02	1.913E+00	3.401E-01	2026	2035	2030	4	tasmax
Cameroon	Normal	3.031E+02	1.655E+00	3.566E-01	2026	2035	2030	5	tasmax
Cameroon	Normal	3.022E+02	1.390E+00	3.334E-01	2026	2035	2030	6	tasmax
Cameroon	Normal	3.017E+02	1.269E+00	3.507E-01	2026	2035	2030	7	tasmax
Cameroon	Normal	3.014E+02	1.309E+00	3.331E-01	2026	2035	2030	8	tasmax
Cameroon	Normal	3.015E+02	1.457E+00	3.780E-01	2026	2035	2030	9	tasmax
Cameroon	Normal	3.018E+02	1.512E+00	2.542E-01	2026	2035	2030	10	tasmax
Cameroon	Normal	3.027E+02	1.470E+00	3.040E-01	2026	2035	2030	11	tasmax
Cameroon	Normal	3.032E+02	1.476E+00	3.229E-01	2026	2035	2030	12	tasmax
Cameroon	Normal	3.048E+02	1.732E+00	2.431E-01	2036	2045	2040	1	tasmax
Cameroon	Normal	3.065E+02	1.868E+00	3.020E-01	2036	2045	2040	2	tasmax
Cameroon	Normal	3.068E+02	2.047E+00	4.750E-01	2036	2045	2040	3	tasmax
Cameroon	Normal	3.051E+02	1.945E+00	3.307E-01	2036	2045	2040	4	tasmax
Cameroon	Normal	3.035E+02	1.688E+00	3.326E-01	2036	2045	2040	5	tasmax
Cameroon	Normal	3.026E+02	1.394E+00	3.272E-01	2036	2045	2040	6	tasmax
Cameroon	Normal	3.020E+02	1.283E+00	3.616E-01	2036	2045	2040	7	tasmax
Cameroon	Normal	3.018E+02	1.327E+00	3.499E-01	2036	2045	2040	8	tasmax
Cameroon	Normal	3.019E+02	1.527E+00	3.555E-01	2036	2045	2040	9	tasmax
Cameroon	Normal	3.022E+02	1.578E+00	3.282E-01	2036	2045	2040	10	tasmax
Cameroon	Normal	3.031E+02	1.513E+00	3.410E-01	2036	2045	2040	11	tasmax
Cameroon	Normal	3.036E+02	1.491E+00	3.521E-01	2036	2045	2040	12	tasmax
Cameroon	Normal	3.053E+02	1.799E+00	3.243E-01	2046	2055	2050	1	tasmax
Cameroon	Normal	3.069E+02	1.904E+00	2.844E-01	2046	2055	2050	2	tasmax
Cameroon	Normal	3.073E+02	2.144E+00	5.235E-01	2046	2055	2050	3	tasmax
Cameroon	Normal	3.056E+02	2.095E+00	3.323E-01	2046	2055	2050	4	tasmax
Cameroon	Normal	3.040E+02	1.747E+00	3.359E-01	2046	2055	2050	5	tasmax
Cameroon	Normal	3.030E+02	1.533E+00	3.511E-01	2046	2055	2050	6	tasmax
Cameroon	Normal	3.025E+02	1.379E+00	4.398E-01	2046	2055	2050	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cameroon	Normal	3.022E+02	1.404E+00	3.628E-01	2046	2055	2050	8	tasmax
Cameroon	Normal	3.024E+02	1.592E+00	3.667E-01	2046	2055	2050	9	tasmax
Cameroon	Normal	3.027E+02	1.705E+00	4.027E-01	2046	2055	2050	10	tasmax
Cameroon	Normal	3.034E+02	1.689E+00	3.499E-01	2046	2055	2050	11	tasmax
Cameroon	Normal	3.040E+02	1.572E+00	3.546E-01	2046	2055	2050	12	tasmax
Cameroon	Normal	3.058E+02	1.903E+00	3.561E-01	2056	2065	2060	1	tasmax
Cameroon	Normal	3.075E+02	1.922E+00	3.279E-01	2056	2065	2060	2	tasmax
Cameroon	Normal	3.079E+02	2.232E+00	6.422E-01	2056	2065	2060	3	tasmax
Cameroon	Normal	3.061E+02	2.127E+00	4.113E-01	2056	2065	2060	4	tasmax
Cameroon	Normal	3.044E+02	1.804E+00	3.718E-01	2056	2065	2060	5	tasmax
Cameroon	Normal	3.035E+02	1.549E+00	3.553E-01	2056	2065	2060	6	tasmax
Cameroon	Normal	3.030E+02	1.428E+00	3.973E-01	2056	2065	2060	7	tasmax
Cameroon	Normal	3.028E+02	1.437E+00	3.285E-01	2056	2065	2060	8	tasmax
Cameroon	Normal	3.029E+02	1.623E+00	3.626E-01	2056	2065	2060	9	tasmax
Cameroon	Normal	3.031E+02	1.734E+00	3.887E-01	2056	2065	2060	10	tasmax
Cameroon	Normal	3.038E+02	1.662E+00	3.575E-01	2056	2065	2060	11	tasmax
Cameroon	Normal	3.045E+02	1.643E+00	4.182E-01	2056	2065	2060	12	tasmax
Cameroon	Normal	3.063E+02	1.782E+00	3.307E-01	2066	2075	2070	1	tasmax
Cameroon	Normal	3.081E+02	2.005E+00	2.948E-01	2066	2075	2070	2	tasmax
Cameroon	Normal	3.084E+02	2.380E+00	5.558E-01	2066	2075	2070	3	tasmax
Cameroon	Normal	3.067E+02	2.242E+00	3.751E-01	2066	2075	2070	4	tasmax
Cameroon	Normal	3.051E+02	1.940E+00	3.581E-01	2066	2075	2070	5	tasmax
Cameroon	Normal	3.041E+02	1.680E+00	3.833E-01	2066	2075	2070	6	tasmax
Cameroon	Normal	3.036E+02	1.515E+00	4.502E-01	2066	2075	2070	7	tasmax
Cameroon	Normal	3.033E+02	1.477E+00	3.857E-01	2066	2075	2070	8	tasmax
Cameroon	Normal	3.035E+02	1.688E+00	4.360E-01	2066	2075	2070	9	tasmax
Cameroon	Normal	3.037E+02	1.723E+00	4.025E-01	2066	2075	2070	10	tasmax
Cameroon	Normal	3.044E+02	1.755E+00	3.903E-01	2066	2075	2070	11	tasmax
Cameroon	Normal	3.050E+02	1.664E+00	4.391E-01	2066	2075	2070	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cameroon	Normal	3.069E+02	1.908E+00	3.536E-01	2076	2085	2080	1	tasmax
Cameroon	Normal	3.087E+02	2.114E+00	3.173E-01	2076	2085	2080	2	tasmax
Cameroon	Normal	3.090E+02	2.416E+00	6.065E-01	2076	2085	2080	3	tasmax
Cameroon	Normal	3.072E+02	2.368E+00	4.073E-01	2076	2085	2080	4	tasmax
Cameroon	Normal	3.055E+02	1.971E+00	3.582E-01	2076	2085	2080	5	tasmax
Cameroon	Normal	3.047E+02	1.729E+00	3.884E-01	2076	2085	2080	6	tasmax
Cameroon	Normal	3.042E+02	1.592E+00	4.347E-01	2076	2085	2080	7	tasmax
Cameroon	Normal	3.039E+02	1.558E+00	3.989E-01	2076	2085	2080	8	tasmax
Cameroon	Normal	3.041E+02	1.735E+00	3.817E-01	2076	2085	2080	9	tasmax
Cameroon	Normal	3.042E+02	1.939E+00	4.539E-01	2076	2085	2080	10	tasmax
Cameroon	Normal	3.049E+02	1.819E+00	3.310E-01	2076	2085	2080	11	tasmax
Cameroon	Normal	3.056E+02	1.752E+00	4.593E-01	2076	2085	2080	12	tasmax
Cameroon	Normal	3.074E+02	1.979E+00	3.836E-01	2086	2099	2092	1	tasmax
Cameroon	Normal	3.093E+02	2.171E+00	4.056E-01	2086	2099	2092	2	tasmax
Cameroon	Normal	3.096E+02	2.557E+00	6.591E-01	2086	2099	2092	3	tasmax
Cameroon	Normal	3.077E+02	2.411E+00	4.773E-01	2086	2099	2092	4	tasmax
Cameroon	Normal	3.062E+02	2.085E+00	4.165E-01	2086	2099	2092	5	tasmax
Cameroon	Normal	3.053E+02	1.787E+00	4.271E-01	2086	2099	2092	6	tasmax
Cameroon	Normal	3.048E+02	1.648E+00	4.263E-01	2086	2099	2092	7	tasmax
Cameroon	Normal	3.045E+02	1.586E+00	3.510E-01	2086	2099	2092	8	tasmax
Cameroon	Normal	3.046E+02	1.821E+00	4.258E-01	2086	2099	2092	9	tasmax
Cameroon	Normal	3.049E+02	1.984E+00	4.308E-01	2086	2099	2092	10	tasmax
Cameroon	Normal	3.056E+02	1.816E+00	3.332E-01	2086	2099	2092	11	tasmax
Cameroon	Normal	3.062E+02	1.803E+00	4.747E-01	2086	2099	2092	12	tasmax
Canada	Normal	2.583E+02	4.965E+00	1.467E+00	2006	2015	2010	1	tasmax
Canada	Normal	2.594E+02	4.560E+00	1.798E+00	2006	2015	2010	2	tasmax
Canada	Normal	2.649E+02	3.575E+00	1.062E+00	2006	2015	2010	3	tasmax
Canada	Normal	2.735E+02	2.461E+00	7.207E-01	2006	2015	2010	4	tasmax
Canada	Normal	2.824E+02	2.404E+00	9.481E-01	2006	2015	2010	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Canada	Normal	2.897E+02	2.681E+00	5.661E-01	2006	2015	2010	6	tasmax
Canada	Normal	2.930E+02	2.658E+00	4.331E-01	2006	2015	2010	7	tasmax
Canada	Normal	2.908E+02	2.776E+00	6.794E-01	2006	2015	2010	8	tasmax
Canada	Normal	2.844E+02	2.606E+00	1.004E+00	2006	2015	2010	9	tasmax
Canada	Normal	2.760E+02	2.594E+00	1.013E+00	2006	2015	2010	10	tasmax
Canada	Normal	2.676E+02	3.415E+00	1.015E+00	2006	2015	2010	11	tasmax
Canada	Normal	2.612E+02	4.518E+00	1.136E+00	2006	2015	2010	12	tasmax
Canada	Normal	2.588E+02	4.864E+00	1.641E+00	2016	2025	2020	1	tasmax
Canada	Normal	2.602E+02	4.558E+00	1.520E+00	2016	2025	2020	2	tasmax
Canada	Normal	2.655E+02	3.630E+00	1.182E+00	2016	2025	2020	3	tasmax
Canada	Normal	2.738E+02	2.401E+00	9.075E-01	2016	2025	2020	4	tasmax
Canada	Normal	2.829E+02	2.377E+00	9.829E-01	2016	2025	2020	5	tasmax
Canada	Normal	2.900E+02	2.626E+00	6.294E-01	2016	2025	2020	6	tasmax
Canada	Normal	2.932E+02	2.628E+00	5.432E-01	2016	2025	2020	7	tasmax
Canada	Normal	2.911E+02	2.819E+00	7.407E-01	2016	2025	2020	8	tasmax
Canada	Normal	2.849E+02	2.777E+00	1.115E+00	2016	2025	2020	9	tasmax
Canada	Normal	2.765E+02	2.482E+00	9.209E-01	2016	2025	2020	10	tasmax
Canada	Normal	2.681E+02	3.307E+00	9.753E-01	2016	2025	2020	11	tasmax
Canada	Normal	2.618E+02	4.213E+00	1.441E+00	2016	2025	2020	12	tasmax
Canada	Normal	2.593E+02	4.722E+00	1.337E+00	2026	2035	2030	1	tasmax
Canada	Normal	2.605E+02	4.255E+00	1.216E+00	2026	2035	2030	2	tasmax
Canada	Normal	2.663E+02	3.241E+00	9.796E-01	2026	2035	2030	3	tasmax
Canada	Normal	2.746E+02	2.372E+00	8.542E-01	2026	2035	2030	4	tasmax
Canada	Normal	2.834E+02	2.285E+00	9.152E-01	2026	2035	2030	5	tasmax
Canada	Normal	2.905E+02	2.748E+00	6.915E-01	2026	2035	2030	6	tasmax
Canada	Normal	2.938E+02	2.781E+00	5.592E-01	2026	2035	2030	7	tasmax
Canada	Normal	2.918E+02	2.895E+00	6.518E-01	2026	2035	2030	8	tasmax
Canada	Normal	2.855E+02	2.833E+00	9.744E-01	2026	2035	2030	9	tasmax
Canada	Normal	2.771E+02	2.675E+00	9.855E-01	2026	2035	2030	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Canada	Normal	2.689E+02	3.252E+00	9.693E-01	2026	2035	2030	11	tasmax
Canada	Normal	2.626E+02	4.295E+00	1.159E+00	2026	2035	2030	12	tasmax
Canada	Normal	2.604E+02	4.574E+00	1.308E+00	2036	2045	2040	1	tasmax
Canada	Normal	2.612E+02	4.097E+00	1.172E+00	2036	2045	2040	2	tasmax
Canada	Normal	2.666E+02	3.352E+00	9.981E-01	2036	2045	2040	3	tasmax
Canada	Normal	2.750E+02	2.337E+00	1.003E+00	2036	2045	2040	4	tasmax
Canada	Normal	2.839E+02	2.543E+00	1.133E+00	2036	2045	2040	5	tasmax
Canada	Normal	2.911E+02	2.799E+00	6.320E-01	2036	2045	2040	6	tasmax
Canada	Normal	2.943E+02	2.787E+00	5.808E-01	2036	2045	2040	7	tasmax
Canada	Normal	2.922E+02	2.851E+00	7.100E-01	2036	2045	2040	8	tasmax
Canada	Normal	2.861E+02	2.957E+00	9.696E-01	2036	2045	2040	9	tasmax
Canada	Normal	2.778E+02	2.632E+00	8.810E-01	2036	2045	2040	10	tasmax
Canada	Normal	2.696E+02	3.204E+00	9.722E-01	2036	2045	2040	11	tasmax
Canada	Normal	2.635E+02	4.168E+00	1.161E+00	2036	2045	2040	12	tasmax
Canada	Normal	2.614E+02	4.545E+00	1.362E+00	2046	2055	2050	1	tasmax
Canada	Normal	2.621E+02	4.224E+00	1.155E+00	2046	2055	2050	2	tasmax
Canada	Normal	2.674E+02	3.555E+00	1.153E+00	2046	2055	2050	3	tasmax
Canada	Normal	2.755E+02	2.289E+00	1.247E+00	2046	2055	2050	4	tasmax
Canada	Normal	2.845E+02	2.597E+00	1.108E+00	2046	2055	2050	5	tasmax
Canada	Normal	2.918E+02	2.886E+00	6.103E-01	2046	2055	2050	6	tasmax
Canada	Normal	2.951E+02	3.059E+00	6.196E-01	2046	2055	2050	7	tasmax
Canada	Normal	2.930E+02	3.114E+00	6.437E-01	2046	2055	2050	8	tasmax
Canada	Normal	2.869E+02	3.030E+00	9.914E-01	2046	2055	2050	9	tasmax
Canada	Normal	2.786E+02	2.736E+00	1.000E+00	2046	2055	2050	10	tasmax
Canada	Normal	2.706E+02	3.177E+00	1.059E+00	2046	2055	2050	11	tasmax
Canada	Normal	2.646E+02	4.023E+00	1.205E+00	2046	2055	2050	12	tasmax
Canada	Normal	2.625E+02	4.186E+00	1.187E+00	2056	2065	2060	1	tasmax
Canada	Normal	2.631E+02	4.232E+00	1.407E+00	2056	2065	2060	2	tasmax
Canada	Normal	2.683E+02	3.406E+00	1.404E+00	2056	2065	2060	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Canada	Normal	2.762E+02	2.447E+00	1.248E+00	2056	2065	2060	4	tasmax
Canada	Normal	2.852E+02	2.610E+00	9.935E-01	2056	2065	2060	5	tasmax
Canada	Normal	2.924E+02	2.949E+00	5.462E-01	2056	2065	2060	6	tasmax
Canada	Normal	2.958E+02	3.102E+00	5.850E-01	2056	2065	2060	7	tasmax
Canada	Normal	2.938E+02	3.153E+00	5.685E-01	2056	2065	2060	8	tasmax
Canada	Normal	2.875E+02	3.123E+00	9.375E-01	2056	2065	2060	9	tasmax
Canada	Normal	2.796E+02	2.779E+00	9.281E-01	2056	2065	2060	10	tasmax
Canada	Normal	2.715E+02	2.963E+00	1.038E+00	2056	2065	2060	11	tasmax
Canada	Normal	2.659E+02	3.792E+00	1.131E+00	2056	2065	2060	12	tasmax
Canada	Normal	2.637E+02	4.130E+00	1.253E+00	2066	2075	2070	1	tasmax
Canada	Normal	2.644E+02	3.898E+00	1.220E+00	2066	2075	2070	2	tasmax
Canada	Normal	2.691E+02	3.178E+00	1.259E+00	2066	2075	2070	3	tasmax
Canada	Normal	2.770E+02	2.418E+00	1.282E+00	2066	2075	2070	4	tasmax
Canada	Normal	2.859E+02	2.881E+00	1.078E+00	2066	2075	2070	5	tasmax
Canada	Normal	2.931E+02	3.088E+00	6.941E-01	2066	2075	2070	6	tasmax
Canada	Normal	2.965E+02	3.339E+00	6.881E-01	2066	2075	2070	7	tasmax
Canada	Normal	2.946E+02	3.213E+00	5.584E-01	2066	2075	2070	8	tasmax
Canada	Normal	2.883E+02	3.288E+00	9.989E-01	2066	2075	2070	9	tasmax
Canada	Normal	2.802E+02	2.680E+00	8.185E-01	2066	2075	2070	10	tasmax
Canada	Normal	2.724E+02	3.112E+00	1.236E+00	2066	2075	2070	11	tasmax
Canada	Normal	2.668E+02	3.739E+00	1.385E+00	2066	2075	2070	12	tasmax
Canada	Normal	2.648E+02	4.187E+00	1.105E+00	2076	2085	2080	1	tasmax
Canada	Normal	2.651E+02	3.787E+00	1.100E+00	2076	2085	2080	2	tasmax
Canada	Normal	2.699E+02	2.854E+00	1.158E+00	2076	2085	2080	3	tasmax
Canada	Normal	2.780E+02	2.198E+00	9.885E-01	2076	2085	2080	4	tasmax
Canada	Normal	2.867E+02	3.029E+00	1.138E+00	2076	2085	2080	5	tasmax
Canada	Normal	2.939E+02	3.276E+00	7.112E-01	2076	2085	2080	6	tasmax
Canada	Normal	2.973E+02	3.382E+00	6.666E-01	2076	2085	2080	7	tasmax
Canada	Normal	2.955E+02	3.454E+00	5.974E-01	2076	2085	2080	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Canada	Normal	2.892E+02	3.325E+00	8.260E-01	2076	2085	2080	9	tasmax
Canada	Normal	2.808E+02	2.808E+00	7.815E-01	2076	2085	2080	10	tasmax
Canada	Normal	2.734E+02	2.909E+00	1.015E+00	2076	2085	2080	11	tasmax
Canada	Normal	2.680E+02	3.627E+00	1.119E+00	2076	2085	2080	12	tasmax
Canada	Normal	2.657E+02	3.829E+00	1.166E+00	2086	2099	2092	1	tasmax
Canada	Normal	2.664E+02	3.717E+00	1.015E+00	2086	2099	2092	2	tasmax
Canada	Normal	2.706E+02	2.899E+00	1.082E+00	2086	2099	2092	3	tasmax
Canada	Normal	2.785E+02	2.602E+00	1.148E+00	2086	2099	2092	4	tasmax
Canada	Normal	2.875E+02	3.080E+00	8.822E-01	2086	2099	2092	5	tasmax
Canada	Normal	2.946E+02	3.418E+00	6.909E-01	2086	2099	2092	6	tasmax
Canada	Normal	2.981E+02	3.609E+00	7.178E-01	2086	2099	2092	7	tasmax
Canada	Normal	2.962E+02	3.519E+00	6.984E-01	2086	2099	2092	8	tasmax
Canada	Normal	2.898E+02	3.389E+00	8.282E-01	2086	2099	2092	9	tasmax
Canada	Normal	2.815E+02	2.923E+00	7.477E-01	2086	2099	2092	10	tasmax
Canada	Normal	2.740E+02	3.015E+00	1.043E+00	2086	2099	2092	11	tasmax
Canada	Normal	2.688E+02	3.559E+00	1.293E+00	2086	2099	2092	12	tasmax
Central African Rep.	Normal	3.058E+02	1.764E+00	4.574E-01	2006	2015	2010	1	tasmax
Central African Rep.	Normal	3.078E+02	2.026E+00	4.252E-01	2006	2015	2010	2	tasmax
Central African Rep.	Normal	3.081E+02	2.324E+00	4.127E-01	2006	2015	2010	3	tasmax
Central African Rep.	Normal	3.059E+02	2.033E+00	4.254E-01	2006	2015	2010	4	tasmax
Central African Rep.	Normal	3.040E+02	1.706E+00	3.087E-01	2006	2015	2010	5	tasmax
Central African Rep.	Normal	3.029E+02	1.390E+00	2.485E-01	2006	2015	2010	6	tasmax
Central African Rep.	Normal	3.024E+02	1.155E+00	2.228E-01	2006	2015	2010	7	tasmax
Central African Rep.	Normal	3.021E+02	1.131E+00	2.039E-01	2006	2015	2010	8	tasmax
Central African Rep.	Normal	3.023E+02	1.206E+00	2.372E-01	2006	2015	2010	9	tasmax
Central African Rep.	Normal	3.027E+02	1.415E+00	3.330E-01	2006	2015	2010	10	tasmax
Central African Rep.	Normal	3.036E+02	1.729E+00	4.410E-01	2006	2015	2010	11	tasmax
Central African Rep.	Normal	3.043E+02	1.641E+00	3.799E-01	2006	2015	2010	12	tasmax
Central African Rep.	Normal	3.062E+02	1.846E+00	6.170E-01	2016	2025	2020	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Central African Rep.	Normal	3.082E+02	1.994E+00	4.174E-01	2016	2025	2020	2	tasmax
Central African Rep.	Normal	3.085E+02	2.304E+00	4.456E-01	2016	2025	2020	3	tasmax
Central African Rep.	Normal	3.065E+02	2.152E+00	5.493E-01	2016	2025	2020	4	tasmax
Central African Rep.	Normal	3.043E+02	1.845E+00	3.436E-01	2016	2025	2020	5	tasmax
Central African Rep.	Normal	3.032E+02	1.478E+00	2.175E-01	2016	2025	2020	6	tasmax
Central African Rep.	Normal	3.028E+02	1.198E+00	2.239E-01	2016	2025	2020	7	tasmax
Central African Rep.	Normal	3.025E+02	1.102E+00	1.672E-01	2016	2025	2020	8	tasmax
Central African Rep.	Normal	3.027E+02	1.263E+00	2.104E-01	2016	2025	2020	9	tasmax
Central African Rep.	Normal	3.029E+02	1.406E+00	3.054E-01	2016	2025	2020	10	tasmax
Central African Rep.	Normal	3.038E+02	1.807E+00	4.809E-01	2016	2025	2020	11	tasmax
Central African Rep.	Normal	3.047E+02	1.728E+00	3.589E-01	2016	2025	2020	12	tasmax
Central African Rep.	Normal	3.064E+02	1.870E+00	6.062E-01	2026	2035	2030	1	tasmax
Central African Rep.	Normal	3.087E+02	2.095E+00	4.804E-01	2026	2035	2030	2	tasmax
Central African Rep.	Normal	3.088E+02	2.168E+00	4.204E-01	2026	2035	2030	3	tasmax
Central African Rep.	Normal	3.068E+02	2.201E+00	6.257E-01	2026	2035	2030	4	tasmax
Central African Rep.	Normal	3.047E+02	1.818E+00	3.228E-01	2026	2035	2030	5	tasmax
Central African Rep.	Normal	3.037E+02	1.516E+00	3.146E-01	2026	2035	2030	6	tasmax
Central African Rep.	Normal	3.032E+02	1.226E+00	2.747E-01	2026	2035	2030	7	tasmax
Central African Rep.	Normal	3.029E+02	1.107E+00	2.292E-01	2026	2035	2030	8	tasmax
Central African Rep.	Normal	3.029E+02	1.249E+00	2.263E-01	2026	2035	2030	9	tasmax
Central African Rep.	Normal	3.034E+02	1.389E+00	3.233E-01	2026	2035	2030	10	tasmax
Central African Rep.	Normal	3.042E+02	1.713E+00	4.680E-01	2026	2035	2030	11	tasmax
Central African Rep.	Normal	3.050E+02	1.792E+00	4.372E-01	2026	2035	2030	12	tasmax
Central African Rep.	Normal	3.070E+02	1.919E+00	6.867E-01	2036	2045	2040	1	tasmax
Central African Rep.	Normal	3.091E+02	1.988E+00	4.320E-01	2036	2045	2040	2	tasmax
Central African Rep.	Normal	3.093E+02	2.356E+00	4.415E-01	2036	2045	2040	3	tasmax
Central African Rep.	Normal	3.071E+02	2.266E+00	6.198E-01	2036	2045	2040	4	tasmax
Central African Rep.	Normal	3.052E+02	1.854E+00	3.457E-01	2036	2045	2040	5	tasmax
Central African Rep.	Normal	3.042E+02	1.531E+00	2.718E-01	2036	2045	2040	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Central African Rep.	Normal	3.036E+02	1.238E+00	2.619E-01	2036	2045	2040	7	tasmax
Central African Rep.	Normal	3.033E+02	1.126E+00	1.967E-01	2036	2045	2040	8	tasmax
Central African Rep.	Normal	3.034E+02	1.334E+00	2.557E-01	2036	2045	2040	9	tasmax
Central African Rep.	Normal	3.037E+02	1.417E+00	3.257E-01	2036	2045	2040	10	tasmax
Central African Rep.	Normal	3.047E+02	1.736E+00	5.294E-01	2036	2045	2040	11	tasmax
Central African Rep.	Normal	3.053E+02	1.761E+00	3.698E-01	2036	2045	2040	12	tasmax
Central African Rep.	Normal	3.074E+02	1.945E+00	6.017E-01	2046	2055	2050	1	tasmax
Central African Rep.	Normal	3.096E+02	2.116E+00	5.845E-01	2046	2055	2050	2	tasmax
Central African Rep.	Normal	3.099E+02	2.471E+00	5.106E-01	2046	2055	2050	3	tasmax
Central African Rep.	Normal	3.076E+02	2.314E+00	6.115E-01	2046	2055	2050	4	tasmax
Central African Rep.	Normal	3.057E+02	1.917E+00	2.933E-01	2046	2055	2050	5	tasmax
Central African Rep.	Normal	3.047E+02	1.666E+00	2.740E-01	2046	2055	2050	6	tasmax
Central African Rep.	Normal	3.042E+02	1.354E+00	2.566E-01	2046	2055	2050	7	tasmax
Central African Rep.	Normal	3.038E+02	1.226E+00	2.524E-01	2046	2055	2050	8	tasmax
Central African Rep.	Normal	3.040E+02	1.338E+00	2.717E-01	2046	2055	2050	9	tasmax
Central African Rep.	Normal	3.042E+02	1.550E+00	3.935E-01	2046	2055	2050	10	tasmax
Central African Rep.	Normal	3.050E+02	1.952E+00	6.228E-01	2046	2055	2050	11	tasmax
Central African Rep.	Normal	3.058E+02	1.854E+00	4.301E-01	2046	2055	2050	12	tasmax
Central African Rep.	Normal	3.079E+02	2.075E+00	5.958E-01	2056	2065	2060	1	tasmax
Central African Rep.	Normal	3.101E+02	2.168E+00	4.534E-01	2056	2065	2060	2	tasmax
Central African Rep.	Normal	3.105E+02	2.581E+00	5.401E-01	2056	2065	2060	3	tasmax
Central African Rep.	Normal	3.082E+02	2.292E+00	5.182E-01	2056	2065	2060	4	tasmax
Central African Rep.	Normal	3.062E+02	1.970E+00	3.887E-01	2056	2065	2060	5	tasmax
Central African Rep.	Normal	3.052E+02	1.629E+00	2.591E-01	2056	2065	2060	6	tasmax
Central African Rep.	Normal	3.048E+02	1.336E+00	2.748E-01	2056	2065	2060	7	tasmax
Central African Rep.	Normal	3.044E+02	1.238E+00	2.847E-01	2056	2065	2060	8	tasmax
Central African Rep.	Normal	3.045E+02	1.387E+00	3.185E-01	2056	2065	2060	9	tasmax
Central African Rep.	Normal	3.046E+02	1.595E+00	4.694E-01	2056	2065	2060	10	tasmax
Central African Rep.	Normal	3.055E+02	1.876E+00	6.057E-01	2056	2065	2060	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Central African Rep.	Normal	3.063E+02	1.920E+00	5.197E-01	2056	2065	2060	12	tasmax
Central African Rep.	Normal	3.084E+02	1.971E+00	4.930E-01	2066	2075	2070	1	tasmax
Central African Rep.	Normal	3.107E+02	2.181E+00	5.336E-01	2066	2075	2070	2	tasmax
Central African Rep.	Normal	3.110E+02	2.699E+00	6.148E-01	2066	2075	2070	3	tasmax
Central African Rep.	Normal	3.087E+02	2.427E+00	5.889E-01	2066	2075	2070	4	tasmax
Central African Rep.	Normal	3.068E+02	2.053E+00	2.586E-01	2066	2075	2070	5	tasmax
Central African Rep.	Normal	3.058E+02	1.767E+00	2.969E-01	2066	2075	2070	6	tasmax
Central African Rep.	Normal	3.053E+02	1.491E+00	2.416E-01	2066	2075	2070	7	tasmax
Central African Rep.	Normal	3.049E+02	1.287E+00	2.541E-01	2066	2075	2070	8	tasmax
Central African Rep.	Normal	3.050E+02	1.444E+00	3.266E-01	2066	2075	2070	9	tasmax
Central African Rep.	Normal	3.052E+02	1.475E+00	3.642E-01	2066	2075	2070	10	tasmax
Central African Rep.	Normal	3.060E+02	1.948E+00	6.281E-01	2066	2075	2070	11	tasmax
Central African Rep.	Normal	3.068E+02	1.978E+00	5.671E-01	2066	2075	2070	12	tasmax
Central African Rep.	Normal	3.091E+02	2.026E+00	4.706E-01	2076	2085	2080	1	tasmax
Central African Rep.	Normal	3.113E+02	2.306E+00	4.783E-01	2076	2085	2080	2	tasmax
Central African Rep.	Normal	3.117E+02	2.664E+00	6.560E-01	2076	2085	2080	3	tasmax
Central African Rep.	Normal	3.093E+02	2.479E+00	5.336E-01	2076	2085	2080	4	tasmax
Central African Rep.	Normal	3.074E+02	2.092E+00	3.251E-01	2076	2085	2080	5	tasmax
Central African Rep.	Normal	3.065E+02	1.903E+00	3.313E-01	2076	2085	2080	6	tasmax
Central African Rep.	Normal	3.060E+02	1.532E+00	3.396E-01	2076	2085	2080	7	tasmax
Central African Rep.	Normal	3.056E+02	1.347E+00	2.648E-01	2076	2085	2080	8	tasmax
Central African Rep.	Normal	3.056E+02	1.502E+00	3.777E-01	2076	2085	2080	9	tasmax
Central African Rep.	Normal	3.058E+02	1.736E+00	4.604E-01	2076	2085	2080	10	tasmax
Central African Rep.	Normal	3.066E+02	1.990E+00	6.587E-01	2076	2085	2080	11	tasmax
Central African Rep.	Normal	3.074E+02	2.042E+00	5.747E-01	2076	2085	2080	12	tasmax
Central African Rep.	Normal	3.096E+02	2.098E+00	4.319E-01	2086	2099	2092	1	tasmax
Central African Rep.	Normal	3.120E+02	2.268E+00	5.181E-01	2086	2099	2092	2	tasmax
Central African Rep.	Normal	3.122E+02	2.726E+00	8.214E-01	2086	2099	2092	3	tasmax
Central African Rep.	Normal	3.098E+02	2.454E+00	4.777E-01	2086	2099	2092	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Central African Rep.	Normal	3.080E+02	2.208E+00	4.032E-01	2086	2099	2092	5	tasmax
Central African Rep.	Normal	3.071E+02	1.979E+00	3.565E-01	2086	2099	2092	6	tasmax
Central African Rep.	Normal	3.066E+02	1.675E+00	3.390E-01	2086	2099	2092	7	tasmax
Central African Rep.	Normal	3.062E+02	1.420E+00	3.125E-01	2086	2099	2092	8	tasmax
Central African Rep.	Normal	3.062E+02	1.635E+00	3.532E-01	2086	2099	2092	9	tasmax
Central African Rep.	Normal	3.064E+02	1.752E+00	4.440E-01	2086	2099	2092	10	tasmax
Central African Rep.	Normal	3.073E+02	1.935E+00	5.578E-01	2086	2099	2092	11	tasmax
Central African Rep.	Normal	3.081E+02	2.089E+00	6.196E-01	2086	2099	2092	12	tasmax
Chad	Normal	3.012E+02	2.429E+00	6.785E-01	2006	2015	2010	1	tasmax
Chad	Normal	3.042E+02	2.339E+00	7.778E-01	2006	2015	2010	2	tasmax
Chad	Normal	3.081E+02	1.996E+00	5.815E-01	2006	2015	2010	3	tasmax
Chad	Normal	3.103E+02	1.989E+00	4.445E-01	2006	2015	2010	4	tasmax
Chad	Normal	3.104E+02	2.072E+00	3.530E-01	2006	2015	2010	5	tasmax
Chad	Normal	3.103E+02	2.161E+00	3.733E-01	2006	2015	2010	6	tasmax
Chad	Normal	3.097E+02	2.273E+00	3.515E-01	2006	2015	2010	7	tasmax
Chad	Normal	3.087E+02	2.418E+00	4.440E-01	2006	2015	2010	8	tasmax
Chad	Normal	3.086E+02	2.248E+00	4.496E-01	2006	2015	2010	9	tasmax
Chad	Normal	3.078E+02	2.101E+00	5.332E-01	2006	2015	2010	10	tasmax
Chad	Normal	3.048E+02	2.022E+00	4.484E-01	2006	2015	2010	11	tasmax
Chad	Normal	3.014E+02	1.979E+00	5.064E-01	2006	2015	2010	12	tasmax
Chad	Normal	3.016E+02	2.114E+00	5.979E-01	2016	2025	2020	1	tasmax
Chad	Normal	3.043E+02	2.292E+00	6.997E-01	2016	2025	2020	2	tasmax
Chad	Normal	3.082E+02	1.972E+00	6.064E-01	2016	2025	2020	3	tasmax
Chad	Normal	3.107E+02	1.866E+00	3.797E-01	2016	2025	2020	4	tasmax
Chad	Normal	3.108E+02	2.128E+00	4.292E-01	2016	2025	2020	5	tasmax
Chad	Normal	3.107E+02	2.344E+00	5.755E-01	2016	2025	2020	6	tasmax
Chad	Normal	3.100E+02	2.404E+00	3.867E-01	2016	2025	2020	7	tasmax
Chad	Normal	3.089E+02	2.628E+00	4.432E-01	2016	2025	2020	8	tasmax
Chad	Normal	3.090E+02	2.443E+00	4.173E-01	2016	2025	2020	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chad	Normal	3.081E+02	2.144E+00	4.468E-01	2016	2025	2020	10	tasmax
Chad	Normal	3.049E+02	2.311E+00	4.239E-01	2016	2025	2020	11	tasmax
Chad	Normal	3.019E+02	1.911E+00	5.328E-01	2016	2025	2020	12	tasmax
Chad	Normal	3.018E+02	2.254E+00	6.585E-01	2026	2035	2030	1	tasmax
Chad	Normal	3.049E+02	2.136E+00	5.289E-01	2026	2035	2030	2	tasmax
Chad	Normal	3.086E+02	2.131E+00	7.033E-01	2026	2035	2030	3	tasmax
Chad	Normal	3.111E+02	1.884E+00	4.419E-01	2026	2035	2030	4	tasmax
Chad	Normal	3.112E+02	2.183E+00	4.000E-01	2026	2035	2030	5	tasmax
Chad	Normal	3.113E+02	2.350E+00	4.874E-01	2026	2035	2030	6	tasmax
Chad	Normal	3.105E+02	2.342E+00	4.981E-01	2026	2035	2030	7	tasmax
Chad	Normal	3.094E+02	2.671E+00	4.907E-01	2026	2035	2030	8	tasmax
Chad	Normal	3.094E+02	2.355E+00	4.019E-01	2026	2035	2030	9	tasmax
Chad	Normal	3.084E+02	2.124E+00	4.488E-01	2026	2035	2030	10	tasmax
Chad	Normal	3.055E+02	2.064E+00	4.183E-01	2026	2035	2030	11	tasmax
Chad	Normal	3.021E+02	2.163E+00	6.193E-01	2026	2035	2030	12	tasmax
Chad	Normal	3.023E+02	2.301E+00	5.031E-01	2036	2045	2040	1	tasmax
Chad	Normal	3.051E+02	2.367E+00	7.123E-01	2036	2045	2040	2	tasmax
Chad	Normal	3.092E+02	2.125E+00	6.237E-01	2036	2045	2040	3	tasmax
Chad	Normal	3.114E+02	1.971E+00	3.706E-01	2036	2045	2040	4	tasmax
Chad	Normal	3.119E+02	2.162E+00	4.292E-01	2036	2045	2040	5	tasmax
Chad	Normal	3.118E+02	2.346E+00	5.947E-01	2036	2045	2040	6	tasmax
Chad	Normal	3.109E+02	2.350E+00	4.163E-01	2036	2045	2040	7	tasmax
Chad	Normal	3.098E+02	2.689E+00	4.642E-01	2036	2045	2040	8	tasmax
Chad	Normal	3.098E+02	2.438E+00	4.402E-01	2036	2045	2040	9	tasmax
Chad	Normal	3.090E+02	2.127E+00	3.566E-01	2036	2045	2040	10	tasmax
Chad	Normal	3.060E+02	2.097E+00	3.954E-01	2036	2045	2040	11	tasmax
Chad	Normal	3.025E+02	2.118E+00	5.310E-01	2036	2045	2040	12	tasmax
Chad	Normal	3.028E+02	2.318E+00	6.929E-01	2046	2055	2050	1	tasmax
Chad	Normal	3.058E+02	2.287E+00	6.890E-01	2046	2055	2050	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chad	Normal	3.097E+02	2.190E+00	5.956E-01	2046	2055	2050	3	tasmax
Chad	Normal	3.121E+02	1.964E+00	3.591E-01	2046	2055	2050	4	tasmax
Chad	Normal	3.124E+02	2.178E+00	3.345E-01	2046	2055	2050	5	tasmax
Chad	Normal	3.124E+02	2.386E+00	4.215E-01	2046	2055	2050	6	tasmax
Chad	Normal	3.115E+02	2.394E+00	4.616E-01	2046	2055	2050	7	tasmax
Chad	Normal	3.103E+02	2.830E+00	5.803E-01	2046	2055	2050	8	tasmax
Chad	Normal	3.104E+02	2.503E+00	4.598E-01	2046	2055	2050	9	tasmax
Chad	Normal	3.097E+02	2.264E+00	4.951E-01	2046	2055	2050	10	tasmax
Chad	Normal	3.066E+02	2.348E+00	4.440E-01	2046	2055	2050	11	tasmax
Chad	Normal	3.031E+02	2.205E+00	4.713E-01	2046	2055	2050	12	tasmax
Chad	Normal	3.033E+02	2.393E+00	8.736E-01	2056	2065	2060	1	tasmax
Chad	Normal	3.062E+02	2.358E+00	7.001E-01	2056	2065	2060	2	tasmax
Chad	Normal	3.102E+02	2.254E+00	5.352E-01	2056	2065	2060	3	tasmax
Chad	Normal	3.126E+02	2.072E+00	4.123E-01	2056	2065	2060	4	tasmax
Chad	Normal	3.129E+02	2.236E+00	4.950E-01	2056	2065	2060	5	tasmax
Chad	Normal	3.129E+02	2.303E+00	3.766E-01	2056	2065	2060	6	tasmax
Chad	Normal	3.122E+02	2.392E+00	5.433E-01	2056	2065	2060	7	tasmax
Chad	Normal	3.109E+02	2.936E+00	4.120E-01	2056	2065	2060	8	tasmax
Chad	Normal	3.109E+02	2.792E+00	4.547E-01	2056	2065	2060	9	tasmax
Chad	Normal	3.101E+02	2.339E+00	5.067E-01	2056	2065	2060	10	tasmax
Chad	Normal	3.070E+02	2.388E+00	4.672E-01	2056	2065	2060	11	tasmax
Chad	Normal	3.035E+02	2.066E+00	5.615E-01	2056	2065	2060	12	tasmax
Chad	Normal	3.038E+02	2.196E+00	4.044E-01	2066	2075	2070	1	tasmax
Chad	Normal	3.068E+02	2.256E+00	7.069E-01	2066	2075	2070	2	tasmax
Chad	Normal	3.107E+02	2.297E+00	5.907E-01	2066	2075	2070	3	tasmax
Chad	Normal	3.131E+02	2.151E+00	4.086E-01	2066	2075	2070	4	tasmax
Chad	Normal	3.138E+02	2.299E+00	4.840E-01	2066	2075	2070	5	tasmax
Chad	Normal	3.137E+02	2.390E+00	4.020E-01	2066	2075	2070	6	tasmax
Chad	Normal	3.128E+02	2.534E+00	4.719E-01	2066	2075	2070	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chad	Normal	3.115E+02	3.017E+00	4.979E-01	2066	2075	2070	8	tasmax
Chad	Normal	3.116E+02	2.772E+00	3.895E-01	2066	2075	2070	9	tasmax
Chad	Normal	3.107E+02	2.397E+00	4.684E-01	2066	2075	2070	10	tasmax
Chad	Normal	3.076E+02	2.288E+00	4.028E-01	2066	2075	2070	11	tasmax
Chad	Normal	3.042E+02	2.187E+00	4.672E-01	2066	2075	2070	12	tasmax
Chad	Normal	3.042E+02	2.327E+00	6.979E-01	2076	2085	2080	1	tasmax
Chad	Normal	3.074E+02	2.577E+00	6.245E-01	2076	2085	2080	2	tasmax
Chad	Normal	3.113E+02	2.394E+00	5.643E-01	2076	2085	2080	3	tasmax
Chad	Normal	3.138E+02	2.199E+00	4.823E-01	2076	2085	2080	4	tasmax
Chad	Normal	3.142E+02	2.377E+00	4.129E-01	2076	2085	2080	5	tasmax
Chad	Normal	3.144E+02	2.561E+00	5.007E-01	2076	2085	2080	6	tasmax
Chad	Normal	3.133E+02	2.775E+00	5.951E-01	2076	2085	2080	7	tasmax
Chad	Normal	3.120E+02	3.302E+00	5.470E-01	2076	2085	2080	8	tasmax
Chad	Normal	3.120E+02	2.991E+00	6.474E-01	2076	2085	2080	9	tasmax
Chad	Normal	3.113E+02	2.474E+00	4.657E-01	2076	2085	2080	10	tasmax
Chad	Normal	3.082E+02	2.470E+00	3.063E-01	2076	2085	2080	11	tasmax
Chad	Normal	3.047E+02	2.256E+00	4.952E-01	2076	2085	2080	12	tasmax
Chad	Normal	3.047E+02	2.458E+00	5.213E-01	2086	2099	2092	1	tasmax
Chad	Normal	3.078E+02	2.648E+00	9.188E-01	2086	2099	2092	2	tasmax
Chad	Normal	3.122E+02	2.593E+00	5.974E-01	2086	2099	2092	3	tasmax
Chad	Normal	3.144E+02	2.101E+00	3.808E-01	2086	2099	2092	4	tasmax
Chad	Normal	3.149E+02	2.387E+00	4.649E-01	2086	2099	2092	5	tasmax
Chad	Normal	3.152E+02	2.550E+00	4.160E-01	2086	2099	2092	6	tasmax
Chad	Normal	3.141E+02	2.731E+00	5.395E-01	2086	2099	2092	7	tasmax
Chad	Normal	3.129E+02	3.245E+00	5.293E-01	2086	2099	2092	8	tasmax
Chad	Normal	3.126E+02	3.170E+00	7.180E-01	2086	2099	2092	9	tasmax
Chad	Normal	3.118E+02	2.583E+00	4.741E-01	2086	2099	2092	10	tasmax
Chad	Normal	3.089E+02	2.310E+00	2.786E-01	2086	2099	2092	11	tasmax
Chad	Normal	3.053E+02	2.462E+00	5.843E-01	2086	2099	2092	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chile	Normal	2.942E+02	1.425E+00	2.821E-01	2006	2015	2010	1	tasmax
Chile	Normal	2.943E+02	1.360E+00	2.967E-01	2006	2015	2010	2	tasmax
Chile	Normal	2.930E+02	1.417E+00	3.292E-01	2006	2015	2010	3	tasmax
Chile	Normal	2.902E+02	1.070E+00	1.616E-01	2006	2015	2010	4	tasmax
Chile	Normal	2.868E+02	9.272E-01	1.536E-01	2006	2015	2010	5	tasmax
Chile	Normal	2.844E+02	1.053E+00	1.450E-01	2006	2015	2010	6	tasmax
Chile	Normal	2.840E+02	1.024E+00	2.168E-01	2006	2015	2010	7	tasmax
Chile	Normal	2.851E+02	1.120E+00	2.570E-01	2006	2015	2010	8	tasmax
Chile	Normal	2.869E+02	1.065E+00	1.905E-01	2006	2015	2010	9	tasmax
Chile	Normal	2.891E+02	1.254E+00	2.967E-01	2006	2015	2010	10	tasmax
Chile	Normal	2.914E+02	1.387E+00	3.562E-01	2006	2015	2010	11	tasmax
Chile	Normal	2.933E+02	1.452E+00	3.439E-01	2006	2015	2010	12	tasmax
Chile	Normal	2.944E+02	1.411E+00	3.125E-01	2016	2025	2020	1	tasmax
Chile	Normal	2.945E+02	1.356E+00	2.978E-01	2016	2025	2020	2	tasmax
Chile	Normal	2.932E+02	1.320E+00	4.009E-01	2016	2025	2020	3	tasmax
Chile	Normal	2.904E+02	1.052E+00	2.286E-01	2016	2025	2020	4	tasmax
Chile	Normal	2.871E+02	1.064E+00	2.462E-01	2016	2025	2020	5	tasmax
Chile	Normal	2.849E+02	1.045E+00	1.954E-01	2016	2025	2020	6	tasmax
Chile	Normal	2.843E+02	9.881E-01	1.868E-01	2016	2025	2020	7	tasmax
Chile	Normal	2.855E+02	9.775E-01	1.803E-01	2016	2025	2020	8	tasmax
Chile	Normal	2.873E+02	1.094E+00	1.797E-01	2016	2025	2020	9	tasmax
Chile	Normal	2.894E+02	1.351E+00	3.268E-01	2016	2025	2020	10	tasmax
Chile	Normal	2.918E+02	1.555E+00	4.825E-01	2016	2025	2020	11	tasmax
Chile	Normal	2.936E+02	1.485E+00	3.828E-01	2016	2025	2020	12	tasmax
Chile	Normal	2.948E+02	1.507E+00	3.191E-01	2026	2035	2030	1	tasmax
Chile	Normal	2.950E+02	1.561E+00	4.131E-01	2026	2035	2030	2	tasmax
Chile	Normal	2.937E+02	1.456E+00	4.617E-01	2026	2035	2030	3	tasmax
Chile	Normal	2.908E+02	1.175E+00	2.202E-01	2026	2035	2030	4	tasmax
Chile	Normal	2.874E+02	9.629E-01	1.444E-01	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chile	Normal	2.852E+02	9.392E-01	1.162E-01	2026	2035	2030	6	tasmax
Chile	Normal	2.847E+02	9.999E-01	2.209E-01	2026	2035	2030	7	tasmax
Chile	Normal	2.858E+02	9.877E-01	1.738E-01	2026	2035	2030	8	tasmax
Chile	Normal	2.877E+02	1.103E+00	1.764E-01	2026	2035	2030	9	tasmax
Chile	Normal	2.897E+02	1.222E+00	2.675E-01	2026	2035	2030	10	tasmax
Chile	Normal	2.921E+02	1.628E+00	4.560E-01	2026	2035	2030	11	tasmax
Chile	Normal	2.939E+02	1.596E+00	4.426E-01	2026	2035	2030	12	tasmax
Chile	Normal	2.954E+02	1.671E+00	4.149E-01	2036	2045	2040	1	tasmax
Chile	Normal	2.953E+02	1.517E+00	3.813E-01	2036	2045	2040	2	tasmax
Chile	Normal	2.940E+02	1.406E+00	3.600E-01	2036	2045	2040	3	tasmax
Chile	Normal	2.911E+02	1.128E+00	2.472E-01	2036	2045	2040	4	tasmax
Chile	Normal	2.878E+02	9.942E-01	1.605E-01	2036	2045	2040	5	tasmax
Chile	Normal	2.855E+02	1.055E+00	2.206E-01	2036	2045	2040	6	tasmax
Chile	Normal	2.850E+02	8.644E-01	1.732E-01	2036	2045	2040	7	tasmax
Chile	Normal	2.861E+02	1.042E+00	2.032E-01	2036	2045	2040	8	tasmax
Chile	Normal	2.880E+02	1.151E+00	2.652E-01	2036	2045	2040	9	tasmax
Chile	Normal	2.900E+02	1.357E+00	3.088E-01	2036	2045	2040	10	tasmax
Chile	Normal	2.925E+02	1.583E+00	4.880E-01	2036	2045	2040	11	tasmax
Chile	Normal	2.942E+02	1.539E+00	3.177E-01	2036	2045	2040	12	tasmax
Chile	Normal	2.958E+02	1.634E+00	4.549E-01	2046	2055	2050	1	tasmax
Chile	Normal	2.958E+02	1.509E+00	4.130E-01	2046	2055	2050	2	tasmax
Chile	Normal	2.945E+02	1.465E+00	4.862E-01	2046	2055	2050	3	tasmax
Chile	Normal	2.915E+02	1.126E+00	3.198E-01	2046	2055	2050	4	tasmax
Chile	Normal	2.882E+02	1.060E+00	1.968E-01	2046	2055	2050	5	tasmax
Chile	Normal	2.860E+02	9.936E-01	1.453E-01	2046	2055	2050	6	tasmax
Chile	Normal	2.853E+02	9.132E-01	1.440E-01	2046	2055	2050	7	tasmax
Chile	Normal	2.866E+02	1.050E+00	1.614E-01	2046	2055	2050	8	tasmax
Chile	Normal	2.883E+02	1.206E+00	2.496E-01	2046	2055	2050	9	tasmax
Chile	Normal	2.905E+02	1.483E+00	3.029E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chile	Normal	2.929E+02	1.601E+00	5.082E-01	2046	2055	2050	11	tasmax
Chile	Normal	2.947E+02	1.560E+00	4.129E-01	2046	2055	2050	12	tasmax
Chile	Normal	2.964E+02	1.660E+00	4.670E-01	2056	2065	2060	1	tasmax
Chile	Normal	2.963E+02	1.614E+00	4.641E-01	2056	2065	2060	2	tasmax
Chile	Normal	2.951E+02	1.501E+00	5.872E-01	2056	2065	2060	3	tasmax
Chile	Normal	2.920E+02	1.296E+00	3.069E-01	2056	2065	2060	4	tasmax
Chile	Normal	2.886E+02	1.146E+00	2.841E-01	2056	2065	2060	5	tasmax
Chile	Normal	2.864E+02	1.102E+00	1.871E-01	2056	2065	2060	6	tasmax
Chile	Normal	2.859E+02	1.055E+00	2.261E-01	2056	2065	2060	7	tasmax
Chile	Normal	2.870E+02	1.123E+00	2.018E-01	2056	2065	2060	8	tasmax
Chile	Normal	2.889E+02	1.231E+00	2.099E-01	2056	2065	2060	9	tasmax
Chile	Normal	2.909E+02	1.393E+00	2.569E-01	2056	2065	2060	10	tasmax
Chile	Normal	2.933E+02	1.541E+00	4.473E-01	2056	2065	2060	11	tasmax
Chile	Normal	2.952E+02	1.686E+00	4.914E-01	2056	2065	2060	12	tasmax
Chile	Normal	2.969E+02	1.703E+00	6.160E-01	2066	2075	2070	1	tasmax
Chile	Normal	2.969E+02	1.616E+00	5.974E-01	2066	2075	2070	2	tasmax
Chile	Normal	2.954E+02	1.567E+00	5.987E-01	2066	2075	2070	3	tasmax
Chile	Normal	2.925E+02	1.275E+00	3.543E-01	2066	2075	2070	4	tasmax
Chile	Normal	2.890E+02	1.147E+00	2.460E-01	2066	2075	2070	5	tasmax
Chile	Normal	2.868E+02	1.071E+00	2.408E-01	2066	2075	2070	6	tasmax
Chile	Normal	2.864E+02	1.192E+00	2.322E-01	2066	2075	2070	7	tasmax
Chile	Normal	2.875E+02	1.074E+00	2.612E-01	2066	2075	2070	8	tasmax
Chile	Normal	2.892E+02	1.296E+00	2.371E-01	2066	2075	2070	9	tasmax
Chile	Normal	2.913E+02	1.472E+00	3.194E-01	2066	2075	2070	10	tasmax
Chile	Normal	2.937E+02	1.643E+00	4.902E-01	2066	2075	2070	11	tasmax
Chile	Normal	2.957E+02	1.725E+00	5.574E-01	2066	2075	2070	12	tasmax
Chile	Normal	2.974E+02	1.820E+00	5.767E-01	2076	2085	2080	1	tasmax
Chile	Normal	2.974E+02	1.804E+00	5.811E-01	2076	2085	2080	2	tasmax
Chile	Normal	2.961E+02	1.689E+00	5.828E-01	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Chile	Normal	2.930E+02	1.382E+00	4.539E-01	2076	2085	2080	4	tasmax
Chile	Normal	2.896E+02	1.183E+00	2.456E-01	2076	2085	2080	5	tasmax
Chile	Normal	2.872E+02	1.237E+00	2.484E-01	2076	2085	2080	6	tasmax
Chile	Normal	2.868E+02	1.113E+00	1.819E-01	2076	2085	2080	7	tasmax
Chile	Normal	2.878E+02	1.132E+00	2.028E-01	2076	2085	2080	8	tasmax
Chile	Normal	2.898E+02	1.318E+00	3.037E-01	2076	2085	2080	9	tasmax
Chile	Normal	2.919E+02	1.514E+00	3.872E-01	2076	2085	2080	10	tasmax
Chile	Normal	2.942E+02	1.536E+00	4.991E-01	2076	2085	2080	11	tasmax
Chile	Normal	2.963E+02	1.718E+00	5.585E-01	2076	2085	2080	12	tasmax
Chile	Normal	2.980E+02	1.930E+00	7.546E-01	2086	2099	2092	1	tasmax
Chile	Normal	2.980E+02	1.849E+00	5.657E-01	2086	2099	2092	2	tasmax
Chile	Normal	2.966E+02	1.777E+00	7.423E-01	2086	2099	2092	3	tasmax
Chile	Normal	2.935E+02	1.398E+00	3.227E-01	2086	2099	2092	4	tasmax
Chile	Normal	2.901E+02	1.279E+00	2.885E-01	2086	2099	2092	5	tasmax
Chile	Normal	2.877E+02	1.153E+00	2.211E-01	2086	2099	2092	6	tasmax
Chile	Normal	2.872E+02	1.199E+00	2.441E-01	2086	2099	2092	7	tasmax
Chile	Normal	2.884E+02	1.234E+00	2.060E-01	2086	2099	2092	8	tasmax
Chile	Normal	2.902E+02	1.390E+00	2.219E-01	2086	2099	2092	9	tasmax
Chile	Normal	2.925E+02	1.561E+00	3.946E-01	2086	2099	2092	10	tasmax
Chile	Normal	2.947E+02	1.706E+00	5.467E-01	2086	2099	2092	11	tasmax
Chile	Normal	2.968E+02	1.805E+00	5.747E-01	2086	2099	2092	12	tasmax
China	Normal	2.703E+02	2.459E+00	8.873E-01	2006	2015	2010	1	tasmax
China	Normal	2.734E+02	2.814E+00	1.277E+00	2006	2015	2010	2	tasmax
China	Normal	2.793E+02	2.729E+00	1.401E+00	2006	2015	2010	3	tasmax
China	Normal	2.861E+02	2.311E+00	1.081E+00	2006	2015	2010	4	tasmax
China	Normal	2.917E+02	1.762E+00	5.485E-01	2006	2015	2010	5	tasmax
China	Normal	2.960E+02	1.737E+00	2.492E-01	2006	2015	2010	6	tasmax
China	Normal	2.981E+02	1.665E+00	2.137E-01	2006	2015	2010	7	tasmax
China	Normal	2.971E+02	1.854E+00	3.806E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
China	Normal	2.924E+02	2.194E+00	6.100E-01	2006	2015	2010	9	tasmax
China	Normal	2.854E+02	2.353E+00	7.733E-01	2006	2015	2010	10	tasmax
China	Normal	2.778E+02	2.344E+00	7.940E-01	2006	2015	2010	11	tasmax
China	Normal	2.718E+02	2.293E+00	8.147E-01	2006	2015	2010	12	tasmax
China	Normal	2.708E+02	2.646E+00	9.135E-01	2016	2025	2020	1	tasmax
China	Normal	2.737E+02	2.547E+00	1.005E+00	2016	2025	2020	2	tasmax
China	Normal	2.797E+02	2.476E+00	1.262E+00	2016	2025	2020	3	tasmax
China	Normal	2.863E+02	2.115E+00	8.954E-01	2016	2025	2020	4	tasmax
China	Normal	2.922E+02	1.814E+00	5.305E-01	2016	2025	2020	5	tasmax
China	Normal	2.964E+02	1.670E+00	2.842E-01	2016	2025	2020	6	tasmax
China	Normal	2.986E+02	1.720E+00	2.834E-01	2016	2025	2020	7	tasmax
China	Normal	2.976E+02	1.884E+00	3.590E-01	2016	2025	2020	8	tasmax
China	Normal	2.929E+02	2.292E+00	5.745E-01	2016	2025	2020	9	tasmax
China	Normal	2.859E+02	2.315E+00	6.638E-01	2016	2025	2020	10	tasmax
China	Normal	2.782E+02	2.326E+00	6.780E-01	2016	2025	2020	11	tasmax
China	Normal	2.723E+02	2.413E+00	6.479E-01	2016	2025	2020	12	tasmax
China	Normal	2.712E+02	2.585E+00	9.067E-01	2026	2035	2030	1	tasmax
China	Normal	2.741E+02	2.677E+00	1.229E+00	2026	2035	2030	2	tasmax
China	Normal	2.801E+02	2.810E+00	1.466E+00	2026	2035	2030	3	tasmax
China	Normal	2.868E+02	2.326E+00	1.139E+00	2026	2035	2030	4	tasmax
China	Normal	2.926E+02	1.896E+00	5.359E-01	2026	2035	2030	5	tasmax
China	Normal	2.970E+02	1.784E+00	2.829E-01	2026	2035	2030	6	tasmax
China	Normal	2.990E+02	1.732E+00	2.394E-01	2026	2035	2030	7	tasmax
China	Normal	2.981E+02	1.844E+00	3.907E-01	2026	2035	2030	8	tasmax
China	Normal	2.934E+02	2.274E+00	6.316E-01	2026	2035	2030	9	tasmax
China	Normal	2.864E+02	2.474E+00	7.290E-01	2026	2035	2030	10	tasmax
China	Normal	2.787E+02	2.320E+00	6.706E-01	2026	2035	2030	11	tasmax
China	Normal	2.728E+02	2.496E+00	6.999E-01	2026	2035	2030	12	tasmax
China	Normal	2.716E+02	2.553E+00	8.406E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
China	Normal	2.747E+02	2.794E+00	1.412E+00	2036	2045	2040	2	tasmax
China	Normal	2.805E+02	2.771E+00	1.242E+00	2036	2045	2040	3	tasmax
China	Normal	2.874E+02	2.480E+00	1.186E+00	2036	2045	2040	4	tasmax
China	Normal	2.932E+02	2.078E+00	5.614E-01	2036	2045	2040	5	tasmax
China	Normal	2.974E+02	1.779E+00	2.977E-01	2036	2045	2040	6	tasmax
China	Normal	2.996E+02	1.735E+00	2.674E-01	2036	2045	2040	7	tasmax
China	Normal	2.987E+02	1.907E+00	3.951E-01	2036	2045	2040	8	tasmax
China	Normal	2.940E+02	2.394E+00	5.893E-01	2036	2045	2040	9	tasmax
China	Normal	2.870E+02	2.332E+00	8.142E-01	2036	2045	2040	10	tasmax
China	Normal	2.794E+02	2.458E+00	6.531E-01	2036	2045	2040	11	tasmax
China	Normal	2.734E+02	2.559E+00	6.931E-01	2036	2045	2040	12	tasmax
China	Normal	2.724E+02	2.684E+00	9.360E-01	2046	2055	2050	1	tasmax
China	Normal	2.753E+02	2.673E+00	1.257E+00	2046	2055	2050	2	tasmax
China	Normal	2.812E+02	2.852E+00	1.523E+00	2046	2055	2050	3	tasmax
China	Normal	2.880E+02	2.459E+00	1.022E+00	2046	2055	2050	4	tasmax
China	Normal	2.937E+02	1.985E+00	5.421E-01	2046	2055	2050	5	tasmax
China	Normal	2.981E+02	1.931E+00	2.949E-01	2046	2055	2050	6	tasmax
China	Normal	3.002E+02	1.852E+00	2.826E-01	2046	2055	2050	7	tasmax
China	Normal	2.994E+02	1.918E+00	4.160E-01	2046	2055	2050	8	tasmax
China	Normal	2.948E+02	2.276E+00	6.428E-01	2046	2055	2050	9	tasmax
China	Normal	2.877E+02	2.369E+00	7.653E-01	2046	2055	2050	10	tasmax
China	Normal	2.801E+02	2.370E+00	6.031E-01	2046	2055	2050	11	tasmax
China	Normal	2.741E+02	2.518E+00	6.982E-01	2046	2055	2050	12	tasmax
China	Normal	2.732E+02	2.821E+00	9.196E-01	2056	2065	2060	1	tasmax
China	Normal	2.760E+02	2.758E+00	1.348E+00	2056	2065	2060	2	tasmax
China	Normal	2.819E+02	2.957E+00	1.534E+00	2056	2065	2060	3	tasmax
China	Normal	2.886E+02	2.532E+00	1.040E+00	2056	2065	2060	4	tasmax
China	Normal	2.943E+02	2.160E+00	5.691E-01	2056	2065	2060	5	tasmax
China	Normal	2.988E+02	1.980E+00	3.007E-01	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
China	Normal	3.009E+02	1.849E+00	3.560E-01	2056	2065	2060	7	tasmax
China	Normal	3.001E+02	1.979E+00	3.686E-01	2056	2065	2060	8	tasmax
China	Normal	2.955E+02	2.450E+00	4.625E-01	2056	2065	2060	9	tasmax
China	Normal	2.884E+02	2.617E+00	7.081E-01	2056	2065	2060	10	tasmax
China	Normal	2.808E+02	2.513E+00	6.438E-01	2056	2065	2060	11	tasmax
China	Normal	2.749E+02	2.520E+00	7.077E-01	2056	2065	2060	12	tasmax
China	Normal	2.737E+02	2.656E+00	1.074E+00	2066	2075	2070	1	tasmax
China	Normal	2.766E+02	3.061E+00	1.425E+00	2066	2075	2070	2	tasmax
China	Normal	2.825E+02	3.013E+00	1.464E+00	2066	2075	2070	3	tasmax
China	Normal	2.894E+02	2.822E+00	1.294E+00	2066	2075	2070	4	tasmax
China	Normal	2.950E+02	2.209E+00	5.655E-01	2066	2075	2070	5	tasmax
China	Normal	2.994E+02	1.962E+00	3.200E-01	2066	2075	2070	6	tasmax
China	Normal	3.017E+02	1.945E+00	3.631E-01	2066	2075	2070	7	tasmax
China	Normal	3.008E+02	2.109E+00	4.290E-01	2066	2075	2070	8	tasmax
China	Normal	2.962E+02	2.546E+00	5.473E-01	2066	2075	2070	9	tasmax
China	Normal	2.891E+02	2.659E+00	7.940E-01	2066	2075	2070	10	tasmax
China	Normal	2.815E+02	2.673E+00	7.777E-01	2066	2075	2070	11	tasmax
China	Normal	2.754E+02	2.718E+00	8.117E-01	2066	2075	2070	12	tasmax
China	Normal	2.744E+02	2.876E+00	1.075E+00	2076	2085	2080	1	tasmax
China	Normal	2.775E+02	3.117E+00	1.397E+00	2076	2085	2080	2	tasmax
China	Normal	2.833E+02	3.065E+00	1.449E+00	2076	2085	2080	3	tasmax
China	Normal	2.899E+02	2.808E+00	1.323E+00	2076	2085	2080	4	tasmax
China	Normal	2.958E+02	2.389E+00	6.565E-01	2076	2085	2080	5	tasmax
China	Normal	3.001E+02	2.049E+00	3.362E-01	2076	2085	2080	6	tasmax
China	Normal	3.023E+02	2.096E+00	4.053E-01	2076	2085	2080	7	tasmax
China	Normal	3.015E+02	2.177E+00	4.415E-01	2076	2085	2080	8	tasmax
China	Normal	2.969E+02	2.696E+00	6.567E-01	2076	2085	2080	9	tasmax
China	Normal	2.898E+02	2.819E+00	8.963E-01	2076	2085	2080	10	tasmax
China	Normal	2.821E+02	2.645E+00	7.358E-01	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
China	Normal	2.762E+02	2.787E+00	7.763E-01	2076	2085	2080	12	tasmax
China	Normal	2.751E+02	2.785E+00	8.397E-01	2086	2099	2092	1	tasmax
China	Normal	2.781E+02	2.983E+00	1.303E+00	2086	2099	2092	2	tasmax
China	Normal	2.841E+02	2.981E+00	1.407E+00	2086	2099	2092	3	tasmax
China	Normal	2.907E+02	2.990E+00	1.234E+00	2086	2099	2092	4	tasmax
China	Normal	2.963E+02	2.431E+00	5.701E-01	2086	2099	2092	5	tasmax
China	Normal	3.008E+02	2.213E+00	3.471E-01	2086	2099	2092	6	tasmax
China	Normal	3.029E+02	2.137E+00	4.258E-01	2086	2099	2092	7	tasmax
China	Normal	3.022E+02	2.295E+00	4.260E-01	2086	2099	2092	8	tasmax
China	Normal	2.978E+02	2.819E+00	5.957E-01	2086	2099	2092	9	tasmax
China	Normal	2.904E+02	2.912E+00	8.347E-01	2086	2099	2092	10	tasmax
China	Normal	2.827E+02	2.777E+00	7.912E-01	2086	2099	2092	11	tasmax
China	Normal	2.770E+02	2.726E+00	7.953E-01	2086	2099	2092	12	tasmax
Colombia	Normal	3.032E+02	2.057E+00	4.907E-01	2006	2015	2010	1	tasmax
Colombia	Normal	3.039E+02	2.086E+00	5.339E-01	2006	2015	2010	2	tasmax
Colombia	Normal	3.038E+02	2.198E+00	6.413E-01	2006	2015	2010	3	tasmax
Colombia	Normal	3.027E+02	2.130E+00	5.841E-01	2006	2015	2010	4	tasmax
Colombia	Normal	3.013E+02	1.842E+00	6.383E-01	2006	2015	2010	5	tasmax
Colombia	Normal	3.005E+02	1.674E+00	4.575E-01	2006	2015	2010	6	tasmax
Colombia	Normal	3.009E+02	1.530E+00	2.390E-01	2006	2015	2010	7	tasmax
Colombia	Normal	3.019E+02	1.865E+00	3.499E-01	2006	2015	2010	8	tasmax
Colombia	Normal	3.026E+02	2.212E+00	5.050E-01	2006	2015	2010	9	tasmax
Colombia	Normal	3.023E+02	2.312E+00	6.767E-01	2006	2015	2010	10	tasmax
Colombia	Normal	3.018E+02	1.895E+00	4.624E-01	2006	2015	2010	11	tasmax
Colombia	Normal	3.022E+02	1.927E+00	4.979E-01	2006	2015	2010	12	tasmax
Colombia	Normal	3.035E+02	2.131E+00	4.513E-01	2016	2025	2020	1	tasmax
Colombia	Normal	3.043E+02	2.278E+00	6.048E-01	2016	2025	2020	2	tasmax
Colombia	Normal	3.042E+02	2.353E+00	6.374E-01	2016	2025	2020	3	tasmax
Colombia	Normal	3.030E+02	2.187E+00	5.772E-01	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Colombia	Normal	3.015E+02	1.887E+00	6.903E-01	2016	2025	2020	5	tasmax
Colombia	Normal	3.008E+02	1.709E+00	5.090E-01	2016	2025	2020	6	tasmax
Colombia	Normal	3.012E+02	1.549E+00	2.734E-01	2016	2025	2020	7	tasmax
Colombia	Normal	3.023E+02	1.885E+00	4.110E-01	2016	2025	2020	8	tasmax
Colombia	Normal	3.029E+02	2.314E+00	5.698E-01	2016	2025	2020	9	tasmax
Colombia	Normal	3.027E+02	2.415E+00	6.888E-01	2016	2025	2020	10	tasmax
Colombia	Normal	3.022E+02	2.008E+00	5.758E-01	2016	2025	2020	11	tasmax
Colombia	Normal	3.026E+02	2.043E+00	5.723E-01	2016	2025	2020	12	tasmax
Colombia	Normal	3.039E+02	2.103E+00	5.558E-01	2026	2035	2030	1	tasmax
Colombia	Normal	3.047E+02	2.190E+00	5.752E-01	2026	2035	2030	2	tasmax
Colombia	Normal	3.046E+02	2.325E+00	7.541E-01	2026	2035	2030	3	tasmax
Colombia	Normal	3.034E+02	2.120E+00	5.466E-01	2026	2035	2030	4	tasmax
Colombia	Normal	3.020E+02	1.949E+00	6.476E-01	2026	2035	2030	5	tasmax
Colombia	Normal	3.012E+02	1.727E+00	4.958E-01	2026	2035	2030	6	tasmax
Colombia	Normal	3.017E+02	1.564E+00	3.104E-01	2026	2035	2030	7	tasmax
Colombia	Normal	3.027E+02	1.857E+00	3.722E-01	2026	2035	2030	8	tasmax
Colombia	Normal	3.033E+02	2.322E+00	4.995E-01	2026	2035	2030	9	tasmax
Colombia	Normal	3.031E+02	2.430E+00	7.048E-01	2026	2035	2030	10	tasmax
Colombia	Normal	3.025E+02	1.994E+00	5.515E-01	2026	2035	2030	11	tasmax
Colombia	Normal	3.028E+02	2.022E+00	6.202E-01	2026	2035	2030	12	tasmax
Colombia	Normal	3.044E+02	2.165E+00	5.844E-01	2036	2045	2040	1	tasmax
Colombia	Normal	3.051E+02	2.267E+00	6.227E-01	2036	2045	2040	2	tasmax
Colombia	Normal	3.050E+02	2.489E+00	7.296E-01	2036	2045	2040	3	tasmax
Colombia	Normal	3.038E+02	2.172E+00	5.812E-01	2036	2045	2040	4	tasmax
Colombia	Normal	3.024E+02	1.997E+00	6.876E-01	2036	2045	2040	5	tasmax
Colombia	Normal	3.017E+02	1.857E+00	6.311E-01	2036	2045	2040	6	tasmax
Colombia	Normal	3.020E+02	1.730E+00	3.205E-01	2036	2045	2040	7	tasmax
Colombia	Normal	3.032E+02	2.050E+00	3.340E-01	2036	2045	2040	8	tasmax
Colombia	Normal	3.038E+02	2.518E+00	6.043E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Colombia	Normal	3.036E+02	2.584E+00	7.344E-01	2036	2045	2040	10	tasmax
Colombia	Normal	3.031E+02	2.295E+00	7.487E-01	2036	2045	2040	11	tasmax
Colombia	Normal	3.034E+02	2.159E+00	6.528E-01	2036	2045	2040	12	tasmax
Colombia	Normal	3.049E+02	2.238E+00	6.614E-01	2046	2055	2050	1	tasmax
Colombia	Normal	3.057E+02	2.347E+00	6.749E-01	2046	2055	2050	2	tasmax
Colombia	Normal	3.056E+02	2.444E+00	7.562E-01	2046	2055	2050	3	tasmax
Colombia	Normal	3.044E+02	2.229E+00	5.734E-01	2046	2055	2050	4	tasmax
Colombia	Normal	3.030E+02	2.083E+00	7.408E-01	2046	2055	2050	5	tasmax
Colombia	Normal	3.021E+02	1.880E+00	6.495E-01	2046	2055	2050	6	tasmax
Colombia	Normal	3.027E+02	1.778E+00	3.364E-01	2046	2055	2050	7	tasmax
Colombia	Normal	3.037E+02	2.223E+00	3.133E-01	2046	2055	2050	8	tasmax
Colombia	Normal	3.043E+02	2.650E+00	5.479E-01	2046	2055	2050	9	tasmax
Colombia	Normal	3.042E+02	2.651E+00	7.202E-01	2046	2055	2050	10	tasmax
Colombia	Normal	3.037E+02	2.389E+00	7.908E-01	2046	2055	2050	11	tasmax
Colombia	Normal	3.039E+02	2.264E+00	7.795E-01	2046	2055	2050	12	tasmax
Colombia	Normal	3.055E+02	2.358E+00	7.107E-01	2056	2065	2060	1	tasmax
Colombia	Normal	3.062E+02	2.404E+00	7.746E-01	2056	2065	2060	2	tasmax
Colombia	Normal	3.060E+02	2.414E+00	7.949E-01	2056	2065	2060	3	tasmax
Colombia	Normal	3.048E+02	2.367E+00	8.039E-01	2056	2065	2060	4	tasmax
Colombia	Normal	3.034E+02	2.171E+00	9.167E-01	2056	2065	2060	5	tasmax
Colombia	Normal	3.027E+02	1.967E+00	7.501E-01	2056	2065	2060	6	tasmax
Colombia	Normal	3.032E+02	1.935E+00	3.993E-01	2056	2065	2060	7	tasmax
Colombia	Normal	3.043E+02	2.169E+00	3.248E-01	2056	2065	2060	8	tasmax
Colombia	Normal	3.049E+02	2.621E+00	5.867E-01	2056	2065	2060	9	tasmax
Colombia	Normal	3.047E+02	2.782E+00	7.783E-01	2056	2065	2060	10	tasmax
Colombia	Normal	3.043E+02	2.453E+00	8.373E-01	2056	2065	2060	11	tasmax
Colombia	Normal	3.044E+02	2.229E+00	7.946E-01	2056	2065	2060	12	tasmax
Colombia	Normal	3.061E+02	2.311E+00	6.325E-01	2066	2075	2070	1	tasmax
Colombia	Normal	3.068E+02	2.334E+00	6.862E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Colombia	Normal	3.066E+02	2.529E+00	8.138E-01	2066	2075	2070	3	tasmax
Colombia	Normal	3.054E+02	2.393E+00	6.614E-01	2066	2075	2070	4	tasmax
Colombia	Normal	3.040E+02	2.182E+00	8.744E-01	2066	2075	2070	5	tasmax
Colombia	Normal	3.033E+02	2.011E+00	7.544E-01	2066	2075	2070	6	tasmax
Colombia	Normal	3.038E+02	1.946E+00	4.005E-01	2066	2075	2070	7	tasmax
Colombia	Normal	3.050E+02	2.280E+00	3.549E-01	2066	2075	2070	8	tasmax
Colombia	Normal	3.056E+02	2.710E+00	5.660E-01	2066	2075	2070	9	tasmax
Colombia	Normal	3.054E+02	2.824E+00	7.174E-01	2066	2075	2070	10	tasmax
Colombia	Normal	3.049E+02	2.689E+00	8.861E-01	2066	2075	2070	11	tasmax
Colombia	Normal	3.050E+02	2.341E+00	7.833E-01	2066	2075	2070	12	tasmax
Colombia	Normal	3.066E+02	2.409E+00	5.970E-01	2076	2085	2080	1	tasmax
Colombia	Normal	3.073E+02	2.447E+00	7.716E-01	2076	2085	2080	2	tasmax
Colombia	Normal	3.071E+02	2.453E+00	6.995E-01	2076	2085	2080	3	tasmax
Colombia	Normal	3.059E+02	2.520E+00	8.462E-01	2076	2085	2080	4	tasmax
Colombia	Normal	3.046E+02	2.326E+00	9.776E-01	2076	2085	2080	5	tasmax
Colombia	Normal	3.039E+02	2.253E+00	8.749E-01	2076	2085	2080	6	tasmax
Colombia	Normal	3.044E+02	2.170E+00	4.670E-01	2076	2085	2080	7	tasmax
Colombia	Normal	3.055E+02	2.541E+00	4.081E-01	2076	2085	2080	8	tasmax
Colombia	Normal	3.062E+02	2.945E+00	6.781E-01	2076	2085	2080	9	tasmax
Colombia	Normal	3.061E+02	3.026E+00	7.876E-01	2076	2085	2080	10	tasmax
Colombia	Normal	3.055E+02	2.768E+00	8.784E-01	2076	2085	2080	11	tasmax
Colombia	Normal	3.057E+02	2.437E+00	8.527E-01	2076	2085	2080	12	tasmax
Colombia	Normal	3.073E+02	2.494E+00	6.427E-01	2086	2099	2092	1	tasmax
Colombia	Normal	3.080E+02	2.574E+00	7.278E-01	2086	2099	2092	2	tasmax
Colombia	Normal	3.078E+02	2.643E+00	7.984E-01	2086	2099	2092	3	tasmax
Colombia	Normal	3.066E+02	2.591E+00	8.256E-01	2086	2099	2092	4	tasmax
Colombia	Normal	3.052E+02	2.430E+00	1.025E+00	2086	2099	2092	5	tasmax
Colombia	Normal	3.045E+02	2.309E+00	8.231E-01	2086	2099	2092	6	tasmax
Colombia	Normal	3.049E+02	2.171E+00	5.098E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Colombia	Normal	3.061E+02	2.480E+00	4.877E-01	2086	2099	2092	8	tasmax
Colombia	Normal	3.069E+02	2.885E+00	5.746E-01	2086	2099	2092	9	tasmax
Colombia	Normal	3.068E+02	3.022E+00	7.080E-01	2086	2099	2092	10	tasmax
Colombia	Normal	3.061E+02	2.759E+00	8.159E-01	2086	2099	2092	11	tasmax
Colombia	Normal	3.064E+02	2.557E+00	8.538E-01	2086	2099	2092	12	tasmax
Congo	Normal	3.025E+02	1.584E+00	2.370E-01	2006	2015	2010	1	tasmax
Congo	Normal	3.034E+02	1.696E+00	2.580E-01	2006	2015	2010	2	tasmax
Congo	Normal	3.034E+02	1.426E+00	2.142E-01	2006	2015	2010	3	tasmax
Congo	Normal	3.025E+02	1.330E+00	1.789E-01	2006	2015	2010	4	tasmax
Congo	Normal	3.020E+02	1.212E+00	1.929E-01	2006	2015	2010	5	tasmax
Congo	Normal	3.021E+02	1.013E+00	1.826E-01	2006	2015	2010	6	tasmax
Congo	Normal	3.024E+02	1.183E+00	2.591E-01	2006	2015	2010	7	tasmax
Congo	Normal	3.025E+02	1.533E+00	3.128E-01	2006	2015	2010	8	tasmax
Congo	Normal	3.023E+02	1.650E+00	3.356E-01	2006	2015	2010	9	tasmax
Congo	Normal	3.018E+02	1.681E+00	4.320E-01	2006	2015	2010	10	tasmax
Congo	Normal	3.014E+02	1.660E+00	4.390E-01	2006	2015	2010	11	tasmax
Congo	Normal	3.017E+02	1.429E+00	2.672E-01	2006	2015	2010	12	tasmax
Congo	Normal	3.027E+02	1.633E+00	2.775E-01	2016	2025	2020	1	tasmax
Congo	Normal	3.036E+02	1.681E+00	2.768E-01	2016	2025	2020	2	tasmax
Congo	Normal	3.037E+02	1.483E+00	1.895E-01	2016	2025	2020	3	tasmax
Congo	Normal	3.029E+02	1.347E+00	1.969E-01	2016	2025	2020	4	tasmax
Congo	Normal	3.022E+02	1.296E+00	2.386E-01	2016	2025	2020	5	tasmax
Congo	Normal	3.024E+02	1.070E+00	1.831E-01	2016	2025	2020	6	tasmax
Congo	Normal	3.028E+02	1.272E+00	2.674E-01	2016	2025	2020	7	tasmax
Congo	Normal	3.028E+02	1.624E+00	2.851E-01	2016	2025	2020	8	tasmax
Congo	Normal	3.026E+02	1.744E+00	3.727E-01	2016	2025	2020	9	tasmax
Congo	Normal	3.020E+02	1.758E+00	5.104E-01	2016	2025	2020	10	tasmax
Congo	Normal	3.016E+02	1.668E+00	4.388E-01	2016	2025	2020	11	tasmax
Congo	Normal	3.019E+02	1.538E+00	3.229E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo	Normal	3.031E+02	1.561E+00	2.628E-01	2026	2035	2030	1	tasmax
Congo	Normal	3.042E+02	1.633E+00	2.802E-01	2026	2035	2030	2	tasmax
Congo	Normal	3.040E+02	1.483E+00	1.996E-01	2026	2035	2030	3	tasmax
Congo	Normal	3.033E+02	1.385E+00	1.829E-01	2026	2035	2030	4	tasmax
Congo	Normal	3.027E+02	1.257E+00	1.642E-01	2026	2035	2030	5	tasmax
Congo	Normal	3.029E+02	1.071E+00	1.748E-01	2026	2035	2030	6	tasmax
Congo	Normal	3.032E+02	1.245E+00	3.537E-01	2026	2035	2030	7	tasmax
Congo	Normal	3.032E+02	1.669E+00	3.016E-01	2026	2035	2030	8	tasmax
Congo	Normal	3.030E+02	1.757E+00	3.100E-01	2026	2035	2030	9	tasmax
Congo	Normal	3.025E+02	1.760E+00	4.149E-01	2026	2035	2030	10	tasmax
Congo	Normal	3.020E+02	1.684E+00	3.950E-01	2026	2035	2030	11	tasmax
Congo	Normal	3.023E+02	1.504E+00	2.992E-01	2026	2035	2030	12	tasmax
Congo	Normal	3.036E+02	1.696E+00	2.950E-01	2036	2045	2040	1	tasmax
Congo	Normal	3.046E+02	1.733E+00	2.398E-01	2036	2045	2040	2	tasmax
Congo	Normal	3.045E+02	1.536E+00	2.511E-01	2036	2045	2040	3	tasmax
Congo	Normal	3.036E+02	1.461E+00	1.881E-01	2036	2045	2040	4	tasmax
Congo	Normal	3.031E+02	1.275E+00	2.152E-01	2036	2045	2040	5	tasmax
Congo	Normal	3.033E+02	1.154E+00	1.553E-01	2036	2045	2040	6	tasmax
Congo	Normal	3.036E+02	1.334E+00	2.956E-01	2036	2045	2040	7	tasmax
Congo	Normal	3.037E+02	1.753E+00	2.791E-01	2036	2045	2040	8	tasmax
Congo	Normal	3.035E+02	1.829E+00	3.742E-01	2036	2045	2040	9	tasmax
Congo	Normal	3.029E+02	1.829E+00	3.844E-01	2036	2045	2040	10	tasmax
Congo	Normal	3.024E+02	1.717E+00	4.022E-01	2036	2045	2040	11	tasmax
Congo	Normal	3.026E+02	1.585E+00	2.731E-01	2036	2045	2040	12	tasmax
Congo	Normal	3.040E+02	1.671E+00	3.202E-01	2046	2055	2050	1	tasmax
Congo	Normal	3.050E+02	1.717E+00	2.898E-01	2046	2055	2050	2	tasmax
Congo	Normal	3.050E+02	1.632E+00	2.314E-01	2046	2055	2050	3	tasmax
Congo	Normal	3.041E+02	1.568E+00	2.160E-01	2046	2055	2050	4	tasmax
Congo	Normal	3.036E+02	1.375E+00	2.153E-01	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo	Normal	3.038E+02	1.212E+00	1.700E-01	2046	2055	2050	6	tasmax
Congo	Normal	3.041E+02	1.454E+00	2.867E-01	2046	2055	2050	7	tasmax
Congo	Normal	3.042E+02	1.871E+00	3.001E-01	2046	2055	2050	8	tasmax
Congo	Normal	3.040E+02	1.900E+00	3.456E-01	2046	2055	2050	9	tasmax
Congo	Normal	3.034E+02	1.898E+00	3.848E-01	2046	2055	2050	10	tasmax
Congo	Normal	3.027E+02	1.737E+00	4.157E-01	2046	2055	2050	11	tasmax
Congo	Normal	3.030E+02	1.566E+00	2.178E-01	2046	2055	2050	12	tasmax
Congo	Normal	3.045E+02	1.827E+00	2.890E-01	2056	2065	2060	1	tasmax
Congo	Normal	3.055E+02	1.969E+00	3.498E-01	2056	2065	2060	2	tasmax
Congo	Normal	3.055E+02	1.808E+00	3.493E-01	2056	2065	2060	3	tasmax
Congo	Normal	3.046E+02	1.611E+00	2.532E-01	2056	2065	2060	4	tasmax
Congo	Normal	3.040E+02	1.398E+00	1.804E-01	2056	2065	2060	5	tasmax
Congo	Normal	3.042E+02	1.247E+00	1.997E-01	2056	2065	2060	6	tasmax
Congo	Normal	3.046E+02	1.493E+00	2.586E-01	2056	2065	2060	7	tasmax
Congo	Normal	3.047E+02	1.869E+00	2.857E-01	2056	2065	2060	8	tasmax
Congo	Normal	3.045E+02	1.966E+00	3.144E-01	2056	2065	2060	9	tasmax
Congo	Normal	3.039E+02	1.883E+00	4.036E-01	2056	2065	2060	10	tasmax
Congo	Normal	3.032E+02	1.807E+00	4.472E-01	2056	2065	2060	11	tasmax
Congo	Normal	3.035E+02	1.663E+00	2.926E-01	2056	2065	2060	12	tasmax
Congo	Normal	3.051E+02	1.844E+00	3.006E-01	2066	2075	2070	1	tasmax
Congo	Normal	3.061E+02	1.910E+00	3.511E-01	2066	2075	2070	2	tasmax
Congo	Normal	3.061E+02	1.889E+00	3.954E-01	2066	2075	2070	3	tasmax
Congo	Normal	3.051E+02	1.666E+00	2.820E-01	2066	2075	2070	4	tasmax
Congo	Normal	3.046E+02	1.499E+00	1.993E-01	2066	2075	2070	5	tasmax
Congo	Normal	3.048E+02	1.292E+00	1.946E-01	2066	2075	2070	6	tasmax
Congo	Normal	3.053E+02	1.523E+00	2.801E-01	2066	2075	2070	7	tasmax
Congo	Normal	3.053E+02	1.922E+00	3.532E-01	2066	2075	2070	8	tasmax
Congo	Normal	3.052E+02	2.148E+00	4.452E-01	2066	2075	2070	9	tasmax
Congo	Normal	3.045E+02	2.078E+00	4.574E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo	Normal	3.037E+02	1.914E+00	4.821E-01	2066	2075	2070	11	tasmax
Congo	Normal	3.040E+02	1.755E+00	2.683E-01	2066	2075	2070	12	tasmax
Congo	Normal	3.057E+02	1.972E+00	3.638E-01	2076	2085	2080	1	tasmax
Congo	Normal	3.067E+02	2.132E+00	4.644E-01	2076	2085	2080	2	tasmax
Congo	Normal	3.067E+02	1.957E+00	4.299E-01	2076	2085	2080	3	tasmax
Congo	Normal	3.057E+02	1.822E+00	2.782E-01	2076	2085	2080	4	tasmax
Congo	Normal	3.052E+02	1.518E+00	2.268E-01	2076	2085	2080	5	tasmax
Congo	Normal	3.055E+02	1.356E+00	2.398E-01	2076	2085	2080	6	tasmax
Congo	Normal	3.059E+02	1.679E+00	2.945E-01	2076	2085	2080	7	tasmax
Congo	Normal	3.060E+02	2.058E+00	3.236E-01	2076	2085	2080	8	tasmax
Congo	Normal	3.059E+02	2.204E+00	4.021E-01	2076	2085	2080	9	tasmax
Congo	Normal	3.051E+02	2.114E+00	4.134E-01	2076	2085	2080	10	tasmax
Congo	Normal	3.044E+02	1.931E+00	4.632E-01	2076	2085	2080	11	tasmax
Congo	Normal	3.047E+02	1.826E+00	3.192E-01	2076	2085	2080	12	tasmax
Congo	Normal	3.062E+02	2.115E+00	3.867E-01	2086	2099	2092	1	tasmax
Congo	Normal	3.073E+02	2.162E+00	4.690E-01	2086	2099	2092	2	tasmax
Congo	Normal	3.073E+02	2.061E+00	5.602E-01	2086	2099	2092	3	tasmax
Congo	Normal	3.063E+02	1.944E+00	3.914E-01	2086	2099	2092	4	tasmax
Congo	Normal	3.057E+02	1.599E+00	2.509E-01	2086	2099	2092	5	tasmax
Congo	Normal	3.061E+02	1.454E+00	3.241E-01	2086	2099	2092	6	tasmax
Congo	Normal	3.065E+02	1.712E+00	3.108E-01	2086	2099	2092	7	tasmax
Congo	Normal	3.066E+02	2.174E+00	3.834E-01	2086	2099	2092	8	tasmax
Congo	Normal	3.064E+02	2.326E+00	4.845E-01	2086	2099	2092	9	tasmax
Congo	Normal	3.058E+02	2.215E+00	5.400E-01	2086	2099	2092	10	tasmax
Congo	Normal	3.049E+02	1.954E+00	4.126E-01	2086	2099	2092	11	tasmax
Congo	Normal	3.051E+02	1.842E+00	3.625E-01	2086	2099	2092	12	tasmax
Congo, DRC	Normal	3.016E+02	1.612E+00	3.326E-01	2006	2015	2010	1	tasmax
Congo, DRC	Normal	3.028E+02	1.701E+00	2.677E-01	2006	2015	2010	2	tasmax
Congo, DRC	Normal	3.030E+02	1.555E+00	2.332E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo, DRC	Normal	3.023E+02	1.310E+00	2.510E-01	2006	2015	2010	4	tasmax
Congo, DRC	Normal	3.021E+02	1.299E+00	1.998E-01	2006	2015	2010	5	tasmax
Congo, DRC	Normal	3.023E+02	1.311E+00	2.208E-01	2006	2015	2010	6	tasmax
Congo, DRC	Normal	3.030E+02	1.379E+00	1.753E-01	2006	2015	2010	7	tasmax
Congo, DRC	Normal	3.036E+02	1.437E+00	2.896E-01	2006	2015	2010	8	tasmax
Congo, DRC	Normal	3.032E+02	1.522E+00	3.328E-01	2006	2015	2010	9	tasmax
Congo, DRC	Normal	3.020E+02	1.699E+00	4.642E-01	2006	2015	2010	10	tasmax
Congo, DRC	Normal	3.009E+02	1.764E+00	6.376E-01	2006	2015	2010	11	tasmax
Congo, DRC	Normal	3.008E+02	1.440E+00	3.856E-01	2006	2015	2010	12	tasmax
Congo, DRC	Normal	3.019E+02	1.652E+00	4.405E-01	2016	2025	2020	1	tasmax
Congo, DRC	Normal	3.030E+02	1.712E+00	3.023E-01	2016	2025	2020	2	tasmax
Congo, DRC	Normal	3.034E+02	1.560E+00	2.215E-01	2016	2025	2020	3	tasmax
Congo, DRC	Normal	3.028E+02	1.308E+00	2.563E-01	2016	2025	2020	4	tasmax
Congo, DRC	Normal	3.024E+02	1.321E+00	2.387E-01	2016	2025	2020	5	tasmax
Congo, DRC	Normal	3.027E+02	1.365E+00	2.224E-01	2016	2025	2020	6	tasmax
Congo, DRC	Normal	3.034E+02	1.327E+00	1.661E-01	2016	2025	2020	7	tasmax
Congo, DRC	Normal	3.039E+02	1.493E+00	2.846E-01	2016	2025	2020	8	tasmax
Congo, DRC	Normal	3.036E+02	1.566E+00	3.102E-01	2016	2025	2020	9	tasmax
Congo, DRC	Normal	3.023E+02	1.645E+00	3.920E-01	2016	2025	2020	10	tasmax
Congo, DRC	Normal	3.013E+02	1.714E+00	5.515E-01	2016	2025	2020	11	tasmax
Congo, DRC	Normal	3.012E+02	1.550E+00	4.323E-01	2016	2025	2020	12	tasmax
Congo, DRC	Normal	3.023E+02	1.597E+00	4.238E-01	2026	2035	2030	1	tasmax
Congo, DRC	Normal	3.035E+02	1.624E+00	2.793E-01	2026	2035	2030	2	tasmax
Congo, DRC	Normal	3.036E+02	1.446E+00	2.331E-01	2026	2035	2030	3	tasmax
Congo, DRC	Normal	3.031E+02	1.344E+00	2.950E-01	2026	2035	2030	4	tasmax
Congo, DRC	Normal	3.028E+02	1.296E+00	2.054E-01	2026	2035	2030	5	tasmax
Congo, DRC	Normal	3.031E+02	1.355E+00	1.655E-01	2026	2035	2030	6	tasmax
Congo, DRC	Normal	3.039E+02	1.313E+00	2.059E-01	2026	2035	2030	7	tasmax
Congo, DRC	Normal	3.044E+02	1.489E+00	3.727E-01	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo, DRC	Normal	3.040E+02	1.552E+00	4.109E-01	2026	2035	2030	9	tasmax
Congo, DRC	Normal	3.028E+02	1.711E+00	3.786E-01	2026	2035	2030	10	tasmax
Congo, DRC	Normal	3.016E+02	1.729E+00	5.563E-01	2026	2035	2030	11	tasmax
Congo, DRC	Normal	3.015E+02	1.522E+00	4.116E-01	2026	2035	2030	12	tasmax
Congo, DRC	Normal	3.028E+02	1.737E+00	4.431E-01	2036	2045	2040	1	tasmax
Congo, DRC	Normal	3.039E+02	1.777E+00	2.839E-01	2036	2045	2040	2	tasmax
Congo, DRC	Normal	3.041E+02	1.517E+00	2.285E-01	2036	2045	2040	3	tasmax
Congo, DRC	Normal	3.034E+02	1.399E+00	3.122E-01	2036	2045	2040	4	tasmax
Congo, DRC	Normal	3.032E+02	1.297E+00	2.062E-01	2036	2045	2040	5	tasmax
Congo, DRC	Normal	3.036E+02	1.448E+00	1.746E-01	2036	2045	2040	6	tasmax
Congo, DRC	Normal	3.043E+02	1.396E+00	1.980E-01	2036	2045	2040	7	tasmax
Congo, DRC	Normal	3.049E+02	1.498E+00	3.547E-01	2036	2045	2040	8	tasmax
Congo, DRC	Normal	3.045E+02	1.629E+00	3.703E-01	2036	2045	2040	9	tasmax
Congo, DRC	Normal	3.032E+02	1.690E+00	3.688E-01	2036	2045	2040	10	tasmax
Congo, DRC	Normal	3.021E+02	1.734E+00	5.179E-01	2036	2045	2040	11	tasmax
Congo, DRC	Normal	3.018E+02	1.602E+00	4.322E-01	2036	2045	2040	12	tasmax
Congo, DRC	Normal	3.032E+02	1.674E+00	4.291E-01	2046	2055	2050	1	tasmax
Congo, DRC	Normal	3.044E+02	1.735E+00	2.611E-01	2046	2055	2050	2	tasmax
Congo, DRC	Normal	3.047E+02	1.559E+00	2.736E-01	2046	2055	2050	3	tasmax
Congo, DRC	Normal	3.040E+02	1.514E+00	2.611E-01	2046	2055	2050	4	tasmax
Congo, DRC	Normal	3.037E+02	1.386E+00	2.360E-01	2046	2055	2050	5	tasmax
Congo, DRC	Normal	3.040E+02	1.435E+00	2.547E-01	2046	2055	2050	6	tasmax
Congo, DRC	Normal	3.049E+02	1.434E+00	2.450E-01	2046	2055	2050	7	tasmax
Congo, DRC	Normal	3.054E+02	1.581E+00	4.274E-01	2046	2055	2050	8	tasmax
Congo, DRC	Normal	3.051E+02	1.608E+00	4.081E-01	2046	2055	2050	9	tasmax
Congo, DRC	Normal	3.038E+02	1.829E+00	3.580E-01	2046	2055	2050	10	tasmax
Congo, DRC	Normal	3.025E+02	1.799E+00	4.856E-01	2046	2055	2050	11	tasmax
Congo, DRC	Normal	3.023E+02	1.567E+00	3.988E-01	2046	2055	2050	12	tasmax
Congo, DRC	Normal	3.037E+02	1.859E+00	3.819E-01	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo, DRC	Normal	3.048E+02	1.895E+00	2.764E-01	2056	2065	2060	2	tasmax
Congo, DRC	Normal	3.052E+02	1.748E+00	3.122E-01	2056	2065	2060	3	tasmax
Congo, DRC	Normal	3.045E+02	1.520E+00	3.092E-01	2056	2065	2060	4	tasmax
Congo, DRC	Normal	3.043E+02	1.441E+00	2.961E-01	2056	2065	2060	5	tasmax
Congo, DRC	Normal	3.046E+02	1.498E+00	2.253E-01	2056	2065	2060	6	tasmax
Congo, DRC	Normal	3.055E+02	1.469E+00	2.374E-01	2056	2065	2060	7	tasmax
Congo, DRC	Normal	3.060E+02	1.575E+00	4.200E-01	2056	2065	2060	8	tasmax
Congo, DRC	Normal	3.056E+02	1.739E+00	4.467E-01	2056	2065	2060	9	tasmax
Congo, DRC	Normal	3.043E+02	1.833E+00	3.114E-01	2056	2065	2060	10	tasmax
Congo, DRC	Normal	3.030E+02	1.836E+00	4.203E-01	2056	2065	2060	11	tasmax
Congo, DRC	Normal	3.028E+02	1.690E+00	4.094E-01	2056	2065	2060	12	tasmax
Congo, DRC	Normal	3.042E+02	1.898E+00	4.553E-01	2066	2075	2070	1	tasmax
Congo, DRC	Normal	3.055E+02	1.831E+00	2.623E-01	2066	2075	2070	2	tasmax
Congo, DRC	Normal	3.057E+02	1.712E+00	2.951E-01	2066	2075	2070	3	tasmax
Congo, DRC	Normal	3.050E+02	1.504E+00	3.329E-01	2066	2075	2070	4	tasmax
Congo, DRC	Normal	3.050E+02	1.516E+00	2.955E-01	2066	2075	2070	5	tasmax
Congo, DRC	Normal	3.052E+02	1.513E+00	2.430E-01	2066	2075	2070	6	tasmax
Congo, DRC	Normal	3.061E+02	1.508E+00	2.498E-01	2066	2075	2070	7	tasmax
Congo, DRC	Normal	3.066E+02	1.608E+00	3.957E-01	2066	2075	2070	8	tasmax
Congo, DRC	Normal	3.063E+02	1.789E+00	3.617E-01	2066	2075	2070	9	tasmax
Congo, DRC	Normal	3.049E+02	1.891E+00	2.939E-01	2066	2075	2070	10	tasmax
Congo, DRC	Normal	3.035E+02	1.874E+00	3.945E-01	2066	2075	2070	11	tasmax
Congo, DRC	Normal	3.032E+02	1.758E+00	3.619E-01	2066	2075	2070	12	tasmax
Congo, DRC	Normal	3.048E+02	1.972E+00	4.456E-01	2076	2085	2080	1	tasmax
Congo, DRC	Normal	3.060E+02	1.974E+00	2.981E-01	2076	2085	2080	2	tasmax
Congo, DRC	Normal	3.063E+02	1.810E+00	3.846E-01	2076	2085	2080	3	tasmax
Congo, DRC	Normal	3.057E+02	1.678E+00	2.732E-01	2076	2085	2080	4	tasmax
Congo, DRC	Normal	3.055E+02	1.563E+00	3.562E-01	2076	2085	2080	5	tasmax
Congo, DRC	Normal	3.060E+02	1.585E+00	2.353E-01	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Congo, DRC	Normal	3.067E+02	1.521E+00	2.667E-01	2076	2085	2080	7	tasmax
Congo, DRC	Normal	3.074E+02	1.716E+00	4.240E-01	2076	2085	2080	8	tasmax
Congo, DRC	Normal	3.069E+02	1.923E+00	4.838E-01	2076	2085	2080	9	tasmax
Congo, DRC	Normal	3.055E+02	1.988E+00	3.040E-01	2076	2085	2080	10	tasmax
Congo, DRC	Normal	3.041E+02	1.919E+00	3.453E-01	2076	2085	2080	11	tasmax
Congo, DRC	Normal	3.039E+02	1.858E+00	3.457E-01	2076	2085	2080	12	tasmax
Congo, DRC	Normal	3.054E+02	2.175E+00	4.411E-01	2086	2099	2092	1	tasmax
Congo, DRC	Normal	3.067E+02	2.113E+00	3.679E-01	2086	2099	2092	2	tasmax
Congo, DRC	Normal	3.069E+02	1.866E+00	3.632E-01	2086	2099	2092	3	tasmax
Congo, DRC	Normal	3.062E+02	1.782E+00	3.479E-01	2086	2099	2092	4	tasmax
Congo, DRC	Normal	3.061E+02	1.637E+00	4.500E-01	2086	2099	2092	5	tasmax
Congo, DRC	Normal	3.065E+02	1.694E+00	3.105E-01	2086	2099	2092	6	tasmax
Congo, DRC	Normal	3.074E+02	1.608E+00	2.819E-01	2086	2099	2092	7	tasmax
Congo, DRC	Normal	3.080E+02	1.818E+00	3.764E-01	2086	2099	2092	8	tasmax
Congo, DRC	Normal	3.075E+02	1.949E+00	4.247E-01	2086	2099	2092	9	tasmax
Congo, DRC	Normal	3.063E+02	1.994E+00	4.095E-01	2086	2099	2092	10	tasmax
Congo, DRC	Normal	3.047E+02	1.942E+00	4.080E-01	2086	2099	2092	11	tasmax
Congo, DRC	Normal	3.044E+02	1.911E+00	3.551E-01	2086	2099	2092	12	tasmax
Costa Rica	Normal	3.022E+02	1.585E+00	4.650E-01	2006	2015	2010	1	tasmax
Costa Rica	Normal	3.030E+02	1.782E+00	5.851E-01	2006	2015	2010	2	tasmax
Costa Rica	Normal	3.039E+02	2.184E+00	7.311E-01	2006	2015	2010	3	tasmax
Costa Rica	Normal	3.046E+02	2.328E+00	8.001E-01	2006	2015	2010	4	tasmax
Costa Rica	Normal	3.039E+02	1.464E+00	3.727E-01	2006	2015	2010	5	tasmax
Costa Rica	Normal	3.021E+02	8.381E-01	1.411E-01	2006	2015	2010	6	tasmax
Costa Rica	Normal	3.018E+02	1.055E+00	2.145E-01	2006	2015	2010	7	tasmax
Costa Rica	Normal	3.021E+02	1.201E+00	3.000E-01	2006	2015	2010	8	tasmax
Costa Rica	Normal	3.022E+02	1.239E+00	2.670E-01	2006	2015	2010	9	tasmax
Costa Rica	Normal	3.021E+02	1.246E+00	2.650E-01	2006	2015	2010	10	tasmax
Costa Rica	Normal	3.020E+02	1.380E+00	4.044E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Costa Rica	Normal	3.020E+02	1.408E+00	4.216E-01	2006	2015	2010	12	tasmax
Costa Rica	Normal	3.026E+02	1.690E+00	6.276E-01	2016	2025	2020	1	tasmax
Costa Rica	Normal	3.033E+02	2.003E+00	8.684E-01	2016	2025	2020	2	tasmax
Costa Rica	Normal	3.042E+02	2.352E+00	9.605E-01	2016	2025	2020	3	tasmax
Costa Rica	Normal	3.049E+02	2.511E+00	9.564E-01	2016	2025	2020	4	tasmax
Costa Rica	Normal	3.041E+02	1.461E+00	4.108E-01	2016	2025	2020	5	tasmax
Costa Rica	Normal	3.025E+02	9.878E-01	2.208E-01	2016	2025	2020	6	tasmax
Costa Rica	Normal	3.021E+02	1.094E+00	2.866E-01	2016	2025	2020	7	tasmax
Costa Rica	Normal	3.024E+02	1.273E+00	3.261E-01	2016	2025	2020	8	tasmax
Costa Rica	Normal	3.025E+02	1.208E+00	2.621E-01	2016	2025	2020	9	tasmax
Costa Rica	Normal	3.024E+02	1.293E+00	2.686E-01	2016	2025	2020	10	tasmax
Costa Rica	Normal	3.024E+02	1.498E+00	4.265E-01	2016	2025	2020	11	tasmax
Costa Rica	Normal	3.023E+02	1.518E+00	4.809E-01	2016	2025	2020	12	tasmax
Costa Rica	Normal	3.030E+02	1.995E+00	7.621E-01	2026	2035	2030	1	tasmax
Costa Rica	Normal	3.038E+02	2.380E+00	1.007E+00	2026	2035	2030	2	tasmax
Costa Rica	Normal	3.048E+02	2.877E+00	1.282E+00	2026	2035	2030	3	tasmax
Costa Rica	Normal	3.054E+02	2.995E+00	1.202E+00	2026	2035	2030	4	tasmax
Costa Rica	Normal	3.048E+02	2.235E+00	9.081E-01	2026	2035	2030	5	tasmax
Costa Rica	Normal	3.029E+02	1.283E+00	4.044E-01	2026	2035	2030	6	tasmax
Costa Rica	Normal	3.027E+02	1.565E+00	5.909E-01	2026	2035	2030	7	tasmax
Costa Rica	Normal	3.029E+02	1.550E+00	4.707E-01	2026	2035	2030	8	tasmax
Costa Rica	Normal	3.029E+02	1.489E+00	3.939E-01	2026	2035	2030	9	tasmax
Costa Rica	Normal	3.028E+02	1.338E+00	2.163E-01	2026	2035	2030	10	tasmax
Costa Rica	Normal	3.027E+02	1.484E+00	3.606E-01	2026	2035	2030	11	tasmax
Costa Rica	Normal	3.027E+02	1.649E+00	5.638E-01	2026	2035	2030	12	tasmax
Costa Rica	Normal	3.033E+02	1.943E+00	8.053E-01	2036	2045	2040	1	tasmax
Costa Rica	Normal	3.041E+02	2.335E+00	1.003E+00	2036	2045	2040	2	tasmax
Costa Rica	Normal	3.051E+02	2.828E+00	1.198E+00	2036	2045	2040	3	tasmax
Costa Rica	Normal	3.057E+02	2.880E+00	1.113E+00	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Costa Rica	Normal	3.050E+02	2.098E+00	7.479E-01	2036	2045	2040	5	tasmax
Costa Rica	Normal	3.033E+02	1.236E+00	3.590E-01	2036	2045	2040	6	tasmax
Costa Rica	Normal	3.030E+02	1.424E+00	4.934E-01	2036	2045	2040	7	tasmax
Costa Rica	Normal	3.033E+02	1.513E+00	4.798E-01	2036	2045	2040	8	tasmax
Costa Rica	Normal	3.033E+02	1.442E+00	3.269E-01	2036	2045	2040	9	tasmax
Costa Rica	Normal	3.033E+02	1.545E+00	3.266E-01	2036	2045	2040	10	tasmax
Costa Rica	Normal	3.031E+02	1.521E+00	3.622E-01	2036	2045	2040	11	tasmax
Costa Rica	Normal	3.030E+02	1.571E+00	4.376E-01	2036	2045	2040	12	tasmax
Costa Rica	Normal	3.036E+02	1.703E+00	6.272E-01	2046	2055	2050	1	tasmax
Costa Rica	Normal	3.044E+02	2.056E+00	7.706E-01	2046	2055	2050	2	tasmax
Costa Rica	Normal	3.053E+02	2.530E+00	9.757E-01	2046	2055	2050	3	tasmax
Costa Rica	Normal	3.060E+02	2.625E+00	9.777E-01	2046	2055	2050	4	tasmax
Costa Rica	Normal	3.053E+02	1.709E+00	3.907E-01	2046	2055	2050	5	tasmax
Costa Rica	Normal	3.036E+02	1.110E+00	2.669E-01	2046	2055	2050	6	tasmax
Costa Rica	Normal	3.034E+02	1.341E+00	4.269E-01	2046	2055	2050	7	tasmax
Costa Rica	Normal	3.036E+02	1.483E+00	4.785E-01	2046	2055	2050	8	tasmax
Costa Rica	Normal	3.036E+02	1.320E+00	2.695E-01	2046	2055	2050	9	tasmax
Costa Rica	Normal	3.035E+02	1.338E+00	3.118E-01	2046	2055	2050	10	tasmax
Costa Rica	Normal	3.034E+02	1.534E+00	4.593E-01	2046	2055	2050	11	tasmax
Costa Rica	Normal	3.034E+02	1.588E+00	4.858E-01	2046	2055	2050	12	tasmax
Costa Rica	Normal	3.041E+02	1.906E+00	6.614E-01	2056	2065	2060	1	tasmax
Costa Rica	Normal	3.049E+02	2.187E+00	8.490E-01	2056	2065	2060	2	tasmax
Costa Rica	Normal	3.058E+02	2.610E+00	8.826E-01	2056	2065	2060	3	tasmax
Costa Rica	Normal	3.065E+02	2.699E+00	9.536E-01	2056	2065	2060	4	tasmax
Costa Rica	Normal	3.058E+02	1.944E+00	5.079E-01	2056	2065	2060	5	tasmax
Costa Rica	Normal	3.042E+02	1.149E+00	2.343E-01	2056	2065	2060	6	tasmax
Costa Rica	Normal	3.038E+02	1.510E+00	4.176E-01	2056	2065	2060	7	tasmax
Costa Rica	Normal	3.042E+02	1.522E+00	4.272E-01	2056	2065	2060	8	tasmax
Costa Rica	Normal	3.042E+02	1.407E+00	2.897E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Costa Rica	Normal	3.041E+02	1.506E+00	3.323E-01	2056	2065	2060	10	tasmax
Costa Rica	Normal	3.039E+02	1.590E+00	4.296E-01	2056	2065	2060	11	tasmax
Costa Rica	Normal	3.039E+02	1.689E+00	4.691E-01	2056	2065	2060	12	tasmax
Costa Rica	Normal	3.047E+02	2.028E+00	8.297E-01	2066	2075	2070	1	tasmax
Costa Rica	Normal	3.054E+02	2.344E+00	9.391E-01	2066	2075	2070	2	tasmax
Costa Rica	Normal	3.064E+02	2.758E+00	1.035E+00	2066	2075	2070	3	tasmax
Costa Rica	Normal	3.070E+02	2.891E+00	1.037E+00	2066	2075	2070	4	tasmax
Costa Rica	Normal	3.063E+02	2.045E+00	6.224E-01	2066	2075	2070	5	tasmax
Costa Rica	Normal	3.047E+02	1.255E+00	2.930E-01	2066	2075	2070	6	tasmax
Costa Rica	Normal	3.044E+02	1.655E+00	5.651E-01	2066	2075	2070	7	tasmax
Costa Rica	Normal	3.047E+02	1.592E+00	4.881E-01	2066	2075	2070	8	tasmax
Costa Rica	Normal	3.048E+02	1.573E+00	3.149E-01	2066	2075	2070	9	tasmax
Costa Rica	Normal	3.047E+02	1.609E+00	3.590E-01	2066	2075	2070	10	tasmax
Costa Rica	Normal	3.045E+02	1.662E+00	4.725E-01	2066	2075	2070	11	tasmax
Costa Rica	Normal	3.044E+02	1.682E+00	5.055E-01	2066	2075	2070	12	tasmax
Costa Rica	Normal	3.051E+02	2.088E+00	7.390E-01	2076	2085	2080	1	tasmax
Costa Rica	Normal	3.059E+02	2.483E+00	9.828E-01	2076	2085	2080	2	tasmax
Costa Rica	Normal	3.069E+02	2.942E+00	1.090E+00	2076	2085	2080	3	tasmax
Costa Rica	Normal	3.074E+02	2.898E+00	9.327E-01	2076	2085	2080	4	tasmax
Costa Rica	Normal	3.067E+02	1.986E+00	4.360E-01	2076	2085	2080	5	tasmax
Costa Rica	Normal	3.053E+02	1.497E+00	3.953E-01	2076	2085	2080	6	tasmax
Costa Rica	Normal	3.050E+02	1.921E+00	7.076E-01	2076	2085	2080	7	tasmax
Costa Rica	Normal	3.053E+02	1.983E+00	6.709E-01	2076	2085	2080	8	tasmax
Costa Rica	Normal	3.054E+02	1.805E+00	4.165E-01	2076	2085	2080	9	tasmax
Costa Rica	Normal	3.052E+02	1.704E+00	3.409E-01	2076	2085	2080	10	tasmax
Costa Rica	Normal	3.050E+02	1.758E+00	4.916E-01	2076	2085	2080	11	tasmax
Costa Rica	Normal	3.050E+02	1.824E+00	4.702E-01	2076	2085	2080	12	tasmax
Costa Rica	Normal	3.057E+02	2.234E+00	8.888E-01	2086	2099	2092	1	tasmax
Costa Rica	Normal	3.065E+02	2.666E+00	1.109E+00	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Costa Rica	Normal	3.075E+02	3.233E+00	1.274E+00	2086	2099	2092	3	tasmax
Costa Rica	Normal	3.080E+02	3.352E+00	1.263E+00	2086	2099	2092	4	tasmax
Costa Rica	Normal	3.074E+02	2.725E+00	9.916E-01	2086	2099	2092	5	tasmax
Costa Rica	Normal	3.059E+02	1.771E+00	4.325E-01	2086	2099	2092	6	tasmax
Costa Rica	Normal	3.056E+02	2.031E+00	6.458E-01	2086	2099	2092	7	tasmax
Costa Rica	Normal	3.060E+02	1.995E+00	5.462E-01	2086	2099	2092	8	tasmax
Costa Rica	Normal	3.060E+02	1.874E+00	4.146E-01	2086	2099	2092	9	tasmax
Costa Rica	Normal	3.059E+02	1.894E+00	4.500E-01	2086	2099	2092	10	tasmax
Costa Rica	Normal	3.056E+02	1.915E+00	5.188E-01	2086	2099	2092	11	tasmax
Costa Rica	Normal	3.055E+02	1.915E+00	4.936E-01	2086	2099	2092	12	tasmax
Cote d'Ivoire	Normal	3.058E+02	1.632E+00	6.434E-01	2006	2015	2010	1	tasmax
Cote d'Ivoire	Normal	3.074E+02	1.534E+00	3.644E-01	2006	2015	2010	2	tasmax
Cote d'Ivoire	Normal	3.075E+02	1.663E+00	3.701E-01	2006	2015	2010	3	tasmax
Cote d'Ivoire	Normal	3.064E+02	1.801E+00	5.672E-01	2006	2015	2010	4	tasmax
Cote d'Ivoire	Normal	3.050E+02	1.788E+00	3.769E-01	2006	2015	2010	5	tasmax
Cote d'Ivoire	Normal	3.032E+02	1.708E+00	3.983E-01	2006	2015	2010	6	tasmax
Cote d'Ivoire	Normal	3.018E+02	1.691E+00	4.222E-01	2006	2015	2010	7	tasmax
Cote d'Ivoire	Normal	3.011E+02	1.479E+00	3.546E-01	2006	2015	2010	8	tasmax
Cote d'Ivoire	Normal	3.016E+02	1.392E+00	2.332E-01	2006	2015	2010	9	tasmax
Cote d'Ivoire	Normal	3.027E+02	1.275E+00	1.831E-01	2006	2015	2010	10	tasmax
Cote d'Ivoire	Normal	3.040E+02	1.279E+00	2.599E-01	2006	2015	2010	11	tasmax
Cote d'Ivoire	Normal	3.047E+02	1.436E+00	3.702E-01	2006	2015	2010	12	tasmax
Cote d'Ivoire	Normal	3.063E+02	1.607E+00	5.816E-01	2016	2025	2020	1	tasmax
Cote d'Ivoire	Normal	3.077E+02	1.581E+00	2.685E-01	2016	2025	2020	2	tasmax
Cote d'Ivoire	Normal	3.080E+02	1.672E+00	4.091E-01	2016	2025	2020	3	tasmax
Cote d'Ivoire	Normal	3.069E+02	1.878E+00	4.793E-01	2016	2025	2020	4	tasmax
Cote d'Ivoire	Normal	3.054E+02	2.088E+00	3.229E-01	2016	2025	2020	5	tasmax
Cote d'Ivoire	Normal	3.036E+02	1.789E+00	4.800E-01	2016	2025	2020	6	tasmax
Cote d'Ivoire	Normal	3.022E+02	1.687E+00	3.888E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cote d'Ivoire	Normal	3.015E+02	1.535E+00	3.731E-01	2016	2025	2020	8	tasmax
Cote d'Ivoire	Normal	3.020E+02	1.466E+00	2.514E-01	2016	2025	2020	9	tasmax
Cote d'Ivoire	Normal	3.030E+02	1.420E+00	2.009E-01	2016	2025	2020	10	tasmax
Cote d'Ivoire	Normal	3.043E+02	1.463E+00	3.618E-01	2016	2025	2020	11	tasmax
Cote d'Ivoire	Normal	3.050E+02	1.497E+00	3.474E-01	2016	2025	2020	12	tasmax
Cote d'Ivoire	Normal	3.066E+02	1.773E+00	7.189E-01	2026	2035	2030	1	tasmax
Cote d'Ivoire	Normal	3.082E+02	1.656E+00	3.511E-01	2026	2035	2030	2	tasmax
Cote d'Ivoire	Normal	3.083E+02	1.584E+00	3.933E-01	2026	2035	2030	3	tasmax
Cote d'Ivoire	Normal	3.073E+02	1.809E+00	4.550E-01	2026	2035	2030	4	tasmax
Cote d'Ivoire	Normal	3.058E+02	1.961E+00	3.563E-01	2026	2035	2030	5	tasmax
Cote d'Ivoire	Normal	3.040E+02	1.851E+00	4.244E-01	2026	2035	2030	6	tasmax
Cote d'Ivoire	Normal	3.025E+02	1.734E+00	4.434E-01	2026	2035	2030	7	tasmax
Cote d'Ivoire	Normal	3.018E+02	1.522E+00	3.643E-01	2026	2035	2030	8	tasmax
Cote d'Ivoire	Normal	3.023E+02	1.479E+00	2.313E-01	2026	2035	2030	9	tasmax
Cote d'Ivoire	Normal	3.032E+02	1.391E+00	1.967E-01	2026	2035	2030	10	tasmax
Cote d'Ivoire	Normal	3.046E+02	1.310E+00	3.535E-01	2026	2035	2030	11	tasmax
Cote d'Ivoire	Normal	3.054E+02	1.656E+00	4.075E-01	2026	2035	2030	12	tasmax
Cote d'Ivoire	Normal	3.070E+02	1.787E+00	7.253E-01	2036	2045	2040	1	tasmax
Cote d'Ivoire	Normal	3.085E+02	1.654E+00	2.923E-01	2036	2045	2040	2	tasmax
Cote d'Ivoire	Normal	3.086E+02	1.645E+00	3.537E-01	2036	2045	2040	3	tasmax
Cote d'Ivoire	Normal	3.076E+02	1.851E+00	4.821E-01	2036	2045	2040	4	tasmax
Cote d'Ivoire	Normal	3.062E+02	2.010E+00	4.507E-01	2036	2045	2040	5	tasmax
Cote d'Ivoire	Normal	3.043E+02	1.824E+00	5.709E-01	2036	2045	2040	6	tasmax
Cote d'Ivoire	Normal	3.028E+02	1.748E+00	5.509E-01	2036	2045	2040	7	tasmax
Cote d'Ivoire	Normal	3.021E+02	1.537E+00	4.499E-01	2036	2045	2040	8	tasmax
Cote d'Ivoire	Normal	3.026E+02	1.522E+00	2.939E-01	2036	2045	2040	9	tasmax
Cote d'Ivoire	Normal	3.036E+02	1.395E+00	1.883E-01	2036	2045	2040	10	tasmax
Cote d'Ivoire	Normal	3.049E+02	1.278E+00	3.916E-01	2036	2045	2040	11	tasmax
Cote d'Ivoire	Normal	3.057E+02	1.488E+00	3.479E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cote d'Ivoire	Normal	3.075E+02	1.713E+00	6.243E-01	2046	2055	2050	1	tasmax
Cote d'Ivoire	Normal	3.089E+02	1.654E+00	3.765E-01	2046	2055	2050	2	tasmax
Cote d'Ivoire	Normal	3.092E+02	1.771E+00	4.012E-01	2046	2055	2050	3	tasmax
Cote d'Ivoire	Normal	3.082E+02	1.975E+00	4.913E-01	2046	2055	2050	4	tasmax
Cote d'Ivoire	Normal	3.067E+02	2.084E+00	4.423E-01	2046	2055	2050	5	tasmax
Cote d'Ivoire	Normal	3.048E+02	2.087E+00	6.315E-01	2046	2055	2050	6	tasmax
Cote d'Ivoire	Normal	3.032E+02	1.859E+00	5.973E-01	2046	2055	2050	7	tasmax
Cote d'Ivoire	Normal	3.025E+02	1.656E+00	4.880E-01	2046	2055	2050	8	tasmax
Cote d'Ivoire	Normal	3.031E+02	1.585E+00	3.004E-01	2046	2055	2050	9	tasmax
Cote d'Ivoire	Normal	3.041E+02	1.471E+00	1.864E-01	2046	2055	2050	10	tasmax
Cote d'Ivoire	Normal	3.054E+02	1.419E+00	4.171E-01	2046	2055	2050	11	tasmax
Cote d'Ivoire	Normal	3.062E+02	1.517E+00	3.080E-01	2046	2055	2050	12	tasmax
Cote d'Ivoire	Normal	3.080E+02	1.782E+00	7.004E-01	2056	2065	2060	1	tasmax
Cote d'Ivoire	Normal	3.095E+02	1.645E+00	3.205E-01	2056	2065	2060	2	tasmax
Cote d'Ivoire	Normal	3.096E+02	1.734E+00	3.762E-01	2056	2065	2060	3	tasmax
Cote d'Ivoire	Normal	3.087E+02	2.088E+00	4.159E-01	2056	2065	2060	4	tasmax
Cote d'Ivoire	Normal	3.071E+02	2.271E+00	5.992E-01	2056	2065	2060	5	tasmax
Cote d'Ivoire	Normal	3.052E+02	2.096E+00	5.974E-01	2056	2065	2060	6	tasmax
Cote d'Ivoire	Normal	3.038E+02	1.954E+00	5.949E-01	2056	2065	2060	7	tasmax
Cote d'Ivoire	Normal	3.031E+02	1.688E+00	4.837E-01	2056	2065	2060	8	tasmax
Cote d'Ivoire	Normal	3.036E+02	1.652E+00	3.456E-01	2056	2065	2060	9	tasmax
Cote d'Ivoire	Normal	3.046E+02	1.528E+00	2.061E-01	2056	2065	2060	10	tasmax
Cote d'Ivoire	Normal	3.059E+02	1.449E+00	4.226E-01	2056	2065	2060	11	tasmax
Cote d'Ivoire	Normal	3.067E+02	1.622E+00	3.682E-01	2056	2065	2060	12	tasmax
Cote d'Ivoire	Normal	3.086E+02	1.789E+00	6.200E-01	2066	2075	2070	1	tasmax
Cote d'Ivoire	Normal	3.100E+02	1.648E+00	3.267E-01	2066	2075	2070	2	tasmax
Cote d'Ivoire	Normal	3.102E+02	1.937E+00	4.503E-01	2066	2075	2070	3	tasmax
Cote d'Ivoire	Normal	3.093E+02	2.056E+00	4.926E-01	2066	2075	2070	4	tasmax
Cote d'Ivoire	Normal	3.077E+02	2.252E+00	4.804E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cote d'Ivoire	Normal	3.058E+02	2.220E+00	6.417E-01	2066	2075	2070	6	tasmax
Cote d'Ivoire	Normal	3.043E+02	2.023E+00	8.016E-01	2066	2075	2070	7	tasmax
Cote d'Ivoire	Normal	3.035E+02	1.754E+00	6.002E-01	2066	2075	2070	8	tasmax
Cote d'Ivoire	Normal	3.041E+02	1.644E+00	3.786E-01	2066	2075	2070	9	tasmax
Cote d'Ivoire	Normal	3.051E+02	1.521E+00	2.315E-01	2066	2075	2070	10	tasmax
Cote d'Ivoire	Normal	3.064E+02	1.406E+00	3.826E-01	2066	2075	2070	11	tasmax
Cote d'Ivoire	Normal	3.072E+02	1.632E+00	2.626E-01	2066	2075	2070	12	tasmax
Cote d'Ivoire	Normal	3.090E+02	1.771E+00	5.449E-01	2076	2085	2080	1	tasmax
Cote d'Ivoire	Normal	3.105E+02	1.650E+00	2.888E-01	2076	2085	2080	2	tasmax
Cote d'Ivoire	Normal	3.108E+02	1.882E+00	4.246E-01	2076	2085	2080	3	tasmax
Cote d'Ivoire	Normal	3.098E+02	2.293E+00	5.224E-01	2076	2085	2080	4	tasmax
Cote d'Ivoire	Normal	3.083E+02	2.418E+00	5.920E-01	2076	2085	2080	5	tasmax
Cote d'Ivoire	Normal	3.065E+02	2.335E+00	6.378E-01	2076	2085	2080	6	tasmax
Cote d'Ivoire	Normal	3.048E+02	2.157E+00	7.378E-01	2076	2085	2080	7	tasmax
Cote d'Ivoire	Normal	3.041E+02	1.838E+00	5.927E-01	2076	2085	2080	8	tasmax
Cote d'Ivoire	Normal	3.046E+02	1.733E+00	3.512E-01	2076	2085	2080	9	tasmax
Cote d'Ivoire	Normal	3.055E+02	1.674E+00	2.311E-01	2076	2085	2080	10	tasmax
Cote d'Ivoire	Normal	3.069E+02	1.584E+00	4.857E-01	2076	2085	2080	11	tasmax
Cote d'Ivoire	Normal	3.077E+02	1.650E+00	3.644E-01	2076	2085	2080	12	tasmax
Cote d'Ivoire	Normal	3.097E+02	1.756E+00	4.148E-01	2086	2099	2092	1	tasmax
Cote d'Ivoire	Normal	3.112E+02	1.765E+00	4.039E-01	2086	2099	2092	2	tasmax
Cote d'Ivoire	Normal	3.113E+02	2.037E+00	4.985E-01	2086	2099	2092	3	tasmax
Cote d'Ivoire	Normal	3.105E+02	2.361E+00	4.624E-01	2086	2099	2092	4	tasmax
Cote d'Ivoire	Normal	3.090E+02	2.583E+00	5.286E-01	2086	2099	2092	5	tasmax
Cote d'Ivoire	Normal	3.071E+02	2.478E+00	7.151E-01	2086	2099	2092	6	tasmax
Cote d'Ivoire	Normal	3.054E+02	2.283E+00	7.904E-01	2086	2099	2092	7	tasmax
Cote d'Ivoire	Normal	3.046E+02	1.872E+00	5.248E-01	2086	2099	2092	8	tasmax
Cote d'Ivoire	Normal	3.051E+02	1.824E+00	3.153E-01	2086	2099	2092	9	tasmax
Cote d'Ivoire	Normal	3.062E+02	1.711E+00	3.048E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cote d'Ivoire	Normal	3.076E+02	1.494E+00	3.366E-01	2086	2099	2092	11	tasmax
Cote d'Ivoire	Normal	3.084E+02	1.651E+00	2.921E-01	2086	2099	2092	12	tasmax
Croatia	Normal	2.791E+02	2.397E+00	7.074E-01	2006	2015	2010	1	tasmax
Croatia	Normal	2.810E+02	2.736E+00	3.719E-01	2006	2015	2010	2	tasmax
Croatia	Normal	2.841E+02	2.516E+00	7.043E-01	2006	2015	2010	3	tasmax
Croatia	Normal	2.886E+02	2.388E+00	5.928E-01	2006	2015	2010	4	tasmax
Croatia	Normal	2.934E+02	2.307E+00	4.995E-01	2006	2015	2010	5	tasmax
Croatia	Normal	2.984E+02	2.159E+00	5.701E-01	2006	2015	2010	6	tasmax
Croatia	Normal	3.012E+02	2.385E+00	3.767E-01	2006	2015	2010	7	tasmax
Croatia	Normal	3.009E+02	2.531E+00	7.570E-01	2006	2015	2010	8	tasmax
Croatia	Normal	2.960E+02	2.243E+00	4.237E-01	2006	2015	2010	9	tasmax
Croatia	Normal	2.896E+02	2.453E+00	7.841E-01	2006	2015	2010	10	tasmax
Croatia	Normal	2.840E+02	2.277E+00	7.002E-01	2006	2015	2010	11	tasmax
Croatia	Normal	2.805E+02	2.439E+00	6.295E-01	2006	2015	2010	12	tasmax
Croatia	Normal	2.797E+02	2.303E+00	4.272E-01	2016	2025	2020	1	tasmax
Croatia	Normal	2.814E+02	2.298E+00	6.339E-01	2016	2025	2020	2	tasmax
Croatia	Normal	2.847E+02	2.741E+00	6.113E-01	2016	2025	2020	3	tasmax
Croatia	Normal	2.888E+02	2.358E+00	4.337E-01	2016	2025	2020	4	tasmax
Croatia	Normal	2.938E+02	2.170E+00	6.282E-01	2016	2025	2020	5	tasmax
Croatia	Normal	2.989E+02	2.185E+00	4.761E-01	2016	2025	2020	6	tasmax
Croatia	Normal	3.018E+02	2.595E+00	3.516E-01	2016	2025	2020	7	tasmax
Croatia	Normal	3.016E+02	2.592E+00	6.210E-01	2016	2025	2020	8	tasmax
Croatia	Normal	2.966E+02	2.560E+00	5.361E-01	2016	2025	2020	9	tasmax
Croatia	Normal	2.902E+02	2.493E+00	8.156E-01	2016	2025	2020	10	tasmax
Croatia	Normal	2.845E+02	2.146E+00	5.051E-01	2016	2025	2020	11	tasmax
Croatia	Normal	2.809E+02	2.111E+00	4.876E-01	2016	2025	2020	12	tasmax
Croatia	Normal	2.801E+02	2.191E+00	3.874E-01	2026	2035	2030	1	tasmax
Croatia	Normal	2.816E+02	2.075E+00	5.362E-01	2026	2035	2030	2	tasmax
Croatia	Normal	2.852E+02	2.374E+00	4.463E-01	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Croatia	Normal	2.893E+02	2.436E+00	5.086E-01	2026	2035	2030	4	tasmax
Croatia	Normal	2.942E+02	2.421E+00	5.385E-01	2026	2035	2030	5	tasmax
Croatia	Normal	2.992E+02	2.406E+00	4.950E-01	2026	2035	2030	6	tasmax
Croatia	Normal	3.026E+02	2.739E+00	5.044E-01	2026	2035	2030	7	tasmax
Croatia	Normal	3.023E+02	2.615E+00	8.502E-01	2026	2035	2030	8	tasmax
Croatia	Normal	2.969E+02	2.470E+00	5.955E-01	2026	2035	2030	9	tasmax
Croatia	Normal	2.907E+02	2.599E+00	7.335E-01	2026	2035	2030	10	tasmax
Croatia	Normal	2.848E+02	2.311E+00	8.290E-01	2026	2035	2030	11	tasmax
Croatia	Normal	2.815E+02	2.205E+00	4.270E-01	2026	2035	2030	12	tasmax
Croatia	Normal	2.808E+02	2.167E+00	4.389E-01	2036	2045	2040	1	tasmax
Croatia	Normal	2.824E+02	2.166E+00	4.254E-01	2036	2045	2040	2	tasmax
Croatia	Normal	2.855E+02	2.500E+00	5.558E-01	2036	2045	2040	3	tasmax
Croatia	Normal	2.899E+02	2.504E+00	4.061E-01	2036	2045	2040	4	tasmax
Croatia	Normal	2.946E+02	2.308E+00	6.021E-01	2036	2045	2040	5	tasmax
Croatia	Normal	3.001E+02	2.647E+00	4.779E-01	2036	2045	2040	6	tasmax
Croatia	Normal	3.036E+02	2.787E+00	4.638E-01	2036	2045	2040	7	tasmax
Croatia	Normal	3.031E+02	2.796E+00	9.404E-01	2036	2045	2040	8	tasmax
Croatia	Normal	2.978E+02	2.314E+00	6.002E-01	2036	2045	2040	9	tasmax
Croatia	Normal	2.913E+02	2.213E+00	5.470E-01	2036	2045	2040	10	tasmax
Croatia	Normal	2.855E+02	2.140E+00	7.855E-01	2036	2045	2040	11	tasmax
Croatia	Normal	2.821E+02	2.084E+00	3.405E-01	2036	2045	2040	12	tasmax
Croatia	Normal	2.812E+02	2.231E+00	6.238E-01	2046	2055	2050	1	tasmax
Croatia	Normal	2.827E+02	2.094E+00	5.270E-01	2046	2055	2050	2	tasmax
Croatia	Normal	2.858E+02	2.172E+00	5.032E-01	2046	2055	2050	3	tasmax
Croatia	Normal	2.902E+02	2.637E+00	4.869E-01	2046	2055	2050	4	tasmax
Croatia	Normal	2.950E+02	2.592E+00	7.078E-01	2046	2055	2050	5	tasmax
Croatia	Normal	3.004E+02	2.742E+00	4.502E-01	2046	2055	2050	6	tasmax
Croatia	Normal	3.043E+02	3.277E+00	7.887E-01	2046	2055	2050	7	tasmax
Croatia	Normal	3.038E+02	3.110E+00	9.387E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Croatia	Normal	2.985E+02	2.609E+00	4.927E-01	2046	2055	2050	9	tasmax
Croatia	Normal	2.919E+02	2.554E+00	5.955E-01	2046	2055	2050	10	tasmax
Croatia	Normal	2.859E+02	2.215E+00	6.604E-01	2046	2055	2050	11	tasmax
Croatia	Normal	2.821E+02	2.093E+00	5.320E-01	2046	2055	2050	12	tasmax
Croatia	Normal	2.819E+02	2.050E+00	5.153E-01	2056	2065	2060	1	tasmax
Croatia	Normal	2.831E+02	2.492E+00	5.280E-01	2056	2065	2060	2	tasmax
Croatia	Normal	2.864E+02	2.534E+00	5.298E-01	2056	2065	2060	3	tasmax
Croatia	Normal	2.907E+02	2.752E+00	5.380E-01	2056	2065	2060	4	tasmax
Croatia	Normal	2.957E+02	3.124E+00	6.119E-01	2056	2065	2060	5	tasmax
Croatia	Normal	3.011E+02	2.977E+00	5.131E-01	2056	2065	2060	6	tasmax
Croatia	Normal	3.050E+02	3.434E+00	6.774E-01	2056	2065	2060	7	tasmax
Croatia	Normal	3.048E+02	3.303E+00	9.476E-01	2056	2065	2060	8	tasmax
Croatia	Normal	2.993E+02	2.852E+00	6.899E-01	2056	2065	2060	9	tasmax
Croatia	Normal	2.924E+02	2.783E+00	7.435E-01	2056	2065	2060	10	tasmax
Croatia	Normal	2.866E+02	2.230E+00	7.603E-01	2056	2065	2060	11	tasmax
Croatia	Normal	2.832E+02	2.171E+00	4.835E-01	2056	2065	2060	12	tasmax
Croatia	Normal	2.823E+02	1.865E+00	4.230E-01	2066	2075	2070	1	tasmax
Croatia	Normal	2.837E+02	2.160E+00	4.093E-01	2066	2075	2070	2	tasmax
Croatia	Normal	2.868E+02	2.612E+00	6.620E-01	2066	2075	2070	3	tasmax
Croatia	Normal	2.915E+02	2.725E+00	5.799E-01	2066	2075	2070	4	tasmax
Croatia	Normal	2.966E+02	2.922E+00	6.479E-01	2066	2075	2070	5	tasmax
Croatia	Normal	3.022E+02	3.345E+00	4.669E-01	2066	2075	2070	6	tasmax
Croatia	Normal	3.060E+02	3.655E+00	8.822E-01	2066	2075	2070	7	tasmax
Croatia	Normal	3.057E+02	3.557E+00	1.050E+00	2066	2075	2070	8	tasmax
Croatia	Normal	3.003E+02	3.130E+00	7.893E-01	2066	2075	2070	9	tasmax
Croatia	Normal	2.933E+02	2.924E+00	5.929E-01	2066	2075	2070	10	tasmax
Croatia	Normal	2.870E+02	2.477E+00	7.543E-01	2066	2075	2070	11	tasmax
Croatia	Normal	2.835E+02	2.301E+00	4.497E-01	2066	2075	2070	12	tasmax
Croatia	Normal	2.830E+02	2.064E+00	4.506E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Croatia	Normal	2.844E+02	2.489E+00	5.421E-01	2076	2085	2080	2	tasmax
Croatia	Normal	2.875E+02	2.897E+00	6.457E-01	2076	2085	2080	3	tasmax
Croatia	Normal	2.917E+02	3.047E+00	8.192E-01	2076	2085	2080	4	tasmax
Croatia	Normal	2.972E+02	2.892E+00	7.368E-01	2076	2085	2080	5	tasmax
Croatia	Normal	3.033E+02	3.458E+00	7.630E-01	2076	2085	2080	6	tasmax
Croatia	Normal	3.072E+02	3.717E+00	7.897E-01	2076	2085	2080	7	tasmax
Croatia	Normal	3.069E+02	3.717E+00	9.638E-01	2076	2085	2080	8	tasmax
Croatia	Normal	3.013E+02	3.092E+00	5.419E-01	2076	2085	2080	9	tasmax
Croatia	Normal	2.936E+02	2.832E+00	6.781E-01	2076	2085	2080	10	tasmax
Croatia	Normal	2.876E+02	2.360E+00	6.602E-01	2076	2085	2080	11	tasmax
Croatia	Normal	2.841E+02	2.070E+00	4.390E-01	2076	2085	2080	12	tasmax
Croatia	Normal	2.834E+02	1.951E+00	4.036E-01	2086	2099	2092	1	tasmax
Croatia	Normal	2.849E+02	2.169E+00	4.723E-01	2086	2099	2092	2	tasmax
Croatia	Normal	2.879E+02	2.561E+00	3.944E-01	2086	2099	2092	3	tasmax
Croatia	Normal	2.923E+02	2.905E+00	5.636E-01	2086	2099	2092	4	tasmax
Croatia	Normal	2.979E+02	3.084E+00	4.873E-01	2086	2099	2092	5	tasmax
Croatia	Normal	3.037E+02	3.569E+00	5.104E-01	2086	2099	2092	6	tasmax
Croatia	Normal	3.078E+02	4.062E+00	1.095E+00	2086	2099	2092	7	tasmax
Croatia	Normal	3.075E+02	3.933E+00	1.112E+00	2086	2099	2092	8	tasmax
Croatia	Normal	3.019E+02	3.154E+00	7.961E-01	2086	2099	2092	9	tasmax
Croatia	Normal	2.945E+02	3.187E+00	9.479E-01	2086	2099	2092	10	tasmax
Croatia	Normal	2.885E+02	2.302E+00	6.245E-01	2086	2099	2092	11	tasmax
Croatia	Normal	2.845E+02	2.157E+00	5.719E-01	2086	2099	2092	12	tasmax
Cuba	Normal	2.992E+02	1.427E+00	4.908E-01	2006	2015	2010	1	tasmax
Cuba	Normal	2.994E+02	1.704E+00	5.261E-01	2006	2015	2010	2	tasmax
Cuba	Normal	3.001E+02	2.066E+00	5.872E-01	2006	2015	2010	3	tasmax
Cuba	Normal	3.011E+02	2.296E+00	5.441E-01	2006	2015	2010	4	tasmax
Cuba	Normal	3.021E+02	2.194E+00	5.347E-01	2006	2015	2010	5	tasmax
Cuba	Normal	3.028E+02	1.863E+00	3.862E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cuba	Normal	3.035E+02	1.960E+00	3.839E-01	2006	2015	2010	7	tasmax
Cuba	Normal	3.036E+02	1.806E+00	3.308E-01	2006	2015	2010	8	tasmax
Cuba	Normal	3.032E+02	1.705E+00	3.163E-01	2006	2015	2010	9	tasmax
Cuba	Normal	3.022E+02	1.530E+00	3.747E-01	2006	2015	2010	10	tasmax
Cuba	Normal	3.010E+02	1.409E+00	3.444E-01	2006	2015	2010	11	tasmax
Cuba	Normal	2.998E+02	1.324E+00	3.541E-01	2006	2015	2010	12	tasmax
Cuba	Normal	2.994E+02	1.463E+00	4.981E-01	2016	2025	2020	1	tasmax
Cuba	Normal	2.996E+02	1.817E+00	6.434E-01	2016	2025	2020	2	tasmax
Cuba	Normal	3.003E+02	2.032E+00	5.838E-01	2016	2025	2020	3	tasmax
Cuba	Normal	3.015E+02	2.289E+00	5.833E-01	2016	2025	2020	4	tasmax
Cuba	Normal	3.022E+02	2.239E+00	6.523E-01	2016	2025	2020	5	tasmax
Cuba	Normal	3.029E+02	1.784E+00	3.537E-01	2016	2025	2020	6	tasmax
Cuba	Normal	3.038E+02	1.995E+00	3.500E-01	2016	2025	2020	7	tasmax
Cuba	Normal	3.040E+02	1.865E+00	3.303E-01	2016	2025	2020	8	tasmax
Cuba	Normal	3.034E+02	1.673E+00	3.212E-01	2016	2025	2020	9	tasmax
Cuba	Normal	3.023E+02	1.444E+00	3.526E-01	2016	2025	2020	10	tasmax
Cuba	Normal	3.012E+02	1.450E+00	3.678E-01	2016	2025	2020	11	tasmax
Cuba	Normal	3.001E+02	1.319E+00	3.619E-01	2016	2025	2020	12	tasmax
Cuba	Normal	2.997E+02	1.366E+00	3.972E-01	2026	2035	2030	1	tasmax
Cuba	Normal	2.999E+02	1.739E+00	5.894E-01	2026	2035	2030	2	tasmax
Cuba	Normal	3.007E+02	2.098E+00	5.799E-01	2026	2035	2030	3	tasmax
Cuba	Normal	3.017E+02	2.164E+00	4.673E-01	2026	2035	2030	4	tasmax
Cuba	Normal	3.027E+02	2.201E+00	6.042E-01	2026	2035	2030	5	tasmax
Cuba	Normal	3.034E+02	1.908E+00	4.468E-01	2026	2035	2030	6	tasmax
Cuba	Normal	3.042E+02	2.019E+00	4.126E-01	2026	2035	2030	7	tasmax
Cuba	Normal	3.043E+02	1.917E+00	3.988E-01	2026	2035	2030	8	tasmax
Cuba	Normal	3.037E+02	1.577E+00	3.743E-01	2026	2035	2030	9	tasmax
Cuba	Normal	3.028E+02	1.479E+00	4.126E-01	2026	2035	2030	10	tasmax
Cuba	Normal	3.016E+02	1.503E+00	4.896E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cuba	Normal	3.004E+02	1.358E+00	4.310E-01	2026	2035	2030	12	tasmax
Cuba	Normal	3.001E+02	1.572E+00	5.917E-01	2036	2045	2040	1	tasmax
Cuba	Normal	3.003E+02	1.820E+00	6.743E-01	2036	2045	2040	2	tasmax
Cuba	Normal	3.010E+02	2.196E+00	7.330E-01	2036	2045	2040	3	tasmax
Cuba	Normal	3.021E+02	2.340E+00	6.059E-01	2036	2045	2040	4	tasmax
Cuba	Normal	3.029E+02	2.196E+00	6.089E-01	2036	2045	2040	5	tasmax
Cuba	Normal	3.037E+02	1.985E+00	4.970E-01	2036	2045	2040	6	tasmax
Cuba	Normal	3.045E+02	2.081E+00	4.889E-01	2036	2045	2040	7	tasmax
Cuba	Normal	3.047E+02	2.049E+00	4.817E-01	2036	2045	2040	8	tasmax
Cuba	Normal	3.042E+02	1.872E+00	5.074E-01	2036	2045	2040	9	tasmax
Cuba	Normal	3.031E+02	1.586E+00	4.611E-01	2036	2045	2040	10	tasmax
Cuba	Normal	3.019E+02	1.591E+00	4.472E-01	2036	2045	2040	11	tasmax
Cuba	Normal	3.007E+02	1.454E+00	4.066E-01	2036	2045	2040	12	tasmax
Cuba	Normal	3.004E+02	1.486E+00	5.337E-01	2046	2055	2050	1	tasmax
Cuba	Normal	3.006E+02	1.859E+00	6.525E-01	2046	2055	2050	2	tasmax
Cuba	Normal	3.014E+02	2.080E+00	6.160E-01	2046	2055	2050	3	tasmax
Cuba	Normal	3.024E+02	2.308E+00	5.727E-01	2046	2055	2050	4	tasmax
Cuba	Normal	3.034E+02	2.321E+00	6.200E-01	2046	2055	2050	5	tasmax
Cuba	Normal	3.041E+02	2.037E+00	5.015E-01	2046	2055	2050	6	tasmax
Cuba	Normal	3.050E+02	2.245E+00	5.232E-01	2046	2055	2050	7	tasmax
Cuba	Normal	3.051E+02	2.147E+00	4.685E-01	2046	2055	2050	8	tasmax
Cuba	Normal	3.047E+02	2.002E+00	5.663E-01	2046	2055	2050	9	tasmax
Cuba	Normal	3.036E+02	1.725E+00	5.344E-01	2046	2055	2050	10	tasmax
Cuba	Normal	3.024E+02	1.648E+00	5.063E-01	2046	2055	2050	11	tasmax
Cuba	Normal	3.011E+02	1.527E+00	4.972E-01	2046	2055	2050	12	tasmax
Cuba	Normal	3.008E+02	1.645E+00	5.433E-01	2056	2065	2060	1	tasmax
Cuba	Normal	3.010E+02	1.909E+00	6.350E-01	2056	2065	2060	2	tasmax
Cuba	Normal	3.018E+02	2.195E+00	6.832E-01	2056	2065	2060	3	tasmax
Cuba	Normal	3.028E+02	2.338E+00	6.167E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cuba	Normal	3.038E+02	2.339E+00	6.402E-01	2056	2065	2060	5	tasmax
Cuba	Normal	3.046E+02	2.118E+00	4.897E-01	2056	2065	2060	6	tasmax
Cuba	Normal	3.054E+02	2.323E+00	5.517E-01	2056	2065	2060	7	tasmax
Cuba	Normal	3.057E+02	2.316E+00	5.470E-01	2056	2065	2060	8	tasmax
Cuba	Normal	3.051E+02	2.065E+00	5.858E-01	2056	2065	2060	9	tasmax
Cuba	Normal	3.040E+02	1.802E+00	5.142E-01	2056	2065	2060	10	tasmax
Cuba	Normal	3.028E+02	1.742E+00	5.109E-01	2056	2065	2060	11	tasmax
Cuba	Normal	3.015E+02	1.622E+00	4.746E-01	2056	2065	2060	12	tasmax
Cuba	Normal	3.012E+02	1.681E+00	6.196E-01	2066	2075	2070	1	tasmax
Cuba	Normal	3.013E+02	1.974E+00	7.414E-01	2066	2075	2070	2	tasmax
Cuba	Normal	3.023E+02	2.301E+00	7.485E-01	2066	2075	2070	3	tasmax
Cuba	Normal	3.033E+02	2.526E+00	7.197E-01	2066	2075	2070	4	tasmax
Cuba	Normal	3.043E+02	2.594E+00	7.998E-01	2066	2075	2070	5	tasmax
Cuba	Normal	3.050E+02	2.250E+00	5.819E-01	2066	2075	2070	6	tasmax
Cuba	Normal	3.059E+02	2.437E+00	6.275E-01	2066	2075	2070	7	tasmax
Cuba	Normal	3.061E+02	2.272E+00	5.504E-01	2066	2075	2070	8	tasmax
Cuba	Normal	3.056E+02	2.171E+00	6.281E-01	2066	2075	2070	9	tasmax
Cuba	Normal	3.045E+02	1.950E+00	5.891E-01	2066	2075	2070	10	tasmax
Cuba	Normal	3.032E+02	1.814E+00	5.333E-01	2066	2075	2070	11	tasmax
Cuba	Normal	3.020E+02	1.660E+00	4.732E-01	2066	2075	2070	12	tasmax
Cuba	Normal	3.016E+02	1.754E+00	5.670E-01	2076	2085	2080	1	tasmax
Cuba	Normal	3.017E+02	1.982E+00	7.987E-01	2076	2085	2080	2	tasmax
Cuba	Normal	3.026E+02	2.375E+00	7.996E-01	2076	2085	2080	3	tasmax
Cuba	Normal	3.037E+02	2.629E+00	8.143E-01	2076	2085	2080	4	tasmax
Cuba	Normal	3.047E+02	2.517E+00	7.599E-01	2076	2085	2080	5	tasmax
Cuba	Normal	3.056E+02	2.330E+00	6.784E-01	2076	2085	2080	6	tasmax
Cuba	Normal	3.064E+02	2.457E+00	6.618E-01	2076	2085	2080	7	tasmax
Cuba	Normal	3.065E+02	2.398E+00	6.074E-01	2076	2085	2080	8	tasmax
Cuba	Normal	3.061E+02	2.277E+00	6.358E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cuba	Normal	3.050E+02	1.976E+00	5.687E-01	2076	2085	2080	10	tasmax
Cuba	Normal	3.036E+02	1.848E+00	5.550E-01	2076	2085	2080	11	tasmax
Cuba	Normal	3.023E+02	1.709E+00	5.369E-01	2076	2085	2080	12	tasmax
Cuba	Normal	3.021E+02	1.767E+00	6.080E-01	2086	2099	2092	1	tasmax
Cuba	Normal	3.022E+02	2.040E+00	6.991E-01	2086	2099	2092	2	tasmax
Cuba	Normal	3.030E+02	2.388E+00	7.944E-01	2086	2099	2092	3	tasmax
Cuba	Normal	3.042E+02	2.499E+00	6.906E-01	2086	2099	2092	4	tasmax
Cuba	Normal	3.051E+02	2.504E+00	7.082E-01	2086	2099	2092	5	tasmax
Cuba	Normal	3.060E+02	2.415E+00	6.421E-01	2086	2099	2092	6	tasmax
Cuba	Normal	3.069E+02	2.659E+00	7.534E-01	2086	2099	2092	7	tasmax
Cuba	Normal	3.070E+02	2.475E+00	6.537E-01	2086	2099	2092	8	tasmax
Cuba	Normal	3.065E+02	2.292E+00	6.485E-01	2086	2099	2092	9	tasmax
Cuba	Normal	3.054E+02	2.073E+00	5.808E-01	2086	2099	2092	10	tasmax
Cuba	Normal	3.041E+02	1.931E+00	5.411E-01	2086	2099	2092	11	tasmax
Cuba	Normal	3.028E+02	1.705E+00	4.789E-01	2086	2099	2092	12	tasmax
Cyprus	Normal	2.878E+02	1.812E+00	3.592E-01	2006	2015	2010	1	tasmax
Cyprus	Normal	2.881E+02	1.656E+00	3.081E-01	2006	2015	2010	2	tasmax
Cyprus	Normal	2.894E+02	1.701E+00	4.509E-01	2006	2015	2010	3	tasmax
Cyprus	Normal	2.915E+02	1.666E+00	3.511E-01	2006	2015	2010	4	tasmax
Cyprus	Normal	2.947E+02	2.103E+00	3.299E-01	2006	2015	2010	5	tasmax
Cyprus	Normal	2.984E+02	2.313E+00	5.817E-01	2006	2015	2010	6	tasmax
Cyprus	Normal	3.013E+02	2.387E+00	4.764E-01	2006	2015	2010	7	tasmax
Cyprus	Normal	3.021E+02	2.540E+00	5.082E-01	2006	2015	2010	8	tasmax
Cyprus	Normal	3.003E+02	1.790E+00	3.408E-01	2006	2015	2010	9	tasmax
Cyprus	Normal	2.968E+02	1.763E+00	2.594E-01	2006	2015	2010	10	tasmax
Cyprus	Normal	2.926E+02	1.903E+00	4.173E-01	2006	2015	2010	11	tasmax
Cyprus	Normal	2.894E+02	1.869E+00	3.848E-01	2006	2015	2010	12	tasmax
Cyprus	Normal	2.882E+02	1.801E+00	2.772E-01	2016	2025	2020	1	tasmax
Cyprus	Normal	2.883E+02	1.652E+00	2.405E-01	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cyprus	Normal	2.896E+02	1.754E+00	3.593E-01	2016	2025	2020	3	tasmax
Cyprus	Normal	2.918E+02	1.765E+00	5.022E-01	2016	2025	2020	4	tasmax
Cyprus	Normal	2.951E+02	2.011E+00	3.628E-01	2016	2025	2020	5	tasmax
Cyprus	Normal	2.989E+02	2.391E+00	4.893E-01	2016	2025	2020	6	tasmax
Cyprus	Normal	3.016E+02	2.608E+00	5.407E-01	2016	2025	2020	7	tasmax
Cyprus	Normal	3.026E+02	2.775E+00	5.877E-01	2016	2025	2020	8	tasmax
Cyprus	Normal	3.006E+02	1.976E+00	3.651E-01	2016	2025	2020	9	tasmax
Cyprus	Normal	2.970E+02	1.714E+00	2.342E-01	2016	2025	2020	10	tasmax
Cyprus	Normal	2.929E+02	1.867E+00	3.746E-01	2016	2025	2020	11	tasmax
Cyprus	Normal	2.898E+02	1.831E+00	3.796E-01	2016	2025	2020	12	tasmax
Cyprus	Normal	2.885E+02	1.775E+00	4.171E-01	2026	2035	2030	1	tasmax
Cyprus	Normal	2.886E+02	1.676E+00	4.148E-01	2026	2035	2030	2	tasmax
Cyprus	Normal	2.900E+02	1.722E+00	4.249E-01	2026	2035	2030	3	tasmax
Cyprus	Normal	2.922E+02	1.560E+00	4.135E-01	2026	2035	2030	4	tasmax
Cyprus	Normal	2.953E+02	2.085E+00	4.141E-01	2026	2035	2030	5	tasmax
Cyprus	Normal	2.993E+02	2.278E+00	4.374E-01	2026	2035	2030	6	tasmax
Cyprus	Normal	3.022E+02	2.612E+00	5.415E-01	2026	2035	2030	7	tasmax
Cyprus	Normal	3.031E+02	2.605E+00	5.598E-01	2026	2035	2030	8	tasmax
Cyprus	Normal	3.011E+02	1.850E+00	3.764E-01	2026	2035	2030	9	tasmax
Cyprus	Normal	2.974E+02	1.617E+00	3.642E-01	2026	2035	2030	10	tasmax
Cyprus	Normal	2.933E+02	1.811E+00	4.218E-01	2026	2035	2030	11	tasmax
Cyprus	Normal	2.901E+02	1.862E+00	3.445E-01	2026	2035	2030	12	tasmax
Cyprus	Normal	2.889E+02	1.732E+00	3.705E-01	2036	2045	2040	1	tasmax
Cyprus	Normal	2.890E+02	1.624E+00	3.332E-01	2036	2045	2040	2	tasmax
Cyprus	Normal	2.904E+02	1.741E+00	4.287E-01	2036	2045	2040	3	tasmax
Cyprus	Normal	2.927E+02	1.898E+00	4.436E-01	2036	2045	2040	4	tasmax
Cyprus	Normal	2.959E+02	2.002E+00	2.889E-01	2036	2045	2040	5	tasmax
Cyprus	Normal	2.998E+02	2.282E+00	5.558E-01	2036	2045	2040	6	tasmax
Cyprus	Normal	3.026E+02	2.647E+00	5.897E-01	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cyprus	Normal	3.034E+02	2.680E+00	5.754E-01	2036	2045	2040	8	tasmax
Cyprus	Normal	3.016E+02	1.915E+00	3.860E-01	2036	2045	2040	9	tasmax
Cyprus	Normal	2.980E+02	1.823E+00	3.937E-01	2036	2045	2040	10	tasmax
Cyprus	Normal	2.938E+02	1.951E+00	5.194E-01	2036	2045	2040	11	tasmax
Cyprus	Normal	2.904E+02	1.833E+00	3.631E-01	2036	2045	2040	12	tasmax
Cyprus	Normal	2.894E+02	1.826E+00	3.484E-01	2046	2055	2050	1	tasmax
Cyprus	Normal	2.894E+02	1.727E+00	3.970E-01	2046	2055	2050	2	tasmax
Cyprus	Normal	2.908E+02	1.643E+00	3.709E-01	2046	2055	2050	3	tasmax
Cyprus	Normal	2.930E+02	1.747E+00	5.350E-01	2046	2055	2050	4	tasmax
Cyprus	Normal	2.963E+02	2.072E+00	3.220E-01	2046	2055	2050	5	tasmax
Cyprus	Normal	3.002E+02	2.327E+00	4.321E-01	2046	2055	2050	6	tasmax
Cyprus	Normal	3.031E+02	2.779E+00	6.764E-01	2046	2055	2050	7	tasmax
Cyprus	Normal	3.041E+02	2.745E+00	5.718E-01	2046	2055	2050	8	tasmax
Cyprus	Normal	3.021E+02	2.044E+00	3.230E-01	2046	2055	2050	9	tasmax
Cyprus	Normal	2.986E+02	1.704E+00	3.716E-01	2046	2055	2050	10	tasmax
Cyprus	Normal	2.942E+02	2.073E+00	4.899E-01	2046	2055	2050	11	tasmax
Cyprus	Normal	2.908E+02	1.972E+00	4.754E-01	2046	2055	2050	12	tasmax
Cyprus	Normal	2.897E+02	1.945E+00	3.436E-01	2056	2065	2060	1	tasmax
Cyprus	Normal	2.898E+02	1.765E+00	3.421E-01	2056	2065	2060	2	tasmax
Cyprus	Normal	2.912E+02	1.836E+00	4.175E-01	2056	2065	2060	3	tasmax
Cyprus	Normal	2.936E+02	1.931E+00	4.212E-01	2056	2065	2060	4	tasmax
Cyprus	Normal	2.967E+02	2.095E+00	3.297E-01	2056	2065	2060	5	tasmax
Cyprus	Normal	3.007E+02	2.362E+00	4.296E-01	2056	2065	2060	6	tasmax
Cyprus	Normal	3.036E+02	2.616E+00	5.986E-01	2056	2065	2060	7	tasmax
Cyprus	Normal	3.047E+02	2.847E+00	6.215E-01	2056	2065	2060	8	tasmax
Cyprus	Normal	3.027E+02	2.230E+00	4.607E-01	2056	2065	2060	9	tasmax
Cyprus	Normal	2.990E+02	1.768E+00	3.559E-01	2056	2065	2060	10	tasmax
Cyprus	Normal	2.948E+02	2.028E+00	4.628E-01	2056	2065	2060	11	tasmax
Cyprus	Normal	2.914E+02	1.884E+00	3.319E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cyprus	Normal	2.901E+02	1.894E+00	3.977E-01	2066	2075	2070	1	tasmax
Cyprus	Normal	2.903E+02	1.822E+00	4.218E-01	2066	2075	2070	2	tasmax
Cyprus	Normal	2.917E+02	1.877E+00	3.863E-01	2066	2075	2070	3	tasmax
Cyprus	Normal	2.940E+02	1.917E+00	3.772E-01	2066	2075	2070	4	tasmax
Cyprus	Normal	2.974E+02	2.105E+00	4.245E-01	2066	2075	2070	5	tasmax
Cyprus	Normal	3.013E+02	2.474E+00	4.807E-01	2066	2075	2070	6	tasmax
Cyprus	Normal	3.042E+02	2.664E+00	6.287E-01	2066	2075	2070	7	tasmax
Cyprus	Normal	3.050E+02	2.740E+00	5.461E-01	2066	2075	2070	8	tasmax
Cyprus	Normal	3.033E+02	2.107E+00	3.843E-01	2066	2075	2070	9	tasmax
Cyprus	Normal	2.996E+02	1.811E+00	4.813E-01	2066	2075	2070	10	tasmax
Cyprus	Normal	2.953E+02	2.194E+00	4.751E-01	2066	2075	2070	11	tasmax
Cyprus	Normal	2.920E+02	2.021E+00	4.955E-01	2066	2075	2070	12	tasmax
Cyprus	Normal	2.906E+02	2.043E+00	5.214E-01	2076	2085	2080	1	tasmax
Cyprus	Normal	2.908E+02	2.028E+00	4.537E-01	2076	2085	2080	2	tasmax
Cyprus	Normal	2.921E+02	2.083E+00	4.867E-01	2076	2085	2080	3	tasmax
Cyprus	Normal	2.946E+02	2.382E+00	5.320E-01	2076	2085	2080	4	tasmax
Cyprus	Normal	2.978E+02	2.460E+00	4.936E-01	2076	2085	2080	5	tasmax
Cyprus	Normal	3.019E+02	2.499E+00	5.441E-01	2076	2085	2080	6	tasmax
Cyprus	Normal	3.047E+02	2.955E+00	5.900E-01	2076	2085	2080	7	tasmax
Cyprus	Normal	3.056E+02	2.920E+00	5.912E-01	2076	2085	2080	8	tasmax
Cyprus	Normal	3.038E+02	2.253E+00	3.735E-01	2076	2085	2080	9	tasmax
Cyprus	Normal	3.001E+02	1.949E+00	4.994E-01	2076	2085	2080	10	tasmax
Cyprus	Normal	2.958E+02	2.303E+00	5.387E-01	2076	2085	2080	11	tasmax
Cyprus	Normal	2.923E+02	2.227E+00	4.563E-01	2076	2085	2080	12	tasmax
Cyprus	Normal	2.909E+02	2.185E+00	5.117E-01	2086	2099	2092	1	tasmax
Cyprus	Normal	2.911E+02	1.999E+00	4.862E-01	2086	2099	2092	2	tasmax
Cyprus	Normal	2.927E+02	2.105E+00	4.490E-01	2086	2099	2092	3	tasmax
Cyprus	Normal	2.949E+02	2.223E+00	4.776E-01	2086	2099	2092	4	tasmax
Cyprus	Normal	2.984E+02	2.514E+00	4.136E-01	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Cyprus	Normal	3.022E+02	2.516E+00	4.665E-01	2086	2099	2092	6	tasmax
Cyprus	Normal	3.052E+02	2.778E+00	5.984E-01	2086	2099	2092	7	tasmax
Cyprus	Normal	3.061E+02	2.990E+00	6.758E-01	2086	2099	2092	8	tasmax
Cyprus	Normal	3.043E+02	2.314E+00	3.466E-01	2086	2099	2092	9	tasmax
Cyprus	Normal	3.005E+02	2.039E+00	5.747E-01	2086	2099	2092	10	tasmax
Cyprus	Normal	2.963E+02	2.255E+00	5.643E-01	2086	2099	2092	11	tasmax
Cyprus	Normal	2.928E+02	2.191E+00	5.557E-01	2086	2099	2092	12	tasmax
Czech Rep.	Normal	2.754E+02	2.447E+00	4.446E-01	2006	2015	2010	1	tasmax
Czech Rep.	Normal	2.771E+02	2.934E+00	4.961E-01	2006	2015	2010	2	tasmax
Czech Rep.	Normal	2.806E+02	2.878E+00	6.806E-01	2006	2015	2010	3	tasmax
Czech Rep.	Normal	2.861E+02	2.845E+00	5.142E-01	2006	2015	2010	4	tasmax
Czech Rep.	Normal	2.912E+02	2.555E+00	5.874E-01	2006	2015	2010	5	tasmax
Czech Rep.	Normal	2.958E+02	2.621E+00	4.745E-01	2006	2015	2010	6	tasmax
Czech Rep.	Normal	2.976E+02	2.566E+00	4.765E-01	2006	2015	2010	7	tasmax
Czech Rep.	Normal	2.966E+02	2.606E+00	3.460E-01	2006	2015	2010	8	tasmax
Czech Rep.	Normal	2.922E+02	2.617E+00	6.843E-01	2006	2015	2010	9	tasmax
Czech Rep.	Normal	2.861E+02	2.917E+00	9.798E-01	2006	2015	2010	10	tasmax
Czech Rep.	Normal	2.801E+02	2.522E+00	7.201E-01	2006	2015	2010	11	tasmax
Czech Rep.	Normal	2.766E+02	2.473E+00	3.827E-01	2006	2015	2010	12	tasmax
Czech Rep.	Normal	2.757E+02	2.495E+00	5.679E-01	2016	2025	2020	1	tasmax
Czech Rep.	Normal	2.776E+02	2.708E+00	6.220E-01	2016	2025	2020	2	tasmax
Czech Rep.	Normal	2.813E+02	3.049E+00	6.109E-01	2016	2025	2020	3	tasmax
Czech Rep.	Normal	2.863E+02	2.681E+00	5.245E-01	2016	2025	2020	4	tasmax
Czech Rep.	Normal	2.920E+02	2.540E+00	5.747E-01	2016	2025	2020	5	tasmax
Czech Rep.	Normal	2.965E+02	2.764E+00	4.193E-01	2016	2025	2020	6	tasmax
Czech Rep.	Normal	2.984E+02	2.745E+00	3.936E-01	2016	2025	2020	7	tasmax
Czech Rep.	Normal	2.972E+02	2.889E+00	5.247E-01	2016	2025	2020	8	tasmax
Czech Rep.	Normal	2.928E+02	2.954E+00	5.354E-01	2016	2025	2020	9	tasmax
Czech Rep.	Normal	2.866E+02	2.790E+00	8.806E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Czech Rep.	Normal	2.807E+02	2.397E+00	4.666E-01	2016	2025	2020	11	tasmax
Czech Rep.	Normal	2.768E+02	2.334E+00	5.301E-01	2016	2025	2020	12	tasmax
Czech Rep.	Normal	2.760E+02	2.459E+00	3.944E-01	2026	2035	2030	1	tasmax
Czech Rep.	Normal	2.777E+02	2.264E+00	4.009E-01	2026	2035	2030	2	tasmax
Czech Rep.	Normal	2.819E+02	2.698E+00	4.123E-01	2026	2035	2030	3	tasmax
Czech Rep.	Normal	2.868E+02	2.770E+00	5.674E-01	2026	2035	2030	4	tasmax
Czech Rep.	Normal	2.921E+02	2.634E+00	6.511E-01	2026	2035	2030	5	tasmax
Czech Rep.	Normal	2.966E+02	2.566E+00	4.916E-01	2026	2035	2030	6	tasmax
Czech Rep.	Normal	2.987E+02	2.852E+00	4.745E-01	2026	2035	2030	7	tasmax
Czech Rep.	Normal	2.978E+02	2.849E+00	5.144E-01	2026	2035	2030	8	tasmax
Czech Rep.	Normal	2.929E+02	2.874E+00	6.389E-01	2026	2035	2030	9	tasmax
Czech Rep.	Normal	2.871E+02	2.929E+00	9.933E-01	2026	2035	2030	10	tasmax
Czech Rep.	Normal	2.809E+02	2.597E+00	9.592E-01	2026	2035	2030	11	tasmax
Czech Rep.	Normal	2.776E+02	2.656E+00	5.392E-01	2026	2035	2030	12	tasmax
Czech Rep.	Normal	2.770E+02	2.415E+00	5.538E-01	2036	2045	2040	1	tasmax
Czech Rep.	Normal	2.785E+02	2.460E+00	4.392E-01	2036	2045	2040	2	tasmax
Czech Rep.	Normal	2.822E+02	2.878E+00	5.302E-01	2036	2045	2040	3	tasmax
Czech Rep.	Normal	2.873E+02	2.720E+00	4.237E-01	2036	2045	2040	4	tasmax
Czech Rep.	Normal	2.924E+02	2.541E+00	7.583E-01	2036	2045	2040	5	tasmax
Czech Rep.	Normal	2.973E+02	3.033E+00	5.205E-01	2036	2045	2040	6	tasmax
Czech Rep.	Normal	2.997E+02	3.207E+00	5.883E-01	2036	2045	2040	7	tasmax
Czech Rep.	Normal	2.986E+02	2.900E+00	6.573E-01	2036	2045	2040	8	tasmax
Czech Rep.	Normal	2.939E+02	2.654E+00	4.923E-01	2036	2045	2040	9	tasmax
Czech Rep.	Normal	2.876E+02	2.488E+00	7.962E-01	2036	2045	2040	10	tasmax
Czech Rep.	Normal	2.817E+02	2.425E+00	9.351E-01	2036	2045	2040	11	tasmax
Czech Rep.	Normal	2.782E+02	2.317E+00	4.655E-01	2036	2045	2040	12	tasmax
Czech Rep.	Normal	2.774E+02	2.406E+00	4.359E-01	2046	2055	2050	1	tasmax
Czech Rep.	Normal	2.789E+02	2.334E+00	5.539E-01	2046	2055	2050	2	tasmax
Czech Rep.	Normal	2.825E+02	2.685E+00	5.512E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Czech Rep.	Normal	2.876E+02	3.177E+00	4.251E-01	2046	2055	2050	4	tasmax
Czech Rep.	Normal	2.928E+02	2.831E+00	7.547E-01	2046	2055	2050	5	tasmax
Czech Rep.	Normal	2.979E+02	3.184E+00	6.034E-01	2046	2055	2050	6	tasmax
Czech Rep.	Normal	3.005E+02	3.360E+00	1.021E+00	2046	2055	2050	7	tasmax
Czech Rep.	Normal	2.994E+02	3.183E+00	8.211E-01	2046	2055	2050	8	tasmax
Czech Rep.	Normal	2.945E+02	2.684E+00	4.671E-01	2046	2055	2050	9	tasmax
Czech Rep.	Normal	2.883E+02	2.789E+00	8.590E-01	2046	2055	2050	10	tasmax
Czech Rep.	Normal	2.820E+02	2.428E+00	6.317E-01	2046	2055	2050	11	tasmax
Czech Rep.	Normal	2.782E+02	2.284E+00	3.865E-01	2046	2055	2050	12	tasmax
Czech Rep.	Normal	2.780E+02	2.422E+00	5.017E-01	2056	2065	2060	1	tasmax
Czech Rep.	Normal	2.793E+02	2.715E+00	8.362E-01	2056	2065	2060	2	tasmax
Czech Rep.	Normal	2.831E+02	2.927E+00	6.478E-01	2056	2065	2060	3	tasmax
Czech Rep.	Normal	2.881E+02	2.697E+00	5.587E-01	2056	2065	2060	4	tasmax
Czech Rep.	Normal	2.933E+02	3.232E+00	6.627E-01	2056	2065	2060	5	tasmax
Czech Rep.	Normal	2.982E+02	3.183E+00	4.719E-01	2056	2065	2060	6	tasmax
Czech Rep.	Normal	3.009E+02	3.224E+00	6.896E-01	2056	2065	2060	7	tasmax
Czech Rep.	Normal	3.003E+02	3.263E+00	7.288E-01	2056	2065	2060	8	tasmax
Czech Rep.	Normal	2.953E+02	2.950E+00	7.326E-01	2056	2065	2060	9	tasmax
Czech Rep.	Normal	2.888E+02	2.986E+00	9.368E-01	2056	2065	2060	10	tasmax
Czech Rep.	Normal	2.827E+02	2.341E+00	7.411E-01	2056	2065	2060	11	tasmax
Czech Rep.	Normal	2.792E+02	2.399E+00	5.848E-01	2056	2065	2060	12	tasmax
Czech Rep.	Normal	2.785E+02	1.941E+00	3.500E-01	2066	2075	2070	1	tasmax
Czech Rep.	Normal	2.799E+02	2.479E+00	3.974E-01	2066	2075	2070	2	tasmax
Czech Rep.	Normal	2.835E+02	2.970E+00	5.089E-01	2066	2075	2070	3	tasmax
Czech Rep.	Normal	2.888E+02	2.816E+00	5.653E-01	2066	2075	2070	4	tasmax
Czech Rep.	Normal	2.941E+02	2.982E+00	5.772E-01	2066	2075	2070	5	tasmax
Czech Rep.	Normal	2.993E+02	3.675E+00	5.401E-01	2066	2075	2070	6	tasmax
Czech Rep.	Normal	3.018E+02	3.692E+00	7.329E-01	2066	2075	2070	7	tasmax
Czech Rep.	Normal	3.012E+02	3.588E+00	9.104E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Czech Rep.	Normal	2.963E+02	3.319E+00	7.655E-01	2066	2075	2070	9	tasmax
Czech Rep.	Normal	2.896E+02	3.124E+00	7.834E-01	2066	2075	2070	10	tasmax
Czech Rep.	Normal	2.832E+02	2.476E+00	7.462E-01	2066	2075	2070	11	tasmax
Czech Rep.	Normal	2.796E+02	2.405E+00	5.976E-01	2066	2075	2070	12	tasmax
Czech Rep.	Normal	2.792E+02	2.197E+00	4.101E-01	2076	2085	2080	1	tasmax
Czech Rep.	Normal	2.806E+02	2.686E+00	5.156E-01	2076	2085	2080	2	tasmax
Czech Rep.	Normal	2.841E+02	3.268E+00	5.711E-01	2076	2085	2080	3	tasmax
Czech Rep.	Normal	2.889E+02	3.434E+00	9.714E-01	2076	2085	2080	4	tasmax
Czech Rep.	Normal	2.947E+02	3.151E+00	6.515E-01	2076	2085	2080	5	tasmax
Czech Rep.	Normal	3.002E+02	3.482E+00	6.745E-01	2076	2085	2080	6	tasmax
Czech Rep.	Normal	3.030E+02	3.873E+00	9.368E-01	2076	2085	2080	7	tasmax
Czech Rep.	Normal	3.022E+02	3.761E+00	9.274E-01	2076	2085	2080	8	tasmax
Czech Rep.	Normal	2.971E+02	3.199E+00	5.893E-01	2076	2085	2080	9	tasmax
Czech Rep.	Normal	2.901E+02	3.024E+00	7.509E-01	2076	2085	2080	10	tasmax
Czech Rep.	Normal	2.837E+02	2.430E+00	6.993E-01	2076	2085	2080	11	tasmax
Czech Rep.	Normal	2.803E+02	2.228E+00	6.631E-01	2076	2085	2080	12	tasmax
Czech Rep.	Normal	2.796E+02	1.943E+00	3.900E-01	2086	2099	2092	1	tasmax
Czech Rep.	Normal	2.811E+02	2.379E+00	5.664E-01	2086	2099	2092	2	tasmax
Czech Rep.	Normal	2.844E+02	2.771E+00	5.484E-01	2086	2099	2092	3	tasmax
Czech Rep.	Normal	2.895E+02	3.068E+00	5.459E-01	2086	2099	2092	4	tasmax
Czech Rep.	Normal	2.952E+02	3.105E+00	3.956E-01	2086	2099	2092	5	tasmax
Czech Rep.	Normal	3.006E+02	3.821E+00	7.002E-01	2086	2099	2092	6	tasmax
Czech Rep.	Normal	3.037E+02	3.982E+00	1.139E+00	2086	2099	2092	7	tasmax
Czech Rep.	Normal	3.029E+02	3.688E+00	1.064E+00	2086	2099	2092	8	tasmax
Czech Rep.	Normal	2.979E+02	3.260E+00	5.099E-01	2086	2099	2092	9	tasmax
Czech Rep.	Normal	2.908E+02	3.147E+00	9.311E-01	2086	2099	2092	10	tasmax
Czech Rep.	Normal	2.845E+02	2.235E+00	7.528E-01	2086	2099	2092	11	tasmax
Czech Rep.	Normal	2.807E+02	2.265E+00	6.058E-01	2086	2099	2092	12	tasmax
Denmark	Normal	2.771E+02	1.852E+00	3.836E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Denmark	Normal	2.770E+02	1.923E+00	6.661E-01	2006	2015	2010	2	tasmax
Denmark	Normal	2.785E+02	1.849E+00	5.149E-01	2006	2015	2010	3	tasmax
Denmark	Normal	2.821E+02	2.329E+00	5.843E-01	2006	2015	2010	4	tasmax
Denmark	Normal	2.868E+02	2.533E+00	4.549E-01	2006	2015	2010	5	tasmax
Denmark	Normal	2.914E+02	2.870E+00	4.164E-01	2006	2015	2010	6	tasmax
Denmark	Normal	2.933E+02	2.992E+00	5.385E-01	2006	2015	2010	7	tasmax
Denmark	Normal	2.926E+02	2.511E+00	4.413E-01	2006	2015	2010	8	tasmax
Denmark	Normal	2.895E+02	1.999E+00	3.567E-01	2006	2015	2010	9	tasmax
Denmark	Normal	2.853E+02	1.698E+00	3.777E-01	2006	2015	2010	10	tasmax
Denmark	Normal	2.810E+02	1.766E+00	3.187E-01	2006	2015	2010	11	tasmax
Denmark	Normal	2.785E+02	1.777E+00	3.926E-01	2006	2015	2010	12	tasmax
Denmark	Normal	2.774E+02	1.714E+00	3.870E-01	2016	2025	2020	1	tasmax
Denmark	Normal	2.775E+02	1.836E+00	5.519E-01	2016	2025	2020	2	tasmax
Denmark	Normal	2.791E+02	1.982E+00	7.172E-01	2016	2025	2020	3	tasmax
Denmark	Normal	2.826E+02	2.119E+00	5.671E-01	2016	2025	2020	4	tasmax
Denmark	Normal	2.876E+02	2.618E+00	4.447E-01	2016	2025	2020	5	tasmax
Denmark	Normal	2.921E+02	2.845E+00	4.832E-01	2016	2025	2020	6	tasmax
Denmark	Normal	2.940E+02	2.793E+00	5.684E-01	2016	2025	2020	7	tasmax
Denmark	Normal	2.931E+02	2.395E+00	4.164E-01	2016	2025	2020	8	tasmax
Denmark	Normal	2.900E+02	1.987E+00	2.832E-01	2016	2025	2020	9	tasmax
Denmark	Normal	2.857E+02	1.646E+00	3.340E-01	2016	2025	2020	10	tasmax
Denmark	Normal	2.817E+02	1.616E+00	4.155E-01	2016	2025	2020	11	tasmax
Denmark	Normal	2.787E+02	1.640E+00	3.626E-01	2016	2025	2020	12	tasmax
Denmark	Normal	2.776E+02	1.808E+00	3.058E-01	2026	2035	2030	1	tasmax
Denmark	Normal	2.776E+02	1.655E+00	4.523E-01	2026	2035	2030	2	tasmax
Denmark	Normal	2.793E+02	1.839E+00	5.983E-01	2026	2035	2030	3	tasmax
Denmark	Normal	2.829E+02	2.300E+00	6.442E-01	2026	2035	2030	4	tasmax
Denmark	Normal	2.877E+02	2.653E+00	4.968E-01	2026	2035	2030	5	tasmax
Denmark	Normal	2.921E+02	3.008E+00	5.293E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Denmark	Normal	2.941E+02	3.077E+00	5.306E-01	2026	2035	2030	7	tasmax
Denmark	Normal	2.933E+02	2.482E+00	3.383E-01	2026	2035	2030	8	tasmax
Denmark	Normal	2.902E+02	1.957E+00	2.923E-01	2026	2035	2030	9	tasmax
Denmark	Normal	2.860E+02	1.800E+00	4.227E-01	2026	2035	2030	10	tasmax
Denmark	Normal	2.818E+02	1.681E+00	2.846E-01	2026	2035	2030	11	tasmax
Denmark	Normal	2.792E+02	1.825E+00	2.752E-01	2026	2035	2030	12	tasmax
Denmark	Normal	2.783E+02	1.816E+00	3.014E-01	2036	2045	2040	1	tasmax
Denmark	Normal	2.783E+02	1.809E+00	5.384E-01	2036	2045	2040	2	tasmax
Denmark	Normal	2.798E+02	1.876E+00	6.122E-01	2036	2045	2040	3	tasmax
Denmark	Normal	2.834E+02	2.174E+00	6.557E-01	2036	2045	2040	4	tasmax
Denmark	Normal	2.881E+02	2.781E+00	5.067E-01	2036	2045	2040	5	tasmax
Denmark	Normal	2.925E+02	2.897E+00	5.334E-01	2036	2045	2040	6	tasmax
Denmark	Normal	2.947E+02	3.011E+00	4.188E-01	2036	2045	2040	7	tasmax
Denmark	Normal	2.939E+02	2.486E+00	3.948E-01	2036	2045	2040	8	tasmax
Denmark	Normal	2.906E+02	1.769E+00	2.795E-01	2036	2045	2040	9	tasmax
Denmark	Normal	2.864E+02	1.541E+00	2.202E-01	2036	2045	2040	10	tasmax
Denmark	Normal	2.824E+02	1.603E+00	4.504E-01	2036	2045	2040	11	tasmax
Denmark	Normal	2.798E+02	1.680E+00	2.930E-01	2036	2045	2040	12	tasmax
Denmark	Normal	2.786E+02	1.628E+00	3.252E-01	2046	2055	2050	1	tasmax
Denmark	Normal	2.785E+02	1.595E+00	3.493E-01	2046	2055	2050	2	tasmax
Denmark	Normal	2.801E+02	1.846E+00	6.197E-01	2046	2055	2050	3	tasmax
Denmark	Normal	2.836E+02	2.216E+00	5.934E-01	2046	2055	2050	4	tasmax
Denmark	Normal	2.886E+02	2.802E+00	4.913E-01	2046	2055	2050	5	tasmax
Denmark	Normal	2.931E+02	3.033E+00	4.670E-01	2046	2055	2050	6	tasmax
Denmark	Normal	2.952E+02	2.835E+00	3.856E-01	2046	2055	2050	7	tasmax
Denmark	Normal	2.944E+02	2.449E+00	4.714E-01	2046	2055	2050	8	tasmax
Denmark	Normal	2.912E+02	1.933E+00	2.586E-01	2046	2055	2050	9	tasmax
Denmark	Normal	2.870E+02	1.710E+00	3.637E-01	2046	2055	2050	10	tasmax
Denmark	Normal	2.828E+02	1.740E+00	3.383E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Denmark	Normal	2.800E+02	1.715E+00	3.883E-01	2046	2055	2050	12	tasmax
Denmark	Normal	2.792E+02	1.691E+00	3.802E-01	2056	2065	2060	1	tasmax
Denmark	Normal	2.790E+02	1.784E+00	5.355E-01	2056	2065	2060	2	tasmax
Denmark	Normal	2.807E+02	1.939E+00	8.300E-01	2056	2065	2060	3	tasmax
Denmark	Normal	2.842E+02	2.124E+00	4.767E-01	2056	2065	2060	4	tasmax
Denmark	Normal	2.888E+02	2.771E+00	4.875E-01	2056	2065	2060	5	tasmax
Denmark	Normal	2.935E+02	3.120E+00	5.317E-01	2056	2065	2060	6	tasmax
Denmark	Normal	2.957E+02	3.105E+00	5.885E-01	2056	2065	2060	7	tasmax
Denmark	Normal	2.951E+02	2.718E+00	5.480E-01	2056	2065	2060	8	tasmax
Denmark	Normal	2.918E+02	2.161E+00	3.159E-01	2056	2065	2060	9	tasmax
Denmark	Normal	2.875E+02	1.796E+00	3.282E-01	2056	2065	2060	10	tasmax
Denmark	Normal	2.833E+02	1.549E+00	4.450E-01	2056	2065	2060	11	tasmax
Denmark	Normal	2.806E+02	1.849E+00	3.983E-01	2056	2065	2060	12	tasmax
Denmark	Normal	2.798E+02	1.574E+00	3.717E-01	2066	2075	2070	1	tasmax
Denmark	Normal	2.794E+02	1.708E+00	3.177E-01	2066	2075	2070	2	tasmax
Denmark	Normal	2.810E+02	1.735E+00	6.296E-01	2066	2075	2070	3	tasmax
Denmark	Normal	2.847E+02	2.172E+00	4.597E-01	2066	2075	2070	4	tasmax
Denmark	Normal	2.895E+02	2.571E+00	4.683E-01	2066	2075	2070	5	tasmax
Denmark	Normal	2.941E+02	2.945E+00	4.880E-01	2066	2075	2070	6	tasmax
Denmark	Normal	2.961E+02	3.156E+00	5.584E-01	2066	2075	2070	7	tasmax
Denmark	Normal	2.957E+02	2.627E+00	5.057E-01	2066	2075	2070	8	tasmax
Denmark	Normal	2.923E+02	2.117E+00	2.625E-01	2066	2075	2070	9	tasmax
Denmark	Normal	2.880E+02	1.931E+00	4.267E-01	2066	2075	2070	10	tasmax
Denmark	Normal	2.838E+02	1.577E+00	3.665E-01	2066	2075	2070	11	tasmax
Denmark	Normal	2.811E+02	1.667E+00	4.841E-01	2066	2075	2070	12	tasmax
Denmark	Normal	2.803E+02	1.679E+00	2.222E-01	2076	2085	2080	1	tasmax
Denmark	Normal	2.800E+02	1.659E+00	3.098E-01	2076	2085	2080	2	tasmax
Denmark	Normal	2.815E+02	1.813E+00	7.886E-01	2076	2085	2080	3	tasmax
Denmark	Normal	2.850E+02	2.332E+00	4.904E-01	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Denmark	Normal	2.901E+02	2.863E+00	4.247E-01	2076	2085	2080	5	tasmax
Denmark	Normal	2.946E+02	3.038E+00	4.978E-01	2076	2085	2080	6	tasmax
Denmark	Normal	2.968E+02	3.259E+00	5.206E-01	2076	2085	2080	7	tasmax
Denmark	Normal	2.963E+02	2.810E+00	5.201E-01	2076	2085	2080	8	tasmax
Denmark	Normal	2.929E+02	2.197E+00	3.468E-01	2076	2085	2080	9	tasmax
Denmark	Normal	2.886E+02	1.796E+00	4.603E-01	2076	2085	2080	10	tasmax
Denmark	Normal	2.843E+02	1.542E+00	3.512E-01	2076	2085	2080	11	tasmax
Denmark	Normal	2.818E+02	1.515E+00	3.209E-01	2076	2085	2080	12	tasmax
Denmark	Normal	2.807E+02	1.470E+00	2.671E-01	2086	2099	2092	1	tasmax
Denmark	Normal	2.804E+02	1.374E+00	2.836E-01	2086	2099	2092	2	tasmax
Denmark	Normal	2.818E+02	1.645E+00	6.980E-01	2086	2099	2092	3	tasmax
Denmark	Normal	2.853E+02	2.015E+00	4.514E-01	2086	2099	2092	4	tasmax
Denmark	Normal	2.902E+02	2.593E+00	5.281E-01	2086	2099	2092	5	tasmax
Denmark	Normal	2.950E+02	3.218E+00	7.297E-01	2086	2099	2092	6	tasmax
Denmark	Normal	2.973E+02	3.097E+00	6.536E-01	2086	2099	2092	7	tasmax
Denmark	Normal	2.969E+02	2.766E+00	5.473E-01	2086	2099	2092	8	tasmax
Denmark	Normal	2.937E+02	2.074E+00	3.090E-01	2086	2099	2092	9	tasmax
Denmark	Normal	2.891E+02	1.785E+00	4.101E-01	2086	2099	2092	10	tasmax
Denmark	Normal	2.849E+02	1.473E+00	2.407E-01	2086	2099	2092	11	tasmax
Denmark	Normal	2.822E+02	1.485E+00	4.412E-01	2086	2099	2092	12	tasmax
Djibouti	Normal	2.996E+02	3.248E+00	1.045E+00	2006	2015	2010	1	tasmax
Djibouti	Normal	3.013E+02	3.482E+00	1.104E+00	2006	2015	2010	2	tasmax
Djibouti	Normal	3.038E+02	3.579E+00	9.326E-01	2006	2015	2010	3	tasmax
Djibouti	Normal	3.063E+02	3.630E+00	8.750E-01	2006	2015	2010	4	tasmax
Djibouti	Normal	3.084E+02	3.604E+00	6.235E-01	2006	2015	2010	5	tasmax
Djibouti	Normal	3.098E+02	3.392E+00	5.127E-01	2006	2015	2010	6	tasmax
Djibouti	Normal	3.087E+02	3.295E+00	7.935E-01	2006	2015	2010	7	tasmax
Djibouti	Normal	3.080E+02	3.142E+00	9.694E-01	2006	2015	2010	8	tasmax
Djibouti	Normal	3.077E+02	3.442E+00	5.423E-01	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Djibouti	Normal	3.056E+02	3.478E+00	9.452E-01	2006	2015	2010	10	tasmax
Djibouti	Normal	3.024E+02	3.277E+00	8.661E-01	2006	2015	2010	11	tasmax
Djibouti	Normal	3.001E+02	3.204E+00	8.573E-01	2006	2015	2010	12	tasmax
Djibouti	Normal	2.999E+02	3.332E+00	9.802E-01	2016	2025	2020	1	tasmax
Djibouti	Normal	3.016E+02	3.484E+00	1.164E+00	2016	2025	2020	2	tasmax
Djibouti	Normal	3.045E+02	3.702E+00	9.565E-01	2016	2025	2020	3	tasmax
Djibouti	Normal	3.068E+02	3.673E+00	9.178E-01	2016	2025	2020	4	tasmax
Djibouti	Normal	3.087E+02	3.712E+00	5.838E-01	2016	2025	2020	5	tasmax
Djibouti	Normal	3.100E+02	3.422E+00	5.093E-01	2016	2025	2020	6	tasmax
Djibouti	Normal	3.090E+02	3.346E+00	8.815E-01	2016	2025	2020	7	tasmax
Djibouti	Normal	3.082E+02	3.628E+00	1.092E+00	2016	2025	2020	8	tasmax
Djibouti	Normal	3.080E+02	3.598E+00	5.107E-01	2016	2025	2020	9	tasmax
Djibouti	Normal	3.058E+02	3.591E+00	9.028E-01	2016	2025	2020	10	tasmax
Djibouti	Normal	3.027E+02	3.304E+00	8.018E-01	2016	2025	2020	11	tasmax
Djibouti	Normal	3.004E+02	3.220E+00	8.367E-01	2016	2025	2020	12	tasmax
Djibouti	Normal	3.003E+02	3.237E+00	1.005E+00	2026	2035	2030	1	tasmax
Djibouti	Normal	3.019E+02	3.411E+00	1.156E+00	2026	2035	2030	2	tasmax
Djibouti	Normal	3.047E+02	3.521E+00	8.540E-01	2026	2035	2030	3	tasmax
Djibouti	Normal	3.070E+02	3.576E+00	8.029E-01	2026	2035	2030	4	tasmax
Djibouti	Normal	3.092E+02	3.813E+00	5.823E-01	2026	2035	2030	5	tasmax
Djibouti	Normal	3.104E+02	3.472E+00	5.202E-01	2026	2035	2030	6	tasmax
Djibouti	Normal	3.094E+02	3.494E+00	8.979E-01	2026	2035	2030	7	tasmax
Djibouti	Normal	3.085E+02	3.458E+00	1.105E+00	2026	2035	2030	8	tasmax
Djibouti	Normal	3.082E+02	3.600E+00	4.895E-01	2026	2035	2030	9	tasmax
Djibouti	Normal	3.060E+02	3.432E+00	7.469E-01	2026	2035	2030	10	tasmax
Djibouti	Normal	3.030E+02	3.378E+00	8.926E-01	2026	2035	2030	11	tasmax
Djibouti	Normal	3.007E+02	3.256E+00	9.061E-01	2026	2035	2030	12	tasmax
Djibouti	Normal	3.007E+02	3.150E+00	8.880E-01	2036	2045	2040	1	tasmax
Djibouti	Normal	3.024E+02	3.319E+00	1.007E+00	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Djibouti	Normal	3.052E+02	3.634E+00	1.083E+00	2036	2045	2040	3	tasmax
Djibouti	Normal	3.076E+02	3.648E+00	7.788E-01	2036	2045	2040	4	tasmax
Djibouti	Normal	3.096E+02	3.822E+00	6.265E-01	2036	2045	2040	5	tasmax
Djibouti	Normal	3.110E+02	3.468E+00	5.644E-01	2036	2045	2040	6	tasmax
Djibouti	Normal	3.097E+02	3.685E+00	1.017E+00	2036	2045	2040	7	tasmax
Djibouti	Normal	3.089E+02	3.417E+00	1.040E+00	2036	2045	2040	8	tasmax
Djibouti	Normal	3.086E+02	3.524E+00	6.704E-01	2036	2045	2040	9	tasmax
Djibouti	Normal	3.065E+02	3.530E+00	9.046E-01	2036	2045	2040	10	tasmax
Djibouti	Normal	3.034E+02	3.304E+00	8.325E-01	2036	2045	2040	11	tasmax
Djibouti	Normal	3.012E+02	3.207E+00	8.446E-01	2036	2045	2040	12	tasmax
Djibouti	Normal	3.013E+02	3.155E+00	9.064E-01	2046	2055	2050	1	tasmax
Djibouti	Normal	3.029E+02	3.350E+00	1.143E+00	2046	2055	2050	2	tasmax
Djibouti	Normal	3.057E+02	3.662E+00	1.012E+00	2046	2055	2050	3	tasmax
Djibouti	Normal	3.081E+02	3.599E+00	9.244E-01	2046	2055	2050	4	tasmax
Djibouti	Normal	3.101E+02	3.668E+00	5.991E-01	2046	2055	2050	5	tasmax
Djibouti	Normal	3.115E+02	3.514E+00	5.553E-01	2046	2055	2050	6	tasmax
Djibouti	Normal	3.104E+02	3.933E+00	1.003E+00	2046	2055	2050	7	tasmax
Djibouti	Normal	3.092E+02	3.789E+00	1.097E+00	2046	2055	2050	8	tasmax
Djibouti	Normal	3.091E+02	3.719E+00	6.578E-01	2046	2055	2050	9	tasmax
Djibouti	Normal	3.070E+02	3.556E+00	8.920E-01	2046	2055	2050	10	tasmax
Djibouti	Normal	3.040E+02	3.356E+00	9.377E-01	2046	2055	2050	11	tasmax
Djibouti	Normal	3.017E+02	3.208E+00	8.656E-01	2046	2055	2050	12	tasmax
Djibouti	Normal	3.016E+02	3.382E+00	9.506E-01	2056	2065	2060	1	tasmax
Djibouti	Normal	3.034E+02	3.537E+00	1.118E+00	2056	2065	2060	2	tasmax
Djibouti	Normal	3.061E+02	3.512E+00	8.513E-01	2056	2065	2060	3	tasmax
Djibouti	Normal	3.086E+02	3.570E+00	7.620E-01	2056	2065	2060	4	tasmax
Djibouti	Normal	3.107E+02	3.740E+00	6.001E-01	2056	2065	2060	5	tasmax
Djibouti	Normal	3.120E+02	3.574E+00	5.592E-01	2056	2065	2060	6	tasmax
Djibouti	Normal	3.110E+02	3.841E+00	9.689E-01	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Djibouti	Normal	3.100E+02	4.002E+00	1.136E+00	2056	2065	2060	8	tasmax
Djibouti	Normal	3.096E+02	3.973E+00	8.598E-01	2056	2065	2060	9	tasmax
Djibouti	Normal	3.073E+02	3.738E+00	7.378E-01	2056	2065	2060	10	tasmax
Djibouti	Normal	3.043E+02	3.464E+00	8.471E-01	2056	2065	2060	11	tasmax
Djibouti	Normal	3.021E+02	3.443E+00	8.587E-01	2056	2065	2060	12	tasmax
Djibouti	Normal	3.023E+02	3.270E+00	8.904E-01	2066	2075	2070	1	tasmax
Djibouti	Normal	3.039E+02	3.413E+00	9.910E-01	2066	2075	2070	2	tasmax
Djibouti	Normal	3.067E+02	3.504E+00	7.183E-01	2066	2075	2070	3	tasmax
Djibouti	Normal	3.090E+02	3.419E+00	6.912E-01	2066	2075	2070	4	tasmax
Djibouti	Normal	3.114E+02	3.739E+00	5.913E-01	2066	2075	2070	5	tasmax
Djibouti	Normal	3.127E+02	3.441E+00	5.204E-01	2066	2075	2070	6	tasmax
Djibouti	Normal	3.116E+02	3.803E+00	9.393E-01	2066	2075	2070	7	tasmax
Djibouti	Normal	3.105E+02	3.888E+00	1.111E+00	2066	2075	2070	8	tasmax
Djibouti	Normal	3.102E+02	3.654E+00	7.357E-01	2066	2075	2070	9	tasmax
Djibouti	Normal	3.081E+02	3.399E+00	5.439E-01	2066	2075	2070	10	tasmax
Djibouti	Normal	3.049E+02	3.397E+00	7.602E-01	2066	2075	2070	11	tasmax
Djibouti	Normal	3.027E+02	3.287E+00	8.423E-01	2066	2075	2070	12	tasmax
Djibouti	Normal	3.028E+02	3.333E+00	8.867E-01	2076	2085	2080	1	tasmax
Djibouti	Normal	3.045E+02	3.502E+00	9.649E-01	2076	2085	2080	2	tasmax
Djibouti	Normal	3.073E+02	3.676E+00	8.101E-01	2076	2085	2080	3	tasmax
Djibouti	Normal	3.098E+02	3.669E+00	7.959E-01	2076	2085	2080	4	tasmax
Djibouti	Normal	3.120E+02	3.801E+00	6.092E-01	2076	2085	2080	5	tasmax
Djibouti	Normal	3.133E+02	3.694E+00	6.094E-01	2076	2085	2080	6	tasmax
Djibouti	Normal	3.120E+02	4.138E+00	1.039E+00	2076	2085	2080	7	tasmax
Djibouti	Normal	3.109E+02	4.180E+00	1.057E+00	2076	2085	2080	8	tasmax
Djibouti	Normal	3.106E+02	3.890E+00	7.903E-01	2076	2085	2080	9	tasmax
Djibouti	Normal	3.083E+02	3.374E+00	5.965E-01	2076	2085	2080	10	tasmax
Djibouti	Normal	3.054E+02	3.416E+00	6.838E-01	2076	2085	2080	11	tasmax
Djibouti	Normal	3.033E+02	3.478E+00	8.300E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Djibouti	Normal	3.035E+02	3.292E+00	8.055E-01	2086	2099	2092	1	tasmax
Djibouti	Normal	3.050E+02	3.497E+00	1.008E+00	2086	2099	2092	2	tasmax
Djibouti	Normal	3.077E+02	3.515E+00	6.607E-01	2086	2099	2092	3	tasmax
Djibouti	Normal	3.102E+02	3.608E+00	7.842E-01	2086	2099	2092	4	tasmax
Djibouti	Normal	3.125E+02	3.720E+00	6.587E-01	2086	2099	2092	5	tasmax
Djibouti	Normal	3.138E+02	3.589E+00	5.467E-01	2086	2099	2092	6	tasmax
Djibouti	Normal	3.126E+02	4.236E+00	1.092E+00	2086	2099	2092	7	tasmax
Djibouti	Normal	3.116E+02	3.972E+00	1.215E+00	2086	2099	2092	8	tasmax
Djibouti	Normal	3.109E+02	3.871E+00	9.778E-01	2086	2099	2092	9	tasmax
Djibouti	Normal	3.088E+02	3.469E+00	6.934E-01	2086	2099	2092	10	tasmax
Djibouti	Normal	3.059E+02	3.418E+00	6.657E-01	2086	2099	2092	11	tasmax
Djibouti	Normal	3.037E+02	3.356E+00	8.475E-01	2086	2099	2092	12	tasmax
Dominican Rep.	Normal	3.002E+02	2.163E+00	4.978E-01	2006	2015	2010	1	tasmax
Dominican Rep.	Normal	3.003E+02	2.283E+00	4.488E-01	2006	2015	2010	2	tasmax
Dominican Rep.	Normal	3.008E+02	2.514E+00	4.974E-01	2006	2015	2010	3	tasmax
Dominican Rep.	Normal	3.014E+02	2.418E+00	4.468E-01	2006	2015	2010	4	tasmax
Dominican Rep.	Normal	3.018E+02	2.291E+00	4.870E-01	2006	2015	2010	5	tasmax
Dominican Rep.	Normal	3.024E+02	2.410E+00	3.812E-01	2006	2015	2010	6	tasmax
Dominican Rep.	Normal	3.031E+02	2.482E+00	3.570E-01	2006	2015	2010	7	tasmax
Dominican Rep.	Normal	3.034E+02	2.533E+00	4.040E-01	2006	2015	2010	8	tasmax
Dominican Rep.	Normal	3.032E+02	2.389E+00	3.530E-01	2006	2015	2010	9	tasmax
Dominican Rep.	Normal	3.024E+02	2.176E+00	3.333E-01	2006	2015	2010	10	tasmax
Dominican Rep.	Normal	3.015E+02	2.058E+00	3.759E-01	2006	2015	2010	11	tasmax
Dominican Rep.	Normal	3.006E+02	2.064E+00	4.092E-01	2006	2015	2010	12	tasmax
Dominican Rep.	Normal	3.004E+02	2.206E+00	4.645E-01	2016	2025	2020	1	tasmax
Dominican Rep.	Normal	3.007E+02	2.504E+00	5.822E-01	2016	2025	2020	2	tasmax
Dominican Rep.	Normal	3.012E+02	2.565E+00	5.396E-01	2016	2025	2020	3	tasmax
Dominican Rep.	Normal	3.017E+02	2.593E+00	4.907E-01	2016	2025	2020	4	tasmax
Dominican Rep.	Normal	3.022E+02	2.506E+00	4.914E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Dominican Rep.	Normal	3.027E+02	2.361E+00	3.981E-01	2016	2025	2020	6	tasmax
Dominican Rep.	Normal	3.035E+02	2.627E+00	3.504E-01	2016	2025	2020	7	tasmax
Dominican Rep.	Normal	3.038E+02	2.657E+00	3.676E-01	2016	2025	2020	8	tasmax
Dominican Rep.	Normal	3.034E+02	2.393E+00	3.700E-01	2016	2025	2020	9	tasmax
Dominican Rep.	Normal	3.027E+02	2.281E+00	3.793E-01	2016	2025	2020	10	tasmax
Dominican Rep.	Normal	3.018E+02	2.123E+00	3.154E-01	2016	2025	2020	11	tasmax
Dominican Rep.	Normal	3.009E+02	2.085E+00	3.340E-01	2016	2025	2020	12	tasmax
Dominican Rep.	Normal	3.007E+02	2.191E+00	4.677E-01	2026	2035	2030	1	tasmax
Dominican Rep.	Normal	3.009E+02	2.394E+00	5.249E-01	2026	2035	2030	2	tasmax
Dominican Rep.	Normal	3.014E+02	2.555E+00	5.246E-01	2026	2035	2030	3	tasmax
Dominican Rep.	Normal	3.019E+02	2.463E+00	4.333E-01	2026	2035	2030	4	tasmax
Dominican Rep.	Normal	3.024E+02	2.362E+00	4.715E-01	2026	2035	2030	5	tasmax
Dominican Rep.	Normal	3.030E+02	2.393E+00	4.659E-01	2026	2035	2030	6	tasmax
Dominican Rep.	Normal	3.038E+02	2.530E+00	4.045E-01	2026	2035	2030	7	tasmax
Dominican Rep.	Normal	3.041E+02	2.585E+00	4.148E-01	2026	2035	2030	8	tasmax
Dominican Rep.	Normal	3.038E+02	2.494E+00	4.200E-01	2026	2035	2030	9	tasmax
Dominican Rep.	Normal	3.030E+02	2.204E+00	3.803E-01	2026	2035	2030	10	tasmax
Dominican Rep.	Normal	3.021E+02	2.090E+00	3.477E-01	2026	2035	2030	11	tasmax
Dominican Rep.	Normal	3.012E+02	2.061E+00	4.443E-01	2026	2035	2030	12	tasmax
Dominican Rep.	Normal	3.012E+02	2.330E+00	5.710E-01	2036	2045	2040	1	tasmax
Dominican Rep.	Normal	3.013E+02	2.463E+00	5.441E-01	2036	2045	2040	2	tasmax
Dominican Rep.	Normal	3.019E+02	2.702E+00	6.153E-01	2036	2045	2040	3	tasmax
Dominican Rep.	Normal	3.024E+02	2.677E+00	4.790E-01	2036	2045	2040	4	tasmax
Dominican Rep.	Normal	3.027E+02	2.422E+00	4.084E-01	2036	2045	2040	5	tasmax
Dominican Rep.	Normal	3.034E+02	2.531E+00	3.731E-01	2036	2045	2040	6	tasmax
Dominican Rep.	Normal	3.041E+02	2.605E+00	3.296E-01	2036	2045	2040	7	tasmax
Dominican Rep.	Normal	3.045E+02	2.771E+00	3.877E-01	2036	2045	2040	8	tasmax
Dominican Rep.	Normal	3.043E+02	2.634E+00	3.929E-01	2036	2045	2040	9	tasmax
Dominican Rep.	Normal	3.035E+02	2.350E+00	3.969E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Dominican Rep.	Normal	3.026E+02	2.310E+00	3.713E-01	2036	2045	2040	11	tasmax
Dominican Rep.	Normal	3.017E+02	2.205E+00	4.115E-01	2036	2045	2040	12	tasmax
Dominican Rep.	Normal	3.015E+02	2.293E+00	4.981E-01	2046	2055	2050	1	tasmax
Dominican Rep.	Normal	3.017E+02	2.538E+00	5.618E-01	2046	2055	2050	2	tasmax
Dominican Rep.	Normal	3.022E+02	2.694E+00	5.634E-01	2046	2055	2050	3	tasmax
Dominican Rep.	Normal	3.028E+02	2.819E+00	5.752E-01	2046	2055	2050	4	tasmax
Dominican Rep.	Normal	3.033E+02	2.765E+00	5.644E-01	2046	2055	2050	5	tasmax
Dominican Rep.	Normal	3.038E+02	2.587E+00	4.260E-01	2046	2055	2050	6	tasmax
Dominican Rep.	Normal	3.047E+02	2.880E+00	4.002E-01	2046	2055	2050	7	tasmax
Dominican Rep.	Normal	3.050E+02	2.899E+00	4.375E-01	2046	2055	2050	8	tasmax
Dominican Rep.	Normal	3.048E+02	2.769E+00	4.683E-01	2046	2055	2050	9	tasmax
Dominican Rep.	Normal	3.040E+02	2.498E+00	4.093E-01	2046	2055	2050	10	tasmax
Dominican Rep.	Normal	3.030E+02	2.336E+00	3.681E-01	2046	2055	2050	11	tasmax
Dominican Rep.	Normal	3.020E+02	2.259E+00	4.007E-01	2046	2055	2050	12	tasmax
Dominican Rep.	Normal	3.019E+02	2.415E+00	5.460E-01	2056	2065	2060	1	tasmax
Dominican Rep.	Normal	3.021E+02	2.639E+00	6.152E-01	2056	2065	2060	2	tasmax
Dominican Rep.	Normal	3.027E+02	2.819E+00	6.470E-01	2056	2065	2060	3	tasmax
Dominican Rep.	Normal	3.031E+02	2.656E+00	5.099E-01	2056	2065	2060	4	tasmax
Dominican Rep.	Normal	3.035E+02	2.626E+00	4.780E-01	2056	2065	2060	5	tasmax
Dominican Rep.	Normal	3.043E+02	2.752E+00	4.117E-01	2056	2065	2060	6	tasmax
Dominican Rep.	Normal	3.051E+02	2.975E+00	4.338E-01	2056	2065	2060	7	tasmax
Dominican Rep.	Normal	3.055E+02	3.023E+00	5.051E-01	2056	2065	2060	8	tasmax
Dominican Rep.	Normal	3.052E+02	2.917E+00	5.493E-01	2056	2065	2060	9	tasmax
Dominican Rep.	Normal	3.045E+02	2.723E+00	5.221E-01	2056	2065	2060	10	tasmax
Dominican Rep.	Normal	3.035E+02	2.546E+00	4.701E-01	2056	2065	2060	11	tasmax
Dominican Rep.	Normal	3.025E+02	2.317E+00	4.578E-01	2056	2065	2060	12	tasmax
Dominican Rep.	Normal	3.024E+02	2.382E+00	4.738E-01	2066	2075	2070	1	tasmax
Dominican Rep.	Normal	3.025E+02	2.554E+00	5.024E-01	2066	2075	2070	2	tasmax
Dominican Rep.	Normal	3.033E+02	2.908E+00	6.040E-01	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Dominican Rep.	Normal	3.037E+02	2.755E+00	5.032E-01	2066	2075	2070	4	tasmax
Dominican Rep.	Normal	3.041E+02	2.939E+00	5.919E-01	2066	2075	2070	5	tasmax
Dominican Rep.	Normal	3.047E+02	2.891E+00	4.426E-01	2066	2075	2070	6	tasmax
Dominican Rep.	Normal	3.055E+02	2.964E+00	4.283E-01	2066	2075	2070	7	tasmax
Dominican Rep.	Normal	3.060E+02	3.055E+00	4.227E-01	2066	2075	2070	8	tasmax
Dominican Rep.	Normal	3.058E+02	2.976E+00	4.412E-01	2066	2075	2070	9	tasmax
Dominican Rep.	Normal	3.050E+02	2.810E+00	4.981E-01	2066	2075	2070	10	tasmax
Dominican Rep.	Normal	3.039E+02	2.596E+00	4.835E-01	2066	2075	2070	11	tasmax
Dominican Rep.	Normal	3.029E+02	2.389E+00	4.315E-01	2066	2075	2070	12	tasmax
Dominican Rep.	Normal	3.028E+02	2.459E+00	4.752E-01	2076	2085	2080	1	tasmax
Dominican Rep.	Normal	3.029E+02	2.604E+00	5.031E-01	2076	2085	2080	2	tasmax
Dominican Rep.	Normal	3.035E+02	2.814E+00	5.450E-01	2076	2085	2080	3	tasmax
Dominican Rep.	Normal	3.041E+02	2.977E+00	5.456E-01	2076	2085	2080	4	tasmax
Dominican Rep.	Normal	3.045E+02	2.905E+00	4.622E-01	2076	2085	2080	5	tasmax
Dominican Rep.	Normal	3.052E+02	2.834E+00	3.921E-01	2076	2085	2080	6	tasmax
Dominican Rep.	Normal	3.060E+02	2.962E+00	4.196E-01	2076	2085	2080	7	tasmax
Dominican Rep.	Normal	3.065E+02	3.097E+00	4.917E-01	2076	2085	2080	8	tasmax
Dominican Rep.	Normal	3.063E+02	3.032E+00	4.847E-01	2076	2085	2080	9	tasmax
Dominican Rep.	Normal	3.055E+02	2.879E+00	5.293E-01	2076	2085	2080	10	tasmax
Dominican Rep.	Normal	3.044E+02	2.679E+00	4.602E-01	2076	2085	2080	11	tasmax
Dominican Rep.	Normal	3.033E+02	2.403E+00	3.986E-01	2076	2085	2080	12	tasmax
Dominican Rep.	Normal	3.032E+02	2.474E+00	4.522E-01	2086	2099	2092	1	tasmax
Dominican Rep.	Normal	3.034E+02	2.737E+00	5.483E-01	2086	2099	2092	2	tasmax
Dominican Rep.	Normal	3.040E+02	2.908E+00	5.054E-01	2086	2099	2092	3	tasmax
Dominican Rep.	Normal	3.045E+02	2.912E+00	4.253E-01	2086	2099	2092	4	tasmax
Dominican Rep.	Normal	3.050E+02	2.982E+00	4.545E-01	2086	2099	2092	5	tasmax
Dominican Rep.	Normal	3.057E+02	3.037E+00	4.560E-01	2086	2099	2092	6	tasmax
Dominican Rep.	Normal	3.066E+02	3.195E+00	4.583E-01	2086	2099	2092	7	tasmax
Dominican Rep.	Normal	3.069E+02	3.132E+00	4.770E-01	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Dominican Rep.	Normal	3.067E+02	3.078E+00	4.904E-01	2086	2099	2092	9	tasmax
Dominican Rep.	Normal	3.059E+02	2.958E+00	5.532E-01	2086	2099	2092	10	tasmax
Dominican Rep.	Normal	3.048E+02	2.678E+00	4.729E-01	2086	2099	2092	11	tasmax
Dominican Rep.	Normal	3.038E+02	2.465E+00	4.536E-01	2086	2099	2092	12	tasmax
Ecuador	Normal	2.992E+02	1.770E+00	5.852E-01	2006	2015	2010	1	tasmax
Ecuador	Normal	2.995E+02	1.850E+00	5.276E-01	2006	2015	2010	2	tasmax
Ecuador	Normal	2.993E+02	1.840E+00	5.721E-01	2006	2015	2010	3	tasmax
Ecuador	Normal	2.991E+02	1.679E+00	4.099E-01	2006	2015	2010	4	tasmax
Ecuador	Normal	2.989E+02	1.617E+00	2.824E-01	2006	2015	2010	5	tasmax
Ecuador	Normal	2.989E+02	1.620E+00	3.776E-01	2006	2015	2010	6	tasmax
Ecuador	Normal	2.995E+02	1.682E+00	5.154E-01	2006	2015	2010	7	tasmax
Ecuador	Normal	3.002E+02	1.968E+00	3.898E-01	2006	2015	2010	8	tasmax
Ecuador	Normal	3.003E+02	2.000E+00	4.047E-01	2006	2015	2010	9	tasmax
Ecuador	Normal	2.998E+02	1.931E+00	5.900E-01	2006	2015	2010	10	tasmax
Ecuador	Normal	2.991E+02	1.629E+00	4.589E-01	2006	2015	2010	11	tasmax
Ecuador	Normal	2.988E+02	1.606E+00	5.421E-01	2006	2015	2010	12	tasmax
Ecuador	Normal	2.995E+02	1.828E+00	5.717E-01	2016	2025	2020	1	tasmax
Ecuador	Normal	2.998E+02	1.935E+00	5.999E-01	2016	2025	2020	2	tasmax
Ecuador	Normal	2.997E+02	1.920E+00	6.396E-01	2016	2025	2020	3	tasmax
Ecuador	Normal	2.993E+02	1.700E+00	4.215E-01	2016	2025	2020	4	tasmax
Ecuador	Normal	2.992E+02	1.666E+00	3.374E-01	2016	2025	2020	5	tasmax
Ecuador	Normal	2.992E+02	1.663E+00	3.143E-01	2016	2025	2020	6	tasmax
Ecuador	Normal	2.999E+02	1.721E+00	5.082E-01	2016	2025	2020	7	tasmax
Ecuador	Normal	3.006E+02	2.019E+00	3.285E-01	2016	2025	2020	8	tasmax
Ecuador	Normal	3.006E+02	2.113E+00	4.911E-01	2016	2025	2020	9	tasmax
Ecuador	Normal	3.001E+02	2.075E+00	6.748E-01	2016	2025	2020	10	tasmax
Ecuador	Normal	2.994E+02	1.761E+00	5.391E-01	2016	2025	2020	11	tasmax
Ecuador	Normal	2.992E+02	1.669E+00	4.832E-01	2016	2025	2020	12	tasmax
Ecuador	Normal	2.998E+02	1.750E+00	6.063E-01	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ecuador	Normal	3.001E+02	1.912E+00	6.723E-01	2026	2035	2030	2	tasmax
Ecuador	Normal	3.001E+02	1.942E+00	6.416E-01	2026	2035	2030	3	tasmax
Ecuador	Normal	2.997E+02	1.724E+00	4.067E-01	2026	2035	2030	4	tasmax
Ecuador	Normal	2.996E+02	1.662E+00	2.789E-01	2026	2035	2030	5	tasmax
Ecuador	Normal	2.997E+02	1.659E+00	2.973E-01	2026	2035	2030	6	tasmax
Ecuador	Normal	3.003E+02	1.700E+00	5.201E-01	2026	2035	2030	7	tasmax
Ecuador	Normal	3.010E+02	2.039E+00	3.299E-01	2026	2035	2030	8	tasmax
Ecuador	Normal	3.009E+02	2.162E+00	5.094E-01	2026	2035	2030	9	tasmax
Ecuador	Normal	3.004E+02	1.982E+00	6.702E-01	2026	2035	2030	10	tasmax
Ecuador	Normal	2.997E+02	1.648E+00	4.701E-01	2026	2035	2030	11	tasmax
Ecuador	Normal	2.995E+02	1.631E+00	5.304E-01	2026	2035	2030	12	tasmax
Ecuador	Normal	3.003E+02	1.759E+00	5.919E-01	2036	2045	2040	1	tasmax
Ecuador	Normal	3.006E+02	1.883E+00	6.456E-01	2036	2045	2040	2	tasmax
Ecuador	Normal	3.005E+02	1.908E+00	6.056E-01	2036	2045	2040	3	tasmax
Ecuador	Normal	3.001E+02	1.641E+00	4.421E-01	2036	2045	2040	4	tasmax
Ecuador	Normal	3.000E+02	1.635E+00	2.617E-01	2036	2045	2040	5	tasmax
Ecuador	Normal	3.000E+02	1.602E+00	3.103E-01	2036	2045	2040	6	tasmax
Ecuador	Normal	3.007E+02	1.692E+00	5.546E-01	2036	2045	2040	7	tasmax
Ecuador	Normal	3.014E+02	2.045E+00	3.292E-01	2036	2045	2040	8	tasmax
Ecuador	Normal	3.014E+02	2.118E+00	4.785E-01	2036	2045	2040	9	tasmax
Ecuador	Normal	3.009E+02	1.925E+00	6.017E-01	2036	2045	2040	10	tasmax
Ecuador	Normal	3.003E+02	1.659E+00	4.964E-01	2036	2045	2040	11	tasmax
Ecuador	Normal	3.000E+02	1.617E+00	5.420E-01	2036	2045	2040	12	tasmax
Ecuador	Normal	3.007E+02	1.784E+00	7.282E-01	2046	2055	2050	1	tasmax
Ecuador	Normal	3.010E+02	1.978E+00	7.708E-01	2046	2055	2050	2	tasmax
Ecuador	Normal	3.009E+02	1.979E+00	7.699E-01	2046	2055	2050	3	tasmax
Ecuador	Normal	3.006E+02	1.757E+00	4.592E-01	2046	2055	2050	4	tasmax
Ecuador	Normal	3.004E+02	1.710E+00	3.031E-01	2046	2055	2050	5	tasmax
Ecuador	Normal	3.005E+02	1.647E+00	2.653E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ecuador	Normal	3.012E+02	1.758E+00	4.573E-01	2046	2055	2050	7	tasmax
Ecuador	Normal	3.019E+02	2.172E+00	3.004E-01	2046	2055	2050	8	tasmax
Ecuador	Normal	3.019E+02	2.268E+00	5.003E-01	2046	2055	2050	9	tasmax
Ecuador	Normal	3.014E+02	2.127E+00	7.305E-01	2046	2055	2050	10	tasmax
Ecuador	Normal	3.007E+02	1.851E+00	6.150E-01	2046	2055	2050	11	tasmax
Ecuador	Normal	3.004E+02	1.681E+00	5.998E-01	2046	2055	2050	12	tasmax
Ecuador	Normal	3.012E+02	1.890E+00	7.334E-01	2056	2065	2060	1	tasmax
Ecuador	Normal	3.014E+02	2.000E+00	8.354E-01	2056	2065	2060	2	tasmax
Ecuador	Normal	3.013E+02	1.989E+00	7.363E-01	2056	2065	2060	3	tasmax
Ecuador	Normal	3.011E+02	1.793E+00	4.647E-01	2056	2065	2060	4	tasmax
Ecuador	Normal	3.010E+02	1.704E+00	3.401E-01	2056	2065	2060	5	tasmax
Ecuador	Normal	3.011E+02	1.672E+00	2.688E-01	2056	2065	2060	6	tasmax
Ecuador	Normal	3.018E+02	1.807E+00	4.652E-01	2056	2065	2060	7	tasmax
Ecuador	Normal	3.023E+02	2.173E+00	3.107E-01	2056	2065	2060	8	tasmax
Ecuador	Normal	3.024E+02	2.293E+00	5.462E-01	2056	2065	2060	9	tasmax
Ecuador	Normal	3.019E+02	2.120E+00	7.266E-01	2056	2065	2060	10	tasmax
Ecuador	Normal	3.012E+02	1.792E+00	6.125E-01	2056	2065	2060	11	tasmax
Ecuador	Normal	3.008E+02	1.705E+00	6.178E-01	2056	2065	2060	12	tasmax
Ecuador	Normal	3.017E+02	1.874E+00	8.161E-01	2066	2075	2070	1	tasmax
Ecuador	Normal	3.019E+02	2.013E+00	8.802E-01	2066	2075	2070	2	tasmax
Ecuador	Normal	3.019E+02	2.094E+00	8.622E-01	2066	2075	2070	3	tasmax
Ecuador	Normal	3.016E+02	1.869E+00	5.654E-01	2066	2075	2070	4	tasmax
Ecuador	Normal	3.015E+02	1.787E+00	3.969E-01	2066	2075	2070	5	tasmax
Ecuador	Normal	3.016E+02	1.686E+00	2.741E-01	2066	2075	2070	6	tasmax
Ecuador	Normal	3.023E+02	1.815E+00	4.225E-01	2066	2075	2070	7	tasmax
Ecuador	Normal	3.028E+02	2.253E+00	3.479E-01	2066	2075	2070	8	tasmax
Ecuador	Normal	3.029E+02	2.401E+00	6.501E-01	2066	2075	2070	9	tasmax
Ecuador	Normal	3.025E+02	2.282E+00	8.260E-01	2066	2075	2070	10	tasmax
Ecuador	Normal	3.017E+02	1.977E+00	6.607E-01	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ecuador	Normal	3.014E+02	1.791E+00	7.185E-01	2066	2075	2070	12	tasmax
Ecuador	Normal	3.021E+02	1.912E+00	7.698E-01	2076	2085	2080	1	tasmax
Ecuador	Normal	3.023E+02	2.136E+00	8.994E-01	2076	2085	2080	2	tasmax
Ecuador	Normal	3.023E+02	2.036E+00	7.974E-01	2076	2085	2080	3	tasmax
Ecuador	Normal	3.021E+02	1.878E+00	5.267E-01	2076	2085	2080	4	tasmax
Ecuador	Normal	3.020E+02	1.847E+00	3.866E-01	2076	2085	2080	5	tasmax
Ecuador	Normal	3.021E+02	1.803E+00	3.459E-01	2076	2085	2080	6	tasmax
Ecuador	Normal	3.029E+02	1.941E+00	3.697E-01	2076	2085	2080	7	tasmax
Ecuador	Normal	3.034E+02	2.353E+00	3.285E-01	2076	2085	2080	8	tasmax
Ecuador	Normal	3.034E+02	2.495E+00	7.094E-01	2076	2085	2080	9	tasmax
Ecuador	Normal	3.030E+02	2.274E+00	7.388E-01	2076	2085	2080	10	tasmax
Ecuador	Normal	3.023E+02	2.038E+00	7.327E-01	2076	2085	2080	11	tasmax
Ecuador	Normal	3.018E+02	1.774E+00	6.801E-01	2076	2085	2080	12	tasmax
Ecuador	Normal	3.026E+02	2.005E+00	8.286E-01	2086	2099	2092	1	tasmax
Ecuador	Normal	3.029E+02	2.191E+00	9.103E-01	2086	2099	2092	2	tasmax
Ecuador	Normal	3.028E+02	2.233E+00	9.638E-01	2086	2099	2092	3	tasmax
Ecuador	Normal	3.027E+02	1.968E+00	6.370E-01	2086	2099	2092	4	tasmax
Ecuador	Normal	3.025E+02	1.925E+00	3.927E-01	2086	2099	2092	5	tasmax
Ecuador	Normal	3.027E+02	1.801E+00	4.134E-01	2086	2099	2092	6	tasmax
Ecuador	Normal	3.033E+02	1.959E+00	3.388E-01	2086	2099	2092	7	tasmax
Ecuador	Normal	3.040E+02	2.413E+00	3.564E-01	2086	2099	2092	8	tasmax
Ecuador	Normal	3.040E+02	2.496E+00	5.878E-01	2086	2099	2092	9	tasmax
Ecuador	Normal	3.035E+02	2.313E+00	7.219E-01	2086	2099	2092	10	tasmax
Ecuador	Normal	3.028E+02	2.065E+00	7.024E-01	2086	2099	2092	11	tasmax
Ecuador	Normal	3.024E+02	1.832E+00	6.345E-01	2086	2099	2092	12	tasmax
Egypt	Normal	2.927E+02	2.495E+00	5.965E-01	2006	2015	2010	1	tasmax
Egypt	Normal	2.953E+02	2.705E+00	6.313E-01	2006	2015	2010	2	tasmax
Egypt	Normal	2.993E+02	2.651E+00	6.176E-01	2006	2015	2010	3	tasmax
Egypt	Normal	3.036E+02	2.814E+00	5.979E-01	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Egypt	Normal	3.074E+02	2.772E+00	8.471E-01	2006	2015	2010	5	tasmax
Egypt	Normal	3.109E+02	2.658E+00	7.566E-01	2006	2015	2010	6	tasmax
Egypt	Normal	3.123E+02	2.853E+00	5.536E-01	2006	2015	2010	7	tasmax
Egypt	Normal	3.117E+02	2.521E+00	3.536E-01	2006	2015	2010	8	tasmax
Egypt	Normal	3.087E+02	2.227E+00	4.771E-01	2006	2015	2010	9	tasmax
Egypt	Normal	3.041E+02	2.015E+00	3.394E-01	2006	2015	2010	10	tasmax
Egypt	Normal	2.982E+02	2.011E+00	4.897E-01	2006	2015	2010	11	tasmax
Egypt	Normal	2.936E+02	2.129E+00	5.606E-01	2006	2015	2010	12	tasmax
Egypt	Normal	2.931E+02	2.227E+00	3.623E-01	2016	2025	2020	1	tasmax
Egypt	Normal	2.953E+02	2.551E+00	5.900E-01	2016	2025	2020	2	tasmax
Egypt	Normal	2.993E+02	2.827E+00	6.427E-01	2016	2025	2020	3	tasmax
Egypt	Normal	3.039E+02	2.813E+00	6.594E-01	2016	2025	2020	4	tasmax
Egypt	Normal	3.078E+02	2.720E+00	7.439E-01	2016	2025	2020	5	tasmax
Egypt	Normal	3.114E+02	2.628E+00	6.867E-01	2016	2025	2020	6	tasmax
Egypt	Normal	3.127E+02	2.792E+00	6.069E-01	2016	2025	2020	7	tasmax
Egypt	Normal	3.121E+02	2.646E+00	3.839E-01	2016	2025	2020	8	tasmax
Egypt	Normal	3.091E+02	2.439E+00	5.795E-01	2016	2025	2020	9	tasmax
Egypt	Normal	3.045E+02	2.098E+00	3.180E-01	2016	2025	2020	10	tasmax
Egypt	Normal	2.983E+02	2.294E+00	5.385E-01	2016	2025	2020	11	tasmax
Egypt	Normal	2.941E+02	2.122E+00	6.315E-01	2016	2025	2020	12	tasmax
Egypt	Normal	2.933E+02	2.423E+00	5.510E-01	2026	2035	2030	1	tasmax
Egypt	Normal	2.959E+02	2.607E+00	5.979E-01	2026	2035	2030	2	tasmax
Egypt	Normal	2.998E+02	2.924E+00	7.776E-01	2026	2035	2030	3	tasmax
Egypt	Normal	3.043E+02	2.696E+00	6.863E-01	2026	2035	2030	4	tasmax
Egypt	Normal	3.081E+02	2.923E+00	8.800E-01	2026	2035	2030	5	tasmax
Egypt	Normal	3.119E+02	2.709E+00	7.479E-01	2026	2035	2030	6	tasmax
Egypt	Normal	3.133E+02	2.616E+00	6.002E-01	2026	2035	2030	7	tasmax
Egypt	Normal	3.127E+02	2.645E+00	3.305E-01	2026	2035	2030	8	tasmax
Egypt	Normal	3.097E+02	2.373E+00	4.863E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Egypt	Normal	3.046E+02	2.141E+00	4.007E-01	2026	2035	2030	10	tasmax
Egypt	Normal	2.989E+02	2.287E+00	5.379E-01	2026	2035	2030	11	tasmax
Egypt	Normal	2.944E+02	2.196E+00	6.217E-01	2026	2035	2030	12	tasmax
Egypt	Normal	2.938E+02	2.268E+00	3.808E-01	2036	2045	2040	1	tasmax
Egypt	Normal	2.961E+02	2.639E+00	5.803E-01	2036	2045	2040	2	tasmax
Egypt	Normal	3.003E+02	2.925E+00	7.660E-01	2036	2045	2040	3	tasmax
Egypt	Normal	3.046E+02	2.959E+00	7.819E-01	2036	2045	2040	4	tasmax
Egypt	Normal	3.088E+02	2.932E+00	9.480E-01	2036	2045	2040	5	tasmax
Egypt	Normal	3.123E+02	2.679E+00	7.284E-01	2036	2045	2040	6	tasmax
Egypt	Normal	3.140E+02	2.728E+00	5.439E-01	2036	2045	2040	7	tasmax
Egypt	Normal	3.133E+02	2.572E+00	3.403E-01	2036	2045	2040	8	tasmax
Egypt	Normal	3.101E+02	2.360E+00	4.316E-01	2036	2045	2040	9	tasmax
Egypt	Normal	3.054E+02	2.171E+00	3.807E-01	2036	2045	2040	10	tasmax
Egypt	Normal	2.994E+02	2.232E+00	3.992E-01	2036	2045	2040	11	tasmax
Egypt	Normal	2.947E+02	2.163E+00	4.518E-01	2036	2045	2040	12	tasmax
Egypt	Normal	2.944E+02	2.514E+00	6.134E-01	2046	2055	2050	1	tasmax
Egypt	Normal	2.967E+02	2.564E+00	5.922E-01	2046	2055	2050	2	tasmax
Egypt	Normal	3.008E+02	2.946E+00	7.083E-01	2046	2055	2050	3	tasmax
Egypt	Normal	3.051E+02	2.642E+00	9.098E-01	2046	2055	2050	4	tasmax
Egypt	Normal	3.092E+02	2.850E+00	8.698E-01	2046	2055	2050	5	tasmax
Egypt	Normal	3.131E+02	2.687E+00	7.090E-01	2046	2055	2050	6	tasmax
Egypt	Normal	3.145E+02	2.686E+00	6.333E-01	2046	2055	2050	7	tasmax
Egypt	Normal	3.140E+02	2.633E+00	3.917E-01	2046	2055	2050	8	tasmax
Egypt	Normal	3.107E+02	2.246E+00	4.177E-01	2046	2055	2050	9	tasmax
Egypt	Normal	3.060E+02	2.041E+00	3.095E-01	2046	2055	2050	10	tasmax
Egypt	Normal	2.999E+02	2.331E+00	3.909E-01	2046	2055	2050	11	tasmax
Egypt	Normal	2.952E+02	2.264E+00	4.490E-01	2046	2055	2050	12	tasmax
Egypt	Normal	2.949E+02	2.395E+00	6.197E-01	2056	2065	2060	1	tasmax
Egypt	Normal	2.972E+02	2.535E+00	5.616E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Egypt	Normal	3.012E+02	3.034E+00	7.383E-01	2056	2065	2060	3	tasmax
Egypt	Normal	3.057E+02	2.883E+00	7.551E-01	2056	2065	2060	4	tasmax
Egypt	Normal	3.097E+02	2.707E+00	9.007E-01	2056	2065	2060	5	tasmax
Egypt	Normal	3.135E+02	2.691E+00	6.547E-01	2056	2065	2060	6	tasmax
Egypt	Normal	3.152E+02	2.667E+00	6.644E-01	2056	2065	2060	7	tasmax
Egypt	Normal	3.147E+02	2.587E+00	3.837E-01	2056	2065	2060	8	tasmax
Egypt	Normal	3.114E+02	2.344E+00	4.063E-01	2056	2065	2060	9	tasmax
Egypt	Normal	3.066E+02	2.118E+00	3.311E-01	2056	2065	2060	10	tasmax
Egypt	Normal	3.005E+02	2.306E+00	4.757E-01	2056	2065	2060	11	tasmax
Egypt	Normal	2.958E+02	2.052E+00	4.790E-01	2056	2065	2060	12	tasmax
Egypt	Normal	2.952E+02	2.347E+00	4.350E-01	2066	2075	2070	1	tasmax
Egypt	Normal	2.977E+02	2.693E+00	6.056E-01	2066	2075	2070	2	tasmax
Egypt	Normal	3.017E+02	3.210E+00	7.898E-01	2066	2075	2070	3	tasmax
Egypt	Normal	3.061E+02	3.209E+00	1.037E+00	2066	2075	2070	4	tasmax
Egypt	Normal	3.106E+02	2.894E+00	8.299E-01	2066	2075	2070	5	tasmax
Egypt	Normal	3.142E+02	2.692E+00	5.167E-01	2066	2075	2070	6	tasmax
Egypt	Normal	3.159E+02	2.682E+00	6.337E-01	2066	2075	2070	7	tasmax
Egypt	Normal	3.154E+02	2.565E+00	4.421E-01	2066	2075	2070	8	tasmax
Egypt	Normal	3.122E+02	2.449E+00	4.694E-01	2066	2075	2070	9	tasmax
Egypt	Normal	3.071E+02	2.438E+00	4.201E-01	2066	2075	2070	10	tasmax
Egypt	Normal	3.011E+02	2.412E+00	4.711E-01	2066	2075	2070	11	tasmax
Egypt	Normal	2.965E+02	2.244E+00	4.339E-01	2066	2075	2070	12	tasmax
Egypt	Normal	2.957E+02	2.362E+00	5.500E-01	2076	2085	2080	1	tasmax
Egypt	Normal	2.983E+02	2.802E+00	7.727E-01	2076	2085	2080	2	tasmax
Egypt	Normal	3.024E+02	3.317E+00	8.971E-01	2076	2085	2080	3	tasmax
Egypt	Normal	3.068E+02	3.091E+00	8.876E-01	2076	2085	2080	4	tasmax
Egypt	Normal	3.109E+02	2.932E+00	8.334E-01	2076	2085	2080	5	tasmax
Egypt	Normal	3.149E+02	2.757E+00	5.012E-01	2076	2085	2080	6	tasmax
Egypt	Normal	3.166E+02	2.801E+00	5.092E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Egypt	Normal	3.161E+02	2.735E+00	4.865E-01	2076	2085	2080	8	tasmax
Egypt	Normal	3.127E+02	2.548E+00	4.325E-01	2076	2085	2080	9	tasmax
Egypt	Normal	3.077E+02	2.386E+00	4.226E-01	2076	2085	2080	10	tasmax
Egypt	Normal	3.016E+02	2.537E+00	6.034E-01	2076	2085	2080	11	tasmax
Egypt	Normal	2.969E+02	2.353E+00	4.098E-01	2076	2085	2080	12	tasmax
Egypt	Normal	2.960E+02	2.491E+00	5.086E-01	2086	2099	2092	1	tasmax
Egypt	Normal	2.987E+02	2.905E+00	7.625E-01	2086	2099	2092	2	tasmax
Egypt	Normal	3.032E+02	3.738E+00	1.106E+00	2086	2099	2092	3	tasmax
Egypt	Normal	3.073E+02	3.046E+00	8.067E-01	2086	2099	2092	4	tasmax
Egypt	Normal	3.115E+02	3.033E+00	7.815E-01	2086	2099	2092	5	tasmax
Egypt	Normal	3.156E+02	2.881E+00	4.811E-01	2086	2099	2092	6	tasmax
Egypt	Normal	3.173E+02	2.925E+00	5.009E-01	2086	2099	2092	7	tasmax
Egypt	Normal	3.168E+02	2.811E+00	5.090E-01	2086	2099	2092	8	tasmax
Egypt	Normal	3.133E+02	2.492E+00	4.897E-01	2086	2099	2092	9	tasmax
Egypt	Normal	3.080E+02	2.464E+00	3.969E-01	2086	2099	2092	10	tasmax
Egypt	Normal	3.023E+02	2.555E+00	4.746E-01	2086	2099	2092	11	tasmax
Egypt	Normal	2.975E+02	2.530E+00	5.543E-01	2086	2099	2092	12	tasmax
El Salvador	Normal	3.019E+02	2.044E+00	4.138E-01	2006	2015	2010	1	tasmax
El Salvador	Normal	3.030E+02	2.253E+00	5.018E-01	2006	2015	2010	2	tasmax
El Salvador	Normal	3.046E+02	2.417E+00	7.055E-01	2006	2015	2010	3	tasmax
El Salvador	Normal	3.056E+02	2.142E+00	5.793E-01	2006	2015	2010	4	tasmax
El Salvador	Normal	3.049E+02	1.681E+00	4.248E-01	2006	2015	2010	5	tasmax
El Salvador	Normal	3.034E+02	1.775E+00	4.727E-01	2006	2015	2010	6	tasmax
El Salvador	Normal	3.036E+02	1.802E+00	3.875E-01	2006	2015	2010	7	tasmax
El Salvador	Normal	3.040E+02	1.820E+00	3.890E-01	2006	2015	2010	8	tasmax
El Salvador	Normal	3.033E+02	1.969E+00	4.822E-01	2006	2015	2010	9	tasmax
El Salvador	Normal	3.027E+02	1.873E+00	5.643E-01	2006	2015	2010	10	tasmax
El Salvador	Normal	3.023E+02	1.741E+00	5.926E-01	2006	2015	2010	11	tasmax
El Salvador	Normal	3.018E+02	1.775E+00	3.629E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
El Salvador	Normal	3.022E+02	2.169E+00	4.340E-01	2016	2025	2020	1	tasmax
El Salvador	Normal	3.033E+02	2.424E+00	5.974E-01	2016	2025	2020	2	tasmax
El Salvador	Normal	3.048E+02	2.391E+00	6.251E-01	2016	2025	2020	3	tasmax
El Salvador	Normal	3.058E+02	2.221E+00	5.177E-01	2016	2025	2020	4	tasmax
El Salvador	Normal	3.051E+02	1.874E+00	5.094E-01	2016	2025	2020	5	tasmax
El Salvador	Normal	3.037E+02	1.799E+00	5.060E-01	2016	2025	2020	6	tasmax
El Salvador	Normal	3.039E+02	1.817E+00	4.088E-01	2016	2025	2020	7	tasmax
El Salvador	Normal	3.043E+02	1.882E+00	3.399E-01	2016	2025	2020	8	tasmax
El Salvador	Normal	3.036E+02	2.046E+00	5.669E-01	2016	2025	2020	9	tasmax
El Salvador	Normal	3.029E+02	1.993E+00	6.757E-01	2016	2025	2020	10	tasmax
El Salvador	Normal	3.025E+02	1.865E+00	5.737E-01	2016	2025	2020	11	tasmax
El Salvador	Normal	3.021E+02	1.839E+00	3.785E-01	2016	2025	2020	12	tasmax
El Salvador	Normal	3.025E+02	2.104E+00	3.977E-01	2026	2035	2030	1	tasmax
El Salvador	Normal	3.036E+02	2.386E+00	5.301E-01	2026	2035	2030	2	tasmax
El Salvador	Normal	3.052E+02	2.518E+00	6.891E-01	2026	2035	2030	3	tasmax
El Salvador	Normal	3.062E+02	2.258E+00	5.816E-01	2026	2035	2030	4	tasmax
El Salvador	Normal	3.056E+02	2.039E+00	3.875E-01	2026	2035	2030	5	tasmax
El Salvador	Normal	3.041E+02	1.908E+00	5.057E-01	2026	2035	2030	6	tasmax
El Salvador	Normal	3.043E+02	1.911E+00	5.287E-01	2026	2035	2030	7	tasmax
El Salvador	Normal	3.045E+02	1.887E+00	4.732E-01	2026	2035	2030	8	tasmax
El Salvador	Normal	3.039E+02	2.027E+00	5.160E-01	2026	2035	2030	9	tasmax
El Salvador	Normal	3.032E+02	1.906E+00	6.225E-01	2026	2035	2030	10	tasmax
El Salvador	Normal	3.028E+02	1.753E+00	4.892E-01	2026	2035	2030	11	tasmax
El Salvador	Normal	3.024E+02	1.827E+00	4.017E-01	2026	2035	2030	12	tasmax
El Salvador	Normal	3.029E+02	2.113E+00	4.690E-01	2036	2045	2040	1	tasmax
El Salvador	Normal	3.040E+02	2.325E+00	5.477E-01	2036	2045	2040	2	tasmax
El Salvador	Normal	3.056E+02	2.425E+00	6.051E-01	2036	2045	2040	3	tasmax
El Salvador	Normal	3.066E+02	2.310E+00	5.738E-01	2036	2045	2040	4	tasmax
El Salvador	Normal	3.059E+02	1.979E+00	3.942E-01	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
El Salvador	Normal	3.046E+02	1.923E+00	5.750E-01	2036	2045	2040	6	tasmax
El Salvador	Normal	3.048E+02	1.918E+00	4.817E-01	2036	2045	2040	7	tasmax
El Salvador	Normal	3.051E+02	2.002E+00	4.873E-01	2036	2045	2040	8	tasmax
El Salvador	Normal	3.044E+02	2.172E+00	6.043E-01	2036	2045	2040	9	tasmax
El Salvador	Normal	3.037E+02	2.073E+00	7.018E-01	2036	2045	2040	10	tasmax
El Salvador	Normal	3.034E+02	1.833E+00	6.900E-01	2036	2045	2040	11	tasmax
El Salvador	Normal	3.028E+02	1.834E+00	4.042E-01	2036	2045	2040	12	tasmax
El Salvador	Normal	3.034E+02	2.218E+00	4.233E-01	2046	2055	2050	1	tasmax
El Salvador	Normal	3.045E+02	2.406E+00	5.766E-01	2046	2055	2050	2	tasmax
El Salvador	Normal	3.061E+02	2.421E+00	6.547E-01	2046	2055	2050	3	tasmax
El Salvador	Normal	3.070E+02	2.350E+00	6.343E-01	2046	2055	2050	4	tasmax
El Salvador	Normal	3.066E+02	2.048E+00	3.891E-01	2046	2055	2050	5	tasmax
El Salvador	Normal	3.052E+02	1.930E+00	4.256E-01	2046	2055	2050	6	tasmax
El Salvador	Normal	3.055E+02	1.934E+00	4.537E-01	2046	2055	2050	7	tasmax
El Salvador	Normal	3.058E+02	2.092E+00	4.241E-01	2046	2055	2050	8	tasmax
El Salvador	Normal	3.051E+02	2.252E+00	6.416E-01	2046	2055	2050	9	tasmax
El Salvador	Normal	3.042E+02	2.112E+00	6.290E-01	2046	2055	2050	10	tasmax
El Salvador	Normal	3.038E+02	1.977E+00	5.877E-01	2046	2055	2050	11	tasmax
El Salvador	Normal	3.033E+02	2.032E+00	3.731E-01	2046	2055	2050	12	tasmax
El Salvador	Normal	3.038E+02	2.308E+00	5.357E-01	2056	2065	2060	1	tasmax
El Salvador	Normal	3.050E+02	2.484E+00	7.038E-01	2056	2065	2060	2	tasmax
El Salvador	Normal	3.067E+02	2.636E+00	7.524E-01	2056	2065	2060	3	tasmax
El Salvador	Normal	3.076E+02	2.449E+00	6.443E-01	2056	2065	2060	4	tasmax
El Salvador	Normal	3.070E+02	1.970E+00	5.140E-01	2056	2065	2060	5	tasmax
El Salvador	Normal	3.058E+02	1.793E+00	5.431E-01	2056	2065	2060	6	tasmax
El Salvador	Normal	3.061E+02	1.972E+00	4.250E-01	2056	2065	2060	7	tasmax
El Salvador	Normal	3.065E+02	2.217E+00	4.972E-01	2056	2065	2060	8	tasmax
El Salvador	Normal	3.056E+02	2.413E+00	6.540E-01	2056	2065	2060	9	tasmax
El Salvador	Normal	3.047E+02	2.269E+00	8.356E-01	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
El Salvador	Normal	3.042E+02	2.084E+00	6.060E-01	2056	2065	2060	11	tasmax
El Salvador	Normal	3.037E+02	2.070E+00	4.633E-01	2056	2065	2060	12	tasmax
El Salvador	Normal	3.042E+02	2.343E+00	6.355E-01	2066	2075	2070	1	tasmax
El Salvador	Normal	3.053E+02	2.594E+00	7.658E-01	2066	2075	2070	2	tasmax
El Salvador	Normal	3.071E+02	2.633E+00	7.761E-01	2066	2075	2070	3	tasmax
El Salvador	Normal	3.080E+02	2.440E+00	6.916E-01	2066	2075	2070	4	tasmax
El Salvador	Normal	3.075E+02	2.183E+00	6.051E-01	2066	2075	2070	5	tasmax
El Salvador	Normal	3.062E+02	2.024E+00	5.512E-01	2066	2075	2070	6	tasmax
El Salvador	Normal	3.066E+02	1.999E+00	4.953E-01	2066	2075	2070	7	tasmax
El Salvador	Normal	3.069E+02	2.190E+00	4.820E-01	2066	2075	2070	8	tasmax
El Salvador	Normal	3.062E+02	2.551E+00	7.788E-01	2066	2075	2070	9	tasmax
El Salvador	Normal	3.053E+02	2.363E+00	8.359E-01	2066	2075	2070	10	tasmax
El Salvador	Normal	3.047E+02	2.169E+00	8.724E-01	2066	2075	2070	11	tasmax
El Salvador	Normal	3.042E+02	2.082E+00	6.332E-01	2066	2075	2070	12	tasmax
El Salvador	Normal	3.047E+02	2.431E+00	6.129E-01	2076	2085	2080	1	tasmax
El Salvador	Normal	3.059E+02	2.605E+00	7.203E-01	2076	2085	2080	2	tasmax
El Salvador	Normal	3.075E+02	2.705E+00	7.544E-01	2076	2085	2080	3	tasmax
El Salvador	Normal	3.085E+02	2.583E+00	7.217E-01	2076	2085	2080	4	tasmax
El Salvador	Normal	3.080E+02	2.198E+00	6.599E-01	2076	2085	2080	5	tasmax
El Salvador	Normal	3.070E+02	2.038E+00	4.824E-01	2076	2085	2080	6	tasmax
El Salvador	Normal	3.073E+02	2.038E+00	4.541E-01	2076	2085	2080	7	tasmax
El Salvador	Normal	3.077E+02	2.395E+00	5.203E-01	2076	2085	2080	8	tasmax
El Salvador	Normal	3.070E+02	2.667E+00	7.824E-01	2076	2085	2080	9	tasmax
El Salvador	Normal	3.058E+02	2.442E+00	9.180E-01	2076	2085	2080	10	tasmax
El Salvador	Normal	3.053E+02	2.188E+00	6.662E-01	2076	2085	2080	11	tasmax
El Salvador	Normal	3.047E+02	2.193E+00	5.889E-01	2076	2085	2080	12	tasmax
El Salvador	Normal	3.053E+02	2.401E+00	6.460E-01	2086	2099	2092	1	tasmax
El Salvador	Normal	3.065E+02	2.629E+00	6.810E-01	2086	2099	2092	2	tasmax
El Salvador	Normal	3.082E+02	2.864E+00	8.216E-01	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
El Salvador	Normal	3.091E+02	2.710E+00	7.618E-01	2086	2099	2092	4	tasmax
El Salvador	Normal	3.086E+02	2.390E+00	6.621E-01	2086	2099	2092	5	tasmax
El Salvador	Normal	3.076E+02	2.154E+00	4.550E-01	2086	2099	2092	6	tasmax
El Salvador	Normal	3.080E+02	2.334E+00	4.654E-01	2086	2099	2092	7	tasmax
El Salvador	Normal	3.084E+02	2.724E+00	6.642E-01	2086	2099	2092	8	tasmax
El Salvador	Normal	3.076E+02	2.804E+00	6.918E-01	2086	2099	2092	9	tasmax
El Salvador	Normal	3.065E+02	2.499E+00	8.186E-01	2086	2099	2092	10	tasmax
El Salvador	Normal	3.059E+02	2.362E+00	7.774E-01	2086	2099	2092	11	tasmax
El Salvador	Normal	3.053E+02	2.303E+00	6.204E-01	2086	2099	2092	12	tasmax
Equatorial Guinea	Normal	3.016E+02	1.437E+00	2.645E-01	2006	2015	2010	1	tasmax
Equatorial Guinea	Normal	3.022E+02	1.533E+00	2.881E-01	2006	2015	2010	2	tasmax
Equatorial Guinea	Normal	3.023E+02	1.356E+00	3.134E-01	2006	2015	2010	3	tasmax
Equatorial Guinea	Normal	3.019E+02	1.199E+00	3.201E-01	2006	2015	2010	4	tasmax
Equatorial Guinea	Normal	3.014E+02	1.275E+00	4.034E-01	2006	2015	2010	5	tasmax
Equatorial Guinea	Normal	3.010E+02	1.236E+00	3.765E-01	2006	2015	2010	6	tasmax
Equatorial Guinea	Normal	3.007E+02	1.290E+00	3.211E-01	2006	2015	2010	7	tasmax
Equatorial Guinea	Normal	3.006E+02	1.428E+00	4.152E-01	2006	2015	2010	8	tasmax
Equatorial Guinea	Normal	3.007E+02	1.494E+00	4.932E-01	2006	2015	2010	9	tasmax
Equatorial Guinea	Normal	3.005E+02	1.509E+00	5.250E-01	2006	2015	2010	10	tasmax
Equatorial Guinea	Normal	3.004E+02	1.424E+00	4.071E-01	2006	2015	2010	11	tasmax
Equatorial Guinea	Normal	3.010E+02	1.363E+00	2.345E-01	2006	2015	2010	12	tasmax
Equatorial Guinea	Normal	3.018E+02	1.520E+00	2.278E-01	2016	2025	2020	1	tasmax
Equatorial Guinea	Normal	3.024E+02	1.556E+00	2.673E-01	2016	2025	2020	2	tasmax
Equatorial Guinea	Normal	3.026E+02	1.443E+00	3.459E-01	2016	2025	2020	3	tasmax
Equatorial Guinea	Normal	3.022E+02	1.263E+00	3.486E-01	2016	2025	2020	4	tasmax
Equatorial Guinea	Normal	3.015E+02	1.336E+00	4.904E-01	2016	2025	2020	5	tasmax
Equatorial Guinea	Normal	3.012E+02	1.324E+00	4.112E-01	2016	2025	2020	6	tasmax
Equatorial Guinea	Normal	3.010E+02	1.315E+00	3.219E-01	2016	2025	2020	7	tasmax
Equatorial Guinea	Normal	3.009E+02	1.452E+00	4.122E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Equatorial Guinea	Normal	3.009E+02	1.508E+00	5.482E-01	2016	2025	2020	9	tasmax
Equatorial Guinea	Normal	3.007E+02	1.538E+00	5.731E-01	2016	2025	2020	10	tasmax
Equatorial Guinea	Normal	3.007E+02	1.473E+00	3.644E-01	2016	2025	2020	11	tasmax
Equatorial Guinea	Normal	3.013E+02	1.477E+00	1.713E-01	2016	2025	2020	12	tasmax
Equatorial Guinea	Normal	3.022E+02	1.462E+00	2.857E-01	2026	2035	2030	1	tasmax
Equatorial Guinea	Normal	3.028E+02	1.523E+00	2.533E-01	2026	2035	2030	2	tasmax
Equatorial Guinea	Normal	3.030E+02	1.454E+00	3.002E-01	2026	2035	2030	3	tasmax
Equatorial Guinea	Normal	3.027E+02	1.313E+00	3.376E-01	2026	2035	2030	4	tasmax
Equatorial Guinea	Normal	3.020E+02	1.356E+00	4.529E-01	2026	2035	2030	5	tasmax
Equatorial Guinea	Normal	3.016E+02	1.269E+00	3.592E-01	2026	2035	2030	6	tasmax
Equatorial Guinea	Normal	3.014E+02	1.360E+00	3.432E-01	2026	2035	2030	7	tasmax
Equatorial Guinea	Normal	3.013E+02	1.543E+00	4.530E-01	2026	2035	2030	8	tasmax
Equatorial Guinea	Normal	3.013E+02	1.567E+00	5.673E-01	2026	2035	2030	9	tasmax
Equatorial Guinea	Normal	3.011E+02	1.511E+00	5.173E-01	2026	2035	2030	10	tasmax
Equatorial Guinea	Normal	3.011E+02	1.489E+00	3.867E-01	2026	2035	2030	11	tasmax
Equatorial Guinea	Normal	3.016E+02	1.403E+00	2.940E-01	2026	2035	2030	12	tasmax
Equatorial Guinea	Normal	3.025E+02	1.542E+00	3.570E-01	2036	2045	2040	1	tasmax
Equatorial Guinea	Normal	3.032E+02	1.582E+00	2.754E-01	2036	2045	2040	2	tasmax
Equatorial Guinea	Normal	3.034E+02	1.505E+00	3.163E-01	2036	2045	2040	3	tasmax
Equatorial Guinea	Normal	3.030E+02	1.369E+00	3.371E-01	2036	2045	2040	4	tasmax
Equatorial Guinea	Normal	3.023E+02	1.403E+00	4.341E-01	2036	2045	2040	5	tasmax
Equatorial Guinea	Normal	3.020E+02	1.360E+00	3.623E-01	2036	2045	2040	6	tasmax
Equatorial Guinea	Normal	3.018E+02	1.325E+00	2.805E-01	2036	2045	2040	7	tasmax
Equatorial Guinea	Normal	3.017E+02	1.554E+00	4.445E-01	2036	2045	2040	8	tasmax
Equatorial Guinea	Normal	3.017E+02	1.585E+00	5.273E-01	2036	2045	2040	9	tasmax
Equatorial Guinea	Normal	3.014E+02	1.584E+00	5.493E-01	2036	2045	2040	10	tasmax
Equatorial Guinea	Normal	3.014E+02	1.497E+00	4.040E-01	2036	2045	2040	11	tasmax
Equatorial Guinea	Normal	3.019E+02	1.491E+00	3.398E-01	2036	2045	2040	12	tasmax
Equatorial Guinea	Normal	3.029E+02	1.673E+00	2.190E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Equatorial Guinea	Normal	3.035E+02	1.640E+00	3.296E-01	2046	2055	2050	2	tasmax
Equatorial Guinea	Normal	3.037E+02	1.630E+00	4.393E-01	2046	2055	2050	3	tasmax
Equatorial Guinea	Normal	3.034E+02	1.485E+00	3.986E-01	2046	2055	2050	4	tasmax
Equatorial Guinea	Normal	3.027E+02	1.429E+00	4.343E-01	2046	2055	2050	5	tasmax
Equatorial Guinea	Normal	3.024E+02	1.429E+00	4.444E-01	2046	2055	2050	6	tasmax
Equatorial Guinea	Normal	3.022E+02	1.414E+00	3.276E-01	2046	2055	2050	7	tasmax
Equatorial Guinea	Normal	3.021E+02	1.611E+00	5.116E-01	2046	2055	2050	8	tasmax
Equatorial Guinea	Normal	3.021E+02	1.637E+00	5.482E-01	2046	2055	2050	9	tasmax
Equatorial Guinea	Normal	3.018E+02	1.669E+00	5.761E-01	2046	2055	2050	10	tasmax
Equatorial Guinea	Normal	3.017E+02	1.615E+00	4.491E-01	2046	2055	2050	11	tasmax
Equatorial Guinea	Normal	3.023E+02	1.581E+00	2.586E-01	2046	2055	2050	12	tasmax
Equatorial Guinea	Normal	3.035E+02	1.685E+00	3.640E-01	2056	2065	2060	1	tasmax
Equatorial Guinea	Normal	3.041E+02	1.686E+00	3.089E-01	2056	2065	2060	2	tasmax
Equatorial Guinea	Normal	3.043E+02	1.689E+00	3.962E-01	2056	2065	2060	3	tasmax
Equatorial Guinea	Normal	3.039E+02	1.504E+00	4.106E-01	2056	2065	2060	4	tasmax
Equatorial Guinea	Normal	3.032E+02	1.500E+00	4.370E-01	2056	2065	2060	5	tasmax
Equatorial Guinea	Normal	3.029E+02	1.469E+00	3.874E-01	2056	2065	2060	6	tasmax
Equatorial Guinea	Normal	3.026E+02	1.469E+00	3.238E-01	2056	2065	2060	7	tasmax
Equatorial Guinea	Normal	3.026E+02	1.644E+00	4.413E-01	2056	2065	2060	8	tasmax
Equatorial Guinea	Normal	3.026E+02	1.675E+00	6.001E-01	2056	2065	2060	9	tasmax
Equatorial Guinea	Normal	3.024E+02	1.726E+00	5.485E-01	2056	2065	2060	10	tasmax
Equatorial Guinea	Normal	3.022E+02	1.641E+00	4.854E-01	2056	2065	2060	11	tasmax
Equatorial Guinea	Normal	3.028E+02	1.549E+00	3.541E-01	2056	2065	2060	12	tasmax
Equatorial Guinea	Normal	3.040E+02	1.681E+00	3.427E-01	2066	2075	2070	1	tasmax
Equatorial Guinea	Normal	3.046E+02	1.689E+00	3.123E-01	2066	2075	2070	2	tasmax
Equatorial Guinea	Normal	3.048E+02	1.727E+00	3.922E-01	2066	2075	2070	3	tasmax
Equatorial Guinea	Normal	3.044E+02	1.545E+00	4.153E-01	2066	2075	2070	4	tasmax
Equatorial Guinea	Normal	3.037E+02	1.609E+00	4.465E-01	2066	2075	2070	5	tasmax
Equatorial Guinea	Normal	3.033E+02	1.538E+00	4.254E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Equatorial Guinea	Normal	3.032E+02	1.521E+00	3.025E-01	2066	2075	2070	7	tasmax
Equatorial Guinea	Normal	3.031E+02	1.732E+00	5.284E-01	2066	2075	2070	8	tasmax
Equatorial Guinea	Normal	3.031E+02	1.854E+00	6.275E-01	2066	2075	2070	9	tasmax
Equatorial Guinea	Normal	3.028E+02	1.766E+00	5.529E-01	2066	2075	2070	10	tasmax
Equatorial Guinea	Normal	3.027E+02	1.724E+00	4.903E-01	2066	2075	2070	11	tasmax
Equatorial Guinea	Normal	3.032E+02	1.630E+00	3.757E-01	2066	2075	2070	12	tasmax
Equatorial Guinea	Normal	3.045E+02	1.758E+00	3.411E-01	2076	2085	2080	1	tasmax
Equatorial Guinea	Normal	3.051E+02	1.793E+00	3.431E-01	2076	2085	2080	2	tasmax
Equatorial Guinea	Normal	3.053E+02	1.814E+00	4.119E-01	2076	2085	2080	3	tasmax
Equatorial Guinea	Normal	3.048E+02	1.704E+00	4.111E-01	2076	2085	2080	4	tasmax
Equatorial Guinea	Normal	3.042E+02	1.659E+00	4.241E-01	2076	2085	2080	5	tasmax
Equatorial Guinea	Normal	3.039E+02	1.597E+00	4.053E-01	2076	2085	2080	6	tasmax
Equatorial Guinea	Normal	3.037E+02	1.595E+00	3.220E-01	2076	2085	2080	7	tasmax
Equatorial Guinea	Normal	3.037E+02	1.803E+00	5.285E-01	2076	2085	2080	8	tasmax
Equatorial Guinea	Normal	3.037E+02	1.898E+00	6.737E-01	2076	2085	2080	9	tasmax
Equatorial Guinea	Normal	3.034E+02	1.924E+00	5.899E-01	2076	2085	2080	10	tasmax
Equatorial Guinea	Normal	3.032E+02	1.835E+00	5.041E-01	2076	2085	2080	11	tasmax
Equatorial Guinea	Normal	3.038E+02	1.684E+00	3.614E-01	2076	2085	2080	12	tasmax
Equatorial Guinea	Normal	3.050E+02	1.839E+00	3.579E-01	2086	2099	2092	1	tasmax
Equatorial Guinea	Normal	3.057E+02	1.883E+00	3.927E-01	2086	2099	2092	2	tasmax
Equatorial Guinea	Normal	3.058E+02	1.957E+00	4.655E-01	2086	2099	2092	3	tasmax
Equatorial Guinea	Normal	3.054E+02	1.797E+00	4.800E-01	2086	2099	2092	4	tasmax
Equatorial Guinea	Normal	3.047E+02	1.691E+00	4.667E-01	2086	2099	2092	5	tasmax
Equatorial Guinea	Normal	3.044E+02	1.666E+00	3.983E-01	2086	2099	2092	6	tasmax
Equatorial Guinea	Normal	3.042E+02	1.664E+00	3.545E-01	2086	2099	2092	7	tasmax
Equatorial Guinea	Normal	3.042E+02	1.898E+00	5.766E-01	2086	2099	2092	8	tasmax
Equatorial Guinea	Normal	3.042E+02	1.996E+00	6.579E-01	2086	2099	2092	9	tasmax
Equatorial Guinea	Normal	3.039E+02	1.990E+00	5.582E-01	2086	2099	2092	10	tasmax
Equatorial Guinea	Normal	3.037E+02	1.849E+00	4.160E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Equatorial Guinea	Normal	3.042E+02	1.739E+00	4.087E-01	2086	2099	2092	12	tasmax
Eritrea	Normal	3.007E+02	2.424E+00	6.798E-01	2006	2015	2010	1	tasmax
Eritrea	Normal	3.027E+02	2.610E+00	6.382E-01	2006	2015	2010	2	tasmax
Eritrea	Normal	3.055E+02	2.641E+00	6.177E-01	2006	2015	2010	3	tasmax
Eritrea	Normal	3.079E+02	2.602E+00	6.890E-01	2006	2015	2010	4	tasmax
Eritrea	Normal	3.095E+02	2.439E+00	5.269E-01	2006	2015	2010	5	tasmax
Eritrea	Normal	3.104E+02	2.239E+00	3.600E-01	2006	2015	2010	6	tasmax
Eritrea	Normal	3.091E+02	2.344E+00	3.203E-01	2006	2015	2010	7	tasmax
Eritrea	Normal	3.084E+02	2.571E+00	3.835E-01	2006	2015	2010	8	tasmax
Eritrea	Normal	3.089E+02	2.402E+00	4.332E-01	2006	2015	2010	9	tasmax
Eritrea	Normal	3.072E+02	2.467E+00	1.097E+00	2006	2015	2010	10	tasmax
Eritrea	Normal	3.039E+02	2.314E+00	8.332E-01	2006	2015	2010	11	tasmax
Eritrea	Normal	3.011E+02	2.258E+00	7.574E-01	2006	2015	2010	12	tasmax
Eritrea	Normal	3.011E+02	2.398E+00	6.708E-01	2016	2025	2020	1	tasmax
Eritrea	Normal	3.030E+02	2.688E+00	7.307E-01	2016	2025	2020	2	tasmax
Eritrea	Normal	3.061E+02	2.597E+00	6.408E-01	2016	2025	2020	3	tasmax
Eritrea	Normal	3.084E+02	2.542E+00	7.011E-01	2016	2025	2020	4	tasmax
Eritrea	Normal	3.099E+02	2.415E+00	6.128E-01	2016	2025	2020	5	tasmax
Eritrea	Normal	3.107E+02	2.087E+00	3.976E-01	2016	2025	2020	6	tasmax
Eritrea	Normal	3.094E+02	2.468E+00	4.398E-01	2016	2025	2020	7	tasmax
Eritrea	Normal	3.085E+02	3.028E+00	5.240E-01	2016	2025	2020	8	tasmax
Eritrea	Normal	3.091E+02	2.663E+00	4.402E-01	2016	2025	2020	9	tasmax
Eritrea	Normal	3.074E+02	2.641E+00	1.024E+00	2016	2025	2020	10	tasmax
Eritrea	Normal	3.042E+02	2.438E+00	8.921E-01	2016	2025	2020	11	tasmax
Eritrea	Normal	3.016E+02	2.326E+00	6.982E-01	2016	2025	2020	12	tasmax
Eritrea	Normal	3.014E+02	2.469E+00	5.989E-01	2026	2035	2030	1	tasmax
Eritrea	Normal	3.034E+02	2.614E+00	6.802E-01	2026	2035	2030	2	tasmax
Eritrea	Normal	3.063E+02	2.613E+00	6.948E-01	2026	2035	2030	3	tasmax
Eritrea	Normal	3.086E+02	2.616E+00	6.344E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Eritrea	Normal	3.103E+02	2.503E+00	6.335E-01	2026	2035	2030	5	tasmax
Eritrea	Normal	3.111E+02	2.206E+00	3.651E-01	2026	2035	2030	6	tasmax
Eritrea	Normal	3.100E+02	2.568E+00	4.275E-01	2026	2035	2030	7	tasmax
Eritrea	Normal	3.090E+02	2.863E+00	4.366E-01	2026	2035	2030	8	tasmax
Eritrea	Normal	3.094E+02	2.650E+00	3.933E-01	2026	2035	2030	9	tasmax
Eritrea	Normal	3.078E+02	2.496E+00	8.957E-01	2026	2035	2030	10	tasmax
Eritrea	Normal	3.047E+02	2.427E+00	1.002E+00	2026	2035	2030	11	tasmax
Eritrea	Normal	3.019E+02	2.345E+00	7.705E-01	2026	2035	2030	12	tasmax
Eritrea	Normal	3.018E+02	2.359E+00	6.786E-01	2036	2045	2040	1	tasmax
Eritrea	Normal	3.037E+02	2.676E+00	7.037E-01	2036	2045	2040	2	tasmax
Eritrea	Normal	3.069E+02	2.631E+00	7.134E-01	2036	2045	2040	3	tasmax
Eritrea	Normal	3.091E+02	2.668E+00	5.164E-01	2036	2045	2040	4	tasmax
Eritrea	Normal	3.107E+02	2.652E+00	5.114E-01	2036	2045	2040	5	tasmax
Eritrea	Normal	3.116E+02	2.280E+00	3.142E-01	2036	2045	2040	6	tasmax
Eritrea	Normal	3.103E+02	2.695E+00	4.854E-01	2036	2045	2040	7	tasmax
Eritrea	Normal	3.095E+02	3.097E+00	5.640E-01	2036	2045	2040	8	tasmax
Eritrea	Normal	3.098E+02	2.720E+00	4.853E-01	2036	2045	2040	9	tasmax
Eritrea	Normal	3.083E+02	2.572E+00	1.038E+00	2036	2045	2040	10	tasmax
Eritrea	Normal	3.050E+02	2.480E+00	8.700E-01	2036	2045	2040	11	tasmax
Eritrea	Normal	3.022E+02	2.433E+00	6.886E-01	2036	2045	2040	12	tasmax
Eritrea	Normal	3.024E+02	2.395E+00	6.533E-01	2046	2055	2050	1	tasmax
Eritrea	Normal	3.043E+02	2.466E+00	6.200E-01	2046	2055	2050	2	tasmax
Eritrea	Normal	3.074E+02	2.608E+00	5.729E-01	2046	2055	2050	3	tasmax
Eritrea	Normal	3.097E+02	2.660E+00	6.322E-01	2046	2055	2050	4	tasmax
Eritrea	Normal	3.112E+02	2.489E+00	5.370E-01	2046	2055	2050	5	tasmax
Eritrea	Normal	3.122E+02	2.135E+00	3.403E-01	2046	2055	2050	6	tasmax
Eritrea	Normal	3.109E+02	2.820E+00	5.933E-01	2046	2055	2050	7	tasmax
Eritrea	Normal	3.098E+02	3.251E+00	6.488E-01	2046	2055	2050	8	tasmax
Eritrea	Normal	3.102E+02	2.920E+00	5.669E-01	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Eritrea	Normal	3.088E+02	2.616E+00	1.002E+00	2046	2055	2050	10	tasmax
Eritrea	Normal	3.056E+02	2.406E+00	8.383E-01	2046	2055	2050	11	tasmax
Eritrea	Normal	3.029E+02	2.380E+00	7.239E-01	2046	2055	2050	12	tasmax
Eritrea	Normal	3.028E+02	2.526E+00	8.050E-01	2056	2065	2060	1	tasmax
Eritrea	Normal	3.048E+02	2.498E+00	7.647E-01	2056	2065	2060	2	tasmax
Eritrea	Normal	3.078E+02	2.485E+00	5.775E-01	2056	2065	2060	3	tasmax
Eritrea	Normal	3.102E+02	2.543E+00	4.581E-01	2056	2065	2060	4	tasmax
Eritrea	Normal	3.119E+02	2.455E+00	5.325E-01	2056	2065	2060	5	tasmax
Eritrea	Normal	3.128E+02	2.210E+00	3.748E-01	2056	2065	2060	6	tasmax
Eritrea	Normal	3.114E+02	2.801E+00	5.398E-01	2056	2065	2060	7	tasmax
Eritrea	Normal	3.103E+02	3.623E+00	7.048E-01	2056	2065	2060	8	tasmax
Eritrea	Normal	3.107E+02	3.240E+00	6.838E-01	2056	2065	2060	9	tasmax
Eritrea	Normal	3.093E+02	2.776E+00	7.479E-01	2056	2065	2060	10	tasmax
Eritrea	Normal	3.061E+02	2.662E+00	9.542E-01	2056	2065	2060	11	tasmax
Eritrea	Normal	3.033E+02	2.390E+00	8.127E-01	2056	2065	2060	12	tasmax
Eritrea	Normal	3.034E+02	2.348E+00	5.929E-01	2066	2075	2070	1	tasmax
Eritrea	Normal	3.053E+02	2.581E+00	5.863E-01	2066	2075	2070	2	tasmax
Eritrea	Normal	3.084E+02	2.618E+00	4.718E-01	2066	2075	2070	3	tasmax
Eritrea	Normal	3.107E+02	2.525E+00	5.037E-01	2066	2075	2070	4	tasmax
Eritrea	Normal	3.125E+02	2.488E+00	5.207E-01	2066	2075	2070	5	tasmax
Eritrea	Normal	3.135E+02	2.189E+00	3.767E-01	2066	2075	2070	6	tasmax
Eritrea	Normal	3.121E+02	2.849E+00	5.485E-01	2066	2075	2070	7	tasmax
Eritrea	Normal	3.110E+02	3.573E+00	6.514E-01	2066	2075	2070	8	tasmax
Eritrea	Normal	3.114E+02	2.988E+00	6.718E-01	2066	2075	2070	9	tasmax
Eritrea	Normal	3.100E+02	2.537E+00	7.769E-01	2066	2075	2070	10	tasmax
Eritrea	Normal	3.068E+02	2.570E+00	1.009E+00	2066	2075	2070	11	tasmax
Eritrea	Normal	3.042E+02	2.412E+00	8.387E-01	2066	2075	2070	12	tasmax
Eritrea	Normal	3.040E+02	2.542E+00	7.878E-01	2076	2085	2080	1	tasmax
Eritrea	Normal	3.059E+02	2.611E+00	5.971E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Eritrea	Normal	3.090E+02	2.664E+00	5.217E-01	2076	2085	2080	3	tasmax
Eritrea	Normal	3.114E+02	2.637E+00	4.639E-01	2076	2085	2080	4	tasmax
Eritrea	Normal	3.132E+02	2.494E+00	4.174E-01	2076	2085	2080	5	tasmax
Eritrea	Normal	3.142E+02	2.320E+00	4.153E-01	2076	2085	2080	6	tasmax
Eritrea	Normal	3.126E+02	3.296E+00	6.639E-01	2076	2085	2080	7	tasmax
Eritrea	Normal	3.114E+02	3.917E+00	6.318E-01	2076	2085	2080	8	tasmax
Eritrea	Normal	3.117E+02	3.360E+00	7.545E-01	2076	2085	2080	9	tasmax
Eritrea	Normal	3.104E+02	2.528E+00	7.035E-01	2076	2085	2080	10	tasmax
Eritrea	Normal	3.073E+02	2.620E+00	9.079E-01	2076	2085	2080	11	tasmax
Eritrea	Normal	3.045E+02	2.457E+00	7.633E-01	2076	2085	2080	12	tasmax
Eritrea	Normal	3.045E+02	2.421E+00	5.141E-01	2086	2099	2092	1	tasmax
Eritrea	Normal	3.064E+02	2.521E+00	4.691E-01	2086	2099	2092	2	tasmax
Eritrea	Normal	3.095E+02	2.676E+00	5.631E-01	2086	2099	2092	3	tasmax
Eritrea	Normal	3.119E+02	2.523E+00	3.529E-01	2086	2099	2092	4	tasmax
Eritrea	Normal	3.137E+02	2.599E+00	3.865E-01	2086	2099	2092	5	tasmax
Eritrea	Normal	3.147E+02	2.371E+00	4.548E-01	2086	2099	2092	6	tasmax
Eritrea	Normal	3.133E+02	3.256E+00	6.729E-01	2086	2099	2092	7	tasmax
Eritrea	Normal	3.122E+02	3.749E+00	7.648E-01	2086	2099	2092	8	tasmax
Eritrea	Normal	3.121E+02	3.539E+00	8.851E-01	2086	2099	2092	9	tasmax
Eritrea	Normal	3.109E+02	2.651E+00	7.834E-01	2086	2099	2092	10	tasmax
Eritrea	Normal	3.079E+02	2.576E+00	8.358E-01	2086	2099	2092	11	tasmax
Eritrea	Normal	3.051E+02	2.443E+00	7.087E-01	2086	2099	2092	12	tasmax
Estonia	Normal	2.699E+02	3.372E+00	8.743E-01	2006	2015	2010	1	tasmax
Estonia	Normal	2.704E+02	3.314E+00	7.245E-01	2006	2015	2010	2	tasmax
Estonia	Normal	2.743E+02	2.771E+00	4.686E-01	2006	2015	2010	3	tasmax
Estonia	Normal	2.811E+02	3.367E+00	6.502E-01	2006	2015	2010	4	tasmax
Estonia	Normal	2.887E+02	3.300E+00	7.295E-01	2006	2015	2010	5	tasmax
Estonia	Normal	2.941E+02	3.491E+00	1.019E+00	2006	2015	2010	6	tasmax
Estonia	Normal	2.959E+02	3.938E+00	1.058E+00	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Estonia	Normal	2.940E+02	3.607E+00	9.930E-01	2006	2015	2010	8	tasmax
Estonia	Normal	2.886E+02	3.134E+00	8.529E-01	2006	2015	2010	9	tasmax
Estonia	Normal	2.823E+02	2.583E+00	6.158E-01	2006	2015	2010	10	tasmax
Estonia	Normal	2.760E+02	2.685E+00	5.349E-01	2006	2015	2010	11	tasmax
Estonia	Normal	2.720E+02	3.161E+00	6.482E-01	2006	2015	2010	12	tasmax
Estonia	Normal	2.702E+02	3.040E+00	9.408E-01	2016	2025	2020	1	tasmax
Estonia	Normal	2.711E+02	3.169E+00	8.581E-01	2016	2025	2020	2	tasmax
Estonia	Normal	2.750E+02	2.947E+00	5.922E-01	2016	2025	2020	3	tasmax
Estonia	Normal	2.819E+02	3.007E+00	5.874E-01	2016	2025	2020	4	tasmax
Estonia	Normal	2.894E+02	3.508E+00	9.310E-01	2016	2025	2020	5	tasmax
Estonia	Normal	2.943E+02	3.613E+00	8.334E-01	2016	2025	2020	6	tasmax
Estonia	Normal	2.966E+02	3.860E+00	9.891E-01	2016	2025	2020	7	tasmax
Estonia	Normal	2.944E+02	3.755E+00	1.106E+00	2016	2025	2020	8	tasmax
Estonia	Normal	2.891E+02	3.022E+00	6.110E-01	2016	2025	2020	9	tasmax
Estonia	Normal	2.827E+02	2.284E+00	4.712E-01	2016	2025	2020	10	tasmax
Estonia	Normal	2.769E+02	2.252E+00	4.588E-01	2016	2025	2020	11	tasmax
Estonia	Normal	2.722E+02	2.877E+00	5.953E-01	2016	2025	2020	12	tasmax
Estonia	Normal	2.703E+02	3.841E+00	9.764E-01	2026	2035	2030	1	tasmax
Estonia	Normal	2.715E+02	2.737E+00	8.465E-01	2026	2035	2030	2	tasmax
Estonia	Normal	2.755E+02	2.584E+00	6.923E-01	2026	2035	2030	3	tasmax
Estonia	Normal	2.825E+02	3.420E+00	5.450E-01	2026	2035	2030	4	tasmax
Estonia	Normal	2.897E+02	3.504E+00	1.082E+00	2026	2035	2030	5	tasmax
Estonia	Normal	2.946E+02	3.447E+00	9.006E-01	2026	2035	2030	6	tasmax
Estonia	Normal	2.968E+02	4.040E+00	1.274E+00	2026	2035	2030	7	tasmax
Estonia	Normal	2.948E+02	3.381E+00	8.003E-01	2026	2035	2030	8	tasmax
Estonia	Normal	2.892E+02	2.922E+00	5.830E-01	2026	2035	2030	9	tasmax
Estonia	Normal	2.830E+02	2.687E+00	8.001E-01	2026	2035	2030	10	tasmax
Estonia	Normal	2.772E+02	2.495E+00	7.117E-01	2026	2035	2030	11	tasmax
Estonia	Normal	2.730E+02	3.378E+00	5.764E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Estonia	Normal	2.717E+02	3.759E+00	1.403E+00	2036	2045	2040	1	tasmax
Estonia	Normal	2.725E+02	3.158E+00	1.300E+00	2036	2045	2040	2	tasmax
Estonia	Normal	2.762E+02	2.876E+00	7.710E-01	2036	2045	2040	3	tasmax
Estonia	Normal	2.828E+02	3.032E+00	5.179E-01	2036	2045	2040	4	tasmax
Estonia	Normal	2.899E+02	3.348E+00	9.447E-01	2036	2045	2040	5	tasmax
Estonia	Normal	2.950E+02	3.640E+00	8.677E-01	2036	2045	2040	6	tasmax
Estonia	Normal	2.976E+02	4.128E+00	1.001E+00	2036	2045	2040	7	tasmax
Estonia	Normal	2.955E+02	3.542E+00	6.405E-01	2036	2045	2040	8	tasmax
Estonia	Normal	2.900E+02	2.756E+00	6.221E-01	2036	2045	2040	9	tasmax
Estonia	Normal	2.836E+02	2.384E+00	4.938E-01	2036	2045	2040	10	tasmax
Estonia	Normal	2.779E+02	2.691E+00	4.575E-01	2036	2045	2040	11	tasmax
Estonia	Normal	2.737E+02	2.862E+00	7.114E-01	2036	2045	2040	12	tasmax
Estonia	Normal	2.723E+02	3.170E+00	8.875E-01	2046	2055	2050	1	tasmax
Estonia	Normal	2.729E+02	3.168E+00	1.006E+00	2046	2055	2050	2	tasmax
Estonia	Normal	2.769E+02	2.653E+00	4.496E-01	2046	2055	2050	3	tasmax
Estonia	Normal	2.836E+02	3.600E+00	8.389E-01	2046	2055	2050	4	tasmax
Estonia	Normal	2.905E+02	3.707E+00	1.185E+00	2046	2055	2050	5	tasmax
Estonia	Normal	2.958E+02	3.836E+00	9.446E-01	2046	2055	2050	6	tasmax
Estonia	Normal	2.980E+02	3.916E+00	9.455E-01	2046	2055	2050	7	tasmax
Estonia	Normal	2.962E+02	3.694E+00	7.582E-01	2046	2055	2050	8	tasmax
Estonia	Normal	2.908E+02	2.788E+00	4.463E-01	2046	2055	2050	9	tasmax
Estonia	Normal	2.844E+02	2.558E+00	7.772E-01	2046	2055	2050	10	tasmax
Estonia	Normal	2.784E+02	2.728E+00	3.670E-01	2046	2055	2050	11	tasmax
Estonia	Normal	2.744E+02	3.162E+00	9.408E-01	2046	2055	2050	12	tasmax
Estonia	Normal	2.732E+02	3.195E+00	8.319E-01	2056	2065	2060	1	tasmax
Estonia	Normal	2.737E+02	3.133E+00	1.014E+00	2056	2065	2060	2	tasmax
Estonia	Normal	2.774E+02	3.015E+00	7.967E-01	2056	2065	2060	3	tasmax
Estonia	Normal	2.841E+02	2.924E+00	7.160E-01	2056	2065	2060	4	tasmax
Estonia	Normal	2.909E+02	3.639E+00	1.029E+00	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Estonia	Normal	2.960E+02	3.907E+00	8.800E-01	2056	2065	2060	6	tasmax
Estonia	Normal	2.985E+02	4.092E+00	8.363E-01	2056	2065	2060	7	tasmax
Estonia	Normal	2.968E+02	3.847E+00	8.020E-01	2056	2065	2060	8	tasmax
Estonia	Normal	2.913E+02	3.012E+00	5.417E-01	2056	2065	2060	9	tasmax
Estonia	Normal	2.849E+02	2.425E+00	5.232E-01	2056	2065	2060	10	tasmax
Estonia	Normal	2.790E+02	2.196E+00	5.410E-01	2056	2065	2060	11	tasmax
Estonia	Normal	2.751E+02	2.961E+00	4.546E-01	2056	2065	2060	12	tasmax
Estonia	Normal	2.741E+02	2.925E+00	5.069E-01	2066	2075	2070	1	tasmax
Estonia	Normal	2.745E+02	2.771E+00	6.393E-01	2066	2075	2070	2	tasmax
Estonia	Normal	2.782E+02	2.841E+00	6.570E-01	2066	2075	2070	3	tasmax
Estonia	Normal	2.848E+02	3.299E+00	8.196E-01	2066	2075	2070	4	tasmax
Estonia	Normal	2.916E+02	3.617E+00	8.804E-01	2066	2075	2070	5	tasmax
Estonia	Normal	2.972E+02	3.934E+00	8.436E-01	2066	2075	2070	6	tasmax
Estonia	Normal	2.991E+02	4.188E+00	1.002E+00	2066	2075	2070	7	tasmax
Estonia	Normal	2.975E+02	3.812E+00	9.429E-01	2066	2075	2070	8	tasmax
Estonia	Normal	2.920E+02	3.237E+00	7.503E-01	2066	2075	2070	9	tasmax
Estonia	Normal	2.853E+02	2.711E+00	6.768E-01	2066	2075	2070	10	tasmax
Estonia	Normal	2.798E+02	2.363E+00	6.627E-01	2066	2075	2070	11	tasmax
Estonia	Normal	2.757E+02	3.030E+00	7.052E-01	2066	2075	2070	12	tasmax
Estonia	Normal	2.748E+02	3.463E+00	1.359E+00	2076	2085	2080	1	tasmax
Estonia	Normal	2.751E+02	3.075E+00	8.564E-01	2076	2085	2080	2	tasmax
Estonia	Normal	2.787E+02	3.035E+00	5.794E-01	2076	2085	2080	3	tasmax
Estonia	Normal	2.851E+02	3.134E+00	8.054E-01	2076	2085	2080	4	tasmax
Estonia	Normal	2.919E+02	3.641E+00	1.066E+00	2076	2085	2080	5	tasmax
Estonia	Normal	2.975E+02	3.829E+00	8.837E-01	2076	2085	2080	6	tasmax
Estonia	Normal	2.999E+02	4.410E+00	8.080E-01	2076	2085	2080	7	tasmax
Estonia	Normal	2.985E+02	4.022E+00	1.021E+00	2076	2085	2080	8	tasmax
Estonia	Normal	2.926E+02	3.131E+00	6.108E-01	2076	2085	2080	9	tasmax
Estonia	Normal	2.862E+02	2.597E+00	6.008E-01	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Estonia	Normal	2.802E+02	2.151E+00	3.986E-01	2076	2085	2080	11	tasmax
Estonia	Normal	2.765E+02	2.840E+00	7.911E-01	2076	2085	2080	12	tasmax
Estonia	Normal	2.753E+02	2.648E+00	5.652E-01	2086	2099	2092	1	tasmax
Estonia	Normal	2.755E+02	2.556E+00	8.710E-01	2086	2099	2092	2	tasmax
Estonia	Normal	2.790E+02	2.777E+00	6.504E-01	2086	2099	2092	3	tasmax
Estonia	Normal	2.855E+02	3.032E+00	5.652E-01	2086	2099	2092	4	tasmax
Estonia	Normal	2.925E+02	3.795E+00	1.201E+00	2086	2099	2092	5	tasmax
Estonia	Normal	2.982E+02	4.210E+00	7.811E-01	2086	2099	2092	6	tasmax
Estonia	Normal	3.005E+02	4.337E+00	9.901E-01	2086	2099	2092	7	tasmax
Estonia	Normal	2.989E+02	4.037E+00	1.045E+00	2086	2099	2092	8	tasmax
Estonia	Normal	2.935E+02	3.021E+00	6.125E-01	2086	2099	2092	9	tasmax
Estonia	Normal	2.868E+02	2.422E+00	6.436E-01	2086	2099	2092	10	tasmax
Estonia	Normal	2.807E+02	2.216E+00	4.067E-01	2086	2099	2092	11	tasmax
Estonia	Normal	2.770E+02	2.567E+00	4.257E-01	2086	2099	2092	12	tasmax
Ethiopia	Normal	3.013E+02	1.392E+00	3.780E-01	2006	2015	2010	1	tasmax
Ethiopia	Normal	3.034E+02	1.424E+00	4.099E-01	2006	2015	2010	2	tasmax
Ethiopia	Normal	3.049E+02	1.382E+00	3.675E-01	2006	2015	2010	3	tasmax
Ethiopia	Normal	3.047E+02	1.299E+00	1.828E-01	2006	2015	2010	4	tasmax
Ethiopia	Normal	3.035E+02	1.516E+00	3.060E-01	2006	2015	2010	5	tasmax
Ethiopia	Normal	3.027E+02	1.682E+00	3.794E-01	2006	2015	2010	6	tasmax
Ethiopia	Normal	3.014E+02	1.887E+00	3.128E-01	2006	2015	2010	7	tasmax
Ethiopia	Normal	3.013E+02	1.892E+00	3.480E-01	2006	2015	2010	8	tasmax
Ethiopia	Normal	3.016E+02	1.811E+00	3.306E-01	2006	2015	2010	9	tasmax
Ethiopia	Normal	3.010E+02	1.720E+00	4.143E-01	2006	2015	2010	10	tasmax
Ethiopia	Normal	3.004E+02	1.712E+00	3.914E-01	2006	2015	2010	11	tasmax
Ethiopia	Normal	3.002E+02	1.574E+00	3.738E-01	2006	2015	2010	12	tasmax
Ethiopia	Normal	3.016E+02	1.557E+00	4.239E-01	2016	2025	2020	1	tasmax
Ethiopia	Normal	3.038E+02	1.469E+00	5.142E-01	2016	2025	2020	2	tasmax
Ethiopia	Normal	3.055E+02	1.523E+00	3.988E-01	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ethiopia	Normal	3.053E+02	1.195E+00	1.846E-01	2016	2025	2020	4	tasmax
Ethiopia	Normal	3.039E+02	1.477E+00	2.521E-01	2016	2025	2020	5	tasmax
Ethiopia	Normal	3.029E+02	1.763E+00	3.727E-01	2016	2025	2020	6	tasmax
Ethiopia	Normal	3.018E+02	1.976E+00	4.379E-01	2016	2025	2020	7	tasmax
Ethiopia	Normal	3.016E+02	1.965E+00	3.331E-01	2016	2025	2020	8	tasmax
Ethiopia	Normal	3.019E+02	1.929E+00	3.251E-01	2016	2025	2020	9	tasmax
Ethiopia	Normal	3.012E+02	1.838E+00	4.516E-01	2016	2025	2020	10	tasmax
Ethiopia	Normal	3.006E+02	1.808E+00	4.008E-01	2016	2025	2020	11	tasmax
Ethiopia	Normal	3.006E+02	1.708E+00	4.343E-01	2016	2025	2020	12	tasmax
Ethiopia	Normal	3.019E+02	1.421E+00	3.607E-01	2026	2035	2030	1	tasmax
Ethiopia	Normal	3.041E+02	1.424E+00	4.572E-01	2026	2035	2030	2	tasmax
Ethiopia	Normal	3.057E+02	1.407E+00	3.518E-01	2026	2035	2030	3	tasmax
Ethiopia	Normal	3.054E+02	1.233E+00	2.124E-01	2026	2035	2030	4	tasmax
Ethiopia	Normal	3.043E+02	1.513E+00	2.567E-01	2026	2035	2030	5	tasmax
Ethiopia	Normal	3.034E+02	1.850E+00	4.751E-01	2026	2035	2030	6	tasmax
Ethiopia	Normal	3.022E+02	1.991E+00	4.323E-01	2026	2035	2030	7	tasmax
Ethiopia	Normal	3.020E+02	1.951E+00	3.672E-01	2026	2035	2030	8	tasmax
Ethiopia	Normal	3.023E+02	1.949E+00	3.433E-01	2026	2035	2030	9	tasmax
Ethiopia	Normal	3.015E+02	1.718E+00	3.903E-01	2026	2035	2030	10	tasmax
Ethiopia	Normal	3.009E+02	1.676E+00	3.397E-01	2026	2035	2030	11	tasmax
Ethiopia	Normal	3.008E+02	1.600E+00	2.999E-01	2026	2035	2030	12	tasmax
Ethiopia	Normal	3.023E+02	1.547E+00	3.762E-01	2036	2045	2040	1	tasmax
Ethiopia	Normal	3.045E+02	1.447E+00	4.705E-01	2036	2045	2040	2	tasmax
Ethiopia	Normal	3.062E+02	1.484E+00	3.934E-01	2036	2045	2040	3	tasmax
Ethiopia	Normal	3.058E+02	1.294E+00	2.437E-01	2036	2045	2040	4	tasmax
Ethiopia	Normal	3.046E+02	1.582E+00	2.220E-01	2036	2045	2040	5	tasmax
Ethiopia	Normal	3.038E+02	1.831E+00	4.610E-01	2036	2045	2040	6	tasmax
Ethiopia	Normal	3.025E+02	2.008E+00	3.949E-01	2036	2045	2040	7	tasmax
Ethiopia	Normal	3.024E+02	1.931E+00	3.432E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ethiopia	Normal	3.026E+02	1.917E+00	3.192E-01	2036	2045	2040	9	tasmax
Ethiopia	Normal	3.019E+02	1.764E+00	4.976E-01	2036	2045	2040	10	tasmax
Ethiopia	Normal	3.013E+02	1.735E+00	3.372E-01	2036	2045	2040	11	tasmax
Ethiopia	Normal	3.012E+02	1.659E+00	3.686E-01	2036	2045	2040	12	tasmax
Ethiopia	Normal	3.029E+02	1.611E+00	4.349E-01	2046	2055	2050	1	tasmax
Ethiopia	Normal	3.050E+02	1.556E+00	4.684E-01	2046	2055	2050	2	tasmax
Ethiopia	Normal	3.067E+02	1.529E+00	3.896E-01	2046	2055	2050	3	tasmax
Ethiopia	Normal	3.064E+02	1.348E+00	2.788E-01	2046	2055	2050	4	tasmax
Ethiopia	Normal	3.051E+02	1.541E+00	2.903E-01	2046	2055	2050	5	tasmax
Ethiopia	Normal	3.044E+02	1.797E+00	4.122E-01	2046	2055	2050	6	tasmax
Ethiopia	Normal	3.031E+02	2.140E+00	5.536E-01	2046	2055	2050	7	tasmax
Ethiopia	Normal	3.028E+02	2.092E+00	3.811E-01	2046	2055	2050	8	tasmax
Ethiopia	Normal	3.031E+02	1.996E+00	3.672E-01	2046	2055	2050	9	tasmax
Ethiopia	Normal	3.024E+02	1.875E+00	4.904E-01	2046	2055	2050	10	tasmax
Ethiopia	Normal	3.017E+02	1.855E+00	3.771E-01	2046	2055	2050	11	tasmax
Ethiopia	Normal	3.017E+02	1.798E+00	3.656E-01	2046	2055	2050	12	tasmax
Ethiopia	Normal	3.033E+02	1.727E+00	3.979E-01	2056	2065	2060	1	tasmax
Ethiopia	Normal	3.055E+02	1.492E+00	3.986E-01	2056	2065	2060	2	tasmax
Ethiopia	Normal	3.071E+02	1.524E+00	2.560E-01	2056	2065	2060	3	tasmax
Ethiopia	Normal	3.069E+02	1.304E+00	2.223E-01	2056	2065	2060	4	tasmax
Ethiopia	Normal	3.058E+02	1.457E+00	3.037E-01	2056	2065	2060	5	tasmax
Ethiopia	Normal	3.049E+02	1.880E+00	4.701E-01	2056	2065	2060	6	tasmax
Ethiopia	Normal	3.037E+02	2.138E+00	4.990E-01	2056	2065	2060	7	tasmax
Ethiopia	Normal	3.033E+02	2.106E+00	3.607E-01	2056	2065	2060	8	tasmax
Ethiopia	Normal	3.036E+02	2.134E+00	5.348E-01	2056	2065	2060	9	tasmax
Ethiopia	Normal	3.028E+02	1.949E+00	4.585E-01	2056	2065	2060	10	tasmax
Ethiopia	Normal	3.021E+02	1.953E+00	4.411E-01	2056	2065	2060	11	tasmax
Ethiopia	Normal	3.020E+02	1.933E+00	3.825E-01	2056	2065	2060	12	tasmax
Ethiopia	Normal	3.039E+02	1.687E+00	3.344E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ethiopia	Normal	3.060E+02	1.543E+00	3.950E-01	2066	2075	2070	2	tasmax
Ethiopia	Normal	3.076E+02	1.449E+00	2.952E-01	2066	2075	2070	3	tasmax
Ethiopia	Normal	3.073E+02	1.149E+00	2.628E-01	2066	2075	2070	4	tasmax
Ethiopia	Normal	3.064E+02	1.568E+00	2.206E-01	2066	2075	2070	5	tasmax
Ethiopia	Normal	3.056E+02	1.878E+00	4.695E-01	2066	2075	2070	6	tasmax
Ethiopia	Normal	3.043E+02	2.188E+00	4.755E-01	2066	2075	2070	7	tasmax
Ethiopia	Normal	3.039E+02	2.217E+00	3.741E-01	2066	2075	2070	8	tasmax
Ethiopia	Normal	3.041E+02	2.138E+00	4.970E-01	2066	2075	2070	9	tasmax
Ethiopia	Normal	3.034E+02	1.860E+00	3.633E-01	2066	2075	2070	10	tasmax
Ethiopia	Normal	3.027E+02	1.887E+00	4.499E-01	2066	2075	2070	11	tasmax
Ethiopia	Normal	3.027E+02	1.930E+00	3.973E-01	2066	2075	2070	12	tasmax
Ethiopia	Normal	3.044E+02	1.867E+00	3.795E-01	2076	2085	2080	1	tasmax
Ethiopia	Normal	3.066E+02	1.586E+00	3.740E-01	2076	2085	2080	2	tasmax
Ethiopia	Normal	3.081E+02	1.456E+00	2.279E-01	2076	2085	2080	3	tasmax
Ethiopia	Normal	3.080E+02	1.338E+00	2.272E-01	2076	2085	2080	4	tasmax
Ethiopia	Normal	3.069E+02	1.616E+00	2.204E-01	2076	2085	2080	5	tasmax
Ethiopia	Normal	3.061E+02	2.080E+00	5.146E-01	2076	2085	2080	6	tasmax
Ethiopia	Normal	3.047E+02	2.376E+00	5.339E-01	2076	2085	2080	7	tasmax
Ethiopia	Normal	3.044E+02	2.339E+00	4.077E-01	2076	2085	2080	8	tasmax
Ethiopia	Normal	3.047E+02	2.286E+00	5.892E-01	2076	2085	2080	9	tasmax
Ethiopia	Normal	3.038E+02	2.057E+00	5.388E-01	2076	2085	2080	10	tasmax
Ethiopia	Normal	3.032E+02	2.029E+00	3.269E-01	2076	2085	2080	11	tasmax
Ethiopia	Normal	3.031E+02	2.132E+00	4.606E-01	2076	2085	2080	12	tasmax
Ethiopia	Normal	3.049E+02	1.875E+00	3.423E-01	2086	2099	2092	1	tasmax
Ethiopia	Normal	3.070E+02	1.702E+00	3.911E-01	2086	2099	2092	2	tasmax
Ethiopia	Normal	3.086E+02	1.569E+00	3.015E-01	2086	2099	2092	3	tasmax
Ethiopia	Normal	3.083E+02	1.476E+00	2.567E-01	2086	2099	2092	4	tasmax
Ethiopia	Normal	3.074E+02	1.632E+00	2.814E-01	2086	2099	2092	5	tasmax
Ethiopia	Normal	3.067E+02	2.089E+00	4.220E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ethiopia	Normal	3.052E+02	2.452E+00	6.492E-01	2086	2099	2092	7	tasmax
Ethiopia	Normal	3.049E+02	2.369E+00	5.113E-01	2086	2099	2092	8	tasmax
Ethiopia	Normal	3.051E+02	2.393E+00	5.752E-01	2086	2099	2092	9	tasmax
Ethiopia	Normal	3.043E+02	2.002E+00	5.146E-01	2086	2099	2092	10	tasmax
Ethiopia	Normal	3.037E+02	2.013E+00	2.955E-01	2086	2099	2092	11	tasmax
Ethiopia	Normal	3.036E+02	1.987E+00	4.288E-01	2086	2099	2092	12	tasmax
Finland	Normal	2.644E+02	4.466E+00	8.498E-01	2006	2015	2010	1	tasmax
Finland	Normal	2.651E+02	4.020E+00	8.769E-01	2006	2015	2010	2	tasmax
Finland	Normal	2.700E+02	2.507E+00	3.539E-01	2006	2015	2010	3	tasmax
Finland	Normal	2.763E+02	2.777E+00	5.026E-01	2006	2015	2010	4	tasmax
Finland	Normal	2.849E+02	3.600E+00	8.625E-01	2006	2015	2010	5	tasmax
Finland	Normal	2.908E+02	3.388E+00	7.995E-01	2006	2015	2010	6	tasmax
Finland	Normal	2.927E+02	3.583E+00	9.078E-01	2006	2015	2010	7	tasmax
Finland	Normal	2.901E+02	3.259E+00	6.482E-01	2006	2015	2010	8	tasmax
Finland	Normal	2.843E+02	2.898E+00	7.958E-01	2006	2015	2010	9	tasmax
Finland	Normal	2.777E+02	2.341E+00	5.167E-01	2006	2015	2010	10	tasmax
Finland	Normal	2.713E+02	2.899E+00	5.511E-01	2006	2015	2010	11	tasmax
Finland	Normal	2.667E+02	3.937E+00	9.319E-01	2006	2015	2010	12	tasmax
Finland	Normal	2.647E+02	4.048E+00	1.334E+00	2016	2025	2020	1	tasmax
Finland	Normal	2.659E+02	3.953E+00	9.662E-01	2016	2025	2020	2	tasmax
Finland	Normal	2.705E+02	2.803E+00	5.250E-01	2016	2025	2020	3	tasmax
Finland	Normal	2.772E+02	2.393E+00	4.670E-01	2016	2025	2020	4	tasmax
Finland	Normal	2.856E+02	3.420E+00	6.858E-01	2016	2025	2020	5	tasmax
Finland	Normal	2.911E+02	3.586E+00	9.641E-01	2016	2025	2020	6	tasmax
Finland	Normal	2.933E+02	3.472E+00	7.524E-01	2016	2025	2020	7	tasmax
Finland	Normal	2.907E+02	3.678E+00	6.728E-01	2016	2025	2020	8	tasmax
Finland	Normal	2.848E+02	2.904E+00	5.686E-01	2016	2025	2020	9	tasmax
Finland	Normal	2.781E+02	2.198E+00	4.819E-01	2016	2025	2020	10	tasmax
Finland	Normal	2.724E+02	2.450E+00	5.229E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Finland	Normal	2.673E+02	3.483E+00	8.503E-01	2016	2025	2020	12	tasmax
Finland	Normal	2.650E+02	4.387E+00	1.099E+00	2026	2035	2030	1	tasmax
Finland	Normal	2.664E+02	3.353E+00	8.903E-01	2026	2035	2030	2	tasmax
Finland	Normal	2.710E+02	2.441E+00	9.140E-01	2026	2035	2030	3	tasmax
Finland	Normal	2.778E+02	2.947E+00	5.996E-01	2026	2035	2030	4	tasmax
Finland	Normal	2.859E+02	3.610E+00	6.444E-01	2026	2035	2030	5	tasmax
Finland	Normal	2.914E+02	3.480E+00	9.743E-01	2026	2035	2030	6	tasmax
Finland	Normal	2.937E+02	3.552E+00	1.190E+00	2026	2035	2030	7	tasmax
Finland	Normal	2.911E+02	3.304E+00	6.541E-01	2026	2035	2030	8	tasmax
Finland	Normal	2.851E+02	2.815E+00	5.443E-01	2026	2035	2030	9	tasmax
Finland	Normal	2.786E+02	2.457E+00	7.046E-01	2026	2035	2030	10	tasmax
Finland	Normal	2.728E+02	2.755E+00	7.212E-01	2026	2035	2030	11	tasmax
Finland	Normal	2.679E+02	3.621E+00	8.614E-01	2026	2035	2030	12	tasmax
Finland	Normal	2.665E+02	4.139E+00	1.598E+00	2036	2045	2040	1	tasmax
Finland	Normal	2.675E+02	3.464E+00	1.253E+00	2036	2045	2040	2	tasmax
Finland	Normal	2.716E+02	2.510E+00	6.795E-01	2036	2045	2040	3	tasmax
Finland	Normal	2.781E+02	2.540E+00	8.357E-01	2036	2045	2040	4	tasmax
Finland	Normal	2.862E+02	3.399E+00	6.705E-01	2036	2045	2040	5	tasmax
Finland	Normal	2.918E+02	3.442E+00	8.109E-01	2036	2045	2040	6	tasmax
Finland	Normal	2.942E+02	3.615E+00	8.749E-01	2036	2045	2040	7	tasmax
Finland	Normal	2.917E+02	3.351E+00	5.432E-01	2036	2045	2040	8	tasmax
Finland	Normal	2.858E+02	2.664E+00	5.855E-01	2036	2045	2040	9	tasmax
Finland	Normal	2.790E+02	2.276E+00	5.063E-01	2036	2045	2040	10	tasmax
Finland	Normal	2.732E+02	2.743E+00	4.528E-01	2036	2045	2040	11	tasmax
Finland	Normal	2.688E+02	3.257E+00	9.941E-01	2036	2045	2040	12	tasmax
Finland	Normal	2.671E+02	3.812E+00	1.310E+00	2046	2055	2050	1	tasmax
Finland	Normal	2.679E+02	3.592E+00	1.324E+00	2046	2055	2050	2	tasmax
Finland	Normal	2.723E+02	2.396E+00	6.342E-01	2046	2055	2050	3	tasmax
Finland	Normal	2.791E+02	3.095E+00	5.482E-01	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Finland	Normal	2.869E+02	3.535E+00	8.183E-01	2046	2055	2050	5	tasmax
Finland	Normal	2.926E+02	3.468E+00	7.557E-01	2046	2055	2050	6	tasmax
Finland	Normal	2.947E+02	3.802E+00	7.103E-01	2046	2055	2050	7	tasmax
Finland	Normal	2.924E+02	3.701E+00	5.905E-01	2046	2055	2050	8	tasmax
Finland	Normal	2.866E+02	2.785E+00	6.252E-01	2046	2055	2050	9	tasmax
Finland	Normal	2.799E+02	2.368E+00	5.870E-01	2046	2055	2050	10	tasmax
Finland	Normal	2.739E+02	2.986E+00	5.999E-01	2046	2055	2050	11	tasmax
Finland	Normal	2.698E+02	3.642E+00	1.219E+00	2046	2055	2050	12	tasmax
Finland	Normal	2.681E+02	3.589E+00	1.302E+00	2056	2065	2060	1	tasmax
Finland	Normal	2.689E+02	3.361E+00	1.141E+00	2056	2065	2060	2	tasmax
Finland	Normal	2.729E+02	2.816E+00	9.619E-01	2056	2065	2060	3	tasmax
Finland	Normal	2.796E+02	2.634E+00	6.085E-01	2056	2065	2060	4	tasmax
Finland	Normal	2.873E+02	3.526E+00	6.020E-01	2056	2065	2060	5	tasmax
Finland	Normal	2.928E+02	3.694E+00	7.739E-01	2056	2065	2060	6	tasmax
Finland	Normal	2.953E+02	3.815E+00	7.134E-01	2056	2065	2060	7	tasmax
Finland	Normal	2.929E+02	3.804E+00	6.887E-01	2056	2065	2060	8	tasmax
Finland	Normal	2.871E+02	2.934E+00	5.689E-01	2056	2065	2060	9	tasmax
Finland	Normal	2.805E+02	2.237E+00	5.013E-01	2056	2065	2060	10	tasmax
Finland	Normal	2.744E+02	2.406E+00	4.826E-01	2056	2065	2060	11	tasmax
Finland	Normal	2.701E+02	3.206E+00	7.921E-01	2056	2065	2060	12	tasmax
Finland	Normal	2.692E+02	3.638E+00	8.105E-01	2066	2075	2070	1	tasmax
Finland	Normal	2.697E+02	3.190E+00	9.492E-01	2066	2075	2070	2	tasmax
Finland	Normal	2.737E+02	2.483E+00	8.371E-01	2066	2075	2070	3	tasmax
Finland	Normal	2.805E+02	2.967E+00	6.260E-01	2066	2075	2070	4	tasmax
Finland	Normal	2.882E+02	3.617E+00	8.479E-01	2066	2075	2070	5	tasmax
Finland	Normal	2.940E+02	3.574E+00	8.449E-01	2066	2075	2070	6	tasmax
Finland	Normal	2.959E+02	3.989E+00	9.826E-01	2066	2075	2070	7	tasmax
Finland	Normal	2.937E+02	3.651E+00	7.896E-01	2066	2075	2070	8	tasmax
Finland	Normal	2.878E+02	3.174E+00	7.718E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Finland	Normal	2.810E+02	2.515E+00	7.127E-01	2066	2075	2070	10	tasmax
Finland	Normal	2.754E+02	2.359E+00	5.247E-01	2066	2075	2070	11	tasmax
Finland	Normal	2.711E+02	3.182E+00	6.763E-01	2066	2075	2070	12	tasmax
Finland	Normal	2.701E+02	3.869E+00	1.817E+00	2076	2085	2080	1	tasmax
Finland	Normal	2.703E+02	3.332E+00	1.187E+00	2076	2085	2080	2	tasmax
Finland	Normal	2.741E+02	2.611E+00	5.276E-01	2076	2085	2080	3	tasmax
Finland	Normal	2.809E+02	2.714E+00	5.218E-01	2076	2085	2080	4	tasmax
Finland	Normal	2.886E+02	3.316E+00	7.121E-01	2076	2085	2080	5	tasmax
Finland	Normal	2.943E+02	3.591E+00	6.479E-01	2076	2085	2080	6	tasmax
Finland	Normal	2.967E+02	3.979E+00	6.923E-01	2076	2085	2080	7	tasmax
Finland	Normal	2.946E+02	3.647E+00	6.770E-01	2076	2085	2080	8	tasmax
Finland	Normal	2.885E+02	3.095E+00	6.249E-01	2076	2085	2080	9	tasmax
Finland	Normal	2.818E+02	2.469E+00	6.271E-01	2076	2085	2080	10	tasmax
Finland	Normal	2.758E+02	2.175E+00	4.021E-01	2076	2085	2080	11	tasmax
Finland	Normal	2.721E+02	2.845E+00	7.169E-01	2076	2085	2080	12	tasmax
Finland	Normal	2.706E+02	3.199E+00	8.036E-01	2086	2099	2092	1	tasmax
Finland	Normal	2.708E+02	2.666E+00	1.106E+00	2086	2099	2092	2	tasmax
Finland	Normal	2.745E+02	2.380E+00	9.214E-01	2086	2099	2092	3	tasmax
Finland	Normal	2.815E+02	2.813E+00	7.023E-01	2086	2099	2092	4	tasmax
Finland	Normal	2.894E+02	3.821E+00	1.066E+00	2086	2099	2092	5	tasmax
Finland	Normal	2.950E+02	3.888E+00	8.394E-01	2086	2099	2092	6	tasmax
Finland	Normal	2.972E+02	4.091E+00	8.805E-01	2086	2099	2092	7	tasmax
Finland	Normal	2.952E+02	3.827E+00	9.665E-01	2086	2099	2092	8	tasmax
Finland	Normal	2.893E+02	3.091E+00	7.034E-01	2086	2099	2092	9	tasmax
Finland	Normal	2.824E+02	2.425E+00	4.502E-01	2086	2099	2092	10	tasmax
Finland	Normal	2.764E+02	2.486E+00	4.625E-01	2086	2099	2092	11	tasmax
Finland	Normal	2.726E+02	2.714E+00	6.506E-01	2086	2099	2092	12	tasmax
France	Normal	2.810E+02	1.603E+00	2.502E-01	2006	2015	2010	1	tasmax
France	Normal	2.819E+02	1.798E+00	4.184E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
France	Normal	2.843E+02	2.269E+00	7.421E-01	2006	2015	2010	3	tasmax
France	Normal	2.877E+02	2.613E+00	9.310E-01	2006	2015	2010	4	tasmax
France	Normal	2.915E+02	2.335E+00	7.024E-01	2006	2015	2010	5	tasmax
France	Normal	2.958E+02	2.603E+00	9.148E-01	2006	2015	2010	6	tasmax
France	Normal	2.984E+02	2.451E+00	5.422E-01	2006	2015	2010	7	tasmax
France	Normal	2.982E+02	2.623E+00	6.753E-01	2006	2015	2010	8	tasmax
France	Normal	2.944E+02	2.549E+00	8.517E-01	2006	2015	2010	9	tasmax
France	Normal	2.890E+02	2.505E+00	9.236E-01	2006	2015	2010	10	tasmax
France	Normal	2.842E+02	1.747E+00	5.275E-01	2006	2015	2010	11	tasmax
France	Normal	2.818E+02	1.593E+00	2.493E-01	2006	2015	2010	12	tasmax
France	Normal	2.811E+02	1.525E+00	2.920E-01	2016	2025	2020	1	tasmax
France	Normal	2.824E+02	1.719E+00	4.677E-01	2016	2025	2020	2	tasmax
France	Normal	2.848E+02	2.429E+00	7.293E-01	2016	2025	2020	3	tasmax
France	Normal	2.879E+02	2.300E+00	5.574E-01	2016	2025	2020	4	tasmax
France	Normal	2.919E+02	2.349E+00	6.670E-01	2016	2025	2020	5	tasmax
France	Normal	2.964E+02	2.591E+00	7.388E-01	2016	2025	2020	6	tasmax
France	Normal	2.989E+02	2.597E+00	5.410E-01	2016	2025	2020	7	tasmax
France	Normal	2.988E+02	2.616E+00	5.578E-01	2016	2025	2020	8	tasmax
France	Normal	2.951E+02	2.649E+00	5.398E-01	2016	2025	2020	9	tasmax
France	Normal	2.895E+02	2.496E+00	8.012E-01	2016	2025	2020	10	tasmax
France	Normal	2.848E+02	1.660E+00	3.824E-01	2016	2025	2020	11	tasmax
France	Normal	2.819E+02	1.329E+00	2.519E-01	2016	2025	2020	12	tasmax
France	Normal	2.815E+02	1.546E+00	2.796E-01	2026	2035	2030	1	tasmax
France	Normal	2.825E+02	1.473E+00	2.298E-01	2026	2035	2030	2	tasmax
France	Normal	2.851E+02	2.241E+00	5.777E-01	2026	2035	2030	3	tasmax
France	Normal	2.882E+02	2.481E+00	7.664E-01	2026	2035	2030	4	tasmax
France	Normal	2.924E+02	2.487E+00	7.465E-01	2026	2035	2030	5	tasmax
France	Normal	2.966E+02	2.765E+00	7.192E-01	2026	2035	2030	6	tasmax
France	Normal	2.996E+02	2.805E+00	7.235E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
France	Normal	2.992E+02	2.699E+00	4.753E-01	2026	2035	2030	8	tasmax
France	Normal	2.954E+02	2.792E+00	6.683E-01	2026	2035	2030	9	tasmax
France	Normal	2.901E+02	2.648E+00	9.407E-01	2026	2035	2030	10	tasmax
France	Normal	2.851E+02	1.759E+00	4.695E-01	2026	2035	2030	11	tasmax
France	Normal	2.825E+02	1.626E+00	3.102E-01	2026	2035	2030	12	tasmax
France	Normal	2.821E+02	1.545E+00	3.686E-01	2036	2045	2040	1	tasmax
France	Normal	2.831E+02	1.750E+00	3.592E-01	2036	2045	2040	2	tasmax
France	Normal	2.855E+02	2.350E+00	6.058E-01	2036	2045	2040	3	tasmax
France	Normal	2.886E+02	2.464E+00	6.797E-01	2036	2045	2040	4	tasmax
France	Normal	2.927E+02	2.442E+00	7.576E-01	2036	2045	2040	5	tasmax
France	Normal	2.974E+02	3.022E+00	7.459E-01	2036	2045	2040	6	tasmax
France	Normal	3.003E+02	2.976E+00	6.644E-01	2036	2045	2040	7	tasmax
France	Normal	2.999E+02	2.911E+00	5.256E-01	2036	2045	2040	8	tasmax
France	Normal	2.960E+02	2.789E+00	5.724E-01	2036	2045	2040	9	tasmax
France	Normal	2.904E+02	2.285E+00	7.448E-01	2036	2045	2040	10	tasmax
France	Normal	2.856E+02	1.923E+00	6.799E-01	2036	2045	2040	11	tasmax
France	Normal	2.830E+02	1.524E+00	3.452E-01	2036	2045	2040	12	tasmax
France	Normal	2.824E+02	1.519E+00	3.187E-01	2046	2055	2050	1	tasmax
France	Normal	2.833E+02	1.576E+00	3.046E-01	2046	2055	2050	2	tasmax
France	Normal	2.856E+02	2.180E+00	5.262E-01	2046	2055	2050	3	tasmax
France	Normal	2.891E+02	2.772E+00	7.880E-01	2046	2055	2050	4	tasmax
France	Normal	2.932E+02	2.673E+00	7.738E-01	2046	2055	2050	5	tasmax
France	Normal	2.980E+02	3.170E+00	7.577E-01	2046	2055	2050	6	tasmax
France	Normal	3.011E+02	3.010E+00	6.395E-01	2046	2055	2050	7	tasmax
France	Normal	3.007E+02	3.121E+00	5.423E-01	2046	2055	2050	8	tasmax
France	Normal	2.966E+02	2.788E+00	6.910E-01	2046	2055	2050	9	tasmax
France	Normal	2.909E+02	2.587E+00	9.080E-01	2046	2055	2050	10	tasmax
France	Normal	2.860E+02	1.818E+00	4.185E-01	2046	2055	2050	11	tasmax
France	Normal	2.831E+02	1.418E+00	2.746E-01	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
France	Normal	2.828E+02	1.620E+00	2.194E-01	2056	2065	2060	1	tasmax
France	Normal	2.838E+02	1.859E+00	4.714E-01	2056	2065	2060	2	tasmax
France	Normal	2.862E+02	2.298E+00	3.881E-01	2056	2065	2060	3	tasmax
France	Normal	2.895E+02	2.685E+00	7.548E-01	2056	2065	2060	4	tasmax
France	Normal	2.936E+02	3.099E+00	7.167E-01	2056	2065	2060	5	tasmax
France	Normal	2.987E+02	3.343E+00	6.914E-01	2056	2065	2060	6	tasmax
France	Normal	3.019E+02	3.286E+00	7.775E-01	2056	2065	2060	7	tasmax
France	Normal	3.018E+02	3.303E+00	6.368E-01	2056	2065	2060	8	tasmax
France	Normal	2.976E+02	3.149E+00	7.387E-01	2056	2065	2060	9	tasmax
France	Normal	2.916E+02	2.799E+00	9.205E-01	2056	2065	2060	10	tasmax
France	Normal	2.866E+02	1.905E+00	6.031E-01	2056	2065	2060	11	tasmax
France	Normal	2.837E+02	1.620E+00	3.441E-01	2056	2065	2060	12	tasmax
France	Normal	2.833E+02	1.441E+00	4.049E-01	2066	2075	2070	1	tasmax
France	Normal	2.841E+02	1.753E+00	2.768E-01	2066	2075	2070	2	tasmax
France	Normal	2.867E+02	2.161E+00	4.279E-01	2066	2075	2070	3	tasmax
France	Normal	2.903E+02	2.694E+00	6.919E-01	2066	2075	2070	4	tasmax
France	Normal	2.944E+02	2.834E+00	6.078E-01	2066	2075	2070	5	tasmax
France	Normal	2.994E+02	3.593E+00	6.080E-01	2066	2075	2070	6	tasmax
France	Normal	3.027E+02	3.831E+00	7.955E-01	2066	2075	2070	7	tasmax
France	Normal	3.026E+02	3.646E+00	7.290E-01	2066	2075	2070	8	tasmax
France	Normal	2.985E+02	3.378E+00	7.396E-01	2066	2075	2070	9	tasmax
France	Normal	2.923E+02	2.984E+00	8.737E-01	2066	2075	2070	10	tasmax
France	Normal	2.870E+02	2.005E+00	5.546E-01	2066	2075	2070	11	tasmax
France	Normal	2.843E+02	1.527E+00	3.835E-01	2066	2075	2070	12	tasmax
France	Normal	2.839E+02	1.441E+00	2.286E-01	2076	2085	2080	1	tasmax
France	Normal	2.848E+02	1.912E+00	3.975E-01	2076	2085	2080	2	tasmax
France	Normal	2.872E+02	2.432E+00	5.328E-01	2076	2085	2080	3	tasmax
France	Normal	2.905E+02	3.088E+00	1.039E+00	2076	2085	2080	4	tasmax
France	Normal	2.954E+02	3.115E+00	7.495E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
France	Normal	3.003E+02	3.454E+00	8.599E-01	2076	2085	2080	6	tasmax
France	Normal	3.038E+02	3.821E+00	9.570E-01	2076	2085	2080	7	tasmax
France	Normal	3.036E+02	3.606E+00	5.857E-01	2076	2085	2080	8	tasmax
France	Normal	2.992E+02	3.337E+00	5.751E-01	2076	2085	2080	9	tasmax
France	Normal	2.928E+02	2.750E+00	5.983E-01	2076	2085	2080	10	tasmax
France	Normal	2.875E+02	1.770E+00	5.764E-01	2076	2085	2080	11	tasmax
France	Normal	2.847E+02	1.430E+00	2.977E-01	2076	2085	2080	12	tasmax
France	Normal	2.843E+02	1.360E+00	1.887E-01	2086	2099	2092	1	tasmax
France	Normal	2.852E+02	1.712E+00	2.824E-01	2086	2099	2092	2	tasmax
France	Normal	2.874E+02	2.229E+00	4.081E-01	2086	2099	2092	3	tasmax
France	Normal	2.910E+02	2.839E+00	6.761E-01	2086	2099	2092	4	tasmax
France	Normal	2.956E+02	3.157E+00	4.925E-01	2086	2099	2092	5	tasmax
France	Normal	3.010E+02	3.722E+00	5.778E-01	2086	2099	2092	6	tasmax
France	Normal	3.047E+02	3.904E+00	8.815E-01	2086	2099	2092	7	tasmax
France	Normal	3.044E+02	3.677E+00	7.330E-01	2086	2099	2092	8	tasmax
France	Normal	3.001E+02	3.433E+00	6.112E-01	2086	2099	2092	9	tasmax
France	Normal	2.937E+02	3.125E+00	9.365E-01	2086	2099	2092	10	tasmax
France	Normal	2.881E+02	1.916E+00	5.874E-01	2086	2099	2092	11	tasmax
France	Normal	2.851E+02	1.600E+00	4.170E-01	2086	2099	2092	12	tasmax
French Guiana	Normal	3.024E+02	1.966E+00	2.805E-01	2006	2015	2010	1	tasmax
French Guiana	Normal	3.033E+02	2.087E+00	4.085E-01	2006	2015	2010	2	tasmax
French Guiana	Normal	3.041E+02	2.066E+00	3.804E-01	2006	2015	2010	3	tasmax
French Guiana	Normal	3.043E+02	2.146E+00	3.975E-01	2006	2015	2010	4	tasmax
French Guiana	Normal	3.034E+02	2.332E+00	4.081E-01	2006	2015	2010	5	tasmax
French Guiana	Normal	3.022E+02	2.311E+00	8.061E-01	2006	2015	2010	6	tasmax
French Guiana	Normal	3.030E+02	2.219E+00	5.507E-01	2006	2015	2010	7	tasmax
French Guiana	Normal	3.046E+02	2.447E+00	5.010E-01	2006	2015	2010	8	tasmax
French Guiana	Normal	3.057E+02	2.299E+00	6.324E-01	2006	2015	2010	9	tasmax
French Guiana	Normal	3.058E+02	2.220E+00	9.001E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
French Guiana	Normal	3.044E+02	2.309E+00	6.396E-01	2006	2015	2010	11	tasmax
French Guiana	Normal	3.024E+02	1.918E+00	4.058E-01	2006	2015	2010	12	tasmax
French Guiana	Normal	3.026E+02	1.947E+00	3.849E-01	2016	2025	2020	1	tasmax
French Guiana	Normal	3.036E+02	2.014E+00	3.657E-01	2016	2025	2020	2	tasmax
French Guiana	Normal	3.046E+02	2.172E+00	3.823E-01	2016	2025	2020	3	tasmax
French Guiana	Normal	3.047E+02	2.191E+00	3.526E-01	2016	2025	2020	4	tasmax
French Guiana	Normal	3.037E+02	2.304E+00	4.640E-01	2016	2025	2020	5	tasmax
French Guiana	Normal	3.025E+02	2.216E+00	8.124E-01	2016	2025	2020	6	tasmax
French Guiana	Normal	3.033E+02	2.244E+00	5.050E-01	2016	2025	2020	7	tasmax
French Guiana	Normal	3.049E+02	2.520E+00	5.609E-01	2016	2025	2020	8	tasmax
French Guiana	Normal	3.060E+02	2.310E+00	6.820E-01	2016	2025	2020	9	tasmax
French Guiana	Normal	3.062E+02	2.278E+00	9.351E-01	2016	2025	2020	10	tasmax
French Guiana	Normal	3.047E+02	2.399E+00	7.150E-01	2016	2025	2020	11	tasmax
French Guiana	Normal	3.028E+02	1.944E+00	3.371E-01	2016	2025	2020	12	tasmax
French Guiana	Normal	3.031E+02	1.924E+00	3.353E-01	2026	2035	2030	1	tasmax
French Guiana	Normal	3.041E+02	1.930E+00	3.444E-01	2026	2035	2030	2	tasmax
French Guiana	Normal	3.051E+02	2.066E+00	4.348E-01	2026	2035	2030	3	tasmax
French Guiana	Normal	3.053E+02	2.187E+00	3.725E-01	2026	2035	2030	4	tasmax
French Guiana	Normal	3.040E+02	2.213E+00	3.934E-01	2026	2035	2030	5	tasmax
French Guiana	Normal	3.029E+02	2.192E+00	6.623E-01	2026	2035	2030	6	tasmax
French Guiana	Normal	3.039E+02	2.250E+00	4.749E-01	2026	2035	2030	7	tasmax
French Guiana	Normal	3.055E+02	2.583E+00	5.490E-01	2026	2035	2030	8	tasmax
French Guiana	Normal	3.067E+02	2.433E+00	6.516E-01	2026	2035	2030	9	tasmax
French Guiana	Normal	3.068E+02	2.410E+00	8.245E-01	2026	2035	2030	10	tasmax
French Guiana	Normal	3.053E+02	2.518E+00	7.593E-01	2026	2035	2030	11	tasmax
French Guiana	Normal	3.032E+02	2.017E+00	3.780E-01	2026	2035	2030	12	tasmax
French Guiana	Normal	3.034E+02	1.948E+00	3.632E-01	2036	2045	2040	1	tasmax
French Guiana	Normal	3.044E+02	2.055E+00	3.664E-01	2036	2045	2040	2	tasmax
French Guiana	Normal	3.053E+02	2.149E+00	3.384E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
French Guiana	Normal	3.055E+02	2.312E+00	3.610E-01	2036	2045	2040	4	tasmax
French Guiana	Normal	3.044E+02	2.457E+00	4.470E-01	2036	2045	2040	5	tasmax
French Guiana	Normal	3.032E+02	2.314E+00	7.759E-01	2036	2045	2040	6	tasmax
French Guiana	Normal	3.042E+02	2.258E+00	4.200E-01	2036	2045	2040	7	tasmax
French Guiana	Normal	3.058E+02	2.487E+00	5.440E-01	2036	2045	2040	8	tasmax
French Guiana	Normal	3.069E+02	2.266E+00	8.021E-01	2036	2045	2040	9	tasmax
French Guiana	Normal	3.070E+02	2.268E+00	9.864E-01	2036	2045	2040	10	tasmax
French Guiana	Normal	3.055E+02	2.434E+00	8.070E-01	2036	2045	2040	11	tasmax
French Guiana	Normal	3.035E+02	1.937E+00	3.449E-01	2036	2045	2040	12	tasmax
French Guiana	Normal	3.040E+02	2.122E+00	4.514E-01	2046	2055	2050	1	tasmax
French Guiana	Normal	3.050E+02	2.235E+00	3.973E-01	2046	2055	2050	2	tasmax
French Guiana	Normal	3.060E+02	2.366E+00	3.694E-01	2046	2055	2050	3	tasmax
French Guiana	Normal	3.061E+02	2.510E+00	2.918E-01	2046	2055	2050	4	tasmax
French Guiana	Normal	3.049E+02	2.524E+00	4.621E-01	2046	2055	2050	5	tasmax
French Guiana	Normal	3.037E+02	2.349E+00	6.741E-01	2046	2055	2050	6	tasmax
French Guiana	Normal	3.047E+02	2.363E+00	4.158E-01	2046	2055	2050	7	tasmax
French Guiana	Normal	3.064E+02	2.579E+00	5.955E-01	2046	2055	2050	8	tasmax
French Guiana	Normal	3.075E+02	2.490E+00	9.140E-01	2046	2055	2050	9	tasmax
French Guiana	Normal	3.076E+02	2.549E+00	9.036E-01	2046	2055	2050	10	tasmax
French Guiana	Normal	3.059E+02	2.663E+00	7.867E-01	2046	2055	2050	11	tasmax
French Guiana	Normal	3.042E+02	2.136E+00	4.476E-01	2046	2055	2050	12	tasmax
French Guiana	Normal	3.045E+02	2.317E+00	4.796E-01	2056	2065	2060	1	tasmax
French Guiana	Normal	3.056E+02	2.478E+00	3.391E-01	2056	2065	2060	2	tasmax
French Guiana	Normal	3.066E+02	2.871E+00	5.595E-01	2056	2065	2060	3	tasmax
French Guiana	Normal	3.067E+02	2.931E+00	4.368E-01	2056	2065	2060	4	tasmax
French Guiana	Normal	3.055E+02	2.701E+00	5.796E-01	2056	2065	2060	5	tasmax
French Guiana	Normal	3.042E+02	2.416E+00	7.106E-01	2056	2065	2060	6	tasmax
French Guiana	Normal	3.053E+02	2.504E+00	4.802E-01	2056	2065	2060	7	tasmax
French Guiana	Normal	3.071E+02	2.694E+00	6.655E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
French Guiana	Normal	3.082E+02	2.703E+00	8.513E-01	2056	2065	2060	9	tasmax
French Guiana	Normal	3.081E+02	2.709E+00	9.375E-01	2056	2065	2060	10	tasmax
French Guiana	Normal	3.064E+02	2.693E+00	7.744E-01	2056	2065	2060	11	tasmax
French Guiana	Normal	3.045E+02	2.188E+00	3.916E-01	2056	2065	2060	12	tasmax
French Guiana	Normal	3.050E+02	2.316E+00	4.489E-01	2066	2075	2070	1	tasmax
French Guiana	Normal	3.061E+02	2.627E+00	4.335E-01	2066	2075	2070	2	tasmax
French Guiana	Normal	3.070E+02	2.804E+00	5.140E-01	2066	2075	2070	3	tasmax
French Guiana	Normal	3.071E+02	2.796E+00	4.104E-01	2066	2075	2070	4	tasmax
French Guiana	Normal	3.058E+02	2.645E+00	3.909E-01	2066	2075	2070	5	tasmax
French Guiana	Normal	3.047E+02	2.546E+00	6.676E-01	2066	2075	2070	6	tasmax
French Guiana	Normal	3.059E+02	2.466E+00	4.240E-01	2066	2075	2070	7	tasmax
French Guiana	Normal	3.077E+02	2.650E+00	8.137E-01	2066	2075	2070	8	tasmax
French Guiana	Normal	3.088E+02	2.663E+00	1.099E+00	2066	2075	2070	9	tasmax
French Guiana	Normal	3.087E+02	2.734E+00	9.878E-01	2066	2075	2070	10	tasmax
French Guiana	Normal	3.070E+02	2.675E+00	9.447E-01	2066	2075	2070	11	tasmax
French Guiana	Normal	3.051E+02	2.177E+00	4.164E-01	2066	2075	2070	12	tasmax
French Guiana	Normal	3.055E+02	2.526E+00	4.247E-01	2076	2085	2080	1	tasmax
French Guiana	Normal	3.066E+02	3.042E+00	5.300E-01	2076	2085	2080	2	tasmax
French Guiana	Normal	3.075E+02	3.085E+00	6.011E-01	2076	2085	2080	3	tasmax
French Guiana	Normal	3.074E+02	2.933E+00	3.608E-01	2076	2085	2080	4	tasmax
French Guiana	Normal	3.063E+02	2.839E+00	4.879E-01	2076	2085	2080	5	tasmax
French Guiana	Normal	3.052E+02	2.677E+00	7.379E-01	2076	2085	2080	6	tasmax
French Guiana	Normal	3.064E+02	2.581E+00	4.598E-01	2076	2085	2080	7	tasmax
French Guiana	Normal	3.081E+02	2.613E+00	8.350E-01	2076	2085	2080	8	tasmax
French Guiana	Normal	3.092E+02	2.611E+00	1.166E+00	2076	2085	2080	9	tasmax
French Guiana	Normal	3.090E+02	2.583E+00	1.076E+00	2076	2085	2080	10	tasmax
French Guiana	Normal	3.074E+02	2.692E+00	9.747E-01	2076	2085	2080	11	tasmax
French Guiana	Normal	3.056E+02	2.266E+00	4.770E-01	2076	2085	2080	12	tasmax
French Guiana	Normal	3.060E+02	2.819E+00	4.855E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
French Guiana	Normal	3.072E+02	3.221E+00	6.165E-01	2086	2099	2092	2	tasmax
French Guiana	Normal	3.080E+02	3.295E+00	7.083E-01	2086	2099	2092	3	tasmax
French Guiana	Normal	3.080E+02	3.227E+00	5.230E-01	2086	2099	2092	4	tasmax
French Guiana	Normal	3.068E+02	3.080E+00	5.880E-01	2086	2099	2092	5	tasmax
French Guiana	Normal	3.058E+02	2.800E+00	6.387E-01	2086	2099	2092	6	tasmax
French Guiana	Normal	3.070E+02	2.748E+00	4.118E-01	2086	2099	2092	7	tasmax
French Guiana	Normal	3.088E+02	2.732E+00	8.632E-01	2086	2099	2092	8	tasmax
French Guiana	Normal	3.098E+02	2.729E+00	1.117E+00	2086	2099	2092	9	tasmax
French Guiana	Normal	3.096E+02	2.705E+00	1.132E+00	2086	2099	2092	10	tasmax
French Guiana	Normal	3.078E+02	2.710E+00	8.680E-01	2086	2099	2092	11	tasmax
French Guiana	Normal	3.060E+02	2.400E+00	4.253E-01	2086	2099	2092	12	tasmax
Gabon	Normal	3.017E+02	1.431E+00	3.238E-01	2006	2015	2010	1	tasmax
Gabon	Normal	3.024E+02	1.523E+00	3.812E-01	2006	2015	2010	2	tasmax
Gabon	Normal	3.026E+02	1.395E+00	3.595E-01	2006	2015	2010	3	tasmax
Gabon	Normal	3.021E+02	1.324E+00	3.802E-01	2006	2015	2010	4	tasmax
Gabon	Normal	3.015E+02	1.317E+00	4.428E-01	2006	2015	2010	5	tasmax
Gabon	Normal	3.014E+02	1.098E+00	4.127E-01	2006	2015	2010	6	tasmax
Gabon	Normal	3.013E+02	1.178E+00	3.140E-01	2006	2015	2010	7	tasmax
Gabon	Normal	3.015E+02	1.570E+00	3.242E-01	2006	2015	2010	8	tasmax
Gabon	Normal	3.016E+02	1.972E+00	6.026E-01	2006	2015	2010	9	tasmax
Gabon	Normal	3.013E+02	1.900E+00	6.785E-01	2006	2015	2010	10	tasmax
Gabon	Normal	3.009E+02	1.677E+00	5.718E-01	2006	2015	2010	11	tasmax
Gabon	Normal	3.011E+02	1.388E+00	3.958E-01	2006	2015	2010	12	tasmax
Gabon	Normal	3.019E+02	1.483E+00	3.967E-01	2016	2025	2020	1	tasmax
Gabon	Normal	3.026E+02	1.486E+00	4.046E-01	2016	2025	2020	2	tasmax
Gabon	Normal	3.029E+02	1.448E+00	3.559E-01	2016	2025	2020	3	tasmax
Gabon	Normal	3.025E+02	1.358E+00	3.923E-01	2016	2025	2020	4	tasmax
Gabon	Normal	3.017E+02	1.369E+00	5.138E-01	2016	2025	2020	5	tasmax
Gabon	Normal	3.017E+02	1.151E+00	4.107E-01	2016	2025	2020	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gabon	Normal	3.017E+02	1.229E+00	2.955E-01	2016	2025	2020	7	tasmax
Gabon	Normal	3.018E+02	1.653E+00	4.018E-01	2016	2025	2020	8	tasmax
Gabon	Normal	3.019E+02	1.976E+00	5.950E-01	2016	2025	2020	9	tasmax
Gabon	Normal	3.015E+02	2.000E+00	7.635E-01	2016	2025	2020	10	tasmax
Gabon	Normal	3.011E+02	1.685E+00	5.751E-01	2016	2025	2020	11	tasmax
Gabon	Normal	3.014E+02	1.468E+00	4.286E-01	2016	2025	2020	12	tasmax
Gabon	Normal	3.024E+02	1.439E+00	3.449E-01	2026	2035	2030	1	tasmax
Gabon	Normal	3.031E+02	1.448E+00	2.570E-01	2026	2035	2030	2	tasmax
Gabon	Normal	3.033E+02	1.446E+00	2.801E-01	2026	2035	2030	3	tasmax
Gabon	Normal	3.028E+02	1.383E+00	3.730E-01	2026	2035	2030	4	tasmax
Gabon	Normal	3.022E+02	1.410E+00	4.750E-01	2026	2035	2030	5	tasmax
Gabon	Normal	3.021E+02	1.201E+00	4.296E-01	2026	2035	2030	6	tasmax
Gabon	Normal	3.020E+02	1.248E+00	2.915E-01	2026	2035	2030	7	tasmax
Gabon	Normal	3.021E+02	1.686E+00	3.528E-01	2026	2035	2030	8	tasmax
Gabon	Normal	3.023E+02	2.092E+00	6.471E-01	2026	2035	2030	9	tasmax
Gabon	Normal	3.019E+02	1.946E+00	6.584E-01	2026	2035	2030	10	tasmax
Gabon	Normal	3.014E+02	1.697E+00	5.445E-01	2026	2035	2030	11	tasmax
Gabon	Normal	3.017E+02	1.456E+00	3.683E-01	2026	2035	2030	12	tasmax
Gabon	Normal	3.027E+02	1.563E+00	4.152E-01	2036	2045	2040	1	tasmax
Gabon	Normal	3.035E+02	1.566E+00	3.833E-01	2036	2045	2040	2	tasmax
Gabon	Normal	3.036E+02	1.496E+00	3.266E-01	2036	2045	2040	3	tasmax
Gabon	Normal	3.031E+02	1.435E+00	3.821E-01	2036	2045	2040	4	tasmax
Gabon	Normal	3.025E+02	1.405E+00	4.454E-01	2036	2045	2040	5	tasmax
Gabon	Normal	3.025E+02	1.216E+00	3.494E-01	2036	2045	2040	6	tasmax
Gabon	Normal	3.024E+02	1.240E+00	2.578E-01	2036	2045	2040	7	tasmax
Gabon	Normal	3.025E+02	1.715E+00	4.161E-01	2036	2045	2040	8	tasmax
Gabon	Normal	3.027E+02	2.091E+00	6.441E-01	2036	2045	2040	9	tasmax
Gabon	Normal	3.022E+02	2.038E+00	7.271E-01	2036	2045	2040	10	tasmax
Gabon	Normal	3.018E+02	1.712E+00	5.915E-01	2036	2045	2040	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gabon	Normal	3.020E+02	1.527E+00	4.135E-01	2036	2045	2040	12	tasmax
Gabon	Normal	3.031E+02	1.518E+00	3.599E-01	2046	2055	2050	1	tasmax
Gabon	Normal	3.039E+02	1.531E+00	2.951E-01	2046	2055	2050	2	tasmax
Gabon	Normal	3.041E+02	1.599E+00	3.595E-01	2046	2055	2050	3	tasmax
Gabon	Normal	3.036E+02	1.556E+00	3.863E-01	2046	2055	2050	4	tasmax
Gabon	Normal	3.030E+02	1.484E+00	4.223E-01	2046	2055	2050	5	tasmax
Gabon	Normal	3.029E+02	1.283E+00	3.393E-01	2046	2055	2050	6	tasmax
Gabon	Normal	3.029E+02	1.353E+00	3.356E-01	2046	2055	2050	7	tasmax
Gabon	Normal	3.030E+02	1.794E+00	4.134E-01	2046	2055	2050	8	tasmax
Gabon	Normal	3.032E+02	2.072E+00	5.979E-01	2046	2055	2050	9	tasmax
Gabon	Normal	3.027E+02	2.016E+00	6.453E-01	2046	2055	2050	10	tasmax
Gabon	Normal	3.022E+02	1.736E+00	5.749E-01	2046	2055	2050	11	tasmax
Gabon	Normal	3.025E+02	1.528E+00	3.229E-01	2046	2055	2050	12	tasmax
Gabon	Normal	3.037E+02	1.663E+00	3.617E-01	2056	2065	2060	1	tasmax
Gabon	Normal	3.044E+02	1.718E+00	3.964E-01	2056	2065	2060	2	tasmax
Gabon	Normal	3.046E+02	1.707E+00	4.234E-01	2056	2065	2060	3	tasmax
Gabon	Normal	3.041E+02	1.593E+00	4.578E-01	2056	2065	2060	4	tasmax
Gabon	Normal	3.034E+02	1.498E+00	4.521E-01	2056	2065	2060	5	tasmax
Gabon	Normal	3.033E+02	1.285E+00	3.600E-01	2056	2065	2060	6	tasmax
Gabon	Normal	3.033E+02	1.368E+00	2.953E-01	2056	2065	2060	7	tasmax
Gabon	Normal	3.035E+02	1.821E+00	3.924E-01	2056	2065	2060	8	tasmax
Gabon	Normal	3.036E+02	2.122E+00	6.267E-01	2056	2065	2060	9	tasmax
Gabon	Normal	3.032E+02	1.977E+00	6.549E-01	2056	2065	2060	10	tasmax
Gabon	Normal	3.026E+02	1.808E+00	6.608E-01	2056	2065	2060	11	tasmax
Gabon	Normal	3.029E+02	1.577E+00	4.077E-01	2056	2065	2060	12	tasmax
Gabon	Normal	3.041E+02	1.638E+00	3.298E-01	2066	2075	2070	1	tasmax
Gabon	Normal	3.049E+02	1.646E+00	3.708E-01	2066	2075	2070	2	tasmax
Gabon	Normal	3.051E+02	1.745E+00	4.220E-01	2066	2075	2070	3	tasmax
Gabon	Normal	3.046E+02	1.625E+00	4.312E-01	2066	2075	2070	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gabon	Normal	3.039E+02	1.614E+00	4.827E-01	2066	2075	2070	5	tasmax
Gabon	Normal	3.038E+02	1.334E+00	3.991E-01	2066	2075	2070	6	tasmax
Gabon	Normal	3.039E+02	1.391E+00	3.151E-01	2066	2075	2070	7	tasmax
Gabon	Normal	3.040E+02	1.818E+00	5.153E-01	2066	2075	2070	8	tasmax
Gabon	Normal	3.043E+02	2.351E+00	7.933E-01	2066	2075	2070	9	tasmax
Gabon	Normal	3.038E+02	2.174E+00	7.403E-01	2066	2075	2070	10	tasmax
Gabon	Normal	3.031E+02	1.892E+00	6.435E-01	2066	2075	2070	11	tasmax
Gabon	Normal	3.033E+02	1.633E+00	4.446E-01	2066	2075	2070	12	tasmax
Gabon	Normal	3.047E+02	1.731E+00	3.169E-01	2076	2085	2080	1	tasmax
Gabon	Normal	3.055E+02	1.816E+00	4.241E-01	2076	2085	2080	2	tasmax
Gabon	Normal	3.057E+02	1.805E+00	4.374E-01	2076	2085	2080	3	tasmax
Gabon	Normal	3.051E+02	1.772E+00	3.989E-01	2076	2085	2080	4	tasmax
Gabon	Normal	3.045E+02	1.648E+00	4.679E-01	2076	2085	2080	5	tasmax
Gabon	Normal	3.045E+02	1.381E+00	3.717E-01	2076	2085	2080	6	tasmax
Gabon	Normal	3.045E+02	1.561E+00	4.017E-01	2076	2085	2080	7	tasmax
Gabon	Normal	3.047E+02	1.967E+00	5.960E-01	2076	2085	2080	8	tasmax
Gabon	Normal	3.049E+02	2.369E+00	7.914E-01	2076	2085	2080	9	tasmax
Gabon	Normal	3.043E+02	2.141E+00	6.749E-01	2076	2085	2080	10	tasmax
Gabon	Normal	3.037E+02	1.960E+00	6.587E-01	2076	2085	2080	11	tasmax
Gabon	Normal	3.039E+02	1.704E+00	4.189E-01	2076	2085	2080	12	tasmax
Gabon	Normal	3.052E+02	1.863E+00	3.506E-01	2086	2099	2092	1	tasmax
Gabon	Normal	3.060E+02	1.865E+00	4.271E-01	2086	2099	2092	2	tasmax
Gabon	Normal	3.062E+02	1.946E+00	4.682E-01	2086	2099	2092	3	tasmax
Gabon	Normal	3.056E+02	1.884E+00	4.837E-01	2086	2099	2092	4	tasmax
Gabon	Normal	3.050E+02	1.712E+00	4.995E-01	2086	2099	2092	5	tasmax
Gabon	Normal	3.050E+02	1.487E+00	3.999E-01	2086	2099	2092	6	tasmax
Gabon	Normal	3.050E+02	1.619E+00	3.980E-01	2086	2099	2092	7	tasmax
Gabon	Normal	3.053E+02	2.091E+00	6.310E-01	2086	2099	2092	8	tasmax
Gabon	Normal	3.055E+02	2.512E+00	8.505E-01	2086	2099	2092	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gabon	Normal	3.049E+02	2.279E+00	7.154E-01	2086	2099	2092	10	tasmax
Gabon	Normal	3.042E+02	1.951E+00	5.626E-01	2086	2099	2092	11	tasmax
Gabon	Normal	3.044E+02	1.732E+00	4.315E-01	2086	2099	2092	12	tasmax
Gaza Strip	Normal	2.894E+02	1.946E+00	4.348E-01	2006	2015	2010	1	tasmax
Gaza Strip	Normal	2.907E+02	2.541E+00	8.540E-01	2006	2015	2010	2	tasmax
Gaza Strip	Normal	2.932E+02	3.097E+00	7.861E-01	2006	2015	2010	3	tasmax
Gaza Strip	Normal	2.963E+02	3.944E+00	1.012E+00	2006	2015	2010	4	tasmax
Gaza Strip	Normal	2.997E+02	4.464E+00	1.128E+00	2006	2015	2010	5	tasmax
Gaza Strip	Normal	3.030E+02	4.492E+00	1.092E+00	2006	2015	2010	6	tasmax
Gaza Strip	Normal	3.052E+02	4.136E+00	7.378E-01	2006	2015	2010	7	tasmax
Gaza Strip	Normal	3.053E+02	3.565E+00	6.142E-01	2006	2015	2010	8	tasmax
Gaza Strip	Normal	3.031E+02	2.789E+00	6.420E-01	2006	2015	2010	9	tasmax
Gaza Strip	Normal	2.996E+02	2.331E+00	5.645E-01	2006	2015	2010	10	tasmax
Gaza Strip	Normal	2.947E+02	1.870E+00	6.391E-01	2006	2015	2010	11	tasmax
Gaza Strip	Normal	2.908E+02	1.752E+00	3.904E-01	2006	2015	2010	12	tasmax
Gaza Strip	Normal	2.898E+02	1.968E+00	5.275E-01	2016	2025	2020	1	tasmax
Gaza Strip	Normal	2.908E+02	2.435E+00	6.743E-01	2016	2025	2020	2	tasmax
Gaza Strip	Normal	2.933E+02	3.320E+00	9.395E-01	2016	2025	2020	3	tasmax
Gaza Strip	Normal	2.967E+02	4.189E+00	1.132E+00	2016	2025	2020	4	tasmax
Gaza Strip	Normal	3.001E+02	4.503E+00	1.196E+00	2016	2025	2020	5	tasmax
Gaza Strip	Normal	3.035E+02	4.548E+00	1.081E+00	2016	2025	2020	6	tasmax
Gaza Strip	Normal	3.055E+02	4.153E+00	8.006E-01	2016	2025	2020	7	tasmax
Gaza Strip	Normal	3.058E+02	3.609E+00	8.187E-01	2016	2025	2020	8	tasmax
Gaza Strip	Normal	3.035E+02	2.991E+00	6.869E-01	2016	2025	2020	9	tasmax
Gaza Strip	Normal	3.000E+02	2.481E+00	5.773E-01	2016	2025	2020	10	tasmax
Gaza Strip	Normal	2.949E+02	2.082E+00	6.079E-01	2016	2025	2020	11	tasmax
Gaza Strip	Normal	2.912E+02	1.792E+00	5.714E-01	2016	2025	2020	12	tasmax
Gaza Strip	Normal	2.900E+02	1.901E+00	4.074E-01	2026	2035	2030	1	tasmax
Gaza Strip	Normal	2.912E+02	2.457E+00	7.519E-01	2026	2035	2030	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gaza Strip	Normal	2.938E+02	3.453E+00	1.170E+00	2026	2035	2030	3	tasmax
Gaza Strip	Normal	2.971E+02	4.081E+00	1.147E+00	2026	2035	2030	4	tasmax
Gaza Strip	Normal	3.005E+02	4.639E+00	1.511E+00	2026	2035	2030	5	tasmax
Gaza Strip	Normal	3.040E+02	4.513E+00	1.054E+00	2026	2035	2030	6	tasmax
Gaza Strip	Normal	3.062E+02	4.213E+00	6.267E-01	2026	2035	2030	7	tasmax
Gaza Strip	Normal	3.064E+02	3.629E+00	6.052E-01	2026	2035	2030	8	tasmax
Gaza Strip	Normal	3.040E+02	2.968E+00	5.944E-01	2026	2035	2030	9	tasmax
Gaza Strip	Normal	3.000E+02	1.995E+00	4.910E-01	2026	2035	2030	10	tasmax
Gaza Strip	Normal	2.955E+02	2.048E+00	6.013E-01	2026	2035	2030	11	tasmax
Gaza Strip	Normal	2.916E+02	1.836E+00	5.173E-01	2026	2035	2030	12	tasmax
Gaza Strip	Normal	2.904E+02	1.741E+00	4.848E-01	2036	2045	2040	1	tasmax
Gaza Strip	Normal	2.915E+02	2.357E+00	6.171E-01	2036	2045	2040	2	tasmax
Gaza Strip	Normal	2.943E+02	3.560E+00	1.149E+00	2036	2045	2040	3	tasmax
Gaza Strip	Normal	2.974E+02	4.226E+00	1.353E+00	2036	2045	2040	4	tasmax
Gaza Strip	Normal	3.010E+02	4.550E+00	1.346E+00	2036	2045	2040	5	tasmax
Gaza Strip	Normal	3.045E+02	4.543E+00	1.048E+00	2036	2045	2040	6	tasmax
Gaza Strip	Normal	3.067E+02	3.992E+00	6.641E-01	2036	2045	2040	7	tasmax
Gaza Strip	Normal	3.068E+02	3.512E+00	6.334E-01	2036	2045	2040	8	tasmax
Gaza Strip	Normal	3.045E+02	2.947E+00	5.668E-01	2036	2045	2040	9	tasmax
Gaza Strip	Normal	3.008E+02	2.583E+00	6.445E-01	2036	2045	2040	10	tasmax
Gaza Strip	Normal	2.960E+02	2.174E+00	6.302E-01	2036	2045	2040	11	tasmax
Gaza Strip	Normal	2.918E+02	1.794E+00	3.336E-01	2036	2045	2040	12	tasmax
Gaza Strip	Normal	2.911E+02	2.076E+00	6.956E-01	2046	2055	2050	1	tasmax
Gaza Strip	Normal	2.921E+02	2.498E+00	8.474E-01	2046	2055	2050	2	tasmax
Gaza Strip	Normal	2.948E+02	3.527E+00	1.045E+00	2046	2055	2050	3	tasmax
Gaza Strip	Normal	2.979E+02	4.059E+00	1.248E+00	2046	2055	2050	4	tasmax
Gaza Strip	Normal	3.015E+02	4.694E+00	1.431E+00	2046	2055	2050	5	tasmax
Gaza Strip	Normal	3.049E+02	4.358E+00	8.457E-01	2046	2055	2050	6	tasmax
Gaza Strip	Normal	3.070E+02	3.923E+00	5.806E-01	2046	2055	2050	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gaza Strip	Normal	3.076E+02	3.758E+00	5.534E-01	2046	2055	2050	8	tasmax
Gaza Strip	Normal	3.050E+02	3.071E+00	5.017E-01	2046	2055	2050	9	tasmax
Gaza Strip	Normal	3.014E+02	2.400E+00	5.512E-01	2046	2055	2050	10	tasmax
Gaza Strip	Normal	2.965E+02	2.100E+00	6.672E-01	2046	2055	2050	11	tasmax
Gaza Strip	Normal	2.923E+02	1.875E+00	4.126E-01	2046	2055	2050	12	tasmax
Gaza Strip	Normal	2.915E+02	2.055E+00	6.319E-01	2056	2065	2060	1	tasmax
Gaza Strip	Normal	2.926E+02	2.453E+00	8.823E-01	2056	2065	2060	2	tasmax
Gaza Strip	Normal	2.952E+02	3.773E+00	1.382E+00	2056	2065	2060	3	tasmax
Gaza Strip	Normal	2.983E+02	4.075E+00	1.282E+00	2056	2065	2060	4	tasmax
Gaza Strip	Normal	3.017E+02	4.366E+00	1.191E+00	2056	2065	2060	5	tasmax
Gaza Strip	Normal	3.054E+02	4.507E+00	9.254E-01	2056	2065	2060	6	tasmax
Gaza Strip	Normal	3.076E+02	3.918E+00	5.530E-01	2056	2065	2060	7	tasmax
Gaza Strip	Normal	3.083E+02	3.817E+00	5.585E-01	2056	2065	2060	8	tasmax
Gaza Strip	Normal	3.056E+02	3.165E+00	4.906E-01	2056	2065	2060	9	tasmax
Gaza Strip	Normal	3.019E+02	2.504E+00	5.824E-01	2056	2065	2060	10	tasmax
Gaza Strip	Normal	2.971E+02	2.279E+00	7.259E-01	2056	2065	2060	11	tasmax
Gaza Strip	Normal	2.929E+02	1.918E+00	6.278E-01	2056	2065	2060	12	tasmax
Gaza Strip	Normal	2.918E+02	1.898E+00	4.423E-01	2066	2075	2070	1	tasmax
Gaza Strip	Normal	2.930E+02	2.517E+00	7.622E-01	2066	2075	2070	2	tasmax
Gaza Strip	Normal	2.956E+02	3.918E+00	1.385E+00	2066	2075	2070	3	tasmax
Gaza Strip	Normal	2.990E+02	4.782E+00	1.582E+00	2066	2075	2070	4	tasmax
Gaza Strip	Normal	3.026E+02	4.811E+00	1.449E+00	2066	2075	2070	5	tasmax
Gaza Strip	Normal	3.060E+02	4.452E+00	8.244E-01	2066	2075	2070	6	tasmax
Gaza Strip	Normal	3.083E+02	4.016E+00	5.601E-01	2066	2075	2070	7	tasmax
Gaza Strip	Normal	3.087E+02	3.803E+00	6.914E-01	2066	2075	2070	8	tasmax
Gaza Strip	Normal	3.063E+02	3.157E+00	5.232E-01	2066	2075	2070	9	tasmax
Gaza Strip	Normal	3.024E+02	2.448E+00	4.251E-01	2066	2075	2070	10	tasmax
Gaza Strip	Normal	2.976E+02	2.363E+00	7.150E-01	2066	2075	2070	11	tasmax
Gaza Strip	Normal	2.936E+02	1.949E+00	6.716E-01	2066	2075	2070	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Gaza Strip	Normal	2.923E+02	2.016E+00	6.955E-01	2076	2085	2080	1	tasmax
Gaza Strip	Normal	2.937E+02	3.091E+00	1.336E+00	2076	2085	2080	2	tasmax
Gaza Strip	Normal	2.963E+02	4.060E+00	1.477E+00	2076	2085	2080	3	tasmax
Gaza Strip	Normal	2.994E+02	4.468E+00	1.481E+00	2076	2085	2080	4	tasmax
Gaza Strip	Normal	3.028E+02	4.615E+00	1.168E+00	2076	2085	2080	5	tasmax
Gaza Strip	Normal	3.066E+02	4.446E+00	8.556E-01	2076	2085	2080	6	tasmax
Gaza Strip	Normal	3.091E+02	4.113E+00	5.939E-01	2076	2085	2080	7	tasmax
Gaza Strip	Normal	3.093E+02	3.774E+00	6.221E-01	2076	2085	2080	8	tasmax
Gaza Strip	Normal	3.069E+02	3.301E+00	5.421E-01	2076	2085	2080	9	tasmax
Gaza Strip	Normal	3.028E+02	2.494E+00	4.502E-01	2076	2085	2080	10	tasmax
Gaza Strip	Normal	2.981E+02	2.475E+00	9.116E-01	2076	2085	2080	11	tasmax
Gaza Strip	Normal	2.939E+02	2.172E+00	7.411E-01	2076	2085	2080	12	tasmax
Gaza Strip	Normal	2.926E+02	2.213E+00	7.577E-01	2086	2099	2092	1	tasmax
Gaza Strip	Normal	2.940E+02	2.988E+00	1.075E+00	2086	2099	2092	2	tasmax
Gaza Strip	Normal	2.971E+02	4.741E+00	1.939E+00	2086	2099	2092	3	tasmax
Gaza Strip	Normal	2.999E+02	4.596E+00	1.430E+00	2086	2099	2092	4	tasmax
Gaza Strip	Normal	3.034E+02	4.688E+00	1.143E+00	2086	2099	2092	5	tasmax
Gaza Strip	Normal	3.072E+02	4.618E+00	7.626E-01	2086	2099	2092	6	tasmax
Gaza Strip	Normal	3.096E+02	4.300E+00	5.150E-01	2086	2099	2092	7	tasmax
Gaza Strip	Normal	3.098E+02	3.963E+00	6.120E-01	2086	2099	2092	8	tasmax
Gaza Strip	Normal	3.074E+02	3.337E+00	5.605E-01	2086	2099	2092	9	tasmax
Gaza Strip	Normal	3.032E+02	2.513E+00	4.425E-01	2086	2099	2092	10	tasmax
Gaza Strip	Normal	2.988E+02	2.572E+00	9.406E-01	2086	2099	2092	11	tasmax
Gaza Strip	Normal	2.944E+02	2.088E+00	5.137E-01	2086	2099	2092	12	tasmax
Georgia	Normal	2.756E+02	2.191E+00	3.678E-01	2006	2015	2010	1	tasmax
Georgia	Normal	2.773E+02	2.489E+00	5.983E-01	2006	2015	2010	2	tasmax
Georgia	Normal	2.812E+02	2.869E+00	6.669E-01	2006	2015	2010	3	tasmax
Georgia	Normal	2.867E+02	2.776E+00	8.507E-01	2006	2015	2010	4	tasmax
Georgia	Normal	2.919E+02	2.839E+00	6.925E-01	2006	2015	2010	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Georgia	Normal	2.967E+02	3.379E+00	7.587E-01	2006	2015	2010	6	tasmax
Georgia	Normal	3.005E+02	4.334E+00	1.003E+00	2006	2015	2010	7	tasmax
Georgia	Normal	3.005E+02	3.967E+00	6.510E-01	2006	2015	2010	8	tasmax
Georgia	Normal	2.953E+02	2.956E+00	7.778E-01	2006	2015	2010	9	tasmax
Georgia	Normal	2.888E+02	2.706E+00	6.429E-01	2006	2015	2010	10	tasmax
Georgia	Normal	2.822E+02	2.525E+00	5.023E-01	2006	2015	2010	11	tasmax
Georgia	Normal	2.774E+02	2.268E+00	5.158E-01	2006	2015	2010	12	tasmax
Georgia	Normal	2.764E+02	2.518E+00	5.729E-01	2016	2025	2020	1	tasmax
Georgia	Normal	2.776E+02	2.468E+00	4.133E-01	2016	2025	2020	2	tasmax
Georgia	Normal	2.817E+02	3.160E+00	8.422E-01	2016	2025	2020	3	tasmax
Georgia	Normal	2.869E+02	3.045E+00	7.227E-01	2016	2025	2020	4	tasmax
Georgia	Normal	2.922E+02	2.922E+00	7.455E-01	2016	2025	2020	5	tasmax
Georgia	Normal	2.971E+02	3.011E+00	6.441E-01	2016	2025	2020	6	tasmax
Georgia	Normal	3.012E+02	4.283E+00	1.135E+00	2016	2025	2020	7	tasmax
Georgia	Normal	3.010E+02	4.030E+00	7.982E-01	2016	2025	2020	8	tasmax
Georgia	Normal	2.955E+02	2.855E+00	5.702E-01	2016	2025	2020	9	tasmax
Georgia	Normal	2.890E+02	2.770E+00	4.549E-01	2016	2025	2020	10	tasmax
Georgia	Normal	2.822E+02	2.806E+00	5.831E-01	2016	2025	2020	11	tasmax
Georgia	Normal	2.777E+02	2.289E+00	4.374E-01	2016	2025	2020	12	tasmax
Georgia	Normal	2.765E+02	2.247E+00	3.906E-01	2026	2035	2030	1	tasmax
Georgia	Normal	2.782E+02	2.472E+00	7.127E-01	2026	2035	2030	2	tasmax
Georgia	Normal	2.824E+02	2.875E+00	8.343E-01	2026	2035	2030	3	tasmax
Georgia	Normal	2.874E+02	2.799E+00	8.669E-01	2026	2035	2030	4	tasmax
Georgia	Normal	2.926E+02	3.023E+00	5.803E-01	2026	2035	2030	5	tasmax
Georgia	Normal	2.978E+02	3.353E+00	8.770E-01	2026	2035	2030	6	tasmax
Georgia	Normal	3.018E+02	4.333E+00	1.007E+00	2026	2035	2030	7	tasmax
Georgia	Normal	3.017E+02	3.975E+00	6.671E-01	2026	2035	2030	8	tasmax
Georgia	Normal	2.965E+02	2.879E+00	8.536E-01	2026	2035	2030	9	tasmax
Georgia	Normal	2.895E+02	2.679E+00	4.225E-01	2026	2035	2030	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Georgia	Normal	2.828E+02	2.716E+00	5.628E-01	2026	2035	2030	11	tasmax
Georgia	Normal	2.782E+02	2.413E+00	5.561E-01	2026	2035	2030	12	tasmax
Georgia	Normal	2.767E+02	2.367E+00	3.843E-01	2036	2045	2040	1	tasmax
Georgia	Normal	2.786E+02	2.244E+00	5.597E-01	2036	2045	2040	2	tasmax
Georgia	Normal	2.828E+02	2.992E+00	8.481E-01	2036	2045	2040	3	tasmax
Georgia	Normal	2.878E+02	3.076E+00	8.450E-01	2036	2045	2040	4	tasmax
Georgia	Normal	2.935E+02	2.883E+00	5.810E-01	2036	2045	2040	5	tasmax
Georgia	Normal	2.986E+02	3.612E+00	9.283E-01	2036	2045	2040	6	tasmax
Georgia	Normal	3.025E+02	4.673E+00	1.084E+00	2036	2045	2040	7	tasmax
Georgia	Normal	3.026E+02	4.076E+00	5.061E-01	2036	2045	2040	8	tasmax
Georgia	Normal	2.974E+02	3.021E+00	6.074E-01	2036	2045	2040	9	tasmax
Georgia	Normal	2.903E+02	2.953E+00	5.497E-01	2036	2045	2040	10	tasmax
Georgia	Normal	2.833E+02	3.000E+00	5.413E-01	2036	2045	2040	11	tasmax
Georgia	Normal	2.784E+02	2.601E+00	3.797E-01	2036	2045	2040	12	tasmax
Georgia	Normal	2.776E+02	2.706E+00	5.175E-01	2046	2055	2050	1	tasmax
Georgia	Normal	2.794E+02	2.603E+00	6.252E-01	2046	2055	2050	2	tasmax
Georgia	Normal	2.834E+02	2.782E+00	8.476E-01	2046	2055	2050	3	tasmax
Georgia	Normal	2.885E+02	3.106E+00	7.785E-01	2046	2055	2050	4	tasmax
Georgia	Normal	2.938E+02	3.138E+00	6.599E-01	2046	2055	2050	5	tasmax
Georgia	Normal	2.990E+02	3.476E+00	8.031E-01	2046	2055	2050	6	tasmax
Georgia	Normal	3.032E+02	4.489E+00	1.231E+00	2046	2055	2050	7	tasmax
Georgia	Normal	3.034E+02	4.387E+00	6.065E-01	2046	2055	2050	8	tasmax
Georgia	Normal	2.978E+02	3.352E+00	6.579E-01	2046	2055	2050	9	tasmax
Georgia	Normal	2.910E+02	2.761E+00	4.967E-01	2046	2055	2050	10	tasmax
Georgia	Normal	2.838E+02	2.967E+00	4.389E-01	2046	2055	2050	11	tasmax
Georgia	Normal	2.788E+02	2.675E+00	4.253E-01	2046	2055	2050	12	tasmax
Georgia	Normal	2.781E+02	2.658E+00	4.631E-01	2056	2065	2060	1	tasmax
Georgia	Normal	2.799E+02	2.640E+00	4.685E-01	2056	2065	2060	2	tasmax
Georgia	Normal	2.839E+02	3.107E+00	9.023E-01	2056	2065	2060	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Georgia	Normal	2.888E+02	3.142E+00	8.373E-01	2056	2065	2060	4	tasmax
Georgia	Normal	2.943E+02	2.986E+00	9.022E-01	2056	2065	2060	5	tasmax
Georgia	Normal	2.998E+02	3.522E+00	9.228E-01	2056	2065	2060	6	tasmax
Georgia	Normal	3.043E+02	4.806E+00	1.052E+00	2056	2065	2060	7	tasmax
Georgia	Normal	3.043E+02	4.312E+00	6.813E-01	2056	2065	2060	8	tasmax
Georgia	Normal	2.989E+02	3.416E+00	6.478E-01	2056	2065	2060	9	tasmax
Georgia	Normal	2.916E+02	2.885E+00	6.215E-01	2056	2065	2060	10	tasmax
Georgia	Normal	2.845E+02	2.884E+00	6.455E-01	2056	2065	2060	11	tasmax
Georgia	Normal	2.797E+02	2.646E+00	4.853E-01	2056	2065	2060	12	tasmax
Georgia	Normal	2.787E+02	2.717E+00	5.650E-01	2066	2075	2070	1	tasmax
Georgia	Normal	2.806E+02	2.665E+00	6.519E-01	2066	2075	2070	2	tasmax
Georgia	Normal	2.845E+02	3.057E+00	9.980E-01	2066	2075	2070	3	tasmax
Georgia	Normal	2.896E+02	2.877E+00	8.551E-01	2066	2075	2070	4	tasmax
Georgia	Normal	2.952E+02	3.274E+00	7.260E-01	2066	2075	2070	5	tasmax
Georgia	Normal	3.007E+02	4.068E+00	8.405E-01	2066	2075	2070	6	tasmax
Georgia	Normal	3.050E+02	4.844E+00	8.514E-01	2066	2075	2070	7	tasmax
Georgia	Normal	3.053E+02	4.319E+00	6.368E-01	2066	2075	2070	8	tasmax
Georgia	Normal	2.998E+02	3.211E+00	5.633E-01	2066	2075	2070	9	tasmax
Georgia	Normal	2.922E+02	3.215E+00	6.580E-01	2066	2075	2070	10	tasmax
Georgia	Normal	2.851E+02	3.099E+00	5.413E-01	2066	2075	2070	11	tasmax
Georgia	Normal	2.805E+02	2.819E+00	5.921E-01	2066	2075	2070	12	tasmax
Georgia	Normal	2.794E+02	2.647E+00	5.307E-01	2076	2085	2080	1	tasmax
Georgia	Normal	2.813E+02	3.086E+00	9.856E-01	2076	2085	2080	2	tasmax
Georgia	Normal	2.851E+02	3.490E+00	9.123E-01	2076	2085	2080	3	tasmax
Georgia	Normal	2.903E+02	3.513E+00	9.904E-01	2076	2085	2080	4	tasmax
Georgia	Normal	2.953E+02	3.384E+00	6.691E-01	2076	2085	2080	5	tasmax
Georgia	Normal	3.013E+02	4.111E+00	8.950E-01	2076	2085	2080	6	tasmax
Georgia	Normal	3.058E+02	4.858E+00	8.237E-01	2076	2085	2080	7	tasmax
Georgia	Normal	3.058E+02	4.342E+00	6.657E-01	2076	2085	2080	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Georgia	Normal	3.001E+02	3.549E+00	7.082E-01	2076	2085	2080	9	tasmax
Georgia	Normal	2.929E+02	3.230E+00	6.321E-01	2076	2085	2080	10	tasmax
Georgia	Normal	2.859E+02	3.277E+00	7.471E-01	2076	2085	2080	11	tasmax
Georgia	Normal	2.807E+02	2.920E+00	7.044E-01	2076	2085	2080	12	tasmax
Georgia	Normal	2.796E+02	2.644E+00	6.381E-01	2086	2099	2092	1	tasmax
Georgia	Normal	2.815E+02	2.770E+00	8.031E-01	2086	2099	2092	2	tasmax
Georgia	Normal	2.858E+02	3.612E+00	1.446E+00	2086	2099	2092	3	tasmax
Georgia	Normal	2.906E+02	3.439E+00	9.404E-01	2086	2099	2092	4	tasmax
Georgia	Normal	2.962E+02	3.620E+00	7.474E-01	2086	2099	2092	5	tasmax
Georgia	Normal	3.025E+02	4.057E+00	8.645E-01	2086	2099	2092	6	tasmax
Georgia	Normal	3.067E+02	5.194E+00	1.004E+00	2086	2099	2092	7	tasmax
Georgia	Normal	3.068E+02	4.536E+00	6.846E-01	2086	2099	2092	8	tasmax
Georgia	Normal	3.011E+02	3.688E+00	7.935E-01	2086	2099	2092	9	tasmax
Georgia	Normal	2.935E+02	3.566E+00	6.344E-01	2086	2099	2092	10	tasmax
Georgia	Normal	2.863E+02	3.259E+00	6.130E-01	2086	2099	2092	11	tasmax
Georgia	Normal	2.813E+02	3.223E+00	5.610E-01	2086	2099	2092	12	tasmax
Germany	Normal	2.770E+02	2.180E+00	4.711E-01	2006	2015	2010	1	tasmax
Germany	Normal	2.781E+02	2.456E+00	4.321E-01	2006	2015	2010	2	tasmax
Germany	Normal	2.811E+02	2.630E+00	6.165E-01	2006	2015	2010	3	tasmax
Germany	Normal	2.859E+02	2.863E+00	6.248E-01	2006	2015	2010	4	tasmax
Germany	Normal	2.906E+02	2.511E+00	6.091E-01	2006	2015	2010	5	tasmax
Germany	Normal	2.951E+02	2.646E+00	6.743E-01	2006	2015	2010	6	tasmax
Germany	Normal	2.969E+02	2.648E+00	6.836E-01	2006	2015	2010	7	tasmax
Germany	Normal	2.960E+02	2.678E+00	6.084E-01	2006	2015	2010	8	tasmax
Germany	Normal	2.920E+02	2.738E+00	9.415E-01	2006	2015	2010	9	tasmax
Germany	Normal	2.863E+02	2.685E+00	9.170E-01	2006	2015	2010	10	tasmax
Germany	Normal	2.809E+02	2.242E+00	6.609E-01	2006	2015	2010	11	tasmax
Germany	Normal	2.780E+02	2.179E+00	4.838E-01	2006	2015	2010	12	tasmax
Germany	Normal	2.771E+02	2.194E+00	4.287E-01	2016	2025	2020	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Germany	Normal	2.786E+02	2.292E+00	4.410E-01	2016	2025	2020	2	tasmax
Germany	Normal	2.818E+02	2.843E+00	6.167E-01	2016	2025	2020	3	tasmax
Germany	Normal	2.861E+02	2.555E+00	4.758E-01	2016	2025	2020	4	tasmax
Germany	Normal	2.913E+02	2.584E+00	6.755E-01	2016	2025	2020	5	tasmax
Germany	Normal	2.959E+02	2.700E+00	5.238E-01	2016	2025	2020	6	tasmax
Germany	Normal	2.976E+02	2.725E+00	5.871E-01	2016	2025	2020	7	tasmax
Germany	Normal	2.965E+02	2.751E+00	5.592E-01	2016	2025	2020	8	tasmax
Germany	Normal	2.926E+02	2.730E+00	6.440E-01	2016	2025	2020	9	tasmax
Germany	Normal	2.869E+02	2.656E+00	9.059E-01	2016	2025	2020	10	tasmax
Germany	Normal	2.815E+02	2.136E+00	4.660E-01	2016	2025	2020	11	tasmax
Germany	Normal	2.781E+02	1.938E+00	4.867E-01	2016	2025	2020	12	tasmax
Germany	Normal	2.775E+02	2.191E+00	4.481E-01	2026	2035	2030	1	tasmax
Germany	Normal	2.787E+02	1.900E+00	4.022E-01	2026	2035	2030	2	tasmax
Germany	Normal	2.822E+02	2.606E+00	4.362E-01	2026	2035	2030	3	tasmax
Germany	Normal	2.865E+02	2.743E+00	6.494E-01	2026	2035	2030	4	tasmax
Germany	Normal	2.915E+02	2.630E+00	6.731E-01	2026	2035	2030	5	tasmax
Germany	Normal	2.958E+02	2.811E+00	7.982E-01	2026	2035	2030	6	tasmax
Germany	Normal	2.979E+02	3.049E+00	9.467E-01	2026	2035	2030	7	tasmax
Germany	Normal	2.970E+02	2.837E+00	7.558E-01	2026	2035	2030	8	tasmax
Germany	Normal	2.927E+02	2.870E+00	7.161E-01	2026	2035	2030	9	tasmax
Germany	Normal	2.874E+02	2.898E+00	1.179E+00	2026	2035	2030	10	tasmax
Germany	Normal	2.817E+02	2.266E+00	8.277E-01	2026	2035	2030	11	tasmax
Germany	Normal	2.788E+02	2.296E+00	5.443E-01	2026	2035	2030	12	tasmax
Germany	Normal	2.783E+02	2.161E+00	4.831E-01	2036	2045	2040	1	tasmax
Germany	Normal	2.794E+02	2.192E+00	3.439E-01	2036	2045	2040	2	tasmax
Germany	Normal	2.825E+02	2.662E+00	5.307E-01	2036	2045	2040	3	tasmax
Germany	Normal	2.870E+02	2.687E+00	5.386E-01	2036	2045	2040	4	tasmax
Germany	Normal	2.918E+02	2.578E+00	6.892E-01	2036	2045	2040	5	tasmax
Germany	Normal	2.966E+02	3.140E+00	7.054E-01	2036	2045	2040	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Germany	Normal	2.988E+02	3.081E+00	6.103E-01	2036	2045	2040	7	tasmax
Germany	Normal	2.976E+02	2.742E+00	4.675E-01	2036	2045	2040	8	tasmax
Germany	Normal	2.935E+02	2.620E+00	6.425E-01	2036	2045	2040	9	tasmax
Germany	Normal	2.877E+02	2.429E+00	8.540E-01	2036	2045	2040	10	tasmax
Germany	Normal	2.824E+02	2.246E+00	9.516E-01	2036	2045	2040	11	tasmax
Germany	Normal	2.794E+02	2.082E+00	4.576E-01	2036	2045	2040	12	tasmax
Germany	Normal	2.786E+02	2.123E+00	4.410E-01	2046	2055	2050	1	tasmax
Germany	Normal	2.797E+02	2.106E+00	5.064E-01	2046	2055	2050	2	tasmax
Germany	Normal	2.828E+02	2.594E+00	5.818E-01	2046	2055	2050	3	tasmax
Germany	Normal	2.873E+02	3.002E+00	5.465E-01	2046	2055	2050	4	tasmax
Germany	Normal	2.923E+02	2.940E+00	9.400E-01	2046	2055	2050	5	tasmax
Germany	Normal	2.972E+02	3.151E+00	7.099E-01	2046	2055	2050	6	tasmax
Germany	Normal	2.995E+02	3.084E+00	6.694E-01	2046	2055	2050	7	tasmax
Germany	Normal	2.983E+02	2.857E+00	5.506E-01	2046	2055	2050	8	tasmax
Germany	Normal	2.941E+02	2.689E+00	7.240E-01	2046	2055	2050	9	tasmax
Germany	Normal	2.884E+02	2.726E+00	1.024E+00	2046	2055	2050	10	tasmax
Germany	Normal	2.828E+02	2.272E+00	6.609E-01	2046	2055	2050	11	tasmax
Germany	Normal	2.795E+02	2.053E+00	4.296E-01	2046	2055	2050	12	tasmax
Germany	Normal	2.792E+02	2.220E+00	3.507E-01	2056	2065	2060	1	tasmax
Germany	Normal	2.802E+02	2.402E+00	7.545E-01	2056	2065	2060	2	tasmax
Germany	Normal	2.833E+02	2.681E+00	5.354E-01	2056	2065	2060	3	tasmax
Germany	Normal	2.878E+02	2.743E+00	6.212E-01	2056	2065	2060	4	tasmax
Germany	Normal	2.927E+02	3.178E+00	6.958E-01	2056	2065	2060	5	tasmax
Germany	Normal	2.977E+02	3.205E+00	6.713E-01	2056	2065	2060	6	tasmax
Germany	Normal	3.001E+02	3.105E+00	5.657E-01	2056	2065	2060	7	tasmax
Germany	Normal	2.994E+02	3.018E+00	5.621E-01	2056	2065	2060	8	tasmax
Germany	Normal	2.949E+02	2.994E+00	7.584E-01	2056	2065	2060	9	tasmax
Germany	Normal	2.890E+02	2.970E+00	9.902E-01	2056	2065	2060	10	tasmax
Germany	Normal	2.834E+02	2.187E+00	7.689E-01	2056	2065	2060	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Germany	Normal	2.803E+02	2.115E+00	5.601E-01	2056	2065	2060	12	tasmax
Germany	Normal	2.797E+02	1.751E+00	3.781E-01	2066	2075	2070	1	tasmax
Germany	Normal	2.807E+02	2.189E+00	4.028E-01	2066	2075	2070	2	tasmax
Germany	Normal	2.837E+02	2.655E+00	4.902E-01	2066	2075	2070	3	tasmax
Germany	Normal	2.884E+02	2.786E+00	6.232E-01	2066	2075	2070	4	tasmax
Germany	Normal	2.934E+02	2.814E+00	6.483E-01	2066	2075	2070	5	tasmax
Germany	Normal	2.984E+02	3.443E+00	6.046E-01	2066	2075	2070	6	tasmax
Germany	Normal	3.007E+02	3.449E+00	5.274E-01	2066	2075	2070	7	tasmax
Germany	Normal	3.002E+02	3.298E+00	6.061E-01	2066	2075	2070	8	tasmax
Germany	Normal	2.958E+02	3.203E+00	7.055E-01	2066	2075	2070	9	tasmax
Germany	Normal	2.896E+02	3.033E+00	8.870E-01	2066	2075	2070	10	tasmax
Germany	Normal	2.838E+02	2.282E+00	7.550E-01	2066	2075	2070	11	tasmax
Germany	Normal	2.807E+02	2.145E+00	6.815E-01	2066	2075	2070	12	tasmax
Germany	Normal	2.803E+02	1.973E+00	4.086E-01	2076	2085	2080	1	tasmax
Germany	Normal	2.813E+02	2.394E+00	5.203E-01	2076	2085	2080	2	tasmax
Germany	Normal	2.842E+02	2.894E+00	5.120E-01	2076	2085	2080	3	tasmax
Germany	Normal	2.885E+02	3.346E+00	9.976E-01	2076	2085	2080	4	tasmax
Germany	Normal	2.942E+02	3.113E+00	8.159E-01	2076	2085	2080	5	tasmax
Germany	Normal	2.991E+02	3.365E+00	6.324E-01	2076	2085	2080	6	tasmax
Germany	Normal	3.017E+02	3.570E+00	5.399E-01	2076	2085	2080	7	tasmax
Germany	Normal	3.010E+02	3.310E+00	5.434E-01	2076	2085	2080	8	tasmax
Germany	Normal	2.964E+02	3.036E+00	6.569E-01	2076	2085	2080	9	tasmax
Germany	Normal	2.901E+02	2.785E+00	7.065E-01	2076	2085	2080	10	tasmax
Germany	Normal	2.843E+02	1.995E+00	6.313E-01	2076	2085	2080	11	tasmax
Germany	Normal	2.814E+02	1.940E+00	6.265E-01	2076	2085	2080	12	tasmax
Germany	Normal	2.807E+02	1.753E+00	3.660E-01	2086	2099	2092	1	tasmax
Germany	Normal	2.817E+02	2.089E+00	4.358E-01	2086	2099	2092	2	tasmax
Germany	Normal	2.845E+02	2.482E+00	4.462E-01	2086	2099	2092	3	tasmax
Germany	Normal	2.891E+02	2.944E+00	6.178E-01	2086	2099	2092	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Germany	Normal	2.944E+02	3.048E+00	5.457E-01	2086	2099	2092	5	tasmax
Germany	Normal	2.998E+02	3.740E+00	6.868E-01	2086	2099	2092	6	tasmax
Germany	Normal	3.025E+02	3.657E+00	6.087E-01	2086	2099	2092	7	tasmax
Germany	Normal	3.017E+02	3.363E+00	6.471E-01	2086	2099	2092	8	tasmax
Germany	Normal	2.974E+02	3.127E+00	5.400E-01	2086	2099	2092	9	tasmax
Germany	Normal	2.909E+02	3.033E+00	9.542E-01	2086	2099	2092	10	tasmax
Germany	Normal	2.850E+02	2.034E+00	6.533E-01	2086	2099	2092	11	tasmax
Germany	Normal	2.818E+02	2.027E+00	5.950E-01	2086	2099	2092	12	tasmax
Ghana	Normal	3.068E+02	1.565E+00	6.199E-01	2006	2015	2010	1	tasmax
Ghana	Normal	3.083E+02	1.469E+00	3.137E-01	2006	2015	2010	2	tasmax
Ghana	Normal	3.085E+02	1.510E+00	2.345E-01	2006	2015	2010	3	tasmax
Ghana	Normal	3.073E+02	1.700E+00	3.886E-01	2006	2015	2010	4	tasmax
Ghana	Normal	3.057E+02	1.876E+00	4.813E-01	2006	2015	2010	5	tasmax
Ghana	Normal	3.040E+02	1.892E+00	5.132E-01	2006	2015	2010	6	tasmax
Ghana	Normal	3.027E+02	1.838E+00	5.031E-01	2006	2015	2010	7	tasmax
Ghana	Normal	3.019E+02	1.540E+00	4.761E-01	2006	2015	2010	8	tasmax
Ghana	Normal	3.025E+02	1.550E+00	4.160E-01	2006	2015	2010	9	tasmax
Ghana	Normal	3.036E+02	1.472E+00	2.458E-01	2006	2015	2010	10	tasmax
Ghana	Normal	3.050E+02	1.470E+00	3.250E-01	2006	2015	2010	11	tasmax
Ghana	Normal	3.058E+02	1.479E+00	4.070E-01	2006	2015	2010	12	tasmax
Ghana	Normal	3.073E+02	1.530E+00	5.844E-01	2016	2025	2020	1	tasmax
Ghana	Normal	3.087E+02	1.491E+00	3.276E-01	2016	2025	2020	2	tasmax
Ghana	Normal	3.090E+02	1.587E+00	2.480E-01	2016	2025	2020	3	tasmax
Ghana	Normal	3.078E+02	1.753E+00	3.594E-01	2016	2025	2020	4	tasmax
Ghana	Normal	3.062E+02	2.116E+00	4.489E-01	2016	2025	2020	5	tasmax
Ghana	Normal	3.044E+02	2.036E+00	5.638E-01	2016	2025	2020	6	tasmax
Ghana	Normal	3.031E+02	1.881E+00	5.249E-01	2016	2025	2020	7	tasmax
Ghana	Normal	3.023E+02	1.595E+00	3.961E-01	2016	2025	2020	8	tasmax
Ghana	Normal	3.029E+02	1.656E+00	4.311E-01	2016	2025	2020	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ghana	Normal	3.039E+02	1.618E+00	2.887E-01	2016	2025	2020	10	tasmax
Ghana	Normal	3.054E+02	1.691E+00	4.327E-01	2016	2025	2020	11	tasmax
Ghana	Normal	3.061E+02	1.546E+00	3.737E-01	2016	2025	2020	12	tasmax
Ghana	Normal	3.075E+02	1.758E+00	7.803E-01	2026	2035	2030	1	tasmax
Ghana	Normal	3.091E+02	1.576E+00	3.276E-01	2026	2035	2030	2	tasmax
Ghana	Normal	3.093E+02	1.464E+00	2.805E-01	2026	2035	2030	3	tasmax
Ghana	Normal	3.082E+02	1.721E+00	3.670E-01	2026	2035	2030	4	tasmax
Ghana	Normal	3.065E+02	2.006E+00	4.160E-01	2026	2035	2030	5	tasmax
Ghana	Normal	3.048E+02	2.064E+00	5.024E-01	2026	2035	2030	6	tasmax
Ghana	Normal	3.034E+02	1.929E+00	5.501E-01	2026	2035	2030	7	tasmax
Ghana	Normal	3.026E+02	1.564E+00	4.215E-01	2026	2035	2030	8	tasmax
Ghana	Normal	3.031E+02	1.624E+00	3.565E-01	2026	2035	2030	9	tasmax
Ghana	Normal	3.042E+02	1.591E+00	2.678E-01	2026	2035	2030	10	tasmax
Ghana	Normal	3.058E+02	1.578E+00	4.330E-01	2026	2035	2030	11	tasmax
Ghana	Normal	3.065E+02	1.721E+00	4.979E-01	2026	2035	2030	12	tasmax
Ghana	Normal	3.080E+02	1.740E+00	8.308E-01	2036	2045	2040	1	tasmax
Ghana	Normal	3.095E+02	1.598E+00	2.679E-01	2036	2045	2040	2	tasmax
Ghana	Normal	3.097E+02	1.596E+00	3.049E-01	2036	2045	2040	3	tasmax
Ghana	Normal	3.085E+02	1.812E+00	3.309E-01	2036	2045	2040	4	tasmax
Ghana	Normal	3.069E+02	2.023E+00	4.878E-01	2036	2045	2040	5	tasmax
Ghana	Normal	3.052E+02	2.068E+00	6.865E-01	2036	2045	2040	6	tasmax
Ghana	Normal	3.038E+02	1.943E+00	6.427E-01	2036	2045	2040	7	tasmax
Ghana	Normal	3.030E+02	1.568E+00	4.415E-01	2036	2045	2040	8	tasmax
Ghana	Normal	3.036E+02	1.633E+00	3.454E-01	2036	2045	2040	9	tasmax
Ghana	Normal	3.047E+02	1.635E+00	3.427E-01	2036	2045	2040	10	tasmax
Ghana	Normal	3.062E+02	1.572E+00	4.766E-01	2036	2045	2040	11	tasmax
Ghana	Normal	3.069E+02	1.523E+00	4.413E-01	2036	2045	2040	12	tasmax
Ghana	Normal	3.085E+02	1.683E+00	6.963E-01	2046	2055	2050	1	tasmax
Ghana	Normal	3.099E+02	1.619E+00	4.100E-01	2046	2055	2050	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ghana	Normal	3.102E+02	1.742E+00	4.077E-01	2046	2055	2050	3	tasmax
Ghana	Normal	3.091E+02	1.941E+00	4.180E-01	2046	2055	2050	4	tasmax
Ghana	Normal	3.075E+02	2.156E+00	5.151E-01	2046	2055	2050	5	tasmax
Ghana	Normal	3.058E+02	2.322E+00	6.944E-01	2046	2055	2050	6	tasmax
Ghana	Normal	3.042E+02	2.077E+00	6.828E-01	2046	2055	2050	7	tasmax
Ghana	Normal	3.035E+02	1.693E+00	4.808E-01	2046	2055	2050	8	tasmax
Ghana	Normal	3.041E+02	1.697E+00	4.423E-01	2046	2055	2050	9	tasmax
Ghana	Normal	3.051E+02	1.682E+00	3.088E-01	2046	2055	2050	10	tasmax
Ghana	Normal	3.066E+02	1.725E+00	3.704E-01	2046	2055	2050	11	tasmax
Ghana	Normal	3.074E+02	1.589E+00	3.943E-01	2046	2055	2050	12	tasmax
Ghana	Normal	3.090E+02	1.813E+00	6.874E-01	2056	2065	2060	1	tasmax
Ghana	Normal	3.105E+02	1.630E+00	3.498E-01	2056	2065	2060	2	tasmax
Ghana	Normal	3.108E+02	1.658E+00	3.429E-01	2056	2065	2060	3	tasmax
Ghana	Normal	3.095E+02	2.078E+00	4.412E-01	2056	2065	2060	4	tasmax
Ghana	Normal	3.079E+02	2.301E+00	6.329E-01	2056	2065	2060	5	tasmax
Ghana	Normal	3.062E+02	2.314E+00	6.357E-01	2056	2065	2060	6	tasmax
Ghana	Normal	3.048E+02	2.183E+00	6.111E-01	2056	2065	2060	7	tasmax
Ghana	Normal	3.040E+02	1.770E+00	4.415E-01	2056	2065	2060	8	tasmax
Ghana	Normal	3.045E+02	1.808E+00	4.974E-01	2056	2065	2060	9	tasmax
Ghana	Normal	3.056E+02	1.719E+00	3.133E-01	2056	2065	2060	10	tasmax
Ghana	Normal	3.070E+02	1.733E+00	4.107E-01	2056	2065	2060	11	tasmax
Ghana	Normal	3.079E+02	1.737E+00	4.955E-01	2056	2065	2060	12	tasmax
Ghana	Normal	3.095E+02	1.736E+00	6.425E-01	2066	2075	2070	1	tasmax
Ghana	Normal	3.110E+02	1.576E+00	2.888E-01	2066	2075	2070	2	tasmax
Ghana	Normal	3.113E+02	1.932E+00	4.119E-01	2066	2075	2070	3	tasmax
Ghana	Normal	3.102E+02	2.075E+00	3.767E-01	2066	2075	2070	4	tasmax
Ghana	Normal	3.085E+02	2.295E+00	6.234E-01	2066	2075	2070	5	tasmax
Ghana	Normal	3.067E+02	2.424E+00	7.231E-01	2066	2075	2070	6	tasmax
Ghana	Normal	3.054E+02	2.281E+00	9.061E-01	2066	2075	2070	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ghana	Normal	3.045E+02	1.849E+00	6.523E-01	2066	2075	2070	8	tasmax
Ghana	Normal	3.050E+02	1.766E+00	4.618E-01	2066	2075	2070	9	tasmax
Ghana	Normal	3.060E+02	1.695E+00	2.678E-01	2066	2075	2070	10	tasmax
Ghana	Normal	3.076E+02	1.696E+00	4.120E-01	2066	2075	2070	11	tasmax
Ghana	Normal	3.084E+02	1.666E+00	3.215E-01	2066	2075	2070	12	tasmax
Ghana	Normal	3.101E+02	1.747E+00	5.563E-01	2076	2085	2080	1	tasmax
Ghana	Normal	3.116E+02	1.681E+00	2.581E-01	2076	2085	2080	2	tasmax
Ghana	Normal	3.119E+02	1.897E+00	3.893E-01	2076	2085	2080	3	tasmax
Ghana	Normal	3.107E+02	2.265E+00	5.408E-01	2076	2085	2080	4	tasmax
Ghana	Normal	3.091E+02	2.459E+00	6.905E-01	2076	2085	2080	5	tasmax
Ghana	Normal	3.074E+02	2.596E+00	7.104E-01	2076	2085	2080	6	tasmax
Ghana	Normal	3.059E+02	2.377E+00	7.980E-01	2076	2085	2080	7	tasmax
Ghana	Normal	3.050E+02	1.921E+00	6.187E-01	2076	2085	2080	8	tasmax
Ghana	Normal	3.055E+02	1.902E+00	5.493E-01	2076	2085	2080	9	tasmax
Ghana	Normal	3.066E+02	1.900E+00	3.643E-01	2076	2085	2080	10	tasmax
Ghana	Normal	3.081E+02	1.884E+00	5.139E-01	2076	2085	2080	11	tasmax
Ghana	Normal	3.089E+02	1.732E+00	3.731E-01	2076	2085	2080	12	tasmax
Ghana	Normal	3.107E+02	1.742E+00	4.215E-01	2086	2099	2092	1	tasmax
Ghana	Normal	3.123E+02	1.709E+00	3.528E-01	2086	2099	2092	2	tasmax
Ghana	Normal	3.124E+02	2.083E+00	4.532E-01	2086	2099	2092	3	tasmax
Ghana	Normal	3.113E+02	2.308E+00	4.245E-01	2086	2099	2092	4	tasmax
Ghana	Normal	3.097E+02	2.645E+00	6.715E-01	2086	2099	2092	5	tasmax
Ghana	Normal	3.080E+02	2.739E+00	7.610E-01	2086	2099	2092	6	tasmax
Ghana	Normal	3.066E+02	2.591E+00	9.110E-01	2086	2099	2092	7	tasmax
Ghana	Normal	3.056E+02	1.984E+00	6.191E-01	2086	2099	2092	8	tasmax
Ghana	Normal	3.062E+02	1.994E+00	4.342E-01	2086	2099	2092	9	tasmax
Ghana	Normal	3.072E+02	1.932E+00	4.126E-01	2086	2099	2092	10	tasmax
Ghana	Normal	3.088E+02	1.831E+00	4.568E-01	2086	2099	2092	11	tasmax
Ghana	Normal	3.095E+02	1.776E+00	3.814E-01	2086	2099	2092	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greece	Normal	2.837E+02	1.695E+00	3.932E-01	2006	2015	2010	1	tasmax
Greece	Normal	2.848E+02	1.862E+00	3.401E-01	2006	2015	2010	2	tasmax
Greece	Normal	2.869E+02	1.962E+00	5.701E-01	2006	2015	2010	3	tasmax
Greece	Normal	2.905E+02	1.719E+00	5.026E-01	2006	2015	2010	4	tasmax
Greece	Normal	2.950E+02	2.051E+00	4.798E-01	2006	2015	2010	5	tasmax
Greece	Normal	3.001E+02	2.260E+00	4.591E-01	2006	2015	2010	6	tasmax
Greece	Normal	3.037E+02	2.542E+00	7.803E-01	2006	2015	2010	7	tasmax
Greece	Normal	3.037E+02	2.438E+00	7.247E-01	2006	2015	2010	8	tasmax
Greece	Normal	2.993E+02	1.853E+00	4.873E-01	2006	2015	2010	9	tasmax
Greece	Normal	2.933E+02	1.971E+00	4.175E-01	2006	2015	2010	10	tasmax
Greece	Normal	2.883E+02	1.609E+00	3.289E-01	2006	2015	2010	11	tasmax
Greece	Normal	2.850E+02	1.445E+00	2.905E-01	2006	2015	2010	12	tasmax
Greece	Normal	2.841E+02	1.625E+00	3.862E-01	2016	2025	2020	1	tasmax
Greece	Normal	2.851E+02	1.825E+00	4.177E-01	2016	2025	2020	2	tasmax
Greece	Normal	2.874E+02	2.225E+00	6.049E-01	2016	2025	2020	3	tasmax
Greece	Normal	2.908E+02	1.918E+00	3.752E-01	2016	2025	2020	4	tasmax
Greece	Normal	2.954E+02	1.969E+00	5.214E-01	2016	2025	2020	5	tasmax
Greece	Normal	3.005E+02	2.300E+00	3.736E-01	2016	2025	2020	6	tasmax
Greece	Normal	3.042E+02	2.704E+00	8.631E-01	2016	2025	2020	7	tasmax
Greece	Normal	3.043E+02	2.843E+00	9.497E-01	2016	2025	2020	8	tasmax
Greece	Normal	2.997E+02	2.342E+00	6.460E-01	2016	2025	2020	9	tasmax
Greece	Normal	2.938E+02	1.975E+00	4.546E-01	2016	2025	2020	10	tasmax
Greece	Normal	2.886E+02	1.657E+00	3.191E-01	2016	2025	2020	11	tasmax
Greece	Normal	2.855E+02	1.416E+00	2.125E-01	2016	2025	2020	12	tasmax
Greece	Normal	2.845E+02	1.658E+00	3.020E-01	2026	2035	2030	1	tasmax
Greece	Normal	2.854E+02	1.603E+00	3.314E-01	2026	2035	2030	2	tasmax
Greece	Normal	2.878E+02	1.828E+00	4.755E-01	2026	2035	2030	3	tasmax
Greece	Normal	2.913E+02	1.889E+00	6.369E-01	2026	2035	2030	4	tasmax
Greece	Normal	2.958E+02	2.361E+00	5.940E-01	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greece	Normal	3.011E+02	2.461E+00	5.137E-01	2026	2035	2030	6	tasmax
Greece	Normal	3.051E+02	2.995E+00	9.641E-01	2026	2035	2030	7	tasmax
Greece	Normal	3.051E+02	2.851E+00	1.071E+00	2026	2035	2030	8	tasmax
Greece	Normal	3.001E+02	2.394E+00	8.026E-01	2026	2035	2030	9	tasmax
Greece	Normal	2.943E+02	2.070E+00	5.251E-01	2026	2035	2030	10	tasmax
Greece	Normal	2.890E+02	1.803E+00	4.197E-01	2026	2035	2030	11	tasmax
Greece	Normal	2.859E+02	1.400E+00	2.133E-01	2026	2035	2030	12	tasmax
Greece	Normal	2.850E+02	1.600E+00	4.005E-01	2036	2045	2040	1	tasmax
Greece	Normal	2.859E+02	1.672E+00	3.947E-01	2036	2045	2040	2	tasmax
Greece	Normal	2.883E+02	2.039E+00	5.424E-01	2036	2045	2040	3	tasmax
Greece	Normal	2.918E+02	2.105E+00	4.109E-01	2036	2045	2040	4	tasmax
Greece	Normal	2.964E+02	2.218E+00	4.620E-01	2036	2045	2040	5	tasmax
Greece	Normal	3.019E+02	2.780E+00	6.338E-01	2036	2045	2040	6	tasmax
Greece	Normal	3.058E+02	2.954E+00	8.334E-01	2036	2045	2040	7	tasmax
Greece	Normal	3.058E+02	3.097E+00	9.890E-01	2036	2045	2040	8	tasmax
Greece	Normal	3.010E+02	2.272E+00	6.316E-01	2036	2045	2040	9	tasmax
Greece	Normal	2.948E+02	2.090E+00	3.886E-01	2036	2045	2040	10	tasmax
Greece	Normal	2.896E+02	1.592E+00	3.340E-01	2036	2045	2040	11	tasmax
Greece	Normal	2.863E+02	1.570E+00	2.218E-01	2036	2045	2040	12	tasmax
Greece	Normal	2.855E+02	1.639E+00	3.434E-01	2046	2055	2050	1	tasmax
Greece	Normal	2.863E+02	1.599E+00	3.645E-01	2046	2055	2050	2	tasmax
Greece	Normal	2.886E+02	1.808E+00	5.677E-01	2046	2055	2050	3	tasmax
Greece	Normal	2.923E+02	2.066E+00	4.419E-01	2046	2055	2050	4	tasmax
Greece	Normal	2.968E+02	2.334E+00	5.591E-01	2046	2055	2050	5	tasmax
Greece	Normal	3.023E+02	2.769E+00	4.633E-01	2046	2055	2050	6	tasmax
Greece	Normal	3.065E+02	3.388E+00	9.407E-01	2046	2055	2050	7	tasmax
Greece	Normal	3.065E+02	3.042E+00	9.584E-01	2046	2055	2050	8	tasmax
Greece	Normal	3.015E+02	2.474E+00	5.599E-01	2046	2055	2050	9	tasmax
Greece	Normal	2.955E+02	2.104E+00	4.607E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greece	Normal	2.900E+02	1.731E+00	4.507E-01	2046	2055	2050	11	tasmax
Greece	Normal	2.865E+02	1.474E+00	2.719E-01	2046	2055	2050	12	tasmax
Greece	Normal	2.861E+02	1.566E+00	3.416E-01	2056	2065	2060	1	tasmax
Greece	Normal	2.868E+02	1.867E+00	4.532E-01	2056	2065	2060	2	tasmax
Greece	Normal	2.892E+02	2.058E+00	6.931E-01	2056	2065	2060	3	tasmax
Greece	Normal	2.928E+02	2.375E+00	5.657E-01	2056	2065	2060	4	tasmax
Greece	Normal	2.976E+02	2.861E+00	6.871E-01	2056	2065	2060	5	tasmax
Greece	Normal	3.029E+02	2.853E+00	4.663E-01	2056	2065	2060	6	tasmax
Greece	Normal	3.072E+02	3.400E+00	1.123E+00	2056	2065	2060	7	tasmax
Greece	Normal	3.074E+02	3.404E+00	1.227E+00	2056	2065	2060	8	tasmax
Greece	Normal	3.023E+02	2.740E+00	7.319E-01	2056	2065	2060	9	tasmax
Greece	Normal	2.959E+02	2.382E+00	7.218E-01	2056	2065	2060	10	tasmax
Greece	Normal	2.906E+02	1.801E+00	4.434E-01	2056	2065	2060	11	tasmax
Greece	Normal	2.873E+02	1.498E+00	2.763E-01	2056	2065	2060	12	tasmax
Greece	Normal	2.863E+02	1.615E+00	2.988E-01	2066	2075	2070	1	tasmax
Greece	Normal	2.873E+02	1.755E+00	3.899E-01	2066	2075	2070	2	tasmax
Greece	Normal	2.897E+02	2.140E+00	6.848E-01	2066	2075	2070	3	tasmax
Greece	Normal	2.935E+02	2.106E+00	4.516E-01	2066	2075	2070	4	tasmax
Greece	Normal	2.985E+02	2.677E+00	4.975E-01	2066	2075	2070	5	tasmax
Greece	Normal	3.039E+02	3.130E+00	7.728E-01	2066	2075	2070	6	tasmax
Greece	Normal	3.082E+02	3.424E+00	1.286E+00	2066	2075	2070	7	tasmax
Greece	Normal	3.081E+02	3.352E+00	1.306E+00	2066	2075	2070	8	tasmax
Greece	Normal	3.031E+02	2.830E+00	6.601E-01	2066	2075	2070	9	tasmax
Greece	Normal	2.967E+02	2.505E+00	5.397E-01	2066	2075	2070	10	tasmax
Greece	Normal	2.912E+02	2.149E+00	5.749E-01	2066	2075	2070	11	tasmax
Greece	Normal	2.878E+02	1.640E+00	3.131E-01	2066	2075	2070	12	tasmax
Greece	Normal	2.870E+02	1.812E+00	2.716E-01	2076	2085	2080	1	tasmax
Greece	Normal	2.880E+02	2.188E+00	6.630E-01	2076	2085	2080	2	tasmax
Greece	Normal	2.904E+02	2.420E+00	6.946E-01	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greece	Normal	2.941E+02	2.808E+00	8.756E-01	2076	2085	2080	4	tasmax
Greece	Normal	2.990E+02	2.942E+00	7.089E-01	2076	2085	2080	5	tasmax
Greece	Normal	3.049E+02	3.449E+00	5.880E-01	2076	2085	2080	6	tasmax
Greece	Normal	3.091E+02	3.666E+00	1.174E+00	2076	2085	2080	7	tasmax
Greece	Normal	3.091E+02	3.623E+00	1.103E+00	2076	2085	2080	8	tasmax
Greece	Normal	3.040E+02	3.031E+00	6.170E-01	2076	2085	2080	9	tasmax
Greece	Normal	2.971E+02	2.559E+00	6.818E-01	2076	2085	2080	10	tasmax
Greece	Normal	2.915E+02	2.169E+00	5.614E-01	2076	2085	2080	11	tasmax
Greece	Normal	2.881E+02	1.717E+00	3.271E-01	2076	2085	2080	12	tasmax
Greece	Normal	2.872E+02	1.676E+00	3.364E-01	2086	2099	2092	1	tasmax
Greece	Normal	2.884E+02	1.940E+00	4.848E-01	2086	2099	2092	2	tasmax
Greece	Normal	2.909E+02	2.395E+00	7.244E-01	2086	2099	2092	3	tasmax
Greece	Normal	2.945E+02	2.694E+00	6.968E-01	2086	2099	2092	4	tasmax
Greece	Normal	2.998E+02	3.103E+00	5.094E-01	2086	2099	2092	5	tasmax
Greece	Normal	3.053E+02	3.453E+00	5.728E-01	2086	2099	2092	6	tasmax
Greece	Normal	3.098E+02	3.717E+00	1.254E+00	2086	2099	2092	7	tasmax
Greece	Normal	3.097E+02	3.603E+00	1.357E+00	2086	2099	2092	8	tasmax
Greece	Normal	3.046E+02	2.961E+00	7.383E-01	2086	2099	2092	9	tasmax
Greece	Normal	2.978E+02	2.856E+00	8.725E-01	2086	2099	2092	10	tasmax
Greece	Normal	2.923E+02	2.022E+00	4.609E-01	2086	2099	2092	11	tasmax
Greece	Normal	2.886E+02	1.808E+00	2.930E-01	2086	2099	2092	12	tasmax
Greenland	Normal	2.464E+02	4.184E+00	8.596E-01	2006	2015	2010	1	tasmax
Greenland	Normal	2.464E+02	4.567E+00	1.261E+00	2006	2015	2010	2	tasmax
Greenland	Normal	2.489E+02	3.724E+00	8.806E-01	2006	2015	2010	3	tasmax
Greenland	Normal	2.556E+02	2.155E+00	4.470E-01	2006	2015	2010	4	tasmax
Greenland	Normal	2.640E+02	1.937E+00	3.333E-01	2006	2015	2010	5	tasmax
Greenland	Normal	2.703E+02	1.721E+00	3.801E-01	2006	2015	2010	6	tasmax
Greenland	Normal	2.726E+02	1.866E+00	2.793E-01	2006	2015	2010	7	tasmax
Greenland	Normal	2.701E+02	2.214E+00	3.861E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greenland	Normal	2.633E+02	2.514E+00	9.351E-01	2006	2015	2010	9	tasmax
Greenland	Normal	2.562E+02	2.845E+00	1.063E+00	2006	2015	2010	10	tasmax
Greenland	Normal	2.513E+02	3.007E+00	4.780E-01	2006	2015	2010	11	tasmax
Greenland	Normal	2.478E+02	3.831E+00	7.946E-01	2006	2015	2010	12	tasmax
Greenland	Normal	2.467E+02	3.921E+00	7.428E-01	2016	2025	2020	1	tasmax
Greenland	Normal	2.463E+02	4.205E+00	9.532E-01	2016	2025	2020	2	tasmax
Greenland	Normal	2.491E+02	3.857E+00	9.603E-01	2016	2025	2020	3	tasmax
Greenland	Normal	2.556E+02	2.553E+00	6.208E-01	2016	2025	2020	4	tasmax
Greenland	Normal	2.644E+02	1.875E+00	4.402E-01	2016	2025	2020	5	tasmax
Greenland	Normal	2.706E+02	1.689E+00	3.573E-01	2016	2025	2020	6	tasmax
Greenland	Normal	2.727E+02	1.816E+00	3.065E-01	2016	2025	2020	7	tasmax
Greenland	Normal	2.705E+02	2.140E+00	4.039E-01	2016	2025	2020	8	tasmax
Greenland	Normal	2.636E+02	2.697E+00	1.315E+00	2016	2025	2020	9	tasmax
Greenland	Normal	2.564E+02	3.063E+00	7.569E-01	2016	2025	2020	10	tasmax
Greenland	Normal	2.511E+02	3.386E+00	7.996E-01	2016	2025	2020	11	tasmax
Greenland	Normal	2.483E+02	3.735E+00	5.607E-01	2016	2025	2020	12	tasmax
Greenland	Normal	2.477E+02	4.272E+00	9.565E-01	2026	2035	2030	1	tasmax
Greenland	Normal	2.470E+02	4.648E+00	8.412E-01	2026	2035	2030	2	tasmax
Greenland	Normal	2.495E+02	3.716E+00	9.165E-01	2026	2035	2030	3	tasmax
Greenland	Normal	2.562E+02	2.613E+00	5.166E-01	2026	2035	2030	4	tasmax
Greenland	Normal	2.647E+02	1.779E+00	4.266E-01	2026	2035	2030	5	tasmax
Greenland	Normal	2.710E+02	1.790E+00	3.315E-01	2026	2035	2030	6	tasmax
Greenland	Normal	2.732E+02	1.862E+00	2.720E-01	2026	2035	2030	7	tasmax
Greenland	Normal	2.710E+02	2.138E+00	3.419E-01	2026	2035	2030	8	tasmax
Greenland	Normal	2.645E+02	2.782E+00	1.179E+00	2026	2035	2030	9	tasmax
Greenland	Normal	2.572E+02	3.061E+00	6.939E-01	2026	2035	2030	10	tasmax
Greenland	Normal	2.520E+02	3.503E+00	6.793E-01	2026	2035	2030	11	tasmax
Greenland	Normal	2.489E+02	3.810E+00	7.876E-01	2026	2035	2030	12	tasmax
Greenland	Normal	2.480E+02	4.310E+00	8.683E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greenland	Normal	2.475E+02	4.271E+00	1.004E+00	2036	2045	2040	2	tasmax
Greenland	Normal	2.502E+02	3.802E+00	9.382E-01	2036	2045	2040	3	tasmax
Greenland	Normal	2.568E+02	2.648E+00	6.622E-01	2036	2045	2040	4	tasmax
Greenland	Normal	2.652E+02	1.954E+00	5.621E-01	2036	2045	2040	5	tasmax
Greenland	Normal	2.713E+02	1.804E+00	2.704E-01	2036	2045	2040	6	tasmax
Greenland	Normal	2.735E+02	1.878E+00	3.046E-01	2036	2045	2040	7	tasmax
Greenland	Normal	2.714E+02	2.210E+00	4.641E-01	2036	2045	2040	8	tasmax
Greenland	Normal	2.648E+02	2.781E+00	1.277E+00	2036	2045	2040	9	tasmax
Greenland	Normal	2.578E+02	2.923E+00	8.631E-01	2036	2045	2040	10	tasmax
Greenland	Normal	2.527E+02	3.242E+00	7.870E-01	2036	2045	2040	11	tasmax
Greenland	Normal	2.498E+02	3.850E+00	8.142E-01	2036	2045	2040	12	tasmax
Greenland	Normal	2.488E+02	4.112E+00	9.396E-01	2046	2055	2050	1	tasmax
Greenland	Normal	2.485E+02	4.302E+00	8.933E-01	2046	2055	2050	2	tasmax
Greenland	Normal	2.508E+02	3.573E+00	9.406E-01	2046	2055	2050	3	tasmax
Greenland	Normal	2.576E+02	2.582E+00	6.332E-01	2046	2055	2050	4	tasmax
Greenland	Normal	2.657E+02	1.778E+00	3.547E-01	2046	2055	2050	5	tasmax
Greenland	Normal	2.717E+02	1.893E+00	2.542E-01	2046	2055	2050	6	tasmax
Greenland	Normal	2.739E+02	1.824E+00	2.632E-01	2046	2055	2050	7	tasmax
Greenland	Normal	2.718E+02	2.087E+00	4.641E-01	2046	2055	2050	8	tasmax
Greenland	Normal	2.656E+02	2.879E+00	1.320E+00	2046	2055	2050	9	tasmax
Greenland	Normal	2.588E+02	3.171E+00	7.207E-01	2046	2055	2050	10	tasmax
Greenland	Normal	2.539E+02	3.163E+00	8.651E-01	2046	2055	2050	11	tasmax
Greenland	Normal	2.507E+02	3.817E+00	9.180E-01	2046	2055	2050	12	tasmax
Greenland	Normal	2.496E+02	4.041E+00	6.686E-01	2056	2065	2060	1	tasmax
Greenland	Normal	2.492E+02	4.079E+00	9.439E-01	2056	2065	2060	2	tasmax
Greenland	Normal	2.516E+02	3.871E+00	1.047E+00	2056	2065	2060	3	tasmax
Greenland	Normal	2.579E+02	2.513E+00	7.153E-01	2056	2065	2060	4	tasmax
Greenland	Normal	2.663E+02	1.932E+00	4.039E-01	2056	2065	2060	5	tasmax
Greenland	Normal	2.722E+02	1.807E+00	3.104E-01	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greenland	Normal	2.743E+02	1.818E+00	3.705E-01	2056	2065	2060	7	tasmax
Greenland	Normal	2.725E+02	2.084E+00	4.885E-01	2056	2065	2060	8	tasmax
Greenland	Normal	2.664E+02	2.833E+00	1.053E+00	2056	2065	2060	9	tasmax
Greenland	Normal	2.595E+02	3.428E+00	8.371E-01	2056	2065	2060	10	tasmax
Greenland	Normal	2.545E+02	3.349E+00	5.821E-01	2056	2065	2060	11	tasmax
Greenland	Normal	2.514E+02	3.850E+00	7.464E-01	2056	2065	2060	12	tasmax
Greenland	Normal	2.503E+02	3.745E+00	7.355E-01	2066	2075	2070	1	tasmax
Greenland	Normal	2.500E+02	4.257E+00	7.414E-01	2066	2075	2070	2	tasmax
Greenland	Normal	2.526E+02	3.442E+00	7.913E-01	2066	2075	2070	3	tasmax
Greenland	Normal	2.588E+02	2.330E+00	6.822E-01	2066	2075	2070	4	tasmax
Greenland	Normal	2.669E+02	2.032E+00	4.576E-01	2066	2075	2070	5	tasmax
Greenland	Normal	2.725E+02	1.841E+00	2.869E-01	2066	2075	2070	6	tasmax
Greenland	Normal	2.748E+02	1.759E+00	2.978E-01	2066	2075	2070	7	tasmax
Greenland	Normal	2.731E+02	2.141E+00	4.983E-01	2066	2075	2070	8	tasmax
Greenland	Normal	2.670E+02	2.966E+00	1.200E+00	2066	2075	2070	9	tasmax
Greenland	Normal	2.603E+02	3.158E+00	8.314E-01	2066	2075	2070	10	tasmax
Greenland	Normal	2.552E+02	3.117E+00	6.616E-01	2066	2075	2070	11	tasmax
Greenland	Normal	2.522E+02	3.583E+00	7.884E-01	2066	2075	2070	12	tasmax
Greenland	Normal	2.511E+02	3.824E+00	6.916E-01	2076	2085	2080	1	tasmax
Greenland	Normal	2.509E+02	3.868E+00	7.341E-01	2076	2085	2080	2	tasmax
Greenland	Normal	2.531E+02	3.383E+00	8.123E-01	2076	2085	2080	3	tasmax
Greenland	Normal	2.592E+02	2.598E+00	6.450E-01	2076	2085	2080	4	tasmax
Greenland	Normal	2.673E+02	1.974E+00	3.699E-01	2076	2085	2080	5	tasmax
Greenland	Normal	2.729E+02	1.817E+00	3.166E-01	2076	2085	2080	6	tasmax
Greenland	Normal	2.752E+02	1.837E+00	3.803E-01	2076	2085	2080	7	tasmax
Greenland	Normal	2.736E+02	2.042E+00	4.584E-01	2076	2085	2080	8	tasmax
Greenland	Normal	2.677E+02	2.812E+00	1.124E+00	2076	2085	2080	9	tasmax
Greenland	Normal	2.610E+02	3.376E+00	1.124E+00	2076	2085	2080	10	tasmax
Greenland	Normal	2.564E+02	3.269E+00	6.588E-01	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Greenland	Normal	2.530E+02	3.531E+00	7.327E-01	2076	2085	2080	12	tasmax
Greenland	Normal	2.522E+02	3.703E+00	5.897E-01	2086	2099	2092	1	tasmax
Greenland	Normal	2.518E+02	4.186E+00	7.876E-01	2086	2099	2092	2	tasmax
Greenland	Normal	2.542E+02	3.517E+00	7.118E-01	2086	2099	2092	3	tasmax
Greenland	Normal	2.599E+02	2.621E+00	4.487E-01	2086	2099	2092	4	tasmax
Greenland	Normal	2.677E+02	2.054E+00	4.244E-01	2086	2099	2092	5	tasmax
Greenland	Normal	2.734E+02	1.751E+00	3.012E-01	2086	2099	2092	6	tasmax
Greenland	Normal	2.756E+02	1.852E+00	3.186E-01	2086	2099	2092	7	tasmax
Greenland	Normal	2.741E+02	1.948E+00	4.463E-01	2086	2099	2092	8	tasmax
Greenland	Normal	2.684E+02	2.905E+00	8.750E-01	2086	2099	2092	9	tasmax
Greenland	Normal	2.617E+02	3.241E+00	9.065E-01	2086	2099	2092	10	tasmax
Greenland	Normal	2.569E+02	3.470E+00	8.658E-01	2086	2099	2092	11	tasmax
Greenland	Normal	2.540E+02	3.436E+00	6.199E-01	2086	2099	2092	12	tasmax
Guatemala	Normal	3.003E+02	2.360E+00	4.984E-01	2006	2015	2010	1	tasmax
Guatemala	Normal	3.020E+02	2.535E+00	3.887E-01	2006	2015	2010	2	tasmax
Guatemala	Normal	3.044E+02	3.038E+00	5.929E-01	2006	2015	2010	3	tasmax
Guatemala	Normal	3.060E+02	3.051E+00	6.711E-01	2006	2015	2010	4	tasmax
Guatemala	Normal	3.055E+02	3.032E+00	7.139E-01	2006	2015	2010	5	tasmax
Guatemala	Normal	3.041E+02	3.017E+00	7.054E-01	2006	2015	2010	6	tasmax
Guatemala	Normal	3.040E+02	3.119E+00	5.161E-01	2006	2015	2010	7	tasmax
Guatemala	Normal	3.044E+02	3.063E+00	4.103E-01	2006	2015	2010	8	tasmax
Guatemala	Normal	3.036E+02	2.797E+00	4.840E-01	2006	2015	2010	9	tasmax
Guatemala	Normal	3.023E+02	2.635E+00	7.641E-01	2006	2015	2010	10	tasmax
Guatemala	Normal	3.013E+02	2.279E+00	6.444E-01	2006	2015	2010	11	tasmax
Guatemala	Normal	3.003E+02	2.228E+00	4.967E-01	2006	2015	2010	12	tasmax
Guatemala	Normal	3.007E+02	2.387E+00	4.061E-01	2016	2025	2020	1	tasmax
Guatemala	Normal	3.024E+02	2.780E+00	4.854E-01	2016	2025	2020	2	tasmax
Guatemala	Normal	3.047E+02	2.723E+00	3.947E-01	2016	2025	2020	3	tasmax
Guatemala	Normal	3.062E+02	2.743E+00	4.522E-01	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guatemala	Normal	3.056E+02	2.693E+00	5.215E-01	2016	2025	2020	5	tasmax
Guatemala	Normal	3.042E+02	2.703E+00	4.939E-01	2016	2025	2020	6	tasmax
Guatemala	Normal	3.045E+02	2.847E+00	4.175E-01	2016	2025	2020	7	tasmax
Guatemala	Normal	3.047E+02	2.827E+00	4.713E-01	2016	2025	2020	8	tasmax
Guatemala	Normal	3.038E+02	2.748E+00	5.064E-01	2016	2025	2020	9	tasmax
Guatemala	Normal	3.025E+02	2.593E+00	7.671E-01	2016	2025	2020	10	tasmax
Guatemala	Normal	3.015E+02	2.426E+00	6.296E-01	2016	2025	2020	11	tasmax
Guatemala	Normal	3.007E+02	2.145E+00	4.903E-01	2016	2025	2020	12	tasmax
Guatemala	Normal	3.010E+02	2.277E+00	4.196E-01	2026	2035	2030	1	tasmax
Guatemala	Normal	3.027E+02	2.519E+00	4.636E-01	2026	2035	2030	2	tasmax
Guatemala	Normal	3.053E+02	2.834E+00	4.676E-01	2026	2035	2030	3	tasmax
Guatemala	Normal	3.067E+02	2.658E+00	5.432E-01	2026	2035	2030	4	tasmax
Guatemala	Normal	3.063E+02	2.834E+00	5.489E-01	2026	2035	2030	5	tasmax
Guatemala	Normal	3.047E+02	2.790E+00	4.379E-01	2026	2035	2030	6	tasmax
Guatemala	Normal	3.047E+02	3.033E+00	4.130E-01	2026	2035	2030	7	tasmax
Guatemala	Normal	3.049E+02	2.794E+00	4.211E-01	2026	2035	2030	8	tasmax
Guatemala	Normal	3.040E+02	2.657E+00	6.538E-01	2026	2035	2030	9	tasmax
Guatemala	Normal	3.028E+02	2.443E+00	6.847E-01	2026	2035	2030	10	tasmax
Guatemala	Normal	3.017E+02	2.256E+00	5.880E-01	2026	2035	2030	11	tasmax
Guatemala	Normal	3.009E+02	2.126E+00	5.325E-01	2026	2035	2030	12	tasmax
Guatemala	Normal	3.014E+02	2.400E+00	6.038E-01	2036	2045	2040	1	tasmax
Guatemala	Normal	3.033E+02	2.515E+00	3.468E-01	2036	2045	2040	2	tasmax
Guatemala	Normal	3.057E+02	2.878E+00	3.788E-01	2036	2045	2040	3	tasmax
Guatemala	Normal	3.073E+02	2.968E+00	6.673E-01	2036	2045	2040	4	tasmax
Guatemala	Normal	3.068E+02	3.010E+00	4.663E-01	2036	2045	2040	5	tasmax
Guatemala	Normal	3.053E+02	3.107E+00	4.497E-01	2036	2045	2040	6	tasmax
Guatemala	Normal	3.052E+02	3.093E+00	4.427E-01	2036	2045	2040	7	tasmax
Guatemala	Normal	3.056E+02	3.067E+00	4.658E-01	2036	2045	2040	8	tasmax
Guatemala	Normal	3.046E+02	2.888E+00	5.530E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guatemala	Normal	3.033E+02	2.643E+00	7.089E-01	2036	2045	2040	10	tasmax
Guatemala	Normal	3.023E+02	2.346E+00	5.769E-01	2036	2045	2040	11	tasmax
Guatemala	Normal	3.013E+02	2.319E+00	5.073E-01	2036	2045	2040	12	tasmax
Guatemala	Normal	3.020E+02	2.538E+00	5.549E-01	2046	2055	2050	1	tasmax
Guatemala	Normal	3.038E+02	2.780E+00	4.209E-01	2046	2055	2050	2	tasmax
Guatemala	Normal	3.062E+02	3.174E+00	5.276E-01	2046	2055	2050	3	tasmax
Guatemala	Normal	3.077E+02	3.164E+00	7.445E-01	2046	2055	2050	4	tasmax
Guatemala	Normal	3.073E+02	3.047E+00	5.954E-01	2046	2055	2050	5	tasmax
Guatemala	Normal	3.059E+02	3.190E+00	5.496E-01	2046	2055	2050	6	tasmax
Guatemala	Normal	3.061E+02	3.310E+00	5.130E-01	2046	2055	2050	7	tasmax
Guatemala	Normal	3.064E+02	3.206E+00	4.926E-01	2046	2055	2050	8	tasmax
Guatemala	Normal	3.054E+02	3.136E+00	6.850E-01	2046	2055	2050	9	tasmax
Guatemala	Normal	3.039E+02	2.758E+00	6.882E-01	2046	2055	2050	10	tasmax
Guatemala	Normal	3.028E+02	2.563E+00	6.763E-01	2046	2055	2050	11	tasmax
Guatemala	Normal	3.019E+02	2.443E+00	6.517E-01	2046	2055	2050	12	tasmax
Guatemala	Normal	3.025E+02	2.713E+00	6.751E-01	2056	2065	2060	1	tasmax
Guatemala	Normal	3.044E+02	3.014E+00	6.217E-01	2056	2065	2060	2	tasmax
Guatemala	Normal	3.069E+02	3.290E+00	6.567E-01	2056	2065	2060	3	tasmax
Guatemala	Normal	3.084E+02	3.209E+00	7.444E-01	2056	2065	2060	4	tasmax
Guatemala	Normal	3.079E+02	3.017E+00	6.036E-01	2056	2065	2060	5	tasmax
Guatemala	Normal	3.065E+02	2.879E+00	4.876E-01	2056	2065	2060	6	tasmax
Guatemala	Normal	3.068E+02	3.228E+00	5.292E-01	2056	2065	2060	7	tasmax
Guatemala	Normal	3.072E+02	3.344E+00	4.980E-01	2056	2065	2060	8	tasmax
Guatemala	Normal	3.060E+02	3.392E+00	8.473E-01	2056	2065	2060	9	tasmax
Guatemala	Normal	3.044E+02	3.055E+00	1.033E+00	2056	2065	2060	10	tasmax
Guatemala	Normal	3.033E+02	2.849E+00	8.094E-01	2056	2065	2060	11	tasmax
Guatemala	Normal	3.024E+02	2.564E+00	7.116E-01	2056	2065	2060	12	tasmax
Guatemala	Normal	3.028E+02	2.619E+00	6.491E-01	2066	2075	2070	1	tasmax
Guatemala	Normal	3.047E+02	2.856E+00	6.991E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guatemala	Normal	3.076E+02	3.040E+00	4.887E-01	2066	2075	2070	3	tasmax
Guatemala	Normal	3.090E+02	3.049E+00	7.782E-01	2066	2075	2070	4	tasmax
Guatemala	Normal	3.086E+02	3.088E+00	6.616E-01	2066	2075	2070	5	tasmax
Guatemala	Normal	3.071E+02	3.013E+00	4.931E-01	2066	2075	2070	6	tasmax
Guatemala	Normal	3.073E+02	3.185E+00	6.101E-01	2066	2075	2070	7	tasmax
Guatemala	Normal	3.077E+02	3.273E+00	5.643E-01	2066	2075	2070	8	tasmax
Guatemala	Normal	3.066E+02	3.368E+00	7.735E-01	2066	2075	2070	9	tasmax
Guatemala	Normal	3.051E+02	3.163E+00	9.507E-01	2066	2075	2070	10	tasmax
Guatemala	Normal	3.039E+02	2.855E+00	7.618E-01	2066	2075	2070	11	tasmax
Guatemala	Normal	3.028E+02	2.571E+00	5.882E-01	2066	2075	2070	12	tasmax
Guatemala	Normal	3.034E+02	2.767E+00	5.942E-01	2076	2085	2080	1	tasmax
Guatemala	Normal	3.053E+02	2.952E+00	6.438E-01	2076	2085	2080	2	tasmax
Guatemala	Normal	3.078E+02	3.145E+00	4.433E-01	2076	2085	2080	3	tasmax
Guatemala	Normal	3.093E+02	3.017E+00	4.641E-01	2076	2085	2080	4	tasmax
Guatemala	Normal	3.090E+02	2.850E+00	5.180E-01	2076	2085	2080	5	tasmax
Guatemala	Normal	3.078E+02	3.100E+00	4.479E-01	2076	2085	2080	6	tasmax
Guatemala	Normal	3.080E+02	3.268E+00	6.068E-01	2076	2085	2080	7	tasmax
Guatemala	Normal	3.084E+02	3.522E+00	6.113E-01	2076	2085	2080	8	tasmax
Guatemala	Normal	3.074E+02	3.578E+00	8.133E-01	2076	2085	2080	9	tasmax
Guatemala	Normal	3.056E+02	3.097E+00	8.040E-01	2076	2085	2080	10	tasmax
Guatemala	Normal	3.044E+02	2.994E+00	7.806E-01	2076	2085	2080	11	tasmax
Guatemala	Normal	3.034E+02	2.752E+00	7.752E-01	2076	2085	2080	12	tasmax
Guatemala	Normal	3.042E+02	3.026E+00	7.785E-01	2086	2099	2092	1	tasmax
Guatemala	Normal	3.060E+02	3.139E+00	6.484E-01	2086	2099	2092	2	tasmax
Guatemala	Normal	3.087E+02	3.571E+00	7.078E-01	2086	2099	2092	3	tasmax
Guatemala	Normal	3.101E+02	3.252E+00	7.148E-01	2086	2099	2092	4	tasmax
Guatemala	Normal	3.096E+02	3.370E+00	6.566E-01	2086	2099	2092	5	tasmax
Guatemala	Normal	3.085E+02	3.323E+00	5.357E-01	2086	2099	2092	6	tasmax
Guatemala	Normal	3.088E+02	3.714E+00	6.512E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guatemala	Normal	3.092E+02	3.833E+00	5.560E-01	2086	2099	2092	8	tasmax
Guatemala	Normal	3.080E+02	3.765E+00	9.031E-01	2086	2099	2092	9	tasmax
Guatemala	Normal	3.064E+02	3.408E+00	8.209E-01	2086	2099	2092	10	tasmax
Guatemala	Normal	3.051E+02	3.150E+00	8.034E-01	2086	2099	2092	11	tasmax
Guatemala	Normal	3.041E+02	2.922E+00	6.915E-01	2086	2099	2092	12	tasmax
Guinea	Normal	3.057E+02	1.916E+00	7.277E-01	2006	2015	2010	1	tasmax
Guinea	Normal	3.078E+02	1.567E+00	4.973E-01	2006	2015	2010	2	tasmax
Guinea	Normal	3.093E+02	1.528E+00	2.445E-01	2006	2015	2010	3	tasmax
Guinea	Normal	3.088E+02	1.989E+00	3.750E-01	2006	2015	2010	4	tasmax
Guinea	Normal	3.070E+02	2.270E+00	6.113E-01	2006	2015	2010	5	tasmax
Guinea	Normal	3.044E+02	2.204E+00	6.424E-01	2006	2015	2010	6	tasmax
Guinea	Normal	3.024E+02	2.026E+00	6.991E-01	2006	2015	2010	7	tasmax
Guinea	Normal	3.014E+02	1.725E+00	5.015E-01	2006	2015	2010	8	tasmax
Guinea	Normal	3.019E+02	1.470E+00	2.839E-01	2006	2015	2010	9	tasmax
Guinea	Normal	3.033E+02	1.433E+00	2.219E-01	2006	2015	2010	10	tasmax
Guinea	Normal	3.046E+02	1.318E+00	3.323E-01	2006	2015	2010	11	tasmax
Guinea	Normal	3.049E+02	1.773E+00	4.635E-01	2006	2015	2010	12	tasmax
Guinea	Normal	3.062E+02	1.883E+00	6.159E-01	2016	2025	2020	1	tasmax
Guinea	Normal	3.082E+02	1.619E+00	5.220E-01	2016	2025	2020	2	tasmax
Guinea	Normal	3.097E+02	1.499E+00	2.745E-01	2016	2025	2020	3	tasmax
Guinea	Normal	3.093E+02	2.116E+00	3.843E-01	2016	2025	2020	4	tasmax
Guinea	Normal	3.075E+02	2.476E+00	5.551E-01	2016	2025	2020	5	tasmax
Guinea	Normal	3.049E+02	2.229E+00	6.495E-01	2016	2025	2020	6	tasmax
Guinea	Normal	3.028E+02	2.043E+00	7.080E-01	2016	2025	2020	7	tasmax
Guinea	Normal	3.017E+02	1.857E+00	5.220E-01	2016	2025	2020	8	tasmax
Guinea	Normal	3.023E+02	1.634E+00	3.000E-01	2016	2025	2020	9	tasmax
Guinea	Normal	3.037E+02	1.630E+00	2.606E-01	2016	2025	2020	10	tasmax
Guinea	Normal	3.050E+02	1.630E+00	4.432E-01	2016	2025	2020	11	tasmax
Guinea	Normal	3.052E+02	1.847E+00	4.296E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea	Normal	3.065E+02	2.077E+00	7.520E-01	2026	2035	2030	1	tasmax
Guinea	Normal	3.087E+02	1.670E+00	5.981E-01	2026	2035	2030	2	tasmax
Guinea	Normal	3.101E+02	1.519E+00	2.974E-01	2026	2035	2030	3	tasmax
Guinea	Normal	3.097E+02	2.045E+00	4.028E-01	2026	2035	2030	4	tasmax
Guinea	Normal	3.080E+02	2.440E+00	5.678E-01	2026	2035	2030	5	tasmax
Guinea	Normal	3.052E+02	2.306E+00	6.240E-01	2026	2035	2030	6	tasmax
Guinea	Normal	3.032E+02	2.096E+00	7.756E-01	2026	2035	2030	7	tasmax
Guinea	Normal	3.021E+02	1.804E+00	5.649E-01	2026	2035	2030	8	tasmax
Guinea	Normal	3.025E+02	1.595E+00	3.140E-01	2026	2035	2030	9	tasmax
Guinea	Normal	3.039E+02	1.553E+00	2.313E-01	2026	2035	2030	10	tasmax
Guinea	Normal	3.053E+02	1.557E+00	4.310E-01	2026	2035	2030	11	tasmax
Guinea	Normal	3.056E+02	2.067E+00	4.776E-01	2026	2035	2030	12	tasmax
Guinea	Normal	3.070E+02	2.090E+00	7.416E-01	2036	2045	2040	1	tasmax
Guinea	Normal	3.091E+02	1.632E+00	4.889E-01	2036	2045	2040	2	tasmax
Guinea	Normal	3.105E+02	1.617E+00	2.672E-01	2036	2045	2040	3	tasmax
Guinea	Normal	3.100E+02	2.190E+00	4.355E-01	2036	2045	2040	4	tasmax
Guinea	Normal	3.083E+02	2.514E+00	6.099E-01	2036	2045	2040	5	tasmax
Guinea	Normal	3.056E+02	2.395E+00	7.273E-01	2036	2045	2040	6	tasmax
Guinea	Normal	3.035E+02	2.154E+00	8.720E-01	2036	2045	2040	7	tasmax
Guinea	Normal	3.025E+02	1.856E+00	4.968E-01	2036	2045	2040	8	tasmax
Guinea	Normal	3.029E+02	1.653E+00	3.336E-01	2036	2045	2040	9	tasmax
Guinea	Normal	3.044E+02	1.587E+00	2.379E-01	2036	2045	2040	10	tasmax
Guinea	Normal	3.057E+02	1.548E+00	3.561E-01	2036	2045	2040	11	tasmax
Guinea	Normal	3.060E+02	1.968E+00	5.020E-01	2036	2045	2040	12	tasmax
Guinea	Normal	3.075E+02	1.953E+00	6.792E-01	2046	2055	2050	1	tasmax
Guinea	Normal	3.096E+02	1.742E+00	5.829E-01	2046	2055	2050	2	tasmax
Guinea	Normal	3.110E+02	1.726E+00	3.458E-01	2046	2055	2050	3	tasmax
Guinea	Normal	3.106E+02	2.239E+00	4.640E-01	2046	2055	2050	4	tasmax
Guinea	Normal	3.089E+02	2.600E+00	6.749E-01	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea	Normal	3.063E+02	2.587E+00	7.970E-01	2046	2055	2050	6	tasmax
Guinea	Normal	3.041E+02	2.286E+00	8.881E-01	2046	2055	2050	7	tasmax
Guinea	Normal	3.030E+02	1.975E+00	5.780E-01	2046	2055	2050	8	tasmax
Guinea	Normal	3.035E+02	1.760E+00	3.375E-01	2046	2055	2050	9	tasmax
Guinea	Normal	3.049E+02	1.700E+00	2.377E-01	2046	2055	2050	10	tasmax
Guinea	Normal	3.063E+02	1.646E+00	4.535E-01	2046	2055	2050	11	tasmax
Guinea	Normal	3.066E+02	1.925E+00	4.252E-01	2046	2055	2050	12	tasmax
Guinea	Normal	3.081E+02	1.971E+00	6.303E-01	2056	2065	2060	1	tasmax
Guinea	Normal	3.102E+02	1.659E+00	4.975E-01	2056	2065	2060	2	tasmax
Guinea	Normal	3.115E+02	1.735E+00	2.749E-01	2056	2065	2060	3	tasmax
Guinea	Normal	3.111E+02	2.287E+00	4.415E-01	2056	2065	2060	4	tasmax
Guinea	Normal	3.094E+02	2.706E+00	5.510E-01	2056	2065	2060	5	tasmax
Guinea	Normal	3.068E+02	2.690E+00	8.885E-01	2056	2065	2060	6	tasmax
Guinea	Normal	3.047E+02	2.438E+00	9.724E-01	2056	2065	2060	7	tasmax
Guinea	Normal	3.036E+02	2.096E+00	6.292E-01	2056	2065	2060	8	tasmax
Guinea	Normal	3.040E+02	1.872E+00	4.623E-01	2056	2065	2060	9	tasmax
Guinea	Normal	3.055E+02	1.846E+00	3.425E-01	2056	2065	2060	10	tasmax
Guinea	Normal	3.069E+02	1.734E+00	4.566E-01	2056	2065	2060	11	tasmax
Guinea	Normal	3.071E+02	1.918E+00	3.119E-01	2056	2065	2060	12	tasmax
Guinea	Normal	3.087E+02	1.965E+00	6.308E-01	2066	2075	2070	1	tasmax
Guinea	Normal	3.107E+02	1.523E+00	4.695E-01	2066	2075	2070	2	tasmax
Guinea	Normal	3.122E+02	1.722E+00	2.594E-01	2066	2075	2070	3	tasmax
Guinea	Normal	3.118E+02	2.220E+00	4.803E-01	2066	2075	2070	4	tasmax
Guinea	Normal	3.101E+02	2.570E+00	5.272E-01	2066	2075	2070	5	tasmax
Guinea	Normal	3.074E+02	2.628E+00	8.015E-01	2066	2075	2070	6	tasmax
Guinea	Normal	3.052E+02	2.523E+00	1.037E+00	2066	2075	2070	7	tasmax
Guinea	Normal	3.040E+02	2.246E+00	7.512E-01	2066	2075	2070	8	tasmax
Guinea	Normal	3.045E+02	1.947E+00	4.668E-01	2066	2075	2070	9	tasmax
Guinea	Normal	3.059E+02	1.794E+00	2.814E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea	Normal	3.073E+02	1.688E+00	4.318E-01	2066	2075	2070	11	tasmax
Guinea	Normal	3.076E+02	1.962E+00	3.826E-01	2066	2075	2070	12	tasmax
Guinea	Normal	3.092E+02	2.014E+00	5.669E-01	2076	2085	2080	1	tasmax
Guinea	Normal	3.113E+02	1.585E+00	4.228E-01	2076	2085	2080	2	tasmax
Guinea	Normal	3.128E+02	1.787E+00	2.420E-01	2076	2085	2080	3	tasmax
Guinea	Normal	3.124E+02	2.356E+00	5.372E-01	2076	2085	2080	4	tasmax
Guinea	Normal	3.107E+02	2.703E+00	5.498E-01	2076	2085	2080	5	tasmax
Guinea	Normal	3.082E+02	2.864E+00	8.623E-01	2076	2085	2080	6	tasmax
Guinea	Normal	3.058E+02	2.757E+00	1.060E+00	2076	2085	2080	7	tasmax
Guinea	Normal	3.047E+02	2.393E+00	8.435E-01	2076	2085	2080	8	tasmax
Guinea	Normal	3.050E+02	2.151E+00	5.164E-01	2076	2085	2080	9	tasmax
Guinea	Normal	3.064E+02	2.025E+00	3.528E-01	2076	2085	2080	10	tasmax
Guinea	Normal	3.079E+02	1.991E+00	5.424E-01	2076	2085	2080	11	tasmax
Guinea	Normal	3.082E+02	1.981E+00	3.453E-01	2076	2085	2080	12	tasmax
Guinea	Normal	3.099E+02	1.897E+00	3.158E-01	2086	2099	2092	1	tasmax
Guinea	Normal	3.120E+02	1.643E+00	3.088E-01	2086	2099	2092	2	tasmax
Guinea	Normal	3.133E+02	1.888E+00	3.010E-01	2086	2099	2092	3	tasmax
Guinea	Normal	3.129E+02	2.464E+00	6.029E-01	2086	2099	2092	4	tasmax
Guinea	Normal	3.113E+02	2.837E+00	5.286E-01	2086	2099	2092	5	tasmax
Guinea	Normal	3.088E+02	2.894E+00	8.720E-01	2086	2099	2092	6	tasmax
Guinea	Normal	3.064E+02	2.823E+00	1.034E+00	2086	2099	2092	7	tasmax
Guinea	Normal	3.053E+02	2.567E+00	8.017E-01	2086	2099	2092	8	tasmax
Guinea	Normal	3.056E+02	2.256E+00	5.030E-01	2086	2099	2092	9	tasmax
Guinea	Normal	3.071E+02	2.114E+00	4.432E-01	2086	2099	2092	10	tasmax
Guinea	Normal	3.087E+02	1.893E+00	3.380E-01	2086	2099	2092	11	tasmax
Guinea	Normal	3.088E+02	1.948E+00	2.720E-01	2086	2099	2092	12	tasmax
Guinea-Bissau	Normal	3.069E+02	1.571E+00	4.905E-01	2006	2015	2010	1	tasmax
Guinea-Bissau	Normal	3.089E+02	1.471E+00	3.069E-01	2006	2015	2010	2	tasmax
Guinea-Bissau	Normal	3.104E+02	1.767E+00	4.687E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea-Bissau	Normal	3.104E+02	2.133E+00	6.681E-01	2006	2015	2010	4	tasmax
Guinea-Bissau	Normal	3.090E+02	2.399E+00	7.319E-01	2006	2015	2010	5	tasmax
Guinea-Bissau	Normal	3.070E+02	2.641E+00	8.764E-01	2006	2015	2010	6	tasmax
Guinea-Bissau	Normal	3.053E+02	2.723E+00	6.030E-01	2006	2015	2010	7	tasmax
Guinea-Bissau	Normal	3.041E+02	2.620E+00	7.180E-01	2006	2015	2010	8	tasmax
Guinea-Bissau	Normal	3.044E+02	2.362E+00	5.500E-01	2006	2015	2010	9	tasmax
Guinea-Bissau	Normal	3.060E+02	2.452E+00	4.289E-01	2006	2015	2010	10	tasmax
Guinea-Bissau	Normal	3.072E+02	2.248E+00	7.475E-01	2006	2015	2010	11	tasmax
Guinea-Bissau	Normal	3.067E+02	1.642E+00	5.464E-01	2006	2015	2010	12	tasmax
Guinea-Bissau	Normal	3.075E+02	1.495E+00	3.877E-01	2016	2025	2020	1	tasmax
Guinea-Bissau	Normal	3.093E+02	1.569E+00	3.073E-01	2016	2025	2020	2	tasmax
Guinea-Bissau	Normal	3.108E+02	1.833E+00	4.720E-01	2016	2025	2020	3	tasmax
Guinea-Bissau	Normal	3.107E+02	2.157E+00	5.686E-01	2016	2025	2020	4	tasmax
Guinea-Bissau	Normal	3.091E+02	2.545E+00	7.744E-01	2016	2025	2020	5	tasmax
Guinea-Bissau	Normal	3.074E+02	2.615E+00	8.237E-01	2016	2025	2020	6	tasmax
Guinea-Bissau	Normal	3.057E+02	2.686E+00	6.610E-01	2016	2025	2020	7	tasmax
Guinea-Bissau	Normal	3.044E+02	2.709E+00	7.993E-01	2016	2025	2020	8	tasmax
Guinea-Bissau	Normal	3.049E+02	2.601E+00	6.287E-01	2016	2025	2020	9	tasmax
Guinea-Bissau	Normal	3.064E+02	2.698E+00	4.226E-01	2016	2025	2020	10	tasmax
Guinea-Bissau	Normal	3.076E+02	2.488E+00	8.226E-01	2016	2025	2020	11	tasmax
Guinea-Bissau	Normal	3.070E+02	1.764E+00	6.540E-01	2016	2025	2020	12	tasmax
Guinea-Bissau	Normal	3.078E+02	1.605E+00	5.515E-01	2026	2035	2030	1	tasmax
Guinea-Bissau	Normal	3.097E+02	1.627E+00	2.614E-01	2026	2035	2030	2	tasmax
Guinea-Bissau	Normal	3.111E+02	1.853E+00	5.587E-01	2026	2035	2030	3	tasmax
Guinea-Bissau	Normal	3.110E+02	2.202E+00	6.490E-01	2026	2035	2030	4	tasmax
Guinea-Bissau	Normal	3.096E+02	2.450E+00	7.048E-01	2026	2035	2030	5	tasmax
Guinea-Bissau	Normal	3.077E+02	2.555E+00	7.429E-01	2026	2035	2030	6	tasmax
Guinea-Bissau	Normal	3.059E+02	2.668E+00	5.379E-01	2026	2035	2030	7	tasmax
Guinea-Bissau	Normal	3.048E+02	2.698E+00	7.564E-01	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea-Bissau	Normal	3.052E+02	2.518E+00	5.992E-01	2026	2035	2030	9	tasmax
Guinea-Bissau	Normal	3.067E+02	2.527E+00	3.947E-01	2026	2035	2030	10	tasmax
Guinea-Bissau	Normal	3.080E+02	2.378E+00	8.652E-01	2026	2035	2030	11	tasmax
Guinea-Bissau	Normal	3.075E+02	1.756E+00	6.023E-01	2026	2035	2030	12	tasmax
Guinea-Bissau	Normal	3.081E+02	1.529E+00	4.947E-01	2036	2045	2040	1	tasmax
Guinea-Bissau	Normal	3.100E+02	1.528E+00	3.130E-01	2036	2045	2040	2	tasmax
Guinea-Bissau	Normal	3.115E+02	1.840E+00	5.479E-01	2036	2045	2040	3	tasmax
Guinea-Bissau	Normal	3.113E+02	2.204E+00	5.930E-01	2036	2045	2040	4	tasmax
Guinea-Bissau	Normal	3.099E+02	2.454E+00	7.478E-01	2036	2045	2040	5	tasmax
Guinea-Bissau	Normal	3.081E+02	2.507E+00	8.013E-01	2036	2045	2040	6	tasmax
Guinea-Bissau	Normal	3.062E+02	2.672E+00	6.847E-01	2036	2045	2040	7	tasmax
Guinea-Bissau	Normal	3.052E+02	2.712E+00	7.666E-01	2036	2045	2040	8	tasmax
Guinea-Bissau	Normal	3.055E+02	2.570E+00	6.043E-01	2036	2045	2040	9	tasmax
Guinea-Bissau	Normal	3.072E+02	2.563E+00	3.759E-01	2036	2045	2040	10	tasmax
Guinea-Bissau	Normal	3.083E+02	2.303E+00	7.677E-01	2036	2045	2040	11	tasmax
Guinea-Bissau	Normal	3.079E+02	1.657E+00	5.251E-01	2036	2045	2040	12	tasmax
Guinea-Bissau	Normal	3.087E+02	1.472E+00	5.052E-01	2046	2055	2050	1	tasmax
Guinea-Bissau	Normal	3.105E+02	1.573E+00	2.812E-01	2046	2055	2050	2	tasmax
Guinea-Bissau	Normal	3.119E+02	1.917E+00	5.970E-01	2046	2055	2050	3	tasmax
Guinea-Bissau	Normal	3.116E+02	2.273E+00	6.945E-01	2046	2055	2050	4	tasmax
Guinea-Bissau	Normal	3.103E+02	2.470E+00	7.378E-01	2046	2055	2050	5	tasmax
Guinea-Bissau	Normal	3.086E+02	2.639E+00	9.281E-01	2046	2055	2050	6	tasmax
Guinea-Bissau	Normal	3.068E+02	2.756E+00	7.373E-01	2046	2055	2050	7	tasmax
Guinea-Bissau	Normal	3.057E+02	2.829E+00	7.960E-01	2046	2055	2050	8	tasmax
Guinea-Bissau	Normal	3.061E+02	2.701E+00	6.778E-01	2046	2055	2050	9	tasmax
Guinea-Bissau	Normal	3.076E+02	2.740E+00	4.799E-01	2046	2055	2050	10	tasmax
Guinea-Bissau	Normal	3.088E+02	2.325E+00	8.102E-01	2046	2055	2050	11	tasmax
Guinea-Bissau	Normal	3.084E+02	1.682E+00	5.614E-01	2046	2055	2050	12	tasmax
Guinea-Bissau	Normal	3.094E+02	1.497E+00	4.530E-01	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea-Bissau	Normal	3.111E+02	1.554E+00	2.606E-01	2056	2065	2060	2	tasmax
Guinea-Bissau	Normal	3.124E+02	1.929E+00	5.735E-01	2056	2065	2060	3	tasmax
Guinea-Bissau	Normal	3.121E+02	2.311E+00	6.993E-01	2056	2065	2060	4	tasmax
Guinea-Bissau	Normal	3.108E+02	2.580E+00	6.672E-01	2056	2065	2060	5	tasmax
Guinea-Bissau	Normal	3.090E+02	2.592E+00	8.512E-01	2056	2065	2060	6	tasmax
Guinea-Bissau	Normal	3.074E+02	2.763E+00	7.598E-01	2056	2065	2060	7	tasmax
Guinea-Bissau	Normal	3.063E+02	2.943E+00	8.595E-01	2056	2065	2060	8	tasmax
Guinea-Bissau	Normal	3.067E+02	2.864E+00	7.832E-01	2056	2065	2060	9	tasmax
Guinea-Bissau	Normal	3.082E+02	2.797E+00	4.997E-01	2056	2065	2060	10	tasmax
Guinea-Bissau	Normal	3.094E+02	2.409E+00	7.637E-01	2056	2065	2060	11	tasmax
Guinea-Bissau	Normal	3.091E+02	1.748E+00	5.748E-01	2056	2065	2060	12	tasmax
Guinea-Bissau	Normal	3.099E+02	1.468E+00	4.254E-01	2066	2075	2070	1	tasmax
Guinea-Bissau	Normal	3.116E+02	1.504E+00	4.082E-01	2066	2075	2070	2	tasmax
Guinea-Bissau	Normal	3.129E+02	1.950E+00	5.281E-01	2066	2075	2070	3	tasmax
Guinea-Bissau	Normal	3.127E+02	2.275E+00	6.589E-01	2066	2075	2070	4	tasmax
Guinea-Bissau	Normal	3.113E+02	2.512E+00	6.416E-01	2066	2075	2070	5	tasmax
Guinea-Bissau	Normal	3.096E+02	2.539E+00	8.018E-01	2066	2075	2070	6	tasmax
Guinea-Bissau	Normal	3.079E+02	2.894E+00	7.722E-01	2066	2075	2070	7	tasmax
Guinea-Bissau	Normal	3.068E+02	3.112E+00	8.922E-01	2066	2075	2070	8	tasmax
Guinea-Bissau	Normal	3.072E+02	2.951E+00	7.217E-01	2066	2075	2070	9	tasmax
Guinea-Bissau	Normal	3.086E+02	2.732E+00	4.272E-01	2066	2075	2070	10	tasmax
Guinea-Bissau	Normal	3.099E+02	2.374E+00	7.905E-01	2066	2075	2070	11	tasmax
Guinea-Bissau	Normal	3.097E+02	1.694E+00	4.948E-01	2066	2075	2070	12	tasmax
Guinea-Bissau	Normal	3.104E+02	1.513E+00	3.458E-01	2076	2085	2080	1	tasmax
Guinea-Bissau	Normal	3.121E+02	1.616E+00	3.877E-01	2076	2085	2080	2	tasmax
Guinea-Bissau	Normal	3.134E+02	2.003E+00	5.041E-01	2076	2085	2080	3	tasmax
Guinea-Bissau	Normal	3.130E+02	2.346E+00	5.718E-01	2076	2085	2080	4	tasmax
Guinea-Bissau	Normal	3.117E+02	2.508E+00	6.058E-01	2076	2085	2080	5	tasmax
Guinea-Bissau	Normal	3.101E+02	2.549E+00	6.523E-01	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guinea-Bissau	Normal	3.085E+02	3.037E+00	9.338E-01	2076	2085	2080	7	tasmax
Guinea-Bissau	Normal	3.074E+02	3.220E+00	1.026E+00	2076	2085	2080	8	tasmax
Guinea-Bissau	Normal	3.077E+02	3.165E+00	8.311E-01	2076	2085	2080	9	tasmax
Guinea-Bissau	Normal	3.091E+02	2.933E+00	5.374E-01	2076	2085	2080	10	tasmax
Guinea-Bissau	Normal	3.104E+02	2.631E+00	8.390E-01	2076	2085	2080	11	tasmax
Guinea-Bissau	Normal	3.102E+02	1.878E+00	6.141E-01	2076	2085	2080	12	tasmax
Guinea-Bissau	Normal	3.110E+02	1.450E+00	1.939E-01	2086	2099	2092	1	tasmax
Guinea-Bissau	Normal	3.127E+02	1.681E+00	3.293E-01	2086	2099	2092	2	tasmax
Guinea-Bissau	Normal	3.139E+02	2.068E+00	4.538E-01	2086	2099	2092	3	tasmax
Guinea-Bissau	Normal	3.134E+02	2.377E+00	5.783E-01	2086	2099	2092	4	tasmax
Guinea-Bissau	Normal	3.122E+02	2.548E+00	6.183E-01	2086	2099	2092	5	tasmax
Guinea-Bissau	Normal	3.106E+02	2.602E+00	7.855E-01	2086	2099	2092	6	tasmax
Guinea-Bissau	Normal	3.090E+02	2.927E+00	8.473E-01	2086	2099	2092	7	tasmax
Guinea-Bissau	Normal	3.080E+02	3.213E+00	8.774E-01	2086	2099	2092	8	tasmax
Guinea-Bissau	Normal	3.082E+02	3.191E+00	8.169E-01	2086	2099	2092	9	tasmax
Guinea-Bissau	Normal	3.098E+02	2.998E+00	6.055E-01	2086	2099	2092	10	tasmax
Guinea-Bissau	Normal	3.112E+02	2.483E+00	6.866E-01	2086	2099	2092	11	tasmax
Guinea-Bissau	Normal	3.107E+02	1.750E+00	3.380E-01	2086	2099	2092	12	tasmax
Guyana	Normal	3.035E+02	2.320E+00	5.122E-01	2006	2015	2010	1	tasmax
Guyana	Normal	3.045E+02	2.228E+00	5.661E-01	2006	2015	2010	2	tasmax
Guyana	Normal	3.055E+02	2.482E+00	4.287E-01	2006	2015	2010	3	tasmax
Guyana	Normal	3.054E+02	2.245E+00	3.616E-01	2006	2015	2010	4	tasmax
Guyana	Normal	3.040E+02	2.304E+00	6.639E-01	2006	2015	2010	5	tasmax
Guyana	Normal	3.025E+02	2.672E+00	9.464E-01	2006	2015	2010	6	tasmax
Guyana	Normal	3.028E+02	2.738E+00	7.538E-01	2006	2015	2010	7	tasmax
Guyana	Normal	3.043E+02	3.102E+00	7.682E-01	2006	2015	2010	8	tasmax
Guyana	Normal	3.059E+02	3.559E+00	8.679E-01	2006	2015	2010	9	tasmax
Guyana	Normal	3.061E+02	3.362E+00	7.777E-01	2006	2015	2010	10	tasmax
Guyana	Normal	3.045E+02	2.993E+00	7.497E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guyana	Normal	3.032E+02	2.548E+00	5.910E-01	2006	2015	2010	12	tasmax
Guyana	Normal	3.039E+02	2.452E+00	5.529E-01	2016	2025	2020	1	tasmax
Guyana	Normal	3.050E+02	2.499E+00	5.617E-01	2016	2025	2020	2	tasmax
Guyana	Normal	3.059E+02	2.741E+00	5.133E-01	2016	2025	2020	3	tasmax
Guyana	Normal	3.057E+02	2.565E+00	5.056E-01	2016	2025	2020	4	tasmax
Guyana	Normal	3.043E+02	2.344E+00	5.959E-01	2016	2025	2020	5	tasmax
Guyana	Normal	3.027E+02	2.574E+00	9.108E-01	2016	2025	2020	6	tasmax
Guyana	Normal	3.031E+02	2.827E+00	8.036E-01	2016	2025	2020	7	tasmax
Guyana	Normal	3.047E+02	3.237E+00	8.187E-01	2016	2025	2020	8	tasmax
Guyana	Normal	3.063E+02	3.686E+00	9.168E-01	2016	2025	2020	9	tasmax
Guyana	Normal	3.064E+02	3.496E+00	7.376E-01	2016	2025	2020	10	tasmax
Guyana	Normal	3.050E+02	3.174E+00	7.681E-01	2016	2025	2020	11	tasmax
Guyana	Normal	3.037E+02	2.686E+00	5.713E-01	2016	2025	2020	12	tasmax
Guyana	Normal	3.043E+02	2.352E+00	5.842E-01	2026	2035	2030	1	tasmax
Guyana	Normal	3.054E+02	2.421E+00	5.309E-01	2026	2035	2030	2	tasmax
Guyana	Normal	3.064E+02	2.638E+00	4.385E-01	2026	2035	2030	3	tasmax
Guyana	Normal	3.062E+02	2.430E+00	4.356E-01	2026	2035	2030	4	tasmax
Guyana	Normal	3.046E+02	2.316E+00	5.755E-01	2026	2035	2030	5	tasmax
Guyana	Normal	3.031E+02	2.691E+00	8.203E-01	2026	2035	2030	6	tasmax
Guyana	Normal	3.035E+02	2.781E+00	7.659E-01	2026	2035	2030	7	tasmax
Guyana	Normal	3.051E+02	3.138E+00	7.382E-01	2026	2035	2030	8	tasmax
Guyana	Normal	3.067E+02	3.543E+00	7.405E-01	2026	2035	2030	9	tasmax
Guyana	Normal	3.069E+02	3.368E+00	5.788E-01	2026	2035	2030	10	tasmax
Guyana	Normal	3.053E+02	3.062E+00	7.237E-01	2026	2035	2030	11	tasmax
Guyana	Normal	3.040E+02	2.592E+00	5.635E-01	2026	2035	2030	12	tasmax
Guyana	Normal	3.047E+02	2.476E+00	6.152E-01	2036	2045	2040	1	tasmax
Guyana	Normal	3.059E+02	2.570E+00	4.756E-01	2036	2045	2040	2	tasmax
Guyana	Normal	3.068E+02	2.809E+00	5.153E-01	2036	2045	2040	3	tasmax
Guyana	Normal	3.066E+02	2.600E+00	5.121E-01	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guyana	Normal	3.052E+02	2.625E+00	7.079E-01	2036	2045	2040	5	tasmax
Guyana	Normal	3.037E+02	3.005E+00	1.050E+00	2036	2045	2040	6	tasmax
Guyana	Normal	3.040E+02	2.957E+00	8.400E-01	2036	2045	2040	7	tasmax
Guyana	Normal	3.056E+02	3.335E+00	7.763E-01	2036	2045	2040	8	tasmax
Guyana	Normal	3.072E+02	3.645E+00	7.799E-01	2036	2045	2040	9	tasmax
Guyana	Normal	3.073E+02	3.483E+00	6.621E-01	2036	2045	2040	10	tasmax
Guyana	Normal	3.058E+02	3.218E+00	7.128E-01	2036	2045	2040	11	tasmax
Guyana	Normal	3.044E+02	2.716E+00	5.730E-01	2036	2045	2040	12	tasmax
Guyana	Normal	3.053E+02	2.591E+00	6.514E-01	2046	2055	2050	1	tasmax
Guyana	Normal	3.064E+02	2.599E+00	4.429E-01	2046	2055	2050	2	tasmax
Guyana	Normal	3.073E+02	2.759E+00	4.419E-01	2046	2055	2050	3	tasmax
Guyana	Normal	3.071E+02	2.671E+00	4.735E-01	2046	2055	2050	4	tasmax
Guyana	Normal	3.055E+02	2.701E+00	6.967E-01	2046	2055	2050	5	tasmax
Guyana	Normal	3.040E+02	3.003E+00	9.858E-01	2046	2055	2050	6	tasmax
Guyana	Normal	3.045E+02	3.054E+00	8.205E-01	2046	2055	2050	7	tasmax
Guyana	Normal	3.061E+02	3.366E+00	7.496E-01	2046	2055	2050	8	tasmax
Guyana	Normal	3.078E+02	3.675E+00	7.096E-01	2046	2055	2050	9	tasmax
Guyana	Normal	3.080E+02	3.558E+00	5.871E-01	2046	2055	2050	10	tasmax
Guyana	Normal	3.063E+02	3.332E+00	7.317E-01	2046	2055	2050	11	tasmax
Guyana	Normal	3.051E+02	2.834E+00	7.181E-01	2046	2055	2050	12	tasmax
Guyana	Normal	3.058E+02	2.623E+00	6.155E-01	2056	2065	2060	1	tasmax
Guyana	Normal	3.070E+02	2.680E+00	4.586E-01	2056	2065	2060	2	tasmax
Guyana	Normal	3.080E+02	3.027E+00	5.600E-01	2056	2065	2060	3	tasmax
Guyana	Normal	3.077E+02	2.882E+00	4.906E-01	2056	2065	2060	4	tasmax
Guyana	Normal	3.062E+02	2.772E+00	7.432E-01	2056	2065	2060	5	tasmax
Guyana	Normal	3.046E+02	3.089E+00	1.004E+00	2056	2065	2060	6	tasmax
Guyana	Normal	3.051E+02	3.044E+00	8.035E-01	2056	2065	2060	7	tasmax
Guyana	Normal	3.067E+02	3.343E+00	6.828E-01	2056	2065	2060	8	tasmax
Guyana	Normal	3.086E+02	3.585E+00	5.803E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guyana	Normal	3.087E+02	3.564E+00	6.418E-01	2056	2065	2060	10	tasmax
Guyana	Normal	3.070E+02	3.314E+00	7.545E-01	2056	2065	2060	11	tasmax
Guyana	Normal	3.056E+02	2.861E+00	6.522E-01	2056	2065	2060	12	tasmax
Guyana	Normal	3.065E+02	2.596E+00	6.216E-01	2066	2075	2070	1	tasmax
Guyana	Normal	3.077E+02	2.689E+00	4.254E-01	2066	2075	2070	2	tasmax
Guyana	Normal	3.086E+02	3.045E+00	5.544E-01	2066	2075	2070	3	tasmax
Guyana	Normal	3.082E+02	2.796E+00	5.654E-01	2066	2075	2070	4	tasmax
Guyana	Normal	3.066E+02	2.709E+00	7.383E-01	2066	2075	2070	5	tasmax
Guyana	Normal	3.052E+02	3.208E+00	1.070E+00	2066	2075	2070	6	tasmax
Guyana	Normal	3.058E+02	3.177E+00	8.593E-01	2066	2075	2070	7	tasmax
Guyana	Normal	3.075E+02	3.401E+00	6.219E-01	2066	2075	2070	8	tasmax
Guyana	Normal	3.094E+02	3.599E+00	6.652E-01	2066	2075	2070	9	tasmax
Guyana	Normal	3.095E+02	3.495E+00	6.927E-01	2066	2075	2070	10	tasmax
Guyana	Normal	3.076E+02	3.290E+00	7.948E-01	2066	2075	2070	11	tasmax
Guyana	Normal	3.061E+02	2.862E+00	7.064E-01	2066	2075	2070	12	tasmax
Guyana	Normal	3.069E+02	2.669E+00	5.400E-01	2076	2085	2080	1	tasmax
Guyana	Normal	3.082E+02	2.963E+00	5.279E-01	2076	2085	2080	2	tasmax
Guyana	Normal	3.091E+02	3.141E+00	5.278E-01	2076	2085	2080	3	tasmax
Guyana	Normal	3.086E+02	2.788E+00	4.553E-01	2076	2085	2080	4	tasmax
Guyana	Normal	3.072E+02	2.918E+00	7.630E-01	2076	2085	2080	5	tasmax
Guyana	Normal	3.057E+02	3.292E+00	1.003E+00	2076	2085	2080	6	tasmax
Guyana	Normal	3.064E+02	3.293E+00	8.643E-01	2076	2085	2080	7	tasmax
Guyana	Normal	3.081E+02	3.517E+00	5.510E-01	2076	2085	2080	8	tasmax
Guyana	Normal	3.099E+02	3.565E+00	6.378E-01	2076	2085	2080	9	tasmax
Guyana	Normal	3.101E+02	3.537E+00	7.307E-01	2076	2085	2080	10	tasmax
Guyana	Normal	3.083E+02	3.443E+00	8.120E-01	2076	2085	2080	11	tasmax
Guyana	Normal	3.068E+02	2.978E+00	6.941E-01	2076	2085	2080	12	tasmax
Guyana	Normal	3.075E+02	2.881E+00	6.107E-01	2086	2099	2092	1	tasmax
Guyana	Normal	3.089E+02	3.063E+00	4.681E-01	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Guyana	Normal	3.097E+02	3.296E+00	5.627E-01	2086	2099	2092	3	tasmax
Guyana	Normal	3.093E+02	3.111E+00	6.651E-01	2086	2099	2092	4	tasmax
Guyana	Normal	3.077E+02	3.044E+00	7.839E-01	2086	2099	2092	5	tasmax
Guyana	Normal	3.064E+02	3.392E+00	1.007E+00	2086	2099	2092	6	tasmax
Guyana	Normal	3.071E+02	3.329E+00	8.581E-01	2086	2099	2092	7	tasmax
Guyana	Normal	3.089E+02	3.563E+00	6.020E-01	2086	2099	2092	8	tasmax
Guyana	Normal	3.108E+02	3.664E+00	7.316E-01	2086	2099	2092	9	tasmax
Guyana	Normal	3.109E+02	3.608E+00	8.036E-01	2086	2099	2092	10	tasmax
Guyana	Normal	3.088E+02	3.447E+00	8.422E-01	2086	2099	2092	11	tasmax
Guyana	Normal	3.073E+02	3.117E+00	6.563E-01	2086	2099	2092	12	tasmax
Haiti	Normal	3.000E+02	1.321E+00	2.821E-01	2006	2015	2010	1	tasmax
Haiti	Normal	3.001E+02	1.441E+00	2.902E-01	2006	2015	2010	2	tasmax
Haiti	Normal	3.005E+02	1.683E+00	3.432E-01	2006	2015	2010	3	tasmax
Haiti	Normal	3.011E+02	1.731E+00	4.282E-01	2006	2015	2010	4	tasmax
Haiti	Normal	3.017E+02	1.723E+00	4.600E-01	2006	2015	2010	5	tasmax
Haiti	Normal	3.023E+02	1.707E+00	4.824E-01	2006	2015	2010	6	tasmax
Haiti	Normal	3.030E+02	1.814E+00	5.135E-01	2006	2015	2010	7	tasmax
Haiti	Normal	3.032E+02	1.745E+00	4.732E-01	2006	2015	2010	8	tasmax
Haiti	Normal	3.029E+02	1.609E+00	3.742E-01	2006	2015	2010	9	tasmax
Haiti	Normal	3.022E+02	1.455E+00	2.652E-01	2006	2015	2010	10	tasmax
Haiti	Normal	3.013E+02	1.371E+00	2.641E-01	2006	2015	2010	11	tasmax
Haiti	Normal	3.005E+02	1.285E+00	2.281E-01	2006	2015	2010	12	tasmax
Haiti	Normal	3.002E+02	1.347E+00	2.696E-01	2016	2025	2020	1	tasmax
Haiti	Normal	3.004E+02	1.561E+00	3.132E-01	2016	2025	2020	2	tasmax
Haiti	Normal	3.008E+02	1.709E+00	3.883E-01	2016	2025	2020	3	tasmax
Haiti	Normal	3.014E+02	1.869E+00	4.230E-01	2016	2025	2020	4	tasmax
Haiti	Normal	3.020E+02	1.855E+00	4.625E-01	2016	2025	2020	5	tasmax
Haiti	Normal	3.026E+02	1.732E+00	5.979E-01	2016	2025	2020	6	tasmax
Haiti	Normal	3.033E+02	1.868E+00	5.481E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Haiti	Normal	3.035E+02	1.788E+00	4.482E-01	2016	2025	2020	8	tasmax
Haiti	Normal	3.031E+02	1.601E+00	3.649E-01	2016	2025	2020	9	tasmax
Haiti	Normal	3.025E+02	1.510E+00	3.079E-01	2016	2025	2020	10	tasmax
Haiti	Normal	3.016E+02	1.473E+00	2.807E-01	2016	2025	2020	11	tasmax
Haiti	Normal	3.007E+02	1.324E+00	2.563E-01	2016	2025	2020	12	tasmax
Haiti	Normal	3.005E+02	1.287E+00	2.394E-01	2026	2035	2030	1	tasmax
Haiti	Normal	3.006E+02	1.480E+00	2.986E-01	2026	2035	2030	2	tasmax
Haiti	Normal	3.011E+02	1.733E+00	3.682E-01	2026	2035	2030	3	tasmax
Haiti	Normal	3.016E+02	1.745E+00	4.544E-01	2026	2035	2030	4	tasmax
Haiti	Normal	3.023E+02	1.659E+00	5.497E-01	2026	2035	2030	5	tasmax
Haiti	Normal	3.029E+02	1.705E+00	5.375E-01	2026	2035	2030	6	tasmax
Haiti	Normal	3.037E+02	1.841E+00	6.449E-01	2026	2035	2030	7	tasmax
Haiti	Normal	3.039E+02	1.761E+00	5.336E-01	2026	2035	2030	8	tasmax
Haiti	Normal	3.035E+02	1.611E+00	3.664E-01	2026	2035	2030	9	tasmax
Haiti	Normal	3.028E+02	1.453E+00	2.293E-01	2026	2035	2030	10	tasmax
Haiti	Normal	3.019E+02	1.390E+00	1.935E-01	2026	2035	2030	11	tasmax
Haiti	Normal	3.010E+02	1.263E+00	2.294E-01	2026	2035	2030	12	tasmax
Haiti	Normal	3.009E+02	1.389E+00	2.545E-01	2036	2045	2040	1	tasmax
Haiti	Normal	3.009E+02	1.515E+00	2.510E-01	2036	2045	2040	2	tasmax
Haiti	Normal	3.015E+02	1.772E+00	3.356E-01	2036	2045	2040	3	tasmax
Haiti	Normal	3.021E+02	1.870E+00	3.658E-01	2036	2045	2040	4	tasmax
Haiti	Normal	3.025E+02	1.708E+00	4.735E-01	2036	2045	2040	5	tasmax
Haiti	Normal	3.033E+02	1.810E+00	4.515E-01	2036	2045	2040	6	tasmax
Haiti	Normal	3.040E+02	1.881E+00	5.151E-01	2036	2045	2040	7	tasmax
Haiti	Normal	3.042E+02	1.855E+00	4.128E-01	2036	2045	2040	8	tasmax
Haiti	Normal	3.039E+02	1.732E+00	3.199E-01	2036	2045	2040	9	tasmax
Haiti	Normal	3.032E+02	1.547E+00	2.528E-01	2036	2045	2040	10	tasmax
Haiti	Normal	3.023E+02	1.520E+00	2.712E-01	2036	2045	2040	11	tasmax
Haiti	Normal	3.014E+02	1.352E+00	2.734E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Haiti	Normal	3.013E+02	1.400E+00	2.866E-01	2046	2055	2050	1	tasmax
Haiti	Normal	3.014E+02	1.565E+00	2.606E-01	2046	2055	2050	2	tasmax
Haiti	Normal	3.018E+02	1.779E+00	3.674E-01	2046	2055	2050	3	tasmax
Haiti	Normal	3.024E+02	1.914E+00	3.750E-01	2046	2055	2050	4	tasmax
Haiti	Normal	3.031E+02	1.920E+00	4.008E-01	2046	2055	2050	5	tasmax
Haiti	Normal	3.037E+02	1.852E+00	5.020E-01	2046	2055	2050	6	tasmax
Haiti	Normal	3.044E+02	2.042E+00	4.820E-01	2046	2055	2050	7	tasmax
Haiti	Normal	3.047E+02	1.915E+00	4.522E-01	2046	2055	2050	8	tasmax
Haiti	Normal	3.044E+02	1.780E+00	3.160E-01	2046	2055	2050	9	tasmax
Haiti	Normal	3.037E+02	1.669E+00	2.563E-01	2046	2055	2050	10	tasmax
Haiti	Normal	3.028E+02	1.557E+00	2.587E-01	2046	2055	2050	11	tasmax
Haiti	Normal	3.018E+02	1.438E+00	2.637E-01	2046	2055	2050	12	tasmax
Haiti	Normal	3.017E+02	1.529E+00	3.067E-01	2056	2065	2060	1	tasmax
Haiti	Normal	3.018E+02	1.680E+00	3.041E-01	2056	2065	2060	2	tasmax
Haiti	Normal	3.023E+02	1.861E+00	3.804E-01	2056	2065	2060	3	tasmax
Haiti	Normal	3.028E+02	1.847E+00	4.628E-01	2056	2065	2060	4	tasmax
Haiti	Normal	3.034E+02	1.840E+00	4.583E-01	2056	2065	2060	5	tasmax
Haiti	Normal	3.042E+02	1.928E+00	4.936E-01	2056	2065	2060	6	tasmax
Haiti	Normal	3.049E+02	2.088E+00	4.992E-01	2056	2065	2060	7	tasmax
Haiti	Normal	3.051E+02	2.013E+00	5.070E-01	2056	2065	2060	8	tasmax
Haiti	Normal	3.048E+02	1.883E+00	3.123E-01	2056	2065	2060	9	tasmax
Haiti	Normal	3.041E+02	1.776E+00	2.710E-01	2056	2065	2060	10	tasmax
Haiti	Normal	3.032E+02	1.681E+00	3.029E-01	2056	2065	2060	11	tasmax
Haiti	Normal	3.023E+02	1.523E+00	2.799E-01	2056	2065	2060	12	tasmax
Haiti	Normal	3.021E+02	1.536E+00	3.241E-01	2066	2075	2070	1	tasmax
Haiti	Normal	3.022E+02	1.676E+00	2.757E-01	2066	2075	2070	2	tasmax
Haiti	Normal	3.028E+02	1.920E+00	3.537E-01	2066	2075	2070	3	tasmax
Haiti	Normal	3.033E+02	2.002E+00	3.841E-01	2066	2075	2070	4	tasmax
Haiti	Normal	3.039E+02	2.119E+00	4.438E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Haiti	Normal	3.046E+02	2.127E+00	4.260E-01	2066	2075	2070	6	tasmax
Haiti	Normal	3.053E+02	2.183E+00	4.937E-01	2066	2075	2070	7	tasmax
Haiti	Normal	3.056E+02	2.088E+00	4.592E-01	2066	2075	2070	8	tasmax
Haiti	Normal	3.054E+02	1.970E+00	3.099E-01	2066	2075	2070	9	tasmax
Haiti	Normal	3.045E+02	1.853E+00	2.659E-01	2066	2075	2070	10	tasmax
Haiti	Normal	3.037E+02	1.789E+00	3.201E-01	2066	2075	2070	11	tasmax
Haiti	Normal	3.027E+02	1.614E+00	2.953E-01	2066	2075	2070	12	tasmax
Haiti	Normal	3.025E+02	1.558E+00	2.796E-01	2076	2085	2080	1	tasmax
Haiti	Normal	3.026E+02	1.703E+00	3.173E-01	2076	2085	2080	2	tasmax
Haiti	Normal	3.031E+02	1.906E+00	3.383E-01	2076	2085	2080	3	tasmax
Haiti	Normal	3.038E+02	2.081E+00	4.423E-01	2076	2085	2080	4	tasmax
Haiti	Normal	3.043E+02	2.075E+00	4.582E-01	2076	2085	2080	5	tasmax
Haiti	Normal	3.051E+02	2.072E+00	5.684E-01	2076	2085	2080	6	tasmax
Haiti	Normal	3.058E+02	2.152E+00	5.808E-01	2076	2085	2080	7	tasmax
Haiti	Normal	3.061E+02	2.094E+00	5.557E-01	2076	2085	2080	8	tasmax
Haiti	Normal	3.058E+02	1.980E+00	3.624E-01	2076	2085	2080	9	tasmax
Haiti	Normal	3.050E+02	1.873E+00	2.577E-01	2076	2085	2080	10	tasmax
Haiti	Normal	3.041E+02	1.808E+00	3.148E-01	2076	2085	2080	11	tasmax
Haiti	Normal	3.031E+02	1.606E+00	2.904E-01	2076	2085	2080	12	tasmax
Haiti	Normal	3.030E+02	1.573E+00	2.949E-01	2086	2099	2092	1	tasmax
Haiti	Normal	3.030E+02	1.746E+00	3.382E-01	2086	2099	2092	2	tasmax
Haiti	Normal	3.036E+02	1.979E+00	3.627E-01	2086	2099	2092	3	tasmax
Haiti	Normal	3.042E+02	2.128E+00	4.497E-01	2086	2099	2092	4	tasmax
Haiti	Normal	3.048E+02	2.120E+00	5.371E-01	2086	2099	2092	5	tasmax
Haiti	Normal	3.055E+02	2.224E+00	4.886E-01	2086	2099	2092	6	tasmax
Haiti	Normal	3.063E+02	2.316E+00	5.252E-01	2086	2099	2092	7	tasmax
Haiti	Normal	3.065E+02	2.143E+00	5.487E-01	2086	2099	2092	8	tasmax
Haiti	Normal	3.062E+02	2.038E+00	3.439E-01	2086	2099	2092	9	tasmax
Haiti	Normal	3.054E+02	1.952E+00	2.637E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Haiti	Normal	3.045E+02	1.839E+00	3.405E-01	2086	2099	2092	11	tasmax
Haiti	Normal	3.036E+02	1.621E+00	2.322E-01	2086	2099	2092	12	tasmax
Honduras	Normal	3.004E+02	1.684E+00	2.959E-01	2006	2015	2010	1	tasmax
Honduras	Normal	3.016E+02	1.864E+00	2.783E-01	2006	2015	2010	2	tasmax
Honduras	Normal	3.034E+02	2.369E+00	4.082E-01	2006	2015	2010	3	tasmax
Honduras	Normal	3.049E+02	2.631E+00	4.874E-01	2006	2015	2010	4	tasmax
Honduras	Normal	3.047E+02	2.154E+00	5.139E-01	2006	2015	2010	5	tasmax
Honduras	Normal	3.032E+02	1.628E+00	3.547E-01	2006	2015	2010	6	tasmax
Honduras	Normal	3.030E+02	1.866E+00	2.943E-01	2006	2015	2010	7	tasmax
Honduras	Normal	3.035E+02	2.137E+00	3.429E-01	2006	2015	2010	8	tasmax
Honduras	Normal	3.033E+02	2.140E+00	4.307E-01	2006	2015	2010	9	tasmax
Honduras	Normal	3.024E+02	1.966E+00	2.805E-01	2006	2015	2010	10	tasmax
Honduras	Normal	3.015E+02	1.741E+00	3.894E-01	2006	2015	2010	11	tasmax
Honduras	Normal	3.006E+02	1.677E+00	2.461E-01	2006	2015	2010	12	tasmax
Honduras	Normal	3.008E+02	1.813E+00	3.159E-01	2016	2025	2020	1	tasmax
Honduras	Normal	3.020E+02	2.227E+00	4.266E-01	2016	2025	2020	2	tasmax
Honduras	Normal	3.037E+02	2.435E+00	4.040E-01	2016	2025	2020	3	tasmax
Honduras	Normal	3.051E+02	2.571E+00	4.408E-01	2016	2025	2020	4	tasmax
Honduras	Normal	3.049E+02	2.131E+00	4.750E-01	2016	2025	2020	5	tasmax
Honduras	Normal	3.035E+02	1.525E+00	3.673E-01	2016	2025	2020	6	tasmax
Honduras	Normal	3.033E+02	1.842E+00	3.068E-01	2016	2025	2020	7	tasmax
Honduras	Normal	3.038E+02	2.151E+00	4.313E-01	2016	2025	2020	8	tasmax
Honduras	Normal	3.036E+02	2.080E+00	4.692E-01	2016	2025	2020	9	tasmax
Honduras	Normal	3.026E+02	1.949E+00	3.279E-01	2016	2025	2020	10	tasmax
Honduras	Normal	3.017E+02	1.949E+00	3.684E-01	2016	2025	2020	11	tasmax
Honduras	Normal	3.010E+02	1.735E+00	2.597E-01	2016	2025	2020	12	tasmax
Honduras	Normal	3.011E+02	1.911E+00	3.188E-01	2026	2035	2030	1	tasmax
Honduras	Normal	3.023E+02	2.207E+00	3.829E-01	2026	2035	2030	2	tasmax
Honduras	Normal	3.043E+02	2.638E+00	4.552E-01	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Honduras	Normal	3.056E+02	2.609E+00	4.666E-01	2026	2035	2030	4	tasmax
Honduras	Normal	3.054E+02	2.241E+00	4.187E-01	2026	2035	2030	5	tasmax
Honduras	Normal	3.039E+02	1.585E+00	2.619E-01	2026	2035	2030	6	tasmax
Honduras	Normal	3.037E+02	1.967E+00	3.184E-01	2026	2035	2030	7	tasmax
Honduras	Normal	3.041E+02	2.175E+00	3.211E-01	2026	2035	2030	8	tasmax
Honduras	Normal	3.039E+02	2.118E+00	3.839E-01	2026	2035	2030	9	tasmax
Honduras	Normal	3.030E+02	1.877E+00	3.637E-01	2026	2035	2030	10	tasmax
Honduras	Normal	3.020E+02	1.735E+00	4.873E-01	2026	2035	2030	11	tasmax
Honduras	Normal	3.012E+02	1.665E+00	2.689E-01	2026	2035	2030	12	tasmax
Honduras	Normal	3.015E+02	1.846E+00	3.862E-01	2036	2045	2040	1	tasmax
Honduras	Normal	3.028E+02	2.060E+00	3.030E-01	2036	2045	2040	2	tasmax
Honduras	Normal	3.047E+02	2.592E+00	5.412E-01	2036	2045	2040	3	tasmax
Honduras	Normal	3.061E+02	2.817E+00	6.367E-01	2036	2045	2040	4	tasmax
Honduras	Normal	3.058E+02	2.298E+00	5.539E-01	2036	2045	2040	5	tasmax
Honduras	Normal	3.044E+02	1.834E+00	3.889E-01	2036	2045	2040	6	tasmax
Honduras	Normal	3.040E+02	2.044E+00	2.810E-01	2036	2045	2040	7	tasmax
Honduras	Normal	3.046E+02	2.383E+00	3.700E-01	2036	2045	2040	8	tasmax
Honduras	Normal	3.043E+02	2.251E+00	4.124E-01	2036	2045	2040	9	tasmax
Honduras	Normal	3.035E+02	2.110E+00	4.103E-01	2036	2045	2040	10	tasmax
Honduras	Normal	3.026E+02	1.912E+00	3.773E-01	2036	2045	2040	11	tasmax
Honduras	Normal	3.016E+02	1.841E+00	3.015E-01	2036	2045	2040	12	tasmax
Honduras	Normal	3.020E+02	1.949E+00	3.588E-01	2046	2055	2050	1	tasmax
Honduras	Normal	3.033E+02	2.371E+00	4.468E-01	2046	2055	2050	2	tasmax
Honduras	Normal	3.051E+02	2.745E+00	4.962E-01	2046	2055	2050	3	tasmax
Honduras	Normal	3.064E+02	2.913E+00	6.748E-01	2046	2055	2050	4	tasmax
Honduras	Normal	3.063E+02	2.517E+00	6.011E-01	2046	2055	2050	5	tasmax
Honduras	Normal	3.050E+02	1.885E+00	2.824E-01	2046	2055	2050	6	tasmax
Honduras	Normal	3.048E+02	1.995E+00	2.318E-01	2046	2055	2050	7	tasmax
Honduras	Normal	3.052E+02	2.264E+00	3.370E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Honduras	Normal	3.050E+02	2.291E+00	3.898E-01	2046	2055	2050	9	tasmax
Honduras	Normal	3.041E+02	2.204E+00	3.861E-01	2046	2055	2050	10	tasmax
Honduras	Normal	3.031E+02	2.089E+00	3.155E-01	2046	2055	2050	11	tasmax
Honduras	Normal	3.023E+02	1.965E+00	3.934E-01	2046	2055	2050	12	tasmax
Honduras	Normal	3.026E+02	2.346E+00	5.552E-01	2056	2065	2060	1	tasmax
Honduras	Normal	3.040E+02	2.590E+00	6.037E-01	2056	2065	2060	2	tasmax
Honduras	Normal	3.058E+02	3.067E+00	7.009E-01	2056	2065	2060	3	tasmax
Honduras	Normal	3.071E+02	3.108E+00	7.281E-01	2056	2065	2060	4	tasmax
Honduras	Normal	3.069E+02	2.615E+00	6.132E-01	2056	2065	2060	5	tasmax
Honduras	Normal	3.056E+02	1.947E+00	4.189E-01	2056	2065	2060	6	tasmax
Honduras	Normal	3.054E+02	2.171E+00	2.971E-01	2056	2065	2060	7	tasmax
Honduras	Normal	3.060E+02	2.526E+00	3.650E-01	2056	2065	2060	8	tasmax
Honduras	Normal	3.057E+02	2.673E+00	5.626E-01	2056	2065	2060	9	tasmax
Honduras	Normal	3.047E+02	2.574E+00	5.666E-01	2056	2065	2060	10	tasmax
Honduras	Normal	3.037E+02	2.498E+00	4.766E-01	2056	2065	2060	11	tasmax
Honduras	Normal	3.027E+02	2.254E+00	4.656E-01	2056	2065	2060	12	tasmax
Honduras	Normal	3.030E+02	2.212E+00	4.899E-01	2066	2075	2070	1	tasmax
Honduras	Normal	3.043E+02	2.553E+00	6.131E-01	2066	2075	2070	2	tasmax
Honduras	Normal	3.064E+02	2.806E+00	6.201E-01	2066	2075	2070	3	tasmax
Honduras	Normal	3.076E+02	2.897E+00	6.804E-01	2066	2075	2070	4	tasmax
Honduras	Normal	3.074E+02	2.735E+00	5.977E-01	2066	2075	2070	5	tasmax
Honduras	Normal	3.060E+02	1.887E+00	3.568E-01	2066	2075	2070	6	tasmax
Honduras	Normal	3.058E+02	2.042E+00	2.772E-01	2066	2075	2070	7	tasmax
Honduras	Normal	3.064E+02	2.389E+00	4.203E-01	2066	2075	2070	8	tasmax
Honduras	Normal	3.062E+02	2.592E+00	4.652E-01	2066	2075	2070	9	tasmax
Honduras	Normal	3.052E+02	2.536E+00	5.252E-01	2066	2075	2070	10	tasmax
Honduras	Normal	3.041E+02	2.485E+00	5.476E-01	2066	2075	2070	11	tasmax
Honduras	Normal	3.031E+02	2.113E+00	3.961E-01	2066	2075	2070	12	tasmax
Honduras	Normal	3.035E+02	2.399E+00	4.936E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Honduras	Normal	3.049E+02	2.736E+00	6.446E-01	2076	2085	2080	2	tasmax
Honduras	Normal	3.068E+02	3.110E+00	7.838E-01	2076	2085	2080	3	tasmax
Honduras	Normal	3.080E+02	3.133E+00	7.186E-01	2076	2085	2080	4	tasmax
Honduras	Normal	3.078E+02	2.555E+00	4.959E-01	2076	2085	2080	5	tasmax
Honduras	Normal	3.066E+02	2.047E+00	3.591E-01	2076	2085	2080	6	tasmax
Honduras	Normal	3.065E+02	2.154E+00	3.898E-01	2076	2085	2080	7	tasmax
Honduras	Normal	3.071E+02	2.623E+00	3.988E-01	2076	2085	2080	8	tasmax
Honduras	Normal	3.069E+02	2.825E+00	5.543E-01	2076	2085	2080	9	tasmax
Honduras	Normal	3.057E+02	2.545E+00	5.046E-01	2076	2085	2080	10	tasmax
Honduras	Normal	3.046E+02	2.523E+00	4.739E-01	2076	2085	2080	11	tasmax
Honduras	Normal	3.037E+02	2.364E+00	4.648E-01	2076	2085	2080	12	tasmax
Honduras	Normal	3.042E+02	2.567E+00	6.568E-01	2086	2099	2092	1	tasmax
Honduras	Normal	3.056E+02	2.839E+00	6.857E-01	2086	2099	2092	2	tasmax
Honduras	Normal	3.075E+02	3.211E+00	7.229E-01	2086	2099	2092	3	tasmax
Honduras	Normal	3.088E+02	3.258E+00	6.426E-01	2086	2099	2092	4	tasmax
Honduras	Normal	3.084E+02	3.005E+00	8.585E-01	2086	2099	2092	5	tasmax
Honduras	Normal	3.073E+02	2.458E+00	4.703E-01	2086	2099	2092	6	tasmax
Honduras	Normal	3.073E+02	2.760E+00	4.398E-01	2086	2099	2092	7	tasmax
Honduras	Normal	3.078E+02	3.069E+00	6.310E-01	2086	2099	2092	8	tasmax
Honduras	Normal	3.075E+02	3.103E+00	6.115E-01	2086	2099	2092	9	tasmax
Honduras	Normal	3.065E+02	2.955E+00	6.336E-01	2086	2099	2092	10	tasmax
Honduras	Normal	3.052E+02	2.764E+00	6.000E-01	2086	2099	2092	11	tasmax
Honduras	Normal	3.043E+02	2.560E+00	5.710E-01	2086	2099	2092	12	tasmax
Hungary	Normal	2.766E+02	3.207E+00	9.624E-01	2006	2015	2010	1	tasmax
Hungary	Normal	2.790E+02	3.722E+00	5.612E-01	2006	2015	2010	2	tasmax
Hungary	Normal	2.829E+02	3.270E+00	6.634E-01	2006	2015	2010	3	tasmax
Hungary	Normal	2.887E+02	2.866E+00	4.810E-01	2006	2015	2010	4	tasmax
Hungary	Normal	2.941E+02	2.727E+00	4.761E-01	2006	2015	2010	5	tasmax
Hungary	Normal	2.991E+02	2.798E+00	4.736E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Hungary	Normal	3.014E+02	2.879E+00	4.527E-01	2006	2015	2010	7	tasmax
Hungary	Normal	3.009E+02	2.960E+00	7.012E-01	2006	2015	2010	8	tasmax
Hungary	Normal	2.956E+02	2.806E+00	4.856E-01	2006	2015	2010	9	tasmax
Hungary	Normal	2.885E+02	3.211E+00	9.074E-01	2006	2015	2010	10	tasmax
Hungary	Normal	2.821E+02	2.805E+00	7.875E-01	2006	2015	2010	11	tasmax
Hungary	Normal	2.781E+02	3.043E+00	4.967E-01	2006	2015	2010	12	tasmax
Hungary	Normal	2.773E+02	3.060E+00	6.656E-01	2016	2025	2020	1	tasmax
Hungary	Normal	2.795E+02	3.035E+00	6.312E-01	2016	2025	2020	2	tasmax
Hungary	Normal	2.838E+02	3.359E+00	7.451E-01	2016	2025	2020	3	tasmax
Hungary	Normal	2.888E+02	2.982E+00	6.568E-01	2016	2025	2020	4	tasmax
Hungary	Normal	2.947E+02	2.612E+00	5.515E-01	2016	2025	2020	5	tasmax
Hungary	Normal	2.997E+02	2.690E+00	3.741E-01	2016	2025	2020	6	tasmax
Hungary	Normal	3.023E+02	3.011E+00	5.696E-01	2016	2025	2020	7	tasmax
Hungary	Normal	3.015E+02	3.063E+00	7.541E-01	2016	2025	2020	8	tasmax
Hungary	Normal	2.963E+02	3.123E+00	5.706E-01	2016	2025	2020	9	tasmax
Hungary	Normal	2.891E+02	3.089E+00	8.811E-01	2016	2025	2020	10	tasmax
Hungary	Normal	2.826E+02	2.782E+00	6.522E-01	2016	2025	2020	11	tasmax
Hungary	Normal	2.784E+02	2.763E+00	5.576E-01	2016	2025	2020	12	tasmax
Hungary	Normal	2.776E+02	2.973E+00	6.229E-01	2026	2035	2030	1	tasmax
Hungary	Normal	2.796E+02	2.971E+00	5.858E-01	2026	2035	2030	2	tasmax
Hungary	Normal	2.843E+02	3.009E+00	5.659E-01	2026	2035	2030	3	tasmax
Hungary	Normal	2.893E+02	2.902E+00	6.054E-01	2026	2035	2030	4	tasmax
Hungary	Normal	2.950E+02	2.843E+00	5.960E-01	2026	2035	2030	5	tasmax
Hungary	Normal	3.000E+02	2.655E+00	4.036E-01	2026	2035	2030	6	tasmax
Hungary	Normal	3.029E+02	3.124E+00	6.038E-01	2026	2035	2030	7	tasmax
Hungary	Normal	3.023E+02	2.970E+00	7.786E-01	2026	2035	2030	8	tasmax
Hungary	Normal	2.964E+02	2.960E+00	6.515E-01	2026	2035	2030	9	tasmax
Hungary	Normal	2.896E+02	3.110E+00	9.061E-01	2026	2035	2030	10	tasmax
Hungary	Normal	2.829E+02	2.831E+00	9.722E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Hungary	Normal	2.791E+02	2.878E+00	6.224E-01	2026	2035	2030	12	tasmax
Hungary	Normal	2.785E+02	2.831E+00	6.508E-01	2036	2045	2040	1	tasmax
Hungary	Normal	2.805E+02	2.814E+00	6.383E-01	2036	2045	2040	2	tasmax
Hungary	Normal	2.846E+02	3.131E+00	7.315E-01	2036	2045	2040	3	tasmax
Hungary	Normal	2.899E+02	3.033E+00	6.271E-01	2036	2045	2040	4	tasmax
Hungary	Normal	2.953E+02	2.743E+00	5.479E-01	2036	2045	2040	5	tasmax
Hungary	Normal	3.008E+02	3.082E+00	6.246E-01	2036	2045	2040	6	tasmax
Hungary	Normal	3.040E+02	3.216E+00	6.602E-01	2036	2045	2040	7	tasmax
Hungary	Normal	3.031E+02	3.094E+00	7.909E-01	2036	2045	2040	8	tasmax
Hungary	Normal	2.974E+02	2.777E+00	5.934E-01	2036	2045	2040	9	tasmax
Hungary	Normal	2.903E+02	2.746E+00	7.082E-01	2036	2045	2040	10	tasmax
Hungary	Normal	2.836E+02	2.699E+00	9.446E-01	2036	2045	2040	11	tasmax
Hungary	Normal	2.798E+02	2.611E+00	5.445E-01	2036	2045	2040	12	tasmax
Hungary	Normal	2.789E+02	2.905E+00	7.661E-01	2046	2055	2050	1	tasmax
Hungary	Normal	2.809E+02	2.773E+00	6.472E-01	2046	2055	2050	2	tasmax
Hungary	Normal	2.849E+02	2.921E+00	8.387E-01	2046	2055	2050	3	tasmax
Hungary	Normal	2.903E+02	3.204E+00	5.002E-01	2046	2055	2050	4	tasmax
Hungary	Normal	2.957E+02	3.026E+00	7.586E-01	2046	2055	2050	5	tasmax
Hungary	Normal	3.013E+02	3.206E+00	5.913E-01	2046	2055	2050	6	tasmax
Hungary	Normal	3.048E+02	3.659E+00	7.692E-01	2046	2055	2050	7	tasmax
Hungary	Normal	3.040E+02	3.546E+00	8.495E-01	2046	2055	2050	8	tasmax
Hungary	Normal	2.981E+02	2.972E+00	5.086E-01	2046	2055	2050	9	tasmax
Hungary	Normal	2.909E+02	2.991E+00	7.929E-01	2046	2055	2050	10	tasmax
Hungary	Normal	2.840E+02	2.696E+00	7.603E-01	2046	2055	2050	11	tasmax
Hungary	Normal	2.798E+02	2.533E+00	5.744E-01	2046	2055	2050	12	tasmax
Hungary	Normal	2.796E+02	2.719E+00	5.632E-01	2056	2065	2060	1	tasmax
Hungary	Normal	2.814E+02	3.206E+00	8.422E-01	2056	2065	2060	2	tasmax
Hungary	Normal	2.855E+02	3.284E+00	7.780E-01	2056	2065	2060	3	tasmax
Hungary	Normal	2.907E+02	3.075E+00	7.125E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Hungary	Normal	2.964E+02	3.458E+00	5.380E-01	2056	2065	2060	5	tasmax
Hungary	Normal	3.019E+02	3.416E+00	5.200E-01	2056	2065	2060	6	tasmax
Hungary	Normal	3.054E+02	3.731E+00	7.088E-01	2056	2065	2060	7	tasmax
Hungary	Normal	3.049E+02	3.660E+00	9.842E-01	2056	2065	2060	8	tasmax
Hungary	Normal	2.991E+02	3.200E+00	7.888E-01	2056	2065	2060	9	tasmax
Hungary	Normal	2.915E+02	3.289E+00	8.936E-01	2056	2065	2060	10	tasmax
Hungary	Normal	2.848E+02	2.706E+00	9.755E-01	2056	2065	2060	11	tasmax
Hungary	Normal	2.809E+02	2.594E+00	7.238E-01	2056	2065	2060	12	tasmax
Hungary	Normal	2.802E+02	2.384E+00	5.011E-01	2066	2075	2070	1	tasmax
Hungary	Normal	2.821E+02	2.868E+00	6.348E-01	2066	2075	2070	2	tasmax
Hungary	Normal	2.860E+02	3.453E+00	9.735E-01	2066	2075	2070	3	tasmax
Hungary	Normal	2.915E+02	3.129E+00	6.189E-01	2066	2075	2070	4	tasmax
Hungary	Normal	2.972E+02	3.203E+00	6.277E-01	2066	2075	2070	5	tasmax
Hungary	Normal	3.030E+02	3.736E+00	5.859E-01	2066	2075	2070	6	tasmax
Hungary	Normal	3.064E+02	3.835E+00	8.201E-01	2066	2075	2070	7	tasmax
Hungary	Normal	3.059E+02	3.873E+00	1.007E+00	2066	2075	2070	8	tasmax
Hungary	Normal	3.000E+02	3.535E+00	8.010E-01	2066	2075	2070	9	tasmax
Hungary	Normal	2.923E+02	3.365E+00	6.749E-01	2066	2075	2070	10	tasmax
Hungary	Normal	2.852E+02	2.852E+00	1.084E+00	2066	2075	2070	11	tasmax
Hungary	Normal	2.812E+02	2.763E+00	6.166E-01	2066	2075	2070	12	tasmax
Hungary	Normal	2.809E+02	2.613E+00	5.850E-01	2076	2085	2080	1	tasmax
Hungary	Normal	2.827E+02	3.239E+00	7.386E-01	2076	2085	2080	2	tasmax
Hungary	Normal	2.865E+02	3.758E+00	9.634E-01	2076	2085	2080	3	tasmax
Hungary	Normal	2.917E+02	3.731E+00	1.080E+00	2076	2085	2080	4	tasmax
Hungary	Normal	2.978E+02	3.273E+00	7.154E-01	2076	2085	2080	5	tasmax
Hungary	Normal	3.041E+02	3.692E+00	6.168E-01	2076	2085	2080	6	tasmax
Hungary	Normal	3.078E+02	4.088E+00	1.080E+00	2076	2085	2080	7	tasmax
Hungary	Normal	3.071E+02	4.073E+00	1.066E+00	2076	2085	2080	8	tasmax
Hungary	Normal	3.009E+02	3.517E+00	6.847E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Hungary	Normal	2.927E+02	3.447E+00	9.869E-01	2076	2085	2080	10	tasmax
Hungary	Normal	2.857E+02	2.787E+00	9.188E-01	2076	2085	2080	11	tasmax
Hungary	Normal	2.819E+02	2.557E+00	6.877E-01	2076	2085	2080	12	tasmax
Hungary	Normal	2.812E+02	2.330E+00	6.353E-01	2086	2099	2092	1	tasmax
Hungary	Normal	2.832E+02	2.889E+00	7.215E-01	2086	2099	2092	2	tasmax
Hungary	Normal	2.870E+02	3.107E+00	7.776E-01	2086	2099	2092	3	tasmax
Hungary	Normal	2.922E+02	3.313E+00	5.837E-01	2086	2099	2092	4	tasmax
Hungary	Normal	2.985E+02	3.321E+00	5.611E-01	2086	2099	2092	5	tasmax
Hungary	Normal	3.045E+02	3.922E+00	6.538E-01	2086	2099	2092	6	tasmax
Hungary	Normal	3.084E+02	4.249E+00	1.226E+00	2086	2099	2092	7	tasmax
Hungary	Normal	3.077E+02	4.064E+00	1.203E+00	2086	2099	2092	8	tasmax
Hungary	Normal	3.016E+02	3.461E+00	6.304E-01	2086	2099	2092	9	tasmax
Hungary	Normal	2.935E+02	3.556E+00	1.025E+00	2086	2099	2092	10	tasmax
Hungary	Normal	2.865E+02	2.662E+00	8.035E-01	2086	2099	2092	11	tasmax
Hungary	Normal	2.823E+02	2.552E+00	8.720E-01	2086	2099	2092	12	tasmax
Iceland	Normal	2.700E+02	4.436E+00	1.303E+00	2006	2015	2010	1	tasmax
Iceland	Normal	2.699E+02	4.812E+00	1.576E+00	2006	2015	2010	2	tasmax
Iceland	Normal	2.712E+02	3.766E+00	1.111E+00	2006	2015	2010	3	tasmax
Iceland	Normal	2.735E+02	2.878E+00	8.697E-01	2006	2015	2010	4	tasmax
Iceland	Normal	2.773E+02	2.392E+00	5.422E-01	2006	2015	2010	5	tasmax
Iceland	Normal	2.810E+02	2.186E+00	5.046E-01	2006	2015	2010	6	tasmax
Iceland	Normal	2.833E+02	2.329E+00	6.082E-01	2006	2015	2010	7	tasmax
Iceland	Normal	2.828E+02	2.058E+00	4.848E-01	2006	2015	2010	8	tasmax
Iceland	Normal	2.801E+02	1.707E+00	4.039E-01	2006	2015	2010	9	tasmax
Iceland	Normal	2.766E+02	2.117E+00	4.525E-01	2006	2015	2010	10	tasmax
Iceland	Normal	2.732E+02	3.288E+00	8.361E-01	2006	2015	2010	11	tasmax
Iceland	Normal	2.713E+02	4.032E+00	1.258E+00	2006	2015	2010	12	tasmax
Iceland	Normal	2.705E+02	4.173E+00	1.051E+00	2016	2025	2020	1	tasmax
Iceland	Normal	2.700E+02	4.373E+00	1.017E+00	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iceland	Normal	2.713E+02	3.901E+00	8.438E-01	2016	2025	2020	3	tasmax
Iceland	Normal	2.740E+02	2.690E+00	6.407E-01	2016	2025	2020	4	tasmax
Iceland	Normal	2.776E+02	2.289E+00	4.979E-01	2016	2025	2020	5	tasmax
Iceland	Normal	2.813E+02	2.052E+00	5.808E-01	2016	2025	2020	6	tasmax
Iceland	Normal	2.835E+02	2.227E+00	6.478E-01	2016	2025	2020	7	tasmax
Iceland	Normal	2.831E+02	2.129E+00	6.177E-01	2016	2025	2020	8	tasmax
Iceland	Normal	2.803E+02	1.781E+00	3.641E-01	2016	2025	2020	9	tasmax
Iceland	Normal	2.767E+02	2.236E+00	4.129E-01	2016	2025	2020	10	tasmax
Iceland	Normal	2.737E+02	2.899E+00	4.664E-01	2016	2025	2020	11	tasmax
Iceland	Normal	2.716E+02	4.061E+00	1.048E+00	2016	2025	2020	12	tasmax
Iceland	Normal	2.714E+02	3.904E+00	7.677E-01	2026	2035	2030	1	tasmax
Iceland	Normal	2.705E+02	4.718E+00	1.361E+00	2026	2035	2030	2	tasmax
Iceland	Normal	2.714E+02	3.873E+00	7.925E-01	2026	2035	2030	3	tasmax
Iceland	Normal	2.741E+02	3.179E+00	9.036E-01	2026	2035	2030	4	tasmax
Iceland	Normal	2.780E+02	2.457E+00	5.434E-01	2026	2035	2030	5	tasmax
Iceland	Normal	2.815E+02	2.307E+00	4.770E-01	2026	2035	2030	6	tasmax
Iceland	Normal	2.838E+02	2.428E+00	6.018E-01	2026	2035	2030	7	tasmax
Iceland	Normal	2.835E+02	2.170E+00	5.965E-01	2026	2035	2030	8	tasmax
Iceland	Normal	2.808E+02	1.952E+00	3.540E-01	2026	2035	2030	9	tasmax
Iceland	Normal	2.771E+02	2.256E+00	4.279E-01	2026	2035	2030	10	tasmax
Iceland	Normal	2.741E+02	2.998E+00	5.420E-01	2026	2035	2030	11	tasmax
Iceland	Normal	2.721E+02	3.708E+00	7.850E-01	2026	2035	2030	12	tasmax
Iceland	Normal	2.716E+02	3.997E+00	7.932E-01	2036	2045	2040	1	tasmax
Iceland	Normal	2.711E+02	4.307E+00	1.035E+00	2036	2045	2040	2	tasmax
Iceland	Normal	2.721E+02	3.895E+00	9.210E-01	2036	2045	2040	3	tasmax
Iceland	Normal	2.746E+02	3.136E+00	7.643E-01	2036	2045	2040	4	tasmax
Iceland	Normal	2.784E+02	2.476E+00	6.435E-01	2036	2045	2040	5	tasmax
Iceland	Normal	2.819E+02	2.388E+00	4.572E-01	2036	2045	2040	6	tasmax
Iceland	Normal	2.842E+02	2.383E+00	6.613E-01	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iceland	Normal	2.838E+02	2.078E+00	5.538E-01	2036	2045	2040	8	tasmax
Iceland	Normal	2.810E+02	1.900E+00	3.718E-01	2036	2045	2040	9	tasmax
Iceland	Normal	2.775E+02	2.130E+00	2.570E-01	2036	2045	2040	10	tasmax
Iceland	Normal	2.746E+02	2.656E+00	3.660E-01	2036	2045	2040	11	tasmax
Iceland	Normal	2.727E+02	3.433E+00	6.620E-01	2036	2045	2040	12	tasmax
Iceland	Normal	2.720E+02	3.691E+00	8.961E-01	2046	2055	2050	1	tasmax
Iceland	Normal	2.718E+02	3.694E+00	6.876E-01	2046	2055	2050	2	tasmax
Iceland	Normal	2.723E+02	3.789E+00	1.034E+00	2046	2055	2050	3	tasmax
Iceland	Normal	2.751E+02	2.642E+00	5.457E-01	2046	2055	2050	4	tasmax
Iceland	Normal	2.787E+02	2.285E+00	5.374E-01	2046	2055	2050	5	tasmax
Iceland	Normal	2.825E+02	2.244E+00	4.511E-01	2046	2055	2050	6	tasmax
Iceland	Normal	2.847E+02	2.393E+00	7.113E-01	2046	2055	2050	7	tasmax
Iceland	Normal	2.843E+02	2.191E+00	6.840E-01	2046	2055	2050	8	tasmax
Iceland	Normal	2.817E+02	1.897E+00	4.160E-01	2046	2055	2050	9	tasmax
Iceland	Normal	2.779E+02	2.078E+00	4.385E-01	2046	2055	2050	10	tasmax
Iceland	Normal	2.752E+02	2.483E+00	3.766E-01	2046	2055	2050	11	tasmax
Iceland	Normal	2.733E+02	3.343E+00	6.335E-01	2046	2055	2050	12	tasmax
Iceland	Normal	2.726E+02	3.567E+00	9.024E-01	2056	2065	2060	1	tasmax
Iceland	Normal	2.721E+02	3.901E+00	9.393E-01	2056	2065	2060	2	tasmax
Iceland	Normal	2.729E+02	3.482E+00	9.357E-01	2056	2065	2060	3	tasmax
Iceland	Normal	2.754E+02	2.702E+00	6.118E-01	2056	2065	2060	4	tasmax
Iceland	Normal	2.790E+02	2.332E+00	5.746E-01	2056	2065	2060	5	tasmax
Iceland	Normal	2.828E+02	2.439E+00	5.948E-01	2056	2065	2060	6	tasmax
Iceland	Normal	2.850E+02	2.569E+00	7.786E-01	2056	2065	2060	7	tasmax
Iceland	Normal	2.847E+02	2.336E+00	6.207E-01	2056	2065	2060	8	tasmax
Iceland	Normal	2.820E+02	2.018E+00	4.629E-01	2056	2065	2060	9	tasmax
Iceland	Normal	2.783E+02	2.260E+00	3.841E-01	2056	2065	2060	10	tasmax
Iceland	Normal	2.751E+02	2.590E+00	4.561E-01	2056	2065	2060	11	tasmax
Iceland	Normal	2.734E+02	3.039E+00	4.920E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iceland	Normal	2.731E+02	3.214E+00	5.893E-01	2066	2075	2070	1	tasmax
Iceland	Normal	2.726E+02	3.605E+00	7.671E-01	2066	2075	2070	2	tasmax
Iceland	Normal	2.736E+02	3.172E+00	6.907E-01	2066	2075	2070	3	tasmax
Iceland	Normal	2.761E+02	2.614E+00	5.666E-01	2066	2075	2070	4	tasmax
Iceland	Normal	2.796E+02	2.219E+00	5.122E-01	2066	2075	2070	5	tasmax
Iceland	Normal	2.832E+02	2.280E+00	6.506E-01	2066	2075	2070	6	tasmax
Iceland	Normal	2.857E+02	2.363E+00	7.318E-01	2066	2075	2070	7	tasmax
Iceland	Normal	2.853E+02	2.169E+00	5.794E-01	2066	2075	2070	8	tasmax
Iceland	Normal	2.824E+02	2.009E+00	4.995E-01	2066	2075	2070	9	tasmax
Iceland	Normal	2.788E+02	1.935E+00	3.291E-01	2066	2075	2070	10	tasmax
Iceland	Normal	2.758E+02	2.215E+00	2.719E-01	2066	2075	2070	11	tasmax
Iceland	Normal	2.742E+02	2.625E+00	3.865E-01	2066	2075	2070	12	tasmax
Iceland	Normal	2.736E+02	3.122E+00	5.914E-01	2076	2085	2080	1	tasmax
Iceland	Normal	2.731E+02	3.362E+00	6.462E-01	2076	2085	2080	2	tasmax
Iceland	Normal	2.739E+02	3.238E+00	7.167E-01	2076	2085	2080	3	tasmax
Iceland	Normal	2.764E+02	2.615E+00	5.227E-01	2076	2085	2080	4	tasmax
Iceland	Normal	2.799E+02	2.241E+00	4.539E-01	2076	2085	2080	5	tasmax
Iceland	Normal	2.837E+02	2.600E+00	9.000E-01	2076	2085	2080	6	tasmax
Iceland	Normal	2.861E+02	2.618E+00	1.020E+00	2076	2085	2080	7	tasmax
Iceland	Normal	2.858E+02	2.371E+00	7.844E-01	2076	2085	2080	8	tasmax
Iceland	Normal	2.829E+02	1.986E+00	5.268E-01	2076	2085	2080	9	tasmax
Iceland	Normal	2.793E+02	2.036E+00	3.869E-01	2076	2085	2080	10	tasmax
Iceland	Normal	2.763E+02	2.150E+00	3.002E-01	2076	2085	2080	11	tasmax
Iceland	Normal	2.747E+02	2.562E+00	4.826E-01	2076	2085	2080	12	tasmax
Iceland	Normal	2.741E+02	3.084E+00	6.664E-01	2086	2099	2092	1	tasmax
Iceland	Normal	2.737E+02	3.526E+00	8.358E-01	2086	2099	2092	2	tasmax
Iceland	Normal	2.746E+02	3.134E+00	8.312E-01	2086	2099	2092	3	tasmax
Iceland	Normal	2.768E+02	2.535E+00	5.901E-01	2086	2099	2092	4	tasmax
Iceland	Normal	2.804E+02	2.302E+00	6.947E-01	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iceland	Normal	2.842E+02	2.462E+00	5.836E-01	2086	2099	2092	6	tasmax
Iceland	Normal	2.866E+02	2.448E+00	6.483E-01	2086	2099	2092	7	tasmax
Iceland	Normal	2.864E+02	2.263E+00	5.345E-01	2086	2099	2092	8	tasmax
Iceland	Normal	2.836E+02	2.081E+00	4.029E-01	2086	2099	2092	9	tasmax
Iceland	Normal	2.797E+02	1.978E+00	2.451E-01	2086	2099	2092	10	tasmax
Iceland	Normal	2.766E+02	2.146E+00	4.225E-01	2086	2099	2092	11	tasmax
Iceland	Normal	2.751E+02	2.562E+00	4.129E-01	2086	2099	2092	12	tasmax
India	Normal	2.958E+02	1.977E+00	4.510E-01	2006	2015	2010	1	tasmax
India	Normal	2.989E+02	1.912E+00	4.763E-01	2006	2015	2010	2	tasmax
India	Normal	3.040E+02	1.560E+00	2.132E-01	2006	2015	2010	3	tasmax
India	Normal	3.084E+02	1.348E+00	2.385E-01	2006	2015	2010	4	tasmax
India	Normal	3.105E+02	1.702E+00	4.440E-01	2006	2015	2010	5	tasmax
India	Normal	3.095E+02	2.476E+00	5.628E-01	2006	2015	2010	6	tasmax
India	Normal	3.061E+02	3.402E+00	9.918E-01	2006	2015	2010	7	tasmax
India	Normal	3.045E+02	2.805E+00	7.685E-01	2006	2015	2010	8	tasmax
India	Normal	3.047E+02	2.879E+00	5.645E-01	2006	2015	2010	9	tasmax
India	Normal	3.030E+02	2.407E+00	4.231E-01	2006	2015	2010	10	tasmax
India	Normal	2.993E+02	2.204E+00	3.937E-01	2006	2015	2010	11	tasmax
India	Normal	2.958E+02	2.025E+00	4.750E-01	2006	2015	2010	12	tasmax
India	Normal	2.960E+02	1.940E+00	4.155E-01	2016	2025	2020	1	tasmax
India	Normal	2.993E+02	1.856E+00	2.595E-01	2016	2025	2020	2	tasmax
India	Normal	3.043E+02	1.456E+00	1.816E-01	2016	2025	2020	3	tasmax
India	Normal	3.087E+02	1.362E+00	3.556E-01	2016	2025	2020	4	tasmax
India	Normal	3.109E+02	1.708E+00	4.383E-01	2016	2025	2020	5	tasmax
India	Normal	3.096E+02	2.674E+00	6.799E-01	2016	2025	2020	6	tasmax
India	Normal	3.063E+02	3.380E+00	1.051E+00	2016	2025	2020	7	tasmax
India	Normal	3.050E+02	3.071E+00	9.742E-01	2016	2025	2020	8	tasmax
India	Normal	3.050E+02	2.991E+00	7.421E-01	2016	2025	2020	9	tasmax
India	Normal	3.034E+02	2.512E+00	4.672E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
India	Normal	2.997E+02	2.208E+00	4.143E-01	2016	2025	2020	11	tasmax
India	Normal	2.962E+02	1.992E+00	3.829E-01	2016	2025	2020	12	tasmax
India	Normal	2.965E+02	1.898E+00	3.879E-01	2026	2035	2030	1	tasmax
India	Normal	2.997E+02	1.803E+00	3.356E-01	2026	2035	2030	2	tasmax
India	Normal	3.045E+02	1.674E+00	2.925E-01	2026	2035	2030	3	tasmax
India	Normal	3.089E+02	1.444E+00	2.347E-01	2026	2035	2030	4	tasmax
India	Normal	3.112E+02	1.703E+00	4.884E-01	2026	2035	2030	5	tasmax
India	Normal	3.100E+02	2.817E+00	6.780E-01	2026	2035	2030	6	tasmax
India	Normal	3.068E+02	3.468E+00	1.128E+00	2026	2035	2030	7	tasmax
India	Normal	3.053E+02	2.907E+00	8.893E-01	2026	2035	2030	8	tasmax
India	Normal	3.054E+02	2.802E+00	5.536E-01	2026	2035	2030	9	tasmax
India	Normal	3.038E+02	2.379E+00	4.829E-01	2026	2035	2030	10	tasmax
India	Normal	3.001E+02	2.262E+00	4.134E-01	2026	2035	2030	11	tasmax
India	Normal	2.967E+02	2.081E+00	3.528E-01	2026	2035	2030	12	tasmax
India	Normal	2.970E+02	1.950E+00	4.367E-01	2036	2045	2040	1	tasmax
India	Normal	3.002E+02	1.860E+00	3.592E-01	2036	2045	2040	2	tasmax
India	Normal	3.051E+02	1.578E+00	2.603E-01	2036	2045	2040	3	tasmax
India	Normal	3.095E+02	1.430E+00	1.861E-01	2036	2045	2040	4	tasmax
India	Normal	3.118E+02	1.640E+00	3.241E-01	2036	2045	2040	5	tasmax
India	Normal	3.106E+02	2.660E+00	7.112E-01	2036	2045	2040	6	tasmax
India	Normal	3.071E+02	3.508E+00	1.193E+00	2036	2045	2040	7	tasmax
India	Normal	3.056E+02	2.843E+00	9.279E-01	2036	2045	2040	8	tasmax
India	Normal	3.056E+02	2.800E+00	7.326E-01	2036	2045	2040	9	tasmax
India	Normal	3.041E+02	2.362E+00	4.582E-01	2036	2045	2040	10	tasmax
India	Normal	3.004E+02	2.127E+00	3.779E-01	2036	2045	2040	11	tasmax
India	Normal	2.971E+02	2.031E+00	4.371E-01	2036	2045	2040	12	tasmax
India	Normal	2.974E+02	2.084E+00	5.090E-01	2046	2055	2050	1	tasmax
India	Normal	3.007E+02	1.846E+00	4.674E-01	2046	2055	2050	2	tasmax
India	Normal	3.056E+02	1.531E+00	2.162E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
India	Normal	3.100E+02	1.346E+00	2.002E-01	2046	2055	2050	4	tasmax
India	Normal	3.123E+02	1.648E+00	3.893E-01	2046	2055	2050	5	tasmax
India	Normal	3.112E+02	2.620E+00	7.395E-01	2046	2055	2050	6	tasmax
India	Normal	3.076E+02	3.375E+00	1.048E+00	2046	2055	2050	7	tasmax
India	Normal	3.059E+02	2.877E+00	9.445E-01	2046	2055	2050	8	tasmax
India	Normal	3.059E+02	2.676E+00	6.843E-01	2046	2055	2050	9	tasmax
India	Normal	3.045E+02	2.329E+00	3.778E-01	2046	2055	2050	10	tasmax
India	Normal	3.010E+02	2.074E+00	4.071E-01	2046	2055	2050	11	tasmax
India	Normal	2.977E+02	2.064E+00	4.066E-01	2046	2055	2050	12	tasmax
India	Normal	2.982E+02	1.937E+00	4.740E-01	2056	2065	2060	1	tasmax
India	Normal	3.013E+02	1.967E+00	4.233E-01	2056	2065	2060	2	tasmax
India	Normal	3.062E+02	1.756E+00	2.765E-01	2056	2065	2060	3	tasmax
India	Normal	3.106E+02	1.506E+00	2.415E-01	2056	2065	2060	4	tasmax
India	Normal	3.129E+02	1.656E+00	2.763E-01	2056	2065	2060	5	tasmax
India	Normal	3.116E+02	2.537E+00	6.982E-01	2056	2065	2060	6	tasmax
India	Normal	3.079E+02	3.421E+00	1.123E+00	2056	2065	2060	7	tasmax
India	Normal	3.063E+02	2.956E+00	1.001E+00	2056	2065	2060	8	tasmax
India	Normal	3.064E+02	2.804E+00	7.097E-01	2056	2065	2060	9	tasmax
India	Normal	3.051E+02	2.363E+00	3.350E-01	2056	2065	2060	10	tasmax
India	Normal	3.016E+02	2.237E+00	3.884E-01	2056	2065	2060	11	tasmax
India	Normal	2.983E+02	2.028E+00	3.942E-01	2056	2065	2060	12	tasmax
India	Normal	2.987E+02	1.991E+00	5.506E-01	2066	2075	2070	1	tasmax
India	Normal	3.018E+02	1.935E+00	4.337E-01	2066	2075	2070	2	tasmax
India	Normal	3.067E+02	1.585E+00	3.222E-01	2066	2075	2070	3	tasmax
India	Normal	3.111E+02	1.547E+00	2.084E-01	2066	2075	2070	4	tasmax
India	Normal	3.134E+02	1.836E+00	3.291E-01	2066	2075	2070	5	tasmax
India	Normal	3.122E+02	2.644E+00	8.256E-01	2066	2075	2070	6	tasmax
India	Normal	3.085E+02	3.472E+00	1.190E+00	2066	2075	2070	7	tasmax
India	Normal	3.069E+02	2.881E+00	9.492E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
India	Normal	3.071E+02	2.773E+00	7.745E-01	2066	2075	2070	9	tasmax
India	Normal	3.058E+02	2.281E+00	4.557E-01	2066	2075	2070	10	tasmax
India	Normal	3.022E+02	2.198E+00	4.786E-01	2066	2075	2070	11	tasmax
India	Normal	2.990E+02	2.067E+00	4.124E-01	2066	2075	2070	12	tasmax
India	Normal	2.994E+02	1.880E+00	5.235E-01	2076	2085	2080	1	tasmax
India	Normal	3.024E+02	1.911E+00	4.690E-01	2076	2085	2080	2	tasmax
India	Normal	3.074E+02	1.685E+00	3.894E-01	2076	2085	2080	3	tasmax
India	Normal	3.119E+02	1.375E+00	3.650E-01	2076	2085	2080	4	tasmax
India	Normal	3.141E+02	1.670E+00	3.101E-01	2076	2085	2080	5	tasmax
India	Normal	3.128E+02	2.666E+00	6.732E-01	2076	2085	2080	6	tasmax
India	Normal	3.090E+02	3.659E+00	1.175E+00	2076	2085	2080	7	tasmax
India	Normal	3.074E+02	3.197E+00	1.142E+00	2076	2085	2080	8	tasmax
India	Normal	3.076E+02	2.956E+00	9.252E-01	2076	2085	2080	9	tasmax
India	Normal	3.063E+02	2.530E+00	5.397E-01	2076	2085	2080	10	tasmax
India	Normal	3.027E+02	2.163E+00	4.120E-01	2076	2085	2080	11	tasmax
India	Normal	2.995E+02	2.100E+00	5.574E-01	2076	2085	2080	12	tasmax
India	Normal	3.000E+02	1.922E+00	5.663E-01	2086	2099	2092	1	tasmax
India	Normal	3.031E+02	1.898E+00	4.911E-01	2086	2099	2092	2	tasmax
India	Normal	3.081E+02	1.549E+00	3.002E-01	2086	2099	2092	3	tasmax
India	Normal	3.125E+02	1.503E+00	3.496E-01	2086	2099	2092	4	tasmax
India	Normal	3.146E+02	1.910E+00	2.911E-01	2086	2099	2092	5	tasmax
India	Normal	3.133E+02	2.771E+00	8.705E-01	2086	2099	2092	6	tasmax
India	Normal	3.094E+02	3.613E+00	1.192E+00	2086	2099	2092	7	tasmax
India	Normal	3.079E+02	3.084E+00	1.087E+00	2086	2099	2092	8	tasmax
India	Normal	3.080E+02	2.839E+00	8.453E-01	2086	2099	2092	9	tasmax
India	Normal	3.068E+02	2.438E+00	4.548E-01	2086	2099	2092	10	tasmax
India	Normal	3.034E+02	2.086E+00	3.856E-01	2086	2099	2092	11	tasmax
India	Normal	3.002E+02	1.966E+00	5.273E-01	2086	2099	2092	12	tasmax
Indonesia	Normal	3.016E+02	1.152E+00	3.218E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Indonesia	Normal	3.017E+02	1.157E+00	3.443E-01	2006	2015	2010	2	tasmax
Indonesia	Normal	3.019E+02	1.180E+00	3.786E-01	2006	2015	2010	3	tasmax
Indonesia	Normal	3.020E+02	1.110E+00	3.404E-01	2006	2015	2010	4	tasmax
Indonesia	Normal	3.019E+02	1.017E+00	3.139E-01	2006	2015	2010	5	tasmax
Indonesia	Normal	3.017E+02	1.016E+00	3.009E-01	2006	2015	2010	6	tasmax
Indonesia	Normal	3.014E+02	9.957E-01	2.735E-01	2006	2015	2010	7	tasmax
Indonesia	Normal	3.016E+02	1.055E+00	2.539E-01	2006	2015	2010	8	tasmax
Indonesia	Normal	3.020E+02	1.153E+00	3.045E-01	2006	2015	2010	9	tasmax
Indonesia	Normal	3.022E+02	1.167E+00	3.054E-01	2006	2015	2010	10	tasmax
Indonesia	Normal	3.023E+02	1.201E+00	3.238E-01	2006	2015	2010	11	tasmax
Indonesia	Normal	3.019E+02	1.159E+00	3.523E-01	2006	2015	2010	12	tasmax
Indonesia	Normal	3.019E+02	1.187E+00	3.850E-01	2016	2025	2020	1	tasmax
Indonesia	Normal	3.020E+02	1.204E+00	3.675E-01	2016	2025	2020	2	tasmax
Indonesia	Normal	3.022E+02	1.191E+00	3.662E-01	2016	2025	2020	3	tasmax
Indonesia	Normal	3.023E+02	1.145E+00	3.531E-01	2016	2025	2020	4	tasmax
Indonesia	Normal	3.022E+02	1.085E+00	3.538E-01	2016	2025	2020	5	tasmax
Indonesia	Normal	3.019E+02	1.039E+00	2.734E-01	2016	2025	2020	6	tasmax
Indonesia	Normal	3.017E+02	1.053E+00	2.587E-01	2016	2025	2020	7	tasmax
Indonesia	Normal	3.019E+02	1.132E+00	2.964E-01	2016	2025	2020	8	tasmax
Indonesia	Normal	3.023E+02	1.198E+00	3.417E-01	2016	2025	2020	9	tasmax
Indonesia	Normal	3.025E+02	1.271E+00	3.367E-01	2016	2025	2020	10	tasmax
Indonesia	Normal	3.025E+02	1.306E+00	4.115E-01	2016	2025	2020	11	tasmax
Indonesia	Normal	3.021E+02	1.211E+00	4.173E-01	2016	2025	2020	12	tasmax
Indonesia	Normal	3.022E+02	1.158E+00	3.621E-01	2026	2035	2030	1	tasmax
Indonesia	Normal	3.023E+02	1.191E+00	3.779E-01	2026	2035	2030	2	tasmax
Indonesia	Normal	3.026E+02	1.178E+00	4.012E-01	2026	2035	2030	3	tasmax
Indonesia	Normal	3.026E+02	1.121E+00	3.784E-01	2026	2035	2030	4	tasmax
Indonesia	Normal	3.025E+02	1.052E+00	3.189E-01	2026	2035	2030	5	tasmax
Indonesia	Normal	3.022E+02	1.002E+00	2.814E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Indonesia	Normal	3.020E+02	9.741E-01	2.628E-01	2026	2035	2030	7	tasmax
Indonesia	Normal	3.022E+02	1.089E+00	3.212E-01	2026	2035	2030	8	tasmax
Indonesia	Normal	3.026E+02	1.188E+00	3.264E-01	2026	2035	2030	9	tasmax
Indonesia	Normal	3.028E+02	1.244E+00	3.548E-01	2026	2035	2030	10	tasmax
Indonesia	Normal	3.028E+02	1.288E+00	4.425E-01	2026	2035	2030	11	tasmax
Indonesia	Normal	3.024E+02	1.182E+00	4.206E-01	2026	2035	2030	12	tasmax
Indonesia	Normal	3.025E+02	1.184E+00	4.184E-01	2036	2045	2040	1	tasmax
Indonesia	Normal	3.027E+02	1.217E+00	4.066E-01	2036	2045	2040	2	tasmax
Indonesia	Normal	3.029E+02	1.236E+00	4.355E-01	2036	2045	2040	3	tasmax
Indonesia	Normal	3.029E+02	1.166E+00	3.799E-01	2036	2045	2040	4	tasmax
Indonesia	Normal	3.028E+02	1.130E+00	3.645E-01	2036	2045	2040	5	tasmax
Indonesia	Normal	3.026E+02	1.016E+00	2.994E-01	2036	2045	2040	6	tasmax
Indonesia	Normal	3.024E+02	1.037E+00	3.122E-01	2036	2045	2040	7	tasmax
Indonesia	Normal	3.026E+02	1.148E+00	3.553E-01	2036	2045	2040	8	tasmax
Indonesia	Normal	3.029E+02	1.218E+00	3.639E-01	2036	2045	2040	9	tasmax
Indonesia	Normal	3.031E+02	1.311E+00	3.565E-01	2036	2045	2040	10	tasmax
Indonesia	Normal	3.031E+02	1.376E+00	4.544E-01	2036	2045	2040	11	tasmax
Indonesia	Normal	3.028E+02	1.235E+00	4.412E-01	2036	2045	2040	12	tasmax
Indonesia	Normal	3.029E+02	1.290E+00	4.431E-01	2046	2055	2050	1	tasmax
Indonesia	Normal	3.030E+02	1.299E+00	4.501E-01	2046	2055	2050	2	tasmax
Indonesia	Normal	3.033E+02	1.293E+00	4.189E-01	2046	2055	2050	3	tasmax
Indonesia	Normal	3.033E+02	1.220E+00	4.090E-01	2046	2055	2050	4	tasmax
Indonesia	Normal	3.032E+02	1.136E+00	3.308E-01	2046	2055	2050	5	tasmax
Indonesia	Normal	3.030E+02	1.088E+00	3.173E-01	2046	2055	2050	6	tasmax
Indonesia	Normal	3.028E+02	1.175E+00	3.702E-01	2046	2055	2050	7	tasmax
Indonesia	Normal	3.030E+02	1.275E+00	3.831E-01	2046	2055	2050	8	tasmax
Indonesia	Normal	3.034E+02	1.384E+00	4.166E-01	2046	2055	2050	9	tasmax
Indonesia	Normal	3.037E+02	1.428E+00	4.162E-01	2046	2055	2050	10	tasmax
Indonesia	Normal	3.035E+02	1.461E+00	5.063E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Indonesia	Normal	3.032E+02	1.354E+00	4.956E-01	2046	2055	2050	12	tasmax
Indonesia	Normal	3.033E+02	1.349E+00	4.824E-01	2056	2065	2060	1	tasmax
Indonesia	Normal	3.035E+02	1.330E+00	4.363E-01	2056	2065	2060	2	tasmax
Indonesia	Normal	3.037E+02	1.315E+00	4.291E-01	2056	2065	2060	3	tasmax
Indonesia	Normal	3.038E+02	1.293E+00	4.174E-01	2056	2065	2060	4	tasmax
Indonesia	Normal	3.036E+02	1.214E+00	3.752E-01	2056	2065	2060	5	tasmax
Indonesia	Normal	3.034E+02	1.130E+00	3.392E-01	2056	2065	2060	6	tasmax
Indonesia	Normal	3.032E+02	1.179E+00	3.476E-01	2056	2065	2060	7	tasmax
Indonesia	Normal	3.035E+02	1.330E+00	4.487E-01	2056	2065	2060	8	tasmax
Indonesia	Normal	3.039E+02	1.571E+00	4.714E-01	2056	2065	2060	9	tasmax
Indonesia	Normal	3.040E+02	1.574E+00	4.818E-01	2056	2065	2060	10	tasmax
Indonesia	Normal	3.040E+02	1.617E+00	5.747E-01	2056	2065	2060	11	tasmax
Indonesia	Normal	3.036E+02	1.441E+00	5.130E-01	2056	2065	2060	12	tasmax
Indonesia	Normal	3.038E+02	1.368E+00	4.451E-01	2066	2075	2070	1	tasmax
Indonesia	Normal	3.040E+02	1.407E+00	4.216E-01	2066	2075	2070	2	tasmax
Indonesia	Normal	3.042E+02	1.416E+00	4.279E-01	2066	2075	2070	3	tasmax
Indonesia	Normal	3.042E+02	1.334E+00	4.604E-01	2066	2075	2070	4	tasmax
Indonesia	Normal	3.041E+02	1.250E+00	3.708E-01	2066	2075	2070	5	tasmax
Indonesia	Normal	3.039E+02	1.170E+00	3.242E-01	2066	2075	2070	6	tasmax
Indonesia	Normal	3.037E+02	1.258E+00	3.885E-01	2066	2075	2070	7	tasmax
Indonesia	Normal	3.039E+02	1.388E+00	4.588E-01	2066	2075	2070	8	tasmax
Indonesia	Normal	3.043E+02	1.476E+00	4.257E-01	2066	2075	2070	9	tasmax
Indonesia	Normal	3.045E+02	1.570E+00	4.505E-01	2066	2075	2070	10	tasmax
Indonesia	Normal	3.044E+02	1.610E+00	5.498E-01	2066	2075	2070	11	tasmax
Indonesia	Normal	3.040E+02	1.457E+00	5.043E-01	2066	2075	2070	12	tasmax
Indonesia	Normal	3.043E+02	1.405E+00	4.686E-01	2076	2085	2080	1	tasmax
Indonesia	Normal	3.044E+02	1.465E+00	4.186E-01	2076	2085	2080	2	tasmax
Indonesia	Normal	3.046E+02	1.464E+00	4.471E-01	2076	2085	2080	3	tasmax
Indonesia	Normal	3.047E+02	1.396E+00	4.260E-01	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Indonesia	Normal	3.046E+02	1.294E+00	3.648E-01	2076	2085	2080	5	tasmax
Indonesia	Normal	3.044E+02	1.226E+00	3.436E-01	2076	2085	2080	6	tasmax
Indonesia	Normal	3.042E+02	1.344E+00	3.597E-01	2076	2085	2080	7	tasmax
Indonesia	Normal	3.044E+02	1.480E+00	4.459E-01	2076	2085	2080	8	tasmax
Indonesia	Normal	3.049E+02	1.657E+00	4.944E-01	2076	2085	2080	9	tasmax
Indonesia	Normal	3.051E+02	1.699E+00	4.626E-01	2076	2085	2080	10	tasmax
Indonesia	Normal	3.050E+02	1.674E+00	5.501E-01	2076	2085	2080	11	tasmax
Indonesia	Normal	3.045E+02	1.528E+00	5.304E-01	2076	2085	2080	12	tasmax
Indonesia	Normal	3.047E+02	1.470E+00	4.657E-01	2086	2099	2092	1	tasmax
Indonesia	Normal	3.049E+02	1.524E+00	4.795E-01	2086	2099	2092	2	tasmax
Indonesia	Normal	3.051E+02	1.530E+00	4.576E-01	2086	2099	2092	3	tasmax
Indonesia	Normal	3.052E+02	1.458E+00	4.137E-01	2086	2099	2092	4	tasmax
Indonesia	Normal	3.050E+02	1.364E+00	3.854E-01	2086	2099	2092	5	tasmax
Indonesia	Normal	3.049E+02	1.329E+00	3.152E-01	2086	2099	2092	6	tasmax
Indonesia	Normal	3.047E+02	1.411E+00	3.791E-01	2086	2099	2092	7	tasmax
Indonesia	Normal	3.050E+02	1.588E+00	4.810E-01	2086	2099	2092	8	tasmax
Indonesia	Normal	3.054E+02	1.821E+00	5.497E-01	2086	2099	2092	9	tasmax
Indonesia	Normal	3.055E+02	1.828E+00	5.402E-01	2086	2099	2092	10	tasmax
Indonesia	Normal	3.054E+02	1.744E+00	5.606E-01	2086	2099	2092	11	tasmax
Indonesia	Normal	3.050E+02	1.578E+00	5.080E-01	2086	2099	2092	12	tasmax
Iran	Normal	2.833E+02	2.805E+00	6.265E-01	2006	2015	2010	1	tasmax
Iran	Normal	2.862E+02	3.019E+00	8.625E-01	2006	2015	2010	2	tasmax
Iran	Normal	2.913E+02	3.072E+00	8.980E-01	2006	2015	2010	3	tasmax
Iran	Normal	2.968E+02	2.761E+00	6.181E-01	2006	2015	2010	4	tasmax
Iran	Normal	3.026E+02	2.805E+00	5.041E-01	2006	2015	2010	5	tasmax
Iran	Normal	3.087E+02	2.771E+00	5.136E-01	2006	2015	2010	6	tasmax
Iran	Normal	3.111E+02	2.635E+00	5.513E-01	2006	2015	2010	7	tasmax
Iran	Normal	3.101E+02	2.629E+00	5.868E-01	2006	2015	2010	8	tasmax
Iran	Normal	3.056E+02	2.720E+00	6.754E-01	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iran	Normal	2.982E+02	2.732E+00	5.843E-01	2006	2015	2010	10	tasmax
Iran	Normal	2.902E+02	2.954E+00	7.828E-01	2006	2015	2010	11	tasmax
Iran	Normal	2.845E+02	2.691E+00	6.709E-01	2006	2015	2010	12	tasmax
Iran	Normal	2.836E+02	2.793E+00	6.019E-01	2016	2025	2020	1	tasmax
Iran	Normal	2.865E+02	2.935E+00	7.890E-01	2016	2025	2020	2	tasmax
Iran	Normal	2.916E+02	3.327E+00	8.753E-01	2016	2025	2020	3	tasmax
Iran	Normal	2.971E+02	2.946E+00	8.099E-01	2016	2025	2020	4	tasmax
Iran	Normal	3.027E+02	2.721E+00	4.758E-01	2016	2025	2020	5	tasmax
Iran	Normal	3.090E+02	2.766E+00	4.817E-01	2016	2025	2020	6	tasmax
Iran	Normal	3.116E+02	2.504E+00	5.427E-01	2016	2025	2020	7	tasmax
Iran	Normal	3.105E+02	2.578E+00	5.936E-01	2016	2025	2020	8	tasmax
Iran	Normal	3.062E+02	2.757E+00	7.761E-01	2016	2025	2020	9	tasmax
Iran	Normal	2.988E+02	2.899E+00	5.540E-01	2016	2025	2020	10	tasmax
Iran	Normal	2.902E+02	2.906E+00	6.563E-01	2016	2025	2020	11	tasmax
Iran	Normal	2.847E+02	2.822E+00	6.573E-01	2016	2025	2020	12	tasmax
Iran	Normal	2.842E+02	2.847E+00	5.668E-01	2026	2035	2030	1	tasmax
Iran	Normal	2.871E+02	3.011E+00	8.605E-01	2026	2035	2030	2	tasmax
Iran	Normal	2.920E+02	3.075E+00	1.049E+00	2026	2035	2030	3	tasmax
Iran	Normal	2.974E+02	2.987E+00	9.033E-01	2026	2035	2030	4	tasmax
Iran	Normal	3.033E+02	2.634E+00	5.010E-01	2026	2035	2030	5	tasmax
Iran	Normal	3.094E+02	2.643E+00	5.290E-01	2026	2035	2030	6	tasmax
Iran	Normal	3.122E+02	2.498E+00	6.360E-01	2026	2035	2030	7	tasmax
Iran	Normal	3.110E+02	2.587E+00	7.091E-01	2026	2035	2030	8	tasmax
Iran	Normal	3.068E+02	2.702E+00	7.205E-01	2026	2035	2030	9	tasmax
Iran	Normal	2.993E+02	2.892E+00	5.488E-01	2026	2035	2030	10	tasmax
Iran	Normal	2.909E+02	2.863E+00	6.334E-01	2026	2035	2030	11	tasmax
Iran	Normal	2.853E+02	2.819E+00	4.912E-01	2026	2035	2030	12	tasmax
Iran	Normal	2.844E+02	2.923E+00	4.952E-01	2036	2045	2040	1	tasmax
Iran	Normal	2.874E+02	2.936E+00	6.645E-01	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iran	Normal	2.927E+02	3.358E+00	9.212E-01	2036	2045	2040	3	tasmax
Iran	Normal	2.978E+02	3.379E+00	7.557E-01	2036	2045	2040	4	tasmax
Iran	Normal	3.040E+02	3.140E+00	5.865E-01	2036	2045	2040	5	tasmax
Iran	Normal	3.101E+02	2.802E+00	7.163E-01	2036	2045	2040	6	tasmax
Iran	Normal	3.128E+02	2.681E+00	7.096E-01	2036	2045	2040	7	tasmax
Iran	Normal	3.117E+02	2.523E+00	5.879E-01	2036	2045	2040	8	tasmax
Iran	Normal	3.073E+02	2.677E+00	6.234E-01	2036	2045	2040	9	tasmax
Iran	Normal	2.997E+02	2.799E+00	5.860E-01	2036	2045	2040	10	tasmax
Iran	Normal	2.912E+02	3.221E+00	6.908E-01	2036	2045	2040	11	tasmax
Iran	Normal	2.854E+02	3.000E+00	5.997E-01	2036	2045	2040	12	tasmax
Iran	Normal	2.852E+02	3.027E+00	6.625E-01	2046	2055	2050	1	tasmax
Iran	Normal	2.880E+02	3.126E+00	8.296E-01	2046	2055	2050	2	tasmax
Iran	Normal	2.932E+02	3.232E+00	1.039E+00	2046	2055	2050	3	tasmax
Iran	Normal	2.986E+02	3.221E+00	9.408E-01	2046	2055	2050	4	tasmax
Iran	Normal	3.046E+02	2.946E+00	6.151E-01	2046	2055	2050	5	tasmax
Iran	Normal	3.109E+02	2.892E+00	6.834E-01	2046	2055	2050	6	tasmax
Iran	Normal	3.136E+02	2.507E+00	6.544E-01	2046	2055	2050	7	tasmax
Iran	Normal	3.125E+02	2.595E+00	6.430E-01	2046	2055	2050	8	tasmax
Iran	Normal	3.082E+02	2.839E+00	6.727E-01	2046	2055	2050	9	tasmax
Iran	Normal	3.006E+02	2.877E+00	5.673E-01	2046	2055	2050	10	tasmax
Iran	Normal	2.919E+02	2.956E+00	6.921E-01	2046	2055	2050	11	tasmax
Iran	Normal	2.861E+02	2.936E+00	6.510E-01	2046	2055	2050	12	tasmax
Iran	Normal	2.857E+02	3.106E+00	6.330E-01	2056	2065	2060	1	tasmax
Iran	Normal	2.888E+02	3.074E+00	7.915E-01	2056	2065	2060	2	tasmax
Iran	Normal	2.938E+02	3.252E+00	8.807E-01	2056	2065	2060	3	tasmax
Iran	Normal	2.993E+02	3.243E+00	8.089E-01	2056	2065	2060	4	tasmax
Iran	Normal	3.053E+02	3.014E+00	6.093E-01	2056	2065	2060	5	tasmax
Iran	Normal	3.116E+02	2.938E+00	5.184E-01	2056	2065	2060	6	tasmax
Iran	Normal	3.143E+02	2.690E+00	5.444E-01	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iran	Normal	3.131E+02	2.705E+00	5.440E-01	2056	2065	2060	8	tasmax
Iran	Normal	3.088E+02	2.754E+00	5.387E-01	2056	2065	2060	9	tasmax
Iran	Normal	3.014E+02	2.898E+00	6.814E-01	2056	2065	2060	10	tasmax
Iran	Normal	2.927E+02	3.188E+00	6.744E-01	2056	2065	2060	11	tasmax
Iran	Normal	2.869E+02	2.912E+00	6.113E-01	2056	2065	2060	12	tasmax
Iran	Normal	2.864E+02	3.012E+00	4.838E-01	2066	2075	2070	1	tasmax
Iran	Normal	2.894E+02	3.249E+00	8.649E-01	2066	2075	2070	2	tasmax
Iran	Normal	2.945E+02	3.472E+00	1.148E+00	2066	2075	2070	3	tasmax
Iran	Normal	2.999E+02	3.197E+00	9.519E-01	2066	2075	2070	4	tasmax
Iran	Normal	3.063E+02	3.262E+00	6.808E-01	2066	2075	2070	5	tasmax
Iran	Normal	3.125E+02	2.890E+00	6.837E-01	2066	2075	2070	6	tasmax
Iran	Normal	3.152E+02	2.639E+00	5.853E-01	2066	2075	2070	7	tasmax
Iran	Normal	3.140E+02	2.591E+00	4.966E-01	2066	2075	2070	8	tasmax
Iran	Normal	3.096E+02	2.890E+00	6.230E-01	2066	2075	2070	9	tasmax
Iran	Normal	3.021E+02	2.898E+00	5.383E-01	2066	2075	2070	10	tasmax
Iran	Normal	2.934E+02	3.243E+00	7.359E-01	2066	2075	2070	11	tasmax
Iran	Normal	2.877E+02	2.906E+00	6.285E-01	2066	2075	2070	12	tasmax
Iran	Normal	2.870E+02	2.986E+00	5.378E-01	2076	2085	2080	1	tasmax
Iran	Normal	2.900E+02	3.307E+00	8.431E-01	2076	2085	2080	2	tasmax
Iran	Normal	2.953E+02	3.503E+00	8.776E-01	2076	2085	2080	3	tasmax
Iran	Normal	3.008E+02	3.364E+00	8.967E-01	2076	2085	2080	4	tasmax
Iran	Normal	3.071E+02	3.231E+00	5.613E-01	2076	2085	2080	5	tasmax
Iran	Normal	3.132E+02	2.981E+00	6.005E-01	2076	2085	2080	6	tasmax
Iran	Normal	3.160E+02	2.592E+00	5.126E-01	2076	2085	2080	7	tasmax
Iran	Normal	3.147E+02	2.614E+00	4.389E-01	2076	2085	2080	8	tasmax
Iran	Normal	3.104E+02	2.944E+00	5.822E-01	2076	2085	2080	9	tasmax
Iran	Normal	3.028E+02	3.051E+00	5.514E-01	2076	2085	2080	10	tasmax
Iran	Normal	2.943E+02	3.124E+00	5.694E-01	2076	2085	2080	11	tasmax
Iran	Normal	2.884E+02	3.174E+00	5.369E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iran	Normal	2.876E+02	3.159E+00	5.168E-01	2086	2099	2092	1	tasmax
Iran	Normal	2.905E+02	3.128E+00	7.059E-01	2086	2099	2092	2	tasmax
Iran	Normal	2.959E+02	3.760E+00	1.049E+00	2086	2099	2092	3	tasmax
Iran	Normal	3.014E+02	3.510E+00	1.070E+00	2086	2099	2092	4	tasmax
Iran	Normal	3.075E+02	3.467E+00	7.726E-01	2086	2099	2092	5	tasmax
Iran	Normal	3.138E+02	2.982E+00	6.847E-01	2086	2099	2092	6	tasmax
Iran	Normal	3.166E+02	2.916E+00	4.555E-01	2086	2099	2092	7	tasmax
Iran	Normal	3.156E+02	2.880E+00	5.897E-01	2086	2099	2092	8	tasmax
Iran	Normal	3.111E+02	3.014E+00	6.055E-01	2086	2099	2092	9	tasmax
Iran	Normal	3.035E+02	2.995E+00	5.838E-01	2086	2099	2092	10	tasmax
Iran	Normal	2.949E+02	3.290E+00	5.673E-01	2086	2099	2092	11	tasmax
Iran	Normal	2.890E+02	3.398E+00	7.214E-01	2086	2099	2092	12	tasmax
Iraq	Normal	2.864E+02	3.186E+00	5.380E-01	2006	2015	2010	1	tasmax
Iraq	Normal	2.898E+02	3.472E+00	5.809E-01	2006	2015	2010	2	tasmax
Iraq	Normal	2.951E+02	3.331E+00	6.458E-01	2006	2015	2010	3	tasmax
Iraq	Normal	3.005E+02	2.968E+00	7.062E-01	2006	2015	2010	4	tasmax
Iraq	Normal	3.063E+02	3.150E+00	7.326E-01	2006	2015	2010	5	tasmax
Iraq	Normal	3.129E+02	2.708E+00	4.932E-01	2006	2015	2010	6	tasmax
Iraq	Normal	3.163E+02	2.579E+00	5.420E-01	2006	2015	2010	7	tasmax
Iraq	Normal	3.157E+02	2.642E+00	4.629E-01	2006	2015	2010	8	tasmax
Iraq	Normal	3.110E+02	2.668E+00	3.906E-01	2006	2015	2010	9	tasmax
Iraq	Normal	3.027E+02	3.018E+00	5.341E-01	2006	2015	2010	10	tasmax
Iraq	Normal	2.937E+02	3.151E+00	7.534E-01	2006	2015	2010	11	tasmax
Iraq	Normal	2.876E+02	3.078E+00	5.030E-01	2006	2015	2010	12	tasmax
Iraq	Normal	2.869E+02	3.188E+00	5.344E-01	2016	2025	2020	1	tasmax
Iraq	Normal	2.900E+02	3.357E+00	5.843E-01	2016	2025	2020	2	tasmax
Iraq	Normal	2.953E+02	3.534E+00	8.350E-01	2016	2025	2020	3	tasmax
Iraq	Normal	3.009E+02	3.392E+00	8.103E-01	2016	2025	2020	4	tasmax
Iraq	Normal	3.066E+02	2.933E+00	5.669E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iraq	Normal	3.131E+02	2.627E+00	4.998E-01	2016	2025	2020	6	tasmax
Iraq	Normal	3.168E+02	2.399E+00	5.292E-01	2016	2025	2020	7	tasmax
Iraq	Normal	3.161E+02	2.665E+00	4.473E-01	2016	2025	2020	8	tasmax
Iraq	Normal	3.114E+02	2.590E+00	3.942E-01	2016	2025	2020	9	tasmax
Iraq	Normal	3.031E+02	3.267E+00	4.701E-01	2016	2025	2020	10	tasmax
Iraq	Normal	2.939E+02	3.412E+00	5.105E-01	2016	2025	2020	11	tasmax
Iraq	Normal	2.879E+02	3.182E+00	4.740E-01	2016	2025	2020	12	tasmax
Iraq	Normal	2.872E+02	3.279E+00	4.844E-01	2026	2035	2030	1	tasmax
Iraq	Normal	2.906E+02	3.303E+00	6.329E-01	2026	2035	2030	2	tasmax
Iraq	Normal	2.959E+02	3.381E+00	8.534E-01	2026	2035	2030	3	tasmax
Iraq	Normal	3.013E+02	3.052E+00	7.147E-01	2026	2035	2030	4	tasmax
Iraq	Normal	3.071E+02	2.960E+00	6.541E-01	2026	2035	2030	5	tasmax
Iraq	Normal	3.139E+02	2.693E+00	4.139E-01	2026	2035	2030	6	tasmax
Iraq	Normal	3.174E+02	2.547E+00	7.061E-01	2026	2035	2030	7	tasmax
Iraq	Normal	3.168E+02	2.719E+00	5.190E-01	2026	2035	2030	8	tasmax
Iraq	Normal	3.122E+02	2.584E+00	3.825E-01	2026	2035	2030	9	tasmax
Iraq	Normal	3.037E+02	3.126E+00	4.813E-01	2026	2035	2030	10	tasmax
Iraq	Normal	2.946E+02	3.265E+00	4.967E-01	2026	2035	2030	11	tasmax
Iraq	Normal	2.884E+02	3.072E+00	4.563E-01	2026	2035	2030	12	tasmax
Iraq	Normal	2.877E+02	3.221E+00	3.771E-01	2036	2045	2040	1	tasmax
Iraq	Normal	2.909E+02	3.209E+00	5.364E-01	2036	2045	2040	2	tasmax
Iraq	Normal	2.964E+02	3.482E+00	8.201E-01	2036	2045	2040	3	tasmax
Iraq	Normal	3.018E+02	3.503E+00	7.673E-01	2036	2045	2040	4	tasmax
Iraq	Normal	3.079E+02	3.126E+00	6.991E-01	2036	2045	2040	5	tasmax
Iraq	Normal	3.147E+02	2.791E+00	5.042E-01	2036	2045	2040	6	tasmax
Iraq	Normal	3.179E+02	2.665E+00	6.433E-01	2036	2045	2040	7	tasmax
Iraq	Normal	3.174E+02	2.748E+00	6.266E-01	2036	2045	2040	8	tasmax
Iraq	Normal	3.128E+02	2.700E+00	3.825E-01	2036	2045	2040	9	tasmax
Iraq	Normal	3.042E+02	3.137E+00	4.616E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iraq	Normal	2.950E+02	3.543E+00	6.537E-01	2036	2045	2040	11	tasmax
Iraq	Normal	2.887E+02	3.262E+00	5.364E-01	2036	2045	2040	12	tasmax
Iraq	Normal	2.883E+02	3.329E+00	5.488E-01	2046	2055	2050	1	tasmax
Iraq	Normal	2.916E+02	3.346E+00	6.063E-01	2046	2055	2050	2	tasmax
Iraq	Normal	2.971E+02	3.313E+00	8.147E-01	2046	2055	2050	3	tasmax
Iraq	Normal	3.024E+02	3.283E+00	9.686E-01	2046	2055	2050	4	tasmax
Iraq	Normal	3.085E+02	3.214E+00	7.872E-01	2046	2055	2050	5	tasmax
Iraq	Normal	3.152E+02	2.907E+00	5.935E-01	2046	2055	2050	6	tasmax
Iraq	Normal	3.188E+02	2.575E+00	6.327E-01	2046	2055	2050	7	tasmax
Iraq	Normal	3.184E+02	2.752E+00	6.722E-01	2046	2055	2050	8	tasmax
Iraq	Normal	3.136E+02	2.710E+00	4.826E-01	2046	2055	2050	9	tasmax
Iraq	Normal	3.052E+02	3.147E+00	5.227E-01	2046	2055	2050	10	tasmax
Iraq	Normal	2.955E+02	3.291E+00	5.598E-01	2046	2055	2050	11	tasmax
Iraq	Normal	2.893E+02	3.227E+00	4.977E-01	2046	2055	2050	12	tasmax
Iraq	Normal	2.888E+02	3.197E+00	5.413E-01	2056	2065	2060	1	tasmax
Iraq	Normal	2.922E+02	3.299E+00	7.387E-01	2056	2065	2060	2	tasmax
Iraq	Normal	2.975E+02	3.507E+00	9.279E-01	2056	2065	2060	3	tasmax
Iraq	Normal	3.031E+02	3.324E+00	8.929E-01	2056	2065	2060	4	tasmax
Iraq	Normal	3.091E+02	3.138E+00	7.275E-01	2056	2065	2060	5	tasmax
Iraq	Normal	3.160E+02	2.767E+00	6.032E-01	2056	2065	2060	6	tasmax
Iraq	Normal	3.197E+02	2.641E+00	5.255E-01	2056	2065	2060	7	tasmax
Iraq	Normal	3.190E+02	2.840E+00	5.796E-01	2056	2065	2060	8	tasmax
Iraq	Normal	3.144E+02	2.836E+00	5.263E-01	2056	2065	2060	9	tasmax
Iraq	Normal	3.060E+02	3.196E+00	4.656E-01	2056	2065	2060	10	tasmax
Iraq	Normal	2.964E+02	3.473E+00	4.386E-01	2056	2065	2060	11	tasmax
Iraq	Normal	2.900E+02	3.109E+00	4.994E-01	2056	2065	2060	12	tasmax
Iraq	Normal	2.895E+02	3.085E+00	5.319E-01	2066	2075	2070	1	tasmax
Iraq	Normal	2.929E+02	3.359E+00	5.111E-01	2066	2075	2070	2	tasmax
Iraq	Normal	2.982E+02	3.774E+00	1.031E+00	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iraq	Normal	3.038E+02	3.510E+00	9.106E-01	2066	2075	2070	4	tasmax
Iraq	Normal	3.102E+02	3.528E+00	8.423E-01	2066	2075	2070	5	tasmax
Iraq	Normal	3.169E+02	2.931E+00	5.224E-01	2066	2075	2070	6	tasmax
Iraq	Normal	3.203E+02	2.514E+00	5.683E-01	2066	2075	2070	7	tasmax
Iraq	Normal	3.200E+02	2.771E+00	5.125E-01	2066	2075	2070	8	tasmax
Iraq	Normal	3.154E+02	2.780E+00	5.793E-01	2066	2075	2070	9	tasmax
Iraq	Normal	3.067E+02	3.476E+00	6.793E-01	2066	2075	2070	10	tasmax
Iraq	Normal	2.971E+02	3.625E+00	6.391E-01	2066	2075	2070	11	tasmax
Iraq	Normal	2.909E+02	3.092E+00	5.027E-01	2066	2075	2070	12	tasmax
Iraq	Normal	2.901E+02	3.124E+00	7.042E-01	2076	2085	2080	1	tasmax
Iraq	Normal	2.935E+02	3.526E+00	8.583E-01	2076	2085	2080	2	tasmax
Iraq	Normal	2.989E+02	3.953E+00	1.045E+00	2076	2085	2080	3	tasmax
Iraq	Normal	3.047E+02	3.589E+00	1.010E+00	2076	2085	2080	4	tasmax
Iraq	Normal	3.108E+02	3.453E+00	7.102E-01	2076	2085	2080	5	tasmax
Iraq	Normal	3.177E+02	3.101E+00	5.280E-01	2076	2085	2080	6	tasmax
Iraq	Normal	3.212E+02	2.776E+00	5.793E-01	2076	2085	2080	7	tasmax
Iraq	Normal	3.207E+02	2.849E+00	4.088E-01	2076	2085	2080	8	tasmax
Iraq	Normal	3.159E+02	2.911E+00	5.427E-01	2076	2085	2080	9	tasmax
Iraq	Normal	3.075E+02	3.435E+00	5.769E-01	2076	2085	2080	10	tasmax
Iraq	Normal	2.980E+02	3.689E+00	6.143E-01	2076	2085	2080	11	tasmax
Iraq	Normal	2.914E+02	3.214E+00	4.859E-01	2076	2085	2080	12	tasmax
Iraq	Normal	2.904E+02	3.284E+00	6.629E-01	2086	2099	2092	1	tasmax
Iraq	Normal	2.940E+02	3.580E+00	6.594E-01	2086	2099	2092	2	tasmax
Iraq	Normal	2.996E+02	4.275E+00	1.246E+00	2086	2099	2092	3	tasmax
Iraq	Normal	3.052E+02	3.827E+00	1.102E+00	2086	2099	2092	4	tasmax
Iraq	Normal	3.113E+02	3.671E+00	8.385E-01	2086	2099	2092	5	tasmax
Iraq	Normal	3.183E+02	3.021E+00	5.666E-01	2086	2099	2092	6	tasmax
Iraq	Normal	3.218E+02	2.875E+00	6.197E-01	2086	2099	2092	7	tasmax
Iraq	Normal	3.216E+02	2.941E+00	5.883E-01	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Iraq	Normal	3.169E+02	2.994E+00	4.976E-01	2086	2099	2092	9	tasmax
Iraq	Normal	3.081E+02	3.583E+00	7.889E-01	2086	2099	2092	10	tasmax
Iraq	Normal	2.986E+02	3.736E+00	6.613E-01	2086	2099	2092	11	tasmax
Iraq	Normal	2.920E+02	3.492E+00	6.157E-01	2086	2099	2092	12	tasmax
Ireland	Normal	2.815E+02	1.392E+00	4.105E-01	2006	2015	2010	1	tasmax
Ireland	Normal	2.814E+02	1.472E+00	5.243E-01	2006	2015	2010	2	tasmax
Ireland	Normal	2.823E+02	1.414E+00	3.709E-01	2006	2015	2010	3	tasmax
Ireland	Normal	2.841E+02	1.737E+00	4.085E-01	2006	2015	2010	4	tasmax
Ireland	Normal	2.869E+02	1.813E+00	3.101E-01	2006	2015	2010	5	tasmax
Ireland	Normal	2.899E+02	2.476E+00	7.365E-01	2006	2015	2010	6	tasmax
Ireland	Normal	2.915E+02	2.508E+00	7.881E-01	2006	2015	2010	7	tasmax
Ireland	Normal	2.912E+02	1.772E+00	3.384E-01	2006	2015	2010	8	tasmax
Ireland	Normal	2.892E+02	1.514E+00	3.555E-01	2006	2015	2010	9	tasmax
Ireland	Normal	2.862E+02	1.306E+00	2.746E-01	2006	2015	2010	10	tasmax
Ireland	Normal	2.835E+02	1.150E+00	3.474E-01	2006	2015	2010	11	tasmax
Ireland	Normal	2.821E+02	1.290E+00	4.466E-01	2006	2015	2010	12	tasmax
Ireland	Normal	2.816E+02	1.360E+00	4.244E-01	2016	2025	2020	1	tasmax
Ireland	Normal	2.817E+02	1.252E+00	2.912E-01	2016	2025	2020	2	tasmax
Ireland	Normal	2.826E+02	1.467E+00	4.283E-01	2016	2025	2020	3	tasmax
Ireland	Normal	2.845E+02	1.606E+00	3.092E-01	2016	2025	2020	4	tasmax
Ireland	Normal	2.872E+02	1.934E+00	3.128E-01	2016	2025	2020	5	tasmax
Ireland	Normal	2.902E+02	2.076E+00	3.547E-01	2016	2025	2020	6	tasmax
Ireland	Normal	2.919E+02	2.325E+00	8.168E-01	2016	2025	2020	7	tasmax
Ireland	Normal	2.916E+02	1.712E+00	4.924E-01	2016	2025	2020	8	tasmax
Ireland	Normal	2.897E+02	1.528E+00	3.549E-01	2016	2025	2020	9	tasmax
Ireland	Normal	2.866E+02	1.407E+00	3.658E-01	2016	2025	2020	10	tasmax
Ireland	Normal	2.838E+02	1.288E+00	3.787E-01	2016	2025	2020	11	tasmax
Ireland	Normal	2.821E+02	1.421E+00	3.339E-01	2016	2025	2020	12	tasmax
Ireland	Normal	2.818E+02	1.337E+00	2.165E-01	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ireland	Normal	2.817E+02	1.375E+00	3.949E-01	2026	2035	2030	2	tasmax
Ireland	Normal	2.826E+02	1.358E+00	3.690E-01	2026	2035	2030	3	tasmax
Ireland	Normal	2.844E+02	1.568E+00	4.659E-01	2026	2035	2030	4	tasmax
Ireland	Normal	2.874E+02	1.995E+00	4.067E-01	2026	2035	2030	5	tasmax
Ireland	Normal	2.903E+02	2.408E+00	4.035E-01	2026	2035	2030	6	tasmax
Ireland	Normal	2.920E+02	2.354E+00	5.360E-01	2026	2035	2030	7	tasmax
Ireland	Normal	2.918E+02	1.968E+00	4.967E-01	2026	2035	2030	8	tasmax
Ireland	Normal	2.900E+02	1.739E+00	3.809E-01	2026	2035	2030	9	tasmax
Ireland	Normal	2.869E+02	1.440E+00	4.478E-01	2026	2035	2030	10	tasmax
Ireland	Normal	2.840E+02	1.328E+00	3.617E-01	2026	2035	2030	11	tasmax
Ireland	Normal	2.824E+02	1.427E+00	3.727E-01	2026	2035	2030	12	tasmax
Ireland	Normal	2.821E+02	1.376E+00	3.582E-01	2036	2045	2040	1	tasmax
Ireland	Normal	2.822E+02	1.399E+00	4.054E-01	2036	2045	2040	2	tasmax
Ireland	Normal	2.830E+02	1.439E+00	4.482E-01	2036	2045	2040	3	tasmax
Ireland	Normal	2.848E+02	1.676E+00	3.917E-01	2036	2045	2040	4	tasmax
Ireland	Normal	2.878E+02	2.089E+00	3.665E-01	2036	2045	2040	5	tasmax
Ireland	Normal	2.906E+02	2.262E+00	3.613E-01	2036	2045	2040	6	tasmax
Ireland	Normal	2.924E+02	2.513E+00	6.077E-01	2036	2045	2040	7	tasmax
Ireland	Normal	2.922E+02	2.053E+00	5.850E-01	2036	2045	2040	8	tasmax
Ireland	Normal	2.902E+02	1.698E+00	3.264E-01	2036	2045	2040	9	tasmax
Ireland	Normal	2.871E+02	1.356E+00	4.087E-01	2036	2045	2040	10	tasmax
Ireland	Normal	2.843E+02	1.364E+00	3.940E-01	2036	2045	2040	11	tasmax
Ireland	Normal	2.828E+02	1.293E+00	3.312E-01	2036	2045	2040	12	tasmax
Ireland	Normal	2.823E+02	1.491E+00	3.999E-01	2046	2055	2050	1	tasmax
Ireland	Normal	2.823E+02	1.340E+00	2.907E-01	2046	2055	2050	2	tasmax
Ireland	Normal	2.831E+02	1.419E+00	4.285E-01	2046	2055	2050	3	tasmax
Ireland	Normal	2.849E+02	1.434E+00	3.567E-01	2046	2055	2050	4	tasmax
Ireland	Normal	2.880E+02	1.888E+00	3.824E-01	2046	2055	2050	5	tasmax
Ireland	Normal	2.913E+02	2.592E+00	7.008E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ireland	Normal	2.929E+02	2.211E+00	5.710E-01	2046	2055	2050	7	tasmax
Ireland	Normal	2.927E+02	1.826E+00	4.459E-01	2046	2055	2050	8	tasmax
Ireland	Normal	2.908E+02	1.766E+00	4.075E-01	2046	2055	2050	9	tasmax
Ireland	Normal	2.876E+02	1.444E+00	4.262E-01	2046	2055	2050	10	tasmax
Ireland	Normal	2.847E+02	1.253E+00	3.728E-01	2046	2055	2050	11	tasmax
Ireland	Normal	2.830E+02	1.395E+00	3.057E-01	2046	2055	2050	12	tasmax
Ireland	Normal	2.826E+02	1.374E+00	3.625E-01	2056	2065	2060	1	tasmax
Ireland	Normal	2.825E+02	1.356E+00	4.285E-01	2056	2065	2060	2	tasmax
Ireland	Normal	2.835E+02	1.399E+00	4.018E-01	2056	2065	2060	3	tasmax
Ireland	Normal	2.854E+02	1.579E+00	4.193E-01	2056	2065	2060	4	tasmax
Ireland	Normal	2.881E+02	1.886E+00	4.918E-01	2056	2065	2060	5	tasmax
Ireland	Normal	2.918E+02	2.733E+00	5.959E-01	2056	2065	2060	6	tasmax
Ireland	Normal	2.935E+02	2.472E+00	6.799E-01	2056	2065	2060	7	tasmax
Ireland	Normal	2.932E+02	1.911E+00	3.159E-01	2056	2065	2060	8	tasmax
Ireland	Normal	2.912E+02	1.881E+00	3.601E-01	2056	2065	2060	9	tasmax
Ireland	Normal	2.879E+02	1.498E+00	4.477E-01	2056	2065	2060	10	tasmax
Ireland	Normal	2.849E+02	1.349E+00	3.987E-01	2056	2065	2060	11	tasmax
Ireland	Normal	2.832E+02	1.435E+00	3.749E-01	2056	2065	2060	12	tasmax
Ireland	Normal	2.831E+02	1.466E+00	4.598E-01	2066	2075	2070	1	tasmax
Ireland	Normal	2.829E+02	1.533E+00	4.896E-01	2066	2075	2070	2	tasmax
Ireland	Normal	2.838E+02	1.455E+00	3.839E-01	2066	2075	2070	3	tasmax
Ireland	Normal	2.859E+02	1.718E+00	4.658E-01	2066	2075	2070	4	tasmax
Ireland	Normal	2.887E+02	2.008E+00	4.145E-01	2066	2075	2070	5	tasmax
Ireland	Normal	2.919E+02	2.076E+00	3.319E-01	2066	2075	2070	6	tasmax
Ireland	Normal	2.939E+02	2.764E+00	7.854E-01	2066	2075	2070	7	tasmax
Ireland	Normal	2.937E+02	2.181E+00	4.523E-01	2066	2075	2070	8	tasmax
Ireland	Normal	2.917E+02	1.835E+00	2.706E-01	2066	2075	2070	9	tasmax
Ireland	Normal	2.884E+02	1.616E+00	4.199E-01	2066	2075	2070	10	tasmax
Ireland	Normal	2.854E+02	1.333E+00	4.902E-01	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ireland	Normal	2.837E+02	1.298E+00	3.952E-01	2066	2075	2070	12	tasmax
Ireland	Normal	2.833E+02	1.335E+00	3.111E-01	2076	2085	2080	1	tasmax
Ireland	Normal	2.833E+02	1.172E+00	2.992E-01	2076	2085	2080	2	tasmax
Ireland	Normal	2.841E+02	1.340E+00	3.780E-01	2076	2085	2080	3	tasmax
Ireland	Normal	2.860E+02	1.679E+00	4.285E-01	2076	2085	2080	4	tasmax
Ireland	Normal	2.893E+02	2.063E+00	4.628E-01	2076	2085	2080	5	tasmax
Ireland	Normal	2.924E+02	2.481E+00	3.936E-01	2076	2085	2080	6	tasmax
Ireland	Normal	2.943E+02	2.647E+00	5.916E-01	2076	2085	2080	7	tasmax
Ireland	Normal	2.942E+02	2.169E+00	3.936E-01	2076	2085	2080	8	tasmax
Ireland	Normal	2.922E+02	2.042E+00	3.017E-01	2076	2085	2080	9	tasmax
Ireland	Normal	2.889E+02	1.580E+00	3.898E-01	2076	2085	2080	10	tasmax
Ireland	Normal	2.859E+02	1.281E+00	3.752E-01	2076	2085	2080	11	tasmax
Ireland	Normal	2.842E+02	1.240E+00	3.293E-01	2076	2085	2080	12	tasmax
Ireland	Normal	2.837E+02	1.333E+00	2.443E-01	2086	2099	2092	1	tasmax
Ireland	Normal	2.835E+02	1.360E+00	3.700E-01	2086	2099	2092	2	tasmax
Ireland	Normal	2.843E+02	1.407E+00	3.879E-01	2086	2099	2092	3	tasmax
Ireland	Normal	2.863E+02	1.493E+00	3.500E-01	2086	2099	2092	4	tasmax
Ireland	Normal	2.893E+02	2.035E+00	5.751E-01	2086	2099	2092	5	tasmax
Ireland	Normal	2.929E+02	2.435E+00	4.128E-01	2086	2099	2092	6	tasmax
Ireland	Normal	2.949E+02	2.574E+00	6.965E-01	2086	2099	2092	7	tasmax
Ireland	Normal	2.951E+02	2.352E+00	5.082E-01	2086	2099	2092	8	tasmax
Ireland	Normal	2.929E+02	1.984E+00	3.540E-01	2086	2099	2092	9	tasmax
Ireland	Normal	2.894E+02	1.568E+00	3.258E-01	2086	2099	2092	10	tasmax
Ireland	Normal	2.862E+02	1.403E+00	3.813E-01	2086	2099	2092	11	tasmax
Ireland	Normal	2.845E+02	1.343E+00	3.445E-01	2086	2099	2092	12	tasmax
Israel	Normal	2.887E+02	2.231E+00	3.897E-01	2006	2015	2010	1	tasmax
Israel	Normal	2.905E+02	2.540E+00	6.546E-01	2006	2015	2010	2	tasmax
Israel	Normal	2.936E+02	2.625E+00	4.829E-01	2006	2015	2010	3	tasmax
Israel	Normal	2.974E+02	3.033E+00	8.839E-01	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Israel	Normal	3.013E+02	3.323E+00	7.706E-01	2006	2015	2010	5	tasmax
Israel	Normal	3.051E+02	3.284E+00	4.822E-01	2006	2015	2010	6	tasmax
Israel	Normal	3.075E+02	3.336E+00	8.290E-01	2006	2015	2010	7	tasmax
Israel	Normal	3.075E+02	3.193E+00	9.334E-01	2006	2015	2010	8	tasmax
Israel	Normal	3.048E+02	2.442E+00	7.010E-01	2006	2015	2010	9	tasmax
Israel	Normal	3.002E+02	2.241E+00	3.421E-01	2006	2015	2010	10	tasmax
Israel	Normal	2.944E+02	2.005E+00	4.256E-01	2006	2015	2010	11	tasmax
Israel	Normal	2.900E+02	2.048E+00	4.222E-01	2006	2015	2010	12	tasmax
Israel	Normal	2.892E+02	2.151E+00	4.255E-01	2016	2025	2020	1	tasmax
Israel	Normal	2.907E+02	2.383E+00	5.016E-01	2016	2025	2020	2	tasmax
Israel	Normal	2.937E+02	2.872E+00	6.101E-01	2016	2025	2020	3	tasmax
Israel	Normal	2.978E+02	3.256E+00	8.310E-01	2016	2025	2020	4	tasmax
Israel	Normal	3.017E+02	3.325E+00	7.787E-01	2016	2025	2020	5	tasmax
Israel	Normal	3.058E+02	3.306E+00	5.121E-01	2016	2025	2020	6	tasmax
Israel	Normal	3.078E+02	3.336E+00	8.882E-01	2016	2025	2020	7	tasmax
Israel	Normal	3.079E+02	3.339E+00	8.445E-01	2016	2025	2020	8	tasmax
Israel	Normal	3.051E+02	2.632E+00	7.326E-01	2016	2025	2020	9	tasmax
Israel	Normal	3.006E+02	2.271E+00	4.336E-01	2016	2025	2020	10	tasmax
Israel	Normal	2.946E+02	2.260E+00	4.677E-01	2016	2025	2020	11	tasmax
Israel	Normal	2.904E+02	2.041E+00	6.114E-01	2016	2025	2020	12	tasmax
Israel	Normal	2.894E+02	2.273E+00	4.804E-01	2026	2035	2030	1	tasmax
Israel	Normal	2.911E+02	2.437E+00	5.890E-01	2026	2035	2030	2	tasmax
Israel	Normal	2.943E+02	3.011E+00	8.797E-01	2026	2035	2030	3	tasmax
Israel	Normal	2.982E+02	3.202E+00	1.124E+00	2026	2035	2030	4	tasmax
Israel	Normal	3.021E+02	3.522E+00	1.036E+00	2026	2035	2030	5	tasmax
Israel	Normal	3.062E+02	3.308E+00	4.653E-01	2026	2035	2030	6	tasmax
Israel	Normal	3.086E+02	3.294E+00	7.796E-01	2026	2035	2030	7	tasmax
Israel	Normal	3.086E+02	3.302E+00	8.777E-01	2026	2035	2030	8	tasmax
Israel	Normal	3.057E+02	2.568E+00	7.633E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Israel	Normal	3.008E+02	2.007E+00	3.365E-01	2026	2035	2030	10	tasmax
Israel	Normal	2.952E+02	2.250E+00	4.617E-01	2026	2035	2030	11	tasmax
Israel	Normal	2.908E+02	2.113E+00	5.755E-01	2026	2035	2030	12	tasmax
Israel	Normal	2.898E+02	2.102E+00	4.581E-01	2036	2045	2040	1	tasmax
Israel	Normal	2.914E+02	2.394E+00	4.687E-01	2036	2045	2040	2	tasmax
Israel	Normal	2.948E+02	3.037E+00	8.356E-01	2036	2045	2040	3	tasmax
Israel	Normal	2.986E+02	3.393E+00	9.216E-01	2036	2045	2040	4	tasmax
Israel	Normal	3.028E+02	3.321E+00	8.331E-01	2036	2045	2040	5	tasmax
Israel	Normal	3.067E+02	3.249E+00	4.059E-01	2036	2045	2040	6	tasmax
Israel	Normal	3.091E+02	3.217E+00	8.855E-01	2036	2045	2040	7	tasmax
Israel	Normal	3.090E+02	3.195E+00	7.405E-01	2036	2045	2040	8	tasmax
Israel	Normal	3.062E+02	2.621E+00	7.203E-01	2036	2045	2040	9	tasmax
Israel	Normal	3.015E+02	2.400E+00	3.831E-01	2036	2045	2040	10	tasmax
Israel	Normal	2.957E+02	2.282E+00	4.083E-01	2036	2045	2040	11	tasmax
Israel	Normal	2.910E+02	2.115E+00	4.323E-01	2036	2045	2040	12	tasmax
Israel	Normal	2.905E+02	2.356E+00	6.429E-01	2046	2055	2050	1	tasmax
Israel	Normal	2.920E+02	2.440E+00	5.886E-01	2046	2055	2050	2	tasmax
Israel	Normal	2.954E+02	2.962E+00	9.358E-01	2046	2055	2050	3	tasmax
Israel	Normal	2.991E+02	3.013E+00	9.825E-01	2046	2055	2050	4	tasmax
Israel	Normal	3.032E+02	3.469E+00	8.822E-01	2046	2055	2050	5	tasmax
Israel	Normal	3.072E+02	3.165E+00	4.515E-01	2046	2055	2050	6	tasmax
Israel	Normal	3.095E+02	3.229E+00	7.005E-01	2046	2055	2050	7	tasmax
Israel	Normal	3.099E+02	3.374E+00	7.427E-01	2046	2055	2050	8	tasmax
Israel	Normal	3.068E+02	2.666E+00	5.549E-01	2046	2055	2050	9	tasmax
Israel	Normal	3.023E+02	2.214E+00	3.139E-01	2046	2055	2050	10	tasmax
Israel	Normal	2.962E+02	2.297E+00	4.656E-01	2046	2055	2050	11	tasmax
Israel	Normal	2.916E+02	2.178E+00	3.809E-01	2046	2055	2050	12	tasmax
Israel	Normal	2.909E+02	2.289E+00	5.626E-01	2056	2065	2060	1	tasmax
Israel	Normal	2.925E+02	2.368E+00	6.256E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Israel	Normal	2.958E+02	3.206E+00	1.113E+00	2056	2065	2060	3	tasmax
Israel	Normal	2.996E+02	3.230E+00	9.396E-01	2056	2065	2060	4	tasmax
Israel	Normal	3.035E+02	3.250E+00	7.574E-01	2056	2065	2060	5	tasmax
Israel	Normal	3.078E+02	3.253E+00	4.730E-01	2056	2065	2060	6	tasmax
Israel	Normal	3.102E+02	3.098E+00	7.892E-01	2056	2065	2060	7	tasmax
Israel	Normal	3.107E+02	3.366E+00	7.815E-01	2056	2065	2060	8	tasmax
Israel	Normal	3.075E+02	2.710E+00	5.147E-01	2056	2065	2060	9	tasmax
Israel	Normal	3.027E+02	2.319E+00	3.303E-01	2056	2065	2060	10	tasmax
Israel	Normal	2.969E+02	2.370E+00	4.849E-01	2056	2065	2060	11	tasmax
Israel	Normal	2.922E+02	2.170E+00	5.672E-01	2056	2065	2060	12	tasmax
Israel	Normal	2.913E+02	2.259E+00	3.953E-01	2066	2075	2070	1	tasmax
Israel	Normal	2.930E+02	2.487E+00	5.793E-01	2066	2075	2070	2	tasmax
Israel	Normal	2.963E+02	3.389E+00	1.123E+00	2066	2075	2070	3	tasmax
Israel	Normal	3.003E+02	3.762E+00	1.311E+00	2066	2075	2070	4	tasmax
Israel	Normal	3.045E+02	3.614E+00	9.060E-01	2066	2075	2070	5	tasmax
Israel	Normal	3.084E+02	3.292E+00	5.143E-01	2066	2075	2070	6	tasmax
Israel	Normal	3.108E+02	3.260E+00	7.205E-01	2066	2075	2070	7	tasmax
Israel	Normal	3.112E+02	3.316E+00	8.426E-01	2066	2075	2070	8	tasmax
Israel	Normal	3.082E+02	2.661E+00	5.022E-01	2066	2075	2070	9	tasmax
Israel	Normal	3.033E+02	2.467E+00	4.120E-01	2066	2075	2070	10	tasmax
Israel	Normal	2.975E+02	2.508E+00	5.451E-01	2066	2075	2070	11	tasmax
Israel	Normal	2.930E+02	2.272E+00	5.300E-01	2066	2075	2070	12	tasmax
Israel	Normal	2.918E+02	2.326E+00	5.416E-01	2076	2085	2080	1	tasmax
Israel	Normal	2.937E+02	2.923E+00	1.063E+00	2076	2085	2080	2	tasmax
Israel	Normal	2.970E+02	3.550E+00	1.230E+00	2076	2085	2080	3	tasmax
Israel	Normal	3.008E+02	3.600E+00	1.098E+00	2076	2085	2080	4	tasmax
Israel	Normal	3.048E+02	3.450E+00	7.141E-01	2076	2085	2080	5	tasmax
Israel	Normal	3.091E+02	3.268E+00	5.424E-01	2076	2085	2080	6	tasmax
Israel	Normal	3.117E+02	3.398E+00	8.828E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Israel	Normal	3.117E+02	3.386E+00	8.153E-01	2076	2085	2080	8	tasmax
Israel	Normal	3.089E+02	2.879E+00	5.078E-01	2076	2085	2080	9	tasmax
Israel	Normal	3.038E+02	2.441E+00	4.006E-01	2076	2085	2080	10	tasmax
Israel	Normal	2.980E+02	2.634E+00	6.836E-01	2076	2085	2080	11	tasmax
Israel	Normal	2.933E+02	2.506E+00	6.460E-01	2076	2085	2080	12	tasmax
Israel	Normal	2.921E+02	2.480E+00	5.777E-01	2086	2099	2092	1	tasmax
Israel	Normal	2.941E+02	2.849E+00	8.160E-01	2086	2099	2092	2	tasmax
Israel	Normal	2.978E+02	4.136E+00	1.581E+00	2086	2099	2092	3	tasmax
Israel	Normal	3.013E+02	3.767E+00	1.108E+00	2086	2099	2092	4	tasmax
Israel	Normal	3.054E+02	3.602E+00	6.306E-01	2086	2099	2092	5	tasmax
Israel	Normal	3.096E+02	3.446E+00	6.363E-01	2086	2099	2092	6	tasmax
Israel	Normal	3.122E+02	3.527E+00	9.233E-01	2086	2099	2092	7	tasmax
Israel	Normal	3.124E+02	3.526E+00	7.272E-01	2086	2099	2092	8	tasmax
Israel	Normal	3.094E+02	2.873E+00	4.831E-01	2086	2099	2092	9	tasmax
Israel	Normal	3.043E+02	2.515E+00	3.683E-01	2086	2099	2092	10	tasmax
Israel	Normal	2.987E+02	2.702E+00	6.737E-01	2086	2099	2092	11	tasmax
Israel	Normal	2.938E+02	2.478E+00	6.090E-01	2086	2099	2092	12	tasmax
Italy	Normal	2.821E+02	1.458E+00	2.844E-01	2006	2015	2010	1	tasmax
Italy	Normal	2.832E+02	1.489E+00	2.903E-01	2006	2015	2010	2	tasmax
Italy	Normal	2.853E+02	1.539E+00	4.818E-01	2006	2015	2010	3	tasmax
Italy	Normal	2.886E+02	1.710E+00	4.164E-01	2006	2015	2010	4	tasmax
Italy	Normal	2.928E+02	1.810E+00	4.819E-01	2006	2015	2010	5	tasmax
Italy	Normal	2.977E+02	1.907E+00	3.385E-01	2006	2015	2010	6	tasmax
Italy	Normal	3.008E+02	2.028E+00	3.016E-01	2006	2015	2010	7	tasmax
Italy	Normal	3.006E+02	2.003E+00	6.142E-01	2006	2015	2010	8	tasmax
Italy	Normal	2.964E+02	1.872E+00	2.568E-01	2006	2015	2010	9	tasmax
Italy	Normal	2.910E+02	1.880E+00	4.977E-01	2006	2015	2010	10	tasmax
Italy	Normal	2.862E+02	1.487E+00	3.122E-01	2006	2015	2010	11	tasmax
Italy	Normal	2.833E+02	1.369E+00	3.179E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Italy	Normal	2.824E+02	1.404E+00	2.200E-01	2016	2025	2020	1	tasmax
Italy	Normal	2.836E+02	1.404E+00	3.783E-01	2016	2025	2020	2	tasmax
Italy	Normal	2.858E+02	1.697E+00	3.716E-01	2016	2025	2020	3	tasmax
Italy	Normal	2.889E+02	1.609E+00	2.585E-01	2016	2025	2020	4	tasmax
Italy	Normal	2.932E+02	1.726E+00	5.897E-01	2016	2025	2020	5	tasmax
Italy	Normal	2.981E+02	1.900E+00	2.795E-01	2016	2025	2020	6	tasmax
Italy	Normal	3.013E+02	2.120E+00	3.547E-01	2016	2025	2020	7	tasmax
Italy	Normal	3.012E+02	2.137E+00	5.323E-01	2016	2025	2020	8	tasmax
Italy	Normal	2.969E+02	2.092E+00	4.401E-01	2016	2025	2020	9	tasmax
Italy	Normal	2.915E+02	1.914E+00	4.525E-01	2016	2025	2020	10	tasmax
Italy	Normal	2.867E+02	1.454E+00	3.172E-01	2016	2025	2020	11	tasmax
Italy	Normal	2.836E+02	1.303E+00	2.150E-01	2016	2025	2020	12	tasmax
Italy	Normal	2.829E+02	1.357E+00	2.150E-01	2026	2035	2030	1	tasmax
Italy	Normal	2.838E+02	1.195E+00	1.854E-01	2026	2035	2030	2	tasmax
Italy	Normal	2.862E+02	1.532E+00	4.107E-01	2026	2035	2030	3	tasmax
Italy	Normal	2.893E+02	1.720E+00	4.874E-01	2026	2035	2030	4	tasmax
Italy	Normal	2.937E+02	1.944E+00	5.622E-01	2026	2035	2030	5	tasmax
Italy	Normal	2.986E+02	2.079E+00	3.317E-01	2026	2035	2030	6	tasmax
Italy	Normal	3.020E+02	2.243E+00	4.596E-01	2026	2035	2030	7	tasmax
Italy	Normal	3.018E+02	2.224E+00	5.511E-01	2026	2035	2030	8	tasmax
Italy	Normal	2.973E+02	2.129E+00	4.963E-01	2026	2035	2030	9	tasmax
Italy	Normal	2.920E+02	2.024E+00	5.382E-01	2026	2035	2030	10	tasmax
Italy	Normal	2.871E+02	1.533E+00	3.464E-01	2026	2035	2030	11	tasmax
Italy	Normal	2.842E+02	1.404E+00	2.326E-01	2026	2035	2030	12	tasmax
Italy	Normal	2.835E+02	1.302E+00	2.328E-01	2036	2045	2040	1	tasmax
Italy	Normal	2.844E+02	1.385E+00	4.247E-01	2036	2045	2040	2	tasmax
Italy	Normal	2.865E+02	1.594E+00	4.280E-01	2036	2045	2040	3	tasmax
Italy	Normal	2.898E+02	1.798E+00	3.762E-01	2036	2045	2040	4	tasmax
Italy	Normal	2.940E+02	1.743E+00	5.518E-01	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Italy	Normal	2.993E+02	2.393E+00	4.935E-01	2036	2045	2040	6	tasmax
Italy	Normal	3.028E+02	2.273E+00	4.570E-01	2036	2045	2040	7	tasmax
Italy	Normal	3.025E+02	2.322E+00	6.774E-01	2036	2045	2040	8	tasmax
Italy	Normal	2.980E+02	2.029E+00	4.306E-01	2036	2045	2040	9	tasmax
Italy	Normal	2.924E+02	1.744E+00	3.596E-01	2036	2045	2040	10	tasmax
Italy	Normal	2.877E+02	1.387E+00	3.822E-01	2036	2045	2040	11	tasmax
Italy	Normal	2.847E+02	1.358E+00	3.875E-01	2036	2045	2040	12	tasmax
Italy	Normal	2.839E+02	1.331E+00	2.760E-01	2046	2055	2050	1	tasmax
Italy	Normal	2.846E+02	1.277E+00	2.164E-01	2046	2055	2050	2	tasmax
Italy	Normal	2.868E+02	1.439E+00	2.328E-01	2046	2055	2050	3	tasmax
Italy	Normal	2.902E+02	1.958E+00	4.408E-01	2046	2055	2050	4	tasmax
Italy	Normal	2.945E+02	2.024E+00	5.232E-01	2046	2055	2050	5	tasmax
Italy	Normal	2.997E+02	2.365E+00	4.461E-01	2046	2055	2050	6	tasmax
Italy	Normal	3.035E+02	2.660E+00	5.334E-01	2046	2055	2050	7	tasmax
Italy	Normal	3.032E+02	2.498E+00	7.856E-01	2046	2055	2050	8	tasmax
Italy	Normal	2.986E+02	2.189E+00	4.628E-01	2046	2055	2050	9	tasmax
Italy	Normal	2.929E+02	1.977E+00	4.313E-01	2046	2055	2050	10	tasmax
Italy	Normal	2.881E+02	1.595E+00	2.571E-01	2046	2055	2050	11	tasmax
Italy	Normal	2.849E+02	1.278E+00	1.966E-01	2046	2055	2050	12	tasmax
Italy	Normal	2.844E+02	1.303E+00	2.966E-01	2056	2065	2060	1	tasmax
Italy	Normal	2.852E+02	1.669E+00	3.447E-01	2056	2065	2060	2	tasmax
Italy	Normal	2.874E+02	1.742E+00	3.404E-01	2056	2065	2060	3	tasmax
Italy	Normal	2.907E+02	2.078E+00	4.341E-01	2056	2065	2060	4	tasmax
Italy	Normal	2.951E+02	2.442E+00	5.905E-01	2056	2065	2060	5	tasmax
Italy	Normal	3.004E+02	2.637E+00	4.938E-01	2056	2065	2060	6	tasmax
Italy	Normal	3.041E+02	2.770E+00	6.857E-01	2056	2065	2060	7	tasmax
Italy	Normal	3.041E+02	2.837E+00	8.323E-01	2056	2065	2060	8	tasmax
Italy	Normal	2.994E+02	2.397E+00	6.636E-01	2056	2065	2060	9	tasmax
Italy	Normal	2.935E+02	2.214E+00	5.686E-01	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Italy	Normal	2.887E+02	1.601E+00	4.151E-01	2056	2065	2060	11	tasmax
Italy	Normal	2.856E+02	1.420E+00	2.448E-01	2056	2065	2060	12	tasmax
Italy	Normal	2.847E+02	1.280E+00	2.369E-01	2066	2075	2070	1	tasmax
Italy	Normal	2.856E+02	1.365E+00	2.889E-01	2066	2075	2070	2	tasmax
Italy	Normal	2.879E+02	1.719E+00	3.147E-01	2066	2075	2070	3	tasmax
Italy	Normal	2.915E+02	1.975E+00	4.349E-01	2066	2075	2070	4	tasmax
Italy	Normal	2.960E+02	2.305E+00	5.888E-01	2066	2075	2070	5	tasmax
Italy	Normal	3.013E+02	3.058E+00	5.885E-01	2066	2075	2070	6	tasmax
Italy	Normal	3.050E+02	3.023E+00	7.487E-01	2066	2075	2070	7	tasmax
Italy	Normal	3.049E+02	3.016E+00	9.386E-01	2066	2075	2070	8	tasmax
Italy	Normal	3.003E+02	2.692E+00	6.377E-01	2066	2075	2070	9	tasmax
Italy	Normal	2.943E+02	2.411E+00	6.242E-01	2066	2075	2070	10	tasmax
Italy	Normal	2.891E+02	1.817E+00	4.179E-01	2066	2075	2070	11	tasmax
Italy	Normal	2.860E+02	1.437E+00	2.748E-01	2066	2075	2070	12	tasmax
Italy	Normal	2.854E+02	1.417E+00	2.218E-01	2076	2085	2080	1	tasmax
Italy	Normal	2.863E+02	1.652E+00	3.843E-01	2076	2085	2080	2	tasmax
Italy	Normal	2.885E+02	1.987E+00	4.003E-01	2076	2085	2080	3	tasmax
Italy	Normal	2.918E+02	2.287E+00	6.287E-01	2076	2085	2080	4	tasmax
Italy	Normal	2.967E+02	2.465E+00	5.930E-01	2076	2085	2080	5	tasmax
Italy	Normal	3.023E+02	2.971E+00	5.348E-01	2076	2085	2080	6	tasmax
Italy	Normal	3.061E+02	3.044E+00	7.092E-01	2076	2085	2080	7	tasmax
Italy	Normal	3.059E+02	3.134E+00	8.557E-01	2076	2085	2080	8	tasmax
Italy	Normal	3.012E+02	2.639E+00	4.952E-01	2076	2085	2080	9	tasmax
Italy	Normal	2.947E+02	2.375E+00	4.275E-01	2076	2085	2080	10	tasmax
Italy	Normal	2.896E+02	1.731E+00	3.401E-01	2076	2085	2080	11	tasmax
Italy	Normal	2.865E+02	1.386E+00	2.940E-01	2076	2085	2080	12	tasmax
Italy	Normal	2.857E+02	1.420E+00	2.431E-01	2086	2099	2092	1	tasmax
Italy	Normal	2.867E+02	1.463E+00	2.757E-01	2086	2099	2092	2	tasmax
Italy	Normal	2.889E+02	1.881E+00	3.221E-01	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Italy	Normal	2.923E+02	2.310E+00	5.699E-01	2086	2099	2092	4	tasmax
Italy	Normal	2.972E+02	2.605E+00	4.940E-01	2086	2099	2092	5	tasmax
Italy	Normal	3.027E+02	3.054E+00	6.695E-01	2086	2099	2092	6	tasmax
Italy	Normal	3.068E+02	3.236E+00	8.311E-01	2086	2099	2092	7	tasmax
Italy	Normal	3.066E+02	3.241E+00	9.530E-01	2086	2099	2092	8	tasmax
Italy	Normal	3.018E+02	2.817E+00	7.320E-01	2086	2099	2092	9	tasmax
Italy	Normal	2.956E+02	2.620E+00	5.840E-01	2086	2099	2092	10	tasmax
Italy	Normal	2.904E+02	1.744E+00	3.241E-01	2086	2099	2092	11	tasmax
Italy	Normal	2.870E+02	1.559E+00	2.727E-01	2086	2099	2092	12	tasmax
Jamaica	Normal	2.994E+02	7.711E-01	2.041E-01	2006	2015	2010	1	tasmax
Jamaica	Normal	2.992E+02	8.305E-01	2.064E-01	2006	2015	2010	2	tasmax
Jamaica	Normal	2.994E+02	9.256E-01	2.046E-01	2006	2015	2010	3	tasmax
Jamaica	Normal	2.999E+02	1.025E+00	2.115E-01	2006	2015	2010	4	tasmax
Jamaica	Normal	3.004E+02	9.906E-01	2.572E-01	2006	2015	2010	5	tasmax
Jamaica	Normal	3.010E+02	8.206E-01	2.751E-01	2006	2015	2010	6	tasmax
Jamaica	Normal	3.015E+02	8.020E-01	2.694E-01	2006	2015	2010	7	tasmax
Jamaica	Normal	3.018E+02	7.592E-01	2.733E-01	2006	2015	2010	8	tasmax
Jamaica	Normal	3.018E+02	7.062E-01	2.679E-01	2006	2015	2010	9	tasmax
Jamaica	Normal	3.015E+02	6.846E-01	2.613E-01	2006	2015	2010	10	tasmax
Jamaica	Normal	3.009E+02	7.170E-01	2.178E-01	2006	2015	2010	11	tasmax
Jamaica	Normal	3.001E+02	7.464E-01	1.914E-01	2006	2015	2010	12	tasmax
Jamaica	Normal	2.997E+02	8.288E-01	2.290E-01	2016	2025	2020	1	tasmax
Jamaica	Normal	2.995E+02	8.582E-01	2.105E-01	2016	2025	2020	2	tasmax
Jamaica	Normal	2.996E+02	9.352E-01	2.101E-01	2016	2025	2020	3	tasmax
Jamaica	Normal	3.001E+02	9.935E-01	2.462E-01	2016	2025	2020	4	tasmax
Jamaica	Normal	3.007E+02	9.743E-01	3.064E-01	2016	2025	2020	5	tasmax
Jamaica	Normal	3.012E+02	8.150E-01	2.949E-01	2016	2025	2020	6	tasmax
Jamaica	Normal	3.018E+02	8.405E-01	2.696E-01	2016	2025	2020	7	tasmax
Jamaica	Normal	3.021E+02	7.814E-01	2.683E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jamaica	Normal	3.021E+02	6.988E-01	2.618E-01	2016	2025	2020	9	tasmax
Jamaica	Normal	3.017E+02	7.459E-01	2.646E-01	2016	2025	2020	10	tasmax
Jamaica	Normal	3.011E+02	7.871E-01	2.518E-01	2016	2025	2020	11	tasmax
Jamaica	Normal	3.003E+02	8.051E-01	2.216E-01	2016	2025	2020	12	tasmax
Jamaica	Normal	3.000E+02	7.649E-01	1.672E-01	2026	2035	2030	1	tasmax
Jamaica	Normal	2.997E+02	8.479E-01	1.901E-01	2026	2035	2030	2	tasmax
Jamaica	Normal	2.999E+02	9.295E-01	2.008E-01	2026	2035	2030	3	tasmax
Jamaica	Normal	3.004E+02	9.785E-01	1.739E-01	2026	2035	2030	4	tasmax
Jamaica	Normal	3.010E+02	9.261E-01	2.153E-01	2026	2035	2030	5	tasmax
Jamaica	Normal	3.016E+02	8.229E-01	2.039E-01	2026	2035	2030	6	tasmax
Jamaica	Normal	3.021E+02	7.867E-01	1.971E-01	2026	2035	2030	7	tasmax
Jamaica	Normal	3.024E+02	7.337E-01	2.103E-01	2026	2035	2030	8	tasmax
Jamaica	Normal	3.024E+02	6.699E-01	2.095E-01	2026	2035	2030	9	tasmax
Jamaica	Normal	3.021E+02	6.678E-01	1.976E-01	2026	2035	2030	10	tasmax
Jamaica	Normal	3.014E+02	7.135E-01	1.947E-01	2026	2035	2030	11	tasmax
Jamaica	Normal	3.006E+02	7.516E-01	1.657E-01	2026	2035	2030	12	tasmax
Jamaica	Normal	3.003E+02	8.151E-01	1.919E-01	2036	2045	2040	1	tasmax
Jamaica	Normal	3.000E+02	8.379E-01	1.779E-01	2036	2045	2040	2	tasmax
Jamaica	Normal	3.002E+02	9.355E-01	1.823E-01	2036	2045	2040	3	tasmax
Jamaica	Normal	3.007E+02	9.835E-01	1.939E-01	2036	2045	2040	4	tasmax
Jamaica	Normal	3.013E+02	9.612E-01	2.189E-01	2036	2045	2040	5	tasmax
Jamaica	Normal	3.019E+02	8.029E-01	2.112E-01	2036	2045	2040	6	tasmax
Jamaica	Normal	3.024E+02	7.835E-01	1.935E-01	2036	2045	2040	7	tasmax
Jamaica	Normal	3.027E+02	7.247E-01	2.141E-01	2036	2045	2040	8	tasmax
Jamaica	Normal	3.027E+02	7.231E-01	1.568E-01	2036	2045	2040	9	tasmax
Jamaica	Normal	3.024E+02	7.087E-01	2.022E-01	2036	2045	2040	10	tasmax
Jamaica	Normal	3.018E+02	7.837E-01	2.122E-01	2036	2045	2040	11	tasmax
Jamaica	Normal	3.010E+02	7.973E-01	1.955E-01	2036	2045	2040	12	tasmax
Jamaica	Normal	3.006E+02	8.145E-01	1.863E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jamaica	Normal	3.004E+02	8.721E-01	1.785E-01	2046	2055	2050	2	tasmax
Jamaica	Normal	3.006E+02	9.525E-01	1.687E-01	2046	2055	2050	3	tasmax
Jamaica	Normal	3.010E+02	1.018E+00	1.665E-01	2046	2055	2050	4	tasmax
Jamaica	Normal	3.017E+02	9.755E-01	1.843E-01	2046	2055	2050	5	tasmax
Jamaica	Normal	3.022E+02	8.590E-01	1.957E-01	2046	2055	2050	6	tasmax
Jamaica	Normal	3.028E+02	8.677E-01	1.936E-01	2046	2055	2050	7	tasmax
Jamaica	Normal	3.031E+02	7.892E-01	2.291E-01	2046	2055	2050	8	tasmax
Jamaica	Normal	3.032E+02	7.529E-01	1.899E-01	2046	2055	2050	9	tasmax
Jamaica	Normal	3.028E+02	7.909E-01	2.071E-01	2046	2055	2050	10	tasmax
Jamaica	Normal	3.022E+02	8.247E-01	2.182E-01	2046	2055	2050	11	tasmax
Jamaica	Normal	3.014E+02	8.327E-01	2.051E-01	2046	2055	2050	12	tasmax
Jamaica	Normal	3.010E+02	8.898E-01	2.083E-01	2056	2065	2060	1	tasmax
Jamaica	Normal	3.008E+02	9.325E-01	2.281E-01	2056	2065	2060	2	tasmax
Jamaica	Normal	3.010E+02	9.718E-01	2.059E-01	2056	2065	2060	3	tasmax
Jamaica	Normal	3.014E+02	1.003E+00	2.053E-01	2056	2065	2060	4	tasmax
Jamaica	Normal	3.021E+02	9.814E-01	2.118E-01	2056	2065	2060	5	tasmax
Jamaica	Normal	3.027E+02	9.038E-01	1.995E-01	2056	2065	2060	6	tasmax
Jamaica	Normal	3.032E+02	9.080E-01	1.845E-01	2056	2065	2060	7	tasmax
Jamaica	Normal	3.036E+02	8.429E-01	2.060E-01	2056	2065	2060	8	tasmax
Jamaica	Normal	3.036E+02	8.044E-01	1.869E-01	2056	2065	2060	9	tasmax
Jamaica	Normal	3.032E+02	8.202E-01	1.833E-01	2056	2065	2060	10	tasmax
Jamaica	Normal	3.026E+02	8.598E-01	1.653E-01	2056	2065	2060	11	tasmax
Jamaica	Normal	3.018E+02	8.852E-01	1.804E-01	2056	2065	2060	12	tasmax
Jamaica	Normal	3.014E+02	8.734E-01	1.943E-01	2066	2075	2070	1	tasmax
Jamaica	Normal	3.012E+02	9.026E-01	2.107E-01	2066	2075	2070	2	tasmax
Jamaica	Normal	3.014E+02	9.574E-01	2.216E-01	2066	2075	2070	3	tasmax
Jamaica	Normal	3.019E+02	1.012E+00	2.220E-01	2066	2075	2070	4	tasmax
Jamaica	Normal	3.025E+02	1.021E+00	2.250E-01	2066	2075	2070	5	tasmax
Jamaica	Normal	3.031E+02	9.461E-01	2.219E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jamaica	Normal	3.036E+02	9.099E-01	1.806E-01	2066	2075	2070	7	tasmax
Jamaica	Normal	3.040E+02	8.125E-01	1.848E-01	2066	2075	2070	8	tasmax
Jamaica	Normal	3.040E+02	8.103E-01	1.874E-01	2066	2075	2070	9	tasmax
Jamaica	Normal	3.037E+02	8.266E-01	2.013E-01	2066	2075	2070	10	tasmax
Jamaica	Normal	3.030E+02	9.069E-01	1.783E-01	2066	2075	2070	11	tasmax
Jamaica	Normal	3.022E+02	9.124E-01	1.982E-01	2066	2075	2070	12	tasmax
Jamaica	Normal	3.018E+02	9.035E-01	1.869E-01	2076	2085	2080	1	tasmax
Jamaica	Normal	3.015E+02	8.953E-01	2.121E-01	2076	2085	2080	2	tasmax
Jamaica	Normal	3.018E+02	9.582E-01	2.119E-01	2076	2085	2080	3	tasmax
Jamaica	Normal	3.022E+02	1.019E+00	2.264E-01	2076	2085	2080	4	tasmax
Jamaica	Normal	3.029E+02	9.947E-01	2.462E-01	2076	2085	2080	5	tasmax
Jamaica	Normal	3.035E+02	9.334E-01	2.166E-01	2076	2085	2080	6	tasmax
Jamaica	Normal	3.040E+02	9.071E-01	1.777E-01	2076	2085	2080	7	tasmax
Jamaica	Normal	3.044E+02	8.469E-01	1.860E-01	2076	2085	2080	8	tasmax
Jamaica	Normal	3.044E+02	8.414E-01	1.556E-01	2076	2085	2080	9	tasmax
Jamaica	Normal	3.040E+02	8.591E-01	1.430E-01	2076	2085	2080	10	tasmax
Jamaica	Normal	3.034E+02	9.032E-01	1.946E-01	2076	2085	2080	11	tasmax
Jamaica	Normal	3.025E+02	9.084E-01	2.058E-01	2076	2085	2080	12	tasmax
Jamaica	Normal	3.022E+02	8.806E-01	1.691E-01	2086	2099	2092	1	tasmax
Jamaica	Normal	3.020E+02	9.112E-01	2.192E-01	2086	2099	2092	2	tasmax
Jamaica	Normal	3.022E+02	9.654E-01	2.147E-01	2086	2099	2092	3	tasmax
Jamaica	Normal	3.027E+02	1.029E+00	2.095E-01	2086	2099	2092	4	tasmax
Jamaica	Normal	3.033E+02	1.034E+00	2.160E-01	2086	2099	2092	5	tasmax
Jamaica	Normal	3.039E+02	9.802E-01	1.868E-01	2086	2099	2092	6	tasmax
Jamaica	Normal	3.045E+02	9.584E-01	1.765E-01	2086	2099	2092	7	tasmax
Jamaica	Normal	3.048E+02	8.824E-01	1.815E-01	2086	2099	2092	8	tasmax
Jamaica	Normal	3.048E+02	8.444E-01	1.724E-01	2086	2099	2092	9	tasmax
Jamaica	Normal	3.045E+02	8.785E-01	1.530E-01	2086	2099	2092	10	tasmax
Jamaica	Normal	3.038E+02	9.279E-01	2.032E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jamaica	Normal	3.030E+02	9.103E-01	2.145E-01	2086	2099	2092	12	tasmax
Japan	Normal	2.782E+02	2.414E+00	4.676E-01	2006	2015	2010	1	tasmax
Japan	Normal	2.786E+02	2.651E+00	6.079E-01	2006	2015	2010	2	tasmax
Japan	Normal	2.817E+02	2.140E+00	3.969E-01	2006	2015	2010	3	tasmax
Japan	Normal	2.866E+02	2.102E+00	3.698E-01	2006	2015	2010	4	tasmax
Japan	Normal	2.915E+02	2.210E+00	4.161E-01	2006	2015	2010	5	tasmax
Japan	Normal	2.951E+02	2.063E+00	3.492E-01	2006	2015	2010	6	tasmax
Japan	Normal	2.980E+02	1.939E+00	4.392E-01	2006	2015	2010	7	tasmax
Japan	Normal	2.990E+02	1.853E+00	4.944E-01	2006	2015	2010	8	tasmax
Japan	Normal	2.965E+02	2.211E+00	2.974E-01	2006	2015	2010	9	tasmax
Japan	Normal	2.913E+02	2.279E+00	5.202E-01	2006	2015	2010	10	tasmax
Japan	Normal	2.857E+02	2.371E+00	5.858E-01	2006	2015	2010	11	tasmax
Japan	Normal	2.809E+02	2.453E+00	4.208E-01	2006	2015	2010	12	tasmax
Japan	Normal	2.786E+02	2.577E+00	4.600E-01	2016	2025	2020	1	tasmax
Japan	Normal	2.788E+02	2.410E+00	4.726E-01	2016	2025	2020	2	tasmax
Japan	Normal	2.820E+02	2.268E+00	4.502E-01	2016	2025	2020	3	tasmax
Japan	Normal	2.869E+02	2.027E+00	3.435E-01	2016	2025	2020	4	tasmax
Japan	Normal	2.917E+02	2.268E+00	4.079E-01	2016	2025	2020	5	tasmax
Japan	Normal	2.954E+02	2.101E+00	3.655E-01	2016	2025	2020	6	tasmax
Japan	Normal	2.983E+02	1.918E+00	3.468E-01	2016	2025	2020	7	tasmax
Japan	Normal	2.994E+02	1.868E+00	4.459E-01	2016	2025	2020	8	tasmax
Japan	Normal	2.969E+02	2.225E+00	2.964E-01	2016	2025	2020	9	tasmax
Japan	Normal	2.917E+02	2.141E+00	4.449E-01	2016	2025	2020	10	tasmax
Japan	Normal	2.860E+02	2.221E+00	5.172E-01	2016	2025	2020	11	tasmax
Japan	Normal	2.813E+02	2.458E+00	3.996E-01	2016	2025	2020	12	tasmax
Japan	Normal	2.790E+02	2.663E+00	5.188E-01	2026	2035	2030	1	tasmax
Japan	Normal	2.793E+02	2.357E+00	5.129E-01	2026	2035	2030	2	tasmax
Japan	Normal	2.825E+02	2.100E+00	4.108E-01	2026	2035	2030	3	tasmax
Japan	Normal	2.874E+02	2.122E+00	4.738E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Japan	Normal	2.922E+02	2.186E+00	4.220E-01	2026	2035	2030	5	tasmax
Japan	Normal	2.959E+02	2.132E+00	3.157E-01	2026	2035	2030	6	tasmax
Japan	Normal	2.988E+02	1.972E+00	4.548E-01	2026	2035	2030	7	tasmax
Japan	Normal	2.999E+02	1.947E+00	4.532E-01	2026	2035	2030	8	tasmax
Japan	Normal	2.973E+02	2.246E+00	3.743E-01	2026	2035	2030	9	tasmax
Japan	Normal	2.921E+02	2.178E+00	5.075E-01	2026	2035	2030	10	tasmax
Japan	Normal	2.865E+02	2.259E+00	4.358E-01	2026	2035	2030	11	tasmax
Japan	Normal	2.818E+02	2.512E+00	4.508E-01	2026	2035	2030	12	tasmax
Japan	Normal	2.794E+02	2.509E+00	4.188E-01	2036	2045	2040	1	tasmax
Japan	Normal	2.799E+02	2.289E+00	4.694E-01	2036	2045	2040	2	tasmax
Japan	Normal	2.830E+02	2.398E+00	4.382E-01	2036	2045	2040	3	tasmax
Japan	Normal	2.878E+02	2.121E+00	3.574E-01	2036	2045	2040	4	tasmax
Japan	Normal	2.927E+02	2.294E+00	4.302E-01	2036	2045	2040	5	tasmax
Japan	Normal	2.963E+02	2.071E+00	3.989E-01	2036	2045	2040	6	tasmax
Japan	Normal	2.993E+02	1.932E+00	4.433E-01	2036	2045	2040	7	tasmax
Japan	Normal	3.003E+02	1.966E+00	5.252E-01	2036	2045	2040	8	tasmax
Japan	Normal	2.979E+02	2.276E+00	3.548E-01	2036	2045	2040	9	tasmax
Japan	Normal	2.927E+02	2.290E+00	4.643E-01	2036	2045	2040	10	tasmax
Japan	Normal	2.871E+02	2.245E+00	4.233E-01	2036	2045	2040	11	tasmax
Japan	Normal	2.823E+02	2.470E+00	4.258E-01	2036	2045	2040	12	tasmax
Japan	Normal	2.800E+02	2.554E+00	4.534E-01	2046	2055	2050	1	tasmax
Japan	Normal	2.804E+02	2.464E+00	4.308E-01	2046	2055	2050	2	tasmax
Japan	Normal	2.834E+02	2.171E+00	3.894E-01	2046	2055	2050	3	tasmax
Japan	Normal	2.884E+02	2.263E+00	5.042E-01	2046	2055	2050	4	tasmax
Japan	Normal	2.932E+02	2.332E+00	4.254E-01	2046	2055	2050	5	tasmax
Japan	Normal	2.968E+02	2.286E+00	4.150E-01	2046	2055	2050	6	tasmax
Japan	Normal	2.997E+02	2.042E+00	4.555E-01	2046	2055	2050	7	tasmax
Japan	Normal	3.008E+02	1.994E+00	5.998E-01	2046	2055	2050	8	tasmax
Japan	Normal	2.984E+02	2.247E+00	3.884E-01	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Japan	Normal	2.932E+02	2.159E+00	3.985E-01	2046	2055	2050	10	tasmax
Japan	Normal	2.876E+02	2.297E+00	4.088E-01	2046	2055	2050	11	tasmax
Japan	Normal	2.828E+02	2.379E+00	4.192E-01	2046	2055	2050	12	tasmax
Japan	Normal	2.808E+02	2.764E+00	4.858E-01	2056	2065	2060	1	tasmax
Japan	Normal	2.811E+02	2.446E+00	5.077E-01	2056	2065	2060	2	tasmax
Japan	Normal	2.841E+02	2.324E+00	4.231E-01	2056	2065	2060	3	tasmax
Japan	Normal	2.889E+02	2.255E+00	5.276E-01	2056	2065	2060	4	tasmax
Japan	Normal	2.937E+02	2.417E+00	4.384E-01	2056	2065	2060	5	tasmax
Japan	Normal	2.975E+02	2.371E+00	4.116E-01	2056	2065	2060	6	tasmax
Japan	Normal	3.004E+02	2.177E+00	5.555E-01	2056	2065	2060	7	tasmax
Japan	Normal	3.014E+02	2.046E+00	6.119E-01	2056	2065	2060	8	tasmax
Japan	Normal	2.990E+02	2.347E+00	3.400E-01	2056	2065	2060	9	tasmax
Japan	Normal	2.938E+02	2.254E+00	3.877E-01	2056	2065	2060	10	tasmax
Japan	Normal	2.882E+02	2.228E+00	4.194E-01	2056	2065	2060	11	tasmax
Japan	Normal	2.833E+02	2.349E+00	4.053E-01	2056	2065	2060	12	tasmax
Japan	Normal	2.812E+02	2.334E+00	4.970E-01	2066	2075	2070	1	tasmax
Japan	Normal	2.815E+02	2.290E+00	4.622E-01	2066	2075	2070	2	tasmax
Japan	Normal	2.846E+02	2.282E+00	5.219E-01	2066	2075	2070	3	tasmax
Japan	Normal	2.895E+02	2.343E+00	4.615E-01	2066	2075	2070	4	tasmax
Japan	Normal	2.943E+02	2.535E+00	4.565E-01	2066	2075	2070	5	tasmax
Japan	Normal	2.980E+02	2.331E+00	4.138E-01	2066	2075	2070	6	tasmax
Japan	Normal	3.009E+02	2.189E+00	5.021E-01	2066	2075	2070	7	tasmax
Japan	Normal	3.021E+02	2.114E+00	5.370E-01	2066	2075	2070	8	tasmax
Japan	Normal	2.996E+02	2.527E+00	3.513E-01	2066	2075	2070	9	tasmax
Japan	Normal	2.945E+02	2.416E+00	4.418E-01	2066	2075	2070	10	tasmax
Japan	Normal	2.888E+02	2.353E+00	4.716E-01	2066	2075	2070	11	tasmax
Japan	Normal	2.839E+02	2.462E+00	4.713E-01	2066	2075	2070	12	tasmax
Japan	Normal	2.818E+02	2.601E+00	6.375E-01	2076	2085	2080	1	tasmax
Japan	Normal	2.822E+02	2.499E+00	5.558E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Japan	Normal	2.853E+02	2.455E+00	5.237E-01	2076	2085	2080	3	tasmax
Japan	Normal	2.899E+02	2.396E+00	5.711E-01	2076	2085	2080	4	tasmax
Japan	Normal	2.949E+02	2.560E+00	4.667E-01	2076	2085	2080	5	tasmax
Japan	Normal	2.985E+02	2.363E+00	4.790E-01	2076	2085	2080	6	tasmax
Japan	Normal	3.015E+02	2.188E+00	5.486E-01	2076	2085	2080	7	tasmax
Japan	Normal	3.027E+02	2.132E+00	6.534E-01	2076	2085	2080	8	tasmax
Japan	Normal	3.003E+02	2.469E+00	4.004E-01	2076	2085	2080	9	tasmax
Japan	Normal	2.951E+02	2.461E+00	4.704E-01	2076	2085	2080	10	tasmax
Japan	Normal	2.893E+02	2.406E+00	4.993E-01	2076	2085	2080	11	tasmax
Japan	Normal	2.844E+02	2.494E+00	5.695E-01	2076	2085	2080	12	tasmax
Japan	Normal	2.824E+02	2.666E+00	6.644E-01	2086	2099	2092	1	tasmax
Japan	Normal	2.827E+02	2.329E+00	5.896E-01	2086	2099	2092	2	tasmax
Japan	Normal	2.858E+02	2.302E+00	5.201E-01	2086	2099	2092	3	tasmax
Japan	Normal	2.906E+02	2.517E+00	4.636E-01	2086	2099	2092	4	tasmax
Japan	Normal	2.953E+02	2.716E+00	4.960E-01	2086	2099	2092	5	tasmax
Japan	Normal	2.992E+02	2.477E+00	3.975E-01	2086	2099	2092	6	tasmax
Japan	Normal	3.022E+02	2.422E+00	6.235E-01	2086	2099	2092	7	tasmax
Japan	Normal	3.032E+02	2.236E+00	6.913E-01	2086	2099	2092	8	tasmax
Japan	Normal	3.010E+02	2.528E+00	4.203E-01	2086	2099	2092	9	tasmax
Japan	Normal	2.956E+02	2.413E+00	4.006E-01	2086	2099	2092	10	tasmax
Japan	Normal	2.899E+02	2.367E+00	4.864E-01	2086	2099	2092	11	tasmax
Japan	Normal	2.851E+02	2.381E+00	5.007E-01	2086	2099	2092	12	tasmax
Jordan	Normal	2.873E+02	2.657E+00	5.019E-01	2006	2015	2010	1	tasmax
Jordan	Normal	2.899E+02	2.921E+00	6.085E-01	2006	2015	2010	2	tasmax
Jordan	Normal	2.940E+02	2.883E+00	5.001E-01	2006	2015	2010	3	tasmax
Jordan	Normal	2.986E+02	3.070E+00	6.016E-01	2006	2015	2010	4	tasmax
Jordan	Normal	3.033E+02	3.093E+00	5.662E-01	2006	2015	2010	5	tasmax
Jordan	Normal	3.081E+02	3.094E+00	5.155E-01	2006	2015	2010	6	tasmax
Jordan	Normal	3.109E+02	3.432E+00	5.358E-01	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jordan	Normal	3.109E+02	3.499E+00	7.261E-01	2006	2015	2010	8	tasmax
Jordan	Normal	3.073E+02	2.855E+00	4.438E-01	2006	2015	2010	9	tasmax
Jordan	Normal	3.008E+02	2.672E+00	4.330E-01	2006	2015	2010	10	tasmax
Jordan	Normal	2.936E+02	2.483E+00	3.992E-01	2006	2015	2010	11	tasmax
Jordan	Normal	2.884E+02	2.466E+00	5.610E-01	2006	2015	2010	12	tasmax
Jordan	Normal	2.878E+02	2.500E+00	4.223E-01	2016	2025	2020	1	tasmax
Jordan	Normal	2.901E+02	2.820E+00	5.300E-01	2016	2025	2020	2	tasmax
Jordan	Normal	2.942E+02	3.238E+00	7.204E-01	2016	2025	2020	3	tasmax
Jordan	Normal	2.991E+02	3.171E+00	7.671E-01	2016	2025	2020	4	tasmax
Jordan	Normal	3.036E+02	2.972E+00	5.004E-01	2016	2025	2020	5	tasmax
Jordan	Normal	3.087E+02	2.899E+00	5.104E-01	2016	2025	2020	6	tasmax
Jordan	Normal	3.115E+02	3.344E+00	5.383E-01	2016	2025	2020	7	tasmax
Jordan	Normal	3.114E+02	3.595E+00	6.219E-01	2016	2025	2020	8	tasmax
Jordan	Normal	3.077E+02	3.010E+00	6.391E-01	2016	2025	2020	9	tasmax
Jordan	Normal	3.013E+02	2.771E+00	3.314E-01	2016	2025	2020	10	tasmax
Jordan	Normal	2.938E+02	2.770E+00	5.704E-01	2016	2025	2020	11	tasmax
Jordan	Normal	2.889E+02	2.452E+00	5.189E-01	2016	2025	2020	12	tasmax
Jordan	Normal	2.880E+02	2.823E+00	4.671E-01	2026	2035	2030	1	tasmax
Jordan	Normal	2.906E+02	2.927E+00	6.922E-01	2026	2035	2030	2	tasmax
Jordan	Normal	2.948E+02	3.342E+00	9.599E-01	2026	2035	2030	3	tasmax
Jordan	Normal	2.995E+02	3.065E+00	9.153E-01	2026	2035	2030	4	tasmax
Jordan	Normal	3.041E+02	3.125E+00	6.110E-01	2026	2035	2030	5	tasmax
Jordan	Normal	3.092E+02	3.041E+00	6.614E-01	2026	2035	2030	6	tasmax
Jordan	Normal	3.122E+02	3.400E+00	4.704E-01	2026	2035	2030	7	tasmax
Jordan	Normal	3.120E+02	3.667E+00	6.912E-01	2026	2035	2030	8	tasmax
Jordan	Normal	3.083E+02	2.934E+00	5.633E-01	2026	2035	2030	9	tasmax
Jordan	Normal	3.015E+02	2.689E+00	3.820E-01	2026	2035	2030	10	tasmax
Jordan	Normal	2.944E+02	2.681E+00	6.043E-01	2026	2035	2030	11	tasmax
Jordan	Normal	2.893E+02	2.524E+00	4.823E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jordan	Normal	2.885E+02	2.671E+00	5.232E-01	2036	2045	2040	1	tasmax
Jordan	Normal	2.909E+02	2.879E+00	5.138E-01	2036	2045	2040	2	tasmax
Jordan	Normal	2.954E+02	3.275E+00	9.056E-01	2036	2045	2040	3	tasmax
Jordan	Normal	3.000E+02	3.405E+00	8.721E-01	2036	2045	2040	4	tasmax
Jordan	Normal	3.049E+02	3.100E+00	6.168E-01	2036	2045	2040	5	tasmax
Jordan	Normal	3.098E+02	2.992E+00	6.126E-01	2036	2045	2040	6	tasmax
Jordan	Normal	3.126E+02	3.446E+00	4.893E-01	2036	2045	2040	7	tasmax
Jordan	Normal	3.125E+02	3.598E+00	5.950E-01	2036	2045	2040	8	tasmax
Jordan	Normal	3.090E+02	3.035E+00	5.955E-01	2036	2045	2040	9	tasmax
Jordan	Normal	3.023E+02	2.848E+00	4.107E-01	2036	2045	2040	10	tasmax
Jordan	Normal	2.949E+02	2.823E+00	4.463E-01	2036	2045	2040	11	tasmax
Jordan	Normal	2.894E+02	2.647E+00	4.766E-01	2036	2045	2040	12	tasmax
Jordan	Normal	2.891E+02	2.817E+00	6.066E-01	2046	2055	2050	1	tasmax
Jordan	Normal	2.916E+02	2.853E+00	6.752E-01	2046	2055	2050	2	tasmax
Jordan	Normal	2.960E+02	3.139E+00	6.781E-01	2046	2055	2050	3	tasmax
Jordan	Normal	3.005E+02	3.053E+00	9.179E-01	2046	2055	2050	4	tasmax
Jordan	Normal	3.054E+02	3.125E+00	6.640E-01	2046	2055	2050	5	tasmax
Jordan	Normal	3.104E+02	3.064E+00	5.145E-01	2046	2055	2050	6	tasmax
Jordan	Normal	3.134E+02	3.451E+00	5.202E-01	2046	2055	2050	7	tasmax
Jordan	Normal	3.136E+02	3.702E+00	6.419E-01	2046	2055	2050	8	tasmax
Jordan	Normal	3.095E+02	3.051E+00	5.807E-01	2046	2055	2050	9	tasmax
Jordan	Normal	3.032E+02	2.782E+00	3.955E-01	2046	2055	2050	10	tasmax
Jordan	Normal	2.955E+02	2.890E+00	5.513E-01	2046	2055	2050	11	tasmax
Jordan	Normal	2.901E+02	2.692E+00	4.935E-01	2046	2055	2050	12	tasmax
Jordan	Normal	2.896E+02	2.872E+00	5.351E-01	2056	2065	2060	1	tasmax
Jordan	Normal	2.921E+02	2.804E+00	5.895E-01	2056	2065	2060	2	tasmax
Jordan	Normal	2.964E+02	3.295E+00	9.430E-01	2056	2065	2060	3	tasmax
Jordan	Normal	3.011E+02	3.302E+00	7.378E-01	2056	2065	2060	4	tasmax
Jordan	Normal	3.059E+02	3.105E+00	6.396E-01	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jordan	Normal	3.111E+02	3.118E+00	5.961E-01	2056	2065	2060	6	tasmax
Jordan	Normal	3.142E+02	3.303E+00	6.677E-01	2056	2065	2060	7	tasmax
Jordan	Normal	3.143E+02	3.731E+00	6.475E-01	2056	2065	2060	8	tasmax
Jordan	Normal	3.104E+02	3.149E+00	5.682E-01	2056	2065	2060	9	tasmax
Jordan	Normal	3.039E+02	2.877E+00	4.373E-01	2056	2065	2060	10	tasmax
Jordan	Normal	2.963E+02	2.958E+00	5.351E-01	2056	2065	2060	11	tasmax
Jordan	Normal	2.907E+02	2.599E+00	4.933E-01	2056	2065	2060	12	tasmax
Jordan	Normal	2.901E+02	2.877E+00	5.635E-01	2066	2075	2070	1	tasmax
Jordan	Normal	2.928E+02	3.026E+00	7.017E-01	2066	2075	2070	2	tasmax
Jordan	Normal	2.969E+02	3.567E+00	1.103E+00	2066	2075	2070	3	tasmax
Jordan	Normal	3.018E+02	3.547E+00	9.797E-01	2066	2075	2070	4	tasmax
Jordan	Normal	3.069E+02	3.426E+00	8.060E-01	2066	2075	2070	5	tasmax
Jordan	Normal	3.118E+02	3.178E+00	5.457E-01	2066	2075	2070	6	tasmax
Jordan	Normal	3.148E+02	3.376E+00	5.324E-01	2066	2075	2070	7	tasmax
Jordan	Normal	3.151E+02	3.666E+00	6.097E-01	2066	2075	2070	8	tasmax
Jordan	Normal	3.113E+02	3.090E+00	5.341E-01	2066	2075	2070	9	tasmax
Jordan	Normal	3.044E+02	3.088E+00	3.800E-01	2066	2075	2070	10	tasmax
Jordan	Normal	2.969E+02	3.059E+00	6.520E-01	2066	2075	2070	11	tasmax
Jordan	Normal	2.916E+02	2.691E+00	4.669E-01	2066	2075	2070	12	tasmax
Jordan	Normal	2.907E+02	2.867E+00	5.764E-01	2076	2085	2080	1	tasmax
Jordan	Normal	2.934E+02	3.271E+00	9.444E-01	2076	2085	2080	2	tasmax
Jordan	Normal	2.977E+02	3.748E+00	1.066E+00	2076	2085	2080	3	tasmax
Jordan	Normal	3.025E+02	3.550E+00	1.025E+00	2076	2085	2080	4	tasmax
Jordan	Normal	3.073E+02	3.372E+00	7.849E-01	2076	2085	2080	5	tasmax
Jordan	Normal	3.126E+02	3.366E+00	6.263E-01	2076	2085	2080	6	tasmax
Jordan	Normal	3.157E+02	3.649E+00	6.344E-01	2076	2085	2080	7	tasmax
Jordan	Normal	3.157E+02	3.673E+00	7.227E-01	2076	2085	2080	8	tasmax
Jordan	Normal	3.118E+02	3.194E+00	5.371E-01	2076	2085	2080	9	tasmax
Jordan	Normal	3.052E+02	3.119E+00	4.911E-01	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Jordan	Normal	2.976E+02	3.273E+00	7.532E-01	2076	2085	2080	11	tasmax
Jordan	Normal	2.920E+02	2.999E+00	5.719E-01	2076	2085	2080	12	tasmax
Jordan	Normal	2.909E+02	3.011E+00	5.506E-01	2086	2099	2092	1	tasmax
Jordan	Normal	2.938E+02	3.240E+00	7.942E-01	2086	2099	2092	2	tasmax
Jordan	Normal	2.985E+02	4.178E+00	1.488E+00	2086	2099	2092	3	tasmax
Jordan	Normal	3.031E+02	3.811E+00	1.001E+00	2086	2099	2092	4	tasmax
Jordan	Normal	3.079E+02	3.659E+00	6.816E-01	2086	2099	2092	5	tasmax
Jordan	Normal	3.132E+02	3.539E+00	5.998E-01	2086	2099	2092	6	tasmax
Jordan	Normal	3.163E+02	3.617E+00	6.656E-01	2086	2099	2092	7	tasmax
Jordan	Normal	3.165E+02	3.720E+00	6.897E-01	2086	2099	2092	8	tasmax
Jordan	Normal	3.126E+02	3.253E+00	5.763E-01	2086	2099	2092	9	tasmax
Jordan	Normal	3.057E+02	3.346E+00	5.267E-01	2086	2099	2092	10	tasmax
Jordan	Normal	2.983E+02	3.378E+00	7.559E-01	2086	2099	2092	11	tasmax
Jordan	Normal	2.926E+02	3.127E+00	6.852E-01	2086	2099	2092	12	tasmax
Kazakhstan	Normal	2.695E+02	3.903E+00	1.140E+00	2006	2015	2010	1	tasmax
Kazakhstan	Normal	2.715E+02	3.796E+00	1.262E+00	2006	2015	2010	2	tasmax
Kazakhstan	Normal	2.780E+02	3.935E+00	1.368E+00	2006	2015	2010	3	tasmax
Kazakhstan	Normal	2.880E+02	3.308E+00	1.409E+00	2006	2015	2010	4	tasmax
Kazakhstan	Normal	2.966E+02	2.550E+00	5.788E-01	2006	2015	2010	5	tasmax
Kazakhstan	Normal	3.028E+02	2.788E+00	4.264E-01	2006	2015	2010	6	tasmax
Kazakhstan	Normal	3.054E+02	2.999E+00	4.585E-01	2006	2015	2010	7	tasmax
Kazakhstan	Normal	3.034E+02	2.748E+00	6.363E-01	2006	2015	2010	8	tasmax
Kazakhstan	Normal	2.962E+02	2.579E+00	5.660E-01	2006	2015	2010	9	tasmax
Kazakhstan	Normal	2.865E+02	3.111E+00	1.311E+00	2006	2015	2010	10	tasmax
Kazakhstan	Normal	2.776E+02	3.053E+00	8.250E-01	2006	2015	2010	11	tasmax
Kazakhstan	Normal	2.717E+02	3.688E+00	8.831E-01	2006	2015	2010	12	tasmax
Kazakhstan	Normal	2.700E+02	3.926E+00	6.839E-01	2016	2025	2020	1	tasmax
Kazakhstan	Normal	2.722E+02	3.744E+00	8.760E-01	2016	2025	2020	2	tasmax
Kazakhstan	Normal	2.789E+02	4.067E+00	1.592E+00	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kazakhstan	Normal	2.885E+02	3.326E+00	1.467E+00	2016	2025	2020	4	tasmax
Kazakhstan	Normal	2.970E+02	2.870E+00	8.544E-01	2016	2025	2020	5	tasmax
Kazakhstan	Normal	3.034E+02	2.861E+00	4.725E-01	2016	2025	2020	6	tasmax
Kazakhstan	Normal	3.060E+02	3.147E+00	5.139E-01	2016	2025	2020	7	tasmax
Kazakhstan	Normal	3.038E+02	2.837E+00	5.853E-01	2016	2025	2020	8	tasmax
Kazakhstan	Normal	2.966E+02	2.736E+00	6.266E-01	2016	2025	2020	9	tasmax
Kazakhstan	Normal	2.871E+02	2.816E+00	9.313E-01	2016	2025	2020	10	tasmax
Kazakhstan	Normal	2.779E+02	3.187E+00	8.117E-01	2016	2025	2020	11	tasmax
Kazakhstan	Normal	2.721E+02	3.703E+00	6.779E-01	2016	2025	2020	12	tasmax
Kazakhstan	Normal	2.704E+02	3.507E+00	7.403E-01	2026	2035	2030	1	tasmax
Kazakhstan	Normal	2.729E+02	3.989E+00	9.779E-01	2026	2035	2030	2	tasmax
Kazakhstan	Normal	2.795E+02	3.959E+00	1.501E+00	2026	2035	2030	3	tasmax
Kazakhstan	Normal	2.889E+02	3.242E+00	1.220E+00	2026	2035	2030	4	tasmax
Kazakhstan	Normal	2.974E+02	2.520E+00	7.525E-01	2026	2035	2030	5	tasmax
Kazakhstan	Normal	3.037E+02	2.931E+00	3.825E-01	2026	2035	2030	6	tasmax
Kazakhstan	Normal	3.065E+02	2.933E+00	4.771E-01	2026	2035	2030	7	tasmax
Kazakhstan	Normal	3.044E+02	2.930E+00	6.694E-01	2026	2035	2030	8	tasmax
Kazakhstan	Normal	2.973E+02	2.868E+00	8.805E-01	2026	2035	2030	9	tasmax
Kazakhstan	Normal	2.875E+02	3.166E+00	1.086E+00	2026	2035	2030	10	tasmax
Kazakhstan	Normal	2.783E+02	2.769E+00	6.923E-01	2026	2035	2030	11	tasmax
Kazakhstan	Normal	2.726E+02	3.349E+00	6.501E-01	2026	2035	2030	12	tasmax
Kazakhstan	Normal	2.709E+02	3.760E+00	7.421E-01	2036	2045	2040	1	tasmax
Kazakhstan	Normal	2.733E+02	3.351E+00	9.446E-01	2036	2045	2040	2	tasmax
Kazakhstan	Normal	2.801E+02	4.049E+00	1.519E+00	2036	2045	2040	3	tasmax
Kazakhstan	Normal	2.892E+02	3.422E+00	1.382E+00	2036	2045	2040	4	tasmax
Kazakhstan	Normal	2.979E+02	2.977E+00	7.610E-01	2036	2045	2040	5	tasmax
Kazakhstan	Normal	3.043E+02	2.898E+00	4.829E-01	2036	2045	2040	6	tasmax
Kazakhstan	Normal	3.071E+02	3.163E+00	5.882E-01	2036	2045	2040	7	tasmax
Kazakhstan	Normal	3.051E+02	3.046E+00	5.452E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kazakhstan	Normal	2.978E+02	3.093E+00	7.067E-01	2036	2045	2040	9	tasmax
Kazakhstan	Normal	2.883E+02	3.195E+00	9.046E-01	2036	2045	2040	10	tasmax
Kazakhstan	Normal	2.788E+02	3.246E+00	8.794E-01	2036	2045	2040	11	tasmax
Kazakhstan	Normal	2.731E+02	3.816E+00	7.627E-01	2036	2045	2040	12	tasmax
Kazakhstan	Normal	2.719E+02	3.672E+00	8.223E-01	2046	2055	2050	1	tasmax
Kazakhstan	Normal	2.739E+02	3.399E+00	9.817E-01	2046	2055	2050	2	tasmax
Kazakhstan	Normal	2.807E+02	3.931E+00	1.665E+00	2046	2055	2050	3	tasmax
Kazakhstan	Normal	2.901E+02	3.361E+00	1.151E+00	2046	2055	2050	4	tasmax
Kazakhstan	Normal	2.985E+02	3.070E+00	8.306E-01	2046	2055	2050	5	tasmax
Kazakhstan	Normal	3.049E+02	3.173E+00	4.168E-01	2046	2055	2050	6	tasmax
Kazakhstan	Normal	3.078E+02	3.398E+00	6.314E-01	2046	2055	2050	7	tasmax
Kazakhstan	Normal	3.059E+02	3.123E+00	7.428E-01	2046	2055	2050	8	tasmax
Kazakhstan	Normal	2.982E+02	3.107E+00	6.242E-01	2046	2055	2050	9	tasmax
Kazakhstan	Normal	2.887E+02	3.112E+00	8.970E-01	2046	2055	2050	10	tasmax
Kazakhstan	Normal	2.797E+02	3.028E+00	8.149E-01	2046	2055	2050	11	tasmax
Kazakhstan	Normal	2.738E+02	3.233E+00	5.922E-01	2046	2055	2050	12	tasmax
Kazakhstan	Normal	2.726E+02	3.407E+00	6.722E-01	2056	2065	2060	1	tasmax
Kazakhstan	Normal	2.749E+02	3.502E+00	1.277E+00	2056	2065	2060	2	tasmax
Kazakhstan	Normal	2.816E+02	3.779E+00	1.543E+00	2056	2065	2060	3	tasmax
Kazakhstan	Normal	2.907E+02	3.468E+00	1.249E+00	2056	2065	2060	4	tasmax
Kazakhstan	Normal	2.989E+02	2.846E+00	5.992E-01	2056	2065	2060	5	tasmax
Kazakhstan	Normal	3.057E+02	3.120E+00	5.543E-01	2056	2065	2060	6	tasmax
Kazakhstan	Normal	3.084E+02	3.375E+00	6.874E-01	2056	2065	2060	7	tasmax
Kazakhstan	Normal	3.065E+02	3.331E+00	7.357E-01	2056	2065	2060	8	tasmax
Kazakhstan	Normal	2.992E+02	3.307E+00	7.528E-01	2056	2065	2060	9	tasmax
Kazakhstan	Normal	2.895E+02	3.389E+00	1.149E+00	2056	2065	2060	10	tasmax
Kazakhstan	Normal	2.804E+02	3.233E+00	8.969E-01	2056	2065	2060	11	tasmax
Kazakhstan	Normal	2.749E+02	3.568E+00	6.224E-01	2056	2065	2060	12	tasmax
Kazakhstan	Normal	2.732E+02	3.502E+00	7.708E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kazakhstan	Normal	2.755E+02	3.565E+00	1.095E+00	2066	2075	2070	2	tasmax
Kazakhstan	Normal	2.826E+02	3.707E+00	1.506E+00	2066	2075	2070	3	tasmax
Kazakhstan	Normal	2.913E+02	3.232E+00	1.220E+00	2066	2075	2070	4	tasmax
Kazakhstan	Normal	2.995E+02	2.981E+00	6.072E-01	2066	2075	2070	5	tasmax
Kazakhstan	Normal	3.064E+02	3.191E+00	5.625E-01	2066	2075	2070	6	tasmax
Kazakhstan	Normal	3.095E+02	3.384E+00	8.446E-01	2066	2075	2070	7	tasmax
Kazakhstan	Normal	3.074E+02	3.270E+00	7.385E-01	2066	2075	2070	8	tasmax
Kazakhstan	Normal	2.999E+02	2.999E+00	6.195E-01	2066	2075	2070	9	tasmax
Kazakhstan	Normal	2.899E+02	3.283E+00	9.021E-01	2066	2075	2070	10	tasmax
Kazakhstan	Normal	2.809E+02	3.263E+00	8.908E-01	2066	2075	2070	11	tasmax
Kazakhstan	Normal	2.750E+02	3.296E+00	8.199E-01	2066	2075	2070	12	tasmax
Kazakhstan	Normal	2.739E+02	3.567E+00	7.763E-01	2076	2085	2080	1	tasmax
Kazakhstan	Normal	2.765E+02	3.686E+00	1.585E+00	2076	2085	2080	2	tasmax
Kazakhstan	Normal	2.835E+02	3.934E+00	1.625E+00	2076	2085	2080	3	tasmax
Kazakhstan	Normal	2.922E+02	3.584E+00	1.244E+00	2076	2085	2080	4	tasmax
Kazakhstan	Normal	3.003E+02	3.110E+00	5.689E-01	2076	2085	2080	5	tasmax
Kazakhstan	Normal	3.068E+02	3.417E+00	4.654E-01	2076	2085	2080	6	tasmax
Kazakhstan	Normal	3.101E+02	3.407E+00	9.295E-01	2076	2085	2080	7	tasmax
Kazakhstan	Normal	3.080E+02	3.410E+00	7.627E-01	2076	2085	2080	8	tasmax
Kazakhstan	Normal	3.006E+02	3.507E+00	6.275E-01	2076	2085	2080	9	tasmax
Kazakhstan	Normal	2.905E+02	3.182E+00	9.942E-01	2076	2085	2080	10	tasmax
Kazakhstan	Normal	2.816E+02	3.423E+00	1.076E+00	2076	2085	2080	11	tasmax
Kazakhstan	Normal	2.759E+02	3.662E+00	7.898E-01	2076	2085	2080	12	tasmax
Kazakhstan	Normal	2.748E+02	3.303E+00	8.299E-01	2086	2099	2092	1	tasmax
Kazakhstan	Normal	2.771E+02	3.176E+00	1.135E+00	2086	2099	2092	2	tasmax
Kazakhstan	Normal	2.839E+02	3.769E+00	1.577E+00	2086	2099	2092	3	tasmax
Kazakhstan	Normal	2.925E+02	3.397E+00	1.174E+00	2086	2099	2092	4	tasmax
Kazakhstan	Normal	3.008E+02	3.464E+00	6.975E-01	2086	2099	2092	5	tasmax
Kazakhstan	Normal	3.077E+02	3.326E+00	6.715E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kazakhstan	Normal	3.107E+02	3.713E+00	9.299E-01	2086	2099	2092	7	tasmax
Kazakhstan	Normal	3.090E+02	3.672E+00	7.701E-01	2086	2099	2092	8	tasmax
Kazakhstan	Normal	3.013E+02	3.708E+00	8.012E-01	2086	2099	2092	9	tasmax
Kazakhstan	Normal	2.913E+02	3.356E+00	1.110E+00	2086	2099	2092	10	tasmax
Kazakhstan	Normal	2.823E+02	3.276E+00	9.235E-01	2086	2099	2092	11	tasmax
Kazakhstan	Normal	2.769E+02	3.600E+00	9.876E-01	2086	2099	2092	12	tasmax
Kenya	Normal	3.038E+02	1.743E+00	3.606E-01	2006	2015	2010	1	tasmax
Kenya	Normal	3.053E+02	1.556E+00	3.020E-01	2006	2015	2010	2	tasmax
Kenya	Normal	3.060E+02	1.428E+00	2.774E-01	2006	2015	2010	3	tasmax
Kenya	Normal	3.054E+02	1.194E+00	1.765E-01	2006	2015	2010	4	tasmax
Kenya	Normal	3.038E+02	1.364E+00	2.701E-01	2006	2015	2010	5	tasmax
Kenya	Normal	3.027E+02	1.477E+00	2.667E-01	2006	2015	2010	6	tasmax
Kenya	Normal	3.022E+02	1.399E+00	3.043E-01	2006	2015	2010	7	tasmax
Kenya	Normal	3.027E+02	1.451E+00	3.580E-01	2006	2015	2010	8	tasmax
Kenya	Normal	3.032E+02	1.420E+00	3.234E-01	2006	2015	2010	9	tasmax
Kenya	Normal	3.025E+02	1.812E+00	4.479E-01	2006	2015	2010	10	tasmax
Kenya	Normal	3.016E+02	2.075E+00	3.138E-01	2006	2015	2010	11	tasmax
Kenya	Normal	3.021E+02	2.003E+00	3.756E-01	2006	2015	2010	12	tasmax
Kenya	Normal	3.041E+02	1.906E+00	3.429E-01	2016	2025	2020	1	tasmax
Kenya	Normal	3.057E+02	1.531E+00	2.517E-01	2016	2025	2020	2	tasmax
Kenya	Normal	3.064E+02	1.386E+00	2.684E-01	2016	2025	2020	3	tasmax
Kenya	Normal	3.059E+02	1.170E+00	2.455E-01	2016	2025	2020	4	tasmax
Kenya	Normal	3.042E+02	1.421E+00	2.450E-01	2016	2025	2020	5	tasmax
Kenya	Normal	3.028E+02	1.565E+00	2.492E-01	2016	2025	2020	6	tasmax
Kenya	Normal	3.025E+02	1.486E+00	3.820E-01	2016	2025	2020	7	tasmax
Kenya	Normal	3.030E+02	1.488E+00	3.402E-01	2016	2025	2020	8	tasmax
Kenya	Normal	3.036E+02	1.505E+00	3.870E-01	2016	2025	2020	9	tasmax
Kenya	Normal	3.028E+02	1.909E+00	5.161E-01	2016	2025	2020	10	tasmax
Kenya	Normal	3.018E+02	2.131E+00	3.484E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kenya	Normal	3.025E+02	2.099E+00	4.013E-01	2016	2025	2020	12	tasmax
Kenya	Normal	3.043E+02	1.841E+00	4.047E-01	2026	2035	2030	1	tasmax
Kenya	Normal	3.059E+02	1.588E+00	2.802E-01	2026	2035	2030	2	tasmax
Kenya	Normal	3.066E+02	1.434E+00	2.141E-01	2026	2035	2030	3	tasmax
Kenya	Normal	3.060E+02	1.279E+00	3.076E-01	2026	2035	2030	4	tasmax
Kenya	Normal	3.044E+02	1.363E+00	3.265E-01	2026	2035	2030	5	tasmax
Kenya	Normal	3.032E+02	1.617E+00	3.087E-01	2026	2035	2030	6	tasmax
Kenya	Normal	3.029E+02	1.491E+00	3.855E-01	2026	2035	2030	7	tasmax
Kenya	Normal	3.033E+02	1.561E+00	3.983E-01	2026	2035	2030	8	tasmax
Kenya	Normal	3.038E+02	1.579E+00	3.110E-01	2026	2035	2030	9	tasmax
Kenya	Normal	3.031E+02	1.958E+00	4.534E-01	2026	2035	2030	10	tasmax
Kenya	Normal	3.021E+02	2.159E+00	4.178E-01	2026	2035	2030	11	tasmax
Kenya	Normal	3.026E+02	2.107E+00	4.429E-01	2026	2035	2030	12	tasmax
Kenya	Normal	3.047E+02	1.999E+00	3.257E-01	2036	2045	2040	1	tasmax
Kenya	Normal	3.063E+02	1.681E+00	2.317E-01	2036	2045	2040	2	tasmax
Kenya	Normal	3.071E+02	1.464E+00	1.985E-01	2036	2045	2040	3	tasmax
Kenya	Normal	3.064E+02	1.284E+00	2.309E-01	2036	2045	2040	4	tasmax
Kenya	Normal	3.048E+02	1.413E+00	2.152E-01	2036	2045	2040	5	tasmax
Kenya	Normal	3.037E+02	1.625E+00	2.778E-01	2036	2045	2040	6	tasmax
Kenya	Normal	3.033E+02	1.531E+00	4.330E-01	2036	2045	2040	7	tasmax
Kenya	Normal	3.037E+02	1.535E+00	3.842E-01	2036	2045	2040	8	tasmax
Kenya	Normal	3.042E+02	1.546E+00	3.526E-01	2036	2045	2040	9	tasmax
Kenya	Normal	3.034E+02	1.943E+00	4.252E-01	2036	2045	2040	10	tasmax
Kenya	Normal	3.025E+02	2.160E+00	4.009E-01	2036	2045	2040	11	tasmax
Kenya	Normal	3.029E+02	2.126E+00	3.392E-01	2036	2045	2040	12	tasmax
Kenya	Normal	3.049E+02	2.050E+00	3.033E-01	2046	2055	2050	1	tasmax
Kenya	Normal	3.066E+02	1.790E+00	2.867E-01	2046	2055	2050	2	tasmax
Kenya	Normal	3.076E+02	1.512E+00	2.206E-01	2046	2055	2050	3	tasmax
Kenya	Normal	3.069E+02	1.294E+00	2.498E-01	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kenya	Normal	3.052E+02	1.413E+00	2.252E-01	2046	2055	2050	5	tasmax
Kenya	Normal	3.041E+02	1.620E+00	2.816E-01	2046	2055	2050	6	tasmax
Kenya	Normal	3.037E+02	1.575E+00	4.380E-01	2046	2055	2050	7	tasmax
Kenya	Normal	3.041E+02	1.603E+00	4.319E-01	2046	2055	2050	8	tasmax
Kenya	Normal	3.047E+02	1.580E+00	3.706E-01	2046	2055	2050	9	tasmax
Kenya	Normal	3.039E+02	2.067E+00	4.650E-01	2046	2055	2050	10	tasmax
Kenya	Normal	3.028E+02	2.334E+00	4.009E-01	2046	2055	2050	11	tasmax
Kenya	Normal	3.032E+02	2.275E+00	3.281E-01	2046	2055	2050	12	tasmax
Kenya	Normal	3.053E+02	2.109E+00	3.483E-01	2056	2065	2060	1	tasmax
Kenya	Normal	3.071E+02	1.721E+00	3.158E-01	2056	2065	2060	2	tasmax
Kenya	Normal	3.079E+02	1.555E+00	2.773E-01	2056	2065	2060	3	tasmax
Kenya	Normal	3.074E+02	1.244E+00	2.373E-01	2056	2065	2060	4	tasmax
Kenya	Normal	3.059E+02	1.417E+00	2.452E-01	2056	2065	2060	5	tasmax
Kenya	Normal	3.046E+02	1.634E+00	3.029E-01	2056	2065	2060	6	tasmax
Kenya	Normal	3.042E+02	1.568E+00	4.772E-01	2056	2065	2060	7	tasmax
Kenya	Normal	3.046E+02	1.585E+00	4.813E-01	2056	2065	2060	8	tasmax
Kenya	Normal	3.052E+02	1.720E+00	4.314E-01	2056	2065	2060	9	tasmax
Kenya	Normal	3.044E+02	2.064E+00	3.762E-01	2056	2065	2060	10	tasmax
Kenya	Normal	3.032E+02	2.297E+00	4.916E-01	2056	2065	2060	11	tasmax
Kenya	Normal	3.036E+02	2.387E+00	2.960E-01	2056	2065	2060	12	tasmax
Kenya	Normal	3.058E+02	2.165E+00	3.635E-01	2066	2075	2070	1	tasmax
Kenya	Normal	3.075E+02	1.721E+00	2.419E-01	2066	2075	2070	2	tasmax
Kenya	Normal	3.084E+02	1.478E+00	2.742E-01	2066	2075	2070	3	tasmax
Kenya	Normal	3.078E+02	1.297E+00	2.258E-01	2066	2075	2070	4	tasmax
Kenya	Normal	3.064E+02	1.340E+00	2.116E-01	2066	2075	2070	5	tasmax
Kenya	Normal	3.053E+02	1.572E+00	3.267E-01	2066	2075	2070	6	tasmax
Kenya	Normal	3.048E+02	1.681E+00	5.259E-01	2066	2075	2070	7	tasmax
Kenya	Normal	3.052E+02	1.691E+00	4.637E-01	2066	2075	2070	8	tasmax
Kenya	Normal	3.056E+02	1.669E+00	3.424E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kenya	Normal	3.048E+02	2.095E+00	4.381E-01	2066	2075	2070	10	tasmax
Kenya	Normal	3.037E+02	2.328E+00	4.474E-01	2066	2075	2070	11	tasmax
Kenya	Normal	3.040E+02	2.519E+00	4.237E-01	2066	2075	2070	12	tasmax
Kenya	Normal	3.062E+02	2.219E+00	3.395E-01	2076	2085	2080	1	tasmax
Kenya	Normal	3.080E+02	1.762E+00	2.246E-01	2076	2085	2080	2	tasmax
Kenya	Normal	3.087E+02	1.511E+00	2.304E-01	2076	2085	2080	3	tasmax
Kenya	Normal	3.083E+02	1.344E+00	2.431E-01	2076	2085	2080	4	tasmax
Kenya	Normal	3.068E+02	1.459E+00	2.399E-01	2076	2085	2080	5	tasmax
Kenya	Normal	3.057E+02	1.770E+00	3.815E-01	2076	2085	2080	6	tasmax
Kenya	Normal	3.053E+02	1.706E+00	5.276E-01	2076	2085	2080	7	tasmax
Kenya	Normal	3.056E+02	1.748E+00	4.842E-01	2076	2085	2080	8	tasmax
Kenya	Normal	3.062E+02	1.848E+00	4.109E-01	2076	2085	2080	9	tasmax
Kenya	Normal	3.052E+02	2.288E+00	4.733E-01	2076	2085	2080	10	tasmax
Kenya	Normal	3.042E+02	2.465E+00	4.732E-01	2076	2085	2080	11	tasmax
Kenya	Normal	3.045E+02	2.446E+00	3.859E-01	2076	2085	2080	12	tasmax
Kenya	Normal	3.066E+02	2.291E+00	3.750E-01	2086	2099	2092	1	tasmax
Kenya	Normal	3.085E+02	1.923E+00	3.297E-01	2086	2099	2092	2	tasmax
Kenya	Normal	3.093E+02	1.645E+00	3.262E-01	2086	2099	2092	3	tasmax
Kenya	Normal	3.086E+02	1.429E+00	2.716E-01	2086	2099	2092	4	tasmax
Kenya	Normal	3.072E+02	1.563E+00	3.309E-01	2086	2099	2092	5	tasmax
Kenya	Normal	3.062E+02	1.762E+00	3.869E-01	2086	2099	2092	6	tasmax
Kenya	Normal	3.058E+02	1.701E+00	5.317E-01	2086	2099	2092	7	tasmax
Kenya	Normal	3.061E+02	1.750E+00	5.345E-01	2086	2099	2092	8	tasmax
Kenya	Normal	3.066E+02	1.876E+00	4.565E-01	2086	2099	2092	9	tasmax
Kenya	Normal	3.058E+02	2.159E+00	4.899E-01	2086	2099	2092	10	tasmax
Kenya	Normal	3.046E+02	2.408E+00	5.254E-01	2086	2099	2092	11	tasmax
Kenya	Normal	3.049E+02	2.486E+00	3.279E-01	2086	2099	2092	12	tasmax
Kuwait	Normal	2.909E+02	3.611E+00	6.399E-01	2006	2015	2010	1	tasmax
Kuwait	Normal	2.942E+02	3.983E+00	5.968E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kuwait	Normal	2.994E+02	3.929E+00	7.672E-01	2006	2015	2010	3	tasmax
Kuwait	Normal	3.046E+02	3.787E+00	1.044E+00	2006	2015	2010	4	tasmax
Kuwait	Normal	3.103E+02	4.025E+00	1.154E+00	2006	2015	2010	5	tasmax
Kuwait	Normal	3.163E+02	3.836E+00	6.913E-01	2006	2015	2010	6	tasmax
Kuwait	Normal	3.187E+02	3.898E+00	7.916E-01	2006	2015	2010	7	tasmax
Kuwait	Normal	3.181E+02	4.085E+00	7.379E-01	2006	2015	2010	8	tasmax
Kuwait	Normal	3.142E+02	3.903E+00	5.589E-01	2006	2015	2010	9	tasmax
Kuwait	Normal	3.069E+02	3.616E+00	6.636E-01	2006	2015	2010	10	tasmax
Kuwait	Normal	2.982E+02	3.618E+00	7.823E-01	2006	2015	2010	11	tasmax
Kuwait	Normal	2.922E+02	3.559E+00	6.400E-01	2006	2015	2010	12	tasmax
Kuwait	Normal	2.913E+02	3.891E+00	8.397E-01	2016	2025	2020	1	tasmax
Kuwait	Normal	2.943E+02	4.020E+00	6.267E-01	2016	2025	2020	2	tasmax
Kuwait	Normal	2.995E+02	4.120E+00	8.185E-01	2016	2025	2020	3	tasmax
Kuwait	Normal	3.049E+02	4.116E+00	9.196E-01	2016	2025	2020	4	tasmax
Kuwait	Normal	3.104E+02	3.921E+00	8.385E-01	2016	2025	2020	5	tasmax
Kuwait	Normal	3.166E+02	3.917E+00	8.073E-01	2016	2025	2020	6	tasmax
Kuwait	Normal	3.191E+02	3.805E+00	7.433E-01	2016	2025	2020	7	tasmax
Kuwait	Normal	3.183E+02	4.040E+00	7.534E-01	2016	2025	2020	8	tasmax
Kuwait	Normal	3.146E+02	3.946E+00	5.174E-01	2016	2025	2020	9	tasmax
Kuwait	Normal	3.074E+02	3.843E+00	6.703E-01	2016	2025	2020	10	tasmax
Kuwait	Normal	2.983E+02	3.810E+00	6.616E-01	2016	2025	2020	11	tasmax
Kuwait	Normal	2.923E+02	3.754E+00	7.037E-01	2016	2025	2020	12	tasmax
Kuwait	Normal	2.917E+02	3.950E+00	6.627E-01	2026	2035	2030	1	tasmax
Kuwait	Normal	2.949E+02	4.027E+00	6.900E-01	2026	2035	2030	2	tasmax
Kuwait	Normal	3.001E+02	4.028E+00	1.014E+00	2026	2035	2030	3	tasmax
Kuwait	Normal	3.053E+02	4.029E+00	9.611E-01	2026	2035	2030	4	tasmax
Kuwait	Normal	3.110E+02	3.841E+00	8.377E-01	2026	2035	2030	5	tasmax
Kuwait	Normal	3.171E+02	3.865E+00	8.172E-01	2026	2035	2030	6	tasmax
Kuwait	Normal	3.197E+02	4.021E+00	8.780E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kuwait	Normal	3.189E+02	4.062E+00	6.970E-01	2026	2035	2030	8	tasmax
Kuwait	Normal	3.154E+02	4.012E+00	6.138E-01	2026	2035	2030	9	tasmax
Kuwait	Normal	3.080E+02	3.797E+00	6.907E-01	2026	2035	2030	10	tasmax
Kuwait	Normal	2.990E+02	3.698E+00	6.806E-01	2026	2035	2030	11	tasmax
Kuwait	Normal	2.929E+02	3.635E+00	5.550E-01	2026	2035	2030	12	tasmax
Kuwait	Normal	2.922E+02	3.944E+00	6.496E-01	2036	2045	2040	1	tasmax
Kuwait	Normal	2.953E+02	4.042E+00	6.175E-01	2036	2045	2040	2	tasmax
Kuwait	Normal	3.007E+02	4.289E+00	9.314E-01	2036	2045	2040	3	tasmax
Kuwait	Normal	3.058E+02	4.287E+00	9.975E-01	2036	2045	2040	4	tasmax
Kuwait	Normal	3.117E+02	4.161E+00	9.651E-01	2036	2045	2040	5	tasmax
Kuwait	Normal	3.179E+02	4.115E+00	7.501E-01	2036	2045	2040	6	tasmax
Kuwait	Normal	3.203E+02	4.084E+00	8.084E-01	2036	2045	2040	7	tasmax
Kuwait	Normal	3.195E+02	4.088E+00	8.347E-01	2036	2045	2040	8	tasmax
Kuwait	Normal	3.160E+02	4.003E+00	6.124E-01	2036	2045	2040	9	tasmax
Kuwait	Normal	3.084E+02	3.672E+00	7.365E-01	2036	2045	2040	10	tasmax
Kuwait	Normal	2.994E+02	3.988E+00	8.164E-01	2036	2045	2040	11	tasmax
Kuwait	Normal	2.932E+02	3.783E+00	5.996E-01	2036	2045	2040	12	tasmax
Kuwait	Normal	2.928E+02	3.947E+00	6.539E-01	2046	2055	2050	1	tasmax
Kuwait	Normal	2.958E+02	4.067E+00	6.992E-01	2046	2055	2050	2	tasmax
Kuwait	Normal	3.012E+02	4.174E+00	1.016E+00	2046	2055	2050	3	tasmax
Kuwait	Normal	3.064E+02	4.208E+00	1.167E+00	2046	2055	2050	4	tasmax
Kuwait	Normal	3.122E+02	4.163E+00	1.115E+00	2046	2055	2050	5	tasmax
Kuwait	Normal	3.186E+02	4.232E+00	8.394E-01	2046	2055	2050	6	tasmax
Kuwait	Normal	3.210E+02	3.985E+00	8.230E-01	2046	2055	2050	7	tasmax
Kuwait	Normal	3.204E+02	4.224E+00	7.021E-01	2046	2055	2050	8	tasmax
Kuwait	Normal	3.168E+02	4.215E+00	7.937E-01	2046	2055	2050	9	tasmax
Kuwait	Normal	3.094E+02	3.910E+00	8.108E-01	2046	2055	2050	10	tasmax
Kuwait	Normal	2.999E+02	3.833E+00	6.536E-01	2046	2055	2050	11	tasmax
Kuwait	Normal	2.938E+02	3.782E+00	5.870E-01	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kuwait	Normal	2.932E+02	3.815E+00	6.151E-01	2056	2065	2060	1	tasmax
Kuwait	Normal	2.965E+02	3.960E+00	8.476E-01	2056	2065	2060	2	tasmax
Kuwait	Normal	3.018E+02	4.150E+00	1.155E+00	2056	2065	2060	3	tasmax
Kuwait	Normal	3.073E+02	4.365E+00	1.276E+00	2056	2065	2060	4	tasmax
Kuwait	Normal	3.130E+02	4.121E+00	1.093E+00	2056	2065	2060	5	tasmax
Kuwait	Normal	3.193E+02	4.155E+00	8.693E-01	2056	2065	2060	6	tasmax
Kuwait	Normal	3.219E+02	4.092E+00	7.473E-01	2056	2065	2060	7	tasmax
Kuwait	Normal	3.210E+02	4.493E+00	9.121E-01	2056	2065	2060	8	tasmax
Kuwait	Normal	3.174E+02	4.217E+00	8.036E-01	2056	2065	2060	9	tasmax
Kuwait	Normal	3.104E+02	3.972E+00	9.271E-01	2056	2065	2060	10	tasmax
Kuwait	Normal	3.009E+02	4.085E+00	7.555E-01	2056	2065	2060	11	tasmax
Kuwait	Normal	2.944E+02	3.611E+00	6.816E-01	2056	2065	2060	12	tasmax
Kuwait	Normal	2.939E+02	3.716E+00	5.915E-01	2066	2075	2070	1	tasmax
Kuwait	Normal	2.973E+02	4.184E+00	6.587E-01	2066	2075	2070	2	tasmax
Kuwait	Normal	3.024E+02	4.521E+00	1.167E+00	2066	2075	2070	3	tasmax
Kuwait	Normal	3.076E+02	4.336E+00	1.205E+00	2066	2075	2070	4	tasmax
Kuwait	Normal	3.138E+02	4.409E+00	1.162E+00	2066	2075	2070	5	tasmax
Kuwait	Normal	3.201E+02	4.145E+00	7.629E-01	2066	2075	2070	6	tasmax
Kuwait	Normal	3.226E+02	4.153E+00	8.257E-01	2066	2075	2070	7	tasmax
Kuwait	Normal	3.220E+02	4.294E+00	8.977E-01	2066	2075	2070	8	tasmax
Kuwait	Normal	3.183E+02	4.360E+00	8.988E-01	2066	2075	2070	9	tasmax
Kuwait	Normal	3.110E+02	4.039E+00	8.881E-01	2066	2075	2070	10	tasmax
Kuwait	Normal	3.017E+02	4.132E+00	6.921E-01	2066	2075	2070	11	tasmax
Kuwait	Normal	2.954E+02	3.652E+00	6.409E-01	2066	2075	2070	12	tasmax
Kuwait	Normal	2.945E+02	3.646E+00	7.621E-01	2076	2085	2080	1	tasmax
Kuwait	Normal	2.978E+02	4.303E+00	8.834E-01	2076	2085	2080	2	tasmax
Kuwait	Normal	3.030E+02	4.581E+00	1.230E+00	2076	2085	2080	3	tasmax
Kuwait	Normal	3.086E+02	4.481E+00	1.135E+00	2076	2085	2080	4	tasmax
Kuwait	Normal	3.145E+02	4.417E+00	9.675E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kuwait	Normal	3.209E+02	4.430E+00	8.705E-01	2076	2085	2080	6	tasmax
Kuwait	Normal	3.233E+02	4.406E+00	8.740E-01	2076	2085	2080	7	tasmax
Kuwait	Normal	3.225E+02	4.376E+00	1.042E+00	2076	2085	2080	8	tasmax
Kuwait	Normal	3.189E+02	4.384E+00	9.936E-01	2076	2085	2080	9	tasmax
Kuwait	Normal	3.118E+02	4.178E+00	8.233E-01	2076	2085	2080	10	tasmax
Kuwait	Normal	3.026E+02	4.095E+00	6.351E-01	2076	2085	2080	11	tasmax
Kuwait	Normal	2.960E+02	3.708E+00	5.435E-01	2076	2085	2080	12	tasmax
Kuwait	Normal	2.949E+02	3.826E+00	6.099E-01	2086	2099	2092	1	tasmax
Kuwait	Normal	2.982E+02	4.225E+00	8.059E-01	2086	2099	2092	2	tasmax
Kuwait	Normal	3.037E+02	4.958E+00	1.389E+00	2086	2099	2092	3	tasmax
Kuwait	Normal	3.092E+02	4.583E+00	1.272E+00	2086	2099	2092	4	tasmax
Kuwait	Normal	3.150E+02	4.733E+00	1.160E+00	2086	2099	2092	5	tasmax
Kuwait	Normal	3.215E+02	4.400E+00	9.425E-01	2086	2099	2092	6	tasmax
Kuwait	Normal	3.240E+02	4.434E+00	9.439E-01	2086	2099	2092	7	tasmax
Kuwait	Normal	3.234E+02	4.390E+00	1.033E+00	2086	2099	2092	8	tasmax
Kuwait	Normal	3.198E+02	4.401E+00	9.347E-01	2086	2099	2092	9	tasmax
Kuwait	Normal	3.124E+02	4.141E+00	1.001E+00	2086	2099	2092	10	tasmax
Kuwait	Normal	3.031E+02	4.303E+00	9.281E-01	2086	2099	2092	11	tasmax
Kuwait	Normal	2.966E+02	4.083E+00	6.977E-01	2086	2099	2092	12	tasmax
Kyrgyzstan	Normal	2.682E+02	2.377E+00	5.783E-01	2006	2015	2010	1	tasmax
Kyrgyzstan	Normal	2.701E+02	2.334E+00	5.452E-01	2006	2015	2010	2	tasmax
Kyrgyzstan	Normal	2.749E+02	2.634E+00	5.187E-01	2006	2015	2010	3	tasmax
Kyrgyzstan	Normal	2.818E+02	2.805E+00	3.704E-01	2006	2015	2010	4	tasmax
Kyrgyzstan	Normal	2.882E+02	2.544E+00	4.533E-01	2006	2015	2010	5	tasmax
Kyrgyzstan	Normal	2.932E+02	2.870E+00	5.559E-01	2006	2015	2010	6	tasmax
Kyrgyzstan	Normal	2.965E+02	3.195E+00	5.330E-01	2006	2015	2010	7	tasmax
Kyrgyzstan	Normal	2.963E+02	3.171E+00	4.735E-01	2006	2015	2010	8	tasmax
Kyrgyzstan	Normal	2.911E+02	2.807E+00	5.829E-01	2006	2015	2010	9	tasmax
Kyrgyzstan	Normal	2.830E+02	2.526E+00	4.648E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kyrgyzstan	Normal	2.755E+02	2.611E+00	5.809E-01	2006	2015	2010	11	tasmax
Kyrgyzstan	Normal	2.699E+02	2.615E+00	6.212E-01	2006	2015	2010	12	tasmax
Kyrgyzstan	Normal	2.685E+02	2.601E+00	6.295E-01	2016	2025	2020	1	tasmax
Kyrgyzstan	Normal	2.705E+02	2.498E+00	4.980E-01	2016	2025	2020	2	tasmax
Kyrgyzstan	Normal	2.755E+02	2.862E+00	5.115E-01	2016	2025	2020	3	tasmax
Kyrgyzstan	Normal	2.821E+02	2.957E+00	4.940E-01	2016	2025	2020	4	tasmax
Kyrgyzstan	Normal	2.884E+02	2.860E+00	6.215E-01	2016	2025	2020	5	tasmax
Kyrgyzstan	Normal	2.940E+02	2.897E+00	5.037E-01	2016	2025	2020	6	tasmax
Kyrgyzstan	Normal	2.972E+02	3.323E+00	5.592E-01	2016	2025	2020	7	tasmax
Kyrgyzstan	Normal	2.968E+02	3.242E+00	5.956E-01	2016	2025	2020	8	tasmax
Kyrgyzstan	Normal	2.914E+02	2.795E+00	4.571E-01	2016	2025	2020	9	tasmax
Kyrgyzstan	Normal	2.833E+02	2.401E+00	5.456E-01	2016	2025	2020	10	tasmax
Kyrgyzstan	Normal	2.757E+02	2.793E+00	5.316E-01	2016	2025	2020	11	tasmax
Kyrgyzstan	Normal	2.702E+02	2.691E+00	5.331E-01	2016	2025	2020	12	tasmax
Kyrgyzstan	Normal	2.691E+02	2.639E+00	4.910E-01	2026	2035	2030	1	tasmax
Kyrgyzstan	Normal	2.712E+02	2.860E+00	8.727E-01	2026	2035	2030	2	tasmax
Kyrgyzstan	Normal	2.761E+02	2.811E+00	5.982E-01	2026	2035	2030	3	tasmax
Kyrgyzstan	Normal	2.825E+02	2.976E+00	6.349E-01	2026	2035	2030	4	tasmax
Kyrgyzstan	Normal	2.889E+02	2.591E+00	5.426E-01	2026	2035	2030	5	tasmax
Kyrgyzstan	Normal	2.942E+02	2.885E+00	5.097E-01	2026	2035	2030	6	tasmax
Kyrgyzstan	Normal	2.977E+02	3.342E+00	7.711E-01	2026	2035	2030	7	tasmax
Kyrgyzstan	Normal	2.974E+02	3.365E+00	7.782E-01	2026	2035	2030	8	tasmax
Kyrgyzstan	Normal	2.922E+02	2.966E+00	5.680E-01	2026	2035	2030	9	tasmax
Kyrgyzstan	Normal	2.840E+02	2.985E+00	5.236E-01	2026	2035	2030	10	tasmax
Kyrgyzstan	Normal	2.761E+02	2.767E+00	3.643E-01	2026	2035	2030	11	tasmax
Kyrgyzstan	Normal	2.708E+02	2.534E+00	4.700E-01	2026	2035	2030	12	tasmax
Kyrgyzstan	Normal	2.694E+02	2.663E+00	5.153E-01	2036	2045	2040	1	tasmax
Kyrgyzstan	Normal	2.714E+02	2.394E+00	6.803E-01	2036	2045	2040	2	tasmax
Kyrgyzstan	Normal	2.766E+02	2.851E+00	4.496E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kyrgyzstan	Normal	2.831E+02	3.280E+00	5.910E-01	2036	2045	2040	4	tasmax
Kyrgyzstan	Normal	2.896E+02	2.966E+00	5.639E-01	2036	2045	2040	5	tasmax
Kyrgyzstan	Normal	2.949E+02	3.105E+00	5.235E-01	2036	2045	2040	6	tasmax
Kyrgyzstan	Normal	2.984E+02	3.466E+00	7.561E-01	2036	2045	2040	7	tasmax
Kyrgyzstan	Normal	2.982E+02	3.395E+00	7.377E-01	2036	2045	2040	8	tasmax
Kyrgyzstan	Normal	2.926E+02	2.931E+00	6.367E-01	2036	2045	2040	9	tasmax
Kyrgyzstan	Normal	2.848E+02	2.845E+00	4.293E-01	2036	2045	2040	10	tasmax
Kyrgyzstan	Normal	2.768E+02	3.127E+00	4.841E-01	2036	2045	2040	11	tasmax
Kyrgyzstan	Normal	2.713E+02	2.869E+00	6.418E-01	2036	2045	2040	12	tasmax
Kyrgyzstan	Normal	2.700E+02	2.717E+00	5.965E-01	2046	2055	2050	1	tasmax
Kyrgyzstan	Normal	2.721E+02	2.757E+00	7.766E-01	2046	2055	2050	2	tasmax
Kyrgyzstan	Normal	2.770E+02	3.302E+00	8.316E-01	2046	2055	2050	3	tasmax
Kyrgyzstan	Normal	2.839E+02	3.286E+00	6.130E-01	2046	2055	2050	4	tasmax
Kyrgyzstan	Normal	2.901E+02	2.853E+00	5.071E-01	2046	2055	2050	5	tasmax
Kyrgyzstan	Normal	2.955E+02	3.138E+00	5.899E-01	2046	2055	2050	6	tasmax
Kyrgyzstan	Normal	2.990E+02	3.562E+00	6.980E-01	2046	2055	2050	7	tasmax
Kyrgyzstan	Normal	2.991E+02	3.400E+00	8.874E-01	2046	2055	2050	8	tasmax
Kyrgyzstan	Normal	2.936E+02	3.187E+00	5.148E-01	2046	2055	2050	9	tasmax
Kyrgyzstan	Normal	2.853E+02	2.671E+00	4.722E-01	2046	2055	2050	10	tasmax
Kyrgyzstan	Normal	2.778E+02	3.005E+00	4.749E-01	2046	2055	2050	11	tasmax
Kyrgyzstan	Normal	2.719E+02	2.865E+00	5.945E-01	2046	2055	2050	12	tasmax
Kyrgyzstan	Normal	2.708E+02	3.082E+00	6.586E-01	2056	2065	2060	1	tasmax
Kyrgyzstan	Normal	2.729E+02	2.985E+00	5.919E-01	2056	2065	2060	2	tasmax
Kyrgyzstan	Normal	2.779E+02	3.254E+00	6.601E-01	2056	2065	2060	3	tasmax
Kyrgyzstan	Normal	2.845E+02	3.503E+00	6.266E-01	2056	2065	2060	4	tasmax
Kyrgyzstan	Normal	2.906E+02	3.073E+00	6.205E-01	2056	2065	2060	5	tasmax
Kyrgyzstan	Normal	2.963E+02	3.295E+00	6.853E-01	2056	2065	2060	6	tasmax
Kyrgyzstan	Normal	3.001E+02	3.523E+00	7.862E-01	2056	2065	2060	7	tasmax
Kyrgyzstan	Normal	2.999E+02	3.363E+00	9.378E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kyrgyzstan	Normal	2.943E+02	3.148E+00	5.502E-01	2056	2065	2060	9	tasmax
Kyrgyzstan	Normal	2.861E+02	3.054E+00	5.736E-01	2056	2065	2060	10	tasmax
Kyrgyzstan	Normal	2.786E+02	3.159E+00	6.276E-01	2056	2065	2060	11	tasmax
Kyrgyzstan	Normal	2.729E+02	3.150E+00	7.405E-01	2056	2065	2060	12	tasmax
Kyrgyzstan	Normal	2.712E+02	2.848E+00	6.019E-01	2066	2075	2070	1	tasmax
Kyrgyzstan	Normal	2.735E+02	3.081E+00	8.056E-01	2066	2075	2070	2	tasmax
Kyrgyzstan	Normal	2.788E+02	3.255E+00	6.736E-01	2066	2075	2070	3	tasmax
Kyrgyzstan	Normal	2.851E+02	3.404E+00	9.697E-01	2066	2075	2070	4	tasmax
Kyrgyzstan	Normal	2.915E+02	3.082E+00	5.603E-01	2066	2075	2070	5	tasmax
Kyrgyzstan	Normal	2.975E+02	3.256E+00	8.140E-01	2066	2075	2070	6	tasmax
Kyrgyzstan	Normal	3.010E+02	3.657E+00	8.700E-01	2066	2075	2070	7	tasmax
Kyrgyzstan	Normal	3.007E+02	3.434E+00	9.117E-01	2066	2075	2070	8	tasmax
Kyrgyzstan	Normal	2.952E+02	3.193E+00	5.916E-01	2066	2075	2070	9	tasmax
Kyrgyzstan	Normal	2.869E+02	2.817E+00	4.702E-01	2066	2075	2070	10	tasmax
Kyrgyzstan	Normal	2.789E+02	3.235E+00	6.189E-01	2066	2075	2070	11	tasmax
Kyrgyzstan	Normal	2.731E+02	2.975E+00	7.204E-01	2066	2075	2070	12	tasmax
Kyrgyzstan	Normal	2.720E+02	3.014E+00	8.035E-01	2076	2085	2080	1	tasmax
Kyrgyzstan	Normal	2.744E+02	3.473E+00	9.473E-01	2076	2085	2080	2	tasmax
Kyrgyzstan	Normal	2.798E+02	3.603E+00	9.102E-01	2076	2085	2080	3	tasmax
Kyrgyzstan	Normal	2.860E+02	3.656E+00	9.176E-01	2076	2085	2080	4	tasmax
Kyrgyzstan	Normal	2.925E+02	3.279E+00	6.784E-01	2076	2085	2080	5	tasmax
Kyrgyzstan	Normal	2.978E+02	3.337E+00	6.667E-01	2076	2085	2080	6	tasmax
Kyrgyzstan	Normal	3.018E+02	3.531E+00	8.780E-01	2076	2085	2080	7	tasmax
Kyrgyzstan	Normal	3.014E+02	3.585E+00	8.643E-01	2076	2085	2080	8	tasmax
Kyrgyzstan	Normal	2.961E+02	3.495E+00	6.657E-01	2076	2085	2080	9	tasmax
Kyrgyzstan	Normal	2.876E+02	2.859E+00	4.567E-01	2076	2085	2080	10	tasmax
Kyrgyzstan	Normal	2.798E+02	3.310E+00	7.358E-01	2076	2085	2080	11	tasmax
Kyrgyzstan	Normal	2.742E+02	3.448E+00	9.379E-01	2076	2085	2080	12	tasmax
Kyrgyzstan	Normal	2.729E+02	3.061E+00	5.744E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Kyrgyzstan	Normal	2.748E+02	3.090E+00	8.742E-01	2086	2099	2092	2	tasmax
Kyrgyzstan	Normal	2.804E+02	3.364E+00	8.217E-01	2086	2099	2092	3	tasmax
Kyrgyzstan	Normal	2.868E+02	3.692E+00	7.476E-01	2086	2099	2092	4	tasmax
Kyrgyzstan	Normal	2.932E+02	3.690E+00	7.248E-01	2086	2099	2092	5	tasmax
Kyrgyzstan	Normal	2.985E+02	3.537E+00	9.344E-01	2086	2099	2092	6	tasmax
Kyrgyzstan	Normal	3.026E+02	3.919E+00	1.097E+00	2086	2099	2092	7	tasmax
Kyrgyzstan	Normal	3.025E+02	3.999E+00	1.335E+00	2086	2099	2092	8	tasmax
Kyrgyzstan	Normal	2.969E+02	3.604E+00	8.158E-01	2086	2099	2092	9	tasmax
Kyrgyzstan	Normal	2.885E+02	3.133E+00	4.441E-01	2086	2099	2092	10	tasmax
Kyrgyzstan	Normal	2.805E+02	3.412E+00	9.092E-01	2086	2099	2092	11	tasmax
Kyrgyzstan	Normal	2.751E+02	3.555E+00	1.019E+00	2086	2099	2092	12	tasmax
Laos	Normal	2.949E+02	2.154E+00	4.382E-01	2006	2015	2010	1	tasmax
Laos	Normal	2.989E+02	2.355E+00	3.938E-01	2006	2015	2010	2	tasmax
Laos	Normal	3.035E+02	2.425E+00	5.143E-01	2006	2015	2010	3	tasmax
Laos	Normal	3.069E+02	2.668E+00	4.716E-01	2006	2015	2010	4	tasmax
Laos	Normal	3.067E+02	3.132E+00	8.896E-01	2006	2015	2010	5	tasmax
Laos	Normal	3.038E+02	2.549E+00	8.432E-01	2006	2015	2010	6	tasmax
Laos	Normal	3.021E+02	1.771E+00	3.361E-01	2006	2015	2010	7	tasmax
Laos	Normal	3.018E+02	1.504E+00	3.489E-01	2006	2015	2010	8	tasmax
Laos	Normal	3.011E+02	1.503E+00	4.682E-01	2006	2015	2010	9	tasmax
Laos	Normal	2.997E+02	1.443E+00	5.475E-01	2006	2015	2010	10	tasmax
Laos	Normal	2.972E+02	1.585E+00	3.927E-01	2006	2015	2010	11	tasmax
Laos	Normal	2.947E+02	1.615E+00	4.393E-01	2006	2015	2010	12	tasmax
Laos	Normal	2.953E+02	2.187E+00	6.285E-01	2016	2025	2020	1	tasmax
Laos	Normal	2.989E+02	2.273E+00	3.351E-01	2016	2025	2020	2	tasmax
Laos	Normal	3.038E+02	2.506E+00	5.588E-01	2016	2025	2020	3	tasmax
Laos	Normal	3.074E+02	2.714E+00	5.511E-01	2016	2025	2020	4	tasmax
Laos	Normal	3.071E+02	3.496E+00	9.950E-01	2016	2025	2020	5	tasmax
Laos	Normal	3.041E+02	2.993E+00	1.237E+00	2016	2025	2020	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Laos	Normal	3.026E+02	2.013E+00	4.740E-01	2016	2025	2020	7	tasmax
Laos	Normal	3.021E+02	1.664E+00	4.078E-01	2016	2025	2020	8	tasmax
Laos	Normal	3.015E+02	1.587E+00	5.410E-01	2016	2025	2020	9	tasmax
Laos	Normal	3.000E+02	1.555E+00	5.007E-01	2016	2025	2020	10	tasmax
Laos	Normal	2.975E+02	1.582E+00	4.764E-01	2016	2025	2020	11	tasmax
Laos	Normal	2.949E+02	1.615E+00	3.091E-01	2016	2025	2020	12	tasmax
Laos	Normal	2.957E+02	2.080E+00	5.442E-01	2026	2035	2030	1	tasmax
Laos	Normal	2.993E+02	2.445E+00	5.040E-01	2026	2035	2030	2	tasmax
Laos	Normal	3.041E+02	2.602E+00	6.053E-01	2026	2035	2030	3	tasmax
Laos	Normal	3.078E+02	2.815E+00	4.456E-01	2026	2035	2030	4	tasmax
Laos	Normal	3.075E+02	3.485E+00	1.020E+00	2026	2035	2030	5	tasmax
Laos	Normal	3.047E+02	3.001E+00	1.176E+00	2026	2035	2030	6	tasmax
Laos	Normal	3.029E+02	1.943E+00	4.171E-01	2026	2035	2030	7	tasmax
Laos	Normal	3.025E+02	1.662E+00	3.876E-01	2026	2035	2030	8	tasmax
Laos	Normal	3.019E+02	1.521E+00	5.014E-01	2026	2035	2030	9	tasmax
Laos	Normal	3.004E+02	1.617E+00	5.092E-01	2026	2035	2030	10	tasmax
Laos	Normal	2.979E+02	1.792E+00	5.980E-01	2026	2035	2030	11	tasmax
Laos	Normal	2.950E+02	1.805E+00	4.282E-01	2026	2035	2030	12	tasmax
Laos	Normal	2.959E+02	2.103E+00	4.001E-01	2036	2045	2040	1	tasmax
Laos	Normal	2.998E+02	2.193E+00	3.344E-01	2036	2045	2040	2	tasmax
Laos	Normal	3.046E+02	2.486E+00	4.887E-01	2036	2045	2040	3	tasmax
Laos	Normal	3.081E+02	3.030E+00	4.707E-01	2036	2045	2040	4	tasmax
Laos	Normal	3.078E+02	3.558E+00	9.316E-01	2036	2045	2040	5	tasmax
Laos	Normal	3.048E+02	2.518E+00	8.985E-01	2036	2045	2040	6	tasmax
Laos	Normal	3.032E+02	1.927E+00	4.515E-01	2036	2045	2040	7	tasmax
Laos	Normal	3.028E+02	1.620E+00	3.652E-01	2036	2045	2040	8	tasmax
Laos	Normal	3.022E+02	1.634E+00	4.681E-01	2036	2045	2040	9	tasmax
Laos	Normal	3.007E+02	1.702E+00	4.202E-01	2036	2045	2040	10	tasmax
Laos	Normal	2.982E+02	1.578E+00	3.630E-01	2036	2045	2040	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Laos	Normal	2.957E+02	1.754E+00	3.378E-01	2036	2045	2040	12	tasmax
Laos	Normal	2.966E+02	2.036E+00	3.692E-01	2046	2055	2050	1	tasmax
Laos	Normal	3.005E+02	2.418E+00	4.743E-01	2046	2055	2050	2	tasmax
Laos	Normal	3.054E+02	2.597E+00	4.573E-01	2046	2055	2050	3	tasmax
Laos	Normal	3.088E+02	3.178E+00	5.184E-01	2046	2055	2050	4	tasmax
Laos	Normal	3.085E+02	3.674E+00	1.010E+00	2046	2055	2050	5	tasmax
Laos	Normal	3.055E+02	3.255E+00	1.207E+00	2046	2055	2050	6	tasmax
Laos	Normal	3.038E+02	2.084E+00	4.630E-01	2046	2055	2050	7	tasmax
Laos	Normal	3.032E+02	1.706E+00	3.386E-01	2046	2055	2050	8	tasmax
Laos	Normal	3.028E+02	1.617E+00	5.394E-01	2046	2055	2050	9	tasmax
Laos	Normal	3.013E+02	1.747E+00	4.994E-01	2046	2055	2050	10	tasmax
Laos	Normal	2.989E+02	1.769E+00	2.725E-01	2046	2055	2050	11	tasmax
Laos	Normal	2.963E+02	1.933E+00	2.813E-01	2046	2055	2050	12	tasmax
Laos	Normal	2.970E+02	2.385E+00	4.053E-01	2056	2065	2060	1	tasmax
Laos	Normal	3.008E+02	2.429E+00	4.685E-01	2056	2065	2060	2	tasmax
Laos	Normal	3.055E+02	2.947E+00	6.735E-01	2056	2065	2060	3	tasmax
Laos	Normal	3.093E+02	3.202E+00	5.804E-01	2056	2065	2060	4	tasmax
Laos	Normal	3.089E+02	3.795E+00	1.134E+00	2056	2065	2060	5	tasmax
Laos	Normal	3.061E+02	3.441E+00	1.391E+00	2056	2065	2060	6	tasmax
Laos	Normal	3.042E+02	2.304E+00	6.508E-01	2056	2065	2060	7	tasmax
Laos	Normal	3.037E+02	1.732E+00	3.810E-01	2056	2065	2060	8	tasmax
Laos	Normal	3.032E+02	1.682E+00	4.443E-01	2056	2065	2060	9	tasmax
Laos	Normal	3.019E+02	1.881E+00	2.691E-01	2056	2065	2060	10	tasmax
Laos	Normal	2.993E+02	1.799E+00	3.287E-01	2056	2065	2060	11	tasmax
Laos	Normal	2.967E+02	1.988E+00	2.786E-01	2056	2065	2060	12	tasmax
Laos	Normal	2.976E+02	2.270E+00	3.628E-01	2066	2075	2070	1	tasmax
Laos	Normal	3.010E+02	2.531E+00	4.624E-01	2066	2075	2070	2	tasmax
Laos	Normal	3.060E+02	2.849E+00	7.389E-01	2066	2075	2070	3	tasmax
Laos	Normal	3.099E+02	3.186E+00	5.302E-01	2066	2075	2070	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Laos	Normal	3.098E+02	3.766E+00	1.112E+00	2066	2075	2070	5	tasmax
Laos	Normal	3.066E+02	2.861E+00	9.659E-01	2066	2075	2070	6	tasmax
Laos	Normal	3.047E+02	2.190E+00	5.314E-01	2066	2075	2070	7	tasmax
Laos	Normal	3.042E+02	1.867E+00	4.809E-01	2066	2075	2070	8	tasmax
Laos	Normal	3.037E+02	1.788E+00	6.110E-01	2066	2075	2070	9	tasmax
Laos	Normal	3.024E+02	1.906E+00	5.777E-01	2066	2075	2070	10	tasmax
Laos	Normal	2.997E+02	2.056E+00	3.832E-01	2066	2075	2070	11	tasmax
Laos	Normal	2.974E+02	2.045E+00	3.059E-01	2066	2075	2070	12	tasmax
Laos	Normal	2.980E+02	2.145E+00	4.210E-01	2076	2085	2080	1	tasmax
Laos	Normal	3.018E+02	2.573E+00	5.163E-01	2076	2085	2080	2	tasmax
Laos	Normal	3.066E+02	3.208E+00	9.101E-01	2076	2085	2080	3	tasmax
Laos	Normal	3.106E+02	3.509E+00	6.062E-01	2076	2085	2080	4	tasmax
Laos	Normal	3.101E+02	3.925E+00	1.017E+00	2076	2085	2080	5	tasmax
Laos	Normal	3.071E+02	3.835E+00	1.654E+00	2076	2085	2080	6	tasmax
Laos	Normal	3.054E+02	2.456E+00	6.051E-01	2076	2085	2080	7	tasmax
Laos	Normal	3.048E+02	1.993E+00	4.423E-01	2076	2085	2080	8	tasmax
Laos	Normal	3.043E+02	1.908E+00	5.579E-01	2076	2085	2080	9	tasmax
Laos	Normal	3.028E+02	2.080E+00	4.615E-01	2076	2085	2080	10	tasmax
Laos	Normal	3.004E+02	1.977E+00	2.957E-01	2076	2085	2080	11	tasmax
Laos	Normal	2.976E+02	2.273E+00	3.579E-01	2076	2085	2080	12	tasmax
Laos	Normal	2.985E+02	2.505E+00	4.792E-01	2086	2099	2092	1	tasmax
Laos	Normal	3.022E+02	2.780E+00	6.719E-01	2086	2099	2092	2	tasmax
Laos	Normal	3.072E+02	3.287E+00	6.934E-01	2086	2099	2092	3	tasmax
Laos	Normal	3.112E+02	3.348E+00	6.066E-01	2086	2099	2092	4	tasmax
Laos	Normal	3.109E+02	4.179E+00	1.122E+00	2086	2099	2092	5	tasmax
Laos	Normal	3.079E+02	4.017E+00	1.693E+00	2086	2099	2092	6	tasmax
Laos	Normal	3.059E+02	2.585E+00	7.323E-01	2086	2099	2092	7	tasmax
Laos	Normal	3.053E+02	2.057E+00	4.644E-01	2086	2099	2092	8	tasmax
Laos	Normal	3.049E+02	1.988E+00	5.204E-01	2086	2099	2092	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Laos	Normal	3.033E+02	2.166E+00	4.001E-01	2086	2099	2092	10	tasmax
Laos	Normal	3.006E+02	2.183E+00	3.741E-01	2086	2099	2092	11	tasmax
Laos	Normal	2.980E+02	2.299E+00	4.099E-01	2086	2099	2092	12	tasmax
Latvia	Normal	2.710E+02	3.076E+00	7.111E-01	2006	2015	2010	1	tasmax
Latvia	Normal	2.719E+02	3.166E+00	6.413E-01	2006	2015	2010	2	tasmax
Latvia	Normal	2.758E+02	2.886E+00	5.123E-01	2006	2015	2010	3	tasmax
Latvia	Normal	2.827E+02	3.364E+00	7.410E-01	2006	2015	2010	4	tasmax
Latvia	Normal	2.901E+02	3.062E+00	5.452E-01	2006	2015	2010	5	tasmax
Latvia	Normal	2.952E+02	3.212E+00	7.081E-01	2006	2015	2010	6	tasmax
Latvia	Normal	2.970E+02	3.801E+00	8.864E-01	2006	2015	2010	7	tasmax
Latvia	Normal	2.951E+02	3.619E+00	9.267E-01	2006	2015	2010	8	tasmax
Latvia	Normal	2.897E+02	3.225E+00	8.378E-01	2006	2015	2010	9	tasmax
Latvia	Normal	2.833E+02	2.723E+00	6.642E-01	2006	2015	2010	10	tasmax
Latvia	Normal	2.768E+02	2.569E+00	6.396E-01	2006	2015	2010	11	tasmax
Latvia	Normal	2.729E+02	2.967E+00	4.181E-01	2006	2015	2010	12	tasmax
Latvia	Normal	2.714E+02	2.791E+00	7.822E-01	2016	2025	2020	1	tasmax
Latvia	Normal	2.725E+02	2.922E+00	7.884E-01	2016	2025	2020	2	tasmax
Latvia	Normal	2.766E+02	3.008E+00	6.486E-01	2016	2025	2020	3	tasmax
Latvia	Normal	2.835E+02	3.116E+00	5.357E-01	2016	2025	2020	4	tasmax
Latvia	Normal	2.907E+02	3.152E+00	6.555E-01	2016	2025	2020	5	tasmax
Latvia	Normal	2.955E+02	3.323E+00	6.830E-01	2016	2025	2020	6	tasmax
Latvia	Normal	2.977E+02	3.753E+00	9.395E-01	2016	2025	2020	7	tasmax
Latvia	Normal	2.954E+02	3.703E+00	9.515E-01	2016	2025	2020	8	tasmax
Latvia	Normal	2.902E+02	3.101E+00	6.554E-01	2016	2025	2020	9	tasmax
Latvia	Normal	2.837E+02	2.484E+00	5.400E-01	2016	2025	2020	10	tasmax
Latvia	Normal	2.776E+02	2.232E+00	4.871E-01	2016	2025	2020	11	tasmax
Latvia	Normal	2.731E+02	2.638E+00	6.251E-01	2016	2025	2020	12	tasmax
Latvia	Normal	2.716E+02	3.324E+00	7.264E-01	2026	2035	2030	1	tasmax
Latvia	Normal	2.728E+02	2.562E+00	7.106E-01	2026	2035	2030	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Latvia	Normal	2.771E+02	2.752E+00	6.492E-01	2026	2035	2030	3	tasmax
Latvia	Normal	2.840E+02	3.348E+00	4.714E-01	2026	2035	2030	4	tasmax
Latvia	Normal	2.909E+02	3.226E+00	8.306E-01	2026	2035	2030	5	tasmax
Latvia	Normal	2.957E+02	3.125E+00	6.106E-01	2026	2035	2030	6	tasmax
Latvia	Normal	2.978E+02	3.898E+00	1.086E+00	2026	2035	2030	7	tasmax
Latvia	Normal	2.959E+02	3.412E+00	7.034E-01	2026	2035	2030	8	tasmax
Latvia	Normal	2.903E+02	2.999E+00	5.728E-01	2026	2035	2030	9	tasmax
Latvia	Normal	2.840E+02	2.795E+00	9.058E-01	2026	2035	2030	10	tasmax
Latvia	Normal	2.779E+02	2.483E+00	7.998E-01	2026	2035	2030	11	tasmax
Latvia	Normal	2.738E+02	3.154E+00	4.958E-01	2026	2035	2030	12	tasmax
Latvia	Normal	2.727E+02	3.305E+00	9.755E-01	2036	2045	2040	1	tasmax
Latvia	Normal	2.738E+02	2.960E+00	1.273E+00	2036	2045	2040	2	tasmax
Latvia	Normal	2.776E+02	2.917E+00	6.551E-01	2036	2045	2040	3	tasmax
Latvia	Normal	2.844E+02	3.084E+00	5.837E-01	2036	2045	2040	4	tasmax
Latvia	Normal	2.912E+02	3.029E+00	7.914E-01	2036	2045	2040	5	tasmax
Latvia	Normal	2.962E+02	3.455E+00	7.926E-01	2036	2045	2040	6	tasmax
Latvia	Normal	2.987E+02	3.982E+00	8.596E-01	2036	2045	2040	7	tasmax
Latvia	Normal	2.966E+02	3.516E+00	5.921E-01	2036	2045	2040	8	tasmax
Latvia	Normal	2.911E+02	2.844E+00	6.224E-01	2036	2045	2040	9	tasmax
Latvia	Normal	2.846E+02	2.493E+00	5.474E-01	2036	2045	2040	10	tasmax
Latvia	Normal	2.786E+02	2.559E+00	4.704E-01	2036	2045	2040	11	tasmax
Latvia	Normal	2.745E+02	2.642E+00	4.703E-01	2036	2045	2040	12	tasmax
Latvia	Normal	2.733E+02	2.926E+00	5.758E-01	2046	2055	2050	1	tasmax
Latvia	Normal	2.742E+02	2.937E+00	8.206E-01	2046	2055	2050	2	tasmax
Latvia	Normal	2.783E+02	2.715E+00	5.846E-01	2046	2055	2050	3	tasmax
Latvia	Normal	2.849E+02	3.457E+00	6.372E-01	2046	2055	2050	4	tasmax
Latvia	Normal	2.917E+02	3.413E+00	8.953E-01	2046	2055	2050	5	tasmax
Latvia	Normal	2.970E+02	3.637E+00	7.986E-01	2046	2055	2050	6	tasmax
Latvia	Normal	2.992E+02	3.758E+00	9.223E-01	2046	2055	2050	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Latvia	Normal	2.974E+02	3.699E+00	7.988E-01	2046	2055	2050	8	tasmax
Latvia	Normal	2.919E+02	2.837E+00	5.147E-01	2046	2055	2050	9	tasmax
Latvia	Normal	2.854E+02	2.671E+00	8.123E-01	2046	2055	2050	10	tasmax
Latvia	Normal	2.791E+02	2.631E+00	4.320E-01	2046	2055	2050	11	tasmax
Latvia	Normal	2.751E+02	2.857E+00	5.723E-01	2046	2055	2050	12	tasmax
Latvia	Normal	2.742E+02	2.916E+00	6.183E-01	2056	2065	2060	1	tasmax
Latvia	Normal	2.747E+02	2.923E+00	9.541E-01	2056	2065	2060	2	tasmax
Latvia	Normal	2.787E+02	3.073E+00	7.700E-01	2056	2065	2060	3	tasmax
Latvia	Normal	2.855E+02	2.875E+00	6.415E-01	2056	2065	2060	4	tasmax
Latvia	Normal	2.922E+02	3.415E+00	8.371E-01	2056	2065	2060	5	tasmax
Latvia	Normal	2.972E+02	3.741E+00	8.361E-01	2056	2065	2060	6	tasmax
Latvia	Normal	2.997E+02	3.954E+00	8.165E-01	2056	2065	2060	7	tasmax
Latvia	Normal	2.980E+02	3.795E+00	8.334E-01	2056	2065	2060	8	tasmax
Latvia	Normal	2.925E+02	3.076E+00	5.362E-01	2056	2065	2060	9	tasmax
Latvia	Normal	2.859E+02	2.667E+00	6.651E-01	2056	2065	2060	10	tasmax
Latvia	Normal	2.797E+02	2.164E+00	5.771E-01	2056	2065	2060	11	tasmax
Latvia	Normal	2.759E+02	2.683E+00	3.922E-01	2056	2065	2060	12	tasmax
Latvia	Normal	2.750E+02	2.681E+00	4.139E-01	2066	2075	2070	1	tasmax
Latvia	Normal	2.757E+02	2.573E+00	5.326E-01	2066	2075	2070	2	tasmax
Latvia	Normal	2.795E+02	2.885E+00	5.960E-01	2066	2075	2070	3	tasmax
Latvia	Normal	2.862E+02	3.225E+00	6.349E-01	2066	2075	2070	4	tasmax
Latvia	Normal	2.927E+02	3.289E+00	6.469E-01	2066	2075	2070	5	tasmax
Latvia	Normal	2.983E+02	3.771E+00	7.414E-01	2066	2075	2070	6	tasmax
Latvia	Normal	3.002E+02	4.049E+00	1.031E+00	2066	2075	2070	7	tasmax
Latvia	Normal	2.987E+02	3.840E+00	8.891E-01	2066	2075	2070	8	tasmax
Latvia	Normal	2.931E+02	3.291E+00	7.044E-01	2066	2075	2070	9	tasmax
Latvia	Normal	2.863E+02	2.847E+00	7.709E-01	2066	2075	2070	10	tasmax
Latvia	Normal	2.804E+02	2.302E+00	6.827E-01	2066	2075	2070	11	tasmax
Latvia	Normal	2.765E+02	2.860E+00	6.171E-01	2066	2075	2070	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Latvia	Normal	2.757E+02	3.034E+00	1.034E+00	2076	2085	2080	1	tasmax
Latvia	Normal	2.763E+02	2.950E+00	8.069E-01	2076	2085	2080	2	tasmax
Latvia	Normal	2.800E+02	3.131E+00	6.686E-01	2076	2085	2080	3	tasmax
Latvia	Normal	2.864E+02	3.146E+00	6.553E-01	2076	2085	2080	4	tasmax
Latvia	Normal	2.930E+02	3.418E+00	8.198E-01	2076	2085	2080	5	tasmax
Latvia	Normal	2.986E+02	3.646E+00	7.235E-01	2076	2085	2080	6	tasmax
Latvia	Normal	3.010E+02	4.306E+00	8.371E-01	2076	2085	2080	7	tasmax
Latvia	Normal	2.997E+02	3.959E+00	1.152E+00	2076	2085	2080	8	tasmax
Latvia	Normal	2.938E+02	3.115E+00	6.025E-01	2076	2085	2080	9	tasmax
Latvia	Normal	2.871E+02	2.747E+00	6.388E-01	2076	2085	2080	10	tasmax
Latvia	Normal	2.808E+02	2.160E+00	4.079E-01	2076	2085	2080	11	tasmax
Latvia	Normal	2.772E+02	2.658E+00	6.274E-01	2076	2085	2080	12	tasmax
Latvia	Normal	2.762E+02	2.432E+00	5.117E-01	2086	2099	2092	1	tasmax
Latvia	Normal	2.767E+02	2.435E+00	6.613E-01	2086	2099	2092	2	tasmax
Latvia	Normal	2.803E+02	2.782E+00	6.305E-01	2086	2099	2092	3	tasmax
Latvia	Normal	2.867E+02	3.033E+00	4.755E-01	2086	2099	2092	4	tasmax
Latvia	Normal	2.936E+02	3.418E+00	9.753E-01	2086	2099	2092	5	tasmax
Latvia	Normal	2.993E+02	3.964E+00	7.644E-01	2086	2099	2092	6	tasmax
Latvia	Normal	3.016E+02	4.177E+00	9.460E-01	2086	2099	2092	7	tasmax
Latvia	Normal	3.001E+02	4.007E+00	1.101E+00	2086	2099	2092	8	tasmax
Latvia	Normal	2.947E+02	3.066E+00	5.437E-01	2086	2099	2092	9	tasmax
Latvia	Normal	2.877E+02	2.564E+00	7.230E-01	2086	2099	2092	10	tasmax
Latvia	Normal	2.814E+02	2.227E+00	4.646E-01	2086	2099	2092	11	tasmax
Latvia	Normal	2.777E+02	2.488E+00	4.363E-01	2086	2099	2092	12	tasmax
Lebanon	Normal	2.865E+02	2.237E+00	3.781E-01	2006	2015	2010	1	tasmax
Lebanon	Normal	2.881E+02	2.372E+00	4.482E-01	2006	2015	2010	2	tasmax
Lebanon	Normal	2.909E+02	2.478E+00	6.988E-01	2006	2015	2010	3	tasmax
Lebanon	Normal	2.946E+02	2.779E+00	1.096E+00	2006	2015	2010	4	tasmax
Lebanon	Normal	2.987E+02	3.178E+00	1.104E+00	2006	2015	2010	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lebanon	Normal	3.032E+02	3.527E+00	9.733E-01	2006	2015	2010	6	tasmax
Lebanon	Normal	3.063E+02	4.096E+00	8.238E-01	2006	2015	2010	7	tasmax
Lebanon	Normal	3.066E+02	4.138E+00	9.160E-01	2006	2015	2010	8	tasmax
Lebanon	Normal	3.038E+02	2.853E+00	8.215E-01	2006	2015	2010	9	tasmax
Lebanon	Normal	2.985E+02	2.303E+00	4.997E-01	2006	2015	2010	10	tasmax
Lebanon	Normal	2.923E+02	2.180E+00	4.568E-01	2006	2015	2010	11	tasmax
Lebanon	Normal	2.879E+02	2.200E+00	3.696E-01	2006	2015	2010	12	tasmax
Lebanon	Normal	2.869E+02	2.168E+00	4.354E-01	2016	2025	2020	1	tasmax
Lebanon	Normal	2.882E+02	2.363E+00	4.742E-01	2016	2025	2020	2	tasmax
Lebanon	Normal	2.911E+02	2.839E+00	1.052E+00	2016	2025	2020	3	tasmax
Lebanon	Normal	2.949E+02	2.944E+00	1.176E+00	2016	2025	2020	4	tasmax
Lebanon	Normal	2.991E+02	3.044E+00	1.156E+00	2016	2025	2020	5	tasmax
Lebanon	Normal	3.038E+02	3.451E+00	9.563E-01	2016	2025	2020	6	tasmax
Lebanon	Normal	3.067E+02	4.111E+00	9.459E-01	2016	2025	2020	7	tasmax
Lebanon	Normal	3.071E+02	4.217E+00	1.006E+00	2016	2025	2020	8	tasmax
Lebanon	Normal	3.041E+02	2.948E+00	6.835E-01	2016	2025	2020	9	tasmax
Lebanon	Normal	2.990E+02	2.332E+00	4.324E-01	2016	2025	2020	10	tasmax
Lebanon	Normal	2.926E+02	2.492E+00	5.739E-01	2016	2025	2020	11	tasmax
Lebanon	Normal	2.883E+02	2.159E+00	4.197E-01	2016	2025	2020	12	tasmax
Lebanon	Normal	2.872E+02	2.219E+00	3.585E-01	2026	2035	2030	1	tasmax
Lebanon	Normal	2.886E+02	2.302E+00	5.408E-01	2026	2035	2030	2	tasmax
Lebanon	Normal	2.916E+02	2.847E+00	1.184E+00	2026	2035	2030	3	tasmax
Lebanon	Normal	2.954E+02	2.923E+00	1.270E+00	2026	2035	2030	4	tasmax
Lebanon	Normal	2.996E+02	3.372E+00	1.438E+00	2026	2035	2030	5	tasmax
Lebanon	Normal	3.044E+02	3.602E+00	9.264E-01	2026	2035	2030	6	tasmax
Lebanon	Normal	3.074E+02	4.332E+00	1.158E+00	2026	2035	2030	7	tasmax
Lebanon	Normal	3.077E+02	4.319E+00	9.642E-01	2026	2035	2030	8	tasmax
Lebanon	Normal	3.047E+02	2.950E+00	6.801E-01	2026	2035	2030	9	tasmax
Lebanon	Normal	2.993E+02	2.366E+00	4.982E-01	2026	2035	2030	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lebanon	Normal	2.931E+02	2.325E+00	7.020E-01	2026	2035	2030	11	tasmax
Lebanon	Normal	2.887E+02	2.153E+00	3.101E-01	2026	2035	2030	12	tasmax
Lebanon	Normal	2.876E+02	2.169E+00	3.614E-01	2036	2045	2040	1	tasmax
Lebanon	Normal	2.890E+02	2.256E+00	6.266E-01	2036	2045	2040	2	tasmax
Lebanon	Normal	2.921E+02	2.831E+00	1.122E+00	2036	2045	2040	3	tasmax
Lebanon	Normal	2.958E+02	3.127E+00	1.334E+00	2036	2045	2040	4	tasmax
Lebanon	Normal	3.003E+02	3.033E+00	1.225E+00	2036	2045	2040	5	tasmax
Lebanon	Normal	3.049E+02	3.542E+00	1.050E+00	2036	2045	2040	6	tasmax
Lebanon	Normal	3.078E+02	4.337E+00	1.071E+00	2036	2045	2040	7	tasmax
Lebanon	Normal	3.081E+02	4.428E+00	1.163E+00	2036	2045	2040	8	tasmax
Lebanon	Normal	3.052E+02	2.956E+00	7.201E-01	2036	2045	2040	9	tasmax
Lebanon	Normal	2.999E+02	2.405E+00	4.165E-01	2036	2045	2040	10	tasmax
Lebanon	Normal	2.937E+02	2.399E+00	4.633E-01	2036	2045	2040	11	tasmax
Lebanon	Normal	2.889E+02	2.212E+00	3.930E-01	2036	2045	2040	12	tasmax
Lebanon	Normal	2.882E+02	2.439E+00	4.290E-01	2046	2055	2050	1	tasmax
Lebanon	Normal	2.896E+02	2.341E+00	4.391E-01	2046	2055	2050	2	tasmax
Lebanon	Normal	2.927E+02	2.613E+00	1.112E+00	2046	2055	2050	3	tasmax
Lebanon	Normal	2.963E+02	2.942E+00	1.381E+00	2046	2055	2050	4	tasmax
Lebanon	Normal	3.007E+02	3.036E+00	1.160E+00	2046	2055	2050	5	tasmax
Lebanon	Normal	3.054E+02	3.282E+00	9.195E-01	2046	2055	2050	6	tasmax
Lebanon	Normal	3.084E+02	4.289E+00	1.137E+00	2046	2055	2050	7	tasmax
Lebanon	Normal	3.091E+02	4.335E+00	9.847E-01	2046	2055	2050	8	tasmax
Lebanon	Normal	3.058E+02	3.027E+00	7.924E-01	2046	2055	2050	9	tasmax
Lebanon	Normal	3.007E+02	2.382E+00	4.726E-01	2046	2055	2050	10	tasmax
Lebanon	Normal	2.942E+02	2.494E+00	4.081E-01	2046	2055	2050	11	tasmax
Lebanon	Normal	2.894E+02	2.287E+00	3.641E-01	2046	2055	2050	12	tasmax
Lebanon	Normal	2.887E+02	2.353E+00	3.567E-01	2056	2065	2060	1	tasmax
Lebanon	Normal	2.901E+02	2.306E+00	6.387E-01	2056	2065	2060	2	tasmax
Lebanon	Normal	2.930E+02	2.845E+00	1.231E+00	2056	2065	2060	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lebanon	Normal	2.969E+02	3.129E+00	1.322E+00	2056	2065	2060	4	tasmax
Lebanon	Normal	3.012E+02	3.125E+00	1.202E+00	2056	2065	2060	5	tasmax
Lebanon	Normal	3.061E+02	3.606E+00	9.674E-01	2056	2065	2060	6	tasmax
Lebanon	Normal	3.091E+02	4.300E+00	1.037E+00	2056	2065	2060	7	tasmax
Lebanon	Normal	3.098E+02	4.524E+00	9.500E-01	2056	2065	2060	8	tasmax
Lebanon	Normal	3.066E+02	3.319E+00	9.076E-01	2056	2065	2060	9	tasmax
Lebanon	Normal	3.012E+02	2.486E+00	5.119E-01	2056	2065	2060	10	tasmax
Lebanon	Normal	2.949E+02	2.486E+00	4.882E-01	2056	2065	2060	11	tasmax
Lebanon	Normal	2.900E+02	2.127E+00	3.800E-01	2056	2065	2060	12	tasmax
Lebanon	Normal	2.892E+02	2.274E+00	3.233E-01	2066	2075	2070	1	tasmax
Lebanon	Normal	2.907E+02	2.368E+00	5.002E-01	2066	2075	2070	2	tasmax
Lebanon	Normal	2.936E+02	3.179E+00	1.336E+00	2066	2075	2070	3	tasmax
Lebanon	Normal	2.976E+02	3.333E+00	1.545E+00	2066	2075	2070	4	tasmax
Lebanon	Normal	3.021E+02	3.565E+00	1.396E+00	2066	2075	2070	5	tasmax
Lebanon	Normal	3.067E+02	3.554E+00	8.605E-01	2066	2075	2070	6	tasmax
Lebanon	Normal	3.096E+02	4.186E+00	9.373E-01	2066	2075	2070	7	tasmax
Lebanon	Normal	3.102E+02	4.452E+00	1.013E+00	2066	2075	2070	8	tasmax
Lebanon	Normal	3.073E+02	3.226E+00	9.235E-01	2066	2075	2070	9	tasmax
Lebanon	Normal	3.017E+02	2.653E+00	5.727E-01	2066	2075	2070	10	tasmax
Lebanon	Normal	2.954E+02	2.692E+00	5.869E-01	2066	2075	2070	11	tasmax
Lebanon	Normal	2.909E+02	2.353E+00	4.367E-01	2066	2075	2070	12	tasmax
Lebanon	Normal	2.896E+02	2.468E+00	3.599E-01	2076	2085	2080	1	tasmax
Lebanon	Normal	2.913E+02	2.804E+00	8.637E-01	2076	2085	2080	2	tasmax
Lebanon	Normal	2.942E+02	3.240E+00	1.180E+00	2076	2085	2080	3	tasmax
Lebanon	Normal	2.983E+02	3.484E+00	1.484E+00	2076	2085	2080	4	tasmax
Lebanon	Normal	3.025E+02	3.442E+00	1.415E+00	2076	2085	2080	5	tasmax
Lebanon	Normal	3.074E+02	3.797E+00	9.251E-01	2076	2085	2080	6	tasmax
Lebanon	Normal	3.104E+02	4.581E+00	1.006E+00	2076	2085	2080	7	tasmax
Lebanon	Normal	3.108E+02	4.446E+00	9.632E-01	2076	2085	2080	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lebanon	Normal	3.079E+02	3.360E+00	8.280E-01	2076	2085	2080	9	tasmax
Lebanon	Normal	3.024E+02	2.804E+00	7.249E-01	2076	2085	2080	10	tasmax
Lebanon	Normal	2.961E+02	2.956E+00	5.915E-01	2076	2085	2080	11	tasmax
Lebanon	Normal	2.912E+02	2.607E+00	4.150E-01	2076	2085	2080	12	tasmax
Lebanon	Normal	2.899E+02	2.544E+00	4.020E-01	2086	2099	2092	1	tasmax
Lebanon	Normal	2.916E+02	2.730E+00	5.800E-01	2086	2099	2092	2	tasmax
Lebanon	Normal	2.951E+02	3.872E+00	1.773E+00	2086	2099	2092	3	tasmax
Lebanon	Normal	2.987E+02	3.701E+00	1.795E+00	2086	2099	2092	4	tasmax
Lebanon	Normal	3.031E+02	3.674E+00	1.279E+00	2086	2099	2092	5	tasmax
Lebanon	Normal	3.080E+02	4.126E+00	1.012E+00	2086	2099	2092	6	tasmax
Lebanon	Normal	3.110E+02	4.511E+00	9.222E-01	2086	2099	2092	7	tasmax
Lebanon	Normal	3.115E+02	4.566E+00	1.088E+00	2086	2099	2092	8	tasmax
Lebanon	Normal	3.085E+02	3.387E+00	1.005E+00	2086	2099	2092	9	tasmax
Lebanon	Normal	3.029E+02	2.826E+00	5.848E-01	2086	2099	2092	10	tasmax
Lebanon	Normal	2.967E+02	2.913E+00	5.000E-01	2086	2099	2092	11	tasmax
Lebanon	Normal	2.917E+02	2.607E+00	4.901E-01	2086	2099	2092	12	tasmax
Lesotho	Normal	2.969E+02	2.905E+00	9.139E-01	2006	2015	2010	1	tasmax
Lesotho	Normal	2.965E+02	2.665E+00	9.185E-01	2006	2015	2010	2	tasmax
Lesotho	Normal	2.954E+02	2.491E+00	7.625E-01	2006	2015	2010	3	tasmax
Lesotho	Normal	2.933E+02	2.531E+00	6.848E-01	2006	2015	2010	4	tasmax
Lesotho	Normal	2.896E+02	2.242E+00	5.021E-01	2006	2015	2010	5	tasmax
Lesotho	Normal	2.867E+02	1.988E+00	3.875E-01	2006	2015	2010	6	tasmax
Lesotho	Normal	2.870E+02	2.323E+00	5.124E-01	2006	2015	2010	7	tasmax
Lesotho	Normal	2.895E+02	2.526E+00	6.974E-01	2006	2015	2010	8	tasmax
Lesotho	Normal	2.928E+02	2.841E+00	9.021E-01	2006	2015	2010	9	tasmax
Lesotho	Normal	2.949E+02	3.164E+00	1.302E+00	2006	2015	2010	10	tasmax
Lesotho	Normal	2.956E+02	3.100E+00	1.094E+00	2006	2015	2010	11	tasmax
Lesotho	Normal	2.966E+02	2.909E+00	8.535E-01	2006	2015	2010	12	tasmax
Lesotho	Normal	2.974E+02	3.013E+00	6.941E-01	2016	2025	2020	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lesotho	Normal	2.968E+02	2.582E+00	6.577E-01	2016	2025	2020	2	tasmax
Lesotho	Normal	2.959E+02	2.450E+00	6.740E-01	2016	2025	2020	3	tasmax
Lesotho	Normal	2.936E+02	2.348E+00	5.930E-01	2016	2025	2020	4	tasmax
Lesotho	Normal	2.901E+02	2.458E+00	4.546E-01	2016	2025	2020	5	tasmax
Lesotho	Normal	2.872E+02	2.092E+00	3.207E-01	2016	2025	2020	6	tasmax
Lesotho	Normal	2.874E+02	2.480E+00	3.796E-01	2016	2025	2020	7	tasmax
Lesotho	Normal	2.898E+02	2.665E+00	6.751E-01	2016	2025	2020	8	tasmax
Lesotho	Normal	2.934E+02	2.945E+00	1.136E+00	2016	2025	2020	9	tasmax
Lesotho	Normal	2.953E+02	3.322E+00	1.178E+00	2016	2025	2020	10	tasmax
Lesotho	Normal	2.962E+02	3.085E+00	9.515E-01	2016	2025	2020	11	tasmax
Lesotho	Normal	2.971E+02	2.971E+00	6.851E-01	2016	2025	2020	12	tasmax
Lesotho	Normal	2.978E+02	2.769E+00	6.538E-01	2026	2035	2030	1	tasmax
Lesotho	Normal	2.973E+02	2.597E+00	6.812E-01	2026	2035	2030	2	tasmax
Lesotho	Normal	2.964E+02	2.472E+00	5.685E-01	2026	2035	2030	3	tasmax
Lesotho	Normal	2.941E+02	2.558E+00	6.418E-01	2026	2035	2030	4	tasmax
Lesotho	Normal	2.905E+02	2.462E+00	5.267E-01	2026	2035	2030	5	tasmax
Lesotho	Normal	2.877E+02	2.170E+00	4.207E-01	2026	2035	2030	6	tasmax
Lesotho	Normal	2.879E+02	2.219E+00	4.176E-01	2026	2035	2030	7	tasmax
Lesotho	Normal	2.905E+02	2.655E+00	7.608E-01	2026	2035	2030	8	tasmax
Lesotho	Normal	2.938E+02	2.942E+00	1.067E+00	2026	2035	2030	9	tasmax
Lesotho	Normal	2.956E+02	3.213E+00	1.304E+00	2026	2035	2030	10	tasmax
Lesotho	Normal	2.966E+02	2.920E+00	8.527E-01	2026	2035	2030	11	tasmax
Lesotho	Normal	2.974E+02	2.768E+00	6.368E-01	2026	2035	2030	12	tasmax
Lesotho	Normal	2.981E+02	2.828E+00	8.073E-01	2036	2045	2040	1	tasmax
Lesotho	Normal	2.977E+02	2.697E+00	7.847E-01	2036	2045	2040	2	tasmax
Lesotho	Normal	2.968E+02	2.510E+00	6.688E-01	2036	2045	2040	3	tasmax
Lesotho	Normal	2.946E+02	2.423E+00	6.662E-01	2036	2045	2040	4	tasmax
Lesotho	Normal	2.912E+02	2.495E+00	5.074E-01	2036	2045	2040	5	tasmax
Lesotho	Normal	2.882E+02	2.115E+00	4.425E-01	2036	2045	2040	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lesotho	Normal	2.882E+02	2.199E+00	5.997E-01	2036	2045	2040	7	tasmax
Lesotho	Normal	2.910E+02	2.656E+00	6.297E-01	2036	2045	2040	8	tasmax
Lesotho	Normal	2.943E+02	2.936E+00	1.257E+00	2036	2045	2040	9	tasmax
Lesotho	Normal	2.962E+02	3.288E+00	1.525E+00	2036	2045	2040	10	tasmax
Lesotho	Normal	2.969E+02	3.233E+00	1.272E+00	2036	2045	2040	11	tasmax
Lesotho	Normal	2.978E+02	3.019E+00	8.327E-01	2036	2045	2040	12	tasmax
Lesotho	Normal	2.988E+02	2.887E+00	7.163E-01	2046	2055	2050	1	tasmax
Lesotho	Normal	2.982E+02	2.852E+00	8.961E-01	2046	2055	2050	2	tasmax
Lesotho	Normal	2.973E+02	2.815E+00	8.347E-01	2046	2055	2050	3	tasmax
Lesotho	Normal	2.951E+02	2.622E+00	6.762E-01	2046	2055	2050	4	tasmax
Lesotho	Normal	2.916E+02	2.357E+00	5.586E-01	2046	2055	2050	5	tasmax
Lesotho	Normal	2.888E+02	2.240E+00	3.893E-01	2046	2055	2050	6	tasmax
Lesotho	Normal	2.888E+02	2.322E+00	4.541E-01	2046	2055	2050	7	tasmax
Lesotho	Normal	2.915E+02	2.550E+00	6.643E-01	2046	2055	2050	8	tasmax
Lesotho	Normal	2.953E+02	3.014E+00	1.016E+00	2046	2055	2050	9	tasmax
Lesotho	Normal	2.970E+02	3.330E+00	1.287E+00	2046	2055	2050	10	tasmax
Lesotho	Normal	2.976E+02	3.210E+00	1.045E+00	2046	2055	2050	11	tasmax
Lesotho	Normal	2.983E+02	3.077E+00	8.782E-01	2046	2055	2050	12	tasmax
Lesotho	Normal	2.993E+02	2.950E+00	7.461E-01	2056	2065	2060	1	tasmax
Lesotho	Normal	2.987E+02	2.645E+00	6.022E-01	2056	2065	2060	2	tasmax
Lesotho	Normal	2.978E+02	2.642E+00	5.699E-01	2056	2065	2060	3	tasmax
Lesotho	Normal	2.956E+02	2.609E+00	6.457E-01	2056	2065	2060	4	tasmax
Lesotho	Normal	2.921E+02	2.395E+00	4.132E-01	2056	2065	2060	5	tasmax
Lesotho	Normal	2.893E+02	2.082E+00	4.039E-01	2056	2065	2060	6	tasmax
Lesotho	Normal	2.894E+02	2.334E+00	5.272E-01	2056	2065	2060	7	tasmax
Lesotho	Normal	2.923E+02	2.689E+00	6.273E-01	2056	2065	2060	8	tasmax
Lesotho	Normal	2.957E+02	3.174E+00	8.647E-01	2056	2065	2060	9	tasmax
Lesotho	Normal	2.977E+02	3.378E+00	1.306E+00	2056	2065	2060	10	tasmax
Lesotho	Normal	2.982E+02	3.216E+00	1.106E+00	2056	2065	2060	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lesotho	Normal	2.988E+02	3.090E+00	8.073E-01	2056	2065	2060	12	tasmax
Lesotho	Normal	2.999E+02	2.934E+00	8.204E-01	2066	2075	2070	1	tasmax
Lesotho	Normal	2.994E+02	2.841E+00	7.298E-01	2066	2075	2070	2	tasmax
Lesotho	Normal	2.987E+02	2.764E+00	8.125E-01	2066	2075	2070	3	tasmax
Lesotho	Normal	2.965E+02	2.581E+00	6.319E-01	2066	2075	2070	4	tasmax
Lesotho	Normal	2.931E+02	2.510E+00	3.678E-01	2066	2075	2070	5	tasmax
Lesotho	Normal	2.900E+02	2.183E+00	4.092E-01	2066	2075	2070	6	tasmax
Lesotho	Normal	2.903E+02	2.207E+00	4.350E-01	2066	2075	2070	7	tasmax
Lesotho	Normal	2.929E+02	2.732E+00	5.453E-01	2066	2075	2070	8	tasmax
Lesotho	Normal	2.966E+02	3.005E+00	8.425E-01	2066	2075	2070	9	tasmax
Lesotho	Normal	2.985E+02	3.270E+00	1.355E+00	2066	2075	2070	10	tasmax
Lesotho	Normal	2.987E+02	3.334E+00	1.029E+00	2066	2075	2070	11	tasmax
Lesotho	Normal	2.996E+02	3.145E+00	9.131E-01	2066	2075	2070	12	tasmax
Lesotho	Normal	3.005E+02	3.193E+00	9.593E-01	2076	2085	2080	1	tasmax
Lesotho	Normal	3.000E+02	2.857E+00	8.942E-01	2076	2085	2080	2	tasmax
Lesotho	Normal	2.992E+02	2.911E+00	7.905E-01	2076	2085	2080	3	tasmax
Lesotho	Normal	2.969E+02	2.706E+00	6.767E-01	2076	2085	2080	4	tasmax
Lesotho	Normal	2.933E+02	2.468E+00	5.895E-01	2076	2085	2080	5	tasmax
Lesotho	Normal	2.906E+02	2.236E+00	4.486E-01	2076	2085	2080	6	tasmax
Lesotho	Normal	2.907E+02	2.270E+00	4.179E-01	2076	2085	2080	7	tasmax
Lesotho	Normal	2.937E+02	2.778E+00	5.736E-01	2076	2085	2080	8	tasmax
Lesotho	Normal	2.973E+02	3.195E+00	1.021E+00	2076	2085	2080	9	tasmax
Lesotho	Normal	2.992E+02	3.603E+00	1.426E+00	2076	2085	2080	10	tasmax
Lesotho	Normal	2.995E+02	3.296E+00	1.247E+00	2076	2085	2080	11	tasmax
Lesotho	Normal	3.001E+02	3.199E+00	8.300E-01	2076	2085	2080	12	tasmax
Lesotho	Normal	3.012E+02	3.264E+00	9.348E-01	2086	2099	2092	1	tasmax
Lesotho	Normal	3.007E+02	3.131E+00	8.106E-01	2086	2099	2092	2	tasmax
Lesotho	Normal	2.997E+02	2.859E+00	8.344E-01	2086	2099	2092	3	tasmax
Lesotho	Normal	2.977E+02	3.123E+00	7.911E-01	2086	2099	2092	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lesotho	Normal	2.943E+02	2.658E+00	6.537E-01	2086	2099	2092	5	tasmax
Lesotho	Normal	2.916E+02	2.383E+00	5.395E-01	2086	2099	2092	6	tasmax
Lesotho	Normal	2.916E+02	2.401E+00	5.687E-01	2086	2099	2092	7	tasmax
Lesotho	Normal	2.944E+02	2.777E+00	6.601E-01	2086	2099	2092	8	tasmax
Lesotho	Normal	2.980E+02	3.277E+00	1.178E+00	2086	2099	2092	9	tasmax
Lesotho	Normal	3.000E+02	3.622E+00	1.375E+00	2086	2099	2092	10	tasmax
Lesotho	Normal	3.003E+02	3.548E+00	1.405E+00	2086	2099	2092	11	tasmax
Lesotho	Normal	3.007E+02	3.510E+00	9.229E-01	2086	2099	2092	12	tasmax
Liberia	Normal	3.033E+02	1.546E+00	3.485E-01	2006	2015	2010	1	tasmax
Liberia	Normal	3.040E+02	1.265E+00	3.664E-01	2006	2015	2010	2	tasmax
Liberia	Normal	3.041E+02	1.432E+00	2.444E-01	2006	2015	2010	3	tasmax
Liberia	Normal	3.037E+02	1.504E+00	3.626E-01	2006	2015	2010	4	tasmax
Liberia	Normal	3.027E+02	1.474E+00	3.848E-01	2006	2015	2010	5	tasmax
Liberia	Normal	3.013E+02	1.173E+00	4.749E-01	2006	2015	2010	6	tasmax
Liberia	Normal	3.003E+02	1.312E+00	5.572E-01	2006	2015	2010	7	tasmax
Liberia	Normal	2.999E+02	1.431E+00	5.091E-01	2006	2015	2010	8	tasmax
Liberia	Normal	3.003E+02	1.419E+00	4.779E-01	2006	2015	2010	9	tasmax
Liberia	Normal	3.010E+02	1.218E+00	3.751E-01	2006	2015	2010	10	tasmax
Liberia	Normal	3.020E+02	1.003E+00	2.490E-01	2006	2015	2010	11	tasmax
Liberia	Normal	3.025E+02	1.173E+00	2.351E-01	2006	2015	2010	12	tasmax
Liberia	Normal	3.037E+02	1.558E+00	3.485E-01	2016	2025	2020	1	tasmax
Liberia	Normal	3.044E+02	1.338E+00	4.182E-01	2016	2025	2020	2	tasmax
Liberia	Normal	3.046E+02	1.546E+00	3.869E-01	2016	2025	2020	3	tasmax
Liberia	Normal	3.041E+02	1.711E+00	3.086E-01	2016	2025	2020	4	tasmax
Liberia	Normal	3.030E+02	1.613E+00	4.401E-01	2016	2025	2020	5	tasmax
Liberia	Normal	3.017E+02	1.274E+00	5.162E-01	2016	2025	2020	6	tasmax
Liberia	Normal	3.006E+02	1.354E+00	4.939E-01	2016	2025	2020	7	tasmax
Liberia	Normal	3.002E+02	1.501E+00	4.911E-01	2016	2025	2020	8	tasmax
Liberia	Normal	3.007E+02	1.513E+00	4.462E-01	2016	2025	2020	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liberia	Normal	3.013E+02	1.312E+00	3.744E-01	2016	2025	2020	10	tasmax
Liberia	Normal	3.023E+02	1.078E+00	2.333E-01	2016	2025	2020	11	tasmax
Liberia	Normal	3.028E+02	1.221E+00	2.839E-01	2016	2025	2020	12	tasmax
Liberia	Normal	3.039E+02	1.601E+00	2.565E-01	2026	2035	2030	1	tasmax
Liberia	Normal	3.047E+02	1.400E+00	4.003E-01	2026	2035	2030	2	tasmax
Liberia	Normal	3.048E+02	1.441E+00	3.530E-01	2026	2035	2030	3	tasmax
Liberia	Normal	3.044E+02	1.694E+00	3.319E-01	2026	2035	2030	4	tasmax
Liberia	Normal	3.034E+02	1.634E+00	4.771E-01	2026	2035	2030	5	tasmax
Liberia	Normal	3.020E+02	1.331E+00	5.259E-01	2026	2035	2030	6	tasmax
Liberia	Normal	3.009E+02	1.382E+00	5.263E-01	2026	2035	2030	7	tasmax
Liberia	Normal	3.005E+02	1.495E+00	5.079E-01	2026	2035	2030	8	tasmax
Liberia	Normal	3.009E+02	1.488E+00	4.474E-01	2026	2035	2030	9	tasmax
Liberia	Normal	3.016E+02	1.300E+00	3.591E-01	2026	2035	2030	10	tasmax
Liberia	Normal	3.025E+02	1.062E+00	2.677E-01	2026	2035	2030	11	tasmax
Liberia	Normal	3.031E+02	1.316E+00	2.586E-01	2026	2035	2030	12	tasmax
Liberia	Normal	3.043E+02	1.685E+00	2.928E-01	2036	2045	2040	1	tasmax
Liberia	Normal	3.051E+02	1.436E+00	3.603E-01	2036	2045	2040	2	tasmax
Liberia	Normal	3.052E+02	1.630E+00	4.232E-01	2036	2045	2040	3	tasmax
Liberia	Normal	3.047E+02	1.796E+00	3.771E-01	2036	2045	2040	4	tasmax
Liberia	Normal	3.038E+02	1.737E+00	4.648E-01	2036	2045	2040	5	tasmax
Liberia	Normal	3.023E+02	1.391E+00	5.687E-01	2036	2045	2040	6	tasmax
Liberia	Normal	3.012E+02	1.417E+00	5.293E-01	2036	2045	2040	7	tasmax
Liberia	Normal	3.008E+02	1.533E+00	5.565E-01	2036	2045	2040	8	tasmax
Liberia	Normal	3.012E+02	1.558E+00	4.561E-01	2036	2045	2040	9	tasmax
Liberia	Normal	3.019E+02	1.317E+00	3.842E-01	2036	2045	2040	10	tasmax
Liberia	Normal	3.029E+02	1.075E+00	2.371E-01	2036	2045	2040	11	tasmax
Liberia	Normal	3.034E+02	1.291E+00	2.945E-01	2036	2045	2040	12	tasmax
Liberia	Normal	3.048E+02	1.626E+00	3.105E-01	2046	2055	2050	1	tasmax
Liberia	Normal	3.055E+02	1.484E+00	3.259E-01	2046	2055	2050	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liberia	Normal	3.057E+02	1.690E+00	4.667E-01	2046	2055	2050	3	tasmax
Liberia	Normal	3.053E+02	1.852E+00	3.662E-01	2046	2055	2050	4	tasmax
Liberia	Normal	3.043E+02	1.756E+00	4.208E-01	2046	2055	2050	5	tasmax
Liberia	Normal	3.028E+02	1.532E+00	6.119E-01	2046	2055	2050	6	tasmax
Liberia	Normal	3.016E+02	1.515E+00	5.595E-01	2046	2055	2050	7	tasmax
Liberia	Normal	3.013E+02	1.587E+00	6.139E-01	2046	2055	2050	8	tasmax
Liberia	Normal	3.017E+02	1.584E+00	5.370E-01	2046	2055	2050	9	tasmax
Liberia	Normal	3.023E+02	1.389E+00	4.213E-01	2046	2055	2050	10	tasmax
Liberia	Normal	3.033E+02	1.111E+00	2.548E-01	2046	2055	2050	11	tasmax
Liberia	Normal	3.039E+02	1.293E+00	2.954E-01	2046	2055	2050	12	tasmax
Liberia	Normal	3.052E+02	1.654E+00	2.733E-01	2056	2065	2060	1	tasmax
Liberia	Normal	3.060E+02	1.607E+00	3.739E-01	2056	2065	2060	2	tasmax
Liberia	Normal	3.061E+02	1.765E+00	3.989E-01	2056	2065	2060	3	tasmax
Liberia	Normal	3.057E+02	1.960E+00	4.467E-01	2056	2065	2060	4	tasmax
Liberia	Normal	3.047E+02	1.917E+00	6.525E-01	2056	2065	2060	5	tasmax
Liberia	Normal	3.032E+02	1.640E+00	7.082E-01	2056	2065	2060	6	tasmax
Liberia	Normal	3.021E+02	1.584E+00	5.363E-01	2056	2065	2060	7	tasmax
Liberia	Normal	3.017E+02	1.644E+00	6.001E-01	2056	2065	2060	8	tasmax
Liberia	Normal	3.021E+02	1.624E+00	5.019E-01	2056	2065	2060	9	tasmax
Liberia	Normal	3.027E+02	1.422E+00	3.942E-01	2056	2065	2060	10	tasmax
Liberia	Normal	3.037E+02	1.141E+00	2.701E-01	2056	2065	2060	11	tasmax
Liberia	Normal	3.044E+02	1.282E+00	3.499E-01	2056	2065	2060	12	tasmax
Liberia	Normal	3.058E+02	1.687E+00	3.270E-01	2066	2075	2070	1	tasmax
Liberia	Normal	3.065E+02	1.647E+00	3.273E-01	2066	2075	2070	2	tasmax
Liberia	Normal	3.067E+02	1.801E+00	4.407E-01	2066	2075	2070	3	tasmax
Liberia	Normal	3.063E+02	1.924E+00	3.563E-01	2066	2075	2070	4	tasmax
Liberia	Normal	3.051E+02	1.934E+00	5.789E-01	2066	2075	2070	5	tasmax
Liberia	Normal	3.036E+02	1.702E+00	7.307E-01	2066	2075	2070	6	tasmax
Liberia	Normal	3.026E+02	1.601E+00	6.805E-01	2066	2075	2070	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liberia	Normal	3.021E+02	1.664E+00	7.258E-01	2066	2075	2070	8	tasmax
Liberia	Normal	3.025E+02	1.632E+00	6.000E-01	2066	2075	2070	9	tasmax
Liberia	Normal	3.032E+02	1.450E+00	4.541E-01	2066	2075	2070	10	tasmax
Liberia	Normal	3.042E+02	1.209E+00	3.502E-01	2066	2075	2070	11	tasmax
Liberia	Normal	3.048E+02	1.374E+00	3.002E-01	2066	2075	2070	12	tasmax
Liberia	Normal	3.063E+02	1.720E+00	3.367E-01	2076	2085	2080	1	tasmax
Liberia	Normal	3.070E+02	1.615E+00	2.890E-01	2076	2085	2080	2	tasmax
Liberia	Normal	3.072E+02	1.956E+00	4.646E-01	2076	2085	2080	3	tasmax
Liberia	Normal	3.068E+02	2.181E+00	4.401E-01	2076	2085	2080	4	tasmax
Liberia	Normal	3.057E+02	2.087E+00	6.529E-01	2076	2085	2080	5	tasmax
Liberia	Normal	3.042E+02	1.890E+00	8.165E-01	2076	2085	2080	6	tasmax
Liberia	Normal	3.029E+02	1.735E+00	7.072E-01	2076	2085	2080	7	tasmax
Liberia	Normal	3.026E+02	1.739E+00	7.401E-01	2076	2085	2080	8	tasmax
Liberia	Normal	3.030E+02	1.711E+00	5.516E-01	2076	2085	2080	9	tasmax
Liberia	Normal	3.036E+02	1.558E+00	4.277E-01	2076	2085	2080	10	tasmax
Liberia	Normal	3.046E+02	1.284E+00	2.467E-01	2076	2085	2080	11	tasmax
Liberia	Normal	3.054E+02	1.370E+00	2.965E-01	2076	2085	2080	12	tasmax
Liberia	Normal	3.068E+02	1.696E+00	4.098E-01	2086	2099	2092	1	tasmax
Liberia	Normal	3.075E+02	1.804E+00	3.615E-01	2086	2099	2092	2	tasmax
Liberia	Normal	3.077E+02	2.124E+00	5.158E-01	2086	2099	2092	3	tasmax
Liberia	Normal	3.074E+02	2.254E+00	4.400E-01	2086	2099	2092	4	tasmax
Liberia	Normal	3.063E+02	2.173E+00	5.893E-01	2086	2099	2092	5	tasmax
Liberia	Normal	3.048E+02	2.021E+00	8.443E-01	2086	2099	2092	6	tasmax
Liberia	Normal	3.035E+02	1.754E+00	6.613E-01	2086	2099	2092	7	tasmax
Liberia	Normal	3.030E+02	1.761E+00	7.111E-01	2086	2099	2092	8	tasmax
Liberia	Normal	3.035E+02	1.729E+00	5.239E-01	2086	2099	2092	9	tasmax
Liberia	Normal	3.042E+02	1.585E+00	3.692E-01	2086	2099	2092	10	tasmax
Liberia	Normal	3.051E+02	1.295E+00	3.022E-01	2086	2099	2092	11	tasmax
Liberia	Normal	3.059E+02	1.392E+00	3.190E-01	2086	2099	2092	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Libya	Normal	2.912E+02	2.670E+00	7.503E-01	2006	2015	2010	1	tasmax
Libya	Normal	2.941E+02	2.811E+00	7.962E-01	2006	2015	2010	2	tasmax
Libya	Normal	2.984E+02	2.685E+00	8.458E-01	2006	2015	2010	3	tasmax
Libya	Normal	3.027E+02	2.933E+00	9.772E-01	2006	2015	2010	4	tasmax
Libya	Normal	3.066E+02	2.854E+00	1.202E+00	2006	2015	2010	5	tasmax
Libya	Normal	3.100E+02	2.723E+00	7.906E-01	2006	2015	2010	6	tasmax
Libya	Normal	3.112E+02	2.955E+00	6.935E-01	2006	2015	2010	7	tasmax
Libya	Normal	3.101E+02	2.548E+00	3.709E-01	2006	2015	2010	8	tasmax
Libya	Normal	3.069E+02	2.341E+00	3.228E-01	2006	2015	2010	9	tasmax
Libya	Normal	3.023E+02	2.147E+00	4.271E-01	2006	2015	2010	10	tasmax
Libya	Normal	2.964E+02	2.012E+00	4.770E-01	2006	2015	2010	11	tasmax
Libya	Normal	2.918E+02	2.161E+00	5.840E-01	2006	2015	2010	12	tasmax
Libya	Normal	2.916E+02	2.420E+00	5.516E-01	2016	2025	2020	1	tasmax
Libya	Normal	2.941E+02	2.815E+00	8.134E-01	2016	2025	2020	2	tasmax
Libya	Normal	2.982E+02	3.060E+00	7.204E-01	2016	2025	2020	3	tasmax
Libya	Normal	3.030E+02	2.899E+00	9.523E-01	2016	2025	2020	4	tasmax
Libya	Normal	3.071E+02	2.807E+00	1.051E+00	2016	2025	2020	5	tasmax
Libya	Normal	3.105E+02	2.705E+00	8.746E-01	2016	2025	2020	6	tasmax
Libya	Normal	3.116E+02	2.959E+00	6.624E-01	2016	2025	2020	7	tasmax
Libya	Normal	3.105E+02	2.679E+00	5.163E-01	2016	2025	2020	8	tasmax
Libya	Normal	3.074E+02	2.553E+00	4.912E-01	2016	2025	2020	9	tasmax
Libya	Normal	3.027E+02	2.243E+00	4.469E-01	2016	2025	2020	10	tasmax
Libya	Normal	2.966E+02	2.345E+00	7.112E-01	2016	2025	2020	11	tasmax
Libya	Normal	2.923E+02	2.111E+00	6.057E-01	2016	2025	2020	12	tasmax
Libya	Normal	2.918E+02	2.472E+00	6.009E-01	2026	2035	2030	1	tasmax
Libya	Normal	2.947E+02	2.800E+00	8.775E-01	2026	2035	2030	2	tasmax
Libya	Normal	2.988E+02	3.077E+00	9.742E-01	2026	2035	2030	3	tasmax
Libya	Normal	3.036E+02	2.748E+00	8.567E-01	2026	2035	2030	4	tasmax
Libya	Normal	3.074E+02	2.994E+00	1.169E+00	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Libya	Normal	3.111E+02	2.730E+00	8.917E-01	2026	2035	2030	6	tasmax
Libya	Normal	3.121E+02	2.684E+00	7.414E-01	2026	2035	2030	7	tasmax
Libya	Normal	3.112E+02	2.611E+00	3.449E-01	2026	2035	2030	8	tasmax
Libya	Normal	3.079E+02	2.482E+00	3.685E-01	2026	2035	2030	9	tasmax
Libya	Normal	3.029E+02	2.345E+00	5.087E-01	2026	2035	2030	10	tasmax
Libya	Normal	2.971E+02	2.371E+00	5.878E-01	2026	2035	2030	11	tasmax
Libya	Normal	2.926E+02	2.232E+00	6.416E-01	2026	2035	2030	12	tasmax
Libya	Normal	2.923E+02	2.488E+00	5.220E-01	2036	2045	2040	1	tasmax
Libya	Normal	2.948E+02	2.741E+00	7.710E-01	2036	2045	2040	2	tasmax
Libya	Normal	2.993E+02	3.124E+00	1.080E+00	2036	2045	2040	3	tasmax
Libya	Normal	3.038E+02	2.954E+00	9.308E-01	2036	2045	2040	4	tasmax
Libya	Normal	3.080E+02	2.970E+00	1.147E+00	2036	2045	2040	5	tasmax
Libya	Normal	3.115E+02	2.854E+00	9.285E-01	2036	2045	2040	6	tasmax
Libya	Normal	3.128E+02	2.855E+00	7.398E-01	2036	2045	2040	7	tasmax
Libya	Normal	3.118E+02	2.611E+00	4.308E-01	2036	2045	2040	8	tasmax
Libya	Normal	3.083E+02	2.527E+00	4.343E-01	2036	2045	2040	9	tasmax
Libya	Normal	3.035E+02	2.233E+00	4.799E-01	2036	2045	2040	10	tasmax
Libya	Normal	2.976E+02	2.235E+00	4.255E-01	2036	2045	2040	11	tasmax
Libya	Normal	2.930E+02	2.184E+00	4.940E-01	2036	2045	2040	12	tasmax
Libya	Normal	2.929E+02	2.661E+00	7.547E-01	2046	2055	2050	1	tasmax
Libya	Normal	2.953E+02	2.764E+00	7.862E-01	2046	2055	2050	2	tasmax
Libya	Normal	2.998E+02	3.167E+00	8.937E-01	2046	2055	2050	3	tasmax
Libya	Normal	3.044E+02	2.827E+00	1.247E+00	2046	2055	2050	4	tasmax
Libya	Normal	3.085E+02	2.919E+00	1.099E+00	2046	2055	2050	5	tasmax
Libya	Normal	3.122E+02	2.651E+00	7.725E-01	2046	2055	2050	6	tasmax
Libya	Normal	3.134E+02	2.795E+00	6.742E-01	2046	2055	2050	7	tasmax
Libya	Normal	3.124E+02	2.513E+00	3.909E-01	2046	2055	2050	8	tasmax
Libya	Normal	3.091E+02	2.354E+00	4.395E-01	2046	2055	2050	9	tasmax
Libya	Normal	3.042E+02	2.305E+00	4.151E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Libya	Normal	2.981E+02	2.479E+00	3.660E-01	2046	2055	2050	11	tasmax
Libya	Normal	2.935E+02	2.296E+00	6.091E-01	2046	2055	2050	12	tasmax
Libya	Normal	2.933E+02	2.466E+00	6.682E-01	2056	2065	2060	1	tasmax
Libya	Normal	2.960E+02	2.776E+00	6.700E-01	2056	2065	2060	2	tasmax
Libya	Normal	3.003E+02	3.232E+00	7.766E-01	2056	2065	2060	3	tasmax
Libya	Normal	3.049E+02	2.988E+00	1.071E+00	2056	2065	2060	4	tasmax
Libya	Normal	3.089E+02	2.730E+00	1.102E+00	2056	2065	2060	5	tasmax
Libya	Normal	3.127E+02	2.831E+00	9.905E-01	2056	2065	2060	6	tasmax
Libya	Normal	3.140E+02	2.793E+00	7.341E-01	2056	2065	2060	7	tasmax
Libya	Normal	3.131E+02	2.508E+00	4.465E-01	2056	2065	2060	8	tasmax
Libya	Normal	3.096E+02	2.476E+00	4.037E-01	2056	2065	2060	9	tasmax
Libya	Normal	3.047E+02	2.413E+00	4.780E-01	2056	2065	2060	10	tasmax
Libya	Normal	2.986E+02	2.419E+00	5.462E-01	2056	2065	2060	11	tasmax
Libya	Normal	2.940E+02	1.947E+00	3.111E-01	2056	2065	2060	12	tasmax
Libya	Normal	2.936E+02	2.391E+00	4.871E-01	2066	2075	2070	1	tasmax
Libya	Normal	2.964E+02	2.889E+00	7.172E-01	2066	2075	2070	2	tasmax
Libya	Normal	3.008E+02	3.414E+00	9.065E-01	2066	2075	2070	3	tasmax
Libya	Normal	3.055E+02	3.252E+00	1.329E+00	2066	2075	2070	4	tasmax
Libya	Normal	3.099E+02	2.960E+00	1.222E+00	2066	2075	2070	5	tasmax
Libya	Normal	3.134E+02	2.715E+00	7.239E-01	2066	2075	2070	6	tasmax
Libya	Normal	3.149E+02	2.684E+00	6.451E-01	2066	2075	2070	7	tasmax
Libya	Normal	3.139E+02	2.625E+00	4.382E-01	2066	2075	2070	8	tasmax
Libya	Normal	3.103E+02	2.460E+00	5.266E-01	2066	2075	2070	9	tasmax
Libya	Normal	3.053E+02	2.722E+00	5.422E-01	2066	2075	2070	10	tasmax
Libya	Normal	2.992E+02	2.521E+00	4.740E-01	2066	2075	2070	11	tasmax
Libya	Normal	2.945E+02	2.192E+00	4.041E-01	2066	2075	2070	12	tasmax
Libya	Normal	2.940E+02	2.479E+00	6.292E-01	2076	2085	2080	1	tasmax
Libya	Normal	2.969E+02	2.955E+00	8.706E-01	2076	2085	2080	2	tasmax
Libya	Normal	3.014E+02	3.368E+00	9.804E-01	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Libya	Normal	3.061E+02	3.156E+00	1.238E+00	2076	2085	2080	4	tasmax
Libya	Normal	3.102E+02	2.865E+00	9.783E-01	2076	2085	2080	5	tasmax
Libya	Normal	3.141E+02	2.860E+00	6.551E-01	2076	2085	2080	6	tasmax
Libya	Normal	3.155E+02	2.769E+00	6.620E-01	2076	2085	2080	7	tasmax
Libya	Normal	3.147E+02	2.774E+00	4.591E-01	2076	2085	2080	8	tasmax
Libya	Normal	3.110E+02	2.675E+00	4.962E-01	2076	2085	2080	9	tasmax
Libya	Normal	3.059E+02	2.805E+00	5.304E-01	2076	2085	2080	10	tasmax
Libya	Normal	2.996E+02	2.628E+00	5.606E-01	2076	2085	2080	11	tasmax
Libya	Normal	2.950E+02	2.263E+00	4.249E-01	2076	2085	2080	12	tasmax
Libya	Normal	2.945E+02	2.623E+00	4.775E-01	2086	2099	2092	1	tasmax
Libya	Normal	2.976E+02	3.307E+00	1.141E+00	2086	2099	2092	2	tasmax
Libya	Normal	3.023E+02	3.716E+00	1.166E+00	2086	2099	2092	3	tasmax
Libya	Normal	3.065E+02	3.130E+00	1.196E+00	2086	2099	2092	4	tasmax
Libya	Normal	3.110E+02	3.072E+00	1.140E+00	2086	2099	2092	5	tasmax
Libya	Normal	3.148E+02	2.964E+00	7.097E-01	2086	2099	2092	6	tasmax
Libya	Normal	3.162E+02	2.940E+00	6.388E-01	2086	2099	2092	7	tasmax
Libya	Normal	3.154E+02	2.883E+00	5.610E-01	2086	2099	2092	8	tasmax
Libya	Normal	3.114E+02	2.618E+00	4.573E-01	2086	2099	2092	9	tasmax
Libya	Normal	3.062E+02	2.707E+00	5.305E-01	2086	2099	2092	10	tasmax
Libya	Normal	3.004E+02	2.619E+00	4.571E-01	2086	2099	2092	11	tasmax
Libya	Normal	2.955E+02	2.422E+00	5.770E-01	2086	2099	2092	12	tasmax
Liechtenstein	Normal	2.747E+02	2.510E+00	6.768E-01	2006	2015	2010	1	tasmax
Liechtenstein	Normal	2.758E+02	2.442E+00	5.712E-01	2006	2015	2010	2	tasmax
Liechtenstein	Normal	2.784E+02	2.427E+00	6.688E-01	2006	2015	2010	3	tasmax
Liechtenstein	Normal	2.831E+02	2.948E+00	1.115E+00	2006	2015	2010	4	tasmax
Liechtenstein	Normal	2.879E+02	3.368E+00	1.613E+00	2006	2015	2010	5	tasmax
Liechtenstein	Normal	2.925E+02	3.946E+00	1.737E+00	2006	2015	2010	6	tasmax
Liechtenstein	Normal	2.948E+02	3.244E+00	6.624E-01	2006	2015	2010	7	tasmax
Liechtenstein	Normal	2.942E+02	2.870E+00	6.149E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liechtenstein	Normal	2.900E+02	2.259E+00	4.500E-01	2006	2015	2010	9	tasmax
Liechtenstein	Normal	2.844E+02	2.501E+00	6.352E-01	2006	2015	2010	10	tasmax
Liechtenstein	Normal	2.789E+02	2.261E+00	3.548E-01	2006	2015	2010	11	tasmax
Liechtenstein	Normal	2.757E+02	2.276E+00	3.728E-01	2006	2015	2010	12	tasmax
Liechtenstein	Normal	2.749E+02	2.599E+00	7.020E-01	2016	2025	2020	1	tasmax
Liechtenstein	Normal	2.761E+02	2.405E+00	6.075E-01	2016	2025	2020	2	tasmax
Liechtenstein	Normal	2.790E+02	2.589E+00	8.549E-01	2016	2025	2020	3	tasmax
Liechtenstein	Normal	2.834E+02	3.032E+00	1.297E+00	2016	2025	2020	4	tasmax
Liechtenstein	Normal	2.883E+02	3.370E+00	1.561E+00	2016	2025	2020	5	tasmax
Liechtenstein	Normal	2.931E+02	3.761E+00	1.577E+00	2016	2025	2020	6	tasmax
Liechtenstein	Normal	2.954E+02	3.029E+00	5.125E-01	2016	2025	2020	7	tasmax
Liechtenstein	Normal	2.948E+02	3.225E+00	5.767E-01	2016	2025	2020	8	tasmax
Liechtenstein	Normal	2.907E+02	2.964E+00	5.595E-01	2016	2025	2020	9	tasmax
Liechtenstein	Normal	2.849E+02	2.330E+00	4.292E-01	2016	2025	2020	10	tasmax
Liechtenstein	Normal	2.796E+02	2.251E+00	7.633E-01	2016	2025	2020	11	tasmax
Liechtenstein	Normal	2.760E+02	2.374E+00	5.963E-01	2016	2025	2020	12	tasmax
Liechtenstein	Normal	2.753E+02	2.617E+00	6.731E-01	2026	2035	2030	1	tasmax
Liechtenstein	Normal	2.764E+02	2.488E+00	3.751E-01	2026	2035	2030	2	tasmax
Liechtenstein	Normal	2.795E+02	2.794E+00	8.818E-01	2026	2035	2030	3	tasmax
Liechtenstein	Normal	2.837E+02	3.230E+00	1.317E+00	2026	2035	2030	4	tasmax
Liechtenstein	Normal	2.889E+02	3.485E+00	1.629E+00	2026	2035	2030	5	tasmax
Liechtenstein	Normal	2.933E+02	3.882E+00	1.896E+00	2026	2035	2030	6	tasmax
Liechtenstein	Normal	2.959E+02	2.999E+00	5.746E-01	2026	2035	2030	7	tasmax
Liechtenstein	Normal	2.952E+02	3.130E+00	4.964E-01	2026	2035	2030	8	tasmax
Liechtenstein	Normal	2.909E+02	2.802E+00	6.258E-01	2026	2035	2030	9	tasmax
Liechtenstein	Normal	2.856E+02	2.364E+00	6.157E-01	2026	2035	2030	10	tasmax
Liechtenstein	Normal	2.799E+02	2.215E+00	7.402E-01	2026	2035	2030	11	tasmax
Liechtenstein	Normal	2.767E+02	2.586E+00	5.160E-01	2026	2035	2030	12	tasmax
Liechtenstein	Normal	2.761E+02	2.371E+00	7.830E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liechtenstein	Normal	2.771E+02	2.371E+00	6.383E-01	2036	2045	2040	2	tasmax
Liechtenstein	Normal	2.798E+02	2.647E+00	7.650E-01	2036	2045	2040	3	tasmax
Liechtenstein	Normal	2.842E+02	3.400E+00	1.366E+00	2036	2045	2040	4	tasmax
Liechtenstein	Normal	2.892E+02	3.388E+00	1.561E+00	2036	2045	2040	5	tasmax
Liechtenstein	Normal	2.941E+02	3.819E+00	1.582E+00	2036	2045	2040	6	tasmax
Liechtenstein	Normal	2.968E+02	3.254E+00	4.519E-01	2036	2045	2040	7	tasmax
Liechtenstein	Normal	2.961E+02	3.515E+00	5.880E-01	2036	2045	2040	8	tasmax
Liechtenstein	Normal	2.917E+02	2.814E+00	6.620E-01	2036	2045	2040	9	tasmax
Liechtenstein	Normal	2.859E+02	2.172E+00	5.195E-01	2036	2045	2040	10	tasmax
Liechtenstein	Normal	2.806E+02	2.200E+00	4.889E-01	2036	2045	2040	11	tasmax
Liechtenstein	Normal	2.772E+02	2.681E+00	8.110E-01	2036	2045	2040	12	tasmax
Liechtenstein	Normal	2.764E+02	2.379E+00	5.917E-01	2046	2055	2050	1	tasmax
Liechtenstein	Normal	2.774E+02	2.348E+00	5.213E-01	2046	2055	2050	2	tasmax
Liechtenstein	Normal	2.803E+02	2.584E+00	6.808E-01	2046	2055	2050	3	tasmax
Liechtenstein	Normal	2.847E+02	3.408E+00	1.250E+00	2046	2055	2050	4	tasmax
Liechtenstein	Normal	2.897E+02	3.539E+00	1.704E+00	2046	2055	2050	5	tasmax
Liechtenstein	Normal	2.946E+02	3.526E+00	1.179E+00	2046	2055	2050	6	tasmax
Liechtenstein	Normal	2.977E+02	3.587E+00	6.176E-01	2046	2055	2050	7	tasmax
Liechtenstein	Normal	2.968E+02	3.340E+00	8.455E-01	2046	2055	2050	8	tasmax
Liechtenstein	Normal	2.923E+02	2.679E+00	7.414E-01	2046	2055	2050	9	tasmax
Liechtenstein	Normal	2.865E+02	2.435E+00	7.216E-01	2046	2055	2050	10	tasmax
Liechtenstein	Normal	2.810E+02	2.175E+00	6.721E-01	2046	2055	2050	11	tasmax
Liechtenstein	Normal	2.774E+02	2.358E+00	4.983E-01	2046	2055	2050	12	tasmax
Liechtenstein	Normal	2.769E+02	2.473E+00	5.402E-01	2056	2065	2060	1	tasmax
Liechtenstein	Normal	2.780E+02	2.698E+00	6.850E-01	2056	2065	2060	2	tasmax
Liechtenstein	Normal	2.810E+02	3.053E+00	1.094E+00	2056	2065	2060	3	tasmax
Liechtenstein	Normal	2.854E+02	3.052E+00	1.462E+00	2056	2065	2060	4	tasmax
Liechtenstein	Normal	2.903E+02	3.767E+00	1.711E+00	2056	2065	2060	5	tasmax
Liechtenstein	Normal	2.952E+02	3.677E+00	1.543E+00	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liechtenstein	Normal	2.983E+02	3.465E+00	7.025E-01	2056	2065	2060	7	tasmax
Liechtenstein	Normal	2.978E+02	3.593E+00	8.512E-01	2056	2065	2060	8	tasmax
Liechtenstein	Normal	2.932E+02	2.997E+00	9.218E-01	2056	2065	2060	9	tasmax
Liechtenstein	Normal	2.871E+02	2.392E+00	5.272E-01	2056	2065	2060	10	tasmax
Liechtenstein	Normal	2.816E+02	2.277E+00	5.004E-01	2056	2065	2060	11	tasmax
Liechtenstein	Normal	2.782E+02	2.450E+00	6.054E-01	2056	2065	2060	12	tasmax
Liechtenstein	Normal	2.773E+02	2.532E+00	7.997E-01	2066	2075	2070	1	tasmax
Liechtenstein	Normal	2.785E+02	2.443E+00	6.542E-01	2066	2075	2070	2	tasmax
Liechtenstein	Normal	2.817E+02	2.615E+00	8.536E-01	2066	2075	2070	3	tasmax
Liechtenstein	Normal	2.864E+02	3.119E+00	1.300E+00	2066	2075	2070	4	tasmax
Liechtenstein	Normal	2.912E+02	3.666E+00	1.564E+00	2066	2075	2070	5	tasmax
Liechtenstein	Normal	2.963E+02	3.835E+00	1.284E+00	2066	2075	2070	6	tasmax
Liechtenstein	Normal	2.991E+02	3.825E+00	8.424E-01	2066	2075	2070	7	tasmax
Liechtenstein	Normal	2.990E+02	4.152E+00	7.808E-01	2066	2075	2070	8	tasmax
Liechtenstein	Normal	2.944E+02	3.203E+00	1.047E+00	2066	2075	2070	9	tasmax
Liechtenstein	Normal	2.880E+02	2.834E+00	9.182E-01	2066	2075	2070	10	tasmax
Liechtenstein	Normal	2.820E+02	2.272E+00	5.043E-01	2066	2075	2070	11	tasmax
Liechtenstein	Normal	2.788E+02	2.489E+00	6.548E-01	2066	2075	2070	12	tasmax
Liechtenstein	Normal	2.782E+02	2.323E+00	7.683E-01	2076	2085	2080	1	tasmax
Liechtenstein	Normal	2.794E+02	2.550E+00	6.579E-01	2076	2085	2080	2	tasmax
Liechtenstein	Normal	2.824E+02	2.988E+00	7.912E-01	2076	2085	2080	3	tasmax
Liechtenstein	Normal	2.865E+02	3.293E+00	1.230E+00	2076	2085	2080	4	tasmax
Liechtenstein	Normal	2.920E+02	3.867E+00	1.720E+00	2076	2085	2080	5	tasmax
Liechtenstein	Normal	2.973E+02	3.429E+00	9.411E-01	2076	2085	2080	6	tasmax
Liechtenstein	Normal	3.003E+02	3.991E+00	9.500E-01	2076	2085	2080	7	tasmax
Liechtenstein	Normal	2.999E+02	4.404E+00	8.504E-01	2076	2085	2080	8	tasmax
Liechtenstein	Normal	2.952E+02	3.400E+00	7.792E-01	2076	2085	2080	9	tasmax
Liechtenstein	Normal	2.884E+02	2.819E+00	6.627E-01	2076	2085	2080	10	tasmax
Liechtenstein	Normal	2.827E+02	2.267E+00	5.961E-01	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Liechtenstein	Normal	2.794E+02	2.429E+00	9.175E-01	2076	2085	2080	12	tasmax
Liechtenstein	Normal	2.786E+02	2.382E+00	7.181E-01	2086	2099	2092	1	tasmax
Liechtenstein	Normal	2.798E+02	2.490E+00	6.830E-01	2086	2099	2092	2	tasmax
Liechtenstein	Normal	2.828E+02	2.688E+00	1.064E+00	2086	2099	2092	3	tasmax
Liechtenstein	Normal	2.872E+02	3.351E+00	1.156E+00	2086	2099	2092	4	tasmax
Liechtenstein	Normal	2.924E+02	3.634E+00	1.316E+00	2086	2099	2092	5	tasmax
Liechtenstein	Normal	2.979E+02	3.783E+00	8.299E-01	2086	2099	2092	6	tasmax
Liechtenstein	Normal	3.013E+02	4.584E+00	7.723E-01	2086	2099	2092	7	tasmax
Liechtenstein	Normal	3.007E+02	4.394E+00	9.638E-01	2086	2099	2092	8	tasmax
Liechtenstein	Normal	2.961E+02	3.736E+00	1.025E+00	2086	2099	2092	9	tasmax
Liechtenstein	Normal	2.894E+02	2.908E+00	8.190E-01	2086	2099	2092	10	tasmax
Liechtenstein	Normal	2.834E+02	2.045E+00	3.908E-01	2086	2099	2092	11	tasmax
Liechtenstein	Normal	2.798E+02	2.531E+00	7.478E-01	2086	2099	2092	12	tasmax
Lithuania	Normal	2.720E+02	2.855E+00	4.762E-01	2006	2015	2010	1	tasmax
Lithuania	Normal	2.732E+02	2.961E+00	5.593E-01	2006	2015	2010	2	tasmax
Lithuania	Normal	2.772E+02	2.806E+00	5.268E-01	2006	2015	2010	3	tasmax
Lithuania	Normal	2.842E+02	3.063E+00	6.441E-01	2006	2015	2010	4	tasmax
Lithuania	Normal	2.912E+02	2.860E+00	6.947E-01	2006	2015	2010	5	tasmax
Lithuania	Normal	2.963E+02	3.139E+00	7.746E-01	2006	2015	2010	6	tasmax
Lithuania	Normal	2.980E+02	3.571E+00	9.943E-01	2006	2015	2010	7	tasmax
Lithuania	Normal	2.963E+02	3.438E+00	9.508E-01	2006	2015	2010	8	tasmax
Lithuania	Normal	2.909E+02	3.083E+00	8.807E-01	2006	2015	2010	9	tasmax
Lithuania	Normal	2.842E+02	2.774E+00	8.132E-01	2006	2015	2010	10	tasmax
Lithuania	Normal	2.776E+02	2.511E+00	7.491E-01	2006	2015	2010	11	tasmax
Lithuania	Normal	2.738E+02	2.822E+00	4.713E-01	2006	2015	2010	12	tasmax
Lithuania	Normal	2.724E+02	2.600E+00	5.821E-01	2016	2025	2020	1	tasmax
Lithuania	Normal	2.738E+02	2.644E+00	6.117E-01	2016	2025	2020	2	tasmax
Lithuania	Normal	2.780E+02	2.801E+00	5.064E-01	2016	2025	2020	3	tasmax
Lithuania	Normal	2.848E+02	2.978E+00	4.891E-01	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lithuania	Normal	2.919E+02	2.945E+00	7.701E-01	2016	2025	2020	5	tasmax
Lithuania	Normal	2.966E+02	3.224E+00	6.744E-01	2016	2025	2020	6	tasmax
Lithuania	Normal	2.988E+02	3.652E+00	8.582E-01	2016	2025	2020	7	tasmax
Lithuania	Normal	2.966E+02	3.578E+00	8.187E-01	2016	2025	2020	8	tasmax
Lithuania	Normal	2.913E+02	3.007E+00	8.224E-01	2016	2025	2020	9	tasmax
Lithuania	Normal	2.846E+02	2.545E+00	6.686E-01	2016	2025	2020	10	tasmax
Lithuania	Normal	2.784E+02	2.230E+00	4.135E-01	2016	2025	2020	11	tasmax
Lithuania	Normal	2.739E+02	2.489E+00	6.772E-01	2016	2025	2020	12	tasmax
Lithuania	Normal	2.726E+02	2.920E+00	5.660E-01	2026	2035	2030	1	tasmax
Lithuania	Normal	2.740E+02	2.334E+00	5.560E-01	2026	2035	2030	2	tasmax
Lithuania	Normal	2.785E+02	2.643E+00	3.792E-01	2026	2035	2030	3	tasmax
Lithuania	Normal	2.853E+02	3.080E+00	5.373E-01	2026	2035	2030	4	tasmax
Lithuania	Normal	2.920E+02	3.069E+00	7.302E-01	2026	2035	2030	5	tasmax
Lithuania	Normal	2.967E+02	2.963E+00	6.225E-01	2026	2035	2030	6	tasmax
Lithuania	Normal	2.989E+02	3.811E+00	1.075E+00	2026	2035	2030	7	tasmax
Lithuania	Normal	2.971E+02	3.288E+00	7.908E-01	2026	2035	2030	8	tasmax
Lithuania	Normal	2.914E+02	2.896E+00	6.935E-01	2026	2035	2030	9	tasmax
Lithuania	Normal	2.849E+02	2.806E+00	1.057E+00	2026	2035	2030	10	tasmax
Lithuania	Normal	2.786E+02	2.503E+00	8.464E-01	2026	2035	2030	11	tasmax
Lithuania	Normal	2.747E+02	3.014E+00	6.027E-01	2026	2035	2030	12	tasmax
Lithuania	Normal	2.736E+02	2.938E+00	6.011E-01	2036	2045	2040	1	tasmax
Lithuania	Normal	2.749E+02	2.611E+00	9.811E-01	2036	2045	2040	2	tasmax
Lithuania	Normal	2.789E+02	2.763E+00	4.441E-01	2036	2045	2040	3	tasmax
Lithuania	Normal	2.856E+02	2.861E+00	5.061E-01	2036	2045	2040	4	tasmax
Lithuania	Normal	2.923E+02	2.843E+00	7.388E-01	2036	2045	2040	5	tasmax
Lithuania	Normal	2.974E+02	3.514E+00	6.679E-01	2036	2045	2040	6	tasmax
Lithuania	Normal	2.998E+02	3.916E+00	7.456E-01	2036	2045	2040	7	tasmax
Lithuania	Normal	2.979E+02	3.337E+00	7.427E-01	2036	2045	2040	8	tasmax
Lithuania	Normal	2.923E+02	2.751E+00	7.658E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lithuania	Normal	2.855E+02	2.493E+00	6.016E-01	2036	2045	2040	10	tasmax
Lithuania	Normal	2.794E+02	2.488E+00	6.255E-01	2036	2045	2040	11	tasmax
Lithuania	Normal	2.754E+02	2.516E+00	5.098E-01	2036	2045	2040	12	tasmax
Lithuania	Normal	2.742E+02	2.695E+00	3.612E-01	2046	2055	2050	1	tasmax
Lithuania	Normal	2.754E+02	2.626E+00	6.033E-01	2046	2055	2050	2	tasmax
Lithuania	Normal	2.796E+02	2.519E+00	5.290E-01	2046	2055	2050	3	tasmax
Lithuania	Normal	2.862E+02	3.219E+00	6.700E-01	2046	2055	2050	4	tasmax
Lithuania	Normal	2.928E+02	3.174E+00	8.426E-01	2046	2055	2050	5	tasmax
Lithuania	Normal	2.982E+02	3.572E+00	8.132E-01	2046	2055	2050	6	tasmax
Lithuania	Normal	3.003E+02	3.688E+00	7.656E-01	2046	2055	2050	7	tasmax
Lithuania	Normal	2.986E+02	3.567E+00	8.657E-01	2046	2055	2050	8	tasmax
Lithuania	Normal	2.931E+02	2.750E+00	6.312E-01	2046	2055	2050	9	tasmax
Lithuania	Normal	2.863E+02	2.683E+00	7.947E-01	2046	2055	2050	10	tasmax
Lithuania	Normal	2.798E+02	2.606E+00	5.158E-01	2046	2055	2050	11	tasmax
Lithuania	Normal	2.758E+02	2.708E+00	3.643E-01	2046	2055	2050	12	tasmax
Lithuania	Normal	2.751E+02	2.682E+00	3.956E-01	2056	2065	2060	1	tasmax
Lithuania	Normal	2.758E+02	2.647E+00	7.577E-01	2056	2065	2060	2	tasmax
Lithuania	Normal	2.800E+02	2.859E+00	6.106E-01	2056	2065	2060	3	tasmax
Lithuania	Normal	2.867E+02	2.663E+00	5.869E-01	2056	2065	2060	4	tasmax
Lithuania	Normal	2.933E+02	3.313E+00	7.352E-01	2056	2065	2060	5	tasmax
Lithuania	Normal	2.983E+02	3.622E+00	8.605E-01	2056	2065	2060	6	tasmax
Lithuania	Normal	3.008E+02	3.940E+00	8.497E-01	2056	2065	2060	7	tasmax
Lithuania	Normal	2.992E+02	3.651E+00	9.146E-01	2056	2065	2060	8	tasmax
Lithuania	Normal	2.937E+02	3.017E+00	5.473E-01	2056	2065	2060	9	tasmax
Lithuania	Normal	2.869E+02	2.725E+00	7.864E-01	2056	2065	2060	10	tasmax
Lithuania	Normal	2.805E+02	2.160E+00	6.587E-01	2056	2065	2060	11	tasmax
Lithuania	Normal	2.766E+02	2.532E+00	5.353E-01	2056	2065	2060	12	tasmax
Lithuania	Normal	2.758E+02	2.430E+00	3.204E-01	2066	2075	2070	1	tasmax
Lithuania	Normal	2.767E+02	2.319E+00	3.980E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lithuania	Normal	2.807E+02	2.754E+00	4.041E-01	2066	2075	2070	3	tasmax
Lithuania	Normal	2.873E+02	3.022E+00	5.818E-01	2066	2075	2070	4	tasmax
Lithuania	Normal	2.938E+02	3.138E+00	5.671E-01	2066	2075	2070	5	tasmax
Lithuania	Normal	2.994E+02	3.748E+00	6.622E-01	2066	2075	2070	6	tasmax
Lithuania	Normal	3.013E+02	3.970E+00	8.924E-01	2066	2075	2070	7	tasmax
Lithuania	Normal	3.000E+02	3.724E+00	6.705E-01	2066	2075	2070	8	tasmax
Lithuania	Normal	2.944E+02	3.233E+00	6.554E-01	2066	2075	2070	9	tasmax
Lithuania	Normal	2.873E+02	2.905E+00	8.105E-01	2066	2075	2070	10	tasmax
Lithuania	Normal	2.810E+02	2.291E+00	6.907E-01	2066	2075	2070	11	tasmax
Lithuania	Normal	2.772E+02	2.739E+00	5.537E-01	2066	2075	2070	12	tasmax
Lithuania	Normal	2.765E+02	2.717E+00	7.498E-01	2076	2085	2080	1	tasmax
Lithuania	Normal	2.773E+02	2.700E+00	6.954E-01	2076	2085	2080	2	tasmax
Lithuania	Normal	2.812E+02	3.015E+00	5.736E-01	2076	2085	2080	3	tasmax
Lithuania	Normal	2.875E+02	3.061E+00	7.658E-01	2076	2085	2080	4	tasmax
Lithuania	Normal	2.941E+02	3.287E+00	7.263E-01	2076	2085	2080	5	tasmax
Lithuania	Normal	2.998E+02	3.614E+00	6.323E-01	2076	2085	2080	6	tasmax
Lithuania	Normal	3.022E+02	4.314E+00	8.153E-01	2076	2085	2080	7	tasmax
Lithuania	Normal	3.009E+02	3.838E+00	9.765E-01	2076	2085	2080	8	tasmax
Lithuania	Normal	2.950E+02	3.037E+00	6.468E-01	2076	2085	2080	9	tasmax
Lithuania	Normal	2.880E+02	2.808E+00	6.739E-01	2076	2085	2080	10	tasmax
Lithuania	Normal	2.815E+02	2.180E+00	3.672E-01	2076	2085	2080	11	tasmax
Lithuania	Normal	2.780E+02	2.441E+00	4.806E-01	2076	2085	2080	12	tasmax
Lithuania	Normal	2.770E+02	2.257E+00	4.312E-01	2086	2099	2092	1	tasmax
Lithuania	Normal	2.778E+02	2.283E+00	4.443E-01	2086	2099	2092	2	tasmax
Lithuania	Normal	2.816E+02	2.604E+00	4.623E-01	2086	2099	2092	3	tasmax
Lithuania	Normal	2.879E+02	2.954E+00	5.560E-01	2086	2099	2092	4	tasmax
Lithuania	Normal	2.947E+02	3.295E+00	8.191E-01	2086	2099	2092	5	tasmax
Lithuania	Normal	3.005E+02	3.968E+00	7.777E-01	2086	2099	2092	6	tasmax
Lithuania	Normal	3.028E+02	4.158E+00	9.752E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Lithuania	Normal	3.015E+02	3.931E+00	1.027E+00	2086	2099	2092	8	tasmax
Lithuania	Normal	2.959E+02	3.024E+00	5.674E-01	2086	2099	2092	9	tasmax
Lithuania	Normal	2.887E+02	2.688E+00	7.228E-01	2086	2099	2092	10	tasmax
Lithuania	Normal	2.821E+02	2.213E+00	5.320E-01	2086	2099	2092	11	tasmax
Lithuania	Normal	2.784E+02	2.439E+00	3.448E-01	2086	2099	2092	12	tasmax
Luxembourg	Normal	2.786E+02	1.860E+00	3.122E-01	2006	2015	2010	1	tasmax
Luxembourg	Normal	2.796E+02	2.123E+00	3.729E-01	2006	2015	2010	2	tasmax
Luxembourg	Normal	2.825E+02	2.530E+00	5.471E-01	2006	2015	2010	3	tasmax
Luxembourg	Normal	2.868E+02	2.895E+00	6.753E-01	2006	2015	2010	4	tasmax
Luxembourg	Normal	2.910E+02	2.572E+00	4.238E-01	2006	2015	2010	5	tasmax
Luxembourg	Normal	2.953E+02	2.782E+00	7.516E-01	2006	2015	2010	6	tasmax
Luxembourg	Normal	2.973E+02	2.777E+00	6.924E-01	2006	2015	2010	7	tasmax
Luxembourg	Normal	2.967E+02	2.975E+00	5.965E-01	2006	2015	2010	8	tasmax
Luxembourg	Normal	2.928E+02	2.855E+00	9.343E-01	2006	2015	2010	9	tasmax
Luxembourg	Normal	2.872E+02	2.693E+00	8.055E-01	2006	2015	2010	10	tasmax
Luxembourg	Normal	2.819E+02	1.957E+00	5.013E-01	2006	2015	2010	11	tasmax
Luxembourg	Normal	2.794E+02	1.867E+00	3.572E-01	2006	2015	2010	12	tasmax
Luxembourg	Normal	2.787E+02	1.934E+00	4.063E-01	2016	2025	2020	1	tasmax
Luxembourg	Normal	2.802E+02	1.978E+00	3.426E-01	2016	2025	2020	2	tasmax
Luxembourg	Normal	2.831E+02	2.736E+00	5.482E-01	2016	2025	2020	3	tasmax
Luxembourg	Normal	2.869E+02	2.530E+00	4.403E-01	2016	2025	2020	4	tasmax
Luxembourg	Normal	2.916E+02	2.746E+00	7.345E-01	2016	2025	2020	5	tasmax
Luxembourg	Normal	2.961E+02	2.963E+00	6.437E-01	2016	2025	2020	6	tasmax
Luxembourg	Normal	2.980E+02	3.170E+00	6.727E-01	2016	2025	2020	7	tasmax
Luxembourg	Normal	2.973E+02	3.149E+00	7.898E-01	2016	2025	2020	8	tasmax
Luxembourg	Normal	2.935E+02	2.981E+00	5.338E-01	2016	2025	2020	9	tasmax
Luxembourg	Normal	2.877E+02	2.865E+00	9.657E-01	2016	2025	2020	10	tasmax
Luxembourg	Normal	2.826E+02	2.026E+00	4.152E-01	2016	2025	2020	11	tasmax
Luxembourg	Normal	2.795E+02	1.581E+00	3.588E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Luxembourg	Normal	2.791E+02	1.785E+00	3.489E-01	2026	2035	2030	1	tasmax
Luxembourg	Normal	2.802E+02	1.625E+00	3.460E-01	2026	2035	2030	2	tasmax
Luxembourg	Normal	2.834E+02	2.593E+00	5.050E-01	2026	2035	2030	3	tasmax
Luxembourg	Normal	2.873E+02	2.778E+00	6.795E-01	2026	2035	2030	4	tasmax
Luxembourg	Normal	2.919E+02	2.813E+00	5.799E-01	2026	2035	2030	5	tasmax
Luxembourg	Normal	2.960E+02	3.219E+00	9.434E-01	2026	2035	2030	6	tasmax
Luxembourg	Normal	2.985E+02	3.399E+00	8.454E-01	2026	2035	2030	7	tasmax
Luxembourg	Normal	2.978E+02	3.162E+00	5.698E-01	2026	2035	2030	8	tasmax
Luxembourg	Normal	2.937E+02	3.175E+00	6.151E-01	2026	2035	2030	9	tasmax
Luxembourg	Normal	2.883E+02	2.957E+00	1.038E+00	2026	2035	2030	10	tasmax
Luxembourg	Normal	2.827E+02	2.029E+00	5.867E-01	2026	2035	2030	11	tasmax
Luxembourg	Normal	2.802E+02	1.965E+00	4.172E-01	2026	2035	2030	12	tasmax
Luxembourg	Normal	2.798E+02	1.804E+00	4.457E-01	2036	2045	2040	1	tasmax
Luxembourg	Normal	2.809E+02	1.971E+00	3.614E-01	2036	2045	2040	2	tasmax
Luxembourg	Normal	2.837E+02	2.664E+00	4.679E-01	2036	2045	2040	3	tasmax
Luxembourg	Normal	2.877E+02	2.726E+00	5.996E-01	2036	2045	2040	4	tasmax
Luxembourg	Normal	2.922E+02	2.721E+00	6.924E-01	2036	2045	2040	5	tasmax
Luxembourg	Normal	2.969E+02	3.435E+00	9.385E-01	2036	2045	2040	6	tasmax
Luxembourg	Normal	2.993E+02	3.573E+00	7.268E-01	2036	2045	2040	7	tasmax
Luxembourg	Normal	2.985E+02	3.128E+00	5.777E-01	2036	2045	2040	8	tasmax
Luxembourg	Normal	2.944E+02	2.988E+00	4.784E-01	2036	2045	2040	9	tasmax
Luxembourg	Normal	2.885E+02	2.510E+00	7.265E-01	2036	2045	2040	10	tasmax
Luxembourg	Normal	2.834E+02	2.083E+00	7.047E-01	2036	2045	2040	11	tasmax
Luxembourg	Normal	2.806E+02	1.828E+00	4.371E-01	2036	2045	2040	12	tasmax
Luxembourg	Normal	2.801E+02	1.802E+00	3.299E-01	2046	2055	2050	1	tasmax
Luxembourg	Normal	2.811E+02	1.828E+00	3.792E-01	2046	2055	2050	2	tasmax
Luxembourg	Normal	2.839E+02	2.452E+00	4.417E-01	2046	2055	2050	3	tasmax
Luxembourg	Normal	2.880E+02	3.002E+00	6.131E-01	2046	2055	2050	4	tasmax
Luxembourg	Normal	2.927E+02	2.996E+00	6.345E-01	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Luxembourg	Normal	2.975E+02	3.616E+00	9.265E-01	2046	2055	2050	6	tasmax
Luxembourg	Normal	3.000E+02	3.538E+00	7.828E-01	2046	2055	2050	7	tasmax
Luxembourg	Normal	2.992E+02	3.235E+00	5.527E-01	2046	2055	2050	8	tasmax
Luxembourg	Normal	2.950E+02	2.905E+00	6.501E-01	2046	2055	2050	9	tasmax
Luxembourg	Normal	2.892E+02	2.827E+00	9.157E-01	2046	2055	2050	10	tasmax
Luxembourg	Normal	2.839E+02	2.147E+00	4.828E-01	2046	2055	2050	11	tasmax
Luxembourg	Normal	2.808E+02	1.694E+00	3.416E-01	2046	2055	2050	12	tasmax
Luxembourg	Normal	2.805E+02	1.936E+00	3.350E-01	2056	2065	2060	1	tasmax
Luxembourg	Normal	2.816E+02	2.162E+00	7.386E-01	2056	2065	2060	2	tasmax
Luxembourg	Normal	2.845E+02	2.612E+00	5.195E-01	2056	2065	2060	3	tasmax
Luxembourg	Normal	2.885E+02	2.901E+00	6.290E-01	2056	2065	2060	4	tasmax
Luxembourg	Normal	2.931E+02	3.362E+00	7.608E-01	2056	2065	2060	5	tasmax
Luxembourg	Normal	2.982E+02	3.611E+00	7.267E-01	2056	2065	2060	6	tasmax
Luxembourg	Normal	3.009E+02	3.610E+00	7.114E-01	2056	2065	2060	7	tasmax
Luxembourg	Normal	3.004E+02	3.462E+00	5.619E-01	2056	2065	2060	8	tasmax
Luxembourg	Normal	2.959E+02	3.343E+00	8.302E-01	2056	2065	2060	9	tasmax
Luxembourg	Normal	2.898E+02	3.100E+00	9.087E-01	2056	2065	2060	10	tasmax
Luxembourg	Normal	2.844E+02	2.012E+00	5.908E-01	2056	2065	2060	11	tasmax
Luxembourg	Normal	2.814E+02	1.897E+00	3.855E-01	2056	2065	2060	12	tasmax
Luxembourg	Normal	2.810E+02	1.594E+00	3.688E-01	2066	2075	2070	1	tasmax
Luxembourg	Normal	2.820E+02	2.014E+00	3.206E-01	2066	2075	2070	2	tasmax
Luxembourg	Normal	2.849E+02	2.513E+00	3.482E-01	2066	2075	2070	3	tasmax
Luxembourg	Normal	2.892E+02	2.942E+00	5.868E-01	2066	2075	2070	4	tasmax
Luxembourg	Normal	2.938E+02	3.047E+00	6.680E-01	2066	2075	2070	5	tasmax
Luxembourg	Normal	2.988E+02	3.879E+00	6.889E-01	2066	2075	2070	6	tasmax
Luxembourg	Normal	3.015E+02	4.185E+00	8.013E-01	2066	2075	2070	7	tasmax
Luxembourg	Normal	3.012E+02	3.900E+00	7.348E-01	2066	2075	2070	8	tasmax
Luxembourg	Normal	2.969E+02	3.487E+00	7.682E-01	2066	2075	2070	9	tasmax
Luxembourg	Normal	2.904E+02	3.166E+00	8.920E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Luxembourg	Normal	2.848E+02	2.143E+00	6.025E-01	2066	2075	2070	11	tasmax
Luxembourg	Normal	2.820E+02	1.762E+00	5.112E-01	2066	2075	2070	12	tasmax
Luxembourg	Normal	2.816E+02	1.596E+00	3.281E-01	2076	2085	2080	1	tasmax
Luxembourg	Normal	2.827E+02	2.118E+00	4.066E-01	2076	2085	2080	2	tasmax
Luxembourg	Normal	2.853E+02	2.761E+00	3.713E-01	2076	2085	2080	3	tasmax
Luxembourg	Normal	2.893E+02	3.465E+00	9.670E-01	2076	2085	2080	4	tasmax
Luxembourg	Normal	2.948E+02	3.386E+00	6.864E-01	2076	2085	2080	5	tasmax
Luxembourg	Normal	2.996E+02	3.826E+00	7.857E-01	2076	2085	2080	6	tasmax
Luxembourg	Normal	3.026E+02	4.123E+00	8.170E-01	2076	2085	2080	7	tasmax
Luxembourg	Normal	3.021E+02	3.833E+00	6.914E-01	2076	2085	2080	8	tasmax
Luxembourg	Normal	2.976E+02	3.565E+00	6.201E-01	2076	2085	2080	9	tasmax
Luxembourg	Normal	2.910E+02	2.916E+00	5.298E-01	2076	2085	2080	10	tasmax
Luxembourg	Normal	2.853E+02	1.862E+00	4.389E-01	2076	2085	2080	11	tasmax
Luxembourg	Normal	2.825E+02	1.625E+00	4.468E-01	2076	2085	2080	12	tasmax
Luxembourg	Normal	2.820E+02	1.452E+00	2.698E-01	2086	2099	2092	1	tasmax
Luxembourg	Normal	2.831E+02	1.859E+00	3.530E-01	2086	2099	2092	2	tasmax
Luxembourg	Normal	2.857E+02	2.429E+00	4.518E-01	2086	2099	2092	3	tasmax
Luxembourg	Normal	2.899E+02	3.074E+00	6.634E-01	2086	2099	2092	4	tasmax
Luxembourg	Normal	2.948E+02	3.305E+00	5.736E-01	2086	2099	2092	5	tasmax
Luxembourg	Normal	3.004E+02	4.125E+00	8.661E-01	2086	2099	2092	6	tasmax
Luxembourg	Normal	3.035E+02	4.323E+00	9.269E-01	2086	2099	2092	7	tasmax
Luxembourg	Normal	3.029E+02	3.877E+00	8.169E-01	2086	2099	2092	8	tasmax
Luxembourg	Normal	2.985E+02	3.533E+00	6.818E-01	2086	2099	2092	9	tasmax
Luxembourg	Normal	2.918E+02	3.293E+00	8.794E-01	2086	2099	2092	10	tasmax
Luxembourg	Normal	2.859E+02	2.030E+00	5.836E-01	2086	2099	2092	11	tasmax
Luxembourg	Normal	2.829E+02	1.872E+00	5.285E-01	2086	2099	2092	12	tasmax
Macedonia	Normal	2.794E+02	2.327E+00	4.298E-01	2006	2015	2010	1	tasmax
Macedonia	Normal	2.813E+02	2.303E+00	3.541E-01	2006	2015	2010	2	tasmax
Macedonia	Normal	2.844E+02	2.334E+00	4.939E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Macedonia	Normal	2.891E+02	2.090E+00	3.397E-01	2006	2015	2010	4	tasmax
Macedonia	Normal	2.940E+02	2.481E+00	4.920E-01	2006	2015	2010	5	tasmax
Macedonia	Normal	2.991E+02	3.015E+00	7.092E-01	2006	2015	2010	6	tasmax
Macedonia	Normal	3.027E+02	3.656E+00	6.778E-01	2006	2015	2010	7	tasmax
Macedonia	Normal	3.025E+02	3.484E+00	9.473E-01	2006	2015	2010	8	tasmax
Macedonia	Normal	2.974E+02	2.468E+00	8.335E-01	2006	2015	2010	9	tasmax
Macedonia	Normal	2.904E+02	2.587E+00	6.217E-01	2006	2015	2010	10	tasmax
Macedonia	Normal	2.844E+02	2.242E+00	3.287E-01	2006	2015	2010	11	tasmax
Macedonia	Normal	2.807E+02	2.111E+00	3.025E-01	2006	2015	2010	12	tasmax
Macedonia	Normal	2.799E+02	2.241E+00	3.582E-01	2016	2025	2020	1	tasmax
Macedonia	Normal	2.817E+02	2.354E+00	3.876E-01	2016	2025	2020	2	tasmax
Macedonia	Normal	2.850E+02	2.678E+00	5.620E-01	2016	2025	2020	3	tasmax
Macedonia	Normal	2.893E+02	2.384E+00	4.018E-01	2016	2025	2020	4	tasmax
Macedonia	Normal	2.944E+02	2.360E+00	3.761E-01	2016	2025	2020	5	tasmax
Macedonia	Normal	2.995E+02	3.022E+00	5.446E-01	2016	2025	2020	6	tasmax
Macedonia	Normal	3.033E+02	3.745E+00	7.007E-01	2016	2025	2020	7	tasmax
Macedonia	Normal	3.033E+02	3.852E+00	1.108E+00	2016	2025	2020	8	tasmax
Macedonia	Normal	2.979E+02	3.069E+00	1.014E+00	2016	2025	2020	9	tasmax
Macedonia	Normal	2.910E+02	2.541E+00	4.935E-01	2016	2025	2020	10	tasmax
Macedonia	Normal	2.847E+02	2.208E+00	5.223E-01	2016	2025	2020	11	tasmax
Macedonia	Normal	2.811E+02	2.154E+00	3.388E-01	2016	2025	2020	12	tasmax
Macedonia	Normal	2.803E+02	2.391E+00	4.221E-01	2026	2035	2030	1	tasmax
Macedonia	Normal	2.819E+02	1.994E+00	4.284E-01	2026	2035	2030	2	tasmax
Macedonia	Normal	2.855E+02	2.146E+00	4.451E-01	2026	2035	2030	3	tasmax
Macedonia	Normal	2.899E+02	2.333E+00	6.392E-01	2026	2035	2030	4	tasmax
Macedonia	Normal	2.948E+02	2.795E+00	5.903E-01	2026	2035	2030	5	tasmax
Macedonia	Normal	3.003E+02	3.266E+00	6.355E-01	2026	2035	2030	6	tasmax
Macedonia	Normal	3.043E+02	4.033E+00	9.595E-01	2026	2035	2030	7	tasmax
Macedonia	Normal	3.044E+02	3.911E+00	1.452E+00	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Macedonia	Normal	2.984E+02	3.094E+00	1.315E+00	2026	2035	2030	9	tasmax
Macedonia	Normal	2.916E+02	2.670E+00	6.364E-01	2026	2035	2030	10	tasmax
Macedonia	Normal	2.852E+02	2.395E+00	4.008E-01	2026	2035	2030	11	tasmax
Macedonia	Normal	2.817E+02	2.115E+00	3.757E-01	2026	2035	2030	12	tasmax
Macedonia	Normal	2.809E+02	2.130E+00	4.424E-01	2036	2045	2040	1	tasmax
Macedonia	Normal	2.826E+02	2.091E+00	4.230E-01	2036	2045	2040	2	tasmax
Macedonia	Normal	2.859E+02	2.507E+00	5.670E-01	2036	2045	2040	3	tasmax
Macedonia	Normal	2.905E+02	2.476E+00	3.485E-01	2036	2045	2040	4	tasmax
Macedonia	Normal	2.955E+02	2.713E+00	6.167E-01	2036	2045	2040	5	tasmax
Macedonia	Normal	3.011E+02	3.624E+00	7.784E-01	2036	2045	2040	6	tasmax
Macedonia	Normal	3.053E+02	4.113E+00	8.665E-01	2036	2045	2040	7	tasmax
Macedonia	Normal	3.051E+02	4.328E+00	1.357E+00	2036	2045	2040	8	tasmax
Macedonia	Normal	2.994E+02	3.099E+00	1.068E+00	2036	2045	2040	9	tasmax
Macedonia	Normal	2.922E+02	2.759E+00	5.422E-01	2036	2045	2040	10	tasmax
Macedonia	Normal	2.859E+02	2.171E+00	3.027E-01	2036	2045	2040	11	tasmax
Macedonia	Normal	2.822E+02	2.301E+00	3.719E-01	2036	2045	2040	12	tasmax
Macedonia	Normal	2.815E+02	2.177E+00	5.106E-01	2046	2055	2050	1	tasmax
Macedonia	Normal	2.830E+02	2.010E+00	3.832E-01	2046	2055	2050	2	tasmax
Macedonia	Normal	2.862E+02	2.159E+00	4.954E-01	2046	2055	2050	3	tasmax
Macedonia	Normal	2.909E+02	2.716E+00	5.282E-01	2046	2055	2050	4	tasmax
Macedonia	Normal	2.958E+02	2.956E+00	5.712E-01	2046	2055	2050	5	tasmax
Macedonia	Normal	3.015E+02	3.638E+00	7.567E-01	2046	2055	2050	6	tasmax
Macedonia	Normal	3.060E+02	4.656E+00	1.139E+00	2046	2055	2050	7	tasmax
Macedonia	Normal	3.060E+02	4.214E+00	1.415E+00	2046	2055	2050	8	tasmax
Macedonia	Normal	3.001E+02	3.208E+00	1.095E+00	2046	2055	2050	9	tasmax
Macedonia	Normal	2.928E+02	2.822E+00	7.125E-01	2046	2055	2050	10	tasmax
Macedonia	Normal	2.863E+02	2.370E+00	4.425E-01	2046	2055	2050	11	tasmax
Macedonia	Normal	2.823E+02	2.182E+00	4.165E-01	2046	2055	2050	12	tasmax
Macedonia	Normal	2.823E+02	2.132E+00	4.050E-01	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Macedonia	Normal	2.836E+02	2.308E+00	5.163E-01	2056	2065	2060	2	tasmax
Macedonia	Normal	2.870E+02	2.574E+00	6.529E-01	2056	2065	2060	3	tasmax
Macedonia	Normal	2.914E+02	2.958E+00	4.900E-01	2056	2065	2060	4	tasmax
Macedonia	Normal	2.966E+02	3.381E+00	5.569E-01	2056	2065	2060	5	tasmax
Macedonia	Normal	3.022E+02	3.722E+00	8.893E-01	2056	2065	2060	6	tasmax
Macedonia	Normal	3.069E+02	4.688E+00	1.424E+00	2056	2065	2060	7	tasmax
Macedonia	Normal	3.070E+02	4.650E+00	1.621E+00	2056	2065	2060	8	tasmax
Macedonia	Normal	3.010E+02	3.586E+00	1.283E+00	2056	2065	2060	9	tasmax
Macedonia	Normal	2.933E+02	2.938E+00	8.640E-01	2056	2065	2060	10	tasmax
Macedonia	Normal	2.871E+02	2.355E+00	4.969E-01	2056	2065	2060	11	tasmax
Macedonia	Normal	2.833E+02	2.209E+00	3.988E-01	2056	2065	2060	12	tasmax
Macedonia	Normal	2.824E+02	2.181E+00	3.323E-01	2066	2075	2070	1	tasmax
Macedonia	Normal	2.841E+02	2.065E+00	4.099E-01	2066	2075	2070	2	tasmax
Macedonia	Normal	2.875E+02	2.574E+00	7.103E-01	2066	2075	2070	3	tasmax
Macedonia	Normal	2.923E+02	2.655E+00	5.565E-01	2066	2075	2070	4	tasmax
Macedonia	Normal	2.977E+02	3.413E+00	6.941E-01	2066	2075	2070	5	tasmax
Macedonia	Normal	3.033E+02	4.128E+00	9.727E-01	2066	2075	2070	6	tasmax
Macedonia	Normal	3.079E+02	4.813E+00	1.458E+00	2066	2075	2070	7	tasmax
Macedonia	Normal	3.079E+02	4.642E+00	1.758E+00	2066	2075	2070	8	tasmax
Macedonia	Normal	3.019E+02	3.715E+00	1.277E+00	2066	2075	2070	9	tasmax
Macedonia	Normal	2.943E+02	3.193E+00	1.061E+00	2066	2075	2070	10	tasmax
Macedonia	Normal	2.876E+02	2.793E+00	6.534E-01	2066	2075	2070	11	tasmax
Macedonia	Normal	2.838E+02	2.333E+00	4.568E-01	2066	2075	2070	12	tasmax
Macedonia	Normal	2.832E+02	2.350E+00	3.695E-01	2076	2085	2080	1	tasmax
Macedonia	Normal	2.849E+02	2.652E+00	8.464E-01	2076	2085	2080	2	tasmax
Macedonia	Normal	2.882E+02	2.857E+00	7.306E-01	2076	2085	2080	3	tasmax
Macedonia	Normal	2.928E+02	3.251E+00	8.905E-01	2076	2085	2080	4	tasmax
Macedonia	Normal	2.983E+02	3.490E+00	6.250E-01	2076	2085	2080	5	tasmax
Macedonia	Normal	3.046E+02	4.216E+00	1.110E+00	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Macedonia	Normal	3.092E+02	4.905E+00	1.621E+00	2076	2085	2080	7	tasmax
Macedonia	Normal	3.091E+02	4.912E+00	1.737E+00	2076	2085	2080	8	tasmax
Macedonia	Normal	3.030E+02	3.746E+00	1.009E+00	2076	2085	2080	9	tasmax
Macedonia	Normal	2.947E+02	3.221E+00	6.650E-01	2076	2085	2080	10	tasmax
Macedonia	Normal	2.879E+02	2.787E+00	6.610E-01	2076	2085	2080	11	tasmax
Macedonia	Normal	2.842E+02	2.300E+00	4.270E-01	2076	2085	2080	12	tasmax
Macedonia	Normal	2.834E+02	1.983E+00	2.834E-01	2086	2099	2092	1	tasmax
Macedonia	Normal	2.852E+02	2.200E+00	5.257E-01	2086	2099	2092	2	tasmax
Macedonia	Normal	2.887E+02	2.730E+00	6.530E-01	2086	2099	2092	3	tasmax
Macedonia	Normal	2.932E+02	3.322E+00	6.180E-01	2086	2099	2092	4	tasmax
Macedonia	Normal	2.993E+02	3.783E+00	6.703E-01	2086	2099	2092	5	tasmax
Macedonia	Normal	3.050E+02	4.482E+00	1.222E+00	2086	2099	2092	6	tasmax
Macedonia	Normal	3.100E+02	5.297E+00	1.560E+00	2086	2099	2092	7	tasmax
Macedonia	Normal	3.097E+02	4.971E+00	1.875E+00	2086	2099	2092	8	tasmax
Macedonia	Normal	3.036E+02	3.848E+00	1.263E+00	2086	2099	2092	9	tasmax
Macedonia	Normal	2.956E+02	3.632E+00	8.248E-01	2086	2099	2092	10	tasmax
Macedonia	Normal	2.890E+02	2.545E+00	6.452E-01	2086	2099	2092	11	tasmax
Macedonia	Normal	2.846E+02	2.447E+00	4.797E-01	2086	2099	2092	12	tasmax
Madagascar	Normal	3.020E+02	1.537E+00	5.543E-01	2006	2015	2010	1	tasmax
Madagascar	Normal	3.017E+02	1.481E+00	6.019E-01	2006	2015	2010	2	tasmax
Madagascar	Normal	3.016E+02	1.247E+00	4.164E-01	2006	2015	2010	3	tasmax
Madagascar	Normal	3.007E+02	1.090E+00	3.398E-01	2006	2015	2010	4	tasmax
Madagascar	Normal	2.992E+02	1.037E+00	2.511E-01	2006	2015	2010	5	tasmax
Madagascar	Normal	2.977E+02	1.037E+00	2.455E-01	2006	2015	2010	6	tasmax
Madagascar	Normal	2.972E+02	1.132E+00	2.690E-01	2006	2015	2010	7	tasmax
Madagascar	Normal	2.983E+02	1.266E+00	3.208E-01	2006	2015	2010	8	tasmax
Madagascar	Normal	3.003E+02	1.397E+00	3.382E-01	2006	2015	2010	9	tasmax
Madagascar	Normal	3.024E+02	1.500E+00	3.579E-01	2006	2015	2010	10	tasmax
Madagascar	Normal	3.028E+02	1.458E+00	4.380E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Madagascar	Normal	3.024E+02	1.372E+00	4.881E-01	2006	2015	2010	12	tasmax
Madagascar	Normal	3.023E+02	1.550E+00	4.921E-01	2016	2025	2020	1	tasmax
Madagascar	Normal	3.021E+02	1.536E+00	6.223E-01	2016	2025	2020	2	tasmax
Madagascar	Normal	3.019E+02	1.185E+00	4.004E-01	2016	2025	2020	3	tasmax
Madagascar	Normal	3.012E+02	1.072E+00	3.061E-01	2016	2025	2020	4	tasmax
Madagascar	Normal	2.996E+02	9.737E-01	1.834E-01	2016	2025	2020	5	tasmax
Madagascar	Normal	2.980E+02	1.015E+00	2.727E-01	2016	2025	2020	6	tasmax
Madagascar	Normal	2.976E+02	1.147E+00	3.764E-01	2016	2025	2020	7	tasmax
Madagascar	Normal	2.987E+02	1.241E+00	3.329E-01	2016	2025	2020	8	tasmax
Madagascar	Normal	3.008E+02	1.454E+00	2.920E-01	2016	2025	2020	9	tasmax
Madagascar	Normal	3.027E+02	1.555E+00	3.187E-01	2016	2025	2020	10	tasmax
Madagascar	Normal	3.032E+02	1.529E+00	3.873E-01	2016	2025	2020	11	tasmax
Madagascar	Normal	3.025E+02	1.497E+00	5.462E-01	2016	2025	2020	12	tasmax
Madagascar	Normal	3.027E+02	1.636E+00	5.575E-01	2026	2035	2030	1	tasmax
Madagascar	Normal	3.024E+02	1.555E+00	5.814E-01	2026	2035	2030	2	tasmax
Madagascar	Normal	3.023E+02	1.342E+00	4.410E-01	2026	2035	2030	3	tasmax
Madagascar	Normal	3.015E+02	1.147E+00	2.730E-01	2026	2035	2030	4	tasmax
Madagascar	Normal	2.999E+02	1.132E+00	2.938E-01	2026	2035	2030	5	tasmax
Madagascar	Normal	2.984E+02	1.163E+00	3.631E-01	2026	2035	2030	6	tasmax
Madagascar	Normal	2.979E+02	1.195E+00	3.996E-01	2026	2035	2030	7	tasmax
Madagascar	Normal	2.989E+02	1.311E+00	4.215E-01	2026	2035	2030	8	tasmax
Madagascar	Normal	3.010E+02	1.536E+00	3.766E-01	2026	2035	2030	9	tasmax
Madagascar	Normal	3.030E+02	1.653E+00	3.074E-01	2026	2035	2030	10	tasmax
Madagascar	Normal	3.034E+02	1.618E+00	4.842E-01	2026	2035	2030	11	tasmax
Madagascar	Normal	3.030E+02	1.528E+00	5.828E-01	2026	2035	2030	12	tasmax
Madagascar	Normal	3.029E+02	1.595E+00	3.887E-01	2036	2045	2040	1	tasmax
Madagascar	Normal	3.026E+02	1.474E+00	4.780E-01	2036	2045	2040	2	tasmax
Madagascar	Normal	3.024E+02	1.236E+00	3.970E-01	2036	2045	2040	3	tasmax
Madagascar	Normal	3.017E+02	1.192E+00	3.116E-01	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Madagascar	Normal	3.003E+02	1.156E+00	2.642E-01	2036	2045	2040	5	tasmax
Madagascar	Normal	2.987E+02	1.146E+00	3.906E-01	2036	2045	2040	6	tasmax
Madagascar	Normal	2.981E+02	1.216E+00	3.683E-01	2036	2045	2040	7	tasmax
Madagascar	Normal	2.992E+02	1.337E+00	3.859E-01	2036	2045	2040	8	tasmax
Madagascar	Normal	3.013E+02	1.628E+00	3.830E-01	2036	2045	2040	9	tasmax
Madagascar	Normal	3.035E+02	1.719E+00	2.975E-01	2036	2045	2040	10	tasmax
Madagascar	Normal	3.039E+02	1.527E+00	3.151E-01	2036	2045	2040	11	tasmax
Madagascar	Normal	3.034E+02	1.607E+00	4.399E-01	2036	2045	2040	12	tasmax
Madagascar	Normal	3.034E+02	1.745E+00	4.947E-01	2046	2055	2050	1	tasmax
Madagascar	Normal	3.032E+02	1.557E+00	4.846E-01	2046	2055	2050	2	tasmax
Madagascar	Normal	3.030E+02	1.295E+00	3.669E-01	2046	2055	2050	3	tasmax
Madagascar	Normal	3.022E+02	1.255E+00	2.808E-01	2046	2055	2050	4	tasmax
Madagascar	Normal	3.007E+02	1.276E+00	3.073E-01	2046	2055	2050	5	tasmax
Madagascar	Normal	2.991E+02	1.321E+00	3.912E-01	2046	2055	2050	6	tasmax
Madagascar	Normal	2.986E+02	1.279E+00	4.056E-01	2046	2055	2050	7	tasmax
Madagascar	Normal	2.996E+02	1.507E+00	3.989E-01	2046	2055	2050	8	tasmax
Madagascar	Normal	3.016E+02	1.706E+00	3.701E-01	2046	2055	2050	9	tasmax
Madagascar	Normal	3.039E+02	1.883E+00	3.663E-01	2046	2055	2050	10	tasmax
Madagascar	Normal	3.045E+02	1.839E+00	4.821E-01	2046	2055	2050	11	tasmax
Madagascar	Normal	3.039E+02	1.720E+00	6.400E-01	2046	2055	2050	12	tasmax
Madagascar	Normal	3.039E+02	1.708E+00	4.870E-01	2056	2065	2060	1	tasmax
Madagascar	Normal	3.035E+02	1.539E+00	4.258E-01	2056	2065	2060	2	tasmax
Madagascar	Normal	3.033E+02	1.318E+00	3.535E-01	2056	2065	2060	3	tasmax
Madagascar	Normal	3.027E+02	1.273E+00	3.176E-01	2056	2065	2060	4	tasmax
Madagascar	Normal	3.011E+02	1.281E+00	3.314E-01	2056	2065	2060	5	tasmax
Madagascar	Normal	2.996E+02	1.225E+00	3.659E-01	2056	2065	2060	6	tasmax
Madagascar	Normal	2.990E+02	1.233E+00	3.782E-01	2056	2065	2060	7	tasmax
Madagascar	Normal	2.999E+02	1.423E+00	3.668E-01	2056	2065	2060	8	tasmax
Madagascar	Normal	3.021E+02	1.626E+00	4.186E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Madagascar	Normal	3.044E+02	1.904E+00	3.468E-01	2056	2065	2060	10	tasmax
Madagascar	Normal	3.049E+02	1.626E+00	2.576E-01	2056	2065	2060	11	tasmax
Madagascar	Normal	3.043E+02	1.558E+00	4.684E-01	2056	2065	2060	12	tasmax
Madagascar	Normal	3.045E+02	1.747E+00	4.053E-01	2066	2075	2070	1	tasmax
Madagascar	Normal	3.042E+02	1.559E+00	4.205E-01	2066	2075	2070	2	tasmax
Madagascar	Normal	3.039E+02	1.335E+00	3.565E-01	2066	2075	2070	3	tasmax
Madagascar	Normal	3.032E+02	1.312E+00	2.727E-01	2066	2075	2070	4	tasmax
Madagascar	Normal	3.017E+02	1.327E+00	3.282E-01	2066	2075	2070	5	tasmax
Madagascar	Normal	3.001E+02	1.247E+00	3.620E-01	2066	2075	2070	6	tasmax
Madagascar	Normal	2.995E+02	1.308E+00	4.158E-01	2066	2075	2070	7	tasmax
Madagascar	Normal	3.005E+02	1.414E+00	3.988E-01	2066	2075	2070	8	tasmax
Madagascar	Normal	3.026E+02	1.688E+00	3.749E-01	2066	2075	2070	9	tasmax
Madagascar	Normal	3.049E+02	1.861E+00	3.617E-01	2066	2075	2070	10	tasmax
Madagascar	Normal	3.054E+02	1.875E+00	5.132E-01	2066	2075	2070	11	tasmax
Madagascar	Normal	3.050E+02	1.800E+00	5.209E-01	2066	2075	2070	12	tasmax
Madagascar	Normal	3.049E+02	1.722E+00	4.989E-01	2076	2085	2080	1	tasmax
Madagascar	Normal	3.046E+02	1.638E+00	4.775E-01	2076	2085	2080	2	tasmax
Madagascar	Normal	3.043E+02	1.447E+00	3.756E-01	2076	2085	2080	3	tasmax
Madagascar	Normal	3.037E+02	1.385E+00	3.183E-01	2076	2085	2080	4	tasmax
Madagascar	Normal	3.022E+02	1.426E+00	3.366E-01	2076	2085	2080	5	tasmax
Madagascar	Normal	3.006E+02	1.397E+00	3.704E-01	2076	2085	2080	6	tasmax
Madagascar	Normal	3.000E+02	1.336E+00	4.167E-01	2076	2085	2080	7	tasmax
Madagascar	Normal	3.010E+02	1.551E+00	4.669E-01	2076	2085	2080	8	tasmax
Madagascar	Normal	3.031E+02	1.690E+00	3.421E-01	2076	2085	2080	9	tasmax
Madagascar	Normal	3.054E+02	2.020E+00	3.903E-01	2076	2085	2080	10	tasmax
Madagascar	Normal	3.061E+02	1.831E+00	3.835E-01	2076	2085	2080	11	tasmax
Madagascar	Normal	3.054E+02	1.676E+00	5.088E-01	2076	2085	2080	12	tasmax
Madagascar	Normal	3.055E+02	1.895E+00	3.948E-01	2086	2099	2092	1	tasmax
Madagascar	Normal	3.050E+02	1.629E+00	3.608E-01	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Madagascar	Normal	3.048E+02	1.458E+00	3.164E-01	2086	2099	2092	3	tasmax
Madagascar	Normal	3.042E+02	1.437E+00	3.228E-01	2086	2099	2092	4	tasmax
Madagascar	Normal	3.027E+02	1.449E+00	3.548E-01	2086	2099	2092	5	tasmax
Madagascar	Normal	3.010E+02	1.326E+00	4.170E-01	2086	2099	2092	6	tasmax
Madagascar	Normal	3.004E+02	1.318E+00	3.941E-01	2086	2099	2092	7	tasmax
Madagascar	Normal	3.014E+02	1.515E+00	4.949E-01	2086	2099	2092	8	tasmax
Madagascar	Normal	3.036E+02	1.657E+00	3.794E-01	2086	2099	2092	9	tasmax
Madagascar	Normal	3.060E+02	1.973E+00	3.674E-01	2086	2099	2092	10	tasmax
Madagascar	Normal	3.067E+02	1.855E+00	3.302E-01	2086	2099	2092	11	tasmax
Madagascar	Normal	3.060E+02	1.809E+00	4.631E-01	2086	2099	2092	12	tasmax
Malawi	Normal	3.011E+02	1.834E+00	4.099E-01	2006	2015	2010	1	tasmax
Malawi	Normal	3.007E+02	1.469E+00	3.604E-01	2006	2015	2010	2	tasmax
Malawi	Normal	3.004E+02	1.252E+00	2.508E-01	2006	2015	2010	3	tasmax
Malawi	Normal	2.993E+02	1.521E+00	2.604E-01	2006	2015	2010	4	tasmax
Malawi	Normal	2.979E+02	1.697E+00	3.082E-01	2006	2015	2010	5	tasmax
Malawi	Normal	2.965E+02	1.762E+00	3.998E-01	2006	2015	2010	6	tasmax
Malawi	Normal	2.965E+02	2.118E+00	3.836E-01	2006	2015	2010	7	tasmax
Malawi	Normal	2.991E+02	2.333E+00	4.640E-01	2006	2015	2010	8	tasmax
Malawi	Normal	3.023E+02	1.957E+00	3.336E-01	2006	2015	2010	9	tasmax
Malawi	Normal	3.051E+02	1.602E+00	2.011E-01	2006	2015	2010	10	tasmax
Malawi	Normal	3.047E+02	1.977E+00	4.813E-01	2006	2015	2010	11	tasmax
Malawi	Normal	3.023E+02	2.205E+00	6.093E-01	2006	2015	2010	12	tasmax
Malawi	Normal	3.014E+02	1.753E+00	3.304E-01	2016	2025	2020	1	tasmax
Malawi	Normal	3.010E+02	1.450E+00	3.270E-01	2016	2025	2020	2	tasmax
Malawi	Normal	3.007E+02	1.316E+00	2.960E-01	2016	2025	2020	3	tasmax
Malawi	Normal	2.998E+02	1.444E+00	2.576E-01	2016	2025	2020	4	tasmax
Malawi	Normal	2.983E+02	1.578E+00	3.235E-01	2016	2025	2020	5	tasmax
Malawi	Normal	2.969E+02	1.870E+00	4.943E-01	2016	2025	2020	6	tasmax
Malawi	Normal	2.971E+02	2.206E+00	4.497E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malawi	Normal	2.994E+02	2.251E+00	4.593E-01	2016	2025	2020	8	tasmax
Malawi	Normal	3.027E+02	2.081E+00	3.830E-01	2016	2025	2020	9	tasmax
Malawi	Normal	3.055E+02	1.537E+00	2.429E-01	2016	2025	2020	10	tasmax
Malawi	Normal	3.052E+02	1.958E+00	3.807E-01	2016	2025	2020	11	tasmax
Malawi	Normal	3.027E+02	2.331E+00	7.276E-01	2016	2025	2020	12	tasmax
Malawi	Normal	3.020E+02	1.879E+00	4.098E-01	2026	2035	2030	1	tasmax
Malawi	Normal	3.015E+02	1.512E+00	3.940E-01	2026	2035	2030	2	tasmax
Malawi	Normal	3.012E+02	1.452E+00	3.208E-01	2026	2035	2030	3	tasmax
Malawi	Normal	3.003E+02	1.574E+00	2.657E-01	2026	2035	2030	4	tasmax
Malawi	Normal	2.988E+02	1.735E+00	2.546E-01	2026	2035	2030	5	tasmax
Malawi	Normal	2.974E+02	2.113E+00	6.198E-01	2026	2035	2030	6	tasmax
Malawi	Normal	2.974E+02	2.136E+00	4.987E-01	2026	2035	2030	7	tasmax
Malawi	Normal	2.997E+02	2.337E+00	5.242E-01	2026	2035	2030	8	tasmax
Malawi	Normal	3.031E+02	1.944E+00	3.911E-01	2026	2035	2030	9	tasmax
Malawi	Normal	3.061E+02	1.737E+00	3.091E-01	2026	2035	2030	10	tasmax
Malawi	Normal	3.056E+02	2.225E+00	5.085E-01	2026	2035	2030	11	tasmax
Malawi	Normal	3.033E+02	2.250E+00	6.874E-01	2026	2035	2030	12	tasmax
Malawi	Normal	3.021E+02	1.567E+00	3.358E-01	2036	2045	2040	1	tasmax
Malawi	Normal	3.018E+02	1.412E+00	2.869E-01	2036	2045	2040	2	tasmax
Malawi	Normal	3.015E+02	1.295E+00	2.555E-01	2036	2045	2040	3	tasmax
Malawi	Normal	3.006E+02	1.619E+00	2.501E-01	2036	2045	2040	4	tasmax
Malawi	Normal	2.992E+02	1.726E+00	3.186E-01	2036	2045	2040	5	tasmax
Malawi	Normal	2.977E+02	1.873E+00	4.392E-01	2036	2045	2040	6	tasmax
Malawi	Normal	2.978E+02	2.208E+00	5.567E-01	2036	2045	2040	7	tasmax
Malawi	Normal	3.001E+02	2.341E+00	5.404E-01	2036	2045	2040	8	tasmax
Malawi	Normal	3.036E+02	2.129E+00	3.442E-01	2036	2045	2040	9	tasmax
Malawi	Normal	3.063E+02	1.681E+00	2.810E-01	2036	2045	2040	10	tasmax
Malawi	Normal	3.062E+02	1.898E+00	3.807E-01	2036	2045	2040	11	tasmax
Malawi	Normal	3.036E+02	2.149E+00	5.359E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malawi	Normal	3.029E+02	1.923E+00	4.877E-01	2046	2055	2050	1	tasmax
Malawi	Normal	3.025E+02	1.600E+00	3.857E-01	2046	2055	2050	2	tasmax
Malawi	Normal	3.020E+02	1.408E+00	3.958E-01	2046	2055	2050	3	tasmax
Malawi	Normal	3.010E+02	1.657E+00	2.584E-01	2046	2055	2050	4	tasmax
Malawi	Normal	2.998E+02	1.788E+00	3.848E-01	2046	2055	2050	5	tasmax
Malawi	Normal	2.984E+02	2.244E+00	4.555E-01	2046	2055	2050	6	tasmax
Malawi	Normal	2.983E+02	2.245E+00	4.461E-01	2046	2055	2050	7	tasmax
Malawi	Normal	3.005E+02	2.441E+00	5.324E-01	2046	2055	2050	8	tasmax
Malawi	Normal	3.038E+02	2.110E+00	3.317E-01	2046	2055	2050	9	tasmax
Malawi	Normal	3.069E+02	1.896E+00	3.151E-01	2046	2055	2050	10	tasmax
Malawi	Normal	3.071E+02	2.213E+00	3.239E-01	2046	2055	2050	11	tasmax
Malawi	Normal	3.044E+02	2.429E+00	6.772E-01	2046	2055	2050	12	tasmax
Malawi	Normal	3.033E+02	1.879E+00	3.767E-01	2056	2065	2060	1	tasmax
Malawi	Normal	3.029E+02	1.603E+00	3.050E-01	2056	2065	2060	2	tasmax
Malawi	Normal	3.025E+02	1.464E+00	2.708E-01	2056	2065	2060	3	tasmax
Malawi	Normal	3.016E+02	1.734E+00	2.857E-01	2056	2065	2060	4	tasmax
Malawi	Normal	3.003E+02	1.820E+00	3.553E-01	2056	2065	2060	5	tasmax
Malawi	Normal	2.988E+02	2.015E+00	4.794E-01	2056	2065	2060	6	tasmax
Malawi	Normal	2.988E+02	2.174E+00	4.428E-01	2056	2065	2060	7	tasmax
Malawi	Normal	3.010E+02	2.312E+00	5.807E-01	2056	2065	2060	8	tasmax
Malawi	Normal	3.045E+02	1.995E+00	3.728E-01	2056	2065	2060	9	tasmax
Malawi	Normal	3.076E+02	1.750E+00	2.789E-01	2056	2065	2060	10	tasmax
Malawi	Normal	3.078E+02	1.983E+00	4.356E-01	2056	2065	2060	11	tasmax
Malawi	Normal	3.051E+02	2.350E+00	7.174E-01	2056	2065	2060	12	tasmax
Malawi	Normal	3.040E+02	1.988E+00	4.460E-01	2066	2075	2070	1	tasmax
Malawi	Normal	3.036E+02	1.660E+00	3.656E-01	2066	2075	2070	2	tasmax
Malawi	Normal	3.031E+02	1.586E+00	4.348E-01	2066	2075	2070	3	tasmax
Malawi	Normal	3.024E+02	1.626E+00	3.123E-01	2066	2075	2070	4	tasmax
Malawi	Normal	3.011E+02	1.781E+00	3.320E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malawi	Normal	2.997E+02	2.056E+00	4.983E-01	2066	2075	2070	6	tasmax
Malawi	Normal	2.995E+02	2.301E+00	4.825E-01	2066	2075	2070	7	tasmax
Malawi	Normal	3.017E+02	2.428E+00	4.293E-01	2066	2075	2070	8	tasmax
Malawi	Normal	3.052E+02	2.085E+00	2.891E-01	2066	2075	2070	9	tasmax
Malawi	Normal	3.083E+02	1.763E+00	2.363E-01	2066	2075	2070	10	tasmax
Malawi	Normal	3.085E+02	2.232E+00	4.943E-01	2066	2075	2070	11	tasmax
Malawi	Normal	3.057E+02	2.574E+00	6.455E-01	2066	2075	2070	12	tasmax
Malawi	Normal	3.048E+02	2.096E+00	3.824E-01	2076	2085	2080	1	tasmax
Malawi	Normal	3.041E+02	1.774E+00	2.860E-01	2076	2085	2080	2	tasmax
Malawi	Normal	3.038E+02	1.707E+00	2.640E-01	2076	2085	2080	3	tasmax
Malawi	Normal	3.030E+02	1.944E+00	3.640E-01	2076	2085	2080	4	tasmax
Malawi	Normal	3.017E+02	2.093E+00	3.758E-01	2076	2085	2080	5	tasmax
Malawi	Normal	3.002E+02	2.290E+00	5.457E-01	2076	2085	2080	6	tasmax
Malawi	Normal	3.001E+02	2.398E+00	5.447E-01	2076	2085	2080	7	tasmax
Malawi	Normal	3.023E+02	2.410E+00	5.115E-01	2076	2085	2080	8	tasmax
Malawi	Normal	3.060E+02	1.964E+00	4.244E-01	2076	2085	2080	9	tasmax
Malawi	Normal	3.089E+02	1.764E+00	2.551E-01	2076	2085	2080	10	tasmax
Malawi	Normal	3.090E+02	2.210E+00	4.293E-01	2076	2085	2080	11	tasmax
Malawi	Normal	3.063E+02	2.482E+00	6.819E-01	2076	2085	2080	12	tasmax
Malawi	Normal	3.053E+02	2.179E+00	5.068E-01	2086	2099	2092	1	tasmax
Malawi	Normal	3.046E+02	1.815E+00	3.146E-01	2086	2099	2092	2	tasmax
Malawi	Normal	3.042E+02	1.691E+00	4.175E-01	2086	2099	2092	3	tasmax
Malawi	Normal	3.034E+02	2.068E+00	3.916E-01	2086	2099	2092	4	tasmax
Malawi	Normal	3.022E+02	2.208E+00	3.587E-01	2086	2099	2092	5	tasmax
Malawi	Normal	3.007E+02	2.186E+00	3.266E-01	2086	2099	2092	6	tasmax
Malawi	Normal	3.006E+02	2.214E+00	4.222E-01	2086	2099	2092	7	tasmax
Malawi	Normal	3.029E+02	2.357E+00	4.501E-01	2086	2099	2092	8	tasmax
Malawi	Normal	3.065E+02	2.035E+00	3.667E-01	2086	2099	2092	9	tasmax
Malawi	Normal	3.095E+02	1.879E+00	3.361E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malawi	Normal	3.097E+02	2.143E+00	4.115E-01	2086	2099	2092	11	tasmax
Malawi	Normal	3.072E+02	2.759E+00	6.012E-01	2086	2099	2092	12	tasmax
Malaysia	Normal	3.009E+02	1.355E+00	3.281E-01	2006	2015	2010	1	tasmax
Malaysia	Normal	3.014E+02	1.486E+00	2.960E-01	2006	2015	2010	2	tasmax
Malaysia	Normal	3.022E+02	1.653E+00	3.871E-01	2006	2015	2010	3	tasmax
Malaysia	Normal	3.026E+02	1.523E+00	3.768E-01	2006	2015	2010	4	tasmax
Malaysia	Normal	3.025E+02	1.259E+00	2.864E-01	2006	2015	2010	5	tasmax
Malaysia	Normal	3.024E+02	1.191E+00	2.531E-01	2006	2015	2010	6	tasmax
Malaysia	Normal	3.021E+02	1.137E+00	2.078E-01	2006	2015	2010	7	tasmax
Malaysia	Normal	3.021E+02	1.184E+00	2.062E-01	2006	2015	2010	8	tasmax
Malaysia	Normal	3.020E+02	1.201E+00	2.185E-01	2006	2015	2010	9	tasmax
Malaysia	Normal	3.018E+02	1.029E+00	3.238E-01	2006	2015	2010	10	tasmax
Malaysia	Normal	3.016E+02	1.057E+00	3.329E-01	2006	2015	2010	11	tasmax
Malaysia	Normal	3.012E+02	1.159E+00	3.181E-01	2006	2015	2010	12	tasmax
Malaysia	Normal	3.011E+02	1.376E+00	3.437E-01	2016	2025	2020	1	tasmax
Malaysia	Normal	3.016E+02	1.513E+00	2.895E-01	2016	2025	2020	2	tasmax
Malaysia	Normal	3.024E+02	1.539E+00	2.942E-01	2016	2025	2020	3	tasmax
Malaysia	Normal	3.029E+02	1.497E+00	3.523E-01	2016	2025	2020	4	tasmax
Malaysia	Normal	3.028E+02	1.302E+00	2.704E-01	2016	2025	2020	5	tasmax
Malaysia	Normal	3.026E+02	1.248E+00	2.927E-01	2016	2025	2020	6	tasmax
Malaysia	Normal	3.024E+02	1.243E+00	2.716E-01	2016	2025	2020	7	tasmax
Malaysia	Normal	3.023E+02	1.281E+00	3.090E-01	2016	2025	2020	8	tasmax
Malaysia	Normal	3.023E+02	1.254E+00	3.035E-01	2016	2025	2020	9	tasmax
Malaysia	Normal	3.021E+02	1.176E+00	4.062E-01	2016	2025	2020	10	tasmax
Malaysia	Normal	3.018E+02	1.152E+00	4.116E-01	2016	2025	2020	11	tasmax
Malaysia	Normal	3.014E+02	1.198E+00	3.233E-01	2016	2025	2020	12	tasmax
Malaysia	Normal	3.015E+02	1.303E+00	3.378E-01	2026	2035	2030	1	tasmax
Malaysia	Normal	3.019E+02	1.436E+00	3.554E-01	2026	2035	2030	2	tasmax
Malaysia	Normal	3.028E+02	1.491E+00	3.419E-01	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malaysia	Normal	3.033E+02	1.479E+00	3.480E-01	2026	2035	2030	4	tasmax
Malaysia	Normal	3.031E+02	1.325E+00	2.945E-01	2026	2035	2030	5	tasmax
Malaysia	Normal	3.030E+02	1.204E+00	2.155E-01	2026	2035	2030	6	tasmax
Malaysia	Normal	3.027E+02	1.148E+00	2.249E-01	2026	2035	2030	7	tasmax
Malaysia	Normal	3.027E+02	1.228E+00	2.235E-01	2026	2035	2030	8	tasmax
Malaysia	Normal	3.026E+02	1.209E+00	2.270E-01	2026	2035	2030	9	tasmax
Malaysia	Normal	3.024E+02	1.108E+00	3.726E-01	2026	2035	2030	10	tasmax
Malaysia	Normal	3.022E+02	1.111E+00	4.395E-01	2026	2035	2030	11	tasmax
Malaysia	Normal	3.017E+02	1.181E+00	3.629E-01	2026	2035	2030	12	tasmax
Malaysia	Normal	3.018E+02	1.375E+00	3.771E-01	2036	2045	2040	1	tasmax
Malaysia	Normal	3.023E+02	1.552E+00	3.820E-01	2036	2045	2040	2	tasmax
Malaysia	Normal	3.031E+02	1.638E+00	4.426E-01	2036	2045	2040	3	tasmax
Malaysia	Normal	3.036E+02	1.583E+00	3.863E-01	2036	2045	2040	4	tasmax
Malaysia	Normal	3.035E+02	1.397E+00	3.518E-01	2036	2045	2040	5	tasmax
Malaysia	Normal	3.033E+02	1.239E+00	2.591E-01	2036	2045	2040	6	tasmax
Malaysia	Normal	3.030E+02	1.220E+00	3.044E-01	2036	2045	2040	7	tasmax
Malaysia	Normal	3.030E+02	1.306E+00	3.269E-01	2036	2045	2040	8	tasmax
Malaysia	Normal	3.029E+02	1.279E+00	2.578E-01	2036	2045	2040	9	tasmax
Malaysia	Normal	3.027E+02	1.186E+00	3.778E-01	2036	2045	2040	10	tasmax
Malaysia	Normal	3.025E+02	1.186E+00	4.593E-01	2036	2045	2040	11	tasmax
Malaysia	Normal	3.020E+02	1.221E+00	3.501E-01	2036	2045	2040	12	tasmax
Malaysia	Normal	3.022E+02	1.451E+00	4.132E-01	2046	2055	2050	1	tasmax
Malaysia	Normal	3.028E+02	1.665E+00	4.120E-01	2046	2055	2050	2	tasmax
Malaysia	Normal	3.037E+02	1.769E+00	4.296E-01	2046	2055	2050	3	tasmax
Malaysia	Normal	3.040E+02	1.674E+00	4.313E-01	2046	2055	2050	4	tasmax
Malaysia	Normal	3.039E+02	1.430E+00	3.015E-01	2046	2055	2050	5	tasmax
Malaysia	Normal	3.037E+02	1.265E+00	2.830E-01	2046	2055	2050	6	tasmax
Malaysia	Normal	3.034E+02	1.277E+00	3.296E-01	2046	2055	2050	7	tasmax
Malaysia	Normal	3.034E+02	1.345E+00	3.423E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malaysia	Normal	3.033E+02	1.353E+00	3.496E-01	2046	2055	2050	9	tasmax
Malaysia	Normal	3.031E+02	1.243E+00	4.075E-01	2046	2055	2050	10	tasmax
Malaysia	Normal	3.028E+02	1.249E+00	5.003E-01	2046	2055	2050	11	tasmax
Malaysia	Normal	3.024E+02	1.308E+00	3.923E-01	2046	2055	2050	12	tasmax
Malaysia	Normal	3.026E+02	1.504E+00	4.815E-01	2056	2065	2060	1	tasmax
Malaysia	Normal	3.032E+02	1.696E+00	4.404E-01	2056	2065	2060	2	tasmax
Malaysia	Normal	3.041E+02	1.776E+00	4.561E-01	2056	2065	2060	3	tasmax
Malaysia	Normal	3.046E+02	1.719E+00	4.129E-01	2056	2065	2060	4	tasmax
Malaysia	Normal	3.043E+02	1.440E+00	2.833E-01	2056	2065	2060	5	tasmax
Malaysia	Normal	3.042E+02	1.299E+00	2.747E-01	2056	2065	2060	6	tasmax
Malaysia	Normal	3.039E+02	1.281E+00	3.376E-01	2056	2065	2060	7	tasmax
Malaysia	Normal	3.039E+02	1.408E+00	4.033E-01	2056	2065	2060	8	tasmax
Malaysia	Normal	3.039E+02	1.462E+00	3.814E-01	2056	2065	2060	9	tasmax
Malaysia	Normal	3.035E+02	1.272E+00	3.812E-01	2056	2065	2060	10	tasmax
Malaysia	Normal	3.033E+02	1.273E+00	4.896E-01	2056	2065	2060	11	tasmax
Malaysia	Normal	3.028E+02	1.323E+00	4.367E-01	2056	2065	2060	12	tasmax
Malaysia	Normal	3.031E+02	1.580E+00	4.377E-01	2066	2075	2070	1	tasmax
Malaysia	Normal	3.037E+02	1.810E+00	4.186E-01	2066	2075	2070	2	tasmax
Malaysia	Normal	3.046E+02	1.859E+00	4.017E-01	2066	2075	2070	3	tasmax
Malaysia	Normal	3.049E+02	1.726E+00	4.884E-01	2066	2075	2070	4	tasmax
Malaysia	Normal	3.048E+02	1.464E+00	2.989E-01	2066	2075	2070	5	tasmax
Malaysia	Normal	3.046E+02	1.264E+00	2.509E-01	2066	2075	2070	6	tasmax
Malaysia	Normal	3.044E+02	1.312E+00	2.873E-01	2066	2075	2070	7	tasmax
Malaysia	Normal	3.043E+02	1.420E+00	3.593E-01	2066	2075	2070	8	tasmax
Malaysia	Normal	3.042E+02	1.420E+00	3.341E-01	2066	2075	2070	9	tasmax
Malaysia	Normal	3.040E+02	1.354E+00	4.099E-01	2066	2075	2070	10	tasmax
Malaysia	Normal	3.037E+02	1.358E+00	5.095E-01	2066	2075	2070	11	tasmax
Malaysia	Normal	3.033E+02	1.400E+00	4.323E-01	2066	2075	2070	12	tasmax
Malaysia	Normal	3.036E+02	1.578E+00	4.073E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Malaysia	Normal	3.042E+02	1.814E+00	4.220E-01	2076	2085	2080	2	tasmax
Malaysia	Normal	3.051E+02	1.929E+00	5.264E-01	2076	2085	2080	3	tasmax
Malaysia	Normal	3.055E+02	1.874E+00	5.353E-01	2076	2085	2080	4	tasmax
Malaysia	Normal	3.053E+02	1.532E+00	3.523E-01	2076	2085	2080	5	tasmax
Malaysia	Normal	3.051E+02	1.343E+00	2.789E-01	2076	2085	2080	6	tasmax
Malaysia	Normal	3.048E+02	1.392E+00	3.837E-01	2076	2085	2080	7	tasmax
Malaysia	Normal	3.048E+02	1.493E+00	3.765E-01	2076	2085	2080	8	tasmax
Malaysia	Normal	3.048E+02	1.588E+00	4.155E-01	2076	2085	2080	9	tasmax
Malaysia	Normal	3.045E+02	1.420E+00	3.749E-01	2076	2085	2080	10	tasmax
Malaysia	Normal	3.042E+02	1.407E+00	5.213E-01	2076	2085	2080	11	tasmax
Malaysia	Normal	3.038E+02	1.444E+00	4.504E-01	2076	2085	2080	12	tasmax
Malaysia	Normal	3.040E+02	1.668E+00	4.533E-01	2086	2099	2092	1	tasmax
Malaysia	Normal	3.046E+02	1.953E+00	4.624E-01	2086	2099	2092	2	tasmax
Malaysia	Normal	3.056E+02	2.124E+00	5.204E-01	2086	2099	2092	3	tasmax
Malaysia	Normal	3.060E+02	1.970E+00	5.233E-01	2086	2099	2092	4	tasmax
Malaysia	Normal	3.058E+02	1.666E+00	3.872E-01	2086	2099	2092	5	tasmax
Malaysia	Normal	3.056E+02	1.496E+00	3.003E-01	2086	2099	2092	6	tasmax
Malaysia	Normal	3.053E+02	1.483E+00	3.322E-01	2086	2099	2092	7	tasmax
Malaysia	Normal	3.054E+02	1.631E+00	4.366E-01	2086	2099	2092	8	tasmax
Malaysia	Normal	3.053E+02	1.709E+00	4.701E-01	2086	2099	2092	9	tasmax
Malaysia	Normal	3.049E+02	1.499E+00	3.838E-01	2086	2099	2092	10	tasmax
Malaysia	Normal	3.046E+02	1.440E+00	4.656E-01	2086	2099	2092	11	tasmax
Malaysia	Normal	3.042E+02	1.493E+00	4.704E-01	2086	2099	2092	12	tasmax
Mali	Normal	3.016E+02	2.354E+00	5.916E-01	2006	2015	2010	1	tasmax
Mali	Normal	3.048E+02	2.125E+00	4.473E-01	2006	2015	2010	2	tasmax
Mali	Normal	3.088E+02	2.006E+00	5.220E-01	2006	2015	2010	3	tasmax
Mali	Normal	3.117E+02	1.981E+00	5.281E-01	2006	2015	2010	4	tasmax
Mali	Normal	3.129E+02	1.959E+00	5.030E-01	2006	2015	2010	5	tasmax
Mali	Normal	3.130E+02	2.739E+00	5.299E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mali	Normal	3.126E+02	2.851E+00	6.305E-01	2006	2015	2010	7	tasmax
Mali	Normal	3.114E+02	2.815E+00	7.644E-01	2006	2015	2010	8	tasmax
Mali	Normal	3.107E+02	2.492E+00	5.114E-01	2006	2015	2010	9	tasmax
Mali	Normal	3.095E+02	2.244E+00	6.741E-01	2006	2015	2010	10	tasmax
Mali	Normal	3.059E+02	2.087E+00	3.509E-01	2006	2015	2010	11	tasmax
Mali	Normal	3.019E+02	1.866E+00	5.350E-01	2006	2015	2010	12	tasmax
Mali	Normal	3.021E+02	2.071E+00	5.667E-01	2016	2025	2020	1	tasmax
Mali	Normal	3.050E+02	1.991E+00	4.142E-01	2016	2025	2020	2	tasmax
Mali	Normal	3.089E+02	2.006E+00	4.035E-01	2016	2025	2020	3	tasmax
Mali	Normal	3.121E+02	1.970E+00	5.433E-01	2016	2025	2020	4	tasmax
Mali	Normal	3.133E+02	2.076E+00	4.504E-01	2016	2025	2020	5	tasmax
Mali	Normal	3.136E+02	2.503E+00	3.728E-01	2016	2025	2020	6	tasmax
Mali	Normal	3.131E+02	2.769E+00	4.624E-01	2016	2025	2020	7	tasmax
Mali	Normal	3.117E+02	2.856E+00	5.874E-01	2016	2025	2020	8	tasmax
Mali	Normal	3.112E+02	2.600E+00	5.702E-01	2016	2025	2020	9	tasmax
Mali	Normal	3.098E+02	2.363E+00	7.228E-01	2016	2025	2020	10	tasmax
Mali	Normal	3.062E+02	2.180E+00	3.562E-01	2016	2025	2020	11	tasmax
Mali	Normal	3.023E+02	1.963E+00	5.058E-01	2016	2025	2020	12	tasmax
Mali	Normal	3.023E+02	2.145E+00	3.569E-01	2026	2035	2030	1	tasmax
Mali	Normal	3.055E+02	2.255E+00	5.845E-01	2026	2035	2030	2	tasmax
Mali	Normal	3.095E+02	2.085E+00	5.419E-01	2026	2035	2030	3	tasmax
Mali	Normal	3.126E+02	1.884E+00	5.943E-01	2026	2035	2030	4	tasmax
Mali	Normal	3.139E+02	1.971E+00	4.545E-01	2026	2035	2030	5	tasmax
Mali	Normal	3.141E+02	2.575E+00	4.129E-01	2026	2035	2030	6	tasmax
Mali	Normal	3.136E+02	2.716E+00	5.656E-01	2026	2035	2030	7	tasmax
Mali	Normal	3.122E+02	2.970E+00	7.146E-01	2026	2035	2030	8	tasmax
Mali	Normal	3.115E+02	2.702E+00	6.916E-01	2026	2035	2030	9	tasmax
Mali	Normal	3.102E+02	2.484E+00	8.459E-01	2026	2035	2030	10	tasmax
Mali	Normal	3.067E+02	2.267E+00	3.754E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mali	Normal	3.028E+02	2.048E+00	4.232E-01	2026	2035	2030	12	tasmax
Mali	Normal	3.029E+02	2.280E+00	4.880E-01	2036	2045	2040	1	tasmax
Mali	Normal	3.060E+02	2.160E+00	5.564E-01	2036	2045	2040	2	tasmax
Mali	Normal	3.101E+02	2.164E+00	5.687E-01	2036	2045	2040	3	tasmax
Mali	Normal	3.130E+02	1.908E+00	5.469E-01	2036	2045	2040	4	tasmax
Mali	Normal	3.144E+02	1.992E+00	5.607E-01	2036	2045	2040	5	tasmax
Mali	Normal	3.146E+02	2.586E+00	3.656E-01	2036	2045	2040	6	tasmax
Mali	Normal	3.141E+02	2.705E+00	6.184E-01	2036	2045	2040	7	tasmax
Mali	Normal	3.127E+02	2.925E+00	6.752E-01	2036	2045	2040	8	tasmax
Mali	Normal	3.120E+02	2.629E+00	5.180E-01	2036	2045	2040	9	tasmax
Mali	Normal	3.109E+02	2.312E+00	7.349E-01	2036	2045	2040	10	tasmax
Mali	Normal	3.072E+02	2.286E+00	4.098E-01	2036	2045	2040	11	tasmax
Mali	Normal	3.033E+02	1.984E+00	5.428E-01	2036	2045	2040	12	tasmax
Mali	Normal	3.036E+02	2.253E+00	6.401E-01	2046	2055	2050	1	tasmax
Mali	Normal	3.066E+02	2.298E+00	6.942E-01	2046	2055	2050	2	tasmax
Mali	Normal	3.107E+02	2.260E+00	5.181E-01	2046	2055	2050	3	tasmax
Mali	Normal	3.138E+02	2.029E+00	7.440E-01	2046	2055	2050	4	tasmax
Mali	Normal	3.151E+02	2.035E+00	5.871E-01	2046	2055	2050	5	tasmax
Mali	Normal	3.153E+02	2.640E+00	3.616E-01	2046	2055	2050	6	tasmax
Mali	Normal	3.147E+02	2.800E+00	6.494E-01	2046	2055	2050	7	tasmax
Mali	Normal	3.133E+02	3.077E+00	5.931E-01	2046	2055	2050	8	tasmax
Mali	Normal	3.126E+02	2.839E+00	5.586E-01	2046	2055	2050	9	tasmax
Mali	Normal	3.116E+02	2.568E+00	7.910E-01	2046	2055	2050	10	tasmax
Mali	Normal	3.079E+02	2.438E+00	4.108E-01	2046	2055	2050	11	tasmax
Mali	Normal	3.040E+02	2.000E+00	5.852E-01	2046	2055	2050	12	tasmax
Mali	Normal	3.041E+02	2.193E+00	6.332E-01	2056	2065	2060	1	tasmax
Mali	Normal	3.073E+02	2.281E+00	5.830E-01	2056	2065	2060	2	tasmax
Mali	Normal	3.114E+02	2.114E+00	3.601E-01	2056	2065	2060	3	tasmax
Mali	Normal	3.144E+02	2.070E+00	7.455E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mali	Normal	3.156E+02	2.340E+00	5.386E-01	2056	2065	2060	5	tasmax
Mali	Normal	3.159E+02	2.703E+00	4.422E-01	2056	2065	2060	6	tasmax
Mali	Normal	3.155E+02	2.782E+00	5.681E-01	2056	2065	2060	7	tasmax
Mali	Normal	3.140E+02	2.955E+00	4.718E-01	2056	2065	2060	8	tasmax
Mali	Normal	3.132E+02	3.006E+00	4.612E-01	2056	2065	2060	9	tasmax
Mali	Normal	3.120E+02	2.636E+00	7.721E-01	2056	2065	2060	10	tasmax
Mali	Normal	3.085E+02	2.566E+00	3.568E-01	2056	2065	2060	11	tasmax
Mali	Normal	3.045E+02	1.948E+00	5.229E-01	2056	2065	2060	12	tasmax
Mali	Normal	3.046E+02	2.219E+00	7.159E-01	2066	2075	2070	1	tasmax
Mali	Normal	3.078E+02	2.138E+00	5.144E-01	2066	2075	2070	2	tasmax
Mali	Normal	3.119E+02	2.014E+00	5.188E-01	2066	2075	2070	3	tasmax
Mali	Normal	3.152E+02	2.067E+00	7.142E-01	2066	2075	2070	4	tasmax
Mali	Normal	3.164E+02	2.212E+00	5.686E-01	2066	2075	2070	5	tasmax
Mali	Normal	3.166E+02	2.705E+00	4.717E-01	2066	2075	2070	6	tasmax
Mali	Normal	3.162E+02	2.703E+00	5.415E-01	2066	2075	2070	7	tasmax
Mali	Normal	3.146E+02	3.132E+00	5.156E-01	2066	2075	2070	8	tasmax
Mali	Normal	3.139E+02	2.956E+00	4.048E-01	2066	2075	2070	9	tasmax
Mali	Normal	3.127E+02	2.524E+00	7.081E-01	2066	2075	2070	10	tasmax
Mali	Normal	3.092E+02	2.421E+00	3.451E-01	2066	2075	2070	11	tasmax
Mali	Normal	3.051E+02	2.167E+00	4.833E-01	2066	2075	2070	12	tasmax
Mali	Normal	3.052E+02	2.375E+00	4.624E-01	2076	2085	2080	1	tasmax
Mali	Normal	3.084E+02	2.305E+00	6.952E-01	2076	2085	2080	2	tasmax
Mali	Normal	3.128E+02	2.225E+00	6.063E-01	2076	2085	2080	3	tasmax
Mali	Normal	3.157E+02	2.164E+00	7.725E-01	2076	2085	2080	4	tasmax
Mali	Normal	3.172E+02	2.222E+00	5.055E-01	2076	2085	2080	5	tasmax
Mali	Normal	3.175E+02	2.794E+00	4.902E-01	2076	2085	2080	6	tasmax
Mali	Normal	3.169E+02	2.968E+00	5.343E-01	2076	2085	2080	7	tasmax
Mali	Normal	3.152E+02	3.402E+00	5.871E-01	2076	2085	2080	8	tasmax
Mali	Normal	3.143E+02	3.425E+00	5.238E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mali	Normal	3.132E+02	2.941E+00	9.943E-01	2076	2085	2080	10	tasmax
Mali	Normal	3.096E+02	2.782E+00	6.194E-01	2076	2085	2080	11	tasmax
Mali	Normal	3.057E+02	2.120E+00	4.881E-01	2076	2085	2080	12	tasmax
Mali	Normal	3.058E+02	2.276E+00	4.699E-01	2086	2099	2092	1	tasmax
Mali	Normal	3.092E+02	2.397E+00	5.719E-01	2086	2099	2092	2	tasmax
Mali	Normal	3.135E+02	2.316E+00	5.848E-01	2086	2099	2092	3	tasmax
Mali	Normal	3.165E+02	2.150E+00	7.801E-01	2086	2099	2092	4	tasmax
Mali	Normal	3.177E+02	2.438E+00	4.903E-01	2086	2099	2092	5	tasmax
Mali	Normal	3.182E+02	2.853E+00	4.902E-01	2086	2099	2092	6	tasmax
Mali	Normal	3.176E+02	3.139E+00	5.012E-01	2086	2099	2092	7	tasmax
Mali	Normal	3.160E+02	3.541E+00	5.907E-01	2086	2099	2092	8	tasmax
Mali	Normal	3.148E+02	3.366E+00	4.969E-01	2086	2099	2092	9	tasmax
Mali	Normal	3.140E+02	2.842E+00	8.085E-01	2086	2099	2092	10	tasmax
Mali	Normal	3.106E+02	2.531E+00	4.067E-01	2086	2099	2092	11	tasmax
Mali	Normal	3.063E+02	2.296E+00	6.367E-01	2086	2099	2092	12	tasmax
Mauritania	Normal	2.993E+02	2.401E+00	6.192E-01	2006	2015	2010	1	tasmax
Mauritania	Normal	3.024E+02	2.130E+00	5.430E-01	2006	2015	2010	2	tasmax
Mauritania	Normal	3.063E+02	2.347E+00	4.847E-01	2006	2015	2010	3	tasmax
Mauritania	Normal	3.095E+02	2.527E+00	5.679E-01	2006	2015	2010	4	tasmax
Mauritania	Normal	3.119E+02	2.245E+00	5.433E-01	2006	2015	2010	5	tasmax
Mauritania	Normal	3.136E+02	2.277E+00	3.862E-01	2006	2015	2010	6	tasmax
Mauritania	Normal	3.146E+02	2.574E+00	5.768E-01	2006	2015	2010	7	tasmax
Mauritania	Normal	3.138E+02	2.773E+00	7.215E-01	2006	2015	2010	8	tasmax
Mauritania	Normal	3.120E+02	2.502E+00	7.908E-01	2006	2015	2010	9	tasmax
Mauritania	Normal	3.090E+02	2.572E+00	5.888E-01	2006	2015	2010	10	tasmax
Mauritania	Normal	3.041E+02	2.561E+00	5.505E-01	2006	2015	2010	11	tasmax
Mauritania	Normal	2.998E+02	2.024E+00	5.398E-01	2006	2015	2010	12	tasmax
Mauritania	Normal	2.998E+02	2.264E+00	5.789E-01	2016	2025	2020	1	tasmax
Mauritania	Normal	3.027E+02	2.223E+00	4.910E-01	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mauritania	Normal	3.065E+02	2.541E+00	5.330E-01	2016	2025	2020	3	tasmax
Mauritania	Normal	3.097E+02	2.523E+00	5.404E-01	2016	2025	2020	4	tasmax
Mauritania	Normal	3.122E+02	2.163E+00	5.314E-01	2016	2025	2020	5	tasmax
Mauritania	Normal	3.141E+02	2.163E+00	4.995E-01	2016	2025	2020	6	tasmax
Mauritania	Normal	3.150E+02	2.482E+00	4.827E-01	2016	2025	2020	7	tasmax
Mauritania	Normal	3.140E+02	2.804E+00	7.829E-01	2016	2025	2020	8	tasmax
Mauritania	Normal	3.125E+02	2.766E+00	9.046E-01	2016	2025	2020	9	tasmax
Mauritania	Normal	3.095E+02	2.723E+00	6.820E-01	2016	2025	2020	10	tasmax
Mauritania	Normal	3.047E+02	2.498E+00	4.222E-01	2016	2025	2020	11	tasmax
Mauritania	Normal	3.001E+02	2.225E+00	5.031E-01	2016	2025	2020	12	tasmax
Mauritania	Normal	3.002E+02	2.222E+00	4.785E-01	2026	2035	2030	1	tasmax
Mauritania	Normal	3.033E+02	2.532E+00	6.856E-01	2026	2035	2030	2	tasmax
Mauritania	Normal	3.072E+02	2.307E+00	5.933E-01	2026	2035	2030	3	tasmax
Mauritania	Normal	3.103E+02	2.314E+00	6.299E-01	2026	2035	2030	4	tasmax
Mauritania	Normal	3.128E+02	2.284E+00	4.171E-01	2026	2035	2030	5	tasmax
Mauritania	Normal	3.146E+02	2.206E+00	3.839E-01	2026	2035	2030	6	tasmax
Mauritania	Normal	3.154E+02	2.435E+00	5.053E-01	2026	2035	2030	7	tasmax
Mauritania	Normal	3.145E+02	2.894E+00	8.105E-01	2026	2035	2030	8	tasmax
Mauritania	Normal	3.129E+02	2.924E+00	1.036E+00	2026	2035	2030	9	tasmax
Mauritania	Normal	3.100E+02	2.921E+00	8.621E-01	2026	2035	2030	10	tasmax
Mauritania	Normal	3.051E+02	2.622E+00	3.240E-01	2026	2035	2030	11	tasmax
Mauritania	Normal	3.008E+02	2.157E+00	4.311E-01	2026	2035	2030	12	tasmax
Mauritania	Normal	3.007E+02	2.335E+00	5.641E-01	2036	2045	2040	1	tasmax
Mauritania	Normal	3.038E+02	2.302E+00	4.695E-01	2036	2045	2040	2	tasmax
Mauritania	Normal	3.077E+02	2.368E+00	5.280E-01	2036	2045	2040	3	tasmax
Mauritania	Normal	3.109E+02	2.443E+00	5.892E-01	2036	2045	2040	4	tasmax
Mauritania	Normal	3.132E+02	2.220E+00	5.583E-01	2036	2045	2040	5	tasmax
Mauritania	Normal	3.153E+02	2.104E+00	6.119E-01	2036	2045	2040	6	tasmax
Mauritania	Normal	3.159E+02	2.337E+00	6.006E-01	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mauritania	Normal	3.150E+02	2.723E+00	7.764E-01	2036	2045	2040	8	tasmax
Mauritania	Normal	3.135E+02	2.695E+00	9.645E-01	2036	2045	2040	9	tasmax
Mauritania	Normal	3.106E+02	2.731E+00	6.843E-01	2036	2045	2040	10	tasmax
Mauritania	Normal	3.056E+02	2.759E+00	4.979E-01	2036	2045	2040	11	tasmax
Mauritania	Normal	3.013E+02	2.165E+00	4.863E-01	2036	2045	2040	12	tasmax
Mauritania	Normal	3.014E+02	2.358E+00	6.696E-01	2046	2055	2050	1	tasmax
Mauritania	Normal	3.043E+02	2.443E+00	5.997E-01	2046	2055	2050	2	tasmax
Mauritania	Normal	3.083E+02	2.601E+00	6.016E-01	2046	2055	2050	3	tasmax
Mauritania	Normal	3.116E+02	2.483E+00	6.503E-01	2046	2055	2050	4	tasmax
Mauritania	Normal	3.140E+02	2.370E+00	5.455E-01	2046	2055	2050	5	tasmax
Mauritania	Normal	3.158E+02	2.256E+00	6.381E-01	2046	2055	2050	6	tasmax
Mauritania	Normal	3.166E+02	2.414E+00	7.424E-01	2046	2055	2050	7	tasmax
Mauritania	Normal	3.155E+02	2.892E+00	7.272E-01	2046	2055	2050	8	tasmax
Mauritania	Normal	3.140E+02	2.915E+00	1.023E+00	2046	2055	2050	9	tasmax
Mauritania	Normal	3.113E+02	2.961E+00	8.968E-01	2046	2055	2050	10	tasmax
Mauritania	Normal	3.062E+02	2.768E+00	3.969E-01	2046	2055	2050	11	tasmax
Mauritania	Normal	3.019E+02	2.170E+00	5.362E-01	2046	2055	2050	12	tasmax
Mauritania	Normal	3.020E+02	2.217E+00	5.447E-01	2056	2065	2060	1	tasmax
Mauritania	Normal	3.052E+02	2.416E+00	4.615E-01	2056	2065	2060	2	tasmax
Mauritania	Normal	3.092E+02	2.449E+00	5.017E-01	2056	2065	2060	3	tasmax
Mauritania	Normal	3.121E+02	2.383E+00	7.043E-01	2056	2065	2060	4	tasmax
Mauritania	Normal	3.144E+02	2.437E+00	6.706E-01	2056	2065	2060	5	tasmax
Mauritania	Normal	3.165E+02	2.269E+00	6.153E-01	2056	2065	2060	6	tasmax
Mauritania	Normal	3.172E+02	2.274E+00	5.844E-01	2056	2065	2060	7	tasmax
Mauritania	Normal	3.163E+02	2.775E+00	6.665E-01	2056	2065	2060	8	tasmax
Mauritania	Normal	3.147E+02	2.935E+00	9.115E-01	2056	2065	2060	9	tasmax
Mauritania	Normal	3.118E+02	2.926E+00	9.307E-01	2056	2065	2060	10	tasmax
Mauritania	Normal	3.070E+02	2.826E+00	3.953E-01	2056	2065	2060	11	tasmax
Mauritania	Normal	3.026E+02	2.105E+00	5.033E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mauritania	Normal	3.025E+02	2.336E+00	7.445E-01	2066	2075	2070	1	tasmax
Mauritania	Normal	3.056E+02	2.312E+00	4.945E-01	2066	2075	2070	2	tasmax
Mauritania	Normal	3.096E+02	2.141E+00	6.795E-01	2066	2075	2070	3	tasmax
Mauritania	Normal	3.130E+02	2.410E+00	7.860E-01	2066	2075	2070	4	tasmax
Mauritania	Normal	3.152E+02	2.565E+00	6.543E-01	2066	2075	2070	5	tasmax
Mauritania	Normal	3.170E+02	2.400E+00	6.882E-01	2066	2075	2070	6	tasmax
Mauritania	Normal	3.179E+02	2.331E+00	6.142E-01	2066	2075	2070	7	tasmax
Mauritania	Normal	3.168E+02	2.808E+00	5.990E-01	2066	2075	2070	8	tasmax
Mauritania	Normal	3.154E+02	2.958E+00	9.385E-01	2066	2075	2070	9	tasmax
Mauritania	Normal	3.127E+02	2.905E+00	9.015E-01	2066	2075	2070	10	tasmax
Mauritania	Normal	3.077E+02	2.751E+00	4.611E-01	2066	2075	2070	11	tasmax
Mauritania	Normal	3.032E+02	2.341E+00	6.476E-01	2066	2075	2070	12	tasmax
Mauritania	Normal	3.030E+02	2.438E+00	5.620E-01	2076	2085	2080	1	tasmax
Mauritania	Normal	3.062E+02	2.378E+00	6.492E-01	2076	2085	2080	2	tasmax
Mauritania	Normal	3.105E+02	2.451E+00	6.559E-01	2076	2085	2080	3	tasmax
Mauritania	Normal	3.135E+02	2.491E+00	9.628E-01	2076	2085	2080	4	tasmax
Mauritania	Normal	3.158E+02	2.502E+00	4.592E-01	2076	2085	2080	5	tasmax
Mauritania	Normal	3.178E+02	2.423E+00	6.057E-01	2076	2085	2080	6	tasmax
Mauritania	Normal	3.184E+02	2.536E+00	5.998E-01	2076	2085	2080	7	tasmax
Mauritania	Normal	3.174E+02	3.104E+00	7.211E-01	2076	2085	2080	8	tasmax
Mauritania	Normal	3.158E+02	3.364E+00	1.072E+00	2076	2085	2080	9	tasmax
Mauritania	Normal	3.132E+02	3.272E+00	1.287E+00	2076	2085	2080	10	tasmax
Mauritania	Normal	3.082E+02	3.023E+00	6.389E-01	2076	2085	2080	11	tasmax
Mauritania	Normal	3.038E+02	2.249E+00	5.455E-01	2076	2085	2080	12	tasmax
Mauritania	Normal	3.038E+02	2.257E+00	5.615E-01	2086	2099	2092	1	tasmax
Mauritania	Normal	3.071E+02	2.269E+00	4.852E-01	2086	2099	2092	2	tasmax
Mauritania	Normal	3.111E+02	2.684E+00	7.809E-01	2086	2099	2092	3	tasmax
Mauritania	Normal	3.143E+02	2.653E+00	6.198E-01	2086	2099	2092	4	tasmax
Mauritania	Normal	3.164E+02	2.439E+00	6.841E-01	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mauritania	Normal	3.185E+02	2.380E+00	6.275E-01	2086	2099	2092	6	tasmax
Mauritania	Normal	3.191E+02	2.606E+00	5.724E-01	2086	2099	2092	7	tasmax
Mauritania	Normal	3.180E+02	3.115E+00	7.494E-01	2086	2099	2092	8	tasmax
Mauritania	Normal	3.163E+02	3.170E+00	8.251E-01	2086	2099	2092	9	tasmax
Mauritania	Normal	3.139E+02	2.987E+00	1.042E+00	2086	2099	2092	10	tasmax
Mauritania	Normal	3.091E+02	2.963E+00	4.457E-01	2086	2099	2092	11	tasmax
Mauritania	Normal	3.043E+02	2.324E+00	6.114E-01	2086	2099	2092	12	tasmax
Mexico	Normal	2.930E+02	2.088E+00	3.164E-01	2006	2015	2010	1	tasmax
Mexico	Normal	2.948E+02	2.222E+00	4.469E-01	2006	2015	2010	2	tasmax
Mexico	Normal	2.978E+02	2.229E+00	3.553E-01	2006	2015	2010	3	tasmax
Mexico	Normal	3.009E+02	2.119E+00	5.641E-01	2006	2015	2010	4	tasmax
Mexico	Normal	3.030E+02	2.092E+00	5.678E-01	2006	2015	2010	5	tasmax
Mexico	Normal	3.042E+02	1.917E+00	5.317E-01	2006	2015	2010	6	tasmax
Mexico	Normal	3.040E+02	1.737E+00	5.069E-01	2006	2015	2010	7	tasmax
Mexico	Normal	3.036E+02	1.716E+00	4.562E-01	2006	2015	2010	8	tasmax
Mexico	Normal	3.020E+02	1.811E+00	3.995E-01	2006	2015	2010	9	tasmax
Mexico	Normal	2.991E+02	2.160E+00	4.132E-01	2006	2015	2010	10	tasmax
Mexico	Normal	2.957E+02	2.132E+00	4.264E-01	2006	2015	2010	11	tasmax
Mexico	Normal	2.932E+02	2.106E+00	3.071E-01	2006	2015	2010	12	tasmax
Mexico	Normal	2.934E+02	2.019E+00	4.843E-01	2016	2025	2020	1	tasmax
Mexico	Normal	2.954E+02	2.336E+00	5.165E-01	2016	2025	2020	2	tasmax
Mexico	Normal	2.981E+02	2.110E+00	4.606E-01	2016	2025	2020	3	tasmax
Mexico	Normal	3.012E+02	1.875E+00	3.888E-01	2016	2025	2020	4	tasmax
Mexico	Normal	3.033E+02	2.009E+00	4.930E-01	2016	2025	2020	5	tasmax
Mexico	Normal	3.045E+02	1.953E+00	4.783E-01	2016	2025	2020	6	tasmax
Mexico	Normal	3.045E+02	1.773E+00	4.265E-01	2016	2025	2020	7	tasmax
Mexico	Normal	3.039E+02	1.773E+00	4.209E-01	2016	2025	2020	8	tasmax
Mexico	Normal	3.023E+02	1.927E+00	3.949E-01	2016	2025	2020	9	tasmax
Mexico	Normal	2.995E+02	2.191E+00	4.524E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mexico	Normal	2.961E+02	2.301E+00	5.718E-01	2016	2025	2020	11	tasmax
Mexico	Normal	2.936E+02	2.118E+00	3.774E-01	2016	2025	2020	12	tasmax
Mexico	Normal	2.938E+02	2.245E+00	3.378E-01	2026	2035	2030	1	tasmax
Mexico	Normal	2.957E+02	2.360E+00	4.719E-01	2026	2035	2030	2	tasmax
Mexico	Normal	2.987E+02	2.273E+00	4.976E-01	2026	2035	2030	3	tasmax
Mexico	Normal	3.017E+02	2.075E+00	5.019E-01	2026	2035	2030	4	tasmax
Mexico	Normal	3.039E+02	2.171E+00	5.951E-01	2026	2035	2030	5	tasmax
Mexico	Normal	3.050E+02	1.990E+00	4.853E-01	2026	2035	2030	6	tasmax
Mexico	Normal	3.049E+02	1.922E+00	5.265E-01	2026	2035	2030	7	tasmax
Mexico	Normal	3.044E+02	1.827E+00	4.345E-01	2026	2035	2030	8	tasmax
Mexico	Normal	3.027E+02	1.890E+00	4.185E-01	2026	2035	2030	9	tasmax
Mexico	Normal	2.999E+02	2.267E+00	4.794E-01	2026	2035	2030	10	tasmax
Mexico	Normal	2.965E+02	2.301E+00	5.105E-01	2026	2035	2030	11	tasmax
Mexico	Normal	2.940E+02	2.251E+00	3.311E-01	2026	2035	2030	12	tasmax
Mexico	Normal	2.942E+02	2.341E+00	4.057E-01	2036	2045	2040	1	tasmax
Mexico	Normal	2.962E+02	2.436E+00	5.951E-01	2036	2045	2040	2	tasmax
Mexico	Normal	2.990E+02	2.482E+00	5.144E-01	2036	2045	2040	3	tasmax
Mexico	Normal	3.023E+02	2.113E+00	4.985E-01	2036	2045	2040	4	tasmax
Mexico	Normal	3.043E+02	2.121E+00	4.743E-01	2036	2045	2040	5	tasmax
Mexico	Normal	3.054E+02	1.958E+00	4.726E-01	2036	2045	2040	6	tasmax
Mexico	Normal	3.053E+02	1.830E+00	4.838E-01	2036	2045	2040	7	tasmax
Mexico	Normal	3.049E+02	1.881E+00	4.229E-01	2036	2045	2040	8	tasmax
Mexico	Normal	3.032E+02	1.864E+00	4.344E-01	2036	2045	2040	9	tasmax
Mexico	Normal	3.004E+02	2.153E+00	4.752E-01	2036	2045	2040	10	tasmax
Mexico	Normal	2.970E+02	2.329E+00	4.602E-01	2036	2045	2040	11	tasmax
Mexico	Normal	2.944E+02	2.276E+00	3.725E-01	2036	2045	2040	12	tasmax
Mexico	Normal	2.948E+02	2.421E+00	3.558E-01	2046	2055	2050	1	tasmax
Mexico	Normal	2.967E+02	2.286E+00	4.544E-01	2046	2055	2050	2	tasmax
Mexico	Normal	2.996E+02	2.302E+00	5.586E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mexico	Normal	3.027E+02	2.136E+00	5.278E-01	2046	2055	2050	4	tasmax
Mexico	Normal	3.047E+02	2.108E+00	4.547E-01	2046	2055	2050	5	tasmax
Mexico	Normal	3.060E+02	2.085E+00	4.973E-01	2046	2055	2050	6	tasmax
Mexico	Normal	3.059E+02	1.906E+00	5.611E-01	2046	2055	2050	7	tasmax
Mexico	Normal	3.054E+02	1.897E+00	4.724E-01	2046	2055	2050	8	tasmax
Mexico	Normal	3.038E+02	2.006E+00	3.619E-01	2046	2055	2050	9	tasmax
Mexico	Normal	3.009E+02	2.321E+00	4.161E-01	2046	2055	2050	10	tasmax
Mexico	Normal	2.976E+02	2.315E+00	3.893E-01	2046	2055	2050	11	tasmax
Mexico	Normal	2.950E+02	2.318E+00	3.610E-01	2046	2055	2050	12	tasmax
Mexico	Normal	2.954E+02	2.387E+00	4.381E-01	2056	2065	2060	1	tasmax
Mexico	Normal	2.973E+02	2.424E+00	4.702E-01	2056	2065	2060	2	tasmax
Mexico	Normal	3.003E+02	2.374E+00	7.097E-01	2056	2065	2060	3	tasmax
Mexico	Normal	3.034E+02	2.010E+00	3.909E-01	2056	2065	2060	4	tasmax
Mexico	Normal	3.056E+02	1.974E+00	5.497E-01	2056	2065	2060	5	tasmax
Mexico	Normal	3.066E+02	1.949E+00	5.472E-01	2056	2065	2060	6	tasmax
Mexico	Normal	3.066E+02	1.948E+00	5.842E-01	2056	2065	2060	7	tasmax
Mexico	Normal	3.062E+02	1.938E+00	3.895E-01	2056	2065	2060	8	tasmax
Mexico	Normal	3.044E+02	1.994E+00	4.238E-01	2056	2065	2060	9	tasmax
Mexico	Normal	3.014E+02	2.367E+00	4.960E-01	2056	2065	2060	10	tasmax
Mexico	Normal	2.981E+02	2.523E+00	5.476E-01	2056	2065	2060	11	tasmax
Mexico	Normal	2.955E+02	2.265E+00	3.727E-01	2056	2065	2060	12	tasmax
Mexico	Normal	2.958E+02	2.548E+00	5.243E-01	2066	2075	2070	1	tasmax
Mexico	Normal	2.978E+02	2.809E+00	6.803E-01	2066	2075	2070	2	tasmax
Mexico	Normal	3.010E+02	2.452E+00	5.845E-01	2066	2075	2070	3	tasmax
Mexico	Normal	3.042E+02	2.266E+00	4.292E-01	2066	2075	2070	4	tasmax
Mexico	Normal	3.063E+02	2.279E+00	5.212E-01	2066	2075	2070	5	tasmax
Mexico	Normal	3.073E+02	2.268E+00	6.492E-01	2066	2075	2070	6	tasmax
Mexico	Normal	3.074E+02	2.091E+00	6.094E-01	2066	2075	2070	7	tasmax
Mexico	Normal	3.068E+02	2.019E+00	5.043E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mexico	Normal	3.050E+02	2.124E+00	4.780E-01	2066	2075	2070	9	tasmax
Mexico	Normal	3.021E+02	2.623E+00	5.774E-01	2066	2075	2070	10	tasmax
Mexico	Normal	2.987E+02	2.591E+00	5.341E-01	2066	2075	2070	11	tasmax
Mexico	Normal	2.961E+02	2.479E+00	4.961E-01	2066	2075	2070	12	tasmax
Mexico	Normal	2.965E+02	2.517E+00	3.385E-01	2076	2085	2080	1	tasmax
Mexico	Normal	2.984E+02	2.769E+00	4.962E-01	2076	2085	2080	2	tasmax
Mexico	Normal	3.014E+02	2.647E+00	6.131E-01	2076	2085	2080	3	tasmax
Mexico	Normal	3.046E+02	2.352E+00	4.957E-01	2076	2085	2080	4	tasmax
Mexico	Normal	3.068E+02	2.314E+00	5.316E-01	2076	2085	2080	5	tasmax
Mexico	Normal	3.080E+02	2.287E+00	6.196E-01	2076	2085	2080	6	tasmax
Mexico	Normal	3.080E+02	2.295E+00	7.560E-01	2076	2085	2080	7	tasmax
Mexico	Normal	3.074E+02	2.213E+00	5.087E-01	2076	2085	2080	8	tasmax
Mexico	Normal	3.054E+02	2.258E+00	4.128E-01	2076	2085	2080	9	tasmax
Mexico	Normal	3.027E+02	2.645E+00	5.709E-01	2076	2085	2080	10	tasmax
Mexico	Normal	2.993E+02	2.600E+00	5.612E-01	2076	2085	2080	11	tasmax
Mexico	Normal	2.966E+02	2.651E+00	4.269E-01	2076	2085	2080	12	tasmax
Mexico	Normal	2.970E+02	2.739E+00	5.158E-01	2086	2099	2092	1	tasmax
Mexico	Normal	2.989E+02	2.740E+00	4.858E-01	2086	2099	2092	2	tasmax
Mexico	Normal	3.021E+02	2.637E+00	6.422E-01	2086	2099	2092	3	tasmax
Mexico	Normal	3.053E+02	2.214E+00	4.307E-01	2086	2099	2092	4	tasmax
Mexico	Normal	3.074E+02	2.275E+00	6.409E-01	2086	2099	2092	5	tasmax
Mexico	Normal	3.086E+02	2.406E+00	6.263E-01	2086	2099	2092	6	tasmax
Mexico	Normal	3.086E+02	2.316E+00	7.965E-01	2086	2099	2092	7	tasmax
Mexico	Normal	3.080E+02	2.276E+00	4.778E-01	2086	2099	2092	8	tasmax
Mexico	Normal	3.062E+02	2.319E+00	5.226E-01	2086	2099	2092	9	tasmax
Mexico	Normal	3.034E+02	2.641E+00	5.052E-01	2086	2099	2092	10	tasmax
Mexico	Normal	2.999E+02	2.776E+00	6.017E-01	2086	2099	2092	11	tasmax
Mexico	Normal	2.971E+02	2.688E+00	4.978E-01	2086	2099	2092	12	tasmax
Moldova	Normal	2.755E+02	3.265E+00	8.882E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Moldova	Normal	2.780E+02	3.593E+00	5.240E-01	2006	2015	2010	2	tasmax
Moldova	Normal	2.823E+02	3.254E+00	9.825E-01	2006	2015	2010	3	tasmax
Moldova	Normal	2.889E+02	2.540E+00	7.262E-01	2006	2015	2010	4	tasmax
Moldova	Normal	2.952E+02	2.506E+00	6.788E-01	2006	2015	2010	5	tasmax
Moldova	Normal	3.005E+02	2.688E+00	4.326E-01	2006	2015	2010	6	tasmax
Moldova	Normal	3.036E+02	2.988E+00	5.529E-01	2006	2015	2010	7	tasmax
Moldova	Normal	3.027E+02	2.738E+00	7.318E-01	2006	2015	2010	8	tasmax
Moldova	Normal	2.968E+02	2.510E+00	5.417E-01	2006	2015	2010	9	tasmax
Moldova	Normal	2.889E+02	3.162E+00	1.105E+00	2006	2015	2010	10	tasmax
Moldova	Normal	2.816E+02	2.813E+00	9.781E-01	2006	2015	2010	11	tasmax
Moldova	Normal	2.773E+02	3.061E+00	5.200E-01	2006	2015	2010	12	tasmax
Moldova	Normal	2.762E+02	2.980E+00	5.999E-01	2016	2025	2020	1	tasmax
Moldova	Normal	2.782E+02	2.854E+00	8.458E-01	2016	2025	2020	2	tasmax
Moldova	Normal	2.831E+02	3.175E+00	1.012E+00	2016	2025	2020	3	tasmax
Moldova	Normal	2.890E+02	2.608E+00	4.933E-01	2016	2025	2020	4	tasmax
Moldova	Normal	2.957E+02	2.344E+00	6.268E-01	2016	2025	2020	5	tasmax
Moldova	Normal	3.009E+02	2.614E+00	5.027E-01	2016	2025	2020	6	tasmax
Moldova	Normal	3.042E+02	3.308E+00	7.906E-01	2016	2025	2020	7	tasmax
Moldova	Normal	3.033E+02	3.073E+00	6.718E-01	2016	2025	2020	8	tasmax
Moldova	Normal	2.971E+02	2.750E+00	5.492E-01	2016	2025	2020	9	tasmax
Moldova	Normal	2.893E+02	2.838E+00	8.868E-01	2016	2025	2020	10	tasmax
Moldova	Normal	2.821E+02	2.762E+00	7.743E-01	2016	2025	2020	11	tasmax
Moldova	Normal	2.777E+02	2.904E+00	6.036E-01	2016	2025	2020	12	tasmax
Moldova	Normal	2.764E+02	2.948E+00	7.480E-01	2026	2035	2030	1	tasmax
Moldova	Normal	2.787E+02	3.058E+00	7.475E-01	2026	2035	2030	2	tasmax
Moldova	Normal	2.837E+02	2.805E+00	1.025E+00	2026	2035	2030	3	tasmax
Moldova	Normal	2.897E+02	2.476E+00	7.474E-01	2026	2035	2030	4	tasmax
Moldova	Normal	2.960E+02	2.647E+00	7.978E-01	2026	2035	2030	5	tasmax
Moldova	Normal	3.015E+02	2.805E+00	5.484E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Moldova	Normal	3.050E+02	3.391E+00	8.975E-01	2026	2035	2030	7	tasmax
Moldova	Normal	3.040E+02	2.914E+00	8.031E-01	2026	2035	2030	8	tasmax
Moldova	Normal	2.974E+02	2.599E+00	7.474E-01	2026	2035	2030	9	tasmax
Moldova	Normal	2.897E+02	2.904E+00	1.049E+00	2026	2035	2030	10	tasmax
Moldova	Normal	2.825E+02	3.059E+00	1.032E+00	2026	2035	2030	11	tasmax
Moldova	Normal	2.782E+02	2.884E+00	6.658E-01	2026	2035	2030	12	tasmax
Moldova	Normal	2.772E+02	2.973E+00	8.565E-01	2036	2045	2040	1	tasmax
Moldova	Normal	2.796E+02	2.534E+00	6.592E-01	2036	2045	2040	2	tasmax
Moldova	Normal	2.841E+02	2.898E+00	8.684E-01	2036	2045	2040	3	tasmax
Moldova	Normal	2.903E+02	2.566E+00	6.024E-01	2036	2045	2040	4	tasmax
Moldova	Normal	2.965E+02	2.443E+00	6.496E-01	2036	2045	2040	5	tasmax
Moldova	Normal	3.024E+02	3.227E+00	7.740E-01	2036	2045	2040	6	tasmax
Moldova	Normal	3.059E+02	3.375E+00	1.057E+00	2036	2045	2040	7	tasmax
Moldova	Normal	3.050E+02	3.008E+00	9.230E-01	2036	2045	2040	8	tasmax
Moldova	Normal	2.984E+02	2.632E+00	6.048E-01	2036	2045	2040	9	tasmax
Moldova	Normal	2.906E+02	2.991E+00	8.478E-01	2036	2045	2040	10	tasmax
Moldova	Normal	2.834E+02	2.985E+00	9.733E-01	2036	2045	2040	11	tasmax
Moldova	Normal	2.789E+02	2.996E+00	6.546E-01	2036	2045	2040	12	tasmax
Moldova	Normal	2.779E+02	2.948E+00	7.122E-01	2046	2055	2050	1	tasmax
Moldova	Normal	2.801E+02	2.818E+00	7.345E-01	2046	2055	2050	2	tasmax
Moldova	Normal	2.845E+02	2.846E+00	9.914E-01	2046	2055	2050	3	tasmax
Moldova	Normal	2.908E+02	2.830E+00	7.021E-01	2046	2055	2050	4	tasmax
Moldova	Normal	2.969E+02	2.769E+00	6.384E-01	2046	2055	2050	5	tasmax
Moldova	Normal	3.028E+02	3.195E+00	5.993E-01	2046	2055	2050	6	tasmax
Moldova	Normal	3.065E+02	3.856E+00	1.182E+00	2046	2055	2050	7	tasmax
Moldova	Normal	3.056E+02	3.330E+00	1.304E+00	2046	2055	2050	8	tasmax
Moldova	Normal	2.992E+02	2.595E+00	4.681E-01	2046	2055	2050	9	tasmax
Moldova	Normal	2.913E+02	2.777E+00	8.243E-01	2046	2055	2050	10	tasmax
Moldova	Normal	2.836E+02	2.740E+00	8.798E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Moldova	Normal	2.789E+02	2.817E+00	6.550E-01	2046	2055	2050	12	tasmax
Moldova	Normal	2.786E+02	2.757E+00	7.669E-01	2056	2065	2060	1	tasmax
Moldova	Normal	2.804E+02	3.074E+00	6.885E-01	2056	2065	2060	2	tasmax
Moldova	Normal	2.853E+02	3.150E+00	1.043E+00	2056	2065	2060	3	tasmax
Moldova	Normal	2.911E+02	2.771E+00	9.328E-01	2056	2065	2060	4	tasmax
Moldova	Normal	2.975E+02	3.055E+00	7.601E-01	2056	2065	2060	5	tasmax
Moldova	Normal	3.033E+02	3.543E+00	6.588E-01	2056	2065	2060	6	tasmax
Moldova	Normal	3.071E+02	4.089E+00	1.360E+00	2056	2065	2060	7	tasmax
Moldova	Normal	3.064E+02	3.546E+00	1.276E+00	2056	2065	2060	8	tasmax
Moldova	Normal	2.999E+02	2.985E+00	7.896E-01	2056	2065	2060	9	tasmax
Moldova	Normal	2.917E+02	3.169E+00	1.185E+00	2056	2065	2060	10	tasmax
Moldova	Normal	2.845E+02	2.814E+00	8.163E-01	2056	2065	2060	11	tasmax
Moldova	Normal	2.800E+02	2.729E+00	8.625E-01	2056	2065	2060	12	tasmax
Moldova	Normal	2.793E+02	2.644E+00	7.489E-01	2066	2075	2070	1	tasmax
Moldova	Normal	2.812E+02	2.817E+00	8.975E-01	2066	2075	2070	2	tasmax
Moldova	Normal	2.857E+02	3.149E+00	1.072E+00	2066	2075	2070	3	tasmax
Moldova	Normal	2.920E+02	2.667E+00	6.366E-01	2066	2075	2070	4	tasmax
Moldova	Normal	2.981E+02	3.018E+00	7.426E-01	2066	2075	2070	5	tasmax
Moldova	Normal	3.044E+02	3.765E+00	7.559E-01	2066	2075	2070	6	tasmax
Moldova	Normal	3.080E+02	3.875E+00	1.341E+00	2066	2075	2070	7	tasmax
Moldova	Normal	3.073E+02	3.545E+00	1.384E+00	2066	2075	2070	8	tasmax
Moldova	Normal	3.006E+02	3.140E+00	8.208E-01	2066	2075	2070	9	tasmax
Moldova	Normal	2.924E+02	3.260E+00	8.214E-01	2066	2075	2070	10	tasmax
Moldova	Normal	2.849E+02	2.933E+00	9.917E-01	2066	2075	2070	11	tasmax
Moldova	Normal	2.806E+02	2.784E+00	6.836E-01	2066	2075	2070	12	tasmax
Moldova	Normal	2.800E+02	2.690E+00	8.139E-01	2076	2085	2080	1	tasmax
Moldova	Normal	2.820E+02	3.156E+00	1.121E+00	2076	2085	2080	2	tasmax
Moldova	Normal	2.864E+02	3.426E+00	9.372E-01	2076	2085	2080	3	tasmax
Moldova	Normal	2.924E+02	3.567E+00	1.290E+00	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Moldova	Normal	2.985E+02	3.470E+00	8.102E-01	2076	2085	2080	5	tasmax
Moldova	Normal	3.053E+02	3.680E+00	7.992E-01	2076	2085	2080	6	tasmax
Moldova	Normal	3.090E+02	4.256E+00	1.624E+00	2076	2085	2080	7	tasmax
Moldova	Normal	3.083E+02	4.077E+00	1.280E+00	2076	2085	2080	8	tasmax
Moldova	Normal	3.015E+02	3.289E+00	8.758E-01	2076	2085	2080	9	tasmax
Moldova	Normal	2.930E+02	3.374E+00	1.231E+00	2076	2085	2080	10	tasmax
Moldova	Normal	2.854E+02	3.107E+00	8.566E-01	2076	2085	2080	11	tasmax
Moldova	Normal	2.811E+02	2.807E+00	7.007E-01	2076	2085	2080	12	tasmax
Moldova	Normal	2.803E+02	2.329E+00	7.963E-01	2086	2099	2092	1	tasmax
Moldova	Normal	2.825E+02	2.896E+00	8.861E-01	2086	2099	2092	2	tasmax
Moldova	Normal	2.868E+02	2.986E+00	8.963E-01	2086	2099	2092	3	tasmax
Moldova	Normal	2.928E+02	3.100E+00	5.907E-01	2086	2099	2092	4	tasmax
Moldova	Normal	2.994E+02	3.217E+00	4.769E-01	2086	2099	2092	5	tasmax
Moldova	Normal	3.060E+02	4.013E+00	1.077E+00	2086	2099	2092	6	tasmax
Moldova	Normal	3.098E+02	4.340E+00	1.574E+00	2086	2099	2092	7	tasmax
Moldova	Normal	3.090E+02	3.909E+00	1.634E+00	2086	2099	2092	8	tasmax
Moldova	Normal	3.022E+02	3.079E+00	6.595E-01	2086	2099	2092	9	tasmax
Moldova	Normal	2.938E+02	3.423E+00	1.045E+00	2086	2099	2092	10	tasmax
Moldova	Normal	2.863E+02	2.698E+00	7.134E-01	2086	2099	2092	11	tasmax
Moldova	Normal	2.815E+02	2.738E+00	8.516E-01	2086	2099	2092	12	tasmax
Mongolia	Normal	2.605E+02	2.829E+00	6.452E-01	2006	2015	2010	1	tasmax
Mongolia	Normal	2.641E+02	2.900E+00	7.894E-01	2006	2015	2010	2	tasmax
Mongolia	Normal	2.716E+02	3.113E+00	1.146E+00	2006	2015	2010	3	tasmax
Mongolia	Normal	2.809E+02	2.707E+00	9.622E-01	2006	2015	2010	4	tasmax
Mongolia	Normal	2.893E+02	2.091E+00	5.538E-01	2006	2015	2010	5	tasmax
Mongolia	Normal	2.958E+02	1.974E+00	4.982E-01	2006	2015	2010	6	tasmax
Mongolia	Normal	2.989E+02	2.078E+00	3.747E-01	2006	2015	2010	7	tasmax
Mongolia	Normal	2.964E+02	2.212E+00	3.646E-01	2006	2015	2010	8	tasmax
Mongolia	Normal	2.893E+02	2.256E+00	5.660E-01	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mongolia	Normal	2.797E+02	2.827E+00	9.465E-01	2006	2015	2010	10	tasmax
Mongolia	Normal	2.695E+02	2.499E+00	6.920E-01	2006	2015	2010	11	tasmax
Mongolia	Normal	2.622E+02	2.617E+00	6.847E-01	2006	2015	2010	12	tasmax
Mongolia	Normal	2.609E+02	3.046E+00	5.878E-01	2016	2025	2020	1	tasmax
Mongolia	Normal	2.647E+02	2.900E+00	5.886E-01	2016	2025	2020	2	tasmax
Mongolia	Normal	2.721E+02	2.712E+00	9.772E-01	2016	2025	2020	3	tasmax
Mongolia	Normal	2.810E+02	2.423E+00	6.560E-01	2016	2025	2020	4	tasmax
Mongolia	Normal	2.897E+02	2.253E+00	6.094E-01	2016	2025	2020	5	tasmax
Mongolia	Normal	2.962E+02	2.032E+00	3.189E-01	2016	2025	2020	6	tasmax
Mongolia	Normal	2.993E+02	2.142E+00	2.886E-01	2016	2025	2020	7	tasmax
Mongolia	Normal	2.969E+02	2.076E+00	3.063E-01	2016	2025	2020	8	tasmax
Mongolia	Normal	2.897E+02	2.533E+00	5.649E-01	2016	2025	2020	9	tasmax
Mongolia	Normal	2.802E+02	2.563E+00	6.824E-01	2016	2025	2020	10	tasmax
Mongolia	Normal	2.698E+02	2.574E+00	6.503E-01	2016	2025	2020	11	tasmax
Mongolia	Normal	2.625E+02	3.095E+00	6.363E-01	2016	2025	2020	12	tasmax
Mongolia	Normal	2.612E+02	2.844E+00	5.678E-01	2026	2035	2030	1	tasmax
Mongolia	Normal	2.649E+02	3.077E+00	6.055E-01	2026	2035	2030	2	tasmax
Mongolia	Normal	2.724E+02	3.059E+00	1.314E+00	2026	2035	2030	3	tasmax
Mongolia	Normal	2.815E+02	2.555E+00	1.053E+00	2026	2035	2030	4	tasmax
Mongolia	Normal	2.903E+02	2.170E+00	4.306E-01	2026	2035	2030	5	tasmax
Mongolia	Normal	2.967E+02	1.892E+00	3.488E-01	2026	2035	2030	6	tasmax
Mongolia	Normal	2.997E+02	2.103E+00	3.865E-01	2026	2035	2030	7	tasmax
Mongolia	Normal	2.975E+02	2.054E+00	3.794E-01	2026	2035	2030	8	tasmax
Mongolia	Normal	2.903E+02	2.401E+00	6.240E-01	2026	2035	2030	9	tasmax
Mongolia	Normal	2.806E+02	2.766E+00	7.583E-01	2026	2035	2030	10	tasmax
Mongolia	Normal	2.704E+02	2.333E+00	5.387E-01	2026	2035	2030	11	tasmax
Mongolia	Normal	2.632E+02	2.698E+00	4.240E-01	2026	2035	2030	12	tasmax
Mongolia	Normal	2.614E+02	2.950E+00	7.373E-01	2036	2045	2040	1	tasmax
Mongolia	Normal	2.651E+02	2.742E+00	8.018E-01	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mongolia	Normal	2.726E+02	3.139E+00	1.168E+00	2036	2045	2040	3	tasmax
Mongolia	Normal	2.823E+02	2.837E+00	9.258E-01	2036	2045	2040	4	tasmax
Mongolia	Normal	2.907E+02	2.292E+00	4.808E-01	2036	2045	2040	5	tasmax
Mongolia	Normal	2.971E+02	2.032E+00	4.444E-01	2036	2045	2040	6	tasmax
Mongolia	Normal	3.004E+02	2.237E+00	3.909E-01	2036	2045	2040	7	tasmax
Mongolia	Normal	2.980E+02	2.360E+00	4.844E-01	2036	2045	2040	8	tasmax
Mongolia	Normal	2.909E+02	2.530E+00	6.088E-01	2036	2045	2040	9	tasmax
Mongolia	Normal	2.812E+02	2.462E+00	6.117E-01	2036	2045	2040	10	tasmax
Mongolia	Normal	2.711E+02	2.622E+00	5.495E-01	2036	2045	2040	11	tasmax
Mongolia	Normal	2.637E+02	3.039E+00	6.661E-01	2036	2045	2040	12	tasmax
Mongolia	Normal	2.622E+02	2.987E+00	5.444E-01	2046	2055	2050	1	tasmax
Mongolia	Normal	2.656E+02	2.737E+00	6.438E-01	2046	2055	2050	2	tasmax
Mongolia	Normal	2.731E+02	3.009E+00	1.284E+00	2046	2055	2050	3	tasmax
Mongolia	Normal	2.824E+02	2.556E+00	8.531E-01	2046	2055	2050	4	tasmax
Mongolia	Normal	2.913E+02	2.273E+00	6.424E-01	2046	2055	2050	5	tasmax
Mongolia	Normal	2.977E+02	2.166E+00	4.348E-01	2046	2055	2050	6	tasmax
Mongolia	Normal	3.008E+02	2.367E+00	3.662E-01	2046	2055	2050	7	tasmax
Mongolia	Normal	2.988E+02	2.132E+00	3.832E-01	2046	2055	2050	8	tasmax
Mongolia	Normal	2.916E+02	2.432E+00	7.694E-01	2046	2055	2050	9	tasmax
Mongolia	Normal	2.818E+02	2.638E+00	7.961E-01	2046	2055	2050	10	tasmax
Mongolia	Normal	2.717E+02	2.354E+00	4.071E-01	2046	2055	2050	11	tasmax
Mongolia	Normal	2.644E+02	2.662E+00	5.673E-01	2046	2055	2050	12	tasmax
Mongolia	Normal	2.630E+02	3.071E+00	5.891E-01	2056	2065	2060	1	tasmax
Mongolia	Normal	2.663E+02	2.768E+00	8.172E-01	2056	2065	2060	2	tasmax
Mongolia	Normal	2.739E+02	3.034E+00	8.505E-01	2056	2065	2060	3	tasmax
Mongolia	Normal	2.834E+02	2.725E+00	1.012E+00	2056	2065	2060	4	tasmax
Mongolia	Normal	2.919E+02	2.584E+00	5.466E-01	2056	2065	2060	5	tasmax
Mongolia	Normal	2.984E+02	2.147E+00	3.509E-01	2056	2065	2060	6	tasmax
Mongolia	Normal	3.017E+02	2.446E+00	3.494E-01	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mongolia	Normal	2.997E+02	2.347E+00	3.988E-01	2056	2065	2060	8	tasmax
Mongolia	Normal	2.924E+02	2.670E+00	5.340E-01	2056	2065	2060	9	tasmax
Mongolia	Normal	2.825E+02	3.012E+00	7.630E-01	2056	2065	2060	10	tasmax
Mongolia	Normal	2.726E+02	2.830E+00	7.235E-01	2056	2065	2060	11	tasmax
Mongolia	Normal	2.652E+02	2.733E+00	5.456E-01	2056	2065	2060	12	tasmax
Mongolia	Normal	2.636E+02	2.901E+00	7.034E-01	2066	2075	2070	1	tasmax
Mongolia	Normal	2.668E+02	3.371E+00	8.245E-01	2066	2075	2070	2	tasmax
Mongolia	Normal	2.745E+02	3.115E+00	1.198E+00	2066	2075	2070	3	tasmax
Mongolia	Normal	2.844E+02	2.733E+00	9.837E-01	2066	2075	2070	4	tasmax
Mongolia	Normal	2.926E+02	2.403E+00	6.602E-01	2066	2075	2070	5	tasmax
Mongolia	Normal	2.991E+02	2.394E+00	4.580E-01	2066	2075	2070	6	tasmax
Mongolia	Normal	3.027E+02	2.511E+00	4.345E-01	2066	2075	2070	7	tasmax
Mongolia	Normal	3.006E+02	2.529E+00	4.650E-01	2066	2075	2070	8	tasmax
Mongolia	Normal	2.933E+02	2.717E+00	5.163E-01	2066	2075	2070	9	tasmax
Mongolia	Normal	2.832E+02	3.052E+00	6.713E-01	2066	2075	2070	10	tasmax
Mongolia	Normal	2.733E+02	2.694E+00	5.374E-01	2066	2075	2070	11	tasmax
Mongolia	Normal	2.655E+02	2.937E+00	5.834E-01	2066	2075	2070	12	tasmax
Mongolia	Normal	2.641E+02	3.070E+00	8.771E-01	2076	2085	2080	1	tasmax
Mongolia	Normal	2.679E+02	3.304E+00	1.067E+00	2076	2085	2080	2	tasmax
Mongolia	Normal	2.752E+02	3.037E+00	1.245E+00	2076	2085	2080	3	tasmax
Mongolia	Normal	2.848E+02	3.181E+00	1.344E+00	2076	2085	2080	4	tasmax
Mongolia	Normal	2.935E+02	2.564E+00	6.224E-01	2076	2085	2080	5	tasmax
Mongolia	Normal	3.000E+02	2.269E+00	3.823E-01	2076	2085	2080	6	tasmax
Mongolia	Normal	3.033E+02	2.490E+00	4.131E-01	2076	2085	2080	7	tasmax
Mongolia	Normal	3.014E+02	2.564E+00	3.936E-01	2076	2085	2080	8	tasmax
Mongolia	Normal	2.939E+02	2.901E+00	6.989E-01	2076	2085	2080	9	tasmax
Mongolia	Normal	2.840E+02	3.125E+00	8.807E-01	2076	2085	2080	10	tasmax
Mongolia	Normal	2.737E+02	2.843E+00	8.584E-01	2076	2085	2080	11	tasmax
Mongolia	Normal	2.664E+02	3.169E+00	7.141E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mongolia	Normal	2.649E+02	2.652E+00	7.055E-01	2086	2099	2092	1	tasmax
Mongolia	Normal	2.683E+02	2.833E+00	7.095E-01	2086	2099	2092	2	tasmax
Mongolia	Normal	2.760E+02	2.874E+00	1.021E+00	2086	2099	2092	3	tasmax
Mongolia	Normal	2.856E+02	3.301E+00	7.473E-01	2086	2099	2092	4	tasmax
Mongolia	Normal	2.940E+02	2.472E+00	4.164E-01	2086	2099	2092	5	tasmax
Mongolia	Normal	3.004E+02	2.418E+00	4.384E-01	2086	2099	2092	6	tasmax
Mongolia	Normal	3.039E+02	2.668E+00	4.537E-01	2086	2099	2092	7	tasmax
Mongolia	Normal	3.021E+02	2.874E+00	5.014E-01	2086	2099	2092	8	tasmax
Mongolia	Normal	2.947E+02	3.007E+00	5.921E-01	2086	2099	2092	9	tasmax
Mongolia	Normal	2.847E+02	3.226E+00	8.802E-01	2086	2099	2092	10	tasmax
Mongolia	Normal	2.745E+02	2.890E+00	7.879E-01	2086	2099	2092	11	tasmax
Mongolia	Normal	2.675E+02	2.946E+00	9.768E-01	2086	2099	2092	12	tasmax
Montenegro	Normal	2.800E+02	2.048E+00	3.845E-01	2006	2015	2010	1	tasmax
Montenegro	Normal	2.814E+02	2.224E+00	4.744E-01	2006	2015	2010	2	tasmax
Montenegro	Normal	2.841E+02	2.060E+00	7.363E-01	2006	2015	2010	3	tasmax
Montenegro	Normal	2.883E+02	2.025E+00	3.939E-01	2006	2015	2010	4	tasmax
Montenegro	Normal	2.930E+02	2.041E+00	4.225E-01	2006	2015	2010	5	tasmax
Montenegro	Normal	2.981E+02	2.323E+00	3.951E-01	2006	2015	2010	6	tasmax
Montenegro	Normal	3.014E+02	2.599E+00	5.464E-01	2006	2015	2010	7	tasmax
Montenegro	Normal	3.013E+02	2.600E+00	5.194E-01	2006	2015	2010	8	tasmax
Montenegro	Normal	2.963E+02	2.059E+00	4.516E-01	2006	2015	2010	9	tasmax
Montenegro	Normal	2.899E+02	1.996E+00	4.461E-01	2006	2015	2010	10	tasmax
Montenegro	Normal	2.846E+02	1.918E+00	4.092E-01	2006	2015	2010	11	tasmax
Montenegro	Normal	2.813E+02	1.780E+00	4.065E-01	2006	2015	2010	12	tasmax
Montenegro	Normal	2.804E+02	2.124E+00	3.930E-01	2016	2025	2020	1	tasmax
Montenegro	Normal	2.818E+02	2.074E+00	4.905E-01	2016	2025	2020	2	tasmax
Montenegro	Normal	2.847E+02	2.276E+00	3.872E-01	2016	2025	2020	3	tasmax
Montenegro	Normal	2.885E+02	2.023E+00	4.339E-01	2016	2025	2020	4	tasmax
Montenegro	Normal	2.935E+02	2.008E+00	3.865E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Montenegro	Normal	2.986E+02	2.226E+00	4.351E-01	2016	2025	2020	6	tasmax
Montenegro	Normal	3.020E+02	2.606E+00	4.506E-01	2016	2025	2020	7	tasmax
Montenegro	Normal	3.019E+02	2.741E+00	6.231E-01	2016	2025	2020	8	tasmax
Montenegro	Normal	2.969E+02	2.324E+00	6.773E-01	2016	2025	2020	9	tasmax
Montenegro	Normal	2.905E+02	2.112E+00	4.057E-01	2016	2025	2020	10	tasmax
Montenegro	Normal	2.850E+02	1.944E+00	5.336E-01	2016	2025	2020	11	tasmax
Montenegro	Normal	2.817E+02	1.817E+00	3.420E-01	2016	2025	2020	12	tasmax
Montenegro	Normal	2.808E+02	1.851E+00	3.357E-01	2026	2035	2030	1	tasmax
Montenegro	Normal	2.820E+02	1.691E+00	6.057E-01	2026	2035	2030	2	tasmax
Montenegro	Normal	2.851E+02	1.894E+00	2.940E-01	2026	2035	2030	3	tasmax
Montenegro	Normal	2.891E+02	1.919E+00	5.875E-01	2026	2035	2030	4	tasmax
Montenegro	Normal	2.938E+02	2.209E+00	3.488E-01	2026	2035	2030	5	tasmax
Montenegro	Normal	2.991E+02	2.300E+00	3.512E-01	2026	2035	2030	6	tasmax
Montenegro	Normal	3.029E+02	2.777E+00	5.335E-01	2026	2035	2030	7	tasmax
Montenegro	Normal	3.028E+02	2.707E+00	7.366E-01	2026	2035	2030	8	tasmax
Montenegro	Normal	2.973E+02	2.305E+00	9.913E-01	2026	2035	2030	9	tasmax
Montenegro	Normal	2.911E+02	2.194E+00	3.777E-01	2026	2035	2030	10	tasmax
Montenegro	Normal	2.854E+02	1.914E+00	3.642E-01	2026	2035	2030	11	tasmax
Montenegro	Normal	2.823E+02	1.955E+00	3.730E-01	2026	2035	2030	12	tasmax
Montenegro	Normal	2.814E+02	1.960E+00	3.458E-01	2036	2045	2040	1	tasmax
Montenegro	Normal	2.826E+02	1.853E+00	4.288E-01	2036	2045	2040	2	tasmax
Montenegro	Normal	2.854E+02	2.035E+00	3.847E-01	2036	2045	2040	3	tasmax
Montenegro	Normal	2.896E+02	2.071E+00	4.746E-01	2036	2045	2040	4	tasmax
Montenegro	Normal	2.944E+02	2.358E+00	4.392E-01	2036	2045	2040	5	tasmax
Montenegro	Normal	3.000E+02	2.778E+00	4.673E-01	2036	2045	2040	6	tasmax
Montenegro	Normal	3.038E+02	3.099E+00	6.359E-01	2036	2045	2040	7	tasmax
Montenegro	Normal	3.037E+02	3.159E+00	6.477E-01	2036	2045	2040	8	tasmax
Montenegro	Normal	2.983E+02	2.228E+00	7.527E-01	2036	2045	2040	9	tasmax
Montenegro	Normal	2.917E+02	2.056E+00	4.250E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Montenegro	Normal	2.860E+02	1.596E+00	3.695E-01	2036	2045	2040	11	tasmax
Montenegro	Normal	2.828E+02	1.971E+00	3.797E-01	2036	2045	2040	12	tasmax
Montenegro	Normal	2.818E+02	1.876E+00	2.959E-01	2046	2055	2050	1	tasmax
Montenegro	Normal	2.829E+02	1.802E+00	3.236E-01	2046	2055	2050	2	tasmax
Montenegro	Normal	2.857E+02	1.766E+00	4.123E-01	2046	2055	2050	3	tasmax
Montenegro	Normal	2.900E+02	2.240E+00	4.689E-01	2046	2055	2050	4	tasmax
Montenegro	Normal	2.946E+02	2.410E+00	4.171E-01	2046	2055	2050	5	tasmax
Montenegro	Normal	3.002E+02	2.684E+00	5.173E-01	2046	2055	2050	6	tasmax
Montenegro	Normal	3.045E+02	3.444E+00	7.269E-01	2046	2055	2050	7	tasmax
Montenegro	Normal	3.044E+02	3.142E+00	1.010E+00	2046	2055	2050	8	tasmax
Montenegro	Normal	2.989E+02	2.279E+00	7.166E-01	2046	2055	2050	9	tasmax
Montenegro	Normal	2.922E+02	2.184E+00	6.143E-01	2046	2055	2050	10	tasmax
Montenegro	Normal	2.864E+02	1.968E+00	4.329E-01	2046	2055	2050	11	tasmax
Montenegro	Normal	2.828E+02	1.756E+00	2.501E-01	2046	2055	2050	12	tasmax
Montenegro	Normal	2.826E+02	1.745E+00	4.057E-01	2056	2065	2060	1	tasmax
Montenegro	Normal	2.834E+02	1.890E+00	4.305E-01	2056	2065	2060	2	tasmax
Montenegro	Normal	2.864E+02	2.012E+00	4.280E-01	2056	2065	2060	3	tasmax
Montenegro	Normal	2.904E+02	2.388E+00	3.283E-01	2056	2065	2060	4	tasmax
Montenegro	Normal	2.954E+02	2.641E+00	4.890E-01	2056	2065	2060	5	tasmax
Montenegro	Normal	3.009E+02	2.809E+00	5.862E-01	2056	2065	2060	6	tasmax
Montenegro	Normal	3.051E+02	3.411E+00	6.902E-01	2056	2065	2060	7	tasmax
Montenegro	Normal	3.052E+02	3.220E+00	9.449E-01	2056	2065	2060	8	tasmax
Montenegro	Normal	2.997E+02	2.548E+00	1.042E+00	2056	2065	2060	9	tasmax
Montenegro	Normal	2.927E+02	2.236E+00	4.311E-01	2056	2065	2060	10	tasmax
Montenegro	Normal	2.872E+02	1.824E+00	3.560E-01	2056	2065	2060	11	tasmax
Montenegro	Normal	2.839E+02	1.931E+00	3.494E-01	2056	2065	2060	12	tasmax
Montenegro	Normal	2.828E+02	2.000E+00	4.104E-01	2066	2075	2070	1	tasmax
Montenegro	Normal	2.840E+02	1.847E+00	3.220E-01	2066	2075	2070	2	tasmax
Montenegro	Normal	2.868E+02	1.984E+00	5.567E-01	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Montenegro	Normal	2.912E+02	2.131E+00	3.917E-01	2066	2075	2070	4	tasmax
Montenegro	Normal	2.963E+02	2.697E+00	5.120E-01	2066	2075	2070	5	tasmax
Montenegro	Normal	3.019E+02	3.153E+00	7.658E-01	2066	2075	2070	6	tasmax
Montenegro	Normal	3.060E+02	3.610E+00	8.591E-01	2066	2075	2070	7	tasmax
Montenegro	Normal	3.061E+02	3.407E+00	9.830E-01	2066	2075	2070	8	tasmax
Montenegro	Normal	3.006E+02	2.795E+00	1.082E+00	2066	2075	2070	9	tasmax
Montenegro	Normal	2.936E+02	2.427E+00	9.787E-01	2066	2075	2070	10	tasmax
Montenegro	Normal	2.877E+02	2.227E+00	4.988E-01	2066	2075	2070	11	tasmax
Montenegro	Normal	2.842E+02	1.787E+00	3.290E-01	2066	2075	2070	12	tasmax
Montenegro	Normal	2.836E+02	1.931E+00	3.734E-01	2076	2085	2080	1	tasmax
Montenegro	Normal	2.847E+02	2.101E+00	4.908E-01	2076	2085	2080	2	tasmax
Montenegro	Normal	2.875E+02	2.275E+00	5.721E-01	2076	2085	2080	3	tasmax
Montenegro	Normal	2.916E+02	2.531E+00	5.686E-01	2076	2085	2080	4	tasmax
Montenegro	Normal	2.969E+02	2.735E+00	5.669E-01	2076	2085	2080	5	tasmax
Montenegro	Normal	3.029E+02	3.036E+00	6.895E-01	2076	2085	2080	6	tasmax
Montenegro	Normal	3.072E+02	3.562E+00	9.816E-01	2076	2085	2080	7	tasmax
Montenegro	Normal	3.073E+02	3.824E+00	1.148E+00	2076	2085	2080	8	tasmax
Montenegro	Normal	3.016E+02	2.878E+00	7.531E-01	2076	2085	2080	9	tasmax
Montenegro	Normal	2.940E+02	2.402E+00	5.194E-01	2076	2085	2080	10	tasmax
Montenegro	Normal	2.880E+02	2.170E+00	5.497E-01	2076	2085	2080	11	tasmax
Montenegro	Normal	2.847E+02	1.909E+00	4.027E-01	2076	2085	2080	12	tasmax
Montenegro	Normal	2.838E+02	1.815E+00	2.790E-01	2086	2099	2092	1	tasmax
Montenegro	Normal	2.851E+02	1.711E+00	2.954E-01	2086	2099	2092	2	tasmax
Montenegro	Normal	2.880E+02	2.096E+00	3.636E-01	2086	2099	2092	3	tasmax
Montenegro	Normal	2.921E+02	2.597E+00	4.997E-01	2086	2099	2092	4	tasmax
Montenegro	Normal	2.978E+02	2.958E+00	6.352E-01	2086	2099	2092	5	tasmax
Montenegro	Normal	3.035E+02	3.436E+00	7.283E-01	2086	2099	2092	6	tasmax
Montenegro	Normal	3.080E+02	4.094E+00	8.924E-01	2086	2099	2092	7	tasmax
Montenegro	Normal	3.078E+02	3.808E+00	1.138E+00	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Montenegro	Normal	3.023E+02	2.880E+00	1.021E+00	2086	2099	2092	9	tasmax
Montenegro	Normal	2.949E+02	2.777E+00	8.926E-01	2086	2099	2092	10	tasmax
Montenegro	Normal	2.890E+02	2.180E+00	4.168E-01	2086	2099	2092	11	tasmax
Montenegro	Normal	2.852E+02	2.000E+00	3.739E-01	2086	2099	2092	12	tasmax
Morocco	Normal	2.888E+02	1.884E+00	3.070E-01	2006	2015	2010	1	tasmax
Morocco	Normal	2.912E+02	1.825E+00	6.646E-01	2006	2015	2010	2	tasmax
Morocco	Normal	2.941E+02	2.710E+00	9.263E-01	2006	2015	2010	3	tasmax
Morocco	Normal	2.971E+02	2.979E+00	1.034E+00	2006	2015	2010	4	tasmax
Morocco	Normal	3.006E+02	2.764E+00	7.591E-01	2006	2015	2010	5	tasmax
Morocco	Normal	3.044E+02	2.616E+00	6.518E-01	2006	2015	2010	6	tasmax
Morocco	Normal	3.083E+02	2.503E+00	4.858E-01	2006	2015	2010	7	tasmax
Morocco	Normal	3.083E+02	2.479E+00	3.661E-01	2006	2015	2010	8	tasmax
Morocco	Normal	3.043E+02	2.363E+00	7.072E-01	2006	2015	2010	9	tasmax
Morocco	Normal	2.985E+02	2.572E+00	8.448E-01	2006	2015	2010	10	tasmax
Morocco	Normal	2.930E+02	2.023E+00	4.866E-01	2006	2015	2010	11	tasmax
Morocco	Normal	2.895E+02	1.767E+00	3.116E-01	2006	2015	2010	12	tasmax
Morocco	Normal	2.892E+02	1.964E+00	2.640E-01	2016	2025	2020	1	tasmax
Morocco	Normal	2.916E+02	2.361E+00	8.103E-01	2016	2025	2020	2	tasmax
Morocco	Normal	2.947E+02	2.710E+00	9.942E-01	2016	2025	2020	3	tasmax
Morocco	Normal	2.974E+02	2.968E+00	1.206E+00	2016	2025	2020	4	tasmax
Morocco	Normal	3.007E+02	2.481E+00	7.894E-01	2016	2025	2020	5	tasmax
Morocco	Normal	3.048E+02	2.635E+00	5.587E-01	2016	2025	2020	6	tasmax
Morocco	Normal	3.087E+02	2.591E+00	3.765E-01	2016	2025	2020	7	tasmax
Morocco	Normal	3.086E+02	2.456E+00	4.510E-01	2016	2025	2020	8	tasmax
Morocco	Normal	3.048E+02	2.384E+00	6.485E-01	2016	2025	2020	9	tasmax
Morocco	Normal	2.991E+02	2.685E+00	8.363E-01	2016	2025	2020	10	tasmax
Morocco	Normal	2.937E+02	2.101E+00	7.207E-01	2016	2025	2020	11	tasmax
Morocco	Normal	2.897E+02	1.885E+00	2.808E-01	2016	2025	2020	12	tasmax
Morocco	Normal	2.898E+02	1.996E+00	2.689E-01	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Morocco	Normal	2.921E+02	2.470E+00	7.414E-01	2026	2035	2030	2	tasmax
Morocco	Normal	2.953E+02	2.540E+00	1.190E+00	2026	2035	2030	3	tasmax
Morocco	Normal	2.979E+02	2.929E+00	1.153E+00	2026	2035	2030	4	tasmax
Morocco	Normal	3.016E+02	2.806E+00	8.621E-01	2026	2035	2030	5	tasmax
Morocco	Normal	3.054E+02	2.654E+00	6.199E-01	2026	2035	2030	6	tasmax
Morocco	Normal	3.094E+02	2.719E+00	5.351E-01	2026	2035	2030	7	tasmax
Morocco	Normal	3.092E+02	2.639E+00	5.368E-01	2026	2035	2030	8	tasmax
Morocco	Normal	3.053E+02	2.568E+00	6.585E-01	2026	2035	2030	9	tasmax
Morocco	Normal	2.998E+02	2.659E+00	7.797E-01	2026	2035	2030	10	tasmax
Morocco	Normal	2.940E+02	2.141E+00	4.573E-01	2026	2035	2030	11	tasmax
Morocco	Normal	2.905E+02	1.805E+00	3.385E-01	2026	2035	2030	12	tasmax
Morocco	Normal	2.904E+02	1.900E+00	3.384E-01	2036	2045	2040	1	tasmax
Morocco	Normal	2.926E+02	2.080E+00	6.882E-01	2036	2045	2040	2	tasmax
Morocco	Normal	2.957E+02	2.671E+00	1.124E+00	2036	2045	2040	3	tasmax
Morocco	Normal	2.986E+02	2.896E+00	1.183E+00	2036	2045	2040	4	tasmax
Morocco	Normal	3.018E+02	2.815E+00	7.816E-01	2036	2045	2040	5	tasmax
Morocco	Normal	3.061E+02	2.652E+00	7.495E-01	2036	2045	2040	6	tasmax
Morocco	Normal	3.099E+02	2.611E+00	5.812E-01	2036	2045	2040	7	tasmax
Morocco	Normal	3.098E+02	2.582E+00	6.286E-01	2036	2045	2040	8	tasmax
Morocco	Normal	3.059E+02	2.601E+00	6.394E-01	2036	2045	2040	9	tasmax
Morocco	Normal	3.002E+02	2.716E+00	8.624E-01	2036	2045	2040	10	tasmax
Morocco	Normal	2.945E+02	2.382E+00	5.784E-01	2036	2045	2040	11	tasmax
Morocco	Normal	2.908E+02	1.774E+00	2.429E-01	2036	2045	2040	12	tasmax
Morocco	Normal	2.908E+02	1.773E+00	2.687E-01	2046	2055	2050	1	tasmax
Morocco	Normal	2.931E+02	2.206E+00	6.829E-01	2046	2055	2050	2	tasmax
Morocco	Normal	2.963E+02	2.724E+00	1.000E+00	2046	2055	2050	3	tasmax
Morocco	Normal	2.992E+02	3.131E+00	1.382E+00	2046	2055	2050	4	tasmax
Morocco	Normal	3.028E+02	2.938E+00	1.073E+00	2046	2055	2050	5	tasmax
Morocco	Normal	3.066E+02	2.902E+00	6.522E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Morocco	Normal	3.107E+02	2.753E+00	5.303E-01	2046	2055	2050	7	tasmax
Morocco	Normal	3.104E+02	2.640E+00	4.197E-01	2046	2055	2050	8	tasmax
Morocco	Normal	3.065E+02	2.930E+00	6.942E-01	2046	2055	2050	9	tasmax
Morocco	Normal	3.008E+02	2.722E+00	7.598E-01	2046	2055	2050	10	tasmax
Morocco	Normal	2.951E+02	2.321E+00	4.802E-01	2046	2055	2050	11	tasmax
Morocco	Normal	2.913E+02	1.688E+00	2.257E-01	2046	2055	2050	12	tasmax
Morocco	Normal	2.913E+02	2.056E+00	3.908E-01	2056	2065	2060	1	tasmax
Morocco	Normal	2.938E+02	2.321E+00	6.624E-01	2056	2065	2060	2	tasmax
Morocco	Normal	2.970E+02	2.566E+00	9.138E-01	2056	2065	2060	3	tasmax
Morocco	Normal	2.999E+02	3.064E+00	1.226E+00	2056	2065	2060	4	tasmax
Morocco	Normal	3.032E+02	3.072E+00	1.245E+00	2056	2065	2060	5	tasmax
Morocco	Normal	3.074E+02	2.698E+00	6.673E-01	2056	2065	2060	6	tasmax
Morocco	Normal	3.113E+02	2.748E+00	5.528E-01	2056	2065	2060	7	tasmax
Morocco	Normal	3.112E+02	2.686E+00	4.594E-01	2056	2065	2060	8	tasmax
Morocco	Normal	3.073E+02	2.818E+00	7.497E-01	2056	2065	2060	9	tasmax
Morocco	Normal	3.015E+02	2.917E+00	7.635E-01	2056	2065	2060	10	tasmax
Morocco	Normal	2.958E+02	2.410E+00	5.958E-01	2056	2065	2060	11	tasmax
Morocco	Normal	2.919E+02	1.806E+00	3.012E-01	2056	2065	2060	12	tasmax
Morocco	Normal	2.919E+02	1.900E+00	3.664E-01	2066	2075	2070	1	tasmax
Morocco	Normal	2.941E+02	2.216E+00	8.333E-01	2066	2075	2070	2	tasmax
Morocco	Normal	2.976E+02	2.597E+00	1.229E+00	2066	2075	2070	3	tasmax
Morocco	Normal	3.009E+02	2.896E+00	1.232E+00	2066	2075	2070	4	tasmax
Morocco	Normal	3.041E+02	3.204E+00	1.135E+00	2066	2075	2070	5	tasmax
Morocco	Normal	3.080E+02	2.978E+00	8.542E-01	2066	2075	2070	6	tasmax
Morocco	Normal	3.121E+02	2.750E+00	4.574E-01	2066	2075	2070	7	tasmax
Morocco	Normal	3.119E+02	2.647E+00	4.655E-01	2066	2075	2070	8	tasmax
Morocco	Normal	3.081E+02	2.921E+00	6.873E-01	2066	2075	2070	9	tasmax
Morocco	Normal	3.023E+02	2.969E+00	8.184E-01	2066	2075	2070	10	tasmax
Morocco	Normal	2.966E+02	2.582E+00	7.560E-01	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Morocco	Normal	2.926E+02	1.843E+00	2.967E-01	2066	2075	2070	12	tasmax
Morocco	Normal	2.924E+02	1.996E+00	3.563E-01	2076	2085	2080	1	tasmax
Morocco	Normal	2.948E+02	2.301E+00	7.538E-01	2076	2085	2080	2	tasmax
Morocco	Normal	2.982E+02	2.650E+00	1.082E+00	2076	2085	2080	3	tasmax
Morocco	Normal	3.013E+02	3.059E+00	1.454E+00	2076	2085	2080	4	tasmax
Morocco	Normal	3.049E+02	3.252E+00	1.026E+00	2076	2085	2080	5	tasmax
Morocco	Normal	3.089E+02	3.074E+00	8.499E-01	2076	2085	2080	6	tasmax
Morocco	Normal	3.129E+02	2.876E+00	5.719E-01	2076	2085	2080	7	tasmax
Morocco	Normal	3.127E+02	2.749E+00	4.540E-01	2076	2085	2080	8	tasmax
Morocco	Normal	3.086E+02	3.265E+00	7.405E-01	2076	2085	2080	9	tasmax
Morocco	Normal	3.028E+02	3.307E+00	9.951E-01	2076	2085	2080	10	tasmax
Morocco	Normal	2.973E+02	2.711E+00	8.453E-01	2076	2085	2080	11	tasmax
Morocco	Normal	2.931E+02	1.942E+00	3.138E-01	2076	2085	2080	12	tasmax
Morocco	Normal	2.930E+02	2.048E+00	3.229E-01	2086	2099	2092	1	tasmax
Morocco	Normal	2.957E+02	2.193E+00	7.161E-01	2086	2099	2092	2	tasmax
Morocco	Normal	2.987E+02	3.063E+00	1.407E+00	2086	2099	2092	3	tasmax
Morocco	Normal	3.022E+02	3.247E+00	1.299E+00	2086	2099	2092	4	tasmax
Morocco	Normal	3.054E+02	2.971E+00	1.029E+00	2086	2099	2092	5	tasmax
Morocco	Normal	3.094E+02	2.928E+00	8.101E-01	2086	2099	2092	6	tasmax
Morocco	Normal	3.137E+02	2.926E+00	6.073E-01	2086	2099	2092	7	tasmax
Morocco	Normal	3.131E+02	2.941E+00	4.072E-01	2086	2099	2092	8	tasmax
Morocco	Normal	3.095E+02	3.080E+00	8.216E-01	2086	2099	2092	9	tasmax
Morocco	Normal	3.039E+02	3.270E+00	8.333E-01	2086	2099	2092	10	tasmax
Morocco	Normal	2.979E+02	3.015E+00	7.436E-01	2086	2099	2092	11	tasmax
Morocco	Normal	2.937E+02	2.120E+00	4.067E-01	2086	2099	2092	12	tasmax
Mozambique	Normal	3.036E+02	1.656E+00	5.429E-01	2006	2015	2010	1	tasmax
Mozambique	Normal	3.030E+02	1.473E+00	4.639E-01	2006	2015	2010	2	tasmax
Mozambique	Normal	3.025E+02	1.281E+00	3.087E-01	2006	2015	2010	3	tasmax
Mozambique	Normal	3.015E+02	1.372E+00	2.826E-01	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mozambique	Normal	2.999E+02	1.319E+00	2.796E-01	2006	2015	2010	5	tasmax
Mozambique	Normal	2.984E+02	1.255E+00	2.972E-01	2006	2015	2010	6	tasmax
Mozambique	Normal	2.983E+02	1.447E+00	2.779E-01	2006	2015	2010	7	tasmax
Mozambique	Normal	3.003E+02	1.581E+00	2.347E-01	2006	2015	2010	8	tasmax
Mozambique	Normal	3.031E+02	1.511E+00	2.649E-01	2006	2015	2010	9	tasmax
Mozambique	Normal	3.056E+02	1.548E+00	2.762E-01	2006	2015	2010	10	tasmax
Mozambique	Normal	3.056E+02	1.750E+00	5.802E-01	2006	2015	2010	11	tasmax
Mozambique	Normal	3.044E+02	1.760E+00	5.489E-01	2006	2015	2010	12	tasmax
Mozambique	Normal	3.039E+02	1.665E+00	5.339E-01	2016	2025	2020	1	tasmax
Mozambique	Normal	3.034E+02	1.491E+00	4.320E-01	2016	2025	2020	2	tasmax
Mozambique	Normal	3.029E+02	1.250E+00	3.235E-01	2016	2025	2020	3	tasmax
Mozambique	Normal	3.020E+02	1.225E+00	2.783E-01	2016	2025	2020	4	tasmax
Mozambique	Normal	3.003E+02	1.213E+00	4.611E-01	2016	2025	2020	5	tasmax
Mozambique	Normal	2.988E+02	1.287E+00	3.243E-01	2016	2025	2020	6	tasmax
Mozambique	Normal	2.987E+02	1.488E+00	3.226E-01	2016	2025	2020	7	tasmax
Mozambique	Normal	3.006E+02	1.546E+00	2.397E-01	2016	2025	2020	8	tasmax
Mozambique	Normal	3.035E+02	1.657E+00	3.446E-01	2016	2025	2020	9	tasmax
Mozambique	Normal	3.059E+02	1.494E+00	3.510E-01	2016	2025	2020	10	tasmax
Mozambique	Normal	3.061E+02	1.746E+00	3.819E-01	2016	2025	2020	11	tasmax
Mozambique	Normal	3.047E+02	1.872E+00	7.615E-01	2016	2025	2020	12	tasmax
Mozambique	Normal	3.045E+02	1.715E+00	4.669E-01	2026	2035	2030	1	tasmax
Mozambique	Normal	3.039E+02	1.464E+00	3.718E-01	2026	2035	2030	2	tasmax
Mozambique	Normal	3.034E+02	1.275E+00	2.356E-01	2026	2035	2030	3	tasmax
Mozambique	Normal	3.024E+02	1.325E+00	2.400E-01	2026	2035	2030	4	tasmax
Mozambique	Normal	3.008E+02	1.390E+00	3.986E-01	2026	2035	2030	5	tasmax
Mozambique	Normal	2.992E+02	1.473E+00	4.511E-01	2026	2035	2030	6	tasmax
Mozambique	Normal	2.991E+02	1.432E+00	2.769E-01	2026	2035	2030	7	tasmax
Mozambique	Normal	3.010E+02	1.637E+00	3.047E-01	2026	2035	2030	8	tasmax
Mozambique	Normal	3.039E+02	1.583E+00	3.080E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mozambique	Normal	3.064E+02	1.644E+00	3.355E-01	2026	2035	2030	10	tasmax
Mozambique	Normal	3.064E+02	1.807E+00	5.294E-01	2026	2035	2030	11	tasmax
Mozambique	Normal	3.053E+02	1.802E+00	6.167E-01	2026	2035	2030	12	tasmax
Mozambique	Normal	3.045E+02	1.470E+00	4.342E-01	2036	2045	2040	1	tasmax
Mozambique	Normal	3.041E+02	1.436E+00	2.775E-01	2036	2045	2040	2	tasmax
Mozambique	Normal	3.036E+02	1.300E+00	2.756E-01	2036	2045	2040	3	tasmax
Mozambique	Normal	3.026E+02	1.394E+00	2.917E-01	2036	2045	2040	4	tasmax
Mozambique	Normal	3.012E+02	1.351E+00	3.908E-01	2036	2045	2040	5	tasmax
Mozambique	Normal	2.995E+02	1.255E+00	3.674E-01	2036	2045	2040	6	tasmax
Mozambique	Normal	2.994E+02	1.547E+00	3.789E-01	2036	2045	2040	7	tasmax
Mozambique	Normal	3.013E+02	1.675E+00	2.828E-01	2036	2045	2040	8	tasmax
Mozambique	Normal	3.043E+02	1.740E+00	3.394E-01	2036	2045	2040	9	tasmax
Mozambique	Normal	3.068E+02	1.666E+00	3.064E-01	2036	2045	2040	10	tasmax
Mozambique	Normal	3.069E+02	1.681E+00	4.922E-01	2036	2045	2040	11	tasmax
Mozambique	Normal	3.055E+02	1.768E+00	6.391E-01	2036	2045	2040	12	tasmax
Mozambique	Normal	3.053E+02	1.715E+00	5.008E-01	2046	2055	2050	1	tasmax
Mozambique	Normal	3.048E+02	1.478E+00	3.641E-01	2046	2055	2050	2	tasmax
Mozambique	Normal	3.041E+02	1.336E+00	3.558E-01	2046	2055	2050	3	tasmax
Mozambique	Normal	3.031E+02	1.411E+00	3.968E-01	2046	2055	2050	4	tasmax
Mozambique	Normal	3.016E+02	1.368E+00	3.590E-01	2046	2055	2050	5	tasmax
Mozambique	Normal	3.001E+02	1.558E+00	3.416E-01	2046	2055	2050	6	tasmax
Mozambique	Normal	2.998E+02	1.580E+00	2.568E-01	2046	2055	2050	7	tasmax
Mozambique	Normal	3.017E+02	1.744E+00	2.670E-01	2046	2055	2050	8	tasmax
Mozambique	Normal	3.046E+02	1.717E+00	2.813E-01	2046	2055	2050	9	tasmax
Mozambique	Normal	3.073E+02	1.838E+00	3.990E-01	2046	2055	2050	10	tasmax
Mozambique	Normal	3.078E+02	1.900E+00	4.908E-01	2046	2055	2050	11	tasmax
Mozambique	Normal	3.062E+02	1.944E+00	8.276E-01	2046	2055	2050	12	tasmax
Mozambique	Normal	3.057E+02	1.705E+00	4.789E-01	2056	2065	2060	1	tasmax
Mozambique	Normal	3.051E+02	1.466E+00	3.732E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mozambique	Normal	3.047E+02	1.343E+00	2.638E-01	2056	2065	2060	3	tasmax
Mozambique	Normal	3.036E+02	1.449E+00	2.888E-01	2056	2065	2060	4	tasmax
Mozambique	Normal	3.020E+02	1.387E+00	4.380E-01	2056	2065	2060	5	tasmax
Mozambique	Normal	3.005E+02	1.387E+00	4.270E-01	2056	2065	2060	6	tasmax
Mozambique	Normal	3.003E+02	1.521E+00	3.135E-01	2056	2065	2060	7	tasmax
Mozambique	Normal	3.021E+02	1.639E+00	3.361E-01	2056	2065	2060	8	tasmax
Mozambique	Normal	3.052E+02	1.646E+00	2.847E-01	2056	2065	2060	9	tasmax
Mozambique	Normal	3.079E+02	1.704E+00	2.703E-01	2056	2065	2060	10	tasmax
Mozambique	Normal	3.084E+02	1.777E+00	4.237E-01	2056	2065	2060	11	tasmax
Mozambique	Normal	3.069E+02	1.884E+00	7.038E-01	2056	2065	2060	12	tasmax
Mozambique	Normal	3.064E+02	1.793E+00	5.637E-01	2066	2075	2070	1	tasmax
Mozambique	Normal	3.059E+02	1.638E+00	4.152E-01	2066	2075	2070	2	tasmax
Mozambique	Normal	3.052E+02	1.477E+00	4.232E-01	2066	2075	2070	3	tasmax
Mozambique	Normal	3.043E+02	1.464E+00	3.162E-01	2066	2075	2070	4	tasmax
Mozambique	Normal	3.028E+02	1.446E+00	3.439E-01	2066	2075	2070	5	tasmax
Mozambique	Normal	3.012E+02	1.444E+00	4.080E-01	2066	2075	2070	6	tasmax
Mozambique	Normal	3.009E+02	1.651E+00	3.076E-01	2066	2075	2070	7	tasmax
Mozambique	Normal	3.027E+02	1.784E+00	2.577E-01	2066	2075	2070	8	tasmax
Mozambique	Normal	3.058E+02	1.733E+00	2.412E-01	2066	2075	2070	9	tasmax
Mozambique	Normal	3.086E+02	1.739E+00	2.533E-01	2066	2075	2070	10	tasmax
Mozambique	Normal	3.090E+02	1.983E+00	4.609E-01	2066	2075	2070	11	tasmax
Mozambique	Normal	3.076E+02	2.050E+00	7.410E-01	2066	2075	2070	12	tasmax
Mozambique	Normal	3.070E+02	1.875E+00	5.730E-01	2076	2085	2080	1	tasmax
Mozambique	Normal	3.063E+02	1.658E+00	4.424E-01	2076	2085	2080	2	tasmax
Mozambique	Normal	3.058E+02	1.612E+00	3.028E-01	2076	2085	2080	3	tasmax
Mozambique	Normal	3.049E+02	1.611E+00	2.640E-01	2076	2085	2080	4	tasmax
Mozambique	Normal	3.033E+02	1.618E+00	4.047E-01	2076	2085	2080	5	tasmax
Mozambique	Normal	3.017E+02	1.654E+00	4.600E-01	2076	2085	2080	6	tasmax
Mozambique	Normal	3.015E+02	1.708E+00	2.944E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Mozambique	Normal	3.033E+02	1.787E+00	2.482E-01	2076	2085	2080	8	tasmax
Mozambique	Normal	3.064E+02	1.637E+00	2.493E-01	2076	2085	2080	9	tasmax
Mozambique	Normal	3.091E+02	1.781E+00	2.458E-01	2076	2085	2080	10	tasmax
Mozambique	Normal	3.096E+02	1.924E+00	4.579E-01	2076	2085	2080	11	tasmax
Mozambique	Normal	3.081E+02	1.990E+00	7.818E-01	2076	2085	2080	12	tasmax
Mozambique	Normal	3.077E+02	1.962E+00	6.324E-01	2086	2099	2092	1	tasmax
Mozambique	Normal	3.068E+02	1.651E+00	3.965E-01	2086	2099	2092	2	tasmax
Mozambique	Normal	3.062E+02	1.551E+00	3.425E-01	2086	2099	2092	3	tasmax
Mozambique	Normal	3.054E+02	1.772E+00	2.615E-01	2086	2099	2092	4	tasmax
Mozambique	Normal	3.039E+02	1.744E+00	4.095E-01	2086	2099	2092	5	tasmax
Mozambique	Normal	3.023E+02	1.587E+00	3.409E-01	2086	2099	2092	6	tasmax
Mozambique	Normal	3.020E+02	1.601E+00	2.471E-01	2086	2099	2092	7	tasmax
Mozambique	Normal	3.039E+02	1.706E+00	2.556E-01	2086	2099	2092	8	tasmax
Mozambique	Normal	3.069E+02	1.585E+00	2.183E-01	2086	2099	2092	9	tasmax
Mozambique	Normal	3.097E+02	1.831E+00	3.070E-01	2086	2099	2092	10	tasmax
Mozambique	Normal	3.102E+02	1.992E+00	5.578E-01	2086	2099	2092	11	tasmax
Mozambique	Normal	3.089E+02	2.191E+00	7.709E-01	2086	2099	2092	12	tasmax
Myanmar	Normal	2.961E+02	1.422E+00	2.601E-01	2006	2015	2010	1	tasmax
Myanmar	Normal	2.995E+02	1.768E+00	4.033E-01	2006	2015	2010	2	tasmax
Myanmar	Normal	3.036E+02	1.770E+00	4.591E-01	2006	2015	2010	3	tasmax
Myanmar	Normal	3.063E+02	2.079E+00	3.536E-01	2006	2015	2010	4	tasmax
Myanmar	Normal	3.061E+02	2.367E+00	3.469E-01	2006	2015	2010	5	tasmax
Myanmar	Normal	3.031E+02	2.538E+00	5.822E-01	2006	2015	2010	6	tasmax
Myanmar	Normal	3.010E+02	1.931E+00	8.436E-01	2006	2015	2010	7	tasmax
Myanmar	Normal	3.010E+02	1.455E+00	6.506E-01	2006	2015	2010	8	tasmax
Myanmar	Normal	3.011E+02	1.499E+00	5.172E-01	2006	2015	2010	9	tasmax
Myanmar	Normal	3.005E+02	1.514E+00	3.852E-01	2006	2015	2010	10	tasmax
Myanmar	Normal	2.982E+02	1.465E+00	3.144E-01	2006	2015	2010	11	tasmax
Myanmar	Normal	2.959E+02	1.266E+00	1.926E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Myanmar	Normal	2.965E+02	1.368E+00	2.565E-01	2016	2025	2020	1	tasmax
Myanmar	Normal	2.996E+02	1.536E+00	4.786E-01	2016	2025	2020	2	tasmax
Myanmar	Normal	3.038E+02	1.909E+00	3.926E-01	2016	2025	2020	3	tasmax
Myanmar	Normal	3.067E+02	2.126E+00	4.878E-01	2016	2025	2020	4	tasmax
Myanmar	Normal	3.063E+02	2.436E+00	3.539E-01	2016	2025	2020	5	tasmax
Myanmar	Normal	3.035E+02	2.901E+00	1.023E+00	2016	2025	2020	6	tasmax
Myanmar	Normal	3.014E+02	2.008E+00	9.071E-01	2016	2025	2020	7	tasmax
Myanmar	Normal	3.012E+02	1.476E+00	6.094E-01	2016	2025	2020	8	tasmax
Myanmar	Normal	3.013E+02	1.587E+00	4.845E-01	2016	2025	2020	9	tasmax
Myanmar	Normal	3.006E+02	1.608E+00	3.473E-01	2016	2025	2020	10	tasmax
Myanmar	Normal	2.985E+02	1.470E+00	3.373E-01	2016	2025	2020	11	tasmax
Myanmar	Normal	2.962E+02	1.351E+00	2.953E-01	2016	2025	2020	12	tasmax
Myanmar	Normal	2.969E+02	1.426E+00	3.279E-01	2026	2035	2030	1	tasmax
Myanmar	Normal	3.000E+02	1.692E+00	4.608E-01	2026	2035	2030	2	tasmax
Myanmar	Normal	3.040E+02	2.002E+00	4.921E-01	2026	2035	2030	3	tasmax
Myanmar	Normal	3.068E+02	2.179E+00	4.329E-01	2026	2035	2030	4	tasmax
Myanmar	Normal	3.066E+02	2.462E+00	4.196E-01	2026	2035	2030	5	tasmax
Myanmar	Normal	3.039E+02	2.715E+00	7.504E-01	2026	2035	2030	6	tasmax
Myanmar	Normal	3.017E+02	1.818E+00	8.053E-01	2026	2035	2030	7	tasmax
Myanmar	Normal	3.015E+02	1.393E+00	6.335E-01	2026	2035	2030	8	tasmax
Myanmar	Normal	3.017E+02	1.507E+00	4.494E-01	2026	2035	2030	9	tasmax
Myanmar	Normal	3.011E+02	1.548E+00	3.031E-01	2026	2035	2030	10	tasmax
Myanmar	Normal	2.989E+02	1.527E+00	3.483E-01	2026	2035	2030	11	tasmax
Myanmar	Normal	2.965E+02	1.385E+00	2.369E-01	2026	2035	2030	12	tasmax
Myanmar	Normal	2.972E+02	1.510E+00	2.491E-01	2036	2045	2040	1	tasmax
Myanmar	Normal	3.005E+02	1.740E+00	3.804E-01	2036	2045	2040	2	tasmax
Myanmar	Normal	3.047E+02	1.931E+00	4.369E-01	2036	2045	2040	3	tasmax
Myanmar	Normal	3.073E+02	2.205E+00	4.994E-01	2036	2045	2040	4	tasmax
Myanmar	Normal	3.072E+02	2.552E+00	4.475E-01	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Myanmar	Normal	3.041E+02	2.662E+00	7.336E-01	2036	2045	2040	6	tasmax
Myanmar	Normal	3.020E+02	2.014E+00	9.287E-01	2036	2045	2040	7	tasmax
Myanmar	Normal	3.019E+02	1.527E+00	6.749E-01	2036	2045	2040	8	tasmax
Myanmar	Normal	3.021E+02	1.609E+00	4.866E-01	2036	2045	2040	9	tasmax
Myanmar	Normal	3.014E+02	1.632E+00	3.620E-01	2036	2045	2040	10	tasmax
Myanmar	Normal	2.994E+02	1.515E+00	3.577E-01	2036	2045	2040	11	tasmax
Myanmar	Normal	2.970E+02	1.370E+00	2.345E-01	2036	2045	2040	12	tasmax
Myanmar	Normal	2.977E+02	1.512E+00	2.839E-01	2046	2055	2050	1	tasmax
Myanmar	Normal	3.010E+02	1.735E+00	4.700E-01	2046	2055	2050	2	tasmax
Myanmar	Normal	3.052E+02	1.928E+00	4.518E-01	2046	2055	2050	3	tasmax
Myanmar	Normal	3.078E+02	2.311E+00	4.586E-01	2046	2055	2050	4	tasmax
Myanmar	Normal	3.075E+02	2.547E+00	5.299E-01	2046	2055	2050	5	tasmax
Myanmar	Normal	3.047E+02	2.684E+00	5.195E-01	2046	2055	2050	6	tasmax
Myanmar	Normal	3.025E+02	2.056E+00	8.889E-01	2046	2055	2050	7	tasmax
Myanmar	Normal	3.022E+02	1.603E+00	6.724E-01	2046	2055	2050	8	tasmax
Myanmar	Normal	3.026E+02	1.567E+00	4.577E-01	2046	2055	2050	9	tasmax
Myanmar	Normal	3.019E+02	1.587E+00	3.126E-01	2046	2055	2050	10	tasmax
Myanmar	Normal	2.999E+02	1.559E+00	2.290E-01	2046	2055	2050	11	tasmax
Myanmar	Normal	2.975E+02	1.537E+00	3.363E-01	2046	2055	2050	12	tasmax
Myanmar	Normal	2.983E+02	1.659E+00	4.920E-01	2056	2065	2060	1	tasmax
Myanmar	Normal	3.014E+02	1.760E+00	4.080E-01	2056	2065	2060	2	tasmax
Myanmar	Normal	3.055E+02	1.987E+00	4.448E-01	2056	2065	2060	3	tasmax
Myanmar	Normal	3.083E+02	2.435E+00	5.331E-01	2056	2065	2060	4	tasmax
Myanmar	Normal	3.080E+02	2.590E+00	6.306E-01	2056	2065	2060	5	tasmax
Myanmar	Normal	3.052E+02	2.933E+00	7.441E-01	2056	2065	2060	6	tasmax
Myanmar	Normal	3.030E+02	2.190E+00	9.677E-01	2056	2065	2060	7	tasmax
Myanmar	Normal	3.027E+02	1.678E+00	6.898E-01	2056	2065	2060	8	tasmax
Myanmar	Normal	3.031E+02	1.638E+00	4.715E-01	2056	2065	2060	9	tasmax
Myanmar	Normal	3.024E+02	1.740E+00	2.938E-01	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Myanmar	Normal	3.003E+02	1.525E+00	2.731E-01	2056	2065	2060	11	tasmax
Myanmar	Normal	2.980E+02	1.543E+00	3.411E-01	2056	2065	2060	12	tasmax
Myanmar	Normal	2.988E+02	1.726E+00	4.126E-01	2066	2075	2070	1	tasmax
Myanmar	Normal	3.019E+02	1.850E+00	4.404E-01	2066	2075	2070	2	tasmax
Myanmar	Normal	3.060E+02	2.130E+00	4.603E-01	2066	2075	2070	3	tasmax
Myanmar	Normal	3.087E+02	2.328E+00	6.041E-01	2066	2075	2070	4	tasmax
Myanmar	Normal	3.088E+02	2.675E+00	6.226E-01	2066	2075	2070	5	tasmax
Myanmar	Normal	3.057E+02	2.797E+00	6.659E-01	2066	2075	2070	6	tasmax
Myanmar	Normal	3.034E+02	2.306E+00	9.554E-01	2066	2075	2070	7	tasmax
Myanmar	Normal	3.032E+02	1.861E+00	8.706E-01	2066	2075	2070	8	tasmax
Myanmar	Normal	3.034E+02	1.884E+00	6.263E-01	2066	2075	2070	9	tasmax
Myanmar	Normal	3.031E+02	1.874E+00	4.906E-01	2066	2075	2070	10	tasmax
Myanmar	Normal	3.009E+02	1.774E+00	3.107E-01	2066	2075	2070	11	tasmax
Myanmar	Normal	2.988E+02	1.644E+00	3.202E-01	2066	2075	2070	12	tasmax
Myanmar	Normal	2.994E+02	1.583E+00	3.461E-01	2076	2085	2080	1	tasmax
Myanmar	Normal	3.025E+02	1.955E+00	5.064E-01	2076	2085	2080	2	tasmax
Myanmar	Normal	3.066E+02	2.328E+00	5.739E-01	2076	2085	2080	3	tasmax
Myanmar	Normal	3.095E+02	2.538E+00	5.499E-01	2076	2085	2080	4	tasmax
Myanmar	Normal	3.091E+02	2.669E+00	5.423E-01	2076	2085	2080	5	tasmax
Myanmar	Normal	3.060E+02	2.986E+00	8.197E-01	2076	2085	2080	6	tasmax
Myanmar	Normal	3.039E+02	2.470E+00	1.007E+00	2076	2085	2080	7	tasmax
Myanmar	Normal	3.037E+02	1.889E+00	8.231E-01	2076	2085	2080	8	tasmax
Myanmar	Normal	3.040E+02	1.898E+00	6.894E-01	2076	2085	2080	9	tasmax
Myanmar	Normal	3.034E+02	1.960E+00	4.675E-01	2076	2085	2080	10	tasmax
Myanmar	Normal	3.014E+02	1.711E+00	2.492E-01	2076	2085	2080	11	tasmax
Myanmar	Normal	2.990E+02	1.690E+00	3.507E-01	2076	2085	2080	12	tasmax
Myanmar	Normal	2.998E+02	1.781E+00	4.061E-01	2086	2099	2092	1	tasmax
Myanmar	Normal	3.029E+02	2.017E+00	4.057E-01	2086	2099	2092	2	tasmax
Myanmar	Normal	3.072E+02	2.266E+00	5.523E-01	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Myanmar	Normal	3.100E+02	2.569E+00	4.974E-01	2086	2099	2092	4	tasmax
Myanmar	Normal	3.096E+02	2.760E+00	5.798E-01	2086	2099	2092	5	tasmax
Myanmar	Normal	3.066E+02	3.079E+00	6.866E-01	2086	2099	2092	6	tasmax
Myanmar	Normal	3.044E+02	2.487E+00	1.107E+00	2086	2099	2092	7	tasmax
Myanmar	Normal	3.041E+02	1.956E+00	8.146E-01	2086	2099	2092	8	tasmax
Myanmar	Normal	3.046E+02	1.991E+00	6.488E-01	2086	2099	2092	9	tasmax
Myanmar	Normal	3.039E+02	2.063E+00	5.033E-01	2086	2099	2092	10	tasmax
Myanmar	Normal	3.018E+02	1.839E+00	2.596E-01	2086	2099	2092	11	tasmax
Myanmar	Normal	2.995E+02	1.805E+00	3.619E-01	2086	2099	2092	12	tasmax
Namibia	Normal	3.043E+02	2.518E+00	5.863E-01	2006	2015	2010	1	tasmax
Namibia	Normal	3.037E+02	2.643E+00	7.776E-01	2006	2015	2010	2	tasmax
Namibia	Normal	3.033E+02	2.569E+00	6.734E-01	2006	2015	2010	3	tasmax
Namibia	Normal	3.021E+02	2.507E+00	6.176E-01	2006	2015	2010	4	tasmax
Namibia	Normal	2.994E+02	1.959E+00	4.056E-01	2006	2015	2010	5	tasmax
Namibia	Normal	2.969E+02	1.373E+00	2.719E-01	2006	2015	2010	6	tasmax
Namibia	Normal	2.970E+02	1.334E+00	2.350E-01	2006	2015	2010	7	tasmax
Namibia	Normal	2.995E+02	1.466E+00	3.574E-01	2006	2015	2010	8	tasmax
Namibia	Normal	3.033E+02	1.520E+00	5.096E-01	2006	2015	2010	9	tasmax
Namibia	Normal	3.057E+02	1.780E+00	4.299E-01	2006	2015	2010	10	tasmax
Namibia	Normal	3.058E+02	1.927E+00	4.188E-01	2006	2015	2010	11	tasmax
Namibia	Normal	3.052E+02	2.159E+00	4.562E-01	2006	2015	2010	12	tasmax
Namibia	Normal	3.047E+02	2.568E+00	4.959E-01	2016	2025	2020	1	tasmax
Namibia	Normal	3.038E+02	2.635E+00	5.950E-01	2016	2025	2020	2	tasmax
Namibia	Normal	3.035E+02	2.723E+00	7.096E-01	2016	2025	2020	3	tasmax
Namibia	Normal	3.023E+02	2.700E+00	5.208E-01	2016	2025	2020	4	tasmax
Namibia	Normal	2.997E+02	2.106E+00	3.480E-01	2016	2025	2020	5	tasmax
Namibia	Normal	2.973E+02	1.533E+00	2.918E-01	2016	2025	2020	6	tasmax
Namibia	Normal	2.974E+02	1.409E+00	2.310E-01	2016	2025	2020	7	tasmax
Namibia	Normal	3.000E+02	1.515E+00	3.729E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Namibia	Normal	3.038E+02	1.584E+00	4.758E-01	2016	2025	2020	9	tasmax
Namibia	Normal	3.061E+02	1.831E+00	6.073E-01	2016	2025	2020	10	tasmax
Namibia	Normal	3.063E+02	1.974E+00	5.657E-01	2016	2025	2020	11	tasmax
Namibia	Normal	3.056E+02	2.125E+00	4.387E-01	2016	2025	2020	12	tasmax
Namibia	Normal	3.051E+02	2.482E+00	5.359E-01	2026	2035	2030	1	tasmax
Namibia	Normal	3.045E+02	2.542E+00	6.607E-01	2026	2035	2030	2	tasmax
Namibia	Normal	3.041E+02	2.869E+00	7.028E-01	2026	2035	2030	3	tasmax
Namibia	Normal	3.029E+02	2.740E+00	5.225E-01	2026	2035	2030	4	tasmax
Namibia	Normal	3.003E+02	2.052E+00	3.434E-01	2026	2035	2030	5	tasmax
Namibia	Normal	2.979E+02	1.549E+00	2.461E-01	2026	2035	2030	6	tasmax
Namibia	Normal	2.980E+02	1.280E+00	2.658E-01	2026	2035	2030	7	tasmax
Namibia	Normal	3.006E+02	1.535E+00	3.425E-01	2026	2035	2030	8	tasmax
Namibia	Normal	3.043E+02	1.583E+00	4.816E-01	2026	2035	2030	9	tasmax
Namibia	Normal	3.065E+02	1.717E+00	4.863E-01	2026	2035	2030	10	tasmax
Namibia	Normal	3.066E+02	1.900E+00	4.663E-01	2026	2035	2030	11	tasmax
Namibia	Normal	3.060E+02	2.222E+00	4.656E-01	2026	2035	2030	12	tasmax
Namibia	Normal	3.057E+02	2.425E+00	4.696E-01	2036	2045	2040	1	tasmax
Namibia	Normal	3.051E+02	2.646E+00	7.165E-01	2036	2045	2040	2	tasmax
Namibia	Normal	3.047E+02	2.773E+00	5.544E-01	2036	2045	2040	3	tasmax
Namibia	Normal	3.037E+02	2.541E+00	3.946E-01	2036	2045	2040	4	tasmax
Namibia	Normal	3.010E+02	1.972E+00	3.488E-01	2036	2045	2040	5	tasmax
Namibia	Normal	2.984E+02	1.344E+00	2.396E-01	2036	2045	2040	6	tasmax
Namibia	Normal	2.983E+02	1.329E+00	2.404E-01	2036	2045	2040	7	tasmax
Namibia	Normal	3.010E+02	1.504E+00	3.310E-01	2036	2045	2040	8	tasmax
Namibia	Normal	3.047E+02	1.590E+00	5.482E-01	2036	2045	2040	9	tasmax
Namibia	Normal	3.071E+02	1.775E+00	4.523E-01	2036	2045	2040	10	tasmax
Namibia	Normal	3.072E+02	2.037E+00	4.544E-01	2036	2045	2040	11	tasmax
Namibia	Normal	3.065E+02	2.174E+00	3.647E-01	2036	2045	2040	12	tasmax
Namibia	Normal	3.064E+02	2.543E+00	6.203E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Namibia	Normal	3.055E+02	2.824E+00	6.478E-01	2046	2055	2050	2	tasmax
Namibia	Normal	3.053E+02	3.033E+00	6.982E-01	2046	2055	2050	3	tasmax
Namibia	Normal	3.042E+02	2.780E+00	3.763E-01	2046	2055	2050	4	tasmax
Namibia	Normal	3.015E+02	2.082E+00	3.013E-01	2046	2055	2050	5	tasmax
Namibia	Normal	2.990E+02	1.438E+00	2.733E-01	2046	2055	2050	6	tasmax
Namibia	Normal	2.989E+02	1.433E+00	2.451E-01	2046	2055	2050	7	tasmax
Namibia	Normal	3.016E+02	1.494E+00	4.215E-01	2046	2055	2050	8	tasmax
Namibia	Normal	3.055E+02	1.671E+00	4.392E-01	2046	2055	2050	9	tasmax
Namibia	Normal	3.077E+02	1.727E+00	5.197E-01	2046	2055	2050	10	tasmax
Namibia	Normal	3.078E+02	1.875E+00	4.790E-01	2046	2055	2050	11	tasmax
Namibia	Normal	3.071E+02	2.152E+00	4.392E-01	2046	2055	2050	12	tasmax
Namibia	Normal	3.068E+02	2.607E+00	4.209E-01	2056	2065	2060	1	tasmax
Namibia	Normal	3.061E+02	2.655E+00	4.766E-01	2056	2065	2060	2	tasmax
Namibia	Normal	3.057E+02	2.843E+00	5.002E-01	2056	2065	2060	3	tasmax
Namibia	Normal	3.047E+02	2.738E+00	5.141E-01	2056	2065	2060	4	tasmax
Namibia	Normal	3.022E+02	2.152E+00	5.430E-01	2056	2065	2060	5	tasmax
Namibia	Normal	2.997E+02	1.514E+00	3.206E-01	2056	2065	2060	6	tasmax
Namibia	Normal	2.996E+02	1.434E+00	3.060E-01	2056	2065	2060	7	tasmax
Namibia	Normal	3.024E+02	1.519E+00	3.053E-01	2056	2065	2060	8	tasmax
Namibia	Normal	3.061E+02	1.637E+00	5.557E-01	2056	2065	2060	9	tasmax
Namibia	Normal	3.085E+02	1.732E+00	5.272E-01	2056	2065	2060	10	tasmax
Namibia	Normal	3.086E+02	1.898E+00	5.180E-01	2056	2065	2060	11	tasmax
Namibia	Normal	3.078E+02	2.226E+00	4.557E-01	2056	2065	2060	12	tasmax
Namibia	Normal	3.077E+02	2.601E+00	4.435E-01	2066	2075	2070	1	tasmax
Namibia	Normal	3.068E+02	2.972E+00	5.852E-01	2066	2075	2070	2	tasmax
Namibia	Normal	3.067E+02	3.029E+00	5.238E-01	2066	2075	2070	3	tasmax
Namibia	Normal	3.058E+02	2.752E+00	5.159E-01	2066	2075	2070	4	tasmax
Namibia	Normal	3.031E+02	2.143E+00	5.052E-01	2066	2075	2070	5	tasmax
Namibia	Normal	3.004E+02	1.481E+00	3.880E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Namibia	Normal	3.003E+02	1.428E+00	3.325E-01	2066	2075	2070	7	tasmax
Namibia	Normal	3.030E+02	1.650E+00	3.706E-01	2066	2075	2070	8	tasmax
Namibia	Normal	3.069E+02	1.640E+00	4.576E-01	2066	2075	2070	9	tasmax
Namibia	Normal	3.091E+02	1.758E+00	4.554E-01	2066	2075	2070	10	tasmax
Namibia	Normal	3.092E+02	1.808E+00	7.028E-01	2066	2075	2070	11	tasmax
Namibia	Normal	3.085E+02	2.256E+00	6.639E-01	2066	2075	2070	12	tasmax
Namibia	Normal	3.083E+02	2.764E+00	6.445E-01	2076	2085	2080	1	tasmax
Namibia	Normal	3.075E+02	3.153E+00	4.808E-01	2076	2085	2080	2	tasmax
Namibia	Normal	3.073E+02	3.292E+00	7.195E-01	2076	2085	2080	3	tasmax
Namibia	Normal	3.062E+02	2.968E+00	5.029E-01	2076	2085	2080	4	tasmax
Namibia	Normal	3.036E+02	2.163E+00	4.144E-01	2076	2085	2080	5	tasmax
Namibia	Normal	3.011E+02	1.621E+00	3.974E-01	2076	2085	2080	6	tasmax
Namibia	Normal	3.010E+02	1.442E+00	2.797E-01	2076	2085	2080	7	tasmax
Namibia	Normal	3.038E+02	1.708E+00	4.685E-01	2076	2085	2080	8	tasmax
Namibia	Normal	3.076E+02	1.802E+00	6.260E-01	2076	2085	2080	9	tasmax
Namibia	Normal	3.099E+02	1.833E+00	7.080E-01	2076	2085	2080	10	tasmax
Namibia	Normal	3.100E+02	1.933E+00	5.657E-01	2076	2085	2080	11	tasmax
Namibia	Normal	3.092E+02	2.172E+00	5.334E-01	2076	2085	2080	12	tasmax
Namibia	Normal	3.088E+02	3.041E+00	5.316E-01	2086	2099	2092	1	tasmax
Namibia	Normal	3.082E+02	3.351E+00	5.510E-01	2086	2099	2092	2	tasmax
Namibia	Normal	3.081E+02	3.421E+00	5.906E-01	2086	2099	2092	3	tasmax
Namibia	Normal	3.071E+02	3.058E+00	5.320E-01	2086	2099	2092	4	tasmax
Namibia	Normal	3.045E+02	2.314E+00	5.283E-01	2086	2099	2092	5	tasmax
Namibia	Normal	3.019E+02	1.643E+00	2.062E-01	2086	2099	2092	6	tasmax
Namibia	Normal	3.018E+02	1.474E+00	3.150E-01	2086	2099	2092	7	tasmax
Namibia	Normal	3.044E+02	1.632E+00	4.983E-01	2086	2099	2092	8	tasmax
Namibia	Normal	3.082E+02	1.851E+00	6.468E-01	2086	2099	2092	9	tasmax
Namibia	Normal	3.106E+02	1.824E+00	6.604E-01	2086	2099	2092	10	tasmax
Namibia	Normal	3.107E+02	1.933E+00	6.527E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Namibia	Normal	3.097E+02	2.293E+00	6.764E-01	2086	2099	2092	12	tasmax
Nepal	Normal	2.821E+02	2.807E+00	9.878E-01	2006	2015	2010	1	tasmax
Nepal	Normal	2.844E+02	2.966E+00	1.141E+00	2006	2015	2010	2	tasmax
Nepal	Normal	2.889E+02	2.942E+00	9.280E-01	2006	2015	2010	3	tasmax
Nepal	Normal	2.944E+02	2.923E+00	4.727E-01	2006	2015	2010	4	tasmax
Nepal	Normal	2.981E+02	3.164E+00	7.885E-01	2006	2015	2010	5	tasmax
Nepal	Normal	2.993E+02	3.448E+00	6.901E-01	2006	2015	2010	6	tasmax
Nepal	Normal	2.968E+02	3.853E+00	1.104E+00	2006	2015	2010	7	tasmax
Nepal	Normal	2.953E+02	3.582E+00	1.289E+00	2006	2015	2010	8	tasmax
Nepal	Normal	2.945E+02	3.111E+00	1.220E+00	2006	2015	2010	9	tasmax
Nepal	Normal	2.916E+02	2.848E+00	9.537E-01	2006	2015	2010	10	tasmax
Nepal	Normal	2.872E+02	2.563E+00	8.765E-01	2006	2015	2010	11	tasmax
Nepal	Normal	2.831E+02	2.733E+00	9.562E-01	2006	2015	2010	12	tasmax
Nepal	Normal	2.826E+02	2.818E+00	7.773E-01	2016	2025	2020	1	tasmax
Nepal	Normal	2.849E+02	2.844E+00	8.768E-01	2016	2025	2020	2	tasmax
Nepal	Normal	2.894E+02	3.021E+00	8.840E-01	2016	2025	2020	3	tasmax
Nepal	Normal	2.947E+02	2.885E+00	4.536E-01	2016	2025	2020	4	tasmax
Nepal	Normal	2.986E+02	3.017E+00	7.208E-01	2016	2025	2020	5	tasmax
Nepal	Normal	2.993E+02	3.651E+00	7.769E-01	2016	2025	2020	6	tasmax
Nepal	Normal	2.970E+02	3.886E+00	1.074E+00	2016	2025	2020	7	tasmax
Nepal	Normal	2.958E+02	3.638E+00	1.142E+00	2016	2025	2020	8	tasmax
Nepal	Normal	2.949E+02	3.251E+00	1.219E+00	2016	2025	2020	9	tasmax
Nepal	Normal	2.920E+02	2.770E+00	8.388E-01	2016	2025	2020	10	tasmax
Nepal	Normal	2.876E+02	2.637E+00	6.546E-01	2016	2025	2020	11	tasmax
Nepal	Normal	2.836E+02	2.627E+00	8.279E-01	2016	2025	2020	12	tasmax
Nepal	Normal	2.832E+02	2.719E+00	9.041E-01	2026	2035	2030	1	tasmax
Nepal	Normal	2.854E+02	2.648E+00	9.948E-01	2026	2035	2030	2	tasmax
Nepal	Normal	2.897E+02	2.955E+00	1.057E+00	2026	2035	2030	3	tasmax
Nepal	Normal	2.949E+02	2.812E+00	4.802E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nepal	Normal	2.989E+02	3.174E+00	5.897E-01	2026	2035	2030	5	tasmax
Nepal	Normal	2.998E+02	3.796E+00	7.943E-01	2026	2035	2030	6	tasmax
Nepal	Normal	2.976E+02	4.086E+00	1.064E+00	2026	2035	2030	7	tasmax
Nepal	Normal	2.960E+02	3.460E+00	1.155E+00	2026	2035	2030	8	tasmax
Nepal	Normal	2.952E+02	3.249E+00	1.253E+00	2026	2035	2030	9	tasmax
Nepal	Normal	2.924E+02	2.779E+00	9.700E-01	2026	2035	2030	10	tasmax
Nepal	Normal	2.881E+02	2.555E+00	7.377E-01	2026	2035	2030	11	tasmax
Nepal	Normal	2.842E+02	2.652E+00	8.139E-01	2026	2035	2030	12	tasmax
Nepal	Normal	2.838E+02	2.859E+00	7.842E-01	2036	2045	2040	1	tasmax
Nepal	Normal	2.861E+02	2.959E+00	1.116E+00	2036	2045	2040	2	tasmax
Nepal	Normal	2.903E+02	2.992E+00	9.701E-01	2036	2045	2040	3	tasmax
Nepal	Normal	2.958E+02	3.033E+00	6.287E-01	2036	2045	2040	4	tasmax
Nepal	Normal	2.996E+02	2.862E+00	7.458E-01	2036	2045	2040	5	tasmax
Nepal	Normal	3.005E+02	3.282E+00	7.257E-01	2036	2045	2040	6	tasmax
Nepal	Normal	2.977E+02	4.089E+00	1.081E+00	2036	2045	2040	7	tasmax
Nepal	Normal	2.964E+02	3.534E+00	1.188E+00	2036	2045	2040	8	tasmax
Nepal	Normal	2.955E+02	3.175E+00	1.333E+00	2036	2045	2040	9	tasmax
Nepal	Normal	2.930E+02	2.734E+00	8.912E-01	2036	2045	2040	10	tasmax
Nepal	Normal	2.886E+02	2.586E+00	6.699E-01	2036	2045	2040	11	tasmax
Nepal	Normal	2.847E+02	2.773E+00	7.697E-01	2036	2045	2040	12	tasmax
Nepal	Normal	2.843E+02	2.886E+00	9.435E-01	2046	2055	2050	1	tasmax
Nepal	Normal	2.866E+02	2.956E+00	1.096E+00	2046	2055	2050	2	tasmax
Nepal	Normal	2.910E+02	3.007E+00	9.651E-01	2046	2055	2050	3	tasmax
Nepal	Normal	2.965E+02	2.773E+00	5.086E-01	2046	2055	2050	4	tasmax
Nepal	Normal	3.003E+02	2.795E+00	8.650E-01	2046	2055	2050	5	tasmax
Nepal	Normal	3.012E+02	3.469E+00	7.235E-01	2046	2055	2050	6	tasmax
Nepal	Normal	2.983E+02	3.991E+00	9.863E-01	2046	2055	2050	7	tasmax
Nepal	Normal	2.970E+02	3.516E+00	1.300E+00	2046	2055	2050	8	tasmax
Nepal	Normal	2.961E+02	3.079E+00	1.286E+00	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nepal	Normal	2.935E+02	2.745E+00	9.497E-01	2046	2055	2050	10	tasmax
Nepal	Normal	2.893E+02	2.509E+00	7.496E-01	2046	2055	2050	11	tasmax
Nepal	Normal	2.853E+02	2.615E+00	6.633E-01	2046	2055	2050	12	tasmax
Nepal	Normal	2.854E+02	2.669E+00	9.281E-01	2056	2065	2060	1	tasmax
Nepal	Normal	2.873E+02	2.801E+00	1.064E+00	2056	2065	2060	2	tasmax
Nepal	Normal	2.918E+02	2.956E+00	8.824E-01	2056	2065	2060	3	tasmax
Nepal	Normal	2.970E+02	2.811E+00	5.021E-01	2056	2065	2060	4	tasmax
Nepal	Normal	3.008E+02	3.072E+00	8.729E-01	2056	2065	2060	5	tasmax
Nepal	Normal	3.016E+02	3.583E+00	6.952E-01	2056	2065	2060	6	tasmax
Nepal	Normal	2.987E+02	3.952E+00	1.005E+00	2056	2065	2060	7	tasmax
Nepal	Normal	2.973E+02	3.512E+00	1.370E+00	2056	2065	2060	8	tasmax
Nepal	Normal	2.966E+02	3.036E+00	1.251E+00	2056	2065	2060	9	tasmax
Nepal	Normal	2.940E+02	2.758E+00	9.684E-01	2056	2065	2060	10	tasmax
Nepal	Normal	2.899E+02	2.567E+00	6.740E-01	2056	2065	2060	11	tasmax
Nepal	Normal	2.861E+02	2.571E+00	6.312E-01	2056	2065	2060	12	tasmax
Nepal	Normal	2.858E+02	2.778E+00	7.788E-01	2066	2075	2070	1	tasmax
Nepal	Normal	2.880E+02	2.873E+00	1.030E+00	2066	2075	2070	2	tasmax
Nepal	Normal	2.925E+02	3.014E+00	8.703E-01	2066	2075	2070	3	tasmax
Nepal	Normal	2.976E+02	2.978E+00	5.359E-01	2066	2075	2070	4	tasmax
Nepal	Normal	3.014E+02	3.032E+00	9.018E-01	2066	2075	2070	5	tasmax
Nepal	Normal	3.021E+02	3.463E+00	6.364E-01	2066	2075	2070	6	tasmax
Nepal	Normal	2.994E+02	4.093E+00	1.186E+00	2066	2075	2070	7	tasmax
Nepal	Normal	2.980E+02	3.590E+00	1.386E+00	2066	2075	2070	8	tasmax
Nepal	Normal	2.973E+02	3.191E+00	1.355E+00	2066	2075	2070	9	tasmax
Nepal	Normal	2.948E+02	2.635E+00	9.577E-01	2066	2075	2070	10	tasmax
Nepal	Normal	2.905E+02	2.583E+00	7.215E-01	2066	2075	2070	11	tasmax
Nepal	Normal	2.868E+02	2.765E+00	6.606E-01	2066	2075	2070	12	tasmax
Nepal	Normal	2.866E+02	2.807E+00	6.462E-01	2076	2085	2080	1	tasmax
Nepal	Normal	2.887E+02	2.966E+00	7.740E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nepal	Normal	2.933E+02	3.006E+00	7.465E-01	2076	2085	2080	3	tasmax
Nepal	Normal	2.984E+02	2.699E+00	5.668E-01	2076	2085	2080	4	tasmax
Nepal	Normal	3.022E+02	2.762E+00	7.976E-01	2076	2085	2080	5	tasmax
Nepal	Normal	3.029E+02	3.619E+00	7.383E-01	2076	2085	2080	6	tasmax
Nepal	Normal	2.998E+02	4.235E+00	1.088E+00	2076	2085	2080	7	tasmax
Nepal	Normal	2.985E+02	3.555E+00	1.406E+00	2076	2085	2080	8	tasmax
Nepal	Normal	2.980E+02	3.349E+00	1.456E+00	2076	2085	2080	9	tasmax
Nepal	Normal	2.954E+02	2.875E+00	8.908E-01	2076	2085	2080	10	tasmax
Nepal	Normal	2.911E+02	2.748E+00	6.546E-01	2076	2085	2080	11	tasmax
Nepal	Normal	2.874E+02	2.814E+00	6.645E-01	2076	2085	2080	12	tasmax
Nepal	Normal	2.873E+02	2.758E+00	6.936E-01	2086	2099	2092	1	tasmax
Nepal	Normal	2.896E+02	2.933E+00	8.424E-01	2086	2099	2092	2	tasmax
Nepal	Normal	2.942E+02	2.869E+00	8.443E-01	2086	2099	2092	3	tasmax
Nepal	Normal	2.993E+02	2.871E+00	4.435E-01	2086	2099	2092	4	tasmax
Nepal	Normal	3.028E+02	3.022E+00	7.793E-01	2086	2099	2092	5	tasmax
Nepal	Normal	3.036E+02	3.369E+00	6.603E-01	2086	2099	2092	6	tasmax
Nepal	Normal	3.002E+02	3.959E+00	1.241E+00	2086	2099	2092	7	tasmax
Nepal	Normal	2.990E+02	3.477E+00	1.306E+00	2086	2099	2092	8	tasmax
Nepal	Normal	2.985E+02	3.269E+00	1.273E+00	2086	2099	2092	9	tasmax
Nepal	Normal	2.960E+02	2.646E+00	8.436E-01	2086	2099	2092	10	tasmax
Nepal	Normal	2.919E+02	2.445E+00	6.460E-01	2086	2099	2092	11	tasmax
Nepal	Normal	2.882E+02	2.681E+00	6.353E-01	2086	2099	2092	12	tasmax
Netherlands	Normal	2.794E+02	1.706E+00	3.068E-01	2006	2015	2010	1	tasmax
Netherlands	Normal	2.798E+02	1.929E+00	4.176E-01	2006	2015	2010	2	tasmax
Netherlands	Normal	2.819E+02	2.474E+00	5.944E-01	2006	2015	2010	3	tasmax
Netherlands	Normal	2.855E+02	3.039E+00	8.762E-01	2006	2015	2010	4	tasmax
Netherlands	Normal	2.895E+02	2.874E+00	8.620E-01	2006	2015	2010	5	tasmax
Netherlands	Normal	2.936E+02	3.344E+00	1.245E+00	2006	2015	2010	6	tasmax
Netherlands	Normal	2.956E+02	3.324E+00	1.220E+00	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Netherlands	Normal	2.951E+02	3.127E+00	1.160E+00	2006	2015	2010	8	tasmax
Netherlands	Normal	2.920E+02	2.811E+00	1.111E+00	2006	2015	2010	9	tasmax
Netherlands	Normal	2.873E+02	2.269E+00	6.768E-01	2006	2015	2010	10	tasmax
Netherlands	Normal	2.828E+02	1.639E+00	4.644E-01	2006	2015	2010	11	tasmax
Netherlands	Normal	2.804E+02	1.578E+00	3.913E-01	2006	2015	2010	12	tasmax
Netherlands	Normal	2.795E+02	1.737E+00	3.625E-01	2016	2025	2020	1	tasmax
Netherlands	Normal	2.803E+02	1.837E+00	2.653E-01	2016	2025	2020	2	tasmax
Netherlands	Normal	2.824E+02	2.603E+00	5.553E-01	2016	2025	2020	3	tasmax
Netherlands	Normal	2.857E+02	2.796E+00	6.794E-01	2016	2025	2020	4	tasmax
Netherlands	Normal	2.902E+02	3.006E+00	1.037E+00	2016	2025	2020	5	tasmax
Netherlands	Normal	2.944E+02	3.202E+00	1.043E+00	2016	2025	2020	6	tasmax
Netherlands	Normal	2.964E+02	3.327E+00	1.037E+00	2016	2025	2020	7	tasmax
Netherlands	Normal	2.956E+02	2.892E+00	9.006E-01	2016	2025	2020	8	tasmax
Netherlands	Normal	2.926E+02	2.558E+00	7.756E-01	2016	2025	2020	9	tasmax
Netherlands	Normal	2.878E+02	2.332E+00	7.372E-01	2016	2025	2020	10	tasmax
Netherlands	Normal	2.834E+02	1.616E+00	3.432E-01	2016	2025	2020	11	tasmax
Netherlands	Normal	2.806E+02	1.465E+00	3.638E-01	2016	2025	2020	12	tasmax
Netherlands	Normal	2.799E+02	1.597E+00	3.094E-01	2026	2035	2030	1	tasmax
Netherlands	Normal	2.803E+02	1.433E+00	3.765E-01	2026	2035	2030	2	tasmax
Netherlands	Normal	2.827E+02	2.385E+00	4.790E-01	2026	2035	2030	3	tasmax
Netherlands	Normal	2.860E+02	2.806E+00	7.538E-01	2026	2035	2030	4	tasmax
Netherlands	Normal	2.903E+02	3.077E+00	9.421E-01	2026	2035	2030	5	tasmax
Netherlands	Normal	2.943E+02	3.610E+00	1.305E+00	2026	2035	2030	6	tasmax
Netherlands	Normal	2.965E+02	3.760E+00	1.235E+00	2026	2035	2030	7	tasmax
Netherlands	Normal	2.960E+02	3.078E+00	1.126E+00	2026	2035	2030	8	tasmax
Netherlands	Normal	2.928E+02	2.848E+00	9.350E-01	2026	2035	2030	9	tasmax
Netherlands	Normal	2.883E+02	2.599E+00	1.083E+00	2026	2035	2030	10	tasmax
Netherlands	Normal	2.835E+02	1.626E+00	4.013E-01	2026	2035	2030	11	tasmax
Netherlands	Normal	2.811E+02	1.590E+00	4.123E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Netherlands	Normal	2.805E+02	1.610E+00	3.046E-01	2036	2045	2040	1	tasmax
Netherlands	Normal	2.810E+02	1.774E+00	3.872E-01	2036	2045	2040	2	tasmax
Netherlands	Normal	2.831E+02	2.470E+00	5.587E-01	2036	2045	2040	3	tasmax
Netherlands	Normal	2.865E+02	2.736E+00	6.293E-01	2036	2045	2040	4	tasmax
Netherlands	Normal	2.906E+02	3.010E+00	8.739E-01	2036	2045	2040	5	tasmax
Netherlands	Normal	2.950E+02	3.654E+00	1.264E+00	2036	2045	2040	6	tasmax
Netherlands	Normal	2.971E+02	3.500E+00	9.616E-01	2036	2045	2040	7	tasmax
Netherlands	Normal	2.966E+02	3.077E+00	1.033E+00	2036	2045	2040	8	tasmax
Netherlands	Normal	2.933E+02	2.618E+00	8.765E-01	2036	2045	2040	9	tasmax
Netherlands	Normal	2.885E+02	2.038E+00	6.501E-01	2036	2045	2040	10	tasmax
Netherlands	Normal	2.841E+02	1.728E+00	6.434E-01	2036	2045	2040	11	tasmax
Netherlands	Normal	2.816E+02	1.577E+00	3.293E-01	2036	2045	2040	12	tasmax
Netherlands	Normal	2.808E+02	1.610E+00	2.638E-01	2046	2055	2050	1	tasmax
Netherlands	Normal	2.812E+02	1.632E+00	2.693E-01	2046	2055	2050	2	tasmax
Netherlands	Normal	2.832E+02	2.343E+00	4.878E-01	2046	2055	2050	3	tasmax
Netherlands	Normal	2.867E+02	2.867E+00	6.896E-01	2046	2055	2050	4	tasmax
Netherlands	Normal	2.911E+02	3.299E+00	1.185E+00	2046	2055	2050	5	tasmax
Netherlands	Normal	2.955E+02	3.639E+00	1.111E+00	2046	2055	2050	6	tasmax
Netherlands	Normal	2.977E+02	3.446E+00	9.372E-01	2046	2055	2050	7	tasmax
Netherlands	Normal	2.970E+02	3.038E+00	1.020E+00	2046	2055	2050	8	tasmax
Netherlands	Normal	2.939E+02	2.745E+00	9.895E-01	2046	2055	2050	9	tasmax
Netherlands	Normal	2.891E+02	2.416E+00	9.072E-01	2046	2055	2050	10	tasmax
Netherlands	Normal	2.845E+02	1.722E+00	3.612E-01	2046	2055	2050	11	tasmax
Netherlands	Normal	2.818E+02	1.530E+00	2.839E-01	2046	2055	2050	12	tasmax
Netherlands	Normal	2.812E+02	1.679E+00	2.076E-01	2056	2065	2060	1	tasmax
Netherlands	Normal	2.816E+02	1.844E+00	4.589E-01	2056	2065	2060	2	tasmax
Netherlands	Normal	2.837E+02	2.285E+00	3.699E-01	2056	2065	2060	3	tasmax
Netherlands	Normal	2.872E+02	2.854E+00	7.165E-01	2056	2065	2060	4	tasmax
Netherlands	Normal	2.913E+02	3.358E+00	8.473E-01	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Netherlands	Normal	2.960E+02	3.699E+00	1.258E+00	2056	2065	2060	6	tasmax
Netherlands	Normal	2.983E+02	3.676E+00	1.197E+00	2056	2065	2060	7	tasmax
Netherlands	Normal	2.979E+02	3.128E+00	8.022E-01	2056	2065	2060	8	tasmax
Netherlands	Normal	2.945E+02	3.004E+00	9.951E-01	2056	2065	2060	9	tasmax
Netherlands	Normal	2.897E+02	2.618E+00	8.417E-01	2056	2065	2060	10	tasmax
Netherlands	Normal	2.850E+02	1.653E+00	4.003E-01	2056	2065	2060	11	tasmax
Netherlands	Normal	2.824E+02	1.527E+00	3.448E-01	2056	2065	2060	12	tasmax
Netherlands	Normal	2.817E+02	1.365E+00	3.408E-01	2066	2075	2070	1	tasmax
Netherlands	Normal	2.820E+02	1.792E+00	3.979E-01	2066	2075	2070	2	tasmax
Netherlands	Normal	2.841E+02	2.300E+00	4.974E-01	2066	2075	2070	3	tasmax
Netherlands	Normal	2.877E+02	2.910E+00	7.350E-01	2066	2075	2070	4	tasmax
Netherlands	Normal	2.920E+02	3.048E+00	9.143E-01	2066	2075	2070	5	tasmax
Netherlands	Normal	2.964E+02	3.644E+00	1.103E+00	2066	2075	2070	6	tasmax
Netherlands	Normal	2.988E+02	3.928E+00	1.179E+00	2066	2075	2070	7	tasmax
Netherlands	Normal	2.985E+02	3.311E+00	8.812E-01	2066	2075	2070	8	tasmax
Netherlands	Normal	2.953E+02	3.187E+00	9.467E-01	2066	2075	2070	9	tasmax
Netherlands	Normal	2.902E+02	2.738E+00	8.741E-01	2066	2075	2070	10	tasmax
Netherlands	Normal	2.854E+02	1.723E+00	4.103E-01	2066	2075	2070	11	tasmax
Netherlands	Normal	2.828E+02	1.616E+00	4.552E-01	2066	2075	2070	12	tasmax
Netherlands	Normal	2.822E+02	1.461E+00	2.549E-01	2076	2085	2080	1	tasmax
Netherlands	Normal	2.826E+02	1.720E+00	2.847E-01	2076	2085	2080	2	tasmax
Netherlands	Normal	2.845E+02	2.454E+00	4.708E-01	2076	2085	2080	3	tasmax
Netherlands	Normal	2.879E+02	3.345E+00	1.067E+00	2076	2085	2080	4	tasmax
Netherlands	Normal	2.927E+02	3.380E+00	1.141E+00	2076	2085	2080	5	tasmax
Netherlands	Normal	2.971E+02	3.877E+00	1.175E+00	2076	2085	2080	6	tasmax
Netherlands	Normal	2.995E+02	3.978E+00	1.139E+00	2076	2085	2080	7	tasmax
Netherlands	Normal	2.992E+02	3.484E+00	9.030E-01	2076	2085	2080	8	tasmax
Netherlands	Normal	2.958E+02	2.812E+00	7.362E-01	2076	2085	2080	9	tasmax
Netherlands	Normal	2.907E+02	2.359E+00	5.393E-01	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Netherlands	Normal	2.859E+02	1.434E+00	3.026E-01	2076	2085	2080	11	tasmax
Netherlands	Normal	2.834E+02	1.362E+00	3.147E-01	2076	2085	2080	12	tasmax
Netherlands	Normal	2.827E+02	1.268E+00	1.990E-01	2086	2099	2092	1	tasmax
Netherlands	Normal	2.829E+02	1.508E+00	2.271E-01	2086	2099	2092	2	tasmax
Netherlands	Normal	2.848E+02	2.166E+00	4.062E-01	2086	2099	2092	3	tasmax
Netherlands	Normal	2.884E+02	2.864E+00	8.273E-01	2086	2099	2092	4	tasmax
Netherlands	Normal	2.927E+02	3.364E+00	1.269E+00	2086	2099	2092	5	tasmax
Netherlands	Normal	2.976E+02	3.969E+00	1.285E+00	2086	2099	2092	6	tasmax
Netherlands	Normal	3.002E+02	3.976E+00	1.131E+00	2086	2099	2092	7	tasmax
Netherlands	Normal	2.998E+02	3.339E+00	7.570E-01	2086	2099	2092	8	tasmax
Netherlands	Normal	2.967E+02	2.941E+00	6.487E-01	2086	2099	2092	9	tasmax
Netherlands	Normal	2.914E+02	2.634E+00	8.120E-01	2086	2099	2092	10	tasmax
Netherlands	Normal	2.865E+02	1.616E+00	3.234E-01	2086	2099	2092	11	tasmax
Netherlands	Normal	2.838E+02	1.526E+00	3.858E-01	2086	2099	2092	12	tasmax
New Zealand	Normal	2.931E+02	1.142E+00	2.739E-01	2006	2015	2010	1	tasmax
New Zealand	Normal	2.932E+02	1.099E+00	2.660E-01	2006	2015	2010	2	tasmax
New Zealand	Normal	2.917E+02	9.683E-01	2.566E-01	2006	2015	2010	3	tasmax
New Zealand	Normal	2.893E+02	7.101E-01	1.777E-01	2006	2015	2010	4	tasmax
New Zealand	Normal	2.867E+02	6.883E-01	1.434E-01	2006	2015	2010	5	tasmax
New Zealand	Normal	2.848E+02	7.855E-01	1.560E-01	2006	2015	2010	6	tasmax
New Zealand	Normal	2.839E+02	7.535E-01	1.366E-01	2006	2015	2010	7	tasmax
New Zealand	Normal	2.842E+02	6.624E-01	9.023E-02	2006	2015	2010	8	tasmax
New Zealand	Normal	2.856E+02	6.648E-01	1.897E-01	2006	2015	2010	9	tasmax
New Zealand	Normal	2.871E+02	7.131E-01	3.121E-01	2006	2015	2010	10	tasmax
New Zealand	Normal	2.892E+02	9.952E-01	2.674E-01	2006	2015	2010	11	tasmax
New Zealand	Normal	2.915E+02	1.048E+00	2.890E-01	2006	2015	2010	12	tasmax
New Zealand	Normal	2.932E+02	1.420E+00	4.529E-01	2016	2025	2020	1	tasmax
New Zealand	Normal	2.933E+02	1.337E+00	3.378E-01	2016	2025	2020	2	tasmax
New Zealand	Normal	2.920E+02	1.127E+00	2.727E-01	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
New Zealand	Normal	2.893E+02	8.939E-01	1.842E-01	2016	2025	2020	4	tasmax
New Zealand	Normal	2.869E+02	7.290E-01	1.205E-01	2016	2025	2020	5	tasmax
New Zealand	Normal	2.850E+02	7.832E-01	1.370E-01	2016	2025	2020	6	tasmax
New Zealand	Normal	2.840E+02	7.950E-01	2.190E-01	2016	2025	2020	7	tasmax
New Zealand	Normal	2.844E+02	7.085E-01	1.101E-01	2016	2025	2020	8	tasmax
New Zealand	Normal	2.857E+02	7.185E-01	1.881E-01	2016	2025	2020	9	tasmax
New Zealand	Normal	2.874E+02	8.551E-01	2.549E-01	2016	2025	2020	10	tasmax
New Zealand	Normal	2.895E+02	1.069E+00	2.281E-01	2016	2025	2020	11	tasmax
New Zealand	Normal	2.917E+02	1.332E+00	3.764E-01	2016	2025	2020	12	tasmax
New Zealand	Normal	2.935E+02	1.450E+00	3.371E-01	2026	2035	2030	1	tasmax
New Zealand	Normal	2.937E+02	1.387E+00	4.733E-01	2026	2035	2030	2	tasmax
New Zealand	Normal	2.923E+02	1.267E+00	3.965E-01	2026	2035	2030	3	tasmax
New Zealand	Normal	2.897E+02	8.983E-01	2.068E-01	2026	2035	2030	4	tasmax
New Zealand	Normal	2.872E+02	8.252E-01	1.340E-01	2026	2035	2030	5	tasmax
New Zealand	Normal	2.852E+02	8.676E-01	1.145E-01	2026	2035	2030	6	tasmax
New Zealand	Normal	2.844E+02	7.302E-01	1.777E-01	2026	2035	2030	7	tasmax
New Zealand	Normal	2.847E+02	6.902E-01	1.244E-01	2026	2035	2030	8	tasmax
New Zealand	Normal	2.859E+02	7.091E-01	2.175E-01	2026	2035	2030	9	tasmax
New Zealand	Normal	2.876E+02	8.473E-01	2.739E-01	2026	2035	2030	10	tasmax
New Zealand	Normal	2.897E+02	1.066E+00	2.649E-01	2026	2035	2030	11	tasmax
New Zealand	Normal	2.919E+02	1.287E+00	2.888E-01	2026	2035	2030	12	tasmax
New Zealand	Normal	2.939E+02	1.368E+00	4.592E-01	2036	2045	2040	1	tasmax
New Zealand	Normal	2.941E+02	1.427E+00	5.171E-01	2036	2045	2040	2	tasmax
New Zealand	Normal	2.927E+02	1.143E+00	2.943E-01	2036	2045	2040	3	tasmax
New Zealand	Normal	2.901E+02	9.497E-01	3.024E-01	2036	2045	2040	4	tasmax
New Zealand	Normal	2.875E+02	7.726E-01	1.751E-01	2036	2045	2040	5	tasmax
New Zealand	Normal	2.856E+02	7.637E-01	1.428E-01	2036	2045	2040	6	tasmax
New Zealand	Normal	2.847E+02	7.637E-01	1.594E-01	2036	2045	2040	7	tasmax
New Zealand	Normal	2.850E+02	6.823E-01	1.740E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
New Zealand	Normal	2.863E+02	7.029E-01	2.324E-01	2036	2045	2040	9	tasmax
New Zealand	Normal	2.879E+02	8.115E-01	2.720E-01	2036	2045	2040	10	tasmax
New Zealand	Normal	2.900E+02	1.143E+00	3.399E-01	2036	2045	2040	11	tasmax
New Zealand	Normal	2.923E+02	1.319E+00	3.459E-01	2036	2045	2040	12	tasmax
New Zealand	Normal	2.942E+02	1.386E+00	2.901E-01	2046	2055	2050	1	tasmax
New Zealand	Normal	2.944E+02	1.298E+00	2.884E-01	2046	2055	2050	2	tasmax
New Zealand	Normal	2.929E+02	1.183E+00	2.804E-01	2046	2055	2050	3	tasmax
New Zealand	Normal	2.904E+02	9.512E-01	2.563E-01	2046	2055	2050	4	tasmax
New Zealand	Normal	2.878E+02	7.755E-01	1.817E-01	2046	2055	2050	5	tasmax
New Zealand	Normal	2.859E+02	8.271E-01	1.398E-01	2046	2055	2050	6	tasmax
New Zealand	Normal	2.850E+02	7.534E-01	1.574E-01	2046	2055	2050	7	tasmax
New Zealand	Normal	2.854E+02	6.826E-01	1.455E-01	2046	2055	2050	8	tasmax
New Zealand	Normal	2.866E+02	7.465E-01	2.216E-01	2046	2055	2050	9	tasmax
New Zealand	Normal	2.883E+02	9.565E-01	2.329E-01	2046	2055	2050	10	tasmax
New Zealand	Normal	2.903E+02	1.158E+00	2.010E-01	2046	2055	2050	11	tasmax
New Zealand	Normal	2.927E+02	1.315E+00	3.104E-01	2046	2055	2050	12	tasmax
New Zealand	Normal	2.947E+02	1.618E+00	4.205E-01	2056	2065	2060	1	tasmax
New Zealand	Normal	2.949E+02	1.544E+00	4.377E-01	2056	2065	2060	2	tasmax
New Zealand	Normal	2.935E+02	1.340E+00	3.539E-01	2056	2065	2060	3	tasmax
New Zealand	Normal	2.908E+02	1.010E+00	2.586E-01	2056	2065	2060	4	tasmax
New Zealand	Normal	2.883E+02	8.012E-01	1.744E-01	2056	2065	2060	5	tasmax
New Zealand	Normal	2.863E+02	7.871E-01	1.113E-01	2056	2065	2060	6	tasmax
New Zealand	Normal	2.853E+02	7.695E-01	1.483E-01	2056	2065	2060	7	tasmax
New Zealand	Normal	2.857E+02	7.105E-01	1.972E-01	2056	2065	2060	8	tasmax
New Zealand	Normal	2.869E+02	7.339E-01	2.400E-01	2056	2065	2060	9	tasmax
New Zealand	Normal	2.885E+02	9.004E-01	3.166E-01	2056	2065	2060	10	tasmax
New Zealand	Normal	2.906E+02	1.179E+00	2.292E-01	2056	2065	2060	11	tasmax
New Zealand	Normal	2.931E+02	1.364E+00	3.314E-01	2056	2065	2060	12	tasmax
New Zealand	Normal	2.953E+02	1.614E+00	4.297E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
New Zealand	Normal	2.955E+02	1.566E+00	4.842E-01	2066	2075	2070	2	tasmax
New Zealand	Normal	2.940E+02	1.469E+00	4.171E-01	2066	2075	2070	3	tasmax
New Zealand	Normal	2.914E+02	1.094E+00	2.334E-01	2066	2075	2070	4	tasmax
New Zealand	Normal	2.887E+02	7.657E-01	1.109E-01	2066	2075	2070	5	tasmax
New Zealand	Normal	2.868E+02	7.973E-01	1.349E-01	2066	2075	2070	6	tasmax
New Zealand	Normal	2.858E+02	7.993E-01	1.249E-01	2066	2075	2070	7	tasmax
New Zealand	Normal	2.861E+02	6.929E-01	1.568E-01	2066	2075	2070	8	tasmax
New Zealand	Normal	2.874E+02	7.914E-01	2.527E-01	2066	2075	2070	9	tasmax
New Zealand	Normal	2.891E+02	1.052E+00	2.690E-01	2066	2075	2070	10	tasmax
New Zealand	Normal	2.911E+02	1.140E+00	2.219E-01	2066	2075	2070	11	tasmax
New Zealand	Normal	2.935E+02	1.532E+00	4.522E-01	2066	2075	2070	12	tasmax
New Zealand	Normal	2.958E+02	1.777E+00	4.535E-01	2076	2085	2080	1	tasmax
New Zealand	Normal	2.961E+02	1.767E+00	4.700E-01	2076	2085	2080	2	tasmax
New Zealand	Normal	2.945E+02	1.544E+00	3.948E-01	2076	2085	2080	3	tasmax
New Zealand	Normal	2.918E+02	1.161E+00	2.342E-01	2076	2085	2080	4	tasmax
New Zealand	Normal	2.891E+02	8.806E-01	1.626E-01	2076	2085	2080	5	tasmax
New Zealand	Normal	2.872E+02	8.761E-01	1.152E-01	2076	2085	2080	6	tasmax
New Zealand	Normal	2.863E+02	8.996E-01	1.752E-01	2076	2085	2080	7	tasmax
New Zealand	Normal	2.866E+02	8.095E-01	2.385E-01	2076	2085	2080	8	tasmax
New Zealand	Normal	2.878E+02	8.141E-01	2.497E-01	2076	2085	2080	9	tasmax
New Zealand	Normal	2.895E+02	9.943E-01	2.079E-01	2076	2085	2080	10	tasmax
New Zealand	Normal	2.916E+02	1.248E+00	1.987E-01	2076	2085	2080	11	tasmax
New Zealand	Normal	2.941E+02	1.711E+00	4.401E-01	2076	2085	2080	12	tasmax
New Zealand	Normal	2.962E+02	2.046E+00	6.006E-01	2086	2099	2092	1	tasmax
New Zealand	Normal	2.965E+02	1.888E+00	5.729E-01	2086	2099	2092	2	tasmax
New Zealand	Normal	2.949E+02	1.671E+00	5.513E-01	2086	2099	2092	3	tasmax
New Zealand	Normal	2.923E+02	1.169E+00	2.763E-01	2086	2099	2092	4	tasmax
New Zealand	Normal	2.896E+02	8.353E-01	1.741E-01	2086	2099	2092	5	tasmax
New Zealand	Normal	2.876E+02	8.147E-01	1.689E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
New Zealand	Normal	2.867E+02	7.992E-01	1.720E-01	2086	2099	2092	7	tasmax
New Zealand	Normal	2.870E+02	6.892E-01	2.261E-01	2086	2099	2092	8	tasmax
New Zealand	Normal	2.882E+02	7.833E-01	2.751E-01	2086	2099	2092	9	tasmax
New Zealand	Normal	2.898E+02	1.028E+00	1.804E-01	2086	2099	2092	10	tasmax
New Zealand	Normal	2.920E+02	1.376E+00	2.615E-01	2086	2099	2092	11	tasmax
New Zealand	Normal	2.945E+02	1.812E+00	5.447E-01	2086	2099	2092	12	tasmax
Nicaragua	Normal	3.022E+02	1.551E+00	2.699E-01	2006	2015	2010	1	tasmax
Nicaragua	Normal	3.032E+02	1.856E+00	3.714E-01	2006	2015	2010	2	tasmax
Nicaragua	Normal	3.045E+02	2.269E+00	4.933E-01	2006	2015	2010	3	tasmax
Nicaragua	Normal	3.056E+02	2.555E+00	5.615E-01	2006	2015	2010	4	tasmax
Nicaragua	Normal	3.053E+02	2.179E+00	3.522E-01	2006	2015	2010	5	tasmax
Nicaragua	Normal	3.035E+02	1.486E+00	2.390E-01	2006	2015	2010	6	tasmax
Nicaragua	Normal	3.031E+02	1.730E+00	2.996E-01	2006	2015	2010	7	tasmax
Nicaragua	Normal	3.036E+02	1.949E+00	4.462E-01	2006	2015	2010	8	tasmax
Nicaragua	Normal	3.037E+02	2.035E+00	4.723E-01	2006	2015	2010	9	tasmax
Nicaragua	Normal	3.034E+02	1.851E+00	3.314E-01	2006	2015	2010	10	tasmax
Nicaragua	Normal	3.029E+02	1.718E+00	2.801E-01	2006	2015	2010	11	tasmax
Nicaragua	Normal	3.023E+02	1.479E+00	2.232E-01	2006	2015	2010	12	tasmax
Nicaragua	Normal	3.025E+02	1.559E+00	2.964E-01	2016	2025	2020	1	tasmax
Nicaragua	Normal	3.035E+02	2.031E+00	3.928E-01	2016	2025	2020	2	tasmax
Nicaragua	Normal	3.048E+02	2.425E+00	5.454E-01	2016	2025	2020	3	tasmax
Nicaragua	Normal	3.058E+02	2.660E+00	6.943E-01	2016	2025	2020	4	tasmax
Nicaragua	Normal	3.054E+02	2.119E+00	3.996E-01	2016	2025	2020	5	tasmax
Nicaragua	Normal	3.038E+02	1.477E+00	2.690E-01	2016	2025	2020	6	tasmax
Nicaragua	Normal	3.034E+02	1.729E+00	3.016E-01	2016	2025	2020	7	tasmax
Nicaragua	Normal	3.039E+02	2.034E+00	3.591E-01	2016	2025	2020	8	tasmax
Nicaragua	Normal	3.040E+02	1.997E+00	3.984E-01	2016	2025	2020	9	tasmax
Nicaragua	Normal	3.036E+02	1.930E+00	4.602E-01	2016	2025	2020	10	tasmax
Nicaragua	Normal	3.032E+02	1.838E+00	3.150E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nicaragua	Normal	3.026E+02	1.593E+00	3.110E-01	2016	2025	2020	12	tasmax
Nicaragua	Normal	3.029E+02	1.684E+00	3.452E-01	2026	2035	2030	1	tasmax
Nicaragua	Normal	3.039E+02	2.036E+00	4.191E-01	2026	2035	2030	2	tasmax
Nicaragua	Normal	3.052E+02	2.397E+00	5.195E-01	2026	2035	2030	3	tasmax
Nicaragua	Normal	3.062E+02	2.711E+00	7.025E-01	2026	2035	2030	4	tasmax
Nicaragua	Normal	3.059E+02	2.349E+00	4.401E-01	2026	2035	2030	5	tasmax
Nicaragua	Normal	3.041E+02	1.457E+00	2.859E-01	2026	2035	2030	6	tasmax
Nicaragua	Normal	3.038E+02	1.844E+00	3.454E-01	2026	2035	2030	7	tasmax
Nicaragua	Normal	3.042E+02	2.072E+00	5.149E-01	2026	2035	2030	8	tasmax
Nicaragua	Normal	3.043E+02	2.133E+00	5.426E-01	2026	2035	2030	9	tasmax
Nicaragua	Normal	3.039E+02	1.882E+00	4.151E-01	2026	2035	2030	10	tasmax
Nicaragua	Normal	3.034E+02	1.731E+00	2.961E-01	2026	2035	2030	11	tasmax
Nicaragua	Normal	3.028E+02	1.563E+00	2.865E-01	2026	2035	2030	12	tasmax
Nicaragua	Normal	3.032E+02	1.558E+00	2.942E-01	2036	2045	2040	1	tasmax
Nicaragua	Normal	3.042E+02	1.976E+00	4.263E-01	2036	2045	2040	2	tasmax
Nicaragua	Normal	3.056E+02	2.426E+00	5.666E-01	2036	2045	2040	3	tasmax
Nicaragua	Normal	3.066E+02	2.766E+00	6.898E-01	2036	2045	2040	4	tasmax
Nicaragua	Normal	3.063E+02	2.338E+00	3.386E-01	2036	2045	2040	5	tasmax
Nicaragua	Normal	3.046E+02	1.683E+00	2.205E-01	2036	2045	2040	6	tasmax
Nicaragua	Normal	3.041E+02	1.924E+00	4.471E-01	2036	2045	2040	7	tasmax
Nicaragua	Normal	3.047E+02	2.274E+00	5.961E-01	2036	2045	2040	8	tasmax
Nicaragua	Normal	3.047E+02	2.184E+00	5.154E-01	2036	2045	2040	9	tasmax
Nicaragua	Normal	3.044E+02	2.087E+00	4.615E-01	2036	2045	2040	10	tasmax
Nicaragua	Normal	3.039E+02	1.865E+00	3.337E-01	2036	2045	2040	11	tasmax
Nicaragua	Normal	3.033E+02	1.670E+00	3.121E-01	2036	2045	2040	12	tasmax
Nicaragua	Normal	3.038E+02	1.714E+00	3.196E-01	2046	2055	2050	1	tasmax
Nicaragua	Normal	3.047E+02	2.181E+00	5.043E-01	2046	2055	2050	2	tasmax
Nicaragua	Normal	3.061E+02	2.646E+00	6.382E-01	2046	2055	2050	3	tasmax
Nicaragua	Normal	3.071E+02	2.897E+00	6.372E-01	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nicaragua	Normal	3.067E+02	2.588E+00	4.471E-01	2046	2055	2050	5	tasmax
Nicaragua	Normal	3.052E+02	1.747E+00	3.586E-01	2046	2055	2050	6	tasmax
Nicaragua	Normal	3.048E+02	1.906E+00	3.511E-01	2046	2055	2050	7	tasmax
Nicaragua	Normal	3.053E+02	2.154E+00	4.612E-01	2046	2055	2050	8	tasmax
Nicaragua	Normal	3.053E+02	2.130E+00	4.088E-01	2046	2055	2050	9	tasmax
Nicaragua	Normal	3.049E+02	1.966E+00	3.464E-01	2046	2055	2050	10	tasmax
Nicaragua	Normal	3.044E+02	1.869E+00	2.689E-01	2046	2055	2050	11	tasmax
Nicaragua	Normal	3.038E+02	1.705E+00	3.102E-01	2046	2055	2050	12	tasmax
Nicaragua	Normal	3.043E+02	2.061E+00	4.169E-01	2056	2065	2060	1	tasmax
Nicaragua	Normal	3.053E+02	2.337E+00	5.054E-01	2056	2065	2060	2	tasmax
Nicaragua	Normal	3.067E+02	2.869E+00	7.168E-01	2056	2065	2060	3	tasmax
Nicaragua	Normal	3.076E+02	3.038E+00	7.081E-01	2056	2065	2060	4	tasmax
Nicaragua	Normal	3.073E+02	2.707E+00	4.874E-01	2056	2065	2060	5	tasmax
Nicaragua	Normal	3.058E+02	1.817E+00	2.762E-01	2056	2065	2060	6	tasmax
Nicaragua	Normal	3.053E+02	2.032E+00	3.851E-01	2056	2065	2060	7	tasmax
Nicaragua	Normal	3.059E+02	2.212E+00	3.935E-01	2056	2065	2060	8	tasmax
Nicaragua	Normal	3.060E+02	2.290E+00	4.316E-01	2056	2065	2060	9	tasmax
Nicaragua	Normal	3.055E+02	2.266E+00	5.403E-01	2056	2065	2060	10	tasmax
Nicaragua	Normal	3.050E+02	2.192E+00	3.953E-01	2056	2065	2060	11	tasmax
Nicaragua	Normal	3.044E+02	1.969E+00	3.753E-01	2056	2065	2060	12	tasmax
Nicaragua	Normal	3.047E+02	1.936E+00	3.625E-01	2066	2075	2070	1	tasmax
Nicaragua	Normal	3.057E+02	2.329E+00	4.728E-01	2066	2075	2070	2	tasmax
Nicaragua	Normal	3.072E+02	2.690E+00	5.583E-01	2066	2075	2070	3	tasmax
Nicaragua	Normal	3.081E+02	3.031E+00	6.555E-01	2066	2075	2070	4	tasmax
Nicaragua	Normal	3.078E+02	2.777E+00	4.704E-01	2066	2075	2070	5	tasmax
Nicaragua	Normal	3.061E+02	1.902E+00	3.393E-01	2066	2075	2070	6	tasmax
Nicaragua	Normal	3.058E+02	2.059E+00	4.057E-01	2066	2075	2070	7	tasmax
Nicaragua	Normal	3.063E+02	2.208E+00	3.772E-01	2066	2075	2070	8	tasmax
Nicaragua	Normal	3.065E+02	2.389E+00	4.189E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nicaragua	Normal	3.060E+02	2.158E+00	4.200E-01	2066	2075	2070	10	tasmax
Nicaragua	Normal	3.053E+02	2.074E+00	4.069E-01	2066	2075	2070	11	tasmax
Nicaragua	Normal	3.048E+02	1.847E+00	3.019E-01	2066	2075	2070	12	tasmax
Nicaragua	Normal	3.053E+02	2.158E+00	3.916E-01	2076	2085	2080	1	tasmax
Nicaragua	Normal	3.063E+02	2.584E+00	5.213E-01	2076	2085	2080	2	tasmax
Nicaragua	Normal	3.076E+02	3.003E+00	6.511E-01	2076	2085	2080	3	tasmax
Nicaragua	Normal	3.085E+02	3.179E+00	7.087E-01	2076	2085	2080	4	tasmax
Nicaragua	Normal	3.082E+02	2.808E+00	5.545E-01	2076	2085	2080	5	tasmax
Nicaragua	Normal	3.068E+02	2.068E+00	3.239E-01	2076	2085	2080	6	tasmax
Nicaragua	Normal	3.064E+02	2.106E+00	3.272E-01	2076	2085	2080	7	tasmax
Nicaragua	Normal	3.071E+02	2.403E+00	4.462E-01	2076	2085	2080	8	tasmax
Nicaragua	Normal	3.072E+02	2.511E+00	4.265E-01	2076	2085	2080	9	tasmax
Nicaragua	Normal	3.066E+02	2.349E+00	4.172E-01	2076	2085	2080	10	tasmax
Nicaragua	Normal	3.061E+02	2.251E+00	3.508E-01	2076	2085	2080	11	tasmax
Nicaragua	Normal	3.054E+02	2.076E+00	3.592E-01	2076	2085	2080	12	tasmax
Nicaragua	Normal	3.059E+02	2.280E+00	4.107E-01	2086	2099	2092	1	tasmax
Nicaragua	Normal	3.070E+02	2.733E+00	5.637E-01	2086	2099	2092	2	tasmax
Nicaragua	Normal	3.083E+02	3.094E+00	6.910E-01	2086	2099	2092	3	tasmax
Nicaragua	Normal	3.091E+02	3.326E+00	7.399E-01	2086	2099	2092	4	tasmax
Nicaragua	Normal	3.087E+02	3.001E+00	5.323E-01	2086	2099	2092	5	tasmax
Nicaragua	Normal	3.074E+02	2.272E+00	3.978E-01	2086	2099	2092	6	tasmax
Nicaragua	Normal	3.072E+02	2.519E+00	5.188E-01	2086	2099	2092	7	tasmax
Nicaragua	Normal	3.078E+02	2.743E+00	5.667E-01	2086	2099	2092	8	tasmax
Nicaragua	Normal	3.078E+02	2.701E+00	4.966E-01	2086	2099	2092	9	tasmax
Nicaragua	Normal	3.073E+02	2.541E+00	4.552E-01	2086	2099	2092	10	tasmax
Nicaragua	Normal	3.066E+02	2.431E+00	3.988E-01	2086	2099	2092	11	tasmax
Nicaragua	Normal	3.061E+02	2.310E+00	4.103E-01	2086	2099	2092	12	tasmax
Niger	Normal	2.988E+02	3.096E+00	7.954E-01	2006	2015	2010	1	tasmax
Niger	Normal	3.022E+02	2.870E+00	7.942E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Niger	Normal	3.067E+02	2.649E+00	4.813E-01	2006	2015	2010	3	tasmax
Niger	Normal	3.105E+02	2.479E+00	5.632E-01	2006	2015	2010	4	tasmax
Niger	Normal	3.117E+02	2.196E+00	4.458E-01	2006	2015	2010	5	tasmax
Niger	Normal	3.122E+02	2.515E+00	3.702E-01	2006	2015	2010	6	tasmax
Niger	Normal	3.118E+02	2.675E+00	4.161E-01	2006	2015	2010	7	tasmax
Niger	Normal	3.108E+02	2.819E+00	4.653E-01	2006	2015	2010	8	tasmax
Niger	Normal	3.101E+02	2.567E+00	4.443E-01	2006	2015	2010	9	tasmax
Niger	Normal	3.084E+02	2.441E+00	4.693E-01	2006	2015	2010	10	tasmax
Niger	Normal	3.039E+02	2.484E+00	5.933E-01	2006	2015	2010	11	tasmax
Niger	Normal	2.992E+02	2.524E+00	5.586E-01	2006	2015	2010	12	tasmax
Niger	Normal	2.992E+02	2.680E+00	6.238E-01	2016	2025	2020	1	tasmax
Niger	Normal	3.022E+02	2.892E+00	6.643E-01	2016	2025	2020	2	tasmax
Niger	Normal	3.067E+02	2.680E+00	5.471E-01	2016	2025	2020	3	tasmax
Niger	Normal	3.108E+02	2.345E+00	5.639E-01	2016	2025	2020	4	tasmax
Niger	Normal	3.120E+02	2.290E+00	3.772E-01	2016	2025	2020	5	tasmax
Niger	Normal	3.126E+02	2.641E+00	4.719E-01	2016	2025	2020	6	tasmax
Niger	Normal	3.122E+02	2.790E+00	3.687E-01	2016	2025	2020	7	tasmax
Niger	Normal	3.110E+02	2.974E+00	4.997E-01	2016	2025	2020	8	tasmax
Niger	Normal	3.105E+02	2.785E+00	4.598E-01	2016	2025	2020	9	tasmax
Niger	Normal	3.087E+02	2.529E+00	3.946E-01	2016	2025	2020	10	tasmax
Niger	Normal	3.040E+02	2.781E+00	6.154E-01	2016	2025	2020	11	tasmax
Niger	Normal	2.997E+02	2.362E+00	5.559E-01	2016	2025	2020	12	tasmax
Niger	Normal	2.993E+02	2.742E+00	5.813E-01	2026	2035	2030	1	tasmax
Niger	Normal	3.028E+02	2.760E+00	6.775E-01	2026	2035	2030	2	tasmax
Niger	Normal	3.072E+02	2.827E+00	6.029E-01	2026	2035	2030	3	tasmax
Niger	Normal	3.112E+02	2.367E+00	5.553E-01	2026	2035	2030	4	tasmax
Niger	Normal	3.125E+02	2.323E+00	3.496E-01	2026	2035	2030	5	tasmax
Niger	Normal	3.132E+02	2.633E+00	4.009E-01	2026	2035	2030	6	tasmax
Niger	Normal	3.128E+02	2.706E+00	5.119E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Niger	Normal	3.114E+02	3.070E+00	5.797E-01	2026	2035	2030	8	tasmax
Niger	Normal	3.109E+02	2.721E+00	4.073E-01	2026	2035	2030	9	tasmax
Niger	Normal	3.090E+02	2.505E+00	3.688E-01	2026	2035	2030	10	tasmax
Niger	Normal	3.046E+02	2.693E+00	5.211E-01	2026	2035	2030	11	tasmax
Niger	Normal	3.000E+02	2.709E+00	7.943E-01	2026	2035	2030	12	tasmax
Niger	Normal	2.999E+02	2.916E+00	5.711E-01	2036	2045	2040	1	tasmax
Niger	Normal	3.029E+02	2.884E+00	6.864E-01	2036	2045	2040	2	tasmax
Niger	Normal	3.079E+02	2.858E+00	6.600E-01	2036	2045	2040	3	tasmax
Niger	Normal	3.116E+02	2.391E+00	4.339E-01	2036	2045	2040	4	tasmax
Niger	Normal	3.132E+02	2.227E+00	5.348E-01	2036	2045	2040	5	tasmax
Niger	Normal	3.137E+02	2.621E+00	5.726E-01	2036	2045	2040	6	tasmax
Niger	Normal	3.132E+02	2.692E+00	4.341E-01	2036	2045	2040	7	tasmax
Niger	Normal	3.119E+02	2.965E+00	4.993E-01	2036	2045	2040	8	tasmax
Niger	Normal	3.114E+02	2.677E+00	4.593E-01	2036	2045	2040	9	tasmax
Niger	Normal	3.097E+02	2.469E+00	3.492E-01	2036	2045	2040	10	tasmax
Niger	Normal	3.051E+02	2.642E+00	5.509E-01	2036	2045	2040	11	tasmax
Niger	Normal	3.004E+02	2.609E+00	5.360E-01	2036	2045	2040	12	tasmax
Niger	Normal	3.006E+02	2.954E+00	7.555E-01	2046	2055	2050	1	tasmax
Niger	Normal	3.037E+02	2.953E+00	6.931E-01	2046	2055	2050	2	tasmax
Niger	Normal	3.084E+02	2.991E+00	7.024E-01	2046	2055	2050	3	tasmax
Niger	Normal	3.123E+02	2.335E+00	6.029E-01	2046	2055	2050	4	tasmax
Niger	Normal	3.138E+02	2.206E+00	4.324E-01	2046	2055	2050	5	tasmax
Niger	Normal	3.143E+02	2.708E+00	3.555E-01	2046	2055	2050	6	tasmax
Niger	Normal	3.138E+02	2.658E+00	4.854E-01	2046	2055	2050	7	tasmax
Niger	Normal	3.124E+02	3.146E+00	5.560E-01	2046	2055	2050	8	tasmax
Niger	Normal	3.120E+02	2.801E+00	5.052E-01	2046	2055	2050	9	tasmax
Niger	Normal	3.105E+02	2.677E+00	4.248E-01	2046	2055	2050	10	tasmax
Niger	Normal	3.058E+02	2.852E+00	5.686E-01	2046	2055	2050	11	tasmax
Niger	Normal	3.011E+02	2.700E+00	6.364E-01	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Niger	Normal	3.010E+02	2.864E+00	8.156E-01	2056	2065	2060	1	tasmax
Niger	Normal	3.042E+02	2.987E+00	7.170E-01	2056	2065	2060	2	tasmax
Niger	Normal	3.089E+02	2.931E+00	6.073E-01	2056	2065	2060	3	tasmax
Niger	Normal	3.129E+02	2.541E+00	4.368E-01	2056	2065	2060	4	tasmax
Niger	Normal	3.143E+02	2.344E+00	3.899E-01	2056	2065	2060	5	tasmax
Niger	Normal	3.150E+02	2.605E+00	4.125E-01	2056	2065	2060	6	tasmax
Niger	Normal	3.146E+02	2.688E+00	5.574E-01	2056	2065	2060	7	tasmax
Niger	Normal	3.130E+02	3.187E+00	4.870E-01	2056	2065	2060	8	tasmax
Niger	Normal	3.126E+02	3.087E+00	5.203E-01	2056	2065	2060	9	tasmax
Niger	Normal	3.109E+02	2.682E+00	4.152E-01	2056	2065	2060	10	tasmax
Niger	Normal	3.062E+02	2.947E+00	5.584E-01	2056	2065	2060	11	tasmax
Niger	Normal	3.015E+02	2.420E+00	5.225E-01	2056	2065	2060	12	tasmax
Niger	Normal	3.014E+02	2.725E+00	5.772E-01	2066	2075	2070	1	tasmax
Niger	Normal	3.048E+02	2.858E+00	7.472E-01	2066	2075	2070	2	tasmax
Niger	Normal	3.095E+02	3.043E+00	6.654E-01	2066	2075	2070	3	tasmax
Niger	Normal	3.135E+02	2.575E+00	6.156E-01	2066	2075	2070	4	tasmax
Niger	Normal	3.152E+02	2.436E+00	4.893E-01	2066	2075	2070	5	tasmax
Niger	Normal	3.157E+02	2.670E+00	3.548E-01	2066	2075	2070	6	tasmax
Niger	Normal	3.151E+02	2.708E+00	4.550E-01	2066	2075	2070	7	tasmax
Niger	Normal	3.137E+02	3.317E+00	4.687E-01	2066	2075	2070	8	tasmax
Niger	Normal	3.132E+02	3.049E+00	4.798E-01	2066	2075	2070	9	tasmax
Niger	Normal	3.115E+02	2.758E+00	5.585E-01	2066	2075	2070	10	tasmax
Niger	Normal	3.069E+02	2.841E+00	6.053E-01	2066	2075	2070	11	tasmax
Niger	Normal	3.022E+02	2.708E+00	5.384E-01	2066	2075	2070	12	tasmax
Niger	Normal	3.018E+02	2.870E+00	6.633E-01	2076	2085	2080	1	tasmax
Niger	Normal	3.053E+02	3.147E+00	9.030E-01	2076	2085	2080	2	tasmax
Niger	Normal	3.102E+02	3.025E+00	6.193E-01	2076	2085	2080	3	tasmax
Niger	Normal	3.141E+02	2.551E+00	6.645E-01	2076	2085	2080	4	tasmax
Niger	Normal	3.158E+02	2.420E+00	4.082E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Niger	Normal	3.165E+02	2.805E+00	5.847E-01	2076	2085	2080	6	tasmax
Niger	Normal	3.157E+02	2.895E+00	5.640E-01	2076	2085	2080	7	tasmax
Niger	Normal	3.141E+02	3.609E+00	5.389E-01	2076	2085	2080	8	tasmax
Niger	Normal	3.136E+02	3.344E+00	6.645E-01	2076	2085	2080	9	tasmax
Niger	Normal	3.120E+02	2.959E+00	3.723E-01	2076	2085	2080	10	tasmax
Niger	Normal	3.074E+02	3.053E+00	4.525E-01	2076	2085	2080	11	tasmax
Niger	Normal	3.027E+02	2.697E+00	7.012E-01	2076	2085	2080	12	tasmax
Niger	Normal	3.024E+02	2.958E+00	6.769E-01	2086	2099	2092	1	tasmax
Niger	Normal	3.059E+02	3.374E+00	9.725E-01	2086	2099	2092	2	tasmax
Niger	Normal	3.109E+02	3.228E+00	6.713E-01	2086	2099	2092	3	tasmax
Niger	Normal	3.147E+02	2.430E+00	5.970E-01	2086	2099	2092	4	tasmax
Niger	Normal	3.164E+02	2.595E+00	4.244E-01	2086	2099	2092	5	tasmax
Niger	Normal	3.172E+02	2.783E+00	3.728E-01	2086	2099	2092	6	tasmax
Niger	Normal	3.164E+02	2.985E+00	5.959E-01	2086	2099	2092	7	tasmax
Niger	Normal	3.150E+02	3.554E+00	5.077E-01	2086	2099	2092	8	tasmax
Niger	Normal	3.140E+02	3.437E+00	7.912E-01	2086	2099	2092	9	tasmax
Niger	Normal	3.126E+02	3.006E+00	4.364E-01	2086	2099	2092	10	tasmax
Niger	Normal	3.082E+02	2.863E+00	5.142E-01	2086	2099	2092	11	tasmax
Niger	Normal	3.033E+02	2.919E+00	7.594E-01	2086	2099	2092	12	tasmax
Nigeria	Normal	3.055E+02	1.539E+00	3.379E-01	2006	2015	2010	1	tasmax
Nigeria	Normal	3.077E+02	1.473E+00	4.579E-01	2006	2015	2010	2	tasmax
Nigeria	Normal	3.093E+02	1.412E+00	2.358E-01	2006	2015	2010	3	tasmax
Nigeria	Normal	3.084E+02	1.767E+00	2.526E-01	2006	2015	2010	4	tasmax
Nigeria	Normal	3.064E+02	2.037E+00	4.985E-01	2006	2015	2010	5	tasmax
Nigeria	Normal	3.048E+02	2.043E+00	4.876E-01	2006	2015	2010	6	tasmax
Nigeria	Normal	3.036E+02	2.041E+00	4.862E-01	2006	2015	2010	7	tasmax
Nigeria	Normal	3.028E+02	1.846E+00	4.461E-01	2006	2015	2010	8	tasmax
Nigeria	Normal	3.036E+02	1.992E+00	4.292E-01	2006	2015	2010	9	tasmax
Nigeria	Normal	3.049E+02	1.853E+00	3.610E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nigeria	Normal	3.056E+02	1.574E+00	5.192E-01	2006	2015	2010	11	tasmax
Nigeria	Normal	3.050E+02	1.340E+00	3.830E-01	2006	2015	2010	12	tasmax
Nigeria	Normal	3.060E+02	1.415E+00	4.195E-01	2016	2025	2020	1	tasmax
Nigeria	Normal	3.080E+02	1.370E+00	3.712E-01	2016	2025	2020	2	tasmax
Nigeria	Normal	3.096E+02	1.406E+00	2.090E-01	2016	2025	2020	3	tasmax
Nigeria	Normal	3.087E+02	1.874E+00	2.850E-01	2016	2025	2020	4	tasmax
Nigeria	Normal	3.067E+02	2.293E+00	4.683E-01	2016	2025	2020	5	tasmax
Nigeria	Normal	3.051E+02	2.168E+00	6.155E-01	2016	2025	2020	6	tasmax
Nigeria	Normal	3.039E+02	2.064E+00	4.252E-01	2016	2025	2020	7	tasmax
Nigeria	Normal	3.031E+02	1.946E+00	4.636E-01	2016	2025	2020	8	tasmax
Nigeria	Normal	3.040E+02	2.165E+00	4.634E-01	2016	2025	2020	9	tasmax
Nigeria	Normal	3.052E+02	1.955E+00	3.601E-01	2016	2025	2020	10	tasmax
Nigeria	Normal	3.058E+02	1.793E+00	7.113E-01	2016	2025	2020	11	tasmax
Nigeria	Normal	3.054E+02	1.364E+00	2.987E-01	2016	2025	2020	12	tasmax
Nigeria	Normal	3.062E+02	1.574E+00	4.693E-01	2026	2035	2030	1	tasmax
Nigeria	Normal	3.085E+02	1.422E+00	3.849E-01	2026	2035	2030	2	tasmax
Nigeria	Normal	3.100E+02	1.443E+00	1.914E-01	2026	2035	2030	3	tasmax
Nigeria	Normal	3.092E+02	1.903E+00	3.517E-01	2026	2035	2030	4	tasmax
Nigeria	Normal	3.071E+02	2.273E+00	5.707E-01	2026	2035	2030	5	tasmax
Nigeria	Normal	3.055E+02	2.229E+00	4.994E-01	2026	2035	2030	6	tasmax
Nigeria	Normal	3.044E+02	2.108E+00	3.932E-01	2026	2035	2030	7	tasmax
Nigeria	Normal	3.034E+02	1.900E+00	4.200E-01	2026	2035	2030	8	tasmax
Nigeria	Normal	3.042E+02	2.099E+00	4.369E-01	2026	2035	2030	9	tasmax
Nigeria	Normal	3.055E+02	1.941E+00	3.637E-01	2026	2035	2030	10	tasmax
Nigeria	Normal	3.063E+02	1.589E+00	5.497E-01	2026	2035	2030	11	tasmax
Nigeria	Normal	3.057E+02	1.519E+00	4.831E-01	2026	2035	2030	12	tasmax
Nigeria	Normal	3.067E+02	1.599E+00	5.588E-01	2036	2045	2040	1	tasmax
Nigeria	Normal	3.088E+02	1.432E+00	2.975E-01	2036	2045	2040	2	tasmax
Nigeria	Normal	3.105E+02	1.532E+00	2.063E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nigeria	Normal	3.096E+02	1.948E+00	2.888E-01	2036	2045	2040	4	tasmax
Nigeria	Normal	3.076E+02	2.192E+00	4.986E-01	2036	2045	2040	5	tasmax
Nigeria	Normal	3.059E+02	2.156E+00	4.503E-01	2036	2045	2040	6	tasmax
Nigeria	Normal	3.046E+02	2.084E+00	5.129E-01	2036	2045	2040	7	tasmax
Nigeria	Normal	3.038E+02	1.926E+00	4.368E-01	2036	2045	2040	8	tasmax
Nigeria	Normal	3.047E+02	2.120E+00	4.948E-01	2036	2045	2040	9	tasmax
Nigeria	Normal	3.060E+02	1.947E+00	4.379E-01	2036	2045	2040	10	tasmax
Nigeria	Normal	3.068E+02	1.550E+00	5.472E-01	2036	2045	2040	11	tasmax
Nigeria	Normal	3.061E+02	1.388E+00	3.377E-01	2036	2045	2040	12	tasmax
Nigeria	Normal	3.072E+02	1.452E+00	4.229E-01	2046	2055	2050	1	tasmax
Nigeria	Normal	3.094E+02	1.489E+00	4.666E-01	2046	2055	2050	2	tasmax
Nigeria	Normal	3.110E+02	1.570E+00	2.598E-01	2046	2055	2050	3	tasmax
Nigeria	Normal	3.101E+02	2.009E+00	3.846E-01	2046	2055	2050	4	tasmax
Nigeria	Normal	3.082E+02	2.345E+00	5.304E-01	2046	2055	2050	5	tasmax
Nigeria	Normal	3.065E+02	2.427E+00	6.611E-01	2046	2055	2050	6	tasmax
Nigeria	Normal	3.051E+02	2.248E+00	5.602E-01	2046	2055	2050	7	tasmax
Nigeria	Normal	3.042E+02	2.053E+00	5.269E-01	2046	2055	2050	8	tasmax
Nigeria	Normal	3.052E+02	2.192E+00	5.076E-01	2046	2055	2050	9	tasmax
Nigeria	Normal	3.064E+02	2.001E+00	4.179E-01	2046	2055	2050	10	tasmax
Nigeria	Normal	3.072E+02	1.785E+00	6.112E-01	2046	2055	2050	11	tasmax
Nigeria	Normal	3.067E+02	1.384E+00	3.984E-01	2046	2055	2050	12	tasmax
Nigeria	Normal	3.077E+02	1.632E+00	4.736E-01	2056	2065	2060	1	tasmax
Nigeria	Normal	3.099E+02	1.543E+00	4.422E-01	2056	2065	2060	2	tasmax
Nigeria	Normal	3.116E+02	1.574E+00	2.418E-01	2056	2065	2060	3	tasmax
Nigeria	Normal	3.106E+02	2.119E+00	3.729E-01	2056	2065	2060	4	tasmax
Nigeria	Normal	3.085E+02	2.420E+00	5.194E-01	2056	2065	2060	5	tasmax
Nigeria	Normal	3.070E+02	2.435E+00	5.832E-01	2056	2065	2060	6	tasmax
Nigeria	Normal	3.058E+02	2.311E+00	5.573E-01	2056	2065	2060	7	tasmax
Nigeria	Normal	3.047E+02	2.100E+00	4.312E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nigeria	Normal	3.056E+02	2.317E+00	5.179E-01	2056	2065	2060	9	tasmax
Nigeria	Normal	3.068E+02	2.093E+00	4.286E-01	2056	2065	2060	10	tasmax
Nigeria	Normal	3.076E+02	1.767E+00	5.192E-01	2056	2065	2060	11	tasmax
Nigeria	Normal	3.071E+02	1.459E+00	4.640E-01	2056	2065	2060	12	tasmax
Nigeria	Normal	3.082E+02	1.382E+00	4.330E-01	2066	2075	2070	1	tasmax
Nigeria	Normal	3.105E+02	1.384E+00	3.545E-01	2066	2075	2070	2	tasmax
Nigeria	Normal	3.121E+02	1.626E+00	2.642E-01	2066	2075	2070	3	tasmax
Nigeria	Normal	3.112E+02	2.196E+00	4.012E-01	2066	2075	2070	4	tasmax
Nigeria	Normal	3.092E+02	2.555E+00	6.321E-01	2066	2075	2070	5	tasmax
Nigeria	Normal	3.075E+02	2.608E+00	7.270E-01	2066	2075	2070	6	tasmax
Nigeria	Normal	3.063E+02	2.395E+00	7.233E-01	2066	2075	2070	7	tasmax
Nigeria	Normal	3.053E+02	2.136E+00	5.344E-01	2066	2075	2070	8	tasmax
Nigeria	Normal	3.060E+02	2.294E+00	5.587E-01	2066	2075	2070	9	tasmax
Nigeria	Normal	3.073E+02	2.028E+00	3.580E-01	2066	2075	2070	10	tasmax
Nigeria	Normal	3.083E+02	1.751E+00	5.087E-01	2066	2075	2070	11	tasmax
Nigeria	Normal	3.077E+02	1.418E+00	3.491E-01	2066	2075	2070	12	tasmax
Nigeria	Normal	3.088E+02	1.527E+00	4.025E-01	2076	2085	2080	1	tasmax
Nigeria	Normal	3.111E+02	1.637E+00	3.856E-01	2076	2085	2080	2	tasmax
Nigeria	Normal	3.127E+02	1.789E+00	2.799E-01	2076	2085	2080	3	tasmax
Nigeria	Normal	3.117E+02	2.317E+00	4.955E-01	2076	2085	2080	4	tasmax
Nigeria	Normal	3.098E+02	2.569E+00	6.074E-01	2076	2085	2080	5	tasmax
Nigeria	Normal	3.082E+02	2.693E+00	5.829E-01	2076	2085	2080	6	tasmax
Nigeria	Normal	3.068E+02	2.561E+00	7.169E-01	2076	2085	2080	7	tasmax
Nigeria	Normal	3.059E+02	2.247E+00	5.521E-01	2076	2085	2080	8	tasmax
Nigeria	Normal	3.066E+02	2.416E+00	6.155E-01	2076	2085	2080	9	tasmax
Nigeria	Normal	3.078E+02	2.307E+00	5.408E-01	2076	2085	2080	10	tasmax
Nigeria	Normal	3.087E+02	2.008E+00	5.677E-01	2076	2085	2080	11	tasmax
Nigeria	Normal	3.082E+02	1.515E+00	4.313E-01	2076	2085	2080	12	tasmax
Nigeria	Normal	3.092E+02	1.525E+00	4.106E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Nigeria	Normal	3.117E+02	1.610E+00	2.875E-01	2086	2099	2092	2	tasmax
Nigeria	Normal	3.134E+02	1.923E+00	3.700E-01	2086	2099	2092	3	tasmax
Nigeria	Normal	3.124E+02	2.321E+00	5.979E-01	2086	2099	2092	4	tasmax
Nigeria	Normal	3.105E+02	2.727E+00	6.213E-01	2086	2099	2092	5	tasmax
Nigeria	Normal	3.089E+02	2.838E+00	6.940E-01	2086	2099	2092	6	tasmax
Nigeria	Normal	3.075E+02	2.679E+00	8.189E-01	2086	2099	2092	7	tasmax
Nigeria	Normal	3.065E+02	2.325E+00	5.740E-01	2086	2099	2092	8	tasmax
Nigeria	Normal	3.072E+02	2.520E+00	5.921E-01	2086	2099	2092	9	tasmax
Nigeria	Normal	3.085E+02	2.312E+00	4.481E-01	2086	2099	2092	10	tasmax
Nigeria	Normal	3.095E+02	1.856E+00	4.246E-01	2086	2099	2092	11	tasmax
Nigeria	Normal	3.089E+02	1.577E+00	3.993E-01	2086	2099	2092	12	tasmax
North Korea	Normal	2.687E+02	2.108E+00	5.903E-01	2006	2015	2010	1	tasmax
North Korea	Normal	2.713E+02	2.460E+00	4.139E-01	2006	2015	2010	2	tasmax
North Korea	Normal	2.777E+02	2.180E+00	4.447E-01	2006	2015	2010	3	tasmax
North Korea	Normal	2.857E+02	2.225E+00	3.965E-01	2006	2015	2010	4	tasmax
North Korea	Normal	2.921E+02	2.302E+00	4.035E-01	2006	2015	2010	5	tasmax
North Korea	Normal	2.961E+02	2.163E+00	4.507E-01	2006	2015	2010	6	tasmax
North Korea	Normal	2.984E+02	2.233E+00	4.181E-01	2006	2015	2010	7	tasmax
North Korea	Normal	2.985E+02	2.288E+00	5.123E-01	2006	2015	2010	8	tasmax
North Korea	Normal	2.946E+02	2.366E+00	3.355E-01	2006	2015	2010	9	tasmax
North Korea	Normal	2.874E+02	2.361E+00	4.415E-01	2006	2015	2010	10	tasmax
North Korea	Normal	2.789E+02	2.393E+00	4.555E-01	2006	2015	2010	11	tasmax
North Korea	Normal	2.714E+02	2.188E+00	5.176E-01	2006	2015	2010	12	tasmax
North Korea	Normal	2.691E+02	2.324E+00	6.459E-01	2016	2025	2020	1	tasmax
North Korea	Normal	2.718E+02	2.105E+00	3.457E-01	2016	2025	2020	2	tasmax
North Korea	Normal	2.782E+02	2.167E+00	4.181E-01	2016	2025	2020	3	tasmax
North Korea	Normal	2.860E+02	2.300E+00	4.107E-01	2016	2025	2020	4	tasmax
North Korea	Normal	2.924E+02	2.462E+00	4.639E-01	2016	2025	2020	5	tasmax
North Korea	Normal	2.964E+02	2.047E+00	3.396E-01	2016	2025	2020	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
North Korea	Normal	2.988E+02	2.230E+00	3.601E-01	2016	2025	2020	7	tasmax
North Korea	Normal	2.989E+02	2.255E+00	4.416E-01	2016	2025	2020	8	tasmax
North Korea	Normal	2.950E+02	2.356E+00	3.863E-01	2016	2025	2020	9	tasmax
North Korea	Normal	2.879E+02	2.338E+00	4.001E-01	2016	2025	2020	10	tasmax
North Korea	Normal	2.792E+02	2.391E+00	4.510E-01	2016	2025	2020	11	tasmax
North Korea	Normal	2.719E+02	2.447E+00	4.206E-01	2016	2025	2020	12	tasmax
North Korea	Normal	2.694E+02	2.453E+00	6.523E-01	2026	2035	2030	1	tasmax
North Korea	Normal	2.720E+02	2.160E+00	5.167E-01	2026	2035	2030	2	tasmax
North Korea	Normal	2.786E+02	2.097E+00	3.530E-01	2026	2035	2030	3	tasmax
North Korea	Normal	2.866E+02	2.357E+00	4.435E-01	2026	2035	2030	4	tasmax
North Korea	Normal	2.930E+02	2.423E+00	4.048E-01	2026	2035	2030	5	tasmax
North Korea	Normal	2.972E+02	2.247E+00	5.309E-01	2026	2035	2030	6	tasmax
North Korea	Normal	2.993E+02	2.115E+00	3.854E-01	2026	2035	2030	7	tasmax
North Korea	Normal	2.994E+02	2.324E+00	3.950E-01	2026	2035	2030	8	tasmax
North Korea	Normal	2.956E+02	2.292E+00	3.691E-01	2026	2035	2030	9	tasmax
North Korea	Normal	2.883E+02	2.412E+00	3.563E-01	2026	2035	2030	10	tasmax
North Korea	Normal	2.798E+02	2.429E+00	3.863E-01	2026	2035	2030	11	tasmax
North Korea	Normal	2.725E+02	2.432E+00	4.660E-01	2026	2035	2030	12	tasmax
North Korea	Normal	2.698E+02	2.330E+00	6.206E-01	2036	2045	2040	1	tasmax
North Korea	Normal	2.727E+02	2.031E+00	3.184E-01	2036	2045	2040	2	tasmax
North Korea	Normal	2.790E+02	2.407E+00	3.832E-01	2036	2045	2040	3	tasmax
North Korea	Normal	2.871E+02	2.531E+00	3.983E-01	2036	2045	2040	4	tasmax
North Korea	Normal	2.935E+02	2.528E+00	4.764E-01	2036	2045	2040	5	tasmax
North Korea	Normal	2.975E+02	1.995E+00	4.619E-01	2036	2045	2040	6	tasmax
North Korea	Normal	3.000E+02	1.986E+00	3.602E-01	2036	2045	2040	7	tasmax
North Korea	Normal	3.001E+02	2.189E+00	5.134E-01	2036	2045	2040	8	tasmax
North Korea	Normal	2.962E+02	2.394E+00	3.898E-01	2036	2045	2040	9	tasmax
North Korea	Normal	2.889E+02	2.378E+00	4.381E-01	2036	2045	2040	10	tasmax
North Korea	Normal	2.806E+02	2.512E+00	4.776E-01	2036	2045	2040	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
North Korea	Normal	2.731E+02	2.683E+00	6.736E-01	2036	2045	2040	12	tasmax
North Korea	Normal	2.706E+02	2.353E+00	5.438E-01	2046	2055	2050	1	tasmax
North Korea	Normal	2.732E+02	2.352E+00	6.361E-01	2046	2055	2050	2	tasmax
North Korea	Normal	2.795E+02	2.297E+00	4.856E-01	2046	2055	2050	3	tasmax
North Korea	Normal	2.875E+02	2.489E+00	5.583E-01	2046	2055	2050	4	tasmax
North Korea	Normal	2.940E+02	2.594E+00	4.399E-01	2046	2055	2050	5	tasmax
North Korea	Normal	2.982E+02	2.272E+00	4.273E-01	2046	2055	2050	6	tasmax
North Korea	Normal	3.006E+02	2.332E+00	6.028E-01	2046	2055	2050	7	tasmax
North Korea	Normal	3.007E+02	2.363E+00	4.121E-01	2046	2055	2050	8	tasmax
North Korea	Normal	2.969E+02	2.454E+00	3.193E-01	2046	2055	2050	9	tasmax
North Korea	Normal	2.896E+02	2.286E+00	5.467E-01	2046	2055	2050	10	tasmax
North Korea	Normal	2.810E+02	2.486E+00	4.752E-01	2046	2055	2050	11	tasmax
North Korea	Normal	2.739E+02	2.391E+00	5.177E-01	2046	2055	2050	12	tasmax
North Korea	Normal	2.714E+02	2.768E+00	5.945E-01	2056	2065	2060	1	tasmax
North Korea	Normal	2.738E+02	2.415E+00	5.027E-01	2056	2065	2060	2	tasmax
North Korea	Normal	2.804E+02	2.510E+00	6.113E-01	2056	2065	2060	3	tasmax
North Korea	Normal	2.882E+02	2.710E+00	5.574E-01	2056	2065	2060	4	tasmax
North Korea	Normal	2.947E+02	2.865E+00	5.437E-01	2056	2065	2060	5	tasmax
North Korea	Normal	2.990E+02	2.619E+00	5.717E-01	2056	2065	2060	6	tasmax
North Korea	Normal	3.011E+02	2.303E+00	4.082E-01	2056	2065	2060	7	tasmax
North Korea	Normal	3.013E+02	2.300E+00	4.005E-01	2056	2065	2060	8	tasmax
North Korea	Normal	2.976E+02	2.660E+00	3.695E-01	2056	2065	2060	9	tasmax
North Korea	Normal	2.903E+02	2.621E+00	4.762E-01	2056	2065	2060	10	tasmax
North Korea	Normal	2.818E+02	2.520E+00	5.334E-01	2056	2065	2060	11	tasmax
North Korea	Normal	2.743E+02	2.489E+00	4.758E-01	2056	2065	2060	12	tasmax
North Korea	Normal	2.720E+02	2.221E+00	7.798E-01	2066	2075	2070	1	tasmax
North Korea	Normal	2.745E+02	2.447E+00	6.358E-01	2066	2075	2070	2	tasmax
North Korea	Normal	2.810E+02	2.505E+00	5.955E-01	2066	2075	2070	3	tasmax
North Korea	Normal	2.889E+02	2.765E+00	4.674E-01	2066	2075	2070	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
North Korea	Normal	2.952E+02	2.739E+00	4.243E-01	2066	2075	2070	5	tasmax
North Korea	Normal	2.995E+02	2.392E+00	5.713E-01	2066	2075	2070	6	tasmax
North Korea	Normal	3.020E+02	2.348E+00	4.500E-01	2066	2075	2070	7	tasmax
North Korea	Normal	3.021E+02	2.447E+00	4.423E-01	2066	2075	2070	8	tasmax
North Korea	Normal	2.982E+02	2.691E+00	3.461E-01	2066	2075	2070	9	tasmax
North Korea	Normal	2.909E+02	2.735E+00	6.112E-01	2066	2075	2070	10	tasmax
North Korea	Normal	2.825E+02	2.832E+00	6.821E-01	2066	2075	2070	11	tasmax
North Korea	Normal	2.749E+02	2.677E+00	5.974E-01	2066	2075	2070	12	tasmax
North Korea	Normal	2.728E+02	2.742E+00	6.889E-01	2076	2085	2080	1	tasmax
North Korea	Normal	2.754E+02	2.841E+00	7.919E-01	2076	2085	2080	2	tasmax
North Korea	Normal	2.816E+02	2.677E+00	5.887E-01	2076	2085	2080	3	tasmax
North Korea	Normal	2.893E+02	2.860E+00	6.486E-01	2076	2085	2080	4	tasmax
North Korea	Normal	2.959E+02	2.862E+00	6.371E-01	2076	2085	2080	5	tasmax
North Korea	Normal	3.004E+02	2.563E+00	5.486E-01	2076	2085	2080	6	tasmax
North Korea	Normal	3.024E+02	2.283E+00	3.742E-01	2076	2085	2080	7	tasmax
North Korea	Normal	3.027E+02	2.536E+00	4.329E-01	2076	2085	2080	8	tasmax
North Korea	Normal	2.989E+02	2.620E+00	3.917E-01	2076	2085	2080	9	tasmax
North Korea	Normal	2.918E+02	2.738E+00	6.148E-01	2076	2085	2080	10	tasmax
North Korea	Normal	2.830E+02	2.786E+00	7.632E-01	2076	2085	2080	11	tasmax
North Korea	Normal	2.756E+02	2.807E+00	6.855E-01	2076	2085	2080	12	tasmax
North Korea	Normal	2.734E+02	2.792E+00	7.874E-01	2086	2099	2092	1	tasmax
North Korea	Normal	2.758E+02	2.209E+00	5.489E-01	2086	2099	2092	2	tasmax
North Korea	Normal	2.822E+02	2.577E+00	3.989E-01	2086	2099	2092	3	tasmax
North Korea	Normal	2.900E+02	3.005E+00	5.060E-01	2086	2099	2092	4	tasmax
North Korea	Normal	2.964E+02	2.837E+00	5.554E-01	2086	2099	2092	5	tasmax
North Korea	Normal	3.008E+02	2.868E+00	5.883E-01	2086	2099	2092	6	tasmax
North Korea	Normal	3.032E+02	2.721E+00	5.466E-01	2086	2099	2092	7	tasmax
North Korea	Normal	3.033E+02	2.702E+00	3.967E-01	2086	2099	2092	8	tasmax
North Korea	Normal	2.997E+02	2.872E+00	4.174E-01	2086	2099	2092	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
North Korea	Normal	2.922E+02	2.851E+00	5.875E-01	2086	2099	2092	10	tasmax
North Korea	Normal	2.836E+02	2.759E+00	6.665E-01	2086	2099	2092	11	tasmax
North Korea	Normal	2.765E+02	2.760E+00	4.735E-01	2086	2099	2092	12	tasmax
Norway	Normal	2.689E+02	2.892E+00	5.211E-01	2006	2015	2010	1	tasmax
Norway	Normal	2.690E+02	2.847E+00	5.500E-01	2006	2015	2010	2	tasmax
Norway	Normal	2.715E+02	1.989E+00	2.990E-01	2006	2015	2010	3	tasmax
Norway	Normal	2.755E+02	2.093E+00	3.593E-01	2006	2015	2010	4	tasmax
Norway	Normal	2.819E+02	3.152E+00	4.628E-01	2006	2015	2010	5	tasmax
Norway	Normal	2.871E+02	3.389E+00	8.421E-01	2006	2015	2010	6	tasmax
Norway	Normal	2.890E+02	3.093E+00	8.008E-01	2006	2015	2010	7	tasmax
Norway	Normal	2.874E+02	2.750E+00	5.859E-01	2006	2015	2010	8	tasmax
Norway	Normal	2.831E+02	2.192E+00	4.478E-01	2006	2015	2010	9	tasmax
Norway	Normal	2.780E+02	1.818E+00	3.903E-01	2006	2015	2010	10	tasmax
Norway	Normal	2.729E+02	2.103E+00	3.430E-01	2006	2015	2010	11	tasmax
Norway	Normal	2.701E+02	2.550E+00	3.935E-01	2006	2015	2010	12	tasmax
Norway	Normal	2.690E+02	2.999E+00	8.397E-01	2016	2025	2020	1	tasmax
Norway	Normal	2.697E+02	2.758E+00	5.352E-01	2016	2025	2020	2	tasmax
Norway	Normal	2.721E+02	2.177E+00	4.068E-01	2016	2025	2020	3	tasmax
Norway	Normal	2.763E+02	1.992E+00	3.459E-01	2016	2025	2020	4	tasmax
Norway	Normal	2.825E+02	3.133E+00	6.422E-01	2016	2025	2020	5	tasmax
Norway	Normal	2.876E+02	3.440E+00	8.516E-01	2016	2025	2020	6	tasmax
Norway	Normal	2.895E+02	3.017E+00	7.047E-01	2016	2025	2020	7	tasmax
Norway	Normal	2.877E+02	2.859E+00	5.620E-01	2016	2025	2020	8	tasmax
Norway	Normal	2.835E+02	2.088E+00	3.797E-01	2016	2025	2020	9	tasmax
Norway	Normal	2.783E+02	1.802E+00	3.721E-01	2016	2025	2020	10	tasmax
Norway	Normal	2.738E+02	1.967E+00	4.557E-01	2016	2025	2020	11	tasmax
Norway	Normal	2.705E+02	2.542E+00	3.087E-01	2016	2025	2020	12	tasmax
Norway	Normal	2.694E+02	2.849E+00	5.994E-01	2026	2035	2030	1	tasmax
Norway	Normal	2.698E+02	2.462E+00	6.946E-01	2026	2035	2030	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Norway	Normal	2.723E+02	2.093E+00	4.071E-01	2026	2035	2030	3	tasmax
Norway	Normal	2.766E+02	2.146E+00	4.106E-01	2026	2035	2030	4	tasmax
Norway	Normal	2.828E+02	3.195E+00	5.360E-01	2026	2035	2030	5	tasmax
Norway	Normal	2.877E+02	3.504E+00	8.532E-01	2026	2035	2030	6	tasmax
Norway	Normal	2.899E+02	3.329E+00	1.065E+00	2026	2035	2030	7	tasmax
Norway	Normal	2.882E+02	2.886E+00	6.727E-01	2026	2035	2030	8	tasmax
Norway	Normal	2.839E+02	2.158E+00	4.814E-01	2026	2035	2030	9	tasmax
Norway	Normal	2.788E+02	1.994E+00	3.554E-01	2026	2035	2030	10	tasmax
Norway	Normal	2.742E+02	2.168E+00	3.972E-01	2026	2035	2030	11	tasmax
Norway	Normal	2.709E+02	2.463E+00	3.782E-01	2026	2035	2030	12	tasmax
Norway	Normal	2.703E+02	2.708E+00	9.104E-01	2036	2045	2040	1	tasmax
Norway	Normal	2.706E+02	2.374E+00	4.629E-01	2036	2045	2040	2	tasmax
Norway	Normal	2.728E+02	2.083E+00	2.825E-01	2036	2045	2040	3	tasmax
Norway	Normal	2.771E+02	2.092E+00	3.930E-01	2036	2045	2040	4	tasmax
Norway	Normal	2.832E+02	3.211E+00	5.788E-01	2036	2045	2040	5	tasmax
Norway	Normal	2.881E+02	3.402E+00	8.275E-01	2036	2045	2040	6	tasmax
Norway	Normal	2.903E+02	3.334E+00	1.126E+00	2036	2045	2040	7	tasmax
Norway	Normal	2.887E+02	2.793E+00	7.188E-01	2036	2045	2040	8	tasmax
Norway	Normal	2.843E+02	2.066E+00	4.490E-01	2036	2045	2040	9	tasmax
Norway	Normal	2.791E+02	1.848E+00	3.434E-01	2036	2045	2040	10	tasmax
Norway	Normal	2.746E+02	2.091E+00	4.336E-01	2036	2045	2040	11	tasmax
Norway	Normal	2.718E+02	2.349E+00	2.974E-01	2036	2045	2040	12	tasmax
Norway	Normal	2.706E+02	2.589E+00	7.391E-01	2046	2055	2050	1	tasmax
Norway	Normal	2.710E+02	2.330E+00	6.630E-01	2046	2055	2050	2	tasmax
Norway	Normal	2.733E+02	2.030E+00	4.072E-01	2046	2055	2050	3	tasmax
Norway	Normal	2.776E+02	2.231E+00	4.407E-01	2046	2055	2050	4	tasmax
Norway	Normal	2.838E+02	3.355E+00	5.873E-01	2046	2055	2050	5	tasmax
Norway	Normal	2.889E+02	3.403E+00	7.580E-01	2046	2055	2050	6	tasmax
Norway	Normal	2.907E+02	3.372E+00	8.320E-01	2046	2055	2050	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Norway	Normal	2.893E+02	3.110E+00	7.393E-01	2046	2055	2050	8	tasmax
Norway	Normal	2.851E+02	2.171E+00	5.151E-01	2046	2055	2050	9	tasmax
Norway	Normal	2.799E+02	1.899E+00	3.920E-01	2046	2055	2050	10	tasmax
Norway	Normal	2.752E+02	2.216E+00	3.156E-01	2046	2055	2050	11	tasmax
Norway	Normal	2.723E+02	2.523E+00	7.142E-01	2046	2055	2050	12	tasmax
Norway	Normal	2.714E+02	2.556E+00	6.359E-01	2056	2065	2060	1	tasmax
Norway	Normal	2.716E+02	2.410E+00	7.368E-01	2056	2065	2060	2	tasmax
Norway	Normal	2.738E+02	2.326E+00	6.878E-01	2056	2065	2060	3	tasmax
Norway	Normal	2.781E+02	2.132E+00	3.801E-01	2056	2065	2060	4	tasmax
Norway	Normal	2.841E+02	3.152E+00	6.547E-01	2056	2065	2060	5	tasmax
Norway	Normal	2.892E+02	3.439E+00	8.722E-01	2056	2065	2060	6	tasmax
Norway	Normal	2.914E+02	3.400E+00	9.621E-01	2056	2065	2060	7	tasmax
Norway	Normal	2.898E+02	3.152E+00	7.986E-01	2056	2065	2060	8	tasmax
Norway	Normal	2.855E+02	2.375E+00	3.912E-01	2056	2065	2060	9	tasmax
Norway	Normal	2.804E+02	1.913E+00	3.072E-01	2056	2065	2060	10	tasmax
Norway	Normal	2.755E+02	1.958E+00	4.353E-01	2056	2065	2060	11	tasmax
Norway	Normal	2.726E+02	2.369E+00	3.273E-01	2056	2065	2060	12	tasmax
Norway	Normal	2.721E+02	2.440E+00	3.366E-01	2066	2075	2070	1	tasmax
Norway	Normal	2.721E+02	2.449E+00	6.727E-01	2066	2075	2070	2	tasmax
Norway	Normal	2.744E+02	1.925E+00	3.594E-01	2066	2075	2070	3	tasmax
Norway	Normal	2.790E+02	2.389E+00	3.811E-01	2066	2075	2070	4	tasmax
Norway	Normal	2.851E+02	3.549E+00	5.434E-01	2066	2075	2070	5	tasmax
Norway	Normal	2.900E+02	3.346E+00	7.709E-01	2066	2075	2070	6	tasmax
Norway	Normal	2.918E+02	3.396E+00	8.146E-01	2066	2075	2070	7	tasmax
Norway	Normal	2.905E+02	3.112E+00	7.450E-01	2066	2075	2070	8	tasmax
Norway	Normal	2.861E+02	2.423E+00	4.113E-01	2066	2075	2070	9	tasmax
Norway	Normal	2.809E+02	2.077E+00	3.846E-01	2066	2075	2070	10	tasmax
Norway	Normal	2.763E+02	1.980E+00	3.863E-01	2066	2075	2070	11	tasmax
Norway	Normal	2.732E+02	2.169E+00	4.082E-01	2066	2075	2070	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Norway	Normal	2.727E+02	2.508E+00	6.484E-01	2076	2085	2080	1	tasmax
Norway	Normal	2.726E+02	2.262E+00	6.050E-01	2076	2085	2080	2	tasmax
Norway	Normal	2.748E+02	1.882E+00	3.360E-01	2076	2085	2080	3	tasmax
Norway	Normal	2.792E+02	2.062E+00	3.495E-01	2076	2085	2080	4	tasmax
Norway	Normal	2.855E+02	3.195E+00	4.956E-01	2076	2085	2080	5	tasmax
Norway	Normal	2.905E+02	3.160E+00	6.793E-01	2076	2085	2080	6	tasmax
Norway	Normal	2.925E+02	3.495E+00	6.732E-01	2076	2085	2080	7	tasmax
Norway	Normal	2.911E+02	3.135E+00	6.375E-01	2076	2085	2080	8	tasmax
Norway	Normal	2.868E+02	2.544E+00	3.720E-01	2076	2085	2080	9	tasmax
Norway	Normal	2.816E+02	1.939E+00	2.786E-01	2076	2085	2080	10	tasmax
Norway	Normal	2.768E+02	1.813E+00	2.581E-01	2076	2085	2080	11	tasmax
Norway	Normal	2.741E+02	2.082E+00	2.864E-01	2076	2085	2080	12	tasmax
Norway	Normal	2.732E+02	2.217E+00	3.120E-01	2086	2099	2092	1	tasmax
Norway	Normal	2.731E+02	1.979E+00	4.726E-01	2086	2099	2092	2	tasmax
Norway	Normal	2.752E+02	1.835E+00	5.107E-01	2086	2099	2092	3	tasmax
Norway	Normal	2.799E+02	2.271E+00	5.333E-01	2086	2099	2092	4	tasmax
Norway	Normal	2.859E+02	3.348E+00	7.123E-01	2086	2099	2092	5	tasmax
Norway	Normal	2.911E+02	3.539E+00	1.099E+00	2086	2099	2092	6	tasmax
Norway	Normal	2.930E+02	3.631E+00	9.068E-01	2086	2099	2092	7	tasmax
Norway	Normal	2.918E+02	3.231E+00	7.163E-01	2086	2099	2092	8	tasmax
Norway	Normal	2.875E+02	2.527E+00	4.466E-01	2086	2099	2092	9	tasmax
Norway	Normal	2.822E+02	1.978E+00	3.708E-01	2086	2099	2092	10	tasmax
Norway	Normal	2.774E+02	2.045E+00	3.522E-01	2086	2099	2092	11	tasmax
Norway	Normal	2.746E+02	2.050E+00	2.858E-01	2086	2099	2092	12	tasmax
Oman	Normal	2.971E+02	1.958E+00	3.538E-01	2006	2015	2010	1	tasmax
Oman	Normal	2.993E+02	2.007E+00	3.462E-01	2006	2015	2010	2	tasmax
Oman	Normal	3.035E+02	1.953E+00	3.509E-01	2006	2015	2010	3	tasmax
Oman	Normal	3.079E+02	1.677E+00	3.686E-01	2006	2015	2010	4	tasmax
Oman	Normal	3.115E+02	1.790E+00	3.909E-01	2006	2015	2010	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Oman	Normal	3.134E+02	1.764E+00	3.485E-01	2006	2015	2010	6	tasmax
Oman	Normal	3.127E+02	2.299E+00	4.950E-01	2006	2015	2010	7	tasmax
Oman	Normal	3.118E+02	2.462E+00	5.113E-01	2006	2015	2010	8	tasmax
Oman	Normal	3.104E+02	1.798E+00	3.965E-01	2006	2015	2010	9	tasmax
Oman	Normal	3.072E+02	1.770E+00	4.681E-01	2006	2015	2010	10	tasmax
Oman	Normal	3.023E+02	1.768E+00	4.848E-01	2006	2015	2010	11	tasmax
Oman	Normal	2.981E+02	1.785E+00	3.998E-01	2006	2015	2010	12	tasmax
Oman	Normal	2.973E+02	2.028E+00	4.233E-01	2016	2025	2020	1	tasmax
Oman	Normal	2.997E+02	2.024E+00	5.179E-01	2016	2025	2020	2	tasmax
Oman	Normal	3.040E+02	1.927E+00	4.901E-01	2016	2025	2020	3	tasmax
Oman	Normal	3.082E+02	1.771E+00	3.367E-01	2016	2025	2020	4	tasmax
Oman	Normal	3.116E+02	1.648E+00	2.602E-01	2016	2025	2020	5	tasmax
Oman	Normal	3.136E+02	1.776E+00	3.023E-01	2016	2025	2020	6	tasmax
Oman	Normal	3.129E+02	2.544E+00	5.146E-01	2016	2025	2020	7	tasmax
Oman	Normal	3.119E+02	2.609E+00	5.885E-01	2016	2025	2020	8	tasmax
Oman	Normal	3.107E+02	1.977E+00	4.001E-01	2016	2025	2020	9	tasmax
Oman	Normal	3.074E+02	1.781E+00	4.475E-01	2016	2025	2020	10	tasmax
Oman	Normal	3.026E+02	1.749E+00	3.573E-01	2016	2025	2020	11	tasmax
Oman	Normal	2.985E+02	2.013E+00	3.334E-01	2016	2025	2020	12	tasmax
Oman	Normal	2.978E+02	1.965E+00	3.515E-01	2026	2035	2030	1	tasmax
Oman	Normal	3.001E+02	1.984E+00	4.032E-01	2026	2035	2030	2	tasmax
Oman	Normal	3.042E+02	1.963E+00	4.228E-01	2026	2035	2030	3	tasmax
Oman	Normal	3.084E+02	1.839E+00	4.257E-01	2026	2035	2030	4	tasmax
Oman	Normal	3.122E+02	1.640E+00	2.546E-01	2026	2035	2030	5	tasmax
Oman	Normal	3.142E+02	1.859E+00	3.952E-01	2026	2035	2030	6	tasmax
Oman	Normal	3.134E+02	2.271E+00	4.134E-01	2026	2035	2030	7	tasmax
Oman	Normal	3.123E+02	2.474E+00	5.571E-01	2026	2035	2030	8	tasmax
Oman	Normal	3.111E+02	1.844E+00	3.621E-01	2026	2035	2030	9	tasmax
Oman	Normal	3.079E+02	1.752E+00	4.324E-01	2026	2035	2030	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Oman	Normal	3.031E+02	1.787E+00	4.701E-01	2026	2035	2030	11	tasmax
Oman	Normal	2.988E+02	1.892E+00	2.775E-01	2026	2035	2030	12	tasmax
Oman	Normal	2.983E+02	1.900E+00	3.024E-01	2036	2045	2040	1	tasmax
Oman	Normal	3.005E+02	2.048E+00	5.134E-01	2036	2045	2040	2	tasmax
Oman	Normal	3.048E+02	1.900E+00	3.785E-01	2036	2045	2040	3	tasmax
Oman	Normal	3.090E+02	1.683E+00	2.780E-01	2036	2045	2040	4	tasmax
Oman	Normal	3.126E+02	1.869E+00	3.841E-01	2036	2045	2040	5	tasmax
Oman	Normal	3.146E+02	1.804E+00	3.598E-01	2036	2045	2040	6	tasmax
Oman	Normal	3.137E+02	2.365E+00	4.420E-01	2036	2045	2040	7	tasmax
Oman	Normal	3.127E+02	2.540E+00	5.671E-01	2036	2045	2040	8	tasmax
Oman	Normal	3.115E+02	1.880E+00	3.256E-01	2036	2045	2040	9	tasmax
Oman	Normal	3.082E+02	1.730E+00	5.143E-01	2036	2045	2040	10	tasmax
Oman	Normal	3.034E+02	1.788E+00	4.545E-01	2036	2045	2040	11	tasmax
Oman	Normal	2.993E+02	1.787E+00	4.037E-01	2036	2045	2040	12	tasmax
Oman	Normal	2.988E+02	1.861E+00	3.392E-01	2046	2055	2050	1	tasmax
Oman	Normal	3.010E+02	1.942E+00	4.306E-01	2046	2055	2050	2	tasmax
Oman	Normal	3.053E+02	1.734E+00	3.901E-01	2046	2055	2050	3	tasmax
Oman	Normal	3.096E+02	1.853E+00	4.198E-01	2046	2055	2050	4	tasmax
Oman	Normal	3.131E+02	1.579E+00	2.756E-01	2046	2055	2050	5	tasmax
Oman	Normal	3.152E+02	1.760E+00	3.410E-01	2046	2055	2050	6	tasmax
Oman	Normal	3.141E+02	2.420E+00	4.601E-01	2046	2055	2050	7	tasmax
Oman	Normal	3.131E+02	2.584E+00	5.539E-01	2046	2055	2050	8	tasmax
Oman	Normal	3.121E+02	1.854E+00	3.957E-01	2046	2055	2050	9	tasmax
Oman	Normal	3.088E+02	1.687E+00	5.942E-01	2046	2055	2050	10	tasmax
Oman	Normal	3.041E+02	1.779E+00	5.010E-01	2046	2055	2050	11	tasmax
Oman	Normal	2.998E+02	1.887E+00	4.323E-01	2046	2055	2050	12	tasmax
Oman	Normal	2.993E+02	1.983E+00	3.863E-01	2056	2065	2060	1	tasmax
Oman	Normal	3.016E+02	1.907E+00	3.695E-01	2056	2065	2060	2	tasmax
Oman	Normal	3.058E+02	1.803E+00	3.644E-01	2056	2065	2060	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Oman	Normal	3.103E+02	1.774E+00	3.887E-01	2056	2065	2060	4	tasmax
Oman	Normal	3.138E+02	1.651E+00	2.262E-01	2056	2065	2060	5	tasmax
Oman	Normal	3.156E+02	1.811E+00	3.936E-01	2056	2065	2060	6	tasmax
Oman	Normal	3.147E+02	2.375E+00	5.072E-01	2056	2065	2060	7	tasmax
Oman	Normal	3.135E+02	2.801E+00	6.992E-01	2056	2065	2060	8	tasmax
Oman	Normal	3.124E+02	2.014E+00	4.119E-01	2056	2065	2060	9	tasmax
Oman	Normal	3.094E+02	1.747E+00	5.611E-01	2056	2065	2060	10	tasmax
Oman	Normal	3.047E+02	1.818E+00	5.530E-01	2056	2065	2060	11	tasmax
Oman	Normal	3.004E+02	1.864E+00	4.411E-01	2056	2065	2060	12	tasmax
Oman	Normal	2.999E+02	1.842E+00	3.197E-01	2066	2075	2070	1	tasmax
Oman	Normal	3.021E+02	1.883E+00	3.931E-01	2066	2075	2070	2	tasmax
Oman	Normal	3.063E+02	1.887E+00	3.991E-01	2066	2075	2070	3	tasmax
Oman	Normal	3.107E+02	1.638E+00	3.217E-01	2066	2075	2070	4	tasmax
Oman	Normal	3.142E+02	1.673E+00	3.292E-01	2066	2075	2070	5	tasmax
Oman	Normal	3.161E+02	1.716E+00	2.558E-01	2066	2075	2070	6	tasmax
Oman	Normal	3.151E+02	2.454E+00	4.663E-01	2066	2075	2070	7	tasmax
Oman	Normal	3.140E+02	2.590E+00	5.190E-01	2066	2075	2070	8	tasmax
Oman	Normal	3.130E+02	1.853E+00	3.286E-01	2066	2075	2070	9	tasmax
Oman	Normal	3.100E+02	1.643E+00	4.527E-01	2066	2075	2070	10	tasmax
Oman	Normal	3.054E+02	1.794E+00	6.254E-01	2066	2075	2070	11	tasmax
Oman	Normal	3.010E+02	1.846E+00	4.352E-01	2066	2075	2070	12	tasmax
Oman	Normal	3.005E+02	2.013E+00	3.674E-01	2076	2085	2080	1	tasmax
Oman	Normal	3.027E+02	2.083E+00	3.618E-01	2076	2085	2080	2	tasmax
Oman	Normal	3.070E+02	1.916E+00	3.966E-01	2076	2085	2080	3	tasmax
Oman	Normal	3.114E+02	1.788E+00	3.132E-01	2076	2085	2080	4	tasmax
Oman	Normal	3.151E+02	1.707E+00	3.076E-01	2076	2085	2080	5	tasmax
Oman	Normal	3.167E+02	1.799E+00	3.311E-01	2076	2085	2080	6	tasmax
Oman	Normal	3.154E+02	2.752E+00	6.618E-01	2076	2085	2080	7	tasmax
Oman	Normal	3.144E+02	2.791E+00	4.816E-01	2076	2085	2080	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Oman	Normal	3.134E+02	2.204E+00	4.208E-01	2076	2085	2080	9	tasmax
Oman	Normal	3.105E+02	1.786E+00	5.520E-01	2076	2085	2080	10	tasmax
Oman	Normal	3.059E+02	1.856E+00	5.188E-01	2076	2085	2080	11	tasmax
Oman	Normal	3.017E+02	2.027E+00	4.047E-01	2076	2085	2080	12	tasmax
Oman	Normal	3.012E+02	1.919E+00	3.884E-01	2086	2099	2092	1	tasmax
Oman	Normal	3.032E+02	1.858E+00	3.989E-01	2086	2099	2092	2	tasmax
Oman	Normal	3.075E+02	2.145E+00	4.321E-01	2086	2099	2092	3	tasmax
Oman	Normal	3.118E+02	1.837E+00	2.936E-01	2086	2099	2092	4	tasmax
Oman	Normal	3.155E+02	1.838E+00	3.261E-01	2086	2099	2092	5	tasmax
Oman	Normal	3.173E+02	1.761E+00	3.137E-01	2086	2099	2092	6	tasmax
Oman	Normal	3.161E+02	2.647E+00	4.583E-01	2086	2099	2092	7	tasmax
Oman	Normal	3.150E+02	2.825E+00	5.116E-01	2086	2099	2092	8	tasmax
Oman	Normal	3.138E+02	2.185E+00	4.254E-01	2086	2099	2092	9	tasmax
Oman	Normal	3.110E+02	1.673E+00	5.517E-01	2086	2099	2092	10	tasmax
Oman	Normal	3.066E+02	1.763E+00	4.868E-01	2086	2099	2092	11	tasmax
Oman	Normal	3.023E+02	1.960E+00	4.076E-01	2086	2099	2092	12	tasmax
Pakistan	Normal	2.869E+02	2.609E+00	6.190E-01	2006	2015	2010	1	tasmax
Pakistan	Normal	2.900E+02	2.711E+00	6.829E-01	2006	2015	2010	2	tasmax
Pakistan	Normal	2.956E+02	2.692E+00	5.925E-01	2006	2015	2010	3	tasmax
Pakistan	Normal	3.016E+02	2.380E+00	4.536E-01	2006	2015	2010	4	tasmax
Pakistan	Normal	3.066E+02	2.638E+00	4.416E-01	2006	2015	2010	5	tasmax
Pakistan	Normal	3.099E+02	2.172E+00	4.770E-01	2006	2015	2010	6	tasmax
Pakistan	Normal	3.102E+02	2.511E+00	5.982E-01	2006	2015	2010	7	tasmax
Pakistan	Normal	3.091E+02	2.709E+00	5.478E-01	2006	2015	2010	8	tasmax
Pakistan	Normal	3.065E+02	2.471E+00	4.620E-01	2006	2015	2010	9	tasmax
Pakistan	Normal	3.012E+02	2.613E+00	6.004E-01	2006	2015	2010	10	tasmax
Pakistan	Normal	2.938E+02	2.770E+00	7.584E-01	2006	2015	2010	11	tasmax
Pakistan	Normal	2.878E+02	2.617E+00	5.781E-01	2006	2015	2010	12	tasmax
Pakistan	Normal	2.871E+02	2.752E+00	5.671E-01	2016	2025	2020	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Pakistan	Normal	2.904E+02	2.776E+00	6.456E-01	2016	2025	2020	2	tasmax
Pakistan	Normal	2.960E+02	2.806E+00	6.554E-01	2016	2025	2020	3	tasmax
Pakistan	Normal	3.018E+02	2.627E+00	6.523E-01	2016	2025	2020	4	tasmax
Pakistan	Normal	3.069E+02	2.535E+00	4.009E-01	2016	2025	2020	5	tasmax
Pakistan	Normal	3.102E+02	2.270E+00	4.417E-01	2016	2025	2020	6	tasmax
Pakistan	Normal	3.104E+02	2.702E+00	7.337E-01	2016	2025	2020	7	tasmax
Pakistan	Normal	3.093E+02	2.792E+00	6.601E-01	2016	2025	2020	8	tasmax
Pakistan	Normal	3.070E+02	2.699E+00	4.637E-01	2016	2025	2020	9	tasmax
Pakistan	Normal	3.016E+02	2.673E+00	5.756E-01	2016	2025	2020	10	tasmax
Pakistan	Normal	2.939E+02	2.687E+00	6.691E-01	2016	2025	2020	11	tasmax
Pakistan	Normal	2.882E+02	2.706E+00	4.640E-01	2016	2025	2020	12	tasmax
Pakistan	Normal	2.879E+02	2.618E+00	4.588E-01	2026	2035	2030	1	tasmax
Pakistan	Normal	2.911E+02	2.700E+00	6.301E-01	2026	2035	2030	2	tasmax
Pakistan	Normal	2.964E+02	2.746E+00	4.704E-01	2026	2035	2030	3	tasmax
Pakistan	Normal	3.022E+02	2.821E+00	6.617E-01	2026	2035	2030	4	tasmax
Pakistan	Normal	3.074E+02	2.552E+00	5.674E-01	2026	2035	2030	5	tasmax
Pakistan	Normal	3.106E+02	2.320E+00	4.739E-01	2026	2035	2030	6	tasmax
Pakistan	Normal	3.109E+02	2.530E+00	6.675E-01	2026	2035	2030	7	tasmax
Pakistan	Normal	3.098E+02	2.771E+00	7.322E-01	2026	2035	2030	8	tasmax
Pakistan	Normal	3.074E+02	2.463E+00	3.876E-01	2026	2035	2030	9	tasmax
Pakistan	Normal	3.021E+02	2.638E+00	6.105E-01	2026	2035	2030	10	tasmax
Pakistan	Normal	2.945E+02	2.797E+00	6.474E-01	2026	2035	2030	11	tasmax
Pakistan	Normal	2.888E+02	2.701E+00	5.036E-01	2026	2035	2030	12	tasmax
Pakistan	Normal	2.883E+02	2.631E+00	5.078E-01	2036	2045	2040	1	tasmax
Pakistan	Normal	2.915E+02	2.779E+00	4.902E-01	2036	2045	2040	2	tasmax
Pakistan	Normal	2.971E+02	2.986E+00	5.883E-01	2036	2045	2040	3	tasmax
Pakistan	Normal	3.028E+02	2.818E+00	6.352E-01	2036	2045	2040	4	tasmax
Pakistan	Normal	3.080E+02	2.784E+00	6.172E-01	2036	2045	2040	5	tasmax
Pakistan	Normal	3.113E+02	2.241E+00	3.704E-01	2036	2045	2040	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Pakistan	Normal	3.113E+02	2.565E+00	7.856E-01	2036	2045	2040	7	tasmax
Pakistan	Normal	3.102E+02	2.812E+00	8.178E-01	2036	2045	2040	8	tasmax
Pakistan	Normal	3.078E+02	2.538E+00	5.157E-01	2036	2045	2040	9	tasmax
Pakistan	Normal	3.025E+02	2.411E+00	5.891E-01	2036	2045	2040	10	tasmax
Pakistan	Normal	2.950E+02	2.795E+00	8.463E-01	2036	2045	2040	11	tasmax
Pakistan	Normal	2.894E+02	2.651E+00	5.333E-01	2036	2045	2040	12	tasmax
Pakistan	Normal	2.889E+02	2.720E+00	5.909E-01	2046	2055	2050	1	tasmax
Pakistan	Normal	2.921E+02	2.761E+00	5.672E-01	2046	2055	2050	2	tasmax
Pakistan	Normal	2.975E+02	2.832E+00	5.777E-01	2046	2055	2050	3	tasmax
Pakistan	Normal	3.035E+02	2.815E+00	5.154E-01	2046	2055	2050	4	tasmax
Pakistan	Normal	3.086E+02	2.614E+00	5.406E-01	2046	2055	2050	5	tasmax
Pakistan	Normal	3.119E+02	2.244E+00	4.775E-01	2046	2055	2050	6	tasmax
Pakistan	Normal	3.120E+02	2.506E+00	6.711E-01	2046	2055	2050	7	tasmax
Pakistan	Normal	3.108E+02	2.905E+00	8.403E-01	2046	2055	2050	8	tasmax
Pakistan	Normal	3.086E+02	2.642E+00	5.501E-01	2046	2055	2050	9	tasmax
Pakistan	Normal	3.033E+02	2.579E+00	6.571E-01	2046	2055	2050	10	tasmax
Pakistan	Normal	2.959E+02	2.837E+00	7.599E-01	2046	2055	2050	11	tasmax
Pakistan	Normal	2.899E+02	2.733E+00	7.042E-01	2046	2055	2050	12	tasmax
Pakistan	Normal	2.897E+02	2.716E+00	7.537E-01	2056	2065	2060	1	tasmax
Pakistan	Normal	2.930E+02	2.849E+00	5.911E-01	2056	2065	2060	2	tasmax
Pakistan	Normal	2.983E+02	3.019E+00	6.135E-01	2056	2065	2060	3	tasmax
Pakistan	Normal	3.041E+02	2.879E+00	5.157E-01	2056	2065	2060	4	tasmax
Pakistan	Normal	3.094E+02	2.649E+00	4.797E-01	2056	2065	2060	5	tasmax
Pakistan	Normal	3.126E+02	2.346E+00	4.234E-01	2056	2065	2060	6	tasmax
Pakistan	Normal	3.125E+02	2.614E+00	6.410E-01	2056	2065	2060	7	tasmax
Pakistan	Normal	3.114E+02	2.952E+00	6.366E-01	2056	2065	2060	8	tasmax
Pakistan	Normal	3.091E+02	2.825E+00	7.119E-01	2056	2065	2060	9	tasmax
Pakistan	Normal	3.040E+02	2.812E+00	6.459E-01	2056	2065	2060	10	tasmax
Pakistan	Normal	2.966E+02	3.144E+00	7.384E-01	2056	2065	2060	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Pakistan	Normal	2.907E+02	2.794E+00	6.578E-01	2056	2065	2060	12	tasmax
Pakistan	Normal	2.901E+02	2.654E+00	4.987E-01	2066	2075	2070	1	tasmax
Pakistan	Normal	2.936E+02	2.886E+00	6.027E-01	2066	2075	2070	2	tasmax
Pakistan	Normal	2.990E+02	3.081E+00	6.718E-01	2066	2075	2070	3	tasmax
Pakistan	Normal	3.047E+02	2.957E+00	6.263E-01	2066	2075	2070	4	tasmax
Pakistan	Normal	3.100E+02	2.744E+00	6.858E-01	2066	2075	2070	5	tasmax
Pakistan	Normal	3.133E+02	2.247E+00	3.526E-01	2066	2075	2070	6	tasmax
Pakistan	Normal	3.133E+02	2.581E+00	4.935E-01	2066	2075	2070	7	tasmax
Pakistan	Normal	3.121E+02	2.889E+00	6.618E-01	2066	2075	2070	8	tasmax
Pakistan	Normal	3.099E+02	2.597E+00	5.370E-01	2066	2075	2070	9	tasmax
Pakistan	Normal	3.049E+02	2.557E+00	5.680E-01	2066	2075	2070	10	tasmax
Pakistan	Normal	2.972E+02	2.968E+00	6.769E-01	2066	2075	2070	11	tasmax
Pakistan	Normal	2.913E+02	2.734E+00	5.674E-01	2066	2075	2070	12	tasmax
Pakistan	Normal	2.911E+02	2.749E+00	6.726E-01	2076	2085	2080	1	tasmax
Pakistan	Normal	2.942E+02	3.004E+00	4.241E-01	2076	2085	2080	2	tasmax
Pakistan	Normal	2.999E+02	3.090E+00	4.868E-01	2076	2085	2080	3	tasmax
Pakistan	Normal	3.056E+02	2.852E+00	6.499E-01	2076	2085	2080	4	tasmax
Pakistan	Normal	3.110E+02	2.707E+00	6.456E-01	2076	2085	2080	5	tasmax
Pakistan	Normal	3.139E+02	2.196E+00	2.925E-01	2076	2085	2080	6	tasmax
Pakistan	Normal	3.137E+02	2.817E+00	6.485E-01	2076	2085	2080	7	tasmax
Pakistan	Normal	3.124E+02	3.019E+00	7.616E-01	2076	2085	2080	8	tasmax
Pakistan	Normal	3.104E+02	2.795E+00	5.977E-01	2076	2085	2080	9	tasmax
Pakistan	Normal	3.055E+02	2.621E+00	7.234E-01	2076	2085	2080	10	tasmax
Pakistan	Normal	2.980E+02	2.948E+00	6.278E-01	2076	2085	2080	11	tasmax
Pakistan	Normal	2.922E+02	3.049E+00	7.404E-01	2076	2085	2080	12	tasmax
Pakistan	Normal	2.919E+02	2.628E+00	5.035E-01	2086	2099	2092	1	tasmax
Pakistan	Normal	2.949E+02	2.690E+00	4.492E-01	2086	2099	2092	2	tasmax
Pakistan	Normal	3.006E+02	2.983E+00	5.207E-01	2086	2099	2092	3	tasmax
Pakistan	Normal	3.063E+02	2.873E+00	6.214E-01	2086	2099	2092	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Pakistan	Normal	3.115E+02	3.157E+00	4.334E-01	2086	2099	2092	5	tasmax
Pakistan	Normal	3.145E+02	2.436E+00	3.679E-01	2086	2099	2092	6	tasmax
Pakistan	Normal	3.144E+02	2.715E+00	6.929E-01	2086	2099	2092	7	tasmax
Pakistan	Normal	3.132E+02	2.981E+00	8.696E-01	2086	2099	2092	8	tasmax
Pakistan	Normal	3.111E+02	2.708E+00	8.592E-01	2086	2099	2092	9	tasmax
Pakistan	Normal	3.062E+02	2.623E+00	8.736E-01	2086	2099	2092	10	tasmax
Pakistan	Normal	2.989E+02	2.830E+00	6.220E-01	2086	2099	2092	11	tasmax
Pakistan	Normal	2.931E+02	2.866E+00	7.011E-01	2086	2099	2092	12	tasmax
Panama	Normal	3.022E+02	1.551E+00	4.551E-01	2006	2015	2010	1	tasmax
Panama	Normal	3.029E+02	1.865E+00	5.698E-01	2006	2015	2010	2	tasmax
Panama	Normal	3.036E+02	2.194E+00	7.352E-01	2006	2015	2010	3	tasmax
Panama	Normal	3.039E+02	2.081E+00	5.168E-01	2006	2015	2010	4	tasmax
Panama	Normal	3.028E+02	1.300E+00	3.604E-01	2006	2015	2010	5	tasmax
Panama	Normal	3.018E+02	9.855E-01	1.841E-01	2006	2015	2010	6	tasmax
Panama	Normal	3.017E+02	1.048E+00	2.103E-01	2006	2015	2010	7	tasmax
Panama	Normal	3.019E+02	1.090E+00	2.232E-01	2006	2015	2010	8	tasmax
Panama	Normal	3.018E+02	9.616E-01	1.527E-01	2006	2015	2010	9	tasmax
Panama	Normal	3.017E+02	9.114E-01	1.418E-01	2006	2015	2010	10	tasmax
Panama	Normal	3.017E+02	9.847E-01	1.944E-01	2006	2015	2010	11	tasmax
Panama	Normal	3.018E+02	9.950E-01	2.226E-01	2006	2015	2010	12	tasmax
Panama	Normal	3.024E+02	1.354E+00	3.942E-01	2016	2025	2020	1	tasmax
Panama	Normal	3.031E+02	1.733E+00	5.048E-01	2016	2025	2020	2	tasmax
Panama	Normal	3.037E+02	1.995E+00	5.476E-01	2016	2025	2020	3	tasmax
Panama	Normal	3.040E+02	1.864E+00	3.321E-01	2016	2025	2020	4	tasmax
Panama	Normal	3.030E+02	1.153E+00	3.003E-01	2016	2025	2020	5	tasmax
Panama	Normal	3.021E+02	9.984E-01	1.912E-01	2016	2025	2020	6	tasmax
Panama	Normal	3.020E+02	1.030E+00	2.166E-01	2016	2025	2020	7	tasmax
Panama	Normal	3.021E+02	1.085E+00	2.227E-01	2016	2025	2020	8	tasmax
Panama	Normal	3.021E+02	9.393E-01	1.345E-01	2016	2025	2020	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Panama	Normal	3.020E+02	1.012E+00	1.778E-01	2016	2025	2020	10	tasmax
Panama	Normal	3.020E+02	1.029E+00	1.573E-01	2016	2025	2020	11	tasmax
Panama	Normal	3.021E+02	1.027E+00	2.974E-01	2016	2025	2020	12	tasmax
Panama	Normal	3.027E+02	1.476E+00	4.309E-01	2026	2035	2030	1	tasmax
Panama	Normal	3.035E+02	1.865E+00	5.660E-01	2026	2035	2030	2	tasmax
Panama	Normal	3.041E+02	2.067E+00	5.957E-01	2026	2035	2030	3	tasmax
Panama	Normal	3.044E+02	1.964E+00	3.470E-01	2026	2035	2030	4	tasmax
Panama	Normal	3.035E+02	1.372E+00	3.383E-01	2026	2035	2030	5	tasmax
Panama	Normal	3.025E+02	1.108E+00	2.279E-01	2026	2035	2030	6	tasmax
Panama	Normal	3.024E+02	1.226E+00	3.322E-01	2026	2035	2030	7	tasmax
Panama	Normal	3.024E+02	1.111E+00	2.219E-01	2026	2035	2030	8	tasmax
Panama	Normal	3.024E+02	9.301E-01	1.233E-01	2026	2035	2030	9	tasmax
Panama	Normal	3.023E+02	9.230E-01	1.489E-01	2026	2035	2030	10	tasmax
Panama	Normal	3.023E+02	1.014E+00	1.801E-01	2026	2035	2030	11	tasmax
Panama	Normal	3.023E+02	9.967E-01	2.707E-01	2026	2035	2030	12	tasmax
Panama	Normal	3.032E+02	1.595E+00	4.609E-01	2036	2045	2040	1	tasmax
Panama	Normal	3.039E+02	2.096E+00	6.895E-01	2036	2045	2040	2	tasmax
Panama	Normal	3.045E+02	2.394E+00	8.184E-01	2036	2045	2040	3	tasmax
Panama	Normal	3.048E+02	2.229E+00	5.220E-01	2036	2045	2040	4	tasmax
Panama	Normal	3.039E+02	1.557E+00	4.023E-01	2036	2045	2040	5	tasmax
Panama	Normal	3.028E+02	1.209E+00	3.305E-01	2036	2045	2040	6	tasmax
Panama	Normal	3.028E+02	1.323E+00	4.445E-01	2036	2045	2040	7	tasmax
Panama	Normal	3.029E+02	1.248E+00	3.276E-01	2036	2045	2040	8	tasmax
Panama	Normal	3.028E+02	1.036E+00	1.908E-01	2036	2045	2040	9	tasmax
Panama	Normal	3.027E+02	1.064E+00	1.900E-01	2036	2045	2040	10	tasmax
Panama	Normal	3.027E+02	1.125E+00	2.553E-01	2036	2045	2040	11	tasmax
Panama	Normal	3.027E+02	1.066E+00	2.672E-01	2036	2045	2040	12	tasmax
Panama	Normal	3.036E+02	1.655E+00	4.917E-01	2046	2055	2050	1	tasmax
Panama	Normal	3.043E+02	2.148E+00	6.917E-01	2046	2055	2050	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Panama	Normal	3.050E+02	2.415E+00	7.518E-01	2046	2055	2050	3	tasmax
Panama	Normal	3.053E+02	2.420E+00	6.129E-01	2046	2055	2050	4	tasmax
Panama	Normal	3.043E+02	1.537E+00	3.951E-01	2046	2055	2050	5	tasmax
Panama	Normal	3.033E+02	1.343E+00	3.867E-01	2046	2055	2050	6	tasmax
Panama	Normal	3.032E+02	1.416E+00	4.412E-01	2046	2055	2050	7	tasmax
Panama	Normal	3.033E+02	1.391E+00	4.156E-01	2046	2055	2050	8	tasmax
Panama	Normal	3.032E+02	1.069E+00	1.867E-01	2046	2055	2050	9	tasmax
Panama	Normal	3.031E+02	1.082E+00	2.277E-01	2046	2055	2050	10	tasmax
Panama	Normal	3.031E+02	1.165E+00	2.228E-01	2046	2055	2050	11	tasmax
Panama	Normal	3.032E+02	1.210E+00	3.036E-01	2046	2055	2050	12	tasmax
Panama	Normal	3.039E+02	1.655E+00	5.295E-01	2056	2065	2060	1	tasmax
Panama	Normal	3.046E+02	2.002E+00	6.063E-01	2056	2065	2060	2	tasmax
Panama	Normal	3.053E+02	2.272E+00	6.166E-01	2056	2065	2060	3	tasmax
Panama	Normal	3.056E+02	2.193E+00	3.983E-01	2056	2065	2060	4	tasmax
Panama	Normal	3.047E+02	1.444E+00	2.942E-01	2056	2065	2060	5	tasmax
Panama	Normal	3.037E+02	1.259E+00	3.324E-01	2056	2065	2060	6	tasmax
Panama	Normal	3.036E+02	1.460E+00	4.942E-01	2056	2065	2060	7	tasmax
Panama	Normal	3.037E+02	1.314E+00	3.786E-01	2056	2065	2060	8	tasmax
Panama	Normal	3.036E+02	1.110E+00	2.191E-01	2056	2065	2060	9	tasmax
Panama	Normal	3.036E+02	1.127E+00	2.584E-01	2056	2065	2060	10	tasmax
Panama	Normal	3.035E+02	1.146E+00	2.094E-01	2056	2065	2060	11	tasmax
Panama	Normal	3.035E+02	1.094E+00	2.394E-01	2056	2065	2060	12	tasmax
Panama	Normal	3.044E+02	1.571E+00	4.212E-01	2066	2075	2070	1	tasmax
Panama	Normal	3.050E+02	2.019E+00	5.642E-01	2066	2075	2070	2	tasmax
Panama	Normal	3.058E+02	2.288E+00	6.094E-01	2066	2075	2070	3	tasmax
Panama	Normal	3.061E+02	2.155E+00	4.649E-01	2066	2075	2070	4	tasmax
Panama	Normal	3.053E+02	1.451E+00	3.411E-01	2066	2075	2070	5	tasmax
Panama	Normal	3.042E+02	1.284E+00	3.761E-01	2066	2075	2070	6	tasmax
Panama	Normal	3.041E+02	1.445E+00	5.207E-01	2066	2075	2070	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Panama	Normal	3.041E+02	1.362E+00	3.863E-01	2066	2075	2070	8	tasmax
Panama	Normal	3.041E+02	1.207E+00	2.768E-01	2066	2075	2070	9	tasmax
Panama	Normal	3.041E+02	1.145E+00	3.174E-01	2066	2075	2070	10	tasmax
Panama	Normal	3.040E+02	1.249E+00	3.167E-01	2066	2075	2070	11	tasmax
Panama	Normal	3.040E+02	1.149E+00	2.460E-01	2066	2075	2070	12	tasmax
Panama	Normal	3.049E+02	1.708E+00	4.585E-01	2076	2085	2080	1	tasmax
Panama	Normal	3.055E+02	2.065E+00	5.631E-01	2076	2085	2080	2	tasmax
Panama	Normal	3.062E+02	2.352E+00	6.101E-01	2076	2085	2080	3	tasmax
Panama	Normal	3.066E+02	2.210E+00	3.743E-01	2076	2085	2080	4	tasmax
Panama	Normal	3.056E+02	1.422E+00	3.570E-01	2076	2085	2080	5	tasmax
Panama	Normal	3.047E+02	1.469E+00	4.133E-01	2076	2085	2080	6	tasmax
Panama	Normal	3.045E+02	1.728E+00	6.182E-01	2076	2085	2080	7	tasmax
Panama	Normal	3.047E+02	1.587E+00	5.611E-01	2076	2085	2080	8	tasmax
Panama	Normal	3.046E+02	1.379E+00	3.658E-01	2076	2085	2080	9	tasmax
Panama	Normal	3.045E+02	1.275E+00	3.141E-01	2076	2085	2080	10	tasmax
Panama	Normal	3.044E+02	1.300E+00	2.673E-01	2076	2085	2080	11	tasmax
Panama	Normal	3.045E+02	1.250E+00	2.136E-01	2076	2085	2080	12	tasmax
Panama	Normal	3.054E+02	1.825E+00	5.212E-01	2086	2099	2092	1	tasmax
Panama	Normal	3.060E+02	2.219E+00	5.949E-01	2086	2099	2092	2	tasmax
Panama	Normal	3.068E+02	2.546E+00	6.721E-01	2086	2099	2092	3	tasmax
Panama	Normal	3.071E+02	2.442E+00	5.129E-01	2086	2099	2092	4	tasmax
Panama	Normal	3.063E+02	1.783E+00	3.589E-01	2086	2099	2092	5	tasmax
Panama	Normal	3.052E+02	1.521E+00	3.973E-01	2086	2099	2092	6	tasmax
Panama	Normal	3.050E+02	1.727E+00	6.150E-01	2086	2099	2092	7	tasmax
Panama	Normal	3.051E+02	1.559E+00	4.930E-01	2086	2099	2092	8	tasmax
Panama	Normal	3.052E+02	1.395E+00	3.429E-01	2086	2099	2092	9	tasmax
Panama	Normal	3.051E+02	1.334E+00	3.236E-01	2086	2099	2092	10	tasmax
Panama	Normal	3.049E+02	1.354E+00	2.551E-01	2086	2099	2092	11	tasmax
Panama	Normal	3.050E+02	1.285E+00	2.181E-01	2086	2099	2092	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Papua New Guinea	Normal	3.010E+02	1.270E+00	3.836E-01	2006	2015	2010	1	tasmax
Papua New Guinea	Normal	3.010E+02	1.276E+00	4.526E-01	2006	2015	2010	2	tasmax
Papua New Guinea	Normal	3.009E+02	1.302E+00	4.599E-01	2006	2015	2010	3	tasmax
Papua New Guinea	Normal	3.008E+02	1.379E+00	4.792E-01	2006	2015	2010	4	tasmax
Papua New Guinea	Normal	3.003E+02	1.271E+00	4.096E-01	2006	2015	2010	5	tasmax
Papua New Guinea	Normal	2.998E+02	1.246E+00	3.572E-01	2006	2015	2010	6	tasmax
Papua New Guinea	Normal	2.997E+02	1.353E+00	4.057E-01	2006	2015	2010	7	tasmax
Papua New Guinea	Normal	3.001E+02	1.430E+00	3.437E-01	2006	2015	2010	8	tasmax
Papua New Guinea	Normal	3.007E+02	1.458E+00	3.691E-01	2006	2015	2010	9	tasmax
Papua New Guinea	Normal	3.009E+02	1.362E+00	2.888E-01	2006	2015	2010	10	tasmax
Papua New Guinea	Normal	3.011E+02	1.315E+00	2.569E-01	2006	2015	2010	11	tasmax
Papua New Guinea	Normal	3.011E+02	1.266E+00	2.627E-01	2006	2015	2010	12	tasmax
Papua New Guinea	Normal	3.013E+02	1.227E+00	3.927E-01	2016	2025	2020	1	tasmax
Papua New Guinea	Normal	3.013E+02	1.291E+00	4.647E-01	2016	2025	2020	2	tasmax
Papua New Guinea	Normal	3.012E+02	1.376E+00	4.866E-01	2016	2025	2020	3	tasmax
Papua New Guinea	Normal	3.010E+02	1.367E+00	4.817E-01	2016	2025	2020	4	tasmax
Papua New Guinea	Normal	3.005E+02	1.254E+00	3.897E-01	2016	2025	2020	5	tasmax
Papua New Guinea	Normal	3.001E+02	1.174E+00	3.987E-01	2016	2025	2020	6	tasmax
Papua New Guinea	Normal	3.000E+02	1.268E+00	4.044E-01	2016	2025	2020	7	tasmax
Papua New Guinea	Normal	3.004E+02	1.403E+00	3.917E-01	2016	2025	2020	8	tasmax
Papua New Guinea	Normal	3.010E+02	1.474E+00	3.813E-01	2016	2025	2020	9	tasmax
Papua New Guinea	Normal	3.013E+02	1.402E+00	2.959E-01	2016	2025	2020	10	tasmax
Papua New Guinea	Normal	3.013E+02	1.362E+00	2.934E-01	2016	2025	2020	11	tasmax
Papua New Guinea	Normal	3.013E+02	1.287E+00	3.175E-01	2016	2025	2020	12	tasmax
Papua New Guinea	Normal	3.015E+02	1.241E+00	3.721E-01	2026	2035	2030	1	tasmax
Papua New Guinea	Normal	3.015E+02	1.316E+00	4.785E-01	2026	2035	2030	2	tasmax
Papua New Guinea	Normal	3.015E+02	1.347E+00	4.786E-01	2026	2035	2030	3	tasmax
Papua New Guinea	Normal	3.013E+02	1.360E+00	5.059E-01	2026	2035	2030	4	tasmax
Papua New Guinea	Normal	3.008E+02	1.256E+00	4.206E-01	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Papua New Guinea	Normal	3.004E+02	1.147E+00	4.044E-01	2026	2035	2030	6	tasmax
Papua New Guinea	Normal	3.002E+02	1.317E+00	4.696E-01	2026	2035	2030	7	tasmax
Papua New Guinea	Normal	3.006E+02	1.450E+00	4.011E-01	2026	2035	2030	8	tasmax
Papua New Guinea	Normal	3.012E+02	1.480E+00	3.775E-01	2026	2035	2030	9	tasmax
Papua New Guinea	Normal	3.016E+02	1.400E+00	3.216E-01	2026	2035	2030	10	tasmax
Papua New Guinea	Normal	3.016E+02	1.349E+00	2.901E-01	2026	2035	2030	11	tasmax
Papua New Guinea	Normal	3.016E+02	1.255E+00	2.941E-01	2026	2035	2030	12	tasmax
Papua New Guinea	Normal	3.018E+02	1.278E+00	3.871E-01	2036	2045	2040	1	tasmax
Papua New Guinea	Normal	3.018E+02	1.369E+00	4.884E-01	2036	2045	2040	2	tasmax
Papua New Guinea	Normal	3.017E+02	1.391E+00	5.094E-01	2036	2045	2040	3	tasmax
Papua New Guinea	Normal	3.016E+02	1.410E+00	5.016E-01	2036	2045	2040	4	tasmax
Papua New Guinea	Normal	3.011E+02	1.324E+00	4.451E-01	2036	2045	2040	5	tasmax
Papua New Guinea	Normal	3.007E+02	1.230E+00	4.341E-01	2036	2045	2040	6	tasmax
Papua New Guinea	Normal	3.006E+02	1.370E+00	4.816E-01	2036	2045	2040	7	tasmax
Papua New Guinea	Normal	3.010E+02	1.491E+00	4.544E-01	2036	2045	2040	8	tasmax
Papua New Guinea	Normal	3.015E+02	1.573E+00	4.001E-01	2036	2045	2040	9	tasmax
Papua New Guinea	Normal	3.019E+02	1.465E+00	2.659E-01	2036	2045	2040	10	tasmax
Papua New Guinea	Normal	3.020E+02	1.451E+00	2.958E-01	2036	2045	2040	11	tasmax
Papua New Guinea	Normal	3.020E+02	1.364E+00	3.366E-01	2036	2045	2040	12	tasmax
Papua New Guinea	Normal	3.023E+02	1.394E+00	4.255E-01	2046	2055	2050	1	tasmax
Papua New Guinea	Normal	3.022E+02	1.390E+00	5.083E-01	2046	2055	2050	2	tasmax
Papua New Guinea	Normal	3.021E+02	1.470E+00	5.320E-01	2046	2055	2050	3	tasmax
Papua New Guinea	Normal	3.019E+02	1.405E+00	4.954E-01	2046	2055	2050	4	tasmax
Papua New Guinea	Normal	3.015E+02	1.313E+00	4.258E-01	2046	2055	2050	5	tasmax
Papua New Guinea	Normal	3.011E+02	1.283E+00	4.142E-01	2046	2055	2050	6	tasmax
Papua New Guinea	Normal	3.010E+02	1.425E+00	5.189E-01	2046	2055	2050	7	tasmax
Papua New Guinea	Normal	3.014E+02	1.619E+00	4.619E-01	2046	2055	2050	8	tasmax
Papua New Guinea	Normal	3.020E+02	1.654E+00	3.602E-01	2046	2055	2050	9	tasmax
Papua New Guinea	Normal	3.023E+02	1.567E+00	2.993E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Papua New Guinea	Normal	3.023E+02	1.529E+00	3.164E-01	2046	2055	2050	11	tasmax
Papua New Guinea	Normal	3.024E+02	1.455E+00	3.407E-01	2046	2055	2050	12	tasmax
Papua New Guinea	Normal	3.027E+02	1.453E+00	3.491E-01	2056	2065	2060	1	tasmax
Papua New Guinea	Normal	3.027E+02	1.422E+00	4.252E-01	2056	2065	2060	2	tasmax
Papua New Guinea	Normal	3.025E+02	1.471E+00	5.293E-01	2056	2065	2060	3	tasmax
Papua New Guinea	Normal	3.023E+02	1.456E+00	5.268E-01	2056	2065	2060	4	tasmax
Papua New Guinea	Normal	3.019E+02	1.367E+00	4.408E-01	2056	2065	2060	5	tasmax
Papua New Guinea	Normal	3.015E+02	1.304E+00	4.585E-01	2056	2065	2060	6	tasmax
Papua New Guinea	Normal	3.015E+02	1.447E+00	4.592E-01	2056	2065	2060	7	tasmax
Papua New Guinea	Normal	3.019E+02	1.646E+00	4.404E-01	2056	2065	2060	8	tasmax
Papua New Guinea	Normal	3.025E+02	1.653E+00	3.841E-01	2056	2065	2060	9	tasmax
Papua New Guinea	Normal	3.027E+02	1.587E+00	2.909E-01	2056	2065	2060	10	tasmax
Papua New Guinea	Normal	3.029E+02	1.653E+00	3.750E-01	2056	2065	2060	11	tasmax
Papua New Guinea	Normal	3.028E+02	1.509E+00	3.413E-01	2056	2065	2060	12	tasmax
Papua New Guinea	Normal	3.031E+02	1.463E+00	3.964E-01	2066	2075	2070	1	tasmax
Papua New Guinea	Normal	3.031E+02	1.443E+00	4.501E-01	2066	2075	2070	2	tasmax
Papua New Guinea	Normal	3.029E+02	1.552E+00	5.151E-01	2066	2075	2070	3	tasmax
Papua New Guinea	Normal	3.028E+02	1.527E+00	4.814E-01	2066	2075	2070	4	tasmax
Papua New Guinea	Normal	3.024E+02	1.428E+00	4.200E-01	2066	2075	2070	5	tasmax
Papua New Guinea	Normal	3.020E+02	1.355E+00	4.206E-01	2066	2075	2070	6	tasmax
Papua New Guinea	Normal	3.019E+02	1.471E+00	4.554E-01	2066	2075	2070	7	tasmax
Papua New Guinea	Normal	3.023E+02	1.675E+00	5.059E-01	2066	2075	2070	8	tasmax
Papua New Guinea	Normal	3.029E+02	1.742E+00	4.350E-01	2066	2075	2070	9	tasmax
Papua New Guinea	Normal	3.031E+02	1.674E+00	3.058E-01	2066	2075	2070	10	tasmax
Papua New Guinea	Normal	3.032E+02	1.688E+00	3.575E-01	2066	2075	2070	11	tasmax
Papua New Guinea	Normal	3.031E+02	1.509E+00	3.269E-01	2066	2075	2070	12	tasmax
Papua New Guinea	Normal	3.036E+02	1.567E+00	4.187E-01	2076	2085	2080	1	tasmax
Papua New Guinea	Normal	3.035E+02	1.554E+00	4.362E-01	2076	2085	2080	2	tasmax
Papua New Guinea	Normal	3.034E+02	1.623E+00	5.223E-01	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Papua New Guinea	Normal	3.032E+02	1.557E+00	4.895E-01	2076	2085	2080	4	tasmax
Papua New Guinea	Normal	3.028E+02	1.510E+00	4.713E-01	2076	2085	2080	5	tasmax
Papua New Guinea	Normal	3.025E+02	1.540E+00	4.920E-01	2076	2085	2080	6	tasmax
Papua New Guinea	Normal	3.023E+02	1.601E+00	5.158E-01	2076	2085	2080	7	tasmax
Papua New Guinea	Normal	3.028E+02	1.734E+00	5.325E-01	2076	2085	2080	8	tasmax
Papua New Guinea	Normal	3.033E+02	1.772E+00	4.279E-01	2076	2085	2080	9	tasmax
Papua New Guinea	Normal	3.036E+02	1.682E+00	3.175E-01	2076	2085	2080	10	tasmax
Papua New Guinea	Normal	3.037E+02	1.673E+00	3.155E-01	2076	2085	2080	11	tasmax
Papua New Guinea	Normal	3.037E+02	1.681E+00	3.848E-01	2076	2085	2080	12	tasmax
Papua New Guinea	Normal	3.040E+02	1.644E+00	4.523E-01	2086	2099	2092	1	tasmax
Papua New Guinea	Normal	3.039E+02	1.642E+00	4.604E-01	2086	2099	2092	2	tasmax
Papua New Guinea	Normal	3.038E+02	1.700E+00	5.350E-01	2086	2099	2092	3	tasmax
Papua New Guinea	Normal	3.036E+02	1.683E+00	5.215E-01	2086	2099	2092	4	tasmax
Papua New Guinea	Normal	3.033E+02	1.552E+00	4.466E-01	2086	2099	2092	5	tasmax
Papua New Guinea	Normal	3.029E+02	1.589E+00	4.463E-01	2086	2099	2092	6	tasmax
Papua New Guinea	Normal	3.028E+02	1.719E+00	4.784E-01	2086	2099	2092	7	tasmax
Papua New Guinea	Normal	3.032E+02	1.785E+00	5.132E-01	2086	2099	2092	8	tasmax
Papua New Guinea	Normal	3.038E+02	1.879E+00	4.502E-01	2086	2099	2092	9	tasmax
Papua New Guinea	Normal	3.040E+02	1.809E+00	3.588E-01	2086	2099	2092	10	tasmax
Papua New Guinea	Normal	3.041E+02	1.766E+00	4.048E-01	2086	2099	2092	11	tasmax
Papua New Guinea	Normal	3.042E+02	1.758E+00	4.153E-01	2086	2099	2092	12	tasmax
Paraguay	Normal	3.072E+02	2.798E+00	7.361E-01	2006	2015	2010	1	tasmax
Paraguay	Normal	3.066E+02	2.530E+00	4.802E-01	2006	2015	2010	2	tasmax
Paraguay	Normal	3.052E+02	2.251E+00	4.469E-01	2006	2015	2010	3	tasmax
Paraguay	Normal	3.030E+02	2.595E+00	4.340E-01	2006	2015	2010	4	tasmax
Paraguay	Normal	3.006E+02	2.832E+00	7.843E-01	2006	2015	2010	5	tasmax
Paraguay	Normal	2.986E+02	3.058E+00	5.895E-01	2006	2015	2010	6	tasmax
Paraguay	Normal	2.990E+02	3.687E+00	7.139E-01	2006	2015	2010	7	tasmax
Paraguay	Normal	3.012E+02	4.259E+00	8.770E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Paraguay	Normal	3.043E+02	4.401E+00	6.981E-01	2006	2015	2010	9	tasmax
Paraguay	Normal	3.063E+02	4.343E+00	1.171E+00	2006	2015	2010	10	tasmax
Paraguay	Normal	3.072E+02	3.625E+00	1.138E+00	2006	2015	2010	11	tasmax
Paraguay	Normal	3.072E+02	3.136E+00	7.435E-01	2006	2015	2010	12	tasmax
Paraguay	Normal	3.077E+02	2.665E+00	5.326E-01	2016	2025	2020	1	tasmax
Paraguay	Normal	3.069E+02	2.222E+00	3.527E-01	2016	2025	2020	2	tasmax
Paraguay	Normal	3.056E+02	2.099E+00	3.308E-01	2016	2025	2020	3	tasmax
Paraguay	Normal	3.035E+02	2.564E+00	3.991E-01	2016	2025	2020	4	tasmax
Paraguay	Normal	3.009E+02	2.806E+00	5.580E-01	2016	2025	2020	5	tasmax
Paraguay	Normal	2.990E+02	3.178E+00	6.299E-01	2016	2025	2020	6	tasmax
Paraguay	Normal	2.992E+02	3.756E+00	7.196E-01	2016	2025	2020	7	tasmax
Paraguay	Normal	3.020E+02	3.987E+00	7.467E-01	2016	2025	2020	8	tasmax
Paraguay	Normal	3.047E+02	4.150E+00	9.014E-01	2016	2025	2020	9	tasmax
Paraguay	Normal	3.069E+02	4.382E+00	1.144E+00	2016	2025	2020	10	tasmax
Paraguay	Normal	3.078E+02	3.663E+00	1.200E+00	2016	2025	2020	11	tasmax
Paraguay	Normal	3.078E+02	3.144E+00	7.907E-01	2016	2025	2020	12	tasmax
Paraguay	Normal	3.080E+02	2.742E+00	7.523E-01	2026	2035	2030	1	tasmax
Paraguay	Normal	3.075E+02	2.453E+00	6.482E-01	2026	2035	2030	2	tasmax
Paraguay	Normal	3.061E+02	2.092E+00	4.353E-01	2026	2035	2030	3	tasmax
Paraguay	Normal	3.038E+02	2.439E+00	5.385E-01	2026	2035	2030	4	tasmax
Paraguay	Normal	3.013E+02	2.881E+00	6.006E-01	2026	2035	2030	5	tasmax
Paraguay	Normal	2.993E+02	3.055E+00	5.309E-01	2026	2035	2030	6	tasmax
Paraguay	Normal	2.999E+02	3.632E+00	7.094E-01	2026	2035	2030	7	tasmax
Paraguay	Normal	3.024E+02	4.213E+00	8.715E-01	2026	2035	2030	8	tasmax
Paraguay	Normal	3.055E+02	4.528E+00	6.703E-01	2026	2035	2030	9	tasmax
Paraguay	Normal	3.074E+02	4.421E+00	1.203E+00	2026	2035	2030	10	tasmax
Paraguay	Normal	3.082E+02	3.881E+00	1.565E+00	2026	2035	2030	11	tasmax
Paraguay	Normal	3.082E+02	2.894E+00	9.237E-01	2026	2035	2030	12	tasmax
Paraguay	Normal	3.085E+02	2.751E+00	9.011E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Paraguay	Normal	3.081E+02	2.472E+00	6.973E-01	2036	2045	2040	2	tasmax
Paraguay	Normal	3.065E+02	2.338E+00	4.917E-01	2036	2045	2040	3	tasmax
Paraguay	Normal	3.044E+02	2.597E+00	3.841E-01	2036	2045	2040	4	tasmax
Paraguay	Normal	3.016E+02	3.083E+00	6.561E-01	2036	2045	2040	5	tasmax
Paraguay	Normal	2.996E+02	3.530E+00	6.757E-01	2036	2045	2040	6	tasmax
Paraguay	Normal	3.001E+02	3.656E+00	1.011E+00	2036	2045	2040	7	tasmax
Paraguay	Normal	3.028E+02	4.020E+00	8.087E-01	2036	2045	2040	8	tasmax
Paraguay	Normal	3.060E+02	4.618E+00	7.457E-01	2036	2045	2040	9	tasmax
Paraguay	Normal	3.076E+02	4.598E+00	1.157E+00	2036	2045	2040	10	tasmax
Paraguay	Normal	3.086E+02	3.932E+00	1.499E+00	2036	2045	2040	11	tasmax
Paraguay	Normal	3.087E+02	2.987E+00	8.732E-01	2036	2045	2040	12	tasmax
Paraguay	Normal	3.091E+02	2.830E+00	8.588E-01	2046	2055	2050	1	tasmax
Paraguay	Normal	3.085E+02	2.252E+00	6.391E-01	2046	2055	2050	2	tasmax
Paraguay	Normal	3.073E+02	2.295E+00	6.027E-01	2046	2055	2050	3	tasmax
Paraguay	Normal	3.052E+02	2.581E+00	4.905E-01	2046	2055	2050	4	tasmax
Paraguay	Normal	3.024E+02	2.899E+00	5.598E-01	2046	2055	2050	5	tasmax
Paraguay	Normal	3.002E+02	3.285E+00	6.747E-01	2046	2055	2050	6	tasmax
Paraguay	Normal	3.006E+02	3.631E+00	8.758E-01	2046	2055	2050	7	tasmax
Paraguay	Normal	3.036E+02	3.923E+00	8.869E-01	2046	2055	2050	8	tasmax
Paraguay	Normal	3.065E+02	4.589E+00	8.290E-01	2046	2055	2050	9	tasmax
Paraguay	Normal	3.086E+02	4.639E+00	1.245E+00	2046	2055	2050	10	tasmax
Paraguay	Normal	3.095E+02	3.841E+00	1.451E+00	2046	2055	2050	11	tasmax
Paraguay	Normal	3.093E+02	3.203E+00	1.172E+00	2046	2055	2050	12	tasmax
Paraguay	Normal	3.096E+02	2.829E+00	9.355E-01	2056	2065	2060	1	tasmax
Paraguay	Normal	3.092E+02	2.567E+00	7.643E-01	2056	2065	2060	2	tasmax
Paraguay	Normal	3.078E+02	2.375E+00	5.903E-01	2056	2065	2060	3	tasmax
Paraguay	Normal	3.055E+02	2.677E+00	4.259E-01	2056	2065	2060	4	tasmax
Paraguay	Normal	3.028E+02	2.963E+00	5.641E-01	2056	2065	2060	5	tasmax
Paraguay	Normal	3.008E+02	3.327E+00	5.886E-01	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Paraguay	Normal	3.011E+02	3.669E+00	7.614E-01	2056	2065	2060	7	tasmax
Paraguay	Normal	3.038E+02	4.291E+00	8.529E-01	2056	2065	2060	8	tasmax
Paraguay	Normal	3.072E+02	4.765E+00	8.212E-01	2056	2065	2060	9	tasmax
Paraguay	Normal	3.093E+02	4.727E+00	1.405E+00	2056	2065	2060	10	tasmax
Paraguay	Normal	3.098E+02	4.238E+00	1.681E+00	2056	2065	2060	11	tasmax
Paraguay	Normal	3.100E+02	3.320E+00	1.245E+00	2056	2065	2060	12	tasmax
Paraguay	Normal	3.104E+02	2.750E+00	9.051E-01	2066	2075	2070	1	tasmax
Paraguay	Normal	3.096E+02	2.594E+00	8.699E-01	2066	2075	2070	2	tasmax
Paraguay	Normal	3.084E+02	2.510E+00	6.467E-01	2066	2075	2070	3	tasmax
Paraguay	Normal	3.060E+02	2.725E+00	4.165E-01	2066	2075	2070	4	tasmax
Paraguay	Normal	3.032E+02	3.084E+00	4.994E-01	2066	2075	2070	5	tasmax
Paraguay	Normal	3.010E+02	3.346E+00	6.684E-01	2066	2075	2070	6	tasmax
Paraguay	Normal	3.018E+02	3.802E+00	1.020E+00	2066	2075	2070	7	tasmax
Paraguay	Normal	3.046E+02	4.271E+00	8.142E-01	2066	2075	2070	8	tasmax
Paraguay	Normal	3.078E+02	4.649E+00	8.267E-01	2066	2075	2070	9	tasmax
Paraguay	Normal	3.100E+02	4.976E+00	1.453E+00	2066	2075	2070	10	tasmax
Paraguay	Normal	3.106E+02	4.089E+00	1.607E+00	2066	2075	2070	11	tasmax
Paraguay	Normal	3.105E+02	3.074E+00	1.141E+00	2066	2075	2070	12	tasmax
Paraguay	Normal	3.112E+02	2.911E+00	8.886E-01	2076	2085	2080	1	tasmax
Paraguay	Normal	3.102E+02	2.642E+00	7.398E-01	2076	2085	2080	2	tasmax
Paraguay	Normal	3.093E+02	2.512E+00	6.669E-01	2076	2085	2080	3	tasmax
Paraguay	Normal	3.068E+02	2.758E+00	6.739E-01	2076	2085	2080	4	tasmax
Paraguay	Normal	3.040E+02	3.292E+00	8.016E-01	2076	2085	2080	5	tasmax
Paraguay	Normal	3.016E+02	3.850E+00	7.336E-01	2076	2085	2080	6	tasmax
Paraguay	Normal	3.023E+02	4.235E+00	9.998E-01	2076	2085	2080	7	tasmax
Paraguay	Normal	3.050E+02	4.644E+00	7.288E-01	2076	2085	2080	8	tasmax
Paraguay	Normal	3.085E+02	5.014E+00	8.633E-01	2076	2085	2080	9	tasmax
Paraguay	Normal	3.106E+02	5.146E+00	1.385E+00	2076	2085	2080	10	tasmax
Paraguay	Normal	3.114E+02	4.183E+00	1.665E+00	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Paraguay	Normal	3.113E+02	3.064E+00	1.200E+00	2076	2085	2080	12	tasmax
Paraguay	Normal	3.116E+02	2.768E+00	9.317E-01	2086	2099	2092	1	tasmax
Paraguay	Normal	3.113E+02	2.701E+00	6.137E-01	2086	2099	2092	2	tasmax
Paraguay	Normal	3.098E+02	2.686E+00	7.259E-01	2086	2099	2092	3	tasmax
Paraguay	Normal	3.072E+02	2.977E+00	6.505E-01	2086	2099	2092	4	tasmax
Paraguay	Normal	3.045E+02	3.456E+00	7.469E-01	2086	2099	2092	5	tasmax
Paraguay	Normal	3.024E+02	3.675E+00	8.478E-01	2086	2099	2092	6	tasmax
Paraguay	Normal	3.025E+02	4.289E+00	9.771E-01	2086	2099	2092	7	tasmax
Paraguay	Normal	3.056E+02	4.583E+00	7.140E-01	2086	2099	2092	8	tasmax
Paraguay	Normal	3.093E+02	4.911E+00	1.043E+00	2086	2099	2092	9	tasmax
Paraguay	Normal	3.112E+02	5.136E+00	1.450E+00	2086	2099	2092	10	tasmax
Paraguay	Normal	3.119E+02	4.361E+00	1.641E+00	2086	2099	2092	11	tasmax
Paraguay	Normal	3.119E+02	3.435E+00	1.232E+00	2086	2099	2092	12	tasmax
Peru	Normal	2.982E+02	1.914E+00	3.387E-01	2006	2015	2010	1	tasmax
Peru	Normal	2.982E+02	1.949E+00	4.630E-01	2006	2015	2010	2	tasmax
Peru	Normal	2.980E+02	1.895E+00	4.471E-01	2006	2015	2010	3	tasmax
Peru	Normal	2.977E+02	1.678E+00	4.455E-01	2006	2015	2010	4	tasmax
Peru	Normal	2.975E+02	1.584E+00	4.241E-01	2006	2015	2010	5	tasmax
Peru	Normal	2.977E+02	1.655E+00	2.168E-01	2006	2015	2010	6	tasmax
Peru	Normal	2.986E+02	1.868E+00	4.769E-01	2006	2015	2010	7	tasmax
Peru	Normal	2.997E+02	2.186E+00	5.555E-01	2006	2015	2010	8	tasmax
Peru	Normal	3.002E+02	2.377E+00	3.771E-01	2006	2015	2010	9	tasmax
Peru	Normal	2.997E+02	2.270E+00	5.059E-01	2006	2015	2010	10	tasmax
Peru	Normal	2.988E+02	1.872E+00	4.769E-01	2006	2015	2010	11	tasmax
Peru	Normal	2.982E+02	1.804E+00	3.193E-01	2006	2015	2010	12	tasmax
Peru	Normal	2.985E+02	1.859E+00	3.199E-01	2016	2025	2020	1	tasmax
Peru	Normal	2.986E+02	1.948E+00	4.316E-01	2016	2025	2020	2	tasmax
Peru	Normal	2.984E+02	1.942E+00	4.268E-01	2016	2025	2020	3	tasmax
Peru	Normal	2.980E+02	1.699E+00	4.265E-01	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Peru	Normal	2.978E+02	1.640E+00	5.508E-01	2016	2025	2020	5	tasmax
Peru	Normal	2.981E+02	1.683E+00	2.379E-01	2016	2025	2020	6	tasmax
Peru	Normal	2.989E+02	1.856E+00	4.465E-01	2016	2025	2020	7	tasmax
Peru	Normal	3.002E+02	2.109E+00	4.746E-01	2016	2025	2020	8	tasmax
Peru	Normal	3.005E+02	2.311E+00	4.307E-01	2016	2025	2020	9	tasmax
Peru	Normal	3.002E+02	2.336E+00	5.771E-01	2016	2025	2020	10	tasmax
Peru	Normal	2.992E+02	1.906E+00	4.679E-01	2016	2025	2020	11	tasmax
Peru	Normal	2.986E+02	1.853E+00	3.521E-01	2016	2025	2020	12	tasmax
Peru	Normal	2.989E+02	1.850E+00	3.587E-01	2026	2035	2030	1	tasmax
Peru	Normal	2.990E+02	1.942E+00	4.704E-01	2026	2035	2030	2	tasmax
Peru	Normal	2.988E+02	1.926E+00	4.572E-01	2026	2035	2030	3	tasmax
Peru	Normal	2.984E+02	1.718E+00	4.126E-01	2026	2035	2030	4	tasmax
Peru	Normal	2.983E+02	1.587E+00	4.146E-01	2026	2035	2030	5	tasmax
Peru	Normal	2.985E+02	1.574E+00	2.532E-01	2026	2035	2030	6	tasmax
Peru	Normal	2.994E+02	1.821E+00	4.761E-01	2026	2035	2030	7	tasmax
Peru	Normal	3.007E+02	2.166E+00	5.102E-01	2026	2035	2030	8	tasmax
Peru	Normal	3.010E+02	2.489E+00	4.360E-01	2026	2035	2030	9	tasmax
Peru	Normal	3.005E+02	2.313E+00	5.424E-01	2026	2035	2030	10	tasmax
Peru	Normal	2.996E+02	1.924E+00	5.082E-01	2026	2035	2030	11	tasmax
Peru	Normal	2.989E+02	1.853E+00	3.560E-01	2026	2035	2030	12	tasmax
Peru	Normal	2.994E+02	1.865E+00	3.325E-01	2036	2045	2040	1	tasmax
Peru	Normal	2.994E+02	1.925E+00	4.404E-01	2036	2045	2040	2	tasmax
Peru	Normal	2.993E+02	1.945E+00	4.382E-01	2036	2045	2040	3	tasmax
Peru	Normal	2.989E+02	1.709E+00	4.309E-01	2036	2045	2040	4	tasmax
Peru	Normal	2.988E+02	1.619E+00	3.906E-01	2036	2045	2040	5	tasmax
Peru	Normal	2.991E+02	1.680E+00	3.138E-01	2036	2045	2040	6	tasmax
Peru	Normal	3.000E+02	1.884E+00	5.303E-01	2036	2045	2040	7	tasmax
Peru	Normal	3.013E+02	2.208E+00	5.000E-01	2036	2045	2040	8	tasmax
Peru	Normal	3.016E+02	2.481E+00	4.311E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Peru	Normal	3.012E+02	2.422E+00	5.828E-01	2036	2045	2040	10	tasmax
Peru	Normal	3.002E+02	1.959E+00	5.066E-01	2036	2045	2040	11	tasmax
Peru	Normal	2.995E+02	1.948E+00	3.877E-01	2036	2045	2040	12	tasmax
Peru	Normal	2.999E+02	1.913E+00	4.399E-01	2046	2055	2050	1	tasmax
Peru	Normal	3.000E+02	2.009E+00	4.710E-01	2046	2055	2050	2	tasmax
Peru	Normal	2.998E+02	2.022E+00	4.607E-01	2046	2055	2050	3	tasmax
Peru	Normal	2.994E+02	1.750E+00	4.185E-01	2046	2055	2050	4	tasmax
Peru	Normal	2.993E+02	1.652E+00	3.514E-01	2046	2055	2050	5	tasmax
Peru	Normal	2.996E+02	1.636E+00	3.309E-01	2046	2055	2050	6	tasmax
Peru	Normal	3.005E+02	1.938E+00	4.513E-01	2046	2055	2050	7	tasmax
Peru	Normal	3.018E+02	2.256E+00	5.448E-01	2046	2055	2050	8	tasmax
Peru	Normal	3.022E+02	2.636E+00	5.347E-01	2046	2055	2050	9	tasmax
Peru	Normal	3.018E+02	2.481E+00	5.473E-01	2046	2055	2050	10	tasmax
Peru	Normal	3.008E+02	2.141E+00	4.551E-01	2046	2055	2050	11	tasmax
Peru	Normal	2.999E+02	1.941E+00	4.160E-01	2046	2055	2050	12	tasmax
Peru	Normal	3.004E+02	2.017E+00	4.534E-01	2056	2065	2060	1	tasmax
Peru	Normal	3.005E+02	2.087E+00	5.645E-01	2056	2065	2060	2	tasmax
Peru	Normal	3.003E+02	2.040E+00	5.855E-01	2056	2065	2060	3	tasmax
Peru	Normal	2.999E+02	1.836E+00	4.420E-01	2056	2065	2060	4	tasmax
Peru	Normal	2.999E+02	1.711E+00	3.434E-01	2056	2065	2060	5	tasmax
Peru	Normal	3.002E+02	1.678E+00	3.961E-01	2056	2065	2060	6	tasmax
Peru	Normal	3.012E+02	1.953E+00	4.896E-01	2056	2065	2060	7	tasmax
Peru	Normal	3.024E+02	2.220E+00	5.735E-01	2056	2065	2060	8	tasmax
Peru	Normal	3.028E+02	2.644E+00	6.087E-01	2056	2065	2060	9	tasmax
Peru	Normal	3.024E+02	2.666E+00	6.210E-01	2056	2065	2060	10	tasmax
Peru	Normal	3.013E+02	2.152E+00	4.341E-01	2056	2065	2060	11	tasmax
Peru	Normal	3.005E+02	1.970E+00	4.106E-01	2056	2065	2060	12	tasmax
Peru	Normal	3.010E+02	2.004E+00	4.755E-01	2066	2075	2070	1	tasmax
Peru	Normal	3.010E+02	2.057E+00	5.730E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Peru	Normal	3.008E+02	2.133E+00	6.068E-01	2066	2075	2070	3	tasmax
Peru	Normal	3.005E+02	1.890E+00	5.284E-01	2066	2075	2070	4	tasmax
Peru	Normal	3.005E+02	1.789E+00	3.815E-01	2066	2075	2070	5	tasmax
Peru	Normal	3.008E+02	1.735E+00	4.082E-01	2066	2075	2070	6	tasmax
Peru	Normal	3.019E+02	2.023E+00	5.641E-01	2066	2075	2070	7	tasmax
Peru	Normal	3.031E+02	2.244E+00	4.928E-01	2066	2075	2070	8	tasmax
Peru	Normal	3.035E+02	2.731E+00	6.364E-01	2066	2075	2070	9	tasmax
Peru	Normal	3.031E+02	2.853E+00	8.097E-01	2066	2075	2070	10	tasmax
Peru	Normal	3.020E+02	2.314E+00	4.867E-01	2066	2075	2070	11	tasmax
Peru	Normal	3.010E+02	1.995E+00	3.763E-01	2066	2075	2070	12	tasmax
Peru	Normal	3.014E+02	2.033E+00	4.787E-01	2076	2085	2080	1	tasmax
Peru	Normal	3.014E+02	2.130E+00	5.408E-01	2076	2085	2080	2	tasmax
Peru	Normal	3.014E+02	2.117E+00	5.706E-01	2076	2085	2080	3	tasmax
Peru	Normal	3.011E+02	1.972E+00	4.897E-01	2076	2085	2080	4	tasmax
Peru	Normal	3.010E+02	1.921E+00	3.666E-01	2076	2085	2080	5	tasmax
Peru	Normal	3.014E+02	1.864E+00	4.106E-01	2076	2085	2080	6	tasmax
Peru	Normal	3.025E+02	2.149E+00	4.966E-01	2076	2085	2080	7	tasmax
Peru	Normal	3.037E+02	2.440E+00	5.973E-01	2076	2085	2080	8	tasmax
Peru	Normal	3.042E+02	2.895E+00	7.352E-01	2076	2085	2080	9	tasmax
Peru	Normal	3.038E+02	2.959E+00	7.601E-01	2076	2085	2080	10	tasmax
Peru	Normal	3.026E+02	2.515E+00	5.546E-01	2076	2085	2080	11	tasmax
Peru	Normal	3.016E+02	2.072E+00	3.925E-01	2076	2085	2080	12	tasmax
Peru	Normal	3.022E+02	2.164E+00	5.276E-01	2086	2099	2092	1	tasmax
Peru	Normal	3.022E+02	2.173E+00	5.381E-01	2086	2099	2092	2	tasmax
Peru	Normal	3.020E+02	2.248E+00	6.232E-01	2086	2099	2092	3	tasmax
Peru	Normal	3.017E+02	2.072E+00	5.872E-01	2086	2099	2092	4	tasmax
Peru	Normal	3.017E+02	1.981E+00	3.615E-01	2086	2099	2092	5	tasmax
Peru	Normal	3.021E+02	1.916E+00	4.484E-01	2086	2099	2092	6	tasmax
Peru	Normal	3.031E+02	2.132E+00	4.817E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Peru	Normal	3.045E+02	2.398E+00	5.120E-01	2086	2099	2092	8	tasmax
Peru	Normal	3.051E+02	2.869E+00	6.748E-01	2086	2099	2092	9	tasmax
Peru	Normal	3.045E+02	3.014E+00	7.743E-01	2086	2099	2092	10	tasmax
Peru	Normal	3.032E+02	2.543E+00	5.924E-01	2086	2099	2092	11	tasmax
Peru	Normal	3.023E+02	2.113E+00	4.093E-01	2086	2099	2092	12	tasmax
Philippines	Normal	3.000E+02	1.248E+00	3.261E-01	2006	2015	2010	1	tasmax
Philippines	Normal	3.004E+02	1.458E+00	4.059E-01	2006	2015	2010	2	tasmax
Philippines	Normal	3.016E+02	1.797E+00	3.516E-01	2006	2015	2010	3	tasmax
Philippines	Normal	3.029E+02	1.852E+00	2.960E-01	2006	2015	2010	4	tasmax
Philippines	Normal	3.032E+02	1.547E+00	2.785E-01	2006	2015	2010	5	tasmax
Philippines	Normal	3.027E+02	1.217E+00	2.589E-01	2006	2015	2010	6	tasmax
Philippines	Normal	3.023E+02	1.036E+00	1.895E-01	2006	2015	2010	7	tasmax
Philippines	Normal	3.022E+02	1.083E+00	1.703E-01	2006	2015	2010	8	tasmax
Philippines	Normal	3.022E+02	9.353E-01	2.010E-01	2006	2015	2010	9	tasmax
Philippines	Normal	3.020E+02	8.557E-01	2.471E-01	2006	2015	2010	10	tasmax
Philippines	Normal	3.015E+02	8.846E-01	2.563E-01	2006	2015	2010	11	tasmax
Philippines	Normal	3.006E+02	9.992E-01	2.792E-01	2006	2015	2010	12	tasmax
Philippines	Normal	3.002E+02	1.257E+00	3.423E-01	2016	2025	2020	1	tasmax
Philippines	Normal	3.006E+02	1.461E+00	4.291E-01	2016	2025	2020	2	tasmax
Philippines	Normal	3.018E+02	1.721E+00	4.943E-01	2016	2025	2020	3	tasmax
Philippines	Normal	3.030E+02	1.802E+00	3.806E-01	2016	2025	2020	4	tasmax
Philippines	Normal	3.034E+02	1.577E+00	2.958E-01	2016	2025	2020	5	tasmax
Philippines	Normal	3.029E+02	1.157E+00	2.431E-01	2016	2025	2020	6	tasmax
Philippines	Normal	3.025E+02	1.037E+00	1.822E-01	2016	2025	2020	7	tasmax
Philippines	Normal	3.024E+02	1.088E+00	1.752E-01	2016	2025	2020	8	tasmax
Philippines	Normal	3.025E+02	9.767E-01	2.534E-01	2016	2025	2020	9	tasmax
Philippines	Normal	3.023E+02	9.317E-01	3.192E-01	2016	2025	2020	10	tasmax
Philippines	Normal	3.017E+02	9.754E-01	2.648E-01	2016	2025	2020	11	tasmax
Philippines	Normal	3.008E+02	1.046E+00	2.550E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Philippines	Normal	3.006E+02	1.242E+00	3.418E-01	2026	2035	2030	1	tasmax
Philippines	Normal	3.010E+02	1.478E+00	4.158E-01	2026	2035	2030	2	tasmax
Philippines	Normal	3.022E+02	1.740E+00	4.198E-01	2026	2035	2030	3	tasmax
Philippines	Normal	3.035E+02	1.786E+00	3.139E-01	2026	2035	2030	4	tasmax
Philippines	Normal	3.038E+02	1.510E+00	2.852E-01	2026	2035	2030	5	tasmax
Philippines	Normal	3.033E+02	1.292E+00	2.727E-01	2026	2035	2030	6	tasmax
Philippines	Normal	3.028E+02	1.087E+00	1.888E-01	2026	2035	2030	7	tasmax
Philippines	Normal	3.028E+02	1.106E+00	1.985E-01	2026	2035	2030	8	tasmax
Philippines	Normal	3.028E+02	9.755E-01	2.161E-01	2026	2035	2030	9	tasmax
Philippines	Normal	3.026E+02	8.814E-01	2.171E-01	2026	2035	2030	10	tasmax
Philippines	Normal	3.020E+02	9.057E-01	2.277E-01	2026	2035	2030	11	tasmax
Philippines	Normal	3.012E+02	1.017E+00	2.838E-01	2026	2035	2030	12	tasmax
Philippines	Normal	3.009E+02	1.276E+00	3.873E-01	2036	2045	2040	1	tasmax
Philippines	Normal	3.014E+02	1.531E+00	4.693E-01	2036	2045	2040	2	tasmax
Philippines	Normal	3.025E+02	1.869E+00	4.464E-01	2036	2045	2040	3	tasmax
Philippines	Normal	3.037E+02	1.868E+00	3.715E-01	2036	2045	2040	4	tasmax
Philippines	Normal	3.041E+02	1.595E+00	3.312E-01	2036	2045	2040	5	tasmax
Philippines	Normal	3.036E+02	1.198E+00	2.173E-01	2036	2045	2040	6	tasmax
Philippines	Normal	3.032E+02	1.087E+00	1.769E-01	2036	2045	2040	7	tasmax
Philippines	Normal	3.031E+02	1.175E+00	1.959E-01	2036	2045	2040	8	tasmax
Philippines	Normal	3.031E+02	1.003E+00	2.181E-01	2036	2045	2040	9	tasmax
Philippines	Normal	3.029E+02	8.931E-01	2.518E-01	2036	2045	2040	10	tasmax
Philippines	Normal	3.023E+02	9.761E-01	2.979E-01	2036	2045	2040	11	tasmax
Philippines	Normal	3.015E+02	1.050E+00	3.521E-01	2036	2045	2040	12	tasmax
Philippines	Normal	3.012E+02	1.277E+00	4.286E-01	2046	2055	2050	1	tasmax
Philippines	Normal	3.016E+02	1.551E+00	4.314E-01	2046	2055	2050	2	tasmax
Philippines	Normal	3.029E+02	1.851E+00	4.813E-01	2046	2055	2050	3	tasmax
Philippines	Normal	3.042E+02	1.941E+00	3.714E-01	2046	2055	2050	4	tasmax
Philippines	Normal	3.046E+02	1.677E+00	3.221E-01	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Philippines	Normal	3.040E+02	1.401E+00	2.871E-01	2046	2055	2050	6	tasmax
Philippines	Normal	3.035E+02	1.142E+00	2.134E-01	2046	2055	2050	7	tasmax
Philippines	Normal	3.035E+02	1.237E+00	2.355E-01	2046	2055	2050	8	tasmax
Philippines	Normal	3.035E+02	1.099E+00	2.932E-01	2046	2055	2050	9	tasmax
Philippines	Normal	3.032E+02	9.783E-01	2.789E-01	2046	2055	2050	10	tasmax
Philippines	Normal	3.027E+02	1.021E+00	2.799E-01	2046	2055	2050	11	tasmax
Philippines	Normal	3.019E+02	1.131E+00	3.927E-01	2046	2055	2050	12	tasmax
Philippines	Normal	3.017E+02	1.335E+00	5.150E-01	2056	2065	2060	1	tasmax
Philippines	Normal	3.021E+02	1.627E+00	5.403E-01	2056	2065	2060	2	tasmax
Philippines	Normal	3.033E+02	1.930E+00	4.779E-01	2056	2065	2060	3	tasmax
Philippines	Normal	3.046E+02	1.947E+00	4.256E-01	2056	2065	2060	4	tasmax
Philippines	Normal	3.048E+02	1.621E+00	3.228E-01	2056	2065	2060	5	tasmax
Philippines	Normal	3.044E+02	1.315E+00	2.550E-01	2056	2065	2060	6	tasmax
Philippines	Normal	3.039E+02	1.119E+00	2.377E-01	2056	2065	2060	7	tasmax
Philippines	Normal	3.038E+02	1.199E+00	2.514E-01	2056	2065	2060	8	tasmax
Philippines	Normal	3.039E+02	1.105E+00	2.787E-01	2056	2065	2060	9	tasmax
Philippines	Normal	3.037E+02	1.010E+00	2.435E-01	2056	2065	2060	10	tasmax
Philippines	Normal	3.031E+02	1.085E+00	2.930E-01	2056	2065	2060	11	tasmax
Philippines	Normal	3.022E+02	1.165E+00	3.480E-01	2056	2065	2060	12	tasmax
Philippines	Normal	3.022E+02	1.458E+00	5.176E-01	2066	2075	2070	1	tasmax
Philippines	Normal	3.025E+02	1.735E+00	6.559E-01	2066	2075	2070	2	tasmax
Philippines	Normal	3.037E+02	1.941E+00	5.902E-01	2066	2075	2070	3	tasmax
Philippines	Normal	3.051E+02	1.984E+00	4.621E-01	2066	2075	2070	4	tasmax
Philippines	Normal	3.054E+02	1.699E+00	3.720E-01	2066	2075	2070	5	tasmax
Philippines	Normal	3.049E+02	1.391E+00	2.834E-01	2066	2075	2070	6	tasmax
Philippines	Normal	3.044E+02	1.216E+00	2.556E-01	2066	2075	2070	7	tasmax
Philippines	Normal	3.043E+02	1.294E+00	2.624E-01	2066	2075	2070	8	tasmax
Philippines	Normal	3.043E+02	1.189E+00	2.769E-01	2066	2075	2070	9	tasmax
Philippines	Normal	3.041E+02	1.075E+00	2.771E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Philippines	Normal	3.036E+02	1.164E+00	3.100E-01	2066	2075	2070	11	tasmax
Philippines	Normal	3.028E+02	1.268E+00	3.633E-01	2066	2075	2070	12	tasmax
Philippines	Normal	3.026E+02	1.465E+00	5.357E-01	2076	2085	2080	1	tasmax
Philippines	Normal	3.029E+02	1.706E+00	5.253E-01	2076	2085	2080	2	tasmax
Philippines	Normal	3.042E+02	2.026E+00	5.312E-01	2076	2085	2080	3	tasmax
Philippines	Normal	3.056E+02	2.002E+00	4.192E-01	2076	2085	2080	4	tasmax
Philippines	Normal	3.060E+02	1.788E+00	3.777E-01	2076	2085	2080	5	tasmax
Philippines	Normal	3.053E+02	1.393E+00	2.532E-01	2076	2085	2080	6	tasmax
Philippines	Normal	3.048E+02	1.240E+00	2.554E-01	2076	2085	2080	7	tasmax
Philippines	Normal	3.048E+02	1.302E+00	2.528E-01	2076	2085	2080	8	tasmax
Philippines	Normal	3.048E+02	1.235E+00	3.034E-01	2076	2085	2080	9	tasmax
Philippines	Normal	3.045E+02	1.114E+00	2.135E-01	2076	2085	2080	10	tasmax
Philippines	Normal	3.040E+02	1.182E+00	2.480E-01	2076	2085	2080	11	tasmax
Philippines	Normal	3.031E+02	1.344E+00	3.833E-01	2076	2085	2080	12	tasmax
Philippines	Normal	3.030E+02	1.570E+00	5.687E-01	2086	2099	2092	1	tasmax
Philippines	Normal	3.034E+02	1.892E+00	5.850E-01	2086	2099	2092	2	tasmax
Philippines	Normal	3.046E+02	2.118E+00	5.810E-01	2086	2099	2092	3	tasmax
Philippines	Normal	3.060E+02	2.141E+00	5.398E-01	2086	2099	2092	4	tasmax
Philippines	Normal	3.064E+02	1.862E+00	4.451E-01	2086	2099	2092	5	tasmax
Philippines	Normal	3.058E+02	1.401E+00	2.483E-01	2086	2099	2092	6	tasmax
Philippines	Normal	3.052E+02	1.284E+00	2.482E-01	2086	2099	2092	7	tasmax
Philippines	Normal	3.052E+02	1.356E+00	2.365E-01	2086	2099	2092	8	tasmax
Philippines	Normal	3.052E+02	1.277E+00	3.482E-01	2086	2099	2092	9	tasmax
Philippines	Normal	3.049E+02	1.214E+00	2.874E-01	2086	2099	2092	10	tasmax
Philippines	Normal	3.044E+02	1.270E+00	3.136E-01	2086	2099	2092	11	tasmax
Philippines	Normal	3.036E+02	1.356E+00	3.970E-01	2086	2099	2092	12	tasmax
Poland	Normal	2.747E+02	2.518E+00	4.486E-01	2006	2015	2010	1	tasmax
Poland	Normal	2.763E+02	2.852E+00	4.415E-01	2006	2015	2010	2	tasmax
Poland	Normal	2.800E+02	2.681E+00	5.175E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Poland	Normal	2.861E+02	2.829E+00	5.800E-01	2006	2015	2010	4	tasmax
Poland	Normal	2.920E+02	2.614E+00	6.862E-01	2006	2015	2010	5	tasmax
Poland	Normal	2.970E+02	2.951E+00	7.171E-01	2006	2015	2010	6	tasmax
Poland	Normal	2.988E+02	3.102E+00	7.462E-01	2006	2015	2010	7	tasmax
Poland	Normal	2.975E+02	2.946E+00	6.514E-01	2006	2015	2010	8	tasmax
Poland	Normal	2.926E+02	2.782E+00	7.674E-01	2006	2015	2010	9	tasmax
Poland	Normal	2.861E+02	2.867E+00	8.541E-01	2006	2015	2010	10	tasmax
Poland	Normal	2.797E+02	2.467E+00	7.276E-01	2006	2015	2010	11	tasmax
Poland	Normal	2.762E+02	2.625E+00	4.791E-01	2006	2015	2010	12	tasmax
Poland	Normal	2.751E+02	2.402E+00	4.178E-01	2016	2025	2020	1	tasmax
Poland	Normal	2.768E+02	2.534E+00	4.327E-01	2016	2025	2020	2	tasmax
Poland	Normal	2.808E+02	2.818E+00	5.360E-01	2016	2025	2020	3	tasmax
Poland	Normal	2.864E+02	2.758E+00	3.989E-01	2016	2025	2020	4	tasmax
Poland	Normal	2.927E+02	2.720E+00	8.074E-01	2016	2025	2020	5	tasmax
Poland	Normal	2.976E+02	2.985E+00	5.913E-01	2016	2025	2020	6	tasmax
Poland	Normal	2.997E+02	3.204E+00	6.014E-01	2016	2025	2020	7	tasmax
Poland	Normal	2.980E+02	3.131E+00	5.565E-01	2016	2025	2020	8	tasmax
Poland	Normal	2.931E+02	2.903E+00	6.778E-01	2016	2025	2020	9	tasmax
Poland	Normal	2.866E+02	2.681E+00	7.887E-01	2016	2025	2020	10	tasmax
Poland	Normal	2.804E+02	2.294E+00	4.595E-01	2016	2025	2020	11	tasmax
Poland	Normal	2.764E+02	2.420E+00	6.652E-01	2016	2025	2020	12	tasmax
Poland	Normal	2.755E+02	2.507E+00	5.152E-01	2026	2035	2030	1	tasmax
Poland	Normal	2.769E+02	2.169E+00	3.183E-01	2026	2035	2030	2	tasmax
Poland	Normal	2.813E+02	2.646E+00	3.810E-01	2026	2035	2030	3	tasmax
Poland	Normal	2.869E+02	2.809E+00	5.778E-01	2026	2035	2030	4	tasmax
Poland	Normal	2.929E+02	2.733E+00	6.782E-01	2026	2035	2030	5	tasmax
Poland	Normal	2.977E+02	2.678E+00	6.571E-01	2026	2035	2030	6	tasmax
Poland	Normal	2.999E+02	3.384E+00	7.878E-01	2026	2035	2030	7	tasmax
Poland	Normal	2.986E+02	2.971E+00	5.945E-01	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Poland	Normal	2.933E+02	2.798E+00	6.589E-01	2026	2035	2030	9	tasmax
Poland	Normal	2.870E+02	2.841E+00	1.019E+00	2026	2035	2030	10	tasmax
Poland	Normal	2.806E+02	2.559E+00	9.349E-01	2026	2035	2030	11	tasmax
Poland	Normal	2.771E+02	2.731E+00	6.415E-01	2026	2035	2030	12	tasmax
Poland	Normal	2.764E+02	2.517E+00	4.974E-01	2036	2045	2040	1	tasmax
Poland	Normal	2.778E+02	2.381E+00	5.050E-01	2036	2045	2040	2	tasmax
Poland	Normal	2.816E+02	2.690E+00	4.535E-01	2036	2045	2040	3	tasmax
Poland	Normal	2.874E+02	2.738E+00	4.917E-01	2036	2045	2040	4	tasmax
Poland	Normal	2.931E+02	2.682E+00	6.484E-01	2036	2045	2040	5	tasmax
Poland	Normal	2.984E+02	3.245E+00	5.183E-01	2036	2045	2040	6	tasmax
Poland	Normal	3.008E+02	3.371E+00	5.100E-01	2036	2045	2040	7	tasmax
Poland	Normal	2.993E+02	2.989E+00	6.807E-01	2036	2045	2040	8	tasmax
Poland	Normal	2.941E+02	2.585E+00	6.636E-01	2036	2045	2040	9	tasmax
Poland	Normal	2.875E+02	2.517E+00	6.957E-01	2036	2045	2040	10	tasmax
Poland	Normal	2.814E+02	2.474E+00	9.516E-01	2036	2045	2040	11	tasmax
Poland	Normal	2.778E+02	2.341E+00	4.948E-01	2036	2045	2040	12	tasmax
Poland	Normal	2.768E+02	2.398E+00	4.223E-01	2046	2055	2050	1	tasmax
Poland	Normal	2.782E+02	2.274E+00	3.663E-01	2046	2055	2050	2	tasmax
Poland	Normal	2.820E+02	2.507E+00	5.146E-01	2046	2055	2050	3	tasmax
Poland	Normal	2.878E+02	3.153E+00	6.368E-01	2046	2055	2050	4	tasmax
Poland	Normal	2.936E+02	2.899E+00	7.331E-01	2046	2055	2050	5	tasmax
Poland	Normal	2.991E+02	3.370E+00	7.561E-01	2046	2055	2050	6	tasmax
Poland	Normal	3.015E+02	3.447E+00	7.827E-01	2046	2055	2050	7	tasmax
Poland	Normal	3.001E+02	3.314E+00	6.752E-01	2046	2055	2050	8	tasmax
Poland	Normal	2.949E+02	2.676E+00	6.145E-01	2046	2055	2050	9	tasmax
Poland	Normal	2.883E+02	2.769E+00	8.516E-01	2046	2055	2050	10	tasmax
Poland	Normal	2.818E+02	2.426E+00	6.284E-01	2046	2055	2050	11	tasmax
Poland	Normal	2.779E+02	2.428E+00	4.725E-01	2046	2055	2050	12	tasmax
Poland	Normal	2.775E+02	2.381E+00	4.223E-01	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Poland	Normal	2.786E+02	2.584E+00	5.629E-01	2056	2065	2060	2	tasmax
Poland	Normal	2.826E+02	2.783E+00	4.896E-01	2056	2065	2060	3	tasmax
Poland	Normal	2.882E+02	2.566E+00	5.783E-01	2056	2065	2060	4	tasmax
Poland	Normal	2.941E+02	3.179E+00	6.538E-01	2056	2065	2060	5	tasmax
Poland	Normal	2.993E+02	3.430E+00	7.533E-01	2056	2065	2060	6	tasmax
Poland	Normal	3.019E+02	3.538E+00	6.345E-01	2056	2065	2060	7	tasmax
Poland	Normal	3.008E+02	3.335E+00	8.084E-01	2056	2065	2060	8	tasmax
Poland	Normal	2.956E+02	2.956E+00	7.005E-01	2056	2065	2060	9	tasmax
Poland	Normal	2.889E+02	2.918E+00	8.573E-01	2056	2065	2060	10	tasmax
Poland	Normal	2.824E+02	2.171E+00	7.435E-01	2056	2065	2060	11	tasmax
Poland	Normal	2.789E+02	2.400E+00	6.462E-01	2056	2065	2060	12	tasmax
Poland	Normal	2.781E+02	1.986E+00	4.228E-01	2066	2075	2070	1	tasmax
Poland	Normal	2.793E+02	2.200E+00	3.271E-01	2066	2075	2070	2	tasmax
Poland	Normal	2.830E+02	2.843E+00	4.607E-01	2066	2075	2070	3	tasmax
Poland	Normal	2.888E+02	2.806E+00	6.834E-01	2066	2075	2070	4	tasmax
Poland	Normal	2.947E+02	3.057E+00	5.615E-01	2066	2075	2070	5	tasmax
Poland	Normal	3.004E+02	3.657E+00	6.517E-01	2066	2075	2070	6	tasmax
Poland	Normal	3.025E+02	3.619E+00	7.152E-01	2066	2075	2070	7	tasmax
Poland	Normal	3.016E+02	3.455E+00	7.160E-01	2066	2075	2070	8	tasmax
Poland	Normal	2.963E+02	3.260E+00	7.405E-01	2066	2075	2070	9	tasmax
Poland	Normal	2.894E+02	3.034E+00	8.156E-01	2066	2075	2070	10	tasmax
Poland	Normal	2.829E+02	2.347E+00	6.913E-01	2066	2075	2070	11	tasmax
Poland	Normal	2.793E+02	2.444E+00	6.684E-01	2066	2075	2070	12	tasmax
Poland	Normal	2.788E+02	2.300E+00	5.667E-01	2076	2085	2080	1	tasmax
Poland	Normal	2.800E+02	2.532E+00	5.767E-01	2076	2085	2080	2	tasmax
Poland	Normal	2.836E+02	3.099E+00	5.375E-01	2076	2085	2080	3	tasmax
Poland	Normal	2.890E+02	3.269E+00	7.627E-01	2076	2085	2080	4	tasmax
Poland	Normal	2.952E+02	3.194E+00	6.591E-01	2076	2085	2080	5	tasmax
Poland	Normal	3.011E+02	3.619E+00	7.284E-01	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Poland	Normal	3.037E+02	4.024E+00	7.677E-01	2076	2085	2080	7	tasmax
Poland	Normal	3.026E+02	3.600E+00	9.913E-01	2076	2085	2080	8	tasmax
Poland	Normal	2.971E+02	3.112E+00	6.266E-01	2076	2085	2080	9	tasmax
Poland	Normal	2.900E+02	2.932E+00	8.220E-01	2076	2085	2080	10	tasmax
Poland	Normal	2.834E+02	2.346E+00	5.780E-01	2076	2085	2080	11	tasmax
Poland	Normal	2.800E+02	2.229E+00	7.163E-01	2076	2085	2080	12	tasmax
Poland	Normal	2.792E+02	1.946E+00	5.709E-01	2086	2099	2092	1	tasmax
Poland	Normal	2.805E+02	2.204E+00	4.347E-01	2086	2099	2092	2	tasmax
Poland	Normal	2.840E+02	2.580E+00	4.752E-01	2086	2099	2092	3	tasmax
Poland	Normal	2.895E+02	2.959E+00	6.749E-01	2086	2099	2092	4	tasmax
Poland	Normal	2.957E+02	3.106E+00	7.611E-01	2086	2099	2092	5	tasmax
Poland	Normal	3.015E+02	3.892E+00	7.709E-01	2086	2099	2092	6	tasmax
Poland	Normal	3.043E+02	3.852E+00	1.127E+00	2086	2099	2092	7	tasmax
Poland	Normal	3.032E+02	3.568E+00	1.152E+00	2086	2099	2092	8	tasmax
Poland	Normal	2.979E+02	3.017E+00	5.581E-01	2086	2099	2092	9	tasmax
Poland	Normal	2.907E+02	2.914E+00	8.167E-01	2086	2099	2092	10	tasmax
Poland	Normal	2.842E+02	2.201E+00	6.014E-01	2086	2099	2092	11	tasmax
Poland	Normal	2.804E+02	2.278E+00	4.994E-01	2086	2099	2092	12	tasmax
Portugal	Normal	2.862E+02	1.217E+00	2.933E-01	2006	2015	2010	1	tasmax
Portugal	Normal	2.871E+02	1.153E+00	2.690E-01	2006	2015	2010	2	tasmax
Portugal	Normal	2.889E+02	2.051E+00	8.381E-01	2006	2015	2010	3	tasmax
Portugal	Normal	2.911E+02	2.580E+00	1.020E+00	2006	2015	2010	4	tasmax
Portugal	Normal	2.942E+02	2.645E+00	9.539E-01	2006	2015	2010	5	tasmax
Portugal	Normal	2.982E+02	2.624E+00	7.033E-01	2006	2015	2010	6	tasmax
Portugal	Normal	3.017E+02	2.139E+00	3.593E-01	2006	2015	2010	7	tasmax
Portugal	Normal	3.022E+02	2.208E+00	5.018E-01	2006	2015	2010	8	tasmax
Portugal	Normal	2.991E+02	2.082E+00	3.609E-01	2006	2015	2010	9	tasmax
Portugal	Normal	2.938E+02	2.256E+00	7.427E-01	2006	2015	2010	10	tasmax
Portugal	Normal	2.894E+02	1.550E+00	2.964E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Portugal	Normal	2.869E+02	1.305E+00	3.491E-01	2006	2015	2010	12	tasmax
Portugal	Normal	2.864E+02	1.116E+00	3.186E-01	2016	2025	2020	1	tasmax
Portugal	Normal	2.875E+02	1.253E+00	2.267E-01	2016	2025	2020	2	tasmax
Portugal	Normal	2.895E+02	1.915E+00	5.897E-01	2016	2025	2020	3	tasmax
Portugal	Normal	2.915E+02	2.152E+00	6.694E-01	2016	2025	2020	4	tasmax
Portugal	Normal	2.943E+02	2.268E+00	7.350E-01	2016	2025	2020	5	tasmax
Portugal	Normal	2.984E+02	2.226E+00	4.833E-01	2016	2025	2020	6	tasmax
Portugal	Normal	3.021E+02	2.372E+00	5.655E-01	2016	2025	2020	7	tasmax
Portugal	Normal	3.027E+02	2.307E+00	4.438E-01	2016	2025	2020	8	tasmax
Portugal	Normal	2.997E+02	2.210E+00	2.949E-01	2016	2025	2020	9	tasmax
Portugal	Normal	2.944E+02	2.422E+00	6.500E-01	2016	2025	2020	10	tasmax
Portugal	Normal	2.898E+02	1.452E+00	2.778E-01	2016	2025	2020	11	tasmax
Portugal	Normal	2.871E+02	1.208E+00	2.690E-01	2016	2025	2020	12	tasmax
Portugal	Normal	2.869E+02	1.267E+00	2.590E-01	2026	2035	2030	1	tasmax
Portugal	Normal	2.877E+02	1.312E+00	2.853E-01	2026	2035	2030	2	tasmax
Portugal	Normal	2.897E+02	1.969E+00	5.936E-01	2026	2035	2030	3	tasmax
Portugal	Normal	2.917E+02	2.439E+00	7.915E-01	2026	2035	2030	4	tasmax
Portugal	Normal	2.951E+02	2.393E+00	7.252E-01	2026	2035	2030	5	tasmax
Portugal	Normal	2.990E+02	2.411E+00	5.842E-01	2026	2035	2030	6	tasmax
Portugal	Normal	3.029E+02	2.500E+00	3.844E-01	2026	2035	2030	7	tasmax
Portugal	Normal	3.032E+02	2.340E+00	5.151E-01	2026	2035	2030	8	tasmax
Portugal	Normal	3.002E+02	2.154E+00	3.885E-01	2026	2035	2030	9	tasmax
Portugal	Normal	2.949E+02	2.297E+00	5.123E-01	2026	2035	2030	10	tasmax
Portugal	Normal	2.901E+02	1.550E+00	4.001E-01	2026	2035	2030	11	tasmax
Portugal	Normal	2.876E+02	1.349E+00	4.093E-01	2026	2035	2030	12	tasmax
Portugal	Normal	2.872E+02	1.172E+00	3.485E-01	2036	2045	2040	1	tasmax
Portugal	Normal	2.883E+02	1.411E+00	2.380E-01	2036	2045	2040	2	tasmax
Portugal	Normal	2.901E+02	2.034E+00	7.390E-01	2036	2045	2040	3	tasmax
Portugal	Normal	2.924E+02	2.521E+00	8.460E-01	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Portugal	Normal	2.954E+02	2.526E+00	9.408E-01	2036	2045	2040	5	tasmax
Portugal	Normal	2.998E+02	2.341E+00	4.234E-01	2036	2045	2040	6	tasmax
Portugal	Normal	3.035E+02	2.605E+00	4.312E-01	2036	2045	2040	7	tasmax
Portugal	Normal	3.039E+02	2.493E+00	4.220E-01	2036	2045	2040	8	tasmax
Portugal	Normal	3.007E+02	2.339E+00	4.899E-01	2036	2045	2040	9	tasmax
Portugal	Normal	2.953E+02	2.217E+00	4.786E-01	2036	2045	2040	10	tasmax
Portugal	Normal	2.907E+02	1.840E+00	4.238E-01	2036	2045	2040	11	tasmax
Portugal	Normal	2.879E+02	1.361E+00	3.845E-01	2036	2045	2040	12	tasmax
Portugal	Normal	2.875E+02	1.178E+00	4.181E-01	2046	2055	2050	1	tasmax
Portugal	Normal	2.885E+02	1.452E+00	2.819E-01	2046	2055	2050	2	tasmax
Portugal	Normal	2.904E+02	1.944E+00	5.045E-01	2046	2055	2050	3	tasmax
Portugal	Normal	2.927E+02	2.538E+00	9.332E-01	2046	2055	2050	4	tasmax
Portugal	Normal	2.960E+02	2.610E+00	8.948E-01	2046	2055	2050	5	tasmax
Portugal	Normal	3.003E+02	2.568E+00	5.582E-01	2046	2055	2050	6	tasmax
Portugal	Normal	3.041E+02	2.228E+00	5.243E-01	2046	2055	2050	7	tasmax
Portugal	Normal	3.044E+02	2.509E+00	4.880E-01	2046	2055	2050	8	tasmax
Portugal	Normal	3.012E+02	2.558E+00	4.237E-01	2046	2055	2050	9	tasmax
Portugal	Normal	2.957E+02	2.345E+00	6.020E-01	2046	2055	2050	10	tasmax
Portugal	Normal	2.909E+02	1.572E+00	4.164E-01	2046	2055	2050	11	tasmax
Portugal	Normal	2.882E+02	1.246E+00	3.519E-01	2046	2055	2050	12	tasmax
Portugal	Normal	2.879E+02	1.254E+00	2.685E-01	2056	2065	2060	1	tasmax
Portugal	Normal	2.888E+02	1.578E+00	3.515E-01	2056	2065	2060	2	tasmax
Portugal	Normal	2.911E+02	2.110E+00	4.637E-01	2056	2065	2060	3	tasmax
Portugal	Normal	2.933E+02	2.622E+00	6.877E-01	2056	2065	2060	4	tasmax
Portugal	Normal	2.968E+02	3.155E+00	8.705E-01	2056	2065	2060	5	tasmax
Portugal	Normal	3.010E+02	2.698E+00	6.992E-01	2056	2065	2060	6	tasmax
Portugal	Normal	3.048E+02	2.797E+00	5.926E-01	2056	2065	2060	7	tasmax
Portugal	Normal	3.051E+02	2.431E+00	5.491E-01	2056	2065	2060	8	tasmax
Portugal	Normal	3.022E+02	2.663E+00	4.354E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Portugal	Normal	2.965E+02	2.477E+00	6.084E-01	2056	2065	2060	10	tasmax
Portugal	Normal	2.915E+02	1.726E+00	4.271E-01	2056	2065	2060	11	tasmax
Portugal	Normal	2.887E+02	1.316E+00	3.714E-01	2056	2065	2060	12	tasmax
Portugal	Normal	2.884E+02	1.333E+00	4.090E-01	2066	2075	2070	1	tasmax
Portugal	Normal	2.892E+02	1.573E+00	3.086E-01	2066	2075	2070	2	tasmax
Portugal	Normal	2.915E+02	2.037E+00	3.669E-01	2066	2075	2070	3	tasmax
Portugal	Normal	2.941E+02	2.596E+00	6.658E-01	2066	2075	2070	4	tasmax
Portugal	Normal	2.975E+02	2.922E+00	7.453E-01	2066	2075	2070	5	tasmax
Portugal	Normal	3.018E+02	2.994E+00	6.625E-01	2066	2075	2070	6	tasmax
Portugal	Normal	3.056E+02	2.907E+00	4.535E-01	2066	2075	2070	7	tasmax
Portugal	Normal	3.058E+02	2.547E+00	5.422E-01	2066	2075	2070	8	tasmax
Portugal	Normal	3.029E+02	2.675E+00	4.226E-01	2066	2075	2070	9	tasmax
Portugal	Normal	2.971E+02	2.565E+00	5.679E-01	2066	2075	2070	10	tasmax
Portugal	Normal	2.920E+02	1.894E+00	3.831E-01	2066	2075	2070	11	tasmax
Portugal	Normal	2.892E+02	1.283E+00	3.619E-01	2066	2075	2070	12	tasmax
Portugal	Normal	2.889E+02	1.389E+00	2.786E-01	2076	2085	2080	1	tasmax
Portugal	Normal	2.899E+02	1.733E+00	3.268E-01	2076	2085	2080	2	tasmax
Portugal	Normal	2.922E+02	2.195E+00	6.599E-01	2076	2085	2080	3	tasmax
Portugal	Normal	2.945E+02	2.826E+00	8.924E-01	2076	2085	2080	4	tasmax
Portugal	Normal	2.984E+02	2.973E+00	7.897E-01	2076	2085	2080	5	tasmax
Portugal	Normal	3.028E+02	3.172E+00	8.777E-01	2076	2085	2080	6	tasmax
Portugal	Normal	3.064E+02	3.060E+00	5.469E-01	2076	2085	2080	7	tasmax
Portugal	Normal	3.064E+02	2.531E+00	5.665E-01	2076	2085	2080	8	tasmax
Portugal	Normal	3.033E+02	2.764E+00	5.466E-01	2076	2085	2080	9	tasmax
Portugal	Normal	2.976E+02	2.502E+00	5.048E-01	2076	2085	2080	10	tasmax
Portugal	Normal	2.926E+02	1.724E+00	5.010E-01	2076	2085	2080	11	tasmax
Portugal	Normal	2.897E+02	1.392E+00	4.151E-01	2076	2085	2080	12	tasmax
Portugal	Normal	2.893E+02	1.357E+00	3.071E-01	2086	2099	2092	1	tasmax
Portugal	Normal	2.903E+02	1.667E+00	3.077E-01	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Portugal	Normal	2.922E+02	2.232E+00	4.185E-01	2086	2099	2092	3	tasmax
Portugal	Normal	2.951E+02	2.747E+00	5.583E-01	2086	2099	2092	4	tasmax
Portugal	Normal	2.988E+02	3.173E+00	5.743E-01	2086	2099	2092	5	tasmax
Portugal	Normal	3.030E+02	2.898E+00	6.048E-01	2086	2099	2092	6	tasmax
Portugal	Normal	3.070E+02	2.999E+00	5.823E-01	2086	2099	2092	7	tasmax
Portugal	Normal	3.069E+02	2.666E+00	6.923E-01	2086	2099	2092	8	tasmax
Portugal	Normal	3.044E+02	2.979E+00	4.699E-01	2086	2099	2092	9	tasmax
Portugal	Normal	2.986E+02	2.806E+00	5.395E-01	2086	2099	2092	10	tasmax
Portugal	Normal	2.930E+02	1.923E+00	4.820E-01	2086	2099	2092	11	tasmax
Portugal	Normal	2.901E+02	1.397E+00	4.314E-01	2086	2099	2092	12	tasmax
Puerto Rico	Normal	2.986E+02	8.432E-01	2.692E-01	2006	2015	2010	1	tasmax
Puerto Rico	Normal	2.983E+02	9.134E-01	2.440E-01	2006	2015	2010	2	tasmax
Puerto Rico	Normal	2.984E+02	9.972E-01	1.961E-01	2006	2015	2010	3	tasmax
Puerto Rico	Normal	2.988E+02	1.068E+00	1.677E-01	2006	2015	2010	4	tasmax
Puerto Rico	Normal	2.994E+02	1.041E+00	2.052E-01	2006	2015	2010	5	tasmax
Puerto Rico	Normal	3.000E+02	9.305E-01	1.979E-01	2006	2015	2010	6	tasmax
Puerto Rico	Normal	3.006E+02	9.045E-01	1.474E-01	2006	2015	2010	7	tasmax
Puerto Rico	Normal	3.010E+02	8.674E-01	1.385E-01	2006	2015	2010	8	tasmax
Puerto Rico	Normal	3.011E+02	8.418E-01	1.523E-01	2006	2015	2010	9	tasmax
Puerto Rico	Normal	3.008E+02	8.011E-01	1.875E-01	2006	2015	2010	10	tasmax
Puerto Rico	Normal	3.001E+02	8.004E-01	2.159E-01	2006	2015	2010	11	tasmax
Puerto Rico	Normal	2.993E+02	8.063E-01	2.359E-01	2006	2015	2010	12	tasmax
Puerto Rico	Normal	2.988E+02	8.373E-01	2.823E-01	2016	2025	2020	1	tasmax
Puerto Rico	Normal	2.986E+02	8.967E-01	2.346E-01	2016	2025	2020	2	tasmax
Puerto Rico	Normal	2.987E+02	9.564E-01	2.225E-01	2016	2025	2020	3	tasmax
Puerto Rico	Normal	2.990E+02	9.930E-01	1.687E-01	2016	2025	2020	4	tasmax
Puerto Rico	Normal	2.997E+02	1.012E+00	1.950E-01	2016	2025	2020	5	tasmax
Puerto Rico	Normal	3.003E+02	9.491E-01	1.718E-01	2016	2025	2020	6	tasmax
Puerto Rico	Normal	3.008E+02	9.321E-01	1.707E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Puerto Rico	Normal	3.012E+02	8.673E-01	1.733E-01	2016	2025	2020	8	tasmax
Puerto Rico	Normal	3.013E+02	8.264E-01	1.966E-01	2016	2025	2020	9	tasmax
Puerto Rico	Normal	3.010E+02	8.394E-01	2.326E-01	2016	2025	2020	10	tasmax
Puerto Rico	Normal	3.004E+02	8.249E-01	2.473E-01	2016	2025	2020	11	tasmax
Puerto Rico	Normal	2.995E+02	7.913E-01	2.512E-01	2016	2025	2020	12	tasmax
Puerto Rico	Normal	2.991E+02	8.177E-01	2.391E-01	2026	2035	2030	1	tasmax
Puerto Rico	Normal	2.988E+02	8.733E-01	2.287E-01	2026	2035	2030	2	tasmax
Puerto Rico	Normal	2.989E+02	9.416E-01	1.815E-01	2026	2035	2030	3	tasmax
Puerto Rico	Normal	2.993E+02	1.015E+00	2.127E-01	2026	2035	2030	4	tasmax
Puerto Rico	Normal	2.999E+02	9.650E-01	2.485E-01	2026	2035	2030	5	tasmax
Puerto Rico	Normal	3.006E+02	9.110E-01	1.958E-01	2026	2035	2030	6	tasmax
Puerto Rico	Normal	3.011E+02	8.969E-01	1.575E-01	2026	2035	2030	7	tasmax
Puerto Rico	Normal	3.015E+02	7.967E-01	1.566E-01	2026	2035	2030	8	tasmax
Puerto Rico	Normal	3.016E+02	7.358E-01	1.415E-01	2026	2035	2030	9	tasmax
Puerto Rico	Normal	3.013E+02	7.335E-01	1.741E-01	2026	2035	2030	10	tasmax
Puerto Rico	Normal	3.007E+02	7.270E-01	1.898E-01	2026	2035	2030	11	tasmax
Puerto Rico	Normal	2.998E+02	7.432E-01	2.127E-01	2026	2035	2030	12	tasmax
Puerto Rico	Normal	2.994E+02	7.871E-01	2.093E-01	2036	2045	2040	1	tasmax
Puerto Rico	Normal	2.991E+02	8.751E-01	2.198E-01	2036	2045	2040	2	tasmax
Puerto Rico	Normal	2.993E+02	9.750E-01	1.974E-01	2036	2045	2040	3	tasmax
Puerto Rico	Normal	2.997E+02	1.040E+00	2.065E-01	2036	2045	2040	4	tasmax
Puerto Rico	Normal	3.002E+02	1.016E+00	2.281E-01	2036	2045	2040	5	tasmax
Puerto Rico	Normal	3.009E+02	9.246E-01	2.347E-01	2036	2045	2040	6	tasmax
Puerto Rico	Normal	3.014E+02	9.029E-01	1.898E-01	2036	2045	2040	7	tasmax
Puerto Rico	Normal	3.018E+02	8.293E-01	1.759E-01	2036	2045	2040	8	tasmax
Puerto Rico	Normal	3.019E+02	7.901E-01	1.529E-01	2036	2045	2040	9	tasmax
Puerto Rico	Normal	3.017E+02	7.648E-01	1.809E-01	2036	2045	2040	10	tasmax
Puerto Rico	Normal	3.010E+02	7.477E-01	2.435E-01	2036	2045	2040	11	tasmax
Puerto Rico	Normal	3.001E+02	7.699E-01	2.299E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Puerto Rico	Normal	2.998E+02	8.427E-01	1.999E-01	2046	2055	2050	1	tasmax
Puerto Rico	Normal	2.995E+02	9.279E-01	1.786E-01	2046	2055	2050	2	tasmax
Puerto Rico	Normal	2.996E+02	9.875E-01	1.727E-01	2046	2055	2050	3	tasmax
Puerto Rico	Normal	3.000E+02	1.040E+00	1.927E-01	2046	2055	2050	4	tasmax
Puerto Rico	Normal	3.006E+02	1.034E+00	2.062E-01	2046	2055	2050	5	tasmax
Puerto Rico	Normal	3.012E+02	9.491E-01	2.053E-01	2046	2055	2050	6	tasmax
Puerto Rico	Normal	3.018E+02	8.875E-01	1.843E-01	2046	2055	2050	7	tasmax
Puerto Rico	Normal	3.022E+02	8.221E-01	1.734E-01	2046	2055	2050	8	tasmax
Puerto Rico	Normal	3.023E+02	8.161E-01	1.694E-01	2046	2055	2050	9	tasmax
Puerto Rico	Normal	3.021E+02	8.039E-01	2.051E-01	2046	2055	2050	10	tasmax
Puerto Rico	Normal	3.014E+02	8.260E-01	2.523E-01	2046	2055	2050	11	tasmax
Puerto Rico	Normal	3.005E+02	8.263E-01	2.423E-01	2046	2055	2050	12	tasmax
Puerto Rico	Normal	3.002E+02	8.661E-01	2.354E-01	2056	2065	2060	1	tasmax
Puerto Rico	Normal	2.999E+02	9.127E-01	2.032E-01	2056	2065	2060	2	tasmax
Puerto Rico	Normal	3.000E+02	9.891E-01	1.893E-01	2056	2065	2060	3	tasmax
Puerto Rico	Normal	3.004E+02	1.014E+00	1.972E-01	2056	2065	2060	4	tasmax
Puerto Rico	Normal	3.010E+02	1.033E+00	2.308E-01	2056	2065	2060	5	tasmax
Puerto Rico	Normal	3.016E+02	9.604E-01	2.602E-01	2056	2065	2060	6	tasmax
Puerto Rico	Normal	3.021E+02	9.159E-01	2.166E-01	2056	2065	2060	7	tasmax
Puerto Rico	Normal	3.026E+02	8.195E-01	1.710E-01	2056	2065	2060	8	tasmax
Puerto Rico	Normal	3.027E+02	7.683E-01	2.025E-01	2056	2065	2060	9	tasmax
Puerto Rico	Normal	3.025E+02	7.731E-01	2.173E-01	2056	2065	2060	10	tasmax
Puerto Rico	Normal	3.018E+02	7.673E-01	2.455E-01	2056	2065	2060	11	tasmax
Puerto Rico	Normal	3.009E+02	7.901E-01	2.533E-01	2056	2065	2060	12	tasmax
Puerto Rico	Normal	3.006E+02	8.517E-01	2.898E-01	2066	2075	2070	1	tasmax
Puerto Rico	Normal	3.003E+02	9.220E-01	2.285E-01	2066	2075	2070	2	tasmax
Puerto Rico	Normal	3.004E+02	9.768E-01	1.512E-01	2066	2075	2070	3	tasmax
Puerto Rico	Normal	3.008E+02	1.010E+00	1.650E-01	2066	2075	2070	4	tasmax
Puerto Rico	Normal	3.014E+02	1.052E+00	1.588E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Puerto Rico	Normal	3.020E+02	9.933E-01	1.812E-01	2066	2075	2070	6	tasmax
Puerto Rico	Normal	3.026E+02	9.128E-01	1.725E-01	2066	2075	2070	7	tasmax
Puerto Rico	Normal	3.030E+02	8.229E-01	1.890E-01	2066	2075	2070	8	tasmax
Puerto Rico	Normal	3.032E+02	8.067E-01	2.055E-01	2066	2075	2070	9	tasmax
Puerto Rico	Normal	3.029E+02	8.001E-01	2.708E-01	2066	2075	2070	10	tasmax
Puerto Rico	Normal	3.022E+02	8.238E-01	2.978E-01	2066	2075	2070	11	tasmax
Puerto Rico	Normal	3.013E+02	8.259E-01	2.977E-01	2066	2075	2070	12	tasmax
Puerto Rico	Normal	3.010E+02	8.656E-01	2.659E-01	2076	2085	2080	1	tasmax
Puerto Rico	Normal	3.007E+02	9.315E-01	2.070E-01	2076	2085	2080	2	tasmax
Puerto Rico	Normal	3.008E+02	1.006E+00	1.961E-01	2076	2085	2080	3	tasmax
Puerto Rico	Normal	3.011E+02	1.026E+00	1.781E-01	2076	2085	2080	4	tasmax
Puerto Rico	Normal	3.017E+02	1.025E+00	1.983E-01	2076	2085	2080	5	tasmax
Puerto Rico	Normal	3.023E+02	9.678E-01	1.684E-01	2076	2085	2080	6	tasmax
Puerto Rico	Normal	3.029E+02	9.143E-01	1.829E-01	2076	2085	2080	7	tasmax
Puerto Rico	Normal	3.034E+02	8.256E-01	1.566E-01	2076	2085	2080	8	tasmax
Puerto Rico	Normal	3.035E+02	8.094E-01	1.635E-01	2076	2085	2080	9	tasmax
Puerto Rico	Normal	3.033E+02	8.206E-01	2.099E-01	2076	2085	2080	10	tasmax
Puerto Rico	Normal	3.026E+02	8.490E-01	3.076E-01	2076	2085	2080	11	tasmax
Puerto Rico	Normal	3.017E+02	8.426E-01	2.920E-01	2076	2085	2080	12	tasmax
Puerto Rico	Normal	3.014E+02	8.732E-01	2.489E-01	2086	2099	2092	1	tasmax
Puerto Rico	Normal	3.011E+02	9.541E-01	2.186E-01	2086	2099	2092	2	tasmax
Puerto Rico	Normal	3.012E+02	1.036E+00	2.008E-01	2086	2099	2092	3	tasmax
Puerto Rico	Normal	3.015E+02	1.057E+00	1.841E-01	2086	2099	2092	4	tasmax
Puerto Rico	Normal	3.021E+02	1.062E+00	1.712E-01	2086	2099	2092	5	tasmax
Puerto Rico	Normal	3.027E+02	9.635E-01	1.830E-01	2086	2099	2092	6	tasmax
Puerto Rico	Normal	3.033E+02	9.361E-01	1.505E-01	2086	2099	2092	7	tasmax
Puerto Rico	Normal	3.037E+02	8.714E-01	1.660E-01	2086	2099	2092	8	tasmax
Puerto Rico	Normal	3.039E+02	8.294E-01	1.860E-01	2086	2099	2092	9	tasmax
Puerto Rico	Normal	3.037E+02	8.747E-01	2.378E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Puerto Rico	Normal	3.030E+02	8.665E-01	2.921E-01	2086	2099	2092	11	tasmax
Puerto Rico	Normal	3.021E+02	8.550E-01	2.871E-01	2086	2099	2092	12	tasmax
Qatar	Normal	2.945E+02	2.782E+00	4.497E-01	2006	2015	2010	1	tasmax
Qatar	Normal	2.969E+02	3.597E+00	7.844E-01	2006	2015	2010	2	tasmax
Qatar	Normal	3.013E+02	4.332E+00	8.936E-01	2006	2015	2010	3	tasmax
Qatar	Normal	3.059E+02	4.453E+00	9.195E-01	2006	2015	2010	4	tasmax
Qatar	Normal	3.106E+02	4.841E+00	1.024E+00	2006	2015	2010	5	tasmax
Qatar	Normal	3.149E+02	4.988E+00	1.065E+00	2006	2015	2010	6	tasmax
Qatar	Normal	3.162E+02	5.028E+00	8.064E-01	2006	2015	2010	7	tasmax
Qatar	Normal	3.156E+02	4.891E+00	6.679E-01	2006	2015	2010	8	tasmax
Qatar	Normal	3.131E+02	4.396E+00	8.340E-01	2006	2015	2010	9	tasmax
Qatar	Normal	3.082E+02	3.356E+00	7.146E-01	2006	2015	2010	10	tasmax
Qatar	Normal	3.015E+02	2.907E+00	6.937E-01	2006	2015	2010	11	tasmax
Qatar	Normal	2.960E+02	2.649E+00	6.488E-01	2006	2015	2010	12	tasmax
Qatar	Normal	2.949E+02	3.061E+00	6.439E-01	2016	2025	2020	1	tasmax
Qatar	Normal	2.972E+02	3.684E+00	7.407E-01	2016	2025	2020	2	tasmax
Qatar	Normal	3.017E+02	4.465E+00	1.015E+00	2016	2025	2020	3	tasmax
Qatar	Normal	3.063E+02	4.715E+00	1.049E+00	2016	2025	2020	4	tasmax
Qatar	Normal	3.109E+02	4.881E+00	8.229E-01	2016	2025	2020	5	tasmax
Qatar	Normal	3.151E+02	5.099E+00	9.811E-01	2016	2025	2020	6	tasmax
Qatar	Normal	3.164E+02	5.028E+00	8.098E-01	2016	2025	2020	7	tasmax
Qatar	Normal	3.158E+02	4.921E+00	6.403E-01	2016	2025	2020	8	tasmax
Qatar	Normal	3.135E+02	4.503E+00	7.038E-01	2016	2025	2020	9	tasmax
Qatar	Normal	3.086E+02	3.454E+00	7.761E-01	2016	2025	2020	10	tasmax
Qatar	Normal	3.018E+02	2.933E+00	7.960E-01	2016	2025	2020	11	tasmax
Qatar	Normal	2.964E+02	2.753E+00	7.738E-01	2016	2025	2020	12	tasmax
Qatar	Normal	2.953E+02	3.089E+00	7.308E-01	2026	2035	2030	1	tasmax
Qatar	Normal	2.977E+02	3.724E+00	8.290E-01	2026	2035	2030	2	tasmax
Qatar	Normal	3.019E+02	4.373E+00	9.887E-01	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Qatar	Normal	3.064E+02	4.730E+00	9.769E-01	2026	2035	2030	4	tasmax
Qatar	Normal	3.115E+02	4.864E+00	9.340E-01	2026	2035	2030	5	tasmax
Qatar	Normal	3.157E+02	5.080E+00	9.637E-01	2026	2035	2030	6	tasmax
Qatar	Normal	3.171E+02	5.166E+00	8.194E-01	2026	2035	2030	7	tasmax
Qatar	Normal	3.164E+02	4.842E+00	6.560E-01	2026	2035	2030	8	tasmax
Qatar	Normal	3.140E+02	4.444E+00	6.642E-01	2026	2035	2030	9	tasmax
Qatar	Normal	3.092E+02	3.466E+00	8.310E-01	2026	2035	2030	10	tasmax
Qatar	Normal	3.022E+02	2.821E+00	6.662E-01	2026	2035	2030	11	tasmax
Qatar	Normal	2.968E+02	2.596E+00	6.003E-01	2026	2035	2030	12	tasmax
Qatar	Normal	2.958E+02	2.863E+00	6.699E-01	2036	2045	2040	1	tasmax
Qatar	Normal	2.980E+02	3.692E+00	8.119E-01	2036	2045	2040	2	tasmax
Qatar	Normal	3.026E+02	4.435E+00	8.816E-01	2036	2045	2040	3	tasmax
Qatar	Normal	3.069E+02	4.863E+00	9.985E-01	2036	2045	2040	4	tasmax
Qatar	Normal	3.119E+02	4.982E+00	1.047E+00	2036	2045	2040	5	tasmax
Qatar	Normal	3.163E+02	5.300E+00	1.005E+00	2036	2045	2040	6	tasmax
Qatar	Normal	3.175E+02	5.221E+00	7.837E-01	2036	2045	2040	7	tasmax
Qatar	Normal	3.169E+02	4.860E+00	7.885E-01	2036	2045	2040	8	tasmax
Qatar	Normal	3.145E+02	4.398E+00	7.893E-01	2036	2045	2040	9	tasmax
Qatar	Normal	3.096E+02	3.407E+00	8.313E-01	2036	2045	2040	10	tasmax
Qatar	Normal	3.026E+02	3.092E+00	8.442E-01	2036	2045	2040	11	tasmax
Qatar	Normal	2.973E+02	2.729E+00	7.067E-01	2036	2045	2040	12	tasmax
Qatar	Normal	2.964E+02	2.963E+00	8.072E-01	2046	2055	2050	1	tasmax
Qatar	Normal	2.986E+02	3.683E+00	8.710E-01	2046	2055	2050	2	tasmax
Qatar	Normal	3.030E+02	4.311E+00	1.007E+00	2046	2055	2050	3	tasmax
Qatar	Normal	3.076E+02	4.785E+00	1.046E+00	2046	2055	2050	4	tasmax
Qatar	Normal	3.125E+02	5.012E+00	1.127E+00	2046	2055	2050	5	tasmax
Qatar	Normal	3.170E+02	5.186E+00	9.997E-01	2046	2055	2050	6	tasmax
Qatar	Normal	3.182E+02	5.190E+00	7.347E-01	2046	2055	2050	7	tasmax
Qatar	Normal	3.175E+02	4.949E+00	7.464E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Qatar	Normal	3.153E+02	4.618E+00	7.745E-01	2046	2055	2050	9	tasmax
Qatar	Normal	3.103E+02	3.582E+00	1.001E+00	2046	2055	2050	10	tasmax
Qatar	Normal	3.034E+02	3.164E+00	9.026E-01	2046	2055	2050	11	tasmax
Qatar	Normal	2.979E+02	2.744E+00	7.785E-01	2046	2055	2050	12	tasmax
Qatar	Normal	2.968E+02	3.134E+00	8.468E-01	2056	2065	2060	1	tasmax
Qatar	Normal	2.992E+02	3.758E+00	9.816E-01	2056	2065	2060	2	tasmax
Qatar	Normal	3.037E+02	4.440E+00	1.029E+00	2056	2065	2060	3	tasmax
Qatar	Normal	3.085E+02	4.950E+00	1.028E+00	2056	2065	2060	4	tasmax
Qatar	Normal	3.132E+02	5.145E+00	9.601E-01	2056	2065	2060	5	tasmax
Qatar	Normal	3.177E+02	5.408E+00	8.918E-01	2056	2065	2060	6	tasmax
Qatar	Normal	3.189E+02	5.298E+00	7.450E-01	2056	2065	2060	7	tasmax
Qatar	Normal	3.181E+02	5.098E+00	8.124E-01	2056	2065	2060	8	tasmax
Qatar	Normal	3.157E+02	4.500E+00	7.356E-01	2056	2065	2060	9	tasmax
Qatar	Normal	3.111E+02	3.596E+00	9.905E-01	2056	2065	2060	10	tasmax
Qatar	Normal	3.041E+02	3.227E+00	8.814E-01	2056	2065	2060	11	tasmax
Qatar	Normal	2.984E+02	2.659E+00	6.429E-01	2056	2065	2060	12	tasmax
Qatar	Normal	2.975E+02	2.920E+00	8.196E-01	2066	2075	2070	1	tasmax
Qatar	Normal	2.998E+02	3.762E+00	1.080E+00	2066	2075	2070	2	tasmax
Qatar	Normal	3.042E+02	4.527E+00	1.131E+00	2066	2075	2070	3	tasmax
Qatar	Normal	3.088E+02	4.906E+00	1.067E+00	2066	2075	2070	4	tasmax
Qatar	Normal	3.140E+02	5.337E+00	1.143E+00	2066	2075	2070	5	tasmax
Qatar	Normal	3.183E+02	5.393E+00	9.508E-01	2066	2075	2070	6	tasmax
Qatar	Normal	3.196E+02	5.255E+00	7.707E-01	2066	2075	2070	7	tasmax
Qatar	Normal	3.189E+02	5.015E+00	8.111E-01	2066	2075	2070	8	tasmax
Qatar	Normal	3.166E+02	4.658E+00	8.213E-01	2066	2075	2070	9	tasmax
Qatar	Normal	3.118E+02	3.605E+00	1.013E+00	2066	2075	2070	10	tasmax
Qatar	Normal	3.050E+02	3.321E+00	9.745E-01	2066	2075	2070	11	tasmax
Qatar	Normal	2.993E+02	2.710E+00	8.151E-01	2066	2075	2070	12	tasmax
Qatar	Normal	2.981E+02	2.964E+00	9.838E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Qatar	Normal	3.004E+02	3.944E+00	1.080E+00	2076	2085	2080	2	tasmax
Qatar	Normal	3.048E+02	4.727E+00	1.255E+00	2076	2085	2080	3	tasmax
Qatar	Normal	3.096E+02	5.165E+00	1.105E+00	2076	2085	2080	4	tasmax
Qatar	Normal	3.148E+02	5.450E+00	1.266E+00	2076	2085	2080	5	tasmax
Qatar	Normal	3.191E+02	5.532E+00	9.217E-01	2076	2085	2080	6	tasmax
Qatar	Normal	3.201E+02	5.492E+00	8.299E-01	2076	2085	2080	7	tasmax
Qatar	Normal	3.194E+02	5.165E+00	9.258E-01	2076	2085	2080	8	tasmax
Qatar	Normal	3.171E+02	4.846E+00	9.008E-01	2076	2085	2080	9	tasmax
Qatar	Normal	3.124E+02	3.761E+00	1.121E+00	2076	2085	2080	10	tasmax
Qatar	Normal	3.057E+02	3.276E+00	8.891E-01	2076	2085	2080	11	tasmax
Qatar	Normal	3.000E+02	2.871E+00	8.477E-01	2076	2085	2080	12	tasmax
Qatar	Normal	2.986E+02	3.036E+00	1.028E+00	2086	2099	2092	1	tasmax
Qatar	Normal	3.008E+02	3.902E+00	1.250E+00	2086	2099	2092	2	tasmax
Qatar	Normal	3.053E+02	4.908E+00	1.385E+00	2086	2099	2092	3	tasmax
Qatar	Normal	3.102E+02	5.222E+00	1.259E+00	2086	2099	2092	4	tasmax
Qatar	Normal	3.151E+02	5.604E+00	1.141E+00	2086	2099	2092	5	tasmax
Qatar	Normal	3.196E+02	5.611E+00	9.752E-01	2086	2099	2092	6	tasmax
Qatar	Normal	3.208E+02	5.508E+00	9.173E-01	2086	2099	2092	7	tasmax
Qatar	Normal	3.201E+02	5.218E+00	9.859E-01	2086	2099	2092	8	tasmax
Qatar	Normal	3.177E+02	4.696E+00	9.415E-01	2086	2099	2092	9	tasmax
Qatar	Normal	3.129E+02	3.750E+00	1.046E+00	2086	2099	2092	10	tasmax
Qatar	Normal	3.062E+02	3.353E+00	9.918E-01	2086	2099	2092	11	tasmax
Qatar	Normal	3.005E+02	3.162E+00	9.996E-01	2086	2099	2092	12	tasmax
Romania	Normal	2.762E+02	2.998E+00	7.742E-01	2006	2015	2010	1	tasmax
Romania	Normal	2.786E+02	3.311E+00	4.563E-01	2006	2015	2010	2	tasmax
Romania	Normal	2.826E+02	3.040E+00	8.716E-01	2006	2015	2010	3	tasmax
Romania	Normal	2.885E+02	2.554E+00	5.535E-01	2006	2015	2010	4	tasmax
Romania	Normal	2.941E+02	2.424E+00	7.610E-01	2006	2015	2010	5	tasmax
Romania	Normal	2.991E+02	2.534E+00	5.847E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Romania	Normal	3.020E+02	2.720E+00	5.064E-01	2006	2015	2010	7	tasmax
Romania	Normal	3.014E+02	2.765E+00	6.149E-01	2006	2015	2010	8	tasmax
Romania	Normal	2.961E+02	2.422E+00	4.117E-01	2006	2015	2010	9	tasmax
Romania	Normal	2.887E+02	2.975E+00	8.849E-01	2006	2015	2010	10	tasmax
Romania	Normal	2.819E+02	2.704E+00	7.039E-01	2006	2015	2010	11	tasmax
Romania	Normal	2.778E+02	2.851E+00	4.477E-01	2006	2015	2010	12	tasmax
Romania	Normal	2.768E+02	2.848E+00	5.994E-01	2016	2025	2020	1	tasmax
Romania	Normal	2.789E+02	2.811E+00	7.863E-01	2016	2025	2020	2	tasmax
Romania	Normal	2.834E+02	3.134E+00	9.395E-01	2016	2025	2020	3	tasmax
Romania	Normal	2.886E+02	2.652E+00	5.980E-01	2016	2025	2020	4	tasmax
Romania	Normal	2.946E+02	2.255E+00	6.866E-01	2016	2025	2020	5	tasmax
Romania	Normal	2.995E+02	2.395E+00	4.178E-01	2016	2025	2020	6	tasmax
Romania	Normal	3.027E+02	2.892E+00	7.322E-01	2016	2025	2020	7	tasmax
Romania	Normal	3.021E+02	2.984E+00	6.382E-01	2016	2025	2020	8	tasmax
Romania	Normal	2.965E+02	2.752E+00	5.982E-01	2016	2025	2020	9	tasmax
Romania	Normal	2.891E+02	2.735E+00	8.331E-01	2016	2025	2020	10	tasmax
Romania	Normal	2.824E+02	2.619E+00	6.316E-01	2016	2025	2020	11	tasmax
Romania	Normal	2.781E+02	2.708E+00	5.335E-01	2016	2025	2020	12	tasmax
Romania	Normal	2.771E+02	2.706E+00	5.686E-01	2026	2035	2030	1	tasmax
Romania	Normal	2.792E+02	2.709E+00	6.297E-01	2026	2035	2030	2	tasmax
Romania	Normal	2.838E+02	2.597E+00	6.387E-01	2026	2035	2030	3	tasmax
Romania	Normal	2.893E+02	2.501E+00	6.531E-01	2026	2035	2030	4	tasmax
Romania	Normal	2.949E+02	2.685E+00	8.195E-01	2026	2035	2030	5	tasmax
Romania	Normal	3.000E+02	2.486E+00	4.869E-01	2026	2035	2030	6	tasmax
Romania	Normal	3.035E+02	3.050E+00	7.957E-01	2026	2035	2030	7	tasmax
Romania	Normal	3.030E+02	2.943E+00	8.901E-01	2026	2035	2030	8	tasmax
Romania	Normal	2.967E+02	2.583E+00	5.501E-01	2026	2035	2030	9	tasmax
Romania	Normal	2.896E+02	2.792E+00	8.325E-01	2026	2035	2030	10	tasmax
Romania	Normal	2.827E+02	2.805E+00	9.052E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Romania	Normal	2.787E+02	2.707E+00	6.610E-01	2026	2035	2030	12	tasmax
Romania	Normal	2.779E+02	2.691E+00	7.677E-01	2036	2045	2040	1	tasmax
Romania	Normal	2.801E+02	2.390E+00	6.255E-01	2036	2045	2040	2	tasmax
Romania	Normal	2.843E+02	2.852E+00	8.012E-01	2036	2045	2040	3	tasmax
Romania	Normal	2.899E+02	2.695E+00	5.648E-01	2036	2045	2040	4	tasmax
Romania	Normal	2.955E+02	2.599E+00	7.456E-01	2036	2045	2040	5	tasmax
Romania	Normal	3.010E+02	2.987E+00	7.495E-01	2036	2045	2040	6	tasmax
Romania	Normal	3.046E+02	3.207E+00	7.306E-01	2036	2045	2040	7	tasmax
Romania	Normal	3.039E+02	3.153E+00	9.435E-01	2036	2045	2040	8	tasmax
Romania	Normal	2.979E+02	2.548E+00	6.100E-01	2036	2045	2040	9	tasmax
Romania	Normal	2.905E+02	2.750E+00	6.461E-01	2036	2045	2040	10	tasmax
Romania	Normal	2.835E+02	2.739E+00	9.177E-01	2036	2045	2040	11	tasmax
Romania	Normal	2.794E+02	2.642E+00	5.959E-01	2036	2045	2040	12	tasmax
Romania	Normal	2.785E+02	2.775E+00	7.279E-01	2046	2055	2050	1	tasmax
Romania	Normal	2.805E+02	2.510E+00	6.282E-01	2046	2055	2050	2	tasmax
Romania	Normal	2.847E+02	2.676E+00	7.393E-01	2046	2055	2050	3	tasmax
Romania	Normal	2.904E+02	2.985E+00	7.279E-01	2046	2055	2050	4	tasmax
Romania	Normal	2.958E+02	2.799E+00	7.476E-01	2046	2055	2050	5	tasmax
Romania	Normal	3.013E+02	2.951E+00	5.729E-01	2046	2055	2050	6	tasmax
Romania	Normal	3.052E+02	3.702E+00	1.198E+00	2046	2055	2050	7	tasmax
Romania	Normal	3.046E+02	3.469E+00	1.176E+00	2046	2055	2050	8	tasmax
Romania	Normal	2.985E+02	2.713E+00	5.287E-01	2046	2055	2050	9	tasmax
Romania	Normal	2.910E+02	2.714E+00	6.658E-01	2046	2055	2050	10	tasmax
Romania	Normal	2.838E+02	2.653E+00	7.805E-01	2046	2055	2050	11	tasmax
Romania	Normal	2.794E+02	2.553E+00	5.911E-01	2046	2055	2050	12	tasmax
Romania	Normal	2.792E+02	2.556E+00	6.328E-01	2056	2065	2060	1	tasmax
Romania	Normal	2.809E+02	2.969E+00	6.714E-01	2056	2065	2060	2	tasmax
Romania	Normal	2.854E+02	3.070E+00	8.297E-01	2056	2065	2060	3	tasmax
Romania	Normal	2.907E+02	2.897E+00	7.546E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Romania	Normal	2.965E+02	3.072E+00	7.303E-01	2056	2065	2060	5	tasmax
Romania	Normal	3.020E+02	3.267E+00	6.251E-01	2056	2065	2060	6	tasmax
Romania	Normal	3.058E+02	3.960E+00	1.221E+00	2056	2065	2060	7	tasmax
Romania	Normal	3.056E+02	3.645E+00	1.271E+00	2056	2065	2060	8	tasmax
Romania	Normal	2.994E+02	3.026E+00	8.167E-01	2056	2065	2060	9	tasmax
Romania	Normal	2.916E+02	2.974E+00	9.728E-01	2056	2065	2060	10	tasmax
Romania	Normal	2.847E+02	2.667E+00	8.348E-01	2056	2065	2060	11	tasmax
Romania	Normal	2.805E+02	2.579E+00	8.141E-01	2056	2065	2060	12	tasmax
Romania	Normal	2.797E+02	2.476E+00	5.653E-01	2066	2075	2070	1	tasmax
Romania	Normal	2.816E+02	2.669E+00	7.155E-01	2066	2075	2070	2	tasmax
Romania	Normal	2.858E+02	3.185E+00	9.681E-01	2066	2075	2070	3	tasmax
Romania	Normal	2.916E+02	2.852E+00	4.746E-01	2066	2075	2070	4	tasmax
Romania	Normal	2.973E+02	3.103E+00	7.492E-01	2066	2075	2070	5	tasmax
Romania	Normal	3.030E+02	3.540E+00	6.829E-01	2066	2075	2070	6	tasmax
Romania	Normal	3.068E+02	3.895E+00	1.225E+00	2066	2075	2070	7	tasmax
Romania	Normal	3.065E+02	3.786E+00	1.436E+00	2066	2075	2070	8	tasmax
Romania	Normal	3.002E+02	3.191E+00	7.175E-01	2066	2075	2070	9	tasmax
Romania	Normal	2.924E+02	3.118E+00	7.441E-01	2066	2075	2070	10	tasmax
Romania	Normal	2.851E+02	2.856E+00	9.124E-01	2066	2075	2070	11	tasmax
Romania	Normal	2.809E+02	2.680E+00	6.780E-01	2066	2075	2070	12	tasmax
Romania	Normal	2.804E+02	2.501E+00	7.400E-01	2076	2085	2080	1	tasmax
Romania	Normal	2.824E+02	3.078E+00	9.827E-01	2076	2085	2080	2	tasmax
Romania	Normal	2.864E+02	3.472E+00	9.376E-01	2076	2085	2080	3	tasmax
Romania	Normal	2.919E+02	3.530E+00	1.112E+00	2076	2085	2080	4	tasmax
Romania	Normal	2.977E+02	3.322E+00	7.792E-01	2076	2085	2080	5	tasmax
Romania	Normal	3.041E+02	3.482E+00	7.573E-01	2076	2085	2080	6	tasmax
Romania	Normal	3.081E+02	4.097E+00	1.555E+00	2076	2085	2080	7	tasmax
Romania	Normal	3.077E+02	4.136E+00	1.343E+00	2076	2085	2080	8	tasmax
Romania	Normal	3.012E+02	3.360E+00	7.065E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Romania	Normal	2.929E+02	3.271E+00	1.019E+00	2076	2085	2080	10	tasmax
Romania	Normal	2.855E+02	2.974E+00	8.015E-01	2076	2085	2080	11	tasmax
Romania	Normal	2.814E+02	2.572E+00	7.459E-01	2076	2085	2080	12	tasmax
Romania	Normal	2.807E+02	2.201E+00	7.807E-01	2086	2099	2092	1	tasmax
Romania	Normal	2.828E+02	2.679E+00	7.569E-01	2086	2099	2092	2	tasmax
Romania	Normal	2.869E+02	2.895E+00	7.484E-01	2086	2099	2092	3	tasmax
Romania	Normal	2.924E+02	3.239E+00	6.941E-01	2086	2099	2092	4	tasmax
Romania	Normal	2.987E+02	3.268E+00	5.296E-01	2086	2099	2092	5	tasmax
Romania	Normal	3.048E+02	3.812E+00	8.166E-01	2086	2099	2092	6	tasmax
Romania	Normal	3.089E+02	4.378E+00	1.597E+00	2086	2099	2092	7	tasmax
Romania	Normal	3.084E+02	4.088E+00	1.667E+00	2086	2099	2092	8	tasmax
Romania	Normal	3.018E+02	3.214E+00	7.425E-01	2086	2099	2092	9	tasmax
Romania	Normal	2.937E+02	3.414E+00	9.934E-01	2086	2099	2092	10	tasmax
Romania	Normal	2.865E+02	2.588E+00	6.865E-01	2086	2099	2092	11	tasmax
Romania	Normal	2.819E+02	2.597E+00	7.693E-01	2086	2099	2092	12	tasmax
Russia	Normal	2.548E+02	4.022E+00	1.419E+00	2006	2015	2010	1	tasmax
Russia	Normal	2.573E+02	3.666E+00	1.300E+00	2006	2015	2010	2	tasmax
Russia	Normal	2.643E+02	3.064E+00	1.312E+00	2006	2015	2010	3	tasmax
Russia	Normal	2.730E+02	2.849E+00	1.165E+00	2006	2015	2010	4	tasmax
Russia	Normal	2.824E+02	3.278E+00	1.639E+00	2006	2015	2010	5	tasmax
Russia	Normal	2.908E+02	2.870E+00	1.038E+00	2006	2015	2010	6	tasmax
Russia	Normal	2.946E+02	2.675E+00	4.864E-01	2006	2015	2010	7	tasmax
Russia	Normal	2.917E+02	2.816E+00	6.235E-01	2006	2015	2010	8	tasmax
Russia	Normal	2.839E+02	2.843E+00	1.111E+00	2006	2015	2010	9	tasmax
Russia	Normal	2.737E+02	2.835E+00	1.409E+00	2006	2015	2010	10	tasmax
Russia	Normal	2.635E+02	3.215E+00	1.220E+00	2006	2015	2010	11	tasmax
Russia	Normal	2.572E+02	3.970E+00	1.456E+00	2006	2015	2010	12	tasmax
Russia	Normal	2.555E+02	3.992E+00	1.418E+00	2016	2025	2020	1	tasmax
Russia	Normal	2.580E+02	3.693E+00	1.422E+00	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Russia	Normal	2.651E+02	3.064E+00	1.197E+00	2016	2025	2020	3	tasmax
Russia	Normal	2.736E+02	2.545E+00	9.602E-01	2016	2025	2020	4	tasmax
Russia	Normal	2.830E+02	3.433E+00	1.753E+00	2016	2025	2020	5	tasmax
Russia	Normal	2.913E+02	2.856E+00	9.843E-01	2016	2025	2020	6	tasmax
Russia	Normal	2.950E+02	2.774E+00	4.546E-01	2016	2025	2020	7	tasmax
Russia	Normal	2.922E+02	2.895E+00	7.051E-01	2016	2025	2020	8	tasmax
Russia	Normal	2.845E+02	3.043E+00	1.172E+00	2016	2025	2020	9	tasmax
Russia	Normal	2.744E+02	2.900E+00	1.232E+00	2016	2025	2020	10	tasmax
Russia	Normal	2.644E+02	3.327E+00	1.018E+00	2016	2025	2020	11	tasmax
Russia	Normal	2.579E+02	3.892E+00	1.244E+00	2016	2025	2020	12	tasmax
Russia	Normal	2.558E+02	3.989E+00	1.339E+00	2026	2035	2030	1	tasmax
Russia	Normal	2.586E+02	3.593E+00	1.369E+00	2026	2035	2030	2	tasmax
Russia	Normal	2.655E+02	3.052E+00	1.170E+00	2026	2035	2030	3	tasmax
Russia	Normal	2.741E+02	2.520E+00	1.016E+00	2026	2035	2030	4	tasmax
Russia	Normal	2.834E+02	3.330E+00	1.764E+00	2026	2035	2030	5	tasmax
Russia	Normal	2.917E+02	2.864E+00	1.030E+00	2026	2035	2030	6	tasmax
Russia	Normal	2.956E+02	2.752E+00	4.276E-01	2026	2035	2030	7	tasmax
Russia	Normal	2.928E+02	2.955E+00	6.806E-01	2026	2035	2030	8	tasmax
Russia	Normal	2.849E+02	3.017E+00	1.143E+00	2026	2035	2030	9	tasmax
Russia	Normal	2.749E+02	2.852E+00	1.226E+00	2026	2035	2030	10	tasmax
Russia	Normal	2.651E+02	3.239E+00	1.199E+00	2026	2035	2030	11	tasmax
Russia	Normal	2.586E+02	3.876E+00	1.225E+00	2026	2035	2030	12	tasmax
Russia	Normal	2.569E+02	3.742E+00	1.248E+00	2036	2045	2040	1	tasmax
Russia	Normal	2.595E+02	3.333E+00	1.094E+00	2036	2045	2040	2	tasmax
Russia	Normal	2.661E+02	2.882E+00	1.086E+00	2036	2045	2040	3	tasmax
Russia	Normal	2.744E+02	2.568E+00	1.010E+00	2036	2045	2040	4	tasmax
Russia	Normal	2.838E+02	3.548E+00	1.791E+00	2036	2045	2040	5	tasmax
Russia	Normal	2.924E+02	2.947E+00	1.010E+00	2036	2045	2040	6	tasmax
Russia	Normal	2.960E+02	2.947E+00	4.493E-01	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Russia	Normal	2.932E+02	3.037E+00	5.994E-01	2036	2045	2040	8	tasmax
Russia	Normal	2.856E+02	3.083E+00	1.190E+00	2036	2045	2040	9	tasmax
Russia	Normal	2.757E+02	2.805E+00	1.168E+00	2036	2045	2040	10	tasmax
Russia	Normal	2.660E+02	3.262E+00	1.225E+00	2036	2045	2040	11	tasmax
Russia	Normal	2.596E+02	3.895E+00	1.163E+00	2036	2045	2040	12	tasmax
Russia	Normal	2.580E+02	3.807E+00	1.079E+00	2046	2055	2050	1	tasmax
Russia	Normal	2.601E+02	3.288E+00	1.152E+00	2046	2055	2050	2	tasmax
Russia	Normal	2.666E+02	2.749E+00	9.154E-01	2046	2055	2050	3	tasmax
Russia	Normal	2.751E+02	2.541E+00	9.926E-01	2046	2055	2050	4	tasmax
Russia	Normal	2.845E+02	3.690E+00	1.817E+00	2046	2055	2050	5	tasmax
Russia	Normal	2.930E+02	3.108E+00	9.007E-01	2046	2055	2050	6	tasmax
Russia	Normal	2.968E+02	3.002E+00	4.895E-01	2046	2055	2050	7	tasmax
Russia	Normal	2.940E+02	3.084E+00	5.748E-01	2046	2055	2050	8	tasmax
Russia	Normal	2.862E+02	3.178E+00	1.175E+00	2046	2055	2050	9	tasmax
Russia	Normal	2.763E+02	3.022E+00	1.278E+00	2046	2055	2050	10	tasmax
Russia	Normal	2.668E+02	3.126E+00	9.496E-01	2046	2055	2050	11	tasmax
Russia	Normal	2.605E+02	3.710E+00	9.411E-01	2046	2055	2050	12	tasmax
Russia	Normal	2.588E+02	3.741E+00	1.032E+00	2056	2065	2060	1	tasmax
Russia	Normal	2.610E+02	3.289E+00	1.197E+00	2056	2065	2060	2	tasmax
Russia	Normal	2.675E+02	2.702E+00	1.034E+00	2056	2065	2060	3	tasmax
Russia	Normal	2.761E+02	2.560E+00	1.001E+00	2056	2065	2060	4	tasmax
Russia	Normal	2.853E+02	3.785E+00	1.680E+00	2056	2065	2060	5	tasmax
Russia	Normal	2.937E+02	3.107E+00	8.572E-01	2056	2065	2060	6	tasmax
Russia	Normal	2.975E+02	3.080E+00	4.701E-01	2056	2065	2060	7	tasmax
Russia	Normal	2.947E+02	3.289E+00	5.544E-01	2056	2065	2060	8	tasmax
Russia	Normal	2.869E+02	3.318E+00	1.035E+00	2056	2065	2060	9	tasmax
Russia	Normal	2.771E+02	3.080E+00	1.224E+00	2056	2065	2060	10	tasmax
Russia	Normal	2.679E+02	3.233E+00	8.336E-01	2056	2065	2060	11	tasmax
Russia	Normal	2.616E+02	3.928E+00	9.681E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Russia	Normal	2.601E+02	3.689E+00	1.074E+00	2066	2075	2070	1	tasmax
Russia	Normal	2.621E+02	3.055E+00	9.395E-01	2066	2075	2070	2	tasmax
Russia	Normal	2.684E+02	2.593E+00	8.596E-01	2066	2075	2070	3	tasmax
Russia	Normal	2.767E+02	2.355E+00	8.055E-01	2066	2075	2070	4	tasmax
Russia	Normal	2.859E+02	3.857E+00	1.761E+00	2066	2075	2070	5	tasmax
Russia	Normal	2.944E+02	3.205E+00	8.709E-01	2066	2075	2070	6	tasmax
Russia	Normal	2.982E+02	3.211E+00	4.562E-01	2066	2075	2070	7	tasmax
Russia	Normal	2.955E+02	3.363E+00	5.917E-01	2066	2075	2070	8	tasmax
Russia	Normal	2.878E+02	3.293E+00	1.066E+00	2066	2075	2070	9	tasmax
Russia	Normal	2.779E+02	3.086E+00	1.079E+00	2066	2075	2070	10	tasmax
Russia	Normal	2.689E+02	3.087E+00	7.622E-01	2066	2075	2070	11	tasmax
Russia	Normal	2.626E+02	3.769E+00	1.011E+00	2066	2075	2070	12	tasmax
Russia	Normal	2.613E+02	3.907E+00	1.172E+00	2076	2085	2080	1	tasmax
Russia	Normal	2.630E+02	3.473E+00	1.307E+00	2076	2085	2080	2	tasmax
Russia	Normal	2.691E+02	2.765E+00	9.907E-01	2076	2085	2080	3	tasmax
Russia	Normal	2.775E+02	2.924E+00	1.163E+00	2076	2085	2080	4	tasmax
Russia	Normal	2.867E+02	4.024E+00	1.936E+00	2076	2085	2080	5	tasmax
Russia	Normal	2.952E+02	3.336E+00	7.604E-01	2076	2085	2080	6	tasmax
Russia	Normal	2.989E+02	3.388E+00	4.718E-01	2076	2085	2080	7	tasmax
Russia	Normal	2.963E+02	3.571E+00	5.443E-01	2076	2085	2080	8	tasmax
Russia	Normal	2.885E+02	3.637E+00	1.088E+00	2076	2085	2080	9	tasmax
Russia	Normal	2.786E+02	3.185E+00	1.168E+00	2076	2085	2080	10	tasmax
Russia	Normal	2.696E+02	3.269E+00	9.249E-01	2076	2085	2080	11	tasmax
Russia	Normal	2.637E+02	3.862E+00	1.174E+00	2076	2085	2080	12	tasmax
Russia	Normal	2.622E+02	3.511E+00	8.442E-01	2086	2099	2092	1	tasmax
Russia	Normal	2.637E+02	2.969E+00	8.301E-01	2086	2099	2092	2	tasmax
Russia	Normal	2.697E+02	2.600E+00	7.272E-01	2086	2099	2092	3	tasmax
Russia	Normal	2.779E+02	2.521E+00	7.147E-01	2086	2099	2092	4	tasmax
Russia	Normal	2.873E+02	3.985E+00	1.721E+00	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Russia	Normal	2.959E+02	3.399E+00	6.978E-01	2086	2099	2092	6	tasmax
Russia	Normal	2.996E+02	3.473E+00	4.698E-01	2086	2099	2092	7	tasmax
Russia	Normal	2.970E+02	3.537E+00	5.222E-01	2086	2099	2092	8	tasmax
Russia	Normal	2.892E+02	3.508E+00	9.959E-01	2086	2099	2092	9	tasmax
Russia	Normal	2.795E+02	3.209E+00	1.136E+00	2086	2099	2092	10	tasmax
Russia	Normal	2.706E+02	3.086E+00	7.721E-01	2086	2099	2092	11	tasmax
Russia	Normal	2.650E+02	3.841E+00	9.240E-01	2086	2099	2092	12	tasmax
Rwanda	Normal	2.976E+02	1.576E+00	3.924E-01	2006	2015	2010	1	tasmax
Rwanda	Normal	2.986E+02	1.604E+00	3.744E-01	2006	2015	2010	2	tasmax
Rwanda	Normal	2.990E+02	1.373E+00	2.505E-01	2006	2015	2010	3	tasmax
Rwanda	Normal	2.988E+02	1.441E+00	2.716E-01	2006	2015	2010	4	tasmax
Rwanda	Normal	2.985E+02	1.807E+00	2.738E-01	2006	2015	2010	5	tasmax
Rwanda	Normal	2.988E+02	1.934E+00	4.844E-01	2006	2015	2010	6	tasmax
Rwanda	Normal	2.998E+02	1.780E+00	4.881E-01	2006	2015	2010	7	tasmax
Rwanda	Normal	3.007E+02	1.689E+00	3.343E-01	2006	2015	2010	8	tasmax
Rwanda	Normal	3.001E+02	2.073E+00	5.548E-01	2006	2015	2010	9	tasmax
Rwanda	Normal	2.984E+02	2.343E+00	7.967E-01	2006	2015	2010	10	tasmax
Rwanda	Normal	2.968E+02	1.960E+00	6.145E-01	2006	2015	2010	11	tasmax
Rwanda	Normal	2.967E+02	1.479E+00	2.723E-01	2006	2015	2010	12	tasmax
Rwanda	Normal	2.979E+02	1.636E+00	3.473E-01	2016	2025	2020	1	tasmax
Rwanda	Normal	2.989E+02	1.580E+00	3.391E-01	2016	2025	2020	2	tasmax
Rwanda	Normal	2.994E+02	1.548E+00	2.557E-01	2016	2025	2020	3	tasmax
Rwanda	Normal	2.993E+02	1.483E+00	2.764E-01	2016	2025	2020	4	tasmax
Rwanda	Normal	2.988E+02	1.819E+00	3.125E-01	2016	2025	2020	5	tasmax
Rwanda	Normal	2.992E+02	1.943E+00	4.097E-01	2016	2025	2020	6	tasmax
Rwanda	Normal	3.001E+02	1.756E+00	5.430E-01	2016	2025	2020	7	tasmax
Rwanda	Normal	3.009E+02	1.736E+00	3.385E-01	2016	2025	2020	8	tasmax
Rwanda	Normal	3.007E+02	2.080E+00	4.874E-01	2016	2025	2020	9	tasmax
Rwanda	Normal	2.988E+02	2.351E+00	7.864E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Rwanda	Normal	2.973E+02	1.814E+00	4.843E-01	2016	2025	2020	11	tasmax
Rwanda	Normal	2.971E+02	1.443E+00	2.619E-01	2016	2025	2020	12	tasmax
Rwanda	Normal	2.982E+02	1.560E+00	3.272E-01	2026	2035	2030	1	tasmax
Rwanda	Normal	2.994E+02	1.537E+00	3.652E-01	2026	2035	2030	2	tasmax
Rwanda	Normal	2.997E+02	1.577E+00	2.876E-01	2026	2035	2030	3	tasmax
Rwanda	Normal	2.996E+02	1.448E+00	2.403E-01	2026	2035	2030	4	tasmax
Rwanda	Normal	2.993E+02	1.810E+00	3.554E-01	2026	2035	2030	5	tasmax
Rwanda	Normal	2.996E+02	1.988E+00	5.470E-01	2026	2035	2030	6	tasmax
Rwanda	Normal	3.007E+02	1.865E+00	5.532E-01	2026	2035	2030	7	tasmax
Rwanda	Normal	3.015E+02	1.843E+00	3.314E-01	2026	2035	2030	8	tasmax
Rwanda	Normal	3.010E+02	2.120E+00	4.414E-01	2026	2035	2030	9	tasmax
Rwanda	Normal	2.992E+02	2.421E+00	6.500E-01	2026	2035	2030	10	tasmax
Rwanda	Normal	2.976E+02	1.978E+00	5.942E-01	2026	2035	2030	11	tasmax
Rwanda	Normal	2.973E+02	1.464E+00	2.537E-01	2026	2035	2030	12	tasmax
Rwanda	Normal	2.987E+02	1.631E+00	3.646E-01	2036	2045	2040	1	tasmax
Rwanda	Normal	2.997E+02	1.689E+00	3.557E-01	2036	2045	2040	2	tasmax
Rwanda	Normal	3.002E+02	1.456E+00	2.806E-01	2036	2045	2040	3	tasmax
Rwanda	Normal	2.998E+02	1.514E+00	2.693E-01	2036	2045	2040	4	tasmax
Rwanda	Normal	2.996E+02	1.723E+00	4.057E-01	2036	2045	2040	5	tasmax
Rwanda	Normal	3.000E+02	1.904E+00	4.642E-01	2036	2045	2040	6	tasmax
Rwanda	Normal	3.010E+02	1.897E+00	5.720E-01	2036	2045	2040	7	tasmax
Rwanda	Normal	3.020E+02	1.870E+00	3.523E-01	2036	2045	2040	8	tasmax
Rwanda	Normal	3.013E+02	2.178E+00	4.776E-01	2036	2045	2040	9	tasmax
Rwanda	Normal	2.995E+02	2.481E+00	7.539E-01	2036	2045	2040	10	tasmax
Rwanda	Normal	2.980E+02	1.924E+00	5.386E-01	2036	2045	2040	11	tasmax
Rwanda	Normal	2.976E+02	1.449E+00	2.794E-01	2036	2045	2040	12	tasmax
Rwanda	Normal	2.990E+02	1.654E+00	3.853E-01	2046	2055	2050	1	tasmax
Rwanda	Normal	3.002E+02	1.729E+00	4.156E-01	2046	2055	2050	2	tasmax
Rwanda	Normal	3.008E+02	1.465E+00	2.974E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Rwanda	Normal	3.003E+02	1.462E+00	2.754E-01	2046	2055	2050	4	tasmax
Rwanda	Normal	3.002E+02	1.810E+00	3.484E-01	2046	2055	2050	5	tasmax
Rwanda	Normal	3.006E+02	1.979E+00	5.496E-01	2046	2055	2050	6	tasmax
Rwanda	Normal	3.016E+02	1.852E+00	4.873E-01	2046	2055	2050	7	tasmax
Rwanda	Normal	3.025E+02	1.904E+00	3.236E-01	2046	2055	2050	8	tasmax
Rwanda	Normal	3.021E+02	2.089E+00	4.403E-01	2046	2055	2050	9	tasmax
Rwanda	Normal	3.002E+02	2.516E+00	6.235E-01	2046	2055	2050	10	tasmax
Rwanda	Normal	2.984E+02	2.020E+00	5.407E-01	2046	2055	2050	11	tasmax
Rwanda	Normal	2.981E+02	1.496E+00	2.611E-01	2046	2055	2050	12	tasmax
Rwanda	Normal	2.994E+02	1.786E+00	3.715E-01	2056	2065	2060	1	tasmax
Rwanda	Normal	3.004E+02	1.775E+00	4.197E-01	2056	2065	2060	2	tasmax
Rwanda	Normal	3.010E+02	1.439E+00	2.497E-01	2056	2065	2060	3	tasmax
Rwanda	Normal	3.008E+02	1.427E+00	2.745E-01	2056	2065	2060	4	tasmax
Rwanda	Normal	3.007E+02	1.804E+00	3.807E-01	2056	2065	2060	5	tasmax
Rwanda	Normal	3.011E+02	1.985E+00	5.141E-01	2056	2065	2060	6	tasmax
Rwanda	Normal	3.022E+02	1.997E+00	6.112E-01	2056	2065	2060	7	tasmax
Rwanda	Normal	3.030E+02	2.009E+00	5.224E-01	2056	2065	2060	8	tasmax
Rwanda	Normal	3.025E+02	2.234E+00	3.779E-01	2056	2065	2060	9	tasmax
Rwanda	Normal	3.007E+02	2.584E+00	6.354E-01	2056	2065	2060	10	tasmax
Rwanda	Normal	2.988E+02	1.950E+00	4.868E-01	2056	2065	2060	11	tasmax
Rwanda	Normal	2.986E+02	1.536E+00	3.092E-01	2056	2065	2060	12	tasmax
Rwanda	Normal	3.000E+02	1.829E+00	4.313E-01	2066	2075	2070	1	tasmax
Rwanda	Normal	3.011E+02	1.778E+00	3.928E-01	2066	2075	2070	2	tasmax
Rwanda	Normal	3.016E+02	1.503E+00	3.064E-01	2066	2075	2070	3	tasmax
Rwanda	Normal	3.014E+02	1.504E+00	3.167E-01	2066	2075	2070	4	tasmax
Rwanda	Normal	3.014E+02	1.864E+00	4.053E-01	2066	2075	2070	5	tasmax
Rwanda	Normal	3.019E+02	2.018E+00	5.746E-01	2066	2075	2070	6	tasmax
Rwanda	Normal	3.029E+02	2.090E+00	5.816E-01	2066	2075	2070	7	tasmax
Rwanda	Normal	3.036E+02	1.966E+00	4.130E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Rwanda	Normal	3.032E+02	2.191E+00	4.471E-01	2066	2075	2070	9	tasmax
Rwanda	Normal	3.012E+02	2.555E+00	7.128E-01	2066	2075	2070	10	tasmax
Rwanda	Normal	2.993E+02	1.838E+00	4.923E-01	2066	2075	2070	11	tasmax
Rwanda	Normal	2.990E+02	1.511E+00	2.152E-01	2066	2075	2070	12	tasmax
Rwanda	Normal	3.004E+02	1.813E+00	3.703E-01	2076	2085	2080	1	tasmax
Rwanda	Normal	3.015E+02	1.688E+00	3.611E-01	2076	2085	2080	2	tasmax
Rwanda	Normal	3.021E+02	1.494E+00	2.747E-01	2076	2085	2080	3	tasmax
Rwanda	Normal	3.019E+02	1.591E+00	3.573E-01	2076	2085	2080	4	tasmax
Rwanda	Normal	3.020E+02	1.879E+00	5.781E-01	2076	2085	2080	5	tasmax
Rwanda	Normal	3.026E+02	2.027E+00	5.271E-01	2076	2085	2080	6	tasmax
Rwanda	Normal	3.034E+02	1.967E+00	5.259E-01	2076	2085	2080	7	tasmax
Rwanda	Normal	3.044E+02	2.053E+00	4.165E-01	2076	2085	2080	8	tasmax
Rwanda	Normal	3.037E+02	2.365E+00	4.253E-01	2076	2085	2080	9	tasmax
Rwanda	Normal	3.018E+02	2.740E+00	6.366E-01	2076	2085	2080	10	tasmax
Rwanda	Normal	2.999E+02	2.044E+00	5.549E-01	2076	2085	2080	11	tasmax
Rwanda	Normal	2.995E+02	1.641E+00	3.290E-01	2076	2085	2080	12	tasmax
Rwanda	Normal	3.010E+02	2.090E+00	3.912E-01	2086	2099	2092	1	tasmax
Rwanda	Normal	3.021E+02	1.948E+00	3.553E-01	2086	2099	2092	2	tasmax
Rwanda	Normal	3.026E+02	1.593E+00	2.901E-01	2086	2099	2092	3	tasmax
Rwanda	Normal	3.023E+02	1.674E+00	3.752E-01	2086	2099	2092	4	tasmax
Rwanda	Normal	3.025E+02	2.041E+00	5.080E-01	2086	2099	2092	5	tasmax
Rwanda	Normal	3.030E+02	2.231E+00	5.379E-01	2086	2099	2092	6	tasmax
Rwanda	Normal	3.040E+02	2.154E+00	5.037E-01	2086	2099	2092	7	tasmax
Rwanda	Normal	3.049E+02	2.213E+00	4.719E-01	2086	2099	2092	8	tasmax
Rwanda	Normal	3.043E+02	2.332E+00	4.589E-01	2086	2099	2092	9	tasmax
Rwanda	Normal	3.023E+02	2.525E+00	5.591E-01	2086	2099	2092	10	tasmax
Rwanda	Normal	3.004E+02	2.009E+00	5.720E-01	2086	2099	2092	11	tasmax
Rwanda	Normal	3.000E+02	1.731E+00	3.118E-01	2086	2099	2092	12	tasmax
Saudi Arabia	Normal	2.933E+02	2.754E+00	5.200E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Saudi Arabia	Normal	2.964E+02	2.804E+00	5.455E-01	2006	2015	2010	2	tasmax
Saudi Arabia	Normal	3.012E+02	2.652E+00	5.294E-01	2006	2015	2010	3	tasmax
Saudi Arabia	Normal	3.058E+02	2.405E+00	4.387E-01	2006	2015	2010	4	tasmax
Saudi Arabia	Normal	3.099E+02	2.493E+00	4.348E-01	2006	2015	2010	5	tasmax
Saudi Arabia	Normal	3.142E+02	2.438E+00	4.100E-01	2006	2015	2010	6	tasmax
Saudi Arabia	Normal	3.155E+02	2.430E+00	4.708E-01	2006	2015	2010	7	tasmax
Saudi Arabia	Normal	3.147E+02	2.660E+00	4.772E-01	2006	2015	2010	8	tasmax
Saudi Arabia	Normal	3.119E+02	2.784E+00	4.951E-01	2006	2015	2010	9	tasmax
Saudi Arabia	Normal	3.062E+02	2.539E+00	4.967E-01	2006	2015	2010	10	tasmax
Saudi Arabia	Normal	2.993E+02	2.601E+00	6.824E-01	2006	2015	2010	11	tasmax
Saudi Arabia	Normal	2.941E+02	2.607E+00	7.281E-01	2006	2015	2010	12	tasmax
Saudi Arabia	Normal	2.937E+02	2.809E+00	6.475E-01	2016	2025	2020	1	tasmax
Saudi Arabia	Normal	2.967E+02	2.811E+00	6.906E-01	2016	2025	2020	2	tasmax
Saudi Arabia	Normal	3.017E+02	2.741E+00	4.921E-01	2016	2025	2020	3	tasmax
Saudi Arabia	Normal	3.062E+02	2.517E+00	4.748E-01	2016	2025	2020	4	tasmax
Saudi Arabia	Normal	3.102E+02	2.435E+00	3.683E-01	2016	2025	2020	5	tasmax
Saudi Arabia	Normal	3.145E+02	2.372E+00	4.936E-01	2016	2025	2020	6	tasmax
Saudi Arabia	Normal	3.158E+02	2.421E+00	4.149E-01	2016	2025	2020	7	tasmax
Saudi Arabia	Normal	3.148E+02	2.860E+00	5.448E-01	2016	2025	2020	8	tasmax
Saudi Arabia	Normal	3.123E+02	2.870E+00	4.620E-01	2016	2025	2020	9	tasmax
Saudi Arabia	Normal	3.066E+02	2.667E+00	5.200E-01	2016	2025	2020	10	tasmax
Saudi Arabia	Normal	2.996E+02	2.662E+00	5.860E-01	2016	2025	2020	11	tasmax
Saudi Arabia	Normal	2.945E+02	2.763E+00	6.543E-01	2016	2025	2020	12	tasmax
Saudi Arabia	Normal	2.940E+02	2.825E+00	6.086E-01	2026	2035	2030	1	tasmax
Saudi Arabia	Normal	2.972E+02	2.783E+00	5.757E-01	2026	2035	2030	2	tasmax
Saudi Arabia	Normal	3.020E+02	2.734E+00	6.916E-01	2026	2035	2030	3	tasmax
Saudi Arabia	Normal	3.065E+02	2.496E+00	5.251E-01	2026	2035	2030	4	tasmax
Saudi Arabia	Normal	3.109E+02	2.358E+00	4.185E-01	2026	2035	2030	5	tasmax
Saudi Arabia	Normal	3.151E+02	2.378E+00	4.769E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Saudi Arabia	Normal	3.165E+02	2.532E+00	5.745E-01	2026	2035	2030	7	tasmax
Saudi Arabia	Normal	3.155E+02	2.720E+00	5.472E-01	2026	2035	2030	8	tasmax
Saudi Arabia	Normal	3.129E+02	2.723E+00	5.565E-01	2026	2035	2030	9	tasmax
Saudi Arabia	Normal	3.072E+02	2.603E+00	5.550E-01	2026	2035	2030	10	tasmax
Saudi Arabia	Normal	3.001E+02	2.557E+00	5.212E-01	2026	2035	2030	11	tasmax
Saudi Arabia	Normal	2.949E+02	2.680E+00	5.573E-01	2026	2035	2030	12	tasmax
Saudi Arabia	Normal	2.945E+02	2.836E+00	5.340E-01	2036	2045	2040	1	tasmax
Saudi Arabia	Normal	2.976E+02	2.912E+00	7.097E-01	2036	2045	2040	2	tasmax
Saudi Arabia	Normal	3.027E+02	2.791E+00	6.223E-01	2036	2045	2040	3	tasmax
Saudi Arabia	Normal	3.070E+02	2.762E+00	4.540E-01	2036	2045	2040	4	tasmax
Saudi Arabia	Normal	3.114E+02	2.656E+00	4.357E-01	2036	2045	2040	5	tasmax
Saudi Arabia	Normal	3.158E+02	2.456E+00	3.713E-01	2036	2045	2040	6	tasmax
Saudi Arabia	Normal	3.169E+02	2.480E+00	5.989E-01	2036	2045	2040	7	tasmax
Saudi Arabia	Normal	3.160E+02	2.697E+00	6.112E-01	2036	2045	2040	8	tasmax
Saudi Arabia	Normal	3.135E+02	2.726E+00	6.197E-01	2036	2045	2040	9	tasmax
Saudi Arabia	Normal	3.077E+02	2.546E+00	5.794E-01	2036	2045	2040	10	tasmax
Saudi Arabia	Normal	3.005E+02	2.724E+00	6.122E-01	2036	2045	2040	11	tasmax
Saudi Arabia	Normal	2.953E+02	2.763E+00	6.681E-01	2036	2045	2040	12	tasmax
Saudi Arabia	Normal	2.952E+02	2.795E+00	5.825E-01	2046	2055	2050	1	tasmax
Saudi Arabia	Normal	2.982E+02	2.867E+00	6.570E-01	2046	2055	2050	2	tasmax
Saudi Arabia	Normal	3.032E+02	2.681E+00	5.178E-01	2046	2055	2050	3	tasmax
Saudi Arabia	Normal	3.077E+02	2.668E+00	5.461E-01	2046	2055	2050	4	tasmax
Saudi Arabia	Normal	3.119E+02	2.526E+00	4.545E-01	2046	2055	2050	5	tasmax
Saudi Arabia	Normal	3.165E+02	2.544E+00	5.068E-01	2046	2055	2050	6	tasmax
Saudi Arabia	Normal	3.177E+02	2.390E+00	5.286E-01	2046	2055	2050	7	tasmax
Saudi Arabia	Normal	3.167E+02	2.793E+00	5.904E-01	2046	2055	2050	8	tasmax
Saudi Arabia	Normal	3.142E+02	2.751E+00	6.613E-01	2046	2055	2050	9	tasmax
Saudi Arabia	Normal	3.085E+02	2.688E+00	5.283E-01	2046	2055	2050	10	tasmax
Saudi Arabia	Normal	3.013E+02	2.706E+00	4.710E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Saudi Arabia	Normal	2.960E+02	2.760E+00	6.031E-01	2046	2055	2050	12	tasmax
Saudi Arabia	Normal	2.956E+02	2.949E+00	7.089E-01	2056	2065	2060	1	tasmax
Saudi Arabia	Normal	2.988E+02	2.824E+00	6.802E-01	2056	2065	2060	2	tasmax
Saudi Arabia	Normal	3.037E+02	2.648E+00	5.579E-01	2056	2065	2060	3	tasmax
Saudi Arabia	Normal	3.084E+02	2.626E+00	5.039E-01	2056	2065	2060	4	tasmax
Saudi Arabia	Normal	3.127E+02	2.539E+00	4.724E-01	2056	2065	2060	5	tasmax
Saudi Arabia	Normal	3.172E+02	2.525E+00	4.745E-01	2056	2065	2060	6	tasmax
Saudi Arabia	Normal	3.184E+02	2.376E+00	5.587E-01	2056	2065	2060	7	tasmax
Saudi Arabia	Normal	3.173E+02	3.168E+00	5.482E-01	2056	2065	2060	8	tasmax
Saudi Arabia	Normal	3.148E+02	2.850E+00	5.781E-01	2056	2065	2060	9	tasmax
Saudi Arabia	Normal	3.093E+02	2.679E+00	7.164E-01	2056	2065	2060	10	tasmax
Saudi Arabia	Normal	3.020E+02	2.835E+00	6.850E-01	2056	2065	2060	11	tasmax
Saudi Arabia	Normal	2.965E+02	2.695E+00	5.929E-01	2056	2065	2060	12	tasmax
Saudi Arabia	Normal	2.962E+02	2.797E+00	6.594E-01	2066	2075	2070	1	tasmax
Saudi Arabia	Normal	2.993E+02	2.906E+00	6.326E-01	2066	2075	2070	2	tasmax
Saudi Arabia	Normal	3.042E+02	2.870E+00	6.334E-01	2066	2075	2070	3	tasmax
Saudi Arabia	Normal	3.088E+02	2.675E+00	5.811E-01	2066	2075	2070	4	tasmax
Saudi Arabia	Normal	3.134E+02	2.712E+00	5.354E-01	2066	2075	2070	5	tasmax
Saudi Arabia	Normal	3.179E+02	2.480E+00	4.223E-01	2066	2075	2070	6	tasmax
Saudi Arabia	Normal	3.191E+02	2.409E+00	5.336E-01	2066	2075	2070	7	tasmax
Saudi Arabia	Normal	3.182E+02	2.854E+00	5.960E-01	2066	2075	2070	8	tasmax
Saudi Arabia	Normal	3.156E+02	2.871E+00	5.705E-01	2066	2075	2070	9	tasmax
Saudi Arabia	Normal	3.100E+02	2.700E+00	5.601E-01	2066	2075	2070	10	tasmax
Saudi Arabia	Normal	3.028E+02	2.832E+00	6.713E-01	2066	2075	2070	11	tasmax
Saudi Arabia	Normal	2.973E+02	2.730E+00	6.025E-01	2066	2075	2070	12	tasmax
Saudi Arabia	Normal	2.968E+02	2.924E+00	6.039E-01	2076	2085	2080	1	tasmax
Saudi Arabia	Normal	3.000E+02	3.067E+00	6.838E-01	2076	2085	2080	2	tasmax
Saudi Arabia	Normal	3.050E+02	2.957E+00	5.513E-01	2076	2085	2080	3	tasmax
Saudi Arabia	Normal	3.097E+02	2.815E+00	5.474E-01	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Saudi Arabia	Normal	3.142E+02	2.731E+00	4.808E-01	2076	2085	2080	5	tasmax
Saudi Arabia	Normal	3.187E+02	2.598E+00	4.587E-01	2076	2085	2080	6	tasmax
Saudi Arabia	Normal	3.197E+02	2.698E+00	5.694E-01	2076	2085	2080	7	tasmax
Saudi Arabia	Normal	3.187E+02	3.084E+00	6.238E-01	2076	2085	2080	8	tasmax
Saudi Arabia	Normal	3.162E+02	3.000E+00	6.303E-01	2076	2085	2080	9	tasmax
Saudi Arabia	Normal	3.107E+02	2.762E+00	5.974E-01	2076	2085	2080	10	tasmax
Saudi Arabia	Normal	3.036E+02	2.896E+00	6.234E-01	2076	2085	2080	11	tasmax
Saudi Arabia	Normal	2.979E+02	2.839E+00	6.170E-01	2076	2085	2080	12	tasmax
Saudi Arabia	Normal	2.974E+02	2.857E+00	6.753E-01	2086	2099	2092	1	tasmax
Saudi Arabia	Normal	3.004E+02	2.932E+00	6.671E-01	2086	2099	2092	2	tasmax
Saudi Arabia	Normal	3.056E+02	3.176E+00	6.938E-01	2086	2099	2092	3	tasmax
Saudi Arabia	Normal	3.103E+02	2.776E+00	5.526E-01	2086	2099	2092	4	tasmax
Saudi Arabia	Normal	3.147E+02	2.953E+00	4.675E-01	2086	2099	2092	5	tasmax
Saudi Arabia	Normal	3.194E+02	2.653E+00	4.580E-01	2086	2099	2092	6	tasmax
Saudi Arabia	Normal	3.205E+02	2.608E+00	5.397E-01	2086	2099	2092	7	tasmax
Saudi Arabia	Normal	3.196E+02	2.932E+00	6.066E-01	2086	2099	2092	8	tasmax
Saudi Arabia	Normal	3.169E+02	2.936E+00	6.594E-01	2086	2099	2092	9	tasmax
Saudi Arabia	Normal	3.113E+02	2.761E+00	7.039E-01	2086	2099	2092	10	tasmax
Saudi Arabia	Normal	3.042E+02	2.911E+00	6.923E-01	2086	2099	2092	11	tasmax
Saudi Arabia	Normal	2.986E+02	2.941E+00	7.707E-01	2086	2099	2092	12	tasmax
Senegal	Normal	3.059E+02	1.566E+00	2.650E-01	2006	2015	2010	1	tasmax
Senegal	Normal	3.084E+02	1.374E+00	2.963E-01	2006	2015	2010	2	tasmax
Senegal	Normal	3.109E+02	1.578E+00	2.795E-01	2006	2015	2010	3	tasmax
Senegal	Normal	3.120E+02	1.863E+00	3.231E-01	2006	2015	2010	4	tasmax
Senegal	Normal	3.116E+02	2.322E+00	6.101E-01	2006	2015	2010	5	tasmax
Senegal	Normal	3.098E+02	2.868E+00	9.158E-01	2006	2015	2010	6	tasmax
Senegal	Normal	3.081E+02	3.226E+00	6.804E-01	2006	2015	2010	7	tasmax
Senegal	Normal	3.072E+02	3.381E+00	5.826E-01	2006	2015	2010	8	tasmax
Senegal	Normal	3.078E+02	3.234E+00	6.862E-01	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Senegal	Normal	3.089E+02	2.947E+00	7.766E-01	2006	2015	2010	10	tasmax
Senegal	Normal	3.084E+02	2.361E+00	7.958E-01	2006	2015	2010	11	tasmax
Senegal	Normal	3.062E+02	1.441E+00	2.404E-01	2006	2015	2010	12	tasmax
Senegal	Normal	3.066E+02	1.554E+00	2.582E-01	2016	2025	2020	1	tasmax
Senegal	Normal	3.088E+02	1.487E+00	2.577E-01	2016	2025	2020	2	tasmax
Senegal	Normal	3.112E+02	1.578E+00	3.550E-01	2016	2025	2020	3	tasmax
Senegal	Normal	3.124E+02	1.860E+00	3.273E-01	2016	2025	2020	4	tasmax
Senegal	Normal	3.119E+02	2.364E+00	7.060E-01	2016	2025	2020	5	tasmax
Senegal	Normal	3.103E+02	2.799E+00	1.012E+00	2016	2025	2020	6	tasmax
Senegal	Normal	3.085E+02	3.205E+00	8.492E-01	2016	2025	2020	7	tasmax
Senegal	Normal	3.075E+02	3.530E+00	7.189E-01	2016	2025	2020	8	tasmax
Senegal	Normal	3.083E+02	3.503E+00	7.788E-01	2016	2025	2020	9	tasmax
Senegal	Normal	3.093E+02	3.145E+00	7.971E-01	2016	2025	2020	10	tasmax
Senegal	Normal	3.088E+02	2.589E+00	1.093E+00	2016	2025	2020	11	tasmax
Senegal	Normal	3.065E+02	1.562E+00	2.927E-01	2016	2025	2020	12	tasmax
Senegal	Normal	3.069E+02	1.583E+00	2.534E-01	2026	2035	2030	1	tasmax
Senegal	Normal	3.093E+02	1.599E+00	3.116E-01	2026	2035	2030	2	tasmax
Senegal	Normal	3.118E+02	1.645E+00	3.521E-01	2026	2035	2030	3	tasmax
Senegal	Normal	3.128E+02	1.867E+00	2.779E-01	2026	2035	2030	4	tasmax
Senegal	Normal	3.123E+02	2.293E+00	5.630E-01	2026	2035	2030	5	tasmax
Senegal	Normal	3.105E+02	2.786E+00	8.295E-01	2026	2035	2030	6	tasmax
Senegal	Normal	3.087E+02	3.229E+00	7.302E-01	2026	2035	2030	7	tasmax
Senegal	Normal	3.080E+02	3.485E+00	6.750E-01	2026	2035	2030	8	tasmax
Senegal	Normal	3.086E+02	3.443E+00	7.802E-01	2026	2035	2030	9	tasmax
Senegal	Normal	3.097E+02	3.125E+00	7.934E-01	2026	2035	2030	10	tasmax
Senegal	Normal	3.092E+02	2.606E+00	1.209E+00	2026	2035	2030	11	tasmax
Senegal	Normal	3.071E+02	1.579E+00	2.798E-01	2026	2035	2030	12	tasmax
Senegal	Normal	3.073E+02	1.460E+00	1.826E-01	2036	2045	2040	1	tasmax
Senegal	Normal	3.098E+02	1.473E+00	3.016E-01	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Senegal	Normal	3.122E+02	1.687E+00	3.335E-01	2036	2045	2040	3	tasmax
Senegal	Normal	3.132E+02	1.999E+00	4.099E-01	2036	2045	2040	4	tasmax
Senegal	Normal	3.126E+02	2.279E+00	5.555E-01	2036	2045	2040	5	tasmax
Senegal	Normal	3.109E+02	2.655E+00	8.913E-01	2036	2045	2040	6	tasmax
Senegal	Normal	3.091E+02	3.142E+00	7.755E-01	2036	2045	2040	7	tasmax
Senegal	Normal	3.084E+02	3.448E+00	7.060E-01	2036	2045	2040	8	tasmax
Senegal	Normal	3.089E+02	3.461E+00	8.261E-01	2036	2045	2040	9	tasmax
Senegal	Normal	3.102E+02	3.105E+00	7.512E-01	2036	2045	2040	10	tasmax
Senegal	Normal	3.097E+02	2.531E+00	9.240E-01	2036	2045	2040	11	tasmax
Senegal	Normal	3.076E+02	1.454E+00	2.492E-01	2036	2045	2040	12	tasmax
Senegal	Normal	3.079E+02	1.578E+00	2.903E-01	2046	2055	2050	1	tasmax
Senegal	Normal	3.101E+02	1.584E+00	4.252E-01	2046	2055	2050	2	tasmax
Senegal	Normal	3.126E+02	1.716E+00	3.924E-01	2046	2055	2050	3	tasmax
Senegal	Normal	3.136E+02	2.026E+00	4.166E-01	2046	2055	2050	4	tasmax
Senegal	Normal	3.131E+02	2.413E+00	6.808E-01	2046	2055	2050	5	tasmax
Senegal	Normal	3.114E+02	2.811E+00	1.028E+00	2046	2055	2050	6	tasmax
Senegal	Normal	3.096E+02	3.212E+00	8.913E-01	2046	2055	2050	7	tasmax
Senegal	Normal	3.088E+02	3.623E+00	7.342E-01	2046	2055	2050	8	tasmax
Senegal	Normal	3.093E+02	3.666E+00	8.291E-01	2046	2055	2050	9	tasmax
Senegal	Normal	3.106E+02	3.292E+00	6.490E-01	2046	2055	2050	10	tasmax
Senegal	Normal	3.102E+02	2.640E+00	1.072E+00	2046	2055	2050	11	tasmax
Senegal	Normal	3.081E+02	1.637E+00	2.710E-01	2046	2055	2050	12	tasmax
Senegal	Normal	3.086E+02	1.489E+00	2.559E-01	2056	2065	2060	1	tasmax
Senegal	Normal	3.109E+02	1.601E+00	3.107E-01	2056	2065	2060	2	tasmax
Senegal	Normal	3.133E+02	1.723E+00	3.090E-01	2056	2065	2060	3	tasmax
Senegal	Normal	3.141E+02	2.029E+00	3.914E-01	2056	2065	2060	4	tasmax
Senegal	Normal	3.135E+02	2.398E+00	6.808E-01	2056	2065	2060	5	tasmax
Senegal	Normal	3.119E+02	2.785E+00	8.453E-01	2056	2065	2060	6	tasmax
Senegal	Normal	3.102E+02	3.191E+00	8.624E-01	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Senegal	Normal	3.093E+02	3.612E+00	8.112E-01	2056	2065	2060	8	tasmax
Senegal	Normal	3.099E+02	3.774E+00	9.082E-01	2056	2065	2060	9	tasmax
Senegal	Normal	3.112E+02	3.343E+00	6.602E-01	2056	2065	2060	10	tasmax
Senegal	Normal	3.108E+02	2.671E+00	9.533E-01	2056	2065	2060	11	tasmax
Senegal	Normal	3.087E+02	1.605E+00	2.647E-01	2056	2065	2060	12	tasmax
Senegal	Normal	3.091E+02	1.544E+00	3.299E-01	2066	2075	2070	1	tasmax
Senegal	Normal	3.115E+02	1.535E+00	3.605E-01	2066	2075	2070	2	tasmax
Senegal	Normal	3.139E+02	1.787E+00	3.700E-01	2066	2075	2070	3	tasmax
Senegal	Normal	3.148E+02	1.989E+00	4.043E-01	2066	2075	2070	4	tasmax
Senegal	Normal	3.140E+02	2.424E+00	6.920E-01	2066	2075	2070	5	tasmax
Senegal	Normal	3.124E+02	2.717E+00	8.072E-01	2066	2075	2070	6	tasmax
Senegal	Normal	3.106E+02	3.291E+00	8.446E-01	2066	2075	2070	7	tasmax
Senegal	Normal	3.098E+02	3.775E+00	7.959E-01	2066	2075	2070	8	tasmax
Senegal	Normal	3.104E+02	3.757E+00	7.953E-01	2066	2075	2070	9	tasmax
Senegal	Normal	3.117E+02	3.185E+00	6.432E-01	2066	2075	2070	10	tasmax
Senegal	Normal	3.114E+02	2.614E+00	1.021E+00	2066	2075	2070	11	tasmax
Senegal	Normal	3.094E+02	1.582E+00	2.509E-01	2066	2075	2070	12	tasmax
Senegal	Normal	3.096E+02	1.635E+00	3.424E-01	2076	2085	2080	1	tasmax
Senegal	Normal	3.120E+02	1.680E+00	3.829E-01	2076	2085	2080	2	tasmax
Senegal	Normal	3.145E+02	1.922E+00	4.006E-01	2076	2085	2080	3	tasmax
Senegal	Normal	3.153E+02	2.133E+00	4.166E-01	2076	2085	2080	4	tasmax
Senegal	Normal	3.146E+02	2.411E+00	6.031E-01	2076	2085	2080	5	tasmax
Senegal	Normal	3.130E+02	2.810E+00	7.332E-01	2076	2085	2080	6	tasmax
Senegal	Normal	3.112E+02	3.373E+00	9.637E-01	2076	2085	2080	7	tasmax
Senegal	Normal	3.103E+02	3.767E+00	8.780E-01	2076	2085	2080	8	tasmax
Senegal	Normal	3.109E+02	3.969E+00	8.680E-01	2076	2085	2080	9	tasmax
Senegal	Normal	3.122E+02	3.451E+00	7.321E-01	2076	2085	2080	10	tasmax
Senegal	Normal	3.119E+02	2.907E+00	1.202E+00	2076	2085	2080	11	tasmax
Senegal	Normal	3.099E+02	1.818E+00	3.659E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Senegal	Normal	3.104E+02	1.562E+00	2.727E-01	2086	2099	2092	1	tasmax
Senegal	Normal	3.127E+02	1.648E+00	3.620E-01	2086	2099	2092	2	tasmax
Senegal	Normal	3.150E+02	1.999E+00	4.025E-01	2086	2099	2092	3	tasmax
Senegal	Normal	3.157E+02	2.256E+00	4.981E-01	2086	2099	2092	4	tasmax
Senegal	Normal	3.150E+02	2.509E+00	6.329E-01	2086	2099	2092	5	tasmax
Senegal	Normal	3.135E+02	2.739E+00	8.501E-01	2086	2099	2092	6	tasmax
Senegal	Normal	3.117E+02	3.356E+00	8.353E-01	2086	2099	2092	7	tasmax
Senegal	Normal	3.109E+02	3.758E+00	8.739E-01	2086	2099	2092	8	tasmax
Senegal	Normal	3.113E+02	3.920E+00	8.517E-01	2086	2099	2092	9	tasmax
Senegal	Normal	3.128E+02	3.383E+00	6.448E-01	2086	2099	2092	10	tasmax
Senegal	Normal	3.127E+02	2.580E+00	8.647E-01	2086	2099	2092	11	tasmax
Senegal	Normal	3.105E+02	1.669E+00	2.677E-01	2086	2099	2092	12	tasmax
Serbia	Normal	2.781E+02	2.747E+00	8.179E-01	2006	2015	2010	1	tasmax
Serbia	Normal	2.802E+02	3.001E+00	5.574E-01	2006	2015	2010	2	tasmax
Serbia	Normal	2.838E+02	2.774E+00	9.590E-01	2006	2015	2010	3	tasmax
Serbia	Normal	2.889E+02	2.202E+00	4.396E-01	2006	2015	2010	4	tasmax
Serbia	Normal	2.940E+02	2.264E+00	6.657E-01	2006	2015	2010	5	tasmax
Serbia	Normal	2.989E+02	2.259E+00	5.155E-01	2006	2015	2010	6	tasmax
Serbia	Normal	3.019E+02	2.567E+00	5.115E-01	2006	2015	2010	7	tasmax
Serbia	Normal	3.017E+02	2.637E+00	7.055E-01	2006	2015	2010	8	tasmax
Serbia	Normal	2.965E+02	2.170E+00	3.490E-01	2006	2015	2010	9	tasmax
Serbia	Normal	2.895E+02	2.620E+00	7.022E-01	2006	2015	2010	10	tasmax
Serbia	Normal	2.833E+02	2.464E+00	7.163E-01	2006	2015	2010	11	tasmax
Serbia	Normal	2.795E+02	2.585E+00	5.426E-01	2006	2015	2010	12	tasmax
Serbia	Normal	2.786E+02	2.667E+00	5.301E-01	2016	2025	2020	1	tasmax
Serbia	Normal	2.806E+02	2.661E+00	8.577E-01	2016	2025	2020	2	tasmax
Serbia	Normal	2.845E+02	2.940E+00	8.927E-01	2016	2025	2020	3	tasmax
Serbia	Normal	2.891E+02	2.426E+00	5.965E-01	2016	2025	2020	4	tasmax
Serbia	Normal	2.944E+02	2.121E+00	6.306E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Serbia	Normal	2.995E+02	2.148E+00	3.892E-01	2016	2025	2020	6	tasmax
Serbia	Normal	3.026E+02	2.645E+00	6.653E-01	2016	2025	2020	7	tasmax
Serbia	Normal	3.024E+02	2.818E+00	8.059E-01	2016	2025	2020	8	tasmax
Serbia	Normal	2.971E+02	2.583E+00	5.992E-01	2016	2025	2020	9	tasmax
Serbia	Normal	2.901E+02	2.499E+00	8.384E-01	2016	2025	2020	10	tasmax
Serbia	Normal	2.837E+02	2.365E+00	6.726E-01	2016	2025	2020	11	tasmax
Serbia	Normal	2.798E+02	2.365E+00	4.818E-01	2016	2025	2020	12	tasmax
Serbia	Normal	2.790E+02	2.541E+00	5.409E-01	2026	2035	2030	1	tasmax
Serbia	Normal	2.809E+02	2.411E+00	6.585E-01	2026	2035	2030	2	tasmax
Serbia	Normal	2.849E+02	2.372E+00	6.557E-01	2026	2035	2030	3	tasmax
Serbia	Normal	2.896E+02	2.359E+00	6.781E-01	2026	2035	2030	4	tasmax
Serbia	Normal	2.948E+02	2.531E+00	7.207E-01	2026	2035	2030	5	tasmax
Serbia	Normal	3.000E+02	2.335E+00	5.785E-01	2026	2035	2030	6	tasmax
Serbia	Normal	3.036E+02	2.957E+00	9.887E-01	2026	2035	2030	7	tasmax
Serbia	Normal	3.035E+02	2.854E+00	1.161E+00	2026	2035	2030	8	tasmax
Serbia	Normal	2.975E+02	2.477E+00	8.280E-01	2026	2035	2030	9	tasmax
Serbia	Normal	2.906E+02	2.605E+00	7.503E-01	2026	2035	2030	10	tasmax
Serbia	Normal	2.841E+02	2.517E+00	9.454E-01	2026	2035	2030	11	tasmax
Serbia	Normal	2.805E+02	2.342E+00	5.988E-01	2026	2035	2030	12	tasmax
Serbia	Normal	2.798E+02	2.424E+00	7.086E-01	2036	2045	2040	1	tasmax
Serbia	Normal	2.817E+02	2.293E+00	8.227E-01	2036	2045	2040	2	tasmax
Serbia	Normal	2.853E+02	2.694E+00	7.355E-01	2036	2045	2040	3	tasmax
Serbia	Normal	2.903E+02	2.552E+00	4.752E-01	2036	2045	2040	4	tasmax
Serbia	Normal	2.954E+02	2.508E+00	6.982E-01	2036	2045	2040	5	tasmax
Serbia	Normal	3.009E+02	2.836E+00	7.180E-01	2036	2045	2040	6	tasmax
Serbia	Normal	3.047E+02	3.038E+00	7.242E-01	2036	2045	2040	7	tasmax
Serbia	Normal	3.044E+02	3.223E+00	1.112E+00	2036	2045	2040	8	tasmax
Serbia	Normal	2.986E+02	2.429E+00	8.225E-01	2036	2045	2040	9	tasmax
Serbia	Normal	2.914E+02	2.481E+00	5.065E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Serbia	Normal	2.848E+02	2.350E+00	8.930E-01	2036	2045	2040	11	tasmax
Serbia	Normal	2.811E+02	2.350E+00	5.301E-01	2036	2045	2040	12	tasmax
Serbia	Normal	2.802E+02	2.495E+00	6.695E-01	2046	2055	2050	1	tasmax
Serbia	Normal	2.820E+02	2.317E+00	6.160E-01	2046	2055	2050	2	tasmax
Serbia	Normal	2.856E+02	2.412E+00	7.036E-01	2046	2055	2050	3	tasmax
Serbia	Normal	2.906E+02	2.705E+00	5.079E-01	2046	2055	2050	4	tasmax
Serbia	Normal	2.956E+02	2.653E+00	6.653E-01	2046	2055	2050	5	tasmax
Serbia	Normal	3.012E+02	2.851E+00	6.077E-01	2046	2055	2050	6	tasmax
Serbia	Normal	3.055E+02	3.747E+00	1.153E+00	2046	2055	2050	7	tasmax
Serbia	Normal	3.052E+02	3.435E+00	1.298E+00	2046	2055	2050	8	tasmax
Serbia	Normal	2.992E+02	2.640E+00	7.084E-01	2046	2055	2050	9	tasmax
Serbia	Normal	2.919E+02	2.618E+00	5.800E-01	2046	2055	2050	10	tasmax
Serbia	Normal	2.852E+02	2.356E+00	6.982E-01	2046	2055	2050	11	tasmax
Serbia	Normal	2.811E+02	2.220E+00	5.933E-01	2046	2055	2050	12	tasmax
Serbia	Normal	2.811E+02	2.289E+00	7.846E-01	2056	2065	2060	1	tasmax
Serbia	Normal	2.825E+02	2.712E+00	7.070E-01	2056	2065	2060	2	tasmax
Serbia	Normal	2.863E+02	2.803E+00	8.450E-01	2056	2065	2060	3	tasmax
Serbia	Normal	2.910E+02	2.771E+00	7.329E-01	2056	2065	2060	4	tasmax
Serbia	Normal	2.964E+02	3.052E+00	6.908E-01	2056	2065	2060	5	tasmax
Serbia	Normal	3.019E+02	3.018E+00	5.912E-01	2056	2065	2060	6	tasmax
Serbia	Normal	3.061E+02	3.844E+00	1.171E+00	2056	2065	2060	7	tasmax
Serbia	Normal	3.062E+02	3.720E+00	1.393E+00	2056	2065	2060	8	tasmax
Serbia	Normal	3.001E+02	2.944E+00	9.582E-01	2056	2065	2060	9	tasmax
Serbia	Normal	2.924E+02	2.770E+00	8.267E-01	2056	2065	2060	10	tasmax
Serbia	Normal	2.860E+02	2.501E+00	9.204E-01	2056	2065	2060	11	tasmax
Serbia	Normal	2.822E+02	2.356E+00	7.752E-01	2056	2065	2060	12	tasmax
Serbia	Normal	2.813E+02	2.213E+00	5.929E-01	2066	2075	2070	1	tasmax
Serbia	Normal	2.831E+02	2.408E+00	6.752E-01	2066	2075	2070	2	tasmax
Serbia	Normal	2.868E+02	2.950E+00	9.887E-01	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Serbia	Normal	2.919E+02	2.614E+00	4.466E-01	2066	2075	2070	4	tasmax
Serbia	Normal	2.974E+02	2.929E+00	6.381E-01	2066	2075	2070	5	tasmax
Serbia	Normal	3.030E+02	3.540E+00	6.981E-01	2066	2075	2070	6	tasmax
Serbia	Normal	3.071E+02	3.931E+00	1.267E+00	2066	2075	2070	7	tasmax
Serbia	Normal	3.071E+02	3.880E+00	1.534E+00	2066	2075	2070	8	tasmax
Serbia	Normal	3.011E+02	3.179E+00	9.734E-01	2066	2075	2070	9	tasmax
Serbia	Normal	2.934E+02	2.939E+00	7.763E-01	2066	2075	2070	10	tasmax
Serbia	Normal	2.865E+02	2.732E+00	9.328E-01	2066	2075	2070	11	tasmax
Serbia	Normal	2.826E+02	2.454E+00	7.183E-01	2066	2075	2070	12	tasmax
Serbia	Normal	2.822E+02	2.383E+00	7.321E-01	2076	2085	2080	1	tasmax
Serbia	Normal	2.839E+02	2.921E+00	9.172E-01	2076	2085	2080	2	tasmax
Serbia	Normal	2.874E+02	3.236E+00	9.628E-01	2076	2085	2080	3	tasmax
Serbia	Normal	2.923E+02	3.346E+00	1.119E+00	2076	2085	2080	4	tasmax
Serbia	Normal	2.979E+02	2.981E+00	5.990E-01	2076	2085	2080	5	tasmax
Serbia	Normal	3.042E+02	3.491E+00	7.927E-01	2076	2085	2080	6	tasmax
Serbia	Normal	3.085E+02	4.119E+00	1.472E+00	2076	2085	2080	7	tasmax
Serbia	Normal	3.084E+02	4.163E+00	1.476E+00	2076	2085	2080	8	tasmax
Serbia	Normal	3.021E+02	3.261E+00	7.469E-01	2076	2085	2080	9	tasmax
Serbia	Normal	2.938E+02	3.059E+00	8.281E-01	2076	2085	2080	10	tasmax
Serbia	Normal	2.869E+02	2.715E+00	7.267E-01	2076	2085	2080	11	tasmax
Serbia	Normal	2.831E+02	2.334E+00	7.052E-01	2076	2085	2080	12	tasmax
Serbia	Normal	2.824E+02	2.103E+00	6.370E-01	2086	2099	2092	1	tasmax
Serbia	Normal	2.843E+02	2.475E+00	8.849E-01	2086	2099	2092	2	tasmax
Serbia	Normal	2.879E+02	2.741E+00	7.480E-01	2086	2099	2092	3	tasmax
Serbia	Normal	2.927E+02	3.127E+00	7.419E-01	2086	2099	2092	4	tasmax
Serbia	Normal	2.989E+02	3.293E+00	5.095E-01	2086	2099	2092	5	tasmax
Serbia	Normal	3.047E+02	3.819E+00	7.439E-01	2086	2099	2092	6	tasmax
Serbia	Normal	3.093E+02	4.463E+00	1.420E+00	2086	2099	2092	7	tasmax
Serbia	Normal	3.090E+02	4.161E+00	1.659E+00	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Serbia	Normal	3.027E+02	3.248E+00	1.011E+00	2086	2099	2092	9	tasmax
Serbia	Normal	2.946E+02	3.290E+00	9.848E-01	2086	2099	2092	10	tasmax
Serbia	Normal	2.879E+02	2.460E+00	6.662E-01	2086	2099	2092	11	tasmax
Serbia	Normal	2.836E+02	2.427E+00	8.522E-01	2086	2099	2092	12	tasmax
Sierra Leone	Normal	3.044E+02	1.644E+00	2.426E-01	2006	2015	2010	1	tasmax
Sierra Leone	Normal	3.056E+02	1.396E+00	2.586E-01	2006	2015	2010	2	tasmax
Sierra Leone	Normal	3.062E+02	2.027E+00	5.053E-01	2006	2015	2010	3	tasmax
Sierra Leone	Normal	3.055E+02	2.474E+00	6.728E-01	2006	2015	2010	4	tasmax
Sierra Leone	Normal	3.040E+02	2.142E+00	5.397E-01	2006	2015	2010	5	tasmax
Sierra Leone	Normal	3.021E+02	1.651E+00	4.628E-01	2006	2015	2010	6	tasmax
Sierra Leone	Normal	3.007E+02	1.473E+00	5.286E-01	2006	2015	2010	7	tasmax
Sierra Leone	Normal	3.001E+02	1.480E+00	4.485E-01	2006	2015	2010	8	tasmax
Sierra Leone	Normal	3.005E+02	1.382E+00	3.249E-01	2006	2015	2010	9	tasmax
Sierra Leone	Normal	3.015E+02	1.188E+00	1.967E-01	2006	2015	2010	10	tasmax
Sierra Leone	Normal	3.027E+02	1.049E+00	2.598E-01	2006	2015	2010	11	tasmax
Sierra Leone	Normal	3.034E+02	1.342E+00	2.449E-01	2006	2015	2010	12	tasmax
Sierra Leone	Normal	3.048E+02	1.657E+00	2.821E-01	2016	2025	2020	1	tasmax
Sierra Leone	Normal	3.060E+02	1.471E+00	2.967E-01	2016	2025	2020	2	tasmax
Sierra Leone	Normal	3.066E+02	2.025E+00	4.756E-01	2016	2025	2020	3	tasmax
Sierra Leone	Normal	3.060E+02	2.564E+00	6.955E-01	2016	2025	2020	4	tasmax
Sierra Leone	Normal	3.044E+02	2.308E+00	6.076E-01	2016	2025	2020	5	tasmax
Sierra Leone	Normal	3.025E+02	1.748E+00	4.551E-01	2016	2025	2020	6	tasmax
Sierra Leone	Normal	3.010E+02	1.494E+00	4.609E-01	2016	2025	2020	7	tasmax
Sierra Leone	Normal	3.004E+02	1.571E+00	3.891E-01	2016	2025	2020	8	tasmax
Sierra Leone	Normal	3.009E+02	1.495E+00	2.844E-01	2016	2025	2020	9	tasmax
Sierra Leone	Normal	3.018E+02	1.264E+00	2.012E-01	2016	2025	2020	10	tasmax
Sierra Leone	Normal	3.031E+02	1.104E+00	2.400E-01	2016	2025	2020	11	tasmax
Sierra Leone	Normal	3.036E+02	1.352E+00	2.061E-01	2016	2025	2020	12	tasmax
Sierra Leone	Normal	3.051E+02	1.761E+00	2.628E-01	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sierra Leone	Normal	3.063E+02	1.525E+00	3.259E-01	2026	2035	2030	2	tasmax
Sierra Leone	Normal	3.069E+02	1.969E+00	4.778E-01	2026	2035	2030	3	tasmax
Sierra Leone	Normal	3.064E+02	2.540E+00	6.903E-01	2026	2035	2030	4	tasmax
Sierra Leone	Normal	3.049E+02	2.349E+00	6.071E-01	2026	2035	2030	5	tasmax
Sierra Leone	Normal	3.028E+02	1.781E+00	4.931E-01	2026	2035	2030	6	tasmax
Sierra Leone	Normal	3.014E+02	1.499E+00	5.081E-01	2026	2035	2030	7	tasmax
Sierra Leone	Normal	3.007E+02	1.542E+00	4.124E-01	2026	2035	2030	8	tasmax
Sierra Leone	Normal	3.011E+02	1.470E+00	3.228E-01	2026	2035	2030	9	tasmax
Sierra Leone	Normal	3.020E+02	1.198E+00	1.911E-01	2026	2035	2030	10	tasmax
Sierra Leone	Normal	3.034E+02	1.065E+00	2.336E-01	2026	2035	2030	11	tasmax
Sierra Leone	Normal	3.040E+02	1.498E+00	2.875E-01	2026	2035	2030	12	tasmax
Sierra Leone	Normal	3.056E+02	1.775E+00	2.937E-01	2036	2045	2040	1	tasmax
Sierra Leone	Normal	3.068E+02	1.642E+00	3.680E-01	2036	2045	2040	2	tasmax
Sierra Leone	Normal	3.073E+02	2.246E+00	5.219E-01	2036	2045	2040	3	tasmax
Sierra Leone	Normal	3.067E+02	2.696E+00	7.638E-01	2036	2045	2040	4	tasmax
Sierra Leone	Normal	3.053E+02	2.446E+00	6.034E-01	2036	2045	2040	5	tasmax
Sierra Leone	Normal	3.032E+02	1.889E+00	5.348E-01	2036	2045	2040	6	tasmax
Sierra Leone	Normal	3.017E+02	1.584E+00	5.532E-01	2036	2045	2040	7	tasmax
Sierra Leone	Normal	3.010E+02	1.594E+00	4.206E-01	2036	2045	2040	8	tasmax
Sierra Leone	Normal	3.014E+02	1.534E+00	2.843E-01	2036	2045	2040	9	tasmax
Sierra Leone	Normal	3.024E+02	1.250E+00	1.974E-01	2036	2045	2040	10	tasmax
Sierra Leone	Normal	3.037E+02	1.045E+00	2.075E-01	2036	2045	2040	11	tasmax
Sierra Leone	Normal	3.044E+02	1.388E+00	1.951E-01	2036	2045	2040	12	tasmax
Sierra Leone	Normal	3.061E+02	1.663E+00	3.301E-01	2046	2055	2050	1	tasmax
Sierra Leone	Normal	3.073E+02	1.723E+00	3.365E-01	2046	2055	2050	2	tasmax
Sierra Leone	Normal	3.078E+02	2.364E+00	4.630E-01	2046	2055	2050	3	tasmax
Sierra Leone	Normal	3.072E+02	2.803E+00	7.414E-01	2046	2055	2050	4	tasmax
Sierra Leone	Normal	3.058E+02	2.502E+00	5.975E-01	2046	2055	2050	5	tasmax
Sierra Leone	Normal	3.038E+02	2.023E+00	5.842E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sierra Leone	Normal	3.021E+02	1.727E+00	5.760E-01	2046	2055	2050	7	tasmax
Sierra Leone	Normal	3.015E+02	1.656E+00	4.846E-01	2046	2055	2050	8	tasmax
Sierra Leone	Normal	3.019E+02	1.549E+00	3.544E-01	2046	2055	2050	9	tasmax
Sierra Leone	Normal	3.028E+02	1.301E+00	2.601E-01	2046	2055	2050	10	tasmax
Sierra Leone	Normal	3.041E+02	1.098E+00	2.109E-01	2046	2055	2050	11	tasmax
Sierra Leone	Normal	3.050E+02	1.331E+00	1.836E-01	2046	2055	2050	12	tasmax
Sierra Leone	Normal	3.066E+02	1.759E+00	3.916E-01	2056	2065	2060	1	tasmax
Sierra Leone	Normal	3.079E+02	1.812E+00	3.166E-01	2056	2065	2060	2	tasmax
Sierra Leone	Normal	3.083E+02	2.420E+00	5.373E-01	2056	2065	2060	3	tasmax
Sierra Leone	Normal	3.077E+02	2.791E+00	6.915E-01	2056	2065	2060	4	tasmax
Sierra Leone	Normal	3.063E+02	2.604E+00	6.123E-01	2056	2065	2060	5	tasmax
Sierra Leone	Normal	3.043E+02	2.190E+00	7.742E-01	2056	2065	2060	6	tasmax
Sierra Leone	Normal	3.026E+02	1.811E+00	6.074E-01	2056	2065	2060	7	tasmax
Sierra Leone	Normal	3.019E+02	1.718E+00	4.829E-01	2056	2065	2060	8	tasmax
Sierra Leone	Normal	3.023E+02	1.628E+00	3.613E-01	2056	2065	2060	9	tasmax
Sierra Leone	Normal	3.033E+02	1.410E+00	2.599E-01	2056	2065	2060	10	tasmax
Sierra Leone	Normal	3.046E+02	1.141E+00	2.301E-01	2056	2065	2060	11	tasmax
Sierra Leone	Normal	3.055E+02	1.339E+00	2.253E-01	2056	2065	2060	12	tasmax
Sierra Leone	Normal	3.071E+02	1.716E+00	3.445E-01	2066	2075	2070	1	tasmax
Sierra Leone	Normal	3.083E+02	1.753E+00	2.735E-01	2066	2075	2070	2	tasmax
Sierra Leone	Normal	3.089E+02	2.383E+00	5.288E-01	2066	2075	2070	3	tasmax
Sierra Leone	Normal	3.084E+02	2.795E+00	7.115E-01	2066	2075	2070	4	tasmax
Sierra Leone	Normal	3.068E+02	2.566E+00	5.711E-01	2066	2075	2070	5	tasmax
Sierra Leone	Normal	3.047E+02	2.179E+00	6.853E-01	2066	2075	2070	6	tasmax
Sierra Leone	Normal	3.031E+02	1.882E+00	7.435E-01	2066	2075	2070	7	tasmax
Sierra Leone	Normal	3.024E+02	1.760E+00	6.423E-01	2066	2075	2070	8	tasmax
Sierra Leone	Normal	3.028E+02	1.637E+00	4.867E-01	2066	2075	2070	9	tasmax
Sierra Leone	Normal	3.037E+02	1.373E+00	2.698E-01	2066	2075	2070	10	tasmax
Sierra Leone	Normal	3.051E+02	1.204E+00	2.229E-01	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sierra Leone	Normal	3.060E+02	1.397E+00	1.822E-01	2066	2075	2070	12	tasmax
Sierra Leone	Normal	3.076E+02	1.769E+00	3.999E-01	2076	2085	2080	1	tasmax
Sierra Leone	Normal	3.089E+02	1.809E+00	3.378E-01	2076	2085	2080	2	tasmax
Sierra Leone	Normal	3.094E+02	2.471E+00	5.277E-01	2076	2085	2080	3	tasmax
Sierra Leone	Normal	3.088E+02	2.891E+00	7.474E-01	2076	2085	2080	4	tasmax
Sierra Leone	Normal	3.074E+02	2.730E+00	5.708E-01	2076	2085	2080	5	tasmax
Sierra Leone	Normal	3.054E+02	2.441E+00	7.954E-01	2076	2085	2080	6	tasmax
Sierra Leone	Normal	3.036E+02	2.076E+00	8.026E-01	2076	2085	2080	7	tasmax
Sierra Leone	Normal	3.028E+02	1.823E+00	6.727E-01	2076	2085	2080	8	tasmax
Sierra Leone	Normal	3.033E+02	1.738E+00	4.371E-01	2076	2085	2080	9	tasmax
Sierra Leone	Normal	3.042E+02	1.517E+00	3.024E-01	2076	2085	2080	10	tasmax
Sierra Leone	Normal	3.056E+02	1.316E+00	2.476E-01	2076	2085	2080	11	tasmax
Sierra Leone	Normal	3.065E+02	1.419E+00	2.516E-01	2076	2085	2080	12	tasmax
Sierra Leone	Normal	3.082E+02	1.719E+00	3.397E-01	2086	2099	2092	1	tasmax
Sierra Leone	Normal	3.094E+02	1.916E+00	2.787E-01	2086	2099	2092	2	tasmax
Sierra Leone	Normal	3.100E+02	2.620E+00	5.830E-01	2086	2099	2092	3	tasmax
Sierra Leone	Normal	3.094E+02	2.953E+00	7.591E-01	2086	2099	2092	4	tasmax
Sierra Leone	Normal	3.080E+02	2.792E+00	6.779E-01	2086	2099	2092	5	tasmax
Sierra Leone	Normal	3.060E+02	2.475E+00	7.214E-01	2086	2099	2092	6	tasmax
Sierra Leone	Normal	3.042E+02	2.137E+00	7.323E-01	2086	2099	2092	7	tasmax
Sierra Leone	Normal	3.034E+02	1.896E+00	6.201E-01	2086	2099	2092	8	tasmax
Sierra Leone	Normal	3.038E+02	1.767E+00	4.160E-01	2086	2099	2092	9	tasmax
Sierra Leone	Normal	3.048E+02	1.589E+00	2.628E-01	2086	2099	2092	10	tasmax
Sierra Leone	Normal	3.062E+02	1.313E+00	2.488E-01	2086	2099	2092	11	tasmax
Sierra Leone	Normal	3.071E+02	1.446E+00	2.106E-01	2086	2099	2092	12	tasmax
Singapore	Normal	3.014E+02	1.448E+00	2.154E-01	2006	2015	2010	1	tasmax
Singapore	Normal	3.017E+02	1.785E+00	2.740E-01	2006	2015	2010	2	tasmax
Singapore	Normal	3.025E+02	1.936E+00	4.014E-01	2006	2015	2010	3	tasmax
Singapore	Normal	3.029E+02	1.557E+00	2.910E-01	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Singapore	Normal	3.030E+02	1.259E+00	1.930E-01	2006	2015	2010	5	tasmax
Singapore	Normal	3.030E+02	1.244E+00	3.251E-01	2006	2015	2010	6	tasmax
Singapore	Normal	3.026E+02	1.156E+00	2.597E-01	2006	2015	2010	7	tasmax
Singapore	Normal	3.025E+02	1.119E+00	1.924E-01	2006	2015	2010	8	tasmax
Singapore	Normal	3.025E+02	1.066E+00	2.515E-01	2006	2015	2010	9	tasmax
Singapore	Normal	3.027E+02	9.509E-01	1.787E-01	2006	2015	2010	10	tasmax
Singapore	Normal	3.023E+02	9.608E-01	2.378E-01	2006	2015	2010	11	tasmax
Singapore	Normal	3.017E+02	1.092E+00	1.741E-01	2006	2015	2010	12	tasmax
Singapore	Normal	3.016E+02	1.423E+00	2.133E-01	2016	2025	2020	1	tasmax
Singapore	Normal	3.019E+02	1.705E+00	2.119E-01	2016	2025	2020	2	tasmax
Singapore	Normal	3.027E+02	1.762E+00	3.146E-01	2016	2025	2020	3	tasmax
Singapore	Normal	3.032E+02	1.523E+00	2.950E-01	2016	2025	2020	4	tasmax
Singapore	Normal	3.033E+02	1.234E+00	2.119E-01	2016	2025	2020	5	tasmax
Singapore	Normal	3.032E+02	1.222E+00	2.695E-01	2016	2025	2020	6	tasmax
Singapore	Normal	3.029E+02	1.196E+00	2.795E-01	2016	2025	2020	7	tasmax
Singapore	Normal	3.028E+02	1.211E+00	2.541E-01	2016	2025	2020	8	tasmax
Singapore	Normal	3.028E+02	1.155E+00	2.200E-01	2016	2025	2020	9	tasmax
Singapore	Normal	3.028E+02	1.054E+00	1.817E-01	2016	2025	2020	10	tasmax
Singapore	Normal	3.026E+02	1.079E+00	2.430E-01	2016	2025	2020	11	tasmax
Singapore	Normal	3.019E+02	1.052E+00	1.703E-01	2016	2025	2020	12	tasmax
Singapore	Normal	3.021E+02	1.341E+00	2.108E-01	2026	2035	2030	1	tasmax
Singapore	Normal	3.023E+02	1.651E+00	3.131E-01	2026	2035	2030	2	tasmax
Singapore	Normal	3.031E+02	1.750E+00	3.488E-01	2026	2035	2030	3	tasmax
Singapore	Normal	3.036E+02	1.471E+00	2.788E-01	2026	2035	2030	4	tasmax
Singapore	Normal	3.037E+02	1.266E+00	2.297E-01	2026	2035	2030	5	tasmax
Singapore	Normal	3.036E+02	1.233E+00	3.123E-01	2026	2035	2030	6	tasmax
Singapore	Normal	3.032E+02	1.137E+00	2.125E-01	2026	2035	2030	7	tasmax
Singapore	Normal	3.031E+02	1.122E+00	2.263E-01	2026	2035	2030	8	tasmax
Singapore	Normal	3.031E+02	1.071E+00	2.085E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Singapore	Normal	3.031E+02	1.005E+00	2.190E-01	2026	2035	2030	10	tasmax
Singapore	Normal	3.029E+02	9.968E-01	2.741E-01	2026	2035	2030	11	tasmax
Singapore	Normal	3.022E+02	1.025E+00	2.134E-01	2026	2035	2030	12	tasmax
Singapore	Normal	3.023E+02	1.451E+00	1.950E-01	2036	2045	2040	1	tasmax
Singapore	Normal	3.027E+02	1.807E+00	3.554E-01	2036	2045	2040	2	tasmax
Singapore	Normal	3.035E+02	1.909E+00	4.005E-01	2036	2045	2040	3	tasmax
Singapore	Normal	3.039E+02	1.660E+00	3.437E-01	2036	2045	2040	4	tasmax
Singapore	Normal	3.040E+02	1.375E+00	2.774E-01	2036	2045	2040	5	tasmax
Singapore	Normal	3.039E+02	1.267E+00	3.145E-01	2036	2045	2040	6	tasmax
Singapore	Normal	3.036E+02	1.173E+00	1.934E-01	2036	2045	2040	7	tasmax
Singapore	Normal	3.034E+02	1.174E+00	2.419E-01	2036	2045	2040	8	tasmax
Singapore	Normal	3.035E+02	1.140E+00	2.444E-01	2036	2045	2040	9	tasmax
Singapore	Normal	3.034E+02	1.072E+00	1.991E-01	2036	2045	2040	10	tasmax
Singapore	Normal	3.031E+02	1.073E+00	2.916E-01	2036	2045	2040	11	tasmax
Singapore	Normal	3.025E+02	1.018E+00	1.808E-01	2036	2045	2040	12	tasmax
Singapore	Normal	3.027E+02	1.492E+00	2.315E-01	2046	2055	2050	1	tasmax
Singapore	Normal	3.031E+02	1.983E+00	3.518E-01	2046	2055	2050	2	tasmax
Singapore	Normal	3.040E+02	2.113E+00	4.361E-01	2046	2055	2050	3	tasmax
Singapore	Normal	3.043E+02	1.695E+00	3.591E-01	2046	2055	2050	4	tasmax
Singapore	Normal	3.044E+02	1.452E+00	3.078E-01	2046	2055	2050	5	tasmax
Singapore	Normal	3.043E+02	1.289E+00	2.397E-01	2046	2055	2050	6	tasmax
Singapore	Normal	3.039E+02	1.268E+00	2.307E-01	2046	2055	2050	7	tasmax
Singapore	Normal	3.038E+02	1.255E+00	2.201E-01	2046	2055	2050	8	tasmax
Singapore	Normal	3.039E+02	1.279E+00	2.333E-01	2046	2055	2050	9	tasmax
Singapore	Normal	3.040E+02	1.127E+00	2.394E-01	2046	2055	2050	10	tasmax
Singapore	Normal	3.035E+02	1.121E+00	3.245E-01	2046	2055	2050	11	tasmax
Singapore	Normal	3.029E+02	1.153E+00	2.203E-01	2046	2055	2050	12	tasmax
Singapore	Normal	3.031E+02	1.579E+00	2.863E-01	2056	2065	2060	1	tasmax
Singapore	Normal	3.035E+02	2.172E+00	4.413E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Singapore	Normal	3.044E+02	2.220E+00	5.009E-01	2056	2065	2060	3	tasmax
Singapore	Normal	3.048E+02	1.807E+00	3.573E-01	2056	2065	2060	4	tasmax
Singapore	Normal	3.049E+02	1.433E+00	2.842E-01	2056	2065	2060	5	tasmax
Singapore	Normal	3.047E+02	1.338E+00	2.444E-01	2056	2065	2060	6	tasmax
Singapore	Normal	3.044E+02	1.327E+00	2.491E-01	2056	2065	2060	7	tasmax
Singapore	Normal	3.043E+02	1.320E+00	2.595E-01	2056	2065	2060	8	tasmax
Singapore	Normal	3.044E+02	1.378E+00	2.712E-01	2056	2065	2060	9	tasmax
Singapore	Normal	3.042E+02	1.162E+00	1.964E-01	2056	2065	2060	10	tasmax
Singapore	Normal	3.039E+02	1.204E+00	2.848E-01	2056	2065	2060	11	tasmax
Singapore	Normal	3.033E+02	1.153E+00	2.275E-01	2056	2065	2060	12	tasmax
Singapore	Normal	3.036E+02	1.555E+00	2.753E-01	2066	2075	2070	1	tasmax
Singapore	Normal	3.040E+02	1.957E+00	3.844E-01	2066	2075	2070	2	tasmax
Singapore	Normal	3.048E+02	2.096E+00	4.228E-01	2066	2075	2070	3	tasmax
Singapore	Normal	3.052E+02	1.656E+00	3.264E-01	2066	2075	2070	4	tasmax
Singapore	Normal	3.053E+02	1.331E+00	2.532E-01	2066	2075	2070	5	tasmax
Singapore	Normal	3.052E+02	1.183E+00	2.112E-01	2066	2075	2070	6	tasmax
Singapore	Normal	3.049E+02	1.186E+00	2.237E-01	2066	2075	2070	7	tasmax
Singapore	Normal	3.048E+02	1.263E+00	2.129E-01	2066	2075	2070	8	tasmax
Singapore	Normal	3.048E+02	1.201E+00	2.622E-01	2066	2075	2070	9	tasmax
Singapore	Normal	3.048E+02	1.077E+00	1.838E-01	2066	2075	2070	10	tasmax
Singapore	Normal	3.045E+02	1.124E+00	2.840E-01	2066	2075	2070	11	tasmax
Singapore	Normal	3.038E+02	1.081E+00	1.993E-01	2066	2075	2070	12	tasmax
Singapore	Normal	3.041E+02	1.603E+00	3.272E-01	2076	2085	2080	1	tasmax
Singapore	Normal	3.045E+02	2.312E+00	6.039E-01	2076	2085	2080	2	tasmax
Singapore	Normal	3.053E+02	2.326E+00	6.026E-01	2076	2085	2080	3	tasmax
Singapore	Normal	3.058E+02	2.055E+00	5.407E-01	2076	2085	2080	4	tasmax
Singapore	Normal	3.059E+02	1.565E+00	3.589E-01	2076	2085	2080	5	tasmax
Singapore	Normal	3.057E+02	1.411E+00	2.894E-01	2076	2085	2080	6	tasmax
Singapore	Normal	3.054E+02	1.423E+00	2.657E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Singapore	Normal	3.053E+02	1.448E+00	2.513E-01	2076	2085	2080	8	tasmax
Singapore	Normal	3.054E+02	1.509E+00	3.111E-01	2076	2085	2080	9	tasmax
Singapore	Normal	3.054E+02	1.200E+00	1.722E-01	2076	2085	2080	10	tasmax
Singapore	Normal	3.048E+02	1.152E+00	2.886E-01	2076	2085	2080	11	tasmax
Singapore	Normal	3.042E+02	1.130E+00	2.196E-01	2076	2085	2080	12	tasmax
Singapore	Normal	3.044E+02	1.647E+00	2.935E-01	2086	2099	2092	1	tasmax
Singapore	Normal	3.049E+02	2.469E+00	6.100E-01	2086	2099	2092	2	tasmax
Singapore	Normal	3.058E+02	2.619E+00	6.039E-01	2086	2099	2092	3	tasmax
Singapore	Normal	3.062E+02	2.132E+00	4.707E-01	2086	2099	2092	4	tasmax
Singapore	Normal	3.062E+02	1.679E+00	3.235E-01	2086	2099	2092	5	tasmax
Singapore	Normal	3.062E+02	1.498E+00	3.298E-01	2086	2099	2092	6	tasmax
Singapore	Normal	3.058E+02	1.422E+00	2.480E-01	2086	2099	2092	7	tasmax
Singapore	Normal	3.058E+02	1.536E+00	3.311E-01	2086	2099	2092	8	tasmax
Singapore	Normal	3.059E+02	1.591E+00	3.878E-01	2086	2099	2092	9	tasmax
Singapore	Normal	3.057E+02	1.280E+00	2.507E-01	2086	2099	2092	10	tasmax
Singapore	Normal	3.053E+02	1.187E+00	2.941E-01	2086	2099	2092	11	tasmax
Singapore	Normal	3.046E+02	1.179E+00	2.072E-01	2086	2099	2092	12	tasmax
Slovakia	Normal	2.750E+02	2.760E+00	6.364E-01	2006	2015	2010	1	tasmax
Slovakia	Normal	2.771E+02	3.211E+00	4.859E-01	2006	2015	2010	2	tasmax
Slovakia	Normal	2.811E+02	2.923E+00	5.612E-01	2006	2015	2010	3	tasmax
Slovakia	Normal	2.872E+02	2.725E+00	5.314E-01	2006	2015	2010	4	tasmax
Slovakia	Normal	2.927E+02	2.588E+00	6.966E-01	2006	2015	2010	5	tasmax
Slovakia	Normal	2.975E+02	2.712E+00	6.817E-01	2006	2015	2010	6	tasmax
Slovakia	Normal	2.995E+02	2.801E+00	5.233E-01	2006	2015	2010	7	tasmax
Slovakia	Normal	2.987E+02	2.887E+00	7.378E-01	2006	2015	2010	8	tasmax
Slovakia	Normal	2.937E+02	2.681E+00	4.610E-01	2006	2015	2010	9	tasmax
Slovakia	Normal	2.868E+02	3.149E+00	8.381E-01	2006	2015	2010	10	tasmax
Slovakia	Normal	2.803E+02	2.596E+00	8.150E-01	2006	2015	2010	11	tasmax
Slovakia	Normal	2.765E+02	2.745E+00	3.769E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovakia	Normal	2.755E+02	2.703E+00	5.906E-01	2016	2025	2020	1	tasmax
Slovakia	Normal	2.776E+02	2.770E+00	6.242E-01	2016	2025	2020	2	tasmax
Slovakia	Normal	2.819E+02	3.073E+00	6.096E-01	2016	2025	2020	3	tasmax
Slovakia	Normal	2.873E+02	2.805E+00	4.104E-01	2016	2025	2020	4	tasmax
Slovakia	Normal	2.934E+02	2.509E+00	6.672E-01	2016	2025	2020	5	tasmax
Slovakia	Normal	2.982E+02	2.719E+00	5.227E-01	2016	2025	2020	6	tasmax
Slovakia	Normal	3.005E+02	3.002E+00	6.403E-01	2016	2025	2020	7	tasmax
Slovakia	Normal	2.994E+02	3.076E+00	9.105E-01	2016	2025	2020	8	tasmax
Slovakia	Normal	2.943E+02	3.048E+00	6.042E-01	2016	2025	2020	9	tasmax
Slovakia	Normal	2.874E+02	2.986E+00	8.221E-01	2016	2025	2020	10	tasmax
Slovakia	Normal	2.809E+02	2.583E+00	5.633E-01	2016	2025	2020	11	tasmax
Slovakia	Normal	2.768E+02	2.519E+00	5.234E-01	2016	2025	2020	12	tasmax
Slovakia	Normal	2.758E+02	2.592E+00	4.259E-01	2026	2035	2030	1	tasmax
Slovakia	Normal	2.777E+02	2.470E+00	3.091E-01	2026	2035	2030	2	tasmax
Slovakia	Normal	2.825E+02	2.773E+00	4.789E-01	2026	2035	2030	3	tasmax
Slovakia	Normal	2.878E+02	2.752E+00	5.566E-01	2026	2035	2030	4	tasmax
Slovakia	Normal	2.936E+02	2.692E+00	7.701E-01	2026	2035	2030	5	tasmax
Slovakia	Normal	2.984E+02	2.588E+00	5.169E-01	2026	2035	2030	6	tasmax
Slovakia	Normal	3.009E+02	3.170E+00	6.230E-01	2026	2035	2030	7	tasmax
Slovakia	Normal	3.001E+02	2.995E+00	8.645E-01	2026	2035	2030	8	tasmax
Slovakia	Normal	2.945E+02	2.899E+00	6.171E-01	2026	2035	2030	9	tasmax
Slovakia	Normal	2.878E+02	2.927E+00	8.957E-01	2026	2035	2030	10	tasmax
Slovakia	Normal	2.812E+02	2.644E+00	9.424E-01	2026	2035	2030	11	tasmax
Slovakia	Normal	2.774E+02	2.691E+00	5.478E-01	2026	2035	2030	12	tasmax
Slovakia	Normal	2.768E+02	2.566E+00	6.300E-01	2036	2045	2040	1	tasmax
Slovakia	Normal	2.786E+02	2.548E+00	4.574E-01	2036	2045	2040	2	tasmax
Slovakia	Normal	2.828E+02	2.931E+00	5.585E-01	2036	2045	2040	3	tasmax
Slovakia	Normal	2.884E+02	2.771E+00	5.639E-01	2036	2045	2040	4	tasmax
Slovakia	Normal	2.939E+02	2.624E+00	8.770E-01	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovakia	Normal	2.991E+02	3.087E+00	5.625E-01	2036	2045	2040	6	tasmax
Slovakia	Normal	3.020E+02	3.382E+00	6.285E-01	2036	2045	2040	7	tasmax
Slovakia	Normal	3.009E+02	3.146E+00	1.070E+00	2036	2045	2040	8	tasmax
Slovakia	Normal	2.954E+02	2.726E+00	5.865E-01	2036	2045	2040	9	tasmax
Slovakia	Normal	2.885E+02	2.626E+00	6.087E-01	2036	2045	2040	10	tasmax
Slovakia	Normal	2.819E+02	2.584E+00	8.877E-01	2036	2045	2040	11	tasmax
Slovakia	Normal	2.781E+02	2.454E+00	4.858E-01	2036	2045	2040	12	tasmax
Slovakia	Normal	2.772E+02	2.541E+00	5.038E-01	2046	2055	2050	1	tasmax
Slovakia	Normal	2.791E+02	2.475E+00	4.177E-01	2046	2055	2050	2	tasmax
Slovakia	Normal	2.831E+02	2.666E+00	5.201E-01	2046	2055	2050	3	tasmax
Slovakia	Normal	2.888E+02	3.172E+00	5.642E-01	2046	2055	2050	4	tasmax
Slovakia	Normal	2.942E+02	2.848E+00	8.347E-01	2046	2055	2050	5	tasmax
Slovakia	Normal	2.997E+02	3.184E+00	5.952E-01	2046	2055	2050	6	tasmax
Slovakia	Normal	3.028E+02	3.646E+00	1.088E+00	2046	2055	2050	7	tasmax
Slovakia	Normal	3.018E+02	3.642E+00	1.043E+00	2046	2055	2050	8	tasmax
Slovakia	Normal	2.961E+02	2.849E+00	6.010E-01	2046	2055	2050	9	tasmax
Slovakia	Normal	2.892E+02	2.886E+00	6.240E-01	2046	2055	2050	10	tasmax
Slovakia	Normal	2.823E+02	2.514E+00	5.950E-01	2046	2055	2050	11	tasmax
Slovakia	Normal	2.781E+02	2.358E+00	4.427E-01	2046	2055	2050	12	tasmax
Slovakia	Normal	2.779E+02	2.445E+00	4.853E-01	2056	2065	2060	1	tasmax
Slovakia	Normal	2.795E+02	2.885E+00	6.802E-01	2056	2065	2060	2	tasmax
Slovakia	Normal	2.838E+02	3.063E+00	5.333E-01	2056	2065	2060	3	tasmax
Slovakia	Normal	2.892E+02	2.793E+00	5.903E-01	2056	2065	2060	4	tasmax
Slovakia	Normal	2.949E+02	3.252E+00	7.538E-01	2056	2065	2060	5	tasmax
Slovakia	Normal	3.001E+02	3.300E+00	5.619E-01	2056	2065	2060	6	tasmax
Slovakia	Normal	3.032E+02	3.632E+00	9.979E-01	2056	2065	2060	7	tasmax
Slovakia	Normal	3.026E+02	3.702E+00	1.225E+00	2056	2065	2060	8	tasmax
Slovakia	Normal	2.970E+02	3.167E+00	8.751E-01	2056	2065	2060	9	tasmax
Slovakia	Normal	2.898E+02	3.165E+00	8.492E-01	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovakia	Normal	2.831E+02	2.451E+00	7.844E-01	2056	2065	2060	11	tasmax
Slovakia	Normal	2.792E+02	2.450E+00	6.214E-01	2056	2065	2060	12	tasmax
Slovakia	Normal	2.784E+02	2.082E+00	4.627E-01	2066	2075	2070	1	tasmax
Slovakia	Normal	2.802E+02	2.495E+00	4.036E-01	2066	2075	2070	2	tasmax
Slovakia	Normal	2.842E+02	3.174E+00	5.831E-01	2066	2075	2070	3	tasmax
Slovakia	Normal	2.899E+02	2.926E+00	5.562E-01	2066	2075	2070	4	tasmax
Slovakia	Normal	2.956E+02	3.153E+00	6.929E-01	2066	2075	2070	5	tasmax
Slovakia	Normal	3.012E+02	3.688E+00	5.827E-01	2066	2075	2070	6	tasmax
Slovakia	Normal	3.042E+02	3.914E+00	1.087E+00	2066	2075	2070	7	tasmax
Slovakia	Normal	3.035E+02	3.929E+00	1.222E+00	2066	2075	2070	8	tasmax
Slovakia	Normal	2.979E+02	3.518E+00	8.461E-01	2066	2075	2070	9	tasmax
Slovakia	Normal	2.905E+02	3.281E+00	7.312E-01	2066	2075	2070	10	tasmax
Slovakia	Normal	2.835E+02	2.624E+00	7.236E-01	2066	2075	2070	11	tasmax
Slovakia	Normal	2.795E+02	2.521E+00	6.748E-01	2066	2075	2070	12	tasmax
Slovakia	Normal	2.791E+02	2.322E+00	5.382E-01	2076	2085	2080	1	tasmax
Slovakia	Normal	2.809E+02	2.859E+00	5.809E-01	2076	2085	2080	2	tasmax
Slovakia	Normal	2.847E+02	3.462E+00	6.634E-01	2076	2085	2080	3	tasmax
Slovakia	Normal	2.901E+02	3.460E+00	9.502E-01	2076	2085	2080	4	tasmax
Slovakia	Normal	2.961E+02	3.187E+00	7.153E-01	2076	2085	2080	5	tasmax
Slovakia	Normal	3.022E+02	3.610E+00	7.708E-01	2076	2085	2080	6	tasmax
Slovakia	Normal	3.055E+02	4.159E+00	1.334E+00	2076	2085	2080	7	tasmax
Slovakia	Normal	3.047E+02	4.067E+00	1.273E+00	2076	2085	2080	8	tasmax
Slovakia	Normal	2.988E+02	3.423E+00	5.768E-01	2076	2085	2080	9	tasmax
Slovakia	Normal	2.910E+02	3.293E+00	9.391E-01	2076	2085	2080	10	tasmax
Slovakia	Normal	2.840E+02	2.615E+00	6.623E-01	2076	2085	2080	11	tasmax
Slovakia	Normal	2.803E+02	2.329E+00	6.685E-01	2076	2085	2080	12	tasmax
Slovakia	Normal	2.795E+02	2.020E+00	6.171E-01	2086	2099	2092	1	tasmax
Slovakia	Normal	2.814E+02	2.493E+00	5.275E-01	2086	2099	2092	2	tasmax
Slovakia	Normal	2.852E+02	2.825E+00	5.180E-01	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovakia	Normal	2.906E+02	3.168E+00	6.274E-01	2086	2099	2092	4	tasmax
Slovakia	Normal	2.968E+02	3.154E+00	5.095E-01	2086	2099	2092	5	tasmax
Slovakia	Normal	3.027E+02	3.894E+00	7.420E-01	2086	2099	2092	6	tasmax
Slovakia	Normal	3.061E+02	4.302E+00	1.414E+00	2086	2099	2092	7	tasmax
Slovakia	Normal	3.054E+02	4.087E+00	1.543E+00	2086	2099	2092	8	tasmax
Slovakia	Normal	2.995E+02	3.458E+00	7.789E-01	2086	2099	2092	9	tasmax
Slovakia	Normal	2.918E+02	3.429E+00	9.276E-01	2086	2099	2092	10	tasmax
Slovakia	Normal	2.848E+02	2.424E+00	6.020E-01	2086	2099	2092	11	tasmax
Slovakia	Normal	2.806E+02	2.330E+00	5.389E-01	2086	2099	2092	12	tasmax
Slovenia	Normal	2.775E+02	2.433E+00	5.397E-01	2006	2015	2010	1	tasmax
Slovenia	Normal	2.795E+02	2.898E+00	4.281E-01	2006	2015	2010	2	tasmax
Slovenia	Normal	2.827E+02	2.445E+00	8.776E-01	2006	2015	2010	3	tasmax
Slovenia	Normal	2.875E+02	2.518E+00	7.194E-01	2006	2015	2010	4	tasmax
Slovenia	Normal	2.922E+02	2.118E+00	4.078E-01	2006	2015	2010	5	tasmax
Slovenia	Normal	2.971E+02	1.816E+00	3.315E-01	2006	2015	2010	6	tasmax
Slovenia	Normal	2.995E+02	1.948E+00	3.968E-01	2006	2015	2010	7	tasmax
Slovenia	Normal	2.991E+02	2.094E+00	6.329E-01	2006	2015	2010	8	tasmax
Slovenia	Normal	2.943E+02	1.987E+00	3.961E-01	2006	2015	2010	9	tasmax
Slovenia	Normal	2.880E+02	2.454E+00	7.831E-01	2006	2015	2010	10	tasmax
Slovenia	Normal	2.823E+02	2.393E+00	5.880E-01	2006	2015	2010	11	tasmax
Slovenia	Normal	2.788E+02	2.434E+00	4.663E-01	2006	2015	2010	12	tasmax
Slovenia	Normal	2.779E+02	2.341E+00	4.181E-01	2016	2025	2020	1	tasmax
Slovenia	Normal	2.800E+02	2.351E+00	7.397E-01	2016	2025	2020	2	tasmax
Slovenia	Normal	2.834E+02	2.648E+00	7.871E-01	2016	2025	2020	3	tasmax
Slovenia	Normal	2.876E+02	2.286E+00	4.777E-01	2016	2025	2020	4	tasmax
Slovenia	Normal	2.927E+02	1.964E+00	5.491E-01	2016	2025	2020	5	tasmax
Slovenia	Normal	2.976E+02	1.746E+00	2.953E-01	2016	2025	2020	6	tasmax
Slovenia	Normal	3.002E+02	2.093E+00	3.949E-01	2016	2025	2020	7	tasmax
Slovenia	Normal	2.998E+02	2.149E+00	4.936E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovenia	Normal	2.950E+02	2.361E+00	5.606E-01	2016	2025	2020	9	tasmax
Slovenia	Normal	2.887E+02	2.385E+00	7.158E-01	2016	2025	2020	10	tasmax
Slovenia	Normal	2.828E+02	2.083E+00	3.557E-01	2016	2025	2020	11	tasmax
Slovenia	Normal	2.791E+02	2.205E+00	4.549E-01	2016	2025	2020	12	tasmax
Slovenia	Normal	2.784E+02	2.306E+00	4.026E-01	2026	2035	2030	1	tasmax
Slovenia	Normal	2.800E+02	2.076E+00	2.894E-01	2026	2035	2030	2	tasmax
Slovenia	Normal	2.839E+02	2.342E+00	5.616E-01	2026	2035	2030	3	tasmax
Slovenia	Normal	2.881E+02	2.416E+00	6.720E-01	2026	2035	2030	4	tasmax
Slovenia	Normal	2.931E+02	2.203E+00	4.770E-01	2026	2035	2030	5	tasmax
Slovenia	Normal	2.979E+02	2.166E+00	3.683E-01	2026	2035	2030	6	tasmax
Slovenia	Normal	3.008E+02	2.138E+00	3.527E-01	2026	2035	2030	7	tasmax
Slovenia	Normal	3.004E+02	2.135E+00	7.463E-01	2026	2035	2030	8	tasmax
Slovenia	Normal	2.952E+02	2.239E+00	7.757E-01	2026	2035	2030	9	tasmax
Slovenia	Normal	2.892E+02	2.545E+00	7.635E-01	2026	2035	2030	10	tasmax
Slovenia	Normal	2.831E+02	2.303E+00	7.757E-01	2026	2035	2030	11	tasmax
Slovenia	Normal	2.797E+02	2.390E+00	3.779E-01	2026	2035	2030	12	tasmax
Slovenia	Normal	2.791E+02	2.165E+00	4.178E-01	2036	2045	2040	1	tasmax
Slovenia	Normal	2.809E+02	2.112E+00	3.994E-01	2036	2045	2040	2	tasmax
Slovenia	Normal	2.842E+02	2.501E+00	7.159E-01	2036	2045	2040	3	tasmax
Slovenia	Normal	2.887E+02	2.411E+00	5.131E-01	2036	2045	2040	4	tasmax
Slovenia	Normal	2.934E+02	2.048E+00	3.870E-01	2036	2045	2040	5	tasmax
Slovenia	Normal	2.987E+02	2.286E+00	3.656E-01	2036	2045	2040	6	tasmax
Slovenia	Normal	3.019E+02	2.263E+00	4.851E-01	2036	2045	2040	7	tasmax
Slovenia	Normal	3.012E+02	2.505E+00	6.954E-01	2036	2045	2040	8	tasmax
Slovenia	Normal	2.962E+02	2.113E+00	5.354E-01	2036	2045	2040	9	tasmax
Slovenia	Normal	2.897E+02	2.120E+00	6.336E-01	2036	2045	2040	10	tasmax
Slovenia	Normal	2.839E+02	2.180E+00	7.449E-01	2036	2045	2040	11	tasmax
Slovenia	Normal	2.804E+02	2.154E+00	3.343E-01	2036	2045	2040	12	tasmax
Slovenia	Normal	2.795E+02	2.272E+00	5.368E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovenia	Normal	2.811E+02	2.057E+00	3.810E-01	2046	2055	2050	2	tasmax
Slovenia	Normal	2.844E+02	2.094E+00	4.861E-01	2046	2055	2050	3	tasmax
Slovenia	Normal	2.891E+02	2.690E+00	6.444E-01	2046	2055	2050	4	tasmax
Slovenia	Normal	2.938E+02	2.277E+00	3.684E-01	2046	2055	2050	5	tasmax
Slovenia	Normal	2.992E+02	2.413E+00	4.497E-01	2046	2055	2050	6	tasmax
Slovenia	Normal	3.027E+02	2.903E+00	7.631E-01	2046	2055	2050	7	tasmax
Slovenia	Normal	3.020E+02	2.830E+00	9.404E-01	2046	2055	2050	8	tasmax
Slovenia	Normal	2.968E+02	2.308E+00	5.184E-01	2046	2055	2050	9	tasmax
Slovenia	Normal	2.903E+02	2.423E+00	6.338E-01	2046	2055	2050	10	tasmax
Slovenia	Normal	2.843E+02	2.187E+00	4.966E-01	2046	2055	2050	11	tasmax
Slovenia	Normal	2.804E+02	2.042E+00	5.510E-01	2046	2055	2050	12	tasmax
Slovenia	Normal	2.802E+02	2.121E+00	5.420E-01	2056	2065	2060	1	tasmax
Slovenia	Normal	2.817E+02	2.462E+00	5.044E-01	2056	2065	2060	2	tasmax
Slovenia	Normal	2.852E+02	2.487E+00	4.917E-01	2056	2065	2060	3	tasmax
Slovenia	Normal	2.895E+02	2.707E+00	5.955E-01	2056	2065	2060	4	tasmax
Slovenia	Normal	2.944E+02	2.791E+00	5.621E-01	2056	2065	2060	5	tasmax
Slovenia	Normal	2.997E+02	2.578E+00	4.580E-01	2056	2065	2060	6	tasmax
Slovenia	Normal	3.032E+02	3.037E+00	5.914E-01	2056	2065	2060	7	tasmax
Slovenia	Normal	3.030E+02	3.087E+00	6.694E-01	2056	2065	2060	8	tasmax
Slovenia	Normal	2.976E+02	2.717E+00	5.524E-01	2056	2065	2060	9	tasmax
Slovenia	Normal	2.908E+02	2.649E+00	9.360E-01	2056	2065	2060	10	tasmax
Slovenia	Normal	2.850E+02	2.179E+00	6.954E-01	2056	2065	2060	11	tasmax
Slovenia	Normal	2.814E+02	2.207E+00	3.584E-01	2056	2065	2060	12	tasmax
Slovenia	Normal	2.806E+02	1.856E+00	3.620E-01	2066	2075	2070	1	tasmax
Slovenia	Normal	2.822E+02	2.077E+00	3.657E-01	2066	2075	2070	2	tasmax
Slovenia	Normal	2.856E+02	2.456E+00	6.904E-01	2066	2075	2070	3	tasmax
Slovenia	Normal	2.904E+02	2.546E+00	6.652E-01	2066	2075	2070	4	tasmax
Slovenia	Normal	2.953E+02	2.580E+00	4.393E-01	2066	2075	2070	5	tasmax
Slovenia	Normal	3.009E+02	3.087E+00	6.046E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovenia	Normal	3.043E+02	3.369E+00	7.059E-01	2066	2075	2070	7	tasmax
Slovenia	Normal	3.040E+02	3.413E+00	8.642E-01	2066	2075	2070	8	tasmax
Slovenia	Normal	2.987E+02	3.075E+00	5.293E-01	2066	2075	2070	9	tasmax
Slovenia	Normal	2.917E+02	2.870E+00	7.050E-01	2066	2075	2070	10	tasmax
Slovenia	Normal	2.854E+02	2.480E+00	7.018E-01	2066	2075	2070	11	tasmax
Slovenia	Normal	2.817E+02	2.299E+00	5.281E-01	2066	2075	2070	12	tasmax
Slovenia	Normal	2.814E+02	2.095E+00	4.593E-01	2076	2085	2080	1	tasmax
Slovenia	Normal	2.830E+02	2.507E+00	6.280E-01	2076	2085	2080	2	tasmax
Slovenia	Normal	2.862E+02	2.787E+00	6.540E-01	2076	2085	2080	3	tasmax
Slovenia	Normal	2.905E+02	3.038E+00	9.857E-01	2076	2085	2080	4	tasmax
Slovenia	Normal	2.961E+02	2.657E+00	3.731E-01	2076	2085	2080	5	tasmax
Slovenia	Normal	3.019E+02	3.040E+00	5.158E-01	2076	2085	2080	6	tasmax
Slovenia	Normal	3.056E+02	3.492E+00	8.418E-01	2076	2085	2080	7	tasmax
Slovenia	Normal	3.051E+02	3.622E+00	9.525E-01	2076	2085	2080	8	tasmax
Slovenia	Normal	2.996E+02	2.896E+00	5.062E-01	2076	2085	2080	9	tasmax
Slovenia	Normal	2.921E+02	2.696E+00	8.290E-01	2076	2085	2080	10	tasmax
Slovenia	Normal	2.860E+02	2.298E+00	6.482E-01	2076	2085	2080	11	tasmax
Slovenia	Normal	2.824E+02	2.017E+00	4.852E-01	2076	2085	2080	12	tasmax
Slovenia	Normal	2.818E+02	1.754E+00	4.074E-01	2086	2099	2092	1	tasmax
Slovenia	Normal	2.833E+02	1.989E+00	3.887E-01	2086	2099	2092	2	tasmax
Slovenia	Normal	2.865E+02	2.485E+00	4.938E-01	2086	2099	2092	3	tasmax
Slovenia	Normal	2.911E+02	2.792E+00	6.167E-01	2086	2099	2092	4	tasmax
Slovenia	Normal	2.967E+02	2.820E+00	5.909E-01	2086	2099	2092	5	tasmax
Slovenia	Normal	3.023E+02	3.293E+00	7.040E-01	2086	2099	2092	6	tasmax
Slovenia	Normal	3.063E+02	3.882E+00	1.004E+00	2086	2099	2092	7	tasmax
Slovenia	Normal	3.059E+02	3.760E+00	1.024E+00	2086	2099	2092	8	tasmax
Slovenia	Normal	3.003E+02	3.104E+00	6.026E-01	2086	2099	2092	9	tasmax
Slovenia	Normal	2.930E+02	3.111E+00	9.072E-01	2086	2099	2092	10	tasmax
Slovenia	Normal	2.868E+02	2.190E+00	7.391E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Slovenia	Normal	2.828E+02	2.121E+00	5.236E-01	2086	2099	2092	12	tasmax
Somalia	Normal	3.025E+02	1.870E+00	4.446E-01	2006	2015	2010	1	tasmax
Somalia	Normal	3.039E+02	1.937E+00	5.045E-01	2006	2015	2010	2	tasmax
Somalia	Normal	3.056E+02	1.933E+00	4.637E-01	2006	2015	2010	3	tasmax
Somalia	Normal	3.066E+02	1.598E+00	3.313E-01	2006	2015	2010	4	tasmax
Somalia	Normal	3.063E+02	1.488E+00	2.653E-01	2006	2015	2010	5	tasmax
Somalia	Normal	3.058E+02	1.530E+00	2.082E-01	2006	2015	2010	6	tasmax
Somalia	Normal	3.049E+02	1.594E+00	3.614E-01	2006	2015	2010	7	tasmax
Somalia	Normal	3.051E+02	1.626E+00	3.235E-01	2006	2015	2010	8	tasmax
Somalia	Normal	3.052E+02	1.802E+00	3.879E-01	2006	2015	2010	9	tasmax
Somalia	Normal	3.038E+02	2.048E+00	7.587E-01	2006	2015	2010	10	tasmax
Somalia	Normal	3.027E+02	2.149E+00	5.983E-01	2006	2015	2010	11	tasmax
Somalia	Normal	3.020E+02	2.153E+00	5.092E-01	2006	2015	2010	12	tasmax
Somalia	Normal	3.028E+02	1.976E+00	3.976E-01	2016	2025	2020	1	tasmax
Somalia	Normal	3.043E+02	1.916E+00	4.421E-01	2016	2025	2020	2	tasmax
Somalia	Normal	3.060E+02	1.921E+00	4.864E-01	2016	2025	2020	3	tasmax
Somalia	Normal	3.070E+02	1.652E+00	4.117E-01	2016	2025	2020	4	tasmax
Somalia	Normal	3.067E+02	1.541E+00	2.723E-01	2016	2025	2020	5	tasmax
Somalia	Normal	3.060E+02	1.609E+00	2.604E-01	2016	2025	2020	6	tasmax
Somalia	Normal	3.053E+02	1.681E+00	3.404E-01	2016	2025	2020	7	tasmax
Somalia	Normal	3.054E+02	1.670E+00	4.208E-01	2016	2025	2020	8	tasmax
Somalia	Normal	3.055E+02	1.828E+00	3.470E-01	2016	2025	2020	9	tasmax
Somalia	Normal	3.041E+02	2.128E+00	7.791E-01	2016	2025	2020	10	tasmax
Somalia	Normal	3.028E+02	2.198E+00	6.692E-01	2016	2025	2020	11	tasmax
Somalia	Normal	3.024E+02	2.217E+00	5.255E-01	2016	2025	2020	12	tasmax
Somalia	Normal	3.031E+02	1.911E+00	4.227E-01	2026	2035	2030	1	tasmax
Somalia	Normal	3.045E+02	1.899E+00	4.511E-01	2026	2035	2030	2	tasmax
Somalia	Normal	3.064E+02	1.907E+00	4.135E-01	2026	2035	2030	3	tasmax
Somalia	Normal	3.073E+02	1.653E+00	4.264E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Somalia	Normal	3.070E+02	1.544E+00	3.051E-01	2026	2035	2030	5	tasmax
Somalia	Normal	3.064E+02	1.632E+00	2.679E-01	2026	2035	2030	6	tasmax
Somalia	Normal	3.056E+02	1.609E+00	3.626E-01	2026	2035	2030	7	tasmax
Somalia	Normal	3.057E+02	1.648E+00	4.055E-01	2026	2035	2030	8	tasmax
Somalia	Normal	3.057E+02	1.908E+00	3.693E-01	2026	2035	2030	9	tasmax
Somalia	Normal	3.043E+02	1.999E+00	7.250E-01	2026	2035	2030	10	tasmax
Somalia	Normal	3.032E+02	2.145E+00	5.985E-01	2026	2035	2030	11	tasmax
Somalia	Normal	3.026E+02	2.163E+00	5.147E-01	2026	2035	2030	12	tasmax
Somalia	Normal	3.035E+02	1.983E+00	3.952E-01	2036	2045	2040	1	tasmax
Somalia	Normal	3.050E+02	1.858E+00	4.114E-01	2036	2045	2040	2	tasmax
Somalia	Normal	3.068E+02	1.931E+00	4.669E-01	2036	2045	2040	3	tasmax
Somalia	Normal	3.077E+02	1.556E+00	3.800E-01	2036	2045	2040	4	tasmax
Somalia	Normal	3.074E+02	1.651E+00	3.582E-01	2036	2045	2040	5	tasmax
Somalia	Normal	3.068E+02	1.696E+00	2.513E-01	2036	2045	2040	6	tasmax
Somalia	Normal	3.059E+02	1.671E+00	3.826E-01	2036	2045	2040	7	tasmax
Somalia	Normal	3.061E+02	1.558E+00	3.074E-01	2036	2045	2040	8	tasmax
Somalia	Normal	3.061E+02	1.809E+00	3.459E-01	2036	2045	2040	9	tasmax
Somalia	Normal	3.047E+02	2.216E+00	7.538E-01	2036	2045	2040	10	tasmax
Somalia	Normal	3.035E+02	2.286E+00	8.104E-01	2036	2045	2040	11	tasmax
Somalia	Normal	3.030E+02	2.306E+00	6.681E-01	2036	2045	2040	12	tasmax
Somalia	Normal	3.039E+02	2.053E+00	4.132E-01	2046	2055	2050	1	tasmax
Somalia	Normal	3.055E+02	1.930E+00	4.267E-01	2046	2055	2050	2	tasmax
Somalia	Normal	3.073E+02	1.971E+00	4.921E-01	2046	2055	2050	3	tasmax
Somalia	Normal	3.082E+02	1.654E+00	4.919E-01	2046	2055	2050	4	tasmax
Somalia	Normal	3.079E+02	1.532E+00	3.480E-01	2046	2055	2050	5	tasmax
Somalia	Normal	3.073E+02	1.651E+00	2.687E-01	2046	2055	2050	6	tasmax
Somalia	Normal	3.063E+02	1.738E+00	4.496E-01	2046	2055	2050	7	tasmax
Somalia	Normal	3.063E+02	1.802E+00	4.641E-01	2046	2055	2050	8	tasmax
Somalia	Normal	3.066E+02	2.008E+00	3.882E-01	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Somalia	Normal	3.051E+02	2.241E+00	7.843E-01	2046	2055	2050	10	tasmax
Somalia	Normal	3.038E+02	2.313E+00	8.303E-01	2046	2055	2050	11	tasmax
Somalia	Normal	3.033E+02	2.348E+00	6.851E-01	2046	2055	2050	12	tasmax
Somalia	Normal	3.043E+02	2.093E+00	4.309E-01	2056	2065	2060	1	tasmax
Somalia	Normal	3.060E+02	1.986E+00	4.333E-01	2056	2065	2060	2	tasmax
Somalia	Normal	3.078E+02	1.988E+00	5.193E-01	2056	2065	2060	3	tasmax
Somalia	Normal	3.088E+02	1.632E+00	5.135E-01	2056	2065	2060	4	tasmax
Somalia	Normal	3.085E+02	1.664E+00	3.069E-01	2056	2065	2060	5	tasmax
Somalia	Normal	3.078E+02	1.788E+00	2.530E-01	2056	2065	2060	6	tasmax
Somalia	Normal	3.069E+02	1.835E+00	4.116E-01	2056	2065	2060	7	tasmax
Somalia	Normal	3.068E+02	1.847E+00	4.681E-01	2056	2065	2060	8	tasmax
Somalia	Normal	3.070E+02	2.110E+00	4.298E-01	2056	2065	2060	9	tasmax
Somalia	Normal	3.055E+02	2.334E+00	8.299E-01	2056	2065	2060	10	tasmax
Somalia	Normal	3.043E+02	2.363E+00	9.030E-01	2056	2065	2060	11	tasmax
Somalia	Normal	3.037E+02	2.510E+00	7.016E-01	2056	2065	2060	12	tasmax
Somalia	Normal	3.048E+02	2.066E+00	4.605E-01	2066	2075	2070	1	tasmax
Somalia	Normal	3.064E+02	1.905E+00	3.842E-01	2066	2075	2070	2	tasmax
Somalia	Normal	3.083E+02	1.915E+00	4.990E-01	2066	2075	2070	3	tasmax
Somalia	Normal	3.092E+02	1.515E+00	4.911E-01	2066	2075	2070	4	tasmax
Somalia	Normal	3.089E+02	1.505E+00	3.934E-01	2066	2075	2070	5	tasmax
Somalia	Normal	3.083E+02	1.682E+00	2.242E-01	2066	2075	2070	6	tasmax
Somalia	Normal	3.074E+02	1.793E+00	4.594E-01	2066	2075	2070	7	tasmax
Somalia	Normal	3.074E+02	1.921E+00	4.441E-01	2066	2075	2070	8	tasmax
Somalia	Normal	3.074E+02	2.164E+00	4.587E-01	2066	2075	2070	9	tasmax
Somalia	Normal	3.060E+02	2.250E+00	7.395E-01	2066	2075	2070	10	tasmax
Somalia	Normal	3.047E+02	2.296E+00	8.613E-01	2066	2075	2070	11	tasmax
Somalia	Normal	3.042E+02	2.441E+00	7.362E-01	2066	2075	2070	12	tasmax
Somalia	Normal	3.053E+02	2.202E+00	4.458E-01	2076	2085	2080	1	tasmax
Somalia	Normal	3.070E+02	2.006E+00	3.727E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Somalia	Normal	3.088E+02	1.989E+00	5.268E-01	2076	2085	2080	3	tasmax
Somalia	Normal	3.097E+02	1.638E+00	4.985E-01	2076	2085	2080	4	tasmax
Somalia	Normal	3.095E+02	1.722E+00	3.329E-01	2076	2085	2080	5	tasmax
Somalia	Normal	3.089E+02	1.900E+00	3.300E-01	2076	2085	2080	6	tasmax
Somalia	Normal	3.078E+02	2.022E+00	4.434E-01	2076	2085	2080	7	tasmax
Somalia	Normal	3.077E+02	2.059E+00	4.667E-01	2076	2085	2080	8	tasmax
Somalia	Normal	3.079E+02	2.330E+00	5.067E-01	2076	2085	2080	9	tasmax
Somalia	Normal	3.064E+02	2.470E+00	9.209E-01	2076	2085	2080	10	tasmax
Somalia	Normal	3.051E+02	2.404E+00	7.903E-01	2076	2085	2080	11	tasmax
Somalia	Normal	3.048E+02	2.600E+00	6.142E-01	2076	2085	2080	12	tasmax
Somalia	Normal	3.060E+02	2.190E+00	4.384E-01	2086	2099	2092	1	tasmax
Somalia	Normal	3.076E+02	2.004E+00	3.773E-01	2086	2099	2092	2	tasmax
Somalia	Normal	3.094E+02	1.940E+00	5.170E-01	2086	2099	2092	3	tasmax
Somalia	Normal	3.101E+02	1.634E+00	4.848E-01	2086	2099	2092	4	tasmax
Somalia	Normal	3.099E+02	1.805E+00	3.280E-01	2086	2099	2092	5	tasmax
Somalia	Normal	3.093E+02	1.912E+00	2.650E-01	2086	2099	2092	6	tasmax
Somalia	Normal	3.082E+02	2.045E+00	4.056E-01	2086	2099	2092	7	tasmax
Somalia	Normal	3.081E+02	2.130E+00	4.150E-01	2086	2099	2092	8	tasmax
Somalia	Normal	3.083E+02	2.408E+00	6.102E-01	2086	2099	2092	9	tasmax
Somalia	Normal	3.069E+02	2.467E+00	8.489E-01	2086	2099	2092	10	tasmax
Somalia	Normal	3.057E+02	2.409E+00	7.605E-01	2086	2099	2092	11	tasmax
Somalia	Normal	3.052E+02	2.501E+00	7.475E-01	2086	2099	2092	12	tasmax
South Africa	Normal	3.017E+02	2.302E+00	6.387E-01	2006	2015	2010	1	tasmax
South Africa	Normal	3.013E+02	2.385E+00	6.586E-01	2006	2015	2010	2	tasmax
South Africa	Normal	3.000E+02	2.377E+00	6.722E-01	2006	2015	2010	3	tasmax
South Africa	Normal	2.974E+02	2.376E+00	7.718E-01	2006	2015	2010	4	tasmax
South Africa	Normal	2.935E+02	2.132E+00	8.013E-01	2006	2015	2010	5	tasmax
South Africa	Normal	2.905E+02	1.677E+00	4.266E-01	2006	2015	2010	6	tasmax
South Africa	Normal	2.905E+02	1.743E+00	4.643E-01	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Africa	Normal	2.928E+02	2.050E+00	7.384E-01	2006	2015	2010	8	tasmax
South Africa	Normal	2.963E+02	2.374E+00	8.652E-01	2006	2015	2010	9	tasmax
South Africa	Normal	2.988E+02	2.512E+00	1.097E+00	2006	2015	2010	10	tasmax
South Africa	Normal	3.001E+02	2.404E+00	1.020E+00	2006	2015	2010	11	tasmax
South Africa	Normal	3.012E+02	2.317E+00	7.738E-01	2006	2015	2010	12	tasmax
South Africa	Normal	3.022E+02	2.446E+00	6.416E-01	2016	2025	2020	1	tasmax
South Africa	Normal	3.016E+02	2.283E+00	6.623E-01	2016	2025	2020	2	tasmax
South Africa	Normal	3.004E+02	2.403E+00	7.816E-01	2016	2025	2020	3	tasmax
South Africa	Normal	2.976E+02	2.347E+00	7.602E-01	2016	2025	2020	4	tasmax
South Africa	Normal	2.939E+02	2.263E+00	7.082E-01	2016	2025	2020	5	tasmax
South Africa	Normal	2.909E+02	1.744E+00	4.857E-01	2016	2025	2020	6	tasmax
South Africa	Normal	2.909E+02	1.798E+00	3.570E-01	2016	2025	2020	7	tasmax
South Africa	Normal	2.931E+02	2.065E+00	7.179E-01	2016	2025	2020	8	tasmax
South Africa	Normal	2.967E+02	2.304E+00	9.775E-01	2016	2025	2020	9	tasmax
South Africa	Normal	2.993E+02	2.552E+00	1.097E+00	2016	2025	2020	10	tasmax
South Africa	Normal	3.007E+02	2.368E+00	8.972E-01	2016	2025	2020	11	tasmax
South Africa	Normal	3.017E+02	2.295E+00	6.060E-01	2016	2025	2020	12	tasmax
South Africa	Normal	3.026E+02	2.325E+00	5.785E-01	2026	2035	2030	1	tasmax
South Africa	Normal	3.021E+02	2.199E+00	5.955E-01	2026	2035	2030	2	tasmax
South Africa	Normal	3.009E+02	2.406E+00	7.102E-01	2026	2035	2030	3	tasmax
South Africa	Normal	2.982E+02	2.400E+00	7.392E-01	2026	2035	2030	4	tasmax
South Africa	Normal	2.943E+02	2.291E+00	6.681E-01	2026	2035	2030	5	tasmax
South Africa	Normal	2.914E+02	1.735E+00	4.127E-01	2026	2035	2030	6	tasmax
South Africa	Normal	2.914E+02	1.623E+00	4.501E-01	2026	2035	2030	7	tasmax
South Africa	Normal	2.938E+02	2.054E+00	7.204E-01	2026	2035	2030	8	tasmax
South Africa	Normal	2.972E+02	2.321E+00	9.472E-01	2026	2035	2030	9	tasmax
South Africa	Normal	2.996E+02	2.509E+00	1.135E+00	2026	2035	2030	10	tasmax
South Africa	Normal	3.011E+02	2.340E+00	9.270E-01	2026	2035	2030	11	tasmax
South Africa	Normal	3.021E+02	2.224E+00	5.696E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Africa	Normal	3.029E+02	2.369E+00	7.045E-01	2036	2045	2040	1	tasmax
South Africa	Normal	3.026E+02	2.325E+00	6.440E-01	2036	2045	2040	2	tasmax
South Africa	Normal	3.014E+02	2.349E+00	7.203E-01	2036	2045	2040	3	tasmax
South Africa	Normal	2.988E+02	2.300E+00	8.042E-01	2036	2045	2040	4	tasmax
South Africa	Normal	2.950E+02	2.208E+00	7.040E-01	2036	2045	2040	5	tasmax
South Africa	Normal	2.919E+02	1.646E+00	3.874E-01	2036	2045	2040	6	tasmax
South Africa	Normal	2.916E+02	1.706E+00	4.727E-01	2036	2045	2040	7	tasmax
South Africa	Normal	2.941E+02	2.057E+00	8.589E-01	2036	2045	2040	8	tasmax
South Africa	Normal	2.976E+02	2.374E+00	1.054E+00	2036	2045	2040	9	tasmax
South Africa	Normal	3.003E+02	2.573E+00	1.261E+00	2036	2045	2040	10	tasmax
South Africa	Normal	3.014E+02	2.562E+00	1.258E+00	2036	2045	2040	11	tasmax
South Africa	Normal	3.025E+02	2.418E+00	7.700E-01	2036	2045	2040	12	tasmax
South Africa	Normal	3.037E+02	2.512E+00	6.191E-01	2046	2055	2050	1	tasmax
South Africa	Normal	3.030E+02	2.608E+00	7.176E-01	2046	2055	2050	2	tasmax
South Africa	Normal	3.018E+02	2.605E+00	8.478E-01	2046	2055	2050	3	tasmax
South Africa	Normal	2.993E+02	2.534E+00	7.862E-01	2046	2055	2050	4	tasmax
South Africa	Normal	2.954E+02	2.269E+00	7.991E-01	2046	2055	2050	5	tasmax
South Africa	Normal	2.924E+02	1.733E+00	5.399E-01	2046	2055	2050	6	tasmax
South Africa	Normal	2.922E+02	1.740E+00	6.223E-01	2046	2055	2050	7	tasmax
South Africa	Normal	2.947E+02	1.945E+00	7.599E-01	2046	2055	2050	8	tasmax
South Africa	Normal	2.985E+02	2.308E+00	9.850E-01	2046	2055	2050	9	tasmax
South Africa	Normal	3.010E+02	2.631E+00	1.179E+00	2046	2055	2050	10	tasmax
South Africa	Normal	3.021E+02	2.614E+00	1.081E+00	2046	2055	2050	11	tasmax
South Africa	Normal	3.031E+02	2.525E+00	7.942E-01	2046	2055	2050	12	tasmax
South Africa	Normal	3.040E+02	2.477E+00	6.208E-01	2056	2065	2060	1	tasmax
South Africa	Normal	3.035E+02	2.338E+00	4.553E-01	2056	2065	2060	2	tasmax
South Africa	Normal	3.023E+02	2.503E+00	6.284E-01	2056	2065	2060	3	tasmax
South Africa	Normal	2.997E+02	2.477E+00	8.162E-01	2056	2065	2060	4	tasmax
South Africa	Normal	2.960E+02	2.249E+00	6.900E-01	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Africa	Normal	2.930E+02	1.792E+00	4.712E-01	2056	2065	2060	6	tasmax
South Africa	Normal	2.928E+02	1.745E+00	4.353E-01	2056	2065	2060	7	tasmax
South Africa	Normal	2.955E+02	2.066E+00	7.182E-01	2056	2065	2060	8	tasmax
South Africa	Normal	2.989E+02	2.405E+00	1.022E+00	2056	2065	2060	9	tasmax
South Africa	Normal	3.016E+02	2.583E+00	1.335E+00	2056	2065	2060	10	tasmax
South Africa	Normal	3.028E+02	2.586E+00	1.043E+00	2056	2065	2060	11	tasmax
South Africa	Normal	3.036E+02	2.567E+00	8.599E-01	2056	2065	2060	12	tasmax
South Africa	Normal	3.047E+02	2.596E+00	7.689E-01	2066	2075	2070	1	tasmax
South Africa	Normal	3.042E+02	2.637E+00	6.711E-01	2066	2075	2070	2	tasmax
South Africa	Normal	3.031E+02	2.665E+00	7.136E-01	2066	2075	2070	3	tasmax
South Africa	Normal	3.006E+02	2.579E+00	7.737E-01	2066	2075	2070	4	tasmax
South Africa	Normal	2.968E+02	2.358E+00	7.144E-01	2066	2075	2070	5	tasmax
South Africa	Normal	2.937E+02	1.788E+00	4.967E-01	2066	2075	2070	6	tasmax
South Africa	Normal	2.936E+02	1.730E+00	4.069E-01	2066	2075	2070	7	tasmax
South Africa	Normal	2.960E+02	2.092E+00	7.251E-01	2066	2075	2070	8	tasmax
South Africa	Normal	2.998E+02	2.404E+00	9.839E-01	2066	2075	2070	9	tasmax
South Africa	Normal	3.023E+02	2.580E+00	1.245E+00	2066	2075	2070	10	tasmax
South Africa	Normal	3.034E+02	2.621E+00	1.171E+00	2066	2075	2070	11	tasmax
South Africa	Normal	3.044E+02	2.571E+00	9.661E-01	2066	2075	2070	12	tasmax
South Africa	Normal	3.053E+02	2.655E+00	8.599E-01	2076	2085	2080	1	tasmax
South Africa	Normal	3.048E+02	2.587E+00	7.865E-01	2076	2085	2080	2	tasmax
South Africa	Normal	3.037E+02	2.762E+00	7.471E-01	2076	2085	2080	3	tasmax
South Africa	Normal	3.010E+02	2.659E+00	8.508E-01	2076	2085	2080	4	tasmax
South Africa	Normal	2.972E+02	2.308E+00	8.381E-01	2076	2085	2080	5	tasmax
South Africa	Normal	2.943E+02	1.868E+00	5.808E-01	2076	2085	2080	6	tasmax
South Africa	Normal	2.941E+02	1.758E+00	5.971E-01	2076	2085	2080	7	tasmax
South Africa	Normal	2.968E+02	2.167E+00	7.821E-01	2076	2085	2080	8	tasmax
South Africa	Normal	3.004E+02	2.562E+00	1.191E+00	2076	2085	2080	9	tasmax
South Africa	Normal	3.030E+02	2.813E+00	1.275E+00	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Africa	Normal	3.041E+02	2.608E+00	1.263E+00	2076	2085	2080	11	tasmax
South Africa	Normal	3.049E+02	2.579E+00	9.839E-01	2076	2085	2080	12	tasmax
South Africa	Normal	3.059E+02	2.770E+00	8.694E-01	2086	2099	2092	1	tasmax
South Africa	Normal	3.054E+02	2.871E+00	9.086E-01	2086	2099	2092	2	tasmax
South Africa	Normal	3.042E+02	2.875E+00	9.230E-01	2086	2099	2092	3	tasmax
South Africa	Normal	3.018E+02	2.874E+00	9.168E-01	2086	2099	2092	4	tasmax
South Africa	Normal	2.981E+02	2.466E+00	9.366E-01	2086	2099	2092	5	tasmax
South Africa	Normal	2.951E+02	1.837E+00	3.616E-01	2086	2099	2092	6	tasmax
South Africa	Normal	2.949E+02	1.804E+00	4.384E-01	2086	2099	2092	7	tasmax
South Africa	Normal	2.974E+02	2.087E+00	8.150E-01	2086	2099	2092	8	tasmax
South Africa	Normal	3.011E+02	2.538E+00	1.257E+00	2086	2099	2092	9	tasmax
South Africa	Normal	3.038E+02	2.860E+00	1.445E+00	2086	2099	2092	10	tasmax
South Africa	Normal	3.048E+02	2.872E+00	1.408E+00	2086	2099	2092	11	tasmax
South Africa	Normal	3.055E+02	2.818E+00	1.065E+00	2086	2099	2092	12	tasmax
South Korea	Normal	2.771E+02	2.506E+00	4.618E-01	2006	2015	2010	1	tasmax
South Korea	Normal	2.785E+02	2.433E+00	5.455E-01	2006	2015	2010	2	tasmax
South Korea	Normal	2.828E+02	1.902E+00	5.621E-01	2006	2015	2010	3	tasmax
South Korea	Normal	2.879E+02	1.855E+00	3.087E-01	2006	2015	2010	4	tasmax
South Korea	Normal	2.926E+02	2.250E+00	3.687E-01	2006	2015	2010	5	tasmax
South Korea	Normal	2.962E+02	2.229E+00	4.688E-01	2006	2015	2010	6	tasmax
South Korea	Normal	2.987E+02	2.243E+00	6.431E-01	2006	2015	2010	7	tasmax
South Korea	Normal	2.997E+02	2.239E+00	5.121E-01	2006	2015	2010	8	tasmax
South Korea	Normal	2.972E+02	2.107E+00	3.873E-01	2006	2015	2010	9	tasmax
South Korea	Normal	2.919E+02	1.829E+00	3.743E-01	2006	2015	2010	10	tasmax
South Korea	Normal	2.856E+02	2.145E+00	3.376E-01	2006	2015	2010	11	tasmax
South Korea	Normal	2.799E+02	2.543E+00	4.189E-01	2006	2015	2010	12	tasmax
South Korea	Normal	2.775E+02	2.696E+00	4.668E-01	2016	2025	2020	1	tasmax
South Korea	Normal	2.788E+02	2.176E+00	4.024E-01	2016	2025	2020	2	tasmax
South Korea	Normal	2.831E+02	1.937E+00	5.010E-01	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Korea	Normal	2.881E+02	1.912E+00	4.052E-01	2016	2025	2020	4	tasmax
South Korea	Normal	2.930E+02	2.377E+00	4.433E-01	2016	2025	2020	5	tasmax
South Korea	Normal	2.966E+02	2.259E+00	5.002E-01	2016	2025	2020	6	tasmax
South Korea	Normal	2.991E+02	2.428E+00	6.385E-01	2016	2025	2020	7	tasmax
South Korea	Normal	3.001E+02	2.316E+00	5.557E-01	2016	2025	2020	8	tasmax
South Korea	Normal	2.976E+02	2.178E+00	3.548E-01	2016	2025	2020	9	tasmax
South Korea	Normal	2.923E+02	1.732E+00	3.010E-01	2016	2025	2020	10	tasmax
South Korea	Normal	2.860E+02	2.085E+00	3.733E-01	2016	2025	2020	11	tasmax
South Korea	Normal	2.803E+02	2.746E+00	5.759E-01	2016	2025	2020	12	tasmax
South Korea	Normal	2.779E+02	2.748E+00	5.362E-01	2026	2035	2030	1	tasmax
South Korea	Normal	2.791E+02	2.190E+00	4.592E-01	2026	2035	2030	2	tasmax
South Korea	Normal	2.835E+02	1.981E+00	5.409E-01	2026	2035	2030	3	tasmax
South Korea	Normal	2.886E+02	1.908E+00	3.716E-01	2026	2035	2030	4	tasmax
South Korea	Normal	2.934E+02	2.250E+00	4.457E-01	2026	2035	2030	5	tasmax
South Korea	Normal	2.972E+02	2.182E+00	5.236E-01	2026	2035	2030	6	tasmax
South Korea	Normal	2.996E+02	2.293E+00	6.148E-01	2026	2035	2030	7	tasmax
South Korea	Normal	3.006E+02	2.225E+00	5.312E-01	2026	2035	2030	8	tasmax
South Korea	Normal	2.982E+02	2.069E+00	3.178E-01	2026	2035	2030	9	tasmax
South Korea	Normal	2.927E+02	1.838E+00	3.126E-01	2026	2035	2030	10	tasmax
South Korea	Normal	2.864E+02	2.175E+00	3.635E-01	2026	2035	2030	11	tasmax
South Korea	Normal	2.808E+02	2.818E+00	4.999E-01	2026	2035	2030	12	tasmax
South Korea	Normal	2.782E+02	2.692E+00	4.102E-01	2036	2045	2040	1	tasmax
South Korea	Normal	2.797E+02	2.146E+00	4.483E-01	2036	2045	2040	2	tasmax
South Korea	Normal	2.839E+02	2.035E+00	5.116E-01	2036	2045	2040	3	tasmax
South Korea	Normal	2.891E+02	2.065E+00	3.874E-01	2036	2045	2040	4	tasmax
South Korea	Normal	2.939E+02	2.324E+00	4.219E-01	2036	2045	2040	5	tasmax
South Korea	Normal	2.976E+02	2.050E+00	4.480E-01	2036	2045	2040	6	tasmax
South Korea	Normal	3.002E+02	2.152E+00	5.666E-01	2036	2045	2040	7	tasmax
South Korea	Normal	3.012E+02	2.099E+00	5.051E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Korea	Normal	2.987E+02	2.062E+00	3.810E-01	2036	2045	2040	9	tasmax
South Korea	Normal	2.932E+02	1.882E+00	3.515E-01	2036	2045	2040	10	tasmax
South Korea	Normal	2.871E+02	2.087E+00	5.265E-01	2036	2045	2040	11	tasmax
South Korea	Normal	2.814E+02	2.772E+00	5.077E-01	2036	2045	2040	12	tasmax
South Korea	Normal	2.790E+02	2.679E+00	4.504E-01	2046	2055	2050	1	tasmax
South Korea	Normal	2.802E+02	2.317E+00	3.653E-01	2046	2055	2050	2	tasmax
South Korea	Normal	2.844E+02	2.049E+00	4.813E-01	2046	2055	2050	3	tasmax
South Korea	Normal	2.896E+02	1.998E+00	3.800E-01	2046	2055	2050	4	tasmax
South Korea	Normal	2.945E+02	2.315E+00	4.629E-01	2046	2055	2050	5	tasmax
South Korea	Normal	2.982E+02	2.106E+00	4.290E-01	2046	2055	2050	6	tasmax
South Korea	Normal	3.007E+02	2.221E+00	4.666E-01	2046	2055	2050	7	tasmax
South Korea	Normal	3.018E+02	2.145E+00	4.658E-01	2046	2055	2050	8	tasmax
South Korea	Normal	2.993E+02	2.113E+00	3.440E-01	2046	2055	2050	9	tasmax
South Korea	Normal	2.938E+02	1.761E+00	2.669E-01	2046	2055	2050	10	tasmax
South Korea	Normal	2.876E+02	2.165E+00	5.045E-01	2046	2055	2050	11	tasmax
South Korea	Normal	2.821E+02	2.652E+00	3.997E-01	2046	2055	2050	12	tasmax
South Korea	Normal	2.797E+02	2.910E+00	5.777E-01	2056	2065	2060	1	tasmax
South Korea	Normal	2.809E+02	2.273E+00	4.304E-01	2056	2065	2060	2	tasmax
South Korea	Normal	2.851E+02	2.009E+00	4.377E-01	2056	2065	2060	3	tasmax
South Korea	Normal	2.901E+02	2.116E+00	3.636E-01	2056	2065	2060	4	tasmax
South Korea	Normal	2.951E+02	2.304E+00	4.535E-01	2056	2065	2060	5	tasmax
South Korea	Normal	2.989E+02	2.235E+00	4.429E-01	2056	2065	2060	6	tasmax
South Korea	Normal	3.013E+02	2.203E+00	5.014E-01	2056	2065	2060	7	tasmax
South Korea	Normal	3.023E+02	2.122E+00	5.086E-01	2056	2065	2060	8	tasmax
South Korea	Normal	2.999E+02	2.141E+00	2.481E-01	2056	2065	2060	9	tasmax
South Korea	Normal	2.945E+02	1.981E+00	2.721E-01	2056	2065	2060	10	tasmax
South Korea	Normal	2.883E+02	2.148E+00	5.704E-01	2056	2065	2060	11	tasmax
South Korea	Normal	2.825E+02	2.651E+00	5.766E-01	2056	2065	2060	12	tasmax
South Korea	Normal	2.803E+02	2.552E+00	4.920E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Korea	Normal	2.814E+02	2.353E+00	5.143E-01	2066	2075	2070	2	tasmax
South Korea	Normal	2.856E+02	2.159E+00	4.386E-01	2066	2075	2070	3	tasmax
South Korea	Normal	2.908E+02	2.230E+00	3.536E-01	2066	2075	2070	4	tasmax
South Korea	Normal	2.957E+02	2.492E+00	3.966E-01	2066	2075	2070	5	tasmax
South Korea	Normal	2.995E+02	2.294E+00	4.982E-01	2066	2075	2070	6	tasmax
South Korea	Normal	3.019E+02	2.255E+00	5.728E-01	2066	2075	2070	7	tasmax
South Korea	Normal	3.030E+02	2.181E+00	5.015E-01	2066	2075	2070	8	tasmax
South Korea	Normal	3.005E+02	2.214E+00	3.197E-01	2066	2075	2070	9	tasmax
South Korea	Normal	2.951E+02	2.098E+00	3.297E-01	2066	2075	2070	10	tasmax
South Korea	Normal	2.889E+02	2.337E+00	5.320E-01	2066	2075	2070	11	tasmax
South Korea	Normal	2.830E+02	2.770E+00	4.142E-01	2066	2075	2070	12	tasmax
South Korea	Normal	2.809E+02	2.806E+00	5.874E-01	2076	2085	2080	1	tasmax
South Korea	Normal	2.822E+02	2.512E+00	4.918E-01	2076	2085	2080	2	tasmax
South Korea	Normal	2.863E+02	2.190E+00	5.248E-01	2076	2085	2080	3	tasmax
South Korea	Normal	2.911E+02	2.225E+00	4.101E-01	2076	2085	2080	4	tasmax
South Korea	Normal	2.962E+02	2.555E+00	3.677E-01	2076	2085	2080	5	tasmax
South Korea	Normal	3.001E+02	2.217E+00	4.118E-01	2076	2085	2080	6	tasmax
South Korea	Normal	3.025E+02	2.277E+00	5.674E-01	2076	2085	2080	7	tasmax
South Korea	Normal	3.036E+02	2.014E+00	4.348E-01	2076	2085	2080	8	tasmax
South Korea	Normal	3.012E+02	2.162E+00	3.181E-01	2076	2085	2080	9	tasmax
South Korea	Normal	2.958E+02	2.084E+00	3.594E-01	2076	2085	2080	10	tasmax
South Korea	Normal	2.893E+02	2.261E+00	5.430E-01	2076	2085	2080	11	tasmax
South Korea	Normal	2.836E+02	2.921E+00	5.784E-01	2076	2085	2080	12	tasmax
South Korea	Normal	2.814E+02	2.919E+00	6.678E-01	2086	2099	2092	1	tasmax
South Korea	Normal	2.826E+02	2.237E+00	5.147E-01	2086	2099	2092	2	tasmax
South Korea	Normal	2.868E+02	2.033E+00	3.509E-01	2086	2099	2092	3	tasmax
South Korea	Normal	2.918E+02	2.281E+00	3.977E-01	2086	2099	2092	4	tasmax
South Korea	Normal	2.966E+02	2.490E+00	3.938E-01	2086	2099	2092	5	tasmax
South Korea	Normal	3.006E+02	2.245E+00	4.051E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
South Korea	Normal	3.032E+02	2.437E+00	5.842E-01	2086	2099	2092	7	tasmax
South Korea	Normal	3.042E+02	2.122E+00	3.701E-01	2086	2099	2092	8	tasmax
South Korea	Normal	3.019E+02	2.264E+00	2.775E-01	2086	2099	2092	9	tasmax
South Korea	Normal	2.963E+02	2.169E+00	3.067E-01	2086	2099	2092	10	tasmax
South Korea	Normal	2.899E+02	2.240E+00	5.187E-01	2086	2099	2092	11	tasmax
South Korea	Normal	2.843E+02	2.723E+00	5.887E-01	2086	2099	2092	12	tasmax
Spain	Normal	2.842E+02	1.563E+00	3.028E-01	2006	2015	2010	1	tasmax
Spain	Normal	2.854E+02	1.520E+00	2.859E-01	2006	2015	2010	2	tasmax
Spain	Normal	2.876E+02	2.137E+00	9.252E-01	2006	2015	2010	3	tasmax
Spain	Normal	2.904E+02	2.638E+00	1.042E+00	2006	2015	2010	4	tasmax
Spain	Normal	2.938E+02	2.584E+00	8.580E-01	2006	2015	2010	5	tasmax
Spain	Normal	2.982E+02	2.627E+00	7.125E-01	2006	2015	2010	6	tasmax
Spain	Normal	3.019E+02	2.383E+00	4.209E-01	2006	2015	2010	7	tasmax
Spain	Normal	3.021E+02	2.369E+00	5.419E-01	2006	2015	2010	8	tasmax
Spain	Normal	2.980E+02	2.175E+00	6.171E-01	2006	2015	2010	9	tasmax
Spain	Normal	2.924E+02	2.382E+00	7.928E-01	2006	2015	2010	10	tasmax
Spain	Normal	2.875E+02	1.792E+00	3.846E-01	2006	2015	2010	11	tasmax
Spain	Normal	2.848E+02	1.460E+00	3.553E-01	2006	2015	2010	12	tasmax
Spain	Normal	2.844E+02	1.392E+00	2.586E-01	2016	2025	2020	1	tasmax
Spain	Normal	2.859E+02	1.704E+00	4.537E-01	2016	2025	2020	2	tasmax
Spain	Normal	2.883E+02	2.170E+00	6.953E-01	2016	2025	2020	3	tasmax
Spain	Normal	2.906E+02	2.322E+00	8.024E-01	2016	2025	2020	4	tasmax
Spain	Normal	2.939E+02	2.279E+00	6.419E-01	2016	2025	2020	5	tasmax
Spain	Normal	2.986E+02	2.566E+00	6.501E-01	2016	2025	2020	6	tasmax
Spain	Normal	3.024E+02	2.612E+00	4.563E-01	2016	2025	2020	7	tasmax
Spain	Normal	3.026E+02	2.453E+00	5.059E-01	2016	2025	2020	8	tasmax
Spain	Normal	2.986E+02	2.364E+00	4.359E-01	2016	2025	2020	9	tasmax
Spain	Normal	2.929E+02	2.446E+00	6.367E-01	2016	2025	2020	10	tasmax
Spain	Normal	2.880E+02	1.646E+00	4.117E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Spain	Normal	2.850E+02	1.474E+00	2.702E-01	2016	2025	2020	12	tasmax
Spain	Normal	2.849E+02	1.584E+00	2.489E-01	2026	2035	2030	1	tasmax
Spain	Normal	2.861E+02	1.624E+00	3.125E-01	2026	2035	2030	2	tasmax
Spain	Normal	2.886E+02	2.096E+00	6.596E-01	2026	2035	2030	3	tasmax
Spain	Normal	2.909E+02	2.530E+00	8.476E-01	2026	2035	2030	4	tasmax
Spain	Normal	2.948E+02	2.472E+00	7.807E-01	2026	2035	2030	5	tasmax
Spain	Normal	2.991E+02	2.575E+00	6.320E-01	2026	2035	2030	6	tasmax
Spain	Normal	3.033E+02	2.799E+00	4.286E-01	2026	2035	2030	7	tasmax
Spain	Normal	3.032E+02	2.615E+00	5.274E-01	2026	2035	2030	8	tasmax
Spain	Normal	2.992E+02	2.324E+00	5.383E-01	2026	2035	2030	9	tasmax
Spain	Normal	2.935E+02	2.477E+00	5.772E-01	2026	2035	2030	10	tasmax
Spain	Normal	2.884E+02	1.780E+00	4.795E-01	2026	2035	2030	11	tasmax
Spain	Normal	2.856E+02	1.579E+00	4.411E-01	2026	2035	2030	12	tasmax
Spain	Normal	2.853E+02	1.472E+00	2.791E-01	2036	2045	2040	1	tasmax
Spain	Normal	2.867E+02	1.697E+00	3.832E-01	2036	2045	2040	2	tasmax
Spain	Normal	2.890E+02	2.185E+00	7.864E-01	2036	2045	2040	3	tasmax
Spain	Normal	2.916E+02	2.470E+00	7.332E-01	2036	2045	2040	4	tasmax
Spain	Normal	2.951E+02	2.548E+00	7.112E-01	2036	2045	2040	5	tasmax
Spain	Normal	3.000E+02	2.706E+00	5.950E-01	2036	2045	2040	6	tasmax
Spain	Normal	3.038E+02	2.787E+00	5.251E-01	2036	2045	2040	7	tasmax
Spain	Normal	3.039E+02	2.822E+00	4.988E-01	2036	2045	2040	8	tasmax
Spain	Normal	2.999E+02	2.615E+00	4.985E-01	2036	2045	2040	9	tasmax
Spain	Normal	2.939E+02	2.299E+00	6.022E-01	2036	2045	2040	10	tasmax
Spain	Normal	2.890E+02	2.035E+00	4.619E-01	2036	2045	2040	11	tasmax
Spain	Normal	2.860E+02	1.624E+00	4.927E-01	2036	2045	2040	12	tasmax
Spain	Normal	2.856E+02	1.434E+00	3.182E-01	2046	2055	2050	1	tasmax
Spain	Normal	2.869E+02	1.629E+00	2.990E-01	2046	2055	2050	2	tasmax
Spain	Normal	2.893E+02	2.149E+00	6.800E-01	2046	2055	2050	3	tasmax
Spain	Normal	2.922E+02	2.727E+00	1.067E+00	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Spain	Normal	2.958E+02	2.669E+00	9.126E-01	2046	2055	2050	5	tasmax
Spain	Normal	3.005E+02	2.906E+00	6.824E-01	2046	2055	2050	6	tasmax
Spain	Normal	3.047E+02	2.894E+00	4.446E-01	2046	2055	2050	7	tasmax
Spain	Normal	3.046E+02	2.771E+00	6.108E-01	2046	2055	2050	8	tasmax
Spain	Normal	3.003E+02	2.783E+00	5.892E-01	2046	2055	2050	9	tasmax
Spain	Normal	2.943E+02	2.489E+00	5.959E-01	2046	2055	2050	10	tasmax
Spain	Normal	2.893E+02	1.845E+00	4.281E-01	2046	2055	2050	11	tasmax
Spain	Normal	2.863E+02	1.470E+00	2.513E-01	2046	2055	2050	12	tasmax
Spain	Normal	2.860E+02	1.543E+00	3.170E-01	2056	2065	2060	1	tasmax
Spain	Normal	2.874E+02	1.871E+00	3.473E-01	2056	2065	2060	2	tasmax
Spain	Normal	2.899E+02	2.219E+00	5.413E-01	2056	2065	2060	3	tasmax
Spain	Normal	2.927E+02	2.762E+00	7.975E-01	2056	2065	2060	4	tasmax
Spain	Normal	2.964E+02	3.158E+00	8.263E-01	2056	2065	2060	5	tasmax
Spain	Normal	3.013E+02	2.917E+00	5.785E-01	2056	2065	2060	6	tasmax
Spain	Normal	3.054E+02	3.195E+00	5.506E-01	2056	2065	2060	7	tasmax
Spain	Normal	3.054E+02	3.037E+00	6.415E-01	2056	2065	2060	8	tasmax
Spain	Normal	3.012E+02	2.838E+00	6.742E-01	2056	2065	2060	9	tasmax
Spain	Normal	2.952E+02	2.634E+00	5.893E-01	2056	2065	2060	10	tasmax
Spain	Normal	2.900E+02	2.036E+00	4.922E-01	2056	2065	2060	11	tasmax
Spain	Normal	2.868E+02	1.579E+00	3.796E-01	2056	2065	2060	12	tasmax
Spain	Normal	2.865E+02	1.610E+00	3.206E-01	2066	2075	2070	1	tasmax
Spain	Normal	2.878E+02	1.747E+00	2.949E-01	2066	2075	2070	2	tasmax
Spain	Normal	2.905E+02	2.122E+00	3.768E-01	2066	2075	2070	3	tasmax
Spain	Normal	2.936E+02	2.592E+00	6.462E-01	2066	2075	2070	4	tasmax
Spain	Normal	2.973E+02	3.034E+00	7.567E-01	2066	2075	2070	5	tasmax
Spain	Normal	3.021E+02	3.335E+00	8.809E-01	2066	2075	2070	6	tasmax
Spain	Normal	3.064E+02	3.369E+00	5.395E-01	2066	2075	2070	7	tasmax
Spain	Normal	3.062E+02	3.108E+00	5.877E-01	2066	2075	2070	8	tasmax
Spain	Normal	3.021E+02	3.063E+00	7.003E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Spain	Normal	2.958E+02	2.820E+00	6.290E-01	2066	2075	2070	10	tasmax
Spain	Normal	2.905E+02	2.237E+00	4.327E-01	2066	2075	2070	11	tasmax
Spain	Normal	2.874E+02	1.562E+00	3.505E-01	2066	2075	2070	12	tasmax
Spain	Normal	2.871E+02	1.631E+00	3.668E-01	2076	2085	2080	1	tasmax
Spain	Normal	2.886E+02	1.949E+00	4.897E-01	2076	2085	2080	2	tasmax
Spain	Normal	2.912E+02	2.285E+00	7.121E-01	2076	2085	2080	3	tasmax
Spain	Normal	2.940E+02	2.853E+00	8.819E-01	2076	2085	2080	4	tasmax
Spain	Normal	2.983E+02	3.195E+00	7.934E-01	2076	2085	2080	5	tasmax
Spain	Normal	3.033E+02	3.428E+00	8.428E-01	2076	2085	2080	6	tasmax
Spain	Normal	3.073E+02	3.538E+00	7.084E-01	2076	2085	2080	7	tasmax
Spain	Normal	3.071E+02	3.128E+00	6.936E-01	2076	2085	2080	8	tasmax
Spain	Normal	3.027E+02	3.201E+00	7.183E-01	2076	2085	2080	9	tasmax
Spain	Normal	2.964E+02	2.799E+00	5.182E-01	2076	2085	2080	10	tasmax
Spain	Normal	2.911E+02	2.043E+00	4.905E-01	2076	2085	2080	11	tasmax
Spain	Normal	2.879E+02	1.665E+00	3.881E-01	2076	2085	2080	12	tasmax
Spain	Normal	2.875E+02	1.623E+00	2.662E-01	2086	2099	2092	1	tasmax
Spain	Normal	2.890E+02	1.838E+00	3.177E-01	2086	2099	2092	2	tasmax
Spain	Normal	2.913E+02	2.403E+00	5.005E-01	2086	2099	2092	3	tasmax
Spain	Normal	2.945E+02	2.828E+00	6.648E-01	2086	2099	2092	4	tasmax
Spain	Normal	2.986E+02	3.099E+00	5.943E-01	2086	2099	2092	5	tasmax
Spain	Normal	3.036E+02	3.251E+00	6.255E-01	2086	2099	2092	6	tasmax
Spain	Normal	3.082E+02	3.497E+00	6.320E-01	2086	2099	2092	7	tasmax
Spain	Normal	3.078E+02	3.339E+00	7.089E-01	2086	2099	2092	8	tasmax
Spain	Normal	3.037E+02	3.317E+00	7.195E-01	2086	2099	2092	9	tasmax
Spain	Normal	2.974E+02	3.037E+00	5.900E-01	2086	2099	2092	10	tasmax
Spain	Normal	2.916E+02	2.236E+00	5.201E-01	2086	2099	2092	11	tasmax
Spain	Normal	2.883E+02	1.722E+00	3.517E-01	2086	2099	2092	12	tasmax
Sri Lanka	Normal	3.010E+02	1.224E+00	2.499E-01	2006	2015	2010	1	tasmax
Sri Lanka	Normal	3.020E+02	1.556E+00	3.283E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sri Lanka	Normal	3.036E+02	1.912E+00	3.960E-01	2006	2015	2010	3	tasmax
Sri Lanka	Normal	3.047E+02	1.723E+00	3.376E-01	2006	2015	2010	4	tasmax
Sri Lanka	Normal	3.045E+02	1.914E+00	5.019E-01	2006	2015	2010	5	tasmax
Sri Lanka	Normal	3.036E+02	2.072E+00	5.842E-01	2006	2015	2010	6	tasmax
Sri Lanka	Normal	3.028E+02	2.059E+00	5.734E-01	2006	2015	2010	7	tasmax
Sri Lanka	Normal	3.026E+02	2.000E+00	5.977E-01	2006	2015	2010	8	tasmax
Sri Lanka	Normal	3.027E+02	2.067E+00	6.466E-01	2006	2015	2010	9	tasmax
Sri Lanka	Normal	3.024E+02	1.761E+00	6.086E-01	2006	2015	2010	10	tasmax
Sri Lanka	Normal	3.016E+02	1.124E+00	2.363E-01	2006	2015	2010	11	tasmax
Sri Lanka	Normal	3.010E+02	1.097E+00	1.723E-01	2006	2015	2010	12	tasmax
Sri Lanka	Normal	3.012E+02	1.263E+00	2.575E-01	2016	2025	2020	1	tasmax
Sri Lanka	Normal	3.022E+02	1.674E+00	4.025E-01	2016	2025	2020	2	tasmax
Sri Lanka	Normal	3.039E+02	1.934E+00	3.906E-01	2016	2025	2020	3	tasmax
Sri Lanka	Normal	3.051E+02	1.813E+00	3.923E-01	2016	2025	2020	4	tasmax
Sri Lanka	Normal	3.048E+02	1.957E+00	5.437E-01	2016	2025	2020	5	tasmax
Sri Lanka	Normal	3.038E+02	2.201E+00	6.978E-01	2016	2025	2020	6	tasmax
Sri Lanka	Normal	3.031E+02	2.118E+00	6.071E-01	2016	2025	2020	7	tasmax
Sri Lanka	Normal	3.028E+02	2.031E+00	6.169E-01	2016	2025	2020	8	tasmax
Sri Lanka	Normal	3.029E+02	2.062E+00	7.063E-01	2016	2025	2020	9	tasmax
Sri Lanka	Normal	3.026E+02	1.806E+00	6.753E-01	2016	2025	2020	10	tasmax
Sri Lanka	Normal	3.019E+02	1.194E+00	3.136E-01	2016	2025	2020	11	tasmax
Sri Lanka	Normal	3.013E+02	1.091E+00	1.525E-01	2016	2025	2020	12	tasmax
Sri Lanka	Normal	3.016E+02	1.282E+00	2.630E-01	2026	2035	2030	1	tasmax
Sri Lanka	Normal	3.026E+02	1.615E+00	3.854E-01	2026	2035	2030	2	tasmax
Sri Lanka	Normal	3.042E+02	1.932E+00	3.993E-01	2026	2035	2030	3	tasmax
Sri Lanka	Normal	3.054E+02	1.762E+00	3.380E-01	2026	2035	2030	4	tasmax
Sri Lanka	Normal	3.051E+02	2.002E+00	5.855E-01	2026	2035	2030	5	tasmax
Sri Lanka	Normal	3.042E+02	2.171E+00	6.996E-01	2026	2035	2030	6	tasmax
Sri Lanka	Normal	3.034E+02	2.100E+00	5.773E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sri Lanka	Normal	3.031E+02	1.923E+00	5.402E-01	2026	2035	2030	8	tasmax
Sri Lanka	Normal	3.033E+02	2.042E+00	7.003E-01	2026	2035	2030	9	tasmax
Sri Lanka	Normal	3.029E+02	1.848E+00	6.833E-01	2026	2035	2030	10	tasmax
Sri Lanka	Normal	3.022E+02	1.152E+00	2.757E-01	2026	2035	2030	11	tasmax
Sri Lanka	Normal	3.015E+02	1.131E+00	2.512E-01	2026	2035	2030	12	tasmax
Sri Lanka	Normal	3.018E+02	1.274E+00	2.739E-01	2036	2045	2040	1	tasmax
Sri Lanka	Normal	3.028E+02	1.660E+00	3.773E-01	2036	2045	2040	2	tasmax
Sri Lanka	Normal	3.046E+02	2.004E+00	4.456E-01	2036	2045	2040	3	tasmax
Sri Lanka	Normal	3.057E+02	1.879E+00	4.273E-01	2036	2045	2040	4	tasmax
Sri Lanka	Normal	3.055E+02	1.913E+00	5.587E-01	2036	2045	2040	5	tasmax
Sri Lanka	Normal	3.046E+02	2.057E+00	5.860E-01	2036	2045	2040	6	tasmax
Sri Lanka	Normal	3.037E+02	1.983E+00	4.808E-01	2036	2045	2040	7	tasmax
Sri Lanka	Normal	3.034E+02	1.869E+00	4.416E-01	2036	2045	2040	8	tasmax
Sri Lanka	Normal	3.035E+02	2.003E+00	6.755E-01	2036	2045	2040	9	tasmax
Sri Lanka	Normal	3.032E+02	1.805E+00	6.968E-01	2036	2045	2040	10	tasmax
Sri Lanka	Normal	3.025E+02	1.157E+00	3.073E-01	2036	2045	2040	11	tasmax
Sri Lanka	Normal	3.019E+02	1.106E+00	1.834E-01	2036	2045	2040	12	tasmax
Sri Lanka	Normal	3.022E+02	1.271E+00	2.703E-01	2046	2055	2050	1	tasmax
Sri Lanka	Normal	3.032E+02	1.733E+00	4.434E-01	2046	2055	2050	2	tasmax
Sri Lanka	Normal	3.050E+02	2.054E+00	4.095E-01	2046	2055	2050	3	tasmax
Sri Lanka	Normal	3.062E+02	1.905E+00	4.144E-01	2046	2055	2050	4	tasmax
Sri Lanka	Normal	3.060E+02	2.116E+00	5.704E-01	2046	2055	2050	5	tasmax
Sri Lanka	Normal	3.050E+02	2.239E+00	6.465E-01	2046	2055	2050	6	tasmax
Sri Lanka	Normal	3.041E+02	2.320E+00	7.034E-01	2046	2055	2050	7	tasmax
Sri Lanka	Normal	3.037E+02	1.941E+00	5.902E-01	2046	2055	2050	8	tasmax
Sri Lanka	Normal	3.037E+02	2.028E+00	7.081E-01	2046	2055	2050	9	tasmax
Sri Lanka	Normal	3.035E+02	1.844E+00	7.172E-01	2046	2055	2050	10	tasmax
Sri Lanka	Normal	3.028E+02	1.275E+00	3.644E-01	2046	2055	2050	11	tasmax
Sri Lanka	Normal	3.023E+02	1.177E+00	1.781E-01	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sri Lanka	Normal	3.026E+02	1.394E+00	3.226E-01	2056	2065	2060	1	tasmax
Sri Lanka	Normal	3.036E+02	1.760E+00	4.203E-01	2056	2065	2060	2	tasmax
Sri Lanka	Normal	3.054E+02	2.062E+00	3.844E-01	2056	2065	2060	3	tasmax
Sri Lanka	Normal	3.066E+02	1.980E+00	4.240E-01	2056	2065	2060	4	tasmax
Sri Lanka	Normal	3.064E+02	2.133E+00	5.879E-01	2056	2065	2060	5	tasmax
Sri Lanka	Normal	3.055E+02	2.318E+00	6.508E-01	2056	2065	2060	6	tasmax
Sri Lanka	Normal	3.045E+02	2.314E+00	7.135E-01	2056	2065	2060	7	tasmax
Sri Lanka	Normal	3.041E+02	2.009E+00	6.154E-01	2056	2065	2060	8	tasmax
Sri Lanka	Normal	3.042E+02	2.058E+00	7.462E-01	2056	2065	2060	9	tasmax
Sri Lanka	Normal	3.039E+02	1.813E+00	7.434E-01	2056	2065	2060	10	tasmax
Sri Lanka	Normal	3.032E+02	1.229E+00	3.307E-01	2056	2065	2060	11	tasmax
Sri Lanka	Normal	3.025E+02	1.193E+00	2.038E-01	2056	2065	2060	12	tasmax
Sri Lanka	Normal	3.030E+02	1.449E+00	3.170E-01	2066	2075	2070	1	tasmax
Sri Lanka	Normal	3.040E+02	1.840E+00	4.634E-01	2066	2075	2070	2	tasmax
Sri Lanka	Normal	3.057E+02	2.147E+00	4.682E-01	2066	2075	2070	3	tasmax
Sri Lanka	Normal	3.071E+02	2.147E+00	4.743E-01	2066	2075	2070	4	tasmax
Sri Lanka	Normal	3.070E+02	2.251E+00	6.003E-01	2066	2075	2070	5	tasmax
Sri Lanka	Normal	3.059E+02	2.298E+00	7.158E-01	2066	2075	2070	6	tasmax
Sri Lanka	Normal	3.049E+02	2.325E+00	6.610E-01	2066	2075	2070	7	tasmax
Sri Lanka	Normal	3.046E+02	2.049E+00	5.674E-01	2066	2075	2070	8	tasmax
Sri Lanka	Normal	3.046E+02	2.066E+00	7.491E-01	2066	2075	2070	9	tasmax
Sri Lanka	Normal	3.043E+02	1.855E+00	6.969E-01	2066	2075	2070	10	tasmax
Sri Lanka	Normal	3.036E+02	1.306E+00	3.162E-01	2066	2075	2070	11	tasmax
Sri Lanka	Normal	3.030E+02	1.281E+00	2.428E-01	2066	2075	2070	12	tasmax
Sri Lanka	Normal	3.035E+02	1.373E+00	3.192E-01	2076	2085	2080	1	tasmax
Sri Lanka	Normal	3.045E+02	1.799E+00	4.525E-01	2076	2085	2080	2	tasmax
Sri Lanka	Normal	3.063E+02	2.174E+00	4.474E-01	2076	2085	2080	3	tasmax
Sri Lanka	Normal	3.076E+02	2.116E+00	4.380E-01	2076	2085	2080	4	tasmax
Sri Lanka	Normal	3.074E+02	2.206E+00	5.956E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sri Lanka	Normal	3.064E+02	2.369E+00	7.472E-01	2076	2085	2080	6	tasmax
Sri Lanka	Normal	3.054E+02	2.442E+00	7.164E-01	2076	2085	2080	7	tasmax
Sri Lanka	Normal	3.050E+02	2.149E+00	6.903E-01	2076	2085	2080	8	tasmax
Sri Lanka	Normal	3.050E+02	2.049E+00	7.091E-01	2076	2085	2080	9	tasmax
Sri Lanka	Normal	3.048E+02	1.934E+00	7.264E-01	2076	2085	2080	10	tasmax
Sri Lanka	Normal	3.041E+02	1.281E+00	2.952E-01	2076	2085	2080	11	tasmax
Sri Lanka	Normal	3.034E+02	1.227E+00	2.316E-01	2076	2085	2080	12	tasmax
Sri Lanka	Normal	3.039E+02	1.443E+00	2.738E-01	2086	2099	2092	1	tasmax
Sri Lanka	Normal	3.049E+02	1.930E+00	4.568E-01	2086	2099	2092	2	tasmax
Sri Lanka	Normal	3.067E+02	2.289E+00	4.695E-01	2086	2099	2092	3	tasmax
Sri Lanka	Normal	3.081E+02	2.282E+00	4.467E-01	2086	2099	2092	4	tasmax
Sri Lanka	Normal	3.079E+02	2.379E+00	6.705E-01	2086	2099	2092	5	tasmax
Sri Lanka	Normal	3.068E+02	2.428E+00	7.095E-01	2086	2099	2092	6	tasmax
Sri Lanka	Normal	3.059E+02	2.435E+00	6.371E-01	2086	2099	2092	7	tasmax
Sri Lanka	Normal	3.053E+02	2.082E+00	5.387E-01	2086	2099	2092	8	tasmax
Sri Lanka	Normal	3.055E+02	2.216E+00	7.689E-01	2086	2099	2092	9	tasmax
Sri Lanka	Normal	3.052E+02	2.004E+00	7.754E-01	2086	2099	2092	10	tasmax
Sri Lanka	Normal	3.044E+02	1.313E+00	3.055E-01	2086	2099	2092	11	tasmax
Sri Lanka	Normal	3.038E+02	1.242E+00	1.853E-01	2086	2099	2092	12	tasmax
Sudan	Normal	3.022E+02	1.804E+00	5.170E-01	2006	2015	2010	1	tasmax
Sudan	Normal	3.048E+02	1.881E+00	4.981E-01	2006	2015	2010	2	tasmax
Sudan	Normal	3.080E+02	1.760E+00	5.319E-01	2006	2015	2010	3	tasmax
Sudan	Normal	3.095E+02	1.878E+00	4.238E-01	2006	2015	2010	4	tasmax
Sudan	Normal	3.095E+02	1.827E+00	3.627E-01	2006	2015	2010	5	tasmax
Sudan	Normal	3.096E+02	1.698E+00	3.396E-01	2006	2015	2010	6	tasmax
Sudan	Normal	3.089E+02	1.872E+00	3.337E-01	2006	2015	2010	7	tasmax
Sudan	Normal	3.082E+02	2.070E+00	4.296E-01	2006	2015	2010	8	tasmax
Sudan	Normal	3.083E+02	1.902E+00	3.583E-01	2006	2015	2010	9	tasmax
Sudan	Normal	3.073E+02	1.840E+00	3.645E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sudan	Normal	3.048E+02	1.790E+00	4.120E-01	2006	2015	2010	11	tasmax
Sudan	Normal	3.022E+02	1.691E+00	4.100E-01	2006	2015	2010	12	tasmax
Sudan	Normal	3.027E+02	1.667E+00	4.825E-01	2016	2025	2020	1	tasmax
Sudan	Normal	3.051E+02	1.845E+00	5.301E-01	2016	2025	2020	2	tasmax
Sudan	Normal	3.083E+02	1.707E+00	4.927E-01	2016	2025	2020	3	tasmax
Sudan	Normal	3.100E+02	1.662E+00	4.028E-01	2016	2025	2020	4	tasmax
Sudan	Normal	3.098E+02	1.833E+00	3.948E-01	2016	2025	2020	5	tasmax
Sudan	Normal	3.099E+02	1.787E+00	3.292E-01	2016	2025	2020	6	tasmax
Sudan	Normal	3.092E+02	1.979E+00	3.665E-01	2016	2025	2020	7	tasmax
Sudan	Normal	3.085E+02	2.376E+00	4.575E-01	2016	2025	2020	8	tasmax
Sudan	Normal	3.086E+02	2.162E+00	4.159E-01	2016	2025	2020	9	tasmax
Sudan	Normal	3.075E+02	1.912E+00	3.764E-01	2016	2025	2020	10	tasmax
Sudan	Normal	3.049E+02	1.926E+00	4.228E-01	2016	2025	2020	11	tasmax
Sudan	Normal	3.027E+02	1.591E+00	4.370E-01	2016	2025	2020	12	tasmax
Sudan	Normal	3.029E+02	1.795E+00	4.538E-01	2026	2035	2030	1	tasmax
Sudan	Normal	3.056E+02	1.728E+00	4.386E-01	2026	2035	2030	2	tasmax
Sudan	Normal	3.086E+02	1.873E+00	5.184E-01	2026	2035	2030	3	tasmax
Sudan	Normal	3.103E+02	1.761E+00	3.748E-01	2026	2035	2030	4	tasmax
Sudan	Normal	3.103E+02	1.885E+00	3.280E-01	2026	2035	2030	5	tasmax
Sudan	Normal	3.105E+02	1.818E+00	4.805E-01	2026	2035	2030	6	tasmax
Sudan	Normal	3.098E+02	1.988E+00	4.420E-01	2026	2035	2030	7	tasmax
Sudan	Normal	3.090E+02	2.309E+00	4.874E-01	2026	2035	2030	8	tasmax
Sudan	Normal	3.090E+02	2.100E+00	3.922E-01	2026	2035	2030	9	tasmax
Sudan	Normal	3.080E+02	1.823E+00	4.318E-01	2026	2035	2030	10	tasmax
Sudan	Normal	3.055E+02	1.793E+00	3.707E-01	2026	2035	2030	11	tasmax
Sudan	Normal	3.030E+02	1.784E+00	5.196E-01	2026	2035	2030	12	tasmax
Sudan	Normal	3.033E+02	1.730E+00	3.989E-01	2036	2045	2040	1	tasmax
Sudan	Normal	3.058E+02	1.899E+00	4.845E-01	2036	2045	2040	2	tasmax
Sudan	Normal	3.092E+02	1.799E+00	5.002E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sudan	Normal	3.105E+02	1.832E+00	4.795E-01	2036	2045	2040	4	tasmax
Sudan	Normal	3.108E+02	1.875E+00	3.118E-01	2036	2045	2040	5	tasmax
Sudan	Normal	3.109E+02	1.865E+00	6.006E-01	2036	2045	2040	6	tasmax
Sudan	Normal	3.102E+02	1.962E+00	3.389E-01	2036	2045	2040	7	tasmax
Sudan	Normal	3.095E+02	2.450E+00	4.710E-01	2036	2045	2040	8	tasmax
Sudan	Normal	3.094E+02	2.094E+00	4.380E-01	2036	2045	2040	9	tasmax
Sudan	Normal	3.084E+02	1.809E+00	3.895E-01	2036	2045	2040	10	tasmax
Sudan	Normal	3.059E+02	1.895E+00	4.554E-01	2036	2045	2040	11	tasmax
Sudan	Normal	3.033E+02	1.794E+00	5.154E-01	2036	2045	2040	12	tasmax
Sudan	Normal	3.040E+02	1.839E+00	6.481E-01	2046	2055	2050	1	tasmax
Sudan	Normal	3.065E+02	1.803E+00	4.520E-01	2046	2055	2050	2	tasmax
Sudan	Normal	3.097E+02	1.832E+00	3.375E-01	2046	2055	2050	3	tasmax
Sudan	Normal	3.112E+02	1.880E+00	4.406E-01	2046	2055	2050	4	tasmax
Sudan	Normal	3.113E+02	1.885E+00	3.030E-01	2046	2055	2050	5	tasmax
Sudan	Normal	3.115E+02	1.833E+00	4.974E-01	2046	2055	2050	6	tasmax
Sudan	Normal	3.108E+02	2.028E+00	3.639E-01	2046	2055	2050	7	tasmax
Sudan	Normal	3.100E+02	2.420E+00	4.726E-01	2046	2055	2050	8	tasmax
Sudan	Normal	3.099E+02	2.154E+00	4.954E-01	2046	2055	2050	9	tasmax
Sudan	Normal	3.090E+02	1.946E+00	5.132E-01	2046	2055	2050	10	tasmax
Sudan	Normal	3.065E+02	1.995E+00	3.710E-01	2046	2055	2050	11	tasmax
Sudan	Normal	3.040E+02	1.843E+00	4.004E-01	2046	2055	2050	12	tasmax
Sudan	Normal	3.044E+02	1.963E+00	6.917E-01	2056	2065	2060	1	tasmax
Sudan	Normal	3.069E+02	1.864E+00	4.710E-01	2056	2065	2060	2	tasmax
Sudan	Normal	3.101E+02	1.904E+00	3.692E-01	2056	2065	2060	3	tasmax
Sudan	Normal	3.117E+02	1.854E+00	4.251E-01	2056	2065	2060	4	tasmax
Sudan	Normal	3.119E+02	1.948E+00	4.028E-01	2056	2065	2060	5	tasmax
Sudan	Normal	3.121E+02	1.879E+00	4.854E-01	2056	2065	2060	6	tasmax
Sudan	Normal	3.114E+02	2.039E+00	3.058E-01	2056	2065	2060	7	tasmax
Sudan	Normal	3.105E+02	2.603E+00	4.837E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sudan	Normal	3.105E+02	2.380E+00	5.141E-01	2056	2065	2060	9	tasmax
Sudan	Normal	3.095E+02	2.033E+00	5.777E-01	2056	2065	2060	10	tasmax
Sudan	Normal	3.069E+02	2.135E+00	4.959E-01	2056	2065	2060	11	tasmax
Sudan	Normal	3.044E+02	1.768E+00	4.202E-01	2056	2065	2060	12	tasmax
Sudan	Normal	3.049E+02	1.797E+00	2.715E-01	2066	2075	2070	1	tasmax
Sudan	Normal	3.075E+02	1.820E+00	5.229E-01	2066	2075	2070	2	tasmax
Sudan	Normal	3.106E+02	1.926E+00	3.958E-01	2066	2075	2070	3	tasmax
Sudan	Normal	3.122E+02	1.901E+00	4.154E-01	2066	2075	2070	4	tasmax
Sudan	Normal	3.126E+02	1.941E+00	3.987E-01	2066	2075	2070	5	tasmax
Sudan	Normal	3.128E+02	1.886E+00	5.759E-01	2066	2075	2070	6	tasmax
Sudan	Normal	3.121E+02	2.139E+00	3.310E-01	2066	2075	2070	7	tasmax
Sudan	Normal	3.112E+02	2.615E+00	5.347E-01	2066	2075	2070	8	tasmax
Sudan	Normal	3.111E+02	2.275E+00	5.031E-01	2066	2075	2070	9	tasmax
Sudan	Normal	3.101E+02	1.995E+00	5.150E-01	2066	2075	2070	10	tasmax
Sudan	Normal	3.076E+02	2.051E+00	5.439E-01	2066	2075	2070	11	tasmax
Sudan	Normal	3.051E+02	1.836E+00	3.405E-01	2066	2075	2070	12	tasmax
Sudan	Normal	3.055E+02	1.960E+00	5.518E-01	2076	2085	2080	1	tasmax
Sudan	Normal	3.081E+02	1.993E+00	5.656E-01	2076	2085	2080	2	tasmax
Sudan	Normal	3.112E+02	2.027E+00	5.386E-01	2076	2085	2080	3	tasmax
Sudan	Normal	3.129E+02	1.962E+00	3.589E-01	2076	2085	2080	4	tasmax
Sudan	Normal	3.132E+02	1.955E+00	3.371E-01	2076	2085	2080	5	tasmax
Sudan	Normal	3.135E+02	2.019E+00	5.676E-01	2076	2085	2080	6	tasmax
Sudan	Normal	3.127E+02	2.379E+00	3.328E-01	2076	2085	2080	7	tasmax
Sudan	Normal	3.117E+02	2.970E+00	5.396E-01	2076	2085	2080	8	tasmax
Sudan	Normal	3.116E+02	2.563E+00	6.525E-01	2076	2085	2080	9	tasmax
Sudan	Normal	3.106E+02	2.101E+00	5.888E-01	2076	2085	2080	10	tasmax
Sudan	Normal	3.082E+02	2.146E+00	4.057E-01	2076	2085	2080	11	tasmax
Sudan	Normal	3.056E+02	1.949E+00	4.329E-01	2076	2085	2080	12	tasmax
Sudan	Normal	3.058E+02	1.987E+00	5.046E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sudan	Normal	3.086E+02	2.058E+00	6.192E-01	2086	2099	2092	2	tasmax
Sudan	Normal	3.119E+02	2.201E+00	4.450E-01	2086	2099	2092	3	tasmax
Sudan	Normal	3.134E+02	1.946E+00	3.765E-01	2086	2099	2092	4	tasmax
Sudan	Normal	3.137E+02	2.017E+00	3.019E-01	2086	2099	2092	5	tasmax
Sudan	Normal	3.142E+02	2.100E+00	4.967E-01	2086	2099	2092	6	tasmax
Sudan	Normal	3.134E+02	2.361E+00	3.804E-01	2086	2099	2092	7	tasmax
Sudan	Normal	3.125E+02	2.813E+00	5.483E-01	2086	2099	2092	8	tasmax
Sudan	Normal	3.122E+02	2.694E+00	6.567E-01	2086	2099	2092	9	tasmax
Sudan	Normal	3.111E+02	2.131E+00	4.795E-01	2086	2099	2092	10	tasmax
Sudan	Normal	3.088E+02	2.064E+00	3.691E-01	2086	2099	2092	11	tasmax
Sudan	Normal	3.062E+02	2.023E+00	4.723E-01	2086	2099	2092	12	tasmax
Suriname	Normal	3.035E+02	2.252E+00	5.208E-01	2006	2015	2010	1	tasmax
Suriname	Normal	3.047E+02	2.184E+00	3.787E-01	2006	2015	2010	2	tasmax
Suriname	Normal	3.058E+02	2.284E+00	5.523E-01	2006	2015	2010	3	tasmax
Suriname	Normal	3.057E+02	2.183E+00	5.283E-01	2006	2015	2010	4	tasmax
Suriname	Normal	3.042E+02	2.406E+00	4.771E-01	2006	2015	2010	5	tasmax
Suriname	Normal	3.028E+02	2.613E+00	8.977E-01	2006	2015	2010	6	tasmax
Suriname	Normal	3.034E+02	2.646E+00	6.856E-01	2006	2015	2010	7	tasmax
Suriname	Normal	3.052E+02	3.066E+00	7.602E-01	2006	2015	2010	8	tasmax
Suriname	Normal	3.069E+02	3.369E+00	9.032E-01	2006	2015	2010	9	tasmax
Suriname	Normal	3.071E+02	3.110E+00	8.293E-01	2006	2015	2010	10	tasmax
Suriname	Normal	3.054E+02	2.887E+00	7.503E-01	2006	2015	2010	11	tasmax
Suriname	Normal	3.033E+02	2.341E+00	4.934E-01	2006	2015	2010	12	tasmax
Suriname	Normal	3.039E+02	2.297E+00	5.599E-01	2016	2025	2020	1	tasmax
Suriname	Normal	3.052E+02	2.351E+00	3.954E-01	2016	2025	2020	2	tasmax
Suriname	Normal	3.064E+02	2.784E+00	4.551E-01	2016	2025	2020	3	tasmax
Suriname	Normal	3.062E+02	2.463E+00	4.865E-01	2016	2025	2020	4	tasmax
Suriname	Normal	3.046E+02	2.381E+00	3.510E-01	2016	2025	2020	5	tasmax
Suriname	Normal	3.030E+02	2.465E+00	8.198E-01	2016	2025	2020	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Suriname	Normal	3.038E+02	2.770E+00	7.543E-01	2016	2025	2020	7	tasmax
Suriname	Normal	3.057E+02	3.323E+00	7.624E-01	2016	2025	2020	8	tasmax
Suriname	Normal	3.074E+02	3.657E+00	8.332E-01	2016	2025	2020	9	tasmax
Suriname	Normal	3.076E+02	3.422E+00	8.382E-01	2016	2025	2020	10	tasmax
Suriname	Normal	3.057E+02	3.235E+00	7.098E-01	2016	2025	2020	11	tasmax
Suriname	Normal	3.038E+02	2.540E+00	5.607E-01	2016	2025	2020	12	tasmax
Suriname	Normal	3.043E+02	2.249E+00	4.632E-01	2026	2035	2030	1	tasmax
Suriname	Normal	3.056E+02	2.307E+00	4.844E-01	2026	2035	2030	2	tasmax
Suriname	Normal	3.067E+02	2.559E+00	4.415E-01	2026	2035	2030	3	tasmax
Suriname	Normal	3.067E+02	2.442E+00	5.638E-01	2026	2035	2030	4	tasmax
Suriname	Normal	3.049E+02	2.374E+00	4.417E-01	2026	2035	2030	5	tasmax
Suriname	Normal	3.034E+02	2.591E+00	7.748E-01	2026	2035	2030	6	tasmax
Suriname	Normal	3.042E+02	2.714E+00	7.570E-01	2026	2035	2030	7	tasmax
Suriname	Normal	3.061E+02	3.093E+00	6.776E-01	2026	2035	2030	8	tasmax
Suriname	Normal	3.079E+02	3.346E+00	7.186E-01	2026	2035	2030	9	tasmax
Suriname	Normal	3.081E+02	3.153E+00	7.412E-01	2026	2035	2030	10	tasmax
Suriname	Normal	3.062E+02	3.050E+00	7.905E-01	2026	2035	2030	11	tasmax
Suriname	Normal	3.041E+02	2.523E+00	6.200E-01	2026	2035	2030	12	tasmax
Suriname	Normal	3.046E+02	2.253E+00	4.697E-01	2036	2045	2040	1	tasmax
Suriname	Normal	3.059E+02	2.299E+00	4.284E-01	2036	2045	2040	2	tasmax
Suriname	Normal	3.071E+02	2.673E+00	5.066E-01	2036	2045	2040	3	tasmax
Suriname	Normal	3.070E+02	2.502E+00	6.222E-01	2036	2045	2040	4	tasmax
Suriname	Normal	3.053E+02	2.641E+00	5.281E-01	2036	2045	2040	5	tasmax
Suriname	Normal	3.039E+02	2.817E+00	9.690E-01	2036	2045	2040	6	tasmax
Suriname	Normal	3.047E+02	2.836E+00	7.686E-01	2036	2045	2040	7	tasmax
Suriname	Normal	3.066E+02	3.210E+00	6.658E-01	2036	2045	2040	8	tasmax
Suriname	Normal	3.083E+02	3.337E+00	7.111E-01	2036	2045	2040	9	tasmax
Suriname	Normal	3.084E+02	3.184E+00	7.907E-01	2036	2045	2040	10	tasmax
Suriname	Normal	3.065E+02	3.066E+00	7.495E-01	2036	2045	2040	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Suriname	Normal	3.045E+02	2.504E+00	5.785E-01	2036	2045	2040	12	tasmax
Suriname	Normal	3.052E+02	2.436E+00	4.245E-01	2046	2055	2050	1	tasmax
Suriname	Normal	3.064E+02	2.441E+00	3.560E-01	2046	2055	2050	2	tasmax
Suriname	Normal	3.076E+02	2.718E+00	5.881E-01	2046	2055	2050	3	tasmax
Suriname	Normal	3.075E+02	2.694E+00	5.561E-01	2046	2055	2050	4	tasmax
Suriname	Normal	3.057E+02	2.711E+00	4.554E-01	2046	2055	2050	5	tasmax
Suriname	Normal	3.041E+02	2.793E+00	8.740E-01	2046	2055	2050	6	tasmax
Suriname	Normal	3.050E+02	2.860E+00	6.881E-01	2046	2055	2050	7	tasmax
Suriname	Normal	3.070E+02	3.136E+00	6.502E-01	2046	2055	2050	8	tasmax
Suriname	Normal	3.087E+02	3.279E+00	7.750E-01	2046	2055	2050	9	tasmax
Suriname	Normal	3.089E+02	3.199E+00	9.594E-01	2046	2055	2050	10	tasmax
Suriname	Normal	3.069E+02	3.225E+00	8.536E-01	2046	2055	2050	11	tasmax
Suriname	Normal	3.051E+02	2.699E+00	7.158E-01	2046	2055	2050	12	tasmax
Suriname	Normal	3.058E+02	2.656E+00	4.838E-01	2056	2065	2060	1	tasmax
Suriname	Normal	3.072E+02	2.808E+00	4.763E-01	2056	2065	2060	2	tasmax
Suriname	Normal	3.084E+02	3.264E+00	6.523E-01	2056	2065	2060	3	tasmax
Suriname	Normal	3.081E+02	3.106E+00	5.876E-01	2056	2065	2060	4	tasmax
Suriname	Normal	3.064E+02	2.861E+00	4.846E-01	2056	2065	2060	5	tasmax
Suriname	Normal	3.048E+02	2.938E+00	8.939E-01	2056	2065	2060	6	tasmax
Suriname	Normal	3.057E+02	2.987E+00	7.008E-01	2056	2065	2060	7	tasmax
Suriname	Normal	3.078E+02	3.246E+00	6.157E-01	2056	2065	2060	8	tasmax
Suriname	Normal	3.096E+02	3.429E+00	8.849E-01	2056	2065	2060	9	tasmax
Suriname	Normal	3.096E+02	3.443E+00	9.340E-01	2056	2065	2060	10	tasmax
Suriname	Normal	3.076E+02	3.349E+00	8.247E-01	2056	2065	2060	11	tasmax
Suriname	Normal	3.056E+02	2.816E+00	6.812E-01	2056	2065	2060	12	tasmax
Suriname	Normal	3.064E+02	2.611E+00	4.540E-01	2066	2075	2070	1	tasmax
Suriname	Normal	3.078E+02	2.864E+00	6.307E-01	2066	2075	2070	2	tasmax
Suriname	Normal	3.089E+02	3.162E+00	7.446E-01	2066	2075	2070	3	tasmax
Suriname	Normal	3.085E+02	2.934E+00	7.071E-01	2066	2075	2070	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Suriname	Normal	3.068E+02	2.815E+00	4.766E-01	2066	2075	2070	5	tasmax
Suriname	Normal	3.054E+02	3.065E+00	8.775E-01	2066	2075	2070	6	tasmax
Suriname	Normal	3.064E+02	3.010E+00	6.658E-01	2066	2075	2070	7	tasmax
Suriname	Normal	3.086E+02	3.234E+00	6.759E-01	2066	2075	2070	8	tasmax
Suriname	Normal	3.104E+02	3.447E+00	9.927E-01	2066	2075	2070	9	tasmax
Suriname	Normal	3.103E+02	3.482E+00	1.005E+00	2066	2075	2070	10	tasmax
Suriname	Normal	3.082E+02	3.275E+00	9.173E-01	2066	2075	2070	11	tasmax
Suriname	Normal	3.062E+02	2.783E+00	7.180E-01	2066	2075	2070	12	tasmax
Suriname	Normal	3.069E+02	2.804E+00	4.884E-01	2076	2085	2080	1	tasmax
Suriname	Normal	3.084E+02	3.155E+00	6.622E-01	2076	2085	2080	2	tasmax
Suriname	Normal	3.095E+02	3.379E+00	6.915E-01	2076	2085	2080	3	tasmax
Suriname	Normal	3.090E+02	3.020E+00	6.212E-01	2076	2085	2080	4	tasmax
Suriname	Normal	3.074E+02	2.955E+00	5.395E-01	2076	2085	2080	5	tasmax
Suriname	Normal	3.058E+02	3.089E+00	8.345E-01	2076	2085	2080	6	tasmax
Suriname	Normal	3.069E+02	3.102E+00	7.021E-01	2076	2085	2080	7	tasmax
Suriname	Normal	3.090E+02	3.283E+00	7.012E-01	2076	2085	2080	8	tasmax
Suriname	Normal	3.108E+02	3.428E+00	1.047E+00	2076	2085	2080	9	tasmax
Suriname	Normal	3.108E+02	3.522E+00	1.082E+00	2076	2085	2080	10	tasmax
Suriname	Normal	3.088E+02	3.556E+00	8.677E-01	2076	2085	2080	11	tasmax
Suriname	Normal	3.069E+02	3.037E+00	7.437E-01	2076	2085	2080	12	tasmax
Suriname	Normal	3.074E+02	3.093E+00	6.106E-01	2086	2099	2092	1	tasmax
Suriname	Normal	3.089E+02	3.254E+00	7.200E-01	2086	2099	2092	2	tasmax
Suriname	Normal	3.099E+02	3.481E+00	7.913E-01	2086	2099	2092	3	tasmax
Suriname	Normal	3.095E+02	3.372E+00	6.618E-01	2086	2099	2092	4	tasmax
Suriname	Normal	3.078E+02	3.216E+00	6.404E-01	2086	2099	2092	5	tasmax
Suriname	Normal	3.065E+02	3.259E+00	8.473E-01	2086	2099	2092	6	tasmax
Suriname	Normal	3.076E+02	3.219E+00	6.548E-01	2086	2099	2092	7	tasmax
Suriname	Normal	3.098E+02	3.297E+00	7.181E-01	2086	2099	2092	8	tasmax
Suriname	Normal	3.116E+02	3.491E+00	1.093E+00	2086	2099	2092	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Suriname	Normal	3.115E+02	3.591E+00	1.149E+00	2086	2099	2092	10	tasmax
Suriname	Normal	3.093E+02	3.434E+00	8.795E-01	2086	2099	2092	11	tasmax
Suriname	Normal	3.072E+02	3.048E+00	6.823E-01	2086	2099	2092	12	tasmax
Svalbard	Normal	2.570E+02	6.446E+00	1.231E+00	2006	2015	2010	1	tasmax
Svalbard	Normal	2.565E+02	5.980E+00	1.450E+00	2006	2015	2010	2	tasmax
Svalbard	Normal	2.575E+02	6.119E+00	1.486E+00	2006	2015	2010	3	tasmax
Svalbard	Normal	2.615E+02	4.120E+00	7.962E-01	2006	2015	2010	4	tasmax
Svalbard	Normal	2.691E+02	1.667E+00	3.385E-01	2006	2015	2010	5	tasmax
Svalbard	Normal	2.734E+02	7.938E-01	2.226E-01	2006	2015	2010	6	tasmax
Svalbard	Normal	2.751E+02	1.322E+00	2.731E-01	2006	2015	2010	7	tasmax
Svalbard	Normal	2.751E+02	1.391E+00	3.650E-01	2006	2015	2010	8	tasmax
Svalbard	Normal	2.723E+02	1.753E+00	4.997E-01	2006	2015	2010	9	tasmax
Svalbard	Normal	2.682E+02	2.880E+00	6.183E-01	2006	2015	2010	10	tasmax
Svalbard	Normal	2.626E+02	4.614E+00	7.906E-01	2006	2015	2010	11	tasmax
Svalbard	Normal	2.584E+02	5.742E+00	9.019E-01	2006	2015	2010	12	tasmax
Svalbard	Normal	2.581E+02	6.810E+00	1.443E+00	2016	2025	2020	1	tasmax
Svalbard	Normal	2.564E+02	6.737E+00	1.218E+00	2016	2025	2020	2	tasmax
Svalbard	Normal	2.575E+02	5.933E+00	7.460E-01	2016	2025	2020	3	tasmax
Svalbard	Normal	2.622E+02	4.015E+00	7.209E-01	2016	2025	2020	4	tasmax
Svalbard	Normal	2.694E+02	2.053E+00	5.372E-01	2016	2025	2020	5	tasmax
Svalbard	Normal	2.736E+02	1.012E+00	3.712E-01	2016	2025	2020	6	tasmax
Svalbard	Normal	2.753E+02	1.453E+00	3.568E-01	2016	2025	2020	7	tasmax
Svalbard	Normal	2.754E+02	1.668E+00	3.738E-01	2016	2025	2020	8	tasmax
Svalbard	Normal	2.729E+02	1.874E+00	4.255E-01	2016	2025	2020	9	tasmax
Svalbard	Normal	2.686E+02	3.110E+00	5.065E-01	2016	2025	2020	10	tasmax
Svalbard	Normal	2.643E+02	4.746E+00	9.345E-01	2016	2025	2020	11	tasmax
Svalbard	Normal	2.603E+02	6.130E+00	1.067E+00	2016	2025	2020	12	tasmax
Svalbard	Normal	2.593E+02	6.919E+00	1.600E+00	2026	2035	2030	1	tasmax
Svalbard	Normal	2.579E+02	7.124E+00	1.648E+00	2026	2035	2030	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Svalbard	Normal	2.587E+02	6.121E+00	1.078E+00	2026	2035	2030	3	tasmax
Svalbard	Normal	2.637E+02	3.917E+00	1.204E+00	2026	2035	2030	4	tasmax
Svalbard	Normal	2.699E+02	1.889E+00	4.022E-01	2026	2035	2030	5	tasmax
Svalbard	Normal	2.738E+02	1.068E+00	3.445E-01	2026	2035	2030	6	tasmax
Svalbard	Normal	2.757E+02	1.492E+00	3.652E-01	2026	2035	2030	7	tasmax
Svalbard	Normal	2.759E+02	1.733E+00	3.015E-01	2026	2035	2030	8	tasmax
Svalbard	Normal	2.736E+02	1.926E+00	3.991E-01	2026	2035	2030	9	tasmax
Svalbard	Normal	2.697E+02	3.157E+00	5.513E-01	2026	2035	2030	10	tasmax
Svalbard	Normal	2.654E+02	4.837E+00	9.521E-01	2026	2035	2030	11	tasmax
Svalbard	Normal	2.610E+02	5.677E+00	1.076E+00	2026	2035	2030	12	tasmax
Svalbard	Normal	2.609E+02	6.454E+00	1.866E+00	2036	2045	2040	1	tasmax
Svalbard	Normal	2.596E+02	6.101E+00	8.582E-01	2036	2045	2040	2	tasmax
Svalbard	Normal	2.602E+02	5.665E+00	1.195E+00	2036	2045	2040	3	tasmax
Svalbard	Normal	2.641E+02	3.823E+00	6.656E-01	2036	2045	2040	4	tasmax
Svalbard	Normal	2.704E+02	1.704E+00	2.714E-01	2036	2045	2040	5	tasmax
Svalbard	Normal	2.741E+02	1.202E+00	3.606E-01	2036	2045	2040	6	tasmax
Svalbard	Normal	2.762E+02	1.710E+00	3.567E-01	2036	2045	2040	7	tasmax
Svalbard	Normal	2.764E+02	1.711E+00	2.900E-01	2036	2045	2040	8	tasmax
Svalbard	Normal	2.742E+02	1.916E+00	5.051E-01	2036	2045	2040	9	tasmax
Svalbard	Normal	2.708E+02	2.673E+00	6.792E-01	2036	2045	2040	10	tasmax
Svalbard	Normal	2.668E+02	4.134E+00	8.457E-01	2036	2045	2040	11	tasmax
Svalbard	Normal	2.629E+02	5.771E+00	1.631E+00	2036	2045	2040	12	tasmax
Svalbard	Normal	2.623E+02	6.390E+00	2.206E+00	2046	2055	2050	1	tasmax
Svalbard	Normal	2.612E+02	6.540E+00	1.698E+00	2046	2055	2050	2	tasmax
Svalbard	Normal	2.620E+02	5.725E+00	1.368E+00	2046	2055	2050	3	tasmax
Svalbard	Normal	2.651E+02	3.708E+00	6.033E-01	2046	2055	2050	4	tasmax
Svalbard	Normal	2.709E+02	1.697E+00	3.542E-01	2046	2055	2050	5	tasmax
Svalbard	Normal	2.745E+02	1.289E+00	4.429E-01	2046	2055	2050	6	tasmax
Svalbard	Normal	2.769E+02	1.989E+00	4.021E-01	2046	2055	2050	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Svalbard	Normal	2.772E+02	1.981E+00	3.415E-01	2046	2055	2050	8	tasmax
Svalbard	Normal	2.750E+02	1.844E+00	3.778E-01	2046	2055	2050	9	tasmax
Svalbard	Normal	2.718E+02	2.550E+00	7.964E-01	2046	2055	2050	10	tasmax
Svalbard	Normal	2.684E+02	4.230E+00	1.440E+00	2046	2055	2050	11	tasmax
Svalbard	Normal	2.649E+02	6.167E+00	2.337E+00	2046	2055	2050	12	tasmax
Svalbard	Normal	2.642E+02	6.186E+00	1.873E+00	2056	2065	2060	1	tasmax
Svalbard	Normal	2.629E+02	6.493E+00	1.777E+00	2056	2065	2060	2	tasmax
Svalbard	Normal	2.624E+02	6.266E+00	9.319E-01	2056	2065	2060	3	tasmax
Svalbard	Normal	2.662E+02	3.827E+00	7.125E-01	2056	2065	2060	4	tasmax
Svalbard	Normal	2.716E+02	1.927E+00	4.847E-01	2056	2065	2060	5	tasmax
Svalbard	Normal	2.751E+02	1.807E+00	6.029E-01	2056	2065	2060	6	tasmax
Svalbard	Normal	2.776E+02	2.406E+00	5.102E-01	2056	2065	2060	7	tasmax
Svalbard	Normal	2.779E+02	2.366E+00	3.830E-01	2056	2065	2060	8	tasmax
Svalbard	Normal	2.756E+02	2.039E+00	3.375E-01	2056	2065	2060	9	tasmax
Svalbard	Normal	2.726E+02	2.523E+00	7.289E-01	2056	2065	2060	10	tasmax
Svalbard	Normal	2.695E+02	3.445E+00	7.884E-01	2056	2065	2060	11	tasmax
Svalbard	Normal	2.665E+02	5.585E+00	1.638E+00	2056	2065	2060	12	tasmax
Svalbard	Normal	2.660E+02	5.896E+00	1.649E+00	2066	2075	2070	1	tasmax
Svalbard	Normal	2.645E+02	6.425E+00	1.815E+00	2066	2075	2070	2	tasmax
Svalbard	Normal	2.644E+02	5.879E+00	1.312E+00	2066	2075	2070	3	tasmax
Svalbard	Normal	2.676E+02	3.748E+00	9.769E-01	2066	2075	2070	4	tasmax
Svalbard	Normal	2.724E+02	1.976E+00	5.793E-01	2066	2075	2070	5	tasmax
Svalbard	Normal	2.757E+02	2.073E+00	6.538E-01	2066	2075	2070	6	tasmax
Svalbard	Normal	2.784E+02	2.627E+00	6.110E-01	2066	2075	2070	7	tasmax
Svalbard	Normal	2.787E+02	2.469E+00	4.880E-01	2066	2075	2070	8	tasmax
Svalbard	Normal	2.765E+02	2.092E+00	3.344E-01	2066	2075	2070	9	tasmax
Svalbard	Normal	2.737E+02	2.239E+00	3.184E-01	2066	2075	2070	10	tasmax
Svalbard	Normal	2.709E+02	3.119E+00	5.650E-01	2066	2075	2070	11	tasmax
Svalbard	Normal	2.686E+02	4.182E+00	8.854E-01	2066	2075	2070	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Svalbard	Normal	2.678E+02	5.468E+00	2.384E+00	2076	2085	2080	1	tasmax
Svalbard	Normal	2.661E+02	5.833E+00	1.856E+00	2076	2085	2080	2	tasmax
Svalbard	Normal	2.656E+02	5.608E+00	1.344E+00	2076	2085	2080	3	tasmax
Svalbard	Normal	2.688E+02	3.237E+00	6.017E-01	2076	2085	2080	4	tasmax
Svalbard	Normal	2.731E+02	1.855E+00	5.382E-01	2076	2085	2080	5	tasmax
Svalbard	Normal	2.763E+02	2.081E+00	5.206E-01	2076	2085	2080	6	tasmax
Svalbard	Normal	2.791E+02	2.829E+00	5.805E-01	2076	2085	2080	7	tasmax
Svalbard	Normal	2.794E+02	2.628E+00	5.193E-01	2076	2085	2080	8	tasmax
Svalbard	Normal	2.771E+02	2.087E+00	3.440E-01	2076	2085	2080	9	tasmax
Svalbard	Normal	2.744E+02	2.075E+00	3.102E-01	2076	2085	2080	10	tasmax
Svalbard	Normal	2.720E+02	2.418E+00	5.509E-01	2076	2085	2080	11	tasmax
Svalbard	Normal	2.696E+02	4.433E+00	1.819E+00	2076	2085	2080	12	tasmax
Svalbard	Normal	2.689E+02	4.693E+00	1.902E+00	2086	2099	2092	1	tasmax
Svalbard	Normal	2.677E+02	4.834E+00	1.546E+00	2086	2099	2092	2	tasmax
Svalbard	Normal	2.673E+02	4.735E+00	1.568E+00	2086	2099	2092	3	tasmax
Svalbard	Normal	2.695E+02	3.148E+00	4.832E-01	2086	2099	2092	4	tasmax
Svalbard	Normal	2.737E+02	1.860E+00	4.695E-01	2086	2099	2092	5	tasmax
Svalbard	Normal	2.769E+02	2.323E+00	6.098E-01	2086	2099	2092	6	tasmax
Svalbard	Normal	2.797E+02	2.877E+00	5.065E-01	2086	2099	2092	7	tasmax
Svalbard	Normal	2.801E+02	2.721E+00	5.529E-01	2086	2099	2092	8	tasmax
Svalbard	Normal	2.778E+02	2.185E+00	4.432E-01	2086	2099	2092	9	tasmax
Svalbard	Normal	2.750E+02	2.165E+00	3.094E-01	2086	2099	2092	10	tasmax
Svalbard	Normal	2.727E+02	2.356E+00	4.129E-01	2086	2099	2092	11	tasmax
Svalbard	Normal	2.706E+02	3.206E+00	8.384E-01	2086	2099	2092	12	tasmax
Swaziland	Normal	3.005E+02	2.566E+00	1.032E+00	2006	2015	2010	1	tasmax
Swaziland	Normal	3.003E+02	2.479E+00	1.035E+00	2006	2015	2010	2	tasmax
Swaziland	Normal	2.995E+02	2.227E+00	9.644E-01	2006	2015	2010	3	tasmax
Swaziland	Normal	2.981E+02	2.239E+00	8.703E-01	2006	2015	2010	4	tasmax
Swaziland	Normal	2.953E+02	2.134E+00	8.749E-01	2006	2015	2010	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Swaziland	Normal	2.931E+02	1.715E+00	6.825E-01	2006	2015	2010	6	tasmax
Swaziland	Normal	2.931E+02	1.958E+00	5.271E-01	2006	2015	2010	7	tasmax
Swaziland	Normal	2.950E+02	2.194E+00	6.541E-01	2006	2015	2010	8	tasmax
Swaziland	Normal	2.976E+02	2.694E+00	9.157E-01	2006	2015	2010	9	tasmax
Swaziland	Normal	2.989E+02	3.145E+00	1.215E+00	2006	2015	2010	10	tasmax
Swaziland	Normal	2.992E+02	3.161E+00	1.463E+00	2006	2015	2010	11	tasmax
Swaziland	Normal	2.999E+02	2.697E+00	1.099E+00	2006	2015	2010	12	tasmax
Swaziland	Normal	3.008E+02	2.516E+00	1.039E+00	2016	2025	2020	1	tasmax
Swaziland	Normal	3.005E+02	2.162E+00	9.278E-01	2016	2025	2020	2	tasmax
Swaziland	Normal	2.999E+02	2.170E+00	1.052E+00	2016	2025	2020	3	tasmax
Swaziland	Normal	2.984E+02	2.217E+00	9.252E-01	2016	2025	2020	4	tasmax
Swaziland	Normal	2.958E+02	2.032E+00	8.030E-01	2016	2025	2020	5	tasmax
Swaziland	Normal	2.935E+02	1.733E+00	5.829E-01	2016	2025	2020	6	tasmax
Swaziland	Normal	2.936E+02	2.002E+00	6.065E-01	2016	2025	2020	7	tasmax
Swaziland	Normal	2.953E+02	2.243E+00	7.925E-01	2016	2025	2020	8	tasmax
Swaziland	Normal	2.979E+02	2.830E+00	1.103E+00	2016	2025	2020	9	tasmax
Swaziland	Normal	2.992E+02	3.253E+00	1.349E+00	2016	2025	2020	10	tasmax
Swaziland	Normal	2.997E+02	3.015E+00	1.297E+00	2016	2025	2020	11	tasmax
Swaziland	Normal	3.003E+02	2.693E+00	1.125E+00	2016	2025	2020	12	tasmax
Swaziland	Normal	3.013E+02	2.385E+00	8.923E-01	2026	2035	2030	1	tasmax
Swaziland	Normal	3.010E+02	2.143E+00	9.197E-01	2026	2035	2030	2	tasmax
Swaziland	Normal	3.003E+02	2.103E+00	1.056E+00	2026	2035	2030	3	tasmax
Swaziland	Normal	2.987E+02	2.213E+00	1.015E+00	2026	2035	2030	4	tasmax
Swaziland	Normal	2.961E+02	2.162E+00	8.431E-01	2026	2035	2030	5	tasmax
Swaziland	Normal	2.939E+02	1.742E+00	5.792E-01	2026	2035	2030	6	tasmax
Swaziland	Normal	2.939E+02	1.779E+00	5.355E-01	2026	2035	2030	7	tasmax
Swaziland	Normal	2.958E+02	2.187E+00	7.412E-01	2026	2035	2030	8	tasmax
Swaziland	Normal	2.983E+02	2.662E+00	1.006E+00	2026	2035	2030	9	tasmax
Swaziland	Normal	2.995E+02	3.181E+00	1.235E+00	2026	2035	2030	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Swaziland	Normal	3.001E+02	2.728E+00	1.262E+00	2026	2035	2030	11	tasmax
Swaziland	Normal	3.006E+02	2.543E+00	1.049E+00	2026	2035	2030	12	tasmax
Swaziland	Normal	3.013E+02	2.487E+00	1.073E+00	2036	2045	2040	1	tasmax
Swaziland	Normal	3.013E+02	2.313E+00	9.732E-01	2036	2045	2040	2	tasmax
Swaziland	Normal	3.007E+02	2.165E+00	9.958E-01	2036	2045	2040	3	tasmax
Swaziland	Normal	2.991E+02	2.274E+00	9.593E-01	2036	2045	2040	4	tasmax
Swaziland	Normal	2.967E+02	2.019E+00	7.810E-01	2036	2045	2040	5	tasmax
Swaziland	Normal	2.942E+02	1.690E+00	5.345E-01	2036	2045	2040	6	tasmax
Swaziland	Normal	2.941E+02	1.917E+00	5.425E-01	2036	2045	2040	7	tasmax
Swaziland	Normal	2.962E+02	2.368E+00	8.312E-01	2036	2045	2040	8	tasmax
Swaziland	Normal	2.988E+02	2.769E+00	1.075E+00	2036	2045	2040	9	tasmax
Swaziland	Normal	3.002E+02	3.292E+00	1.492E+00	2036	2045	2040	10	tasmax
Swaziland	Normal	3.003E+02	3.290E+00	1.652E+00	2036	2045	2040	11	tasmax
Swaziland	Normal	3.010E+02	2.841E+00	1.255E+00	2036	2045	2040	12	tasmax
Swaziland	Normal	3.020E+02	2.533E+00	1.078E+00	2046	2055	2050	1	tasmax
Swaziland	Normal	3.017E+02	2.242E+00	9.120E-01	2046	2055	2050	2	tasmax
Swaziland	Normal	3.011E+02	2.397E+00	1.230E+00	2046	2055	2050	3	tasmax
Swaziland	Normal	2.995E+02	2.463E+00	1.154E+00	2046	2055	2050	4	tasmax
Swaziland	Normal	2.968E+02	1.990E+00	8.275E-01	2046	2055	2050	5	tasmax
Swaziland	Normal	2.947E+02	1.901E+00	6.997E-01	2046	2055	2050	6	tasmax
Swaziland	Normal	2.946E+02	1.844E+00	5.561E-01	2046	2055	2050	7	tasmax
Swaziland	Normal	2.965E+02	2.091E+00	8.070E-01	2046	2055	2050	8	tasmax
Swaziland	Normal	2.994E+02	2.730E+00	9.896E-01	2046	2055	2050	9	tasmax
Swaziland	Normal	3.009E+02	3.412E+00	1.362E+00	2046	2055	2050	10	tasmax
Swaziland	Normal	3.010E+02	3.260E+00	1.614E+00	2046	2055	2050	11	tasmax
Swaziland	Normal	3.015E+02	2.910E+00	1.337E+00	2046	2055	2050	12	tasmax
Swaziland	Normal	3.023E+02	2.401E+00	9.590E-01	2056	2065	2060	1	tasmax
Swaziland	Normal	3.020E+02	2.259E+00	9.268E-01	2056	2065	2060	2	tasmax
Swaziland	Normal	3.015E+02	2.278E+00	9.572E-01	2056	2065	2060	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Swaziland	Normal	2.998E+02	2.359E+00	1.006E+00	2056	2065	2060	4	tasmax
Swaziland	Normal	2.973E+02	2.049E+00	8.727E-01	2056	2065	2060	5	tasmax
Swaziland	Normal	2.952E+02	1.716E+00	6.385E-01	2056	2065	2060	6	tasmax
Swaziland	Normal	2.951E+02	1.836E+00	6.541E-01	2056	2065	2060	7	tasmax
Swaziland	Normal	2.972E+02	2.229E+00	6.551E-01	2056	2065	2060	8	tasmax
Swaziland	Normal	2.999E+02	2.826E+00	1.057E+00	2056	2065	2060	9	tasmax
Swaziland	Normal	3.015E+02	3.395E+00	1.623E+00	2056	2065	2060	10	tasmax
Swaziland	Normal	3.015E+02	3.137E+00	1.482E+00	2056	2065	2060	11	tasmax
Swaziland	Normal	3.019E+02	2.881E+00	1.279E+00	2056	2065	2060	12	tasmax
Swaziland	Normal	3.030E+02	2.560E+00	1.139E+00	2066	2075	2070	1	tasmax
Swaziland	Normal	3.027E+02	2.481E+00	1.054E+00	2066	2075	2070	2	tasmax
Swaziland	Normal	3.023E+02	2.561E+00	1.341E+00	2066	2075	2070	3	tasmax
Swaziland	Normal	3.007E+02	2.343E+00	1.037E+00	2066	2075	2070	4	tasmax
Swaziland	Normal	2.982E+02	2.186E+00	9.047E-01	2066	2075	2070	5	tasmax
Swaziland	Normal	2.959E+02	1.786E+00	7.391E-01	2066	2075	2070	6	tasmax
Swaziland	Normal	2.958E+02	1.872E+00	5.971E-01	2066	2075	2070	7	tasmax
Swaziland	Normal	2.977E+02	2.402E+00	8.868E-01	2066	2075	2070	8	tasmax
Swaziland	Normal	3.006E+02	2.793E+00	1.050E+00	2066	2075	2070	9	tasmax
Swaziland	Normal	3.023E+02	3.234E+00	1.269E+00	2066	2075	2070	10	tasmax
Swaziland	Normal	3.022E+02	3.475E+00	1.759E+00	2066	2075	2070	11	tasmax
Swaziland	Normal	3.027E+02	2.957E+00	1.479E+00	2066	2075	2070	12	tasmax
Swaziland	Normal	3.035E+02	2.685E+00	1.219E+00	2076	2085	2080	1	tasmax
Swaziland	Normal	3.033E+02	2.416E+00	1.165E+00	2076	2085	2080	2	tasmax
Swaziland	Normal	3.028E+02	2.403E+00	1.044E+00	2076	2085	2080	3	tasmax
Swaziland	Normal	3.012E+02	2.494E+00	1.168E+00	2076	2085	2080	4	tasmax
Swaziland	Normal	2.986E+02	2.273E+00	1.057E+00	2076	2085	2080	5	tasmax
Swaziland	Normal	2.964E+02	1.872E+00	5.968E-01	2076	2085	2080	6	tasmax
Swaziland	Normal	2.963E+02	1.921E+00	6.646E-01	2076	2085	2080	7	tasmax
Swaziland	Normal	2.984E+02	2.275E+00	8.699E-01	2076	2085	2080	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Swaziland	Normal	3.011E+02	2.789E+00	1.099E+00	2076	2085	2080	9	tasmax
Swaziland	Normal	3.028E+02	3.747E+00	1.627E+00	2076	2085	2080	10	tasmax
Swaziland	Normal	3.029E+02	3.457E+00	1.944E+00	2076	2085	2080	11	tasmax
Swaziland	Normal	3.032E+02	3.138E+00	1.614E+00	2076	2085	2080	12	tasmax
Swaziland	Normal	3.042E+02	2.833E+00	1.206E+00	2086	2099	2092	1	tasmax
Swaziland	Normal	3.039E+02	2.704E+00	1.217E+00	2086	2099	2092	2	tasmax
Swaziland	Normal	3.032E+02	2.674E+00	1.354E+00	2086	2099	2092	3	tasmax
Swaziland	Normal	3.019E+02	2.640E+00	1.297E+00	2086	2099	2092	4	tasmax
Swaziland	Normal	2.994E+02	2.368E+00	1.093E+00	2086	2099	2092	5	tasmax
Swaziland	Normal	2.972E+02	1.801E+00	6.190E-01	2086	2099	2092	6	tasmax
Swaziland	Normal	2.970E+02	1.963E+00	5.760E-01	2086	2099	2092	7	tasmax
Swaziland	Normal	2.991E+02	2.281E+00	6.877E-01	2086	2099	2092	8	tasmax
Swaziland	Normal	3.019E+02	3.053E+00	1.086E+00	2086	2099	2092	9	tasmax
Swaziland	Normal	3.035E+02	3.528E+00	1.497E+00	2086	2099	2092	10	tasmax
Swaziland	Normal	3.036E+02	3.705E+00	2.116E+00	2086	2099	2092	11	tasmax
Swaziland	Normal	3.038E+02	3.182E+00	1.523E+00	2086	2099	2092	12	tasmax
Sweden	Normal	2.684E+02	3.391E+00	6.256E-01	2006	2015	2010	1	tasmax
Sweden	Normal	2.688E+02	3.267E+00	6.766E-01	2006	2015	2010	2	tasmax
Sweden	Normal	2.721E+02	2.143E+00	3.571E-01	2006	2015	2010	3	tasmax
Sweden	Normal	2.772E+02	2.053E+00	5.377E-01	2006	2015	2010	4	tasmax
Sweden	Normal	2.844E+02	2.841E+00	6.072E-01	2006	2015	2010	5	tasmax
Sweden	Normal	2.899E+02	3.139E+00	8.213E-01	2006	2015	2010	6	tasmax
Sweden	Normal	2.918E+02	3.219E+00	7.852E-01	2006	2015	2010	7	tasmax
Sweden	Normal	2.898E+02	2.846E+00	5.136E-01	2006	2015	2010	8	tasmax
Sweden	Normal	2.849E+02	2.432E+00	5.325E-01	2006	2015	2010	9	tasmax
Sweden	Normal	2.792E+02	1.991E+00	3.581E-01	2006	2015	2010	10	tasmax
Sweden	Normal	2.734E+02	2.346E+00	4.103E-01	2006	2015	2010	11	tasmax
Sweden	Normal	2.700E+02	2.881E+00	3.783E-01	2006	2015	2010	12	tasmax
Sweden	Normal	2.686E+02	3.271E+00	9.215E-01	2016	2025	2020	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sweden	Normal	2.695E+02	3.098E+00	7.548E-01	2016	2025	2020	2	tasmax
Sweden	Normal	2.727E+02	2.392E+00	4.717E-01	2016	2025	2020	3	tasmax
Sweden	Normal	2.780E+02	1.881E+00	3.785E-01	2016	2025	2020	4	tasmax
Sweden	Normal	2.851E+02	2.822E+00	4.433E-01	2016	2025	2020	5	tasmax
Sweden	Normal	2.904E+02	3.137E+00	8.644E-01	2016	2025	2020	6	tasmax
Sweden	Normal	2.924E+02	3.031E+00	6.689E-01	2016	2025	2020	7	tasmax
Sweden	Normal	2.902E+02	3.019E+00	6.354E-01	2016	2025	2020	8	tasmax
Sweden	Normal	2.854E+02	2.366E+00	4.055E-01	2016	2025	2020	9	tasmax
Sweden	Normal	2.795E+02	1.890E+00	3.523E-01	2016	2025	2020	10	tasmax
Sweden	Normal	2.744E+02	1.967E+00	3.372E-01	2016	2025	2020	11	tasmax
Sweden	Normal	2.705E+02	2.627E+00	3.783E-01	2016	2025	2020	12	tasmax
Sweden	Normal	2.690E+02	3.321E+00	6.682E-01	2026	2035	2030	1	tasmax
Sweden	Normal	2.697E+02	2.723E+00	7.936E-01	2026	2035	2030	2	tasmax
Sweden	Normal	2.731E+02	2.167E+00	6.192E-01	2026	2035	2030	3	tasmax
Sweden	Normal	2.783E+02	2.172E+00	5.683E-01	2026	2035	2030	4	tasmax
Sweden	Normal	2.853E+02	2.956E+00	5.173E-01	2026	2035	2030	5	tasmax
Sweden	Normal	2.906E+02	3.167E+00	8.454E-01	2026	2035	2030	6	tasmax
Sweden	Normal	2.927E+02	3.267E+00	1.014E+00	2026	2035	2030	7	tasmax
Sweden	Normal	2.906E+02	2.870E+00	5.489E-01	2026	2035	2030	8	tasmax
Sweden	Normal	2.857E+02	2.316E+00	4.762E-01	2026	2035	2030	9	tasmax
Sweden	Normal	2.800E+02	2.094E+00	4.483E-01	2026	2035	2030	10	tasmax
Sweden	Normal	2.748E+02	2.201E+00	5.876E-01	2026	2035	2030	11	tasmax
Sweden	Normal	2.710E+02	2.632E+00	5.040E-01	2026	2035	2030	12	tasmax
Sweden	Normal	2.700E+02	3.111E+00	1.011E+00	2036	2045	2040	1	tasmax
Sweden	Normal	2.705E+02	2.763E+00	8.834E-01	2036	2045	2040	2	tasmax
Sweden	Normal	2.736E+02	2.212E+00	5.129E-01	2036	2045	2040	3	tasmax
Sweden	Normal	2.788E+02	2.032E+00	6.373E-01	2036	2045	2040	4	tasmax
Sweden	Normal	2.856E+02	2.923E+00	5.413E-01	2036	2045	2040	5	tasmax
Sweden	Normal	2.909E+02	3.152E+00	6.214E-01	2036	2045	2040	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sweden	Normal	2.932E+02	3.309E+00	9.692E-01	2036	2045	2040	7	tasmax
Sweden	Normal	2.912E+02	2.848E+00	5.539E-01	2036	2045	2040	8	tasmax
Sweden	Normal	2.862E+02	2.169E+00	4.873E-01	2036	2045	2040	9	tasmax
Sweden	Normal	2.803E+02	1.915E+00	3.383E-01	2036	2045	2040	10	tasmax
Sweden	Normal	2.752E+02	2.147E+00	4.694E-01	2036	2045	2040	11	tasmax
Sweden	Normal	2.719E+02	2.469E+00	3.941E-01	2036	2045	2040	12	tasmax
Sweden	Normal	2.704E+02	2.782E+00	8.645E-01	2046	2055	2050	1	tasmax
Sweden	Normal	2.709E+02	2.708E+00	8.695E-01	2046	2055	2050	2	tasmax
Sweden	Normal	2.741E+02	2.178E+00	6.055E-01	2046	2055	2050	3	tasmax
Sweden	Normal	2.793E+02	2.304E+00	3.934E-01	2046	2055	2050	4	tasmax
Sweden	Normal	2.862E+02	2.995E+00	6.071E-01	2046	2055	2050	5	tasmax
Sweden	Normal	2.917E+02	3.290E+00	8.598E-01	2046	2055	2050	6	tasmax
Sweden	Normal	2.937E+02	3.321E+00	7.017E-01	2046	2055	2050	7	tasmax
Sweden	Normal	2.918E+02	3.121E+00	6.913E-01	2046	2055	2050	8	tasmax
Sweden	Normal	2.870E+02	2.284E+00	5.769E-01	2046	2055	2050	9	tasmax
Sweden	Normal	2.811E+02	1.984E+00	3.976E-01	2046	2055	2050	10	tasmax
Sweden	Normal	2.758E+02	2.347E+00	3.944E-01	2046	2055	2050	11	tasmax
Sweden	Normal	2.724E+02	2.695E+00	6.750E-01	2046	2055	2050	12	tasmax
Sweden	Normal	2.714E+02	2.728E+00	7.766E-01	2056	2065	2060	1	tasmax
Sweden	Normal	2.717E+02	2.658E+00	9.023E-01	2056	2065	2060	2	tasmax
Sweden	Normal	2.746E+02	2.456E+00	8.766E-01	2056	2065	2060	3	tasmax
Sweden	Normal	2.799E+02	1.993E+00	5.232E-01	2056	2065	2060	4	tasmax
Sweden	Normal	2.866E+02	2.839E+00	6.391E-01	2056	2065	2060	5	tasmax
Sweden	Normal	2.920E+02	3.312E+00	6.932E-01	2056	2065	2060	6	tasmax
Sweden	Normal	2.943E+02	3.427E+00	9.038E-01	2056	2065	2060	7	tasmax
Sweden	Normal	2.924E+02	3.194E+00	7.584E-01	2056	2065	2060	8	tasmax
Sweden	Normal	2.874E+02	2.502E+00	4.314E-01	2056	2065	2060	9	tasmax
Sweden	Normal	2.816E+02	1.975E+00	3.538E-01	2056	2065	2060	10	tasmax
Sweden	Normal	2.761E+02	1.965E+00	5.413E-01	2056	2065	2060	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sweden	Normal	2.727E+02	2.494E+00	5.251E-01	2056	2065	2060	12	tasmax
Sweden	Normal	2.721E+02	2.616E+00	3.857E-01	2066	2075	2070	1	tasmax
Sweden	Normal	2.722E+02	2.652E+00	7.972E-01	2066	2075	2070	2	tasmax
Sweden	Normal	2.753E+02	2.018E+00	6.463E-01	2066	2075	2070	3	tasmax
Sweden	Normal	2.808E+02	2.270E+00	5.544E-01	2066	2075	2070	4	tasmax
Sweden	Normal	2.876E+02	3.142E+00	6.395E-01	2066	2075	2070	5	tasmax
Sweden	Normal	2.929E+02	3.219E+00	7.609E-01	2066	2075	2070	6	tasmax
Sweden	Normal	2.948E+02	3.415E+00	8.252E-01	2066	2075	2070	7	tasmax
Sweden	Normal	2.931E+02	3.057E+00	6.612E-01	2066	2075	2070	8	tasmax
Sweden	Normal	2.880E+02	2.594E+00	5.428E-01	2066	2075	2070	9	tasmax
Sweden	Normal	2.821E+02	2.165E+00	5.038E-01	2066	2075	2070	10	tasmax
Sweden	Normal	2.769E+02	1.998E+00	5.661E-01	2066	2075	2070	11	tasmax
Sweden	Normal	2.735E+02	2.375E+00	4.486E-01	2066	2075	2070	12	tasmax
Sweden	Normal	2.728E+02	2.772E+00	9.387E-01	2076	2085	2080	1	tasmax
Sweden	Normal	2.728E+02	2.533E+00	8.307E-01	2076	2085	2080	2	tasmax
Sweden	Normal	2.757E+02	2.046E+00	5.036E-01	2076	2085	2080	3	tasmax
Sweden	Normal	2.811E+02	2.088E+00	4.757E-01	2076	2085	2080	4	tasmax
Sweden	Normal	2.879E+02	2.947E+00	6.432E-01	2076	2085	2080	5	tasmax
Sweden	Normal	2.934E+02	3.186E+00	6.252E-01	2076	2085	2080	6	tasmax
Sweden	Normal	2.956E+02	3.557E+00	6.785E-01	2076	2085	2080	7	tasmax
Sweden	Normal	2.938E+02	3.158E+00	6.911E-01	2076	2085	2080	8	tasmax
Sweden	Normal	2.888E+02	2.621E+00	4.661E-01	2076	2085	2080	9	tasmax
Sweden	Normal	2.829E+02	2.065E+00	4.555E-01	2076	2085	2080	10	tasmax
Sweden	Normal	2.775E+02	1.814E+00	3.102E-01	2076	2085	2080	11	tasmax
Sweden	Normal	2.744E+02	2.171E+00	3.879E-01	2076	2085	2080	12	tasmax
Sweden	Normal	2.732E+02	2.322E+00	3.368E-01	2086	2099	2092	1	tasmax
Sweden	Normal	2.733E+02	2.040E+00	6.536E-01	2086	2099	2092	2	tasmax
Sweden	Normal	2.761E+02	1.859E+00	5.514E-01	2086	2099	2092	3	tasmax
Sweden	Normal	2.816E+02	2.213E+00	6.149E-01	2086	2099	2092	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Sweden	Normal	2.884E+02	3.145E+00	7.543E-01	2086	2099	2092	5	tasmax
Sweden	Normal	2.939E+02	3.433E+00	9.995E-01	2086	2099	2092	6	tasmax
Sweden	Normal	2.960E+02	3.504E+00	7.294E-01	2086	2099	2092	7	tasmax
Sweden	Normal	2.944E+02	3.145E+00	7.475E-01	2086	2099	2092	8	tasmax
Sweden	Normal	2.895E+02	2.591E+00	5.681E-01	2086	2099	2092	9	tasmax
Sweden	Normal	2.835E+02	2.123E+00	4.348E-01	2086	2099	2092	10	tasmax
Sweden	Normal	2.780E+02	2.040E+00	4.908E-01	2086	2099	2092	11	tasmax
Sweden	Normal	2.748E+02	2.133E+00	4.932E-01	2086	2099	2092	12	tasmax
Switzerland	Normal	2.756E+02	2.186E+00	3.364E-01	2006	2015	2010	1	tasmax
Switzerland	Normal	2.768E+02	2.060E+00	3.394E-01	2006	2015	2010	2	tasmax
Switzerland	Normal	2.797E+02	2.123E+00	3.793E-01	2006	2015	2010	3	tasmax
Switzerland	Normal	2.842E+02	2.585E+00	6.049E-01	2006	2015	2010	4	tasmax
Switzerland	Normal	2.887E+02	2.644E+00	7.296E-01	2006	2015	2010	5	tasmax
Switzerland	Normal	2.934E+02	2.707E+00	6.045E-01	2006	2015	2010	6	tasmax
Switzerland	Normal	2.956E+02	2.615E+00	7.110E-01	2006	2015	2010	7	tasmax
Switzerland	Normal	2.950E+02	2.690E+00	4.898E-01	2006	2015	2010	8	tasmax
Switzerland	Normal	2.908E+02	2.353E+00	4.008E-01	2006	2015	2010	9	tasmax
Switzerland	Normal	2.851E+02	2.634E+00	5.980E-01	2006	2015	2010	10	tasmax
Switzerland	Normal	2.797E+02	2.183E+00	3.651E-01	2006	2015	2010	11	tasmax
Switzerland	Normal	2.766E+02	2.074E+00	4.132E-01	2006	2015	2010	12	tasmax
Switzerland	Normal	2.758E+02	2.200E+00	3.895E-01	2016	2025	2020	1	tasmax
Switzerland	Normal	2.772E+02	1.965E+00	2.829E-01	2016	2025	2020	2	tasmax
Switzerland	Normal	2.803E+02	2.163E+00	4.104E-01	2016	2025	2020	3	tasmax
Switzerland	Normal	2.844E+02	2.268E+00	6.397E-01	2016	2025	2020	4	tasmax
Switzerland	Normal	2.892E+02	2.519E+00	5.942E-01	2016	2025	2020	5	tasmax
Switzerland	Normal	2.939E+02	2.654E+00	7.294E-01	2016	2025	2020	6	tasmax
Switzerland	Normal	2.962E+02	2.605E+00	6.860E-01	2016	2025	2020	7	tasmax
Switzerland	Normal	2.956E+02	2.974E+00	6.211E-01	2016	2025	2020	8	tasmax
Switzerland	Normal	2.914E+02	2.954E+00	5.860E-01	2016	2025	2020	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Switzerland	Normal	2.857E+02	2.453E+00	4.375E-01	2016	2025	2020	10	tasmax
Switzerland	Normal	2.803E+02	2.048E+00	6.109E-01	2016	2025	2020	11	tasmax
Switzerland	Normal	2.768E+02	2.074E+00	3.476E-01	2016	2025	2020	12	tasmax
Switzerland	Normal	2.763E+02	2.265E+00	3.109E-01	2026	2035	2030	1	tasmax
Switzerland	Normal	2.773E+02	1.921E+00	3.226E-01	2026	2035	2030	2	tasmax
Switzerland	Normal	2.808E+02	2.115E+00	5.817E-01	2026	2035	2030	3	tasmax
Switzerland	Normal	2.848E+02	2.359E+00	4.390E-01	2026	2035	2030	4	tasmax
Switzerland	Normal	2.897E+02	2.747E+00	4.603E-01	2026	2035	2030	5	tasmax
Switzerland	Normal	2.942E+02	2.781E+00	7.174E-01	2026	2035	2030	6	tasmax
Switzerland	Normal	2.968E+02	2.545E+00	8.240E-01	2026	2035	2030	7	tasmax
Switzerland	Normal	2.960E+02	2.916E+00	5.321E-01	2026	2035	2030	8	tasmax
Switzerland	Normal	2.917E+02	2.780E+00	5.435E-01	2026	2035	2030	9	tasmax
Switzerland	Normal	2.863E+02	2.580E+00	6.801E-01	2026	2035	2030	10	tasmax
Switzerland	Normal	2.806E+02	2.074E+00	4.315E-01	2026	2035	2030	11	tasmax
Switzerland	Normal	2.775E+02	2.366E+00	4.937E-01	2026	2035	2030	12	tasmax
Switzerland	Normal	2.770E+02	2.098E+00	3.358E-01	2036	2045	2040	1	tasmax
Switzerland	Normal	2.782E+02	1.944E+00	4.098E-01	2036	2045	2040	2	tasmax
Switzerland	Normal	2.811E+02	2.264E+00	4.544E-01	2036	2045	2040	3	tasmax
Switzerland	Normal	2.853E+02	2.457E+00	6.044E-01	2036	2045	2040	4	tasmax
Switzerland	Normal	2.901E+02	2.490E+00	5.551E-01	2036	2045	2040	5	tasmax
Switzerland	Normal	2.950E+02	2.964E+00	7.532E-01	2036	2045	2040	6	tasmax
Switzerland	Normal	2.976E+02	2.924E+00	7.798E-01	2036	2045	2040	7	tasmax
Switzerland	Normal	2.969E+02	3.335E+00	7.282E-01	2036	2045	2040	8	tasmax
Switzerland	Normal	2.925E+02	2.821E+00	5.580E-01	2036	2045	2040	9	tasmax
Switzerland	Normal	2.866E+02	2.278E+00	3.894E-01	2036	2045	2040	10	tasmax
Switzerland	Normal	2.813E+02	2.124E+00	4.462E-01	2036	2045	2040	11	tasmax
Switzerland	Normal	2.781E+02	2.284E+00	6.050E-01	2036	2045	2040	12	tasmax
Switzerland	Normal	2.774E+02	2.126E+00	4.106E-01	2046	2055	2050	1	tasmax
Switzerland	Normal	2.784E+02	1.926E+00	3.517E-01	2046	2055	2050	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Switzerland	Normal	2.815E+02	2.167E+00	3.682E-01	2046	2055	2050	3	tasmax
Switzerland	Normal	2.858E+02	2.787E+00	6.039E-01	2046	2055	2050	4	tasmax
Switzerland	Normal	2.906E+02	2.761E+00	5.463E-01	2046	2055	2050	5	tasmax
Switzerland	Normal	2.954E+02	2.895E+00	6.536E-01	2046	2055	2050	6	tasmax
Switzerland	Normal	2.985E+02	3.372E+00	8.187E-01	2046	2055	2050	7	tasmax
Switzerland	Normal	2.976E+02	3.275E+00	7.973E-01	2046	2055	2050	8	tasmax
Switzerland	Normal	2.931E+02	2.739E+00	5.814E-01	2046	2055	2050	9	tasmax
Switzerland	Normal	2.872E+02	2.589E+00	5.195E-01	2046	2055	2050	10	tasmax
Switzerland	Normal	2.818E+02	2.163E+00	5.254E-01	2046	2055	2050	11	tasmax
Switzerland	Normal	2.783E+02	2.037E+00	3.187E-01	2046	2055	2050	12	tasmax
Switzerland	Normal	2.779E+02	2.174E+00	3.536E-01	2056	2065	2060	1	tasmax
Switzerland	Normal	2.790E+02	2.301E+00	4.459E-01	2056	2065	2060	2	tasmax
Switzerland	Normal	2.821E+02	2.450E+00	6.485E-01	2056	2065	2060	3	tasmax
Switzerland	Normal	2.864E+02	2.711E+00	5.428E-01	2056	2065	2060	4	tasmax
Switzerland	Normal	2.912E+02	3.130E+00	4.630E-01	2056	2065	2060	5	tasmax
Switzerland	Normal	2.961E+02	3.069E+00	8.099E-01	2056	2065	2060	6	tasmax
Switzerland	Normal	2.992E+02	3.291E+00	1.072E+00	2056	2065	2060	7	tasmax
Switzerland	Normal	2.987E+02	3.565E+00	8.274E-01	2056	2065	2060	8	tasmax
Switzerland	Normal	2.941E+02	3.083E+00	7.651E-01	2056	2065	2060	9	tasmax
Switzerland	Normal	2.878E+02	2.641E+00	5.895E-01	2056	2065	2060	10	tasmax
Switzerland	Normal	2.824E+02	2.225E+00	3.149E-01	2056	2065	2060	11	tasmax
Switzerland	Normal	2.790E+02	2.239E+00	4.109E-01	2056	2065	2060	12	tasmax
Switzerland	Normal	2.783E+02	2.093E+00	3.326E-01	2066	2075	2070	1	tasmax
Switzerland	Normal	2.795E+02	1.929E+00	3.221E-01	2066	2075	2070	2	tasmax
Switzerland	Normal	2.827E+02	2.333E+00	3.711E-01	2066	2075	2070	3	tasmax
Switzerland	Normal	2.873E+02	2.804E+00	6.146E-01	2066	2075	2070	4	tasmax
Switzerland	Normal	2.920E+02	2.893E+00	5.747E-01	2066	2075	2070	5	tasmax
Switzerland	Normal	2.971E+02	3.553E+00	9.044E-01	2066	2075	2070	6	tasmax
Switzerland	Normal	3.000E+02	3.815E+00	1.223E+00	2066	2075	2070	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Switzerland	Normal	2.999E+02	4.103E+00	8.816E-01	2066	2075	2070	8	tasmax
Switzerland	Normal	2.952E+02	3.320E+00	8.755E-01	2066	2075	2070	9	tasmax
Switzerland	Normal	2.887E+02	2.993E+00	7.217E-01	2066	2075	2070	10	tasmax
Switzerland	Normal	2.828E+02	2.229E+00	3.677E-01	2066	2075	2070	11	tasmax
Switzerland	Normal	2.795E+02	2.194E+00	3.022E-01	2066	2075	2070	12	tasmax
Switzerland	Normal	2.791E+02	2.044E+00	4.874E-01	2076	2085	2080	1	tasmax
Switzerland	Normal	2.803E+02	2.320E+00	5.105E-01	2076	2085	2080	2	tasmax
Switzerland	Normal	2.833E+02	2.626E+00	5.369E-01	2076	2085	2080	3	tasmax
Switzerland	Normal	2.874E+02	3.035E+00	5.874E-01	2076	2085	2080	4	tasmax
Switzerland	Normal	2.929E+02	3.086E+00	6.525E-01	2076	2085	2080	5	tasmax
Switzerland	Normal	2.980E+02	3.280E+00	7.575E-01	2076	2085	2080	6	tasmax
Switzerland	Normal	3.012E+02	3.944E+00	1.291E+00	2076	2085	2080	7	tasmax
Switzerland	Normal	3.009E+02	4.273E+00	9.835E-01	2076	2085	2080	8	tasmax
Switzerland	Normal	2.960E+02	3.470E+00	7.813E-01	2076	2085	2080	9	tasmax
Switzerland	Normal	2.891E+02	3.010E+00	4.167E-01	2076	2085	2080	10	tasmax
Switzerland	Normal	2.833E+02	2.193E+00	4.492E-01	2076	2085	2080	11	tasmax
Switzerland	Normal	2.801E+02	2.151E+00	5.104E-01	2076	2085	2080	12	tasmax
Switzerland	Normal	2.794E+02	2.025E+00	3.788E-01	2086	2099	2092	1	tasmax
Switzerland	Normal	2.808E+02	2.033E+00	4.583E-01	2086	2099	2092	2	tasmax
Switzerland	Normal	2.837E+02	2.421E+00	5.915E-01	2086	2099	2092	3	tasmax
Switzerland	Normal	2.881E+02	3.007E+00	4.902E-01	2086	2099	2092	4	tasmax
Switzerland	Normal	2.932E+02	3.181E+00	7.766E-01	2086	2099	2092	5	tasmax
Switzerland	Normal	2.987E+02	3.685E+00	9.519E-01	2086	2099	2092	6	tasmax
Switzerland	Normal	3.022E+02	4.391E+00	1.083E+00	2086	2099	2092	7	tasmax
Switzerland	Normal	3.017E+02	4.282E+00	1.074E+00	2086	2099	2092	8	tasmax
Switzerland	Normal	2.969E+02	3.719E+00	1.169E+00	2086	2099	2092	9	tasmax
Switzerland	Normal	2.901E+02	3.109E+00	6.485E-01	2086	2099	2092	10	tasmax
Switzerland	Normal	2.841E+02	2.102E+00	3.487E-01	2086	2099	2092	11	tasmax
Switzerland	Normal	2.806E+02	2.312E+00	3.497E-01	2086	2099	2092	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Syria	Normal	2.842E+02	2.680E+00	6.666E-01	2006	2015	2010	1	tasmax
Syria	Normal	2.870E+02	3.016E+00	6.354E-01	2006	2015	2010	2	tasmax
Syria	Normal	2.914E+02	3.051E+00	7.759E-01	2006	2015	2010	3	tasmax
Syria	Normal	2.964E+02	2.891E+00	9.121E-01	2006	2015	2010	4	tasmax
Syria	Normal	3.016E+02	3.104E+00	8.409E-01	2006	2015	2010	5	tasmax
Syria	Normal	3.074E+02	2.749E+00	4.572E-01	2006	2015	2010	6	tasmax
Syria	Normal	3.112E+02	2.796E+00	5.875E-01	2006	2015	2010	7	tasmax
Syria	Normal	3.110E+02	2.852E+00	5.173E-01	2006	2015	2010	8	tasmax
Syria	Normal	3.066E+02	2.390E+00	3.964E-01	2006	2015	2010	9	tasmax
Syria	Normal	2.991E+02	2.673E+00	4.095E-01	2006	2015	2010	10	tasmax
Syria	Normal	2.910E+02	2.586E+00	6.153E-01	2006	2015	2010	11	tasmax
Syria	Normal	2.855E+02	2.534E+00	5.660E-01	2006	2015	2010	12	tasmax
Syria	Normal	2.847E+02	2.586E+00	5.676E-01	2016	2025	2020	1	tasmax
Syria	Normal	2.872E+02	2.917E+00	7.037E-01	2016	2025	2020	2	tasmax
Syria	Normal	2.916E+02	3.353E+00	1.031E+00	2016	2025	2020	3	tasmax
Syria	Normal	2.967E+02	3.175E+00	9.519E-01	2016	2025	2020	4	tasmax
Syria	Normal	3.019E+02	2.881E+00	7.805E-01	2016	2025	2020	5	tasmax
Syria	Normal	3.079E+02	2.618E+00	4.417E-01	2016	2025	2020	6	tasmax
Syria	Normal	3.118E+02	2.782E+00	4.852E-01	2016	2025	2020	7	tasmax
Syria	Normal	3.115E+02	3.025E+00	5.359E-01	2016	2025	2020	8	tasmax
Syria	Normal	3.069E+02	2.525E+00	4.035E-01	2016	2025	2020	9	tasmax
Syria	Normal	2.995E+02	2.830E+00	5.440E-01	2016	2025	2020	10	tasmax
Syria	Normal	2.913E+02	2.960E+00	5.638E-01	2016	2025	2020	11	tasmax
Syria	Normal	2.859E+02	2.609E+00	4.853E-01	2016	2025	2020	12	tasmax
Syria	Normal	2.850E+02	2.659E+00	5.980E-01	2026	2035	2030	1	tasmax
Syria	Normal	2.877E+02	2.883E+00	8.787E-01	2026	2035	2030	2	tasmax
Syria	Normal	2.922E+02	3.326E+00	1.159E+00	2026	2035	2030	3	tasmax
Syria	Normal	2.972E+02	2.967E+00	9.321E-01	2026	2035	2030	4	tasmax
Syria	Normal	3.024E+02	3.076E+00	8.113E-01	2026	2035	2030	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Syria	Normal	3.086E+02	2.712E+00	4.144E-01	2026	2035	2030	6	tasmax
Syria	Normal	3.124E+02	2.897E+00	4.987E-01	2026	2035	2030	7	tasmax
Syria	Normal	3.122E+02	3.091E+00	5.293E-01	2026	2035	2030	8	tasmax
Syria	Normal	3.076E+02	2.448E+00	3.718E-01	2026	2035	2030	9	tasmax
Syria	Normal	2.999E+02	2.770E+00	5.862E-01	2026	2035	2030	10	tasmax
Syria	Normal	2.918E+02	2.793E+00	6.019E-01	2026	2035	2030	11	tasmax
Syria	Normal	2.863E+02	2.501E+00	5.995E-01	2026	2035	2030	12	tasmax
Syria	Normal	2.854E+02	2.681E+00	5.254E-01	2036	2045	2040	1	tasmax
Syria	Normal	2.881E+02	2.737E+00	8.415E-01	2036	2045	2040	2	tasmax
Syria	Normal	2.928E+02	3.263E+00	9.746E-01	2036	2045	2040	3	tasmax
Syria	Normal	2.977E+02	3.345E+00	8.293E-01	2036	2045	2040	4	tasmax
Syria	Normal	3.033E+02	2.916E+00	6.992E-01	2036	2045	2040	5	tasmax
Syria	Normal	3.093E+02	2.780E+00	4.478E-01	2036	2045	2040	6	tasmax
Syria	Normal	3.129E+02	2.932E+00	4.351E-01	2036	2045	2040	7	tasmax
Syria	Normal	3.127E+02	3.166E+00	5.068E-01	2036	2045	2040	8	tasmax
Syria	Normal	3.083E+02	2.602E+00	4.007E-01	2036	2045	2040	9	tasmax
Syria	Normal	3.006E+02	2.867E+00	5.718E-01	2036	2045	2040	10	tasmax
Syria	Normal	2.925E+02	3.018E+00	6.456E-01	2036	2045	2040	11	tasmax
Syria	Normal	2.866E+02	2.672E+00	5.254E-01	2036	2045	2040	12	tasmax
Syria	Normal	2.861E+02	2.872E+00	6.723E-01	2046	2055	2050	1	tasmax
Syria	Normal	2.888E+02	2.905E+00	6.458E-01	2046	2055	2050	2	tasmax
Syria	Normal	2.933E+02	2.936E+00	9.386E-01	2046	2055	2050	3	tasmax
Syria	Normal	2.982E+02	3.064E+00	1.104E+00	2046	2055	2050	4	tasmax
Syria	Normal	3.037E+02	3.041E+00	8.621E-01	2046	2055	2050	5	tasmax
Syria	Normal	3.098E+02	2.799E+00	4.311E-01	2046	2055	2050	6	tasmax
Syria	Normal	3.137E+02	3.004E+00	4.639E-01	2046	2055	2050	7	tasmax
Syria	Normal	3.138E+02	3.067E+00	4.967E-01	2046	2055	2050	8	tasmax
Syria	Normal	3.089E+02	2.573E+00	3.088E-01	2046	2055	2050	9	tasmax
Syria	Normal	3.015E+02	2.794E+00	6.085E-01	2046	2055	2050	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Syria	Normal	2.930E+02	2.981E+00	5.479E-01	2046	2055	2050	11	tasmax
Syria	Normal	2.871E+02	2.660E+00	4.922E-01	2046	2055	2050	12	tasmax
Syria	Normal	2.866E+02	2.757E+00	6.375E-01	2056	2065	2060	1	tasmax
Syria	Normal	2.892E+02	2.829E+00	8.468E-01	2056	2065	2060	2	tasmax
Syria	Normal	2.937E+02	3.280E+00	1.180E+00	2056	2065	2060	3	tasmax
Syria	Normal	2.988E+02	3.217E+00	1.070E+00	2056	2065	2060	4	tasmax
Syria	Normal	3.043E+02	3.069E+00	8.226E-01	2056	2065	2060	5	tasmax
Syria	Normal	3.106E+02	2.822E+00	4.717E-01	2056	2065	2060	6	tasmax
Syria	Normal	3.146E+02	2.893E+00	4.410E-01	2056	2065	2060	7	tasmax
Syria	Normal	3.145E+02	3.207E+00	4.586E-01	2056	2065	2060	8	tasmax
Syria	Normal	3.098E+02	2.813E+00	4.860E-01	2056	2065	2060	9	tasmax
Syria	Normal	3.021E+02	2.966E+00	6.539E-01	2056	2065	2060	10	tasmax
Syria	Normal	2.938E+02	3.060E+00	6.625E-01	2056	2065	2060	11	tasmax
Syria	Normal	2.878E+02	2.558E+00	4.819E-01	2056	2065	2060	12	tasmax
Syria	Normal	2.872E+02	2.595E+00	5.587E-01	2066	2075	2070	1	tasmax
Syria	Normal	2.900E+02	2.863E+00	6.155E-01	2066	2075	2070	2	tasmax
Syria	Normal	2.944E+02	3.677E+00	1.287E+00	2066	2075	2070	3	tasmax
Syria	Normal	2.997E+02	3.368E+00	1.111E+00	2066	2075	2070	4	tasmax
Syria	Normal	3.054E+02	3.514E+00	1.193E+00	2066	2075	2070	5	tasmax
Syria	Normal	3.114E+02	3.011E+00	3.925E-01	2066	2075	2070	6	tasmax
Syria	Normal	3.152E+02	2.785E+00	3.875E-01	2066	2075	2070	7	tasmax
Syria	Normal	3.153E+02	3.154E+00	4.696E-01	2066	2075	2070	8	tasmax
Syria	Normal	3.107E+02	2.607E+00	5.190E-01	2066	2075	2070	9	tasmax
Syria	Normal	3.028E+02	3.154E+00	6.472E-01	2066	2075	2070	10	tasmax
Syria	Normal	2.944E+02	3.229E+00	7.528E-01	2066	2075	2070	11	tasmax
Syria	Normal	2.887E+02	2.640E+00	5.186E-01	2066	2075	2070	12	tasmax
Syria	Normal	2.877E+02	2.733E+00	5.724E-01	2076	2085	2080	1	tasmax
Syria	Normal	2.907E+02	3.265E+00	1.109E+00	2076	2085	2080	2	tasmax
Syria	Normal	2.951E+02	3.692E+00	1.166E+00	2076	2085	2080	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Syria	Normal	3.005E+02	3.600E+00	1.108E+00	2076	2085	2080	4	tasmax
Syria	Normal	3.059E+02	3.470E+00	8.406E-01	2076	2085	2080	5	tasmax
Syria	Normal	3.123E+02	3.133E+00	5.106E-01	2076	2085	2080	6	tasmax
Syria	Normal	3.161E+02	3.113E+00	4.274E-01	2076	2085	2080	7	tasmax
Syria	Normal	3.159E+02	3.206E+00	5.145E-01	2076	2085	2080	8	tasmax
Syria	Normal	3.112E+02	2.931E+00	5.646E-01	2076	2085	2080	9	tasmax
Syria	Normal	3.036E+02	3.184E+00	6.956E-01	2076	2085	2080	10	tasmax
Syria	Normal	2.951E+02	3.474E+00	8.389E-01	2076	2085	2080	11	tasmax
Syria	Normal	2.891E+02	2.957E+00	5.952E-01	2076	2085	2080	12	tasmax
Syria	Normal	2.880E+02	2.848E+00	6.401E-01	2086	2099	2092	1	tasmax
Syria	Normal	2.909E+02	3.284E+00	8.140E-01	2086	2099	2092	2	tasmax
Syria	Normal	2.959E+02	4.218E+00	1.494E+00	2086	2099	2092	3	tasmax
Syria	Normal	3.009E+02	3.763E+00	1.226E+00	2086	2099	2092	4	tasmax
Syria	Normal	3.066E+02	3.618E+00	9.383E-01	2086	2099	2092	5	tasmax
Syria	Normal	3.129E+02	3.174E+00	5.533E-01	2086	2099	2092	6	tasmax
Syria	Normal	3.167E+02	3.131E+00	5.079E-01	2086	2099	2092	7	tasmax
Syria	Normal	3.167E+02	3.270E+00	4.879E-01	2086	2099	2092	8	tasmax
Syria	Normal	3.122E+02	3.003E+00	4.146E-01	2086	2099	2092	9	tasmax
Syria	Normal	3.042E+02	3.457E+00	7.322E-01	2086	2099	2092	10	tasmax
Syria	Normal	2.957E+02	3.474E+00	8.335E-01	2086	2099	2092	11	tasmax
Syria	Normal	2.897E+02	3.045E+00	7.874E-01	2086	2099	2092	12	tasmax
Tajikistan	Normal	2.668E+02	2.789E+00	6.904E-01	2006	2015	2010	1	tasmax
Tajikistan	Normal	2.687E+02	2.946E+00	6.744E-01	2006	2015	2010	2	tasmax
Tajikistan	Normal	2.733E+02	2.716E+00	6.220E-01	2006	2015	2010	3	tasmax
Tajikistan	Normal	2.795E+02	2.789E+00	5.760E-01	2006	2015	2010	4	tasmax
Tajikistan	Normal	2.855E+02	2.917E+00	6.169E-01	2006	2015	2010	5	tasmax
Tajikistan	Normal	2.912E+02	3.160E+00	7.516E-01	2006	2015	2010	6	tasmax
Tajikistan	Normal	2.953E+02	3.481E+00	8.284E-01	2006	2015	2010	7	tasmax
Tajikistan	Normal	2.953E+02	3.572E+00	9.636E-01	2006	2015	2010	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tajikistan	Normal	2.900E+02	3.169E+00	8.896E-01	2006	2015	2010	9	tasmax
Tajikistan	Normal	2.819E+02	2.915E+00	6.781E-01	2006	2015	2010	10	tasmax
Tajikistan	Normal	2.742E+02	2.875E+00	6.252E-01	2006	2015	2010	11	tasmax
Tajikistan	Normal	2.684E+02	2.958E+00	6.291E-01	2006	2015	2010	12	tasmax
Tajikistan	Normal	2.670E+02	2.972E+00	6.347E-01	2016	2025	2020	1	tasmax
Tajikistan	Normal	2.690E+02	2.790E+00	5.705E-01	2016	2025	2020	2	tasmax
Tajikistan	Normal	2.738E+02	3.033E+00	5.532E-01	2016	2025	2020	3	tasmax
Tajikistan	Normal	2.798E+02	2.849E+00	3.662E-01	2016	2025	2020	4	tasmax
Tajikistan	Normal	2.858E+02	3.133E+00	9.837E-01	2016	2025	2020	5	tasmax
Tajikistan	Normal	2.918E+02	3.442E+00	9.133E-01	2016	2025	2020	6	tasmax
Tajikistan	Normal	2.959E+02	3.582E+00	7.984E-01	2016	2025	2020	7	tasmax
Tajikistan	Normal	2.957E+02	3.492E+00	7.891E-01	2016	2025	2020	8	tasmax
Tajikistan	Normal	2.904E+02	3.088E+00	7.905E-01	2016	2025	2020	9	tasmax
Tajikistan	Normal	2.823E+02	2.662E+00	5.404E-01	2016	2025	2020	10	tasmax
Tajikistan	Normal	2.743E+02	2.966E+00	6.259E-01	2016	2025	2020	11	tasmax
Tajikistan	Normal	2.688E+02	2.953E+00	7.422E-01	2016	2025	2020	12	tasmax
Tajikistan	Normal	2.677E+02	3.096E+00	6.223E-01	2026	2035	2030	1	tasmax
Tajikistan	Normal	2.699E+02	3.291E+00	8.594E-01	2026	2035	2030	2	tasmax
Tajikistan	Normal	2.744E+02	2.997E+00	5.045E-01	2026	2035	2030	3	tasmax
Tajikistan	Normal	2.801E+02	3.006E+00	7.322E-01	2026	2035	2030	4	tasmax
Tajikistan	Normal	2.863E+02	3.023E+00	8.657E-01	2026	2035	2030	5	tasmax
Tajikistan	Normal	2.922E+02	3.322E+00	9.216E-01	2026	2035	2030	6	tasmax
Tajikistan	Normal	2.965E+02	3.575E+00	7.483E-01	2026	2035	2030	7	tasmax
Tajikistan	Normal	2.963E+02	3.460E+00	8.145E-01	2026	2035	2030	8	tasmax
Tajikistan	Normal	2.912E+02	3.262E+00	7.227E-01	2026	2035	2030	9	tasmax
Tajikistan	Normal	2.830E+02	3.202E+00	7.886E-01	2026	2035	2030	10	tasmax
Tajikistan	Normal	2.748E+02	3.030E+00	6.178E-01	2026	2035	2030	11	tasmax
Tajikistan	Normal	2.693E+02	2.942E+00	6.149E-01	2026	2035	2030	12	tasmax
Tajikistan	Normal	2.681E+02	3.066E+00	5.941E-01	2036	2045	2040	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tajikistan	Normal	2.701E+02	2.864E+00	7.534E-01	2036	2045	2040	2	tasmax
Tajikistan	Normal	2.749E+02	2.921E+00	4.467E-01	2036	2045	2040	3	tasmax
Tajikistan	Normal	2.808E+02	3.270E+00	7.153E-01	2036	2045	2040	4	tasmax
Tajikistan	Normal	2.870E+02	3.460E+00	8.579E-01	2036	2045	2040	5	tasmax
Tajikistan	Normal	2.930E+02	3.436E+00	6.566E-01	2036	2045	2040	6	tasmax
Tajikistan	Normal	2.973E+02	3.422E+00	4.995E-01	2036	2045	2040	7	tasmax
Tajikistan	Normal	2.972E+02	3.278E+00	7.071E-01	2036	2045	2040	8	tasmax
Tajikistan	Normal	2.917E+02	3.134E+00	7.512E-01	2036	2045	2040	9	tasmax
Tajikistan	Normal	2.838E+02	3.014E+00	4.996E-01	2036	2045	2040	10	tasmax
Tajikistan	Normal	2.756E+02	3.287E+00	5.051E-01	2036	2045	2040	11	tasmax
Tajikistan	Normal	2.700E+02	2.986E+00	6.730E-01	2036	2045	2040	12	tasmax
Tajikistan	Normal	2.688E+02	3.148E+00	7.689E-01	2046	2055	2050	1	tasmax
Tajikistan	Normal	2.708E+02	3.043E+00	8.143E-01	2046	2055	2050	2	tasmax
Tajikistan	Normal	2.754E+02	3.233E+00	8.982E-01	2046	2055	2050	3	tasmax
Tajikistan	Normal	2.816E+02	3.208E+00	8.021E-01	2046	2055	2050	4	tasmax
Tajikistan	Normal	2.876E+02	3.163E+00	7.582E-01	2046	2055	2050	5	tasmax
Tajikistan	Normal	2.938E+02	3.303E+00	5.270E-01	2046	2055	2050	6	tasmax
Tajikistan	Normal	2.981E+02	3.493E+00	5.230E-01	2046	2055	2050	7	tasmax
Tajikistan	Normal	2.982E+02	3.295E+00	5.976E-01	2046	2055	2050	8	tasmax
Tajikistan	Normal	2.929E+02	3.377E+00	6.114E-01	2046	2055	2050	9	tasmax
Tajikistan	Normal	2.845E+02	2.868E+00	4.621E-01	2046	2055	2050	10	tasmax
Tajikistan	Normal	2.766E+02	3.153E+00	6.671E-01	2046	2055	2050	11	tasmax
Tajikistan	Normal	2.705E+02	3.274E+00	6.963E-01	2046	2055	2050	12	tasmax
Tajikistan	Normal	2.697E+02	3.436E+00	7.246E-01	2056	2065	2060	1	tasmax
Tajikistan	Normal	2.717E+02	3.286E+00	7.985E-01	2056	2065	2060	2	tasmax
Tajikistan	Normal	2.763E+02	3.349E+00	8.102E-01	2056	2065	2060	3	tasmax
Tajikistan	Normal	2.823E+02	3.533E+00	8.336E-01	2056	2065	2060	4	tasmax
Tajikistan	Normal	2.884E+02	3.547E+00	8.867E-01	2056	2065	2060	5	tasmax
Tajikistan	Normal	2.948E+02	3.527E+00	5.538E-01	2056	2065	2060	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tajikistan	Normal	2.991E+02	3.345E+00	4.355E-01	2056	2065	2060	7	tasmax
Tajikistan	Normal	2.989E+02	3.272E+00	7.114E-01	2056	2065	2060	8	tasmax
Tajikistan	Normal	2.935E+02	3.338E+00	5.917E-01	2056	2065	2060	9	tasmax
Tajikistan	Normal	2.853E+02	3.093E+00	4.862E-01	2056	2065	2060	10	tasmax
Tajikistan	Normal	2.775E+02	3.299E+00	5.856E-01	2056	2065	2060	11	tasmax
Tajikistan	Normal	2.716E+02	3.376E+00	8.234E-01	2056	2065	2060	12	tasmax
Tajikistan	Normal	2.700E+02	3.048E+00	6.624E-01	2066	2075	2070	1	tasmax
Tajikistan	Normal	2.725E+02	3.203E+00	8.699E-01	2066	2075	2070	2	tasmax
Tajikistan	Normal	2.773E+02	3.088E+00	7.863E-01	2066	2075	2070	3	tasmax
Tajikistan	Normal	2.828E+02	3.460E+00	8.940E-01	2066	2075	2070	4	tasmax
Tajikistan	Normal	2.893E+02	3.471E+00	7.439E-01	2066	2075	2070	5	tasmax
Tajikistan	Normal	2.961E+02	3.313E+00	4.529E-01	2066	2075	2070	6	tasmax
Tajikistan	Normal	3.001E+02	3.472E+00	5.025E-01	2066	2075	2070	7	tasmax
Tajikistan	Normal	2.997E+02	3.371E+00	7.859E-01	2066	2075	2070	8	tasmax
Tajikistan	Normal	2.944E+02	3.467E+00	6.794E-01	2066	2075	2070	9	tasmax
Tajikistan	Normal	2.862E+02	3.123E+00	7.170E-01	2066	2075	2070	10	tasmax
Tajikistan	Normal	2.779E+02	3.366E+00	8.509E-01	2066	2075	2070	11	tasmax
Tajikistan	Normal	2.720E+02	3.199E+00	6.898E-01	2066	2075	2070	12	tasmax
Tajikistan	Normal	2.710E+02	3.248E+00	7.842E-01	2076	2085	2080	1	tasmax
Tajikistan	Normal	2.732E+02	3.540E+00	1.098E+00	2076	2085	2080	2	tasmax
Tajikistan	Normal	2.781E+02	3.605E+00	8.038E-01	2076	2085	2080	3	tasmax
Tajikistan	Normal	2.838E+02	3.887E+00	1.083E+00	2076	2085	2080	4	tasmax
Tajikistan	Normal	2.903E+02	3.771E+00	8.239E-01	2076	2085	2080	5	tasmax
Tajikistan	Normal	2.965E+02	3.398E+00	5.444E-01	2076	2085	2080	6	tasmax
Tajikistan	Normal	3.008E+02	3.322E+00	4.192E-01	2076	2085	2080	7	tasmax
Tajikistan	Normal	3.004E+02	3.481E+00	8.529E-01	2076	2085	2080	8	tasmax
Tajikistan	Normal	2.954E+02	3.595E+00	7.719E-01	2076	2085	2080	9	tasmax
Tajikistan	Normal	2.871E+02	3.117E+00	5.284E-01	2076	2085	2080	10	tasmax
Tajikistan	Normal	2.789E+02	3.474E+00	8.227E-01	2076	2085	2080	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tajikistan	Normal	2.731E+02	3.584E+00	1.058E+00	2076	2085	2080	12	tasmax
Tajikistan	Normal	2.719E+02	3.347E+00	7.232E-01	2086	2099	2092	1	tasmax
Tajikistan	Normal	2.737E+02	3.213E+00	9.635E-01	2086	2099	2092	2	tasmax
Tajikistan	Normal	2.788E+02	3.455E+00	9.176E-01	2086	2099	2092	3	tasmax
Tajikistan	Normal	2.847E+02	4.111E+00	1.010E+00	2086	2099	2092	4	tasmax
Tajikistan	Normal	2.910E+02	4.199E+00	8.320E-01	2086	2099	2092	5	tasmax
Tajikistan	Normal	2.973E+02	3.837E+00	5.335E-01	2086	2099	2092	6	tasmax
Tajikistan	Normal	3.015E+02	3.807E+00	6.286E-01	2086	2099	2092	7	tasmax
Tajikistan	Normal	3.014E+02	3.844E+00	9.852E-01	2086	2099	2092	8	tasmax
Tajikistan	Normal	2.962E+02	3.754E+00	8.041E-01	2086	2099	2092	9	tasmax
Tajikistan	Normal	2.878E+02	3.296E+00	5.690E-01	2086	2099	2092	10	tasmax
Tajikistan	Normal	2.797E+02	3.510E+00	7.328E-01	2086	2099	2092	11	tasmax
Tajikistan	Normal	2.740E+02	3.756E+00	9.383E-01	2086	2099	2092	12	tasmax
Tanzania	Normal	3.003E+02	1.498E+00	2.394E-01	2006	2015	2010	1	tasmax
Tanzania	Normal	3.010E+02	1.295E+00	1.831E-01	2006	2015	2010	2	tasmax
Tanzania	Normal	3.012E+02	1.036E+00	1.824E-01	2006	2015	2010	3	tasmax
Tanzania	Normal	3.005E+02	1.040E+00	2.134E-01	2006	2015	2010	4	tasmax
Tanzania	Normal	2.995E+02	1.494E+00	3.170E-01	2006	2015	2010	5	tasmax
Tanzania	Normal	2.988E+02	1.697E+00	4.392E-01	2006	2015	2010	6	tasmax
Tanzania	Normal	2.989E+02	1.829E+00	4.547E-01	2006	2015	2010	7	tasmax
Tanzania	Normal	3.005E+02	1.840E+00	6.265E-01	2006	2015	2010	8	tasmax
Tanzania	Normal	3.022E+02	1.666E+00	4.920E-01	2006	2015	2010	9	tasmax
Tanzania	Normal	3.028E+02	1.530E+00	3.071E-01	2006	2015	2010	10	tasmax
Tanzania	Normal	3.014E+02	1.781E+00	4.519E-01	2006	2015	2010	11	tasmax
Tanzania	Normal	3.002E+02	1.732E+00	4.220E-01	2006	2015	2010	12	tasmax
Tanzania	Normal	3.007E+02	1.538E+00	2.368E-01	2016	2025	2020	1	tasmax
Tanzania	Normal	3.014E+02	1.321E+00	2.041E-01	2016	2025	2020	2	tasmax
Tanzania	Normal	3.017E+02	1.108E+00	1.549E-01	2016	2025	2020	3	tasmax
Tanzania	Normal	3.010E+02	1.038E+00	2.332E-01	2016	2025	2020	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tanzania	Normal	2.999E+02	1.564E+00	3.264E-01	2016	2025	2020	5	tasmax
Tanzania	Normal	2.992E+02	1.804E+00	4.563E-01	2016	2025	2020	6	tasmax
Tanzania	Normal	2.994E+02	1.910E+00	4.689E-01	2016	2025	2020	7	tasmax
Tanzania	Normal	3.009E+02	1.870E+00	5.590E-01	2016	2025	2020	8	tasmax
Tanzania	Normal	3.026E+02	1.805E+00	4.690E-01	2016	2025	2020	9	tasmax
Tanzania	Normal	3.032E+02	1.620E+00	3.069E-01	2016	2025	2020	10	tasmax
Tanzania	Normal	3.019E+02	1.707E+00	4.293E-01	2016	2025	2020	11	tasmax
Tanzania	Normal	3.007E+02	1.786E+00	4.109E-01	2016	2025	2020	12	tasmax
Tanzania	Normal	3.010E+02	1.395E+00	2.640E-01	2026	2035	2030	1	tasmax
Tanzania	Normal	3.017E+02	1.206E+00	1.585E-01	2026	2035	2030	2	tasmax
Tanzania	Normal	3.019E+02	1.081E+00	2.054E-01	2026	2035	2030	3	tasmax
Tanzania	Normal	3.012E+02	1.003E+00	2.448E-01	2026	2035	2030	4	tasmax
Tanzania	Normal	3.002E+02	1.498E+00	3.633E-01	2026	2035	2030	5	tasmax
Tanzania	Normal	2.995E+02	1.900E+00	5.265E-01	2026	2035	2030	6	tasmax
Tanzania	Normal	2.997E+02	1.891E+00	4.507E-01	2026	2035	2030	7	tasmax
Tanzania	Normal	3.012E+02	1.876E+00	5.798E-01	2026	2035	2030	8	tasmax
Tanzania	Normal	3.029E+02	1.712E+00	4.584E-01	2026	2035	2030	9	tasmax
Tanzania	Normal	3.036E+02	1.756E+00	3.823E-01	2026	2035	2030	10	tasmax
Tanzania	Normal	3.022E+02	1.833E+00	3.963E-01	2026	2035	2030	11	tasmax
Tanzania	Normal	3.009E+02	1.747E+00	4.583E-01	2026	2035	2030	12	tasmax
Tanzania	Normal	3.013E+02	1.425E+00	2.989E-01	2036	2045	2040	1	tasmax
Tanzania	Normal	3.020E+02	1.267E+00	2.257E-01	2036	2045	2040	2	tasmax
Tanzania	Normal	3.023E+02	1.046E+00	1.770E-01	2036	2045	2040	3	tasmax
Tanzania	Normal	3.016E+02	1.081E+00	2.396E-01	2036	2045	2040	4	tasmax
Tanzania	Normal	3.006E+02	1.599E+00	3.325E-01	2036	2045	2040	5	tasmax
Tanzania	Normal	2.999E+02	1.807E+00	4.208E-01	2036	2045	2040	6	tasmax
Tanzania	Normal	3.001E+02	1.937E+00	4.791E-01	2036	2045	2040	7	tasmax
Tanzania	Normal	3.016E+02	1.900E+00	5.799E-01	2036	2045	2040	8	tasmax
Tanzania	Normal	3.033E+02	1.756E+00	5.159E-01	2036	2045	2040	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tanzania	Normal	3.039E+02	1.672E+00	3.803E-01	2036	2045	2040	10	tasmax
Tanzania	Normal	3.027E+02	1.731E+00	3.302E-01	2036	2045	2040	11	tasmax
Tanzania	Normal	3.012E+02	1.783E+00	5.149E-01	2036	2045	2040	12	tasmax
Tanzania	Normal	3.018E+02	1.535E+00	3.351E-01	2046	2055	2050	1	tasmax
Tanzania	Normal	3.025E+02	1.351E+00	1.724E-01	2046	2055	2050	2	tasmax
Tanzania	Normal	3.028E+02	1.080E+00	2.264E-01	2046	2055	2050	3	tasmax
Tanzania	Normal	3.021E+02	1.130E+00	2.854E-01	2046	2055	2050	4	tasmax
Tanzania	Normal	3.012E+02	1.672E+00	3.754E-01	2046	2055	2050	5	tasmax
Tanzania	Normal	3.004E+02	1.950E+00	4.558E-01	2046	2055	2050	6	tasmax
Tanzania	Normal	3.006E+02	1.956E+00	4.242E-01	2046	2055	2050	7	tasmax
Tanzania	Normal	3.020E+02	2.018E+00	5.636E-01	2046	2055	2050	8	tasmax
Tanzania	Normal	3.037E+02	1.844E+00	5.069E-01	2046	2055	2050	9	tasmax
Tanzania	Normal	3.045E+02	1.772E+00	3.897E-01	2046	2055	2050	10	tasmax
Tanzania	Normal	3.033E+02	1.920E+00	4.329E-01	2046	2055	2050	11	tasmax
Tanzania	Normal	3.018E+02	1.877E+00	5.637E-01	2046	2055	2050	12	tasmax
Tanzania	Normal	3.022E+02	1.683E+00	2.987E-01	2056	2065	2060	1	tasmax
Tanzania	Normal	3.028E+02	1.435E+00	2.218E-01	2056	2065	2060	2	tasmax
Tanzania	Normal	3.031E+02	1.095E+00	1.706E-01	2056	2065	2060	3	tasmax
Tanzania	Normal	3.025E+02	1.189E+00	3.280E-01	2056	2065	2060	4	tasmax
Tanzania	Normal	3.017E+02	1.817E+00	3.091E-01	2056	2065	2060	5	tasmax
Tanzania	Normal	3.010E+02	1.997E+00	4.415E-01	2056	2065	2060	6	tasmax
Tanzania	Normal	3.011E+02	2.039E+00	4.767E-01	2056	2065	2060	7	tasmax
Tanzania	Normal	3.025E+02	2.012E+00	5.940E-01	2056	2065	2060	8	tasmax
Tanzania	Normal	3.043E+02	1.944E+00	5.709E-01	2056	2065	2060	9	tasmax
Tanzania	Normal	3.050E+02	1.855E+00	5.093E-01	2056	2065	2060	10	tasmax
Tanzania	Normal	3.037E+02	1.830E+00	4.439E-01	2056	2065	2060	11	tasmax
Tanzania	Normal	3.024E+02	1.870E+00	5.546E-01	2056	2065	2060	12	tasmax
Tanzania	Normal	3.027E+02	1.618E+00	3.738E-01	2066	2075	2070	1	tasmax
Tanzania	Normal	3.034E+02	1.388E+00	1.898E-01	2066	2075	2070	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tanzania	Normal	3.038E+02	1.098E+00	2.199E-01	2066	2075	2070	3	tasmax
Tanzania	Normal	3.032E+02	1.140E+00	1.767E-01	2066	2075	2070	4	tasmax
Tanzania	Normal	3.024E+02	1.731E+00	2.895E-01	2066	2075	2070	5	tasmax
Tanzania	Normal	3.017E+02	1.903E+00	3.801E-01	2066	2075	2070	6	tasmax
Tanzania	Normal	3.018E+02	2.011E+00	5.214E-01	2066	2075	2070	7	tasmax
Tanzania	Normal	3.032E+02	2.010E+00	5.927E-01	2066	2075	2070	8	tasmax
Tanzania	Normal	3.049E+02	1.871E+00	4.327E-01	2066	2075	2070	9	tasmax
Tanzania	Normal	3.056E+02	1.786E+00	4.470E-01	2066	2075	2070	10	tasmax
Tanzania	Normal	3.044E+02	1.897E+00	4.332E-01	2066	2075	2070	11	tasmax
Tanzania	Normal	3.028E+02	1.926E+00	5.608E-01	2066	2075	2070	12	tasmax
Tanzania	Normal	3.031E+02	1.648E+00	4.063E-01	2076	2085	2080	1	tasmax
Tanzania	Normal	3.038E+02	1.365E+00	3.432E-01	2076	2085	2080	2	tasmax
Tanzania	Normal	3.041E+02	1.226E+00	2.031E-01	2076	2085	2080	3	tasmax
Tanzania	Normal	3.037E+02	1.262E+00	1.888E-01	2076	2085	2080	4	tasmax
Tanzania	Normal	3.029E+02	1.937E+00	3.038E-01	2076	2085	2080	5	tasmax
Tanzania	Normal	3.022E+02	2.088E+00	3.991E-01	2076	2085	2080	6	tasmax
Tanzania	Normal	3.024E+02	2.109E+00	5.571E-01	2076	2085	2080	7	tasmax
Tanzania	Normal	3.038E+02	2.047E+00	5.778E-01	2076	2085	2080	8	tasmax
Tanzania	Normal	3.055E+02	1.916E+00	5.436E-01	2076	2085	2080	9	tasmax
Tanzania	Normal	3.061E+02	1.857E+00	4.257E-01	2076	2085	2080	10	tasmax
Tanzania	Normal	3.049E+02	1.988E+00	5.203E-01	2076	2085	2080	11	tasmax
Tanzania	Normal	3.033E+02	1.930E+00	5.226E-01	2076	2085	2080	12	tasmax
Tanzania	Normal	3.037E+02	1.730E+00	3.809E-01	2086	2099	2092	1	tasmax
Tanzania	Normal	3.043E+02	1.597E+00	2.286E-01	2086	2099	2092	2	tasmax
Tanzania	Normal	3.047E+02	1.303E+00	1.737E-01	2086	2099	2092	3	tasmax
Tanzania	Normal	3.040E+02	1.367E+00	1.867E-01	2086	2099	2092	4	tasmax
Tanzania	Normal	3.033E+02	2.033E+00	3.639E-01	2086	2099	2092	5	tasmax
Tanzania	Normal	3.027E+02	2.136E+00	3.589E-01	2086	2099	2092	6	tasmax
Tanzania	Normal	3.028E+02	2.111E+00	4.945E-01	2086	2099	2092	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tanzania	Normal	3.043E+02	2.100E+00	5.020E-01	2086	2099	2092	8	tasmax
Tanzania	Normal	3.060E+02	1.926E+00	5.229E-01	2086	2099	2092	9	tasmax
Tanzania	Normal	3.066E+02	1.898E+00	4.661E-01	2086	2099	2092	10	tasmax
Tanzania	Normal	3.053E+02	2.016E+00	4.851E-01	2086	2099	2092	11	tasmax
Tanzania	Normal	3.039E+02	2.020E+00	5.263E-01	2086	2099	2092	12	tasmax
Thailand	Normal	2.998E+02	2.157E+00	5.564E-01	2006	2015	2010	1	tasmax
Thailand	Normal	3.036E+02	2.413E+00	5.550E-01	2006	2015	2010	2	tasmax
Thailand	Normal	3.074E+02	2.318E+00	4.109E-01	2006	2015	2010	3	tasmax
Thailand	Normal	3.093E+02	2.504E+00	5.615E-01	2006	2015	2010	4	tasmax
Thailand	Normal	3.078E+02	2.902E+00	1.047E+00	2006	2015	2010	5	tasmax
Thailand	Normal	3.046E+02	2.438E+00	7.375E-01	2006	2015	2010	6	tasmax
Thailand	Normal	3.030E+02	1.707E+00	3.122E-01	2006	2015	2010	7	tasmax
Thailand	Normal	3.026E+02	1.474E+00	2.434E-01	2006	2015	2010	8	tasmax
Thailand	Normal	3.024E+02	1.191E+00	4.046E-01	2006	2015	2010	9	tasmax
Thailand	Normal	3.020E+02	1.214E+00	2.917E-01	2006	2015	2010	10	tasmax
Thailand	Normal	3.008E+02	1.469E+00	3.145E-01	2006	2015	2010	11	tasmax
Thailand	Normal	2.993E+02	1.783E+00	3.520E-01	2006	2015	2010	12	tasmax
Thailand	Normal	3.002E+02	2.224E+00	5.812E-01	2016	2025	2020	1	tasmax
Thailand	Normal	3.037E+02	2.456E+00	5.729E-01	2016	2025	2020	2	tasmax
Thailand	Normal	3.077E+02	2.438E+00	4.471E-01	2016	2025	2020	3	tasmax
Thailand	Normal	3.095E+02	2.545E+00	6.211E-01	2016	2025	2020	4	tasmax
Thailand	Normal	3.081E+02	3.122E+00	9.778E-01	2016	2025	2020	5	tasmax
Thailand	Normal	3.050E+02	2.767E+00	1.029E+00	2016	2025	2020	6	tasmax
Thailand	Normal	3.034E+02	1.874E+00	3.985E-01	2016	2025	2020	7	tasmax
Thailand	Normal	3.029E+02	1.620E+00	2.845E-01	2016	2025	2020	8	tasmax
Thailand	Normal	3.027E+02	1.363E+00	4.532E-01	2016	2025	2020	9	tasmax
Thailand	Normal	3.023E+02	1.304E+00	2.675E-01	2016	2025	2020	10	tasmax
Thailand	Normal	3.010E+02	1.450E+00	2.738E-01	2016	2025	2020	11	tasmax
Thailand	Normal	2.994E+02	1.672E+00	2.686E-01	2016	2025	2020	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Thailand	Normal	3.005E+02	1.988E+00	3.579E-01	2026	2035	2030	1	tasmax
Thailand	Normal	3.040E+02	2.434E+00	5.132E-01	2026	2035	2030	2	tasmax
Thailand	Normal	3.079E+02	2.428E+00	4.187E-01	2026	2035	2030	3	tasmax
Thailand	Normal	3.099E+02	2.533E+00	6.102E-01	2026	2035	2030	4	tasmax
Thailand	Normal	3.085E+02	3.189E+00	1.240E+00	2026	2035	2030	5	tasmax
Thailand	Normal	3.054E+02	2.743E+00	9.034E-01	2026	2035	2030	6	tasmax
Thailand	Normal	3.036E+02	1.813E+00	3.781E-01	2026	2035	2030	7	tasmax
Thailand	Normal	3.032E+02	1.491E+00	2.330E-01	2026	2035	2030	8	tasmax
Thailand	Normal	3.031E+02	1.264E+00	4.742E-01	2026	2035	2030	9	tasmax
Thailand	Normal	3.027E+02	1.380E+00	3.038E-01	2026	2035	2030	10	tasmax
Thailand	Normal	3.013E+02	1.624E+00	3.052E-01	2026	2035	2030	11	tasmax
Thailand	Normal	2.996E+02	1.864E+00	3.787E-01	2026	2035	2030	12	tasmax
Thailand	Normal	3.008E+02	2.294E+00	4.652E-01	2036	2045	2040	1	tasmax
Thailand	Normal	3.045E+02	2.364E+00	4.194E-01	2036	2045	2040	2	tasmax
Thailand	Normal	3.084E+02	2.332E+00	4.577E-01	2036	2045	2040	3	tasmax
Thailand	Normal	3.102E+02	2.624E+00	6.609E-01	2036	2045	2040	4	tasmax
Thailand	Normal	3.088E+02	3.037E+00	9.995E-01	2036	2045	2040	5	tasmax
Thailand	Normal	3.056E+02	2.402E+00	7.637E-01	2036	2045	2040	6	tasmax
Thailand	Normal	3.039E+02	1.706E+00	2.446E-01	2036	2045	2040	7	tasmax
Thailand	Normal	3.035E+02	1.487E+00	2.498E-01	2036	2045	2040	8	tasmax
Thailand	Normal	3.034E+02	1.358E+00	4.321E-01	2036	2045	2040	9	tasmax
Thailand	Normal	3.029E+02	1.441E+00	2.797E-01	2036	2045	2040	10	tasmax
Thailand	Normal	3.017E+02	1.580E+00	3.681E-01	2036	2045	2040	11	tasmax
Thailand	Normal	3.001E+02	1.891E+00	3.880E-01	2036	2045	2040	12	tasmax
Thailand	Normal	3.014E+02	2.266E+00	4.577E-01	2046	2055	2050	1	tasmax
Thailand	Normal	3.050E+02	2.610E+00	4.221E-01	2046	2055	2050	2	tasmax
Thailand	Normal	3.090E+02	2.493E+00	4.087E-01	2046	2055	2050	3	tasmax
Thailand	Normal	3.108E+02	2.830E+00	6.704E-01	2046	2055	2050	4	tasmax
Thailand	Normal	3.094E+02	3.095E+00	1.033E+00	2046	2055	2050	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Thailand	Normal	3.062E+02	3.012E+00	1.152E+00	2046	2055	2050	6	tasmax
Thailand	Normal	3.045E+02	1.885E+00	3.927E-01	2046	2055	2050	7	tasmax
Thailand	Normal	3.039E+02	1.550E+00	2.668E-01	2046	2055	2050	8	tasmax
Thailand	Normal	3.038E+02	1.302E+00	4.792E-01	2046	2055	2050	9	tasmax
Thailand	Normal	3.034E+02	1.416E+00	2.785E-01	2046	2055	2050	10	tasmax
Thailand	Normal	3.022E+02	1.600E+00	2.898E-01	2046	2055	2050	11	tasmax
Thailand	Normal	3.007E+02	1.976E+00	3.677E-01	2046	2055	2050	12	tasmax
Thailand	Normal	3.018E+02	2.542E+00	5.878E-01	2056	2065	2060	1	tasmax
Thailand	Normal	3.054E+02	2.689E+00	4.466E-01	2056	2065	2060	2	tasmax
Thailand	Normal	3.092E+02	2.716E+00	4.410E-01	2056	2065	2060	3	tasmax
Thailand	Normal	3.114E+02	2.816E+00	6.245E-01	2056	2065	2060	4	tasmax
Thailand	Normal	3.099E+02	3.245E+00	1.200E+00	2056	2065	2060	5	tasmax
Thailand	Normal	3.067E+02	3.005E+00	1.189E+00	2056	2065	2060	6	tasmax
Thailand	Normal	3.049E+02	2.159E+00	5.235E-01	2056	2065	2060	7	tasmax
Thailand	Normal	3.043E+02	1.561E+00	2.759E-01	2056	2065	2060	8	tasmax
Thailand	Normal	3.042E+02	1.376E+00	4.110E-01	2056	2065	2060	9	tasmax
Thailand	Normal	3.040E+02	1.602E+00	2.461E-01	2056	2065	2060	10	tasmax
Thailand	Normal	3.027E+02	1.790E+00	4.129E-01	2056	2065	2060	11	tasmax
Thailand	Normal	3.011E+02	2.175E+00	4.406E-01	2056	2065	2060	12	tasmax
Thailand	Normal	3.025E+02	2.508E+00	5.101E-01	2066	2075	2070	1	tasmax
Thailand	Normal	3.057E+02	2.656E+00	5.240E-01	2066	2075	2070	2	tasmax
Thailand	Normal	3.098E+02	2.583E+00	5.560E-01	2066	2075	2070	3	tasmax
Thailand	Normal	3.118E+02	2.759E+00	7.214E-01	2066	2075	2070	4	tasmax
Thailand	Normal	3.107E+02	3.194E+00	1.150E+00	2066	2075	2070	5	tasmax
Thailand	Normal	3.072E+02	2.702E+00	8.690E-01	2066	2075	2070	6	tasmax
Thailand	Normal	3.054E+02	2.058E+00	4.607E-01	2066	2075	2070	7	tasmax
Thailand	Normal	3.049E+02	1.715E+00	3.672E-01	2066	2075	2070	8	tasmax
Thailand	Normal	3.047E+02	1.550E+00	5.397E-01	2066	2075	2070	9	tasmax
Thailand	Normal	3.045E+02	1.606E+00	4.342E-01	2066	2075	2070	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Thailand	Normal	3.032E+02	2.006E+00	4.693E-01	2066	2075	2070	11	tasmax
Thailand	Normal	3.018E+02	2.101E+00	5.522E-01	2066	2075	2070	12	tasmax
Thailand	Normal	3.028E+02	2.376E+00	5.366E-01	2076	2085	2080	1	tasmax
Thailand	Normal	3.063E+02	2.853E+00	4.827E-01	2076	2085	2080	2	tasmax
Thailand	Normal	3.104E+02	3.029E+00	7.288E-01	2076	2085	2080	3	tasmax
Thailand	Normal	3.126E+02	3.026E+00	6.247E-01	2076	2085	2080	4	tasmax
Thailand	Normal	3.109E+02	3.324E+00	1.045E+00	2076	2085	2080	5	tasmax
Thailand	Normal	3.077E+02	3.238E+00	1.233E+00	2076	2085	2080	6	tasmax
Thailand	Normal	3.060E+02	2.252E+00	4.741E-01	2076	2085	2080	7	tasmax
Thailand	Normal	3.055E+02	1.844E+00	3.393E-01	2076	2085	2080	8	tasmax
Thailand	Normal	3.053E+02	1.591E+00	4.907E-01	2076	2085	2080	9	tasmax
Thailand	Normal	3.049E+02	1.697E+00	3.149E-01	2076	2085	2080	10	tasmax
Thailand	Normal	3.039E+02	1.952E+00	4.536E-01	2076	2085	2080	11	tasmax
Thailand	Normal	3.021E+02	2.453E+00	6.281E-01	2076	2085	2080	12	tasmax
Thailand	Normal	3.033E+02	2.744E+00	7.466E-01	2086	2099	2092	1	tasmax
Thailand	Normal	3.068E+02	2.944E+00	4.855E-01	2086	2099	2092	2	tasmax
Thailand	Normal	3.109E+02	3.052E+00	6.432E-01	2086	2099	2092	3	tasmax
Thailand	Normal	3.131E+02	2.953E+00	6.249E-01	2086	2099	2092	4	tasmax
Thailand	Normal	3.117E+02	3.420E+00	1.020E+00	2086	2099	2092	5	tasmax
Thailand	Normal	3.084E+02	3.410E+00	1.483E+00	2086	2099	2092	6	tasmax
Thailand	Normal	3.066E+02	2.312E+00	5.257E-01	2086	2099	2092	7	tasmax
Thailand	Normal	3.059E+02	1.845E+00	3.147E-01	2086	2099	2092	8	tasmax
Thailand	Normal	3.058E+02	1.611E+00	5.029E-01	2086	2099	2092	9	tasmax
Thailand	Normal	3.054E+02	1.758E+00	3.120E-01	2086	2099	2092	10	tasmax
Thailand	Normal	3.041E+02	2.027E+00	4.418E-01	2086	2099	2092	11	tasmax
Thailand	Normal	3.025E+02	2.474E+00	4.518E-01	2086	2099	2092	12	tasmax
The Gambia	Normal	3.059E+02	1.575E+00	3.208E-01	2006	2015	2010	1	tasmax
The Gambia	Normal	3.079E+02	1.681E+00	3.567E-01	2006	2015	2010	2	tasmax
The Gambia	Normal	3.098E+02	2.031E+00	3.923E-01	2006	2015	2010	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
The Gambia	Normal	3.101E+02	2.463E+00	5.493E-01	2006	2015	2010	4	tasmax
The Gambia	Normal	3.092E+02	2.969E+00	9.221E-01	2006	2015	2010	5	tasmax
The Gambia	Normal	3.075E+02	3.333E+00	1.193E+00	2006	2015	2010	6	tasmax
The Gambia	Normal	3.063E+02	3.458E+00	1.084E+00	2006	2015	2010	7	tasmax
The Gambia	Normal	3.056E+02	3.570E+00	9.294E-01	2006	2015	2010	8	tasmax
The Gambia	Normal	3.061E+02	3.497E+00	1.006E+00	2006	2015	2010	9	tasmax
The Gambia	Normal	3.074E+02	3.150E+00	7.360E-01	2006	2015	2010	10	tasmax
The Gambia	Normal	3.076E+02	2.343E+00	5.024E-01	2006	2015	2010	11	tasmax
The Gambia	Normal	3.061E+02	1.551E+00	3.022E-01	2006	2015	2010	12	tasmax
The Gambia	Normal	3.065E+02	1.720E+00	3.408E-01	2016	2025	2020	1	tasmax
The Gambia	Normal	3.083E+02	1.818E+00	3.652E-01	2016	2025	2020	2	tasmax
The Gambia	Normal	3.101E+02	2.005E+00	4.138E-01	2016	2025	2020	3	tasmax
The Gambia	Normal	3.105E+02	2.465E+00	5.315E-01	2016	2025	2020	4	tasmax
The Gambia	Normal	3.094E+02	3.085E+00	1.024E+00	2016	2025	2020	5	tasmax
The Gambia	Normal	3.078E+02	3.262E+00	1.336E+00	2016	2025	2020	6	tasmax
The Gambia	Normal	3.066E+02	3.463E+00	1.162E+00	2016	2025	2020	7	tasmax
The Gambia	Normal	3.058E+02	3.644E+00	9.200E-01	2016	2025	2020	8	tasmax
The Gambia	Normal	3.065E+02	3.777E+00	1.086E+00	2016	2025	2020	9	tasmax
The Gambia	Normal	3.077E+02	3.315E+00	7.299E-01	2016	2025	2020	10	tasmax
The Gambia	Normal	3.080E+02	2.489E+00	6.980E-01	2016	2025	2020	11	tasmax
The Gambia	Normal	3.064E+02	1.591E+00	2.939E-01	2016	2025	2020	12	tasmax
The Gambia	Normal	3.068E+02	1.626E+00	3.468E-01	2026	2035	2030	1	tasmax
The Gambia	Normal	3.088E+02	1.734E+00	3.971E-01	2026	2035	2030	2	tasmax
The Gambia	Normal	3.105E+02	2.071E+00	3.718E-01	2026	2035	2030	3	tasmax
The Gambia	Normal	3.109E+02	2.541E+00	5.319E-01	2026	2035	2030	4	tasmax
The Gambia	Normal	3.097E+02	2.991E+00	9.313E-01	2026	2035	2030	5	tasmax
The Gambia	Normal	3.081E+02	3.213E+00	1.176E+00	2026	2035	2030	6	tasmax
The Gambia	Normal	3.069E+02	3.427E+00	9.612E-01	2026	2035	2030	7	tasmax
The Gambia	Normal	3.063E+02	3.594E+00	9.157E-01	2026	2035	2030	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
The Gambia	Normal	3.069E+02	3.671E+00	1.036E+00	2026	2035	2030	9	tasmax
The Gambia	Normal	3.081E+02	3.246E+00	6.821E-01	2026	2035	2030	10	tasmax
The Gambia	Normal	3.084E+02	2.474E+00	7.863E-01	2026	2035	2030	11	tasmax
The Gambia	Normal	3.069E+02	1.470E+00	2.761E-01	2026	2035	2030	12	tasmax
The Gambia	Normal	3.072E+02	1.484E+00	3.127E-01	2036	2045	2040	1	tasmax
The Gambia	Normal	3.091E+02	1.780E+00	3.531E-01	2036	2045	2040	2	tasmax
The Gambia	Normal	3.109E+02	2.095E+00	3.716E-01	2036	2045	2040	3	tasmax
The Gambia	Normal	3.112E+02	2.615E+00	5.912E-01	2036	2045	2040	4	tasmax
The Gambia	Normal	3.101E+02	2.993E+00	9.261E-01	2036	2045	2040	5	tasmax
The Gambia	Normal	3.085E+02	3.086E+00	1.070E+00	2036	2045	2040	6	tasmax
The Gambia	Normal	3.072E+02	3.340E+00	9.471E-01	2036	2045	2040	7	tasmax
The Gambia	Normal	3.067E+02	3.547E+00	8.197E-01	2036	2045	2040	8	tasmax
The Gambia	Normal	3.071E+02	3.653E+00	9.393E-01	2036	2045	2040	9	tasmax
The Gambia	Normal	3.086E+02	3.253E+00	6.688E-01	2036	2045	2040	10	tasmax
The Gambia	Normal	3.088E+02	2.426E+00	5.783E-01	2036	2045	2040	11	tasmax
The Gambia	Normal	3.073E+02	1.479E+00	2.653E-01	2036	2045	2040	12	tasmax
The Gambia	Normal	3.077E+02	1.586E+00	2.915E-01	2046	2055	2050	1	tasmax
The Gambia	Normal	3.095E+02	1.786E+00	3.534E-01	2046	2055	2050	2	tasmax
The Gambia	Normal	3.113E+02	2.092E+00	4.461E-01	2046	2055	2050	3	tasmax
The Gambia	Normal	3.115E+02	2.673E+00	6.966E-01	2046	2055	2050	4	tasmax
The Gambia	Normal	3.105E+02	3.103E+00	1.096E+00	2046	2055	2050	5	tasmax
The Gambia	Normal	3.090E+02	3.286E+00	1.248E+00	2046	2055	2050	6	tasmax
The Gambia	Normal	3.077E+02	3.480E+00	1.131E+00	2046	2055	2050	7	tasmax
The Gambia	Normal	3.072E+02	3.687E+00	9.041E-01	2046	2055	2050	8	tasmax
The Gambia	Normal	3.077E+02	3.756E+00	9.746E-01	2046	2055	2050	9	tasmax
The Gambia	Normal	3.089E+02	3.355E+00	7.486E-01	2046	2055	2050	10	tasmax
The Gambia	Normal	3.092E+02	2.531E+00	6.831E-01	2046	2055	2050	11	tasmax
The Gambia	Normal	3.078E+02	1.627E+00	2.929E-01	2046	2055	2050	12	tasmax
The Gambia	Normal	3.084E+02	1.533E+00	3.390E-01	2056	2065	2060	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
The Gambia	Normal	3.102E+02	1.838E+00	3.271E-01	2056	2065	2060	2	tasmax
The Gambia	Normal	3.119E+02	2.162E+00	4.227E-01	2056	2065	2060	3	tasmax
The Gambia	Normal	3.119E+02	2.625E+00	6.441E-01	2056	2065	2060	4	tasmax
The Gambia	Normal	3.109E+02	3.015E+00	1.081E+00	2056	2065	2060	5	tasmax
The Gambia	Normal	3.094E+02	3.161E+00	1.173E+00	2056	2065	2060	6	tasmax
The Gambia	Normal	3.082E+02	3.402E+00	1.132E+00	2056	2065	2060	7	tasmax
The Gambia	Normal	3.077E+02	3.703E+00	1.017E+00	2056	2065	2060	8	tasmax
The Gambia	Normal	3.082E+02	3.806E+00	1.048E+00	2056	2065	2060	9	tasmax
The Gambia	Normal	3.095E+02	3.406E+00	7.602E-01	2056	2065	2060	10	tasmax
The Gambia	Normal	3.098E+02	2.606E+00	6.505E-01	2056	2065	2060	11	tasmax
The Gambia	Normal	3.085E+02	1.586E+00	3.826E-01	2056	2065	2060	12	tasmax
The Gambia	Normal	3.089E+02	1.626E+00	3.411E-01	2066	2075	2070	1	tasmax
The Gambia	Normal	3.108E+02	1.919E+00	2.585E-01	2066	2075	2070	2	tasmax
The Gambia	Normal	3.124E+02	2.340E+00	5.131E-01	2066	2075	2070	3	tasmax
The Gambia	Normal	3.126E+02	2.622E+00	6.577E-01	2066	2075	2070	4	tasmax
The Gambia	Normal	3.114E+02	3.143E+00	1.098E+00	2066	2075	2070	5	tasmax
The Gambia	Normal	3.099E+02	3.197E+00	1.146E+00	2066	2075	2070	6	tasmax
The Gambia	Normal	3.087E+02	3.506E+00	1.132E+00	2066	2075	2070	7	tasmax
The Gambia	Normal	3.081E+02	3.805E+00	9.464E-01	2066	2075	2070	8	tasmax
The Gambia	Normal	3.086E+02	3.838E+00	9.927E-01	2066	2075	2070	9	tasmax
The Gambia	Normal	3.099E+02	3.269E+00	6.391E-01	2066	2075	2070	10	tasmax
The Gambia	Normal	3.103E+02	2.543E+00	6.515E-01	2066	2075	2070	11	tasmax
The Gambia	Normal	3.091E+02	1.521E+00	2.759E-01	2066	2075	2070	12	tasmax
The Gambia	Normal	3.093E+02	1.535E+00	2.551E-01	2076	2085	2080	1	tasmax
The Gambia	Normal	3.112E+02	2.027E+00	2.973E-01	2076	2085	2080	2	tasmax
The Gambia	Normal	3.129E+02	2.369E+00	5.527E-01	2076	2085	2080	3	tasmax
The Gambia	Normal	3.130E+02	2.759E+00	7.181E-01	2076	2085	2080	4	tasmax
The Gambia	Normal	3.119E+02	3.103E+00	1.082E+00	2076	2085	2080	5	tasmax
The Gambia	Normal	3.104E+02	3.213E+00	1.170E+00	2076	2085	2080	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
The Gambia	Normal	3.092E+02	3.546E+00	1.207E+00	2076	2085	2080	7	tasmax
The Gambia	Normal	3.087E+02	3.791E+00	1.076E+00	2076	2085	2080	8	tasmax
The Gambia	Normal	3.091E+02	3.992E+00	1.126E+00	2076	2085	2080	9	tasmax
The Gambia	Normal	3.104E+02	3.487E+00	7.457E-01	2076	2085	2080	10	tasmax
The Gambia	Normal	3.108E+02	2.768E+00	7.501E-01	2076	2085	2080	11	tasmax
The Gambia	Normal	3.095E+02	1.857E+00	3.828E-01	2076	2085	2080	12	tasmax
The Gambia	Normal	3.101E+02	1.617E+00	2.866E-01	2086	2099	2092	1	tasmax
The Gambia	Normal	3.119E+02	1.937E+00	2.648E-01	2086	2099	2092	2	tasmax
The Gambia	Normal	3.134E+02	2.448E+00	4.806E-01	2086	2099	2092	3	tasmax
The Gambia	Normal	3.133E+02	2.882E+00	7.278E-01	2086	2099	2092	4	tasmax
The Gambia	Normal	3.123E+02	3.179E+00	1.092E+00	2086	2099	2092	5	tasmax
The Gambia	Normal	3.109E+02	3.204E+00	1.068E+00	2086	2099	2092	6	tasmax
The Gambia	Normal	3.098E+02	3.511E+00	1.182E+00	2086	2099	2092	7	tasmax
The Gambia	Normal	3.091E+02	3.782E+00	1.041E+00	2086	2099	2092	8	tasmax
The Gambia	Normal	3.095E+02	3.907E+00	1.130E+00	2086	2099	2092	9	tasmax
The Gambia	Normal	3.110E+02	3.464E+00	7.534E-01	2086	2099	2092	10	tasmax
The Gambia	Normal	3.116E+02	2.593E+00	5.387E-01	2086	2099	2092	11	tasmax
The Gambia	Normal	3.101E+02	1.663E+00	2.887E-01	2086	2099	2092	12	tasmax
Timor-Leste	Normal	3.023E+02	1.048E+00	2.988E-01	2006	2015	2010	1	tasmax
Timor-Leste	Normal	3.020E+02	1.016E+00	2.754E-01	2006	2015	2010	2	tasmax
Timor-Leste	Normal	3.021E+02	1.124E+00	3.318E-01	2006	2015	2010	3	tasmax
Timor-Leste	Normal	3.021E+02	9.538E-01	2.068E-01	2006	2015	2010	4	tasmax
Timor-Leste	Normal	3.014E+02	7.656E-01	1.768E-01	2006	2015	2010	5	tasmax
Timor-Leste	Normal	3.006E+02	7.105E-01	1.562E-01	2006	2015	2010	6	tasmax
Timor-Leste	Normal	3.002E+02	7.438E-01	1.493E-01	2006	2015	2010	7	tasmax
Timor-Leste	Normal	3.004E+02	1.028E+00	3.315E-01	2006	2015	2010	8	tasmax
Timor-Leste	Normal	3.010E+02	1.423E+00	5.567E-01	2006	2015	2010	9	tasmax
Timor-Leste	Normal	3.020E+02	1.618E+00	5.714E-01	2006	2015	2010	10	tasmax
Timor-Leste	Normal	3.031E+02	1.883E+00	6.717E-01	2006	2015	2010	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Timor-Leste	Normal	3.033E+02	1.755E+00	5.758E-01	2006	2015	2010	12	tasmax
Timor-Leste	Normal	3.027E+02	1.226E+00	4.186E-01	2016	2025	2020	1	tasmax
Timor-Leste	Normal	3.023E+02	1.040E+00	2.852E-01	2016	2025	2020	2	tasmax
Timor-Leste	Normal	3.024E+02	1.098E+00	3.130E-01	2016	2025	2020	3	tasmax
Timor-Leste	Normal	3.023E+02	9.749E-01	2.191E-01	2016	2025	2020	4	tasmax
Timor-Leste	Normal	3.017E+02	7.854E-01	1.698E-01	2016	2025	2020	5	tasmax
Timor-Leste	Normal	3.010E+02	7.191E-01	2.022E-01	2016	2025	2020	6	tasmax
Timor-Leste	Normal	3.005E+02	7.942E-01	1.779E-01	2016	2025	2020	7	tasmax
Timor-Leste	Normal	3.006E+02	1.129E+00	4.160E-01	2016	2025	2020	8	tasmax
Timor-Leste	Normal	3.012E+02	1.465E+00	5.828E-01	2016	2025	2020	9	tasmax
Timor-Leste	Normal	3.022E+02	1.615E+00	5.762E-01	2016	2025	2020	10	tasmax
Timor-Leste	Normal	3.033E+02	1.826E+00	7.037E-01	2016	2025	2020	11	tasmax
Timor-Leste	Normal	3.035E+02	1.765E+00	6.160E-01	2016	2025	2020	12	tasmax
Timor-Leste	Normal	3.030E+02	1.155E+00	3.325E-01	2026	2035	2030	1	tasmax
Timor-Leste	Normal	3.026E+02	1.021E+00	2.559E-01	2026	2035	2030	2	tasmax
Timor-Leste	Normal	3.027E+02	1.103E+00	3.204E-01	2026	2035	2030	3	tasmax
Timor-Leste	Normal	3.027E+02	9.335E-01	2.107E-01	2026	2035	2030	4	tasmax
Timor-Leste	Normal	3.020E+02	7.663E-01	1.703E-01	2026	2035	2030	5	tasmax
Timor-Leste	Normal	3.012E+02	7.182E-01	1.618E-01	2026	2035	2030	6	tasmax
Timor-Leste	Normal	3.008E+02	8.265E-01	1.773E-01	2026	2035	2030	7	tasmax
Timor-Leste	Normal	3.009E+02	1.197E+00	4.407E-01	2026	2035	2030	8	tasmax
Timor-Leste	Normal	3.015E+02	1.502E+00	5.675E-01	2026	2035	2030	9	tasmax
Timor-Leste	Normal	3.025E+02	1.671E+00	5.822E-01	2026	2035	2030	10	tasmax
Timor-Leste	Normal	3.036E+02	1.847E+00	7.020E-01	2026	2035	2030	11	tasmax
Timor-Leste	Normal	3.038E+02	1.661E+00	5.257E-01	2026	2035	2030	12	tasmax
Timor-Leste	Normal	3.034E+02	1.180E+00	3.221E-01	2036	2045	2040	1	tasmax
Timor-Leste	Normal	3.029E+02	1.054E+00	2.682E-01	2036	2045	2040	2	tasmax
Timor-Leste	Normal	3.030E+02	1.048E+00	2.589E-01	2036	2045	2040	3	tasmax
Timor-Leste	Normal	3.030E+02	9.455E-01	1.984E-01	2036	2045	2040	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Timor-Leste	Normal	3.024E+02	7.738E-01	1.534E-01	2036	2045	2040	5	tasmax
Timor-Leste	Normal	3.016E+02	7.239E-01	1.496E-01	2036	2045	2040	6	tasmax
Timor-Leste	Normal	3.011E+02	8.186E-01	1.740E-01	2036	2045	2040	7	tasmax
Timor-Leste	Normal	3.012E+02	1.133E+00	4.640E-01	2036	2045	2040	8	tasmax
Timor-Leste	Normal	3.018E+02	1.454E+00	6.335E-01	2036	2045	2040	9	tasmax
Timor-Leste	Normal	3.028E+02	1.670E+00	5.624E-01	2036	2045	2040	10	tasmax
Timor-Leste	Normal	3.039E+02	1.874E+00	7.010E-01	2036	2045	2040	11	tasmax
Timor-Leste	Normal	3.042E+02	1.742E+00	5.751E-01	2036	2045	2040	12	tasmax
Timor-Leste	Normal	3.037E+02	1.341E+00	4.122E-01	2046	2055	2050	1	tasmax
Timor-Leste	Normal	3.033E+02	1.176E+00	3.315E-01	2046	2055	2050	2	tasmax
Timor-Leste	Normal	3.034E+02	1.105E+00	2.628E-01	2046	2055	2050	3	tasmax
Timor-Leste	Normal	3.033E+02	9.435E-01	2.124E-01	2046	2055	2050	4	tasmax
Timor-Leste	Normal	3.027E+02	7.994E-01	1.364E-01	2046	2055	2050	5	tasmax
Timor-Leste	Normal	3.019E+02	8.552E-01	1.166E-01	2046	2055	2050	6	tasmax
Timor-Leste	Normal	3.014E+02	9.962E-01	2.281E-01	2046	2055	2050	7	tasmax
Timor-Leste	Normal	3.015E+02	1.252E+00	5.253E-01	2046	2055	2050	8	tasmax
Timor-Leste	Normal	3.022E+02	1.571E+00	6.587E-01	2046	2055	2050	9	tasmax
Timor-Leste	Normal	3.032E+02	1.716E+00	6.612E-01	2046	2055	2050	10	tasmax
Timor-Leste	Normal	3.043E+02	1.852E+00	6.947E-01	2046	2055	2050	11	tasmax
Timor-Leste	Normal	3.046E+02	1.826E+00	6.013E-01	2046	2055	2050	12	tasmax
Timor-Leste	Normal	3.042E+02	1.314E+00	3.686E-01	2056	2065	2060	1	tasmax
Timor-Leste	Normal	3.037E+02	1.076E+00	2.011E-01	2056	2065	2060	2	tasmax
Timor-Leste	Normal	3.038E+02	1.155E+00	2.290E-01	2056	2065	2060	3	tasmax
Timor-Leste	Normal	3.038E+02	1.089E+00	2.018E-01	2056	2065	2060	4	tasmax
Timor-Leste	Normal	3.032E+02	8.943E-01	1.865E-01	2056	2065	2060	5	tasmax
Timor-Leste	Normal	3.024E+02	8.359E-01	1.950E-01	2056	2065	2060	6	tasmax
Timor-Leste	Normal	3.019E+02	9.687E-01	2.086E-01	2056	2065	2060	7	tasmax
Timor-Leste	Normal	3.020E+02	1.264E+00	4.741E-01	2056	2065	2060	8	tasmax
Timor-Leste	Normal	3.026E+02	1.485E+00	6.127E-01	2056	2065	2060	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Timor-Leste	Normal	3.036E+02	1.592E+00	5.556E-01	2056	2065	2060	10	tasmax
Timor-Leste	Normal	3.048E+02	1.834E+00	6.536E-01	2056	2065	2060	11	tasmax
Timor-Leste	Normal	3.050E+02	1.870E+00	6.347E-01	2056	2065	2060	12	tasmax
Timor-Leste	Normal	3.046E+02	1.226E+00	2.755E-01	2066	2075	2070	1	tasmax
Timor-Leste	Normal	3.042E+02	1.156E+00	2.683E-01	2066	2075	2070	2	tasmax
Timor-Leste	Normal	3.043E+02	1.206E+00	2.515E-01	2066	2075	2070	3	tasmax
Timor-Leste	Normal	3.043E+02	1.051E+00	2.067E-01	2066	2075	2070	4	tasmax
Timor-Leste	Normal	3.036E+02	8.901E-01	1.825E-01	2066	2075	2070	5	tasmax
Timor-Leste	Normal	3.028E+02	8.715E-01	1.588E-01	2066	2075	2070	6	tasmax
Timor-Leste	Normal	3.023E+02	9.845E-01	2.411E-01	2066	2075	2070	7	tasmax
Timor-Leste	Normal	3.024E+02	1.345E+00	5.422E-01	2066	2075	2070	8	tasmax
Timor-Leste	Normal	3.031E+02	1.576E+00	6.850E-01	2066	2075	2070	9	tasmax
Timor-Leste	Normal	3.040E+02	1.708E+00	6.222E-01	2066	2075	2070	10	tasmax
Timor-Leste	Normal	3.052E+02	1.949E+00	6.956E-01	2066	2075	2070	11	tasmax
Timor-Leste	Normal	3.054E+02	1.875E+00	6.640E-01	2066	2075	2070	12	tasmax
Timor-Leste	Normal	3.050E+02	1.331E+00	3.878E-01	2076	2085	2080	1	tasmax
Timor-Leste	Normal	3.046E+02	1.198E+00	2.413E-01	2076	2085	2080	2	tasmax
Timor-Leste	Normal	3.047E+02	1.194E+00	2.178E-01	2076	2085	2080	3	tasmax
Timor-Leste	Normal	3.047E+02	1.096E+00	2.133E-01	2076	2085	2080	4	tasmax
Timor-Leste	Normal	3.041E+02	9.691E-01	1.968E-01	2076	2085	2080	5	tasmax
Timor-Leste	Normal	3.032E+02	9.096E-01	1.820E-01	2076	2085	2080	6	tasmax
Timor-Leste	Normal	3.028E+02	1.085E+00	2.656E-01	2076	2085	2080	7	tasmax
Timor-Leste	Normal	3.028E+02	1.299E+00	4.481E-01	2076	2085	2080	8	tasmax
Timor-Leste	Normal	3.035E+02	1.558E+00	5.906E-01	2076	2085	2080	9	tasmax
Timor-Leste	Normal	3.045E+02	1.727E+00	5.801E-01	2076	2085	2080	10	tasmax
Timor-Leste	Normal	3.056E+02	1.938E+00	6.750E-01	2076	2085	2080	11	tasmax
Timor-Leste	Normal	3.059E+02	1.937E+00	6.157E-01	2076	2085	2080	12	tasmax
Timor-Leste	Normal	3.055E+02	1.394E+00	3.565E-01	2086	2099	2092	1	tasmax
Timor-Leste	Normal	3.050E+02	1.267E+00	2.335E-01	2086	2099	2092	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Timor-Leste	Normal	3.051E+02	1.282E+00	2.954E-01	2086	2099	2092	3	tasmax
Timor-Leste	Normal	3.052E+02	1.229E+00	2.815E-01	2086	2099	2092	4	tasmax
Timor-Leste	Normal	3.045E+02	1.062E+00	2.003E-01	2086	2099	2092	5	tasmax
Timor-Leste	Normal	3.037E+02	1.045E+00	1.883E-01	2086	2099	2092	6	tasmax
Timor-Leste	Normal	3.032E+02	1.139E+00	2.840E-01	2086	2099	2092	7	tasmax
Timor-Leste	Normal	3.032E+02	1.350E+00	4.523E-01	2086	2099	2092	8	tasmax
Timor-Leste	Normal	3.039E+02	1.510E+00	5.520E-01	2086	2099	2092	9	tasmax
Timor-Leste	Normal	3.049E+02	1.695E+00	5.412E-01	2086	2099	2092	10	tasmax
Timor-Leste	Normal	3.060E+02	1.933E+00	6.625E-01	2086	2099	2092	11	tasmax
Timor-Leste	Normal	3.063E+02	2.000E+00	6.521E-01	2086	2099	2092	12	tasmax
Togo	Normal	3.072E+02	1.601E+00	7.085E-01	2006	2015	2010	1	tasmax
Togo	Normal	3.089E+02	1.480E+00	4.876E-01	2006	2015	2010	2	tasmax
Togo	Normal	3.092E+02	1.487E+00	2.576E-01	2006	2015	2010	3	tasmax
Togo	Normal	3.078E+02	1.682E+00	3.019E-01	2006	2015	2010	4	tasmax
Togo	Normal	3.060E+02	1.989E+00	5.266E-01	2006	2015	2010	5	tasmax
Togo	Normal	3.042E+02	2.059E+00	6.093E-01	2006	2015	2010	6	tasmax
Togo	Normal	3.029E+02	1.975E+00	6.176E-01	2006	2015	2010	7	tasmax
Togo	Normal	3.021E+02	1.549E+00	4.648E-01	2006	2015	2010	8	tasmax
Togo	Normal	3.027E+02	1.536E+00	3.406E-01	2006	2015	2010	9	tasmax
Togo	Normal	3.039E+02	1.464E+00	3.054E-01	2006	2015	2010	10	tasmax
Togo	Normal	3.055E+02	1.535E+00	4.176E-01	2006	2015	2010	11	tasmax
Togo	Normal	3.063E+02	1.541E+00	4.646E-01	2006	2015	2010	12	tasmax
Togo	Normal	3.077E+02	1.550E+00	6.371E-01	2016	2025	2020	1	tasmax
Togo	Normal	3.092E+02	1.430E+00	4.553E-01	2016	2025	2020	2	tasmax
Togo	Normal	3.097E+02	1.522E+00	2.676E-01	2016	2025	2020	3	tasmax
Togo	Normal	3.082E+02	1.757E+00	2.952E-01	2016	2025	2020	4	tasmax
Togo	Normal	3.064E+02	2.218E+00	4.371E-01	2016	2025	2020	5	tasmax
Togo	Normal	3.046E+02	2.227E+00	6.546E-01	2016	2025	2020	6	tasmax
Togo	Normal	3.033E+02	2.026E+00	6.425E-01	2016	2025	2020	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Togo	Normal	3.024E+02	1.630E+00	3.913E-01	2016	2025	2020	8	tasmax
Togo	Normal	3.031E+02	1.672E+00	3.738E-01	2016	2025	2020	9	tasmax
Togo	Normal	3.042E+02	1.634E+00	3.210E-01	2016	2025	2020	10	tasmax
Togo	Normal	3.059E+02	1.771E+00	5.194E-01	2016	2025	2020	11	tasmax
Togo	Normal	3.066E+02	1.588E+00	3.318E-01	2016	2025	2020	12	tasmax
Togo	Normal	3.080E+02	1.805E+00	8.369E-01	2026	2035	2030	1	tasmax
Togo	Normal	3.097E+02	1.572E+00	4.454E-01	2026	2035	2030	2	tasmax
Togo	Normal	3.101E+02	1.505E+00	2.948E-01	2026	2035	2030	3	tasmax
Togo	Normal	3.086E+02	1.818E+00	3.365E-01	2026	2035	2030	4	tasmax
Togo	Normal	3.067E+02	2.155E+00	4.944E-01	2026	2035	2030	5	tasmax
Togo	Normal	3.050E+02	2.245E+00	5.903E-01	2026	2035	2030	6	tasmax
Togo	Normal	3.037E+02	2.070E+00	6.407E-01	2026	2035	2030	7	tasmax
Togo	Normal	3.028E+02	1.566E+00	4.234E-01	2026	2035	2030	8	tasmax
Togo	Normal	3.033E+02	1.631E+00	3.059E-01	2026	2035	2030	9	tasmax
Togo	Normal	3.046E+02	1.615E+00	3.258E-01	2026	2035	2030	10	tasmax
Togo	Normal	3.063E+02	1.674E+00	5.015E-01	2026	2035	2030	11	tasmax
Togo	Normal	3.070E+02	1.785E+00	4.971E-01	2026	2035	2030	12	tasmax
Togo	Normal	3.085E+02	1.782E+00	9.190E-01	2036	2045	2040	1	tasmax
Togo	Normal	3.101E+02	1.588E+00	3.718E-01	2036	2045	2040	2	tasmax
Togo	Normal	3.105E+02	1.656E+00	3.214E-01	2036	2045	2040	3	tasmax
Togo	Normal	3.090E+02	1.820E+00	2.405E-01	2036	2045	2040	4	tasmax
Togo	Normal	3.072E+02	2.146E+00	5.598E-01	2036	2045	2040	5	tasmax
Togo	Normal	3.054E+02	2.255E+00	7.398E-01	2036	2045	2040	6	tasmax
Togo	Normal	3.040E+02	2.101E+00	7.760E-01	2036	2045	2040	7	tasmax
Togo	Normal	3.032E+02	1.632E+00	4.984E-01	2036	2045	2040	8	tasmax
Togo	Normal	3.038E+02	1.665E+00	3.453E-01	2036	2045	2040	9	tasmax
Togo	Normal	3.050E+02	1.723E+00	3.573E-01	2036	2045	2040	10	tasmax
Togo	Normal	3.067E+02	1.712E+00	4.968E-01	2036	2045	2040	11	tasmax
Togo	Normal	3.074E+02	1.613E+00	4.303E-01	2036	2045	2040	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Togo	Normal	3.090E+02	1.640E+00	7.819E-01	2046	2055	2050	1	tasmax
Togo	Normal	3.106E+02	1.671E+00	5.401E-01	2046	2055	2050	2	tasmax
Togo	Normal	3.110E+02	1.675E+00	3.144E-01	2046	2055	2050	3	tasmax
Togo	Normal	3.096E+02	1.926E+00	3.298E-01	2046	2055	2050	4	tasmax
Togo	Normal	3.079E+02	2.288E+00	5.615E-01	2046	2055	2050	5	tasmax
Togo	Normal	3.061E+02	2.485E+00	7.343E-01	2046	2055	2050	6	tasmax
Togo	Normal	3.045E+02	2.244E+00	7.884E-01	2046	2055	2050	7	tasmax
Togo	Normal	3.037E+02	1.739E+00	5.843E-01	2046	2055	2050	8	tasmax
Togo	Normal	3.043E+02	1.710E+00	4.074E-01	2046	2055	2050	9	tasmax
Togo	Normal	3.054E+02	1.721E+00	3.905E-01	2046	2055	2050	10	tasmax
Togo	Normal	3.071E+02	1.840E+00	4.851E-01	2046	2055	2050	11	tasmax
Togo	Normal	3.079E+02	1.620E+00	3.620E-01	2046	2055	2050	12	tasmax
Togo	Normal	3.095E+02	1.797E+00	7.749E-01	2056	2065	2060	1	tasmax
Togo	Normal	3.111E+02	1.622E+00	5.332E-01	2056	2065	2060	2	tasmax
Togo	Normal	3.116E+02	1.666E+00	3.311E-01	2056	2065	2060	3	tasmax
Togo	Normal	3.101E+02	2.074E+00	3.930E-01	2056	2065	2060	4	tasmax
Togo	Normal	3.083E+02	2.386E+00	5.941E-01	2056	2065	2060	5	tasmax
Togo	Normal	3.064E+02	2.506E+00	7.269E-01	2056	2065	2060	6	tasmax
Togo	Normal	3.051E+02	2.374E+00	7.513E-01	2056	2065	2060	7	tasmax
Togo	Normal	3.042E+02	1.829E+00	5.121E-01	2056	2065	2060	8	tasmax
Togo	Normal	3.048E+02	1.857E+00	4.770E-01	2056	2065	2060	9	tasmax
Togo	Normal	3.059E+02	1.736E+00	3.412E-01	2056	2065	2060	10	tasmax
Togo	Normal	3.075E+02	1.823E+00	5.285E-01	2056	2065	2060	11	tasmax
Togo	Normal	3.084E+02	1.756E+00	3.751E-01	2056	2065	2060	12	tasmax
Togo	Normal	3.101E+02	1.638E+00	7.413E-01	2066	2075	2070	1	tasmax
Togo	Normal	3.117E+02	1.519E+00	4.436E-01	2066	2075	2070	2	tasmax
Togo	Normal	3.121E+02	1.937E+00	4.199E-01	2066	2075	2070	3	tasmax
Togo	Normal	3.107E+02	2.140E+00	4.270E-01	2066	2075	2070	4	tasmax
Togo	Normal	3.088E+02	2.440E+00	6.558E-01	2066	2075	2070	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Togo	Normal	3.070E+02	2.605E+00	7.897E-01	2066	2075	2070	6	tasmax
Togo	Normal	3.057E+02	2.493E+00	1.078E+00	2066	2075	2070	7	tasmax
Togo	Normal	3.047E+02	1.932E+00	7.012E-01	2066	2075	2070	8	tasmax
Togo	Normal	3.052E+02	1.815E+00	4.783E-01	2066	2075	2070	9	tasmax
Togo	Normal	3.064E+02	1.736E+00	2.901E-01	2066	2075	2070	10	tasmax
Togo	Normal	3.081E+02	1.774E+00	5.031E-01	2066	2075	2070	11	tasmax
Togo	Normal	3.089E+02	1.706E+00	2.982E-01	2066	2075	2070	12	tasmax
Togo	Normal	3.106E+02	1.719E+00	6.901E-01	2076	2085	2080	1	tasmax
Togo	Normal	3.123E+02	1.647E+00	4.023E-01	2076	2085	2080	2	tasmax
Togo	Normal	3.127E+02	1.898E+00	3.651E-01	2076	2085	2080	3	tasmax
Togo	Normal	3.112E+02	2.330E+00	5.636E-01	2076	2085	2080	4	tasmax
Togo	Normal	3.094E+02	2.627E+00	6.734E-01	2076	2085	2080	5	tasmax
Togo	Normal	3.078E+02	2.793E+00	7.656E-01	2076	2085	2080	6	tasmax
Togo	Normal	3.062E+02	2.585E+00	9.295E-01	2076	2085	2080	7	tasmax
Togo	Normal	3.053E+02	2.034E+00	6.525E-01	2076	2085	2080	8	tasmax
Togo	Normal	3.058E+02	1.981E+00	5.683E-01	2076	2085	2080	9	tasmax
Togo	Normal	3.069E+02	1.949E+00	3.811E-01	2076	2085	2080	10	tasmax
Togo	Normal	3.086E+02	1.971E+00	6.227E-01	2076	2085	2080	11	tasmax
Togo	Normal	3.094E+02	1.761E+00	3.692E-01	2076	2085	2080	12	tasmax
Togo	Normal	3.112E+02	1.700E+00	5.424E-01	2086	2099	2092	1	tasmax
Togo	Normal	3.130E+02	1.649E+00	4.572E-01	2086	2099	2092	2	tasmax
Togo	Normal	3.132E+02	2.080E+00	4.102E-01	2086	2099	2092	3	tasmax
Togo	Normal	3.118E+02	2.397E+00	4.918E-01	2086	2099	2092	4	tasmax
Togo	Normal	3.101E+02	2.771E+00	6.562E-01	2086	2099	2092	5	tasmax
Togo	Normal	3.084E+02	2.923E+00	8.052E-01	2086	2099	2092	6	tasmax
Togo	Normal	3.070E+02	2.821E+00	1.019E+00	2086	2099	2092	7	tasmax
Togo	Normal	3.059E+02	2.089E+00	6.413E-01	2086	2099	2092	8	tasmax
Togo	Normal	3.064E+02	2.064E+00	4.926E-01	2086	2099	2092	9	tasmax
Togo	Normal	3.076E+02	1.990E+00	3.984E-01	2086	2099	2092	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Togo	Normal	3.094E+02	1.955E+00	4.802E-01	2086	2099	2092	11	tasmax
Togo	Normal	3.101E+02	1.756E+00	3.516E-01	2086	2099	2092	12	tasmax
Tunisia	Normal	2.888E+02	1.994E+00	5.027E-01	2006	2015	2010	1	tasmax
Tunisia	Normal	2.911E+02	2.278E+00	8.103E-01	2006	2015	2010	2	tasmax
Tunisia	Normal	2.942E+02	2.616E+00	9.932E-01	2006	2015	2010	3	tasmax
Tunisia	Normal	2.978E+02	2.797E+00	1.223E+00	2006	2015	2010	4	tasmax
Tunisia	Normal	3.018E+02	2.902E+00	1.250E+00	2006	2015	2010	5	tasmax
Tunisia	Normal	3.061E+02	2.539E+00	7.348E-01	2006	2015	2010	6	tasmax
Tunisia	Normal	3.091E+02	2.704E+00	6.020E-01	2006	2015	2010	7	tasmax
Tunisia	Normal	3.084E+02	2.290E+00	4.570E-01	2006	2015	2010	8	tasmax
Tunisia	Normal	3.043E+02	2.158E+00	5.963E-01	2006	2015	2010	9	tasmax
Tunisia	Normal	2.989E+02	2.351E+00	8.170E-01	2006	2015	2010	10	tasmax
Tunisia	Normal	2.934E+02	1.848E+00	4.134E-01	2006	2015	2010	11	tasmax
Tunisia	Normal	2.896E+02	1.802E+00	3.049E-01	2006	2015	2010	12	tasmax
Tunisia	Normal	2.892E+02	1.995E+00	4.689E-01	2016	2025	2020	1	tasmax
Tunisia	Normal	2.913E+02	2.462E+00	7.031E-01	2016	2025	2020	2	tasmax
Tunisia	Normal	2.944E+02	3.033E+00	1.198E+00	2016	2025	2020	3	tasmax
Tunisia	Normal	2.980E+02	2.718E+00	1.259E+00	2016	2025	2020	4	tasmax
Tunisia	Normal	3.021E+02	2.808E+00	1.172E+00	2016	2025	2020	5	tasmax
Tunisia	Normal	3.067E+02	2.677E+00	6.379E-01	2016	2025	2020	6	tasmax
Tunisia	Normal	3.095E+02	2.761E+00	6.641E-01	2016	2025	2020	7	tasmax
Tunisia	Normal	3.090E+02	2.620E+00	6.767E-01	2016	2025	2020	8	tasmax
Tunisia	Normal	3.047E+02	2.451E+00	7.698E-01	2016	2025	2020	9	tasmax
Tunisia	Normal	2.994E+02	2.215E+00	7.221E-01	2016	2025	2020	10	tasmax
Tunisia	Normal	2.940E+02	1.949E+00	6.239E-01	2016	2025	2020	11	tasmax
Tunisia	Normal	2.901E+02	1.808E+00	4.615E-01	2016	2025	2020	12	tasmax
Tunisia	Normal	2.896E+02	1.869E+00	3.254E-01	2026	2035	2030	1	tasmax
Tunisia	Normal	2.918E+02	2.334E+00	7.216E-01	2026	2035	2030	2	tasmax
Tunisia	Normal	2.951E+02	2.683E+00	1.260E+00	2026	2035	2030	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tunisia	Normal	2.986E+02	2.734E+00	1.234E+00	2026	2035	2030	4	tasmax
Tunisia	Normal	3.025E+02	2.786E+00	1.294E+00	2026	2035	2030	5	tasmax
Tunisia	Normal	3.072E+02	2.695E+00	6.858E-01	2026	2035	2030	6	tasmax
Tunisia	Normal	3.102E+02	2.787E+00	6.649E-01	2026	2035	2030	7	tasmax
Tunisia	Normal	3.095E+02	2.504E+00	5.949E-01	2026	2035	2030	8	tasmax
Tunisia	Normal	3.051E+02	2.628E+00	6.142E-01	2026	2035	2030	9	tasmax
Tunisia	Normal	2.999E+02	2.313E+00	4.932E-01	2026	2035	2030	10	tasmax
Tunisia	Normal	2.943E+02	1.993E+00	5.164E-01	2026	2035	2030	11	tasmax
Tunisia	Normal	2.905E+02	1.615E+00	2.596E-01	2026	2035	2030	12	tasmax
Tunisia	Normal	2.901E+02	1.971E+00	4.709E-01	2036	2045	2040	1	tasmax
Tunisia	Normal	2.920E+02	2.178E+00	6.647E-01	2036	2045	2040	2	tasmax
Tunisia	Normal	2.954E+02	2.646E+00	1.034E+00	2036	2045	2040	3	tasmax
Tunisia	Normal	2.990E+02	2.977E+00	1.369E+00	2036	2045	2040	4	tasmax
Tunisia	Normal	3.031E+02	2.919E+00	1.299E+00	2036	2045	2040	5	tasmax
Tunisia	Normal	3.077E+02	2.839E+00	7.434E-01	2036	2045	2040	6	tasmax
Tunisia	Normal	3.108E+02	2.707E+00	7.600E-01	2036	2045	2040	7	tasmax
Tunisia	Normal	3.102E+02	2.571E+00	5.864E-01	2036	2045	2040	8	tasmax
Tunisia	Normal	3.059E+02	2.666E+00	9.504E-01	2036	2045	2040	9	tasmax
Tunisia	Normal	3.004E+02	2.435E+00	5.545E-01	2036	2045	2040	10	tasmax
Tunisia	Normal	2.948E+02	1.973E+00	5.904E-01	2036	2045	2040	11	tasmax
Tunisia	Normal	2.910E+02	1.871E+00	3.466E-01	2036	2045	2040	12	tasmax
Tunisia	Normal	2.906E+02	1.934E+00	5.016E-01	2046	2055	2050	1	tasmax
Tunisia	Normal	2.924E+02	2.235E+00	7.106E-01	2046	2055	2050	2	tasmax
Tunisia	Normal	2.957E+02	2.575E+00	9.860E-01	2046	2055	2050	3	tasmax
Tunisia	Normal	2.995E+02	2.908E+00	1.458E+00	2046	2055	2050	4	tasmax
Tunisia	Normal	3.037E+02	2.854E+00	1.243E+00	2046	2055	2050	5	tasmax
Tunisia	Normal	3.083E+02	2.903E+00	8.462E-01	2046	2055	2050	6	tasmax
Tunisia	Normal	3.114E+02	2.969E+00	6.705E-01	2046	2055	2050	7	tasmax
Tunisia	Normal	3.109E+02	2.397E+00	4.634E-01	2046	2055	2050	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tunisia	Normal	3.065E+02	2.555E+00	6.936E-01	2046	2055	2050	9	tasmax
Tunisia	Normal	3.010E+02	2.412E+00	7.343E-01	2046	2055	2050	10	tasmax
Tunisia	Normal	2.953E+02	2.014E+00	3.691E-01	2046	2055	2050	11	tasmax
Tunisia	Normal	2.913E+02	1.765E+00	4.662E-01	2046	2055	2050	12	tasmax
Tunisia	Normal	2.911E+02	1.847E+00	4.548E-01	2056	2065	2060	1	tasmax
Tunisia	Normal	2.932E+02	2.501E+00	9.400E-01	2056	2065	2060	2	tasmax
Tunisia	Normal	2.963E+02	2.744E+00	1.085E+00	2056	2065	2060	3	tasmax
Tunisia	Normal	3.000E+02	3.177E+00	1.591E+00	2056	2065	2060	4	tasmax
Tunisia	Normal	3.042E+02	3.101E+00	1.409E+00	2056	2065	2060	5	tasmax
Tunisia	Normal	3.091E+02	3.133E+00	7.391E-01	2056	2065	2060	6	tasmax
Tunisia	Normal	3.120E+02	3.052E+00	5.424E-01	2056	2065	2060	7	tasmax
Tunisia	Normal	3.115E+02	2.877E+00	5.515E-01	2056	2065	2060	8	tasmax
Tunisia	Normal	3.070E+02	2.855E+00	7.459E-01	2056	2065	2060	9	tasmax
Tunisia	Normal	3.015E+02	2.766E+00	7.850E-01	2056	2065	2060	10	tasmax
Tunisia	Normal	2.960E+02	2.028E+00	5.218E-01	2056	2065	2060	11	tasmax
Tunisia	Normal	2.920E+02	1.597E+00	3.036E-01	2056	2065	2060	12	tasmax
Tunisia	Normal	2.914E+02	1.804E+00	5.306E-01	2066	2075	2070	1	tasmax
Tunisia	Normal	2.935E+02	2.432E+00	9.030E-01	2066	2075	2070	2	tasmax
Tunisia	Normal	2.969E+02	2.986E+00	1.298E+00	2066	2075	2070	3	tasmax
Tunisia	Normal	3.008E+02	2.900E+00	1.351E+00	2066	2075	2070	4	tasmax
Tunisia	Normal	3.052E+02	3.266E+00	1.287E+00	2066	2075	2070	5	tasmax
Tunisia	Normal	3.096E+02	3.179E+00	7.263E-01	2066	2075	2070	6	tasmax
Tunisia	Normal	3.130E+02	3.084E+00	5.851E-01	2066	2075	2070	7	tasmax
Tunisia	Normal	3.124E+02	2.827E+00	4.653E-01	2066	2075	2070	8	tasmax
Tunisia	Normal	3.078E+02	2.933E+00	6.846E-01	2066	2075	2070	9	tasmax
Tunisia	Normal	3.023E+02	2.983E+00	8.580E-01	2066	2075	2070	10	tasmax
Tunisia	Normal	2.965E+02	2.192E+00	6.480E-01	2066	2075	2070	11	tasmax
Tunisia	Normal	2.924E+02	1.718E+00	3.923E-01	2066	2075	2070	12	tasmax
Tunisia	Normal	2.920E+02	2.045E+00	5.805E-01	2076	2085	2080	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Tunisia	Normal	2.941E+02	2.238E+00	6.223E-01	2076	2085	2080	2	tasmax
Tunisia	Normal	2.976E+02	2.920E+00	9.990E-01	2076	2085	2080	3	tasmax
Tunisia	Normal	3.014E+02	3.229E+00	1.474E+00	2076	2085	2080	4	tasmax
Tunisia	Normal	3.056E+02	3.245E+00	1.432E+00	2076	2085	2080	5	tasmax
Tunisia	Normal	3.106E+02	3.329E+00	6.661E-01	2076	2085	2080	6	tasmax
Tunisia	Normal	3.137E+02	3.003E+00	5.751E-01	2076	2085	2080	7	tasmax
Tunisia	Normal	3.131E+02	3.016E+00	5.480E-01	2076	2085	2080	8	tasmax
Tunisia	Normal	3.086E+02	3.063E+00	8.837E-01	2076	2085	2080	9	tasmax
Tunisia	Normal	3.027E+02	3.314E+00	1.032E+00	2076	2085	2080	10	tasmax
Tunisia	Normal	2.970E+02	2.482E+00	7.314E-01	2076	2085	2080	11	tasmax
Tunisia	Normal	2.929E+02	1.855E+00	4.662E-01	2076	2085	2080	12	tasmax
Tunisia	Normal	2.925E+02	2.218E+00	5.167E-01	2086	2099	2092	1	tasmax
Tunisia	Normal	2.950E+02	2.522E+00	7.981E-01	2086	2099	2092	2	tasmax
Tunisia	Normal	2.983E+02	3.178E+00	1.328E+00	2086	2099	2092	3	tasmax
Tunisia	Normal	3.017E+02	3.567E+00	1.587E+00	2086	2099	2092	4	tasmax
Tunisia	Normal	3.061E+02	3.082E+00	1.135E+00	2086	2099	2092	5	tasmax
Tunisia	Normal	3.111E+02	3.404E+00	6.397E-01	2086	2099	2092	6	tasmax
Tunisia	Normal	3.146E+02	3.315E+00	7.062E-01	2086	2099	2092	7	tasmax
Tunisia	Normal	3.139E+02	3.243E+00	6.198E-01	2086	2099	2092	8	tasmax
Tunisia	Normal	3.089E+02	2.857E+00	6.480E-01	2086	2099	2092	9	tasmax
Tunisia	Normal	3.033E+02	3.060E+00	7.335E-01	2086	2099	2092	10	tasmax
Tunisia	Normal	2.977E+02	2.376E+00	4.770E-01	2086	2099	2092	11	tasmax
Tunisia	Normal	2.934E+02	1.908E+00	2.660E-01	2086	2099	2092	12	tasmax
Turkey	Normal	2.785E+02	1.937E+00	2.947E-01	2006	2015	2010	1	tasmax
Turkey	Normal	2.803E+02	2.267E+00	3.572E-01	2006	2015	2010	2	tasmax
Turkey	Normal	2.839E+02	2.370E+00	5.679E-01	2006	2015	2010	3	tasmax
Turkey	Normal	2.889E+02	2.200E+00	5.415E-01	2006	2015	2010	4	tasmax
Turkey	Normal	2.940E+02	2.564E+00	5.445E-01	2006	2015	2010	5	tasmax
Turkey	Normal	2.994E+02	3.015E+00	4.658E-01	2006	2015	2010	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkey	Normal	3.039E+02	3.300E+00	5.593E-01	2006	2015	2010	7	tasmax
Turkey	Normal	3.040E+02	3.024E+00	5.368E-01	2006	2015	2010	8	tasmax
Turkey	Normal	2.991E+02	2.104E+00	3.569E-01	2006	2015	2010	9	tasmax
Turkey	Normal	2.920E+02	2.418E+00	3.897E-01	2006	2015	2010	10	tasmax
Turkey	Normal	2.849E+02	2.210E+00	3.580E-01	2006	2015	2010	11	tasmax
Turkey	Normal	2.801E+02	1.875E+00	3.520E-01	2006	2015	2010	12	tasmax
Turkey	Normal	2.791E+02	1.963E+00	3.431E-01	2016	2025	2020	1	tasmax
Turkey	Normal	2.806E+02	2.174E+00	4.244E-01	2016	2025	2020	2	tasmax
Turkey	Normal	2.843E+02	2.654E+00	6.164E-01	2016	2025	2020	3	tasmax
Turkey	Normal	2.892E+02	2.452E+00	5.315E-01	2016	2025	2020	4	tasmax
Turkey	Normal	2.943E+02	2.352E+00	5.722E-01	2016	2025	2020	5	tasmax
Turkey	Normal	2.999E+02	2.786E+00	4.329E-01	2016	2025	2020	6	tasmax
Turkey	Normal	3.046E+02	3.409E+00	6.429E-01	2016	2025	2020	7	tasmax
Turkey	Normal	3.046E+02	3.168E+00	5.925E-01	2016	2025	2020	8	tasmax
Turkey	Normal	2.994E+02	2.344E+00	4.931E-01	2016	2025	2020	9	tasmax
Turkey	Normal	2.924E+02	2.489E+00	4.623E-01	2016	2025	2020	10	tasmax
Turkey	Normal	2.851E+02	2.525E+00	3.853E-01	2016	2025	2020	11	tasmax
Turkey	Normal	2.806E+02	2.000E+00	3.426E-01	2016	2025	2020	12	tasmax
Turkey	Normal	2.793E+02	1.958E+00	3.374E-01	2026	2035	2030	1	tasmax
Turkey	Normal	2.810E+02	1.953E+00	5.683E-01	2026	2035	2030	2	tasmax
Turkey	Normal	2.850E+02	2.296E+00	7.395E-01	2026	2035	2030	3	tasmax
Turkey	Normal	2.897E+02	2.246E+00	5.933E-01	2026	2035	2030	4	tasmax
Turkey	Normal	2.947E+02	2.610E+00	5.358E-01	2026	2035	2030	5	tasmax
Turkey	Normal	3.005E+02	2.970E+00	5.362E-01	2026	2035	2030	6	tasmax
Turkey	Normal	3.051E+02	3.494E+00	6.846E-01	2026	2035	2030	7	tasmax
Turkey	Normal	3.053E+02	3.189E+00	6.445E-01	2026	2035	2030	8	tasmax
Turkey	Normal	3.001E+02	2.275E+00	3.926E-01	2026	2035	2030	9	tasmax
Turkey	Normal	2.929E+02	2.372E+00	3.087E-01	2026	2035	2030	10	tasmax
Turkey	Normal	2.856E+02	2.423E+00	6.274E-01	2026	2035	2030	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkey	Normal	2.810E+02	2.015E+00	4.268E-01	2026	2035	2030	12	tasmax
Turkey	Normal	2.798E+02	1.970E+00	3.625E-01	2036	2045	2040	1	tasmax
Turkey	Normal	2.815E+02	1.908E+00	5.063E-01	2036	2045	2040	2	tasmax
Turkey	Normal	2.855E+02	2.494E+00	6.801E-01	2036	2045	2040	3	tasmax
Turkey	Normal	2.902E+02	2.462E+00	5.417E-01	2036	2045	2040	4	tasmax
Turkey	Normal	2.955E+02	2.504E+00	4.538E-01	2036	2045	2040	5	tasmax
Turkey	Normal	3.014E+02	3.184E+00	4.979E-01	2036	2045	2040	6	tasmax
Turkey	Normal	3.059E+02	3.690E+00	6.654E-01	2036	2045	2040	7	tasmax
Turkey	Normal	3.061E+02	3.388E+00	7.760E-01	2036	2045	2040	8	tasmax
Turkey	Normal	3.010E+02	2.299E+00	4.025E-01	2036	2045	2040	9	tasmax
Turkey	Normal	2.936E+02	2.612E+00	4.797E-01	2036	2045	2040	10	tasmax
Turkey	Normal	2.863E+02	2.519E+00	4.756E-01	2036	2045	2040	11	tasmax
Turkey	Normal	2.813E+02	2.121E+00	4.179E-01	2036	2045	2040	12	tasmax
Turkey	Normal	2.806E+02	2.224E+00	5.250E-01	2046	2055	2050	1	tasmax
Turkey	Normal	2.823E+02	2.197E+00	4.566E-01	2046	2055	2050	2	tasmax
Turkey	Normal	2.860E+02	2.237E+00	5.470E-01	2046	2055	2050	3	tasmax
Turkey	Normal	2.908E+02	2.433E+00	5.681E-01	2046	2055	2050	4	tasmax
Turkey	Normal	2.960E+02	2.627E+00	5.447E-01	2046	2055	2050	5	tasmax
Turkey	Normal	3.018E+02	3.198E+00	5.391E-01	2046	2055	2050	6	tasmax
Turkey	Normal	3.066E+02	3.761E+00	6.828E-01	2046	2055	2050	7	tasmax
Turkey	Normal	3.070E+02	3.412E+00	7.388E-01	2046	2055	2050	8	tasmax
Turkey	Normal	3.015E+02	2.447E+00	4.537E-01	2046	2055	2050	9	tasmax
Turkey	Normal	2.944E+02	2.391E+00	5.093E-01	2046	2055	2050	10	tasmax
Turkey	Normal	2.867E+02	2.549E+00	5.013E-01	2046	2055	2050	11	tasmax
Turkey	Normal	2.818E+02	2.198E+00	4.088E-01	2046	2055	2050	12	tasmax
Turkey	Normal	2.811E+02	2.051E+00	3.195E-01	2056	2065	2060	1	tasmax
Turkey	Normal	2.828E+02	2.078E+00	5.545E-01	2056	2065	2060	2	tasmax
Turkey	Normal	2.865E+02	2.492E+00	8.924E-01	2056	2065	2060	3	tasmax
Turkey	Normal	2.913E+02	2.731E+00	5.696E-01	2056	2065	2060	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkey	Normal	2.965E+02	2.692E+00	7.352E-01	2056	2065	2060	5	tasmax
Turkey	Normal	3.025E+02	3.144E+00	5.043E-01	2056	2065	2060	6	tasmax
Turkey	Normal	3.076E+02	3.774E+00	8.272E-01	2056	2065	2060	7	tasmax
Turkey	Normal	3.078E+02	3.422E+00	7.563E-01	2056	2065	2060	8	tasmax
Turkey	Normal	3.025E+02	2.744E+00	5.954E-01	2056	2065	2060	9	tasmax
Turkey	Normal	2.949E+02	2.652E+00	5.520E-01	2056	2065	2060	10	tasmax
Turkey	Normal	2.875E+02	2.428E+00	5.023E-01	2056	2065	2060	11	tasmax
Turkey	Normal	2.825E+02	2.072E+00	3.422E-01	2056	2065	2060	12	tasmax
Turkey	Normal	2.816E+02	2.228E+00	3.612E-01	2066	2075	2070	1	tasmax
Turkey	Normal	2.835E+02	2.189E+00	4.982E-01	2066	2075	2070	2	tasmax
Turkey	Normal	2.871E+02	2.769E+00	9.048E-01	2066	2075	2070	3	tasmax
Turkey	Normal	2.921E+02	2.578E+00	6.436E-01	2066	2075	2070	4	tasmax
Turkey	Normal	2.976E+02	3.076E+00	8.419E-01	2066	2075	2070	5	tasmax
Turkey	Normal	3.035E+02	3.423E+00	5.577E-01	2066	2075	2070	6	tasmax
Turkey	Normal	3.084E+02	3.744E+00	9.359E-01	2066	2075	2070	7	tasmax
Turkey	Normal	3.086E+02	3.350E+00	8.042E-01	2066	2075	2070	8	tasmax
Turkey	Normal	3.033E+02	2.587E+00	6.174E-01	2066	2075	2070	9	tasmax
Turkey	Normal	2.956E+02	2.854E+00	4.340E-01	2066	2075	2070	10	tasmax
Turkey	Normal	2.881E+02	2.797E+00	5.289E-01	2066	2075	2070	11	tasmax
Turkey	Normal	2.834E+02	2.327E+00	5.009E-01	2066	2075	2070	12	tasmax
Turkey	Normal	2.823E+02	2.185E+00	4.799E-01	2076	2085	2080	1	tasmax
Turkey	Normal	2.842E+02	2.652E+00	1.037E+00	2076	2085	2080	2	tasmax
Turkey	Normal	2.878E+02	3.014E+00	1.032E+00	2076	2085	2080	3	tasmax
Turkey	Normal	2.929E+02	3.180E+00	9.702E-01	2076	2085	2080	4	tasmax
Turkey	Normal	2.980E+02	3.224E+00	8.164E-01	2076	2085	2080	5	tasmax
Turkey	Normal	3.045E+02	3.729E+00	6.907E-01	2076	2085	2080	6	tasmax
Turkey	Normal	3.093E+02	4.059E+00	1.039E+00	2076	2085	2080	7	tasmax
Turkey	Normal	3.094E+02	3.618E+00	9.116E-01	2076	2085	2080	8	tasmax
Turkey	Normal	3.039E+02	2.826E+00	5.677E-01	2076	2085	2080	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkey	Normal	2.962E+02	2.860E+00	4.717E-01	2076	2085	2080	10	tasmax
Turkey	Normal	2.887E+02	2.981E+00	6.327E-01	2076	2085	2080	11	tasmax
Turkey	Normal	2.836E+02	2.363E+00	5.761E-01	2076	2085	2080	12	tasmax
Turkey	Normal	2.826E+02	2.207E+00	5.802E-01	2086	2099	2092	1	tasmax
Turkey	Normal	2.845E+02	2.494E+00	7.193E-01	2086	2099	2092	2	tasmax
Turkey	Normal	2.886E+02	3.195E+00	1.191E+00	2086	2099	2092	3	tasmax
Turkey	Normal	2.932E+02	3.243E+00	8.510E-01	2086	2099	2092	4	tasmax
Turkey	Normal	2.989E+02	3.376E+00	7.239E-01	2086	2099	2092	5	tasmax
Turkey	Normal	3.052E+02	3.706E+00	6.116E-01	2086	2099	2092	6	tasmax
Turkey	Normal	3.101E+02	4.147E+00	9.510E-01	2086	2099	2092	7	tasmax
Turkey	Normal	3.103E+02	3.678E+00	9.455E-01	2086	2099	2092	8	tasmax
Turkey	Normal	3.048E+02	2.877E+00	5.606E-01	2086	2099	2092	9	tasmax
Turkey	Normal	2.969E+02	3.196E+00	4.962E-01	2086	2099	2092	10	tasmax
Turkey	Normal	2.895E+02	2.891E+00	5.527E-01	2086	2099	2092	11	tasmax
Turkey	Normal	2.842E+02	2.597E+00	5.526E-01	2086	2099	2092	12	tasmax
Turkmenistan	Normal	2.810E+02	4.425E+00	1.046E+00	2006	2015	2010	1	tasmax
Turkmenistan	Normal	2.836E+02	4.301E+00	1.056E+00	2006	2015	2010	2	tasmax
Turkmenistan	Normal	2.893E+02	3.898E+00	1.051E+00	2006	2015	2010	3	tasmax
Turkmenistan	Normal	2.960E+02	3.296E+00	1.266E+00	2006	2015	2010	4	tasmax
Turkmenistan	Normal	3.030E+02	3.303E+00	6.759E-01	2006	2015	2010	5	tasmax
Turkmenistan	Normal	3.089E+02	3.565E+00	8.754E-01	2006	2015	2010	6	tasmax
Turkmenistan	Normal	3.114E+02	3.850E+00	1.105E+00	2006	2015	2010	7	tasmax
Turkmenistan	Normal	3.098E+02	3.422E+00	9.592E-01	2006	2015	2010	8	tasmax
Turkmenistan	Normal	3.038E+02	2.914E+00	4.345E-01	2006	2015	2010	9	tasmax
Turkmenistan	Normal	2.958E+02	2.963E+00	8.375E-01	2006	2015	2010	10	tasmax
Turkmenistan	Normal	2.879E+02	3.473E+00	6.378E-01	2006	2015	2010	11	tasmax
Turkmenistan	Normal	2.825E+02	3.971E+00	7.746E-01	2006	2015	2010	12	tasmax
Turkmenistan	Normal	2.814E+02	4.049E+00	8.389E-01	2016	2025	2020	1	tasmax
Turkmenistan	Normal	2.841E+02	3.799E+00	8.828E-01	2016	2025	2020	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkmenistan	Normal	2.896E+02	3.941E+00	1.495E+00	2016	2025	2020	3	tasmax
Turkmenistan	Normal	2.964E+02	3.469E+00	1.335E+00	2016	2025	2020	4	tasmax
Turkmenistan	Normal	3.032E+02	3.329E+00	6.652E-01	2016	2025	2020	5	tasmax
Turkmenistan	Normal	3.094E+02	3.565E+00	9.946E-01	2016	2025	2020	6	tasmax
Turkmenistan	Normal	3.119E+02	3.790E+00	1.223E+00	2016	2025	2020	7	tasmax
Turkmenistan	Normal	3.103E+02	3.372E+00	9.766E-01	2016	2025	2020	8	tasmax
Turkmenistan	Normal	3.042E+02	2.976E+00	3.965E-01	2016	2025	2020	9	tasmax
Turkmenistan	Normal	2.963E+02	2.904E+00	7.610E-01	2016	2025	2020	10	tasmax
Turkmenistan	Normal	2.878E+02	3.570E+00	7.222E-01	2016	2025	2020	11	tasmax
Turkmenistan	Normal	2.826E+02	3.966E+00	8.140E-01	2016	2025	2020	12	tasmax
Turkmenistan	Normal	2.819E+02	4.017E+00	6.729E-01	2026	2035	2030	1	tasmax
Turkmenistan	Normal	2.847E+02	4.010E+00	1.001E+00	2026	2035	2030	2	tasmax
Turkmenistan	Normal	2.903E+02	3.855E+00	1.458E+00	2026	2035	2030	3	tasmax
Turkmenistan	Normal	2.967E+02	3.513E+00	1.249E+00	2026	2035	2030	4	tasmax
Turkmenistan	Normal	3.038E+02	3.199E+00	7.716E-01	2026	2035	2030	5	tasmax
Turkmenistan	Normal	3.098E+02	3.648E+00	9.455E-01	2026	2035	2030	6	tasmax
Turkmenistan	Normal	3.124E+02	3.803E+00	1.277E+00	2026	2035	2030	7	tasmax
Turkmenistan	Normal	3.108E+02	3.470E+00	1.013E+00	2026	2035	2030	8	tasmax
Turkmenistan	Normal	3.050E+02	3.110E+00	4.535E-01	2026	2035	2030	9	tasmax
Turkmenistan	Normal	2.968E+02	3.164E+00	8.599E-01	2026	2035	2030	10	tasmax
Turkmenistan	Normal	2.883E+02	3.351E+00	4.966E-01	2026	2035	2030	11	tasmax
Turkmenistan	Normal	2.831E+02	3.892E+00	6.873E-01	2026	2035	2030	12	tasmax
Turkmenistan	Normal	2.820E+02	4.616E+00	1.163E+00	2036	2045	2040	1	tasmax
Turkmenistan	Normal	2.849E+02	3.961E+00	8.405E-01	2036	2045	2040	2	tasmax
Turkmenistan	Normal	2.908E+02	3.797E+00	1.253E+00	2036	2045	2040	3	tasmax
Turkmenistan	Normal	2.971E+02	3.682E+00	1.252E+00	2036	2045	2040	4	tasmax
Turkmenistan	Normal	3.043E+02	3.528E+00	7.918E-01	2036	2045	2040	5	tasmax
Turkmenistan	Normal	3.103E+02	3.686E+00	1.081E+00	2036	2045	2040	6	tasmax
Turkmenistan	Normal	3.130E+02	3.953E+00	1.196E+00	2036	2045	2040	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkmenistan	Normal	3.115E+02	3.639E+00	1.135E+00	2036	2045	2040	8	tasmax
Turkmenistan	Normal	3.054E+02	3.164E+00	4.912E-01	2036	2045	2040	9	tasmax
Turkmenistan	Normal	2.973E+02	3.032E+00	8.132E-01	2036	2045	2040	10	tasmax
Turkmenistan	Normal	2.887E+02	3.823E+00	5.957E-01	2036	2045	2040	11	tasmax
Turkmenistan	Normal	2.832E+02	4.257E+00	7.364E-01	2036	2045	2040	12	tasmax
Turkmenistan	Normal	2.828E+02	4.075E+00	7.127E-01	2046	2055	2050	1	tasmax
Turkmenistan	Normal	2.855E+02	3.717E+00	1.112E+00	2046	2055	2050	2	tasmax
Turkmenistan	Normal	2.911E+02	3.909E+00	1.724E+00	2046	2055	2050	3	tasmax
Turkmenistan	Normal	2.980E+02	3.786E+00	1.281E+00	2046	2055	2050	4	tasmax
Turkmenistan	Normal	3.049E+02	3.700E+00	6.841E-01	2046	2055	2050	5	tasmax
Turkmenistan	Normal	3.111E+02	3.886E+00	1.109E+00	2046	2055	2050	6	tasmax
Turkmenistan	Normal	3.137E+02	4.123E+00	1.383E+00	2046	2055	2050	7	tasmax
Turkmenistan	Normal	3.122E+02	3.741E+00	1.086E+00	2046	2055	2050	8	tasmax
Turkmenistan	Normal	3.061E+02	3.367E+00	5.315E-01	2046	2055	2050	9	tasmax
Turkmenistan	Normal	2.979E+02	2.996E+00	8.657E-01	2046	2055	2050	10	tasmax
Turkmenistan	Normal	2.896E+02	3.413E+00	6.068E-01	2046	2055	2050	11	tasmax
Turkmenistan	Normal	2.839E+02	4.057E+00	8.025E-01	2046	2055	2050	12	tasmax
Turkmenistan	Normal	2.833E+02	4.030E+00	7.456E-01	2056	2065	2060	1	tasmax
Turkmenistan	Normal	2.862E+02	3.844E+00	9.383E-01	2056	2065	2060	2	tasmax
Turkmenistan	Normal	2.917E+02	3.937E+00	1.512E+00	2056	2065	2060	3	tasmax
Turkmenistan	Normal	2.985E+02	3.819E+00	1.356E+00	2056	2065	2060	4	tasmax
Turkmenistan	Normal	3.056E+02	3.576E+00	7.379E-01	2056	2065	2060	5	tasmax
Turkmenistan	Normal	3.118E+02	3.866E+00	1.065E+00	2056	2065	2060	6	tasmax
Turkmenistan	Normal	3.145E+02	4.149E+00	1.415E+00	2056	2065	2060	7	tasmax
Turkmenistan	Normal	3.128E+02	3.804E+00	1.113E+00	2056	2065	2060	8	tasmax
Turkmenistan	Normal	3.070E+02	3.499E+00	6.236E-01	2056	2065	2060	9	tasmax
Turkmenistan	Normal	2.987E+02	3.230E+00	1.015E+00	2056	2065	2060	10	tasmax
Turkmenistan	Normal	2.903E+02	3.578E+00	5.704E-01	2056	2065	2060	11	tasmax
Turkmenistan	Normal	2.849E+02	4.227E+00	7.888E-01	2056	2065	2060	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkmenistan	Normal	2.839E+02	3.989E+00	7.435E-01	2066	2075	2070	1	tasmax
Turkmenistan	Normal	2.869E+02	3.917E+00	1.070E+00	2066	2075	2070	2	tasmax
Turkmenistan	Normal	2.927E+02	3.915E+00	1.580E+00	2066	2075	2070	3	tasmax
Turkmenistan	Normal	2.989E+02	3.782E+00	1.458E+00	2066	2075	2070	4	tasmax
Turkmenistan	Normal	3.064E+02	3.671E+00	8.892E-01	2066	2075	2070	5	tasmax
Turkmenistan	Normal	3.128E+02	3.995E+00	1.196E+00	2066	2075	2070	6	tasmax
Turkmenistan	Normal	3.154E+02	4.213E+00	1.610E+00	2066	2075	2070	7	tasmax
Turkmenistan	Normal	3.138E+02	3.889E+00	1.406E+00	2066	2075	2070	8	tasmax
Turkmenistan	Normal	3.076E+02	3.375E+00	5.804E-01	2066	2075	2070	9	tasmax
Turkmenistan	Normal	2.992E+02	3.253E+00	9.773E-01	2066	2075	2070	10	tasmax
Turkmenistan	Normal	2.906E+02	3.673E+00	7.735E-01	2066	2075	2070	11	tasmax
Turkmenistan	Normal	2.852E+02	3.821E+00	7.579E-01	2066	2075	2070	12	tasmax
Turkmenistan	Normal	2.844E+02	3.854E+00	6.289E-01	2076	2085	2080	1	tasmax
Turkmenistan	Normal	2.875E+02	3.777E+00	1.363E+00	2076	2085	2080	2	tasmax
Turkmenistan	Normal	2.932E+02	4.108E+00	1.538E+00	2076	2085	2080	3	tasmax
Turkmenistan	Normal	2.998E+02	3.866E+00	1.483E+00	2076	2085	2080	4	tasmax
Turkmenistan	Normal	3.069E+02	3.827E+00	9.528E-01	2076	2085	2080	5	tasmax
Turkmenistan	Normal	3.132E+02	3.995E+00	1.215E+00	2076	2085	2080	6	tasmax
Turkmenistan	Normal	3.161E+02	4.176E+00	1.570E+00	2076	2085	2080	7	tasmax
Turkmenistan	Normal	3.143E+02	3.919E+00	1.395E+00	2076	2085	2080	8	tasmax
Turkmenistan	Normal	3.083E+02	3.660E+00	6.445E-01	2076	2085	2080	9	tasmax
Turkmenistan	Normal	2.998E+02	3.380E+00	9.804E-01	2076	2085	2080	10	tasmax
Turkmenistan	Normal	2.916E+02	3.613E+00	8.422E-01	2076	2085	2080	11	tasmax
Turkmenistan	Normal	2.860E+02	4.212E+00	7.879E-01	2076	2085	2080	12	tasmax
Turkmenistan	Normal	2.852E+02	4.083E+00	8.321E-01	2086	2099	2092	1	tasmax
Turkmenistan	Normal	2.879E+02	3.595E+00	1.106E+00	2086	2099	2092	2	tasmax
Turkmenistan	Normal	2.937E+02	4.180E+00	1.433E+00	2086	2099	2092	3	tasmax
Turkmenistan	Normal	3.003E+02	4.141E+00	1.411E+00	2086	2099	2092	4	tasmax
Turkmenistan	Normal	3.075E+02	3.976E+00	8.507E-01	2086	2099	2092	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Turkmenistan	Normal	3.139E+02	4.118E+00	1.463E+00	2086	2099	2092	6	tasmax
Turkmenistan	Normal	3.167E+02	4.566E+00	1.743E+00	2086	2099	2092	7	tasmax
Turkmenistan	Normal	3.153E+02	4.328E+00	1.509E+00	2086	2099	2092	8	tasmax
Turkmenistan	Normal	3.091E+02	3.842E+00	6.917E-01	2086	2099	2092	9	tasmax
Turkmenistan	Normal	3.005E+02	3.518E+00	1.036E+00	2086	2099	2092	10	tasmax
Turkmenistan	Normal	2.921E+02	3.785E+00	8.628E-01	2086	2099	2092	11	tasmax
Turkmenistan	Normal	2.866E+02	4.312E+00	8.786E-01	2086	2099	2092	12	tasmax
Uganda	Normal	3.020E+02	2.043E+00	5.432E-01	2006	2015	2010	1	tasmax
Uganda	Normal	3.036E+02	2.290E+00	5.846E-01	2006	2015	2010	2	tasmax
Uganda	Normal	3.039E+02	2.028E+00	4.987E-01	2006	2015	2010	3	tasmax
Uganda	Normal	3.028E+02	1.798E+00	2.699E-01	2006	2015	2010	4	tasmax
Uganda	Normal	3.013E+02	1.512E+00	3.511E-01	2006	2015	2010	5	tasmax
Uganda	Normal	3.008E+02	1.431E+00	2.633E-01	2006	2015	2010	6	tasmax
Uganda	Normal	3.009E+02	1.496E+00	3.929E-01	2006	2015	2010	7	tasmax
Uganda	Normal	3.012E+02	1.802E+00	4.984E-01	2006	2015	2010	8	tasmax
Uganda	Normal	3.008E+02	2.016E+00	4.294E-01	2006	2015	2010	9	tasmax
Uganda	Normal	3.000E+02	2.224E+00	7.459E-01	2006	2015	2010	10	tasmax
Uganda	Normal	2.996E+02	2.155E+00	6.457E-01	2006	2015	2010	11	tasmax
Uganda	Normal	3.002E+02	1.958E+00	3.787E-01	2006	2015	2010	12	tasmax
Uganda	Normal	3.024E+02	2.202E+00	5.772E-01	2016	2025	2020	1	tasmax
Uganda	Normal	3.040E+02	2.267E+00	5.740E-01	2016	2025	2020	2	tasmax
Uganda	Normal	3.044E+02	2.162E+00	5.469E-01	2016	2025	2020	3	tasmax
Uganda	Normal	3.035E+02	1.875E+00	3.438E-01	2016	2025	2020	4	tasmax
Uganda	Normal	3.016E+02	1.592E+00	2.561E-01	2016	2025	2020	5	tasmax
Uganda	Normal	3.011E+02	1.462E+00	2.739E-01	2016	2025	2020	6	tasmax
Uganda	Normal	3.013E+02	1.453E+00	3.156E-01	2016	2025	2020	7	tasmax
Uganda	Normal	3.015E+02	1.896E+00	4.698E-01	2016	2025	2020	8	tasmax
Uganda	Normal	3.013E+02	2.069E+00	3.866E-01	2016	2025	2020	9	tasmax
Uganda	Normal	3.003E+02	2.104E+00	6.853E-01	2016	2025	2020	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uganda	Normal	3.000E+02	2.035E+00	5.797E-01	2016	2025	2020	11	tasmax
Uganda	Normal	3.008E+02	1.991E+00	4.271E-01	2016	2025	2020	12	tasmax
Uganda	Normal	3.026E+02	2.049E+00	5.542E-01	2026	2035	2030	1	tasmax
Uganda	Normal	3.044E+02	2.217E+00	5.688E-01	2026	2035	2030	2	tasmax
Uganda	Normal	3.045E+02	2.038E+00	4.668E-01	2026	2035	2030	3	tasmax
Uganda	Normal	3.036E+02	1.796E+00	3.279E-01	2026	2035	2030	4	tasmax
Uganda	Normal	3.020E+02	1.445E+00	3.205E-01	2026	2035	2030	5	tasmax
Uganda	Normal	3.016E+02	1.372E+00	2.789E-01	2026	2035	2030	6	tasmax
Uganda	Normal	3.017E+02	1.409E+00	3.035E-01	2026	2035	2030	7	tasmax
Uganda	Normal	3.020E+02	1.765E+00	3.928E-01	2026	2035	2030	8	tasmax
Uganda	Normal	3.016E+02	2.063E+00	4.051E-01	2026	2035	2030	9	tasmax
Uganda	Normal	3.008E+02	2.146E+00	6.648E-01	2026	2035	2030	10	tasmax
Uganda	Normal	3.002E+02	2.024E+00	5.436E-01	2026	2035	2030	11	tasmax
Uganda	Normal	3.009E+02	2.016E+00	3.691E-01	2026	2035	2030	12	tasmax
Uganda	Normal	3.030E+02	2.275E+00	5.461E-01	2036	2045	2040	1	tasmax
Uganda	Normal	3.047E+02	2.427E+00	6.462E-01	2036	2045	2040	2	tasmax
Uganda	Normal	3.050E+02	2.133E+00	5.705E-01	2036	2045	2040	3	tasmax
Uganda	Normal	3.038E+02	1.991E+00	3.008E-01	2036	2045	2040	4	tasmax
Uganda	Normal	3.023E+02	1.489E+00	3.922E-01	2036	2045	2040	5	tasmax
Uganda	Normal	3.020E+02	1.397E+00	2.750E-01	2036	2045	2040	6	tasmax
Uganda	Normal	3.021E+02	1.469E+00	2.940E-01	2036	2045	2040	7	tasmax
Uganda	Normal	3.024E+02	1.835E+00	5.227E-01	2036	2045	2040	8	tasmax
Uganda	Normal	3.019E+02	2.138E+00	4.281E-01	2036	2045	2040	9	tasmax
Uganda	Normal	3.010E+02	2.181E+00	7.501E-01	2036	2045	2040	10	tasmax
Uganda	Normal	3.006E+02	2.008E+00	4.981E-01	2036	2045	2040	11	tasmax
Uganda	Normal	3.011E+02	2.006E+00	4.997E-01	2036	2045	2040	12	tasmax
Uganda	Normal	3.034E+02	2.393E+00	6.191E-01	2046	2055	2050	1	tasmax
Uganda	Normal	3.050E+02	2.373E+00	6.456E-01	2046	2055	2050	2	tasmax
Uganda	Normal	3.056E+02	2.054E+00	5.939E-01	2046	2055	2050	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uganda	Normal	3.043E+02	1.786E+00	3.366E-01	2046	2055	2050	4	tasmax
Uganda	Normal	3.028E+02	1.482E+00	2.932E-01	2046	2055	2050	5	tasmax
Uganda	Normal	3.025E+02	1.428E+00	2.731E-01	2046	2055	2050	6	tasmax
Uganda	Normal	3.026E+02	1.465E+00	3.043E-01	2046	2055	2050	7	tasmax
Uganda	Normal	3.029E+02	1.804E+00	4.212E-01	2046	2055	2050	8	tasmax
Uganda	Normal	3.026E+02	2.070E+00	4.071E-01	2046	2055	2050	9	tasmax
Uganda	Normal	3.017E+02	2.248E+00	6.706E-01	2046	2055	2050	10	tasmax
Uganda	Normal	3.011E+02	2.173E+00	6.089E-01	2046	2055	2050	11	tasmax
Uganda	Normal	3.016E+02	2.110E+00	5.568E-01	2046	2055	2050	12	tasmax
Uganda	Normal	3.036E+02	2.460E+00	6.442E-01	2056	2065	2060	1	tasmax
Uganda	Normal	3.053E+02	2.456E+00	6.727E-01	2056	2065	2060	2	tasmax
Uganda	Normal	3.057E+02	2.209E+00	6.211E-01	2056	2065	2060	3	tasmax
Uganda	Normal	3.047E+02	1.817E+00	3.684E-01	2056	2065	2060	4	tasmax
Uganda	Normal	3.034E+02	1.470E+00	2.639E-01	2056	2065	2060	5	tasmax
Uganda	Normal	3.030E+02	1.492E+00	3.116E-01	2056	2065	2060	6	tasmax
Uganda	Normal	3.032E+02	1.487E+00	2.244E-01	2056	2065	2060	7	tasmax
Uganda	Normal	3.034E+02	1.752E+00	3.701E-01	2056	2065	2060	8	tasmax
Uganda	Normal	3.030E+02	2.143E+00	3.824E-01	2056	2065	2060	9	tasmax
Uganda	Normal	3.021E+02	2.257E+00	5.978E-01	2056	2065	2060	10	tasmax
Uganda	Normal	3.014E+02	2.135E+00	5.397E-01	2056	2065	2060	11	tasmax
Uganda	Normal	3.020E+02	2.071E+00	4.659E-01	2056	2065	2060	12	tasmax
Uganda	Normal	3.042E+02	2.459E+00	6.451E-01	2066	2075	2070	1	tasmax
Uganda	Normal	3.058E+02	2.459E+00	5.829E-01	2066	2075	2070	2	tasmax
Uganda	Normal	3.063E+02	2.062E+00	4.867E-01	2066	2075	2070	3	tasmax
Uganda	Normal	3.052E+02	1.809E+00	3.839E-01	2066	2075	2070	4	tasmax
Uganda	Normal	3.041E+02	1.451E+00	2.404E-01	2066	2075	2070	5	tasmax
Uganda	Normal	3.036E+02	1.507E+00	2.823E-01	2066	2075	2070	6	tasmax
Uganda	Normal	3.038E+02	1.607E+00	2.616E-01	2066	2075	2070	7	tasmax
Uganda	Normal	3.039E+02	1.890E+00	4.389E-01	2066	2075	2070	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uganda	Normal	3.035E+02	2.060E+00	4.129E-01	2066	2075	2070	9	tasmax
Uganda	Normal	3.025E+02	2.192E+00	6.333E-01	2066	2075	2070	10	tasmax
Uganda	Normal	3.019E+02	2.073E+00	4.783E-01	2066	2075	2070	11	tasmax
Uganda	Normal	3.025E+02	2.189E+00	5.819E-01	2066	2075	2070	12	tasmax
Uganda	Normal	3.046E+02	2.450E+00	7.263E-01	2076	2085	2080	1	tasmax
Uganda	Normal	3.063E+02	2.425E+00	7.479E-01	2076	2085	2080	2	tasmax
Uganda	Normal	3.066E+02	2.158E+00	5.700E-01	2076	2085	2080	3	tasmax
Uganda	Normal	3.058E+02	1.840E+00	3.353E-01	2076	2085	2080	4	tasmax
Uganda	Normal	3.045E+02	1.462E+00	1.980E-01	2076	2085	2080	5	tasmax
Uganda	Normal	3.043E+02	1.556E+00	3.474E-01	2076	2085	2080	6	tasmax
Uganda	Normal	3.043E+02	1.551E+00	2.996E-01	2076	2085	2080	7	tasmax
Uganda	Normal	3.045E+02	1.961E+00	3.943E-01	2076	2085	2080	8	tasmax
Uganda	Normal	3.041E+02	2.289E+00	4.667E-01	2076	2085	2080	9	tasmax
Uganda	Normal	3.030E+02	2.425E+00	5.995E-01	2076	2085	2080	10	tasmax
Uganda	Normal	3.025E+02	2.231E+00	5.573E-01	2076	2085	2080	11	tasmax
Uganda	Normal	3.029E+02	2.211E+00	5.581E-01	2076	2085	2080	12	tasmax
Uganda	Normal	3.051E+02	2.607E+00	5.727E-01	2086	2099	2092	1	tasmax
Uganda	Normal	3.068E+02	2.566E+00	6.344E-01	2086	2099	2092	2	tasmax
Uganda	Normal	3.072E+02	2.171E+00	5.345E-01	2086	2099	2092	3	tasmax
Uganda	Normal	3.059E+02	1.941E+00	3.684E-01	2086	2099	2092	4	tasmax
Uganda	Normal	3.049E+02	1.646E+00	2.662E-01	2086	2099	2092	5	tasmax
Uganda	Normal	3.048E+02	1.659E+00	3.698E-01	2086	2099	2092	6	tasmax
Uganda	Normal	3.049E+02	1.584E+00	3.569E-01	2086	2099	2092	7	tasmax
Uganda	Normal	3.051E+02	1.952E+00	3.952E-01	2086	2099	2092	8	tasmax
Uganda	Normal	3.047E+02	2.214E+00	4.534E-01	2086	2099	2092	9	tasmax
Uganda	Normal	3.035E+02	2.215E+00	4.582E-01	2086	2099	2092	10	tasmax
Uganda	Normal	3.029E+02	2.200E+00	5.189E-01	2086	2099	2092	11	tasmax
Uganda	Normal	3.034E+02	2.225E+00	4.592E-01	2086	2099	2092	12	tasmax
Ukraine	Normal	2.739E+02	2.892E+00	7.227E-01	2006	2015	2010	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ukraine	Normal	2.762E+02	3.321E+00	5.099E-01	2006	2015	2010	2	tasmax
Ukraine	Normal	2.807E+02	3.116E+00	8.481E-01	2006	2015	2010	3	tasmax
Ukraine	Normal	2.879E+02	2.565E+00	5.273E-01	2006	2015	2010	4	tasmax
Ukraine	Normal	2.948E+02	2.568E+00	6.531E-01	2006	2015	2010	5	tasmax
Ukraine	Normal	3.002E+02	2.854E+00	5.482E-01	2006	2015	2010	6	tasmax
Ukraine	Normal	3.031E+02	3.174E+00	6.949E-01	2006	2015	2010	7	tasmax
Ukraine	Normal	3.018E+02	3.077E+00	7.979E-01	2006	2015	2010	8	tasmax
Ukraine	Normal	2.957E+02	2.844E+00	5.520E-01	2006	2015	2010	9	tasmax
Ukraine	Normal	2.878E+02	3.217E+00	9.679E-01	2006	2015	2010	10	tasmax
Ukraine	Normal	2.803E+02	2.758E+00	8.757E-01	2006	2015	2010	11	tasmax
Ukraine	Normal	2.759E+02	2.979E+00	6.338E-01	2006	2015	2010	12	tasmax
Ukraine	Normal	2.747E+02	2.872E+00	6.946E-01	2016	2025	2020	1	tasmax
Ukraine	Normal	2.764E+02	2.842E+00	6.904E-01	2016	2025	2020	2	tasmax
Ukraine	Normal	2.815E+02	3.088E+00	8.532E-01	2016	2025	2020	3	tasmax
Ukraine	Normal	2.881E+02	2.720E+00	5.228E-01	2016	2025	2020	4	tasmax
Ukraine	Normal	2.953E+02	2.446E+00	5.823E-01	2016	2025	2020	5	tasmax
Ukraine	Normal	3.006E+02	2.832E+00	5.692E-01	2016	2025	2020	6	tasmax
Ukraine	Normal	3.037E+02	3.503E+00	8.844E-01	2016	2025	2020	7	tasmax
Ukraine	Normal	3.025E+02	3.438E+00	7.261E-01	2016	2025	2020	8	tasmax
Ukraine	Normal	2.960E+02	2.990E+00	6.143E-01	2016	2025	2020	9	tasmax
Ukraine	Normal	2.881E+02	2.983E+00	7.445E-01	2016	2025	2020	10	tasmax
Ukraine	Normal	2.808E+02	2.798E+00	6.808E-01	2016	2025	2020	11	tasmax
Ukraine	Normal	2.763E+02	2.839E+00	7.982E-01	2016	2025	2020	12	tasmax
Ukraine	Normal	2.748E+02	2.781E+00	8.939E-01	2026	2035	2030	1	tasmax
Ukraine	Normal	2.769E+02	2.817E+00	6.413E-01	2026	2035	2030	2	tasmax
Ukraine	Normal	2.821E+02	2.843E+00	8.781E-01	2026	2035	2030	3	tasmax
Ukraine	Normal	2.888E+02	2.498E+00	6.003E-01	2026	2035	2030	4	tasmax
Ukraine	Normal	2.956E+02	2.724E+00	7.386E-01	2026	2035	2030	5	tasmax
Ukraine	Normal	3.012E+02	2.975E+00	6.025E-01	2026	2035	2030	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ukraine	Normal	3.043E+02	3.525E+00	8.651E-01	2026	2035	2030	7	tasmax
Ukraine	Normal	3.030E+02	3.138E+00	7.228E-01	2026	2035	2030	8	tasmax
Ukraine	Normal	2.963E+02	2.812E+00	8.373E-01	2026	2035	2030	9	tasmax
Ukraine	Normal	2.884E+02	2.964E+00	1.041E+00	2026	2035	2030	10	tasmax
Ukraine	Normal	2.812E+02	2.945E+00	9.737E-01	2026	2035	2030	11	tasmax
Ukraine	Normal	2.768E+02	2.846E+00	8.167E-01	2026	2035	2030	12	tasmax
Ukraine	Normal	2.756E+02	2.963E+00	8.289E-01	2036	2045	2040	1	tasmax
Ukraine	Normal	2.777E+02	2.493E+00	5.369E-01	2036	2045	2040	2	tasmax
Ukraine	Normal	2.825E+02	2.924E+00	7.213E-01	2036	2045	2040	3	tasmax
Ukraine	Normal	2.893E+02	2.567E+00	5.980E-01	2036	2045	2040	4	tasmax
Ukraine	Normal	2.960E+02	2.502E+00	6.384E-01	2036	2045	2040	5	tasmax
Ukraine	Normal	3.019E+02	3.361E+00	8.518E-01	2036	2045	2040	6	tasmax
Ukraine	Normal	3.051E+02	3.746E+00	1.082E+00	2036	2045	2040	7	tasmax
Ukraine	Normal	3.040E+02	3.361E+00	1.035E+00	2036	2045	2040	8	tasmax
Ukraine	Normal	2.973E+02	2.866E+00	6.766E-01	2036	2045	2040	9	tasmax
Ukraine	Normal	2.893E+02	3.097E+00	7.098E-01	2036	2045	2040	10	tasmax
Ukraine	Normal	2.820E+02	2.958E+00	9.992E-01	2036	2045	2040	11	tasmax
Ukraine	Normal	2.774E+02	2.992E+00	7.002E-01	2036	2045	2040	12	tasmax
Ukraine	Normal	2.763E+02	2.957E+00	7.031E-01	2046	2055	2050	1	tasmax
Ukraine	Normal	2.783E+02	2.763E+00	6.863E-01	2046	2055	2050	2	tasmax
Ukraine	Normal	2.830E+02	2.747E+00	7.562E-01	2046	2055	2050	3	tasmax
Ukraine	Normal	2.898E+02	2.870E+00	7.133E-01	2046	2055	2050	4	tasmax
Ukraine	Normal	2.964E+02	2.838E+00	7.438E-01	2046	2055	2050	5	tasmax
Ukraine	Normal	3.024E+02	3.392E+00	6.678E-01	2046	2055	2050	6	tasmax
Ukraine	Normal	3.056E+02	3.816E+00	1.060E+00	2046	2055	2050	7	tasmax
Ukraine	Normal	3.046E+02	3.644E+00	1.273E+00	2046	2055	2050	8	tasmax
Ukraine	Normal	2.980E+02	2.904E+00	6.593E-01	2046	2055	2050	9	tasmax
Ukraine	Normal	2.900E+02	2.908E+00	8.370E-01	2046	2055	2050	10	tasmax
Ukraine	Normal	2.823E+02	2.808E+00	8.524E-01	2046	2055	2050	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ukraine	Normal	2.776E+02	2.856E+00	7.515E-01	2046	2055	2050	12	tasmax
Ukraine	Normal	2.771E+02	2.681E+00	5.805E-01	2056	2065	2060	1	tasmax
Ukraine	Normal	2.787E+02	2.903E+00	5.832E-01	2056	2065	2060	2	tasmax
Ukraine	Normal	2.837E+02	3.114E+00	6.601E-01	2056	2065	2060	3	tasmax
Ukraine	Normal	2.902E+02	2.652E+00	5.955E-01	2056	2065	2060	4	tasmax
Ukraine	Normal	2.970E+02	3.034E+00	7.181E-01	2056	2065	2060	5	tasmax
Ukraine	Normal	3.028E+02	3.541E+00	6.498E-01	2056	2065	2060	6	tasmax
Ukraine	Normal	3.063E+02	4.062E+00	1.232E+00	2056	2065	2060	7	tasmax
Ukraine	Normal	3.052E+02	3.654E+00	1.155E+00	2056	2065	2060	8	tasmax
Ukraine	Normal	2.987E+02	3.068E+00	7.552E-01	2056	2065	2060	9	tasmax
Ukraine	Normal	2.905E+02	3.215E+00	1.079E+00	2056	2065	2060	10	tasmax
Ukraine	Normal	2.831E+02	2.717E+00	7.653E-01	2056	2065	2060	11	tasmax
Ukraine	Normal	2.786E+02	2.701E+00	8.383E-01	2056	2065	2060	12	tasmax
Ukraine	Normal	2.778E+02	2.739E+00	6.706E-01	2066	2075	2070	1	tasmax
Ukraine	Normal	2.795E+02	2.630E+00	6.760E-01	2066	2075	2070	2	tasmax
Ukraine	Normal	2.842E+02	3.123E+00	8.549E-01	2066	2075	2070	3	tasmax
Ukraine	Normal	2.909E+02	2.705E+00	4.744E-01	2066	2075	2070	4	tasmax
Ukraine	Normal	2.975E+02	2.871E+00	5.619E-01	2066	2075	2070	5	tasmax
Ukraine	Normal	3.039E+02	3.772E+00	7.563E-01	2066	2075	2070	6	tasmax
Ukraine	Normal	3.072E+02	4.071E+00	1.217E+00	2066	2075	2070	7	tasmax
Ukraine	Normal	3.063E+02	3.791E+00	1.295E+00	2066	2075	2070	8	tasmax
Ukraine	Normal	2.995E+02	3.265E+00	7.774E-01	2066	2075	2070	9	tasmax
Ukraine	Normal	2.911E+02	3.279E+00	8.467E-01	2066	2075	2070	10	tasmax
Ukraine	Normal	2.836E+02	2.933E+00	9.655E-01	2066	2075	2070	11	tasmax
Ukraine	Normal	2.792E+02	2.791E+00	7.467E-01	2066	2075	2070	12	tasmax
Ukraine	Normal	2.784E+02	2.660E+00	8.224E-01	2076	2085	2080	1	tasmax
Ukraine	Normal	2.802E+02	3.047E+00	1.094E+00	2076	2085	2080	2	tasmax
Ukraine	Normal	2.848E+02	3.391E+00	7.630E-01	2076	2085	2080	3	tasmax
Ukraine	Normal	2.914E+02	3.287E+00	1.001E+00	2076	2085	2080	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Ukraine	Normal	2.978E+02	3.379E+00	7.354E-01	2076	2085	2080	5	tasmax
Ukraine	Normal	3.045E+02	3.598E+00	6.669E-01	2076	2085	2080	6	tasmax
Ukraine	Normal	3.079E+02	4.328E+00	1.523E+00	2076	2085	2080	7	tasmax
Ukraine	Normal	3.071E+02	4.219E+00	1.246E+00	2076	2085	2080	8	tasmax
Ukraine	Normal	3.002E+02	3.432E+00	8.231E-01	2076	2085	2080	9	tasmax
Ukraine	Normal	2.917E+02	3.377E+00	1.071E+00	2076	2085	2080	10	tasmax
Ukraine	Normal	2.841E+02	3.060E+00	8.481E-01	2076	2085	2080	11	tasmax
Ukraine	Normal	2.797E+02	2.846E+00	9.081E-01	2076	2085	2080	12	tasmax
Ukraine	Normal	2.787E+02	2.397E+00	7.582E-01	2086	2099	2092	1	tasmax
Ukraine	Normal	2.806E+02	2.716E+00	5.663E-01	2086	2099	2092	2	tasmax
Ukraine	Normal	2.852E+02	2.921E+00	6.948E-01	2086	2099	2092	3	tasmax
Ukraine	Normal	2.917E+02	2.963E+00	6.132E-01	2086	2099	2092	4	tasmax
Ukraine	Normal	2.987E+02	3.120E+00	6.181E-01	2086	2099	2092	5	tasmax
Ukraine	Normal	3.053E+02	4.024E+00	9.716E-01	2086	2099	2092	6	tasmax
Ukraine	Normal	3.088E+02	4.422E+00	1.529E+00	2086	2099	2092	7	tasmax
Ukraine	Normal	3.078E+02	4.065E+00	1.625E+00	2086	2099	2092	8	tasmax
Ukraine	Normal	3.009E+02	3.228E+00	6.354E-01	2086	2099	2092	9	tasmax
Ukraine	Normal	2.925E+02	3.384E+00	9.621E-01	2086	2099	2092	10	tasmax
Ukraine	Normal	2.848E+02	2.762E+00	7.083E-01	2086	2099	2092	11	tasmax
Ukraine	Normal	2.802E+02	2.800E+00	8.432E-01	2086	2099	2092	12	tasmax
United Arab Emirates	Normal	2.961E+02	2.772E+00	7.625E-01	2006	2015	2010	1	tasmax
United Arab Emirates	Normal	2.985E+02	3.343E+00	1.007E+00	2006	2015	2010	2	tasmax
United Arab Emirates	Normal	3.030E+02	3.817E+00	8.990E-01	2006	2015	2010	3	tasmax
United Arab Emirates	Normal	3.077E+02	3.555E+00	9.819E-01	2006	2015	2010	4	tasmax
United Arab Emirates	Normal	3.122E+02	4.084E+00	1.216E+00	2006	2015	2010	5	tasmax
United Arab Emirates	Normal	3.156E+02	4.139E+00	1.004E+00	2006	2015	2010	6	tasmax
United Arab Emirates	Normal	3.163E+02	4.204E+00	8.752E-01	2006	2015	2010	7	tasmax
United Arab Emirates	Normal	3.156E+02	4.232E+00	9.865E-01	2006	2015	2010	8	tasmax
United Arab Emirates	Normal	3.133E+02	3.852E+00	9.425E-01	2006	2015	2010	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Arab Emirates	Normal	3.088E+02	3.269E+00	9.819E-01	2006	2015	2010	10	tasmax
United Arab Emirates	Normal	3.025E+02	2.843E+00	9.774E-01	2006	2015	2010	11	tasmax
United Arab Emirates	Normal	2.973E+02	2.481E+00	8.883E-01	2006	2015	2010	12	tasmax
United Arab Emirates	Normal	2.964E+02	2.865E+00	9.121E-01	2016	2025	2020	1	tasmax
United Arab Emirates	Normal	2.989E+02	3.492E+00	1.162E+00	2016	2025	2020	2	tasmax
United Arab Emirates	Normal	3.035E+02	3.844E+00	1.127E+00	2016	2025	2020	3	tasmax
United Arab Emirates	Normal	3.081E+02	3.805E+00	9.836E-01	2016	2025	2020	4	tasmax
United Arab Emirates	Normal	3.124E+02	3.884E+00	9.974E-01	2016	2025	2020	5	tasmax
United Arab Emirates	Normal	3.159E+02	4.158E+00	1.000E+00	2016	2025	2020	6	tasmax
United Arab Emirates	Normal	3.165E+02	4.294E+00	9.548E-01	2016	2025	2020	7	tasmax
United Arab Emirates	Normal	3.157E+02	4.386E+00	1.014E+00	2016	2025	2020	8	tasmax
United Arab Emirates	Normal	3.137E+02	4.039E+00	1.050E+00	2016	2025	2020	9	tasmax
United Arab Emirates	Normal	3.092E+02	3.299E+00	1.121E+00	2016	2025	2020	10	tasmax
United Arab Emirates	Normal	3.028E+02	2.940E+00	1.020E+00	2016	2025	2020	11	tasmax
United Arab Emirates	Normal	2.978E+02	2.757E+00	8.448E-01	2016	2025	2020	12	tasmax
United Arab Emirates	Normal	2.969E+02	2.890E+00	8.803E-01	2026	2035	2030	1	tasmax
United Arab Emirates	Normal	2.994E+02	3.405E+00	1.096E+00	2026	2035	2030	2	tasmax
United Arab Emirates	Normal	3.038E+02	3.964E+00	1.345E+00	2026	2035	2030	3	tasmax
United Arab Emirates	Normal	3.083E+02	3.938E+00	1.146E+00	2026	2035	2030	4	tasmax
United Arab Emirates	Normal	3.130E+02	4.006E+00	1.110E+00	2026	2035	2030	5	tasmax
United Arab Emirates	Normal	3.164E+02	4.131E+00	9.516E-01	2026	2035	2030	6	tasmax
United Arab Emirates	Normal	3.172E+02	4.191E+00	9.285E-01	2026	2035	2030	7	tasmax
United Arab Emirates	Normal	3.162E+02	4.214E+00	1.085E+00	2026	2035	2030	8	tasmax
United Arab Emirates	Normal	3.141E+02	3.878E+00	1.016E+00	2026	2035	2030	9	tasmax
United Arab Emirates	Normal	3.098E+02	3.294E+00	1.097E+00	2026	2035	2030	10	tasmax
United Arab Emirates	Normal	3.033E+02	2.896E+00	1.010E+00	2026	2035	2030	11	tasmax
United Arab Emirates	Normal	2.981E+02	2.547E+00	6.449E-01	2026	2035	2030	12	tasmax
United Arab Emirates	Normal	2.973E+02	2.729E+00	7.377E-01	2036	2045	2040	1	tasmax
United Arab Emirates	Normal	2.997E+02	3.506E+00	1.228E+00	2036	2045	2040	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Arab Emirates	Normal	3.044E+02	3.815E+00	1.144E+00	2036	2045	2040	3	tasmax
United Arab Emirates	Normal	3.089E+02	4.039E+00	1.279E+00	2036	2045	2040	4	tasmax
United Arab Emirates	Normal	3.135E+02	4.306E+00	1.350E+00	2036	2045	2040	5	tasmax
United Arab Emirates	Normal	3.170E+02	4.277E+00	1.085E+00	2036	2045	2040	6	tasmax
United Arab Emirates	Normal	3.176E+02	4.216E+00	9.830E-01	2036	2045	2040	7	tasmax
United Arab Emirates	Normal	3.167E+02	4.150E+00	1.182E+00	2036	2045	2040	8	tasmax
United Arab Emirates	Normal	3.147E+02	3.836E+00	1.076E+00	2036	2045	2040	9	tasmax
United Arab Emirates	Normal	3.101E+02	3.217E+00	1.154E+00	2036	2045	2040	10	tasmax
United Arab Emirates	Normal	3.037E+02	3.043E+00	9.888E-01	2036	2045	2040	11	tasmax
United Arab Emirates	Normal	2.987E+02	2.619E+00	7.882E-01	2036	2045	2040	12	tasmax
United Arab Emirates	Normal	2.979E+02	2.800E+00	9.000E-01	2046	2055	2050	1	tasmax
United Arab Emirates	Normal	3.003E+02	3.456E+00	1.243E+00	2046	2055	2050	2	tasmax
United Arab Emirates	Normal	3.048E+02	3.709E+00	1.262E+00	2046	2055	2050	3	tasmax
United Arab Emirates	Normal	3.095E+02	4.032E+00	1.369E+00	2046	2055	2050	4	tasmax
United Arab Emirates	Normal	3.140E+02	4.148E+00	1.452E+00	2046	2055	2050	5	tasmax
United Arab Emirates	Normal	3.177E+02	4.204E+00	1.066E+00	2046	2055	2050	6	tasmax
United Arab Emirates	Normal	3.182E+02	4.152E+00	9.491E-01	2046	2055	2050	7	tasmax
United Arab Emirates	Normal	3.173E+02	4.241E+00	1.169E+00	2046	2055	2050	8	tasmax
United Arab Emirates	Normal	3.154E+02	3.922E+00	1.120E+00	2046	2055	2050	9	tasmax
United Arab Emirates	Normal	3.109E+02	3.341E+00	1.301E+00	2046	2055	2050	10	tasmax
United Arab Emirates	Normal	3.045E+02	3.064E+00	1.172E+00	2046	2055	2050	11	tasmax
United Arab Emirates	Normal	2.992E+02	2.708E+00	9.208E-01	2046	2055	2050	12	tasmax
United Arab Emirates	Normal	2.984E+02	3.022E+00	9.796E-01	2056	2065	2060	1	tasmax
United Arab Emirates	Normal	3.008E+02	3.431E+00	1.259E+00	2056	2065	2060	2	tasmax
United Arab Emirates	Normal	3.055E+02	3.784E+00	1.187E+00	2056	2065	2060	3	tasmax
United Arab Emirates	Normal	3.103E+02	4.046E+00	1.355E+00	2056	2065	2060	4	tasmax
United Arab Emirates	Normal	3.148E+02	4.202E+00	1.454E+00	2056	2065	2060	5	tasmax
United Arab Emirates	Normal	3.183E+02	4.308E+00	1.157E+00	2056	2065	2060	6	tasmax
United Arab Emirates	Normal	3.189E+02	4.132E+00	1.039E+00	2056	2065	2060	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Arab Emirates	Normal	3.177E+02	4.449E+00	1.126E+00	2056	2065	2060	8	tasmax
United Arab Emirates	Normal	3.159E+02	3.926E+00	1.085E+00	2056	2065	2060	9	tasmax
United Arab Emirates	Normal	3.116E+02	3.398E+00	1.304E+00	2056	2065	2060	10	tasmax
United Arab Emirates	Normal	3.052E+02	3.242E+00	1.135E+00	2056	2065	2060	11	tasmax
United Arab Emirates	Normal	2.998E+02	2.621E+00	8.298E-01	2056	2065	2060	12	tasmax
United Arab Emirates	Normal	2.990E+02	2.755E+00	8.545E-01	2066	2075	2070	1	tasmax
United Arab Emirates	Normal	3.014E+02	3.507E+00	1.270E+00	2066	2075	2070	2	tasmax
United Arab Emirates	Normal	3.059E+02	4.087E+00	1.423E+00	2066	2075	2070	3	tasmax
United Arab Emirates	Normal	3.107E+02	3.994E+00	1.397E+00	2066	2075	2070	4	tasmax
United Arab Emirates	Normal	3.155E+02	4.380E+00	1.546E+00	2066	2075	2070	5	tasmax
United Arab Emirates	Normal	3.189E+02	4.225E+00	1.142E+00	2066	2075	2070	6	tasmax
United Arab Emirates	Normal	3.194E+02	4.146E+00	1.079E+00	2066	2075	2070	7	tasmax
United Arab Emirates	Normal	3.186E+02	4.166E+00	1.130E+00	2066	2075	2070	8	tasmax
United Arab Emirates	Normal	3.166E+02	3.933E+00	1.129E+00	2066	2075	2070	9	tasmax
United Arab Emirates	Normal	3.122E+02	3.244E+00	1.198E+00	2066	2075	2070	10	tasmax
United Arab Emirates	Normal	3.060E+02	3.190E+00	1.210E+00	2066	2075	2070	11	tasmax
United Arab Emirates	Normal	3.005E+02	2.772E+00	8.694E-01	2066	2075	2070	12	tasmax
United Arab Emirates	Normal	2.997E+02	2.978E+00	9.848E-01	2076	2085	2080	1	tasmax
United Arab Emirates	Normal	3.020E+02	3.646E+00	1.255E+00	2076	2085	2080	2	tasmax
United Arab Emirates	Normal	3.066E+02	4.059E+00	1.460E+00	2076	2085	2080	3	tasmax
United Arab Emirates	Normal	3.115E+02	4.263E+00	1.467E+00	2076	2085	2080	4	tasmax
United Arab Emirates	Normal	3.163E+02	4.558E+00	1.682E+00	2076	2085	2080	5	tasmax
United Arab Emirates	Normal	3.197E+02	4.351E+00	1.126E+00	2076	2085	2080	6	tasmax
United Arab Emirates	Normal	3.199E+02	4.358E+00	1.017E+00	2076	2085	2080	7	tasmax
United Arab Emirates	Normal	3.191E+02	4.424E+00	1.122E+00	2076	2085	2080	8	tasmax
United Arab Emirates	Normal	3.171E+02	4.145E+00	1.120E+00	2076	2085	2080	9	tasmax
United Arab Emirates	Normal	3.128E+02	3.387E+00	1.286E+00	2076	2085	2080	10	tasmax
United Arab Emirates	Normal	3.066E+02	3.257E+00	1.042E+00	2076	2085	2080	11	tasmax
United Arab Emirates	Normal	3.012E+02	2.844E+00	7.252E-01	2076	2085	2080	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Arab Emirates	Normal	3.003E+02	2.881E+00	9.268E-01	2086	2099	2092	1	tasmax
United Arab Emirates	Normal	3.025E+02	3.488E+00	1.245E+00	2086	2099	2092	2	tasmax
United Arab Emirates	Normal	3.072E+02	4.319E+00	1.529E+00	2086	2099	2092	3	tasmax
United Arab Emirates	Normal	3.120E+02	4.263E+00	1.612E+00	2086	2099	2092	4	tasmax
United Arab Emirates	Normal	3.167E+02	4.500E+00	1.478E+00	2086	2099	2092	5	tasmax
United Arab Emirates	Normal	3.202E+02	4.282E+00	1.099E+00	2086	2099	2092	6	tasmax
United Arab Emirates	Normal	3.206E+02	4.252E+00	1.023E+00	2086	2099	2092	7	tasmax
United Arab Emirates	Normal	3.197E+02	4.355E+00	1.135E+00	2086	2099	2092	8	tasmax
United Arab Emirates	Normal	3.176E+02	4.025E+00	1.200E+00	2086	2099	2092	9	tasmax
United Arab Emirates	Normal	3.134E+02	3.350E+00	1.242E+00	2086	2099	2092	10	tasmax
United Arab Emirates	Normal	3.072E+02	3.196E+00	1.076E+00	2086	2099	2092	11	tasmax
United Arab Emirates	Normal	3.019E+02	2.967E+00	9.041E-01	2086	2099	2092	12	tasmax
United Kingdom	Normal	2.800E+02	1.486E+00	4.616E-01	2006	2015	2010	1	tasmax
United Kingdom	Normal	2.801E+02	1.601E+00	4.665E-01	2006	2015	2010	2	tasmax
United Kingdom	Normal	2.815E+02	1.630E+00	3.055E-01	2006	2015	2010	3	tasmax
United Kingdom	Normal	2.840E+02	2.033E+00	4.386E-01	2006	2015	2010	4	tasmax
United Kingdom	Normal	2.874E+02	1.923E+00	2.606E-01	2006	2015	2010	5	tasmax
United Kingdom	Normal	2.909E+02	2.497E+00	8.924E-01	2006	2015	2010	6	tasmax
United Kingdom	Normal	2.928E+02	2.540E+00	8.031E-01	2006	2015	2010	7	tasmax
United Kingdom	Normal	2.922E+02	2.135E+00	6.386E-01	2006	2015	2010	8	tasmax
United Kingdom	Normal	2.897E+02	1.880E+00	4.289E-01	2006	2015	2010	9	tasmax
United Kingdom	Normal	2.859E+02	1.496E+00	3.010E-01	2006	2015	2010	10	tasmax
United Kingdom	Normal	2.825E+02	1.243E+00	3.199E-01	2006	2015	2010	11	tasmax
United Kingdom	Normal	2.808E+02	1.341E+00	4.301E-01	2006	2015	2010	12	tasmax
United Kingdom	Normal	2.801E+02	1.457E+00	3.471E-01	2016	2025	2020	1	tasmax
United Kingdom	Normal	2.805E+02	1.440E+00	4.217E-01	2016	2025	2020	2	tasmax
United Kingdom	Normal	2.819E+02	1.705E+00	3.445E-01	2016	2025	2020	3	tasmax
United Kingdom	Normal	2.843E+02	1.758E+00	3.045E-01	2016	2025	2020	4	tasmax
United Kingdom	Normal	2.879E+02	2.017E+00	2.641E-01	2016	2025	2020	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Kingdom	Normal	2.914E+02	2.141E+00	4.997E-01	2016	2025	2020	6	tasmax
United Kingdom	Normal	2.933E+02	2.428E+00	7.792E-01	2016	2025	2020	7	tasmax
United Kingdom	Normal	2.927E+02	2.044E+00	5.480E-01	2016	2025	2020	8	tasmax
United Kingdom	Normal	2.902E+02	1.738E+00	2.911E-01	2016	2025	2020	9	tasmax
United Kingdom	Normal	2.863E+02	1.579E+00	3.703E-01	2016	2025	2020	10	tasmax
United Kingdom	Normal	2.829E+02	1.322E+00	3.740E-01	2016	2025	2020	11	tasmax
United Kingdom	Normal	2.809E+02	1.444E+00	3.850E-01	2016	2025	2020	12	tasmax
United Kingdom	Normal	2.804E+02	1.401E+00	2.579E-01	2026	2035	2030	1	tasmax
United Kingdom	Normal	2.806E+02	1.363E+00	3.237E-01	2026	2035	2030	2	tasmax
United Kingdom	Normal	2.820E+02	1.572E+00	3.338E-01	2026	2035	2030	3	tasmax
United Kingdom	Normal	2.845E+02	1.837E+00	4.254E-01	2026	2035	2030	4	tasmax
United Kingdom	Normal	2.881E+02	2.101E+00	2.744E-01	2026	2035	2030	5	tasmax
United Kingdom	Normal	2.914E+02	2.566E+00	5.193E-01	2026	2035	2030	6	tasmax
United Kingdom	Normal	2.934E+02	2.558E+00	5.447E-01	2026	2035	2030	7	tasmax
United Kingdom	Normal	2.929E+02	2.216E+00	4.832E-01	2026	2035	2030	8	tasmax
United Kingdom	Normal	2.905E+02	2.005E+00	3.226E-01	2026	2035	2030	9	tasmax
United Kingdom	Normal	2.868E+02	1.680E+00	4.137E-01	2026	2035	2030	10	tasmax
United Kingdom	Normal	2.831E+02	1.307E+00	3.787E-01	2026	2035	2030	11	tasmax
United Kingdom	Normal	2.812E+02	1.456E+00	3.550E-01	2026	2035	2030	12	tasmax
United Kingdom	Normal	2.808E+02	1.441E+00	3.958E-01	2036	2045	2040	1	tasmax
United Kingdom	Normal	2.811E+02	1.482E+00	4.364E-01	2036	2045	2040	2	tasmax
United Kingdom	Normal	2.824E+02	1.704E+00	3.536E-01	2036	2045	2040	3	tasmax
United Kingdom	Normal	2.849E+02	1.937E+00	3.897E-01	2036	2045	2040	4	tasmax
United Kingdom	Normal	2.884E+02	2.253E+00	3.591E-01	2036	2045	2040	5	tasmax
United Kingdom	Normal	2.919E+02	2.454E+00	4.919E-01	2036	2045	2040	6	tasmax
United Kingdom	Normal	2.939E+02	2.667E+00	6.947E-01	2036	2045	2040	7	tasmax
United Kingdom	Normal	2.934E+02	2.363E+00	5.551E-01	2036	2045	2040	8	tasmax
United Kingdom	Normal	2.908E+02	1.930E+00	3.008E-01	2036	2045	2040	9	tasmax
United Kingdom	Normal	2.870E+02	1.471E+00	3.225E-01	2036	2045	2040	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Kingdom	Normal	2.835E+02	1.364E+00	2.979E-01	2036	2045	2040	11	tasmax
United Kingdom	Normal	2.817E+02	1.325E+00	3.088E-01	2036	2045	2040	12	tasmax
United Kingdom	Normal	2.810E+02	1.434E+00	3.110E-01	2046	2055	2050	1	tasmax
United Kingdom	Normal	2.812E+02	1.373E+00	3.128E-01	2046	2055	2050	2	tasmax
United Kingdom	Normal	2.825E+02	1.683E+00	3.873E-01	2046	2055	2050	3	tasmax
United Kingdom	Normal	2.850E+02	1.734E+00	3.996E-01	2046	2055	2050	4	tasmax
United Kingdom	Normal	2.887E+02	2.088E+00	3.026E-01	2046	2055	2050	5	tasmax
United Kingdom	Normal	2.925E+02	2.739E+00	5.748E-01	2046	2055	2050	6	tasmax
United Kingdom	Normal	2.945E+02	2.424E+00	5.741E-01	2046	2055	2050	7	tasmax
United Kingdom	Normal	2.940E+02	2.244E+00	4.982E-01	2046	2055	2050	8	tasmax
United Kingdom	Normal	2.914E+02	2.027E+00	5.553E-01	2046	2055	2050	9	tasmax
United Kingdom	Normal	2.874E+02	1.613E+00	3.934E-01	2046	2055	2050	10	tasmax
United Kingdom	Normal	2.839E+02	1.306E+00	2.931E-01	2046	2055	2050	11	tasmax
United Kingdom	Normal	2.819E+02	1.350E+00	3.394E-01	2046	2055	2050	12	tasmax
United Kingdom	Normal	2.814E+02	1.451E+00	2.930E-01	2056	2065	2060	1	tasmax
United Kingdom	Normal	2.815E+02	1.448E+00	3.408E-01	2056	2065	2060	2	tasmax
United Kingdom	Normal	2.829E+02	1.545E+00	4.758E-01	2056	2065	2060	3	tasmax
United Kingdom	Normal	2.856E+02	1.860E+00	4.173E-01	2056	2065	2060	4	tasmax
United Kingdom	Normal	2.889E+02	2.185E+00	3.935E-01	2056	2065	2060	5	tasmax
United Kingdom	Normal	2.930E+02	2.804E+00	5.691E-01	2056	2065	2060	6	tasmax
United Kingdom	Normal	2.950E+02	2.667E+00	6.894E-01	2056	2065	2060	7	tasmax
United Kingdom	Normal	2.946E+02	2.261E+00	4.052E-01	2056	2065	2060	8	tasmax
United Kingdom	Normal	2.919E+02	2.226E+00	4.712E-01	2056	2065	2060	9	tasmax
United Kingdom	Normal	2.878E+02	1.703E+00	3.153E-01	2056	2065	2060	10	tasmax
United Kingdom	Normal	2.842E+02	1.351E+00	2.979E-01	2056	2065	2060	11	tasmax
United Kingdom	Normal	2.822E+02	1.439E+00	4.496E-01	2056	2065	2060	12	tasmax
United Kingdom	Normal	2.819E+02	1.446E+00	3.308E-01	2066	2075	2070	1	tasmax
United Kingdom	Normal	2.819E+02	1.535E+00	3.310E-01	2066	2075	2070	2	tasmax
United Kingdom	Normal	2.833E+02	1.581E+00	3.672E-01	2066	2075	2070	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Kingdom	Normal	2.861E+02	1.953E+00	5.453E-01	2066	2075	2070	4	tasmax
United Kingdom	Normal	2.896E+02	2.178E+00	3.866E-01	2066	2075	2070	5	tasmax
United Kingdom	Normal	2.933E+02	2.390E+00	4.300E-01	2066	2075	2070	6	tasmax
United Kingdom	Normal	2.955E+02	2.978E+00	7.345E-01	2066	2075	2070	7	tasmax
United Kingdom	Normal	2.952E+02	2.500E+00	4.773E-01	2066	2075	2070	8	tasmax
United Kingdom	Normal	2.926E+02	2.180E+00	4.159E-01	2066	2075	2070	9	tasmax
United Kingdom	Normal	2.884E+02	1.873E+00	4.681E-01	2066	2075	2070	10	tasmax
United Kingdom	Normal	2.847E+02	1.360E+00	3.728E-01	2066	2075	2070	11	tasmax
United Kingdom	Normal	2.827E+02	1.316E+00	2.678E-01	2066	2075	2070	12	tasmax
United Kingdom	Normal	2.823E+02	1.358E+00	2.101E-01	2076	2085	2080	1	tasmax
United Kingdom	Normal	2.823E+02	1.256E+00	2.647E-01	2076	2085	2080	2	tasmax
United Kingdom	Normal	2.837E+02	1.529E+00	4.435E-01	2076	2085	2080	3	tasmax
United Kingdom	Normal	2.862E+02	2.012E+00	4.270E-01	2076	2085	2080	4	tasmax
United Kingdom	Normal	2.902E+02	2.305E+00	3.622E-01	2076	2085	2080	5	tasmax
United Kingdom	Normal	2.939E+02	2.690E+00	3.758E-01	2076	2085	2080	6	tasmax
United Kingdom	Normal	2.961E+02	2.931E+00	5.480E-01	2076	2085	2080	7	tasmax
United Kingdom	Normal	2.957E+02	2.530E+00	3.642E-01	2076	2085	2080	8	tasmax
United Kingdom	Normal	2.930E+02	2.224E+00	3.434E-01	2076	2085	2080	9	tasmax
United Kingdom	Normal	2.889E+02	1.680E+00	3.672E-01	2076	2085	2080	10	tasmax
United Kingdom	Normal	2.852E+02	1.261E+00	2.908E-01	2076	2085	2080	11	tasmax
United Kingdom	Normal	2.832E+02	1.230E+00	2.051E-01	2076	2085	2080	12	tasmax
United Kingdom	Normal	2.826E+02	1.248E+00	2.131E-01	2086	2099	2092	1	tasmax
United Kingdom	Normal	2.826E+02	1.345E+00	3.171E-01	2086	2099	2092	2	tasmax
United Kingdom	Normal	2.839E+02	1.515E+00	4.876E-01	2086	2099	2092	3	tasmax
United Kingdom	Normal	2.866E+02	1.769E+00	3.729E-01	2086	2099	2092	4	tasmax
United Kingdom	Normal	2.902E+02	2.159E+00	4.253E-01	2086	2099	2092	5	tasmax
United Kingdom	Normal	2.943E+02	2.775E+00	6.099E-01	2086	2099	2092	6	tasmax
United Kingdom	Normal	2.967E+02	2.950E+00	6.744E-01	2086	2099	2092	7	tasmax
United Kingdom	Normal	2.965E+02	2.698E+00	4.989E-01	2086	2099	2092	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United Kingdom	Normal	2.938E+02	2.301E+00	3.238E-01	2086	2099	2092	9	tasmax
United Kingdom	Normal	2.895E+02	1.796E+00	3.061E-01	2086	2099	2092	10	tasmax
United Kingdom	Normal	2.856E+02	1.327E+00	3.327E-01	2086	2099	2092	11	tasmax
United Kingdom	Normal	2.836E+02	1.311E+00	2.569E-01	2086	2099	2092	12	tasmax
United States	Normal	2.753E+02	2.919E+00	1.093E+00	2006	2015	2010	1	tasmax
United States	Normal	2.776E+02	2.885E+00	1.248E+00	2006	2015	2010	2	tasmax
United States	Normal	2.816E+02	2.568E+00	1.184E+00	2006	2015	2010	3	tasmax
United States	Normal	2.873E+02	2.422E+00	7.502E-01	2006	2015	2010	4	tasmax
United States	Normal	2.932E+02	2.196E+00	5.875E-01	2006	2015	2010	5	tasmax
United States	Normal	2.987E+02	2.440E+00	5.291E-01	2006	2015	2010	6	tasmax
United States	Normal	3.019E+02	2.470E+00	7.034E-01	2006	2015	2010	7	tasmax
United States	Normal	3.011E+02	2.468E+00	7.700E-01	2006	2015	2010	8	tasmax
United States	Normal	2.962E+02	2.354E+00	5.312E-01	2006	2015	2010	9	tasmax
United States	Normal	2.891E+02	2.449E+00	7.857E-01	2006	2015	2010	10	tasmax
United States	Normal	2.815E+02	2.646E+00	1.109E+00	2006	2015	2010	11	tasmax
United States	Normal	2.764E+02	2.856E+00	1.147E+00	2006	2015	2010	12	tasmax
United States	Normal	2.758E+02	2.877E+00	1.306E+00	2016	2025	2020	1	tasmax
United States	Normal	2.779E+02	2.906E+00	1.275E+00	2016	2025	2020	2	tasmax
United States	Normal	2.821E+02	2.594E+00	1.042E+00	2016	2025	2020	3	tasmax
United States	Normal	2.877E+02	2.289E+00	7.118E-01	2016	2025	2020	4	tasmax
United States	Normal	2.938E+02	2.280E+00	5.092E-01	2016	2025	2020	5	tasmax
United States	Normal	2.992E+02	2.534E+00	5.648E-01	2016	2025	2020	6	tasmax
United States	Normal	3.025E+02	2.563E+00	7.223E-01	2016	2025	2020	7	tasmax
United States	Normal	3.018E+02	2.579E+00	7.573E-01	2016	2025	2020	8	tasmax
United States	Normal	2.969E+02	2.363E+00	4.552E-01	2016	2025	2020	9	tasmax
United States	Normal	2.896E+02	2.437E+00	7.471E-01	2016	2025	2020	10	tasmax
United States	Normal	2.818E+02	2.691E+00	1.028E+00	2016	2025	2020	11	tasmax
United States	Normal	2.769E+02	2.840E+00	1.271E+00	2016	2025	2020	12	tasmax
United States	Normal	2.762E+02	2.997E+00	1.344E+00	2026	2035	2030	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United States	Normal	2.783E+02	2.892E+00	1.156E+00	2026	2035	2030	2	tasmax
United States	Normal	2.824E+02	2.817E+00	1.087E+00	2026	2035	2030	3	tasmax
United States	Normal	2.881E+02	2.570E+00	7.764E-01	2026	2035	2030	4	tasmax
United States	Normal	2.940E+02	2.339E+00	6.127E-01	2026	2035	2030	5	tasmax
United States	Normal	2.996E+02	2.438E+00	6.577E-01	2026	2035	2030	6	tasmax
United States	Normal	3.028E+02	2.563E+00	7.140E-01	2026	2035	2030	7	tasmax
United States	Normal	3.021E+02	2.469E+00	7.567E-01	2026	2035	2030	8	tasmax
United States	Normal	2.973E+02	2.430E+00	5.069E-01	2026	2035	2030	9	tasmax
United States	Normal	2.899E+02	2.504E+00	6.953E-01	2026	2035	2030	10	tasmax
United States	Normal	2.823E+02	2.687E+00	9.226E-01	2026	2035	2030	11	tasmax
United States	Normal	2.774E+02	2.855E+00	1.147E+00	2026	2035	2030	12	tasmax
United States	Normal	2.768E+02	2.907E+00	1.265E+00	2036	2045	2040	1	tasmax
United States	Normal	2.788E+02	2.863E+00	1.130E+00	2036	2045	2040	2	tasmax
United States	Normal	2.829E+02	2.988E+00	1.106E+00	2036	2045	2040	3	tasmax
United States	Normal	2.886E+02	2.544E+00	7.410E-01	2036	2045	2040	4	tasmax
United States	Normal	2.946E+02	2.440E+00	5.289E-01	2036	2045	2040	5	tasmax
United States	Normal	3.001E+02	2.655E+00	5.702E-01	2036	2045	2040	6	tasmax
United States	Normal	3.035E+02	2.747E+00	7.479E-01	2036	2045	2040	7	tasmax
United States	Normal	3.028E+02	2.655E+00	7.388E-01	2036	2045	2040	8	tasmax
United States	Normal	2.979E+02	2.399E+00	5.229E-01	2036	2045	2040	9	tasmax
United States	Normal	2.906E+02	2.573E+00	7.122E-01	2036	2045	2040	10	tasmax
United States	Normal	2.829E+02	2.631E+00	9.994E-01	2036	2045	2040	11	tasmax
United States	Normal	2.780E+02	2.898E+00	1.308E+00	2036	2045	2040	12	tasmax
United States	Normal	2.773E+02	3.104E+00	1.050E+00	2046	2055	2050	1	tasmax
United States	Normal	2.794E+02	3.017E+00	1.042E+00	2046	2055	2050	2	tasmax
United States	Normal	2.835E+02	2.986E+00	1.157E+00	2046	2055	2050	3	tasmax
United States	Normal	2.891E+02	2.637E+00	7.259E-01	2046	2055	2050	4	tasmax
United States	Normal	2.953E+02	2.556E+00	5.780E-01	2046	2055	2050	5	tasmax
United States	Normal	3.009E+02	2.742E+00	7.315E-01	2046	2055	2050	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United States	Normal	3.042E+02	2.812E+00	7.345E-01	2046	2055	2050	7	tasmax
United States	Normal	3.035E+02	2.760E+00	8.489E-01	2046	2055	2050	8	tasmax
United States	Normal	2.986E+02	2.591E+00	5.279E-01	2046	2055	2050	9	tasmax
United States	Normal	2.912E+02	2.728E+00	7.429E-01	2046	2055	2050	10	tasmax
United States	Normal	2.836E+02	2.643E+00	9.774E-01	2046	2055	2050	11	tasmax
United States	Normal	2.787E+02	2.824E+00	1.183E+00	2046	2055	2050	12	tasmax
United States	Normal	2.781E+02	2.875E+00	1.359E+00	2056	2065	2060	1	tasmax
United States	Normal	2.799E+02	2.952E+00	1.380E+00	2056	2065	2060	2	tasmax
United States	Normal	2.842E+02	2.945E+00	1.173E+00	2056	2065	2060	3	tasmax
United States	Normal	2.898E+02	2.746E+00	7.767E-01	2056	2065	2060	4	tasmax
United States	Normal	2.959E+02	2.638E+00	6.071E-01	2056	2065	2060	5	tasmax
United States	Normal	3.014E+02	2.800E+00	5.891E-01	2056	2065	2060	6	tasmax
United States	Normal	3.048E+02	2.894E+00	8.036E-01	2056	2065	2060	7	tasmax
United States	Normal	3.042E+02	2.675E+00	8.018E-01	2056	2065	2060	8	tasmax
United States	Normal	2.993E+02	2.521E+00	5.764E-01	2056	2065	2060	9	tasmax
United States	Normal	2.920E+02	2.706E+00	7.561E-01	2056	2065	2060	10	tasmax
United States	Normal	2.841E+02	2.620E+00	9.194E-01	2056	2065	2060	11	tasmax
United States	Normal	2.793E+02	2.746E+00	1.092E+00	2056	2065	2060	12	tasmax
United States	Normal	2.789E+02	3.032E+00	1.343E+00	2066	2075	2070	1	tasmax
United States	Normal	2.809E+02	3.232E+00	1.278E+00	2066	2075	2070	2	tasmax
United States	Normal	2.849E+02	3.011E+00	1.068E+00	2066	2075	2070	3	tasmax
United States	Normal	2.905E+02	2.759E+00	6.687E-01	2066	2075	2070	4	tasmax
United States	Normal	2.967E+02	2.763E+00	6.257E-01	2066	2075	2070	5	tasmax
United States	Normal	3.023E+02	3.001E+00	6.950E-01	2066	2075	2070	6	tasmax
United States	Normal	3.057E+02	2.974E+00	7.786E-01	2066	2075	2070	7	tasmax
United States	Normal	3.050E+02	2.877E+00	8.506E-01	2066	2075	2070	8	tasmax
United States	Normal	3.001E+02	2.598E+00	5.734E-01	2066	2075	2070	9	tasmax
United States	Normal	2.927E+02	2.813E+00	7.672E-01	2066	2075	2070	10	tasmax
United States	Normal	2.848E+02	2.855E+00	1.019E+00	2066	2075	2070	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
United States	Normal	2.800E+02	2.784E+00	1.179E+00	2066	2075	2070	12	tasmax
United States	Normal	2.796E+02	2.896E+00	1.075E+00	2076	2085	2080	1	tasmax
United States	Normal	2.814E+02	3.013E+00	1.288E+00	2076	2085	2080	2	tasmax
United States	Normal	2.854E+02	2.823E+00	9.500E-01	2076	2085	2080	3	tasmax
United States	Normal	2.911E+02	2.794E+00	6.165E-01	2076	2085	2080	4	tasmax
United States	Normal	2.972E+02	2.815E+00	5.993E-01	2076	2085	2080	5	tasmax
United States	Normal	3.030E+02	3.170E+00	7.030E-01	2076	2085	2080	6	tasmax
United States	Normal	3.063E+02	3.035E+00	7.106E-01	2076	2085	2080	7	tasmax
United States	Normal	3.056E+02	3.041E+00	8.426E-01	2076	2085	2080	8	tasmax
United States	Normal	3.008E+02	2.816E+00	7.212E-01	2076	2085	2080	9	tasmax
United States	Normal	2.933E+02	2.809E+00	6.910E-01	2076	2085	2080	10	tasmax
United States	Normal	2.855E+02	2.773E+00	8.751E-01	2076	2085	2080	11	tasmax
United States	Normal	2.807E+02	2.862E+00	1.059E+00	2076	2085	2080	12	tasmax
United States	Normal	2.801E+02	3.116E+00	1.257E+00	2086	2099	2092	1	tasmax
United States	Normal	2.821E+02	3.145E+00	1.130E+00	2086	2099	2092	2	tasmax
United States	Normal	2.859E+02	2.968E+00	8.400E-01	2086	2099	2092	3	tasmax
United States	Normal	2.916E+02	2.869E+00	6.492E-01	2086	2099	2092	4	tasmax
United States	Normal	2.979E+02	2.835E+00	5.248E-01	2086	2099	2092	5	tasmax
United States	Normal	3.038E+02	3.251E+00	6.994E-01	2086	2099	2092	6	tasmax
United States	Normal	3.072E+02	3.223E+00	8.733E-01	2086	2099	2092	7	tasmax
United States	Normal	3.064E+02	3.111E+00	9.171E-01	2086	2099	2092	8	tasmax
United States	Normal	3.015E+02	2.841E+00	6.637E-01	2086	2099	2092	9	tasmax
United States	Normal	2.940E+02	3.002E+00	5.866E-01	2086	2099	2092	10	tasmax
United States	Normal	2.861E+02	2.919E+00	8.634E-01	2086	2099	2092	11	tasmax
United States	Normal	2.810E+02	2.900E+00	1.242E+00	2086	2099	2092	12	tasmax
Uruguay	Normal	3.049E+02	2.761E+00	5.942E-01	2006	2015	2010	1	tasmax
Uruguay	Normal	3.042E+02	2.465E+00	6.527E-01	2006	2015	2010	2	tasmax
Uruguay	Normal	3.019E+02	2.319E+00	8.725E-01	2006	2015	2010	3	tasmax
Uruguay	Normal	2.980E+02	2.539E+00	1.158E+00	2006	2015	2010	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uruguay	Normal	2.938E+02	2.325E+00	7.897E-01	2006	2015	2010	5	tasmax
Uruguay	Normal	2.906E+02	1.872E+00	5.201E-01	2006	2015	2010	6	tasmax
Uruguay	Normal	2.901E+02	2.245E+00	5.945E-01	2006	2015	2010	7	tasmax
Uruguay	Normal	2.921E+02	2.554E+00	7.112E-01	2006	2015	2010	8	tasmax
Uruguay	Normal	2.947E+02	2.614E+00	9.703E-01	2006	2015	2010	9	tasmax
Uruguay	Normal	2.977E+02	3.246E+00	1.700E+00	2006	2015	2010	10	tasmax
Uruguay	Normal	3.008E+02	3.242E+00	1.431E+00	2006	2015	2010	11	tasmax
Uruguay	Normal	3.034E+02	3.125E+00	9.246E-01	2006	2015	2010	12	tasmax
Uruguay	Normal	3.052E+02	2.789E+00	5.899E-01	2016	2025	2020	1	tasmax
Uruguay	Normal	3.045E+02	2.485E+00	6.508E-01	2016	2025	2020	2	tasmax
Uruguay	Normal	3.021E+02	2.497E+00	9.260E-01	2016	2025	2020	3	tasmax
Uruguay	Normal	2.983E+02	2.536E+00	1.157E+00	2016	2025	2020	4	tasmax
Uruguay	Normal	2.939E+02	2.334E+00	8.924E-01	2016	2025	2020	5	tasmax
Uruguay	Normal	2.907E+02	2.066E+00	5.098E-01	2016	2025	2020	6	tasmax
Uruguay	Normal	2.902E+02	2.208E+00	4.569E-01	2016	2025	2020	7	tasmax
Uruguay	Normal	2.925E+02	2.455E+00	8.079E-01	2016	2025	2020	8	tasmax
Uruguay	Normal	2.949E+02	2.635E+00	1.198E+00	2016	2025	2020	9	tasmax
Uruguay	Normal	2.977E+02	3.244E+00	1.528E+00	2016	2025	2020	10	tasmax
Uruguay	Normal	3.011E+02	3.342E+00	1.475E+00	2016	2025	2020	11	tasmax
Uruguay	Normal	3.036E+02	3.095E+00	9.460E-01	2016	2025	2020	12	tasmax
Uruguay	Normal	3.054E+02	2.776E+00	5.828E-01	2026	2035	2030	1	tasmax
Uruguay	Normal	3.047E+02	2.190E+00	4.693E-01	2026	2035	2030	2	tasmax
Uruguay	Normal	3.025E+02	2.041E+00	6.291E-01	2026	2035	2030	3	tasmax
Uruguay	Normal	2.983E+02	2.189E+00	1.103E+00	2026	2035	2030	4	tasmax
Uruguay	Normal	2.940E+02	2.456E+00	8.962E-01	2026	2035	2030	5	tasmax
Uruguay	Normal	2.910E+02	2.160E+00	6.432E-01	2026	2035	2030	6	tasmax
Uruguay	Normal	2.908E+02	2.194E+00	4.660E-01	2026	2035	2030	7	tasmax
Uruguay	Normal	2.927E+02	2.603E+00	8.047E-01	2026	2035	2030	8	tasmax
Uruguay	Normal	2.954E+02	2.628E+00	9.000E-01	2026	2035	2030	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uruguay	Normal	2.985E+02	3.521E+00	1.678E+00	2026	2035	2030	10	tasmax
Uruguay	Normal	3.014E+02	3.208E+00	1.221E+00	2026	2035	2030	11	tasmax
Uruguay	Normal	3.039E+02	3.199E+00	9.312E-01	2026	2035	2030	12	tasmax
Uruguay	Normal	3.057E+02	2.897E+00	9.305E-01	2036	2045	2040	1	tasmax
Uruguay	Normal	3.053E+02	2.457E+00	8.855E-01	2036	2045	2040	2	tasmax
Uruguay	Normal	3.028E+02	2.489E+00	1.110E+00	2036	2045	2040	3	tasmax
Uruguay	Normal	2.987E+02	2.529E+00	1.263E+00	2036	2045	2040	4	tasmax
Uruguay	Normal	2.942E+02	2.286E+00	1.019E+00	2036	2045	2040	5	tasmax
Uruguay	Normal	2.912E+02	2.149E+00	6.023E-01	2036	2045	2040	6	tasmax
Uruguay	Normal	2.908E+02	1.949E+00	3.892E-01	2036	2045	2040	7	tasmax
Uruguay	Normal	2.930E+02	2.467E+00	7.842E-01	2036	2045	2040	8	tasmax
Uruguay	Normal	2.956E+02	2.914E+00	1.232E+00	2036	2045	2040	9	tasmax
Uruguay	Normal	2.983E+02	3.177E+00	1.467E+00	2036	2045	2040	10	tasmax
Uruguay	Normal	3.018E+02	3.462E+00	1.544E+00	2036	2045	2040	11	tasmax
Uruguay	Normal	3.043E+02	3.251E+00	1.098E+00	2036	2045	2040	12	tasmax
Uruguay	Normal	3.060E+02	2.910E+00	9.293E-01	2046	2055	2050	1	tasmax
Uruguay	Normal	3.057E+02	2.507E+00	8.533E-01	2046	2055	2050	2	tasmax
Uruguay	Normal	3.033E+02	2.452E+00	1.138E+00	2046	2055	2050	3	tasmax
Uruguay	Normal	2.992E+02	2.547E+00	1.333E+00	2046	2055	2050	4	tasmax
Uruguay	Normal	2.948E+02	2.497E+00	1.292E+00	2046	2055	2050	5	tasmax
Uruguay	Normal	2.916E+02	2.130E+00	5.817E-01	2046	2055	2050	6	tasmax
Uruguay	Normal	2.912E+02	2.034E+00	6.048E-01	2046	2055	2050	7	tasmax
Uruguay	Normal	2.933E+02	2.285E+00	6.793E-01	2046	2055	2050	8	tasmax
Uruguay	Normal	2.958E+02	2.697E+00	1.181E+00	2046	2055	2050	9	tasmax
Uruguay	Normal	2.989E+02	3.476E+00	1.589E+00	2046	2055	2050	10	tasmax
Uruguay	Normal	3.021E+02	3.522E+00	1.587E+00	2046	2055	2050	11	tasmax
Uruguay	Normal	3.047E+02	3.194E+00	1.112E+00	2046	2055	2050	12	tasmax
Uruguay	Normal	3.067E+02	2.987E+00	9.851E-01	2056	2065	2060	1	tasmax
Uruguay	Normal	3.062E+02	2.463E+00	9.208E-01	2056	2065	2060	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uruguay	Normal	3.037E+02	2.347E+00	1.132E+00	2056	2065	2060	3	tasmax
Uruguay	Normal	2.996E+02	2.700E+00	1.458E+00	2056	2065	2060	4	tasmax
Uruguay	Normal	2.951E+02	2.832E+00	1.521E+00	2056	2065	2060	5	tasmax
Uruguay	Normal	2.920E+02	2.398E+00	9.286E-01	2056	2065	2060	6	tasmax
Uruguay	Normal	2.916E+02	2.419E+00	8.416E-01	2056	2065	2060	7	tasmax
Uruguay	Normal	2.937E+02	2.810E+00	1.032E+00	2056	2065	2060	8	tasmax
Uruguay	Normal	2.965E+02	3.364E+00	1.547E+00	2056	2065	2060	9	tasmax
Uruguay	Normal	2.994E+02	3.519E+00	1.534E+00	2056	2065	2060	10	tasmax
Uruguay	Normal	3.026E+02	3.943E+00	2.007E+00	2056	2065	2060	11	tasmax
Uruguay	Normal	3.052E+02	3.441E+00	1.397E+00	2056	2065	2060	12	tasmax
Uruguay	Normal	3.072E+02	2.876E+00	9.768E-01	2066	2075	2070	1	tasmax
Uruguay	Normal	3.064E+02	2.488E+00	1.132E+00	2066	2075	2070	2	tasmax
Uruguay	Normal	3.040E+02	2.580E+00	1.351E+00	2066	2075	2070	3	tasmax
Uruguay	Normal	2.999E+02	2.762E+00	1.573E+00	2066	2075	2070	4	tasmax
Uruguay	Normal	2.954E+02	2.778E+00	1.258E+00	2066	2075	2070	5	tasmax
Uruguay	Normal	2.921E+02	2.277E+00	7.897E-01	2066	2075	2070	6	tasmax
Uruguay	Normal	2.921E+02	2.474E+00	5.673E-01	2066	2075	2070	7	tasmax
Uruguay	Normal	2.942E+02	2.491E+00	7.575E-01	2066	2075	2070	8	tasmax
Uruguay	Normal	2.966E+02	3.275E+00	1.547E+00	2066	2075	2070	9	tasmax
Uruguay	Normal	2.997E+02	3.570E+00	1.712E+00	2066	2075	2070	10	tasmax
Uruguay	Normal	3.031E+02	3.473E+00	1.782E+00	2066	2075	2070	11	tasmax
Uruguay	Normal	3.056E+02	3.311E+00	1.317E+00	2066	2075	2070	12	tasmax
Uruguay	Normal	3.077E+02	3.058E+00	1.007E+00	2076	2085	2080	1	tasmax
Uruguay	Normal	3.069E+02	2.740E+00	1.004E+00	2076	2085	2080	2	tasmax
Uruguay	Normal	3.046E+02	2.598E+00	1.451E+00	2076	2085	2080	3	tasmax
Uruguay	Normal	3.003E+02	2.948E+00	1.764E+00	2076	2085	2080	4	tasmax
Uruguay	Normal	2.959E+02	2.790E+00	1.459E+00	2076	2085	2080	5	tasmax
Uruguay	Normal	2.925E+02	2.346E+00	8.041E-01	2076	2085	2080	6	tasmax
Uruguay	Normal	2.924E+02	2.421E+00	6.463E-01	2076	2085	2080	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uruguay	Normal	2.944E+02	2.807E+00	8.516E-01	2076	2085	2080	8	tasmax
Uruguay	Normal	2.971E+02	3.372E+00	1.511E+00	2076	2085	2080	9	tasmax
Uruguay	Normal	3.002E+02	3.739E+00	1.700E+00	2076	2085	2080	10	tasmax
Uruguay	Normal	3.036E+02	3.569E+00	1.752E+00	2076	2085	2080	11	tasmax
Uruguay	Normal	3.062E+02	3.369E+00	1.313E+00	2076	2085	2080	12	tasmax
Uruguay	Normal	3.082E+02	2.889E+00	1.062E+00	2086	2099	2092	1	tasmax
Uruguay	Normal	3.077E+02	2.641E+00	9.156E-01	2086	2099	2092	2	tasmax
Uruguay	Normal	3.053E+02	2.744E+00	1.348E+00	2086	2099	2092	3	tasmax
Uruguay	Normal	3.009E+02	3.170E+00	1.798E+00	2086	2099	2092	4	tasmax
Uruguay	Normal	2.963E+02	2.805E+00	1.535E+00	2086	2099	2092	5	tasmax
Uruguay	Normal	2.931E+02	2.202E+00	8.332E-01	2086	2099	2092	6	tasmax
Uruguay	Normal	2.926E+02	2.384E+00	7.204E-01	2086	2099	2092	7	tasmax
Uruguay	Normal	2.947E+02	2.809E+00	1.108E+00	2086	2099	2092	8	tasmax
Uruguay	Normal	2.976E+02	3.384E+00	1.406E+00	2086	2099	2092	9	tasmax
Uruguay	Normal	3.008E+02	3.613E+00	1.502E+00	2086	2099	2092	10	tasmax
Uruguay	Normal	3.041E+02	3.874E+00	2.049E+00	2086	2099	2092	11	tasmax
Uruguay	Normal	3.066E+02	3.394E+00	1.545E+00	2086	2099	2092	12	tasmax
Uzbekistan	Normal	2.765E+02	4.166E+00	9.944E-01	2006	2015	2010	1	tasmax
Uzbekistan	Normal	2.793E+02	4.421E+00	1.180E+00	2006	2015	2010	2	tasmax
Uzbekistan	Normal	2.860E+02	4.140E+00	1.293E+00	2006	2015	2010	3	tasmax
Uzbekistan	Normal	2.942E+02	3.343E+00	1.323E+00	2006	2015	2010	4	tasmax
Uzbekistan	Normal	3.019E+02	2.952E+00	7.049E-01	2006	2015	2010	5	tasmax
Uzbekistan	Normal	3.079E+02	2.900E+00	4.679E-01	2006	2015	2010	6	tasmax
Uzbekistan	Normal	3.104E+02	3.196E+00	6.317E-01	2006	2015	2010	7	tasmax
Uzbekistan	Normal	3.085E+02	2.938E+00	5.690E-01	2006	2015	2010	8	tasmax
Uzbekistan	Normal	3.019E+02	2.626E+00	5.382E-01	2006	2015	2010	9	tasmax
Uzbekistan	Normal	2.930E+02	2.994E+00	1.030E+00	2006	2015	2010	10	tasmax
Uzbekistan	Normal	2.842E+02	3.372E+00	7.041E-01	2006	2015	2010	11	tasmax
Uzbekistan	Normal	2.781E+02	3.839E+00	9.491E-01	2006	2015	2010	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uzbekistan	Normal	2.769E+02	3.917E+00	8.679E-01	2016	2025	2020	1	tasmax
Uzbekistan	Normal	2.800E+02	4.071E+00	1.177E+00	2016	2025	2020	2	tasmax
Uzbekistan	Normal	2.865E+02	4.315E+00	1.705E+00	2016	2025	2020	3	tasmax
Uzbekistan	Normal	2.945E+02	3.552E+00	1.545E+00	2016	2025	2020	4	tasmax
Uzbekistan	Normal	3.021E+02	3.078E+00	8.344E-01	2016	2025	2020	5	tasmax
Uzbekistan	Normal	3.085E+02	2.910E+00	4.832E-01	2016	2025	2020	6	tasmax
Uzbekistan	Normal	3.110E+02	3.154E+00	6.637E-01	2016	2025	2020	7	tasmax
Uzbekistan	Normal	3.090E+02	2.956E+00	5.208E-01	2016	2025	2020	8	tasmax
Uzbekistan	Normal	3.022E+02	2.732E+00	5.282E-01	2016	2025	2020	9	tasmax
Uzbekistan	Normal	2.934E+02	2.751E+00	7.760E-01	2016	2025	2020	10	tasmax
Uzbekistan	Normal	2.841E+02	3.522E+00	8.450E-01	2016	2025	2020	11	tasmax
Uzbekistan	Normal	2.783E+02	3.866E+00	8.105E-01	2016	2025	2020	12	tasmax
Uzbekistan	Normal	2.775E+02	3.919E+00	9.279E-01	2026	2035	2030	1	tasmax
Uzbekistan	Normal	2.807E+02	4.336E+00	1.518E+00	2026	2035	2030	2	tasmax
Uzbekistan	Normal	2.873E+02	4.187E+00	1.767E+00	2026	2035	2030	3	tasmax
Uzbekistan	Normal	2.949E+02	3.644E+00	1.447E+00	2026	2035	2030	4	tasmax
Uzbekistan	Normal	3.026E+02	2.842E+00	7.993E-01	2026	2035	2030	5	tasmax
Uzbekistan	Normal	3.089E+02	2.973E+00	5.211E-01	2026	2035	2030	6	tasmax
Uzbekistan	Normal	3.115E+02	3.142E+00	7.690E-01	2026	2035	2030	7	tasmax
Uzbekistan	Normal	3.096E+02	3.055E+00	5.533E-01	2026	2035	2030	8	tasmax
Uzbekistan	Normal	3.031E+02	2.948E+00	7.590E-01	2026	2035	2030	9	tasmax
Uzbekistan	Normal	2.939E+02	3.191E+00	9.248E-01	2026	2035	2030	10	tasmax
Uzbekistan	Normal	2.846E+02	3.191E+00	6.544E-01	2026	2035	2030	11	tasmax
Uzbekistan	Normal	2.789E+02	3.640E+00	5.835E-01	2026	2035	2030	12	tasmax
Uzbekistan	Normal	2.777E+02	4.294E+00	8.836E-01	2036	2045	2040	1	tasmax
Uzbekistan	Normal	2.808E+02	4.044E+00	1.060E+00	2036	2045	2040	2	tasmax
Uzbekistan	Normal	2.878E+02	4.052E+00	1.465E+00	2036	2045	2040	3	tasmax
Uzbekistan	Normal	2.952E+02	3.761E+00	1.405E+00	2036	2045	2040	4	tasmax
Uzbekistan	Normal	3.032E+02	3.335E+00	1.009E+00	2036	2045	2040	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uzbekistan	Normal	3.094E+02	2.959E+00	5.931E-01	2036	2045	2040	6	tasmax
Uzbekistan	Normal	3.121E+02	3.308E+00	6.637E-01	2036	2045	2040	7	tasmax
Uzbekistan	Normal	3.104E+02	3.197E+00	6.188E-01	2036	2045	2040	8	tasmax
Uzbekistan	Normal	3.035E+02	3.001E+00	5.957E-01	2036	2045	2040	9	tasmax
Uzbekistan	Normal	2.945E+02	3.061E+00	8.932E-01	2036	2045	2040	10	tasmax
Uzbekistan	Normal	2.851E+02	3.719E+00	8.327E-01	2036	2045	2040	11	tasmax
Uzbekistan	Normal	2.791E+02	3.973E+00	6.772E-01	2036	2045	2040	12	tasmax
Uzbekistan	Normal	2.785E+02	3.985E+00	8.241E-01	2046	2055	2050	1	tasmax
Uzbekistan	Normal	2.815E+02	3.913E+00	1.376E+00	2046	2055	2050	2	tasmax
Uzbekistan	Normal	2.881E+02	4.113E+00	1.875E+00	2046	2055	2050	3	tasmax
Uzbekistan	Normal	2.962E+02	3.767E+00	1.549E+00	2046	2055	2050	4	tasmax
Uzbekistan	Normal	3.038E+02	3.413E+00	9.988E-01	2046	2055	2050	5	tasmax
Uzbekistan	Normal	3.101E+02	3.146E+00	6.416E-01	2046	2055	2050	6	tasmax
Uzbekistan	Normal	3.128E+02	3.402E+00	8.024E-01	2046	2055	2050	7	tasmax
Uzbekistan	Normal	3.110E+02	3.172E+00	7.584E-01	2046	2055	2050	8	tasmax
Uzbekistan	Normal	3.042E+02	3.237E+00	6.540E-01	2046	2055	2050	9	tasmax
Uzbekistan	Normal	2.951E+02	2.859E+00	7.734E-01	2046	2055	2050	10	tasmax
Uzbekistan	Normal	2.860E+02	3.389E+00	8.318E-01	2046	2055	2050	11	tasmax
Uzbekistan	Normal	2.798E+02	3.797E+00	9.960E-01	2046	2055	2050	12	tasmax
Uzbekistan	Normal	2.792E+02	3.956E+00	1.067E+00	2056	2065	2060	1	tasmax
Uzbekistan	Normal	2.824E+02	4.109E+00	1.303E+00	2056	2065	2060	2	tasmax
Uzbekistan	Normal	2.889E+02	4.209E+00	1.609E+00	2056	2065	2060	3	tasmax
Uzbekistan	Normal	2.967E+02	3.893E+00	1.589E+00	2056	2065	2060	4	tasmax
Uzbekistan	Normal	3.044E+02	3.160E+00	8.588E-01	2056	2065	2060	5	tasmax
Uzbekistan	Normal	3.110E+02	3.183E+00	6.658E-01	2056	2065	2060	6	tasmax
Uzbekistan	Normal	3.135E+02	3.403E+00	9.086E-01	2056	2065	2060	7	tasmax
Uzbekistan	Normal	3.117E+02	3.365E+00	7.579E-01	2056	2065	2060	8	tasmax
Uzbekistan	Normal	3.050E+02	3.281E+00	7.808E-01	2056	2065	2060	9	tasmax
Uzbekistan	Normal	2.959E+02	3.302E+00	1.164E+00	2056	2065	2060	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uzbekistan	Normal	2.868E+02	3.509E+00	7.189E-01	2056	2065	2060	11	tasmax
Uzbekistan	Normal	2.808E+02	4.042E+00	7.932E-01	2056	2065	2060	12	tasmax
Uzbekistan	Normal	2.797E+02	3.854E+00	9.418E-01	2066	2075	2070	1	tasmax
Uzbekistan	Normal	2.830E+02	4.143E+00	1.455E+00	2066	2075	2070	2	tasmax
Uzbekistan	Normal	2.898E+02	4.143E+00	1.588E+00	2066	2075	2070	3	tasmax
Uzbekistan	Normal	2.971E+02	3.793E+00	1.698E+00	2066	2075	2070	4	tasmax
Uzbekistan	Normal	3.052E+02	3.295E+00	9.560E-01	2066	2075	2070	5	tasmax
Uzbekistan	Normal	3.119E+02	3.186E+00	7.996E-01	2066	2075	2070	6	tasmax
Uzbekistan	Normal	3.145E+02	3.443E+00	1.065E+00	2066	2075	2070	7	tasmax
Uzbekistan	Normal	3.126E+02	3.325E+00	9.194E-01	2066	2075	2070	8	tasmax
Uzbekistan	Normal	3.057E+02	3.058E+00	6.304E-01	2066	2075	2070	9	tasmax
Uzbekistan	Normal	2.965E+02	3.238E+00	9.371E-01	2066	2075	2070	10	tasmax
Uzbekistan	Normal	2.870E+02	3.599E+00	9.452E-01	2066	2075	2070	11	tasmax
Uzbekistan	Normal	2.810E+02	3.697E+00	9.564E-01	2066	2075	2070	12	tasmax
Uzbekistan	Normal	2.803E+02	3.908E+00	8.829E-01	2076	2085	2080	1	tasmax
Uzbekistan	Normal	2.838E+02	4.133E+00	1.576E+00	2076	2085	2080	2	tasmax
Uzbekistan	Normal	2.905E+02	4.299E+00	1.619E+00	2076	2085	2080	3	tasmax
Uzbekistan	Normal	2.980E+02	3.912E+00	1.669E+00	2076	2085	2080	4	tasmax
Uzbekistan	Normal	3.058E+02	3.498E+00	8.138E-01	2076	2085	2080	5	tasmax
Uzbekistan	Normal	3.122E+02	3.304E+00	6.766E-01	2076	2085	2080	6	tasmax
Uzbekistan	Normal	3.152E+02	3.341E+00	1.045E+00	2076	2085	2080	7	tasmax
Uzbekistan	Normal	3.131E+02	3.425E+00	7.738E-01	2076	2085	2080	8	tasmax
Uzbekistan	Normal	3.065E+02	3.506E+00	7.209E-01	2076	2085	2080	9	tasmax
Uzbekistan	Normal	2.971E+02	3.326E+00	1.077E+00	2076	2085	2080	10	tasmax
Uzbekistan	Normal	2.881E+02	3.642E+00	1.010E+00	2076	2085	2080	11	tasmax
Uzbekistan	Normal	2.819E+02	4.021E+00	8.174E-01	2076	2085	2080	12	tasmax
Uzbekistan	Normal	2.812E+02	3.958E+00	1.080E+00	2086	2099	2092	1	tasmax
Uzbekistan	Normal	2.842E+02	3.717E+00	1.365E+00	2086	2099	2092	2	tasmax
Uzbekistan	Normal	2.909E+02	4.261E+00	1.579E+00	2086	2099	2092	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Uzbekistan	Normal	2.986E+02	4.104E+00	1.728E+00	2086	2099	2092	4	tasmax
Uzbekistan	Normal	3.065E+02	3.713E+00	9.073E-01	2086	2099	2092	5	tasmax
Uzbekistan	Normal	3.131E+02	3.458E+00	9.341E-01	2086	2099	2092	6	tasmax
Uzbekistan	Normal	3.158E+02	3.826E+00	1.177E+00	2086	2099	2092	7	tasmax
Uzbekistan	Normal	3.142E+02	3.825E+00	9.254E-01	2086	2099	2092	8	tasmax
Uzbekistan	Normal	3.072E+02	3.714E+00	8.106E-01	2086	2099	2092	9	tasmax
Uzbekistan	Normal	2.978E+02	3.485E+00	1.082E+00	2086	2099	2092	10	tasmax
Uzbekistan	Normal	2.886E+02	3.748E+00	1.035E+00	2086	2099	2092	11	tasmax
Uzbekistan	Normal	2.827E+02	4.149E+00	1.138E+00	2086	2099	2092	12	tasmax
Venezuela	Normal	3.040E+02	2.141E+00	4.852E-01	2006	2015	2010	1	tasmax
Venezuela	Normal	3.051E+02	2.007E+00	4.301E-01	2006	2015	2010	2	tasmax
Venezuela	Normal	3.059E+02	2.192E+00	4.287E-01	2006	2015	2010	3	tasmax
Venezuela	Normal	3.058E+02	2.254E+00	4.264E-01	2006	2015	2010	4	tasmax
Venezuela	Normal	3.044E+02	2.069E+00	4.978E-01	2006	2015	2010	5	tasmax
Venezuela	Normal	3.027E+02	2.044E+00	6.575E-01	2006	2015	2010	6	tasmax
Venezuela	Normal	3.024E+02	2.136E+00	5.284E-01	2006	2015	2010	7	tasmax
Venezuela	Normal	3.034E+02	2.468E+00	4.801E-01	2006	2015	2010	8	tasmax
Venezuela	Normal	3.045E+02	2.947E+00	5.979E-01	2006	2015	2010	9	tasmax
Venezuela	Normal	3.045E+02	2.989E+00	5.693E-01	2006	2015	2010	10	tasmax
Venezuela	Normal	3.037E+02	2.667E+00	5.411E-01	2006	2015	2010	11	tasmax
Venezuela	Normal	3.034E+02	2.366E+00	5.133E-01	2006	2015	2010	12	tasmax
Venezuela	Normal	3.044E+02	2.244E+00	6.024E-01	2016	2025	2020	1	tasmax
Venezuela	Normal	3.055E+02	2.287E+00	5.702E-01	2016	2025	2020	2	tasmax
Venezuela	Normal	3.063E+02	2.310E+00	4.069E-01	2016	2025	2020	3	tasmax
Venezuela	Normal	3.061E+02	2.366E+00	4.866E-01	2016	2025	2020	4	tasmax
Venezuela	Normal	3.046E+02	2.108E+00	5.032E-01	2016	2025	2020	5	tasmax
Venezuela	Normal	3.030E+02	1.973E+00	6.202E-01	2016	2025	2020	6	tasmax
Venezuela	Normal	3.027E+02	2.107E+00	5.412E-01	2016	2025	2020	7	tasmax
Venezuela	Normal	3.037E+02	2.507E+00	4.737E-01	2016	2025	2020	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Venezuela	Normal	3.048E+02	2.982E+00	6.729E-01	2016	2025	2020	9	tasmax
Venezuela	Normal	3.048E+02	3.022E+00	5.770E-01	2016	2025	2020	10	tasmax
Venezuela	Normal	3.041E+02	2.720E+00	5.739E-01	2016	2025	2020	11	tasmax
Venezuela	Normal	3.038E+02	2.413E+00	5.282E-01	2016	2025	2020	12	tasmax
Venezuela	Normal	3.048E+02	2.302E+00	6.301E-01	2026	2035	2030	1	tasmax
Venezuela	Normal	3.059E+02	2.216E+00	4.919E-01	2026	2035	2030	2	tasmax
Venezuela	Normal	3.068E+02	2.306E+00	4.988E-01	2026	2035	2030	3	tasmax
Venezuela	Normal	3.065E+02	2.261E+00	4.584E-01	2026	2035	2030	4	tasmax
Venezuela	Normal	3.050E+02	2.142E+00	5.353E-01	2026	2035	2030	5	tasmax
Venezuela	Normal	3.034E+02	2.148E+00	6.924E-01	2026	2035	2030	6	tasmax
Venezuela	Normal	3.031E+02	2.170E+00	4.759E-01	2026	2035	2030	7	tasmax
Venezuela	Normal	3.042E+02	2.491E+00	4.280E-01	2026	2035	2030	8	tasmax
Venezuela	Normal	3.052E+02	3.000E+00	6.209E-01	2026	2035	2030	9	tasmax
Venezuela	Normal	3.052E+02	3.068E+00	6.088E-01	2026	2035	2030	10	tasmax
Venezuela	Normal	3.045E+02	2.730E+00	6.660E-01	2026	2035	2030	11	tasmax
Venezuela	Normal	3.041E+02	2.367E+00	6.064E-01	2026	2035	2030	12	tasmax
Venezuela	Normal	3.052E+02	2.211E+00	6.509E-01	2036	2045	2040	1	tasmax
Venezuela	Normal	3.063E+02	2.209E+00	5.106E-01	2036	2045	2040	2	tasmax
Venezuela	Normal	3.072E+02	2.401E+00	5.187E-01	2036	2045	2040	3	tasmax
Venezuela	Normal	3.069E+02	2.330E+00	5.403E-01	2036	2045	2040	4	tasmax
Venezuela	Normal	3.055E+02	2.287E+00	5.577E-01	2036	2045	2040	5	tasmax
Venezuela	Normal	3.040E+02	2.358E+00	8.964E-01	2036	2045	2040	6	tasmax
Venezuela	Normal	3.036E+02	2.373E+00	5.439E-01	2036	2045	2040	7	tasmax
Venezuela	Normal	3.047E+02	2.834E+00	5.460E-01	2036	2045	2040	8	tasmax
Venezuela	Normal	3.057E+02	3.154E+00	7.228E-01	2036	2045	2040	9	tasmax
Venezuela	Normal	3.057E+02	3.169E+00	6.284E-01	2036	2045	2040	10	tasmax
Venezuela	Normal	3.050E+02	2.918E+00	6.399E-01	2036	2045	2040	11	tasmax
Venezuela	Normal	3.047E+02	2.481E+00	6.144E-01	2036	2045	2040	12	tasmax
Venezuela	Normal	3.058E+02	2.370E+00	7.337E-01	2046	2055	2050	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Venezuela	Normal	3.069E+02	2.270E+00	5.156E-01	2046	2055	2050	2	tasmax
Venezuela	Normal	3.078E+02	2.413E+00	4.850E-01	2046	2055	2050	3	tasmax
Venezuela	Normal	3.075E+02	2.459E+00	5.751E-01	2046	2055	2050	4	tasmax
Venezuela	Normal	3.060E+02	2.314E+00	5.226E-01	2046	2055	2050	5	tasmax
Venezuela	Normal	3.043E+02	2.337E+00	9.210E-01	2046	2055	2050	6	tasmax
Venezuela	Normal	3.042E+02	2.433E+00	6.551E-01	2046	2055	2050	7	tasmax
Venezuela	Normal	3.052E+02	2.861E+00	5.643E-01	2046	2055	2050	8	tasmax
Venezuela	Normal	3.063E+02	3.275E+00	7.342E-01	2046	2055	2050	9	tasmax
Venezuela	Normal	3.064E+02	3.242E+00	5.789E-01	2046	2055	2050	10	tasmax
Venezuela	Normal	3.055E+02	3.015E+00	7.209E-01	2046	2055	2050	11	tasmax
Venezuela	Normal	3.053E+02	2.605E+00	7.978E-01	2046	2055	2050	12	tasmax
Venezuela	Normal	3.065E+02	2.468E+00	7.347E-01	2056	2065	2060	1	tasmax
Venezuela	Normal	3.076E+02	2.441E+00	5.703E-01	2056	2065	2060	2	tasmax
Venezuela	Normal	3.084E+02	2.441E+00	5.431E-01	2056	2065	2060	3	tasmax
Venezuela	Normal	3.081E+02	2.603E+00	6.617E-01	2056	2065	2060	4	tasmax
Venezuela	Normal	3.066E+02	2.406E+00	6.243E-01	2056	2065	2060	5	tasmax
Venezuela	Normal	3.049E+02	2.402E+00	9.538E-01	2056	2065	2060	6	tasmax
Venezuela	Normal	3.047E+02	2.590E+00	6.322E-01	2056	2065	2060	7	tasmax
Venezuela	Normal	3.058E+02	2.910E+00	6.172E-01	2056	2065	2060	8	tasmax
Venezuela	Normal	3.069E+02	3.257E+00	6.894E-01	2056	2065	2060	9	tasmax
Venezuela	Normal	3.070E+02	3.281E+00	5.703E-01	2056	2065	2060	10	tasmax
Venezuela	Normal	3.063E+02	3.017E+00	6.620E-01	2056	2065	2060	11	tasmax
Venezuela	Normal	3.059E+02	2.567E+00	7.715E-01	2056	2065	2060	12	tasmax
Venezuela	Normal	3.071E+02	2.355E+00	6.466E-01	2066	2075	2070	1	tasmax
Venezuela	Normal	3.082E+02	2.349E+00	6.058E-01	2066	2075	2070	2	tasmax
Venezuela	Normal	3.090E+02	2.536E+00	5.805E-01	2066	2075	2070	3	tasmax
Venezuela	Normal	3.086E+02	2.562E+00	6.665E-01	2066	2075	2070	4	tasmax
Venezuela	Normal	3.071E+02	2.455E+00	5.852E-01	2066	2075	2070	5	tasmax
Venezuela	Normal	3.055E+02	2.545E+00	9.617E-01	2066	2075	2070	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Venezuela	Normal	3.053E+02	2.647E+00	6.377E-01	2066	2075	2070	7	tasmax
Venezuela	Normal	3.064E+02	2.991E+00	5.608E-01	2066	2075	2070	8	tasmax
Venezuela	Normal	3.077E+02	3.298E+00	6.638E-01	2066	2075	2070	9	tasmax
Venezuela	Normal	3.078E+02	3.274E+00	5.538E-01	2066	2075	2070	10	tasmax
Venezuela	Normal	3.069E+02	3.110E+00	6.815E-01	2066	2075	2070	11	tasmax
Venezuela	Normal	3.065E+02	2.614E+00	7.805E-01	2066	2075	2070	12	tasmax
Venezuela	Normal	3.076E+02	2.569E+00	6.671E-01	2076	2085	2080	1	tasmax
Venezuela	Normal	3.087E+02	2.633E+00	5.641E-01	2076	2085	2080	2	tasmax
Venezuela	Normal	3.095E+02	2.585E+00	5.054E-01	2076	2085	2080	3	tasmax
Venezuela	Normal	3.091E+02	2.625E+00	5.778E-01	2076	2085	2080	4	tasmax
Venezuela	Normal	3.077E+02	2.581E+00	6.620E-01	2076	2085	2080	5	tasmax
Venezuela	Normal	3.061E+02	2.753E+00	9.329E-01	2076	2085	2080	6	tasmax
Venezuela	Normal	3.060E+02	2.853E+00	6.358E-01	2076	2085	2080	7	tasmax
Venezuela	Normal	3.071E+02	3.194E+00	5.973E-01	2076	2085	2080	8	tasmax
Venezuela	Normal	3.083E+02	3.392E+00	6.527E-01	2076	2085	2080	9	tasmax
Venezuela	Normal	3.085E+02	3.439E+00	5.932E-01	2076	2085	2080	10	tasmax
Venezuela	Normal	3.076E+02	3.200E+00	6.206E-01	2076	2085	2080	11	tasmax
Venezuela	Normal	3.072E+02	2.768E+00	7.255E-01	2076	2085	2080	12	tasmax
Venezuela	Normal	3.083E+02	2.644E+00	6.306E-01	2086	2099	2092	1	tasmax
Venezuela	Normal	3.095E+02	2.620E+00	4.289E-01	2086	2099	2092	2	tasmax
Venezuela	Normal	3.102E+02	2.700E+00	5.085E-01	2086	2099	2092	3	tasmax
Venezuela	Normal	3.098E+02	2.782E+00	6.052E-01	2086	2099	2092	4	tasmax
Venezuela	Normal	3.083E+02	2.589E+00	6.703E-01	2086	2099	2092	5	tasmax
Venezuela	Normal	3.068E+02	2.837E+00	9.083E-01	2086	2099	2092	6	tasmax
Venezuela	Normal	3.067E+02	2.947E+00	6.331E-01	2086	2099	2092	7	tasmax
Venezuela	Normal	3.078E+02	3.166E+00	6.108E-01	2086	2099	2092	8	tasmax
Venezuela	Normal	3.090E+02	3.411E+00	6.620E-01	2086	2099	2092	9	tasmax
Venezuela	Normal	3.092E+02	3.416E+00	6.013E-01	2086	2099	2092	10	tasmax
Venezuela	Normal	3.083E+02	3.175E+00	6.139E-01	2086	2099	2092	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Venezuela	Normal	3.078E+02	2.779E+00	7.040E-01	2086	2099	2092	12	tasmax
Vietnam	Normal	2.954E+02	1.829E+00	5.241E-01	2006	2015	2010	1	tasmax
Vietnam	Normal	2.980E+02	2.032E+00	5.570E-01	2006	2015	2010	2	tasmax
Vietnam	Normal	3.015E+02	2.194E+00	3.253E-01	2006	2015	2010	3	tasmax
Vietnam	Normal	3.045E+02	2.120E+00	3.544E-01	2006	2015	2010	4	tasmax
Vietnam	Normal	3.052E+02	2.162E+00	4.850E-01	2006	2015	2010	5	tasmax
Vietnam	Normal	3.039E+02	1.839E+00	3.795E-01	2006	2015	2010	6	tasmax
Vietnam	Normal	3.029E+02	1.423E+00	3.105E-01	2006	2015	2010	7	tasmax
Vietnam	Normal	3.026E+02	1.279E+00	2.870E-01	2006	2015	2010	8	tasmax
Vietnam	Normal	3.017E+02	1.231E+00	3.061E-01	2006	2015	2010	9	tasmax
Vietnam	Normal	3.002E+02	1.246E+00	5.143E-01	2006	2015	2010	10	tasmax
Vietnam	Normal	2.980E+02	1.386E+00	4.074E-01	2006	2015	2010	11	tasmax
Vietnam	Normal	2.956E+02	1.408E+00	4.305E-01	2006	2015	2010	12	tasmax
Vietnam	Normal	2.958E+02	1.856E+00	7.126E-01	2016	2025	2020	1	tasmax
Vietnam	Normal	2.981E+02	1.914E+00	4.315E-01	2016	2025	2020	2	tasmax
Vietnam	Normal	3.018E+02	2.130E+00	2.944E-01	2016	2025	2020	3	tasmax
Vietnam	Normal	3.049E+02	2.012E+00	2.960E-01	2016	2025	2020	4	tasmax
Vietnam	Normal	3.055E+02	2.318E+00	5.109E-01	2016	2025	2020	5	tasmax
Vietnam	Normal	3.042E+02	2.069E+00	6.019E-01	2016	2025	2020	6	tasmax
Vietnam	Normal	3.033E+02	1.606E+00	3.906E-01	2016	2025	2020	7	tasmax
Vietnam	Normal	3.029E+02	1.391E+00	3.232E-01	2016	2025	2020	8	tasmax
Vietnam	Normal	3.020E+02	1.343E+00	3.606E-01	2016	2025	2020	9	tasmax
Vietnam	Normal	3.005E+02	1.363E+00	4.529E-01	2016	2025	2020	10	tasmax
Vietnam	Normal	2.983E+02	1.390E+00	5.056E-01	2016	2025	2020	11	tasmax
Vietnam	Normal	2.959E+02	1.408E+00	3.739E-01	2016	2025	2020	12	tasmax
Vietnam	Normal	2.962E+02	1.703E+00	6.068E-01	2026	2035	2030	1	tasmax
Vietnam	Normal	2.985E+02	1.973E+00	4.369E-01	2026	2035	2030	2	tasmax
Vietnam	Normal	3.021E+02	2.099E+00	3.391E-01	2026	2035	2030	3	tasmax
Vietnam	Normal	3.053E+02	1.953E+00	3.388E-01	2026	2035	2030	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Vietnam	Normal	3.059E+02	2.347E+00	6.083E-01	2026	2035	2030	5	tasmax
Vietnam	Normal	3.047E+02	2.015E+00	4.985E-01	2026	2035	2030	6	tasmax
Vietnam	Normal	3.036E+02	1.416E+00	3.049E-01	2026	2035	2030	7	tasmax
Vietnam	Normal	3.032E+02	1.275E+00	2.628E-01	2026	2035	2030	8	tasmax
Vietnam	Normal	3.024E+02	1.232E+00	3.443E-01	2026	2035	2030	9	tasmax
Vietnam	Normal	3.009E+02	1.394E+00	4.834E-01	2026	2035	2030	10	tasmax
Vietnam	Normal	2.987E+02	1.467E+00	5.687E-01	2026	2035	2030	11	tasmax
Vietnam	Normal	2.961E+02	1.569E+00	4.281E-01	2026	2035	2030	12	tasmax
Vietnam	Normal	2.964E+02	1.755E+00	3.482E-01	2036	2045	2040	1	tasmax
Vietnam	Normal	2.989E+02	1.873E+00	4.188E-01	2036	2045	2040	2	tasmax
Vietnam	Normal	3.025E+02	2.101E+00	4.067E-01	2036	2045	2040	3	tasmax
Vietnam	Normal	3.056E+02	2.149E+00	2.818E-01	2036	2045	2040	4	tasmax
Vietnam	Normal	3.063E+02	2.372E+00	5.643E-01	2036	2045	2040	5	tasmax
Vietnam	Normal	3.049E+02	1.790E+00	4.697E-01	2036	2045	2040	6	tasmax
Vietnam	Normal	3.039E+02	1.460E+00	3.054E-01	2036	2045	2040	7	tasmax
Vietnam	Normal	3.035E+02	1.325E+00	2.568E-01	2036	2045	2040	8	tasmax
Vietnam	Normal	3.027E+02	1.367E+00	3.116E-01	2036	2045	2040	9	tasmax
Vietnam	Normal	3.013E+02	1.449E+00	3.951E-01	2036	2045	2040	10	tasmax
Vietnam	Normal	2.990E+02	1.380E+00	3.635E-01	2036	2045	2040	11	tasmax
Vietnam	Normal	2.966E+02	1.494E+00	3.285E-01	2036	2045	2040	12	tasmax
Vietnam	Normal	2.970E+02	1.745E+00	3.959E-01	2046	2055	2050	1	tasmax
Vietnam	Normal	2.995E+02	2.067E+00	4.685E-01	2046	2055	2050	2	tasmax
Vietnam	Normal	3.032E+02	2.201E+00	4.516E-01	2046	2055	2050	3	tasmax
Vietnam	Normal	3.063E+02	2.303E+00	3.023E-01	2046	2055	2050	4	tasmax
Vietnam	Normal	3.070E+02	2.557E+00	5.178E-01	2046	2055	2050	5	tasmax
Vietnam	Normal	3.055E+02	2.225E+00	6.156E-01	2046	2055	2050	6	tasmax
Vietnam	Normal	3.045E+02	1.500E+00	3.286E-01	2046	2055	2050	7	tasmax
Vietnam	Normal	3.039E+02	1.369E+00	2.784E-01	2046	2055	2050	8	tasmax
Vietnam	Normal	3.032E+02	1.372E+00	3.543E-01	2046	2055	2050	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Vietnam	Normal	3.018E+02	1.510E+00	4.243E-01	2046	2055	2050	10	tasmax
Vietnam	Normal	2.996E+02	1.517E+00	3.161E-01	2046	2055	2050	11	tasmax
Vietnam	Normal	2.972E+02	1.658E+00	2.870E-01	2046	2055	2050	12	tasmax
Vietnam	Normal	2.974E+02	1.978E+00	4.347E-01	2056	2065	2060	1	tasmax
Vietnam	Normal	3.000E+02	2.018E+00	4.963E-01	2056	2065	2060	2	tasmax
Vietnam	Normal	3.035E+02	2.399E+00	4.487E-01	2056	2065	2060	3	tasmax
Vietnam	Normal	3.068E+02	2.373E+00	3.708E-01	2056	2065	2060	4	tasmax
Vietnam	Normal	3.073E+02	2.663E+00	6.373E-01	2056	2065	2060	5	tasmax
Vietnam	Normal	3.061E+02	2.350E+00	6.760E-01	2056	2065	2060	6	tasmax
Vietnam	Normal	3.049E+02	1.684E+00	4.315E-01	2056	2065	2060	7	tasmax
Vietnam	Normal	3.044E+02	1.409E+00	3.389E-01	2056	2065	2060	8	tasmax
Vietnam	Normal	3.037E+02	1.404E+00	3.215E-01	2056	2065	2060	9	tasmax
Vietnam	Normal	3.024E+02	1.611E+00	3.182E-01	2056	2065	2060	10	tasmax
Vietnam	Normal	3.000E+02	1.538E+00	3.226E-01	2056	2065	2060	11	tasmax
Vietnam	Normal	2.976E+02	1.701E+00	2.994E-01	2056	2065	2060	12	tasmax
Vietnam	Normal	2.980E+02	1.830E+00	3.247E-01	2066	2075	2070	1	tasmax
Vietnam	Normal	3.002E+02	2.078E+00	5.728E-01	2066	2075	2070	2	tasmax
Vietnam	Normal	3.040E+02	2.342E+00	5.131E-01	2066	2075	2070	3	tasmax
Vietnam	Normal	3.074E+02	2.413E+00	3.987E-01	2066	2075	2070	4	tasmax
Vietnam	Normal	3.081E+02	2.626E+00	6.459E-01	2066	2075	2070	5	tasmax
Vietnam	Normal	3.065E+02	2.064E+00	4.242E-01	2066	2075	2070	6	tasmax
Vietnam	Normal	3.055E+02	1.643E+00	4.038E-01	2066	2075	2070	7	tasmax
Vietnam	Normal	3.050E+02	1.489E+00	3.177E-01	2066	2075	2070	8	tasmax
Vietnam	Normal	3.042E+02	1.523E+00	3.865E-01	2066	2075	2070	9	tasmax
Vietnam	Normal	3.029E+02	1.613E+00	4.809E-01	2066	2075	2070	10	tasmax
Vietnam	Normal	3.005E+02	1.742E+00	3.871E-01	2066	2075	2070	11	tasmax
Vietnam	Normal	2.982E+02	1.693E+00	2.599E-01	2066	2075	2070	12	tasmax
Vietnam	Normal	2.984E+02	1.788E+00	4.480E-01	2076	2085	2080	1	tasmax
Vietnam	Normal	3.008E+02	2.120E+00	4.324E-01	2076	2085	2080	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Vietnam	Normal	3.045E+02	2.662E+00	6.686E-01	2076	2085	2080	3	tasmax
Vietnam	Normal	3.079E+02	2.644E+00	4.127E-01	2076	2085	2080	4	tasmax
Vietnam	Normal	3.085E+02	2.764E+00	5.261E-01	2076	2085	2080	5	tasmax
Vietnam	Normal	3.071E+02	2.635E+00	8.558E-01	2076	2085	2080	6	tasmax
Vietnam	Normal	3.060E+02	1.841E+00	4.521E-01	2076	2085	2080	7	tasmax
Vietnam	Normal	3.055E+02	1.655E+00	3.914E-01	2076	2085	2080	8	tasmax
Vietnam	Normal	3.048E+02	1.622E+00	4.261E-01	2076	2085	2080	9	tasmax
Vietnam	Normal	3.033E+02	1.778E+00	4.204E-01	2076	2085	2080	10	tasmax
Vietnam	Normal	3.010E+02	1.688E+00	2.847E-01	2076	2085	2080	11	tasmax
Vietnam	Normal	2.985E+02	1.894E+00	2.960E-01	2076	2085	2080	12	tasmax
Vietnam	Normal	2.988E+02	2.101E+00	3.602E-01	2086	2099	2092	1	tasmax
Vietnam	Normal	3.013E+02	2.365E+00	5.436E-01	2086	2099	2092	2	tasmax
Vietnam	Normal	3.050E+02	2.672E+00	6.215E-01	2086	2099	2092	3	tasmax
Vietnam	Normal	3.086E+02	2.555E+00	4.965E-01	2086	2099	2092	4	tasmax
Vietnam	Normal	3.092E+02	3.013E+00	5.975E-01	2086	2099	2092	5	tasmax
Vietnam	Normal	3.078E+02	2.733E+00	8.934E-01	2086	2099	2092	6	tasmax
Vietnam	Normal	3.064E+02	1.853E+00	4.905E-01	2086	2099	2092	7	tasmax
Vietnam	Normal	3.060E+02	1.700E+00	3.586E-01	2086	2099	2092	8	tasmax
Vietnam	Normal	3.053E+02	1.708E+00	3.520E-01	2086	2099	2092	9	tasmax
Vietnam	Normal	3.037E+02	1.859E+00	3.322E-01	2086	2099	2092	10	tasmax
Vietnam	Normal	3.013E+02	1.827E+00	2.912E-01	2086	2099	2092	11	tasmax
Vietnam	Normal	2.989E+02	1.902E+00	3.141E-01	2086	2099	2092	12	tasmax
West Bank	Normal	2.882E+02	2.531E+00	4.381E-01	2006	2015	2010	1	tasmax
West Bank	Normal	2.900E+02	2.778E+00	6.646E-01	2006	2015	2010	2	tasmax
West Bank	Normal	2.931E+02	2.794E+00	5.262E-01	2006	2015	2010	3	tasmax
West Bank	Normal	2.969E+02	3.253E+00	8.701E-01	2006	2015	2010	4	tasmax
West Bank	Normal	3.010E+02	3.551E+00	7.834E-01	2006	2015	2010	5	tasmax
West Bank	Normal	3.050E+02	3.812E+00	7.430E-01	2006	2015	2010	6	tasmax
West Bank	Normal	3.074E+02	4.073E+00	1.120E+00	2006	2015	2010	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
West Bank	Normal	3.074E+02	3.867E+00	1.100E+00	2006	2015	2010	8	tasmax
West Bank	Normal	3.047E+02	2.752E+00	7.258E-01	2006	2015	2010	9	tasmax
West Bank	Normal	2.999E+02	2.383E+00	4.080E-01	2006	2015	2010	10	tasmax
West Bank	Normal	2.940E+02	2.282E+00	3.326E-01	2006	2015	2010	11	tasmax
West Bank	Normal	2.895E+02	2.394E+00	4.283E-01	2006	2015	2010	12	tasmax
West Bank	Normal	2.887E+02	2.434E+00	5.511E-01	2016	2025	2020	1	tasmax
West Bank	Normal	2.902E+02	2.600E+00	5.179E-01	2016	2025	2020	2	tasmax
West Bank	Normal	2.932E+02	3.113E+00	6.376E-01	2016	2025	2020	3	tasmax
West Bank	Normal	2.973E+02	3.473E+00	9.479E-01	2016	2025	2020	4	tasmax
West Bank	Normal	3.014E+02	3.561E+00	9.182E-01	2016	2025	2020	5	tasmax
West Bank	Normal	3.056E+02	3.753E+00	7.453E-01	2016	2025	2020	6	tasmax
West Bank	Normal	3.078E+02	4.027E+00	1.209E+00	2016	2025	2020	7	tasmax
West Bank	Normal	3.079E+02	3.981E+00	9.941E-01	2016	2025	2020	8	tasmax
West Bank	Normal	3.051E+02	2.913E+00	7.669E-01	2016	2025	2020	9	tasmax
West Bank	Normal	3.004E+02	2.373E+00	4.075E-01	2016	2025	2020	10	tasmax
West Bank	Normal	2.942E+02	2.509E+00	5.673E-01	2016	2025	2020	11	tasmax
West Bank	Normal	2.900E+02	2.329E+00	4.918E-01	2016	2025	2020	12	tasmax
West Bank	Normal	2.889E+02	2.462E+00	3.952E-01	2026	2035	2030	1	tasmax
West Bank	Normal	2.906E+02	2.625E+00	6.290E-01	2026	2035	2030	2	tasmax
West Bank	Normal	2.938E+02	3.201E+00	8.142E-01	2026	2035	2030	3	tasmax
West Bank	Normal	2.977E+02	3.415E+00	1.143E+00	2026	2035	2030	4	tasmax
West Bank	Normal	3.019E+02	3.833E+00	1.033E+00	2026	2035	2030	5	tasmax
West Bank	Normal	3.061E+02	3.837E+00	6.792E-01	2026	2035	2030	6	tasmax
West Bank	Normal	3.085E+02	4.078E+00	9.247E-01	2026	2035	2030	7	tasmax
West Bank	Normal	3.086E+02	4.031E+00	9.835E-01	2026	2035	2030	8	tasmax
West Bank	Normal	3.057E+02	2.874E+00	8.497E-01	2026	2035	2030	9	tasmax
West Bank	Normal	3.006E+02	2.114E+00	3.558E-01	2026	2035	2030	10	tasmax
West Bank	Normal	2.948E+02	2.457E+00	5.245E-01	2026	2035	2030	11	tasmax
West Bank	Normal	2.904E+02	2.330E+00	4.846E-01	2026	2035	2030	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
West Bank	Normal	2.893E+02	2.342E+00	4.248E-01	2036	2045	2040	1	tasmax
West Bank	Normal	2.909E+02	2.592E+00	5.126E-01	2036	2045	2040	2	tasmax
West Bank	Normal	2.944E+02	3.251E+00	8.381E-01	2036	2045	2040	3	tasmax
West Bank	Normal	2.981E+02	3.598E+00	8.922E-01	2036	2045	2040	4	tasmax
West Bank	Normal	3.025E+02	3.513E+00	9.020E-01	2036	2045	2040	5	tasmax
West Bank	Normal	3.066E+02	3.750E+00	6.631E-01	2036	2045	2040	6	tasmax
West Bank	Normal	3.090E+02	4.013E+00	1.043E+00	2036	2045	2040	7	tasmax
West Bank	Normal	3.089E+02	3.962E+00	8.087E-01	2036	2045	2040	8	tasmax
West Bank	Normal	3.062E+02	2.923E+00	6.798E-01	2036	2045	2040	9	tasmax
West Bank	Normal	3.014E+02	2.485E+00	4.578E-01	2036	2045	2040	10	tasmax
West Bank	Normal	2.954E+02	2.431E+00	5.305E-01	2036	2045	2040	11	tasmax
West Bank	Normal	2.906E+02	2.318E+00	3.426E-01	2036	2045	2040	12	tasmax
West Bank	Normal	2.900E+02	2.661E+00	4.799E-01	2046	2055	2050	1	tasmax
West Bank	Normal	2.916E+02	2.638E+00	6.490E-01	2046	2055	2050	2	tasmax
West Bank	Normal	2.950E+02	3.184E+00	9.383E-01	2046	2055	2050	3	tasmax
West Bank	Normal	2.987E+02	3.300E+00	9.041E-01	2046	2055	2050	4	tasmax
West Bank	Normal	3.030E+02	3.694E+00	9.934E-01	2046	2055	2050	5	tasmax
West Bank	Normal	3.071E+02	3.639E+00	7.259E-01	2046	2055	2050	6	tasmax
West Bank	Normal	3.094E+02	4.094E+00	8.048E-01	2046	2055	2050	7	tasmax
West Bank	Normal	3.099E+02	4.197E+00	8.757E-01	2046	2055	2050	8	tasmax
West Bank	Normal	3.067E+02	3.006E+00	6.094E-01	2046	2055	2050	9	tasmax
West Bank	Normal	3.021E+02	2.369E+00	2.901E-01	2046	2055	2050	10	tasmax
West Bank	Normal	2.959E+02	2.553E+00	4.339E-01	2046	2055	2050	11	tasmax
West Bank	Normal	2.911E+02	2.405E+00	4.334E-01	2046	2055	2050	12	tasmax
West Bank	Normal	2.904E+02	2.541E+00	5.790E-01	2056	2065	2060	1	tasmax
West Bank	Normal	2.920E+02	2.601E+00	7.120E-01	2056	2065	2060	2	tasmax
West Bank	Normal	2.953E+02	3.425E+00	1.163E+00	2056	2065	2060	3	tasmax
West Bank	Normal	2.992E+02	3.486E+00	8.833E-01	2056	2065	2060	4	tasmax
West Bank	Normal	3.033E+02	3.468E+00	6.949E-01	2056	2065	2060	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
West Bank	Normal	3.077E+02	3.787E+00	8.276E-01	2056	2065	2060	6	tasmax
West Bank	Normal	3.101E+02	3.962E+00	9.873E-01	2056	2065	2060	7	tasmax
West Bank	Normal	3.106E+02	4.142E+00	8.179E-01	2056	2065	2060	8	tasmax
West Bank	Normal	3.075E+02	3.132E+00	5.495E-01	2056	2065	2060	9	tasmax
West Bank	Normal	3.026E+02	2.407E+00	4.114E-01	2056	2065	2060	10	tasmax
West Bank	Normal	2.966E+02	2.512E+00	5.635E-01	2056	2065	2060	11	tasmax
West Bank	Normal	2.917E+02	2.425E+00	5.954E-01	2056	2065	2060	12	tasmax
West Bank	Normal	2.908E+02	2.501E+00	6.658E-01	2066	2075	2070	1	tasmax
West Bank	Normal	2.926E+02	2.656E+00	6.094E-01	2066	2075	2070	2	tasmax
West Bank	Normal	2.958E+02	3.584E+00	1.165E+00	2066	2075	2070	3	tasmax
West Bank	Normal	3.000E+02	3.969E+00	1.237E+00	2066	2075	2070	4	tasmax
West Bank	Normal	3.043E+02	3.883E+00	8.089E-01	2066	2075	2070	5	tasmax
West Bank	Normal	3.082E+02	3.757E+00	8.134E-01	2066	2075	2070	6	tasmax
West Bank	Normal	3.107E+02	4.207E+00	8.858E-01	2066	2075	2070	7	tasmax
West Bank	Normal	3.112E+02	4.213E+00	8.000E-01	2066	2075	2070	8	tasmax
West Bank	Normal	3.082E+02	3.100E+00	5.090E-01	2066	2075	2070	9	tasmax
West Bank	Normal	3.031E+02	2.520E+00	5.770E-01	2066	2075	2070	10	tasmax
West Bank	Normal	2.971E+02	2.666E+00	5.477E-01	2066	2075	2070	11	tasmax
West Bank	Normal	2.926E+02	2.529E+00	5.196E-01	2066	2075	2070	12	tasmax
West Bank	Normal	2.914E+02	2.619E+00	5.141E-01	2076	2085	2080	1	tasmax
West Bank	Normal	2.933E+02	3.178E+00	1.082E+00	2076	2085	2080	2	tasmax
West Bank	Normal	2.965E+02	3.724E+00	1.185E+00	2076	2085	2080	3	tasmax
West Bank	Normal	3.005E+02	3.787E+00	1.051E+00	2076	2085	2080	4	tasmax
West Bank	Normal	3.045E+02	3.561E+00	6.832E-01	2076	2085	2080	5	tasmax
West Bank	Normal	3.089E+02	3.783E+00	8.321E-01	2076	2085	2080	6	tasmax
West Bank	Normal	3.116E+02	4.285E+00	1.036E+00	2076	2085	2080	7	tasmax
West Bank	Normal	3.117E+02	4.168E+00	8.554E-01	2076	2085	2080	8	tasmax
West Bank	Normal	3.088E+02	3.261E+00	6.123E-01	2076	2085	2080	9	tasmax
West Bank	Normal	3.037E+02	2.580E+00	4.466E-01	2076	2085	2080	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
West Bank	Normal	2.977E+02	2.767E+00	6.574E-01	2076	2085	2080	11	tasmax
West Bank	Normal	2.929E+02	2.740E+00	6.325E-01	2076	2085	2080	12	tasmax
West Bank	Normal	2.916E+02	2.705E+00	6.319E-01	2086	2099	2092	1	tasmax
West Bank	Normal	2.936E+02	3.014E+00	8.296E-01	2086	2099	2092	2	tasmax
West Bank	Normal	2.974E+02	4.392E+00	1.641E+00	2086	2099	2092	3	tasmax
West Bank	Normal	3.010E+02	3.976E+00	1.014E+00	2086	2099	2092	4	tasmax
West Bank	Normal	3.051E+02	3.836E+00	6.491E-01	2086	2099	2092	5	tasmax
West Bank	Normal	3.095E+02	4.085E+00	8.899E-01	2086	2099	2092	6	tasmax
West Bank	Normal	3.121E+02	4.415E+00	1.021E+00	2086	2099	2092	7	tasmax
West Bank	Normal	3.123E+02	4.399E+00	7.642E-01	2086	2099	2092	8	tasmax
West Bank	Normal	3.093E+02	3.267E+00	4.963E-01	2086	2099	2092	9	tasmax
West Bank	Normal	3.042E+02	2.611E+00	5.264E-01	2086	2099	2092	10	tasmax
West Bank	Normal	2.984E+02	2.850E+00	5.380E-01	2086	2099	2092	11	tasmax
West Bank	Normal	2.934E+02	2.631E+00	5.158E-01	2086	2099	2092	12	tasmax
Western Sahara	Normal	2.960E+02	1.944E+00	3.181E-01	2006	2015	2010	1	tasmax
Western Sahara	Normal	2.985E+02	1.915E+00	6.488E-01	2006	2015	2010	2	tasmax
Western Sahara	Normal	3.014E+02	2.667E+00	9.410E-01	2006	2015	2010	3	tasmax
Western Sahara	Normal	3.036E+02	2.906E+00	8.775E-01	2006	2015	2010	4	tasmax
Western Sahara	Normal	3.054E+02	2.706E+00	5.180E-01	2006	2015	2010	5	tasmax
Western Sahara	Normal	3.075E+02	2.021E+00	3.660E-01	2006	2015	2010	6	tasmax
Western Sahara	Normal	3.104E+02	2.037E+00	3.752E-01	2006	2015	2010	7	tasmax
Western Sahara	Normal	3.110E+02	2.501E+00	3.235E-01	2006	2015	2010	8	tasmax
Western Sahara	Normal	3.089E+02	2.402E+00	8.046E-01	2006	2015	2010	9	tasmax
Western Sahara	Normal	3.050E+02	2.576E+00	9.103E-01	2006	2015	2010	10	tasmax
Western Sahara	Normal	3.004E+02	2.255E+00	4.445E-01	2006	2015	2010	11	tasmax
Western Sahara	Normal	2.967E+02	1.771E+00	3.264E-01	2006	2015	2010	12	tasmax
Western Sahara	Normal	2.965E+02	1.900E+00	4.009E-01	2016	2025	2020	1	tasmax
Western Sahara	Normal	2.988E+02	2.203E+00	7.592E-01	2016	2025	2020	2	tasmax
Western Sahara	Normal	3.019E+02	2.745E+00	1.008E+00	2016	2025	2020	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Western Sahara	Normal	3.038E+02	2.915E+00	9.801E-01	2016	2025	2020	4	tasmax
Western Sahara	Normal	3.055E+02	2.534E+00	4.561E-01	2016	2025	2020	5	tasmax
Western Sahara	Normal	3.078E+02	2.071E+00	4.170E-01	2016	2025	2020	6	tasmax
Western Sahara	Normal	3.108E+02	2.302E+00	4.818E-01	2016	2025	2020	7	tasmax
Western Sahara	Normal	3.111E+02	2.435E+00	4.425E-01	2016	2025	2020	8	tasmax
Western Sahara	Normal	3.092E+02	2.489E+00	6.084E-01	2016	2025	2020	9	tasmax
Western Sahara	Normal	3.055E+02	2.731E+00	1.004E+00	2016	2025	2020	10	tasmax
Western Sahara	Normal	3.011E+02	2.260E+00	8.393E-01	2016	2025	2020	11	tasmax
Western Sahara	Normal	2.969E+02	1.855E+00	3.863E-01	2016	2025	2020	12	tasmax
Western Sahara	Normal	2.969E+02	1.939E+00	3.291E-01	2026	2035	2030	1	tasmax
Western Sahara	Normal	2.994E+02	2.404E+00	6.253E-01	2026	2035	2030	2	tasmax
Western Sahara	Normal	3.025E+02	2.434E+00	9.987E-01	2026	2035	2030	3	tasmax
Western Sahara	Normal	3.042E+02	2.750E+00	9.342E-01	2026	2035	2030	4	tasmax
Western Sahara	Normal	3.062E+02	2.953E+00	5.899E-01	2026	2035	2030	5	tasmax
Western Sahara	Normal	3.083E+02	2.172E+00	5.192E-01	2026	2035	2030	6	tasmax
Western Sahara	Normal	3.111E+02	2.200E+00	3.680E-01	2026	2035	2030	7	tasmax
Western Sahara	Normal	3.115E+02	2.507E+00	4.588E-01	2026	2035	2030	8	tasmax
Western Sahara	Normal	3.098E+02	2.563E+00	5.917E-01	2026	2035	2030	9	tasmax
Western Sahara	Normal	3.060E+02	2.715E+00	7.869E-01	2026	2035	2030	10	tasmax
Western Sahara	Normal	3.014E+02	2.234E+00	5.919E-01	2026	2035	2030	11	tasmax
Western Sahara	Normal	2.976E+02	1.841E+00	2.856E-01	2026	2035	2030	12	tasmax
Western Sahara	Normal	2.974E+02	1.979E+00	4.233E-01	2036	2045	2040	1	tasmax
Western Sahara	Normal	2.998E+02	2.095E+00	5.877E-01	2036	2045	2040	2	tasmax
Western Sahara	Normal	3.029E+02	2.553E+00	1.026E+00	2036	2045	2040	3	tasmax
Western Sahara	Normal	3.050E+02	2.969E+00	9.881E-01	2036	2045	2040	4	tasmax
Western Sahara	Normal	3.063E+02	2.710E+00	5.374E-01	2036	2045	2040	5	tasmax
Western Sahara	Normal	3.088E+02	2.044E+00	5.060E-01	2036	2045	2040	6	tasmax
Western Sahara	Normal	3.117E+02	2.208E+00	4.121E-01	2036	2045	2040	7	tasmax
Western Sahara	Normal	3.119E+02	2.433E+00	6.351E-01	2036	2045	2040	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Western Sahara	Normal	3.103E+02	2.534E+00	7.290E-01	2036	2045	2040	9	tasmax
Western Sahara	Normal	3.066E+02	2.765E+00	9.337E-01	2036	2045	2040	10	tasmax
Western Sahara	Normal	3.018E+02	2.588E+00	6.690E-01	2036	2045	2040	11	tasmax
Western Sahara	Normal	2.981E+02	1.827E+00	2.915E-01	2036	2045	2040	12	tasmax
Western Sahara	Normal	2.979E+02	1.868E+00	4.457E-01	2046	2055	2050	1	tasmax
Western Sahara	Normal	3.003E+02	2.120E+00	6.750E-01	2046	2055	2050	2	tasmax
Western Sahara	Normal	3.033E+02	2.598E+00	7.134E-01	2046	2055	2050	3	tasmax
Western Sahara	Normal	3.054E+02	2.880E+00	9.180E-01	2046	2055	2050	4	tasmax
Western Sahara	Normal	3.071E+02	2.930E+00	5.677E-01	2046	2055	2050	5	tasmax
Western Sahara	Normal	3.092E+02	2.376E+00	4.558E-01	2046	2055	2050	6	tasmax
Western Sahara	Normal	3.122E+02	2.220E+00	3.282E-01	2046	2055	2050	7	tasmax
Western Sahara	Normal	3.123E+02	2.594E+00	4.787E-01	2046	2055	2050	8	tasmax
Western Sahara	Normal	3.105E+02	2.632E+00	6.335E-01	2046	2055	2050	9	tasmax
Western Sahara	Normal	3.070E+02	2.822E+00	8.720E-01	2046	2055	2050	10	tasmax
Western Sahara	Normal	3.023E+02	2.471E+00	6.700E-01	2046	2055	2050	11	tasmax
Western Sahara	Normal	2.985E+02	1.828E+00	3.679E-01	2046	2055	2050	12	tasmax
Western Sahara	Normal	2.985E+02	1.857E+00	4.516E-01	2056	2065	2060	1	tasmax
Western Sahara	Normal	3.011E+02	2.241E+00	7.626E-01	2056	2065	2060	2	tasmax
Western Sahara	Normal	3.040E+02	2.558E+00	9.480E-01	2056	2065	2060	3	tasmax
Western Sahara	Normal	3.059E+02	2.723E+00	9.517E-01	2056	2065	2060	4	tasmax
Western Sahara	Normal	3.073E+02	3.052E+00	9.203E-01	2056	2065	2060	5	tasmax
Western Sahara	Normal	3.098E+02	2.271E+00	4.107E-01	2056	2065	2060	6	tasmax
Western Sahara	Normal	3.128E+02	2.112E+00	5.411E-01	2056	2065	2060	7	tasmax
Western Sahara	Normal	3.129E+02	2.551E+00	6.260E-01	2056	2065	2060	8	tasmax
Western Sahara	Normal	3.113E+02	2.597E+00	7.994E-01	2056	2065	2060	9	tasmax
Western Sahara	Normal	3.077E+02	2.790E+00	8.244E-01	2056	2065	2060	10	tasmax
Western Sahara	Normal	3.031E+02	2.467E+00	7.194E-01	2056	2065	2060	11	tasmax
Western Sahara	Normal	2.991E+02	1.724E+00	4.188E-01	2056	2065	2060	12	tasmax
Western Sahara	Normal	2.990E+02	1.912E+00	4.799E-01	2066	2075	2070	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Western Sahara	Normal	3.014E+02	2.119E+00	8.394E-01	2066	2075	2070	2	tasmax
Western Sahara	Normal	3.045E+02	2.481E+00	1.086E+00	2066	2075	2070	3	tasmax
Western Sahara	Normal	3.067E+02	2.706E+00	1.209E+00	2066	2075	2070	4	tasmax
Western Sahara	Normal	3.079E+02	2.990E+00	7.290E-01	2066	2075	2070	5	tasmax
Western Sahara	Normal	3.101E+02	2.405E+00	6.117E-01	2066	2075	2070	6	tasmax
Western Sahara	Normal	3.133E+02	2.364E+00	5.414E-01	2066	2075	2070	7	tasmax
Western Sahara	Normal	3.134E+02	2.532E+00	6.775E-01	2066	2075	2070	8	tasmax
Western Sahara	Normal	3.120E+02	2.721E+00	1.038E+00	2066	2075	2070	9	tasmax
Western Sahara	Normal	3.084E+02	2.858E+00	9.080E-01	2066	2075	2070	10	tasmax
Western Sahara	Normal	3.038E+02	2.578E+00	8.507E-01	2066	2075	2070	11	tasmax
Western Sahara	Normal	2.998E+02	1.971E+00	5.318E-01	2066	2075	2070	12	tasmax
Western Sahara	Normal	2.995E+02	2.040E+00	4.290E-01	2076	2085	2080	1	tasmax
Western Sahara	Normal	3.020E+02	2.298E+00	9.094E-01	2076	2085	2080	2	tasmax
Western Sahara	Normal	3.052E+02	2.640E+00	1.033E+00	2076	2085	2080	3	tasmax
Western Sahara	Normal	3.072E+02	2.955E+00	1.203E+00	2076	2085	2080	4	tasmax
Western Sahara	Normal	3.084E+02	3.129E+00	6.499E-01	2076	2085	2080	5	tasmax
Western Sahara	Normal	3.108E+02	2.409E+00	5.506E-01	2076	2085	2080	6	tasmax
Western Sahara	Normal	3.138E+02	2.327E+00	5.531E-01	2076	2085	2080	7	tasmax
Western Sahara	Normal	3.138E+02	2.558E+00	4.787E-01	2076	2085	2080	8	tasmax
Western Sahara	Normal	3.122E+02	2.865E+00	9.083E-01	2076	2085	2080	9	tasmax
Western Sahara	Normal	3.089E+02	3.077E+00	9.364E-01	2076	2085	2080	10	tasmax
Western Sahara	Normal	3.045E+02	2.828E+00	7.869E-01	2076	2085	2080	11	tasmax
Western Sahara	Normal	3.003E+02	1.886E+00	4.630E-01	2076	2085	2080	12	tasmax
Western Sahara	Normal	3.003E+02	1.907E+00	4.660E-01	2086	2099	2092	1	tasmax
Western Sahara	Normal	3.028E+02	2.044E+00	7.563E-01	2086	2099	2092	2	tasmax
Western Sahara	Normal	3.057E+02	2.911E+00	1.130E+00	2086	2099	2092	3	tasmax
Western Sahara	Normal	3.079E+02	3.259E+00	1.058E+00	2086	2099	2092	4	tasmax
Western Sahara	Normal	3.090E+02	2.852E+00	7.197E-01	2086	2099	2092	5	tasmax
Western Sahara	Normal	3.113E+02	2.281E+00	5.035E-01	2086	2099	2092	6	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Western Sahara	Normal	3.143E+02	2.352E+00	5.748E-01	2086	2099	2092	7	tasmax
Western Sahara	Normal	3.141E+02	2.629E+00	6.791E-01	2086	2099	2092	8	tasmax
Western Sahara	Normal	3.129E+02	2.784E+00	1.072E+00	2086	2099	2092	9	tasmax
Western Sahara	Normal	3.097E+02	3.005E+00	9.077E-01	2086	2099	2092	10	tasmax
Western Sahara	Normal	3.051E+02	2.925E+00	8.010E-01	2086	2099	2092	11	tasmax
Western Sahara	Normal	3.008E+02	1.980E+00	3.171E-01	2086	2099	2092	12	tasmax
Yemen	Normal	2.971E+02	2.472E+00	6.110E-01	2006	2015	2010	1	tasmax
Yemen	Normal	2.995E+02	2.502E+00	5.416E-01	2006	2015	2010	2	tasmax
Yemen	Normal	3.030E+02	2.325E+00	6.939E-01	2006	2015	2010	3	tasmax
Yemen	Normal	3.060E+02	2.204E+00	8.391E-01	2006	2015	2010	4	tasmax
Yemen	Normal	3.085E+02	2.302E+00	6.471E-01	2006	2015	2010	5	tasmax
Yemen	Normal	3.105E+02	2.535E+00	7.582E-01	2006	2015	2010	6	tasmax
Yemen	Normal	3.096E+02	2.991E+00	7.152E-01	2006	2015	2010	7	tasmax
Yemen	Normal	3.086E+02	3.114E+00	7.538E-01	2006	2015	2010	8	tasmax
Yemen	Normal	3.078E+02	2.643E+00	5.897E-01	2006	2015	2010	9	tasmax
Yemen	Normal	3.048E+02	2.422E+00	7.440E-01	2006	2015	2010	10	tasmax
Yemen	Normal	3.009E+02	2.217E+00	6.560E-01	2006	2015	2010	11	tasmax
Yemen	Normal	2.975E+02	2.207E+00	6.355E-01	2006	2015	2010	12	tasmax
Yemen	Normal	2.974E+02	2.521E+00	5.080E-01	2016	2025	2020	1	tasmax
Yemen	Normal	2.999E+02	2.535E+00	6.812E-01	2016	2025	2020	2	tasmax
Yemen	Normal	3.036E+02	2.429E+00	7.740E-01	2016	2025	2020	3	tasmax
Yemen	Normal	3.064E+02	2.257E+00	7.556E-01	2016	2025	2020	4	tasmax
Yemen	Normal	3.088E+02	2.412E+00	6.961E-01	2016	2025	2020	5	tasmax
Yemen	Normal	3.108E+02	2.643E+00	8.504E-01	2016	2025	2020	6	tasmax
Yemen	Normal	3.099E+02	3.289E+00	1.008E+00	2016	2025	2020	7	tasmax
Yemen	Normal	3.089E+02	3.558E+00	9.650E-01	2016	2025	2020	8	tasmax
Yemen	Normal	3.080E+02	2.939E+00	6.406E-01	2016	2025	2020	9	tasmax
Yemen	Normal	3.050E+02	2.458E+00	6.720E-01	2016	2025	2020	10	tasmax
Yemen	Normal	3.013E+02	2.236E+00	6.149E-01	2016	2025	2020	11	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Yemen	Normal	2.979E+02	2.421E+00	5.793E-01	2016	2025	2020	12	tasmax
Yemen	Normal	2.979E+02	2.396E+00	5.022E-01	2026	2035	2030	1	tasmax
Yemen	Normal	3.003E+02	2.456E+00	5.331E-01	2026	2035	2030	2	tasmax
Yemen	Normal	3.039E+02	2.366E+00	6.903E-01	2026	2035	2030	3	tasmax
Yemen	Normal	3.067E+02	2.239E+00	7.086E-01	2026	2035	2030	4	tasmax
Yemen	Normal	3.093E+02	2.491E+00	7.785E-01	2026	2035	2030	5	tasmax
Yemen	Normal	3.113E+02	2.603E+00	7.227E-01	2026	2035	2030	6	tasmax
Yemen	Normal	3.104E+02	3.189E+00	9.261E-01	2026	2035	2030	7	tasmax
Yemen	Normal	3.092E+02	3.318E+00	8.792E-01	2026	2035	2030	8	tasmax
Yemen	Normal	3.084E+02	2.755E+00	5.478E-01	2026	2035	2030	9	tasmax
Yemen	Normal	3.055E+02	2.334E+00	6.016E-01	2026	2035	2030	10	tasmax
Yemen	Normal	3.017E+02	2.163E+00	6.626E-01	2026	2035	2030	11	tasmax
Yemen	Normal	2.983E+02	2.332E+00	5.081E-01	2026	2035	2030	12	tasmax
Yemen	Normal	2.983E+02	2.394E+00	5.905E-01	2036	2045	2040	1	tasmax
Yemen	Normal	3.008E+02	2.465E+00	5.985E-01	2036	2045	2040	2	tasmax
Yemen	Normal	3.044E+02	2.417E+00	8.063E-01	2036	2045	2040	3	tasmax
Yemen	Normal	3.072E+02	2.255E+00	7.347E-01	2036	2045	2040	4	tasmax
Yemen	Normal	3.097E+02	2.618E+00	7.641E-01	2036	2045	2040	5	tasmax
Yemen	Normal	3.118E+02	2.601E+00	7.173E-01	2036	2045	2040	6	tasmax
Yemen	Normal	3.106E+02	3.292E+00	8.270E-01	2036	2045	2040	7	tasmax
Yemen	Normal	3.096E+02	3.383E+00	8.351E-01	2036	2045	2040	8	tasmax
Yemen	Normal	3.088E+02	2.713E+00	4.721E-01	2036	2045	2040	9	tasmax
Yemen	Normal	3.059E+02	2.407E+00	6.907E-01	2036	2045	2040	10	tasmax
Yemen	Normal	3.021E+02	2.197E+00	6.045E-01	2036	2045	2040	11	tasmax
Yemen	Normal	2.988E+02	2.198E+00	5.802E-01	2036	2045	2040	12	tasmax
Yemen	Normal	2.990E+02	2.311E+00	5.631E-01	2046	2055	2050	1	tasmax
Yemen	Normal	3.014E+02	2.528E+00	6.445E-01	2046	2055	2050	2	tasmax
Yemen	Normal	3.050E+02	2.398E+00	7.358E-01	2046	2055	2050	3	tasmax
Yemen	Normal	3.079E+02	2.411E+00	7.688E-01	2046	2055	2050	4	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Yemen	Normal	3.104E+02	2.562E+00	8.181E-01	2046	2055	2050	5	tasmax
Yemen	Normal	3.124E+02	2.624E+00	8.136E-01	2046	2055	2050	6	tasmax
Yemen	Normal	3.111E+02	3.505E+00	9.978E-01	2046	2055	2050	7	tasmax
Yemen	Normal	3.099E+02	3.596E+00	9.370E-01	2046	2055	2050	8	tasmax
Yemen	Normal	3.094E+02	2.790E+00	6.109E-01	2046	2055	2050	9	tasmax
Yemen	Normal	3.065E+02	2.498E+00	7.558E-01	2046	2055	2050	10	tasmax
Yemen	Normal	3.028E+02	2.286E+00	7.530E-01	2046	2055	2050	11	tasmax
Yemen	Normal	2.995E+02	2.300E+00	5.931E-01	2046	2055	2050	12	tasmax
Yemen	Normal	2.993E+02	2.473E+00	6.050E-01	2056	2065	2060	1	tasmax
Yemen	Normal	3.018E+02	2.454E+00	6.695E-01	2056	2065	2060	2	tasmax
Yemen	Normal	3.054E+02	2.262E+00	7.031E-01	2056	2065	2060	3	tasmax
Yemen	Normal	3.084E+02	2.289E+00	8.742E-01	2056	2065	2060	4	tasmax
Yemen	Normal	3.109E+02	2.498E+00	7.493E-01	2056	2065	2060	5	tasmax
Yemen	Normal	3.129E+02	2.609E+00	8.101E-01	2056	2065	2060	6	tasmax
Yemen	Normal	3.118E+02	3.437E+00	9.372E-01	2056	2065	2060	7	tasmax
Yemen	Normal	3.104E+02	3.916E+00	9.605E-01	2056	2065	2060	8	tasmax
Yemen	Normal	3.098E+02	3.237E+00	6.828E-01	2056	2065	2060	9	tasmax
Yemen	Normal	3.070E+02	2.585E+00	8.104E-01	2056	2065	2060	10	tasmax
Yemen	Normal	3.033E+02	2.380E+00	7.975E-01	2056	2065	2060	11	tasmax
Yemen	Normal	2.999E+02	2.432E+00	6.905E-01	2056	2065	2060	12	tasmax
Yemen	Normal	3.001E+02	2.394E+00	5.500E-01	2066	2075	2070	1	tasmax
Yemen	Normal	3.024E+02	2.445E+00	5.267E-01	2066	2075	2070	2	tasmax
Yemen	Normal	3.059E+02	2.249E+00	5.823E-01	2066	2075	2070	3	tasmax
Yemen	Normal	3.089E+02	2.084E+00	6.124E-01	2066	2075	2070	4	tasmax
Yemen	Normal	3.115E+02	2.484E+00	7.626E-01	2066	2075	2070	5	tasmax
Yemen	Normal	3.135E+02	2.584E+00	6.949E-01	2066	2075	2070	6	tasmax
Yemen	Normal	3.123E+02	3.430E+00	1.029E+00	2066	2075	2070	7	tasmax
Yemen	Normal	3.110E+02	3.852E+00	1.058E+00	2066	2075	2070	8	tasmax
Yemen	Normal	3.104E+02	2.964E+00	5.977E-01	2066	2075	2070	9	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Yemen	Normal	3.077E+02	2.262E+00	6.439E-01	2066	2075	2070	10	tasmax
Yemen	Normal	3.040E+02	2.270E+00	7.703E-01	2066	2075	2070	11	tasmax
Yemen	Normal	3.006E+02	2.346E+00	6.009E-01	2066	2075	2070	12	tasmax
Yemen	Normal	3.006E+02	2.541E+00	7.238E-01	2076	2085	2080	1	tasmax
Yemen	Normal	3.030E+02	2.585E+00	6.411E-01	2076	2085	2080	2	tasmax
Yemen	Normal	3.066E+02	2.360E+00	5.701E-01	2076	2085	2080	3	tasmax
Yemen	Normal	3.097E+02	2.401E+00	7.510E-01	2076	2085	2080	4	tasmax
Yemen	Normal	3.122E+02	2.559E+00	6.838E-01	2076	2085	2080	5	tasmax
Yemen	Normal	3.142E+02	2.655E+00	7.778E-01	2076	2085	2080	6	tasmax
Yemen	Normal	3.126E+02	3.889E+00	1.134E+00	2076	2085	2080	7	tasmax
Yemen	Normal	3.113E+02	4.203E+00	1.138E+00	2076	2085	2080	8	tasmax
Yemen	Normal	3.108E+02	3.252E+00	6.225E-01	2076	2085	2080	9	tasmax
Yemen	Normal	3.081E+02	2.373E+00	7.719E-01	2076	2085	2080	10	tasmax
Yemen	Normal	3.045E+02	2.377E+00	7.427E-01	2076	2085	2080	11	tasmax
Yemen	Normal	3.012E+02	2.504E+00	7.362E-01	2076	2085	2080	12	tasmax
Yemen	Normal	3.014E+02	2.471E+00	5.930E-01	2086	2099	2092	1	tasmax
Yemen	Normal	3.036E+02	2.502E+00	6.492E-01	2086	2099	2092	2	tasmax
Yemen	Normal	3.071E+02	2.442E+00	5.401E-01	2086	2099	2092	3	tasmax
Yemen	Normal	3.102E+02	2.418E+00	7.320E-01	2086	2099	2092	4	tasmax
Yemen	Normal	3.127E+02	2.642E+00	6.559E-01	2086	2099	2092	5	tasmax
Yemen	Normal	3.147E+02	2.714E+00	8.295E-01	2086	2099	2092	6	tasmax
Yemen	Normal	3.133E+02	3.739E+00	1.029E+00	2086	2099	2092	7	tasmax
Yemen	Normal	3.121E+02	3.846E+00	1.063E+00	2086	2099	2092	8	tasmax
Yemen	Normal	3.111E+02	3.211E+00	7.015E-01	2086	2099	2092	9	tasmax
Yemen	Normal	3.085E+02	2.434E+00	8.547E-01	2086	2099	2092	10	tasmax
Yemen	Normal	3.051E+02	2.343E+00	7.090E-01	2086	2099	2092	11	tasmax
Yemen	Normal	3.018E+02	2.394E+00	6.088E-01	2086	2099	2092	12	tasmax
Zambia	Normal	3.001E+02	2.017E+00	4.267E-01	2006	2015	2010	1	tasmax
Zambia	Normal	3.002E+02	1.691E+00	3.733E-01	2006	2015	2010	2	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zambia	Normal	3.004E+02	1.648E+00	3.278E-01	2006	2015	2010	3	tasmax
Zambia	Normal	3.000E+02	1.902E+00	2.708E-01	2006	2015	2010	4	tasmax
Zambia	Normal	2.989E+02	1.927E+00	2.818E-01	2006	2015	2010	5	tasmax
Zambia	Normal	2.977E+02	2.038E+00	4.056E-01	2006	2015	2010	6	tasmax
Zambia	Normal	2.979E+02	2.350E+00	5.124E-01	2006	2015	2010	7	tasmax
Zambia	Normal	3.010E+02	2.322E+00	6.160E-01	2006	2015	2010	8	tasmax
Zambia	Normal	3.048E+02	1.732E+00	3.419E-01	2006	2015	2010	9	tasmax
Zambia	Normal	3.063E+02	1.829E+00	3.537E-01	2006	2015	2010	10	tasmax
Zambia	Normal	3.037E+02	2.600E+00	1.003E+00	2006	2015	2010	11	tasmax
Zambia	Normal	3.009E+02	2.285E+00	8.804E-01	2006	2015	2010	12	tasmax
Zambia	Normal	3.004E+02	1.928E+00	3.817E-01	2016	2025	2020	1	tasmax
Zambia	Normal	3.004E+02	1.665E+00	3.295E-01	2016	2025	2020	2	tasmax
Zambia	Normal	3.008E+02	1.723E+00	3.563E-01	2016	2025	2020	3	tasmax
Zambia	Normal	3.005E+02	1.861E+00	3.285E-01	2016	2025	2020	4	tasmax
Zambia	Normal	2.994E+02	1.935E+00	4.869E-01	2016	2025	2020	5	tasmax
Zambia	Normal	2.981E+02	2.198E+00	4.524E-01	2016	2025	2020	6	tasmax
Zambia	Normal	2.985E+02	2.410E+00	5.248E-01	2016	2025	2020	7	tasmax
Zambia	Normal	3.014E+02	2.249E+00	6.507E-01	2016	2025	2020	8	tasmax
Zambia	Normal	3.052E+02	1.925E+00	3.911E-01	2016	2025	2020	9	tasmax
Zambia	Normal	3.068E+02	1.797E+00	3.374E-01	2016	2025	2020	10	tasmax
Zambia	Normal	3.042E+02	2.432E+00	8.863E-01	2016	2025	2020	11	tasmax
Zambia	Normal	3.014E+02	2.488E+00	9.729E-01	2016	2025	2020	12	tasmax
Zambia	Normal	3.010E+02	2.053E+00	3.901E-01	2026	2035	2030	1	tasmax
Zambia	Normal	3.010E+02	1.770E+00	3.361E-01	2026	2035	2030	2	tasmax
Zambia	Normal	3.013E+02	1.927E+00	3.738E-01	2026	2035	2030	3	tasmax
Zambia	Normal	3.011E+02	2.114E+00	3.834E-01	2026	2035	2030	4	tasmax
Zambia	Normal	2.999E+02	2.163E+00	4.695E-01	2026	2035	2030	5	tasmax
Zambia	Normal	2.987E+02	2.486E+00	6.230E-01	2026	2035	2030	6	tasmax
Zambia	Normal	2.990E+02	2.323E+00	4.943E-01	2026	2035	2030	7	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zambia	Normal	3.019E+02	2.344E+00	6.056E-01	2026	2035	2030	8	tasmax
Zambia	Normal	3.056E+02	1.833E+00	3.211E-01	2026	2035	2030	9	tasmax
Zambia	Normal	3.074E+02	2.098E+00	3.160E-01	2026	2035	2030	10	tasmax
Zambia	Normal	3.046E+02	2.585E+00	9.260E-01	2026	2035	2030	11	tasmax
Zambia	Normal	3.019E+02	2.398E+00	9.164E-01	2026	2035	2030	12	tasmax
Zambia	Normal	3.012E+02	1.923E+00	4.842E-01	2036	2045	2040	1	tasmax
Zambia	Normal	3.013E+02	1.781E+00	3.729E-01	2036	2045	2040	2	tasmax
Zambia	Normal	3.017E+02	1.832E+00	3.936E-01	2036	2045	2040	3	tasmax
Zambia	Normal	3.014E+02	2.160E+00	3.151E-01	2036	2045	2040	4	tasmax
Zambia	Normal	3.004E+02	2.101E+00	3.828E-01	2036	2045	2040	5	tasmax
Zambia	Normal	2.990E+02	2.251E+00	4.529E-01	2036	2045	2040	6	tasmax
Zambia	Normal	2.993E+02	2.453E+00	5.030E-01	2036	2045	2040	7	tasmax
Zambia	Normal	3.023E+02	2.351E+00	6.677E-01	2036	2045	2040	8	tasmax
Zambia	Normal	3.062E+02	1.935E+00	3.494E-01	2036	2045	2040	9	tasmax
Zambia	Normal	3.078E+02	1.895E+00	3.153E-01	2036	2045	2040	10	tasmax
Zambia	Normal	3.051E+02	2.434E+00	8.420E-01	2036	2045	2040	11	tasmax
Zambia	Normal	3.021E+02	2.224E+00	8.008E-01	2036	2045	2040	12	tasmax
Zambia	Normal	3.019E+02	2.129E+00	5.387E-01	2046	2055	2050	1	tasmax
Zambia	Normal	3.019E+02	1.967E+00	4.959E-01	2046	2055	2050	2	tasmax
Zambia	Normal	3.022E+02	1.949E+00	4.536E-01	2046	2055	2050	3	tasmax
Zambia	Normal	3.019E+02	2.164E+00	3.605E-01	2046	2055	2050	4	tasmax
Zambia	Normal	3.010E+02	2.282E+00	4.858E-01	2046	2055	2050	5	tasmax
Zambia	Normal	2.997E+02	2.636E+00	4.706E-01	2046	2055	2050	6	tasmax
Zambia	Normal	2.998E+02	2.512E+00	4.446E-01	2046	2055	2050	7	tasmax
Zambia	Normal	3.027E+02	2.560E+00	6.407E-01	2046	2055	2050	8	tasmax
Zambia	Normal	3.066E+02	2.063E+00	4.253E-01	2046	2055	2050	9	tasmax
Zambia	Normal	3.085E+02	2.019E+00	3.708E-01	2046	2055	2050	10	tasmax
Zambia	Normal	3.062E+02	2.663E+00	1.058E+00	2046	2055	2050	11	tasmax
Zambia	Normal	3.030E+02	2.513E+00	1.023E+00	2046	2055	2050	12	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zambia	Normal	3.023E+02	2.105E+00	4.604E-01	2056	2065	2060	1	tasmax
Zambia	Normal	3.023E+02	1.983E+00	4.581E-01	2056	2065	2060	2	tasmax
Zambia	Normal	3.027E+02	1.952E+00	4.322E-01	2056	2065	2060	3	tasmax
Zambia	Normal	3.025E+02	2.180E+00	3.235E-01	2056	2065	2060	4	tasmax
Zambia	Normal	3.015E+02	2.249E+00	6.347E-01	2056	2065	2060	5	tasmax
Zambia	Normal	3.003E+02	2.438E+00	4.840E-01	2056	2065	2060	6	tasmax
Zambia	Normal	3.004E+02	2.466E+00	4.558E-01	2056	2065	2060	7	tasmax
Zambia	Normal	3.032E+02	2.494E+00	6.676E-01	2056	2065	2060	8	tasmax
Zambia	Normal	3.073E+02	1.930E+00	5.011E-01	2056	2065	2060	9	tasmax
Zambia	Normal	3.092E+02	1.966E+00	2.999E-01	2056	2065	2060	10	tasmax
Zambia	Normal	3.069E+02	2.467E+00	6.586E-01	2056	2065	2060	11	tasmax
Zambia	Normal	3.036E+02	2.635E+00	1.061E+00	2056	2065	2060	12	tasmax
Zambia	Normal	3.031E+02	2.222E+00	5.659E-01	2066	2075	2070	1	tasmax
Zambia	Normal	3.031E+02	2.122E+00	4.941E-01	2066	2075	2070	2	tasmax
Zambia	Normal	3.035E+02	2.111E+00	5.672E-01	2066	2075	2070	3	tasmax
Zambia	Normal	3.034E+02	2.104E+00	2.949E-01	2066	2075	2070	4	tasmax
Zambia	Normal	3.025E+02	2.199E+00	5.225E-01	2066	2075	2070	5	tasmax
Zambia	Normal	3.012E+02	2.438E+00	4.851E-01	2066	2075	2070	6	tasmax
Zambia	Normal	3.012E+02	2.528E+00	5.482E-01	2066	2075	2070	7	tasmax
Zambia	Normal	3.040E+02	2.504E+00	5.321E-01	2066	2075	2070	8	tasmax
Zambia	Normal	3.080E+02	2.069E+00	4.454E-01	2066	2075	2070	9	tasmax
Zambia	Normal	3.101E+02	1.941E+00	3.500E-01	2066	2075	2070	10	tasmax
Zambia	Normal	3.076E+02	2.758E+00	8.463E-01	2066	2075	2070	11	tasmax
Zambia	Normal	3.042E+02	2.607E+00	9.483E-01	2066	2075	2070	12	tasmax
Zambia	Normal	3.037E+02	2.351E+00	3.945E-01	2076	2085	2080	1	tasmax
Zambia	Normal	3.036E+02	2.176E+00	3.885E-01	2076	2085	2080	2	tasmax
Zambia	Normal	3.041E+02	2.341E+00	4.835E-01	2076	2085	2080	3	tasmax
Zambia	Normal	3.041E+02	2.500E+00	3.558E-01	2076	2085	2080	4	tasmax
Zambia	Normal	3.030E+02	2.521E+00	6.296E-01	2076	2085	2080	5	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zambia	Normal	3.017E+02	2.650E+00	5.887E-01	2076	2085	2080	6	tasmax
Zambia	Normal	3.019E+02	2.608E+00	6.450E-01	2076	2085	2080	7	tasmax
Zambia	Normal	3.047E+02	2.473E+00	5.618E-01	2076	2085	2080	8	tasmax
Zambia	Normal	3.088E+02	2.026E+00	3.470E-01	2076	2085	2080	9	tasmax
Zambia	Normal	3.108E+02	2.036E+00	3.379E-01	2076	2085	2080	10	tasmax
Zambia	Normal	3.083E+02	2.790E+00	8.259E-01	2076	2085	2080	11	tasmax
Zambia	Normal	3.049E+02	2.670E+00	1.041E+00	2076	2085	2080	12	tasmax
Zambia	Normal	3.044E+02	2.589E+00	6.022E-01	2086	2099	2092	1	tasmax
Zambia	Normal	3.041E+02	2.255E+00	4.539E-01	2086	2099	2092	2	tasmax
Zambia	Normal	3.046E+02	2.226E+00	4.476E-01	2086	2099	2092	3	tasmax
Zambia	Normal	3.046E+02	2.683E+00	4.758E-01	2086	2099	2092	4	tasmax
Zambia	Normal	3.036E+02	2.752E+00	6.629E-01	2086	2099	2092	5	tasmax
Zambia	Normal	3.023E+02	2.579E+00	4.672E-01	2086	2099	2092	6	tasmax
Zambia	Normal	3.024E+02	2.487E+00	5.483E-01	2086	2099	2092	7	tasmax
Zambia	Normal	3.053E+02	2.534E+00	5.581E-01	2086	2099	2092	8	tasmax
Zambia	Normal	3.093E+02	2.041E+00	3.090E-01	2086	2099	2092	9	tasmax
Zambia	Normal	3.115E+02	2.111E+00	3.231E-01	2086	2099	2092	10	tasmax
Zambia	Normal	3.090E+02	2.690E+00	8.534E-01	2086	2099	2092	11	tasmax
Zambia	Normal	3.056E+02	2.936E+00	1.007E+00	2086	2099	2092	12	tasmax
Zimbabwe	Normal	3.021E+02	2.450E+00	8.139E-01	2006	2015	2010	1	tasmax
Zimbabwe	Normal	3.017E+02	2.149E+00	6.731E-01	2006	2015	2010	2	tasmax
Zimbabwe	Normal	3.014E+02	2.011E+00	4.682E-01	2006	2015	2010	3	tasmax
Zimbabwe	Normal	3.004E+02	1.965E+00	3.251E-01	2006	2015	2010	4	tasmax
Zimbabwe	Normal	2.983E+02	1.693E+00	3.993E-01	2006	2015	2010	5	tasmax
Zimbabwe	Normal	2.964E+02	1.476E+00	3.773E-01	2006	2015	2010	6	tasmax
Zimbabwe	Normal	2.964E+02	1.644E+00	4.661E-01	2006	2015	2010	7	tasmax
Zimbabwe	Normal	2.996E+02	1.795E+00	4.254E-01	2006	2015	2010	8	tasmax
Zimbabwe	Normal	3.037E+02	1.545E+00	4.009E-01	2006	2015	2010	9	tasmax
Zimbabwe	Normal	3.065E+02	1.902E+00	3.572E-01	2006	2015	2010	10	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zimbabwe	Normal	3.049E+02	2.770E+00	9.793E-01	2006	2015	2010	11	tasmax
Zimbabwe	Normal	3.027E+02	2.417E+00	9.509E-01	2006	2015	2010	12	tasmax
Zimbabwe	Normal	3.024E+02	2.350E+00	6.456E-01	2016	2025	2020	1	tasmax
Zimbabwe	Normal	3.021E+02	2.238E+00	6.324E-01	2016	2025	2020	2	tasmax
Zimbabwe	Normal	3.018E+02	2.097E+00	5.321E-01	2016	2025	2020	3	tasmax
Zimbabwe	Normal	3.009E+02	1.906E+00	3.922E-01	2016	2025	2020	4	tasmax
Zimbabwe	Normal	2.988E+02	1.628E+00	5.289E-01	2016	2025	2020	5	tasmax
Zimbabwe	Normal	2.968E+02	1.549E+00	3.527E-01	2016	2025	2020	6	tasmax
Zimbabwe	Normal	2.970E+02	1.709E+00	5.610E-01	2016	2025	2020	7	tasmax
Zimbabwe	Normal	2.999E+02	1.792E+00	5.036E-01	2016	2025	2020	8	tasmax
Zimbabwe	Normal	3.041E+02	1.729E+00	3.704E-01	2016	2025	2020	9	tasmax
Zimbabwe	Normal	3.068E+02	1.791E+00	3.977E-01	2016	2025	2020	10	tasmax
Zimbabwe	Normal	3.056E+02	2.613E+00	7.817E-01	2016	2025	2020	11	tasmax
Zimbabwe	Normal	3.031E+02	2.672E+00	9.497E-01	2016	2025	2020	12	tasmax
Zimbabwe	Normal	3.030E+02	2.624E+00	6.573E-01	2026	2035	2030	1	tasmax
Zimbabwe	Normal	3.027E+02	2.376E+00	5.869E-01	2026	2035	2030	2	tasmax
Zimbabwe	Normal	3.024E+02	2.163E+00	5.110E-01	2026	2035	2030	3	tasmax
Zimbabwe	Normal	3.014E+02	2.187E+00	4.415E-01	2026	2035	2030	4	tasmax
Zimbabwe	Normal	2.994E+02	1.964E+00	4.743E-01	2026	2035	2030	5	tasmax
Zimbabwe	Normal	2.974E+02	1.893E+00	5.107E-01	2026	2035	2030	6	tasmax
Zimbabwe	Normal	2.974E+02	1.665E+00	4.752E-01	2026	2035	2030	7	tasmax
Zimbabwe	Normal	3.004E+02	1.880E+00	6.128E-01	2026	2035	2030	8	tasmax
Zimbabwe	Normal	3.046E+02	1.752E+00	3.366E-01	2026	2035	2030	9	tasmax
Zimbabwe	Normal	3.074E+02	2.222E+00	4.281E-01	2026	2035	2030	10	tasmax
Zimbabwe	Normal	3.059E+02	2.651E+00	8.814E-01	2026	2035	2030	11	tasmax
Zimbabwe	Normal	3.038E+02	2.779E+00	9.581E-01	2026	2035	2030	12	tasmax
Zimbabwe	Normal	3.031E+02	2.488E+00	7.434E-01	2036	2045	2040	1	tasmax
Zimbabwe	Normal	3.029E+02	2.441E+00	6.148E-01	2036	2045	2040	2	tasmax
Zimbabwe	Normal	3.027E+02	2.301E+00	4.627E-01	2036	2045	2040	3	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zimbabwe	Normal	3.018E+02	2.239E+00	4.646E-01	2036	2045	2040	4	tasmax
Zimbabwe	Normal	2.998E+02	1.817E+00	4.724E-01	2036	2045	2040	5	tasmax
Zimbabwe	Normal	2.976E+02	1.574E+00	4.233E-01	2036	2045	2040	6	tasmax
Zimbabwe	Normal	2.976E+02	1.810E+00	5.695E-01	2036	2045	2040	7	tasmax
Zimbabwe	Normal	3.008E+02	1.933E+00	5.663E-01	2036	2045	2040	8	tasmax
Zimbabwe	Normal	3.052E+02	1.809E+00	4.335E-01	2036	2045	2040	9	tasmax
Zimbabwe	Normal	3.080E+02	2.118E+00	4.028E-01	2036	2045	2040	10	tasmax
Zimbabwe	Normal	3.063E+02	2.738E+00	9.532E-01	2036	2045	2040	11	tasmax
Zimbabwe	Normal	3.040E+02	2.581E+00	9.206E-01	2036	2045	2040	12	tasmax
Zimbabwe	Normal	3.039E+02	2.702E+00	7.819E-01	2046	2055	2050	1	tasmax
Zimbabwe	Normal	3.035E+02	2.569E+00	7.272E-01	2046	2055	2050	2	tasmax
Zimbabwe	Normal	3.032E+02	2.532E+00	5.820E-01	2046	2055	2050	3	tasmax
Zimbabwe	Normal	3.024E+02	2.413E+00	4.562E-01	2046	2055	2050	4	tasmax
Zimbabwe	Normal	3.003E+02	2.027E+00	4.998E-01	2046	2055	2050	5	tasmax
Zimbabwe	Normal	2.983E+02	2.031E+00	4.685E-01	2046	2055	2050	6	tasmax
Zimbabwe	Normal	2.981E+02	1.942E+00	4.165E-01	2046	2055	2050	7	tasmax
Zimbabwe	Normal	3.011E+02	2.210E+00	6.500E-01	2046	2055	2050	8	tasmax
Zimbabwe	Normal	3.054E+02	1.961E+00	3.430E-01	2046	2055	2050	9	tasmax
Zimbabwe	Normal	3.087E+02	2.130E+00	4.270E-01	2046	2055	2050	10	tasmax
Zimbabwe	Normal	3.077E+02	2.962E+00	9.402E-01	2046	2055	2050	11	tasmax
Zimbabwe	Normal	3.048E+02	2.927E+00	1.180E+00	2046	2055	2050	12	tasmax
Zimbabwe	Normal	3.042E+02	2.741E+00	6.651E-01	2056	2065	2060	1	tasmax
Zimbabwe	Normal	3.038E+02	2.539E+00	5.652E-01	2056	2065	2060	2	tasmax
Zimbabwe	Normal	3.038E+02	2.422E+00	4.747E-01	2056	2065	2060	3	tasmax
Zimbabwe	Normal	3.027E+02	2.238E+00	5.416E-01	2056	2065	2060	4	tasmax
Zimbabwe	Normal	3.008E+02	1.927E+00	5.593E-01	2056	2065	2060	5	tasmax
Zimbabwe	Normal	2.988E+02	1.673E+00	5.336E-01	2056	2065	2060	6	tasmax
Zimbabwe	Normal	2.986E+02	1.738E+00	5.741E-01	2056	2065	2060	7	tasmax
Zimbabwe	Normal	3.016E+02	2.006E+00	7.455E-01	2056	2065	2060	8	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zimbabwe	Normal	3.061E+02	1.584E+00	2.707E-01	2056	2065	2060	9	tasmax
Zimbabwe	Normal	3.094E+02	1.963E+00	4.386E-01	2056	2065	2060	10	tasmax
Zimbabwe	Normal	3.085E+02	2.631E+00	5.451E-01	2056	2065	2060	11	tasmax
Zimbabwe	Normal	3.056E+02	3.057E+00	1.043E+00	2056	2065	2060	12	tasmax
Zimbabwe	Normal	3.052E+02	2.959E+00	8.196E-01	2066	2075	2070	1	tasmax
Zimbabwe	Normal	3.048E+02	2.913E+00	8.533E-01	2066	2075	2070	2	tasmax
Zimbabwe	Normal	3.047E+02	2.547E+00	6.270E-01	2066	2075	2070	3	tasmax
Zimbabwe	Normal	3.039E+02	2.195E+00	3.356E-01	2066	2075	2070	4	tasmax
Zimbabwe	Normal	3.018E+02	1.919E+00	5.601E-01	2066	2075	2070	5	tasmax
Zimbabwe	Normal	2.997E+02	1.701E+00	4.649E-01	2066	2075	2070	6	tasmax
Zimbabwe	Normal	2.995E+02	1.981E+00	4.706E-01	2066	2075	2070	7	tasmax
Zimbabwe	Normal	3.023E+02	2.160E+00	3.681E-01	2066	2075	2070	8	tasmax
Zimbabwe	Normal	3.069E+02	1.968E+00	3.358E-01	2066	2075	2070	9	tasmax
Zimbabwe	Normal	3.103E+02	1.937E+00	3.479E-01	2066	2075	2070	10	tasmax
Zimbabwe	Normal	3.091E+02	2.990E+00	8.508E-01	2066	2075	2070	11	tasmax
Zimbabwe	Normal	3.063E+02	2.965E+00	1.031E+00	2066	2075	2070	12	tasmax
Zimbabwe	Normal	3.057E+02	3.105E+00	8.255E-01	2076	2085	2080	1	tasmax
Zimbabwe	Normal	3.053E+02	2.809E+00	6.704E-01	2076	2085	2080	2	tasmax
Zimbabwe	Normal	3.053E+02	2.906E+00	6.550E-01	2076	2085	2080	3	tasmax
Zimbabwe	Normal	3.045E+02	2.586E+00	5.299E-01	2076	2085	2080	4	tasmax
Zimbabwe	Normal	3.023E+02	2.083E+00	5.882E-01	2076	2085	2080	5	tasmax
Zimbabwe	Normal	3.002E+02	1.950E+00	5.708E-01	2076	2085	2080	6	tasmax
Zimbabwe	Normal	3.001E+02	1.949E+00	4.928E-01	2076	2085	2080	7	tasmax
Zimbabwe	Normal	3.031E+02	2.082E+00	5.181E-01	2076	2085	2080	8	tasmax
Zimbabwe	Normal	3.076E+02	1.755E+00	2.617E-01	2076	2085	2080	9	tasmax
Zimbabwe	Normal	3.109E+02	1.969E+00	4.416E-01	2076	2085	2080	10	tasmax
Zimbabwe	Normal	3.100E+02	2.900E+00	1.058E+00	2076	2085	2080	11	tasmax
Zimbabwe	Normal	3.069E+02	3.092E+00	1.215E+00	2076	2085	2080	12	tasmax
Zimbabwe	Normal	3.067E+02	3.313E+00	8.794E-01	2086	2099	2092	1	tasmax

Country	Distribution	Parameter 1	Parameter 2	Std Error	Start Year	End Year	Mid-Year	Month	Variable
Zimbabwe	Normal	3.059E+02	3.022E+00	7.169E-01	2086	2099	2092	2	tasmax
Zimbabwe	Normal	3.058E+02	2.870E+00	5.506E-01	2086	2099	2092	3	tasmax
Zimbabwe	Normal	3.051E+02	2.826E+00	6.043E-01	2086	2099	2092	4	tasmax
Zimbabwe	Normal	3.031E+02	2.422E+00	5.203E-01	2086	2099	2092	5	tasmax
Zimbabwe	Normal	3.009E+02	1.933E+00	3.318E-01	2086	2099	2092	6	tasmax
Zimbabwe	Normal	3.007E+02	1.860E+00	3.890E-01	2086	2099	2092	7	tasmax
Zimbabwe	Normal	3.037E+02	2.087E+00	5.190E-01	2086	2099	2092	8	tasmax
Zimbabwe	Normal	3.082E+02	1.763E+00	3.323E-01	2086	2099	2092	9	tasmax
Zimbabwe	Normal	3.117E+02	2.165E+00	3.841E-01	2086	2099	2092	10	tasmax
Zimbabwe	Normal	3.108E+02	2.908E+00	8.990E-01	2086	2099	2092	11	tasmax
Zimbabwe	Normal	3.078E+02	3.310E+00	1.103E+00	2086	2099	2092	12	tasmax

Distribution

1	MS0159	Thomas R. Nelson	0159 (electronic copy)
1	MS0159	Howard Passell	0159 (electronic copy)
1	MS0159	Elizabeth Kistin-Keller	0159 (electronic copy)
1	MS0159	Drake Warren	0159 (electronic copy)
1	MS0159	Leonard Malczynski	0159 (electronic copy)
1	MS0159	Nancy Hayden	0159 (electronic copy)
1	MS0701	Peter Davies	6900 (electronic copy)
1	MS0734	Jasper Hardesty	6913 (electronic copy)
1	MS0750	Lori Parrott	6913 (electronic copy)
1	MS0899	Technical Library	9536 (electronic copy)
1	MS1137	Thomas Lowry	6926 (electronic copy)
1	MS1137	La Tonya Walker	6926 (electronic copy)

Sandia National Laboratories