



# Development of Geologic Disposal Safety Assessment (GDSA) Framework




*PRESENTED BY*

Emily Stein, Sandia National Laboratories, USA


---

IAEA URF Network Meeting  
23 February, 2021  
Virtual Meeting (WebEx)

# Geologic Disposal Safety Assessment Framework



# US Spent Nuclear Fuel (SNF) and High-Level Waste (HLW) Inventory



Projection assumes full license renewals and no new reactor construction or disposal.

CSNF - commercial spent nuclear fuel


DCSS - dry cask storage system

MTHM - metric tons heavy metal

YMP - Yucca Mountain Project

Modified from Freeze et al. 2019

Projected volumes in m<sup>3</sup>






*Commercial SNF volume estimated assuming constant rate of nuclear power generation and packaging in dual purpose canisters of existing design.*


*DOE waste volume estimated assuming calcine is treated by hot isostatic pressing, Na-bonded fuels undergo electrometallurgical treatment, Na-bearing wastes undergo fluidized bed steam reforming, and all other HLW wastes are vitrified.*

From a presentation by John W. Herczeg to the 2015 Annual Meeting of the National Council on Radiation Protection and Measurements, March 16, 2015

# Generic Reference Cases




\*2019 commercial waste case





High heat loads give rise to:

- Temperature-dependent properties and processes
- Highly nonlinear multiphase flow processes



The Newton Trust Region Dogleg Cauchy method.


The algorithm corrects the Newton step-and-direction by reducing the trust region and adds Cauchy step-and-direction if the solution update can be improved further in the same iteration. NTRDC reduces computation time by a factor of approximately 35.

# Capability Development in PFLOTTRAN for Various Waste Forms




Variety of waste forms, e.g.,

- Commercial SNF ( $\text{UO}_2$ )
- Vitrified high-level waste
- Metallic SNF



Variety of dissolution models, e.g.,

- Fractional rate law
- Mixed potential model
- Transition state theory
- Instantaneous degradation






Variety of host rocks gives rise to variety of processes affecting flow and transport, e.g.,


- Salt reconsolidation and creep
- Buffer swelling, erosion, and/or alteration
- Fracture/matrix interactions

dfnWorks +  
PFLOTRAN

Discrete Fracture Network



Equivalent Continuous Porous Medium






# GDSA Framework

A Geologic Repository Modeling and Assessment Capability

Home    GDSA Framework Software    Publications and Reports    Events    Contact Us



Learn more at <https://pa.sandia.gov>

Freeze, G. A., E. J. Bonano, E. Kalinina, J. Meacham, L. Price, P. N. Swift, A. A. Alsaed, D. A. Beckman, and P. G. Meacham 2019. *Comparative Cost Analysis of Spent Nuclear Fuel Management Alternatives*. SAND2019-6999 Revision 1. Sandia National Laboratories, Albuquerque, NM.

Mariner, P. E., E. R. Stein, J. M. Frederick, S. D. Sevougian, G. E. Hammond, and D. G. Fascitelli 2016. *Advances in Geologic Disposal System Modeling and Application to Crystalline Rock*. FCRD-UFD-2016-000440 / SAND2016-9610R. Sandia National Laboratories, Albuquerque, NM.

Mariner, P. E., E. R. Stein, J. M. Frederick, S. D. Sevougian, and G. E. Hammond 2017. *Advances in Geologic Disposal System Modeling and Shale Reference Cases*. SFWD-SFWST-2017-000044 / SAND2017-10304R. Sandia National Laboratories, Albuquerque, NM.

Mariner, P. E., M. Nole, E. Basurto, T. M. Berg, K. W. Chang, B. J. Debusschere, A. C. Eckert, M. S. Ebeida, M. Gross, G. Hammond, J. Harvey, S. Jordan, K. L. Kuhlman, T. LaForce, R. C. Leone, W. C. McLendon, M. M. Mills, H. Park, F. V. Perry, A. Salazar, D. T. Seidl, S. D. Sevougian, E. R. Stein, and L. P. Swiler 2020. *Advances in GDSA Framework Development and Process Model Integration*. SAND2020-10787R. Sandia National Laboratories, Albuquerque, NM.

Stein, E. R., J. M. Frederick, G. E. Hammond, K. L. Kuhlmann, P. E. Mariner, and S. D. Sevougian 2017, April 9-13, 2017. *Modeling Coupled Reactive Flow Processes in Fractured Crystalline Rock*. Paper presented at the International High-Level Radioactive Waste Management Conference, Charlotte, NC.