

RECEIVED

WHC-EP-0888

JAN 30 1996

OSTI

1995 Solid Waste 30-Year Characteristics Volume Summary

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management



**Westinghouse
Hanford Company** Richland, Washington

Management and Operations Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10930

Approved for Public Release

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

LEGAL DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors or their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or any third party's use or the results of such use of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced from the best available copy.
Available in paper copy and microfiche.

Available to the U.S. Department of Energy
and its contractors from
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831
(615) 576-8401

Available to the public from the U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
(703) 487-4650

Printed in the United States of America

DISCLM-1.CHP (1-91)

1995 Solid Waste 30-Year Characteristics Volume Summary

K. J. Templeton
T. J. DeForest
G. I. Rice
Pacific Northwest National Laboratory

Date Published
October 1995

Prepared for the U.S. Department of Energy
Office of Environmental Restoration and
Waste Management



Westinghouse
Hanford Company

P.O. Box 1970
Richland, Washington

Management and Operations Contractor for the
U.S. Department of Energy under Contract DE-AC06-87RL10830

Approved for Public Release

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

at

RELEASE AUTHORIZATION

Document Number: WHC-EP-0888, Rev. 0


Document Title: 1995 Solid Waste 30-Year Characteristics Volume Summary

Release Date: 11/10/95

**This document was reviewed following the
procedures described in WHC-CM-3-4 and is:**

APPROVED FOR PUBLIC RELEASE

WHC Information Release Administration Specialist:


Kara M. Broz

November 10, 1995

EXECUTIVE SUMMARY

This document, prepared by Pacific Northwest Laboratory (PNL) under the direction of Westinghouse Hanford Company (WHC), describes the characteristics of the waste to be managed at Hanford's Solid Waste Operations Complex (SWOC) over the next 30 years. The characteristics discussed are the physical waste forms and the hazardous waste constituents for low-level mixed waste (LLMW) and transuranic/transuranic-mixed waste (TRU TRUM). Low-level waste (LLW) is described by physical waste forms in Appendix A, since the majority of LLW will not require treatment.

The data presented in this report will change as waste generator planning and missions change and/or become better defined. However, the information still provides useful insights into Hanford's solid waste management needs, both for the present and the future. Waste characteristic information is provided to assist in planning Hanford's treatment, storage, and disposal (TSD) activities over the next several decades.

A baseline volume of approximately 235,560 m³ of LLMW and TRU TRUM waste is expected to be managed at Hanford's SWOC over the next 30 years. Based on range information provided by the individual waste generators, this baseline volume could fluctuate between a maximum of 260,500 m³ and a minimum of 203,680 m³.

The main physical waste form that will be present in the baseline volume is steel shielding, which will make up 30% of the LLMW and TRU TRUM waste. Retrieval of long-length equipment from the single-shell tank farms is the primary source of steel shielding. The decontamination and decommissioning of the Plutonium Finishing Plant will generate a large portion of the metal debris, which is a major physical waste form that will make up 27% of the waste. The other major physical waste form that will comprise 23% of the LLMW and TRU TRUM waste is contaminated soil, generated primarily by Past Practice Remediation.

The main hazardous waste constituents of the LLMW and TRUM waste are organics mixed with metals without mercury, which are expected to be present in 43% of the mixed waste. The main generator of this hazardous constituent is Single-Shell Tank Long-Length Equipment. Metals without mercury will contaminate 17% of the waste, which is generated primarily by Past Practice Remediation. Corrosive hazardous constituents will be present in 13% of the LLMW and TRU TRUM waste as a result of Past Practice Remediation.

Intentionally Left Blank

CONTENTS

EXECUTIVE SUMMARY	iii
ACRONYMS AND ABBREVIATIONS	xi
1.0 INTRODUCTION	1-1
2.0 OVERVIEW	2-1
2.1 WASTE CATEGORIES	2-1
2.2 PHYSICAL WASTE CHARACTERISTICS	2-2
2.3 HAZARDOUS WASTE CHARACTERISTICS	2-3
2.4 FORECASTED CHARACTERISTICS AND WASTE CATEGORIES	2-3
2.4.1 Volumes by Physical Waste Form	2-4
2.4.2 LLMW and TRU/TRUM Waste Volumes by Hazardous Waste Constituents	2-5
2.4.3 LLMW and TRU/TRUM Waste Volumes by Waste Category	2-5
2.4.4 Major LLMW and TRU/TRUM Waste Generators	2-6
2.5 WASTE CHARACTERISTIC ASSUMPTIONS	2-8
3.0 LOW-LEVEL MIXED WASTE	3-1
3.1 LOW-LEVEL MIXED WASTE VOLUME	3-1
3.2 LOW-LEVEL MIXED WASTE CATEGORIES BY PHYSICAL WASTE FORM . .	3-2
3.2.1 Contact-Handled Low-Level Mixed Waste	3-3
3.2.2 Remote-Handled Low-Level Mixed Waste	3-6
3.3 LOW-LEVEL MIXED WASTE CATEGORIES BY HAZARDOUS WASTE CONSTITUENTS	3-7
3.3.1 Contact-Handled Low-Level Mixed Waste	3-7
3.3.2 Remote-Handled Low-Level Mixed Waste	3-9
4.0 TRANSURANIC AND TRANSURANIC MIXED WASTE	4-1

4.1 TRU_TRUM WASTE VOLUME	4-1
4.2 TRU_TRUM WASTE CATEGORIES BY PHYSICAL WASTE FORM	4-2
4.2.1 Contact-Handled Transuranic and Transuranic Mixed Waste	4-2
4.2.2 Remote-Handled Transuranic and Transuranic Mixed Waste	4-4
4.3 TRU_TRUM WASTE CATEGORIES BY HAZARDOUS WASTE CONSTITUENTS	4-6
4.3.1 Contact-Handled Transuranic Mixed Waste	4-6
4.3.2 Remote-Handled Transuranic Mixed Waste	4-7
5.0 REFERENCES	5-1
APPENDIX A - LOW-LEVEL WASTE	A-1
APPENDIX B - WASTE FORM AND HAZARDOUS CONSTITUENTS FORECAST REQUEST FORM	B-1
APPENDIX C - ANNUAL WASTE CATEGORY VOLUMES BY PHYSICAL WASTE FORM AND HAZARDOUS WASTE CONSTITUENT	C-1
APPENDIX D - ANNUAL VOLUMES OF PHYSICAL WASTE FORMS AND HAZARDOUS CONSTITUENTS BY WASTE GENERATOR	D-1
APPENDIX E - WASTE GENERATOR ABBREVIATIONS	E-1

FIGURES

2-1	LLMW and TRU_TRUM Waste Volumes by Physical Waste Form	2-4
2-2	Annual Baseline Volume of LLMW and TRU_TRUM Waste by Physical Waste Form	2-5
2-3	LLMW and TRUM Waste Volumes by Hazardous Waste Constituent . .	2-6
2-4	LLMW and TRU_TRUM Waste Volumes by Waste Category	2-7
2-5	LLMW and TRU_TRUM Waste Generators	2-7
3-1	LLMW Volumes by Waste Category	3-1
3-2	Annual Baseline Volume of LLMW by Waste Category	3-2
3-3	Major LLMW Generators	3-2
3-4	CH_LLMW Volumes by Physical Waste Form	3-3
3-5	Annual CH_LLMW Baseline Volume by Physical Waste Form	3-4
3-6	RH_LLMW Volumes by Physical Waste Form	3-6
3-7	Annual RH_LLMW Baseline Volume by Physical Waste Form	3-7
3-8	CH_LLMW Volumes by Hazardous Waste Constituent	3-8
3-9	Annual CH_LLMW Baseline Volumes by Hazardous Waste Category . .	3-9
3-10	RH_LLMW Volumes by Hazardous Waste Category	3-11
3-11	RH_LLMW Baseline Volumes by Hazardous Waste Category	3-12
4-1	TRU_TRUM Waste Volumes by Waste Category	4-1
4-2	Annual Baseline Volumes of TRU_TRUM Waste by Waste Category . .	4-2
4-3	Major TRU_TRUM Waste Generators	4-3
4-4	CH_TRU_TRUM Volumes by Physical Waste Form	4-3
4-5	Annual CH_TRU_TRUM Baseline Volumes by Physical Waste Form . .	4-4
4-6	RH_TRU_TRUM Baseline Volumes by Physical Waste Form	4-5
4-7	Annual RH_TRU_TRUM Baseline Volume by Physical Waste Form . . .	4-6

4-8	CH_TRUM Waste Volumes by Hazardous Waste Category	4-8
4-9	CH_TRUM Baseline Waste Volumes by Hazardous Waste Category . .	4-8
4-10	RH_TRU< Waste Volumes by Hazardous Waste Category	4-9
4-11	Annual RH_TRUM Baseline Waste Volumes by Hazardous Waste Category	4-10
A-1	Total LLW Volume by Waste Category	A-2
A-2	Annual LLW Baseline Volume by Waste Category	A-2
A-3	Major LLW Generators	A-3
A-4	CH_LLW Volumes by Physical Waste Form	A-4
A-5	CH_LLW Volumes by Physical Waste Form	A-4
A-6	RH_LLW Volumes by Physical Waste Form	A-7
A-7	RH_LLW Annual Baseline Volumes by Physical Waste Form	A-7

TABLES

2-1	Past Practice Remediation Characteristic Assumptions	2-9
3-1	CH_LLMW Generators by Physical Waste Form	3-4
3-2	RH_LLMW Generators by Physical Waste Form	3-8
3-3	CH_LLMW Generators by Hazardous Waste Constituents	3-10
3-4	RH_LLMW Generators by Hazardous Waste Constituents	3-13
4-1	CH_TRU_TRUM Waste Generators by Physical Waste Form	4-5
4-2	RH_TRU_TRUM Waste Generators by Physical Waste Form	4-7
4-3	CH_TRUM Waste Generators by Hazardous Waste Constituents . . .	4-9
4-4	RH_TRUM Waste Generators by Hazardous Waste Constituents . . .	4-11
A-1	CH_LLW Generators by Physical Waste Form	A-5
A-2	RH_LLW Generators by Physical Waste Form	A-8
E-1	Waste Generator List by Hanford Program Area	E-1

Intentionally Left Blank

ACRONYMS AND ABBREVIATIONS

CH	contact-handled (waste)
ER	environmental restoration
ERD	Environmental Restoration Division
LLMW	low-level mixed waste
LLW	low-level waste
PCB	polychlorinated biphenyl
PFP	Plutonium Finishing Plant
PNL	Pacific Northwest Laboratory
PUREX	Plutonium uranium extraction
RH	remote-handled (waste)
SWOC	Solid Waste Operations Complex
TRU	transuranic (waste)
TRUM	transuranic mixed (waste)
TSD	treatment, storage, and disposal
WHC	Westinghouse Hanford Company
WIDS	Waste Information Database System

Intentionally Left Blank

1.0 INTRODUCTION

The Hanford Site has been designated by the U.S. Department of Energy (DOE) to store, treat, and dispose of solid waste received from both onsite and offsite generators. This waste is currently or planned to be generated from ongoing operations, maintenance and deactivation activities, decontamination and decommissioning (D&D) of facilities, and environmental restoration (ER) activities.

For the past five years, each onsite and offsite generator has provided an annual forecast of the waste volume that it plans to ship to Hanford's Solid Waste Operations Complex (SWOC) over the next 30 years. Each generator's forecast summarizes the waste that will be sent to the Hanford Site including the waste volume, container data, physical waste forms, hazardous constituents, and radionuclide data if available. After analyzing the 1995 forecasts, it was determined that additional waste was expected from onsite D&D and remedial action (RA) activities. Special studies and interviews were conducted to obtain these volumes. These special study volumes and the 1994 30-year forecast waste volumes are outlined in the *1995 Solid Waste 30-Year Volume Summary* (Valero et al. 1995). This document describes the waste characteristics (physical waste forms and hazardous constituents) for the solid waste volumes reported in that document.

This document, prepared by Pacific Northwest Laboratory (PNL) under the direction of Westinghouse Hanford Company (WHC), describes the characteristics of the waste to be shipped to Hanford's SWOC. The physical waste forms and hazardous constituents are described for the low-level mixed waste (LLMW) and the transuranic-transuranic mixed waste (TRU-TRUM). Low-level waste (LLW) characteristics are provided in Appendix A of this report.

An overall LLMW and TRU-TRUM waste baseline volume of 235,560 m³ is expected to be managed at the SWOC. Based on ranges provided by the waste generators, this baseline volume could fluctuate between a minimum of 203,680 m³ and a maximum of 260,500 m³. The largest portion of the baseline waste will be CH-LLMW, which is expected to account for 77% (182,160 m³) of the total baseline volume. RH-LLMW accounts for another 3% (6,670 m³), CH-TRU-TRUM for 15% (35,100 m³), and RH-TRU-TRUM for 5% (11,630 m³).

Section 2.0 provides an overview of the waste volumes described by waste categories, which are contact-handled (CH) LLMW, remote-handled (RH) LLMW, CH-TRU-TRUM, and RH-TRU-TRUM. The waste characteristics are also defined in Section 2.0. Sections 3.0 and 4.0 describe the physical waste forms and hazardous constituents of the LLMW and TRU-TRUM waste, respectively.

Low-level waste (LLW) characteristics are provided in Appendix A. Appendix B contains a table from the 1994 forecast that was sent to each generator to complete. This table provides the possible physical waste forms and hazardous constituents of the waste contributed by the generators. Appendix C contains a database report summarizing the 1994 Forecast annual

waste category volumes by physical waste form and hazardous waste constituent. Appendix D contains a database report of the volumes of the physical waste forms and hazardous constituents for each waste generator. A list of waste generator abbreviations is provided in Appendix E.

2.0 OVERVIEW

This section provides a high-level description of the LLMW and TRU/TRUM solid waste volumes by waste category that are expected to be generated by onsite and offsite waste generators in the next 30 years. Brief descriptions of the waste categories, physical waste characteristics, and hazardous constituents are provided as well. The major waste generators of the LLMW and TRU/TRUM waste volumes are identified and discussed. The purposes of the information presented in this section are to provide a general description of the volumes that will be managed within Hanford's solid waste management facilities and to identify the terms that will be used throughout this report.

2.1 WASTE CATEGORIES

The waste volumes and waste characteristics are described in this document by waste category. The waste is divided into four broad categories based on concentrations of radionuclides and surface dose rates of the waste package. For the purposes of this document, the contact-handled (CH) and remote-handled (RH) categories will be combined for each waste classification to form the basis of each section. The categories are briefly described below:

- Contact-handled low-level mixed waste (CH_LLMW): This waste has a dose rate less than or equal to 200 mrem/h. The waste contains radioactivity that is not classified as transuranic waste or spent nuclear fuel; however, the waste does contain dangerous constituents as identified by Washington Administrative Code (WAC) 173-303 (Ecology 1993). The concentration of transuranic radionuclides is less than or equal to 100 nCi/g of the waste matrix.
- Remote-handled low-level mixed waste (RH_LLMW): This waste has a dose rate greater than 200 mrem/h. The waste contains radioactivity that is not classified as transuranic waste or spent nuclear fuel; however, the waste does contain dangerous constituents as identified by WAC 173-303. The concentration of transuranic radionuclides is less than or equal to 100 nCi/g of the waste matrix.
- Contact-handled transuranic/transuranic mixed waste (CH_TRU/TRUM): This waste has a dose rate less than or equal to 200 mrem/h at contact with the waste. At the time of assay, this waste contains more than 100 nCi/g of alpha-emitting isotopes with atomic numbers greater than 92 and half-lives greater than 20 years. TRUM waste is TRU waste that is also classified as dangerous waste as defined in WAC 173-303.
- Remote-handled transuranic/transuranic mixed waste (RH_TRU/TRUM): This waste has a dose rate greater than 200 mrem/h at contact with

the waste. At the time of assay, this waste contains more than 100 nCi/g of alpha-emitting isotopes with atomic numbers greater than 92 and half-lives greater than 20 years. TRUM waste is TRU waste that is also classified as dangerous waste as defined in WAC 173-303.

2.2 PHYSICAL WASTE CHARACTERISTICS

In the 1994 Solid Waste Forecasts, waste volumes are further defined by the specific physical characteristics that will be generated. The main physical characteristics of most of the waste volume can be delineated into these eight main categories, which are based on the DOE final Treatability Group Guidance document:

- Inorganics - material that has an inorganic matrix or content.
- Organics - chemical compounds based on carbon, hydrogen, and oxygen, usually derived from living matter.
- Debris - wastes that meet the U.S. Environmental Protection Agency (EPA) criteria for "debris." Debris materials are divided into four groups as either metal (inorganic), inorganic non-metal, combustible (organic), or mixtures of materials (heterogeneous). If the waste is dominated by one type of material it should be classed as that material; otherwise, it is classified as heterogenous.
- Labpacks/Containerized Liquids - various quantities of compatible waste within the same DOT hazard class, packaged in vessels such as cans or bottles.
- Soils - soil contaminated with hazardous and/or radioactive materials.
- Shielding - the three types of shielding include steel, lead, and concrete. It is assumed that, if shielding is required, then the shielding material is handled as solid waste.
- Void Space - space within a container that is not occupied by waste.
- Unknown - in several cases, physical waste form information is not known; therefore, "unknown" has been used to denote these areas of uncertainty.

2.3 HAZARDOUS WASTE CHARACTERISTICS

In the 1994 Solid Waste Forecasts, hazardous characteristics are identified for radioactive and hazardous mixed waste and hazardous waste. These hazardous characteristics can be divided into eight main categories that may be individual or mixed. Several hazardous constituents might be present in a particular waste form and require definition by waste volume percentage as mixed hazardous constituents (e.g., if a physical waste form in a 55-gallon drum contains ignitables and corrosives, then the package is 100% ignitables and corrosives). A brief definition of the nine main hazardous characteristics that were used for this report follows:

- Ignitables (D001) - term used by Ecology (WAC 173-303-090) for a waste that can cause a fire through friction, absorption of moisture, or spontaneous chemical reaction.
- Corrosives (D002) - any liquid or solid that causes destruction of human skin tissue or that has a severe corrosion rate on steel.
- Reactive Metals (D003) - typically sodium metal or alkali metal alloys but can also be particulate fines of aluminum, uranium, zirconium, or other pyrophoric materials, and may be mixed with stabilizing materials.
- Metals Without Mercury (D004-D011) - toxic metals that are not contaminated with mercury.
- Metals with Mercury (D009, P065, P092, U151) - toxic metals that are specifically contaminated with mercury.
- Toxic Organics (D018-D043) - toxic organics.
- State Regulated - waste that is defined as hazardous only under Washington State regulations.
- PCBs - polychlorinated biphenyl-contaminated materials (designated in 40 CFR 761 or WAC 173-303-071) where PCB concentration is further divided into two categories: less than 50 parts per million (ppm) and greater than 50 ppm.
- Unknown - in some cases, hazardous constituent data are not known; "Unknown" has been used to denote these areas of uncertainty.

2.4 FORECASTED CHARACTERISTICS AND WASTE CATEGORIES

This section provides a brief summary of the waste volumes that will be generated by physical waste forms, hazardous constituents, and waste category. This information provides an overview of the quantities of waste that will be

sent to the Hanford Site for future treatment, storage, and disposal and provides a profile of each of the waste generators planning on shipping large quantities of waste to the SWOC.

2.4.1 Volumes by Physical Waste Form

The baseline, minimum, and maximum volumes of LLMW and TRU/TRUM waste are represented by physical waste form in Figure 2-1. As shown in the figure, the expected baseline volume is 235,560 m³, the minimum is 203,680 m³, and the maximum is 260,500 m³. The maximum and minimum ranges were provided by the individual waste generators; however, the baseline volume is the best estimate for future generated waste. The main physical waste form is steel shielding from Single-Shell Tank Long-Length Equipment, which comprises 30% of the baseline volume. Metal debris will comprise 27% of the baseline, 23% will be contaminated soil, and the remaining 20% will be made up of other physical waste forms.

Figure 2-2 displays the LLMW and TRU/TRUM annual baseline waste volumes by physical waste form. The figure shows that contaminated soils is the major waste form from 1997 to 2010; after that, steel shielding and then metal debris are the predominant forms. The peak from 2013 through 2017 represents the assumed schedule for D&D of the Plutonium Finishing Plant (PFP) and retrieval of long-length equipment. The dates for shipment of D&D waste from




Figure 2-1. LLMW and TRU/TRUM Waste Volumes by Physical Waste Form




Figure 2-2. Annual Baseline Volume of LLMW and TRU_TRUM Waste by Physical Waste Form

the PFP are not now known; however, an assumption was made that until further planning has been completed, the waste will be shipped from 2013 through 2022. Detailed information on the assumptions made for D&D waste generators is contained in Templeton et al. (1995).

2.4.2 LLMW and TRU_TRUM Waste Volumes by Hazardous Waste Constituents

Figure 2-3 displays the baseline, maximum, and minimum volumes by hazardous constituents. Only LLMW and TRUM waste is represented since only these waste categories contain hazardous constituents. Organics mixed with metals without mercury comprise 43% of the LLMW and TRUM waste volume. Metals without mercury comprise 17%, corrosives are expected to be 13%, and the remaining 27% is other hazardous constituents.

2.4.3 LLMW and TRU_TRUM Waste Volumes by Waste Category

The baseline, maximum, and minimum volumes by waste category are displayed in Figure 2-4. The majority of the waste over the next 30 years is expected to be CH_LLMW, which comprises 77% of the total baseline volume. The main generator of the CH_LLMW is Single-Shell Tank Long-Length Equipment, which is described in Section 2.4.4. CH_TRU_TRUM will comprise 15%, while RH_LLMW and RH_TRU_TRUM will make up the remaining 8% of the baseline volume.




Figure 2-3. LLMW and TRUM Waste Volumes by Hazardous Waste Constituent

2.4.4 Major LLMW and TRU/TRUM Waste Generators

The major waste generators of LLMW and TRU/TRUM waste are displayed in Figure 2-5. The largest portion of waste is generated by the retrieval of long-length equipment from the single-shell tank farm, which comprises 34% of the baseline volume. Past Practice Remediation will generate 24%; D&D of the Plutonium Finishing Plant will generate 10%; D&D of T Plant will generate 5%, and the remaining 27% is generated by a number of other waste generators. Following is a brief description of each of these major waste generators. All assumptions associated with D&D generators are described in Templeton et al. (1995).

- **Single-Shell Tank Long-Length Equipment (WHC_SST_LLE):** During tank farm cleanup, it is planned to remove the long-length pieces of equipment from the tanks and send it to the SWOC for TSD. The long-length equipment has been installed in the tanks and is more than 3.66 m (12 ft) in length; some pieces are in excess of 18.29 m (60 ft). Because of the unusual configuration of these wastes, special storage and handling requirements will be necessary. In addition to the equipment currently in the tanks, estimates have been included for pumps and other miscellaneous equipment that will be used for retrieval of tank waste. The retrieval pumps and equipment are also expected to be sent to the SWOC for processing and will have many of the same storage and handling requirements as the long-length equipment.




Figure 2-4. LLMW and TRU_TRUM Waste Volumes by Waste Category




Figure 2-5. LLMW and TRU_TRUM Waste Generators

This generator forecasted all of its waste to be CH_LLMW_III. There is a high possibility, however, that much or all of the waste will be remote-handled. In addition, some of this waste may also be TRUM, depending on the degree of decontamination at the time of removal from the waste tank. Both of these issues could significantly affect the TSD options being considered for the long-length contaminated equipment. In addition, there is a possibility that the long-length contaminated equipment might not be sent to the SWOC for processing; however, this scenario was not an option when the forecast data were submitted. This new scenario would dramatically reduce the expected volume of waste at the SWOC.

- **Past Practice Remediation Projects (PAST_PRAC_REM):** It is assumed that the SWD Program will be responsible for the TRU_TRUM waste and a portion of the LLMW from past practice sites, because they will have treatment technologies for this waste. The Environmental Restoration Division (ERD) is responsible for other remediation wastes. The wastes included for this generator are 10% of the total LLMW generated and all expected TRU_TRUM waste and greater-than-Class-3 waste; all other waste will be handled by ERD. *Estimation of PUREX Equipment and Materials That are Candidates for Removal and Waste Processing During PUREX Plant Closure (LATA 1994)* did not distinguish between LLW and LLMW for greater-than-Class-3 waste; for the purposes of this document, this waste was assumed to be LLMW.
- **D&D of Plutonium Finishing Plant (TWHC_PFP):** In operational mode, the PFP processed plutonium-based chemical solutions and converted them to metals and oxides. The D&D volume estimate includes the canyon building 2345-Z and its associated buildings 241-Z, 242-Z, and 236-Z. Contaminated materials included in the volume estimate are glove boxes, pedestal storage, ventilation systems, pencil tanks, and ventilation fans.
- **D&D of T-Plant (TWHC_TPLANT):** T Plant, a canyon building, is used to decontaminate equipment and sort and package waste from other facilities. Solid waste from the D&D of T Plant includes pre-dominately contaminated equipment such as pumps, tanks, jumpers, and silver reactors.

2.5 WASTE CHARACTERISTIC ASSUMPTIONS

Forecast data were not provided for waste expected from past practice sites (Past Practice Remediation waste generator). Thus physical waste form characteristics were based on data from 100 and 300 Area Remedial Action sites (200 Area sites have not been included but would not change the physical characteristics split). Hazardous waste characteristics for soil are based on hazardous chemical data for 25 inactive liquid waste discharge sites in the 100 Areas, as reported in the Waste Information Database System (WIDS). It is

assumed that 300 Area liquid discharge sites would also be contaminated with metals without mercury and corrosives. Metal debris waste would come mainly from burial grounds and buried pipelines; these sites are assumed to be contaminated with metals without mercury as well. Table 2-1 displays the assumptions used for Past Practice Remediation.

Waste characteristics data were not available for several waste generators, or the available data were inconsistent. In cases where no information was available, the physical waste form or hazardous waste constituent was simply listed as unknown. The total volume of waste for which physical waste form data were unavailable is 8,623 m³. The volume of waste for which no hazardous waste constituent data were available amounts to 23,279 m³. In all cases, waste without physical waste forms had no hazardous waste constituents; however, several generators provided physical waste form information but were unable to provide hazardous waste constituent data.

Table 2-1. Past Practice Remediation Characteristic Assumptions

Waste Generator	Waste Class	Physical Waste Form Assumption	Hazardous Waste Constituent Assumption
Past Practice Remediation	CH_LLMW	92% contaminated soils 7% debris contaminated soils 1% metal debris	50% corrosives 50% metals without mercury
	CH_TRU_TRUM	9% contaminated soils 1% debris contaminated soils 45% metal debris 45% inorganic non-metal debris	

Intentionally Left Blank

3.0 LOW-LEVEL MIXED WASTE

This section provides LLMW volumes by waste category, physical waste form, and hazardous constituents. The major waste generators of LLMW are also listed. Valero et al. (1995) provides more detailed information on the individual waste generators and their missions. Templeton et al. (1995) also provides a comparison of the 1994 reported LLMW volumes with the LLMW volumes reported in 1995.

3.1 LOW-LEVEL MIXED WASTE VOLUME

Approximately 188,830 m³ of LLMW will be shipped to the SWOC in the next 30 years; however, the maximum amount expected is 209,080 m³, and the minimum is 161,600 m³. As depicted in Figure 3-1, the majority (96%) of the LLMW is CH_LLMW, and 4% of the baseline volume is RH_LLMW.

Figure 3-2 displays the annual baseline waste volumes for the next 30 years by waste category. The volume of LLMW gradually increases until it peaks in 2017 at approximately 10,000 m³. This gradual increase corresponds to the expected retrieval of the long-length equipment from the single-shell tank farms.

The major waste generators of LLMW are depicted in Figure 3-3. As shown, 43% is generated by Single-Shell Tank Long-Length Equipment. Other primary contributors of LLMW include Past Practice Remediation (26%), Buried Equipment (4%), and other waste generators (27%).




Figure 3-1. LLMW Volumes by Waste Category




Figure 3-2. Annual Baseline Volume of LLMW by Waste Category




Figure 3-3. Major LLMW Generators

3.2 LOW-LEVEL MIXED WASTE CATEGORIES BY PHYSICAL WASTE FORM

CH_LLMW and RH_LLMW volumes by physical waste form are described in the following sections. The annual volumes by physical waste form are included, as are the waste generators.

3.2.1 Contact-Handled Low-Level Mixed Waste

The total baseline volume of CH_LLMW to be shipped to the SWOC in the next 30 years is approximately 182,160 m³, while the expected maximum and minimum volumes are 201,520 m³ and 155,720 m³, respectively. Figure 3-4 provides the breakout of the physical waste forms for CH_LLMW. As shown in the figure, 39% of the CH_LLMW is expected to be steel shielding. Contaminated soil will account for another 30%, metal debris for 16%, and other physical waste forms approximately 15%.

Figure 3-5 displays the annual CH_LLMW baseline volumes by physical waste form. As shown in the figure, waste volumes gradually increase until 2017 due to the increase in steel shielding generated by Single-Shell Tank Long-Length Equipment. From 1997 through 2010, the volume of contaminated soil from Past Practice Remediation remains at approximately 2,500 m³ annually. In 2018, the annual generated volumes decrease to approximately 4,000 m³ due to the near-completion of long-length equipment retrieval and to the operations of Past Practice Remediation.

Table 3-1 provides the volumes forecasted by each waste generator arranged by primary physical waste forms. The only waste generator of the CH_LLMW steel shielding is Single-Shell Tank Long-Length Equipment. As shown in the table, Past Practice Remediation is the primary contributor of




Figure 3-4. CH_LLMW Volumes by Physical Waste Form




Figure 3-5. Annual CH_LLMW Baseline Volume by Physical Waste Form

Table 3-1. CH_LLMW Generators by Physical Waste Form^(a,b)

Waste Generator	Steel Shielding	Contaminated Soil	Metal Debris	Other	Total
SST Long-Length Equipment	69,828	0	10,976	0	80,804
Past Practice Remediation	0	45,749	498	3,546	49,793
Buried Equipment	0	0	7,403	0	7,403
Portsmouth - Energy Systems	0	0	0	6,448	6,448
Tank Farm Operations	0	308	1,652	3,633	5,593
D&D of T Plant	0	0	5,438	0	5,438
Paducah - Energy Systems	0	4,619	0	513	5,132
Tank Farm Restoration	0	3,184	782	521	4,487
Surplus Facilities	0	396	71	2,379	2,846
200 Area Effluent Treatment Facility	0	0	0	2,384	2,384
Plutonium Finishing Plant	0	0	0	2,187	2,187
D&D of 200 Area Effluent Treatment Facility	0	0	1,569	30	1,599
Argonne National Laboratory - East	0	9	0	1,153	1,162
SST Retrieval (149 tanks)	0	97	119	864	1,081
222-S Laboratory	0	0	0	885	885
Pacific Northwest Laboratory	0	0	0	737	737
High-Level Vitrification Project	0	0	69	619	688
D&D of 242-A Evaporator.	0	0	326	0	326
D&D of 242-S Evaporator	0	0	326	0	326
Tank 106-C Sluicing	0	0	29	265	294

Table 3-1. (contd)

Waste Generator	Steel Shielding	Contaminated Soil	Metal Debris	Other	Total
D&D of B Plant	0	0	277	0	277
D&D of PUREX	0	0	0	236	236
Lawrence Berkeley Laboratory	0	0	0	233	233
Portsmouth - Utility Services	0	0	0	214	214
T Plant	0	6	49	158	213
Bettis Atomic Power Laboratory	0	5	0	190	195
Knolls Atomic Power Laboratory	0	42	15	69	126
300 Area Treated Effluent Disposal Facility	0	0	0	119	119
FERMI National Accelerator Laboratory	0	0	0	78	78
PUREX	0	2	0	65	67
D&D of 242-T Evaporator	0	0	64	0	64
100 Area Transition	0	0	10	47	57
Brookhaven National Laboratory	0	0	6	50	55
Princeton Plasma Physics Laboratory	0	0	0	53	53
Low-Level Vittrification Project	0	0	5	47	52
Battelle Columbus Laboratories	0	0	0	50	50
B Plant	0	0	0	50	50
K Basin Operations	0	0	13	29	42
D&D of 222-S Laboratory	0	0	41	0	41
Waste Neutralization Facility	0	0	4	35	39
General Atomics	0	3	0	30	33
Low-Level Waste Burial Ground	0	0	0	31	31
PUREX Surveillance and Maintenance	0	1	0	27	28
Tank Waste Pretreatment Facility	0	0	3	25	27
Paducah - Utility Services	0	0	0	25	25
Well Drilling	0	19	1	4	24
D&D of PNL 326 Building	0	0	9	9	18
Rockwell - Canoga Park	0	0	0	16	16
300 Area Fuel Supply	0	1	0	13	14
D&D of TRUSAF	0	0	6	7	13
Kaiser Construction Services	0	11	0	1	11
University of California - Davis	0	0	1	10	11
Stanford Linear Accelerator Center	0	0	0	11	11
University of Utah	0	0	0	9	9
Geotechnical Engineering Laboratory	0	0	0	9	9
D&D of PNL 324 Building	0	0	0	3	3
TRUSAF	0	0	0	3	3
Ames Laboratory	0	0	0	1	1
Large Sodium Fire Facility	0	0	0	1	1
Total	69,828	54,453	29,762	28,119	182,163
(a) Sum of individual values may not match totals due to rounding.					
(b) Amounts reported in cubic meters.					

CH_LLMW-contaminated soils. Metal debris is generated primarily by Single-Shell Tank Long-Length Equipment, Buried Equipment, and D&D of T Plant.

3.2.2 Remote-Handled Low-Level Mixed Waste

Approximately 6,670 m³ of RH_LLMW will be shipped to the SWOC over the next 30 years. The maximum and minimum volumes expected are 7,560 m³ and 5,890 m³, respectively. Figure 3-6 displays the total RH_LLMW volume by physical waste form. Almost 38% of the RH_LLMW forecasted to be shipped to SWOC is metal debris. Twenty-nine percent of the RH_LLMW will be organic particulates, 13% will be void space in the containers, and the remaining 20% will be other physical waste forms.

Annual RH_LLMW baseline volumes are depicted in Figure 3-7. The 242 m³ of "HELD" waste is forecasted by the PUREX tunnels. Annual volumes peak in 2006 through 2009 at approximately 500 m³ due to the large amounts of organic particulates expected to be generated by Surplus Facilities. In 2012, the volume also peaks at 500 m³ due to the amount of void space forecasted by Double-Shell Tank Retrieval. From 2012 through 2022, the waste will be primarily metal debris, due to the predicted schedule for D&D of T Plant.




Figure 3-6. RH_LLMW Volumes by Physical Waste Form




Figure 3-7. Annual RH_LLMW Baseline Volume by Physical Waste Form

As shown in Table 3-2, Surplus Facilities is the primary generator of the RH_LLMW organic particulates. D&D of T Plant is the main contributor of metal debris, while Double-Shell Tank Retrieval generates the largest portion of void space.

3.3 LOW-LEVEL MIXED WASTE CATEGORIES BY HAZARDOUS WASTE CONSTITUENTS

A description of the CH_LLMW and RH_LLMW by the hazardous constituents that contaminate the waste is included below. The total volume and the waste generators for each waste category are also provided.

3.3.1 Contact-Handled Low-Level Mixed Waste

The total baseline volume of CH_LLMW to be shipped to the SWOC in the next 30 years is approximately 182,160 m³, while the maximum and minimum volume ranges are 201,520 m³ and 155,720 m³, respectively. The primary hazardous constituents that will contaminate the CH_LLMW are depicted in Figure 3-8. As shown in the figure, 50% of the waste is mixed with organics and metal without mercury; 18% contains metals without mercury; 14% will contain corrosives; organics and other hazardous constituents will each contain 9% of the baseline volume.

Table 3-2. RH_LLMW Generators by Physical Waste Form^(a,b)

Waste Generator	Metal Debris	Organic Particulates	Void Space	Other	Total
Surplus Facilities	277	1,939	0	554	2,770
D&D of T Plant	1,360	0	0	0	1,360
DST Retrieval (17 tanks)	76	0	642	38	755
D&D of PNL 324 Building	424	0	0	0	424
DST Retrieval Systems (10 tanks)	102	0	128	26	255
PUREX Tunnel Waste	0	0	0	242	242
101-AZ Retrieval (one tank)	50	0	105	68	224
Pacific Northwest Laboratory	0	18	0	173	191
D&D of 222-S Laboratory	96	0	0	11	107
T Plant	20	1	0	65	85
D&D of B Plant	69	0	0	0	69
D&D of PUREX	0	0	0	59	59
222-S Laboratory	0	0	0	56	56
D&D of 242-A Evaporator	22	0	0	0	22
D&D of 242-S Evaporator	22	0	0	0	22
D&D of 242-T Evaporator	12	0	0	0	12
D&D of PNL 326 Building	0	0	0	7	7
B Plant	1	0	0	5	6
Total	2,530	1,958	875	1,303	6,666

(a) Sum of individual values may not match totals due to rounding.
(b) Amounts reported in cubic meters.




Figure 3-8. CH_LLMW Volumes by Hazardous Waste Constituent

Figure 3-9 displays the annual CH_LLMW baseline volumes by hazardous waste constituents. Metals without mercury mixed with organics gradually increases through 2017, which corresponds to the retrieval of the long-length equipment from the single-shell tank farms. After 2017, metals without mercury mixed with organics decreases significantly due to the near-completion of the long-length equipment retrieval. In addition, metals without mercury and corrosives are predominant from 1997 through 2010 due to Past Practice Remediation's expected shipping schedule.

The major generators that forecast the above hazardous constituents are provided in Table 3-3. Single-Shell Tank Long-Length Equipment is the primary producer of metals without mercury mixed with organics, forecasting approximately 89% of the volume contaminated with this hazardous constituent. Past Practice Remediation is the primary generator of waste containing metals without mercury and waste containing corrosives. This generator forecasted 76% of the CH_LLMW containing metals without mercury and 94% of the waste contaminated with corrosives.

3.3.2 Remote-Handled Low-Level Mixed Waste

Approximately 6,670 m³ of RH_LLMW will be shipped to the SWOC over the next 30 years. The maximum and minimum expected volumes are 7,560 m³ and 5,890 m³, respectively. Figure 3-10 displays the RH_LLMW baseline volume




Figure 3-9. Annual CH_LLMW Baseline Volumes by Hazardous Waste Category

Table 3-3. CH_LLMW Generators by Hazardous Waste Constituents^(a,b)

Waste Generator	Organics and Metals Without Mercury	Metals Without Mercury	Corrosives	Organics	Other	Total
SST Long-Length Equipment	80,804	0	0	0	0	80,804
Past Practice Remediation	0	25,146	24,648	0	0	49,793
Buried Equipment	0	1,160	19	6,219	4	7,402
Portsmouth - Energy Systems	0	0	0	0	6,448	6,448
Tank Farm Operations	5,423	0	0	0	170	5,593
D&D of T Plant	0	0	0	5,438	0	5,438
Paducah - Energy Systems	2,566	0	0	2,566	0	5,132
Tank Farm Restoration	0	1,083	0	1,083	2,322	4,487
Surplus Facilities	0	1,178	996	171	502	2,846
200 Area Effluent Treatment Facility	263	1,595	0	526	0	2,384
Plutonium Finishing Plant	237	244	0	0	1,706	2,187
D&D of 200 Area Effluent Treatment Facility	0	0	0	0	1,599	1,599
Argonne National Laboratory - East	0	1,076	5	6	75	1,162
SST Retrieval (149 Tanks)	1,081	0	0	0	0	1,081
222-S Laboratory	89	43	0	242	511	885
Pacific Northwest Laboratory	0	272	92	82	291	737
High-Level Vitrification Project	0	99	151	120	318	688
D&D of 242-A Evaporator	0	0	0	0	326	326
D&D of 242-S Evaporator	0	0	0	0	326	326
Tank 106-C Sluicing	0	294	0	0	0	294
D&D of B Plant	0	277	0	0	0	277
D&D of PUREX	0	0	0	0	236	236
Lawrence Berkeley Laboratory	0	30	14	55	134	233
Portsmouth - Utility Services	0	0	0	0	214	214
T Plant	0	24	7	126	56	213
Bettis Atomic Power Laboratory	0	150	0	1	44	195
Knolls Atomic Power Laboratory	0	83	2	16	25	126
300 Area Treated Effluent Disposal Facility	0	0	0	0	119	119
FERMI National Accelerator Laboratory	0	23	0	0	55	78
PUREX	0	11	1	0	55	67
D&D of 242-T Evaporator	0	0	0	0	64	64
100 Area Transition	0	23	7	13	14	57
Brookhaven National Laboratory	0	3	11	0	41	55
Princeton Plasma Physics Laboratory	0	30	0	0	23	53
Low-Level Vitrification Project	0	7	13	9	22	52
Battelle Columbus Laboratories	0	17	0	4	30	50
B Plant	0	8	6	15	21	50
K Basin Operations	0	13	0	0	29	42
D&D of 222-S Laboratory	0	1	0	10	30	41
Waste Neutralization Facility	0	0	0	35	4	39
General Atomics	0	15	0	13	4	33
Low-Level Waste Burial Ground	0	0	0	0	31	31
PUREX Surveillance and Maintenance	0	6	1	0	21	28
Tank Waste Pretreatment Facility	0	4	7	5	12	27

Table 3-3. (contd)

Waste Generator	Organics and Metals Without Mercury	Metals Without Mercury	Corrosives	Organics	Other	Total
Paducah - Utility Services	0	0	0	0	25	25
Well Drilling	0	0	0	24	0	24
D&D of PNL 326 Building	0	0	0	0	18	18
Rockwell - Canoga Park	0	0	0	0	16	16
300 Area Fuel Supply	0	8	3	0	3	14
D&D of TRUSAF	0	0	0	0	13	13
Kaiser Construction Services	0	11	0	0	0	11
University of California - Davis	0	0	0	0	11	11
Stanford Linear Accelerator Center	0	8	0	0	3	11
University of Utah	0	0	0	9	0	9
Geotechnical Engineering Laboratory	0	0	9	0	0	9
D&D of PNL 324 Building	0	3	0	0	0	3
TRUSAF	0	0	0	0	3	3
Ames Laboratory	0	0	0	0	0	1
Large Sodium Fire Facility	0	0	0	0	1	1
Total	90,463	32,944	25,991	16,788	15,976	182,162

(a) Sum of individual values may not match totals due to rounding.
(b) Amounts reported in cubic meters.




Figure 3-10. RH_LLMW Volumes by Hazardous Waste Category

according to the hazardous constituents that contaminate the waste. As shown, 29% of the forecasted RH_LLMW will contain organics; 27% will contain metals without mercury; 17% will contain corrosives; and 16% of the waste has no hazardous constituent data available.

Figure 3-11 displays the annual RH_LLMW baseline volumes by hazardous constituents. The held volume is forecasted by the PUREX tunnels, which does not have hazardous constituent data available. In 2012, waste generation by Double-Shell Tank Retrieval also generates waste with unknown hazardous constituents. The peak from 2004 through 2009 is due to large amounts of metals without mercury and corrosives being generated by Surplus Facilities. The organic waste is constant from 2013 through 2022 since this waste will be generated during D&D of T Plant. The schedule for the waste from D&D of T Plant was assumed to be uniformly distributed from 2013 to 2022.

The major waste generators of the RH_LLMW contaminated with the above hazardous waste constituents are listed in Table 3-4. Surplus Facilities is the primary generator of both metals without mercury and corrosives. D&D of T Plant will generate most of the organic contaminated waste; in fact, this is the only waste generated by D&D of T Plant.




Figure 3-11. RH_LLMW Baseline Volumes by hazardous Waste Category

Table 3-4. RH_LLMW Generators by Hazardous Waste Constituents^(a,b)

Waste Generator	Organics	Metals without Mercury	Corrosives	Unknown	Other	Total
Surplus Facilities	152	1,260	1,108	0	249	2,770
D&D of T Plant	1,360	0	0	0	0	1,360
DST Retrieval (17 tanks)	113	0	0	642	0	755
D&D of PNL 324 Building	0	424	0	0	0	424
DST Retrieval Systems (10 tanks)	0	0	0	0	255	255
PUREX Tunnel Waste	0	0	0	242	0	242
101-AZ Retrieval (one tank)	224	0	0	0	0	224
Pacific Northwest Laboratory	0	54	0	9	128	191
D&D of 222-S Laboratory	26	3	0	50	28	107
T Plant	50	10	3	13	9	85
D&D of B Plant	0	69	0	0	0	69
D&D of PUREX	0	0	0	59	0	59
222-S Laboratory	18	4	0	0	34	56
D&D of 242-A Evaporator	0	0	0	22	0	22
D&D of 242-S Evaporator	0	0	0	22	0	22
D&D of 242-T Evaporator	0	0	0	12	0	12
D&D of PNL 326 Building	0	0	0	7	0	7
B Plant	0	1	0	0	4	6
Total	1,943	1,826	1,111	1,079	708	6,666
(a) Sum of individual values may not match totals due to rounding.						
(b) Amounts reported in cubic meters.						

Intentionally Left Blank

4.0 TRANSURANIC AND TRANSURANIC MIXED WASTE

This section provides waste volumes by physical waste form and hazardous constituents for TRU/TRUM waste. The major waste generators of TRU/TRUM waste are also described. The *1995 Solid Waste 30-Year Volume Summary* (Valero et al. 1995) provides more detailed information about these waste generators and their missions; the *1995 Solid Waste 30-Year Container Volume Summary* (Templeton et al. 1995) provides a comparison of the 1994 and 1995 reported TRU/TRUM waste volumes.

4.1 TRU/TRUM WASTE VOLUME

The baseline amount of TRU/TRUM waste to be shipped to the SWOC over the next 30 years is approximately 46,730 m³. The maximum reported volume is 51,420 m³, while the minimum reported volume is 42,070 m³. As shown in Figure 4-1, 75% of the TRU/TRUM baseline waste is CH/TRU/TRUM, while the remaining 25% is RH/TRU/TRUM. Figure 4-2 displays the annual baseline volume of TRU/TRUM waste by waste category. As shown in the figure, the volumes remain at approximately 600 m³ from 1995 through 2012. From 2013 through 2022, the TRU/TRUM annual volume increases to approximately 3,100 m³, which reflects the




Figure 4-1. TRU/TRUM Waste Volumes by Waste Category




Figure 4-2. Annual Baseline Volumes of TRU_TRUM Waste by Waste Category

anticipated schedule for D&D of the Plutonium Finishing Plant (PFP) and other non-surplus facilities. The schedule for these non-surplus facilities was assumed to be from 2013 through 2022.

The major waste generators of TRU_TRUM waste are depicted in Figure 4-3. As shown, 49% will be generated by D&D of the PFP; Past Practice Remediation comprises 13%; D&D of T-Plant will generate 10%; and the remaining 28% will be generated by other waste generators.

4.2 TRU_TRUM WASTE CATEGORIES BY PHYSICAL WASTE FORM

A description of the CH_TRU_TRUM and RH_TRU_TRUM by physical waste form is included below. The total volume and the waste generators for each waste category are also described.

4.2.1 Contact-Handled Transuranic and Transuranic Mixed Waste

The baseline volume of CH_TRU_TRUM to be shipped to the SWOC in the next 30 years is approximately 35,100 m³. The minimum and maximum ranges are 31,720 m³ and 37,690 m³, respectively. Figure 4-4 displays the baseline, minimum, and maximum volumes of CH_TRU_TRUM by physical waste forms. As displayed, 68% of the CH_TRU_TRUM baseline waste is metal debris. The primary generator of the CH_TRU_TRUM metal debris is D&D of the PFP. Figure 4-5 depicts the annual CH_TRU_TRUM baseline waste volumes by physical waste form. From 1995 through 2012 volumes remain relatively low, at approximately 500 m³ and are composed primarily of metal debris and inorganic non-metal debris. From 2013 through 2022, the annual volume increases to approximately 2,500 m³,




Figure 4-3. Major TRU/TRUM Waste Generators




Figure 4-4. CH/TRU/TRUM Volumes by Physical Waste Form




Figure 4-5. Annual CH_TRU_TRUM Baseline Volumes by Physical Waste Form

which corresponds to the expected schedule for D&D of the PFP. During these years, the waste is primarily metal debris.

As shown in Table 4-1, D&D of PFP forecasts 72% of the metal debris. Past Practice Remediation is the primary generator of inorganic non-metal debris, while the PFP and the High-Level Vittrification Project are the main producers of combustible debris.

4.2.2 Remote-Handled Transuranic and Transuranic Mixed Waste

Approximately 11,630 m³ of RH_TRU_TRUM waste will be shipped to the SWOC over the next 30 years. The minimum and maximum amounts that could be shipped are 13,730 m³ and 10,350 m³, respectively. The primary RH_TRU_TRUM physical waste forms are displayed in Figure 4-6. As depicted, 56% of the RH_TRU_TRUM baseline waste will be metal debris. Another 20% of the waste does not have physical waste form data available; 4% is expected to be combustible debris; and the remaining 20% will be other physical waste forms.

Figure 4-7 displays the baseline volume annually by physical waste forms. The large amount of held waste is forecasted by the PUREX tunnels, which currently does not have a shipping schedule for this waste. From 1996 through 2003, very little RH_TRU_TRUM is expected. Then from 2004 through

Table 4-1. CH_TRU_TRUM Waste Generators by Physical Waste Form^(a,b)

Waste Generator	Metal Debris	Inorganic Non-Metal Debris	Combustible Debris	Other	Total
D&D of PFP	17,199	0	0	1,505	18,704
Past Practice Remediation	2,671	2,671	0	594	5,935
D&D of T Plant	2,720	0	0	850	3,570
Plutonium Finishing Plant	715	0	847	466	2,027
High-Level Vitrification Project	188	94	984	609	1,875
Surplus Facilities	34	841	84	868	1,827
D&D of PUREX	76	525	0	3	604
Argonne National Laboratory - East	57	21	21	92	192
Pacific Northwest Laboratory	0	0	81	67	149
D&D of Fuels Development Laboratory	85	0	1	5	90
Mixed Waste Storage Facility	0	0	0	38	38
D&D of PNL 231-Z Building	29	0	0	5	34
D&D of PNL 327 Building	27	0	0	0	27
PUREX	13	0	9	0	22
Fuels Development Laboratory	1	0	0	0	1
Ames Laboratory	0	0	0	0	0
Total	23,812	4,152	2,028	5,103	35,095
(a) Sum of individual values may not match totals due to rounding.					
(b) Amounts reported in cubic meters.					




Figure 4-6. RH_TRU_TRUM Baseline Volumes by Physical Waste Form




Figure 4-7. Annual RH_TRU_TRUM Baseline Volume by Physical Waste Form

2012, small amounts (approximately 100 m³) will be generated. From 2013 through 2022, large amounts of metal debris will be generated due to the expected schedule for D&D of the PFP.

The waste generators for RH_TRU_TRUM that forecast the primary physical waste forms are shown in Table 4-2. The D&D of PFP will generate 66% of the metal debris. The only generator that was unable to provide physical waste form data for their RH_TRU_TRUM waste was the PUREX tunnels. The principal generator of combustible debris is the High-Level Vittrification Plant.

4.3 TRU_TRUM WASTE CATEGORIES BY HAZARDOUS WASTE CONSTITUENTS

A description of the CH_TRU_TRUM waste and RH_TRU_TRUM waste by the hazardous constituents that contaminate the waste is included below. Although TRU_TRUM waste is combined as one waste category, the hazardous constituents describe only the volumes of TRUM waste, since hazardous constituent data are not applicable to mixed TRU waste.

4.3.1 Contact-Handled Transuranic Mixed Waste

The baseline volume of CH_TRUM to be shipped to the SWOC in the next 30 years is approximately 14,760 m³, with the minimum and maximum ranges reported

Table 4-2. RH_TRU_TRUM Waste Generators by Physical Waste Form^(a,b)

Waste Generator	Metal Debris	Unknown	Combustible Debris	Other	Total
D&D of Plutonium Finishing Plant	4,300	314	0	62	4,676
High-Level Vitrification Project	678	0	339	678	1,696
D&D of N Reactor	0	1,186	0	0	1,186
D&D of PNL 327 Building	729	171	0	123	1,023
D&D of T Plant	680	0	0	212	892
Surplus Facilities	35	0	89	587	711
PUREX Tunnel Waste	0	697	0	0	697
DST Retrieval (17 tanks)	25	0	0	228	253
D&D of PUREX	25	0	10	116	151
Pacific Northwest Laboratory	8	0	7	79	93
Battelle Columbus Laboratories	0	0	0	71	71
K Basin Operations	10	0	0	58	68
Argonne National Laboratory - East	31	0	10	10	51
T Plant	0	0	0	28	28
D&D of Waste Neutralization Facility	23	0	0	0	23
222-S Laboratory	0	0	6	9	15
Total	6,544	2,367	460	2,263	11,634
(a) Sum of individual values may not match totals due to rounding.					
(b) Amounts reported in cubic meters.					

as 13,890 m³ and 15,710 m³, respectively. Figure 4-8 displays the baseline, minimum, and maximum waste volumes by hazardous waste constituents. As shown in the figure, a majority (68%) of the CH_TRUM baseline waste has no hazardous constituent data available. Nineteen percent of the waste is expected to be organics; 5% will be metals without mercury; and the remaining 7% will be made up of other hazardous waste constituents.

Figure 4-9 displays the annual baseline CH_TRUM volume by hazardous waste constituents. From 1995 through 2005, the annual volume remains below 50 m³. From 2006 through 2012, the volume increases to approximately 100 m³. The annual volume increases to 1,300 m³ from 2013 through 2022, an increase which corresponds to the expected schedule of the D&D of PFP. Since most of the hazardous constituent data for the D&D of PFP are not available, "unknown" predominates from 2013 through 2022.

Table 4-3 provides the main waste generators for each of the primary hazardous constituents that make up the CH_TRUM waste. D&D of the PFP is the only generator with unavailable data. The D&D of T Plant is the major generator of the CH_TRUM waste containing organics.

4.3.2 Remote-Handled Transuranic Mixed Waste

Approximately 5,200 m³ of RH_TRUM waste will be shipped to the SWOC over the next 30 years. The maximum range is 6,390 m³, and the minimum range is 4,520 m³. Figure 4-10 displays the baseline, maximum, and minimum volumes for RH_TRUM waste by the hazardous constituents that contaminate the waste. As




Figure 4-8. CH_TRUM Waste Volumes by Hazardous Waste Category




Figure 4-9. CH_TRUM Baseline Waste Volumes by Hazardous Waste Category

Table 4-3. CH_TRUM Waste Generators by Hazardous Waste Constituents^(a,b)

Waste Generator	Unknown	Organics	Metals Without Mercury	Other	Total
D&D of Plutonium Finishing Plant	10,041	0	0	0	10,041
D&D of T Plant	0	2,720	0	0	2,720
High-Level Vitrification Project	0	70	109	758	938
Surplus Facilities	0	50	289	334	674
Plutonium Finishing Plant	0	0	366	0	366
D&D of PUREX	0	0	9	0	9
Argonne National Laboratory - East	0	0	6	2	8
Pacific Northwest Laboratory	0	0	3	0	3
D&D of PNL 231-Z Building	0	0	0	2	2
PUREX	0	0	1	0	1
Ames Laboratory	0	0	0	0	0
Total	10,041	2,840	782	1,097	14,760
(a) Sum of individual values may not match totals due to rounding.					
(b) Amounts reported in cubic meters.					




Figure 4-10. RH_TRUM Waste Volumes by Hazardous Waste Category

depicted, 53% of the RH_TRUM baseline waste does not have hazardous constituent data available. Metals without mercury account for 16%, organics for 15%, and other hazardous components, 16%.

Figure 4-11 displays the annual RH_TRUM volumes by hazardous waste constituents. Less than 50 m³ of RH_TRUM is expected annually from 1995 through 2003. From 2004 through 2009, there is an increase in waste volume that comprises mainly metals without mercury and other hazardous waste constituents that are generated by the High-Level Vitrification Project. In 2010, hazardous constituents that were not described will be generated by the Double-Shell Tank Retrieval. From 2013 through 2022, large amounts of waste with unknown hazardous constituents will be generated by the D&D of PFP.

Table 4-4 displays the waste generators of RH_TRUM waste by the major hazardous constituents that contaminate the waste. D&D of PFP has the largest volume of RH_TRUM waste that has unavailable hazardous constituent data. Metals without mercury are generated primarily by the High-Level Vitrification Project and Surplus Facilities. Organics are expected to be generated by the D&D of T Plant.




Figure 4-11. Annual RH_TRUM Baseline Waste Volumes by Hazardous Waste Category

Table 4-4. RH_TRUM Waste Generators by Hazardous Waste Constituents^(a,b)

Waste Generator	Unknown	Metals Without Mercury	Organics	Other	Grand Total
D&D of PFP	2,510	0	0	0	2,510
High-Level Vitrification Project	0	478	0	419	898
Surplus Facilities	0	304	53	351	708
D&D of T Plant	0	0	680	0	680
DST Retrieval (17 tanks)	215	0	38	0	253
Pacific Northwest Laboratory	7	12	0	28	46
D&D of PUREX	0	32	0	0	32
T Plant	0	0	0	28	28
D&D of Waste Neutralization Plant	23	0	0	0	23
222-S Laboratory	0	1	5	9	15
D&D of PNL 327 Building	0	6	2	0	8
Total	2,755	833	778	836	5,201
(a) Sum of individual values may not match totals due to rounding.					
(b) Amounts reported in cubic meters.					

Intentionally Left Blank

5.0 REFERENCES

40-CFR-761. 1993. U.S. Environmental Protection Agency. *Polychlorinated Biphenyls (PCBs) Manufacturing, Processing, Distribution in Commerce, and Use Prohibitions*. U.S. Code of Federal Regulations.

Los Alamos Technical Associates, Inc. 1994. *Estimation of PUREX Equipment and Materials That are Candidates for Removal and Waste Processing During PUREX Plant Closure*. WHC-IP-0977, Westinghouse Hanford Company, Richland, Washington.

Templeton, K. J., T. J. DeForest, and M. D. Patridge. 1995. *1995 Solid Waste 30-Year Container Volume Summary*. WHC-EP-0871, Westinghouse Hanford Company, Richland, Washington.

Valero, O. J., K. J. Templeton, and T. J. DeForest. 1995. *1995 Solid Waste 30-Year Volume Summary*. WHC-EP-0865, Westinghouse Hanford Company, Richland, Washington.

Washington State Department of Ecology. 1993. *Dangerous Waste Regulations*. Washington State Administrative Code, 173-303.

Intentionally Left Blank

APPENDIX A

LOW-LEVEL WASTE

Intentionally Left Blank

APPENDIX A

LOW-LEVEL WASTE

This appendix provides low-level waste (LLW) volumes by physical waste form for both contact-handled (CH) and remote-handled (RH) categories of LLW, which are described below:

- Contact-handled low-level waste (CH_LLW): This waste has a dose rate less than or equal to 200 mrem/h at contact with the waste container. The waste contains radioactivity that is not classified as transuranic waste, radioactive mixed waste, or spent nuclear fuel. The concentration of transuranic radionuclides is less than or equal to 100 nCi/g of the waste matrix.
- Remote-handled low-level waste (RH_LLW): This waste has a dose rate greater than 200 mrem/h at contact with the waste container. The waste contains radioactivity that is not classified as transuranic waste, radioactive mixed waste, or spent nuclear fuel. The concentration of transuranic radionuclides is less than or equal to 100 nCi/g of the waste matrix.

Hazardous waste constituent data will not be described, since LLW does not have hazardous constituents; only low-level mixed waste, which is described in Section 3.0 of the main report, contains hazardous constituents. The major generators of LLW will also be provided in this appendix; however, a detailed discussion of the associated waste generator missions is contained in Valero et al. (1995). LLW will not be handled by the SWOC except for selective sampling. Current plans are to send the majority of the LLW directly to the Hanford LLW burial grounds.

A.1 LOW-LEVEL WASTE VOLUME

Approximately 1,461,580 m³ of LLW is expected at the Hanford Site over the next 30 years. Of this waste, 96% is CH_LLW, and the remaining 4% is RH_LLW, as depicted in Figure A-1. Figure A-1 also displays the expected maximum and minimum waste volumes, 1,594,180 m³ and 1,381,860 m³, respectively. Figure A-2 displays the annual baseline volume of LLW by waste category. As depicted in the figure, waste volumes gradually increase from 2002 through 2007, when they peak at approximately 210,000 m³. This peak corresponds to the anticipated shipping schedule of Surplus Facilities.

Figure A-3 displays the major waste generators of LLW. Seventy-six percent will be generated by Surplus Facilities; the Formerly Utilized Sites Remedial Action Program (FUSRAP) will generate 4%; D&D of B Plant will generate 3%; and the remaining 17% will be generated by other miscellaneous waste generators.




Figure A-1. Total LLW Volume by Waste Category




Figure A-2. Annual LLW Baseline Volume by Waste Category

A.2 LOW-LEVEL WASTE CATEGORIES BY PHYSICAL WASTE FORM

This section describes the LLW volumes by waste category and physical waste form. The total volume and the annual volume by physical waste form are discussed. The major waste generators for each waste category are also provided.




Figure A-3. Major LLW Generators

A.2.1 Contact-Handled Low-Level Waste

The total baseline amount of CH_LLW to be shipped to the Hanford Site over the next 30 years is 1,403,200 m³. Figure A-4 displays the baseline, maximum, and minimum volumes of CH_LLW by physical waste form. The maximum and minimum expected volumes are 1,532,370 m³ and 1,325,770 m³, respectively. As depicted in the figure, inorganic non-metal debris will make up the largest (57%) portion of CH_LLW; contaminated soil will be 13%; metal debris and inorganic absorbed liquid/sludges will each be 7%; and other physical waste forms will constitute 15% of the CH_LLW.

Figure A-5 displays the annual CH_LLW baseline volumes by physical waste form. As shown in the figure, there is a gradual increase in waste from 2002 through 2007. This peak represents the shipping schedule of inorganic non-metal debris by Surplus Facilities.

The waste generators for CH_LLW by major physical waste form are displayed in Table A-1. Surplus Facilities is the major waste generator of CH_LLW and the primary generator of all major CH_LLW physical waste forms except metal debris. FUSRAP generates primarily inorganic non-metal debris, and the D&D of B Plant will mainly generate metal debris.

A.2.2 Remote-Handled Low-Level Waste

The total baseline amount of RH_LLW to be shipped to the Hanford Site over the next 30 years is 58,390 m³. The maximum and minimum expected volumes are 61,800 m³ and 56,090 m³, respectively. Figure 4-6 displays the baseline, maximum, and minimum volumes by physical waste forms. As depicted, inorganic




Figure A-4. Annual LLW Baseline Volume by Waste Category




Figure A-5. RH_LLW Volumes by Physical Waste Form

Table A-1. CH_LLW Generators by Physical Waste Form^(a,b)

Waste Generator	Inorganic Non-Metal Debris	Contaminated Soil	Metal Debris	Inorganic Absorbed Liquid/Sludges	Other	Total
Surplus Facilities	736,313	146,919	0	83,501	106,288	1,073,020
FUSRAP	40,727	15,401	0	0	1,321	57,450
D&D of B Plant	0	0	34,267	0	0	34,267
High-Level Vitrification Project	2,016	0	2,016	0	16,127	20,158
Brookhaven National Laboratory	1,566	1,044	7,973	664	7,736	18,983
Pacific Northwest Laboratory	0	37	0	0	18,307	18,344
Lawrence Berkeley Laboratory	13,943	0	1,073	0	760	15,776
Portsmouth - Energy Systems	216	10,140	17	4,850	256	15,480
D&D of 222-S Laboratory	0	0	11,838	0	965	12,803
Low-Level Vitrification Project	1,134	0	1,134	0	9,075	11,344
300 Area Treated Effluent Disposal Facility	0	0	0	9,944	1,105	11,049
222-S Laboratory	882	110	3,866	0	5,365	10,222
Argonne National Laboratory - East	1,102	3,157	1,004	129	4,365	9,758
Tank Farm Operations	1,558	0	2,266	71	5,046	8,940
D&D of N Reactor	0	0	5,183	0	3,144	8,326
Princeton Plasma Physics Laboratory	728	0	4,528	0	2,903	8,159
D&D of T Plant	0	0	7,144	0	0	7,144
Paducah - Energy Systems	1,091	4,509	0	0	1,091	6,690
Plutonium Finishing Plant	599	139	774	0	4,660	6,171
Tank Farm Pretreatment Facility	596	0	596	0	4,764	5,956
D&D of PUREX	0	0	4,768	0	0	4,768
B Plant	368	351	376	159	3,174	4,428
K Basin Operations	0	0	1,434	0	2,992	4,426
Laundry/Equipment Decontamination	0	0	0	0	3,399	3,399
D&D of PNL 314 Building	0	0	3,178	0	0	3,178
DST Retrieval Systems (10 tanks)	0	1,785	198	0	0	1,983
D&D of PNL 331 Building	0	0	1,717	0	191	1,908
University of California - Davis	83	1,552	49	0	152	1,836
Portsmouth - Utility Services	0	0	355	0	1,421	1,776
Battelle Columbus Laboratories	601	195	360	0	345	1,501
100 Area Transition	647	0	0	0	733	1,380
FERMI National Accelerator Laboratory	27	16	1,083	32	197	1,356
Rockwell - Canoga Park	191	255	255	13	561	1,274
D&D of PNL 327 Building	0	0	907	0	242	1,149
Stanford Linear Accelerator Center	1	0	942	0	14	958
Paducah - Utility Services	0	0	371	0	556	926
General Atomics	0	101	0	0	609	710
DST Retrieval (17 tanks)	0	605	67	0	0	673
Tank 106-C Manipulator	0	0	49	0	570	620
PUREX	39	8	192	0	325	564
SST Retrieval (149 tanks)	119	0	173	5	243	540
T Plant	21	21	64	4	315	426
Cross-Site Transfer System	0	365	4	0	0	368
D&D of PNL 324 Building	0	0	292	0	68	360
PUREX Surveillance and Maintenance	21	4	107	0	186	318
Knolls Atomic Power Shipyards	0	0	297	0	0	297
EG&G Rocky Flats Plant	16	0	2	0	273	291
300 Area Fuel Supply	65	23	88	0	44	220

Table A-1. (contd)

Waste Generator	Inorganic Non-Metal Debris	Contaminated Soil	Metal Debris	Inorganic Absorbed Liquid/Sludges	Other	Total
D&D of Waste Neutralization Facility	0	0	125	0	74	198
Tank 106-C Sluicing	70	12	70	0	40	192
Low-Level Waste Burial Grounds	0	13	5	0	171	189
Bettis Atomic Power Laboratory	6	0	126	0	21	153
D&D of Fuels Development Laboratory	5	0	54	0	69	129
FFTF	0	0	28	0	73	101
Ames National Laboratory	68	0	0	0	29	97
D&D of PNL 242 Building	0	0	62	0	34	96
Kaiser Construction Services	13	64	0	0	0	77
Tank Farm Ventilation Upgrades	26	10	14	0	6	57
D&D of PNL 306W Building	0	0	44	0	7	51
Well Drilling	4	31	2	0	2	39
Geotechnical Engineering Laboratory	0	0	16	0	16	31
101-AZ Retrieval (1 tank)	0	3	0	0	16	19
Fuels Development Laboratory	2	0	5	0	12	19
D&D of PNL 326 Building	0	0	12	0	5	16
TRUSAF	0	0	1	0	10	11
University of Utah	0	0	0	0	9	9
Tank 106-C Manipulator	0	8	0	0	0	8
Aging Waste Transfer Lines	0	6	1	0	0	7
Bettis Atomic Power Shipyards	0	0	7	0	0	7
D&D of Development/Fabrication Test Laboratory	0	0	2	0	4	5
D&D of PNL 231Z Building	0	0	0	0	4	4
384 Power House	1	1	0	0	1	3
Bates Accelerator, MA	0	0	0	0	2	2
Large Sodium Fire Facility	0	0	0	0	2	2
Pilot-Scale Retrieval	0	0	1	0	0	1
Total	804,863	186,885	101,584	99,373	210,492	1,403,197
(a) Sum of individual values may not match totals due to rounding.						
(b) Amounts reported in cubic meters.						

and organic absorbed liquid/sludges each will comprise 27% of the RH LLW. Metal debris will be 22%, inorganic non-metal debris will make up 16%, and other physical waste forms will be 8% of the RH LLW.

Figure A-7 displays the annual RH LLW baseline volume by physical waste form. The figure shows a peak from 2002 through 2009, which corresponds to the shipping schedule of absorbed liquid/sludges from the Surplus Facilities waste generator.

The waste generators for RH LLW by major physical waste forms are provided in Table A-2. Surplus Facilities will be the only producer of inorganic and organic absorbed liquid/sludges. Metal debris will be generated primarily by D&D of B Plant, and inorganic non-metal debris will be primarily generated by Surplus Facilities.




Figure A-6. RH_LLW Volumes by Physical Waste Form




Figure A-7. RH_LLW Annual Baseline Volumes by Physical Waste Form

Table A-2. RH_LLW Generators by Physical Waste Form^(a,b)

Waste Generator	Inorganic Absorbed Liquid/Sludges	Organic Absorbed Liquid/Sludges	Metal Debris	Inorganic Non-Metal Debris	Other	Total
Surplus Facilities	15,977	15,977	0	7,989	0	39,943
D&D of B Plant	0	0	8,567	0	0	8,567
High-Level Vitrification Project	0	0	914	203	914	2,030
D&D of T Plant	0	0	1,786	0	0	1,786
Pacific Northwest Laboratory	0	0	0	1	1,728	1,729
D&D of PUREX	0	0	400	792	0	1,192
PUREX Tunnel Waste	0	0	0	0	1,022	1,022
B Plant	0	0	157	157	298	612
Low-Level Vitrification Project	0	0	196	44	196	436
D&D of PNL 327 Building	0	0	214	0	101	315
Tank Waste Pretreatment Facility	0	0	137	30	137	305
General Atomics	0	0	99	33	0	132
T Plant	0	0	43	4	38	85
100 Area Transition	0	0	0	49	10	59
FFTF	0	0	3	0	45	48
K Basin Operations	0	0	17	0	29	47
Argonne National Laboratory - East	0	0	32	4	0	36
D&D of PNL 324 Building	0	0	26	0	4	30
Brookhaven National Laboratory	0	0	4	0	5	10
Tank 106-C Manipulator	0	0	0	6	0	6
Total	15,977	15,977	12,594	9,312	4,527	58,387
(a) Sum of individual values may not match totals due to rounding.						
(b) Amounts reported in cubic meters.						

APPENDIX B

WASTE FORM AND HAZARDOUS CONSTITUENT
FORECAST REQUEST FORM

Intentionally Left Blank

Waste Forms & Hazardous Constituents Mixed/Hazardous Only									
STEP 1 WASTE CLASS		A separate Table 4 must be completed for each waste class and container type identified in Table 2.							
STEP 2 CONTAINER TYPE									
STEP 3 YEARS TO									
STEP 4 INDICATE BELOW THE VOLUME % OF WASTE FORM IN CONTAINER IDENTIFIED IN STEP 2		STEP 5 Are Waste Forms Segregated? Y/N				STEP 6 EPA/RCRA/WAC indicate percent present for each waste form. Total can be > 100%.			
		EPA / RCRA				WAC			
		IGN. D001	CORR. D002	REAC. D003	* MET. (Metals) D009	* ORG. (Mercury) P065	WT WP	PCB W001	PCB W001
		* See Appendix C: MET - Tables C-3							
		ORG - Tables C-1 / C-2							
WASTE FORMS									
% SHIELDING						< 50 ppm > 50 ppm			
CONCRETE									
LEAD									
STEEL									
INORGANIC HOMOGENEOUS SOLIDS									
PARTICULATES									
ABSORBED LIQ/SLUDGES									
PAINT WASTE									
SALT WASTE									
ORGANIC HOMOGENEOUS SOLIDS									
PARTICULATES									
ORGANIC ABSORBENTS									
ABSORBED LIQ/SLUDGES									
SOIL/GRAVEL									
SOIL/GRAVEL									

NOTE: Waste Form % should be totaled on Table 4 Page 2 of 2 and MUST equal 100%.

[illegible]

APPENDIX C

ANNUAL WASTE CATEGORY VOLUMES BY PHYSICAL
WASTE FORM AND HAZARDOUS WASTE CONSTITUENT

Intentionally Left Blank

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste Category: CH LHM	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
CONT SOIL	NONE	1352.2	4097.7	4129.1	4132.6	864.0	1151.3	1699.6	2336.3	11470.6	13161.5	21385.3	29511.0	28309.6	32416.8	2185.7
Total CONT SOIL		1352.2	4097.7	4129.1	4132.6	864.0	1151.3	1699.6	2336.3	11470.6	13161.5	21385.3	29511.0	28309.6	32416.8	2185.7
D-CORRUST	NONE	2231.5	1669.3	1519.4	1475.1	1355.5	1216.7	1157.2	1015.9	1157.0	1149.5	1453.4	2028.3	2079.4	2073.7	2185.7
Total D-CORRUST		2231.5	1669.3	1519.4	1475.1	1355.5	1216.7	1157.2	1015.9	1157.0	1149.5	1453.4	2028.3	2079.4	2073.7	2185.7
D-HET	NONE	13.3	1104.7	1155.3	1298.2	1255.1	1192.1	1356.0	945.8	975.3	967.3	1074.9	1246.1	1261.9	1219.0	1239.4
Total D-HET		13.3	1104.7	1155.3	1298.2	1255.1	1192.1	1356.0	945.8	975.3	967.3	1074.9	1246.1	1261.9	1219.0	1239.4
D-IN NON-HTL	NONE	334.5	3167.0	2633.8	4709.0	1078.4	1482.5	11451.5	18793.9	50241.7	67130.5	85491.0	114035.5	125668.4	134937.2	1219.0
Total D-IN NON-HTL		334.5	3167.0	2633.8	4709.0	1078.4	1482.5	11451.5	18793.9	50241.7	67130.5	85491.0	114035.5	125668.4	134937.2	1219.0
D-METAL	NONE	841.4	1287.2	1083.7	1283.3	1262.4	967.1	1057.8	877.3	854.9	853.3	883.3	782.4	836.0	1088.7	1008.5
Total D-METAL		841.4	1287.2	1083.7	1283.3	1262.4	967.1	1057.8	877.3	854.9	853.3	883.3	782.4	836.0	1088.7	1008.5
D-SOIL	NONE	0.8	324.4	301.0	309.2	89.8	100.6	106.0	159.0	854.3	1006.0	1649.5	2283.0	2185.4	2514.3	1482.4
Total D-SOIL		0.8	324.4	301.0	309.2	89.8	100.6	106.0	159.0	854.3	1006.0	1649.5	2283.0	2185.4	2514.3	1482.4
IN ORG LQ/SLO	NONE	0.4	581.2	580.4	522.1	499.0	559.9	1129.4	1194.7	4046.0	5254.5	8819.0	11345.2	13725.8	17125.8	171.6
Total IN ORG LQ/SLO		0.4	581.2	580.4	522.1	499.0	559.9	1129.4	1194.7	4046.0	5254.5	8819.0	11345.2	13725.8	17125.8	171.6
IN ORG PART	NONE	94.8	65.2	54.7	55.0	55.4	34.6	66.2	75.1	66.5	66.0	89.9	70.2	45.7	45.7	45.7
Total IN ORG PART		94.8	65.2	54.7	55.0	55.4	34.6	66.2	75.1	66.5	66.0	89.9	70.2	45.7	45.7	45.7
LAB/CONT LQ	NONE	0.4	12.1	10.7	12.9	8.9	19.5	53.4	61.7	447.2	530.3	797.2	1191.5	1191.6	1373.0	67.2
Total LAB/CONT LQ		0.4	12.1	10.7	12.9	8.9	19.5	53.4	61.7	447.2	530.3	797.2	1191.5	1191.6	1373.0	67.2
LEAD	NONE	0.0	0.5	0.7	0.9	0.0	2.1	2.1	3.8	80.9	97.5	157.6	236.4	236.4	272.7	11.5
Total LEAD		0.0	0.5	0.7	0.9	0.0	2.1	2.1	3.8	80.9	97.5	157.6	236.4	236.4	272.7	11.5
ORG ABS LQ/SLO	NONE	2.2	177.7	68.3	61.0	37.2	112.2	581.5	694.6	3526.8	4735.1	8289.2	10815.2	13212.1	16597.1	7362.0
Total ORG ABS LQ/SLO		2.2	177.7	68.3	61.0	37.2	112.2	581.5	694.6	3526.8	4735.1	8289.2	10815.2	13212.1	16597.1	7362.0
ORG PART	NONE	2.2	80.3	57.6	48.9	48.7	52.0	55.6	47.9	46.8	46.9	47.1	47.5	47.3	47.5	47.8
Total ORG PART		2.2	80.3	57.6	48.9	48.7	52.0	55.6	47.9	46.8	46.9	47.1	47.5	47.3	47.5	47.8
UNKNOWN	NONE	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total UNKNOWN		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total CH LHM		4874.2	12568.6	11595.8	13929.6	6555.7	6911.9	18717.7	28407.3	73769.1	94999.6	130110.7	173613.6	199021.1	20940.9	133962.5

Waste Category: CH LHM

BATTERIES	B	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
BD	BD	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D	D	0.0	2.2	3.2	2.0	2.0	0.8	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6	1.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactivities, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Heid	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total DATTERIES		0.0	2.6	3.5	2.4	2.4	1.2	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8	1.7
BERYLLIUM	D	0.0	0.2	0.9	3.9	2.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5
Total BERYLLIUM		0.0	0.2	0.9	3.9	2.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5
CONT SOIL	A	0.0	0.4	0.0	0.0	0.0	0.4	0.0	1.1	1.1	1.1	3.5	3.5	5.9	5.9	5.9	5.9
AC		0.0	2.8	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
AEFG		0.0	0.5	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	1.7	0.3	1061.6	843.4	1031.4	969.9	985.0	1058.8	1308.3	1437.2	1581.3	1668.1	1668.1	1675.1	1597.8
D		0.0	15.7	1.8	1063.7	999.3	1125.3	1154.0	1190.6	1192.6	1423.2	1458.3	1584.4	1672.3	1672.3	1679.3	1602.0
DF		14.5	83.0	83.7	84.3	83.7	83.7	83.7	83.7	83.7	83.7	85.6	85.6	86.3	86.3	86.9	86.2
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		14.5	77.7	77.6	77.6	131.6	170.1	260.6	281.7	209.9	191.1	97.3	79.3	80.4	80.4	80.4	80.4
FG		0.0	0.2	0.9	0.7	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	108.3	184.8	365.3	407.5	263.7	226.0	36.1	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		29.1	182.5	168.6	229.1	2070.6	2499.0	2837.6	2953.3	2813.4	3237.0	3121.8	3337.6	3516.5	3517.2	3531.3	3378.0
D-CORRUPT	A	0.0	1.1	0.8	2.1	3.8	1.6	0.4	1.5	1.5	1.5	3.8	4.1	6.7	7.6	7.6	11.0
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AC		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
AEFG		0.0	1.1	1.7	0.9	0.9	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AFG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AG		0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
B		0.0	1.9	0.7	0.7	0.4	2.1	0.1	4.5	4.5	4.5	13.3	13.3	22.1	22.1	22.1	22.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	14.8	16.2	67.5	14.4	9.2	7.1	12.5	12.5	12.5	23.6	23.6	34.6	34.6	34.6	34.6
DF		0.0	69.4	76.1	80.9	75.9	75.9	75.9	75.9	75.9	75.9	90.7	90.7	95.6	100.6	100.6	110.4
DFG		0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DG		0.0	2.7	2.2	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	5.9	17.5	16.9	16.9	16.9	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6
FG		0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
G		0.0	0.6	0.8	0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5
UNKNOWN		25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORRUPT		25.1	99.8	118.1	173.1	116.1	109.8	104.2	115.0	115.0	115.0	152.1	152.3	179.8	185.6	185.6	198.9
D-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AEFG		0.0	0.5	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactive, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
PWF	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.2	0.2	0.2
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.5
	D	0.0	31.7	14.7	13.8	8.0	9.3	53.7	24.1	23.1	26.9	15.1	12.6	13.4	13.4	13.4	13.4
	DF	0.0	18.6	28.1	28.3	28.0	28.0	28.0	28.0	28.0	28.0	28.7	28.7	28.9	29.1	29.1	29.6
	DFG	0.0	5.8	5.8	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	6.3	2.9	2.8	3.9	4.4	18.1	19.9	13.8	17.5	4.9	2.5	2.5	2.5	2.5	2.5
PWF	FG	0.0	3.5	4.9	3.8	2.6	2.6	2.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	G	15.7	6.8	6.2	12.3	8.2	9.8	40.7	40.9	28.5	39.4	11.7	13.8	14.6	6.0	6.0	12.1
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Total D-HET	15.7	102.6	92.7	96.5	80.5	83.5	172.5	142.6	123.1	141.5	90.1	87.5	89.4	81.0	81.0	90.4
	D-IN NON-HTL	1.3	0.4	0.2	0.1	0.1	0.5	0.1	1.2	1.4	1.2	3.9	3.8	6.5	6.5	6.5	6.3
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AC	0.0	2.3	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	AFG	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	B	0.0	2.4	1.1	1.0	0.6	2.5	0.6	5.7	5.7	5.7	15.9	15.9	26.1	26.1	26.1	27.1
PWF	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
	D	0.0	9.0	6.2	23.3	5.8	6.0	9.7	16.0	13.5	15.1	21.5	20.5	32.0	32.0	32.0	32.3
	DF	1.6	41.0	44.1	44.5	44.0	44.0	44.0	44.0	44.0	44.0	45.5	45.5	46.0	46.5	46.5	47.5
	DFG	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	DG	0.0	1.8	1.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	1.6	11.2	10.7	10.3	10.7	11.3	16.6	18.0	15.5	17.0	13.2	12.3	13.5	13.5	13.5	13.5
	FG	0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	G	0.0	2.1	2.0	2.0	5.8	8.5	52.9	58.7	39.0	51.1	10.6	2.9	2.9	2.9	2.9	3.4
	GH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PWF	Total D-IN NON-HTL	4.6	71.9	69.7	85.8	71.8	77.6	128.7	148.4	123.8	138.8	115.4	105.8	131.8	132.2	132.4	135.4
	D-METAL	0.0	0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	A	0.0	1.1	0.9	0.4	0.4	1.2	0.8	1.7	1.7	1.4	3.1	3.1	5.0	5.0	5.0	4.6
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.2	58.3	63.5	72.7	53.9	87.1	124.2	130.9	114.0	111.0	77.8	73.9	95.4	95.4	95.6	71.5
	DF	0.0	66.9	95.5	137.2	105.3	122.3	129.1	142.4	156.1	163.4	303.9	281.7	320.9	364.5	359.5	410.1
	DG	0.0	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	GH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=ECB < 50ppm, J=ECB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
EF		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
F		0.0	275.8	311.0	144.5	148.1	304.2	344.9	350.6	332.1	237.5	200.0	192.8	288.4	288.4	288.4	145.7
G		0.0	0.0	0.1	0.0	7.2	12.4	94.0	104.8	67.9	90.4	14.5	0.0	0.1	0.1	0.1	0.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.2	404.2	461.8	355.4	315.4	527.7	693.7	731.0	672.3	604.2	599.8	532.0	710.5	754.1	748.2	640.6
D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.4	0.4	0.4
B		0.0	0.1	0.0	82.3	65.3	79.9	75.2	76.3	82.1	101.4	111.4	122.6	129.3	129.3	129.8	123.8
D		0.0	0.2	0.1	82.3	65.4	80.0	75.2	76.4	82.2	101.5	111.6	122.8	129.6	129.6	130.1	124.1
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.2	0.2
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.4	0.2	164.7	130.9	160.1	150.5	153.0	164.5	203.1	223.5	245.8	259.7	259.7	260.7	248.8
EXPLOSIVES		0.0	0.9	0.9	1.3	1.1	0.9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total EXPLOSIVES		0.0	1.0	0.9	1.7	1.4	0.9	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
IN ORG LQ/SLG		0.0	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	1.0	0.9	2.2	1.7	0.9	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.3	2.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
D		0.0	1.2	0.8	4.7	2.9	0.4	2.1	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
DF		0.0	1.7	1.8	1.9	1.8	1.8	1.8	1.8	1.8	1.8	2.0	2.0	2.1	2.2	2.2	2.3
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	1.6
J		0.0	0.3	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	4.6	3.7	10.4	7.4	3.3	4.2	2.4	2.7	2.7	3.1	3.3	3.4	3.5	3.5	7.9
IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AG		0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
DF		0.0	0.9	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
DFG		0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
DG		0.0	2.4	2.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	2.8	2.4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
FG		0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
G		0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total IN ORG PART																	
LAB/CONT LQ	A	0.0	10.4	7.4	14.5	6.0	14.5	6.0	14.5	6.0	14.5	6.2	15.1	6.6	15.1	6.6	21.5
AB		0.0	0.9	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ABCDG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ABCFG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ABEEG		0.0	5.7	6.9	5.0	4.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
ADFG		0.0	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7
AFG		0.0	1.7	1.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
AG		0.0	2.4	1.5	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
B		0.0	6.0	3.6	3.4	2.8	5.3	3.8	9.6	9.6	9.6	22.4	22.5	35.3	35.3	35.3	36.5
BD		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
BDG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
BG		0.0	14.7	14.3	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2	14.2
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
D		0.0	5.8	4.0	4.0	3.6	6.1	4.5	10.5	10.6	10.6	23.3	23.3	36.1	36.1	36.1	36.1
DF		0.0	1.0	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
DFG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DG		0.0	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7
E		0.0	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
F		0.0	10.1	5.8	5.5	5.3	5.3	4.9	6.6	6.7	6.7	10.4	10.6	14.2	14.2	14.2	17.4
FG		0.0	6.7	1.5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
G		0.0	7.5	7.0	6.7	6.8	6.8	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2
II		0.0	0.7	0.1	0.1	0.0	0.8	0.0	2.1	2.1	2.1	6.3	6.4	10.6	10.6	10.6	11.3
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ																	
LEAD	D	0.2	133.6	116.4	108.3	105.1	108.7	110.3	123.4	124.7	124.7	167.4	167.8	210.3	210.3	210.3	216.7
	E	3.4	347.0	360.8	60.4	44.3	40.8	83.0	28.5	21.8	21.5	26.1	25.7	30.3	30.0	30.3	30.0
	F	0.0	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	EH	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD																	
HERCURI	E	0.0	6.2	6.0	5.8	5.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	EH	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total MERCURY		0.0	6.7	6.5	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3
ORG ANR IQ/HLG A		0.0	2.9	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
ABR		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADFG		0.0	0.5	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
AF		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	2.2	0.7	0.7	0.4	2.4	0.4	5.4	5.4	5.4	15.6	15.6	25.8	25.8	25.8	25.8
D		0.0	4.8	3.6	3.4	2.7	5.4	1.1	7.3	7.3	7.3	20.9	20.9	34.5	34.5	34.5	34.5
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	0.2	0.6	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
F		0.0	2.9	2.4	2.4	2.2	2.3	0.2	1.8	1.8	1.8	5.3	5.3	8.8	8.8	8.8	10.9
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.4	1.1	0.9	0.6	0.6	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
J		0.0	0.1	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total ORG ANR IQ/HLG		0.0	14.9	12.6	11.5	9.5	15.3	3.8	18.9	18.9	18.9	53.0	53.2	87.1	87.1	87.1	89.3
ORG PART		0.0	0.5	0.1	0.1	0.0	0.5	0.0	1.2	1.2	1.2	3.7	3.7	6.2	6.2	6.2	6.2
A		0.0	1.0	0.2	0.2	0.1	1.2	0.1	2.8	2.8	2.8	8.3	8.3	13.9	13.9	13.9	13.9
B		0.0	0.8	5.5	5.5	5.4	6.0	5.4	6.8	6.8	6.8	9.8	9.8	12.7	12.7	12.7	12.7
D		0.0	1.7	1.8	1.9	1.8	1.8	1.8	1.8	1.8	1.8	2.0	2.0	2.1	2.2	2.2	2.3
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	3.2	2.5	2.4	2.3	2.1	1.9	1.9	1.8	1.8	1.9	2.0	2.1	2.1	2.1	4.3
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
G		0.0	7.4	10.5	10.5	9.9	11.9	9.5	14.9	14.8	14.8	26.1	26.2	37.3	37.3	37.3	39.6
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	2.3
SALT WASTE		0.0	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	2.5
B		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
G		0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total SALT WASTE		0.1	2.2	50.1	50.1	50.1	50.1	50.0	50.0	50.0	50.0	50.0	50.1	50.1	50.1	50.1	52.3
SH CONCRETE		0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactive, D=Hazard w/o Hg, E=Hazard w Hg, F=Organics, G=State Reg., H=PCR < 50ppm, J=PCR > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total SH CONCRETE		0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D		0.0	4.6	3.5	20.6	3.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
DF		0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DFG		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
DG		0.0	1.2	1.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
F		0.0	1.4	1.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
FG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
G		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total SH LEAD		0.0	8.7	6.9	23.2	5.6	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
SH STEEL		0.0	29.6	192.7	517.4	319.2	427.1	470.8	555.7	642.5	689.1	1568.8	1427.2	1671.9	1944.6	1906.3	2276.1
Total SH STEEL		0.0	29.6	192.7	517.4	319.2	427.1	470.8	555.7	642.5	689.1	1568.8	1427.2	1671.9	1944.6	1906.3	2276.1
UNKNOWN		0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		213.5	1.1	1.1	1.1	1.1	1.1	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3
Total UNKNOWN		213.5	1.6	1.6	1.6	1.6	1.6	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3	310.3
Total CH LUM		292.4	1449.0	1700.0	4072.2	3368.6	4238.9	5141.0	5367.8	5209.8	5692.0	6519.5	6566.1	7301.3	7627.9	7590.7	7745.2
Waste Category: CH TRU																	
CONT SOIL	NONE	0.0	35.5	0.0	11.3	11.3	34.0	17.0	5.6	39.7	51.1	34.0	22.7	22.7	22.7	28.3	28.3
Total CONT SOIL		0.0	35.5	0.0	11.3	11.3	34.0	17.0	5.6	39.7	51.1	34.0	22.7	22.7	22.7	28.3	28.3
D-COMBUST	NONE	13.3	58.2	52.0	51.2	49.7	49.7	49.7	48.5	48.5	48.5	49.3	98.4	129.7	47.3	47.3	82.5
Total D-COMBUST		13.3	58.2	52.0	51.2	49.7	49.7	49.7	48.5	48.5	48.5	49.3	98.4	129.7	47.3	47.3	82.5
D-HET	NONE	55.8	4.7	60.7	0.3	0.3	0.3	28.7	0.9	1.5	1.5	4.3	52.6	89.4	23.0	23.0	37.6
Total D-HET		55.8	4.7	60.7	0.3	0.3	0.3	28.7	0.9	1.5	1.5	4.3	52.6	89.4	23.0	23.0	37.6
D-IN NON-HTL	NONE	0.0	6.6	210.6	55.7	55.7	165.8	182.3	30.1	197.3	252.4	173.7	190.1	190.1	190.1	217.6	220.5
Total D-IN NON-HTL		0.0	6.6	210.6	55.7	55.7	165.8	182.3	30.1	197.3	252.4	173.7	190.1	190.1	190.1	217.6	220.5
D-HETAL	NONE	0.0	47.0	36.5	87.8	86.3	196.4	113.8	58.7	223.9	279.0	199.3	218.9	295.8	141.3	168.9	174.7
Total D-HETAL		0.0	47.0	36.5	87.8	86.3	196.4	113.8	58.7	223.9	279.0	199.3	218.9	295.8	141.3	168.9	174.7
D-SOIL	NONE	0.0	2.7	0.0	0.8	0.8	2.6	1.3	0.4	3.0	3.9	2.6	1.7	1.7	1.7	2.2	2.2
Total D-SOIL		0.0	2.7	0.0	0.8	0.8	2.6	1.3	0.4	3.0	3.9	2.6	1.7	1.7	1.7	2.2	2.2
IN ORG LQ/SLG	NONE	0.0	2.1	7.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total IN ORG LQ/SLG		0.0	2.1	7.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
IN ORG PART	NONE	1.4	1.2	15.9	0.6	0.6	0.6	7.7	0.6	0.8	0.8	1.1	6.2	6.0	6.0	6.0	6.0
Total IN ORG PART		1.4	1.2	15.9	0.6	0.6	0.6	7.7	0.6	0.8	0.8	1.1	6.2	6.0	6.0	6.0	6.0
LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	NONE	0.0	0.4	14.8	0.0	0.0	0.0	7.0	0.1	0.2	0.2	0.5	5.6	5.6	5.6	5.6	5.6
Total ORG PART		0.0	0.4	14.8	0.0	0.0	0.0	7.0	0.1	0.2	0.2	0.5	5.6	5.6	5.6	5.6	5.6
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CHL TRU		70.7	158.8	398.0	210.3	207.2	452.0	410.0	147.5	517.6	640.0	467.3	598.6	743.5	440.3	501.5	560.1
Waste Category: CH TRU																	
CONT SOIL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-CORRUPT	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	R	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORRUPT		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	22.9	23.1	30.7	22.9	22.9	27.1	23.1	23.1	23.1	24.7	33.3	36.5	31.3	31.3	31.3
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	22.9	23.1	30.7	22.9	22.9	28.5	23.1	23.1	23.1	25.1	34.0	39.4	34.2	34.2	48.8
D-IN NON-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
D		0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.2	0.6	2.5	2.5	2.5	3.4
F		0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3
Total D-IN NON-MTL		0.0	0.0	0.1	0.0	0.0	0.0	2.8	0.1	0.1	0.1	0.5	1.4	5.6	5.6	5.6	8.5
D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.1	0.2	0.1	0.1	0.1	1.3	0.2	0.2	0.2	0.3	0.7	2.6	2.6	2.6	8.5
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.1	0.2	0.1	0.1	0.1	2.9	0.2	0.2	0.2	0.7	1.5	5.8	5.8	5.8	11.6
D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
II		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAR/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAR/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=FCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

FWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.6	1.6	1.6
D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
TotalORG PART	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	2.8	2.8	2.8
TotalCH_TRUH	0.0	24.2	26.5	31.8	23.7	23.7	23.7	79.9	26.0	26.0	26.0	35.6	59.8	141.7	136.5	136.5	195.1
Waste Category: HAZ																	
BATTERIES																	
AB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	0.0	5.9	6.0	5.9	5.7	5.7	5.6	2.3	2.5	2.4	2.4	2.2	2.4	2.4	2.4	2.4	2.6
BC	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
BD	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BDF	0.0	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
BDG	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
RE	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
BEG	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
RG	0.0	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.6	0.8	1.0	1.2
D	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.1	0.3	0.3	0.3	0.3	0.5
DG	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
E	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total BATTERIES	0.0	13.1	13.2	13.1	12.9	12.9	12.9	7.4	7.7	7.6	7.7	7.6	8.0	8.0	8.1	8.3	9.0
CONT SOIL																	
A	0.0	0.2	0.3	0.3	0.3	0.3	0.4	1.2	5.2	6.9	10.8	19.7	19.7	19.7	14.7	9.8	4.9
AETG	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	0.0	0.9	1.1	1.0	0.9	0.9	1.1	2.7	10.7	14.0	21.9	39.4	39.4	39.4	29.5	19.7	9.8
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	0.0	0.8	1.0	1.0	1.0	1.0	1.3	3.4	13.9	18.4	28.9	52.6	52.6	52.6	39.4	26.3	13.1
F	0.0	5.4	5.5	6.2	5.4	5.4	5.5	6.0	8.7	9.8	12.4	18.3	18.3	18.3	15.0	11.7	8.4
G	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2
H	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.4	1.7	2.3	3.6	6.5	6.5	6.5	4.9	3.2	1.6
Total CONT SOIL	0.0	8.2	9.9	9.5	8.6	8.6	9.1	14.4	40.8	51.9	78.2	137.1	137.1	136.9	104.0	71.2	38.3
D-COMBUST																	
A	0.0	4.0	4.3	4.2	3.6	3.6	3.7	4.0	5.6	6.0	7.2	8.4	9.3	9.9	10.0	10.4	11.3
ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABDF	0.0	6.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
ABETG	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AC	0.0	0.7	0.7	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AETG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	5.1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
AFG	0.0	0.2	0.3	0.4	0.5	0.5	0.6	0.8	1.0	1.3	1.6	2.1	2.6	3.3	4.1	5.1	6.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Req., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
AG	0.0	0.0	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6	4.6
B	0.0	0.0	0.5	0.5	0.5	0.5	0.6	1.2	4.1	5.4	8.3	14.9	14.9	14.9	11.2	7.6	3.9
BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	0.0	0.0	0.3	0.4	0.4	0.4	0.5	1.1	4.0	5.3	8.2	14.8	14.8	14.8	11.2	7.5	3.8
DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	0.0	0.0	5.5	6.0	4.8	2.9	2.8	2.9	5.5	4.2	4.8	3.0	3.0	3.0	2.3	1.5	0.8
G	0.0	0.0	9.3	9.8	9.5	9.3	9.3	9.3	9.3	9.3	9.3	9.4	9.5	9.5	9.5	9.5	9.8
GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.2	0.3	0.7	0.7	0.7	0.5	0.3	0.1
J	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORRUPT	0.0	0.0	38.8	37.6	35.9	33.1	33.0	34.7	45.2	46.3	54.4	67.9	69.4	70.8	63.4	56.5	50.7
D-INT	0.1	1.5	1.5	1.5	1.9	1.4	1.3	1.2	1.1	1.0	1.0	0.9	0.8	0.8	0.8	0.8	0.9
AG	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
B	0.0	0.3	0.5	0.5	0.9	0.5	0.4	0.5	0.9	1.1	1.6	2.6	2.6	2.6	2.0	1.5	0.9
C	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
D	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.3	1.9	2.2	2.9	4.4	4.3	4.3	3.5	2.6	1.8
F	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FG	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
G	0.0	5.1	5.6	5.3	5.1	5.1	5.1	5.0	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	5.0
H	0.0	1.6	1.5	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.3
UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET	0.2	13.9	14.5	14.5	15.0	13.8	13.5	13.5	14.4	14.5	15.5	18.0	17.9	17.9	16.5	15.1	13.7
D-IN NON-INTL	0.0	0.0	0.2	0.2	0.8	0.2	0.0	0.1	0.7	1.0	1.5	2.8	2.8	2.8	2.1	1.4	0.7
ABCEG	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
B	0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.7	3.0	3.9	6.2	11.3	11.4	11.4	8.6	5.7	3.0
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
D	0.0	1.1	1.4	1.4	1.4	1.4	1.5	1.0	3.3	4.2	6.5	11.6	11.6	11.6	8.8	5.9	3.2
F	0.0	0.6	0.7	0.7	0.7	0.7	0.7	0.8	1.4	1.6	2.2	3.4	3.4	3.4	2.7	2.0	1.3
G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Total D-IN NON-INTL	0.0	3.6	4.2	4.2	4.9	4.2	4.2	4.4	10.1	12.5	18.2	31.0	31.2	31.1	24.0	16.9	10.1
D-METAL	0.0	0.4	0.6	0.6	1.2	0.6	0.5	0.6	1.1	1.4	1.9	3.2	3.2	3.2	2.5	1.8	1.1
ABCEG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ARG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metal w/o Hg, F=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=FCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

FME	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
B		0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.7	3.0	3.9	6.2	11.3	11.3	6.5	5.6	2.8
BHG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BIG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	1.4	1.5	1.2	1.2	1.0	1.4	3.6	4.6	6.9	12.0	12.0	12.0	9.2	6.4	3.6
DG		0.0	13.7	17.1	21.4	26.8	33.5	41.8	52.3	65.4	81.8	102.2	127.8	159.8	199.7	249.7	312.1
EG		0.0	0.5	0.7	0.8	1.1	1.3	1.7	2.1	2.7	3.3	4.2	5.2	6.6	8.2	10.3	12.9
F		0.0	0.7	0.7	0.7	0.7	0.5	0.6	1.2	1.3	1.9	3.2	3.2	3.2	2.4	1.7	1.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
GU		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
H		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
J		0.0	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	20.2	24.1	28.9	33.9	40.3	50.1	66.7	82.6	105.3	139.3	166.0	199.3	233.8	278.7	336.7
D-COIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.8	1.5	1.5	1.5	1.1	0.7	0.3
A		0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	1.0	1.7	3.0	3.0	3.0	2.2	1.5	0.7
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	1.4	2.2	4.0	4.0	4.0	3.0	2.0	1.0
D		0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.6	0.6	0.8	1.3	1.3	1.3	1.0	0.8	0.5
F		0.0	0.3	0.3	0.4	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
G		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.5	0.5	0.3	0.2	0.1
Total D-SOIL		0.0	0.6	0.7	0.7	0.7	0.7	1.1	3.2	4.0	6.1	10.6	10.6	10.6	8.0	5.5	2.9
EXPLOSIVES		0.0	3.7	3.2	5.4	4.2	2.8	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
ABDF		0.0	2.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
B		0.0	0.4	0.0	2.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.4	0.4	0.3	0.2	0.2	0.2	0.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Total EXPLOSIVES		0.0	6.6	6.0	10.4	7.8	5.3	3.0	3.2	3.1	3.1	2.7	2.7	2.7	2.7	2.7	2.7
IN ORG LIQ/SLG		0.0	1.5	1.5	0.9	0.9	0.9	0.8	0.8	0.8	0.5	0.5	0.4	0.4	0.4	0.4	0.4
A		0.0	3.4	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
ABDF		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
AEFG		0.0	6.9	8.7	10.9	13.6	17.0	21.2	26.6	33.2	41.5	51.9	64.9	81.2	101.5	126.8	158.6
B		0.0	0.7	0.7	0.9	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
BG		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
C		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D		1.4	1.6	1.5	1.5	1.3	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.6	0.6	0.6	0.6
F		0.0	0.9	1.0	0.8	0.4	0.4	0.4	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
G		0.4	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.5	1.5	1.6	1.6	1.6	1.6	1.6	1.6

HCD Codes: A=Inertables, B=Corrosives, C=Reactive, D=Metals w/o liq, E=Metals w liq, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total IN ORG LQ/SLG		1.9	19.4	21.4	23.0	25.0	28.0	32.0	37.7	44.0	51.9	61.7	75.1	91.3	111.6	137.0	169.4
IN ORG PART																	
A		0.0	2.0	1.9	1.9	1.9	1.9	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
ABCG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
B		0.0	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4
BDG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	1.3	1.3	1.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
D		0.0	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	2.1	1.9	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9	2.0	1.9	1.9	1.9	2.0
GJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	6.9	6.3	6.2	6.2	6.2	4.6	4.6	4.6	4.6	4.7	4.8	4.8	4.8	4.8	5.0
LAB/CONT LQ																	
A		0.0	1.8	2.0	2.0	2.0	2.2	4.0	12.9	16.7	25.7	45.7	45.7	45.7	34.6	23.4	12.3
AB		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
ABDF		0.0	12.0	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2
ABDFG		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
ABDFG		0.0	3.2	3.7	3.2	3.2	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
ABEG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADFG		0.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
ADG		0.0	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
AFG		0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
AG		0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
B		0.0	6.5	6.7	6.7	6.7	7.0	9.0	18.9	23.1	33.0	55.4	55.7	55.7	43.3	30.9	18.8
BD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BDG		0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
BEG		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
BG		0.0	4.7	5.0	5.4	5.9	6.6	7.5	8.6	10.0	11.7	13.9	16.6	20.0	24.2	29.4	36.0
BGJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.7
D		0.0	1.1	1.5	1.5	1.5	1.9	4.8	19.7	26.0	40.9	74.4	74.4	74.4	55.8	37.2	18.6
DG		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
E		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

HCD Codes: A=Ignitable, B=Corrosive, C=Reactive, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
EG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
F		0.0	1.0	1.1	1.1	1.1	1.2	2.0	5.9	7.6	11.6	20.8	21.4	21.4	16.4	11.5	7.3
FG		0.0	0.4	0.5	0.6	0.7	0.9	1.1	1.4	1.7	2.1	2.7	3.3	4.1	5.1	6.4	8.0
G		0.0	18.0	17.9	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8	17.8
H		0.0	0.1	0.1	0.1	0.1	0.2	0.6	2.6	3.4	5.4	9.9	10.0	10.0	7.6	5.1	2.8
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.3
Total LAB/CONT LQ		0.0	59.9	62.8	62.5	63.2	62.5	71.5	112.5	131.1	172.9	265.4	269.9	273.9	229.6	186.5	146.8
LEAD																	
ADF		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
BDG		0.0	0.3	0.4	0.5	0.6	0.7	0.9	1.2	1.5	1.9	2.3	2.9	3.7	4.6	5.8	7.3
D		0.0	0.5	0.6	0.6	0.6	0.7	1.2	4.1	4.9	7.8	14.1	14.1	14.1	10.6	7.0	3.5
E		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
G		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	1.9	2.1	2.2	2.3	2.5	3.3	6.4	7.5	10.7	17.6	18.2	18.9	16.3	13.9	11.9
MERCURY																	
C		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
E		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4
Total MERCURY		0.0	1.1	1.2	1.2	1.2	1.2	1.2	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.0	1.0
ORG ABS LQ/SLG A																	
ABDF		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
AEFG		0.0	6.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
AF		0.0	12.5	15.6	19.6	24.5	30.6	38.3	47.9	59.8	74.8	93.5	116.9	146.1	192.7	228.4	285.5
AFG		0.0	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
AG		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
F		0.4	5.1	5.0	4.5	3.9	3.8	3.2	3.4	3.1	2.9	2.1	2.1	2.1	2.1	2.1	2.3
FG		0.0	5.0	5.0	5.1	5.2	5.4	5.6	5.8	6.0	6.4	6.8	7.3	8.0	8.8	9.9	11.2
G		0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.6	1.6	1.6	1.6
J		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.4	33.6	37.4	40.9	45.3	51.3	58.6	68.6	79.8	94.9	113.3	137.2	166.9	204.2	251.0	309.6
ORG PART																	
A		0.0	0.2	0.3	0.3	0.3	0.4	1.1	4.5	5.9	9.3	17.0	17.0	17.0	12.7	8.5	4.2
ABDF		0.0	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
B		0.0	0.5	0.6	0.6	0.6	0.8	2.2	9.0	11.8	18.6	33.9	33.9	33.9	25.4	16.9	8.4
C		0.0	0.7	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D		0.0	0.6	0.9	0.9	0.9	1.1	2.9	12.0	15.8	24.9	45.3	45.3	45.3	31.9	22.6	11.3
F		0.0	0.1	0.2	0.2	0.2	0.3	0.7	3.0	3.9	6.2	11.4	11.5	11.5	8.7	5.9	3.3
G		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
H		0.0	0.0	0.1	0.1	0.1	0.1	0.3	1.5	1.9	3.1	5.6	5.6	5.6	4.2	2.8	1.4
Total ORG PART		0.0	0.4	5.2	5.2	5.2	5.8	9.5	32.1	41.8	64.5	115.5	115.7	115.6	87.2	58.9	30.8
REAC METALS	ARG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
C		0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.7
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total REAC METALS		0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.8	0.8	0.8	0.9	0.9	0.9	0.9	0.9
SALT WASTE	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.4
G		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0
Total SALT WASTE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.5
UNKNOWN	A	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
B		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
F		0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total UNKNOWN		0.0	1.3	1.3	1.6	1.3	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Total IIAZ		2.7	235.9	249.0	263.3	266.7	279.8	312.5	457.4	535.2	691.7	996.5	1068.2	1152.7	1116.4	1111.1	1142.0
Waste Category: RH ILW																	
D-CORRUST	NONE	0.0	21.4	16.5	16.5	16.5	16.5	16.5	4.9	2.7	2.7	4.9	7.9	7.9	7.9	7.9	26.9
Total D-CORRUST		0.0	21.4	16.5	16.5	16.5	16.5	16.5	4.9	2.7	2.7	4.9	7.9	7.9	7.9	7.9	26.9
D-HET	NONE	0.0	103.9	102.2	102.2	102.2	102.2	66.9	61.6	61.6	61.6	63.1	45.7	45.7	45.7	45.7	58.4
Total D-HET		0.0	103.9	102.2	102.2	102.2	102.2	66.9	61.6	61.6	61.6	63.1	45.7	45.7	45.7	45.7	58.4
D-IN NON-HTL	NONE	0.8	80.7	42.8	42.8	40.3	30.2	7.4	57.0	170.3	283.6	511.7	683.8	1080.4	1477.0	1420.4	1319.7
Total D-IN NON-HTL		0.8	80.7	42.8	42.8	40.3	30.2	7.4	57.0	170.3	283.6	511.7	683.8	1080.4	1477.0	1420.4	1319.7
D-METAL	NONE	0.0	48.3	82.6	82.6	74.0	37.1	8.2	0.8	0.8	0.8	7.3	17.2	17.2	17.2	17.2	74.3
Total D-METAL		0.0	48.3	82.6	82.6	74.0	37.1	8.2	0.8	0.8	0.8	7.3	17.2	17.2	17.2	17.2	74.3
D-SOIL	NONE	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG IQ/SUG	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	339.9	566.5	1019.8	1359.7	2152.9	2946.1	2832.8	2606.2
Total IN ORG IQ/SUG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	339.9	566.5	1019.8	1359.7	2152.9	2946.1	2832.8	2606.2
LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SIG	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	339.9	566.5	1019.8	1359.7	2152.9	2946.1	2832.8	2606.2
Total ORG ABS LQ/SIG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	113.3	339.9	566.5	1019.8	1359.7	2152.9	2946.1	2832.8	2606.2
ORG PART	NONE	0.0	3.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Total ORG PART		0.0	3.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
SH CONCRETE	NONE	0.0	53.4	52.5	52.5	38.1	38.1	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH CONCRETE		0.0	53.4	52.5	52.5	38.1	38.1	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH STEEL	NONE	0.0	7.8	8.9	8.9	8.4	8.4	8.4	1.2	0.7	0.7	0.7	1.8	1.8	1.8	1.8	8.1
Total SH STEEL		0.0	7.8	8.9	8.9	8.4	8.4	8.4	1.2	0.7	0.7	0.7	1.8	1.8	1.8	1.8	8.1
UNKNOW	NONE	1022.3	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOW		1022.3	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total HUI_LIM		1023.1	322.4	307.5	307.5	281.4	234.4	90.4	350.5	917.1	1483.6	2631.3	3483.1	5466.1	7449.1	7165.9	6726.2

Waste Category: RH_LIM

BATTERIES	BD	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-CORRUST	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.8	0.8	2.5	2.5	4.2	4.2	4.2	4.2
	ARG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.1	0.1	0.1	0.1	0.1	0.1	3.3	3.3	3.3	10.2	10.2	16.9	16.9	16.9	16.9
	C	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.2	0.2	0.2	0.2	0.2	0.2	4.2	4.2	4.2	12.7	12.7	21.2	21.2	21.2	21.2
	DF	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	F	0.0	8.6	2.7	2.7	2.7	2.7	2.7	5.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-COMPOST		G	0.0	0.3	0.3	4.1	4.1	4.1	14.5	9.1	9.1	26.1	26.1	43.1	43.1	43.1	43.1
D-HET		A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		ABC	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		ATG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		F	0.0	1.2	1.1	1.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		G	0.0	0.1	0.9	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	1.7	2.4	2.4	2.4	2.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D-IN NON-HTL		A	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.8	2.5	2.5	4.2	4.2	4.2	4.2
		ARG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		ATG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		C	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	3.3	10.2	10.2	16.9	16.9	16.9	16.9
		D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		DF	0.0	0.1	0.0	0.0	0.0	0.0	3.8	3.8	3.8	11.5	11.5	19.1	19.1	19.1	19.1
		DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		DG	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
		F	0.0	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.5	1.4	1.4	2.2	2.2	2.2	2.2
		FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	1.5	1.2	1.1	1.1	1.1	8.9	8.9	8.9	25.9	25.9	42.9	42.9	42.9	42.9
D-METAL		A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		B	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	3.3	10.2	10.2	16.9	16.9	16.9	16.9
		C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		D	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.8	3.8	11.4	11.4	19.1	19.1	19.1	19.1
		DF	0.0	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	5.6	5.6	11.3	5.6	5.6	5.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCR > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
E		0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	26.4	3.2	3.2	3.2	3.2	3.2	28.2	1.2	1.2	3.8	3.8	6.3	6.3	10.9	10.9
II		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	26.4	3.3	9.0	9.0	9.0	14.6	46.7	19.8	19.8	31.1	31.1	53.8	48.1	52.6	52.6
D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SUG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SUG		0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
IN ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BEFG		0.0	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DF		0.0	0.0	0.0	0.0	0.0	0.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.6	0.6	0.6	0.6	0.6	8.6	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
LEAD	D	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNIDENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
HERCURI	E	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SUG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DF	0.0	0.0	0.0	0.7	0.7	0.7	1.4	1.4	1.4	1.4	0.7	0.7	1.4	0.7	0.7	0.7
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	11.7	0.1	0.1	0.1	0.1	0.1	10.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SUG		0.0	11.9	0.2	0.9	0.9	0.9	1.6	12.3	1.5	1.5	0.8	0.8	1.5	0.8	3.0	3.0
ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	5.9	5.9	17.8	17.8	29.7	29.7	29.7	29.7
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.7	23.7	23.7	71.4	71.4	118.9	118.9	118.9	118.9
	BEFG	0.0	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.7	26.7	26.7	80.3	80.3	133.8	133.8	133.8	133.8
	F	0.0	0.1	0.1	0.1	0.1	0.1	0.1	2.9	2.9	2.9	8.9	8.9	14.8	14.8	14.8	14.8
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	0.6	0.6	0.6	0.6	0.6	0.7	60.0	60.0	60.0	179.1	179.1	297.9	297.9	297.9	297.9
SALT WASTE	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SALT WASTE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	1.2	1.1	1.1	1.1	1.1	4.6	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	F	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hq, E=Metals w Hq, F=Organics, G=State Req., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total SH LEAD		0.0	1.8	1.6	1.5	1.5	4.9	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
SH STEEL	D	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DF	DF	0.0	0.0	0.0	0.7	0.7	1.4	1.4	1.4	1.4	1.4	0.7	1.4	0.7	0.7	0.7
F	F	0.0	13.0	0.0	0.0	0.0	0.0	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	UNKNOWN	0.0	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total SH STEEL		0.0	13.3	0.4	1.2	1.2	1.9	23.2	1.7	1.7	1.7	1.0	1.7	1.0	1.0	1.0
SH VOID	DF	0.0	0.0	0.0	7.1	7.1	14.1	14.1	14.1	14.1	14.1	7.1	14.1	7.1	7.1	7.1
F	F	0.0	62.3	0.0	0.0	0.0	0.0	43.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH VOID		0.0	62.3	0.0	7.1	7.1	14.1	57.2	14.1	14.1	14.1	7.1	14.1	7.1	7.1	7.1
UNKNOWN	UNKNOWN	242.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		242.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total RI LHM		242.2	135.4	19.5	33.1	33.1	58.8	236.2	128.4	128.4	284.4	284.4	468.3	454.2	498.9	498.9
Waste Category: RH TRU																
D-CORRUPT	NONE	0.0	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	10.7
Total D-CORRUPT		0.0	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	10.7
D-HET	NONE	1.0	51.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9
Total D-HET		1.0	51.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9
D-IN NON-HTL	NONE	4.0	0.3	2.8	0.3	15.4	14.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	5.3
Total D-IN NON-HTL		4.0	0.3	2.8	0.3	15.4	14.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	5.3
D-METAL	NONE	0.0	11.7	2.0	2.0	2.0	2.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	21.1
Total D-METAL		0.0	11.7	2.0	2.0	2.0	2.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	21.1
IN ORG PART	NONE	0.0	0.0	0.0	0.0	8.8	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.0	0.0	0.0	8.8	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	NONE	0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	NONE	0.0	2.9	2.1	2.1	3.3	3.2	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	6.4
Total SH LEAD		0.0	2.9	2.1	2.1	3.3	3.2	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	6.4
SH STEEL	NONE	0.0	0.1	0.1	0.1	6.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9
Total SH STEEL		0.0	0.1	0.1	0.1	6.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste Category	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
UNKNOWN	NONE	696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		696.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total RI TRU		701.6	74.2	8.2	5.4	30.6	28.5	28.5	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	53.7
Waste Category: RH TRUM																	
CONT SOIL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.4	0.3
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.8	1.8	1.3	0.9
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2	2.2	1.6	1.1
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.3	0.2
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	5.2	5.2	5.2	3.9	2.6
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.4	1.4	1.4	1.0	6.3
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	5.6	5.6	5.6	4.2	2.8
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	6.7	6.7	5.0	3.4
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.2	0.1
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	14.3	14.3	14.3	14.3	10.8	18.5
D-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.8	2.8	2.8	2.1	1.4
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	8.4	8.4	8.4	6.3	4.2
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8

HCD Codes: A=Ignitable, B=Corrosive, C=Reactive, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
UNKNOWN																	
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL																	
D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN																	
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG																	
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART																	
BEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metal w/o Hg, E=Metal w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, I=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PMT	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.2	1.2	0.9	0.6
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	8.5	5.6
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3	11.3	11.3	11.3	8.5	5.6
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	16.9	16.9	16.9	12.7	8.5
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.6	22.6	22.6	22.6	17.0	11.3
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	5.6	5.6	5.6	4.2	2.8
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.7	56.7	56.7	56.7	42.5	28.4
ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.7	0.4
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.2	0.8
REFG		0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0
Total ORG PART		0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	4.0	4.0	4.0	4.0	2.1	1.4
SH LEAD	D	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
Total SH LEAD		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0
SH STEEL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
Total SH STEEL		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0
SH VOID	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH VOID		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH THIN		0.0	4.5	4.7	11.8	11.8	11.8	11.8	11.8	4.7	4.7	118.0	118.0	118.0	113.8	85.5	113.3
Grand Total		7207.0	14973.0	14309.2	18865.1	10778.9	12214.2	24850.7	33001.4	81111.7	103669.9	141175.2	185795.7	204412.5	227185.1	151056.5	79374.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste Category: CH_LMW	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
CONT SOIL	1249.1	813.6	803.2	795.5	761.8	763.4	486.0	450.4	452.7	455.1	457.6	460.3	463.0	466.0	469.0	186884.6 100.0
Total CONT SOIL	1249.1	813.6	803.2	795.5	761.8	763.4	486.0	450.4	452.7	455.1	457.6	460.3	463.0	466.0	469.0	186884.6 100.0
D-COMBUST	2164.6	2161.4	2163.8	2161.6	2165.7	2169.9	2192.6	2192.6	2160.7	2160.7	2138.0	2138.0	2138.0	2130.3	2130.3	58168.6 100.0
Total D-COMBUST	2164.6	2161.4	2163.8	2161.6	2165.7	2169.9	2192.6	2192.6	2160.7	2160.7	2138.0	2138.0	2138.0	2130.3	2130.3	58168.6 100.0
D-HET	1187.2	1192.0	1200.1	1535.5	1544.4	1548.8	1568.7	1609.2	1619.9	1602.0	1604.8	1617.9	1631.6	1319.5	1334.6	39749.0 100.0
Total D-HET	1187.2	1192.0	1200.1	1535.5	1544.4	1548.8	1568.7	1609.2	1619.9	1602.0	1604.8	1617.9	1631.6	1319.5	1334.6	39749.0 100.0
D-IN NON-HTL	13553.4	6543.7	5025.6	1933.7	14222.0	14222.0	467.0	500.0	487.4	461.3	455.4	459.4	463.5	467.4	472.0	804862.6 100.0
Total D-IN NON-HTL	13553.4	6543.7	5025.6	1933.7	14222.0	14222.0	467.0	500.0	487.4	461.3	455.4	459.4	463.5	467.4	472.0	804862.6 100.0
D-METAL	923.7	931.1	952.3	7916.1	7933.9	7947.3	8013.6	8264.0	8258.2	8038.5	8003.3	8023.5	8044.6	1107.6	1130.9	101584.4 100.0
Total D-METAL	923.7	931.1	952.3	7916.1	7933.9	7947.3	8013.6	8264.0	8258.2	8038.5	8003.3	8023.5	8044.6	1107.6	1130.9	101584.4 100.0
D-SOIL	106.1	80.8	81.4	85.3	86.7	91.0	95.5	100.2	105.2	110.4	115.9	121.6	127.7	134.0	140.7	15121.2 100.0
Total D-SOIL	106.1	80.8	81.4	85.3	86.7	91.0	95.5	100.2	105.2	110.4	115.9	121.6	127.7	134.0	140.7	15121.2 100.0
IN ORG LQ/SLG	3155.0	2282.9	1425.5	1426.7	570.5	571.9	465.6	466.9	467.7	469.2	470.8	472.5	474.2	476.1	478.0	99372.8 100.0
Total IN ORG LQ/SLG	3155.0	2282.9	1425.5	1426.7	570.5	571.9	465.6	466.9	467.7	469.2	470.8	472.5	474.2	476.1	478.0	99372.8 100.0
IN ORG PART	46.0	46.0	46.0	46.0	46.0	46.0	46.0	46.0	45.9	45.9	45.9	45.9	45.9	45.9	45.9	1686.9 100.0
Total IN ORG PART	46.0	46.0	46.0	46.0	46.0	46.0	46.0	46.0	45.9	45.9	45.9	45.9	45.9	45.9	45.9	1686.9 100.0
LAB/CONT LQ	29.0	13.2	11.6	11.7	10.3	10.5	10.7	10.9	11.1	11.3	11.6	11.8	12.1	12.3	12.6	6767.4 100.0
Total LAB/CONT LQ	29.0	13.2	11.6	11.7	10.3	10.5	10.7	10.9	11.1	11.3	11.6	11.8	12.1	12.3	12.6	6767.4 100.0
LEAD	3.8	0.6	0.3	4.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0	1306.6 100.0
Total LEAD	3.8	0.6	0.3	4.3	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0	1306.6 100.0
ORG ABS LQ/SLG	2620.9	1747.9	889.5	889.7	32.4	32.5	49.7	35.8	36.0	50.3	33.6	33.8	34.1	34.3	34.6	84735.7 100.0
Total ORG ABS LQ/SLG	2620.9	1747.9	889.5	889.7	32.4	32.5	49.7	35.8	36.0	50.3	33.6	33.8	34.1	34.3	34.6	84735.7 100.0
ORG PART	48.3	48.2	48.5	48.7	49.0	49.6	49.4	49.6	49.1	49.3	49.9	49.8	50.1	50.3	50.6	1513.6 100.0
Total ORG PART	48.3	48.2	48.5	48.7	49.0	49.6	49.4	49.6	49.1	49.3	49.9	49.8	50.1	50.3	50.6	1513.6 100.0
UNKNOWN	0.7	0.7	0.7	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	0.7	0.7	1442.9 100.0
Total UNKNOWN	0.7	0.7	0.7	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	142.8	0.7	0.7	1442.9 100.0
Total CH_LMW	25088.3	15862.7	12649.0	16998.2	27570.1	27600.3	13592.2	13873.1	13841.2	13601.5	13534.1	13581.0	13632.2	6244.9	6300.4	1403196.9

Waste Category: CH_LMW

BATTERIES	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	9.3 20.8
BD	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.1 13.6
D	1.0	1.0	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	29.2 65.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hq, E=Metals w Hq, F=Organics, G=State Req., H=PCR < 50ppm, J=PCR > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WTE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Est
Total/ITERIES		1.7	1.7	1.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	41.6100.0
BERYLLIUM		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.2	0.2	0.2	0.2	0.2	30.3100.0
Total/BERYLLIUM		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.2	0.2	0.2	0.2	0.2	30.3100.0
CONT SOIL																	
A		2.3	1.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.6 0.0
AC		3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	92.4 0.1
AEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 0.0
B		1284.9	890.2	568.1	566.2	565.7	565.7	558.7	558.7	551.6	14.0	7.0	7.0	7.0	7.0	0.0	23034.2 42.3
D		1287.4	892.0	569.6	567.5	567.0	567.0	559.9	559.9	552.9	15.3	8.3	8.3	8.3	1.2	1.2	23902.0 43.8
DF		88.9	90.2	91.5	92.8	94.8	96.7	96.7	96.7	93.7	83.7	83.7	83.7	83.7	83.7	83.7	2622.5 4.8
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 0.0
F		78.7	78.1	77.8	77.5	77.5	77.5	77.5	77.5	77.5	77.5	77.5	77.5	77.5	77.5	77.5	3156.7 5.7
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1592.5 2.9
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 0.0
Total/CONT SOIL		2745.8	1955.2	1311.1	1307.6	1308.4	1310.3	1296.3	1296.3	1269.1	193.9	179.9	179.9	179.9	165.8	165.8	54453.0 100.0
D-CORRUPT																	
A		7.2	6.1	5.6	5.1	5.0	5.0	5.5	6.4	6.4	5.5	5.0	5.0	5.0	5.0	5.0	139.9 3.1
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 0.0
AC		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.4 0.1
AEFG		0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6 0.1
AFG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.8 0.0
AG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.7 0.2
B		8.9	4.5	2.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	152.1 3.4
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.0
D		18.1	12.5	9.8	7.5	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	478.7 10.8
DF		115.3	125.2	135.1	144.9	159.7	174.5	174.5	174.5	75.9	75.9	75.9	75.9	75.9	75.9	75.9	3006.8 67.8
DFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.7 0.2
DG		1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	54.4 1.2
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.0
F		16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	16.6	489.7 11.0
FG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.7 0.1
G		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.5 0.3
UNKNOWN		0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	40.1 0.9
Total/D-CORRUPT		170.2	169.0	171.4	180.1	193.6	208.6	209.1	209.9	111.3	110.5	110.0	110.0	110.0	109.5	108.5	4429.8 100.0
D-HET																	
A		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	23.2 1.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 0.1
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o liq, E=Metals w liq, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2 0.1
	C	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	25.6 1.1
	D	12.2	11.8	11.6	11.5	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	461.4 20.2
	DF	17.7	18.2	18.6	19.0	19.7	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	678.0 29.7
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9 0.7
	DG	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	403.5 21.2
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	F	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	145.1 6.3
	FG	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	28.7 1.2
	G	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	381.0 16.7
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.9 1.1
TotalD-HET		47.0	47.0	50.6	50.0	50.6	52.3	48.9	48.9	48.0	44.6	44.6	48.0	44.6	42.0	42.0	2280.7 100.0
D-IN NON-HTL		2.6	1.2	0.7	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	46.3 1.6
	ARG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 0.0
	AC	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	77.5 2.7
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 0.0
	AG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.6 0.2
	B	11.8	6.7	4.1	2.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	205.2 7.3
	C	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	8.5 0.3
	D	15.1	9.4	6.5	4.2	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	351.1 12.5
	DF	48.0	49.0	50.0	51.1	52.6	54.1	54.1	54.1	44.0	44.0	44.0	44.0	44.0	44.0	44.0	1394.6 49.7
	DFG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.6 0.2
	DG	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	37.1 1.3
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 0.0
	F	11.6	11.0	10.7	10.4	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	361.4 12.8
	FG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.3 0.1
	G	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	299.4 10.6
	GH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
TotalD-IN NON-HTL		97.8	85.9	80.7	76.5	76.8	78.2	78.4	78.2	68.2	68.1	68.2	68.1	68.2	68.1	68.2	2805.4 100.0
D-METAL		0.2	0.2	0.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	17.8 0.0
	A	2.1	1.2	0.9	0.6	0.6	0.7	0.8	0.4	0.4	0.5	0.7	0.8	0.4	0.0	0.0	46.9 0.1
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
	C	62.0	52.5	53.9	81.3	85.6	90.1	98.8	76.6	76.4	69.2	77.9	86.8	60.1	5.5	5.5	2308.8 7.7
	DF	440.8	577.1	632.7	727.7	856.6	959.9	1002.1	1030.0	338.9	385.4	432.3	495.5	570.1	570.1	570.1	12746.5 42.8
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
EF		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 0.0
F		145.0	144.7	192.1	736.8	760.7	784.5	832.0	713.0	713.0	736.8	784.5	832.0	689.3	1.6	1.6	11921.5 40.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	393.1 1.3
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2319.6 7.7
TotalID-METAL		650.4	776.0	880.3	1780.1	1937.1	2068.7	2167.4	2053.7	1362.5	1425.6	1529.0	1608.8	1553.5	577.6	577.7	29761.3 99.9
D-SOIL																	
A		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 0.0
B		99.6	69.0	44.0	43.9	43.8	43.8	43.3	43.3	42.7	1.1	0.5	0.5	0.5	0.0	0.0	1786.1 49.8
D		99.7	69.1	44.1	43.9	43.9	43.9	43.3	43.3	42.8	1.1	0.6	0.6	0.6	0.0	0.0	1789.4 49.9
F		0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.0
TotalID-SOIL		199.7	138.3	88.3	87.9	87.8	87.8	86.7	86.7	85.6	2.3	1.2	1.2	1.2	0.1	0.1	3582.1 100.0
EXPLOSIVES																	
A		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	14.2 95.2
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 3.8
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.9
TotalEXPLOSIVES		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	14.9 100.0
IN ORG LQ/SLG																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 0.7
B		2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	43.6 23.2
C		0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	16.1 8.5
D		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	28.5 15.1
DF		2.4	2.5	2.7	2.8	3.1	3.3	3.3	3.3	1.8	1.8	1.8	1.8	1.8	1.8	1.8	65.7 35.5
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.1
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 1.0
G		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	27.7 14.7
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 0.7
TotalIN ORG LQ/SLG		8.0	8.1	8.3	8.4	8.6	8.9	8.9	8.9	7.4	7.4	7.4	7.4	7.4	7.4	7.4	187.7 100.0
IN ORG PART																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 0.4
ATG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 0.8
AG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.8 2.1
B		3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	49.7 11.8
C		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	24.1 5.7
D		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.0 4.5
DF		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.4 4.6
DFG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.8 2.1
DG		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	49.5 11.7

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hq, E=Metals w Hq, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
EG		0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0
F		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	58.0
FG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.0
G		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	50.4
Total IN ORG PART		13.0	21.5	13.0	21.5	13.0	21.5	13.0	21.5	13.0	21.5	13.0	21.5	13.0	21.5	13.0	419.9
LAB/CONT LQ		15.2	10.6	8.4	6.5	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	343.2
AB		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.0
ABCFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9
ABCFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9
ABCFG		0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	38.8
ADFG		4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	15.2
AFG		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	35.6
AG		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	36.3
B		17.4	11.0	7.9	5.3	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	335.6
BD		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.0
BDE		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9
BG		2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	24.3
C		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	13.8
CG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9
D		17.0	10.6	7.4	4.8	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	338.5
DF		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.9
DFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9
DG		4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	15.2
E		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.4
F		12.0	10.2	9.3	8.6	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	271.3
-FG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	28.2
G		7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	216.8
H		4.9	2.8	1.7	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	82.6
J		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	11.5
Total LAB/CONT LQ		94.0	72.7	62.1	52.5	50.4	47.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0	47.0	3041.0
LEAD		12.1	9.7	8.9	7.9	8.0	7.0	7.3	7.0	7.3	7.0	7.3	7.0	7.3	6.7	7.0	1302.6
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
EH		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
UNKNOWN		0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.1
Total LEAD		12.1	9.7	8.9	8.1	8.2	7.2	7.5	7.2	7.5	7.2	7.5	7.2	7.5	6.7	7.0	1310.4
MERCURY		0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	37.0
EH		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2

HCD Codes: A-Inertibles, B-Corrosives, C-Reactivities, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Rqd., H-PCB < 50ppm, I-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Total MERCURY																	
ORG ABS LQ/SLG	A	6.8	3.3	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.2 100.0
ARG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	122.7 17.3
AUFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AF		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	3.8 0.5
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4 1.1
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
B		10.5	5.4	2.9	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	182.3 25.7
D		14.1	7.3	3.9	1.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	255.8 36.1
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.1
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 0.3
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 0.5
F		5.9	4.1	3.3	2.6	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	110.2 15.5
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.0
G		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	12.1 1.7
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 0.4
Total ORG ABS LQ/SLG																	
ORG PART	A	2.4	1.2	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42.0 8.2
B		5.6	2.8	1.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	95.8 18.7
D		8.3	6.8	6.1	5.5	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	206.8 40.4
DF		2.4	2.5	2.7	2.8	3.1	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	66.7 13.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
F		4.1	4.1	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	96.1 18.8
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.4 0.6
Total REAC PART																	
REAC METALS	C	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	511.1 100.0
D		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	19.1 50.0
Total REAC METALS																	
SALT WASTE	B	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	38.3 100.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.1 3.0
D		43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	1258.0 84.3
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
F		4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	141.2 9.4
G		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	46.8 3.1
Total SALT WASTE																	
SH CONCRETE	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactive, D=Metals w/o lig, E=Metals w lig, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Total SH CONCRETE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 100.0
SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.4 3.4
D		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	46.2 35.9
DF		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.7 7.5
DFG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.4 3.4
DG		0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.7 19.2
F		0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	29.3 22.0
FG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 2.7
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.4 3.4
Total SH LEAD		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	128.5 100.0
SH STEEL	DF	2415.5	3273.1	3617.6	4212.5	5017.6	5660.4	5929.3	6106.9	1807.1	2103.4	2402.1	2804.6	3279.3	3279.3	3279.3	69829.3 100.0
Total SH STEEL		2415.5	3273.1	3617.6	4212.5	5017.6	5660.4	5929.3	6106.9	1807.1	2103.4	2402.1	2804.6	3279.3	3279.3	3279.3	69829.3 100.0
UNKNOWN	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		310.3	310.3	310.3	334.2	334.2	334.2	191.8	191.8	191.8	191.8	191.8	191.8	191.8	167.9	167.9	6934.9 99.9
Total UNKNOWN		310.3	310.3	310.3	334.2	334.2	334.2	191.8	191.8	191.8	191.8	191.8	191.8	191.8	167.9	167.9	6934.9 99.9
Total UNKNOWN		6986.7	6967.3	6694.0	8199.5	9164.8	9963.5	10162.8	10239.1	5099.2	4300.5	4678.6	5212.4	5580.2	4568.8	4560.7	182162.1
Waste Category: CH TRU																	
CONT SOIL	NONE	28.3	28.3	22.7	22.7	22.7	22.7	17.0	17.0	11.3	11.3	5.6	5.6	5.6	0.0	0.0	586.3 100.0
Total CONT SOIL		28.3	28.3	22.7	22.7	22.7	22.7	17.0	17.0	11.3	11.3	5.6	5.6	5.6	0.0	0.0	586.3 100.0
D-COMBUST	NONE	42.5	42.5	42.5	42.6	42.6	40.2	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.0	38.0	1520.6 100.0
Total D-COMBUST		42.5	42.5	42.5	42.6	42.6	40.2	38.1	38.1	38.1	38.1	38.1	38.1	38.1	38.0	38.0	1520.6 100.0
D-HET	NONE	20.6	20.6	20.6	21.6	16.1	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	15.0	15.0	643.6 100.0
Total D-HET		20.6	20.6	20.6	21.6	16.1	16.0	16.0	16.0	16.0	16.0	16.0	16.0	16.0	15.0	15.0	643.6 100.0
D-IN NON-HTL	NONE	161.0	161.0	133.5	186.0	166.2	166.2	138.7	138.7	111.1	111.1	83.6	83.6	83.6	3.5	3.5	4071.6 100.0
Total D-IN NON-HTL		161.0	161.0	133.5	186.0	166.2	166.2	138.7	138.7	111.1	111.1	83.6	83.6	83.6	3.5	3.5	4071.6 100.0
D-METAL	NONE	148.1	148.1	120.5	869.5	869.5	869.5	840.5	840.5	812.9	812.9	785.4	785.4	785.4	8.9	8.9	11035.8 100.0
Total D-METAL		148.1	148.1	120.5	869.5	869.5	869.5	840.5	840.5	812.9	812.9	785.4	785.4	785.4	8.9	8.9	11035.8 100.0
D-SOIL	NONE	2.2	2.2	1.7	1.7	1.7	1.7	1.3	1.3	0.8	0.8	0.4	0.4	0.4	0.0	0.0	45.4 100.0
Total D-SOIL		2.2	2.2	1.7	1.7	1.7	1.7	1.3	1.3	0.8	0.8	0.4	0.4	0.4	0.0	0.0	45.4 100.0
IN ORG LQ/SIG	NONE	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	70.6 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hq, E=Metals w Hq, F=Organics, G=Solids, H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Total IN ORG Iq/SLG		2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	70.6 100.0
IN ORG PART	NONE	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	72.0 100.0
Total IN ORG PART		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	72.0 100.0
LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	125.5 100.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	125.5 100.0
ORG PART	NONE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	907.2 100.0
Total ORG PART		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	907.2 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1255.5 100.0
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1255.5 100.0
Total CH TRU		408.4	408.4	347.2	1372.6	1344.6	1341.9	1277.1	1277.1	1216.0	1216.0	1154.8	1154.8	1154.8	68.0	68.0	20334.6	

Waste Category: CH TRU

CONT SOIL	A	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9 12.6
	B	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8 34.7
	D	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2 42.3
	F	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 7.6
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 2.6
Total CONT SOIL		1.1	1.1	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.2 100.0
D-COMBUST	A	13.5	13.5	13.5	13.5	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	219.3 43.2
	B	1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.6 6.6
	D	1.6	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.0 8.1
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 0.2
	G	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	13.1	210.9 41.6
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.0
Total D-COMBUST		29.9	29.9	29.9	29.9	26.3	26.3	26.3	26.3	26.3	26.3	26.3	26.3	26.3	26.3	26.3	26.3	506.9 100.0
D-IET	A	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	58.6 7.4
	B	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0 2.1
	C	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	58.6 7.4
	D	2.1	2.1	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	416.0 52.5
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
	G	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	117.2 14.8
	UNKNOWN	0.0	0.0	0.0	0.0	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	123.9 15.6
Total D-IET		17.4	17.4	17.4	17.4	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	791.7 100.0
D-IN NON-HTL	A	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3 4.1
	B	1.5	1.5	1.5	1.5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	28.9 35.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
	C	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	15.9 19.7
	D	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	30.3 37.6
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 2.4
TotalID-IN NON-MTL		4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	80.5 100.0
D-METAL																	
	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
	B	0.5	0.5	0.5	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	15.4 0.1
	D	6.5	6.5	6.5	7.1	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	6.5	5.9 118.2 0.9
	F	0.1	0.1	0.1	272.1	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	272.0	0.0 2724.1 21.3
	UNKNOWN	0.0	0.0	0.0	991.7	991.7	991.7	991.7	991.7	991.7	991.7	991.7	991.7	991.7	991.7	991.7	0.0 9917.4 77.6
TotalID-METAL		7.3	7.3	7.3	1271.9	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	1270.4	5.9 12776.5 100.0
D-SOIL																	
	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 12.6
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 34.6
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 42.3
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 7.6
	II	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 2.6
TotalID-SOIL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.4 100.0
IN ORG LQ/SLG																	
	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 30.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 20.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 50.0
TotalIN ORG LQ/SLG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 100.0
LAB/CONT LQ																	
	A	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	14.3 6.8
	B	2.6	2.6	2.6	2.6	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	48.3 23.2
	C	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	14.0 6.7
	D	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2 9.2
	F	4.6	4.6	4.6	4.6	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	76.1 36.6
	H	1.2	1.2	1.2	1.2	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	21.7 10.4
	J	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	14.0 6.7
TotalLAB/CONT LQ		11.6	11.6	11.6	11.6	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	208.0 100.0
LEAD																	
	D	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.2 100.0
TotalLEAD		0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.2 100.0
ORG ABS LQ/SLG																	
	A	2.8	2.8	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.3 20.0
	B	4.2	4.2	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.0 30.0
	D	5.6	5.6	5.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	134.7 40.0
	F	1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.6 10.0
TotalORG ABS LQ/SLG		14.1	14.1	14.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	336.9 100.0
ORG PART																	
	A	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8 35.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o lig, E=Metals w lig, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

REF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
B		0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	60.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.0
TotalORG PART		0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8	100.0
TotalCH TRNM		87.1	87.1	87.1	1364.3	1336.1	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	1336.0	58.8	1760.4	
Waste Category: HAZ																		
BATTERIES																		
AB		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1
B		2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	93.0	24.1
BC		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.1	1.3
BD		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5	0.9
BDF		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.6	5.8
BDG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	14.6	3.8
BE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8	1.5
BEG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.3	4.7
BG		1.4	1.8	2.2	2.7	3.4	4.2	5.3	6.6	8.2	10.2	12.8	16.0	19.9	24.9	31.1	158.7	41.1
D		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	22.0	5.7
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	1.6
E		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	34.5	8.9
TotalBATTERIES		7.4	7.7	8.1	8.7	9.3	10.2	11.2	12.5	14.1	16.2	18.7	21.9	25.8	30.8	37.0	385.6	100.0
CONT SOIL																		
A		0.9	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	119.9	12.3
AEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.1
B		1.9	1.9	1.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	240.3	24.9
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		2.6	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	318.2	33.0
F		5.8	5.8	5.8	5.8	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	236.5	24.5
G		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.9	0.9
H		0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.6	4.1
TotalCONT SOIL		12.0	12.0	12.0	12.0	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	963.7	100.0
D-COMBUST																		
A		12.7	15.2	18.3	22.2	26.8	32.9	40.5	49.9	61.7	76.5	95.0	118.1	146.9	183.0	228.1	1231.2	40.5
ARCG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0
ARDF		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	226.1	7.4
ABEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
AC		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.5	0.3
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0
AEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0
AF		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	50.0	1.6
AFG		8.0	10.0	12.6	15.7	19.7	24.6	30.8	38.5	48.1	60.1	75.2	94.0	117.5	146.9	183.6	917.2	30.1

HCD Codes: A-Ignitables, B-Corrosives, C-Reactivities, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste Category	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total
AG	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	127.8
B	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	97.7
BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.6
DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	35.9
G	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	206.2
GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TotalID-CORRUST	41.1	45.6	51.2	58.2	65.1	76.1	89.8	107.0	128.4	155.2	188.7	230.6	283.0	348.5	430.3	3037.9
D-HET	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	32.1
AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	44.4
C	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	26.0
D	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.7
F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.6
H	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	80.6
UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TotalID-HET	3.8	3.8	3.8	3.8	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	283.3
D-IN NON-HTL	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5
ABCEG	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9
B	0.7	0.7	0.7	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	72.3
C	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.1
D	1.0	1.0	1.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	84.6
F	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	36.5
G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.5
TotalID-IN NON-HTL	4.5	4.5	4.5	4.5	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	263.8
D-METAL	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	31.3
ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
B		0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.3 0.1
RG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
RG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
D		1.4	1.4	1.4	1.4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	93.8 0.2
DG		390.1	487.7	609.6	782.0	952.5	1190.7	1488.3	1860.4	2325.6	2906.9	3633.7	4542.1	5677.6	7097.1	8871.3	44302.1 95.3
EG		16.1	20.1	25.2	31.5	39.4	49.3	61.6	77.0	96.3	120.3	150.4	188.0	235.1	293.8	367.3	1834.5 3.9
F		0.5	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	29.4 0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
GJ		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.9 0.0
H		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.7 0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3 0.0
UNKNOWN		0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	4.1 0.0
Total D-METAL		412.0	513.5	640.5	799.6	996.6	1244.6	1534.6	1942.1	2426.5	3031.9	3788.8	4734.8	5917.4	7395.2	9242.9	46448.2 100.0
D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2 12.1
B		0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.8 24.9
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
D		0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.3 33.5
F		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	15.9 21.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 4.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 4.0
Total D-SOIL		0.9	0.9	0.9	0.9	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	75.6 100.0
EXPLOSIVES		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	31.3 29.5
ABDF		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	67.8 63.9
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9 3.7
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 2.7
Total EXPLOSIVES		2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	106.1 100.0
IN ORG IQ/SLG		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	20.7 0.0
ABDF		3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	113.0 0.4
AEFG		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9 0.1
ARG		198.2	247.8	309.8	387.2	484.0	605.1	756.3	945.4	1181.8	1477.3	1846.6	2308.3	2885.4	3606.7	4508.4	22514.3 98.6
B		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	19.2 0.0
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 0.0
C		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	10.1 0.0
D		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	27.9 0.1
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8 0.0
G		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	47.8 0.2

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Total IN ORG LQ/SLG		207.3	256.9	318.8	396.3	493.1	614.1	765.4	954.5	1190.9	1486.3	1855.7	2317.3	2894.4	3615.8	4517.5	22816.2	100.0
IN ORG PART		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.6	34.6
ADCG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3
ANG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	1.3
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7
AG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.0	5.1
B		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.6	7.9
BDG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3
C		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	10.3	6.5
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.6
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.4
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
G		2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	60.2	38.1
GJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.7
Total IN ORG PART		5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	157.8	100.0
LAB/CONT LQ		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	304.1	3.6
A		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7	0.0
AB		13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	395.6	4.7
ABDF		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.4	0.2
ABDGG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	22.6	0.2
ABEGG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
ABEG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.6	0.3
ADFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.1
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.9	0.3
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	44.7	0.5
B		4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	417.4	4.9
BD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
BDG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.6	0.1
REG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5	0.0
BG		42.0	52.2	65.1	81.2	101.2	126.3	157.7	196.9	246.0	307.2	383.8	479.6	599.3	748.9	935.9	4730.4	56.5
RGJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0
C		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	18.9	0.2
D		3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	450.1	5.3
DG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.2	0.1
E		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7	0.1

HCD codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
EG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.4	0.0
F		3.4	3.4	3.4	3.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	172.3	2.0
FG		10.0	12.5	15.6	19.4	24.3	30.3	37.9	47.3	59.2	73.9	92.4	115.5	144.3	180.4	225.5	1129.0	13.5
G		12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	12.8	461.8	5.5
H		0.8	0.8	0.8	0.8	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	65.9	0.7
J		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.1	0.0
Total LAB/CONT LQ		98.3	111.0	127.0	146.3	161.3	192.4	231.4	280.1	340.9	417.0	512.0	630.9	779.4	965.1	1197.2	8362.4	99.9
LEAD																		
ADF		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.3	0.9
BDG		9.1	11.4	14.2	17.8	22.2	27.8	34.8	43.5	54.4	68.0	85.0	106.2	132.8	166.0	207.5	1036.3	89.6
D		0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.4	7.6
E		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6	1.3
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6	0.4
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		10.9	13.1	16.0	19.6	23.3	28.9	35.9	44.6	55.4	69.0	86.0	107.3	133.9	167.1	208.6	1156.4	100.0
MERCURY																		
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	8.7
D		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.7	45.9
E		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.5	45.3
Total MERCURY		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	34.2	100.0
ORG ABS LQ/SLG																		
A		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.1	0.0
ABDF		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	226.1	0.5
AERG		356.9	446.1	557.6	697.1	871.3	1089.2	1361.5	1701.8	2127.3	2659.2	3323.9	4154.9	5193.7	6492.1	8115.1	40325.7	96.7
AF		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9	0.0
AFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0
B		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.2	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0
EG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.7	0.0
F		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	84.5	0.2
FG		8.0	10.0	12.6	15.7	19.7	24.6	30.8	38.5	48.1	60.1	75.2	94.0	117.5	146.9	183.6	988.3	2.3
G		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	30.8	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0
Total ORG ABS LQ/SLG		376.4	467.6	581.7	724.3	902.5	1125.3	1403.7	1751.8	2186.9	2730.8	3410.6	4260.4	5322.7	6650.5	8310.3	41900.1	100.0
ORG PART																		
A		0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.6	13.5
ABDF		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	56.5	7.4
B		1.6	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	204.9	27.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
D		2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	273.2 36.0
F		1.0	1.0	1.0	1.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	77.2 10.1
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 0.7
H		0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.1 4.5
TotalORG PART		8.1	8.1	8.1	8.1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	758.5 99.9
REAC METALS	ABG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 19.3
C		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.6 74.7
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 5.8
TotalREAC METALS		0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	30.2 100.0
SALT WASTE	B	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	8.8 75.4
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 24.5
TotalSALT WASTE		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	11.7 100.0
UNKNOWN	A	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	25.6 23.5
B		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.4 5.8
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.3
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.4
UNKNOWN		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	76.3 69.8
TotalUNKNOWN		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	109.2 100.0
TotalHAZ		1195.1	1457.4	1785.2	2201.7	2685.6	3326.0	4126.4	5126.9	6377.6	7940.9	9895.0	12337.7	15391.0	19200.3	23971.1	126901.8
Waste Category: RH LLW																	
D-COMBUST	NONE	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	568.4 100.0
TotalD-COMBUST		26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	568.4 100.0
D-HET	NONE	58.4	58.4	58.4	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	1954.9 100.0
TotalD-HET		58.4	58.4	58.4	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	59.3	1954.9 100.0
D-IN NON-HTL	NONE	469.9	299.9	158.3	237.5	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	9311.5 100.0
TotalD-IN NON-HTL		469.9	299.9	158.3	237.5	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	9311.5 100.0
D-METAL	NONE	74.3	74.3	74.3	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	12593.6 100.0
TotalD-METAL		74.3	74.3	74.3	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	1173.5	12593.6 100.0
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
IN ORG LQ/SLG	NONE	906.5	566.5	283.2	283.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15977.3 100.0
TotalIN ORG LQ/SLG		906.5	566.5	283.2	283.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15977.3 100.0
LEAD	NONE	0.0	0.0	0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	44.0 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, I=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Est
Total LEAD		0.0	0.0	0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	44.0 100.0
ORG ABS IQ/SLG	NONE	906.5	566.5	283.2	283.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15977.3 100.0
Total ORG ABS IQ/SLG		906.5	566.5	283.2	283.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15977.3 100.0
ORG PART	NONE	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	29.2 100.0
Total ORG PART		0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	29.2 100.0
SH CONCRETE	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	234.8 100.0
Total SH CONCRETE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	234.8 100.0
SH LEAD	NONE	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	138.5 100.0
Total SH LEAD		8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	8.1	138.5 100.0
SH STEEL	NONE	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	476.4 100.0
Total SH STEEL		25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	25.1	476.4 100.0
UNKNOWN	NONE	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	1078.2 100.0
Total UNKNOWN		0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	1078.2 100.0
Total IN LHM		2476.9	1627.0	918.8	2107.6	1399.4	1399.4	1399.4	1399.4	1399.4	1399.4	1399.4	1399.4	1399.4	210.6	210.6	58386.7

Waste Category: RH LHMW

BATTERIES	BD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 100.0
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 100.0
CONT SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 17.9
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 64.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 8.9
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 8.9
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 100.0
D-COMBUST	A	1.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.7 8.7
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.1
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
	B	6.8	3.3	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	111.8 34.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 0.3
	D	8.5	4.2	2.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	140.8 42.8
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 0.6
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
	DG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.5 1.6
	F	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	32.5 9.9
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.2

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Req., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 0.8
TotalID-COMBUST																	
D-IET																	
A		0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	3.2 11.5
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.1
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.2
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.6
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 1.6
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 2.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 3.6
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 1.3
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.6
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 3.3
F		0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	10.6 38.0
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.4
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7 17.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.2
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.2
UNKNOWN		0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	5.2 18.8
TotalID-IET																	
D-IN NON-HTL																	
A		1.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.8 9.4
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.1
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.2
B		6.8	3.3	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	110.9 37.4
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
D		7.6	3.8	1.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	125.8 42.5
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.5
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.2
DG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2 1.4
F		1.0	0.5	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	21.4 7.2
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.2
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 0.3
TotalID-IN NON-HTL																	
D-METAL																	
A		0.0	0.0	0.0	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	0.0	23.5 0.9
B		6.8	3.3	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	110.7 4.3
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.0
D		7.6	3.8	1.9	49.9	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	49.6	0.0	620.7 24.5
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.0 4.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		4.7	5.7	44.8	142.8	142.7	142.7	140.5	138.2	138.2	138.2	138.2	138.2	138.2	0.0	0.0	1569.4 62.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	0.0	0.0	100.6 3.9
TotalID-METAL		19.2	12.9	48.5	205.7	204.9	204.9	202.7	200.4	200.4	200.4	200.4	200.4	200.4	0.0	0.0	2529.7 100.0
D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 17.9
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 64.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 8.9
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 8.9
TotalID-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 100.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 2.5
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.8
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.6
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 4.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 8.3
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 8.9
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 4.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 22.7
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 37.9
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 3.2
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 5.5
TotalIN ORG LQ/SLG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.1 100.0
IN ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
BEFG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.4 16.7
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
DG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	90.6 82.5
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.4
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
TotalIN ORG PART		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	109.8 100.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 71.9
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 7.9
TotalLAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCR < 50ppm, J=ECB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 10.2
	UNKNOWN	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.7 89.7
Total LEAD		0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	7.4 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 100.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 100.0
Total MERCURY	ORG ABS LQ/SLG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.2
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.3
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1 17.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.2
	F	1.1	2.2	22.1	2.2	2.2	2.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61.9 80.3
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.1
Total ORG ABS LQ/SLG	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.3
		1.2	2.3	22.2	2.3	2.3	2.3	1.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	77.0 100.0
Total ORG PART	A	11.9	5.9	2.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	193.8 9.9
	B	47.6	23.7	11.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	775.5 39.6
	BEFG	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.4 0.9
	D	53.5	26.7	13.4	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	872.5 44.5
	F	5.9	2.9	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.6 4.9
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
		119.7	60.0	30.4	6.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	1958.1 100.0
	SALT WASTE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 21.9
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 78.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 100.0
Total SALT WASTE	SH LEAD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.1
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.3
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.8
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.2 85.0
	D	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.2 1.7
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.8
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 4.5
	DG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 5.1
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4 0.6
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.8
Total SALT WASTE	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

Waste Category	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Total SH STEEL		1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	69.7 100.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 1.9	
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 22.1	
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.6 59.9	
UNKNOWN		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.2 15.9	
Total SH STEEL		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	57.6 100.0	
SH VOID		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.5 14.5	
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	105.4 12.0	
UNKNOWN		19.0	37.9	376.0	37.9	37.9	37.9	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	642.0 73.3	
Total SH VOID		19.0	37.9	376.0	37.9	37.9	37.9	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	875.1 100.0	
UNKNOWN		0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	314.7 100.0	
Total UNKNOWN		0.0	0.0	0.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	314.7 100.0	
Total INH LHM		197.5	134.6	490.0	266.2	257.8	257.8	235.5	213.1	213.1	213.1	213.1	213.1	213.1	213.1	5.0	6666.2	
Waste Category: RH TRU																		
D-COMBUST	NONE	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	176.4 100.0	
Total D-COMBUST		10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	176.4 100.0	
D-HET	NONE	4.9	4.9	4.9	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	4.9	142.9 100.0	
Total D-HET		4.9	4.9	4.9	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0	4.9	142.9 100.0	
D-IN NON-HTL	NONE	5.3	5.3	5.3	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	5.3	233.4 100.0	
Total D-IN NON-HTL		5.3	5.3	5.3	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	5.3	233.4 100.0	
D-METAL	NONE	20.9	20.9	20.9	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	20.9	2939.4 100.0	
Total D-METAL		20.9	20.9	20.9	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	278.1	20.9	2939.4 100.0	
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9 100.0	
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9 100.0	
LEAD	NONE	0.0	0.0	0.0	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	0.0	138.1 100.0	
Total LEAD		0.0	0.0	0.0	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	0.0	138.1 100.0	
ORG PART	NONE	0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	219.2 100.0	
Total ORG PART		0.0	0.0	0.0	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	21.2	0.0	219.2 100.0	
SH LEAD	NONE	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	110.0 100.0	
Total SH LEAD		4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	110.0 100.0	
SH STEEL	NONE	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	80.7 100.0	
Total SH STEEL		4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	80.7 100.0	

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
UNKNOW	WWE	0.0	0.0	0.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	0.0	0.0	2367.2 100.0
TotalUNKNOW		0.0	0.0	0.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	167.0	0.0	0.0	2367.2 100.0
TotalRI_TRU		51.6	51.6	51.6	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	521.3	51.6	51.6	6432.7
Waste Category: RH TRUM																	
CONT SOIL																	
A	A	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1 12.6
B	B	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.4 34.7
D	D	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9 42.3
F	F	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 7.6
H	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 2.6
TotalCONT SOIL		1.3	1.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8 100.0
D-COMBUST																	
A	A	5.9	5.9	5.9	5.9	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	98.6 34.7
ABG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AFG	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
AG	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.1
B	B	1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.4 12.4
D	D	1.7	1.7	1.7	2.6	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	52.3 18.4
DF	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.2
DFG	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.1
DG	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.5
F	F	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4 1.2
FG	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
G	G	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	90.0 31.7
H	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.1
TotalD-COMBUST		14.9	14.9	14.9	15.9	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	11.4	11.4	283.5 100.0
D-HET																	
A	A	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	22.4 11.3
ABG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AFG	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
AG	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.1
B	B	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7 9.0
C	C	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	22.4 11.3
D	D	2.1	2.1	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53.1 26.9
DF	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.3
DFG	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.1
DG	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.8
F	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 1.1
FG	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.1
G	G	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	45.1 22.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
TotalD-HET		0.0	0.0	0.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	30.9 15.6
D-IN NON-HTL		8.6	8.6	8.6	11.7	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	197.4 100.0
A		0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5 2.7
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
B		2.4	2.4	2.4	2.4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	43.7 34.5
C		1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	30.5 24.0
D		2.4	2.4	2.4	2.4	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	45.4 35.8
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.1
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.3
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 1.9
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
TotalD-IN NON-HTL		7.0	7.0	7.0	7.0	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	126.6 100.0
D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.0
B		0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.1 0.3
D		23.0	23.0	23.0	23.0	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	22.4	374.9 10.4
F		23.2	0.1	0.1	68.4	68.2	68.2	70.4	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	712.0 19.7
UNKNOWN		0.0	0.0	0.0	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	250.2	2502.0 69.4
TotalD-METAL		46.9	23.8	23.8	342.3	340.9	340.9	343.1	340.9	340.9	340.9	340.9	340.9	340.9	340.9	340.9	3604.5 100.0
D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 12.6
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 34.6
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 42.3
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 7.6
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 2.6
TotalD-SOIL		0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4 100.0
TotalIN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4 100.0
IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8 100.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8 100.0
LAB/CONT LQ		0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0 21.2
B		0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.2 30.0
D		0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.2 28.6
F		0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1 8.7

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Category
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
H		0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0 11.3
Total LAB/CONT LQ		2.8	2.8	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.8 100.0
LEAD		0.0	0.0	0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	27.6 100.0
Total LEAD		0.0	0.0	0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	27.6 100.0
ORG ABS LQ/SLG		2.8	2.8	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70.8 19.2
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
B		4.2	4.2	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	106.2 28.8
D		5.6	5.6	5.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	141.7 38.4
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.1
F		12.9	1.4	1.4	1.4	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48.5 13.1
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
Total ORG ABS LQ/SLG		25.7	14.2	14.2	14.2	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.1 100.0
ORG PART		0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1 19.6
R		0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.6 33.6
BEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8 43.9
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 2.8
Total ORG PART		0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.5 100.0
SH LEAD		5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	101.3 100.0
Total SH LEAD		5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	101.3 100.0
SH STEEL		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	44.8 46.4
G		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	44.8 46.4
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9 7.1
Total SH STEEL		5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	96.6 100.0
SH VOID		196.2	0.0	0.0	0.0	0.0	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	215.3 100.0
Total SH VOID		196.2	0.0	0.0	0.0	0.0	0.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	215.3 100.0
Total INH TRUH		315.8	84.9	84.9	410.1	381.8	381.8	404.2	381.8	381.8	381.8	381.8	381.8	381.8	381.8	381.8	5201.3
Grand Total		36707.6	26681.1	23107.9	33442.2	44662.0	46128.5	33055.4	34368.3	30386.0	30910.9	33114.5	36138.7	39610.2	30464.6	35282.8	1824043.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

APPENDIX D

**ANNUAL VOLUMES OF PHYSICAL WASTE FORMS AND HAZARDOUS
CONSTITUENTS BY WASTE GENERATOR**

Intentionally Left Blank

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Tot
Waste Generator:TWHC_B_PLANT																	
id-ID-METAL		0.0	0.0	0.0	0.0	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	14.7	0.0	0.0	147.2 100.0
TotalTWHC_340		0.0	0.0	0.0	0.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	0.0	0.0	220.8
Waste Generator:TWHC_PFP																	
D-METAL	D	0.0	0.0	0.0	0.0	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	34.6	0.0	0.0	346.0 0.8
	NONE	0.0	0.0	0.0	0.0	4283.4	4283.4	4283.4	4283.4	4283.4	4283.4	4283.4	4283.4	4283.4	0.0	0.0	42834.0 99.1
TotalD-METAL		0.0	0.0	0.0	0.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	0.0	0.0	43180.0 100.0
TotalTWHC_PFP		0.0	0.0	0.0	0.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	4318.0	0.0	0.0	43180.0
Waste Generator:TWHC_PFP																	
D-HET	UNKNOWN	0.0	0.0	0.0	0.0	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4	0.0	0.0	154.9 100.0
TotalD-HET		0.0	0.0	0.0	0.0	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4	15.4	0.0	0.0	154.9 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	910.2	910.2	910.2	910.2	910.2	910.2	910.2	910.2	910.2	0.0	0.0	9102.5 42.3
	UNKNOWN	0.0	0.0	0.0	0.0	1239.6	1239.6	1239.6	1239.6	1239.6	1239.6	1239.6	1239.6	1239.6	0.0	0.0	12396.8 57.6
TotalD-METAL		0.0	0.0	0.0	0.0	2149.9	2149.9	2149.9	2149.9	2149.9	2149.9	2149.9	2149.9	2149.9	0.0	0.0	21499.3 100.0
LEAD	NONE	0.0	0.0	0.0	0.0	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	0.0	0.0	156.9 100.0
TotalLEAD		0.0	0.0	0.0	0.0	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	0.0	0.0	156.9 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	156.9	156.9	156.9	156.9	156.9	156.9	156.9	156.9	156.9	0.0	0.0	1569.4 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	156.9	156.9	156.9	156.9	156.9	156.9	156.9	156.9	156.9	0.0	0.0	1569.4 100.0
TotalTWHC_PFP		0.0	0.0	0.0	0.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	2338.0	0.0	0.0	23380.6
Waste Generator:TWHC_PUREX																	
D-COMBUST	D	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.5 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.5 100.0
D-IN NON-HTL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	NONE	0.0	0.0	0.0	0.0	141.1	141.1	141.1	141.1	141.1	141.1	141.1	141.1	141.1	0.0	0.0	1411.5 99.9
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	141.1	141.1	141.1	141.1	141.1	141.1	141.1	141.1	141.1	0.0	0.0	1411.5 100.0
D-METAL	D	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.3 0.1
	NONE	0.0	0.0	0.0	0.0	526.2	526.2	526.2	526.2	526.2	526.2	526.2	526.2	526.2	0.0	0.0	5262.8 99.8
TotalD-METAL		0.0	0.0	0.0	0.0	526.9	526.9	526.9	526.9	526.9	526.9	526.9	526.9	526.9	0.0	0.0	5269.1 100.0
LEAD	D	0.0	0.0	0.0	0.0	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0	24.7 100.0
TotalLEAD		0.0	0.0	0.0	0.0	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	0.0	0.0	24.7 100.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	0.0	0.0	295.4 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	29.5	0.0	0.0	295.4 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

YrE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
TotalWHC_PUREX		0.0	0.0	0.0	0.0	701.0	701.0	701.0	701.0	701.0	701.0	701.0	701.0	701.0	0.0	0.0	7010.4
Waste Generator:WHC_PUREX_TW																	
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1719.0 87.6
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242.2 12.3
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1961.2 100.0
TotalWHC_PUREX_TW		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1961.2
Waste Generator:WHC_PX_C018H																	
D-CORBUST	UNKNOWN	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0	15.0 100.0
TotalD-CORBUST		0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0	15.0 100.0
D-HET	UNKNOWN	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0	15.0 100.0
TotalD-HET		0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.0	0.0	15.0 100.0
D-METAL	UNKNOWN	0.0	0.0	0.0	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	0.0	0.0	1568.9 100.0
TotalD-METAL		0.0	0.0	0.0	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	156.8	0.0	0.0	1568.9 100.0
TotalWHC_PX_C018H		0.0	0.0	0.0	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	159.9	0.0	0.0	1599.0
Waste Generator:WHC_TRUSAF																	
D-HET	UNKNOWN	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0	7.1 100.0
TotalD-HET		0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0	7.1 100.0
D-METAL	UNKNOWN	0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.2 100.0
TotalD-METAL		0.0	0.0	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	6.2 100.0
TotalWHC_TRUSAF		0.0	0.0	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.0	0.0	13.4
Waste Generator:WHC_T_PLANT																	
D-METAL	F	0.0	0.0	0.0	1019.8	1019.8	1019.8	1019.8	1019.8	1019.8	1019.8	1019.8	1019.8	1019.8	0.0	0.0	10198.0 53.3
UNKNOWN	NONE	0.0	0.0	0.0	893.0	893.0	893.0	893.0	893.0	893.0	893.0	893.0	893.0	893.0	0.0	0.0	8930.1 46.6
TotalD-METAL		0.0	0.0	0.0	1912.8	1912.8	1912.8	1912.8	1912.8	1912.8	1912.8	1912.8	1912.8	1912.8	0.0	0.0	19128.1 100.0
ORG PART	NONE	0.0	0.0	0.0	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	0.0	0.0	1062.0 100.0
TotalORG PART		0.0	0.0	0.0	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	106.2	0.0	0.0	1062.0 100.0
TotalWHC_T_PLANT		0.0	0.0	0.0	2019.0	2019.0	2019.0	2019.0	2019.0	2019.0	2019.0	2019.0	2019.0	2019.0	0.0	0.0	20190.1
Waste Generator:U																	
D-HET	F	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 50.0
UNKNOWN	NONE	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 50.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Total D-HET		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.0 100.0
Total U		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.0
Waste Generator: WHC_100*																	
BATTERIES																	
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.2 58.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5 41.9
Total BATTERIES																	
D-COMBUST																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.8 100.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 0.2
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.2
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.2
Total D-COMBUST																	
Total D-HET																	
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 66.9
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 33.0
Total D-HET																	
D-IN NON-MTL																	
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 100.0
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8 0.9
Total D-IN NON-MTL																	
Total D-IN NON-MTL																	
D-METAL																	
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	702.2 100.0
Total D-METAL																	
EXPLOSIVES																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.2 100.0
Total EXPLOSIVES																	
IN ORG LQ/SLG																	
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3 91.7
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 5.3
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.8
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.9
Total IN ORG LQ/SLG																	
IN ORG PART																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6 100.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 9.6
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 3.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3 77.5
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 9.7
Total IN ORG PART																	
ORG ABS LQ/SLG																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.2 100.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8 32.1
Total ORG ABS LQ/SLG																	

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8 32.1
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1 33.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.5 100.0
ORG PART																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 7.9
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.6
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 75.3
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 7.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 8.1
TotalORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1 100.0
UNKNOWN																	
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 82.3
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 17.6
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2 100.0
TotalWHC_100*		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1554.7
Waste Generator:WHC 200 ETF																	
D-COMBUST		6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	186.3 34.6
F		12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	350.8 65.3
TotalD-COMBUST		18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	537.1 100.0
D-HET		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	262.8 100.0
TotalD-HET		9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	262.8 100.0
D-IN NON-HTL		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	8.7 100.0
TotalD-IN NON-HTL		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	8.7 100.0
ORG PART		5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	150.8 81.1
F		1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	35.1 18.8
TotalORG PART		6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	185.9 100.0
SALT WASTE		43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	1258.0 90.0
F		4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	139.7 10.0
TotalSALT WASTE		48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	1397.8 100.0
TotalWHC_200 ETF		92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	92.5	2392.5
Waste Generator:WHC 200 FHR																	
BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 100.0
TotalBATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 100.0
CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 79.3
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 20.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWR	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
totalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 100.0
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5 23.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.2 76.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7 100.0
D-SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 19.4
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 20.5
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0
EXPLOSIVES	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 9.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 90.0
TotalEXPLOSIVES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2 100.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 7.7
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 2.2
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 2.2
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9 87.7
TotalIN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
TotalLEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
MERCURY	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 100.0
TotalMERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 100.0
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.2
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0 98.7
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0 100.0
TotalWHC_200_PWR		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	62.0

Waste Generator:WHC_300_PWR

BATTERIES	AB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 10.0
BC		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.1 90.0
TotalBATTERIES		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 100.0
CONT SOIL	G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.6 92.9
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 7.0
TotalCONT SOIL		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.2 100.0
D-COMBUST	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 90.1
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 9.8
TotalD-COMBUST		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.3 100.0
D-IN NON-HTL	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 76.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 23.5
WasteID-IN NON-ITL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
D-SOIL	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 91.9
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 8.0
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 100.0
IN ORG LQ/SLG	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
TotalIN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
IN ORG PART	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
LAB/CONT LQ	AB	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 100.0
TotalLAB/CONT LQ		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
TotalMERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
ORG ABS LQ/SLG	G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.6 100.0
TotalORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.6 100.0
ORG PART	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 100.0
TotalORG PART		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 100.0
SALT WASTE	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
TotalSALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
TotalWHC_300_FWR		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	60.2

Waste Generator:WHC_300_TEDF

D-COMBUST	NONE	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	1104.9 100.0
TotalD-COMBUST		36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	1104.9 100.0
IN ORG LQ/SLG	NONE	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	9944.1 100.0
TotalIN ORG LQ/SLG		331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	9944.1 100.0
IN ORG PART	EG	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0 100.0
TotalIN ORG PART		0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	119.0 100.0
TotalWHC_300_TEDF		368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	11168.0

Waste Generator:WHC_325

LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 15.0
-------------	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----------

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 27b

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 15.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 10.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 20.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 20.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 20.0
Total LAB/CONT LQ		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 100.0
Total WHC_325		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1
Waste Generator: WHC_ANALYT_LAB																	
CONT SOIL	NONE	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	110.1 100.0
Total CONT SOIL		3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	110.1 100.0
D-COMBUST	ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
	ABG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 0.0
	ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.0
	ARG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.4 0.0
	AG	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.5 0.2
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2 0.0
	BGG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.0
	D	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 0.3
	DF	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	24.2 0.4
	DG	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.0 0.2
	DG	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	62.7 1.2
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.0
	F	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	70.4 1.4
	FG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.8 0.1
	G	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.2 0.2
	GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.0
	NONE	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	4768.2 95.4
Total D-COMBUST		162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	4995.9 100.0
D-HET	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 1.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 1.9
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 5.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 7.0
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 11.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 5.0
	DG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.0 27.9
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 31.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
TotalD-HET	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 3.9
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 5.0
		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	18.1 100.0
	D-IN NON-HTL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 0.1
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 0.2
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4 0.7
	AG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	10.4 1.0
	D	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	16.4 1.5
	DF	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	7.4 0.7
	DFG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	41.8 4.0
TotalD-IN NON-HTL	DG	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	47.7 4.6
	F	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	5.9 0.5
	FG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	7.4 0.7
	G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	81.6 85.5
	NONE	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	1030.9 100.0
		33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	0.0 0.0
	ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
TotalD-HETAL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
	GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	NONE	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	3865.9 99.9
		125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	3867.2 100.0
TotalD-HETAL	IN ORG LQ/SLG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.0
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 2.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 4.9
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 7.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 11.0
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 4.9
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 27.9
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 32.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 3.9
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
IN ORG PART																		
IN ORG LQ/SLG																		
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 4.9
ABCG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3 100.0
ABG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4 0.0
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 0.5
AFG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1 0.1
AG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	1.1 0.1
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5 0.4
BDG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9 1.2
BG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.0
D		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4 0.0
DF		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.4 0.0
DFG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4 0.0
DG		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0 0.0
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8 1.6
F		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.6 0.6
FG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	19.4 2.5
G		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	8.8 1.1
GJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.8 6.7
NONE		18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	1.1 0.1
Total IN ORG PART		25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	579.2 75.0
LAB/CONT LQ																		
ABCDG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9 3.4
ABCFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9 3.4
ABEG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.5
ADFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
AFG		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	35.6 11.1
AG		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	35.6 11.1
BD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
BDG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.6 6.1
BEG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5 1.4
BG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.3 6.9
BGJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.2
CG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9 3.4
DF		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.9 6.8
DFG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.9 3.4
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.5
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
F		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	14.5
FG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	7.1
G		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	17.7
Total LAB/CONT LQ		10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	100.0
ORG ABS LQ/SLG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
	DG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.1
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
	NONE	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.6
Total ORG ABS LQ/SLG		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	10.0
SH LEAD	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	2.0
	DF	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	3.0
	DFG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
	DG	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	9.0
	F	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	10.0
	FG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.0
Total SH LEAD		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	32.0
Total WHC ANALYT LAB		365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	3650.0

Waste Generator: WHC EQUIP

D-METAL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.4	0.4	0.5	0.5	0.6	0.7	0.8	0.4	0.4	0.5	0.7	0.8	0.4	0.0	0.0	2.2
	D	26.6	26.6	35.5	35.5	39.9	44.3	53.2	31.0	31.0	35.5	44.3	53.2	26.6	0.0	0.0	18.5
	F	142.8	142.8	190.3	190.3	214.2	238.0	285.5	166.5	166.5	190.3	238.0	285.5	142.8	0.0	0.0	1160.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	84.0
Total D-METAL		169.9	169.9	226.5	226.5	254.9	283.2	339.8	198.2	198.2	226.5	283.2	339.8	169.9	0.0	0.0	2.2
Total WHC EQUIP		169.9	169.9	226.5	226.5	254.9	283.2	339.8	198.2	198.2	226.5	283.2	339.8	169.9	0.0	0.0	7401.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 31b

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: HHC B PLANT																	
CONT SOIL	NONE	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	350.9 100.0
CONT SOIL	NONE	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	350.9 100.0
D-COMBUST	NONE	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	2691.3 100.0
total D-COMBUST		74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	2691.3 100.0
D-HET	A	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	21.6 4.1
D		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.0 1.5
G		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	28.2 5.3
H		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.0 1.5
NONE		11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	11.5	457.9 87.4
total D-HET		13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	523.8 100.0
D-IN NON-HTL	NONE	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	524.8 100.0
total D-IN NON-HTL		10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	524.8 100.0
D-METAL	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 0.1
NONE		10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	533.3 99.8
total D-METAL		10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	10.9	533.3 99.8
EXPLOSIVES	A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.9 100.0
EXPLOSIVES		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.9 100.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 1.4
D		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	23.4 12.1
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.8 3.5
NONE		4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	159.0 82.7
total IN ORG LQ/SLG		5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	5.3	192.1 100.0
IN ORG PART	NONE	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	200.1 100.0
total IN ORG PART		5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	200.1 100.0
LEAD	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5 100.0
total LEAD		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.5 100.0
ORG ABS LQ/SLG	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 2.6
F		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	67.8 97.3
total ORG ABS LQ/SLG		1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	69.7 100.0
ORG PART	F	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	15.0 100.0
total ORG PART		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	15.0 100.0
SALT WASTE	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.3 100.0
total SALT WASTE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.3 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 32b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
SH CONCRETE	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.8 100.0
Total SH CONCRETE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.8 100.0
SH STEEL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 3.9
NONE		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	26.5 96.0
Total SH STEEL		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	27.6 100.0
Total WHC B PLANT		132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	132.3	5248.2

Waste Generator: WHC_CHEM_E_LAB

IN ORG PART	A	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	25.6 79.9
B		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.4 20.0
Total IN ORG PART		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	32.1 100.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 100.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 100.0
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 100.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 100.0
ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
UNKNOWN	A	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	25.6 79.9
B		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.4 20.0
Total UNKNOWN		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	32.1 100.0
Total WHC_CHEM_E_LAB		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.0

Waste Generator: WHC_DST_PSRET

D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 100.0
Total WHC_DST_PSRET		0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2

Waste Generator: WHC_DST_RET

CONT SOIL	NONE	113.2	47.1	75.5	66.0	66.0	66.0	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	605.3 100.0
Total CONT SOIL		113.2	47.1	75.5	66.0	66.0	66.0	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	605.3 100.0
D-METAL	F	25.3	4.4	44.2	4.4	4.4	4.4	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.8 59.9
NONE		12.5	5.2	8.3	7.3	7.3	7.3	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.2 40.0
Total D-METAL		37.9	9.7	52.6	11.8	11.8	11.8	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	168.1 100.0
ORG ABS LQ/SLG	F	12.6	2.2	22.1	2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 33b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
TotalSH VOID		12.6	2.2	22.1	2.2	2.2	2.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.4 100.0
SH VOID	UNKNOWN	215.3	37.9	376.0	37.9	37.9	37.9	38.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	857.3 100.0
TotalSH VOID		215.3	37.9	376.0	37.9	37.9	37.9	38.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	857.3 100.0
TotalWHC_DST_RET		379.1	97.1	526.3	118.1	118.1	118.1	86.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1681.3

Waste Generator:WHC_EA_W112

CONT SOIL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 2.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.5 97.9
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.2 100.0
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0
D-SOIL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 2.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 97.9
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
UNKNOWN	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
TotalWHC_EA_W112		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.7

Waste Generator:WHC_EA_W112

BATTERIES	B	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	17.5 37.5
	BE	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 12.5
	E	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	23.4 50.0
TotalBATTERIES		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	46.8 100.0
D-METAL	A	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 75.0
	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 25.0
TotalD-METAL		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
LAB/CONT LQ	A	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 25.0
	B	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 25.0
	C	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 25.0
	E	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 25.0
TotalLAB/CONT LQ		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	46.8 100.0
LEAD	E	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
TotalLEAD		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
MERCURY	D	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 34b

FYE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pat
Total MERCURY		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
REAC METALS	C	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
Total REAC METALS		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
Total WHC_ELEC_UTIL		5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	156.0
Waste Generator: WHC_ENG_DEV																	
D-COMBUST	AF	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	50.0 100.0
Total D-COMBUST		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	50.0 100.0
LAB/CONT IQ	A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.1 17.7
	B	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.7 63.0
	F	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.6 19.2
Total LAB/CONT IQ		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	34.5 100.0
Total WHC_ENG_DEV		2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	94.6
Waste Generator: WHC_ENG_TEST																	
IN ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 34.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 33.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 33.0
Total IN ORG PART		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 100.0
Total WHC_ENG_TEST		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5
Waste Generator: WHC_FED																	
D-COMBUST	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 100.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 100.0
IN ORG IQ/SIG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4 75.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 24.9
Total IN ORG IQ/SIG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5 100.0
Total WHC_FED		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
Waste Generator: WHC_FYFE_MAIN																	
D-COMBUST	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1 5.7
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 2.8
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1 5.7
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	61.2 85.5
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.6 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 35b

WFG	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-HET	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 15.0
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.2 84.9
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.2 100.0
D-METAL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 2.8
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.0 97.1
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.9 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 100.0
TotalLEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 100.0
ORG ABS LQ/SIG	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4 100.0
TotalORG ABS LQ/SIG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4 100.0
REAC METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 100.0
TotalREAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 100.0
SH CONCRETE	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.4 100.0
TotalSH CONCRETE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.4 100.0
SH STEEL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalSH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalWHC_FLEET_MAIN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	170.8

Waste Generator:WHC_FLEET_MAIN

D-CORRUST	A	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	47.0 35.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 2.0
G		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	84.6 63.0
TotalD-CORRUST		4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	134.4 100.0
IN ORG PART	A	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	20.1 35.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 2.0
G		1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	36.2 63.0
TotalIN ORG PART		1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	57.6 100.0
TotalWHC_FLEET_MAIN		6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	192.0

Waste Generator:WHC_FLEET

BATTERIES	Bg	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 100.0
TotalBATTERIES		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 100.0
IN ORG LQ/SIG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 10.6
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 13.3
G		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.3 76.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Total IN ORG LQ/SLG		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	17.5 100.0
LEAD	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 100.0
Total LEAD		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 100.0
ORG ABS LQ/SLG	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.6 80.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 20.0
Total ORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.0 100.0
REAC METALS	ABG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 100.0
Total REAC METALS		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 100.0
Total WHC_FUEL		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	39.0

Waste Generator: WHC_FUEL_DEV

D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7 100.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7 100.0
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4 100.0
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 100.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 100.0
ORG ABS LQ/SLG	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
Total WHC_FUEL_DEV		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.1

Waste Generator: WHC_FUEL_TRANS

CONT SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 1.1
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 4.7
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.6 94.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.1 100.0
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6 100.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.6 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.4 100.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.4 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.1 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.1 100.0
EXPLOSIVES																		
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6 50.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5 48.4
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 1.5
Total EXPLOSIVES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3 100.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 9.2
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 22.1
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3 59.2
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 9.2
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3 100.0
Total WHC_FUEL_TRANS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	243.0
Waste Generator: WHC_GAS_NORTH																		
BATTERIES	B	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	41.5 100.0
Total BATTERIES		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	41.5 100.0
D-COMBUST	AG	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	99.9 100.0
Total D-COMBUST		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	99.9 100.0
D-HET	H	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	34.9 100.0
Total D-HET		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	34.9 100.0
D-METAL	H	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.7 100.0
Total D-METAL		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.7 100.0
LAB/CONT LQ	G	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	371.0 100.0
Total LAB/CONT LQ		12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	371.0 100.0
ORG ABS LQ/SLG	EG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.7 100.0
Total ORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.7 100.0
Total WHC_GAS_NORTH		19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	588.0
Waste Generator: WHC_GAS_SOUTH																		
BATTERIES	BDG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 16.3
BEG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	18.3 83.6
Total BATTERIES		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.8 100.0
D-IN NON-HTL	ABCEG	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9 100.0
Total D-IN NON-HTL		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/ Hg, E=Metals w/ Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 38b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-METAL	GJ	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.8 100.0
Total D-METAL		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.8 100.0
IN ORG LQ/SLG	AEFG	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9 100.0
IN ORG LQ/SLG		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.9 100.0
LAB/CONT LQ	ABDEFG	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.4 100.0
Total LAB/CONT LQ		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.4 100.0
ORG ABS LQ/SLG	AFG	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 100.0
Total ORG ABS LQ/SLG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 100.0
Total MHC GAS SOUTH		6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.0

Waste Generator: WHC GEOTEC LAB

D-COMBUST	NONE	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.2 100.0
Total D-COMBUST		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.2 100.0
D-HET	NONE	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.3 100.0
Total D-HET		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.3 100.0
D-METAL	NONE	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	15.6 100.0
Total D-METAL		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	15.6 100.0
IN ORG LQ/SLG	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9 100.0
Total IN ORG LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9 100.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 25.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 25.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 19.9
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.0 29.9
Total LAB/CONT LQ		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.0 100.0
ORG ABS LQ/SLG	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9 100.0
Total ORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9 100.0
Total MHC GEOTEC LAB		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	55.3

Waste Generator: WHC HLVP

BATTERIES	B	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	11.0 50.0
D		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	11.0 50.0
Total BATTERIES		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	22.0 100.0
D-COMBUST	A	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	23.3	373.2 2.5
G		19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	304.4 2.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Wald-COHBUST	NONE	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	883.1	14129.7	95.4
		925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	925.4	14807.5	100.0
	A	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	103.5	2.6
	C	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	103.5	2.6
	G	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	12.9	207.1	5.2
NONE	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	221.3	3541.0	89.5
Total D-HET		247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	247.2	3955.3	100.0
D-IN NON-MTL	B	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	61.3	2.4
	C	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	54.4	2.1
	D	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	51.8	2.0
	G	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	7.1	0.2
	NONE	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	146.6	2345.6	93.0
Total D-IN NON-MTL		157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	157.5	2520.4	100.0
D-METAL	D	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	32.6	522.3	13.5
	NONE	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	208.9	3342.6	86.4
		241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	241.5	3864.9	100.0
	B	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	32.4	40.4
	C	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	17.2	21.5
G	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	30.4	37.9	
Total IN ORG LQ/SLG		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	80.0	100.0
IN ORG PART	B	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	45.3	42.3
	C	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	22.6	21.1
	G	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	39.0	36.4
		6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	106.9	100.0
		16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	270.1	100.0
LAB/CONT LQ	B	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	54.0	20.0
	C	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	27.0	10.0
	F	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	8.4	135.0	50.0
	H	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	27.0	10.0
	J	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	27.0	10.0
Total LAB/CONT LQ		16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	16.8	270.1	100.0
ORG ABS LQ/SLG	F	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
	F	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
Total ORG PART		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1	100.0
REAC METALS	C	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17.9	50.0
	D	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17.9	50.0
		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17.9	50.0
		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17.9	50.0
		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	17.9	50.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 40b

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pat
Metals		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	35.9 100.0
SALT WASTE	B	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1 100.0
SALT WASTE		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	38.1 100.0
SH LEAD	D	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	38.1 100.0
NONE		11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	11.3	89.7 33.1
Total SH LEAD		16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	181.3 66.8
SH STEEL	B	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	271.1 100.0
G		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	44.8 9.4
NONE		24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	24.0	44.8 9.4
Total SH STEEL		29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	29.6	394.4 81.0
Total WHC HWP		1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	1657.7	474.1 100.0

Waste Generator: WHC_K BASIN

BATTERIES	BD	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 100.0
Total BATTERIES		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.5 100.0
D-COMBUST	AC	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.9 1.1
NONE		54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	1728.2 98.8
Total D-COMBUST		54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	1748.1 100.0
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.1 100.0
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51.1 100.0
D-METAL	D	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	28.7 1.9
NONE		44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	1460.9 98.0
Total D-METAL		45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	1489.7 100.0
EXPLOSIVES	A	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	17.6 100.0
Total EXPLOSIVES		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	17.6 100.0
ORG ABS IQ/SLG	AF	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	15.3 100.0
Total ORG ABS IQ/SLG		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	15.3 100.0
ORG PART	NONE	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	1300.1 100.0
Total ORG PART		41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	1300.1 100.0
Total WHC_K BASIN		143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	4628.8

Waste Generator: WHC_LAUNDRY

D-COMBUST	NONE	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	3399.0 100.0
Total D-COMBUST		113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	3399.0 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 41b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
D-HET	B	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 100.0
TotalD-HET		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.0 100.0
TotalWMC_LAUNDRY		113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	3408.0
Waste Generator:WHC_ILBG																	
CONT SOIL	NONE	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.9 100.0
TotalCONT SOIL		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.9 100.0
D-COMBUST	NONE	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	170.3 100.0
TotalD-COMBUST		5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	170.3 100.0
D-HET	G	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6 100.0
TotalD-HET		0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	30.6 100.0
D-METAL	NONE	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 100.0
TotalD-METAL		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 100.0
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
TotalWMC_ILBG		6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7	6.3	6.3	6.3	219.6
Waste Generator:WHC_ILVP																	
BATTERIES	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.2 50.0
D	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.2 50.0
TotalBATTERIES		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	8.4 100.0
D-COMBUST	A	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	7.6 0.1
G	G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.4 0.0
NONE		371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	371.9	7439.0 99.8
TotalD-COMBUST		372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	372.5	7451.0 100.0
D-HET	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.1
C	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.1
G	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 0.2
NONE		87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	87.2	1745.2 99.5
TotalD-HET		87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	87.6	1752.7 100.0
D-IN NON-HTL	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.4 0.2
C	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.1
G	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.2 0.1
NONE		58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	58.9	1178.0 99.4
TotalD-IN NON-HTL		59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	59.2	1184.0 100.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 42b

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
D-METAL	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.8 0.4
	NONE	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	66.5	1330.6 99.5
	Total D-METAL	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	66.8	1336.4 100.0
IN ORG LQ/SLG	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.7 31.0
	C	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.6 23.6
	G	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.9 45.2
Total IN ORG LQ/SLG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	15.4 100.0
IN ORG PART	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.2 37.5
	C	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.4 22.2
	G	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.5 40.2
Total IN ORG PART		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	11.2 100.0
LAB/CONT LQ	B	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.3 20.0
	C	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 10.0
	F	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	15.8 50.0
Total LAB/CONT LQ	H	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 10.0
	J	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 10.0
		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	31.6 100.0
ORG ABS LQ/SLG	F	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
Total ORG ABS LQ/SLG	F	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
REAC METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 50.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 50.0
		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 100.0
Total REAC METALS	B	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	6.0 100.0
SALT WASTE	B	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21.8 100.0
		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	21.8 100.0
		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	65.4 100.0
Total SALT WASTE	NONE	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	65.4 100.0
		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	65.4 100.0
		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	65.4 100.0
Total SH STEEL	NONE	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	11900.0
		595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	11900.0
		595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	595.0	11900.0

Waste Generator: RHC_PFF

BATTERIES	BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	38.6
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	22.7

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 43b

Waste	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
BATTERIES	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 38.6
CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.7 100.0
CONT SOIL		1.0	1.0	1.0	1.0	1.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	139.3 100.0
COMBUST	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	139.3 100.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 0.2
	NONE	35.8	35.8	35.8	35.8	35.8	35.3	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	84.3 1.7
																	4626.3 97.9
COMBUST		35.8	35.8	35.8	35.8	35.8	35.3	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	33.2	4721.8 100.0
D-HET	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.4 1.9
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	388.5 17.0
	DF	2.1	2.1	2.1	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	236.9 10.4
	DG	4.2	4.2	4.2	4.2	4.2	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	481.1 21.1
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6 0.3
	G	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	134.1 5.9
	NONE	7.4	7.4	7.4	7.4	7.4	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	979.9 43.1
Total D-HET		14.3	14.3	14.3	14.3	14.3	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	2272.8 100.0
D-IN NON-HTL	NONE	5.4	5.4	5.4	5.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	598.5 100.0
Total D-IN NON-HTL		5.4	5.4	5.4	5.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	598.5 100.0
D-METAL	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6 0.4
	NONE	9.3	9.3	9.3	9.3	9.3	3.6	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	1488.6 99.5
Total D-METAL		9.3	9.3	9.3	9.3	9.3	3.6	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	1495.2 100.0
IN ORG LQ/SLG	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5 22.7
	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 38.6
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 38.6
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.7 100.0
LAB/CONT LQ	ADFG	4.1	4.1	4.1	4.1	4.1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	495.3 34.1
	ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0 0.9
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.9 1.8
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.8 2.6
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.3 4.6
	BG	2.0	2.0	2.0	2.0	2.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	266.9 18.4
	DG	4.1	4.1	4.1	4.1	4.1	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	464.6 32.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.9 5.2
Total LAB/CONT LQ		10.4	10.4	10.4	10.4	10.4	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	1449.1 100.0
LEAD	D	2.0	2.0	2.0	2.0	2.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	232.3 100.0
Total LEAD		2.0	2.0	2.0	2.0	2.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	232.3 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
ORG ABS LQ/SLG	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	71.1 76.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.2 23.8
LONG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.3 100.0
TotalWHC_PFP		78.5	78.5	78.5	78.5	78.5	54.6	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	11060.2
Waste Generator:WHC_PRETERT IN																	
BATTERIES	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.1 50.0
D		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.1 50.0
TotalBATTERIES		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.2 100.0
D-COMBUST	A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	4.4 0.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 0.0
NONE		186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	186.5	3916.8 99.8
TotalD-COMBUST		186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	186.8	3922.9 100.0
D-HET	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 0.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 0.2
NONE		43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	43.9	923.7 99.5
TotalD-HET		44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	44.1	927.7 100.0
D-IN NON-HTL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 0.2
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 0.1
NONE		29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	626.0 99.5
TotalD-IN NON-HTL		29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	29.9	629.0 100.0
D-METAL	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.0 0.4
NONE		34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	732.5 99.5
TotalD-METAL		35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	735.6 100.0
IN ORG LQ/SLG	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.4 31.3
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 23.5
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 45.0
TotalIN ORG LQ/SLG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	7.7 100.0
IN ORG PART	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.1 37.7
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 22.1
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.3 40.0
TotalIN ORG PART		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	5.7 100.0
LAB/CONT LQ	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 20.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 10.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
F		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	7.9 50.0
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 10.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 10.0
TotalLAB/CONT LQ																	
ORG ABS LQ/SLG	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.0 100.0
TotalORG ABS LQ/SLG																	
ORG PART	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.0 100.0
TotalORG PART																	
REAC METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 50.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 50.0
TotalREAC METALS																	
SALT WASTE	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.0 100.0
TotalSALT WASTE																	
SH LEAD	NONE	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	15.2 100.0
TotalSH LEAD																	
SH STEEL	NONE	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	45.6 100.0
TotalSH STEEL																	
TotalWHC_PRETRT_TW		301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	301.0	6321.0
Waste Generator:WHC_PROCURRENT																	
CONT SOIL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 50.2
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 24.8
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 24.8
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 100.0
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 100.0
D-HET	A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.1 54.7
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 9.5
C		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 35.6
TotalD-HET		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.9 100.0
D-IN NON-HTL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 24.8
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 50.3
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 24.8
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0
D-METAL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 48.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Total D-METAL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.1
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 49.9
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 100.0
D-SOIL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 49.5
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 25.2
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 25.2
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
IN ORG LQ/SLG	A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.8 72.9
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.3
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 26.7
Total IN ORG LQ/SLG		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.6 100.0
IN ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 50.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 50.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 100.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 87.3
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 6.3
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 6.3
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 100.0
MERCURY	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 100.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 100.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 49.9
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 25.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 25.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 25.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 100.0
ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 50.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 50.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0
REAC METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 100.0
Total WHC PROCURMENT		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8
		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8
		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.8
Waste Generator: WHC_PUREX																	
BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 3.3
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3 96.6
		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.5 100.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFG	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
CONT SOIL	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0 27.9
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8 72.0
Total/CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9 100.0
D-COMBUST	ABEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.3
	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1 1.5
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.2
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	331.9 97.8
Total/D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	339.1 100.0
D-HET	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 12.1
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.5 87.8
Total/D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9 100.0
D-IN NON-HTL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 2.4
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.8 97.5
Total/D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.8 100.0
D-METAL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 0.4
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 0.2
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	205.1 99.3
Total/D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	206.5 100.0
LAB/CONT LQ	ABEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.3 96.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5 3.9
Total/LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39.9 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
Total/LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
Total/MERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
ORG ABS LQ/SLG	ADFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 100.0
Total/ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 100.0
Total/WHC PUREX		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	671.0

Waste Generator:WHC PUREX SH

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 3.9
	D	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1 96.0
Total/BATTERIES		0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2 100.0
CONT SOIL	AEFG	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 32.0
	NONE	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 67.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 48b

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Total/CONT SOIL		0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6 100.0
D-COMBUST	ABEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 0.4
	AEFG	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 1.5
	NONE	13.2	13.2	13.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	185.4 98.0
TotalD-COMBUST		13.5	13.5	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	189.1 100.0
D-HET	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
D-IN NON-MTL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 2.5
	NONE	1.5	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.2 97.4
TotalD-IN NON-MTL		1.5	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.7 100.0
D-METAL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.6
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.2
	NONE	7.6	7.6	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	106.8 99.1
TotalD-METAL		7.7	7.7	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	107.8 100.0
LAB/CONT LQ	ABEFG	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.1 96.8
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 3.1
TotalLAB/CONT LQ		1.7	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.9 100.0
LEAD	D	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 100.0
TotalLEAD		0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
TotalMERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
ORG ABS LQ/SLG	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
TotalWMC_PUREX_SH		25.5	25.5	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	358.1

Waste Generator:WMC_RADIO_MAIN

D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 50.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 50.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 100.0
TotalWMC_RADIO_MAIN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4

Waste Generator:WMC_SODIUM_FAC

D-COMBUST	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 60.5
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 39.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 49b

WTE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
TotalD-CORRUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 100.0
D-HET	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 60.5
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 39.4
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9 100.0
TotalWHC_SODIUM_FMC		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8
Waste Generator:WHC_SODIUM_TST																		
D-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 50.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 50.0
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
D-IN NON-MTL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
TotalD-IN NON-MTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
D-METAL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 100.0
TotalWHC_SODIUM_TST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6
Waste Generator:WHC_SST_ILX																		
D-METAL	DF	379.2	513.0	567.9	661.3	787.8	888.7	930.9	958.8	283.7	330.2	377.1	440.3	514.8	514.8	514.8	10975.5	100.0
TotalD-METAL		379.2	513.0	567.9	661.3	787.8	888.7	930.9	958.8	283.7	330.2	377.1	440.3	514.8	514.8	514.8	10975.5	100.0
SH STEEL	DF	2415.5	3273.1	3617.6	4212.5	5017.6	5660.4	5929.3	6106.9	1807.1	2103.4	2402.1	2804.6	3279.3	3279.3	3279.3	69828.3	100.0
TotalSH STEEL		2415.5	3273.1	3617.6	4212.5	5017.6	5660.4	5929.3	6106.9	1807.1	2103.4	2402.1	2804.6	3279.3	3279.3	3279.3	69828.3	100.0
TotalWHC_SST_ILX		2794.8	3787.0	4185.6	4873.9	5805.5	6549.2	6860.3	7065.8	2090.9	2433.7	2779.3	3245.0	3794.2	3794.2	3794.2	80803.9	
Waste Generator:WHC_SST_RPT																		
CONT SOIL	DF	5.2	6.5	7.8	9.1	11.0	13.0	13.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.2 100.0
TotalCONT SOIL		5.2	6.5	7.8	9.1	11.0	13.0	13.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.2 100.0
D-CORRUST	DF	39.4	49.3	59.1	69.0	83.8	98.6	98.6	98.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	734.8 75.5
	NONE	12.7	15.9	19.1	22.3	27.1	31.9	31.9	31.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	237.6 24.4
TotalD-CORRUST		52.2	65.2	78.3	91.3	110.9	130.5	130.5	130.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	972.4 100.0
D-HET	DF	1.7	2.1	2.6	3.0	3.6	4.3	4.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.4 100.0
TotalD-HET		1.7	2.1	2.6	3.0	3.6	4.3	4.3	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.4 100.0
D-IN NON-MTL	DF	4.0	5.0	6.0	7.1	8.6	10.1	10.1	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.6 38.8
	NONE	6.3	7.9	9.5	11.1	13.5	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.8 61.1
TotalD-IN NON-MTL		10.4	13.0	15.6	18.2	22.1	26.1	26.1	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	194.4 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 50b

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-METAL	DF	6.3	7.9	9.5	11.1	13.5	15.9	15.9	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	119.8 40.7
	NONE	9.2	11.6	13.9	16.2	19.7	23.2	23.2	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	172.8 59.2
Total D-METAL		15.6	19.5	23.4	27.4	33.2	39.1	39.1	39.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	291.7 100.0
IN ORG LQ/SLG	DF	0.5	0.7	0.8	1.0	1.2	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8 66.6
	NONE	0.2	0.3	0.4	0.5	0.6	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4 33.3
Total IN ORG LQ/SLG		0.8	1.0	1.3	1.5	1.8	2.1	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2 100.0
ORG PART	DF	0.5	0.7	0.8	1.0	1.2	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.8 66.6
	NONE	0.2	0.3	0.4	0.5	0.6	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4 33.3
Total ORG PART		0.8	1.0	1.3	1.5	1.8	2.1	2.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.2 100.0
Total MHC SST_RET		87.0	108.8	130.5	152.3	184.9	217.5	217.5	217.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1620.8

Waste Generator: WHC_SS_MAIN

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 69.9
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 30.0
Total BATTERIES		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.2 100.0
LAB/CONT LQ	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.5 47.4
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 4.1
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.6 48.4
Total LAB/CONT LQ		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.7 100.0
Total MHC SS_MAIN		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.0

Waste Generator: WHC_STAND_LAB

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8 70.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 30.0
Total BATTERIES		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.0 100.0
D-COMBUST	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 50.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 25.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 25.0
Total D-COMBUST		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.0 100.0
IN ORG LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 50.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 50.0
Total IN ORG LQ/SLG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 100.0
IN ORG PART	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 50.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 50.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 51b

WFF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
LAB/CONT LQ	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.5 45.6
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 7.2
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.7 47.1
Total LAB/CONT LQ		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	12.1 100.0
Total HCD STAND LAB		0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	24.0
Waste Generator: WHC SURPLS_FAC																	
CONT SOIL	A	3.6	2.4	1.9	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	166.6 0.1
	B	12.3	7.6	5.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	418.5 0.2
	D	14.3	9.0	6.4	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	522.5 0.3
	F	2.0	1.4	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	103.9 0.0
	H	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.3 0.0
	NONE	446.8	75.7	35.3	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146918.6 99.1
Total CONT SOIL		479.6	96.7	50.4	45.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	148171.6 100.0
D-COMBUST	A	4.8	2.8	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	104.1 2.9
	B	19.2	11.3	7.4	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	416.7 11.6
	D	23.6	13.8	9.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	494.9 13.8
	F	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.9 0.5
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9 0.1
	NONE	7.7	1.3	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2532.9 70.8
Total D-COMBUST		55.7	29.7	19.3	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3574.7 100.0
D-HET	B	1.5	1.5	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.1 2.9
	D	5.1	4.7	4.5	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	136.7 8.1
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.0
	NONE	9.5	6.3	5.9	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1497.3 88.9
Total D-HET		16.3	12.6	12.1	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1693.8 100.0
D-IN NON-HTL	A	4.6	2.5	1.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	94.3 0.0
	B	18.7	10.1	5.9	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	377.5 0.0
	D	20.9	11.3	6.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	415.6 0.0
	F	2.4	1.3	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.2 0.0
	NONE	13588.7	3242.4	1578.4	1646.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	745111.1 99.8
Total D-IN NON-HTL		13635.5	3267.8	1593.3	1652.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	746055.0 100.0
D-METAL	A	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6 3.3
	B	10.2	5.9	3.8	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235.2 40.0
	D	11.5	6.6	4.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	257.5 43.7
	F	3.5	2.0	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.7 12.8
Total D-METAL		25.5	14.8	9.5	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	588.0 100.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 52b

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
D-SOIL	A	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9	0.1
	B	0.9	0.5	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.4	0.2
	D	1.1	0.7	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40.5	0.3
	F	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0
	NONE	34.6	5.8	2.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11388.9	99.1
	Total D-SOIL	37.1	7.5	3.9	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11486.0	100.0
IN ORG LQ/SLG		3495.7	2282.6	1140.7	1140.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99477.9	100.0
Total IN ORG LQ/SLG		3495.7	2282.6	1140.7	1140.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99477.9	100.0
IN ORG PART		1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.6	100.0
Total IN ORG PART		1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.6	100.0
LAB/CONT LQ		12.5	7.9	5.7	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	451.4	5.3
B	A	16.9	10.5	7.3	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	553.8	6.6
	B	18.0	11.7	8.5	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	701.4	8.3
	D	5.0	3.2	2.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	192.1	2.2
	F	5.3	3.2	2.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146.6	1.7
	H	19.2	3.2	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6332.3	75.5
	NONE	77.3	40.0	27.7	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8377.7	100.0
	Total LAB/CONT LQ	4.9	2.8	1.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	156.5	11.0
LEAD		3.8	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1266.4	88.9
Total LEAD		8.8	3.4	2.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1423.0	100.0
ORG ABS LQ/SLG		12.4	9.0	7.3	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	252.0	0.2
B	A	18.6	13.5	11.0	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	378.0	0.3
	B	24.9	18.1	14.7	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	504.1	0.5
	D	6.2	4.5	3.6	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.0	0.1
	F	3495.7	2282.6	1140.7	1140.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99477.9	98.7
	NONE	3558.0	2327.8	1177.5	1170.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100738.2	100.0
	ORG PART	15.7	8.5	4.9	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	350.1	12.0
	Total ORG PART	55.7	29.0	15.8	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1093.7	37.7
Total ORG ABS LQ/SLG		58.8	30.5	16.4	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1196.5	41.2
B	A	6.6	3.5	2.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	167.1	5.7
	B	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.1	1.1
	D	1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.6	1.9
	F	138.6	73.4	41.0	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2899.3	100.0
	H	21529.9	8158.3	4079.4	4078.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0124533.5	
	NONE	138.6	73.4	41.0	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57.6	1.9
	Total B	21529.9	8158.3	4079.4	4078.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FY	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pdt
Waste Generator: WHC_WF_OPER																	
BATTERIES	BDF	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.6100.0
Total BATTERIES		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.6100.0
CONT SOIL	AC	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	92.4 30.0
	DF	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	215.7 70.0
Total CONT SOIL		10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	308.1 100.0
D-COMBUST	ABDF	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	226.1 3.0
	DF	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	2250.6 30.2
	NONE	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	4974.8 66.7
Total D-COMBUST		249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	7451.5 100.0
D-HET	DF	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	144.8 100.0
Total D-HET		4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	144.8 100.0
D-IN NON-MTL	AC	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	77.5 2.8
	DF	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	1047.7 39.0
	NONE	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	1557.6 58.0
Total D-IN NON-MTL		89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	2682.9 100.0
D-METAL	DF	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	1652.1 42.1
	NONE	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	2265.7 57.8
Total D-METAL		130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	3917.8 100.0
EXPLOSIVES	ABDF	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	67.8 100.0
Total EXPLOSIVES		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	67.8 100.0
IN ORG LQ/SLG	ABDF	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	113.0 47.1
	DF	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	55.9 23.3
	NONE	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	70.8 29.5
Total IN ORG LQ/SLG		8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	239.7 100.0
LAB/CONT LQ	ABDF	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	395.6 100.0
Total LAB/CONT LQ		13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	395.6 100.0
LEAD	ADF	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.3 100.0
Total LEAD		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.3 100.0
MERCURY	E	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.3 100.0
Total MERCURY		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.3 100.0
ORG ABS LQ/SLG	ABDF	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	226.1 100.0
Total ORG ABS LQ/SLG		7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	226.1 100.0
ORG PART	ABDF	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	56.5 30.8

BOD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
DF		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	55.9 30.5
NONE		2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	70.8 38.6
TotalCRG PART		6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	183.2 100.0
TotalWHC_TF_OPEN		523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	15663.3

Waste Generator:WHC_TRANSPORT

D-COMBUST	AG	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.2 43.0
G		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.5 57.0
TotalD-COMBUST		1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	37.8 100.0
IN ORG PART	AG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9 43.0
G		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.2 57.0
TotalIN ORG PART		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.2 100.0
TotalWHC_TRANSPORT		1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.0

Waste Generator:WHC_TRUSAF

D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5 100.0
D-HET	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 87.6
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 12.3
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 100.0
TotalWHC_TRUSAF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.5

Waste Generator:WHC_TWP_W028

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9 100.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalWHC_TWP_W028		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4

Waste Generator:WHC_TWP_W030

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9 100.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9 100.0
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 55b

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
TotalD-COXBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3 100.0
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0 100.0
TotalWHC_TWP_W030		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0 100.0
Waste Generator:WHC_TWP_W058																	
CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	56.6
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	364.5 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	364.5 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
TotalWHC_TWP_W058		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 100.0
Waste Generator:WHC_TWP_W151																	
CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.2
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 100.0
D-COXBUST	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 100.0
TotalD-COXBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1 40.7
D-METAL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.3 59.2
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.4 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.1 100.0
ORG ABS LQ/SLG F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.1 100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3 100.0
SH STEEL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3 100.0
TotalSH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.6 100.0
SH VOID	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.6 100.0
TotalSH VOID		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	105.4 100.0
TotalWHC_TWP_W151		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	105.4 100.0
Waste Generator:WHC_TWP_W211																	
CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1785.0 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1785.0 100.0
D-METAL	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.0 33.9
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	198.3 66.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	300.3 100.0
ORG ABS LQ/SLG	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
SH STEEL	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
TotalSH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
SH VOID	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.5 100.0
TotalSH VOID		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.5 100.0
TotalWHC_TWP_W211		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2238.5

Waste Generator:WHC_TWP_W314

CONT SOIL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	795.9 25.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	795.9 25.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1591.9 50.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3183.9 100.0
D-HET	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.1 25.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.1 25.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	130.3 50.0
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	260.6 100.0
D-IN NON-HTL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0 10.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.0 10.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	209.5 80.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	260.6 100.0
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.4 25.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.4 25.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	390.9 50.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	781.9 100.0
TotalWHC_TWP_W314		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4487.2

Waste Generator:WHC_TWP_W320

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6 100.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.6 100.0
D-COMBUST	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.2 71.6

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 57b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.9 28.3
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	123.2 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4 29.6
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69.9 70.3
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.3 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4 29.6
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	69.9 70.3
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	99.3 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.6 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.4 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	485.8
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.9
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9 100.0
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 5.7
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3 20.3
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 2.3
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0 3.4
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.3 68.1
Waste Generator: HCD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31.2 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-COMBUST	A	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	12.9 10.4
	B	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.3 5.9
	C	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 3.7
	D	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 7.3
	F	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	54.6 44.0
	G	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.6 7.7
	NONE	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	25.5 20.6
	TotalD-COMBUST	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	123.8 100.0
D-HET	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 1.2
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 0.8
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 0.6
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 0.9
	F	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	24.2 8.0
	G	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.5 1.1
	NONE	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	264.1 87.1
	TotalD-HET	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	8.8	303.2 100.0
D-IN NON-MTL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 2.3
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 2.3
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 2.3
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 5.1
	F	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.6 22.9
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 4.2
	NONE	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	25.5 60.6
	TotalD-IN NON-MTL	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	42.1 100.0
D-METAL	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.1 1.7
	F	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	68.5 38.4
	NONE	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	106.5 59.7
	TotalD-METAL	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	178.2 100.0
D-SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 4.2
	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2 15.1
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4 1.7
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 2.5
	NONE	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.3 76.2
	TotalD-SOIL	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	27.9 100.0
	IN ORG LQ/SLG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5 11.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.4
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 59b

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.7
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.4	68.2
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.1
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.5
NONE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2	10.2
Total IN ORG LQ/SLG		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	41.6	100.0
IN ORG PART		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.5	34.7
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	11.8
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	12.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.9
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
NONE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2	32.1
Total IN ORG PART		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.2	100.0
LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.7
F		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.6	54.6
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.0
NONE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2	24.0
Total LAB/CONT LQ		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	17.6	99.9
LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	100.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	100.0
MERCURY		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9	100.0
Total MERCURY		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9	100.0
ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	34.7
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	61.3
NONE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.9	100.0
Total ORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9	100.0
ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	34.7
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	61.3
NONE		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	6.9	100.0
Total ORG PART		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.9	100.0
SALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	22.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FHE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Total SALT WASTE																		
SH LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	14.9 100.0
Total SH LEAD																		
UNKNOW	NONE	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	14.9 100.0
	UNKNOW	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	25.5 32.3
		2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	53.4 67.6
Total UNKNOW																		
Total HCD T PLANT		24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	24.1	900.8
Waste Generator: HHC_WASTE_NEUT																		
D-CORUST	F	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	35.1 5.8
	NONE	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	570.0 94.1
Total D-CORUST																		
D-METAL	EF	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 7.3
	NONE	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	49.4 92.6
Total D-METAL																		
Total HCD WASTE_NEUT		21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	53.3 100.0
Waste Generator: HHC_WELL_DRU																		
CONT SOIL	F	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	175.2 84.8
	NONE	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.2 15.1
Total CONT SOIL																		
D-IN NON-MTL	F	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.9 84.8
	NONE	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.9 15.1
Total D-IN NON-MTL																		
D-METAL	F	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	25.8 100.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9 84.8
Total D-METAL																		
D-SOIL	F	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	12.9 100.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9 84.8
Total D-SOIL																		
Total HCD WELL_DRU		8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	259.0
Grand Total																		
		36707.6	26681.1	23107.9	33442.2	44662.0	46128.5	33055.4	34368.3	30386.0	30910.9	33114.5	36138.7	39610.2	30464.6	35282.8	1824043.1	

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-FCB < 50ppm, J-FCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Waste Generator:ANL	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-COMBUST	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Total D-HET	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	3.7	6.3	6.3	6.3	6.3	6.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
Total D-IN NON-HTL	3.7	6.3	6.3	6.3	6.3	6.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
D-METAL	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BD	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ANES	16.1	6.4	6.4	6.4	6.3	6.3	3.2	3.2	3.2	3.4	3.2	3.2	3.2	3.2	3.2

Waste Generator:ANL E

CONT SOIL	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	0.0	0.2	0.2	0.1	0.0	0.1	0.6	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
J	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE	0.0	277.3	360.9	152.9	140.5	274.4	420.6	113.0	61.6	61.6	61.6	61.6	61.6	61.6	61.6
Total CONT SOIL	0.0	277.7	361.2	153.3	140.7	274.5	421.6	113.2	61.9	61.9	61.9	61.9	61.9	61.9	61.9
D-COMBUST	0.0	17.7	24.2	37.9	34.9	67.2	102.5	28.2	15.8	15.8	15.8	15.8	15.8	15.8	15.8
Total D-COMBUST	0.0	17.7	24.2	37.9	34.9	67.2	102.5	28.2	15.8	15.8	15.8	15.8	15.8	15.8	15.8
D-HET	0.0	13.1	13.1	12.2	5.4	6.2	37.0	5.2	10.4	10.4	10.4	10.4	10.4	10.4	10.4
NONE	0.0	91.8	122.8	201.3	185.0	360.9	553.0	148.9	81.3	81.3	81.3	81.3	81.3	81.3	81.3
Total D-HET	0.0	106.9	136.0	213.6	190.5	367.1	590.0	154.1	91.7	91.7	91.7	91.7	91.7	91.7	91.7
D-IN NON-HTL	0.0	38.2	51.8	63.8	59.8	111.7	170.7	46.6	25.8	25.8	25.8	25.8	25.8	25.8	25.8
Total D-IN NON-HTL	0.0	38.2	51.8	63.8	59.8	111.7	170.7	46.6	25.8	25.8	25.8	25.8	25.8	25.8	25.8
D-METAL	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
NONE	0.0	36.8	58.6	69.1	64.6	103.9	157.8	44.3	25.4	25.4	25.4	25.4	25.4	25.4	25.4
Total D-METAL	0.0	37.0	58.8	69.3	64.7	104.0	158.0	44.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.7	0.7	0.7	0.3	0.4	2.0	0.3	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	NONE	0.0	5.5	11.5	9.5	8.9	15.4	22.4	7.6	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1
Total IN ORG LQ/SLG		0.0	6.4	12.4	10.3	9.4	15.9	24.6	8.0	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8
IN ORG PART	NONE	0.0	1.8	2.7	3.8	3.5	6.7	10.3	2.8	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Total IN ORG PART		0.0	1.8	2.7	3.8	3.5	6.7	10.3	2.8	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
LAB/CONT LQ	A	0.0	2.8	2.8	2.6	1.1	1.3	8.1	1.1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	B	0.0	0.1	0.1	0.1	0.0	0.0	0.5	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	3.2	3.2	2.9	1.3	1.5	9.0	1.2	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
LEAD	D	0.0	311.8	311.8	16.8	7.4	8.6	51.0	7.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total LEAD		0.0	311.8	311.8	16.8	7.4	8.6	51.0	7.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
ORG ABS LQ/SLG	NONE	0.0	1.6	2.1	3.6	3.3	6.6	10.1	2.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total ORG ABS LQ/SLG		0.0	1.6	2.1	3.6	3.3	6.6	10.1	2.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
ORG PART	NONE	0.0	1.6	2.1	3.6	3.3	6.6	10.1	2.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total ORG PART		0.0	1.6	2.1	3.6	3.3	6.6	10.1	2.7	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total ANL F		0.0	804.3	966.7	579.5	518.4	970.9	1559.3	411.7	234.3	234.3	234.3	234.3	234.3	234.3	234.3	234.3
Waste Generator: BAPL																	
CONT SOIL	FG	0.0	0.2	0.9	0.7	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	0.2	0.9	0.7	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	4.5	2.0	2.0	2.0	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	4.5	2.0	2.0	2.0	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	FG	0.0	1.4	4.6	3.8	2.6	2.6	2.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	NONE	0.0	3.2	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	4.7	5.7	4.8	3.6	3.6	3.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
D-IN NON-HTL	NONE	0.0	1.7	1.1	1.1	1.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	1.7	1.1	1.1	1.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	45.5	18.8	18.8	18.8	12.1	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	45.5	18.8	18.8	18.8	12.1	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PDF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total IN ORG LQ/SLG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D		0.0	8.0	25.8	21.1	14.4	14.4	14.4	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Total LEAD			0.0	8.0	25.8	21.1	14.4	14.4	14.4	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
ORG ABS LQ/SLG	D		0.0	0.3	1.0	0.8	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E		0.0	0.2	0.6	0.5	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.2	0.9	0.7	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.1	0.5	0.4	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG			0.0	1.0	3.2	2.6	1.8	1.8	1.8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
ORG PART	F		0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART			0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BAPL			0.0	66.1	57.9	51.6	42.5	34.1	34.1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Waste Generator: BAPL SHIPYDS																	
D-METAL	NONE		0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BAPL SHIPYDS			0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: BAT CLBS LAB																	
CONT SOIL	NONE		0.0	29.4	29.4	29.4	36.8	36.8	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	29.4	29.4	29.4	36.8	36.8	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-CORRUST	NONE		0.0	22.6	22.6	22.6	28.3	28.3	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORRUST			0.0	22.6	22.6	22.6	28.3	28.3	25.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-MTL	NONE		0.0	90.6	90.6	90.6	128.4	127.1	115.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-MTL			0.0	90.6	90.6	90.6	128.4	127.1	115.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE		0.0	54.3	54.3	54.3	67.9	67.9	61.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	54.3	54.3	54.3	67.9	67.9	61.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL	NONE		0.0	29.4	29.4	29.4	36.8	36.8	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL			0.0	29.4	29.4	29.4	36.8	36.8	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	NONE		0.0	0.0	0.0	0.0	8.8	8.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART			0.0	0.0	0.0	0.0	8.8	8.0	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	A		0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ			0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
LEAD	D	0.0	4.2	4.2	4.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	EH	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	5.6	5.6	5.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY	E	0.0	5.1	5.1	5.1	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	EH	0.0	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	5.6	5.6	5.6	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	F	0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	NONE	0.0	0.0	0.0	0.0	1.2	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH LEAD		0.0	0.0	0.0	0.0	1.2	1.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB CLASS LAB		0.0	239.2	239.2	239.2	321.1	306.4	278.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: BRKHVN																	
CONT SOIL	NONE	0.0	24.4	16.3	17.1	18.0	18.9	19.8	20.8	21.9	23.0	24.1	25.3	26.6	27.9	29.3	30.8
Total CONT SOIL		0.0	24.4	16.3	17.1	18.0	18.9	19.8	20.8	21.9	23.0	24.1	25.3	26.6	27.9	29.3	30.8
D-HET	NONE	0.0	123.5	81.0	85.1	89.3	93.8	98.5	103.4	108.6	114.0	119.7	125.7	132.0	138.6	145.5	152.8
Total D-HET		0.0	123.5	81.0	85.1	89.3	93.8	98.5	103.4	108.6	114.0	119.7	125.7	132.0	138.6	145.5	152.8
D-IN NON-HTL	NONE	0.0	36.9	24.5	25.7	27.0	28.4	29.8	31.3	32.8	34.5	36.2	38.0	39.9	41.9	44.0	46.2
Total D-IN NON-HTL		0.0	36.9	24.5	25.7	27.0	28.4	29.8	31.3	32.8	34.5	36.2	38.0	39.9	41.9	44.0	46.2
D-METAL	A	0.0	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	NONE	0.0	190.6	124.9	131.1	137.7	144.6	151.8	159.4	167.4	175.7	184.5	193.7	203.4	213.6	224.3	235.5
Total D-METAL		0.0	191.0	125.2	131.3	137.8	144.7	152.0	159.6	167.5	175.9	184.7	193.9	203.6	213.8	224.5	235.7
D-SOIL	NONE	0.0	55.5	35.7	37.4	39.3	41.3	43.3	45.5	47.8	50.2	52.7	55.3	58.1	61.0	64.1	67.3
Total D-SOIL		0.0	55.5	35.7	37.4	39.3	41.3	43.3	45.5	47.8	50.2	52.7	55.3	58.1	61.0	64.1	67.3
IN ORG LQ/SLG	NONE	0.0	15.5	10.4	10.9	11.4	12.0	12.6	13.2	13.9	14.6	15.3	16.1	16.9	17.8	18.6	19.6
Total IN ORG LQ/SLG		0.0	15.5	10.4	10.9	11.4	12.0	12.6	13.2	13.9	14.6	15.3	16.1	16.9	17.8	18.6	19.6
LAB/CONT LQ	A	0.0	1.9	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	AB	0.0	0.9	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	B	0.0	0.9	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	NONE	0.0	2.2	1.4	1.5	1.6	1.7	1.8	1.8	1.9	2.0	2.1	2.3	2.4	2.5	2.6	2.8
Total LAB/CONT LQ		0.0	6.0	3.7	2.9	2.9	3.0	3.1	3.2	3.3	3.4	3.5	3.6	3.7	3.9	4.0	4.1
LEAD	D	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

YRF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
MERCURY	E	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	NONE	0.0	2.2	1.4	1.5	1.6	1.7	1.8	1.8	1.9	1.9	2.1	2.3	2.4	2.5	2.6	2.8
Total ORG ABS LQ/SLG		0.0	2.2	1.4	1.5	1.6	1.7	1.8	1.8	1.9	1.9	2.1	2.3	2.4	2.5	2.6	2.8
ORG PART	NONE	0.0	2.2	1.4	1.5	1.6	1.7	1.8	1.8	1.9	1.9	2.1	2.3	2.4	2.5	2.6	2.8
Total ORG PART		0.0	2.2	1.4	1.5	1.6	1.7	1.8	1.8	1.9	1.9	2.1	2.3	2.4	2.5	2.6	2.8
SH STEEL	NONE	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH STEEL		0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BRHVN		0.0	459.1	300.3	314.0	329.6	346.0	363.2	381.3	400.3	420.2	441.2	463.1	486.2	510.4	535.9	562.6

Waste Generator: B LEHR DAV

CONT SOIL	NONE	0.0	317.4	113.7	179.8	117.5	117.5	235.1	235.1	235.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	317.4	113.7	179.8	117.5	117.5	235.1	235.1	235.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-CORBUST	NONE	0.0	7.8	6.8	10.8	7.0	7.0	14.1	14.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORBUST		0.0	7.8	6.8	10.8	7.0	7.0	14.1	14.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	FG	0.0	2.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	6.2	5.4	8.6	5.6	5.6	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	8.3	5.7	8.6	5.6	5.6	11.3	11.3	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-MTL	GH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	8.7	6.8	10.8	7.0	7.0	14.1	14.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-MTL		0.0	8.8	6.8	10.8	7.0	7.0	14.1	14.1	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	DG	0.0	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	4.7	4.1	6.5	4.2	4.2	8.4	8.4	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	5.8	4.2	6.5	4.2	4.2	8.4	8.4	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	AG	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BG		0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
FG		0.0	5.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	7.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	NONE	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	NONE	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total B LEHR DAV		0.0	358.9	138.2	216.7	141.6	141.6	283.3	283.3	283.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Waste Generator:EGG	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-COMBUST	0.0	13.2	13.5	13.5	13.5	13.5	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST	0.0	13.2	13.5	13.5	13.5	13.5	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	0.0	10.3	10.5	10.5	10.5	10.5	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET	0.0	10.3	10.5	10.5	10.5	10.5	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	0.0	2.6	2.7	2.7	2.7	2.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL	0.0	2.6	2.7	2.7	2.7	2.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	0.0	129.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG	0.0	129.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total EGG	0.0	155.6	27.1	27.1	27.1	27.1	27.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator:FERMI															
BATTERIES	D	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total BATTERIES		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
CONT SOIL	NONE	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total CONT SOIL		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
D-COMBUST	NONE	0.1	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
Total D-COMBUST		0.1	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
D-HET	NONE	0.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total D-HET		0.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
D-IN NON-HTL	NONE	0.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
Total D-IN NON-HTL		0.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
D-METAL	NONE	26.7	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
Total D-METAL		26.7	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2
IN ORG LQ/SLG	NONE	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total IN ORG LQ/SLG		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
IN ORG PART	NONE	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Total IN ORG PART		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
LAB/CONT LQ	BD	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total LAB/CONT LQ		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LEAD	D	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total LEAD			0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
ORG ABS LQ/SLG	NONE		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total ORG ABS LQ/SLG			0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
SALT WASTE	G		0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total SALT WASTE			0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total FERM			27.2	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9
Waste Generator: FUSRAP																	
CONT SOIL	NONE		0.0	2889.5	2889.5	2889.5	0.0	0.0	115.1	1007.0	1007.0	1007.0	1294.7	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	2889.5	2889.5	2889.5	0.0	0.0	115.1	1007.0	1007.0	1007.0	1294.7	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE		0.0	506.8	506.8	506.8	0.0	0.0	91.3	799.5	799.5	799.5	1027.9	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	506.8	506.8	506.8	0.0	0.0	91.3	799.5	799.5	799.5	1027.9	0.0	0.0	0.0	0.0
D-SOIL	NONE		0.0	223.9	223.9	223.9	0.0	0.0	8.9	78.0	78.0	78.0	100.3	0.0	0.0	0.0	0.0
Total D-SOIL			0.0	223.9	223.9	223.9	0.0	0.0	8.9	78.0	78.0	78.0	100.3	0.0	0.0	0.0	0.0
IN ORG PART	NONE		0.0	0.0	0.0	0.0	0.0	0.0	2.1	19.0	19.0	19.0	24.4	0.0	0.0	0.0	0.0
Total IN ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	2.1	19.0	19.0	19.0	24.4	0.0	0.0	0.0	0.0
Total FUSRAP			0.0	3620.4	3620.4	3620.4	0.0	0.0	217.6	1903.7	1903.7	1903.7	2447.6	0.0	0.0	0.0	0.0
Waste Generator: IGEN_ATOM																	
CONT SOIL	D		0.0	1.9	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	7.9	33.4	33.4	26.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	9.8	33.6	33.6	26.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	D		0.0	5.8	0.6	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	3.8	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.9	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	70.6	193.8	193.8	150.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	81.2	195.0	195.0	151.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE		0.0	0.9	11.5	11.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	0.9	11.5	11.5	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE		0.0	2.7	34.5	34.5	26.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	2.7	34.5	34.5	26.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	F		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG			0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
LAB/CONT LQ	A	0.0	1.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	3.8	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ			0.0	5.4	0.6	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D	0.0	3.4	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD			0.0	3.4	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY	E	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY			0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	F	0.0	2.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART			0.0	2.2	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALT WASTE	C	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SALT WASTE			0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total GEN ATOM			0.0	107.0	276.1	276.1	214.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:HEHF																	
LAB/CONT LQ	AG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	BG	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	DG	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ			0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Total HEHF			0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Waste Generator:KAPL																	
CONT SOIL	D	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total CONT SOIL			0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
D-COMBUST	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D-HET	D	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

BCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D-IN NON-MTL		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-MTL		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
D-METAL		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
IN ORG LQ/SIG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SIG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
E		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
HERCURY		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total HERCURY		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ORG ABS LQ/SIG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG ABS LQ/SIG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total KAPL		0.0	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2
Waste Generator: KAPL SHIPYDS																	

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
Total KAPL SHIPYDS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.4	59.4	59.4	59.4	0.0	0.0	0.0	0.0	0.0
Waste Generator:KEH 100																	
BATTERIES	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.6	1.0
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.6	1.0
CONT SOIL	D	0.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	64.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	74.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	A	0.0	0.3	0.4	0.5	0.6	0.8	1.0	1.3	1.6	2.0	2.5	3.2	4.0	5.0	6.3	7.9
AFG		0.0	0.2	0.3	0.4	0.5	0.6	0.8	1.0	1.3	1.6	2.1	2.6	3.3	4.1	5.1	6.4
Total D-COMBUST		0.0	0.6	0.7	0.9	1.2	1.5	1.9	2.4	3.0	3.7	4.7	5.8	7.3	9.2	11.5	14.3
D-IN NON-HTL	NONE	0.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	DG	0.0	13.7	17.1	21.4	26.8	33.5	41.8	52.3	65.4	81.8	102.2	127.8	159.8	199.7	249.6	312.1
EG		0.0	0.5	0.7	0.8	1.1	1.3	1.7	2.1	2.7	3.3	4.2	5.2	6.6	8.2	10.3	12.9
Total D-METAL		0.0	14.2	17.8	22.3	27.9	34.8	43.6	54.5	68.1	85.2	106.5	133.1	166.4	208.0	260.0	325.0
IN ORG LQ/SLG	AEG	0.0	6.9	8.7	10.9	13.6	17.0	21.2	26.6	33.2	41.5	51.9	64.9	81.2	101.5	126.8	158.6
Total IN ORG LQ/SLG		0.0	6.9	8.7	10.9	13.6	17.0	21.2	26.6	33.2	41.5	51.9	64.9	81.2	101.5	126.8	158.6
LAB/CONT LQ	BG	0.0	1.4	1.8	2.2	2.8	3.5	4.4	5.5	6.8	8.6	10.7	13.4	16.8	21.0	26.3	32.9
FG		0.0	0.3	0.4	0.5	0.6	0.8	1.0	1.3	1.6	2.0	2.5	3.2	4.0	5.0	6.3	7.9
Total LAB/CONT LQ		0.0	1.7	2.2	2.8	3.5	4.3	5.4	6.8	8.5	10.7	13.3	16.7	20.9	26.1	32.6	40.8
LEAD	BDG	0.0	0.3	0.4	0.5	0.6	0.7	0.9	1.2	1.5	1.9	2.3	2.9	3.7	4.6	5.8	7.3
D		0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	1.1	0.4	0.5	0.6	0.7	0.9	1.2	1.5	1.9	2.3	2.9	3.7	4.6	5.8	7.3
ORG ABS LQ/SLG	AERG	0.0	12.5	15.6	19.6	24.5	30.6	38.3	47.9	59.8	74.8	93.5	116.9	146.1	182.7	228.4	285.5
FG		0.0	0.2	0.3	0.4	0.5	0.6	0.8	1.0	1.3	1.6	2.1	2.6	3.3	4.1	5.1	6.4
Total ORG ABS LQ/SLG		0.0	12.8	16.0	20.0	25.0	31.3	39.1	48.9	61.2	76.5	95.6	119.6	149.4	186.8	233.5	291.9
Total KEH 100		0.0	125.1	146.1	177.7	221.1	272.1	332.6	408.8	500.0	612.0	750.0	912.0	1104.0	1332.0	1604.0	1932.0
Waste Generator:ISL																	
D-IN NON-HTL	NONE	0.0	80.3	73.3	6.7	6.8	6.9	2725.5	2725.5	2725.5	2725.5	2725.5	7.0	7.0	7.0	7.0	7.0
Total D-IN NON-HTL		0.0	80.3	73.3	6.7	6.8	6.9	2725.5	2725.5	2725.5	2725.5	2725.5	7.0	7.0	7.0	7.0	7.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	Yr	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	NONE	0.0	79.3	72.4	11.9	12.1	12.3	126.8	126.8	126.8	126.8	126.8	12.5	12.5	12.5	12.5	12.5
Total D-METAL		0.0	79.3	72.4	11.9	12.1	12.3	126.8	126.8	126.8	126.8	126.8	12.5	12.5	12.5	12.5	12.5
IN ORG PART	D	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
NONE		0.0	16.3	14.9	18.1	18.4	18.7	19.1	19.1	19.1	19.1	19.1	19.0	19.0	19.0	19.0	19.0
Total IN ORG PART		0.0	16.5	15.0	18.2	18.5	18.9	19.2	19.2	19.2	19.2	19.2	19.1	19.1	19.1	19.1	19.1
LAB/CONT LQ	A	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
B		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
D		0.0	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
E		0.0	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
F		0.0	1.6	1.7	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
G		0.0	3.1	3.2	3.3	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
NONE		0.0	5.7	5.2	6.3	6.4	6.5	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6
Total LAB/CONT LQ		0.0	12.7	12.3	13.7	13.9	14.2	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3
Total LBL		0.0	189.0	173.2	50.7	51.6	52.5	2886.0	2886.0	2886.0	2886.0	2886.0	53.1	53.1	53.1	53.1	53.1

Waste Generator: MIT_BATES

ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MIT_BATES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: PADUCAH_US

CONT SOIL	DF	14.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
F		14.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
NONE		1346.8	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4
Total CONT SOIL		1376.0	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4	259.4
D-COBBUST	NONE	325.7	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4
Total D-COBBUST		325.7	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4
D-IN NON-HTL	DF	1.6	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
F		1.6	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5
NONE		325.7	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4
Total D-IN NON-HTL		328.9	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4
Total PADUCAH_US		2030.7	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4

Waste Generator: PADUCAH_US

D-COBBUST	NONE	463.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FYF	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-COMBUST		489.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	370.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		370.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	NONE	92.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		92.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total PADUCAH US		951.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: PAST PRAC REH																
CONT SOIL	B	0.0	0.0	0.0	1061.1	843.2	1029.5	969.7	980.3	1054.1	1303.5	1423.0	1567.1	1644.4	1651.4	1574.1
D		0.0	0.0	0.0	1061.1	843.2	1029.5	969.7	980.3	1054.1	1303.5	1423.0	1567.1	1644.4	1651.4	1574.1
NONE		0.0	0.0	0.0	11.3	11.3	34.0	17.0	5.6	39.7	51.1	34.0	22.7	22.7	28.3	28.3
Total CONT SOIL		0.0	0.0	0.0	2133.6	1697.9	2093.1	1956.6	1966.3	2147.9	2658.3	2880.2	3156.9	3311.5	3331.3	3176.7
D-IN NON-MTL	NONE	0.0	0.0	0.0	55.0	55.0	165.2	82.6	27.5	192.7	247.8	165.2	110.1	110.1	137.6	137.6
Total D-IN NON-MTL		0.0	0.0	0.0	55.0	55.0	165.2	82.6	27.5	192.7	247.8	165.2	110.1	110.1	137.6	137.6
D-METAL	D	0.0	0.0	0.0	23.0	18.3	22.4	21.1	21.3	22.9	28.3	30.9	34.1	35.7	35.7	34.2
NONE		0.0	0.0	0.0	55.0	55.0	165.2	82.6	27.5	192.7	247.8	165.2	110.1	110.1	137.6	137.6
Total D-METAL		0.0	0.0	0.0	78.1	73.4	187.6	103.7	48.8	215.6	276.1	196.1	144.2	145.9	173.6	171.9
D-SOIL	B	0.0	0.0	0.0	82.2	65.3	79.8	75.1	75.9	81.7	101.0	110.3	121.4	127.4	128.0	122.0
D		0.0	0.0	0.0	82.2	65.3	79.8	75.1	75.9	81.7	101.0	110.3	121.4	127.4	128.0	122.0
NONE		0.0	0.0	0.0	0.8	0.8	2.6	1.3	0.4	3.0	3.9	2.6	1.7	1.7	2.2	2.2
Total D-SOIL		0.0	0.0	0.0	165.3	131.6	162.2	151.6	152.4	166.5	206.0	223.2	244.7	256.7	258.2	246.2
Total PAST PRAC REH		0.0	0.0	0.0	2432.2	1958.0	2608.2	2294.6	2195.1	2722.9	3388.3	3464.8	3656.0	3824.3	3900.8	3732.5
Waste Generator: ENL																
CONT SOIL	NONE	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.3	1.3	1.3	1.3
Total CONT SOIL		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.3	1.3	1.3	1.3
D-COMBUST	NONE	13.3	28.3	28.0	28.0	28.0	28.0	26.8	26.8	26.8	26.8	26.8	31.1	29.9	29.9	29.9
Total D-COMBUST		13.3	28.3	28.0	28.0	28.0	28.0	26.8	26.8	26.8	26.8	26.8	31.1	29.9	29.9	29.9
D-HET.	D	0.0	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
F		0.0	1.2	1.2	1.2	1.2	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
G		0.0	1.8	1.8	1.8	1.8	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
NONE		56.8	688.2	687.0	687.0	687.0	687.0	647.3	647.3	647.3	647.3	647.3	623.0	623.0	623.0	623.0
Total D-HET		56.8	691.9	690.7	690.7	690.7	690.7	651.9	651.9	651.9	651.9	651.9	627.6	627.6	627.6	627.6
D-IN NON-MTL	B	0.0	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
D		0.0	1.7	1.7	1.7	1.7	1.7	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=ECB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWR	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
F	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
G	0.0	1.7	1.7	1.7	1.7	1.7	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
NONE	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-MTL	4.8	4.0	4.0	4.0	4.0	4.0	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9
D-METAL	0.0	1.0	1.0	1.0	1.0	1.0	1.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total D-METAL	0.0	1.0	1.0	1.0	1.0	1.0	1.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
IN ORG PART	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
DG	0.0	0.0	0.0	0.0	0.0	0.0	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9	7.9
NONE	1.4	0.6	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
Total IN ORG PART	1.4	2.4	2.3	2.3	2.3	2.3	10.3	10.1	10.1	10.1	10.1	10.1	8.8	8.8	8.8	8.8
LAB/CONT LQ	0.0	1.8	1.8	1.8	1.8	1.8	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
B	0.0	1.8	1.8	1.8	1.8	1.8	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
D	0.0	2.5	2.5	2.5	2.5	2.5	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
E	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
F	0.0	0.9	0.9	0.9	0.9	0.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
G	0.0	1.8	1.8	1.8	1.8	1.8	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
Total LAB/CONT LQ	0.0	9.2	9.2	9.2	9.2	9.2	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4
LEAD	0.0	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
Total LEAD	0.0	2.3	2.3	2.3	2.3	2.3	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
ORG ABS LQ/SLG	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D	0.0	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
G	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total ORG ABS LQ/SLG	0.0	0.5	0.5	0.5	0.5	0.5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
ORG PART	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
BEFG	0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
D	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG PART	0.0	2.1	2.1	2.1	2.1	2.1	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
SH CONCRETE	0.0	19.1	19.1	19.1	19.1	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH CONCRETE	0.0	19.1	19.1	19.1	19.1	19.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	0.0	1.5	1.5	1.5	1.5	1.5	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9	4.9
NONE	0.0	2.9	2.1	2.1	2.1	2.1	2.1	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total SH LEAD	0.0	4.4	3.6	3.6	3.6	3.6	7.0	6.4	6.4	6.4	6.4	6.4	5.3	5.3	5.3	5.3
SH STEEL	0.0	6.5	6.5	6.5	6.5	6.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.3	0.3	0.3	0.3

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total SH STEEL		0.0	7.4	7.4	7.4	7.4	7.4	1.1	0.9	0.9	0.9	0.9	0.3	0.3	0.3	0.3
Total PHL		76.5	774.2	771.8	771.8	771.8	771.8	723.4	720.5	720.5	720.5	700.7	695.2	695.2	695.2	695.2
Waste Generator:PORTSMOUTH ES																
CONT SOIL	NONE	0.0	128.9	128.9	206.2	206.2	206.2	306.9	401.4	448.6	448.6	472.2	472.2	472.2	472.2	472.2
Total CONT SOIL		0.0	128.9	128.9	206.2	206.2	206.2	306.9	401.4	448.6	448.6	472.2	472.2	472.2	472.2	472.2
D-COMBUST	NONE	0.0	18.4	18.4	14.7	14.7	14.7	26.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	18.4	18.4	14.7	14.7	14.7	26.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-MTL	NONE	0.0	18.4	18.4	14.7	14.7	14.7	80.9	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-MTL		0.0	18.4	18.4	14.7	14.7	14.7	80.9	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	1.8	1.8	0.0	0.0	0.0	6.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	1.8	1.8	0.0	0.0	0.0	6.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	NONE	0.0	200.7	200.7	132.5	132.5	132.5	212.5	172.0	192.2	192.2	202.4	202.4	202.4	202.4	202.4
Total IN ORG LQ/SLG		0.0	200.7	200.7	132.5	132.5	132.5	212.5	172.0	192.2	192.2	202.4	202.4	202.4	202.4	202.4
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	NONE	0.0	0.0	0.0	0.0	0.0	0.0	33.7	33.7	33.7	33.7	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	33.7	33.7	33.7	33.7	0.0	0.0	0.0	0.0	0.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2	309.2
Total PORTSMOUTH_ES		0.0	368.3	368.3	368.3	368.3	368.3	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9	983.9
Waste Generator:PORTSMOUTH US																
D-COMBUST	NONE	1420.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		1420.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	355.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		355.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	UNKNOWN	213.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		213.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total PORTSMOUTH_US		1989.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:PRINCETON																
BERYLLIUM	D	0.0	0.2	0.9	3.9	2.2	0.5	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL BERYLLIUM			0.0	0.2	0.9	3.9	2.2	0.5	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5
D-COMBUST	A		0.0	0.3	0.4	1.7	3.4	0.8	0.3	0.3	0.3	0.3	0.3	0.8	1.7	1.7	0.8
	NONE		0.0	34.0	56.6	56.6	56.6	56.6	34.0	34.0	34.0	34.0	34.0	56.6	56.6	56.6	56.6
Total D-COMBUST			0.0	34.3	57.0	58.3	60.0	57.5	34.3	34.3	34.3	34.3	34.3	57.5	58.3	58.3	57.5
D-HET	NONE		0.0	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0
Total D-HET			0.0	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0
D-IN NON-HTL	NONE		0.0	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0
Total D-IN NON-HTL			0.0	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0
D-METAL	NONE		0.0	81.6	135.9	373.9	373.9	135.9	81.6	81.6	81.6	81.6	81.6	135.9	373.9	373.9	135.9
Total D-METAL			0.0	81.6	135.9	373.9	373.9	135.9	81.6	81.6	81.6	81.6	81.6	135.9	373.9	373.9	135.9
ORG ABS LQ/SLG	NONE		0.0	25.5	42.4	28.3	28.3	42.4	25.5	25.5	25.5	25.5	25.5	42.4	28.3	28.3	42.4
Total ORG ABS LQ/SLG			0.0	25.5	42.4	28.3	28.3	42.4	25.5	25.5	25.5	25.5	25.5	42.4	28.3	28.3	42.4
Total PRINCETON			0.0	170.6	284.7	572.3	572.3	284.7	170.6	170.6	170.6	170.6	170.6	284.7	572.3	572.3	284.7
Waste Generator: RHW CANOGA																	
CONT SOIL	NONE	4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	NONE	4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	G	15.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		19.9	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE	3.2	55.0	21.6	43.0	58.0	58.0	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		3.2	55.0	21.6	43.0	58.0	58.0	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		4.2	73.3	28.9	57.4	77.3	77.3	13.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL	NONE	0.6	11.0	4.3	8.6	11.6	11.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.6	11.0	4.3	8.6	11.6	11.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	NONE	0.2	3.6	1.4	2.8	3.8	3.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.2	3.6	1.4	2.8	3.8	3.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	NONE	0.2	3.6	1.4	2.8	3.8	3.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.2	3.6	1.4	2.8	3.8	3.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Yr	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total LRG ABS LQ/SLG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALT WASTE	DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SALT WASTE			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total RRG CANOGA			37.2	366.7	144.5	287.0	386.7	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: STANFORD																	
D-IN NON-HTL	A		1.3	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
	NONE		0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			1.8	0.0	0.2	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0
D-METAL	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		82.7	86.9	86.9	86.9	86.9	86.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9
Total D-METAL			82.7	86.9	86.9	86.9	86.9	86.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9
LAB/CONT LQ	NONE		0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ			0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D		3.3	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0
Total LEAD			3.3	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0
ORG ABS LQ/SLG	NONE		2.2	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG			2.2	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	NONE		2.2	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART			2.2	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total STANFORD			92.8	89.0	88.4	88.0	88.4	88.0	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6

Waste Generator: TPNL_231Z

D-COMBUST	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_231Z			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: TPNL_242B/BL

D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
---------	------	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_242B/BL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_306H																	
D-HET	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_306H			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_314																	
D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_314			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_324																	
D-HET	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_324			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_326																	
D-HET	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_326			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_327																	
D-HET	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_327			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPNL_331																	
D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TPNL_331			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:TPHC_100N																	
D-HET	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THWC_100N			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THWC_222S																	
D-HEF	A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HEF			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THWC_222S			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THWC_242A																	
D-METAL	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THWC_242A			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THWC_242S																	
D-METAL	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Waste	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TWMC 2425		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWMC 242T																
D-METAL	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TWMC 242T		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWMC 306																
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TWMC 306		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWMC 308																
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total TWMC 308		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: TWMC 340																
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_340		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_B_PLANT																
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_B_PLANT		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_PFP																
D-RET	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-RET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_PFP		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_PUREX																
D-COBUST	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total THMC_PUREX			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_PUREX_TW																	
UNKNOWN			1719.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN			242.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN			1961.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_PUREX_TW			1961.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_PX_C018H																	
D-COMBUST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_PX_C018H			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_TRUSAF																	
D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_TRUSAF			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:THMC_T_PLANT																	
D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total THMC_T_PLANT			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:U																	
D-HET			0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total D-HET			0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-HET		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Total U-U		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Waste Generator: HHC 100*																
BATTERIES	B	0.0	3.4	3.4	3.4	3.4	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	2.5	2.5	2.5	2.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	5.9	5.9	5.9	5.9	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	A	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	200.3	190.5	190.5	102.9	58.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	201.3	191.5	191.5	104.0	59.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	F	0.0	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HET	D	0.0	1.3	1.3	1.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	176.7	127.8	127.8	130.4	132.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HET		0.0	178.1	129.2	129.2	131.7	133.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	D	0.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EXPLOSIVES	A	0.0	2.8	2.8	2.8	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total EXPLOSIVES		0.0	2.8	2.8	2.8	2.8	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	B	0.0	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.9	0.9	0.9	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	A	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	1.2	1.2	1.2	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	1.6	1.6	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	A	0.0	1.7	1.7	1.7	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D		0.0	1.7	1.7	1.7	1.7	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	1.8	1.8	1.8	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LD/SIG		0.0	5.5	5.5	5.5	5.5	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.7	0.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN		0.0	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_100*		0.0	400.4	341.7	341.7	256.7	214.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator: WHC_200_ENT																	
D-CORUST	D	0.0	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
F		0.0	0.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Total D-CORUST		0.0	0.0	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5
D-HET	DF	0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
Total D-HET		0.0	0.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
D-IN NON-HTL	D	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total D-IN NON-HTL		0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ORG PART	D	0.0	0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
F		0.0	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Total ORG PART		0.0	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4
SALT WASTE	D	0.0	0.0	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3	43.3
F		0.0	0.0	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Total SALT WASTE		0.0	0.0	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2	48.2
Total WHC_200_ENT		0.0	0.0	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5	82.5

Waste Generator: WHC_200_PRR

BATTERIES	B	0.0	0.4	0.5	0.4	0.2	0.2	0.2	0.2	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.4	0.5	0.4	0.2	0.2	0.2	0.2	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0
CONT SOIL	B	0.0	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total CONT SOIL		0.0	0.4	0.4	0.3	0.1	0.1	0.1	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	A	0.0	1.4	1.6	1.3	0.6	0.6	0.6	1.2	1.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	4.6	5.1	4.0	2.0	2.0	2.0	4.0	3.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	6.1	6.7	5.3	2.6	2.6	2.6	5.3	4.1	4.1	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EXPLOSIVES	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.4	0.4	0.3	0.2	0.2	0.2	0.4	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0
Total EXPLOSIVES		0.0	0.4	0.5	0.4	0.2	0.2	0.2	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.9	1.0	0.8	0.3	0.3	0.3	0.7	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	1.0	1.0	0.9	0.4	0.4	0.4	0.9	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.9	1.0	0.8	0.4	0.4	0.4	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.9	1.0	0.8	0.4	0.4	0.4	0.8	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_200_PFR		0.0	9.5	10.4	8.3	4.1	4.1	4.1	8.3	6.4	6.4	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: WHC_300_PFR

BATTERIES	AB	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BC		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
Total BATTERIES		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
CONT SOIL	G	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2
NONE		0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2
D-COMBUST	A	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
NONE		0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
D-IN NON-HTL	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
	NONE	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	NONE	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	NONE	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total IN ORG PART		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	AB	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
	E	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total MERCURY		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	G	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2
Total ORG ABS LQ/SLG		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2
	G	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
Total ORG PART		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total SALT WASTE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total SALT WASTE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Total WHC_300_PHR		2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	1.4	1.4	1.4

Waste Generator:WHC_300_TEDF

	D-CORRUPT	NONE	0.0	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8
Total D-CORRUPT		0.0	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8	36.8
	IN ORG LQ/SLG	NONE	0.0	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4
Total IN ORG LQ/SLG		0.0	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4	331.4
	IN ORG PART	EG	0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	8.5
Total IN ORG PART		0.0	0.0	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5	0.0	8.5
Total WHC_300_TEDF		0.0	368.3	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8	368.3	376.8

Waste Generator:WHC_325

	LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
--	-------------	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

YRF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total WHC 325		0.0	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Waste Generator: WHC ANALYT LAB																	
CONT SOIL	NONE	0.0	5.5	4.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
Total CONT SOIL		0.0	5.5	4.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5
D-COMBUST	ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	ABG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	AG	0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.7	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	DF	0.0	1.2	1.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	DFG	0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	DG	0.0	3.1	2.6	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	3.5	2.9	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
	FG	0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	G	0.0	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
	GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	237.5	198.4	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7	154.7
Total D-COMBUST		0.0	248.9	207.9	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1	162.1
D-HET	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	F	0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFG	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.7	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
D-IN NON-HTL	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	D	0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	DF	0.0	0.8	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	DFG	0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	DG	0.0	2.1	1.7	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
	F	0.0	2.4	1.9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
	FG	0.0	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	G	0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	NONE	0.0	43.9	36.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6	28.6
Total D-IN NON-HTL		0.0	51.4	42.9	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4	33.4
D-METAL	ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	ADG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	BDG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	GJ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	192.5	160.9	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4
Total D-METAL		0.0	192.6	160.9	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4	125.4
IN ORG LQ/SLG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/slg		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
IN ORG PART	ABCG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AG		0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BDG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
DF		0.0	0.9	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
DFG		0.0	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
DG		0.0	2.5	2.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	2.8	2.3	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
FG		0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
G		0.0	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
GJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	28.8	24.1	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7	18.7
Total IN ORG PART		0.0	38.4	32.1	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0	25.0
LAB/CONT LQ	ABCDG	0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ABCFG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ABEG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ADG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	1.7	1.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
AG		0.0	1.7	1.4	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
BD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
BDG		0.0	0.9	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
BEG		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
BG		0.0	1.0	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
BGJ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DF		0.0	1.0	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
DFG		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PYE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
F		0.0	2.3	1.9	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
FG		0.0	1.1	0.9	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
G		0.0	2.7	2.3	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Total LAB/CONT LQ		0.0	15.8	13.2	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3
ORG ABS LQ/SIG	ABG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DF		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
F		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
FG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.8	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total ORG ABS LQ/SIG		0.0	1.5	1.2	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ABG		0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AFG		0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AG		0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D		0.0	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
DF		0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
DFG		0.0	1.4	1.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
DG		0.0	1.6	1.3	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
F		0.0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
FG		0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
G		0.0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total SH LEAD		0.0	5.0	4.1	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2
Total WHC ANALYT LAB		0.0	560.4	468.2	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0	365.0
Waste Generator:WHC_BQUIP																	
D-METAL		0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0
A		0.0	0.8	0.9	0.4	0.4	0.8	0.8	0.8	0.8	0.5	0.5	0.5	0.8	0.8	0.8	0.4
B		0.0	51.1	57.7	26.6	26.6	55.2	55.2	55.2	55.2	35.5	35.5	35.5	53.2	53.2	53.2	26.6
D		0.0	274.1	309.4	142.8	142.8	296.3	296.3	296.3	296.3	190.3	190.3	190.3	285.5	285.5	285.5	142.8
F		0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0
G		0.0	326.2	368.2	169.9	169.9	352.6	352.6	352.6	352.6	226.5	226.5	226.5	339.8	339.8	339.8	169.9
Total D-METAL		0.0	326.2	368.2	169.9	169.9	352.6	352.6	352.6	352.6	226.5	226.5	226.5	339.8	339.8	339.8	169.9
Total WHC_BQUIP		0.0	326.2	368.2	169.9	169.9	352.6	352.6	352.6	352.6	226.5	226.5	226.5	339.8	339.8	339.8	169.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

**Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)**

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC B PLANT																	
CONT SOIL	NONE	0.4	42.5	40.6	15.2	14.3	13.5	12.6	11.8	10.9	10.1	9.3	8.4	8.4	8.4	8.4	8.4
Total CONT SOIL		0.4	42.5	40.6	15.2	14.3	13.5	12.6	11.8	10.9	10.1	9.3	8.4	8.4	8.4	8.4	8.4
D-COMBUST	NONE	3.1	156.0	154.4	144.6	137.5	130.3	111.6	102.9	95.7	88.6	81.4	74.2	74.2	74.2	74.2	74.2
Total D-COMBUST		3.1	156.0	154.4	144.6	137.5	130.3	111.6	102.9	95.7	88.6	81.4	74.2	74.2	74.2	74.2	74.2
D-HET	A	0.1	1.2	1.1	1.0	1.0	0.9	0.9	0.8	0.7	0.7	0.6	0.6	0.6	0.6	0.6	0.6
	D	0.0	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	G	0.0	1.3	2.0	1.9	1.9	1.8	1.7	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6
	H	0.0	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	NONE	0.4	32.3	31.9	30.5	29.4	28.3	17.3	15.9	14.8	13.7	12.6	11.5	11.5	11.5	11.5	11.5
Total D-HET		0.7	35.8	36.0	34.4	33.1	31.9	20.7	18.3	17.0	15.8	14.5	13.2	13.2	13.2	13.2	13.2
D-IN NON-MTL	NONE	0.4	50.4	49.3	48.0	47.0	46.0	16.1	14.7	13.7	12.7	11.7	10.7	10.7	10.7	10.7	10.7
Total D-IN NON-MTL		0.4	50.4	49.3	48.0	47.0	46.0	16.1	14.7	13.7	12.7	11.7	10.7	10.7	10.7	10.7	10.7
D-METAL	E	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.4	51.0	49.8	48.4	47.4	46.4	16.4	15.1	14.0	13.0	11.9	10.9	10.9	10.9	10.9	10.9
Total D-METAL		0.4	51.0	49.9	48.6	47.5	46.5	16.5	15.1	14.0	13.0	11.9	10.9	10.9	10.9	10.9	10.9
EXPLOSIVES	A	0.0	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
Total EXPLOSIVES		0.0	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
IN ORG LQ/SLG	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	1.4	1.2	1.1	1.1	1.0	0.9	0.9	0.8	0.8	0.7	0.6	0.6	0.6	0.6	0.6	0.6
	G	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
	NONE	0.2	9.0	8.6	8.0	7.5	7.1	6.7	6.2	5.8	5.3	4.9	4.4	4.4	4.4	4.4	4.4
Total IN ORG LQ/SLG		2.2	10.7	10.2	9.6	9.0	8.5	8.0	7.4	6.9	6.4	5.8	5.3	5.3	5.3	5.3	5.3
IN ORG PART	NONE	0.2	11.3	10.8	10.0	9.5	8.9	8.4	7.8	7.3	6.7	6.1	5.6	5.6	5.6	5.6	5.6
Total IN ORG PART		0.2	11.3	10.8	10.0	9.5	8.9	8.4	7.8	7.3	6.7	6.1	5.6	5.6	5.6	5.6	5.6
LEAD	D	0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total LEAD		0.0	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
ORG ABS LQ/SLG	E	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.4	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.1	1.8	1.8	1.8	1.8	1.8
Total ORG ABS LQ/SLG		0.4	3.9	3.7	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.9	1.9	1.9	1.9
ORG PART	F	0.0	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
Total ORG PART		0.0	0.8	0.8	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
SALT WASTE	B	0.0	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
Total SALT WASTE		0.0	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Yield	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
SH CONCRETE	NONE	0.0	19.8	18.9	18.9	18.9	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH CONCRETE		0.0	19.8	18.9	18.9	18.9	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH STEEL	D	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.0	2.1	2.1	2.1	2.1	1.2	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total SH STEEL		0.0	0.0	2.3	2.3	2.3	2.3	1.5	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total WHC_B_PLANT		8.4	383.9	378.6	337.4	324.7	312.0	200.2	183.3	170.6	157.9	145.2	132.3	132.3	132.3	132.3	132.3

Waste Generator:WHC_CHEM_E_LAB

IN ORG PART	A	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
B		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total IN ORG PART		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	A	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
B		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total UNKNOWN		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total WHC_CHEM_E_LAB		0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2

Waste Generator:WHC_DST_PSRET

D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0
Total WHC_DST_PSRET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0

Waste Generator:WHC_DST_RET

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.0	67.5
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.0	67.5
D-METAL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	4.4
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	7.5
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.8	11.9
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total OGC ABS LQ/SLG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.2
SH VOID	UNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.9	37.9
Total SH VOID			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37.9	37.9
Total WHC_DST_RET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	118.1	119.7

Waste Generator: WHC_EA_W112

CONT SOIL	F	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	35.5	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	A	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
UNKNOWN	F	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total UNKNOWN		0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_EA_W112		0.0	38.3	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: WHC_E1KC_UTIL

BATTERIES	B	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	BE	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	E	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total BATTERIES		0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
D-METAL	A	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	D	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total D-METAL		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LAB/CONT LQ	A	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	B	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	C	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
	E	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total LAB/CONT LQ		0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
LEAD	E	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total LEAD		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
MERCURY	D	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total MERCURY			0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
REAC METALS	C		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total REAC METALS			0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total WMC_ELEC_UTIL			0.0	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2	5.2
Waste Generator:WMC_ENG_DEV																	
D-COMBUST	AF		0.0	5.1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total D-COMBUST			0.0	5.1	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
LAB/CONT LQ	A		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	B		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	F		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total LAB/CONT LQ			0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Total WMC_ENG_DEV			0.0	6.3	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
Waste Generator:WMC_ENG_TEST																	
IN ORG PART	A		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART			0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total WMC_ENG_TEST			0.0	0.7	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Waste Generator:WMC_FED																	
D-COMBUST	F		0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST			0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SUG	A		0.0	0.8	0.8	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	D		0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SUG			0.0	1.1	1.1	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total WMC_FED			0.0	1.3	1.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Waste Generator:WMC_FFTF_MAIN																	
D-COMBUST	F		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	H		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	8.7	8.7	8.7	8.7	8.7	8.7	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST			0.0	10.2	10.2	10.2	10.2	10.2	10.2	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-IET	F	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total L-IET		0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	F	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	4.9	4.9	4.9	4.0	4.0	4.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	5.1	5.1	5.1	4.1	4.1	4.1	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	J	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REAC METALS	C	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total REAC METALS		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH CONCRETE	NONE	0.0	14.4	14.4	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH CONCRETE		0.0	14.4	14.4	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH STEEL	NONE	0.0	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH STEEL		0.0	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_FTF MAIN		0.0	33.5	33.5	33.5	17.6	17.6	17.6	17.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: WHC_FTFEFT MAIN

D-COMBUST	A	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
Total D-COMBUST		0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
IN ORG PART	A	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Total IN ORG PART		0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Total WHC_FTFEFT MAIN		0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4

Waste Generator: WHC_FTFEFT

BATTERIES	BG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total BATTERIES		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
TOTAL III ORG LQ/SLG			0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
LEAD	G		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LEAD			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
ORG ABS LQ/SLG	A		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
AG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG			0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
REAC METALS	ABG		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total REAC METALS			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total WHC_FUEL_DEV			0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Waste Generator:WHC_FUEL_DEV																	
D-CORUST	NONE		0.0	5.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORUST			0.0	5.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	NONE		0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE		0.0	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE		0.0	5.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	5.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	NONE		0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART			0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG	NONE		0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SLG			0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_FUEL_DEV			0.0	18.8	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_FUEL_TRANS																	
CONT SOIL	B		0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D			0.0	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE			0.0	2.4	1.2	8.1	6.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	2.5	1.2	8.9	6.6	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-CORUST	NONE		0.0	3.1	2.4	16.2	12.1	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CORUST			0.0	3.1	2.4	16.2	12.1	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE		0.0	4.6	3.6	24.3	18.2	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	4.6	3.6	24.3	18.2	14.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 37a

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	NONE	0.0	7.0	4.8	32.4	24.3	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	7.0	4.8	32.4	24.3	19.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
EXPLOSIVES	A	0.0	0.4	0.0	2.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.4	0.0	2.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total EXPLOSIVES		0.0	0.9	0.0	5.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	A	0.0	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.1	0.0	1.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.4	0.0	4.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.7	0.0	7.1	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_FUEL_TRANS		0.0	19.1	12.2	94.5	68.6	48.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_GAS_NORTH																	
BATTERIES	B	0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
Total BATTERIES		0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
D-COMBUST	AG	0.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
Total D-COMBUST		0.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
D-HER	H	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
Total D-HER		0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
D-METAL	H	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total D-METAL		0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
LAB/CONT LQ	G	0.0	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3
Total LAB/CONT LQ		0.0	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3	12.3
ORG ABS LQ/SLG	EG	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total ORG ABS LQ/SLG		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total WHC_GAS_NORTH		0.0	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6	19.6
Waste Generator:WHC_GAS_SOUTH																	
BATTERIES	BDG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
BEG		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Total BATTERIES		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
D-IN NON-HTL	ARCEG	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total D-IN NON-HTL		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	GJ	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total D-METAL		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
IN ORG LQ/SLG	AFEG	0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total IN ORG LQ/SLG		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
LAB/CONT LQ	ABDFG	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total LAB/CONT LQ		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
ORG ABS LQ/SLG	AFG	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total ORG ABS LQ/SLG		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total WHC_GAS_SOUTH		0.0	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1

Waste Generator:WHC GEOTEC LAB

D-COMBUST	NONE	0.0	2.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total D-COMBUST		0.0	2.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D-HET	NONE	0.0	3.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total D-HET		0.0	3.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D-METAL	NONE	0.0	5.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total D-METAL		0.0	5.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
IN ORG LQ/SLG	B	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total IN ORG LQ/SLG		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ORG ABS LQ/SLG	B	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total ORG ABS LQ/SLG		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total WHC GEOTEC LAB		0.0	11.8	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5

Waste Generator:WHC HLVP

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.3
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	883.1
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	925.4
D-HET	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	221.3
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	247.2
D-IN NON-HTL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	146.6
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	157.5
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.6
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	208.9
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	241.5
IN ORG LQ/SLG	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0
IN ORG PART	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6
LAB/CONT LQ	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.8
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
ORG PART	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
REAC/METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals v/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2
SALT WASTE	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
Total SALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3
SH LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.3
Total SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9
SH STEEL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.0
Total SH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.6
Total WHC_HWP		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1657.7

Waste Generator: WHC_K_BASIN

BATTERIES	BD	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Total BATTERIES		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
D-CORUST	AC	0.0	0.9	0.9	0.8	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
	NONE	0.0	89.9	117.1	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3	54.3
Total D-CORUST		0.0	90.9	118.1	55.1	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9	54.9
D-HET	NONE	0.0	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	51.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	D	0.0	1.4	1.4	1.1	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
	NONE	0.0	114.2	93.8	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7	44.7
Total D-METAL		0.0	115.6	95.2	45.9	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6	45.6
EXPLOSIVES	A	0.0	0.8	0.8	0.7	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total EXPLOSIVES		0.0	0.8	0.8	0.7	0.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
ORG ABS LQ/SLG	AF	0.0	0.7	0.7	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Total ORG ABS LQ/SLG		0.0	0.7	0.7	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
ORG PART	NONE	0.0	82.7	51.8	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6
Total ORG PART		0.0	82.7	51.8	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6	41.6
Total WHC_K_BASIN		0.0	342.3	267.1	144.2	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5	143.5

Waste Generator: WHC_LAUNDRY

D-CORUST	NONE	0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3
Total D-CORUST		0.0	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3	113.3

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-HET	B	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total D-HET		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total WMC LAUNDRY		0.0	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6	113.6
Waste Generator: WHC_ILBG																	
CONT SOIL	NONE	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Total CONT SOIL		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
D-COMBUST	NONE	0.0	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6
Total D-COMBUST		0.0	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6
D-HET	G	0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
Total D-HET		0.0	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	3.4
D-METAL	NONE	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total D-METAL		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WMC_ILBG		0.0	6.3	6.3	9.7	6.3	6.3	6.3	9.7	6.3	9.7	6.3	6.3	9.7	6.3	6.3	9.7
Waste Generator: WHC_LLVP																	
BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4
D-COMBUST	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	371.9	371.9	371.9	371.9	371.9
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	372.5	372.5	372.5	372.5	372.5
D-HET	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.2	87.2	87.2	87.2	87.2
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	87.6	87.6	87.6	87.6	87.6
D-IN NON-HTL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.9	58.9	58.9	58.9	58.9
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	59.2	59.2	59.2	59.2	59.2

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
NONE	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.5	66.5	66.5	66.5	66.5
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	66.8	66.8	66.8	66.8	66.8
IN ORG LQ/SLG	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
C	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
G	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7
IN ORG PART	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
C	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
G	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5
LAB/CONT LQ	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
C	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
F	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7
H	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
J	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
ORG PART	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
REAC METALS	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1
SALT WASTE	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
Total SALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3
SH LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0
Total SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0
SH STEEL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2
Total SH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2
Total WHC LUMP		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	595.0	595.0	595.0	595.0	595.0

Waste Generator: WHC PFP

BATTERIES	BDG	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
DG	DG	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
E		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total BATTERIES		0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
CONT SOIL	NONE	0.0	10.6	9.1	8.8	6.7	6.7	6.7	6.7	7.0	6.7	6.8	14.3	16.5	6.7	6.7	6.7
Total CONT SOIL		0.0	10.6	9.1	8.8	6.7	6.7	6.7	6.7	7.0	6.7	6.8	14.3	16.5	6.7	6.7	6.7
D-COMBUST	AG	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
G		0.0	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6	5.6
NONE		0.0	315.4	265.4	263.2	248.4	248.4	248.4	248.4	267.8	248.4	250.9	351.2	410.5	248.4	248.4	248.4
Total D-COMBUST		0.0	321.8	271.8	269.6	254.8	254.8	254.8	254.8	274.1	254.8	257.3	357.6	416.9	254.8	254.8	254.8
D-HET	AG	0.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
D		0.0	35.3	23.6	31.4	23.6	23.6	23.6	23.6	23.6	23.6	24.6	31.9	28.8	23.6	23.6	23.6
DF		0.0	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1	14.1
DG		0.0	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7
FG		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
G		0.0	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	8.6	15.4	12.8	7.6	7.6	7.6
NONE		0.0	70.8	53.5	53.2	51.1	51.1	51.1	51.1	68.7	51.1	53.1	88.2	124.9	51.1	51.1	51.1
Total D-HET		0.0	160.2	131.2	138.7	128.8	128.8	128.8	128.8	146.4	128.8	132.7	182.0	213.0	128.8	128.8	128.8
D-IN NON-MTL	NONE	0.0	39.8	38.1	38.1	38.1	38.1	38.1	38.1	38.3	38.1	38.3	38.1	35.0	38.1	38.1	38.1
Total D-IN NON-MTL		0.0	39.8	38.1	38.1	38.1	38.1	38.1	38.1	38.3	38.1	38.3	38.1	35.0	38.1	38.1	38.1
D-METAL	J	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
NONE		0.0	121.1	76.9	76.6	74.5	74.5	74.5	74.5	74.9	74.5	77.7	159.6	235.6	74.5	74.5	74.5
Total D-METAL		0.0	121.6	77.3	77.0	74.9	74.9	74.9	74.9	75.3	74.9	78.1	160.1	236.0	74.9	74.9	74.9
IN ORG LQ/SLG	B	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
BG		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
G		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total IN ORG LQ/SLG		0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
LAB/CONT LQ	ADFG	0.0	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8	29.8
ADG		0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
AFG		0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
AG		0.0	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
B		0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4
BG		0.0	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1	16.1
DG		0.0	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7	27.7
G		0.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Total LAB/CONT LQ		0.0	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5	88.5
LEAD	D	0.0	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8
Total LEAD		0.0	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8	13.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
ORG ABS LQ/SLG	FG		0.0	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7
	G		0.0	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
Total ORG ABS LQ/SLG			0.0	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2
Total WMC PFP			0.0	766.7	640.2	644.9	616.0	616.0	616.0	633.7	616.0	625.9	864.7	1030.0	616.0	616.0	616.0
Waste Generator: WMC PRETERT TH																	
BATTERIES	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total BATTERIES			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2
D-COMBUST	A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2
	G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	186.5	186.5	186.5	186.5	186.5	186.5
Total D-COMBUST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	186.8	186.8	186.8	186.8	186.8	186.8
D-HET	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43.9	43.9	43.9	43.9	43.9	43.9
Total D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	44.1	44.1	44.1	44.1	44.1	44.1
D-IN NON-HTL	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.8	29.8	29.8	29.8	29.8	29.8
Total D-IN NON-HTL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.9	29.9	29.9	29.9	29.9	29.9
D-METAL	D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8
Total D-METAL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35.0	35.0	35.0	35.0	35.0	35.0
IN ORG LQ/SLG	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total IN ORG LQ/SLG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3
IN ORG PART	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total IN ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2
LAB/CONT LQ	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
	C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3
H		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7
ORG ABS LQ/SIG F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG ABS LQ/SIG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
ORG PART F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
REAC METALS C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total REAC METALS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALT WASTE B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Total SALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1
SH LEAD NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7
Total SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7
SH STEEL NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.1	2.1	2.1	2.1	2.1
Total SH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.1	2.1	2.1	2.1	2.1
Total WHC PRETFT TW		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	301.0	301.0	301.0	301.0	301.0	301.0

Waste Generator: WHC PROCURMENT

CONT SOIL A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET A	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total D-HET	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
D-IN NON-HTL A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SIG			0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SIG			0.0	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
IN ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SIG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS LQ/SIG			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG PART			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
REAC METALS			0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total REAC METALS			0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WFC PROCURMENT			0.0	1.7	1.7	1.7	1.7	1.7	1.3	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4

Waste Generator: WHC PUREX

BATTERIES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	0.0	1.7	2.6	1.4	1.4	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES	0.0	1.7	2.7	1.5	1.5	1.5	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PNE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
CONT SOIL	AEFG	0.0	0.7	1.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	3.7	1.3	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	4.5	2.4	2.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COXBUST	AEFG	0.0	0.3	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AEFG	0.0	1.1	1.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	131.0	66.8	67.7	66.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COXBUST		0.0	133.0	69.0	69.4	67.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	AEFG	0.0	0.5	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	DEG	0.0	5.8	5.8	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	6.4	6.7	6.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	B	0.0	0.2	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	16.1	7.5	7.5	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	16.3	7.9	7.7	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	F	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	88.4	39.8	39.7	38.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	88.7	39.2	40.0	38.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	AEFG	0.0	9.0	12.7	8.3	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.7	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LAB/CONT LQ		0.0	9.8	12.9	8.5	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LEAD	D	0.0	0.8	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.8	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY	E	0.0	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORO ABS LQ/SLG	ADFG	0.0	0.5	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORO ABS LQ/SLG		0.0	0.5	0.8	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_PUREX		0.0	262.4	143.5	137.2	127.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator: WHC_PUREX_SM

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CONT SOIL	AEFG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total/CONT SOIL			0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
D-COMBUST	ABEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	AEFG		0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	NONE		0.0	0.0	0.0	0.0	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2
Total/D-COMBUST			0.0	0.0	0.0	0.0	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5	13.5
D-HET	AEFG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/D-HET			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-MTL	B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
Total/D-IN NON-MTL			0.0	0.0	0.0	0.0	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5
D-METAL	F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.0	0.0	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6	7.6
Total/D-METAL			0.0	0.0	0.0	0.0	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7	7.7
LAB/CONT LQ	ABEFG		0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/LAB/CONT LQ			0.0	0.0	0.0	0.0	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
LEAD	D		0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total/LEAD			0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
MERCURY	E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/MERCURY			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG ADFG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/ORG ABS LQ/SLG			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/HWC_PUREX_SH			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/HWC_PUREX_SH			0.0	0.0	0.0	0.0	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5
Waste Generator:HHC_RADIO_MAIN																	
D-COMBUST	A		0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/D-COMBUST			0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total/HWC_RADIO_MAIN			0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:HHC_SODIUM_FAC																	
D-COMBUST	G		0.0	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

ERF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator:WHC_SODIUM_TST																	
Total D-COMBUST			0.0	0.0	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	G		0.0	0.0	0.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE		0.0	0.0	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_SODIUM_FAC			0.0	0.0	2.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_SST_ILX																	
D-HET	A		0.0	0.0	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B		0.0	0.0	0.1	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.2	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	A		0.0	0.0	0.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	0.0	0.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	A		0.0	0.0	0.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.1	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_SODIUM_TST			0.0	0.0	0.5	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_SST_ILX																	
D-METAL	DF		0.0	16.7	30.2	81.2	50.1	67.0	73.9	87.2	100.8	108.1	246.3	224.0	262.5	305.3	357.3
Total D-METAL			0.0	16.7	30.2	81.2	50.1	67.0	73.9	87.2	100.8	108.1	246.3	224.0	262.5	305.3	357.3
SH STEEL	DF		0.0	29.6	192.7	517.4	319.2	427.1	470.8	555.7	642.5	689.1	1568.8	1427.2	1671.9	1944.6	2276.1
Total SH STEEL			0.0	29.6	192.7	517.4	319.2	427.1	470.8	555.7	642.5	689.1	1568.8	1427.2	1671.9	1944.6	2276.1
Total WHC_SST_LLE			0.0	46.4	223.0	598.7	369.4	494.2	544.8	643.0	743.4	797.3	1815.2	1651.3	1934.5	2250.0	2633.5
Waste Generator:WHC_SST_RET																	
CONT SOIL	DF		0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.9	2.6	3.2	4.5
Total CONT SOIL			0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.9	2.6	3.2	4.5
D-COMBUST	DF		0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.0	0.0	0.0	14.8	14.8	19.7	24.6	34.5
	NONE		0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.7	6.3	7.9	11.1
Total D-COMBUST			0.0	0.0	0.0	6.5	0.0	0.0	0.0	0.0	0.0	0.0	19.6	19.6	26.1	32.6	45.7
D-HET	DF		0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.8	1.0	1.5
Total D-HET			0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.8	1.0	1.5
D-IN NON-HTL	DF		0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.5	2.0	2.5	3.5
	NONE		0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.3	3.1	3.9	5.5
Total D-IN NON-HTL			0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.9	5.2	6.5	9.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-METAL	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.3	3.1	3.9	3.9	5.5
	NONE	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	3.4	3.4	4.6	5.7	5.7	8.1
Total D-METAL		0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	5.8	5.8	7.8	9.7	9.7	13.7
IN ORG LQ/SLG	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.3	0.5
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.5	0.5	0.7
ORG PART	DF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.3	0.3	0.5
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.5	0.5	0.7
Total WHC_SST_RET		0.0	0.0	0.0	10.9	0.0	0.0	0.0	0.0	0.0	32.7	32.7	43.5	54.4	54.4	76.2

Waste Generator:WHC_SS_MAIN

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LAB/CONT LQ	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total WHC_SS_MAIN		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5

Waste Generator:WHC_STAND_LAB

BATTERIES	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
LAB/CONT LQ	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Total WMC_STAND_LAB		0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
Waste Generator: WHC_SURPLS_FAC																	
CONT SOIL	A	0.0	0.7	0.4	0.4	0.3	0.9	1.6	6.4	8.0	12.0	24.0	24.1	26.9	22.0	16.9	11.8
	B	0.0	2.2	1.1	1.1	0.7	2.8	3.5	15.2	18.5	26.4	55.6	55.9	66.7	56.8	46.5	36.2
	D	0.0	2.6	1.4	1.4	1.0	3.4	4.6	19.3	23.7	34.2	71.0	71.3	83.6	70.4	56.8	43.0
	F	0.0	0.4	0.3	0.3	0.2	0.5	1.0	4.0	5.2	7.8	15.3	15.4	16.9	13.6	10.2	6.8
	H	0.0	0.0	0.1	0.1	0.1	0.1	0.4	1.7	2.3	3.6	6.7	6.7	6.8	5.2	3.5	1.8
	NONE	0.0	65.5	81.3	106.4	7.8	253.7	255.1	446.0	938.6	11312.7	18286.9	27431.6	27432.3	31637.1	18285.8	1335.7
Total CONT SOIL		0.0	71.6	84.8	109.8	10.4	261.7	266.5	492.8	944.6	11397.0	19459.6	27605.1	27633.4	31805.3	18419.8	1435.5
D-COMBUST	A	0.0	0.4	0.1	0.1	0.0	0.5	0.9	2.9	3.2	4.0	11.1	11.3	16.2	15.3	14.0	12.8
	B	0.0	1.7	0.7	0.5	0.2	2.1	3.8	11.8	13.1	16.0	44.4	45.2	65.1	61.4	56.3	51.2
	D	0.0	2.1	0.8	0.6	0.2	2.5	4.4	13.8	15.0	18.0	51.5	52.5	77.1	73.4	68.0	62.6
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	1.0	1.6	3.2	3.2	3.4	2.7	1.9	1.1
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.7	0.7	0.8	0.6	0.4	0.2
	NONE	0.0	1.1	1.4	1.8	0.1	4.3	4.3	7.6	161.8	195.0	315.2	472.9	472.9	545.4	315.2	23.0
Total D-COMBUST		0.0	5.5	3.2	3.3	0.8	9.7	14.0	37.3	194.5	235.1	426.3	586.1	635.8	699.0	456.1	151.1
D-HET	B	0.0	0.0	0.1	0.0	0.0	0.0	1.5	0.6	0.8	1.3	5.4	5.8	8.0	7.5	6.2	4.9
	D	0.0	0.1	0.3	0.0	0.0	0.2	4.4	1.5	1.7	2.4	13.8	15.1	22.2	21.4	18.4	15.5
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0
	NONE	0.0	2.2	60.4	0.9	0.0	2.1	30.5	4.4	82.0	98.6	159.8	259.1	259.1	295.3	180.2	34.1
Total D-HET		0.0	2.4	60.9	1.0	0.1	2.4	36.5	6.6	84.7	102.4	179.2	280.2	289.5	324.4	205.0	54.7
D-IN NON-HTL	A	0.0	0.4	0.1	0.1	0.0	0.5	0.4	2.8	3.1	3.6	9.8	9.9	14.5	13.8	13.0	12.1
	B	0.0	1.9	0.6	0.5	0.2	2.3	1.9	11.5	12.5	14.7	39.3	39.6	58.3	55.5	52.1	48.7
	D	0.0	2.1	0.6	0.6	0.2	2.5	2.0	12.6	13.5	15.8	42.7	43.1	64.1	61.2	57.8	54.3
	F	0.0	0.2	0.1	0.0	0.0	0.3	0.3	1.8	2.0	2.6	6.3	6.4	8.7	8.0	7.2	6.5
	NONE	0.0	1941.7	1686.3	3520.7	403.9	846.3	8153.3	15002.7	46639.8	63655.6	81187.0	*****	*****	*****	84900.3	40850.3
Total D-IN NON-HTL		0.0	1946.6	1687.8	3522.1	404.5	852.1	8159.2	15031.5	46671.1	63692.5	81285.3	113552.7	126827.8	136270.4	85030.6	40972.0
D-METAL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.9	1.5	3.0	3.0	3.2	2.5	1.7	1.0
	B	0.0	0.4	0.3	0.2	0.2	0.6	1.8	7.3	8.2	10.5	26.5	26.9	37.1	34.2	30.8	27.4
	D	0.0	0.5	0.3	0.2	0.2	0.6	1.9	7.9	8.8	11.1	28.6	28.9	40.5	37.6	34.2	30.7
	F	0.0	0.1	0.0	0.0	0.0	0.1	0.5	2.2	2.5	3.1	8.1	8.2	11.8	11.1	10.2	9.4
Total D-METAL		0.0	1.1	0.8	0.7	0.5	1.5	4.7	18.2	20.6	26.3	66.4	67.2	92.7	85.6	77.1	68.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-SOIL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.6	0.9	1.8	1.8	2.0	1.7	1.3	0.9
	B	0.0	0.1	0.0	0.0	0.0	0.2	0.2	1.1	1.4	2.0	4.3	4.3	5.1	4.4	3.6	2.8
	D	0.0	0.2	0.1	0.1	0.0	0.2	0.3	1.4	1.8	2.6	5.5	5.5	6.4	5.4	4.4	3.3
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.6	1.1	1.1	1.3	1.0	0.7	0.5
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.5	0.5	0.4	0.2	0.1
	NONE	0.0	5.0	6.3	8.2	0.6	19.6	19.7	34.5	727.6	876.9	1417.5	2126.4	2126.5	2452.4	1417.4	103.5
Total D-SOIL		0.0	5.5	6.5	8.5	0.8	20.2	20.6	38.2	732.1	883.4	1430.9	2139.9	2142.1	2465.5	1427.8	111.2
IN ORG LQ/SLG	NONE	0.0	14.1	19.8	25.2	1.6	59.1	542.2	776.0	3835.9	5270.7	9278.0	12143.9	15316.8	19509.1	14705.5	9919.6
Total IN ORG LQ/SLG		0.0	14.1	19.8	25.2	1.6	59.1	542.2	776.0	3835.9	5270.7	9278.0	12143.9	15316.8	19509.1	14705.5	9919.6
IN ORG PART	NONE	0.0	0.4	14.8	0.0	0.0	0.0	7.0	0.1	0.2	0.2	0.5	5.6	5.6	5.6	5.6	5.6
Total IN ORG PART		0.0	0.4	14.8	0.0	0.0	0.0	7.0	0.1	0.2	0.2	0.5	5.6	5.6	5.6	5.6	5.6
LAB/CONT LQ	A	0.0	2.2	1.2	1.1	0.8	2.9	4.1	16.4	20.2	29.1	60.9	61.3	72.2	61.1	49.3	37.6
	B	0.0	2.9	1.5	1.4	0.9	3.7	5.0	19.5	23.8	33.7	72.4	72.9	88.2	75.8	62.5	49.3
	D	0.0	3.3	1.9	1.9	1.4	4.4	6.5	26.1	32.4	47.3	97.0	97.5	112.7	94.1	74.7	55.3
	F	0.0	0.9	0.5	0.5	0.3	1.2	1.8	7.0	8.7	12.7	26.3	26.4	30.8	25.8	20.6	15.4
	H	0.0	0.8	0.3	0.3	0.1	1.0	1.3	4.7	5.6	7.6	17.7	17.9	23.1	20.6	17.8	15.0
	NONE	0.0	2.8	3.5	4.5	0.3	10.9	10.9	19.2	404.5	487.5	788.1	1182.3	1182.3	1363.5	788.1	57.5
Total LAB/CONT LQ		0.0	13.2	9.1	9.9	4.2	24.4	29.8	93.2	495.4	618.1	1062.7	1458.5	1509.5	1641.1	1013.3	230.3
LEAD	D	0.0	0.9	0.4	0.4	0.2	1.2	0.9	5.8	7.0	9.9	20.5	20.5	24.7	21.2	17.7	14.1
	NONE	0.0	0.5	0.7	0.9	0.0	2.1	2.1	3.8	80.9	97.5	157.6	236.4	236.4	272.7	157.6	11.5
Total LEAD		0.0	1.5	1.1	1.3	0.3	3.3	3.1	9.7	87.9	107.4	178.1	257.0	261.2	293.9	175.3	25.6
ORG ABS LQ/SLG	A	0.0	1.1	0.5	0.2	0.0	1.3	3.7	3.6	3.6	3.6	22.6	24.3	39.6	39.6	36.8	33.9
	B	0.0	1.7	0.7	0.3	0.0	2.0	8.5	5.5	5.5	5.5	33.9	36.5	59.4	59.4	55.2	50.9
	D	0.0	2.3	1.0	0.4	0.0	2.7	11.4	7.3	7.3	7.3	45.3	48.7	79.3	79.3	73.6	67.9
	F	0.0	0.5	0.2	0.1	0.0	0.6	2.8	1.8	1.8	1.8	11.3	12.1	19.8	19.8	18.4	16.9
	NONE	0.0	14.1	19.8	25.2	1.6	59.1	542.2	776.0	3835.9	5270.7	9278.0	12143.9	15316.8	19509.1	14705.5	9919.6
Total ORG ABS LQ/SLG		0.0	20.0	22.3	26.3	1.6	65.9	570.8	794.3	3854.3	5289.1	9391.3	12265.7	15515.1	19707.3	14889.6	10089.5
ORG PART	A	0.0	0.6	0.4	0.4	0.3	0.9	1.6	11.7	13.1	16.5	39.6	39.8	54.9	50.6	46.1	41.6
	B	0.0	1.4	0.9	0.8	0.6	1.9	3.1	35.5	38.4	45.2	115.5	115.8	170.1	161.6	152.7	143.7
	D	0.0	1.1	1.0	1.0	0.9	1.7	3.0	40.2	44.0	53.1	130.2	130.2	186.7	175.4	164.0	152.6
	F	0.0	0.1	0.2	0.2	0.2	0.3	0.7	6.0	6.9	9.2	20.4	20.4	26.4	23.6	20.8	17.9
	H	0.0	0.0	0.1	0.1	0.1	0.1	0.3	1.5	1.9	3.1	5.6	5.6	5.6	4.2	2.8	1.4
	NONE	0.0	0.4	14.8	0.0	0.0	0.0	7.0	0.1	0.2	0.2	0.5	5.6	5.6	5.6	5.6	5.6
Total ORG PART		0.0	4.0	17.5	2.6	2.2	5.0	15.9	95.1	104.9	127.6	312.0	317.6	449.6	421.2	392.2	363.2
Total WHC_SURPLUS_FAC		0.0	2086.4	1929.2	3711.1	427.7	1306.0	9669.9	17393.5	65526.9	87750.5	122070.9	170679.9	190679.6	213229.1	136798.7	63427.6

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Waste Generator: WHC TF OPER																	
BATTERIES	BDF	0.0	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total BATTERIES		0.0	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
CONT SOIL	AC	0.0	2.8	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
	DF	0.0	6.5	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2	7.2
Total CONT SOIL		0.0	9.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3	10.3
D-COMBUST	ABDF	0.0	6.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
	DF	0.0	68.4	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2	75.2
	NONE	0.0	151.1	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3	166.3
Total D-COMBUST		0.0	226.4	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1	249.1
D-HET	DF	0.0	4.4	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
Total D-HET		0.0	4.4	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8	4.8
D-IN NON-MTL	AC	0.0	2.3	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
	DF	0.0	31.8	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0	35.0
	NONE	0.0	47.3	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0	52.0
Total D-IN NON-MTL		0.0	81.5	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7	89.7
D-METAL	DF	0.0	50.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2	55.2
	NONE	0.0	68.8	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7	75.7
Total D-METAL		0.0	119.0	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9	130.9
EXPLOSIVES	ABDF	0.0	2.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
Total EXPLOSIVES		0.0	2.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2
IN ORG LQ/SLG	ABDF	0.0	3.4	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
	DF	0.0	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
	NONE	0.0	2.1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
Total IN ORG LQ/SLG		0.0	7.2	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0
LAB/CONT LQ	ABDF	0.0	12.0	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2
Total LAB/CONT LQ		0.0	12.0	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2	13.2
LEAD	ADF	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total LEAD		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
MERCURY	E	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total MERCURY		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
ORG ABS LQ/SLG	ABDF	0.0	6.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
Total ORG ABS LQ/SLG		0.0	6.8	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
ORG PART	ABDF	0.0	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
DF		0.0	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
NONE		0.0	2.1	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
Total ORG PART		0.0	5.5	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1
Total WHC_TF_OPER		0.0	476.0	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7	523.7
Waste Generator:WHC_TRANSPORT																	
D-COMBUST	AG	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	G	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total D-COMBUST		0.0	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
IN ORG PART	AG	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	G	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total IN ORG PART		0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Total WHC_TRANSPORT		0.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8
Waste Generator:WHC_TRUSAF																	
D-COMBUST	NONE	0.0	0.5	2.8	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	0.5	2.8	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	G	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.2	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TRUSAF		0.0	1.0	2.8	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_TWP_W028																	
CONT SOIL	NONE	0.0	0.0	2.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	0.0	2.9	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_W028		0.0	0.0	3.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_TWP_W030																	
CONT SOIL	NONE	0.0	4.5	3.5	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	4.5	3.5	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	NONE	0.0	1.6	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 55a

WTF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total D-COMBUST		0.0	1.6	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-HET	NONE	0.0	0.8	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-HET		0.0	0.8	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	NONE	0.0	13.3	9.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	13.3	9.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	7.9	4.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	7.9	4.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_W030		0.0	28.3	19.8	6.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator:WHC_TWP_W058

CONT SOIL	NONE	0.0	35.0	182.2	147.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	35.0	182.2	147.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	NONE	0.0	0.3	1.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	0.3	1.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_W058		0.0	35.4	184.1	148.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator:WHC_TWP_W151

CONT SOIL	NONE	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	F	0.0	5.8	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	12.2	0.0	0.0	0.0	0.0	0.0	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-COMBUST		0.0	18.0	0.0	0.0	0.0	0.0	0.0	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	F	0.0	23.2	0.0	0.0	0.0	0.0	0.0	26.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	23.2	0.0	0.0	0.0	0.0	0.0	26.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS IQ/SLG	F	0.0	11.6	0.0	0.0	0.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total ORG ABS IQ/SLG		0.0	11.6	0.0	0.0	0.0	0.0	0.0	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH STEEL	F	0.0	13.0	0.0	0.0	0.0	0.0	0.0	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH STEEL		0.0	13.0	0.0	0.0	0.0	0.0	0.0	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH VOID	F	0.0	62.3	0.0	0.0	0.0	0.0	0.0	43.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH VOID		0.0	62.3	0.0	0.0	0.0	0.0	0.0	43.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_W151		0.0	130.8	0.0	0.0	0.0	0.0	0.0	111.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Waste Generator:WHC_TWP_W211

CONT SOIL	NONE	0.0	0.0	89.2	178.4	89.2	89.2	178.4	178.4	178.4	178.4	89.2	89.2	178.4	89.2	89.2	89.2
-----------	------	-----	-----	------	-------	------	------	-------	-------	-------	-------	------	------	-------	------	------	------

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	Heid	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total CONT SOIL			0.0	0.0	89.2	178.4	89.2	178.4	178.4	178.4	178.4	89.2	89.2	178.4	89.2	89.2	89.2
D-METAL	DF		0.0	0.0	0.0	5.6	5.6	11.3	11.3	11.3	11.3	5.6	5.6	11.3	5.6	5.6	5.6
	NONE		0.0	0.0	9.9	19.8	9.9	19.8	19.8	19.8	19.8	9.9	9.9	19.8	9.9	9.9	9.9
Total D-METAL			0.0	0.0	9.9	25.5	15.6	31.1	31.1	31.1	31.1	15.6	15.6	31.1	15.6	15.6	15.6
ORG ABS LQ/SLG	DF		0.0	0.0	0.0	0.7	0.7	1.4	1.4	1.4	1.4	0.7	0.7	1.4	0.7	0.7	0.7
Total ORG ABS LQ/SLG			0.0	0.0	0.0	0.7	0.7	1.4	1.4	1.4	1.4	0.7	0.7	1.4	0.7	0.7	0.7
SH STEEL	DF		0.0	0.0	0.0	0.7	0.7	1.4	1.4	1.4	1.4	0.7	0.7	1.4	0.7	0.7	0.7
Total SH STEEL			0.0	0.0	0.0	0.7	0.7	1.4	1.4	1.4	1.4	0.7	0.7	1.4	0.7	0.7	0.7
SH VOID	DF		0.0	0.0	0.0	7.1	7.1	14.1	14.1	14.1	14.1	7.1	7.1	14.1	7.1	7.1	7.1
Total SH VOID			0.0	0.0	0.0	7.1	7.1	14.1	14.1	14.1	14.1	7.1	7.1	14.1	7.1	7.1	7.1
Total WHC_TWP_W311			0.0	0.0	99.2	212.5	113.4	113.4	226.6	226.6	226.6	113.4	113.4	226.6	113.4	113.4	113.4

Waste Generator:WHC_TWP_W314

CONT SOIL	D		0.0	0.0	0.0	0.0	54.1	92.4	182.6	203.7	131.8	113.0	18.0	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	54.1	92.4	182.6	203.7	131.8	113.0	18.0	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	108.3	184.8	365.3	407.5	263.7	226.0	36.1	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	0.0	0.0	0.0	216.7	369.7	730.7	815.0	527.4	452.1	72.2	0.0	0.0	0.0	0.0
D-HET	D		0.0	0.0	0.0	0.0	1.2	2.0	15.6	17.4	11.3	15.0	2.4	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	1.2	2.0	15.6	17.4	11.3	15.0	2.4	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	2.4	4.1	31.3	34.9	22.6	30.1	4.8	0.0	0.0	0.0	0.0
Total D-HET			0.0	0.0	0.0	0.0	4.8	8.2	62.6	69.8	45.2	60.2	9.6	0.0	0.0	0.0	0.0
D-IN NON-HTL	D		0.0	0.0	0.0	0.0	0.4	0.8	6.2	6.9	4.5	6.0	0.9	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	0.4	0.8	6.2	6.9	4.5	6.0	0.9	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	3.8	6.5	50.1	55.8	36.1	48.2	7.7	0.0	0.0	0.0	0.0
Total D-IN NON-HTL			0.0	0.0	0.0	0.0	4.8	8.2	62.6	69.8	45.2	60.2	9.6	0.0	0.0	0.0	0.0
D-METAL	D		0.0	0.0	0.0	0.0	3.6	6.1	46.9	52.3	33.9	45.2	7.2	0.0	0.0	0.0	0.0
	F		0.0	0.0	0.0	0.0	3.6	6.1	46.9	52.3	33.9	45.2	7.2	0.0	0.0	0.0	0.0
	G		0.0	0.0	0.0	0.0	7.2	12.3	93.9	104.7	67.8	90.4	14.4	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.0	0.0	0.0	14.4	24.6	187.9	209.5	135.6	180.8	28.8	0.0	0.0	0.0	0.0
Total WHC_TWP_W314			0.0	0.0	0.0	0.0	240.8	410.8	1043.9	1164.3	753.5	753.5	120.4	0.0	0.0	0.0	0.0

Waste Generator:WHC_TWP_W320

CONT SOIL	NONE		0.0	3.2	2.2	3.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL			0.0	3.2	2.2	3.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-COMBUST	D		0.0	12.0	8.7	60.1	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
None	None	0.0	8.2	5.6	17.5	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-CARBUST		0.0	20.3	14.3	77.7	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	D	0.0	4.0	2.9	20.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
None	None	0.0	16.5	11.3	35.1	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	20.6	14.2	55.1	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-METAL	D	0.0	4.0	2.9	20.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
None	None	0.0	16.5	11.3	35.1	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL		0.0	20.6	14.2	55.1	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-SOIL	None	0.0	0.6	0.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL		0.0	0.6	0.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
IN ORG PART	None	0.0	0.6	0.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total IN ORG PART		0.0	0.6	0.4	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH CONCRETE	D	0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH CONCRETE		0.0	16.0	11.6	80.2	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	D	0.0	4.0	2.9	20.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total SH LEAD		0.0	4.0	2.9	20.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_H320		0.0	86.3	60.6	292.9	46.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_TWP_H340																	
CONT SOIL	None	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D-IN NON-HTL	None	0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	6.1	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total WHC_TWP_H340		0.0	0.0	0.0	0.0	0.0	0.0	2.6	8.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Waste Generator:WHC_T PLANT																	
BATTERIES	BD	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total BATTERIES		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CONT SOIL	B	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D	D	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
F	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
None	None	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
Total CONT SOIL		0.0	1.3	1.3	1.3	1.3	1.3	1.3	1.3	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D-COMBUST	A	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	B	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	C	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	D	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	E	0.0	3.8	3.8	3.8	3.8	3.8	3.8	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
	F	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	G	0.0	1.4	1.4	1.4	1.4	1.4	1.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	NONE	0.0	7.1	7.1	7.1	7.1	7.1	7.1	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Total D-COMBUST																	
D-HET	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	1.7	1.7	1.7	1.7	1.7	1.7	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	F	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	12.7	12.7	12.7	12.7	12.7	12.7	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8	7.8
	NONE	0.0	15.2	15.2	15.2	15.2	15.2	15.2	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7	8.7
Total D-HET																	
D-IN NON-HTL	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	1.4	1.4	1.4	1.4	1.4	1.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	NONE	0.0	2.4	2.4	2.4	2.4	2.4	2.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total D-IN NON-HTL																	
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	4.8	4.8	4.8	4.8	4.8	4.8	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
	NONE	0.0	9.2	9.2	9.2	9.2	9.2	9.2	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
	Total D-METAL	0.0	14.1	14.1	14.1	14.1	14.1	14.1	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
D-SOIL	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	D	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	Total D-SOIL	0.0	1.1	1.1	1.1	1.1	1.1	1.1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
IN ORG LQ/SIG	A	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Total IN ORG LQ/SIG	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
DFG		0.0	0.0	0.0	7.1	7.1	7.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total IN ORG LQ/SLG		0.0	0.4	0.4	7.5	7.5	7.5	7.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
IN ORG PART																	
A		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total IN ORG PART		0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
LAB/CONT LQ																	
A		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.6	0.6	0.6	0.6	0.6	0.6	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total LAB/CONT LQ		0.0	1.1	1.1	1.1	1.1	1.1	1.1	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
LEAD																	
D		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total LEAD		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
MERCURY																	
E		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total MERCURY		0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ORG ABS LQ/SLG																	
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG ABS LQ/SLG		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
ORG PART																	
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
NONE		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total ORG PART		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
SALT WASTE																	
B		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactive, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	Held	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total SALT WASTE			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SH LEAD	D		0.0	1.0	1.0	1.0	1.0	1.0	1.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Total SH LEAD			0.0	1.0	1.0	1.0	1.0	1.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
UNKNOW			0.0	1.4	1.4	1.4	1.4	1.4	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
UNKNOW			0.0	3.5	3.5	3.5	3.5	3.5	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Total UNKNOW			0.0	4.9	4.9	4.9	4.9	4.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9
Total WHC T PLANT			0.0	51.0	51.0	51.0	51.0	51.0	22.7	22.7	22.7	22.7	22.7	22.7	22.7	22.7	22.7
Waste Generator:WHC_WASTE_NEUT																	
D-COMBUST	F		0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
NONE			12.3	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5	18.5
Total D-COMBUST			12.3	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7	19.7
D-METAL	EF		0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
NONE			1.1	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6
Total D-METAL			1.1	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7
Total WHC_WASTE_NEUT			13.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5	21.5
Waste Generator:WHC_WELL_DRL																	
CONT SOIL	F		0.0	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8
NONE			0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Total CONT SOIL			0.0	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8	6.8
D-IN NON-HTL	F		0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
NONE			0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Total D-IN NON-HTL			0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
D-METAL	F		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
NONE			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-METAL			0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
D-SOIL	F		0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
NONE			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total D-SOIL			0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Total WHC_WELL_DRL			0.0	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6	8.6
Grand Total			7207.0	14973.0	14909.2	18865.1	10778.9	12214.2	24850.7	33001.4	81111.7	103669.9	141175.2	185795.7	204412.5	227185.1	151056.5
																	79374.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator:AMES																	
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3100.0
D-HET	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.4
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.4
	NONE	1.1	1.1	1.1	1.1	1.2	1.1	1.1	1.1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	22.5 99.1
TotalD-HET		1.1	1.1	1.1	1.1	1.3	1.1	1.1	1.1	0.5	0.5	0.5	0.5	0.5	0.5	0.5	22.7100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.0100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.0100.0
D-METAL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2100.0
IN ORG PART	NONE	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.7100.0
TotalIN ORG PART		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.7100.0
LAB/CONT LQ	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 54.5
	BD	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 45.4
TotalLAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5100.0
TotalAMES		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	98.7
Waste Generator:ANL_E																	
CONT SOIL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 0.0
	F	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.3 0.1
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 0.0
	NONE	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	61.6	3157.4 99.7
TotalCONT SOIL		61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	61.9	3166.4 100.0
D-COMBUST	NONE	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	677.9 100.0
TotalD-COMBUST		15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	15.8	677.9 100.0
D-HET	D	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	332.4 9.5
	NONE	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	81.3	3537.1 91.4
TotalD-HET		91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	91.7	3869.5 100.0
D-IN NON-HTL	NONE	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	1136.5 100.0
TotalD-IN NON-HTL		25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	25.8	1136.5 100.0
D-METAL	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 0.3
	NONE	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	1119.8 99.6
TotalD-METAL		25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	25.5	1123.5 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 2b

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
III ORG LQ/SLG	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1 0.5
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 0.3
	D	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	19.8 8.9
	NONE	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	199.9 90.2
Total III ORG LQ/SLG		5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	5.8	221.7 100.0
IN ORG PART	NONE	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	69.9 100.0
Total IN ORG PART		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	69.9 100.0
LAB/CONT LQ	A	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	72.7 90.0
	B	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.8 6.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 2.9
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 1.0
Total LAB/CONT LQ		2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	80.8 100.0
LEAD	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	721.4 100.0
Total LEAD		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	721.4 100.0
ORG ABS LQ/SLG	NONE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	64.6 100.0
Total ORG ABS LQ/SLG		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	64.6 100.0
ORG PART	NONE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	64.6 100.0
Total ORG PART		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	64.6 100.0
Total ANL E		234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	234.2	11197.3

Waste Generator: BAPL

CONT SOIL	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 100.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 100.0
D-COMBUST	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 1.4
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.9 98.5
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1 100.0
D-HET	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 0.7
	FG	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	26.1 75.0
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4 24.2
Total D-HET		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	34.7 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7 100.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.3 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	126.3 100.0
IN ORG LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 100.0
LEAD	D	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	144.5 100.0
Total LEAD		1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	144.5 100.0
ORG ABS LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6 31.0
E		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8 20.9
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 2.9
G		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1 27.9
J		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1 16.9
Total ORG ABS LQ/SLG		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	18.3 100.0
ORG PART	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 100.0
Total BAPL		2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	348.6

Waste Generator: BAPL SHIPYDS

D-METAL	NONE	0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3 100.0
Total D-METAL		0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3 100.0
Total BAPL SHIPYDS		0.0	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3

Waste Generator: BAT CIBS LAB

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.1 100.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.1 100.0
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	150.1 100.0
Total D-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	150.1 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	643.4 100.0
Total D-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	643.4 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360.3 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360.3 100.0
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.1 100.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	195.1 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9 100.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.9 100.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 50.0
F		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 50.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PRF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0 75.0
E	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4 15.0
EH	EH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 10.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.6 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.4 90.0
EH	EH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2 10.0
Total MERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.6 100.0
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
Total ORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5 100.0
SH LEAD	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5 100.0
Total SH LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5 100.0
Total BAT GLBS LAB		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1623.2

Waste Generator: DRKHVN

CONT SOIL	NONE	32.3	34.0	35.7	37.4	39.3	41.3	43.4	45.5	47.8	50.2	52.7	55.4	58.1	61.0	64.1	1044.0 100.0
Total CONT SOIL		32.3	34.0	35.7	37.4	39.3	41.3	43.4	45.5	47.8	50.2	52.7	55.4	58.1	61.0	64.1	1044.0 100.0
D-HET	NONE	160.5	168.5	176.9	185.7	195.0	204.8	215.0	225.8	237.1	248.9	261.4	274.4	288.2	302.6	317.7	5175.2 100.0
Total D-HET		160.5	168.5	176.9	185.7	195.0	204.8	215.0	225.8	237.1	248.9	261.4	274.4	288.2	302.6	317.7	5175.2 100.0
D-IN NON-MTL	NONE	48.5	51.0	53.5	56.2	59.0	62.0	65.1	68.3	71.7	75.3	79.1	83.1	87.2	91.6	96.2	1566.3 100.0
Total D-IN NON-MTL		48.5	51.0	53.5	56.2	59.0	62.0	65.1	68.3	71.7	75.3	79.1	83.1	87.2	91.6	96.2	1566.3 100.0
D-METAL	A	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.5 0.0
NONE		247.3	259.7	272.7	286.3	300.6	315.7	331.4	348.0	365.4	383.7	402.9	423.0	444.2	466.4	489.7	7976.6 99.9
Total D-METAL		247.5	259.8	272.8	286.5	300.8	315.8	331.6	348.2	365.6	383.9	403.0	423.2	444.4	466.6	489.9	7982.1 100.0
D-SOIL	NONE	70.6	74.2	77.9	81.8	85.9	90.2	94.7	99.4	104.4	109.6	115.1	120.8	126.9	133.2	139.9	2280.0 100.0
Total D-SOIL		70.6	74.2	77.9	81.8	85.9	90.2	94.7	99.4	104.4	109.6	115.1	120.8	126.9	133.2	139.9	2280.0 100.0
IN ORG LQ/SLG	NONE	20.6	21.6	22.7	23.8	25.0	26.3	27.6	29.0	30.4	31.9	33.5	35.2	37.0	38.8	40.8	664.4 100.0
Total IN ORG LQ/SLG		20.6	21.6	22.7	23.8	25.0	26.3	27.6	29.0	30.4	31.9	33.5	35.2	37.0	38.8	40.8	664.4 100.0
LAB/CONT LQ	A	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	22.0 15.8
AB		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.0 7.9
B		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.0 7.9
NONE		2.9	3.0	3.2	3.4	3.5	3.7	3.9	4.1	4.3	4.5	4.7	5.0	5.2	5.5	5.8	94.9 68.2
Total LAB/CONT LQ		4.3	4.4	4.6	4.7	4.9	5.1	5.3	5.5	5.7	5.9	6.1	6.3	6.6	6.9	7.1	139.0 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 100.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals v Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 5b

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 100.0
ETHYLMERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 100.0
ORG ABS LQ/SLG	NONE	2.9	3.0	3.2	3.4	3.5	3.7	3.9	4.1	4.3	4.5	4.7	5.0	5.2	5.5	5.8	94.9 100.0
TotalORG ABS LQ/SLG		2.9	3.0	3.2	3.4	3.5	3.7	3.9	4.1	4.3	4.5	4.7	5.0	5.2	5.5	5.8	94.9 100.0
ORG PART	NONE	2.9	3.0	3.2	3.4	3.5	3.7	3.9	4.1	4.3	4.5	4.7	5.0	5.2	5.5	5.8	94.9 100.0
TotalORG PART		2.9	3.0	3.2	3.4	3.5	3.7	3.9	4.1	4.3	4.5	4.7	5.0	5.2	5.5	5.8	94.9 100.0
SH STEEL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 100.0
TotalSH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 100.0
TotalBHMVN		590.7	620.1	651.0	683.5	717.6	753.4	790.9	830.4	871.8	915.4	961.0	1009.0	1059.4	1112.3	1167.8	19047.7

Waste Generator: B LEHR_DAV

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1551.6 100.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1551.6 100.0
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.1 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	82.1 100.0
D-HET	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 3.3
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.7 96.6
D-IN NON-HTL	GH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	68.0 100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.1 99.9
D-METAL	DG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.3 97.4
LAB/CONT LQ	AG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.5 100.0
TotalLAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7 100.0
ORG ABS LQ/SLG	BG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0 100.0
ORG PART	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 100.0
TotalB LEHR_DAV		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1846.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB, < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator:EGG																		
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.9	100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.9	100.0
D-HET	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.1	100.0
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	63.1	100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.1	100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	100.0
ORG ABS LQ/SLG	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	129.1	100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	129.1	100.0
TotalEGG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	291.1	

Waste Generator:FERMI																		
BATTERIES	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.8	100.0
TotalBATTERIES		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.8	100.0
CONT SOIL	NONE	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.4	100.0
TotalCONT SOIL		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	16.4	100.0
D-COMBUST	NONE	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	101.5	100.0
TotalD-COMBUST		3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	101.5	100.0
D-HET	NONE	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.1	100.0
TotalD-HET		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	43.1	100.0
D-IN NON-HTL	NONE	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.3	100.0
TotalD-IN NON-HTL		0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	27.3	100.0
D-METAL	NONE	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	1083.2	100.0
TotalD-METAL		35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	35.2	1083.2	100.0
IN ORG LQ/SLG	NONE	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.8	100.0
TotalIN ORG LQ/SLG		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.8	100.0
IN ORG PART	NONE	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	20.6	100.0
TotalIN ORG PART		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	20.6	100.0
LAB/CONT LQ	BD	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.8	100.0
TotalLAB/CONT LQ		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	7.8	100.0
LEAD	D	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6	100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 7b

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
Waste Generator: FUSRAP																	
Total LEAD		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.6 100.0
ORG ABS LQ/SLG	NONE	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.8 100.0
Total ORG ABS LQ/SLG		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	31.8 100.0
SALT WASTE	G	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	46.8 100.0
Total SALT WASTE		1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	46.8 100.0
Total FERRI		46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	46.9	1434.2
Waste Generator: FUSRAP																	
CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15401.4 100.0
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15401.4 100.0
D-IN NON-MTL	NONE	0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40726.9 100.0
Total D-IN NON-MTL		0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40726.9 100.0
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1193.9 100.0
Total D-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1193.9 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.2 100.0
Total IN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.2 100.0
Total FUSRAP		0.0	3162.7	3162.7	0.0	13767.7	13767.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57449.6
Waste Generator: GEN_ATOM																	
CONT SOIL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6 2.5
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.8 97.4
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	103.4 100.0
D-HET	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6 1.2
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 0.8
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2 0.2
	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	609.1 97.7
Total D-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	623.1 100.0
D-IN NON-MTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8 100.0
Total D-IN NON-MTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.6 100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.6 100.0
IN ORG LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 50.0
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 50.0
Total IN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
LAB/TUIT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 20.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 4.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0 71.0
	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 4.0
Total LAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5 100.0
Total LEAD		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5 100.0
MERCURY	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
Total MERCURY		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
ORG PART	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
Total ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 100.0
SALT WASTE	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
Total SALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 100.0
Total GEN. ATCH		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	874.0

Waste Generator: IHEHF

LAB/CONT LQ	AG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 17.6
	BG	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	14.7 44.6
	DG	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.3 25.3
	EG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6 4.9
	FG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4 7.2
Total LAB/CONT LQ		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.0 100.0
Total IHEHF		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.0

Waste Generator: KAPL

CONT SOIL	D	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.6 80.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 5.0
	F	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.3 15.0
Total CONT SOIL		1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	42.0 100.0
D-COMBUST	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9 50.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5 10.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3 40.0
Total D-COMBUST		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5.8 100.0
D-HET	D	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.7 80.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 10.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=ECB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WFE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
I-10-D-HET	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8 10.0
		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	8.4 100.0
	D	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	11.4 80.0
D-IN NON-HTL	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 10.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4 10.0
TotalD-IN NON-HTL		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	14.2 100.0
	D	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	14.3 95.0
D-METAL	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7 5.0
		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.1 100.0
TotalD-METAL	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.2 85.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 10.0
TotalIN ORG LQ/SLG		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 100.0
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 85.0
IN ORG PART	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 10.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
	LAB/CONT LQ	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7 15.0
LAB/CONT LQ	A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 10.0
	B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8 10.0
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6 20.0
D		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.6 20.0
	E	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 25.0
F		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	18.4 100.0
		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	10.0 100.0
HERCURY	E	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.0 100.0
		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	10.0 100.0
TotalHERCURY		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 100.0
	ORG ABS LQ/SLG	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.7 100.0
TotalORG ABS LQ/SLG	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7 85.0
	E	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 5.0
	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2 10.0
TotalORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1 100.0
	TotalKAPL	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	126.0

Waste Generator: KAPL SHIPYDS

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pot
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0
Total D-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	100.0
Total KAPL SHIPYDS		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	297.0	
Waste Generator: KEH 100																		
BATTERIES	BG	1.3	1.7	2.1	2.6	3.3	4.1	5.2	6.5	8.1	10.1	12.7	15.8	19.8	24.8	31.0	154.8	100.0
Total BATTERIES		1.3	1.7	2.1	2.6	3.3	4.1	5.2	6.5	8.1	10.1	12.7	15.8	19.8	24.8	31.0	154.8	100.0
CONT SOIL	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	14.0
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64.2	85.9
Total CONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	74.7	100.0
D-COMBUST	A	9.9	12.3	15.4	19.3	24.2	30.2	37.8	47.2	59.0	73.8	92.3	115.4	144.2	180.3	225.4	1125.7	55.1
AFG		8.0	10.0	12.6	15.7	19.7	24.6	30.8	38.5	48.1	60.1	75.2	94.0	117.5	146.9	183.6	917.2	44.8
Total D-COMBUST		17.9	22.4	28.1	35.1	43.9	54.9	68.6	85.7	107.2	134.0	167.5	209.4	261.8	327.2	409.0	2042.9	100.0
D-IN NON-MTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	100.0
Total D-IN NON-MTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	100.0
D-METAL	DG	390.1	487.7	609.6	762.0	952.5	1190.7	1488.3	1860.4	2325.6	2906.9	3633.7	4542.1	5677.6	7097.1	8871.3	44301.9	96.0
EG		16.1	20.1	25.2	31.5	39.4	49.3	61.6	77.0	96.3	120.3	150.4	188.0	235.1	295.8	367.3	1834.5	3.9
Total D-METAL		406.3	507.9	634.8	793.6	991.9	1240.0	1550.0	1937.5	2421.9	3027.3	3784.1	4730.2	5912.7	7391.0	9238.7	46136.4	100.0
IN ORG LQ/SLG	AEG	198.2	247.8	309.8	387.2	484.0	605.1	756.3	945.4	1181.8	1477.3	1846.6	2308.3	2885.4	3606.7	4508.4	22514.3	100.0
Total IN ORG LQ/SLG		198.2	247.8	309.8	387.2	484.0	605.1	756.3	945.4	1181.8	1477.3	1846.6	2308.3	2885.4	3606.7	4508.4	22514.3	100.0
LAB/CONT LQ	BG	41.1	51.4	64.2	80.3	100.4	125.5	156.8	196.1	245.1	306.4	383.0	478.7	598.4	748.0	935.0	4669.6	80.5
EG		9.9	12.3	15.4	19.3	24.2	30.2	37.8	47.2	59.0	73.8	92.3	115.4	144.2	180.3	225.4	1125.7	19.4
Total LAB/CONT LQ		51.0	63.7	79.7	99.6	124.6	155.7	194.7	243.3	304.2	380.2	475.3	594.1	742.7	928.4	1160.5	5795.3	100.0
LEAD	BDG	9.1	11.4	14.2	17.8	22.2	27.8	34.8	43.5	54.4	68.0	85.0	106.2	132.8	166.0	207.5	1036.3	99.9
D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0
Total LEAD		9.1	11.4	14.2	17.8	22.2	27.8	34.8	43.5	54.4	68.0	85.0	106.2	132.8	166.0	207.5	1037.1	100.0
ORG ABS LQ/SLG	AEG	356.9	446.1	557.6	697.1	871.3	1089.2	1361.5	1701.8	2127.3	2659.2	3323.9	4154.9	5193.7	6492.1	8115.1	40525.7	97.7
EG		8.0	10.0	12.6	15.7	19.7	24.6	30.8	38.5	48.1	60.1	75.2	94.0	117.5	146.9	183.6	917.2	2.2
Total ORG ABS LQ/SLG		364.9	456.2	570.2	712.8	891.0	1113.8	1392.3	1740.4	2175.5	2719.3	3399.2	4249.0	5311.2	6639.1	8298.8	41443.0	100.0
Total KEH 100		1049.1	1311.4	1639.1	2049.1	2561.3	3201.7	4002.1	5002.6	6253.3	7816.6	9770.7	12213.4	15266.7	19083.4	23894.2	119211.6	
Waste Generator: IBL																		
D-IN NON-MTL	NONE	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	13943.2	100.0
Total D-IN NON-MTL		7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	13943.2	100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 11b

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-METAL	NONE	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	1073.3 100.0
Total D-METAL		12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5	1073.3 100.0
IN ORG PART	D	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.6 0.8
	NONE	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	562.7 99.1
Total IN ORG PART		19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	19.1	567.4 100.0
LAB/CONT IQ	A	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.7 5.3
	B	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	13.6 3.2
	D	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	25.0 5.9
	E	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.1 2.1
	F	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	54.7 12.8
	G	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	102.5 24.1
	NONE	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6	196.9 46.3
Total LAB/CONT IQ		14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	14.3	424.9 100.0
Total LBL		53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	53.1	1609.0

Waste Generator: HIT_RATES

ORG PART	NONE	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.5 100.0
Total ORG PART		0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.5 100.0
Total HIT_RATES		0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	1.5

Waste Generator: PADUCAH_MS

CONT SOIL	DF	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	2309.5 25.3
	F	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5	2309.5 25.3
	NONE	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	105.4	4509.2 49.3
Total CONT SOIL		258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	258.4	9128.4 100.0
D-COMBUST	NONE	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	1090.5 100.0
Total D-COMBUST		25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	1090.5 100.0
D-IN NON-MTL	DF	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	256.6 16.0
	F	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	8.5	256.6 16.0
	NONE	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	25.4	1090.5 67.9
Total D-IN NON-MTL		42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	1603.7 100.0
Total PADUCAH_ES		326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	326.4	11822.7

Waste Generator: PADUCAH_US

D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	463.1 94.8
	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1 5.1

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTE	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	488.2 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	370.5 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	370.5 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	92.6 100.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	92.6 100.0
TotalPAUCM US		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	951.4
Waste Generator: PAST PRAC REM																	
CONT SOIL	B	1275.4	885.4	565.7	565.7	565.7	565.7	558.6	558.6	551.6	14.0	7.0	7.0	7.0	0.0	0.0	22874.4 49.4
	D	1275.4	885.4	565.7	565.7	565.7	565.7	558.6	558.6	551.6	14.0	7.0	7.0	7.0	0.0	0.0	22874.4 49.4
	NONE	28.3	28.3	22.7	22.7	22.7	22.7	17.0	17.0	11.3	11.3	5.6	5.6	5.6	0.0	0.0	550.8 1.1
TotalCONT SOIL		2579.3	1799.3	1154.1	1154.1	1154.1	1154.1	1134.4	1134.4	1114.6	39.4	19.7	19.7	19.7	0.0	0.0	46299.7 100.0
D-IN NON-HTL	NONE	137.6	137.6	110.1	110.1	110.1	110.1	82.6	82.6	55.0	55.0	27.5	27.5	27.5	0.0	0.0	2670.9 100.0
TotalD-IN NON-HTL		137.6	137.6	110.1	110.1	110.1	110.1	82.6	82.6	55.0	55.0	27.5	27.5	27.5	0.0	0.0	2670.9 100.0
D-METAL	D	27.7	19.2	12.3	12.3	12.3	12.3	12.1	12.1	12.0	0.3	0.1	0.1	0.1	0.0	0.0	497.9 15.7
	NONE	137.6	137.6	110.1	110.1	110.1	110.1	82.6	82.6	55.0	55.0	27.5	27.5	27.5	0.0	0.0	2670.9 84.2
TotalD-METAL		165.4	156.9	122.4	122.4	122.4	122.4	94.7	94.7	67.0	55.3	27.6	27.6	27.6	0.0	0.0	3168.8 100.0
D-SOIL	B	98.8	68.6	43.8	43.8	43.8	43.8	43.3	43.3	42.7	1.0	0.5	0.5	0.5	0.0	0.0	1773.1 49.4
	D	98.8	68.6	43.8	43.8	43.8	43.8	43.3	43.3	42.7	1.0	0.5	0.5	0.5	0.0	0.0	1773.1 49.4
	NONE	2.2	2.2	1.7	1.7	1.7	1.7	1.3	1.3	0.8	0.8	0.4	0.4	0.4	0.0	0.0	42.7 1.1
TotalD-SOIL		199.9	139.4	89.4	89.4	89.4	89.4	87.9	87.9	86.4	3.0	1.5	1.5	1.5	0.0	0.0	3589.0 100.0
TotalPAST PRAC REM		3082.4	2233.4	1476.2	1476.2	1476.2	1476.2	1399.7	1399.7	1323.2	152.9	76.4	76.4	76.4	0.0	0.0	55728.6

Waste Generator: FNL

CONT SOIL	NONE	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	36.7 100.0
TotalCONT SOIL		1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	36.7 100.0
D-COMBUST	NONE	29.5	29.5	29.5	29.5	29.5	29.5	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	860.0 100.0
TotalD-COMBUST		29.5	29.5	29.5	29.5	29.5	29.5	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	27.1	860.0 100.0
D-HET	D	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	22.6 0.1
	F	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	43.9 0.2
	G	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.6 0.3
	NONE	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	623.0	19192.2 99.3
TotalD-HET		627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	627.6	19325.5 100.0
D-IN NON-HTL	B	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	15.9 9.1
	D	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	74.9 42.8

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FRT	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
F		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.2 2.4
G		2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	74.9 42.8
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8 2.7
TotalD-IN NON-HTL		5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	5.9	174.8 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0 100.0
IN ORG PART																	
BETG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	32.3 24.4
DG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	90.6 68.6
NONE		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	9.0 6.8
TotalIN ORG PART		1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	131.9 100.0
LAB/CONT LQ																	
A		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.6 20.0
B		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.6 20.0
D		3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	93.2 29.0
E		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.6 2.0
F		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	33.3 10.0
G		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	66.6 20.0
TotalLAB/CONT LQ		11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	333.2 100.0
LEAD		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	69.1 100.0
TotalLEAD		2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	69.1 100.0
ORG ABS LQ/SLG																	
B		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.3 29.0
D		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	9.2 41.9
G		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	6.3 29.0
TotalORG ABS LQ/SLG		0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	21.9 100.0
ORG PART																	
B		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.2 7.5
BETG		0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	32.3 74.0
D		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	4.7 10.9
G		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	3.2 7.5
TotalORG PART		1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	43.6 100.0
SH CONCRETE	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6 100.0
TotalSH CONCRETE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.6 100.0
SH LEAD		0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	65.7 71.1
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.6 28.8
TotalSH LEAD		0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	92.4 100.0
SH STEEL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.8 67.0
UNKNOWN		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	16.1 32.9

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 14b

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
WPAISH STEEL		0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	48.9 100.0
TotalPHIL		682.9	682.9	682.9	682.9	682.9	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	680.3	21242.3
Waste Generator:PORTSMOUTH_ES																	
CONT SOIL	NONE	472.2	472.2	472.2	472.2	472.2	472.2	221.1	221.1	221.1	221.1	221.1	221.1	221.1	221.1	221.1	10139.9 100.0
TotalCONT SOIL		472.2	472.2	472.2	472.2	472.2	472.2	221.1	221.1	221.1	221.1	221.1	221.1	221.1	221.1	221.1	10139.9 100.0
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	108.0 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	108.0 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	215.9 100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	215.9 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.1 100.0
IN ORG LQ/SLG	NONE	202.4	202.4	202.4	202.4	202.4	202.4	94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.7	4850.2 100.0
TotalIN ORG LQ/SLG		202.4	202.4	202.4	202.4	202.4	202.4	94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.7	94.7	4850.2 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4 100.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4 100.0
LAB/CONT LQ	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	134.9 100.0
TotalLAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	134.9 100.0
UNKNOWN	UNKNOWN	309.2	309.2	309.2	309.2	309.2	309.2	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	6448.4 100.0
TotalUNKNOWN		309.2	309.2	309.2	309.2	309.2	309.2	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	166.8	6448.4 100.0
TotalPORTSMOUTH_ES		983.9	983.9	983.9	983.9	983.9	983.9	482.7	482.7	482.7	482.7	482.7	482.7	482.7	482.7	482.7	21928.2
Waste Generator:PORTSMOUTH_US																	
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1420.5 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1420.5 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	355.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	355.1 100.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	213.5 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	213.5 100.0
TotalPORTSMOUTH_US		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1989.2
Waste Generator:PRINCETON																	
BERYLLIUM	D	0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5	0.2	0.2	0.2	0.2	0.2	30.3 100.0

ECD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

Page 15b

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
FOI-ALBERYLLIUM		0.2	0.2	0.2	0.2	0.2	0.2	0.5	3.9	3.9	0.5	0.2	0.2	0.2	0.2	0.2	30.3 100.0
D-CORBUST	A	0.3	0.3	0.3	0.3	0.3	0.3	0.8	1.7	1.7	0.8	0.3	0.3	0.3	0.3	0.3	23.0 1.7
NONE		34.0	34.0	34.0	34.0	34.0	34.0	56.6	56.6	56.6	56.6	34.0	34.0	34.0	34.0	34.0	1291.9 98.2
FOI-ID-CORBUST		34.3	34.3	34.3	34.3	34.3	34.3	57.5	58.3	58.3	57.5	34.3	34.3	34.3	34.3	34.3	1314.9 100.0
D-HET	NONE	14.4	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	727.5 100.0
TotalD-HET		14.4	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	727.5 100.0
D-IN NON-HTL	NONE	14.4	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	727.5 100.0
TotalD-IN NON-HTL		14.4	14.4	14.4	14.4	14.4	14.4	24.0	53.8	53.8	24.0	14.4	14.4	14.4	14.4	14.4	727.5 100.0
D-METAL	NONE	81.6	81.6	81.6	81.6	81.6	81.6	135.9	373.9	373.9	135.9	81.6	81.6	81.6	81.6	81.6	4528.4 100.0
TotalD-METAL		81.6	81.6	81.6	81.6	81.6	81.6	135.9	373.9	373.9	135.9	81.6	81.6	81.6	81.6	81.6	4528.4 100.0
ORG ABS LQ/SLG	NONE	25.5	25.5	25.5	25.5	25.5	25.5	42.4	28.3	28.3	42.4	25.5	25.5	25.5	25.5	25.5	893.9 100.0
TotalORG ABS LQ/SLG		25.5	25.5	25.5	25.5	25.5	25.5	42.4	28.3	28.3	42.4	25.5	25.5	25.5	25.5	25.5	893.9 100.0
TotalPRINCETON		170.6	170.6	170.6	170.6	170.6	170.6	284.7	572.3	572.3	284.7	170.6	170.6	170.6	170.6	170.6	8212.8

Waste Generator:RNF CANOGA

CONT SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
TotalCONT SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
D-CORBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
TotalD-CORBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
D-HET	G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.6 5.7
TotalD-HET		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 94.2
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	270.5 100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	191.1 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	191.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
D-SOIL	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	254.8 100.0
TotalD-SOIL		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.2 100.0
IN ORG LQ/SLG	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.2 100.0
TotalIN ORG LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
IN ORG PART	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
TotalIN ORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.7 100.0
ORG ABS LQ/SLG	F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
SALT WASTE DG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
TotalSALT WASTE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 100.0
TotalRWY_CNOGA		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1290.1
Waste Generator:STANFORD																	
D-IN NON-HTL A	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	3.1 70.5
NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 29.4
TotalD-IN NON-HTL		0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	4.4 100.0
D-METAL D		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.0
NONE		16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	942.2 99.9
TotalD-METAL		16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	16.9	942.3 100.0
LAB/CONT LQ NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
TotalLAB/CONT LQ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3 100.0
LEAD D		0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	7.5 100.0
TotalLEAD		0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.2	7.5 100.0
ORG ABS LQ/SLG NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5 100.0
TotalORG ABS LQ/SLG		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5 100.0
ORG PART NONE		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5 100.0
TotalORG PART		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5 100.0
TotalSTANFORD		17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	17.2	17.6	968.8 ~

Waste Generator:TPNL 2312

D-COMBUST NONE		0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.7 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.7 100.0
D-HET NONE		0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4 100.0
TotalD-HET		0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.4 100.0
D-METAL B		0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.0 7.0
NONE		0.0	0.0	0.0	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	0.0	0.0	26.5 92.9
TotalD-METAL		0.0	0.0	0.0	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	0.0	0.0	28.5 100.0
TotalTPNL 2312		0.0	0.0	0.0	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	0.0	0.0	37.7

Waste Generator:TPNL 242B/BL

D-METAL NONE		0.0	0.0	0.0	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	0.0	0.0	62.0 100.0
--------------	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------------

HCD Codes: A=Ignitables, B=Corrosives, C=Reactivities, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total	Pct
Waste Generator:TPNL 306W																		
D-HET	NONE	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	62.0 100.0
TotalD-HET		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	33.9 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0	0.0	44.2 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	0.0	0.0	0.0	44.2 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.4 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.4 100.0
TotalTPNL_306W		0.0	0.0	0.0	0.0	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	5.1	0.0	0.0	0.0	51.0
Waste Generator:TPNL 314																		
D-HET	NONE	0.0	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	0.0	3178.1 100.0
TotalD-HET		0.0	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	0.0	3178.1 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	0.0	3178.1 100.0
TotalD-METAL		0.0	0.0	0.0	0.0	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	317.8	0.0	0.0	0.0	3178.1 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.1 100.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.1 100.0
TotalTPNL_314		0.0	0.0	0.0	0.0	635.6	635.6	635.6	635.6	635.6	635.6	635.6	635.6	635.6	0.0	0.0	0.0	6387.2 100.0
Waste Generator:TPNL 324																		
D-HET	NONE	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.1 100.0
TotalD-HET		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.1 100.0
D-METAL	D	0.0	0.0	0.0	0.0	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	0.0	0.0	0.0	424.0 57.1
TotalD-METAL		0.0	0.0	0.0	0.0	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	42.4	0.0	0.0	0.0	424.0 57.1
UNKNOWN	NONE	0.0	0.0	0.0	0.0	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	0.0	0.0	0.0	318.3 42.8
TotalUNKNOWN		0.0	0.0	0.0	0.0	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	31.8	0.0	0.0	0.0	318.3 42.8
TotalTPNL_324		0.0	0.0	0.0	0.0	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	74.2	0.0	0.0	0.0	742.3 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.0 6.9
TotalLEAD		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0	3.0 6.9
UNKNOWN	NONE	0.0	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0	0.0	40.1 93.0
TotalUNKNOWN		0.0	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0	0.0	40.1 93.0
TotalTPNL_324		0.0	0.0	0.0	0.0	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	0.0	0.0	0.0	43.1 100.0
Waste Generator:TPNL 326																		
D-HET	UNKNOWN	0.0	0.0	0.0	0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0	0.0	27.9 100.0
TotalD-HET		0.0	0.0	0.0	0.0	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	0.0	0.0	0.0	27.9 100.0
D-METAL	NONE	0.0	0.0	0.0	0.0	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	0.0	0.0	0.0	816.6
TotalD-METAL		0.0	0.0	0.0	0.0	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	81.6	0.0	0.0	0.0	816.6

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

PWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pct
D-HEAD-HET		0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.8 100.0
D-HEAD	NONE	0.0	0.0	0.0	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	0.0	0.0	11.5 55.8
	UNKNOWN	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.1 44.1
Total D-HEAD		0.0	0.0	0.0	0.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	0.0	0.0	20.6 100.0
LEAD	UNKNOWN	0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.9 100.0
Total LEAD		0.0	0.0	0.0	0.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	8.9 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.5 59.5
	UNKNOWN	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.0 40.4
Total UNKNOWN		0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.0	0.0	7.5 100.0
Total TPNL_326		0.0	0.0	0.0	0.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	0.0	0.0	40.9

Waste Generator:TPNL_327

D-HET	NONE	0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	16.9 100.0
Total D-HET		0.0	0.0	0.0	0.0	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.0	0.0	16.9 100.0
D-METAL	F	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.3 0.1
	NONE	0.0	0.0	0.0	0.0	187.3	187.3	187.3	187.3	187.3	187.3	187.3	187.3	187.3	0.0	0.0	1873.3 99.8
Total D-METAL		0.0	0.0	0.0	0.0	187.5	187.5	187.5	187.5	187.5	187.5	187.5	187.5	187.5	0.0	0.0	1875.6 100.0
LEAD	D	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.6 3.6
	NONE	0.0	0.0	0.0	0.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	15.0	0.0	0.0	150.8 96.3
Total LEAD		0.0	0.0	0.0	0.0	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	15.6	0.0	0.0	156.5 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	46.3	46.3	46.3	46.3	46.3	46.3	46.3	46.3	46.3	0.0	0.0	463.0 100.0
Total UNKNOWN		0.0	0.0	0.0	0.0	46.3	46.3	46.3	46.3	46.3	46.3	46.3	46.3	46.3	0.0	0.0	463.0 100.0
Total TPNL_327		0.0	0.0	0.0	0.0	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	251.2	0.0	0.0	2512.1

Waste Generator:TPNL_331

D-METAL	NONE	0.0	0.0	0.0	0.0	171.7	171.7	171.7	171.7	171.7	171.7	171.7	171.7	171.7	0.0	0.0	1717.2 100.0
Total D-METAL		0.0	0.0	0.0	0.0	171.7	171.7	171.7	171.7	171.7	171.7	171.7	171.7	171.7	0.0	0.0	1717.2 100.0
UNKNOWN	NONE	0.0	0.0	0.0	0.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	0.0	0.0	190.8 100.0
Total UNKNOWN		0.0	0.0	0.0	0.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	19.0	0.0	0.0	190.8 100.0
Total TPNL_331		0.0	0.0	0.0	0.0	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	190.8	0.0	0.0	1908.0

Waste Generator:TWHC_100N

D-HET	NONE	0.0	0.0	0.0	0.0	314.3	314.3	314.3	314.3	314.3	314.3	314.3	314.3	314.3	0.0	0.0	3143.5 100.0
Total D-HET		0.0	0.0	0.0	0.0	314.3	314.3	314.3	314.3	314.3	314.3	314.3	314.3	314.3	0.0	0.0	3143.5 100.0

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

WTF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
D-METAL	NONE	0.0	0.0	0.0	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	0.0	0.0	5182.5 100.0
Total D-METAL		0.0	0.0	0.0	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	518.2	0.0	0.0	5182.5 100.0
UNKNOWN	NONE	0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8 100.0
Total UNKNOWN		0.0	0.0	0.0	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	118.5	0.0	0.0	1185.8 100.0
Total WHC 100R		0.0	0.0	0.0	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	951.1	0.0	0.0	9511.8

Waste Generator: WHC 222S

D-HET	A	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.7 3.6
	C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1 0.1
	D	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3 0.4
	F	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	2.7 3.5
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0
	NONE	0.0	0.0	0.0	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	6.4	0.0	0.0	64.3 85.0
	UNKNOWN	0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.2 6.9
Total D-HET		0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.6 100.0

D-METAL	A	0.0	0.0	0.0	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	0.0	0.0	33.6 0.2
	C	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	1.3 0.0
	D	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.1 0.0
	F	0.0	0.0	0.0	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	0.0	0.0	32.9 0.2
	H	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.0
	J	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6 0.0
	NONE	0.0	0.0	0.0	1183.7	1183.7	1183.7	1183.7	1183.7	1183.7	1183.7	1183.7	1183.7	1183.7	0.0	0.0	11837.6 98.8
	UNKNOWN	0.0	0.0	0.0	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	6.3	0.0	0.0	63.8 0.5
Total D-METAL		0.0	0.0	0.0	1197.5	1197.5	1197.5	1197.5	1197.5	1197.5	1197.5	1197.5	1197.5	1197.5	0.0	0.0	11975.0 100.0
UNKNOWN	NONE	0.0	0.0	0.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	0.0	0.0	900.6 100.0
Total UNKNOWN		0.0	0.0	0.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	90.0	0.0	0.0	900.6 100.0
Total WHC 222S		0.0	0.0	0.0	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	1295.1	0.0	0.0	12951.3

Waste Generator: WHC 242A

D-METAL	UNKNOWN	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1 100.0
Total D-METAL		0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1 100.0
Total WHC 242A		0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1

Waste Generator: WHC 242S

D-METAL	UNKNOWN	0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1 100.0
---------	---------	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	-----	-----	-------------

HCD Codes: A=Ignitables, B=Corrosives, C=Reactives, D=Metals w/o Hg, E=Metals w Hg, F=Organics, G=State Reg., H=PCB < 50ppm, J=PCB > 50ppm

Annual Physical Waste Form and Hazardous Constituent Volumes by Waste Generator
(in cubic meters)

FWF	HCD	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	Total Pot
Waste Generator:WHC_242S																	
TotalD-METAL		0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1 100.0
TotalWHC_242S		0.0	0.0	0.0	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	34.8	0.0	0.0	348.1
Waste Generator:WHC_242T																	
D-METAL	UNKNOWN	0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9 100.0
TotalD-METAL		0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9 100.0
TotalWHC_242T		0.0	0.0	0.0	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	0.0	0.0	75.9
Waste Generator:WHC_306																	
D-HET	NONE	0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.6 100.0
TotalD-HET		0.0	0.0	0.0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.0	0.0	3.6 100.0
D-METAL	NONE	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	1.8 31.0
D-METAL	UNKNOWN	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.0 68.9
TotalD-METAL		0.0	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0	5.8 100.0
TotalWHC_306		0.0	0.0	0.0	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.0	0.0	9.4
Waste Generator:WHC_308																	
D-COMBUST	NONE	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 100.0
TotalD-COMBUST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9 100.0
D-HET	NONE	0.0	0.0	0.0	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	0.0	0.0	54.0 100.0
TotalD-HET		0.0	0.0	0.0	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	5.4	0.0	0.0	54.0 100.0
D-IN NON-HTL	NONE	0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.9 100.0
TotalD-IN NON-HTL		0.0	0.0	0.0	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	4.9 100.0
D-METAL	NONE	0.0	0.0	0.0	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	0.0	0.0	139.0 100.0
TotalD-METAL		0.0	0.0	0.0	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	13.9	0.0	0.0	139.0 100.0
UNKNOWN	NONE	0.0	0.0	0.0	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	0.0	0.0	19.8 22.0
UNKNOWN	UNKNOWN	0.0	0.0	0.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0	0.0	0.0	70.0 77.9
TotalUNKNOWN		0.0	0.0	0.0	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.9	0.0	0.0	89.8 100.0
TotalWHC_308		0.0	0.0	0.0	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	28.8	0.0	0.0	288.7
Waste Generator:WHC_340																	
D-COMBUST	NONE	0.0	0.0	0.0	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	0.0	0.0	73.5 100.0
TotalD-COMBUST		0.0	0.0	0.0	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	7.3	0.0	0.0	73.5 100.0
D-METAL	NONE	0.0	0.0	0.0	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	12.4	0.0	0.0	124.5 84.5
UNKNOWN	UNKNOWN	0.0	0.0	0.0	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.2	0.0	0.0	22.7 15.4

HCD Codes: A-Ignitables, B-Corrosives, C-Reactives, D-Metals w/o Hg, E-Metals w Hg, F-Organics, G-State Reg., H-PCB < 50ppm, J-PCB > 50ppm

APPENDIX E

WASTE GENERATOR ABBREVIATIONS

Intentionally Left Blank

APPENDIX E

WASTE GENERATOR ABBREVIATIONS

Table E-1. Waste Generator List by Hanford Program Area

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Analytical Services	222-S Analytical Laboratory	WHC_ANALYT_LAB	WHC_222S
	325 Radiochemistry Laboratory	WHC_325	WHC_325
Environmental Restoration	100 Area Transition (BHI)	WHC_100*	WHC_100
	D&D of 200 Area Effluent Treatment (Project C018H)	TWHC_PX_C018H	TWHC_PX_C018H
	D&D of 222-S Analytical Laboratory	TWHC_222S	TWHC_222S
	D&D of 224T TRU Storage & Assay Facility (TRUSAF)	TWHC_TRUSAF	TWHC_TRUSAF
	D&D of 242-A Evaporator	TWHC_242A	TWHC_242A
	D&D of 242-S Evaporator	TWHC_242S	TWHC_242S
	D&D of 242-T Evaporator	TWHC_242T	TWHC_242T
	D&D of 306 Development/ Fabrication/Test Lab.	TWHC_306	TWHC_306
	D&D of 308 Fuels Development Laboratory	TWHC_308	TWHC_308
	D&D of 340 Waste Neutralization Facility	TWHC_340	TWHC_340
	D&D of B Plant	TWHC_B_PLANT	TWHC_225B
	D&D of N Reactor	TWHC_100N	TWHC_100N
	D&D of PFP	TWHC_PFP	TWHC_2345Z
	D&D of PNL 231-Z Building	TPNL_231Z	TPNL_231Z
	D&D of PNL 242 Building	TPNL_242B/BL	TPNL_242B/BL
	D&D of PNL 306W Building	TPNL_306W	TPNL_306W
	D&D of PNL 314 Building	TPNL_314	TPNL_314
	D&D of PNL 326 Building	TPNL_326	TPNL_326
	D&D of PNL 327 Building	TPNL_327	TPNL_327
	D&D of PNL 331 Building	TPNL_331	TPNL_331
	D&D of PNL 324 Building	TPNL_324	TPNL_324
	D&D of PUREX	TWHC_PUREX	TWHC_202A
	D&D of T Plant	TWHC_T_PLANT	TWHC_221T
	Past Practice Remediation	PAST_PRAC_REM	PAST_PRAC_REM
	PUREX Tunnel Waste	TWHC_PUREX_TW	TWHC_202A_TW
	Surplus Facilities	WHC_SURPLS_FAC	WHC_SURPLS_FAC
	Well Drilling - Environmental Projects	WHC_WELL_DRL	WHC_WELL_DRL

Table E-1. (contd)

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Liquid Effluent	200 Area Effluent Treatment Facility (Project C018H)	WHC_200 ETF	WHC_PX_C018H
	300 Area Treated Effluent Disposal Facility (Project L045H)	WHC_300 TEDF	WHC_L045H
	Waste Neutralization Facility (340/307 Buildings)	WHC_WASTE_NEUT	WHC_340
Non-Programmatic	105DR Large Sodium Fire Facility	WHC_SODIUM_FAC	WHC_105DR
	1154 Radio Maintenance-3000 Area	WHC_RADIO_MAIN	WHC_1154_3000
	1163 Procurement & Material Management	WHC_PROCURMENT	WHC_1163
	1171 FSS Fleet Maintenance	WHC_FLEET_MAIN	WHC_1171M
	1171 FSS Transportation	WHC_TRANSPORT	WHC_1171T
	2101M FSS Electric Utilities	WHC_ELEC_UTIL	WHC_2101M
	2703E Chemical Engineering Laboratory	WHC_CHEM_E LAB	WHC_2703E
	2715EA General Area Services North	WHC_GAS_NORTH	WHC_2715EA
	2724W Laundry/Equipment Decontamination	WHC_LAUNDRY	WHC_2724W
	284E/284W East & West Powerhouses	WHC_200 PWR	WHC_284E
	305 Engineering Testing Facility	WHC_ENG_TEST	WHC_305
	306 Development/Fabrication/Test Lab.	WHC_ENG_DEV	WHC_306
	308 Fuels Development Laboratory	WHC_FUEL_DEV	WHC_308
	335 Sodium Test Facility	WHC_SODIUM_TST	WHC_335
	3707C Safeguards/Security Maintenance	WHC_SS_MAIN	WHC_3707C
	3717B Standards Laboratory	WHC_STAND LAB	WHC_3717B
	377 Geotechnical Engineering Laboratory	WHC_GEOTEC LAB	WHC_377
	384 Power House, 300 Area	WHC_300_PWR	WHC_384
	BCSR Computer Service Federal Bldg.	WHC_FED	WHC_FED
	Buried Equipment (OSS/TFS)1992	WHC_BQUIP	WHC_BQUIP
	FFTF/FMEF/MASF Maintenance	WHC_FFTF_MAIN	WHC_FFTF_MAINT
	Fuel & Materials Examination	WHC_FMEF	WHC_FMEF
	General Area Services South	WHC_GAS_SOUTH	WHC_S300
	Hanford Environmental Health Foundation	HEHF	HEHF
	Kaiser Construction Services-100 Area	KEH_100	KEH_100
Offsite	Ames Laboratory-Ames, Iowa	AMES	AMES
	Argonne National Laboratory-East	ANL_E	ANL_E
	Bates Accelerator-Massachusetts	MIT_BATES	MIT_BATES
	Battelle Columbus Laboratories	BAT_CLBS LAB	BAT_CLBS LAB
	Bettis Atomic Power-Laboratory	BAPL	BAPL
	Bettis Atomic Power-Shipyards	BAPL_SHIPYDS	BAPL_SHIPYDS
	Brookhaven National Laboratory	BRKHVN	BRKHVN

Table E-1. (contd)

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
Offsite (contd)	EG&G Rocky Flats Plant	EG&G	EG&G
	FERMI National Accelerator Laboratory	FERMI	FERMI
	Formerly Utilized Sites Remedial Action Program	FUSRAP	FUSRAP
	General Atomics	GEN_ATOM	GEN_ATOM
	Knolls Atomic Power-Laboratory	KAPL	KAPL
	Knolls Atomic Power-Shipyards	KAPL SHIPYDS	KAPL SHIPYDS
	Lawrence Berkeley Laboratory	LBL	LBL
	Paducah Energy Systems	PADUCAH_ES	PADUCAH_ES
	Paducah Utility Services	PADUCAH_US	PADUCAH_US
	Princeton Plasma Physics Laboratory	PRINCETON	PRINCETON
	Portsmouth Energy Systems	PORTSMOUTH_ES	PORTSMOUTH_ES
	Portsmouth Utility Services	PORTSMOUTH_US	PORTSMOUTH_US
	Rockwell-Canoga Park	RKW_CANOGA	RKW_CANOGA
	Stanford Linear Accelerator Center	STANFORD	STANFORD
	University of California-Davis	B_LEHR_DAV	B_LEHR_DAV
	University of Utah	U_U	U_U
PNL	Pacific Northwest Laboratory	PNL	PNL
Spent Nuclear Fuel	100K K-Basin Operations	WHC_K_BASIN	WHC_100K
Solid Waste	218E/W Low Level Burial Grounds	WHC_LLBG	WHC_LLBG
	221T/2706T T-Plant Operations	WHC_T_PLANT	WHC_221T
	224T TRU Storage and Assay Facility (TRUSAF)	WHC_TRUSAF	WHC_TRUSAF
	Mixed Waste Storage Facility	WHC_EA_W112	WHC_EA_W112
Transition Facilities	Purex (202A) Operations	WHC_PUREX	WHC_202A
	Purex (202A) Surveillance & Maintenance	WHC_PUREX_SM	Not Applicable
	B-Plant	WHC_B_PLANT	WHC_225B
	Plutonium Finishing Plant	WHC_PFP	WHC_2345Z
	300 Area Fuel Supply	WHC_FUEL_TRANS	WHC_303K
TWRS	Aging Waste Transfer Lines	WHC_TWP_W028	WHC_TWP_W028
	Cross-Site Transfer System	WHC_TWP_W058	WHC_TWP_W058
	DST 101AZ Retrieval (1 tank)	WHC_TWP_W151	WHC_TWP_W151
	DST Retrieval Systems (10 tanks)	WHC_TWP_W211	WHC_TWP_W211
	Tank Farm Restoration	WHC_TWP_W314	WHC_TWP_W314
	High Level Vitrification Project	WHC_HLVP	WHC_HLVP
	Low Level Vitrification Project	WHC_LLVP	WHC_LLVP
	SST Long Length Equipment	WHC_SST_LLE	WHC_SSTLLE

Table E-1. (contd)

Program Area	Waste Generator Name	1994 Abbreviation	1993 Abbreviation
TWRS (contd)	SST Retrieval (149 tanks)	WHC SST RET	WHC SSTRET
	SST Tank 106C Manipulator	WHC TWP W340	WHC TWP W340
	SST Tank 106C Sluicing	WHC TWP W320	WHC TWP W320
	SST/DST Tank Farm Operations	WHC TF OPER	WHC 2ETF
	Tank Farm Ventilation Upgrade	WHC TWP W030	WHC TWP W030
	Tank Waste Pretreatment Facility	WHC PRETRT TW	WHC PRETRT TW
	W315 Pilot Scale Retrieval	WHC DST PSRET	WHC DSTPSRET
	W343 DST Retrieval (17 tanks)	WHC ST RET	WHC ST RET

DISTRIBUTION

Number of CopiesONSITE

9	<u>U.S. Department of Energy, Richland Operations Office</u> R. F. Guercia (5) Public Reading Room Central Files OSTI (2)	R3-81 A1-65 A3-88 E6-44
41	<u>Pacific Northwest National Laboratory</u> T. J. DeForest (20) D. B. Elliott J. T. Fulton J. T. Hauth (5) H. S. Konynenbelt J. E. Marler G. W. McNair W. A. Ross H. J. Roye R. W. Schultz J. V. Stangland K. D. Syverstad K. J. Templeton (5) Technical Files	K7-97 K8-17 K9-26 K7-97 K8-18 K8-07 P7-75 K7-94 K7-10 K8-17 K9-26 K7-10 K7-94 K1-11
3	<u>ICF Kaiser Hanford Company</u> M. R. Carver A. R. Gadeken E. M. Koellermeier	G2-02 G3-05 G3-09
2	<u>Bechtel Hanford Incorporated</u> W. S. Stufin M. A. Wollin	H4-79 H4-79
102	<u>Westinghouse Hanford Company</u> R. R. Ames J. D. Anderson F. L. Ashworth W. S. Ayers T. B. Bergman R. R. Borisch	T4-02 T3-04 H6-29 T3-28 R3-86 R3-56

DISTRIBUTION (continued)

Number of CopiesONSITEWestinghouse Hanford Company (continued)

H. C. Boynton	T3-04
P. A. Callender	H0-57
A. B. Carlson	T4-02
D. B. Cartmell	R3-50
F. M. Coony	T4-02
G. Cox	H8-64
J. L. Deichman	T6-03
A. J. Diliberto	H6-10
D. B. Encke	X5-53
J. I. Forsberg	N2-13
L. A. Fort	H5-36
J. C. Fulton	R3-11
B. J. Fuquay	R3-11
A. D. Gaden	G3-05
K. A. Gasper	G3-21
C. J. Geier	R2-36
R. J. Giroir	T4-05
C. K. Girres	T3-04
J. W. Hales	G3-21
D. G. Hamrick	S6-15
P. L. Hapke	T4-05
J. A. Harris	T6-12
R. E. Heineman, Jr.	S6-65
N. O. Hinojosa	X3-67
J. E. Holmes	B3-53
J. O. Honeyman	S7-81
S. C. Howald	H6-30
K. L. Hladek	T4-02
R. K. Hulvey	N2-33
P. H. Jacobsen	T3-01
W. G. Jasen	S6-17
R. D. Jensen	G3-21
J. R. Kirkendall	B3-28
E. F. Loika	N2-51
S. S. Lowe	H6-29
T. L. Main	S6-65
D. Marshall	S7-40
D. E. McKenney	T3-01
L. C. Mercado	R2-54
D. S. Merry	B3-28
G. A. Meyer	S2-48
D. A. Moore	H6-21

DISTRIBUTION (continued)

Number of CopiesONSITEWestinghouse Hanford Company (continued)

R. J. Murkowski	H5-03
D. E. Nester	T3-01
F. J. Orsag	H6-35
S. M. O'Toole	H6-33
D. B. Pabst	H7-03
R. D. Pierce	T3-04
B. G. Place	T3-01
D. B. Powell, Jr.	T4-03
R. W. Powell	G3-21
R. J. Puigh	H0-31
K. M. Quigley	T3-01
J. G. Riddelle	T3-01
S. B. Roakes	H6-32
W. A. Ross	K7-94
J. C. Sabin	T4-02
N. A. Samuels	H6-30
F. D. Sargent	S6-31
R. M. Schwenk	H8-64
R. R. Slaybaugh	T3-01
D. J. Sommer	H6-33
R. A. Spohr	T6-04
J. M. Steffen	N1-47
J. A. Swenson	H5-61
R. R. Thompson	H6-32
O. J. Valero (20)	T4-02
A. O. Vance	T4-02
P. J. Vandervert	H0-57
E. C. Vogt	T5-50
J. L. Westcott	T3-04
J. H. Wicks	R2-50
J. P. Willis	T3-04
R. D. Wojtasek	S7-80
J. C. Womack	R3-86
M. S. Wright	T3-28
M. T. York	H6-32

This page intentionally left blank.