GENERAL SEPARATIONS AREA LARGE MAPS FOR THE F- AND H-AREA SEEPAGE BASINS GROUNDWATER MONITORING REPORTS (U)

FIRST AND SECOND QUARTERS 1995

Volume II

Publication Date: September 1995

Document Reference Numbers:
WSRC-TR-95-~~1046-2~~ 0146-2 F-Area Seepage Basins
WSRC-TR-95-~~1047-2~~ 0147-2 H-Area Seepage Basins

MASTER

Authorized Derivative Classifier
and Reviewing Official:

C. B. Reeves 9/26/95

UNCLASSIFIED
Does Not Contain Unclassified
Controlled Nuclear Information

Westinghouse Savannah River Company
Savannah River Site
Aiken, SC 29808

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

Prepared for the U.S. Department of Energy under Control Contract No. DE-AC09-89SR18035


UPPE
HW/AW
DISPOSAL
VAULTS
250
300
Approximate northern limit
of saturation/in Aquifer Zone
IIB (Water Table)
250
FSL1D
NA
NA
FSL2D
F AREA
NA
FSL3D
<3.3
BG0400


UPPER THREE RUNS
250
150
200
E-AREA VAULTS
MWMF
<3.3 BGX9D
<3.3 BGX10D
<3.3 BGX1D
<3.3 BG05D
<3.3 BG04D
<3.3 BG06D
<3.3 BG044D
<3.3 BGX11D
<3.3 BG100R
<3.3 BG09D
<3.3 BG08D
<3.3 BG07D
<3.3 BG30
<3.3 BG11D
<3.3 BGX12D
<3.3 BG12D
BG02D
<3.3
BG018D
<3.3 BG14DR
<3.3 BG17DR
<3.3 BG19D
BG024D
<3.3 BG15D
<3.3 BG16D
<3.3 BG022DR
<3.3 BG85C
<3.3 BG01D
<3.3 BG200
<3.3 BG21D
<3.3 BG230
NS BG053D
NS BG052D
BG051D
<3.3 BG026D
<3.3 BG400
<3.3



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB88D
FSB89D
FSB90D
FSB91D
FSB92D
FSB930
FSB94DR
FSB95DR
FSB97D
FSB98D
FSB99D
FSB87D
FSB105DR
FSB1200
FSB1080
FSB876
FSB109D
FSB1114D
FSB1111D
FSB107D
FSB877
FSB1123D
FSB1430
FSB1118D
FSB1119D
FSB1130
FSB1106D
FSB1117D
FSB1100
FSB879
FSB1210DR
FSB1122D
FSB1104D
FSB1116D
FSB1150
FSB112D
BG0450
BG0290
BG0500
FSS1D
FSS2D
FSS3D
FSS4D
HSB1430


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
200
250
250
300



Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

CADMIUM

GWPS = 10 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 10, 20 ug/L

EPD GIS Lab (803)725-1417


HW/MW
DISPOSA
VAULTS
250
300
220
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB_1 (Barnwell/McBean)
F AREA


UPPER THREE RUNS
250
200
150
100
300
HWMW
DISPOSAL
VAULTS
E-AREA
VAULTS
MWMF
<3.3
HM030
HM040
HM020
HM010
BGX70
BGX60
BGX50
BGX8DR
BGX2B
BGX4C
BGX30
BGX40
BGX20
BGX1C
BG05C
BG06B
BG044C
BG044B
BG06C
BG0108
BG08C
BG010C
BG03C
BG043CR
BG0430
BG012CR
BG0130R
BGX12C
BG014CR
BG042C
BG016B
HSB858
BG020B
NS
BG020C
BG020AA
BG052C
BG051B
BG051C
BG052B
BG053C
BG053B



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
<3.3 FSB76C
FSB88C <3.3
FSB89C
<2.0 FSB114C
<3.3 <2.0 FSB111C
<3.3 FSB90C
<3.3 FSB107C
3.4 FSB91C
<3.3 FSB99C
<3.3 FSB887C
<10 FSB98C
5.1 FSB92C
6.1 FSB97C
<3.3 FSB93C
FSB94C
0.79 FSB120C
FSB105C 11
16 FSB95CR
23 FSB78C
16
10 FSB106C
1.4 FSB110C
6.5 FSB102C
FSB79C 27
20
10
<3.3 FSB103C
<3.3 FSB104C
20
39 FSB112C
10 FSB122C 0.9
<3.3 FSB121C
<3.3 FSB113C
<3.3 FSB123C
<3.3 HSB143C
<3.3 FSB116C
<3.3 FSB115C
<3.3 BG045C
<3.3 BG027C
<3.3 BG029C
BG030C
BG046B
BG050C
BG046C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG043C
BG027C
BG039C
BG030C
BG031C
BG029C
BG035C
BG037C
BG033C
BG047C
BG046B
BG048C
BG049C
BG050C
BG046C
HSB658
HSB133C
HSB101C
HSB100C
HSB102C
HSB883C
HSB883B
HSB103C
HSB125C
HSB104C
HSB106C
HSB116C
HSB115C
HSB114C
HSB112C
HSB107C
HSB105C
HSB134C
HSB71C
HSB86C
HSB70C
HSB86B
HSB110C
HSB108C
HSB113C
HSB109C
HSB145C
HSB137C
HSB111C
HSB86C
HSB88
HSB139C
HSB117C
HSB84B
HSB136C
HSB84C
HSB135C
HSB127C
HSB143C
HSB151C
HSB126C
HSB142C
HSB129C
HSB152C
HSB131C
HSB140C
HSB130C
HSB148C
200
250
300



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

CADMIUM

GWPS = 10 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 10, 20 ug/L

EPD GIS Lab (803)725-1417


HW/MW
DISPOSAL
VAULTS
F AREA
BG041


UPPER THREE RUNS
250
200
150
F-AREA VAULTS
MWMF
ROAD A
<3.3 BGX4A
NS BGX1A
<3.3 BG044AA
<3.3 BG044A
<3.3 BG06A
<3.3 BG09AA
<3.3 BG08AR
<3.3 BG010AA
<3.3 BG010AR
<3.3 BG03A
<3.3 BG043AA
NS BG043A
<3.3 BG012AR
<3.3 BG014AR
NS BG041A
<3.3 BG025A
<3.3 BG018A
<3.3 BG016AR
NS BG053A
NS BG053AA
NS BG026A
NS BG020A
NS BG052AA
NS BG052A
<3.3 BG051A
<3.3 BG051AA
<3.3 HS885A
<3.3 HSL6A
<3.3 BG039A
<3.3



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




<3.3
BG045A
<3.3
BG029A
<3.3
BG050A
300
300
<3.3
FSB76A
<3.3
FSB76B
ROAD C
<2.0
FSB114A
250
<3.3
FSB101A
F-AREA
SEEPAGE BASINS
<3.3
FSB100A
<3.3
FSB99A
<3.3
FSB87A
<3.3
FSB87B
<3.3
FSB98AR
<2.0
FSB97A
<2.0
FSB120A
<2.0
FSB78B
<2.0
FSB78A
<3.3
FSB96AR
<3.3
FSB113A
<3.3
FSB79B
<3.3
FSB79A
FOUR MILE BRANCH
<2.0
FSB112A
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
<3.3 BG045A
<3.3 BG029A
<3.3 BG050A
<3.3 BG047A
<3.3 BG049A
<3.3 BG039A
<3.3 HSB120A
<3.3 HSB119A
<3.3 HSB118A
<3.3 HSB86A
<3.3 HSB117A
<3.3 HSB144A
<3.3 HSB68A
<3.3 HSB139A
<3.3 HSB69A
<3.3 HSB84A
<3.3 HSB65A
<3.3 HSB124AR
<33 HSB123A
<3.3 HSB122A
<3.3 HSB121A
<3.3 HSB83A
<3.3 HSB140A
200
250
250
300



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

CADMIUM

GWPS = 10 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 10, 20 ug/L

EPD GIS Lab (803)725-1417


UPPER T
HWMW
DISPOSAL
VAULTS
250
300
Approximate northern limit
of saturation in Aquifer Zone
IIB2 (Water Table)
250
FSL1D
4.3
F AREA
0.56UI
FSL2D
8
FSL30
3.8
BGO400
2.3
BGO


UPPER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
3.4 BGX9D
1.9 BGX100
1.5 BGX1D
3.5 BGO5D
2.4 BGO4D
3.2 BGO44D
6 BGO6D
2.9 BGO100R
3 BGO9D
2.6 BGO7D
BGO8D
3.2 BGX11D
3.5 BGO3D
0.73UI BGX12D
BGO2D 3.7
2.4 BGO11D
7.6
3.9 BGO12D
BGO18D
3.1 BGO14DR
BGO15D 2
3.4 BGO17DR
1.2
2.4 BGO19D
BGO16D 0.56UI
NS BGO53D
2.3 BGO26D
1.3 BGO20D
1.9 BGO21D
BGO22DR 1.1
0.86 BGO23D
NS BGO52D
BGO51D 0.44UI
BGO24D 1.1
1.8 HSB85C 3
BGO1D
4 BGO39D
2.7
HSL6D 9
0.26UI HSL5D
HSL4D 1.3
1.5 HSL3D
0.85UI



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
150
1500
FSL2D
FSL3D
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB76
FSB78
FSB79
FSB77
FSB87D
FSB88D
FSB89D
FSB90D
FSB91D
FSB92D
FSB93D
FSB94DR
FSB95DR
FSB96D
FSB97D
FSB98D
FSB99D
FSB1050R
FSB1060R
FSB1070R
FSB1080R
FSB1090R
FSB1100
FSB1104D
FSB1106D
FSB1107D
FSB1108D
FSB1109D
FSB1111D
FSB1112D
FSB1113D
FSB1114D
FSB1115D
FSB1116D
FSB1117D
FSB1118D
FSB1119D
FSB1120D
FSB1121DR
FSB1122D
FSB1123D
FSB1143D
FSS1D
FSS2D
FSS3D
FSS4D
BG0140R
BG0260
BG0270
BG0280
BG0290
BG0300
BG0400
BG0450
BG0460
BG0500


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG018D
BG014DR
BG017DR
BG019D
BG015D
BG016D
0.56UI
BG020D
BG021D
BG022DR
BG024D
HSB85C
BG01D
BG053D
BG052D
BG051D
0.44UI
BG026D
BG040D
BG045D
BG027D
BG039D
BG028D
BG031D
BG032D
BG033D
BG034D
BG035D
0.82
BG036D
BG037D
BG038D
BG029D
BG030D
0.69UI
BG049D
BG046D
BG048D
BG047D
0.30UI
HSB147D
BG050D
FSS1D
FSS2D
FSS3D
HSB866
HSB1160
HSB1380
0.079UI
HSB1150
HSB114D
HSB112D
HSB1110
HSB1080
HSB107D
HSB106D
HSB105D
HSB104D
HSB860
-0.0031UI
HSB71
HSB870
HSB1130
HSB112E
HSB109D
HSB149D
0.48UI
HSB1440
HSB868
HSB1390
-0.19UI
HSB117D
HSB1370
HSB111E
HSB1100
HSB869
HSB1360
HSB884D
0.81UI
HSB1350
HSB127D
HSB126D
HSB1510
HSB1430
HSB142D
HSB1290
HSB1520
HSB1310
HSB1400
HSB1300
HSB1480
200
250
7.2
1.8
1.6
0.67UI
1.0UI
0.7
ANCH



LATITUDE-
LONGITUDE

33.253 33.253

-81.702 -81.626

0 900 1800 27(N)

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

GROSS ALPHA

GWPS = 15 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 15, 150, 1500 pCi/L

EPD GIS Lab (803)725-1417


UPPER T
HWMW
DISPOSAL
VAULTS
250
300
250
1.1
HMD3
0.13UI
HMD2D
1.8
HMD1D
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
F AREA
1.8
BG0130R
0.98U
BG045B


UPPER THREE RUNS
250
200
150
300
E-AREA VAULTS
MWMF
1.1
HMD3D
2.6
HMD4D
0.13UI
HMD2D
1.1UI
BGX7D
0.44UI
BGX6D
1.8
HMD1D
6.7
BGX5D
1.2
BGX8DR
-0.047UI
BGX4C
0.0UI
BGX3D
BGX2B
0.35UI
BGX4D
0.61UI
BGX2D
0.24UI
1.8
BGX1C
0.61UI
BG05C
BG06B
1.0UI
BG044C
0.91UI
3.5
BG044B
0.77UI
BG06C
BG010B
1.3UI
BG08C
0.59UI
2.3
BG010C
1.7
BG03C
BG043D
5.4
BG043CR
15
15
0.94
BGX12C
0.26UI
BG012CR
1.8
BG013DR
2.2
BG014CR
0.98UI
BG042C
0.55UI
BG016B
HSB85B
0.97
0.7
HSLE
BG020B
NS
BG020C
BG020AA
NS
NS
BG052C
BG051B
BG051C
NS
0.74UI
-0.070UI
BG052B
NS
NS
BG053C
NS
BG053B
BG045B
0.22UI
1.5
BG039C



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
BG045B
BG045C
BG027C
BG030C
BG031C
BG029C
BG047C
BG046B
BG050C
BG046C
FSB76C
FSB88C
FSB89C
FSB114C
FSB111C
FSB90C
FSB107C
FSB99C
FSB91C
FSB123C
HSB143C
FSB87C
FSB98C
FSB92C
FSB97C
FSB93C
FSB94C
FSB105C
FSB120C
FSB95CR
FSB78C
FSB106C
FSB113C
FSB110C
FSB102C
FSB121C
FSB103C
FSB879C
FSB112C
FSB104C
FSB116C
FSB122C
FSB115C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG052B
NS
0.74UI
0.070UI
0.22UI
BG027C
1.5
BG039C
BG030C
0.79
BG031C
2
1.1UI
0.30UI
NS
BG037C
HSB658
0.63UI
HSB133C
0.19UI
BG047C
1.5
BG033C
BG035C
BG046B
NS
BG048C
0.52UI
BG049C
0.97UI
HSB101C
0.58UI
HSB100C
1.9
HSB102C
0.55UI
9.6
HSB83C
NS
HSB141CR
0.20UI
HSB132C
HSB83B
3.1
HSB103C
0.46UI
HSB125C
HSB104C
5.5
HSB116C
HSB106C
0.50UI
3.5
HSB115C
8.9
HSB114C
HSB112C
0.48UI
0.22UI
0.39UI
HSB134C
HSB86C
HSB107C
HSB105C
HSB71C
20
0.87
HSB110C
0.0UI
HSB108C
7.87
HSB70C
HSB86B
HSB113C
0.61UI
0.45UI
HSB109C
4.6
HSB145C
0.49UI
HSB146C
HSB137C
1.4UI
HSB111C
1.8
1.4UI
28
HSB117C
5.5
1.0UI
HSB88C
HSB88B
4.2
HSB139C
HSB84B
3.8
HSB136C
0.93
HSB84C
1.3
0.92UI
HSB127C
HSB135C
4
HSB151C
0.0UI
HSB126C
0.28UI
HSB142C
4.2
HSB129C
HSB152C
2.3
0.41UI
HSB131C
1.1UI
HSB140C
200
0.43
HSB130C
0.32UI
HSB148C
250
250
300



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

GROSS ALPHA

GWPS = 15 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 15, 150, 1500 pCi/L

EPD GIS Lab (803)725-1417


UPPER TEL
HW/MW
DISPOSAL
VAULTS
250
300
250
F AREA
NS-
BG043
1.9
BG014AR
NS
BG041A
0.21
BG025A
NS
BG053A
NS
BG026A
1.6
BG045A


UPPER THREE RUNS
250
150
200
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
3.7 BGX4A
NS BGX1A
2.2 BGO44AA
2.6 BGO44A
1.7 BGO6A
11 BGO9AA
0.48UI BGO8AR
2 BGO10AA
1.7 BGO10AR
1.1 BGO3A
3.2 BGO43AA
NS BGO43A
0.46UI BGO12AR
1.9 BGO14AR
NS BGO41A
0.21UI BGO25A
2.1 BGO16AR
0.60UI BGO18A
NS BGO53A
NS BGO53AA
NS BGO26A
NS BGO20A
NS BGO52AA
NS BGO52A
1.6 BGO51A
1.3 BGO51AA
0.59UI HSB85A
-0.12UI HSL6A
1.6 BGO45A
2.5 BGO39A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




BG025A
NS BG053A
NS BG053AA
NS BG026A
1.6 BG045A
1.7 BG029A
1.9 BG050A
1.1 FSB76A
1 FSB76B
0.60UI FSB114A
0.72UI FSB101A
1.8 FSB100A
0.83UI FSB99A
0.38UI FSB87A
0.94UI FSB87B
1.6 FSB98AR
3.8 FSB97A
2.1 FSB78B
1.6 FSB120A
1.2 FSB96AR
0.92UI FSB78A
3.9 FSB113A
0.43UI FSB79B
0.32UI FSB79A
0.84UI FSB112A
F-AREA SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
300
250
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
NS
BG053AA
NS
BG052AA
NS
BG052A
1.6
BG051A
1.3
BG051AA
2.5
BG039A
0.97UI
BG049A
0.51UI
BG047A
2.4
HSB120A
1.0UI
HSB65A
0.75UI
HSB124AR
5.4
HSB123A
1.2UI
HSB83A
1.9
HSB141A
0.80UI
HSB122A
0.54UI
HSB119A
0.98
HSB121A
2.2
HSB118A
1.2
HSB86A
0.48UI
HSB117A
0.16UI
HSB144A
0.64UI
HSB68A
1.7
HSB139A
0.76
HSB146A
1.6
HSB69A
2.9
HSB84A
0.72UI
HSB140A
200
250
250
300



LATITUDE-
LONGITUDE

33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

GROSS ALPHA

GWPS = 15 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 15, 150, 1500 pCi/L

EPD GIS Lab (803)725-1417


UPPER THRE
HWMW
DISPOSAL
VAULTS
250
300
350
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
F AREA
FSL1D
18
160
FSL2D
50
<5.0
FSL3D
32
FSL4D
5.3
BG014DR
15
BG026D
16
BG040D
<5.0
BG045D
5.6
BG027D


UPPER PEN BRANCH
250
200
150
ROAD A
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
<5.0 BGX9D
90 BGX10D
9.6 BGX1D
<5.0 BGO5D
50
<5.0 BGO44D
13 BGO6D
15 BGO4D
3.3 BGX11D
<5.0 BGO8D
<5.0 BGO7D
BGO10DR
BGO9D
19
1.3 BGO11D
<5.0 BGO3D
3.2 BGO12D
3.5 BGX12D
BGO2D
<5.0
BGO18D
5.3 BGO14DR
3.6 BGO17DR
<5.0 BGO19D
BGO15D
<5.0
BGO16D
13
9.1 BGO20D
10 BGO21D
BGO22DR
4.2
8.5 BGO23D
BGO24D
7.9
<5.0 HSB85C
4.5 BGO1D
NS BGO53D
NS BGO52D
BGO51D
<5.0
15 BGO26D
<5.0 BGO45D
5.6 BGO27D
<5.0 BGO39D
BGO35D
BGO36D
BGO37D
5.4
3.3 HSL2D
<5.0 HSL3D
1.2 HSL5D
5.2 HSL6D
<5.0



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
50
100
500
FSL3D
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB76
FSB78
FSB79
FSB877D
FSB880
FSB889D
FSB890D
FSB891D
FSB892D
FSB893D
FSB894DR
FSB895DR
FSB896D
FSB897D
FSB898D
FSB899D
FSB1040
FSB1050DR
FSB1060D
FSB1080D
FSB1090D
FSB1100
FSB1107D
FSB1111D
FSB1112D
FSB1113D
FSB1114D
FSB1117D
FSB1118D
FSB1119D
FSB1121DR
FSB1122D
FSB1123D
FSB1150D
FSB1160D
FSB1200
HSB1430
FSS1D
FSS2D
FSS3D
FSS4D
BG0260
BG0400
BG0450
BG0270
BG0280
BG0290
BG0300
BG0460
BG0500
BG0530


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG0530
BG0260
BG0400
BG0450
BG0270
BG0280
BG0290
BG0310
BG0320
BG0330
BG0340
BG0350
BG0360
BG0370
BG0380
BG0390
BG0300
BG0460
BG0500
BG0470
BG0480
BG0490
BG0230
BG0520
BG0510
BG0010
HSL30
HSL20
HSL10
HSB65C
HSB65
HSB1330
HSB1000
HSB1010
HSB1020
HSB1500
HSB830
HSB67
HSB1320
HSB1250
HSB1030
HSB1060
HSB1340
HSB1040
HSB1050
HSB1070
HSB1080
HSB1090
HSB1490
HSB1450
HSB1460
HSB1390
HSB1260
HSB1270
HSB1350
HSB840
HSB1360
HSB690
HSB1100
HSB1110
HSB1120
HSB1140
HSB1150
HSB1160
HSB1380
HSB1130
HSB1120
HSB860
HSB70
HSB71
HSB1170
HSB1370
HSB1110
HSB68
HSB1310
HSB1400
HSB1480
HSB1300
HSB1290
HSB1520
HSB1420
HSB1430
HSB1510
FSS10
FSS20
FSS30
HSB147D
200
250
300



Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

LEAD

GWPS = 50 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 50, 500 ug/L

EPD GIS Lab (803)725-1417


UPPER TH
HW AW
DISPOSAL
VAULTS
3.8
HM030
<5.0
HM02D
13
HM01D
250
300
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
250
F AREA
BG0430
<5.0
34
BG0130R
15
BG042C
NS
BG053C
BG045B
<5.0
13
<5.0
BG027C


PER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
3.8
HMD3D
20
HMD4D
<5.0
BGX7D
<5.0
BGX6D
3.3
BGX8DR
13
HMD1D
6.5
BGX5D
<5.0
BGX4C
4.9
BGX3D
BGX2B
<5.0
BGX4D
<5.0
BGX2D
5.3
4.3
BGX1C
<5.0
BG05C
BG06B
<5.0
BG044C
<5.0
73
BG044B
<5.0
BG06C
BG010B
<5.0
50
BG08C
<5.0
6.9
BG010C
<5.0
BG03C
BG043D
<5.0
BG043CR
10
<5.0
BG012CR
<5.0
BGX12C
34
BG013DR
<5.0
BG014CR
300
15
BG042C
5.4
BG016B
HSL8S
3.8
HSB8SB
<5.0
<5.0
HSL6S
3.7
HSL6C
BG020B
NS
BG020C
BG020AA
NS
NS
BG052C
BG051B
BG051C
NS
NS
BG053C
BG053B
BG052B
NS
<5.0
<5.0
<5.0
BG039C



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
OLD
300
250
BG045B
<5.0
BG045C
13
BG027C
<5.0
BG030C
BG031C
8.5
82
BG029C
<5.0
BG047C
BG050C
BG046C
<5.0
<5.0
FSB76C
FSB88C
<5.0
FSB89C
<5.0
1.8
FSB114C
<5.0
FSB111C
<5.0
FSB90C
<5.0
FSB107C
<5.0
FSB99C
31
FSB91C
7.2
FSB87C
3.8
FSB98C
<5.0
FSB92C
10
FSB97C
3.4
FSB93C
<5.0
FSB105C
FSB94C
4.4
<5.0
FSB120C
4
FSB95CR
FSB78C
2.6
2
FSB106C
2.9
FSB113C
<5.0
FSB123C
<5.0
HSB143C
<5.0
HSB142C
2.4
FSB110C
<5.0
FSB102C
<5.0
FSB121C
<5.0
FSB103C
FSB79C
<5.0
0.71
FSB112C
<5.0
FSB104C
<5.0
FSB116C
FSB122C
<5.0
3.8
FSB115C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
200
250
300



0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

LEAD

GWPS = 50 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 50, 500 ug/L

EPD GIS Lab (803)725-1417


UPPER THREE R
HW/MW
DISPOSAL
VAULTS
250
300
250
F AREA
<5.0
BG04
NS
BG043A
BG0
<5.0
BG014R
NS
BG041A
3.1
BG025A
NS
BG053A
NS
BG053A
NS
BG026A
<5.0
BG045A


UPPER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
<5.0 BGX4A
NS BGX1A
<5.0 BG044AA
2.2 BG06A
7.9 BG044A
4 BG09AA
<5.0 BG08AR
<5.0 BG010AA
1.8 BG010AR
<5.0 BG03A
<5.0 BG043AA
NS BG043A
<5.0 BG012AR
<5.0 BG014AR
NS BG041A
3.1 BG025A
300
<5.0 BG018A
<5.0 BG016AR
NS BG053A
NS BG053AA
NS BG026A
NS BG020A
NS BG052AA
NS BG052A
<5.0 BG051A
5.5 BG051AA
<5.0 BG039A
<5.0 HSB8SA
85 HSL8AA
<5.0 HSL6AA
<5.0 HSL6A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




BG026A
<5.0
BG045A
<5.0
BG029A
<5.0
BG050A
300
300
<5.0
FSB76A
<5.0
FSB76B
ROAD C
<5.0
FSB114A
250
<5.0
FSB101A
F-AREA
SEEPAGE BASINS
<5.0
FSB100A
<5.0
FSB99A
<5.0
FSB87A
<5.0
FSB87B
<5.0
FSB98AR
<5.0
FSB97A
<5.0
FSB120A
4.8
FSB78B
<5.0
FSB96AR
<5.0
FSB78A
<5.0
FSB113A
FOURMILE BRANCH
<5.0
FSB79B
<5.0
FSB79A
<5.0
FSB112A
250
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG026A
BG045A
BG029A
BG050A
BG047A
BG049A
BG039A
HSB120A
HSB119A
HSB118A
HSB86A
HSB117A
HSB144A
HSB84A
HSB69A
HSB68A
HSB121A
HSB122A
HSB123A
HSB124AR
HSB65A
HSB83A
HSB141A
HSB146A
HSB139A
HSB140A
<5.0
2.8
200
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

LEAD

GWPS = 50 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 50, 500 ug/L

EPD GIS Lab (803)725-1417


UPPER T
HWMW
DISPOSAL
VAULTS
250
300
450
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
FSL1D
0.066
<0.33
FSL2D
F AREA
<0.33
FSL3D
<0.33
<0.33
BG0400
<0.33
BG045D


UPPER THREE RUNS
250
200
150
E-AREA VAULTS
MWMF
<0.33 BGX9D
<0.33 BGX10D
<0.33 BGX1D
<0.33 BG05D
<0.33 BG04D
<0.33 BG044D
<0.33 BG06D
<0.33 BGX11D
BG0100R
<0.33 BG09D
<0.33 BG08D
<0.33 BG07D
<0.33 BG030
<0.33 BG11D
<0.33 BGX12D
<0.33 BG12D
BG02D <0.33
BG018D
<0.33 BG140R
<0.33 BG17DR
<0.33 BG15D
<0.33 BG19D
<0.33 BG16D
<0.33
<0.33 BG0200
<0.33 BG021D
BG022DR
<0.33
BG024D <0.33
<0.33 HSB85C
<0.33 BG01D
NS BG043D
<0.33 BG026D
<0.33 BG040D
<0.33 BG039D
HSL3D
<0.33



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
<0.33
FSL4D
FSL5D
0.74
FSL6D
FSL7D
0.058
FSB108D
FSB76
FSL8D
0.9
FSL9D
NS
FSB88D
4.8
FSB89D
0.19
FSB111D
0.17
FSB114D
<0.20
FSB109D
14
FSB90D
8
5.4
FSB107D
0.28
FSB91D
2
<0.33
FSB99D
FSB87D
1.8
FSB77
0.9
FSB92D
<0.33
FSB98D
0.12
FSB105DR
0.32
FSB93D
<0.33
FSB97D
0.35
FSB94DR
0.84
FSB95DR
0.52
FSB78
0.48
FSB119D
<0.20
FSB120D
<0.33
FSB118D
FSB123D
HSB143D
FSB113D
<0.20/
FSB106D
0.38
FSB117D
2
4
4.8
FSB110D
<0.33
FSB121DR
0.69
FSB79
FSB112D
0.18
<0.33
FSB104D
<0.20
FSB122D
<0.33
FSB116D
<0.33
FSB115D
BG045D
BG029D
BG050D
FSS1D
FSS2D
0.52
FSS4D
<0.33
FSS3D


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
200
250
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

MERCURY

GWPS = 2 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 2, 4, 8 ug/L

EPD GIS Lab (803)725-1417


UPPER THE
HWMA/MW
DISPOSAL
VAULTS
<0.33
HMD3D
<0.33
HMD2D
<0.33
HMD1D
Approximate northern limit
of confined to semi-confined
conditions in Aquifer Zone IIB1
(Bamwell/McBean)
BG043D
<0.33
F AREA
<0.33
BG013DR
<0.33
BG042C
NS
BG053C
BG
BG045B
<0.33
250
300
250


UPPER THREE RUNS
250
200
150
300
E-AREA VAULTS
MMMF
OLD BURIAL GROUND
<0.33 HMD3D
<0.33 HMD4D
<0.33 HMD2D
<0.33 BGX7D
<0.33 BGX6D
<0.33 BGX8DR
<0.33 HMD1D
0.91 BGX5D
<0.33 BGX4C
<0.33 BGX3D
BGX2B <0.33
BGX2D <0.33
BGX4D <0.33
<0.33 BGX1C
<0.33 BG05C
BG06B <0.33
BG044C <0.33
<0.33 BG044B
<0.33 BG06C
BG010B <0.33
<0.33 BG010C
BG08C <0.33
<0.33 BG03C
BG043D <0.33
BG043CR <0.33
<0.33 BG012CR
<0.33 BG013DR
<0.33 BG014CR
<0.33 BG042C
<0.33 BG016B
<0.33 BGX12C
HSB85B <0.33
<0.33 HSL6C
BG020B NS
BG020AA NS
BG020C NS
BG052C
BG051B
BG051C
BG052B NS
<0.33
<0.33
NS BG053C
NS BG053B
BG045B <0.33
<0.33 BG045C
<0.33 BG027C
<0.33 BG039C



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL





-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

MERCURY

GWPS = 2 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 2, 4, 8 ug/L

EPD GIS Lab (803)725-1417


UPPER THREE RI
<0.33
BG043
NS
BG043A
<0.33
BG014AR
NS
BG041A
<0.33
BG025A
NS
BG053A
NS
BG053AA
NS
BG026A
<0.33
BG045A


PEE TREE RUNS
250
200
150
ROAD 4
E-AREA
HAUL
ROAD
<0.33
BGX4A
NS
BGX1A
<0.33
BG044AA
0.13
BG06A
<0.33
BG09AA
0.17
BG044A
<0.33
BG08AR
<0.33
BG010AA
0.15
BG010AR
<0.33
BG03A
<0.33
BG043AA
NS
BG043A
<0.33
BG012AR
<0.33
BG014AR
NS
BG041A
<0.33
BG025A
<0.33
BG016AR
<0.33
BG018A
NS
BG053A
NS
BG053AA
NS
BG026A
NS
BG020AA
NS
BG052AA
NS
BG052A
<0.33
BG051A
<0.33
BG051AA
<0.33
BG039A
<0.33
HSB8SA
<0.33
HSL8AA
<0.33
HSL6A
<0.33
HSL6AA
<0.33
BG045A
<0.33



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE

33.253 33.253

-81.702 -81.626


<0.33
BG045A
<0.33
BG029A
<0.33
BG050A
<0.33
FSB76A
<0.33
FSB76B
0.08
FSB114A
<0.33
FSB101A
<0.33
FSB100A
F-AREA
SEEPAGE BASINS
<0.33
FSB99A
<0.33
FSB87A
<0.33
FSB87B
<0.33
FSB98AR
<0.20
FSB97A
<0.20
FSB120A
<0.20
FSB78B
0.075
FSB78A
<0.33
ESB96AR
<0.33
FSB113A
<0.33
FSB79B
<0.33
FSB79A
<0.20
FSB112A
FOUR MILE BRANCH
300
300
250
250

OLD BURIAL GROUND
H-AREA
SEEPAGE BASIN
<0.33 BG045A
<0.33 BG029A
<0.33 BG050A
<0.33 BG047A
<0.33 BG049A
<0.33 BG039A
<0.33 HSB120A
<0.33 HSB119A
<0.33 HSB118A
<0.33 HSB117A
<0.33 HSB86A
<0.33 HSB144A
<0.33 HSB84A
<0.33 HSB69A
0.07 HSB68A
<0.33 HSB139A
<0.33 HSB140A
<0.33 HSB65A
<0.33 HSB124AR
<0.33 HSB123A
<0.33 HSB122A
<0.33 HSB121A
<0.33 HSB83A
<0.33 HSB141A
<0.33 HSB146A
200
250
250
300



Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

MERCURY

GWPS = 2 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 2, 4, 8 ug/L

EPD GIS Lab (803)725-1417


UPPER TH
250
300
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
FSL10
370.000
410
FSL20
920
BG0140
920
BG0260
260.000
FSL10


UPPER THREE RUNS
250
200
150
1,600
BGX90
1,500
BGX100
1,100
BGX10
1,400
BG050
680
BG040
660
BG060
550
BG0440
820
BG090
1,100
BG080
580
BG070
BG0100R
970
1,800
BGX110
2,000
BG030
160
BGX120
2,200
BG0110
1,500
BG0120
MMF
BG020
2,300
BG0180
1,400
BG017DR
1,200
1,400
BG0190
920
BG0140R
BG0150
810
BG0160
270
1,800
BG0200
2,700
BG021D
BG022DR
820
2,600
BG0230
BG0240
790
2,100
HSB85C
3,700
BG01D
NS
BG0530
NS
BG0520
BG051D
2,500
920
BG0260
1,300
BG0400
E-AREA VAULTS



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE

33.253 33.253


F-AREA
SEEPAGE BASINS
ROAD
FOURMILE BRANCH
300
250
260.000
FSL30
1.300
FSL40
21.000
FSL50
38.000
FSL60
40000
71.000
FSL70
12.000
FSB876
5.800
SL80
810
FSB1080
13.000
FSL90
NS
FSB880
32.000
1.700
FSB889D
FSB111D
1.600
FSB1140
890
FSB109D
97.000
FSB900
69.000
FSB107D
1.900
FSB990
18.000
FSB910
3.400
FSB887D
380.000
FSB77
950
FSB1180
64.000
FSB980
130.000
FSB920
220.000
FSB105DR
120.000
FSB930
130.000
23,000
FSB970
130.000
FSB119D
730
FSB1130
36
FSB1200
230.000
FSB950R
FSB940R
140.000
FSB878
230
FSB1060
31.000
FSB1170
3,300
FSB1210R
290.000
FSB1100
150.000
FSB879
FSB1120
160,000
74.000
FSB1040
60
FSB1160
7,500
FSB1220
81
FSB1150
1.900
FSB1230
250
HSB1430
1.300
BG0400
BG0260
1,000
BG0450
1.800
BG0270
BG0280
690
BG0290
910
1.700
BG0300
BG0460
1.200
950
BG0500
260
FSS10
770
FSS20
2,200
FSS40
700
FSS30
10000
20000
40000
80000
160000


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG0400 1,300
BG0450 1,000
BG0270 1,800
BG0280 690
BG0290 910
BG0310 1,900
BG0320 5,000
BG0330 3,400
BG0340 920
BG0350 2,300
BG0360 900
BG0370 1,700
BG0380 2,000
BG0390 1,600
BG0300 1,700
BG0460 1,200
BG0470 2,200
BG0480 3,000
BG0490 2,000
BG0500 950
FSS1D 260
FSS2D 770
FSS3D 700
HSB147D 410
HSB866 1,600
HSB865C 3,900
HSB865 170
HSB100D 4,900
HSB101D 45,000
HSB102D NS
HSB103D 15,000
HSB104D 15,000
HSB105D 6,500
HSB106D 7,900
HSB107D 27,000
HSB108D 17,000
HSB109D 130
HSB111D NS
HSB112D 26,000
HSB113D 32,000
HSB114D 8,000
HSB115D 37,000
HSB116D NS
HSB117D 360
HSB1380 410
HSB71 < 83
HSB870 350
HSB860 350
HSB868 NS
HSB869 10000
HSB1000 6,500
HSB1110 1,600
HSB1120 3,200
HSB1130 13,000
HSB1140 32,000
HSB1150 410
HSB1360 21,000
HSB840 3,000
HSB1350 2,000
HSB1270 15,000
HSB1260 39,000
HSB1490 350,000
HSB1450 32,000
HSB1390 1,800
HSB1340 10,000
HSB1320 19,000
HSB1250 8,600
HSB1500 < 830
HSB830 4,800
HSB67 660
HSB1330 290
HSL10 4,600
HSL20 1,200
HSL30 310
HSB1370 21,000
HSB1290 21,000
HSB1510 750
HSB1420 67
HSB1430 250
HSB1520 360
HSB1310 180
HSB1400 440
HSB1300 230
HSB1480 < 83
200
250
300



33.253 — 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

NITRATE

GWPS = 10,000 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 10000, 20000, 40000, 80000, 160000, 320000 ug/L

EPD GIS Lab (803)725-1417


UPPER TI
DISPOSAL
VAULTS
560
HMD3D
230
HMD2D
65
HMD1D
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
BG043D
520
680
BG013DR
1,200
BG042C
NS
BG035C

UPPER THREE RUNS
250
150
200
560
HMD3D
580
HMD4D
230
HMD2D
620
BGX7D
830
BGX6D
1,700
BGX8DR
65
HMD1D
1,300
BGX5D
700
BGX4C
700
BGX3D
BGX2B
600
BGX2D
1,500
BGX4D
1,500
510
BGX1C
1,100
BGC05C
F-AREA VAULTS
BGC44C
550
BGC68
380
<83
BGC44B
1,200
BGC06C
BGC10B
<83
BGC08C
520
860
BGC10C
560
BGC03C
BGC43D
520
BGC43CR
180
MAINE
130
BGX12C
680
BGC12CR
680
BGC13DR
840
BGC14CR
1,200
BGC42C
290
BGC16B
300
HSB85B
520
330
HSL
BGC20B
NS
BGC20C
BGC20AA
NS
NS
BGC52C
BGC51B
BGC51C
NS
NS
BGC53C
BGC53B
BGC52B
NS
<83
850
NS



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- ▲ MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE

33.253 33.253


BG045B
830
1,000
BG045C
1940
BG027C
1,400
BG029C
BG030C
610
660
BG050C
BG046C
680
1,200
FSB76C
300
300
200
F-AREA
SEEPAGE BASIN
FSB88C
1,700
FSB89C
1,800
FSB114C
1,700
1,900
FSB111C
11,000
FSB90C
5,000
FSB107C
28,000
FSB99C
25,000
FSB91C
2,900
FSB123C
530
HSB143C
7,700
FSB87C
140,000
FSB98C
47,000
FSB92C
240,000
FSB97C
37,000
FSB93C
150,000
FSB105C
FSB94C
34,000
FSB120C
230,000
FSB95CR
FSB78C
250,000
240,000
4,300
FSB113C
90,000
FSB106C
10000
20000
40000
80000
160000
53,000
FSB110C
37,000
FSB102C
1,400
FSB121C
21,000
FSB103C
FSB79C
130,000
FOUR MILE BRANCH
210,000
FSB112C
45,000
FSB104C
670
FSB116C
FSB122C
60,000
510
FSB115C
250

OLD BURIAL GROUND
E-AREA
SEEPAGE BASINS
BG045B
830
1,000
BG043C
1940
BG027C
1,400
BG039C
400
029C
BG030C
610
BG031C
1,200
1,100
1,500
BG035C
NS
BG037C
HSB65B
<83
HSB133C
56
BG047C
2,000
BG033C
660
BG050C
BG046C
680
BG046B
740
NS
BG048C
620
BG049C
810
HSB101C
HSB100C
100
82
18,000
HSB102C
HSB83C
<83
HSB83B
21,000
NS
HSB141C
130
HSB132C
79
HSB125C
HSB103C
HSB104C
6,400
HSB106C
32,000
HSB116C
HSB115C
33,000
HSB114C
36,000
HSB112C
19,000
HSB110C
6,000
6,000
3,500
940
HSB134C
HSB107C
HSB105C
HSB71C
32,000
44,000
HSB86C
29,000
<83
HSB870C
HSB86B
16,000
HSB113C
1,510
1,600
1,800
HSB108C
33,000
HSB145C
530
HSB146C
HSB109C
HSB137C
15,000
HSB111C
11,000
210
45,000
HSB117C
44,000
800
HSB68C
HSB68B
34,000
HSB139C
HSB84B
2,400
HSB84C
9,400
40000
27,000
HSB136C
470
HSB135C
HSB127C
20000
10000
9,400
HSB151C
530
HSB143C
7,900
HSB126C
17,000
HSB129C
300
HSB142C
HSB152C
9,600
3,200
HSB131C
480
HSB140C
200
170
HSB130C
250
410
HSB148C
250
300



-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

NITRATE

GWPS = 10,000 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 10000, 20000, 40000, 80000, 160000, 320000 ug/L

EPD GIS Lab (803)725-1417


UPPER THREE
300
<83
BG0434
NS
BG043A
<8
BG012
120
BG014AR
NS
BG041A
<83
BG025A
NS
NS
BG053A
BG053AA
NS
BG026A


UPPER THREE RUNS
150
200
250
ROAD 4
E-AREA VAULTS
MINE
<83
BGX4A
NS
BGX1A
<83
BG044AA
<83
BG044A
<83
BG06A
<83
BG09AA
<83
BG010AA
<83
BG08AR
490
BG010AR
<83
BG03A
<83
BG043AA
NS
BG043A
<83
BG012AR
120
BG014AR
NS
041A
<83
BG025A
300
<83
BG018A
560
BG016AR
NS
BG053A
NS
BG053AA
NS
BG026A
NS
BG020A
NS
BG052A
NS
BG052AA
<83
BG051A
<83
BG051AA
<83
HSB85A
<83
HSL8AA
88
HSL6A
<83
HSL6AA



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE

33.253 33.253


590
BG045A
790
BG029A
420
BG050A
<83
FSB76A
390
FSB76B
1,800
FSB114A
1,000
FSB101A
4,300
FSB100A
F-AREA
SEEPAGE BASINS
3,900
FSB99A
52
FSB87A
5,700
FSB87B
1,300
FSB98AR
7,900
FSB97A
10,000
11,000
FSB78B
3,200
FSB120A
420
FSB78A
510
FSB96AR
6,800
FSB113A
240
FSB79A
1,100
FSB79B
1,900
FSB112A
FOURMILE BRANCH
300
250


E-AREA
SEEPAGE BASINS
<83
BG039A
<83
BG049A
<83
BG047A
420
BG050A
<83
HSB65A
<83
HSB124AR
<83
HSB123A
<83
HSB120A
290,000*
HSB122A
<83
HSB83A
<83
HSB141A
5,200
HSB119A
<83
HSB121A
10,000
18,000
HSB118A
<83
HSB86A
340
HSB144A
<83
HSB68A
<83
HSB139A
<83
HSB146A
<83
HSB117A
<83
HSB69A
<83
HSB84A
<83
HSB140A
200
250
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

NITRATE

GWPS = 10,000 ug/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 10000, 20000, 40000, 80000, 160000, 320000 ug/L

EPD GIS Lab (803)725-1417


UPPER THRE
HW
DISPOSAL
VAULTS
250
300
450
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
FSL1D
1.2UI
FSL2D
F AREA
14
FSL3D
2.9
BG0
1.5UI
BG014DR
2
BG026D
13


UPPER THREE RUNS
150
200
250
E-AREA VAULTS
MWMF
ROAD A
2.7
BGX9D
1.7
BGX1D
2
BG05D
2.5
BGX10D
2.3
BG044D
1.7UI
BG06D
5.2
BG04D
1.5
BG010DR
BG09D
1.5
BG08D
1.1UI
BG07D
2.9
5.1
BG11D
2.9
BG12D
2.6
BG03D
2.7
BGX11D
0.54UI
BGX12D
BG02D
2.4
BG018D
1.5UI
BG014DR
1.6
BG017DR
1.0UI
BG015D
1.3UI
BG016D
4.9
1.5UI
BG019D
1.0UI
BG020D
3.3
BG021D
BG022DR
1.1UI
0.88UI
BG023D
BG024D
0.93UI
1.9
HSB85C
1.9
BG01D
NS
BG053D
2
BG026D
NS
BG052D
BG051D
1.0UI
1.4UI
130
HSL60
50
HSL4
66
30
1.1UI



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE

33.253 33.253


F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
1000
2000
FSL3D
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB876
FSB877
FSB878
FSB879
FSB880
FSB889D
FSB890D
FSB891D
FSB892D
FSB893D
FSB894DR
FSB895DR
FSB897D
FSB898D
FSB899D
FSB900D
FSB1000
FSB1100
FSB1104D
FSB1105DR
FSB1106D
FSB1107D
FSB1108D
FSB1109D
FSB1111D
FSB1112D
FSB1113D
FSB1114D
FSB1117D
FSB1118D
FSB1119D
FSB1121DR
FSB1122D
FSB1123D
FSB1150
FSB1160
HSB143D
FSS1D
FSS2D
FSS3D
FSS4D
BGO290
BGO300
BGO400
BGO450
BGO460
BGO500
BGO27D
BGO28D

OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG0450
BG0270
BG0280
BG0310
BG0320
BG0330
BG0340
BG0350
BG0360
BG0370
BG0380
BG0390
BG0300
BG0460
BG0480
BG0490
BG0500
BG0470
HSB147D
HSB866
HSB1160
HSB1380
HSB1150
HSB1140
HSB1120
HSB1080
HSB1070
HSB1060
HSB1040
HSB1050
HSB1340
HSB1490
HSB1450
HSB1460
HSB860
HSB71
HSB70
HSB1130
HSB1121
HSB1090
HSB68
HSB1390
HSB1170
HSB1370
HSB1110
HSB69
HSB1360
HSB840
HSB1350
HSB1270
HSB1260
HSB1510
HSB1430
HSB1420
HSB1290
HSB1520
HSB1310
HSB1400
HSB1300
HSB1480
HSB1010
HSB1020
HSB1000
HSB1500
HSB1410
HSB830
HSB67
HSB1320
HSB1250
HSB1330
HSB865C
HSB865
HSL1D
HSL2D
HSS2D
FSS2D
SS3D
200
250
300



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

NONVOLATILE BETA

GWPS = 50 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 50, 1000, 2000 pCi/L

EPD GIS Lab (803)725-1417


UPPER TH
HW/FW
DISPOSAL
VAULTS
250
300
1.6
HMD3D
0.31UI
HMD2D
1.9
HMD1D
Approximate northern limit
of confined to semi-confined
conditions in Aquifer Zone IIB1
(Bornwell/McBean)
BG043D
4.2
F AREA
2.5
BG013DR
0.85UI
BG042C
NS
BG053C
BG045B
3.5
1.3UI
BG045C
1.6UI
BG027C


PER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
300
1.6
HMD3D
2.6
HMD4D
1.1UI
BGX7D
0.98UI
BGX6D
1.6
BGX8DR
1.9
HMD1D
5.2
BGX5D
BGX2B
0.86UI
0.62UI
BGX4C
-0.014UI
BGX3D
BGX2D
0.46UI
3.8
BGX1C
1.7
BG05C
BGX4D
0.73UI
BG044C
2.2
BG06B
1.9
3.3
BG044B
1.1UI
BG06C
BG010B
2.8
BG08C
1.3UI
0.34UI
BG03C
2.4
BG010C
BG043D
4.2
BG043CR
10
2.4
BG012CR
2.5
C013DR
0.87UI
BGX12C
HSL8B
2.9
2.8
BG014CR
0.85UI
BG042C
1.3UI
BG016B
HSB85B
1.3
0.066UI
HSL6B
1.6UI
HSL6C
BG020B
NS
BG020C
NS
BG020AA
NS
BG052C
BG051B
BG051C
NS
NS
BG053C
BG053B
BG052B
NS
1.9
0.96UI
0.71UI
BG039C
1.6UI
BG027C
0.036UI
NS
1.5UI
BG030C
BG031C
HSB65B
0.74UI
HSB133C
0.27UI



REFERENCE DOCUMENT #

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
1000
50
BG045B
BG045C
BG027C
BG030C
BG031C
BG029C
BG047C
BG046B
BG050C
BG046C
FSB76C
FSB88C
FSB114C
FSB89C
FSB111C
FSB90C
FSB107C
FSB99C
FSB91C
FSB123C
HSB143C
FSB87C
FSB98C
FSB92C
FSB97C
FSB93C
FSB94C
FSB105C
FSB120C
FSB95CR
FSB78C
FSB113C
FSB106C
FSB110C
FSB102C
FSB79C
FSB121C
FSB103C
FSB112C
FSB104C
FSB116C
FSB122C
FSB115C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG027C
BG030C
BG031C
BG047C
BG046B
BG046C
BG048C
BG033C
BG035C
BG037C
BG039C
BG049C
HSB65B
HSB133C
HSB101C
HSB100C
HSB83C
HSB102C
HSB83B
HSB132C
HSB141CR
HSB103C
HSB125C
HSB104C
HSB106C
HSB134C
HSB105C
HSB107C
HSB108C
HSB109C
HSB145C
HSB146C
HSB116C
HSB115C
HSB114C
HSB112C
HSB110C
HSB113C
HSB111C
HSB71C
HSB70C
HSB86B
HSB137C
HSB117C
HSB84B
HSB84C
HSB136C
HSB135C
HSB127C
HSB139C
HSB126C
HSB151C
HSB142C
HSB152C
HSB129C
HSB131C
HSB140C
HSB130C
HSB148C
50
200
250
300



-81.70

-81.62

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

NONVOLATILE BETA

GWPS = 50 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 50, 1000, 2000 pCi/L

EPD GIS Lab (803)725-1417


UPPER THREE
HWMW
DISPOSAL
VAULTS
250
300
255
F AREA
NS
BG043A
3.2
BG014AR
NS
BG041A
-0.79U1
BG025A
NS
BG053A
NS
BG026A
1.8
BG045A


R THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
2.8
BGX4A
NS
BGX1A
3.1
2.7
BG044A
BG044AA
2
BG06A
79
BG09AA
2.5
BG010AA
1.6
BG08AR
1.9
BG010AR
1.0UI
BG03A
3.4
BG043AA
NS
BG043A
2.0UI
BG012AR
3.2
BG014AR
0.33UI
BG018A
1.4UI
BG016AR
-0.79UI
BG025A
NS
BG053A
NS
BG053AA
NS
BG020A
NS
BG052AA
NS
BG052A
2.5
BG051A
9.3
BG051AA
NS
BG026A
6.2
BG039A
0.93UI
HSB85A
1.1UI
HSL8AA
-0.20UI
HSL6A
HSL6AA



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




1.8
BG045A
5.9
BG029A
6.8
BG050A
1.6
FSB76A
0.67UI
FSB76B
ROAD C
0.88
FSB114A
300
300
250
2.8
FSB101A
2.8
FSB100A
F-AREA
SEEPAGE BASINS
2.6
FSB99A
1.3UI
FSB87A
2.6
FSB87B
1.0UI
FSB98AR
5
FSB97A
5.6
FSB78B
3.8
FSB78A
2
FSB96AR
3.5
FSB120A
9.3
FSB113A
1.0UI
FSB79B
0.54UI
FSB79A
14
FSB112A
FOUR MILE BRANCH
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
6.2
BG039A
1.3
HSB65A
1.2UI
HSB124AR
3.3
BG049A
2
BG047A
3
HSB120A
4.3
HSB123A
1.6
HSB122A
2.6
HSB83A
4
HSB141A
12
HSB119A
1.3
HSB121A
25
HSB118A
1.6
HSB86A
1.8
HSB117A
3.5
HSB144A
4.3
HSB68A
1.9
HSB139A
1.2
HSB146A
2
HSB69A
44
HSB84A
0.46UI
HSB140A
200
250
250
300


UPPER THREE
HW
DISPOSAL
VAULTS
250
300
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
300
250
FSL1D
NA
NA
FSL2D
F AREA
NA
BG01
NA
BG014DR
NS
BG053D
NA
FSL3D
NA
NA
BG040D
NA
BG026D
NA


UPPER THREE RUNS
250
150
200
ROAD 4
E-AREA VAULTS
MWMF
OLD BURIAL GROUND
NA BGX9D
NA BGX10D
NA BGX1D
NA BGO50
NA BGO4D
NA BGO44D
NA BGO6D
NA BGO100R
NA BGO9D
NA BGO8D
NA BGO7D
NA BGX11D
NA BGO3D
NA BGO11D
NA BGO12D
NA BGX12D
BGO2D NA
BGO18D
NA BGO14DR
BGO15D NA
NA BGO17DR
NA BGO19D
NA BGO16D NA
NA BGO200
NA BGO21D
BGO22DR NA
NA BGO23D
BGO24D NA
0.10U1
HSB85C NA
BGO1D
NA HSL6D
NA HSL5D
HSL4D NA
NS BGO53D
NA BGO26D
NS BGO52D
BGO51D NA
NA BGO39D
NA HSL3D
NA BGO45D
NA BGO27D
BGO35D BGO36D BGO37D NA



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-
LONGITUDE

33.253 33.253

702 626


F-AREA
SEEPAGE BASINS
ROAD C
FOURMILE BRANCH
300
250
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB76
FSB108D
FSB888D
FSB889D
FSB890D
FSB111D
FSB114D
FSB109D
FSB99D
FSB891D
FSB107D
FSB887D
FSB877
FSB118D
FSB123D
FSB143D
FSB98D
FSB920D
FSB105DR
FSB97D
FSB930D
FSB119D
FSB120D
FSB950R
FSB94DR
FSB878
FSB113D
FSB106D
FSB117D
FSB121DR
FSB1100D
FSB879
FSB112D
FSB104D
FSB116D
FSB122D
FSB115D
BG045D
BG027D
BG028D
BG029D
BG030D
BG046D
BG050D
FSS1D
FSS2D
FSS4D
FSS3D
NA
NS
1.5
4.6
5.9
0.32UI
0.73UI
20
22
1.6
0.80UI
1.9
10
50
1.1
0.20UI
0.50UI
13
17
32
0.19UI
8.2
18
0.16UI
8.7
0.33UI
40
91
80
19
0.13UI
0.27UI


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG027D
BG028D
BG031D
BG032D
BG033D
BG034D
BG035D
BG036D
BG037D
BG038D
BG039D
BG030D
BG046D
BG047D
BG048D
BG049D
HSB147D
HSB65C
HSB65
HSB1000
HSB1010
HSB1020
HSB1030
HSB1040
HSB1050
HSB1060
HSB1070
HSB1080
HSB1090
HSB1100
HSB1110
HSB1120
HSB1130
HSB1140
HSB1150
HSB1160
HSB1380
HSB71
HSB70
HSB886D
HSB868
HSB869
HSB1117D
HSB1137D
HSB1136D
HSB884D
HSB1350
HSB1270
HSB1260
HSB1390
HSB1450
HSB1490
HSB1500
HSB1320
HSB1330
HSB1340
HSB1410
HSB1460
HSB1510
HSB1420
HSB1290
HSB1520
HSB1310
HSB1400
HSB1300
HSB1480
HSL1D
HSL2D
HSL3D
HSB867
HSB1250
HSB1040
200
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

RADIUM 226

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 40, 80 pCi/L

EPD GIS Lab (803)725-1417


UPPER THI
HM
DIS
VA
NA
HMD3D
NA
HMD1D
250
300
250
Approximate northern limit of confined to semi confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
BG043D
NA
F AREA
NA
BG013DR
NA
BG042C
NS
BG053C


UPPER THREE RUNS
250
200
150
300
E-AREA VAULTS
MWMF
HMD3D
HMD4D
HMD2D
BGX7D
BGX6D
BGX8DR
HMD1D
BGX5D
BGX2B
BGX4C
BGX3D
BGX2D
BGX4D
BGX1C
BG05C
BG068
BG044C
BG044B
BG06C
BG0108
BG08C
BG010C
BG03C
BG043D
BG043CR
BGX12C
BG012CR
BG013DR
BG014CR
BG042C
BG016B
BG020B
BG020AA
BG020C
BG052C
BG051B
BG051C
BG053C
BG053B
BG052B
HS885B
0.42UI
BG045B
BG039C
NA
NS



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
300
250
20
40
0.55UI
FSB75C
FSB88C
0.31UI
FSB89C
0.20UI
FSB114C
0.42
0.15UI
FSB111C
1.2
FSB90C
0.26UI
FSB107C
12
FSB91C
0.12UI
FSB123C
0.88UI
FSB87C
FSB98C
52
63
55
FSB105C
0.51UI
FSB120C
2.94UI
FSB93C
0.16UI
FSB113C
23
FSB106C
3.6
FSB102C
0.55UI
FSB121C
FSB79C
48
40
98
FSB112C
1.2
FSB116C
FSB122C
5.6
0.090UI
FSB115C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG027C
BG030C
BG031C
BG033C
BG035C
BG037C
BG039C
BG046C
BG046B
BG047C
BG048C
BG049C
HSB65B
0.58UI
HSB133C
0.19UI
0.98UI
HSB101C
0.76UI
HSB100C
HSB102C
0.37UI
HSB83C
0.17UI
HSB141CR
HSB83B
0.28UI
HSB132C
0.33UI
HSB125C
HSB103C
HSB104C
HSB106C
0.24UI
1.2
0.30UI
0.39UI
0.36UI
HSB134C
HSB107C
HSB105C
0.050UI
HSB108C
0.27UI
HSB110C
0.54UI
HSB109C
1.3
HSB145C
0.57UI
HSB146C
2.7
HSB116C
HSB115C
2.9
HSB114C
3.3
HSB112C
0.42UI
HSB86C
12
HSB71C
3.2
1.2
0.74UI
HSB70C
HSB86B
1.3
HSB113C
0.32UI
HSB137C
HSB111C
0.96UI
0.26UI
HSB68C
HSB68B
0.94UI
HSB139C
5
HSB117C
2.7
0.33UI
HSB84B
1.6
HSB136C
0.26UI
HSB84C
0.20UI
HSB135C
0.39UI
HSB127C
0.14
HSB126C
0.58UI
HSB151C
0.34UI
HSB142C
1.2
HSB129C
HSB152C
0.30UI
0.080UI
HSB131C
0.31UI
HSB140C
200
0.13UI
HSB130C
0.18UI
HSB148C
250
250
300



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

RADIUM 226

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 40, 80 pCi/L

EPD GIS Lab (803)725-1417


UPPER THI
HW
DISPOSAL
VAULTS
250
300
250
F AREA
NS
BG04
NA
BG01
NS
BG041A
N
BG02
NS
BG053A
NS
BG026A


PER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
NA BGX4A
NS BGX1A
NA BG044AA
NA BG044A
NA BG06A
NA BG09AA
NA BG08AR
NA BG010AA
NA BG010AR
NA BG03A
NA BG043AA
NS BG043A
NA BG012AR
NA BG014AR
NS BG041A
NA BG025AA
NA BG016AR
NA BG018A
NS BG053A
NS BG053AA
NS BG026A
NS BG020A
NS BG052A
NS BG052AA
NA BG051A
NA BG051AA
0.080UI HSB85A
NA HSL8AA
NA HSL6A
NA HSL6AA
NA BG039A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




NA
BG045A
NA
BG029A
NA
BG050A
ROAD C
300
300
250
250
250
F-AREA
SEEPAGE BASINS
1.4
FSB76A
1.3
FSB76B
0.54UI
FSB101A
0.98UI
FSB100A
0.47UI
FSB99A
0.51UI
FSB87A
0.60UI
FSB87B
0.34UI
FSB98AR
0.53UI
FSB97A
0.45
FSB78B
0.23UI
FSB120A
0.14UI
FSB96AR
1.5
FSB78A
0.48UI
FSB114A
1.6
FSB113A
1.8
FSB79B
1.6
FSB79A
0.44UI
FSB112A
FOURMILE BRANCH


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
NA
BG026A
NA
BG039A
NA
BG049A
NA
BG047A
NA
BG050A
1.2
HSB865A
0.70UI
HSB124AR
2.5
HSB123A
0.49UI
HSB120A
0.14UI
HSB122A
0.86UI
HSB83A
0.22UI
HSB141A
0.16UI
HSB119A
0.87UI
HSB121A
0.67UI
HSB118A
0.16UI
HSB86A
0.20UI
HSB117A
0.34UI
HSB144A
0.21
HSB68A
0.18UI
HSB139A
0.23UI
HSB146A
1.1
HSB69A
0.42UI
HSB84A
0.31UI
HSB140A
200
250
250
300



Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

RADIUM 226

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 20, 40, 80 pCi/L

EPD GIS Lab (803)725-1417


UPPER TH
HW
DISPOSA
VAULTS
250
300
Approximate northern limit of saturation/ in Aquifer Zone IIB2 (Water Table)
F AREA
FSL1D
NA
NA
FSL2D
NA
FSL3D
NA
FSL4D
BG01
NA
BG026
NA
BG0400
NA
BG045D
NA
BG02-


UPPER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
BGX9D
BGX10D
BGX1D
BG05D
BG04D
BGX11D
BG044D
BG06D
BG100R
BG090D
BG080
BG07D
BG03D
BG011D
BGX12D
BG012D
BG02D
BG018D
BG017DR
BG014DR
BG015D
BG019D
BG016D
BG022DR
BG024D
-0.39UI
HSB85C
BG020D
BG021D
BG023D
BG01D
BG053D
BG052D
BG051D
BG026D
BG039D
HSL6D
HSL5D
HSL4D
HSL3D
NA
NS



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
FOUR MILE BRANCH
300
250
FSL3D
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSB108D
FSB76
FSB1090
FSB99D
FSB887D
FSB98D
FSB105DR
FSB97D
FSB1200
FSB950R
FSB900
FSB891D
FSB92D
FSB930
FSB94DR
FSB78
FSB1121DR
FSB1100
FSB79
FSB112D
FSB1040
FSB1220
FSB1160
FSB1230
FSB1410
FSB77
FSB1101
FSB1190
BG0400
BG0290
FSS1D
FSS4D
FSS3D


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG0390
BG0380
BG0370
BG0360
BG0350
BG0340
BG0330
BG0320
BG0310
BG0300
BG0490
BG0480
BG0470
HSB147D
HSB866
0.66UI
HSB1160
HSB1380
1.3
HSB1150
HSB1140
HSB1120
HSB1080
HSB1070
HSB1060
HSB1030
HSB1040
HSB1050
HSB1340
HSB1250
HSB1320
HSB1330
HSB1000
HSB1010
HSB1020
HSB1500
HSB1410
HSB865C
0.52UI
HSB865
0.69UI
HSB867
HSB835
HSB1490
HSB1450
HSB1460
HSB1390
HSB1090
HSB868
HSB1110
HSB1100
HSB69
HSB1360
HSB884D
HSB1350
HSB1270
HSB1260
0.64UI
HSB1510
HSB1420
0.033UI
HSB129D
HSB1520
HSB131D
HSB1400
HSB1300
HSB1480
HSB71
HSB870
HSB1130
HSB1120
HSB1370
HSB1170
HSB111E
HSB886D
0.000032
200
250
300



-81.70

-81.62

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

RADIUM 228

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 20, 100, 200 pCi/L

EPD GIS Lab (803)725-1417


UPPER TH
HWMA
DISPOSAL
VAULTS
NA
HMD3D
NA
HMD2D
NA
HMD1D
250
300
250
Approximate northern limit
of confined to semi-confined
conditions in Aquifer Zone IIB1
(Barnwell/McBean)
BG04
NA
NA
BG013DR
F AREA
NA
BG0
NS
BG05
BG0458
NA


UPPER TERRE RUNS
250
200
150
300
E-AREA VAULTS
MWMF
HMD2D
HMD3D
HMD4D
HMD1D
BGX7D
BGX6D
BGX8DR
BGX5D
BGX4C
BGX3D
BGX2B
BGX2D
BGX4D
BGX1C
BG05C
BG06B
BG044C
BG044B
BG06C
BG08C
BG010B
BG010C
BG03C
BG043D
BG043CR
BG012CR
BG013DR
BGX12C
BG014CR
BG042C
BG016B
HSB858
0.053UI
BG020B
BG020C
BG020AA
BG052C
BG051B
BG051C
BG052B
BG053C
BG053B
BG045B
BG039C



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOURMILE BRANCH
300
250
20
BG045B
BG027C
BG045C
BG030C
BG031
BG029C
BG047
BG046B
BG050C
BG046C
FSB76C
FSB88C
FSB114C
FSB89C
FSB111C
FSB90C
FSB107C
FSB91C
FSB123C
HSB143C
FSB99C
FSB87C
FSB98C
FSB92C
FSB97C
FSB93C
FSB94C
FSB105C
FSB95CR
FSB78C
FSB120C
FSB113C
FSB106C
FSB110C
FSB102C
FSB79C
FSB121C
FSB103C
FSB112C
FSB104C
FSB116C
FSB122C
FSB115C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASIN
BG027C
BG030C
BG031C
BG033C
BG035C
BG037C
BG039C
BG046C
BG047C
BG048C
BG049C
HSB65B
HSB133C
HSB100C
HSB101C
HSB83C
HSB102C
HSB83B
HSB141CR
HSB132C
HSB125C
HSB103C
HSB104C
HSB106C
HSB134C
HSB105C
HSB107C
HSB108C
HSB109C
HSB145C
HSB146C
HSB116C
HSB115C
HSB114C
HSB112C
HSB86C
HSB71C
HSB70C
HSB86B
HSB110C
HSB113C
HSB111C
HSB68C
HSB68B
HSB137C
HSB117C
HSB139C
HSB84B
HSB84C
HSB135C
HSB127C
HSB126C
HSB136C
HSB151C
HSB142C
HSB129C
HSB152C
HSB131C
HSB140C
HSB130C
HSB148C
200
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

RADIUM 228

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected,
Value Is Instrument Reading

Contour Intervals at: 20, 100, 200 pCi/L

EPD GIS Lab (803)725-1417


UPPER TH
HWMA
DISPOSAL
VAULTS
250
300
F AREA
NS
BG043A
NA
BG014AR
NS
BG041A
NA
BG025A
NS
BG026A


UPPER THREE RUNS
250
200
150
E-AREA VAULTS
MWMF
ROAD
NA BGX4A
NS BGX1A
NA BG044AA
NA BG044A
NA BG06A
NA BG09AA
NA BG08AR
NA BG010AA
NA BG010AR
NA BG03A
NA BG043AA
NS BG043A
NA BG012AR
NA BG014AR
NS BG041A
NA BG025A
NA BG016AR
NA BG018A
NS BG020A
NS BG052A
NA BG051A
NA BG051AA
NS BG053A
NS BG053AA
NS BG026A
-0.34UI HSB85A
NA HSL6A
NA BG039A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




NA
BG045A
NA
BG029A
NA
BG050A
ROAD C
300
300
250
250
F-AREA
SEEPAGE BASINS
FOUR MILE BRANCH
-0.35UI
FSB76A
-0.10UI
FSB76B
0.51UI
FSB114A
3.9
FSB101A
1.3
FSB100A
-0.34UI
FSB99A
-1.8UI
FSB87A
-1.4UI
FSB87B
-0.56UI
FSB98AR
1.8
FSB97A
1.1
FSB78B
0.025UI
FSB120A
-0.19UI
FSB78A
0.022UI
FSB96AR
-0.00058UI
FSB113A
0.57UI
FSB79B
0.24UI
FSB79A
1.9
FSB112A


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
NA
BG045A
NA
BG029A
NA
BG050A
NA
BG047A
NA
BG049A
NA
BG039A
4.4
HSB120A
1.4
HSB119A
0.11UI
HSB118A
0.57UI
HSB86A
1.7
HSB117A
1.7
HSB144A
1.4
HSB84A
0.40UI
HSB69A
1.1
HSB68A
-0.26UI
HSB139A
0.22UI
HSB65A
-0.013UI
HSB124AR
-0.12UI
HSB123A
-0.34UI
HSB122A
-1.1UI
HSB121A
-0.27UI
HSB83A
0.37UI
HSB141A
0.94UI
HSB146A
0.63UI
HSB140A
200
250
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

RADIUM 228

GWPS = 20 pCi/L

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 100, 200 pCi/L

EPD GIS Lab (803)725-1417


UPPER THRE
HWMW
DISPOSAL
VAULTS
350
300
250
Approximate northern limit of saturation in Aquifer Zone IIB2 (Water Table)
F AREA
FSL10D
53
20
14
FSL2D
48
FSL3D
20
19
BG01
17
BG0140D
NS
BG053D
7.2
BG026D
7.8
BG040D


UPPER THREE RUNS
150
200
250
ROAD 4
F-AREA VAULTS
MWMF
BGX90
BGX100
BGX10
BG050
BG040
BGX110
BG030
BGX120
BG020
BG0100R
BG090
BG080
BG070
BG0440
BG060
BG110
BG120
BG140R
BG150
BG160
BG170R
BG180
BG190
BG200
BG210
BG220R
BG230
BG240
BG010
BG026D
BG052D
BG051D
HSB85C
HSL6D
HSL7
HSL5D
HSL4D
1,600
6,000
1000
1,700
680
450
280
440
530
300
720
7.2
NS
9.8
6.4
49
44
35
37



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
FSL30
FSL40
FSL50
FSL60
FSL70
FSL80
FSL90
FSB76
FSB1080
FSB880
FSB1140
FSB890
FSB1110
FSB1090
FSB900
FSB1070
FSB910
FSB1230
FSB77
FSB1180
FSB1430
FSB920
FSB1050R
FSB930
FSB1190
FSB1130
FSB940R
FSB950R
FSB78
FSB1060
FSB1170
FSB1210R
FSB1100
FSB79
FSB1120
FSB1040
FSB1160
FSB1220
FSB1150
FSB1200
FSB1090D
FSB1070D
FSB1230D
FSB1430D
FSB1180D
FSB920D
FSB930D
FSB1190D
FSB1130D
FSB1060D
FSB1170D
FSB1100D
FSB1120D
FSB1040D
FSB1160D
FSB1220D
FSB1150D
FSB1200D
FSB1050D
FSB940DR
FSB950DR
FSB1210DR
FSB877D
FSB880D
FSB890D
FSB900D
FSB910D
FSB990D
FSB1080D
FSL10D
FSL20D
FSL30D
FSL40D
FSL50D
FSL60D
FSL70D
FSL80D
FSL90D
FSS10
FSS20
FSS30
FSS40
BG0400
BG0430
BG0270
BG0280
BG0290
BG0310
BG0300
BG0460
BG0500
BG0470
200
250
300
350
400
420
430
440
450
460
470
480
490
500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710
720
730
740
750
760
770
780
790
800
810
820
830
840
850
860
870
880
890
900
910
920
930
940
950
960
970
980
990
1000
1010
1020
1030
1040
1050
1060
1070
1080
1090
1100
1110
1120
1130
1140
1150
1160
1170
1180
1190
1200
1210
1220
1230
1240
1250
1260
1270
1280
1290
1300
1310
1320
1330
1340
1350
1360
1370
1380
1390
1400
1410
1420
1430
1440
1450
1460
1470
1480
1490
1500
1510
1520
1530
1540
1550
1560
1570
1580
1590
1600
1610
1620
1630
1640
1650
1660
1670
1680
1690
1700
1710
1720
1730
1740
1750
1760
1770
1780
1790
1800
1810
1820
1830
1840
1850
1860
1870
1880
1890
1900
1910
1920
1930
1940
1950
1960
1970
1980
1990
2000
2010
2020
2030
2040
2050
2060
2070
2080
2090
2100
2110
2120
2130
2140
2150
2160
2170
2180
2190
2200
2210
2220
2230
2240
2250
2260
2270
2280
2290
2300
2310
2320
2330
2340
2350
2360
2370
2380
2390
2400
2410
2420
2430
2440
2450
2460
2470
2480
2490
2500
2510
2520
2530
2540
2550
2560
2570
2580
2590
2600
2610
2620
2630
2640
2650
2660
2670
2680
2690
2700
2710
2720
2730
2740
2750
2760
2770
2780
2790
2800
2810
2820
2830
2840
2850
2860
2870
2880
2890
2900
2910
2920
2930
2940
2950
2960
2970
2980
2990
3000
3010
3020
3030
3040
3050
3060
3070
3080
3090
3100
3110
3120
3130
3140
3150
3160
3170
3180
3190
3200
3210
3220
3230
3240
3250
3260
3270
3280
3290
3300
3310
3320
3330
3340
3350
3360
3370
3380
3390
3400
3410
3420
3430
3440
3450
3460
3470
3480
3490
3500
3510
3520
3530
3540
3550
3560
3570
3580
3590
3600
3610
3620
3630
3640
3650
3660
3670
3680
3690
3700
3710
3720
3730
3740
3750
3760
3770
3780
3790
3800
3810
3820
3830
3840
3850
3860
3870
3880
3890
3900
3910
3920
3930
3940
3950
3960
3970
3980
3990
4000
4010
4020
4030
4040
4050
4060
4070
4080
4090
4100
4110
4120
4130
4140
4150
4160
4170
4180
4190
4200
4210
4220
4230
4240
4250
4260
4270
4280
4290
4300
4310
4320
4330
4340
4350
4360
4370
4380
4390
4400
4410
4420
4430
4440
4450
4460
4470
4480
4490
4500
4510
4520
4530
4540
4550
4560
4570
4580
4590
4600
4610
4620
4630
4640
4650
4660
4670
4680
4690
4700
4710
4720
4730
4740
4750
4760
4770
4780
4790
4800
4810
4820
4830
4840
4850
4860
4870
4880
4890
4900
4910
4920
4930
4940
4950
4960
4970
4980
4990
5000
5010
5020
5030
5040
5050
5060
5070
5080
5090
5100
5110
5120
5130
5140
5150
5160
5170
5180
5190
5200
5210
5220
5230
5240
5250
5260
5270
5280
5290
5300
5310
5320
5330
5340
5350
5360
5370
5380
5390
5400
5410
5420
5430
5440
5450
5460
5470
5480
5490
5500
5510
5520
5530
5540
5550
5560
5570
5580
5590
5600
5610
5620
5630
5640
5650
5660
5670
5680
5690
5700
5710
5720
5730
5740
5750
5760
5770
5780
5790
5800
5810
5820
5830
5840
5850
5860
5870
5880
5890
5900
5910
5920
5930
5940
5950
5960
5970
5980
5990
6000
6010
6020
6030
6040
6050
6060
6070
6080
6090
6100
6110
6120
6130
6140
6150
6160
6170
6180
6190
6200
6210
6220
6230
6240
6250
6260
6270
6280
6290
6300
6310
6320
6330
6340
6350
6360
6370
6380
6390
6400
6410
6420
6430
6440
6450
6460
6470
6480
6490
6500
6510
6520
6530
6540
6550
6560
6570
6580
6590
6600
6610
6620
6630
6640
6650
6660
6670
6680
6690
6700
6710
6720
6730
6740
6750
6760
6770
6780
6790
6800
6810
6820
6830
6840
6850
6860
6870
6880
6890
6900
6910
6920
6930
6940
6950
6960
6970
6980
6990
7000
7010
7020
7030
7040
7050
7060
7070
7080
7090
7100
7110
7120
7130
7140
7150
7160
7170
7180
7190
7200
7210
7220
7230
7240
7250
7260
7270
7280
7290
7300
7310
7320
7330
7340
7350
7360
7370
7380
7390
7400
7410
7420
7430
7440
7450
7460
7470
7480
7490
7500
7510
7520
7530
7540
7550
7560
7570
7580
7590
7600
7610
7620
7630
7640
7650
7660
7670
7680
7690
7700
7710
7720
7730
7740
7750
7760
7770
7780
7790
7800
7810
7820
7830
7840
7850
7860
7870
7880
7890
7900
7910
7920
7930
7940
7950
7960
7970
7980
7990
8000
8010
8020
8030
8040
8050
8060
8070
8080
8090
8100
8110
8120
8130
8140
8150
8160
8170
8180
8190
8200
8210
8220
8230
8240
8250
8260
8270
8280
8290
8300
8310
8320
8330
8340
8350
8360
8370
8380
8390
8400
8410
8420
8430
8440
8450
8460
8470
8480
8490
8500
8510
8520
8530
8540
8550
8560
8570
8580
8590
8600
8610
8620
8630
8640
8650
8660
8670
8680
8690
8700
8710
8720
8730
8740
8750
8760
8770
8780
8790
8800
8810
8820
8830
8840
8850
8860
8870
8880
8890
8900
8910
8920
8930
8940
8950
8960
8970
8980
8990
9000
9010
9020
9030
9040
9050
9060
9070
9080
9090
9100
9110
9120
9130
9140
9150
9160
9170
9180
9190
9200
9210
9220
9230
9240
9250
9260
9270
9280
9290
9300
9310
9320
9330
9340
9350
9360
9370
9380
9390
9400
9410
9420
9430
9440
9450
9460
9470
9480
9490
9500
9510
9520
9530
9540
9550
9560
9570
9580
9590
9600
9610
9620
9630
9640
9650
9660
9670
9680
9690
9700
9710
9720
9730
9740
9750
9760
9770
9780
9790
9800
9810
9820
9830
9840
9850
9860
9870
9880
9890
9900
9910
9920
9930
9940
9950
9960
9970
9980
9990
10000

OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG045D
BG027D
BG028D
BG031D
BG032D
BG033D
BG034D
BG035D
BG036D
BG037D
BG038D
BG039D
BG030D
BG046D
BG048D
BG047D
BG049D
BG050D
HSB147D
HSB138D
HSB116D
HSB115D
HSB114D
HSB112D
HSB111D
HSB108D
HSB107D
HSB106D
HSB103D
HSB102D
HSB101D
HSB100D
HSB105D
HSB104D
HSB109D
HSB149D
HSB145D
HSB146D
HSB139D
HSB140D
HSB125D
HSB132D
HSB134D
HSB135D
HSB136D
HSB137D
HSB117D
HSB118D
HSB119D
HSB120D
HSB121D
HSB122D
HSB123D
HSB124D
HSB126D
HSB127D
HSB128D
HSB129D
HSB130D
HSB131D
HSB133D
HSB141D
HSB142D
HSB143D
HSB144D
HSB150D
HSB151D
HSB152D
HSB1300
HSB1400
HSB1480
HSB1500
HSB1510
HSB1520
HSB1530
HSB1540
HSB1550
HSB1560
HSB1570
HSB1580
HSB1590
HSB1600
HSB1610
HSB1620
HSB1630
HSB1640
HSB1650
HSB1660
HSB1670
HSB1680
HSB1690
HSB1700
HSB1710
HSB1720
HSB1730
HSB1740
HSB1750
HSB1760
HSB1770
HSB1780
HSB1790
HSB1800
HSB1810
HSB1820
HSB1830
HSB1840
HSB1850
HSB1860
HSB1870
HSB1880
HSB1890



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

CONSTITUENT:

TRITIUM

GWPS = 20 pCi/mL

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 1000, 10000, 100000 pCi/mL

EPD GIS Lab (803)725-1417


UPPER THREE R
HWMW
DISPOSAL
VAULTS
350
300
250
20
40
HM03D
12
HM02D
15
BGX6D
35
HM01D
100
BGX5D
BGX4D
71
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
BG043D
5.3
BG043C
4.2
1.3
BG012C
23
BG013DR
28
BG014
7.9
BG042C
NS
BG053C
NS
BG053B
F AREA
BG045B


ER THREE RUNS
250
200
150
ROAD 4
E-AREA VAULTS
MWMF
HM030
HM040
BGX70
BGX60
BGX50
BGX4C
BGX40
BGX3D
BGX2B
BGX2D
BGX1C
BGX8DR
BG05C
BG068
BG044C
BG044B
BG06C
BG08C
BG03C
BG010B
BG010C
BG043D
BG043CR
BG012CR
BG042C
BG014CR
BG016B
BG020B
BG020C
BG020AA
BG052C
BG051B
BG051C
BG052B
BG053C
BG053B
BGX12C
HSB83B
HSL88
HSL68
HSL6C
0.048UI
-0.015UI
-0.11UI
-0.30UI
-0.056UI
0.47UI



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
ROAD C
FOUR MILE BRANCH
200
300
250
20
1000
2.9
FSB76C
FSB88C
17
FSB89C
16
3.8UI
FSB114C
5.4UI
FSB111C
580
FSB90C
120
FSB107C
660UI
FSB91C
2.3
FSB123C
8.8
HSB143C
1,500
FSB99C
470
FSB87C
7,900
FSB98C
1,800
FSB92C
13,000UI
FSB97C
1,500
FSB93C
8,700
FSB105C
FSB94C
10,000
1,100UI
FSB120C
14,000
FSB95CR
10000
FSB78C
6,700UI
66
FSB113C
2,400UI
FSB106C
1,800
FSB110C
950
FSB102C
130
FSB121C
580
FSB103C
FSB79C
8,700
7,300UI
FSB112C
1,200
FSB104C
12
FSB116C
FSB122C
1,900UI
9.5
FSB115C
BG045B
7.2
310
BG045C
69
BG027C
340
BG029C
BG030C
420
BG031
2,100
BG047
130
BG050C
BG046C
BG046B
6.7
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
BG045B
BG027C
BG030C
BG031C
BG035C
BG037C
BG039C
BG047C
BG046B
BG048C
BG049C
BG050C
BG046C
BG033C
HSB658
HSB133C
HSB101C
HSB100C
HSB102C
HSB83C
HSB83B
HSB141CR
HSB132C
HSB103C
HSB125C
HSB104C
HSB106C
HSB107C
HSB105C
HSB134C
HSB116C
HSB115C
HSB114C
HSB112C
HSB71C
HSB86C
HSB110C
HSB108C
HSB70C
HSB86B
HSB113C
HSB109C
HSB145C
HSB146C
HSB137C
HSB111C
HSB68C
HSB68B
HSB139C
HSB117C
HSB84B
HSB136C
HSB84C
HSB135C
HSB127C
HSB126C
HSB151C
HSB142C
HSB129C
HSB152C
HSB131C
HSB140C
HSB130C
HSB148C
1000
20
200
250
300
10000



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

CONSTITUENT:

TRITIUM

GWPS = 20 pCi/mL

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 1000, 10000, 100000 pCi/mL

EPD GIS Lab (803)725-1417


UPPER THR
HWMW
DISPOSAL
VAULTS
350
300
250
F AREA
NS
BG043A
1.4
BG014AR
NS
BG041A
0.21UI
BG025A
NS
NS
NS
BG026A
5.6
BG045A
12
BG029A


ER THREE RUNS
250
200
150
ROAD 4
E-AREA
VAULTS
MWMF
0.22UI
BGX4A
NS
BGX1A
2.2
BG044AA
0.84
BG06A
-0.44UI
BG09AA
0.98
BG044A
0.34UI
BG010AA
-0.076UI
BG08AR
-0.052UI
BG010AR
200
BG03A
0.36UI
BG043AA
NS
BG043A
1
BG012AR
1.4
BG014AR
NS
1A
0.21UI
BG025A
30
-0.057UI
BG016AR
-0.13UI
BG018A
NS
BG020A
NS
BG053A
NS
BG053AA
NS
BG026A
NS
BG052AA
NS
BG052A
-0.21UI
BG051A
-0.029UI
BG051AA
-0.23UI
HSB85A
1.4
HSL8AA
-0.073UI
HSL6AA
-0.16UI
HSL6A
-0.12UI
BG039A
1.7
HSB6SA



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED CONSTITUENT CONTOUR
- CONSTITUENT CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

	-81.702	-81.626
33.313		33.313
	LATITUDE-LONGITUDE	
33.253		33.253
	-81.702	-81.626

0 900 1800 2700


5.6
BG045A
12
BG029A
-0.0080UI
BG050A
-0.23UI
FSB76A
0.19UI
FSB76B
0.86
FSB114A
ROAD G
0.40
FSB101A
120
FSB100A
300
300
250
200
F-AREA
SEEPAGE BASINS
160
FSB99A
1.6
FSB87A
88
FSB87B
25
FSB98AR
220
FSB97A
260
FSB78B
65
FSB120A
16
FSB78A
15
FSB96AR
180
FSB113A
24
FSB79B
8.1
FSB79A
110
FSB112A
FOUR MILE BRANCH
250


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
-0.12UI
BG039A
1.7
HSB65A
-0.14UI
HSB124AR
0.72
BG049A
1.6
BG047A
-0.0080UI
BG050A
0.17UI
HSB120A
-0.25UI
HSB123A
-0.062UI
HSB122A
-0.19UI
HSB83A
1.6
HSB141A
450
HSB119A
-0.13UI
HSB121A
9,300
HSB118A
1.9
HSB86A
-0.18UI
HSB117A
190
HSB144A
5.4
HSB68A
0.074UI
HSB139A
0.078UI
HSB146A
-0.28UI
HSB69A
14
HSB84A
0.25UI
HSB140A
200
250
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

CONSTITUENT:

TRITIUM

GWPS = 20 pCi/mL

"NS" = Not Sampled

"*" = Wells Not Used to Contour

"NA" = Not Analyzed

"UI" = Analyte Not Detected, Value Is Instrument Reading

Contour Intervals at: 20, 1000, 10000, 100000 pCi/mL

EPD GIS Lab (803)725-1417


UPPER THRE.
HW & AW
DISPOSAL
VAULTS
250
300
253
Approximate northern limit
of saturation in Aquifer Zone
IIB2 (Water Table)
224.03
FSL1D
224.68
FSL2D
222.05
FSL3D
F AREA
BGC
231.06
BG012D
230
230.69
BG014DR
230.59
BG015D
228.6


UPPER THREE RUNS
150
200
250
E-AREA
VAULTS
MWMF
ROAD A
227.1
BGX9D
225.91
BGX10D
229.41
BGX1D
230.45
BG05D
NS
BG04D
232.62
BG044D
231.08
BG06D
230.14
BG09D
231.95
BG07D
232.18
BG08D
231.67
BG010DR
231.27
BG011D
231.06
BG012D
236.18
BGX11D
235.88
BG03D
241.35
BGX12D
238.31
BG02D
230.69
BG014DR
230.59
BG015D
231.45
BG016D
232.46
BG018D
232.2
BG017DR
234.1
BG019D
234.9
BG020D
235.74
BG021D
237.37
BG022DR
236.53
BG023D
237.76
BG024D
239.65
BG01D
240.41
HSB85C
237.11
BG05ID
228.6
230
240
300



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL

-81.702 -81.626

33.313 33.313

LATITUDE-LONGITUDE


F-AREA
SEEPAGE BASINS
Flow Rates:
Path A: 88 ft/yr
Path B: 110 ft/yr
ROAD C
FOUR MILE BRANCH
300
250
220
210
216.84*
FSL4D
220.15
FSL5D
219.51
FSL6D
218.31
FSL7D
217.8
FSL8D
217.65
FSB108D
218.1
FSB76
217.2
FSL9D
217.4
FSB88D
216.69
FSB89D
216.82
FSB111D
218.3
FSB114D
213.76
FSB109D
215.7
FSB90D
215.27
FSB107D
214.6
FSB91D
214.62
FSB77
213.3
FSB118D
213.51
FSB123D
214.46
HSB143D
213.19
FSB99D
NS
FSB87D
212.2
FSB98D
213.05
FSB92D
210.91~211.19
FSB105DR
211.9
FSB93D
209.18
FSB120D
211.53
FSB95DR
210.86
FSB94DR
209.85
FSB119D
208.8
FSB113D
210.23
FSB78
207.47
FSB106D
206.8
FSB110D
206.18
FSB117D
206.96
FSB121DR
203.12
FSB79
206.76
FSB112D
205.87
FSB104D
192.68
FSB116D
204.46
FSB122D
193.02
FSB115D
222.53*
BG040D
228.69
BG045D
228.81
BG027D
227.22
BG029D
227.49
227.7
BG030D
BG028D
226.66
BG050D
226.95
BG046D
225.31
FSS1D
224.75
FSS2D
222.59
FSS3D
219.98
FSS4D


OLD BURIAL GROUND
H-AREA
SEEPAGE BASIN
Flow Rates:
Path A: 280 ft/yr
Path B: 170 ft/yr



33.253 33.253

-81.702 -81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

WATER TABLE

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 2 FT

EPD GIS Lab (803)725-1417


UPPER T
HW
DISPOSA-
VAULTS
250
300
Approximate northern limit
of saturation in Aquifer Zone
IIB (Water Table)
224.28
FSL1D
224.86
FSL2D
222.2
FSL3D
F AREA
230
BCO26D
228.65
BCO400


TERRE RUNS
150
200
250
E-AREA
VAULTS
MWMF
ROAD 4
BGX9D 227.27
BGX10D 226.49
BGX1D 229.61
BG05D 230.83
230
BG06D 231.25
230.55
231.34
BG04D
BG09D 229.93
BG44D
232.13
BG07D
BG08D 232.03
BG10DR 231.96
235.6
BGX11D
235.63
BG03D
240
239.65
BGX12D
BG11D 231.85
BG12D 231.74
238.57
BG02D
BG14DR 231.3
BG18D 232.78
BG16DD 231.72
BG19D 233.47
BG21D 235.81
BG22DR 237.3
BG23D 237.02
BG24D 238.2
240.37 HSB85C
BG01D 240.45
BG17DR 232.46
230.71
BG15D 231.08
BG20D 235.2
BG52D NS
BG51D 237.15
237.47
260 HSL8
259.81 HSL7D
260 260.57 HSL6D
266.57 HSL5D
261.69 HSL4D
249.64



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
Flow Rates:
Path A: 95 ft/yr
Path B: 110 ft/yr
ROAD C
FOUR MILE BRANCH
300
250
220
210
200
FSL3D
FSL4D
FSL5D
FSL6D
FSL7D
FSL8D
FSL9D
FSS1D
FSS2D
FSS3D
FSS4D
BG0270
BG0280
BG0290
BG0300
BG0310
BG0450
BG0460
BG0500
FSB76
FSB77
FSB78
FSB79
FSB87D
FSB88D
FSB89D
FSB90D
FSB91D
FSB92D
FSB93D
FSB94DR
FSB95DR
FSB97D
FSB98D
FSB99D
FSB100
FSB104D
FSB105DR
FSB106D
FSB107D
FSB108D
FSB109D
FSB111D
FSB112D
FSB114D
FSB115D
FSB116D
FSB117D
FSB118D
FSB120D
FSB121DR
FSB122D
FSB123D
FSB130D
FSB1190
FSB1130
HSB1430
218.68
218.46
218.03
218.15
217.07
217.2
217.47
216.51
216.38
214.45
214.8
214.3
213.34
212.65
212.16
212.5
211.35
211.32
211.21
210.4
210.35
209.84
209.6
208.66
208.49
207.7
207.36
206.31
205.82
205.22
205.18
203.75
202.47
201.11
192.3
191.87
NS


OLD BURIAL GROUND
SEEPAGE BASINS
Flow Rates:
Path A: 200 ft/yr
Path B: 150 ft/yr
BG031D 227.7
BG032D 228.73
BG033D 231.78
BG034D 234.46
BG035D 236.37
BG036D 239.55
BG037D 242.15
BG038D 238.36
BG039D 237.47
BG047D 227.03
BG048D 227.46
BG049D 235.57
HSB147D 231.8
HSB1380 224.26
HSB1160 225.33
HSB1150 223.87
HSB1140 223.19
HSB112D 222.87
HSB111D 223.27
HSB860 223.71
HSB871 223.88
HSB870 222.65
HSB1130 222.8
HSB112E 221.97
HSB1100 222.97
HSB1090 223.65
HSB1080 225.12
HSB1070 226.37
HSB1060 225.43
HSB1050 225.79
HSB1040 221.93
HSB1340 220.55
HSB1450 223.15
HSB1490 222.34
HSB1390 222.01
HSB868 219.45
HSB869 218.85
HSB884D 220.65
HSB1360 218.04
HSB1350 217.96
HSB1270 205.05
HSB1260 205.19
HSB1310 214.19
HSB1400 213.82
HSB1480 200.38
HSB1300 208.03
HSB1290 206.76
HSB1510 197.4
HSB1420 NS
HSB1520 223.65
HSB1170 221.69
HSB1370 220
210
200
250
300
HSB661 226
HSB1030 223.53
HSB867 225.83
HSB883D 224.56
HSB1320 239.13
HSB1410 220.51
HSB1250 225.12
HSB1500 229.01
HSB1020 231.33
HSB1010 233.68
HSB65 233.93
HSB65C 235.28
HSL1D 234.45
HSB1330 235.52
HSB1000 241.55
HSL2D 249.64
HSL3D 222.58
HSB1460



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 2nd QUARTER '95

AQUIFER:

WATER TABLE

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 2 FT

EPD GIS Lab (803)725-1417


UPPER THR
HWMW
DISPOSAL
VAULTS
200.68
HM03D
201.27
HM02D
209.17
HM01D
215.1
BGX
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Barnwell/McBean)
230.95
BG043
224.95
BG043C
221.4
BG012CR
230.83*
BG013DR
223.96
BG014CR
223.68
BG042C
223.48
BG045C
219.8*
F AREA
250
300

UPPER THREE RUNS
150
200
250
MW
POSAL
LTS
200.68
HMD3D
200.75
HMD4D
201.27
HMD2D
205.38
BGX6D
205.42
BGX7D
206.55
BGX8DR
209.17
HMD1D
208.26
BGX5D
210
212.98
BGX2B
215.27
BGX2D
215.19
BGX4D
214.12
BGX4C
214.66
BGX3D
216.52
BGX1C
216.4
BGO5C
219.66
BGO6B
221.4
BGO44B
221.16
BGO44C
220.66
BGO6C
219.83
BGO10B
223.7
BGO8C
NS
BGO3CR
220
220.72
BGO10C
230.95*
BGO43D
224.95
BGO43CR
221.4
BGO12CR
230.83*
BGO13DR
MWMF
236.55
BGX12C
230
223.96
BGO14CR
223.68
BGO42C
300
219.06
BGO16B
234.92
HSB858
246
HSL
247.
HSL
231.67
BGO51B
232.63
BGO51C
240
223.48
BGO45C
219.8*
BGO45B
232.64
BGO39C
230.32
232.87



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




F-AREA
SEEPAGE BASINS
Flow Rates:
Path A: 84 ft/yr
Path B: 220 ft/yr
ROAD C
FOURMILE BRANCH
300
250
200
210
220
213.3
FSB76C
213.3
FSB88C
212.62
FSB89C
212.84
FSB111C
213.95
FSB114C
211.4
FSB90C
211.25
FSB107C
211.67
FSB91C
211.1
FSB123C
210.35
HSB143C
198.73
HSB142C
210.15
FSB99C
209.35
FSB87C
209.5
FSB98C
208.74
FSB97C
208.1
FSB105C
207.88
FSB95CR
208.98
FSB78C
208.68
FSB94C
209.7
FSB93C
210.35
FSB92C
205.97
FSB120C
203.53
FSB113C
202.15
FSB106C
201.35
FSB110C
204.36
FSB121C
203.4
FSB103C
197.3
FSB79C
195.66
FSB102C
202.43
FSB112C
201.74
FSB104C
190.05
FSB116C
200.6
FSB122C
184.85
FSB115C
219.8
BG045C
BG045B
221.59
BG027C
223.7
BG029C
220.51
BG030C
227.4
BG031
218.87
BG046B
219.46
BG050C
220.55
BG046C


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
Flow Rates:
Path A: 400 ft/
Path B: 210 ft/
A
B
200
210
220
230
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

BARNWELL/McBEAN

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 2 FT

EPD GIS Lab (803)725-1417


UPPER
HWMA
DISPOSAL
VAULTS
200
HMC
201.36
HM02D
209.76
HM01D
250
300
Approximate northern limit of confined to semi-confined conditions in Aquifer Zone IIB1 (Bamwell/McBean)
231
BGC
F AREA
231
BGO
222.
BGO
223.33


UPPER THREE RUNS
150
200
250
210
220
230
300
200.91
HMD3D
201.04
HMD4D
206.48
BGX6D
206.31
BGX7D
206.23
BGX8DR
209.76
HMD1D
209.4
BGX5D
215.05
BGX3D
213.1*
BGX2B
216.4
BGX1C
215.65
BGX4D
214.6*
BGX4C
215.46
BGX2D
216.45
BGO5C
219.46
BGO6B
221.21
BGO44C
221.42
BGO44B
220.63
BGO6C
219.96
BGO10B
223.66
BGO8C
NS
BGO3C
220.87
BGO10C
231.61*
BGO43D
224.41
BGO43CR
221.41
BGO12CR
231.36*
BGO130R
223.97
BGO14CR
223.66
BGO42C
222.14
BGO53C
220.95*
BGO53B
218.93*
BGO16B
NS
BGO20B
NS
BGO20AA
NS
BGO20C
NS
BGO52C
231.25*
BGO51B
232.17
BGO51C
NS
BGO52B
235.51
BGX12C
234.48
HSB85B
244.86
HSL68
232.06
BGO39C
223.33
BGO45C
F AREA
WASTE
MWMF
ROAD A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




Flow Rates:
Path A: 73 ft/yr
Path B: 180 ft/yr
F-AREA SEEPAGE BASINS
ROAD
TURKEY BRANCH
300
250
200
210
213.3 FSB76C
213.27 FSB88C
213.81 FSB114C
212.65 FSB89C
212.8 FSB111C
211.4 FSB90C
211.2 FSB107C
211.57 FSB91C
210.35 FSB99C
210.7 FSB123C
209.37 HSB143C
209.39 FSB87C
210.25 FSB92C
209.65 FSB98C
208.91 FSB97C
209.49 FSB93C
206.36 FSB120C
208.3 FSB105C
208.52 FSB94C
208 FSB95C
208.6 FSB106C
206.55 FSB78C
202.84 FSB113C
200.81 FSB110C
195.36 FSB102C
204.59 FSB121C
203.1 FSB103C
196.91 FSB79C
202.15 FSB112C
201.6 FSB104C
189.75 FSB116C
199.96 FSB122C
184.61 FSB115C
223.33 BG045C
219.54 BG045B
221.5 BG027C
223.48 BG029C
210.01 BG030C
219.97 BG046C
218.95 BG050C


OLD BURIAL GROUND
SEEPAGE BASINS
BG045C
BG045B
BG027C
BG029C
BG030C
BG031C
BG046C
BG047C
BG048C
BG050C
BG046B
BG033C
BG035C
BG049C
BG039C
BG037C
HSB65B
HSB100C
HSB101C
HSB102C
HSB83B
HSB132C
HSB125C
HSB106C
HSB103C
HSB105C
HSB104C
HSB134C
HSB107C
HSB108C
HSB109C
HSB145C
HSB139C
HSB127C
HSB126C
HSB131C
HSB140C
HSB148C
HSB130C
HSB135C
HSB68B
HSB84C
HSB84B
HSB136C
HSB137C
HSB110C
HSB111C
HSB112C
HSB113C
HSB114C
HSB115C
HSB116C
HSB117C
HSB86B
HSB86C
HSB87C
HSB70C
HSB129C
HSB142C
HSB151C
HSB143C
HSB152C
A
B
210
220
230
200
250
300



-81.70

-81.62

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 2nd QUARTER '95

AQUIFER:

BARNWELL/McBEAN

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 2 FT

EPD GIS Lab (803)725-1417


UPPER THREE
HWMW
DISPOSAL
VAULTS
250
300
150
155
F AREA
155.
BGX4
156.
162.53
BG043A
159.45
158.46
BG014A
BG041A
159.87
BG026A


THREE RUNS
250
150
200
ROAD 4
E-AREA VAULTS
MWMF
155.47
BGX4A
158.77
BGX1A
159.67
BGC06A
158.83
BGC044A
159
BGC044AA
158.51
BGC09AA
160
158.05
BGC10AA
161.95
BGC08AR
158.65
BGC10AR
WS
BGC03A
155
156.8
BGC043AA
157.95
BGC012AR
159.45
BGC014AR
161.83
BGC018A
161.36
BGC016AR
161.33
BGC025A
166.01
BGC051A
168.45
BGC051AA
167.7
169.54
HSB85A
170
176.59
HSL8AA
173.31
HSL8A
169.41
HSL6AA
168.7
HSL6A



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report
WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




161.05
BG045A
160.14
BG029A
160.45
BG050A
155.99*
FSB76A
152.1
FSB76B
ROAD C
155.38
FSB114A
152.28
FSB101A
151.94
FSB100A
F-AREA
SEEPAGE BASINS
151.07
FSB99A
154.7*
FSB87A
151.13
FSB87B
Flow Rate: 510 ft/yr
151.9
FSB98AR
148.71
FSB120A
152.55
FSB97A
155.15
FSB78B
58.4
FSB113A
153.69
FSB96AR
156.71
FSB78A
158.96
FSB79B
158.65
FSB79A
153.72
FSB112A
FOUR MILE BRANCH
300
250
155
160
165


OLD BURIAL GROUND
H-AREA
SEEPAGE BASINS
167.7
BG039A
162.8
BG047A
NS
BG049A
166.89
HSB120A
167.67
HSB119A
168.33
HSB118A
169.23
HSB86A
167.01
HSB117A
171.33
HSB144A
172.87
HSB69A
172.63
HSB84A
172.12
HSB65A
172.57
HSB124AR
172.66
HSB123A
172.15
HSB122A
172.31
HSB121A
173.99
HSB83A
172.62
HSB68A
174.4
HSB139A
175.77
HSB141A
176.52
HSB146A
176.18
HSB140A
Flow Rate: 350 ft/yr
165
170
175
200
250
300



-81.702

-81.626

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 1st QUARTER '95

AQUIFER:

CONGAREE

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 1 FT

EPD GIS Lab (803)725-1417


UPPER THRE
HW
DISPOSAL
VAULTS
250
300
155
159.15
BG043A
F AREA
158.16
BG041A
161.4
BG025A
159.28
BG026A


PPER THREE RUNS
250
150
200
ROAD 4
E-AREA
VAULTS
MWMF
155.15
BGX4A
159.45
BGX1A
159.39
BGO6A
157.91*
BGO44AA
158.29
BGO9AA
158.55
BGO44A
162.37
BGO6AR
157.8
BGO10AA
158.38
BGO10AR
NS
BGO3A
156.51
159.15*
BGO43AA
BGO43A
157.7
BGO12AR
BGO14AR
158.95
158.16
BGO41A
161.4*
BGO25A
159.28
BGO53AA
161.5
BGO18A
161.18
BGO16AR
BGO20A
NS
NS
165.52
168.22*
BGO52A
BGO51A
BGO51AA
169.49
HSB85A
169.4*
HSL6AA
168.69
HSL6A
167.4
BGO39A
160.79
BGO45A
155
160
165
170
30



REFERENCE DOCUMENT

WSRC-TR-95-0146-2 F-Area Seepage Basins Groundwater Monitoring Report

WSRC-TR-95-0147-2 H-Area Seepage Basins Groundwater Monitoring Report

- PAVED ROAD
- UNPAVED ROAD
- STREAM
- FENCE LINE
- SEEPLINE
- RAILROAD
- TOPOGRAPHIC CONTOUR
  Contour Interval 10 FT
- INFERRED POTENTIOMETRIC CONTOUR
- POTENTIOMETRIC CONTOUR
- BASIN
- RCRA-CERTIFIED CLOSED BASIN
- MONITORING WELL




160.79
BG045A
160.09
BG029A
160.29
BG050A
155.77*
FSB76A
152
FSB76B
300
Flow Rate: 620 ft/yr
ROAD C
155.9
FSB114A
152.18
FSB101A
FSB100A
151.88
F-AREA
SEEPAGE BASINS
150.99
FSB99A
151.2
FSB87B
154.47*
FSB87A
151.9
FSB98AR
152.53
FSB97A
155
FSB78B
148.64
FSB120A
153.65
FSB96AR
156.9*
FSB78A
FSB113A
159.53
165
160
155
158.9
FSB79A
158.99
FSB79B
FOUR MILE BRANCH
153.7
FSB112A
250
250


OLD BURIAL GROUND
BG039A
172.02
HSB85A
172.52
HSB124AR
NS
BG049A
162.66
BG047A
H-AREA
SEEPAGE BASINS
HSB120A
166.9
172.09
HSB122A
172.19
HSB123A
173.61
HSB83A
175.35
HSB141A
172.27
HSB121A
167.56
HSB119A
168.64
HSB118A
169.32
HSB86A
172.73
HSB68A
174.35
HSB139A
176.43
HSB146A
171.23
HSB144A
167.03
HSB117A
172.83
HSB69A
172.6
HSB84A
Flow Rate: 330 ft/yr
176.11
HSB140A
200
250
250
300



-81.70

-81.62

0 900 1800 2700

Scale 1:900 FT
1:274 M

TITLE:

SAVANNAH RIVER SITE GENERAL SEPARATIONS AREA 2nd QUARTER '95

AQUIFER:

CONGAREE

NOTES:

POTENTIOMETRIC SURFACE

"NS" = Not Sampled

"*" = Wells Not Used to Contour

Contour Interval: 1 FT

EPD GIS Lab (803)725-1417