NUREG–0540
Vol. 18, No. 4

Title List of Documents Made Publicly Available

RECEIVED
JUN 24 1996
OSTI

April 1–30, 1996

U.S. Nuclear Regulatory Commission

Office of Administration

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

MASTER

DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

DLC

AVAILABILITY NOTICE

Availability of Reference Materials Cited in NRC Publications

Most documents cited in NRC publications will be available from one of the following sources:

1. The NRC Public Document Room, 2120 L Street, NW., Lower Level, Washington, DC 20555-0001
2. The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328
3. The National Technical Information Service, Springfield, VA 22161-0002

Although the listing that follows represents the majority of documents cited in NRC publications, it is not intended to be exhaustive.

Referenced documents available for inspection and copying for a fee from the NRC Public Document Room include NRC correspondence and internal NRC memoranda; NRC bulletins, circulars, information notices, inspection and investigation notices; licensee event reports; vendor reports and correspondence; Commission papers; and applicant and licensee documents and correspondence.

The following documents in the NUREG series are available for purchase from the Government Printing Office: formal NRC staff and contractor reports, NRC-sponsored conference proceedings, international agreement reports, grantee reports, and NRC booklets and brochures. Also available are regulatory guides, NRC regulations in the *Code of Federal Regulations*, and *Nuclear Regulatory Commission Issuances*.

Documents available from the National Technical Information Service include NUREG-series reports and technical reports prepared by other Federal agencies and reports prepared by the Atomic Energy Commission, forerunner agency to the Nuclear Regulatory Commission.

Documents available from public and special technical libraries include all open literature items, such as books, journal articles, and transactions. *Federal Register* notices, Federal and State legislation, and congressional reports can usually be obtained from these libraries.

Documents such as theses, dissertations, foreign reports and translations, and non-NRC conference proceedings are available for purchase from the organization sponsoring the publication cited.

Single copies of NRC draft reports are available free, to the extent of supply, upon written request to the Office of Administration, Distribution and Mail Services Section, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

Copies of industry codes and standards used in a substantive manner in the NRC regulatory process are maintained at the NRC Library, Two White Flint North,11545 Rockville Pike, Rockville, MD 20852-2738, for use by the public. Codes and standards are usually copyrighted and may be purchased from the originating organization or, if they are American National Standards, from the American National Standards Institute, 1430 Broadway, New York, NY 10018-3308.

A year's subscription of this report consists of 12 monthly issues.

NUREG–0540
Vol. 18, No. 4

Title List of Documents Made Publicly Available

April 1–30, 1996

Date Published: June 1996

E. B. Morris, NRC Project Manager

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555–0001

DISCLAIMER

Portions of this document may be illegible in electronic image products. Images are produced from the best available original document.

CONTENTS

Preface v
Arrangement of Items by Docket Number xi
Alphabetic Arrangement of Docket Items by Facility Name xix
Docketed Items 1
Low-Level Radwaste Disposal Sites — Docket 27 1
Domestic Licensing of Source Material — Docket 40 1
Domestic Licensing of Production and Utilization Facilities — Docket 50 8
Standardized Nuclear Power Plant Design — Docket 52 199
Domestic Licensing of Special Nuclear Material — Docket 70 202
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71 208
Licensing of Independent Spent Fuel Storage — Docket 72 219
Nondocketed Items 223
10 CFR — Commission Meeting Records 223
ACNW — Advisory Committee on Nuclear Waste 223
ACRS — Advisory Committee on Reactor Safeguards 223
ADVCM — NRC Advisory Committee 224
COMMISSION — NRC Commissioners 224
CONTRACT — NRC Contracts and Modifications 225
FOIA — Freedom of Information Act Requests and Releases 229
GEN TECH IS — Generic Technical Issues 255
I&E — Inspection and Enforcement 255
MISC — Public Document Room Miscellaneous 257
NUREG — NUREG Reports and Related Correspondence 257
ORG — Correspondence with Other Organizations 259
PR — Proposed Rule 262
PRESS — Press Releases 265
PRM — Petition for Rulemaking 266
PROJ — Projects-Predocket Licensing 266
PT21 — Noncompliance Reports and Related Correspondence 267
QA999 — Quality Assurance Inspections 267
REG CERT Registry Certificate 268
REGGD — Regulatory Guides 268
REVIEW GROUP — NRC Research Review Groups 269
SECY — Position Papers Before the Commission 269
SPEECHES Speeches 271
STATE PROG — State Programs 271
TOPREP — Vendor Reports and Related Correspondence 280
WASTE MGT — Nuclear Waste Management 282
XPORTLIC — Export and Import Licenses 284
Personal Author Index 287
Corporate Source Index 311
Report Number Index 331
Cross Reference of Enclosures to Principal Documents 333
Appendix A — Definitions of Docket 50 Categories A–1
Appendix B — Definitions of Nondocketed Categories B–1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It describes the information received and published by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) non-docketed material received and published by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets; it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. NRC documents that are publicly available may be examined without charge at the NRC Public Document Room (PDR). Duplicate copies in paper, microfiche, or (selectively) diskette, may be obtained for a fee.

Standing orders for certain categories of documents are also available. Clients may search for and order desired titles through the PDR computerized Bibliographic Retrieval System (BRS), which is accessible both at the PDR and remotely. BRS also has some types of documents in full text. Other recent, selected documents, as well as information about the PDR, may be viewed/downloaded from an electronic bulletin board. The PDR is staffed by professional technical librarians, who provide reference assistance to users. See NOTES at the end of the preface for information about reaching the PDR. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the database. Insofar as possible, we would like this document to be a valuable part of your reference material.

DOCKETED ITEMS

Each utility or institution engaged in a nuclear activity licensed and regulated by the U.S. Nuclear Regulatory Commission (NRC) is assigned a docket number. As used by NRC, docket numbers refer to the particular system by which NRC maintains its regulatory records, not to law court dockets. The first two digits of a docket number identify the type of nuclear activity that NRC regulates. These docket categories are as follows:

- 27 – Low-Level Radioactive Waste Disposal Sites
- 30 – Nuclear or Byproduct Material Licenses
- 40 – Nuclear Source Material Facilities
- 50 – Nuclear Reactors and Fuel Reprocessing Plants
- 52 – Standard Design Certifications, Early Site Permits, and Combined Licenses for Nuclear Power Plants
- 70 – Special Nuclear Materials

71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

72 – Independent Spent Fuel Storage Installations

Except for Docket 27, these numbers correspond to the parts of Title 10 in the *Code of Federal Regulations* (10 CFR) that cover regulations pertaining to those types of licenses. The remaining digits of a docket number uniquely identify a specific facility or institution. For example, Docket 50–317 identifies the Calvert Cliffs Nuclear Power Plant, Unit 1.

① P. Operating license stage documents & correspondence

② ③
8907070172 Commends util for exemplary hospitality extended to visiting Soviet technical working group on 890608.

④ ⑤ ⑥
DENTON, H.R. Office of Governmental & Public Affairs (Post 870413). 89/06/27

⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬
CLARK, P.R. General Public Utilities Corp.—GPU Service Corp. 2 pp. 50442:181–50442:182

1. NRC/PDR Document category (see Appendix A).
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document.
4. Personal author(s). An asterisk in this position indicates that there is no personal author.
5. Author affiliation (NRC, corporate, agency, or nonindividual source).
6. Date of document described.
7. Recipient of the document.
8. Recipient affiliation (NRC or corporate).
9. Pages in this document.
10. This five-digit number is the NRC 48X microfiche designation.
11. The three-digit portion of this entry is the number of the frame on which this document starts.
12. This five-digit number is the microfiche on which this document ends.
13. The three-digit portion of this entry is the number of the frame on which this document ends.

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (job code) number of a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS

The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are as follows:

10CFR 9.7—Commission Meeting Records

ACRS—Advisory Committee on Reactor Safeguards

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Releases

GEN TECH IS—Generic Technical Issues

IE—Inspection and Enforcement Issuances

MISC—Public Document Room Miscellaneous

NUREG—NRC-Issued Formal Reports and Related Correspondence

ORG—Organizational File

PR—Proposed Rules

PRESS—Press Releases

PRM—Petitions for Rulemaking

PROJ—Projects

PT21—10 CFR Part 21 Deficiency Reports

QA999—Quality Assurance Inspections

RC—Registry Certificate SSD

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports

REVIEW GRP—Research Review Groups

RM—Rulemakings

SECY—Staff Position Papers Before the Commission

SPEECHES—Speeches

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Correspondence

WASH—AEC-Issued Formal Reports and Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Documents

XPORTLIC—Exports and Import Licenses

Appendix B lists these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are—

① NUREG—NRC-Issued Formal Reports and Related Correspondence

② 8910100307 ③ NUREG/CR-5340 ④ DATA SUMMARY REPORT FOR FISSION PRODUCT RELEASE TEST VI-2

⑤ OSBORNE, M.F., COLLINS, J.L., LORENZ, R.A. ⑥ Oak Ridge National Laboratory.

⑦ FIN B-0127. ⑧ ORNL/TM-11105. ⑨ 89/09/30. ⑩ Division of Systems Research (Post 880717). ⑪ 69 pp.

⑫ ⑬ ⑭ ⑮ 51409:065-51409:134.

NONDOCKETED ITEMS (cont.)

1. Nondocket category.
2. NRC/PDR Accession Number (year, month, day, and sequence number of item).
3. NRC Report Number.
4. Title and description of information contained in the document.
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency, or other nonindividual source.
7. Contract or financial identification number (FIN), if any.
8. Secondary report number, if any.
9. Date of document described.
10. NRC organizational recipient (or sponsor).
11. Pages in this document.
12. This five-digit number is the NRC 48X microfiche designation.
13. The three-digit portion of this entry is the number of the frame on which this document starts.
14. This five-digit number is the microfiche on which this document ends.
15. The three-digit portion of this entry is the number of the frame on which this document ends.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

Ordering and Viewing Documents:

1. The address for GPO is:

   Superintendent of Documents
   U.S. Government Printing Office
   P.O. Box 37082
   Washington, DC 20402–9328

To place orders, send a check or money order payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling 202–512–2249.

2. The address for NTIS is:

   National Technical Information Service
   5285 Port Royal Road
   Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at 703–487–4650. Specify the NRC report number and title when you place your order. You may charge publications to American Express, Visa, or Mastercard credit cards; supply the charge card number when placing your order.

3. The location of the PDR is:

   2120 L Street, NW.
   Washington, DC

   The mailing address is:

   U.S. Nuclear Regulatory Commission
   Public Document Room
   Mail Stop LL–6
   Washington, DC 20555–0001

   Telefacsimile

   202–634–3343

   Telephone

   202–634–3273 or 1–800–397–4209

   Internet e–mail

   PDR@NRC.GOV

For more information about PDR services, for reference assistance, to place an order for

documents, or to arrange for access to the PDR computer retrieval system, write, e–mail, fax, or phone. When ordering documents listed in this publication, please identify the Document Accession Number for each citation. Reproduction charges and method of payment, based on the current reproduction contract, may be obtained from the PDR.

To access the PDR electronic bulletin board on FedWorld, contact the FedWorld Help Desk at 703–487–4086.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page
Low Level Radwaste Disposal Sites - Docket 27		
27-047	COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	1
27-048	LOUISVILLE, KY, U.S. ECOLOGY, INC.	1
DOCKET	UNKNOWN	1
Domestic Licensing of Source Material - Docket 40		
40-0299	UMETCO MINERALS CORP., RIVERTON, WY	1
40-0341	ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	1
40-0501	ALCOA, CLEVELAND, OH	1
40-0534	GENERAL ELECTRIC CO., CLEVELAND, OH	2
40-0672	NUCLEAR METALS, INC., CONCORD, MA	2
40-1162	WESTERN NUCLEAR, INC., LAKEWOOD, CO	2
40-1341	TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	2
40-2259	PATHFINDER MINES CORP., RIVERTON, WY	2
40-2384	RMI CO., ASHTABULA, OH	2
40-3392	ALLIED-SIGNAL, INC., METROPOLIS, IL	2
40-3453	ATLAS CORP., DENVER, CO	2
40-3543	FAIRLEIGH DICKINSON UNIV., TEANECK, NJ	3
40-4492	AMERICAN NUCLEAR CORP., CASPER, WY	3
40-6622	PATHFINDER MINES CORP., SHIRLEY BASIN, WY	4
40-6659	PETROTOMICS CO., SHIRLEY BASIN, WY	4
40-6940	CABOT CORP., BOYERTOWN, PA	4
40-7102	SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	4
40-7580	FANSTEEL, INC., NORTH CHICAGO, IL	4
40-8027	SEQUOYAH FUELS CORP., GORE, OK	4
40-8064	EXXON MINERALS CO., USA, HOUSTON, TX	5
40-8084	RIO ALGOM MINING CORP., MOAB, UT	5
40-8380	ROCKY MOUNTAIN ENERGY CO., BROOMFIELD, CO	5
40-8452	BEAR CREEK URANIUM CO., CASPER, WY	5
40-8502	TOTAL MINERALS CORP., CASPER, WY	5
40-8584	KENNECOTT URANIUM CO., RAWLINS, WY	5
40-8681	UMETCO MINERALS CORP., BLANDING, UT	6
40-8698	PLATEAU RESOURCES, LTD., LAKE POWELL, UT	6
40-8724	CHEMETRON CORP., PROVIDENCE, RI	6
40-8767	LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	6
40-8794	MOLYCORP, INC., LOS ANGELES, CA	6
40-8819	YOUNGSTOWN STATE UNIV., YOUNGSTOWN, OH	6
40-8838	ARMY, DEPT. OF, MADISON, IN	6
40-8843	RONSON METALS CORP., NEWARK, NJ	6
40-8857	POWER RESOURCES, INC., GLENROCK, WY	6
40-8866	NUCLEAR METALS, INC., CONCORD, MA	6
40-8902	ATLANTIC RICHFIELD CO., GRANTS, NM	7
40-8903	HOMESTAKE MINING CO., GRANTS, NM	7
40-8904	SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	7
40-8905	QUIVIRA MINING CO., GRANTS, NM	7
40-8907	UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	7
40-8943	FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	7
40-8948	SHIELDALLOY CORP., NEWFIELD, NJ	7
40-8968	HYDRO RESOURCES, INC., DALLAS, TX	8
40-8981	PATHFINDER MINES CORP., MILLS, WY	8
40-8989	ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	8
40-8995	EDWARD LEAD MANUFACTURING, COLUMBUS, OH	8
40-9027	CABOT CORP. READING & REVERE	8
Domestic Licensing of Production and Utilization Facilities - Docket 50		
50-2	FORD NUCLEAR REACTOR	8
50-3	INDIAN POINT STATION, UNIT 1	8
50-10	DRESDEN NUCLEAR POWER STATION, UNIT 1	9
50-16	ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	10
50-18	VALLECITOS BOILING WATER REACTOR	10
50-20	MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	10
50-29	YANKEE-ROWE NUCLEAR POWER STATION	10
50-50	KINETIC EXPERIMENT ON WATER BOILERS MODEL (L-47)	11
50-62	UNIV. OF VIRGINIA RESEARCH REACTOR	11

Docket	Name	Page
50-70	GENERAL ELECTRIC NUCLEAR TEST REACTOR	11
50-73	GENERAL ELECTRIC NUCLEAR TEST REACTOR	11
50-77	CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	11
50-83	UNIV. OF FLORIDA TRAINING REACTOR	11
50-89	GENERAL ATOMICS	11
50-116	IOWA STATE UNIV. RESEARCH REACTOR	11
50-128	TEXAS A&M UNIV. RESEARCH REACTOR	11
50-131	OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	12
50-133	HUMBOLDT BAY POWER PLANT, UNIT 3	12
50-146	SAXTON NUCLEAR EXPERIMENTAL FACILITY	12
50-155	BIG ROCK POINT NUCLEAR PLANT	12
50-160	GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	13
50-163	GENERAL ATOMICS	14
50-170	ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	14
50-171	PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	14
50-183	VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	14
50-184	NATIONAL INSTITUTE OF STANDARDS . & TECHNOLOGY REACTOR	14
50-186	UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	14
50-193	RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	14
50-200	B&W TEST REACTOR	14
50-206	SAN ONOFRE NUCLEAR STATION, UNIT 1	14
50-213	HADDAM NECK PLANT	15
50-216	POLYTECHNIC INSTITUTE OF NEW YORK RESEARCH REACTOR	17
50-219	OYSTER CREEK NUCLEAR POWER PLANT	17
50-220	NINE MILE POINT NUCLEAR STATION, UNIT 1	39
50-223	UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	41
50-228	AEROTEST RADIOGRAPHY & RESEARCH REACTOR	41
50-229	YUGOSLAVIA RESEARCH REACTOR	41
50-230	PAVIA RESEARCH REACTOR	41
50-234	GULF OIL CORP., SAN DIEGO, CA	41
50-237	DRESDEN NUCLEAR POWER STATION, UNIT 2	41
50-244	ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	42
50-245	MILLSTONE NUCLEAR POWER STATION, UNIT 1	43
50-247	INDIAN POINT STATION, UNIT 2	46
50-249	DRESDEN NUCLEAR POWER STATION, UNIT 3	48
50-250	TURKEY POINT PLANT, UNIT 3	49
50-251	TURKEY POINT PLANT, UNIT 4	50
50-254	QUAD-CITIES STATION, UNIT 1	51
50-255	PALISADES NUCLEAR PLANT	53
50-259	BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	55
50-260	BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	56
50-261	H.B. ROBINSON PLANT, UNIT 2	58
50-263	MONTICELLO NUCLEAR GENERATING PLANT	59
50-264	DOW CHEMICAL CO.	60
50-265	QUAD-CITIES STATION, UNIT 2	60
50-266	POINT BEACH NUCLEAR PLANT, UNIT 1	61
50-267	FORT ST. VRAIN NUCLEAR GENERATING STATION	62
50-269	OCONEE NUCLEAR STATION, UNIT 1	63
50-270	OCONEE NUCLEAR STATION, UNIT 2	64
50-271	VERMONT YANKEE NUCLEAR POWER STATION	65
50-272	SALEM NUCLEAR GENERATING STATION, UNIT 1	66
50-275	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	67
50-276	AGN-201	69
50-277	PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	69
50-278	PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	70
50-280	SURRY POWER STATION, UNIT 1	71
50-281	SURRY POWER STATION, UNIT 2	73
50-282	PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	74
50-285	FORT CALHOUN STATION, UNIT 1	75
50-286	INDIAN POINT STATION, UNIT 3	76
50-287	OCONEE NUCLEAR STATION, UNIT 3	77
50-288	REED COLLEGE RESEARCH REACTOR	79
50-289	THREE MILE ISLAND NUCLEAR STATION, UNIT 1	79
50-293	PILGRIM NUCLEAR POWER STATION, UNIT 1	80
50-295	ZION NUCLEAR POWER STATION, UNIT 1	81
50-296	BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	83
50-298	COOPER NUCLEAR STATION	85

Docket	Name	Page
50-301	POINT BEACH NUCLEAR PLANT, UNIT 2	86
50-302	CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	87
50-304	ZION NUCLEAR POWER STATION, UNIT 2	89
50-305	KEWAUNEE NUCLEAR POWER PLANT	91
50-306	PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	92
50-309	MAINE YANKEE ATOMIC POWER PLANT	93
50-311	SALEM NUCLEAR GENERATING STATION, UNIT 2	95
50-312	RANCHO SECO NUCLEAR GENERATING STATION	96
50-313	ARKANSAS NUCLEAR ONE, UNIT 1	97
50-315	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	98
50-316	DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	100
50-317	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	101
50-318	CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	102
50-320	THREE MILE ISLAND NUCLEAR STATION, UNIT 2	103
50-321	EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	104
50-322	SHOREHAM NUCLEAR POWER STATION	105
50-323	DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	105
50-324	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	107
50-325	BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	108
50-327	SEQUOYAH NUCLEAR PLANT, UNIT 1	109
50-328	SEQUOYAH NUCLEAR PLANT, UNIT 2	111
50-329	MIDLAND PLANT, UNIT 1	112
50-330	MIDLAND PLANT, UNIT 2	112
50-331	DUANE ARNOLD ENERGY CENTER	113
50-333	JAMES A. FITZPATRICK NUCLEAR POWER PLANT	114
50-334	BEAVER VALLEY POWER STATION, UNIT 1	114
50-335	ST. LUCIE PLANT, UNIT 1	116
50-336	MILLSTONE NUCLEAR POWER STATION, UNIT 2	117
50-338	NORTH ANNA POWER STATION, UNIT 1	120
50-339	NORTH ANNA POWER STATION, UNIT 2	122
50-341	ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	123
50-344	TROJAN NUCLEAR PLANT	125
50-346	DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	126
50-348	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	127
50-352	LIMERICK GENERATING STATION, UNIT 1	128
50-353	LIMERICK GENERATING STATION, UNIT 2	129
50-354	HOPE CREEK NUCLEAR STATION, UNIT 1	130
50-361	SAN ONOFRE NUCLEAR STATION, UNIT 2	132
50-362	SAN ONOFRE NUCLEAR STATION, UNIT 3	133
50-363	FORKED RIVER NUCLEAR STATION, UNIT 1	135
50-364	JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	135
50-366	EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	136
50-368	ARKANSAS NUCLEAR ONE, UNIT 2	138
50-369	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	139
50-370	WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	140
50-373	LASALLE COUNTY STATION, UNIT 1	141
50-374	LASALLE COUNTY STATION, UNIT 2	143
50-382	WATERFORD GENERATING STATION, UNIT 3	145
50-387	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	146
50-388	SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	148
50-389	ST. LUCIE PLANT, UNIT 2	149
50-390	WATTS BAR NUCLEAR PLANT, UNIT 1	151
50-391	WATTS BAR NUCLEAR PLANT, UNIT 2	152
50-395	VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	153
50-396	UNIV. OF VIRGINIA CAVALIER REACTOR	155
50-397	WPPSS NUCLEAR PROJECT, UNIT 2	155
50-400	SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	156
50-407	UNIV. OF UTAH RESEARCH REACTOR	157
50-409	LA CROSSE BOILING WATER REACTOR	158
50-410	NINE MILE POINT NUCLEAR STATION, UNIT 2	158
50-412	BEAVER VALLEY POWER STATION, UNIT 2	159
50-413	CATAWBA NUCLEAR STATION, UNIT 1	160
50-414	CATAWBA NUCLEAR STATION, UNIT 2	162
50-416	GRAND GULF NUCLEAR STATION, UNIT 1	163
50-417	GRAND GULF NUCLEAR STATION, UNIT 2	165

Docket	Name	Page
50-423	MILLSTONE NUCLEAR POWER STATION, UNIT 3	165
50-424	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	167
50-425	ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	168
STN-50-437	FLOATING NUCLEAR PLANT	170
50-438	BELLEFONTE NUCLEAR PLANT, UNIT 1	170
50-439	BELLEFONTE NUCLEAR PLANT, UNIT 2	170
50-440	PERRY NUCLEAR POWER PLANT, UNIT 1	171
50-441	PERRY NUCLEAR POWER PLANT, UNIT 2	172
50-443	SEABROOK NUCLEAR STATION, UNIT 1	172
50-444	SEABROOK NUCLEAR STATION, UNIT 2	173
50-445	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	174
50-446	COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	175
STN-50-454	BYRON STATION, UNIT 1	176
STN-50-455	BYRON STATION, UNIT 2	178
STN-50-456	BRAIDWOOD STATION, UNIT 1	180
STN-50-457	BRAIDWOOD STATION, UNIT 2	182
50-458	RIVER BEND STATION, UNIT 1	183
50-460	WPPSS NUCLEAR PROJECT, UNIT 1	185
50-461	CLINTON POWER STATION, UNIT 1	185
STN-50-482	WOLF CREEK GENERATING STATION	186
STN-50-483	CALLAWAY PLANT, UNIT 1	187
STN-50-498	SOUTH TEXAS PROJECT, UNIT 1	189
STN-50-499	SOUTH TEXAS PROJECT, UNIT 2	190
STN-50-508	WPPSS NUCLEAR PROJECT, UNIT 3	192
STN-50-528	PALO VERDE NUCLEAR STATION, UNIT 1	192
STN-50-529	PALO VERDE NUCLEAR STATION, UNIT 2	194
STN-50-530	PALO VERDE NUCLEAR STATION, UNIT 3	197
50-537	CLINCH RIVER BREEDER REACTOR	199
50-602	UNIV. OF TEXAS RESEARCH REACTOR	199
52-001	GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	199
52-002	SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	199
52-003	AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	199
52-004	GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	200
DOCKET	UNKNOWN	201
Domestic Licensing of Special Nuclear Material - Docket 70		
70-0025	ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	202
70-0027	BABCOCK & WILCOX CO., LYNCHBURG, VA	202
70-0036	COMBUSTION ENGINEERING, INC., HEMATITE, MO	202
70-0048	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	202
70-0143	NUCLEAR FUEL SERVICES, INC., ERWIN, TN	202
70-0337	NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA	203
70-0364	BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	203
70-0687	CINTICHEM, INC., TUXEDO, NY	203
70-0734	GENERAL ATOMICS, SAN DIEGO, CA	203
70-0925	CIMARRON CORP., OKLAHOMA CITY, OK	203
70-0963	SAXTON NUCLEAR EXPERIMENTAL CORP., SAXTON, PA	204
70-1100	COMBUSTION ENGINEERING, INC., WINDSOR, CT	204
70-1113	GENERAL ELECTRIC CO., WILMINGTON, NC	204
70-1151	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	204
70-1201	B&W FUEL CO., LYNCHBURG, VA	205
70-1252	EDLOW INTERNATIONAL CO., WASHINGTON, DC	205
70-1257	SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	205
70-1308	GENERAL ELECTRIC CO., SAN JOSE, CA	205
70-1503	WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	205
70-1703	EASTMAN KODAK CO., ROCHESTER, NY	205
70-3009	HOSP. AUXILIO MUTUO, HATO REY, PR	205
70-3070	LOUISIANA ENERGY SERVICES, WASHINGTON, DC	205
70-3073	KERR-MCGEE CORP., OKLAHOMA CITY, OK	206
70-7001	U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	206
70-7002	U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	207
DOCKET	UNKNOWN	208

Docket	Name	Page
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
71-0115	B&W FUEL CO.	208
71-0164	MASSACHUSETTS INSTITUTE OF TECHNOLOGY	209
71-0179	NUCLEAR CONTAINERS, INC.	209
71-0275	DUQUESNE LIGHT CO.	209
71-0334	GPU NUCLEAR CORP.	209
71-0355	GPU NUCLEAR CORP.	209
71-0361	MODEL: PAT-1, ENERGY, DEPT. OF	209
71-0404	CTI, INC.	209
71-0423	H&H X-RAY SERVICES, INC.	209
71-0429	QC LABORATORIES, INC.	209
71-0437	ADVEX CORP.	209
71-0438	GENERAL MOTORS CORP.	209
71-0496	SCIENTIFIC ECOLOGY GROUP, INC.	209
71-0503	PENN INSPECTION CO.	209
71-0553	HIGH MOUNTAIN INSPECTION SERVICES, INC.	209
71-0555	ALLEGHENY LABORATORIES	209
71-0567	ARIZONA NUCLEAR POWER PROJECT	209
71-0579	SENIOR ENGINEERING CO.	209
71-0587	AIR FORCE, DEPT. OF	210
71-0600	SHAFER VALVE CO.	210
71-0603	JAN X-RAY SERVICES, INC.	210
71-0604	ENTERGY OPERATIONS, INC.	210
71-0637	WESTERN STRESS, INC.	210
71-0721	QUALITY SYSTEMS NDE, LTD.	210
71-0733	TRIAD NONDESTRUCTIVE TESTING, INC.	210
71-0749	CURTIS INSPECTION SERVICES, INC.	210
71-0832	UNITED STATES ENRICHMENT CORPORATION	210
71-0844	UNIVERSITY OF MISSOURI-ROLLA	210
71-0848	EL PASO INSPECTION	210
71-3027	MODEL: NT-IV TRANSPORTATION, DEPT. OF	210
71-3028	MODEL: 2767B TRANSPORTATION, DEPT. OF	210
71-3029	MODEL: RAJ-II TRANSPORTATION, DEPT. OF	210
71-4909	MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	210
71-4986	MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	210
71-5086	MODEL: UNC-2600, UNITED NUCLEAR CORP.	210
71-5149	MODEL: 814A, BABCOCK & WILCOX CO.	211
71-5450	MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC	211
71-5580	MODEL: S5W POWER UNIT, ENERGY, DEPT. OF	211
71-5607	MODEL: T-2, ENERGY, DEPT. OF	211
71-5757	MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF	211
71-5797	MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	211
71-5874	MODEL: WAPD-40, ENERGY, DEPT. OF	211
71-5894	MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF	211
71-5926	MODEL: GE-100, GENERAL ELECTRIC CO.	211
71-5939	MODEL: 1500, GENERAL ELECTRIC CO.	211
71-5950	MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	211
71-5957	MODEL: BMI-1, CINTICHEM, INC.	211
71-5984	MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	211
71-6003	MODEL: M-130, ENERGY, DEPT. OF	211
71-6058	MODEL: B-3, CINTICHEM, INC.	211
71-6078	MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	212
71-6206	MODEL: MODEL B, B&W FUEL CO.	212
71-6294	MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	212
71-6346	MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO	212
71-6347	MODEL: FSV-3, GENERAL ATOMICS	212
71-6357	MODEL: NNFD-10, BABCOCK & WILCOX CO.	212
71-6386	MODEL: 235R001, ENERGY, DEPT. OF	212
71-6400	MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	212
71-6406	MODEL: NONE, ENERGY, DEPT. OF	212
71-6441	MODEL: D2G POWER UNIT, ENERGY, DEPT. OF	212
71-6553	MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	212
71-6568	MODEL: LL-60-150, TENNESSEE VALLEY AUTHORITY	212
71-6574	MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	212
71-6581	MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	213
71-6601	MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	213
71-6698	MODEL: NFS-4, NUCLEAR FUEL SERVICES, INC.	213
71-6722	MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY	213
71-9001	MODEL: MP-187, VECTRA TECHNOLOGIES, INC.	213

Docket	Name	Page
71-9009	MODEL: FL 10-1, GENERAL ELECTRIC CO.	213
71-9010	MODEL: NLI-1/2, NAC INTERNATIONAL	213
71-9015	MODEL: TN-8, TRANSNUCLEAR, INC.	213
71-9016	MODEL: TN-9, TRANSNUCLEAR, INC.	213
71-9019	MODEL: BU-7, GENERAL ELECTRIC CO.	213
71-9023	MODEL: NLI-10/24, NAC INTERNATIONAL	213
71-9027	MODEL: 741 & 741E, AMERSHAM CORP.	213
71-9032	MODEL: 650, AMERSHAM CORP.	213
71-9033	MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	213
71-9034	MODEL: TRIGA-1, GENERAL ATOMICS	214
71-9037	MODEL: TRIGA-2, GENERAL ATOMICS	214
71-9057	MODEL: FPD-100, GENERAL ATOMICS	214
71-9067	MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY	214
71-9068	MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY	214
71-9069	MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.	214
71-9073	MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.	214
71-9079	MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	214
71-9086	MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.	214
71-9089	MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.	214
71-9094	MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	214
71-9096	MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	214
71-9099	MODEL: ATR, ENERGY, DEPT. OF	215
71-9108	MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	215
71-9111	MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	215
71-9132	MODEL: T-3, ENERGY, DEPT. OF	215
71-9137	MODEL: 820, AMERSHAM CORP.	215
71-9139	MODEL: 589, GENERAL ELECTRIC CO.	215
71-9143	MODEL: 920, AMERSHAM CORP.	215
71-9147	MODEL: 850, AMERSHAM CORP.	215
71-9151	MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	215
71-9152	MODEL: CNS 1-13C II, ENERGY, DEPT. OF	215
71-9156	MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	215
71-9157	MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	215
71-9159	MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	215
71-9168	MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	215
71-9176	MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	216
71-9177	MODEL: NUPAC 10/140 & LN 10-135A, NUPAC SERVICES, INC.	216
71-9178	MODEL: NUPAC 7/100 & LN 7-100, NUPAC SERVICES, INC.	216
71-9179	MODEL: NUPAC 6/100L & H, LN 6-80L & H, NUPAC SERVICES,	216
71-9183	MODEL: NAC-1, NAC INTERNATIONAL	216
71-9185	MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	216
71-9186	MODEL: S-6213, ENERGY, DEPT. OF	216
71-9196	MODEL: UX-30, NUCLEAR PACKAGING, INC.	216
71-9200	MODEL: 125-B, ENERGY, DEPT. OF	216
71-9202	MODEL: TN-BRP, ENERGY, DEPT. OF	216
71-9203	MODEL: DHTF, B&W FUEL CO.	216
71-9206	MODEL: TN-REG, ENERGY, DEPT. OF	216
71-9208	MODEL: 10-142, NUPAC SERVICES, INC.	216
71-9216	MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	216
71-9217	MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	216
71-9218	MODEL: TRUPACT-II, ENERGY, DEPT. OF	217
71-9221	MODEL: NRBK-41, ENERGY, DEPT. OF	217
71-9222	MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	217
71-9224	MODEL: HN-190-2, SCIENTIFIC ECOLOGY GROUP, INC.	217
71-9225	MODEL: NAC-LWT, NAC INTERNATIONAL	217
71-9228	MODEL: 2000, GENERAL ELECTRIC CO.	217
71-9233	MODEL: TN-RAM, TRANSNUCLEAR, INC.	217
71-9234	MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	217
71-9235	MODEL: NAC-STC, NAC INTERNATIONAL	217
71-9239	MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	217
71-9246	MODEL: ST, COMMERCE, DEPT. OF	217
71-9247	MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.	217
71-9248	MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	218
71-9249	MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	218
71-9250	MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	218
71-9251	MODEL: BW-2901, B&W FUEL CO.	218
71-9252	MODEL: 51032-2, B&W FUEL CO.	218

Docket	Name	Page
71-9253	MODEL: TN-FSV, TRANSNUCLEAR, INC.	218
71-9254	MODEL: 40G-A, NUCLEAR FUEL SERVICES, INC.	218
71-9255	MODEL: MP-187, VECTRA TECHNOLOGIES	218
71-9261	MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	218
71-9263	MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	218
71-9268	MODEL: MSC-1, SIERRA NUCLEAR CORP.	218
71-9269	MODEL: 650L	218
71-9781	MODEL: M-160, ENERGY, DEPT. OF	219
71-9786	MODEL: S3G CBDCA, ENERGY, DEPT. OF	219
71-9787	MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER	219
71-9788	MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	219
71-9793	MODEL: M-140, ENERGY, DEPT. OF	219
71-9853	MODEL: ORNL, BNL & NBS UNIR. CONT., ENERGY, DEPT. OF	219

Licensing of Independent Spent Fuel Storage - Docket 72

72-001	MORRIS OPERATIONS, ISFSI	219
72-0002	SURRY ISFSI 50-280 & 50-281	219
72-0004	OCONEE ISFSI, 50-269, 50-270 & 50-287	219
72-0005	POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	219
72-0007	PALISADES ISFSI GEN LIC/VSC-24, 50-255	220
72-0008	CALVERT CLIFFS ISFSI, 50-317 & 50-318	220
72-0009	FORT ST. VRAIN ISFSI, 50-267	220
72-0010	PRAIRIE ISLAND ISFSI, 50-282 & 50-306	220
72-0011	RANCHO SECO ISFSI, 50-312	220
72-0013	ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	220
72-0015	OYSTER CREEK ISFSI GEN LIC, 50-219	220
72-0016	NORTH ANNA ISFSI - 50-338 & 50-339	221
72-0017	TROJAN ISFSI, 50-344	221
72-0020	DEPARTMENT OF ENERGY ISFSI	221
72-1004	CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	221
72-1007	CASK: VSC-24, SIERRA NUCLEAR, INC.	221
72-1008	CASK: HI-STAR 100, HOLTEC INTERNATIONAL	222
72-1016	CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF	222
72-1021	CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.	222

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page
Low Level Radwaste Disposal Sites - Docket 27		
COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.	27-047	1
LOUISVILLE, KY, U.S. ECOLOGY, INC.	27-048	1
Domestic Licensing of Source Material - Docket 40		
ALCOA, CLEVELAND, OH	40-0501	1
ALLIED-SIGNAL, INC., METROPOLIS, IL	40-3392	2
AMERICAN NUCLEAR CORP., CASPER, WY	40-4492	3
ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD	40-0341	1
ARMY, DEPT. OF, MADISON, IN	40-8838	6
ATLANTIC RICHFIELD CO., GRANTS, NM	40-8902	7
ATLAS CORP., DENVER, CO	40-3453	2
BEAR CREEK URANIUM CO., CASPER, WY	40-8452	5
CABOT CORP. READING & REVERE	40-9027	8
CABOT CORP., BOYERTOWN, PA	40-6940	4
CHEMETRON CORP., PROVIDENCE, RI	40-8724	6
EDWARD LEAD MANUFACTURING, COLUMBUS, OH	40-8995	8
ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT	40-8989	8
EXXON MINERALS CO., USA, HOUSTON, TX	40-8064	5
FAIRLEIGH DICKINSON UNIV., TEANECK, NJ	40-3543	3
FANSTEEL, INC., NORTH CHICAGO, IL	40-7580	4
FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO	40-8943	7
GENERAL ELECTRIC CO., CLEVELAND, OH	40-0534	2
HOMESTAKE MINING CO., GRANTS, NM	40-8903	7
HYDRO RESOURCES, INC., DALLAS, TX	40-8968	8
KENNECOTT URANIUM CO., RAWLINS, WY	40-8584	5
LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO	40-8767	6
MOLYCORP, INC., LOS ANGELES, CA	40-8794	6
NUCLEAR METALS, INC., CONCORD, MA	40-0672	2
NUCLEAR METALS, INC., CONCORD, MA	40-8866	6
PATHFINDER MINES CORP., MILLS, WY	40-8981	8
PATHFINDER MINES CORP., RIVERTON, WY	40-2259	2
PATHFINDER MINES CORP., SHIRLEY BASIN, WY	40-6622	4
PETROTOMICS CO., SHIRLEY BASIN, WY	40-6659	4
PLATEAU RESOURCES, LTD., LAKE POWELL, UT	40-8698	6
POWER RESOURCES, INC., GLENROCK, WY	40-8857	6
QUIVIRA MINING CO., GRANTS, NM	40-8905	7
RIO ALGOM MINING CORP., MOAB, UT	40-8084	5
RMI CO., ASHTABULA, OH	40-2384	2
ROCKY MOUNTAIN ENERGY CO., BROOMFIELD, CO	40-8380	5
RONSON METALS CORP., NEWARK, NJ	40-8843	6
SEQUOYAH FUELS CORP., GORE, OK	40-8027	4
SHIELDALLOY CORP., NEWFIELD, NJ	40-8948	7
SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ	40-7102	4
SOHIO WESTERN MINING CO., SALT LAKE CITY, UT	40-8904	7
TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN	40-1341	2
TOTAL MINERALS CORP., CASPER, WY	40-8502	5
UMETCO MINERALS CORP., BLANDING, UT	40-8681	6
UMETCO MINERALS CORP., RIVERTON, WY	40-0299	1
UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),	40-8907	7
WESTERN NUCLEAR, INC., LAKEWOOD, CO	40-1162	2
YOUNGSTOWN STATE UNIV., YOUNGSTOWN, OH	40-8819	6
Domestic Licensing of Production and Utilization Facilities - Docket 50		
AEROTEST RADIOGRAPHY & RESEARCH REACTOR	50-228	41
AGN-201	50-276	69
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1	50-424	167
ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2	50-425	168
ARKANSAS NUCLEAR ONE, UNIT 1	50-313	97
ARKANSAS NUCLEAR ONE, UNIT 2	50-368	138
ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE	50-170	14
B&W TEST REACTOR	50-200	14
BEAVER VALLEY POWER STATION, UNIT 1	50-334	114
BEAVER VALLEY POWER STATION, UNIT 2	50-412	159
BELLEFONTE NUCLEAR PLANT, UNIT 1	50-438	170
BELLEFONTE NUCLEAR PLANT, UNIT 2	50-439	170
BIG ROCK POINT NUCLEAR PLANT	50-155	12
BRAIDWOOD STATION, UNIT 1	STN-50-456	180
BRAIDWOOD STATION, UNIT 2	STN-50-457	182
BROWNS FERRY NUCLEAR POWER STATION, UNIT 1	50-259	55
BROWNS FERRY NUCLEAR POWER STATION, UNIT 2	50-260	56
BROWNS FERRY NUCLEAR POWER STATION, UNIT 3	50-296	83

Name	Docket	Page
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1	50-325	108
BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2	50-324	107
BYRON STATION, UNIT 1	STN-50-454	176
BYRON STATION, UNIT 2	STN-50-455	178
CALLAWAY PLANT, UNIT 1	STN-50-483	187
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1	50-317	101
CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2	50-318	102
CATAWBA NUCLEAR STATION, UNIT 1	50-413	160
CATAWBA NUCLEAR STATION, UNIT 2	50-414	162
CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR	50-77	11
CLINCH RIVER BREEDER REACTOR	50-537	199
CLINTON POWER STATION, UNIT 1	50-461	185
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1	50-445	174
COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2	50-446	175
COOPER NUCLEAR STATION	50-298	85
CRYSTAL RIVER NUCLEAR PLANT, UNIT 3	50-302	87
DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1	50-346	126
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1	50-275	67
DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2	50-323	105
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1	50-315	98
DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2	50-316	100
DOW CHEMICAL CO.	50-264	60
DRESDEN NUCLEAR POWER STATION, UNIT 1	50-10	9
DRESDEN NUCLEAR POWER STATION, UNIT 2	50-237	41
DRESDEN NUCLEAR POWER STATION, UNIT 3	50-249	48
DUANE ARNOLD ENERGY CENTER	50-331	113
EDWIN I. HATCH NUCLEAR PLANT, UNIT 1	50-321	104
EDWIN I. HATCH NUCLEAR PLANT, UNIT 2	50-366	136
ENRICO FERMI ATOMIC POWER PLANT, UNIT 1	50-16	10
ENRICO FERMI ATOMIC POWER PLANT, UNIT 2	50-341	123
FLOATING NUCLEAR PLANT	STN-50-437	170
FORD NUCLEAR REACTOR	50-2	8
FORKED RIVER NUCLEAR STATION, UNIT 1	50-363	135
FORT CALHOUN STATION, UNIT 1	50-285	75
FORT ST. VRAIN NUCLEAR GENERATING STATION	50-267	62
GENERAL ATOMICS	50-163	14
GENERAL ATOMICS	50-89	11
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-73	11
GENERAL ELECTRIC NUCLEAR TEST REACTOR	50-70	11
GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-160	13
GRAND GULF NUCLEAR STATION, UNIT 1	50-416	163
GRAND GULF NUCLEAR STATION, UNIT 2	50-417	165
GULF OIL CORP., SAN DIEGO, CA	50-234	41
H.B. ROBINSON PLANT, UNIT 2	50-261	58
HADDAM NECK PLANT	50-213	15
HOPE CREEK NUCLEAR STATION, UNIT 1	50-354	130
HUMBOLDT BAY POWER PLANT, UNIT 3	50-133	12
INDIAN POINT STATION, UNIT 1	50-3	8
INDIAN POINT STATION, UNIT 2	50-247	46
INDIAN POINT STATION, UNIT 3	50-286	76
IOWA STATE UNIV. RESEARCH REACTOR	50-116	11
JAMES A. FITZPATRICK NUCLEAR POWER PLANT	50-333	114
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1	50-348	127
JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2	50-364	135
KEWAUNEE NUCLEAR POWER PLANT	50-305	91
KINETIC EXPERIMENT ON WATER BOILERS MODEL (L-47)	50-50	11
LA CROSSE BOILING WATER REACTOR	50-409	158
LASALLE COUNTY STATION, UNIT 1	50-373	141
LASALLE COUNTY STATION, UNIT 2	50-374	143
LIMERICK GENERATING STATION, UNIT 1	50-352	128
LIMERICK GENERATING STATION, UNIT 2	50-353	129
MAINE YANKEE ATOMIC POWER PLANT	50-309	93
MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR	50-20	10
MIDLAND PLANT, UNIT 1	50-329	112
MIDLAND PLANT, UNIT 2	50-330	112
MILLSTONE NUCLEAR POWER STATION, UNIT 1	50-245	43
MILLSTONE NUCLEAR POWER STATION, UNIT 2	50-336	117
MILLSTONE NUCLEAR POWER STATION, UNIT 3	50-423	165
MONTICELLO NUCLEAR GENERATING PLANT	50-263	59
NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR	50-184	14

Name	Docket	Page
NINE MILE POINT NUCLEAR STATION, UNIT 1	50-220	39
NINE MILE POINT NUCLEAR STATION, UNIT 2	50-410	158
NORTH ANNA POWER STATION, UNIT 1	50-338	120
NORTH ANNA POWER STATION, UNIT 2	50-339	122
OCONEE NUCLEAR STATION, UNIT 1	50-269	63
OCONEE NUCLEAR STATION, UNIT 2	50-270	64
OCONEE NUCLEAR STATION, UNIT 3	50-287	77
OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR	50-131	12
OYSTER CREEK NUCLEAR POWER PLANT	50-219	17
PALISADES NUCLEAR PLANT	50-255	53
PALO VERDE NUCLEAR STATION, UNIT 1	STN-50-528	192
PALO VERDE NUCLEAR STATION, UNIT 2	STN-50-529	194
PALO VERDE NUCLEAR STATION, UNIT 3	STN-50-530	197
PAVIA RESEARCH REACTOR	50-230	41
PEACH BOTTOM ATOMIC POWER STATION, UNIT 1	50-171	14
PEACH BOTTOM ATOMIC POWER STATION, UNIT 2	50-277	69
PEACH BOTTOM ATOMIC POWER STATION, UNIT 3	50-278	70
PERRY NUCLEAR POWER PLANT, UNIT 1	50-440	171
PERRY NUCLEAR POWER PLANT, UNIT 2	50-441	172
PILGRIM NUCLEAR POWER STATION, UNIT 1	50-293	80
POINT BEACH NUCLEAR PLANT, UNIT 1	50-266	61
POINT BEACH NUCLEAR PLANT, UNIT 2	50-301	86
POLYTECHNIC INSTITUTE OF NEW YORK RESEARCH REACTOR	50-216	17
PRAIRIE ISLAND NUCLEAR STATION, UNIT 1	50-282	74
PRAIRIE ISLAND NUCLEAR STATION, UNIT 2	50-306	92
QUAD-CITIES STATION, UNIT 1	50-254	51
QUAD-CITIES STATION, UNIT 2	50-265	60
RANCHO SECO NUCLEAR GENERATING STATION	50-312	96
REED COLLEGE RESEARCH REACTOR	50-288	79
RHODE ISLAND & PROVIDENCE PLANTATIONS AEC	50-193	14
RIVER BEND STATION, UNIT 1	50-458	183
ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1	50-244	42
SALEM NUCLEAR GENERATING STATION, UNIT 1	50-272	66
SALEM NUCLEAR GENERATING STATION, UNIT 2	50-311	95
SAN ONOFRE NUCLEAR STATION, UNIT 1	50-206	14
SAN ONOFRE NUCLEAR STATION, UNIT 2	50-361	132
SAN ONOFRE NUCLEAR STATION, UNIT 3	50-362	133
SAXTON NUCLEAR EXPERIMENTAL FACILITY	50-146	12
SEABROOK NUCLEAR STATION, UNIT 1	50-443	172
SEABROOK NUCLEAR STATION, UNIT 2	50-444	173
SEQUOYAH NUCLEAR PLANT, UNIT 1	50-327	109
SEQUOYAH NUCLEAR PLANT, UNIT 2	50-328	111
SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1	50-400	156
SHOREHAM NUCLEAR POWER STATION	50-322	105
SOUTH TEXAS PROJECT, UNIT 1	STN-50-498	189
SOUTH TEXAS PROJECT, UNIT 2	STN-50-499	190
ST. LUCIE PLANT, UNIT 1	50-335	116
ST. LUCIE PLANT, UNIT 2	50-389	149
SURRY POWER STATION, UNIT 1	50-280	71
SURRY POWER STATION, UNIT 2	50-281	73
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1	50-387	146
SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2	50-388	148
TEXAS A&M UNIV. RESEARCH REACTOR	50-128	11
THREE MILE ISLAND NUCLEAR STATION, UNIT 1	50-289	79
THREE MILE ISLAND NUCLEAR STATION, UNIT 2	50-320	103
TROJAN NUCLEAR PLANT	50-344	125
TURKEY POINT PLANT, UNIT 3	50-250	49
TURKEY POINT PLANT, UNIT 4	50-251	50
UNIV. OF FLORIDA TRAINING REACTOR	50-83	11
UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA	50-186	14
UNIV. OF TEXAS RESEARCH REACTOR	50-602	199
UNIV. OF UTAH RESEARCH REACTOR	50-407	157
UNIV. OF VIRGINIA CAVALIER REACTOR	50-396	155
UNIV. OF VIRGINIA RESEARCH REACTOR	50-62	11
UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR	50-223	41
VALLECITOS BOILING WATER REACTOR	50-18	10
VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR	50-183	14
VERMONT YANKEE NUCLEAR POWER STATION	50-271	65
VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1	50-395	153
WATERFORD GENERATING STATION, UNIT 3	50-382	145
WATTS BAR NUCLEAR PLANT, UNIT 1	50-390	151
WATTS BAR NUCLEAR PLANT, UNIT 2	50-391	152
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1	50-369	139

Name	Docket	Page
WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2	50-370	140
WOLF CREEK GENERATING STATION	STN-50-482	186
WPPSS NUCLEAR PROJECT, UNIT 1	50-460	185
WPPSS NUCLEAR PROJECT, UNIT 2	50-397	155
WPPSS NUCLEAR PROJECT, UNIT 3	STN-50-508	192
YANKEE-ROWE NUCLEAR POWER STATION	50-29	10
YUGOSLAVIA RESEARCH REACTOR	50-229	41
ZION NUCLEAR POWER STATION, UNIT 1	50-295	81
ZION NUCLEAR POWER STATION, UNIT 2	50-304	89
AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.	52-003	199
GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.	52-001	199
GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.	52-004	200
SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,	52-002	199
Domestic Licensing of Special Nuclear Material - Docket 70		
B&W FUEL CO., LYNCHBURG, VA	70-1201	205
BABCOCK & WILCOX CO., LYNCHBURG, VA	70-0027	202
BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA	70-0364	203
CIMARRON CORP., OKLAHOMA CITY, OK	70-0925	203
CINTICHEM, INC., TUXEDO, NY	70-0687	203
COMBUSTION ENGINEERING, INC., HEMATITE, MO	70-0036	202
COMBUSTION ENGINEERING, INC., WINDSOR, CT	70-1100	204
EASTMAN KODAK CO., ROCHESTER, NY	70-1703	205
EDLOW INTERNATIONAL CO., WASHINGTON, DC	70-1252	205
GENERAL ATOMICS, SAN DIEGO, CA	70-0734	203
GENERAL ELECTRIC CO., SAN JOSE, CA	70-1308	205
GENERAL ELECTRIC CO., WILMINGTON, NC	70-1113	204
HOSP. AUXILIO MUTUO, HATO REY, PR	70-3009	205
KERR-MCGEE CORP., OKLAHOMA CITY, OK	70-3073	206
LOUISIANA ENERGY SERVICES, WASHINGTON, DC	70-3070	205
NUCLEAR FUEL SERVICES, INC., ERWIN, TN	70-0143	202
NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA	70-0337	203
ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA	70-0025	202
SAXTON NUCLEAR EXPERIMENTAL CORP., SAXTON, PA	70-0963	204
SIEMENS NUCLEAR POWER CORP., RICHLAND, WA	70-1257	205
U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)	70-7001	206
U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION	70-7002	207
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1151	204
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-0048	202
WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA	70-1503	205
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions - Docket 71		
ADVEX CORP.	71-0437	209
AIR FORCE, DEPT. OF	71-0587	210
ALLEGHENY LABORATORIES	71-0555	209
ARIZONA NUCLEAR POWER PROJECT	71-0567	209
B&W FUEL CO.	71-0115	208
CTI, INC.	71-0404	209
CURTIS INSPECTION SERVICES, INC.	71-0749	210
DUQUESNE LIGHT CO.	71-0275	209
EL PASO INSPECTION	71-0848	210
ENTERGY OPERATIONS, INC.	71-0604	210
GENERAL MOTORS CORP.	71-0438	209
GPU NUCLEAR CORP.	71-0334	209
GPU NUCLEAR CORP.	71-0355	209
H&H X-RAY SERVICES, INC.	71-0423	209
HIGH MOUNTAIN INSPECTION SERVICES, INC.	71-0553	209
JAN X-RAY SERVICES, INC.	71-0603	210
MASSACHUSETTS INSTITUTE OF TECHNOLOGY	71-0164	209
MODEL: 10-142, NUPAC SERVICES, INC.	71-9208	216
MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.	71-9247	217
MODEL: 125-B, ENERGY, DEPT. OF	71-9200	216
MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.	71-9222	217
MODEL: 1500, GENERAL ELECTRIC CO.	71-5939	211
MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF	71-5894	211
MODEL: 2000, GENERAL ELECTRIC CO.	71-9228	217
MODEL: 235R001, ENERGY, DEPT. OF	71-6386	212
MODEL: 2767B TRANSPORTATION, DEPT. OF	71-3028	210
MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.	71-6574	212
MODEL: 40G-A, NUCLEAR FUEL SERVICES, INC.	71-9254	218
MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.	71-6581	213
MODEL: 51032-2, B&W FUEL CO.	71-9252	218

Name	Docket	Page
MODEL: 589, GENERAL ELECTRIC CO.	71-9139	215
MODEL: 5984, J.L. SHEPHERD & ASSOCIATES	71-5984	211
MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.	71-6400	212
MODEL: 650, AMERSHAM CORP.	71-9032	213
MODEL: 650L	71-9269	218
MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM	71-9033	213
MODEL: 741 & 741E, AMERSHAM CORP.	71-9027	213
MODEL: 814A, BABCOCK & WILCOX CO.	71-5149	211
MODEL: 820, AMERSHAM CORP.	71-9137	215
MODEL: 850, AMERSHAM CORP.	71-9147	215
MODEL: 920, AMERSHAM CORP.	71-9143	215
MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.	71-6078	212
MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER	71-9787	219
MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.	71-9217	216
MODEL: ATR, ENERGY, DEPT. OF	71-9099	215
MODEL: B-3, CINTICHEM, INC.	71-6058	211
MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY	71-9068	214
MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY	71-9067	214
MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY	71-5950	211
MODEL: BMI-1, CINTICHEM, INC.	71-5957	211
MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY	71-6722	213
MODEL: BU-7, GENERAL ELECTRIC CO.	71-9019	213
MODEL: BW-2901, B&W FUEL CO.	71-9251	218
MODEL: CNS 1-13C II, ENERGY, DEPT. OF	71-9152	215
MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.	71-9216	216
MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,	71-9249	218
MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.	71-9094	214
MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.	71-9096	214
MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.	71-9108	215
MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.	71-9111	215
MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.	71-6601	213
MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.	71-9168	215
MODEL: D2G POWER UNIT, ENERGY, DEPT. OF	71-6441	212
MODEL: DHTF, B&W FUEL CO.	71-9203	216
MODEL: FL 10-1, GENERAL ELECTRIC CO.	71-9009	213
MODEL: FPD-100, GENERAL ATOMICS	71-9057	214
MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO	71-6346	212
MODEL: FSV-3, GENERAL ATOMICS	71-6347	212
MODEL: GE-100, GENERAL ELECTRIC CO.	71-5926	211
MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.	71-4909	210
MODEL: HI-STAR 100, HOLTEC INTERNATIONAL	71-9261	218
MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.	71-9089	214
MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY	71-9151	215
MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.	71-9086	214
MODEL: HN-190-2, SCIENTIFIC ECOLOGY GROUP, INC.	71-9224	217
MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF	71-5797	211
MODEL: IR-100, INDUSTRIAL NUCLEAR CO.	71-9157	215
MODEL: IR-50, INDUSTRIAL NUCLEAR CO.	71-9156	215
MODEL: LL-60-150, TENNESSEE VALLEY AUTHORITY	71-6568	212
MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.	71-9073	214
MODEL: M-130, ENERGY, DEPT. OF	71-6003	211
MODEL: M-140, ENERGY, DEPT. OF	71-9793	219
MODEL: M-160, ENERGY, DEPT. OF	71-9781	219
MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.	71-9239	217
MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.	71-9069	214
MODEL: MODEL B, B&W FUEL CO.	71-6206	212
MODEL: MP-187, VECTRA TECHNOLOGIES	71-9255	218
MODEL: MP-187, VECTRA TECHNOLOGIES, INC.	71-9001	213
MODEL: MSC-1, SIERRA NUCLEAR CORP.	71-9268	218
MODEL: NAC-1, NAC INTERNATIONAL	71-9183	216
MODEL: NAC-LWT, NAC INTERNATIONAL	71-9225	217
MODEL: NAC-STC, NAC INTERNATIONAL	71-9235	217
MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.	71-9234	217
MODEL: NFS-4, NUCLEAR FUEL SERVICES, INC.	71-6698	213
MODEL: NLI-1/2, NAC INTERNATIONAL	71-9010	213
MODEL: NLI-10/24, NAC INTERNATIONAL	71-9023	213
MODEL: NNFD 5X22, BABCOCK & WILCOX CO.	71-9250	218
MODEL: NNFD-10, BABCOCK & WILCOX CO.	71-6357	212
MODEL: NONE, ENERGY, DEPT. OF	71-6406	212

Name	Docket	Page
MODEL: NRBK-41, ENERGY, DEPT. OF	71-9221	217
MODEL: NT-IV TRANSPORTATION, DEPT. OF	71-3027	210
MODEL: NUPAC 10/140 & LN 10-135A, NUPAC SERVICES, INC.	71-9177	216
MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC	71-9159	215
MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.	71-9176	216
MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.	71-9079	214
MODEL: NUPAC 6/100L & H, LN 6-80L & H, NUPAC SERVICES,	71-9179	216
MODEL: NUPAC 7/100 & LN 7-100, NUPAC SERVICES, INC.	71-9178	216
MODEL: OP-100, INDUSTRIAL NUCLEAR CO.	71-9185	216
MODEL: ORNL, BNL & NBS UNIR. CONT., ENERGY, DEPT. OF	71-9853	219
MODEL: PADUCAH TIGER, ENERGY, DEPT. OF	71-6553	212
MODEL: PAT-1, ENERGY, DEPT. OF	71-0361	209
MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.	71-4986	210
MODEL: RAJ-II TRANSPORTATION, DEPT. OF	71-3029	210
MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC	71-5450	211
MODEL: S-6213, ENERGY, DEPT. OF	71-9186	216
MODEL: S3G CBDCA, ENERGY, DEPT. OF	71-9786	219
MODEL: S5W POWER UNIT, ENERGY, DEPT. OF	71-5580	211
MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF	71-9788	219
MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF	71-5757	211
MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.	71-9248	218
MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.	71-9263	218
MODEL: ST, COMMERCE, DEPT. OF	71-9246	217
MODEL: T-2, ENERGY, DEPT. OF	71-5607	211
MODEL: T-3, ENERGY, DEPT. OF	71-9132	215
MODEL: TN-8, TRANSNUCLEAR, INC.	71-9015	213
MODEL: TN-9, TRANSNUCLEAR, INC.	71-9016	213
MODEL: TN-BRP, ENERGY, DEPT. OF	71-9202	216
MODEL: TN-FSV, TRANSNUCLEAR, INC.	71-9253	218
MODEL: TN-RAM, TRANSNUCLEAR, INC.	71-9233	217
MODEL: TN-REG, ENERGY, DEPT. OF	71-9206	216
MODEL: TRIGA-1, GENERAL ATOMICS	71-9034	214
MODEL: TRIGA-2, GENERAL ATOMICS	71-9037	214
MODEL: TRUPACT-II, ENERGY, DEPT. OF	71-9218	217
MODEL: UNC-2600, UNITED NUCLEAR CORP.	71-5086	210
MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.	71-6294	212
MODEL: UX-30, NUCLEAR PACKAGING, INC.	71-9196	216
MODEL: WAPD-40, ENERGY, DEPT. OF	71-5874	211
NUCLEAR CONTAINERS, INC.	71-0179	209
PENN INSPECTION CO.	71-0503	209
QC LABORATORIES, INC.	71-0429	209
QUALITY SYSTEMS NDE, LTD.	71-0721	210
SCIENTIFIC ECOLOGY GROUP, INC.	71-0496	209
SENIOR ENGINEERING CO.	71-0579	209
SHAFER VALVE CO.	71-0600	210
TRIAD NONDESTRUCTIVE TESTING, INC.	71-0733	210
UNITED STATES ENRICHMENT CORPORATION	71-0832	210
UNIVERSITY OF MISSOURI-ROLLA	71-0844	210
WESTERN STRESS, INC.	71-0637	210
Licensing of Independent Spent Fuel Storage - Docket 72		
ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368	72-0013	220
CALVERT CLIFFS ISFSI, 50-317 & 50-318	72-0008	220
CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF	72-1016	222
CASK: HI-STAR 100, HOLTEC INTERNATIONAL	72-1008	222
CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.	72-1004	221
CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.	72-1021	222
CASK: VSC-24, SIERRA NUCLEAR, INC.	72-1007	221
DEPARTMENT OF ENERGY ISFSI	72-0020	221
FORT ST. VRAIN ISFSI, 50-267	72-0009	220
MORRIS OPERATIONS, ISFSI	72-001	219
NORTH ANNA ISFSI - 50-338 & 50-339	72-0016	221
OCONEE ISFSI, 50-269, 50-270 & 50-287	72-0004	219
OYSTER CREEK ISFSI GEN LIC, 50-219	72-0015	220
PALISADES ISFSI GEN LIC/VSC-24, 50-255	72-0007	220
POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301	72-0005	219
PRAIRIE ISLAND ISFSI, 50-282 & 50-306	72-0010	220
RANCHO SECO ISFSI, 50-312	72-0011	220
SURRY ISFSI 50-280 & 50-281	72-0002	219
TROJAN ISFSI, 50-344	72-0017	221
UNKNOWN	DOCKET	1
UNKNOWN	DOCKET	208
UNKNOWN	DOCKET	201

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-047 COLUMBIA, SC, CHEM-NUCLEAR SYSTEMS, INC.

9604150065 Forwards application for renewal of license 12-13536-01.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 96/04/09. HARRIS,T.E. Office of Nuclear Material Safety & Safeguards. 3pp. 87872:202-87873:182.

--9604150067 Application for amend,renewing license 12-13536-01.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 96/04/09. 340pp. 87872:207-87873:182.

9604250174 Forwards invoice of cost of insp conducted on 940623 & 1012, based on hourly rate.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/02/22. HOUSE,W.B. Chem-Nuclear Systems, Inc. 3pp. 88036:155-88036:161.

--9209290055 Safety insp on 920623 of license 12-13536-01.Insp findings: no violations noted.
* Region 2 (Post 820201). 92/06/23. 1p. 88036:158-88036:161.

9604050174 Informs that NRC identified staff to be available to assist in review & R Hogg will provide requested criticality safety technical assistance,as requested.
PIERSON,R.C. Licensing Branch. 96/03/11. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 87773:331-87773:332.

9604030136 Grants variance from condition 1.c of matls license 12-13536-01 to dispose of 67 boxes/drums of miscellaneous dry active waste from Scientific Ecology Group at Barnwell disposal facility.
HARRIS,T.E. Division of Waste Management (NMSS 940403). 96/03/25. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 87746:334-87746:335.

9604120304 Forwards repts for waste containing special nuclear matl, disposed at Chem-Nuclear Sys,Inc,Barnwell,SC facility during CY95.
STILL,J. Chem-Nuclear Systems, Inc. 96/03/29. WEBER,M.F. Office of Nuclear Material Safety & Safeguards. 5pp. 87871:344-87871:348.

9604120151 Application for renewal of license 12-13536-01 in 1 conjunction w/951010 amend request to incorporate changes implemented due to issuance of SC Dept of Health & Environ Control License 097,Amend 46.
HOUSE,W.B. Chem-Nuclear Systems, Inc. 96/04/09. HARRIS,T.E. Office of Nuclear Material Safety & Safeguards. 3pp. 87868:281-87868:283.

9604190192 Grants variance from condition 1.c to dispose of 4 Alpha Scintillators containing Pu sources totalling 0.08 uCi,from OHM Remediation Svcs Corp.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/12. STILL,J. Chem-Nuclear Systems, Inc. 2pp. 87937:354-87937:355.

9604190196 Grants variance from condition 1.c of license 12-13536-01 to dispose of several high integrity containers containing dewatered resin & filters from Yankee Atomic Electric Co.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/12. STILL,J. Chem-Nuclear Systems, Inc. 3pp. 87939:300-87939:301.

DOCKET 27-048 LOUISVILLE, KY, U.S. ECOLOGY, INC.

9604250162 Forwards invoice for cost of insp on 950621.Charges based on hourly rate in effect at time insp activities,occurred.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/02/22. PALMER,A.J. U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 3pp. 88013:334-88013:337.

--9604250167 Safety insp on 950621 of license 16-19204-01.Insp findings: no violations noted.
* Walnut Creek Field Ofc, R4 (Post 940404). * U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.). 95/06/21. 1p. 88013:337-88013:337.

9604190220 Informs that NRC has completed initial review of license renewal application dtd 931028 in areas of performance assessment & criticality safety.
HARRIS,T.E. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/09. PALMER,A.J. American Ecology Corp. 3pp. 87939:331-87939:333.

DOCKET DOCKET UNKNOWN

9604040086 Third final response to FOIA requests for documents.Records in App D will be made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. DEKOK,D. Affiliation Not Assigned. 6pp. 87815:001-87815:246.

--9604050375 Forwards reinspection rept involving noncompliance in which rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/any radiation caution sign re insp of licenses SNM-38,SNM-87 & SMB-152.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/10/19. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 3pp. 87815:197-87815:199.

--9604050400 Safety insp on 610801-02 of licenses SNM-38,SNM-87 & SMB-152.Noncompliance noted:rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/radiation caution sign & sym.
KLEVIN,P.B. Atomic Energy Commission (Pre 750119). * Westinghouse Electric Corp. 61/10/13. 22pp. 87815:200-87815:222.

9604020025 Informs that futher review of terminated docket 04002234, license SUB-0755,by Region I,unnecessary & forwards file for disposition.W/o encl.
BELLAMY,R.R. Region 1 (Post 820201). 96/03/20. HOWELL,L.L. Region 4 (Post 820201). 2pp. 87702:118-87702:119.

9604080331 Identifies Allied Chemical & Dye Corp,docket 4000364,license SUB-337 as retired.Review by ORNL identified subj license as site which requires addl review.Site being removed from list of ORNL identified sites.
GORDON,C.Z. Region 1 (Post 820201). 96/04/01. ALDRICH,R. New York, State of. 5pp. 87772:261-87772:267.

--9604080341 Responds to 940105 ltr re docket 4000364 Allied Chemical & Dye Corp license SUB-337.Submits info revealed during investigation.
FREEMAN,E.J. Allied-Signal Corp. 96/01/22. BELLAMY,R.R. Region 1 (Post 820201). 1p. 87772:266-87772:266.

--9604080349 Informs that Allied Chemical,docket 4000364,applied for license from State of NY on 640413,citing SUB-337 as previous license.License terminated in 1972 but facility still maintains license for premises.
ALDRICH,R. New York, State of. 95/05/25. GORDON,C. Region 1 (Post 820201). 1p. 87772:267-87772:267.

9604250019 Forwards insp rept 40-1957/95-01 on 951205.No violations noted.
POTTER,J.P. Region 2 (Post 820201). 96/04/08. SMITH,W.W. . 2pp. 87996:308-87996:317.

--9604250026 Insp rept 40-1957/95-01 on 951205.No violations noted.Major areas inspected:licensee remediation efforts at Plant 4 site of former wash down room & sump.
COLLINS,D.J., POTTER,J.P. Region 2 (Post 820201). 96/04/08. 8pp. 87996:310-87996:317.

9604290377 Forwards,for docket 40008687,response to violations noted in insp rept 40-8687/96-01 on 960123-25.Corrective actions: changed mill circuit by disconnecting yellowcake hopper from baghouse.
DEAL,W.N. Energy Fuels Nuclear, Inc. 96/04/24. Document Control Branch (Document Control Desk). 4pp. 88053:357-88053:360.

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0299 UMETCO MINERALS CORP., RIVERTON, WY

9604190069 Forwards preliminary draft rept, "Background Land Conditions at Gas Hills U Project,Matls License SUA-648."
GIECK,T. UMETCO Minerals Corp. 96/04/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M. NRC - No Detailed Affiliation Given. 1p. 87989:001-87990:235.

--9604190072 Preliminary draft "Background Land Conditions at Gas Hills U Project Matls License SUA-648." W/three oversize drawings.
* UMETCO Minerals Corp. 96/04/15. 598pp. 87989:002-87990:235.

9604100091 Notification of 960430 meeting w/licensee in Rockville,MD to discuss proposed changes to reclamation plans for above- grade,A-9 & heap leach impoundments at Gas Hills,WY site.
HAQUE,M. Division of Waste Management (NMSS 940403). 96/04/05. Division of Waste Management (NMSS 940403). 1p. 87831:351-87831:351.

9604300117 Application for amend to License SUA-648,permitting const of lined evaporation as part of groundwater corrective action plan.
GIECK,T. UMETCO Minerals Corp. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88066:357-88066:357.

9604300126 Application for amend to License SUA-648,License Condition 17 re ALARA audits.
HAMRICK,J.S. UMETCO Minerals Corp. 96/04/24. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HAQUE,M.W. NRC - No Detailed Affiliation Given. 2pp. 88060:359-88060:360.

9604290170 Forwards staff Technical Evaluation Rept & revised license in response to 960325,960424 & 951027 ltrs.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/04/25. GIECK,T.E. UMETCO Minerals Corp. 3pp. 88036:314-88036:330.

--9604290178 Amend 32 to license SUA-648 for Umetco Minerals Corp.
HOLONICH,J.J. Uranium Recovery Licensing Branch. 96/04/25. 14pp. 88036:317-88036:330.

DOCKET 40-0341 ANNE ARUNDEL COUNTY/CURTIS BAY, BALTIMORE, MD

9604030263 Submits response to 960118 ltr transmitting Final Status Survey Rept for soil at former Defense Logistics Agency facility in Curtis May,MD.
ORLANDO,D.A. Division of Waste Management (NMSS 940403). 96/03/16. REILLY,F.K. Defense, Dept. of, Defense Logistics Agency. 12pp. 87752:211-87752:222.

DOCKET 40-0501 ALCOA, CLEVELAND, OH

9604170393 Forwards federal register notice re Aluminum Company of America-removal from the site decommissioning management plan for publication.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/09. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 4pp. 87933:203-87933:209.

--9604170403 Notice of removal from site decommissioning mgt plan for Cleveland works facility of Aluminum Co of America,Inc.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/09. 1p. 87933:208-87933:209.

9604290108 Responds to ltr dtd 950325,requesting status rept on release for unrestricted use of Aluminum Co of America permanent mold property in Cleveland,OH.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/15. HOKE,M.R. House of Rep. 6pp. 88057:150-88057:155.

9604230151 Press release 96-60, "NRC Releases ALCOA Site in OH for Unrestricted Use Following Cleanup of Radioactive Contamination."
* Office of Public Affairs (Post 911117). 96/04/17. 1p. 87994:244-87994:244.

DOCKET 40-0534 GENERAL ELECTRIC CO., CLEVELAND, OH

9604010058 Forwards Rev 0 to Procedure 82A8044, "Radiological Respiratory Protection Manual."
ZIELINSKI,A.M. General Electric Co. 96/03/25. MILLER,H. Region 3 (Post 820201). 1p. 87695:331-87695:357.

-9604010065 Rev 0 to Procedure 82A8044, "Radiological Respiratory Protection Manual."
* Nuclear Energy Services, Inc. 96/03/25. 26pp. 87695:332-87695:357.

9604290332 Approves revised Decommissioning & Decontamination Plan for Tungsten Product Plant.
MCCORMICK-BARGE Region 3 (Post 820201). 96/04/24. ZIELINSKI,A.M. General Electric Co. 1p. 88021:303-88021:303.

DOCKET 40-0672 NUCLEAR METALS, INC., CONCORD, MA

9604030370 Forwards insp repts 40-0672/96-01 & 40-8866/96-01 on 960227-28 & NOV.
BELLAMY,R.R. Region 1 (Post 820201). 96/03/26. QUINN,R. Nuclear Metals, Inc. 4pp. 87721:230-87721:243.

-9604030374 Notice of violation from insp on 960227-28.Violation noted:as of 960227,licensee did not make surveys to assure compliance w/ 10CFR20.1204(a),which requires suitable & timely measurements of concentrations of matls in work area.
* Region 1 (Post 820201). 96/03/26. 3pp. 87721:234-87721:236.

-9604030378 Insp repts 40-0672/96-01 & 40-8866/96-01 on 960227-28. Violations noted.Major areas inspected:response to unplanned fire including emergency response,personnel radiation protection program & incident investigation.
MILLER,M., BELLAMY,R. Region 1 (Post 820201). 96/03/22. 7pp. 87721:237-87721:243.

9604110200 Forwards corrected page 6 of insp repts 40-0672/96-01 & 40-8866/96-01.Effluent control limit & gross/alpha beta results should have had negative exponents.
BELLAMY,R.R. Region 1 (Post 820201). 96/04/04. QUINN,R. Nuclear Metals, Inc. 3pp. 87850:119-87850:122.

-9604110237 Revised page 6 to insp rept 40-0672/96-01 & 40-8866/96-01, correcting effluent limits & sample results discussed in section 6.
* Region 1 (Post 820201). 96/04/04. 1p. 87850:122-87850:122.

DOCKET 40-1162 WESTERN NUCLEAR, INC., LAKEWOOD, CO

9604040155 "Annual Rept 1995 Permit 381C,A-4 810925 June 1994 - May 1995." W/ one oversize drawing & 950925 ltr.
BAKER,S.J. Western Nuclear, Inc. 95/05/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 19pp. 87814:001-87814:018.

9604040114 Requests NRC concurrence on primary consolidation achieved in remaining tailings areas to be reclaimed via const from 1996 through Rn barrier completion.
BAKER,S.J. Western Nuclear, Inc. 96/03/18. HOLONICH,J.J., HAQUE,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 36pp. 87752:261-87752:338.

9604030308 Requests amend to license condition 74C to modify ground vol water corrective action program requirements re reducing of ground water pumped & reducing number of wells from which ground water will be extracted.
BAKER,S.J. Western Nuclear, Inc. 96/03/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 13pp. 87752:177-87752:189.

9604170278 Responds to review of settlement data submitted by ltr on 960318.Loading conditions complete & monitoring may be discontinued.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/12. BAKER,S.J. Western Nuclear, Inc. 1p. 87947:360-87947:360.

9604180408 Forwards S&L ltr re removal of Western Nuclear,Inc,Day Loma site from long-term care.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/16. VIRGONA,J.E. Energy, Dept. of. 3pp. 87949:324-87949:349.

9604290201 Transmits addl questions re final Radiological Verification Program proposed by Western Nuclear,Inc per 960418,22 & 24 telcons w/NRC technical staff requesting info.
BAKER,S.J. Western Nuclear, Inc. 96/04/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88057:239-88057:241.

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

9604050080 Expresses author appreciation for presentation made by T Hayslett during recent US NRC/Natl Mining Assoc workshop.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/20. CARIER,P. Tennessee Valley Authority. 1p. 87807:210-87807:210.

9604030225 Informs TVA of actions to be completed before NRC can terminate license SUA-816 transferring Edgemont,SD U Mill Tailings Disposal Site to DOE for long-term care.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/03/29. CARIER,P. Tennessee Valley Authority. 1p. 87746:359-87746:359.

9604190073 Forwards draft "Long-term Surveillance Plan for DOE TN Valley Authority (UMTRCA Title II) Disposal Site Edgemont, SD."
VIRGONA,J.E. Energy, Dept. of. 96/04/15. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87983:262-87983:306.

-9604190081 Draft "Long-Term Surveillance Plan for DOE TN Valley Authority (UMTRCA Title II) Disposal Site Edgemont,SD." W/one oversize drawing.
* Energy, Dept. of. 96/04/15. 44pp. 87983:263-87983:306.

DOCKET 40-2259 PATHFINDER MINES CORP., RIVERTON, WY

9604010043 Requests addl info re 960112 submittal providing responses to proposed resolutions to NRC comments re geotechnical aspects of Lucky McMill reclamation plan.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/03/26. HARDGROVE,T.W. Pathfinder Mines Corp. 3pp. 87695:321-87695:323.

9604030068 Modifies 950227 amend request,allowing performance of annual technical evaluation of dam 4 by licensed professional engineer familiar w/design,const & operation of embankment & withdrawing request to delete annual ALARA audit.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/03/27. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 87746:322-87746:322.

9604040163 Forwards amend 45 to license SUA-672 for Pathfinder Mines Corp,revising monitoring & reporting requirements resulting from decommissioning.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/03/29. HARDGROVE,T.W. Pathfinder Mines Corp. 8pp. 87770:323-87770:343.

-9604040167 Amend 45 to license SUA-672 for Pathfinder Mines Corporation re revision of mill monitoring & reporting requirements.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/03/29. 13pp. 87770:331-87770:343.

DOCKET 40-2384 RMI CO., ASHTABULA, OH

9604010405 Forwards response to NRC 960126 comments on RMI decommissioning plan & SCR.
HENDERSON,J.W. RMI Co. 96/03/25. ULECK,R. NRC - No Detailed Affiliation Given. 24pp. 87718:200-87718:270.

-9604010409 "Site Treatment Plan Developed Under Federal Facility Compliance Act for RMI Titanium Co Extrusion Plant Ashtabula,OH."
* RMI Co. * Affiliation Not Assigned. * MAC Technical Services Co. 95/09/25. 47pp. 87718:224-87718:270.

DOCKET 40-3392 ALLIED-SIGNAL, INC., METROPOLIS, IL

9604020044 Discusses insp rept 40-3392/96-01 on 960304-08 & forwards notice of violation.
SHEAR,G.L. Region 3 (Post 820201). 96/03/25. KOSMIDER,M. Allied-Signal Corp. 2pp. 87701:319-87701:332.

-9604020084 Notice of violation from insp on 960304-08.Violation noted:licensee did not take label samples on representative employees to verify results from mixed air samplers,interval exceeding 1 yr.
SHEAR,G.L. Region 3 (Post 820201). 96/03/25. 2pp. 87701:321-87701:322.

-9604020092 Insp rept 40-3392/96-01 on 960304-08.Violations noted. Major areas inspected:management organization & controls, operator training,operations & radiation protection.
* Region 3 (Post 820201). 96/03/25. 10pp. 87701:323-87701:332.

9604020096 Forwards listed info re NRC decommissioning cost financial assurance test.
STEVINSON,S.R. Allied-Signal Corp. 96/03/27. PIERSON,R. NRC - No Detailed Affiliation Given. 70pp. 87724:001-87724:070.

9604100024 Responds to NRC 960325 ltr re violation noted in insp rept 40-3392/96-01.Corrective actions:lapel sampling will be performed on representative employees working in feed matls bldg & lapel monitoring completed before 960601.
KOSMIDER,M.D. Allied-Signal Corp. 96/03/28. Document Control Branch (Document Control Desk). 1p. 87831:334-87831:334.

9604080297 Forwards original self-guarantee ltr signed by F Poses of AlliedSignal for incorporation into financial records for license.
PIERSON,R.C. Licensing Branch. 96/04/04. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 87817:191-87817:196.

-9604080303 Forwards original self-guarantee ltr signed by F Poses of AlliedSignal dtd 940330.
KOSMIDER,M.D. Allied-Signal Corp. 96/02/27. LAMASTRA,M. Licensing Branch. 1p. 87817:193-87817:196.

9604080309 Forwards listed financial documents in support of decommissioning cost financial assurance test,for incorporation into financial records for license SMB-526.
PIERSON,R.C. Licensing Branch. 96/04/04. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 87817:256-87817:262.

DOCKET 40-3453 ATLAS CORP., DENVER, CO

9604120206 Transcript of 960228 hearing in Moab,UT re waste mgt U recovery.Pp 1-164.Presentation slides encl.
HOLONICH,J.J., FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). REED,R.M. Oak Ridge National Laboratory. 96/02/28. 194pp. 87856:168-87856:363.

9604090136 Forwards compilation of matl which address estimated costs re licensee proposed on-site reclamation of U mill & tailings site located in Moab.
BLUBAUGH,R.E. Atlas Corp. 96/04/03. NRC - No Detailed Affiliation Given. 219pp. 87819:039-87819:257.

9604120179 Discusses DEIS,NUREG-1531 & DTER,NUREG-1532 re Atlas tailings issue.
JENSEN,D. Affiliation Not Assigned. 96/03/15. Grand County, UT. 2pp. 87888:003-87888:004.

9604090028 Comments on concerns about the disposal plans for Atlas Tailings Pile from Moab in Grand County,UT.
STEINBAUER,D., STEINBAUER,M. Affiliation Not Assigned. 96/03/19. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87830:358-87830:359.

9604020377 Appreciates NRC taking time to read author ltr,respond in kind & to re-review entire proposed reclamation of U mill tailings at Atlas site in Moab,UT.
MAY,M.M. Affiliation Not Assigned. 96/03/22. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87726:339-87726:341.

9604020356 Expresses support for moving Atlas tailing pile to Klondike Flats Plateau site instead of Atlas preferred alternative of capping pile in place.
COTTINGHAM,J.S., COTTINGHAM,K.T. Affiliation Not Assigned. 96/03/25. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87727:353-87727:354.

9604040156 Comments on NUREG-1532 re draft TER for proposed revised reclamation plan for Atlas Corp Moab mill source matl license.
CHRITIE,R.L. Utah, State of. 96/03/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 87752:339-87752:352.

9604120083 Requests clarification of "otherwise in the public interest" re final timeliness in decommissioning rule.
THOMPSON,A.J. Shaw, Pittman, Potts & Trowbridge. 96/03/25. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 5pp. 87877:147-87877:164.

9604030418 Expresses concerns re DEIS & DTER re reclamation of U mill tailings at Atlas site of Moab,UT.
FRIEDMAN,B. Affiliation Not Assigned. 96/03/27. Division of Waste Management (NMSS 940403). 2pp. 87752:233-87752:234.

9604100216 Record of telcon w/Atlas Corp & Woodward-Clyde re Atlas draft technical evaluation rept geology open issues 1 through 5.
FLIEGEL,M. Division of Waste Management (NMSS 940403). 96/03/27. 2pp. 87833:358-87833:359.

9604020351 Expresses concerns re Atlas tailing pile in Moab,UT.
SAVARESE,J. Affiliation Not Assigned. 96/03/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87727:355-87727:356.

9604020385 Submits comments on draft EIS & draft TER re proposed reclamation of Atlas U mill tailings pile near Moab,UT.
BEUHLER,M.D. Affiliation Not Assigned. 96/03/28. FLIEGEL,M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 87726:334-87726:338.

9604020410 Advises that licensee has conducted annual survey of land use within two mile area of mill site.
BLUBAUGH,R.E. Atlas Corp. 96/03/28. HILONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87731:354-87731:356.

9604030029 Summarizes 960319 meeting in Moab to give those concerned w/ process & technical issues re on-site vs relocation remediation options,access to experts that Atlas retained to address issues.
BLUBAUGH,R.E. Atlas Corp. 96/03/29. Affiliation Not Assigned. 2pp. 87746:308-87746:309.

9604090013 Comments on locating the Moab fault & defining bedrock profiles in the vicinity of the tailings mound.Both were accomplished & data recorded.
COOKSLEY,J.W. Affiliation Not Assigned. 96/04/01. Grand County, UT. 1p. 87831:102-87831:102.

9604120313 Requests that NRC support option to insure Atlas Tailings Pile can & will be moved to Plateau Site.
KEHOE,S., MING,E. Affiliation Not Assigned. 96/04/02. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87871:357-87871:358.

9604100155 Forwards amend 27 to license SUA-917 & TER.Amend changes reclamation milestone for windblown tailings cleanup,license condition 55A.(1).
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/08. BLUBAUGH,R. Atlas Corp. 7pp. 87834:339-87834:356.

--9604100164 Amend 27 to license SUA-917 for Atlas Corp,changing condition 55A.(1) re completion date for windblown tailings cleanup.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/08. 11pp. 87834:346-87834:356.

9604180057 Responds to 960315 ltr re Atlas Corp U milling facility in Moab,UT & comments on NRC draft EIS for cleanup of facility.
OWENDOFF,J.M. Energy, Dept. of. 96/04/08. HAZEN,G.A. Affiliation Not Assigned. 3pp. 87948:340-87948:342.

9604180042 Identifies concerns about Atlas Tailings Pile near Moab,UT, including comments on DEIS & licensee proposal to cap in place tailings pile.
ERLEY,D.D., NOTENBOOM,B. Affiliation Not Assigned. 96/04/09. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 4pp. 87942:324-87942:327.

9604180386 Record of telcon w/Atlas Corp,Smith Environmental & Woodward Clyde re Atlas draft technical evaluation rept geology open issues 4 & 5.
FLIEGEL,M. Division of Waste Management (NMSS 940403). 96/04/09. 2p. 87948:349-87948:350.

9604160299 Forwards document received during 960228 town meeting in Moab,UT.
GARCIA,A. NRC - No Detailed Affiliation Given. 96/04/11. MCKNIGHT,J. Document Control Branch (Document Control Desk). 2pp. 87923:264-87923:265.

9604180092 Forwards ltr regarding Atlas Tailings in Moab,UT.
YOUELL,N.N. Affiliation Not Assigned. 96/04/11. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 87903:332-87903:335.

9604250073 Opposes decision to move tailings pile at Atlas Corp mill in Moab to another site.Move would be too costly & could create greater health hazard,thus not achieving desired purpose.
SENSENBRENNER Affiliation Not Assigned. 96/04/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87998:159-87998:159.

9604250114 Provides comments re Atlas proposed reclamation plan to cap tailings pile in place,which meets no health & safety criteria,rather than transporting pile to environmentally & socio-economically safer Plateau site.
HAWKINS,P. Affiliation Not Assigned. 96/04/14. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 88023:256-88023:259.

9604290221 Expresses support for leaving Atlas tailings pile in present place by capping tailings pile.
BOULDEN,O.E. Affiliation Not Assigned. 96/04/16. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88057:291-88057:293.

9604220019 Transmits Water Quality data from CO River at Moab Bridge.
MORTON,L. Utah, State of. 96/04/17. FLIGEL,M. . 9pp. 87974:349-87974:357.

9604250159 Approves & urges NRC to let Atlas cap tailings pile where it is.
NOORLANDER,L. Affiliation Not Assigned. 96/04/17. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 88022:358-88022:359.

9604240296 Forwards water quality results for samples pulled from CO River below Atlas near Potash Road over the last yr.
MORTON,L. Utah, State of. 96/04/18. FLIGEL,M. NRC - No Detailed Affiliation Given. 9pp. 88010:259-88010:267.

9604240346 Submits situation w/Atlas tailings pile,concerning issue to move tailings pile & convinced would be far safer,take less time & more effective to cap pile in place.
JENSEN,W.M. Affiliation Not Assigned. 96/04/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88010:332-88010:332.

9604250055 Discusses draft EIS & draft TER which was available in PDR 960130 re Atlas Corp tailings pile near Moab,UT.
BUNKALL,L.D. Affiliation Not Assigned. 96/04/18. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87997:359-87997:360.

9604290225 Expresses support for capping Atlas mill tailings in place.
BLOOM,R.G. Affiliation Not Assigned. 96/04/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88057:295-88057:296.

9604300440 Expresses feelings re situation w/Atlas tailings site northwest to Moab,suggesting that it would not only be cheaper,but safer to cap tailings pile rather than attempt to move pile.
DALTON,R.L. Affiliation Not Assigned. 96/04/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88067:253-88067:254.

9604300446 Expresses support to cap Atlas tailings pile near Moab,UT.
KLEPZIG,R. Affiliation Not Assigned. 96/04/19. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88064:349-88064:350.

9604290233 Urges NRC to let licensee close tailings pile in present place.
NOORLANDER,D. Affiliation Not Assigned. 96/04/20. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. 88057:280-88057:283.

9604290186 Expresses concern re situation w/Atlas tailings pile. N Dalton convinced that it would be safer,take less time & be more cost-effective to cap tailings pile in place.
DALTON,N. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88057:204-88057:205.

9604300441 Submits comment on draft EIS & draft TER re Atlas Corp tailing pile located near Moab,UT.
STEPHENSON,H. Affiliation Not Assigned. 96/04/22. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88067:255-88067:257.

9604300442 Informs that BA Broughton in favor of leaving U tailings at Moab,UT mill site in place & capping tailings.
BROUGHTON,B.A. Affiliation Not Assigned. 96/04/23. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 2pp. 88067:258-88067:259.

9604290251 Expresses support of concept of burial in place or capping re reclamation of U tails at Atlas site,NW Moab,UT Valley.
MCDOUGALD,W.D. Geological Services, Inc. 96/04/24. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 4pp. 88038:345-88038:348.

DOCKET 40-3543 FAIRLEIGH DICKINSON UNIV., TEANECK, NJ

9604190322 Transmits sampling data for Atlas Tailings seep.
MORTON,J. Utah, State of. 96/04/17. FLIGEL,M. . 4pp. 87939:265-87939:268.

DOCKET 40-4492 AMERICAN NUCLEAR CORP., CASPER, WY

9604170087 Forwards Vols 1 & 2 to "American Nuclear Corp Site Final Reclamation Plan for Tailings Pond 2." W/thirty-one oversize drawing.
BRUXVOORT,K. Shepherd Miller, Inc. 96/04/10. MOXLEY,M. Wyoming, State of. 1p. 87982:001-87983:130.

--9604170090 Vols 1 & 2 to "American Nuclear Corp Site Final Reclamation Plan for Tailings Pond 2."
* Shepherd Miller, Inc. 96/04/09. 494pp. 87982:002-87983:130.

9604020062 Forwards rept documenting completion of Phase I of ANC reclamation project.Phase involved cleanup & removal of by- product matls from old Bullrush Heap Leach & placement of matl on tailings Pond 1.
MOXLEY,M. Wyoming, State of. 96/03/08. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87724:222-87724:263.

--9604020181 "WY Dept of Environ Quality Land Quality Div American Nuclear Tailings Reclamation Project Phase I Bullrush Heap Leach Reclamation Completion Rept."
* Wyoming, State of. 96/03/08. 41pp. 87724:223-87724:263.

9604120165 Forwards Confirmatory Order for reclamation of American Nuclear Corp Gas Hills U Mill site,which includes changes made in response to State of WY comments on draft order.
PAPERIELLO,C.J. Uranium Recovery Licensing Branch. 96/04/08. HEMMER,D. Wyoming, State of. 3pp. 87867:344-87867:358.

--9604120192 Confirmatory Order for reclamation of American Nuclear Corp Gas Hills Wyoming site.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/08. Wyoming, State of. 13pp. 87867:347-87867:358.

9604190127 Submits draft confirmatory order for American Nuclear tailings reclamation project.
CHANCELLOR,R. Wyoming, State of. 96/04/11. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87957:337-87957:338.

9604220144 Discusses alternate method of windblown cleanup at Gas Hills site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/18. MOXLEY,M. Wyoming, State of. 1p. 87972:353-87972:353.

9604220149 Documents 960415 meeting w/licensee to determine course of action taken in response to 960411 ltr,received from WY dept environ quality.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/18. JACKSON,G.C. Division of Accounting & Finance (Post 890205). 2pp. 87953:313-87953:314.

DOCKET 40-6622 PATHFINDER MINES CORP., SHIRLEY BASIN, WY

9604030215 Forwards annual rept on groundwater corrective action program at Shirley Basin mill & tailings site,in response to license condition 47D.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/03/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 87753:001-87753:218.

--9604030220 "Hydrologic Monitoring for Shirley Basin's Tailings Seepage Control Plan."
MICHEL,T.G. Hydro-Engineering. 96/03/31. 200pp. 87753:002-87753:218.

9604020438 "Semi-Annual ALARA Audit Rept Shirley Basin Mill & Tailings Site for Period July-Dec 1995." W/960306 ltr.
HARDGROVE,T.W. Pathfinder Mines Corp. 95/12/31. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 5pp. 87721:356-87721:360.

9604030034 Requests withdrawal from further consideration by NRC,LAR dtd 930827 re proposed schedule for accomplishing key components of Shirley Basin site reclamation.Modified proposal will be sent to NRC under separate cover.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/03/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87746:313-87746:313.

9604020425 Application for amend to License SUA-442,incorporating windblown tailings retrieval & placement on tailings pile for 971231.
HARDGROVE,T.W. Pathfinder Mines Corp. 96/03/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87731:345-87731:345.

9604020397 Forwards signed original & electronic version on floppy diskette of FR notice announcing receipt of application from Pathfinder Mines Corp to amend source matl for Shirley Basin WY site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/29. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 87727:349-87727:352.

--9604020402 Notice of receipt of application from Pathfinder Mines Corp to include site-reclamation milestones in source matl for Shirley Basin,WY U mill site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/29. 3pp. 87727:350-87727:352.

9604110159 Responds to NRC 951229 ltr re discharge of surficial aquifer water from Shirley Basin restricted area to Area 2/8 reclamation reservoir. "Proposal for Surficial Collection Discharge to Area 2/8" encl.
HARDGROVE,R.W. Pathfinder Mines Corp. 96/04/09. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. 87887:328-87887:361.

--9604110161 "Proposal for Surfical Collection Discharge to Area 2/8." W/one oversize drawing.
MICHEL,T.G. Hydro-Engineering. 96/04/09. 32pp. 87887:331-87887:361.

9604150389 Responds to C McKenney's comments on proposed surficial collection (effluent) discharge to area 2/8.
HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 96/04/11. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 1p. 87896:287-87896:287.

DOCKET 40-6659 PETROTOMICS CO., SHIRLEY BASIN, WY

9604150088 Forwards suppl to Feb 1996 rept "Petrotomics Tailings Area Settlement Monitoring Program Results."
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/04/10. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87979:102-87979:163.

--9604150100 Suppl to Feb 1996 rept "Petrotomics Tailings Area Settlement Monitoring Program Results." W/One Oversize Encl.
* Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/02/29. 60pp. 87979:104-87979:163.

9604190183 Discusses review of annual surety update submitted by Petrotomics Co re license SUA-551.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/12. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87957:321-87957:321.

9604180249 Forwards amend 48 to annual surety update condition 23 to license SUA-551.
HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 96/04/16. JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 1p. 87956:345-87956:353.

--9604180256 Amend 48 to license SUA-551 for Petromics Company.
HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 96/04/16. 8pp. 87956:346-87956:353.

9604290064 Requests that license condition 47.C requirement for tailings water removal in 880706 submittal be deleted & that requirement for vacuum enhanced tailings water removal in 950227 submittal be deleted.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/04/23. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88057:137-88057:138.

9604290056 Requests NRC concurrence w/licensee plan to temporarily store Pit 4 reservoir water in east drainage basin,due to slope failure in mine Pit 4 east slope.Licensee plan to commence work in early summer 1996.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/04/24. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 11pp. 88057:124-88057:134.

9604300264 Informs that licensee intend to abandon approx 60 tailings area wells in accordance w/Chapter VI,Section 5.g of Regulations & Instruction,State Engineer Office,State of WY, Part III,revised Jan 1974.
JUDAY,R.A. Petrotomics Co. (formerly Getty/Petrotomics Co.). 96/04/26. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 88067:107-88067:108.

9604300341 Requests expansion of silty sand borrow area to incorporate area into requests for proposal & contract documents for performance of final Rn barrier cover work.
JUDAY,R.A. . 96/04/26. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 88061:358-88061:360.

DOCKET 40-6940 CABOT CORP., BOYERTOWN, PA

9604170234 Informs that info encl w/licensee 960209 & 27 ltrs should be withheld from public disclosure per 10CFR2.790.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/03. HOLSOPPLE,K.L. Cabot Corp. 3pp. 87933:247-87933:249.

9604170198 Informs that NRC determined that suppl info on operating & auditing procedures should be withheld from public disclosure per 10CFR2.790,as requested by 960313 ltr.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/04. HOLSOPPLE,K.L. Cabot Corp. 4pp. 87933:281-87933:284.

9604180073 Forwards response to request for addl info re renewal application,dtd 940316.
HOLSOPPLE,K.L. Cabot Corp. 96/04/10. CASSANO,R.F. Licensing Branch. 39pp. 87959:166-87959:242.

--9604180078 Rept on "Actions Relating to Occupational Air Sampling, Effluent Sampling & ALARA."
* Applied Radiological Control, Inc. 95/08/02. 28pp. 87959:205-87959:232.

--9604180082 "Air Sampling Cabot Performance Matls,Boyertown,PA."
HOLSOPPLE,K.L. Cabot Corp. 96/04/10. 10pp. 87959:233-87959:242.

9604300068 Ack receipt of 950922 ltr informing NRC of steps taken to correct violations noted in insp rept 40-6940/95-01. Discusses measures to be taken to correct airborne effluent monitoring deficiencies & forwards RG 8.37 re same.
KINNEMAN,J.D. Region 1 (Post 820201). 96/04/18. LINDELL,J.S. Cabot Corp. 9pp. 88033:211-88033:219.

DOCKET 40-7102 SHIELDALLOY METALLURGICAL CORP., NEWFIELD, NJ

9604080198 Responds to 960227 ltr requesting a copy of transcript for meeting on 960131 at St Rose,Vineland,NJ.
COMFORT,G.C. Licensing Branch. 96/04/01. BUTTIL,C.A. Affiliation Not Assigned. 1p. 87817:227-87817:227.

DOCKET 40-7580 FANSTEEL, INC., NORTH CHICAGO, IL

9604170078 Submits request for technical assistance in reviewing Fansteel license renewal.W/o encl.
PIERSON,R.C. Licensing Branch. 96/04/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87933:307-87933:308.

9604240280 Responds to 960321 ltr & affidavit requesting addl process descriptions & associated hazard analysis be withheld from public disclosure per 10CFR2.790(a)(4) of NRC regulations.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/18. HUNTER,J. Fansteel, Inc. 3pp. 88010:333-88010:335.

9604260190 Forwards confirmatory survey plan for portions of Northwest Plant Area,Fansteel,Inc,Muskogee,OK.
VITKUS,T.J. Oak Ridge Associated Universities. 96/04/19. HOGG,R.C. Division of Waste Management (NMSS 940403). 12pp. 88026:332-88026:343.

DOCKET 40-8027 SEQUOYAH FUELS CORP., GORE, OK

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

--9604110125 Ack receipt 950815 ltr re request for all records containing any ref plant licenses,SUB-1010 & 35-12636-03 from 930405 to 950815.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/11/22. HUGHES,L. National Whistleblower Center. 3pp. 87870:126-87870:128.

9604290098 Notice informing public re extension of public comment period on US NRC intent to prepare EIS for decommissioning of Sequoyah Fuels Corp U conversion facility located in Gore,OK.
WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/09. 3pp. 88031:357-88031:359.

9604020290 Advises that Cherokee Nation & Native Americans for Clean Environ concerned about amend 21 to license SUB-1010, approved on 960221 & that NRC has not adequately addressed concerns.
WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen). #296 17533. 96/03/20. GLEASON,J.P., KLINE,J.R. Atomic Safety & Licensing Board Panel. 2pp. 87704:215-87704:216.

9604010163 Forwards 951030 ltr from Bank IV to licensee & draft Escrow Agreement identified in ltr,in response to 960322 telcon request.
BELL,M.J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/22. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 9pp. 87699:348-87699:356.

9604120163 "Sequoyah Fuels Corp Gore,OK OKD051961183 Split- Sampling Data Comparison Rept."
* Sequoyah Fuels Corp. 96/03/22. 14pp. 87871:295-87871:310.

9604010177 Informs that item 35,dtd 950726 of App H in sixth partial response to FOIA Request 95-341 sent to L Hughes on 951205, should not have been approved for release & should be removed from public availability on stated microfiche.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/25. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87696:358-87696:358.

9604020048 Intervenors brief on appeal of LBP-95-18.* LBP-95-18 should be reversed & remanded for further proceedings. W/Certificate of Svc.
CURRAN,D. Native Americans for a Clean Environment. WILCOXEN,J.G. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #296 17535. 96/03/25. Commissioners (Post 750119). 52pp. 87702:007-87702:058.

9604020297 Order.* Informs that time in which State of OK may file brief,related to ASLB Memorandum & Order,LBP-95-18,extended to 960412.W/Certificate of Svc.Served on 960325.
HOYLE,J.C. Office of the General Counsel (Post 860701). #296 17534. 96/03/25. Office of the General Counsel (Post 860701). 4pp. 87704:206-87704:209.

9604080067 Forwards cooperating agency agreement between NRC & EPA for remediation of Sequoyah Fuel Facility.
FEDERINE,M.V., GREEVES,J.T. Division of Waste Management (NMSS 940403). 96/03/25. COLEMAN,S. Environmental Protection Agency. 5pp. 87817:271-87817:277.

9604010407 Forwards page 3 of Brief on Appeal of LBP-95-18, inadvertently omitted from original submittal.
CURRAN,D. Native Americans for a Clean Environment. CURRAN,D. Cherokee Nation. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). #296 17542. 96/03/28. JULIAN,E. Docketing & Services Branch. 1p. 87687:188-87687:189.

--9604010415 Corrected page 3 of Brief on Appeal of LBP-95-18.
* Native Americans for a Clean Environment. * Cherokee Nation. 96/03/28. 1p. 87687:189-87687:189.

9604030125 Clarifies extension of time to file responsive briefs until 960429 as applying to responses to NACE & Cherokee Nation briefs as well as amicus briefs.W/Certificate of Svc.Served on 960328.
JULIAN,E.L. Docketing & Services Branch. #296 17539. 96/03/28. Atomic Safety & Licensing Board Panel. 3pp. 87721:130-87721:132.

9604030307 Responds to 960306 ltr to JM Taylor re pending request to extend public comment period on scope of licensee EIS.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/03/28. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87752:152-87752:174.

--9604030316 Reiterates request for extension of comment period on scope of licensee EIS & requests info re NRC NEPA procedures.
HUGHES,L. Native Americans for a Clean Environment. 96/03/06. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87752:169-87752:174.

9604100208 NRC & General Atomic joint motion for extension of stay of discovery through 960515.* W/Certificate of Svc.
HOM,S.R. Office of the General Counsel (Post 860701). DUNCAN,S.M. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). DUNCAN,S.M. Mays & Valentine. #296 17544. 96/04/01. Atomic Safety & Licensing Board Panel. 8pp. 87812:210-87812:217.

9604090495 Revised application for amend to license SUB-1010,reflecting changes to implement new 10CFR20 & other administrative changes.
ELLIS,J.H. Sequoyah Fuels Corp. 96/04/02. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 9pp. 87831:121-87831:129.

9604120241 Record of telcon w/C Harlin on 960402 re RES sample in support of PA project.
SHEPHERD,J.C. NRC - No Detailed Affiliation Given. 96/04/02. 1p. 87888:005-87888:005.

9604170391 Concludes that licensee should modify submission in listed ways,as result of proposed change in financial assurance.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/09. ELLIS,J.H. Sequoyah Fuels Corp. 6pp. 87933:210-87933:215.

9604110111 Order (granting addl stay of discovery).* Informs that all discovery activities that were suspended IAW Board's prior discovery stay orders will continue to be stayed through 960515.W/Certificate of Svc.Served on 960410.
GLEASON,J.P., KLINE,J.R., BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #296 17555. 96/04/10. Office of the General Counsel (Post 860701). 6pp. 87832:202-87832:207.

9604170338 State of Oklahoma Amicus Curiae Brief.* Grants State of OK request for leave to file brief.W/Certificate of Svc.
HALE,J. Oklahoma, State of. #296 17562. 96/04/15. Atomic Safety & Licensing Board Panel. 15pp. 87895:261-87895:275.

9604190215 Responds to 960327 ltr,expressing interest in EIS process & role of Cooperating Agencies.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/15. BYRD,J. Cherokee Nation. 2pp. 87937:358-87937:359.

9604250066 Order (requesting info from Staff).* Staff shall furnish Presiding Officer w/ statements of position re listed inquiries.W/Certificate of Svc.Served on 960422.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #296 17573. 96/04/22. Office of the General Counsel (Post 860701). 4pp. 87995:057-87995:060.

9604300421 Responds to 960109 ltr requesting explanation of costs billed on Invoice JR0197-96 for license SUB-1010.
JACKSON,G.C. Division of Accounting & Finance (Post 890205). 96/04/29. COOK,R. Sequoyah Fuels Corp. 1p. 88053:321-88053:349.

--9604300424 Responds to Sequoyah Fuels Corp fee protest ltr of 960109.
WEBER,M. Office of Nuclear Material Safety & Safeguards. 96/04/29. JACKSON,G. Office of the Controller (Post 890205). 13pp. 88053:322-88053:349.

DOCKET 40-8064 EXXON MINERALS CO., USA, HOUSTON, TX

8501290237 Forwards analytical data & Third Quarter 1984 rept re airborne radionuclides for Converse County,WY.Results of air samples for airborne U & radon progeny encl.
SHANNON,J.B. Exxon Corp. 84/12/11. HAWKINS,E.F. Uranium Recovery Field Ofc, R4. 6pp. 28645:331-28645:336.

DOCKET 40-8084 RIO ALGOM MINING CORP., MOAB, UT

9604180107 Forwards land survey for Lisbon facility surrounding restricted area boundary.Copy of "Land Use Map " encl updating changes to extent possible.
FOSSEY,F. Rio Algom Mining Corp. 96/04/10. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87979:164-87979:165.

DOCKET 40-8380 ROCKY MOUNTAIN ENERGY CO., BROOMFIELD, CO

8112010015 Requests transfer of indicated amount from deferred revenue to matls revenue account.Info re manpower required to review License SUA-1228 renewal application has been received.
MILLER,W.O. License Fee Management Branch (Pre 861124). 81/11/10. MANION,W.E. Office of the Controller (Pre 820418). 1p. 65733:024-65733:024.

DOCKET 40-8452 BEAR CREEK URANIUM CO., CASPER, WY

9604030010 Forwards source material license SUA-1310,Amendment 33 re request to modify background groundwater levels.
HOLONICH,J.J Division of Waste Management (NMSS 940403). 96/03/28. SCOTT,E.Y. Union Pacific Resources Co. 3pp. 87732:352-87732:362.

--9604030018 Amend 33 to license SUA-1310 for Bear Creek Uranium Company, incorporating mod to license condition 47 B.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/03/28. 8pp. 87732:355-87732:362.

DOCKET 40-8502 TOTAL MINERALS CORP., CASPER, WY

9604190198 Forwards technical evaluation rept re review of Cogema request to increase irigaray dryer throughput amend application.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). 96/03/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87939:302-87939:304.

9604170419 Submits Irigaray & Christensen Ranch Condition 5 fulfillment application.
CHANCELLOR,R. Wyoming, State of. 96/03/13. WICHERS,D.L. COGEMA, Inc. 4pp. 87928:215-87928:218.

9604030053 Informs that NRC has completed review of Aquifer Restoration & Decommissioning Plant for Irigaray Production Units 4-9 & was found to be acceptable.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/29. WICHERS,D.L. COGEMA, Inc. 9pp. 87746:287-87746:307.

--9604030058 Amend 43 to license SUA-1341 for Cogema Mining Inc.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/29. 12pp. 87746:296-87746:307.

DOCKET 40-8584 KENNECOTT URANIUM CO., RAWLINS, WY

9604030050 Application for amend to license SUA-1350,requesting for five yr postponement of initiation of requirements of timelines in decommissioning,per 10CFR40.42(e) for sweetwater U project.
PAULSON,O. Kennecott Corp. 96/03/20. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 31pp. 87730:301-87731:014.

9604120056 Ack receipt of request from Kennecott U Co,dtd 960320 for postponement of initiation of requirements of Timeliness in Decommissioning per 10CFR40.42(e) for Sweetwater U site.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/08. PAULSON,O. Kennecott Corp. 1p. 87861:356-87861:356.

DOCKET 40-8681 UMETCO MINERALS CORP., BLANDING, UT

9604020453 "1995 ALARA Rept." W/960329 ltr.
CLARK,S.R. Energy Fuels Nuclear, Inc. 95/12/31. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 77pp. 87733:072-87733:146.

9604090304 "1995 ALARA Rept." W/960329 ltr.
CLARK,S.R. Energy Fuels Nuclear, Inc. 95/12/31. HOWELL,L. Region 4 (Post 820201). 74pp. 87830:001-87830:075.

9604020298 Forwards insp rept 40-8681/96-01 on 960123-25 & notice of violation.
SCARANO,R.A. Region 4 (Post 820201). 96/03/28. ROBERTS,H.R. Energy Fuels Nuclear, Inc. 4pp. 87703:342-87703:358.

--9604020300 Notice of violation from insp on 960123-25.Violation noted: licensee changed mill circuit by disconnecting yellowcake hopper w/o prior NRC approval.
* Region 4 (Post 820201). 96/03/28. 1p. 87703:346-87703:346.

--9604020306 Insp rept 40-8681/96-01 on 960123-25.Violations noted.Major areas inspected:mgt & organization controls,operations review,radiation protection,environ monitoring, transportation & radwaste mgt.
HOWELL,L.L. Region 4 (Post 820201). 96/03/27. 12pp. 87703:347-87703:358.

DOCKET 40-8698 PLATEAU RESOURCES, LTD., LAKE POWELL, UT

9110020005 Revised "Neshaps Radon Flux Measurement Program."
* Arix Corp. 91/01/31. 37pp. 88112:298-88112:334.

9604030408 Submits annual update to surety required by 10CFR40,App A, Criteria 9 & 10 for Shootaring Canyon Mill.
WEBBER,K. Plateau Resources, Ltd. 96/03/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87752:226-87752:228.

DOCKET 40-8724 CHEMETRON CORP., PROVIDENCE, RI

9604030299 Trip rept of 960228 visit to Newburgh Heights,OH re Mayor E Kolar & Newburgh Heights Village Council briefing on status of licensee decommissioning.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/21. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 6pp. 87755:350-87755:355.

9604190135 Forwards 960125 interoffice communication re review of Chemetron response to OH EPA 950620 notice of deficiency ltr for Bert Avenue Landfill Closure Plan submitted on 941205.
PARKER,J.L. Ohio, State of. 96/04/04. KOH,B. B. Koh & Associates, Inc. 5pp. 87952:164-87952:168.

9604190121 Forwards interoffice memo dtd 960410 re review of Feb 1996 ground water detection monitoring plan for Chemetron Corp Bert Avenue Dump & final "Solid Waste Guidance:Alternative Parameter List for Low-Yield Monitoring Wells...."
PARKER,J.L. Ohio, State of. 96/04/11. KOH,B. B. Koh & Associates, Inc. 12pp. 87951:325-87951:336.

9604290129 Addresses issues discussed over last several wks,including sampling protocol,geotechnical comments & Bert Ave distribution coefficients.
JOHNSON,T.C. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/22. SARGENT,D.R. Chemetron Corp. 3pp. 88057:156-88057:158.

DOCKET 40-8767 LAKE CITY ARMY AMMUNITION PLANT, INDEPENDENCE, MO

9604010186 Forwards summary of 960319 meeting w/licensee re status of Lake City Army Ammunition Plant decommissioning effort.
BROWN,S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/28. MAPLEY,S.R. Army, Dept. of. 11pp. 87697:277-87697:287.

DOCKET 40-8794 MOLYCORP, INC., LOS ANGELES, CA

9604170422 Provides licensee w/notification that NRC initiated review of license amend application,dtd 960208.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/08. DANKMYER,B. Molycorp, Inc. 2pp. 87928:219-87928:220.

9604190244 Forwards summary of 950223 meeting at Molycorp Washington facility for purpose of exam site proposed to be used for temporary storage of decommissioning waste from York PA site.
PERSON,L.S. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/12. DANKMYER,B. Molycorp, Inc. 5pp. 87939:334-87939:338.

DOCKET 40-8819 YOUNGSTOWN STATE UNIV., YOUNGSTOWN, OH

9604150122 Safety insp on 960301 of license SUD-1417.Insp findings: no violations observed.
LATROY,M.M. Region 3 (Post 820201). MEARS,G.L. Youngstown State Univ., Youngstown, OH. 96/03/01. 1p. 87869:113-87869:113.

DOCKET 40-8838 ARMY, DEPT. OF, MADISON, IN

9604150216 Forwards "Final Draft Closure & Post-Closure Plan for Open Burning Unit" located in cantonment area of Jefferson Proving Ground (JPG)."
GREWE,R., CLOUD,P.D. Army, Dept. of. 96/03/06. Army, Dept. of. 1p. 87975:001-87976:197.

--9604150223 Final draft "Closure Plan & Post-Closure Plan for Open Burning Unit," for Mar 1996.W/oversize drawings.
* Affiliation Not Assigned. 96/03/31. 142pp. 87975:002-87975:140.

--9604150235 Rev 0 to Vol I to "Draft Facility-Wide QA Project Plan for Phase II Remedial Investigation Studies & RCRA Interim Measures for Sites South of Firing Line Jefferson Proving Ground,Madison,IN."
* RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/09/30. 148pp. 87975:141-87975:287.

--9604150240 "Jefferson Proving Ground South of Firing Line Technical Memo for No Further Action Under CERCLA Site 11 Burning Area for Explosive Residue," for Aug 1995.
* RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 95/08/31. 47pp. 87975:288-87975:334.

--9604150248 "US Army Jefferson Proving Ground Madison,IN Standing Operating Procedure."
MCKITTRICK,R., BOWLING,R.D., MURPHY,C.D. Army, Dept. of. 91/11/20. 25pp. 87975:335-87976:184.

--9604150255 "Std Operating Procedures,Soil & Rock Sampling."
SENOVICH,D. NUS Corp. 90/05/05. 12pp. 87976:185-87976:197.

9604180079 Forwards final work plans for Phase II of remedial investigation of Jefferson Proving Ground south of firing line.
GREWE,R., CLOUD,P.D. Army, Dept. of. 96/03/22. Army, Dept. of. 1p. 87902:001-87903:119.

--9604180084 Rev 0 to Vols I,Ia,II & III of "Final Facility-Wide QA Project Plan for Phase II Remedial Investigation Studies & RCRA Interim Measures for Sites South of Firing Line Jefferson Proving Ground,Madison,IN."
CUMELLA,S. RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). ROBINSON,W. Science Applications International Corp. (formerly Science Applications, Inc.). FLOYD,T. Affiliation Not Assigned. 96/04/10. 454pp. 87902:002-87903:091.

--9604180095 "Addendum to Final Facility-Wide QA Project Plan for Phase II Remedial Investigation Studies & RCRA Interim Measures for Sites South of Firing Line Jefferson Proving Ground, Madison,IN."
* Affiliation Not Assigned. * RUST Environment & Infrastructure, Inc. (formerly SEC Donohue). 96/04/30. 28pp. 87903:092-87903:119.

DOCKET 40-8843 RONSON METALS CORP., NEWARK, NJ

9604230066 Ack receipt of 960329 ltr,discussing commitments re radiological charaterization & decontamination of Ronson Metals Corp site.Commitments & timetable appear reasonable, w/two exceptions.
BELLAMY,R.R. Region 1 (Post 820201). 96/04/12. DAVID,E.E. Affiliation Not Assigned. 4pp. 87953:023-87953:026.

DOCKET 40-8857 POWER RESOURCES, INC., GLENROCK, WY

9604160353 Provides copies of surety related correspondence submitted to State of WY from WY Dept of Environ Quality showing Amend for Ltrs of Credit SFO 870IM & SB 21.270.
KEARNEY,W.F. Power Resources Corp. 96/03/14. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 5pp. 87923:273-87923:277.

9604170461 Application for amend to License SUA-1511,deleting License Condition 11.11.
KEARNEY,W.F. Power Resources Corp. 96/03/15. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 3pp. 87928:223-87928:225.

9604160293 Requests 60 day extension to 90 day requirement of license condition 9.6 re renewal of contract for disposal of byproduct matl w/facility licensed to accept matls.
MORZENTI,S.P. Power Resources Corp. 96/03/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 87915:256-87915:316.

--9604160296 Advises that PRI intends to increase existing surety instruments to listed amount in near future.
KEARNEY,W.F. Power Resources Corp. 96/01/26. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 5pp. 87915:257-87915:316.

9604160244 Informs NMSS of decision to withdraw 960318 request for 90-day extension of renewal period for contract for disposal of by-product matl from Highland U Project.
MORZENTI,S.P. Affiliation Not Assigned. 96/03/28. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 1p. 87891:323-87891:323.

9604190199 Ack receipt of amend request from Power Resources,Inc,dtd 960315 to amend source License SUA-1511,deleting License Condition 11.11.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/17. KEARNEY,W.F. Power Resources Corp. 1p. 87937:353-87937:353.

DOCKET 40-8866 NUCLEAR METALS, INC., CONCORD, MA

9604030370 Forwards insp repts 40-0672/96-01 & 40-8866/96-01 on 960227-28 & NOV.
BELLAMY,R.R. Region 1 (Post 820201). 96/03/26. QUINN,R. Nuclear Metals, Inc. 4pp. 87721:230-87721:243.

--9604030378 Insp repts 40-0672/96-01 & 40-8866/96-01 on 960227-28. Violations noted.Major areas inspected:response to unplanned fire including emergency response,personnel radiation protection program & incident investigation.
MILLER,M., BELLAMY,R. Region 1 (Post 820201). 96/03/22. 7pp. 87721:237-87721:243.

9604110200 Forwards corrected page 6 of insp repts 40-0672/96-01 & 40-8866/96-01.Effluent control limit & gross/alpha beta results should have had negative exponents.
BELLAMY,R.R. Region 1 (Post 820201). 96/04/04. QUINN,R. Nuclear Metals, Inc. 3pp. 87850:119-87850:122.

--9604110237 Revised page 6 to insp rept 40-0672/96-01 & 40-8866/96-01, correcting effluent limits & sample results discussed in section 6.
* Region 1 (Post 820201). 96/04/04. 1p. 87850:122-87850:122.

DOCKET 40-8902 ATLANTIC RICHFIELD CO., GRANTS, NM

9604040124 Forwards 1995 annual rept for site compliance w/40CFR61.104.
ZIEGLER,R.S. Atlantic Richfield Co. (ARCO). 96/03/14. DAVIS,A.M. Environmental Protection Agency. 1p. 87764:347-87764:360.

-9604040126 "Rept on Compliance W/Clean Air Act Limits for Radionuclide Emissions 1995."
* Atlantic Richfield Co. (ARCO). 95/12/31. 13pp. 87764:348-87764:360.

DOCKET 40-8903 HOMESTAKE MINING CO., GRANTS, NM

9604030127 Discusses financial test to demonstrate financial assurance. Homestake Mining Co 1995 Annual Rept encl.
ELAM,G.G. Homestake Mining Co. 96/03/28. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 4pp. 87761:197-87761:309.

-9604030130 "Homestake Mining Co 1995 Annual Rept."
CONGER,H.M. Homestake Mining Co. 95/12/31. 105pp. 87761:201-87761:309.

9604080345 Forwards insp rept 40-8903/96-01 on 960205-07.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/04/04. CRAFT,F. Homestake Mining Co. 4pp. 87772:131-87772:152.

-9604080350 Insp rept 40-8903/96-01 on 960205-07.No violations noted. Major areas inspected:site status,including mgt organization & controls,radiation protection,radwaste mgt,environ protection & tailings embankments & environs.
HOWELL,L.L. Region 4 (Post 820201). 96/04/03. 18pp. 87772:135-87772:152.

DOCKET 40-8904 SOHIO WESTERN MINING CO., SALT LAKE CITY, UT

9604160165 Forwards TER review of NOVs & TER review of degradation issued in insp repts dtd 891016 & 900314.Concludes that violations 89-01 & 90-01 can be closed.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/11. CROUCH,D.B. Affiliation Not Assigned. 22pp. 87893:258-87893:279.

9604220013 Forwards "1995 Review Rept:L-Bar Groundwater Corrective Action Program."
CROUCH,D.B. Kennecott Corp. 96/04/15. ABRAMS,C. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87991:001-87991:131.

-9604220023 "1995 Review Report:L-Bar Groundwater Corrective Action Program."
CROUCH,D.B. INTERA, Inc., Austin, TX (formerly INTERA Technologies, Inc.). 96/04/15. 130pp. 87991:002-87991:131.

DOCKET 40-8905 QUIVIRA MINING CO., GRANTS, NM

9604190353 Forwards "Quivira Mining Co Ambrosia Lake Facility Discharge Plan - 169,1995 Annual Rept."
LUTHIGER,P. Quivira Mining Co. 96/04/12. OHRBOM,R. New Mexico, State of. 1p. 87979:166-87979:273.

-9604190356 "Quivira Mining Co Ambrosia Lake Facility Discharge Plan - 169,1995 Annual Rept." W/two oversize drawings.
* Quivira Mining Co. 95/12/31. 108pp. 87979:167-87979:273.

9604050401 Notification of 960410 meeting w/NRC/Quivira Mining Co in Rockville,MD to discuss request to amend License SUA-1473 to permit disposal of 11e.(2) byproduct matl at Ambrosia Lake facility near Grants,NM.
HOOKS,K. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/03. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87807:348-87807:348.

9604120021 Offers no comments on info presented in draft long-term surveillance plan for Ambrosia Lake U Mill Tailings Remedial Action Project disposal site,dtd Nov 1995.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/08. SENA,R. Energy, Dept. of. 1p. 87860:356-87860:356.

9604120017 Informs that NRC has concurred in decision stated in Site Observation Work Plan (SOWP) for Ambrosia Lake UMTRA Project site,that there will be no groundwater restoration at site & offers no comments on SWOP.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/09. SENA,R. Energy, Dept. of. 1p. 87860:359-87860:359.

9604220158 Summary of 960410 meeting w/NRC & licensees to discuss licensees request for license amend,to allow disposal of 11e.(2) byproduct matl at Ambrosia Lake,NM,U mill & tailings site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/18. FERDINAND,B. Quivira Mining Co. 3pp. 87953:318-87953:320.

9604290292 Forwards insp rept 40-8905/96-01 on 960226-28.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/04/25. FERDINAND,B. Quivira Mining Co. 3pp. 88027:274-88027:290.

-9604290294 Insp rept 40-8905/96-01 on 960226-28.No violations noted. Major areas inspected:review of site status,mgt organization & controls,radiation protection & radioactive waste mgt & environ protection.
HOWELL,L.L. Region 4 (Post 820201). 96/04/24. 14pp. 88027:277-88027:290.

DOCKET 40-8907 UNC MINING & MILLING (DIV. OF UNITED NUCLEAR CORP.),

8811220498 Forwards record of decision for United Nuclear Corp groundwater operable unit.
ROWE,W.D. Environmental Protection Agency. 88/10/06. KONWINSKI,G. Uranium Recovery Field Ofc, R4. 1p. 87917:001-87917:286.

-9604180196 "Record of Decision UNC Groundwater Operable Unit McKinley County,NM."
* Energy, Dept. of. 88/09/30. 285pp. 87917:002-87917:286.

9604010129 Provides info of UNC request dated 960305 to modify reclamation Plan approved by NRC for Church Rock,NM site.
HOOKS,K.R. Division of Waste Management (NMSS 940403). 96/03/26. KENT,S. New Mexico, State of. 1p. 87696:356-87696:356.

9604010318 Submits copy of United Nuclear Corp 960305 request to modify NRC approved Reclamation Plan for Church Rock,NM,site.
HOOKS,K.R. Division of Waste Management (NMSS 940403). 96/03/28. CURTISS,J. Affiliation Not Assigned. 1p. 87719:137-87719:137.

9604030043 Forwards listed info for annual update re financial surety for site,in support of surety amount approved by NRC in 951128 ltr.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 96/03/30. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 7pp. 87733:266-87733:343.

-9604030046 Submits listed info in support of use of financial test to demonstrate financial assurance,per 10CFR40,App A & License SUA-1474,Condition 25.
PEVENSTEIN,R.L. UNC, Inc. (formerly UNC Resources, Inc.). 96/03/29. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 74pp. 87733:273-87733:343.

9604090358 Ack receipt of 960305 request for license amend to modify Church Rock surface reclamation plan.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/03. VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 1p. 87824:131-87824:131.

9604240314 Documents approval given allowing United Nuclear to pull & plug 2 alluvial wells in area where jetty is to be built as part of 1996 surface reclamation.
MORALES,E.M. United Nuclear Corp. (subs. of UNC, Inc.). 96/04/15. HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 88010:331-88010:331.

9604250224 Forwards electronic files of all water quality & water level data collected for Church Rock site for period from Jan-Jul 1995,as requested by S Ghose of EPA.W/o encl.
RAMSDEN,T. Affiliation Not Assigned. 96/04/15. WARD,D. Jacobs Engineering Group, Inc. 1p. 88023:267-88023:267.

9604220115 Forwards United Nuclear Corp request,dtd 960410,to modify reclamation plan approved by US NRC for Church Rock.W/o encl.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/17. KENT,S. New Mexico, State of. 1p. 87972:351-87972:351.

9604220119 Forwards United Nuclear Corp request,dtd 960410,to modify US NRC approved reclamation plan for Church Rock,NM,site.W/o encl.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/17. CURTIS,J. Arizona, State of. 1p. 87972:352-87972:352.

9604250051 Submits quarterly analysis of reclamation costs as required in license condition 25 of license SUA-1475 for Church Rock Site.
VELASQUEZ,J.R. United Nuclear Corp. (subs. of UNC, Inc.). 96/04/19. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87997:356-87997:358.

DOCKET 40-8943 FERRET EXPLORATION CO. OF NEBRASKA, DENVER, CO

9604160138 Informs NE Dept of Environ Quality in process of making changes re increasing Ra,U & sulfate content of Crow Butte waste water so as not to exceed present approved permit limitations of Permit NE 0206396.
COLLINGS,S.P. Ferret Exploration Co. of Nebraska, Inc. 96/04/03. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 2pp. 87914:353-87914:354.

9604100087 Provides comments on proposed mods to Nebraska Dept of Environ Quality permit number NE0206369 to Crow Butte Resources Inc for operation of deep injection well.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/05. WOOD,R. Nebraska, State of. 2pp. 87831:349-87831:350.

9604300263 Forwards modified UIC Permit NE0206369 issued to Crow Butte Resources,Inc,including Morrison Formation as injection horizon.Several parameter limitations also modified to reflect anticipated restoration activities.
HEITMANN,D. Nebraska, State of. 96/04/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 18pp. 88060:341-88060:358.

DOCKET 40-8948 SHIELDALLOY CORP., NEWFIELD, NJ

9604180047 Lists questions to be added to ltr to NRC re cleanup of site.Answers should be provided by NRC at public meeting to be held during wk of 951011 or written response provided if not possible to answer questions during meeting.
BAUMAN,S. Affiliation Not Assigned. 95/08/25. KLINE,C. Affiliation Not Assigned. GLENN,J. Senate, Governmental Affairs. 5pp. 87942:328-87942:332.

9604170399 Informs of coverup of wrongful actions that may result in community stuck w/environ disaster & eventual death,cancer & birth defects over time,caused by effects of 600,000 tons of decaying radioactive slag from steel production.
BAUMAN,S. Affiliation Not Assigned. 96/01/24. Ohio, State of. 4pp. 87933:199-87933:202.

9604170324 Opposes NRC plan to grant steel industry exemption which would allow disposal of contaminated matls (Cs-137 contaminated mixed waste) at general purpose & hazardous matls landfills.
BAUMAN,S. Affiliation Not Assigned. 96/03/26. LAHS,B. NRC - No Detailed Affiliation Given. 3pp. 87933:219-87933:221.

9604120187 Submits comments on working copy of "EIS for Decommissioning of Shieldalloy Metallurgical Corp Cambridge,OH Facility" (NUREG-1543).
KROONEMYER,K.E. Interior, Dept. of, Fish & Wildlife Service. 96/03/28. THAGGARD,M. Division of Waste Management (NMSS 940403). 2pp. 87868:359-87868:360.

9604040117 Forwards addl copies of the working draft environment impact statement for Shieldalloy Metallurgical Corporation.W/o encl.
THAGGARD,M. Performance Assessment & Hydrology Branch (NMSS 940403). 96/04/02. MACMULLEN,M.W. Environmental Protection Agency. 1p. 87771:169-87771:169.

9604180054 "Order (I) Fixing Time,Date & Place for Status Conference on Governmental Claims & Issues & (II) Directing Authorized Representatives for Governmental Authorities to Appear W/ Debtors' Counsel Before Bankruptcy Court for...Conference." GARRITY,J. U.S. District Court, Southern District of New York. 96/04/04. 22pp. 87942:337-87942:358.

9604120286 Forwards Shieldalloy Metallurgical Corp Site,Cambridge,OH remedial investigation/feasibility study,response to OH EPA comments.
SHIELDS,W.J. PTI Services, Inc. 96/04/08. ACKMAN,O. Ohio, State of. 22pp. 87877:124-87877:146.

9604170331 Comments on EIS re decommissioning of Shieldalloy Metallurgical Corp,Cambridge,OH facility (working copy).
BAUMAN,S. Affiliation Not Assigned. 96/04/08. WEBER,M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 17pp. 87948:297-87948:313.

9604170402 Forwards ltr sent to O Ackman of OH EPA,clarifying points raised in telcon re State of OH RI/FS & relationship to NRC EIS & requests that NRC not release EIS until director of OH EPA signs off on RI/FS as being complete.
BAUMAN,S. Affiliation Not Assigned. 96/04/08. WEBER,M. NRC - No Detailed Affiliation Given. 3pp. 87928:212-87928:214.

9604180069 Notice of hearing on 960508 on 12th application of Harris & Ellsworth for allowance of compensation for svcs rendered & reimbursement of expenses.
ELLSWORTH,C. Metallurg, Inc. ELLSWORTH,C. Shieldalloy Metallurgical Corp. ELLSWORTH,C. Affiliation Not Assigned. 96/04/11. 46pp. 87936:271-87936:315.

DOCKET 40-8968 HYDRO RESOURCES, INC., DALLAS, TX

9604030208 Forwards response to 960209 RAI,Questions 49-91 re water resources & protection & cost/benefit analysis,safety analysis review & environ review for licensee U solution mining license application.W/seven oversize drawings.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/04/01. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 300pp. 88078:001-88079:015.

9604090313 Forwards attachments omitted in package for delivery to J Holonich on 960402 re RAI,Questions 49-91,water resources & protection & cost/benefit analysis,safety analysis review & environ review for U solution mining license application.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/04/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 400pp. 87818:001-87819:038.

9604260063 Forwards response to request for addl info for Vols 1 & 2 cost/benefit analysis for Hyro Resources,Inc (HRI) U solution mining license application,Crownpoint,NM.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/04/05. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1,713pp. 88041:001-88045:267.

9604150068 Forwards supplementary responses to Questions 10,14,16,17, 20,26,32 & 36.W/one oversize drawing.
PELIZZA,M.S. HRI, Inc. (Hydro Resources, Inc.). 96/04/10. GILLEN,D.M. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 50pp. 87933:150-87933:198.

DOCKET 40-8981 PATHFINDER MINES CORP., MILLS, WY

9604040127 Forwards review of the 1996 annual updates of surety estimates for SUA-1540,amend 16.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/02. WICHERS,D.L. Pathfinder Mines Corp. 3pp. 87753:349-87753:360.

-9604040150 Amend 16 to license SUA-1540 for Pathfinder Mines Corporation.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/02. 9pp. 87753:352-87753:360.

DOCKET 40-8989 ENVIROCARE OF UTAH, INC., SALT LAKE CITY, UT

9604100193 "1995 Annual Rept Radiological Monitoring Program Envirocare of UT,Inc." W/960328 ltr.
ANDREWS,V.E. Envirocare, Inc. 95/12/31. CARLSON,R. Division of Waste Management (NMSS 940403). 114pp. 87834:118-87834:231.

9604190200 Clarifies background concentrations established by staff for several radiological parameters in Envirocare groundwater monitoring program,in response to ltr dtd 950523.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/12. JUDD,C.A. Envirocare, Inc. 3pp. 87939:305-87939:307.

DOCKET 40-8995 EDWARD LEAD MANUFACTURING, COLUMBUS, OH

9604080274 "Region III Expired License Closeout Rept."
VACHERLON,P., MADERA,J. Region 3 (Post 820201). 96/03/13. 2pp. 87772:089-87772:090.

DOCKET 40-9027 CABOT CORP. READING & REVERE

9604120171 Provides listed info,based on 960308 telcon re schedule for submission of mods to documentation for decommissioning funding plans for Reading & Revere sites.
CAMPITELLI,A.T. Cabot Corp. 96/03/22. GREENWALD,J.M. Office of Nuclear Material Safety & Safeguards. 2pp. 87887:326-87887:327.

9604120174 Forwards responses to NRC comments received in RA Nelson 960306 ltr re characterization rept for Reading slag pile.
CAMPITELLI,A.T. Cabot Corp. 96/04/02. GREENWALD,J.M. Office of Nuclear Material Safety & Safeguards. 11pp. 87871:272-87871:282.

9604170332 Responds to 960322 ltr re revised ltr of credit & standby trust agreement for Reading & Revere Sites.Proposed date approved.
GREENWALD,J.M. Office of Nuclear Material Safety & Safeguards. 96/04/02. CAMPITELLI,A. Cabot Corp. 3pp. 87933:216-87933:218.

9604120168 Forwards Rev 1 to "Characterization Rept for Reading Slag Pile" & responses to NRC questions received in RA Nelson 960306 ltr.
CAMPITELLI,A.T. Cabot Corp. 96/04/04. GREENWALD,J.M. Office of Nuclear Material Safety & Safeguards. 17pp. 87875:283-87875:335.

-9604120170 Rev 1 to "Characterization Rept for Reading Slag Pile."
* Nuclear Energy Services, Inc. 82A8698 R01. 96/04/30. 36pp. 87875:300-87875:335.

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-2 FORD NUCLEAR REACTOR

F. Security, medical, emergency & fire protection plans

9604080327 Forwards insp rept 50-002/96-01 on 960304-08.No violations noted.
SHEAR,G.L. Region 3 (Post 820201). 96/04/04. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 87792:001-87792:014.

-9604080336 Insp rept 50-002/96-01 on 960304-08.No violations noted. Major areas inspected:organization,logs,records,audit & review,requalification training,surveillance,experiments, transportation activities & emergency preparedness.
REIDINGER,T.D., SHEAR,G.L. Region 3 (Post 820201). 96/04/04. 13pp. 87792:002-87792:014.

P. Operating license stage documents & correspondence

9604290342 Forwards EPA referral form relative to effluent releases to ambient air from Univ of MI Research Reactor IAW 1992 MOU between NRC & EPA.
SHEAR,G.L. Region 3 (Post 820201). 96/04/23. Environmental Protection Agency. 2pp. 88021:304-88021:305.

Q. Inspection reports, IE Bulletins & correspondence

9604080327 Forwards insp rept 50-002/96-01 on 960304-08.No violations noted.
SHEAR,G.L. Region 3 (Post 820201). 96/04/04. FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 1p. 87792:001-87792:014.

-9604080336 Insp rept 50-002/96-01 on 960304-08.No violations noted. Major areas inspected:organization,logs,records,audit & review,requalification training,surveillance,experiments, transportation activities & emergency preparedness.
REIDINGER,T.D., SHEAR,G.L. Region 3 (Post 820201). 96/04/04. 13pp. 87792:002-87792:014.

R. Periodic operating reports & related correspondence

9604030428 "Rept of Reactor Operations for Jan-Dec 1995." W/960330 ltr.
FLEMING,R.F. Michigan, Univ. of, Ann Arbor, MI. 95/12/31. 22pp. 87752:235-87752:256.

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010309 Responds to 960216 memo for FRPCC re review of NY state & local radiological emergency response plans & preparedness site-specific to Indian Point Nuclear Power Generating Station.Informs of one mod to consider evaluation accepted.
CRUTCHFIELD,D. . 96/03/27. HEPLER,O.M. Federal Emergency Management Agency. 3pp. 87697:353-87697:355.

9604300305 Revised EPIPs,including Rev 5 to IP-1010, "Search & Rescue Teams," Rev 5 to IP-1011, "Repair & Corrective Action" & Rev 6 to IP-1048, "Closeout/De-Escalation of Emergency & Initiation of Recovery." W/960423 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/23. 21pp. 88067:109-88067:129.

P. Operating license stage documents & correspondence

9604150399 Discusses full term operating license & TS review for stated facilities.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/17. CARLSON,R.T. Region I, IE (720101-810228). 4pp.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020108 Forwards insp rept 50-247/96-01 on 951231-960302 & NOV.
GALLO,R.M. Region 1 (Post 820201). 96/03/27. QUINN,S.E. Commonwealth Edison Co. 5pp. 87703:070-87703:105.

-9604020129 Notice of violation from insp on 951231-960302.Violation noted:at unit 1,licensee failed to properly control activities associated w/Class A sys in that incorrectly sized lifting equipment used w/o procedures for operation.
* Region 1 (Post 820201). 96/03/27. 3pp. 87703:075-87703:077.

--9604020142 Insp repts 50-003/96-01 & 50-247/96-01 on 961231-030296. Violations noted.Major areas inspected:
COWGILL,C.J. Region 1 (Post 820201). 96/03/27. 28pp. 87703:078-87703:105.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

S. Reportable occurrences, LERs & related correspondence

9604080202 Submits rept per plant TS Section 5.4.2 nonroutine repts re bypass & upset.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87817:229-87817:231.

W. Decommissioning Stage Documents & Correspondence

9604170118 Submits Unit 1 spent fuel mgt & funding plan.Submittals provided without prejudice to any rights/obligations set forth in order revoking authority to operate facility,dtd 800619.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/03. Document Control Branch (Document Control Desk). 4pp. 87949:167-87949:170.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604080052 Informs that rev 61 of plant annex to generation stations emergency plan,acceptable & does not decrease effectiveness of emergency plan.
CREED,J.R. Region 3 (Post 820201). 96/04/02. PERRY,J.S. Commonwealth Edison Co. 2pp. 87752:084-87752:085.

I. Financial information

9604150320 Notice of Annual Meeting of Unicom Shareholders in Chicago, IL,to elect Board of Directors,consider & act upon approval of Unicom Corp 1996 Directors Fee Plan & appointment of A Andersen LLP,as Auditors for 1996.
SCHOLZ,D.A. Affiliation Not Assigned. 96/04/08. Affiliation Not Assigned. 72pp. 87899:001-87899:074.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604180355 Forwards integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960213 & NOV.
AXELSON,W.L. Region 3 (Post 820201). 96/03/26. PERRY,J.S. Commonwealth Edison Co. 4pp. 87905:114-87905:144.

--9604180370 Notice of violation from insp on 951219-960213.Violation noted:on 960113,licensee determined that OOS boundary for work being performed on instrument air sys was inadequate.
* Region 3 (Post 820201). 96/03/26. 3pp. 87905:118-87905:120.

--9604180382 Integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960113.Violations noted.Major areas insp:operations,engineering,maint & plant support.
HILAND,P. Region 3 (Post 820201). 96/03/22. 24pp. 87905:121-87905:144.

9604240076 Informs of completion of semiannual Plant Performance Review on 960306.
HILAND,P. Region 3 (Post 820201). 96/03/29. PERRY,J.S. Commonwealth Edison Co. 5pp. 87970:208-87970:212.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300065 Provides response to violations noted in Insp Repts 50-010/95-15,50-237/95-15 & 50-249/95-15.Corrective actions: operations senior mgt reinstated formal review boards for errors within electronics out-of-svc process.
PERRY,J.S. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88062:352-88062:358.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604030367 "Dresden Station Annual Radiological Environ Operating Rept for 1995." W/960325 ltr.
PERRY,J.S. Commonwealth Edison Co. 95/12/31. MILLER,H. Region 3 (Post 820201). 132pp. 87757:186-87757:317.

9604190084 Monthly operating rept for March 1995 for DNPS.W/960409 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/03/31. 13pp. 87952:324-87952:336.

9604250267 Forwards first quarter 1996 10CFR50.59 rept of changes,tests and experiments for DNPS.
PERRY,J.S. Commonwealth Edison Co. 96/04/11. . 30pp. 88022:326-88022:355.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

W. Decommissioning Stage Documents & Correspondence

9604050100 Requests that licensee brief Commission on status of efforts to improve performance at plant,including steps taken to ensure that important equipment deficiencies have been fully identified.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/22. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 87771:006-87771:008.

9604020299 Provides updated status & change in plans associated w/ shipping waste matl from Unit 1 fuel/transfer pool vacuuming activities for offsite burial.
PERRY,J.S. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87712:357-87712:358.

9604080145 Documents plant compliance w/10CFR50.54(bb) to provide notification to NRC by 960404 of how util intends to manage all irradiated fuel until title to fuel & possession of fuel transferred to Secretary of Energy.
PERRY,J.S. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87811:359-87811:360.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

Q. Inspection reports, IE Bulletins & correspondence

9604150025 Forwards insp repts 50-341/96-02 & 50-016/96-02 on 960109-0319 & notice of violation.
MILLER,H.J. Region 3 (Post 820201). 96/04/04. GIBSON,D.R. Detroit Edison Co. 10pp. 87869:002-87869:056.

—9604150030 Notice of violation from insp on 960109-0319.Violation noted:on 940629 Detroit Edison certified,as Level III Quality Control Inspector,individual w/associate degree who had less than 7 yrs related experience.
* Region 3 (Post 820201). 96/04/04. 3pp. 87869:012-87869:014.

—9604150033 Insp repts 50-341/96-02 & 50-016/96-02 on 960109-0319. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
JORDAN,M. Region 3 (Post 820201). 96/04/02. 42pp. 87869:015-87869:056.

DOCKET 50-18 VALLECITOS BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9604260252 Forwards insp rept 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STIMMELL,G.L. General Electric Co. 4pp. 88020:280-88020:305.

—9604260267 Insp repts 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.Major areas inspected:organization & mgt controls,qualifications & training,special nuclear matl & accountability & more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 22pp. 88020:284-88020:305.

DOCKET 50-20 MASSACHUSETTS INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604110250 Forwards amend 29 to amended facility OL R-37 & safety evaluation.Amend allows temporary increase in possession limit for U-235 from 29 kg to 41 kg until 990808.
ADAMS,A. . 96/04/08. BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 3pp. 87847:295-87847:304.

—9604110255 Amend 29 to amend facility OL R-37,allowing temporary increase in possession limit for U-235 from 29 kgs to 41 kgs until 990808.
WEISS,S.H. . 96/04/08. 2pp. 87847:298-87847:299.

—9604110257 Safety evaluation supporting amend 29 to amended facility OL R-37.
* . 96/04/08. 5pp. 87847:300-87847:304.

9604120216 Advises that as of 960405 Massachusetts Institute of Technology has reviewed anticipated cost of eventual decommissioning of MIT Research Reactor.
BERNARD,J.A. Massachusetts Institute of Technology, Cambridge, MA. 96/04/10. Document Control Branch (Document Control Desk). 1p. 87871:294-87871:294.

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9604230108 Forwards Rev 7 to plant Defueled Security Plan.Encl withheld.
MELLOR,R.A. Yankee Atomic Electric Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 88001:357-88001:358.

G. Adjudicatory correspondence

9604020001 Order.* Extends time until 960401 for Commission to act to review Director's Decision DD-96-01,dtd 960222.W/Certificate of Svc.Served on 960325.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17530. 96/03/25. Office of the General Counsel (Post 860701). 3pp. 87701:277-87701:279.

9604020020 Ack receipt of 960304 ltr expressing views of State of MA LLRW Mgt Board & informs that ltr & response will be placed on docket for Yankee Nuclear proceeding & served on participants.Served on 960328.
JULIAN,E.L. Docketing & Services Branch. #296 17537. 96/03/28. AMICK,C.C. Massachusetts, Commonwealth of. 1p. 87701:310-87701:316.

—9604020028 Informs that State of MA LLRW Mgt Board believes that NRC should have provided opportunity for public hearing before approving Yankee Atomic decommissioning plan for Rowe,MA facility.W/Certificate of Svc.
AMICK,C.C. Massachusetts, Commonwealth of. 96/03/04. JULIAN,E. Office of the Secretary of the Commission. 6pp. 87701:311-87701:316.

9604100070 Brief of licensee on appeal from memorandum & order (LBP-96-2) of ASLB denying intervention & dismissing proceeding.* Concludes that dismissal of proceeding by ASLB should be affirmed.W/Certificate of Svc.
DIGNAN,T.G., GAD,R.K. Yankee Atomic Electric Co. DIGNAN,T.G. Ropes & Gray. #296 17546. 96/04/02. Commissioners (Post 750119). 43pp. 87812:123-87812:165.

9604100077 NRC Staff response in opposition to Appeal from LBP-96-2 filed by Citizens Awareness Network & New England Coalition on Nuclear Pollution.W/Certificate of Svc.
HODGDON,A.P., HOLLER,E. Office of the General Counsel (Post 860701). #296 17547. 96/04/02. Commissioners (Post 750119). 38pp. 87812:166-87812:203.

9604100112 Order (corrections to LBP-96-2).* Submits listed corrections to Board 960301 memorandum & order.W/Certificate of Svc. Served on 960404.
BOLLWERK,G.P. Atomic Safety & Licensing Board Panel. #296 17550. 96/04/04. Yankee Atomic Electric Co. 5pp. 87812:204-87812:208.

9604180214 Citizens Awareness Network & New England Coalition on Nuclear Pollution motion for leave to file reply brief on appeal of LBP-96-2.Listed statements made in support of motion.
CURRAN,D., BLOCK,J.M. Citizens Awareness Network. CURRAN,D. New England Coalition on Nuclear Pollution. #296 17558. 96/04/10. Commissioners (Post 750119). 3pp. 87919:022-87919:094.

—9604180230 Citizens Awareness Network & New England Coalition on Nuclear Pollution reply brief on appeal of LBP-96-2.Suggests that Commision rescind stated portions of CLI-96-1 & reverse LBP-96-2.W/Certificate of Svc.
CURRAN,D., BLOCK,J.M. Citizens Awareness Network. CURRAN,D. New England Coalition on Nuclear Pollution. 96/04/10. Commissioners (Post 750119). 70pp. 87919:025-87919:094.

9604250074 Response of Yankee Atomic Electric Co to NECNP/CAN, "Motion for Leave to File Reply Brief."* States NECNP/CAN wrong in assertion of right to file reply brief but submits to NRC right to accept same.W/Certificate of Svc.
DIGNAN,T.G. Ropes & Gray. #296 17567. 96/04/18. Commissioners (Post 750119). 2pp. 87995:061-87995:062.

9604250014 NRC staff response to Citizens Awareness Network & New England Coalition on Nuclear Pollution motion for leave to file reply brief on appeal of LBP-96-2.* Informs that staff does not oppose motion.W/Certificate of Svc.
HOLLER,E. Office of the General Counsel (Post 860701). #296 17571. 96/04/19. Commissioners (Post 750119). 3pp. 87995:001-87995:003.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150390 Ack receipt of 960229 ltr informing NRC of steps taken to correct violations noted in insp rept 50-029/95-07.
WHITE,J. Region 1 (Post 820201). 96/04/09. MELLOR,R.A. Yankee Atomic Electric Co. 2pp. 87885:090-87885:095.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020201 Forwards "Effluent & Waste Disposal Semiannual Rept for Third & Fourth Quarters 1995 Including Annual Radiological Impact on Man for 1995." No changes made to ODCM or PCP during period.
KAY,J.A. Yankee Atomic Electric Co. 96/03/27. FAIRTILE,M.B. . 1p. 87721:314-87721:355.

—9604020209 "Effluent & Waste Disposal Semiannual Rept for Third & Fourth Quarters 1995 Including Annual Radiological Impact on Man for 1995."
* Yankee Atomic Electric Co. 95/12/31. 41pp. 87721:315-87721:355.

W. Decommissioning Stage Documents & Correspondence

9604020022 Staff requirements memo re SECY-96-062, "Proposed Order Affirming Two Director's Decisions in Plant Decommissioning Proceedings."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/01. CYR,K.D. Office of the General Counsel (Post 860701). 1p. 87759:265-87759:280.

--9604020038 Orders affirmation & review of DD-96-01 & DD-96-02,now final agency action.W/Certificate of Svc.Served on 960401.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/01. Yankee Atomic Electric Co. 15pp. 87759:266-87759:280.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

DOCKET 50-50 KINETIC EXPERIMENT ON WATER BOILERS MODEL (L-47)

P. Operating license stage documents & correspondence

9604170490 Provides conditions,taken from 920731 NRR review,sufficient to conclude operations re terminated license pose no hazard for future site occupants.
BROWN,S.W. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/05. BELL,L.G. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 87948:170-87948:172.

DOCKET 50-62 UNIV. OF VIRGINIA RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9604090163 Forwards rev 19 to EPIPs for facility,including EPIP 6,page 2,EPIP 6,Attachment 1,pages 1 & 2 & EPIP 14,Attachment 1, page 1.Rev reflects changes in personnel & phone numbers.W/o encls.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/03/26. BASSETT,C. Region 2 (Post 820201). 1p. 87831:219-87831:219.

9604120080 Forwards public version of revised EPIPs,including Rev 19 to EPIP-6 & Rev 19 to EPIP-14.W/960411 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87862:326-87862:332.

--9604120084 Public version of revised EPIPs,including Rev 19 to EPIP-6 & Rev-19 to EPIP-14.Partially withheld.
* Virginia, Univ. of, Charlottesville, VA. 96/03/26. 4pp. 87862:329-87862:332.

DOCKET 50-70 GENERAL ELECTRIC NUCLEAR TEST REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9604260252 Forwards insp rept 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STIMMELL,G.L. General Electric Co. 4pp. 88020:280-88020:305.

--9604260267 Insp repts 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.Major areas inspected:organization & mgt controls,qualifications & training,special nuclear matl & accountability & more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 22pp. 88020:284-88020:305.

DOCKET 50-73 GENERAL ELECTRIC NUCLEAR TEST REACTOR

F. Security, medical, emergency & fire protection plans

9604180317 Revised pages to "Vallecitos Nuclear Ctr Reactor Facilities Radiological Emergency Plan." W/960404 ltr.
CUNNINGHAM,G.E. General Electric Co. 96/03/31. COHEN,L.K. . 6pp. 87956:339-87956:344.

Q. Inspection reports, IE Bulletins & correspondence

9604260252 Forwards insp rept 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STIMMELL,G.L. General Electric Co. 4pp. 88020:280-88020:305.

--9604260267 Insp repts 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.Major areas inspected:organization & mgt controls,qualifications & training,special nuclear matl & accountability & more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 22pp. 88020:284-88020:305.

R. Periodic operating reports & related correspondence

9604010167 "GENTR Annual Rept 36." W/960321 ltr.
SMITH,D.R., CUNNINGHAM,G. General Electric Co. 95/12/31. 7pp. 87697:346-87697:352.

DOCKET 50-77 CATHOLIC UNIV. OF AMERICA RESEARCH REACTOR

J. Insurance & Indemnity Information

9604170104 Forwards signed license termination of Amend 12 to Idemnity Agreement E-2,effective 960314.
DONLEY,R. Catholic Univ. of America, Washington, DC. 96/03/18. MENDONCA,M.M. . 2pp. 87933:293-87933:294.

DOCKET 50-83 UNIV. OF FLORIDA TRAINING REACTOR

P. Operating license stage documents & correspondence

9604030423 Forwards "Updated Proposal Submitted to NRC to Meet 10CFR50.64 Requirements for Updating Scheduling of UFTR Conversion From HEU to LEU Fuel." Proprietary info withheld.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 96/03/27. . 3pp. 87755:306-87755:327.

--9604030424 "Updated Proposal Submitted to NRC to Meet 10CFR50.64 Requirements for Updating Scheduling of UFTR Conversion From HEU to LEU Fuel."
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 96/03/27. 20pp. 87755:309-87755:327.

S. Reportable occurrences, LERs & related correspondence

9604300009 RO:on 960404,failures in Safety Channel 2 high voltage sensing circuits resulted in Safety 2 trip.Stated resistors replaced & Safety Channel 2 high voltage power supply temporarily replaced w/exact duplicate on 960412.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 96/04/25. Region 2 (Post 820201). 5pp. 88067:233-88067:238.

--9604300014 RO:on 960404,spurious safety channel 2 loss of high voltage trip occurred.Caused by previously undetected matl failure. Repairs should be completed by 960410 & restart approved subject to successful post-repair checks.
VERNETSON,W.G. Florida, Univ. of, Gainesville, FL. 96/04/05. EBNETER,S. Region 2 (Post 820201). 1p. 88067:238-88067:238.

DOCKET 50-89 GENERAL ATOMICS

I. Financial Information

9604020100 Forwards proprietary "General Atomic Technologies Corp Rept & Consolidated Financial Statements from 951231 & 94" & "General Atomic Technologies Corp Rept on Agreed-Upon Procedures for 960326." Encl withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/03/29. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. ADAMS,A. . 4pp. 87731:341-87731:344.

R. Periodic operating reports & related correspondence

9604190359 "TRIGA Mark I Reactor Annual Rept for CY95." W/960415 ltr.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/12/31. ADAMS,A. . 23pp. 87952:302-87952:323.

DOCKET 50-116 IOWA STATE UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9604290069 Discusses 960228 request for approval of route to be used for transport of spent fuel from IA State Univ nuclear engineering lab,Ames,IA to DOE Savannah River Site,Aiken,SC. Approval for route encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/24. WENDT,S. Iowa State Univ., Ames, IA. 4pp. 88021:318-88021:320.

P. Operating license stage documents & correspondence

9604290069 Discusses 960228 request for approval of route to be used for transport of spent fuel from IA State Univ nuclear engineering lab,Ames,IA to DOE Savannah River Site,Aiken,SC. Approval for route encl.
HAUGHNEY,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/24. WENDT,S. Iowa State Univ., Ames, IA. 4pp. 88021:318-88021:320.

V. Operator Examinations

9604120197 Forwards results of Operator Initial Exam conducted on 960229.W/o encl.
WEISS,S.H. . 96/04/11. BULLEN,D.B. Iowa State Univ., Ames, IA. 1p. 87862:360-87862:360.

9604160159 Forwards results of Operator Initial Exam conducted at Iowa State University Reactor on 960226.W/o encl.
WEISS,S.H. . 96/04/11. BULLEN,D.B. Iowa State Univ., Ames, IA. 3pp. 87888:345-87888:347.

DOCKET 50-128 TEXAS A&M UNIV. RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9604170427 Agrees w/conclusion that set of postulated radiological events at site boundary would not result in radiation level requiring unusual event in emergency plan,per 950614 ltr.
MICHAELS,T.S. . 96/04/11. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 3pp. 87911:125-87911:127.

P. Operating license stage documents & correspondence

9604080201 Informs that DOE unable to fund conversion of licensee reactor to LEU fuel in FY96,in accordance w/10CFR50.64, "Limitations on Use of HEU in Domestic Non-Power Reactors."
O'KELLY,S. Texas A&M Univ., College Station, TX. 96/04/03. Document Control Branch (Document Control Desk). 1p. 87817:228-87817:228.

V. Operator Examinations

9604120291 Forwards results of operator initial exam conducted at Texas A&M University on 960308.W/o encl.
WEISS,S.H. . 96/04/11. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 1p. 87861:353-87861:353.

9604220400 Forwards initial exam rept 50-128/OL-96-02 administered during wk of 960305.W/o encl.
WEISS,S.H. . 96/04/11. FLUMERFELT,R.W. Texas A&M Univ., College Station, TX. 3pp. 87933:326-87933:328.

DOCKET 50-131 OMAHA VETERANS ADMINISTRATION HOSPITAL RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604040122 Forwards RAI re request for renewal of license R-57 for TRIGA research reactor.Requests response within 60 days of dtd ltr.
ADAMS,A. . 96/04/02. BLOTCHY,A. Dept. of Veterans Affairs Medical Center, Omaha, NE (formerly Veterans Admin. Me. 7pp. 87746:190-87746:196.

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

P. Operating license stage documents & correspondence

9604030204 Forwards notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 87722:210-87722:214.

-9604030217 Notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. 2pp. 87722:213-87722:214.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080288 "Humboldt Bay Power Plant Unit 3 Annual Radioactive Effluent Release Rept for 1995." W/960329 ltr.
MOULIA,T.A. Pacific Gas & Electric Co. 95/12/31. 18pp. 87810:345-87810:362.

9604080358 Forwards HBPP unit 3 annual facility status & survey rept.
MOULIA,T.A. Pacific Gas & Electric Co. 96/03/29. Document Control Branch (Document Control Desk). 10pp. 87817:157-87817:166.

9604080154 Forwards 10CFR50.59 annual rept of changes,tests & experiments Jan-Dec 1994.
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/02. Document Control Branch (Document Control Desk). 6pp. 87814:287-87814:292.

DOCKET 50-146 SAXTON NUCLEAR EXPERIMENTAL FACILITY

C. Utility Environmental Report (ER), amends & correspondence

9604190007 Forwards "Saxton Nuclear Experimental Corp Facility Decommissioning Environ Rept."
KUEHN,G.A. Saxton Nuclear Experimental Corp. 96/04/17. Document Control Branch (Document Control Desk). 1p. 87952:209-87952:271.

-9604180368 "Saxton Nuclear Experimental Corp Facility Decommissioning Environ Rept."
* General Public Utilities Corp. - GPU Service Corp. 96/04/17. 62pp. 87952:210-87952:271.

H. General correspondence

9604220040 Appeals NRC denial of FOIA request 95-389,filed on 950917, seeking public acceptance activity repts & related documents in public acceptance activity records for listed GPU or subsidiary reactors or proposed reactors.
DEKOK,D. Affiliation Not Assigned. 96/02/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 87942:101-87942:104.

P. Operating license stage documents & correspondence

9604250405 Submits response to RAI re TS change request 57 which addresses proposed expansion of permissible work scope at facility.
KUEHN,G.A. Saxton Nuclear Experimental Corp. 96/04/24. Document Control Branch (Document Control Desk). 5pp. 88023:210-88023:232.

-9604250408 "Control of Hotwork."
CURRY,E.A., CONNOR,T.A. Saxton Nuclear Experimental Corp. 95/04/20. 18pp. 88023:215-88023:232.

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9604220394 Forwards Rev 6 to security plan & Rev 30 to safeguards contingency plan for plant.Revs withheld,per 10CFR73.21(c).
DONNELLY,P.M. Consumers Power Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 87960:355-87960:355.

I. Financial information

9604220301 Forwards 1995 CPC annual financial rept,including certified financial statements.
SMEDLEY,R.W. Consumers Power Co. 96/04/12. Document Control Branch (Document Control Desk). 33pp. 87973:323-87973:355.

P. Operating license stage documents & correspondence

9604080390 Forwards response to NRC 960301 RAI re plant IPE submittal, per GL 88-20.
DONNELLY,P.M. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 330pp. 87804:001-87804:330.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230286 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
DONNELLY,P.M. Consumers Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87976:358-87976:360.

9604250213 Requests that attached memo be placed into Docket Files, NRC PDR & local PDRs.
REINHART,M. . 96/04/18. Document Control Branch (Document Control Desk). 1p. 87998:210-87998:214.

-9604250226 Informs that commitments made by licensee IPSAR items have been completed or cancelled,w/exception of improved warehouse facilities to store qualified matls & RCW relief valve investigation.
NORELIUS,C.E. Region 3 (Post 820201). 86/01/27. BERNERO,R.M. Division of Boiling Water Reactor (BWR) Licensing (851125-870411). 4pp. 87998:211-87998:214.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604250229 Forwards insp rept 50-155/96-02 on 960307 & NOV.NRC will determine whether further enforcement action necessary to ensure compliance w/regulatory requirement.
KROPP,W.J. Region 3 (Post 820201). 96/04/10. DONNELLY,P.M. Consumers Power Co. 4pp. 87996:217-87996:250.

--9604250242 Notice of violation from insp on 960126-0307.Violation noted:flammable matl in hot-work area in recirculation pump room & opened paint can stored outside flammable liquids storage cabinet on turbine deck.
* Region 3 (Post 820201). 96/04/10. 2pp. 87996:221-87996:222.

--9604250248 Insp rept 50-155/96-02 on 960126-0307.Violations noted.Major areas inspected:licensee operations,engineering,maint & plant support.
KROPP,W.J. Region 3 (Post 820201). 96/03/07. 28pp. 87996:223-87996:250.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250250 Ack receipt of 960311 ltr informing NRC of steps taken to correct violations noted in insp rept 50-155/95-12.
KROPP,W.J. Region 3 (Post 820201). 96/04/16. DONNELLY,P.M. Consumers Power Co. 1p. 87996:007-87996:007.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300330 Forwards exam rept 50-155/OL-96-01 conducted during week of 960415.
BURDICK,T.M. Region 3 (Post 820201). 96/04/22. FENECH,R.A. Consumers Power Co. 2pp. 88036:111-88036:114.

--9604300338 Exam rept 50-155/OL-96-01 conducted during week of 960415. Exam results:4 applicants completed & passed administrative portion of RO license retake exam.
BURDICK,T.M. Region 3 (Post 820201). 96/04/22. 2pp. 88036:113-88036:114.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604110094 Monthly operating rept for Mar 1996 for BRPNP.W/960401 ltr.
JOHNSON,J.R., DONNELLY,P.M. Consumers Power Co. 96/03/31. 6pp. 87856:109-87856:114.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

V. Operator Examinations

9604250341 Provides individual exam results for applicants of April initial license exam.
BURDICK,T.M. Region 3 (Post 820201). 96/04/22. LACROIX,D.G. Consumers Power Co. 1p. 88003:303-88003:303.

9604300330 Forwards exam rept 50-155/OL-96-01 conducted during week of 960415.
BURDICK,T.M. Region 3 (Post 820201). 96/04/22. FENECH,R.A. Consumers Power Co. 2pp. 88036:111-88036:114.

--9604300338 Exam rept 50-155/OL-96-01 conducted during week of 960415. Exam results:4 applicants completed & passed administrative portion of RO license retake exam.
BURDICK,T.M. Region 3 (Post 820201). 96/04/22. 2pp. 88036:113-88036:114.

DOCKET 50-160 GEORGIA INSTITUTE OF TECHNOLOGY RESEARCH REACTOR

G. Adjudicatory correspondence

9604020003 Notice of prehearing conference.* Conference to be held on 960424 in Atlanta,GA re matters bearing upon preparation for hearing commencing on 960520,as set forth in 10CFR2.752(a). W/Certificate of Svc.Served on 960325.
BECHHOEFER,C. Atomic Safety & Licensing Board Panel. #296 17531. 96/03/25. 4pp. 87701:282-87701:285.

H. General correspondence

9604030340 Informs that ltrs subsequent to 950731 Partial Director's Decision do not present info that would change conclusions & advises that regulatory requirements implemented at Georgia Tech Research Reactor ensure public health & safety.
RUSSELL,W.T. . 96/03/22. BLOCKEY-O'BRIEN Affiliation Not Assigned. 9pp. 87743:001-87744:025.

--9604030345 Mgt Directive 8.11, "Review Process for 10CFR2.206 Petitions," revised 951212.
* . 95/12/12. 9pp. 87743:010-87743:018.

--9604030347 Handbook 8.11, "Review Process for 10CFR2.206 Petitions," revised 951212.
* . 95/12/12. 267pp. 87743:019-87743:240.

--9604030411 Discusses & forwards notice of proposed issuance of const permit & amended facility license to modify research reactor & to subsequent operation of 5 MWt,per 680311 application.
SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 72/12/19. KIRKLAND,R.S. Georgia Institute of Technology, Atlanta, GA. 2pp. 87743:241-87743:242.

--9604040003 Notice of proposed issuance of const permit & amended facility operating license R-97 to Georgia Inst of Technology authorizing mod to existing research reactor necessary for operation of reactor power levels up to 5 MWt.
SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 72/12/19. 10pp. 87743:243-87743:252.

--9604040004 SER approving mod to Georgia Tech Research Reactor to permit operation at increased power levels up to 5 MWt.
SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 72/12/19. 15pp. 87743:253-87743:267.

--9604040008 Forwards const permit CPRR-116,authorizing mod to existing research reactor & advises that issuance of amend to license R-97,authorizing operation of reactor at power levels up to 5 MWt,will be considered upon completion of mod to reactor.
SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 73/05/02. KIRKLAND,R.S. Georgia Institute of Technology, Atlanta, GA. 1p. 87743:268-87743:268.

--9604040012 CP CPRR-116 for facility,authorizing mod to existing research reactor necessary for operation of reactor at 5 MWt.
SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 73/05/02. 3pp. 87743:269-87743:271.

--9604040014 Notice of issuance of CP,authorizing Georgia Inst of Technology to make mod to existing research reactor necessary for operation of reactor at power levels up to 5 MWt,IAW 680311 application.
ZIEMANN,D.L. Atomic Energy Commission (Pre 750119). 73/05/02. 3pp. 87743:272-87743:274.

--9604040017 Forwards amend 1 to license R-97,authorizing licensee to operate research reactor at power levels up to 5 MWt & to possess & use increased quantity of special nuclear matl in connection w/operation of reactor.
GOLLER,K.R. Atomic Energy Commission (Pre 750119). 74/06/06. DAVIS,M.V. Georgia Institute of Technology, Atlanta, GA. 2pp. 87743:275-87743:276.

--9604040021 Amend 1 to license R-97,authorizing licensee to operate research reactor at power levels up to 5 MWt & to possess & use increased quantity of special nuclear matl in connection w/operation of reactor.
GOLLER,K.R. Atomic Energy Commission (Pre 750119). 74/06/06. 54pp. 87743:277-87743:331.

--9604040024 Notice of issuance of amend 1 to license R-97,authorizing Georgia Inst of Technology to operate mod research reactor at power levels up to 5 MWt for R&D activities & increase in quantity of U-235 that licensee may receive,possess & use.
ZIEMANN,D.L. Atomic Energy Commission (Pre 750119). 74/06/06. 7pp. 87743:332-87744:025.

P. Operating license stage documents & correspondence

9604090394 Forwards copy of info requested in 960402 telcon.W/o encls.
MENDONCA,M.M. . 96/04/05. BLOCKEY-O'BRIEN Affiliation Not Assigned. 4pp. 87810:092-87810:095.

9604170341 Press release II-96-41, "NRC Licensing Board Sets Prehearing Conference on GA Tech Research Reactor."
* Region 2 (Post 820201). 96/04/16. 1p. 87959:334-87959:334.

9604250278 Informs Decatur Library designated as temporary LPDR for records re GA Institute of Technology Research Reactor license renewal proceeding.
NORTHERN,S.S. Facility Management Branch. 96/04/23. LITTON,S. Decatur, AL. 3pp. 88002:343-88002:348.

--9604250284 Notice designating Decatur Library as temporary LPDR for proposed license renewal of GA Institute of Technology research reactor located on Atlanta,GA campus.
KAMMERER,C. Division of Freedom of Information & Publications Services (890206-940714). 96/04/23. 3pp. 88002:346-88002:348.

T. Hearing transcripts on non-antitrust matters

9604260296 Transcript of 960424 Georgia Inst of Technology Pre-hearing Conference in Atlanta,GA.Pp 834-914.W/Certificate of Svc.
* Atomic Safety & Licensing Board Panel. #296 17576. 96/04/24. 83pp. 88004:199-88004:281.

DOCKET 50-163 GENERAL ATOMICS

I. Financial information

9604020100 Forwards proprietary "General Atomic Technologies Corp Rept & Consolidated Financial Statements from 951231 & 94" & "General Atomic Technologies Corp Rept on Agreed-Upon Procedures for 960326." Encl withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/03/29. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. ADAMS,A. . 4pp. 87731:341-87731:344.

R. Periodic operating reports & related correspondence

9604190361 "TRIGA Mark F Reactor Annual Rept for CY95." W/960415 ltr.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/12/31. ADAMS,A. . 22pp. 87952:281-87952:301.

DOCKET 50-170 ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE

R. Periodic operating reports & related correspondence

9604260020 Corrected copy of "1995 Annual Rept of AFFRI Triga Reactor Facility." W/ undated ltr.
MOORE,M. Armed Forces Radiobiological Research Institute. 95/12/31. 153pp. 88026:001-88026:153.

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-183 VALLECITOS EXPERIMENTAL SUPERHEAT REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9604260252 Forwards insp rept 50-018/96-01,50-070/96-01,50-073/96-01 & 50-183/96-01 on 960311-15.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STIMMELL,G.L. General Electric Co. 4pp. 88020:280-88020:305.

DOCKET 50-184 NATIONAL INSTITUTE OF STANDARDS & TECHNOLOGY REACTOR

R. Periodic operating reports & related correspondence

9604030186 "Operations Rept 48,for 1995." W/960328 ltr.
ROWE,J.M. National Institute of Standards & Technology (formerly National Bureau of Standa. 95/12/31. 14pp. 87748:271-87748:285.

DOCKET 50-186 UNIV. OF MISSOURI RESEARCH REACTOR-COLUMBIA

F. Security, medical, emergency & fire protection plans

9604150281 Submits notification of radioactive SF shipments to include 25,000 lbs of RQ radioactive matl from Univ of Missouri Research Reactor Ctr to Aiken,SC.Forwards classified SGs info re subj shipment,per 10CFR73.21(b)2.W/o encl.
HULTSCH,R.A. Missouri, Univ. of, Columbia, MO. 96/02/16. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87885:012-87885:013.

9604040171 Discusses review re changes to licensee reactor emergency plan & requests addl info.Response should be submitted within 30 days of ltr date.
ADAMS,A. . 96/04/02. RHYNE,J.J. Missouri, Univ. of, Columbia, MO. 4pp. 87746:146-87746:149.

P. Operating license stage documents & correspondence

9604170100 Requests extension of implementation date for procedures replacing controls given in CAL CAL-RIII-95-004 governing activities in Room 267,to allow time to incorporate suggested changes to draft procedures.
MCKIBBEN,J.C. Missouri, Univ. of, Columbia, MO. 95/12/18. PEDERSON,C.D. Region 3 (Post 820201). 1p. 87949:160-87949:160.

9604180131 Forwards copy of DOE 960314 ltr,to Univ of MO Research Reactor,notifying licensee that federal funds for conversion unavailable during FY96.
MEYER,W.A. Missouri, Univ. of, Columbia, MO. 96/03/26. ADAMS,A. . 2pp. 87942:335-87942:336.

9604230252 Expresses thanks for kindness & quick response to questions re temporary changes licensee making at Univ of MO Nuclear Reactor.
SHERIDAN,E.P. Missouri, Univ. of, Columbia, MO. 96/04/15. WEISS,S.H. . 1p. 87979:298-87979:298.

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

Q. Inspection reports, IE Bulletins & correspondence

9604150372 Forwards insp rept 50-193/96-01 on 960315.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 96/04/05. TEHAN,T. Rhode Island, State of. 2pp. 87885:070-87885:078.

--9604150380 Insp rept 50-193/96-01 on 960311-15.No violations noted. Major areas inspected:organization,logs & records,review, audit & design change functions & surveillance & limiting conditions for operations.
WHITE,J.R. Region 1 (Post 820201). 96/04/05. 7pp. 87885:072-87885:078.

DOCKET 50-200 B&W TEST REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9604030064 Requests for addl info re response to NRC Bulletin 95-02, "Unexpected Clogging of RHR Pump Strainer while Operating in Suppression Pool Cooling Mode," for plant,unit 1.
HOOD,D.S. . 96/03/28. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 87722:047-87722:051.

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604030119 Forwards Rev 11 to "Updated Fire Hazards Analysis SONGS, Units 1,2 & 3."
NUNN,D.E. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87768:001-87768:239.

--9604030122 Rev 11 to "Updated Fire Hazards Analysis SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/02/29. 400pp. 87768:005-87768:239.

9604050452 Forwards Rev 16 to security force training & qualification plan for Units 1,2 & 3.Rev withheld,per 10CFR50.54(p)(2).
KRIEGER,R.W. Southern California Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87775:286-87775:286.

9604170238 Submits comments on NRC notice of pending submittal to Ofc of Mgt & budget for review re 10CFR73,physical protection of plants & matls.
MARSH,W.C. Southern California Edison Co. 96/04/08. SHELTON,B.J. NRC - No Detailed Affiliation Given. 2pp. 87933:245-87933:246.

9604160433 Responds to 951121 ltr re changes to PSP,Rev 48.Informs plan commitments consistent w/provisions of 10CFR50.54(p) & changes appropriate for plan.
FIELDS,M.B., WEBB,M. . 96/04/11. RAY,H.B. Southern California Edison Co. 2pp. 87899:208-87899:209.

9604260030 Forwards Rev 11 to "UFSAR for SONGS,Units 2 & 3," filed in K & Rev 11 to "Updated Fire Harazards Analysis for SONGS,Units 1,2 & 3," filed in F.
MARSH,W. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88084:001-88091:232.

-9604260040 Rev 11 to "Updated Fire Hazards Analysis for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/03/31. 298pp. 88090:299-88091:232.

9604250303 Temporary Change Notice 4 to Rev 0 to SO123-NP-1, "Emergency Planning & Public Affairs Responsibilities & Offsite Interfaces." W/960419 ltr.
MARSH,W.C. Southern California Edison Co. 96/04/19. 16pp. 88023:304-88023:319.

9604290385 Submits Rev 50 to Physical Security Plan for SONGS.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88038:358-88038:359.

H. General correspondence

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

-9502060061 Forwards analysis which constitutes financial qualifications review & input to SER on proposal by util to implement corporate restructuring by creating holding company.Merger should be approved.
WOOD,R.S. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/02/01. FIELDS,M.B. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). WEBB,M.K. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 87906:189-87906:192.

-9604170184 Forwards proposed ltr re corporate restructuring of SDG&E to provide assurances re transfer of util-related assets.
MESERVE,R.A. Covington & Burling. 95/03/23. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 87906:193-87906:193.

-9604170188 Advises that util agrees to provide NRR w/60-days prior notice of transfer from SDG&E to proposed parent or to any other affiliated company or facilities production, transmission or distribution of electric energy.
GUILES,E.A. San Diego Gas & Electric Co. 95/03/24. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 87906:194-87906:195.

J. Insurance & Indemnity Information

9604030326 Advises NRC that listed Nuclear Property & Decontamination Liability Insurance currently in effect for SONGS,as required by 10CFR50.54(w)(3).
MARSH,W.C. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87755:359-87755:360.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-213 HADDAM NECK PLANT

F. Security, medical, emergency & fire protection plans

9604020289 Revised EPIPs,including Rev 17 to EPIP 1.5-10,Rev 19 to EPIP 1.5-27,Rev 14 to EPIP 1.5-37,Rev 2 to EPIP 1.5-37A,Rev 2 to EPIP 1.5-37D,Rev 1 to EPIP 1.5-37F & Rev 1 to EPIP 1.5-37H.
BUCH,W.H. Connecticut Yankee Atomic Power Co. 96/03/19. 146pp. 87732:001-87732:147.

9604010374 Revised EPIPs & Emergency Plan Operating Procedures (EPOP), Change 1 to Rev 3 to EPIP 4400,Change 3 to Rev 1 to EPIP 4404,Change 2 to Rev 1 to EPOP 4411,Rev 2 to EPOP 4428A,Rev 2 to EPOP 4428D & Rev 1 to EPOP 4428F.
* Northeast Utilities Service Co. 96/03/25. 204pp. 87717:001-87717:204.

9604080432 Advises that 960223 Rev 29 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable. Changes 9,17,18,19,21 & 22 which address hand geometry not reviewed & will be reviewed by NRR & results transmitted.
KEIMIG,R.R. Region 1 (Post 820201). 96/03/26. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 87814:344-87814:346.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

-9604150104 Forwards signed copy of FRN, "Issuance of Final Director Decision Under 10CFR2.206," for transmittal to Ofc of FR for publication.
HAWES,C. . 96/04/04. Rules & Directives Review Branch (Post 920323). 1p. 87887:312-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080420 Rev 32 to Haddam Neck Plant Emergency Plan.
* Connecticut Yankee Atomic Power Co. 96/04/08. 72pp. 87811:092-87811:162.

9604170254 Rev 7 to EPIP 1.5-47, "Operation of Wide Range Gas Monitor During Accident Conditions." W/EPIPs index.
BUCH,W.H. Connecticut Yankee Atomic Power Co. 96/04/09. 16pp. 87948:134-87948:149.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

-9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

-9604150104 Forwards signed copy of FRN, "Issuance of Final Director Decision Under 10CFR2.206," for transmittal to Ofc of FR for publication.
HAWES,C. . 96/04/04. Rules & Directives Review Branch (Post 920323). 1p. 87887:312-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230021 Provides update on 10CFR2.206 Petition submitted on 950821, as supplemented 950828 on behalf of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/09. HADLEY,E.C. Affiliation Not Assigned. 2pp. 87971:017-87971:018.

H. General correspondence

9604080066 Responds to 951117 ltr to President Clinton,forwarded to NRC for review & appropriate action on 960308.Informs of latest activities concerning Millstone plant.
RUSSELL,W.T. . 96/04/02. STOREY,W. Affiliation Not Assigned. 16pp. 87779:309-87779:340.

--9604080076 Expresses appreciation to Chairman Jackson for getting job done re nuclear power plants.
STOREY,B. Affiliation Not Assigned. 96/02/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87779:325-87779:329.

--9604080084 Informs of attendance at 951205 meeting in New London re safety at Millstone plant.
STOREY,B. Affiliation Not Assigned. 95/12/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 11pp. 87779:330-87779:340.

9604120263 Responds to 941024 request/Petition for immediate shut down of all reactors where Thermo-Lag used until removed & replaced.Advises that subj request denied per Director's Decision (DD-96-03).W/o encls.
RUSSELL,W.T. . 96/04/03. JOHNSTON,C. Toledo Coalition for Safe Energy. 4pp. 87861:357-87861:360.

9604120263 Responds to 941024 request/Petition for immediate shut down of all reactors where Thermo-Lag used until removed & replaced.Advises that subj request denied per Director's Decision (DD-96-03).W/o encls.
RUSSELL,W.T. Office of Nuclear Reactor Regulation (Post 941001). 96/04/03. JOHNSTON,C. Toledo Coalition for Safe Energy. 4pp. 87861:357-87861:360.

9604260301 Responds to 960309 ltr to A Wang,expressing concerns about health of family & community.
WILLIS,C.A. . 96/04/16. BASSILAKIS,R. Affiliation Not Assigned. 5pp. 88030:308-88030:339.

--9604290248 Discusses Haddam Neck nuclear reactor liquid tritium output data rept in NRC 1992 Annual Rept, "Radioactive Matls Released from Nuclear Power Plants."
BASSILAKIS,R. Affiliation Not Assigned. 96/03/09. WANG,A. NRC - No Detailed Affiliation Given. 3pp. 88030:313-88030:315.

--9604260303 "Teratogenic & Tranmutational Effects of Tritium."
KATZ,D. Citizens Awareness Network. 94/04/30. 21pp. 88030:316-88030:339.

9604240351 Forwards projected decommissioning costs,market values of decommissioning trust funds & 10CFR50.75, "Reporting & Recordkeeping for Decommissioning Planning."
DEMBEK,S. . 96/04/18. STAUB,B. Affiliation Not Assigned. 13pp. 87994:340-87994:352.

9604300420 Informs NRC to add New England Power Co to svc list at listed address.
ROBINSON,J.S. New England Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88067:247-88067:247.

J. Insurance & Indemnity Information

9604090057 Notifies NRC of amount of property insurance coverage currently in force for Haddam Neck & Millstone Plants.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87825:357-87825:358.

P. Operating license stage documents & correspondence

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9604020361 Requests approval to use Code Case N-546,as alternative to ASME Code Section XI for plants & that NRC revise SER of 951207,in support of Millstone Unit 1 request to use Code Case N-547.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/03/20. Document Control Branch (Document Control Desk). 4pp. 87712:346-87712:349.

9604020094 Provides NRC w/info supporting review of proposed license amend submitted by CT Yankee Atomic Power Co on 960112,re ultimate heat sink of Haddam Neck Plant.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87725:227-87725:228.

9604080223 Responds to RAI re four water storage tanks at plant.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/21. Document Control Branch (Document Control Desk). 8pp. 87814:323-87814:330.

9604020192 Application for amend to license DPR-61,revising TS 3.4.2 re RCS safety valves by adding addl footnote to LCO 3.4.2.1 & modifying LCO 3.4.2.2.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/28. Document Control Branch (Document Control Desk). 8pp. 87710:320-87710:333.

--9604020193 Proposed tech specs re RCS safety valves.
* Connecticut Yankee Atomic Power Co. 96/03/28. 6pp. 87710:328-87710:333.

9604150246 Application for amend to license DPR-61,adding addl footnote to LCO 3.4.2.1 & modifying footnote for LCO 3.4.2.2.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/28. Document Control Branch (Document Control Desk). 9pp. 87896:047-87896:060.

--9604150249 Proposed tech specs,adding addl footnote to LCO 3.4.2.1 & modifying footnote for LCO 3.4.2.2.
* Connecticut Yankee Atomic Power Co. 96/03/28. 5pp. 87896:056-87896:060.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety. (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120262 Forwards SE authorizing request to implement alternative contained in Code Case N-535,per 10CFR50.55a(a)(3)(i).
MCKEE,P.F. . 96/04/05. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 87862:349-87862:359.

--9604120270 SER accepting proposed alternative to implement Code Case N-535 for scheduling of intervals & exam of Code Class 1,2 & 3 piping & components.
* . 96/04/05. 7pp. 87862:353-87862:359.

9604100027 Responds to NRC 951213 request for info per 10CFR50.54(f), including independent analysis of Adverse Condition Rept (ACR) 7007,comparison of Haddam Neck & Millstone Unit 1 & summary of actions to address ACR 7007 rept conclusions.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/04/08. Document Control Branch (Document Control Desk). 8pp. 87831:335-87831:342.

9604220218 Provides suppl to response to request for info re documents from REF files.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/15. Document Control Branch (Document Control Desk). 78pp. 87985:210-87985:287.

9604220185 Responds to GL 96-01, "Testing of SR Logic Circuits."
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87962:356-87962:360.

9604220211 Application for amend to license DPR-61,revising LCO 3.7.12 of plant TS to permit plant to remain in Modes 1,2,3 or 4 w/average water temp of UHS greater than 90 degrees F for 8 h.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 14pp. 87985:334-87985:357.

--9604220214 Proposed tech specs,revising LCO 3.7.12 of plant TS to permit plant to remain in Modes 1,2,3 or 4 w/average water temp of UHS greater than 90 degrees F for 8 hs.
* Connecticut Yankee Atomic Power Co. 96/04/16. 10pp. 87985:348-87985:357.

9604240249 Advises that S Dembek to be assigned as Project Manager for Haddam Neck Plant & that DG McDonald to be assigned as Project Manager for Millstone Nuclear Power Station,Unit 2, effective 960428.
MCKEE,P.F. . 96/04/18. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 5pp. 87994:282-87994:286.

9604240355 Ack receipt of 960408 ltr in response to 960307 request for addl info re issues identified in Event Response Team Rept ACR 7007.
MCKEE,P.F. . 96/04/22. HARPSTER,T.L. Duke Power Co. 4pp. 88010:355-88010:359.

9604300201 Application for amend to license DPR-61,reflecting rev to overload cutoff limit on manipulator crane inside containment at plant.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/22. Document Control Branch (Document Control Desk). 8pp. 88064:262-88064:273.

--9604300203 Proposed tech specs,reflecting rev to overload cutoff limit on manipulator crane inside containment at plant.
* Northeast Nuclear Energy Co. 96/04/22. 4pp. 88064:270-88064:273.

9604300209 Application for amend to license DPR-61,allowing use of performance-based containment leakage testing requirements described in 10CFR50,App J,Option B.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/22. Document Control Branch (Document Control Desk). 13pp. 88064:274-88064:309.

--9604300213 Proposed tech specs,allowing use of performance-based containment leakage testing requirements described in 10CFR50,App J,Option B.
* Connecticut Yankee Atomic Power Co. 96/04/22. 23pp. 88064:287-88064:309.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

--9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

--9604300285 Safety evaluation supporting amends 189,94,196 & 128 to licenses DPR-61,DPR-21,DPR-65 & NPF-49,respectively.
* . 96/04/24. 3pp. 88053:159-88053:161.

Q. Inspection reports, IE Bulletins & correspondence

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150164 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/04/08. Document Control Branch (Document Control Desk). 36pp. 87888:285-87888:320.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604190113 Responds to NRC 960311 ltr re violations noted in insp rept 50-213/96-01 on 960122-26.C/A:sys repaired & calibrated by maint & engineering & released to operations for unrestricted use.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/04/10. Document Control Branch (Document Control Desk). 9pp. 87939:346-87939:354.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250083 Forwards insp rept 50-213/96-03 on 960212-23.No violations noted.
ROGGE,J.F. Region 1 (Post 820201). 96/04/18. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87996:179-87996:202.

--9604250130 Insp rept 50-213/96-03 on 960212-23.No violations noted. Major areas inspected:evaluation of effectiveness of plant programs for identifying,resolving & correcting problems.
ROGGE,J.F. Region 1 (Post 820201). 96/04/18. 21pp. 87996:182-87996:202.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290281 "Annual Radiological Environ Operating Rept Haddam Neck Station Radiological Environ Monitoring Program Jan-Dec 1995." W/960423 ltr.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Utilities Service Co. 95/12/31. 80pp. 88031:274-88031:353.

9604180344 Monthly operating rept for Mar 1996 for Haddam Neck Plant. W/960415 ltr.
EMMONS,K.W., DACIMO, Connecticut Yankee Atomic Power Co. 96/03/31. 7pp. 87956:322-87956:328.

9604240294 Forwards "Haddam Neck Plant Submittal of Reg Guide 1.16 Annual Rept for 1994."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 1p. 88010:336-88010:338.

--9604240306 "Haddam Neck Plant Submittal of Reg Guide 1.16 Annual Rept for 1994."
* Connecticut Yankee Atomic Power Co. 94/12/31. 2pp. 88010:337-88010:338.

S. Reportable occurrences, LERs & related correspondence

9604080065 LER 96-004-00:on 960229,surveillance testing of SG blowdown radiation monitor was inadequate.Caused by inadequate review of license amend request.Inserted half strip signal to SG blowdown valves.W/960401 ltr.
MCCARTHY,R., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/04/01. 5pp. 87823:313-87823:318.

9604080074 LER 96-005-00:on 960301,spent fuel pool cooling shut down occurred due to discovery of loose parts.Technical Support Engineering inspected piping from both spent fuel pool cooling pumps to plate heat exchanger.W/960401 ltr.
MUIK,S., LAPLATNEY,J.J. Connecticut Yankee Atomic Power Co. 96/04/01. 6pp. 87823:319-87823:324.

9604190045 LER 96-006-00:on 960316,charging pump experiencing cavitation during transfer to sump recirculation due to inadequate net positive suction head.Reevaluated available vs required pump NPSH.W/960412 ltr.
MAJEWSKI,J., LAPLATNEY,J. Connecticut Yankee Atomic Power Co. 96/04/12. 8pp. 87960:274-87960:282.

DOCKET 50-216 POLYTECHNIC INSTITUTE OF NEW YORK RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604120132 Requests revised curve that includes results of detailed max planar exposure during cycle.
SHOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/31. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

D. NRC Draft/Final Environmental Statements, suppls & correspondence

--9604150300 Informs that Draft Environ Statement for facility reviewed in relevant agencies of Dept of Agriculture & comments from Forest Service encl.
TSCHIRLEY,F.H. Agriculture, Dept. of. 73/07/29. MULLER,D.R. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

F. Security, medical, emergency & fire protection plans

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

--9604110275 Provides update & revises facility health physics organization discussed in 780809 memo.
FINFROCK,I.R. Jersey Central Power & Light Co. 79/06/29. GRIER,B.H. Region I, IE (720101-810228). 2pp.

--9604110287 Requests response re vulnerability of auxiliary power source for security sys.
CHAPELL,D.R. Office of Inspection & Enforcement (750101-801210). 79/06/22. MILLER,J.R. Assistant Director for Reactor Safeguards. 1p.

--9604110293 Advises that application in amend 38 re "Seismic Analysis Results of Feedwater Coolant Injection Sys," will be able to perform emergency function for max earthquake.
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 68/08/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 76pp.

--9604120090 Discusses insp rept 50-219/73-19 re facility meteorology program which did not meet recommendations of safety guide 23 & at present of little value.NRC recommends that meteorology requirements be incorporated in facility TS.
STOHR,J.P. Region I, IE (720101-810228). 73/12/21. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

--9604120096 Provides list of areas in facility meteorology program in nonconformance w/safety guide 23.
BORES,R.J. Region I, IE (720101-810228). 73/12/21. STOHR,J.P. Region I, IE (720101-810228). 2pp.

--9604170181 Insp rept 50-219/74-02 on 740121-25.Violations noted.Major areas inspected:administration & organization,logs & records,primary sys,reactivity control & core physics, auxiliary sys,electrical sys,containment & emergency power.
GREENMAN,E.G., THOMAS,V., CAPHTON,D.L. Region I, IE (720101-810228). 74/03/27. 20pp.

--9604170294 Insp rept 50-219/74-17 on 741111-14.Violations noted.Major areas inspected:health physics & chemistry.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 74/01/03. 13pp.

–9604170306 Forwards RO Insp Rept 50-219/73-21 for action.Informs that NJ Emergency Plan does not meet "Guide & Checklist for Development & Evaluation of State Radiological Emergency Response Plans for Fixed Facilities." State working on rev.
STOHR,J.P. Region I, IE (720101-810228). 74/02/05. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604170310 Refers to 740107 ltr transmitting physical security plan(s) & requesting that it be withheld from public disclosure as proprietary info.Agrees that info is proprietary.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/11. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604170360 Discusses adopted amends to Commission Regulation 10CFR, Parts 50,70,& 73 dtd 731106.Amends require licensees to submit physical security plan by 740107.Licensees required to provide physical protection against industrial sabotage.
GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/05. FINFROFK,I.R. Jersey Central Power & Light Co. 2pp.

–9604180085 Submits evaluation of facility based on insp of 731226-28. Health Physics conditions show dramatic improvement since Sept insp & newly hired Radiation Protection Supervisor appears to be doing outstanding job.
MANN,J. Region I, IE (720101-810228). 74/02/11. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

–9604180177 Informs that insp rept 50-219/73-21 documents findings of review of licensees emergency planning.Insp conducted prior to submittal of revised EP.
GALLINA,C.O. Region I, IE (720101-810228). 74/02/05. STOHR,J.P. Region I, IE (720101-810228). 2pp.

–9604190274 Insp rept 50-219/74-21 on 731210-12 & 18.No violations noted.Major areas insp:emergency implementation procedures, communications,emergency vehicles,alternate emergency control center,area maps & overlays,letters of agreement.
GALLINA,C.O., STOHR,J.P. Region I, IE (720101-810228). 74/01/18. 22pp.

–9604220016 Informs of two changes in personnel radiation monitoring program at facility & believes that increased health physics staff,TLD sys,additional personnel training & other changes in program will provide adequate control of exposure.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/08. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604220242 Notice of violation from insp on 750121-23 & 27.Violations noted:sections of protected area barrier along banks of intake & discharge canal left unprotected,written security procedures not issued or placed at specific locations.
* Region I, IE (720101-810228). 75/03/11. 2pp.

–9604230130 Partially withheld insp rept 50-219/75-02 on 750121-23 & 27. Major areas inspected:plant security.
KING,M., ROGERS,M., DEVLIN,I. Region I, IE (720101-810228). 75/02/28. 1p.

–9604230298 Informs that switches not showing similar malfunctioning as described in bulletin dtd 741206.No further action planned.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604230401 Insp rept 50-219/75-09 on 750325-27 & 0408-10.Violations & deviation noted.Major areas inspected:refueling & health physics.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 75/05/23. 11pp.

–9604240040 Insp rept 50-219/75-20 on 75084-05.Violations noted.Major areas inspected:licensee program status re area of emergency planning.
GALLINA,C.O. Region I, IE (720101-810228). 75/09/09. 10pp.

–9604240154 Insp rept 50-219/75-13 on 750505-07.No violations noted. Major areas inspected:facility requirements for fire stops on safety-related cables & penetration seals.
PLUMLEE,K.W., HAYNES,R.C. Region I, IE (720101-810228). 75/05/20. 9pp.

9604040027 Second partial final response to FOIA request for records. App G records encl & being made available in PDR.App H records partially withheld (ref Exemption 4).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. SHEEHAN,N.A. Affiliation Not Assigned. 13pp. 87860:003-87860:288.

–9604040067 Discusses T Sensue 950706 telcon request for extension until 950811 from 950711 due date re security issues noted in Allegation RI-95-A-0026.
ROGGE,J.F. NRC - No Detailed Affiliation Given. 95/07/07. CONNER,M. NRC - No Detailed Affiliation Given. 1p. 87860:035-87860:035.

–9604040089 Recommends that Allegation RI-95-A-0044 file re continuous fire watch duty for A-B battery room being performed by security guards,discussed during insp 50-219/95-06,in Section 4.3,fire watch activities be closed.
CONNER,M. NRC - No Detailed Affiliation Given. 95/05/04. ROGGE,J.F. NRC - No Detailed Affiliation Given. 5pp. 87860:050-87860:054.

–9604040096 Discusses Allegation RI-95-A-0026 re security issues at plant.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/03/27. ROGGE,J. NRC - No Detailed Affiliation Given. 32pp. 87860:059-87860:090.

–9604040199 Informs that G Smith & D Limroth will support J Lee discussion on plant security issue during meeting on 950126.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/01/24. LEE,J. NRC - No Detailed Affiliation Given. 1p. 87860:093-87860:093.

–9604040209 Informs that no further action intended on part of staff in matter of Allegation RI-94-A-0185 re improper instructor assistance & post alteration of test answer sheets during administration of GET for site access.
DURR,J. NRC - No Detailed Affiliation Given. 94/12/28. VITO,D. NRC - No Detailed Affiliation Given. 8pp. 87860:098-87860:105.

–9604040215 Recommends closure of Allegation RI-93-A-0013,stating that security guard did not make required two-hour tour of vital area & that alleged failure not reported to NRC,based on listed info.
MCCABE,E.C. NRC - No Detailed Affiliation Given. 93/11/29. VITO,D. NRC - No Detailed Affiliation Given. 2pp. 87860:106-87860:107.

–9604080062 Notifies of closure of Allegation RI-91-A-0255 received on 910927,that plant security guard observed having seizure & has history of seizures.No response to alleger appropriate, based on anonymous nature of allegation.
FUHRMEISTER,R. Region 1 (Post 820201). 92/01/02. Region 1 (Post 820201). 2pp. 87860:200-87860:201.

–9604080069 Recommends closure of Allegation RI-91-A-0255,received on 910927,that armed security officer at plant had history of having seizures & observed having seizures.
SMITH,G.C. Region 1 (Post 820201). 91/10/04. FUHRMEISTER,R. Region 1 (Post 820201). 4pp. 87860:202-87860:228.

–9604080071 Notifies of closure of Allegation RI-91-A-0195,expressing concern that recent wash out of Route 9 bridge,north of plant,would effect site emergency evacuation plan.
RULAND,W.H. Region 1 (Post 820201). 91/08/30. FUHRMEISTER,R. Region 1 (Post 820201). 4pp. 87860:229-87860:232.

–9604080078 Notifies of call received from anonymous individual re getting bridge fixed & effect bridge being out had on site evacuation ability.
NAKOSKI,J. NRC - No Detailed Affiliation Given. 91/07/15. HARRIS,P. NRC - No Detailed Affiliation Given. 6pp. 87860:233-87860:239.

–9604080115 Discusses allegation re util public info plan.
AMATO,C. NRC - No Detailed Affiliation Given. 91/03/12. NRC - No Detailed Affiliation Given. 3pp. 87860:249-87860:251.

–9604090033 Provides evaluation of potential violation(s) to attempt to reclose Allegation File RI-94-A-0185 re improper instructor & post alteration of test answer sheets during GET & repository protection exams for plant site access.
DURR,J. Region 1 (Post 820201). 95/08/30. VITO,D. Region 1 (Post 820201). 29pp. 87860:253-87860:281.

–9604090038 Forwards items on agenda for ARB discussion on 941213 re plant security issue.W/o encl.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 94/12/12. CUNNINGHAM,L., LEE,R. Office of Nuclear Reactor Regulation (Post 941001). GALLOW,A. Ofc of Investigations (Post 880201). 1p. 87860:282-87860:282.

–9604090048 Inform of package to be delivered on 950124 re plant security issues.Advises that ARB meeting 950126 & requests arrangements be made for Region I participation.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. VITO,D.J. Region 1 (Post 820201). 1p. 87860:283-87860:283.

9604020070 Advises that 951130 rev 34 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
KEIMIG,R.R. Region 1 (Post 820201). 96/03/22. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 87725:327-87725:329.

9604110195 Requests that NRC representative attend 960723 public hearing in Ocean County re Interim Spent Fuel Storage Facility at Oyster Creek Nuclear Generating Station.
TOSCH,K.W. New Jersey, State of. 96/03/27. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 87856:102-87856:103.

9604150275 Forwards two recent repts illustrating database concept w/agencies concerned w/routing,emergency mgt & other issues re transportation of radioactive matls.W/o encl.
CAMPBELL,S.G. Affiliation Not Assigned. 96/04/02. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 87872:026-87872:026.

9604110118 Responds to 941208 ltr which requested action be taken re plant fire barriers & ltr be treated as Petition per Section 2.206 of 10CFR.Info as bases for requests,listed.
RUSSELL,W.T. . 96/04/03. GUNTER,P. Nuclear Information & Resource Service. DECAMP,W. Affiliation Not Assigned. 5pp. 87847:237-87847:294.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604180337 Revised EPIPs,including Rev 0 to OEP-ADM-1319.02,Rev 0 to OEP-ADM-1319.04,Rev 5 to EPIP-OC-.10 & Rev 15 to EPIP-OC-.25.W/960415 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/15. 209pp. 87957:023-87957:231.

9604240211 Responds to 960327 ltr,requesting member of NRC staff attend annual public hearing to determine adequacy & effectiveness of New Jersey radiological emergency response plan.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/22. TOSCH,K.W. New Jersey, State of. 1p. 88010:341-88010:341.

G. Adjudicatory correspondence

9604110118 Responds to 941208 ltr which requested action be taken re plant fire barriers & ltr be treated as Petition per Section 2.206 of 10CFR.Info as bases for requests,listed.
RUSSELL,W.T. . 96/04/03. GUNTER,P. Nuclear Information & Resource Service. DECAMP,W. Affiliation Not Assigned. 5pp. 87847:237-87847:294.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

-9604160238 Repts changes to plant operating personnel which involve positions for which min qualifications as specified in TS.
ROSS,D.A. Jersey Central Power & Light Co. 73/04/23. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604160425 Forwards 730206 unsigned ltr relating to problems at facility.Informs that special insp commencing on 730213 being conducted & future actions will depend on findings from insp.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/02/14. ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

-9604160430 Informs of adverse conditions at facility re drum storage areas for "solid waste," storage of radioactive chromated water & personal exposure to radiation.
" Affiliation Not Assigned. 73/02/06. Atomic Energy Commission (Pre 750119). 5pp.

-9604190269 Responds further to 731120 communication transmitting ltr of 731115 re operation of facility.Informs that Commission will continue to maintain surveillance over radioactivity levels in canal & other aspects of plant operation.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/20. CASE,C.P. Senate. 2pp.

-9604220094 Responds to ltr concerning operations of facility & property in Waretown,NJ.Informs that environ situation around facility is matter of continuing interest to NRC as evidenced by FES.
ABRAHAM,K. Region I, IE (720101-810228). 75/04/28. BACHMAN,R. Affiliation Not Assigned. 1p.

-9604230078 Forwards copy of ltr sent to util re health & safety issues for homeowners living in vicinity of facility. W/o encl.
WORRALL,C.M. Affiliation Not Assigned. 75/03/20. Region I, IE (720101-810228). 1p.

9604220040 Appeals NRC denial of FOIA request 95-389,filed on 950917, seeking public acceptance activity repts & related documents in public acceptance activity records for listed GPU or subsidiary reactors or proposed reactors.
DEKOK,D. Affiliation Not Assigned. 96/02/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 87942:101-87942:104.

9604030429 Responds to 960220 ltr which Lacey Township provided support to licensee request for exemption to schedule requirement of 10CFR72.82(e) for plant.Advises of NRC understanding that licensee intends to withdraw exemption request.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/01. PARKER,J.C. Lacey Township, NJ. 2pp. 87752:257-87752:260.

-9604030430 Expresses support to licensee request for schedule exemption from 10CFR72.82(e),30-day waiting period after NRC review of readiness of plant spent fuel facility.
PARKER,J.C. Lacey Township, NJ. 96/02/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87752:259-87752:260.

P. Operating license stage documents & correspondence

9604180035 Requests supplemental radiation exposure info consistent w/Regulatory position for CY73.Submittal due within 60 days.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/20. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

9604240014 Informs that licensee plans to increase storage capacity of SFSP at facility to ameliorate possible shortage of SFS capacity.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/19. GOLLER,E.R. Division of Reactor Licensing (NRR-1975 only). 6pp.

9604220281 Requests that util inform NRC by 760112,of date util intends to submit rept,in order for NRC to schedule completion of review.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/23. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

9604220288 Forwards list of SF shipments left at plant as of 751217.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/12/22. Atomic Energy Commission (Pre 750119). 2pp.

9604230277 Ack receipt of 750925 ltr identifying addl info required to complete of subj mods proposed to overcome recently identified single failures.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/11/07. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 20pp.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

-9604110264 Recommends that licensee be required to address to NRR, fuel quality measures to be taken during future refueling outage & termination date of 791231 be established for continued operation.
MCCABE,E.C. Region I, IE (720101-810228). 79/07/12. JORDAN,F.L. Office of Inspection & Enforcement (750101-801210). 1p.

-9604110272 Provides updated info re access of NRC Region 1 personnel to facilities.
GRIER,B.H. NRC - No Detailed Affiliation Given. 79/07/02. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

-9604110291 Comments on rept dtd 671119 re relative motions of dry well,suppression chamber & suction header.
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 68/03/26. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 2pp.

-9604110293 Advises that application in amend 38 re "Seismic Analysis Results of Feedwater Coolant Injection Sys," will be able to perform emergency function for max earthquake.
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 68/08/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 76pp.

-9604120019 Responds to 730927 ltr concerning allegations about AEC licensee operations at plant.Allegations reconfirmed that no abnormal releases of radioactive matl occurred & no damage to plant sustained.
DOUB,W.O. Atomic Energy Commission (Pre 750119). 73/11/21. SULLIVAN,R.J. New Jersey, State of. 6pp.

-9604120027 Summary of 730904 meeting w/util & industry re limits on Exxon Fuel in facility.W/list of attendees.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/20. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

-9604120031 Discusses results of Anticipated Transients W/o Scram (ATWS) re BWRs.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/31. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604120055 Forwards facility response to draft environmental statement.
SINS,R.H. Jersey Central Power & Light Co. 73/12/28. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

-9604120109 Ack receipt of 731026 ltr requesting revised curves representing limits for average planar linear heat generator rate for GE type I & II fuel assemblies in plant reactor.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/11/05. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp.

-9604120113 Discusses 730914 conversation w/President of JCP&L re QA for Operations.Informs of talk w/GPU on providing technical support.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/17. Region I, IE (720101-810228). 2pp.

-9604120115 Summary of 731113 meeting w/util re review of draft QA plan for operations for plant.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/05. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604120125 Discusses 730917 conversation w/I Finfrock of JCP&L & conversations between O'Reilly of Region I & President of JCP&L & WG Kuhn,President of GPU.
CARLSON,R.T. Region I, IE (720101-810228). 73/09/17. Region I, IE (720101-810228). 2pp.

-9604120138 Informs that staff has completed review of ATWS & concluded that measures should be taken to improve nuclear plant designs.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/19. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604120140 Summary of 730905 meeting w/util re QA Plan for Operations at facility.W/list of attendees.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/14. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

-9604120142 Ack receipt of 730824 ltr requesting that Commission be informed of actions taken to comply w/order for mod of license & max power level attainable at plant.
SIMS,R.H. Jersey Central Power & Light Co. 73/08/27. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

-9604120149 Responds to 730824 ltr enclosing ltrs from HJ Kurtz & J & A Dennis re environ impact of plants.Forwards draft environ statement for Oyster Creek & final environ statement for Forked River.W/o encls.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/13. SANDMAN,C.W. House of Rep. 2pp.

-9604120164 Discusses facility total storage capacity for spent fuel assemblies & NRC view inability to provide whole core storage capability on site undesirable.
BRUNNER,E.J. Region I, IE (720101-810228). 73/12/17. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

-9604120166 Discusses ltr to Directorate of Licensing from Vermont Yankee Nuclear Power Corp,dtd 730306.Ltr encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/08. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604120175 Informs of continued review of Regulatory Staff Draft Environ Statement re issuance of full-term OL for facility & submits comments supporting certain recommendations.
SULLIVAN,R.J. New Jersey, State of. 73/09/12. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 2pp.

–9604120182 Responds to 730709 ltr requesting comments on AEC Draft Environ Statement relating to proposed issuance of full-term OL to JCP&L for continued operation of facility.Concludes that facility needed to meet projected loads on sys.
PHILLIPS,T.A. Federal Power Commission. 73/09/12. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604120188 Forwards requested info re fuel densification.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/14. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

–9604120207 Responds to communication of 731005 from HJ Kurtz re operation of plant.Staff concluded that long term operation of plant under existing conditions not acceptable.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/30. CASE,G.P. Senate. 2pp.

–9604120210 Discusses conversation w/util on 731026 concerning highlight significance of 731105 meeting.
* Atomic Energy Commission (Pre 750119). 73/10/29. Atomic Energy Commission (Pre 750119). 1p.

–9604120215 Responds to 731010 request for addl info re 730920 submittal entitled, "Preliminary Description & Analysis of Proposed Mods to Gaseous,Liquid & solid Radioactive Waste Treatment Sys for Oyster Creek Nuclear Generating Station."
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/13. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 11pp.

–9604120226 Provides analyses of effect of densification during steady state operations,transients & postulated accidents in ltr of 730815.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120234 Ack receipt of 731002 ltr indicating plans to submit plans & scheduled for design & engineering of Post LOCA Hydrogen Control Sys during wk of 731015.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/19. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604120266 Requests addl info in order to complete review of Exxon Fuel in Oyster Creek cycle 3 core & response should be submitted by 731214.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/13. FINFROCK,I.R. Jersey Central Power & Light Co. 6pp.

–9604120308 Responds to 731120 communication transmitting Kurt ltr dtd 731115 re operation of plant.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/10. CASE,S.P. Senate. 1p.

–9604120319 Requests for addl info re analyses & other data for determining effects of fuel densification on normal operation & accidents.Response should be submitted by 731213.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/05. FINFROCK,I.R. Jersey Central Power & Light Co. 8pp.

–9604150001 Confirms 730906 telcon w/J Carrol re possibility of inverted absorber tubes in control rods at plant.Shutdown margin tests on control rods to verify that min shutdown margin of at least 0.0075 be performed during outage in Sept.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150008 Informs of results of shutdown margin demonstration performed for plant reactor core on 730927-28 as per 730907 request.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/16. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604150009 Submits additional info re draft environ impact statement for plant.Release of hologens I-131 & I-133 in gaseous effluent from plant substantially above proposed App I to 10CFR50 guidelines & not included in draft statement.
GALLER,S.R. Commerce, Dept. of. 73/09/06. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150013 Discusses 730920 ltr transmitting preliminary description & analyses of proposed mod to gaseous,liquid & solid radioactive waste treatment sys of plant.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/16. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150014 Submits comments re draft environ impact statement for proposed plant received w/730709 ltr.
GALLER,S.R. Commerce, Dept. of. 73/09/04. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp.

–9604150024 Requests addl info in order to complete review of rept, "Preliminary Description & Analysis of Proposed Mods to Gaseous,Liquid & Solid Radwaste Treatment Sys for Oyster Creek Nuclear Generating Station."
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/10. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604150026 Informs that proposed Environ TS for plant cannot be submitted until 731105.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/08/30. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150044 Discusses further operating limits for ten BWRs.Informs that limit curves for each reactor from rev TS forwarded to responsible Region today for use in determining compliance. Immediate compliance w/order required by telcon rept 960827.
KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/24. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

–9604150055 Forwards rept of special study carried out on plant Feb radwaste composite.
PERCIVAL,D.R. Atomic Energy Commission (Pre 750119). 73/05/23. EVERETT,R.J. Region I, IE (720101-810228). 5pp.

–9604150057 Confirms telecopier transmittal of 730824 ltr from A Giambuso w/AEC "Order for Mod of License," & Appendix I of order that contains changes to TS.
O'CONNOR,P.W. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/08/24. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150061 Informs of telephone rept re permanent fix on diesel generators at plant.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 73/10/09. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

–9604150074 Confirms recent verbal communications made by licensee to AEC staff re fuel densification,EXXON nuclear fuel.Informs that licensee understanding is that particularly conservative restrictions on operation temporary.
BARTNOFF,S. Jersey Central Power & Light Co. 73/08/24. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150077 Ack receipt of 721113 ltr informing NRC that "prior to 730601,util will submit to AEC for approval description & analyses of gaseous & liquid radwaste sys alterations which will be designed to assure conformance w/app I to 10CFR50."
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/06/25. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604150084 Submits suppl 4 to facility change request 4,indicating that resported values for beginning of cycle & max reactivity effective multiplication factors conservative.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 3pp.

–9604150089 Informs that AEC did not have sufficient time to complete evaluation of amend 72 to application for OL in order to meet refueling schedule.Requests encl addl info in order to complete evaluation.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/06/13. SIMS,R.H. Jersey Central Power & Light Co. 8pp.

–9604150095 Responds to 730413 request for suppl radiation exposure info.
ROSS,D.A. Jersey Central Power & Light Co. 73/06/13. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150096 Forwards staff conclusions on BWR fuel densification for GE fuel & Exxon fuel respectively & provide essential elements to be included to account for effects of fuel densification in facility core.Requests analyses & other relevant data.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/07/16. SIMS,R.H. Jersey Central Power & Light Co. 15pp.

–9604150102 Forwards correspondence between region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co.
CAREY,P. Region I, IE (720101-810228). 73/06/12. MOTT,S. Ocean County, NJ. 1p.

–9604150120 Forwards copies of correspondence between Region I & JCP&L. W/o encl.
SMITH,J.E. Region I, IE (720101-810228). 73/10/03. MOTT,S. Ocean County, NJ. 1p.

–9604150131 Discusses reexamined decision on civil peralty on plant for failure to rept snubber problem when originally detected.
DAVIS,J.G. Atomic Energy Commission (Pre 750119). 73/10/03. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

–9604150134 Forwards comments relating to Draft Environ Statement for facility.
RUSSO,J.J. New Jersey, State of. 73/08/22. Atomic Energy Commission (Pre 750119). 6pp.

–9604150139 Forwards amends to regulations in 10CFR50,70 & 73 to strengthen physical protection of reactor facilities & of SNMs.W/o encl.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/30. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150144 Submits comments re Draft Enviom Impact Statement on facility.W/radiological effects.
CROMWELL,P. Health & Human Services, Dept. of. 73/08/22. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

–9604150154 Forwards util 10-day rept re power loss on 730908.
CARLSON,R.T. Region I, IE (720101-810228). 73/10/03. AMATO,C.G. Jersey Central Power & Light Co. 1p.

–9604150160 Responds to 730709 ltr addressed to Captain Riedel re Draft Environ Impact Statement for facility.No comments or objections to project.
PRICE,R. Transportation, Dept. of. 73/08/21. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150184 Ack receipt of 730831 ltr requesting detailed design info on primary & backup sys to be installed at plant.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/02. SKOVHOLT,S.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150191 Forwards copies of correspondence between Region I & JCP&L. W/o encl.
SMITH,J.E. Region I, IE (720101-810228). 73/10/01. MOTT,S. Ocean County, NJ. 1p.

–9604150193 Advises that drywell vacuum breakers in BWR plants have failed to perform properly & requests that action be taken to correct problem.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/22. SIMS,R.H. Jersey Central Power & Light Co. 4pp.

–9604150196 Informs of status of main steam isolation valve evaluation in response to 730403 ltr.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150204 Informs that Muntzing expressed personal interest in case to J Davis concerning possibility of being subjected to legal action by state as result of proper action on part under AEC requirements.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/07/12. CAPHTON,D.L., CANTRELL,F.S., SNYDER,G.L. Atomic Energy Commission (Pre 750119). 1p.

--9604150208 Responds to 730716 ltr requesting necessary analyses & other relevant data for determining consequences of densification & effects on normal operation,anticipated transients & accidents at facility using AEC guidance.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/08/15. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 23pp.

--9604150209 Discusses 730813 telcon w/I Finfrock re latest info on what info papers have because of major meeting w/local residents in Lacey Township.Requests that any info given to press in future be forwarded.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/08/14. Atomic Energy Commission (Pre 750119). 1p.

--9604150210 Informs that 730907 ltr re concerns about possibility that control rods fabricated by GE may have poison tubes.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/28. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604150217 Discusses 730810 telcon w/Technical Editorial Writer on staff of Philadelphia Evening Bulletin re article written on overall situation at facility.Supports nuclear power & concerned other projects may be affected by situation.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/08/13. Atomic Energy Commission (Pre 750119). 1p.

--9604150221 Informs that K Kendall,student at Ryder College,requested phone number at facility to talk w/administrator re paper on Administration of Power Plants.
CANTRELL,F. Region I, IE (720101-810228). 73/07/10. Region I, IE (720101-810228). 1p.

--9604150225 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/06/28. MOTT,S. Ocean County, NJ. 1p.

--9604150227 Ack of receipt of 721229 General Electric Co Topical Rept, "Densification Considerations in BWR Fuel Design & Performance." Rept fulfills requirements of 721120 request for info.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

--9604150230 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/08/06. MOTT,S. Ocean County, NJ. 1p.

--9604150237 Forwards "Preliminary Summary Rept on Snubber Repair Activitie During Spring 1973 Refueling Outage." Suggests that rept be treated as proprietary info pending receipt of final rept.
HOWARD,E.M. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/01. REINMUTH,W.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604150263 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/07/17. MOTT,S. Ocean County, NJ. 1p.

--9604150283 Forwards ltr sent to HQ by RH Sims of JCPL re facility. Requests that records reflect correct title for IR Finfrock.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/07/30. SMITH,J.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604150288 Informs that effective 720907,IR Finfrock assumed duties of Vice President - Generation for JCP&L.Future correspondence concerning subject station should be addressed as indicated.
SIMS,R.H. Jersey Central Power & Light Co. 73/07/12. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604150324 Informs that EPA has reviewed draft environ impact statement for proposed inssuance of full-term operation license for continuing operation of plant.
MEYERS,S. Environmental Protection Agency. 73/09/25. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 2pp.

--9604150329 Forwards 730718 ltr re subj matter having possible applicability to plant.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 73/07/26. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604150338 Forwards "Preliminary Summary Rept on Snubber Repair Activities During Spring 1973 Refueling Outage."
CARROLL,J.T. Jersey Central Power & Light Co. 73/07/26. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604150344 "Preliminary Summary Rept on Snubber Repair Activities During Spring 1973 Refueling Outage."
RONE,A.H. Jersey Central Power & Light Co. 73/07/16. 8pp.

--9604150398 Requests authorization to conduct low power analyses tests w/reactor head removed & power less than 5 MWt.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/15. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604150399 Discusses full term operating license & TS review for stated facilities.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/17. CARLSON,R.T., HOWARD,E.M., BRUNNER,E.J. Region I, IE (720101-810228). 4pp.

--9604150403 Authorizes operation of plant reactor w/cycle 3 reload fuel as described in facility change request 4 & suppl 1.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/05/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604150410 Forwards errata sheet for mods to "General Info Guide for Consideration of Effects of Piping Sys Break Outside Containment."
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/16. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

--9604160038 Discusses spill of chromated water at plant.
RYAN,A.F. Region I, IE (720101-810228). 73/05/14. Region I, IE (720101-810228). 2pp.

--9604160042 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/05/11. MOTT,S. Ocean County, NJ. 1p.

--9604160048 Forwards reproduced signature copies of change request 15, permitting use of XN-1 critical heat flux correlation for determination of safety limits for operation of plant in order to provide high level of confidence.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/10. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604160051 Application for amend to license DPR-16,change request 15,to permit use of XN-1 critical heat flux correlation for determination of safety limits for operation of plant.
* Jersey Central Power & Light Co. 73/05/10. 6pp.

--9604160140 Discusses FS&EB first action requests.
CARLSON,R.T. Region I, IE (720101-810228). 73/05/03. THORNBURG,H.D. Region I, IE (720101-810228). 2pp.

--9604160146 Informs that region I comments re procedure 216,plant channel sample shipment supplied to util on 730503.No further action planned.
CANTRELL,F.S. Atomic Energy Commission (Pre 750119). 73/05/03. Atomic Energy Commission (Pre 750119). 1p.

--9604160152 Forwards three originals & 37 reproduced signature copies of suppl 5 to application for full-term license for plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/02. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604160154 Application for full-term license for plant in response to 730403 ltr concerning cask drop protection sys.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/02. 6pp.

--9604160180 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/04/30. MOTT,S. Ocean County, NJ. 1p.

--9604160198 Forwards procedure 216, "Oyster Creek Channel Sample Shipment."
ROSS,D.A. Jersey Central Power & Light Co. 73/04/26. O'REILLY,J.P. Region I, IE (720101-810228). 10pp.

--9604160201 Provides info on 730306 telcon & conversations re facility stack releases & McDermott telcon to pressure licensee for basis to continue power level w/current release rates.
CAPHTON,D.L. Region I, IE (720101-810228). 73/03/14. Region I, IE (720101-810228). 2pp.

--9604160217 Submits status rept on OC-1.
EVERETT,R.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/24. STOHR,J.P. Region I, IE (720101-810228). 1p.

--9604160230 Forwards three signed originals & 37 copies of change request 14 re need to install replacement fuel grapple.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/04/23. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

--9604160259 Responds to 730215 ltr transmitting resolution adopted by Township Committee of Township of Ocean on 730111 re fish kills of Jan & Dec 1972 in Oyster Creek.Informs that environ statement being prepared & JCP&L various solutions.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/03/07. CASE,C.P. Senate. 3pp.

--9604160295 Responds to 730409 note,transmitting E Allgood 730301 ltr re discharges from plant & effect on fish in Creek.
GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 73/04/18. CASE,C.P. Senate. 2pp.

--9604160298 Documents 730417 telcon from C Amato re anonymous phone call received in which caller claimed that personnel at plant receiving excessive exposures,including specifically during current refueling outage.
CARLSON,B. Atomic Energy Commission (Pre 750119). 73/04/17. Atomic Energy Commission (Pre 750119). 2pp.

--9604160302 Forwards correspondence between region I,Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/03/05. MOTT,S. Ocean County, NJ. 1p.

--9604160303 Authorizes loading of 148 EXXON Type IIIE fuel assemblies in configuration described in facility change request 4 & suppl 1.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/16. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

--9604160305 Discusses evaluation of cycle 3 reload for plant re loading only.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/16. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604160310 Informs that ltr to Directorate of Licensing,AEC,from Boston Edison Co dtd 730110 recently placed in PDR.Forwards copy of ltr as subj matter discussed felt to have possible applicability to plant.
CARLSON,R.T. Region I, IE (720101-810228). 73/03/01. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604160355 Trip rept to facility on 730221 to obtain split sample of off-gas stack gas particulates & charcoal canisters & monthly composite of liquid radwaste.Discussed iodine release after startup which seemed larger than normal.
EVERETT,R.J. Region I, IE (720101-810228). 73/03/01. Region I, IE (720101-810228). 1p.

--9604160365 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/04/09. MOTT,S. Ocean County, NJ. 1p.

--9604160387 Forwards 730215 memo from RH Engelken to FE Kruesi re JCP&L facility - Valve Testing Following Primary Sys Blowdown Occurrence of 721229.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/23. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604160393 Submits corrective action planned for facility blowdown on 721229.
CANTRELL,F.S. Region I, IE (720101-810228). 73/02/23. Region I, IE (720101-810228). 3pp.

--9604160400 Discusses 730222 telcon w/B Harris from Trenton Times.Lists questions asked re facility.Informs that no attack or defense shown.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/22. Region I, IE (720101-810228). 1p.

--9604160409 Discusses telcon w/I Finfrock on 730216 re certain aspects of B Engelken note to F Kruesi of 730215 on facility valve testing.Informed of basis of ltr & pleased w/response from util.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/20. Region I, IE (720101-810228). 1p.

--9604160417 Responds to request for info rept re Jan fish mortalities which occurred at facility.Informs that area of concern under continuing study by company through use of appropriate consultants to develop program to minimize recurrence.
ROSS,D.A. Jersey Central Power & Light Co. 73/02/14. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604160431 Forwards application for amend 72 to license DPR-16, authorizing receipt,possession & storage of up to 1,000 kg of contained Pu-239 & Pu-241.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604160435 Application for amend 72 to license DPR-16,authorizing receipt,possession & storage of up to 1,000 kg of contained Pu-239 & Pu-241.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. 3pp.

--9604160442 Forwards suppl 2 to change request 4,requesting Commission authorization to load & operate core w/four mixed oxide fueled lead assemblies included in configuration described in facility change request 4.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604160446 Application for amend to license DPR-16,authorizing use of plant type IV fuel bundles,designed & fabricated by Exxon Nuclear Co.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. 44pp.

--9604160450 Submits util plans for continued operation & control of effluents,per 730308 memo.
ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/03. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604160456 Requests addl info to complete review of 730118 & 0222 submittals,describing cycle 3 core loading for plant. Response should be submitted by 730416.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/03. SIMS,R.H. Jersey Central Power & Light Co. 8pp.

--9604160468 Informs that isolation valves have been installed in main steam line of BWR to assure that any significant release of fission products retained within containment sys.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/03. SIMS,R.H. Jersey Central Power & Light Co. 9pp.

--9604170025 Responds to request from F Cantrell re control rod drive selector switch failure.
ROSS,D.A. Jersey Central Power & Light Co. 73/02/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604170049 Submits memo re high I-131 release rate at facility for Headquarters action.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/02/08. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

--9604170055 Informs that 721117 ltr to Directorate of Licensing from FPL recently placed in PDR.
HOWARD,E.M. Region I, IE (720101-810228). 73/02/06. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604170060 Discusses public relations call on 730126 from F Ingram,as result of inquiry from C Abraham of Philadelphia Bulletin, re facility blowdown on 721229.
CANTRELL,F.S. Region I, IE (720101-810228). 73/01/26. Region I, IE (720101-810228). 2pp.

--9604170062 Summary of 740906 meeting w/util re plant vacuum breakers TS.List of attendees encl.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/09. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

--9604170068 Informs that 720804 ltr to Directorate of Licensing,AEC, from NSP recently placed in PDR.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/24. MCCLUSKEY,T.J. Jersey Central Power & Light Co. 1p.

--9604170089 Responds to 721129 ltr re problems on amend two to Applicant Environ Rept dtd 721117 on facility.Informs of concern for canal banks instability which contribute to sediment problems & results in unsightly conditions.
* Interior, Dept. of. 73/01/23. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170105 Summary of 740221 meeting w/util in Bethesda,MD re augmented off-gas sys,explosions in off-gas sys,outstanding items for FTOL & expected changes to TS prior to issuance of FTOL.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/09. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

--9604170115 Responds to 740219 ltr re licensing of facility.Informs that Commission aware of problems cited & identified & addressed in draft environ statement issued in Jul 1973.Final recommendation will be relected in FES.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/03. COOKINGHAM,R.A. New Jersey, State of. 1p.

--9604170120 Forwards temp data from facility for period in question.
STOHR,J.P. Region I, IE (720101-810228). 73/01/16. REINTJES,J.W. . 2pp.

--9604170136 Expresses appreciation for environ measurements recently taken at facility.Commends J McLaughlin,C Gogolak & W Lowier for cooperation in obtaining data for Regulation.
KUHLMAN,C.W. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/03/29. HARLEY,J.H. Atomic Energy Commission (Pre 750119). 1p.

--9604170148 Informs that Health & Safety Laboratory pleased to assist in taking field measurements at facility.Informs that representatives from regional ofc contact Harley for arrangements.
LIVERMAN,J.L. Atomic Energy Commission (Pre 750119). 74/03/11. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604170171 Informs that issuance of ETS in 1974 warranted,necessary & in best interests of Commission.
O'REILLY,J.P. Region I, IE (720101-810228). 74/10/07. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170194 Discusses gaseous waste treatment sys & requirements for completion of review of proposed mods.Proposed mods for non-seismic gaseous radwaste sys acceptable provided that listed actions completed.
LEAR,G. Region I, IE (720101-810228). 74/10/01. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604170216 Forwards Monthly Generation Summary for 740531.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/07. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

--9604170217 Notification of 741001-03 meeting w/util to discuss proposed changes to plant TS as part of review for FTOL.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/09/19. LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170231 Informs of present operating status of plant re requirements of 10CFR50.46.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/12. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604170240 Summary of 740906 meeting w/util re new TS for plant vacuum breakers & installed alarm sys.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/09/12. BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 2pp.

--9604170253 Responds to 740220 ltr concerning facility & effects on Oyster Creek Marina.
MEYERS,S. Environmental Protection Agency. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170255 Forwards for info & implementation,revised schedule for review of application for conversion of provisional OL to FTOL for plant.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/09/12. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170256 Discusses Oyster Creek Incore Monitor Housing Penetration Leak.
GRIER,B.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/06/05. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604170282 Advises that submittal on ATWS will be delayed.Proposes to submit rept by 741101.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/11. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170285 Summarizes 740906 meeting w/util & GE re proposed TS for plant vacuum breakers.Portions of util reactor containment bldg integrated leak rate test dtd June 1974 encl.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/09/09. Atomic Energy Commission (Pre 750119). 23pp.

--9604170287 Discusses Envioronmental TS at Oyster Creek facility.
OREILLY,J.P. Region I, IE (720101-810228). 74/06/06. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604170290 Provides info requested by F Cantrell of TJ McCluskey re fuel channel study program.
ROSS,D.A. Jersey Central Power & Light Co. 73/01/11. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

--9604170336 Discusses correspondence re Oyster Creek Envioronmental TS.
BRUNNEER,E.J. Region I, IE (720101-810228). 74/06/06. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604170344 Summary of 740815 meeting w/util re liquefaction aspects of plant site in area of site proposed for liquid - solid radwaste bldg.List of attendees & proposed agenda encl.
RIESLAND,J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/30. Atomic Energy Commission, Directorate of Licensing (720101-750118). 7pp.

--9604170351 Discusses 730108 call to advise of incident re fish kill.
PLUMLEE,K.E. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/10. RICHARDSON,T. Atomic Energy Commission (Pre 750119). 5pp.

--9604170354 Discusses two separate phone calls received from New Jersey State representatives re penetration failure at plant.
GREENMAN,E.G. Atomic Energy Commission (Pre .750119). 74/06/06. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

--9604170355 Ack receipt of 740507 ltr in response to 740212 ltr re util QA plan relating to plant.Response not acceptable due to listed reasons.
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/28. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170367 Forwards three originals & 37 reproduced signature copies of suppl 3 to Jersey Central application for full term license for plant.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/09. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170376 Submits rept of missing environ air particulate samples.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/26. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604170379 Suppl 3 to application for full term license for plant.
* Jersey Central Power & Light Co. 73/01/09. 2pp.

--9604170398 Forwards estimated costs of alternative cooling sys,per 740710 request.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/08/06. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604170401 Forwards correspondence between region I,Directorate of Regulatory Operations & util.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/01/04. MOTT,S. Ocean County, NJ. 1p.

--9604170404 Informs that Director of Regulation determined that good cause has been shown in 740619 request,for extending time until 741211,under conditions set forth in encl determination.
GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170405 Informs that ltrs dtd 740118 & 740207 failed to provide adequate info re relief valve blowdowns for facility as requested by 731219 ltr.Requests summary of relief valve blowdowns utilizing table similar to encl rept by NMP.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/07. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604170408 Forwards "Comments of Director of Regulation on Requests for Exemptions from Requirements of 10CFR50.46."
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/31. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170421 "Comments of Director of Regulation on Requests for Exemptions from Requirements of 10CFR50.46."
MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 74/07/29. 12pp.

--9604170437 Informs that Exxon requested to forward under separate cover,directly to staff,results of final ECCS analysis.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/30. CASE,E.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604170451 Informs of completion of review of proposed mods to radwaste sys for facility submitted by ltrs dtd 730920 & 731213. Proposed off-gas sys mods unacceptable.Requests description of proposed mods of off-gas sys.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170460 Requests that HASL be authorized to make measurements of radiation levels aboard boats in canal & at surface of canal water.Informs that inspector from regional ofc will be available to assist in making necessary arrangements.
KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/03/05. LIVERMAN,J.L. Atomic Energy Commission (Pre 750119). 2pp.

--9604170467 Summary of 721024 meeting w/util at facility re implementation of New Jersey State Contract Program.
STOHR,J.P. Region I, IE (720101-810228). 72/10/24. Region I, IE (720101-810228). 4pp.

--9604170483 Requests 10-day extension to 740805 for completion of analysis re costs of condenser cooling water sys alternatives.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/25. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170486 Informs of telcon from S Rose of "Trentonian" newspaper re 740111 shutdown of facility.Agreed to furnish copy of rept 50-219/74-01 & associated AO rept concerning snubber insps.
GREENMAN,E.G. Region I, IE (720101-810228). 74/03/04. Region I, IE (720101-810228). 1p.

--9604170499 Informs that appropriate analyses completed re facility rod drop accident.Requests extension of 30 days to allow for General Ofc Review Board & Plant Operations Review Committee review & approval of TS change & supporting analyses.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/03/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604170508 Responds to 740219 memo re facility chromate storage problem.Regulatory Operations considers issue closed. State matter resolved by encl ltr dtd 740122 to JCP&L from NJ Bureau of Water Pollution Control.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 74/03/01. STOHR,J.P. Region I, IE (720101-810228). 3pp.

--9604180001 Informs that requested proposed TS for Limiting Condition of Operation & Surveillance Requirements to torus structure will be submitted by end of Sept 1974.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/27. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180003 Ack receipt of 740805 ltr re "Determination of Request for Extension of Time for Submittal of Evaluations Required by Acceptancd Criteria for ECCS."
* Jersey Central Power & Light Co. 74/10/23. CASE,E.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180004 Forwards additional comments on facility DES.Requests review of comments.Response should be submitted by 740322.
REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/28. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604180005 Responds to 741004 request for explanation for delay of primary sys transient analysis submittal beyond Mar 1975, vendor program for completion of analysis & estimate of actual submittal date.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/18. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180009 Discusses resulst of refined cost estimate for liquid & solid sys mod reflecting design details developed to date & present market conditions.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/17. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604180020 Discusses telcon w/util on 740225 re visit from Deputy Minister for Electrification & Energetics,Russia.
O'REILLY,J.P. Region I, IE (720101-810228). 74/02/26. Region I, IE (720101-810228). 1p.

--9604180022 Submits three copies of assembly drawing of vacuum breaker valve IAW 740214 ltr.Drawing designated as 20464-H considered proprietary by Atwood & Morrill Co.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/26. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180051 Informs that since proprietary classification not forwarded by 740606,drawing 20464-H placed in PDR.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/11. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180060 Informs that 731227 ltr to Directorate of Licensing from licensee recently placed in PDR.
BRUNNER,E.J. Region I, IE (720101-810228). 74/01/17. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604180063 Discusses facility chromate storage problem & informs that Regulatory Operations I intends no further action at present time.Recommends that DL review matter & impose some type of preventive requirement in TS & consider in environ impact.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/02/19. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604180091 Notice of request for extension in submitting evaluations by 740805.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/05. 2pp.

--9604180108 Provides results of investigation into bearing oil drain pipe rupture in 416OV switchgear room.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/03. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604180128 Submits items of concern re 731121 response to AEC 730703 & 0807 ltrs re protection of equipment important to safety against flooding due to rupture of noncategory I equipment or piping in facility.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180146 Summary of 740522 meeting w/util re Exxon 8x8 U02 lead fuel assemblies for use in plant.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/20. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

--9604180150 Submits telephone listing for JCP&L Corporate contacts, effective immediately.Records should be changed accordingly.
GREENMAN,E.G. Region I, IE (720101-810228). 74/02/06. MCOSCAR,J.J. Atomic Energy Commission (Pre 750119). 1p.

--9604180151 Informs that NRC understands that Licensing has tentatively concuded that restrictions should be imposed on resumption of operations,based on review of util 740617 rept.
GRIER,B.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/06/20. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180162 Informs that recent weld failure did in fact constitute unreviewed safety question,requiring DL authorization because weakened area increased probability of tube ejection.
O'REILLY,J.P. Region I, IE (720101-810228). 74/06/19. DAVIS,J.G. Region I, IE (720101-810228). 2pp.

--9604180167 Forwards application for extension of time for submittal of ECCS evaluation for plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/06/19. MUNTZING,L.M. Atomic Energy Commission, Directorate of Licensing (720101-750118). 20pp.

--9604180182 Submits response to 730928 ltr indicating that insufficient data exists to conclude that poison redistribution cannot occur in control rods that may have inverted poison tubes. Response to seven questions listed in ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 18pp.

--9604180194 Recommends that TS be changed to require PORC review of procedures.
GREENMAN,E.G. Region I, IE (720101-810228). 74/01/31. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604180210 Documents call to K Seyfrit to discuss transfer of lead responsibility to Licensing re problem at plant,leak at instrument penetration in reactor bottom head.
CAPHTON,D.L. Region I, IE (720101-810228). 74/06/13. Region I, IE (720101-810228). 1p.

--9604180218 Documents 740605 telcon w/J Riesland re instrument penetration leak in reactor vessel bottom head.
CAPHTON,D.L. Region I, IE (720101-810228). 74/06/13. Region I, IE (720101-810228). 1p.

--9604180282 Forwards comments on proposed ETS for plant,as transmitted by 751016 telcon.
STOHR,J.P. Atomic Energy Commission (Pre 750119). 75/11/06. CUNNINGHAM,J. Atomic Energy Commission (Pre 750119). 4pp.

--9604180301 Responds to 750215 & 0417 requests for info re containment to be submitted to NRC.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/30. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 7pp.

--9604180346 Informs of plans in light of change in schedule for refueling plant.Refueling will take place in late Dec since station will be shutdown for repairs on turbine-generator condenser.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/29. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604180360 Submits spent fuel shipments that have left plant site as of 751022.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/22. NRC - No Detailed Affiliation Given. 2pp.

--9604180405 Responds to NRC 750925 ltr proposing changes to TS for control rods to mitigate consequences of control rod drive failure from possible cracking in collet housings of drives.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/17. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604180427 Forwards matl status rept & requests that util have rept signed in compliance w/foregoing paragraph.
O'REILLY,J.P. Region I, IE (720101-810228). 75/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 5pp.

--9604180450 Forwards proposed amend to license DPR-16 & SE.Amend includes change to TS as proposed by 750716 ltr & subsequently modified by few mutually acceptable changes.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/10/06. FINFROCK,I.R. Jersey Central Power & Light Co. 12pp.

--9604180459 Safety evaluation supporting proposed amend to license DPR-16 & proposed TS changes re suppression pool water temp limits.
* Division of Reactor Licensing (NRR-1975 only). 75/10/06. 4pp.

--9604180461 Notice of proposed issuance of amend to provisional license DPR-16.Amend would modify provisions in TS re temp limits for pressure suppression pool water.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/10/06. 3pp.

--9604190015 Discusses call received from J Russo re shipment of spent fuel from plant.
* NRC - No Detailed Affiliation Given. 75/10/02. NRC - No Detailed Affiliation Given. 2pp.

--9604190265 Responds to 740122 ltr submitting proposed change to TS of Provisional OL DPR-16 for facility.Concludes that implementation of change will not present significant hazards considerations & safety of public not endangered.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/22. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604190317 Forwards copy of 750513 memo documenting conversations held w/ofc & licensee on 750513 re shutdown margin testing following refueling.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/05/15. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604190324 Discusses conversations on 750413,0509 & 0513 re shutdown margin testing following refueling.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/13. Atomic Energy Commission (Pre 750119). 2pp.

--9604190346 Summary of 750724 meeting w/GPUSC re geotechnical study of site for proposed liquid/solid radwaste bldg.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/08/29. Division of Reactor Licensing (NRR-1975 only). 4pp.

--9604220002 Responds to 750414 ltr informing of problem area in facility TS involving statement of maximum allowable reactor vessel heating & cooldown rates.Informs that Section 3.3.C.1 meets full intent of ltr & no TS change planned.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/13. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604220004 Requests submittal of proposed changes to appropriate sections of TS for facility as part of future application for amend re statement of maximum allowable reactor vessel heatup & cooldown rates.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/14. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220006 Discusses telcon w/W Paulson on 750509 re startup schedule for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/12. Atomic Energy Commission (Pre 750119). 1p.

--9604220007 Advises that all copies of prior facility operating procedures sent considered property of licensee.Requests return of matl when convenient.
CARROLL,J.T. Jersey Central Power & Light Co. 75/05/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220009 Discusses telcon from I Finfrock on 740111 re position re Writ of Injunction from State of NJ.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 74/01/14. Atomic Energy Commission (Pre 750119). 1p.

--9604220010 Discusses telcon w/W Paulson on 750507 to obtain info concerning RL authorization for startup.Informs that ECCS re-evaluation effectively completed & that based on conversation w/site startup plans slipped by five days.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/08. Atomic Energy Commission (Pre 750119). 1p.

--9604220012 Responds to state query w/respect to reactor coolant sys leakage into primary containment.
GREENMAN,E. Atomic Energy Commission (Pre 750119). 74/01/14. Atomic Energy Commission (Pre 750119). 1p.

--9604220015 Discusses telcon from I Finfrock re Writ of Injunction being requested by State of New Jersey to prevent plant from shutting down & causing "fish kill" of menhadden.
* Atomic Energy Commission (Pre 750119). 74/01/11. Atomic Energy Commission (Pre 750119). 1p.

--9604220016 Informs of two changes in personnel radiation monitoring program at facility & believes that increased health physics staff,TLD sys,additional personnel training & other changes in program will provide adequate control of exposure.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/08. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220030 Forwards "Response to Federal & State Agency Comments on AEC Draft EIS for Oyster Creek Nuclear Generating Station."
FINFROCK,I.R. Jersey Central Power & Light Co. 74/01/10. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604220035 "Response to Federal & State Comments on AEC Draft EIS for Oyster Creek Nuclear Generating Station."
* Jersey Central Power & Light Co. 74/01/31. 28pp.

--9604220043 Responds to 740417 ltr re suppression pool dynamic phenomena & discusses meeting w/GE & other utils on 750423-24.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/06. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604220046 Discusses telcon from Finfrock on 740109 re Writ to Injuction from State of New Jersey.
* Atomic Energy Commission (Pre 750119). 74/01/09. Atomic Energy Commission (Pre 750119). 1p.

--9604220048 Discusses conversation w/JT Carroll re broken operating source at core location 16-41 & facilities intent to request temporary TS change to permit grapple useage for withdrawal of three additional fuel bundles.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/02. Atomic Energy Commission (Pre 750119). 1p.

--9604220059 Responds to memo of 750306 re valve thin wall verification program.Informs that w/possible exception of one valve located outside dry well,program complete.Requests apprisal of insp plans for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/02. SANDER,W.F. Atomic Energy Commission (Pre 750119). 1p.

--9604220067 Forwards copy of memo documenting conversations held on 750428 re reactor startup following refueling at facility.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/04/30. THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 1p.

--9604220079 Discusses 750428 telcon w/JT Carroll informing that delays previously encountered in refueling outage schedule picked up & of intention to commence shutdown margin testing & subsequent conference call.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/30. Atomic Energy Commission (Pre 750119). 2pp.

--9604220085 Discusses 750822 telcon from T Wenstrand of NFS re contaminated shipment from util.
STOHR,J.P. Atomic Energy Commission (Pre 750119). 75/08/26. Atomic Energy Commission (Pre 750119). 1p.

--9604220100 Requests for addl info in order to complete review of geotechnical study.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/08/14. FERRARS,J. Jersey Central Power & Light Co. 7pp.

--9604220117 Requests facility determination re compliance of util leakage testing w/ App J.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/08/07. FERRARO,J. Jersey Central Power & Light Co. 6pp.

--9604220134 Forwards 750417 memo discussed in telcon w/F Dreher on 750418 re facility 8 x 8 fuel.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/23. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604220168 Discusses facility partial 8 x 8 fuel loading - 1975 outage.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/17. Atomic Energy Commission (Pre 750119). 2pp.

--9604220205 Responds to 750417 ltr requesting that info re design of facility containment be submitted to NRC.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/08/01. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220210 "Response to NRC Questions Radwaste Mod Oyster Creek Nuclear Power Station."
* Affiliation Not Assigned. 75/12/31. 100pp.

--9604220212 Informs that submittals of 750329 & 750404 do not contain sufficient info to enable conclusion that analysis of ECCS cooling performance is wholly in conformance w/requirements. Requests responses to 750402&21 no later than 750424.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220221 Requests that util submit amend to 750912 application for amend to license to reflect encl revised model TS & to identify safety-related snubbers & accessibility as required by table 3.6.1 of revised model TS.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 7pp.

--9604220226 Ack receipt of 751107 ltr addressed to AEC requesting info to when next refueling will take place at plant & when next public hearing will be held re refueling.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/24. RUSSO,S.P. Affiliation Not Assigned. 3pp.

--9604220254 Clarifies aspect of responsibilities so as to assure effective application of regulatory requirements in protecting SNM from theft & sabotage.
BOYD,R.S. Division of Reactor Licensing (NRR-1975 only). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604220262 Provides list of spent fuel shipment that has left facility site as of 750729.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/07/31. Atomic Energy Commission (Pre 750119). 1p.

--9604220265 Responds to 750807 ltr requesting that study be made to determine if containment leakage testing program at plant being conducted in full compliance w/ 10CFR50,App J.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/12/24. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 22pp.

--9604220307 Forwards info required to complete review of effect of pool dynamic loads on design of containment structures,background on status of efforts directed at determining pool dynamic loads & description of various phenomena.W/o encls.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/17. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220315 Informs that eight week shutdown scheduled to commence at plant on 751227 to replace condenser tubes & refuel.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/12/17. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

--9604220316 Forwards cycle 6 reload info for facility requested in 750618 ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/25. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220321 Requests that util provide response to position re mods to plant ECCS as described in 750624,0715 & 1107 submittals by 760109.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220328 Informs that special rept on operation of facilities prepared by OIE-I in 1974 no longer current.Requests input w/respect to R & EP & pertinent Table III data for repts by 750615 for reassembly of ref repts.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/16. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

--9604220334 Informs of new telephone number for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/15. MCOSCAR,J.J. Atomic Energy Commission (Pre 750119). 1p.

--9604220347 Discusses plant ETS.Licensing schedule & work has suffered continual setbacks & delays because of many complicated environmental issues involved.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/07/24. NELSON,P.R. Region I, IE (720101-810228). 2pp.

--9604220348 Finds that proposed specification does not provide adequate degree of control during refueling & irradiated fuel handling operations.Written response requested within 15 days.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/11. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220350 Summary of 750317 meeting w/util in Bethesda,MD to discuss concerns re JCP&L proposed rev to Section 6, "Administrative Controls," of facility TS.W/list of attendees.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/04/10. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604220381 Requests NRC staff advise formally whether stated info re proposed environmental licensing conditions correct.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/23. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 7pp.

--9604220396 Forwards requested info re facility enforcement history.W/o encl.
SNYDER,G.L. Atomic Energy Commission (Pre 750119). 75/07/17. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

--9604220397 Forwards SE supporting changes to TS of provisional operating license DPR-16.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/07/16. FINFROCK,I.R. Jersey Central Power & Light Co. 11pp.

--9604220401 Safety evaluation supporting re changes TS.
* Division of Reactor Licensing (NRR-1975 only). 75/07/16. 4pp.

--9604220404 Responds to request from RH Smith re contract janitorial svc.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/07/16. Atomic Energy Commission (Pre 750119). 2pp.

--9604220406 Forwards revised attachment II, "ECCS Mod Core Spray Electrical Crossconnect" to 750624 ltr,describing proposed mods to accomodate remaining single failures.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/15. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604220407 Rev 1 to "ECCS Mod Core Spray Electrical Crossconnect."
* Jersey Central Power & Light Co. 75/06/24. 56pp.

--9604220408 Informs that util have been working w/GE to formulate schedule for submission of revised MAPLHGR TS.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/15. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604230009 Forwards amend 11 to provisional OL DPR-16,including change 27 in TS which revises provisions in TS re temp limits & surveillance requirements for pressure suppression pool water.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/11. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604230018 Informs that Commission has requested that Ofc of FR publish encl notice of proposed issuance of amend to provisional OI for plant.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230020 Notice of proposed issuance of amend to provisional OL, revising provisions in TS to revise fuel cladding integrity safety limit based on revised MCPR criteria for avoiding boiling transition.
* Division of Reactor Licensing (NRR-1975 only). 75/12/08. 4pp.

--9604230025 Summary of 751015 meeting w/licensee in Bethesda,MD re Exxon proposed integrated ECCS evaluation model for BWR non-jet pump plants.List of attendees encl.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/11/10. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604230033 Ack receipt of 751001 ltr requesting extension of time until mid-Nov to respond to 750807 ltr re compliance of plant w/requirements of app J to 10CFR50.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/11/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230035 Forwards ACRS ltr rept "Emergency Core Cooling Sys Evaluation Model (ECCS-EM) for Nonjet-Pump BWR."
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/03/26. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604230045 Forwards list of anticipated licensing submittals to NRC through FY77 in response to request of 750307.
VERROCHI,W.A. General Public Utilities Corp. - GPU Service Corp. 75/03/26. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604230055 Summary of 750304 meeting w/util in Bethesda,MD to discuss schedule for submittal of facility ECCS reanalysis. W/list of attendees & GPU schedule for submittal of reanalysis.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/19. Division of Reactor Licensing (NRR-1975 only). 10pp.

--9604230093 Forwards copy of proposed rule 39FR32921 which would prohibit disposal by burial in soil of all radioactive wastes containing more than ten nanocuries of transuranium elements per gram.Participation in study requested.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/03/11. CARROLL,J.T. Jersey Central Power & Light Co. 2pp.

--9604230103 Notification of 750317 meeting w/util in Bethesda,MD to discuss concerns re JCP&L proposed TS Section 6.0 - Administrative Controls.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/10. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604230122 Discusses assessment of effects on ECCS performance re single passive electrical failure.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/03. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604230126 Summary of 750212 meeting w/utils to discuss responses to concerns posed by Electrical,Instrumentation & Control Sys Branch.W/list of attendees.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/06. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604230133 Discusses suppression pool dynamic phenomena in reply to 750417 ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/03. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604230204 Discusses 750620 telcon re disposal of LPRM fission detectors containing approx 10 mg of U-235.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/06/20. EPSTEIN,E. Atomic Energy Commission (Pre 750119). 1p.

--9604230215 Summary of 750611 meeting w/GPUSC re status of reevaluation of single electrical failures.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/06/20. Division of Reactor Licensing (NRR-1975 only). 4pp.

--9604230253 Notes that facility informed that plans continuing to shutdown plant night of 750205 on 750203.Temperature in Barngat Bay now 36 F & cold wave solidly entrenched indicating potential for fish kill similar to 7401.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/03. Atomic Energy Commission (Pre 750119). 1p.

--9604230255 Forwards 39 addl copies of relief valve line restraints analysis originally forwarded on 751031.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/11/12. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604230259 Responds to 750910 ltr,requesting analysis of relief valve line restraints at plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/31. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604230261 Lists spent fuel shipments leaving facility as of 750203 & informs that no further shipments made until receipt of new fuel completed.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/03. Atomic Energy Commission (Pre 750119). 1p.

--9604230263 Requests info in order to complete scheduling of reviews of proposed license amends related to refueling.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/06/18. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604230267 "Oyster Creek Nuclear Generating Station Main Steam Relief Valve Piping Sys."
* Jersey Central Power & Light Co. 73/10/31. 15pp.

--9604230271 Requests that future publications re plant be forwarded to stated address.
FERRARO,J.W. New Jersey, State of. 75/06/17. Docketing & Services Branch. 1p.

--9604230274 Lists spent fuel shipments leaving facility as of 750122.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/01/27. Atomic Energy Commission (Pre 750119). 1p.

--9604230282 Summary of 741206 meeting w/util to discuss RWM requirements.W/list of attendees.
OWSLEY,G.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/15. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604230287 Notifies of intent to transfer spent nuclear fuel from Oyster Creek Unit I beginning 750117 to Nuclear Fuel Svcs, West Valley,NY facility.
CARROLL,J.T. Jersey Central Power & Light Co. 75/01/15. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604230291 Notes that facility informed on 750109 of plans to begin spent fuel shipments starting wk of 750113.SF bundles shipped to NFS in NY.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/01/09. Atomic Energy Commission (Pre 750119). 1p.

–9604230294 Ack receipt of 750807 ltr requesting that util determine if containment leakage testing being conducted in full compliance w/App J of 10CFR50 at facility.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/01. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230296 Notes talk w/D Nelson of EPA on 750107 concerning rept on excessive liquid releases at facility.No info concerning issue & only litigation aware of is fish kill issue.Record retrievability,accuracy & duration were also discussed.
GREENMAN,E.G. Region I, IE (720101-810228). 75/01/09. Region I, IE (720101-810228). 1p.

–9604230306 Informs that engines not of type described in bulletin & no further action is planned.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/03. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

–9604230307 Responds to request of 740122 ltr concerning damage to piping & piping hanger sys at facility.
ROSS,D.A. Jersey Central Power & Light Co. 75/09/30. O'REILLY,J.P. Region I, IE (720101-810228). 8pp.

–9604230314 Ack receipt of 750520 ltr re 750508 meeting concerning facility Quality Assurance Program.
BARTNOFF,S. Jersey Central Power & Light Co. 75/06/10. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

–9604230316 Forwards attachment to 750919 ltr inadvertently not included w/ltr.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/26. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230357 Advises that documents submitted on 750424 & 28,entitled, "Cycle 5 Reload & Loss-of-Coolant Accident Reevaluation Infor" & "Loss-of-Coolant Accident Analysis reevaluation - Addl Info" will be withheld from PDR.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/06/04. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604230368 Advises that documents submitted 750424 & 28,entitled, "Responses to NRC Questions on Cycle 5 Reload" & "Addl Data Regarding Loss-of-Coolant Accident Analysis for GE Fuel," will be withheld.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/06/04. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604230377 Informs that Plant Operations Review Committee & General Office Review Board have completed review of change request 37.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/29. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230380 Informs that licensee submitted data re "Abnormal Occurences in Piping Sys," forwarded to Div of Technical Review.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 75/05/28. DRAHER,F.A. Office of Inspection & Enforcement (750101-801210). 1p.

–9604230406 Discusses 750520 meeting re activities at facility.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/23. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604240004 Ack receipt of 750627 ltr in response to ltr dtd 750527 re calibration of radiation protection instruments.Informs that commitment to do two-point calibration of radiation protection instruments initially at two-yr intervals.
DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 75/09/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240005 Notification of 751015 meeting w/util in Bethesda,MD to discuss proposed integrated ECCS model for plant.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/09/23. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604240022 Informs of licensee interpretation of TS 3.7.C.2.TS states in part if one diesel generator becomes inoperable during power operation repairs shall be initiated immediately & other diesel will operated one h per every 24 h.
GREENMAN,E.G. Region I, IE (720101-810228). 75/09/19. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604240025 Informs that listed SF shipments have left plant site as of 750914.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/09/16. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 2pp.

–9604240037 Informs that experience at some BWR plants w/Mark I containment has shown that in some cases design of relief valve line restraints inside torus may be inadequate.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/09/10. FINFROCK,I.R Jersey Central Power & Light Co. 2pp.

–9604240049 Forwards 40 copies of document entitled, "Oyster Creek Radwaste Mod - Conformance to 10CFR50,App I," for info.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/09. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

–9604240061 Responds to verbal concerns expressed by members of NRC Staff during course of review of cycle reload.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/23. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 16pp.

–9604240095 Summary of 750724 meeting w/util to discuss NRC staff concerns re geotechnical study of site for proposed new liquid/solid radwaste building.List of attendees encl.
PUALSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/08/29. Division of Reactor Licensing (NRR-1975 only). 4pp.

–9604240116 "Response to AEC Related Environmental Statement Related to Oyster Creek Nuclear Generating Station."
* Jersey Central Power & Light Co. 73/12/31. 18pp.

–9604240128 Discusses facility startup schedule following 1975 refueling outage.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/20. Atomic Energy Commission (Pre 750119). 1p.

–9604240265 Informs that rept being submitted for info per telcon of 740425.
CARROLL,J.T. Jersey Central Power & Light Co. 74/04/25. O,REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604240274 Forwards copies of correspondence relating to State of New Jersey water quality certification of plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/04/22. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 56pp.

–9604250021 Discusses rept entitled "Preliminary Description & Analyses of Proposed Modifications to Gaseous,Liquid & Solid Radioactive Waste Treatment Systems for Oyster Creek Nuclear Generating Station." Addl info to rept sent.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/17. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 22pp.

–9604250273 Notification of 740522 meeting w/JCP&L,Exxon & Oyster Creek in room P-114,to discuss concerns re Exxon type V (8x8) fuel assembly.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/09. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604250282 Summary of 740506 meeting w/JCP&L,Exxon & Oyster Creek in room P-114 re Oyster Creek Cycle 4.
ROSS,D.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/06. STELLO,V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604250286 Discusses Operational Quality Assurance Program for JCPL.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/07. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604250298 Advises that util have not supplied sufficient justification for withholding of drawing 20464-H from public disclosure. Full explanation as to why drawing should be handled as proprietary should be provided within 30 days of ltr date.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250312 Responds to 740322 ltr re util operational QA plan.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/02. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

–9604300007 "Environ Impact Statement Comments: Oyster Creek Nuclear Generating Station."
* Environmental Protection Agency. D-AEC-06113-NJ. 73/09/30. 21pp.

–9605160259 Responds to 740911 ltr re ATWS analysis for plant.Request for extension of 30 days beyond 741001 date for submission of common mode failure analysis approved.Schedule of detailed plant for completing analyses should be submitted.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/04. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604250305 Provides list of full term license package,target dates.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/05/02. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

9604120289 Provides current status of FTOL package.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 73/12/12. BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 1p.

9604040027 Second partial final response to FOIA request for records. App G records encl & being made available in PDR.App H records partially withheld (ref Exemption 4).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. SHEEHAN,N.A. Affiliation Not Assigned. 13pp. 87860:003-87860:288.

–9604040032 Notifies of closure of Allegation RI-94-A-0185 file, alleging that GET instructor passes people that should not pass.
VITO,D.J. Region 1 (Post 820201). 95/10/10. Region 1 (Post 820201). 2pp. 87860:016-87860:020.

–9604040042 Forwards comments on allegations that GET tests changed such that two students passed after receiving failing grades at plant.
BEALL,J. Ofc of Enforcement (Post 870413). 95/09/26. HOLODY,D. NRC - No Detailed Affiliation Given. 3pp. 87860:023-87860:025.

–9604040044 Discusses closeout of Allegation RI-94-A-0185,as documented in 941228 memo documenting that records falsified.
VITO,D. NRC - No Detailed Affiliation Given. 95/08/31. NRC - No Detailed Affiliation Given. 1p. 87860:026-87860:026.

–9604040046 Ack receipt of 950705 ltr responding to NRC 950606 request on alleged chilling effects at plant.
DURR,J.P. Region 1 (Post 820201). 95/08/16. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 87860:027-87860:032.

–9604040049 Requests info on repts noted on attached e-mail re Allegation RI-93-A-0224.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/07/17. NRC - No Detailed Affiliation Given. 1p. 87860:033-87860:033.

–9604040071 Responds to NRC 950606 ltr detailing incident whereby util maint foreman at plant allegedly told employee that employee could not talk to NRC about concerns re work effectiveness & job-preplanning.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 95/07/05. Region 1 (Post 820201). 3pp. 87860:036-87860:038.

–9604040073 Forwards GPUN 950615 memo to plant personnel re-emphasizing that personnel may communicate nuclear safety concerns w/o fear of retribution.
BRIGGS,L. NRC - No Detailed Affiliation Given. 95/06/22. ROGGE,J. NRC - No Detailed Affiliation Given. 3pp. 87860:039-87860:045.

–9604040080 Forwards EA Request Form 95-106 re chilling effect ltr.
HOLODY,D.J. NRC - No Detailed Affiliation Given. 95/05/31. LANDRON,D. NRC - No Detailed Affiliation Given. 2pp. 87860:046-87860:047.

--9604040083 Forwards draft chilling effect ltr for plant.W/o encl.
CONNER,E.L. NRC - No Detailed Affiliation Given. 95/05/22. CAMPION,M.J. NRC - No Detailed Affiliation Given. 2pp. 87860:048-87860:049.

--9604040099 Discusses Allegation Panel schedule for 950208,Rev 1-R re Allegation RI-95-A-0026A.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/02/08. ROGGE,J. NRC - No Detailed Affiliation Given. 1p. 87860:091-87860:091.

--9604040101 Discusses Allegation Panel schedule for 950208,Rev 1-R & requests review of previous allegations at plant.
ROGGE,J.F. NRC - No Detailed Affiliation Given. 95/02/07. VITO,D. NRC - No Detailed Affiliation Given. 1p. 87860:092-87860:092.

--9604040203 Informs that D Limroth & GC Smith will be available for meeting re plant.
SMITH,G.C. NRC - No Detailed Affiliation Given. 95/01/23. VITO,D. NRC - No Detailed Affiliation Given. 1p. 87860:094-87860:097.

--9604040220 Informs of closeout of Allegation RI-93-A-0134 re individual being asked to install shielding on recirculation pumps in drywell during 14R at plant w/o using respirator.
ROGGE,J. Region 1 (Post 820201). 93/11/16. Region 1 (Post 820201). 1p. 87860:108-87860:108.

--9604040222 Informs of OI decision not to pursue Allegation RI-93-A-224 (alleged warehouse break-in & FFD).
BANERJEE,M. NRC - No Detailed Affiliation Given. 93/11/10. VITO,D. NRC - No Detailed Affiliation Given. 4pp. 87860:109-87860:112.

--9604040229 Requests file be checked to see if FEMA referral made re Allegation RI-93-A-0123.Item ready for closure.Bridge repaired & back in svc & concern should be considered resolved.
ROGGE,J.F. Region 1 (Post 820201). 93/09/29. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 4pp. 87860:113-87860:116.

--9604040238 Informs that anonymous individual called on 930814 to reiterate concern noted in subj allegation.Individual said he would refer issue to union type at Catalytic.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/09/16. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 5pp. 87860:117-87860:121.

--9604040242 Informs of attempt to call individual on 930729 re Allegation RI-92-A-0247.Phone disconnected w/no forwarding info.Suggests ltr be sent to individual last address,saying that info could not be verified.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/07/30. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 1p. 87860:122-87860:122.

--9604040250 Informs that no further actions required for anonymous Allegation RI-93-A-0085,received on 930419,alleging knowledge of licensed operator recently convicted of 3rd offense DWI & allegation closed.
FUHRMEISTER,R. Region 1 (Post 820201). 93/07/27. Region 1 (Post 820201). 5pp. 87860:123-87860:127.

--9604050087 Discusses 930625 visit to const site re relocated bridge for Lacey Road.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/06/25. ROGGE,J. NRC - No Detailed Affiliation Given. 5pp. 87860:128-87860:132.

--9604050089 Forwards ALARA section of plant rept re (RI-93-A-0079).
ECKERT,L.L. NRC - No Detailed Affiliation Given. 93/05/14. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 4pp. 87860:133-87860:136.

--9604050096 Proposes closure of allegation.
ROGGE,J. Region 1 (Post 820201). 93/05/03. BETTENHAUSEN,L., FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 6pp. 87860:137-87860:142.

--9604050111 Forwards results of further investigation of Allegation RI-93-A-0040 plant snubber testing.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/03/24. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 2pp. 87860:143-87860:144.

--9604050117 Notifies of closure of Allegation RI-92-A-0181,received on 920909 that bridge on Deerhead Lake Drive out of svc for several months.No response to alleger appropriate,based on anonymous nature of allegation.
FUHRMEISTER,R. Region 1 (Post 820201). 93/03/23. Region 1 (Post 820201). 3pp. 87860:145-87860:147.

--9604050118 Notifies of closure of Allegation RI-92-A-0050 concerning staff suspected wrongdoing re industry-wide issue of equipment operator log falsification at plant,based on listed info.
FUHRMEISTER,R. Region 1 (Post 820201). 93/03/04. Region 3 (Post 820201). 3pp. 87860:148-87860:160.

--9604080040 Informs that no further actions required re Allegation File RI-92-A-0181 concerning plant & matter closed.
VITO,D. NRC - No Detailed Affiliation Given. 92/10/15. NRC - No Detailed Affiliation Given. 11pp. 87860:178-87860:188.

--9604080047 Summarizes 920403 telcon w/S Levin/J Barton re status of investigations into alleged falsification of completion of PMs by site services supervisors.No indication of falsification found.
RULAND,W.H. NRC - No Detailed Affiliation Given. 92/04/07. NRC - No Detailed Affiliation Given. 5pp. 87860:189-87860:193.

--9604080055 Notifies of allegation received from INPO on 920305, suggesting that plant equipment operators signing off on "rounds" sheet that certain tasks performed,that had not been performed.
WENZINGER,E. NRC - No Detailed Affiliation Given. 92/03/13. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 1p. 87860:194-87860:199.

--9604080081 Discusses 910513 telcon w/alleger re Allegation RI-91-A-0078 concerning harassment & intimidation claim against Catalytic,GPUN contractor at plant.
HARRIS,P.W. Region 1 (Post 820201). 91/05/14. MOORE,M. Region 1 (Post 820201). 8pp. 87860:240-87860:247.

--9604080111 Notifies of closure of Allegation RI-91-A-0008 at TMI/Oyster Creek.Allegation determined to be unsubstantiated.
RULAND,W.H. Region 1 (Post 820201). 91/03/12. Region 1 (Post 820201). 1p. 87860:248-87860:248.

--9604090021 Ack receipt of 900928 ltr informing NRC of results of investigation re allegation RI-90-A-0024.Allegation closed.
WENZINGER,E.C. Region 1 (Post 820201). 90/11/27. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 1p. 87860:252-87860:252.

--9604090052 Informs of bridge number for NRR ARB meeting on 950126.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. SMITH,G.C., LIMROTH,D. Region 1 (Post 820201). 1p. 87860:284-87860:288.

9604010392 Extends invitation to participate in 960424 meeting in Valley Forge,PA w/ NRR and Region I re BWR safety relief valve performance.Requests questions or topics to be discussed at meeting.
KELLY,E.M. Region 1 (Post 820201). 96/03/21. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 6pp. 87687:176-87687:180.

9604020061 Application for amend to license DPR-16,deleting spec which requires thorough insp of EDG every 24 months during shutdown.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/25. Document Control Branch (Document Control Desk). 10pp. 87725:137-87725:159.

--9604020064 Proposed tech specs,deleting spec which requires thorough insp of EDG every 24 months during shutdown.
* General Public Utilities Corp. - GPU Service Corp. 96/03/25. 13pp. 87725:147-87725:159.

9604020133 Application for amend to license DPR-16,modifying statements in TS & bases to correctly reflect ref parameter for anticipatory scram signal bypass.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87724:348-87724:356.

--9604020135 Proposed tech specs,modifying statements in TS & bases to correctly reflect ref parameter for anticipatory scram signal bypass.
* General Public Utilities Corp. - GPU Service Corp. 96/03/28. 2pp. 87724:355-87724:356.

9604090291 Forwards Rev 9 to "Oyster Creek Nuclear Generating Station Pump & Valve IST Program," allowing continuity between testing performed to meet requirements of IST program & 10CFR50,App J,Option B.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87829:132-87829:255.

--9604090293 Rev 9 to "Oyster Creek Nuclear Generating Station Pump & Valve IST Program."
* General Public Utilities Corp. - GPU Service Corp. 96/03/31. 122pp. 87829:134-87829:255.

9604040218 Forwards Rev 0 to Rept 42112-R-001, "Oyster Creek Nuclear Generating Station USI A-46 Seismic Evaluation Rept," per GL 87-02.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87767:001-87767:282.

--9604040225 "Oyster Creek Nuclear Generating Station USI A-46 Seismic Evaluation Rept."
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 42112-R-001 R00. 96/03/01. 280pp. 87767:003-87767:282.

9604150275 Forwards two recent repts illustrating database concept w/agencies concerned w/routing,emergency mgt & other issues re transportation of radioactive matls.W/o encl.
CAMPBELL,S.G. Affiliation Not Assigned. 96/04/02. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 87872:026-87872:026.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170040 Advises that util plans to test both 5% ref sample & 10% representative sample of Viton SSPV control rods at approx 90-day intervals,per NRC Info Notice 96-007.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87949:085-87949:086.

9604220076 Application for amend to license DPR-16,revising spec 5.3.1 re handling heavy loads over irradiated fuel.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/15. Document Control Branch (Document Control Desk). 5pp. 87962:326-87962:335.

--9604220081 Proposed tech specs 5.3.1 re handling heavy loads over irradiated fuel.
* General Public Utilities Corp. - GPU Service Corp. 96/04/15. 5PP. 87962:331-87962:335.

9604240147 Responds to GL 96-01, "Testing of SR Logic Circuits."
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88010:246-88010:247.

Q. Inspection reports, IE Bulletins & correspondence

9604230046 Informs that corrective & preventive actions documented in response.Actions will by examined during subsequent insp of licensed program.
BRUNNER,E.J. Region I, IE (720101-810228). 75/11/28. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604230173 Insp rept 50-219/75-25 on 751112-13.Violation noted.Major arear inspected:plant status,acceptable area,unresolved items,unresolved items.
RUHLMAN,W.A., STOHR,J.P. Region I, IE (720101-810228). 75/11/24. 12pp.

9604240165 Insp rept 50-219/74-03 on 740206-11.Violations noted.Major areas inspected:operations,log & records,reactivity control & core physics.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 74/04/26. 20pp.

9604240034 Responds to memo dtd 750905,which in part summarizes portions of telcon discussion on 750902 re reducing amount of proposed civil penalty.
SNYDER,G.L. Region I, IE (720101-810228). 75/09/11. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 2pp.

9604240232 Informs that special insp conducted to review "allegations" informally received from state of NJ authorities during telcon on 740205.
GREENMAN,E.G. Region I, IE (720101-810228). 74/04/26. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

9604170288 Recommends that CO should establish that GE does supply mod control linkages,as appropriate for BWR of common design.
MCDERMOTT,R.J. Region I, IE (720101-810228). 70/10/30. CARLSON,R.T. Region I, IE (720101-810228). 1p.

9604180170 Informs of corrective & preventive actions in response to document dtd 731116.Actions will be examined during next insp of licensed program.
MARTIN,W.G. Region I, IE (720101-810228). 74/01/14. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604220181 Insp rept 50-219/75-24 on 751030-31 & 1105.No violations noted.Major areas inspected:radiological protection during reactor operation,unusual occurrences & radwaste shipments.
PLUMLEE,K.E., KNAPP,P.J. Region I, IE (720101-810228). 76/01/05. 13pp.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

-7910150066 Responds to NRC 790810 request for evaluation of util.Due to scope & detail of request,licensee mgt appraisal insp is appropriate.Submits insp plan outline & functional areas that will be inspected.
WHITT,K.W. Office of Inspection & Enforcement (750101-801210). 79/08/24. BRUNNER,E.J. Office of Inspection & Enforcement (750101-801210). 5pp. 00874:103-00874:107.

-9604120012 Summary of 731113 meeting w/utils to discuss plant revised QA program for operations.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/02. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

-9604120016 Notice of violation from insp on 730626-29.Violation noted: exposure in excess of three rem during Apr-June quarter & failure to analyze reactor coolant sample every 72 hours for total radioactive iodine content,
* Region I, IE (720101-810228). 73/09/24. 2pp.

-9604120026 Informs of conversation w/D Ross on 751015 to discuss results of insp of offsite committee activities at corporate ofcs.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/15. NRC - No Detailed Affiliation Given. 1p.

-9604120033 Discusses insp rept 50-219/73-17 on 731023 & forwards notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 73/11/16. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

-9604120038 Notice of violation from insp on 731023.Violation noted: licensee failed to conduct adequate evaluation of concentrations of airborne radioactive matl in waste barrel storage areas.
* Region I, IE (720101-810228). 73/11/16. 2pp.

-9604120043 Discusses insp rept 50-219/73-16 on 731001.No violations or safety items observed.
NELSON,P.R. Region I, IE (720101-810228). 73/11/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604120054 Informs that licensee made great strides in mgt controls at site & more desire to inform of unusual events.Requested info obtained or action initiated for listed items.
CANTRELL,F.S. Region I, IE (720101-810228). 73/09/24. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

-9604120059 Insp rept 50-219/73-17 on 731023.No violations noted.Major areas inspected:organization & administration,equipment & facilities,operations observed,personnel monitoring,surveys, survey records.
BRANDKAMP,F.N., MCCLINTOCK,R.O. Region I, IE (720101-810228). 73/11/15. 5pp.

-9604120069 Insp rept 50-219/73-11 on 730626-29.Violations noted.Major areas inspected:followup to event re exposure records for Apr-June 1972 quarter showing one man exposed in excess of three rem.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/09/19. 24pp.

-9604120076 Discusses insp rept 50-219/73-19 on 731129 & 30.No violations noted.
NELSON,P.R. Region I, IE (720101-810228). 73/12/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604120087 Insp rept 50-219/73-16 on 731001.No violations noted. Major areas inspected:licensee environ monitoring program.
GALLINA,C.O., STOHR,J.P. Region I, IE (720101-810228). 73/11/13. 8pp.

-9604120090 Discusses insp rept 50-219/73-19 re facility meteorology program which did not meet recommendations of safety guide 23 & at present of little value.NRC recommends that meteorology requirements be incorporated in facility TS.
STOHR,J.P. Region I, IE (720101-810228). 73/12/21. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

-9604120096 Provides list of areas in facility meteorology program in nonconformance w/safety guide 23.
BORES,R.J. Region I, IE (720101-810228). 73/12/21. STOHR,J.P. Region I, IE (720101-810228). 2pp.

-9604120101 Informs that facility TS developed & cover most of requirements of safety guide 21 w/two exceptions.
EVERETT,R.J. Region I, IE (720101-810228). 73/12/21. STOHR,J.P. Region I, IE (720101-810228). 1p.

-9604120108 Insp rept 50-219/73-19 on 731129 & 30.No violations noted. Major areas inspected:independent measurements.
EVERETT,R.J., BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 73/12/19. 10pp.

-9604120180 Confirms 731026 telcon w/plant to complete proprietary info review w/ licensee for RO insp rept 50-219/73-15.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/31. Region I, IE (720101-810228). 2pp.

-9604120183 Submits inspector evaluation of plant based on 730905-07 insp.Informs that insp not indicative of good radiation safety program.
MANN,J. Region I, IE (720101-810228). 73/10/30. KNAPP,P.J. Region I, IE (720101-810228). 2pp.

-9604120186 Insp rept 50-219/73-14 on 730905-07.Violations noted.Major areas inspected:organization,radiation protection,training, radwaste facility radiation doses.
MANN,J., MEYER,R.J. Region I, IE (720101-810228). 73/10/24. 12pp.

-9604120190 Discusses results of special insp re power loss occurring on 730908.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/31. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

-9604120193 Discusses insp rept 50-219/73-14 on 730905-07 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/30. FINFROCK,I. Jersey Central Power & Light Co. 3pp.

-9604120196 Forwards 730907,730813 & 730807 memos re enforcement & licensing actions resulting from inspectors evaluation & RO Rept 50-219/73-03.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/12. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

-9604120199 Responds to 730813 memo re enforcement & licensing actions resulting from inspector evaluation & RO Rept 50-219/73-03. Informs that areas of concern discussed in evaluation memo appear adequately responded to.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/07. GALLINA,C.O. Region I, IE (720101-810228). 3pp.

-9604120200 Notice of violation from insp on 731030.Violation noted: two individuals in radwaste facility control room not aware of 5 milliroentgens per hour dose rates on work area.
* Region I, IE (720101-810228). 73/10/30. 5pp.

-9604120204 Confirms 730810 telcon re enforcement & licensing actions resulting from inspector evaluation for RO Rept 50-219/73-03 & requests review of attached memo to determine if concerns expressed in evaluation memo have been responded to.
THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/13. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120205 Forwards insp rept 50-219/73-04 for action.Recommends RO Technical Assistance Branch perform review of thermal transient which occurred outside of allowable temp specified by TS 3.3.C.2.
CAPHTON,D.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/30. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604120208 Provides summary of issues raised in CO Gallina evaluation memo re enforcement & licensing actions resulting from inspector evaluation for RO Rept 50-219/73-03.Attachment lists issues requiring enforcement or licensing actions.
HIGGINBOTHAM,L. Atomic Energy Commission (Pre 750119). 73/08/07. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 9pp.

-9604120214 Discusses insp rept 50-219/73-15 on 730910-12 & forwards notice of violation.Informs that corrective steps will be taken to avoid further violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604120218 Forwards RO Insp Rept 50-219/73-12 for action.Recommends imposition of $4,000 civil penalty.Memo showing justification for penalty & draft of documentation encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/11. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

-9604120220 Notice of violation from insp on 730910-12.Violation noted: dept work performed on differential relays for startup transformers at facility on 730730.
* Region I, IE (720101-810228). 73/10/26. 1p.

-9604120223 Forwards insp rept 50-219/73-04.Insp rept points out two matters at Oyster Creek.
CANTRELL,F.S. Region I, IE (720101-810228). 73/03/23. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

-9604120225 Insp rept 50-219/73-12 on 730803 & 06.Violations noted.Major areas inspected:followup to event re 88 of 132 shock suppressors found defective during 730415-730605 refueling outage.
CANTRELL,F.S., GREENMAN,E., CAPHTON,D.L. Region I, IE (720101-810228). 73/09/11. 7pp.

-9604120231 Insp rept 50-219/73-15 on 730910-12.Violation noted.Major areas inspected:events surrounding loss of power situation on 730908 & effect on reactor level,pressure & temp,stack release indications & drywell activity.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/23. 17pp.

-9604120274 Ack receipt of 731120 ltr informing AEC of steps taken to correct violations noted in insp.
O'REILLY,J.P. Region I, IE (720101-810228). 73/12/13. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

-9604120278 Responds to NRC 731026 ltr re violations noted in insp rept of license DPR-16.Corrective actions:implementation of Quality Assurance Program will reduce cause for TS violation.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/20. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

--9604120290 Informs of review of case & concurs w/recommendation that licensee be given maximum fine for violation.
CARLSON,R.T. Region I, IE (720101-810228). 73/09/11. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 8pp.

--9604120297 Insp rept 50-219/73-10 on 730511.No violations noted.Major areas inspected:routine review of refueling operations.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/06/07. 5pp.

--9604120303 Informs that plant appears having changed attitude toward procedures & Supervision responsive to comments.
CANTRELL,F. Region I, IE (720101-810228). 73/06/08. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604120315 Discusses insp conducted on 731129.No violations noted.
MARTIN,W.G. Region I, IE (720101-810228). 73/12/05. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604150004 Responds to 730813 memo re enforcement & licensing actions resulting from inspector evaluation & RO Rept 50-219/73-03. Disagrees to varying degrees w/ comments re rept writing.
GALLINA,C.O. Region I, IE (720101-810228). 73/09/07. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

--9604150017 Discusses insp rept 50-219/73-12 on 730803-06 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604150021 Notice of violation from insp on 730803-06.Violation noted: util failed to notify Director of Regional Regulatory Operations Ofc,or rept to Director of Licensing,within prescribed limits.
* Region I, IE (720101-810228). 73/10/15. 1p.

--9604150031 Insp rept 50-219/73-20 on 720320-23.No violations noted. Major areas inspected:review of SNM depletion & production calculations used & reported by licensee.
PARTLOW,J.G., BARTZ,H., SNYDER,G.L. Region I, IE (720101-810228). 73/12/03. 3pp.

--9604150046 Forwards insp rept 50-219/73-07.No violations or safety items noted.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/05/24. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

--9604150051 Summary of mgt meeting re findings of augmented insp program & related input from involved branches.
GREENMAN,E.G. Region I, IE (720101-810228). 73/11/30. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604150060 Forwards insp rept 50-219/73-03 on 730228-0302,05 & 07. Concurs in region I recommendation of licensing review of overall environmental programs,radiological & non-radiological.
PELLETIER,C.A. Atomic Energy Commission (Pre 750119). 73/05/23. YOUNGBLOOD,B.J. Atomic Energy Commission (Pre 750119). 2pp.

--9604150063 Discusses 731105 meeting w/util re activities authorized by AEC license DPR-16.Areas discussed described in encl insp rept.Rept withheld.
DAVIS,J.G. Region I, IE (720101-810228). 73/11/30. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

--9604150073 Ack receipt of 731015 ltr informing NRC of steps taken to correct violations noted in insp of license DPR-16.
O'REILLY,J.P. Region I, IE (720101-810228). 73/11/30. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604150080 Insp rept 50-219/72-13 on 730828-29.Violations noted. Major areas inspected:follow-up to event reported to NRC in violation of TSs 4.4.A.2 & 3.6.C.
GREENMAN,E.G., YOUNG,H., SNYDER,G. Region I, IE (720101-810228). 73/10/01. 15pp.

--9604150082 Insp rept 50-219/73-02 on 730430 & 0502.No violations noted. Major areas inspected:examine portion of quality programming updated &/or implemented subsequent to RO:I insp in June 1971.
HAYWARD,W.M., TILLOU,J.H. Region I, IE (720101-810228). 73/05/14. 7pp.

--9604150093 Informs of routine insp re violations to core spray valve operability,testing & safety item concerning portable survey instrument calibr.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/04. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604150098 Responds to NRC 731015 ltr re violations noted in insp of license DPR-16.Corrective actions:staff additions & expansion of JCP&L Quality Assurance organization.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604150101 Discusses insp rept 50-219/73-13 on 730828-29 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/04. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604150106 Forwards insp rept 50-219/73-08,for info.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/06/12. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604150107 Notice of violation from insp on 730828-29.Violation noted: records indicated that operability test not performed between 730426-0621.
* Region I, IE (720101-810228). 73/10/04. 2pp.

--9604150108 Forwards insp rept 50-219/73-06 on 730410-11.No violations noted.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 73/08/23. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604150110 Summary of plant mgt meeting re detailed findings of recent environ insp.
STOHR,J.P. Region I, IE (720101-810228). 73/06/12. Region I, IE (720101-810228). 1p.

--9604150114 Informs that meeting w/util mgt re insp rept 50-219/73-08 accomplished something.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/12. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604150119 Forwards DL Pomeroy field notes on 730410-11 insp & RO insp rept 50-219/73-06.Inspectors found that licensee QA program, effective & corrective action taken by manufacturer to correct deficiencies.
CARLSON,R.T. Region I, IE (720101-810228). 73/08/23. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 25pp.

--9604150129 Insp rept 50-219/73-06 on 730410-11.No violations noted. Major areas inspected:activities relating to overall QA effort in procurement of facility reload fuel from Exxon Nuclear Co.
CANTRELL,F.S., POMEROY,D.L., POTAPOVS,U. Region I, IE (720101-810228). 73/08/22. 4pp.

--9604150136 Insp rept 50-219/73-08 on 730424.No violations noted.Major areas inspected:results of insp of environ monitoring program conducted on 730228-0307.
CANTRELL,F.S., O'REILLY,J.P., CARLSON,R.T. Region I, IE (720101-810228). 73/06/06. 4pp.

--9604150141 Discusses meetings held w/util in Morristown,NJ on 730424 re activities authorized by license DPR-16.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/06/12. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

--9604150145 Insp rept 50-219/73-01 on 730409 & 10.No violations noted. Major areas inspected:post-exam cleaning requirements of liquid penetrant test procedure.
BROWN,R.L., SANDERS,W.F., HOWARD,E.M. Region I, IE (720101-810228). 73/05/15. 7pp.

--9604150174 Insp rept 50-219/73-09 on 730502.No violations noted.Major areas inspected:feedwater spargers for possible failure in welded seams.
SANDERS,W.F., CANTRELL,F.S., TILLOU,J.H. Region I, IE (720101-810228). 73/06/07. 3pp.

--9604150179 Forwards Regulatory Operations Bulletin 73-4.Requests that action shown under ACTION INDICATED be taken.
O'REILLY,J.P. Region I, IE (720101-810228). 73/08/17. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604150180 Informs that stds for clarity & detail should be developed for TV insp of reactor components.Stds should include clarity,magnification & contract.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/08. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604150182 Discusses insp on 730502 & discussions of findings at conclusion of insp.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604150186 Discusses insp rept 50-219/73-10 on 730511.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604150190 Ack receipt of 730522 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/73-03. Corrective action will be verified during next insp of plant environmental program.
O'REILLY,J.P. Region I, IE (720101-810228). 73/06/01. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

--9604150200 Responds to NRC 730426 ltr re violations noted in insp on 730228-0302,06 & 07.Corrective actions:more positive action employed & implemented towards procuring of samples & subsequent follow up of outside contractor analyses.
ROSS,D.A. Jersey Central Power & Light Co. 73/05/22. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604150201 Discusses 730525 telcon re inquiry rept 219/73-06Q & chromate in water & soil samples.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/19. Region I, IE (720101-810228). 1p.

--9604150212 Refers to 730912 memo re enforcement & licensing actions resulting from inspector evaluation of RO rept 50-219/73-03.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 73/09/26. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604150243 Informs that insp rept 50-219/73-07 scheduled for 730419-20 to follow up on corrective actions that util had defined in response to violations & safety items identified during insp on 730213-16.
MEYER,R.J. Region I, IE (720101-810228). 73/05/30. SMITH,R.H. Region I, IE (720101-810228). 3pp.

--9604150247 Insp rept 50-219/73-07 on 730418-20.No violations noted. Major areas inspected:follow up to corrective actions that util initiated to correct previous violations.
MEYER,R.J., LORENZ,W.R., SMITH,R.H. Region I, IE (720101-810228). 73/05/25. 8pp.

--9604150319 Confirms 730727 telcon w/cognizant representatives of staff concerning Bergen-Patteron hydraulic shock suppressors & restraints.Forwards Regulatory Operations Bulletin 73-3 requesting specific action.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/07/27. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604150394 Recommends continuing audit of Klockner on twice yearly basis at least.
BROWN,R.L. Region I, IE (720101-810228). 73/05/17. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

--9604160116 Insp rept 50-219/73-04 on 730313.Two violations noted: recirculation pump started w/temperature differential of 117 F;failure to have written procedures for certain conditions.Major areas insp:operations & operation logbooks.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/03/23. 12pp.

–9604160121 Forwards insp rept 50-219/73-04 on 730313 & inquiry rept 50-219/73-04Q re AO experienced on 730310.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/04. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160127 Forwards 730214 JCP&L ltr & RO Inquiry Rept 50-219/73-04Q as correspondence between Region I,Directorate of Regulatory Operations & JCP&L.
CAREY,P. Region I, IE (720101-810228). 73/03/27. MOTT,S. Ocean County, NJ. 1p.

–9604160131 Discusses insp on 730313 & forwards description of violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/27. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604160135 RO insp rept 50-219/73-02 on 730213-16.Violations noted. Major areas inspected:follow up to previous insps on 730102, 05 & 06 & licensee corrective actions.
MEYER,R.J., CANTRELL,F.S., FRIESS,R. Region I, IE (720101-810228). 73/04/03. 17pp.

–9604160137 Forwards undated & unsigned CO inquiry rept 50-219/71-09.
MADSEN,G.L. Atomic Energy Commission (Pre 750119). 71/11/15. CARLSON,R.T. Atomic Energy Commission (Pre 750119). 2pp.

–9604160139 Notice of violation from insp on 730313.Violations noted: B recirculation pump started w/temperature differential of 117 F,failure to use written procedure when removing B & D recirculation loops from svc to replace brushes.
* Region I, IE (720101-810228). 73/03/27. 1p.

–9604160141 Forwards undated & unsigned CO inquiry rept 50-219/71-28,for info.Plant shutdown for removal of poison curtains,fuel replacement/reconstitution & turbine warranty insp.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/11/09. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 3pp.

–9604160143 Forwards 720213 RO ltr w/rept 50-219/73-01 as correspondence between Region I,Directorate of Operations & JCP&L.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/03/20. MOTT,S. Ocean County, NJ. 1p.

–9604160150 Submits input to environ insp rept of facility.
EVERETT,R.J. Region I, IE (720101-810228). 73/03/16. GALLINA,C. Region I, IE (720101-810228). 2pp.

–9604160156 Submits comments clarifying forwarding memo for subj rept sent by J Keppler dtd 730130 & responds to memo sent by C Pelletier dtd 730305.
GALLINA,C.O. Region I, IE (720101-810228). 73/03/15. STOHR,J.P. Region I, IE (720101-810228). 3pp.

–9604160164 Forwards RO Inquiry Rept 50-219/73-04Q for info.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604160166 Forwards CO insp rept 50-219/71-03,for info.Insp focused on exam of refueling activities re radiation & contamination control practices in effect for related outage.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/11/09. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 1p.

–9604160175 Forwards RO inquiry rept 50-219/73-06Q for info.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/30. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604160176 Insp rept 50-219/71-03 on 711007-08.Violations noted. Major areas inspected:logs & records,facility procedures, fuel insp,air balance & continuous air monitoring.
YOUNG,T., MEYER,R.J., CARLSON,R.T. Region I, IE (720101-810228). 71/11/08. 6pp.

–9604160182 Ack receipt of ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/73-04.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/27. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604160186 Informs that 75% of time spent at site used in observing fuel handling & fuel insp process.
YOUNG,T. Region I, IE (720101-810228). 71/11/09. CARLSON,R.T. Region I, IE (720101-810228). 1p.

–9604160187 Forwards memo providing general summary of deficiencies identified during insp conducted on 730213-16.Informs that detailed insp rept currently in preparation by Region I & will be forwarded.
ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/15. SKOVHOLT,D.J. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604160191 RO insp rept 50-219/73-03 on 730228-0302,0305 & 07. Violations noted.Major areas inspected:licensee environ monitoring program.
GALLINA,C.O., EVERETT,R.J., FRIESS,R.A. Region I, IE (720101-810228). 73/04/23. 44pp.

–9604160192 Discusses special insp conducted at facility on 730213-16 & provides list of types of violations identified by RO I inspectors.
CAPHTON,D.L. Region I, IE (720101-810228). 73/02/26. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160196 Forwards RO insp rept 50-219/73-03,for info.Inspectors of opinion that present environmental monitoring program,as described in TS inadequate.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/26. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160203 Forwards insp rept of insp performed at GPUSC on 730410 & 11.GPUSC performed effective & well documented audits of fuel supplier & major suppliers.Insp details involve proprietary data & being forwarded as field notes.W/o encl.
REINMUTH,G.W. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/26. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

–9604160207 Discusses insp on 730228-0302,06 & 07 & forwards notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 73/04/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604160214 Notice of violation from insp on 730228-0302,06 & 07. Violations noted:samples taken from less than five locations during numerous periods from May 1969 through Dec 1972.
* Region I, IE (720101-810228). 73/04/26. 4pp.

–9604160216 Discusses & forwards RO Insp Rept 50-219/72-05.
CAPHTON,D.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/09. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160221 Summary of 730424 mgt meeting w/util re summary of environ monitoring insp,findings,programmatic deficiencies & evaluation of present program.
STOHR,J.P. Region I, IE (720101-810228). 73/04/24. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604160224 Discusses need for backup to Superintendent & RO Insp Rept 50-219/72-05.
CANTRELL,F.S. Region I, IE (720101-810228). 73/03/09. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604160225 Notification of 730424 mgt meeting w/util re RO insp of plant environmental monitoring program on 730228-0307.
CANTRELL,F.S. Region I, IE (720101-810228). 73/04/23. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604160228 Discusses insp conducted on 711007-08,which was limited to reviewing control of personnel exposures & radiation & contamination control during current extended outage. No significant deficiencies in program noted.
MEYER,R.J. Region I, IE (720101-810228). 71/11/09. CARLSON,R.T. Region I, IE (720101-810228). 21pp.

–9604160231 Submits inspectors evaluation re review of facility electrical repts & insp on 721109-10 & 13.
BURZI,A.V. Region I, IE (720101-810228). 73/03/09. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

–9604160247 Forwards attached rept of insp conducted at facility on 710623-25.Informs that two items of noncompliance noted.
CARLSON,R.T. Region I, IE (720101-810228). 71/09/03. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 3pp.

–9604160248 Insp rept 50-219/72-05 on 721109-10,12-13,17,20 & 721207-08. Six violations noted.Major areas inspected:followup to 720705-07,10 & 12-14 insp.
CANTRELL,F.S., BURZI,A.V., CAPHTON,D.L. Region I, IE (720101-810228). 73/03/05. 36pp.

–9604160256 Insp rept 50-219/71-02 on 710622-25-0702.Violations noted. Major areas inspected:log & records,facility staffing & operator retraining programs,reactivity control & core physics.
MCDEROTT,W.H., HIGGINBOTHAM,L., CANTRELL,F.S. Region I, IE (720101-810228). 71/09/02. 18pp.

–9604160267 Discusses evaluation re insp of plant on 710623-25 & 0702. Insp concerning site organization,general ofc review board performance & administration of maint organization.
NCDERNOTT,R.J. Region I, IE (720101-810228). 71/09/03. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

–9604160270 Forwards insp rept 50-219/71-02 on 710623-25 & 0702.Two items of noncompliance noted.Specific matters of interest discussed in rept listed.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/09/03. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 2pp.

–9604160272 Discusses special insp on 730213-16 & forwards Description of Violations & Description of Safety Items.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/07. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

–9604160276 Forwards insp rept 50-219/71-01 on 710406-08 & 12-13. Several deficiencies involving noncompliance or safety considerations noted.
ENGELKEN,R.H. Atomic Energy Commission (Pre 750119). 71/08/20. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604160282 Notice of violation from insp on 730213-16.Violations noted:high magnitude of radiation levels existed for two seven day periods in Nov 1972,failure to supply film badge or pocket dosimeter to individual.
* Region I, IE (720101-810228). 73/03/07. 7pp.

–9604160285 Discusses insp conducted on 721109,10,12,13,17,20,1207 & 08 & forwards Description of Violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/06. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

–9604160288 Discusses findings during recent environmental insp on 730228-0307 & intended EA.
STOHR,J.P. Region I, IE (720101-810228). 73/04/18. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 4pp.

–9604160291 Description of Violations from insp on 721109,10,12,13,17,20 & 1207-08.Violations noted:insufficient surveys made prior to 721120 to demonstrate exposure rate at fence East of waste storage bldg & removal of shielding glass from drum.
* Region I, IE (720101-810228). 73/03/06. 2pp.

–9604160307 Responds to 730327 ltr to RH Sims re insp on 730313 by Cantrell.
ROSS,D.A. Jersey Central Power & Light Co. 73/04/16. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604160320 Discusses 730410-11 audit of GPUSC by DL Pomeroy & U Potapovs on 730410-11.Most of audit considered proprietary data by EXXON Nuclear.Field notes encl.W/o notes.Memo undtd.
CANTRELL,F.S. NRC - No Detailed Affiliation Given. 96/02/13. CAPHTON,D.L. Region 1 (Post 820201). 1p.

–9604160327 Discusses insp on 730213-16 for purposes of following up on allegations re adverse radiological conditions at facility.
MEYER,R.J., CANTRELL,F., FRIESS,R. Region I, IE (720101-810228). 73/04/10. SMITH,R.H. Region I, IE (720101-810228). 2pp.

–9604160358 Ack receipt of 730328 ltr informing NRC of steps taken to correct violations noted in insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 73/04/10. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604160362 Responds to 730307 ltr to RH Sims re special insp conducted by Meyer & Cantrell on 730213-16.Radiation mgt reviewing existing radiological program & will make recommendations to improve program.
ROSS,D.A. Jersey Central Power & Light Co. 73/03/28. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

–9604160366 Forwards rept of insp conducted at facility on 710406-08 & 12-13.Insp included in-depth review of licensee mgt of radwaste.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/06/23. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 70pp.

–9604160367 Forwards RO inquiry rept,for info.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/05. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604160370 Ack receipt of 730327 ltr informing NRC of steps taken to correct violations noted in insp of licensed program.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/04. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604160377 Forwards Directorate of Regulatory Operations Bulletin 73-1, to provide info received from WEPC & RG&E concerning Point Beach & Ginna pressurized water reactor facilities.Action requested identified in section B of bulletin.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/23. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

–9604160385 Informs that licensee has made noted improvement (seven new additions) in area of site staffing.
MCDERMOTT,R.J. Region I, IE (720101-810228). 71/06/17. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

–9604160428 Responds to 730306 ltr to RH Sims re insp of plant operations conducted by Cantrell on 721109,10,12,13,17 & 20 & 1207 & 08.Util will be taking steps to insure surveys as may be required to comply w/10CFR20.201(b).
ROSS,D.A. Jersey Central Power & Light Co. 73/03/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604160467 Forwards RO Insp Rept 50-219/73-01.Informs that special insp conducted to investigate circumstances relating to turbine trip on 721229 & resulting primary sys blowdown to torus when relief valve malfunctioned.
CAPHTON,D.L. Region I, IE (720101-810228). 73/02/13. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160469 Discusses investigation of results of blowdown on 721229. Informs that licensee responsive to most requests.
CANTRELL,F.S. Region I, IE (720101-810228). 73/02/13. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604170006 Insp rept 50-219/71-01 on 710406-08,12 & 13.Violations noted.Major areas inspected:safety items,noncompliance items,review status of previously identified problems,review liquid effluent monitoring practices.
MCDERMOTT,R.J., CARLSON,R.T. Region I, IE (720101-810228). 71/06/02. 45pp.

–9604170010 Forwards insp rept 50-219/73-01 on 730102,05-06.No violations noted.Major areas insp:circumstance related to turbine trip on 721229 & resulting primary sys blowdown to torus as result of relief valve failing to rewater.
CARLSON,R.T. Region I, IE (720101-810228). 73/02/09. SIMMS,R.H. Jersey Central Power & Light Co. 3pp.

–9604170015 Forwards JCP&L ltrs dtd 730105 & 730104 & RO Inquiry Rept 50-219/73-02Q as correspondence between Region I,Directorate of Operations & JCP&L.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/12. MOTT,S. Ocean County, NJ. 1p.

–9604170035 Forwards rept re experimental insp of mgt sys used by licensee to assure safe operation of plant reactor & to assure compliance w/OL.
LOW,L.D. Atomic Energy Commission (Pre 750119). 71/02/11. MORRIS,P.A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604170046 Forwards rept of special insp of mgt sys employed by licensee to assure safe operation of plant & to assure compliance w/OL.Insp conducted on 701013-16,28,29 & 1105-06.
CARLSON,R.T. Region I, IE (720101-810228). KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 71/01/29. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 4pp.

–9604170065 Forwards 730115 JCP&L ltr & RO Insp Rept 50-219/7301Q as correspondence between Region I,Directorate of Operations & JCP&L.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/01/26. MOTT,S. Ocean County, NJ. 1p.

–9604170066 CO Rept 219/71-08 on 701013-16,28-29 & 1105-06.Major areas inspected:mgt sys.
* Atomic Energy Commission (Pre 750119). 71/02/13. 31pp.

–9604170079 Informs that RO Inquiry Rept 50-245/73-01Q dtd 730111 recently placed in PDR.Forwards rept as subject matter discussed felt to have possible applicability to plant.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/24. MCCLUSKEY,T.J. Jersey Central Power & Light Co. 1p.

–9604170130 Forwards insp rept 50-219/74-10 on 740530-31.No violations or safety items observed.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/12. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604170166 Forwards RO inquiry repts.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/01/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604170170 Forwards insp rept 50-219/74-01 on 740609 & 10.No violations or safety items noted.
BRUNNER,E.J. Region I, IE (720101-810228). 74/07/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604170179 Ack receipt of 740919 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-14.
MARTIN,W.G. Region I, IE (720101-810228). 74/10/07. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604170181 Insp rept 50-219/74-02 on 740121-25.Violations noted.Major areas inspected:administration & organization,logs & records,primary sys,reactivity control & core physics, auxiliary sys,electrical sys,containment & emergency power.
GREENMAN,E.G., THOMAS,V., CAPHTON,D.L. Region I, IE (720101-810228). 74/03/27. 20pp.

–9604170232 Insp rept 50-219/70-07 on 701013-16.Violations noted.Major areas inspected:review status of outstanding items identified in previous repts,operations for reinsp period & complete requirements of PI 3000/1.
MCDERMOTT,R.J., CARLSON,R.T. Region I, IE (720101-810228). 70/12/02. 34pp.

–9604170235 Forwards RO inquiry rept for info purposes.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/12. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604170243 Informs that review of rod surviellance testing & results indicate that rod performance has been satisfactory since April-May 1970,per CO rept 50-219/70-07.
MCDERMOTT,R.J. Region I, IE (720101-810228). 70/11/10. CARLSON,R.T. Region I, IE (720101-810228). 1p.

–9604170252 Forwards rept of insp at faciltiy on 701013-16.No safety significance noted.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 70/12/15. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 3pp.

–9604170294 Insp rept 50-219/74-17 on 741111-14.Violations noted.Major areas inspected:health physics & chemistry.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 74/01/03. 13pp.

–9604170295 Forwards insp rept 50-219/73-23 on 731227-28 & notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 74/02/11. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

–9604170298 Notice of violation from insp on 731227-28.Violation noted: noted:four contractor employees working in posted,roped-off contamination zone on ground near waste collector tank w/o protective clothing.
* Region I, IE (720101-810228). 74/02/11. 1p.

–9604170302 Discusses insp rept 50-219/74-18 on 741109-22 & forwards NOV.Informs that corrective steps will be taken to avoid further violations.
BRUNNER,E.J. Region I, IE (720101-810228). 74/12/26. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604170306 Forwards RO Insp Rept 50-219/73-21 for action.Informs that NJ Emergency Plan does not meet "Guide & Checklist for Development & Evaluation of State Radiological Emergency Response Plans for Fixed Facilities." State working on rev.
STOHR,J.P. Region I, IE (720101-810228). 74/02/05. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604170308 Insp rept 50-219/74-18 on 741119-22.Violations noted.Major areas inspected:administration & organization,operational, unscheduled shutdowns,log & records.
HUYDER,G. Region I, IE (720101-810228). 74/12/19. 16pp.

–9604170323 Ack receipt of 741001 & 30 ltrs requesting that util assurance be provided to accommmodate four conditions w/ respect to const & operation of plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/12/02. LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 9pp.

–9604170326 Ack receipt of 740806 & 0612 ltrs informing NRC of steps taken to correct violations noted during insp of licensed program.
CARLSON,R.T. Region I, IE (720101-810228). 74/09/09. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604170329 Informs that util in process of writing & implementing procedures which will establish formal QA program in util Generation Dept that satisfies requirements of 10CFR50, App B.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/06. CARLSON,R.T. Region I, IE (720101-810228). 1p.

–9604170334 Discusses insp rept 50-219/74-16 on 741030 & forwards NOV.Informs that corrective steps will be taken to avoid further violations.
BRUNNER,E.J. Region I, IE (720101-810228). 74/11/22. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

–9604170335 Forwards xerox copy of response to IE Bulletin 75-06 for plants.
ROSS,D.A. Jersey Central Power & Light Co. 75/09/03. HAYNES,R. Region I, IE (720101-810228). 1p.

–9604170347 Notice of violation from insp on 741030.Violation noted: designated radiation area observed to have no RWP distributed to job location.
* Region I, IE (720101-810228). 74/11/22. 1p.

–9604170349 Discusses J Russell request for info re insp by Gallina in Feb or Mar 1973.
KNAPP,P.J. Atomic Energy Commission (Pre 750119). 74/08/29. Atomic Energy Commission (Pre 750119). 1p.

–9604170352 Discusses J Russell 740827 telcon re questions involving Feb/Mar 1973 rept documenting insp of plant.
GALLINA,C.O. Atomic Energy Commission (Pre 750119). 74/08/28. Atomic Energy Commission (Pre 750119). 3pp.

--9604170364 Informs of special insp conducted on basis of DL request to provide data for FTOL review re comparison of responsible power plant & nuclear experience against ANSI N18.1.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/11/22. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 2pp.

--9604170365 Discusses RO Insp Rept 50-219/73-21.Provides additional info relating to State of NJ capabilities for providing police powers & radiological health coverage.
GALLINA,C.O. Region I, IE (720101-810228). 74/03/08. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170377 Insp rept 50-219/74-16 on 741030.Violations noted.Major areas inspected:mgt interview,documentation of personnel experience,repairment in responsible positions.
GREENMAN,E.G., RUHLMAN,W.A., CAPHTON,D.L. Region I, IE (720101-810228). 74/11/21. 24pp.

--9604170380 Forwards insp rept 50-219/74-09 on 740508-09.No violations or safety items noted.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/04. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170382 Discusses insp rept 50-219/74-14 on 740723-24.No violations noted.Program weaknesses found in areas of program. Description of program weaknesses found encl.
MARTIN,W.G. Region I, IE (720101-810228). 74/08/14. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604170383 Ack receipt of 740805 ltr informing of clarifications & corrections to insp rept 50-219/74-12.
CARLSON,R.T. Region I, IE (720101-810228). 74/08/12. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170384 Ack receipt of 741101 ltr informing NRC of steps taken to correct violations noted in insp.
MARTIN,W.G. Region I, IE (720101-810228). 74/11/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604170386 Responds to 740718 ltr re insp of plant on 740606,07,17,22 & 0711.Three discrepacies should be resolved prior to placement of insp rept 50-219/74-12 in PDR.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/05. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

--9604170388 Informs that investigation conducted into model numbers & vintages of Limitorque Valve operators installed in safety- related sys at plant.
ROSS,D.A. Jersey Central Power & Light Co. 73/01/04. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604170389 Responds to violations noted during insp on 740926 & 27. Corrective actions:completed inventory of 13 fuel pins on 741024.
ROSS,D.A. Jersey Central Power & Light Co. 74/11/01. MARTIN,W.G. Region I, IE (720101-810228). 1p.

--9604170392 Partially withheld RO insp rept 50-219/74-14 on 740723-24.
COOPER,L.C., DEVLIN,J.W. Region I, IE (720101-810228). 74/08/12. 2pp.

--9604170394 Forwards insp rept 50-219/74-09 for appropriate headqaurter action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/04. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604170397 Ack receipt of 741217 & 750115 ltrs informing NRC of steps takne to correct violations noted in insp rept 50-219/74-16.
BRUNNER,E.J. Region I, IE (720101-810228). 75/01/22. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604170406 Responds to violations noted in insp rept 50-219/74-16. Corrective actions:station personnel have always assumed that requirement to post RWP at job location meant at nearest,most convenient location in vicinity of work area.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/15. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

--9604170412 Responds to violations noted in insp rept 50-219/74-16. Corrective actions:all extended RWP for radwaste facility posted in radwaste control room or near work areas.
ROSS,D.A. Jersey Central Power & Light Co. 74/12/17. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

--9604170428 Informs of rewording to read, "You provide assurance that delay time for noble gases passing through delay pipe not less than 60 minutes."
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/30. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170470 Insp rept 50-219/74-09 on 740508-09.No violations noted. Major areas inspected:instrumentation volume fraction not addressed in IPCLRT procedure,calculated containment air volume,temperature stabilization criteria & air inventory.
REBELOWSKI,T., STREETER,J., MCCABE,E.C. Region I, IE (720101-810228). 74/06/03. 9pp.

--9604170472 Addendum to RO insp rept 50-219/74-04 on 740320.No violations noted.Major areas inspected:environmental monitoring program.
BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 74/07/29. 5pp.

--9604170473 Informs that encl rept from JW Reintjes,from Atlantic Estuarine Fisheries Center,incorporated as attachment to Insp Rept 50-219/74-01.Names deleted & typos corrected.
GREEMAN,E.G. Region I, IE (720101-810228). 74/03/04. Region I, IE (720101-810228). 8pp.

--9604170475 Discusses insp rept 50-219/74-04 on 740320.No violations or safety items noted.
NELSON,P.R. Region I, IE (720101-810228). 74/07/29. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170479 Forwards RO insp rept 50-219/72-04 re activity assocaited w/BWRs.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/10/12. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170489 Discusses insp rept 50-219/74-13 on 740710-12.Inspector verified steps taken to correct items reported in AOs 74-24, 74-28,74-31 & 74-33.
O'REILLY,J.P. Region I, IE (720101-810228). 74/07/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170492 Discusses insp rept 50-219/72-04 that has been extended to 7 days in attempt to close out inquiry repts & unresolved items from previous insp.
CANTRELL,F.S. Region I, IE (720101-810228). 72/10/12. CARLSON,R.T. Region I, IE (720101-810228). 5pp.

--9604170500 RO insp rept 50-219/74-13 on 740710-12.Violations noted, including failure to analyze stack gas particulate filter for gross alpha,beta & gamma activity within one wk of removal.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/07/23. 8pp.

--9604170505 Ro insp rept 50-219/74-12 on 740606,07,17,22 & 0711.No violations noted.Major areas inspected:history of leaking in-core 28-05 & licensee proposed evaluation to determine location & extent of leak.
WALTON,G.A., GREENMAN,E., TILLOU,J.H. Region I, IE (720101-810228). 74/07/18. 9pp.

--9604170509 Insp rept 50-219/72-04 on 720705-07,10,12-14. Major areas inspected:activity associated w/BWRs.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/10/04. 27pp.

--9604170521 Forwards inquiry rept 50-219/72-25 re relief valve discharge piping.
CARLSON,R.T. Region I, IE (720101-810228). 72/08/15. KEPPLER,J.G. Region I, IE (720101-810228). 1p.

--9604170525 Discusses insp rept 50-219/72-02.Two items of noncompliance noted.
CARLSON,R.H. Region I, IE (720101-810228). 72/05/19. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170527 Discusses insp rept 50-219/72-02 re facility BWRs.Requested action or info obtained for listed HQ memos.
CANTRELL,F.S. Region I, IE (720101-810228). 72/05/12. CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

--9604170528 Insp rept 50-219/72-02 on 720223-25,29 & 0301. Major areas inspected:torus to drywell vacuum breaker check for BWRs.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/05/16. 19pp.

--9604180006 Responds to NRC 731218 ltr summarizing early Nov meeting re corrective action on submitted topics.Provides pertinent info on topics to facilitate evaluation.
BARTNOFF,S. Jersey Central Power & Light Co. 74/01/18. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 9pp.

--9604180012 Insp rept 50-219/74-15 on 740926-27.Violations noted.Major areas inspected:physical inventories,written SNM control procedures,records & repts.
PARTLOW,J.G. Region I, IE (720101-810228). 74/10/15. 8pp.

--9604180014 Discusses insp rept 50-219/74-15 on 740926-27 & forwards NOV.Informs that steps will be taken to avoid further violations.
MARTIN,W.G. Region I, IE (720101-810228). 74/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180017 Notice of violation from insp on 740926-27.Violation noted: approx twelve fuel pins each containing SNM,have not been inventoried since 730105.
* Region I, IE (720101-810228). 74/10/15. 1p.

--9604180034 Discusses insp rept 50-219/74-12 on 740606,07,17,22 & 0711. No violations or safety items noted.
CARLSON,R.T. Region I, IE (720101-810228). 74/07/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180043 Responds to insp rept 50-219/72-03 re labor problems at plant.
CANTRELL,F.S. Region I, IE (720101-810228). 72/05/24. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604180071 Requests addl info in order to continue environ review of plant.Response should be provided by 740726.
REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/10. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604180077 Forwards insp rept 50-219/72-03 re labor problems & crack found on seat bushing of two safety valves.
CARLSON,R.T. Region I, IE (720101-810228). 72/05/25. KEPPLER,J.G. Region I, IE (720101-810228). 1p.

--9604180080 Forwards notice re 740619 request for extension of time to file required ECCS evaluation for plant.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/09. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180085 Submits evaluation of facility based on insp of 731226-28. Health Physics conditions show dramatic improvement since Sept insp & newly hired Radiation Protection Supervisor appears to be doing outstanding job.
MANN,J. Region I, IE (720101-810228). 74/02/11. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

--9604180089 Insp rept 50-219/72-03 on 720223-25,29 & 0301.No violations noted.Major areas inspected:mgt interview,trip test & reactor startup.
CANTRELL,F.S., SPESSARD,R.L. Region I, IE (720101-810228). 72/05/24. 8pp.

--9604180097 Insp rept 50-219/73-23 on 731226-28.One violation noted. Major areas inspected:followup to 730905-07 insp.
MANN,J., KNAPP,P.J. Region I, IE (720101-810228). 74/01/25. 12pp.

--9604180103 Forwards special insp 50-219/72-01 re 1972 fish kill incident at plant.
ENGELKEN,R.H. Atomic Energy Commission (Pre 750119). 72/03/30. SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 1p.

--9604180113 Ack receipt of 731030 & 1203 ltrs informing AEC of steps taken to correct violations noted in insp.
O'REILLY,J.P. Region I, IE (720101-810228). 74/01/16. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604180117 Discusses RO Special Insp Rept 50-219/74-01 concerning rept of unidentified leakage referenced by telcon from State of NJ representative.Recommends that rept be forwarded to HQ for action & licensee notified re timely issuance of TS.
GREENMAN,E.G. Region I, IE (720101-810228). 74/02/07. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604180118 Responds to 731004 ltr to IR Finfrock re insp conducted by Greenman on 730828-29.Corrective actions:complete audit of testing records in progress.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/30. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

--9604180119 Forwards insp rept 50-219/72-01 re restriction on main condenser differential temp at power plant reactors.
CARLSON,R.T. Region I, IE (720101-810228). 72/03/17. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604180124 Forwards Insp Rept 50-219/74-01 on 740111-12.No violations noted.Major areas insp:selective exam of procedures & representative records,interviews w/personnel & observations by inspector.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180132 Forwards insp rept 50-219/74-01 for action on submitted matters.Informs that documentation ltr issued to licensee. W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/02/06. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604180136 Informs that shutdown at plant contributed to fish kill & forwards insp rept 50-219/72-01.
CANTRELL,F.S. Region I, IE (720101-810228). 72/03/17. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604180138 RO insp rept 50-219/74-11 on 740609-10.No violations noted. Major areas inspected:IPCLRT.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/07/02. 8pp.

--9604180140 Insp rept 50-219/72-01 on 720207.No violations noted. Major areas inspected:mgt interview re fish killed.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/03/16. 5pp.

--9604180143 Responds to suppl ltr dtd 731030 re insp conducted by Greenman on 730828 & 29.Corrective actions:personnel at plant solicited recommendations of Radiation Mgt Corp re accepted radiological safety control practice.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/03. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604180147 Provides comments from discussion between F Nolan & T Wamback re recommendations presented in insp rept 50-219/71-14.
CARLSON,R.T. Region I, IE (720101-810228). 71/12/30. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604180159 Insp rept 50-219/74-01 on 840111-12.No violations noted. Major areas inspected:loss & records,operations,reactor coolant & environ.W/JW Reintjes trip rept on 740111-15.
GREENMAN,E.G., STOHR,J.P., CAPHTON,D.L. Region I, IE (720101-810228). 74/02/06. 14pp.

--9604180171 Informs that actions taken to correct failures in insp rept 50-219/71-05.
MADSEN,G.L. Region I, IE (720101-810228). 71/12/22. CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604180177 Informs that insp rept 50-219/73-21 documents findings of review of licensees emergency planning.Insp conducted prior to submittal of revised EP.
GALLINA,C.O. Region I, IE (720101-810228). 74/02/05. STOHR,J.P. Region I, IE (720101-810228). 2pp.

--9604180179 Responds to 731116 ltr re deficiencies noted during insp on 731011.Corrective actions:policy in effect that all vehicles entering or leaving site must stop at main gate.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/10. MARTIN,W.G. Region I, IE (720101-810228). 4pp.

--9604180197 Informs that util has committed to corporate attendance at all RO insp exit interviews.
CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 74/06/14. Atomic Energy Commission (Pre 750119). 1p.

--9604180203 Discusses licensee AO work completed & communications to date,indicating listed actions.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/06/13. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

--9604180222 Ack receipt of 731120 & 1212 ltrs informing AEC of steps taken to correct violations noted during insp.Responses to safety items 1.b & 1.e & violation item 6 not entirely satisfactory.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/01/28. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604180229 RO insp rept 50-219/74-10 on 740530-31.No violations noted.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/06/12. 6pp.

--9604180232 Submits corrective actions re insp on 730905-07 in response to NRC ltr of 731030.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/20. O'REILLY,J.P. Region I, IE (720101-810228). 6pp.

--9604180238 Supplements ltr of 731120 & responds specifically to safety items described in encl two of 731030 NRC ltr re insp on 730905-07.Submits brief statement & comments re each safety item noted.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/12. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604180292 Responds to NRC 751017 ltr addressing NRC insp of plant on 750310-14.Corrective actions:util continuing QA program upgrading & established formal schedule & definition of objectives.
BARTNOFF,S. Jersey Central Power & Light Co. 75/11/05. DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 3pp.

--9604180294 Repts status of activities initiated in response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/11/03. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604180350 Discusses insp rept 50-219/75-23 to complete review & audit module & conducted at corporate level.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/22. CAPHTON,D.L. NRC - No Detailed Affiliation Given. 1p.

--9604180353 Discusses insp rept 50-219/75-23 on 750930 & forwards NOV.
BRUNNER,E.J. NRC - No Detailed Affiliation Given. 75/10/22. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180356 Notice of violation from insp on 750930.Violation noted: copies of minutes of General Ofc Review Board meetings 50, 51,52,53 & 54 for interval 750319-0924,had not been forwarded to company president as required.
* NRC - No Detailed Affiliation Given. 75/10/22. 1p.

--9604180369 IE insp rept 50-219/75-23 on 750930.Deficiencies noted. Major areas inspected:General Ofc Review Board meetings & audits.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/10/21. 6pp.

--9604180378 Advises that sanction proposed by region for util changed from civil penalty to NOV,based on listed reasons.
ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 75/10/21. SNYDER,G. Region I, IE (720101-810228). 2pp.

--9604180384 Forwards tables I & II providing data by listing insp dates for snubbers in drywell & reactor bldg since Jul 1974.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/20. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 4pp.

--9604180395 Ack receipt of 751010 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-20.
NELSON,P.R. Region I, IE (720101-810228). 75/10/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604180399 Responds to deviation noted in insp rept 50-219/75-20. Corrective actions:written ltrs of agreement will be reviewed IAW existing procedures.
ROSS,D.A. Jersey Central Power & Light Co. 75/10/10. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604180415 Discusses insp on 750310-14 & forwards NOV.
DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 75/10/17. BARTNOFF,S. Jersey Central Power & Light Co. 3pp.

--9604180422 Notice of violation from insp on 750310-14.Violation noted: persons performing testing following maint not certified as level I or II,nor persons interpreting test data certified as level II by section 3 of ANSI N45.2.6-1973.
* NRC - No Detailed Affiliation Given. 75/10/17. 8pp.

--9604190029 Forwards insp rept 50-219/75-21,for info & action.Insp findings indicate that licensee had not completed valve wall thickness verification program re required scope.
BRUNNER,E.J. Region I, IE (720101-810228). 75/10/02. THORNBURG,H.D. Region I, IE (720101-810228). 2pp.

--9604190083 Insp rept 50-219/71-05 on 711119.Major areas inspected: mgt interview re failure of two control rods to insert completely when scrammed.
CANTRELL,F.S., MADSEN,G.L., YOUNG,T. Region I, IE (720101-810228). 71/12/17. 11pp.

--9604190090 Discusses action taken to correct failures described in insp rept 50-219/71-05.
CANTRELL,F.S. Atomic Energy Commission (Pre 750119). 71/12/22. MADSEN,G.L. Atomic Energy Commission (Pre 750119). 1p.

--9604190095 Forwards insp rept 50-219/71-04 re BWR.
MADSEN,G.L. Region I, IE (720101-810228). 71/12/13. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604190101 Insp rept 50-219/71-04 on 711105.No violations noted.Major areas inspected:activities re BWRs.
YOUNG,T., SPESSARD,R.L. Region I, IE (720101-810228). 71/12/13. 13pp.

--9604190246 Insp rept 50-219/73-22 on 731212.No violations noted.Major areas inspected:independent review for procedures,procedure development,housekeeping,QA program for operations.
JOHNSON,D.F., TOTH,A.D., GREENMAN,E.G. Region I, IE (720101-810228). 74/01/11. 8pp.

--9604190253 Discusses insp rept 50-219/73-22 on 731212.No violations noted.Major areas inspected:selective exams of procedures & representative records,interviews w/personnel & observations by inspector.
BRUNNER,E.J. Region I, IE (720101-810228). 74/01/23. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

--9604190274 Insp rept 50-219/74-21 on 731210-12 & 18.No violations noted.Major areas insp:emergency implementation procedures, communications,emergency vehicles,alternate emergency control center,area maps & overlays,letters of agreement.
GALLINA,C.O., STOHR,J.P. Region I, IE (720101-810228). 74/01/18. 22pp.

--9604190300 Discusses 750909 meeting w/util in King of Prussia,PA re activities authorized by NRC license DPR-16.
O'REILLY,J.P. Region I, IE (720101-810228). 75/09/10. Jersey Central Power & Light Co. 2pp.

--9604190305 Discusses 750508 meeting w/util in Morristown,NJ re QA Program for Operations at facility.Forwards insp rept 50-219/74-14.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 75/05/20. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

--9604190308 Ack receipt of corrective & preventive actions taken in response to insp rept 50-219/75-01.
BRUNNER,E.J. Region I, IE (720101-810228). 75/09/10. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604190312 Responds to IEB 75-05 dtd 750414.Informs that preinstallation test data & design calculations for Grinnell units unavailable at this time,but will forward as soon as possible.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/15. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

--9604190313 Provides update on status of items of noncompliance noted in insp rept 50-219/75-01 & items has been corrected.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/27. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190332 Ack receipt of 750506 ltr informing of corrective & preventive actions documented in response to correspondence dtd 750415 re insp rept 50-219/75-10.Actions will be examined during future insp.
BRUNNER,E.J. Region I, IE (720101-810228). 75/05/13. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604190340 Responds to 750415 ltr to IR Finfrock re I&E Insp Rept 50-219/75-10 on 750325-28.Responds to item of non-compliance listed in Encl 1 involving failure to review & approve temporary changes to eight operating procedures.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/06. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190351 Provides status of incomplete activities re response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/28. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604190360 Ack receipt of corrective actions & preventive actions re insp rept 50-219/75-18.
BRUNNER,E.J. NRC - No Detailed Affiliation Given. 75/08/28. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604190362 Responds to 750722 ltr re insp rept 50-219/75-18 re activities not in full compliance w/NRC requirements.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/14. BRUNNER,E.J. Region I, IE (720101-810228). 3pp.

--9604220032 Ack receipt of 750429 ltr informing of steps taken to correct violations noted in insp rept 50-219/75-08.Actions will be examined during future insp.
NELSON,P.R. Region I, IE (720101-810228). 75/05/06. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220036 Informs of corrective & preventive actions documented in response.Action will be examined during next insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 74/01/10. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604220038 Responds to violations noted in insp rept 50-219/75-08. Corrective actions:program being initiated immediately to send to vendor w/each sample shipment,listing of all analyses required by TS & sheet checked off as completed.
ROSS,D.A. Jersey Central Power & Light Co. 75/04/29. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604220041 Responds to 731116 ltr re violations noted during 731023 insp.Corrective actions:continuous air sampler has been set up in waste barrel storage area.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/11. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220051 Ack receipt of corrective & preventive actions documented in response to NRC 750702 ltr.
MARTIN,W.G. Atomic Energy Commission (Pre 750119). 75/08/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220073 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 76/03/01. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220077 Responds to 751231 ltr re item A of app A involving drilling of two penetrations adjacent to reactor control room into cable spreading room.Corrective actions:instructions re fire prevention measures have been drafted.
ROSS,D.A. Jersey Central Power & Light Co. 76/01/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220097 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 76/02/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220101 Forwards IE Inspt Rept 50-219/75-07.Informs that imposition of civil penalties recommended.Encl draft insp rept will be modified as required to reflect any changes or mods to proposed enforcement action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/25. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604220105 Responds to 760114 reply to PR Nelson ltr re insp conducted on 751031-31 & 1105 at plant.Corrective actions:door locked immediately & individuals instructed who left door open of requirements for maintaining locked doors.
ROSS,D.A. Jersey Central Power & Light Co. 76/02/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220116 Discusses insp conducted by M Rogers on 751216 at plant.Insp consisted of selective exam of procedures & representative records,interviews w/personnel & observations by inspector.
MARTIN,W.G. Region I, IE (720101-810228). 76/02/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220118 Discusses ltr dtd 740612 in response to ltr dtd 740516 re corrective actions documented in response to AEC correspondence.AEC notes JCPL has not responded to AEC concern of corrective steps to avoid violations.
CARLSON,R.T. Region I, IE (720101-810228). 74/07/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220123 Insp rept 50-219/75-27 on 751216.Violations noted.Major areas inspected:enforcement action,licensee identified items of noncompliance.
ROGERS,M., SMITH,R., DEVLIN,J.W. Region I, IE (720101-810228). 76/01/26. 8pp.

--9604220124 Forwards notice of deviations encl w/insp rept 50-219/75-09.
NELSON,P.R. Region I, IE (720101-810228). 75/08/04. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

--9604220126 Responds to concerns noted from insp rept 50-219/74-08 on 740506-07.Corrective actions:util calibr std located & UT exam of reactor vessel skirt redone after recalibr equipment to util std.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/12. CARLSON,R.T. Region I, IE (720101-810228). 3pp.

--9604220128 Forwards draft of enforcement ltr w/three appendices (A & A-1 Notice of Violations & B Notice of Proposed Imposition of Civil Penalties),description of licensees prior commitments & history of noncompliance.
O'REILLY,J.P. Region I, IE (720101-810228). 75/04/25. DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 16pp.

--9604220129 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
NELSON,P.R. Region I, IE (720101-810228). 76/01/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220130 Ack receipt of 750627 ltr informing NRC of steps taken to correct deviations noted in insp rept 50-219/75-09.Program in effect for ensuring that survey instruments calibr quarterly.
NELSON,P.R. Region I, IE (720101-810228). 75/08/04. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220143 Responds to violation noted during insp of plant on 751112- 13.Corrective actions:list specifying dates for required reviews & drills will be established by end of Jan 1976.
ROSS,D.A. Jersey Central Power & Light Co. 76/01/05. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604220147 Forwards insp rept 50-219/75-28 on 751222-24.No items of noncompliance noted. observed.
BRUNNER,E.J. Region I, IE (720101-810228). 76/01/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220167 Discusses insp on 751030-31 & 1105 & forwards NOV.
NELSON,P.R. Region I, IE (720101-810228). 76/01/14. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220174 Insp rept 50-219/75-28 on 751222-24.Violations noted.Major areas inspected:shutdown margin,scram insertion time,cycle 5 reactivity follow,core safety limits.
MARTIN,T., SJOSTROM,L., MCCABE,E.C. Region I, IE (720101-810228). 76/01/14. 10pp.

--9604220190 Discusses insp rept 50-219/75-26 on 751117-21 & forwards NOV.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220192 Responds to deviations noted in insp rept 50-219/75-09 re radiological safety practices at plant.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/27. NELSON,P.R. Region I, IE (720101-810228). 3pp.

--9604220207 Notice of violation from insp on 751117-21.Violation noted: work completed w/o required design review & written SE or formalized work authorization on or about 751101.
* Region I, IE (720101-810228). 75/12/24. 2pp.

--9604220220 Provides status of imcomplete activities initiated in response to IE bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/01. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220225 Ack receipt of 750404 ltr informing of steps taken to correct violations noted in insp rept 50-219/75-02.Informs that actions will be examined during future insp.
MARTIN,W.G. Region I, IE (720101-810228). 75/04/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220234 Discusses insp rept 50-219/75-02 on 750121-23 & 27 & forwards NOV & notice of deviation.
O'REILLY,J.P. Region I, IE (720101-810228). 75/03/11. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604220242 Notice of violation from insp on 750121-23 & 27.Violations noted:sections of protected area barrier along banks of intake & discharge canal left unprotected,written security procedures not issued or placed at specific locations.
* Region I, IE (720101-810228). 75/03/11. 2pp.

--9604220255 Notice of deviation from insp on 750121-23 & 27.Deviation noted:failure to issue BC-1 keys to all employees & no accurate records maintained of number of keys issued before Sept 1974,failure to maintain record of unlocked doors.
* Region I, IE (720101-810228). 75/03/11. 1p.

--9604220273 Ack receipt of corrective & preventive actions documented in response to NRC correspondence.
BRUNNER,E.J. Region I, IE (720101-810228). 75/07/30. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220283 Responds to NRC 750701 ltr re violations noted in insp rept 50-219/75-19.Corrective actions:insp rept has been distributed to operations personnel.
ROSS,D.A. Jersey Central Power & Light Co. 75/07/23. BRUNNER,E.J. Region I, IE (720101-810228). 2pp.

--9604220291 Ack receipt of corrective & preventive actions documented in response to NRC correspondence.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 75/07/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220296 Insp rept 50-219/75-26 on 751112-13.Violations noted.Major areas inspected:plant status,acceptable areas,unresolved items & follow-up items.
GREENMAN,E.G., RAYMOND,W., HAYNES,R.C. Region I, IE (720101-810228). 75/12/18. 22pp.

–9604220300 Responds to NRC ltr re deficiencies noted in insp rept 50-219/75-12.Corrective actions:new detector installed in monitor RN02-A as precautionary measure.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/18. NELSON,P.R. Region I, IE (720101-810228). 1p.

–9604220314 Discusses insp rept 50-219/75-10 on 750325-28 & 31 & forwards NOV.Major areas insp:selective exams of procedures & representative records,interviews w/personnel & observations by inspector.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220322 Notice of violation from insp on 750325-28 & 31.Violation noted:Operational QA Plan Section V & TS Section 6.2.F, temporary changes to eight operating procedures,not reviewed & approved.
* Region I, IE (720101-810228). 75/04/15. 1p.

–9604220358 Insp rept 50-219/75-10 on 75025-28 & 31.Violation noted. Major areas inspected:staffing requirements for refueling, procedure review & approval,procedure rev & change methods, plant operating review committee.
JOHNSON,D.F., MCCABE,E.C. Region I, IE (720101-810228). 75/04/08. 13pp.

–9604220360 Requests clarification of statements in FES to aid in insp & monitoring of work being done by licensee.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/07/24. BEVAN,R. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604220362 Submits inspectors evaluation re insp rept 50-219/75-08. Revealed three significant items for which two should be submitted to headquarters for review & action.
BORES,R.J. Atomic Energy Commission (Pre 750119). 75/04/08. STOHR,J.P. Region I, IE (720101-810228). 6pp.

–9604220368 Forwards IE Insp Rept 50-219/75-08 & inspectors evaluation for action re upgrading & subsequent issuance of Environ TS & clarification of intent of FES w/ regard to removal of wood from discharge canal.
NELSON,P.R. Region I, IE (720101-810228). 75/04/08. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

–9604220374 Forwards insp rept 50-219/75-08 on 750318-20 & description of violations.
NELSON,P.R. Region I, IE (720101-810228). 75/04/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220378 Notice of violation from insp on 750318-20.Violations noted: surface water sampled at five locations not analyzed for U, Ra-226 & Ra-228 between 740702 & 741022,well water sampled at six locations not analyzed between 740705 & 751219.
* Region I, IE (720101-810228). 75/04/08. 1p.

–9604220389 Discusses insp rept 50-219/75-18 on 750617-18 & forwards NOV.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/23. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604220392 Notice of violation from insp on 750617-19.Violation noted:licensee activities were not in full-compliance w/conditions of license.
* Atomic Energy Commission (Pre 750119). 75/07/23. 2pp.

–9604230010 Insp rept 50-219/75-08 on 750318-20.Two violations noted. Major areas inspected:selected air sampling,precipitation collecting & gamma dosimetry stations,representative sampling & analytical procedures & program results.
BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/04/04. 18pp.

–9604230013 Discusses facility QA program & recommends enforcement action.
MCCABE,E.C. Atomic Energy Commission (Pre 750119). 75/04/04. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

–9604230017 Ack receipt of 750324 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-01.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604230023 Responds to NRC 750228 ltr re violations noted in insp rept 50-219/75-01 on 750114-15,17 & 20.Corrective actions:five hook labeled as required by OSHA standards,mod of crane access ladder & railing to comply w/OSHA standards 751001.
ROSS,D.A. Jersey Central Power & Light Co. 75/03/24. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604230026 Ack receipt of 750324 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-04.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604230028 Responds to NRC 750227 ltr re violations noted in insp rept 50-219/75-04 on 750129-31.Corrective actions:formal schedule established for items requiring periodic review by PORC & completion of reviews signed off by PORC Secretary.
ROSS,D.A. Jersey Central Power & Light Co. 75/03/24. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604230036 Informs that insp of radiation protection activities during operation at plant on 761030-31 & 1105 indicated listed problems.
PLUMMLEE,K.E. Atomic Energy Commission (Pre 750119). 76/01/14. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 3pp.

–9604230040 Forwards proposed ltr to licensee & proposed NOV.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/09. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 13pp.

–9604230056 Responds to deficiency noted during insp conducted on 750930,re failure to send minutes of GORB meetings to company president.
ROSS,D.A. Jersey Central Power & Light Co. 75/11/17. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

–9604230064 Suggests that mgt meeting be held w/licensee subsequent to issuance of inspection team rept re facility QA insp on 750310-14.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/03/20. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

–9604230083 Discusses review of licensee response to strong NOV transmitted by Davis ltr of 751017.
SNYDER,G.L. Region I, IE (720101-810228). 75/11/25. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

–9604230096 Ack receipt of 751105 ltr informing AEC of steps taken to correct violations noted in insp.
DAVIS,J.G. Region I, IE (720101-810228). 75/11/21. BARTNOFF,S. Jersey Central Power & Light Co. 1p.

–9604230112 Discusses 750310-14 QA implementation insp.Enforcement conference for insp has been separately provided from NRC headquarters.
O'REILLY,J.P. Region I, IE (720101-810228). 75/11/26. BARTNOFF,D.S. Jersey Central Power & Light Co. 2pp.

–9604230130 Partially withheld insp rept 50-219/75-02 on 750121-23 & 27. Major areas inspected:plant security.
KING,M., ROGERS,M., DEVLIN,I. Region I, IE (720101-810228). 75/02/28. 1p.

–9604230139 Insp rept 50-219/75-01 on 750114-15,17 & 20.Violation noted.Major areas inspected:adminstration & organization, logs & records,procedures,fuel handling,fuel shipment records,radiation protection.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/28. 12pp.

–9604230141 Discusses insp rept 50-219/75-01 on 750114-15,17 & 20 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230143 Discusses insp rept 50-219/75-25 on 751112-13 & forwards NOV.Corrective steps which have been taken to avoid further items of noncompliance.
NELSON,P.R. Region I, IE (720101-810228). 75/11/25. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230149 Provides status of incomplete activities initiated in response to IE bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/30. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604230153 Notice of violation from insp on 751112-13.Violation noted: no arrangements for ambulance svc confirmed in writing.
* Region I, IE (720101-810228). 75/11/25. 1p.

–9604230155 Notice of violation from insp on 750114-15,17 & 20.Violation noted:failure to correct crane five ton hook,cab ladder & railing & crane warning device to signal movement.
* Region I, IE (720101-810228). 75/02/28. 1p.

–9604230158 Discusses IE Insp Rept 50-219/75-01 & lists two additional outstanding concerns.
GREENMAN,E.G. Region I, IE (720101-810228). 75/02/28. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604230159 Informs that no further action planned re IE Bulletin 75-06 dtd 750530.
ROSS,D.A. Jersey Central Power & Light Co. 75/07/03. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604230163 Informs that ref rept documents an insp of licensee emergency drill conducted on 751112-13.
RUHLMAN,W.A. Region I, IE (720101-810228). 75/11/25. STOHR,J.P. Region I, IE (720101-810228). 2pp.

–9604230164 Discusses insp rept 50-219/75-04 on 750129-31 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/27. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230166 Notice of violation from insp on 750129-31.Violation noted:status & applicability of all standing orders not reviewed quarterly by Plant Operations Review Committee.
* Region I, IE (720101-810228). 75/02/27. 1p.

–9604230172 Discusses IE Insp Rept 50-219/75-04.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/27. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604230176 Ack receipt of corrective & preventive actions documented re item of noncompliance in insp rept 50-219/75-11.
BRUNNER,E.J. Region I, IE (720101-810228). 75/06/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230183 Insp rept 50-219/75-04 on 750129-31.One infraction noted. Major areas inspected:review of operating logs & records, PORC meeting minutes & GORB audit results.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/26. 10pp.

–9604230185 Responds to insp rept 50-219/75-11 on 750414-18 re refueling operations at plant.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/17. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604230190 Insp rept 50-219/75-18 on 750617-19.Two infractions noted. Major areas inspected:followup to 750609-12 insp.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/22. 15pp.

–9604230195 Ack receipt of 750206 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-17.
NELSON,P.R. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604230198 Insp rept 50-219/75-07 on 750310-14.Violations noted.Major areas inspected:QA implementation.
RUHLMAN,W.A., GREENMAN,E.G., GLASSCOCK,R.B. Region I, IE (720101-810228). 75/11/21. 55pp.

--9604230201 Responds to violations noted in insp rept 50-219/74-17 on 741111-14.Corrective actions:all drums located in Bay #3 of Radwaste Building properly labeled & shipped for burial & all drums to be stored in future labeled immediately.
ROSS,D.A. Jersey Central Power & Light Co. 75/02/06. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604230208 Forwards insp rept 50-219/75-05 on 750204-05.No violations noted.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230217 Discusses Insp Rept 50-219/75-06.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230220 Lists results of special IE Insp 50-219/75-05.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/21. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604230225 Insp rept 50-219/75-06 on 750206-08.No violations noted. Major areas inspected:NDE program & exam results.
WALTON,G.A., HAYNES,R.C. Region I, IE (720101-810228). 75/02/20. 6pp.

--9604230229 Insp rept 50-219/75-05 on 750204-05.No violations noted. Major areas inspected:logs & records,operations,environ.
GREENMAN,E.G., GALLINA,C., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/20. 8pp.

--9604230234 Informs of talk w/DA Ross on 750219 re prior insp & aside expressing concern re large number of change requests currently being processed & gathered that timely response not received.W/Interior Dept ltr dtd 750214.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/19. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 5pp.

--9604230236 Informs that proposed augmented inservice insp program for postulated high energy pipe breaks inside containment not acceptable.Response to encl position needed by 750228.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/02/12. FINFROCK,I. Jersey Central Power & Light Co. 3pp.

--9604230240 Advises that on 750205 initiated required exams & tests as directed in IE Bulletin 75-01 & estimate two weeks to complete.
ROSS,D.A. Jersey Central Power & Light Co. 75/02/07. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604230244 Insp rept 50-219/75-03 on 750120-23.No violations noted. Major areas inspected:results of verification test samples, laboratory QA program.
EVERETT,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/02/07. 12pp.

--9604230245 Discusses & forwards insp rept 50-219/75-03.No violations noted.W/o encl.
NELSON,P.R. Region I, IE (720101-810228). 75/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604230247 Provides info re insp 50-219/73-16 on 731001.
O'REILLY,J.P. Region I, IE (720101-810228). 75/02/05. LIGGETT,G.W. Jersey Central Power & Light Co. 6pp.

--9604230248 Confirms telephone from JT Carroll on 751113 re "Drill."
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/11/13. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

--9604230249 Forwards proposed ltr to licensee & proposed NOV re minor word changes in citations 2 & 4.
SNYDER,G.L. Region I, IE (720101-810228). 75/06/19. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 10pp.

--9604230257 Informs of telcon to I Finfrock of JCP&L on 750131 to discuss their request for proper hearing relating to IE Bulletin 75-01 & shutdown of facility.Contacted E Case & agreed to call at 10:00 am on 0201.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 75/02/03. CARLSON,B., BRUNNER,E. Atomic Energy Commission (Pre 750119). 1p.

--9604230264 Ack receipt of 750120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-18.
BRUNNER,E.J. Region I, IE (720101-810228). 75/01/29. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604230268 Responds to NRC 741226 ltr re violations noted in insp rept 50-219/74-18 on 741119-22.Corrective actions:operators instructed to plot reactor heatups & cooldowns on special data sheets which graphically indicate limits.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/20. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604230272 Forwards 731016 memo, "Regulatory Staff Position on Shift Manning for Nuclear Power Plants," & RO Insp Rept 50-219/74-07.Review should include evaluation of licensees shift manning based on Regulatory policy.W/o encls.
SNIEZEK,J.H. Office of Inspection & Enforcement (750101-801210). 75/01/28. VOLLMER,R.H. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604230279 Discusses insp rept 50-219/75-16 on 750529-30.No compliances noted.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 75/06/17. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604230289 Insp rept 50-219/75-21 on 750804-05.Violations noted.Major areas inspected:plant status,mechanical seismic shock & Sway Arrestors,contaminated spent fuel shipment.
GREENMAN,E.G., NORRHOLM,L., CAPHTON,D.L. Region I, IE (720101-810228). 75/10/02. 16pp.

--9604230290 Provides recommended changes from review of proposed ltr & NOV.
SNYDER,G. Atomic Energy Commission (Pre 750119). 75/06/16. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 3pp.

--9604230300 Forwards insp rept 50-219/74-17 on 741111-14 & notice of violation.W/o insp rept.
NELSON,P.R. Region I, IE (720101-810228). 75/01/03. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230301 Discusses status of incomplete activities initiated in response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/10/01. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604230304 Notice of violation from insp on 741111-14.Violations noted:three separate failures of stack gas sample sys to continuously monitor stack release while reactor in unisolated condition,failure to label containers identified.
* Region I, IE (720101-810228). 75/01/03. 2pp.

--9604230309 Insp rept 50-219/75-16 on 750529-30.No violations noted. Major areas inspected:licensee action on previously identified items re independent measurements.
EVERETT,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/06/16. 9pp.

--9604230313 Forwards util 750610 ltr.Possible impact of ltr on proposed civil penalty action against util being evaluated.
SNYDER,G.L. Atomic Energy Commission (Pre 750119). 75/06/13. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

--9604230322 Insp rept 50-219/75-15 on 750521-22.No noncompliance noted. Major areas inspected:valve wall thickness verification program.
JERNIGAN,E.P., HAYNES,R.C. Region I, IE (720101-810228). 75/06/06. 6pp.

--9604230347 Discusses insp 50-219/75-15 on 750521-22.No noncompliance noted.
CARLSON,R.T. Region I, IE (720101-810228). 75/06/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230387 Provides status rept of IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604230392 Forwards insp rept 50-219/75-09 on 750325-27 & 0408-10 & notices of violation & deviation.
NELSON,P.R. Region I, IE (720101-810228). 75/05/27. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230393 Notice of violation from insp on 750325-27 & 0408-10. Violations noted.Violation noted:failure to conduct adequate evaluations of hand exposures incurred by employees.
* Region I, IE (720101-810228). 75/05/27. 1p.

--9604230398 Notice of deviation from insp on 750325-27 & 0408-10. Deviation noted:failure to post high radiation area sign in Trunion room accessible to station personnel.
* Region I, IE (720101-810228). 75/05/27. 5pp.

--9604230401 Insp rept 50-219/75-09 on 750325-27 & 0408-10.Violations & deviation noted.Major areas inspected:refueling & health physics.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 75/05/23. 11pp.

--9604230403 Insp rept 50-219/75-12 on 750425-27 & 0408-10.No violations noted.Major areas inspected:waste mgt sys.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 75/05/23. 8pp.

--9604240040 Insp rept 50-219/75-20 on 75084-05.Violations noted.Major areas inspected:licensee program status re area of emergency planning.
GALLINA,C.O. Region I, IE (720101-810228). 75/09/09. 10pp.

--9604240044 Insp rept 50-219/75-22 on 750826-29.Violations noted.Major areas inspected:personnel changes,audit findings,training & util nonconformance & corrective action sys.
GREENMAN,E.G., O'REILLY,J.P., SNYDER,G.L. Region I, IE (720101-810228). 75/09/09. 6pp.

--9604240060 Informs that amounts of monetary penalty for each item of noncompliance in NOV will be reduced to extent that items re nay one Criterion will be equal to amount set out in Chapter 0800 guidance.
ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 75/09/05. SNYDER,G. Region I, IE (720101-810228). 1p.

--9604240066 Discusses insp rept 50-219/75-21 on 750826-29 & forwards NOV.Informs that corrective steps will be taken to avoid further items of noncompliance.
BRUNNER,E.J. Region I, IE (720101-810228). 75/10/02. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604240070 Notice of violation from insp on 750826-29.Violation noted: licensee failure to follow procedures were identified.
* Region I, IE (720101-810228). 75/10/02. 2pp.

--9604240084 Forwards insp rept 50-219/75-12 on 750429-0501 & NOV.W/o NOV.
NELSON,P.R. Region I, IE (720101-810228). 75/05/23. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604240104 Insp rept 50-219/75-11 on 750414-18.No violations noted. Major areas inspected:licensee actions re refueling.
MARTIN,T., MCCABE,E.C. Region I, IE (720101-810228). 75/05/22. 17pp.

--9604240124 Discusses insp rept 50-219/75-11 on 750414-18 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/05/22. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604240145 Mgt meeting rept 50-219/75-14 on 750508.Major areas discussed:summary of recent insp findings.
BRUNNER,E.J., O'REILLY,J.P. Region I, IE (720101-810228). 75/05/20. 4pp.

--9604240154 Insp rept 50-219/75-13 on 750505-07.No violations noted. Major areas inspected:facility requirements for fire stops on safety-related cables & penetration seals.
PLUMLEE,K.W., HAYNES,R.C. Region I, IE (720101-810228). 75/05/20. 9pp.

–9604240159 Discusses insp rept 50-219/75-13 on 750505-07.No noncompliance observed.
CARLSON,R.T. Region I, IE (720101-810228). 75/05/20. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240227 Forwards insp rept 50-219/74-03 on 740206-11.No violations or safety items observed.W/o encl.
DAVIS,A.B. Region I, IE (720101-810228). 74/04/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240251 Forwards insp rept 50-219/74-07,for action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/05/21. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604240292 Discusses insp rept 50-219/74-05 on 740327-28 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 74/04/10. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240308 Insp rept 50-219/74-05 on 740327-28.Violations noted.Major areas inspected:refueling outage,torus to drywell vacuum breakers valves.
MCCABE,E.C. Region I, IE (720101-810228). 74/04/12. 12pp.

–9604250008 Insp rept 50-219/74-04 on 740320.Violations noted.Major areas inspected:enforcement action,environ monitoring,mgt interview.
BORES,R.J. Region I, IE (720101-810228). 74/04/16. 8pp.

–9604250010 Forwards insp rept 50-219/74-04 on 740320.No violations or safety items observed.W/o encl.
NELSON,P.R. Region I, IE (720101-810228). 74/04/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250011 Informs that insp conducted primarily to close out on substantial numbers of AOs & violations dating back to last routine insp in Aug 1973.
GREENMAN,E.G. Region I, IE (720101-810228). 74/04/02. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604250020 Discusses 740315 telcon w/D Ross re clarification of objections to rept.
MANN,J. Region I, IE (720101-810228). 74/04/11. Region I, IE (720101-810228). 1p.

–9604250045 Insp rept 50-219/74-08 on 740506-07.Violations noted.Major areas inspected:inservice inspection program,Eddy Current insp of poison control blades & repair program on moisture separators.
WALTON,G.A., TILLOU,J.H. Region I, IE (720101-810228). 74/05/16. 7pp.

–9604250054 Discusses insp rept 50-219/74-08 on 740506-07 & forwards NOV.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250070 Notice of violation from insp on 740506-07.Violations noted: nondestructive test procedures approved by licensee during inservice insp & calibration block used but not fabricated in accordance w/requirements.
* Region I, IE (720101-810228). 74/05/16. 1p.

–9604250080 Forwards insp rept 50-219/74-07 on 740502-03.No violations or safety items noted.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250088 Forwards insp rept 50-219/74-06 on 740422-26.No violations or safety items noted.
NELSON,P.R. Region I, IE (720101-810228). 74/05/16. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

–9604250131 Insp rept 50-219/74-07 on 740502-03.No violations noted. Major areas inspected:selective facility procedures.
JOHSON,D.F., MCCABE,E.C. Region I, IE (720101-810228). 74/05/15. 11pp.

–9604250240 Insp rept 50-219/74-06 on 740422-26.No violations noted. Major areas inspected:all facility operations.
MANN,J., KNAPP,P.J. Region I, IE (720101-810228). 74/05/14. 9pp.

–9604250260 Notifies of JCP&L vessel head clad indications currently being investigated.
CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 74/05/14. TILLOU,J. Atomic Energy Commission (Pre 750119). 1p.

–9604250317 Ack receipt of 740423 ltr informing NRC of steps taken to correct violations noted in insp 50-219/74-02.
O'REILLY,J.P. Region I, IE (720101-810228). 74/05/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604250327 Responds to 740402 ltr to IR Finfrock re insp on 740121-25. Items 7 & 9 addressed.
ROSS,D.A. Region I, IE (720101-810228). 74/04/23. O'REILLY,J.P. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

9604120013 Forwards insp rept 50-219/73-11 on 730626-29 & notice of violation.W/o insp rept.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604180165 Forwards insp rept 50-219/73-21 on 731210-12 & 18. No violations noted.Major areas insp:selective exam of procedures & representative records,interviews w/personnel & observations by inspector.
NELSON,P.R. Region I, IE (720101-810228). 74/02/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

9604120081 Discusses insp rept 50-219/73-16 re licensee environ monitoring program.No violations noted.
GALLINA,C.O. Region I, IE (720101-810228). 73/11/15. STOHR,J.P. Region I, IE (720101-810228). 2pp.

9604040027 Second partial final response to FOIA request for records. App G records encl & being made available in PDR.App H records partially withheld (ref Exemption 4).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. SHEEHAN,N.A. Affiliation Not Assigned. 13pp. 87860:003-87860:288.

–9604040038 Forwards EA Request Form 95-218 re passing two individuals who had not passed GET exam.
HOLODY,D.J. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 2pp. 87860:021-87860:022.

–9604040057 Informs that unresolved item opened in insp rept 50-219/95-11 on issue re Allegation RI-93-A-0224 closed.
BEARDSLEE,C.D. NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 1p. 87860:034-87860:034.

–9604040089 Recommends that Allegation RI-95-A-0044 file re continuous fire watch duty for A-B battery room being performed by security guards,discussed during insp 50-219/95-06,in Section 4.3,fire watch activities be closed.
CONNER,M. NRC - No Detailed Affiliation Given. 95/05/04. ROGGE,J.F. NRC - No Detailed Affiliation Given. 5pp. 87860:050-87860:054.

–9604040093 Discusses whether to cite util inadequate training violation concerning allegation re cheating (altering answers) on GET exam & instructor passing individual on exam that failed.
SMITH,K.D. NRC - No Detailed Affiliation Given. 95/04/03. VITO,D.J. NRC - No Detailed Affiliation Given. 4pp. 87860:055-87860:058.

–9604040215 Recommends closure of Allegation RI-93-A-0013,stating that security guard did not make required two-hour tour of vital area & that alleged failure not reported to NRC,based on listed info.
MCCABE,E.C. NRC - No Detailed Affiliation Given. 93/11/29. VITO,D. NRC - No Detailed Affiliation Given. 2pp. 87860:106-87860:107.

–9604050118 Notifies of closure of Allegation RI-92-A-0050 concerning staff suspected wrongdoing re industry-wide issue of equipment operator log falsification at plant,based on listed info.
FUHRMEISTER,R. Region 1 (Post 820201). 93/03/04. Region 3 (Post 820201). 3pp. 87860:148-87860:160.

–9604050124 Lists info re plant allegations staff directed to follow-up during 930104-08 FRPS outage insp (NRC Insp 50-219/93-01).
ECKERT,L.L. NRC - No Detailed Affiliation Given. 93/02/11. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 17pp. 87860:161-87860:177.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020061 Application for amend to license DPR-16,deleting spec which requires thorough insp of EDG every 24 months during shutdown.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/25. Document Control Branch (Document Control Desk). 10pp. 87725:137-87725:159.

–9604020064 Proposed tech specs,deleting spec which requires thorough insp of EDG every 24 months during shutdown.
* General Public Utilities Corp. - GPU Service Corp. 96/03/25. 13pp. 87725:147-87725:159.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604170040 Advises that util plans to test both 5% ref sample & 10% representative sample of Viton SSPV control rods at approx 90-day intervals,per NRC Info Notice 96-007.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87949:085-87949:086.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160473 Insp rept 50-219/73-01 on 730102,05-06.Violations noted. Major areas inspected:turbine trip w/failure to relief valve to reclose,valve testing & torus pulsations.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/02/08. 15pp.

9604260228 Forwards insp rept 50-219/96-02 on 960212-0324.No violations noted.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/17. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 88004:012-88004:037.

–9604260231 Insp rept 50-219/96-02 on 960212-0324.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & SA/QV.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/17. 23pp. 88004:015-88004:037.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160103 "1995 Annual Environ Operating Rept Oyster Creek Nuclear Generating Station." W/960328 ltr.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 4pp. 87898:114-87898:162.

9604160016 Monthly operating rept for Mar 1996 for Oyster Creek Station.W/960410 ltr.
EDELMANN,P.G., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/31. 7pp. 87914:293-87914:299.

S. Reportable occurrences, LERs & related correspondence

9604180027 Forwards AO Rept 50-219/74/12.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

9604240258 Forwards Abnormal Ocurrence Rept 50-219/74-28 in compliance w/paragragh 6.6.2 a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/26. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

-9604120045 AO 73-34:on 731227,during surveillance testing of main steam line high radiation monitors,it was observed that RN05A log count rate monitor failed to trip at normal setpoints & cause under investigation.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/28. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

-9604120060 AO 73-33:on 731221,four of isolation condenser high flow sensors found to trip at setpoints in excess of respective limit.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/26. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

-9604120114 Forwards preliminary AO rept 73-32,in compliance w/TS, paragraph 6.6.2.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/20. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120128 Forwards Oyster Creek abnormal occurence rept 73-31 re momentary interruption of 125 Vdc power supplying instrumentation aassociated w/various safeguards sys.
BRUNNER,E.J. Region I, IE (720101-810228). 73/12/19. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

-9604120134 Forwards preliminary AO rept 73-31.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/14. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120161 Discusses telcon between Dupont,Ocean Township Committeeman & assigned inspector at facility concerning "near catastrophe" at reactor 730908-09.
GREENMAN,E.G. Region I, IE (720101-810228). 73/09/13. Region I, IE (720101-810228). 1p.

-9604120169 Forwards preliminary AO rept 73-29.
CARROLL,J.T. Jersey Central Power & Light Co. 73/11/05. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120173 Forwards preliminary AO rept 73-28.
CARROLL,J.T. Jersey Central Power & Light Co. 73/10/31. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120184 Discusses 730912 telcon between DL Caphton & D Ross re recent power outage on 730908.Informs that JCP&L recognize seriousness of incident & have proceeded to take measures to further improve reliability of DGs.
CAPHTON,D.L. Region I, IE (720101-810228). 73/09/12. ROSS,D. Region I, IE (720101-810228). 2pp.

-9604120203 Forwards preliminary AO rept 73-30.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/13. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604120277 Notification of 730908 event re routine switch of house electrical loads to startup transformer resulted in temporary loss of electrical power to essential station equipment.
DREHER,F.A., THORNBURG,H.D., DAVIS,J.G. Region I, IE (720101-810228). 73/09/11. 3pp.

-9604150002 Forwards preliminary AO rept 73-27.
CARROLL,J.T. Jersey Central Power & Light Co. 73/10/18. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604150301 Preliminary AO rept 73-23:on 730924,failure of differential pressure switch DPS 66A to trip & thereby actuate reactor building to torus vacuum breaker block values,V-26-16-18.
CARROLL,J.T., REEVES,D.R. Jersey Central Power & Light Co. 73/09/25. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

-9604160121 Forwards insp rept 50-219/73-04 on 730313 & inquiry rept 50-219/73-04Q re AO experienced on 730310.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/04. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604170195 Forwards Abnormal Occurrence Report 50-219/74-34 in compliance w/paragraph 6.6.2.a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/07. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170210 Forwards AO 50-219/74/23.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170211 Discusses telcon w/I Finfrock re plant scram on 740925.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 74/09/26. GREENMAN,E. Atomic Energy Commission (Pre 750119). 1p.

-9604170215 Forwards AO Rept 50-219/74/21.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170229 Forwards AO Rept 50-219/74/22.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170266 Forwards AO Rept 50-219/74/19.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170281 Forwards AO Rept 50-219/74/18.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170289 Forwards AO Rept 50-219/74/20.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170325 Forwards Preliminary AO Rept 50-219/74/20.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/11. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170345 Forwards AO Rept 50-219/74/17.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/03/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170396 Forwards preliminary AO Rept 50-219/74/17.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170415 Forwards draft notification of incident or occurrence on 721229 re failure of primary sys relief valve to reseat when actuated following turbine trip.
CARLSON,R.T. Region I, IE (720101-810228). 72/01/03. KEPPLER,J.G. Region I, IE (720101-810228). 4pp.

-9604170433 Forwards preliminary AO Rept 50-219/74/16.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/07. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170443 Forwards AO Rept 50-219/74/15.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/07. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170493 Forwards AO rept 50-219/74/14.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/01. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604180010 Forwards preliminary AO Rept 50-219/74/15.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/28. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180016 Forwards AO Rept 50-219/74/13.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/27. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604180023 Forwards AO Rept 50-219/74/11.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604180032 Forwards preliminary AO Rept 50-219/74/14.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/25. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180040 Forwards preliminary AO rept 50-219/74/5.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/17. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180044 Forwards preliminary AO Rept 50-219/74/11.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180048 Forwards preliminary AO Rept 50-219/13.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180053 Forwards AO rept 50-219/74/2.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/17. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604180068 Forwards preliminary AO Rept 50-219/74/12.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604180075 Forwards AO Rept 50-219/74/10.
FINFRICK,I.R. Jersey Central Power & Light Co. 74/02/14. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604180104 Forwards preliminary AO rept 50-219/74/4.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/16. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180109 Forwards preliminary AO Rept 50-219/74/10.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/11. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180137 Discusses 740613 & 14 visit to plant site to investigate & discuss leakage of primary coolant from around incore tube 05-28.Leak discovered on 740528.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/21. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

--9604180141 Forwards AO Rept 50-219/74/9.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/06. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180152 Forwards AO rept 50-219/74/1.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180157 Forwards preliminary AO rept 50-219/74/3.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/14. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180188 Forwards preliminary AO Rept 50-219/74/9.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/01. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180199 Forwards AO Rept 50-219/74/8.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/29. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180202 Forwards AO Rept 50-219/74/6.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/28. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180211 Forwards AO Rept 50-219/74/7.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/28. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180225 Addendum to AO rept 74-28,furnishing apparent cause of occurrence,corrective action & failure data,inadvertently omitted from original AO rept.
ROSS,D.A. Jersey Central Power & Light Co. 74/07/11. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 3pp.

--9604190211 Forwards AO Rept 50-219/74/4.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604190216 Forwards AO Rept 50-219/74/5.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604190231 Forwards AO Rept 50-219/74/3.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/24. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604190235 Forwards preliminary AO Rept 50-219/74/8.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/24. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190249 Forwards preliminary AO Rept 50-219/74/7.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/23. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190256 Forwards preliminary AO Rept 50-219/74/6.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/23. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220053 Forwards preliminary AO rept 50-219/74/2.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220063 Forwards preliminary AO rept 50-219/74/1.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/07. Region I, IE (720101-810228). 1p.

--9604220155 Forwards Abnormal Ocurrence Report 50-219/74-33 in compliance w/ paragraph 1.15B of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/31. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604240136 Forwards Abnormal Ocurrence Rept 50-219/74-29 in compliance w/paragraph 6.6.2 of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/01. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604240141 Forwards Abnormal Occurence Report 50-219/74/32 in compliance w/ paragraph 1.15D of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/31. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604240160 Forwards Abnormal Ocurrence Rept 50-219/74-27 in compliance w/paragraph 6.6.2.a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/26. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604240162 PNO:on 740530,licensee reported on 740529 a small leak noted at 2 inch instrument penetration on bottom of reactor vessel.
DREHER,F.A., THORNBURG,H.D., DAVIS,J.G. Region 1 (Post 820201). 74/05/30. 2pp.

--9604240166 Forwards Abnormal Occurence Report 50-219/74/31 in compliance w/ paragraph 1.15B of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/29. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604240184 Forwards Abnormal Occurence Report 50-219/74/30 in compliance w/ paragraph 1.15b of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/23. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604240221 Forwards Abnormal Occurence Report 50-219/74/33 being submitted in compliance w/TS paragraoh 6.6.2.
* Jersey Central Power & Light Co. 74/05/22. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604240237 Forwards preliminary rept 50-219/74-29.
CARROLL,J.T. Jersey Central Power & Light Co. 74/04/26. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604240247 Responds to communication of 740403 from G Ulirsch re fish being killed as result of operation of plant.
GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 74/04/25. CASE,C.P. Senate. 2pp.

--9604240279 Forwards Abnormal Occurrence Rept 50-219/74-24.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/19. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604250001 Forwards three repts re fish kills at Oyster Creek.W/o encl.
STOHR,J.P. Region I, IE (720101-810228). 74/05/20. HAMER,P.E. . 1p.

9604120097 Informs of 730907 rept from NJ Dept of Health on elevated air sample in vicinity of facility.Checked w/J Sullivan at site & found release due to work on control rods & documented by exam.Release below allowable limits.
EVERETT,R.J. Region I, IE (720101-810228). 73/09/17. STOHR,J.P. Region I, IE (720101-810228). 1p.

9604190103 LER 96-001-00:on 960313,TS required surveillances on SCIVs V-28-0042 & V-28-0043 missed due to procedural inadequacy. Procedures relating to SCIVs will be reviewed & revised as necessary to include testing of valves.W/960412 ltr.
YUEN,J., ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/04/12. 5pp. 88251:356-88251:360.

9604300110 PNO-I-96-026:on 960425,licensee commenced plant shutdown to retrieve condensate sys component.Workers will conduct evaluation to determine cause for failure which resulted in plate breaking loose from HX after cold shutdown reached.
ESELGROTH,P. Region 1 (Post 820201). 96/04/26. 2pp. 88065:357-88065:358.

V. Operator Examinations

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

--9604170201 Responds to 740603 request for revs in plant operator requalification program.Revised operator requalification program dtd Sept 1974 encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/27. COLLINS,P.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170206 "Oyster Creek Nuclear Generating Station Operator Requalification Program."
* Jersey Central Power & Light Co. 74/09/30. 13pp.

--9604170414 Informs Jersey Central Power & Light to submit revised program for NRC approval of requalification of licensing operators & senior operators at Oyster Creek.
COLLINS,P.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/03. FINFROCK,I.R. Jersey Central Power & Light Co. 5pp.

--9604230005 Discusses telcon to D Ross on 750404 re SRO coverage during refueling.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/07. Atomic Energy Commission (Pre 750119). 1p.

--9604230007 Advises that current cycle of plant licensed operator requalification program & asssociated simulated NRC exam scheduled to be completed 951217 will be extended six months to June 1976.
ROSS,D.A. Jersey Central Power & Light Co. 75/12/12. COLLINS,P.F. Division of Reactor Licensing (NRR-1975 only). 2pp.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604090329 Summary of 960328 meeting w/licensee in Rockville,MD re matter related to reactor building crane transporting spent dry fuel storage cask in reactor building during power operation.
DROMERICK,A.W. . 96/04/04. . 10pp. 87810:147-87810:156.

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604120148 Revised emergency plan maint procedures (EPMP) & EPIPs, including Rev 2 to EPMP-EPP-04,Rev 3 to EPMP-EPP-08,Rev 1 to EPIP-EPP-17,Rev 2 to EPIP-EPP-07,Rev 5 to EPIP-EPP-08,Rev 3 to EPIP-EPP-20 & Rev 1 to EPIP-EPP-22.W/960401 ltr.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 96/04/01. 89pp. 87876:140-87876:228.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604110278 Forwards Issue 4,Rev 5 to physical security plan.Rev incorporates new position titles of "Chief Nuclear Officer" & "Vice President & General Manager - Nuclear," approved under license amends 157 & 71.Rev withheld.
CHRISTENSEN,H. Niagara Mohawk Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 1p. 87860:355-87860:355.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604080267 Discusses potential corporate structure changes in Niagara Mohawk Power Corporation.
RUSSELL,W.T. . 96/04/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 87771:022-87771:025.

9604150278 Forwards organization & address changes becoming effective 960408.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87894:043-87894:044.

P. Operating license stage documents & correspondence

9604010404 Extends invitation to participate in 960424 meeting w/NRR & Region I in Valley Forge,PA re BWR safety relief valve performance issues.Requests submission of questions or topic for discussion.Agenda encl.
KELLY,E.M. Region 1 (Post 820201). 96/03/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 6pp. 87687:182-87687:187.

9604080018 Forwards evaluation package which upon review found to have fully met intent of GL 88-20.TERs for front-end,back-end & human reliability analysis reviews also encl.
HOOD,D.S. . 96/04/02. SYLVIA,B.R. Niagara Mohawk Power Corp. 10pp. 87779:001-87779:143.

-9602010287 App A, "Technical Evaluation Rept on IPE Front End Analysis."
DARBY,J.L., THOMAS,W.R., SCIACCA,F.W. Science & Engineering Associates, Inc. NRC-04-91-066. SEA-92-553-030-A:3. 95/08/31. NRC - No Detailed Affiliation Given. 52pp. 87779:012-87779:062.

-9602050054 App B, "Plant Technical Evaluation Rept on IPE Back-End Analysis."
MOIENI,P., AMARASOORIYA,W., MEYER,J.F. SCIENTECH, Inc. NRC-05-91-068-31. SCIE-NRC-230-94. 95/08/31. NRC - No Detailed Affiliation Given. 42pp. 87779:063-87779:105.

-9602050068 App C, "Plant Technical Evaluation Rept on IPE Submittal Human Reliability Analysis,Final Rept."
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. CA/TR-94-019-31. 95/08/22. Division of Systems Technology (Post 941217). 40pp. 87779:106-87779:143.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604260138 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88026:354-88026:358.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604030064 Requests for addl info re response to NRC Bulletin 95-02, "Unexpected Clogging of RHR Pump Strainer while Operating in Suppression Pool Cooling Mode," for plant,unit 1.
HOOD,D.S. . 96/03/28. SYLVIA,B.R. Niagara Mohawk Power Corp. 5pp. 87722:047-87722:051.

9604080088 Forwards insp repts 50-220/96-05 & 50-410/96-05 on 960217- 0311.No violations observed.
COOPER,R.W. Region 1 (Post 820201). 96/03/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 87752:087-87752:113.

-9604080091 Insp repts 50-220/96-05 & 50-410/96-05 on 960217-0311.No violations noted.Major areas inspected:LER-95-05,applicable TSs,UFSAR & IPE sections,portions of related calculations, procedures,DERs,SORC meeting minutes & other documentation.
CONTE,R.J. Region 1 (Post 820201). 96/03/29. 23pp. 87752:091-87752:113.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080373 Notification of significant licensee meeting 96-29 w/util on 960412 to discuss inoperability of reactor & turbine bldg pressure relief panels & issues associated w/licensee processes involving design control.
CONTE,R.J. Region 1 (Post 820201). 96/04/02. Region 1 (Post 820201). 3pp. 87772:180-87772:182.

9604090055 Notification of 960411 meeting w/NMP in Lycoming,NY to discuss results of Integrated Performance Assessment Program Insp conducted on 960303-22.
* Region 1 (Post 820201). 96/04/02. . 3pp. 87806:112-87806:114.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100086 Press release I-96-26, "NRC Staff to Hold Predecisional Enforcement Conference W/Niagra Mohawk Power Corp."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/08. 1p. 87859:226-87859:226.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160015 Ack receipt of 960222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-24 & 50-410/95-24.Responses to CA & response re emergency preparedness issue IAW NIM Procedure 92904,discussed.
CONTE,R.J. Region 1 (Post 820201). 96/04/10. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 87887:001-87887:014.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290265 Forwards insp repts 50-220/96-01 & 50-410/96-01 on 960107-0217 & NOV.
CONTE,R.J. Region 1 (Post 820201). 96/04/22. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 88021:248-88021:270.

-9604290266 Notice of violation from insp on 960107-0217.Violation noted:on 960131,util installed emergency Temporary Mod 96-002,which changed design of Unit 2 circulating water sys, per UFSAR,Section 10.4.5.5,prior to completion of SE.
* Region 1 (Post 820201). 96/04/22. 2pp. 88021:251-88021:252.

-9604290268 Insp repts 50-220/96-01 & 50-410/96-01 on 960107-0217. Violations noted.Major areas inspected:safety assessment/ quality verification,plant operations,maint,engineering & plant support.
CONTE,R.J. Region 1 (Post 820201). 96/04/22. 18pp. 88021:253-88021:270.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190080 Monthly operating rept for March 1996 for NMPNS Unit 1.W/ 960411 ltr.
COLEMAN,D.E., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/03/31. 5pp. 87939:355-87939:359.

S. Reportable occurrences, LERs & related correspondence

9604150290 Special rept:on 960325,#11 containment hydrogen monitoring sys inoperable.Caused by failed calibr toggle switch.C/A: toggle switch & sys calibr replaced.
RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87888:252-87888:253.

9604150343 Special rept:on 960325,#12 drywell high range gamma radiation monitoring sys inoperable.Caused by disconnected sensor cable.C/A:1K ohm resistor w/tolerance of +5% replaced.
RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87888:254-87888:255.

9604290135 LER 96-002-00:on 960322,core shroud repair stabilizer assembly was different than 10CFR50.55(a) design description due to installation/insp/engineering personnel error. Submitted analysis of installed position.W/960422 ltr.
YAEGER,W.R., RADEMACHER,N.L. Niagara Mohawk Power Corp. 96/04/22. 10pp. 88045:324-88045:333.

DOCKET 50-223 UNIVERSITY OF MASSACHUSETTS, LOWELL RESEARCH REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9604260232 Forwards insp rept 50-223/96-01 on 960403.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 96/04/17. KEGEL,G. Massachusetts, Univ. of, Lowell, MA (formerly Lowell, Univ. of). 2pp. 88004:038-88004:043.

-9604260238 Insp rept 50-223/96-01 on 960401-03.No violations noted. Major areas inspected:organization,logs & records,operator licenses,requalification & medical certification,procedures & reactor fuel movement.
DRAGOUN,T., WHITE,J. Region 1 (Post 820201). 96/04/16. 4pp. 88004:040-88004:043.

DOCKET 50-228 AEROTEST RADIOGRAPHY & RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

DOCKET 50-229 YUGOSLAVIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

DOCKET 50-230 PAVIA RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

DOCKET 50-234 GULF OIL CORP., SAN DIEGO, CA

G. Adjudicatory correspondence

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

-9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

T. Hearing transcripts on non-antitrust matters

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

-9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604080052 Informs that rev 61 of plant annex to generation stations emergency plan,acceptable & does not decrease effectiveness of emergency plan.
CREED,J.R. Region 3 (Post 820201). 96/04/02. PERRY,J.S. Commonwealth Edison Co. 2pp. 87752:084-87752:085.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604030099 Forwards corrected biennial update (Rev 01A,Dec 1995) of Dresden UFSAR,in accordance w/10CFR50.71(e).Changes included in Rev 01A,changes to facilities & procedures through 950630.
PERRY,J.S. Commonwealth Edison Co. 96/03/14. Document Control Branch (Document Control Desk). 14pp. 87754:001-87755:118.

-9604030103 Rev 01A to updated FSAR for Dresden Nuclear Power Station Units 2 & 3.
* Commonwealth Edison Co. 95/12/31. 355pp. 87754:028-87755:118.

P. Operating license stage documents & correspondence

9604050100 Requests that licensee brief Commission on status of efforts to improve performance at plant,including steps taken to ensure that important equipment deficiencies have been fully identified.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/22. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 87771:006-87771:008.

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604010283 Forwards page changes for licenses DPR-19,DPR-25,DPR-29 & DPR-30,ensuring continuity & to simplify review per TS Upgrade Program.
HEFFLEY,J.M. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 12pp. 87706:083-87706:300.

-9604010286 Proposed tech specs,ensuring continuity & simplifying review of App A,TS for TS Upgrade Program.
* Commonwealth Edison Co. 96/03/26. 206pp. 87706:095-87706:300.

9604020178 Provides update of actions taken re RMS-9 Upgrade.
PERRY,J.S. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 5pp. 87725:243-87725:247.

9604020299 Provides updated status & change in plans associated w/ shipping waste matl from Unit 1 fuel/transfer pool vacuuming activities for offsite burial.
PERRY,J.S. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87712:357-87712:358.

9604040181 Forwards amends 149,143,170 & 166 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & safety evaluation.Amends will upgrade custom TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87737:172-87737:253.

-9604040185 Amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,upgrading TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. 58pp. 87737:175-87737:232.

-9604040187 Safety evaluation supporting amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 96/04/02. 21pp. 87737:233-87737:253.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080322 Forwards request for addl info re licensee 950626 submittal of Topical Rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9604110088 Updates status of Unit 2 & 3 LPCI corner room structural steel,provides addl detail & clarification of units corner room steel comparisons & updates interaction coefficients.
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87847:222-87847:230.

9604110132 Clarifies info provided in 880509 RAI response re operation of ARI valves installed to comply w/10CFR50.62, "ATWS Rule."
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87856:166-87856:167.

9604120020 Updates isolation condenser TS bases to remove ref to fixed vol of water since other variable parameters affect operability.Marked up TS bases encl.
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87863:155-87863:162.

-9604120048 Proposed tech specs,updating isolation condenser TS Bases to remove ref to fixed vol of water since other variable parameters also affect operability.
* Commonwealth Edison Co. 96/04/04. 6pp. 87863:157-87863:162.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170506 Forward SE accepting rev 3 to third 10-yr IST program for pumps & valves for plant,Units 1 & 2.
CAPRA,R.A. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87918:288-87918:311.

-9604170516 Safety evaluation accepting rev 3 to third 10-yr IST program for pumps & valves for plant,Units 1 & 2.
* . 96/04/16. 21pp. 87918:291-87918:311.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604180355 Forwards integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960213 & NOV.
AXELSON,W.L. Region 3 (Post 820201). 96/03/26. PERRY,J.S. Commonwealth Edison Co. 4pp. 87905:114-87905:144.

--9604180370 Notice of violation from insp on 951219-960213.Violation noted:on 960113,licensee determined that OOS boundary for work being performed on instrument air sys was inadequate.
* Region 3 (Post 820201). 96/03/26. 3pp. 87905:118-87905:120.

--9604180382 Integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960113.Violations noted.Major areas insp:operations,engineering,maint & plant support.
HILAND,P. Region 3 (Post 820201). 96/03/22. 24pp. 87905:121-87905:144.

9604240076 Informs of completion of semiannual Plant Performance Review on 960306.
HILAND,P. Region 3 (Post 820201). 96/03/29. PERRY,J.S. Commonwealth Edison Co. 5pp. 87970:208-87970:212.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160325 Forwards insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Three apparent violations being considered for escalated enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/04/11. WALLACE,M.J. Commonwealth Edison Co. 4pp. 87887:159-87887:170.

--9604160329 Insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Violations noted.Major areas inspected:engineering.
RING,M.A. Region 3 (Post 820201). 96/04/04. 8pp. 87887:163-87887:170.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300065 Provides response to violations noted in Insp Repts 50-010/95-15,50-237/95-15 & 50-249/95-15.Corrective actions: operations senior mgt reinstated formal review boards for errors within electronics out-of-svc process.
PERRY,J.S. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88062:352-88062:358.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604030367 "Dresden Station Annual Radiological Environ Operating Rept for 1995." W/960325 ltr.
PERRY,J.S. Commonwealth Edison Co. 95/12/31. MILLER,H. Region 3 (Post 820201). 132pp. 87757:186-87757:317.

9604190084 Monthly operating rept for March 1995 for DNPS.W/960409 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/03/31. 13pp. 87952:324-87952:336.

9604250267 Forwards first quarter 1996 10CFR50.59 rept of changes,tests and experiments for DNPS.
PERRY,J.S. Commonwealth Edison Co. 96/04/11. . 30pp. 88022:326-88022:355.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604020098 Forwards suppl LER 94-007-01,updating corrective actions for any event that posed actual threat to safety of NPP or significantly hampered site personnel in performance of duties necessary to make operation of NPP safe.
PERRY,J.S. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 1p. 87733:187-87733:191.

--9604020102 LER 94-007-01:on 940330,CR habitability condition was potentially unanalyzed due to purge mode.CR HVAC sys was restricted from use in outside purge mode by placement of equipment OOS.
RHEE,S.J. Commonwealth Edison Co. 96/03/28. 4pp. 87733:188-87733:191.

9604120015 LER 96-005-00:on 960309,electromatic RV (ERV) 2-0203-3A,B,D & E pressure switches found outside TS tolerance due to setpoint drift.Recalibr ERV 2-0203-3A,B,D & E to within TS limits.W/960405 ltr.
LOWETZ,C., PERRY,J.S. Commonwealth Edison Co. 96/04/05. 6pp. 87875:351-87875:357.

9604220080 LER 96-006-00:on 960327,inadvertent manual scram occurred during planned periodic surveillance testing.Caused by cognitive personnel error.C/A:counseling & training provided to personnel.W/960412 ltr.
FENILI,R.M., PERRY,J.S. Commonwealth Edison Co. 96/04/12. 5pp. 87960:334-87960:338.

V. Operator Examinations

9604050454 Provides completed NRC Form 536,documenting estimates for license operator testing for FYs96-99,per NRC Administrative Ltr 96-01.
PERRY,J.S. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87800:307-87800:308.

DOCKET 50-244 ROBERT EMMET GINNA NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020233 Forwards Rev L to security plan.Rev consists of mods to incorporate observation,insp & compensatory measures for degradation of newly installed vehicle barrier sys.Encl withheld (ref 10CFR73.21).
MECREDY,R.C. Rochester Gas & Electric Corp. 96/03/13. Document Control Branch (Document Control Desk). 2pp. 87710:356-87710:356.

9604050065 Rev 1 to Technical Requirements Manual (TRM).
WROBEL,G.J. Rochester Gas & Electric Corp. 96/04/01. 47pp. 87771:174-87771:220.

9604090101 Rev 13 to EPIP 5-7, "Emergency Organization." W/960401 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 96/04/01. JOHNSON,A. . 116pp. 87820:145-87820:260.

9604230068 Revised EPIPs,including Rev 6 to EPIP 2-11, "Onsite Surveys" & Rev 10 to EPIP 2-12, "Offsite Surveys." W/960415 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 96/04/15. JOHNSON,A. . 83pp. 88007:214-88007:296.

9604290406 Revised EPIPs,including rev 3 to EPIP 1-7,rev 11 to EPIP 1-11,rev 5 to EPIP 1-15,rev 14 to EPIP 2-1,rev 2 to EPIP 2-7 rev 8 to EPIP 3-1,rev 7 to EPIP 4-2 & rev 9 to EPIP 5-1. W/960419 ltr.
WATTS,R.J. Rochester Gas & Electric Corp. 96/04/19. JOHNSON,A. . 86pp. 88040:095-88040:181.

P. Operating license stage documents & correspondence

9604150399 Discusses full term operating license & TS review for stated facilities.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/17. CARLSON,R.T., HOWARD,E.M., BRUNNER,E.J. Region I, IE (720101-810228). 4pp.

9604010159 Rev 0 to "Technical Requirements Manual (TRM)."
* Rochester Gas & Electric Corp. 96/02/24. 40pp. 87697:288-87697:327.

9604020442 Submits addl justification/basis for revised relief requests VR-8 & VR-9,as discussed w/IST program reviewer K Dempsey.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/03/27. JOHNSON,A.R. . 2pp. 87731:337-87731:338.

9604030261 Forwards amend 62 to license DPR-18 & SE.Amend proposes use of installed retractable overhead door assembly & change TS 3.9.3 to satisfy closure requirements for containment equipment hatch during core alterations or fuel movement.
JOHNSON,A.R. . 96/04/01. MECREDY,R.C. Rochester Gas & Electric Corp. 6pp. 87722:215-87722:232.

--9604030265 Amend 62 to license DPR-18,proposing to use installed retractable overhead door assembly & change TS 3.9.3 to satisfy closure requirements for containment equipment hatch during core alterations or fuel movement in bldg.
SHANKMAN,S.F. . 96/04/01. 9pp. 87722:221-87722:229.

--9604030266 Safety evaluation supporting amend 62 to license DPR-18.
* . 96/04/01. 3pp. 87722:230-87722:232.

9604050453 Submits recommendations for NRC consideration,per GL 89-01 & NUREG-1431 re conversion to improved STS.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/01. GRIMES,C.I. NRC - No Detailed Affiliation Given. 4pp. 87775:287-87775:290.

9604080404 Rev 1 to updated Technical Requirements Manual (TRM).
WROBEL,G.J. Rochester Gas & Electric Corp. 96/04/01. 3pp. 87814:354-87814:356.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604090326 Notification of 960411 meeting w/RG&E,in Rockville,MD to discuss staff implementation of Westinghouse WCAP 14040, methodology for resubmittal of pressure temp limits rept requiring NRC approval.
JOHNSON,A.R. . 96/04/05. SHANKMAN,S.F. . 4pp. 87810:134-87810:137.

9604120233 Forwards SE approving licensee 951011 request to use ASME Code Case N-416-1 for duration of currently approved ISI plan.
SHANKMAN,S.F. . 96/04/05. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 87861:321-87861:329.

-9604120239 Safety evaluation approving licensee 951011 request to use ASME Code Case N-416-1 for duration of currently approved ISI plan.
SHANKMAN,S.F. . 96/04/05. 6pp. 87861:324-87861:329.

9604250331 Informs that GS Vissing assigned as Project Manager of Project Directorate I-1 for plant,effective 960428.
FRANT SHANKMAN . 96/04/17. MECREDY,R.C. Rochester Gas & Electric Corp. 3pp. 87998:184-87998:186.

9604230396 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/18. JOHNSON,A.R. . 2pp. 87976:352-87976:353.

9604250104 Responds to request for addl info re GL 88-20:level 2 probabilistic risk assessment.
MERCREDY,R.C. Rochester Gas & Electric Corp. 96/04/19. JOHNSON,A.R. . 2pp. 87998:163-87998:164.

9604260050 Forwards "1995 Annual Radioactive Effluent Release Rept" RE Ginna Nuclear Plant corrected pages to Jul-Dec 1994 Semi-Annual Rept & rewrite of ODCM to implement Improved TSs.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88024:225-88024:324.

-9604260108 Rev 7 to "ODCM for Ginna Station."
* Rochester Gas & Electric Corp. 96/04/08. 74pp. 88024:251-88024:324.

9604260223 Notification of significant licensee meeting 96-040 w/util on 960501 to discuss issues & corrective actions associated w/SFP leakage into residual heat removal pump room.
DOERFLEIN,L.T. Region 1 (Post 820201). 96/04/19. Region 1 (Post 820201). 3pp. 88020:266-88020:268.

Q. Inspection reports, IE Bulletins & correspondence

9604160377 Forwards Directorate of Regulatory Operations Bulletin 73-1, to provide info received from WEPC & RG&E concerning Point Beach & Ginna pressurized water reactor facilities.Action requested identified in section B of bulletin.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/23. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

9604020233 Forwards Rev L to security plan.Rev consists of mods to incorporate observation,Insp & compensatory measures for degradation of newly installed vehicle barrier sys.Encl withheld (ref 10CFR73.21).
MECREDY,R.C. Rochester Gas & Electric Corp. 96/03/13. Document Control Branch (Document Control Desk). 2pp. 87710:356-87710:356.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020123 Forwards exam rept 50-244/96-02OL on 960213-15.Weakness noted re poor level of performance by both candidates that failed written exam.
MEYER,G.W. Region 1 (Post 820201). 96/03/25. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 87703:106-87703:193.

-9604020134 Exam rept 50-244/96-02OL on 960213-15.Exam results:both applicants failed written exam.
D'ANTONIO,J., MEYER,G.W. Region 1 (Post 820201). 96/03/27. 78pp. 87703:108-87703:185.

9604020429 Submits partial response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MECREDY,R.C Rochester Gas & Electric Corp. 96/03/28. JOHNSON,A.R. . 4pp. 87728:355-87728:358.

9604090082 Provides clarification to 960328 ltr re partial response to NRC Bulletin 96-001, "Control Rod Insertion Problems.:
MECREDY,R.C. Rochester Gas & Electric Corp. 96/03/29. JOHNSON,A.R. . 1p. 87854:346-87854:346.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110290 Submits 30-day response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/08. JOHNSON,A.R. . 8pp. 87868:294-87868:301.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604110077 Monthly operating rept for Mar 1996 for RE Ginna Nuclear Power Plant.W/ 960405 ltr.
WALDEN,J.V., WIDAY,J.A. Rochester Gas & Electric Corp. 96/03/31. 5pp. 87847:200-87847:204.

9604260050 Forwards "1995 Annual Radioactive Effluent Release Rept" RE Ginna Nuclear Plant corrected pages to Jul-Dec 1994 Semi-Annual Rept & rewrite of ODCM to implement Improved TSs.
MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88024:225-88024:324.

-9604260072 Corrected "Semiannual Radioactive Effluent Release Rept for RE Ginna Nuclear Plant for Jul-Dec 1994."
* Rochester Gas & Electric Corp. 94/12/31. 2pp. 88024:227-88024:228.

-9604260099 "1995 Annual Radioactive Effluent Release Rept for RE Ginna Nuclear Plant."
* Rochester Gas & Electric Corp. 95/12/31. 22pp. 88024:229-88024:250.

-9604260108 Rev 7 to "ODCM for Ginna Station."
* Rochester Gas & Electric Corp. 96/04/08. 74pp. 88024:251-88024:324.

S. Reportable occurrences, LERs & related correspondence

9604150112 LER 96-002-00:on 960307,secondary transient occurred.Caused by loss of B condenser circulating water pump.C/As: thermography performed.W/960408 ltr.
ST.MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/08. JOHNSON,A.R. . 10pp. 87887:232-87887:241.

9604150124 LER 96-003-00:on 960308,both pressurizer relief valves inoperable.HPES evaluation is being conducted to determined cause of event.C/As:both PORVs restored.W/960408 ltr.
ST.MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/08. JOHNSON,A.R. . 8pp. 87887:242-87887:249.

9604150161 LER 96-004-00:on 960309,decrease in steam generator level occurred.Caused by failed open atmospheric relief valves. Booster relay replaced.W/ 960408 ltr.
ST.MARTIN,J.T., MECREDY,R.C. Rochester Gas & Electric Corp. 96/04/08. JOHNSON,A.R. . 7pp. 87887:250-87887:256.

V. Operator Examinations

9604020123 Forwards exam rept 50-244/96-02OL on 960213-15.Weakness noted re poor level of performance by both candidates that failed written exam.
MEYER,G.W. Region 1 (Post 820201). 96/03/25. MECREDY,R.C. Rochester Gas & Electric Corp. 2pp. 87703:106-87703:193.

-9604020134 Exam rept 50-244/96-02OL on 960213-15.Exam results:both applicants failed written exam.
D'ANTONIO,J., MEYER,G.W. Region 1 (Post 820201). 96/03/27. 78pp. 87703:108-87703:185.

-9604020157 Submits final grades for license candidates that participated in exam administered at plant during wk of 960212.Comments on exam questions encl.
WIDAY,J.A. Rochester Gas & Electric Corp. 96/03/01. D'ANTONIO,J. Region 1 (Post 820201). 5pp. 87703:186-87703:193.

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010374 Revised EPIPs & Emergency Plan Operating Procedures (EPOP), Change 1 to Rev 3 to EPIP 4400,Change 3 to Rev 1 to EPIP 4404,Change 2 to Rev 1 to EPOP 4411,Rev 2 to EPOP 4428A,Rev 2 to EPOP 4428D & Rev 1 to EPOP 4428F.
* Northeast Utilities Service Co. 96/03/25. 204pp. 87717:001-87717:204.

9604080346 Advises that 960205 Revs 22 & 23 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/03/27. FEIGENBAUM,T. Northeast Utilities Service Co. 4pp. 87814:319-87814:322.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080068 Rev 20 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 96/04/08. 73pp. 87778:248-87778:319.

9604170012 Requests exemption from 10CFR73,App B re qualification & requalification requirements for armed guards.Justification for exemption encl.Encl withheld.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/04/08. RUSSELL,W.T. . 2pp. 87899:354-87899:355.

9604300042 Revised EPIPs,including rev 173 to 4000 proc index & rev 2 to EPOP 4449, "U-3 Rx Coolant & Liquid Waste PASS."
* Northeast Nuclear Energy Co. 96/04/10. 83pp. 88063:220-88063:304.

9604170004 Forwards rev 22 to physical security plan.Encl withheld per 10CFR2.790.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. RUSSELL,W.T. . 2pp. 87897:357-87897:358.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

-9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

-9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170407 Joint motion of NRC Staff & NNECO to terminate proceeding.* Advises that joint motion of NNECO & Staff to teminate proceedings should be granted.W/ Certificate of Svc.
MARCO,C.L. Office of the General Counsel (Post 860701). REPKA,D.A. Northeast Nuclear Energy Co. REPKA,D.A. Winston & Strawn. #296 17557. 96/04/09. Atomic Safety & Licensing Board Panel. 4pp. 87895:276-87895:279.

9604170237 Order (LBP-96-6)(terminating proceeding).* Informs that proceeding terminated.W/Certificate of Svc.Served on 960415.
GLEASON,J.P. Atomic Safety & Licensing Board Panel. #296 17563. 96/04/15. 4pp. 87895:257-87895:260.

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

-9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

H. General correspondence

9604230144 Submits suggestions re revoking Northeast Utilities NPP operating license.
LEE,M.H. Affiliation Not Assigned. 96/03/06. DEMBEK,S. NRC - No Detailed Affiliation Given. 1p. 87971:345-87971:345.

9604080066 Responds to 951117 ltr to President Clinton,forwarded to NRC for review & appropriate action on 960308.Informs of latest activities concerning Millstone plant.
RUSSELL,W.T. . 96/04/02. STOREY,W. Affiliation Not Assigned. 16pp. 87779:309-87779:340.

-9604080076 Expresses appreciation to Chairman Jackson for getting job done re nuclear power plants.
STOREY,B. Affiliation Not Assigned. 96/02/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87779:325-87779:329.

-9604080084 Informs of attendance at 951205 meeting in New London re safety at Millstone plant.
STOREY,B. Affiliation Not Assigned. 95/12/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 11pp. 87779:330-87779:340.

9604080217 Responds to 960311 ltr requesting comments of 930308 re Millstone plant.Comments,encl.
RUSSELL,W.T. . 96/04/03. GRONINGER,S.T. Affiliation Not Assigned. 4pp. 87771:014-87771:021.

-9604080260 Ack receipt of 930308 statements re safety problems in Millstone,Unit2.Expresses appreciation for reporting agency IG was inspecting "potential wrongdoing" by company.
GRONINGER,S.T. Affiliation Not Assigned. 96/03/11. RUSSELL,W.T. . 4pp. 87771:018-87771:021.

9604290018 Informs of article in TIME Magazine,dtd 960314 entitled, "Nuclear Warriors." NRC should investigate all power plants to insure safety.
NEWTON,C.A. Affiliation Not Assigned. 96/04/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 88036:217-88036:229.

9604110129 Requests input re how NRC can resume review of Millstone Station & NRC handling of employee concerns & allegations, per 960328 telcon.
HANNON,J.N. . 96/04/09. HADLEY,E.C. Affiliation Not Assigned. 4pp. 87847:305-87847:308.

9604240351 Forwards projected decommissioning costs,market values of decommissioning trust funds & 10CFR50.75, "Reporting & Recordkeeping for Decommissioning Planning."
DEMBEK,S. . 96/04/18. STAUB,B. Affiliation Not Assigned. 13pp. 87994:340-87994:352.

9604290050 Responds to 960408 ltr,expressing concern re lack of safety sys in nuclear plant in Connecticut & about "whistle blowers" being fired,while people who fired still run plants.
VARGA,S.A. . 96/04/23. NEWTON,C.A. Affiliation Not Assigned. 4pp. 88036:265-88036:268.

J. Insurance & Indemnity Information

9604090057 Notifies NRC of amount of property insurance coverage currently in force for Haddam Neck & Millstone Plants.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87825:357-87825:358.

P. Operating license stage documents & correspondence

9604220059 Responds to memo of 750306 re valve thin wall verification program.Informs that w/possible exception of one valve located outside dry well,program complete.Requests apprisal of insp plans for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/02. SANDER,W.F. Atomic Energy Commission (Pre 750119). 1p.

-9604220168 Discusses facility partial 8 x 8 fuel loading - 1975 outage.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/17. Atomic Energy Commission (Pre 750119). 2pp.

-9604220328 Informs that special rept on operation of facilities prepared by OIE-I in 1974 no longer current.Requests input w/respect to R & EP & pertinent Table III data for repts by 750615 for reassembly of ref repts.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/16. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

9604250198 Discusses concerns re recent safety violations at plant & how violations reflect systematic disregard by licensee of NRC regulations.Questions why NRC cannot force licensee to "fix" problems.
SILVESTRI,S. Affiliation Not Assigned. 96/02/27. NRC - No Detailed Affiliation Given. 2pp. 88002:341-88002:342.

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9604020361 Requests approval to use Code Case N-546,as alternative to ASME Code Section XI for plants & that NRC revise SER of 951207,in support of Millstone Unit 1 request to use Code Case N-547.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/03/20. Document Control Branch (Document Control Desk). 4pp. 87712:346-87712:349.

9604010329 Responds to 960215 ltr requesting to withhold Encl 2 of ltr in entirety under 10CFR2.79(a)(6).Informs encl may be withheld due to contents of personnel info.
LANNING,W.D. Region 1 (Post 820201). 96/03/21. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87687:106-87687:108.

9604030223 Discusses concern expressed at 960307 meeting of Oregon Energy Facilities Siting Council re Time magazine article & NRC oversight of Millstone nuclear stations.Informs of commitment to provide oversight to decommisioning at Trojan.
MASNIK,M.T. . 96/03/29. STEWART-SMITH Oregon, State of. 3pp. 87736:350-87736:352.

9604090059 Articulates intentions re schedule for ITS conversion project & to provide current status of project.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/03/29. Document Control Branch (Document Control Desk). 3pp. 87825:354-87825:356.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120262 Forwards SE authorizing request to implement alternative contained in Code Case N-535,per 10CFR50.55a(a)(3)(i).
MCKEE,P.F. . 96/04/05. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 87862:349-87862:359.

–9604120270 SER accepting proposed alternative to implement Code Case N-535 for scheduling of intervals & exam of Code Class 1,2 & 3 piping & components.
* . 96/04/05. 7pp. 87862:353-87862:359.

9604100027 Responds to NRC 951213 request for info per 10CFR50.54(f), including independent analysis of Adverse Condition Rept (ACR) 7007,comparison of Haddam Neck & Millstone Unit 1 & summary of actions to address ACR 7007 rept conclusions.
FEIGENBAUM,T.C. Connecticut Yankee Atomic Power Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/04/08. Document Control Branch (Document Control Desk). 8pp. 87831:335-87831:342.

9604160265 Forwards Millstone Nuclear Power Station,Units 1,2 & 3 Millstone Employee Concerns Assessment Team Rept addressing recommendations & revising programs to improve performance in this area.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87891:153-87891:237.

–9604160314 "Millstone Employee Concerns Assessment Team Rept."
BURNS,T.F. Northeast Utilities Service Co. 96/01/29. 84pp. 87891:154-87891:237.

9604180270 Forwards amend 93 to license DPR-21 & SE.Amend changes TS re average power range monitor setpoints.
ANDERSEN,J.W. . 96/04/15. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 87913:318-87913:340.

–9604180273 Amend 93 to license DPR-21,changing TS re average power range monitor setpoints.
MCKEE,P.F. Division of Reactor Projects I/II (DRPE) Post 941001). 96/04/15. 16pp. 87913:322-87913:337.

–9604180275 Safety evaluation supporting amend 93 to license DPR-21.
* Office of Nuclear Reactor Regulation (Post 941001). 96/04/15. 3pp. 87913:338-87913:340.

9604220218 Provides suppl to response to request for info re documents from REF files.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/15. Document Control Branch (Document Control Desk). 78pp. 87985:210-87985:287.

9604180451 Provides update on petitions submitted,per 10CFR2.206.
ANDERSEN,J.W. . 96/04/16. ROSS,A.J. Affiliation Not Assigned. 2pp. 87912:350-87912:351.

9604220185 Responds to GL 96-01, "Testing of SR Logic Circuits."
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87962:356-87962:360.

9604240246 Forwards revised Tech Specs Page 5.3,correcting typographical error for refueling,spent fuel handling & addition of shutdown cooling sys cross-tie line.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 88008:339-88008:342.

–9604240252 Proposed Tech Specs Page 5.3 re correction of typographical error.
* Northeast Nuclear Energy Co. 96/04/16. 2pp. 88008:341-88008:342.

9604250002 Second & partial response to FOIA request for records.App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/17. ROSS,A. Affiliation Not Assigned. 2pp. 88030:267-88030:292.

–9409200057 Responds to request for info re potential chilling effects.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. 94/09/02. GRAY,J.R. Ofc of Enforcement (Post 870413). 19pp. 88030:274-88030:292.

9604290010 Notification of significant licensee meeting 96-37 w/util on 960510 to discuss recent intergranular stress corrosion cracking discovered at plant,unit 1.
DURR,J. Region 1 (Post 820201). 96/04/17. Region 1 (Post 820201). 1p. 88027:245-88027:246.

–9604290013 Revised notification of significant licensee meeting 96-37 on 960510 to discuss recent intergranular stress corrosion cracking discovered at plant,unit 1.
* Region 1 (Post 820201). 96/04/18. Region 1 (Post 820201). 1p. 88027:246-88027:246.

9604240249 Advises that S Dembek to be assigned as Project Manager for Haddam Neck Plant & that DG McDonald to be assigned as Project Manager for Millstone Nuclear Power Station,Unit 2, effective 960428.
MCKEE,P.F. . 96/04/18. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 5pp. 87994:282-87994:286.

9604290151 Notice of 960430 meeting w/util in Waterford,CT to discuss progress of util Improving Station Performance program,procedure adequacy,compliance & implementation.
DURR,J. Region 1 (Post 820201). 96/04/18. . 1p. 88033:001-88033:002.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604290004 Ack receipt of 960306 ltr providing opinion on revoking Northeast Utilities operating license for Millstone Nuclear Power Station.
DEMBEK,S. . 96/04/24. LEE,M. Affiliation Not Assigned. 3pp. 88036:206-88036:208.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

–9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

–9604300285 Safety evaluation supporting amends 189,94,196 & 128 to licenses DPR-61,DPR-21,DPR-65 & NPF-49,respectively.
* . 96/04/24. 3pp. 88053:159-88053:161.

Q. Inspection reports, IE Bulletins & correspondence

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080316 Discisses 960215 ltr responding to 951218 ltr.Informs corrective & preventive actions documented will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:016-87792:027.

9604090476 Discusses 960301 ltr in response to 951020 ltr.Informs corrective & preventive actions will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:243-87792:269.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090410 Forwards preliminary insp findings re programmatic issues & design deficiencies at plant,Unit 3.
RUSSELL,W.T. . 96/04/04. BUSCH,R.E. Northeast Utilities Service Co. 5pp. 87809:352-87809:356.

9604090436 Press release 96-55,forwarding 960404 ltr to Northeast Utils requiring info before restart of Millstone Units 1,2 & 3.
* Office of Public Affairs (Post 911117). 96/04/04. 1p. 87824:143-87824:147.

9604150386 Notifies of scheduled insp of requalification program for week of 960610.Requests that operating tests & other matls be furnished to NRC by 960510,in preparation for insp. Informs that estimated average burden is 4.0 h per response.
MEYER,G.W. Region 1 (Post 820201). 96/04/09. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87885:087-87885:089.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170209 Forwards response to violations noted in Insp Repts 50-245/95-44,50-336/95-44 & 50-423/95-44.C/A:SGTS requirements reviewed w/personnel,erroneously determined sys operability.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 8pp. 87933:271-87933:278.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

-9604250056 Notice of violation from insp on 960208-0318.Violation noted:equipment returned to operable status w/o verifying that breaker would trip electrically.
* Region 1 (Post 820201). 96/04/12. 2pp. 87995:244-87995:245.

-9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604300214 Forwards response to RAI re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
DACIMO,F.R. Northeast Utilities Service Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88064:310-88064:316.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290394 "Millstone Nuclear Power Station Radiological Environ Monitoring Program Jan-Dec 1995." W/960423 ltr.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 95/12/31. 100pp. 88039:251-88039:350.

9604170271 Forwards monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3,including correction to Millstone Unit 1 monthly operating rept for Feb 1996.W/o corrections to Feb rept.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87928:139-87928:154.

-9604170275 Monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/03/31. 15pp. 87928:140-87928:154.

S. Reportable occurrences, LERs & related correspondence

9604020095 LER 96-017-00:on 960216,inadequate fuse control caused GTG & EDG to be simultaneously inoperable.Caused by inadequate procedural guidance & replacement of fuses.Fuses to GTG sys replaced.W/960320 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/20. 6pp. 87733:181-87733:186.

9604020076 LER 96-013-00:on 960220,unanalyzed condition discovered due to indeterminate boraflex degradation.Caused by erosion of matl.Reactor engineering procedure created.W/960321 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/21. 7pp. 87733:171-87733:177.

9604020029 LER 96-015-00:on 960227,recirculation pump flow mismatch surveillance not performed.Caused by failure to literally comply w/TSs as written.C/A:TS 3.6.H & 4.6.H modified.W/ 960322 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/22. 4pp. 87733:147-87733:150.

9604010411 LER 96-010-00:on 960226,emergency GTG & EDG inoperable simultaneously due to lack of available on-site fuel oil. Caused by incomplete design calculations.C/A:design calculation revised.W/960326 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/26. 5pp. 87708:310-87708:314.

9604010421 LER 96-021-00:on 960227,ATWS sys inoperable due to failure to test voltage limiting circuit relays.Caused by improper implementation of plant design mod.C/A:relay replaced & ATWS section added to TRM.W/960326 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/26. 6pp. 87708:315-87708:321.

9604020136 LER 96-016-00:on 960226,heavy loads suspended over irradiated fuel in spent fuel pool.Caused by inadequate implementation of design mod.Engineering analysis performed. Reviewed heavy load procedure MP 790.4.W/960326 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/03/26. 6pp. 87733:201-87733:206.

9604080131 LER 96-022-00:on 960228,startup/shutdown cycle limits for RPV exceeded.Caused by personnel error.C/A:applicable documentation updated.W/960329 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. 96/03/29. 6pp. 87823:336-87823:341.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604160080 LER 96-019-00:on 960305,sensor calibr of SRM & IRM nuclear instrumentation not performed.Caused by personnel error. TS amend requested prior to startup from cycle 16.W/960404 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/04/04. 4pp. 87897:250-87897:253.

9604160112 LER 96-018-00:on 960305,inadequate scheduling of reactor anomaly surveillance.Caused by personnel error.Corrective action:reactivity anomaly surveillances revised.W/960404 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. 96/04/04. 5pp. 87897:265-87897:269.

9604300345 LER 95-024-01:on 951106,failed LLRT.Caused by poor disc to seat contact & crack in seating surface of disc.C/A:MSIVs repaired.W/960405 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/04/05. 5pp. 88066:167-88066:171.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W., HOLAHAN,G.M., CRUTCHFIELD,D. . 2pp. 87912:334-87912:342.

-9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604290045 LER 96-023-00:on 960306,movement of new assemblies over spent fuel pool resulted in condition outside of design basis of plant.Caused by personnel error.Procedural restrictions placed.W/960419 ltr.
WALPOLE,R.W., RIFFER,W.J. Northeast Nuclear Energy Co. RIFFER,W.J. Northeast Utilities Service Co. 96/04/19. 6pp. 88045:276-88045:281.

9604300339 LER 96-026-00:on 960321,feedwater sys configuration did not allow complete draining for an acceptable LLRT.Caused by personnel error.C/A:mod to configuration & LLRT will be performed.W/960422 ltr.
WALPOLE,R.W., RIFFER,W.J., NOLL,W.G. Northeast Nuclear Energy Co. 96/04/22. 5pp. 88066:162-88066:166.

9604300364 LER 96-020-00:on 960322,CST unusable volume not accounted for in plant procedures.Caused by personnel error.C/A:design calculations revised.W/960422 ltr.
WALPOLE,R.W., RIFFER,W.J., NOLL,W.G. Northeast Nuclear Energy Co. 96/04/22. 6pp. 88066:172-88066:177.

9604300331 LER 96-024-00:on 960325,temporary mod for scram air header pressure switch installation not removed.Caused by personnel error.C/A:revised procedures.W/960424 ltr.
WALPOLE,R.W., RIFFER,W.J., ROSS,M.J. Northeast Nuclear Energy Co. 96/04/24. 5pp. 88066:150-88066:154.

T. Hearing transcripts on non-antitrust matters

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

-9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

V. Operator Examinations

9604150386 Notifies of scheduled insp of requalification program for week of 960610.Requests that operating tests & other matls be furnished to NRC by 960510,in preparation for insp. Informs that estimated average burden is 4.0 h per response.
MEYER,G.W. Region 1 (Post 820201). 96/04/09. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87885:087-87885:089.

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020422 Forwards public version of Rev 12 to IP-1035, "Technical Support Ctr (TSC)." W/960402 release memo.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/02/26. Document Control Branch (Document Control Desk). 4pp. 87719:300-87719:344.

-9604020426 Public version of Rev 12 to IP-1035, "Technical Support Ctr (TSC)."
* Consolidated Edison Co. of New York, Inc. 96/02/12. 41pp. 87719:304-87719:344.

9604030106 Forwards amend 186 to license DPR-26 & safety evaluation. Amend revises license condition 2.K & relocates IP2 fire protection requirements from IP2 TS to IP2 fire protection program.
HAROLD,J.F. . 96/03/26. QUINN,S.E. Commonwealth Edison Co. 4pp. 87722:052-87722:075.

-9604030112 Amend 186 to license DPR-26,revising license condition 2.K & relocates IP2 fire protection requirements from IP2 TS to IP2 fire protection program plan in accordance w/guidance provided in GL 86-10 & 86-12.
SHANKMAN,S.F. . 96/03/26. 14pp. 87722:056-87722:069.

–9604030116 Safety evaluation supporting amend 186 to license DPR-26.
* . 96/03/26. 6pp. 87722:070-87722:075.

9604010309 Responds to 960216 memo for FRPCC re review of NY state & local radiological emergency response plans & preparedness site-specific to Indian Point Nuclear Power Generating Station.Informs of one mod to consider evaluation accepted.
CRUTCHFIELD,D. . 96/03/27. HEPLER,O.M. Federal Emergency Management Agency. 3pp. 87697:353-87697:355.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604300305 Revised EPIPs,including Rev 5 to IP-1010, "Search & Rescue Teams," Rev 5 to IP-1011, "Repair & Corrective Action" & Rev 6 to IP-1048, "Closeout/De-Escalation of Emergency & Initiation of Recovery." W/960423 ltr.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/23. 21pp. 88067:109-88067:129.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604030106 Forwards amend 186 to license DPR-26 & safety evaluation. Amend revises license condition 2.K & relocates IP2 fire protection requirements from IP2 TS to IP2 fire protection program.
HAROLD,J.F. . 96/03/26. QUINN,S.E. Commonwealth Edison Co. 4pp. 87722:052-87722:075.

–9604030112 Amend 186 to license DPR-26,revising license condition 2.K & relocates IP2 fire protection requirements from IP2 TS to IP2 fire protection program plan in accordance w/guidance provided in GL 86-10 & 86-12.
SHANKMAN,S.F. . 96/03/26. 14pp. 87722:056-87722:069.

–9604030116 Safety evaluation supporting amend 186 to license DPR-26.
* . 96/03/26. 6pp. 87722:070-87722:075.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604190223 Forwards SE accepting relief requests for pumps & valves for plant re IST Program third 10-yr interval Rev 1.
FRANT SHANKMAN . 96/04/15. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 87923:291-87923:303.

–9604190227 Safety evaluation accepting relief requests for pumps & valves for plant re IST Program third 10-yr interval Rev 1.
* . 96/04/15. 9pp. 87923:295-87923:303.

9604300108 Responds to GL 96-01, "Testing of SR Logic Circuits."
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88066:355-88066:356.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020108 Forwards insp rept 50-247/96-01 on 951231-960302 & NOV.
GALLO,R.M. Region 1 (Post 820201). 96/03/27. QUINN,S.E. Commonwealth Edison Co. 5pp. 87703:070-87703:105.

–9604020129 Notice of violation from insp on 951231-960302.Violation noted:at unit 1,licensee failed to properly control activities associated w/Class A sys in that incorrectly sized lifting equipment used w/o procedures for operation.
* Region 1 (Post 820201). 96/03/27. 3pp. 87703:075-87703:077.

–9604020142 Insp repts 50-003/96-01 & 50-247/96-01 on 961231-030296. Violations noted.Major areas inspected:
COWGILL,C.J. Region 1 (Post 820201). 96/03/27. 28pp. 87703:078-87703:105.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110170 Notification of significant licensee meeting 96-31 w/util on 960424 to discuss Con Edison repair activities on Unit 2 control room roof that potentially placed control room ventilation sys in unanalyzed condition.
COWGILL,C.J. Region 1 (Post 820201). 96/04/04. Region 1 (Post 820201). 2pp. 87832:352-87832:354.

9604160002 Forwards response to NRC Bulletin 96-001.
QUINN,S. Consolidated Edison Co. of New York, Inc. 96/04/08. Document Control Branch (Document Control Desk). 7pp. 87914:245-87914:251.

9604150366 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp rept 50-247/95-22.
COWGILL,C.J. Region 1 (Post 820201). 96/04/09. QUINN,S.E. Consolidated Edison Co. of New York, Inc. 4pp. 87885:058-87885:066.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604230110 Monthly operating rept for Mar 1996 for Indian Point Station Unit 2.W/ 960415 ltr.
REED,A., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/03/31. 6pp. 87976:339-87976:344.

S. Reportable occurrences, LERs & related correspondence

9604010303 LER 95-021-01:on 951009,23EDG was declared inoperable due to lubrication oil was discolored which resulted in plant shutdown.Caused by entry into TS 3.0.1.Plugged degraded tubes.W/960318 ltr.
LOUIE,R., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/03/18. 5pp. 87708:275-87708:279.

9604080202 Submits rept per plant TS Section 5.4.2 nonroutine repts re bypass & upset.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87817:229-87817:231.

9604090054 Special rept:on 960327,portion of HP water fire protection sys inoperable due to maint activities.Temporarily isolated that portion of header from motor-driven fire pumps & diesel-driven pump.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87825:359-87825:360.

9604160063 LER 96-003-00:on 960305,direct generator trip occurred. Caused by defective pilot wire feeder protection.Switch component inspected & replaced as necessary.W/960404 ltr.
MAYLATH,J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/04. 5pp. 87897:245-87897:249.

9604220052 LER 96-004-00:on 960312,potential path for unfiltered air inleakage to central control room identified.Caused by incomplete scope of work.C/A:joint/membrane installed.W/ 960411 ltr.
SPRING,R.L., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/11. 4pp. 87960:324-87960:327.

9604290235 LER 96-005-00:on 960313,procedure inadequacy lead to potential violation of SA assumtions.Caused by analyses not being performed assuming cross-connection of accumulators. Revised SOP 10.1.1.W/960412 ltr.
GINSBERG,A.P., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/12. 6pp. 88045:334-88045:339.

9604300149 LER 96-006-00:on 940525,both electric tunnel exhaust fans inoperable during surveillance test.Caused by errors in 1993 rev of Test Procedure PT-EM19.Temporary Procedure Change was issued for Test Procedure PT-EM19.W/ 960422 ltr.
MAYLATH,J., QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/22. 5pp. 88066:034-88066:038.

V. Operator Examinations

9604290264 Informs that facility scheduled to administer NRC Generic Fundamentals Exam on 960410.
RICHARDS,S.A. . 96/04/01. FERRICH,J. Consolidated Edison Co. of New York, Inc. 7pp. 88052:289-88052:295.

9604150400 Advises that RH Stonum license SOP-10855-1 should be deemed expired.
QUINN,S.E. Consolidated Edison Co. of New York, Inc. 96/04/05. MARTIN,T.T. Region 1 (Post 820201). 2pp. 87896:288-87896:289.

DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604080052 Informs that rev 61 of plant annex to generation stations emergency plan,acceptable & does not decrease effectiveness of emergency plan.
CREED,J.R. Region 3 (Post 820201). 96/04/02. PERRY,J.S. Commonwealth Edison Co. 2pp. 87752:084-87752:085.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604030099 Forwards corrected biennial update (Rev 01A,Dec 1995) of Dresden UFSAR,in accordance w/10CFR50.71(e).Changes included in Rev 01A,changes to facilities & procedures through 950630.
PERRY,J.S. Commonwealth Edison Co. 96/03/14. Document Control Branch (Document Control Desk). 14pp. 87754:001-87755:118.

--9604030103 Rev 01A to updated FSAR for Dresden Nuclear Power Station Units 2 & 3.
* Commonwealth Edison Co. 95/12/31. 355pp. 87754:028-87755:118.

P. Operating license stage documents & correspondence

9604050100 Requests that licensee brief Commission on status of efforts to improve performance at plant,including steps taken to ensure that important equipment deficiencies have been fully identified.
THE CHAIRMAN Commissioners (Post 750119). 96/03/22. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 87771:006-87771:008.

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604010283 Forwards page changes for licenses DPR-19,DPR-25,DPR-29 & DPR-30,ensuring continuity & to simplify review per TS Upgrade Program.
HEFFLEY,J.M. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 12pp. 87706:083-87706:300.

--9604010286 Proposed tech specs,ensuring continuity & simplifying review of App A,TS for TS Upgrade Program.
* Commonwealth Edison Co. 96/03/26. 206pp. 87706:095-87706:300.

9604020178 Provides update of actions taken re RMS-9 Upgrade.
PERRY,J.S. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 5pp. 87725:243-87725:247.

9604020299 Provides updated status & change in plans associated w/ shipping waste matl from Unit 1 fuel/transfer pool vacuuming activities for offsite burial.
PERRY,J.S. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87712:357-87712:358.

9604040181 Forwards amends 149,143,170 & 166 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & safety evaluation.Amends will upgrade custom TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87737:172-87737:253.

--9604040185 Amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,upgrading TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. 58pp. 87737:175-87737:232.

--9604040187 Safety evaluation supporting amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 96/04/02. 21pp. 87737:233-87737:253.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080322 Forwards request for addl info re licensee 950626 submittal of Topical Rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9604110088 Updates status of Unit 2 & 3 LPCI corner room structural steel,provides addl detail & clarification of units corner room steel comparisons & updates interaction coefficients.
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87847:222-87847:230.

9604110132 Clarifies info provided in 880509 RAI response re operation of ARI valves installed to comply w/10CFR50.62, "ATWS Rule."
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87856:166-87856:167.

9604120020 Updates isolation condenser TS bases to remove ref to fixed vol of water since other variable parameters affect operability.Marked up TS bases encl.
PERRY,J.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87863:155-87863:162.

--9604120048 Proposed tech specs,updating isolation condenser TS Bases to remove ref to fixed vol of water since other variable parameters also affect operability.
* Commonwealth Edison Co. 96/04/04. 6pp. 87863:157-87863:162.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170506 Forward SE accepting rev 3 to third 10-yr IST program for pumps & valves for plant,Units 1 & 2.
CAPRA,R.A. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87918:288-87918:311.

--9604170516 Safety evaluation accepting rev 3 to third 10-yr IST program for pumps & valves for plant,Units 1 & 2.
* . 96/04/16. 21pp. 87918:291-87918:311.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604180355 Forwards integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960213 & NOV.
AXELSON,W.L. Region 3 (Post 820201). 96/03/26. PERRY,J.S. Commonwealth Edison Co. 4pp. 87905:114-87905:144.

--9604180370 Notice of violation from insp on 951219-960213.Violation noted:on 960113,licensee determined that OOS boundary for work being performed on instrument air sys was inadequate.
* Region 3 (Post 820201). 96/03/26. 3pp. 87905:118-87905:120.

--9604180382 Integrated insp repts 50-010/95-15,50-237/95-15 & 50-249/95-15 on 951219-960113.Violations noted.Major areas insp:operations,engineering,maint & plant support.
HILAND,P. Region 3 (Post 820201). 96/03/22. 24pp. 87905:121-87905:144.

9604240076 Informs of completion of semiannual Plant Performance Review on 960306.
HILAND,P. Region 3 (Post 820201). 96/03/29. PERRY,J.S. Commonwealth Edison Co. 5pp. 87970:208-87970:212.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160325 Forwards insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Three apparent violations being considered for escalated enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/04/11. WALLACE,M.J. Commonwealth Edison Co. 4pp. 87887:159-87887:170.

--9604160329 Insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Violations noted.Major areas inspected:engineering.
RING,M.A. Region 3 (Post 820201). 96/04/04. 8pp. 87887:163-87887:170.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300065 Provides response to violations noted in Insp Repts 50-010/95-15,50-237/95-15 & 50-249/95-15.Corrective actions: operations senior mgt reinstated formal review boards for errors within electronics out-of-svc process.
PERRY,J.S. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88062:352-88062:358.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604030367 "Dresden Station Annual Radiological Environ Operating Rept for 1995." W/960325 ltr.
PERRY,J.S. Commonwealth Edison Co. 95/12/31. MILLER,H. Region 3 (Post 820201). 132pp. 87757:186-87757:317.

9604190084 Monthly operating rept for March 1995 for DNPS.W/960409 ltr.
ABRELL,G.A., PERRY,J.S. Commonwealth Edison Co. 96/03/31. 13pp. 87952:324-87952:336.

9604250267 Forwards first quarter 1996 10CFR50.59 rept of changes,tests and experiments for DNPS.
PERRY,J.S. Commonwealth Edison Co. 96/04/11. . 30pp. 88022:326-88022:355.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604020045 LER 95-007-02:on 950630,leakage limit was exceeded due to valve internal damage caused by manual operation of MOV. Replaced valves & revised procedure to improve MOV OOS controls.W/960326 ltr.
MCGIVERN,M., PERRY,J.S. Commonwealth Edison Co. 96/03/26. 8pp. 87733:151-87733:158.

9604020052 LER 95-011-02:on 950529,Type B & C leakage limit exceeded due to ineffective corrective actions for past valve failures.Removed,inspected,replaced & local LRT check valve prior to unit start-up.W/960326 ltr.
MCGIVERN,M., PERRY,J.S. Commonwealth Edison Co. 96/03/26. 8pp. 87733:159-87733:166.

9604020109 Provides Rev 1 to special rept re both off gas recombiners inoperable during off gas fire.
PERRY,J.S. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87725:229-87725:236.

--9604020113 Special rept:on 951112,both 3A & 3B Off Gas Recombiners inoperable for 5 h & 32 min.
GARRETT,P., SHAFFER,H. Commonwealth Edison Co. 96/03/28. 6pp. 87725:231-87725:236.

9604020216 LER 95-014-02:on 950907,unexpected operation of pressure suppression chamber to drywall vacuum breakers occurred due to inadequate training & procedure deficiency.Listed station procedures revised.W/960328 ltr.
WILLIAMS,J., PERRY,J.S. Commonwealth Edison Co. 96/03/28. 5pp. 87733:220-87733:224.

9604050225 Forwards LER 96-002 committing to develop insp plan to evaluate matl condition of drain line downstream from valve 2-2301-54 to valve AOV 2-2301-29 & -28 to determine addl instances of pipe wall thinning.
PERRY,J.S. Commonwealth Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87823:307-87823:311.

--9604050252 LER 96-002-00:on 960305,HPCI Sys declared inoperable.Caused by through-wall hole in HPCI inlet drain pot line 3-2323-1"-LX.Line repaired by station work request 960018945 by cutting out elbow & replacing it.
KISH,J. Commonwealth Edison Co. 96/03/29. 4pp. 87823:308-87823:311.

V. Operator Examinations

9604050454 Provides completed NRC Form 536,documenting estimates for license operator testing for FYs96-99,per NRC Administrative Ltr 96-01.
PERRY,J.S. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87800:307-87800:308.

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604100020 Discusses DOL 960119 issuance of Decision & Remand Order (92-ERA-10) finding that FPL discriminated against RR Diaz-Robainas.Concurs w/decision & advises that violation being considered for escalated enforcement action.
EBNETER,S.D. Region 2 (Post 820201). 96/03/25. PLUNKETT,T. Florida Power & Light Co. 5pp. 87812:221-87812:251.

--9604100039 Decision & Remand Order re FPL discrimination against .RR Diaz-Robainas.FPL ordered to offer reinstatement to RR Diaz-Robainas w/comparable pay & benefits,to pay him back pay w/interest & to pay his costs & expenses re complaint.
REICH,R.B. Labor, Dept. of. 96/01/19. Florida Power & Light Co. 26pp. 87812:226-87812:251.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604190040 Responds to GL 96-01, "Testing of SR Logic Circuits," requesting licensees to perform detailed review of design of logic circuits against TS required test procedures to verify adequacy of test procedures.
HOVEY,R.J. Florida Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87951:307-87951:308.

9604230371 Summary of 960404 meeting w/util in Rockville,MD to discuss thermal update submittal dtd 951218.
DUNNINGTON,E. . 96/04/17. . 53pp. 87971:169-87971:221.

9604230375 Forwards request for addl info re relocation of effluent Tech Specs,per GL 89-01.
CROTEAU,R.P. . 96/04/18. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 87971:305-87971:309.

9604290197 Application for amends to licenses DPR-31 & DPR-41,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
HOVEY,R.J. Florida Power & Light Co. 96/04/19. Document Control Branch (Document Control Desk). 7pp. 88057:225-88057:236.

--9604290199 Proposed tech specs,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
* Florida Power & Light Co. 96/04/19. 5pp. 88057:232-88057:236.

9604290087 Application for amends to Licenses DPR-31 & DPR-41,modifying TS in accordance w/Line-Item 7.4 from NRC GL 93-05, "Line-Item Tech Specs Improvements to Reduce Surveillance Requirements for Testing During Power Operation."
HOVEY,R.J. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88034:350-88034:357.

--9604290093 Proposed tech specs re accumulator water level & pressure channnel,per NRC GL 93-05.
* Florida Power & Light Co. 96/04/23. 5pp. 88034:353-88034:357.

9604290114 Forwards request for addl info re proposed license amends for thermal power uprate for plant Units 3 & 4.
CROTEAU,R.P. . 96/04/24. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 88036:357-88036:362.

9604300182 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP program analyses of operational events which occurred during period 1982 - 1983.
CROTEAU,R.P. . 96/04/24. PLUNKETT,T.F. Florida Power & Light Co. 27pp. 88053:193-88053:219.

9604300225 Informs effective 960428 both St Lucie Plant,Units 1 & 2 & Turkey Point,Units 3 & 4 have been reassigned to FJ Hebdon. LA Wiens will become Project Manager for St Lucie Plant effective 960428.
VARGA,S.A. . 96/04/25. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88053:258-88053:260.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090164 Advises of planned insp effort resulting from 960228 semiannual plant performance review of plant.
LANDIS,K.D. Region 2 (Post 820201). 96/03/27. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 87806:115-87806:120.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110098 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems" & Rev 0 to JPN-PTN-SEFJ-96-015, "Control Rod Operability Evaluation as Result of Incomplete Rod Insertion at Other Westinghouse Plants."
HOVEY,R.J. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 7pp. 87855:337-87855:361.

-9604110102 Rev 0 to JPN-PTN-SEFJ-96-015, "Control Rod Operability Evaluation as Result of Incomplete Rod Insertion at Other Westinghouse Plants."
* Nuclear Fuel Services, Inc. JPN-PTN-SEFJ-96-015. 96/03/31. 18pp. 87855:344-87855:361.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260191 "1995 Annual Radiological Environ Operating Rept for Turkey Point Plant Units 3 & 4." W/960423 ltr.
HOVEY,R.J. Florida Power & Light Co. 95/12/31. 66pp. 88031:159-88031:224.

9604030077 Forwards "Turkey Point Plant Units 3 & 4 Annual Radioactive Effluent Release Rept,Jan-Dec 1995." No liquid or gaseous effluent monitoring instrumentation inoperable for time greater than that allowed by TS 3.3.3.5 or 3.3.3.6.
HOVEY,R.J. Florida Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87734:337-87734:362.

-9604030081 "Turkey Point Plant Units 3 & 4 Annual Radioactive Effluent Release Rept,Jan-Dec 1995."
MURRAY,C.M., STEINKE,R.N., JOHNSON,H.H. Florida Power & Light Co. 95/12/31. 24pp. 87734:339-87734:362.

9604220169 Monthly operating repts for Mar 1996 for Turkey Point Units 1 & 2.W/ 960415 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/03/31. 9pp. 87965:162-87965:170.

S. Reportable occurrences, LERs & related correspondence

9604180011 PNO-II-96-028:on 960415,former security officer was involved in accident on US 1.FL Highway Patrol discovered device containing aerosol can,wires & timing device.Device determined to be nonexplosive training aid.
STRATTON,L. Region 2 (Post 820201). 96/04/17. 1p. 87960:246-87960:246.

9604290067 LER 96-005-00:on 960326,certain safety injection accumulator filled evolutions resulted in cross-tied configuration.C/A: night order written & operations procedure 3/4-OP-064 revised.W/960423 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/04/23. 7pp. 88045:291-88045:297.

9604300164 LER 96-006-00:on 960327,manual RT occurred due to 3C transformer lockout & loss of 3B SG MFP.Replaced SAM timer relay in 3AC16.W/960425 ltr.
HANEK,O.I., HOVEY,R.J. Florida Power & Light Co. 96/04/25. 7pp. 88066:045-88066:051.

V. Operator Examinations

9603050138 Confirms arrangements made in telcon on 960214 between W Lindsey & G Hopper for administration of licensing exams at plant.Exam preparation visit scheduled for 960603. Written exams scheduled for 960618-28.
PEEBLES,T.A. Region 2 (Post 820201). 96/02/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 87309:273-87309:278.

9604170112 Ltr contract:mod 1,task order 34 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Turkey Point NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/16. SANDERS,L. Sonalysts, Inc. 4pp. 87909:295-87909:298.

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604100020 Discusses DOL 960119 issuance of Decision & Remand Order (92-ERA-10) finding that FPL discriminated against RR Diaz-Robainas.Concurs w/decision & advises that violation being considered for escalated enforcement action.
EBNETER,S.D. Region 2 (Post 820201). 96/03/25. PLUNKETT,T. Florida Power & Light Co. 5pp. 87812:221-87812:251.

-9604100039 Decision & Remand Order re FPL discrimination against RR Diaz-Robainas.FPL ordered to offer reinstatement to RR Diaz-Robainas w/comparable pay & benefits,to pay him back pay w/interest & to pay his costs & expenses re complaint.
REICH,R.B. Labor, Dept. of. 96/01/19. Florida Power & Light Co. 26pp. 87812:226-87812:251.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604190040 Responds to GL 96-01, "Testing of SR Logic Circuits," requesting licensees to perform detailed review of design of logic circuits against TS required test procedures to verify adequacy of test procedures.
HOVEY,R.J. Florida Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87951:307-87951:308.

9604230371 Summary of 960404 meeting w/util in Rockville,MD to discuss thermal update submittal dtd 951218.
DUNNINGTON,E. . 96/04/17. . 53pp. 87971:169-87971:221.

9604230375 Forwards request for addl info re relocation of effluent Tech Specs,per GL 89-01.
CROTEAU,R.P. . 96/04/18. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 87971:305-87971:309.

9604290197 Application for amends to licenses DPR-31 & DPR-41,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
HOVEY,R.J. Florida Power & Light Co. 96/04/19. Document Control Branch (Document Control Desk). 7pp. 88057:225-88057:236.

--9604290199 Proposed tech specs,revising TS to achieve consistency throughout document by removing outdated matl & incorporating administrative clarifications & corrections.
* Florida Power & Light Co. 96/04/19. 5pp. 88057:232-88057:236.

9604290087 Application for amends to Licenses DPR-31 & DPR-41,modifying TS in accordance w/Line-Item 7.4 from NRC GL 93-05, "Line-Item Tech Specs Improvements to Reduce Surveillance Requirements for Testing During Power Operation."
HOVEY,R.J. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88034:350-88034:357.

--9604290093 Proposed tech specs re accumulator water level & pressure channnel,per NRC GL 93-05.
* Florida Power & Light Co. 96/04/23. 5pp. 88034:353-88034:357.

9604290114 Forwards request for addl info re proposed license amends for thermal power uprate for plant Units 3 & 4.
CROTEAU,R.P. . 96/04/24. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 88036:357-88036:362.

9604300182 Forwards excerpts from draft ASP Rept for 1982-83.Rept documents ASP program analyses of operational events which occurred during period 1982 - 1983.
CROTEAU,R.P. . 96/04/24. PLUNKETT,T.F. Florida Power & Light Co. 27pp. 88053:193-88053:219.

9604300225 Informs effective 960428 both St Lucie Plant,Units 1 & 2 & Turkey Point,Units 3 & 4 have been reassigned to FJ Hebdon. LA Wiens will become Project Manager for St Lucie Plant effective 960428.
VARGA,S.A. . 96/04/25. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88053:258-88053:260.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090164 Advises of planned insp effort resulting from 960228 semiannual plant performance review of plant.
LANDIS,K.D. Region 2 (Post 820201). 96/03/27. PLUNKETT,T.F. Florida Power & Light Co. 6pp. 87806:115-87806:120.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110098 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems" & Rev 0 to JPN-PTN-SEFJ-96-015, "Control Rod Operability Evaluation as Result of Incomplete Rod Insertion at Other Westinghouse Plants."
HOVEY,R.J. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 7pp. 87855:337-87855:361.

--9604110102 Rev 0 to JPN-PTN-SEFJ-96-015, "Control Rod Operability Evaluation as Result of Incomplete Rod Insertion at Other Westinghouse Plants."
* Nuclear Fuel Services, Inc. JPN-PTN-SEFJ-96-015. 96/03/31. 18pp. 87855:344-87855:361.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260191 "1995 Annual Radiological Environ Operating Rept for Turkey Point Plant Units 3 & 4." W/960423 ltr.
HOVEY,R.J. Florida Power & Light Co. 95/12/31. 66pp. 88031:159-88031:224.

9604030077 Forwards "Turkey Point Plant Units 3 & 4 Annual Radioactive Effluent Release Rept,Jan-Dec 1995." No liquid or gaseous effluent monitoring instrumentation inoperable for time greater than that allowed by TS 3.3.3.5 or 3.3.3.6.
HOVEY,R.J. Florida Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87734:337-87734:362.

--9604030081 "Turkey Point Plant Units 3 & 4 Annual Radioactive Effluent Release Rept,Jan-Dec 1995."
MURRAY,C.M., STEINKE,R.N., JOHNSON,H.H. Florida Power & Light Co. 95/12/31. 24pp. 87734:339-87734:362.

9604220169 Monthly operating repts for Mar 1996 for Turkey Point Units 1 & 2.W/ 960415 ltr.
KNORR,J.E., HOVEY,R.J. Florida Power & Light Co. 96/03/31. 9pp. 87965:162-87965:170.

S. Reportable occurrences, LERs & related correspondence

9604180011 PNO-II-96-028:on 960415,former security officer was involved in accident on US 1.FL Highway Patrol discovered device containing aerosol can,wires & timing device.Device determined to be nonexplosive training aid.
STRATTON,L. Region 2 (Post 820201). 96/04/17. 1p. 87960:246-87960:246.

V. Operator Examinations

9603050138 Confirms arrangements made in telcon on 960214 between W Lindsey & G Hopper for administration of licensing exams at plant.Exam preparation visit scheduled for 960603. Written exams scheduled for 960618-28.
PEEBLES,T.A. Region 2 (Post 820201). 96/02/16. GOLDBERG,J.H. Florida Power & Light Co. 6pp. 87309:273-87309:278.

9604170112 Ltr contract:mod 1,task order 34 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Turkey Point NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/16. SANDERS,L. Sonalysts, Inc. 4pp. 87909:295-87909:298.

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090172 Rev 8k to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Quad Cities Nuclear Power Station," incorporating new Sections QCA 0-0 & QCA 5-0.
* Commonwealth Edison Co. 96/02/05. 97pp. 87819:258-87819:354.

9604180129 Rev 23 to EPIP QEP 0200-T01, "Classification of Emergencies."
* Commonwealth Edison Co. 96/04/12. 91pp. 87959:243-87959:333.

9604230107 Rev 11 to EPIP QEP 0160-S01, "OSC Director Alert Checklist."
* Commonwealth Edison Co. 96/04/16. 7pp. 87976:345-87976:351.

P. Operating license stage documents & correspondence

9604090300 "Safety Evaluation For Quad Cities Unit 1 Core Spray Line Repair."
DRENDEL,D.B., BOURBOUR,S., OESTREICH,C.A. General Electric Co. GE-NE-B1301725-01 R3. 96/01/31. 14pp. 87810:120-87810:133.

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604010283 Forwards page changes for licenses DPR-19,DPR-25,DPR-29 & DPR-30,ensuring continuity & to simplify review per TS Upgrade Program.
HEFFLEY,J.M. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 12pp. 87706:083-87706:300.

--9604010286 Proposed tech specs,ensuring continuity & simplifying review of App A,TS for TS Upgrade Program.
* Commonwealth Edison Co. 96/03/26. 206pp. 87706:095-87706:300.

9604090061 Responds to RAI re Unit 2 corner room steel operability evaluation.
KRAFT,E.S. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 24pp. 87830:190-87830:213.

9604040181 Forwards amends 149,143,170 & 166 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & safety evaluation.Amends will upgrade custom TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87737:172-87737:253.

-9604040185 Amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,upgrading TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. 58pp. 87737:175-87737:232.

-9604040187 Safety evaluation supporting amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 96/04/02. 21pp. 87737:233-87737:253.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604090266 Forwards Rev 0 to SL-5060, "Quad Cities Unit 1 Core Spray Flaw Evaluation Rept," for Mar 1996.
KRAFT,E.S. Commonwealth Edison Co. 96/04/02. Document Control Branch (Document Control Desk). 1p. 87829:256-87829:314.

-9604090272 "Quad Cities Unit 1 Core Spray Flaw Evaluation Rept."
HOANG,P., BEHRINGER,T.J., LAUNI,C.M. Commonwealth Edison Co. SL-5060 R00. 96/03/28. 58pp. 87829:257-87829:314.

9604080021 Requests consent of NRC for indirect transfer of control of licenses DPR-29 & DPR-30.
BULL,J.R. Affiliation Not Assigned. 96/04/04. RUSSELL,W.T. . 92pp. 87778:156-87778:247.

9604080322 Forwards request for addl info re licensee 950626 submittal of topical rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9604100137 Provides assessment of indications detected in IGSCC susceptible stainless steel weldments in reactor recirculation piping sys & transmits weld overlay repair designs & flawed pipe evaluations,per GL 88-01 & suppl 1.
KRAFT,E.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 94pp. 87833:001-87833:266.

-9604100145 "Flaw Evaluation for 02AS-F2 Weld in Quad Cities Unit 1 Loop A Recirulation Sys."
DEBOO,G.H. Commonwealth Edison Co. NED-P-MSD-089 R00. 96/03/18. 41pp. 87833:095-87833:135.

-9604100148 "Flaw Evaluation for 02AD-F12 Weld in Quad Cities Unit 1 Loop A Recirculation Sys."
DEBOO,G.H. Commonwealth Edison Co. NED-P-MSD-088 R00. 96/03/11. 47pp. 87833:136-87833:182.

-9604100154 "Flaw Evaluation for 02AS-S4 Weld in Quad Cities Unit 1 Loop A Recirculation Sys."
DEBOO,G.H. Commonwealth Edison Co. NED-P-MSD-090 R00. 96/03/19. 41pp. 87833:183-87833:223.

-9604100158 "Flaw Evaluation for 02BS-F14 Weld in Quad Cities Unit 1 Loop B Recirculation Sys."
DEBOO,G.H. Commonwealth Edison Co. NED-P-MSD-092 R00. 96/03/30. 43pp. 87833:224-87833:266.

9604120172 Documents util partial implementation of Amend 154 to License DPR-29,revising SR re standby liquid control sys.
KRAFT,E.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87875:336-87875:345.

-9604120177 Proposed Tech Specs 3.4/4.4 re standby liquid control sys.
* Commonwealth Edison Co. 96/04/04. 8pp. 87875:338-87875:345.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110282 Submits response to NRC request for addl info re operability evaluation of Quad Cities corner room structural steel. Calculation encl.
KRAFT,E.S. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 3pp. 87868:302-87868:323.

-9604110286 Calculation for checking functional status of Beam B4 & cheek plate connection at right end of Beam B10 in Quad Cities,Unit 1 Southeast,RHR corner room.
* Commonwealth Edison Co. 9200-E0-S R03. 96/04/04. 19pp. 87868:305-87868:323.

9604150178 Forwards response to NRC 960404 RAI re corner room steel operability evaluations.
KRAFT,E.S. Commonwealth Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 5pp. 87888:175-87888:226.

-9604150185 Rev 3 to Calculation 9200-E0-S,demonstrating that reduction of torsional loads from auxiliary steel will significantly reduce IC values for beam & connections.
* Commonwealth Edison Co. 9200-E0-S-01 R03. 96/04/08. 11pp. 87888:180-87888:190.

-9604150198 "RHR Pump 1C/1D Discharge Line 1-1008B-18"."
* Nutech, Inc. 28.0201.1111-31 R02. 92/06/16. 34pp. 87888:191-87888:226.

9604160363 Provides final results of facility core shroud exams.
KRAFT,E.S. Commonwealth Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 5pp. 87916:338-87916:342.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604290365 Discusses 960404 licensee ltr informing NRC of plans to immediately implement portion of Amend 154 re surveillance requirement for SBLC.Staff understands that no other portion of amend will be implemented until TS upgrade program.
PULSIFER,R.M. . 96/04/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88046:352-88046:354.

9604300354 Forwards plant specific ECCS evaluation changes per 10CFR50-46.
KRAFT,E.S. Commonwealth Edison Co. 96/04/24. . 8pp. 88064:351-88064:358.

9604300435 Forwards excerpts from draft ASP rept for FY82 - FY83.
PULSIFER,R.M. . 96/04/25. FARRAR,D.L. Commonwealth Edison Co. 38pp. 88052:308-88052:343.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604240072 Informs that Region III mgt & staff completed semiannual Plant Performance Review of Quad Cities Station on 960306.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/27. KRAFT,E. Commonwealth Edison Co. 4pp. 87970:204-87970:207.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090220 Forwards response to violations noted in Insp Repts 50-254/95-10 & 50-265/95-10.Corrective actions:solenoids for rest of HPCI sys air operated valves on both units walked down to verify proper orientation.
KRAFT,E.S. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 3pp. 87819:355-87819:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160325 Forwards insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Three apparent violations being considered for escalated enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/04/11. WALLACE,M.J. Commonwealth Edison Co. 4pp. 87887:159-87887:170.

-9604160329 Insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Violations noted.Major areas inspected:engineering.
RING,M.A. Region 3 (Post 820201). 96/04/04. 8pp. 87887:163-87887:170.

9604250143 Forwards insp repts 50-254/96-02 & 50-265/96-02 on 960119-0304 & NOV.
CLAYTON,H.B. Region 3 (Post 820201). 96/04/17. KRAFT,E. Commonwealth Edison Co. 3pp. 87995:305-87995:338.

-9604250146 Notice of violation from insp on 960119-0304.Violation noted:on 960210,licensee implemented procedure field change number QCTS 600-18-PFC-2024 temporary procedure change for Unit 1,w/o performing review required by TS 6.2.C.
* Region 3 (Post 820201). 96/04/17. 2pp. 87995:308-87995:309.

-9604250153 Insp repts 50-254/96-02 & 50-265/96-02 on 960119-0304. Violations noted.Major areas inspected:operations,maint, engineering & plant support while routinely evaluating safety assessment & quality verification activities.
CLAYTON,H.B. Region 3 (Post 820201). 96/04/17. 29pp. 87995:310-87995:338.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160028 Monthly operating repts for Mar 1996 for Quad Cities Units 1 & 2.W/ 960410 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 96/03/31. 20pp. 87898:261-87898:280.

9604090209 Forwards listing of facility & procedure changes,tests & experiments requiring safety evaluations completed during fourth quarter of 1995 for Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 14pp. 87830:293-87830:306.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

-9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604150127 PNO-III-94-071:on 940823,Unit 2 reactor tripped from full power due to MSIV closure.MSIV closed as result of spurious signal from main steam line high flow instrumentation.CA include installation of support padding & addl training.
HILAND,P., MARTIN,T. Region 3 (Post 820201). 94/08/26. 1p. 87869:114-87869:114.

9604090039 LER 96-001-00:on 960303,B CR HVAC sys inoperable due to malfunctioning relay which prevented isolation of air handling unit fan.EMs replaced relay & forwarded damaged relay to engineering for evaluation.W/960401 ltr.
CHRISSOTIMOS,N., PEARCE,L.W. Commonwealth Edison Co. 96/04/01. 5pp. 87824:068-87824:072.

V. Operator Examinations

9604120146 Advises that license SOP30352-3 docket 55-30604 will not be maintained & MA Warren removed from license duty 960327. Requests that license be terminated.
KRAFT,E.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 1p. 87868:280-87868:280.

DOCKET 50-255 PALISADES NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9604010418 Rev 4 to Procedure EI-15.2, "Communications Tests."
BRUNET,J.R. Consumers Power Co. 96/03/25. 12pp. 87704:307-87704:319.

9604050044 Rev 10 to EOF Procedure GEN-3, "On-Shift Sys Power Controller."
* Consumers Power Co. 96/03/28. 2pp. 87775:314-87775:315.

9604050052 Rev 14 to EOF Procedure GEN-1, "Overview."
* Consumers Power Co. 96/03/28. 2pp. 87775:316-87775:317.

9604050058 Rev 7 to Procedure EOF-7, "Health Physics Support Team."
* Consumers Power Co. 96/03/28. 2pp. 87775:322-87775:323.

9604080114 Advises that review of rev 17 to section 4 & rev 8 to section 7 of facility emergency plan acceptable.
CREED,J.R. Region 3 (Post 820201). 96/03/28. PALMISANO,T. Consumers Power Co. 2pp. 87772:015-87772:016.

9604080132 Forwards responses to issues raised in NRC 951205 ltr re CPC deposition of unresolved item noted in insp rept 50-255/95-04 concerning adequacy of fire area barriers.
SMEDLEY,R.W. Consumers Power Co. 96/04/01. Document Control Branch (Document Control Desk). 17pp. 87811:163-87811:232.

-9604080137 "Evaluation of Effects of Fire on West Wall of Turbine Lube Oil Room Adjacent to Pipe Tunnel Between TB & FW Purity Bldg."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-054 R01. 96/03/23. 39pp. 87811:180-87811:218.

-9604080140 "Evaluation of Effects of Fire on West Wall of CCW Pump Room (Fire Area 16)."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-050 R01. 96/03/22. 14pp. 87811:219-87811:232.

9604080188 Provides schedule for completing IPEEE cost beneficial plant improvements,as committed to in 950630 response to GL 88-20, Suppl 4.CPC will update fire analysis section of IPEEE rept & submit revised rept section to NRC by 960531.
SMEDLEY,R.W. Consumers Power Co. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87817:222-87817:223.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604120040 Requests exemption from requirements of 10CFR73.55 re biometric hand geometry access sys.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 9pp. 87876:352-87876:360.

9604160249 Rev 3 coversheet of App E, "General Equipment in Emergency Kits" of Palisades Nuclear Plant site emergency plan, reflecting applicability review.
BRUNET,J.R. Consumers Power Co. 96/04/04. 2pp. 87891:358-87891:359.

9604160254 Rev 6 to coversheet of App D, "Emergency Implementing Procedures" of Palisades Nuclear Plant site emergency plan, reflecting applicability review.
BRUNET,J.R. Consumers Power Co. 96/04/04. 2pp. 87891:324-87891:325.

9604160255 Rev 5 to coversheet of App C, "Population Distribution & Evacuation Time Estimates" of Palisades Nuclear Plant site emergency plan,reflecting applicability review.
BRUNET,J.R. Consumers Power Co. 96/04/04. 2pp. 87891:326-87891:327.

9604180099 Rev 2 to Procedure Section 9 to Site Emergency Plan, "Recovery."
BRUNET,J. Consumers Power Co. 96/04/08. 8pp. 87901:346-87901:353.

9604220184 Rev 11 to Procedure Section 5 to "Organizational Control of Emergencies."
BRUNET,J.R. Consumers Power Co. 96/04/12. 25pp. 87963:311-87963:335.

9604190094 Forwards Rev 35 to security plan.Rev includes refs to site vehicle barrier sys which has been installed to meet revised design basis threat requirements of 10CFR73.Encl withheld.
SMEDLEY,R.W. Consumers Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87916:357-87916:358.

9604300073 Rev 5,App A to emergency plan, "Agreements W/Off-Site Individuals,Agencies & Organizations."
BRUNET,J.R. Consumers Power Co. 96/04/22. 4pp. 88061:354-88061:357.

G. Adjudicatory correspondence

9604050020 Ack receipt of "Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan," dtd 960112.Informs that request to intervene cannot be considered at present time.
RUSSELL,W.T. . 96/03/25. SCHERBARTH,J.C. Michigan, State of. 4pp. 87770:056-87770:069.

-9604050028 Forwards Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan.
SCHERBARTH,J.C. Michigan, State of. 96/01/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87770:064-87770:065.

-9604050034 Petition of Michigan Attorney General to intervene in support of Lake Michigan Federation & Don't Waste Michigan. W/Proof of Svc.
SCHERBARTH,J.C. Michigan, State of. 96/01/04. Commissioners (Post 750119). 4pp. 87770:066-87770:069.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

9604190172 Requests copy of all comments & responses to F Shillinglaw petition not to load more VSC-24 casks,all comments & responses to related petition of M Sinclair (DWM) & Lake MI Foundation on plant casks & unloading & PRM-72-3.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. KUGLER NRC - No Detailed Affiliation Given. 1p. 87952:358-87952:358.

H. General correspondence

9604190070 Submits answers to questions re consumers submittal on unloading.
SHILLINGLAW,F. Affiliation Not Assigned. 96/01/24. NRC - No Detailed Affiliation Given. 9pp. 87952:337-87952:345.

9604190022 Requests documents missing from answers sent by CPC in 951016 rept in response to NRC 950918 ltr re 950602 CPC rept unloading rept & explanation of procedures for handling steam flash & response to 951128 ltr.
SINCLAIR,M.P. Affiliation Not Assigned. 96/01/29. GAMBERONI,M. NRC - No Detailed Affiliation Given. 2pp. 87951:357-87951:358.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27.
SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

--9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

9604240373 Responds to 960303 ltr re NRC review of loading & unloading procedures for SF dry storage casks.
RUSSELL,W.T. . 96/04/18. SHILLINGLAW,F. Affiliation Not Assigned. 11pp. 87997:266-87997:276.

I. Financial Information

9604220301 Forwards 1995 CPC annual financial rept,including certified financial statements.
SMEDLEY,R.W. Consumers Power Co. 96/04/12. Document Control Branch (Document Control Desk). 33pp. 87973:323-87973:355.

P. Operating license stage documents & correspondence

9604020359 Notification of 960416 meeting w/Consumers Power Co in Rockville,MD to discuss std TS submittal.
GAMBERONI,M. . 96/03/27. REINHART,M. . 4pp. 87710:352-87710:355.

9604020373 Forwards thermal annealing rept,thermal annealing operating plan Section 1.7, "Thermal & Stress Analyses" & Section 1.10, "Summary of Thermal Annealing Operating Plan," as discussed at 950605 meeting re plan to anneal plant RV.
SMEDLEY,R.W. Consumers Power Co. 96/03/27. Document Control Branch (Document Control Desk). 131pp. 87727:160-87727:280.

9604040005 Application for amend to license DPR-20,upgrading plant TS & bases to emulate STS for Combustion Engineering Plants, NUREG-1432,Rev 1.
SMEDLEY,R.W. Consumers Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87783:001-87790:068.

--9604040007 Proposed tech specs,upgrading plant TS & bases to emulate STS for Combustion Engineering Plants,NUREG-1432,Rev 1.
* Consumers Power Co. 96/03/29. 1,612pp. 87783:005-87790:068.

9604080188 Provides schedule for completing IPEEE cost beneficial plant improvements,as committed to in 950630 response to GL 88-20, Suppl 4.CPC will update fire analysis section of IPEEE rept & submit revised rept section to NRC by 960531.
SMEDLEY,R.W. Consumers Power Co. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87817:222-87817:223.

9604080308 Forwards Rev 2 to non-proprietary WCAP-14558, "Consumers Power Co Palisades Surveillance Specimen Annealing Recovery Program."
SMEDLEY,R.W. Consumers Power Co. 96/04/02. Document Control Branch (Document Control Desk). 11pp. 87825:236-87825:353.

--9604080318 Non-proprietary "Consumers Power Co Palisades Surveillance Specimen Annealing Recovery Program."
BOYLE,D.E., WILLIAMS,J.F., TEREK,E. Westinghouse Electric Corp. WCAP-14558 R02. 96/02/29. 107pp. 87825:247-87825:353.

9604110181 Comments of GL 95-07,in response to NRC request for info on estimated time for collecting info on issue of power operated gate valves & susceptibility to pressure locking/ thermal binding.
SMEDLEY,R.W. Consumers Power Co. 96/04/03. Information & Records Management Branch (Post 890827). 2pp. 87856:107-87856:108.

9604110150 Forwards nonproprietary Rev 1 to TR WCAP-14557, "CPC Reactor Neutron Fluence Measurement Program...Cycle 1 Through 11" & proprietary AEA Technology (AEA) Rept AEAT-0121, "Fluence Calculations...." Proprietary AEA rept withheld.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 19pp. 87862:001-87862:285.

--9604110152 Nonproprietary "Consumers Power Co Reactor Vessel Neutron Fluence Measurement Program for Palisades Nuclear Plant - Cycles 1 Through 11."
PEROCK,J.D., ANDERSON,S.L., BRASSART,G.A. Westinghouse Electric Corp. WCAP-14557 R01. 96/03/31. 266pp. 87862:020-87862:285.

9604120070 Documents completion of items committed to in 960329 TS Change Request,upgrading TS to emulate STS for C-E plants, NUREG-1432,Rev 1.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87863:147-87863:151.

9604120085 Forwards IST of safety related boric acid pumps relief request PRR-10.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 10pp. 87868:284-87868:293.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100111 Forwards amend 171 to license DPR-20 & safety evaluation. Amend modifies plant FOL to reference 10CFR40,allowing use of source matls as reactor fuel,delete reference to specific amends & specific revs in listed titles of PSP.
KENNEDY,J. . 96/04/05. SMEDLEY,R.W. Consumers Power Co. 6pp. 87825:097-87825:157.

--9604100117 Amend 171 to license DPR-20,modifying plant FOL to reference 10CFR40,allowing use of source matls as reactor fuel,deletes references to specific amend & specific revisions in listed titles of PSP & suitability training & qualification plan.
KENNEDY,J. . 96/04/05. 45pp. 87825:103-87825:147.

--9604100119 Safety evaluation supporting amend 171 to license DPR-20.
* . 96/04/05. 8pp. 87825:148-87825:155.

--9604100129 Notice of denial of amend to license DPR-20.Proposed amend request would revise FOL to reference 10CFR40,allowing use of source matls as reactor fuel,delete references to specific amends & specific rev in listed titles for PSP.
REINHART,M.F. . 96/04/05. 2pp. 87825:156-87825:157.

9604150113 Responds to 960315 ltr in which F Shillinglaw claims NRC had not been responsive to questions in 951209 & 951229 ltrs re procedure for revs to Safety Analysis Rept documents.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/10.
SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87880:341-87880:345.

--9604150117 Informs that 960305 response to 951209 & 29 ltrs did not adequately respond to question.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/15. TRAVERS NRC - No Detailed Affiliation Given. 2pp. 87880:344-87880:345.

9604160104 Forwards notice of denial for portion of original amend request.Informs that 30-day notice period for hearing request w/respect to denial ends on 960513.
KENNEDY,J. . 96/04/11. SMEDLEY,R.W. Consumers Power Co. 4pp. 87894:289-87894:292.

9604260115 Forwards documents required to be placed in PDR.
JACKSON,D. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/04/16. LANHAM,D. Information & Records Management Branch (Post 890827). 26pp. 88017:001-88019:114.

--9511020288 Summary of 950606 meeting w/CPC to discuss Palisades reactor vessel annealing.List of attendees,handout & slides presented at meeting & schedule of upcoming meeting re util annealing & Marble Hill demonstration project encl.
GAMBERONI,M. . 95/06/18. . 42pp. 88017:265-88017:322.

9604240129 Responds to GL 96-01, "Testing of SR Logic Circuits."
SMEDLEY,R.W. Consumers Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 88010:228-88010:232.

9604250345 Ack 950913 response to request for comments on DG-1043. Comments were used in developing RG 1.149,rev 2, "Nuclear Power Plant Simulation Facilities for use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. VINCENT,R.A. Consumers Power Co. 4pp. 87998:174-87998:177.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080132 Forwards responses to issues raised in NRC 951205 ltr re CPC deposition of unresolved item noted in insp rept 50-255/95-04 concerning adequacy of fire area barriers.
SMEDLEY,R.W. Consumers Power Co. 96/04/01. Document Control Branch (Document Control Desk). 17pp. 87811:163-87811:232.

--9604080137 "Evaluation of Effects of Fire on West Wall of Turbine Lube Oil Room Adjacent to Pipe Tunnel Between TB & FW Purity Bldg."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-054 R01. 96/03/23. 39pp. 87811:180-87811:218.

--9604080140 "Evaluation of Effects of Fire on West Wall of CCW Pump Room (Fire Area 16)."
YOUNG,L.D. Consumers Power Co. EA-FPP-95-050 R01. 96/03/22. 14pp. 87811:219-87811:232.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080219 Responds to request for addl info re actions taken to ensure effective mgt oversight of plant activities per insp rept 50-255/95-14.
PALMISANO,T.J. Consumers Power Co. 96/04/02. Document Control Branch (Document Control Desk). 3pp. 87817:236-87817:238.

9604080236 Forwards special rept on ISI of SG tubes on 950719.
SMEDLEY,R.W. Consumers Power Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87816:001-87817:017.

--9604080240 "CPC Palisades Nuclear Plant 1995 SG ISI."
REXIUS,T.D. Consumers Power Co. 95/12/12. 379pp. 87816:003-87817:017.

9604120071 Requests NRC approval to use Code Case N-557, "In-Place Dry Annealing of PWR Nuclear Reactor Vessel (Section XI,Div 1)." Approval requested until Code Case N-557 included in RG 1.147,ISI code case acceptability,ASME Section XI Div 1.
SMEDLEY,R.W. Consumers Power Co. 96/04/03. Document Control Branch (Document Control Desk). 12pp. 87864:347-87864:358.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160339 Forwards integrated insp rept 50-255/96-02 on 960127-0317.No violations noted.
KROPP,W.J. Region 3 (Post 820201). 96/04/08. PALMISANO,T. Consumers Power Co. 4pp. 87887:179-87887:198.

--9604160345 Insp rept 50-255/96-02 on 960127-0317.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
KROPP,W.J. Region 3 (Post 820201). 96/04/02. 16pp. 87887:183-87887:198.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290403 Forwards RAI to supplement RAI issued 960219 in response to 951220 request re third plant ISI program.
GAMBERONI,M. . 96/04/23. SMEDLEY,R.W. Consumers Power Co. 5pp. 88052:279-88052:283.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080313 "1995 Annual Radioactive Effluent Release & Waste Disposal Rept." W/ 960329 ltr.
GROGAN,M.L., SMEDLEY,R.W. Consumers Power Co. 95/12/31. 170pp. 87814:022-87814:194.

9604090096 Monthly operating rept for Mar 1996 for Palisades Nuclear Plant.W/960402 ltr.
KOBIATA,K.A., WILLIAMS,A.L. Consumers Power Co. 96/03/31. 5pp. 87831:109-87831:113.

S. Reportable occurrences, LERs & related correspondence

9604300133 LER 96-007-00:on 960321,inadequate emergency lighting & ventilation in post-fire safe shutdown areas.Caused by App R program documentation insufficient to demonstrate regulatory compliance.Lighting modified.W/960422 ltr.
ENGLE,D.E., SMEDLEY,R.W. Consumers Power Co. 96/04/22. 8pp. 88066:020-88066:027.

U. Congressional/Executive Correspondence

9604020383 Responds to 960228 ltr from S Skavroneck & E Roemer requesting support for petition filed w/NRC re problems w/unloading VSC-24 SF dry storage cask.
TAYLOR,J.M. Office of International Programs (Post 911117). 96/03/25. LEVIN,C. Don't Waste Michigan. 5pp. 87725:191-87725:226.

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290412 Revised EPIPs,including Rev 17 to EPIP-10, "Medical Emergency Procedure" & Rev 18 to EPIP-17, "Emergency Classification Procedure." W/960426 ltr.
SALAS,P. Tennessee Valley Authority. 96/04/26. 48pp. 88057:033-88057:080.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

--9604010036 Rev 6 to "ODCM."
NIX,D.W., PRESTON,E. Tennessee Valley Authority. 95/05/25. 214pp. 87698:173-87699:022.

--9604010039 Rev 7 to "ODCM."
BURZESE,T., PRESTON,E. Tennessee Valley Authority. 95/08/12. 209pp. 87699:023-87699:231.

9604100022 Discusses 960314 meeting re plans for radiological controls to be applied during next refueling outage.Presentation handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 20pp. 87812:252-87812:271.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180246 Forwards supplemental info for TS 356 & cost beneficial licensing valve leakage rate.Non-proprietary & proprietary calculations encl.Proprietary calculations withheld (ref 10CFR2.790(b)(4)).
SALAS,P. Tennessee Valley Authority. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87958:001-87959:021.

--9604180251 Non-proprietary "Calculations for Application of Revised DBA Source Term to Browns Ferry Nuclear Power Plant."
METCALF,J., LEAVER,D. PoleStar Applied Technology, Inc. PSAT 04000U.04 R01. 96/02/05. 11pp. 87958:007-87958:018.

--9604180255 Non-proprietary "Calculation of Containment Leakage Doses for Browns Ferry Nuclear Power Plant."
SCHNEIDER, MICHONSKI,M., JAQUITH,R.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1066-S&T95-C-002 R00. 95/09/29. 367pp. 87958:019-87959:021.

9604230054 Application for amends to licenses DPR-33,DPR-52 & DPR-68, respectively,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
SALAS,P. Tennessee Valley Authority. 96/04/14. Document Control Branch (Document Control Desk). 11pp. 88001:322-88001:355.

--9604230057 Proposed tech specs,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
* Tennessee Valley Authority. 96/04/14. 23pp. 88001:333-88001:355.

9604180281 Forwards amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.Amends clarify RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.1.d.
WILLIAMS,J.F. . 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 87913:217-87913:244.

–9604180285 Amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68, respectively,clarifying RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.4.d.
HEBDON,F.J. . 96/04/16. 21pp. 87913:218-87913:238.

–9604180288 Safety evaluation supporting amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* . 96/04/16. 6pp. 87913:239-87913:244.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010255 Responds to NRC 960229 ltr re violation noted in insp repts 50-259/96-01,50-260/96-01 & 50-296/96-01.C/As:reduced reactor power & deleted FW temp point from processing.TVA plans to troubleshoot resistance temp detector loop.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 7pp. 87719:142-87719:148.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090177 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960304 for 950903-960301. Encl details insp plan for next six months.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 87806:222-87806:227.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220232 Forwards insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 960204-0316 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/04/15. KINGSELY,O.D. Tennessee Valley Authority. 4pp. 87935:249-87935:287.

–9604220235 Notice of violation from insp on 960204-0316.Violation noted:on 960229,written procedures not implemented during maint activities on core spray loop test valve 2-FCV-75-22.
* Region 2 (Post 820201). 96/04/15. 2pp. 87935:255-87935:256.

–9604220244 Insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 940204-0316.Violations noted.Major areas inspected:plant operations,maint,engineering & plant support.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 96/04/15. 31pp. 87935:257-87935:287.

9604230243 Ack receipt of 960326 ltr informing NRC of addl steps taken to correct violations noted in insp repts 50-259/96-01 50-260/96-01 & 50-296/96-01.
LESSER,M.S. Region 2 (Post 820201). 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87953:197-87953:199.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

–9604010030 "Radiological Impact Assessment Rept 1995."
* Tennessee Valley Authority. 95/12/31. 146pp. 87698:003-87698:148.

–9604010031 "Effluent & Waste Disposal Annual Rept 1995."
* Tennessee Valley Authority. 95/12/31. 20pp. 87698:149-87698:168.

–9604010034 "Inoperable Radiological Effluent Instrumentation Rept 1995."
* Tennessee Valley Authority. 95/12/31. 4pp. 87698:169-87698:172.

–9604010036 Rev 6 to "ODCM."
NIX,D.W., PRESTON,E. Tennessee Valley Authority. 95/05/25. 214pp. 87698:173-87699:022.

–9604010039 Rev 7 to "ODCM."
BURZESE,T., PRESTON,E. Tennessee Valley Authority. 95/08/12. 209pp. 87699:023-87699:231.

9604230077 Monthly operating repts for March 1996 for Browns Ferry Nuclear Plant.W/ 960415 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/03/31. 14pp. 88010:297-88010:310.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

–9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

9604290407 Forwards "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995." including results of land use censuses,summarized & tabulated results of samples taken during period & radiological environ monitoring.
SALAS,P. Tennessee Valley Authority. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88039:130-88039:250.

–9604290411 "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995."
* Tennessee Valley Authority. 95/12/31. 115pp. 88039:132-88039:250.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604290038 Forwards draft Accident Sequence precursor rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
WILLIAMS,J.F. . 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88046:262-88046:291.

V. Operator Examinations

9604010260 Notifies of termination of operator license SOP-20257-3 for TW Jordan.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87717:359-87717:360.

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290412 Revised EPIPs,including Rev 17 to EPIP-10, "Medical Emergency Procedure" & Rev 18 to EPIP-17, "Emergency Classification Procedure." W/960426 ltr.
SALAS,P. Tennessee Valley Authority. 96/04/26. 48pp. 88057:033-88057:080.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

--9604010036 Rev 6 to "ODCM."
NIX,D.W., PRESTON,E. Tennessee Valley Authority. 95/05/25. 214pp. 87698:173-87699:022.

--9604010039 Rev 7 to "ODCM."
BURZESE,T., PRESTON,E. Tennessee Valley Authority. 95/08/12. 209pp. 87699:023-87699:231.

9604100022 Discusses 960314 meeting re plans for radiological controls to be applied during next refueling outage.Presentation handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 20pp. 87812:252-87812:271.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180246 Forwards supplemental info for TS 356 & cost beneficial licensing valve leakage rate.Non-proprietary & proprietary calculations encl.Proprietary calculations withheld (ref 10CFR2.790(b)(4)).
SALAS,P. Tennessee Valley Authority. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87958:001-87959:021.

--9604180251 Non-proprietary "Calculations for Application of Revised DBA Source Term to Browns Ferry Nuclear Power Plant."
METCALF,J., LEAVER,D. PoleStar Applied Technology, Inc. PSAT 04000U.04 R01. 96/02/05. 11pp. 87958:007-87958:018.

--9604180255 Non-proprietary "Calculation of Containment Leakage Doses for Browns Ferry Nuclear Power Plant."
SCHNEIDER, MICHONSKI,M., JAQUITH,R.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1066-S&T95-C-002 R00. 95/09/29. 367pp. 87958:019-87959:021.

9604230054 Application for amends to licenses DPR-33,DPR-52 & DPR-68, respectively,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
SALAS,P. Tennessee Valley Authority. 96/04/14. Document Control Branch (Document Control Desk). 11pp. 88001:322-88001:355.

--9604230057 Proposed tech specs,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
* Tennessee Valley Authority. 96/04/14. 23pp. 88001:333-88001:355.

9604180281 Forwards amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.Amends clarify RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.1.d.
WILLIAMS,J.F. . 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 87913:217-87913:244.

--9604180285 Amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68, respectively,clarifying RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.4.d.
HEBDON,F.J. . 96/04/16. 21pp. 87913:218-87913:238.

--9604180288 Safety evaluation supporting amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* . 96/04/16. 6pp. 87913:239-87913:244.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010255 Responds to NRC 960229 ltr re violation noted in insp repts 50-259/96-01,50-260/96-01 & 50-296/96-01.C/As:reduced reactor power & deleted FW temp point from processing.TVA plans to troubleshoot resistance temp detector loop.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 7pp. 87719:142-87719:148.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090177 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960304 for 950903-960301. Encl details insp plan for next six months.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 87806:222-87806:227.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220232 Forwards insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 960204-0316 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/04/15. KINGSELY,O.D. Tennessee Valley Authority. 4pp. 87935:249-87935:287.

--9604220235 Notice of violation from insp on 960204-0316.Violation noted:on 960229,written procedures not implemented during maint activities on core spray loop test valve 2-FCV-75-22.
* Region 2 (Post 820201). 96/04/15. 2pp. 87935:255-87935:256.

--9604220244 Insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 940204-0316.Violations noted.Major areas inspected:plant operations,maint,engineering & plant support.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 96/04/15. 31pp. 87935:257-87935:287.

9604290204 Responds to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
SALAS,P. Tennessee Valley Authority. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88057:243-88057:245.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

--9604010030 "Radiological Impact Assessment Rept 1995."
* Tennessee Valley Authority. 95/12/31. 146pp. 87698:003-87698:148.

--9604010031 "Effluent & Waste Disposal Annual Rept 1995."
* Tennessee Valley Authority. 95/12/31. 20pp. 87698:149-87698:168.

--9604010034 "Inoperable Radiological Effluent Instrumentation Rept 1995."
* Tennessee Valley Authority. 95/12/31. 4pp. 87698:169-87698:172.

9604230077 Monthly operating repts for March 1996 for Browns Ferry Nuclear Plant.W/ 960415 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/03/31. 14pp. 88010:297-88010:310.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

--9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

9604290407 Forwards "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995." including results of land use censuses,summarized & tabulated results of samples taken during period & radiological environ monitoring.
SALAS,P. Tennessee Valley Authority. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88039:130-88039:250.

--9604290411 "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995."
* Tennessee Valley Authority. 95/12/31. 115pp. 88039:132-88039:250.

S. Reportable occurrences, LERs & related correspondence

9604010341 Forwards Rev 1 to LER 50-260/96-01 re conditions involving noncompliance w/requirements of 10CFR50 App R.Rev provides addition of missing text at top of page 6,inadvertently deleted when Rev 0 submitted on 960318.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87708:289-87708:298.

--9604010349 LER 96-001-01:on 960216,discovered that 10CFR50 App R noncompliance condition existed due to failures to correctly implement design criteria during original development of App R programs.Fire watches established.
HSIEH,C.S. Tennessee Valley Authority. 96/03/26. 8pp. 87708:291-87708:298.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604290038 Forwards draft Accident Sequence precursor rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
WILLIAMS,J.F. . 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88046:262-88046:291.

V. Operator Examinations

9604010260 Notifies of termination of operator license SOP-20257-3 for TW Jordan.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87717:359-87717:360.

DOCKET 50-261 H.B. ROBINSON PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090240 Forwards insp rept 50-261/96-02 on 960121-0302.No violations or deviations noted.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/29. HINNANT,C.S. Carolina Power & Light Co. 4pp. 87792:270-87792:307.

--9604090250 Insp rept 50-261/96-02 on 960121-0302.No violations noted. Major areas inspected:plant operations,close out of open issues,maint & surveillance,physical security program, internal & external exposure controls & training.
ORDERS,W.T., SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/27. 35pp. 87792:274-87792:307.

9604260103 Forwards RAI re 950630 submittal & associated documentation IAW GL 88-20,Suppl 4 for plant,Unit 2.Specifically requests info re external event analysis in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds.
MOZAFARI,B. . 96/04/17. HINNANT,C.S. Carolina Power & Light Co. 8pp. 88007:162-88007:169.

J. Insurance & Indemnity Information

9604010298 Submits info re present level & source of onsite property damage insurance at BSEP,SHNPP & HB Robinson.
WALT,T.D. Carolina Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87719:190-87719:192.

P. Operating license stage documents & correspondence

9604080149 Application for amend to license DPR-23,adding allowance to complete missed TS requirement surveillance within 24 h of discovery of missed surveillance,per GL 87-09.
KRICH,R.M. Carolina Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 17pp. 87810:314-87810:344.

--9604080156 Proposed tech specs,adding allowance to complete missed TS requirement surveillance within 24 h of discovery of missed surveillance,per GL 87-09.
* Carolina Power & Light Co. 96/03/29. 14pp. 87810:331-87810:344.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170484 Requests addl info on emergency diesel generator on-line preventinve maint at plant Unit 2.
MOZAFARI,B. . 96/04/12. HINNANT,C.S. Carolina Power & Light Co. 4pp. 87911:301-87911:304.

9604260103 Forwards RAI re 950630 submittal & associated documentation IAW GL 88-20,Suppl 4 for plant,Unit 2.Specifically requests info re external event analysis in IPEEE,including seismic analysis,fire analysis & analyses on effects of high winds.
MOZAFARI,B. . 96/04/17. HINNANT,C.S. Carolina Power & Light Co. 8pp. 88007:162-88007:169.

9604240134 Provides response to NRC GL 96-01, "Review of Safety-Related Logic Circuits," for HB Robinson Steam Electric Plant,Unit 2.Submitted after original 960311 due date by NRC issued generic due date extension.
KRICH,R.M. Carolina Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 88010:235-88010:237.

9604300259 Requests approval of proposed alternative to ASME B&PV Code, Section XI requirements to perform quarterly testing of spare SI pump at facility.Basis for request contained in encl.
KRICH,R.M. Carolina Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88057:357-88057:360.

9604300383 Provides required 30 day rept of error in acceptable ECCS evaluation model IAW 10CFR50.46(a)(3)(ii),involving 58 F increase in estimated PCT.
KRICH,R.M. Carolina Power & Light Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88064:359-88064:360.

Q. Inspection reports, IE Bulletins & correspondence

9604100253 Ack 960221 response to 960126 ltr re plant activities. Informs response meets requirements of 10CFR2.201 & implementation of corrective actions will be examined during future insps.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/13. HINNANT,C.S. Carolina Power & Light Co. 3pp. 87832:170-87832:172.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090240 Forwards insp rept 50-261/96-02 on 960121-0302.No violations or deviations noted.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/29. HINNANT,C.S. Carolina Power & Light Co. 4pp. 87792:270-87792:307.

--9604090250 Insp rept 50-261/96-02 on 960121-0302.No violations noted. Major areas inspected:plant operations,close out of open issues,maint & surveillance,physical security program, internal & external exposure controls & training.
ORDERS,W.T., SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/27. 35pp. 87792:274-87792:307.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090277 Ack receipt of 960315 ltr informing NRC of steps taken to correct violations noted in insp rept 50-261/96-01 on 960216.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/02. HINNANT,C.S. Carolina Power & Light Co. 4pp. 87806:105-87806:108.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150242 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308 that requires licensee provide written responses to bulletin requested actions within 30 days of date of bulletin.
KRICH,R.M. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 11pp. 87896:238-87896:248.

9604230370 Advices of planned insp resulting from 960229 semiannual plant performance review of plant.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/05. HINNANT,C.S. Carolina Power & Light Co. 6pp. 87953:287-87953:292.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604240276 Discusses insp of licensed operator requalification program at plant,planned for wk of 960520.Request for copies of comprehensive requalification written exams or annual operating tests to be submitted to NRC by 960506,included.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/10. HINNANT,C.S. Carolina Power & Light Co. 3pp. 87970:281-87970:283.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180155 Forwards response to NRC 960312 ltr re violations noted in insp rept 50-261/96-300.Corrective actions:counseled operations unit mgt.
HINNANT,C.S. Carolina Power & Light Co. 96/04/11. Document Control Branch (Document Control Desk). 3pp. 87936:358-87936:360.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160424 Monthly operating rept for Mar 1996 for HB Robinson Steam Electric Plant,Unit 2.W/960405 ltr.
SCARBOROUGH,J.S, KRICH,R.M. Carolina Power & Light Co. 96/03/31. 4pp. 87923:245-87923:248.

9604230156 Forwards "Radiological Environ Operating Rept 1995," Vols I- III,per TS Section 6.9.1.2.3.
KRICH,R.M. Carolina Power & Light Co. 96/04/14. Document Control Branch (Document Control Desk). 1p. 87999:001-87999:359.

-9604230165 "Radiological Environ Operating Rept 1995," Vols I-III.
BINARD,K.C. Carolina Power & Light Co. 95/12/31. 300pp. 87999:002-87999:359.

S. Reportable occurrences, LERs & related correspondence

9604240150 LER 95-005-01:on 950721,TS 3.0 entry due to excessive penetration pressurization sys leakage.Caused by personnel error.C/A:penetration S-24 bellows assembly replaced 950731. W/960418 ltr.
GARROU,A.L., YOUNG,D.E. Carolina Power & Light Co. 95/10/31. 5pp. 88004:346-88004:350.

9604220209 LER 95-003-00 cancelled.
KRICH,R.M. Carolina Power & Light Co. 96/04/14. Document Control Branch (Document Control Desk). 1p. 87960:354-87960:354.

9604290113 Special repton 960401,Low Bias Alarm Light Emitting Diode was found illuminated on signal conditioner for RC-551C acoustic monitor.Caused by faulty bias setting or faulty signal line.Repaired failed component.
YOUNG,D.E. Carolina Power & Light Co. 96/04/22. Document Control Branch (Document Control Desk). 3pp. 88031:354-88031:356.

DOCKET 50-263 MONTICELLO NUCLEAR GENERATING PLANT

F. Security, medical, emergency & fire protection plans

9604010319 Submits four copies of Rev 48 to Monticello Security Plan. Encl withheld.
ANDERSON,R.O. Northern States Power Co. 96/03/25. Document Control Branch (Document Control Desk). 1p. 87719:196-87719:197.

9604050415 Approves rev 15 of plant emergency plan.Rev includes refinements & updated info.
CREED,J.R. Region 3 (Post 820201). 96/03/29. Northern States Power Co. 2pp. 87752:042-87752:043.

9604080446 Advises that 960213 & 0325 Revs 47 & 48 to security plan, respectively,consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/04. ANDERSON,R.O. Northern States Power Co. 2pp. 87814:331-87814:332.

9604120123 Revised EPIPs,including Rev 72 to EPIPs index,Rev 42 to A.2-001,Rev 16 to A.2-107,Rev 10 to A.2-108 & Rev 4 to A.2-109.W/960404 ltr.
ANDERSON,R.O. Northern States Power Co. 96/04/04. 123pp. 87876:229-87876:351.

9604250255 Forwards insp rept 50-263/96-02 on 960117-960226.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 96/04/09. WATZL,E. Northern States Power Co. 5pp. 87996:008-87996:030.

-9604250264 Insp rept 50-263/96-02 on 960117-960226.No violations noted. Major areas inspected:operations,engineering,maint,plant support,emergency preparedness & radiological controls programs.
JORDAN,M. Region 3 (Post 820201). 96/04/08. 18pp. 87996:013-87996:030.

I. Financial information

9604240029 Forwards "Northern States Power Co 1995 Annual Rept."
ANDERSON,R.O. Northern States Power Co. 96/04/16. Document Control Branch (Document Control Desk). 1p. 88008:239-88008:306.

P. Operating license stage documents & correspondence

9604030100 Forwards supplemental response to addl info re Licensing Topical Rept GENE-A00-04021-02, "Application of 'Regional Exclusion w/Flow-Biased APRM Neutron Flux Scram' Stability Solution (Option I-D) to Monticello Nuclear...."
HILL,W.J. Northern States Power Co. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87735:232-87735:269.

-9604030105 "Application of 'Regional Exclusion w/Flow-Biased APRM Neutron Flux Scram' Stability Solution (Option I-D) to Monticello Nuclear Generating Plant."
POST,J. General Electric Co. GENE-A00-04021-02. 96/02/29. 35pp. 87735:235-87735:269.

9604080272 Forwards amend 95 to license DPR-22 & safety evaluation. Amend modifies TS to revise main SLIV leak rate test acceptance criteria,operability test internal for drywell spray header & nozzles & TS 3/4.7.a.2.
KIM,T. . 96/04/03. ANDERSON,R.O. Northern States Power Co. 4pp. 87779:219-87779:237.

-9604080276 Amend 95 to license DPR-22 modifying TS to revise main SLIV leak rate test acceptance criterion,operability test interval for drywell spray header & nozzles from 5 to 10 yrs & TS 3/4.7.a.2.
KIM,T. . 96/04/03. 9pp. 87779:223-87779:231.

-9604080282 Safety evaluation supporting amend 95 to license DPR-22.
* . 96/04/03. 6pp. 87779:232-87779:237.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100186 Forwards amend 96 to license DPR-22 & safety evaluation. Amend modifies TS Section 4.7,SR for Primary Containment Automatic Isolation Valves.
KIM,T. . 96/04/09. ANDERSON,R.O. Northern States Power Co. 5pp. 87835:330-87835:341.

-9604100188 Amend 96 to license DPR-22,modifying TS Section 4.7,SR for Primary Containment Automatic Isolation Valves.
KIM,T. . 96/04/09. 4pp. 87835:335-87835:338.

-9604100189 Safety evaluation supporting amend 96 to license DPR-22.
* . 96/04/09. 3pp. 87835:339-87835:341.

9604230288 Responds to Generic Ltr 96-01, "Testing of Safety-Related Logic Circuits." Ltr contains new NRC commitment.
HILL,W.J. Northern States Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87979:299-87979:303.

9604260060 Forwards Rev 20 of "Operational QA Plan."
ANDERSON,R.O. Northern States Power Co. 96/04/19. Document Control Branch (Document Control Desk). 1p. 88028:203-88028:299.

-9604260062 Rev 20 to "Operational QA Plan."
AMUNDSON,T.E., WATZL,E.L. Northern States Power Co. 96/04/12. 93pp. 88028:204-88028:299.

Q. Inspection reports, IE Bulletins & correspondence

9604020305 Informs that Region III management & staff completed semiannual plant performance review on 960305 at plant & advises of NRC planned insp effort resulting from review.
JORDAN,M. Region 3 (Post 820201). 96/03/22. WATZL,E. Northern States Power Co. 5pp. 87704:210-87704:214.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604250255 Forwards insp rept 50-263/96-02 on 960117-960226.No violations noted.
JORDAN,M.J. Region 3 (Post 820201). 96/04/09. WATZL,E. Northern States Power Co. 5pp. 87996:008-87996:030.

-9604250264 Insp rept 50-263/96-02 on 960117-960226.No violations noted. Major areas inspected:operations,engineering,maint,plant support,emergency preparedness & radiological controls programs.
JORDAN,M. Region 3 (Post 820201). 96/04/08. 18pp. 87996:013-87996:030.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220172 Monthly operating rept for Mar 1996 for Monticello Nuclear Generating Plant.W/960412 ltr.
PAUSTIAN,H.H., ANDERSON,R.O. Northern States Power Co. 96/03/31. 5pp. 87953:330-87953:334.

S. Reportable occurrences, LERs & related correspondence

9604100003 LER 96-002-00 on:960308,found wire in #12 EDG voltage regulator not properly secured due to missing fastener. Cause for missing fastener not known.Wire lug secured & both EDGs tested.W/960404 ltr.
PARKER,T., HILL,W.J. Northern States Power Co. 96/04/04. 8pp. 87847:016-87847:023.

DOCKET 50-264 DOW CHEMICAL CO.

R. Periodic operating reports & related correspondence

9604010022 Forwards annual rept for TRIGA facility for 1995.
RIGOT,W.L. Dow Chemical Co. 96/03/18. Region 3 (Post 820201). 1p. 87696:305-87696:308.

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090172 Rev 8k to "Com Ed Generating Stations Emergency Plan (GSEP) Site Annex Quad Cities Nuclear Power Station," incorporating new Sections QCA 0-0 & QCA 5-0.
* Commonwealth Edison Co. 96/02/05. 97pp. 87819:258-87819:354.

9604180129 Rev 23 to EPIP QEP 0200-T01, "Classification of Emergencies."
* Commonwealth Edison Co. 96/04/12. 91pp. 87959:243-87959:333.

9604230107 Rev 11 to EPIP QEP 0160-S01, "OSC Director Alert Checklist."
* Commonwealth Edison Co. 96/04/16. 7pp. 87976:345-87976:351.

P. Operating license stage documents & correspondence

9604090300 "Safety Evaluation For Quad Cities Unit 1 Core Spray Line Repair."
DRENDEL,D.B., BOURBOUR,S., OESTREICH,C.A. General Electric Co. GE-NE-B1301725-01 R3. 96/01/31. 14pp. 87810:120-87810:133.

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604010283 Forwards page changes for licenses DPR-19,DPR-25,DPR-29 & DPR-30,ensuring continuity & to simplify review per TS Upgrade Program.
HEFFLEY,J.M. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 12pp. 87706:083-87706:300.

—9604010285 Proposed tech specs,ensuring continuity & simplifying review of App A,TS for TS Upgrade Program.
* Commonwealth Edison Co. 96/03/26. 206pp. 87706:095-87706:300.

9604090061 Responds to RAI re Unit 2 corner room steel operability evaluation.
KRAFT,E.S. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 24pp. 87830:190-87830:213.

9604040181 Forwards amends 149,143,170 & 166 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & safety evaluation.Amends will upgrade custom TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87737:172-87737:253.

—9604040185 Amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,upgrading TS at plants to STS contained in NUREG-0123.
STANG,J.F. . 96/04/02. 58pp. 87737:175-87737:232.

—9604040187 Safety evaluation supporting amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 96/04/02. 21pp. 87737:233-87737:253.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080021 Requests consent of NRC for indirect transfer of control of licenses DPR-29 & DPR-30.
BULL,J.R. Affiliation Not Assigned. 96/04/04. RUSSELL,W.T. . 92pp. 87778:156-87778:247.

9604080322 Forwards request for addl info re licensee 950626 submittal of topical rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110282 Submits response to NRC request for addl info re operability evaluation of Quad Cities corner room structural steel. Calculation encl.
KRAFT,E.S. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 3pp. 87868:302-87868:323.

9604150178 Forwards response to NRC 960404 RAI re corner room steel operability evaluations.
KRAFT,E.S. Commonwealth Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 5pp. 87888:175-87888:226.

—9604150185 Rev 3 to Calculation 9200-E0-S,demonstrating that reduction of torsional loads from auxiliary steel will significantly reduce IC values for beam & connections.
* Commonwealth Edison Co. 9200-E0-S-01 R03. 96/04/08. 11pp. 87888:180-87888:190.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604290365 Discusses 960404 licensee ltr informing NRC of plans to immediately implement portion of Amend 154 re surveillance requirement for SBLC.Staff understands that no other portion of amend will be implemented until TS upgrade program.
PULSIFER,R.M. . 96/04/24. FARRAR,D.L. Commonwealth Edison Co. 3pp. 88046:352-88046:354.

9604300354 Forwards plant specific ECCS evaluation changes per 10CFR50-46.
KRAFT,E.S. Commonwealth Edison Co. 96/04/24. . 8pp. 88064:351-88064:358.

9604300435 Forwards excerpts from draft ASP rept for FY82 - FY83.
PULSIFER,R.M. . 96/04/25. FARRAR,D.L. Commonwealth Edison Co. 38pp. 88052:308-88052:343.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604240072 Informs that Region III mgt & staff completed semiannual Plant Performance Review of Quad Cities Station on 960306.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/27. KRAFT,E. Commonwealth Edison Co. 4pp. 87970:204-87970:207.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090220 Forwards response to violations noted in Insp Repts 50-254/95-10 & 50-265/95-10.Corrective actions:solenoids for rest of HPCI sys air operated valves on both units walked down to verify proper orientation.
KRAFT,E.S. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 3pp. 87819:355-87819:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160325 Forwards insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Three apparent violations being considered for escalated enforcement action.
GRANT,G.E. Region 3 (Post 820201). 96/04/11. WALLACE,M.J. Commonwealth Edison Co. 4pp. 87887:159-87887:170.

—9604160329 Insp repts 50-237/96-05,50-249/96-05,50-254/96-05 & 50-265/96-05 on 960214-0401.Violations noted.Major areas inspected:engineering.
RING,M.A. Region 3 (Post 820201). 96/04/04. 8pp. 87887:163-87887:170.

9604250143 Forwards insp repts 50-254/96-02 & 50-265/96-02 on 960119-0304 & NOV.
CLAYTON,H.B. Region 3 (Post 820201). 96/04/17. KRAFT,E. Commonwealth Edison Co. 3pp. 87995:305-87995:338.

--9604250146 Notice of violation from insp on 960119-0304.Violation noted:on 960210,licensee implemented procedure field change number QCTS 600-18-PFC-2024 temporary procedure change for Unit 1,w/o performing review required by TS 6.2.C.
* Region 3 (Post 820201). 96/04/17. 2pp. 87995:308-87995:309.

--9604250153 Insp repts 50-254/96-02 & 50-265/96-02 on 960119-0304. Violations noted.Major areas inspected:operations,maint, engineering & plant support while routinely evaluating safety assessment & quality verification activities.
CLAYTON,H.B. Region 3 (Post 820201). 96/04/17. 29pp. 87995:310-87995:338.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160028 Monthly operating repts for Mar 1996 for Quad Cities Units 1 & 2.W/ 960410 ltr.
MOORE,K., PEARCE,L.W. Commonwealth Edison Co. 96/03/31. 20pp. 87898:261-87898:280.

9604090209 Forwards listing of facility & procedure changes,tests & experiments requiring safety eveluations completed during fourth quarter of 1995 for Units 1 & 2.
PEARCE,L.W. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 14pp. 87830:293-87830:306.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604150127 PNO-III-94-071:on 940823,Unit 2 reactor tripped from full power due to MSIV closure.MSIV closed as result of spurious signal from main steam line high flow instrumentation.CA include installation of support padding & addl training.
HILAND,P., MARTIN,T. Region 3 (Post 820201). 94/08/26. 1p. 87869:114-87869:114.

9604080261 Forwards suppl info to LER 265/95-008 informing NRC of root cause for HPCI Speed,Flow & Discharge Pressure Oscillations.
PEARCE,L.W. Commonwealth Edison Co. 96/03/11. Document Control Branch (Document Control Desk). 6pp. 87824:027-87824:040.

V. Operator Examinations

9604120146 Advises that license SOP30352-3 docket 55-30604 will not be maintained & MA Warren removed from license duty 960327. Requests that license be terminated.
KRAFT,E.S. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 1p. 87868:280-87868:280.

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604160275 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/03/28. Document Control Branch (Document Control Desk). 1p. 87901:153-87901:268.

--9604160281 Public version of revised EPIPs,including Rev 34 to EPIP index,Rev 29 to EPIP form index,Rev 0 to EPIP-05,Rev 0 to EPIP-06,Rev 0 to EPIP-07,Rev 16 to EPIP-6.6,EPIP-6.6c,Rev 1 to EPIP-6.6d,Rev 1 to EPIP-6.6e & Rev 1 to EPIP-6.6f.
* Wisconsin Electric Power Co. 96/03/28. 115pp. 87901:154-87901:268.

9604150259 Advises that 950811 rev 12 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/09. LINK,R.E. Wisconsin Electric Power Co. 2pp. 87913:352-87913:353.

9604160292 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87900:310-87900:324.

--9604160294 Public version of revised EPIPs,including Rev 35 to EPIP index,Rev 30 to EPIP form index,Rev 8 to EPIP 5.2 & Rev 3 to EPIP 7.2.1a.
* Wisconsin Electric Power Co. 96/04/09. 14pp. 87900:318-87900:324.

9604170011 Forwards rev to security plan.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87897:356-87897:356.

9604180341 Forwards RAI related to external event analyses in GL 88-20, Suppl 4, "IPEEE for Severe Accident Vulnerabilities," including seismic analysis,fire analysis & analyses on effects of high,winds & floods.
HANSEN,A.G. . 96/04/15. LINK,R.E. Wisconsin Electric Power Co. 11pp. 87917:311-87917:321.

G. Adjudicatory correspondence

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

H. General correspondence

9604030199 Ack receipt of Region III insp rept of Point Beach Nuclear Plant on 951117-960110 & disbelief of results.MTC used to move fully loaded MSB for SFP to decontamination area w/o performing adequate load test at 300% as required.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87746:285-87746:286.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

--9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604230256 Comments on issues raised in 960125 memo to J Taylor providing update to Dry Cask Storage Action Plan.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. PAPERIELLO NRC - No Detailed Affiliation Given. 1p. 87980:356-87980:356.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

9604240373 Responds to 960303 ltr re NRC review of loading & unloading procedures for SF dry storage casks.
RUSSELL,W.T. . 96/04/18. SHILLINGLAW,F. Affiliation Not Assigned. 11pp. 87997:266-87997:276.

P. Operating license stage documents & correspondence

9604020169 Forwards Table 1 containing list of plant radiation monitors,in response to inquiry as to which radiation monitors affected by TS Change Request 172,modifying TS Section 15.4.1, "Operational Safety Review."
KRIESER,G.M. Wisconsin Electric Power Co. 96/03/26. Document Control Branch (Document Control Desk). 4pp. 87725:239-87725:242.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180341 Forwards RAI related to external event analyses in GL 88-20, Suppl 4, "IPEEE for Severe Accident Vulnerabilities," including seismic analysis,fire analysis & analyses on effects of high,winds & floods.
HANSEN,A.G. . 96/04/15. LINK,R.E. Wisconsin Electric Power Co. 11pp. 87917:311-87917:321.

9604230037 Discusses GL 96-01, "Testing of Safety-Related Logic Circuits." First refueling outages commencing one yr after issuance of GL 96-01 currently scheduled as 970329 for Unit 1 & 1011 for Unit 2.
LINK,B. Wisconsin Electric Power Co. 96/04/17. Document Control Branch (Document Control Desk). 1p. 88001:356-88001:356.

9604290366 Forwards "Annual Monitoring Rept Jan-Dec 1995," containing info re plant releases,solid waste shipments,new & spent fuel shipments,leak testing of sources & other miscellaneous reportable items.Revised environ manual & ODCM also encl.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88035:001-88035:212.

--9604290392 Rev 11 to "Point Beach Nuclear Plant Unit 1 & 2 Environ Manual."
* Wisconsin Electric Power Co. 95/09/21. 39pp. 88035:028-88035:066.

--9604290395 Rev 9 to "Point Beach Nuclear Plant Unit 1 & 2 ODCM."
* Wisconsin Electric Power Co. 95/07/06. 146pp. 88035:067-88035:212.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604180400 Informs that semiannual plant performance review of KNPP completed on 960306 & advises of planned insp effort resulting from review.
FABER,M.J. Region 3 (Post 820201). 96/04/02. STEINHARDT,C.R. Wisconsin Public Service Corp. 3pp. 87919:137-87919:139.

9604080334 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems," submitting (Required Responses 1 & 2) to bulletin.
LINK,B. Wisconsin Electric Power Co. 96/04/03. Document Control Branch (Document Control Desk). 7pp. 87817:178-87817:190.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250433 Forwards insp rept 50-266/96-02 & 50-301/96-02 on 960109- 0301 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 96/04/17. Wisconsin Electric Power Co. 3pp. 87996:094-87996:124.

--9604250438 Notice of violation from insp on 960111-0301.Violation noted:scaffold had not been properly secured during const over 2P-2C charging pump in excess of one shift.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:097-87996:098.

--9604250445 Insp repts 50-266/96-02 & 50-301/96-02 on 960109-0301. Violations noted.Major areas inspected:operations,maint, engineering & plant support,safety assessment & quality verification.Special insp of engineering.
FARBER,M.J. Region 3 (Post 820201). 96/04/17. 26pp. 87996:099-87996:124.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604180330 Monthly operating repts for March 1996 for PBNP.W/960408 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 96/03/31. 9pp. 87949:352-87949:360.

9604290354 Forwards annual rept of changes to & errors discovered in ECCS evaluation models for plant.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 88040:343-88040:348.

9604290366 Forwards "Annual Monitoring Rept Jan-Dec 1995," containing info re plant releases,solid waste shipments,new & spent fuel shipments,leak testing of sources & other miscellaneous reportable items.Revised environ manual & ODCM also encl.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88035:001-88035:212.

--9604290375 "Annual Monitoring Rept 1995."
* Wisconsin Electric Power Co. 95/12/31. 27pp. 88035:002-88035:027.

--9604290392 Rev 11 to "Point Beach Nuclear Plant Unit 1 & 2 Environ Manual."
* Wisconsin Electric Power Co. 95/09/21. 39pp. 88035:028-88035:066.

--9604290395 Rev 9 to "Point Beach Nuclear Plant Unit 1 & 2 ODCM."
* Wisconsin Electric Power Co. 95/07/06. 146pp. 88035:067-88035:212.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604030199 Ack receipt of Region III insp rept of Point Beach Nuclear Plant on 951117-960110 & disbelief of results.MTC used to move fully loaded MSB for SFP to decontamination area w/o performing adequate load test at 300% as required.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87746:285-87746:286.

DOCKET 50-267 FORT ST. VRAIN NUCLEAR GENERATING STATION

I. Financial Information

9604150385 "1995 Annual Rept for Public Svc Co of CO." W/960404 ltr.
HOCK,D.D., BORST,F.J. Public Service Co. of Colorado. 95/12/31. 55pp. 87899:075-87899:130.

J. Insurance & Indemnity Information

9604020223 Submits current levels & sources of nuclear property insurance for plant.
BORST,F.J. Public Service Co. of Colorado. 96/04/01. Document Control Branch (Document Control Desk). 1p. 87731:335-87731:335.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160070 Forwards response to unresolved items & insp rept concerns from insp rept 50-267/96-01.Corrective actions:comprehensive evaluation of background shield matls & comparison of measurements collected by technicians performed.
BORST,F.J. Public Service Co. of Colorado. 96/04/08. Document Control Branch (Document Control Desk). 37pp. 87914:253-87914:289.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

W. Decommissioning Stage Documents & Correspondence

9604050116 Submits followup to recent visit to US & to wish O Brigaud, Gosset,Masson & Remont well.
BELL,L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/21. BRIGAUD,O. France. 1p. 87771:359-87771:359.

9604120292 Documents FSV weekly call on 960327 re committments,plant status & final survey.
PITTIGLIO,C. NRC - No Detailed Affiliation Given. 96/03/27. NRC - No Detailed Affiliation Given. 1p. 87871:350-87871:350.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170523 Forwards request for addl info re comments on plant proposed revs to final survey plan for site release for survey of piping sys & suspect affected survey units.
PITTIGLIO,C.L. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/10. CRAWFORD,A.C. Public Service Co. of Colorado. 4pp. 87948:173-87948:177.

9604180008 Ack receipt of irradiated fuel mgt plan.NRC understands intent to transfer 10CFR72 license to DOE.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. BORST,F.J. Public Service Co. of Colorado. 1p. 87941:358-87941:358.

9604230072 Provides supplemental info to clarify util position re aggressive decontamination of embedded piping sys surfaces at plant.
BORST,F.J. Public Service Co. of Colorado. 96/04/12. WEBER,M.F. Decommissioning & Regulatory Issues Branch (Post 901230). 3pp. 88007:297-88007:299.

9604230117 Submits util response to NRC comments in 960411 ltr re proposed revs to plant Final Survey Plan.
BORST,F.J. Public Service Co. of Colorado. 96/04/19. WEBER,M.F. Uranium Recovery Branch (Post 901230). 11pp. 87976:328-87976:338.

9604230119 Provides addl info re documentation of Final Survey efforts at plant.
BORST,F.J. Public Service Co. of Colorado. 96/04/19. Document Control Branch (Document Control Desk). 7pp. 87976:321-87976:327.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604020296 Submits irradiated fuel mgt plan for managing fuel in plant.
BORST,F.J. Public Service Co. of Colorado. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87712:355-87712:356.

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020013 Change 1 to EPIP RP/0/B/1000/03A, "ERDS Operation." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 27pp. 87725:109-87725:136.

9604020018 Rev 3 to Chemistry Manual 5.1, "Emergency Response Guidelines." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 37pp. 87725:001-87725:038.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

P. Operating license stage documents & correspondence

9604090119 Discusses actions to be taken as result of 960316 reactor trip of Unit 3 while conducting testing of plant electrical sys,per 960318 telcon.
EBNETER,S.D. Region 2 (Post 820201). 96/03/18. HAMPTON,J.W. Duke Power Co. 3pp. 87773:077-87773:079.

9604090148 Confirms 960320 telcon re mgt meeting scheduled for 960322 at Oconee site to discuss 960316 reactor trip event & results of investigation thereof.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/20. HAMPTON,J.W. Duke Power Co. 2pp. 87792:344-87792:345.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

-9604020340 Rev 24 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 96/03/27. 150pp. 87730:153-87730:300.

9604090210 Summarizes 960322 meeting w/util in Seneca,SC re Oconee unit three reactor trip event of 960316.Informs that meeting beneficial in providing staff w/good overview of results from investigation.W/list of attendees & handouts.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/01. HAMPTON,J.W. Duke Power Co. 44pp. 87806:046-87806:089.

9604080211 Forwards amends 215,215 & 212 for licenses DPR-38,DPR-47 & DPR-55,respectively & SE.Amends revise TS Section 4.4.4, "PRVS," & TS Section 4.14, "Reactor Bldg Purge Filters & Spent Fuel Pool Ventilation Sys."
WIENS,L.A. . 96/04/02. HAMPTON,J.W. Duke Power Co. 3pp. 87779:238-87779:256.

-9604080216 Amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS Section 4.5.4, "PRVS," & TS Section 4.14, "Reactor Building Purge Filters & Spent Fuel Pool Ventilation Sys."
BERKOW,H.N. . 96/04/02. 10pp. 87779:241-87779:250.

-9604080222 Safety evaluation supporting amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/02. 6pp. 87779:251-87779:256.

9604160087 Application for emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
HAMPTON,J.W. Duke Power Co. 96/04/02. Document Control Branch (Document Control Desk). 5pp. 87914:315-87914:334.

-9604160089 Proposed emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
* Duke Power Co. 96/04/02. 15pp. 87914:320-87914:334.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160120 Responds to 960118 ltr to C Haughney re issue concerning thickness of welds for VECTRA-designed canisters in use at plant.
MARCUS,G.H. . 96/04/10. JOHNSTON,C.F. Toledo Coalition for Safe Energy. 3pp. 87899:231-87899:234.

9604170283 Forwards amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55 & SE.Amends revise Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS.
WIENS,L.A. . 96/04/15. HAMPTON,J.W. Duke Power Co. 3pp. 87911:128-87911:144.

-9604170328 Amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS & EFS.
BERKOW,H.N. . 96/04/15. 11pp. 87911:131-87911:141.

-9604170333 Safety evaluation supporting amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/15. 3pp. 87911:142-87911:144.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604240348 Informs that DE LaBarge to be assigned project manager for plant,effective 960428.
BERKOW,H.N. . 96/04/22. HAMPTON,J.W. Duke Power Co. 3pp. 87994:353-87994:355.

Q. Inspection reports, IE Bulletins & correspondence

9604100123 Discusses 960226 semiannual Plant Performance Review.Advises of planned insp effort resulting from PPR review.Forwards insp plan for next 6 months.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/01. HAMPTON,J.W. Duke Power Co. 6pp. 87832:156-87832:161.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090318 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000.Fee paid.
HAMPTON,J.W. Duke Power Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 87829:352-87829:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100021 Ack 960321 response to 960222 NOV.Meets requirements of 10CFR2.201.NRC to examine implementation of corrective actions in future insp.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 2pp. 87832:066-87832:067.

9604240153 Forwards insp rept 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Apparent violation being considered for escalated enforcement action.No response required.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 3pp. 87968:325-87968:360.

-9604240158 Insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Violation noted.Major areas inspected:plant operations;maint & surveillance testing including Keowee Hydro Maint program,engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. 33pp. 87968:328-87968:360.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230243 Ack receipt of 960326 ltr informing NRC of addl steps taken to correct violations noted in insp repts 50-259/96-01 50-260/96-01 & 50-296/96-01.
LESSER,M.S. Region 2 (Post 820201). 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87953:197-87953:199.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604290200 Ack receipt of 960403 ltr & payment in amount of $50,000 for civil penalty proposed by NRC in 960305 ltr.Corrective actions will be examined during future insps.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/04/26. HAMPTON,J.W. Duke Power Co. 1p. 88057:238-88057:238.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604250161 "Annual Radiological Environ Operating Rept 1995." W/ 960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 104pp. 88028:099-88028:202.

9604260142 "Annual Radioactive Effluent Release Rept for Oconee Nuclear Site for 1995." W/960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 48pp. 88031:225-88031:273.

9604220121 Forwards performance & operating status for Oconee Nuclear Station for Mar 1996 & revised rept for Feb 1996.
WEBER,R.L Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87963:293-87963:310.

-9604220308 Monthly operating repts for Mar 1996 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 15pp. 87963:295-87963:309.

-9604220309 Forwards revised monthly operating rept for Feb 1996 for Oconee Nuclear Station.
* Duke Power Co. 96/02/29. 1p. 87963:310-87963:310.

S. Reportable occurrences, LERs & related correspondence

9604050071 LER 96-004-00:on 960228,loss of FW resulted in RT due to equipment failure.Placed ICS in manual in response to FW transient.W/960328 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/03/28. 12pp. 87807:198-87807:209.

9604260055 LER 96-005-00:on 960320,containment isolation valve technically inoperable due to unknown cause.Evaluated & tested Yarway valves.W/960418 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/04/18. 10pp. 88009:134-88009:143.

9604300377 LER 96-006-00:on 960402,inadequate change mgt resulted in technical inoperability of filtered ventilation sys.Obtained TS change on 960402 to allow use of newer std.W/960424 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/04/24. 3pp. 88066:193-88066:195.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604300176 Notification of commitment to revise unloading procedures & supporting procedures prior to loading fuel in next DCS to be placed in ISFSI.Next fuel load tentatively scheduled for 960513.
HAMPTON,J.W. Duke Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88057:353-88057:354.

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020013 Change 1 to EPIP RP/0/B/1000/03A, "ERDS Operation." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 27pp. 87725:109-87725:136.

9604020018 Rev 3 to Chemistry Manual 5.1, "Emergency Response Guidelines." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 37pp. 87725:001-87725:038.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

P. Operating license stage documents & correspondence

9604090119 Discusses actions to be taken as result of 960316 reactor trip of Unit 3 while conducting testing of plant electrical sys,per 960318 telcon.
EBNETER,S.D. Region 2 (Post 820201). 96/03/18. HAMPTON,J.W. Duke Power Co. 3pp. 87773:077-87773:079.

9604090148 Confirms 960320 telcon re mgt meeting scheduled for 960322 at Oconee site to discuss 960316 reactor trip event & results of investigation thereof.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/20. HAMPTON,J.W. Duke Power Co. 2pp. 87792:344-87792:345.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

-9604020340 Rev 24 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 96/03/27. 150pp. 87730:153-87730:300.

9604090210 Summarizes 960322 meeting w/util in Seneca,SC re Oconee unit three reactor trip event of 960316.Informs that meeting beneficial in providing staff w/good overview of results from investigation.W/list of attendees & handouts.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/01. HAMPTON,J.W. Duke Power Co. 44pp. 87806:046-87806:089.

9604080211 Forwards amends 215,215 & 212 for licenses DPR-38,DPR-47 & DPR-55,respectively & SE.Amends revise TS Section 4.4.4, "PRVS," & TS Section 4.14, "Reactor Bldg Purge Filters & Spent Fuel Pool Ventilation Sys."
WIENS,L.A. . 96/04/02. HAMPTON,J.W. Duke Power Co. 3pp. 87779:238-87779:256.

-9604080216 Amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS Section 4.5.4, "PRVS," & TS Section 4.14, "Reactor Building Purge Filters & Spent Fuel Pool Ventilation Sys."
BERKOW,H.N. . 96/04/02. 10pp. 87779:241-87779:250.

-9604080222 Safety evaluation supporting amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/02. 6pp. 87779:251-87779:256.

9604160087 Application for emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
HAMPTON,J.W. Duke Power Co. 96/04/02. Document Control Branch (Document Control Desk). 5pp. 87914:315-87914:334.

-9604160089 Proposed emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
* Duke Power Co. 96/04/02. 15pp. 87914:320-87914:334.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160120 Responds to 960118 ltr to C Haughney re issue concerning thickness of welds for VECTRA-designed canisters in use at plant.
MARCUS,G.H. . 96/04/10. JOHNSTON,C.F. Toledo Coalition for Safe Energy. 3pp. 87899:231-87899:234.

9604170283 Forwards amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55 & SE.Amends revise Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS.
WIENS,L.A. . 96/04/15. HAMPTON,J.W. Duke Power Co. 3pp. 87911:128-87911:144.

-9604170328 Amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS & EFS.
BERKOW,H.N. . 96/04/15. 11pp. 87911:131-87911:141.

-9604170333 Safety evaluation supporting amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/15. 3pp. 87911:142-87911:144.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604240348 Informs that DE LaBarge to be assigned project manager for plant,effective 960428.
BERKOW,H.N. . 96/04/22. HAMPTON,J.W. Duke Power Co. 3pp. 87994:353-87994:355.

Q. Inspection reports, IE Bulletins & correspondence

9604100123 Discusses 960226 semiannual Plant Performance Review.Advises of planned insp effort resulting from PPR review.Forwards insp plan for next 6 months.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/01. HAMPTON,J.W. Duke Power Co. 6pp. 87832:156-87832:161.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090318 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000.Fee paid.
HAMPTON,J.W. Duke Power Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 87829:352-87829:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100021 Ack 960321 response to 960222 NOV.Meets requirements of 10CFR2.201.NRC to examine implementation of corrective actions in future insp.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 2pp. 87832:066-87832:067.

9604240153 Forwards insp rept 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Apparent violation being considered for escalated enforcement action.No response required.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 3pp. 87968:325-87968:360.

-9604240158 Insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Violation noted.Major areas inspected:plant operations;maint & surveillance testing including Keowee Hydro Maint program,engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. 33pp. 87968:328-87968:360.

9604190341 Summarizes 960312-13 meeting w/Framatome Technologies,Inc, DPC & EPRI to discuss technical aspects of CRDM penetration reinspections scheduled for Apr 1996 plant Unit 2 refueling outage.Presentation documentation & meeting agenda encl.
MEDOFF,J. . 96/04/09. STROSNIDER,J.R. . 130pp. 87926:001-87926:130.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604290200 Ack receipt of 960403 ltr & payment in amount of $50,000 for civil penalty proposed by NRC in 960305 ltr.Corrective actions will be examined during future insps.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/04/26. HAMPTON,J.W. Duke Power Co. 1p. 88057:238-88057:238.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604250161 "Annual Radiological Environ Operating Rept 1995." W/ 960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 104pp. 88028:099-88028:202.

9604260142 "Annual Radioactive Effluent Release Rept for Oconee Nuclear Site for 1995." W/960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 48pp. 88031:225-88031:273.

9604220121 Forwards performance & operating status for Oconee Nuclear Station for Mar 1996 & revised rept for Feb 1996.
WEBER,R.L Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87963:293-87963:310.

--9604220308 Monthly operating repts for Mar 1996 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 15pp. 87963:295-87963:309.

--9604220309 Forwards revised monthly operating rept for Feb 1996 for Oconee Nuclear Station.
* Duke Power Co. 96/02/29. 1p. 87963:310-87963:310.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604300176 Notification of commitment to revise unloading procedures & supporting procedures prior to loading fuel in next DCS to be placed in ISFSI.Next fuel load tentatively scheduled for 960513.
HAMPTON,J.W. Duke Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88057:353-88057:354.

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080270 Requests exemption from 10CFR50,App R,Section III.L, "Alternate & Dedicated Shutdown Capability."
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/04/04. Document Control Branch (Document Control Desk). 4pp. 87817:167-87817:170.

G. Adjudicatory correspondence

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

I. Financial information

9604080242 "Vermont Yankee Nuclear Power Corp 1995 Annual Rept." W/ 960403 ltr.
WEIGAND,J.G., DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 95/12/31. 37pp. 87811:233-87811:270.

J. Insurance & indemnity information

9604020015 Provides current levels of property insurance & sources of insurance for facility,per 10CFR50.54(w)(3).
SCHIMELPFENIG Vermont Yankee Nuclear Power Corp. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87725:357-87725:357.

P. Operating license stage documents & correspondence

9604030030 Forwards response to BWROG RRG recommendations re CRD SSPVs w/ Viton internals.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/03/25. Document Control Branch (Document Control Desk). 3pp. 87746:310-87746:312.

9604010270 Documents revised submittal date for util USI A-46 effort from 960331-0531.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87719:149-87719:149.

9604020310 Forwards summary of changes to util Sept 1989 RG 1.97 submittal,RG 1.97 qualification summary,RG 1.97 matrix & RG 1.97 design & qualification criteria for instrumentation (summary).
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/03/29. Document Control Branch (Document Control Desk). 36pp. 87726:285-87726:320.

9604080277 Application for amend to License DPR-28,consisting of Proposed Change 183,revising existing requirements for control rod & drive mechanism coupling verification,per TS 4.3.B.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87858:316-87858:326.

--9604080283 Proposed tech specs re control rod over-travel indication surveillance.
* Vermont Yankee Nuclear Power Corp. 96/04/04. 6pp. 87858:321-87858:326.

9604090283 Proposed Change 184 to license DPR-28,revising TS requirements for secondary containment based on guidance in NUREG-1433,Rev 1, "STS for GE Plants,BWR/4."
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87830:324-87830:347.

--9604090287 Proposed tech specs re secondary containment integrity.
* Vermont Yankee Nuclear Power Corp. 96/04/04. 16pp. 87830:332-87830:347.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160331 Provides info requested by NRC re mod of station battery racks & schedule for completing mod.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87923:271-87923:272.

9604180366 Forwards nonproprietary "Vermont Yankee Nuclear Power Station (VYNPS) Core Shroud Repair Summary" & proprietary Vols 1,2 & 3 of Rev 0 to MPR-1730, "VYNPS Core Shroud Repair - Design Rept," per GL 94-03.Proprietary rept withheld.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87961:130-87961:187.

--9604180371 Rev 0 to "Vermont Yankee Nuclear Power Station Core Shroud Repair Summary."
* Vermont Yankee Nuclear Power Corp. 96/04/30. 51pp. 87961:137-87961:187.

9604240132 Transmits 60 day response to GL 96-01, "Testing of SR Logic Circuits."
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88010:233-88010:234.

9604240152 Informs NRC of util implementation plans for issues discussed at recent motor-operated valve program insp exit meeting re final closure of MOV program,per GL 89-10.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88010:248-88010:249.

9604300148 Summary of 960328 meeting w/licensee in Rockville,MD to discuss licensee use of arching action methodology in determining operability of masonry wall between main station batteries.List of attendees & slides forwarded.
DORMAN,D.H. . 96/04/18. * . 31pp. 88053:162-88053:192.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110224 Ack receipt of 951229 ltr informing NRC of steps taken to correct violations noted in insp rept 50-271/95-23.
CONTE,R.J. Region 1 (Post 820201). 96/04/04. REID,D.A. Vermont Yankee Nuclear Power Corp. 2pp. 87850:133-87850:137.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160036 Discusses review of SER approving feedwater nozzle insp technique.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 96/04/10. Document Control Branch (Document Control Desk). 2pp. 87914:311-87914:312.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220323 Requests that Vermont Yankee integrated performance assessment process insp be rescheduled to following 1996 refueling outage,currently scheduled to commence 960823.
REID,D.A. Vermont Yankee Nuclear Power Corp. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87973:356-87973:357.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020291 "Effluent & Waste Disposal Annual Rept for 1995." W/960329 ltr.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. 95/12/31. 87pp. 87732:240-87732:327.

9604170044 Monthly operating rept for Mar 1996 for VYNP.W/960410 ltr.
WALLIN,G.A., WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/03/31. 6pp. 87949:095-87949:100.

S. Reportable occurrences, LERs & related correspondence

9604010369 LER 96-005-00:on 960227,Group 6 isolation for HPCI sys inadvertently degraded without taking actions included by TS.Caused by personnel error.Plant processes involved w/ design change preparation reviewed.W/960328 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/03/28. 5pp. 87708:305-87708:309.

9604090045 LER 96-007-00:on 960304,vital fire dampers not installed in accordance w/ mfg instructions.Placed qualified fire watches in areas w/inoperable dampers.W/ 960403 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/04/03. 4pp. 87824:073-87824:076.

9604090049 LER 96-008-00:on 960305,error identified in block wall calculation due to personnel error which placed plant outside design basis.Prepared Basis for Maintaining Operation.W/960404 ltr.
WANCZYK,R.J. Vermont Yankee Nuclear Power Corp. 96/04/04. 4pp. 87824:077-87824:080.

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010304 Forwards insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224 & NOV.Examples of failure to adhere to procedures,inadequate control of plant configuration & weak CA,noted.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87687:024-87687:070.

-9604010312 Insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support & safety assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/25. 41pp. 87687:030-87687:070.

9604110093 Revised EPIPs,including Rev 21 to EPIP table of contents & Rev 10 to EPIP 903, "Opening of Emergency Operations Facility (EOF)/Emergency News Ctr (ENC)."
* Public Service Electric & Gas Co. of New Jersey. 96/04/01. 18pp. 87856:115-87856:132.

9604160478 Revised "Salem Event Classification Guide."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/08. 59pp. 87942:257-87942:315.

9604160245 Rev 3 to emergency plan section 6, "Notification Methods - Response Organizations."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/09. 26pp. 87893:280-87893:305.

9604250128 Notification of licensee meeting 96-039 w/util on 960506 to discuss improvements in site EP program.
NICKOLSON,L.E. Region 1 (Post 820201). 96/04/17. Region 1 (Post 820201). 2pp. 87996:295-87996:296.

I. Financial information

9604190173 Forwards "Delmarva Power 1995 Annual Rept," "Public Svc Enterprise Group Inc,1995 Summary Annual Rept" & "Atlantic Energy 1995 Summary Annual Rept."
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 96/04/15. Document Control Branch (Document Control Desk). 5pp. 87983:131-87983:261.

-9604190175 "Delmarva Power 1995 Annual Rept."
COSGROVE,H.E. Delmarva Power & Light Co. 95/12/31. 54pp. 87983:136-87983:189.

-9604190177 "Public Svc Enterprise Group Inc,1995 Summary Annual Rept."
FERLAND,E.J. Public Service Enterprise Group. 95/12/31. 28pp. 87983:190-87983:217.

-9604190178 "Atlantic Energy 1995,Summary Annual Rept."
JACOBS,J.L., HUGGARD,E.D. Atlantic Energy, Inc. 95/12/31. 37pp. 87983:218-87983:261.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604160099 Forwards marked-up updated FSAR pages addressing questions re spent fuel pool cooling sys,per 960328 discussion w/NRC.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/10. Document Control Branch (Document Control Desk). 48pp. 87898:201-87898:248.

P. Operating license stage documents & correspondence

9604010262 Provides suppl response to GL 86-04 re policy statement on engineering expertise on shift while still meeting plant TS.PSE&G now plans to use both licensed & non-licensed STAs.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/03/22. Document Control Branch (Document Control Desk). 2pp. 87704:351-87704:352.

9604020231 Provides update on changes to plant restart action plans.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/03/26. Document Control Branch (Document Control Desk). 71pp. 87733:001-87733:071.

9604080032 Forwards rev 0 to SGS-SUP.RPT, "Salem Generating Station Supplemental Submittal in Response to GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87776:001-87776:155.

-9604080045 "Salem Generating Station Supplemental Submittal in Response to NRC GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
* Vectra Technologies, Inc. SGS-SUP.RPT R00. 96/03/24. 879pp. 87776:005-87778:155.

9604080371 Submits withdrawal of requests for amend for Salem Generating & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87815:342-87815:343.

9604080264 Documents response to Action 1 of Confirmatory Action Ltr 1-95-009,dtd 950609.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87817:252-87817:253.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180278 Informs that State of NJ has no comments re License change request S-96-01 re 125 volt battery charger surveillance.
TOSCH,K. New Jersey, State of. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87942:359-87942:360.

9604160020 Informs that proposed changes to QAP IAW 10CFR50.54(a), acceptable.
RULAND,W.H. Region 1 (Post 820201). 96/04/10. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87895:218-87895:220.

9604180268 Forwards withdrawal of amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
OLSHAN,L.N. . 96/04/16. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 1p. 87917:347-87917:352.

-9604180274 Notice of withdrawal of application for amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
STOLZ,J.F. . 96/04/16. 2pp. 87917:351-87917:352.

9604260133 Informs that util received GL 96-01, "Testing of Safety-Related Logic Circuits," & will implement requested actions for facilities.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 88027:351-88027:353.

9604250128 Notification of licensee meeting 96-039 w/util on 960506 to discuss improvements in site EP program.
NICKOLSON,L.E. Region 1 (Post 820201). 96/04/17. Region 1 (Post 820201). 2pp. 87996:295-87996:296.

9604290184 Application for amends to licenses DPR-70 & DPR-75,modifying frequency of Type A containment ILRT.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/22. Document Control Branch (Document Control Desk). 10pp. 88057:186-88057:203.

-9604290189 Proposed tech specs for Units 1 & 2 re mod of frequency of Type A containment ILRT.
* Public Service Electric & Gas Co. of New Jersey. 96/04/22. 8pp. 88057:196-88057:203.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010304 Forwards insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224 & NOV.Examples of failure to adhere to procedures,inadequate control of plant configuration & weak CA,noted.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87687:024-87687:070.

-9604010306 Notice of violation from insp on 960114-0224.Violation noted:on 960129,Unit 1 operators performed S1.OP-ST.DG-0001 & failed to perform required independent verification following restoration.
* Region 1 (Post 820201). 96/03/26. 3pp. 87687:027-87687:029.

-9604010312 Insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support & safety assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/25. 41pp. 87687:030-87687:070.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150211 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/08. Document Control Branch (Document Control Desk). 9pp. 87896:085-87896:093.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290237 Forwards insp rept 50-272/96-05 & 50-311/96-05 on 960225-0406 & notice of violation.
NICHOLSON,L.E. Region 1 (Post 820201). 96/04/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 88020:312-88020:344.

-9604290246 Notice of violation from insp on 960225-0406.Violation noted:during insp period resident inspectors determined each Salem unit did not have OSR & SRG consisting of at least four dedicated.
* Region 1 (Post 820201). 96/04/22. 2pp. 88020:316-88020:317.

-9604290253 Insp repts 50-272/96-05 & 50-311/96-05 on 960225-0406. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 96/04/22. 27pp. 88020:318-88020:344.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604300200 Forwards response to NRC 960325 ltr re violations noted in insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Corrective actions:required independent verification was completed.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/25. Document Control Branch (Document Control Desk). 16pp. 88063:343-88063:358.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190105 Monthly operating rept for March 1996 for SNGS Unit 1.W/ 960412 ltr.
PHILLIPS,R., HELLER,R., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/03/31. 11pp. 87952:345-87952:356.

9604300107 "NPDES Discharge Monitoring Rept for Mar 1996 for Salem Generating Station." W/960424 ltr.
HOLDEN,J.J. Public Service Electric & Gas Co. of New Jersey. 96/03/31. CAPORALE,G. New Jersey, State of. 21pp. 88060:320-88060:340.

S. Reportable occurrences, LERs & related correspondence

9604010152 LER 96-003-00:on 960220,TS radiation monitor sampling in noncompliance.Caused by failure of plant chemistry to fully understand TS sample & analysis requirements.Established process for controlling analyses.W/960325 ltr.
HASSLER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/03/25. 5pp. 87694:305-87694:309.

9604010336 Special repton 960224,valid failure of 1B EDG was identified during surveillance testing.Caused by fatigue due to normal machine vibration.Replaced threaded nipple.
WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/03/25. Document Control Branch (Document Control Desk). 5pp. 87719:152-87719:156.

9604030243 Submits supplemental rept on corrective measures taken to reduce potential of future occurrences.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/03/28. New Jersey, State of. 3pp. 87755:356-87755:358.

9604090032 LER 95-016-01:on 950720,difference between containment design parameters & accident analysis was discovered.Caused by inadequate 10CFR50.59 SEs for changes in containment temp profiles.Changed UFSAR & TS.W/960402 ltr.
HASSLER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/04/01. 6pp. 87824:062-87824:067.

9604120009 LER 96-004-00:on 960307,identified that CI valve TS surveillance missed due to lack of adequate controls for development & maint of TS SPs.Util verifying adequacy of all TS SPs.W/960408 ltr.
DODSON,D., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/04/08. 5pp. 87875:346-87875:350.

9604290116 LER 96-005-00:on 960325,channel checks for average temp not performed as required by TS.Caused by inadequate controls for development & maint of TS surveillance procedures.TSSIP initiated.W/960423 ltr.
HASSLER,D.V., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/04/24. 5pp. 88045:319-88045:323.

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150277 Forwards insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87872:027-87872:039.

-9604150280 Insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.Major areas inspected:physical security program including,control of personnel & packages,testing & maint,training & qualification,lighting,records & repts.
MURRAY,B. Region 4 (Post 820201). 96/04/04. 8pp. 87872:032-87872:039.

9604160031 Forwards insp repts 50-275/96-02 & 50-323/96-02 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87887:043-87887:076.

--9604160040 Notice of violation from insp on 960121-0302.Violation noted:none of personnel assigned to fire brigade shift watch on 951229,had completed bienniel training requirements.
* Region 4 (Post 820201). 96/04/10. 2pp. 87887:049-87887:050.

9604260013 Discusses Change 7 to Rev 18 to plant physical security plan & Change 1 to Rev 3 to safeguards contingency plan to incorporate required vehicle barrier sys & remove protection scheme as required by GL 89-07.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88003:310-88003:314.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604010133 "Pacific Gas & Electric Co 1995 Annual Rept." W/960326 ltr.
SKINNER,S., ANGUS,M.J. Pacific Gas & Electric Co. 95/12/31. 59pp. 87719:001-87719:061.

P. Operating license stage documents & correspondence

9604030238 Clarifies description provided in LAR 95-05 of location & number of tanks providing temporary diesel fuel oil storage.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/22. Document Control Branch (Document Control Desk). 4pp. 87746:355-87746:358.

9604020114 Advises that NRC has been informed by Attorney General of State of California investigating allegations that facility failed to provide complete & accurate info about effects of plant intake sys on ocean life.
BLOOM,S.D. . 96/03/27. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 87725:306-87725:308.

9604030204 Forwards notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 87722:210-87722:214.

--9604030217 Notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. 2pp. 87722:213-87722:214.

9604080123 Forwards corrected figures for rept re sizing of primary water stress corrosion cracking indications in dented SG tubes pulled during Unit 1 seventh refueling outage.
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/02. Document Control Branch (Document Control Desk). 4pp. 87803:357-87803:360.

9604040162 Forwards License Amend Request 96-06 to Licenses DPR-80 & DPR-82,revising Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards Air Filtration Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87766:329-87766:353.

--9604040166 License Amend Request 96-06 to Licenses DPR-80 & DPR-82, revising Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards air Filtration Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/03. 7pp. 87766:331-87766:337.

--9604040169 Proposed Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards Air Filtration Sys."
* Pacific Gas & Electric Co. 96/04/03. 16pp. 87766:338-87766:353.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240006 Submits corrections to amends 89 & 88 to licenses DPR-80 & DPR-82 for DCNPP,Units 1 & 2,revising TS re ESFAS & SR & clarified containment fan cooling unit configurations.
BLOOM,S.D. . 96/04/16. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 87972:221-87972:224.

--9604240077 Corrected TS pp to amends 89 & 88 to licenses DPR-80 & DPR-82,revising TS re ESFAS instrumentation & SR & clarified containment fan cooling unit configurations.
* NRC - No Detailed Affiliation Given. 96/04/16. 2pp. 87972:223-87972:224.

9604250100 Responds to GL 96-01, "Testing of SR Logic Circuits."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87998:160-87998:162.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080161 Advises of planned insp effort resulting from PPR review providing to minimize resource impact on staff & to allow for scheduling conflicts & personnel availability to be resolved in advance of inspector arrival onsite.
DYER,J.E. Region 4 (Post 820201). 96/04/03. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87772:019-87772:024.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150328 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
WOMACK,L.F. Pacific Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 15pp. 87896:196-87896:210.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604150277 Forwards insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87872:027-87872:039.

--9604150280 Insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.Major areas inspected:physical security program including,control of personnel & packages,testing & maint,training & qualification,lighting,records & repts.
MURRAY,B. Region 4 (Post 820201). 96/04/04. 8pp. 87872:032-87872:039.

9604160031 Forwards insp repts 50-275/96-02 & 50-323/96-02 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87887:043-87887:076.

--9604160040 Notice of violation from insp on 960121-0302.Violation noted:none of personnel assigned to fire brigade shift watch on 951229,had completed bienniel training requirements.
* Region 4 (Post 820201). 96/04/10. 2pp. 87887:049-87887:050.

--9604160043 Insp repts 50-275/96-02 & 50-323/96-02 on 960121-0302. Violations noted.Major areas inspected:operation safety verification,maint observations,surveillance observations, onsite engineering & plant support activities.
WONG,H.J. Region 4 (Post 820201). 96/04/09. 25pp. 87887:051-87887:076.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604190009 Forwards insp repts 50-275/96-01 & 50-323/96-01 on 960108- 12.Violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87920:289-87920:306.

--9604190011 Insp repts 50-275/96-01 & 50-323/96-01 on 960108-0329. Violations noted.Major areas inspected:Licensee Event Repts 50-275/95-S02-00 & 50-323/95-S02-00 which involved improper granting of unescorted access authorization to individual.
MURRAY,B. Region 4 (Post 820201). 96/04/05. 12p. 87920:295-87920:306.

9604230378 Forwards corrected pages to insp repts 50-275/96-01 & 50-323/96-01 dtd 960411.
GWYNN,T.P. Region 4 (Post 820201). 96/04/18. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87967:268-87967:273.

--9604240021 Corrected pages to insp repts 50-275/96-01 & 50-323/96-01. Correction due to administrative error.
GWYNN,T.P. Region 4 (Post 820201). 96/04/18. 1p. 87967:273-87967:273.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010120 "Tabulation of Personnel Exposure to Radiation for Year 1995." W/960322 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 95/12/31. 5pp. 87697:339-87697:343.

9604190118 Monthly operating repts for March 1996 for DCNPP.W/960415 ltr.
COLEY,W.E., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/31. 21pp. 87939:213-87939:233.

9604240182 "First Quarter 1996 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/960419 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/31. BRIGGS,R.W. California, State of. 90pp. 88016:178-88016:267.

S. Reportable occurrences, LERs & related correspondence

9604010263 LER 85-043-00:on 850303,TS 3.3.2,Table 3.3-3 & Action 18 was not met when containment purge valves opened w/o valid current slave relay test due to inadequate procedure. Revised procedure.W/960325 ltr.
BEHNKE,D.H., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/25. 9pp. 87708:237-87708:245.

9604020265 LER 94-023-00:on 940504,TS 3.0.4 not met when facility entered Mode 3 w/CCP 1-1 inoperable due to equipment degradation.Performed calculation to verify that pump total flow would remain below TS total flow limit.W/960328 ltr.
BEHNKE,D.H., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/28. 8pp. 87733:231-87733:238.

9604050029 LER 84-050-00:on 840310,TS 3.3.3.6 was not met due to inadequate procedural guidance.Operators performed STP I-1D using PAMS panels 3 & 4 to verify operability of incore thermocouple channels.W/960401 ltr.
BEHNKE,D.H., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/01. 7pp. 87807:182-87807:188.

9604190158 LER 96-004-00:on 960102,TS 3.3.3.5 not met when allowed outage time of days exceeded for component cooling water (CCW) pump 1-1.Caused by personnel error.Separate recurring task work order will be developed.W/960415 ltr.
BEHNKE,D.H., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/15. 7pp. 87960:301-87960:307.

9604300022 LER 95-002-01:on 950310,access/egress for plant significantly hampered by closure of all access roads.Caused by mud slides & flooding.C/A:pumps removed flood waters. W/960422 ltr.
BEHNKE,D.H., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/22. 8pp. 88065:327-88065:334.

9604300411 LER 96-018-01:on 951022,eddy current insp revealed SG 1-2 had 70 defective tubes.Caused by water stress corrosion cracking.All SG tubes classified as defective plugged.W/ 960423 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/23. 8pp. 88066:213-88066:220.

9604300228 LER 96-003-00:on 960326,TS 3.7.1.1 not met during testing of MSSVs.Caused believed to be related to sticking phenomenon between MSSV nozzle & disc seat seating surfaces.Unit 1 MSSVs retested.W/960425 ltr.
JOHNSON,R.L., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/04/25. 15pp. 88066:062-88066:076.

DOCKET 50-276 AGN-201

P. Operating license stage documents & correspondence

9604170341 Press release II-96-41, "NRC Licensing Board Sets Prehearing Conference on GA Tech Research Reactor."
* Region 2 (Post 820201). 96/04/16. 1p. 87959:334-87959:334.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020322 Forwards revised emergency response procedures (ERP), including central files version of Rev 43 to ERP-110,App 1 & public version of Rev 13 to ERP-200.Central files version of Rev 43 to ERP-110,App 1 withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. Document Control Branch (Document Control Desk). 1p. 87727:319-87727:333.

-9604020347 Public version of Rev 13 to Emergency Response Procedure (ERP) ERP-200, "Emergency Director."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/01/30. 14pp. 87727:320-87727:333.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170249 Forwards & discusses Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. OCH,R. Maryland Safe Energy Coalition. 5pp. 87905:299-87905:361.

-9604170265 Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. 42pp. 87905:304-87905:345.

-9604170265 Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. 42pp. 87905:304-87905:345.

-9604170272 Notice of issuance of Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to insulation corrected.
RUSSELL,W.T. . 96/04/03. 3pp. 87905:346-87905:361.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170249 Forwards & discusses Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. OCH,R. Maryland Safe Energy Coalition. 5pp. 87905:299-87905:361.

-9604170265 Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. 42pp. 87905:304-87905:345.

-9604170272 Notice of issuance of Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to insulation corrected.
RUSSELL,W.T. . 96/04/03. 3pp. 87905:346-87905:361.

P. Operating license stage documents & correspondence

9604030071 License Change Request 96-01 to Licenses DPR-44 & DPR-56, revising TS Section 2.0, "Safety Limits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/25. Document Control Branch (Document Control Desk). 7pp. 87746:323-87746:333.

-9604030078 Proposed Tech Specs Section 2.0 re safety limits.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/25. 4pp. 87746:330-87746:333.

9604040228 Responds to BWROG RRG interim recommendations re Viton CRD SSPV response time delay.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 1p. 87771:172-87771:172.

9604050398 Forwards RAI re wide range neutron monitor TS at plant units 1 & 2.
SHEA,J.W. . 96/04/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 87755:157-87755:163.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170019 Forwards request for relief 33-VRR-1,rev 0 to second 10-yr interval IST program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/10. Document Control Branch (Document Control Desk). 5pp. 87949:029-87949:033.

9604230092 Forwards util 960321 proposed temporary change to NPDES Permit PA 0009733,requesting approval for temporary discharge of non-contact CW to discharge canal via stormwater drain & state of PA approval of proposed change.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. Document Control Branch (Document Control Desk). 3pp. 88000:351-88000:353.

9604260107 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88023:357-88023:360.

9604300074 Forwards "Annual Effluent Release Rept No 38,Jan-Dec 1995" & rev 9 to Offsite Dose Calculation Manual for Peach Bottom Atomic Power Station Units 2 & 3.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88061:186-88061:333.

--9604300086 "Offsite Dose Calculation Manual,Rev 9,Peach Bottom Atomic Power Station Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/01/03. 125pp. 88061:209-88061:333.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010414 Forwards combined insp repts 50-277/96-01 & 50-278/96-01 on 960114-960309 & NOV.
PASCIAK,W.J. Region 1 (Post 820201). 96/03/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 87687:190-87687:230.

--9604010422 Notice of violation from insp on 960114-960309.Violation noted:failure to implement adequate functional or calibr testing in written test procedures.
* Region 1 (Post 820201). 96/03/25. 2pp. 87687:194-87687:195.

--9604010431 Insp repts 50-277/96-01 & 50-278/96-01 on 960114-960309. Violations noted:Major areas inspected:plant activities review,plant operations review,maintenance & surveillance testing,engineering & technical support activities.
SCHMIDT,W.L., BONNETT,F.P., LORSON,R.K. Region 1 (Post 820201). 96/03/25. 35pp. 87687:196-87687:230.

9604040018 Submits follow up to 960119 response to NOV & has determined that appropriate guidance contained in OM-P-151, Administrative Guideline-26.12,Rev 9 & AG-CG-26.6,Rev 2.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87752:356-87752:358.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290213 Requests that NRC review & approve Rev 3 to Relief Request GVRR-2 re Second Ten Yr Interval IST Program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/23. Document Control Branch (Document Control Desk). 5pp. 88057:285-88057:289.

9604300189 Forwards response to NRC 960325 ltr re violations noted in insp repts 50-277/96-01 & 50-278/96-01 on 960114-0309. Corrective actions:revised 4 kV 98% & 89% UV relay functional test series S12(3)k-54-E(bus number)-XXFM.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 8pp. 88067:206-88067:213.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190099 Monthly operating repts for March 1996 for PBAPS.W/960415 ltr.
HYDRICK,L.P., MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/31. 15pp. 87951:281-87951:295.

9604300074 Forwards "Annual Effluent Release Rept No 38,Jan-Dec 1995" & rev 9 to Offsite Dose Calculation Manual for Peach Bottom Atomic Power Station Units 2 & 3.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88061:186-88061:333.

--9604300081 "Annual Effluent Release Rept No 38 Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 21pp. 88061:187-88061:208.

--9604300086 "Offsite Dose Calculation Manual,Rev 9,Peach Bottom Atomic Power Station Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/01/03. 125pp. 88061:209-88061:333.

9604300266 Forwards "PBAPS Units 2 & 3 Radiation Dose Assessment Rept 11 for Jan-Dec 1995." Rept indicates PBAPS releases small fraction of limits listed in 40CFR190, "Environ Radiation Protection Stds for Nuclear Power Operations."
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88062:313-88062:351.

--9604300268 "PBAPS Units 2 & 3 Radiation Dose Assessment Rept 11 for Jan-Dec 1995."
MSCISZ,T.J., BASILIO,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 37pp. 88062:314-88062:351.

S. Reportable occurrences, LERs & related correspondence

9604040010 LER 96-003-00:on 960228,ESFA occurred due to loss of one off-site power source.Reset PCIS Group II isolation logics & restored affected sys.W/undated ltr.
LENGYEL,G., EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. 5pp. 87758:327-87758:331.

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604020322 Forwards revised emergency response procedures (ERP), including central files version of Rev 43 to ERP-110,App 1 & public version of Rev 13 to ERP-200.Central files version of Rev 43 to ERP-110,App 1 withheld.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. Document Control Branch (Document Control Desk). 1p. 87727:319-87727:333.

--9604020347 Public version of Rev 13 to Emergency Response Procedure (ERP) ERP-200, "Emergency Director."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/01/30. 14pp. 87727:320-87727:333.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170249 Forwards & discusses Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. OCH,R. Maryland Safe Energy Coalition. 5pp. 87905:299-87905:361.

--9604170265 Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. 42pp. 87905:304-87905:345.

--9604170272 Notice of issuance of Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to insulation corrected.
RUSSELL,W.T. . 96/04/03. 3pp. 87905:346-87905:361.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170249 Forwards & discusses Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. OCH,R. Maryland Safe Energy Coalition. 5pp. 87905:299-87905:361.

–9604170265 Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to combustible insulation corrected.
RUSSELL,W.T. . 96/04/03. 42pp. 87905:304-87905:345.

–9604170272 Notice of issuance of Director's Decision DD-96-03,denying request to immediately shut down both reactors at plant until risk of fire near electrical control cables due to insulation corrected.
RUSSELL,W.T. . 96/04/03. 3pp. 87905:346-87905:361.

P. Operating license stage documents & correspondence

9604030071 License Change Request 96-01 to Licenses DPR-44 & DPR-56, revising TS Section 2.0, "Safety Limits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/25. Document Control Branch (Document Control Desk). 7pp. 87746:323-87746:333.

–9604030078 Proposed Tech Specs Section 2.0 re safety limits.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/25. 4pp. 87746:330-87746:333.

9604040228 Responds to BWROG RRG interim recommendations re Viton CRD SSPV response time delay.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 1p. 87771:172-87771:172.

9604050398 Forwards RAI re wide range neutron monitor TS at plant units 1 & 2.
SHEA,J.W. . 96/04/04. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 7pp. 87755:157-87755:163.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170019 Forwards request for relief 33-VRR-1,rev 0 to second 10-yr interval IST program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/10. Document Control Branch (Document Control Desk). 5pp. 87949:029-87949:033.

9604230092 Forwards util 960321 proposed temporary change to NPDES Permit PA 0009733,requesting approval for temporary discharge of non-contact CW to discharge canal via stormwater drain & state of PA approval of proposed change.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. Document Control Branch (Document Control Desk). 3pp. 88000:351-88000:353.

9604260107 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88023:357-88023:360.

9604300074 Forwards "Annual Effluent Release Rept No 38,Jan-Dec 1995" & rev 9 to Offsite Dose Calculation Manual for Peach Bottom Atomic Power Station Units 2 & 3.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88061:186-88061:333.

–9604300086 "Offsite Dose Calculation Manual,Rev 9,Peach Bottom Atomic Power Station Units 2 & 3."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/01/03. 125pp. 88061:209-88061:333.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010414 Forwards combined insp repts 50-277/96-01 & 50-278/96-01 on 960114-960309 & NOV.
PASCIAK,W.J. Region 1 (Post 820201). 96/03/25. SMITH,D.M. PECO Energy Co., (formerly Philadelphia Electric Co.). 4pp. 87687:190-87687:230.

–9604010422 Notice of violation from insp on 960114-960309.Violation noted:failure to implement adequate functional or calibr testing in written test procedures.
* Region 1 (Post 820201). 96/03/25. 2pp. 87687:194-87687:195.

–9604010431 Insp repts 50-277/96-01 & 50-278/96-01 on 960114-960309. Violations noted:Major areas inspected:plant activities review,plant operations review,maintenance & surveillance testing,engineering & technical support activities.
SCHMIDT,W.L., BONNETT,F.P., LORSON,R.K. Region 1 (Post 820201). 96/03/25. 35pp. 87687:196-87687:230.

9604040018 Submits follow up to 960119 response to NOV & has determined that appropriate guidance contained in OM-P-151, Administrative Guideline-26.12,Rev 9 & AG-CG-26.6,Rev 2.
EDWARDS,G.D. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87752:356-87752:358.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290213 Requests that NRC review & approve Rev 3 to Relief Request GVRR-2 re Second Ten Yr Interval IST Program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/23. Document Control Branch (Document Control Desk). 5pp. 88057:285-88057:289.

9604300189 Forwards response to NRC 960325 ltr re violations noted in insp repts 50-277/96-01 & 50-278/96-01 on 960114-0309. Corrective actions:revised 4 kV 98% & 89% UV relay functional test series S12(3)k-54-E(bus number)-XXFM.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 8pp. 88067:206-88067:213.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190099 Monthly operating repts for March 1996 for PBAPS.W/960415 ltr.
HYDRICK,L.P., MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/31. 15pp. 87951:281-87951:295.

9604300074 Forwards "Annual Effluent Release Rept No 38,Jan-Dec 1995" & rev 9 to Offsite Dose Calculation Manual for Peach Bottom Atomic Power Station Units 2 & 3.
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88061:186-88061:333.

–9604300081 "Annual Effluent Release Rept No 38 Jan-Dec 1995."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 21pp. 88061:187-88061:208.

9604300266 Forwards "PBAPS Units 2 & 3 Radiation Dose Assessment Rept 11 for Jan-Dec 1995." Rept indicates PBAPS releases small fraction of limits listed in 40CFR190, "Environ Radiation Protection Stds for Nuclear Power Operations."
MITCHELL,T.N. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88062:313-88062:351.

–9604300268 "PBAPS Units 2 & 3 Radiation Dose Assessment Rept 11 for Jan-Dec 1995."
MSCISZ,T.J., BASILIO,J.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 95/12/31. 37pp. 88062:314-88062:351.

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604080133 Revised EPIPs,including Rev 20 to EPIP-3.02, "Activation of Technical Support Ctr," Rev 14 to EPIP-3.04, "Activation of Local Emergency Operations Facility" & Rev 9 to EPIP-4.03, "Dose Assessment Team Controlling Procedure." W/960403 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/03. 59pp. 87811:271-87811:329.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150126 Submits clarifications to physical security plan.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87889:355-87889:356.

9604250424 Requests that 930126 proposed license amend to relocate fire protection TS to UFSAR consistent w/GL 86-10 be withdrawn, pending completion of more detailed review & clarification of fire protection licensing basis.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88023:091-88023:092.

9604290158 Forwards Rev 5 to "Corporate Emergency Response Plan," Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2,Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3 & Rev 4 to CPIP-6.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88032:001-88032:143.

--9604290166 Rev 5 to "Corporate Emergency Response Plan."
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 68pp. 88032:004-88032:071.

--9604290177 Revised CPIPs,including Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2, Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3,Rev 4 to CPIP-6.2 & Rev 5 to CPIP-7.0.
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 71pp. 88032:072-88032:143.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604040109 Forwards comparative statement of income for three months ended 951231 & 1994,internal cash flow projection for CY96 & statement ensuring availability of funds for payment of retrospective premiums,per 10CFR142.21(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. . 63pp. 87769:283-87769:347.

P. Operating license stage documents & correspondence

9604090256 Confirms 960320 telcon between Bowling & G Belisle re meeting scheduled for 960521.Purpose of meeting to discuss Surry self assessment.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87806:102-87806:104.

9604100057 Reviews meeting held 960326 at licensee request in Region II ofc to discuss nuclear engineering initiatives.Provided better understanding of re-engineering efforts & self- assessment initiatives.W/list of attendees & viewgraphs.
CASTRO,C.A. Region 2 (Post 820201). 96/03/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 33pp. 87832:085-87832:117.

9604040120 Forwards discussion of PTS screening calculations,summary of surveillance capsule analysis results used in RG 1.99,Rev 2, Position 2.1,chemistry factor calculations & revised PTS screening calculations,per request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 23pp. 87753:326-87753:348.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180174 Application for amends to licenses DPR-32 & DPR-37, clarifying applicability of Quadrant Power Tilt Ratio requirements.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87936:346-87936:357.

--9604180175 Proposed tech specs,clarifying applicability of Quadrant Power Tilt Ration requirements.
* Virginia Power (Virginia Electric & Power Co.). 96/04/15. 5pp. 87936:353-87936:357.

9604250207 Provides comments re 10CFR20, "Reporting Requirements for Unauthorized Used of Licensed Radioactive Matl."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Docketing & Services Branch. 4pp. 87998:145-87998:148.

9604220171 Discusses 960110 GL 96-01,entitled "Testing of Safety Related Logic Circuits," requesting actions to compare & revise surveillance procedures as necessary for complete testing to comply w/TS.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87953:327-87953:329.

9604250365 Forwards amends 208 & 208 to licenses DPR-32 & DPR-37, respectively.Amends would permit use of 10CFR50 App J,Option B,performance-based containment leakage rate testing.
BUCKLEY,B.C. . 96/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87997:287-87997:301.

--9604250370 Amends 208 & 208 to licenses DPR-32 & DPR-37,respectively, permiting use of 10CFR50 App J,option B,performance-based contaminated leakage rate testing.
IMBRO,E.V. . 96/04/18. 8pp. 87997:290-87997:297.

--9604250373 Safety evaluation supporting amends 208 & 208 to licenses DPR-32 & DPR-37,respectively.
* . 96/04/18. 4pp. 87997:298-87997:301.

9604250424 Requests that 930126 proposed license amend to relocate fire protection TS to UFSAR consistent w/GL 86-10 be withdrawn, pending completion of more detailed review & clarification of fire protection licensing basis.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88023:091-88023:092.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090248 Informs of 960301 regional staff semiannual Plant Performance Review at Surry.Forwards plant insp effort resulting from review.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 87806:149-87806:155.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150334 Forwards response to NRC 960311 ltr re violations noted in insp repts 50-280/96-01 & 50-281/96-01 on 960107-0210. Corrective actions:impact of FLOWCALC computer program input data discrepancy was evaluated by engineering.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 4pp. 87894:045-87894:048.

9604100177 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 55pp. 87834:232-87834:286.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240075 Forwards safety evaluation,authorizing third 10-yr interval ISI program plan requests for relief,submitted by 951207 ltr to use Code Cases N-522 & N-535,per 10CFR50.55a(a)(3)(i). INEL supporting technical ltr rept also encl.
IMBRO,E.V. . 96/04/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87972:227-87972:237.

--9604240081 Safety evaluation authorizing third 10-yr interval ISI program plan requests for relief to use Code Cases N-522 & N-535 at plant,per 10CFR50.55a(a)(3)(i).
* . 96/04/16. 8pp. 87972:230-87972:237.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604250440 Forwards Relief Requests SR-009 through SR-017 re inservice insp program.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 26pp. 88023:157-88023:191.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300410 "Annual Radioactive Effluent Release Rept Surry Power Station (Jan-Dec 1995)." W/960422 ltr.
BLOUNT,P.F., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 186pp. 88059:087-88059:273.

9604180088 Monthly operating repts for Mar 1996 for SPS,units 1 & 2. W/960412 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/03/31. 21pp. 87911:338-87911:358.

S. Reportable occurrences, LERs & related correspondence

9604080160 LER 96-002-00:on 960303,containment isolation valve inoperable.Caused by personnel error.C/A:individuals counseled.W/960401 ltr.
CHRISTIAN,D.A. Virginia Power (Virginia Electric & Power Co.). 96/04/01. 5pp. 87823:351-87823:355.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604010171 Notifies that VEPCO intends to use optical disks,in addition to storage media currently used for storage & retrieval of QA records re GL 88-18.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87696:359-87696:360.

9604150042 Notification of 960421 meeting w/VEPCO in Rockville,MD,to discuss progress of spent fuel activities for util Surry & North Anna Nuclear Power Stations.Agenda attached.
* Office of Nuclear Material Safety & Safeguards. 96/04/10. Office of Nuclear Material Safety & Safeguards. 2pp. 87877:285-87877:286.

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604080133 Revised EPIPs,including Rev 20 to EPIP-3.02, "Activation of Technical Support Ctr," Rev 14 to EPIP-3.04, "Activation of Local Emergency Operations Facility" & Rev 9 to EPIP-4.03, "Dose Assessment Team Controlling Procedure." W/ 960403 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/03. 59pp. 87811:271-87811:329.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150126 Submits clarifications to physical security plan.Encl withheld.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87889:355-87889:356.

9604250424 Requests that 930126 proposed license amend to relocate fire protection TS to UFSAR consistent w/GL 86-10 be withdrawn, pending completion of more detailed review & clarification of fire protection licensing basis.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88023:091-88023:092.

9604290158 Forwards Rev 5 to "Corporate Emergency Response Plan," Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2,Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3 & Rev 4 to CPIP-6.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88032:001-88032:143.

-9604290166 Rev 5 to "Corporate Emergency Response Plan."
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 68pp. 88032:004-88032:071.

-9604290177 Revised CPIPs,including Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2, Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3,Rev 4 to CPIP-6.2 & Rev 5 to CPIP-7.0.
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 71pp. 88032:072-88032:143.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604040109 Forwards comparative statement of income for three months ended 951231 & 1994,internal cash flow projection for CY96 & statement ensuring availability of funds for payment of retrospective premiums,per 10CFR142.21(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. . 63pp. 87769:283-87769:347.

P. Operating license stage documents & correspondence

9604090256 Confirms 960320 telcon between Bowling & G Belisle re meeting scheduled for 960521.Purpose of meeting to discuss Surry self assessment.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87806:102-87806:104.

9604100057 Reviews meeting held 960326 at licensee request in Region II ofc to discuss nuclear engineering initiatives.Provided better understanding of re-engineering efforts & self- assessment initiatives.W/list of attendees & viewgraphs.
CASTRO,C.A. Region 2 (Post 820201). 96/03/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 33pp. 87832:085-87832:117.

9604040120 Forwards discussion of PTS screening calculations,summary of surveillance capsule analysis results used in RG 1.99,Rev 2, Position 2.1,chemistry factor calculations & revised PTS screening calculations,per request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 23pp. 87753:326-87753:348.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180174 Application for amends to licenses DPR-32 & DPR-37, clarifying applicability of Quadrant Power Tilt Ratio requirements.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87936:346-87936:357.

-9604180175 Proposed tech specs,clarifying applicability of Quadrant Power Tilt Ration requirements.
* Virginia Power (Virginia Electric & Power Co.). 96/04/15. 5pp. 87936:353-87936:357.

9604250207 Provides comments re 10CFR20, "Reporting Requirements for Unauthorized Used of Licensed Radioactive Matl."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Docketing & Services Branch. 4pp. 87998:145-87998:148.

9604220171 Discusses 960110 GL 96-01,entitled "Testing of Safety Related Logic Circuits," requesting actions to compare & revise surveillance procedures as necessary for complete testing to comply w/TS.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87953:327-87953:329.

9604250365 Forwards amends 208 & 208 to licenses DPR-32 & DPR-37, respectively.Amends would permit use of 10CFR50 App J,Option B,performance-based containment leakage rate testing.
BUCKLEY,B.C. . 96/04/18. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87997:287-87997:301.

-9604250370 Amends 208 & 208 to licenses DPR-32 & DPR-37,respectively, permiting use of 10CFR50 App J,option B,performance-based contaminated leakage rate testing.
IMBRO,E.V. . 96/04/18. 8pp. 87997:290-87997:297.

-9604250373 Safety evaluation supporting amends 208 & 208 to licenses DPR-32 & DPR-37,respectively.
* . 96/04/18. 4pp. 87997:298-87997:301.

9604250424 Requests that 930126 proposed license amend to relocate fire protection TS to UFSAR consistent w/GL 86-10 be withdrawn, pending completion of more detailed review & clarification of fire protection licensing basis.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88023:091-88023:092.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090248 Informs of 960301 regional staff semiannual Plant Performance Review at Surry.Forwards plant insp effort resulting from review.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 87806:149-87806:155.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150334 Forwards response to NRC 960311 ltr re violations noted in insp repts 50-280/96-01 & 50-281/96-01 on 960107-0210. Corrective actions:impact of FLOWCALC computer program input data discrepancy was evaluated by engineering.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 4pp. 87894:045-87894:048.

9604100177 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 55pp. 87834:232-87834:286.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240075 Forwards safety evaluation,authorizing third 10-yr interval ISI program plan requests for relief,submitted by 951207 ltr to use Code Cases N-522 & N-535,per 10CFR50.55a(a)(3)(i). INEL supporting technical ltr rept also encl.
IMBRO,E.V. . 96/04/16. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87972:227-87972:237.

--9604240081 Safety evaluation authorizing third 10-yr interval ISI program plan requests for relief to use Code Cases N-522 & N-535 at plant,per 10CFR50.55a(a)(3)(i).
* . 96/04/16. 8pp. 87972:230-87972:237.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300410 "Annual Radioactive Effluent Release Rept Surry Power Station (Jan-Dec 1995)." W/960422 ltr.
BLOUNT,P.F., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 186pp. 88059:087-88059:273.

9604180088 Monthly operating repts for Mar 1996 for SPS,units 1 & 2. W/960412 ltr.
MASON,D., BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/03/31. 21pp. 87911:338-87911:358.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604010171 Notifies that VEPCO intends to use optical disks,in addition to storage media currently used for storage & retrieval of QA records re GL 88-18.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87696:359-87696:360.

9604150042 Notification of 960421 meeting w/VEPCO in Rockville,MD,to discuss progress of spent fuel activities for util Surry & North Anna Nuclear Power Stations.Agenda attached.
* Office of Nuclear Material Safety & Safeguards. 96/04/10. Office of Nuclear Material Safety & Safeguards. 2pp. 87877:285-87877:286.

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604220127 Forwards SALP 12 rept for plant covering period 940724- 960217.Strong mgt involvement & conservative approach to operations resulted in excellent matl condition & operating performance.Only weakness seen w/infrequent operations.
MILLER,H.J. Region 3 (Post 820201). 96/03/28. WATZL,E. Northern States Power Co. 5pp. 87945:130-87945:139.

--9604220131 SALP repts 50-282/96-01 & 50-306/96-01 for 940724-960217.
* Region 3 (Post 820201). 96/03/28. 5pp. 87945:135-87945:139.

9604090202 Revised EPIPs,including EPIPs table of content & Rev 3 to EPIP F8-2, "Responsibilities During Alert,Site Area/General Emergency in EOF." W/960403 ltr.
WADLEY,M.D. Northern States Power Co. 96/04/03. 48pp. 87830:244-87830:292.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604240269 Rev 17 to "Prairie Island Nuclear Generating Plant Emergency Plan." W/960418 ltr.
WADLEY,M.D. Northern States Power Co. 96/04/18. 214pp. 88008:001-88008:215.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604290107 Ack receipt of 960313 addendum to 950605 Petition & denies request to require NSP to place plant Units 1 & 2 in mid-cycle outages to inspect full length of SG tubes W/Zetec Plus Point Probe & any state-of-art eddy current test.
RUSSELL,W.T. . 96/04/22. GUNTER,P. Nuclear Information & Resource Service. BJORALT,S.J. Affiliation Not Assigned. 5pp. 88052:296-88052:307.

--9604290122 Notice of receipt of addendum to Petition for Director's Decision under 10CFR2.206 re request to require placement of plant Units 1 & 2 in mid-cycle outages to inspect full length of SG tubes using Zetec Plus Point Probe.
RUSSELL,W.T. . 96/04/22. 3pp. 88052:301-88052:303.

--9604290146 Submits addendum to 950605 Petition,demanding that NRC require NSP to place plant Units 1 & 2 in mid-cycle outages to inspect full-length of SG tubes w/Zetec Plus Point Probe & any state-of-art eddy current test.
BJORALT,S.J. Affiliation Not Assigned. GUNTER,P. Nuclear Information & Resource Service. 96/03/13. RUSSELL,W.T. . 4pp. 88052:304-88052:307.

I. Financial information

9604240029 Forwards "Northern States Power Co 1995 Annual Rept."
ANDERSON,R.O. Northern States Power Co. 96/04/16. Document Control Branch (Document Control Desk). 1p. 88008:239-88008:306.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604160378 Forwards corrected pages to Exhibit B of Rev 13 to USAR for Prairie Island Nuclear Generating Plant.
WADLEY,M.D. Northern States Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87899:343-87899:353.

--9604160406 Corrected pages to Exhibit B of Rev 13 to USAR for Prairie Island Nuclear Generating Plant.
* Northern States Power Co. 96/04/11. 10pp. 87899:344-87899:353.

P. Operating license stage documents & correspondence

9604020423 Ack receipt of SG insp rept submittal dtd 960228 which provided addl info re SG tube sleeves & for cooperation in meeting w/util & ABB Combustion Engineering on 960306.
BYWATER,R.L . 96/03/26. ANDERSON,R.O. Northern States Power Co. 5pp. 87725:292-87725:296.

9604090327 Notification of 960424 meeting w/util in Rockville,MD to discuss NSP plans for requesting small increase in licensed thermal power accounting for feedwater instrumentation upgrade.
BYWATER,R.L . 96/04/04. REINHART,M. . 4pp. 87810:170-87810:173.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120029 Provides response to NRC 960116 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
WADLEY,M.D. Northern States Power Co. 96/04/08. Document Control Branch (Document Control Desk). 13pp. 87868:324-87868:336.

9604230148 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
WADLEY,M.D. Northern States Power Co. 96/04/17. Document Control Branch (Document Control Desk). 6pp. 87976:302-87976:307.

9604260060 Forwards Rev 20 of "Operational QA Plan."
ANDERSON,R.O. Northern States Power Co. 96/04/19. Document Control Branch (Document Control Desk). 1p. 88028:203-88028:299.

9604290060 Provides status of implementation of commitments re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies."
WADLEY,M.D. Northern States Power Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:135-88057:136.

Q. Inspection reports, IE Bulletins & correspondence

9604010164 Forwards integrated & special insp repts 50-282/96-02 & 50-306/96-02 on 960103-0217 & notice of violation.NRC concerned that lack of rigor on part of operators for non- routine events receive appropriate mgt attention.
JORDAN,M.J. Region 3 (Post 820201). 96/03/19. WATZLE,E. Northern States Power Co. 5pp. 87685:001-87685:031.

--9604010174 Notice of violation from insp on 960103-0217.Violation noted:operator failed to tag IRX disconnect switches in open position as required by work order 9506728.
* Region 3 (Post 820201). 96/03/19. 2pp. 87685:006-87685:007.

--9604010184 Insp repts 50-282/96-02 & 50-306/96-02 on 960103-0217. Violations noted.Major areas inspected:operations engineering,maint & plant support performed by resident inspectors special insp by regional inspector of operator.
JORDAN,M.J. Region 3 (Post 820201). 96/03/19. 24pp. 87685:008-87685:031.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604220127 Forwards SALP 12 rept for plant covering period 940724- 960217.Strong mgt involvement & conservative approach to operations resulted in excellent matl condition & operating performance.Only weakness seen w/infrequent operations.
MILLER,H.J. Region 3 (Post 820201). 96/03/28. WATZL,E. Northern States Power Co. 5pp. 87945:130-87945:139.

--9604220131 SALP repts 50-282/96-01 & 50-306/96-01 for 940724-960217.
* Region 3 (Post 820201). 96/03/28. 5pp. 87945:135-87945:139.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110295 Provides response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
WADLEY,M.D. Northern States Power Co. 96/04/08. Document Control Branch (Document Control Desk). 14pp. 87863:298-87863:311.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230169 Summarizes results of rod drop testing performed at plant following Unit 2 reactor trip on 960319,per NRC Bulletin 96-001.
WADLEY,M.D. Northern States Power Co. 96/04/17. Document Control Branch (Document Control Desk). 4pp. 87976:298-87976:301.

9604230266 Forwards response to violations noted in Insp Repts 50-282/96-02 & 50-306/96-02.Corrective actions:power restored to Bus 15 by operators manually opening Breaker 15-3,Bus 15 source From 1RY transformer.
WADLEY,M.D. Northern States Power Co. 96/04/18. Document Control Branch (Document Control Desk). 10pp. 87998:338-87998:347.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604090180 Monthly operating repts for Mar 1996 for Prairie Island Nuclear Generating Plant Units 1 & 2.W/960403 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/03/31. 9pp. 87831:210-87831:218.

9604300208 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
WADLEY,M. Northern States Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88063:130-88063:219.

--9604300122 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
HUEBNER,L.G. Teledyne Isotopes. 95/12/31. 88pp. 88063:131-88063:219.

S. Reportable occurrences, LERs & related correspondence

9604170114 Forwards LER 96-007 re degraded SG tube sleeves.Detailed metallurgical analysis will be contained in util ltr submitting 90-day ISI rept for refueling outage.Event reported via ENS per 10CFR50.72 on 960313 & 17.
WADLEY,W.D. Northern States Power Co. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87941:299-87941:303.

--9604170124 LER 96-007-00:on 960313 & 17,determined that average weld heights inadequate & inservice sleeves showed possible leaks paths due to inadequate cleaning of parent tube in weld region.Tube w/circumferential indications pulled or plugged.
LEVEILLE,J. Northern States Power Co. 96/04/12. 4pp. 87941:300-87941:303.

V. Operator Examinations

9604230266 Forwards response to violations noted in Insp Repts 50-282/96-02 & 50-306/96-02.Corrective actions:power restored to Bus 15 by operators manually opening Breaker 15-3,Bus 15 source From 1RY transformer.
WADLEY,M.D. Northern States Power Co. 96/04/18. Document Control Branch (Document Control Desk). 10pp. 87998:338-87998:347.

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090387 Transmits changes to radiological emergency response plan (RERP),including RERP index & Rev 25 to RERP Section H, "Emergency Facilities & Equipment."
PATTERSON,T.L. Omaha Public Power District. 96/04/03. Document Control Branch (Document Control Desk). 3pp. 87830:126-87830:143.

--9604090401 Rev 25 to radiological emergency response plan Section H, "Emergency Facilities & Equipment."
CHRISTENSEN,M. Omaha Public Power District. 96/03/26. 15pp. 87830:129-87830:143.

9604250138 Informs that changes described in 960229 ltr & Rev 11 to Site Security Plan & Rev 1 to Safeguards Contingency Plan, acceptable for inclusion in plans.
GWYNN,T.P. Region 4 (Post 820201). 96/04/17. PATTERSON,T.L. Omaha Public Power District. 4pp. 87996:297-87996:302.

P. Operating license stage documents & correspondence

9604080330 Notifies NRC of implementation of alternate methods for determining integrity of waste disposal sys components/ piping,including solid waste disposal,liquid waste disposal & gaseous waste disposal.
PATTERSON,T.L. Omaha Public Power District. 96/04/03. Document Control Branch (Document Control Desk). 9pp. 87817:197-87817:205.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110180 Forwards supplmental safety evaluation re amend 155 to license DPR-40 to increase fuel storage capacity in SFP.
WHARTON,L.R. . 96/04/09. PATTERSON,T.L. Omaha Public Power District. 2pp. 87847:356-87847:360.

--9604110182 Safety evaluation accepting use of proposed as-built clearances in reracking amend of ref 1.
* . 96/04/09. 2pp. 87847:359-87847:360.

9604220357 Requests that licensee provide PRA data & info for plant for inclusion in NRC database "library" to be used w/computer program which evaluates significant events,resolves safety issues & answers questions based on plant-specific data.
WHARTON,L.R. . 96/04/17. PATTERSON,T.L. Omaha Public Power District. 4pp. 87955:353-87955:356.

9604240175 Forwards Rev 9 to "Core Operating Limit Rept," adding figure to COLR for "Axial Power Distribution LSSS for 4 Pump Operation." Error corrected as documentable error change & revs made to remainder of procedure.
PATTERSON,T.L. Omaha Public Power District. 96/04/17. Document Control Branch (Document Control Desk). 1p. 88016:268-88016:285.

--9604240186 Corrected Rev 9 to "Core Operating Limit Rept," adding figure to COLR for "Axial Power Distribution LSS for 4 Pump Operation."
WEBER,W.O. Omaha Public Power District. 95/10/06. 17pp. 88016:269-88016:285.

9604250061 Responds to Generic Ltr 96-01, "Testing of SR Logic Circuits."
PATTERSON,T.L. Omaha Public Power District. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87998:149-87998:152.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080225 Discusses 960312 semiannual PPR of Fort Calhoun Station.PPR involved participation af technical divisions in evaluating insp results & safety performance info for Oct 1995 to Feb 1996.Insp plan encl.
DYER,J.E. Region 4 (Post 820201). 96/04/03. PATTERSON,T.L. Omaha Public Power District. 5pp. 87772:083-87772:087.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080386 Ack receipt of 960325 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/95-24.
DYER,J.E. Region 4 (Post 820201). 96/04/04. PATTERSON,T.L. Omaha Public Power District. 4pp. 87772:191-87772:201.

9604090137 Ack receipt of 960226 ltr informing NRC of steps taken to correct violations noted in insp rept 50-285/95-23.
GWYNN,T.P. Region 4 (Post 820201). 96/04/04. PATTERSON,T.L. Omaha Public Power District. 4pp. 87773:089-87773:092.

9604100246 Forwards insp rept 50-285/96-01 on 960128-0309 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/04/08. PATTERSON,T.L. Omaha Public Power District. 5pp. 87832:044-87832:065.

-9604100249 Notice of violation from insp on 960128-0309.Violation noted:licensee did not properly implement governing procedure applicable to activity such that on 960213, licensee did not initiate condition rept as required.
* Region 4 (Post 820201). 96/04/08. 2pp. 87832:049-87832:050.

-9604100250 Insp rept 50-285/96-01 on 960128-0309.Violations noted.Major areas inspected:operational safety verification,plant support activities,maint & surveillance observations,onsite engineering & open item followup.
PELLET,J.L. Region 4 (Post 820201). 96/04/05. 14pp. 87832:051-87832:065.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300060 "Fort Calhoun Station Radiological Environ Operating Rept for 1995." W/ 960423 ltr.
PATTERSON,T.L. Omaha Public Power District. 95/12/31. 53pp. 88064:164-88064:217.

9604040184 Forwards "Fort Calhoun Station Performance Indicators," for Feb 1996.
PATTERSON,T.L. Omaha Public Power District. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87753:219-87753:325.

-9604040186 "Fort Calhoun Station Performance Indicators."
* Omaha Public Power District. 96/02/29. 104pp. 87753:220-87753:325.

9604190096 Monthly operating rept for March 1996 for FCS.W/960415 ltr.
LIPPY,D.L., PATTERSON,T.L. Omaha Public Power District. 96/03/31. 9pp. 87957:342-87957:350.

S. Reportable occurrences, LERs & related correspondence

9604040192 LER 95-004-01:on 950602,discrepancy re seismic classification of new fuel storage racks.Caused by admin control during design/installation process.C/A:calculation performed.W/960401 ltr.
BOTTUM,S.H., PATTERSON,T.L. Omaha Public Power District. 96/04/01. 5pp. 87807:165-87807:169.

9604220199 LER 96-001-00:on 960318,containment ventilation isolation signal occurred due to high activity during purge.Revised applicable procedures.W/960417 ltr.
LINDQUIST,S.A., PATTERSON,T.L. Omaha Public Power District. 96/04/17. 6pp. 87960:343-87960:348.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

DOCKET 50-286 INDIAN POINT STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604010250 Requests NRC approval of attached proposed plan of action for training & evaluating previously licensed operator.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/25. MARTIN,T.T. Region 1 (Post 820201). 2pp. 87719:139-87719:141.

9604010309 Responds to 960216 memo for FRPCC re review of NY state & local radiological emergency response plans & preparedness site-specific to Indian Point Nuclear Power Generating Station.Informs of one mod to consider evaluation accepted.
CRUTCHFIELD,D. . 96/03/27. HEPLER,O.M. Federal Emergency Management Agency. 3pp. 87697:353-87697:355.

9604150365 Revised EPIPs,including Vol II emergency response activities.
* Power Authority of the State of New York (New York Power Authority). 96/03/31. 5pp. 87923:240-87923:244.

9604150348 Revised EPIPs,including table of contents,Rev 6 to IP-2001, Rev 3 to IP-2201,Rev 4 to IP-2301,Rev 2 to IP-2302 & Rev 1 to IP-2303.
* Power Authority of the State of New York (New York Power Authority). 96/04/08. 83pp. 87889:272-87889:354.

9604150353 Revised EPIPs,including table contents & Rev 8 to IP-1028, "Core Damage Assessment."
* Power Authority of the State of New York (New York Power Authority). 96/04/08. 38pp. 87896:249-87896:286.

9604260171 Forwards Rev 5 to training & qualification plan,including summary of changes,per 10CFR50.4.Rev withheld.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88031:117-88031:118.

9604290336 Forwards SALP rept 50-286/96-99 for period 920816-960302. SALP deferred for extended period to allow for sufficient performance improvement to support plant restart & proper operation.
MARTIN,T.T. Region 1 (Post 820201). 96/04/23. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 6pp. 88033:183-88033:198.

-9604290348 SALP rept 50-286/96-99 for 920816-960302.
* Region 1 (Post 820201). 96/04/23. 10pp. 88033:189-88033:198.

9604300366 Provides response to Unresolved Insp Rept 50-286/93-24. Unresolved insp rept re verification of cable ignition temps of cables,pass through fire barrier penetration seals.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. Document Control Branch (Document Control Desk). 7pp. 88067:176-88067:182.

H. General correspondence

9604040041 Ack concerns expressed re restart & operation of plant. Informs insp conducted to evaluate deficiencies,geologic & seismic reviews conducted re earthquake activity & approved security plan maintained re terrorist threat.
SHANKMAN,S.F. . 96/04/01. GETTINGER,M. Affiliation Not Assigned. 3pp. 87746:211-87746:213.

I. Financial information

9604220204 "New York Power Authority 1995 Annual Rept." W/960417 ltr.
PATAKI,G.E., RAPPLEYEA,C.D., CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/12/31. 46pp. 87985:288-87985:333.

P. Operating license stage documents & correspondence

9604030241 Notifies NRC of commitments identified,changes/ clarifications to commitments & current status.Attachment I provides discussion of commitments require clarification/ rev,changes/clarifications & status.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/20. Document Control Branch (Document Control Desk). 16pp. 87746:339-87746:354.

9604040006 Forwards notice of consideration of issuance of amend to facility operating license,proposed NSHC determination & opportunity for hearing,for plant Unit 3.
WUNDER,G.F. . 96/03/28. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 2pp. 87746:216-87746:227.

-9604040011 Notice of consideration of issuance of amend to license DPR-64 & proposed NSHC determination & opportunity for hearing.Amend would revise TS to allow one-time extension of test intervals pressurizer safety valve setpoint.
WUNDER,G.F. . 96/03/28. 9pp. 87746:219-87746:227.

9604030163 Forwards application for amend to License DPR-64,changing Tech Specs re departure from nucleate boiling limits.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87735:305-87735:329.

-9604030167 Application for amend to License DPR-64,adding requirements associated w/departure from nucleate boiling limits.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/03/29. 1p. 87735:307-87735:307.

-9604030174 Proposed tech specs re departure fron nucleate boiling limits.
* Power Authority of the State of New York (New York Power Authority). 96/03/29. 22pp. 87735:308-87735:329.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220259 Provides response to GL 96-01, "Testing of SR Logic Circuits."
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/16. Document Control Branch (Document Control Desk). 9pp. 87986:178-87986:186.

9604300092 Press release I-96-28, "NRC Rates Indian Point 3 Nuclear Power Plant 'Superior' in Plant Support; 'Good' in Maint & 'Adequate' in Engineering & Plant Operations."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/24. 3pp. 88065:352-88065:354.

Q. Inspection reports, IE Bulletins & correspondence

9604010156 Forwards response to NRC 960212 ltr re violations noted in insp rept 50-286/95-17 on 951212-960113.Corrective actions: re-review was conducted of NIMITS printout for period from 930726-950922.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/22. Document Control Branch (Document Control Desk). 8pp. 87697:328-87697:335.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020105 Forwards insp rept 50-286/96-01 on 960114-0302 & notice of violation.
COWGILL,C.J. Region 1 (Post 820201). 96/03/27. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. 87703:027-87703:069.

--9604020110 Notice of violation from insp on 960114-0302.Violation noted:on 960206,two scaffolds located in safety-related areas constracted w/o at least 1 inch clearance from safety-related equipment,identified.
* Region 1 (Post 820201). 96/03/27. 2pp. 87703:031-87703:032.

--9604020117 Insp rept 50-286/96-01 on 960114-0302.Violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment.
COWGILL,C.J. Region 1 (Post 820201). 96/03/27. 37pp. 87703:033-87703:069.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604100063 Forwards insp rept 50-286/96-02 on 960125-0301 & notice of violation.Review of effectiveness of licensee corrective actions taken in response to three recent operational events,included.
COOPER,R.W. Region 1 (Post 820201). 96/04/02. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 5pp. 87832:119-87832:147.

--9604100078 Notice of violation from insp on 960125-0301.Violations noted:activities affecting quality not prescribed by documented procedures & effective corrective actions not taken to resolve continuing administrative problems.
* Region 1 (Post 820201). 96/04/02. 2pp. 87832:124-87832:125.

--9604100082 Insp rept 50-286/96-02 on 960125-0301.Violations noted Major areas inspected:conduct of operations,procedures, command & control,training & qualifications,equipment status & support to operators.
COWGILL,C.J. Region 1 (Post 820201). 96/03/28. 22pp. 87832:126-87832:147.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604120247 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308.Rept "Control Rod Insertion Problem Reactor Engineering-WPO" also encl.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/08. Document Control Branch (Document Control Desk). 6pp. 87876:063-87876:139.

--9604120267 "Control Rod Insertion Problem Reactor Engineering-WPO."
NAKHAI,B. Power Authority of the State of New York (New York Power Authority). REF-96-068 R03. 96/04/04. 69pp. 87876:070-87876:139.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230022 Informs of requalification program insp planned for wk of 960617.Requests written exams & operating tests by 960610.
MEYER,G.W. Region 1 (Post 820201). 96/04/11. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 87953:009-87953:011.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290336 Forwards SALP rept 50-286/96-99 for period 920816-960302. SALP deferred for extended period to allow for sufficient performance improvement to support plant restart & proper operation.
MARTIN,T.T. Region 1 (Post 820201). 96/04/23. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 6pp. 88033:183-88033:198.

--9604290348 SALP rept 50-286/96-99 for 920816-960302.
* Region 1 (Post 820201). 96/04/23. 10pp. 88033:189-88033:198.

9604300366 Provides response to Unresolved Insp Rept 50-286/93-24. Unresolved insp rept re verification of cable ignition temps of cables,pass through fire barrier penetration seals.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. Document Control Branch (Document Control Desk). 7pp. 88067:176-88067:182.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190102 Monthly operating rept for March 1996 for Indian Point 3 Nuclear Power Plant.W/960411 ltr.
ORLANDO,T., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/31. 6pp. 87957:322-87957:327.

S. Reportable occurrences, LERs & related correspondence

9604080162 LER 96-006-00:on 960301,two EDGs declared inoperable in hot shutdown due to leaking lube oil header check valves, condition outside design basis of plant.Revised plant procedures & replaced valves.W/960401 ltr.
VITALE,A., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/01. 10pp. 87824:001-87824:010.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604220058 LER 96-007-00:on 960316,automatic actuation of 33 AB feedwater pump motor by a low-low steam generator level signal.Caused by personnel error.C/A:personnel counseled.W/ 960415 ltr.
ELWOOD,C., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/15. 6pp. 87960:328-87960:333.

9604300034 LER 96-008-00:on 960320,determined nitrogen tank pressure required to support proper isolation valve seal water sys operation not documented.Caused by lack of original design basis info.Procedures revised.W/960419 ltr.
GREEN,R., BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/04/19. 7pp. 88065:335-88065:341.

V. Operator Examinations

9604010158 Withdraws request for TL Fueston to take PWR Generic Fundamentals Exam Section of operator licensing exam scheduled for 960410.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/20. Region 1 (Post 820201). 2pp. 87697:344-87697:345.

9604010247 Requests permission for R Christman & P Rubin to complete OJT at plant.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/20. Region 1 (Post 820201). 2pp. 87704:349-87704:350.

9604010250 Requests NRC approval of attached proposed plan of action for training & evaluating previously licensed operator.
BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 96/03/25. MARTIN,T.T. Region 1 (Post 820201). 2pp. 87719:139-87719:141.

--9604010253 Proposed license restoration plan.
* Power Authority of the State of New York (New York Power Authority). 96/03/25. 1p. 87719:141-87719:141.

9604230022 Informs of requalification program insp planned for wk of 960617.Requests written exams & operating tests by 960610.
MEYER,G.W. Region 1 (Post 820201). 96/04/11. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 3pp. 87953:009-87953:011.

9604230315 Submits info re administration of written & operating licensing exams scheduled for wk of 960729.Location of info giving directions on matls & facilities required,given.
MEYER,G.W. NRC - No Detailed Affiliation Given. 96/04/11. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. 87967:242-87967:245.

DOCKET 50-287 OCONEE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604020013 Change 1 to EPIP RP/0/B/1000/03A, "ERDS Operation." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 27pp. 87725:109-87725:136.

9604020018 Rev 3 to Chemistry Manual 5.1, "Emergency Response Guidelines." W/960325 ltr.
FOSTER,W.W., HAMPTON,J.W. Duke Power Co. 96/03/25. 37pp. 87725:001-87725:038.

9604020050 Forwards response to NRC Confirmation of Action ltr dated 960318 for ONS,unit 3.Switchyard isolation test performed as part of post-modification testing associated w/recent mod of emergency power sys.
HAMPTON,J.W. Duke Power Co. 96/03/25. Document Control Branch (Document Control Desk). 6pp. 87725:349-87725:354.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

P. Operating license stage documents & correspondence

9604090119 Discusses actions to be taken as result of 960316 reactor trip of Unit 3 while conducting testing of plant electrical sys,per 960318 telcon.
EBNETER,S.D. Region 2 (Post 820201). 96/03/18. HAMPTON,J.W. Duke Power Co. 3pp. 87773:077-87773:079.

9604090148 Confirms 960320 telcon re mgt meeting scheduled for 960322 at Oconee site to discuss 960316 reactor trip event & results of investigation thereof.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/20. HAMPTON,J.W. Duke Power Co. 2pp. 87792:344-87792:345.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

-9604020340 Rev 24 to "Oconee Nuclear Station ASME Inservice Testing Program."
* Duke Power Co. 96/03/27. 150pp. 87730:153-87730:300.

9604090210 Summarizes 960322 meeting w/util in Seneca,SC re Oconee unit three reactor trip event of 960316.Informs that meeting beneficial in providing staff w/good overview of results from investigation.W/list of attendees & handouts.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/01. HAMPTON,J.W. Duke Power Co. 44pp. 87806:046-87806:089.

9604080211 Forwards amends 215,215 & 212 for licenses DPR-38,DPR-47 & DPR-55,respectively & SE.Amends revise TS Section 4.4.4, "PRVS," & TS Section 4.14, "Reactor Bldg Purge Filters & Spent Fuel Pool Ventilation Sys."
WIENS,L.A. . 96/04/02. HAMPTON,J.W. Duke Power Co. 3pp. 87779:238-87779:256.

-9604080216 Amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising TS Section 4.5.4, "PRVS," & TS Section 4.14, "Reactor Building Purge Filters & Spent Fuel Pool Ventilation Sys."
BERKOW,H.N. . 96/04/02. 10pp. 87779:241-87779:250.

-9604080222 Safety evaluation supporting amends 215,215 & 212 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/02. 6pp. 87779:251-87779:256.

9604160087 Application for emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
HAMPTON,J.W. Duke Power Co. 96/04/02. Document Control Branch (Document Control Desk). 5pp. 87914:315-87914:334.

-9604160089 Proposed emergency change to TSs,revising requirements for penetration room ventilation sys,reactor bldg purge & spent fuel pool ventilation sys carbon filter testing.
* Duke Power Co. 96/04/02. 15pp. 87914:320-87914:334.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160120 Responds to 960118 ltr to C Haughney re issue concerning thickness of welds for VECTRA-designed canisters in use at plant.
MARCUS,G.H. . 96/04/10. JOHNSTON,C.F. Toledo Coalition for Safe Energy. 3pp. 87899:231-87899:234.

9604170283 Forwards amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55 & SE.Amends revise Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS.
WIENS,L.A. . 96/04/15. HAMPTON,J.W. Duke Power Co. 3pp. 87911:128-87911:144.

-9604170328 Amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55, respectively,revising Secondary Decay Heat Removal TS 3.4.2 & Table 4.1-1 to delete requirement of having main FW pump discharge header PS provide input to actuate ARTS & EFS.
BERKOW,H.N. . 96/04/15. 11pp. 87911:131-87911:141.

-9604170333 Safety evaluation supporting amends 216,216 & 213 to licenses DPR-38,DPR-47 & DPR-55,respectively.
* . 96/04/15. 3pp. 87911:142-87911:144.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604240348 Informs that DE LaBarge to be assigned project manager for plant,effective 960428.
BERKOW,H.N. . 96/04/22. HAMPTON,J.W. Duke Power Co. 3pp. 87994:353-87994:355.

Q. Inspection reports, IE Bulletins & correspondence

9604100123 Discusses 960226 semiannual Plant Performance Review.Advises of planned insp effort resulting from PPR review.Forwards insp plan for next 6 months.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/01. HAMPTON,J.W. Duke Power Co. 6pp. 87832:156-87832:161.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020050 Forwards response to NRC Confirmation of Action ltr dated 960318 for ONS,unit 3.Switchyard isolation test performed as part of post-modification testing associated w/recent mod of emergency power sys.
HAMPTON,J.W. Duke Power Co. 96/03/25. Document Control Branch (Document Control Desk). 6pp. 87725:349-87725:354.

9604020320 Forwards Rev 24 to "Ocenee Nuclear Station ASME Inservice Testing Program," for third ten-yr ISI interval.
HAMPTON,J.W. Duke Power Co. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87730:144-87730:300.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090318 Responds to notice of violation & proposed imposition of civil penalty in amount of $50,000.Fee paid.
HAMPTON,J.W. Duke Power Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 87829:352-87829:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100021 Ack 960321 response to 960222 NOV.Meets requirements of 10CFR2.201.NRC to examine implementation of corrective actions in future insp.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 2pp. 87832:066-87832:067.

9604240153 Forwards insp rept 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Apparent violation being considered for escalated enforcement action.No response required.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. HAMPTON,J.W. Duke Power Co. 3pp. 87968:325-87968:360.

-9604240158 Insp repts 50-269/96-03,50-270/96-03 & 50-287/96-03 on 960128-0309.Violation noted.Major areas inspected:plant operations;maint & surveillance testing including Keowee Hydro Maint program,engineering & plant support.
HARMON,P.E., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. 33pp. 87968:328-87968:360.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604290200 Ack receipt of 960403 ltr & payment in amount of $50,000 for civil penalty proposed by NRC in 960305 ltr.Corrective actions will be examined during future insps.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/04/26. HAMPTON,J.W. Duke Power Co. 1p. 88057:238-88057:238.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604250161 "Annual Radiological Environ Operating Rept 1995." W/ 960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 104pp. 88028:099-88028:202.

9604260142 "Annual Radioactive Effluent Release Rept for Oconee Nuclear Site for 1995." W/960417 ltr.
HAMPTON,J.W. Duke Power Co. 95/12/31. 48pp. 88031:225-88031:273.

9604220121 Forwards performance & operating status for Oconee Nuclear Station for Mar 1996 & revised rept for Feb 1996.
WEBER,R.L Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87963:293-87963:310.

--9604220308 Monthly operating repts for Mar 1996 for Oconee Nuclear Station.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 15pp. 87963:295-87963:309.

--9604220309 Forwards revised monthly operating rept for Feb 1996 for Oconee Nuclear Station.
* Duke Power Co. 96/02/29. 1p. 87963:310-87963:310.

S. Reportable occurrences, LERs & related correspondence

9604220352 LER 96-001-00:on 960316,loss of feedwater results in reactor trip.Caused by installation deficiency.C/A:replacing & properly installing relay & revised procedures.W/960415 ltr.
WILKIE,L.V., HAMPTON,J.W. Duke Power Co. 96/04/15. 30pp. 87991:311-87991:340.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604300176 Notification of commitment to revise unloading procedures & supporting procedures prior to loading fuel in next DCS to be placed in ISFSI.Next fuel load tentatively scheduled for 960513.
HAMPTON,J.W. Duke Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88057:353-88057:354.

DOCKET 50-288 REED COLLEGE RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9604020162 Forwards proposed rev to "Reed Reactor Facility Emergency Plan" & revised emergency implementing procedure,in response to change in telephone sys.
FRANTZ,S.G. Reed College, Portland, OR. 96/03/22. MENDONCA,M. NRC - No Detailed Affiliation Given. 3pp. 87724:071-87724:157.

--9604020170 Revised "Reed Reactor Facility Emergency Plan."
* Reed College, Portland, OR. 96/03/31. 62pp. 87724:074-87724:135.

--9604020173 Revised EIPs.
* Reed College, Portland, OR. 96/03/31. 22pp. 87724:136-87724:157.

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604080115 Discusses allegation re util public info plan.
AMATO,C. NRC - No Detailed Affiliation Given. 91/03/12. NRC - No Detailed Affiliation Given. 3pp. 87860:249-87860:251.

9604020420 Rev 1 to TEP-ADM-1300.04, "Administration of TMI Initial Response & Emergency Support Organization Duty Roster."
* General Public Utilities Corp. - GPU Service Corp. 96/03/20. 9pp. 87726:342-87726:350.

9604050018 Rev 5 to EPIP-TMI-.19, "Emergency Dosimetry/Security Badge Issuance" & EPIP table of contents.
GUSEWOOD,J. General Public Utilities Corp. - GPU Service Corp. 96/03/20. 9pp. 87775:332-87775:340.

9604100170 Revised EPIPs,including EPIP table of contents,Rev 4 to EPIP-TMI-.01, "Emergency Classifications & Basis" Rev 4 to EPIP-TMI-.16, "Contaminated Injuries."
* General Public Utilities Corp. - GPU Service Corp. 96/04/03. 117pp. 87834:001-87834:117.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604160266 Rev 6 to EPIP-TMI-.28, "Activation of TSC."
BEAVER,J. General Public Utilities Corp. - GPU Service Corp. 96/04/05. 15pp. 87893:306-87893:320.

9604240038 Forwards Update 13 to FSAR for TMI-1,reflecting facility changes,procedure changes & analyses through 951013 & Rev 16 to Vol 1 of "TMI-1 FHAR," reflecting methodology used at TMI-1 to meet 10CFR50,App R.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 88005:001-88006:302.

--9604240043 Rev 16 to Vol 1 of "TMI-1 FHAR."
* General Public Utilities Corp. - GPU Service Corp. 990-1745 R16 V01. 96/04/15. 67pp. 88005:003-88005:069.

9604290327 Forwards revs to TMI Modified Amended Physical Security Plan Security Training & Qualification Plan & Security Contingency Plan.Plans withheld.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88039:358-88039:359.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604220040 Appeals NRC denial of FOIA request 95-389,filed on 950917, seeking public acceptance activity repts & related documents in public acceptance activity records for listed GPU or subsidiary reactors or proposed reactors.
DEKOK,D. Affiliation Not Assigned. 96/02/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 87942:101-87942:104.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604240038 Forwards Update 13 to FSAR for TMI-1,reflecting facility changes,procedure changes & analyses through 951013 & Rev 16 to Vol 1 of "TMI-1 FHAR," reflecting methodology used at TMI-1 to meet 10CFR50,App R.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 88005:001-88006:302.

--9604240043 Rev 16 to Vol 1 of "TMI-1 FHAR."
* General Public Utilities Corp. - GPU Service Corp. 990-1745 R16 V01. 96/04/15. 67pp. 88005:003-88005:069.

--9604240045 Update 13 to FSAR for TMI-1.
* General Public Utilities Corp. - GPU Service Corp. 96/04/30. 400pp. 88005:070-88006:302.

P. Operating license stage documents & correspondence

9603050137 Forwards nonproprietary Rev 0 to TR TR-092, "TMI-1 Reload Design & Setpoint Methodology" & proprietary Rev 0 to TR TR-092P, "TMI-1 Reload Design & Setpoint Methodology." Proprietary Rev 0 to TR TR-092P withheld.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/02/27. Document Control Branch (Document Control Desk). 6pp. 87638:001-87638:154.

--9603050148 Nonproprietary version of "TMI-1 Reload Design & Setpoint Methodology."
BYOUN,T.Y., FU,H., JAFFA,R.P. General Public Utilities Corp. - GPU Service Corp. TR-092 R00. 96/01/23. 149pp. 87638:006-87638:154.

9604080111 Notifies of closure of Allegation RI-91-A-0008 at TMI/Oyster Creek.Allegation determined to be unsubstantiated.
RULAND,W.H. Region 1 (Post 820201). 91/03/12. Region 1 (Post 820201). 1p. 87860:248-87860:248.

9604080168 Confirms 960214 telcon discussions re status of NRC review of TMI-1 independent reload evaluation topical repts & util plans for TMI-1 Cycle 12 reload design activities.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87811:356-87811:357.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160069 Application for amend to license DPR-50,consisting of change request 243,revising addl group of surveillances in which justification has been completed following receipt of 930623 application.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/10. Document Control Branch (Document Control Desk). 9pp. 87898:281-87898:296.

--9604160076 Proposed tech specs,revising addl group of surveillances in which justification has been completed.
* General Public Utilities Corp. - GPU Service Corp. 96/04/10. 7pp. 87898:290-87898:296.

9604230382 Notification of 960418 meeting w/util in Middletown,PA to discuss current status of licensing activities at Unit 1.
HERNAN,R.W. . 96/04/15. STOLZ,J.F. . 4pp. 87974:289-87974:292.

9604220240 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87973:320-87973:322.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020374 Discusses insp rept 50-289/96-03 on 960206-23 & forwards notice of violation.
MARTIN,T.T. Region 1 (Post 820201). 96/03/26. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 5pp. 87704:217-87704:223.

--9604020376 Notice of violation from insp on 960206-23.Violation noted: opening exceeding 96 square inches existed between protected area & owner controlled area via storm drain located in protected area.
* Region 1 (Post 820201). 96/03/26. 2pp. 87704:222-87704:223.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160001 Forwards response to NRC 960311 ltr re violations noted in insp rept 50-289/95-16 on 960925-29.Corrective actions:util has implemented mod to RCS drain line supports which satifies B31.1 Code requirements.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/10. Document Control Branch (Document Control Desk). 8pp. 87894:311-87894:318.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220311 Discusses PPR of TMI conducted on 960325.PPR involved participation of technical divisions in evaluating insp results & safety performance information for Sept 1995 to Mar 1996.
COOPER,R.W. Region 1 (Post 820201). 96/04/18. KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 2pp. 87945:208-87945:211.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300247 "Radiological Environ Monitoring Rept TMI 1995." W/960423 ltr.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 185pp. 88061:001-88061:185.

9604230073 Monthly operating rept for March 1996 for TMI-1.W/960415 ltr.
HEYSEK,W.G., KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/03/31. 7pp.

9604250257 Forwards 1994 & 1995 repts containing brief descriptions of changes,test & experiments,including summaries of respective safety evaluations of each.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/16. Document Control Branch (Document Control Desk). 59pp. 88022:232-88022:290.

DOCKET 50-293 PILGRIM NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604080102 Notification of significant licensee meeting 96-27 w/util on 960417 to discuss centralization of EP staff & assurance that safety effectiveness of EP not decreased.
* Region 1 (Post 820201). 96/04/01. Region 1 (Post 820201). 2pp. 87772:013-87772:014.

9604080300 Notification of significant licensee meeting 96-27 on 960417 w/util in King of Prussia,PA to discuss centralization of EP staff & assurance that safety effectiveness of EP not decreased.
CONTE,R.J. Region 1 (Post 820201). 96/04/01. Region 1 (Post 820201). 1p. 87772:255-87772:255.

9604090139 Forwards proprietary Rev 10 to guard training & qualification plan.Encl withheld per 10CFR2.790(d) & 10CFR9.5(a)(4).
BOULETTE,E.T. Boston Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 1p. 87831:103-87831:103.

9604290259 Forwards insp rept 50-293/96-04 on 960318-22.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/17. BOULETTE,E.T. Boston Edison Co. 3pp. 88020:345-88020:355.

--9604290272 Insp rept 50-293/96-04 on 960318-22.No violations noted. Major areas inspected:audits,corrective actions & mgt support,protected area detection equipment,alarm stations & communications & review of PSP commitment.
ALBERT,R.J., KEIMIG,R.R. Region 1 (Post 820201). 96/04/17. 8pp. 88020:348-88020:355.

9604260244 Forwards FEMA final exercise rept for 951213, full-participation plume exposure pathway for plant & 960409 FEMA transmittal ltr.Identified no deficiencies,but found twenty-eight areas requiring C/A.
KEIMIG,R.R. . 96/04/18. BOULETTE,E.T. Boston Edison Co. 3pp. 88004:044-88004:182.

--9604260249 Transmits final exercise rept for 951213,full-participation plume exposure pathway exercise of offsite radiological emergency response plans site-specific to plant.Identified no deficiencies,but found twenty-eight areas requiring C/A.
ELISA,L.A. Federal Emergency Management Agency. 96/04/09. CRUTCHFIELD,D. . 1p.pp. 88004:047-88004:047.

--9604260259 "FEMA Final Exercise Rept Pilgrim Nuclear Power Station," conducted on 951213 for BECO.
* Federal Emergency Management Agency. 96/04/05. 134pp. 88004:048-88004:182.

9604290312 Discusses 960417 mgt meeting in King of Prussia,PA re centralized emergency predecisional group.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/24. BOULETTE,E.T. Boston Edison Co. 23pp. 88033:160-88033:182.

I. Financial information

9604110292 "BECO 1995 Annual Rept" & Securities & Exchange Commission (SEC) Form 10-K Rept.W/960410 ltr.
MAY,T.J., OHEIM,H.V. Boston Edison Co. 95/12/31. 119pp. 87863:168-87863:287.

J. Insurance & indemnity information

9604080057 Provides info re util insurance to cover property damage to plant.
OHEIM,H.V. Boston Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87817:268-87817:269.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240335 Forwards revised table in support of plant Relief Request - 9 re reactor pressure vessel nozzle-to-shell & nozzle inner radius exams.
BOULETTE,E.T. Boston Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 88008:353-88008:355.

9604220176 Forwards request for addl info re licensee Jul 1994 IPEEE.
EATON,R.B. . 96/04/17. BOULETTE,E.T. Boston Edison Co. 7pp. 87942:207-87942:213.

9604250318 Informs that effective 960428,AB Wang assigned as Project Manager,Project Directorate I-1 for facility.
SHANKMAN,S.F. . 96/04/17. BOULETTE,E.T. Boston Edison Co. 3pp. 87998:197-87998:199.

9604240359 Forwards response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BOULETTE,E.T. Boston Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88008:356-88008:360.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090138 Forwards insp rept 50-293/96-01 on 960116-0227.No violations noted.
CONTE,R. Region 1 (Post 820201). 96/03/27. BOULETTE,E.T. Boston Edison Co. 4pp. 87793:071-87793:137.

--9604090145 Insp rept 50-293/96-01 on 960116-0227.No violations noted. Major areas inspected:plant operations,maint & surveillance, engineering,plant support & safety assessment & quality verification.
CONTE,R. Region 1 (Post 820201). 96/03/27. 63pp. 87793:075-87793:137.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604110172 Forwards errata to pp 34 of insp rept 50-293/95-09, reflecting revised characterization of actions taken by staff re prevention of release of contaminated tools from radiologically controlled area.
WHITE,J.R. Region 1 (Post 820201). 96/04/03. BOULETTE,E.T. Boston Edison Co. 3pp. . 87832:355-87832:358.

--9604110176 Corrected pp 34 of insp rept 50-293/95-09,reflecting revised characterization of actions taken by staff member re prevention of release of contaminated tools from radiologically controlled area.
* Region 1 (Post 820201). 96/04/03. 1pp. 87832:358-87832:358.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230052 Forwards insp rept 50-293/96-80 on 960122-0209.No violations noted.
COOPER,R.W. Region 1 (Post 820201). 96/04/16. BOULETTE,E.T. Boston Edison Co. 4pp. 87967:132-87967:166.

--9604230059 Insp rept 50-293/96-80 on 960122-0209.No violations noted. Major areas inspected:effectiveness of process for identifying,resolving & preventing issues that degrade quality of plant operations & safety.
CONTE,R.J. Region 1 (Post 820201). 96/04/16. 31pp. 87967:136-87967:166.

9604290259 Forwards insp rept 50-293/96-04 on 960318-22.No violations noted.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/17. BOULETTE,E.T. Boston Edison Co. 3pp. 88020:345-88020:355.

--9604290272 Insp rept 50-293/96-04 on 960318-22.No violations noted. Major areas inspected:audits,corrective actions & mgt support,protected area detection equipment,alarm stations & communications & review of PSP commitment.
ALBERT,R.J., KEIMIG,R.R. Region 1 (Post 820201). 96/04/17. 8pp. 88020:348-88020:355.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080148 "Pilgrim Nuclear Power Station Annual Dose Assessment to General Public from Radioactive Effluents from Jan-Dec 1995." W/960328 ltr.
SEJKORA,K.J., LANDAHL,S.R., OLIVIER,L.J. Boston Edison Co. 95/12/31. 91pp. 87811:001-87811:091.

9604150339 Monthly operating rept for Mar 1996 for Pilgrim Nuclear Power Station.W/960411 ltr.
CANNON,R.L., OLIVIER,L.J. Boston Edison Co. 96/03/31. 7pp. 87894:049-87894:055.

9604220202 NPDES discharge monitoring rept for Mar 1996 for Pilgrim Nuclear Power Station.
SULLIVAN,T.A., OHEIM,H.V. Boston Edison Co. 96/03/31. 10pp. 87983:323-87983:332.

S. Reportable occurrences, LERs & related correspondence

9604160351 AO rept 72-19:on 721230,while reactor in hot standby condition,RCIC sys became inoperable as result of loss of RCIC turbine oil pressure.
HAYNES,R.C. Boston Edison Co. 73/01/10. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

9604090233 LER 96-001-00:on 960312,torus-to-reactor bldg vacuum relief sys Train 'B' vacuum breaker inoperable due to pressure switch.Replaced micor-switch,tested pressure switch satisfactorily & returned vacuum to svc.W/960404 ltr.
CALFA,J.P., BOULETTE,E.T. Vermont Yankee Nuclear Power Corp. 96/04/04. 6pp. 87824:116-87824:121.

9604220264 LER 95-011-01:on 951206,RCICS was inoperable due to unplanned maint to replace intermittent tripping power inverter.MR 19503503 was initiated to perform initial troubleshooting.W/960411 ltr.
CANNON,R.L., BOULETTE,E.T. Boston Edison Co. 96/04/11. 7pp. 87990:302-87990:308.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604240059 PNO-I-96-024:on 960419,high turbine vibrations occurred 22% reactor power causing turbine trip resulting in automatic reactor scram.Outage work & post-scram review activities scheduled to be completed for 960423 start-up.
CONTE,R. Region 1 (Post 820201). 96/04/22. 2pp. 88004:341-88004:342.

DOCKET 50-295 ZION NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020043 Forwards revised EPIPs & GSEP Zion Annex Section 5.0.
* Commonwealth Edison Co. 96/03/19. Document Control Branch (Document Control Desk). 1p. 87732:148-87732:239.

--9604020195 Revised EPIPs,including EPIPs index & Rev 4 to EPIP 330-1, "Classification of GSEP Conditions."
* Commonwealth Edison Co. 96/03/19. 8pp. 87732:149-87732:155.

--9604020206 Rev 7K to GSEP Zion Annex,Section 5.0, "Classification of Emergencies."
* Commonwealth Edison Co. 96/02/29. 82pp. 87732:156-87732:239.

9604120102 Revised EPIPs,including EPIP index,Change Request Number (CRN) ER9600469 to Rev 2 to EPIP 100-3 & CRN ER9600510 to Rev 10 to EPIP 320-1.
LANES,L.L. Commonwealth Edison Co. 96/03/26. 26pp. 87877:086-87877:112.

9604010062 First partial & final response to FOIA request for records. App A records encl & being made available in PDR.Records already available in PDR noted on encl computer printout.App B records partially withheld (ref Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/28. SMITH,M.G. Affiliation Not Assigned. 21pp. 87694:135-87694:214.

--9604010099 Partially withheld investigation rept 3-94-066 on 941201.No discrepancies noted.Major areas investigated:alleged deliberate violation of security procedures & falsification of records.
ULIE,J.M. Region 3 (Post 820201). 95/02/03. 9pp. 87694:206-87694:214.

9604020068 Requests for addl info re request for exemption to 10CFR50,App R,section III.G auxiliary bldg stairwell & reactor containments.
SHIRAKI,C.Y. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87710:347-87710:351.

9604090280 Resubmits response to NRC 960221 ltr re violations noted in insp repts 50-295/95-22 & 50-304/95-22.Corrective actions: counseled Electrical Maint Dept personnel re importance of procedure adherence & emergency light program.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. 87830:348-87830:357.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260124 Revised EPIPs,including CEPIPs 3000 series table of contents,Rev 6 to CEPIP 3303-01, "Calculation of Noble Gas Release Rate From Field Measurements of Radiation Exposure Rate" & Rev 5 to CEPIP-3404-01, "Calculation of..."
DAVIDSON,G.R. Commonwealth Edison Co. 96/04/04. 40pp. 88031:119-88031:158.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604260116 Revised EPIPs,including CEPIP-2000 series table of contents & Rev 1 to CEPIP-2331-03, "Computer Specialist EOF."
* Commonwealth Edison Co. 96/04/10. 11pp. 88019:351-88019:361.

9604230047 Revised EPIPs,including Change Request Number (CRN) ER9601266 to Rev 6 to EPIP 100-1,CRN ER9601365 to Rev 2 to EPIP 110-1 & CRN ER9601364 to Rev 7 to EPIP 190-2.
LANES,L.L. Commonwealth Edison Co. 96/04/15. 64pp. 88009:293-88009:356.

9604220173 Notifies that computer point U1000 description changed to include "removed" in Zion ERDS description file.Necessary documentation for ERDS data point library parameter mod in accordance w/procedures attached also.
HOLDEN,L.E. Commonwealth Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87965:156-87965:161.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604050021 Forwards request to use American Society of Mechanical Engineers code case N-514 in the determination of LTOP setpoints.
TUETKEN,R.P. Commonwealth Edison Co. 96/03/19. Document Control Branch (Document Control Desk). 5pp. 87775:305-87775:309.

9604020416 Forwards annual TS 6.6.1b special repts,including Waukegan Regional Airport Expansion,PORV & safety valve challenges & primary coolant activity limits.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 5pp. 87731:346-87731:350.

9604080326 Submits Zion Unit 1 SG tube plugging during recently completed fifth Unit 1 maint outage.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87803:195-87803:196.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080237 Forwards nonproprietary info discussed on 960328 re ABB/C-E nuclear operations SG welded sleeves for disclosure in PDR.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87817:171-87817:177.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120294 Reviews licensee proposal to make certain changes to commitments made in response to NUREG-0737,Item II.B.3,Post Accident Sampling Capability.Clarifies misinterpretations by licensee w/respect to certain calculations.
SHIRAKI,C.Y. . 96/04/11. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87878:357-87878:360.

9604180158 Forwards proprietary markups to TR WCAP-13878, "Reliability Assessment of Potter & Brumfield MDR Series Relays," reflecting listed changes as discussed in 960313 telcon. Proprietary markups to TR WCAP-13878 withheld.
BUSH,L. Commonwealth Edison Co. 96/04/12. . 2pp. 87956:359-87956:360.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604260177 Notifies NRC that actions a-h in GL 89-10 completed w/exceptions noted & transmits Zion Station request for closure of GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillances."
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88026:359-88026:360.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604010053 FOIA request for insp repts,violations,citations & fines given to Zion Nuclear Power Plant in Zion,IL by NRC from 930301-941001.
SMITH,M.G. Affiliation Not Assigned. 96/02/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87694:134-87694:134.

9604290415 Informs of requalification program insp planned for week of 960610 which coincides w/regularly scheduled requalification exam cycle,per 960417 ltr.Requests written exams & operating tests planned for week of insp furnished by 960430.
BURDICK,T.M. Region 3 (Post 820201). 96/03/23. TUETKEN,R. Commonwealth Edison Co. 2pp. 88027:317-88027:318.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020415 Forwards insp plan for plant encompassing next 6 months based on plant performance review from Aug 1995 - Mar 1996, based on insp results & safety performance info,used to formulate emphases for upcoming insp.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. TUETKEN,R. Commonwealth Edison Co. 3pp. 87706:045-87706:047.

9604010062 First partial & final response to FOIA request for records. App A records encl & being made available in PDR.Records already available in PDR noted on encl computer printout.App B records partially withheld (ref Exemption 7).
POWELL,R.A. Division of Freedom of Information &. Publications Services (Post 940714). 96/03/28. SMITH,M.G. Affiliation Not Assigned. 21pp. 87694:135-87694:214.

-9604010083 Investigation rept 3-93-037R.Violation noted.Major areas investigated:alleged deliberate matl false statement re design basis of Zion Generating Station.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 94/08/15. 32pp. 87694:156-87694:187.

-9604010088 Investigation rept 3-94-041 on 940502 re alleged termination of employment for contacting NRC re ALARA concerns.Case administratively closed out on 940920,based on alleger failure to cooperate.
DEVITTO,R.L., PAWLIK,E.T. Region 3 (Post 820201). 94/12/16. 9pp. 87694:188-87694:196.

-9604010093 Investigation rept 3-94-066 on 941201 re alleged employment discrimination.Case closed on 950310,based on unsuccessful attempts to interview alleger.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 95/05/02. 9pp. 87694:197-87694:205.

-9604010099 Partially withheld investigation rept 3-94-066 on 941201.No discrepancies noted.Major areas investigated:alleged deliberate violation of security procedures & falsification of records.
ULIE,J.M., PAWLIK,E.T. Region 3 (Post 820201). 95/02/03. 9pp. 87694:206-87694:214.

9604010326 Forwards response to NRC 960227 ltr re violations noted in insp repts 50-295/95-23 & 50-304/95-23.Corrective actions: sys engineer generated action request to verify torque on pipe support on 960117.
TUETKEN,R.P. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87704:301-87704:306.

9604080042 Responds to SALP 13 rept results & concurs that improvement is needed in training,procedures & supervision.Details of initiatives & efforts targeted to address weaknesses attached.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 6pp. 87817:278-87817:283.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090280 Resubmits response to NRC 960221 ltr re violations noted in insp repts 50-295/95-22 & 50-304/95-22.Corrective actions: counseled Electrical Maint Dept personnel re importance of procedure adherence & emergency light program.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. 87830:348-87830:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150087 Forwards insp repts 50-295/96-05 & 50-304/96-05 on 960127- 0308 & NOV.
MILLER,L.F. Region 3 (Post 820201). 96/04/05. TUETKEN,R. Commonwealth Edison Co. 6pp. 87869:077-87869:101.

-9604150090 Notice of deviation from insp on 960127-0308.Deviation noted:inspectors identified that 3-h rating of north wall of auxiliary bldg drum fill area not maintained due to hole & installation of three windows in barrier.
* Region 3 (Post 820201). 96/04/05. 1p. 87869:083-87869:083.

-9604150099 Insp repts 50-295/96-05 & 50-304/96-05 on 960127-0308. Violations noted.Major areas inspected:operations,maint, engineering,plant support,non-routine events & certain previously identified items.
MILLER,L.F. Region 3 (Post 820201). 96/04/05. 18pp. 87869:084-87869:101.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604150218 Responds to NRC 951128 ltr re violations noted in insps. C/As:comprehensive actions taken to ensure enployees feel free to raise safety concerns w/o fear of retribution.Policy responding to employee nuclear safety concerns reinforced.
BRONS,J.C. Commonwealth Edison Co. 96/04/08. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 87888:339-87888:344.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160352 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-23 & 50-304/95-23.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. TUETKEN,R. Commonwealth Edison Co. 2pp. 87887:199-87887:200.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190302 Monthly operating repts for March 1996 for ZGS.W/960412 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/31. 13pp. 87939:252-87939:264.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

—9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604010354 LER 96-006-00:on 960226,discovered control switches for QA, OC & OD auxiliary bldg charcoal booster fans in off position instead of automatic.Cause unknown.Charcoal booster fans manipulated.W/960327 ltr.
SHELTON,H., SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/27. 6pp. 87708:299-87708:304.

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604150239 LER 96-007-00:on 960308,below freezing conditions create flow restriction in safety injection pump recirculation line.Caused by design deficiency.SI pump recirculation line cleared.W/960409 ltr.
TOY,A., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/09. 6pp. 87896:348-87896:353.

9604220351 Special Rept 295-123-96-007SR:on 960304,OA Motor Drive Fire Pump taken out-of-svc to perform scheduled maint activities & inoperable for greater than seven days.OA Fire Pump declared operable on 960319.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 3pp. 87961:353-87961:355.

9604160136 LER 96-008-00:on 960312,changed modes w/o proper administrative controls on containment isolation valves. Caused by change in management.C/A:GOP-1 & 2 revised.W/ 960411 ltr.
SHELTON,H., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/11. 4pp. 87923:099-87923:103.

9604180116 LER 96-009-00:on 960314,nuclear instrumentation sys power neutron flux channels not tested.Caused by inadequate procedure.C/A:PR channel calibration procedures revised.W/ 960412 ltr.
BARTECKI,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/12. 5pp. 87960:258-87960:262.

9604190296 Forwards LER 96-010-00 from Zion Generating Station.Unit 2 MFRVs will be response time tested & Sys Engineering will investigate cause of booster failure.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/15. Document Control Branch (Document Control Desk). 1p. 87959:356-87959:359.

—9604190310 LER 96-010-00:on 960316,1C S/G level increased due to reactor trip.Caused by defective pneumatic vol booster on valve.Cause of booster failure investigated,including seating surface condition & response time testing.
BEINECKE,P.J. Commonwealth Edison Co. 96/04/15. 3pp. 87959:357-87959:359.

9604300125 LER 96-011-00:on 960327,IST requirements for 1AOV-BD0008 & 1AOV-S18870A was missed due to deficient procedure.Revised procedures.W/960426 ltr.
THURSTON,D., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/26. 8pp. 88066:012-88066:019.

V. Operator Examinations

9604290415 Informs of requalification program insp planned for week of 960610 which coincides w/regularly scheduled requalification exam cycle,per 960417 ltr.Requests written exams & operating tests planned for week of insp furnished by 960430.
BURDICK,T.M. Region 3 (Post 820201). 96/03/23. TUETKEN,R. Commonwealth Edison Co. 2pp. 88027:317-88027:318.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604220173 Notifies that computer point U1000 description changed to include "removed" in Zion ERDS description file.Necessary documentation for ERDS data point library parameter mod in accordance w/procedures attached also.
HOLDEN,L.E. Commonwealth Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87965:156-87965:161.

9604290412 Revised EPIPs,including Rev 17 to EPIP-10, "Medical Emergency Procedure" & Rev 18 to EPIP-17, "Emergency Classification Procedure." W/960426 ltr.
SALAS,P. Tennessee Valley Authority. 96/04/26. 48pp. 88057:033-88057:080.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

—9604010036 Rev 6 to "ODCM."
NIX,D.W. Tennessee Valley Authority. 95/05/25. 214pp. 87698:173-87699:022.

—9604010039 Rev 7 to "ODCM."
BURZESE,T. Tennessee Valley Authority. 95/08/12. 209pp. 87699:023-87699:231.

9604100022 Discusses 960314 meeting re plans for radiological controls to be applied during next refueling outage.Presentation handouts encl.
LESSER,M.S. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 20pp. 87812:252-87812:271.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180246 Forwards supplemental info for TS 356 & cost beneficial licensing valve leakage rate.Non-proprietary & proprietary calculations encl.Proprietary calculations withheld (ref 10CFR2.790(b)(4)).
SALAS,P. Tennessee Valley Authority. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87958:001-87959:021.

–9604180251 Non-proprietary "Calculations for Application of Revised DBA Source Term to Browns Ferry Nuclear Power Plant."
METCALF,J., LEAVER,D. PoleStar Applied Technology, Inc. PSAT 04000U.04 R01. 96/02/05. 11pp. 87958:007-87958:018.

–9604180255 Non-proprietary "Calculation of Containment Leakage Doses for Browns Ferry Nuclear Power Plant."
SCHNEIDER, MICHONSKI,M., JAQUITH,R.E. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1066-S&T95-C-002 R00. 95/09/29. 367pp. 87958:019-87959:021.

9604230054 Application for amends to licenses DPR-33,DPR-52 & DPR-68, respectively,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
SALAS,P. Tennessee Valley Authority. 96/04/14. Document Control Branch (Document Control Desk). 11pp. 88001:322-88001:355.

–9604230057 Proposed tech specs,revising minimum required number of operable RV water level trip sys during period that RCS instrument line excess flow check valve surveillance tests being performed.
* Tennessee Valley Authority. 96/04/14. 23pp. 88001:333-88001:355.

9604180281 Forwards amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.Amends clarify RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.1.d.
WILLIAMS,J.F. . 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 87913:217-87913:244.

–9604180285 Amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68, respectively,clarifying RWL instrumentation requirements when testing excess flow check valves per TS 4.7.D.4.d.
HEBDON,F.J. . 96/04/16. 21pp. 87913:218-87913:238.

–9604180288 Safety evaluation supporting amends 229,244 & 204 to licenses DPR-33,DPR-52 & DPR-68,respectively.
* . 96/04/16. 6pp. 87913:239-87913:244.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010255 Responds to NRC 960229 ltr re violation noted in insp repts 50-259/96-01,50-260/96-01 & 50-296/96-01.C/As:reduced reactor power & deleted FW temp point from processing.TVA plans to troubleshoot resistance temp detector loop.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 7pp. 87719:142-87719:148.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090177 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960304 for 950903-960301. Encl details insp plan for next six months.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 87806:222-87806:227.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220232 Forwards insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 960204-0316 & notice of violation.
LESSER,M.S. Region 2 (Post 820201). 96/04/15. KINGSELY,O.D. Tennessee Valley Authority. 4pp. 87935:249-87935:287.

–9604220244 Insp repts 50-259/96-03,50-260/96-03 & 50-296/96-03 on 940204-0316.Violations noted.Major areas inspected:plant operations,maint,engineering & plant support.
WERT,L.D., LESSER,M.S. Region 2 (Post 820201). 96/04/15. 31pp. 87935:257-87935:287.

9604230243 Ack receipt of 960326 ltr informing NRC of addl steps taken to correct violations noted in insp repts 50-259/96-01 50-260/96-01 & 50-296/96-01.
LESSER,M.S. Region 2 (Post 820201). 96/04/16. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87953:197-87953:199.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010025 Forwards annual radiological effluent release rept for Jan- Dec 1995,consisting of "Radiological Impact Assessment Rept 1995," "Effluent & Waste Disposal...1995," "Inoperable... Effluent Instrumentation Rept 1995" & Revs 6 & 7 to ODCM.
SALAS,P. Tennessee Valley Authority. 96/03/21. Document Control Branch (Document Control Desk). 2pp. 87698:001-87699:231.

–9604010030 "Radiological Impact Assessment Rept 1995."
* Tennessee Valley Authority. 95/12/31. 146pp. 87698:003-87698:148.

–9604010031 "Effluent & Waste Disposal Annual Rept 1995."
* Tennessee Valley Authority. 95/12/31. 20pp. 87698:149-87698:168.

–9604010034 "Inoperable Radiological Effluent Instrumentation Rept 1995."
* Tennessee Valley Authority. 95/12/31. 4pp. 87698:169-87698:172.

9604230077 Monthly operating repts for March 1996 for Browns Ferry Nuclear Plant.W/ 960415 ltr.
DAVENPORT,J.W., SALAS,P. Tennessee Valley Authority. 96/03/31. 14pp. 88010:297-88010:310.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

–9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

9604290407 Forwards "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995." including results of land use censuses,summarized & tabulated results of samples taken during period & radiological environ monitoring.
SALAS,P. Tennessee Valley Authority. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88039:130-88039:250.

–9604290411 "Annual Radiological Environ Operating Rept for Browns Ferry Nuclear Plant 1995."
* Tennessee Valley Authority. 95/12/31. 115pp. 88039:132-88039:250.

S. Reportable occurrences, LERs & related correspondence

9604010331 Forwards LER 50-296/96-01 re reactor scram due to faulty electro-hydraulic control frequency/voltage converter card. TVA plans to send faulty card to vendor for further investigation.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87708:280-87708:288.

–9604010335 LER 96-001-00:on 960229,reactor scrammed after APRM high flux scram signal because of partial closure of turbine control valves due to faulty EHC frequency/voltage converter card.Main turbine manually tripped & faulty card replaced.
WALLACE,J.E. Tennessee Valley Authority. 96/03/26. 7pp. 87708:282-87708:288.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604290038 Forwards draft Accident Sequence precursor rept for 1982-83.Rept documents ASP Program analyses of operational events which occurred during period 1982-83.
WILLIAMS,J.F. . 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 30pp. 88046:262-88046:291.

V. Operator Examinations

9604010260 Notifies of termination of operator license SOP-20257-3 for TW Jordan.
MACHON,R.D. Tennessee Valley Authority. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87717:359-87717:360.

DOCKET 50-298 COOPER NUCLEAR STATION

F. Security, medical, emergency & fire protection plans

9604020271 Rev 0.2 to EPIP 5.7.9.1, "Activation of Alternate EOF." W/ 960327 ltr.
HOUSTON,B.L., MUELLER,J.H. Nebraska Public Power District. 96/03/27. 11pp. 87726:321-87726:331.

9604150163 Forwards insp rept 50-298/96-05 on 960226-0301 & NOV.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. HORN,G.R. Nebraska Public Power District. 5pp. 87869:145-87869:172.

—9604150167 Notice of violation from insp on 960226-0301.Violation noted:licensee failed to perform operability assessment to determine whether 14 SR,MOVs in engineered safety features sys were capable of performing design functions.
* Region 4 (Post 820201). 96/04/11. 2pp. 87869:150-87869:151.

—9604150170 Insp rept 50-298/96-05 on 960226-0301.Violations noted.Major areas inspected:FP program & followup of engineering open items.
VANDENBURGH,C. Region 4 (Post 820201). 96/04/10. 21pp. 87869:152-87869:172.

9604180436 Ack receipt of 960223 ltr & encl changes to EPIP 5.7.1, rev 22.Changes acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. HORN,G.R. Nebraska Public Power District. 4pp. 87919:162-87919:165.

9604220050 Revised EPIPs,including rev 21 to EPIP 5.7.7, "Activation of TSC," rev 15 to EPIP 5.7.8, "Activation of OSC," rev 17 to EPIP 5.7.9, "Activation of EOF," & rev 1 to EPIP 5.7.28, "Administration....Manuals." W/960415 ltr.
MUELLER,J.H. Nebraska Public Power District. 96/04/15. 23pp. 87966:338-87966:362.

9604300196 Submits Rev 34 CNS Safeguards Plan.Encl withheld.
MUELLER,J.H. Nebraska Public Power District. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88067:232-88067:232.

I. Financial information

9604230181 Forwards 1995 annual audit rept of Decommissioning Trust Fund for Cooper Nuclear Station.
MUELLER,J.H. Nebraska Public Power District. 96/04/15. Document Control Branch (Document Control Desk). 10pp. 87976:289-87976:297.

J. Insurance & indemnity information

9604010223 Provides current levels of property insurance & source of insurance for facility,per 10CFR 50.54(w)(3).
MUELLER,J.H. Nebraska Public Power District. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87704:325-87704:331.

—9604010227 Provides 10CFR50.54(w) property insurance verification.
HORN,G.R. Nebraska Public Power District. 95/10/06. DINITZ,I. . 3pp. 87704:328-87704:330.

—9512120388 Informs that Commission approves Mid American & potential NPPD NEIL II policies,50/50 quota share,to meet requirements of 10CFR50.54(w).
DINITZ,I.P. . 95/12/07. HORN,G.R. Nebraska Public Power District. 1p. 87704:331-87704:331.

P. Operating license stage documents & correspondence

9604040245 "Reactor Containment Bldg Integrated Leak Rate Test." W/ 960402 ltr.
MUELLER,J.H. Nebraska Public Power District. 95/12/31. 228pp. 87766:101-87766:328.

9604010397 Forwards investigation rept re unsatisfactory blind performance test results experienced,during administration of util drug-testing lab quality control program.
MUELLER,J.H. Nebraska Public Power District. 96/03/28. Document Control Branch (Document Control Desk). 17pp. 87719:062-87719:079.

9604030146 Forwards response to request for addl info re feedwater nozzle exam results & relief request to support util conclusion,hydrotest assumed to be most limiting condition.
MUELLER,J.H. Nebraska Public Power District. 96/03/29. Document Control Branch (Document Control Desk). 3pp. 87733:344-87733:360.

—9604030152 "Determination of LOC for Cooper Feedwater Nozzle Fracture Mechanics Evaluation," for Feb 1996.
* Nebraska Public Power District. 96/02/29. 14pp. 87733:347-87733:360.

9604030431 Submit addl info re potential impact of postulated cracks in core spray lines for plant.
MUELLER,J.H. Nebraska Public Power District. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87757:358-87757:361.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220231 Submits results for RR-MOV-MO53A & RR-MOV-MO53B,per GL 89-10 commitments.
MUELLER,J.H. Nebraska Public Power District. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87972:358-87972:360.

9604180425 Notification of licensee meeting w/util on 960423 to discuss licensee progress on Phase 3 of Performance Improvement Plan.
DYER,J.E. Region 4 (Post 820201). 96/04/15. Region 4 (Post 820201). 5pp. 87919:154-87919:158.

9604250105 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
HORN,G.R. Nebraska Public Power District. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 87998:165-87998:169.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090399 Press release IV-96-23, "NRC Staff to Hold Open Predecisional Enforcement Conference Apr 1 W/Cooper Nuclear Station."
* Region 4 (Post 820201). 96/03/28. 2pp. 87824:133-87824:134.

9604040235 Forwards "Cooper Nuclear Station ISI Summary Rept for Fall 1995." Rept includes owner rept for Inservice Insps & owner rept for repairs & replacements.
MUELLER,J.H. Nebraska Public Power District. 96/03/29. Document Control Branch (Document Control Desk). 3pp. 87768:240-87768:338.

—9604040237 "Cooper Nuclear Station ISI Summary Rept for Fall 1995 Refueling Outage."
* Nebraska Public Power District. 96/03/28. 85pp. 87768:243-87768:338.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080287 Discusses Plant Performance Review conducted on 960311. Advises of planned insp effort resulting from subj review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. HORN,G.R. Nebraska Public Power District. 6pp. 87772:093-87772:098.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110289 Discusses predecisional enforcement conference held 960401 in Region IV to discuss violations identified in insp repts 50-298/96-04 & 50-298/96-08.Notes meeting provided NRC w/ better understanding.W/list of attendees & viewgraphs.
DYER,J.E. Region 4 (Post 820201). 96/04/08. HORN,G.R. Nebraska Public Power District. 56pp. 87832:290-87832:345.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150103 Forwards response to RAI & Rev 1 to "Third Ten-Yr Interval ISI Program for Cooper Nuclear Station."
MUELLER,J.H. Nebraska Public Power District. 96/04/11. Document Control Branch (Document Control Desk). 8pp. 87939:021-87939:190.

—9604150105 Rev 1 to "Third Ten-Yr Interval ISI Program for Cooper Nuclear Station." W/155 oversize drawings.
* Nebraska Public Power District. 96/04/11. 162pp. 87939:029-87939:190.

9604150163 Forwards insp rept 50-298/96-05 on 960226-0301 & NOV.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. HORN,G.R. Nebraska Public Power District. 5pp. 87869:145-87869:172.

—9604150167 Notice of violation from insp on 960226-0301.Violation noted:licensee failed to perform operability assessment to determine whether 14 SR,MOVs in engineered safety features sys were capable of performing design functions.
* Region 4 (Post 820201). 96/04/11. 2pp. 87869:150-87869:151.

—9604150170 Insp rept 50-298/96-05 on 960226-0301.Violations noted.Major areas inspected:FP program & followup of engineering open items.
VANDENBURGH,C. Region 4 (Post 820201). 96/04/10. 21pp. 87869:152-87869:172.

9604250382 EN-96-024:on 960417,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on change to facility,which constituted unreviewed safety question & existance of condition from 1985 until Nov 1995.
SANBORN,G. Region 4 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/12. 1p. 88031:026-88031:026.

9604190024 Forwards insp rept 50-298/96-03 on 960204-0316.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/04/15. HORN,G.R. Nebraska Public Power District. 5pp. 87934:322-87934:339.

—9604190027 Insp rept 50-298/96-03 on 960204-0316.No violations noted. Major areas inspected:onsite review of events,operational safety verification,plant support activities,surveillance & maint observations & follow up of CA for violations.
REIS,T. Region 4 (Post 820201). 96/04/12. 13pp. 87934:327-87934:339.

9604190060 Informs NRC 960411 insp rept 50-298/96-05 had been issued w/o date stamp.Requests ltr be replaced w/encl corrected ltr.
GWYNN,T.P. Region 4 (Post 820201). 96/04/15. HORN,G.R. Nebraska Public Power District. 4pp. 87934:340-87934:346.

—9604190063 Corrected ltr forwarding insp rept 50-298/96-05 from 960226-0301 & NOV.Document inadvertently issued w/o date stamp.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. HORN,G.R. Nebraska Public Power District. 3pp. 87934:344-87934:346.

9604220014 Discusses insp repts 50-298/96-04 & 50-298/96-08 & forwards notice of violation & proposed imposition of civil penalty for $50,000.Violations noted:improper mod of MS tunnel blowout panel sections & SV.
CALLAN,L.J. Region 4 (Post 820201). 96/04/17. HORN,G.R. Nebraska Public Power District. 8pp. 87935:190-87935:201.

–9604220021 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:facility not operated per USAR & no written SE of change performed to determine if change involved unreviewed safety question.
* Region 4 (Post 820201). 96/04/17. 4pp. 87935:198-87935:201.

9604250156 Press release IV-96-27, "NRC Proposes to Fine Cooper $50,000."
* Walnut Creek Field Ofc, R4 (Post 940404). 96/04/18. 2pp. 88031:024-88031:025.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220165 Monthly operating rept for Mar 1996 for Cooper Nuclear Station.W/960415 ltr.
BALLINGER,P.L, HERRON,J.T. Nebraska Public Power District. 96/03/31. 6pp. 87953:321-87953:326.

S. Reportable occurrences, LERs & related correspondence

9604010316 Special rept:on 960325,electric-driven & diesel-driven fire pumps placed in pull-to-lock position to prevent inadvertent pump start during testing.Electric-driven & diesel-driven fire water pumps returned to services following maint.
HERRON,J.T. Nebraska Public Power District. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87719:170-87719:172.

9604020042 Special rept:on 960326,electric-driven & diesel-driven fire pumps were placed in pull-to-lock position to prevent inadvertent pump starts during restoration & acceptance testing.Fire water pumps returned to service.W/960327 ltr.
HERRON,J.T. Nebraska Public Power District. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87724:357-87724:359.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

–9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604230042 LER 96-002-00:on 960322,unassured past operability of Core Spray Subsystem A due to susceptibility of injection valve to pressure locking.Caused by original design error.Gate valve reactor side of disc modified.W/960417 ltr
VICTOR,W.R., HERRON,J.T. Nebraska Public Power District. 96/04/17. 5pp. 87992:344-87992:348.

9604240110 LER 96-003-00:on 960320,single train RCIC sys inoperable. Caused by equipment malfunction.C/A:EGM control box replaced and tested.W/960419 ltr.
TAYLOR,C.C., HERRON,J.T. Nebraska Public Power District. 96/04/19. 3pp. 88004:343-88004:345.

V. Operator Examinations

9604040022 Informs that annual exams of licensed personnel conducted between 960205-0313.
MUELLER,J.H. Nebraska Public Power District. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87752:359-87752:360.

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604160275 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/03/28. Document Control Branch (Document Control Desk). 1p. 87901:153-87901:268.

–9604160281 Public version of revised EPIPs,including Rev 34 to EPIP index,Rev 29 to EPIP form index,Rev 0 to EPIP-05,Rev 0 to EPIP-06,Rev 0 to EPIP-07,Rev 16 to EPIP-6.6,EPIP-6.6c,Rev 1 to EPIP-6.6d,Rev 1 to EPIP-6.6e & Rev 1 to EPIP-6.6f.
* Wisconsin Electric Power Co. 96/03/28. 115pp. 87901:154-87901:268.

9604150259 Advises that 950811 rev 12 to physical security plan consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/04/09. LINK,R.E. Wisconsin Electric Power Co. 2pp. 87913:352-87913:353.

9604160292 Forwards public & central files versions of revised EPIPs. Central files version of revised EPIPs withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87900:310-87900:324.

–9604160294 Public version of revised EPIPs,including Rev 35 to EPIP index,Rev 30 to EPIP form index,Rev 8 to EPIP 5.2 & Rev 3 to EPIP 7.2.1a.
* Wisconsin Electric Power Co. 96/04/09. 14pp. 87900:318-87900:324.

9604170011 Forwards rev to security plan.Encl withheld.
MAXFIELD,G.J. Wisconsin Electric Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87897:356-87897:356.

9604180341 Forwards RAI related to external event analyses in GL 88-20, Suppl 4, "IPEEE for Severe Accident Vulnerabilities," including seismic analysis,fire analysis & analyses on effects of high,winds & floods.
HANSEN,A.G. . 96/04/15. LINK,R.E. Wisconsin Electric Power Co. 11pp. 87917:311-87917:321.

G. Adjudicatory correspondence

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

H. General correspondence

9604030199 Ack receipt of Region III insp rept of Point Beach Nuclear Plant on 951117-960110 & disbelief of results.MTC used to move fully loaded MSB for SFP to decontamination area w/o performing adequate load test at 300% as required.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87746:285-87746:286.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

–9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604230256 Comments on issues raised in 960125 memo to J Taylor providing update to Dry Cask Storage Action Plan.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. PAPERIELLO NRC - No Detailed Affiliation Given. 1p. 87980:356-87980:356.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

9604240373 Responds to 960303 ltr re NRC review of loading & unloading procedures for SF dry storage casks.
RUSSELL,W.T. . 96/04/18. SHILLINGLAW,F. Affiliation Not Assigned. 11pp. 87997:266-87997:276.

P. Operating license stage documents & correspondence

9604020169 Forwards Table 1 containing list of plant radiation monitors,in response to inquiry as to which radiation monitors affected by TS Change Request 172,modifying TS Section 15.4.1, "Operational Safety Review."
KRIESER,G.M. Wisconsin Electric Power Co. 96/03/26. Document Control Branch (Document Control Desk). 4pp. 87725:239-87725:242.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180341 Forwards RAI related to external event analyses in GL 88-20, Suppl 4, "IPEEE for Severe Accident Vulnerabilities," including seismic analysis,fire analysis & analyses on effects of high,winds & floods.
HANSEN,A.G. . 96/04/15. LINK,R.E. Wisconsin Electric Power Co. 11pp. 87917:311-87917:321.

9604230037 Discusses GL 96-01, "Testing of Safety-Related Logic Circuits." First refueling outages commencing one yr after issuance of GL 96-01 currently scheduled as 970329 for Unit 1 & 1011 for Unit 2.
LINK,B. Wisconsin Electric Power Co. 96/04/17. Document Control Branch (Document Control Desk). 1p. 88001:356-88001:356.

9604290366 Forwards "Annual Monitoring Rept Jan-Dec 1995," containing info re plant releases,solid waste shipments,new & spent fuel shipments,leak testing of sources & other miscellaneous reportable items.Revised environ manual & ODCM also encl.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88035:001-88035:212.

–9604290392 Rev 11 to "Point Beach Nuclear Plant Unit 1 & 2 Environ Manual."
* Wisconsin Electric Power Co. 95/09/21. 39pp. 88035:028-88035:066.

–9604290395 Rev 9 to "Point Beach Nuclear Plant Unit 1 & 2 ODCM."
* Wisconsin Electric Power Co. 95/07/06. 146pp. 88035:067-88035:212.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604180400 Informs that semiannual plant performance review of KNPP completed on 960306 & advises of planned insp effort resulting from review.
FABER,M.J. Region 3 (Post 820201). 96/04/02. STEINHARDT,C.R. Wisconsin Public Service Corp. 3pp. 87919:137-87919:139.

9604080334 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems," submitting (Required Responses 1 & 2) to bulletin.
LINK,B. Wisconsin Electric Power Co. 96/04/03. Document Control Branch (Document Control Desk). 7pp. 87817:178-87817:190.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250433 Forwards insp rept 50-266/96-02 & 50-301/96-02 on 960109- 0301 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 96/04/17. Wisconsin Electric Power Co. 3pp. 87996:094-87996:124.

-9604250438 Notice of violation from insp on 960111-0301.Violation noted:scaffold had not been properly secured during const over 2P-2C charging pump in excess of one shift.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:097-87996:098.

-9604250446 Insp repts 50-266/96-02 & 50-301/96-02 on 960109-0301. Violations noted.Major areas inspected:operations,maint, engineering & plant support,safety assessment & quality verification.Special insp of engineering.
FARBER,M.J. Region 3 (Post 820201). 96/04/11. 26pp. 87996:099-87996:124.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604180330 Monthly operating repts for March 1996 for PBNP.W/960408 ltr.
KOUDELKA,M.B., MAXFIELD,G.J. Wisconsin Electric Power Co. 96/03/31. 9pp. 87949:352-87949:360.

9604290354 Forwards annual rept of changes to & errors discovered in ECCS evaluation models for plant.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 88040:343-88040:348.

9604290366 Forwards "Annual Monitoring Rept Jan-Dec 1995," containing info re plant releases,solid waste shipments,new & spent fuel shipments,leak testing of sources & other miscellaneous reportable items.Revised environ manual & ODCM also encl.
KRIESER,G.M. Wisconsin Electric Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88035:001-88035:212.

-9604290375 "Annual Monitoring Rept 1995."
* Wisconsin Electric Power Co. 95/12/31. 27pp. 88035:002-88035:027.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604030199 Ack receipt of Region III insp rept of Point Beach Nuclear Plant on 951117-960110 & disbelief of results.MTC used to move fully loaded MSB for SFP to decontamination area w/o performing adequate load test at 300% as required.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87746:285-87746:286.

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

9604010075 Revised EPIPs,including Rev 25 to AR-403, "PSA H Annunciator Response" & Rev 19 to AR-501, "ICS I Annunciator Response."
* Florida Power Corp. 96/03/22. 287pp. 87696:001-87696:289.

9604010070 Rev 20 to EPIP AR-402, "PSA G Annunciator Response."
* Florida Power Corp. 96/03/25. 90pp. 87718:110-87718:199.

9604010400 Forwards Rev 6-10 to physical security plan.Rev withheld.
* Florida Power Corp. 96/03/26. Document Control Branch (Document Control Desk). 1p. 87704:357-87704:357.

9604090218 Ack receipt of 960331 ltr transmitting Rev 6-9 to plant physical security plan.Informs changes not consistent w/provisions of 10CFR50.54(p) & must cease immediately.
LANDIS,K.D. Region 2 (Post 820201). 96/03/29. BEARD,P.M. Florida Power Corp. 3pp. 87806:146-87806:148.

9604030021 Forwards results of Mecatiss fire barrier tests conducted at Underwriters Lab,Inc (UL) & proprietary version of UL test repts,per GL 86-10,Suppl 1.Nonproprietary version of repts will be forwarded by 960331.Proprietary repts withheld.
BOLDT,G.L. Florida Power Corp. 96/03/30. Document Control Branch (Document Control Desk). 12pp. 87733:254-87733:265.

9604230354 Rev 16 to "Radiological Emergency Response Plan for Crystal River,Unit 3." W/960417 ltr.
BOLDT,G.L. Florida Power Corp. 96/03/31. 145pp. 88001:001-88001:249.

9604090335 Forwards revised EPIPs,including rev 23 to AR-303, "Annunciator Response," & rev 52 to EM-202, "Duties of Emergency Coordinator."
* Florida Power & Light Co. 96/04/03. Document Control Branch (Document Control Desk). 1p. 87820:001-87820:144.

-9604090352 Revised EPIPs,including rev 23 to AR-303, "Annunciator Response" & rev 52 to EM-202, "Duties of Emergency Coordinator."
GIBB,S., STEPHENSON,J.D. Florida Power & Light Co. 96/04/03. 143pp. 87820:002-87820:144.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090328 Rev 32 to EPIP EM-102, "Activation,Operation & Staffing of Technical Support Ctr & Operational Support Ctr."
STEPHENSON,J. Florida Power Corp. 96/04/04. 30pp. 87829:315-87829:344.

9604150222 Rev 0 to EPIP AP-604, "Waterbox Tube Failure."
* Florida Power Corp. 96/04/08. 12pp. 87939:191-87939:202.

9604150332 Revised EPIPs,including Rev 8 to EPIP EM-103, "Operation & Staffing of CR-3 Control Room During Emergency Classifications" Rev 74 to EPIP EM-206, "Emergency Plan Roster Notification."
STEPHENSON,J. Florida Power Corp. 96/04/08. 27pp. 87896:211-87896:237.

9604170241 Rev 15 to Annunciator Response (AR) AR-701, "SSF P Annunciator Response."
* Florida Power Corp. 96/04/09. 134pp. 87947:221-87947:351.

9604170245 Rev 9 to procedure AP-880, "Fire Protection."
* Florida Power Corp. 96/04/10. 8pp. 87947:352-87947:359.

9604170247 Rev 14 to Annunciator Response (AR) AR-504, "ICS L Annunciator Response."
* Florida Power Corp. 96/04/10. 77pp. 87948:057-87948:133.

9604180318 Rev 14 to EPIP AR-603, "TGF 0 Annunciator Response."
DOLE,F. Florida Power Corp. 96/04/11. 108pp. 87949:172-87949:279.

9604230115 Rev 53 to EPIP EM-202, "Duties of Emergency Coordinator."
STEPHENSON,J.D. Florida Power Corp. 96/04/15. 53pp. 88002:240-88002:292.

9604240195 Rev 7 to EPIP AR-952, "WDB Annunciator Response."
* Florida Power Corp. 96/04/16. 19pp. 88016:310-88016:328.

9604240127 Rev 8 to EPIP EM-217, "Duties of Sampling Team."
STEPHENSON,J. Florida Power Corp. 96/04/17. 6pp. 88010:222-88010:227.

9604260185 Forwards Rev 6-9 of physical security plan to NRC.Rev withheld,per 10CFR73.21.
BOLDT,G.L. Florida Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88027:354-88027:355.

9604300070 Rev 12 to EPIP EM-219, "Duties of Dose Assessment Team."
STEPHENSON,J. Florida Power Corp. 96/04/23. 16pp. 88064:225-88064:240.

9604290001 Ack receipt of 960328 ltr sent on behalf of BL Bennett which requests action w/regard to FPC plant due to allegations that FPC maintains inadequate security program.Advises that subj ltr being treated as Petition under 10CFR2.206.
RUSSELL,W.T. . 96/04/24. PUTNEY,L.D. Putney, L.D. 4pp. 88036:189-88036:205.

–9604290008 Notice of receipt of Petition dtd 960328 for Director's Decision under 10CFR2.206 re concerns about security deficiencies at FPC plant & request for suspension or revoking of license until subj concerns corrected.
RUSSELL,W.T. . 96/04/24. 3pp. 88036:193-88036:195.

–9604120287 Forwards petition dtd 960228,filed on behalf of BL Bennett re security deficiencies at Florida Power Corp Crystal River NPP.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 96/04/09.
RUSSELL,W.T. . 3pp. 88036:199-88036:205.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290001 Ack receipt of 960328 ltr sent on behalf of BL Bennett which requests action w/regard to FPC plant due to allegations that FPC maintains inadequate security program.Advises that subj ltr being treated as Petition under 10CFR2.206.
RUSSELL,W.T. . 96/04/24. PUTNEY,L.D. Putney, L.D. 4pp. 88036:189-88036:205.

–9604290008 Notice of receipt of Petition dtd 960328 for Director's Decision under 10CFR2.206 re concerns about security deficiencies at FPC plant & request for suspension or revoking of license until subj concerns corrected.
RUSSELL,W.T. . 96/04/24. 3pp. 88036:193-88036:195.

–9604120300 Submits petition on behalf of LB Bennett re suspension or revoking of nuclear operating license for Florida Power Corp Crystal River NPP.
PUTNEY,L.D. Putney, L.D. 96/03/28. Ofc of the Executive Director for Operations. 7pp. 88036:196-88036:198.

–9604120287 Forwards petition dtd 960228,filed on behalf of BL Bennett re security deficiencies at Florida Power Corp Crystal River NPP.
GOLDBERG,J.R. Deputy Assistant General Counsel for Enforcement. 96/04/09.
RUSSELL,W.T. . 3pp. 88036:199-88036:205.

J. Insurance & Indemnity Information

9604080107 Submits summary of nuclear property insurance for Unit 3,per 10CFR50.54(w)(3).
BOLDT,G.L. Florida Power Corp. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87814:313-87814:314.

P. Operating license stage documents & correspondence

9604030021 Forwards results of Mecatiss fire barrier tests conducted at Underwriters Lab,Inc (UL) & proprietary version of UL test repts,per GL 86-10,Suppl 1.Nonproprietary version of repts will be forwarded by 960331.Proprietary repts withheld.
BOLDT,G.L. Florida Power Corp. 96/03/30. Document Control Branch (Document Control Desk). 12pp. 87733:254-87733:265.

9604090340 Confirms 960401 telcon w/L Kelly re 960416 meeting to discuss status of progress on corrective action program. Meeting will be held in Atlanta,GA.
LANDIS,K.D. Region 2 (Post 820201). 96/04/01. BEARD,P.M. Florida Power Corp. 3pp. 87806:099-87806:101.

9604100019 Confirms 960401 telcon w/L Kelly re 960611 meeting.Purpose of meeting to discuss status of progress on Corrective Action Program.
LANDIS,K.D. Region 2 (Post 820201). 96/04/01. BEARD,P.M. Florida Power & Light Co. 3pp. 87812:218-87812:220.

9604090359 Forwards SE accepting use of Code Case N-523 to ASME Boiler & Pressure Vessel Code,Section IX requirements,until permanent code repair is implemented during current Refuel 10.
IMBRO,E.V. . 96/04/02. BEARD,P.M. Florida Power Corp. 3pp. 87810:104-87810:108.

–9604090365 SER accepting request for relief for non-code repair at plant.
* . 96/04/02. 2pp. 87810:107-87810:108.

9604050369 Forwards for info,FR notice of consideration of issuance of amend & proposed NSHC determination re request dtd 960321, which proposed TS changes re Once-Through Steam Generator tube repair criteria.
RAGHAVAN,L . 96/04/03. BEARD,P.M. Florida Power Corp. 2pp. 87755:133-87755:146.

–9604050383 Notice of consideration of issuance of amend to license DPR-72 & proposed NSHC determination & opportunity for hearing.Amend proposes TS changes re Once-Through Steam Generator tube repair criteria.
BUCKLEY,B.C. . 96/04/03. 12pp. 87755:135-87755:146.

9604050420 Provides answers to questions received in NRC 960111 RAI & responses to addl questions & request for documents received at 960208 meeting re calculation which forms basis for MUT pressure/level limit curve in Operating Procedure OP-103B.
BOLDT,G.L. Florida Power Corp. 96/04/04. Document Control Branch (Document Control Desk). 19pp. 87780:001-87782:028.

–9604050423 "Max Allowable MUT Pressure."
HARRISON,D. MPR Associates, Inc. 102075DHH01 R00. 96/01/11. 38pp. 87780:020-87780:056.

–9604050428 "Head Loss in BWST to Makeup Pump Flow."
HARRISON,D. MPR Associates, Inc. 102075DHH02 R00. 96/01/05. 41pp. 87780:057-87780:097.

–9604050432 "MUT Pressure."
HARRISON,D. Florida Power Corp. 102075DHH03 R00. 96/01/11. 46pp. 87780:098-87780:143.

–9604050436 "Combination of MUT Pressure & Level Errors."
HARRISON,D. MPR Associates, Inc. 102075DHH04 R00. 96/01/17. 10pp. 87780:144-87780:153.

–9604050439 "Potential Uncertainty in Total Head Loss From BWST to MUT Tie-In."
HARRISON,D. MPR Associates, Inc. 102075DHH05 R00. 96/01/24. 19pp. 87780:154-87780:172.

–9604050441 "Effect of MUT Temp on Max Allowable MUT Pressure."
HARRISON,D. MPR Associates, Inc. 102075DHH06 R00. 96/02/13. 9pp. 87780:173-87781:181.

–9604050443 "Allowable MUT-1 Indicated Overpressure vs Indicated Level."
CLAUSON,R.E. Florida Power Corp. M94-0053 R03. 96/03/12. 184pp. 87780:182-87781:001.

–9604050445 Rev 84 to Operating Procedure OP-402, "Makeup & Purification Sys."
* Florida Power Corp. 96/04/03. 147pp. 87781:002-87781:148.

–9604050447 "MUT Dissolved Gas Evolution Analysis."
* Florida Power Corp. M-96-0004 R00. 96/04/04. 9pp. 87781:149-87781:157.

–9604050448 "MUT Vortexing Evaluation."
* Florida Power Corp. M-96-0005 R00. 96/04/04. 15pp. 87781:158-87781:172.

–9604050449 "MUT Vapor Pressure Evaluation."
* Florida Power Corp. M-96-0006 R00. 96/04/04. 7pp. 87781:173-87781:179.

–9604050451 "MUT/BWST HYTRAN Analysis."
* Florida Power Corp. M96-0007 R00. 96/04/04. 215pp. 87781:180-87782:028.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604090342 Submits notifications to NRC prior to plant ascension into Mode 4 re number of tubes plugged & sleeved,crack-like indications in first span & assessment of growth for first span IGA indications.
BOLDT,G.L. Florida Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 24pp. 87817:304-87817:337.

–9604090357 "Exam of Crystal River Unit 3 SG Tube Sections."
* Babcock & Wilcox Co. TR-103756. 94/04/30. 10pp. 87817:333-87817:337.

9604160003 Informs of withdrawal of request for exemption from Section III.G.2 of 10CFR50,App R that applies to certain redundant cables & equipment in RCB.
BOLDT,G.L. Florida Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 1p. 87914:252-87914:252.

9604150411 Informs NRC that corrections required in SE repts, accompanying ltrs dtd 910416 & 951215.
BOLDT,G.L. Florida Power Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87894:058-87894:059.

9604150412 Forwards attachments inadvertently not included w/original correspondence.
KELLEY,L.C. Florida Power Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87894:060-87894:062.

9604190047 Informs NRC concurs & adopts recommendations of contractor technical ltr rept upon completion of review of RR 95-020, 95-030 & 95-040.Relief requests 95-020 & 95-030,approved.
IMBRO,E.V. . 96/04/14. BEARD,P.M. Florida Power Corp. 4pp. 87942:236-87942:254.

–9604190055 Safety evaluation of second 10 yr interval ISI program plan request for relief numbers 95-020,95-030 & 95-040.NRC supports relief requests 95-020 & 95-030,authorized per 10CFR50.55a(a)(3)(ii) & 10CFR50.55a(g)(4).
* . 96/04/14. 15pp. 87942:240-87942:254.

9604220305 Forwards summary of statistical analysis re non-leakage under steam line break conditions based on in-situ pressure testing performed on facility SG tubes during current Refuel Outage 10,related to TS Change Request 203.
BOLDT,G.L. Florida Power Corp. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87962:262-87962:268.

9604220405 Responds to Generic Ltr 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.
BEARD,P.M. Florida Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87986:191-87986:193.

9604230270 Provides addl info & commitments on TS Change Request 203, rev 2 re dispositioning strategy for dealing w/IGA in first span of OTSGs.
BOLDT,G.L. Florida Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87979:315-87979:317.

9604290208 Forwards interoffice correspondence dtd 960422,documenting evaluation of test data against curve.Calculation encl.
KELLEY,L.C. Florida Power Corp. 96/04/23. Document Control Branch (Document Control Desk). 15pp. 88034:290-88034:314.

–9604290216 Rev 1 to 102075RCS01, "Comparison of Calculated & Measured Pressures at Junction of Makeup Tank Surge Line & Pump Suction Pipe."
* MPR Associates, Inc. 102075RCS01 R01. 96/04/22. 10pp. 88034:305-88034:314.

9604300221 Informs that effective 960428 util will be reassigned to FJ Hebdon.
VARGA,S.A. . 96/04/25. BEARD,P.M. Florida Power Corp. 2pp. 88053:256-88053:257.

Q. Inspection reports, IE Bulletins & correspondence

9604090095 Ack receipt of 960207 ltr informing NRC of steps taken to correct violations noted in insp 50-302/95-16.
LANDIS,K.D. Region 2 (Post 820201). 96/03/21. BEARD,P.M. Florida Power Corp. 3pp. 87793:345-87793:347.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010268 Forwards response to NRC 960226 ltr re violations noted in insp rept 50-302/95-21.Corrective actions:permanent mods have been installed that added isolation relays between RM-1A non safety signal.
BEARD,P.M. Florida Power Corp. 96/03/25. Document Control Branch (Document Control Desk). 4pp. 87696:309-87696:312.

9604090196 Advises of planned insp effort resulting from plant PPR completed on 960228.Encl details insp plan for next six months.
LANDIS,K.D. Region 2 (Post 820201). 96/03/27. BEARD,P.M. Florida Power Corp. 6pp. 87806:209-87806:214.

9604080099 Provides NRC w/most current info re revised response to notice of Deviation 50-302/95-16-05 re technical support ctr ventilation sys.
BOLDT,G.L. Florida Power Corp. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87814:315-87814:315.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604100270 Summarizes 960327 Predecisional Enforcement Conference in Atlanta,GA re apparent violations.Forwards list of attendees & matl presented at meeting.
GIBSON,A.F. Region 2 (Post 820201). 96/04/02. BEARD,P.M. Florida Power Corp. 322pp. 87813:001-87813:322.

9604090345 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp rept 50-302/95-21.
LANDIS,K.D. Region 2 (Post 820201). 96/04/03. BEARD,P.M. Florida Power Corp. 3pp. 87806:109-87806:111.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604240344 Forwards insp rept 50-302/96-01 on 960128-0309 & notice of violation.
LANDIS,K.D. Region 2 (Post 820201). 96/04/08. BEARD,P.M. Florida Power Corp. 5pp. 87980:297-87980:343.

--9604240347 Notice of violation from insp on 960128-0309.Violation noted:licensee failed to implement adequate corrective actions to correct identified nonconformance of design basis accident requirement described in Chapter 14 of FSAR.
* Region 2 (Post 820201). 96/04/08. 3pp. 87980:302-87980:304.

--9604240349 Insp rept 50-302/96-01 on 950128-0309.Violations noted.Major areas inspected:plant operations,surveillance observations, maint observations,plant support,licensee corrective action program & review of local public document room.
BUTCHER,R., LANDIS,K. Region 2 (Post 820201). 96/04/08. 39pp. 87980:305-87980:343.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250253 Forwards 920914 interoffice correspondence re FPC evaluation of event described in IN 89-054, "Potential Overpressurization of CCWS," to allow NRR Reactor Sys Branch to complete assessment of FPC position re subj event.
KELLEY,L.C. Florida Power Corp. 96/04/19. Document Control Branch (Document Control Desk). 10pp. 88023:268-88023:277.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300361 "Whole Body Exposure for CY95." W/960423 ltr.
BOLDT,G.L. Florida Power Corp. 95/12/31. 3pp. 88067:173-88067:175.

9604160416 Monthly operating rept for Mar 1996 for Crystal River,Unit 3.W/960407 ltr.
DAO,T.V., BOLDT,G.L. Florida Power Corp. 96/03/31. 5pp. 87923:284-87923:288.

S. Reportable occurrences, LERs & related correspondence

9604010436 Special rept 96-01:on 960218,RM-A1 taken out of svc due to failure of detector to respond to check source.Replacement detector from stores & bench calibrate.Expects to return RM-A1 to svc prior to restart from refueling outage.
HICKLE,B.J. Florida Power Corp. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87719:135-87719:136.

9604080090 LER 95-023-02:on 951027,engineering personnel determined bldg spray flow valves used in various engineering calculations inconsistent.Caused by design analysis deficiency.Problem rept issued.W/960329 ltr.
FRIJOUF,J.A., HICKLE,B.J. Florida Power Corp. 96/03/29. 9pp. 87823:325-87823:333.

9604080232 LER 96-008-00:on 960304,discovered that ambiguous note caused misinterpretation of improved TS (ITS) SR 3.4.12.1 & failure to perform required surveillance prior to mode ascension.ITS bases for SR will be revised.W/960402 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/04/02. 6pp. 87824:021-87824:026.

9604090154 Interim part 21 rept re potential safety concern on matl for fabrication of permanent canal seal plate.Licensee will provide final rept to NRC in approx six months upon completion of evaluation of welds.
TAYLOR,J.H. FRAMATOME. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87824:111-87824:112.

9604150234 LER 96-006-01:on 960130,consideration of instrument error resulted in unacceptable margin for HPI flow in SBLOCA analysis.Caused by inadequate incorporation of design assumptions.Performed new SBLOCA analysis.W/960408 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/04/08. 9pp. 87896:338-87896:347.

9604160117 PNO-II-96-027:on 960212,contractor slipped & fell & was injured descending permanent ladder inside containment.EMTs & site medical personnel dispatched.Offsite ambulance summoned.Contractor determined not to be contaminated.
COOPER,T., MELLEN,L. Region 2 (Post 820201). 96/04/15. 1p. 87923:096-87923:096.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604300053 LER 95-026-01:on 951107,unqualified flow instrument used to determined HPI pump runout conditions.Caused by failure to recognize applicability of Reg Guide 1.97.C/A:short term instructions issued.W/960422 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 96/04/22. 9pp. 88065:342-88065:350.

V. Operator Examinations

9604220359 Advises that RW Stevens license SOP 21105,Docket 55-8236 reassigned & no longer requires license effective 960403.
BOLT,G.L. Florida Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 1p.pp. 87983:356-87983:356.

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020043 Forwards revised EPIPs & GSEP Zion Annex Section 5.0.
* Commonwealth Edison Co. 96/03/19. Document Control Branch (Document Control Desk). 1p. 87732:148-87732:239.

--9604020195 Revised EPIPs,including EPIPs index & Rev 4 to EPIP 330-1, "Classification of GSEP Conditions."
* Commonwealth Edison Co. 96/03/19. 8pp. 87732:149-87732:155.

--9604020206 Rev 7K to GSEP Zion Annex,Section 5.0, "Classification of Emergencies."
* Commonwealth Edison Co. 96/02/29. 82pp. 87732:156-87732:239.

9604120102 Revised EPIPs,including EPIP index,Change Request Number (CRN) ER9600469 to Rev 2 to EPIP 100-3 & CRN ER9600510 to Rev 10 to EPIP 320-1.
LANES,L.L. Commonwealth Edison Co. 96/03/26. 26pp. 87877:086-87877:112.

9604010062 First partial & final response to FOIA request for records. App A records encl & being made available in PDR.Records already available in PDR noted on encl computer printout.App B records partially withheld (ref Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/28. SMITH,M.G. Affiliation Not Assigned. 21pp. 87694:135-87694:214.

--9604010099 Partially withheld investigation rept 3-94-066 on 941201.No discrepancies noted.Major areas investigated:alleged deliberate violation of security procedures & falsification of records.
ULIE,J.M. Region 3 (Post 820201). 95/02/03. 9pp. 87694:206-87694:214.

9604020068 Requests for addl info re request for exemption to 10CFR50,App R,section III.G auxiliary bldg stairwell & reactor containments.
SHIRAKI,C.Y. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87710:347-87710:351.

9604090280 Resubmits response to NRC 960221 ltr re violations noted in insp repts 50-295/95-22 & 50-304/95-22.Corrective actions: counseled Electrical Maint Dept personnel re importance of procedure adherence & emergency light program.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. 87830:348-87830:357.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260124 Revised EPIPs,including CEPIPs 3000 series table of contents,Rev 6 to CEPIP 3303-01, "Calculation of Noble Gas Release Rate From Field Measurements of Radiation Exposure Rate" & Rev 5 to CEPIP-3404-01, "Calculation of..."
DAVIDSON,G.R. Commonwealth Edison Co. 96/04/04. 40pp. 88031:119-88031:158.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604260116 Revised EPIPs,including CEPIP-2000 series table of contents & Rev 1 to CEPIP-2331-03, "Computer Specialist EOF."
* Commonwealth Edison Co. 96/04/10. 11pp. 88019:351-88019:361.

9604230047 Revised EPIPs,including Change Request Number (CRN) ER9601266 to Rev 6 to EPIP 100-1,CRN ER9601365 to Rev 2 to EPIP 110-1 & CRN ER9601364 to Rev 7 to EPIP 190-2.
LANES,L.L. Commonwealth Edison Co. 96/04/15. 64pp. 88009:293-88009:356.

9604220173 Notifies that computer point U1000 description changed to include "removed" in Zion ERDS description file.Necessary documentation for ERDS data point library parameter mod in accordance w/procedures attached also.
HOLDEN,L.E. Commonwealth Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87965:156-87965:161.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604050021 Forwards request to use American Society of Mechanical Engineers code case N-514 in the determination of LTOP setpoints.
TUETKEN,R.P. Commonwealth Edison Co. 96/03/19. Document Control Branch (Document Control Desk). 5pp. 87775:305-87775:309.

9604020416 Forwards annual TS 6.6.1b special repts,including Waukegan Regional Airport Expansion,PORV & safety valve challenges & primary coolant activity limits.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 5pp. 87731:346-87731:350.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080237 Forwards nonproprietary info discussed on 960328 re ABB/C-E nuclear operations SG welded sleeves for disclosure in PDR.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87817:171-87817:177.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120294 Reviews licensee proposal to make certain changes to commitments made in response to NUREG-0737,Item II.B.3,Post Accident Sampling Capability.Clarifies misinterpretations by licensee w/respect to certain calculations.
SHIRAKI,C.Y. . 96/04/11. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87878:357-87878:360.

9604180158 Forwards proprietary markups to TR WCAP-13878, "Reliability Assessment of Potter & Brumfield MDR Series Relays," reflecting listed changes as discussed in 960313 telcon. Proprietary markups to TR WCAP-13878 withheld.
BUSH,L. Commonwealth Edison Co. 96/04/12. . 2pp. 87956:359-87956:360.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604260177 Notifies NRC that actions a-h in GL 89-10 completed w/exceptions noted & transmits Zion Station request for closure of GL 89-10, "Safety-Related Motor-Operated Valve Testing & Surveillances."
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88026:359-88026:360.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604010053 FOIA request for insp repts,violations,citations & fines given to Zion Nuclear Power Plant in Zion,IL by NRC from 930301-941001.
SMITH,M.G. Affiliation Not Assigned. 96/02/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87694:134-87694:134.

9604290415 Informs of requalification program insp planned for week of 960610 which coincides w/regularly scheduled requalification exam cycle,per 960417 ltr.Requests written exams & operating tests planned for week of insp furnished by 960430.
BURDICK,T.M. Region 3 (Post 820201). 96/03/23. TUETKEN,R. Commonwealth Edison Co. 2pp. 88027:317-88027:318.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020415 Forwards insp plan for plant encompassing next 6 months based on plant performance review from Aug 1995 - Mar 1996, based on insp results & safety performance info,used to formulate emphases for upcoming insp.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. TUETKEN,R. Commonwealth Edison Co. 3pp. 87706:045-87706:047.

9604010062 First partial & final response to FOIA request for records. App A records encl & being made available in PDR.Records already available in PDR noted on encl computer printout.App B records partially withheld (ref Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/28. SMITH,M.G. Affiliation Not Assigned. 21pp. 87694:135-87694:214.

--9604010083 Investigation rept 3-93-037R.Violation noted.Major areas investigated:alleged deliberate matl false statement re design basis of Zion Generating Station.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 94/08/15. 32pp. 87694:156-87694:187.

--9604010088 Investigation rept 3-94-041 on 940502 re alleged termination of employment for contacting NRC re ALARA concerns.Case administratively closed out on 940920,based on alleger failure to cooperate.
DEVITTO,R.L., PAWLIK,E.T. Region 3 (Post 820201). 94/12/16. 9pp. 87694:188-87694:196.

--9604010093 Investigation rept 3-94-066 on 941201 re alleged employment discrimination.Case closed on 950310,based on unsuccessful attempts to interview alleger.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 95/05/02. 9pp. 87694:197-87694:205.

--9604010099 Partially withheld investigation rept 3-94-066 on 941201.No discrepancies noted.Major areas investigated:alleged deliberate violation of security procedures & falsification of records.
ULIE,J.M., PAWLIK,E.T. Region 3 (Post 820201). 95/02/03. 9pp. 87694:206-87694:214.

9604010326 Forwards response to NRC 960227 ltr re violations noted in insp repts 50-295/95-23 & 50-304/95-23.Corrective actions: sys engineer generated action request to verify torque on pipe support on 960117.
TUETKEN,R.P. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87704:301-87704:306.

9604080042 Responds to SALP 13 rept results & concurs that improvement is needed in training,procedures & supervision.Details of initiatives & efforts targeted to address weaknesses attached.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/01. Document Control Branch (Document Control Desk). 6pp. 87817:278-87817:283.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090280 Resubmits response to NRC 960221 ltr re violations noted in insp repts 50-295/95-22 & 50-304/95-22.Corrective actions: counseled Electrical Maint Dept personnel re importance of procedure adherence & emergency light program.
TUETKEN,R.P. Commonwealth Edison Co. 96/04/03. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 10pp. 87830:348-87830:357.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150087 Forwards insp repts 50-295/96-05 & 50-304/96-05 on 960127- 0308 & NOV.
MILLER,L.F. Region 3 (Post 820201). 96/04/05. TUETKEN,R. Commonwealth Edison Co. 6pp. 87869:077-87869:101.

–9604150090 Notice of deviation from insp on 960127-0308.Deviation noted:inspectors identified that 3-h rating of north wall of auxiliary bldg drum fill area not maintained due to hole & installation of three windows in barrier.
* Region 3 (Post 820201). 96/04/05. 1p. 87869:083-87869:083.

–9604150099 Insp repts 50-295/96-05 & 50-304/96-05 on 960127-0308. Violations noted.Major areas inspected:operations,maint, engineering,plant support,non-routine events & certain previously identified items.
MILLER,L.F. Region 3 (Post 820201). 96/04/05. 18pp. 87869:084-87869:101.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604150218 Responds to NRC 951128 ltr re violations noted in insps. C/As:comprehensive actions taken to ensure enployees feel free to raise safety concerns w/o fear of retribution.Policy responding to employee nuclear safety concerns reinforced.
BRONS,J.C. Commonwealth Edison Co. 96/04/08. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 6pp. 87888:339-87888:344.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160352 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp repts 50-295/95-23 & 50-304/95-23.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. TUETKEN,R. Commonwealth Edison Co. 2pp. 87887:199-87887:200.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190302 Monthly operating repts for March 1996 for ZGS.W/960412 ltr.
CYGAN,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/03/31. 13pp. 87939:252-87939:264.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

–9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604220351 Special Rept 295-123-96-007SR:on 960304,OA Motor Drive Fire Pump taken out-of-svc to perform scheduled maint activities & inoperable for greater than seven days.OA Fire Pump declared operable on 960319.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 3pp. 87961:353-87961:355.

9604230273 LER 96-003-00:on 960321,inadequate design resulted in declaring containment isolation valve inoperable.Closed & de-energized valve & restored valve design margin.W/960419 ltr.
DEMPSEY,J., SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/19. 6pp. 87993:355-87993:360.

9604230278 Special repton 960320,2A EDG failed to start.Caused by leak on 80 psi control air pressure regulator which was identified several days earlier.Performs frequency test every 7 days.
SCHWARTZ,G.K. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 4pp. 87998:334-87998:337.

V. Operator Examinations

9604290415 Informs of requalification program insp planned for week of 960610 which coincides w/regularly scheduled requalification exam cycle,per 960417 ltr.Requests written exams & operating tests planned for week of insp furnished by 960430.
BURDICK,T.M. Region 3 (Post 820201). 96/03/23. TUETKEN,R. Commonwealth Edison Co. 2pp. 88027:317-88027:318.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

DOCKET 50-305 KEWAUNEE NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604300183 Revised EPIPs,including rev 0 to EP-OSF-2,rev K to EP-OSF-3, rev B to EP-OSF-4,rev D to EPIP Form OSF 2.2,rev B to EP-AD-1,rev U to EP-AD-3,rev V to EP-AD-4,rev 0 to EP-AD-5, rev AD to EP-AD-7 & rev N to AP-AD-11.W/960425 ltr.
MARCHI,M.L. Wisconsin Public Service Corp. 96/04/25. 319pp. 88060:001-88060:319.

G. Adjudicatory correspondence

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

P. Operating license stage documents & correspondence

9604010026 Forwards "Const Authorization Application for SG Replacement." Replacement required in order to operate until license expiration.
MARCHI,M.L. Wisconsin Public Service Corp. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87700:001-87700:144.

–9604010037 "Const Authorization Application for Steam Generator Replacement."
MEINZ,T.P. Wisconsin Public Service Corp. 96/03/15. 146pp. 87700:002-87700:144.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230170 Forwards proprietary & nonproprietary Westinghouse Repts SGO-ATD-96-13 & SGO-ATD-96-12, "Interim Rept on Laser Weld Repair of Hybrid Expansion Joint Sleeves," respectively. Proprietary Westinghouse Rept SGO-ATD-96-13 withheld.
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88007:170-88007:200.

–9604230177 Requests that proprietary rept SGO-ATD-96-13, "Interim Rept on Laser Weld Repair of Hybrid Expansion Joint Sleeves" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/10. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 88007:172-88007:180.

–9604230182 Nonproprietary "Interim Rept on Laser Weld Repair of Hybrid Expansion Joint Sleeves."
* Westinghouse Electric Corp. SGO-ATD-96-12. 96/04/04. 20pp. 88007:181-88007:200.

9604230140 Forwards response to NRC GL 96-01, "Testing of Safety-Related Logic," dtd 960110.
STEINHARDT,C. Wisconsin Public Service Corp. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 87976:308-87976:312.

9604300082 Submits response to questions raised on validation of DAPPER loadflow program against measurements taken at plant.
MARCHI,M.L. Wisconsin Public Service Corp. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88066:351-88066:354.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604190003 Advises of planned inspection effort resulting from plant performance review on 960306.
FARBER,M.J. Region 3 (Post 820201). 96/04/06. LINK,R. Wisconsin Electric Power Co. 3pp. 87920:286-87920:288.

9604150238 Submits response to NRC Bulletin 96-001, "Control Rod Insertion Problems," dtd 960308 which requests that licensee take several actions & submit info on actions taken & planned to NRC within 30 days of date of bulletin.
STEINHARDT,C.R. Wisconsin Public Service Corp. 96/04/08. Document Control Branch (Document Control Desk). 13pp. 87896:111-87896:123.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250148 Forwards insp rept 50-305/96-03 on 960206-0325.No noncompliances or significant issues identified.
FARBER,M.J. Region 3 (Post 820201). 96/04/15. MARCHI,M.L. Wisconsin Public Service Corp. 2pp. 87996:203-87996:216.

--9604250155 Insp rept 50-305/96-03 on 960206-0325.No violations noted. Major areas inspected:plant operations,maint,engineering & plant support.
FARBER,M.J. Region 3 (Post 820201). 96/04/15. 12pp. 87996:205-87996:216.

9604170495 Forwards SE granting licensee relief request IST-RR-27 & accepting resolution of third ten-year IST program anomalies w/listed exceptions.
MARCUS,G.H. . 96/04/16. MARCHI,M.L. Wisconsin Public Service Corp. 5pp. 87911:305-87911:312.

--9604170497 Safety evaluation granting licensee IST-RR-27 relief request & accepting resolution of third ten-year IST program anomalies w/listed exceptions.
* . 96/04/16. 3pp. 87911:310-87911:312.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604180096 Monthly operating rept for Mar 1996 for KNPP,unit 1.W/960415 ltr.
ANDERSON,M.L, MARCHI,M.L. Wisconsin Public Service Corp. 96/03/31. 5pp. 87918:350-87918:354.

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604220127 Forwards SALP 12 rept for plant covering period 940724- 960217.Strong mgt involvement & conservative approach to operations resulted in excellent matl condition & operating performance.Only weakness seen w/infrequent operations.
MILLER,H.J. Region 3 (Post 820201). 96/03/28. WATZL,E. Northern States Power Co. 5pp. 87945:130-87945:139.

--9604220131 SALP repts 50-282/96-01 & 50-306/96-01 for 940724-960217.
* Region 3 (Post 820201). 96/03/28. 5pp. 87945:135-87945:139.

9604090202 Revised EPIPs,including EPIPs table of content & Rev 3 to EPIP F8-2, "Responsibilities During Alert,Site Area/General Emergency in EOF." W/960403 ltr.
WADLEY,M.D. Northern States Power Co. 96/04/03. 48pp. 87830:244-87830:292.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604240269 Rev 17 to "Prairie Island Nuclear Generating Plant Emergency Plan." W/960418 ltr.
WADLEY,M.D. Northern States Power Co. 96/04/18. 214pp. 88008:001-88008:215.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290107 Ack receipt of 960313 addendum to 950605 Petition & denies request to require NSP to place plant Units 1 & 2 in mid-cycle outages to inspect full length of SG tubes W/Zetec Plus Point Probe & any state-of-art eddy current test.
RUSSELL,W.T. . 96/04/22. GUNTER,P. Nuclear Information & Resource Service. BJORALT,S.J. Affiliation Not Assigned. 5pp. 88052:296-88052:307.

--9604290146 Submits addendum to 950605 Petition,demanding that NRC require NSP to place plant Units 1 & 2 in mid-cycle outages to inspect full-length of SG tubes w/Zetec Plus Point Probe & any state-of-art eddy current test.
BJORALT,S.J. Affiliation Not Assigned. GUNTER,P. Nuclear Information & Resource Service. 96/03/13. RUSSELL,W.T. . 4pp. 88052:304-88052:307.

I. Financial information

9604240029 Forwards "Northern States Power Co 1995 Annual Rept."
ANDERSON,R.O. Northern States Power Co. 96/04/16. Document Control Branch (Document Control Desk). 1p. 88008:239-88008:306.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604160378 Forwards corrected pages to Exhibit B of Rev 13 to USAR for Prairie Island Nuclear Generating Plant.
WADLEY,M.D. Northern States Power Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87899:343-87899:353.

--9604160406 Corrected pages to Exhibit B of Rev 13 to USAR for Prairie Island Nuclear Generating Plant.
* Northern States Power Co. 96/04/11. 10pp. 87899:344-87899:353.

P. Operating license stage documents & correspondence

9604090327 Notification of 960424 meeting w/util in Rockville,MD to discuss NSP plans for requesting small increase in licensed thermal power accounting for feedwater instrumentation upgrade.
BYWATER,R.L. . 96/04/04. REINHART,M. . 4pp. 87810:170-87810:173.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120029 Provides response to NRC 960116 RAI re GL 95-03, "Circumferential Cracking of SG Tubes."
WADLEY,M.D. Northern States Power Co. 96/04/08. Document Control Branch (Document Control Desk). 13pp. 87868:324-87868:336.

9604230148 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
WADLEY,M.D. Northern States Power Co. 96/04/17. Document Control Branch (Document Control Desk). 6pp. 87976:302-87976:307.

9604260060 Forwards Rev 20 of "Operational QA Plan."
ANDERSON,R.O. Northern States Power Co. 96/04/19. Document Control Branch (Document Control Desk). 1p. 88028:203-88028:299.

9604290060 Provides status of implementation of commitments re GL 93-04, "Rod Control Sys Failure & Withdrawal of Rod Cluster Control Assemblies."
WADLEY,M.D. Northern States Power Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:135-88057:136.

Q. Inspection reports, IE Bulletins & correspondence

9604010164 Forwards integrated & special insp repts 50-282/96-02 & 50-306/96-02 on 960103-0217 & notice of violation.NRC concerned that lack of rigor on part of operators for non- routine events receive appropriate mgt attention.
JORDAN,M.J. Region 3 (Post 820201). 96/03/19. WATZLE,E. Northern States Power Co. 5pp. 87685:001-87685:031.

–9604010184 Insp repts 50-282/96-02 & 50-306/96-02 on 960103-0217. Violations noted.Major areas inspected:operations engineering,maint & plant support performed by resident inspectors special insp by regional inspector of operator.
JORDAN,M.J. Region 3 (Post 820201). 96/03/19. 24pp. 87685:008-87685:031.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604220127 Forwards SALP 12 rept for plant covering period 940724- 960217.Strong mgt involvement & conservative approach to operations resulted in excellent matl condition & operating performance.Only weakness seen w/infrequent operations.
MILLER,H.J. Region 3 (Post 820201). 96/03/28. WATZL,E. Northern States Power Co. 5pp. 87945:130-87945:139.

–9604220131 SALP repts 50-282/96-01 & 50-306/96-01 for 940724-960217.
* Region 3 (Post 820201). 96/03/28. 5pp. 87945:135-87945:139.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110295 Provides response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
WADLEY,M.D. Northern States Power Co. 96/04/08. Document Control Branch (Document Control Desk). 14pp. 87863:298-87863:311.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230169 Summarizes results of rod drop testing performed at plant following Unit 2 reactor trip on 960319,per NRC Bulletin 96-001.
WADLEY,M.D. Northern States Power Co. 96/04/17. Document Control Branch (Document Control Desk). 4pp. 87976:298-87976:301.

9604230266 Forwards response to violations noted in Insp Repts 50-282/96-02 & 50-306/96-02.Corrective actions:power restored to Bus 15 by operators manually opening Breaker 15-3,Bus 15 source From 1RY transformer.
WADLEY,M.D. Northern States Power Co. 96/04/18. Document Control Branch (Document Control Desk). 10pp. 87998:338-87998:347.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604090180 Monthly operating repts for Mar 1996 for Prairie Island Nuclear Generating Plant Units 1 & 2.W/960403 ltr.
DUGSTAD,D., WADLEY,M.D. Northern States Power Co. 96/03/31. 9pp. 87831:210-87831:218.

9604300208 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
WADLEY,M. Northern States Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88063:130-88063:219.

–9604300122 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
HUEBNER,L.G. Teledyne Isotopes. 95/12/31. 88pp. 88063:131-88063:219.

S. Reportable occurrences, LERs & related correspondence

9604220194 LER 96-001-00:on 960319,RT occurred due to failure of FW regulating valve.CV-31136 was stroked to confirm that existing condition matched original calibr data.W/960418 ltr.
. LEVEILLE,J., WADLEY,M.D. Northern States Power Co. 96/04/18. 4pp. 87960:339-87960:342.

V. Operator Examinations

9604230266 Forwards response to violations noted in Insp Repts 50-282/96-02 & 50-306/96-02.Corrective actions:power restored to Bus 15 by operators manually opening Breaker 15-3,Bus 15 source From 1RY transformer.
WADLEY,M.D. Northern States Power Co. 96/04/18. Document Control Branch (Document Control Desk). 10pp. 87998:338-87998:347.

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F. Security, medical, emergency & fire protection plans

9604110234 Forwards amend 156 to license DPR-36 & safety evaluation. Amend revises license condition 2.B(6)(c),fire protection & relocates fire protection requirements from plant TS to plant Fire Protection Plan.
TROTTIER,E.H. . 96/04/05. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 87847:321-87847:342.

–9604110241 Amend 156 to license DPR-36,revising license condition 2.B(6)(c),fire protection & relocating fire protection requirements from plant TS to plant Fire Protection Plan.
ZWOLINSKI,J.A. . 96/04/05. 12pp. 87847:324-87847:335.

9604160258 Rev 18 to EPIP 2-50-16, "Protective Action Recommendations."
* Maine Yankee Atomic Power Co. 96/04/08. 15pp. 87891:344-87891:357.

9604180212 Rev 18 to EPIP 2-50-16, "Protective Action Recommendations," to insert pp 12 which was omitted from 960408 distribution.
* Maine Yankee Atomic Power Co. 96/04/11. 2pp. 87941:359-87941:360.

G. Adjudicatory correspondence

9604240272 Responds to 960308 ltr requesting hearing based on Maine Yankee noncompliance w/10CFR50.46 & NUREG-0737, "TMI Action Plan," items II.K.3.30 & II.K.3.31.
RUSSELL,W.T. . 96/04/22. ANGIER,F.C. Affiliation Not Assigned. 5pp. 87994:303-87994:309.

–9604240283 Requests for licensing action per 10CFR2.206 re Maine Yankee Atomic Power Co.
ANGIER,F.C., DICKSTEIN,C., HIDU,J.D. Affiliation Not Assigned. 96/03/08. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 87994:308-87994:309.

H. General correspondence

9604050373 Responds to 960213 ltr to Jackson,requesting number of questions re adequacy of SBLOCA analysis & recent steam generator tube sleeving repairs.
RUSSELL,W.T. . 96/04/01. CHRISTINE,P. Affiliation Not Assigned. 9pp. 87755:147-87755:156.

–9604050384 Discusses problems with Maine Yankee ECCS.
CHRISTINE,P. Affiliation Not Assigned. 96/02/13. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87755:156-87755:156.

9604080073 Ack 960320 telcon discussing 960317 ltr to Chairman Jackson expressing concerns re duration of plant planned Apr 1997 refueling outage & Nov 1995 refueling incidents.Forwards 960317 ltr.
TROTTIER,E.H. . 96/04/03. CHRISTINE,P.C. Affiliation Not Assigned. 5pp. 87807:130-87807:136.

–9604080085 Discusses Nov 1995 refueling incidents.Concludes weakness in mgt oversight,acceptance of less than adequate plant equipment, & lack of questioning contributed to refueling incidents.
CHRISTINE,P.C. Affiliation Not Assigned. 96/03/17. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87807:135-87807:136.

9604220403 Corrected ltr responding to 960223 ltr expressing dissatisfaction w/actions being taken by NRC in response to allegation against utils.Responses to requests made in ltr encl.
RUSSELL,W.T. . 96/04/10. CHRISTINE,P.C. Affiliation Not Assigned. 8pp. 87933:329-87933:344.

I. Financial information

9604290326 "Maine Yankee Atomic Power Co Annual Financial Rept for 1995." W/ 960422 ltr.
HEBERT,J.R. Maine Yankee Atomic Power Co. 95/12/31. 52pp. 88035:213-88035:265.

9604010147 Submits a Statement of Source of Funds for Acquisition of Nuclear Fuel & Construction of Electric Property for 1995 & Statement of Estimated Capital Requirements & Sources for 1996.
THOMAS,M.E. Maine Yankee Atomic Power Co. 96/03/16. . 3pp. 87704:320-87704:322.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604170431 Forwards Rev 12 to FSAR for Maine Yankee plant for period 931013-951013 & MYAPS FSAR App D,addressing operation of plant at 2,440 MWth for first 4,000 EFPD of Cycle 15 & impact of SG sleeving campaign.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87927:001-87928:127.

–9604170464 Rev 12 to FSAR for Maine Yankee.W/MYAPS FSAR App D.
* Maine Yankee Atomic Power Co. 96/04/12. 487pp. 87927:005-87928:127.

P. Operating license stage documents & correspondence

9604080295 Notification of licensee meeting 96-25 on 960425 w/util in King of Prussia,PA to discuss licensee performance deficiencies re work planning,control & radiological control.
ROGGE,J.F. Region 1 (Post 820201). 96/03/28. Region 1 (Post 820201). 2pp. 87772:253-87772:254.

9604010370 Responds to 960308 ltr in which HR Myers reiterated previous requests for documents & info re allegation re util.Forwards Chairman Jackson statement at press conference held on 960308.
RUSSELL,W.T. . 96/03/29. MYERS,H.R. Affiliation Not Assigned. 25pp. 87700:308-87700:334.

--9604010372 Informs no Commission response to ltrs re util other than ack of receipt & phone call from Trottier stating responses in preparation has been received.Commission failure to act in timely manner reinforces cover story in Time.
MYERS,H.R. Affiliation Not Assigned. 96/03/08. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87700:333-87700:334.

9604040246 Responds to order & demand for info schedule for items 5 & 6.Addl time needed to complete summary.Revised schedule for completion provided.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87767:357-87767:357.

9604080212 Transmits 960313-14 Interim SBLOCA Reviews re work done by Siemens Power Corp to assure SBLOCA analysis is comprehensive & responsive to requirements of 960103 Order & Demand for Info.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/03/29. Document Control Branch (Document Control Desk). 10pp. 87805:318-87805:359.

--9604080221 "Vendor Review Plan Small Break LOCA Analysis for Maine Yankee," rev 1.
* Maine Yankee Atomic Power Co. 96/03/07. 16pp. 87805:329-87805:343.

--9604080229 "YAEC Vendor Surveillance Rept VSR 96-039."
* Maine Yankee Atomic Power Co. VSR 96-039. 96/03/22. 16pp. 87805:344-87805:359.

9604090279 Forwards "Maine Yankee Cycle 15 Startup Test Rept." Maine Yankee initiated sys heatup for Cycle 15 in Dec 1995.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/04. MARTIN,T.T. Region 1 (Post 820201). 1p. 87830:307-87830:323.

--9604090284 "Maine Yankee Cycle 15 Startup Test Rept."
SOLAN,G.M., BEGANSKI,M.C., ROUSSEAU,K.R. Maine Yankee Atomic Power Co. 96/04/01. 17pp. 87830:308-87830:323.

9604120051 Notification of 960429 meeting w/licensee in Wiscasset,ME to discuss small break loss-of-coolant analysis & containment reanalysis.
TROTTIER,E.H. . 96/04/04. ZWOLINSKI,J.A. . 4pp. 87858:354-87858:357.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110234 Forwards amend 156 to license DPR-36 & safety evaluation. Amend revises license condition 2.B(6)(c),fire protection & relocates fire protection requirements from plant TS to plant Fire Protection Plan.
TROTTIER,E.H. . 96/04/05. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 87847:321-87847:342.

--9604110241 Amend 156 to license DPR-36,revising license condition 2.B(6)(c),fire protection & relocating fire protection requirements from plant TS to plant Fire Protection Plan.
ZWOLINSKI,J.A. . 96/04/05. 12pp. 87847:324-87847:335.

--9604110244 Safety evaluation supporting amend 156 to license DPR-36.
* . 96/04/05. 7pp. 87847:336-87847:342.

9604120185 Provides util understanding of status & schedule of NRC review of proposed change 173 re incorporation of cycle- specific pressure-temp limits into COLR.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87868:357-87868:358.

9604110108 Press release I-96-27, "NRC Staff Officials to Hold Public Meeting 960429 to Discuss Issues at Maine Yankee Atomic Power Station."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/10. 1p. 87859:247-87859:247.

9604120243 Responds to 960223 ltr expressing dissatisfaction w/NRC response to allegations against YAE & MYAP.Ltr notes NRC & independent law firm both conducting investigations & details NRC actions in response to allegations.
RUSSELL,W.T. . 96/04/10. CHRISTINE,P.C. Affiliation Not Assigned. 9pp. 87862:333-87862:348.

--9604120254 Summarizes concerns of residents of area surrounding plant re NRC reaction to allegations of fraud in calculations of plant safety sys performance.Requests explanation as to why plant allowed to continue operations.
ANGIER,F.C., GORDON,D.M., HIDU,J.D. Affiliation Not Assigned. 96/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp. 87862:342-87862:345.

--9604120264 Informs Chairman that transcript of 951218 meeting between NRC & MYAP officials not in LPDR in Wiscasset,ME.Questions why,considering allegations against MYAP,document has not been made available to public as law provides.
CHRISTINE,P. Affiliation Not Assigned. 96/02/11. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87862:346-87862:347.

--9604120269 Transmits concerns that 960213 meeting between NRC & MYAP was not transcribed.Reiterates concerns expressed in 960211 ltr that copies of transcripts re allegations at plant be made available to public as soon as possible.
CHRISTINE,P. Affiliation Not Assigned. 96/02/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87862:348-87862:348.

9604180153 Responds to RAI re minimum Charpy upper-shelf energy requirement of 50 ft-lb specified in 10CFR50,App G in Ref (b).
HEBERT,J.A. Maine Yankee Atomic Power Co. 96/04/11. Document Control Branch (Document Control Desk). 27pp. 87949:297-87949:323.

9604180186 Forwards YAEC-1932, "Maine Yankee Containment Analysis Methods Summary Rept."
HERBERT,J.R. Maine Yankee Atomic Power Co. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87956:262-87956:321.

--9604180217 "Maine Yankee Containment Analysis Methods Summary Rept."
* Yankee Atomic Electric Co. YAEC-1932. 96/04/12. 59pp. 87956:263-87956:321.

9604230065 Application for amend to license DPR-36,consisting of change 199,adding relevant refs that define small break loss of coolant accident analysis methodology to list specified in util TS.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/04/19. Document Control Branch (Document Control Desk). 7pp. 87998:324-87998:333.

--9604230067 Proposed tech specs,adding relevant refs that define small break loss of coolant accident analysis methodology to list specified in util TS.
* Maine Yankee Atomic Power Co. 96/04/19. 3pp. 87998:331-87998:333.

9604240181 Provides responses to GL 96-01 requesting licensees review surveillance procedures for RPS,EDG load shedding & sequencing, & actuation logic for ESFS to ensure complete testing is performed as required by TS.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88016:358-88016:360.

9604260184 Forwards Siemens Power Corp Rept EMF-96-043, "SBLOCA Analysis for Maine Yankee," in compliance w/10CFR50.46 & satisfaction of TMI Action Items II.K.3.30,II.K.3.31 & II.K.3.5.
FRIZZLE,C.D. Maine Yankee Atomic Power Co. 96/04/25. RUSSELL,W.T. . 6pp. 88025:137-88025:243.

--9604260189 "SBLOCA Analysis for Maine Yankee."
STITT,B.D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-96-043. 96/04/18. 101pp. 88025:143-88025:243.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010333 Forwards insp rept 50-309/96-04 on 960301-08 & notice of violation.Violations involve failure of licensee to instruct workers in precautions or procedures to minimize exposure & to establish adequate procedures for work planning.
WIGGINS,J.T. Region 1 (Post 820201). 96/03/26. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 4pp. 87687:109-87687:133.

--9604010345 Notice of violation from insp on 960301-08.Violation noted: on 960229,two workers had not been adequately informed of precautions & procedures to minimize occupational radiation exposure re maint associated w/valve CH-138.
* Region 1 (Post 820201). 96/03/26. 3pp. 87687:113-87687:115.

--9604010357 Insp rept 50-309/96-04 on 960301-08.Violations noted.Major areas inspected:circumstances,licensee evaluations & CA associated w/unplanned release on 960229,of high specific activity radioactive noble gas from valve CH-138.
NIMITZ,R., PELUSO,L., WILLIAMS,J. Region 1 (Post 820201). 96/03/22. 18pp. 87687:116-87687:133.

9604080193 Forwards insp rept 50-309/96-05 on 960212-0301 & notice of violation.
KELLY,E.M. Region 1 (Post 820201). 96/03/28. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 87772:031-87772:059.

--9604080197 Notice of violation from insp on 960212-0301.Violation noted:test program did not assure that results of 22 MOV diagnostic tests were evaluated to assure that test requirements re steam friction coefficient assumed.
* Region 1 (Post 820201). 96/03/28. 2pp. 87772:034-87772:035.

--9604080214 Insp rept 50-309/96-05 on 960212-0301.Violations noted. Major areas inspected:program implementation,operator sizing & switch settings,periodic verification of design-basis capability & failure analysis & testing.
BOWER,F.L. Region 1 (Post 820201). 96/03/26. 24pp. 87772:036-87772:059.

9604080172 Forwards Maine Yankee ISI Summary Rept covering period between 931014-960123.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87803:197-87803:229.

--9604080110 "Inservice Insp Summary Rept for Maine Yankee Atomic Power Co Brunswick,ME."
MASON,A.R. Maine Yankee Atomic Power Co. 96/03/29. 32pp. 87803:198-87803:229.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080415 Forwards insp rept 50-309/96-01 on 960101-0210.No violations noted.
ROGGE,J.F. Region 1 (Post 820201). 96/04/02. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 87772:205-87772:229.

--9604080427 Insp rept 50-309/96-01 on 960101-0210.No violations noted. Major areas inspected:SG sleeving & other outage activities, reactor power,containment operating pressure & adequacy of ECCS.
ROGGE,J.F. Region 1 (Post 820201). 96/04/02. 22pp. 87772:208-87772:229.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160006 Forwards response to NRC 960305 ltr re violations noted in rept 50-309/95-24.Corrective actions:restored containment purge valve mode selector switches to proper position.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/04. Document Control Branch (Document Control Desk). 10pp. 87894:336-87894:345.

9604150271 Discusses semiannual Plant Performance Review of Maine Yankee conducted on 960314.Advises of NRC planned insp effort for next 12 months.
COOPER,R.W. Region 1 (Post 820201). 96/04/05. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 7pp. 87872:017-87872:023.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220388 Monthly operating rept for Mar 1996 for Maine Yankee. W/960412 ltr.
BAILEY,S.J., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/03/31. 5pp. 87983:342-87983:346.

9604290318 Forwards rept containing brief description of facility changes completed at plant from 1994-95 & summary of safety evaluation for change.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/22. Document Control Branch (Document Control Desk). 13pp. 88040:295-88040:307.

S. Reportable occurrences, LERs & related correspondence

9604190358 LER 96-005-00:on 960315,discovered PAB masonry wall deficiency,Containment hydrogen purge line isolated & tagged out.Containment hydrogen purge sys line will be rerouted away from affected wall.W/960412 ltr.
STOWERS,G.N., HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/12. 4pp. 87960:297-87960:300.

9604300360 Informs that evaluation of condition identified in LER 95-12 re indequate RHR spring reliefs for LTOP not yet complete,as committed to in subj LER.Util expects to complete evaluation & submit revised LER by 960628.
HEBERT,J.R. Maine Yankee Atomic Power Co. 96/04/26. Document Control Branch (Document Control Desk). 1p. 88067:172-88067:172.

V. Operator Examinations

9604150279 Informs that requalification program insp at facility scheduled for week of 960520,per 960322 telcon.NRC may request facility licensees to submit comprehensive requalification written exams or annual operating tests.
MEYER,G.W. Region 1 (Post 820201). 96/04/09. FRIZZLE,C.D. Maine Yankee Atomic Power Co. 3pp. 87885:009-87885:011.

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010304 Forwards insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224 & NOV.Examples of failure to adhere to procedures,inadequate control of plant configuration & weak CA,noted.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87687:024-87687:070.

--9604010312 Insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support & safety assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/25. 41pp. 87687:030-87687:070.

9604110093 Revised EPIPs,including Rev 21 to EPIP table of contents & Rev 10 to EPIP 903, "Opening of Emergency Operations Facility (EOF)/Emergency News Ctr (ENC)."
* Public Service Electric & Gas Co. of New Jersey. 96/04/01. 18pp. 87856:115-87856:132.

9604160478 Revised "Salem Event Classification Guide."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/08. 59pp. 87942:257-87942:315.

9604160245 Rev 3 to emergency plan section 6, "Notification Methods - Response Organizations."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/09. 26pp. 87893:280-87893:305.

9604250128 Notification of licensee meeting 96-039 w/util on 960506 to discuss improvements in site EP program.
NICKOLSON,L.E. Region 1 (Post 820201). 96/04/17. Region 1 (Post 820201). 2pp. 87996:295-87996:296.

I. Financial information

9604190173 Forwards "Delmarva Power 1995 Annual Rept," "Public Svc Enterprise Group Inc,1995 Summary Annual Rept" & "Atlantic Energy 1995 Summary Annual Rept."
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 96/04/15. Document Control Branch (Document Control Desk). 5pp. 87983:131-87983:261.

--9604190175 "Delmarva Power 1995 Annual Rept."
COSGROVE,H.E. Delmarva Power & Light Co. 95/12/31. 54pp. 87983:136-87983:189.

--9604190177 "Public Svc Enterprise Group Inc,1995 Summary Annual Rept."
FERLAND,E.J. Public Service Enterprise Group. 95/12/31. 28pp. 87983:190-87983:217.

--9604190178 "Atlantic Energy 1995,Summary Annual Rept."
JACOBS,J.L., HUGGARD,E.D. Atlantic Energy, Inc. 95/12/31. 37pp. 87983:218-87983:261.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604160099 Forwards marked-up updated FSAR pages addressing questions re spent fuel pool cooling sys,per 960328 discussion w/NRC.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/10. Document Control Branch (Document Control Desk). 48pp. 87898:201-87898:248.

P. Operating license stage documents & correspondence

9604010262 Provides suppl response to GL 86-04 re policy statement on engineering expertise on shift while still meeting plant TS.PSE&G now plans to use both licensed & non-licensed STAs.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/03/22. Document Control Branch (Document Control Desk). 2pp. 87704:351-87704:352.

9604020231 Provides update on changes to plant restart action plans.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/03/26. Document Control Branch (Document Control Desk). 71pp. 87733:001-87733:071.

9604080032 Forwards rev 0 to SGS-SUP.RPT, "Salem Generating Station Supplemental Submittal in Response to GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87776:001-87778:155.

--9604080045 "Salem Generating Station Supplemental Submittal in Response to NRC GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
* Vectra Technologies, Inc. SGS-SUP.RPT R00. 96/03/24. 879pp. 87776:005-87778:155.

9604080371 Submits withdrawal of requests for amend for Salem Generating & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87815:342-87815:343.

9604080264 Documents response to Action 1 of Confirmatory Action Ltr 1-95-009,dtd 950609.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87817:252-87817:253.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180278 Informs that State of NJ has no comments re License change request S-96-01 re 125 volt battery charger surveillance.
TOSCH,K. New Jersey, State of. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87942:359-87942:360.

9604160020 Informs that proposed changes to QAP IAW 10CFR50.54(a), acceptable.
RULAND,W.H. Region 1 (Post 820201). 96/04/10. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87895:218-87895:220.

9604180268 Forwards withdrawal of amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
OLSHAN,L.N. . 96/04/16. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 1p. 87917:347-87917:352.

--9604180274 Notice of withdrawal of application for amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
STOLZ,J.F. . 96/04/16. 2pp. 87917:351-87917:352.

9604260133 Informs that util received GL 96-01, "Testing of Safety-Related Logic Circuits," & will implement requested actions for facilities.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 88027:351-88027:353.

9604250128 Notification of licensee meeting 96-039 w/util on 960506 to discuss improvements in site EP program.
NICKOLSON,L.E. Region 1 (Post 820201). 96/04/17. Region 1 (Post 820201). 2pp. 87996:295-87996:296.

9604290184 Application for amends to licenses DPR-70 & DPR-75,modifying frequency of Type A containment ILRT.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/22. Document Control Branch (Document Control Desk). 10pp. 88057:186-88057:203.

--9604290189 Proposed tech specs for Units 1 & 2 re mod of frequency of Type A containment ILRT.
* Public Service Electric & Gas Co. of New Jersey. 96/04/22. 8pp. 88057:196-88057:203.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010304 Forwards insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224 & NOV.Examples of failure to adhere to procedures,inadequate control of plant configuration & weak CA,noted.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/26. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87687:024-87687:070.

--9604010306 Notice of violation from insp on 960114-0224.Violation noted:on 960129,Unit 1 operators performed S1.OP-ST.DG-0001 & failed to perform required independent verification following restoration.
* Region 1 (Post 820201). 96/03/26. 3pp. 87687:027-87687:029.

--9604010312 Insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Violations noted.Major areas inspected:operations, radiological controls,maint,surveillances,security, engineering,technical support & safety assessment.
NICHOLSON,L.E. Region 1 (Post 820201). 96/03/25. 41pp. 87687:030-87687:070.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150211 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/08. Document Control Branch (Document Control Desk). 9pp. 87896:085-87896:093.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290237 Forwards insp rept 50-272/96-05 & 50-311/96-05 on 960225-0406 & notice of violation.
NICHOLSON,L.E. Region 1 (Post 820201). 96/04/22. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 88020:312-88020:344.

--9604290246 Notice of violation from insp on 960225-0406.Violation noted:during insp period resident inspectors determined each Salem unit did not have OSR & SRG consisting of at least four dedicated.
* Region 1 (Post 820201). 96/04/22. 2pp. 88020:316-88020:317.

--9604290253 Insp repts 50-272/96-05 & 50-311/96-05 on 960225-0406. Violations noted.Major areas inspected:operations, engineering,maint & plant support.
* Region 1 (Post 820201). 96/04/22. 27pp. 88020:318-88020:344.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604300200 Forwards response to NRC 960325 ltr re violations noted in insp repts 50-272/96-01 & 50-311/96-01 on 960114-0224. Corrective actions:required independent verification was completed.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/25. Document Control Branch (Document Control Desk). 16pp. 88063:343-88063:358.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190109 Monthly operating rept for March 1996 for SGS Unit 2.W/ 960412 ltr.
PHILLIPS,R., HELLER,R., WARREN,C. Public Service Electric & Gas Co. of New Jersey. 96/03/31. 9pp. 87951:296-87951:304.

9604300107 "NPDES Discharge Monitoring Rept for Mar 1996 for Salem Generating Station." W/960424 ltr.
HOLDEN,J.J. Public Service Electric & Gas Co. of New Jersey. 96/03/31. CAPORALE,G. New Jersey, State of. 21pp. 88060:320-88060:340.

S. Reportable occurrences, LERs & related correspondence

9604030243 Submits supplemental rept on corrective measures taken to reduce potential of future occurrences.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. 96/03/28. New Jersey, State of. 3pp. 87755:356-87755:358.

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F. Security, medical, emergency & fire protection plans

9511210098 Forwards "Rancho Seco 1994 Annual Emergency Exercise 941204."
GARDINER,D.E. Sacramento Municipal Utility District. 95/11/14. CAIN,C.L. Region 4 (Post 820201). 1p. 87759:150-87759:181.

--9511210100 "Rancho Seco 1995 Annual Emergency Exercise 951204."
* Sacramento Municipal Utility District. 95/12/31. 31pp. 87759:151-87759:181.

9604250448 Forwards insp rept 50-312/96-02 on 960408-11.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 87996:141-87996:154.

--9604250451 Insp rept 50-312/96-02 on 960408-11.No violations noted. Major areas inspected:mgt support,security program plans, security program audits,protected area barriers & detection aids,assessment aids & compensatory methods.
MURRAY,B. Region 4 (Post 820201). 96/04/19. 9pp. 87996:146-87996:154.

H. General correspondence

9604300098 Comment on petition for RM PRM-72-2 to amend 10CFR2 & permit isolation & storage of greater than class 'C'(GTCC) waste in licensed ISFSI.Licensee urges NRC to adopt regulations that appropriately address interim storage of GTCC waste.
DELEZENSKI,J. Sacramento Municipal Utility District. 96/03/23. CHILK Docketing & Services Branch. 2pp. 88033:240-88033:241.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604250448 Forwards insp rept 50-312/96-02 on 960408-11.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. SHETLER,J.R. Sacramento Municipal Utility District. 5pp. 87996:141-87996:154.

--9604250451 Insp rept 50-312/96-02 on 960408-11.No violations noted. Major areas inspected:mgt support,security program plans, security program audits,protected area barriers & detection aids,assessment aids & compensatory methods.
MURRAY,B. Region 4 (Post 820201). 96/04/19. 9pp. 87996:146-87996:154.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290388 "Annual Radiological Environ Operating Rept Jan-Dec 1995 Rancho Seco Nuclear Station." W/960422 ltr.
REDEKER,S.J. Sacramento Municipal Utility District. 95/12/31. CALLAN,L.J. Region 4 (Post 820201). 50pp. 88040:182-88040:276.

W. Decommissioning Stage Documents & Correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604250033 Discusses review of Rancho Seco SAR.VECTRA & customers should be advised that const of concrete HSM according to fabrication specs in NUHOMS NUH-03-114,rev 1 not in agreement w/SER & requirements of COC.
WILLIAMSON,D. Science Applications International Corp. (formerly Science Applications, Inc.). 95/11/20. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 1p. 87997:355-87997:355.

9604180295 Notification of cancellation of 960215 meeting w/NRC & licensees in Rockville,MD to discuss revs to MP-187 cask safety analysis rept.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 96/02/08. Office of Nuclear Material Safety & Safeguards. 2pp. 87949:350-87949:351.

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020085 Rev 29 to Procedure/Work Plan 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 96/03/25. 21pp. 87724:292-87724:312.

9604020088 Rev 19 to Procedure/Work Plan 1903.042, "Duties of Emergency Medical Team."
* Entergy Operations, Inc. 96/03/25. 14pp. 87725:177-87725:190.

9604150376 Rev 5 to Procedure/Work Plan 1903.055, "Security for AP&L Offsite Facilities," deletion.
* Entergy Operations, Inc. 96/04/05. 2pp. 87913:350-87913:351.

9604150142 Informs that 960228 submittal of Rev 21 to plant emergency plant,acceptable & does not appear to degrade effectiveness of emergency planning at facility.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 87869:135-87869:138.

9604150195 Informs that listed changes in Rev 32 & 33 to 941216 & Jan 1996,respectively,Arkansas Nuclear One Emergency Action Level Classification Procedure 1903.010,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 87869:352-87869:356.

9604230212 Rev 4 to Procedure 1903.053, "Logistical Support," combining Procedures 1903.054 & 1903.078 in w/Procedure 1903.053 & deleting Procedures 1903.054 & 1903.078 completely.
HARE,J. Entergy Operations, Inc. 96/04/17. 15pp. 87976:242-87976:256.

9604230214 Rev 6 to procedure 1903.054, "Addl Personnel," deleting procedure.Pertinent info,instructions & requirements from procedure will be incorporated into Procedure 1903.053, "Logistical Support."
HARE,J. Entergy Operations, Inc. 96/04/17. 2pp. 87976:356-87976:357.

9604230222 Rev 4 to Procedure 1903.078, "Emergency Response Support," deleting procedure.Info from procedure incorporated into Procedure 1903.053, "Logistical Support."
HARE,J. Entergy Operations, Inc. 96/04/17. 2pp. 87976:354-87976:355.

G. Adjudicatory correspondence

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

H. General correspondence

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

-9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

I. Financial information

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E., DEWEASE,J.G. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

J. Insurance & Indemnity Information

9604010359 Forwards nuclear onsite property damage insurance coverage verification,per 10CFR50.54(w)(3).
DEWEASE,J.G. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87713:352-87713:357.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100118 Notification of 960415 meeting w/util in Rockville,MD to review draft document type definition.
GRIMES,C.I. . 96/04/08. ZIMMERMAN,R.P. . 1p. 87847:122-87847:123.

9604160260 Application for amends to licenses DPR-51 & NPF-6,allowing implementation of recently approved Option B to 10CFR50,App J.
YELVERTON,J.W. Entergy Operations, Inc. 96/04/11. Document Control Branch (Document Control Desk). 3pp. 87891:238-87891:284.

-9604160262 Proposed tech specs,allowing implementation of recently approved Option B to 10CFR50,App J.
* Entergy Operations, Inc. 96/04/11. 44pp. 87891:241-87891:284.

9604220372 Forwards SE re licensee request for alternatives to 10CFR50.55a w/respect to ISI & IST programs.Findings for ISI request expected shortly.
BECKNER,W.D. . 96/04/17. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87955:342-87955:352.

-9604220376 Safety evaluation providing guidance on submitting plant- specific info w/ respect to IST program alternatives request.
* . 96/04/17. 5pp. 87955:348-87955:352.

9604220382 Forwards SE approving 950525 relief request re plant IST to extend testing interval to once per refueling cycle for emergency FW pump turbine steam supply check valves & pump suction check valves.
BECKNER,W.D. . 96/04/17. YELVERTON,J.W. Entergy Operations, Inc. 3pp. 87965:196-87965:204.

-9604220385 Safety evaluation supporting IST program relief requests for license DPR-51.
* . 96/04/17. 6pp. 87965:199-87965:204.

9604250236 Discusses mgt meeting conducted in licensee ofc on 960404 w/listed attendees re discussions amoung senior managers from licensee ofc,each of four licensee sites & responsible NRC personnel from Region IV ofc & NRR.
DYER,J.E. Region 4 (Post 820201). 96/04/17. HINTZ,D. Entergy Operations, Inc. 169pp. 87995:070-87995:238.

9604230262 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
MIMS,D.C. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 87979:290-87979:292.

9604230275 Informs that use of Code Case N-498-2 not acceptable for generic implementation on plant-wide basis.
BECKNER,W.D. . 96/04/19. YELVERTON,J.W. Entergy Operations, Inc. 8pp. 87971:352-87971:359.

9604260047 Forwards for review & comment,preliminary ASP of operational event which occurred on 960420 at plant.Upon evaluation of comments,conditional core damage probability calculations will be revised where necessary.
KALMAN,G. . 96/04/23. YELVERTON,J.W. Entergy Operations, Inc. 18pp. 88006:335-88006:359.

Q. Inspection reports, IE Bulletins & correspondence

9604020327 Ack 951213 ltr responding to 951114 NOV.Finds reply responsive to concerns raised in NOV.Corrective actions to be reviewed in future insp.
GWYNN,T.P. Region 4 (Post 820201). 96/03/14. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 87705:260-87705:268.

-9604020332 Notice of violation from insp on 951016-20.Violation noted: failure of portion of physical protection sys to protect against design basis threat & granting unescorted access to person who failed fitness-for-duty test.
* Region 4 (Post 820201). 95/11/14. 3pp. 87705:266-87705:268.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604040183 Forwards insp repts 50-313/96-10 & 50-368/96-10 on 960226-0308.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/03/29. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 87736:150-87736:177.

-9604040188 Insp repts 50-313/96-10 & 50-368/96-10 on 960226-0308.No violations noted.Major areas inspected:safety assessment/ corrective action,operations,engineering,maint & plant support.
GWYNN,T.P. Region 4 (Post 820201). 96/03/29. 25pp. 87736:153-87736:177.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080291 Discusses Plant Performance Review conducted on 960311. Advises of planned insp effort resulting from subj review & forwards insp plan for next 6 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 87772:104-87772:108.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604120065 Forwards insp rept 50-313/96-01 & 50-368/96-01 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/08. Entergy Operations, Inc. 5pp. 87850:190-87850:217.

-9604120074 Notice of violation from insp on 960121-0302.Violation noted:inadequate maint resulted in degradation of two safety related valves & resulted in potential for common mode valve failure & inoperability of train B of EFW control sys.
* Region 4 (Post 820201). 96/04/08. 2pp. 87850:195-87850:196.

-9604120079 Insp repts 50-313/96-01 & 50-368/96-01 on 960121-0302. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering,plant support activities,follow-up maint.
REIS,T. Region 4 (Post 820201). 96/04/08. 21pp. 87850:197-87850:217.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180357 Forwards draft input from contractor to be used in approving alternatives to 10CFR50.55a, "Codes & Stds," per 960408 telcon in which NRR requested assistance of licensee in preparing definitive info to support use of codes for ISI.
BECKNER,W.D. . 96/04/15. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87914:001-87914:112.

-9604180377 Forwards revised analysis tables 1 & 2 & corrected pages to table 3 for JFC-15-95.
COOK,J.F. Idaho National Engineering Laboratory. FIN W-6185. 95/05/11. LIU,W.C. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 1p. 87914:007-87914:007.

-9604180387 Forwards 95 addenda analysis tables JFC-19-95 containing analysis of sections III & XI BPV code changes from BNCS ballots 547 & 556.
COOK,J.F. Idaho National Engineering Laboratory. FIN W-6185. 95/06/08. LIU,W.C. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 105pp. 88278:005-88278:008.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190112 Monthly operating rept for March 1996 for ANO Unit 1.W/ 960415 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 96/03/31. 7pp. 87939:339-87939:345.

S. Reportable occurrences, LERs & related correspondence

9604090154 Interim part 21 rept re potential safety concern on matl for fabrication of permanent canal seal plate.Licensee will provide final rept to NRC in approx six months upon completion of evaluation of welds.
TAYLOR,J.H. FRAMATOME. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87824:111-87824:112.

9604100013 LER 96-002-00:on 960308,discovered that surveillance tests required by TS incomplete because all combinations of RPS channel trip relay contacts not tested due to procedural deficiency.Verified operability of RPS.W/960405 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 96/04/05. 6pp. 87847:024-87847:029.

9604150342 LER 96-003-00:on 960313,charcoal filter sample analysis was not conducted in accordance w/literal requirements of TS as result of misinterpretation of requirements necessary to achieve compliance w/specs.Revised procedures.W/960410 ltr.
SCHEIDE,R.H., MIMS,D.C. Entergy Operations, Inc. 96/04/10. 6pp. 87897:239-87897:244.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

DOCKET 50-315 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604030318 Public version of Rev 8 to EPIP PMP 2080 EPP.106, "Initial Offsite Notification." W/960402 ltr.
SMITH,J., WOLF,S. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/02/16. 1pp. 87722:146-87722:171.

9604020069 Rev 2 to EPIP PMP 2081 EPP.103, "Evacuation of Plant Personnel."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 21pp. 87724:313-87724:333.

9604020074 Rev 11 to EPIP PMP 2080 EPP.107, "Notification of Plant Personnel."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 17pp. 87725:160-87725:176.

9604020081 Rev 2 to EPIP PMP 2080 EPP.110, "Toxic Gas Release Guidelines."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 9pp. 87725:316-87725:324.

9604080093 Ack receipt & review of 941010 & 950117 ltrs transmitting revs 27 & 28 to Donald C Cook Nuclear security plan.Revs consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/03/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 87817:287-87817:289.

9604080410 Rev 1 to EPIP PMP 2080 EPP.101, "Emergency Classification."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/29. 7pp. 87814:347-87814:353.

9604090419 Acks receipt of 941010 & 950117 ltrs transmitting revs 27 & 28 to Donald C Cook Nuclear Plant security plan.Advises that revs consistent w/provisions of 10 CFR 50.54(p) & acceptable,except as noted in encl.Encl withheld.
CREED,J.R. Region 3 (Post 820201). 96/03/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 87809:357-87809:358.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd,941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604160188 "Indiana Michigan Power Co 1995 Annual Rept." W/960412 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 35pp. 87891:285-87891:322.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150143 Forwards request for exemption from 10CFR70.24 re criticality monitoring requirements.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 8pp. 87888:256-87888:263.

9604150252 Application for amends to licenses DPR-58 & DPR-74,moving TS 4.0.4 exemption statement for MSSVs into section 4.7.1.1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 3pp. 87923:235-87923:239.

-9604150254 Revised proposed TS,moving TS 4.0.4 exemption statement for MSSVs into section 4.7.1.1.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. 2pp. 87923:238-87923:239.

9604150408 Submits response to request for addl info on reactor pressure vessel integrity assessment for unit 1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/12. Document Control Branch (Document Control Desk). 4pp. 87896:081-87896:084.

9604220180 Informs NRC of plant response to GL 96-01, "Testing of Safety Related Logic Circuits."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87953:338-87953:339.

9604290402 Forwards Rev 0 of "Valve IST Program for DC Cook Nuclear Plant Third 10-Yr Interval," including relief requests for approval by 970630.W/80 proprietary drawings.Drawings withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 10pp. 88102:131-88102:347.

-9604290405 Rev 0 of "Valve IST Program for DC Cook Nuclear Plant Third 10-Yr Interval."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/29. 207pp. 88102:141-88102:347.

Q. Inspection reports, IE Bulletins & correspondence

9604010424 Informs that Region III management & staff completed semiannual plant performance review on 960304 at plant & advises of NRC planned insp effort resulting from review.
KROPP,W.J. Region 3 (Post 820201). 96/03/22. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 87687:236-87687:240.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090040 Forwards insp repts 50-315/96-02 & 50-316/96-02 on 960117- 0226 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 96/04/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 87772:296-87772:327.

-9604090046 Notice of violation from insp on 960116-0226.Violation noted:NRC determined that licensee did not have monitoring sys that complied w/requirements of 70.24.
* . 96/04/02. 2pp. 87772:299-87772:300.

-9604090050 Insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Violations noted.Major areas inspected:operations,maint, engineering,preparation for refueling,plant support & review of UFSAR commitments.
KROPP,W.J. Region 3 (Post 820201). 96/03/28. 27pp. 87772:301-87772:327.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100083 Provides info requested in NRC Bulletin 96-001, "Control Rod Insertion Problems."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 30pp. 87831:304-87831:333.

9604150155 Provides supplemental info re response to violations noted in insp repts 50-315/95-12 & 50-316/95-12.Corrective actions:new foreign matl exclusion program established.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 6pp. 87888:279-87888:284.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250272 Ack receipt of 960309 ltr informing NRC of steps taken to correct violations noted in insp rept 50-315/95-13 & 50-316/96-13.
KROPP,W.J. Region 3 (Post 820201). 96/04/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 87997:010-87997:010.

9604260187 Provides follow-up to 951011 response to NOV in insp repts 50-315/95-09 & 50-316/95-09.Shift training provided to operating crew to reduce power immediately in response to any confirmed loss of vacuum condition.
FITZPATRICK,E.E Indiana Michigan Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88025:359-88025:360.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290304 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Corrective actions:relocated fuel bundle to position in NFSW & monitor could detect criticality accident.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 9pp. 88037:351-88037:359.

9604300191 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Corrective actions:fuel bundle was relocated to position in NFSV.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 9pp. 88067:214-88067:222.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010206 "Annual Radioactive Effluent Release Rept Jan-Dec 1995." W/960322 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 240pp. 87716:001-87716:239.

9604300447 "Annual Environ Operating Rept,Jan-Dec 1995." W/960424 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 333pp. 88073:001-88073:333.

9604120131 Forwards monthly operating rept for Mar 1996 for DC Cook Nuclear Plant Unit 1 & revised operating status sheets for period 951031-960229.Rev reflects changes to previously submitted forced outage rate data.
SAMPSON,J.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/01. Document Control Branch (Document Control Desk). 1p. 87877:006-87877:016.

-9604120136 Monthly operating rept for Mar 1996 for DC Cook Nuclear Plant Unit 1.
TURNER,D.G., RUSSO,M.E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/31. 5pp. 87877:007-87877:011.

-9604120139 Revised monthly operating rept for Oct 1995 for DC Cook Nuclear Plant Unit 1.
JANISSE,J.D., TURNER,D.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/10/31. 1p. 87877:012-87877:012.

-9604120144 Revised monthly operating rept for Nov 1995 for DC Cook Nuclear Plant Unit 1.
JANISSE,J.D., TURNER,D.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/11/30. 1p. 87877:013-87877:013.

-9604120145 Revised monthly operating rept for Dec 1995 for DC Cook Nuclear Plant Unit 1.
JANISSE,J.D., TURNER,D.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 1p. 87877:014-87877:014.

-9604120150 Revised monthly operating rept for Jan 1996 for DC Cook Nuclear Plant Unit 1.
JANISSE,J.D., TURNER,D.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/01/31. 1p. 87877:015-87877:015.

-9604120152 Revised monthly operating rept for Feb 1996 for DC Cook Nuclear Plant Unit 1.
TURNER,D.G. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/02/29. 1p. 87877:016-87877:016.

9604080296 Forwards corrected Page 2 of "Annual Radioactive Effluent Release Rept for DC Cook Nuclear Plant Units 1 & 2." Rept originally submitted in ltr AEP:NRC:0842Y,dtd 960322.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/03. Document Control Branch (Document Control Desk). 1p. 87814:209-87814:213.

-9604080302 Corrected "Annual Radioactive Effluent Release Rept for DC Cook Nuclear Plant Units 1 & 2."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 3pp. 87814:210-87814:213.

S. Reportable occurrences, LERs & related correspondence

9604160090 LER 96-002-00:on 960317,RT on low FW flow coincident w/low SG level due to failed FW differential pressure controller. Stabilized all safety sys operated normally in response to trip signal.W/960410 ltr.
SCHOEPF,P., BLIND,A.A. American Electric Power Co., Inc. 96/04/10. 4pp. 87897:261-87897:264.

DOCKET 50-316 DONALD C. COOK NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604030318 Public version of Rev 8 to EPIP PMP 2080 EPP.106, "Initial Offsite Notification." W/960402 ltr.
SMITH,J., WOLF,S. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/02/16. 1pp. 87722:146-87722:171.

9604020069 Rev 2 to EPIP PMP 2081 EPP.103, "Evacuation of Plant Personnel."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 21pp. 87724:313-87724:333.

9604020074 Rev 11 to EPIP PMP 2080 EPP.107, "Notification of Plant Personnel."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 17pp. 87725:160-87725:176.

9604020081 Rev 2 to EPIP PMP 2080 EPP.110, "Toxic Gas Release Guidelines."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/25. 9pp. 87725:316-87725:324.

9604080093 Ack receipt & review of 941010 & 950117 ltrs transmitting revs 27 & 28 to Donald C Cook Nuclear security plan.Revs consistent w/provisions of 10CFR50.54(p) & acceptable.
CREED,J.R. Region 3 (Post 820201). 96/03/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 87817:287-87817:289.

9604080410 Rev 1 to EPIP PMP 2080 EPP.101, "Emergency Classification."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/29. 7pp. 87814:347-87814:353.

9604090419 Acks receipt of 941010 & 950117 ltrs transmitting revs 27 & 28 to Donald C Cook Nuclear Plant security plan.Advises that revs consistent w/provisions of 10 CFR 50.54(p) & acceptable,except as noted in encl.Encl withheld.
CREED,J.R. Region 3 (Post 820201). 96/03/29. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 2pp. 87809:357-87809:358.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604160188 "Indiana Michigan Power Co 1995 Annual Rept." W/960412 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 35pp. 87891:285-87891:322.

P. Operating license stage documents & correspondence

9604040216 Summary of 960322 meeting w/American Electric Power Svc Corp & W at NRC Headquarters re reactor vessel head penetration insp & repair technique.
HICKMAN,J.B. . 96/03/29. . 18pp. 87746:228-87746:245.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150143 Forwards request for exemption from 10CFR70.24 re criticality monitoring requirements.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 8pp. 87888:256-87888:263.

9604150252 Application for amends to licenses DPR-58 & DPR-74,moving TS 4.0.4 exemption statement for MSSVs into section 4.7.1.1.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 3pp. 87923:235-87923:239.

–9604150254 Revised proposed TS,moving TS 4.0.4 exemption statement for MSSVs into section 4.7.1.1.
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. 2pp. 87923:238-87923:239.

9604220180 Informs NRC of plant response to GL 96-01, "Testing of Safety Related Logic Circuits."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87953:338-87953:339.

9604290402 Forwards Rev 0 of "Valve IST Program for DC Cook Nuclear Plant Third 10-Yr Interval," including relief requests for approval by 970630.W/80 proprietary drawings.Drawings withheld.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 10pp. 88102:131-88102:347.

–9604290405 Rev 0 of "Valve IST Program for DC Cook Nuclear Plant Third 10-Yr Interval."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/29. 207pp. 88102:141-88102:347.

Q. Inspection reports, IE Bulletins & correspondence

9604010424 Informs that Region III management & staff completed semiannual plant performance review on 960304 at plant & advises of NRC planned insp effort resulting from review.
KROPP,W.J. Region 3 (Post 820201). 96/03/22. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 5pp. 87687:236-87687:240.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604040216 Summary of 960322 meeting w/American Electric Power Svc Corp & W at NRC Headquarters re reactor vessel head penetration insp & repair technique.
HICKMAN,J.B. . 96/03/29. . 18pp. 87746:228-87746:245.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090040 Forwards insp repts 50-315/96-02 & 50-316/96-02 on 960117- 0226 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 96/04/02. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 3pp. 87772:296-87772:327.

–9604090046 Notice of violation from insp on 960116-0226.Violation noted:NRC determined that licensee did not have monitoring sys that complied w/requirements of 70.24.
* . 96/04/02. 2pp. 87772:299-87772:300.

–9604090050 Insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Violations noted.Major areas inspected:operations,maint, engineering,preparation for refueling,plant support & review of UFSAR commitments.
KROPP,W.J. Region 3 (Post 820201). 96/03/28. 27pp. 87772:301-87772:327.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100083 Provides info requested in NRC Bulletin 96-001, "Control Rod Insertion Problems."
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 30pp. 87831:304-87831:333.

9604150155 Provides supplemental info re response to violations noted in insp repts 50-315/95-12 & 50-316/95-12.Corrective actions:new foreign matl exclusion program established.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/08. Document Control Branch (Document Control Desk). 6pp. 87888:279-87888:284.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250272 Ack receipt of 960309 ltr informing NRC of steps taken to correct violations noted in insp rept 50-315/95-13 & 50-316/96-13.
KROPP,W.J. Region 3 (Post 820201). 96/04/17. FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 1p. 87997:010-87997:010.

9604260187 Provides follow-up to 951011 response to NOV in insp repts 50-315/95-09 & 50-316/95-09.Shift training provided to operating crew to reduce power immediately in response to any confirmed loss of vacuum condition.
FITZPATRICK,E.E Indiana Michigan Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88025:359-88025:360.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290304 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Corrective actions:relocated fuel bundle to position in NFSW & monitor could detect criticality accident.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 9pp. 88037:351-88037:359.

9604300191 Forwards response to NRC 960402 ltr re violations noted in insp repts 50-315/96-02 & 50-316/96-02 on 960117-0226. Corrective actions:fuel bundle was relocated to position in NFSV.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/24. Document Control Branch (Document Control Desk). 9pp. 88067:214-88067:222.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010206 "Annual Radioactive Effluent Release Rept Jan-Dec 1995." W/960322 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 240pp. 87716:001-87716:239.

9604300447 "Annual Environ Operating Rept,Jan-Dec 1995." W/960424 ltr.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 333pp. 88073:001-88073:333.

9604120049 Monthly operating rept for Mar 1996 for DC Cook Nuclear Plant Unit 2.W/960401 ltr.
TURNER,D.G., RUSSO,M.E., SAMPSON,J.R. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/03/31. 5pp. 87877:001-87877:005.

9604080296 Forwards corrected Page 2 of "Annual Radioactive Effluent Release Rept for DC Cook Nuclear Plant Units 1 & 2." Rept originally submitted in ltr AEP:NRC:0842Y,dtd 960322.
FITZPATRICK,E. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/03. Document Control Branch (Document Control Desk). 1p. 87814:209-87814:213.

–9604080302 Corrected "Annual Radioactive Effluent Release Rept for DC Cook Nuclear Plant Units 1 & 2."
* Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 95/12/31. 3pp. 87814:210-87814:213.

S. Reportable occurrences, LERs & related correspondence

9604080144 LER 96-002-01:on 960120,train A containment RM caused two spurious isolation signals.Caused by Faulty computer board. C/A:CVI signal reset.W/960401 ltr.
SCHOEPF,P., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/01. 4pp. 87823:347-87823:350.

9604080208 LER 96-003-00:on 960305,incorrect guidance for shutdown rod position indication requirements lead to condition prohibited by plant TS.Submitted TS change request to remove TS 3.1.3.3.W/960404 ltr.
SCHOEPF,P., BLIND,A.A. American Electric Power Co., Inc. 96/04/04. 4pp. 87823:357-87823:360.

9604180325 LER 96-004-00:on 960312,fire seal found to have been inoperable for extended period of time w/o compensatory actions.Cause of event could not be determined.Established hourly fire watch patrol for seal W9197.W/960411 ltr.
HODGE,W., BLIND,A.A. Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.). 96/04/11. 4pp. 87960:264-87960:267.

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010226 Forwards assessment of acceptability of 10CFR50.54(p) changes for rev 10 to training & qualification plan.
GIBBS,L.P. Baltimore Gas & Electric Co. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87704:332-87704:334.

9604190079 Revised EPIPs,including rev 2 to ERPIP-840, "RCS/LPSI Tasks Instructions/Precautions," rev 1 to ERPIP-841, "Containment Atmosphere Task Instruction/Precautions," rev 1 to ERPIP-842, "Wide Range....Precautions." W/960416 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/04/16. 58pp. 87951:204-87951:261.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604030129 Rev 19 to updated FSAR for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960401 ltr.
CRUSE,W.H. Baltimore Gas & Electric Co. 96/04/01. 300pp. 87769:001-87769:282.

P. Operating license stage documents & correspondence

9604230089 Provides licensee acceptance criteria for generator trip test re failure of steam dump & bypass control sys.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/08. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 2pp.

9604020090 "Travelers Under Owners Group vs TSTF Consideration by Needed Date."
* Excel Services Corp. 96/03/24. 3pp. 87726:282-87726:284.

9604020436 Application for amends to Licenses DPR-53 & DPR-69, requesting to reduce moderator temp coefficient limit shown on TS Figure 3.1.1-1.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87726:351-87726:361.

–9604020439 Proposed TS Figure 3.1.1-1 re change to moderator temp coefficient.
* Baltimore Gas & Electric Co. 96/03/28. 6pp. 87726:356-87726:361.

9604080332 Forwards amends 214 & 191 to licenses DPR-53 & DPR-69 & safety evaluation.Amends reflect new plant electrical distribution configuration,surveillance & limiting condition for operation of new SR EDG.
MCDONALD,D.G. . 96/04/02. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87779:144-87779:218.

–9604080338 Amends 214 & 191 to licenses DPR-53 & DPR-69,respectively, reflecting new plant electrical distribution configuration, surveillance & limiting condition for operation of new SR EDG.
MCDONALD,D.G. . 96/04/02. 43pp. 87779:148-87779:190.

–9604080344 Safety evaluation supporting amends 214 & 191 to licenses DPR-53 & DPR-69,respectively.
* . 96/04/02. 28pp. 87779:191-87779:218.

9604090427 Forwards Final Safety Evaluation.Informs Methodology acceptable for 10CFR54:21(a)(2) requirements.
CRUTCHFIELD,D. . 96/04/04. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 87800:273-87800:306.

–9604090438 Final safety evaluation re "Methodology for Meeting Requirements of 10CFR54."
* . 96/04/04. 31pp. 87800:276-87800:306.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100044 Forwards applications to transfer & amend licenses DPR-53, DPR-69 & SNM-2505 for ISFSI,transferring licenses to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87839:305-87839:346.

–9604100065 Application for transfer & amends to licenses DPR-53 & DPR-69,transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp (formerly RH Acquisition Corp).
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. 20pp. 87839:307-87839:326.

–9604100074 Proposed tech specs,changing name of licensee authorize to possess & operate plant from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:327-87839:330.

–9604100081 Application to transfer & amend license SNM-2505, transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 12pp. 87839:331-87839:342.

–9604100094 Proposed tech specs,changing name of licensee authorize to operate & maintain Calvert Cliffs ISFSI from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:343-87839:346.

9604160354 Ack receipt of 960223 withdrawal of request for approval for changing reactor vessel surveillance withdrawal schedule for plant NPP,Units 1 & 2.
MCDONALD,D.G. . 96/04/11. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 87894:137-87894:140.

9604170081 Forwards "Calvert Cliffs Nuclear Power Plant COLR for Unit 1 Cycle 13," Rev 0.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87949:137-87949:159.

–9604170083 Rev 0 to "Calvert Cliffs Nuclear Power Plant COLR."
* Baltimore Gas & Electric Co. 96/04/11. 22pp. 87949:138-87949:159.

9604180250 Submits rept on site visit to Calvert Cliffs 960325-29 to review implementation of NEI 95-10,Rev 0, "Industry Guideline for Implementing Requirements of 10CFR54 License Renewal Rule."
NEWBERRY,S.F. . 96/04/15. CRUSE,C.H. Baltimore Gas & Electric Co. 34pp. 87914:113-87914:146.

9604230027 Ack current plans for upgrading SR EDG during Unit 1 refueling outage in Spring of 1998.Transmittal ltr & SE previously transmitted incorrectly indicated remaining existing SR EDG would be upgraded during Unit 2.
MCDONALD,D.G. . 96/04/16. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87971:019-87971:022.

9604230039 Forwards evaluation package for 930930 licensee IPE submittal for internal events & internal flooding.Included are staff evaluation rept & TERs which responds to staff questions re PRA raised in 950912 ltr.
MCDONALD,D.G. . 96/04/16. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87971:023-87971:160.

--9604230041 SER approving licensee IPE submittal for internal events & internal flooding as complete w/info requested in GL 88-20, suppl 1 & guidance provided in NUREG-1335.
* . 96/04/16. 6pp. 87971:027-87971:032.

--9603290323 "Technical Evaluation Rept on IPE Front End Analysis."
DARBY,J.L., SCIACCS,F.W., THOMAS,W. Science & Engineering Associates, Inc. SEA 92-553-033-A:3. 96/01/16. NRC - No Detailed Affiliation Given. 41pp. 87971:033-87971:075.

--9603290365 "Technical Evaluation Rept of Calvert Cliffs Individual Plant Exam Back-End Submittal," final rept.
VIJAYKUMAR,R. Energy Research, Inc. ERI/NRC 95-107. 96/01/31. NRC - No Detailed Affiliation Given. 47pp. 87971:076-87971:124.

--9604230049 "Calvert Cliffs Nuclear Power Plant,Units 1 & 2 TER on IPE Submittal Human Reliability Analysis Final Rept."
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. 96/01/10. Division of Systems Technology (Post 941217). 36pp. 87971:125-87971:160.

9604260081 Informs that AW Dromerick assigned as Project Manager of Project Directorate I-1 for plant,Units 1 & 2,effective 960428.
SHANKMAN,S. . 96/04/17. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 88007:147-88007:149.

9604250258 Responds to 60-day response to NRC GL 96-01, "Testing of Safety-Related,Logic Circuits." Ltr requested review of electrical schematic drawings & logic diagrams for RPS,EDG load shedding & sequencing & actuation logic for ESFS.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/19. Document Control Branch (Document Control Desk). 6pp. 88023:201-88023:206.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170261 Monthly operating repts for Mar 1996 for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960415 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/03/31. 12pp. 87948:150-87948:161.

S. Reportable occurrences, LERs & related correspondence

9604030315 Followup to Part 21 rept re failures of gould-shawmut fuses. Initial investigation into issue revealed certain percentage of fuses developed cracks in fuse elements.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87755:222-87755:226.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604100044 Forwards applications to transfer & amend licenses DPR-53, DPR-69 & SNM-2505 for ISFSI,transferring licenses to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87839:305-87839:346.

--9604100081 Application to transfer & amend license SNM-2505, transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 12pp. 87839:331-87839:342.

--9604100094 Proposed tech specs,changing name of licensee authorize to operate & maintain Calvert Cliffs ISFSI from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:343-87839:346.

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010226 Forwards assessment of acceptability of 10CFR50.54(p) changes for rev 10 to training & qualification plan.
GIBBS,L.P. Baltimore Gas & Electric Co. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87704:332-87704:334.

9604190079 Revised EPIPs,including rev 2 to ERPIP-840, "RCS/LPSI Tasks Instructions/Precautions," rev 1 to ERPIP-841, "Containment Atmosphere Task Instruction/Precautions," rev 1 to ERPIP-842, "Wide Range....Precautions." W/960416 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/04/16. 58pp. 87951:204-87951:261.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604030129 Rev 19 to updated FSAR for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960401 ltr.
CRUSE,W.H. Baltimore Gas & Electric Co. 96/04/01. 300pp. 87769:001-87769:282.

P. Operating license stage documents & correspondence

9604020090 "Travelers Under Owners Group vs TSTF Consideration by Needed Date."
* Excel Services Corp. 96/03/24. 3pp. 87726:282-87726:284.

9604020436 Application for amends to Licenses DPR-53 & DPR-69, requesting to reduce moderator temp coefficient limit shown on TS Figure 3.1.1-1.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87726:351-87726:361.

--9604020439 Proposed TS Figure 3.1.1-1 re change to moderator temp coefficient.
* Baltimore Gas & Electric Co. 96/03/28. 6pp. 87726:356-87726:361.

9604080332 Forwards amends 214 & 191 to licenses DPR-53 & DPR-69 & safety evaluation.Amends reflect new plant electrical distribution configuration,surveillance & limiting condition for operation of new SR EDG.
MCDONALD,D.G. . 96/04/02. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87779:144-87779:218.

--9604080338 Amends 214 & 191 to licenses DPR-53 & DPR-69,respectively, reflecting new plant electrical distribution configuration, surveillance & limiting condition for operation of new SR EDG.
MCDONALD,D.G. . 96/04/02. 43pp. 87779:148-87779:190.

--9604080344 Safety evaluation supporting amends 214 & 191 to licenses DPR-53 & DPR-69,respectively.
* . 96/04/02. 28pp. 87779:191-87779:218.

9604090427 Forwards Final Safety Evaluation.Informs Methodology acceptable for 10CFR54.21(a)(2) requirements.
CRUTCHFIELD,D. . 96/04/04. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 87800:273-87800:306.

--9604090438 Final safety evaluation re "Methodology for Meeting Requirements of 10CFR54."
* . 96/04/04. 31pp. 87800:276-87800:306.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100044 Forwards applications to transfer & amend licenses DPR-53, DPR-69 & SNM-2505 for ISFSI,transferring licenses to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87839:305-87839:346.

--9604100065 Application for transfer & amends to licenses DPR-53 & DPR-69,transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp (formerly RH Acquisition Corp).
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. 20pp. 87839:307-87839:326.

--9604100074 Proposed tech specs,changing name of licensee authorize to possess & operate plant from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:327-87839:330.

9604160354 Ack receipt of 960223 withdrawal of request for approval for changing reactor vessel surveillance withdrawal schedule for plant NPP,Units 1 & 2.
MCDONALD,D.G. . 96/04/11. CRUSE,C.H. Baltimore Gas & Electric Co. 2pp. 87894:137-87894:140.

9604180250 Submits rept on site visit to Calvert Cliffs 960325-29 to review implementation of NEI 95-10,Rev 0, "Industry Guideline for Implementing Requirements of 10CFR54 License Renewal Rule."
NEWBERRY,S.F. . 96/04/15. CRUSE,C.H. Baltimore Gas & Electric Co. 34pp. 87914:113-87914:146.

9604230027 Ack current plans for upgrading SR EDG during Unit 1 refueling outage in Spring of 1998.Transmittal ltr & SE previously transmitted incorrectly indicated remaining existing SR EDG would be upgraded during Unit 2.
MCDONALD,D.G. . 96/04/16. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87971:019-87971:022.

9604230039 Forwards evaluation package for 930930 licensee IPE submittal for internal events & internal flooding.Included are staff evaluation rept & TERs which responds to staff questions re PRA raised in 950912 ltr.
MCDONALD,D.G. . 96/04/16. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87971:023-87971:160.

-9604230041 SER approving licensee IPE submittal for internal events & internal flooding as complete w/info requested in GL 88-20, suppl 1 & guidance provided in NUREG-1335.
* . 96/04/16. 6pp. 87971:027-87971:032.

-9603290323 "Technical Evaluation Rept on IPE Front End Analysis."
DARBY,J.L., SCIACCS,F.W., THOMAS,W. Science & Engineering Associates, Inc. SEA 92-553-033-A:3. 96/01/16. NRC - No Detailed Affiliation Given. 41pp. 87971:033-87971:075.

-9603290365 "Technical Evaluation Rept of Calvert Cliffs Individual Plant Exam Back-End Submittal," final rept.
VIJAYKUMAR,R. Energy Research, Inc. ERI/NRC 95-107. 96/01/31. NRC - No Detailed Affiliation Given. 47pp. 87971:076-87971:124.

-9604230049 "Calvert Cliffs Nuclear Power Plant,Units 1 & 2 TER on IPE Submittal Human Reliability Analysis Final Rept."
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. 96/01/10. Division of Systems Technology (Post 941217). 36pp. 87971:125-87971:160.

9604260081 Informs that AW Dromerick assigned as Project Manager of Project Directorate I-1 for plant,Units 1 & 2,effective 960428.
SHANKMAN,S. . 96/04/17. CRUSE,C.H. Baltimore Gas & Electric Co. 3pp. 88007:147-88007:149.

9604250258 Responds to 60-day response to NRC GL 96-01, "Testing of Safety-Related,Logic Circuits." Ltr requested review of electrical schematic drawings & logic diagrams for RPS,EDG load shedding & sequencing & actuation logic for ESFS.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/19. Document Control Branch (Document Control Desk). 6pp. 88023:201-88023:206.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170261 Monthly operating repts for Mar 1996 for Calvert Cliffs Nuclear Power Plant Units 1 & 2.W/960415 ltr.
OLSEN,H.O., KATZ,P.E. Baltimore Gas & Electric Co. 96/03/31. 12pp. 87948:150-87948:161.

S. Reportable occurrences, LERs & related correspondence

9604020448 LER 96-001-00:on 960227,breakers 552-41,552-21 & 552-61 tripped open in plant switchyard.Caused by failure of auxiliary relay card in breaker 552-41.Failed relay card replaced.W/960328 ltr.
GRADLE,R.C., KATZ,P.E. Baltimore Gas & Electric Co. 96/03/28. 9pp. 87736:288-87736:296.

9604030315 Followup to Part 21 rept re failures of gould-shawmut fuses. Initial investigation into issue revealed certain percentage of fuses developed cracks in fuse elements.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87755:222-87755:226.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604100044 Forwards applications to transfer & amend licenses DPR-53, DPR-69 & SNM-2505 for ISFSI,transferring licenses to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87839:305-87839:346.

-9604100081 Application to transfer & amend license SNM-2505, transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 12pp. 87839:331-87839:342.

-9604100094 Proposed tech specs,changing name of licensee authorize to operate & maintain Calvert Cliffs ISFSI from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:343-87839:346.

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604080115 Discusses allegation re util public info plan.
AMATO,C. NRC - No Detailed Affiliation Given. 91/03/12. NRC - No Detailed Affiliation Given. 3pp. 87860:249-87860:251.

9604020420 Rev 1 to TEP-ADM-1300.04, "Administration of TMI Initial Response & Emergency Support Organization Duty Roster."
* General Public Utilities Corp. - GPU Service Corp. 96/03/20. 9pp. 87726:342-87726:350.

9604050018 Rev 5 to EPIP-TMI-.19, "Emergency Dosimetry/Security Badge Issuance" & EPIP table of contents.
GUSEWOOD,J. General Public Utilities Corp. - GPU Service Corp. 96/03/20. 9pp. 87775:332-87775:340.

9604100170 Revised EPIPs,including EPIP table of contents,Rev 4 to EPIP-TMI-.01, "Emergency Classifications & Basis" Rev 4 to EPIP-TMI-.16, "Contaminated Injuries."
* General Public Utilities Corp. - GPU Service Corp. 96/04/03. 117pp. 87834:001-87834:117.

9604160266 Rev 6 to EPIP-TMI-.28, "Activation of TSC."
BEAVER,J. General Public Utilities Corp. - GPU Service Corp. 96/04/05. 15pp. 87893:306-87893:320.

9604290327 Forwards revs to TMI Modified Amended Physical Security Plan Security Training & Qualification Plan & Security Contingency Plan.Plans withheld.
WILSON,J.F. General Public Utilities Corp. - GPU Service Corp. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88039:358-88039:359.

H. General correspondence

9604220040 Appeals NRC denial of FOIA request 95-389,filed on 950917, seeking public acceptance activity repts & related documents in public acceptance activity records for listed GPU or subsidiary reactors or proposed reactors.
DEKOK,D. Affiliation Not Assigned. 96/02/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 87942:101-87942:104.

P. Operating license stage documents & correspondence

9604230045 Forwards list of anticipated licensing submittals to NRC through FY77 in response to request of 750307.
VERROCHI,W.A. General Public Utilities Corp. - GPU Service Corp. 75/03/26. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

9604080111 Notifies of closure of Allegation RI-91-A-0008 at TMI/Oyster Creek.Allegation determined to be unsubstantiated.
RULAND,W.H. Region 1 (Post 820201). 91/03/12. Region 1 (Post 820201). 1p. 87860:248-87860:248.

9604020455 Requests listed info re date of receipt of structural integrity test rept & integrated leak rate test.
SWARTZ,L.C. Hepford, Swartz, Menaker & Morgan. 96/03/18. RUSSELL,W.T. . 1p. 87731:336-87731:336.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220233 Provides NRC summary of activities at plant during first quarter of 1996.
KNUBEL,J. General Public Utilities Corp. - GPU Service Corp. 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87973:318-87973:319.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300247 "Radiological Environ Monitoring Rept TMI 1995." W/960423 ltr.
LONG,R.L. General Public Utilities Corp. - GPU Service Corp. 95/12/31. 185pp. 88061:001-88061:185.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604190243 Notifies of meeting on 960418 w/DOE in Rockville,MD to discuss technical issues relevant to licensing of independent spent fuel storage installation to house TMI-2 fuel debris.
* Office of Nuclear Material Safety & Safeguards. 96/04/02. Office of Nuclear Material Safety & Safeguards. 1p. 87937:352-87937:352.

DOCKET 50-321 EDWIN I. HATCH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090147 Discusses 960220 informational meeting in Atlanta,GA re EP Program at plant.List of attendees & presentation handouts encl.
SKINNER,P. Region 2 (Post 820201). 96/03/28. BECKHAM,J.T. Georgia Power Co. 6pp. 87773:111-87773:116.

9604110116 Forwards Rev 14B to "EI Hatch Nuclear Plant Units 1 & 2 FSAR Update" & Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
BECKHAM,J.T. Georgia Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87864:001-87864:329.

-9604110121 Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
* Georgia Power Co. 96/01/31. 34pp. 87864:291-87864:329.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230188 Forwards final integrated performance assessment repts 50-321/96-05 & 50-366/96-05 on 960212-23.Poor balance of plant equipment performance & matl condition caused numerous scrams,transients & downpowers which challenged operators.
GIBSON,A.F. Region 2 (Post 820201). 96/04/05. BECKHAM,J.T. Georgia Power Co. 3pp. 87953:162-87953:193.

-9604230200 Insp repts 50-321/96-05 & 50-366/96-05 on 960212-23,0311-22 & 0325-0405.No violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment/corrective action.
ROGERS,W.G., GIBSON,A.F. Region 2 (Post 820201). 96/04/04. 29pp. 87953:165-87953:193.

9604230085 Forwards rev to physical security plan.Encl withheld.
BECKHAM,J.T. Georgia Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 88002:337-88002:338.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604110116 Forwards Rev 14B to "EI Hatch Nuclear Plant Units 1 & 2 FSAR Update" & Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
BECKHAM,J.T. Georgia Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87864:001-87864:329.

-9604110119 Rev 14B to "EI Hatch Nuclear Plant Units 1 & 2 FSAR Update."
* Georgia Power Co. 96/03/31. 286pp. 87864:005-87864:290.

-9604110121 Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
* Georgia Power Co. 96/01/31. 34pp. 87864:291-87864:329.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100108 Advises that GE rept GENE-771-39-0794, "Suppl B to Shroud & Shroud Repair Hardware Stress Analysis," will be withheld from public disclosure ref 10CFR2.790,per 960304 request.
JABBOUR,K.N. . 96/04/08. BECKMAN,J.T. Georgia Power Co. 4pp. 87833:354-87833:357.

9604160333 Forwards SE approving third ten-year interval IST program for pumps & valves for plant,Units 1 & 2.
BERKOW,H.N. . 96/04/12. BECKHAM,J.T. Georgia Power Co. 4pp. 87909:039-87909:122.

-9604160348 Safety evaluation approving third ten-year interval IST program for pumps & valves for plant,Units 1 & 2.
* . 96/04/12. 80pp. 87909:043-87909:122.

9604170023 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
BECKHAM,J.T. Georgia Power Co. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87949:034-87949:036.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090175 Discusses 960227 regional staff semiannual plant performance review of plant & advises of planned insp effort resulting from review.
SKINNER,P.H. . 96/03/27. BECHAN,J.T. Georgia Power Co. 6pp. 87773:123-87773:128.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110085 Requests that NRC grant encl third 10-yr interval ISI program Requests for Relief RR-13 & RR-14,based on encl ASME Code Cases N-522 & N-532,respectively,in response to NRC RAI & clarification re util 960126 submittal.
BECKHAM,J.T. Georgia Power Co. 96/04/05. Document Control Branch (Document Control Desk). 16pp. 87847:206-87847:221.

9604230188 Forwards final integrated performance assessment repts 50-321/96-05 & 50-366/96-05 on 960212-23.Poor balance of plant equipment performance & matl condition caused numerous scrams,transients & downpowers which challenged operators.
GIBSON,A.F. Region 2 (Post 820201). 96/04/05. BECKHAM,J.T. Georgia Power Co. 3pp. 87953:162-87953:193.

--9604230200 Insp repts 50-321/96-05 & 50-366/96-05 on 960212-23,0311-22 & 0325-0405.No violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment/corrective action.
ROGERS,W.G., GIBSON,A.F. Region 2 (Post 820201). 96/04/04. 29pp. 87953:165-87953:193.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170027 Discusses ISI of reactor pressure vessel welds in support of util 951204 request for relief.
BECKHAM,J.T. Georgia Power Co. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87949:059-87949:063.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation,Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020014 "El Hatch Nuclear Plant Annual Environ Surveillance Rept for 1995." W/ 960326 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 89pp. 87722:233-87722:321.

9604250422 "El Hatch Nuclear Plant Radiological Environ Operating Rept for 1995." W/960419 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 43pp. 88023:048-88023:090.

9604160047 Monthly operating repts for Mar 1996 for El Hatch Nuclear Plant.W/960409 ltr.
ROGERS,S.B., BECKHAM,J.T. Georgia Power Co. 96/03/31. 13pp. 87894:319-87894:331.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604110048 LER 96-003-00:on 960309,PCIS valves closed unexpectedly & isolated reactor coolant leakage detection sys.Caused by component failure.Logic power fuse & relay coil replaced & Group 2 isolation signal reset.W/960405 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/04/08. 5pp. 87859:231-87859:235.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604220366 Part 21 rept re Struthers-Dunn time delay relays built in 1983 w/incorrect coils.To date MSD,Inc found nine relays as described,all at GPC Plant Hatch.Relays coils clearly marked & verification of correct coil can be visually accomplished.
MAHAFFEY,T.R. Affiliation Not Assigned. 96/04/19. NRC - No Detailed Affiliation Given. 3pp. 87990:358-87990:360.

9604220331 LER 96-004-00:on 960323,reactor pressure increased & reactor automatically shut down.Caused by inadequate sys operating procedure 34SO-N30-001-1S, "Main Turbine Operation." Procedures 34SO-N30-001-1S & -2S revised.W/960415 ltr.
TIPPS,S.B., BECKHAM,J.T. Georgia Power Co. 96/04/22. 6pp. 87991:305-87991:310.

9604230137 PNO-II-96-031:on 960420,licensee declared unusual event (UE) associated w/transport of potentially-contaminated injured individual offsite.UE exited when licensee determined that individual no longer contaminated.
CARRION,R.P. Region 2 (Post 820201). 96/04/22. 1p. 87994:242-87994:242.

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

W. Decommissioning Stage Documents & Correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

DOCKET 50-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150277 Forwards insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87872:027-87872:039.

--9604150280 Insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.Major areas inspected:physical security program including,control of personnel & packages,testing & maint,training & qualification,lighting,records & repts.
MURRAY,B. Region 4 (Post 820201). 96/04/04. 8pp. 87872:032-87872:039.

9604160031 Forwards insp repts 50-275/96-02 & 50-323/96-02 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87887:043-87887:076.

--9604160040 Notice of violation from insp on 960121-0302.Violation noted:none of personnel assigned to fire brigade shift watch on 951229,had completed bienniel training requirements.
* Region 4 (Post 820201). 96/04/10. 2pp. 87887:049-87887:050.

9604260013 Discusses Change 7 to Rev 18 to plant physical security plan & Change 1 to Rev 3 to safeguards contingency plan to incorporate required vehicle barrier sys & remove protection scheme as required by GL 89-07.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 88003:310-88003:314.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604010133 "Pacific Gas & Electric Co 1995 Annual Rept." W/960326 ltr.
SKINNER,S., ANGUS,M.J. Pacific Gas & Electric Co. 95/12/31. 59pp. 87719:001-87719:061.

P. Operating license stage documents & correspondence

9604030238 Clarifies description provided in LAR 95-05 of location & number of tanks providing temporary diesel fuel oil storage.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/22. Document Control Branch (Document Control Desk). 4pp. 87746:355-87746:358.

9604020114 Advises that NRC has been informed by Attorney General of State of California investigating allegations that facility failed to provide complete & accurate info about effects of plant intake sys on ocean life.
BLOOM,S.D. . 96/03/27. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 87725:306-87725:308.

9604030204 Forwards notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. RUEGER,G.M. Pacific Gas & Electric Co. 3pp. 87722:210-87722:214.

--9604030217 Notice of proposed corporate restructuring of util.
BLOOM,S.D. . 96/03/29. 2pp. 87722:213-87722:214.

9604080117 Notifies NRC of plans to defer by cycle remedial action planned for Unit 2 Alloy 600 thermally treated SG tube plugs.
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87814:309-87814:310.

9604080123 Forwards corrected figures for rept re sizing of primary water stress corrosion cracking indications in dented SG tubes pulled during Unit 1 seventh refueling outage.
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/02. Document Control Branch (Document Control Desk). 4pp. 87803:357-87803:360.

9604040162 Forwards License Amend Request 96-06 to Licenses DPR-80 & DPR-82,revising Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards Air Filtration Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87766:329-87766:353.

--9604040166 License Amend Request 96-06 to Licenses DPR-80 & DPR-82, revising Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards air Filtration Sys."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/03. 7pp. 87766:331-87766:337.

--9604040169 Proposed Tech Specs 3/4.7.5, "Control Room Ventilation Sys" & 3/4.7.6, "Auxiliary Bldg Safeguards Air Filtration Sys."
* Pacific Gas & Electric Co. 96/04/03. 16pp. 87766:338-87766:353.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240006 Submits corrections to amends 89 & 88 to licenses DPR-80 & DPR-82 for DCNPP,Units 1 & 2,revising TS re ESFAS & SR & clarified containment fan cooling unit configurations.
BLOOM,S.D. . 96/04/16. RUEGER,G.M. Pacific Gas & Electric Co. 2pp. 87972:221-87972:224.

--9604240077 Corrected TS pp to amends 89 & 88 to licenses DPR-80 & DPR-82,revising TS re ESFAS instrumentation & SR & clarified containment fan cooling unit configurations.
* NRC - No Detailed Affiliation Given. 96/04/16. 2pp. 87972:223-87972:224.

9604250100 Responds to GL 96-01, "Testing of SR Logic Circuits."
RUEGER,G.M. Pacific Gas & Electric Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87998:160-87998:162.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080161 Advises of planned insp effort resulting from PPR review providing to minimize resource impact on staff & to allow for scheduling conflicts & personnel availability to be resolved in advance of inspector arrival onsite.
DYER,J.E. Region 4 (Post 820201). 96/04/03. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87772:019-87772:024.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150328 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
WOMACK,L.F. Pacific Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 15pp. 87896:196-87896:210.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604150277 Forwards insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87872:027-87872:039.

--9604150280 Insp repts 50-275/96-05 & 50-323/96-05 on 960318-22.No violations noted.Major areas inspected:physical security program including,control of personnel & packages,testing & maint,training & qualification,lighting,records & repts.
MURRAY,B. Region 4 (Post 820201). 96/04/04. 8pp. 87872:032-87872:039.

9604160031 Forwards insp repts 50-275/96-02 & 50-323/96-02 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/10. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87887:043-87887:076.

--9604160040 Notice of violation from insp on 960121-0302.Violation noted:none of personnel assigned to fire brigade shift watch on 951229,had completed bienniel training requirements.
* Region 4 (Post 820201). 96/04/10. 2pp. 87887:049-87887:050.

--9604160043 Insp repts 50-275/96-02 & 50-323/96-02 on 960121-0302. Violations noted.Major areas inspected:operation safety verification,maint observations,surveillance observations, onsite engineering & plant support activities.
WONG,H.J. Region 4 (Post 820201). 96/04/09. 25pp. 87887:051-87887:076.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604190009 Forwards insp repts 50-275/96-01 & 50-323/96-01 on 960108- 12.Violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. RUEGER,G.M. Pacific Gas & Electric Co. 6pp. 87920:289-87920:306.

–9604190011 Insp repts 50-275/96-01 & 50-323/96-01 on 960108-0329. Violations noted.Major areas inspected:Licensee Event Repts 50-275/95-S02-00 & 50-323/95-S02-00 which involved improper granting of unescorted access authorization to individual.
MURRAY,B. Region 4 (Post 820201). 96/04/05. 12p. 87920:295-87920:306.

9604230378 Forwards corrected pages to insp repts 50-275/96-01 & 50-323/96-01 dtd 960411.
GWYNN,T.P. Region 4 (Post 820201). 96/04/18. RUEGER,G.M. Pacific Gas & Electric Co. 5pp. 87967:268-87967:273.

–9604240021 Corrected pages to insp repts 50-275/96-01 & 50-323/96-01. Correction due to administrative error.
GWYNN,T.P. Region 4 (Post 820201). 96/04/18. 1p. 87967:273-87967:273.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010120 "Tabulation of Personnel Exposure to Radiation for Year 1995." W/960322 ltr.
RUEGER,G.M. Pacific Gas & Electric Co. 95/12/31. 5pp. 87697:339-87697:343.

9604190118 Monthly operating repts for March 1996 for DCNPP.W/960415 ltr.
COLEY,W.E., FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/31. 21pp. 87939:213-87939:233.

9604240182 "First Quarter 1996 Rept on Discharge Monitoring at Diablo Canyon Power Plant." W/960419 ltr.
FUJIMOTO,W.H. Pacific Gas & Electric Co. 96/03/31. BRIGGS,R.W. California, State of. 90pp. 88016:178-88016:267.

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604050199 Forwards public version of Rev 54 to Plant Emergency Procedure App A, "Emergency Response Resources." W/960404 ltr.
HICKS,G.D. Carolina Power & Light Co. 96/03/25. Document Control Branch (Document Control Desk). 5pp. 87800:232-87800:259.

–9604090085 Public version of Rev 54 to Plant Emergency Procedure App A, "Emergency Response Resources."
NEWTON,R. Carolina Power & Light Co. 96/02/29. 23pp. 87800:237-87800:259.

9604150275 Forwards two recent repts illustrating database concept w/agencies concerned w/routing,emergency mgt & other issues re transportation of radioactive matls.W/o encl.
CAMPBELL,S.G. Affiliation Not Assigned. 96/04/02. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 87872:026-87872:026.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320. .

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190092 Requests that submittal be withdrawn pending resubmittal to coincide w/ ongoing enhancements to site security barriers & access control stations.
HICKS,G.D. Carolina Power & Light Co. 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87951:305-87951:306.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

J. Insurance & Indemnity Information

9604010298 Submits info re present level & source of onsite property damage insurance at BSEP,SHNPP & HB Robinson.
WALT,T.D. Carolina Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87719:190-87719:192.

P. Operating license stage documents & correspondence

9604080397 Application for amends to licenses DPR-62 & DPR-71,revising TS to allow uprate of facilities to 105% of rated thermal power.Proprietary & nonproprietary versions of GE "Power Uprate SAR for BSEP..." encl.Proprietary GE rept withheld.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/02. Document Control Branch (Document Control Desk). 27pp. 87826:001-87826:091.

–9604080402 Proposed tech specs,allowing 105% thermal power uprate.
* Carolina Power & Light Co. 96/04/02. 49pp. 87826:028-87826:076.

–9604080403 Nonproprietary version of Suppl 1 to "Power Uprate SAR for BSEP Units 1 & 2."
BALL,M.E. General Electric Co. HELME,R.E. Carolina Power & Light Co. NEDO-32466 S01. 96/03/31. 15pp. 87826:077-87826:091.

9604150275 Forwards two recent repts illustrating database concept w/agencies concerned w/routing,emergency mgt & other issues re transportation of radioactive matls.W/o encl.
CAMPBELL,S.G. Affiliation Not Assigned. 96/04/02. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 87872:026-87872:026.

9604120075 Application for amends to licenses DPR-62 & DPR-71, respectively,revising TS 3.0 & 4.0 & bases re applicability & SRs,per guidance in GL 87-09 & NUREG-1433.
LEVIS,W. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87863:001-87863:146.

–9604120077 Proposed tech specs 3.0 & 4.0 & bases re applicability & SR.
* Carolina Power & Light Co. 96/04/04. 131pp. 87863:015-87863:146.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604190104 Notifies NRC staff that plant,completed implementing MOV program,per GL 89-10.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87957:339-87957:341.

9604220346 Notification of 960430 meeting w/util in Rockville,MD to discuss plant power uprate,conversion to revised Std TS & 24-month surveillance.
MOZAFARI,B. . 96/04/17. IMBRO,E.V. . 4pp. 87955:357-87955:361.

9604230349 Forwards RAI re internal event analysis in 950630 submittal on IPE including accident sequence core damage frequency analysis,human reliability analysis & containment performance analysis.
MOZAFARI,B. . 96/04/18. CAMPBELL,W.R. Carolina Power & Light Co. 8pp. 87972:202-87972:209.

9604240216 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88008:334-88008:338.

9604290338 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power Operated Gate Valves."
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/26. Document Control Branch (Document Control Desk). 3pp. 88040:330-88040:332.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160072 Responds to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
HICKS,G.D. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87914:335-87914:339.

9604220251 Discusses insp repts 50-324/96-03 & 50-325/96-03 on 960205- 09 & forwards notice of violation.
EBNETER,S.D. Region 2 (Post 820201). 96/04/04. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 87935:288-87935:328.

–9604220261 Notice of violation from insp on 960205-09.Violation noted: licensee failed to implement chemical testing program.
* Region 2 (Post 820201). 96/04/04. 34pp. 87935:295-87935:328.

9604180418 Forwards insp rept 50-324/96-06 & 50-325/96-06 on 960326-28. No violations noted.
CHRISTENSEN,H. Region 2 (Post 820201). 96/04/05. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88009:075-88009:087.

–9604180426 Insp repts 50-324/96-06 & 50-325/96-06 on 960326-28.No violations noted.Major areas inspected:review of completed insp packages for piping welds,review of comparison ISI data w/PSI records & more.
BLAKE,J.J. Region 2 (Post 820201). 96/04/05. 10pp. 88009:078-88009:087.

9604220224 Discusses PPR of Brunswick conducted on 960229.PPR involved participation of technical divisions in evaluating inspection results & safety performance information for Oct 1995 to Feb 1996.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/05. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 87935:181-87935:185.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240143 Forwards response to NRC 960318 ltr re violations noted in insp repts 50-324/96-01 & 50-325/95-01 on 960107-0217. Corrective actions:assessment was performed on any outstanding discrepancies associated w/DG II.1.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/17. Document Control Branch (Document Control Desk). 8pp. 88010:238-88010:245.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604240203 Monthly operating repts for Mar 1996 for Brunswick Steam Electric Plant,Units 1 & 2.W/960417 ltr.
HARRISON,F., LOPRIORE,R.P. Carolina Power & Light Co. 96/03/31. 10pp. 88008:343-88008:352.

S. Reportable occurrences, LERs & related correspondence

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

–9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604230048 LER 96-003-00:on 960317,dual unit shutdown occurred due to SW pump inoperability.Repaired SWPs & replaced corroded bolting w/Hastelloy matl.W/960416 ltr.
TABOR,S., LOPRIORE,R.P. Carolina Power & Light Co. 96/04/16. 9pp. 87992:349-87992:357.

9604300386 LER 96-001-01:on 960202,planned reactor manual scram inserted to support start of Unit 2 B212R1 refueling outage. Caused by accelerated aging.New assemblies replaced & increased frequency of monitoring performance.W/960426 ltr.
TABOR,S., LEVIS,W. Carolina Power & Light Co. 96/04/26. 5pp. 88066:200-88066:204.

V. Operator Examinations

9604040214 Requests termination of listed reactor operator license due to change in job functions.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/01. EBNETER Document Control Branch (Document Control Desk). 1p. 87771:171-87771:171.

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604050199 Forwards public version of Rev 54 to Plant Emergency Procedure App A, "Emergency Response Resources." W/960404 ltr.
HICKS,G.D. Carolina Power & Light Co. 96/03/25. Document Control Branch (Document Control Desk). 5pp. 87800:232-87800:259.

–9604090085 Public version of Rev 54 to Plant Emergency Procedure App A, "Emergency Response Resources."
NEWTON,R. Carolina Power & Light Co. 96/02/29. 23pp. 87800:237-87800:259.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190092 Requests that submittal be withdrawn pending resubmittal to coincide w/ ongoing enhancements to site security barriers & access control stations.
HICKS,G.D. Carolina Power & Light Co. 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87951:305-87951:306.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

J. Insurance & Indemnity Information

9604010298 Submits info re present level & source of onsite property damage insurance at BSEP,SHNPP & HB Robinson.
WALT,T.D. Carolina Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87719:190-87719:192.

P. Operating license stage documents & correspondence

9604080397 Application for amends to licenses DPR-62 & DPR-71,revising TS to allow uprate of facilities to 105% of rated thermal power.Proprietary & nonproprietary versions of GE "Power Uprate SAR for BSEP..." encl.Proprietary GE rept withheld.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/02. Document Control Branch (Document Control Desk). 27pp. 87826:001-87826:091.

–9604080402 Proposed tech specs,allowing 105% thermal power uprate.
* Carolina Power & Light Co. 96/04/02. 49pp. 87826:028-87826:076.

–9604080403 Nonproprietary version of Suppl 1 to "Power Uprate SAR for BSEP Units 1 & 2."
BALL,M.E. General Electric Co. HELME,R.E. Carolina Power & Light Co. NEDO-32466 S01. 96/03/31. 15pp. 87826:077-87826:091.

9604120075 Application for amends to licenses DPR-62 & DPR-71, respectively,revising TS 3.0 & 4.0 & bases re applicability & SRs,per guidance in GL 87-09 & NUREG-1433.
LEVIS,W. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87863:001-87863:146.

–9604120077 Proposed tech specs 3.0 & 4.0 & bases re applicability & SR.
* Carolina Power & Light Co. 96/04/04. 131pp. 87863:015-87863:146.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160092 Application for amend to license DPR-71,revising MCPR safety limits in TS 2.1.2 from 1.07 to 1.09 for cycle 11 operation & revising TS 5.3.1 to reflect new fuel type GE13 that will be used during refueling outage 10.
LEVIS,W. Carolina Power & Light Co. 96/04/08. Document Control Branch (Document Control Desk). 18pp. 87915:170-87915:196.

–9604160095 Proposed tech specs 2.1.2 revising MCPR safety limits from 1.07 to 1.09 for cycle 11 operation,TS 5.3.1 to reflect GE13 fuel & Figure 3.1.5-1 to reflect changes to poison matl concentration needed to achieve reactor shutdown.
* Carolina Power & Light Co. 96/04/08. 9pp. 87915:188-87915:196.

9604190104 Notifies NRC staff that plant,completed implementing MOV program,per GL 89-10.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87957:339-87957:341.

9604220346 Notification of 960430 meeting w/util in Rockville,MD to discuss plant power uprate,conversion to revised Std TS & 24-month surveillance.
MOZAFARI,B. . 96/04/17. IMBRO,E.V. . 4pp. 87955:357-87955:361.

9604230349 Forwards RAI re internal event analysis in 950630 submittal on IPE including accident sequence core damage frequency analysis,human reliability analysis & containment performance analysis.
MOZAFARI,B. . 96/04/18. CAMPBELL,W.R. Carolina Power & Light Co. 8pp. 87972:202-87972:209.

9604240216 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88008:334-88008:338.

9604290338 Responds to GL 95-07, "Pressure Locking & Thermal Binding of SR Power Operated Gate Valves."
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/26. Document Control Branch (Document Control Desk). 3pp. 88040:330-88040:332.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160072 Responds to NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
HICKS,G.D. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87914:335-87914:339.

9604220251 Discusses insp repts 50-324/96-03 & 50-325/96-03 on 960205- 09 & forwards notice of violation.
EBNETER,S.D. Region 2 (Post 820201). 96/04/04. CAMPBELL,W.R. Carolina Power & Light Co. 7pp. 87935:288-87935:328.

-9604220261 Notice of violation from insp on 960205-09.Violation noted: licensee failed to implement chemical testing program.
* Region 2 (Post 820201). 96/04/04. 34pp. 87935:295-87935:328.

9604180418 Forwards insp rept 50-324/96-06 & 50-325/96-06 on 960326-28. No violations noted.
CHRISTENSEN,H. Region 2 (Post 820201). 96/04/05. CAMPBELL,W.R. Carolina Power & Light Co. 3pp. 88009:075-88009:087.

-9604180426 Insp repts 50-324/96-06 & 50-325/96-06 on 960326-28.No violations noted.Major areas inspected:review of completed insp packages for piping welds,review of comparison ISI data w/PSI records & more.
BLAKE,J.J. Region 2 (Post 820201). 96/04/05. 10pp. 88009:078-88009:087.

9604220224 Discusses PPR of Brunswick conducted on 960229.PPR involved participation of technical divisions in evaluating inspection results & safety performance information for Oct 1995 to Feb 1996.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/05. CAMPBELL,W.R. Carolina Power & Light Co. 5pp. 87935:181-87935:185.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240143 Forwards response to NRC 960318 ltr re violations noted in insp repts 50-324/96-01 & 50-325/95-01 on 960107-0217. Corrective actions:assessment was performed on any outstanding discrepancies associated w/DG II.1.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/17. Document Control Branch (Document Control Desk). 8pp. 88010:238-88010:245.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604240203 Monthly operating repts for Mar 1996 for Brunswick Steam Electric Plant,Units 1 & 2.W/960417 ltr.
HARRISON,F., LOPRIORE,R.P. Carolina Power & Light Co. 96/03/31. 10pp. 88008:343-88008:352.

S. Reportable occurrences, LERs & related correspondence

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

-9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604290054 LER 96-004-00:on 960321,standby gas treatment sys charcoal testing to pre & post sweep temperature not performed.Caused by vendor interpretation of Reg Guide 1.52,rev 1.C/A: testing samples completed on 960326.W/960419 ltr.
TURKAL,M.A., LEVIS,W. Carolina Power & Light Co. 96/04/19. 4pp. 88045:282-88045:286.

V. Operator Examinations

9604040214 Requests termination of listed reactor operator license due to change in job functions.
CAMPBELL,W.R. Carolina Power & Light Co. 96/04/01. EBNETER Document Control Branch (Document Control Desk). 1p. 87771:171-87771:171.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604080245 Rev 17 to EPIP-1, "Emergency Plan Classification Matrix." W/ 960327 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/03/27. 36pp. 87815:247-87815:299.

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230321 Forwards insp repts 50-327/96-03 & 50-328/96-03. No violations noted.
FREDERICKSON,P. Region 2 (Post 820201). 96/04/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87967:246-87967:256.

9604240248 Forwards info re Physical Security Plan,Rev 1.Encl withheld.
SHELL,R.H. Tennessee Valley Authority. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88010:311-88010:312.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010209 Requests addl info re reliability of offsite power study (TIA 94-021).
LABARGE,D.E. . 96/03/27. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87685:171-87685:174.

9604080368 Forwards info requested by NRC during 960220 telcon re TS Change Request 92-07,including TVA methodology for determining RCS loss-of-flow reactor trip setpoint.
SHELL,R.H. Tennessee Valley Authority. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87815:344-87815:348.

9604020362 Forwards notice of withdrawal of 921116 & 930903 requests for amend to licenses DPR-77 & DPR-79,respectively,per 960311 telcon.Amend would have modified TS re min value specified for RCS total flow rate requirement in TS 3.2.5.
LABARGE,D.E. . 96/03/29. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 87725:267-87725:270.

-9604020367 Notice of withdrawal of 921116 & 930903 requests for amend to licenses DPR-77 & DPR-79,respectively.
LABARGE,D.E. . 96/03/29. 2pp. 87725:269-87725:270.

9604030134 Informs that licensee 960304 request to withhold NSD-SGD-1212 from public disclosure per 10CFR2.790,granted.
LABARGE,D.E. . 96/03/29. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87736:340-87736:342.

9604080356 Forwards info requested in NRC 951201 RAI re IPE of External Event,per GL 87-20,Suppl 4.
SHELL,R.H. Tennessee Valley Authority. 96/03/29. Document Control Branch (Document Control Desk). 447pp. 87802:001-87803:083.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9604100179 Summarizes 960325 meeting w/util representatives re recent operational performance.Forwards list of attendees,meeting handout & mutually agreed to addl info.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 56pp. 87812:272-87812:327.

9604080195 Forwards info associated w/analysis performed for canopy seal weld repair on facility during Cycle 7 refueling outage,as requested during telcon w/NRC.
SHELL,R.H. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 9pp. 87803:346-87803:354.

9604090072 TS Change 96-01 to licenses DPR-77 & DPR-79,allowing use of nuclear fuel provided by Framatome Cogema Fuels (FCF). Proprietary & nonproprietary versions of FCF TR supporting TS Change 96-01 encl.Proprietary version of TR withheld.
SHELL,R.H. Tennessee Valley Authority. 96/04/04. Document Control Branch (Document Control Desk). 3pp. 87827:001-87829:043.

-9604090078 Proposed tech specs,allowing conversion from Westinghouse fuel to fuel provided by Framatome Cogema Fuels.
* Tennessee Valley Authority. 96/04/04. 86pp. 87827:004-87827:089.

-9604090094 Forwards proprietary Topical Rept BAW-10220P, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2." Proprietary rept withheld (ref 10CFR2.790).
TAYLOR,J.H. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/03/05. Document Control Branch (Document Control Desk). 396pp. 87827:090-87828:121.

-9604090100 Nonproprietary TR, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2."
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. BAW-10220NP R00. 96/03/31. 286pp. 87828:122-87829:043.

9604090411 Forwards allegation RII-95-A-0078 info for review & appropriate action.Requests that insps or investigations be conducted to reasonably prove or disprove concerns & that NRC be informed of resolution of matter.W/o encl.
MERCHOFF,E.W. Region 2 (Post 820201). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87793:348-87793:351.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

9604250291 Supplemental info for TS Change 92-07 & provides most current "K" values associated w/reactor coolant sys loss-of-flow reactor trip function.
SHELL,R.H. Tennessee Valley Authority. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88023:278-88023:280.

9604250407 Informs that licensee 960404 request to withhold Framatome Cogema Fuels Document BAW-10220P,Rev 0, "Mark-BW Fuel Assembly Application for Plant," dtd Mar 1996 from public disclosure per 10CFR2.790,acceptable.
LABARGE,D.E. . 96/04/22. TAYLOR,J.H. . 3pp. 87998:178-87998:180.

9604300131 Forwards request for relief from ASME code for replacement of ASME Code Class 3 piping.TVA will replace piping prior to start-up from Unit 1 Cycle 8 refueling outage & perform quarterly exams to ensure no further pipe degradations.
SHELL,R.H. Tennessee Valley Authority. 96/04/23. Document Control Branch (Document Control Desk). 6pp. 88067:065-88067:070.

9604290167 Forwards safety evaluation re relief from ASME code repair requirements for Canopy Seal Welds,for plant Unit 1.
HEBDON,F.J. . 96/04/24. KINGSLEY,O.D. Tennessee Valley Authority. 1p. 88036:307-88036:313.

-9604290171 Safety evaluation approving relief from ASME code repair requirements for Canopy Seal Welds,for plant Unit 1.
* . 96/04/24. 6pp. 88036:308-88036:313.

9604290112 Informs of assignment of new project managers to Sequoyah & Watts Bar Nuclear Plants.
VARGA,S.A. . 96/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88036:355-88036:356.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604030164 Ack receipt of 960226 ltr informing NRC of steps taken to correct violations noted in 931202 NOV re FC Smith complaint of discrimination by TVA.Violation occurred as stated.
LIBERMAN,J. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87721:138-87721:140.

9604090234 Ack receipt of 960315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/95-26, 50-328/95-26,50-327/95-27 & 50-328/95-27.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87793:352-87793:354.

9604090185 Advises of planned insp effort resulting from plant PPR review completed on 960304 for period 950903-960301.Encl details insp plan for next six months.
LESSER,M.S. Region 2 (Post 820201). 96/04/03. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87806:215-87806:221.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604080210 Provides response to NRC 960214 RAI re insp repts 50-327/95-18 & 50-328/95-18,including corrective actions & schedule for resolution of degraded condition w/ECCS throttle valves.
ADNEY,R.J. Tennessee Valley Authority. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87817:234-87817:235.

9604110083 Provides response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
BARON,R.R. Tennessee Valley Authority. 96/04/05. Document Control Branch (Document Control Desk). 19pp. 87856:133-87856:151.

9604230321 Forwards insp repts 50-327/96-03 & 50-328/96-03. No violations noted.
FREDERICKSON,P. Region 2 (Post 820201). 96/04/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87967:246-87967:256.

-9604230332 Insp repts 50-327/96-03 & 50-328/96-03 on 960311-15.No violations noted.Major areas inspected:effectiveness of mgt controls,security program plans & testing & maint.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/04/08. 8pp. 87967:249-87967:256.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170061 Monthly operating repts for Mar 1996 for Sequoyah Nuclear Plant,Units 1 & 2.W/960411 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/03/31. 10pp. 87949:110-87949:119.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

-9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

S. Reportable occurrences, LERs & related correspondence

9604120030 Special Rept 96-02 on 960305,fire detector in fan room on Elevation 714 of auxiliary bldg nonfunctional for period greater than allowed by TS due to moisture-induced oxidation on contacts.Fire watch established.
SHELL,R.H. Tennessee Valley Authority. 96/04/08. Document Control Branch (Document Control Desk). 3pp. 87863:152-87863:154.

9604300336 LER 96-003-00:on 960325,failure to perform surveillance requirements for penetration fire barrier insps as required by Tech Specs occurred.Caused by personnel error.Appropriate disciplinary action taken w/individuals.W/960424 ltr.
BAJRASZESKI,J., ADNEY,R.J. Tennessee Valley Authority. 96/04/24. 7pp. 88066:155-88066:161.

DOCKET 50-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604080245 Rev 17 to EPIP-1, "Emergency Plan Classification Matrix." W/ 960327 ltr.
SHELL,R.H. Tennessee Valley Authority. 96/03/27. 36pp. 87815:247-87815:299.

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230321 Forwards insp repts 50-327/96-03 & 50-328/96-03. No violations noted.
FREDERICKSON,P. Region 2 (Post 820201). 96/04/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87967:246-87967:256.

-9604230332 Insp repts 50-327/96-03 & 50-328/96-03 on 960311-15.No violations noted.Major areas inspected:effectiveness of mgt controls,security program plans & testing & maint.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/04/08. 8pp. 87967:249-87967:256.

9604240248 Forwards info re Physical Security Plan,Rev 1.Encl withheld.
SHELL,R.H. Tennessee Valley Authority. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88010:311-88010:312.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010209 Requests addl info re reliability of offsite power study (TIA 94-021).
LABARGE,D.E. . 96/03/27. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87685:171-87685:174.

9604080368 Forwards info requested by NRC during 960220 telcon re TS Change Request 92-07,including TVA methodology for determining RCS loss-of-flow reactor trip setpoint.
SHELL,R.H. Tennessee Valley Authority. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87815:344-87815:348.

9604020362 Forwards notice of withdrawal of 921116 & 930903 requests for amend to licenses DPR-77 & DPR-79,respectively,per 960311 telcon.Amend would have modified TS re min value specified for RCS total flow rate requirement in TS 3.2.5.
LABARGE,D.E. . 96/03/29. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 87725:267-87725:270.

-9604020367 Notice of withdrawal of 921116 & 930903 requests for amend to licenses DPR-77 & DPR-79,respectively.
LABARGE,D.E. . 96/03/29. 2pp. 87725:269-87725:270.

9604030134 Informs that licensee 960304 request to withhold NSD-SGD-1212 from public disclosure per 10CFR2.790,granted.
LABARGE,D.E. . 96/03/29. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87736:340-87736:342.

9604080356 Forwards info requested in NRC 951201 RAI re IPE of External Event,per GL 87-20,Suppl 4.
SHELL,R.H. Tennessee Valley Authority. 96/03/29. Document Control Branch (Document Control Desk). 447pp. 87802:001-87803:083.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9604100179 Summarizes 960325 meeting w/util representatives re recent operational performance.Forwards list of attendees,meeting handout & mutually agreed to addl info.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 56pp. 87812:272-87812:327.

9604050427 Forwards amend 211 to license DPR-79 & safety evaluation. Amend revises TS surveillance requirements & bases to incorporate alternate S/G tube plugging criteria at TSP intersections.
LABARGE,D.E. . 96/04/03. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 87758:332-87758:360.

-9604050438 Amend 211 to license DPR-79,revising TS re surveillance requirements & bases to incorporate alternate S/G tube plugging criteria at TSP intersections.
* . 96/04/03. 13pp. 87758:334-87758:346.

-9604050446 Safety evaluation supporting amend 211 to license DPR-79.
* . 96/04/03. 13pp. 87758:347-87758:360.

9604090072 TS Change 96-01 to licenses DPR-77 & DPR-79,allowing use of nuclear fuel provided by Framatome Cogema Fuels (FCF). Proprietary & nonproprietary versions of FCF TR supporting TS Change 96-01 encl.Proprietary version of TR withheld.
SHELL,R.H. Tennessee Valley Authority. 96/04/04. Document Control Branch (Document Control Desk). 3pp. 87827:001-87829:043.

-9604090078 Proposed tech specs,allowing conversion from Westinghouse fuel to fuel provided by Framatome Cogema Fuels.
* Tennessee Valley Authority. 96/04/04. 86pp. 87827:004-87827:089.

-9604090094 Forwards proprietary Topical Rept BAW-10220P, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2." Proprietary rept withheld (ref 10CFR2.790).
TAYLOR,J.H. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/03/05. Document Control Branch (Document Control Desk). 396pp. 87827:090-87828:121.

-9604090100 Nonproprietary TR, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2."
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. BAW-10220NP R00. 96/03/31. 286pp. 87828:122-87829:043.

9604090411 Forwards allegation RII-95-A-0078 info for review & appropriate action.Requests that insps or investigations be conducted to reasonably prove or disprove concerns & that NRC be informed of resolution of matter.W/o encl.
MERCHOFF,E.W. Region 2 (Post 820201). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87793:348-87793:351.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

9604250291 Supplemental info for TS Change 92-07 & provides most current "K" values associated w/reactor coolant sys loss-of-flow reactor trip function.
SHELL,R.H. Tennessee Valley Authority. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88023:278-88023:280.

9604250407 Informs that licensee 960404 request to withhold Framatome Cogema Fuels Document BAW-10220P,Rev O, "Mark-BW Fuel Assembly Application for Plant," dtd Mar 1996 from public disclosure per 10CFR2.790,acceptable.
LABARGE,D.E. . 96/04/22. TAYLOR,J.H. . 3pp. 87998:178-87998:180.

9604290112 Informs of assignment of new project managers to Sequoyah & Watts Bar Nuclear Plants.
VARGA,S.A. . 96/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88036:355-88036:356.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604030164 Ack receipt of 960226 ltr informing NRC of steps taken to correct violations noted in 931202 NOV re FC Smith complaint of discrimination by TVA.Violation occurred as stated.
LIBERMAN,J. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87721:138-87721:140.

9604090234 Ack receipt of 960315 ltr informing NRC of steps taken to correct violations noted in insp repts 50-327/95-26, 50-328/95-26,50-327/95-27 & 50-328/95-27.
LESSER,M.S. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87793:352-87793:354.

9604090185 Advises of planned insp effort resulting from plant PPR review completed on 960304 for period 950903-960301.Encl details insp plan for next six months.
LESSER,M.S. Region 2 (Post 820201). 96/04/03. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87806:215-87806:221.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604080210 Provides response to NRC 960214 RAI re insp repts 50-327/95-18 & 50-328/95-18,including corrective actions & schedule for resolution of degraded condition w/ECCS throttle valves.
ADNEY,R.J. Tennessee Valley Authority. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87817:234-87817:235.

9604110083 Provides response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
BARON,R.R. Tennessee Valley Authority. 96/04/05. Document Control Branch (Document Control Desk). 19pp. 87856:133-87856:151.

9604230321 Forwards insp repts 50-327/96-03 & 50-328/96-03. No violations noted.
FREDERICKSON,P. Region 2 (Post 820201). 96/04/08. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87967:246-87967:256.

-9604230332 Insp repts 50-327/96-03 & 50-328/96-03 on 960311-15.No violations noted.Major areas inspected:effectiveness of mgt controls,security program plans & testing & maint.
STANSBERRY,W.W., FREDRICKSON,P. Region 2 (Post 820201). 96/04/08. 8pp. 87967:249-87967:256.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170061 Monthly operating repts for Mar 1996 for Sequoyah Nuclear Plant,Units 1 & 2.W/960411 ltr.
HOLLOMON,T.J., SHELL,R.H. Tennessee Valley Authority. 96/03/31. 10pp. 87949:110-87949:119.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

-9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

9604170024 Corrected Rev 5 to EPIP 5.2, "Recovery & Re-Entry," correcting rev number on pages 2-21.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/03/06. 22pp. 87949:037-87949:058.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260111 Forwards Change 34 to security plan.Encl withheld,per 10CFR73.21.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/19.
RUSSELL,W.T. . 2pp. 88009:359-88009:360.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150149 Revised application for amend to license DPR-49,rewording request for consistency w/NUREG-1433,rev 1.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/09.
RUSSELL,W.T. . 8pp. 87888:264-87888:278.

-9604150151 Proposed tech specs re recirculation pump trip min operable channels.
* IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/09. 7pp. 87888:272-87888:278.

9604230265 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/17.
RUSSELL,W.T. . 4pp. 87979:286-87979:289.

9604290270 Documents util intention to resolve listed inconsistencies & inaccuracies by revising UFSAR Section 9.1 to more clearly reflect current refueling practices analyzed & licensed in Amend 195 & to revise operating procedures,accordingly.
BESSETTE,P.M. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88033:359-88033:360.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250279 Forwards insp rept 50-331/96-02 on 960117-0308 & NOV. Violations of concern because failure resulted in performance of incorrect maint activities on pumps in both decisions of river water supply sys.
AXELSON,W.L. Region 3 (Post 820201). 96/04/12. LIU,L. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 3pp. 87995:339-87995:356.

-9604250281 Notice of violation from insp on 960117-0308.Violation noted:weak controls in licensee engineered maint action process,identified in Sept 1994.
* Region 3 (Post 820201). 96/04/12. 1p. 87995:342-87995:342.

-9604250285 Insp rept 50-331/96-02 on 960117-0308.Violations noted.Major areas inspected:plant operations,maint,surveillance,onsite engineering & plant support.
LANKSBURY,R.D. Region 3 (Post 820201). 96/04/12. 14pp. 87995:343-87995:356.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290358 "DAEC Annual Radioactive Matl Release Rept Jan-Dec 1995." W/ 960426 ltr.
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 95/12/31. MILLER,H. Region 3 (Post 820201). 284pp. 88037:001-88037:284.

9604170064 Monthly operating rept for Mar 1996 for DAEC.W/960412 ltr.
WOODWARD,R., MIDDLESWORTH,G. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/03/31. MILLER,H.J. Region 3 (Post 820201). 6pp. 87949:120-87949:125.

9604290382 Forwards DAEC 1995 annual radiological environ operating rept.
VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/26. MILLER,H. Region 3 (Post 820201). 1p. 88039:001-88039:129.

-9604290390 DAEC 1995 annual radiological environ operating rept.
HUEBNER,L.G. Teledyne Isotopes. 95/12/31. 128pp. 88039:002-88039:129.

S. Reportable occurrences, LERs & related correspondence

9604300180 LER 96-001-00:on 960325,core average control rod scram time to notch position 46 exceeded TS limit.Caused by adhesion between the viton SSPV diaphragm & SSPV seat.C/A:addl SSPV testing will be performed.W/960424 ltr.
SUEPER,L., VANMIDDLESWORTH IES Utilities Inc., (formerly Iowa Electric Light & Power Co). 96/04/24. 4pp. 88066:052-88066:055.

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F. Security, medical, emergency & fire protection plans

9604020219 Revised EPIPs,including EPIPs/Vol 2 update,Rev 5 to EAP-4.1, "Release Rate Determination" & Rev 14 to EAP-14.2, "EOF Activation."
* Power Authority of the State of New York (New York Power Authority). 96/03/27. 15pp. 87727:334-87727:348.

I. Financial information

9604220204 "New York Power Authority 1995 Annual Rept." W/960417 ltr.
PATAKI,G.E., RAPPLEYEA,C.D., CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 95/12/31. 46pp. 87985:288-87985:333.

P. Operating license stage documents & correspondence

9604010063 Forwards application for amend to license & proposed TS, supporting adoption of primary containment LRT requirements of Option B to 10CFR50,App J at plant & clarifies numerical value of allowable containment LRT as 1.5% per day.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87695:238-87695:302.

-9604010066 Application for amend to license DPR-59,adopting primary containment LRT requirements of Option B to 10CFR50,App J at plant & clarifies numerical value of allowable containment LRT as 1.5% per day.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/03/27. 1p. 87695:240-87695:240.

-9604010068 Proposed tech specs.supporting adoption of primary containment LRT requirements of Option B to 10CFR50,App J at plant & clarifies numerical value of allowable containment LRT as 1.5% per day.
* Power Authority of the State of New York (New York Power Authority). 96/03/27. 62pp. 87695:241-87695:302.

9604030155 Submits description of on-line stability monitor to be installed to augment Option 1-D reactor stability solution & application to plant,per GL 94-02.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/03/29. Document Control Branch (Document Control Desk). 3pp. 87746:336-87746:338.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604180062 Provides response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/15. Document Control Branch (Document Control Desk). 6pp. 87948:343-87948:348.

9604220088 Forwards request for addl info related to EDG TS change. Changes being made to revise AOT for single inoperable EDG to accommodate on-line maint of EDG.
COTTON,K.R. . 96/04/18. CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 4pp. 87942:189-87942:192.

9604290052 Submits implementation of interim recommendations of BWR Owner Group regulatory response group re Viton CRD SSPV response time delay.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88057:116-88057:117.

9604300395 Forwards application for amend to License DPR-59,relocating TS 3.11.B/4.11.B "Crescent Area Ventilation" & associated bases from controlled procedure.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88066:252-88066:272.

-9604300400 Application for amend to License DPR-59,relocating TS 3.11.B/4.11.B "Crescent Area Ventilation" & associated bases from TS to controlled procedure.
CAHILL,W.J. Power Authority of the State of New York (New York Power Authority). 96/04/24. 13pp. 88066:254-88066:266.

-9604300402 Proposed Tech Specs 3.11.B/4.11.B re crescent area ventilation.
* Power Authority of the State of New York (New York Power Authority). 96/04/24. 6pp. 88066:267-88066:272.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290085 "Annual Summary of Changes,Tests & Experiments for 1995." W/ 960419 ltr.
COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 95/12/31. 105pp. 88033:243-88033:347.

9604120062 Monthly operating rept for Mar 1996 for JA FitzPatrick Nuclear Power Plant.W/960408 ltr.
FLAGG,R., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/03/31. 5pp. 87868:342-87868:346.

S. Reportable occurrences, LERs & related correspondence

9604020159 LER 96-004-00:on 960228,multiple SRV pilot solenoid failed due to foreign matls,vendor deficiencies & procedural errors.Replaced pilot solenoid valve w/another rebuilt assembly.W/960328 ltr.
LAKE,F.D., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/03/28. 13pp. 87733:207-87733:219.

9604190298 LER 96-002-00:on 960212,potential common mode failure of circuit breakers in both safety divisions occurred due to design or installation error.Replaced contacts in failed circuit breakers.W/960412 ltr.
CHILDS,W.V., COLOMB,M.J. Power Authority of the State of New York (New York Power Authority). 96/04/12. 8pp. 87960:289-87960:296.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

-9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090249 Forwards rev 29 to Issue 4 of plant Physical Security Plan. Encl withheld.
JAIN,S.C. Duquesne Light Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87831:104-87831:105.

9604160074 Forwards EP combined insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.
CROSS,J.E. Region 1 (Post 820201). 96/04/09. KEIMIG,R.R. Duquesne Light Co. 3pp. 87887:107-87887:121.

-9604160082 Insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.Major areas inspected:licensee performance in biennial,full-participation EP exercise,including activities in all ER facilities.
LAUGHLIN,J., KEIMIG,R.R. Region 1 (Post 820201). 96/04/09. 12pp. 87887:110-87887:121.

9604160380 Revised EPIPs,including rev 8 to EPP/IP 1.2,rev 9 to EPP/IP 1.4 & rev 8 to EPP/IP 1.6.W/960412 ltr.
JAIN,S.C. Duquesne Light Co. 96/04/12. 169pp. 87915:001-87915:169.

9604290316 Forwards 960404 ltr from RA Calvan,FEMA Region III, transmitting rept on 960227-28,full-participation plume exposure pathway exercise.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/18. CROSS,J.E. Duquesne Light Co. 2pp. 88027:132-88027:242.

–9604290321 Forwards 960227-28,full-participation plume exposure pathway exercise of offsite radiological emergency response plans at plant.Identifies 11 areas requiring corrective action but no deficiencies.
CALVAN,R.A. Federal Emergency Management Agency. 96/04/04. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88027:134-88027:135.

–9604290347 "FEMA Final Exercise Rept," for 960227-28.
* Federal Emergency Management Agency. 96/04/03. 107pp. 88027:136-88027:242.

I. Financial information

9604030324 Forwards util consolidated financial statements for 12-month period ending 951231 & internal cash flow projection, including actual 1995 data & projections for 1996,per 10CFR140.21.
CLAYTON,D.J. Duquesne Light Co. 96/03/29. . 70pp. 87759:281-87759:350.

P. Operating license stage documents & correspondence

9604040193 Forwards BV-1 & 2 Annual Radioactive Effluent Release Rept for 1995 & Offsite Dose Calculation Manual.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 2pp. 87765:001-87766:100.

–9604040217 "Beaver Valley Power Station Unit 1 & Unit 2 Offsite Dose Calculation Manual."
* Duquesne Light Co. 95/10/11. 315pp. 87765:160-87766:100.

9604010183 Forwards amends 197 & 80 to licenses DPR-66 & NPF-73, respectively & safety evaluation.Amends revise listed TSs & associated bases,delete TS 6.9.2.g & add new TS 6.17 in accordance w/Option B of 10CFR50,App J & RG 1.163.
BRINKMAN,D.S. . 96/03/19. CROSS,J.E. Duquesne Light Co. 3pp. 87710:199-87710:247.

–9604010187 Amends 197 & 80 to licenses DPR-66 & NPF-73,respectively, revising listed TSs & associated bases,deleting TS 6.9.2.g & adding new TS 3.17,in accordance w/Option B of 10CFR50,App J & guidance of RG 1.163.
STOLZ,J.F. . 96/03/19. 40pp. 87710:202-87710:241.

–9604010191 Safety evaluation supporting amends 197 & 80 to licenses DPR-66 & NPF-73,respectively.
* . 96/03/19. 6pp. 87710:242-87710:247.

9604020034 Forwards nonproprietary & proprietary versions of SG tube pull data in support of proposed OL Change Request 229 re alternate tube plugging criteria implementation.Proprietary data withheld per 10CFR2.790(a)(4).
JAIN,S.C. Duquesne Light Co. 96/03/27. Document Control Branch (Document Control Desk). 38pp. 87727:281-87727:318.

9604020196 Requests approval to update plant IST programs to requirements of ASME/ANSI Operations & Maint Std OMa-1988 Part 10 for leak-rate testing of containment isolation valves.
JAIN,S.C. Duquesne Light Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87725:248-87725:249.

9604040233 Responds to question proposed by NRC during a conference call on 960117 re alternate steam generator tube plugging TS change.
JAIN,S.C. Duquesne Light Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87771:173-87771:173.

9604030301 Discusses issuance of amends 176 & 56 to licenses DPR-66 & NPF-73,respectively for Beaver Valley Power Station.Amends permit sleeving of steam generator tubes at tube support plate & tubesheet regions in accordance w/rept WCAP-13483.
BRINKMAN,D.S. . 96/04/01. CROSS,J.E. Duquesne Light Co. 4pp. 87722:142-87722:145.

9604040125 Forwards amend 198 to license DPR-66 & safety evaluation. Amend revises TS 3/4.4.5 & 3/4.6.2 & bases to maintain voltage-based steam generator tube repair criteria for tube support plate evaluations.
BRINKMAN,D.S. . 96/04/01. CROSS,J.E. Duquesne Light Co. 3pp. 87737:292-87737:323.

–9604040140 Amend 198 to license DPR-66,revising TS 3/4.4.5 & 3/4.4.6.2 & bases to maintain voltage-based steam generator tube repair criteria for tube support plate elevations for future cycles of operation.
STOLZ,J.F. . 96/04/01. 16pp. 87737:295-87737:310.

–9604040141 Safety evaluation supporting amend 198 to license DPR-66.
* . 96/04/01. 13pp. 87737:311-87737:323.

9604160041 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
JAIN,S.C. Duquesne Light Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87914:313-87914:314.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110226 Informs that W request for withholding info re updated SG tube pull data,per 960307 ltr,rejected.
BRINKMAN,D.S. . 96/04/09. CROSS,J.E. Duquesne Light Co. 4pp. 87847:317-87847:320.

9604120236 Informs that licensee 960327 request to withhold "EPRI ARC Database for 3/4 inch & 7/8 inch Diameter Tubes & Updated ARC Correlation for 7/8 inch Diameter Tubes," for public disclosure per 10CFR2.790,granted.
BRINKMAN,D.S. . 96/04/10. KENNY,A. Electric Power Research Institute. 4pp. 87861:349-87861:352.

9604240007 Forwards SE accepting use of portions of later edition of ASME Code.
STOLZ,J.F. . 96/04/19. CROSS,J.E. Duquesne Light Co. 3pp. 87994:247-87994:255.

–9604240008 SE accepting use of latest edition of ASME Code incorporated by ref in paragraph (b) of section 50.55a for leakage-rate testing of containment isolation valves.
* . 96/04/19. 6pp. 87994:250-87994:255.

9604300327 Submits analytical evaluation of indication identified during non-destructive exams of Class 1 austenitic piping, exceeding acceptance criteria specified in Section XI of ASME Boiler & Pressure Code.
JAIN,S.C. Duquesne Light Co. 96/04/23. Document Control Branch (Document Control Desk). 20pp. 88067:130-88067:149.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150317 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
JAIN,S.C. Duquesne Light Co. 96/04/08. Document Control Branch (Document Control Desk). 20pp. 87896:061-87896:080.

9604160074 Forwards EP combined insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.
CROSS,J.E. Region 1 (Post 820201). 96/04/09. KEIMIG,R.R. Duquesne Light Co. 3pp. 87887:107-87887:121.

–9604160082 Insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.Major areas inspected:licensee performance in biennial,full-participation EP exercise,including activities in all ER facilities.
LAUGHLIN,J., KEIMIG,R.R. Region 1 (Post 820201). 96/04/09. 12pp. 87887:110-87887:121.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604290256 Forwards insp repts 50-334/96-03 & 50-412/96-03 on 960213-0325.No violations noted.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/19. CROSS,J.E. Duquesne Light Co. 3pp. 88021:223-88021:247.

–9604290258 Insp repts 50-334/96-03 & 50-412/96-03 on 960213-0325.No violations noted.Major areas inspected:operations,maint, engineering,plant support,safety assessment & quality verification.
* Region 1 (Post 820201). 96/04/19. 22pp. 88021:226-88021:247.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300379 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
JAIN,S.C. Duquesne Light Co. 96/04/24. Document Control Branch (Document Control Desk). 6pp. 88067:183-88067:188.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604030041 Forwards copy of NPDES monthly rept as submitted to PA dept of Environmental Protection.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 3pp. 87746:314-87746:318.

–9604030073 NPDES noncompliance notification:EPA discharge 008 exceeded allowable monthly average of 30 mg/l for total suspended solids.
NOONAN,T.P. Duquesne Light Co. 96/03/21. 2pp. 87746:317-87746:318.

9604040193 Forwards BV-1 & 2 Annual Radioactive Effluent Release Rept for 1995 & Offsite Dose Calculation Manual.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 2pp. 87765:001-87766:100.

--9604040205 "Beaver Valley Power Station - Units 1 & 2 Annual Radioactive Effluent Release Rept Calender Year - 1995."
* Duquesne Light Co. 95/12/31. 158pp. 87765:003-87765:159.

--9604040217 "Beaver Valley Power Station Unit 1 & Unit 2 Offsite Dose Calculation Manual."
* Duquesne Light Co. 95/10/11. 315pp. 87765:160-87766:100.

9604030175 Forwards revision to NPDES Monthly Rept for Jan 1996.
VICINIE,S.L. Duquesne Light Co. 96/03/21. Document Control Branch (Document Control Desk). 1p. 87735:270-87735:304.

--9604030190 Revision to NPDES Discharge Monitoring Rept for Jan 1996 for BVPS units 1 & 2.
VICINIE,S.L. Duquesne Light Co. 96/01/31. 34pp. 87735:271-87735:304.

9604160032 Monthly operating repts for Mar 1996 for Beaver Valley Power Station.W/ 960405 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/03/31. 9pp. 87891:336-87891:343.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604220203 LER 96-002-00:on 960322,TS 3.0.3 was entered due to isolation of CR emergency breathing air pressurization sys. Placed caution tags on RM-RM-219A & RM-RM-219B to warn to prevent check source operation.W/960417 ltr.
NOONAN,T.P. Duquesne Light Co. 96/04/17. 5pp. 87960:349-87960:353.

9604220343 LER 96-001-00:on 960320,main steam valve setpoints not within specification.Caused by relatively small amount of normal setpoint drift.C/A:main steam safety valve adjustment performed.W/960417 ltr.
NOONAN,T.P. Duquesne Light Co. 96/04/17. 5pp. 87990:353-87990:357.

9604240369 LER 96-003-00:on 960322,ESF actuation occurred.Caused by power mismatch.Operating procedures will be revised.W/960419 ltr.
NOONAN,T.P. Duquesne Light Co. 96/04/19. 5pp. 88004:351-88004:355.

9604290058 Discusses util review plan developed in response to GL 96-01, "Testing of....Circuits." DL intends to prepare 1 LER for each unit,as necessary & submit monthly updates until completion of GL 96-01 reviews.LER 96-004-00 encl.
NOONAN,T.P. Duquesne Light Co. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88045:287-88045:290.

--9604290073 LER 96-004-00:on 960325,relays LRLL-QS100C & 100D discovered not tested at appropriate frequency.Caused by relays not part of instrument channel,thus not requiring monthly test. Procedures revised to include relays in monthly test.
NOONAN,T.P. Duquesne Light Co. 96/04/24. 2pp. 88045:289-88045:290.

DOCKET 50-335 ST. LUCIE PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020386 Forwards revised Physical Security Plan & has determined rev will not decrease effectiveness of plan.
BOHLKE,W.H. Florida Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87710:357-87710:357.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604080269 Forwards info copy of application for renewal of FL Wastewater Permit,FL0002208 dtd Apr 1996,per Section 3.2.3 of St Lucie Units 1 & 2 Environ Protection Plan.
BOHLKE,W.H. Florida Power & Light Co. 96/04/03. Document Control Branch (Document Control Desk). 142pp. 87817:018-87817:156.

9604230305 Confirms 960324 telcon between E Weinkam & E Lea re meeting on 960612 to discuss status of progress on performance improvement program at plant.
LANDIS,K.D. Region 2 (Post 820201). 96/04/04. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 87953:204-87953:206.

9604240257 Discusses meeting held 960329 in Atlanta,GA to discuss status of PIP.Meeting held to be very beneficial.Topics included sys & component engineering,operations support & testing & maint.W/list of attendees & viewgraphs.
LANDIS,K.D. Region 2 (Post 820201). 96/04/04. PLUNKETT,T.F. Florida Power & Light Co. 49pp. 87980:248-87980:296.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220228 Forwards synopsis of NRC OI completed rept re alleged discrimination against welding supervisor for insisting on correct work practices at plant,case number 2-94-018.
LANDIS,K.D. Region 2 (Post 820201). 96/04/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 87935:186-87935:189.

9604180349 Forwards amends 142 & 82 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends modify surveillance requirements related to dune survey & mangrove swamp monitoring & relocates to FSAR.
NORRIS,J.A. . 96/04/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 87917:322-87917:346.

--9604180376 Amends 142 & 82 to licenses DPR-67 & NPF-16,respectively, modifying surveillance requirements related to dune survey & mangrove swamp monitoring & relocates to FSAR.
* . 96/04/11. 16pp. 87917:326-87917:341.

--9604180391 Safety evaluation supporting amends 142 & 82 to licenses DPR-67 & NPF-16,respectively.
* . 96/04/11. 5pp. 87917:342-87917:346.

9604220398 Provides response to GL 96-01, "Testing of Safety Related Logic Circuits," for Units 1 & 2.
BOHLKE,W.H. Florida Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87983:350-87983:352.

9604300237 Forwards "St Lucie Nuclear Plant Status Meeting for Units 1 & 2."
BOHLKE,W.H. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88063:001-88063:129.

--9604300241 "St Lucie Nuclear Plant,Status Meeting for Units 1 & 2."
* Florida Power & Light Co. 96/04/18. 128pp. 88063:002-88063:129.

9604300225 Informs effective 960428 both St Lucie Plant,Units 1 & 2 & Turkey Point,Units 3 & 4 have been reassigned to FJ Hebdon. LA Wiens will become Project Manager for St Lucie Plant effective 960428.
VARGA,S.A. . 96/04/25. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88053:258-88053:260.

Q. Inspection reports, IE Bulletins & correspondence

9604090165 Forwards insp repts 50-335/96-01 & 50-389/96-01 on 960107-0217 & NOV.Violation of NRC concern because of indication of continued problems in areas of procedural quality & control.
LANDIS,K.D. Region 2 (Post 820201). 96/03/18. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 87792:308-87792:343.

--9604090169 Notice of violation from insp on 960107-0217.Violation noted:licensee made temporary changes to procedures required by TS 6.8.1,w/o prior review by FRG or approval by Plant General Manager,which altered intent of procedures.
* Region 2 (Post 820201). 96/03/18. 2pp. 87792:311-87792:312.

--9604090171 Insp repts 50-335/96-01 & 50-389/96-01 on 960107-0217. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/03/18. 31pp. 87792:313-87792:343.

9604090350 Forwards errata ltr for insp repts 50-335/96-02 & 50-389/96-02.Facility name listed incorrectly on first paragraph line of 960318 transmitted ltr.Requests that encl page be replaced w/previously transmitted ltr.
BARR,K.P. Region 2 (Post 820201). 96/03/21. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 87806:228-87806:230.

--9604100103 Corrects 960318 ltr discussing insp conducted on 960205-09. Facility name listed incorrectly on first paragraph of transmitted ltr.St Lucie,correct facility name.
BARR,K.P. Region 2 (Post 820201). 96/03/18. PLUNKETT,T.F. Florida Power & Light Co. 1p. 87806:230-87806:230.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604250350 EN-96-020:on 960328,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on problem involving overdilution event on 960122.
URYC,B. Region 2 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/03/25. 1p. 88031:005-88031:005.

9604090086 Forwards insp repts 50-335/96-03 & 50-389/96-03 on 960126-30 & 0208 w/regard to 960122 Unit 1 overdilution event. Violations noted.
GIBSON,A.F. Region 2 (Post 820201). 96/03/28. HOLZMACHER,G.H. Affiliation Not Assigned. 5pp. 87773:001-87773:070.

--9604090108 Forwards NOV & proposed imposition of civil penalty in amount of $50,000 re Unit Unit 1 overdilution event which occurred on 960122.Determined that violations of NRC requirements occurred.
EBNETER,S.D. Region 2 (Post 820201). 96/03/28. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 87773:037-87773:041.

--9604090116 Notice of violation & proposed imposition of civil penalty in amount of $50,000 based on licensee failure to implement requirements of operating procedure 1-0250020.
* Region 2 (Post 820201). 96/03/28. 5pp. 87773:042-87773:070.

9604020066 Press release II-96-36, "NRC Staff Proposes $50,000 Civil Penalty Against St Lucie Nuclear Power Plant."
* Region 2 (Post 820201). 96/03/29. 1p. 87823:304-87823:304.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090483 Responds to NRC 960208 ltr re SALP repts 50-335/95-99 & 50-389/95-99 for period from 940102-960106.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 1p. 87831:130-87831:130.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220355 Notification of 960422 meeting w/util in Rockville,MD to discuss SG insp scheduled for upcoming refueling outage.
NORRIS,J.A. . 96/04/18. IMBRO,E.V. . 3pp. 87965:192-87965:195.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300105 Forwards response to NRC 960318 ltr re violations noted in insp repts 50-335/96-01 & 50-389/96-01.Corrective actions: 1B EDG Periodic Test & General Operating Instructions,Rev 22 was reviewed by FRG & approved by Plant General Manager.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 6pp. 88059:351-88059:356.

9604300223 Forwards response to NRC ltr re violations noted in insp rept 50-335/96-03.Corrective actions:RCS dilution was secured & RCS temp & reactor power restored to within required limits of 549 F.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 10pp. 88064:317-88064:326.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604300431 Submits planned refueling outage SG insp activities for Unit 1.
BOHLKE,W.H. Florida Power & Light Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88067:248-88067:249.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604230014 "1995 Annual Radiological Environ Operating Rept St. Lucie Plant,Units 1 & 2." W/960412 ltr.
BOHLKE,W.H. Florida Power & Light Co. 95/12/31. 8pp. 88000:337-88000:344.

9604190139 Monthly operating repts for March 1996 for SLP.W/960412 ltr.
ROGERS,J.A., BOHLKE,W.H. Florida Power & Light Co. 96/03/31. 9pp. 87957:328-87957:336.

S. Reportable occurrences, LERs & related correspondence

9604010047 LER 96-003-00:on 960224,containment particulate & gaseous monitor was OOS & resulted in condition prohibited by TS due to personnel error.CAPGM was placed back in svc.W/960325 ltr.
LAVELLE,S., BOHLKE,W.H. Florida Power & Light Co. 96/03/25. 7pp. 87694:292-87694:298.

9604020315 LER 96-004-00:on 960227,inadvertent manual start of EDG 1A initiated due to personnel error.Procedure change initiated for Administrative Procedure 0010142,to include EDG control cabinet.W/960327 ltr.
VAN NOY,M., BOHLKE,W.H. Florida Power & Light Co. 96/03/27. 5pp. 87733:239-87733:243.

9604120261 Unusual or Important Environ Event re fish kill in plant intake canal on 960311.Caused by extreme seawater turbidity associated w/storm conditions,clogging gill surfaces & suffocating fish.Well chlorination discontinued.
BOHLKE,W.H. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87871:353-87871:354.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

V. Operator Examinations

9604230360 Forwards exam repts 50-335/96-300 & 50-389/96-300 on 960311- 28.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/10. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 87955:131-87955:251.

--9604230364 Exam repts 50-335/96-300 & 50-389/96-300 on 960311-28.Exam results:all four SRO candidates passed.
AIELLO,R.F., PEEBLES,T.A. Region 2 (Post 820201). 96/04/10. 109pp. 87955:133-87955:251.

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010374 Revised EPIPs & Emergency Plan Operating Procedures (EPOP), Change 1 to Rev 3 to EPIP 4400,Change 3 to Rev 1 to EPIP 4404,Change 2 to Rev 1 to EPOP 4411,Rev 2 to EPOP 4428A,Rev 2 to EPOP 4428D & Rev 1 to EPOP 4428F.
* Northeast Utilities Service Co. 96/03/25. 204pp. 87717:001-87717:204.

9604080346 Advises that 960205 Revs 22 & 23 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/03/27. FEIGENBAUM,T. Northeast Utilities Service Co. 4pp. 87814:319-87814:322.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080068 Rev 20 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 96/04/08. 73pp. 87778:248-87778:319.

9604170012 Requests exemption from 10CFR73,App B re qualification & requalification requirements for armed guards.Justification for exemption encl.Encl withheld.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/04/08. RUSSELL,W.T. . 2pp. 87899:354-87899:355.

9604300042 Revised EPIPs,including rev 173 to 4000 proc index & rev 2 to EPOP 4449, "U-3 Rx Coolant & Liquid Waste PASS."
* Northeast Nuclear Energy Co. 96/04/10. 83pp. 88063:220-88063:304.

9604170004 Forwards rev 22 to physical security plan.Encl withheld per 10CFR2.790.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. RUSSELL,W.T. . 2pp. 87897:357-87897:358.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

--9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

--9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

--9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

H. General correspondence

9604230144 Submits suggestions re revoking Northeast Utilities NPP operating license.
LEE,M.H. Affiliation Not Assigned. 96/03/06. DEMBEK,S. NRC - No Detailed Affiliation Given. 1p. 87971:345-87971:345.

9604080066 Responds to 951117 ltr to President Clinton,forwarded to NRC for review & appropriate action on 960308.Informs of latest activities concerning Millstone plant.
RUSSELL,W.T. . 96/04/02. STOREY,W. Affiliation Not Assigned. 16pp. 87779:309-87779:340.

--9604080076 Expresses appreciation to Chairman Jackson for getting job done re nuclear power plants.
STOREY,B. Affiliation Not Assigned. 96/02/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87779:325-87779:329.

--9604080084 Informs of attendance at 951205 meeting in New London re safety at Millstone plant.
STOREY,B. Affiliation Not Assigned. 95/12/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 11pp. 87779:330-87779:340.

9604240351 Forwards projected decommissioning costs,market values of decommissioning trust funds & 10CFR50.75, "Reporting & Recordkeeping for Decommissioning Planning."
DEMBEK,S. . 96/04/18. STAUB,B. Affiliation Not Assigned. 13pp. 87994:340-87994:352.

J. Insurance & Indemnity Information

9604090057 Notifies NRC of amount of property insurance coverage currently in force for Haddam Neck & Millstone Plants.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87825:357-87825:358.

P. Operating license stage documents & correspondence

9604250198 Discusses concerns re recent safety violations at plant & how violations reflect systematic disregard by licensee of NRC regulations.Questions why NRC cannot force licensee to "fix" problems.
SILVESTRI,S. Affiliation Not Assigned. 96/02/27. NRC - No Detailed Affiliation Given. 2pp. 88002:341-88002:342.

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9604020361 Requests approval to use Code Case N-546,as alternative to ASME Code Section XI for plants & that NRC revise SER of 951207,in support of Millstone Unit 1 request to use Code Case N-547.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/03/20. Document Control Branch (Document Control Desk). 4pp. 87712:346-87712:349.

9604010329 Responds to 960215 ltr requesting to withhold Encl 2 of ltr in entirety under 10CFR2.79(a)(6).Informs encl may be withheld due to contents of personnel info.
LANNING,W.D. Region 1 (Post 820201). 96/03/21. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87687:106-87687:108.

9604020182 Application for amend to license DPR-65,revising TS Section 3.7.7, "Sealed Source Contamination" & bases.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87710:334-87710:346.

--9604020185 Proposed tech specs Section 3.7.7, "Sealed Source Contamination" & bases.
* Northeast Nuclear Energy Co. 96/03/28. 6pp. 87710:341-87710:346.

9604030223 Discusses concern expressed at 960307 meeting of Oregon Energy Facilities Siting Council re Time magazine article & NRC oversight of Millstone nuclear stations.Informs of commitment to provide oversight to decommisioning at Trojan.
MASNIK,M.T. . 96/03/29. STEWART-SMITH Oregon, State of. 3pp. 87736:350-87736:352.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120262 Forwards SE authorizing request to implement alternative contained in Code Case N-535,per 10CFR50.55a(a)(3)(i).
MCKEE,P.F. . 96/04/05. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Utilities Service Co. 4pp. 87862:349-87862:359.

--9604120270 SER accepting proposed alternative to implement Code Case N-535 for scheduling of intervals & exam of Code Class 1,2 & 3 piping & components.
* . 96/04/05. 7pp. 87862:353-87862:359.

9604160265 Forwards Millstone Nuclear Power Station,Units 1,2 & 3 Millstone Employee Concerns Assessment Team Rept addressing recommendations & revising programs to improve performance in this area.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87891:153-87891:237.

--9604160314 "Millstone Employee Concerns Assessment Team Rept."
BURNS,T.F. Northeast Utilities Service Co. 96/01/29. 84pp. 87891:154-87891:237.

9604220218 Provides suppl to response to request for info re documents from REF files.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/15. Document Control Branch (Document Control Desk). 78pp. 87985:210-87985:287.

9604220185 Responds to GL 96-01, "Testing of SR Logic Circuits."
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87962:356-87962:360.

9604240249 Advises that S Dembek to be assigned as Project Manager for Haddam Neck Plant & that DG McDonald to be assigned as Project Manager for Millstone Nuclear Power Station,Unit 2, effective 960428.
MCKEE,P.F. . 96/04/18. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 5pp. 87994:282-87994:286.

9604290151 Notice of 960430 meeting w/util in Waterford,CT to discuss progress of util Improving Station Performance program,procedure adequacy,compliance & implementation.
DURR,J. Region 1 (Post 820201). 96/04/18. . 1p. 88033:001-88033:002.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604290004 Ack receipt of 960306 ltr providing opinion on revoking Northeast Utilities operating license for Millstone Nuclear Power Station.
DEMBEK,S. . 96/04/24. LEE,M. Affiliation Not Assigned. 3pp. 88036:206-88036:208.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

--9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

--9604300285 Safety evaluation supporting amends 189,94,196 & 128 to licenses DPR-61,DPR-21,DPR-65 & NPF-49,respectively.
* . 96/04/24. 3pp. 88053:159-88053:161.

Q. Inspection reports, IE Bulletins & correspondence

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080316 Discisses 960215 ltr responding to 951218 ltr.Informs corrective & preventive actions documented will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:016-87792:027.

9604090476 Discusses 960301 ltr in response to 951020 ltr.Informs corrective & preventive actions will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:243-87792:269.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090436 Press release 96-55,forwarding 960404 ltr to Northeast Utils requiring info before restart of Millstone Units 1,2 & 3.
* Office of Public Affairs (Post 911117). 96/04/04. 1p. 87824:143-87824:147.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170209 Forwards response to violations noted in Insp Repts 50-245/95-44,50-336/95-44 & 50-423/95-44.C/A:SGTS requirements reviewed w/personnel,erroneously determined sys operability.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 8pp. 87933:271-87933:278.

9604170218 Provides NRC staff w/update to util action plans for radwaste remediation efforts as committed to in ltr dtd 951018.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87933:269-87933:270.

9604220325 Forwards exam rept 50-336/96-02OL administered during wk of 960219.All candidates passed all portions of exam & granted licenses.
MEYER,G.W. Region 1 (Post 820201). 96/04/11. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 3pp. 87945:261-87946:015.

-9604220329 Exam rept 50-336/96-02OL on 96020-22.Exam results:all candidates passed all portions of exams.
WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 96/04/10. 116pp. 87945:264-87946:015.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

-9604250056 Notice of violation from insp on 960208-0318.Violation noted:equipment returned to operable status w/o verifying that breaker would trip electrically.
* Region 1 (Post 820201). 96/04/12. 2pp. 87995:244-87995:245.

-9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604250002 Second & partial response to FOIA request for records.App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/17. ROSS,A. Affiliation Not Assigned. 2pp. 88030:267-88030:292.

-9404210051 Response to NRC 940317 ltr re allegation of violations of 10CFR50.7.Business plan & implementation program calls for mgt to recognize & promote need for open discussion & resolution of safety issues.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. 94/04/11. MARTIN,T.T. Region 1 (Post 820201). 4pp. 88030:270-88030:273.

9604300120 Forwards response to NRC 960306 ltr re violations noted in insp repts 50-336/95-44 & 50-423/95-44 on 951227-960207. C/As:shut off software applications that had contributed to monitoring problem.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/19. Document Control Branch (Document Control Desk). 9pp. 88067:223-88067:231.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290285 Forwards insp rept 50-336/95-29 on 950925-1020.Violations noted.Significant findings indicated poor control of design basis info & failure to adequately implement commitments made to NRC in response to GL 89-13.
KELLY,E.M. Region 1 (Post 820201). 96/04/23. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 88033:113-88033:147.

-9604290287 Insp rept 50-336/95-29 on 950925-26,1003-05,1017-20 & 960314.Violations noted.Major areas inspected:increased emphasis should be place on maint & surveillance/testing to assure SW sys continues to meet design basis capability.
PRIVIDY,L.J., KELLY,E.M. Region 1 (Post 820201). 96/04/23. 33pp. 88033:116-88033:147.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290394 "Millstone Nuclear Power Station Radiological Environ Monitoring Program Jan-Dec 1995." W/960423 ltr.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 95/12/31. 100pp. 88039:251-88039:350.

9604010229 Submits changes to & errors in ECCS evaluation model/ applications of model for Unit 2.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/03/22. Document Control Branch (Document Control Desk). 4pp. 87696:313-87696:316.

9604170271 Forwards monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3,including correction to Millstone Unit 1 monthly operating rept for Feb 1996.W/o corrections to Feb rept.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87928:139-87928:154.

-9604170275 Monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/03/31. 15pp. 87928:140-87928:154.

S. Reportable occurrences, LERs & related correspondence

9604010149 LER 96-007-00:on 960220,discovered RCS C/D rate exceeded TS limit.Caused by use of wrong temp sensor.Plant operating procedures,heatup/C/D monitoring computer program & operator training involving these events revised.W/960322 ltr.
VANNOORDENNEN,G, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/03/21. 6pp. 87694:299-87694:304.

9604010236 LER 96-008-00:on 960222,concluded that condition of wire mesh screen encl over two containment recirculation suction pipes outside design basis.Caused by const/installation error.Screen encl being replaced.W/960325 ltr.
NOORDENNEN,G.P., RICHARDSON,P.M., BERGIN,J.M. Northeast Nuclear Energy Co. 96/03/25. 5pp. 87708:261-87708:265.

9604010239 LER 96-010-00:on 960222,identified that containment hydrogen monitor flow could not be established w/containment at atmospheric pressure due to improper setting of sys pressure regulators.Sys calib procedure will be revised.W/960325 ltr.
NOORDENNEN,G.P., RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/03/25. 4pp. 87708:233-87708:236.

9604010246 LER 96-011-00:on 960222,required time to enter Mode 5 exceeded.Caused by effective action not being initiated to revise SDC & cooldown rate monitoring procedures.Operating & surveillance procedures will be revised.W/960325 ltr.
NOORDENNEN,G.P., RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/03/25. 5pp. 87708:266-87708:270.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604150207 LER 96-014-00:on 960311,weekly TS surveillances missed. Caused by personnel error w/respect to scheduling.C/A: implemented requirements of surveillance procedure SP 2614A-3.W/960410 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/10. 6pp. 87887:257-87887:262.

9604190053 LER 96-015-00:on 960312,failed to perform action requirement for TS LCO 3.3.1.1.Caused by failure to recognize applicability of TS during abnormal equipment configuration. Revised procedures.W/960411 ltr.
VAN NOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. RICHARDSON,P.M. Northeast Utilities Service Co. 96/04/11. 4pp. 87960:270-87960:273.

9604190100 LER 96-016-00:on 960312,common power supply cable to 4 condenser pit level switches found improperly connected. Caused by inadequate work control.Cable properly connected & trip circuits tested.W/960411 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/11. 4pp. 87959:352-87959:355.

9604220330 LER 96-013-00:on 960314,assessed wide range logarithmic neutron flux monitors nuclear instrumentation channels A,B,C & D as inoperable due to potential susceptability to common mode failure.Replaced failed power supply.W/960415 ltr.
VAN NOORDENNEN, RICHARDSON,P.M., WILSON,M.J. Northeast Nuclear Energy Co. 96/04/15. 5pp. 87990:329-87990:333.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604260045 LER 96-018-00:on 960319,gaps discovered in enclosure door seals for motor control centers B51 & B61.Caused by weakness in existing program to inspect & verify protective barriers. Insp program will be improved.W/960419 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/18. 5pp. 88031:084-88031:088.

9604290319 LER 96-012-00:on 960228,SIS drain stop valves failed to meet functional requirements of TS.Caused by personnel error & inadequate retest requirements.C/A:valve 2-SI-618 modified & safety related solenoid valves inspected.W/960419 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/19. 5pp. 88046:010-88046:014.

9604290334 LER 96-017-00:on 960320,hydrogen monitoring sys did not meet single failure criteria.Caused by a failure to update design basis to reflect Regulatory Guide 1.97.C/A:design changed.W/960419 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/19. 4pp. 88046:015-88046:018.

9604300407 LER 96-019-00:on 960326,electrical equipment qualification SOV circuits in containment not fully qualified.Caused by programmatic failure.C/A:SOV circuits modified.W/960425 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. 96/04/25. 5pp. 88066:208-88066:212.

9604300099 Part 21 rept re response to NRC notice on nonconformance. Licensee will direct cognizant personnel reviewing deviation or failure to comply for basic components delivered to customers,to document whether/not facts indicate evaluation.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88065:355-88065:356.

T. Hearing transcripts on non-antitrust matters

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

--9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

V. Operator Examinations

9604160013 Informs that reactor & SRO initial exams & operating tests scheduled for wk of 960729,per 960408 telcon.
MEYER,G.W. Region 1 (Post 820201). 96/04/09. FEIGENBAUM,T.C. Northeast Utilities Service Co. 3pp. 87895:215-87895:217.

9604220325 Forwards exam rept 50-336/96-02OL administered during wk of 960219.All candidates passed all portions of exam & granted licenses.
MEYER,G.W. Region 1 (Post 820201). 96/04/11. FEIGENBAUM,T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 3pp. 87945:261-87946:015.

--9604220329 Exam rept 50-336/96-02OL on 96020-22.Exam results:all candidates passed all portions of exams.
WILLIAMS,J.H., MEYER,G.W. Region 1 (Post 820201). 96/04/10. 116pp. 87945:264-87946:015.

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080158 Submits comments on insp repts 50-338/96-02 & 50-339/96-02 conducted on 960315 in area of Physical Security Programs for Power Reactors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 1p. 87811:358-87811:358.

9604090437 Informs that Rev 39 to plant Physical Security Plan meets 10CFR72 security requirements for power reactor site to operate ISFSI in accordance w/10CFR50.
EDISON,G.E. . 96/04/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87609:342-87809:344.

9604230091 Forwards synopsis of discrimination against health physicist for talking to NRC inspector re nonsafety issues.
BELISLE,G.A. Region 2 (Post 820201). 96/04/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 87953:110-87953:113.

9604290158 Forwards Rev 5 to "Corporate Emergency Response Plan," Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2,Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3 & Rev 4 to CPIP-6.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88032:001-88032:143.

--9604290166 Rev 5 to "Corporate Emergency Response Plan."
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 68pp. 88032:004-88032:071.

--9604290177 Revised CPIPs,including Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2, Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3,Rev 4 to CPIP-6.2 & Rev 5 to CPIP-7.0.
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 71pp. 88032:072-88032:143.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604040109 Forwards comparative statement of income for three months ended 951231 & 1994,internal cash flow projection for CY96 & statement ensuring availability of funds for payment of retrospective premiums,per 10CFR142.21(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. . 63pp. 87769:283-87769:347.

P. Operating license stage documents & correspondence

9604010264 Provides notice of intent to increase amount of reverse osmosis reject water discharged at Outfall 020.
WHITE,J.W. Virginia Power (Virginia Electric & Power Co.). 96/03/21. PANDEY,J.R. Virginia, Commonwealth of. 2pp. 87717:357-87717:358.

9604010269 Notification of 960402 meeting w/VEPCO,in Rockville,MD to discuss North Anna license amend proposal to permit on-line maint of EDGs.
EDISON,M. . 96/03/28. IMBRO,E.V. . 3pp. 87710:196-87710:198.

9604100057 Reviews meeting held 960326 at licensee request in Region II ofc to discuss nuclear engineering initiatives.Provided better understanding of re-engineering efforts & self- assessment initiatives.W/list of attendees & viewgraphs.
CASTRO,C.A. Region 2 (Post 820201). 96/03/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 33pp. 87832:085-87832:117.

9604030432 Informs NRC that current order timing mod satisfactorily implemented during 1996 Unit 1 refueling outage.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87752:175-87752:176.

9604040120 Forwards discussion of PTS screening calculations,summary of surveillance capsule analysis results used in RG 1.99,Rev 2, Position 2.1,chemistry factor calculations & revised PTS screening calculations,per request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 23pp. 87753:326-87753:348.

9604040170 Forwards amends 200 & 181 to licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise TS to increase pressurizer safety valve lift setpoint tolerance & reduce pressurizer high pressure reactor trip setpoint.
EDISON,G.E. . 96/04/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87737:324-87737:350.

--9604040172 Amends 200 & 181 to licenses NPF-4 & NPF-7,respectively, revising TS to increase pressurizer safety valve lift setpoint tolerance & reduce pressurizer high pressure reactor trip setpoint & allowable value.
IMBRO,E.V. . 96/04/01. 19pp. 87737:326-87737:344.

--9604040173 Safety evaluation supporting amends 200 & 181 to licenses NPF-4 & NPF-7,respectively.
* . 96/04/01. 5pp. 87737:345-87737:350.

9604100064 Confirms 960326 telcon re meeting scheduled for 950617 in Atlanta,GA to discuss plant self assessment.
BELISLE,G.A. Region 2 (Post 820201). 96/04/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87832:148-87832:150.

9604080001 Forwards RAI re proposed changes to plant TS re EDG AOTs. Requests response by 960313.
EDISON,G.E. . 96/04/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 87771:009-87771:013.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100172 Forwards response to NRC 960413 RAI re proposed TS change for EDG allowed outage times & corrected TS pages.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 10pp. 87839:347-87839:359.

–9604100173 Proposed tech specs re EDG allowed outage times.
* Virginia Power (Virginia Electric & Power Co.). 96/04/08. 3pp. 87839:357-87839:359.

9604160151 Responds to unacceptable results noted in discharge monitoring rept-QA rept dtd 960205 for North Anna Power Station (Permit VA0052451) & Yorktown Power Station (Permit VA0004103).
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 96/04/10. MCMILLAN,L. Virginia, Commonwealth of. 3pp. 87914:355-87914:357.

9604170205 Forwards RAI re proposed changes to plant TS for EDG AOTs. Requests response by 960501.
EDISON,G.E. . 96/04/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 87918:278-87918:284.

9604180164 Forwards "COLR North Anna 1 Cycle 12 Pattern BL," Rev 0.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Document Control Branch (Document Control Desk). 1p. 87949:280-87949:296.

–9604180173 "COLR North Anna 1 Cycle 12 Pattern BL," Rev 0.
* Virginia Power (Virginia Electric & Power Co.). 96/02/29. 16pp. 87949:281-87949:296.

9604230361 Summary of 960402 meeting w/VEPCO to discuss proposal to permit an EDG maint outage during plant operation.
EDISON,G.E. . 96/04/15. Virginia Power (Virginia Electric & Power Co.). 12pp. 87971:317-87971:328.

9604220171 Discusses 960110 GL 96-01,entitled "Testing of Safety Related Logic Circuits," requesting actions to compare & revise surveillance procedures as necessary for complete testing to comply w/TS.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87953:327-87953:329.

9604260009 Responds to request for addl info to continue review of proposed TS change for EDG allowed outage times.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/22. Document Control Branch (Document Control Desk). 33pp. 88023:320-88023:352.

9604290291 Application for amends to licenses NPF-4 & NPF-7,providing suppl info that clarifies TS to allow switching of charging & low-head SI pumps during unit shutdown conditions.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88039:351-88039:357.

–9604290295 Proposed tech specs,providing suppl info re clarification of TS to allow switching of charging & low-head SI pumps during unit shutdown conditions.
* Virginia Power (Virginia Electric & Power Co.). 96/04/25. 5pp. 88039:353-88039:357.

Q. Inspection reports, IE Bulletins & correspondence

9604090115 Forwards insp repts 50-338/96-01 & 50-339/96-01 on 960114-0224 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/03/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 87793:246-87793:278.

–9604090122 Notice of violation from insp on 960114-0224.Violation noted:on 960213,six blowout panels for both units incore instrument tunnels had been modified by installing hasps & locks w/o appropriate design controls.
* Region 2 (Post 820201). 96/03/21. 2pp. 87793:250-87793:251.

–9604090126 Insp repts 50-338/96-01 & 50-339/96-01 on 960114-0224. Violations noted.Major areas inspected:plant operations which included plant status,refueling purification sys walkdown & refueling outage plant operations.
MCWHORTER,R.D., BELISLE,G.A. Region 2 (Post 820201). 96/03/20. 27pp. 87793:252-87793:278.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090194 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960301 for Sept 1995 - Feb 1996.Encl details NRC insp plan for next six months.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 87806:031-87806:038.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080158 Submits comments on insp repts 50-338/96-02 & 50-339/96-02 conducted on 960315 in area of Physical Security Programs for Power Reactors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 1p. 87811:358-87811:358.

9604100177 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 55pp. 87834:232-87834:286.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180106 Responds to NRC 960321 ltr re violations noted in insp rept 50-338/96-01 & 50-339/96-01 on 960114-0224.C/As:doors restored & bar installed.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15..Document Control Branch (Document Control Desk). 5pp. 87936:336-87936:340.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260021 "North Anna Power Station Units 1 & 2 Environ Protection Plan 1995 Annual Rept." W/960422 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 12pp. 88019:339-88019:350.

9604300412 "Annual Radioactive Effluent Release Rept North Anna Power Station (Jan-Dec 1995)." W/960422 ltr.
STAFFORD,A.H. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 202pp. 88072:112-88072:313.

9604170264 Forwards monthly operating repts for Mar 1996 for North Anna Power Station Units 1 & 2 & revised pages to monthly operating rept for Feb 1996 for North Anna Power Station Unit 2.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/12. Document Control Branch (Document Control Desk). 1p. 87933:225-87933:238.

–9604170303 Monthly operating repts for Mar 1996 for North Anna Power Station Units 1 & 2.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 96/03/31. 11pp. 87933:226-87933:236.

–9604170304 Revised pages to monthly operating rept for Feb 1996 for North Anna Power Station Unit 2.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 96/02/29. 2pp. 87933:237-87933:238.

S. Reportable occurrences, LERs & related correspondence

9604040268 Submits oil spill questionnaire,as discussed by telcon.
WHITE,J.W. Virginia Power (Virginia Electric & Power Co.). 96/03/28. CURTIN,P. Region 3 (Post 820201). 7pp. 87766:354-87766:361.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604150232 LER 96-003-00:on 960314,mode 3 entry with inoperable redundant heat trace circuit.Caused by personnel error.C/A: redundant heat trace replaced,tested & returned to svc on 960315.W/960408 ltr.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 96/04/08. 4pp. 87894:357-87894:360.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604010171 Notifies that VEPCO intends to use optical disks,in addition to storage media currently used for storage & retrieval of QA records re GL 88-18.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87696:359-87696:360.

9604090437 Informs that Rev 39 to plant Physical Security Plan meets 10CFR72 security requirements for power reactor site to operate ISFSI in accordance w/10CFR50.
EDISON,G.E. . 96/04/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87809:342-87809:344.

9604150042 Notification of 960421 meeting w/VEPCO in Rockville,MD,to discuss progress of spent fuel activities for util Surry & North Anna Nuclear Power Stations.Agenda attached.
* Office of Nuclear Material Safety & Safeguards. 96/04/10. Office of Nuclear Material Safety & Safeguards. 2pp. 87877:285-87877:286.

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080158 Submits comments on insp repts 50-338/96-02 & 50-339/96-02 conducted on 960315 in area of Physical Security Programs for Power Reactors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 1p. 87811:358-87811:358.

9604090437 Informs that Rev 39 to plant Physical Security Plan meets 10CFR72 security requirements for power reactor site to operate ISFSI in accordance w/10CFR50.
EDISON,G.E. . 96/04/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87809:342-87809:344.

9604230091 Forwards synopsis of discrimination against health physicist for talking to NRC inspector re nonsafety issues.
BELISLE,G.A. Region 2 (Post 820201). 96/04/10. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 87953:110-87953:113.

9604290158 Forwards Rev 5 to "Corporate Emergency Response Plan," Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2,Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3 & Rev 4 to CPIP-6.2.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/23. Document Control Branch (Document Control Desk). 3pp. 88032:001-88032:143.

-9604290166 Rev 5 to "Corporate Emergency Response Plan."
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 68pp. 88032:004-88032:071.

-9604290177 Revised CPIPs,including Rev 5 to CPIP-2.1,Rev 5 to CPIP-2.2, Rev 5 to CPIP-3.0,Rev 4 to CPIP-3.2,Rev 3 to CPIP-3.3,Rev 4 to CPIP-6.2 & Rev 5 to CPIP-7.0.
* Virginia Power (Virginia Electric & Power Co.). 96/03/22. 71pp. 88032:072-88032:143.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

I. Financial information

9604040109 Forwards comparative statement of income for three months ended 951231 & 1994,internal cash flow projection for CY96 & statement ensuring availability of funds for payment of retrospective premiums,per 10CFR142.21(e).
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. . 63pp. 87769:283-87769:347.

P. Operating license stage documents & correspondence

9604010264 Provides notice of intent to increase amount of reverse osmosis reject water discharged at Outfall 020.
WHITE,J.W. Virginia Power (Virginia Electric & Power Co.). 96/03/21. PANDEY,J.R. Virginia, Commonwealth of. 2pp. 87717:357-87717:358.

9604010269 Notification of 960402 meeting w/VEPCO,in Rockville,MD to discuss North Anna license amend proposal to permit on-line maint of EDGs.
EDISON,M. . 96/03/28. IMBRO,E.V... 3pp. 87710:196-87710:198.

9604100057 Reviews meeting held 960326 at licensee request in Region II ofc to discuss nuclear engineering initiatives.Provided better understanding of re-engineering efforts & self- assessment initiatives.W/list of attendees & viewgraphs.
CASTRO,C.A. Region 2 (Post 820201). 96/03/28. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 33pp. 87832:085-87832:117.

9604030432 Informs NRC that current order timing mod satisfactorily implemented during 1996 Unit 1 refueling outage.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87752:175-87752:176.

9604040120 Forwards discussion of PTS screening calculations,summary of surveillance capsule analysis results used in RG 1.99,Rev 2, Position 2.1,chemistry factor calculations & revised PTS screening calculations,per request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/01. Document Control Branch (Document Control Desk). 23pp. 87753:326-87753:348.

9604040170 Forwards amends 200 & 181 to licenses NPF-4 & NPF-7, respectively & safety evaluation.Amends revise TS to increase pressurizer safety valve lift setpoint tolerance & reduce pressurizer high pressure reactor trip setpoint.
EDISON,G.E. . 96/04/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87737:324-87737:350.

-9604040172 Amends 200 & 181 to licenses NPF-4 & NPF-7,respectively, revising TS to increase pressurizer safety valve lift setpoint tolerance & reduce pressurizer high pressure reactor trip setpoint & allowable value.
IMBRO,E.V. . 96/04/01. 19pp. 87737:326-87737:344.

-9604040173 Safety evaluation supporting amends 200 & 181 to licenses NPF-4 & NPF-7,respectively.
* . 96/04/01. 5pp. 87737:345-87737:350.

9604100064 Confirms 960326 telcon re meeting scheduled for 960617 in Atlanta,GA to discuss plant self assessment.
BELISLE,G.A. Region 2 (Post 820201). 96/04/01. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87832:148-87832:150.

9604080001 Forwards RAI re proposed changes to plant TS re EDG AOTs. Requests response by 960313.
EDISON,G.E. . 96/04/02. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 5pp. 87771:009-87771:013.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604100172 Forwards response to NRC 960413 RAI re proposed TS change for EDG allowed outage times & corrected TS pages.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 10pp. 87839:347-87839:359.

-9604100173 Proposed tech specs re EDG allowed outage times.
* Virginia Power (Virginia Electric & Power Co.). 96/04/08. 3pp. 87839:357-87839:359.

9604160151 Responds to unacceptable results noted in discharge monitoring rept-QA rept dtd 960205 for North Anna Power Station (Permit VA0052451) & Yorktown Power Station (Permit VA0004103).
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 96/04/10. MCMILLAN,L. Virginia, Commonwealth of. 3pp. 87914:355-87914:357.

9604170205 Forwards RAI re proposed changes to plant TS for EDG AOTs. Requests response by 960501.
EDISON,G.E. . 96/04/12. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 7pp. 87918:278-87918:284.

9604230361 Summary of 960402 meeting w/VEPCO to discuss proposal to permit an EDG maint outage during plant operation.
EDISON,G.E. . 96/04/15. Virginia Power (Virginia Electric & Power Co.). 12pp. 87971:317-87971:328.

9604220171 Discusses 960110 GL 96-01,entitled "Testing of Safety Related Logic Circuits," requesting actions to compare & revise surveillance procedures as necessary for complete testing to comply w/TS.
OHANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87953:327-87953:329.

9604250428 Forwards Rev 0 of "COLR North Anna 2 Cycle 11 Pattern UM." Rept issued in May 1995 & includes axial flux difference limits as well as heat flux hot channel factor surveillance function.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/22. Document Control Branch (Document Control Desk). 1p. 88023:281-88023:297.

-9604250430 Rev 0 of "COLR North Anna 2 Cycle 11 Pattern UM."
* Virginia Power (Virginia Electric & Power Co.). 95/05/31. 16pp. 88023:282-88023:297.

9604260009 Responds to request for addl info to continue review of proposed TS change for EDG allowed outage times.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/22. Document Control Branch (Document Control Desk). 33pp. 88023:320-88023:352.

9604290291 Application for amends to licenses NPF-4 & NPF-7,providing suppl info that clarifies TS to allow switching of charging & low-head SI pumps during unit shutdown conditions.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88039:351-88039:357.

-9604290295 Proposed tech specs,providing suppl info re clarification of TS to allow switching of charging & low-head SI pumps during unit shutdown conditions.
* Virginia Power (Virginia Electric & Power Co.). 96/04/25. 5pp. 88039:353-88039:357.

Q. Inspection reports, IE Bulletins & correspondence

9604090115 Forwards insp repts 50-338/96-01 & 50-339/96-01 on 960114-0224 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/03/21. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 4pp. 87793:246-87793:278.

–9604090122 Notice of violation from insp on 960114-0224.Violation noted:on 960213,six blowout panels for both units incore instrument tunnels had been modified by installing hasps & locks w/o appropriate design controls.
* Region 2 (Post 820201). 96/03/21. 2pp. 87793:250-87793:251.

–9604090126 Insp repts 50-338/96-01 & 50-339/96-01 on 960114-0224. Violations noted.Major areas inspected:plant operations which included plant status,refueling purification sys walkdown & refueling outage plant operations.
MCWHORTER,R.D., BELISLE,G.A. Region 2 (Post 820201). 96/03/20. 27pp. 87793:252-87793:278.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090194 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960301 for Sept 1995 - Feb 1996.Encl details NRC insp plan for next six months.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 8pp. 87806:031-87806:038.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080158 Submits comments on insp repts 50-338/96-02 & 50-339/96-02 conducted on 960315 in area of Physical Security Programs for Power Reactors.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/04. Document Control Branch (Document Control Desk). 1p. 87811:358-87811:358.

9604100177 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/08. Document Control Branch (Document Control Desk). 55pp. 87834:232-87834:286.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180106 Responds to NRC 960321 ltr re violations noted in insp rept 50-338/96-01 & 50-339/96-01 on 960114-0224.C/As:doors restored & bar installed.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/04/15. Document Control Branch (Document Control Desk). 5pp. 87936:336-87936:340.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260021 "North Anna Power Station Units 1 & 2 Environ Protection Plan 1995 Annual Rept." W/960422 ltr.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 12pp. 88019:339-88019:350.

9604300412 "Annual Radioactive Effluent Release Rept North Anna Power Station (Jan-Dec 1995)." W/960422 ltr.
STAFFORD,A.H. Virginia Power (Virginia Electric & Power Co.). 95/12/31. 202pp. 88072:112-88072:313.

9604170264 Forwards monthly operating repts for Mar 1996 for North Anna Power Station Units 1 & 2 & revised pages to monthly operating rept for Feb 1996 for North Anna Power Station Unit 2.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 96/04/12. Document Control Branch (Document Control Desk). 1p. 87933:225-87933:238.

–9604170303 Monthly operating repts for Mar 1996 for North Anna Power Station Units 1 & 2.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 96/03/31. 11pp. 87933:226-87933:236.

–9604170304 Revised pages to monthly operating rept for Feb 1996 for North Anna Power Station Unit 2.
STALL,J.A. Virginia Power (Virginia Electric & Power Co.). 96/02/29. 2pp. 87933:237-87933:238.

S. Reportable occurrences, LERs & related correspondence

9604040268 Submits oil spill questionnaire,as discussed by telcon.
WHITE,J.W. Virginia Power (Virginia Electric & Power Co.). 96/03/28. CURTIN,P. Region 3 (Post 820201). 7pp. 87766:354-87766:361.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604010171 Notifies that VEPCO intends to use optical disks,in addition to storage media currently used for storage & retrieval of QA records re GL 88-18.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87696:359-87696:360.

9604090437 Informs that Rev 39 to plant Physical Security Plan meets 10CFR72 security requirements for power reactor site to operate ISFSI in accordance w/10CFR50.
EDISON,G.E. . 96/04/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87809:342-87809:344.

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604030389 Forwards "Fermi 2 Individual Plant Exam (External Events)," in response to GL 88-20.
GIPSON,D.R. Detroit Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 8pp. 87763:001-87764:181.

–9604030395 "Fermi 2 Individual Plant Exam (External Events)."
PAGE,E.M., HASSOUM,A.I., MCDONOUGH,M.B. Detroit Edison Co. 96/03/31. 500pp. 87763:009-87764:181.

9604080354 Submits Rev 27 to physical security plan.Rev withheld,per 10CFR50.54(p)(2) & GL 96-02.
GOODMAN,L.S. Detroit Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87888:001-87888:002.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604120089 Revised RERP plan implementing procedures,including Rev 9 to EP-530, "Assembly & Accountability & Onsite Protective Actions" & Rev 5 to EP-607, "Media Pool Operation."
SHELTON,D. Detroit Edison Co. 96/04/04. 16pp. 87877:070-87877:085.

9604220057 Forwards revised RERP Plan Implementing Procedures,including Rev 23 to EP-101, "Classification of Emergencies," Rev 7 to EP-225, "Radiological Medical Emergencies" & Rev 17 to "Radiological Emergency Response Preparedness Plan."
* Detroit Edison Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87992:001-87992:142.

–9604220068 Revised RERP Plan Implementing Procedures,including Rev 23 to EP-101, "Classification of Emergencies" & Rev 7 to EP-225, "Radiological Medical Emergencies."
SHELTON,D. Detroit Edison Co. 96/04/12. 72pp. 87992:002-87992:070.

–9604220071 Rev 17 to "Radiological Emergency Response Preparedness Plan."
* Detroit Edison Co. 96/04/12. 56pp. 87992:071-87992:142.

9604180172 Submits rev 17 to RERP incorporating NUMARC/NESP-007,rev 2, "Methodology for Development of Emergency Action Levels."
GOODMAN,L.S. Detroit Edison Co. 96/04/12. Document Control Branch (Document Control Desk). 9pp. 87957:232-87957:312.

–9604180184 "Fermi 2 Radiological Emergency Response Preparedness Plan."
* Detroit Edison Co. 96/03/18. 72pp. 87957:241-87957:312.

9604220386 Forwards objectives for annual radiological emergency preparedness exercise,FERMEX 96.FERMEX 96 will be full participation exercise conducted at facility during normal working hours on 960716.
GOODMAN,L.S. Detroit Edison Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87983:337-87983:341.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity Information

9604020021 Provides current level of property damage & decontamination insurance for facility,per 10CFR50.54(w)(3).
GOODMAN,L.S. Detroit Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87725:336-87725:337.

P. Operating license stage documents & correspondence

9604090393 Discusses transition from IGSCC qualification program to performance demonstration initiative program.
RUSSELL,W.T. . 96/03/01. DONOVAN,K.P. BWR Owners Group. DONOVAN,K.P. Centerior Energy. 6pp. 87809:098-87809:150.

--9508170020 Concludes that PDI program effectively qualifies NDE technicians IAW App VIII to Section XI of ASME B&PV Code. Forwards assessment rept & requests notification of inaccuracies or proprietary info,upon review,within 30 days.
STROSNIDER,J.R. . 95/08/11. SHEFFEL,B.J. Detroit Edison Co. 2pp. 87809:104-87809:105.

--9603120500 Final assessment rept 99901288/95-01 of PDI program.Issues identified will be discussed in 960307 meeting.Areas assessed:review of PDI generic UT procedures,test blocks & bolting exam.
SULLIVAN,E.J. . 96/03/06. 46pp. 87809:106-87809:150.

9604100089 Forwards administrative ltr 95-06, "Relocation of TS Administrative Controls Related to QA," dtd 951212 & model SE to be used as guide to prepare plant specific SE for amend request.
DORMAN,D.H. . 96/03/19. . 2pp. 87825:207-87825:222.

9604010252 Forwards Relief Request VR-61 for IST program for pumps & valves to implement test frequencies consistent w/10CFR50, App J,Option B.
GIPSON,D.R. Detroit Edison Co. 96/03/27. Document Control Branch (Document Control Desk). 5pp. 87718:357-87718:361.

9604030389 Forwards "Fermi 2 Individual Plant Exam (External Events)," in response to GL 88-20.
GIPSON,D.R. Detroit Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 8pp. 87763:001-87764:181.

--9604030395 "Fermi 2 Individual Plant Exam (External Events)."
PAGE,E.M., HASSOUM,A.I., MCDONOUGH,M.B. Detroit Edison Co. 96/03/31. 500pp. 87763:009-87764:181.

9604080425 Forwards markup of Draft Rev 0 to Design Criteria Document FERMI-DC-76230-1, "CCHVAC Duct & Duct Support Qualification," summarizing results of 960301 meeting
GIPSON,D.R. Detroit Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 65pp. 87805:253-87805:317.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240148 Submits Detroit Edison's response to NRC GL 96-01 dtd 960110 re util's intent to perform requested comparison of schematic & logic diagrams against plant surveillance procedures ensuring all portions of logic circuitry covered.
GIPSON,D.R. Detroit Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88010:313-88010:316.

9604240036 Responds to NRC 960322 ltr on emergency diesel generator allowed outage time extension & questions asked during 960411 conference call.
GIPSON,D.R. Detroit Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 9pp. 88007:351-88007:359.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

--9604110122 Partially withheld ltr discussing case 2-94-003 & analysis & summary of evidence corroborating testimony of E Taylor.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/08/03. Ofc of Investigations (Post 880201). 2pp. 87871:218-87871:219.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150025 Forwards insp repts 50-341/96-02 & 50-016/96-02 on 960109-0319 & notice of violation.
MILLER,H.J. Region 3 (Post 820201). 96/04/04. GIBSON,D.R. Detroit Edison Co. 10pp. 87869:002-87869:056.

--9604150030 Notice of violation from insp on 960109-0319.Violation noted:on 940629 Detroit Edison certified,as Level III Quality Control Inspector,individual w/associate degree who had less than 7 yrs related experience.
* Region 3 (Post 820201). 96/04/04. 3pp. 87869:012-87869:014.

--9604150033 Insp repts 50-341/96-02 & 50-016/96-02 on 960109-0319. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
JORDAN,M. Region 3 (Post 820201). 96/04/02. 42pp. 87869:015-87869:056.

9604090396 Press release III-96-13, "NRC Staff to Hold Conference W/ Detroit Edison Co."
* Region 3 (Post 820201). 96/04/08. 1p. 87824:132-87824:132.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080025 "Annual Radioactive Effluent Release Rept for Period Jan-Dec 1995." W/ 960329 ltr.
GIBSON,D.R. Detroit Edison Co. 95/12/31. 237pp. 87782:029-87782:265.

9604230099 Monthly operating rept for Mar 1996 for Fermi 2.W/960415 ltr
GILES,H.B., GOODMAN,L.S. Detroit Edison Co. 96/03/31. 4pp. 88002:328-88002:331.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604170284 Forward LER 96-004,rev 0 dtd 960409 re high particulate levels found in EDG 11 fuel.New commitments listed.
GIPSON,D.R. Detroit Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87941:304-87941:311.

--9604170297 LER 96-004-00:on 960310,high particulate levels found in EDG 11 fuel oil.Caused by draining day tank into bottom of FOST day before maint creating turbulence near sampling point. Changed out fuel oil in FOST for EDG 11 w/fresh fuel oil.
JAWORSKY,M. Detroit Edison Co. 96/04/09. 6pp. 87941:306-87941:311.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W., HOLAHAN,G.M., CRUTCHFIELD,D. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604250206 Advises that on 960205,during surveillance test at Fermi 2 nuclear plant,licensee unable to get required flow from one of div I diesel generator cooling water pumps.
AXELSON,W.L. Region 3 (Post 820201). 96/04/17. ROE,J.W. . 4pp. 87996:273-87996:276.

9604300365 Forwards LER 96-005 re EECW being in unanalyzed condition & subsequent TS required shutdown.Util determined that sys design such that long term emergency equipment component cooling could not be assured for all DBA scenarios.
GIPSON,D.R. Detroit Edison Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88066:178-88066:186.

--9604300374 LER 96-005-00:on 960327,EECW sys declared inoperable & TS required shutdown commenced due to design issue.Design mod implemented to provide safety-related make-up sources for make-up water & nitrogen to EECW MUT.
RICHES,K. Detroit Edison Co. 96/04/26. 7pp. 88066:180-88066:186.

DOCKET 50-344 TROJAN NUCLEAR PLANT

F. Security, medical, emergency & fire protection plans

9604010440 Forwards plant ISFSI security plan.Encl withheld,per 10CFR73.21.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. Document Control Branch (Document Control Desk). 1p. 87719:138-87719:138.

9604100185 Application for license to construct & operate ISFSI at Trojan Nuclear Plant.SAR,environ rept,emergency plan, proposed TS,Certified ISFSI specialist training program & QA program encl.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TRAVERS,W.T. Office of Nuclear Material Safety & Safeguards. 31pp. 87845:001-87847:011.

--9604100206 "Trojan Permanently Defueled Emergency Plan."
* Portland General Electric Co. 96/03/26. 140pp. 87846:236-87847:011.

9604170225 Requests that C Gaskin review "Trojan ISFSI Security Plan," submitted by util 960326 ltr.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. PIERSON,R.C. Licensing Branch. 1p. 87948:338-87948:338.

9604220402 Advises that 960123 Rev 27 to Issue 4 to physical security plan & guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plans.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/15. CROSS,J.E. Duquesne Light Co. 3pp. 87983:353-87983:355.

J. Insurance & Indemnity Information

9604050053 Forwards certified true copies of listed endorsements to nuclear liability policies & certificates for plant.
QUENNOZ,S.M. Portland General Electric Co. 96/04/01. RUSSELL,W.T. . 14pp. 87771:269-87771:282.

P. Operating license stage documents & correspondence

9604030403 Discusses meeting w/Fish & Wildlife Svc on 960301 re placing platform on Trojan cooling tower to encourage breeding by pair of recently sighted peregrine falcons.
PETERSON,R.D. Interior, Dept. of, Fish & Wildlife Service. 96/03/25. MEEK,T. Oregon, State of. 3pp. 87752:223-87752:225.

9604030223 Discusses concern expressed at 960307 meeting of Oregon Energy Facilities Siting Council re Time magazine article & NRC oversight of Millstone nuclear stations.Informs of commitment to provide oversight to decommisioning at Trojan.
MASNIK,M.T. . 96/03/29. STEWART-SMITH Oregon, State of. 3pp. 87736:350-87736:352.

9604110288 Requests for exemption from requirements of 10CFR50.56 re monitoring effectiveness of maint at plants.Detailed basis supporting request encl.
QUENNOZ,S.M. Portland General Electric Co. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87863:347-87863:354.

9604160309 Informs of staff intent to issue order approving plant Decommissioning Plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-96-071. 96/04/04. 12pp. 87899:182-87899:193.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604300027 Forwards PGE-1006-95, "Trojan Nuclear Plant Radiological Environ Monitoring Rept for 1995" & rev 13 to PGE-1021, "ODCM."
QUENNOZ,S.M. Portland General Electric Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88093:062-88093:238.

--9604300045 Rev 13 to "Offsite Dose Calculation Manual."
* Portland General Electric Co. 95/12/31. 134pp. 88093:104-88093:238.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090418 Discusses investigation repts 5-91-012 & 5-91-013 from Stier,Anderson & Malone re past activities at plant.One apparent violation of 10CFR50.9 identified & being considered for escalated enforcement action.
CALLAN,L.J. Region 4 (Post 820201). 96/04/05. QUENNOZ,S.M. Pacific Gas & Electric Co. 5pp. 87792:352-87792:356.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604250442 "Trojan Nuclear Plant Environ Monitoring Program for 1995." W/960423 ltr.
* Pacific Gas & Electric Co. PGE-1009-95. 95/12/31. 52pp. 88022:180-88022:231.

9604300027 Forwards PGE-1006-95, "Trojan Nuclear Plant Radiological Environ Monitoring Rept for 1995" & rev 13 to PGE-1021, "ODCM."
QUENNOZ,S.M. Portland General Electric Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88093:062-88093:238.

--9604300040 "Trojan Nuclear Plant Radiological Environ Monitoring Rept for 1995."
* Portland General Electric Co. PGE-1006-95. 95/12/31. 38pp. 88093:063-88093:103.

--9604300045 Rev 13 to "Offsite Dose Calculation Manual."
* Portland General Electric Co. 95/12/31. 134pp. 88093:104-88093:238.

W. Decommissioning Stage Documents & Correspondence

9604170395 Forwards Order approving decommissioning plan & authorizing decommissioning of plant.
MASNIK,M.T. . 96/04/15. QUENNOZ,S.M. Portland General Electric Co. 4pp. 87911:116-87911:124.

--9604170400 Order approving decommissioning plan & authorizing decommissioning of facility.
RUSSELL,W.T. . 96/04/15. Portland General Electric Co. 5pp. 87911:120-87911:124.

9604170369 Press release 96-59, "NRC Staff Approves Decommissioning Plan for Trojan Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 96/04/16. 1p. 87959:335-87959:335.

Y. Dry Cask Independent Spent Fuel Storage Installations

9604100185 Application for license to construct & operate ISFSI at Trojan Nuclear Plant.SAR,environ rept,emergency plan, proposed TS,Certified ISFSI specialist training program & QA program encl.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TRAVERS,W.T. Office of Nuclear Material Safety & Safeguards. 31pp. 87845:001-87847:011.

--9604100190 "Trojan ISFSI SAR."
* Portland General Electric Co. PGE-1069. 96/03/26. 410pp. 87845:032-87846:077.

--9604100197 "Trojan ISFSI Environ Rept."
* Portland General Electric Co. PGE-1070. 96/03/26. 95pp. 87846:078-87846:173.

--9604100199 Proposed tech specs for Trojan ISFSI.
* Portland General Electric Co. 96/03/26. 44pp. 87846:174-87846:217.

--9604100200 "Trojan Nuclear Plant Certified ISFSI Specialist Training Program."
* Portland General Electric Co. 96/03/26. 18pp. 87846:218-87846:235.

--9604100206 "Trojan Permanently Defueled Emergency Plan."
* Portland General Electric Co. 96/03/26. 140pp. 87846:236-87847:011.

9604100261 Transmits proprietary suppl info re Trojan ISFSI.Info withheld per 10CFR2.790.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 4pp. 87847:030-87847:036.

9604120006 Forwards PGE-1061, "Trojan Nuclear Plant Decommissioning Plan," dtd 950126 as suppl info to satisfy requirements per 10CFR72.22 re financial qualifications to cover const, operations & decommissioning of proposed ISFSI.W/o details.
YUNDT,C.P. Portland General Electric Co. 96/04/01. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 2pp. 87863:163-87863:167.

9604150397 Forwards PGE-1074, "Final Survey Plan for ISFSI Site for Trojan Nuclear Plant."
QUENNOZ,S.M. Portland General Electric Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87896:290-87896:331.

--9604150402 "Final Survey Plan for ISFSI Site for Trojan Nuclear Plant."
* Portland General Electric Co. 96/04/09. 39pp. 87896:291-87896:331.

9604170339 Provides official notification that util intends to place spent nuclear fuel & fuel debris currently located in spent fuel pool at plant into dry fuel storage sys.
* Portland General Electric Co. 96/04/09. EMEIGH,C. NRC - No Detailed Affiliation Given. 1p. 87948:166-87948:166.

9604170134 Requests technical assistance in reviewing QA program for Trojan ISFSI,included in util 960326 application for site- specific license for ISFSI at Trojan Nuclear Plant.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87948:339-87948:339.

9604170182 Requests technical assistance in reviewing financial info provided by util in 960326 application for site-specific license for ISFSI at Trojan Nuclear Plant.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. NEWBERRY,S.F. . 1p. 87948:337-87948:337.

9604170225 Requests that C Gaskin review "Trojan ISFSI Security Plan," submitted by util 960326 ltr.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. PIERSON,R.C. Licensing Branch. 1p. 87948:338-87948:338.

9604180038 Informs that NRC determined engineering drawings related to plant ISFSI should be withheld from public disclosure per 10CFR2.790,as requested in POGE 960326 ltr.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. THOMPSON,T.C. Sierra Nuclear, Inc. 2pp. 87942:322-87942:323.

9604250220 Requests rulemaking to address proposed dry fuel storage facility.
YUNDT,C.P. Portland General Electric Co. 96/04/16. STEWARTSMITH,D. Oregon, State of. 1p. 88023:266-88023:266.

9604250244 Forwards notice of consideration of issuance of matls license for storage of spent fuel & notice of opportunity for hearing re 960326 request,as supplemented on 960401.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/19. QUENNOZ,S.M. Portland General Electric Co. 3pp. 88023:192-88023:200.

--9604250246 Notice of consideration of issuance of matls license for storage of spent fuel & notice of opportunity for hearing. License will authorize applicant to store spent fuel in dry storage cask sys at Trojan Nuclear Plant site.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/19. 6pp. 88023:195-88023:200.

9604240297 Responds to final survey plan for ISFSI at Trojan Nuclear Plant.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/04/22. QUENNOZ,S.M. Portland General Electric Co. 2pp. 88007:360-88007:361.

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604040157 Informs review of rev 14 of industrial security plan consistent w/requirements of 10CFR73 except notations in encl.
GUNDRUM,L.L. . 96/04/02. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 4pp. 87746:197-87746:200.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290075 Rev 1 to EPIP RA-EP-02720, "Recovery Organization."
* Centerior Energy. 96/04/03. 35pp. 88034:315-88034:349.

9604300145 Notifies NRC of util intent to withdraw 10CFR50,App R exemption request for containment annulus.
STETZ,J.P. Centerior Energy. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88059:357-88059:358.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170350 Forwards copy of ltr sent to CEIC requesting info re issues raised in 2.206 Petition submitted by City of Cleveland,OH. Extends opportunity to City of Cleveland for informal public hearing & requests decision within 15 days of receiving ltr.
HOPKINS,J.B. . 96/04/12. STRAUS,D.R. . 3pp. 87911:290-87911:297.

--9604170358 Submits RAI re "Petition of City of Cleveland,OH for Expedited Issuance of NOV Enforcement of License Conditions & Imposition of Appropriate fines," dtd 960123.Requests response within 20 days of receipt of dtd ltr.
HOPKINS,J.B. . 96/04/12. SHELTON,D.C. Centerior Service Co. 5pp. 87911:293-87911:297.

J. Insurance & indemnity information

9604020027 Forwards,per 10CFR50.54(w)(3) requirements,property insurance coverage info for Perry Nuclear Power Plant/ Davis-Besse Nuclear Power Station.
SHELTON,D.C. Centerior Energy. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87725:338-87725:339.

P. Operating license stage documents & correspondence

9604050156 Forwards application for amend to license NPF-3,App A,TS, changing surveillance requirements for charcoal filter lab testing to revise methodology used to determine operability of charcoal filters in ESF air handling units.
STETZ,J.P. Centerior Energy. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87771:283-87771:304.

--9604050168 Application for amend to license NPF-3,App A,re surveillance requirements for charcoal filter lab testing to revise testing methodology used to determine operability of charcoal filters in ESF air handling units.
STETZ,J.P. Centerior Energy. 96/03/29. Document Control Branch (Document Control Desk). 9pp. 87771:285-87771:293.

--9604050186 Proposed tech specs 3/4.6.4.4 - HPS,3/4.6.5.1 - Shield Building EVS & 3.4.7.6.1 - CREVS re changing surveillance requirements for charcoal filter lab testing to revise methodology used to determine operability in ESF AHUs
* Centerior Energy. 96/03/29. 11pp. 87771:294-87771:304.

9604120024 Forwards amend 209 to license NPF-3 & SE.Amend clarifies testing requirements & updates regulatory & industry guidance refs for charcoal absorber units in ESF cleanup air handling units.
GUNDRUM,L.L. . 96/03/29. STETZ,J.P. Toledo Edison Co. 3pp. 87859:337-87859:353.

--9604120036 Amend 209 to license NPF-3,revising TS 4.6.4.4,4.6.5.1 & 4.7.6.1.
MARCUS,G.H. . 96/03/29. 7pp. 87859:340-87859:346.

--9604120053 Safety evaluation supporting amend 209 to license NPF-3.
* . 96/03/29. 7pp. 87859:347-87859:353.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150220 Discusses changes to QA program audit & surveillance finding processing.
STETZ,J.P. Centerior Energy. 96/04/10. Document Control Branch (Document Control Desk). 25pp. 87888:227-87888:251.

9604170299 Forwards "1995 Annual Radiological Environ Operating Rept for Davis-Besse Nuclear Power Station," Revs 8 & 9 to "ODCM" & "1995 Radiological Environ Monitoring Program for Davis- Besse Nuclear Power Station," final monthly progress rept.
WOOD,J.K. Toledo Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 2pp. 87943:001-87944:360.

--9604170305 Rev 8 to "ODCM."
WOOD,J.K. Toledo Edison Co. 95/10/16. 196pp. 87943:231-87944:062.

--9604170307 Rev 9 to "ODCM."
WOOD,J.K. Toledo Edison Co. 95/12/21. 191pp. 87944:063-87944:253.

9604220178 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
STETZ,J.P. Centerior Energy. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 87953:335-87953:337.

9604290276 Forwards LAR re shutdown operation of Davis-Besse Nuclear Power Station,Unit 1 during Tenth Refueling Outage.
STETZ,J.P. Centerior Energy. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 88038:323-88038:335.

--9604290282 Application for amend to license NPF-3,requesting NRC review & approval to use alternate electrical lineup.Station Blackout DG as standby emergency power source to supply loads normally supplied by EDG 1,while being reworked.
STETZ,J.P., LASH,J.H. Centerior Energy. 96/04/18. 10pp. 88038:326-88038:335.

9604250184 Forwards amend 210 to license NPF-3 & SE.Amend approves use of SBO DG in lieu of EDG associated w/decay heat removal loop 1 during tenth refueling outage.
GUNDRUM,L.L. . 96/04/19. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 2pp. 88006:325-88006:334.

--9604250187 Amend 210 to license NPF-3,approving use of SBO DG in lieu of EDG associated w/decay heat removal loop 1 during tenth refueling outage.
MARCUS,G.H. . 96/04/19. 2pp. 88006:327-88006:328.

--9604250189 Safety evaluation supporting amend 201 to license NPF-3.
* . 96/04/19. 6pp. 88006:329-88006:334.

9604250353 Ack 950913 response to request for comments to DG-1043. Comments were used in developing RG 1.149,rev 2, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. Centerior Energy. 4pp. 87998:170-87998:173.

9604260083 Forwards amend 211 to license NPF-2 & safety evaluation. Amend clarifies TS 3/4.3.2.1,Table 3.3-3 & revises Bases 3/4.3.1 & 3/4.3.2 to accurately reflect design & actuation logic of DG load sequencer.
GUNDRUM,L.L. . 96/04/23. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 2pp. 88007:150-88007:161.

--9604260089 Amend 211 to license NPF-3,clarifying TS 3/4.3.2.1,Table 3.3 & revising Bases 3/4.3.1 & 3/4.3.2 to accurately reflect design & actuation logic of DG load sequencer & essential bus undervoltage relays.
GUNDRUM,L.L. . 96/04/23. 8pp. 88007:152-88007:159.

--9604260093 Safety evaluation supporting amend 211 to license NPF-7.
* . 96/04/23. 2pp. 88007:160-88007:161.

9604300145 Notifies NRC of util intent to withdraw 10CFR50,App R exemption request for containment annulus.
STETZ,J.P. Centerior Energy. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88059:357-88059:358.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240097 Forwards SE granting second 10-yr interval ISI program plan requests for relief RR-A10,RR-A11,RR-A12 & RR-B7.INEL technical evaluation ltr rept also encl.
MARCUS,G.H. . 96/04/12. STETZ,J.P. Centerior Service Co. STETZ,J.P. Toledo Edison Co. 3pp. 87972:238-87972:254.

--9604240114 Safety evaluation granting second 10-yr interval ISI program plan requests for relief RR-A10,RR-A11,RR-A12 & RR-B7.
* . 96/04/12. 14pp. 87972:241-87972:254.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290181 "Mar 1996 Wastewater Rept for Davis-Besse Nuclear Power Station." W/ 960417 ltr.
WASCH,T., WOOD,J.K. Toledo Edison Co. 96/03/31. WICK,E. Ohio, State of. 7pp. 88057:179-88057:185.

9604170299 Forwards "1995 Annual Radiological Environ Operating Rept for Davis-Besse Nuclear Power Station," Revs 8 & 9 to "ODCM" & "1995 Radiological Environ Monitoring Program for Davis- Besse Nuclear Power Station," final monthly progress rept.
WOOD,J.K. Toledo Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 2pp. 87943:001-87944:360.

--9604170301 "1995 Annual Radiological Environ Operating Rept for Davis- Besse Nuclear Power Station."
* Toledo Edison Co. 95/12/31. 228pp. 87943:003-87943:230.

--9604170305 Rev 8 to "ODCM."
WOOD,J.K. Toledo Edison Co. 95/10/16. 196pp. 87943:231-87944:062.

--9604170307 Rev 9 to "ODCM."
WOOD,J.K. Toledo Edison Co. 95/12/21. 191pp. 87944:063-87944:253.

--9604170311 "1995 Radiological Environ Monitoring Program for Davis- Besse Nuclear Power Station," final monthly progress rept.
HUEBNER,L.G. Teledyne Isotopes Midwest Laboratory. 95/12/31. 107pp. 87944:254-87944:360.

S. Reportable occurrences, LERs & related correspondence

9604080435 LER 96-001-00:on 960304,EECS inoperable.Caused by inadequate safety review.Plant mod to install manual vent valve will be implemented in tenth refueling outage.W/960403 ltr.
MILLER,D.L., WOOD,J.K. Toledo Edison Co. 96/04/03. 7pp. 87824:055-87824:061.

9604290102 LER 96-002-00:on 960320,potential loss of remote shutdown capability discovered due to MOV fire induced damage. Evaluated susceptible valves.W/960419 ltr.
SMITH,P.W., WOOD,J.K. Toledo Edison Co. 96/04/19. 8pp. 88045:310-88045:318.

DOCKET 50-348 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010437 Forwards addl security plan changes for biometrics access control sys.Encl withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. . 2pp. 87704:358-87704:359.

9604100268 Forwards Rev 29 to plant security plan.Rev withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87847:037-87847:038.

9604100135 Responds to 951009 & 960325 ltrs re exemption request for hand geometry biometrics sys rev 28 to physical security plan.Changes acceptable.
SIEGEL,B.L. . 96/04/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87825:223-87825:225.

9604160479 On-call schedule dtd 960408 to Rev 2 to FNP-0-EIP-8.1.
HUDSPETH,J. Southern Nuclear Operating Co. 96/04/09. MCKNIGHT,J. Document Control Branch (Document Control Desk). 15pp. 87923:249-87923:263.

9604250336 Submits Rev 30 to FNP Security Plan.Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88007:212-88007:213.

P. Operating license stage documents & correspondence

9604020391 Informs that 1-2A DG outage currently rescheduled for 960429 due to to revised ship date for intercooler tube bundle,per GL 87-02.
MOREY,D. Southern Nuclear Operating Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87712:354-87712:354.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110079 Provides response to NRC GL 96-01,dtd 960110,re problems w/ inadequate testing of safety-related logic circuits.
MOREY,D. Southern Nuclear Operating Co. 96/04/05. Document Control Branch (Document Control Desk). 1p. 87847:205-87847:205.

9604170444 Forwards SE authorizing licensee 960129 request for relief from ASME Code Section III,Article 9,Section N-910.8 & 1971 Edition of ASME Code Section III,Article NC-7000, Paragraph NC-7153.
BERKOW,H.N. . 96/04/15. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87911:166-87911:172.

--9604170449 Safety evaluation authorizing licensee 960129 request for relief from ASME Code Section III,Article 9,Section N-910.8 & 1971 Edition of ASME Code Section III,Article NC-7000, Paragraph NC-7153.
* . 96/04/15. 4pp. 87911:169-87911:172.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010339 Forwards response to violations noted in Insp Repts 50-348/95-21 & 50-364/95-21.Corrective actions:event discussed w/maint supervision personnel responsible for approving schedule rotation in question.
MOREY,D. Southern Nuclear Operating Co. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87719:150-87719:151.

9604090197 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960227,covering Sept 1995 - Feb 1996.Encl details insp plan for next six months.
SKINNER,P.H. Region 2 (Post 820201). 96/03/27. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 87806:204-87806:208.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090216 Ack receipt of 960326 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-21 & 50-364/95-21 on 960304.
SKINNER,P.H. Region 2 (Post 820201). 96/04/03. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 87806:128-87806:129.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110107 Forwards 30-day response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MOREY,D. Southern Nuclear Operating Co. 96/04/04. Document Control Branch (Document Control Desk). 11pp. 87855:326-87855:336.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220266 Forwards insp repts 50-348/96-02 & 50-364/96-02 on 960204- 0317.No violations noted.
SKINNER,P.H. Region 2 (Post 820201). 96/04/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87945:212-87945:260.

–9604220271 Insp repts 50-348/96-02 & 50-364/96-02 on 960204-0316.No violations noted.Major areas inspected:plant operations, maint,surveillance,engineering & technical support.
ROSS,T.M., SKINNER,P.H. Region 2 (Post 820201). 96/04/12. 46pp. 87945:215-87945:260.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220191 "Annual Environ Operating Rept for 1995 (Nonradiological)." W/960415 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 4pp. 87953:349-87953:352.

9604300058 "Annual Radioactive Effluent Release Rept for CY95." W/960423 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 98pp. 88062:215-88062:312.

9604300199 "JM Farley Nuclear Plant,Radiological Environ Operating Rept for 1995." W/960422 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 38pp. 88063:305-88063:342.

9604010332 Submits 10CFR50.46 annual ECCS evaluation model changes rept for 1995.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. Document Control Branch (Document Control Desk). 9pp. 87718:348-87718:356.

9604010344 Forwards 1995 annual DG reliability data rept.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87719:157-87719:158.

9604160408 Monthly operating repts for Mar 1996 for JM Farley Nuclear Plant.W/ 960412 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 96/03/31. 10pp. 87916:274-87916:283.

S. Reportable occurrences, LERs & related correspondence

9604230080 LER 96-001-00:on 960322,discovered plant periodically operating in condition prohibited by Tech Specs 3.3.2.Caused by cognitive personnel error.Applicable test procedures revised.W/960416 ltr.
HILL,R.D., MOREY,D. Southern Nuclear Operating Co. 96/04/16. 4pp. 88030:356-88030:359.

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604050063 Forwards public version of Rev 16 to emergency response procedure (ERP) ERP-110, "Emergency Notification." W/960403 release memo.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/04. Document Control Branch (Document Control Desk). 2pp. 87823:291-87823:302.

–9604050068 Public version of Rev 16 to emergency response procedure (ERP) ERP-110, "Emergency Notification."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/02/05. 10pp. 87823:293-87823:302.

9604010432 Forwards changes to ERDS data set library.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/26. Document Control Branch (Document Control Desk). 67pp. 87715:279-87715:345.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190288 Submits four controlled copies of revised Physical Security Plan.Encl withheld.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87951:355-87951:356.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604040133 Forwards Rev 5 of updated FSAR for Limerick Generating Station,Units 1 & 2.Rev reflects changes until 951001 & also contains annual rev of QA program description.
FETTERS,D.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/01. Document Control Branch (Document Control Desk). 8pp. 87794:001-87800:231.

–9604040136 Rev 5 of updated FSAR for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 2406pp. 87794:010-87800:231.

P. Operating license stage documents & correspondence

9604090457 Discusses potential plugging of emergency core cooling suction strainers by debris in boiling water reactors.
BERLINGER,C.H. . 96/03/21. HART,G.H. Performance Contracting, Inc. 3pp. 87809:338-87809:339.

9604030309 Forwards amends 115 & 77 to licenses NPF-39 & NPF-85, respectively & SE.Amends revises TS 3.6.1.8, "Drywell & Suppression Chamber Purge Sys," increasing drywell & suppression chamber purge sys operating time limit.
RINALDI,F. . 96/03/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 87722:172-87722:186.

–9604030314 Amends 115 & 77 to licenses NPF-39 & NPF-85,respectively, revising TS 3.6.1.8, "Drywell & Suuppression Chamber Purge Sys," by increasing drywell & suppresion chamber purge sys operating time limit from 90 to 180 h each 365 days.
STOLZ,J.F. . 96/03/29. 10pp. 87722:175-87722:184.

–9604030317 Safety evaluation supporting amends 115 & 77 to licenses NPF-39 & NPF-85,respectively.
* . 96/03/29. 2pp. 87722:185-87722:186.

9604040228 Responds to BWROG RRG interim recommendations re Viton CRD SSPV response time delay.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 1p. 87771:172-87771:172.

9604050046 Application for amends to licenses NPF-39 & NPF-85, respectively,revising TS SR 4.5.1.d.2.b to delete requirement to perform functional testing of ADS valves as part of start-up testing activities.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 13pp. 87771:254-87771:268.

-9604050050 Proposed tech specs,revising TS SR 4.5.1.d.2.b to delete requirement to perform functional testing of ADS valves as part of start-up testing activities.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. 2pp. 87771:267-87771:268.

9604080141 Forwards rev to relief request 40-VRR-2 for plant First Ten Yr Interval Pump & Value IST Program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/01. Document Control Branch (Document Control Desk). 6pp. 87814:293-87814:298.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220312 Notification of significant licensee meeting 96-36 w/util on 960508 to discuss availability to shutdown cooling during refueling operations.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/15. Region 1 (Post 820201). 2pp. 87935:240-87935:241.

9604220340 Requests approval of TS Change Request 94-02-0 prior to 960425 to support recalibration of affected equipment.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87983:333-87983:334.

9604260107 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88023:357-88023:360.

9604290126 Forwards amend 116 & 78 to licenses NPF-39 & NPF-85 & safety evaluation.Amends change concentration of calibr gas required for calibr Hydrogen & Oxygen Analyzers & support LGS TRIP T-102.
RINALDI,F. . 96/04/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88036:290-88036:304.

-9604290133 Amends 116 & 78 to licenses NPF-39 & NPF-85,respectively, changing concentration of calibr gas required for calibr Hydrogen & Oxygen Analyzers & support LGS TRIP T-102.
STOLZ,J.F. . 96/04/23. 8pp. 88036:293-88036:300.

-9604290137 Safety evaluation supporting amends 116 & 78 to licenses NPF-39 & NPF-85,respectively.
* . 96/04/23. 4pp. 88036:301-88036:304.

9604300427 TS Change Request 95-08-0 to Licenses NPF-39 & NPF-85, relocating TS 3/4.7.7 re traversing in-core probe LCO.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. Document Control Branch (Document Control Desk). 6pp. 88067:189-88067:205.

-9604300428 Proposed Tech Specs 3/4.3.7.7 re relocation of traversing in-core probe LCO.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. 11pp. 88067:195-88067:205.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170031 Monthly operating repts for Mar 1996 for LGS,units 1 & 2. W/960411 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/31. 11pp. 87928:128-87928:138.

S. Reportable occurrences, LERs & related correspondence

9604020380 NPDES noncompliance notification:on 960218,discovered that no records existed for Bradshae Reservoir discharge water temp for listed time periods.Caused by temporary reassigment of personnel.Review of staffing in progress.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. BAUER,R. Pennsylvania, Commonwealth of. 4pp. 87712:350-87712:353.

9604080138 LER 96-008-00:on 960303,HPCI,ESFA & condition which could have prevented intended safety function occurred due to personnel error.Issued Event Training Bulletin to all I&C technicians by 960415.W/960402 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/02. 5pp. 87823:342-87823:346.

9604220297 LER 96-009-00:on 960314,five of six as-found setpoint tests on main steam sys SRVs found outside required pressure ranges.Caused by setpoint drift due to corrosion induced bonding.Modified pilot disc installed in SRVs.W/960412 ltr.
KANTER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/12. 7pp. 87990:322-87990:328.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W., HOLAHAN,G.M., CRUTCHFIELD,D. . 2pp. 87912:334-87912:342.

-9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604260105 Forwards LER 96-006 rev 2 for LGS unit 1 re loss of safety function of control room emergency fresh air sys resulting in operating conditions prohibited by TSs.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/19. Document Control Branch (Document Control Desk). 1p. 88009:144-88009:156.

-9604260114 LER 96-006-02:on 960207,CREFAS inoperable.Caused by flow switch coordination deficiency.C/A:flow switches adjusted & plant staff training performed.
KANTNER,J.L. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/19. 12pp. 88009:145-88009:156.

9604290245 Special rept:on 960312,two loose-part detection sys channels inoperable for more than 30 days.Caused by failure of sensor.Repaired control rod housing 02-31 LPDS channel sensor.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88032:358-88032:359.

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604050063 Forwards public version of Rev 16 to emergency response procedure (ERP) ERP-110, "Emergency Notification." W/960403 release memo.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/04. Document Control Branch (Document Control Desk). 2pp. 87823:291-87823:302.

-9604050068 Public version of Rev 16 to emergency response procedure (ERP) ERP-110, "Emergency Notification."
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/02/05. 10pp. 87823:293-87823:302.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190288 Submits four controlled copies of revised Physical Security Plan.Encl withheld.
MACFARLAND,W.G. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87951:355-87951:356.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604040133 Forwards Rev 5 of updated FSAR for Limerick Generating Station,Units 1 & 2.Rev reflects changes until 951001 & also contains annual rev of QA program description.
FETTERS,D.B. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/01. Document Control Branch (Document Control Desk). 8pp. 87794:001-87800:231.

—9604040136 Rev 5 of updated FSAR for Limerick Generating Station,Units 1 & 2.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/30. 2406pp. 87794:010-87800:231.

P. Operating license stage documents & correspondence

9604090457 Discusses potential plugging of emergency core cooling suction strainers by debris in boiling water reactors.
BERLINGER,C.H. . 96/03/21. HART,G.H. Performance Contracting, Inc. 3pp. 87809:338-87809:339.

9604030309 Forwards amends 115 & 77 to licenses NPF-39 & NPF-85, respectively & SE.Amends revises TS 3.6.1.8, "Drywell & Suppression Chamber Purge Sys," increasing drywell & suppression chamber purge sys operating time limit.
RINALDI,F. . 96/03/29. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 3pp. 87722:172-87722:186.

—9604030314 Amends 115 & 77 to licenses NPF-39 & NPF-85,respectively, revising TS 3.6.1.8, "Drywell & Suuppression Chamber Purge Sys," by increasing drywell & suppresion chamber purge sys operating time limit from 90 to 180 h each 365 days.
STOLZ,J.F. . 96/03/29. 10pp. 87722:175-87722:184.

—9604030317 Safety evaluation supporting amends 115 & 77 to licenses NPF-39 & NPF-85,respectively.
* . 96/03/29. 2pp. 87722:185-87722:186.

9604040228 Responds to BWROG RRG interim recommendations re Viton CRD SSPV response time delay.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 1p. 87771:172-87771:172.

9604050046 Application for amends to licenses NPF-39 & NPF-85, respectively,revising TS SR 4.5.1.d.2.b to delete requirement to perform functional testing of ADS valves as part of start-up testing activities.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. Document Control Branch (Document Control Desk). 13pp. 87771:254-87771:268.

—9604050050 Proposed tech specs,revising TS SR 4.5.1.d.2.b to delete requirement to perform functional testing of ADS valves as part of start-up testing activities.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/29. 2pp. 87771:267-87771:268.

9604080141 Forwards rev to relief request 40-VRR-2 for plant First Ten Yr Interval Pump & Value IST Program.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/01. Document Control Branch (Document Control Desk). 6pp. 87814:293-87814:298.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220312 Notification of significant licensee meeting 96-36 w/util on 960508 to discuss availability to shutdown cooling during refueling operations.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/15. Region 1 (Post 820201). 2pp. 87935:240-87935:241.

9604220340 Requests approval of TS Change Request 94-02-0 prior to 960425 to support recalibration of affected equipment.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87983:333-87983:334.

9604260107 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88023:357-88023:360.

9604290126 Forwards amend 116 & 78 to licenses NPF-39 & NPF-85 & safety evaluation.Amends change concentration of calibr gas required for calibr Hydrogen & Oxygen Analyzers & support LGS TRIP T-102.
RINALDI,F. . 96/04/23. HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 2pp. 88036:290-88036:304.

—9604290133 Amends 116 & 78 to licenses NPF-39 & NPF-85,respectively, changing concentration of calibr gas required for calibr Hydrogen & Oxygen Analyzers & support LGS TRIP T-102.
STOLZ,J.F. . 96/04/23. 8pp. 88036:293-88036:300.

—9604290137 Safety evaluation supporting amends 116 & 78 to licenses NPF-39 & NPF-85,respectively.
* . 96/04/23. 4pp. 88036:301-88036:304.

9604300427 TS Change Request 95-08-0 to Licenses NPF-39 & NPF-85, relocating TS 3/4.7.7 re traversing in-core probe LCO.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. Document Control Branch (Document Control Desk). 6pp. 88067:189-88067:205.

—9604300428 Proposed Tech Specs 3/4.3.7.7 re relocation of traversing in-core probe LCO.
* PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/25. 11pp. 88067:195-88067:205.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170031 Monthly operating repts for Mar 1996 for LGS,units 1 & 2. W/960411 ltr.
HENRICKS,D.R., GALLAGHER,M.P. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/31. 11pp. 87928:128-87928:138.

S. Reportable occurrences, LERs & related correspondence

9604020380 NPDES noncompliance notification:on 960218,discovered that no records existed for Bradshae Reservoir discharge water temp for listed time periods.Caused by temporary reassigment of personnel.Review of staffing in progress.
BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/03/28. BAUER,R. Pennsylvania, Commonwealth of. 4pp. 87712:350-87712:353.

9604220269 LER 96-002-00:on 960315,ESFA occurred due to loss of power to RPS/UPS power distribution panel.Caused by inadvertent actuation of underfrequency relay.Created necessary addl physical barriers arounds Units 1 & 2.W/960415 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. 7pp. 87990:309-87990:315.

9604220275 LER 96-003-00:on 960314,failed to perform accelerated surveillance testing of Unit 2 EDG due to inadequate evaluation program.Reviewed & enhanced program & associated implementing documents for failure evaluations.W/960415 ltr.
KANTNER,J.L., BOYCE,R.W. PECO Energy Co., (formerly Philadelphia Electric Co.). 96/04/15. 6pp. 87990:316-87990:321.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010232 Notifies NRC of change to emergency response data sys data point library.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/03/22. Document Control Branch (Document Control Desk). 5pp. 87704:335-87704:339.

9604110093 Revised EPIPs,including Rev 21 to EPIP table of contents & Rev 10 to EPIP 903, "Opening of Emergency Operations Facility (EOF)/Emergency News Ctr (ENC)."
* Public Service Electric & Gas Co. of New Jersey. 96/04/01. 18pp. 87856:115-87856:132.

9604160245 Rev 3 to emergency plan section 6, "Notification Methods - Response Organizations."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/09. 26pp. 87893:280-87893:305.

9604160445 Revised "Hope Creek Generating Station Event Classification Guide."
BANNER,C.W. Public Service Electric & Gas Co. of New Jersey. 96/04/09. 59pp. 87915:197-87915:255.

I. Financial Information

9604190173 Forwards "Delmarva Power 1995 Annual Rept," "Public Svc Enterprise Group Inc,1995 Summary Annual Rept" & "Atlantic Energy 1995 Summary Annual Rept."
ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 96/04/15. Document Control Branch (Document Control Desk). 5pp. 87983:131-87983:261.

-9604190175 "Delmarva Power 1995 Annual Rept."
COSGROVE,H.E. Delmarva Power & Light Co. 95/12/31. 54pp. 87983:136-87983:189.

-9604190177 "Public Svc Enterprise Group Inc,1995 Summary Annual Rept."
FERLAND,E.J. Public Service Enterprise Group. 95/12/31. 28pp. 87983:190-87983:217.

-9604190178 "Atlantic Energy 1995,Summary Annual Rept."
JACOBS,J.L., HUGGARD,E.D. Atlantic Energy, Inc. 95/12/31. 37pp. 87983:218-87983:261.

P. Operating license stage documents & correspondence

9604010262 Provides suppl response to GL 86-04 re policy statement on engineering expertise on shift while still meeting plant TS.PSE&G now plans to use both licensed & non-licensed STAs.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/03/22. Document Control Branch (Document Control Desk). 2pp. 87704:351-87704:352.

9604080371 Submits withdrawal of requests for amend for Salem Generating & Hope Creek.
POWELL,D.R. Public Service Electric & Gas Co. of New Jersey. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87815:342-87815:343.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160020 Informs that proposed changes to QAP IAW 10CFR50.54(a), acceptable.
RULAND,W.H. Region 1 (Post 820201). 96/04/10. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 3pp. 87895:218-87895:220.

9604180268 Forwards withdrawal of amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
OLSHAN,L.N. . 96/04/16. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 1p. 87917:347-87917:352.

-9604180274 Notice of withdrawal of application for amends to licenses DPR-70 & DPR-75 for Salem & license NPF-57 for Hope Creek Nuclear Generating Station.
STOLZ,J.F. . 96/04/16. 2pp. 87917:351-87917:352.

9604260133 Informs that util received GL 96-01, "Testing of Safety-Related Logic Circuits," & will implement requested actions for facilities.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 88027:351-88027:353.

9604220377 Discusses TS review performed to assure that required TS surveillance tests completed prior to start-up,in response to discovery that some CRs that had undergone maint not scram time tested during cold hydrostatic test of RCS.
STORZ,L.F. Public Service Electric & Gas Co. of New Jersey. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87974:358-87974:360.

9604250348 Forwards SE re util response to GL 88-20, "IPE for Severe Accident Vulnerabilities." Util have fully met intent of GL 88-20.
JAFFE,D.H. . 96/04/23. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 87998:001-87998:144.

-9604250358 Safety evaluation accepting util response to GL 88-20, "IPE for Severe Accident Vulnerabilities."
* . 96/04/23. 4pp. 87998:005-87998:009.

-9604250366 "TER on IPE Front End Analysis."
DARBY,J.L., SCIACCA,F.W., THOMAS,W.R. Science & Engineering Associates, Inc. NRC-04-91-066. SEA 92-2337-010-A:2. 95/12/20. NRC - No Detailed Affiliation Given. 36pp. 87998:010-87998:045.

-9604250376 "TER of Hope Creek Nuclear Station IPE Back End Submittal," final rept."
VIJAYKUMAR,R., SEWELL,R., KHATIB-RAHBAR, Energy Research, Inc. NRC-04-91-068. ERI/NRC 94-112. 95/12/31. NRC - No Detailed Affiliation Given. 58pp. 87998:046-87998:103.

-9604250381 "TER of IPE Submittal Human Reliability Analysis," final rept.
SWANSON,P.J. Concord Associates, Inc. NRC-04-91-069. CA/TR 95-019-38. 95/12/27. Division of Systems Technology (Post 941217). 41pp. 87998:104-87998:144.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604040177 Forwards safety evaluation re NRC Bulletin 95-02, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode," for plant.
JAFFE,D.H. . 96/04/02. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 2pp. 87746:201-87746:207.

-9604040178 Safety evaluation accepting NRC Bulletin 95-02, "Unexpected Clogging of Residual Heat Removal Pump Strainer While Operating in Suppression Pool Cooling Mode."
* . 96/04/02. 4pp. 87746:204-87746:207.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604230388 Discusses safety insp rept 50-354/95-19 between 951109 & 1221 & forwards notice of violations.
MARTIN,T.T. Region 1 (Post 820201). 96/04/08. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 5pp. 87953:297-87953:303.

-9604230390 Notice of violation from insp between 951109 & 1221. Violations noted:as of 951215,licensee did not establish measures to assure that conditions adverse to quality promptly identified & corrected.
* Region 1 (Post 820201). 96/04/08. 2pp. 87953:302-87953:303.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290269 Forwards insp rept 50-354/96-80 on 960212-28 & NOV.
COOPER,R.W. Region 1 (Post 820201). 96/04/24. ELIASON,L.R. Public Service Electric & Gas Co. of New Jersey. 4pp. 88033:024-88033:112.

-9604290277 Notice of violation from insp on 960212-28.Violation noted: written procedures not appropriately established or implemented for safety-related maint of svc water strainer during sixth refueling outage.
* Region 1 (Post 820201). 96/04/24. 1p. 88033:028-88033:028.

-9604290280 Insp rept 50-354/96-80 on 960212-28.Violations noted.Major areas inspected:mgt programs,independent oversight,self- assessment,operations,maint & surveillance.
LINVILLE,J.C., NICHOLSON,L.E. Region 1 (Post 820201). 96/04/18. 83pp. 88033:029-88033:112.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020411 "NPDES Discharge Monitoring Rept for PSE&G Hope Creek Generating Station for Feb 1995." W/960322 ltr.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/02/29. CORPORALE,G. New Jersey, State of. 24pp. 87732:328-87732:351.

9604160448 Forwards operating statistics for March 1996 & corrected copy of Feb 1996 "Unit Shutdowns & Power Reductions" sheet.
REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/14. Document Control Branch (Document Control Desk). 1p. 87916:284-87916:292.

-9604160455 Monthly operating rept for Mar 1996 for Hope Creek Generation Station,Unit 1.
LYONS,D.W. Public Service Electric & Gas Co. of New Jersey. 96/03/31. 7pp. 87916:285-87916:291.

-9604160463 Corrected Feb 1996 monthly operating data rept "Unit Shutdowns & Power Reductions" sheet for Hope Creek Generating Station,Unit 1.
LYONS,D.W. Public Service Electric & Gas Co. of New Jersey. 96/02/29. 1p. 87916:292-87916:292.

S. Reportable occurrences, LERs & related correspondence

9604010272 LER 95-042-00:on 951212,fuel bundle was confirmed to be misoriented during operating cycle.Caused by less than adequate procedural & human factor controls being established.Revised procedures.W/960325 ltr.
KEENAN,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/03/25. 5pp. 87708:246-87708:250.

9604020372 LER 96-004-00:on 960229,discovered required IST surveillances for "D" safety auxiliaries cooling sys pump & "B" station svc water pump not performed.Caused by less than adequate oversight.Instruction provided.W/960328 ltr.
KEENAN,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/03/28. 6pp. 87733:248-87733:253.

9604020230 LER 96-006-00:on 920120,filtration recirculation ventilation sys supply side backdraft isolation dampers identified as being installed backwards.Orientation of supply side backdraft isolation dampers corrected.W/960329 ltr.
KEPLEY,L., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/03/29. 6pp. 87733:225-87733:230.

9604150257 LER 96-007-00:on 960314,failed to perform CR maximum scram insertion time surveillances.Caused by misinterpretation of TS provisions.C/A:revisions to TS lesson plan & training for personnel.W/960411 ltr.
PRIEST,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/11. 6pp. 87896:354-87896:359.

9604170052 LER 96-008-00:on 960314,discovered that on 920510 & 940805, plant operated w/CR withdrawal speeds outside design basis due to mis-adjustment of CRDS flow control needle valves. Procedure HP.OP-FT.BF-0001(Q) will be revised.W/960412 ltr.
KARRICK,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/12. 6pp. 87941:293-87941:298.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604190110 LER 96-009-00:on 960317,determined that plant operating in unanalyzed condition due to inappropriate SWS/safety auxiliary cooling sys throttle valve settings.Repositioned valves & revised appropriate procedures.W/960416 ltr.
PRIEST,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/16. 6pp. 87960:283-87960:288.

9604260120 LER 96-010-00:on 960319,automatic isolation signal received from high steam flow signal.Caused by deficient RCIC warm-up procedure.Isolation signal reset,warm-up completed & RCIC sys returned to svc.Warm-up procedure revised.W/960418 ltr.
PRIEST,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/18. 5pp. 88031:111-88031:115.

9604260074 LER 96-011-00:on 960320,HPCIS failed surveillance & ADS declared inoperable resulting in entry into TS 3.0.3.Caused by personnel error.Procedures revised & personnel trained. W/960419 ltr.
KARRICK,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/19. 6pp. 88031:089-88031:095.

9604290082 LER 96-033-04:on 951114,noted TS surveillance requirement implementation deficiencies.Caused by ineffective reviews of procedures.C/A:comprehensive review of procedures & test procedures revised.W/960422 ltr.
KEENAN,J., REDDEMANN,M.E. Public Service Electric & Gas Co. of New Jersey. 96/04/22. 12pp. 88045:298-88045:309.

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604030119 Forwards Rev 11 to "Updated Fire Hazards Analysis SONGS, Units 1,2 & 3."
NUNN,D.E. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87768:001-87768:239.

--9604030122 Rev 11 to "Updated Fire Hazards Analysis SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/02/29. 400pp. 87768:005-87768:239.

9604050452 Forwards Rev 16 to security force training & qualification plan for Units 1,2 & 3.Rev withheld,per 10CFR50.54(p)(2).
KRIEGER,R.W. Southern California Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87775:286-87775:286.

9604170238 Submits comments on NRC notice of pending submittal to Ofc of Mgt & budget for review re 10CFR73,physical protection of plants & matls.
MARSH,W.C. Southern California Edison Co. 96/04/08. SHELTON,B.J. NRC - No Detailed Affiliation Given. 2pp. 87933:245-87933:246.

9604160433 Responds to 951121 ltr re changes to PSP,Rev 48.Informs plan commitments consistent w/provisions of 10CFR50.54(p) & changes appropriate for plan.
FIELDS,M.B., WEBB,M. . 96/04/11. RAY,H.B. Southern California Edison Co. 2pp. 87899:208-87899:209.

9604260030 Forwards Rev 11 to "UFSAR for SONGS,Units 2 & 3," filed in K & Rev 11 to "Updated Fire Harazards Analysis for SONGS,Units 1,2 & 3," filed in F.
MARSH,W. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88084:001-88091:232.

--9604260040 Rev 11 to "Updated Fire Hazards Analysis for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/03/31. 298pp. 88090:299-88091:232.

9604250303 Temporary Change Notice 4 to Rev 0 to SO123-NP-1, "Emergency Planning & Public Affairs Responsibilities & Offsite Interfaces." W/960419 ltr.
MARSH,W.C. Southern California Edison Co. 96/04/19. 16pp. 88023:304-88023:319.

9604290385 Submits Rev 50 to Physical Security Plan for SONGS.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88038:358-88038:359.

H. General correspondence

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

--9502060061 Forwards analysis which constitutes financial qualifications review & input to SER on proposal by util to implement corporate restructuring by creating holding company.Merger should be approved.
WOOD,R.S. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/02/01. FIELDS,M.B. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). WEBB,M.K. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 87906:189-87906:192.

--9604170184 Forwards proposed ltr re corporate restructuring of SDG&E to provide assurances re transfer of util-related assets.
MESERVE,R.A. Covington & Burling. 95/03/23. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 87906:193-87906:193.

--9604170188 Advises that util agrees to provide NRR w/60-days prior notice of transfer from SDG&E to proposed parent or to any other affiliated company or facilities production, transmission or distribution of electric energy.
GUILES,E.A. San Diego Gas & Electric Co. 95/03/24. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 87906:194-87906:195.

J. Insurance & Indemnity Information

9604030326 Advises NRC that listed Nuclear Property & Decontamination Liability Insurance currently in effect for SONGS,as required by 10CFR50.54(w)(3).
MARSH,W.C. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87755:359-87755:360.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604260030 Forwards Rev 11 to "UFSAR for SONGS,Units 2 & 3," filed in K & Rev 11 to "Updated Fire Harazards Analysis for SONGS,Units 1,2 & 3," filed in F.
MARSH,W. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88084:001-88091:232.

--9604260036 Rev 11 to "UFSAR for SONGS,Units 2 & 3."
* Southern California Edison Co. 96/03/31. 2,046pp. 88084:002-88090:298.

9604250150 Responds to reviewing & updating info for SONGS units 2 & 3 updated FSAR.
NUNN,D.E. Southern California Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88023:264-88023:265.

9604090390 Rev 12 to UFSAR for SONGS Units 1 & 2.W/960405 ltr.
NUNN,D.E. Southern California Edison Co. 96/04/30. 52pp. 87839:087-87839:140.

M. Antitrust correspondence

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

--9501260175 Discusses antitrust review of proposed restructuring of San Diego Gas & Electric company.Concludes util request,dtd 941115 re proposed restructuring does not appear to violate antitrust statutes & would not impact bulk power svc.
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/19. QUAY,T.R. Office of Nuclear Reactor Regulation (Post 941001). 175pp. 87906:026-87906:188.

P. Operating license stage documents & correspondence

9604040123 Forwards amends 128 & 117 to licenses NPF-10 & NPF-15, respectively & safety evaluation.Amends revise TS 3/4.7.5.
FIELDS,M.B. . 96/02/28. RAY,H.B. Southern California Edison Co. 2pp. 87737:254-87737:291.

--9604040138 Amends 128 & 117 to licenses NPF-10 & NPF-15,respectively, revising TS 3/4.7.5 by reducing test duration for CREACS & deleting requirements for duct heaters & diverting valves.
FIELDS,M.B. . 96/02/28. 32pp. 87737:256-87737:287.

--9604040144 Safety evaluation supporting amends 128 & 117 to licenses NPF-10 & NPF-15,respectively.
* . 96/02/28. 4pp. 87737:288-87737:291.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170038 Forwards SE approving licensee 950417 application for approval of Topical Rept CEN-367A, "Leak-Before-Break Evaluation of Primary Coolant Loop Piping in Combustion Engineering Design Nuclear Steam Supply Sys."
FIELDS,M.B. . 96/04/11. RAY,H.B. Southern California Edison Co. 5pp. 87911:313-87911:320.

--9604170042 Safety evaluation approving licensee application for NRC approval of Topical Rept CEN-367A, "Leak-Before-Break Evaluation of Primary Coolant Loop Piping in Combustion Engineering Designed Nuclear Steam Supply Sys."
* . 96/04/11. 3pp. 87911:318-87911:320.

9604170159 Forwards application for Amends 158 & 142 to Licenses NPF-10 & NPF-15,respectively,revising TS 3.6.3, "Containment Isolation Valves," to resolve inconsistency in TSs.
NUNN,D.E. Southern California Edison Co. 96/04/11. Document Control Branch (Document Control Desk). 3pp. 87948:254-87948:271.

--9604170168 Application for amends 158 & 142 to Licenses NPF-10 & NPF-15,respectively,revising TS 3.6.3, "Containment Isolation Valves," to resolve inconsistency in TSs.
NUNN,D.E. Southern California Edison Co. 96/04/11. 8pp. 87948:257-87948:264.

--9604170174 Proposed Tech Specs 3.6.3 re containment isolation valves.
* Southern California Edison Co. 96/04/11. 7pp. 87948:265-87948:271.

9604190018 Forwards amends 129 & 118 to licenses NPF-10 & NPF-15 & SE. Amends add new TS 3/4.7.3.1 & associaed bases & will ensure sufficient CCW capacity for continued operation of safety-related equipment during normal conditions & DBE.
FIELDS,M.B. . 96/04/11. RAY,H.B. Southern California Edison Co. 4pp. 87926:131-87926:192.

--9604190023 Amends 129 & 118 to licenses NPF-10 & NPF-15,respectively, adding TS 3/4.7.3.1 & associated bases & ensure sufficient CCW capacity for continued operation of safety-related equipment during normal conditions & DBE.
* . 96/04/11. 40pp. 87926:135-87926:180.

--9604190028 Safety evaluation supporting amends 129 & 118 to licenses NPF-10 & NPF-15,respectively.
* . 96/04/11. 12pp. 87926:181-87926:192.

9604190038 Informs util Relief Request B-14 de facto approved when staff approved use of Code Case N-416-1 for plant,Units 2 & 3 in ltr dtd 950111.
BATEMAN,W.H. . 96/04/15. RAY,H.B. Southern California Edison Co. 3pp. 87942:233-87942:235.

9604170276 Notification of 960424 meeting w/util in Rockville,MD to discuss converting from analog to digital monitoring sys for plant Units 2 & 3.
FIELDS,M.B. . 96/04/16. BATEMAN,W.H. . 4pp. 87909:357-87909:360.

9604220393 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
MARSH,W.C. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 87983:359-87983:360.

9604250182 Discusses review of responses to anomalies for plant,Units 2 & 3.Anomolies re relief requests or programmatic issues, listed.
FIELDS,M.B. . 96/04/22. RAY,H.B. Southern California Edison Co. 5pp. 88006:320-88006:324.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080205 Informs that NRC staff completed plant performance review of plant,units 2 & 3.Results used by NRC mgt to facilitate planning & allocation of insp resources.
DYER,J.E. Region 4 (Post 820201). 96/04/03. RAY,H.B. Southern California Edison Co. 6pp. 87772:072-87772:077.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160447 Responds to 960221 ltr proposing self-assessment of engineering activities,programs & controls as alternative to NRC team insp of same activities.NRC requires formal submission of plan IAW NRC insp procedure 40501.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RAY,H.B. Southern California Edison Co. 5pp. 87887:207-87887:211.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150377 Forwards insp repts 50-361/96-02 & 50-362/96-02 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/11. RAY,H.B. Southern California Edison Co. 5pp. 87885:096-87885:129.

--9604150382 Notice of violation from insp on 960211-0323.Violation noted:as of 960211,licensee processess for procedure changes & abnormal alignments failed to ensure compliance w/TS 6.8.2 requirements for mgt approval prior to implementation.
* Region 4 (Post 820201). 96/04/11. 2pp. 87885:101-87885:102.

--9604150388 Insp repts 50-361/96-02 & 50-362/96-02 on 960211-0323. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
KIRSCH,D.F. Region 4 (Post 820201). 96/04/11. 27pp. 87885:103-87885:129.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604230061 Forwards monthly operating repts for March 1996 for San Onofre Nuclear Generating Station,Units 2 & 3,as required by TS 6.9.1.10 of licenses NPF-10 & NPF-15,respectively.
MARSH,W.C. Southern California Edison Co. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87998:311-87998:323.

--9604230071 Monthly operating repts for Mar 1996 for San Onofre Nuclear Generating Station,Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 96/03/31. 12pp. 87998:312-87998:323.

S. Reportable occurrences, LERs & related correspondence

9604010292 LER 96-001-00:on 960205,waste gas sys H monitor was declared inoperable.Caused by blown fuse.Replaced blown fused & performed channel calibr.W/960304 ltr.
KRIEGER,R.W. Southern California Edison Co. 96/03/04. 4pp. 87708:271-87708:274.

9604230111 LER 96-003-00:on 960212,identified computer data error. Caused by inattention to detail.C/A:COLSS computer restarted w/correct date.W/960419 ltr.
KRIEGER,R.W. Southern California Edison Co. 96/04/19. 4pp. 87993:331-87993:334.

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604030119 Forwards Rev 11 to "Updated Fire Hazards Analysis SONGS, Units 1,2 & 3."
NUNN,D.E. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87768:001-87768:239.

--9604030122 Rev 11 to "Updated Fire Hazards Analysis SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/02/29. 400pp. 87768:005-87768:239.

9604050452 Forwards Rev 16 to security force training & qualification plan for Units 1,2 & 3.Rev withheld,per 10CFR50.54(p)(2).
KRIEGER,R.W. Southern California Edison Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87775:286-87775:286.

9604170238 Submits comments on NRC notice of pending submittal to Ofc of Mgt & budget for review re 10CFR73,physical protection of plants & matls.
MARSH,W.C. Southern California Edison Co. 96/04/08. SHELTON,B.J. NRC - No Detailed Affiliation Given. 2pp. 87933:245-87933:246.

9604160433 Responds to 951121 ltr re changes to PSP,Rev 48.Informs plan commitments consistent w/provisions of 10CFR50.54(p) & changes appropriate for plan.
FIELDS,M.B., WEBB,M. . 96/04/11. RAY,H.B. Southern California Edison Co. 2pp. 87899:208-87899:209.

9604260030 Forwards Rev 11 to "UFSAR for SONGS,Units 2 & 3," filed in K & Rev 11 to "Updated Fire Harazards Analysis for SONGS,Units 1,2 & 3," filed in F.
MARSH,W. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88084:001-88091:232.

--9604260040 Rev 11 to "Updated Fire Hazards Analysis for SONGS,Units 1,2 & 3."
* Southern California Edison Co. 96/03/31. 298pp. 88090:299-88091:232.

9604250303 Temporary Change Notice 4 to Rev 0 to SO123-NP-1, "Emergency Planning & Public Affairs Responsibilities & Offsite Interfaces." W/960419 ltr.
MARSH,W.C. Southern California Edison Co. 96/04/19. 16pp. 88023:304-88023:319.

9604290385 Submits Rev 50 to Physical Security Plan for SONGS.Encl withheld.
KRIEGER,R.W. Southern California Edison Co. 96/04/24. Document Control Branch (Document Control Desk). 2pp. 88038:358-88038:359.

H. General correspondence

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

--9502060061 Forwards analysis which constitutes financial qualifications review & input to SER on proposal by util to implement corporate restructuring by creating holding company.Merger should be approved.
WOOD,R.S. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/02/01. FIELDS,M.B. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 4pp. 87906:189-87906:192.

--9604170184 Forwards proposed ltr re corporate restructuring of SDG&E to provide assurances re transfer of util-related assets.
MESERVE,R.A. Covington & Burling. 95/03/23. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 87906:193-87906:193.

–9604170188 Advises that util agrees to provide NRR w/60-days prior notice of transfer from SDG&E to proposed parent or to any other affiliated company or facilities production, transmission or distribution of electric energy.
GUILES,E.A. San Diego Gas & Electric Co. 95/03/24. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 87906:194-87906:195.

J. Insurance & Indemnity Information

9604030326 Advises NRC that listed Nuclear Property & Decontamination Liability Insurance currently in effect for SONGS,as required by 10CFR50.54(w)(3).
MARSH,W.C. Southern California Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87755:359-87755:360.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604260030 Forwards Rev 11 to "UFSAR for SONGS,Units 2 & 3," filed in K & Rev 11 to "Updated Fire Harazards Analysis for SONGS,Units 1,2 & 3," filed in F.
MARSH,W. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88084:001-88091:232.

–9604260036 Rev 11 to "UFSAR for SONGS,Units 2 & 3."
* Southern California Edison Co. 96/03/31. 2,046pp. 88084:002-88090:298.

9604250150 Responds to reviewing & updating info for SONGS units 2 & 3 updated FSAR.
NUNN,D.E. Southern California Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88023:264-88023:265.

9604090390 Rev 12 to UFSAR for SONGS Units 1 & 2.W/960405 ltr.
NUNN,D.E. Southern California Edison Co. 96/04/30. 52pp. 87839:087-87839:140.

M. Antitrust correspondence

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

–9501260175 Discusses antitrust review of proposed restructuring of San Diego Gas & Electric company.Concludes util request,dtd 941115 re proposed restructuring does not appear to violate antitrust statutes & would not impact bulk power svc.
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/19. QUAY,T.R. Office of Nuclear Reactor Regulation (Post 941001). 175pp. 87906:026-87906:188.

P. Operating license stage documents & correspondence

9604040123 Forwards amends 128 & 117 to licenses NPF-10 & NPF-15, respectively & safety evaluation.Amends revise TS 3/4.7.5.
FIELDS,M.B. . 96/02/28. RAY,H.B. Southern California Edison Co. 2pp. 87737:254-87737:291.

–9604040138 Amends 128 & 117 to licenses NPF-10 & NPF-15,respectively, revising TS 3/4.7.5 by reducing test duration for CREACS & deleting requirements for duct heaters & diverting valves.
FIELDS,M.B. . 96/02/28. 32pp. 87737:256-87737:287.

–9604040144 Safety evaluation supporting amends 128 & 117 to licenses NPF-10 & NPF-15,respectively.
* . 96/02/28. 4pp. 87737:288-87737:291.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170038 Forwards SE approving licensee 950417 application for approval of Topical Rept CEN-367A, "Leak-Before-Break Evaluation of Primary Coolant Loop Piping in Combustion Engineering Design Nuclear Steam Supply Sys."
FIELDS,M.B. . 96/04/11. RAY,H.B. Southern California Edison Co. 5pp. 87911:313-87911:320.

–9604170042 Safety evaluation approving licensee application for NRC approval of Topical Rept CEN-367A, "Leak-Before-Break Evaluation of Primary Coolant Loop Piping in Combustion Engineering Designed Nuclear Steam Supply Sys."
* . 96/04/11. 3pp. 87911:318-87911:320.

9604170159 Forwards application for Amends 158 & 142 to Licenses NPF-10 & NPF-15,respectively,revising TS 3.6.3, "Containment Isolation Valves," to resolve inconsistency in TSs.
NUNN,D.E. Southern California Edison Co. 96/04/11. Document Control Branch (Document Control Desk). 3pp. 87948:254-87948:271.

–9604170168 Application for amends 158 & 142 to Licenses NPF-10 & NPF-15,respectively,revising TS 3.6.3, "Containment Isolation Valves," to resolve inconsistency in TSs.
NUNN,D.E. Southern California Edison Co. 96/04/11. 8pp. 87948:257-87948:264.

–9604170174 Proposed Tech Specs 3.6.3 re containment isolation valves.
* Southern California Edison Co. 96/04/11. 7pp. 87948:265-87948:271.

9604190018 Forwards amends 129 & 118 to licenses NPF-10 & NPF-15 & SE. Amends add new TS 3/4.7.3.1 & associaed bases & will ensure sufficient CCW capacity for continued operation of safety-related equipment during normal conditions & DBE.
FIELDS,M.B. . 96/04/11. RAY,H.B. Southern California Edison Co. 4pp. 87926:131-87926:192.

–9604190023 Amends 129 & 118 to licenses NPF-10 & NPF-15,respectively, adding TS 3/4.7.3.1 & associated bases & ensure sufficient CCW capacity for continued operation of safety-related equipment during normal conditions & DBE.
* . 96/04/11. 40pp. 87926:135-87926:180.

–9604190028 Safety evaluation supporting amends 129 & 118 to licenses NPF-10 & NPF-15,respectively.
* . 96/04/11. 12pp. 87926:181-87926:192.

9604190038 Informs util Relief Request B-14 de facto approved when staff approved use of Code Case N-416-1 for plant,Units 2 & 3 in ltr dtd 950111.
BATEMAN,W.H. . 96/04/15. RAY,H.B. Southern California Edison Co. 3pp. 87942:233-87942:235.

9604170276 Notification of 960424 meeting w/util in Rockville,MD to discuss converting from analog to digital monitoring sys for plant Units 2 & 3.
FIELDS,M.B. . 96/04/16. BATEMAN,W.H. . 4pp. 87909:357-87909:360.

9604220393 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
MARSH,W.C. Southern California Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 87983:359-87983:360.

9604250182 Discusses review of responses to anomalies for plant,Units 2 & 3.Anomolies re relief requests or programmatic issues, listed.
FIELDS,M.B. . 96/04/22. RAY,H.B. Southern California Edison Co. 5pp. 88006:320-88006:324.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080205 Informs that NRC staff completed plant performance review of plant,units 2 & 3.Results used by NRC mgt to facilitate planning & allocation of insp resources.
DYER,J.E. Region 4 (Post 820201). 96/04/03. RAY,H.B. Southern California Edison Co. 6pp. 87772:072-87772:077.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160447 Responds to 960221 ltr proposing self-assessment of engineering activities,programs & controls as alternative to NRC team insp of same activities.NRC requires formal submission of plan IAW NRC insp procedure 40501.
GWYNN,T.P. Region 4 (Post 820201). 96/04/10. RAY,H.B. Southern California Edison Co. 5pp. 87887:207-87887:211.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150377 Forwards insp repts 50-361/96-02 & 50-362/96-02 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/11. RAY,H.B. Southern California Edison Co. 5pp. 87885:096-87885:129.

–9604150382 Notice of violation from insp on 960211-0323.Violation noted:as of 960211,licensee processess for procedure changes & abnormal alignments failed to ensure compliance w/TS 6.8.2 requirements for mgt approval prior to implementation.
* Region 4 (Post 820201). 96/04/11. 2pp. 87885:101-87885:102.

–9604150388 Insp repts 50-361/96-02 & 50-362/96-02 on 960211-0323. Violations noted.Major areas inspected:licensee operations, engineering,maint & plant support.
KIRSCH,D.F. Region 4 (Post 820201). 96/04/11. 27pp. 87885:103-87885:129.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604230061 Forwards monthly operating repts for March 1996 for San Onofre Nuclear Generating Station,Units 2 & 3,as required by TS 6.9.1.10 of licenses NPF-10 & NPF-15,respectively.
MARSH,W.C. Southern California Edison Co. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87998:311-87998:323.

–9604230071 Monthly operating repts for Mar 1996 for San Onofre Nuclear Generating Station,Units 2 & 3.
WILLIAMS,C.E. Southern California Edison Co. 96/03/31. 12pp. 87998:312-87998:323.

DOCKET 50-363 FORKED RIVER NUCLEAR STATION, UNIT 1

A. Application/construction stage documents & correspondence

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

–9604120022 Forwards Mar 1979 Milestone & activity list for PWR const.
PASTOR,M.K. General Public Utilities Corp. - GPU Service Corp. 79/03/20. GALLO,R. Region I, IE (720101-810228). 2pp.

–9604120025 Discusses rumor of EPA denial of cooling towers for forked river.
ABRAHAM,K. Region I, IE (720101-810228). 79/02/05. Region I, IE (720101-810228). 2pp.

–9604160301 Informs that plant QA plan has been approved & implemented.
HEISHMAN,R.F. Region I, IE (720101-810228). 71/08/04. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

–9604170212 Notifies Commission of applicability of plant parametric study on ECCS to Forked River facility.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

–9604180060 Informs that 731227 ltr to Directorate of Licensing from licensee recently placed in PDR.
BRUNNER,E.J. Region I, IE (720101-810228). 74/01/17. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

D. NRC Draft/Final Environmental Statements, suppls & correspondence

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

–9604120149 Responds to 730824 ltr enclosing ltrs from HJ Kurtz & J & A Dennis re environ impact of plants.Forwards draft environ statement for Oyster Creek & final environ statement for Forked River.W/o encls.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/13. SANDMAN,C.W. House of Rep. 2pp.

H. General correspondence

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

P. Operating license stage documents & correspondence

–9604150120 Forwards copies of correspondence between Region I & JCP&L. W/o encl.
SMITH,J.E. Region I, IE (720101-810228). 73/10/03. MOTT,S. Ocean County, NJ. 1p.

–9604220215 Ack receipt of 751125 ltr requesting review of design bases for forked River reactor vessel support sys.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/12/29. PARR,O.D. Region I, IE (720101-810228). 1p.

Q. Inspection reports, IE Bulletins & correspondence

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

–9604120004 Discusses insp rept 50-363/73-06 on 731101-02.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/11/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150019 Insp rept 50-363/73-04 on 730814-16.No violations noted. Major areas inspected:followup on corrective actions.
BROWN,R.L., HOWARD,E.M. Region I, IE (720101-810228). 73/08/28. 7pp.

–9604150034 Insp rept 50-363/73-03 on 730801.No violations noted.Major areas inspected:mgt info sys.
STREETER,J.F., HEISHMAN,R.F. Region I, IE (720101-810228). 73/08/22. 3pp.

–9604150111 Insp rept 50-363/73-07 on 731105-06.No violations noted. Major areas inspected:audit of DDR.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 73/04/24. 3pp.

–9604150118 Insp rept 50-363/73-06 on 731101-02.No violations noted. Major areas inspected:reactor coolant pumps.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 73/11/29. 5pp.

–9604150231 Informs that rept being forwarded for info & distribution to PDR.
HEISHMAN,R.F. Region I, IE (720101-810228). 73/09/25. Region I, IE (720101-810228). 5pp.

–9604160279 Refers to insp conducted by Heishman & Hayward on 710629 re activities re QA program for proposed facility.
O'REILLY,J.P. Region I, IE (720101-810228). 71/08/16. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604160287 Forwards insp rept 50-363/71-02 on 710629.Areas of licensee QA program considered incomplete or deficient during initial QA insp have been revised & appear to meet both words & intent of 10CFR50,app B.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 71/08/04. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

–9604160323 Insp rept 50-363/71-02 on 710629.No violations noted.Major areas inspected:QA reinsp.
HEISHMAN,R.F., HAYWARD,W.M. Region I, IE (720101-810228). 71/08/04. 54pp.

–9604170013 Forwards rept of mgt interview w/licensee conducted on 710104.Licensee informs that corrective action would be taken on each item discussed.
LIEDERBACH,F.J. Atomic Energy Commission (Pre 750119). 71/02/27. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

–9604170018 Insp rept 50-363/71-01 on 701102-03.Violations noted. Major areas inspected:design control,procurement document control & audits.
HEISHMAN,R.F., HOWARD,E.M. Region I, IE (720101-810228). 71/02/02. 2pp.

–9604170072 Informs that GPU response appears to be favorable.
HEISHMAN,R.F. Region I, IE (720101-810228). 71/02/02. HOWARD,E.M. Region I, IE (720101-810228). 1p.

–9604170085 Forwards rept of mgt interview w/licensee concerning initial QA insp of plant,held on 710104.Licensee indicated that corrective action completed in all but few areas.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 71/02/08. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

–9604170110 Forwards rept of initial quality assurance insp for facility.
LIEDERBACH,F.J. Atomic Energy Commission (Pre 750119). 71/01/19. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

–9604170121 Insp rept 50-363/70-2 on 701102-03.Violations noted.Major areas inspected:QA program.
HEISHMAN,R.F., HAYWARD,W.N., TILLOU,J.H. Region I, IE (720101-810228). 70/12/23. 86pp.

–9604170197 Forwards CO rept 50-363/70-02 on 701102-04 of initial QA insp of plant.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 70/12/23. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

–9604170207 Forwards mgt meeting rept 50-363/70-01.Meeting focused on need for early development by applicant of effective QA program.
HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 70/12/03. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

–9604170214 Mgt meeting rept 50-363/70-01 on 701026.Areas discussed:QA program.
HEISHMAN,R.F., HOWARD,E.M. Region I, IE (720101-810228). 70/11/10. 3pp.

–9604170335 Forwards xerox copy of response to IE Bulletin 75-06 for plants.
ROSS,D.A. Jersey Central Power & Light Co. 75/09/03. HAYNES,R. Region I, IE (720101-810228). 1p.

–9604170342 Responds to IE Bulletin 75-06 re use of Westinghouse Type OT-2 control switches in safety-related sys at facility.Type has not been purchased to date.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604250107 Insp rept 50-363/74-02 on 740508-09.No violations noted. Major areas inspected:Stearns-Roger QA Manual for control of Forked River construction activities.
BARKER,F.F., HEISHMAN,R.F. Region I, IE (720101-810228). 74/05/16. 11pp.

–9604250117 Forwards insp rept 50-363/74-02 on 740508 & 09.No violations noted.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250137 Forwards insp rept 50-363/74-01 on 740423-26.No violations identified.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250215 Insp rept 50-363/74-01 on 740423-26.No violations noted. Major areas inspected:various facility pumps.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 74/05/15. 7pp.

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010437 Forwards addl security plan changes for biometrics access control sys.Encl withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. . 2pp. 87704:358-87704:359.

9604100268 Forwards Rev 29 to plant security plan.Rev withheld,per 10CFR73.21.
MOREY,D. Southern Nuclear Operating Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87847:037-87847:038.

9604100135 Responds to 951009 & 960325 ltrs re exemption request for hand geometry biometrics sys rev 28 to physical security plan.Changes acceptable.
SIEGEL,B.L. . 96/04/08. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87825:223-87825:225.

9604160479 On-call schedule dtd 960408 to Rev 2 to FNP-0-EIP-8.1.
HUDSPETH,J. Southern Nuclear Operating Co. 96/04/09. MCKNIGHT,J. Document Control Branch (Document Control Desk). 15pp. 87923:249-87923:263.

9604250336 Submits Rev 30 to FNP Security Plan.Encl withheld.
MOREY,D. Southern Nuclear Operating Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88007:212-88007:213.

P. Operating license stage documents & correspondence

9604020391 Informs that 1-2A DG outage currently rescheduled for 960429 due to to revised ship date for intercooler tube bundle,per GL 87-02.
MOREY,D. Southern Nuclear Operating Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87712:354-87712:354.

9604050042 Application for amend to license NPF-8,revising TS 3/4.4.6, "Steam Generators" & associated bases,reflecting guidance in GL 95-05.Responses to GL & revised TS encl.
MOREY,D. Southern Nuclear Operating Co. 96/03/29. Document Control Branch (Document Control Desk). 6pp. 87771:221-87771:253.

-9604050049 Proposed TS 3/4.4.6, "Steam Generators" & associated bases.
* Southern Nuclear Operating Co. 96/03/29. 27pp. 87771:227-87771:253.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110079 Provides response to NRC GL 96-01,dtd 960110,re problems w/ inadequate testing of safety-related logic circuits.
MOREY,D. Southern Nuclear Operating Co. 96/04/05. Document Control Branch (Document Control Desk). 1p. 87847:205-87847:205.

9604170444 Forwards SE authorizing licensee 960129 request for relief from ASME Code Section III,Article 9,Section N-910.8 & 1971 Edition of ASME Code Section III,Article NC-7000, Paragraph NC-7153.
BERKOW,H.N. . 96/04/15. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87911:166-87911:172.

-9604170449 Safety evaluation authorizing licensee 960129 request for relief from ASME Code Section III,Article 9,Section N-910.8 & 1971 Edition of ASME Code Section III,Article NC-7000, Paragraph NC-7153.
* . 96/04/15. 4pp. 87911:169-87911:172.

9604240354 Application for amend to License NPF-8,reflecting implementation of new F* criteria based on maintaining existing safety margins for SG tube structural integrity concurrent w/allowance for NDE eddy current uncertainty.
MOREY,D. Southern Nuclear Operating Co. 96/04/22. Document Control Branch (Document Control Desk). 7pp. 88010:283-88010:296.

-9604240357 Proposed tech specs re SG F*.
* Southern Nuclear Operating Co. 96/04/22. 7pp. 88010:290-88010:296.

9604250374 Submits proprietary proposed changes to Unit 2 TS re L* tubesheet region plugging criterion.Attachment 2 provides page change instructions,revise TS & TS bases.TS withheld.
MOREY,D. Southern Nuclear Operating Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88009:357-88009:358.

9604250330 Application for Amend to License NPF-8,requesting Unit 2 Cycle 11 TS change for SG tubes remaining in svc.
MOREY,D. Southern Nuclear Operating Co. 96/04/23. Document Control Branch (Document Control Desk). 10pp. 88023:128-88023:156.

-9604250335 Proposed tech specs re L* tubesheet region Cycle 11 specific plugging criterion.
* Southern Nuclear Operating Co. 96/04/23. 19pp. 88023:138-88023:156.

9604300157 Provides basis for notice of enforcement discretion for TS 4.4.6.4.11 L* criterion allowing SG tube to remain in svc w/bands of axial degradation in tube sheet region provided sufficient non-degraded tubing remains to satisfy guidance.
MOREY,D. Southern Nuclear Operating Co. 96/04/23. Document Control Branch (Document Control Desk). 13pp. 88061:334-88061:353.

-9604300162 Proposed tech specs re request for enforcement discretion.
* Southern Nuclear Operating Co. 96/04/23. 7pp. 88061:347-88061:353.

9604300356 Informs that Commission has requested FR to publish enclosed "Notice of Consideration of Issuance of Amend to Facility OL," relating to proposed amend application dtd 960423.
SIEGEL,B.L. . 96/04/25. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 88053:220-88053:231.

-9604300362 Notice of consideration of issuance of amend to license NPF-8 & proposed NSHC determination & opportunity for hearing.Amend modifies TS 3/4.4.6,which provides tube insp requirements & acceptance criteria.
SIEGEL,B.L. . 96/04/25. 9pp. 88053:223-88053:231.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010339 Forwards response to violations noted in Insp Repts 50-348/95-21 & 50-364/95-21.Corrective actions:event discussed w/maint supervision personnel responsible for approving schedule rotation in question.
MOREY,D. Southern Nuclear Operating Co. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87719:150-87719:151.

9604090197 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960227,covering Sept 1995 - Feb 1996.Encl details insp plan for next six months.
SKINNER,P.H. Region 2 (Post 820201). 96/03/27. MOREY,D.N. Southern Nuclear Operating Co. 5pp. 87806:204-87806:208.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090216 Ack receipt of 960326 ltr informing NRC of steps taken to correct violations noted in insp repts 50-348/95-21 & 50-364/95-21 on 960304.
SKINNER,P.H. Region 2 (Post 820201). 96/04/03. MOREY,D.N. Southern Nuclear Operating Co. 2pp. 87806:128-87806:129.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110107 Forwards 30-day response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MOREY,D. Southern Nuclear Operating Co. 96/04/04. Document Control Branch (Document Control Desk). 11pp. 87855:326-87855:336.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220266 Forwards insp repts 50-348/96-02 & 50-364/96-02 on 960204- 0317.No violations noted.
SKINNER,P.H. Region 2 (Post 820201). 96/04/12. MOREY,D.N. Southern Nuclear Operating Co. 3pp. 87945:212-87945:260.

-9604220271 Insp repts 50-348/96-02 & 50-364/96-02 on 960204-0316.No violations noted.Major areas inspected:plant operations, maint,surveillance,engineering & technical support.
ROSS,T.M., SKINNER,P.H. Region 2 (Post 820201). 96/04/12. 46pp. 87945:215-87945:260.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220191 "Annual Environ Operating Rept for 1995 (Nonradiological)." W/960415 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 4pp. 87953:349-87953:352.

9604300058 "Annual Radioactive Effluent Release Rept for CY95." W/960423 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 98pp. 88062:215-88062:312.

9604300199 "JM Farley Nuclear Plant,Radiological Environ Operating Rept for 1995." W/960422 ltr.
MOREY,D. Southern Nuclear Operating Co. 95/12/31. 38pp. 88063:305-88063:342.

9604010332 Submits 10CFR50.46 annual ECCS evaluation model changes rept for 1995.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. Document Control Branch (Document Control Desk). 9pp. 87718:348-87718:356.

9604010344 Forwards 1995 annual DG reliability data rept.
MOREY,D. Southern Nuclear Operating Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87719:157-87719:158.

9604160408 Monthly operating repts for Mar 1996 for JM Farley Nuclear Plant.W/ 960412 ltr.
MCANULTY,M.W., MOREY,D. Southern Nuclear Operating Co. 96/03/31. 10pp. 87916:274-87916:283.

DOCKET 50-366 EDWIN I. HATCH NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090147 Discusses 960220 informational meeting in Atlanta,GA re EP Program at plant.List of attendees & presentation handouts encl.
SKINNER,P. Region 2 (Post 820201). 96/03/28. BECKHAM,J.T. Georgia Power Co. 6pp. 87773:111-87773:116.

9604110116 Forwards Rev 14B to "EI Hatch Nuclear Plant Units 1 & 2 FSAR Update" & Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
BECKHAM,J.T. Georgia Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87864:001-87864:329.

-9604110121 Rev 11B to "EI Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
* Georgia Power Co. 96/01/31. 34pp. 87864:291-87864:329.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206,Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604230188 Forwards final integrated performance assessment repts 50-321/96-05 & 50-366/96-05 on 960212-23.Poor balance of plant equipment performance & matl condition caused numerous scrams,transients & downpowers which challenged operators.
GIBSON,A.F. Region 2 (Post 820201). 96/04/05. BECKHAM,J.T. Georgia Power Co. 3pp. 87953:162-87953:193.

--9604230200 Insp repts 50-321/96-05 & 50-366/96-05 on 960212-23,0311-22 & 0325-0405.No violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment/corrective action.
ROGERS,W.G. Region 2 (Post 820201). 96/04/04. 29pp. 87953:165-87953:193.

9604230085 Forwards rev to physical security plan.Encl withheld.
BECKHAM,J.T. Georgia Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 88002:337-88002:338.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206,Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604110116 Forwards Rev 14B to "El Hatch Nuclear Plant Units 1 & 2 FSAR Update" & Rev 11B to "El Hatch Nuclear Plant Units 1 & 2 Fire Hazards Analysis Update."
BECKHAM,J.T. Georgia Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87864:001-87864:329.

--9604110119 Rev 14B to "El Hatch Nuclear Plant Units 1 & 2 FSAR Update."
* Georgia Power Co. 96/03/31. 286pp. 87864:005-87864:290.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160333 Forwards SE approving third ten-year interval IST program for pumps & valves for plant,Units 1 & 2.
BERKOW,H.N. . 96/04/12. BECKHAM,J.T. Georgia Power Co. 4pp. 87909:039-87909:122.

--9604160348 Safety evaluation approving third ten-year interval IST program for pumps & valves for plant,Units 1 & 2.
* . 96/04/12. 80pp. 87909:043-87909:122.

9604170023 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
BECKHAM,J.T. Georgia Power Co. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87949:034-87949:036.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090175 Discusses 960227 regional staff semiannual plant performance review of plant & advises of planned insp effort resulting from review.
SKINNER,P.H. . 96/03/27. BECHAN,J.T. Georgia Power Co. 6pp. 87773:123-87773:128.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110085 Requests that NRC grant encl third 10-yr interval ISI program Requests for Relief RR-13 & RR-14,based on encl ASME Code Cases N-522 & N-532,respectively,in response to NRC RAI & clarification re util 960126 submittal.
BECKHAM,J.T. Georgia Power Co. 96/04/05. Document Control Branch (Document Control Desk). 16pp. 87847:206-87847:221.

9604230188 Forwards final integrated performance assessment repts 50-321/96-05 & 50-366/96-05 on 960212-23.Poor balance of plant equipment performance & matl condition caused numerous scrams,transients & downpowers which challenged operators.
GIBSON,A.F. Region 2 (Post 820201). 96/04/05. BECKHAM,J.T. Georgia Power Co. 3pp. 87953:162-87953:193.

--9604230200 Insp repts 50-321/96-05 & 50-366/96-05 on 960212-23,0311-22 & 0325-0405.No violations noted.Major areas inspected:plant operations,maint,engineering,plant support & safety assessment/corrective action.
ROGERS,W.G., GIBSON,A.F. Region 2 (Post 820201). 96/04/04. 29pp. 87953:165-87953:193.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020014 "El Hatch Nuclear Plant Annual Environ Surveillance Rept for 1995." W/ 960326 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 89pp. 87722:233-87722:321.

9604250422 "El Hatch Nuclear Plant Radiological Environ Operating Rept for 1995." W/960419 ltr.
BECKHAM,J.T. Georgia Power Co. 95/12/31. 43pp. 88023:048-88023:090.

9604160047 Monthly operating repts for Mar 1996 for El Hatch Nuclear Plant.W/960409 ltr.
ROGERS,S.B., BECKHAM,J.T. Georgia Power Co. 96/03/31. 13pp. 87894:319-87894:331.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

--9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. 7pp. 87912:336-87912:342.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604220366 Part 21 rept re Struthers-Dunn time delay relays built in 1983 w/incorrect coils.To date MSD,Inc found nine relays as described,all at GPC Plant Hatch.Relays coils clearly marked & verification of correct coil can be visually accomplished.
MAHAFFEY,T.R. Affiliation Not Assigned. 96/04/19. NRC - No Detailed Affiliation Given. 3pp. 87990:358-87990:360.

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F. Security, medical, emefgency & fire protection plans

9604020085 Rev 29 to Procedure/Work Plan 1903.023, "Personnel Emergency."
* Entergy Operations, Inc. 96/03/25. 21pp. 87724:292-87724:312.

9604020088 Rev 19 to Procedure/Work Plan 1903.042, "Duties of Emergency Medical Team."
* Entergy Operations, Inc. 96/03/25. 14pp. 87725:177-87725:190.

9604150376 Rev 5 to Procedure/Work Plan 1903.055, "Security for AP&L Offsite Facilities," deletion.
* Entergy Operations, Inc. 96/04/05. 2pp. 87913:350-87913:351.

9604150142 Informs that 960228 submittal of Rev 21 to plant emergency plant,acceptable & does not appear to degrade effectiveness of emergency planning at facility.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 87869:135-87869:138.

9604150195 Informs that listed changes in Rev 32 & 33 to 941216 & Jan 1996,respectively,Arkansas Nuclear One Emergency Action Level Classification Procedure 1903.010,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 87869:352-87869:356.

9604230212 Rev 4 to Procedure 1903.053, "Logistical Support," combining Procedures 1903.054 & 1903.078 in w/Procedure 1903.053 & deleting Procedures 1903.054 & 1903.078 completely.
HARE,J. Entergy Operations, Inc. 96/04/17. 15pp. 87976:242-87976:256.

9604230214 Rev 6 to procedure 1903.054, "Addl Personnel," deleting procedure.Pertinent info,instructions & requirements from procedure will be incorporated into Procedure 1903.053, "Logistical Support."
HARE,J. Entergy Operations, Inc. 96/04/17. 2pp. 87976:356-87976:357.

9604230222 Rev 4 to Procedure 1903.078, "Emergency Response Support," deleting procedure.Info from procedure incorporated into Procedure 1903.053, "Logistical Support."
HARE,J. Entergy Operations, Inc. 96/04/17. 2pp. 87976:354-87976:355.

G. Adjudicatory correspondence

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

H. General correspondence

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

--9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

I. Financial information

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E., DEWEASE,J.G. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

J. Insurance & indemnity information

9604010359 Forwards nuclear onsite property damage insurance coverage verification,per 10CFR50.54(w)(3).
DEWEASE,J.G. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87713:352-87713:357.

P. Operating license stage documents & correspondence

9604170212 Notifies Commission of applicability of plant parametric study on ECCS to Forked River facility.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160260 Application for amends to licenses DPR-51 & NPF-6,allowing implementation of recently approved Option B to 10CFR50,App J.
YELVERTON,J.W. Entergy Operations, Inc. 96/04/11. Document Control Branch (Document Control Desk). 3pp. 87891:238-87891:284.

--9604160262 Proposed tech specs,allowing implementation of recently approved Option B to 10CFR50,App J.
* Entergy Operations, Inc. 96/04/11. 44pp. 87891:241-87891:284.

9604160337 Application for amend to license NPF-6,revising TS re LTOP & request for exemption to 10CFR50.60 for ASME Code Case N-514.
YELVERTON,J.W. Entergy Operations, Inc. 96/04/11. Document Control Branch (Document Control Desk). 13pp. 87915:317-87915:358.

--9604160338 Proposed tech specs change re LTOP & request for exemption to 10CFR50.60 for ASME code case N-514.
* Entergy Operations, Inc. 96/04/11. 4pp. 87915:330-87915:333.

--9604160343 "LTOP for 21 EFPY."
OSTROV,A.A., STEWART,C.D. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). OSTROV,A.A. ASEA Brown Boveri, Inc. A-PENG-ER-004 R00. 96/02/28. 24pp. 87915:334-87915:358.

9604220372 Forwards SE re licensee request for alternatives to 10CFR50.55a w/respect to ISI & IST programs.Findings for ISI request expected shortly.
BECKNER,W.D. . 96/04/17. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87955:342-87955:352.

--9604220376 Safety evaluation providing guidance on submitting plant- specific info w/ respect to IST program alternatives request.
* . 96/04/17. 5pp. 87955:348-87955:352.

9604250236 Discusses mgt meeting conducted in licensee ofc on 960404 w/listed attendees re discussions amoung senior managers from licensee ofc,each of four licensee sites & responsible NRC personnel from Region IV ofc & NRR.
DYER,J.E. Region 4 (Post 820201). 96/04/17. HINTZ,D. Entergy Operations, Inc. 169pp. 87995:070-87995:238.

9604230262 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
MIMS,D.C. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 87979:290-87979:292.

9604230275 Informs that use of Code Case N-498-2 not acceptable for generic implementation on plant-wide basis.
BECKNER,W.D. . 96/04/19. YELVERTON,J.W. Entergy Operations, Inc. 8pp. 87971:352-87971:359.

Q. Inspection reports, IE Bulletins & correspondence

9604020327 Ack 951213 ltr responding to 951114 NOV.Finds reply responsive to concerns raised in NOV.Corrective actions to be reviewed in future insp.
GWYNN,T.P. Region 4 (Post 820201). 96/03/14. YELVERTON,J.W. Entergy Operations, Inc. 4pp. 87705:260-87705:268.

--9604020332 Notice of violation from insp on 951016-20.Violation noted: failure of portion of physical protection sys to protect against design basis threat & granting unescorted access to person who failed fitness-for-duty test.
* Region 4 (Post 820201). 95/11/14. 3pp. 87705:266-87705:268.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604040183 Forwards insp repts 50-313/96-10 & 50-368/96-10 on 960226-0308.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/03/29. YELVERTON,J.W. Entergy Operations, Inc. 2pp. 87736:150-87736:177.

--9604040188 Insp repts 50-313/96-10 & 50-368/96-10 on 960226-0308.No violations noted.Major areas inspected:safety assessment/ corrective action,operations,engineering,maint & plant support.
GWYNN,T.P. Region 4 (Post 820201). 96/03/29. 25pp. 87736:153-87736:177.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080291 Discusses Plant Performance Review conducted on 960311. Advises of planned insp effort resulting from subj review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. YELVERTON,J.W. Entergy Operations, Inc. 5pp. 87772:104-87772:108.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604120065 Forwards insp rept 50-313/96-01 & 50-368/96-01 on 960121- 0302 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/08. Entergy Operations, Inc. 5pp. 87850:190-87850:217.

--9604120074 Notice of violation from insp on 960121-0302.Violation noted:inadequate maint resulted in degradation of two safety related valves & resulted in potential for common mode valve failure & inoperability of train B of EFW control sys.
* Region 4 (Post 820201). 96/04/08. 2pp. 87850:195-87850:196.

--9604120079 Insp repts 50-313/96-01 & 50-368/96-01 on 960121-0302. Violations noted.Major areas inspected:operational safety verification,maint & surveillance observations,onsite engineering,plant support activities,follow-up maint.
REIS,T. Region 4 (Post 820201). 96/04/08. 21pp. 87850:197-87850:217.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180357 Forwards draft input from contractor to be used in approving alternatives to 10CFR50.55a, "Codes & Stds," per 960408 telcon in which NRR requested assistance of licensee in preparing definitive info to support use of codes for ISI.
BECKNER,W.D. . 96/04/15. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87914:001-87914:112.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190116 Monthly operating rept for March 1996 for ANO Unit 2.W/ 960415 ltr.
WHITT,M.S., MIMS,D.C. Entergy Operations, Inc. 96/03/31. 7pp. 87939:206-87939:212.

S. Reportable occurrences, LERs & related correspondence

9604090154 Interim part 21 rept re potential safety concern on matl for fabrication of permanent canal seal plate.Licensee will provide final rept to NRC in approx six months upon completion of evaluation of welds.
TAYLOR,J.H. FRAMATOME. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87824:111-87824:112.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604300371 LER 96-001-00:on 960330,flow rate for auxiliary building ventilation gaseous effluent monitoring instrumentation not estimated.Caused by inadequate training.C/A:lesson learned & training provided.W/960425 ltr.
SCOTT,T.F., MIMS,D.C. Entergy Operations, Inc. 96/04/25. 5pp. 88066:187-88066:192.

DOCKET 50-369 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

9604260203 Forwards Rev 96-1, "McGuire Nuclear Site Emergency Plan." Summary of changes & bases for determination provided as Attachment 1.
MCMEEKIN,T.C. Duke Power Co. 96/04/22. Document Control Branch (Document Control Desk). 17pp. 88024:001-88024:224.

–9604260206 Rev 96-1, "McGuire Nuclear Site Emergency Plan."
MCMEEKIN,T.C. Duke Power Co. 96/04/22. 207pp. 88024:018-88024:224.

9604300381 Forwards emergency planning calendar & 10CFR50.54(q) initial screening checklist.Encls inadvertently omitted in emergency plan,Rev 96-1 dtd 960426.
HASTY,R.L. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88066:308-88066:346.

–9604300390 Emergency planning calendar 1996 edition & 10CFR50.54(q) initial screening checklist to Rev 96-1 of "McGuire Nuclear Site Emergency Plan."
HASTY,R.L. Duke Power Co. 96/04/18. 38pp. 88066:309-88066:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604080252 Rev 11 to selected licensee commitments manual.
* Duke Power Co. 96/02/29. 16pp. 87804:331-87804:346.

9604010009 Forwards response to NRC 960221 RAI re 940930 & 950918 proposed revs to TS related to replacement of SGs.
TUCKMAN,M.S. Duke Power Co. 96/03/15. Document Control Branch (Document Control Desk). 10pp. 87699:232-87699:347.

–9604010011 Proposed tech specs re replacement of SGs.
* Duke Power Co. 96/03/15. 106pp. 87699:242-87699:347.

9604040069 Forwards amends 166 & 148 to licenses NPF-9 & NPF-17, respectively & SE.Amends revise current combined TS for Units 1 & 2 by separating amends into individual volumes for Units 1 & 2.
NERSES,V. . 96/03/21. MCMEEKIN,T.C. Duke Power Co. 3pp. 87744:026-87746:145.

–9604040074 Amends 166 & 148 to licenses NPF-9 & NPF-17,respectively, revising current combined TS for Units 1 & 2 by separating amends into individual volumes for Units 1 & 2.
BERKOW,H.N. . 96/03/21. 5pp. 87744:029-87744:033.

–9604040076 Safety evaluation supporting amends 166 & 148 to licenses NPF-9 & NPF-17,respectively.
* . 96/03/21. 840pp. 87744:034-87746:145.

9604020075 Forwards rev to selected licensee commitments manual.Rev rearranges & enhances Tables 16.11-2 & 16.11-3,providing more precise definitions & controls for discharge canal min flow interlock.
MCMEEKIN,T.C. Duke Power Co. 96/03/22. Document Control Branch (Document Control Desk). 7pp. 87725:309-87725:315.

9604090260 Summarizes 960320 mgt meeting re results of Self Assessment initiatives at plant.List of attendees & handout encl.
CRLENJK,R.V. Region 2 (Post 820201). 96/03/25. MCMEEKIN,T.C. Duke Power Co. 46pp. 87793:200-87793:245.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160079 Forwards supplemental info to support minor rev to Topical Rept DPC-NE-1004, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
TUCKMAN,M.S. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 7pp. 87914:340-87914:347.

9604120299 Informs 951214 ltr re request for amends to licenses NPF-9, NPF-17,NPF-35,NPF-52, & TS 3/4.8 being made to incorporate guidance & recommendations in NUREG-1366,GL 93-05,GL 94-01, & NUREG-1431.Forwards RAI.
BERKOW,H.N. . 96/04/10. TUCKMAN,M.S. Duke Power Co. 6pp. 87863:355-87863:360.

9604220268 Forwards AT&T round cell battery capacity after recharge periodic update per 951205 ltr to NRC,Commitment 2.
MCMEEKIN,T.C. Duke Power Co. 96/04/12. Document Control Branch (Document Control Desk). 4pp. 87986:196-87986:200.

9604220286 Forwards Rev 1 to 10CFR50.59 analysis to support continuing practice of full core offloads at plant & markups of applicable FSAR pages associated w/ 10CFR50.59 analysis.Core offload of MNS Unit 2 scheduled to begin 960413.
MCMMEEKIN,T.C. Duke Power Co. 96/04/12. Document Control Branch (Document Control Desk). 13pp. 87962:269-87962:281.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604300306 Forwards SE accepting proposed rev to approved topical rept DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/ SIMULATE-3P."
MARTIN,R.E. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 88053:268-88053:274.

–9604300311 SE accepting DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
* . 96/04/26. 3pp. 88053:272-88053:274.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604100258 Discusses 960226 semiannual Plant Performance Review.Advises of planned insp effort resulting from review.Forwards insp plan for next 6 months.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/29. MCMEEKIN,T.C. Duke Power Co. 5pp. 87850:041-87850:045.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090071 Forwards insp repts 50-369/96-01 & 50-370/96-01 on 960128- 0311 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/03. MCMEEKIN,T.C. Duke Power Co. 3pp. 87772:328-87772:351.

--9604090080 Notice of violation from insp on 960128-0311.Violation noted:licensee failed to adequately evaluate cumulative effects of design change & abnormal sys alignment during Unit 1 CCWS slave relay testing,resulting in CCWS transient.
* Region 2 (Post 820201). 96/04/02. 1p. 87772:331-87772:331.

--9604090083 Insp repts 50-369/96-01 & 50-370/96-01 on 960128-0311. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/02. 20pp. 87772:332-87772:351.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080230 Submits response to NRC Bulletin 96-001 re recent control rod insertions problems.
TUCKMAN,M.S. Duke Power Co. 96/04/04. Document Control Branch (Document Control Desk). 25pp. 87811:330-87811:354.

9604230330 Forwards insp repts 50-369/96-02 & 50-370/96-02 on 960311- 0401.No violations noted.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/04. MCMEEKIN,T.C. Duke Power Co. 3pp. 87953:255-87953:266.

--9604230333 Insp repts 50-369/96-02 & 50-370/96-02 on 960311-0401.No violations noted.Major areas inspected:reviewed circumstances surrounding inoperability of Unit 2 refueling water storage tank level instrumentation due to freezing.
MAXWELL,G., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. 9pp. 87953:258-87953:266.

9604240298 Confirms 960402 telcon re predecisional enforcement conference scheduled for 960415 in Atlanta,GA.Purpose of meeting to discuss violations concerning frozen refueling water storage tank level transmitters & more.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/09. MCMEEKIN,T.C. Duke Power Co. 2pp. 87970:298-87970:299.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290300 Forwards "ISI Rept Unit 1 McGuire 1995 Refueling Outage 10," rev 0.
MCMEEKIN,T.C. Duke Power Co. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88056:001-88057:032.

--9604290302 "ISI Rept for Unit 1 McGuire 1995 Refueling Outage 10."
SARBORO,G.D., UNDERWOOD,G.J., BARBOW, Duke Power Co. 96/03/26. 392pp. 88056:005-88057:032.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010330 "Annual Radioactive Effluent Release Rept." W/960325 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/12/31. 55pp. 87719:080-87719:134.

9604300135 "Annual Radiological Environ Operating Rept 1995." W/ 960424 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/12/31. 105pp. 88064:001-88064:105.

9604220186 Forwards monthly operating repts for March 1996 for MNS & revised rept for Feb 1996.
WILLIAMS,R.A. Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87962:336-87962:348.

--9604220293 Monthly operating repts for Mar 1996 for MNS units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 10pp. 87962:338-87962:347.

--9604220299 Revised monthly rept for Feb 1996 for MNS units 1 & 2.
* Duke Power Co. 96/02/29. 1p. 87962:348-87962:348.

DOCKET 50-370 WILLIAM B. MCGUIRE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

9604260203 Forwards Rev 96-1, "McGuire Nuclear Site Emergency Plan." Summary of changes & bases for determination provided as Attachment 1.
MCMEEKIN,T.C. Duke Power Co. 96/04/22. Document Control Branch (Document Control Desk). 17pp. 88024:001-88024:224.

--9604260206 Rev 96-1, "McGuire Nuclear Site Emergency Plan."
MCMEEKIN,T.C. Duke Power Co. 96/04/22. 207pp. 88024:018-88024:224.

9604300381 Forwards emergency planning calendar & 10CFR50.54(q) initial screening checklist.Encls inadvertently omitted in emergency plan,Rev 96-1 dtd 960426.
HASTY,R.L. Duke Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88066:308-88066:346.

--9604300390 Emergency planning calendar 1996 edition & 10CFR50.54(q) initial screening checklist to Rev 96-1 of "McGuire Nuclear Site Emergency Plan."
HASTY,R.L. Duke Power Co. 96/04/18. 38pp. 88066:309-88066:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604080252 Rev 11 to selected licensee commitments manual.
* Duke Power Co. 96/02/29. 16pp. 87804:331-87804:346.

9604010009 Forwards response to NRC 960221 RAI re 940930 & 950918 proposed revs to TS related to replacement of SGs.
TUCKMAN,M.S. Duke Power Co. 96/03/15. Document Control Branch (Document Control Desk). 10pp. 87699:232-87699:347.

--9604010011 Proposed tech specs re replacement of SGs.
* Duke Power Co. 96/03/15. 106pp. 87699:242-87699:347.

9604040069 Forwards amends 166 & 148 to licenses NPF-9 & NPF-17, respectively & SE.Amends revise current combined TS for Units 1 & 2 by separating amends into individual volumes for Units 1 & 2.
NERSES,V. . 96/03/21. MCMEEKIN,T.C. Duke Power Co. 3pp. 87744:026-87746:145.

--9604040074 Amends 166 & 148 to licenses NPF-9 & NPF-17,respectively, revising current combined TS for Units 1 & 2 by separating amends into individual volumes for Units 1 & 2.
BERKOW,H.N. . 96/03/21. 5pp. 87744:029-87744:033.

--9604040076 Safety evaluation supporting amends 166 & 148 to licenses NPF-9 & NPF-17,respectively.
* . 96/03/21. 840pp. 87744:034-87746:145.

9604020075 Forwards rev to selected licensee commitments manual.Rev rearranges & enhances Tables 16.11-2 & 16.11-3,providing more precise definitions & controls for discharge canal min flow interlock.
MCMEEKIN,T.C. Duke Power Co. 96/03/22. Document Control Branch (Document Control Desk). 7pp. 87725:309-87725:315.

9604090260 Summarizes 960320 mgt meeting re results of Self Assessment initiatives at plant.List of attendees & handout encl.
CRLENJK,R.V. Region 2 (Post 820201). 96/03/25. MCMEEKIN,T.C. Duke Power Co. 46pp. 87793:200-87793:245.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160079 Forwards supplemental info to support minor rev to Topical Rept DPC-NE-1004, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
TUCKMAN,M.S. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 7pp. 87914:340-87914:347.

9604120299 Informs 951214 ltr re request for amends to licenses NPF-9, NPF-17,NPF-35,NPF-52, & TS 3/4.8 being made to incorporate guidance & recommendations in NUREG-1366,GL 93-05,GL 94-01, & NUREG-1431.Forwards RAI.
BERKOW,H.N. . 96/04/10. TUCKMAN,M.S. Duke Power Co. 6pp. 87863:355-87863:360.

9604220268 Forwards AT&T round cell battery capacity after recharge periodic update per 951205 ltr to NRC,Commitment 2.
MCMEEKIN,T.C. Duke Power Co. 96/04/12. Document Control Branch (Document Control Desk). 4pp. 87986:196-87986:200.

9604220286 Forwards Rev 1 to 10CFR50.59 analysis to support continuing practice of full core offloads at plant & markups of applicable FSAR pages associated w/ 10CFR50.59 analysis.Core offload of MNS Unit 2 scheduled to begin 960413.
MCMMEEKIN,T.C. Duke Power Co. 96/04/12. Document Control Branch (Document Control Desk). 13pp. 87962:269-87962:281.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604230283 Forwards rev 7 to MCEI-0400-47, "McGuire Unit 2,Cycle 11 COLR."
CANADY,K.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 1p. 88002:001-88002:172.

--9604230285 "McGuire Unit 2 Cycle 11 COLR."
* Duke Power Co. MCEI-0400-47 R07. 96/04/17. 171pp. 88002:002-88002:172.

9604300306 Forwards SE accepting proposed rev to approved topical rept DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/ SIMULATE-3P."
MARTIN,R.E. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 88053:268-88053:274.

--9604300311 SE accepting DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
* . 96/04/26. 3pp. 88053:272-88053:274.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604100258 Discusses 960226 semiannual Plant Performance Review.Advises of planned insp effort resulting from review.Forwards insp plan for next 6 months.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/29. MCMEEKIN,T.C. Duke Power Co. 5pp. 87850:041-87850:045.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090071 Forwards insp repts 50-369/96-01 & 50-370/96-01 on 960128- 0311 & NOV.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/03. MCMEEKIN,T.C. Duke Power Co. 3pp. 87772:328-87772:351.

--9604090080 Notice of violation from insp on 960128-0311.Violation noted:licensee failed to adequately evaluate cumulative effects of design change & abnormal sys alignment during Unit 1 CCWS slave relay testing,resulting in CCWS transient.
* Region 2 (Post 820201). 96/04/02. 1p. 87772:331-87772:331.

--9604090083 Insp repts 50-369/96-01 & 50-370/96-01 on 960128-0311. Violations noted.Major areas inspected:plant operations, maint,engineering & plant support.
MAXWELL,G., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/02. 20pp. 87772:332-87772:351.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080230 Submits response to NRC Bulletin 96-001 re recent control rod insertions problems.
TUCKMAN,M.S. Duke Power Co. 96/04/04. Document Control Branch (Document Control Desk). 25pp. 87811:330-87811:354.

9604230330 Forwards insp repts 50-369/96-02 & 50-370/96-02 on 960311- 0401.No violations noted.
MERSCHOFF,E.W. Region 2 (Post 820201). 96/04/04. MCMEEKIN,T.C. Duke Power Co. 3pp. 87953:255-87953:266.

--9604230333 Insp repts 50-369/96-02 & 50-370/96-02 on 960311-0401.No violations noted.Major areas inspected:reviewed circumstances surrounding inoperability of Unit 2 refueling water storage tank level instrumentation due to freezing.
MAXWELL,G., CRLENJAK,R.V. Region 2 (Post 820201). 96/04/04. 9pp. 87953:258-87953:266.

9604240298 Confirms 960402 telcon re predecisional enforcement conference scheduled for 960415 in Atlanta,GA.Purpose of meeting to discuss violations concerning frozen refueling water storage tank level transmitters & more.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/09. MCMEEKIN,T.C. Duke Power Co. 2pp. 87970:298-87970:299.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010330 "Annual Radioactive Effluent Release Rept." W/960325 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/12/31. 55pp. 87719:080-87719:134.

9604300135 "Annual Radiological Environ Operating Rept 1995." W/ 960424 ltr.
MCMEEKIN,T.C. Duke Power Co. 95/12/31. 105pp. 88064:001-88064:105.

9604220186 Forwards monthly operating repts for March 1996 for MNS & revised rept for Feb 1996.
WILLIAMS,R.A. Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87962:336-87962:348.

--9604220293 Monthly operating repts for Mar 1996 for MNS units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 10pp. 87962:338-87962:347.

--9604220299 Revised monthly rept for Feb 1996 for MNS units 1 & 2.
* Duke Power Co. 96/02/29. 1p. 87962:348-87962:348.

S. Reportable occurrences, LERs & related correspondence

9604080200 LER 96-002-00:on 960306,past inoperability of EDG 2B occurred due to low lube oil pressure caused by unanticipated interaction of sys & components.Increased frequency for periodic venting.W/960402 ltr.
PITESA,J.W., MCMEEKIN,T.C. Duke Power Co. 96/03/29. 10pp. 87824:011-87824:020.

DOCKET 50-373 LASALLE COUNTY STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604120046 Discusses results & conclusions of Operational Safeguards Response Evaluation conducted by NRC at util from 950710-13.
CUNNINGHAM,L.J. . 95/08/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87858:351-87858:353.

9604080398 Revised EPIP LZP index & Rev 1 to EPIP LZP-1250-3, "A-Model Informational Messages."
* Commonwealth Edison Co. 96/03/04. 95pp. 87805:158-87805:252.

9604020392 Discusses 940406 ltr informing staff that ComEd intended to replace Thermo-Lag 330-1 fire barriers at LaSalle County station,units 1 & 2.
SKAY,D.M. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87758:322-87758:326.

9604050437 Informs Rev 6H to plant Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED,J.R. Region 3 (Post 820201). 96/03/29. QUERIO,R.E. Commonwealth Edison Co. 2pp. 87752:044-87752:045.

9604120282 Revised EPIPs,including LZP index,Rev 10 to LZP-1550-2, "Environs Sampling Supplies Inventory," Rev 7 to LZP-1550-5, "Technical Support Ctr Quarterly Surveillance" & Rev 8 to LZP-1550-6, "Operational Support Ctr Quarterly..."
* Commonwealth Edison Co. 96/03/29. 33pp. 87871:311-87871:343.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604240030 Forwards copy of "Environ Assessment & Finding of No Significant Impact" re request for exemption dtd 960220.
SKAY,D.M. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87972:214-87972:220.

--9604240033 Environ assessment & finding of no significant impact re requests for exemption to allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph badges.
SKAY,D.M. . 96/04/16. 5pp. 87972:216-87972:220.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604180055 Revision 11 to Updated FSAR for LaSalle County Station Units 1 & 2.W/ 960408 ltr.
QUERIO,R.E. Commonwealth Edison Co. 96/04/08. 748pp. 87921:001-87923:020.

P. Operating license stage documents & correspondence

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604020087 Provides addl info discussed during 960325 Conference Call re modifying MS tunnel automatic isolations.
QUERIO,R.E. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87725:325-87725:326.

9604030150 Forwards EA & finding of no significant impact re 950828 application for exemption from certain sections of App J to 10CFR50 re testing of leakage from primary reactor containments of water-cooled reactors.
LYNCH,M.D. . 96/03/26. FARRAR,D.L. Commonwealth Edison Co. 1p. 87736:343-87736:349.

--9604030156 Environ assessment & finding of no significant impact re request for exemption from requirements of sections III.A.5(b)(1),III.A.5(b)(2) & III.C.3 of App J to 10CFR50 re testing of leakage from primary reactor containments.
CAPRA,R.A. . 96/03/26. 6pp. 87736:344-87736:349.

9604220140 Ack receipt of plant Ventilation Action Plan as requested in 951129 ltr.Requested because positive turbine bldg pressure in conflict w/SA rept.SE determined no safety question involved & remedial work underway.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/27. QUERIO,R.E. Commonwealth Edison Co. 2pp. 87945:140-87945:141.

9604080284 Provides addl info discussed in 960326 conference call between NRR & util.
QUERIO,R.E. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87817:254-87817:255.

9604020251 Informs that,effective 960401,NRC project mgt responsibility for LaSalle County Station transferred from MD Lynch to DM Skay.
CAPRA,R.A. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87725:297-87725:299.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080292 Provides addl info discussed in 960313 conference call between NRR & util re MSIV LCS alternate leakage treatment path.
QUERIO,R.E. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87804:357-87804:358.

9604080294 Provides addl info discussed in 960328 conference call between NRR & util re modifying main steamline tunnel automatic isolations.
QUERIO,R.E. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:355-87803:356.

9604080322 Forwards request for addl info re licensee 950626 submittal of Topical Rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9604100004 Forwards amends 111 & 96 to licenses NPF-11 & NPF-18, respectively & safety evaluation.Amends will change setpoint for automatic primary containment isolation on main steam line tunnel differential temp high.
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87825:158-87825:186.

--9604100005 Amends 111 & 96 to licenses NPF-11 & NPF-18,respectively, changing setpoints for automatic primary containment isolation on main steam line tunnel differential temp high & delete automatic primary containment isolation.
SKAY,D.M. . 96/04/04. 18pp. 87825:160-87825:177.

--9604100009 Safety evaluation supporting amends 111 & 96 to licenses NPF-11 & NPF-18,respectively.
* . 96/04/04. 9pp. 87825:178-87825:186.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604090331 Forwards amends 112 & 97 to licenses NPF-11 & NPF-18 & safety evalution.Amends revise plant TS to reflect deletion of LCS presently installed to control & contain leakage past MSIVs on each of four main streamlines.
LYNCH,M.D. . 96/04/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87809:001-87809:047.

--9604090337 Amends 112 & 97 to licenses NPF-11 & NPF-18,respectively, revising TS to reflect deletion of LCS presently installed to control & maintain leakage past MSIVs on each of four main steamlines.
LYNCH,M.D. . 96/04/05. 26pp. 87809:003-87809:028.

--9604090341 Safety evaluation supporting amends 112 & 97 to licenses NPF-11 & NPF-18,respectively.
* . 96/04/05. 19pp. 87809:029-87809:047.

9604100147 Forwards exemption from certain requirements of 10CFR50 App J,Option B per 950828 & 960304 application.Exemption modifies existing exemption to allow leak rate testing of MSLI valves at reduced pressure & more.
LYNCH,M.D. . 96/04/05. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87835:350-87835:361.

--9604100149 Exemption from requirements of 10CFR50 App J,Option B, "Primary Reactor Containment Leakage Testing for Water- Cooled Power Reactors" re mod allowing leak rate testing of MSLI valves at reduced pressure.
ROE,J.W. . 96/04/05. Commonwealth Edison Co. 9pp. 87835:353-87835:361.

9604120122 Advises NRC of util review of Cycle 8 reload under provisions of 10CFR50.59 & transmits COLR for upcoming cycle consistent w/GL 88-16.
QUERIO,R.E. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 2 pp. 87877:017-87877:043.

--9604120124 "LaSalle Unit 1 Cycle 8 COLR."
* Commonwealth Edison Co. 96/04/05. 25pp. 87877:019-87877:043.

9604150150 Application for amends to licenses NPF-11 & NPF-18, reflecting transition of fuel supplier from GE to Siemens Power Corp.Nonproprietary & proprietary versions of EMF-94-217,Rev 1 repts encl.Proprietary rept withheld.
QUERIO,R.E. Commonwealth Edison Co. 96/04/08. Document Control Branch (Document Control Desk). 30pp. 87956:001-87956:192.

--9604150172 Proposed tech specs for Siemens Power Corp fuel transition.
* Commonwealth Edison Co. 96/04/08. 86pp. 87956:031-87956:116.

--9604150187 "Boiling Water Reactor Licensing Methodology Summary."
HERSHBERGER,D.E Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-94-217(NP) R01. 95/11/30. 72pp. 87956:117-87956:192.

9604160101 Application for amends to licenses NPF-11 & NPF-18,providing justification for deleting scram & isolations on MSL high radiation & inoperable trips as well as raising MSLRM sys alarm setpoints above new HWC background.
QUERIO,R.E. Commonwealth Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 26pp. 87901:001-87901:152.

--9604160107 Proposed tech specs,providing justification for deleting scram & isolations on MSL high radiation & inoperable trips as well as raising MSLRM sys alarm setpoints above new HWC background.
* Commonwealth Edison Co. 96/04/09. 30pp. 87901:025-87901:056. .

--9604160114 "SE for Eliminating BWR MSLIV Closure Function & Scram Function of MSLRM."
BRANDON,R.J., ARTIGAS,R., MARKLEIN,W.R. General Electric Co. NEDO-31400A. 92/10/31. 96pp. 87901:057-87901:152.

9604290356 Identifies changes to Performance Test Schedule for 1996 to 1999.
QUERIO,R.E. Commonwealth Edison Co. 96/04/12. Document Control Branch (Document Control Desk). 13pp. 88040:349-88040:361.

9604250271 Submits response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
QUERIO,R.E. Commonwealth Edison Co. 96/04/15. Document Control Branch (Document Control Desk). 25pp. 88027:325-88027:349.

9604220206 Application for amends to licenses NPF-11 & NPF-18, eliminating selected response time testing requirements.
QUERIO,R.E. Commonwealth Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 16pp. 87986:116-87986:177.

--9604220208 Proposed tech specs,eliminating selected response time testing requirements.
* Commonwealth Edison Co. 96/04/16. 46pp. 87986:132-87986:177.

9604290047 Forwards "LaSalle County Station PRA Summary Document," showing plant risk profile dominated by listed initiating events.
QUERIO,R.E. Commonwealth Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88032:268-88032:342.

--9604290051 "LaSalle County Station PRA Summary Document."
MOMSEN,B.F, KALACHE,M.R., JANECEK,R.F. Commonwealth Edison Co. 96/03/31. 73pp. 88032:270-88032:342.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604250176 Forwards exemption from 10CFR73.55 re use of picture badges in response to 960220 request.Exemption will allow use of hand geometry biometric sys which will allow contractor employees to keep picture badges.
SKAY,D.M. . 96/04/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 88002:349-88002:358.

--9604250185 Exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of picture badges.Use of hand geometry biometric sys will allow contractor employees to keep picture badges.
ROE,J.W. . 96/04/19. Commonwealth Edison Co. 6pp. 88002:353-88002:358.

9604290048 Responds to RAI re GL 92-01,Rev 1,Suppl 1, "RV Structural Integrity."
QUERIO,R.E. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88057:113-88057:115.

Q. Inspection reports, IE Bulletins & correspondence

9604090460 Informs that NRC planning to issue info notice discussing problem reported by licensee for LaSalle County Station Unit One re traversing incore probe.Requests review of draft info notice to ensure technical info accurate.
CHAFFEE,A.E. . 96/03/21. CHU,E. General Electric Co. 3pp. 87810:162-87810:164.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604220146 Notifies of 960306 completion of semiannual plant performance review,conducted to facilitate planning & allocation of insp resources.Insp plan for upcoming 6 months encl.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/26. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87945:142-87945:144.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604250277 Forwards insp repts 50-373/96-02 & 50-374/96-02 on 960113- 0228 & NOV.
CLAYTON,B. Region 3 (Post 820201). 96/04/09. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87996:055-87996:075.

--9604250290 Notice of violation from insp on 960113-0228.Violation noted:failure to make adequate surveys re annual occupational total effective dose equivalent to individual adults to five rems.
* Region 3 (Post 820201). 96/04/09. 2pp. 87996:058-87996:059.

--9604250297 Insp repts 50-373/96-02 & 50-374/96-02 on 960113-0228.One violation noted.Major areas inspected:operations, engineering,maintenance,plant support & special insp to review strike contingency plans.
CLAYTON,B. Region 3 (Post 820201). 96/04/09. 16pp. 87996:060-87996:075.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at LaSalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290037 Forwards "LaSalle County Station Annual Radiological Environ Operting Rept 1995." Rept contains results of radiological & meteorological monitoring programs for CY95.Radioactive effluent release rept submitted under separate cover.
RAY,D.J. Commonwealth Edison Co. 96/03/27. Document Control Branch (Document Control Desk). 1p. 88032:144-88032:267.

--9604290041 "LaSalle County Station Annual Radiological Environ Operating Rept 1995."
* Commonwealth Edison Co. 95/12/31. 123pp. 88032:145-88032:267.

9604190093 Monthly operating repts for March 1996 for LSCS.W/960411 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 96/03/31. 16pp. 87951:309-87951:324.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604290288 LER 96-002-00:on 960323,TS required fire watch missed.Caused by personnel error & breakdown in communications between sys engineers & fire watch group.Fire watch staff counseled & retrained.W/960422 ltr.
DIAZ,C., RAY,D.J. Commonwealth Edison Co. 96/04/22. 6pp. 88045:344-88045:349.

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604120046 Discusses results & conclusions of Operational Safeguards Response Evaluation conducted by NRC at util from 950710-13.
CUNNINGHAM,L.J. . 95/08/08. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87858:351-87858:353.

9604080398 Revised EPIP LZP index & Rev 1 to EPIP LZP-1250-3, "A-Model Informational Messages."
* Commonwealth Edison Co. 96/03/04. 95pp. 87805:158-87805:252.

9604020392 Discusses 940406 ltr informing staff that ComEd intended to replace Thermo-Lag 330-1 fire barriers at LaSalle County station,units 1 & 2.
SKAY,D.M. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87758:322-87758:326.

9604050437 Informs Rev 6H to plant Generating Stations Emergency Plan acceptable & does not decrease effectiveness of emergency planning.
CREED,J.R. Region 3 (Post 820201). 96/03/29. QUERIO,R.E. Commonwealth Edison Co. 2pp. 87752:044-87752:045.

9604120282 Revised EPIPs,including LZP index,Rev 10 to LZP-1550-2, "Environs Sampling Supplies Inventory," Rev 7 to LZP-1550-5, "Technical Support Ctr Quarterly Surveillance" & Rev 8 to LZP-1550-6, "Operational Support Ctr Quarterly..."
* Commonwealth Edison Co. 96/03/29. 33pp. 87871:311-87871:343.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604240030 Forwards copy of "Environ Assessment & Finding of No Significant Impact" re request for exemption dtd 960220.
SKAY,D.M. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87972:214-87972:220.

--9604240033 Environ assessment & finding of no significant impact re requests for exemption to allow use of hand geometry biometric sys to control unescorted access into protected areas of plant in conjunction w/photograph badges.
SKAY,D.M. . 96/04/16. 5pp. 87972:216-87972:220.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604180055 Revision 11 to Updated FSAR for LaSalle County Station Units 1 & 2.W/ 960408 ltr.
QUERIO,R.E. Commonwealth Edison Co. 96/04/08. 748pp. 87921:001-87923:020.

P. Operating license stage documents & correspondence

9604010420 Informs that util will implement BWROG guidance re testing both CRD scram solenoid pilot valves & ARI sys,at frequencies described in ref BWROG ltr dtd 960216 for facilities.
HOSMER,J. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 2pp. 87706:356-87706:357.

9604020087 Provides addl info discussed during 960325 Conference Call re modifying MS tunnel automatic isolations.
QUERIO,R.E. Commonwealth Edison Co. 96/03/26. Document Control Branch (Document Control Desk). 2pp. 87725:325-87725:326.

9604030150 Forwards EA & finding of no significant impact re 950828 application for exemption from certain sections of App J to 10CFR50 re testing of leakage from primary reactor containments of water-cooled reactors.
LYNCH,M.D. . 96/03/26. FARRAR,D.L. Commonwealth Edison Co. 1p. 87736:343-87736:349.

--9604030156 Environ assessment & finding of no significant impact re request for exemption from requirements of sections III.A.5(b)(1),III.A.5(b)(2) & III.C.3 of App J to 10CFR50 re testing of leakage from primary reactor containments.
CAPRA,R.A. . 96/03/26. 6pp. 87736:344-87736:349.

9604220140 Ack receipt of plant Ventilation Action Plan as requested in 951129 ltr.Requested because positive turbine bldg pressure in conflict w/SA rept.SE determined no safety question involved & remedial work underway.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/27. QUERIO,R.E. Commonwealth Edison Co. 2pp. 87945:140-87945:141.

9604080284 Provides addl info discussed in 960326 conference call between NRR & util.
QUERIO,R.E. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87817:254-87817:255.

9604020251 Informs that,effective 960401,NRC project mgt responsibility for LaSalle County Station transferred from MD Lynch to DM Skay.
CAPRA,R.A. . 96/03/29. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87725:297-87725:299.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080292 Provides addl info discussed in 960313 conference call between NRR & util re MSIV LCS alternate leakage treatment path.
QUERIO,R.E. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87804:357-87804:358.

9604080294 Provides addl info discussed in 960328 conference call between NRR & util re modifying main steamline tunnel automatic isolations.
QUERIO,R.E. Commonwealth Edison Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:355-87803:356.

9604080322 Forwards request for addl info re licensee 950626 submittal of topical rept NFSR-0111, "BWR Transient Analyis Methods."
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87807:143-87807:146.

9604100004 Forwards amends 111 & 96 to licenses NPF-11 & NPF-18, respectively & safety evaluation.Amends will change setpoint for automatic primary containment isolation on main steam line tunnel differential temp high.
SKAY,D.M. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87825:158-87825:186.

--9604100005 Amends 111 & 96 to licenses NPF-11 & NPF-18,respectively, changing setpoints for automatic primary containment isolation on main steam line tunnel differential temp high & delete automatic primary containment isolation.
SKAY,D.M. . 96/04/04. 18pp. 87825:160-87825:177.

--9604100009 Safety evaluation supporting amends 111 & 96 to licenses NPF-11 & NPF-18,respectively.
* . 96/04/04. 9pp. 87825:178-87825:186.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604090331 Forwards amends 112 & 97 to licenses NPF-11 & NPF-18 & safety evalution.Amends revise plant TS to reflect deletion of LCS presently installed to control & contain leakage past MSIVs on each of four main streamlines.
LYNCH,M.D. . 96/04/05. FARRAR,D.L. Commonwealth Edison Co. 2pp. 87809:001-87809:047.

--9604090337 Amends 112 & 97 to licenses NPF-11 & NPF-18,respectively, revising TS to reflect deletion of LCS presently installed to control & maintain leakage past MSIVs on each of four main steamlines.
LYNCH,M.D. . 96/04/05. 26pp. 87809:003-87809:028.

--9604090341 Safety evaluation supporting amends 112 & 97 to licenses NPF-11 & NPF-18,respectively.
* . 96/04/05. 19pp. 87809:029-87809:047.

9604100147 Forwards exemption from certain requirements of 10CFR50 App J,Option B per 950828 & 960304 application.Exemption modifies existing exemption to allow leak rate testing of MSLI valves at reduced pressure & more.
LYNCH,M.D. . 96/04/05. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87835:350-87835:361.

--9604100149 Exemption from requirements of 10CFR50 App J,Option B, "Primary Reactor Containment Leakage Testing for Water- Cooled Power Reactors" re mod allowing leak rate testing of MSLI valves at reduced pressure.
ROE,J.W. . 96/04/05. Commonwealth Edison Co. 9pp. 87835:353-87835:361.

9604150150 Application for amends to licenses NPF-11 & NPF-18, reflecting transition of fuel supplier from GE to Siemens Power Corp.Nonproprietary & proprietary versions of EMF-94-217,Rev 1 repts encl.Proprietary rept withheld.
QUERIO,R.E. Commonwealth Edison Co. 96/04/08. Document Control Branch (Document Control Desk). 30pp. 87956:001-87956:192.

--9604150172 Proposed tech specs for Siemens Power Corp fuel transition.
* Commonwealth Edison Co. 96/04/08. 86pp. 87956:031-87956:116.

--9604150187 "Boiling Water Reactor Licensing Methodology Summary."
HERSHBERGER,D.E Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-94-217(NP) R01. 95/11/30. 72pp. 87956:117-87956:192.

9604160101 Application for amends to licenses NPF-11 & NPF-18,providing justification for deleting scram & isolations on MSL high radiation & inoperable trips as well as raising MSLRM sys alarm setpoints above new HWC background.
QUERIO,R.E. Commonwealth Edison Co. 96/04/09. Document Control Branch (Document Control Desk). 26pp. 87901:001-87901:152.

--9604160107 Proposed tech specs,providing justification for deleting scram & isolations on MSL high radiation & inoperable trips as well as raising MSLRM sys alarm setpoints above new HWC background.
* Commonwealth Edison Co. 96/04/09. 30pp. 87901:025-87901:056.

--9604160114 "SE for Eliminating BWR MSLIV Closure Function & Scram Function of MSLRM."
BRANDON,R.J., ARTIGAS,R., MARKLEIN,W.R. General Electric Co. NEDO-31400A. 92/10/31. 96pp. 87901:057-87901:152.

9604290356 Identifies changes to Performance Test Schedule for 1996 to 1999.
QUERIO,R.E. Commonwealth Edison Co. 96/04/12. Document Control Branch (Document Control Desk). 13pp. 88040:349-88040:361.

9604250271 Submits response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in BWRs."
QUERIO,R.E. Commonwealth Edison Co. 96/04/15. Document Control Branch (Document Control Desk). 25pp. 88027:325-88027:349.

9604220206 Application for amends to licenses NPF-11 & NPF-18, eliminating selected response time testing requirements.
QUERIO,R.E. Commonwealth Edison Co. 96/04/16. Document Control Branch (Document Control Desk). 16pp. 87986:116-87986:177.

--9604220208 Proposed tech specs,eliminating selected response time testing requirements.
* Commonwealth Edison Co. 96/04/16. 46pp. 87986:132-87986:177.

9604290047 Forwards "LaSalle County Station PRA Summary Document," showing plant risk profile dominated by listed initiating events.
QUERIO,R.E. Commonwealth Edison Co. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88032:268-88032:342.

--9604290051 "LaSalle County Station PRA Summary Document."
MOMSEN,B.F, KALACHE,M.R., JANECEK,R.F. Commonwealth Edison Co. 96/03/31. 73pp. 88032:270-88032:342.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604250176 Forwards exemption from 10CFR73.55 re use of picture badges in response to 960220 request.Exemption will allow use of hand geometry biometric sys which will allow contractor employees to keep picture badges.
SKAY,D.M. . 96/04/19. FARRAR,D.L. Commonwealth Edison Co. 4pp. 88002:349-88002:358.

-9604250185 Exemption from certain requirements of 10CFR73.55 re issuance,storage & retrieval of picture badges.Use of hand geometry biometric sys will allow contractor employees to keep picture badges.
ROE,J.W. . 96/04/19. Commonwealth Edison Co. 6pp. 88002:353-88002:358.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604220146 Notifies of 960306 completion of semiannual plant performance review,conducted to facilitate planning & allocation of insp resources.Insp plan for upcoming 6 months encl.
CLAYTON,H.B. Region 3 (Post 820201). 96/03/26. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87945:142-87945:144.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604250277 Forwards insp repts 50-373/96-02 & 50-374/96-02 on 960113- 0228 & NOV.
CLAYTON,B. Region 3 (Post 820201). 96/04/09. QUERIO,R.E. Commonwealth Edison Co. 3pp. 87996:055-87996:075.

-9604250290 Notice of violation from insp on 960113-0228.Violation noted:failure to make adequate surveys re annual occupational total effective dose equivalent to individual adults to five rems.
* Region 3 (Post 820201). 96/04/09. 2pp. 87996:058-87996:059.

-9604250297 Insp repts 50-373/96-02 & 50-374/96-02 on 960113-0228.One violation noted.Major areas inspected:operations, engineering,maintenance,plant support & special insp to review strike contingency plans.
CLAYTON,B. Region 3 (Post 820201). 96/04/09. 16pp. 87996:060-87996:075.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290037 Forwards "LaSalle County Station Annual Radiological Environ Operting Rept 1995." Rept contains results of radiological & meteorological monitoring programs for CY95.Radioactive effluent release rept submitted under separate cover.
RAY,D.J. Commonwealth Edison Co. 96/03/27. Document Control Branch (Document Control Desk). 1p. 88032:144-88032:267.

-9604290041 "LaSalle County Station Annual Radiological Environ Operating Rept 1995."
* Commonwealth Edison Co. 95/12/31. 123pp. 88032:145-88032:267.

9604190093 Monthly operating repts for March 1996 for LSCS.W/960411 ltr.
CIALKOWSKI,M.J., RAY,D.J. Commonwealth Edison Co. 96/03/31. 16pp. 87951:309-87951:324.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

-9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604180198 Forwards Technical Review Rept AEOD/T96-02, "Target Rock Two-Stage SRV Performance Update." On 950911,at Limerick Unit 1,pilot disc leakage resulted in stuck-open SRV & extended reactor blowdown into suppression pool.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/04/15. SHERON,B.W. . 2pp. 87912:334-87912:342.

-9604180208 "Target Rock Two-Stage SRV Performance Update."
WEGNER,M.S. Office for Analysis & Evaluation of Operational Data. Director. 96/04/15. 7pp. 87912:336-87912:342.

DOCKET 50-382 WATERFORD GENERATING STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604010005 Forwards Change 1 to Rev 21 to "Waterford 3 SES Emergency Plan." W/960327 ltr.
PERQUE,G., SELLMAN,M.B. Entergy Operations, Inc. 96/03/05. 18pp. 87695:303-87695:320.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604080365 Submits response to violations noted in Insp Rept 50-382/96-01.Corrective actions:review of security logs performed to determine areas of plant affected by misinterpretation of change.
BURSKI,R.F. Entergy Operations, Inc. 96/04/05. Document Control Branch (Document Control Desk). 7pp. 87815:349-87815:355.

9604180388 Submits original & three copies of affected pages of Physical Security Plan,Rev 16.Encl withheld.
BURSKI,R.F. Entergy Operations, Inc. 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87918:348-87918:349.

9604250275 Rev 8 to EP-003-030, "Emergency Program Review,Updating & Mod." W/960422 ltr.
FISICARO,J.J. Entergy Operations, Inc. 96/04/22. 14pp. 88023:233-88023:245.

9604250283 Revised EPIPs,including rev 15 to EP-002-052, "Protective Action Guidelines," & rev 15 to EP-002-130, "Emergency Team Assignments." W/960422 ltr.
PERGUE,G.P., FISICARO,J.J. Entergy Operations, Inc. 96/04/22. 37pp. 88022:291-88022:325.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604260188 Informs that JJ Fisicaro recently replaced RF Burski as Director Nuclear Safety at Waterford 3.
FISICARO,J.J. Entergy Operations, Inc. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88027:350-88027:350.

I. Financial Information

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E., DEWEASE,J.G. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

J. Insurance & Indemnity Information

9604010359 Forwards nuclear onsite property damage insurance coverage verification,per 10CFR50.54(w)(3).
DEWEASE,J.G. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87713:352-87713:357.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170003 Forwards response to RAI re TS change request NPF-38-173 increasing specified range associated w/safety injection tank water level & nitrogen cover pressure of TS 3/4.5.1.
BURSKI,R.F. Entergy Operations, Inc. 96/04/11. Document Control Branch (Document Control Desk). 4pp. 87948:333-87948:336.

9604180306 Withdraws TS change request NPF-38-166.
BURSKI,R.F. Entergy Operations, Inc. 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87948:352-87948:353.

9604220372 Forwards SE re licensee request for alternatives to 10CFR50.55a w/respect to ISI & IST programs.Findings for ISI request expected shortly.
BECKNER,W.D. . 96/04/17. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87955:342-87955:352.

—9604220376 Safety evaluation providing guidance on submitting plant- specific info w/ respect to IST program alternatives request.
* . 96/04/17. 5pp. 87955:348-87955:352.

9604250236 Discusses mgt meeting conducted in licensee ofc on 960404 w/listed attendees re discussions amoung senior managers from licensee ofc,each of four licensee sites & responsible NRC personnel from Region IV ofc & NRR.
DYER,J.E. Region 4 (Post 820201). 96/04/17. HINTZ,D. Entergy Operations, Inc. 169pp. 87995:070-87995:238.

9604190285 Submits response to NRC GL 96-01 re problem w/testing of safety-related logic circuits.
BURSKI,R.F. Entergy Operations, Inc. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87939:249-87939:251.

9604230060 Informs NRC of implementation dates for several license amends & other issues as requested verbally by NRR.
BURSKI,R.F. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 87998:359-87998:360.

9604230275 Informs that use of Code Case N-498-2 not acceptable for generic implementation on plant-wide basis.
BECKNER,W.D. . 96/04/19. YELVERTON,J.W. Entergy Operations, Inc. 8pp. 87971:352-87971:359.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604250338 EN-96-019:on 960328,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on failure to implement effective actions to correct known design deficiency in ACCWS,facility ultimate heat sys.
SANBORN,G. Region 4 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/03/25. 1p. 88031:004-88031:004.

9604010165 Discusses predecisional enforcement conference held in NRC Arlington,TX office on 960305 to discuss violations of requirements identified during 951220-960112 & forwards NOV & proposed imposition of civil penalty in amount of $50,000.
CALLAN,L.J. Region 4 (Post 820201). 96/03/28. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 87684:332-87684:341.

—9604010170 Notice of violation & proposed imposition of civil penalty in amount of $50,000.Noncompliance noted:on Mar 1986 - Dec 1995,licensee failed to implement corrective actions to preclude repetition of significant conditions.
* Region 4 (Post 820201). 96/03/28. 4pp. 87684:338-87684:341.

9604020063 Press release 96-22, "NRC Staff Proposes to Fine Waterford $50,000."
* Region 4 (Post 820201). 96/03/29. 1p. 87823:303-87823:303.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080365 Submits response to violations noted in Insp Rept 50-382/96-01.Corrective actions:review of security logs performed to determine areas of plant affected by misinterpretation of change.
BURSKI,R.F. Entergy Operations, Inc. 96/04/05. Document Control Branch (Document Control Desk). 7pp. 87815:349-87815:355.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604160024 Advises of planned insp effort resulting from Waterford 3 PPR review.Addl regional initiative insp had been added to Master Insp Plan in engineering,maint & plant support areas as noted in attached table.
DYER,J.E. Region 4 (Post 820201). 96/04/11. SELLMAN,M.B. Entergy Operations, Inc. 7pp. 87887:019-87887:025.

9604180357 Forwards draft input from contractor to be used in approving alternatives to 10CFR50.55a, "Codes & Stds," per 960408 telcon in which NRR requested assistance of licensee in preparing definitive info to support use of codes for ISI.
BECKNER,W.D. . 96/04/15. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87914:001-87914:112.

9604230098 Forwards insp rept 50-382/96-03 on 960204-0316 & notice of violation.Violation of concern due to operations staff failure to recognize shutting one steam supply valve to turbine driven emergency pump caused inoperability of other.
DYER,J.E. Region 4 (Post 820201). 96/04/17. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 87967:174-87967:198.

—9604230102 Notice of violation from insp on 960204-0316.Violation noted:from 940203-08,turbine-driven emergency feedwater pump inoperable while unit in Mode 1 in Steam Supply Valve MS-401B had been inoperable & not placed in operable status.
* Region 4 (Post 820201). 96/04/17. 2pp. 87967:179-87967:180.

—9604230109 Insp rept 50-382/96-03 on 960204-0316.Violations noted. Major areas inspected:plant operations,maint observations, plant support activities,onsite engineering & followup of previously identified items.
HARRELL,P.H. Region 4 (Post 820201). 96/04/16. 18pp. 87967:181-87967:198.

9604250223 Ack receipt of 960405 ltr informing NRC of steps taken to correct violations noted in insp rept 50-382/96-01.
GWYNN,T.P. Region 4 (Post 820201). 96/04/19. SELLMAN,M.B. Entergy Operations, Inc. 5pp. 87996:282-87996:293.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604260194 Forwards response to NRC ltr re violations noted in insp rept 50-382/95-20.Corrective actions:installed electronic watch stations throughout plant.
FISICARO,J.J. Entergy Operations, Inc. 96/04/25. Document Control Branch (Document Control Desk). 7pp. 88025:352-88025:358.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260198 "Annual Radiological Environ Operating Rept for 1995." W/960424 ltr.
FISICARO,J.J. Entergy Operations, Inc. 95/12/31. 81pp. 88026:251-88026:331.

9604170139 Monthly operating rept for Mar 1996 for Wateford 3 SES.W/ 960415 ltr.
FREEMAN,D.S., BURSKI,R.F. Entergy Operations, Inc. 96/03/31. 7pp. 87948:247-87948:253.

S. Reportable occurrences, LERs & related correspondence

9604010018 LER 96-004-00:on 960228,failed to meet intent of TS surveillance due to inadequate corrective actions.Changed design of ACCW sys & reviewed surveillance procedures for unidentified work arounds.W/960328 ltr.
VINCI,D.W., KEUTER,D.R. Entergy Operations, Inc. 96/03/28. 11pp. 87708:219-87708:230.

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9603260184 Requests Commission approval for proposed relocation of EOF to serve SSES.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-96-057. 96/03/15. 133pp. 87918:001-87918:133.

9604030433 Forwards response to NRC 960228 ltr re violations noted in insp repts 50-387/96-02 & 50-388/96-02.Response withheld (ref 10CFR73.21).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk).2pp. 87771:061-87771:062.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190033 Forwards insp rept 50-387/96-201 & 50-388/96-201 on 960130- 0201.No violations noted.
GALLO,R.M. . 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87923:335-87923:347.

-9604190042 Insp repts 50-387/96-201 & 50-388/96-201 on 960130-0201.No violations noted.Major areas inspected:procurement documentation,fire endurance tests & deviations,seal/barrier compatibility,training & QA/quality control.
RAY,P.M., NORKIN,D., GALLO,R.M. . 96/04/15. 10pp. 87923:338-87923:347.

9604230032 Advises that 951221 Change I to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88000:359-88000:361.

9604220183 Informs that Commission granted approval of licensee proposal to relocate SSES EOF from Berwick to Wilkes-Barre. Approval granted based on info provided in 950412 ltr & 950516 & 0829 meetings.
STOLZ,J.F. . 96/04/17. BRYAM,R.G. Pennsylvania Power & Light Co. 3pp. 87942:214-87942:216.

9604300127 Final response to FOIA request for records.App A records & releasable portions of App B records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 4pp. 88096:233-88096:301.

-9604300137 Investigation rept 1-93-072.No noncompliance noted.Major area investigated:security shift supervisor harassment & intimidation of shift member after employee brought allegations of wrongdoing by util to NRC.
KENNA,G.F. Ofc of Investigations (Post 880201). 94/11/10. 12pp. 88096:238-88096:249.

-9604300155 Partially deleted investigation rept 1-92-052R re possible falsification of security test/training records. Investigation substantiated that util deliberately & improperly provided assistance in answering questions.
KENNA,G.F. Ofc of Investigations (Post 880201). 94/08/22. 32pp. 88096:259-88096:290.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity Information

9604020082 Lists present level of onsite property damage insurance for plant,per 10CFR50.54(w)(3).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87725:250-87725:250.

9604220152 Forwards affidavit providing util certified financial statement.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/15. Document Control Branch (Document Control Desk). 3pp. 87953:315-87953:317.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230157 Notification of significant licensee meeting 96-35 w/util on 960507 to discuss issues involving insufficient attention to plant licensing basis in operability assessments & failure to identify & correct design deficiencies.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/15. Pennsylvania Power & Light Co. 2pp. 87953:122-87953:123.

9604220326 Provides response to GL 96-01, "Testing of Safety Related Logic Circuits."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87973:358-87973:360.

9604300129 Requests relief from performing ASME Code Section XI repairs on Unit 1 reactor water cleanup sys regenerative heat exchanger w/10CFR50.55a(g)(6)(i).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 2pp. 88066:358-88066:359.

Q. Inspection reports, IE Bulletins & correspondence

9604300121 FOIA request for all repts issued by Ofc of Investigations on PPL within last 5 yrs.
SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 96/03/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:232-88096:232.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604030433 Forwards response to NRC 960228 ltr re violations noted in insp repts 50-387/96-02 & 50-388/96-02.Response withheld (ref 10CFR73.21).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87771:061-87771:062.

9604020421 Ack receipt of 960311 ltr & wire transfer of $100,000 for payment of civil penalty.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/04/01. BYRAM,R.G. Pennsylvania Power & Light Co. 1p. 87704:250-87704:250.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604110188 Forwards insp repts 50-387/96-03 & 50-388/96-03 on 951211-15 & 0304-08.Violations identified & being considered for escalated enforcement action.
WIGGINS,J.T. Region 1 (Post 820201). 96/04/03. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87850:054-87850:108.

-9604110192 Insp repts 50-387/96-03 & 50-388/96-03 on 951211-15 & 960304-08.Violations being considered for escalated enforcement action.Major areas inspected:hydrogen water control injection sys mod & core shroud insp plans.
KOLACZYK,K.S., KELLY,E.M. Region 1 (Post 820201). 96/04/02. 22pp. 87850:057-87850:108.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160008 Forwards insp repts 50-387/96-01 & 50-388/96-01 on 960206- 0318 & NOV.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/09. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 87886:332-87886:356.

-9604160022 Notice of violation from insp on 960206-0318.Violation noted:licensee failed to promptly identify that secondary containment isolation damper HD-27564A not fully closing during TS surveillance test & returned damper to svc.
* Region 1 (Post 820201). 96/04/09. 1p. 87886:336-87886:336.

-9604160025 Insp repts 50-387/96-01 & 50-388/96-01 on 960206-0318. Violations noted.Major areas inspected:operations, maint/surveillance,engineering/technical support,plant support & SA/QV.
PASCIAK,W. Region 1 (Post 820201). 96/04/09. 20pp. 87886:337-87886:356.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604190033 Forwards insp rept 50-387/96-201 & 50-388/96-201 on 960130- 0201.No violations noted.
GALLO,R.M. . 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87923:335-87923:347.

-9604190042 Insp repts 50-387/96-201 & 50-388/96-201 on 960130-0201.No violations noted.Major areas inspected:procurement documentation,fire endurance tests & deviations,seal/barrier compatibility,training & QA/quality control.
RAY,P.M., NORKIN,D., GALLO,R.M. . 96/04/15. 10pp. 87923:338-87923:347.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300127 Final response to FOIA request for records.App A records & releasable portions of App B records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 4pp. 88096:233-88096:301.

--9604300128 Documents closure of case 1-93-061 re possible violations of 10CFR50.5 & 50.9.
LETTS,B.R. Ofc of Investigations (Post 880201). 94/08/31. MARTIN,T.T. Region 1 (Post 820201). 1p. 88096:237-88096:237.

--9604300137 Investigation rept 1-93-072.No noncompliance noted.Major area investigated:security shift supervisor harassment & intimidation of shift member after employee brought allegations of wrongdoing by util to NRC.
KENNA,G.F., LETTS,B.R. Ofc of Investigations (Post 880201). 94/11/10. 12pp. 88096:238-88096:249.

--9604300146 Investigation rept 1-95-023.No noncompliance noted.Major area investigated:allegation that former contract turbine inspector was terminated in retaliation for having identified & reported safety concerns.
DRISKILL,D.D., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 9pp. 88096:250-88096:258.

--9604300155 Partially deleted investigation rept 1-92-052R re possible falsification of security test/training records. Investigation substantiated that util deliberately & improperly provided assistance in answering questions.
KENNA,G.F., LETTS,B.R., FITZGERALD,J.A. Ofc of Investigations (Post 880201). 94/08/22. 32pp. 88096:259-88096:290.

--9604300166 Partially withheld investigation rept 1-93-054R re alleged failure to provide complete & accurate info to NRC.Matter closed due to Ofc of Investigation pursuing investigations w/higher priority.
MATAKAS,R.A., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 11pp. 88096:291-88096:301.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020111 "Annual Effluent & Waste Disposal Rept for Jan-Dec 1995." W/ 960329 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/12/31. 258pp. 87723:001-87723:258.

9604220193 Monthly operating repts for Mar 1996 for SSES units 1 & 2. W/960415 ltr.
YOUNG,K.A., BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/31. 9pp. 87953:340-87953:348.

9604260143 "Quarterly Hazadous Waste Rept - General Info." W/960416 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 96/03/31. 4pp. 88026:350-88026:353.

9604190058 Forwards annual chemical analysis of residual waste repts for plant.Recent lab analyses for waste oil & cooling tower sludge repts included in eight 26R forms also.
BELLES,T.D. Pennsylvania Power & Light Co. 96/04/12. SCHEIDLER,C. Pennsylvania, Commonwealth of. 39pp. 87952:169-87952:208.

S. Reportable occurrences, LERs & related correspondence

9604110072 LER 96-002-00:on 960306,concluded that post-accident water seal for FW penetrations,as described in FSAR,not achievable due to failure to consider impacts of all piping connected to FW penetration vol.Evaluation performed.W/960404 ltr.
WEHRY,R.R., STANLEY,H.G. Pennsylvania Power & Light Co. 96/04/04. 4pp. 87847:012-87847:015.

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9603260184 Requests Commission approval for proposed relocation of EOF to serve SSES.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-96-057. 96/03/15. 133pp. 87918:001-87918:133.

9604030433 Forwards response to NRC 960228 ltr re violations noted in insp repts 50-387/96-02 & 50-388/96-02.Response withheld (ref 10CFR73.21).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87771:061-87771:062.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604190033 Forwards insp rept 50-387/96-201 & 50-388/96-201 on 960130- 0201.No violations noted.
GALLO,R.M. . 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87923:335-87923:347.

--9604190042 Insp repts 50-387/96-201 & 50-388/96-201 on 960130-0201.No violations noted.Major areas inspected:procurement documentation,fire endurance tests & deviations,seal/barrier compatibility,training & QA/quality control.
RAY,P.M. . 96/04/15. 10pp. 87923:338-87923:347.

9604230032 Advises that 951221 Change I to guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 88000:359-88000:361.

9604220183 Informs that Commission granted approval of licensee proposal to relocate SSES EOF from Berwick to Wilkes-Barre. Approval granted based on info provided in 950412 ltr & 950516 & 0829 meetings.
STOLZ,J.F. . 96/04/17. BRYAM,R.G. Pennsylvania Power & Light Co. 3pp. 87942:214-87942:216.

9604300127 Final response to FOIA request for records.App A records & releasable portions of App B records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 4pp. 88096:233-88096:301.

--9604300137 Investigation rept 1-93-072.No noncompliance noted.Major area investigated:security shift supervisor harassment & intimidation of shift member after employee brought allegations of wrongdoing by util to NRC.
KENNA,G.F. Ofc of Investigations (Post 880201). 94/11/10. 12pp. 88096:238-88096:249.

--9604300155 Partially deleted investigation rept 1-92-052R re possible falsification of security test/training records. Investigation substantiated that util deliberately & improperly provided assistance in answering questions.
KENNA,G.F. Ofc of Investigations (Post 880201). 94/08/22. 32pp. 88096:259-88096:290.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity information

9604020082 Lists present level of onsite property damage insurance for plant,per 10CFR50.54(w)(3).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87725:250-87725:250.

9604220152 Forwards affidavit providing util certified financial statement.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/15. Document Control Branch (Document Control Desk). 3pp. 87953:315-87953:317.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230157 Notification of significant licensee meeting 96-35 w/util on 960507 to discuss issues involving insufficient attention to plant licensing basis in operability assessments & failure to identify & correct design deficiencies.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/15. Pennsylvania Power & Light Co. 2pp. 87953:122-87953:123.

9604220326 Provides response to GL 96-01, "Testing of Safety Related Logic Circuits."
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87973:358-87973:360.

Q. Inspection reports, IE Bulletins & correspondence

9604300121 FOIA request for all repts issued by Ofc of Investigations on PPL within last 5 yrs.
SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 96/03/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:232-88096:232.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604030433 Forwards response to NRC 960228 ltr re violations noted in insp repts 50-387/96-02 & 50-388/96-02.Response withheld (ref 10CFR73.21).
BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87771:061-87771:062.

9604020421 Ack receipt of 960311 ltr & wire transfer of $100,000 for payment of civil penalty.
GRAY,J.R. Ofc of Enforcement (Post 870413). 96/04/01. BYRAM,R.G. Pennsylvania Power & Light Co. 1p. 87704:250-87704:250.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604110188 Forwards insp repts 50-387/96-03 & 50-388/96-03 on 951211-15 & 0304-08.Violations identified & being considered for escalated enforcement action.
WIGGINS,J.T. Region 1 (Post 820201). 96/04/03. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87850:054-87850:108.

--9604110192 Insp repts 50-387/96-03 & 50-388/96-03 on 951211-15 & 960304-08.Violations being considered for escalated enforcement action.Major areas inspected:hydrogen water control injection sys mod & core shroud insp plans.
KOLACZYK,K.S., KELLY,E.M. Region 1 (Post 820201). 96/04/02. 22pp. 87850:057-87850:108.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604160008 Forwards insp repts 50-387/96-01 & 50-388/96-01 on 960206- 0318 & NOV.
PASCIAK,W.J. Region 1 (Post 820201). 96/04/09. BYRAM,R.G. Pennsylvania Power & Light Co. 4pp. 87886:332-87886:356.

--9604160022 Notice of violation from insp on 960206-0318.Violation noted:licensee failed to promptly identify that secondary containment isolation damper HD-27564A not fully closing during TS surveillance test & returned damper to svc.
" Region 1 (Post 820201). 96/04/09. 1p. 87886:336-87886:336.

--9604160025 Insp repts 50-387/96-01 & 50-388/96-01 on 960206-0318. Violations noted.Major areas inspected:operations, maint/surveillance,engineering/technical support,plant support & SA/QV.
PASCIAK,W. Region 1 (Post 820201). 96/04/09. 20pp. 87886:337-87886:356.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604190033 Forwards insp rept 50-387/96-201 & 50-388/96-201 on 960130- 0201.No violations noted.
GALLO,R.M. . 96/04/15. BYRAM,R.G. Pennsylvania Power & Light Co. 3pp. 87923:335-87923:347.

--9604190042 Insp repts 50-387/96-201 & 50-388/96-201 on 960130-0201.No violations noted.Major areas inspected:procurement documentation,fire endurance tests & deviations,seal/barrier compatibility,training & QA/quality control.
RAY,P.M., NORKIN,D., GALLO,R.M. . 96/04/15. 10pp. 87923:338-87923:347.

9604220258 Documents info verbally provided to NRC staff on 960402 re Unit 2 core shroud insp analysis as provided in ltr dtd 951025.
BYRAM,R.G. Pennsylvania Power & Light Co. 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87986:194-87986:195.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300127 Final response to FOIA request for records.App A records & releasable portions of App B records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 4pp. 88096:233-88096:301.

--9604300128 Documents closure of case 1-93-061 re possible violations of 10CFR50.5 & 50.9.
LETTS,B.R. Ofc of Investigations (Post 880201). 94/08/31. MARTIN,T.T. Region 1 (Post 820201). 1p. 88096:237-88096:237.

--9604300137 Investigation rept 1-93-072.No noncompliance noted.Major area investigated:security shift supervisor harassment & intimidation of shift member after employee brought allegations of wrongdoing by util to NRC.
KENNA,G.F., LETTS,B.R. Ofc of Investigations (Post 880201). 94/11/10. 12pp. 88096:238-88096:249.

--9604300146 Investigation rept 1-95-023.No noncompliance noted.Major area investigated:allegation that former contract turbine inspector was terminated in retaliation for having identified & reported safety concerns.
DRISKILL,D.D., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 9pp. 88096:250-88096:258.

--9604300155 Partially deleted investigation rept 1-92-052R re possible falsification of security test/training records. Investigation substantiated that util deliberately & improperly provided assistance in answering questions.
KENNA,G.F., LETTS,B.R., FITZGERALD,J.A. Ofc of Investigations (Post 880201). 94/08/22. 32pp. 88096:259-88096:290.

--9604300166 Partially withheld investigation rept 1-93-054R re alleged failure to provide complete & accurate info to NRC.Matter closed due to Ofc of Investigation pursuing investigations w/higher priority.
MATAKAS,R.A., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 11pp. 88096:291-88096:301.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020111 "Annual Effluent & Waste Disposal Rept for Jan-Dec 1995." W/ 960329 ltr.
BYRAM,R.G. Pennsylvania Power & Light Co. 95/12/31. 258pp. 87723:001-87723:258.

9604220193 Monthly operating repts for Mar 1996 for SSES units 1 & 2. W/960415 ltr.
YOUNG,K.A., BYRAM,R.G. Pennsylvania Power & Light Co. 96/03/31. 9pp. 87953:340-87953:348.

9604260143 "Quarterly Hazadous Waste Rept - General Info." W/960416 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. 96/03/31. 4pp. 88026:350-88026:353.

9604190058 Forwards annual chemical analysis of residual waste repts for plant.Recent lab analyses for waste oil & cooling tower sludge repts included in eight 26R forms also.
BELLES,T.D. Pennsylvania Power & Light Co. 96/04/12. SCHEIDLER,C. Pennsylvania, Commonwealth of. 39pp. 87952:169-87952:208.

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020386 Forwards revised Physical Security Plan & has determined rev will not decrease effectiveness of plan.
BOHLKE,W.H. Florida Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87710:357-87710:357.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604090120 Forwards summary rept of Cycle 9 plant startup & power escalation testing. BOHLKE,W.H. Florida Power & Light Co. 96/04/01. Document Control Branch (Document Control Desk). 1p. 87830:173-87830:189.

--9604090121 "St Lucie Unit 2 Cycle 9 Startup Physics Testing Rept." WACHTEL,P.K., KLEIN,R.M., MARTIN,L.A. Florida Power & Light Co. 96/03/14. 16pp. 87830:174-87830:189.

9604080269 Forwards info copy of application for renewal of FL Wastewater Permit,FL0002208 dtd Apr 1996,per Section 3.2.3 of St Lucie Units 1 & 2 Environ Protection Plan.
BOHLKE,W.H. Florida Power & Light Co. 96/04/03. Document Control Branch (Document Control Desk). 142pp. 87817:018-87817:156.

9604230305 Confirms 960324 telcon between E Weinkam & E Lea re meeting on 960612 to discuss status of progress on performance improvement program at plant. LANDIS,K.D. Region 2 (Post 820201). 96/04/04. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 87953:204-87953:206.

9604240257 Discusses meeting held 960329 in Atlanta,GA to discuss status of PIP.Meeting held to be very beneficial.Topics included sys & component engineering,operations support & testing & maint.W/list of attendees & viewgraphs. LANDIS,K.D. Region 2 (Post 820201). 96/04/04. PLUNKETT,T.F. Florida Power & Light Co. 49pp. 87980:248-87980:296.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220228 Forwards synopsis of NRC OI completed rept re alleged discrimination against welding supervisor for insisting on correct work practices at plant,case number 2-94-018.
LANDIS,K.D. Region 2 (Post 820201). 96/04/09. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 87935:186-87935:189.

9604180349 Forwards amends 142 & 82 to licenses DPR-67 & NPF-16, respectively & safety evaluation.Amends modify surveillance requirements related to dune survey & mangrove swamp monitoring & relocates to FSAR.
NORRIS,J.A. . 96/04/11. PLUNKETT,T.F. Florida Power & Light Co. 4pp. 87917:322-87917:346.

--9604180376 Amends 142 & 82 to licenses DPR-67 & NPF-16,respectively, modifying surveillance requirements related to dune survey & mangrove swamp monitoring & relocates to FSAR.
* . 96/04/11. 16pp. 87917:326-87917:341.

--9604180391 Safety evaluation supporting amends 142 & 82 to licenses DPR-67 & NPF-16,respectively.
* . 96/04/11. 5pp. 87917:342-87917:346.

9604220398 Provides response to GL 96-01, "Testing of Safety Related Logic Circuits," for Units 1 & 2.
BOHLKE,W.H. Florida Power & Light Co. 96/04/18. Document Control Branch (Document Control Desk). 3pp. 87983:350-87983:352.

9604300237 Forwards "St Lucie Nuclear Plant Status Meeting for Units 1 & 2."
BOHLKE,W.H. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88063:001-88063:129.

--9604300241 "St Lucie Nuclear Plant,Status Meeting for Units 1 & 2."
* Florida Power & Light Co. 96/04/18. 128pp. 88063:002-88063:129.

9604300225 Informs effective 960428 both St Lucie Plant,Units 1 & 2 & Turkey Point,Units 3 & 4 have been reassigned to FJ Hebdon. LA Wiens will become Project Manager for St Lucie Plant effective 960428.
VARGA,S.A. . 96/04/25. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 88053:258-88053:260.

Q. Inspection reports, IE Bulletins & correspondence

9604090165 Forwards insp repts 50-335/96-01 & 50-389/96-01 on 960107-0217 & NOV.Violation of NRC concern because of indication of continued problems in areas of procedural quality & control.
LANDIS,K.D. Region 2 (Post 820201). 96/03/18. PLUNKETT,T.F. Florida Power & Light Co. 3pp. 87792:308-87792:343.

--9604090169 Notice of violation from insp on 960107-0217.Violation noted:licensee made temporary changes to procedures required by TS 6.8.1,w/o prior review by FRG or approval by Plant General Manager,which altered intent of procedures.
* Region 2 (Post 820201). 96/03/18. 2pp. 87792:311-87792:312.

--9604090171 Insp repts 50-335/96-01 & 50-389/96-01 on 960107-0217. Violations noted.Major areas inspected:operations,maint, engineering & plant support.
* Region 2 (Post 820201). 96/03/18. 31pp. 87792:313-87792:343.

9604090350 Forwards errata ltr for insp repts 50-335/96-02 & 50-389/96-02.Facility name listed incorrectly on first paragraph line of 960318 transmitted ltr.Requests that encl page be replaced w/previously transmitted ltr.
BARR,K.P. Region 2 (Post 820201). 96/03/21. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 87806:228-87806:230.

--9604100103 Corrects 960318 ltr discussing insp conducted on 960205-09. Facility name listed incorrectly on first paragraph of transmitted ltr.St Lucie,correct facility name.
BARR,K.P. Region 2 (Post 820201). 96/03/18. PLUNKETT,T.F. Florida Power & Light Co. 1p. 87806:230-87806:230.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090086 Forwards insp repts 50-335/96-03 & 50-389/96-03 on 960126-30 & 0208 w/regard to 960122 Unit 1 overdilution event. Violations noted.
GIBSON,A.F. Region 2 (Post 820201). 96/03/28. HOLZMACHER,G.H. Affiliation Not Assigned. 5pp. 87773:001-87773:070.

--9604090108 Forwards NOV & proposed imposition of civil penalty in amount of $50,000 re Unit Unit 1 overdilution event which occurred on 960122.Determined that violations of NRC requirements occurred.
EBNETER,S.D. Region 2 (Post 820201). 96/03/28. PLUNKETT,T.F. Florida Power & Light Co. 5pp. 87773:037-87773:041.

9604150123 Forwards form NIS-1 "Owners Data Rept for Inservice Insps," for 950325. BOHLKE,W.H. Florida Power & Light Co. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87874:025-87874:351.

--9604150125 Form NIS-1 "Owners Data Rept for Inservice Insps," for 960325.
* Florida Power & Light Co. 96/03/25. 325pp. 87874:027-87874:351.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090483 Responds to NRC 960208 ltr re SALP repts 50-335/95-99 & 50-389/95-99 for period from 940102-960106.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 1p. 87831:130-87831:130.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220355 Notification of 960422 meeting w/util in Rockville,MD to discuss SG insp scheduled for upcoming refueling outage.
NORRIS,J.A. . 96/04/18. IMBRO,E.V. . 3pp. 87965:192-87965:195.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300105 Forwards response to NRC 960318 ltr re violations noted in insp repts 50-335/96-01 & 50-389/96-01.Corrective actions: 1B EDG Periodic Test & General Operating Instructions,Rev 22 was reviewed by FRG & approved by Plant General Manager.
PLUNKETT,T.F. Florida Power & Light Co. 96/04/23. Document Control Branch (Document Control Desk). 6pp. 88059:351-88059:356.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604230014 "1995 Annual Radiological Environ Operating Rept St. Lucie Plant,Units 1 & 2." W/960412 ltr.
BOHLKE,W.H. Florida Power & Light Co. 95/12/31. 8pp. 88000:337-88000:344.

9604300066 "St Lucie Unit 2 Annual Environ Operating Rept." W/960423 ltr.
BOHLKE,W.H. Florida Power & Light Co. 95/12/31. 55pp. 88057:297-88057:352.

9604190139 Monthly operating repts for March 1996 for SLP.W/960412 ltr.
ROGERS,J.A., BOHLKE,W.H. Florida Power & Light Co. 96/03/31. 9pp. 87957:328-87957:336.

S. Reportable occurrences, LERs & related correspondence

9604020089 PNO-II-96-023:on 960401,unusual event declared & terminated due to identified RCS leakage in excess of TS limits.
LANDIS,K., MILLER,M. Region 2 (Post 820201). 96/04/01. 2pp. 87733:179-87733:180.

9604120261 Unusual or Important Environ Event re fish kill in plant intake canal on 960311.Caused by extreme seawater turbidity associated w/storm conditions,clogging gill surfaces & suffocating fish.Well chlorination discontinued.
BOHLKE,W.H. Florida Power & Light Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87871:353-87871:354.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

V. Operator Examinations

9604230360 Forwards exam repts 50-335/96-300 & 50-389/96-300 on 960311- 28.
PEEBLES,T.A. Region 2 (Post 820201). 96/04/10. PLUNKETT,T.F. Florida Power & Light Co. 2pp. 87955:131-87955:251.

-9604230364 Exam repts 50-335/96-300 & 50-389/96-300 on 960311-28.Exam results:all four SRO candidates passed.
AIELLO,R.F., PEEBLES,T.A. Region 2 (Post 820201). 96/04/10. 109pp. 87955:133-87955:251.

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604040234 Informs that NRC does not intend to hold informal public hearing re 2.206 petition submitted by 960125 ltr.
HEBDON,F.J. . 96/04/03. FLEMING,J.A. Affiliation Not Assigned. 3pp. 87746:246-87746:248.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604170029 Responds to NRC 960307 ltr re 2.206 petition.
KEHOE,D.V. Tennessee Valley Authority. 96/04/08. Document Control Branch (Document Control Desk). 14pp. 87949:064-87949:077.

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

P. Operating license stage documents & correspondence

9604010113 FOIA request for records re contamination of Watts Bar Lake.
YOUNG,F. Affiliation Not Assigned. 96/02/22. LEE,J. . 1p. 87708:214-87708:214.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9604090409 Confirms telcon between B Schofield & CA Julian re meeting at NRC request,scheduled for 960419 to discuss plant power ascension test program status & associated on-going activities.
JULIAN,C.A. Region 2 (Post 820201). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87806:184-87806:186.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230231 Documents amount of ice initially stored in facility ice condenser,in support of 960228 request to amend facility TS to extend ice bed surveillance frequencies from 9 months to 18 months & to increase total ice bed weight.
KEHOE,D.V. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87980:359-87980:360.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/16. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

9604250300 Concludes that const of plant Unit 1 completed IAW applicable NRC rules & regulations.Issues found deficient in mid-1980 resolved,per 960402 ltr to Chairman Jackson.
RUSSELL,W.T. . 96/04/19. CORN,W.S. Affiliation Not Assigned. 5pp. 87998:191-87998:196.

-9604250375 Expresses concerns re Watts Bar nuclear project & believes project should be shut down.
CORN,W.S. Affiliation Not Assigned. 96/04/02. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87998:195-87998:196.

9604290112 Informs of assignment of new project managers to Sequoyah & Watts Bar Nuclear Plants.
VARGA,S.A. . 96/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88036:355-88036:356.

Q. Inspection reports, IE Bulletins & correspondence

9604090133 Ack receipt of 960305 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-80 & 50-391/95-80.
JAUDON,J.P. Region 2 (Post 820201). 96/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87792:349-87792:351.

9604090213 Forwards insp repts 50-390/96-02 & 50-391/96-02 on 960114-0224 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 96/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 87793:001-87793:070.

-9604090219 Notice of violation from insp on 960114-0224.Violation noted:on 951215,licensee failed to perform requirements of SR 3.7.8.1 on valves before entering Mode 4.
* Region 2 (Post 820201). 96/03/21. 2pp. 87793:006-87793:007.

-9604090224 Insp repts 50-390/96-02 & 50-391/96-02 on 960114-0224. Violations noted.Major areas inspected:resident insp conducted in areas of startup test witnessing,plant operations,maint,engineering & plant support.
VAN DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 96/03/21. 63pp. 87793:008-87793:070.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090212 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960304,covering 951112- 960301.Encl details insp plan for next six months.
JAUDON,J.P. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 87806:198-87806:203.

9604090416 Forwards exam rept 50-390/96-300 on 960226-29.No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87792:028-87792:242.

-9604090420 Exam rept 50-390/96-300 on 960226-29.Exam results:all SRO & RO candidates passed written & operating exams.
MOORMAN,J.H., PEEBLES,T.A. Region 2 (Post 820201). 96/03/26. 210pp. 87792:031-87792:242.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604030164 Ack receipt of 960226 ltr informing NRC of steps taken to correct violations noted in 931202 NOV re FC Smith complaint of discrimination by TVA.Violation occurred as stated.
LIBERMAN,J. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87721:138-87721:140.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604110083 Provides response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
BARON,R.R. Tennessee Valley Authority. 96/04/05. Document Control Branch (Document Control Desk). 19pp. 87856:133-87856:151.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290227 Forwards response to NRC 960321 ltr re violations noted in insp rept 50-390/96-02.Corrective actions:removed fifty-four of 55 valves in ERCW from SI & administratively locked valves.
SCALICE,J.A. Tennessee Valley Authority. 96/04/22. Document Control Branch (Document Control Desk). 9pp. 88038:336-88038:344.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160404 Monthly operating rept for Mar 1996 for Watts Bar Nuclear Plant.W/960411 ltr.
PARSCALE,L., KEHOE,D.V. Tennessee Valley Authority. 96/03/31. 10pp. 87916:264-87916:273.

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

--9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

S. Reportable occurrences, LERs & related correspondence

9604250434 PNO-II-96-017:on 960313,control room operators reduced electrical loads & initiated manual trip of main turbine because of problems w/maintaining adequate condenser vacuum. Problem under investigation.
JULIAN,C. Region 2 (Post 820201). 96/03/14. 1p. 87996:330-87996:330.

9604030140 LER 96-008-00:on 960226,personnel discovered failure to adequately perform TS Requirement (SR)-3.7.3.Caused by lack of detailed description of testing methods.Technical Procedure writers counseled/trained.W/960327 ltr.
BROWN,R.M., KEHOE,D.V. Tennessee Valley Authority. 96/03/27. 8pp. 87736:302-87736:309.

9604020107 LER 96-003-00:on 960227,discovered four instances of failure to perform SR 3.6.13.2 while reviewing post insp performance records associated w/divider barrier personnel hatch 2. Performed visual insp of hatch.W/960328 ltr.
BROWN,R.M., KEHOE,D.V. Tennessee Valley Authority. 96/03/28. 9pp. 87733:192-87733:200.

9604160449 LER 96-009-00:on 960313,manual reactor trip & related ESF actuation occurred.Caused by loss of condenser vacuum. Operating procedures revised,verified & design modified.W/ 960411 ltr.
STOCKTON,R., KEHOE,D.V. Tennessee Valley Authority. 96/04/10. 16pp. 87923:138-87923:153.

9604180007 PNO-II-96-029:on 960416,control room operators initiated manual trip on main turbine due to main turbine governor valves closing.All control rods fully inserted.Plant currently in Mode 3 w/plant parameters stable.
JULIAN,C.A. Region 2 (Post 820201). 96/04/17. 2pp. 87960:244-87960:245.

9604250158 PNO-II-96-033:on 960426 & 27,util granted Snail Darter Alliance permission to conduct peaceful demonstration activities.Demonstration tied to 10th anniversary of Chernobyl event.
CLARK,K.M. Region 2 (Post 820201). 96/04/25. 1p. 88031:001-88031:001.

V. Operator Examinations

9604090416 Forwards exam rept 50-390/96-300 on 960226-29.No violations or deviations noted.
PEEBLES,T.A. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87792:028-87792:242.

--9604090420 Exam rept 50-390/96-300 on 960226-29.Exam results:all SRO & RO candidates passed written & operating exams.
MOORMAN,J.H., PEEBLES,T.A. Region 2 (Post 820201). 96/03/26. 210pp. 87792:031-87792:242.

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9604010113 FOIA request for records re contamination of Watts Bar Lake.
YOUNG,F. Affiliation Not Assigned. 96/02/22. LEE,J. . 1p. 87708:214-87708:214.

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9604090409 Confirms telcon between B Schofield & CA Julian re meeting at NRC request,scheduled for 960419 to discuss plant power ascension test program status & associated on-going activities.
JULIAN,C.A. Region 2 (Post 820201). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87806:184-87806:186.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

9604290112 Informs of assignment of new project managers to Sequoyah & Watts Bar Nuclear Plants.
VARGA,S.A. . 96/04/25. KINGSLEY,O.D. Tennessee Valley Authority. 2pp. 88036:355-88036:356.

F. Security, medical, emergency & fire protection plans

9604090132 Revised Central Emergency Control Ctr (CECC) EPIPs,including Rev 16 to CECC EPIP-2,Rev 18 to CECC EPIP-3,Rev 19 to CECC EPIP-4,Rev 21 to CECC EPIP-5 & Rev 11 to CECC EPIP-22. W/960402 ltr.
BARON,R.R. Tennessee Valley Authority. 96/04/02. 54pp. 87820:261-87820:314.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

Q. Inspection reports, IE Bulletins & correspondence

9604090133 Ack receipt of 960305 ltr informing NRC of steps taken to correct violations noted in insp repts 50-390/95-80 & 50-391/95-80.
JAUDON,J.P. Region 2 (Post 820201). 96/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87792:349-87792:351.

9604090213 Forwards insp repts 50-390/96-02 & 50-391/96-02 on 960114-0224 & NOV.
JAUDON,J.P. Region 2 (Post 820201). 96/03/21. KINGSLEY,O.D. Tennessee Valley Authority. 5pp. 87793:001-87793:070.

–9604090224 Insp repts 50-390/96-02 & 50-391/96-02 on 960114-0224. Violations noted.Major areas inspected:resident insp conducted in areas of startup test witnessing,plant operations,maint,engineering & plant support.
VAN DOORN,P.K., JULIAN,C.A. Region 2 (Post 820201). 96/03/21. 63pp. 87793:008-87793:070.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090212 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960304,covering 951112- 960301.Encl details insp plan for next six months.
JAUDON,J.P. Region 2 (Post 820201). 96/03/26. KINGSLEY,O.D. Tennessee Valley Authority. 6pp. 87806:198-87806:203.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604030164 Ack receipt of 960226 ltr informing NRC of steps taken to correct violations noted in 931202 NOV re FC Smith complaint of discrimination by TVA.Violation occurred as stated.
LIBERMAN,J. Region 2 (Post 820201). 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 3pp. 87721:138-87721:140.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604050404 Responds to 960315 request that NRC defer issuance of orders imposing civil penalties in DOL Case 93-ERA-044 & 92-ERA-019 & 92-ERA-034.Both cases were subjected to discrimination at various plants.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/04. KINGSLEY,O.D. Tennessee Valley Authority. 7pp. 87752:035-87752:041.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

–9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

DOCKET 50-395 VIRGIL C. SUMMER NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020118 Forwards follow-up to 951006 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87725:039-87725:056.

–9604020130 "Derate Circuits DGE4A,DGE14A,DGE32A & MCE4A for TSI Fire Barrier."
LYNN,M.C. South Carolina Electric & Gas Co. DC08490-008 R03. 92/12/02. 6pp. 87725:043-87725:048.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090311 Rev 3 to EPIP EPP-103, "Emergency Equipment Checklist." W/ 960404 ltr.
LIPPARD,G.A. South Carolina Electric & Gas Co. 96/04/04. 50pp. 87830:076-87830:125.

9604190043 Forwards discussion of changes,bases for changes & 10CFR50,54(q) evaluation re change to radiation emergency plan which will revise two notification of unusual event EALs.
TAYLOR,G.L. South Carolina Electric & Gas Co. 96/04/15. Document Control Branch (Document Control Desk). 10pp. 87957:351-87957:360.

9604250417 Revised emergency plan procedures (EPP),including Change G to rev 5 to EPP-001.4, "General Emergency," Change A to rev 30 to EPP-002, "Communication & Notification" & rev 19 to EPP-005, "Offsite Dose Calculations." W/960422 ltr.
LIPPARD,G.A. South Carolina Electric & Gas Co. 96/04/22. 92pp. 88022:088-88022:179.

9604290230 Forwards Rev 37 to EP-100, "Radiation Emergency Plan." Summary of changes by page number also encl.
LIPPARD,G.A. South Carolina Electric & Gas Co. 96/04/22. Document Control Branch (Document Control Desk). 3pp. 88038:283-88038:322.

–9604290239 Rev 37 to EP-100, "Radiation Emergency Plan."
* South Carolina Electric & Gas Co. 96/04/02. 37pp. 88038:286-88038:322.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & indemnity information

9604080251 Forwards present level of property insurance & cash flow statement for facility,per 10CFR50.54(w)(3) & 10CFR140.21(e).
LIPPARD,G.A. South Carolina Electric & Gas Co. 96/04/01. Document Control Branch (Document Control Desk). 4pp. 87817:248-87817:251.

P. Operating license stage documents & correspondence

9604010141 Submits addl info to support util conclusion of negligible impact,forced draft cooling towers will have on environ.W/ one oversize drawing.
BYRNE,S.A. South Carolina Electric & Gas Co. 96/03/25. DEMBEK,S. Document Control Branch (Document Control Desk). 4pp. 87742:356-87742:362.

9604010427 Forwards addendum to 951220 ltr,requesting relief from ASME Section XI requirements for Class 1 & 2 insulated pressure retaining bolted connections which receive VT-2 visual exam during performance of sys pressure testing.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/03/27. Document Control Branch (Document Control Desk). 5pp. 87706:351-87706:355.

9604020118 Forwards follow-up to 951006 RAI re GL 92-08, "Thermo-Lag 330-1 Fire Barriers."
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87725:039-87725:056.

-9604020130 "Derate Circuits DGE4A,DGE14A,DGE32A & MCE4A for TSI Fire Barrier."
LYNN,M.C. South Carolina Electric & Gas Co. DC08490-008 R03. 92/12/02. 6pp. 87725:043-87725:048.

-9604020139 "Thermal Analysis - Cable Tray 3088."
LYNN,M.C. South Carolina Electric & Gas Co. DC08490-004 R01. 92/12/02. 8pp. 87725:049-87725:056.

9604120120 Requests withdrawal of TSP 960001,request for revision to base values & normalizing factors for reactor building tendon force predictions,submitted on 960118.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/02. ZIMMERMAN,J.I. Document Control Branch (Document Control Desk). 1p.

9604080266 Submits response to GL 96-01, "Testing of Safety-Related Logic Circuits."
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87804:359-87804:360.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110148 Forwards environ assessment & finding of no significant impact re licensee 950818 application for amend to license to allow operation at 2,900 MWt core power.
ZIMMERMAN,J.I. . 96/04/08. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 87847:309-87847:316.

-9604110189 Environ assessment & finding of no significant impact re licensee 950818 application for amend to license to allow operation at 2,900 MWt core power.
HEBDON,F.J. . 96/04/08. 7pp. 87847:310-87847:316.

9604150007 Forwards SE accepting Request for Relief RR-07 & IWI-5242(a) for Virgil C Summer Nuclear Station.
HEBDON,F.J. . 96/04/11. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 87874:352-87874:360.

-9604150011 Safety evaluation accepting Request for Relief RR-07 & IWI-5242(a).
* . 96/04/11. 8pp. 87874:353-87874:360.

9604170129 Forwards amend 133 to license NPF-12 & safety evaluation. Amend increases authorized core power level from 2775 MWt to 2900 MWt.
ZIMMERMAN,J.I. . 96/04/12. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 87911:210-87911:228.

-9604170140 Amend 133 to license NPF-12,increasing authorized core level from 2775 MWt to 2900 MWt & approving changes to TS to implement uprated power operation.
RUSSELL,W.T. . 96/04/12. 9pp. 87911:212-87911:220.

-9604170150 Safety evaluation supporting amend 133 to license NPF-12.
* . 96/04/12. 8pp. 87911:221-87911:228.

9604230193 TS Change TSP 950011 to License NPF-12,revising TS 3/4.6, "Containment Sys" Bases 3/4.6 & TS 6.8, "Administrative Controls - Programs & Procedures," to adopt implementation requirements of 10CFR50,App J,Option B.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 87976:257-87976:288.

-9604230196 Proposed Tech Specs 3/4.6 re containment sys,per App J, Option B.
* South Carolina Electric & Gas Co. 96/04/16. 29pp. 87976:260-87976:288.

9604290211 Requests return of proprietary Westinghouse rept, "VCSNS RSG/Uprating:Best Estimate Large Break LOCA Final Analysis Rept." NRC no longer needs to review best estimate methodology.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/22. DEMBEK,S. Document Control Branch (Document Control Desk). 2pp. 88034:358-88034:359.

9604300062 Forwards "Annual Effluent & Waste Disposal Rept for Operating Period Jan-Dec 1995" & rev 19 to ODCM.
BYRNE,S.A. South Carolina Electric & Gas Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88058:001-88059:086.

-9604300067 Rev 19 to "Offsite Dose Calculation Manual."
* South Carolina Electric & Gas Co. 95/01/31. 366pp. 88058:084-88059:086.

9604290120 Informs that effective 960428,plant will be reassigned to EV Imbro,Director,Project Directorate II-1 & AR Johnson will be assigned Project Manager.
VARGA,S.A. . 96/04/26. TAYLOR,G.J. South Carolina Electric & Gas Co. 2pp. 88036:288-88036:289.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090199 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960301 for Sept 1995 - Feb 1996.Encl details NRC insp plan for next six months.
BELISLE,G.A. Region 2 (Post 820201). 96/03/27. TAYLOR,G.J. South Carolina Electric & Gas Co. 7pp. 87806:039-87806:045.

9604020357 Forwards ISI pressure test program Relief Request NRR 960001,requesting that ASME Nuclear Code Case N-522 be approved for use prior to inclusion in RG 1.147,as alternative to requirements of ASME Section XI-1989.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/03/28. Document Control Branch (Document Control Desk). 8pp. 87712:338-87712:345.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090247 Provides response to requested actions as delineated in NRC Bulletin 96-001, "Control Rod Insertion Problems."
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87831:131-87831:138.

9604240228 Forwards insp rept 50-395/96-02 on 960128-0309 & notice of violation.
BELISLE,G.A. Region 2 (Post 820201). 96/04/08. TAYLOR,G.J. South Carolina Electric & Gas Co. 5pp. 87970:257-87970:279.

-9604240234 Notice of violation from insp on 960128-0309.Violation noted:on 960212,technician performing weekly battery test failed to adjust battery voltage as required;on 960218, operator failed to monitor computer equipment.
* Region 2 (Post 820201). 96/04/08. 2pp. 87970:262-87970:263.

-9604240241 Insp rept 50-395/96-02 on 960128-0309.Violations noted. Major areas inspected:plant operations,maint,engineering & plant support.Review of FSAR commitments also conducted.
BONSER,B.R., BELISLE,G.A. Region 2 (Post 820201). 96/04/08. 16pp. 87970:264-87970:279.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240016 Provides amended response to requested actions as delineated in NRC Bulletin 96-01.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/17. Document Control Branch (Document Control Desk). 8pp. 88016:341-88016:348.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290386 Requests that ASME Nuclear Code Case N-522, "Pressure Testing of Containment Penetration Piping" be approved for use prior to inclusion in Reg Guide 1.147.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88055:346-88055:352.

9604260298 Forwards SE authorizing util proposed use of Code Case N-522 for duration of currently approved ISI program plan interval.
HEBDON,F.J. . 96/04/24. TAYLOR,G.J. South Carolina Electric & Gas Co. 1p. 88019:115-88019:120.

-9604260300 Safety evaluation approving proposed use of ASME Code Case N-522 for duration of currently approved ISI program plan.
* . 96/04/24. 5pp. 88019:116-88019:120.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160035 Monthly operating rept for Mar 1996 for VC Summer Nuclear Station.W/ 960409 ltr.
BELL,W.H., TAYLOR,G.J. South Carolina Electric & Gas Co. 96/03/31. 5pp. 87914:306-87914:310.

9604300062 Forwards "Annual Effluent & Waste Disposal Rept for Operating Period Jan-Dec 1995" & rev 19 to ODCM.
BYRNE,S.A. South Carolina Electric & Gas Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88058:001-88059:086.

—9604300063 "Annual Effluent & Waste Disposal Rept for Operating Period Jan-Dec 1995."
ORR,J.A., BLUE,L.A., GOWDY,G.M. South Carolina Electric & Gas Co. 95/12/31. 82pp. 88058:002-88058:083.

—9604300067 Rev 19 to "Offsite Dose Calculation Manual."
* South Carolina Electric & Gas Co. 95/01/31. 366pp. 88058:084-88059:086.

S. Reportable occurrences, LERs & related correspondence

9604150183 Special rept SPR 9600022:on 960305,loose parts monitoring panel,XPN6042 declared inoperable.Digital Metal Impact monitoring sys currently being replaced.Operability will be re-established at end of refueling outage.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87888:335-87888:335.

DOCKET 50-396 UNIV. OF VIRGINIA CAVALIER REACTOR

F. Security, medical, emergency & fire protection plans

9604090163 Forwards rev 19 to EPIPs for facility,including EPIP 6,page 2,EPIP 6,Attachment 1,pages 1 & 2 & EPIP 14,Attachment 1, page 1.Rev reflects changes in personnel & phone numbers.W/o encls.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/03/26. BASSETT,C. Region 2 (Post 820201). 1p. 87831:219-87831:219.

9604120080 Forwards public version of revised EPIPs,including Rev 19 to EPIP-6 & Rev 19 to EPIP-14.W/960411 ltr.
FARRAR,J.P. Virginia, Univ. of, Charlottesville, VA. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87862:326-87862:332.

—9604120084 Public version of revised EPIPs,including Rev 19 to EPIP-6 & Rev-19 to EPIP-14.Partially withheld.
* Virginia, Univ. of, Charlottesville, VA. 96/03/26. 4pp. 87862:329-87862:332.

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010386 Editorial changes to plant procedure manual to Vol 13, Procedures Rev 11 to 13.8.1,Rev 16 to 13.8.2 & Rev 8 to 13.13.3.
* Washington Public Power Supply System. 96/04/01. 7pp. 87719:163-87719:169.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090162 Advises that temporary change to rev 22 to Washington Nuclear Project,Unit 2,Emergency Plan Implementing Procedure 13.1.1, "Classifying Emergency," acceptable & does not appear to degrade effectiveness of plant emergency planning.
GWYNN,T.P. Region 4 (Post 820201). 96/04/04. PARRISH,J.V. Washington Public Power Supply System. 4pp. 87773:118-87773:121.

9604230311 Informs that proposed changes to licensee physical security plan,rev 30 acceptable for inclusion in plan.
GWYNN,T.P. Region 4 (Post 820201). 96/04/17. PARRISH,J.V. Washington Public Power Supply System. 4pp. 87967:236-87967:241.

9604290361 Forwards Audit 296-018, "WNP-2 Emergency Preparedness Program Audit."
PARRISH,J.V. Washington Public Power Supply System. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88057:082-88057:110.

—9604290364 "WNP-2 Emergency Preparedness Program Audit."
GUNTER, MUTH,J.J. Washington Public Power Supply System. 296-018. 96/04/03. 25pp. 88057:083-88057:110.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & indemnity information

9604080061 Submits rept of property & liability insurance coverage for WNP-2 in force.
PARRISH,J.V. Washington Public Power Supply System. 96/04/01. Document Control Branch (Document Control Desk). 1p. 87817:270-87817:270.

P. Operating license stage documents & correspondence

9604150086 Forwards addl supplemental info re request for amend to TSs on reactor recirculation sys adjustable speed drive upgrade.
PARRISH,J.V. Washington Public Power Supply System. 96/04/04. Document Control Branch (Document Control Desk). 15pp. 87886:001-87886:262.

—9604150092 "Adjustable-Speed Drive Retrofit for Ormond Beach FD Fans."
OLIVER,J.A. Bechtel Corp. WEISS,H.W. General Electric Co. MCCLUSKEY,R.K. Southern California Edison Co. 95/12/31. 22pp. 87886:016-87886:037.

—9604150097 "Retrofitting Util Power Plant Motors for Adjustable Speed Field Test Program."
* Electric Power Research Institute. 90/12/31. 297pp. 87886:038-87886:262.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240169 Submits results of periodic review of low-priority GSIs, contained in list provided by DL Morrison 960216 memo. Safety evaluation for revised tornado design criteria at WNP Unit 2 & note dtd 960307 re transformer failures encl.
RUSSELL,W.T. . 96/04/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87972:255-87972:267.

—9511290002 Forwards SE accepting licensee 951010 request to revise tornado design criteria for plant.Criteria in accordance w/ guidelines of RG 1.76 re missile spectrum & w/staff revised design-basis tornado characteristics in NUREG-1503.
MCCRACKEN,C.E. . 95/11/27. CLIFFORD,J.W. . 1p. 87972:259-87972:259.

—9604240177 Safety evaluation accepting licensee revised tornado design criteria,in accordance w/RG 1.76 & NUREG-1503.
* . 95/11/27. 2pp. 87972:260-87972:261.

—9604240178 Lists summary by yr of number of transformer failures & consequential reactor trips,in response to 960206 note. Info investigated included NSAC-182 (Mar 1992),NUREG-1299 & NUREG-0933 Issue 107.Table of transformer failures encl.
CALVO,J. . 96/03/07. THADANI,A. . 6pp. 87972:262-87972:267.

9604230123 Responds to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
PARRISH,J.V. Washington Public Power Supply System. 96/04/16. Document Control Branch (Document Control Desk). 4pp. 87976:317-87976:320.

9604240301 Summary of 960411 meeting w/licensee & util in Rockville,MD re proposed change to WNP-2 TS to implement adjustable speed drives for RRC.
* . 96/04/18. . 11pp. 87994:292-87994:302.

9604240316 Discusses review of amended response to GL 94-03, "Intergranular Stress Corrosion Cracking of Core Shrouds in Boiling Water Reactor," for WPPSS Nuclear Project 2.
CLIFFORD,J.W. . 96/04/18. PARRISH,J.V. Washington Public Power Supply System. 4pp. 87994:331-87994:339.

—9604240323 SER accepting amended response to GL 94-03.
* . 96/04/18. 5pp. 87994:335-87994:339.

9604300185 Provides suppl info & clarification of TS,describing administrative & editorial changes to Section 6.0, "Administrative Controls," of TS.
PARRISH,J.V. Washington Public Power Supply System. 96/04/22. Document Control Branch (Document Control Desk). 9pp. 88064:241-88064:261.

—9604300187 Proposed tech specs,supplementing TS that describes administrative & editorial changes to Section 6.0, "Administrative Controls."
* Washington Public Power Supply System. 96/04/22. 12pp. 88064:250-88064:261.

9604300333 Application for amend to license NPF-21,modifying TS to support Cycle 12,scheduled to begin subsequent to Spring 1996 outage.
PARRISH,J.V. Washington Public Power Supply System. 96/04/24. Document Control Branch (Document Control Desk). 5pp. 88067:154-88067:163.

—9604300335 Proposed tech specs,modifying TS to support Cycle 12, scheduled to begin subsequent to Spring 1996 outage.
* Washington Public Power Supply System. 96/04/24. 5pp. 88067:159-88067:163.

Q. Inspection reports, IE Bulletins & correspondence

9604170224 FOIA request for document from Bateman to Dyer re ECCS keep-full (water-logs) pumps reported under TAC M91577 or 95-TAI-002.
WILLIAMS,O.G. JRA Associates. 96/03/05. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87906:199-87906:199.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080143 Advises of planned insp effort resulting from util PPR review.Provides minimized resource impact on staff & allows for scheduling conflicts & personnel availability to be resolved in advance of inspector arrival onsite.
DYER,J.E. Region 4 (Post 820201). 96/04/03. PARRISH,J.V. Washington Public Power Supply System. 5pp. 87772:248-87772:252.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604170230 Final response to FOIA request for records.App A record encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/10. WILLIAMS,O.G. JRA Associates. 2pp. 87906:200-87906:208.

-9512280052 Responds to Task Interface Agreement TIA 95-002 re applicability of ASME code section XI to BWR ECCS waterleg pumps.Based on review,appears that licensees not consistent in evaluation of status of waterleg pumps in IST programs.
BATEMAN,W.H. . 95/12/20. DYER,J.E. Region 4 (Post 820201). 5pp. 87906:202-87906:208.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604230086 Forwards response to violations noted in Insp Rept 50-397/96-02.Corrective actions:PER 296-0152 initiated.
PARRISH,J.V. Washington Public Power Supply System. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 88000:345-88000:350.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604170322 Monthly operating rept for Mar 1996 for WNP-2.W/960410 ltr.
EMBREE,D.G., PARRISH,J.V. Washington Public Power Supply System. 96/03/31. 4pp. 87948:162-87948:165.

DOCKET 50-400 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010352 Forwards partially withheld insp rept 50-400/96-03 on 960226-0301.No violations or deviations noted.Rept details withheld (ref 10CFR73.21).
FREDRICKSON,P. Region 2 (Post 820201). 96/03/28. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 87719:159-87719:162.

-9604010358 Partially withheld insp rept 50-400/96-03 on 960226-0301.No violations or deviations noted.Major areas inspected: security program,including physical barriers - vital areas & assessment aids.Details withheld (ref 10CFR73.21).
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/03/27. 1p. 87719:162-87719:162.

9604090130 Discusses 960222 mgt meeting in Atlanta,GA to discuss proposed plant emergency preparedness plan change in area of revised emergency action levels.List of attendees & presentation handouts encl.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/03/29. ROBINSON,W.R. Carolina Power & Light Co. 9pp. 87773:080-87773:088.

9604090286 Requests prior approval for rev to HNP Emergency Plan,Table 2.2-1.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/02. Document Control Branch (Document Control Desk). 4pp. 87831:041-87831:047.

-9604090292 Proposed rev 27 to Table 2.2-1 of HNP energency plan.
* Carolina Power & Light Co. 96/04/02. 3pp. 87831:046-87831:047.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150069 Revised EPIPs,including rev 10 to PEP-331,rev 9 to PEP-391, rev 9 to PEP-101,rev 13 to PEP-301 & rev 7 to PEP-401. W/960404 ltr & two oversize drawings.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/04. 73pp. 87909:123-87909:194.

9604150072 Forwards rev 26 to PLP-201, "Shearon Harris Nuclear Power Plant Emergency Plan," including changes to EALs,staffing, facility/equipment improvements,emergency response & clerical & grammatical error.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87960:001-87960:243.

-9604150076 Rev 26 to PLP-201, "Shearon Harris Nuclear Power Plant Emergency Plan." W/three oversize drawings.
* Carolina Power & Light Co. 96/04/04. 241pp. 87960:003-87960:243.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604190022 Requests documents missing from answers sent by CPC in 951016 rept in response to NRC 950918 ltr re 950602 CPC rept unloading rept & explanation of procedures for handling steam flash & response to 951128 ltr.
SINCLAIR,M.P. Affiliation Not Assigned. 96/01/29. GAMBERONI,M. NRC - No Detailed Affiliation Given. 2pp. 87951:357-87951:358.

J. Insurance & Indemnity Information

9604010298 Submits info re present level & source of onsite property damage insurance at BSEP,SHNPP & HB Robinson.
WALT,T.D. Carolina Power & Light Co. 96/03/27. Document Control Branch (Document Control Desk). 3pp. 87719:190-87719:192.

K. Utility Final Safety Analysis Report (FSAR) & amends

9604180093 Forwards amend 46 to FSAR for Shearon Harris Nuclear Power Plant,including changes since previous submittal.Amend current through 951212 w/exception of three engineering evaluations.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87930:001-87933:049.

-9604180112 Amend 46 to FSAR for Shearon Harris Nuclear Power Plant.
* Carolina Power & Light Co. 96/04/12. 775pp. 87930:003-87933:049.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220087 Forwards addl info re NPDES Permit non-compliance condition originally reported on 960329.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/15. Document Control Branch (Document Control Desk). 3pp. 87966:333-87966:335.

9604190355 Clarifies commitments re macroscopic biological fouling.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87939:236-87939:237.

9604220391 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
ROBINSON,W.R. Carolina Power & Light Co. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87983:357-87983:358.

9604240320 Press release II-96-42, "Shearon Harris Plant Rated Superior in all Four Areas of NRC Assessment Rept."
* Region 2 (Post 820201). 96/04/23. 1p. 88004:362-88004:362.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010352 Forwards partially withheld insp rept 50-400/96-03 on 960226-0301.No violations or deviations noted.Rept details withheld (ref 10CFR73.21).
FREDRICKSON,P. Region 2 (Post 820201). 96/03/28. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 87719:159-87719:162.

-9604010358 Partially withheld insp rept 50-400/96-03 on 960226-0301.No violations or deviations noted.Major areas inspected: security program,including physical barriers - vital areas & assessment aids.Details withheld (ref 10CFR73.21).
THOMPSON,D.H., FREDRICKSON,P. Region 2 (Post 820201). 96/03/27. 1p. 87719:162-87719:162.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604220292 Discusses PPR of Harris conducted on 960229.PPR involved participation of technical divisions in evaluating insp results & safety performance information for Oct 1995 to Feb 1996.
AHYMLOCK,M.B. Region 2 (Post 820201). 96/04/05. ROBINSON,W.R. Carolina Power & Light Co. 7pp. 87945:199-87945:205.

9604100090 Press release II-96-39, "NRC Names New Senior Resident Inspector at Harris Nuclear Power Plant."
CLARK,K., HANNAH,R. Region 2 (Post 820201). 96/04/08. 1p. 87859:227-87859:227.

9604110186 Responds to NRC 960308 ltr re violation noted in insp rept 50-400/96-01.C/A:training performed to re-emphasize requirements for reactor auxiliary bldg emergency exhaust sys boundary doors & radiation work permits revised.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/08. Document Control Branch (Document Control Desk). 3pp. 87856:104-87856:106.

9604110294 Forwards 30-day response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
ROBINSON,W.R. Carolina Power & Light Co. 96/04/08. Document Control Branch (Document Control Desk). 10pp. 87863:288-87863:297.

9604230175 Forwards insp rept 50-400/96-02 on 960211-0316 & notice of violation.
SHYMLOCK,M.B. . 96/04/09. ROBINSON,W.R. Carolina Power & Light Co. 5pp. 87953:129-87953:161.

-9604230194 Notice of violation from insp on 960211-0316.Violation noted:engineered safety feature actuation inadequate.
SHYMLOCK,M.B. . 96/03/16. 2pp. 87953:134-87953:135.

-9604230216 Insp rept 50-400/96-02 on 960211-0316.Violations noted. Major areas inspected:design change packages,training & qualification of sys engineers.
ROBERTS,D.J., SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/09. 26pp. 87953:136-87953:161.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604240173 Ack receipt of 960408 response to 960308 ltr transmitting insp rept.Corrective actions approved;to be examined during future insp.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/12. ROBINSON,W.R. Carolina Power & Light Co. 4pp. 87970:248-87970:251.

9604240287 Confirms 960408 telcon re meeting scheduled 960503 to discuss SALP.
SHYMLOCK,M.B. Region 2 (Post 820201). 96/04/12. ROBINSON,W.R. Carolina Power & Light Co. 3pp. 87970:290-87970:292.

9604220356 Extends invitation to attend 960503 meeting w/CP&L mgt to discuss SALP for past 24 months.Informs that subsequent meeting also scheduled to discuss matters of mutual interest w/regard to regulation & performance of plant.
EBNETER,S.D. Region 2 (Post 820201). 96/04/16. TUCKER,T. Affiliation Not Assigned. 4pp. 87946:017-87946:020.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160004 Monthly operating rept for Mar 1996 for Harris Nuclear Plant.W/960410 ltr.
ROGERS,S., DONAHUE,J.W. Carolina Power & Light Co. 96/03/31. 4pp. 87894:332-87894:335.

9604150224 Forwards rept per 10CFR50.59(b)(c) of changes,tests & experiments for plant for 940712-951212.
ROBINSON,W.R. Carolina Power & Light Co. 96/04/12. Document Control Branch (Document Control Desk). 166pp. 87889:001-87889:166.

S. Reportable occurrences, LERs & related correspondence

9604040059 NPDES noncompliance notification:on 960326 internal audit identified concern w/sampling frequency for fecal coliform at HEEC outfall.Investigation in progress & upon completion results will be communicated.
ROBINSON,W.R. Carolina Power & Light Co. 96/03/29. Document Control Branch (Document Control Desk). 3pp. 87752:353-87752:355.

9604080305 LER 96-004-01:on 960205,RWST level transmitters failed & violation of TS action statement occurred.Caused by freezing of level transmitter sensing lines.Frozen lines thawed & missing insulation replaced.W/960404 ltr.
PRUNTY,R.W. Carolina Power & Light Co. 96/04/04. 5pp. 87824:041-87824:045.

9604180074 LER 96-002-03:on 960311,failed to properly perform TS surveillance tests.Caused by personnel error.Personel counseling & TS testing program reviewed.W/960410 ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/04/10. 9pp. 87960:249-87960:257.

9604180464 LER 96-005-00:on 960312,failure to properly test containment bldg outer personnel air lock door occurred.Caused by personnel error.Individual involved counseled.W/undated ltr.
VERRILLI,M., DONAHUE,J.W. Carolina Power & Light Co. 96/04/15. 4pp. 87959:348-87959:351.

9604300382 LER 96-006-00:on 960325,separation of valve stem & disk for main FW isolation valve caused valve to become inoperable. Caused by mfg defect.Valve stem machined & procedures revised.W/960424 ltr.
ROWELL,L.S. Carolina Power & Light Co. 96/04/24. 4pp. 88066:196-88066:199.

DOCKET 50-407 UNIV. OF UTAH RESEARCH REACTOR

F. Security, medical, emergency & fire protection plans

9604050450 Forwards Rev 6 to physical security plan.Rev withheld (ref 10CFR2.790(d)(1)).
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/03/26. Document Control Branch (Document Control Desk). 1p. 87775:285-87775:285.

9604030425 Forwards Rev 4 to "Univ of UT Emergency Plan for TRIGA Nuclear Reactor."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87757:318-87757:348.

-9604030427 Rev 4 to "Univ of UT Emergency Plan for TRIGA Nuclear Reactor."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/02/29. 30pp. 87757:319-87757:348.

V. Operator Examinations

9604040047 Forwards revision 3,Reactor Operation Requalification Plan & Audit & Review Plan for University of Utah Center.
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87769:348-87769:357.

-9604040054 "University of Utah Center For Excellence in Nuclear Technology Engineering & Research Reactor Operator Requalification Plan."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/02/28. 4pp. 87769:349-87769:352.

-9604040058 "University of Utah Center for Excellence in Nuclear Technology Engineering & Research Audit & Review Plan."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/02/28. 5pp. 87769:353-87769:357.

9604240032 Forwards updated rev 3 to "Univ of Utah Ctr for Excellence in Nuclear Technology Engineering & Research Reactor Operation Requalification Plan."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/03/29. Document Control Branch (Document Control Desk). 1p. 88010:317-88010:321.

-9604240035 "Univ of UT Ctr for Excellence in Nuclear Technology Engineering & Research Reactor Operation Requalification Plan."
SLAUGHTER,D.M. Utah, Univ. of, Salt Lake City, UT. 96/03/29. 4pp. 88010:318-88010:321.

DOCKET 50-409 LA CROSSE BOILING WATER REACTOR

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604250289 Forwards insp rept 50-409/96-01 on 960311-15.No violations noted.
FARBER,M.J. Region 3 (Post 820201). 96/04/10. BERG,W.L. Dairyland Power Cooperative. 2pp. 87997:002-87997:009.

-9604250292 Insp rept 50-409/96-01 on 960311-15.No violations noted. Major areas inspected:operations,surveillances,maint, engineering & organization.
O'DWYER,G., FARBER,M.J. Region 3 (Post 820201). 96/04/10. 6pp. 87997:004-87997:009.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

W. Decommissioning Stage Documents & Correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604290240 Application for amend to license DPR-45,requesting changes to LACBWR license for TS improvements & to update documents to reflect SD defueled,possession-only status of facility.
BERG,W.L. Dairyland Power Cooperative. 96/04/10. Document Control Branch (Document Control Desk). 30pp. 88034:197-88034:246.

-9604290262 Proposed tech specs reflecting permanent shut down,defueled possession-only status of facility.
* Dairyland Power Cooperative. 96/04/10. 24pp. 88034:226-88034:246.

9604290308 Forwards Rev 11 to "QA Program Description." Page change locations indicated by bold bar in right-hand margin.
BERG,W.L. Dairyland Power Cooperative. 96/04/10. Document Control Branch (Document Control Desk). 3pp. 88035:266-88035:330.

-9604290314 Rev 11 to "QA Program Description."
BERG,W.L. Dairyland Power Cooperative. 96/04/18. 51pp. 88035:280-88035:330.

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604120148 Revised emergency plan maint procedures (EPMP) & EPIPs, including Rev 2 to EPMP-EPP-04,Rev 3 to EPMP-EPP-08,Rev 1 to EPIP-EPP-17,Rev 2 to EPIP-EPP-07,Rev 5 to EPIP-EPP-08,Rev 3 to EPIP-EPP-20 & Rev 1 to EPIP-EPP-22.W/960401 ltr.
MCCORMICK,M.J. Niagara Mohawk Power Corp. 96/04/01. 89pp. 87876:140-87876:228.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604110278 Forwards Issue 4,Rev 5 to physical security plan.Rev incorporates new position titles of "Chief Nuclear Officer" & "Vice President & General Manager - Nuclear," approved under license amends 157 & 71.Rev withheld.
CHRISTENSEN,H. Niagara Mohawk Power Corp. 96/04/08. Document Control Branch (Document Control Desk). 1p. 87860:355-87860:355.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604080267 Discusses potential corporate structure changes in Niagara Mohawk Power Corporation.
RUSSELL,W.T. . 96/04/04. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 87771:022-87771:025.

9604150278 Forwards organization & address changes becoming effective 960408.
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/09. Document Control Branch (Document Control Desk). 2pp. 87894:043-87894:044.

P. Operating license stage documents & correspondence

9604010404 Extends invitation to participate in 960424 meeting w/NRR & Region I in Valley Forge,PA re BWR safety relief valve performance issues.Requests submission of questions or topic for discussion.Agenda encl.
KELLY,E.M. Region 1 (Post 820201). 96/03/21. SYLVIA,B.R. Niagara Mohawk Power Corp. 6pp. 87687:182-87687:187.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604260106 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
ABBOTT,R.B. Niagara Mohawk Power Corp. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88023:353-88023:356.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080088 Forwards insp repts 50-220/96-05 & 50-410/96-05 on 960217- 0311.No violations observed.
COOPER,R.W. Region 1 (Post 820201). 96/03/29. SYLVIA,B.R. Niagara Mohawk Power Corp. 4pp. 87752:087-87752:113.

-9604080091 Insp repts 50-220/96-05 & 50-410/96-05 on 960217-0311.No violations noted.Major areas inspected:LER-95-05,applicable TSs,UFSAR & IPE sections,portions of related calculations, procedures,DERs,SORC meeting minutes & other documentation.
CONTE,R.J. Region 1 (Post 820201). 96/03/29. 23pp. 87752:091-87752:113.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080373 Notification of significant licensee meeting 96-29 w/util on 960412 to discuss inoperability of reactor & turbine bldg pressure relief panels & issues associated w/licensee processes involving design control.
CONTE,R.J. Region 1 (Post 820201). 96/04/02. Region 1 (Post 820201). 3pp. 87772:180-87772:182.

9604090055 Notification of 960411 meeting w/NMP in Lycoming,NY to discuss results of Integrated Performance Assessment Program Insp conducted on 960303-22.
* Region 1 (Post 820201). 96/04/02. . 3pp. 87806:112-87806:114.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100086 Press release I-96-26, "NRC Staff to Hold Predecisional Enforcement Conference W/Niagra Mohawk Power Corp."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/08. 1p. 87859:226-87859:226.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160015 Ack receipt of 960222 ltr informing NRC of steps taken to correct violations noted in insp repts 50-220/95-24 & 50-410/95-24.Responses to CA & response re emergency preparedness issue IAW NIM Procedure 92904,discussed.
CONTE,R.J. Region 1 (Post 820201). 96/04/10. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 87887:001-87887:014.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290265 Forwards insp repts 50-220/96-01 & 50-410/96-01 on 960107-0217 & NOV.
CONTE,R.J. Region 1 (Post 820201). 96/04/22. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 88021:248-88021:270.

—9604290266 Notice of violation from insp on 960107-0217.Violation noted:on 960131,util installed emergency Temporary Mod 96-002,which changed design of Unit 2 circulating water sys, per UFSAR,Section 10.4.5.5,prior to completion of SE.
* Region 1 (Post 820201). 96/04/22. 2pp. 88021:251-88021:252.

—9604290268 Insp repts 50-220/96-01 & 50-410/96-01 on 960107-0217. Violations noted.Major areas inspected:safety assessment/ quality verification,plant operations,maint,engineering & plant support.
CONTE,R.J. Region 1 (Post 820201). 96/04/22. 18pp. 88021:253-88021:270.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220179 Monthly operating rept for Mar 1996 for NMP unit 2.W/960415 ltr.
FERRER,I.B., CONWAY,J.T. Niagara Mohawk Power Corp. 96/03/31. 5pp. 87953:357-87953:361.

S. Reportable occurrences, LERs & related correspondence

9604150273 LER 96-001-00:on 960306,TS violation,occurred from APRM setdown channel functional test.Caused by poor written communication & work practices.C/A:no immediate corrective actions required.W/960408 ltr.
WARD,K.D., CONWAY,J.T. Niagara Mohawk Power Corp. 96/04/08. 7pp. 87897:232-87897:238.

9604220042 LER 96-002-00:on 960313,TS 4.0.4 violations occurred.Caused by training/qualification inadequacies.No immediate corrective actions required.W/960416 ltr.
WARD,K.D., CONWAY,J.T. Niagara Mohawk Power Corp. 96/04/16. 9pp. 87960:315-87960:323.

V. Operator Examinations

9604090504 Discusses 960329 telcon re licensing exams.Informs written exams & operating tests scheduled wk of 960708.
MEYER,G.W. Region 1 (Post 820201). 96/04/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 87806:132-87806:134.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090249 Forwards rev 29 to Issue 4 of plant Physical Security Plan. Encl withheld.
JAIN,S.C. Duquesne Light Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87831:104-87831:105.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604160074 Forwards EP combined insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.
CROSS,J.E. Region 1 (Post 820201). 96/04/09. KEIMIG,R.R. Duquesne Light Co. 3pp. 87887:107-87887:121.

—9604160082 Insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.Major areas inspected:licensee performance in biennial,full-participation EP exercise,including activities in all ER facilities.
LAUGHLIN,J. Region 1 (Post 820201). 96/04/09. 12pp. 87887:110-87887:121.

9604160380 Revised EPIPs,including rev 8 to EPP/IP 1.2,rev 9 to EPP/IP 1.4 & rev 8 to EPP/IP 1.6.W/960412 ltr.
JAIN,S.C. Duquesne Light Co. 96/04/12. 169pp. 87915:001-87915:169.

9604220402 Advises that 960123 Rev 27 to Issue 4 to physical security plan & guard training & qualification plan consistent w/provisions of 10CFR50.54(p) & acceptable for inclusion in plans.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/15. CROSS,J.E. Duquesne Light Co. 3pp. 87983:353-87983:355.

9604290316 Forwards 960404 ltr from RA Calvan,FEMA Region III, transmitting rept on 960227-28,full-participation plume exposure pathway exercise.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/18. CROSS,J.E. Duquesne Light Co. 2pp. 88027:132-88027:242.

—9604290321 Forwards 960227-28,full-participation plume exposure pathway exercise of offsite radiological emergency response plans at plant.Identifies 11 areas requiring corrective action but no deficiencies.
CALVAN,R.A. Federal Emergency Management Agency. 96/04/04. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88027:134-88027:135.

—9604290347 "FEMA Final Exercise Rept," for 960227-28.
* Federal Emergency Management Agency. 96/04/03. 107pp. 88027:136-88027:242.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260280 Order.* Extends time within which Commission may act to take review of Director's Decision DD-96-03,dtd 960403,until 960506.W/Certificate of Svc.Served on 960424.
HOYLE,J.C. Commissioners (Post 750119). #296 17574. 96/04/24. Office of the General Counsel (Post 860701). 3pp. 88004:183-88004:185.

I. Financial information

9604030324 Forwards util consolidated financial statements for 12-month period ending 951231 & internal cash flow projection, including actual 1995 data & projections for 1996,per 10CFR140.21.
CLAYTON,D.J. Duquesne Light Co. 96/03/29. . 70pp. 87759:281-87759:350.

P. Operating license stage documents & correspondence

9604040193 Forwards BV-1 & 2 Annual Radioactive Effluent Release Rept for 1995 & Offsite Dose Calculation Manual.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 2pp. 87765:001-87766:100.

—9604040217 "Beaver Valley Power Station Unit 1 & Unit 2 Offsite Dose Calculation Manual."
* Duquesne Light Co. 95/10/11. 315pp. 87765:160-87766:100.

9604010183 Forwards amends 197 & 80 to licenses DPR-66 & NPF-73, respectively & safety evaluation.Amends revise listed TSs & associated bases,delete TS 6.9.2.g & add new TS 6.17 in accordance w/Option B of 10CFR50,App J & RG 1.163.
BRINKMAN,D.S. . 96/03/19. CROSS,J.E. Duquesne Light Co. 3pp. 87710:199-87710:247.

--9604010187 Amends 197 & 80 to licenses DPR-66 & NPF-73,respectively, revising listed TSs & associated bases,deleting TS 6.9.2.g & adding new TS 3.17,in accordance w/Option B of 10CFR50,App J & guidance of RG 1.163.
STOLZ,J.F. . 96/03/19. 40pp. 87710:202-87710:241.

--9604010191 Safety evaluation supporting amends 197 & 80 to licenses DPR-66 & NPF-73,respectively.
* . 96/03/19. 6pp. 87710:242-87710:247.

9604020053 Forwards WCAP-14484, "Analysis of Capsule V From...Beaver Valley Unit 2 RV Radiation Surveillance Program," providing technical summary of results of mechanical property tests conducted on second capsule to be withdrawn.
JAIN,S.C. Duquesne Light Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87734:188-87734:326.

--9604020058 "Analysis of Capsule V From DL Beaver Valley Unit 2 Reactor Vessel Radiation Surveillance Program."
GRENDYS,P.A., ANDERSON,S.L., WILLIAMS,J.F. Westinghouse Electric Corp. WCAP-14484. 96/02/29. 138pp. 87734:190-87734:326.

9604020196 Requests approval to update plant IST programs to requirements of ASME/ANSI Operations & Maint Std OMa-1988 Part 10 for leak-rate testing of containment isolation valves.
JAIN,S.C. Duquesne Light Co. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87725:248-87725:249.

9604030301 Discusses issuance of amends 176 & 56 to licenses DPR-66 & NPF-73,respectively for Beaver Valley Power Station.Amends permit sleeving of steam generator tubes at tube support plate & tubesheet regions in accordance w/rept WCAP-13483.
BRINKMAN,D.S. . 96/04/01. CROSS,J.E. Duquesne Light Co. 4pp. 87722:142-87722:145.

9604160041 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
JAIN,S.C. Duquesne Light Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87914:313-87914:314.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120236 Informs that licensee 960327 request to withhold "EPRI ARC Database for 3/4 inch & 7/8 inch Diameter Tubes & Updated ARC Correlation for 7/8 inch Diameter Tubes," for public disclosure per 10CFR2.790,granted.
BRINKMAN,D.S. . 96/04/10. KENNY,A. Electric Power Research Institute. 4pp. 87861:349-87861:352.

9604240007 Forwards SE accepting use of portions of later edition of ASME Code.
STOLZ,J.F. . 96/04/19. CROSS,J.E. Duquesne Light Co. 3pp. 87994:247-87994:255.

--9604240008 SE accepting use of latest edition of ASME Code incorporated by ref in paragraph (b) of section 50.55a for leakage-rate testing of containment isolation valves.
* . 96/04/19. 6pp. 87994:250-87994:255.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150317 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
JAIN,S.C. Duquesne Light Co. 96/04/08. Document Control Branch (Document Control Desk). 20pp. 87896:061-87896:080.

9604160274 Forwards ISI program Relief Request BV2-C1.30,Rev 0, proposing to substitute visual exams of regenerative HX (2CHS*E23) - tubesheet to shell welds 2,3,6,7,10 & 11 for leakage.
JAIN,S.C. Duquesne Light Co. 96/04/08. Document Control Branch (Document Control Desk). 11pp. 87894:346-87894:356.

9604160074 Forwards EP combined insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.
CROSS,J.E. Region 1 (Post 820201). 96/04/09. KEIMIG,R.R. Duquesne Light Co. 3pp. 87887:107-87887:121.

--9604160082 Insp repts 50-334/96-01 & 50-412/96-01 on 960226-29.No violations noted.Major areas inspected:licensee performance in biennial,full-participation EP exercise,including activities in all ER facilities.
LAUGHLIN,J., KEIMIG,R.R. Region 1 (Post 820201). 96/04/09. 12pp. 87887:110-87887:121.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604290256 Forwards insp repts 50-334/96-03 & 50-412/96-03 on 960213-0325.No violations noted.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/19. CROSS,J.E. Duquesne Light Co. 3pp. 88021:223-88021:247.

--9604290258 Insp repts 50-334/96-03 & 50-412/96-03 on 960213-0325.No violations noted.Major areas inspected:operations,maint, engineering,plant support,safety assessment & quality verification.
* Region 1 (Post 820201). 96/04/19. 22pp. 88021:226-88021:247.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604030041 Forwards copy of NPDES monthly rept as submitted to PA dept of Environmental Protection.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 3pp. 87746:314-87746:318.

--9604030073 NPDES noncompliance notification:EPA discharge 008 exceeded allowable monthly average of 30 mg/l for total suspended solids.
NOONAN,T.P. Duquesne Light Co. 96/03/21. 2pp. 87746:317-87746:318.

9604040193 Forwards BV-1 & 2 Annual Radioactive Effluent Release Rept for 1995 & Offsite Dose Calculation Manual.
NOONAN,T.P. Duquesne Light Co. 96/03/18. Document Control Branch (Document Control Desk). 2pp. 87765:001-87766:100.

--9604040205 "Beaver Valley Power Station - Units 1 & 2 Annual Radioactive Effluent Release Rept Calender Year - 1995."
* Duquesne Light Co. 95/12/31. 158pp. 87765:003-87765:159.

9604030175 Forwards revision to NPDES Monthly Rept for Jan 1996.
VICINIE,S.L. Duquesne Light Co. 96/03/21. Document Control Branch (Document Control Desk). 1p. 87735:270-87735:304.

--9604030190 Revision to NPDES Discharge Monitoring Rept for Jan 1996 for BVPS units 1 & 2.
VICINIE,S.L. Duquesne Light Co. 96/01/31. 34pp. 87735:271-87735:304.

9604160032 Monthly operating repts for Mar 1996 for Beaver Valley Power Station.W/ 960405 ltr.
JONES,D.T., NOONAN,T.P. Duquesne Light Co. 96/03/31. 9pp. 87891:336-87891:343.

9604300250 Forwards annual rept of facility changes,tests & experiments for Beaver Valley Power Station.Rept provides brief description of facility,procedure change & summary of safety evaluations.
JAIN,S.C. Duquesne Light Co. 96/04/23. Document Control Branch (Document Control Desk). 32pp. 88059:319-88059:350.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020447 Forwards public version of rev 11 to EPIP S.D.3.8.4, "Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 96/03/13. Document Control Branch (Document Control Desk). 3pp. 87724:264-87724:291.

--9604020449 Public version of rev 11 to EPIP S.D.3.8.4, "Emergency Organization."
* Duke Power Co. 96/02/21. 25pp. 87724:267-87724:291.

9604050051 Forwards PDR version of revised EPIPs,including rev 20 to RP/0/A/5000/02,RP/0/A/5000/03,RP/0/A/5000/04,RP/0/A/5000/05, Rev 0 to RP/0/A/5000/06A,RP/0/A/5000/06B,RP/O/A/5000/06C, RP/0/B/5000/16 & RP/0/B/5000/23.W/960403 memo.
MCCOLLUM,W.R. Duke Power Co. 96/03/20. Document Control Branch (Document Control Desk). 3pp. 87774:001-87774:189.

--9604050069 PDR version of revised EPIPs,including rev 20 to RP/0/A/5000/02,RP/0/A/5000/03,RP/0/A/5000/04,RP/0/A/5000/05, Rev 0 to RP/0/A/5000/06A,RP/0/A/5000/06B,RP/0/A/5000/06C, RP/0/B/5000/16 & RP/0/B/5000/23.
CHRISTOPHER,S., PATRICK,M.E. Duke Power Co. 96/03/06. 180pp. 87774:004-87774:189.

9604190061 Revised EPIPs,including rev 1 to RP/0/A/5000/15, "Core Damage Assessment" & rev 0 to RP/0/B/5000/17, "Emergency Response Data Sys Operation." W/960408 ltr.
MILLS,J. Duke Power Co. 96/04/08. 54pp. 87951:150-87951:203.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld. per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

P. Operating license stage documents & correspondence

9604010009 Forwards response to NRC 960221 RAI re 940930 & 950918 proposed revs to TS related to replacement of SGs.
TUCKMAN,M.S. Duke Power Co. 96/03/15. Document Control Branch (Document Control Desk). 10pp. 87699:232-87699:347.

--9604010011 Proposed tech specs re replacement of SGs.
* Duke Power Co. 96/03/15. 106pp. 87699:242-87699:347.

9604080337 Notifies NRC staff of correction to components,make up second allowance re reactor trip sys instrumentation response times.
MCCOLLUM,W.R. Duke Power Co. 96/03/21. Document Control Branch (Document Control Desk). 3pp. 87803:192-87803:194.

9604190272 Forwards revised markup revs to Tables 3.6-2a & 3.6-2b as should appear in plant Tech Specs.
MCCOLLUM,W.R. Duke Power Co. 96/04/02. Document Control Branch (Document Control Desk). 3pp. 87939:240-87939:245.

--9604190277 Proposed revised marked-up Tech Specs Tables 3.6-2a & 3.6-2b.
* Duke Power Co. 96/04/02. 3pp. 87939:243-87939:245.

9604050391 Application for amends to Licenses NPF-35 & NPF-52,changing TS 3/4.6.4.3 & bases for hydrogen mitigation sys.
MCCOLLUM,W.R. Duke Power Co. 96/04/03. Document Control Branch (Document Control Desk). 15pp. 87807:317-87807:345.

--9604050394 Proposed TS 3/4.6.4.3 & bases re hydrogen mitigation sys.
* Duke Power Co. 96/04/03. 14pp. 87807:332-87807:345.

9604160066 Advises of footnote correction to 960112 TS rev to implement revised 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87914:243-87914:244.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230299 Confirms 960328 telcon between J Lowery & R Carroll re mgt meeting at plant on 960507 to discuss status & results of performance improvement initiatives.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/08. MCCOLLUM,W.R. Duke Power Co. 4pp. 87953:200-87953:203.

9604110228 Forwards notice of consideration of issuance of amends to operating licenses,proposed NSHC determination & opportunity for hearing.Change provides allowance of 7 days to restore one hydrogen igniter to OPERABLE status.
MARTIN,R.E. . 96/04/09. MCCOLLUM,W.R. Duke Power Co. 3pp. 87847:343-87847:353.

--9604110232 Notice of consideration of issuance of amends to licenses NPF-35 & NPF-52 & proposed NSHC determination & opportunity for hearing.Amends would change containment H mitigation sys TS.
MARTIN,R.E. . 96/04/09. 8pp. 87847:346-87847:353.

9604160079 Forwards supplemental info to support minor rev to Topical Rept DPC-NE-1004, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
TUCKMAN,M.S. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 7pp. 87914:340-87914:347.

9604120299 Informs 951214 ltr re request for amends to licenses NPF-9, NPF-17,NPF-35,NPF-52, & TS 3/4.8 being made to incorporate guidance & recommendations in NUREG-1366,GL 93-05,GL 94-01, & NUREG-1431.Forwards RAI.
BERKOW,H.N. . 96/04/10. TUCKMAN,M.S. Duke Power Co. 6pp. 87863:355-87863:360.

9604160395 Forwards revised pages to TS rev to implement revised 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 1p. 87923:278-87923:281.

--9604160398 Proposed tech specs re rev to implement revised 10CFR50,App J.
* Duke Power Co. 96/04/10. 3pp. 87923:279-87923:281.

9604170032 Forwards response to request for addl info re proposed change to TS on setpoint tolerances & TS Table 3.7-1.
TUCKMAN,M.S. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 6pp. 87949:078-87949:084.

--9604170036 Proposed tech spec table 3.7-1, "Max Allowable Power Range Neutron Flux High Setpoint W/Inoperable Steam Line Safety Valves During Four Loop Operation."
* Duke Power Co. 96/04/10. 1p. 87949:084-87949:084.

9604170041 Forwards approval ltrs from Army Corp of Engineers & SC Dept of Health & Environ Control for 960125 application to raise standby nuclear service water pond elevation by two ft.
ESTRIDGE,J. Duke Power Co. 96/04/10. HARRIS,J.T., JACKSON,A.P., DAVIS,W.J. Duke Power Co. 6pp. 87949:087-87949:092.

9604160145 Notification of 960417-18 meeting w/util in York,SC to discuss licensee 941229 response to breaker coordination issue.
MARTIN,R.E. . 96/04/11. BERKOW,H.N. . 3pp. 87899:238-87899:241.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604240339 Informs of correction to FR notice on 960416 for licenses NPF-35 & NPF-52.
MARTIN,R.E. . 96/04/22. MCCOLLUM,W.R. Duke Power Co. 5pp. 87997:258-87997:262.

--9604250238 Corrected notice of consideration of issuance of amends to licenses NPF-35 & NPF-52 & proposed NSHC determination & opportunity for hearing.Rev necessary to change filing date from 960515 to 960516.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 96/04/22. 2pp. 87997:261-87997:262.

9604250356 Informs that effective 960428 P Tam will be assigned as Project Manager for Catawba Nuclear Station,Units 1 & 2.
BERKOW,H.N. . 96/04/22. MCCOLLUM,W.R. Duke Power Co. 3pp. 87998:181-87998:183.

9604290128 Forwards amends 143 & 137 to licenses NPF-35 & NPF-52, respectively & SE.Amends revise TS table 3.6-1,table 3.6-2a & table 3.6-2b to delete refs to process penetration M308 & svc water sys valves.
MARTIN,R.E. . 96/04/23. MCCOLLUM,W.R. Duke Power Co. 3pp. 88046:320-88046:335.

--9604290140 Amends 143 & 137 to licenses NPF-35 & NPF-52,respectively, revising TS tables 3.6-1,3.6-2a & 3.6-2b to delete refs to process penetration M308 & svc water sys valves from lists of secondary containment bypass valves.
BERKOW,H.N. . 96/04/23. 11pp. 88046:323-88046:333.

--9604290144 Safety evaluation supporting amends 143 & 137 to licenses NPF-35 & NPF-52,respectively.
* . 96/04/23. 2pp. 88046:334-88046:335.

9604300306 Forwards SE accepting proposed rev to approved topical rept DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/ SIMULATE-3P."
MARTIN,R.E. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 88053:268-88053:274.

--9604300311 SE accepting DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
* . 96/04/26. 3pp. 88053:272-88053:274.

9604300413 Forwards request for addl info re operation of containment purge ventilation during startup for plant Unit 1.
MARTIN,R.E. . 96/04/26. MCCOLLUM,W.R. Duke Power Co. 5pp. 88053:286-88053:291.

Q. Inspection reports, IE Bulletins & correspondence

9604090189 Advises of planned insp effort resulting from 960226 semiannaul plant performance review of facility.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/01. MCCOLLUM,W.R. Duke Power Co. 7pp. 87806:121-87806:127.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080230 Submits response to NRC Bulletin 96-001 re recent control rod insertions problems.
TUCKMAN,M.S. Duke Power Co. 96/04/04. Document Control Branch (Document Control Desk). 25pp. 87811:330-87811:354.

9604160012 Forwards response to NRC 960312 ltr re violations noted in insp repts 50-413/96-03 & 50-414/96-03 on 960208-13. Corrective actions:events recorder was modified to provide operator w/audible tone when any point alarm received.
MCCOLLUM,W.R. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 3pp. 87914:290-87914:292.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604190281 Documents change to commitment for administrative limit placed on vital battery configuration re NRC Insp Repts 50-413/92-01 & 50-414/92-01.
MCCOLLUM,W.R. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 3pp. 87939:246-87939:248.

9604190348 End of Cycle 8 refueling outage SG tube insp rept,including quantities of SG tubes inspected,info re tube indications of imperfections & quantities of tube removed from svc by plugging or repaired by sleeving.W/960410 ltr.
MCCOLLUM,W.R. Duke Power Co. 96/04/10. 163pp. 87952:001-87952:163.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250116 Responds to RAI re request for relief 94-05 second ten yr interval ISI Program Plan.
MCCOLLUM,W.R. Duke Power Co. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 88023:260-88023:262.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010373 Forwards summary of changes,tests & experiments completed, per 10CFR50.59 from 941001-950930.
MCCOLLUM,W.R. Duke Power Co. 96/03/27. Document Control Branch (Document Control Desk). 109pp. 87718:001-87718:109.

9604220110 Forwards monthly operator rept for Mar 1996 for Catawba Nuclear Station Units 1 & 2 & revised rept for Feb 1996.
WEBER,R.L. Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87963:280-87963:292.

-9604220319 Monthly operating repts for Mar 1996 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 10pp. 87963:282-87963:291.

-9604220324 Revised monthly operating rept for Feb 1996 for Catawba Nuclear Station Units 1 & 2.
* Duke Power Co. 96/02/29. 1p. 87963:292-87963:292.

9604300069 Forwards "Annual Radiological Environ Operating Rept for Catawba Nuclear Station Units 1 & 2 Jan-Dec 1995."
MCCOLLUM,W.R Duke Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88068:001-88068:113.

-9604300075 "Annual Radiological Environ Operating Rept for Catawba Nuclear Station Units 1 & 2 for Jan-Dec 1995."
* Duke Power Co. 95/12/31. 110pp. 88068:002-88068:113.

V. Operator Examinations

9604170107 Ltr contract,mod 1,task order 32 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Catawba NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/13. SANDERS,L. Sonalysts, Inc. 4pp. 87909:291-87909:294.

DOCKET 50-414 CATAWBA NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020447 Forwards public version of rev 11 to EPIP S.D.3.8.4, "Emergency Organization."
MCCOLLUM,W.R. Duke Power Co. 96/03/13. Document Control Branch (Document Control Desk). 3pp. 87724:264-87724:291.

-9604020449 Public version of rev 11 to EPIP S.D.3.8.4, "Emergency Organization."
* Duke Power Co. 96/02/21. 25pp. 87724:267-87724:291.

9604050051 Forwards PDR version of revised EPIPs,including rev 20 to RP/0/A/5000/02,RP/0/A/5000/03,RP/0/A/5000/04,RP/0/A/5000/05, Rev 0 to RP/0/A/5000/06A,RP/0/A/5000/06B,RP/O/A/5000/06C, RP/0/B/5000/16 & RP/0/B/5000/23.W/960403 memo.
MCCOLLUM,W.R. Duke Power Co. 96/03/20. Document Control Branch (Document Control Desk). 3pp. 87774:001-87774:189.

-9604050069 PDR version of revised EPIPs,including rev 20 to RP/0/A/5000/02,RP/0/A/5000/03,RP/0/A/5000/04,RP/0/A/5000/05, Rev 0 to RP/0/A/5000/06A,RP/0/A/5000/06B,RP/0/A/5000/06C, RP/0/B/5000/16 & RP/0/B/5000/23.
CHRISTOPHER,S., PATRICK,M.E. Duke Power Co. 96/03/06. 180pp. 87774:004-87774:189.

9604190061 Revised EPIPs,including rev 1 to RP/0/A/5000/15, "Core Damage Assessment" & rev 0 to RP/0/B/5000/17, "Emergency Response Data Sys Operation." W/960408 ltr.
MILLS,J. Duke Power Co. 96/04/08. 54pp. 87951:150-87951:203.

9604260197 Forwards Rev 4 to util Security & Contingency Plan.
TUCKMAN,M.S. Duke Power Co. 96/04/18. Document Control Branch (Document Control Desk). 5pp. 88027:356-88027:359.

9604260178 Forwards Rev 2 to security training & qualification plan. Changes identified in Rev 2 do not decrease effectiveness of plan & thereby submitted,per 10CFR50.54(p),(2).Rev withheld, per 10CFR73.21.
TUCKMAN,M.S. Duke Power Co. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88027:360-88027:361.

P. Operating license stage documents & correspondence

9604010009 Forwards response to NRC 960221 RAI re 940930 & 950918 proposed revs to TS related to replacement of SGs.
TUCKMAN,M.S. Duke Power Co. 96/03/15. Document Control Branch (Document Control Desk). 10pp. 87699:232-87699:347.

-9604010011 Proposed tech specs re replacement of SGs.
* Duke Power Co. 96/03/15. 106pp. 87699:242-87699:347.

9604080337 Notifies NRC staff of correction to components,make up second allowance re reactor trip sys instrumentation response times.
MCCOLLUM,W.R. Duke Power Co. 96/03/21. Document Control Branch (Document Control Desk). 3pp. 87803:192-87803:194.

9604190272 Forwards revised markup revs to Tables 3.6-2a & 3.6-2b as should appear in plant Tech Specs.
MCCOLLUM,W.R. Duke Power Co. 96/04/02. Document Control Branch (Document Control Desk). 3pp. 87939:240-87939:245.

-9604190277 Proposed revised marked-up Tech Specs Tables 3.6-2a & 3.6-2b.
* Duke Power Co. 96/04/02. 3pp. 87939:243-87939:245.

9604050391 Application for amends to Licenses NPF-35 & NPF-52,changing TS 3/4.6.4.3 & bases for hydrogen mitigation sys.
MCCOLLUM,W.R. Duke Power Co. 96/04/03. Document Control Branch (Document Control Desk). 15pp. 87807:317-87807:345.

-9604050394 Proposed TS 3/4.6.4.3 & bases re hydrogen mitigation sys.
* Duke Power Co. 96/04/03. 14pp. 87807:332-87807:345.

9604160066 Advises of footnote correction to 960112 TS rev to implement revised 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87914:243-87914:244.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604230299 Confirms 960328 telcon between J Lowery & R Carroll re mgt meeting at plant on 960507 to discuss status & results of performance improvement initiatives.
CRLENJAK,R.V. Region 2 (Post 820201). 96/04/08. MCCOLLUM.W.R. Duke Power Co. 4pp. 87953:200-87953:203.

9604110228 Forwards notice of consideration of issuance of amends to operating licenses,proposed NSHC determination & opportunity for hearing.Change provides allowance of 7 days to restore one hydrogen igniter to OPERABLE status.
MARTIN,R.E. . 96/04/09. MCCOLLUM,W.R. Duke Power Co. 3pp. 87847:343-87847:353.

-9604110232 Notice of consideration of issuance of amends to licenses NPF-35 & NPF-52 & proposed NSHC determination & opportunity for hearing.Amends would change containment H mitigation sys TS.
MARTIN,R.E. . 96/04/09. 8pp. 87847:346-87847:353.

9604160079 Forwards supplemental info to support minor rev to Topical Rept DPC-NE-1004, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
TUCKMAN,M.S. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 7pp. 87914:340-87914:347.

9604120299 Informs 951214 ltr re request for amends to licenses NPF-9, NPF-17,NPF-35,NPF-52, & TS 3/4.8 being made to incorporate guidance & recommendations in NUREG-1366,GL 93-05,GL 94-01, & NUREG-1431.Forwards RAI.
BERKOW,H.N. . 96/04/10. TUCKMAN,M.S. Duke Power Co. 6pp. 87863:355-87863:360.

9604160395 Forwards revised pages to TS rev to implement revised 10CFR50,App J.
TUCKMAN,M.S. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 1p. 87923:278-87923:281.

-9604160398 Proposed tech specs re rev to implement revised 10CFR50,App J.
* Duke Power Co. 96/04/10. 3pp. 87923:279-87923:281.

9604170032 Forwards response to request for addl info re proposed change to TS on setpoint tolerances & TS Table 3.7-1.
TUCKMAN,M.S. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 6pp. 87949:078-87949:084.

-9604170036 Proposed tech spec table 3.7-1, "Max Allowable Power Range Neutron Flux High Setpoint W/Inoperable Steam Line Safety Valves During Four Loop Operation."
* Duke Power Co. 96/04/10. 1p. 87949:084-87949:084.

9604170041 Forwards approval ltrs from Army Corp of Engineers & SC Dept of Health & Environ Control for 960125 application to raise standby nuclear service water pond elevation by two ft.
ESTRIDGE,J. Duke Power Co. 96/04/10. HARRIS,J.T., JACKSON,A.P., DAVIS,W.J. Duke Power Co. 6pp. 87949:087-87949:092.

9604160145 Notification of 960417-18 meeting w/util in York,SC to discuss licensee 941229 response to breaker coordination issue.
MARTIN,R.E. . 96/04/11. BERKOW,H.N. . 3pp. 87899:238-87899:241.

9604220223 Submits response to GL 96-01 re NRC testing of safety related logic circuits.
TUCKMAN,M.S. Duke Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87972:355-87972:357.

9604240339 Informs of correction to FR notice on 960416 for licenses NPF-35 & NPF-52.
MARTIN,R.E. . 96/04/22. MCCOLLUM,W.R. Duke Power Co. 5pp. 87997:258-87997:262.

–9604250238 Corrected notice of consideration of issuance of amends to licenses NPF-35 & NPF-52 & proposed NSHC determination & opportunity for hearing.Rev necessary to change filing date from 960515 to 960516.
LESAR,M.T. Division of Freedom of Information & Publications Services (Post 940714). 96/04/22. 2pp. 87997:261-87997:262.

9604250356 Informs that effective 960428 P Tam will be assigned as Project Manager for Catawba Nuclear Station,Units 1 & 2.
BERKOW,H.N. . 96/04/22. MCCOLLUM,W.R. Duke Power Co. 3pp. 87998:181-87998:183.

9604290128 Forwards amends 143 & 137 to licenses NPF-35 & NPF-52, respectively & SE.Amends revise TS table 3.6-1,table 3.6-2a & table 3.6-2b to delete refs to process penetration M308 & svc water sys valves.
MARTIN,R.E. . 96/04/23. MCCOLLUM,W.R. Duke Power Co. 3pp. 88046:320-88046:335.

–9604290140 Amends 143 & 137 to licenses NPF-35 & NPF-52,respectively, revising TS tables 3.6-1,3.6-2a & 3.6-2b to delete refs to process penetration M308 & svc water sys valves from lists of secondary containment bypass valves.
BERKOW,H.N. , 96/04/23. 11pp. 88046:323-88046:333.

–9604290144 Safety evaluation supporting amends 143 & 137 to licenses NPF-35 & NPF-52,respectively.
* . 96/04/23. 2pp. 88046:334-88046:335.

9604300306 Forwards SE accepting proposed rev to approved topical rept DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/ SIMULATE-3P."
MARTIN,R.E. . 96/04/26. TUCKMAN,M.S. Duke Power Co. 4pp. 88053:268-88053:274.

–9604300311 SE accepting DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
* . 96/04/26. 3pp. 88053:272-88053:274.

Q. Inspection reports, IE Bulletins & correspondence

9604090189 Advises of planned insp effort resulting from 960226 semiannaul plant performance review of facility.
CRLENJAK,R.V. Region 2 (Post 820201). 96/03/01. MCCOLLUM,W.R. Duke Power Co. 7pp. 87806:121-87806:127.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080230 Submits response to NRC Bulletin 96-001 re recent control rod insertions problems.
TUCKMAN,M.S. Duke Power Co. 96/04/04. Document Control Branch (Document Control Desk). 25pp. 87811:330-87811:354.

9604160012 Forwards response to NRC 960312 ltr re violations noted in insp repts 50-413/96-03 & 50-414/96-03 on 960208-13. Corrective actions:events recorder was modified to provide operator w/audible tone when any point alarm received.
MCCOLLUM,W.R. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 3pp. 87914:290-87914:292.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604190281 Documents change to commitment for administrative limit placed on vital battery configuration re NRC Insp Repts 50-413/92-01 & 50-414/92-01.
MCCOLLUM,W.R. Duke Power Co. 96/04/10. Document Control Branch (Document Control Desk). 3pp. 87939:246-87939:248.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604010373 Forwards summary of changes,tests & experiments completed, per 10CFR50.59 from 941001-950930.
MCCOLLUM,W.R. Duke Power Co. 96/03/27. Document Control Branch (Document Control Desk). 109pp. 87718:001-87718:109.

9604220110 Forwards monthly operator rept for Mar 1996 for Catawba Nuclear Station Units 1 & 2 & revised rept for Feb 1996.
WEBER,R.L. Duke Power Co. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87963:280-87963:292.

–9604220319 Monthly operating repts for Mar 1996 for Catawba Nuclear Station Units 1 & 2.
WILLIAMS,R.A. Duke Power Co. 96/03/31. 10pp. 87963:282-87963:291.

–9604220324 Revised monthly operating rept for Feb 1996 for Catawba Nuclear Station Units 1 & 2.
* Duke Power Co. 96/02/29. 1p. 87963:292-87963:292.

9604300069 Forwards "Annual Radiological Environ Operating Rept for Catawba Nuclear Station Units 1 & 2 Jan-Dec 1995."
MCCOLLUM,W.R Duke Power Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88068:001-88068:113.

–9604300075 "Annual Radiological Environ Operating Rept for Catawba Nuclear Station Units 1 & 2 for Jan-Dec 1995."
* Duke Power Co. 95/12/31. 110pp. 88068:002-88068:113.

S. Reportable occurrences, LERs & related correspondence

9604230228 LER 96-002-00:on 960318,TS violation for redundant hydrogen igniters inoperable in same region occurred.Caused by no programmatic requirements in place directing maint to perform communication.Blown fuse replaced.W/960418 ltr.
KIMBALL,D.P., MCCOLLUM,W.R. Duke Power Co. 96/04/17. 8pp. 87993:335-87993:342.

V. Operator Examinations

9604170107 Ltr contract,mod 1,task order 32 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Catawba NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/13. SANDERS,L. Sonalysts, Inc. 4pp. 87909:291-87909:294.

DOCKET 50-416 GRAND GULF NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604040198 Forwards Rev 8 to "State of LA Peacetime Radiological Response Plan," per NRC Administrative Ltr 94-07.
HUTCHINSON,C. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87767:283-87767:356.

–9604040204 Rev 8 to "State of LA Peacetime Radiological Response Plan."
* Louisiana, State of. 96/03/31. 72pp. 87767:285-87767:356.

9604040212 Rev 6 to EPIP 10-S-01-34, "Emergency Plan Procedure Public Info & ENMC/EIC Operation Safety Related." W/960328 ltr.
MEISNER,M.J. Entergy Operations, Inc. 96/03/28. 34pp. 87764:312-87764:346.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604300032 FOIA request for documents or info re insps or investigations by NRC related to cementious fireproofing matls,including but not limited to Pyrocrete 102 &/or Carboline Co at GGNS.
PUSATERI,B.A. Bollinger, Ruberry & Garvey. 96/04/03. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:230-88096:230.

9604080244 Rev 8 to EPIP 10-S-01-29, "OSC Operations." W/960405 ltr.
ELLIS,D.R., MEISNER,M.J. Entergy Operations, Inc. 96/04/05. 23pp. 87810:291-87810:313.

9604190128 Rev 100 to EPIP 01-S-04-100,TCN 5, "Emergency Preparedness Training Program."
MEISNER,M.J. Entergy Operations, Inc. 96/04/15. 9pp. 87952:272-87952:280.

9604240089 Advises that rev 28 to physical security plan & rev 10 to safeguards contingency plan acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/19. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 87970:230-87970:237.

9604300039 Final response to FOIA request for documents.Requestor agreed to narrow scope of request to receiving copies of printouts identifying available records for GGNS.If copies of records desired,requestor may contact NRC PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. PUSATERI,B.A. Bollinger, Ruberry & Garvey. 1p. 88096:231-88096:231.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604110114 Press release 96-25, "Grand Gulf Rated 'Superior' in Three Areas 'Good' in Another in Latest NRC Systematic Assessment Rept."
HENDERSON,B. Region 4 (Post 820201). 96/04/10. 2pp. 87859:250-87859:252.

I. Financial information

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

9604230337 Forwards "1995 South MI Electric Power Assoc Annual Rept."
MEISNER,M.J. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88002:293-88002:327.

-9604230319 "South MI Electric Power Assoc 1995 Annual Rept."
THOMAS,H., MCKAMY,W.C. South Mississippi Electric Power Association. 96/04/19. 34pp. 88002:296-88002:327.

J. Insurance & Indemnity information

9604010359 Forwards nuclear onsite property damage insurance coverage verification,per 10CFR50.54(w)(3).
DEWEASE,J.G. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87713:352-87713:357.

P. Operating license stage documents & correspondence

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160109 Press release IV-96-26, "NRC Regional Administrator to Hold News Conference in Jackson,MI."
* Region 4 (Post 820201). 96/04/11. 1p. 87923:095-87923:095.

9604220372 Forwards SE re licensee request for alternatives to 10CFR50.55a w/respect to ISI & IST programs.Findings for ISI request expected shortly.
BECKNER,W.D. . 96/04/17. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87955:342-87955:352.

-9604220376 Safety evaluation providing guidance on submitting plant- specific info w/ respect to IST program alternatives request.
* . 96/04/17. 5pp. 87955:348-87955:352.

9604250236 Discusses mgt meeting conducted in licensee ofc on 960404 w/listed attendees re discussions amoung senior managers from licensee ofc,each of four licensee sites & responsible NRC personnel from Region IV ofc & NRR.
DYER,J.E. Region 4 (Post 820201). 96/04/17. HINTZ,D. Entergy Operations, Inc. 169pp. 87995:070-87995:238.

9604190259 Application for amend to License NPF-29,prohibiting performance of 24-h EDG maint run while unit in either Mode 1/2.
HUTCHINSON,C. Entergy Operations, Inc. 96/04/18. Document Control Branch (Document Control Desk). 15pp. 87939:309-87939:325.

-9604190261 Proposed tech specs re 24 h EDG.
* Entergy Operations, Inc. 96/04/18. 2pp. 87939:324-87939:325.

9604190338 Application for amends to Licenses NPF-29 & NPF-47,adding addl acceptable method of fuel movement,control rods removed or withdrawn from defueled core cells.
HUTCHINSON,C. Entergy Operations, Inc. 96/04/18. Document Control Branch (Document Control Desk). 14pp. 87939:269-87939:299.

-9604190344 Proposed tech specs re fuel loading w/control rods withdrawn or removed from defueled core cells.
* Entergy Operations, Inc. 96/04/18. 17pp. 87939:283-87939:299.

9604230275 Informs that use of Code Case N-498-2 not acceptable for generic implementation on plant-wide basis.
BECKNER,W.D. . 96/04/19. YELVERTON,J.W. Entergy Operations, Inc. 8pp. 87971:352-87971:359.

9604290131 Responds to GL 96-01 re testing of safety-related logic circuits.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88033:356-88033:358.

9604230324 Forwards suppl to QA program description to implement performance-based audit scheduling program & to address issues raised by NRC in 960103 ltr.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/22. Document Control Branch (Document Control Desk). 7pp. 87979:304-87979:310.

9604290350 Provides addl info for amend to license NPF-29 re fuel handling accident operational conditions.
MEISNER,M.J. Entergy Operations, Inc. 96/04/24. Document Control Branch (Document Control Desk). 7pp. 88040:336-88040:342.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080183 Informs that NRC staff completed semiannual plant performance review of Grand Gulf Nuclear station.Results used by NRC mgt to facilitate planning & allocation of insp resources.
DYER,J.E. Region 1 (Post 820201). 96/04/03. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. 87772:025-87772:030.

9604300032 FOIA request for documents or info re insps or investigations by NRC related to cementious fireproofing matls,including but not limited to Pyrocrete 102 &/or Carboline Co at GGNS.
PUSATERI,B.A. Bollinger, Ruberry & Garvey. 96/04/03. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:230-88096:230.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150304 Forwards insp rept 50-416/96-02 on 960108-0209.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. 87872:081-87872:112.

-9604150311 Insp rept 50-416/96-02 on 960108-0209.No violations noted. Major areas inspected:licensee self assessment of engineering & corrective action program.
VANDENBURGH,C. Region 4 (Post 820201). 96/04/05. 26pp. 87872:087-87872:112.

9604150322 Forwards insp rept 50-416/96-08 on 960226-0325 & NOV.
DYER,J.E. Region 4 (Post 820201). 96/04/11. HUTCHINSON,C.R. Entergy Operations, Inc. 6pp. . 87885:032-87885:048.

-9604150336 Notice of violation from insp on 960226-0325.Violation noted:MNCR not initiated for plant matl nonconformance in that A/C Unit B PI SZ51R002B had history of repetitive failures & historically did not read accurately.
* Region 4 (Post 820201). 96/04/11. 2pp. 87885:038-87885:039.

--9604150355 Insp rept 50-416/96-08 on 960226-0325.Violations noted.Major areas inspected:C/As associated w/apparent degradation of both trains of CR A/C units & operational,maint & testing activities re CR A/C units performance of safety functions.
HARRELL,P.H. Region 4 (Post 820201). 96/04/10. 9pp. 87885:040-87885:048.

9604170474 Ack receipt of 960327 ltr informing NRC of steps taken to correct violations noted in insp rept 50-416/95-21.
DYER,J.E. Region 4 (Post 820201). 96/04/15. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 87896:001-87896:008.

9604180357 Forwards draft input from contractor to be used in approving alternatives to 10CFR50.55a, "Codes & Stds," per 960408 telcon in which NRR requested assistance of licensee in preparing definitive info to support use of codes for ISI.
BECKNER,W.D. . 96/04/15. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87914:001-87914:112.

9604220295 Forwards errata to Attachment 1 of insp rept 50-416/96-02, dtd 960411.Due to administrative error,exit meeting discussed in Attachment 1 of original insp rept referred to another NRC exit meeting at different facility.
GWYNN,T.P. Region 4 (Post 820201). 96/04/17. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 87935:232-87935:238.

--9604220302 Errata to Attachment 1 of insp rept 50-416/96-02,dtd 960411, correcting ref to appropriate exit meeting that was discussed.
* Region 4 (Post 820201). 96/04/17. pp. 87935:237-87935:238.

9604290042 Responds to violations noted in insp rept 50-416/96-06. Corrective actions:oil scavenger trainer cover removed & revised procedures.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 8pp. 88055:353-88055:360.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290059 Forwards insp rept 50-416/96-09 on 960406-08.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/24. HUTCHINSON,C.R. Entergy Operations, Inc. 5pp. 88027:247-88027:256.

--9604290065 Insp rept 50-416/96-09 on 960406-08.No violations noted. Major areas inspected:implementation of safeguards contingency plan.
MURRAY,B. Region 4 (Post 820201). 96/04/22. 5pp. 88027:252-88027:256.

9604300039 Final response to FOIA request for documents.Requestor agreed to narrow scope of request to receiving copies of printouts identifying available records for GGNS.If copies of records desired,requestor may contact NRC PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. PUSATERI,B.A. Bollinger, Ruberry & Garvey. 1p. 88096:231-88096:231.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080324 "Grand Gulf Nuclear Station 1995 Annual Radiological Environ Operating Rept." W/960405 ltr.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/12/31. 157pp. 87805:001-87805:157.

9604250202 Report to NRC Environmental Monitoring at GNS calendar year 1995 NRC Contract NRC-29-83-621.W/960416 ltr.
FUENTE,E.S., BELL,B. Mississippi, State of. 95/12/31. 35pp. 88023:093-88023:127.

9604290355 "Grand Gulf Nuclear Station 1995 Annual Environ Operating Rept." W/960423 ltr.
HUTCHINSON,C.R. Entergy Operations, Inc. 95/12/31. 66pp. 88037:285-88037:350.

9604120050 Monthly operating rept for Mar 1996 for Grand Gulf Nuclear Station Unit 1.W/960408 ltr.
LIN,S.D., HUTCHINSON,C. Entergy Operations, Inc. 96/03/31. 5pp. 87868:337-87868:341.

S. Reportable occurrences, LERs & related correspondence

9604080220 Special rept:96/001 on 960229,EDG failed.Cause by failed shuttle valve.C/A:valve replaced.
HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/01. Document Control Branch (Document Control Desk). 2pp. 87817:239-87817:240.

9604110101 PNO-IV-96-018:on 960406,6 of 10 on-shift union security force personnel walked off job,based on union claim of unfair labor practices over proposed hourly wage increases for next contract period of 3 yrs.
HARRELL,P., PICK,G. Region 4 (Post 820201). 96/04/08. 2pp. 87859:244-87859:245.

9604300140 LER 96-003-00:on 960327,reactor water cleanup sys isolation occurred due to high differential flow.Restored RWCU sys to operation.W/960424 ltr.
JONES,M.L., HUTCHINSON,C.R. Entergy Operations, Inc. 96/04/24. 6pp. 88066:028-88066:033.

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9604160109 Press release IV-96-26, "NRC Regional Administrator to Hold News Conference in Jackson,MI."
* Region 4 (Post 820201). 96/04/11. 1p. 87923:095-87923:095.

F. Security, medical, emergency & fire protection plans

9604300032 FOIA request for documents or info re insps or investigations by NRC related to cementious fireproofing matls,including but not limited to Pyrocrete 102 &/or Carboline Co at GGNS.
PUSATERI,B.A. Bollinger, Ruberry & Garvey. 96/04/03. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:230-88096:230.

9604300039 Final response to FOIA request for documents.Requestor agreed to narrow scope of request to receiving copies of printouts identifying available records for GGNS.If copies of records desired,requestor may contact NRC PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. PUSATERI,B.A. Bollinger, Ruberry & Garvey. 1p. 88096:231-88096:231.

Q. Inspection reports, IE Bulletins & correspondence

9604300032 FOIA request for documents or info re insps or investigations by NRC related to cementious fireproofing matls,including but not limited to Pyrocrete 102 &/or Carboline Co at GGNS.
PUSATERI,B.A. Bollinger, Ruberry & Garvey. 96/04/03. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:230-88096:230.

9604300039 Final response to FOIA request for documents.Requestor agreed to narrow scope of request to receiving copies of printouts identifying available records for GGNS.If copies of records desired,requestor may contact NRC PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. PUSATERI,B.A. Bollinger, Ruberry & Garvey. 1p. 88096:231-88096:231.

R. Periodic operating reports & related correspondence

9604250202 Report to NRC Environmental Monitoring at GNS calendar year 1995 NRC Contract NRC-29-83-621.W/960416 ltr.
FUENTE,E.S., BELL,B. Mississippi, State of. 95/12/31. 35pp. 88023:093-88023:127.

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604010374 Revised EPIPs & Emergency Plan Operating Procedures (EPOP), Change 1 to Rev 3 to EPIP 4400,Change 3 to Rev 1 to EPIP 4404,Change 2 to Rev 1 to EPOP 4411,Rev 2 to EPOP 4428A,Rev 2 to EPOP 4428D & Rev 1 to EPOP 4428F.
* Northeast Utilities Service Co. 96/03/25. 204pp. 87717:001-87717:204.

9604080346 Advises that 960205 Revs 22 & 23 to physical security plan consistent w/ provisions of 10CFR50.54(p) & acceptable for inclusion in plan.
KEIMIG,R.R. Region 1 (Post 820201). 96/03/27. FEIGENBAUM,T. Northeast Utilities Service Co. 4pp. 87814:319-87814:322.

9604080068 Rev 20 to Millstone Nuclear Power Station Emergency Plan.
* Northeast Nuclear Energy Co. 96/04/08. 73pp. 87778:248-87778:319.

9604170012 Requests exemption from 10CFR73,App B re qualification & requalification requirements for armed guards.Justification for exemption encl.Encl withheld.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/04/08. RUSSELL,W.T. . 2pp. 87899:354-87899:355.

9604300042 Revised EPIPs,including rev 173 to 4000 proc index & rev 2 to EPOP 4449, "U-3 Rx Coolant & Liquid Waste PASS."
* Northeast Nuclear Energy Co. 96/04/10. 83pp. 88063:220-88063:304.

9604170004 Forwards rev 22 to physical security plan.Encl withheld per 10CFR2.790.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. RUSSELL,W.T. . 2pp. 87897:357-87897:358.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

--9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

--9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

H. General correspondence

9604230144 Submits suggestions re revoking Northeast Utilities NPP operating license.
LEE,M.H. Affiliation Not Assigned. 96/03/06. DEMBEK,S. NRC - No Detailed Affiliation Given. 1p. 87971:345-87971:345.

9604080066 Responds to 951117 ltr to President Clinton,forwarded to NRC for review & appropriate action on 960308.Informs of latest activities concerning Millstone plant.
RUSSELL,W.T. . 96/04/02. STOREY,W. Affiliation Not Assigned. 16pp. 87779:309-87779:340.

-9604080076 Expresses appreciation to Chairman Jackson for getting job done re nuclear power plants.
STOREY,B. Affiliation Not Assigned. 96/02/01. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87779:325-87779:329.

-9604080084 Informs of attendance at 951205 meeting in New London re safety at Millstone plant.
STOREY,B. Affiliation Not Assigned. 95/12/07. THE CHAIRMAN Commissioners (Post 750119). 11pp. 87779:330-87779:340.

9604240351 Forwards projected decommissioning costs,market values of decommissioning trust funds & 10CFR50.75, "Reporting & Recordkeeping for Decommissioning Planning."
DEMBEK,S. . 96/04/18. STAUB,B. Affiliation Not Assigned. 13pp. 87994:340-87994:352.

9604300416 Informs NRC to add New England Power Co to svc list at listed address.
ROBINSON,J.S. New England Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88067:246-88067:246.

J. Insurance & Indemnity Information

9604090057 Notifies NRC of amount of property insurance coverage currently in force for Haddam Neck & Millstone Plants.
DEBARBA,E.A. Connecticut Yankee Atomic Power Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87825:357-87825:358.

P. Operating license stage documents & correspondence

9604250198 Discusses concerns re recent safety violations at plant & how violations reflect systematic disregard by licensee of NRC regulations.Questions why NRC cannot force licensee to "fix" problems.
SILVESTRI,S. Affiliation Not Assigned. 96/02/27. NRC - No Detailed Affiliation Given. 2pp. 88002:341-88002:342.

9604170122 FOIA request for JF Opeka 940902 ltr to JF Gray re potential chilling effects,JF Opeka 940411 ltr to TT Martin re addl info on allegation matters & JF Opeka 930603 ltr to J Lieberman re EA-92-212.
ROSS,A.J. Affiliation Not Assigned. 96/03/12. RUSSELL,W.T. . 1p. 87906:001-87906:001.

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9604020361 Requests approval to use Code Case N-546,as alternative to ASME Code Section XI for plants & that NRC revise SER of 951207,in support of Millstone Unit 1 request to use Code Case N-547.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 96/03/20. Document Control Branch (Document Control Desk). 4pp. 87712:346-87712:349.

9604010329 Responds to 960215 ltr requesting to withhold Encl 2 of ltr in entirety under 10CFR2.79(a)(6).Informs encl may be withheld due to contents of personnel info.
LANNING,W.D. Region 1 (Post 820201). 96/03/21. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87687:106-87687:108.

9604030223 Discusses concern expressed at 960307 meeting of Oregon Energy Facilities Siting Council re Time magazine article & NRC oversight of Millstone nuclear stations.Informs of commitment to provide oversight to decommisioning at Trojan.
MASNIK,M.T. . 96/03/29. STEWART-SMITH Oregon, State of. 3pp. 87736:350-87736:352.

9604080360 Submits supplemental info re GL 89-13, "Svc Water sys Problems Affecting Safety-Related Equipment," for Unit 3.
DEBARBA,E.A. Northeast Nuclear Energy Co. DEBARBA,E.A. Northeast Utilities Service Co. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87815:356-87815:357.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120262 Forwards SE authorizing request to implement alternative contained in Code Case N-535,per 10CFR50.55a(a)(3)(i).
MCKEE,P.F. . 96/04/05. FEIGENBAUM,T.C. Northeast Utilities Service Co. 4pp. 87862:349-87862:359.

-9604120270 SER accepting proposed alternative to implement Code Case N-535 for scheduling of intervals & exam of Code Class 1,2 & 3 piping & components.
* . 96/04/05. 7pp. 87862:353-87862:359.

9604160265 Forwards Millstone Nuclear Power Station,Units 1,2 & 3 Millstone Employee Concerns Assessment Team Rept addressing recommendations & revising programs to improve performance in this area.
FEIGENBAUM,T.C. Northeast Nuclear Energy Co. FEIGENBAUM,T.C. Northeast Utilities Service Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87891:153-87891:237.

-9604160314 "Millstone Employee Concerns Assessment Team Rept."
BURNS,T.F. Northeast Utilities Service Co. 96/01/29. 84pp. 87891:154-87891:237.

9604220072 Informs that on 960213,LPMS alert level reduced to 2.5 g's peak,as result of upgrades to LPMS during fifth refueling outage.Summary of alert level improvements achieved in yrs upgrades made listed.
BROTHERS,M.H. Northeast Nuclear Energy Co. 96/04/12. Document Control Branch (Document Control Desk). 3pp. 87966:330-87966:332.

9604220218 Provides suppl to response to request for info re documents from REF files.
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/15. Document Control Branch (Document Control Desk). 78pp. 87985:210-87985:287.

9604220185 Responds to GL 96-01, "Testing of SR Logic Circuits."
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87962:356-87962:360.

9604220349 Forwards Rev 1 to Calculation M3LOCA94/01048-R3, "EAB & LPZ Doses from Millstone Unit 3 LOCA."
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/16. Document Control Branch (Document Control Desk). 14pp. 87974:293-87974:348.

-9604220353 "EAB & LPZ Doses from Millstone Unit 3 LOCA."
EAKIN,W., MARZILLI,D.W., MILLER,D.W. Northeast Nuclear Energy Co. M3LOCA94/01048-R3. 96/03/28. 42pp. 87974:307-87974:348.

9604240249 Advises that S Dembek to be assigned as Project Manager for Haddam Neck Plant & that DG McDonald to be assigned as Project Manager for Millstone Nuclear Power Station,Unit 2, effective 960428.
MCKEE,P.F. . 96/04/18. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 5pp. 87994:282-87994:286.

9604290151 Notice of 960430 meeting w/util in Waterford,CT to discuss progress of util Improving Station Performance program,procedure adequacy,compliance & implementation.
DURR,J. Region 1 (Post 820201). 96/04/18. . 1p. 88033:001-88033:002.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604290004 Ack receipt of 960306 ltr providing opinion on revoking Northeast Utilities operating license for Millstone Nuclear Power Station.
DEMBEK,S. . 96/04/24. LEE,M. Affiliation Not Assigned. 3pp. 88036:206-88036:208.

9604300269 Forwards amends 189,94,196 & 128 to licenses DPR-61,DPR-21, DPR-65 & NPF-49 & safety evaluation.Amends delete from TS certain review responsibilities of PORC & Site ORC related to Emergency & Security Plans & implementing procedures.
MCKEE,P.F. . 96/04/24. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 88053:134-88053:161.

-9604300275 Amends 198,94,196 & 128 to license DPR-61,DPR-21,DPR-65 & NPF-49,respectively,deleting form TS review responsibilities of PORC & Site ORC related to Emergency & Security Plans & respective implementing procedures.
MCKEE,P.F. . 96/04/24. 20pp. 88053:139-88053:158.

-9604300285 Safety evaluation supporting amends 189,94,196 & 128 to licenses DPR-61,DPR-21,DPR-65 & NPF-49,respectively.
* . 96/04/24. 3pp. 88053:159-88053:161.

Q. Inspection reports, IE Bulletins & correspondence

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080316 Discisses 960215 ltr responding to 951218 ltr.Informs corrective & preventive actions documented will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:016-87792:027.

9604090476 Discusses 960301 ltr in response to 951020 ltr.Informs corrective & preventive actions will be examined during future insp.
DURR,J. Region 1 (Post 820201). 96/03/29. DACIMO,F.R., HARPSTER,T.L. Northeast Nuclear Energy Co. 2pp. 87792:243-87792:269.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604160184 Change 6 to Rev 18 to QAP - 10.0 (Insp) of "NEUT QA Program TR," making paragraph 10.2.3(b) wording consistent w/section 7.2.4 last paragraph.
* Northeast Utilities. 96/04/02. 8pp. 87893:333-87893:340.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090436 Press release 96-55,forwarding 960404 ltr to Northeast Utils requiring info before restart of Millstone Units 1,2 & 3.
* Office of Public Affairs (Post 911117). 96/04/04. 1p. 87824:143-87824:147.

9604150164 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/04/08. Document Control Branch (Document Control Desk). 36pp. 87888:285-87888:320.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170209 Forwards response to violations noted in Insp Repts 50-245/95-44,50-336/95-44 & 50-423/95-44.C/A:SGTS requirements reviewed w/personnel,erroneously determined sys operability.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 8pp. 87933:271-87933:278.

9604250052 Forwards insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318 & notice of violation.
DURR,J.P. Region 1 (Post 820201). 96/04/12. FEIGENBAUM,T.C. Northeast Utilities Service Co. 5pp. 87995:239-87995:304.

-9604250062 Insp repts 50-245/96-01,50-336/96-01 & 50-423/96-01 on 960208-0318.Violations noted.Major areas inspected:plant operations,radiological controls,maint,surveillance, security,outage activities & licensee self-assessment.
DURR,J.P. Region 1 (Post 820201). 96/04/12. 59pp. 87995:246-87995:304.

9604300120 Forwards response to NRC 960306 ltr re violations noted in insp repts 50-336/95-44 & 50-423/95-44 on 951227-960207. C/As:shut off software applications that had contributed to monitoring problem.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/19. Document Control Branch (Document Control Desk). 9pp. 88067:223-88067:231.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604290394 "Millstone Nuclear Power Station Radiological Environ Monitoring Program Jan-Dec 1995." W/960423 ltr.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 95/12/31. 100pp. 88039:251-88039:350.

9604170271 Forwards monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3,including correction to Millstone Unit 1 monthly operating rept for Feb 1996.W/o corrections to Feb rept.
DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. 96/04/11. Document Control Branch (Document Control Desk). 1p. 87928:139-87928:154.

-9604170275 Monthly operating repts for Mar 1996 for Millstone Nuclear Power Station,Units 1,2 & 3.
NEWBURGH,G., BORCHERT,R., HUDSON,I.R. Northeast Nuclear Energy Co. 96/03/31. 15pp. 87928:140-87928:154.

S. Reportable occurrences, LERs & related correspondence

9604020078 PNO-I-96-020:on 960330,facility commenced power reduction to shutdown,as required by TS 3.6.3 for inoperable containment isolation valves.Licensee preparing design change to modify valves.
CERNE,A., DURR,J. Region 1 (Post 820201). 96/04/01. 1p. 87733:178-87733:178.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604240376 LER 96-004-00:on 960316,auxiliary feedwater isolation valves noncompliance w/TS occurred.Caused by misinterpretation of TS.Event reviewed w/station personnel to caution others on TS surveillance requirements.W/960416 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/04/16. 6pp. 88004:356-88004:361.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604290267 LER 96-005-00:on 960321,service water booster pump auto start discovered disable.Caused by inadequate review.C/A: bypass jumper removed & mod initiated.W/960419 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. BROTHERS,M.H. Northeast Utilities Service Co. 96/04/19. 3pp. 88045:340-88045:343.

9604290299 LER 95-020-01:on 951202,RCS pressure boundary leak from valve bonnet stem leak-off pipe occurred.Caused by crack near toe of fillet weld between pipe & valve body.Removed pipe & valve bonnet weld.W/960419 ltr.
TEMPLE,W.J., BROTHERS,M.H. Northeast Nuclear Energy Co. 96/04/19. 8pp. 88045:350-88045:357.

DOCKET 50-424 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020154 Rev 31 to EPIP 91002-C, "Emergency Notifications." W/960326 ltr.
BEASLEY,J.B. Georgia Power Co. 96/03/26. 17pp. 87725:074-87725:090.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604220198 Rev 8 to EPIP 91504-C, "Core Inventory Determinations Using Reactor Power History." W/960415 ltr.
BEASLEY,J.B. Georgia Power Co. 96/04/15. 24pp. 87963:336-87963:359.

G. Adjudicatory correspondence

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260269 Informs NRC of death of WB Shipman on 960425.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #296 17577. 96/04/25. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 88020:307-88020:307.

H. General correspondence

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

-9604110020 Requests that fee waiver should be granted for foregoing reasons re AL Mosbaugh request for info concerning plant Vogtle.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/01. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 35pp. 87870:074-87870:108.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604170008 Forwards "Vogtle Electric Generating Plant Unit 1,Cycle 7 COLR."
MCCOY,C.K. Georgia Power Co. 96/04/10. Document Control Branch (Document Control Desk). 1p. 87948:281-87948:296.

-9604170009 "Vogtle Electric Generating Plant Unit 1,Cycle 7 COLR."
* Georgia Power Co. 96/03/31. 15pp. 87948:282-87948:296.

9604160410 Notifies of problems w/testing of safety-related logic circuits,per GL 96-01.
MCCOY,C.K. Georgia Power Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87923:282-87923:283.

9604160326 Notification of 960422 meeting w/GPC in Rockville,MD to discuss basis for licensee proposed AOTs for EDGs as element of full conversion to new set of TSs based on Improved STSs.
WHEELER,L.L. . 96/04/15. BERKOW,H.N. . 4pp. 87894:111-87894:114.

9604170514 Responds to 921223 ltr & suppls dtd,950913,1002 & 23 IPE submittal by GAP & forwards NRC staff SER in response to GAP IPE submittal for internal events & internal flooding.
WHEELER,L.L. . 96/04/15. MCCOY,C.K. Georgia Power Co. 4pp. 87918:134-87918:277.

-9604180019 SER accepting licensee IPE process as capable means of identifying most likely severe accidents & severe accidents vulnerabilities,per GL 88-20.
* . 96/04/15. 5pp. 87918:138-87918:143.

-9604170519 "Plant TER on Individual Plant Exam Front End Analysis."
THOMAS,W. Science & Engineering Associates, Inc. 95/11/15. NRC - No Detailed Affiliation Given. 51pp. 87918:144-87918:193.

-9604170520 "Plant TER on Individual Plant Exam Back-End Analysis."
WAGAGE,H.A. Science & Engineering Associates, Inc. 95/11/30. NRC - No Detailed Affiliation Given. 46pp. 87918:194-87918:238.

-9604170524 "TER of IPE Submittal,Human Reliability Analysis," final rept.
WRTATHALL,J. Concord Associates, Inc. CA/TR-95-019-42. 95/11/20. Division of Systems Technology (Post 941217). 39pp. 87918:239-87918:277.

Q. Inspection reports, IE Bulletins & correspondence

9604090157 Ack receipt of 960313 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-31 & 50-425/95-31.Implementation of CA will be examined during future insps.
SKINNER,P. Region 2 (Post 820201). 96/03/22. MCCOY,C.K. Georgia Power Co. 3pp. 87792:346-87792:348.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090190 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960227,covering period Sept 1995 - Feb 1996.Encl details insp plan for next six months.
SKINNER,P.H. Region 2 (Post 820201). 96/03/27. MCCOY,C.K. Georgia Power Co. 6pp. 87806:025-87806:030.

9604050026 Provides comments on SALP rept for plant & provides addl info to follow-up on discussions during 960314 meeting at VEGP site.
MCCOY,C.K. Georgia Power Co. 96/03/29. EBNETER Region 2 (Post 820201). 4pp. 87775:310-87775:313.

9604050016 Revises response to NRC 951222 ltr re violations noted in Insp Repts 50-424/95-27 & 50-425/95-27.Corrective actions: included alternative method for verifying supply piping to motor/lube oil coolers free of debris.
MCCOY,C.K. Georgia Power Co. 96/04/01. Document Control Branch (Document Control Desk). 4pp. 87775:328-87775:331.

9604050023 Submits special rept of number of SG tubes plugged during Unit 1 sixth refueling outage (1R6).
MCCOY,C.K. Georgia Power Co. 96/04/01. Document Control Branch (Document Control Desk). 1p. 87775:341-87775:341.

9604090141 Forwards insp repts 50-424/96-01 & 50-425/96-01 on 960128-0302.No violations noted.
SKINNER,P.H. Region 2 (Post 820201). 96/04/01. MCCOY,C.K. Georgia Power Co. 3pp. 87773:093-87773:110.

-9604090146 Insp repts 50-424/96-01 & 50-425/96-01 on 960128-0302.No violations noted.Major areas inspected:plant operations, surveillance,maint,onsite engineering,plant support & follow-up.
OGLE,C.R., WIDMANN,M.T., SKINNER,P.H. Region 2 (Post 820201). 96/03/28. 15pp. 87773:096-87773:110.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

-9604110153 Ack receipt of 950502 ltr requesting amend of Privacy Act records & documents re EA taken against Georgia Power Co.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 5pp. 87870:170-87870:174.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080289 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MCCOY,C.K. Georgia Power Co. 96/04/04. Document Control Branch (Document Control Desk). 17pp. 87814:270-87814:286.

9604230233 Ack receipt of 960401 supplemental ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-27 & 50-425/95-27.
SKINNER,P.H. Region 2 (Post 820201). 96/04/09. MCCOY,C.K. Georgia Power Co. 3pp. 87953:194-87953:196.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160009 Monthly operating repts for Mar 1996 for Vogtle Electric Generating Plant.W/960411 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/03/31. 12pp. 87898:249-87898:260.

S. Reportable occurrences, LERs & related correspondence

9604050024 LER 96-002-00:on 960313,discovered that ECCS valves cycled on five occasions from 960222-29 leading to unit operation in condition prohibited by TS.Caused by cognitive personnel error.Involved personnel counseled.W/960401 ltr.
SHEIBANI,M., MCCOY,C.K. Georgia Power Co. 96/04/01. 5pp. 87807:175-87807:179.

9604080209 Special Rept 1-96-2:on 960310 & 23,non-valid DG failures occurred.Rocker arm clearances adjusted & DGs restarted & operated successfully.
MCCOY,C.K. Georgia Power Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:232-87817:233.

9604030304 PNO-II-96-025:on 960402,fire protection technician at lunch experienced heart attack symptoms & lost consciousness.CPR was administered but technician pronounced dead upon arrival at Burke County Hosp.
WRIGHT,R. Region 2 (Post 820201). 96/04/03. 1p. 87755:221-87755:221.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

DOCKET 50-425 ALVIN W. VOGTLE NUCLEAR PLANT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020154 Rev 31 to EPIP 91002-C, "Emergency Notifications." W/960326 ltr.
BEASLEY,J.B. Georgia Power Co. 96/03/26. 17pp. 87725:074-87725:090.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604220198 Rev 8 to EPIP 91504-C, "Core Inventory Determinations Using Reactor Power History." W/960415 ltr.
BEASLEY,J.B. Georgia Power Co. 96/04/15. 24pp. 87963:336-87963:359.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604260269 Informs NRC of death of WB Shipman on 960425.
LAMBERSKI,J. TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore). #296 17577. 96/04/25. BLOCH,P.B., CARPENTER,J.H., MURPHY,T.D. Atomic Safety & Licensing Board Panel. 1p. 88020:307-88020:307.

H. General correspondence

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

-9604110020 Requests that fee waiver should be granted for foregoing reasons re AL Mosbaugh request for info concerning plant Vogtle.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 95/06/01. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 35pp. 87870:074-87870:108.

P. Operating license stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160410 Notifies of problems w/testing of safety-related logic circuits,per GL 96-01.
MCCOY,C.K. Georgia Power Co. 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87923:282-87923:283.

9604160326 Notification of 960422 meeting w/GPC in Rockville,MD to discuss basis for licensee proposed AOTs for EDGs as element of full conversion to new set of TSs based on Improved STSs.
WHEELER,L.L. . 96/04/15. BERKOW,H.N. . 4pp. 87894:111-87894:114.

9604170514 Responds to 921223 ltr & suppls dtd,950913,1002 & 23 IPE submittal by GAP & forwards NRC staff SER in response to GAP IPE submittal for internal events & internal flooding.
WHEELER,L.L. . 96/04/15. MCCOY,C.K. Georgia Power Co. 4pp. 87918:134-87918:277.

-9604160019 SER accepting licensee IPE process as capable means of identifying most likely severe accidents & severe accidents vulnerabilities,per GL 88-20.
* . 96/04/15. 5pp. 87918:138-87918:143.

-9604170519 "Plant TER on Individual Plant Exam Front End Analysis."
THOMAS,W. Science & Engineering Associates, Inc. 95/11/15. NRC - No Detailed Affiliation Given. 51pp. 87918:144-87918:193.

-9604170520 "Plant TER on Individual Plant Exam Back-End Analysis."
WAGAGE,H.A. Science & Engineering Associates, Inc. 95/11/30. NRC - No Detailed Affiliation Given. 46pp. 87918:194-87918:238.

-9604170524 "TER of IPE Submittal,Human Reliability Analysis," final rept.
WRTATHALL,J. Concord Associates, Inc. CA/TR-95-019-42. 95/11/20. Division of Systems Technology (Post 941217). 39pp. 87918:239-87918:277.

Q. Inspection reports, IE Bulletins & correspondence

9604090157 Ack receipt of 960313 ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-31 & 50-425/95-31.Implementation of CA will be examined during future insps.
SKINNER,P. Region 2 (Post 820201). 96/03/22. MCCOY,C.K. Georgia Power Co. 3pp. 87792:346-87792:348.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604090190 Advises of planned insp effort resulting from plant semiannual PPR review completed on 960227,covering period Sept 1995 - Feb 1996.Encl details insp plan for next six months.
SKINNER,P.H. Region 2 (Post 820201). 96/03/27. MCCOY,C.K. Georgia Power Co. 6pp. 87806:025-87806:030.

9604050026 Provides comments on SALP rept for plant & provides addl info to follow-up on discussions during 960314 meeting at VEGP site.
MCCOY,C.K. Georgia Power Co. 96/03/29. EBNETER Region 2 (Post 820201). 4pp. 87775:310-87775:313.

9604050016 Revises response to NRC 951222 ltr re violations noted in Insp Repts 50-424/95-27 & 50-425/95-27.Corrective actions: included alternative method for verifying supply piping to motor/lube oil coolers free of debris.
MCCOY,C.K. Georgia Power Co. 96/04/01. Document Control Branch (Document Control Desk). 4pp. 87775:328-87775:331.

9604090141 Forwards insp repts 50-424/96-01 & 50-425/96-01 on 960128-0302.No violations noted.
SKINNER,P.H. Region 2 (Post 820201). 96/04/01. MCCOY,C.K. Georgia Power Co. 3pp. 87773:093-87773:110.

-9604090146 Insp repts 50-424/96-01 & 50-425/96-01 on 960128-0302.No violations noted.Major areas inspected:plant operations, surveillance,maint,onsite engineering,plant support & follow-up.
OGLE,C.R., WIDMANN,M.T., SKINNER,P.H. Region 2 (Post 820201). 96/03/28. 15pp. 87773:096-87773:110.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

-9604110153 Ack receipt of 950502 ltr requesting amend of Privacy Act records & documents re EA taken against Georgia Power Co.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 5pp. 87870:170-87870:174.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604080289 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MCCOY,C.K. Georgia Power Co. 96/04/04. Document Control Branch (Document Control Desk). 17pp. 87814:270-87814:286.

9604230233 Ack receipt of 960401 supplemental ltr informing NRC of steps taken to correct violations noted in insp repts 50-424/95-27 & 50-425/95-27.
SKINNER,P.H. Region 2 (Post 820201). 96/04/09. MCCOY,C.K. Georgia Power Co. 3pp. 87953:194-87953:196.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160009 Monthly operating repts for Mar 1996 for Vogtle Electric Generating Plant.W/960411 ltr.
HOOPER,G.L., MCCOY,C.K. Georgia Power Co. 96/03/31. 12pp. 87898:249-87898:260.

S. Reportable occurrences, LERs & related correspondence

9604080209 Special Rept 1-96-2:on 960310 & 23,non-valid DG failures occurred.Rocker arm clearances adjusted & DGs restarted & operated successfully.
MCCOY,C.K. Georgia Power Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:232-87817:233.

9604030304 PNO-II-96-025:on 960402,fire protection technician at lunch experienced heart attack symptoms & lost consciousness.CPR was administered but technician pronounced dead upon arrival at Burke County Hosp.
WRIGHT,R. Region 2 (Post 820201). 96/04/03. 1p. 87755:221-87755:221.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

DOCKET STN-50-437 FLOATING NUCLEAR PLANT

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

-9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9604080004 Discusses termination of 860130 order re Quality Technology Co records.Section V(C) of order rescinded.Section V(A) rescinded when Thero Svcs,Inc relinquishes all records to NRC & section V(B) will become moot.
RUSSELL,W.T. . 96/04/02. KINGSLEY,O.D. Tennessee Valley Authority. 4pp. 87782:318-87782:321.

9604080382 Provides info re util FFD program per 10CFR26,App A,Subpart A,Section 1.1(2).
BARON,R.R. Tennessee Valley Authority. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87815:340-87815:341.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240260 Provides response to GL 96-01, "Testing of Safety-Related Logic Circuits."
BARON,R.R. Tennessee Valley Authority. 96/04/18. Document Control Branch (Document Control Desk). 4pp. 88016:337-88016:340.

H. General correspondence

9604220162 Forwards updated lists for plants,effective immediately.
BARON,P.R. Tennessee Valley Authority. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 87965:171-87965:177.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604080320 Forwards Eighth & Final Annual Rept of ECSP Corrective Action Implementation for 950101-960315 period.Util considers ECSP & related activities closed.
BARON,R.R. Tennessee Valley Authority. 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87803:084-87803:191.

--9604080333 "Eighth & Final Annual Rept of ECSP Corrective Action Implementation Calendar Yr 1995."
* Tennessee Valley Authority. 96/03/31. 106pp. 87803:086-87803:191.

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604030352 Rev 11 to "OH Plan for Response to Radiation Emergencies at Licensed Nuclear Facilities."
SHIPLEY,D.W. Ohio, State of. 96/01/31. 185pp. 87756:001-87757:185.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604020005 NRC Staff motion for extension of time & mod of briefing schedule.* Staff requests extension of time until 960426,to file brief & mod of briefing schedule in manner stated. W/Certificate of Svc.
TURK,S.E. Office of the General Counsel (Post 860701). #296 17532. 96/03/25. Commissioners (Post 750119). 4pp. 87701:286-87701:289.

9604030138 Order.* Extends time for NRC staff & util to file initial briefs until 960426 because of demands on NRC staff. Responsive briefs due within 30 days & reply briefs 15 days thereafter.W/Certificate of Svc.Served on 960328.
HOYLE,J.C. Office of the Secretary of the Commission. #296 17538. 96/03/28. Cleveland Electric Illuminating Co. 3pp. 87721:133-87721:135.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604170350 Forwards copy of ltr sent to CEIC requesting info re issues raised in 2.206 Petition submitted by City of Cleveland,OH. Extends opportunity to City of Cleveland for informal public hearing & requests decision within 15 days of receiving ltr.
HOPKINS,J.B. . 96/04/12. STRAUS,D.R. . 3pp. 87911:290-87911:297.

--9604170358 Submits RAI re "Petition of City of Cleveland,OH for Expedited Issuance of NOV Enforcement of License Conditions & Imposition of Appropriate fines," dtd 960123.Requests response within 20 days of receipt of dtd ltr.
HOPKINS,J.B. . 96/04/12. SHELTON,D.C. Centerior Service Co. 5pp. 87911:293-87911:297.

I. Financial information

9604030324 Forwards util consolidated financial statements for 12-month period ending 951231 & internal cash flow projection, including actual 1995 data & projections for 1996,per 10CFR140.21.
CLAYTON,D.J. Duquesne Light Co. 96/03/29. . 70pp. 87759:281-87759:350.

J. Insurance & indemnity information

9604020027 Forwards,per 10CFR50.54(w)(3) requirements,property insurance coverage info for Perry Nuclear Power Plant/ Davis-Besse Nuclear Power Station.
SHELTON,D.C. Centerior Energy. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87725:338-87725:339.

P. Operating license stage documents & correspondence

9604090393 Discusses transition from IGSCC qualification program to performance demonstration initiative program.
RUSSELL,W.T. . 96/03/01. DONOVAN,K.P. BWR Owners Group. DONOVAN,K.P. Centerior Energy. 6pp. 87809:098-87809:150.

9604090457 Discusses potential plugging of emergency core cooling suction strainers by debris in boiling water reactors.
BERLINGER,C.H. . 96/03/21. HART,G.H. Performance Contracting, Inc. 3pp. 87809:338-87809:339.

9604010406 Summary of 960215 meeting w/licensee in Rockville,MD re drywell shield doors at plant.List of attendees & handout encl.
HOPKINS,J.B. . 96/03/27. . 15pp. 87710:181-87710:195.

9604080173 Submits ltr to document no significant changes occurred to toxic organics mgt plan.Analytical rept encl.
SHELTON,D.C. Centerior Energy. 96/04/02. Ohio, State of. 1p. 87803:230-87803:261.

--9604080185 "Analytical Rept."
TIZZANO,D., NIELSEN,D. Affiliation Not Assigned. 95/08/08. 32pp. 87803:231-87803:261.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604220054 Responds to GL 96-01, "Testing of Safety-Related Logic Circuits."
SHELTON,D.C. Centerior Energy. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87966:327-87966:329.

Q. Inspection reports, IE Bulletins & correspondence

9604010380 Forwards insp rept 50-440/95-10 on 951202-960122.No violations noted.
LANKSBURY,R.D. Region 3 (Post 820201). 96/03/22. SHELTON,D.C. Centerior Service Co. 2pp. 87687:161-87687:175.

--9604010384 Insp rept 50-440/95-10 on 951202-960122.No violations noted. Major areas inspected:operations,engineering,maint & plant support.
LANKSBURY,R.D. Region 3 (Post 820201). 96/03/22. 13pp. 87687:163-87687:175.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604250308 Forwards insp rept 50-440/96-02 on 960120-0301.No violations noted.One non-cited violation identified during insp period, involving personnel error by control room shift supervisor.
LANKSBURY,R.D. Region 3 (Post 820201). 96/04/11. SHELTON,D.C. Cleveland Electric Illuminating Co. 3pp. 87996:076-87996:093.

--9604250314 Insp rept 50-440/96-02 on 960120-0301.No violations noted. Major areas inspected:operations,engineering maint & plant support performed.
LANKSBURY,R.D. Region 3 (Post 820201). 96/04/11. 15pp. 87996:079-87996:093.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604300138 Responds to request for addl info re NRC Bulletin 95-002, "Unexpected Clogging of RHR Pump Strainer While Operating in Suppression Pool Cooling Mode."
SHELTON,D.C. Centerior Energy. 96/04/25. Document Control Branch (Document Control Desk). 3pp. 88067:071-88067:073.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160237 NPDES monthly rept forms for month of Mar 1996.W/960413 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 96/03/31. 5pp. 87894:306-87894:310.

9604170047 Monthly operating rept for Mar 1996 for PNPP.W/960411 ltr.
NEUMAN,G.M., SHELTON,D.C. Cleveland Electric Illuminating Co. 96/03/31. 6pp. 87949:101-87949:106.

9604220020 Forwards "Annual Environ & Effluent Release Rept 1995."
SHELTON,D.C. Centerior Energy. 96/04/17. Document Control Branch (Document Control Desk). 1p. 87986:001-87986:115.

--9604220026 "Annual Environ & Effluent Release Rept for 1995."
* Centerior Energy. 95/12/31. 115pp. 87986:002-87986:115.

V. Operator Examinations

9604170106 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled wk of 960819. NRC will prepare & administer exams in accordance w/ES-301 & ES/302 of NUREG-1021.
BURDICK,T.M. Region 3 (Post 820201). 96/04/11. SHELTON,D.C. Centerior Service Co. 3pp. 87895:285-87895:287.

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A. Application/construction stage documents & correspondence

9604090393 Discusses transition from IGSCC qualification program to performance demonstration initiative program.
RUSSELL,W.T. . 96/03/01. DONOVAN,K.P. BWR Owners Group. DONOVAN,K.P. Centerior Energy. 6pp. 87809:098-87809:150.

9604090457 Discusses potential plugging of emergency core cooling suction strainers by debris in boiling water reactors.
BERLINGER,C.H. . 96/03/21. HART,G.H. Performance Contracting, Inc. 3pp. 87809:338-87809:339.

9604080173 Submits ltr to document no significant changes occurred to toxic organics mgt plan.Analytical rept encl.
SHELTON,D.C. Centerior Energy. 96/04/02. Ohio, State of. 1p. 87803:230-87803:261.

--9604080185 "Analytical Rept."
TIZZANO,D., NIELSEN,D. Affiliation Not Assigned. 95/08/08. 32pp. 87803:231-87803:261.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

F. Security, medical, emergency & fire protection plans

9604030352 Rev 11 to "OH Plan for Response to Radiation Emergencies at Licensed Nuclear Facilities."
SHIPLEY,D.W. Ohio, State of. 96/01/31. 185pp. 87756:001-87757:185.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160237 NPDES monthly rept forms for month of Mar 1996.W/960413 ltr.
TIZZANO,D.G., SHELTON,D.C. Centerior Energy. 96/03/31. 5pp. 87894:306-87894:310.

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010433 Change 1 to Rev 27 to Emergency Response (ER) Manual Procedure ER 1.2, "Emergency Plan Activation." W/960328 ltr.
BAER,J.W., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/03/28. 42pp. 87718:306-87718:347.

9604090179 Forwards insp rept 50-443/96-80 on 960205-16.No violations noted.Weaknesses re effectiveness of plant sys walkdowns to confirm present conditions including status of deficient conditions & deficiency tags.
COOPER,R.W. Region 1 (Post 820201). 96/04/03. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87793:138-87793:199.

--9604090204 Insp rept 50-443/96-80 on 960205-16.No violations noted. Major areas inspected:safety assessment/CA,operations, engineering,maint & plant support including radiation controls,security & emergency preparedness.
ROGGE,J.F. Region 1 (Post 820201). 96/04/01. 59pp. 87793:141-87793:199.

9604230062 Informs that util has implemented Rev 20 to plant Physical Security Plan & Rev 8 to Safeguards Contingency Plan.Encl withheld.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/04/17. Document Control Branch (Document Control Desk). 2pp. 88002:339-88002:340.

G. Adjudicatory correspondence

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

--9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

H. General correspondence

9604230144 Submits suggestions re revoking Northeast Utilities NPP operating license.
LEE,M.H. Affiliation Not Assigned. 96/03/06. DEMBEK,S. NRC - No Detailed Affiliation Given. 1p. 87971:345-87971:345.

J. Insurance & Indemnity Information

9604290278 Forwards nuclear liability insurance policies for Seabrook Station.
DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/03/01. RUSSELL,W.T. . 8pp. 88033:348-88033:355.

P. Operating license stage documents & correspondence

9604250198 Discusses concerns re recent safety violations at plant & how violations reflect systematic disregard by licensee of NRC regulations.Questions why NRC cannot force licensee to "fix" problems.
SILVESTRI,S. Affiliation Not Assigned. 96/02/27. NRC - No Detailed Affiliation Given. 2pp. 88002:341-88002:342.

9604020361 Requests approval to use Code Case N-546,as alternative to ASME Code Section XI for plants & that NRC revise SER of 951207,in support of Millstone Unit 1 request to use Code Case N-547.
DACIMO,F.R. Connecticut Yankee Atomic Power Co. 96/03/20. Document Control Branch (Document Control Desk). 4pp. 87712:346-87712:349.

9604010425 Forwards Rept YAEC 1931 entitled, "Seabrook Station Fixed Incore Detector Sys Extended Operation."
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87718:271-87718:305.

-9604010430 "Seabrook Station Fixed Incore Detector Sys Extended Operations."
GORSKI,J.P., CACCIAPOUTI,R., CHAPMAN,J.R. Yankee Atomic Electric Co. YAEC 1931. 96/02/29. 34pp. 87718:273-87718:305.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150404 Responds to 960313 press release re containment ventilation release at plant.States release monitored & controled IAW NRC regulations & had no public health or safety consequence.
MARTIN,T.T. Region 1 (Post 820201). 96/04/08. GAVUTIS,S. Affiliation Not Assigned. 4pp. 87872:198-87872:201.

9604160019 Forwards Rev 2 to RE-21, "Cycle 5 COLR."
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87893:341-87893:359.

-9604160050 "Cycle 5 COLR."
* North Atlantic Energy Service Corp. (NAESCO). RE-21 R02. 96/03/28. 17pp. 87893:343-87893:359.

9604220185 Responds to GL 96-01, "Testing of SR Logic Circuits."
DACIMO,F.R. Northeast Nuclear Energy Co. 96/04/16. Document Control Branch (Document Control Desk). 5pp. 87962:356-87962:360.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090179 Forwards insp rept 50-443/96-80 on 960205-16.No violations noted.Weaknesses re effectiveness of plant sys walkdowns to confirm present conditions including status of deficient conditions & deficiency tags.
COOPER,R.W. Region 1 (Post 820201). 96/04/03. FEIGENBAUM,T.C. Northeast Nuclear Energy Co. 3pp. 87793:138-87793:199.

-9604090204 Insp rept 50-443/96-80 on 960205-16.No violations noted. Major areas inspected:safety assessment/CA,operations, engineering,maint & plant support including radiation controls,security & emergency preparedness.
ROGGE,J.F. Region 1 (Post 820201). 96/04/01. 59pp. 87793:141-87793:199.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150164 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. North Atlantic Energy Service Corp. (NAESCO). 96/04/08. Document Control Branch (Document Control Desk). 36pp. 87888:285-87888:320.

9604110185 Notification of licensee meeting 96-32 w/util on 960422 to discuss results of Integrated Performance Assessment Process Inspection as documented in Insp Rept 50-443/96-80.Meeting will be held in Portsmouth,NH.
ROGGE,J.F. Region 1 (Post 820201). 96/04/09. Region 1 (Post 820201). 4pp. 87850:050-87850:053.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604260182 "Seabrook Station Annual Radiological Environ Operating Rept for 1995." W/960422 ltr.
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 95/12/31. 218pp. 88019:121-88019:338.

9604160123 Monthly operating rept for Mar 1996 for Seabrook Station unit 1.W/960412 ltr.
NARDONE,P.E., DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). 96/03/31. 5pp. 87891:331-87891:335.

T. Hearing transcripts on non-antitrust matters

9604230318 Forwards 960408 transcript of informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
DEMBEK,S. . 96/04/18. . 1p. 87972:001-87972:201.

-9604230323 Transcript of 960408 informal public hearing on 10CFR2.206 petition of G Galatis & We The People,Inc.
* NRC - No Detailed Affiliation Given. 96/04/08. 201pp. 87972:002-87972:201.

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A. Application/construction stage documents & correspondence

9604250198 Discusses concerns re recent safety violations at plant & how violations reflect systematic disregard by licensee of NRC regulations.Questions why NRC cannot force licensee to "fix" problems.
SILVESTRI,S. Affiliation Not Assigned. 96/02/27. NRC - No Detailed Affiliation Given. 2pp. 88002:341-88002:342.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150404 Responds to 960313 press release re containment ventilation release at plant.States release monitored & controled IAW NRC regulations & had no public health or safety consequence.
MARTIN,T.T. Region 1 (Post 820201). 96/04/08. GAVUTIS,S. Affiliation Not Assigned. 4pp. 87872:198-87872:201.

H. General correspondence

9604230144 Submits suggestions re revoking Northeast Utilities NPP operating license.
LEE,M.H. Affiliation Not Assigned. 96/03/06. DEMBEK,S. NRC - No Detailed Affiliation Given. 1p. 87971:345-87971:345.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9510250295 Forwards CPSES emergency preparedness exercise scenario manual for 951206 graded exercise.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/10/18. Document Control Branch (Document Control Desk). 1p. 87759:182-87759:261.

--9604040115 "Comanche Peak Steam Electric Station 1995 Field Exercise Narrative Summary."
* Texas Utilities Electric Co. (TU Electric). 95/12/06. 79pp. 87759:183-87759:261.

9604090433 Responds to 940926 ltr which requested action be taken re plant,Unit 1 fire barriers & ltr be treated as Petition per Section 2.206 of 10CFR.Info as bases for requests,listed.
RUSSELL,W. . 96/04/03. GUNTER,P. Nuclear Information & Resource Service. BRINK,B. Citizens for Fair Utility Regulation. 5pp. 87809:253-87809:302.

--9604090439 Directors Decision DD-96-03 requesting NRC order immediate shutdown of all reactors using Thermo-Lag & suspension of listed plants,Units 1 & 2 operating licenses.Requests for action,per 10CFR2.206,denied.
RUSSELL,W.T. . 96/04/03. 42pp. 87809:258-87809:299.

--9604090448 Notice given that Director of NRR has acted on Petitions for action under 10CFR2.206 received by 940926 ltr.Requests should be denied for reason stated in "Director's Decision Under 10CFR2.206," (DD-96-03).
RUSSELL,W.T. . 96/04/03. 3pp. 87809:300-87809:302.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604170005 Forwards rev 26 to physical security plan.Encl withheld per 10CFR73.21.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87897:359-87897:360.

9604190013 Ack receipt of 960219 ltr which transmitted Rev 25 to Comanche Peak Steam Electric Station Physical Security Plan.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. TERRY,C.L. Texas Utilities Co. 4pp. 87920:338-87920:341.

G. Adjudicatory correspondence

9604090433 Responds to 940926 ltr which requested action be taken re plant,Unit 1 fire barriers & ltr be treated as Petition per Section 2.206 of 10CFR.Info as bases for requests,listed.
RUSSELL,W. . 96/04/03. GUNTER,P. Nuclear Information & Resource Service. BRINK,B. Citizens for Fair Utility Regulation. 5pp. 87809:253-87809:302.

--9604090439 Directors Decision DD-96-03 requesting NRC order immediate shutdown of all reactors using Thermo-Lag & suspension of listed plants,Units 1 & 2 operating licenses.Requests for action,per 10CFR2.206,denied.
RUSSELL,W.T. . 96/04/03. 42pp. 87809:258-87809:299.

--9604090448 Notice given that Director of NRR has acted on Petitions for action under 10CFR2.206 received by 940926 ltr.Requests should be denied for reason stated in "Director's Decision Under 10CFR2.206," (DD-96-03).
RUSSELL,W.T. . 96/04/03. 3pp. 87809:300-87809:302.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity Information

9604020141 Submits summary rept of level & source of onsite property damage insurance coverage for plant as of 960401.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87725:237-87725:238.

P. Operating license stage documents & correspondence

9604030221 Forwards amends 49 & 35 to license NPF-87 & NPF-89, respectively & SE.Amends revise core safety limit curves & revised N-16 Overtemperature reactor trip setpoints.
POLICH,T.J. . 96/04/01. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 87737:137-87737:168.

--9604030228 Amends 49 & 35 to licenses NPF-87 & NPF-89,respectively, revising core safety limit curves & revised Overtemperature reactor trip setpoints.
POLICH,T.J. . 96/04/01. 16pp. 87737:140-87737:160.

--9604030231 Safety evaluation supporting amends 49 & 35 to license NPF-87 & NPF-89,respectively.
* . 96/04/01. 8pp. 87737:161-87737:168.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120318 Reissues two corrected pages for amends 49 & 39 to licenses NPF-87 & NPF-89 & TS page 2-9 which contained typo re incorrect number of previous amend on bottom of page. Corrections encl.
POLICH,T.J. . 96/04/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 87877:288-87877:294.

--9604120322 Errata to amends 49 & 35 to licenses NPF-87 & NPF-89,adding missing numbers from signed amend pages & correcting typo in TS page 2-9.
POLICH,T.J. . 96/04/11. 4pp. 87877:290-87877:294.

9604170017 Forwards draft advance FSAR submittal to facilitate NRC staff review re relocation of portions of administrative section 6.0 of TS to QA plan.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/11. Document Control Branch (Document Control Desk). 22pp. 87949:007-87949:028.

9604160421 Notification of 960425 & 26 meetings w/util in Glen Rose,TX to discuss risk-based IST exemption request dtd 951127,staff request for addl info re exemption request & related topics.
POLICH,T.J. . 96/04/12. BECKNER,W.D. . 4pp. 87899:210-87899:213.

9604240180 Forwards response to GL 96-01, "Testing of Safety-Related Logic Circuits."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/17. Document Control Branch (Document Control Desk). 6pp. 88016:302-88016:307.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080147 Discusses plant performance review completed on 960312. Advises licensee of planned insp effort resulting from subj review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 87752:114-87752:118.

9604080182 Forwards response to NRC 960304 ltr re violations noted in insp rept 50-445/96-02 on 960117-30.Corrective actions:cited procedure including steps to address conditions previously not considered.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/03. Document Control Branch (Document Control Desk). 4pp. 87803:342-87803:345.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110073 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/08. Document Control Branch (Document Control Desk). 14pp. 87856:152-87856:165.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604260126 Ack receipt of 960403 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-02 & 50-446/96-02.
DYER,J.E. Region 4 (Post 820201). 96/04/22. TERRY,C.L. Texas Utilities Co. 4pp. 88004:001-88004:008.

-9604260129 Responds to NRC 960304 ltr re violations noted in insp rept 50-445/96-02 on 960117-30.Corrective actions:applicable procedures have been revised to include steps which address conditions that were previously not considered.
TERRYC.L. Texas Utilities Co. 96/04/03. Document Control Branch (Document Control Desk). 4pp. 88004:005-88004:008.

9604250409 Insp repts 50-445/96-03 & 50-446/96-03,cancelled.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 87996:358-87996:361.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190089 Monthly operating repts for March 1996 for CPSES.W/960415 ltr.
REIBLE,B., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/03/31. 9pp. 87951:344-87951:352.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604300205 LER 96-004-00:on 960326,potential failure of personnel airlock control sys for units was discovered.Caused by failure to consider all design & licensing interfaces in design validation.Completed procedure changes.W/960425 ltr.
AMIN,J., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/25. 6pp. 88066:056-88066:061.

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9510250295 Forwards CPSES emergency preparedness exercise scenario manual for 951206 graded exercise.
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 95/10/18. Document Control Branch (Document Control Desk). 1p. 87759:182-87759:261.

-9604040115 "Comanche Peak Steam Electric Station 1995 Field Exercise Narrative Summary."
* Texas Utilities Electric Co. (TU Electric). 95/12/06. 79pp. 87759:183-87759:261.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604170005 Forwards rev 26 to physical security plan.Encl withheld per 10CFR73.21.
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87897:359-87897:360.

9604190013 Ack receipt of 960219 ltr which transmitted Rev 25 to Comanche Peak Steam Electric Station Physical Security Plan.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. TERRY,C.L. Texas Utilities Co. 4pp. 87920:338-87920:341.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & indemnity information

9604020141 Submits summary rept of level & source of onsite property damage insurance coverage for plant as of 960401.
MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87725:237-87725:238.

P. Operating license stage documents & correspondence

9604020145 Forwards "CPSES Unit 2,Cycle 3 COLR."
TERRY,C.L., WALKER,R.D. Texas Utilities Electric Co. (TU Electric). 96/03/28. Document Control Branch (Document Control Desk). 1p. 87725:057-87725:073.

-9604020149 "CPSES Unit 2 Cycle 3 COLR."
MAIER,S.M., CHOE,W.G., KILLGROVE,M.R. Texas Utilities Electric Co. (TU Electric). RXE-96-001 R00. 96/03/28. 16pp. 87725:058-87725:073.

9604030221 Forwards amends 49 & 35 to license NPF-87 & NPF-89, respectively & SE.Amends revise core safety limit curves & revised N-16 Overtemperature reactor trip setpoints.
POLICH,T.J. . 96/04/01. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 3pp. 87737:137-87737:168.

-9604030228 Amends 49 & 35 to licenses NPF-87 & NPF-89,respectively, revising core safety limit curves & revised Overtemperature reactor trip setpoints.
POLICH,T.J. . 96/04/01. 16pp. 87737:140-87737:160.

-9604030231 Safety evaluation supporting amends 49 & 35 to license NPF-87 & NPF-89,respectively.
* . 96/04/01. 8pp. 87737:161-87737:168.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120318 Reissues two corrected pages for amends 49 & 39 to licenses NPF-87 & NPF-89 & TS page 2-9 which contained typo re incorrect number of previous amend on bottom of page. Corrections encl.
POLICH,T.J. . 96/04/11. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 87877:288-87877:294.

-9604120322 Errata to amends 49 & 35 to licenses NPF-87 & NPF-89,adding missing numbers from signed amend pages & correcting typo in TS page 2-9.
POLICH,T.J. . 96/04/11. 4pp. 87877:290-87877:294.

9604170017 Forwards draft advance FSAR submittal to facilitate NRC staff review re relocation of portions of administrative section 6.0 of TS to QA plan.
WOODLAN,D.R., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/11. Document Control Branch (Document Control Desk). 22pp. 87949:007-87949:028.

9604160421 Notification of 960425 & 26 meetings w/util in Glen Rose,TX to discuss risk-based IST exemption request dtd 951127,staff request for addl info re exemption request & related topics.
POLICH,T.J. . 96/04/12. BECKNER,W.D. . 4pp. 87899:210-87899:213.

9604240180 Forwards response to GL 96-01, "Testing of Safety-Related Logic Circuits."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/17. Document Control Branch (Document Control Desk). 6pp. 88016:302-88016:307.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080147 Discusses plant performance review completed on 960312. Advises licensee of planned insp effort resulting from subj review & forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 5pp. 87752:114-87752:118.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604110073 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems."
TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/08. Document Control Branch (Document Control Desk). 14pp. 87856:152-87856:165.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220338 Forwards Interim Change Request ISI-2R0-006 of CPSES Unit 2 ISI program plan.
TERRY,C.L., MARSHALL,J.S. Texas Utilities Electric Co. (TU Electric). 96/04/16. Document Control Branch (Document Control Desk). 173pp. 87991:132-87991:304.

9604190328 Forwards Rev 1 of "CPSES ASME ISI Program Plan Unit 2," including items such as rescheduled exams & updated drawings.Relief requests included in App A approved by NRC & in ISI program plan for info only.
TERRY,C.L., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/04/17. Document Control Branch (Document Control Desk). 2pp. 87987:001-87988:257.

-9604190331 Rev 1 of "CPSES ASME XI ISI Program Plan Unit 2."
MAYS,R.B. Texas Utilities Electric Co. (TU Electric). 96/02/09. 619pp. 87987:003-87988:257.

9604240317 Forwards Rev 1 to Interim Change Request ISI-2, "CPSES Unit 2 ASME Section XI ISI Program Plan."
WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88016:167-88016:177.

-9604240321 Rev 1 to Interim Change Request ISI-2, "CPSES Unit 2 ASME Section XI ISI Program Plan."
MAYS,R.B. Texas Utilities Electric Co. (TU Electric). 96/04/02. 5pp. 88016:169-88016:177.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604260126 Ack receipt of 960403 ltr informing NRC of steps taken to correct violations noted in insp repts 50-445/96-02 & 50-446/96-02.
DYER,J.E. Region 4 (Post 820201). 96/04/22. TERRY,C.L. Texas Utilities Co. 4pp. 88004:001-88004:008.

9604250409 Insp repts 50-445/96-03 & 50-446/96-03,cancelled.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 4pp. 87996:358-87996:361.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604190089 Monthly operating repts for March 1996 for CPSES.W/960415 ltr.
REIBLE,B., WOODLAN,D.R. Texas Utilities Electric Co. (TU Electric). 96/03/31. 9pp. 87951:344-87951:352.

S. Reportable occurrences, LERs & related correspondence

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604290345 LER 96-004-00:on 960328,electrical maint personnel inadvertently opened energized fuse drawer.Caused by personnel error.Util established task team to investigate personnel errors w/respect to event.W/960422 ltr.
KROSS,D.C., TERRY,C.L. Texas Utilities Electric Co. (TU Electric). 96/04/22. 6pp. 88046:019-88046:024.

DOCKET STN-50-454 BYRON STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604090089 Revised EPIPs,including EPIP index,Rev 14 to EPIP BZP 310-A, "Assembly & Evacuation of Personnel," Rev 44 to EPIP 600-A1, "Prioritized Call Listing for Staff Augmentation Purposes" & Rev 40 to EPIP BZP 600-A4, "Byron Station Group...."
* Commonwealth Edison Co. 96/03/28. 31pp. 87826:283-87826:313.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604010355 Responds to NRC RAI re Individual Plant Examination per GL 88-20.
HOSMER,J.B. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 3pp. 87713:358-87713:360.

9604020214 Forwards addl proposed changes for 10CFR50,App J,option B to suppl 951206 application,per 960327 telcon w/NRC.
LESNIAK,M.T. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87710:308-87710:319.

-9604020218 Proposed tech specs SR 4.6.1.2,reflecting exception to min 24 month interval between Type A tests specified in Section 9.2.3 of NEI 94-01,using nominal 18 month interval instead, to correspond w/plants refueling interval.
* Commonwealth Edison Co. 96/03/28. 5pp. 87710:315-87710:319.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080075 Forwards correct mark up of TS page 3/4 5-2 re application for amend to App A,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:284-87817:286.

-9604080079 Proposed TS Page 3/4 5-2 re GL 93-05 line item improvements.
* Commonwealth Edison Co. 96/04/02. 1p. 87817:285-87817:286.

9604090227 Submits addl info re application for amend to licenses for SG tube sleeves.
SACCOMANDO,D.M. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87819:358-87819:359.

9604100171 Forwards amends 81,81,73 & 73 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively,notice & SE.Amends modify TS to replace existing scheduling requirements for containment leakage rate testing.
ASSA,R.R. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87835:288-87835:329.

-9604100174 Amends 81 to licenses NPF-37 & NPF-66,revising TS to replace existing scheduling requirements for overall integrated & local containment leakage rate testing w/requirement to perform testing IAW 10CFR50,App J,Option B.
DICK,G.F. . 96/04/04. 15pp. 87835:292-87835:306.

–9604110277 Amends 73 to licenses NPF-72 & NPF-77,revising TS to replace existing scheduling requirements for overall integrated & local containment leakage rate testing w/requirement to perform testing IAW 10CFR50,App J,Option B.
ASSA,R.R. . 96/04/04. 15pp. 87835:307-87835:321.

–9604100175 Notice of partial denial of amend to licenses NPF-37,NPF-62, NPF-72 & NPF-77 & opportunity for hearing.Denial pertains to request to revise TS re testing of valves w/resilient seal matl.
ASSA,R.R. . 96/04/04. 3pp. 87835:322-87835:324.

–9604100176 Safety evaluation supporting amends 81,81,73 & 73 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/04. 5pp. 87835:325-87835:329.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150407 Forwards rev to insert B,previously transmitted,per ltr to NRC dtd 950517 re C-E sleeves.
SACCOMANDO,D. Commonwealth Edison Co. 96/04/09. . 2pp. 87894:056-87894:057.

9604160335 Forwards amends 82,82,74 & 74 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 & SE.Amends revise TSs for Byron Station & Braidwood Station to implement ten of line item TS improvements included in GL 93-05.
DICK,G.F. . 96/04/10. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87894:063-87894:110.

–9604160340 Amends 82 & 82 to licenses NPF-37 & NPF-66,respectively, revising TSs for plant to implement ten of line item TS improvements included in GL 93-05, "Line-Item TSs Improvements to Reduce Surveillance Requirements...."
DICK,G.F. . 96/04/10. 17pp. 87894:067-87894:083.

–9604160347 Amends 74 & 74 to licenses NPF-72 & NPF-77,respectively, revising TSs for plant to implement ten of line item TS improvements included in GL 93-05, "Line Item TSs Improvements to Reduce Surveillance Requirements...."
ASSA,R.R. . 96/04/10. 17pp. 87894:084-87894:100.

–9604160350 Safety evaluation supporting amends 82,82,74 & 74 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/10. 10pp. 87894:101-87894:110.

9604160229 Forwards amends 83,83,75 &75 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends revise TS to permit SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87890:078-87890:113.

–9604160250 Amends 83,83,72 & 77 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re permitting SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. 24pp. 87890:081-87890:104.

–9604160257 Safety evaluation supporting amends 83,83,72 & 75 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/12. 9pp. 87890:105-87890:113.

9604160397 Forwards correction to amends 81 to licenses NPF-37 & NPF-66,respectively & amends 73 to licenses NFP-72 & 77, respectively,correcting inaccuracies on TS pages 1-3 & 3/4 6-12 & in notice of partial denial of amends to OLs.
DICK,G.F. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87913:245-87913:252.

–9604180409 Corrected amends 81 to licenses NPF-37 & NPF-66, respectively.
* . 96/04/16. 2pp. 87913:248-87913:249.

–9604180412 Corrected amends 73 to licenses NPF-72 & NPF-77, respectively.
* . 96/04/16. 2pp. 87913:250-87913:251.

–9604180420 Correction to notice of partial denial of amends to OLs & opportunity for hearing,correcting page 15,983 first paragraph to reflect that licenses should have read NPF-37, NPF-66,NPF-72 & NPF-77.
DICK,G.F. . 96/04/16. 1p. 87913:252-87913:252.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604290207 Informs NRC that plant invoking ASME Section XI code case that has been found acceptable to NRC for implementation in ISI of light-water-cooled NPPs documented in NRC RG 1.147, Rev 11.
LESNIAK,M. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88057:279-88057:279.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604010136 Forwards insp repts 50-454/95-13 & 50-455/95-13 on 951228- 960222 & NOV.
MILLER,L.F. Region 3 (Post 820201). 96/03/20. GRAESSER,K. Commonwealth Edison Co. 3pp. 87684:274-87684:302.

–9604010142 Notice of violation from insp on 951228-960222.Violation noted:plant procedures (BOP AB-6 through 10) for restoration of boric acid sys not of type appropriate to ensure operation of boric acid after sys completed maint period.
* Region 3 (Post 820201). 96/03/20. 2pp. 87684:277-87684:278.

–9604010153 Insp repts 50-454/95-13 & 50-455/95-13 on 951228-960222. Violations noted,Major areas inspected:operations, engineering,maint,plant support,SA & QV,licensee strick contingency plan & onsite security.
MILLER,L.F. Region 3 (Post 820201). 96/03/20. 24pp. 87684:279-87684:302.

9604170151 Provides suppl response to NRC RAI re ampacity derating analysis.Procedure ESA 105 encl.Procedure ESA 105 withheld.
SACCOMANDO,D. Commonwealth Edison Co. 96/03/21. . 69pp. 87956:193-87956:261.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010123 Discusses 960307 NRC Region III semiannual PPR of Byron Nuclear Generating Plant.Advises of planned insp effort resulting from PPR review.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. GRAESSER,K. Commonwealth Edison Co. 3pp. 87684:271-87684:273.

9604030244 Proposes to revise Byron & Braidwood plants ISI requirements by requesting exemption from inservice UT requirements specified in ASME Section XI,IWB-2500 per 10CFR50.55a(g) (iv).
LESNIAK,M. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 22pp. 87755:328-87755:349.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604180471 Ack receipt of 960315 ltr in response to NRC 940929 ltr transmitting Notice of Violation associated w/repts 50-454/94-02 & 50-455/94-02.
MILLER,L.F. Region 3 (Post 820201). 96/04/02. STATION,B. Commonwealth Edison Co. 2pp. 87919:232-87919:233.

9604040145 Requests addl info re second 10-yr ISI program & associated relief requests 12R-11 & 12R-12 be completed by 960701.Addl 12R-12) be completed by 960701.
FARRAR,D.L. Commonwealth Edison Co. 96/04/03. DICK,G.F. . 3pp. 87746:187-87746:189.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604170102 Ack receipt of 951122 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-08 & 50-455/95-08.
MILLER,L.F. Region 3 (Post 820201). 96/04/06. GRAESSER,K. Commonwealth Edison Co. 2pp. 87895:283-87895:284.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160364 Ack receipt of 960228 ltr responding to 960129 ltr & NOV. Approved corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87887:201-87887:202.

9604160369 Ack receipt of 960105 ltr responding to 951207 ltr & NOV. Approved corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87887:203-87887:204.

9604180192 Ack receipt of 951023 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-07 & 50-455/95-07.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87905:057-87905:058.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180248 Forwards RAI re ISI Relief Request NR-19,submitted on 960328 for relief from requirements to inspect pressurizer nozzle welds.
DICK,G.F. . 96/04/17. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87912:346-87912:349.

9604230095 Forwards response to violations noted in Insp Repts 50-454/95-13 & 50-455/95-13.Corrective actions:new operating procedure,BOP AB-17, "Aligning Boric Acid Transfer Pumps," written.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 88000:354-88000:358.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290090 Responds to NRC 960417 RAI re relief from ISI program requirements for pressurizer surger nozzle-to-vessel weld & pressurizer surge nozzle inner radius section.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88057:142-88057:145.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300106 "Byron Station Annual Radiological Environ Operating Rept for 1995." W/ 960426 ltr.
KOFRON,K.L. Commonwealth Edison Co. 95/12/31. 213pp. 88062:001-88062:214.

9604030233 Forwards 10CFR50.59 annual rept.Rept being provided for CY95 & consisting of descriptions & safety evaluation summaries for changes to facility as described in SAR.
KOFRON,K.L. Commonwealth Edison Co. 96/03/27. . 25pp. 87735:330-87735:354.

9604160401 Monthly operating repts for Mar 1996 for Byron Nuclear Power Station.W/ 960408 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/03/31. 14pp. 87916:343-87916:356.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

-9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604150197 PNO-III-94-082:on 941019,two employees sprayed by sulfuric acid when PVC valve manifold near tank apparently broke.One person w/burns over 40% of body & requiring hospitalization at burn ctr.Licensee actions being monitored by Region.
LANDSMAN,R.B., MARTIN,T.O. Region 3 (Post 820201). 94/10/20. 1p. 87872:001-87872:001.

9604050006 LER 95-008-01:on 951109,inadequate test for compliance with LLRT.Caused by a procedure that did not adequately identify that plugs were removed.C/A:procedure revision initiated and maint foreman counseled.W/960328 ltr.
DEAN,W.J., KOFRON,K.L. Commonwealth Edison Co. 96/03/28. 5pp. 87807:170-87807:174.

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604190181 LER 96-001-00:on 960313,determined that unrecognized change in sys flow resulted in operation outside TS allowed limit due to ineffective C/A that followed 960125 event.Throttled 1CV8369A,B,C & D seal injection water FCVs.W/960410 ltr.
JACOBSEN,B., KOFRON,K.L. Commonwealth Edison Co. 96/04/10. 7pp. 87960:308-87960:314.

9604250450 LER 96-002-00:on 960321,containment spray additive flowed outside TS required range.Caused by incorrect testing methodology specified in procedure.C/ A:revised methodology test performed.W/960416 ltr.
HORN,J., KOFRON,K.L. Commonwealth Edison Co. 96/04/16. 6pp. 88031:078-88031:083.

V. Operator Examinations

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

DOCKET STN-50-455 BYRON STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604090089 Revised EPIPs,including EPIP index,Rev 14 to EPIP BZP 310-A, "Assembly & Evacuation of Personnel," Rev 44 to EPIP 600-A1, "Prioritized Call Listing for Staff Augmentation Purposes" & Rev 40 to EPIP BZP 600-A4, "Byron Station Group...."
* Commonwealth Edison Co. 96/03/28. 31pp. 87826:283-87826:313.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604010355 Responds to NRC RAI re Individual Plant Examination per GL 88-20.
HOSMER,J.B. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 3pp. 87713:358-87713:360.

9604020214 Forwards addl proposed changes for 10CFR50,App J,option B to suppl 951206 application,per 960327 telcon w/NRC.
LESNIAK,M.T. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87710:308-87710:319.

-9604020218 Proposed tech specs SR 4.6.1.2,reflecting exception to min 24 month interval between Type A tests specified in Section 9.2.3 of NEI 94-01,using nominal 18 month interval instead, to correspond w/plants refueling interval.
* Commonwealth Edison Co. 96/03/28. 5pp. 87710:315-87710:319.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080075 Forwards correct mark up of TS page 3/4 5-2 re application for amend to App A,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:284-87817:286.

-9604080079 Proposed TS Page 3/4 5-2 re GL 93-05 line item improvements.
* Commonwealth Edison Co. 96/04/02. 1p. 87817:286-87817:286.

9604090227 Submits addl info re application for amend to licenses for SG tube sleeves.
SACCOMANDO,D.M. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87819:358-87819:359.

9604100171 Forwards amends 81,81,73 & 73 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively,notice & SE.Amends modify TS to replace existing scheduling requirements for containment leakage rate testing.
ASSA,R.R. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87835:288-87835:329.

-9604100174 Amends 81 to licenses NPF-37 & NPF-66,revising TS to replace existing scheduling requirements for overall integrated & local containment leakage rate testing w/requirement to perform testing IAW 10CFR50,App J,Option B.
DICK,G.F. . 96/04/04. 15pp. 87835:292-87835:306.

-9604100175 Notice of partial denial of amend to licenses NPF-37,NPF-62, NPF-72 & NPF-77 & opportunity for hearing.Denial pertains to request to revise TS re testing of valves w/resilient seal matl.
ASSA,R.R. . 96/04/04. 3pp. 87835:322-87835:324.

-9604100176 Safety evaluation supporting amends 81,81,73 & 73 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/04. 5pp. 87835:325-87835:329.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150407 Forwards rev to insert B,previously transmitted,per ltr to NRC dtd 950517 re C-E sleeves.
SACCOMANDO,D. Commonwealth Edison Co. 96/04/09. . 2pp. 87894:056-87894:057.

9604160335 Forwards amends 82,82,74 & 74 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 & SE.Amends revise TSs for Byron Station & Braidwood Station to implement ten of line item TS improvements included in GL 93-05.
DICK,G.F. . 96/04/10. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87894:063-87894:110.

--9604160340 Amends 82 & 82 to licenses NPF-37 & NPF-66,respectively, revising TSs for plant to implement ten of line item TS improvements included in GL 93-05, "Line-Item TSs Improvements to Reduce Surveillance Requirements...."
DICK,G.F. . 96/04/10. 17pp. 87894:067-87894:083.

--9604160350 Safety evaluation supporting amends 82,82,74 & 74 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/10. 10pp. 87894:101-87894:110.

9604160229 Forwards amends 83,83,75 &75 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends revise TS to permit SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87890:078-87890:113.

--9604160250 Amends 83,83,72 & 77 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re permitting SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. 24pp. 87890:081-87890:104.

--9604160257 Safety evaluation supporting amends 83,83,72 & 75 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/12. 9pp. 87890:105-87890:113.

9604180397 Forwards correction to amends 81 to licenses NPF-37 & NPF-66,respectively & amends 73 to licenses NFP-72 & 77, respectively,correcting inaccuracies on TS pages 1-3 & 3/4 6-12 & in notice of partial denial of amends to OLs.
DICK,G.F. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87913:245-87913:252.

--9604180409 Corrected amends 81 to licenses NPF-37 & NPF-66, respectively.
* . 96/04/16. 2pp. 87913:248-87913:249.

--9604180420 Correction to notice of partial denial of amends to OLs & opportunity for hearing,correcting page 15,983 first paragraph to reflect that licenses should have read NPF-37, NPF-66,NPF-72 & NPF-77.
DICK,G.F. . 96/04/16. 1p. 87913:252-87913:252.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604290207 Informs NRC that plant invoking ASME Section XI code case that has been found acceptable to NRC for implementation in ISI of light-water-cooled NPPs documented in NRC RG 1.147, Rev 11.
LESNIAK,M. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88057:279-88057:279.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604010136 Forwards insp repts 50-454/95-13 & 50-455/95-13 on 951228- 960222 & NOV.
MILLER,L.F. Region 3 (Post 820201). 96/03/20. GRAESSER,K. Commonwealth Edison Co. 3pp. 87684:274-87684:302.

--9604010142 Notice of violation from insp on 951228-960222.Violation noted:plant procedures (BOP AB-6 through 10) for restoration of boric acid sys not of type appropriate to ensure operation of boric acid after sys completed maint period.
* Region 3 (Post 820201). 96/03/20. 2pp. 87684:277-87684:278.

--9604010153 Insp repts 50-454/95-13 & 50-455/95-13 on 951228-960222. Violations noted.Major areas inspected:operations, engineering,maint,plant support,SA & QV,licensee strick contingency plan & onsite security.
MILLER,L.F. Region 3 (Post 820201). 96/03/20. 24pp. 87684:279-87684:302.

9604170151 Provides suppl response to NRC RAI re ampacity derating analysis.Procedure ESA 105 encl.Procedure ESA 105 withheld.
SACCOMANDO,D. Commonwealth Edison Co. 96/03/21. . 69pp. 87956:193-87956:261.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010123 Discusses 960307 NRC Region III semiannual PPR of Byron Nuclear Generating Plant.Advises of planned insp effort resulting from PPR review.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. GRAESSER,K. Commonwealth Edison Co. 3pp. 87684:271-87684:273.

9604030244 Proposes to revise Byron & Braidwood plants ISI requirements by requesting exemption from inservice UT requirements specified in ASME Section XI,IWB-2500 per 10CFR50.55a(g) (iv).
LESNIAK,M. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 22pp. 87755:328-87755:349.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604180471 Ack receipt of 960315 ltr in response to NRC 940929 ltr transmitting Notice of Violation associated w/repts 50-454/94-02 & 50-455/94-02.
MILLER,L.F. Region 3 (Post 820201). 96/04/02. STATION,B. Commonwealth Edison Co. 2pp. 87919:232-87919:233.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604170102 Ack receipt of 951122 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-08 & 50-455/95-08.
MILLER,L.F. Region 3 (Post 820201). 96/04/06. GRAESSER,K. Commonwealth Edison Co. 2pp. 87895:283-87895:284.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729): 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160364 Ack receipt of 960228 ltr responding to 960129 ltr & NOV. Approved corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87887:201-87887:202.

9604160369 Ack receipt of 960105 ltr responding to 951207 ltr & NOV. Approved corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87887:203-87887:204.

9604180192 Ack receipt of 951023 ltr informing NRC of steps taken to correct violations noted in insp repts 50-454/95-07 & 50-455/95-07.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. GRAESSER,K. Commonwealth Edison Co. 2pp. 87905:057-87905:058.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180248 Forwards RAI re ISI Relief Request NR-19,submitted on 960328 for relief from requirements to inspect pressurizer nozzle welds.
DICK,G.F. . 96/04/17. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87912:346-87912:349.

9604230095 Forwards response to violations noted in Insp Repts 50-454/95-13 & 50-455/95-13.Corrective actions:new operating procedure,BOP AB-17, "Aligning Boric Acid Transfer Pumps," written.
GRAESSER,K.L. Commonwealth Edison Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 88000:354-88000:358.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290090 Responds to NRC 960417 RAI re relief from ISI program requirements for pressurizer surger nozzle-to-vessel weld & pressurizer surge nozzle inner radius section.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88057:142-88057:145.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300106 "Byron Station Annual Radiological Environ Operating Rept for 1995." W/ 960426 ltr.
KOFRON,K.L. Commonwealth Edison Co. 95/12/31. 213pp. 88062:001-88062:214.

9604030233 Forwards 10CFR50.59 annual rept.Rept being provided for CY95 & consisting of descriptions & safety evaluation summaries for changes to facility as described in SAR.
KOFRON,K.L. Commonwealth Edison Co. 96/03/27. . 25pp. 87735:330-87735:354.

9604160401 Monthly operating repts for Mar 1996 for Byron Nuclear Power Station.W/ 960408 ltr.
VOGL,J., KOFRON,K.L. Commonwealth Edison Co. 96/03/31. 14pp. 87916:343-87916:356.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604150197 PNO-III-94-082:on 941019,two employees sprayed by sulfuric acid when PVC valve manifold near tank apparently broke.One person w/burns over 40% of body & requiring hospitalization at burn ctr.Licensee actions being monitored by Region.
LANDSMAN,R.B., MARTIN,T.O. Region 3 (Post 820201). 94/10/20. 1p. 87872:001-87872:001.

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604300423 LER 96-001-00:on 960326,unplanned ESF actuation occurred. Caused by force of relay actuating & fact jumper not installed securely.Operations personnel immediately stabilized plant & re-established letdown flow.W/960423 ltr.
CHOINARD,R.F., KOFRON,K.L. Commonwealth Edison Co. 96/04/23. 5pp. 88066:221-88066:225.

V. Operator Examinations

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604300078 Rev 10 to BwZP 200-1A1, "Braidwood Station Hot Initiating Conditions."
* Commonwealth Edison Co. 96/02/22. 2pp. 88066:349-88066:350.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604010355 Responds to NRC RAI re Individual Plant Examination per GL 88-20.
HOSMER,J.B. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 3pp. 87713:358-87713:360.

9604010323 Forwards addl info re Braidwood Unit cycle length.
LESNIAK,M.T. Commonwealth Edison Co. 96/03/27. Document Control Branch (Document Control Desk). 4pp. 87719:173-87719:176.

9604020214 Forwards addl proposed changes for 10CFR50,App J,option B to suppl 951206 application,per 960327 telcon w/NRC.
LESNIAK,M.T. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87710:308-87710:319.

--9604020218 Proposed tech specs SR 4.6.1.2,reflecting exception to min 24 month interval between Type A tests specified in Section 9.2.3 of NEI 94-01,using nominal 18 month interval instead, to correspond w/plants refueling interval.
* Commonwealth Edison Co. 96/03/28. 5pp. 87710:315-87710:319.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080075 Forwards correct mark up of TS page 3/4 5-2 re application for amend to App A,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:284-87817:286.

--9604080079 Proposed TS Page 3/4 5-2 re GL 93-05 line item improvements.
* Commonwealth Edison Co. 96/04/02. 1p. 87817:286-87817:286.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604090227 Submits addl info re application for amend to licenses for SG tube sleeves.
SACCOMANDO,D.M. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87819:358-87819:359.

9604100171 Forwards amends 81,81,73 & 73 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively,notice & SE.Amends modify TS to replace existing scheduling requirements for containment leakage rate testing.
ASSA,R.R. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87835:288-87835:329.

--9604110277 Amends 73 to licenses NPF-72 & NPF-77,revising TS to replace existing scheduling requirements for overall integrated & local containment leakage rate testing w/requirement to perform testing IAW 10CFR50,App J,Option B.
ASSA,R.R. . 96/04/04. 15pp. 87835:307-87835:321.

--9604100175 Notice of partial denial of amend to licenses NPF-37,NPF-62, NPF-72 & NPF-77 & opportunity for hearing.Denial pertains to request to revise TS re testing of valves w/resilient seal matl.
ASSA,R.R. . 96/04/04. 3pp. 87835:322-87835:324.

--9604100176 Safety evaluation supporting amends 81,81,73 & 73 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/04. 5pp. 87835:325-87835:329.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110143 Provides dc battery operability assessment & action plan,as agreed during 960320 & 22 telcons.
KAUP,K.L. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 8pp. 87855:318-87855:325.

9604150407 Forwards rev to insert B,previously transmitted,per ltr to NRC dtd 950517 re C-E sleeves.
SACCOMANDO,D. Commonwealth Edison Co. 96/04/09. . 2pp. 87894:056-87894:057.

9604160335 Forwards amends 82,82,74 & 74 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 & SE.Amends revise TSs for Byron Station & Braidwood Station to implement ten of line item TS improvements included in GL 93-05.
DICK,G.F. . 96/04/10. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87894:063-87894:110.

--9604160347 Amends 74 & 74 to licenses NPF-72 & NPF-77,respectively, revising TSs for plant to implement ten of line item TS improvements included in GL 93-05, "Line Item TSs Improvements to Reduce Surveillance Requirements...."
ASSA,R.R. . 96/04/10. 17pp. 87894:084-87894:100.

--9604160350 Safety evaluation supporting amends 82,82,74 & 74 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/10. 10pp. 87894:101-87894:110.

9604160229 Forwards amends 83,83,75 &75 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends revise TS to permit SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87890:078-87890:113.

--9604160250 Amends 83,83,72 & 77 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively,revising TS re permitting SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. 24pp. 87890:081-87890:104.

--9604160257 Safety evaluation supporting amends 83,83,72 & 75 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/12. 9pp. 87890:105-87890:113.

9604180397 Forwards correction to amends 81 to licenses NPF-37 & NPF-66,respectively & amends 73 to licenses NFP-72 & 77, respectively,correcting inaccuracies on TS pages 1-3 & 3/4 6-12 & in notice of partial denial of amends to OLs.
DICK,G.F. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87913:245-87913:252.

--9604180412 Corrected amends 73 to licenses NPF-72 & NPF-77, respectively.
* . 96/04/16. 2pp. 87913:250-87913:251.

--9604180420 Correction to notice of partial denial of amends to OLs & opportunity for hearing,correcting page 15,983 first paragraph to reflect that licenses should have read NPF-37, NPF-66,NPF-72 & NPF-77.
DICK,G.F. . 96/04/16. 1p. 87913:252-87913:252.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604170151 Provides suppl response to NRC RAI re ampacity derating analysis.Procedure ESA 105 encl.Procedure ESA 105 withheld.
SACCOMANDO,D. Commonwealth Edison Co. 96/03/21. . 69pp. 87956:193-87956:261.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604030070 Advises of planned insp effort resulting from plant performance review.Forwards details of 6 month insp plan. Requests feedback on program.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. KAUP,K. Commonwealth Edison Co. 3pp. 87721:119-87721:121.

9604030244 Proposes to revise Byron & Braidwood plants ISI requirements by requesting exemption from inservice UT requirements specified in ASME Section XI,IWB-2500 per 10CFR50.55a(g) (iv).
LESNIAK,M. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 22pp. 87755:328-87755:349.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604040145 Requests addl info re second 10-yr ISI program & associated relief requests 12R-11 & 12R-12 be completed by 960701.Addl 12R-12) be completed by 960701.
FARRAR,D.L. Commonwealth Edison Co. 96/04/03. DICK,G.F. . 3pp. 87746:187-87746:189.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150128 Forwards insp repts 50-456/96-05 & 50-457/96-05 on 960123- 0321.Five violations noted.
AXELSON,W.L. Region 3 (Post 820201). 96/04/05. KAUP,K. Commonwealth Edison Co. 6pp. 87869:115-87869:131.

-9604150132 Insp repts 50-456/96-05 & 50-457/96-05 on 960123-0321. Violations noted.Major areas inspected:mispositioning of Unit 2 H monitor valves & start of work on Unit 2 safety injection sys outside established out-of-service boundary.
MILLER,L.F. Region 3 (Post 820201). 96/04/04. 11pp. 87869:121-87869:131.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604170435 Ack receipt of 960221 ltr responding to 960202 NOV for insp repts 50-456/95-17 & 50-457/95-17.Corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. KAUP,K. Commonwealth Edison Co. 2pp. 87900:240-87900:241.

9604220189 Forwards response to NRC 960313 ltr re violations noted in insp repts 50-456/96-02 & 50-457/96-02.Corrective actions: replaced turbine & svc to bldg roofs was completed.
KAUP,K.L. Commonwealth Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 4pp. 87953:353-87953:356.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604220342 Submits addl info pertaining to Unit 1 interim insp,per GL 95-03.
KAUP,K. Commonwealth Edison Co. 96/04/16. . 2pp. 87983:335-87983:336.

9604180248 Forwards RAI re ISI Relief Request NR-19,submitted on 960328 for relief from requirements to inspect pressurizer nozzle welds.
DICK,G.F. . 96/04/17. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87912:346-87912:349.

9604250245 Forwards insp repts 50-456/96-06 & 50-457/96-06 on 960205-0301 & NOV.
GRANT,G.E. Region 3 (Post 820201). 96/04/17. KAUP,K. Commonwealth Edison Co. 4pp. 87996:155-87996:178.

-9604250251 Notice of violation from insp on 960205-0301.Violation noted:deficiency tags associated w/action requests for completed or cancelled work not removed.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:159-87996:160.

-9604250261 Insp repts 50-456/96-06 & 50-457/96-06 on 960205-0301. Violations noted.Major areas inspected:operations,maint, engineering,work control,tagging process & communications/ training.
GARDNER,R. Region 3 (Post 820201). 96/04/17. 18pp. 87996:161-87996:178.

9604250256 Forwards insp rept 50-456/96-06 & 50-457/96-06 on 960210- 0322 & NOV.Violation of concern because of apparent failure to correct persistent problems w/open diesel generator exhaust muffler room doors.
MILLER,L.F. Region 3 (Post 820201). 96/04/17. KAUP,K. Commonwealth Edison Co. 5pp. 87996:031-87996:054.

-9604250263 Notice of violation from insp on 960210-0322.Violation noted:inspectors identified defective & ajar 2A diesel generator exhaust muffler room door although corrective actions to assure that door would remain closed.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:036-87996:037.

-9604250268 Insp repts 50-456/96-06 & 50-457/96-06 on 960210-0322. Violations noted.Major areas inspected:operation, engineering,maint & plant support.
MILLER,L.R. Region 3 (Post 820201). 96/04/16. 17pp. 87996:038-87996:054.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290090 Responds to NRC 960417 RAI re relief from ISI program requirements for pressurizer surger nozzle-to-vessel weld & pressurizer surge nozzle inner radius section.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88057:142-88057:145.

9604290373 Discusses & forwards exam rept 50-456/OL-96-01 conducted during week of 960401.
BURDICK,T.M. Region 3 (Post 820201). 96/04/23. KAUP,K. Commonwealth Edison Co. 2pp. 88021:001-88021:138.

-9604290381 Exam rept 50-456/OL-96-01 on 960401.Exam results:one RO & four SRO applicants passed both written & operating exams.
BURDICK,T.M. Region 3 (Post 820201). 96/04/23. 136pp. 88021:003-88021:138.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604240039 Forwards "Braidwood Station Annual Radiological Environ Operating Rept 1995." Radioactive effluents submitted under separate cover.
TULON,T.J. Commonwealth Edison Co. 96/03/12. Document Control Branch (Document Control Desk). 1p. 88010:001-88010:214.

-9604240046 "Braidwood Station Annual Radiological Environmental Operating Rept for 1995."
* Commonwealth Edison Co. 95/12/31. 200pp. 88010:002-88010:214.

9604090143 Monthly operating repts for Mar 1996 for Braidwood Nuclear Power Station,Units 1 & 2.W/960403 ltr.
PERSHEY,C., LEWIS,J., TULON,T.J. Commonwealth Edison Co. 96/03/31. 11pp. 87830:162-87830:172.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

-9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604110097 LER 96-003-00:on 960308,Battery 112 declared inoperable forcing Unit 1 SD.Caused by equipment degradation due to successive significant discharges.Testing performed to verify degraded capacity & battery replaced.W/960408 ltr.
DUNN,C., TULON,T.J. Commonwealth Edison Co. 96/04/08. 8pp. 87859:236-87859:243.

9604100104 PNO-III-96-024:on 960408,licensee notified resident inspectors of exposure in excess of regulatory limits.Caused by laborer removing outer glove,while maintaining cotton liner on,to use telephone inside containment.
CAMERON,J., KOZAK,T. Region 3 (Post 820201). 96/04/09. 1p. 87859:230-87859:230.

9604230297 LER 96-004-00:on 960321,discovered procedure verifies water flow rate between 68 to 74 gpm based on CR flow indication. Caused by procedural deficiency.Appropriate surveillance corrected.W/960419 ltr.
KIM,H., TULON,T.J. Commonwealth Edison Co. 96/04/19. 12pp. 87993:343-87993:354.

V. Operator Examinations

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604240327 Provides individual exam results for applicants who took Apr 1996 initial license exam.W/o listed encls.
BURDICK,T.M. Region 3 (Post 820201). 96/04/18. CHASENSKY,T.M. Commonwealth Edison Co. 2pp. 87970:348-87970:349.

9604290373 Discusses & forwards exam rept 50-456/OL-96-01 conducted during week of 960401.
BURDICK,T.M. Region 3 (Post 820201). 96/04/23. KAUP,K. Commonwealth Edison Co. 2pp. 88021:001-88021:138.

--9604290381 Exam rept 50-456/OL-96-01 on 960401.Exam results:one RO & four SRO applicants passed both written & operating exams.
BURDICK,T.M. Region 3 (Post 820201). 96/04/23. 136pp. 88021:003-88021:138.

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604300078 Rev 10 to BwZP 200-1A1, "Braidwood Station Hot Initiating Conditions."
* Commonwealth Edison Co. 96/02/22. 2pp. 88066:349-88066:350.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

P. Operating license stage documents & correspondence

9604010355 Responds to NRC RAI re Individual Plant Examination per GL 88-20.
HOSMER,J.B. Commonwealth Edison Co. 96/03/25. Document Control Branch (Document Control Desk). 3pp. 87713:358-87713:360.

9604020214 Forwards addl proposed changes for 10CFR50,App J,option B to suppl 951206 application,per 960327 telcon w/NRC.
LESNIAK,M.T. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 7pp. 87710:308-87710:319.

--9604020218 Proposed tech specs SR 4.6.1.2,reflecting exception to min 24 month interval between Type A tests specified in Section 9.2.3 of NEI 94-01,using nominal 18 month interval instead, to correspond w/plants refueling interval.
* Commonwealth Edison Co. 96/03/28. 5pp. 87710:315-87710:319.

9604040224 Request addl info for GL 95-07, "Pressure Locking & Thermal Binding of Safety-Related Power-Operated Gate Valves," as discussed on 960308.
SHIRAKI,C.Y. . 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 5pp. 87746:182-87746:186.

9604080075 Forwards correct mark up of TS page 3/4 5-2 re application for amend to App A,per GL 93-05.
PONTIOUS,H.D. Commonwealth Edison Co. 96/04/02. Document Control Branch (Document Control Desk). 2pp. 87817:284-87817:286.

--9604080079 Proposed TS Page 3/4 5-2 re GL 93-05 line item improvements.
* Commonwealth Edison Co. 96/04/02. 1p. 87817:286-87817:286.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604090227 Submits addl info re application for amend to licenses for SG tube sleeves.
SACCOMANDO,D.M. Commonwealth Edison Co. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87819:358-87819:359.

9604100171 Forwards amends 81,81,73 & 73 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively,notice & SE.Amends modify TS to replace existing scheduling requirements for containment leakage rate testing.
ASSA,R.R. . 96/04/04. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87835:288-87835:329.

--9604110277 Amends 73 to licenses NPF-72 & NPF-77,revising TS to replace existing scheduling requirements for overall integrated & local containment leakage rate testing w/requirement to perform testing IAW 10CFR50,App J,Option B.
ASSA,R.R. . 96/04/04. 15pp. 87835:307-87835:321.

--9604100175 Notice of partial denial of amend to licenses NPF-37,NPF-62, NPF-72 & NPF-77 & opportunity for hearing.Denial pertains to request to revise TS re testing of valves w/resilient seal matl.
ASSA,R.R. . 96/04/04. 3pp. 87835:322-87835:324.

--9604100176 Safety evaluation supporting amends 81,81,73 & 73 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/04. 5pp. 87835:325-87835:329.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604150407 Forwards rev to insert B,previously transmitted,per ltr to NRC dtd 950517 re C-E sleeves.
SACCOMANDO,D. Commonwealth Edison Co. 96/04/09. . 2pp. 87894:056-87894:057.

9604160335 Forwards amends 82,82,74 & 74 to licenses NPF-37,NPF-66, NPF-72 & NPF-77 & SE.Amends revise TSs for Byron Station & Braidwood Station to implement ten of line item TS improvements included in GL 93-05.
DICK,G.F. . 96/04/10. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87894:063-87894:110.

--9604160347 Amends 74 & 74 to licenses NPF-72 & NPF-77,respectively, revising TSs for plant to implement ten of line item TS improvements included in GL 93-05, "Line Item TSs Improvements to Reduce Surveillance Requirements...."
ASSA,R.R. . 96/04/10. 17pp. 87894:084-87894:100.

--9604160350 Safety evaluation supporting amends 82,82,74 & 74 to licenses NPF-37,NPF-66,NPF-72 & NPF-77,respectively.
* . 96/04/10. 10pp. 87894:101-87894:110.

9604160229 Forwards amends 83,83,75 &75 to licenses NPF-37,NPF-66, NPF-72 & NPF-77,respectively.Amends revise TS to permit SG tubes be repaired using TIG welded sleeve process & remove ref to kinetically welded sleeving process.
DICK,G.F. . 96/04/12. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87890:078-87890:113.

9604180397 Forwards correction to amends 81 to licenses NPF-37 & NPF-66,respectively & amends 73 to licenses NFP-72 & 77, respectively,correcting inaccuracies on TS pages 1-3 & 3/4 6-12 & in notice of partial denial of amends to OLs.
DICK,G.F. . 96/04/16. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87913:245-87913:252.

--9604180412 Corrected amends 73 to licenses NPF-72 & NPF-77, respectively.
* . 96/04/16. 2pp. 87913:250-87913:251.

--9604180420 Correction to notice of partial denial of amends to OLs & opportunity for hearing,correcting page 15,983 first paragraph to reflect that licenses should have read NPF-37, NPF-66,NPF-72 & NPF-77.
DICK,G.F. . 96/04/16. 1p. 87913:252-87913:252.

9604230100 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits," dtd 960110.
BRONS,J.C. Commonwealth Edison Co. 96/04/19. Document Control Branch (Document Control Desk). 5pp. 88002:332-88002:336.

9604300353 Forwards 10CFR50.46 rept,including updating info re peak clad temp of limiting small break & large break loss of coolant accident analysis evaluations for Braidwood,Byron & Zion Stations.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/25. . 22pp. 88066:230-88066:251.

Q. Inspection reports, IE Bulletins & correspondence

9604170151 Provides suppl response to NRC RAI re ampacity derating analysis.Procedure ESA 105 encl.Procedure ESA 105 withheld.
SACCOMANDO,D. Commonwealth Edison Co. 96/03/21. . 69pp. 87956:193-87956:261.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604030070 Advises of planned insp effort resulting from plant performance review.Forwards details of 6 month insp plan. Requests feedback on program.
MILLER,L.F. Region 3 (Post 820201). 96/03/25. KAUP,K. Commonwealth Edison Co. 3pp. 87721:119-87721:121.

9604030244 Proposes to revise Byron & Braidwood plants ISI requirements by requesting exemption from inservice UT requirements specified in ASME Section XI,IWB-2500 per 10CFR50.55a(g) (iv).
LESNIAK,M. Commonwealth Edison Co. 96/03/28. Document Control Branch (Document Control Desk). 22pp. 87755:328-87755:349.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150128 Forwards insp repts 50-456/96-05 & 50-457/96-05 on 960123- 0321.Five violations noted.
AXELSON,W.L. Region 3 (Post 820201). 96/04/05. KAUP,K. Commonwealth Edison Co. 6pp. 87869:115-87869:131.

--9604150132 Insp repts 50-456/96-05 & 50-457/96-05 on 960123-0321. Violations noted.Major areas inspected:mispositioning of Unit 2 H monitor valves & start of work on Unit 2 safety injection sys outside established out-of-service boundary.
MILLER,L.F. Region 3 (Post 820201). 96/04/04. 11pp. 87869:121-87869:131.

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604170435 Ack receipt of 960221 ltr responding to 960202 NOV for insp repts 50-456/95-17 & 50-457/95-17.Corrective actions will be examined during future insps.
MILLER,L.F. Region 3 (Post 820201). 96/04/10. KAUP,K. Commonwealth Edison Co. 2pp. 87900:240-87900:241.

9604220189 Forwards response to NRC 960313 ltr re violations noted in insp repts 50-456/96-02 & 50-457/96-02.Corrective actions: replaced turbine & svc to bldg roofs was completed.
KAUP,K.L. Commonwealth Edison Co. 96/04/10. Document Control Branch (Document Control Desk). 4pp. 87953:353-87953:356.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180248 Forwards RAI re ISI Relief Request NR-19,submitted on 960328 for relief from requirements to inspect pressurizer nozzle welds.
DICK,G.F. . 96/04/17. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87912:346-87912:349.

9604250245 Forwards insp repts 50-456/96-06 & 50-457/96-06 on 960205-0301 & NOV.
GRANT,G.E. Region 3 (Post 820201). 96/04/17. KAUP,K. Commonwealth Edison Co. 4pp. 87996:155-87996:178.

--9604250251 Notice of violation from insp on 960205-0301.Violation noted:deficiency tags associated w/action requests for completed or cancelled work not removed.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:159-87996:160.

--9604250261 Insp repts 50-456/96-06 & 50-457/96-06 on 960205-0301. Violations noted.Major areas inspected:operations,maint, engineering,work control,tagging process & communications/ training.
GARDNER,R. Region 3 (Post 820201). 96/04/17. 18pp. 87996:161-87996:178.

9604250256 Forwards insp rept 50-456/96-06 & 50-457/96-06 on 960210- 0322 & NOV.Violation of concern because of apparent failure to correct persistent problems w/open diesel generator exhaust muffler room doors.
MILLER,L.F. Region 3 (Post 820201). 96/04/17. KAUP,K. Commonwealth Edison Co. 5pp. 87996:031-87996:054.

--9604250263 Notice of violation from insp on 960210-0322.Violation noted:inspectors identified defective & ajar 2A diesel generator exhaust muffler room door although corrective actions to assure that door would remain closed.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:036-87996:037.

--9604250268 Insp repts 50-456/96-06 & 50-457/96-06 on 960210-0322. Violations noted.Major areas inspected:operation, engineering,maint & plant support.
MILLER,L.R. Region 3 (Post 820201). 96/04/16. 17pp. 87996:038-87996:054.

9604300104 Submits response to NRC Bulletin 96-001 re control rod insertion problems.
HOSMER,J.B. Commonwealth Edison Co. 96/04/19. . 45pp. 88059:274-88059:318.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290090 Responds to NRC 960417 RAI re relief from ISI program requirements for pressurizer surger nozzle-to-vessel weld & pressurizer surge nozzle inner radius section.
LESNIAK,M.T. Commonwealth Edison Co. 96/04/23. Document Control Branch (Document Control Desk). 4pp. 88057:142-88057:145.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604240039 Forwards "Braidwood Station Annual Radiological Environ Operating Rept 1995." Radioactive effluents submitted under separate cover.
TULON,T.J. Commonwealth Edison Co. 96/03/12. Document Control Branch (Document Control Desk). 1p. 88010:001-88010:214.

--9604240046 "Braidwood Station Annual Radiological Environmental Operating Rept for 1995."
* Commonwealth Edison Co. 95/12/31. 200pp. 88010:002-88010:214.

9604090143 Monthly operating repts for Mar 1996 for Braidwood Nuclear Power Station,Units 1 & 2.W/960403 ltr.
PERSHEY,C., LEWIS,J., TULON,T.J. Commonwealth Edison Co. 96/03/31. 11pp. 87830:162-87830:172.

9604290187 Forwards "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron,Dresden,LaSalle,Quad Cities & Zion." Repts being submitted electronically on magnetic tape.
BRONS,J. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 2pp. 88057:206-88057:213.

--9604290196 "Recorded Annual TEDE Exposure for CY95 for Braidwood,Byron, Dresden,LaSalle,Quad Cities & Zion."
* Commonwealth Edison Co. 95/12/31. 6pp. 88057:208-88057:213.

S. Reportable occurrences, LERs & related correspondence

9604080378 LER 96-002-00:on 960305,both trains of ECCS inoperable due to inadequate OOS caused by personnel error.Closed 2B SI train discharge cross-tie isolation valve,2SI8821B to isolate drainage path from RWST.W/960404 ltr.
OLSON,M., TULON,T.J. Commonwealth Edison Co. 96/04/03. 9pp. 87824:046-87824:054.

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604100104 PNO-III-96-024:on 960408,licensee notified resident inspectors of exposure in excess of regulatory limits.Caused by laborer removing outer glove,while maintaining cotton liner on,to use telephone inside containment.
CAMERON,J., KOZAK,T. Region 3 (Post 820201). 96/04/09. 1p. 87859:230-87859:230.

V. Operator Examinations

9604100205 Responds to NRC Bulletin 96-001, "Control Rod Insertion Problems." Current licensed operator requalification training & emergency procedures at facilities addresses subj problems.Proprietary info encl.Encl withheld.
HOSMER,J.B. Commonwealth Edison Co. 96/04/06. . 17pp. 87864:330-87864:346.

9604240327 Provides individual exam results for applicants who took Apr 1996 initial license exam.W/o listed encls.
BURDICK,T.M. Region 3 (Post 820201). 96/04/18. CHASENSKY,T.M. Commonwealth Edison Co. 2pp. 87970:348-87970:349.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

G. Adjudicatory correspondence

9604110086 Memorandum & Order (LBP-96-5)(Grant of motion to terminate proceeding).* Grants 960125 motion of Trustee for Intervenor to withdraw contention & terminate w/o prejudice. W/Certificate of Svc.Served on 960401.Reserved on 960404.
COTTER,B.P., COLE,R.F., LAM,P.S. Atomic Safety & Licensing Board Panel. #296 17543. 96/03/29. Gulf States Utilities Co. 7pp. 87832:178-87832:184.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604020175 Forwards revised NRC service list due to recent organizational changes
FISICARO,J.J. Entergy Operations, Inc. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87710:358-87710:360.

I. Financial information

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

J. Insurance & Indemnity information

9604010359 Forwards nuclear onsite property damage insurance coverage verification,per 10CFR50.54(w)(3).
DEWEASE,J.G. Entergy Operations, Inc. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87713:352-87713:357.

P. Operating license stage documents & correspondence

9604020190 Forwards update to NRC's project manager TAC rept for facility,providing licensee implementation dates for "Completed Actions" listed in 960124 printout of "Condensed Project Manager Rept" on facility.
FISICARO,J.J. Entergy Operations, Inc. 96/03/19. Document Control Branch (Document Control Desk). 3pp. 87712:335-87712:337.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604110140 Reviews 960320 meeting in Region IV ofc in which licensee presented overview of status of long term performance improvement program for plant.Notes improvement & urges continued effort.W/viewgraphs.
DYER,J.E. Region 4 (Post 820201). 96/04/08. MCGAHA,J.R. Entergy Operations, Inc. 77pp. 87832:213-87832:289.

9604220372 Forwards SE re licensee request for alternatives to 10CFR50.55a w/respect to ISI & IST programs.Findings for ISI request expected shortly.
BECKNER,W.D. . 96/04/17. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87955:342-87955:352.

--9604220376 Safety evaluation providing guidance on submitting plant- specific info w/ respect to IST program alternatives request.
* . 96/04/17. 5pp. 87955:348-87955:352.

9604230128 Forwards SE which finds room heat up analysis & justification for revising classifications of containment isolation valves for certain containment penetrations, acceptable.
WIGGINTON,D.L. . 96/04/17. MCGAHA,J.R. Entergy Operations, Inc. 3pp. 87971:338-87971:344.

--9604230132 SER accepting licensee re-analysis of RCIC room temp. Reasonable assurance of operability of SBO equipment in RCIC room under conditions of SBO event of 4 h duration,operable.
* . 96/04/17. 4pp. 87971:341-87971:344.

9604250236 Discusses mgt meeting conducted in licensee ofc on 960404 w/listed attendees re discussions amoung senior managers from licensee ofc,each of four licensee sites & responsible NRC personnel from Region IV ofc & NRR.
DYER,J.E. Region 4 (Post 820201). 96/04/17. HINTZ,D. Entergy Operations, Inc. 169pp. 87995:070-87995:238.

9604190338 Application for amends to Licenses NPF-29 & NPF-47,adding addl acceptable method of fuel movement,control rods removed or withdrawn from defueled core cells.
HUTCHINSON,C. Entergy Operations, Inc. 96/04/18. Document Control Branch (Document Control Desk). 14pp. 87939:269-87939:299.

--9604190344 Proposed tech specs re fuel loading w/control rods withdrawn or removed from defueled core cells.
* Entergy Operations, Inc. 96/04/18. 17pp. 87939:283-87939:299.

9604230275 Informs that use of Code Case N-498-2 not acceptable for generic implementation on plant-wide basis.
BECKNER,W.D. . 96/04/19. YELVERTON,J.W. Entergy Operations, Inc. 8pp. 87971:352-87971:359.

9604260195 Forwards info representing completion of requested actions per GL 96-01, "Testing of Safety-Related Logic Circuits."
FISICARO,J.J. Entergy Operations, Inc. 96/04/19. Document Control Branch (Document Control Desk). 6pp. 88026:344-88026:349.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604090253 Discusses semiannual PPR,completed 960320.Advises of planned insp effort resulting from plant PPR review.Forwards insp plan for next 8 months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. MCGAHA,J.R. Entergy Operations, Inc. 7pp. 87806:231-87806:237.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604100047 Responds to violations noted in insp rept 50-458/96-06 on 960126-0202.Corrective actions:during future outages,186 elevation of refueling floor will be posted as "Airborne Radioactivity Area" prior to movement of RV internals.
FISICARO,J.J. Entergy Operations, Inc. 96/04/05. Document Control Branch (Document Control Desk). 6pp. 87831:343-87831:348.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180357 Forwards draft input from contractor to be used in approving alternatives to 10CFR50.55a, "Codes & Stds," per 960408 telcon in which NRR requested assistance of licensee in preparing definitive info to support use of codes for ISI.
BECKNER,W.D. . 96/04/15. DEWEASE,J.G. Entergy Operations, Inc. 6pp. 87914:001-87914:112.

9604230317 Ack receipt of 960405 ltr informing NRC of steps taken to correct violations noted in in insp rept 50-458/96-06.
GWYNN,T.P. Region 4 (Post 820201). 96/04/17. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 87967:346-87967:356.

9604240261 Forwards insp rept 50-458/96-01 on 960108-0305 & NOV.
GWYNN,T.P. Region 4 (Post 820201). 96/04/18. MCGAHA,J.R. Entergy Operations, Inc. 5pp. 87970:302-87970:343.

--9604240264 Notice of violation from insp on 960108-0305.Violation noted:checking of refueling bridge zone computer airlocks on 960102 not completed IAW requirements of step 3.19.16 of vendor technical manual.
* Region 4 (Post 820201). 96/04/18. 3pp. 87970:307-87970:309.

--9604240266 Insp rept 50-458/96-01 on 960108-0305.Violations noted. Major areas inspected:in-core fuel loading & fuel storage configurations & core component performance.Potential for fuel-related problems identified at other facilities.
POWERS,D.A. Region 4 (Post 820201). 96/04/11. 34pp. 87970:310-87970:343.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604290053 Forwards response to NRC 960321 ltr re violations noted in insp rept 50-458/95-02.Corrective actions:Condition Rept 96-0366 was initiated to document condition identified.
FISICARO,J.J. Entergy Operations, Inc. 96/04/22. Document Control Branch (Document Control Desk). 6pp. 88057:118-88057:123.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604020303 Forwards occupational radiation exposure rept for 1995,for personnel receiving exposures greater than 100 mrem per yr, in addition to associated mrem exposure according to work & job functions,based on direct reading dosimeters.
FISICARO,J.J. Entergy Operations, Inc. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87712:359-87712:361.

--9604020307 Annual occupational radiation exposure rept for 1995.
* Entergy Operations, Inc. 95/12/31. 1p. 87712:361-87712:361.

9604220177 Monthly operating rept for Mar 1996 for River Bend Station. W/960411 ltr.
BOLKE,T.J., FISICARO,J.J. Entergy Operations, Inc. 96/03/31. 6pp. 87965:150-87965:155.

S. Reportable occurrences, LERs & related correspondence

9604160085 LER 96-008-01:on 960214,mispositioned drywell pressure transmitter isolation valve caused condition prohibited by TS.Restored & verified position of other SR instrumentation valves.W/960410 ltr.
LORFING,D., FISICARO,J.J. Entergy Operations, Inc. 96/04/10. 7pp. 87897:254-87897:260.

DOCKET 50-460 WPPSS NUCLEAR PROJECT, UNIT 1

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

G. Adjudicatory correspondence

9604100113 Submits WPPSS quarterly status rept re deferred WNP-1 project,IAW 931014 Memo & Order.Advises that status of WNP-1 project remains unchanged since 960104 status rept.
REYNOLDS,N.S. Washington Public Power Supply System. REYNOLDS,N.S. Winston & Strawn. #296 17548. 96/04/02. BLOCH,P.B. Atomic Safety & Licensing Board Panel. SCHINK,D.R. Texas A&M Univ., College Station, TX. 1p. 87812:209-87812:209.

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604160480 Revised EPIPs,including Rev 0 to EC-01,Form 11,page 2 & Rev 5 to EC-09.
* Illinois Power Co. 96/03/22. 26pp. 87916:310-87916:335.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604150299 Forwards insp rept 50-461/96-02 on 960206-0325 & NOV. Violations of NRC concern because of representation of addl examples of personnel error trend identified in insp rept 50-461/95-15
CLAYTON,H.B. Region 3 (Post 820201). 96/04/04. CONNELL,W. Illinois Power Co. 3pp. 87872:048-87872:080.

--9604150305 Notice of violation from insp on 960122-26.Violation noted:on 950825,for period of 36 minutes,security shift leader & several members of security armed response force had been off site & not available to meet staff requirement.
* Region 3 (Post 820201). 96/04/04. 2pp. 87872:051-87872:052.

9604230105 Forwards five copies of Rev 22 of Physical Security Plan. Encl withheld.
LYON,M.W. Illinois Power Co. 96/04/17. Document Control Branch (Document Control Desk). 2pp. 88001:359-88001:360.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604290062 Submits followup on Order prohibiting DJ McDonald involvement in NRC licensed activities,issued 960327.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/25. MCDONALD,D.J. Affiliation Not Assigned. 2pp. 88021:313-88021:314.

P. Operating license stage documents & correspondence

9604110285 Forwards TA Green response to inquiry by licensee during Feb 1995 re Clinton Trip Units Referenced in Response Time Testing Evaluation.
SHELTON,D. Illinois Power Co. 96/02/16. PICKETT,D. NRC - No Detailed Affiliation Given. 2pp. 87849:090-87849:091.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160052 Forwards amend 104 to license NPF-62 & safety evaluation. Amend consists of several changes to instrumentation sections of plant TS.
PICKETT,D.V. . 96/04/10. LYON,M.W. Illinois Power Co. 3pp. 87899:214-87899:228.

--9604160057 Amend 104 to license NPF-62,consisting of several changes to instrumentation sections of plant TS.
PICKETT,D.V. . 96/04/10. 6pp. 87899:217-87899:223.

--9604160060 Safety evaluation supporting amend 104 to license NPF-62.
* . 96/04/10. 5pp. 87899:224-87899:228.

9604220086 Forwards RAI re elimination of analog trip module reponse time testing requirements for plant,Unit 1,per 951214 ltr.
PICKETT,D.V. . 96/04/17. LYON,M.W. Illinois Power Co. 6pp. 87942:183-87942:188.

9604230269 Provides 60-day response to GL 96-01, "Testing of SR Logic Circuits."
CONNELL,W. Illinois Power Co. 96/04/17. Document Control Branch (Document Control Desk). 3pp. 87979:283-87979:285.

9604290119 Application for amend to license NPF-62,revising listed TS to eliminate core alterations as applicable condition for which associated LCO must be met.
CONNELL,W. Illinois Power Co. 96/04/19. Document Control Branch (Document Control Desk). 11pp. 88034:074-88034:136.

--9604290123 Proposed tech specs,revising listed TS to eliminate core alterations as applicable condition for which associated LCO must be met.
* Illinois Power Co. 96/04/19. 51pp. 88034:086-88034:136.

9604290015 Requests addl info re proposed change eliminating end of cycle recirculation pump trip breaker interruption time testing requirements.
PICKETT,D.V. . 96/04/24. LYON,M.W. Illinois Power Co. 5pp. 88036:210-88036:214.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604240078 Informs of completion of semiannual Plant Performance Review of Clinton Power Station as of 960306.
CLAYTON,B. Region 3 (Post 820201). 96/03/26. CONNELL,W. Illinois Power Co. 3pp. 87970:213-87970:215.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150299 Forwards insp rept 50-461/96-02 on 960206-0325 & NOV. Violations of NRC concern because of representation of addl examples of personnel error trend identified in insp rept 50-461/95-15
CLAYTON,H.B. Region 3 (Post 820201). 96/04/04. CONNELL,W. Illinois Power Co. 3pp. 87872:048-87872:080.

--9604150305 Notice of violation from insp on 960122-26.Violation noted:on 950825,for period of 36 minutes,security shift leader & several members of security armed response force had been off site & not available to meet staff requirement.
* Region 3 (Post 820201). 96/04/04. 2pp. 87872:051-87872:052.

--9604150307 Insp rept 50-461/96-02 on 960206-0325.Violations noted. Major areas inspected:operations,engineering,maint & plant support.
CLAYTON,B. Region 3 (Post 820201). 96/04/04. 28pp. 87872:053-87872:080.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604300348 Annual environ operating rept for Jan-Dec 1995.W/960426 ltr.
LYONS,M.W. Illinois Power Co. 95/12/31. 3pp. 88067:164-88067:166.

9604180383 Monthly operating rept for March 1996 for CPS.W/960404 ltr.
DEMARK,W.E., LYON,M.W. Illinois Power Co. 96/03/31. 5pp. 87936:341-87936:345.

S. Reportable occurrences, LERs & related correspondence

9604090245 LER 96-003-00:on 951118,failure of procedure to recognize MSL radiation monitor detector housing tube as secondary CL path resulted in operable secondary containment during corrective maint.Revised procedure.W/960402 ltr.
BHAT,R.P., CONNELL,W. Illinois Power Co. 96/04/02. 5pp. 87824:122-87824:126.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090258 Provides util comments on draft IN re fires in EDG exciters during operation following undetected fuse blowing.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87829:358-87829:359.

9604100141 Provides info per 10CFR50.54(p)(2) re changes at plant which affects physical security plan.Change will be incorporated into plant plan at next rev.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/05. Document Control Branch (Document Control Desk). 1p. 87832:164-87832:164.

9604220159 Forwards Revs 48 & 49 to "Radiological Emergency Response Plan (RERP)" & revs to RERP implementing procedures.
JOHANNES,R.N. Wolf Creek Nuclear Operating Corp. 96/04/15. Document Control Branch (Document Control Desk). 1p. 87964:001-87965:149.

--9604220161 Rev 48 to "Radiological Emergency Response Plan," revising Section 2.0,emergency classifications.
* Wolf Creek Nuclear Operating Corp. 96/03/21. 26pp. 87964:002-87964:027.

--9604220166 Rev 49 to "Radiological Emergency Response Plan," revising Section 2.0,emergency classifications.
* Wolf Creek Nuclear Operating Corp. 96/03/27. 25pp. 87964:028-87964:052.

--9604220175 Revised EPIPs,including Rev 4 to EP 01-2.1-1,Rev 5 to EP 01-2.1-3,Rev 18 to EPP 01-3.1,Rev 15 to EPP 01-4.1,Rev 11 to EPP 01-10.1,Rev 14 to Form EP 01-3.1-1,Rev 7 to Form EP 01-4.1-2 & Rev 6 to Form EP 01-4.1-3.
* Wolf Creek Nuclear Operating Corp. 96/03/21. 461pp. 87964:053-87965:149.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity information

9604020143 Repts present levels of on-site property damage insurance being maintained for plant per 10CFR50.54(w)(2).
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87725:358-87725:358.

P. Operating license stage documents & correspondence

9604010242 Forwards response to request for addl info re request for exigent change to TS to implement Cycle 9 RCS thermal design flow reduction per 960321 telcon.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87704:346-87704:348.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604120253 Forwards amend 99 to license NPF-42 & SE.Amend reduces calculated thermal design flow of reactor coolant sys & increases trip setpoint of low pressurizer pressure.
STONE,J.C. . 96/04/04. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 2pp. 87861:330-87861:348.

--9604120257 Amend 99 to license NPF-42,reducing calculated thermal design flow of reactor coolant sys & increases trip setpoint of low pressurizer pressure.
STONE,J.C. . 96/04/04. 7pp. 87861:332-87861:339.

--9604120259 Safety evaluation supporting amend 99 to license NPF-42.
* . 96/04/04. 9pp. 87861:340-87861:348.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604240027 Provides 60 day response to GL 96-01, "Testing of SR Logic Circuits."
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 88016:349-88016:354.

9604240048 Forwards response to request for addl info re rev to TS 3/4.8.1, "Electrical Power Sys - AC Sources."
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 88010:216-88010:221.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020016 Responds to deviations & violations noted in insp rept 50-482/96-02.Corrective actions:Procedure CKL-ZL-001, "Auxiliary Bldg Log & Daily Reading Sheets" revised.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/03/28. Document Control Branch (Document Control Desk). 6pp. 87725:330-87725:335.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604050037 Forwards insp rept 50-482/96-07 on 960304-08.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/02. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 87736:206-87736:224.

--9604050040 Insp rept 50-482/96-07 on 960304-08.No violations noted. Major areas inspected:second 10-yr ISI program & implementation of maint & emergent work activities.
POWERS,D.A. Region 4 (Post 820201). 96/03/28. 5pp. 87736:211-87736:224.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090258 Provides util comments on draft IN re fires in EDG exciters during operation following undetected fuse blowing.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87829:358-87829:359.

9604090312 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/05. Document Control Branch (Document Control Desk). 10pp. 87831:139-87831:148.

9604100242 Discusses semiannual PPR completed on 960312 & advises of planned insp effort resulting from subj review.Insp plan for next 8 months encl.
DYER,J.E. Region 4 (Post 820201). 96/04/05. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 7pp. 87832:037-87832:043.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150337 Forwards insp rept 50-482/96-04 on 960211-0323 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/11. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp. 87872:131-87872:160.

-9604150346 Notice of violation from insp on 960211-0323.Violation noted:lists three examples of failure to follow Procedure RPP 02-215.
* Region 4 (Post 820201). 96/04/11. 2pp. 87872:136-87872:137.

-9604150351 Insp rept 50-482/96-04 on 960211-0323.Violations noted.Major areas inspected:plant status,operational safety verification,maint observations,surveillance observations, onsite engineering,plant support activities & LER review.
JOHNSON,W.D. Region 4 (Post 820201). 96/04/10. 23pp. 87872:138-87872:160.

9604230308 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp rept 50-482/96-02.
DYER,J.E. Region 4 (Post 820201). 96/04/18. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 5pp.,87967:225-87967:235.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604250313 Notification of significant licensee meeting 96-124 w/util on 960510 for Predecisional Enforcement Conference to discuss apparent violations stemming from Frazil ice event of 960130.
DYER,J.E. Region 4 (Post 820201). 96/04/23. NRC - No Detailed Affiliation Given. 5pp. 87996:343-87996:347.

9604300309 Forwards insp rept 50-482/96-03 on 960318-25.Ten apparent violations identified & being considered for escalated enforcement action.
DYER,J.E. Region 4 (Post 820201). 96/04/24. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 7pp. 88036:058-88036:108.

-9604300314 Insp rept 50-482/96-03 on 960318-25.Apparent violations noted.Major areas inspected:C/As re restart following 960130 icing event & AIT findings.
WONG,H.J. Region 4 (Post 820201). 96/04/24. 45pp. 88036:064-88036:108.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604240179 "Wolf Creek Generating Station Annual Environmental Operating Rept for 1995." W/960417 ltr.
* Wolf Creek Nuclear Operating Corp. 95/12/31. 16pp. 88016:286-88016:301.

9604190078 Monthly operating rept for March 1996 for WCGS.W/960415 ltr.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/03/31. 7pp. 87951:337-87951:343.

9604290343 Forwards 1995 Annual Radiological Environ Operating Rept rev to 1994 rept,reflecting less than symbols inadvertently omitted.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/23. Document Control Branch (Document Control Desk). 1p. 88038:001-88038:153.

-9604290353 Rev to "1994 Annual Radiological Environ Operating Rept for Wolf Creek Generating Station."
* Wolf Creek Nuclear Operating Corp. 94/12/31. 1p. 88038:002-88038:002.

-9604290360 "Wolf Creek Generating Station 1995 Annual Radiological Environ Operating Rept."
* Wolf Creek Nuclear Operating Corp. 95/12/31. 151pp. 88038:003-88038:153.

S. Reportable occurrences, LERs & related correspondence

9604180087 Discusses actions being taken by licensee in response to 960130 incident involving manual tripping of reactor due to ice build up on circulating water screens inhibiting flow to circulating water pumps in plant,resulting in shutdown.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/02/02. CALLAN,L.J. Region 4 (Post 820201). 4pp. 87900:300-87900:303.

9604020304 Provides addl info re icing event restart issues 1,2 & 3 identified & discussed in ref ltrs.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/03/26. Document Control Branch (Document Control Desk). 13pp. 87710:295-87710:307.

9604040118 Discusses 960328 public mgt meeting at WCGS to discuss 960130 frazil ice event & subsequent corrective actions. Meeting attendees encl.
CALLAN,L.J. Region 4 (Post 820201). 96/03/29. CARNS,N.S. Wolf Creek Nuclear Operating Corp. 29pp. 87736:121-87736:149.

9604240051 Forwards LER 96-004-00 re condition resulting in plant violation of TS 3.5.4.
CARNS,N.S. Wolf Creek Nuclear Operating Corp. 96/04/19. Document Control Branch (Document Control Desk). 1p. 88004:297-88004:300.

-9604240058 LER 96-004-00:on 960323,power remained available to SI pump discharge valves tagged do not operate.Caused by inadequate clearance order allowing power to remain available.Clearance Order 95-0510-EM revised.
LINDSAY,W.M. Wolf Creek Nuclear Operating Corp. 96/04/19. 3pp. 88004:298-88004:300.

9604300343 Special Rept 96-002:on 960327,RCS pressure exceeded setpoint of 445 psig for PORV 455A when cooler,denser water,in vessel warmed & expanded,but did not approach TS limit of 485 psig. RCS pressure subsequently stabilized at approx 335 psig.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/25. Document Control Branch (Document Control Desk). 3pp. 88059:359-88059:361.

V. Operator Examinations

9604240161 Forwards Operator Licensing Exam Data of Wolf Creek Nuclear Operating Corp.
MAYNARD,O.L. Wolf Creek Nuclear Operating Corp. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88016:356-88016:357.

DOCKET STN-50-483 CALLAWAY PLANT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100167 Forwards copy of FEMA deficiency closure ltr & final rept for 960124,remedial exercise for Callaway Nuclear Power Plant.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. SCHNELL,D.F. Union Electric Co. 4p. 87813:323-87813:342.

-9604110081 "Remedial Exercise Rept," for plant.
MILLER,J.A. Federal Emergency Management Agency. 96/02/22. 14pp. 87813:329-87813:342.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power, 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

J. Insurance & Indemnity Information

9604080192 Forwards present level of insurance & sources of insurance, applicable to plant.
SCHNELL,D.F. Union Electric Co. 96/04/01. Document Control Branch (Document Control Desk). 3pp. 87817:224-87817:226.

P. Operating license stage documents & correspondence

9604010254 Application for amend to license NPF-30,implementing containment integrated leakage rate program that would allow ILRT,presently scheduled for Refuel 8,to be rescheduled.
SCHNELL,D.F. Union Electric Co. 96/03/22. Document Control Branch (Document Control Desk). 5pp. 87717:325-87717:356.

–9604010258 Proposed tech specs,implementing containment integrated leakage rate program that would allow ILRT,presently scheduled for Refuel 8,to be rescheduled.
* Union Electric Co. 96/03/22. 27pp. 87717:330-87717:356.

9604010233 Responds to NRC 960307 RAI re temp of SFP after full core offload assuming both trains of SFPC area in operation,in ref to 950906 request for rev to TS Sections 5.3.1 & 5.6.1.1 & Figure 3.9-1 re SFP storage.
SCHNELL,D.F. Union Electric Co. 96/03/27. Document Control Branch (Document Control Desk). 4pp. 87704:340-87704:343.

9604080187 Forwards info for change license NPF-30,modifying section 5.3.1 to reflect change in maximum initial fuel enrichment to 5.0 w/o U-235 for reload fuel,subject to IFBA requirements in same TS section.
SCHNELL,D.F. Union Electric Co. 96/04/02. Document Control Branch (Document Control Desk). 4pp. 87817:218-87817:221.

9604090056 Advises of planned insp effort resulting from plant PPR review.PPR involved participation of technical divs in evaluating insp results & safety performance info for Oct 1995-Feb 1996.
DYER,J.E. Region 4 (Post 820201). 96/04/03. SCHNELL,D.F. Union Electric Co. 6pp. 87772:352-87772:357.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160268 Transmits revised TS pages that revise adherence to testing methods of ASTM Std D2276-72,Method A for diesel fuel oil particulate concentration.
SCHNELL,D.F. Union Electric Co. 96/04/09. Document Control Branch (Document Control Desk). 5pp. 87893:321-87893:332.

–9604160269 Revised TS pages that adhere to testing methods of ASTM Std D2276-78,Method A for diesel fuel oil particulate concentration.
* Union Electric Co. 96/04/09. 7pp. 87893:326-87893:332.

9604170043 Informs of implementation of amend 108 to license NPF-30, revising TS 4.3.2.2,4.7.1.2.1 & bases for TS 3/4.7.1.2 to decrease frequency of auxiliary feedwater pump testing.
PASSWATER,A.C. Union Electric Co. 96/04/11. Document Control Branch (Document Control Desk). 2pp. 87949:093-87949:094.

9604190280 Application for amend to license NPF-30,revising TS 3/4.4.5, "SGs" & 3.4.6.2, "Operational Leakage" & associated bases to address installation of laser welded tube sleeves in plant SGs.Supporting proprietary TR encl.Proprietary TR withheld.
SCHNELL,D.F. Union Electric Co. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87962:001-87962:219.

–9604190283 Proposed tech specs 3/4.4.5, "SGs" & 3.4.6.2, "Operational Leakage" & associated bases,addressing installation of laser welded tube sleeves in plant SGs.
* Union Electric Co. 96/04/12. 41pp. 87962:006-87962:046.

–9604190289 Requests that proprietary WCAP-14596, "Laser Welded Elevated Tubesheet Sleeves for Westinghouse Model F SGs Generic Sleeving Rept" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. 96/04/03. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 87962:047-87962:058.

–9604190294 Nonproprietary "Laser Welded Elevated Tubesheet Sleeves for Westinghouse Model F SGs Generic Sleeving Rept."
* Westinghouse Electric Corp. WCAP-14597. 96/03/31. 160pp. 87962:059-87962:219.

9604220112 Rev to application for amend to license NPF-30,adding administrative controls associated w/open status of containment during core alterations & fuel handling.
SCHNELL,D.F. Union Electric Co. 96/04/12. Document Control Branch (Document Control Desk). 4pp. 87972:340-87972:346.

–9604220120 Proposed tech specs 3.9.4 re addition of administrative controls associated w/open status of containment during core alterations & fuel handling.
* Union Electric Co. 96/04/12. 3pp. 87972:344-87972:346.

9604220200 Application for amend to license NPF-30,changing TS 3/4.4, "RCS" & associated bases to address installation of electrosleeves in Callaway Plant SGs.Info re installation process in TR BAW-10219P,Rev 1 dtd Mar 1996 withheld.
SCHNELL,D.F. Union Electric Co. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87962:220-87962:261.

–9604220213 Proposed tech specs 3/4.4 re changing TS, "RCS" & associated bases to address installation of electrosleeves in Callaway Plant SGs.
* Union Electric Co. 96/04/12. 36pp. 87962:225-87962:261.

9604240090 Application for amend to license NPF-30,adding MS & FW isolation sys actuation logic & relays to functional units 4.b & 5.a of Tables 3.3-3,3.3-4 & 4.3-2.Revise Table 3.3-3 by adding Action Statements 27a & 34a.
SCHNELL,D.F. Union Electric Co. 96/04/17. 4pp. 88007:300-88007:350.

–9604240102 Proposed tech specs 3/4.3 re adding MS & FW isolation sys actuation logic & relays to functional units 4.b & 5.a of Tables 3.3-3,3.3-4 & 4.3-2 & revising Table 3.3-3 by adding Action Statements 27a & 34a.
* Union Electric Co. 96/04/17. 47pp. 88007:304-88007:350.

9604230280 Forwards response to GL 96-01, "Testing of Safety-Related Logic Circuits."
SCHNELL,D.F. Union Electric Co. 96/04/18. Document Control Branch (Document Control Desk). 9pp. 87979:274-87979:282.

9604300393 Forwards application to amend license NPF-30,transferring license to reflect Union Electric status as wholly-owned operating subsidiary of Ameren.
SCHNELL,D.F. Union Electric Co. 96/04/24. Document Control Branch (Document Control Desk). 3pp. 88067:239-88067:245.

–9604300397 Application for amend to license NPF-30,transferring license to reflect licensee as wholly-owned operating subsidiary of Ameren.
SCHNELL,D.F. Union Electric Co. 96/04/24. 4pp. 88067:242-88067:245.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604080153 Provides special rept per requirements of TS 4.4.5.5.b concerning In-Svc Eddy current insp of plant SGs in May 1995 during seventh refueling outage.
AFFOLTER,R.D. Union Electric Co. 96/04/01. Document Control Branch (Document Control Desk). 17pp. 87814:239-87814:255.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604050041 Forwards NRC mandatory core insp program (Manual Chapter 2515),for info.Informs that regional initiative insps planned in listed areas.
CALLAN,L.J. Region 4 (Post 820201). 96/04/02. SCHNELL,D.F. Union Electric Co. 7pp. 87736:227-87736:234.

9604080036 Forwards insp rept 50-483/96-02 on 960204-0316 & notice of violation.
DYER,J.E. Region 4 (Post 820201). 96/04/02. SCHNELL,D.F. Union Electric Co. 5pp. 87752:059-87752:082.

–9604080039 Notice of violation from insp on 960204-0316.Violation noted:on 960228 preventive maint deferral notices were not processed on listed safety-related equipment,when time interval for performing preventive maint expired.
* Region 4 (Post 820201). 96/04/02. 2pp. 87752:064-87752:065.

–9604080043 Insp rept 50-483/96-02 on 960204-0316.No violations noted. Major areas inspected:onsite response to events,operational safety verification,plant support activities,maint observations,surveillance observations & onsite engineering.
JOHNSON,W.D. Region 4 (Post 820201). 96/03/28. 17pp. 87752:066-87752:082.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604150159 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
SCHNELL,D.F. Union Electric Co. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87888:321-87888:334.

9604150291 Discusses 960304 ltr in response to NRC ltr & NOV dtd 960209.Ltr denied violation of TS 6.12.2 existed.Confirms violation of TS did occur.CA will be reviewed during future insp to determine full compliance has been achieved.
COLLINS,S.J. Region 4 (Post 820201). 96/04/09. SCHNELL,D.F. Union Electric Co. 5pp. 87885:022-87885:026.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170051 Forwards results of NRC insp of activities at Amer Industrial Technologies,Inc.Significant deficiencies identified related to Union Electric Co purchase of two 2-inch ASME Code Seismic Category III nozzles.
THOMAS,K.M. . 96/04/11. SCHNELL,D. Union Electric Co. 3pp. 87923:021-87923:059.

–9604160383 Forwards insp rept 99901292/96-01 on 960129-0202 & notice of violation & noncomformance.
CWALINA,G.C . 96/03/21. AMER,A.E. Affiliation Not Assigned. 3pp. 87923:024-87923:026.

–9604160394 Notice of violation from insp on 960129-0296.Violation noted:document, "Procedures for Compliance W/10CFR21" dtd 930427 did not provide for evaluation & reporting IAW 10CFR21.21(a).
* . 96/03/21. 2pp. 87923:027-87923:028.

–9604160399 Notice of nonconformance from insp on 960129-0202. Nonconformance noted:Design Rept for Job 392 did not contain documentation of Owner review.
* . 96/03/21. 7pp. 87923:029-87923:035.

–9604160407 Insp rept 99901292/96-01 on 960129-0202.Violations & noncompliance noted.Major areas inspected:implementation of QA program.
POTAPOVS,U., CWALINA,G.C., GALLO,R.M. . 96/03/04. 24pp. 87923:036-87923:059.

9604170477 Forwards RAI to complete review of licensee 960312 relief request re plant ISI program plan.
THOMAS,K.M. . 96/04/15. SCHNELL,D. Union Electric Co. 3pp. 87911:298-87911:300.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604160029 Monthly operating rept for Mar 1996 for Callaway Plant unit 1.W/960409 ltr.
HOLMES,M.A., AFFOLTER,R.D. Union Electric Co. 96/03/31. 6pp. 87914:300-87914:305.

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

F. Security, medical, emergency & fire protection plans

9604010412 Forwards response to emergency preparedness program weakness identified during NRC Insp Repts 50-498/96-13 & 50-499/96-13.Corrective actions:Condition Rept 96-2626 written to address weakness incurred during insp.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87706:358-87706:360.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090477 Forwards response to violations noted in Insp Repts 50-498/96-12 & 50-499/96-12.Corrective actions:written guidance on mgt expectations re EOP compliance issued on 951220,prior to reactor startup.
COTTLE,W.T. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87831:114-87831:120.

9604100156 Informs that 960115 submittal of rev 17 to plant emergency plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 87832:026-87832:032.

9604170007 Forwards rev 4A to physical security plan.Encl withheld.
GROTH,J.F. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 3pp. 87899:356-87899:358.

9604180333 Revised EPIPs,including Rev 2 to 0ERP01-ZV-TS05,Rev 3 to 0PGP03-ZT-0139 & Rev 2 to 0PGP03-ZV-0001.W/960415 ltr.
MEIER,R.L., PULEO,F., SERRA,P.L. Houston Lighting & Power Co. 96/04/15. 143pp. 87959:022-87959:165.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604020055 Requests that distribution lists for transmittals re plant be changed as listed.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87725:355-87725:356.

9604150312 Requests listed change to distribution list for transmittals related to plant.
MCBURNETT,M.A. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87885:031-87885:031.

J. Insurance & Indemnity Information

9604010182 Forwards ANI to MAELU Policy 96-201,NEIL-III Policy UX95-075 & NEIL-III Policy UX95-075,per 10CFR50.54(w)(2).
ROSEN,S.L. Houston Lighting & Power Co. 96/03/25. Document Control Branch (Document Control Desk). 11pp. 87696:290-87696:300.

P. Operating license stage documents & correspondence

9604100029 Forwards correspondence to & from City of Austin re potential reportability of info uncovered in litigation activities.Reaffirms that occurrence not reportable as previously discussed w/NRC staff.
MARTIN,L.E. Houston Lighting & Power Co. 95/08/24. CALLAN,L.J. Region 4 (Post 820201). 9pp. 87812:328-87812:336.

9604040131 Forwards notice of consideration of issuance of amends for plant re 950530 application for amends to increase SFP heat load licensing basis to provide greater flexibility for normal refueling practices.
ALEXION,T.W. . 96/03/27. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 87737:351-87737:361.

--9604040137 Notice of consideration of issuance of amends to licenses NPF-76 & NPF-80,proposed NSHC determination & opportunity for hearing.Amends increase spent fuel pool heat load licensing basis.
ALEXION,T.W. . 96/03/27. 8pp. 87737:354-87737:361.

9604010198 Forwards revised "STP Electric Generating Station Operations QA Plan," incorporating methodology for implementation of STP graded QA program.Draft procedures also encl.
COTTLE,W.T. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 63pp. 87697:001-87697:276.

--9604010202 Revised "STP Electric Generating Station Operations QA Plan."
COTTLE,W.T., MARTIN,L.E. Houston Lighting & Power Co. 96/03/27. 213pp. 87697:064-87697:276.

9604030321 Requests for addl info re SG APC application for plant, unit 1.Informs that question provided by licensee should be placed in PDR.
ALEXION,T. NRC - No Detailed Affiliation Given. 96/04/01. NRC - No Detailed Affiliation Given. 11pp. 87722:189-87722:199.

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

9604110120 Proposes to amend license NPF-76,incorporating voltage-based repair criteria in Unit 1 TS 3.4.5 & 3.4.6.2,in response to NRC questions on util 960122 proposed changes to facility TS 3.4.5 & 3.4.6.2,consistent w/GL 95-05.
COTTLE,W.T. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 20pp. 87855:288-87855:317.

--9604110123 Proposed tech specs 3.4.5 & 3.4.6.2,incorporating voltage- based repair criteria.
* Houston Lighting & Power Co. 96/04/04. 10pp. 87855:308-87855:317.

9604110265 Confirms acceptability of refueling practices w/licensing basis.Util evaluation,performed in accordance w/10CFR50.59, confirming that routine performance of full core off-loads acceptable encl.
LEAZAR,D.A. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 23pp. 87860:332-87860:354.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160054 Forwards change QA-027 to "Operations QA Plan."
COTTLE,W.T. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 4pp. 87914:170-87914:242.

--9604160061 Change QA-027 to "Operations QA Plan."
* Houston Lighting & Power Co. 94/12/30. 69pp. 87914:174-87914:242.

9604180438 Forwards FR notice of consideration of issuance of amend to facility operating license,proposed NSHC determination & opportunity for hearing re SG tube plugging criteria.
ALEXION,T.W. . 96/04/09. COTTLE,W.T. Houston Lighting & Power Co. 3pp. 87913:253-87913:267.

--9604180445 Notice of consideration of issuance of amend to license NPF-76 & proposed NSHC determination & opportunity for hearing.Amend modify SG tube plugging criteria in TS.
ALEXION,T.W. . 96/04/09. 12pp. 87913:256-87913:267.

9604220033 Forwards 960223 ltr & SE re resolution of bulletin 88-08, "Thermal Stresses in Piping Connected to RCS" & informs that NRC to delay placement of subj documents in PDR for thirty day period pending comment on document proprietary aspects.
ALEXION,T.W. . 96/04/16. KENNY,A. Electric Power Research Institute. 3pp. 87933:317-87933:319.

9604220187 Requests that util 960328 submittal of rev to Operations QA Plan be classified as cost beneficial licensing action based on listed info.
MARTIN,L.E. Houston Lighting & Power Co. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87961:351-87961:352.

9604220333 Submits Valve Relief Requests (RR) RR-55 & RR-56 for Unit 1 & RR-51 & RR-52 for Unit 2.W/eight oversizes drawings.
JORDAN,T.J. Houston Lighting & Power Co. 96/04/16. Document Control Branch (Document Control Desk). 18pp. 87983:307-87983:317.

9604230016 Discusses resolution of Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant Units 1 & 2.
ALEXION,T.W. . 96/04/16. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87971:001-87971:016.

--9604230024 Discusses suppl response to Bulletin 88-08 & WCAP-12598, "NRC Bulletin 88-08 Evaluation of Auxiliary Piping for plant Units 1 & 2." Weaknesses which form Thermal Stratification, Cycling & Striping methodology,identified.
ALEXION,T.W. . 96/02/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87971:004-87971:008.

--9604230031 SER identifying potential weakness in Suppl 1 to WCAP-12598 & info in EPRI Thermal Stratification,Cycling & Striping rept,submitted in response to Bulletin 88-08, "Thermal Stresses in Piping Connected to RCL Sys."
* . 96/02/23. 8pp. 87971:009-87971:016.

9604220196 Comments on NRR draft evaluation guide, "Development of Graded QA Programs," Draft Rev 5,dtd Jan 1996.Comments consistent w/discussions w/NRC in 960411 meeting between NRC & three pilot utils.
MCBURNETT,M.A. Houston Lighting & Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87960:356-87960:360.

9604230254 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
CLONINGER,T.H. Houston Lighting & Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87979:293-87979:297.

9604230235 Forwards Unit 1 Tech Specs 4.4.5.4.a.10,replacing Page 3 of 5 in Attachment 3 of ltr dtd 960122.
CLONINGER,T.H. Houston Lighting & Power Co. 96/04/18. Document Control Branch (Document Control Desk). 6pp. 87998:352-87998:358.

--9604230237 Proposed Tech Specs 4.4.5.4.a.10 re SG surveillance requirements.
* Houston Lighting & Power Co. 96/04/18. 1p. 87998:358-87998:358.

9604250288 Forwards RAI re increase in SFP heat loads application.
ALEXION,T. . 96/04/22. . 2pp. 88002:359-88002:360.

9604250302 Notification of 960424 meeting w/HL&P in Rockville,MD to discuss 960328 QAP submittal & scope out future interactions,milestones & schedules.
ALEXION,T.W. . 96/04/23. BECKNER,W.D. . 4pp. 87998:187-87998:190.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020341 Forwards corrected page for 960315 NOV.
BROCKMAN,K.E. Region 4 (Post 820201). 96/03/27. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 87705:289-87705:294.

--9604030111 Errata to notice of violation from insp on 960108-22. Violation noted:on 951218,following reactor trip,three control rods did not fully insert & licensed operating personnel did not initiate emergency boration.
* Region 4 (Post 820201). 96/03/27. 1p. 87705:294-87705:294.

9604010412 Forwards response to emergency preparedness program weakness identified during NRC Insp Repts 50-498/96-13 & 50-499/96-13.Corrective actions:Condition Rept 96-2626 written to address weakness incurred during insp.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87706:358-87706:360.

9604050032 Ack receipt of 960321 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-12 & 50-499/92-12.
BROCKMAN,K.E. Region 4 (Post 820201). 96/04/01. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 87752:001-87752:011.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080247 Advises of planned insp effort resulting from South Texas Project Plant Performance Review & forwards details of insp plan for next eight months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 87772:153-87772:158.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090477 Forwards response to violations noted in Insp Repts 50-498/96-12 & 50-499/96-12.Corrective actions:written guidance on mgt expectations re EOP compliance issued on 951220,prior to reactor startup.
COTTLE,W.T. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87831:114-87831:120.

9604110075 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
CLONINGER,T.H. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87847:186-87847:199.

9604150284 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-13 & 50-499/96-13 on 960223.
GWYNN,T.P. Region 4 (Post 820201). 96/04/09. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87885:014-87885:018.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160067 Ack receipt of 960401 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-01 & 50-499/96-01.
DYER,J.E. Region 4 (Post 820201). 96/04/10. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87895:223-87895:231.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180332 Forwards insp repts 50-498/96-11 & 50-499/96-11 on 960129- 0215.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87905:059-87905:091.

--9604180340 Insp repts 50-498/96-11 & 50-499/96-11 on 960129-0215.No violations noted.Major areas inspected:CAP & implementation in areas of operations & engineering.Evaluated effectiveness of licensee CAP through review of activities.
YANDELL,L.A., VANDENBURGH,C. Region 4 (Post 820201). 96/04/04. 28pp. 87905:064-87905:091.

9604220033 Forwards 960223 ltr & SE re resolution of bulletin 88-08, "Thermal Stresses in Piping Connected to RCS" & informs that NRC to delay placement of subj documents in PDR for thirty day period pending comment on document proprietary aspects.
ALEXION,T.W. . 96/04/16. KENNY,A. Electric Power Research Institute. 3pp. 87933:317-87933:319.

9604230016 Discusses resolution of Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant Units 1 & 2.
ALEXION,T.W. . 96/04/16. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87971:001-87971:016.

--9604230024 Discusses suppl response to Bulletin 88-08 & WCAP-12598, "NRC Bulletin 88-08 Evaluation of Auxiliary Piping for plant Units 1 & 2." Weaknesses which form Thermal Stratification, Cycling & Striping methodology,identified.
ALEXION,T.W. . 96/02/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87971:004-87971:008.

--9604230031 SER identifying potential weakness in Suppl 1 to WCAP-12598 & info in EPRI Thermal Stratification,Cycling & Striping rept,submitted in response to Bulletin 88-08, "Thermal Stresses in Piping Connected to RCL Sys."
* . 96/02/23. 8pp. 87971:009-87971:016.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220201 Monthly operating repts for Mar 1996 for STP units 1 & 2. W/960411 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/03/31. 14pp. 87965:178-87965:191.

DOCKET STN-50-499 SOUTH TEXAS PROJECT, UNIT 2

F. Security, medical, emergency & fire protection plans

9604010412 Forwards response to emergency preparedness program weakness identified during NRC Insp Repts 50-498/96-13 & 50-499/96-13.Corrective actions:Condition Rept 96-2626 written to address weakness incurred during insp.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87706:358-87706:360.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604090477 Forwards response to violations noted in Insp Repts 50-498/96-12 & 50-499/96-12.Corrective actions:written guidance on mgt expectations re EOP compliance issued on 951220,prior to reactor startup.
COTTLE,W.T. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87831:114-87831:120.

9604100156 Informs that 960115 submittal of rev 17 to plant emergency plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. COTTLE,W.T. Houston Lighting & Power Co. 7pp. 87832:026-87832:032.

9604170007 Forwards rev 4A to physical security plan.Encl withheld.
GROTH,J.F. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 3pp. 87899:356-87899:358.

9604180333 Revised EPIPs,including Rev 2 to 0ERP01-ZV-TS05,Rev 3 to 0PGP03-ZT-0139 & Rev 2 to 0PGP03-ZV-0001.W/960415 ltr.
MEIER,R.L., PULEO,F., SERRA,P.L. Houston Lighting & Power Co. 96/04/15. 143pp. 87959:022-87959:165.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206." RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206. RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604020055 Requests that distribution lists for transmittals re plant be changed as listed.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87725:355-87725:356.

9604150312 Requests listed change to distribution list for transmittals related to plant.
MCBURNETT,M.A. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87885:031-87885:031.

J. Insurance & Indemnity Information

9604010182 Forwards ANI to MAELU Policy 96-201,NEIL-III Policy UX95-075 & NEIL-III Policy UX95-075,per 10CFR50.54(w)(2).
ROSEN,S.L. Houston Lighting & Power Co. 96/03/25. Document Control Branch (Document Control Desk). 11pp. 87696:290-87696:300.

P. Operating license stage documents & correspondence

9604100029 Forwards correspondence to & from City of Austin re potential reportability of info uncovered in litigation activities.Reaffirms that occurrence not reportable as previously discussed w/NRC staff.
MARTIN,L.E. Houston Lighting & Power Co. 95/08/24. CALLAN,L.J. Region 4 (Post 820201). 9pp. 87812:328-87812:336.

9604040131 Forwards notice of consideration of issuance of amends for plant re 950530 application for amends to increase SFP heat load licensing basis to provide greater flexibility for normal refueling practices.
ALEXION,T.W. . 96/03/27. COTTLE,W.T. Houston Lighting & Power Co. 2pp. 87737:351-87737:361.

--9604040137 Notice of consideration of issuance of amends to licenses NPF-76 & NPF-80,proposed NSHC determination & opportunity for hearing.Amends increase spent fuel pool heat load licensing basis.
ALEXION,T.W. . 96/03/27. 8pp. 87737:354-87737:361.

9604010198 Forwards revised "STP Electric Generating Station Operations QA Plan," incorporating methodology for implementation of STP graded QA program.Draft procedures also encl.
COTTLE,W.T. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 63pp. 87697:001-87697:276.

--9604010202 Revised "STP Electric Generating Station Operations QA Plan."
COTTLE,W.T., MARTIN,L.E. Houston Lighting & Power Co. 96/03/27. 213pp. 87697:064-87697:276.

9604080178 Notification of 960403 meeting w/graded QA volunteer plants in Rockville,MD to provide comments & feedback to staff re evaluation guidance prepared by staff for volunteer plant implementation phase of graded QA initiative.
GRAMM,R.A. . 96/04/03. BLACK,S.C. . 4pp. 87782:350-87782:353.

9604110265 Confirms acceptability of refueling practices w/licensing basis.Util evaluation,performed in accordance w/10CFR50.59, confirming that routine performance of full core off-loads acceptable encl.
LEAZAR,D.A. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 23pp. 87860:332-87860:354.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604160054 Forwards change QA-027 to "Operations QA Plan."
COTTLE,W.T. Houston Lighting & Power Co. 96/04/09. Document Control Branch (Document Control Desk). 4pp. 87914:170-87914:242.

--9604160061 Change QA-027 to "Operations QA Plan."
* Houston Lighting & Power Co. 94/12/30. 69pp. 87914:174-87914:242.

9604220033 Forwards 960223 ltr & SE re resolution of bulletin 88-08, "Thermal Stresses in Piping Connected to RCS" & informs that NRC to delay placement of subj documents in PDR for thirty day period pending comment on document proprietary aspects.
ALEXION,T.W. . 96/04/16. KENNY,A. Electric Power Research Institute. 3pp. 87933:317-87933:319.

9604220187 Requests that util 960328 submittal of rev to Operations QA Plan be classified as cost beneficial licensing action based on listed info.
MARTIN,L.E. Houston Lighting & Power Co. 96/04/16. Document Control Branch (Document Control Desk). 2pp. 87961:351-87961:352.

9604220333 Submits Valve Relief Requests (RR) RR-55 & RR-56 for Unit 1 & RR-51 & RR-52 for Unit 2.W/eight oversizes drawings.
JORDAN,T.J. Houston Lighting & Power Co. 96/04/16. Document Control Branch (Document Control Desk). 18pp. 87983:307-87983:317.

9604230016 Discusses resolution of Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant Units 1 & 2.
ALEXION,T.W. . 96/04/16. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87971:001-87971:016.

--9604230024 Discusses suppl response to Bulletin 88-08 & WCAP-12598, "NRC Bulletin 88-08 Evaluation of Auxiliary Piping for plant Units 1 & 2." Weaknesses which form Thermal Stratification, Cycling & Striping methodology,identified.
ALEXION,T.W. . 96/02/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87971:004-87971:008.

--9604230031 SER identifying potential weakness in Suppl 1 to WCAP-12598 & info in EPRI Thermal Stratification,Cycling & Striping rept,submitted in response to Bulletin 88-08, "Thermal Stresses in Piping Connected to RCL Sys."
* . 96/02/23. 8pp. 87971:009-87971:016.

9604220196 Comments on NRR draft evaluation guide, "Development of Graded QA Programs," Draft Rev 5,dtd Jan 1996.Comments consistent w/discussions w/NRC in 960411 meeting between NRC & three pilot utils.
MCBURNETT,M.A. Houston Lighting & Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87960:356-87960:360.

9604230254 Submits response to NRC GL 96-01, "Testing of Safety-Related Logic Circuits."
CLONINGER,T.H. Houston Lighting & Power Co. 96/04/17. Document Control Branch (Document Control Desk). 5pp. 87979:293-87979:297.

9604250288 Forwards RAI re increase in SFP heat loads application.
ALEXION,T. . 96/04/22. . 2pp. 88002:359-88002:360.

9604250302 Notification of 960424 meeting w/HL&P in Rockville,MD to discuss 960328 QAP submittal & scope out future interactions,milestones & schedules.
ALEXION,T.W. . 96/04/23. BECKNER,W.D. . 4pp. 87998:187-87998:190.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604020341 Forwards corrected page for 960315 NOV.
BROCKMAN,K.E. Region 4 (Post 820201). 96/03/27. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 87705:289-87705:294.

9604010412 Forwards response to emergency preparedness program weakness identified during NRC Insp Repts 50-498/96-13 & 50-499/96-13.Corrective actions:Condition Rept 96-2626 written to address weakness incurred during insp.
MARTIN,L.E. Houston Lighting & Power Co. 96/03/28. Document Control Branch (Document Control Desk). 3pp. 87706:358-87706:360.

9604050032 Ack receipt of 960321 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-12 & 50-499/92-12.
BROCKMAN,K.E. Region 4 (Post 820201). 96/04/01. COTTLE,W.T. Houston Lighting & Power Co. 4pp. 87752:001-87752:011.

9604050055 Responds to NRC 960307 ltr re violation noted in insp rept 50-499/96-01.Corrective actions:guidance issued re communications & work coordination between outage work start authority & CR & Procedure 0POP01-ZQ-0022 revised.
MASSE,R.E. Houston Lighting & Power Co. 96/04/01. Document Control Branch (Document Control Desk). 4pp. 87775:318-87775:321.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080247 Advises of planned insp effort resulting from South Texas Project Plant Performance Review & forwards details of insp plan for next eight months.
DYER,J.E. Region 4 (Post 820201). 96/04/03. COTTLE,W.T. Houston Lighting & Power Co. 6pp. 87772:153-87772:158.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090477 Forwards response to violations noted in Insp Repts 50-498/96-12 & 50-499/96-12.Corrective actions:written guidance on mgt expectations re EOP compliance issued on 951220,prior to reactor startup.
COTTLE,W.T. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 7pp. 87831:114-87831:120.

9604110075 Forwards response to NRC Bulletin 96-001, "Control Rod Insertion Problems."
CLONINGER,T.H. Houston Lighting & Power Co. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87847:186-87847:199.

9604150284 Ack receipt of 960328 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-13 & 50-499/96-13 on 960223.
GWYNN,T.P. Region 4 (Post 820201). 96/04/09. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87885:014-87885:018.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604160067 Ack receipt of 960401 ltr informing NRC of steps taken to correct violations noted in insp repts 50-498/96-01 & 50-499/96-01.
DYER,J.E. Region 4 (Post 820201). 96/04/10. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87895:223-87895:231.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604180332 Forwards insp repts 50-498/96-11 & 50-499/96-11 on 960129- 0215.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87905:059-87905:091.

-9604180340 Insp repts 50-498/96-11 & 50-499/96-11 on 960129-0215.No violations noted.Major areas inspected:CAP & implementation in areas of operations & engineering.Evaluated effectiveness of licensee CAP through review of activities.
YANDELL,L.A., VANDENBURGH,C. Region 4 (Post 820201). 96/04/04. 28pp. 87905:064-87905:091.

9604220033 Forwards 960223 ltr & SE re resolution of bulletin 88-08, "Thermal Stresses in Piping Connected to RCS" & informs that NRC to delay placement of subj documents in PDR for thirty day period pending comment on document proprietary aspects.
ALEXION,T.W. . 96/04/16. KENNY,A. Electric Power Research Institute. 3pp. 87933:317-87933:319.

9604230016 Discusses resolution of Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant Units 1 & 2.
ALEXION,T.W. . 96/04/16. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87971:001-87971:016.

-9604230024 Discusses suppl response to Bulletin 88-08 & WCAP-12598, "NRC Bulletin 88-08 Evaluation of Auxiliary Piping for plant Units 1 & 2." Weaknesses which form Thermal Stratification, Cycling & Striping methodology,identified.
ALEXION,T.W. . 96/02/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87971:004-87971:008.

-9604230031 SER identifying potential weakness in Suppl 1 to WCAP-12598 & info in EPRI Thermal Stratification,Cycling & Striping rept,submitted in response to Bulletin 88-08, "Thermal Stresses in Piping Connected to RCL Sys."
* . 96/02/23. 8pp. 87971:009-87971:016.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604220201 Monthly operating repts for Mar 1996 for STP units 1 & 2. W/960411 ltr.
HILL,R.L., MALLEN,F.H. Houston Lighting & Power Co. 96/03/31. 14pp. 87965:178-87965:191.

S. Reportable occurrences, LERs & related correspondence

9604290309 LER 96-002-00:on 960314,fuel handling bldg exhaust air damper inoperable due to inappropriate design implementation.Made mods to fuel handling bldg emergency exhaust dampers to resolve issue.W/960424 ltr.
HEAD,S.M., MASSE,R.E. Houston Lighting & Power Co. 96/04/24. 9pp. 88046:001-88046:009.

DOCKET STN-50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

Q. Inspection reports, IE Bulletins & correspondence

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100150 Informs that 960209 submittal of rev 17 to plant emergency plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87832:022-87832:025.

9604190304 Submits Rev 12 of plant Security Training & Qualification Plan.Encl withheld.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87951:353-87951:354.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604290418 Informs of changes to distribution list.
PORTER,D.K. Southern California Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88057:081-88057:081.

J. Insurance & Indemnity Information

9604080395 Presents levels & sources of property insurance maintained for PVNGS.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/27. Document Control Branch (Document Control Desk). 1p. 87814:357-87814:357.

P. Operating license stage documents & correspondence

9604010343 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying TS 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & GL 96-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 13pp. 87704:254-87704:300.

-9604010348 Proposed tech specs,modifying TS Section 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & 96-05.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. 34pp. 87704:267-87704:300.

9604160252 Forwards engineering evaluaion rept of MOV key failures which represent potential common-mode failure mechanism for associated safety-related sys.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/03/29. GILLESPIE,F.P., THADANI,A.C., ZIMMERMAN,R.P. . 3pp. 87899:131-87899:181.

-9604160261 "Engineering Evaluation MOV Key Failures."
HSU,C. Reactor Operations Analysis Branch. 96/03/29. 48pp. 87899:134-87899:181.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604100265 Submits proposed changes to QA program description,proposing to amend listed UFSAR sections to allow use of alternative means of satisfying periodic review requirements by Nuclear Assurance.Descriptions & justifications for changes encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. Document Control Branch (Document Control Desk). 35pp. 87834:287-87834:321.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120260 Forwards amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends would change instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87861:292-87861:320.

-9604120268 Amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. 22pp. 87861:296-87861:317.

-9604120273 Safety evaluation supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 3pp. 87861:318-87861:320.

9604170362 Informs of 960423-24 meetings w/Arizona Public Svc in Tonapah,AZ re risk-based insvc testing pilot project.
THOMAS,C.R. . 96/04/12. BATEMAN,W. . 4pp. 87911:112-87911:115.

9604230129 Forwards response to GL 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/15. Document Control Branch (Document Control Desk). 4pp. 87976:313-87976:316.

9604230281 Forwards errata to pp 2 of SE issued on 960405 for amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
THOMAS,C.R. . 96/04/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 87972:210-87972:212.

-9604230295 Errata to pp 2 of SE supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 1p. 87972:210-87972:212.

9604300052 Forwards NRC response to questions re power uprate amend request & corresponding util responses.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 30pp. 88067:025-88067:064.

9604250432 Ack receipt of 960404 ltr & check for $100,000 in payment for civil penalty proposed in 960307 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/24. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 1p. 87997:001-87997:001.

Q. Inspection reports, IE Bulletins & correspondence

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010235 Responds to NRC 960223 ltr re violations noted in insp repts 50-528/95-25,50-529/95-25 & 50-530/95-25.Corrective action: briefing for HVAC technicians,chiller rear motor o-ring seal replaced,leak adjusted to 0.0829 gallons per h.
STEWART,W.L., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/25. Document Control Branch (Document Control Desk). 18pp. 87696:338-87696:355.

9604040230 Forwards insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/03/29. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87736:179-87736:202.

-9604040231 Insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.Major areas inspected: onsite review of event,operational safety verification,maint & surveillance observations & onsite engineering.
KIRSCH,D.F. Region 4 (Post 820201). 96/03/29. 20pp. 87736:183-87736:202.

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

-9604110122 Partially withheld ltr discussing case 2-94-003 & analysis & summary of evidence corroborating testimony of E Taylor.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/08/03. Ofc of Investigations (Post 880201). 2pp. 87871:218-87871:219.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080218 Advises of planned insp effort resulting from plant PPR for period of Oct 1995 to Mar 1996.
DYER,J.E. Region 4 (Post 820201). 96/04/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 87772:078-87772:082.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090308 Discusses payment & proposed imposition of civil penalty in amount of 100,000.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 87831:074-87831:075.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150189 Ack receipt of 960322 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87869:214-87869:217.

9604190016 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/90-29, 50-529/90-29 & 50-530/90-29.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87920:342-87920:345.

9604180354 Ack receipt of 960325 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-25, 50-529/95-25 & 50-530/95-25.
DYER,J.E. Region 4 (Post 820201). 96/04/13. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87905:092-87905:113.

9604290219 Transmits response to RAI,providing description of valve grouping methodology & containing justification group valve factors,in response to insp repts 50-528/95-23,50-529/95-23 & 50-530/95-23.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88034:247-88034:289.

-9604290222 "GL 89-10 Closure Response Valve Factor Grouping Methodology & Assumption Validation."
GAFFNEY,T., WATERS,S., SMITH,E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/10. 41pp. 88034:249-88034:289.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300405 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-24, 50-529/95-24 & 50-530/95-24 on 960122.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 88036:128-88036:134.

9604260065 Forwards insp rept 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 88003:315-88003:338.

-9604260071 Notice of violation from insp on 960318-22.Violation noted: on 960319 individual worked in overhead area of cooling water tank/pump room w/out contacting radiation protection personnel & two workers worked w/out face shields.
* Region 4 (Post 820201). 96/04/23. 2pp. 88003:320-88003:321.

-9604260082 Insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.Violations noted.Major areas inspected:radiation protection activities,including planning & preparation, external exposure controls,control of radioactive matls,etc.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:322-88003:338.

9604260097 Forwards insp rept 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88003:339-88003:359.

-9604260100 Insp repts 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.Major areas inspected: radioactive waste mgt & radiological environ monitoring programs including organizational & mgt controls,more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:343-88003:359.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604100262 "10CFR50.59 Annual Rept for CY95." W/960404 ltr.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 87pp. 87833:267-87833:353.

9604230161 "1995 Annual Radiological Environ Operating Rept for PVNGS." W/960411 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 72pp. 88001:250-88001:321.

9604170071 Monthly operating repts for Mar 1996 for PVNGS.W/960411 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/31. 16pp. 87933:253-87933:268.

9604230227 Forwards "Annual Radioactive Effluent Release Rept & ODCM Revs 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/11. Document Control Branch (Document Control Desk). 1p. 88000:001-88000:291.

-9604230199 "Annual Radioactive Effluent Release Rept & Offsite Dose Calculation Manual Rev 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 290pp. 88000:002-88000:291.

S. Reportable occurrences, LERs & related correspondence

9604160412 Forwards suppl 1 to LER 95-007,providing updated info,cause & corrective actions of low bench settings of letdown/ containment isolation air operated valves reported by initial LER.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/06. Document Control Branch (Document Control Desk). 1p. 87923:104-87923:113.

-9604160420 LER 95-007-01:on 950512,determined that bench settings of air-operated letdown & containment isolation valves adversely affected ability of valves to perform 10CFR50 App R safety function.Affected valves modified.
GRABO,B.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/06. 9pp. 87923:105-87923:113.

9604170381 PNO-IV-96-020:on 960416,unit 1 shut down due to increasing reactor coolant pump vibration.Repairs or component replacement may require unit to be taken to mid-loop conditions.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/16. 1p. 87959:336-87959:336.

T. Hearing transcripts on non-antitrust matters

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

-9604110080 Transcript of 950322 interview of F Warriner in Phoenix,AZ.Partially withheld ltr re case 92-ERA-30 & info re complaint agianst util,encl.Pp 1-7.W/related documentation.
ROTHENBERGER,P. Ofc of Investigations (Post 880201). 95/03/22. 58pp. 87870:225-87870:281.

-9604110105 Transcript of 940629 investigative interview of TJ Saporito in Juniper,FL re issues concering TAG & util connected w/TAG.Pp 1-112.
* Ofc of Investigations (Post 880201). 94/06/29. 112pp. 87870:282-87871:033.

-9604110110 Partially withheld statement of F Warriner re involvement in nonselection of TJ Saporito as contract Instrumentation & Control technician at plant during Dec 1991.
DOCKERY,J.D., LOGAN,K.G. Ofc of Investigations (Post 880201). 95/06/26. 4pp. 87871:034-87871:037.

-9604110113 Partially withheld transcript of 950720 interview of WE Engelking in Norfolk,VA re knowledge of events & circumstances surrounding series of allegations in DOL complaints by T Saporito.Pp 1-107.
* Ofc of Investigations (Post 880201). 95/07/20. 107pp. 87871:038-87871:144.

-9604110117 Partially withheld transcript of 950720 interview of EK Taylor in Norfolk,VA re knowledge of events & circumstances surrounding allegations & DOL complaints made by TJ Saporito beginning in 1992.Pp 1-73.
* Ofc of Investigations (Post 880201). 95/07/20. 73pp. 87871:145-87871:217.

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100150 Informs that 960209 submittal of rev 17 to plant emergency plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87832:022-87832:025.

9604190304 Submits Rev 12 of plant Security Training & Qualification Plan.Encl withheld.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87951:353-87951:354.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604290418 Informs of changes to distribution list.
PORTER,D.K. Southern California Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88057:081-88057:081.

J. Insurance & Indemnity Information

9604080395 Presents levels & sources of property insurance maintained for PVNGS.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/27. Document Control Branch (Document Control Desk). 1p. 87814:357-87814:357.

P. Operating license stage documents & correspondence

9604010343 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying TS 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & GL 96-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 13pp. 87704:254-87704:300.

--9604010348 Proposed tech specs,modifying TS Section 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & 96-05.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. 34pp. 87704:267-87704:300.

9604020036 Application for amend to license NPF-51,revising TS SR 4.8.2.1.e, "DC Sources," to suspend provision of TS 4.0.1 & 4.0.4 for battery capacity testing requirements until entry into Mode 4 following sixth refueling outage.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/23. Document Control Branch (Document Control Desk). 13pp. 87724:334-87724:347.

--9604020164 Proposed tech specs,revising TS SR 4.8.2.1.e, "DC Sources," to suspend provision of TS 4.0.1 & 4.0.4 for battery capacity testing requirements until entry into Mode 4 following sixth refueling outage.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/23. 1p. 87724:347-87724:347.

9604020030 Application for amend to license NPF-51,revising TS 3/4.9.6 to relocate refueling machine overload cut off limit from TS 3/4.9.6 to plant UFSAR per criteria in 10CFR50.36 & Rev 1 of NUREG-1432, "STS for Combustion Engineering Plants."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/26. Document ,Control Branch (Document Control Desk). 8pp. 87725:340-87725:348.

--9604020035 Proposed tech specs,revising TS 3/4.9.6 to relocate refueling machine overload cut off limit from TS 3/4.9.6 to plant UFSAR per criteria in 10CFR50.36 & Rev 1 of NUREG-1432 "STS for C-E Plants."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/26. 1p. 87725:348-87725:348.

9604020284 Application for amend to license NPF-51,revising TS 3/4.9.6 to increase refueling machine overload cut off limit to 2,000 lb in effort to free stuck fuel assembly from core location A-06.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/26. 8pp. 87712:326-87712:334.

--9604020293 Proposed tech specs 3/4.9.6,increasing refueling machine overload cut off limit to 2,000 lb,in 50 lb increments,for removal of stuck fuel assembly from core location A-06.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/26. 1p. 87712:334-87712:334.

9604020353 Forwards amend 95 to license NPF-51 & safety evaluation. Amend revises TS 3/4.9.6 to allow refueling machine overload cutoff limit to be increased to as much as 2000 lbs,from current 1600 lbs.
THOMAS,C.R. . 96/03/26. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 87725:271-87725:283.

--9604020358 Amend 95 to license NPF-51,revising TS 3/4.9.6 to allow refueling machine overload cutoff limit to be increased as much as 2000 lbs,from current 1600 lb limit,in order to free stuck fuel assembly from core location A-06.
BATEMAN,W.H. . 96/03/26. 5pp. 87725:275-87725:279.

--9604020360 Safety evaluation supporting amend 95 to license NPF-51.
* . 96/03/26. 4pp. 87725:280-87725:283.

9604080046 Application for amend to license NPF-51,revising TS 3/4/9.6 to temporarily allow use of hoist instead of refueling machine for movement of fuel assembly at core location A-07.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/01. Document Control Branch (Document Control Desk). 13pp. 87817:290-87817:303.

--9604080048 Proposed tech specs,revising TS 3/4.9.6 to temporarily allow use of hoist instead of refueling machine for movement of fuel assembly at core location A-07.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/01. 1p. 87817:303-87817:303.

9604080257 Forwards info requested on 960401 re 960401 proposed amend to TS Section 3/4.9.6, "Refueling Machine."
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/03. Document Control Branch (Document Control Desk). 14pp. 87814:256-87814:269.

9604080307 Informs that util intends to raise active portion of assembly up to within eight feet of surface in order to ensure sufficient clearance below fuel assembly during movement.
BAILEY,J.A. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/03. Document Control Branch (Document Control Desk). 2pp. 87815:358-87815:359.

9604090425 Press release IV-96-24, "NRC Staff Approves Amend for Palo Verde to Move Stuck Fuel Assembly."
* Walnut Creek Field Ofc, R4 (Post 940404). 96/04/03. 1p. 87824:140-87824:140.

9604100196 Forwards amend 96 to license NPF-51 & safety evaluation. Amend would revise TS 3/4.9.6 to temporarily allow use of hoist instead of refueling machine for moving fuel assembly at core location A-07.
THOMAS,C.R. . 96/04/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 87854:280-87854:307.

--9604100198 Amend 96 to license NPF-51,revising TS 3/4.9.6 to temporarily allow use of hoist instead of refueling machine for moving fuel assembly at core location A-07.
BATEMAN,W.H. . 96/04/03. 5pp. 87854:282-87854:286.

--9604100202 Safety evaluation supporting amend 96 to license NPF-51.
* . 96/04/03. 21pp. 87854:287-87854:307.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604100265 Submits proposed changes to QA program description,proposing to amend listed UFSAR sections to allow use of alternative means of satisfying periodic review requirements by Nuclear Assurance.Descriptions & justifications for changes encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. Document Control Branch (Document Control Desk). 35pp. 87834:287-87834:321.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120260 Forwards amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends would change instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87861:292-87861:320.

--9604120268 Amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. 22pp. 87861:296-87861:317.

--9604120273 Safety evaluation supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 3pp. 87861:318-87861:320.

9604170362 Informs of 960423-24 meetings w/Arizona Public Svc in Tonapah,AZ re risk-based insvc testing pilot project.
THOMAS,C.R. . 96/04/12. BATEMAN,W. . 4pp. 87911:112-87911:115.

9604230129 Forwards response to GL 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/15. Document Control Branch (Document Control Desk). 4pp. 87976:313-87976:316.

9604230281 Forwards errata to pp 2 of SE issued on 960405 for amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
THOMAS,C.R. . 96/04/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 87972:210-87972:212.

--9604230295 Errata to pp 2 of SE supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 1p. 87972:210-87972:212.

9604300169 Submits special rept 2-SR-96-002 re number of SG tubes plugged during refueling outage.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/18. Document Control Branch (Document Control Desk). 2pp. 88066:347-88066:348.

9604300052 Forwards NRC response to questions re power uprate amend request & corresponding util responses.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 30pp. 88067:025-88067:064.

9604250432 Ack receipt of 960404 ltr & check for $100,000 in payment for civil penalty proposed in 960307 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/24. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 1p. 87997:001-87997:001.

9604300152 Forwards "COLR PVNGS Unit 2 Cycle 7," rev 0.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/25. Document Control Branch (Document Control Desk). 1p. 88067:001-88067:024.

-9604300154 Rev 0 to "COLR for PVNGS Unit 2 Cycle 7."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/25. 23pp. 88067:002-88067:024.

Q. Inspection reports, IE Bulletins & correspondence

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010235 Responds to NRC 960223 ltr re violations noted in insp repts 50-528/95-25,50-529/95-25 & 50-530/95-25.Corrective action: briefing for HVAC technicians,chiller rear motor o-ring seal replaced,leak adjusted to 0.0829 gallons per h.
STEWART,W.L., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/25. Document Control Branch (Document Control Desk). 18pp. 87696:338-87696:355.

9604040230 Forwards insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/03/29. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87736:179-87736:202.

-9604040231 Insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.Major areas inspected: onsite review of event,operational safety verification,maint & surveillance observations & onsite engineering.
KIRSCH,D.F. Region 4 (Post 820201). 96/03/29. 20pp. 87736:183-87736:202.

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

-9604110122 Partially withheld ltr discussing case 2-94-003 & analysis & summary of evidence corroborating testimony of E Taylor.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/08/03. Ofc of Investigations (Post 880201). 2pp. 87871:218-87871:219.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080218 Advises of planned insp effort resulting from plant PPR for period of Oct 1995 to Mar 1996.
DYER,J.E. Region 4 (Post 820201). 96/04/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 87772:078-87772:082.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090308 Discusses payment & proposed imposition of civil penalty in amount of 100,000.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 87831:074-87831:075.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150189 Ack receipt of 960322 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87869:214-87869:217.

9604190016 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/90-29, 50-529/90-29 & 50-530/90-29.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87920:342-87920:345.

9604180354 Ack receipt of 960325 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-25, 50-529/95-25 & 50-530/95-25.
DYER,J.E. Region 4 (Post 820201). 96/04/13. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87905:092-87905:113.

9604290219 Transmits response to RAI,providing description of valve grouping methodology & containing justification group valve factors,in response to insp repts 50-528/95-23,50-529/95-23 & 50-530/95-23.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88034:247-88034:289.

-9604290222 "GL 89-10 Closure Response Valve Factor Grouping Methodology & Assumption Validation."
GAFFNEY,T., WATERS,S., SMITH,E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/10. 41pp. 88034:249-88034:289.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300405 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-24, 50-529/95-24 & 50-530/95-24 on 960122.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 88036:128-88036:134.

9604260065 Forwards insp rept 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 88003:315-88003:338.

-9604260071 Notice of violation from insp on 960318-22.Violation noted: on 960319 individual worked in overhead area of cooling water tank/pump room w/out contacting radiation protection personnel & two workers worked w/out face shields.
* Region 4 (Post 820201). 96/04/23. 2pp. 88003:320-88003:321.

-9604260082 Insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.Violations noted.Major areas inspected:radiation protection activities,including planning & preparation, external exposure controls,control of radioactive matls,etc.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:322-88003:338.

9604260097 Forwards insp rept 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88003:339-88003:359.

-9604260100 Insp repts 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.Major areas inspected: radioactive waste mgt & radiological environ monitoring programs including organizational & mgt controls,more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:343-88003:359.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604100262 "10CFR50.59 Annual Rept for CY95." W/960404 ltr.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 87pp. 87833:267-87833:353.

9604230161 "1995 Annual Radiological Environ Operating Rept for PVNGS." W/960411 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 72pp. 88001:250-88001:321.

9604170071 Monthly operating repts for Mar 1996 for PVNGS.W/960411 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/31. 16pp. 87933:253-87933:268.

9604230227 Forwards "Annual Radioactive Effluent Release Rept & ODCM Revs 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/11. Document Control Branch (Document Control Desk). 1p. 88000:001-88000:291.

-9604230199 "Annual Radioactive Effluent Release Rept & Offsite Dose Calculation Manual Rev 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 290pp. 88000:002-88000:291.

S. Reportable occurrences, LERs & related correspondence

9604020073 PNO-IV-96-016A:on 960324-25,licensee experienced difficulty in removing fuel assemblies located in southeast quadrant of core.Licensee installed hydraulic jacks under assembly A07 w/o success.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/01. 2pp. 87733:169-87733:170.

9604100271 Special Rept 2-SR-96-001:on 960404,fault occurred in voltage regulator for CR & remote shutdown panel essential lighting, resulting in fire in 100 ft elevation of CB "B" battery equipment room & requiring declaration of alert,per EPIP-04.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. Document Control Branch (Document Control Desk). 3pp. 87834:357-87834:359.

9604050030 PNO-IV-96-016B:on 960324-25,licensee experienced difficulty in removing fuel assemblies located in southeast quadrant of core.Licensee installed two straps on opposite sides of assembly which hook into lower end fitting.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/05. 2pp. 87807:189-87807:190.

9604080120 PNO-IV-96-017:on 960404,alert declared due to fire in equipment providing power for control room essential & emergency lighting.No personnel injured.CR was not evacuated & event had no impact on ability to cool fuel in SFP or RV.
OLSON,B., ACKER,D. Region 4 (Post 820201). 96/04/05. 2pp. 87823:334-87823:335.

9604160423 Rev 1 to Special Rept 2-SR-96-001,on 960404,alert declared due to fire in voltage regulator for CR & remote shutdown panel essential lighting,clarifying status of power to UPS 2EQDNN02.Further investigations into event being performed.
LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/05. Document Control Branch (Document Control Desk). 3pp. 87915:359-87915:360.

9604110266 PNO-IV-96-016C:on 960407,Arizona Public Svc Co successfully lifted Fuel Assembly A07 from Unit 2 core support plate & placed in temporary storage device.Initial lifting attempt suspended due to concerns re assembly structural integrity.
POWERS,D. Region 4 (Post 820201). 96/04/08. 2pp. 87850:148-87850:149.

9604300158 LER 96-002-00:on 960401,inappropriate work practice resulted in ESFA of Train B EDG.Night order was issued to all three units describing event.W/960425 ltr.
GRABO,B.A., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/25. 6pp. 88066:039-88066:044.

T. Hearing transcripts on non-antitrust matters

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

–9604110080 Transcript of 950322 interview of F Warriner in Phoenix,AZ.Partially withheld ltr re case 92-ERA-30 & info re complaint agianst util,encl.Pp 1-7.W/related documentation.
ROTHENBERGER,P. Ofc of Investigations (Post 880201). 95/03/22. 58pp. 87870:225-87870:281.

–9604110105 Transcript of 940629 investigative interview of TJ Saporito in Juniper,FL re issues concering TAG & util connected w/TAG.Pp 1-112.
* Ofc of Investigations (Post 880201). 94/06/29. 112pp. 87870:282-87871:033.

–9604110110 Partially withheld statement of F Warriner re involvement in nonselection of TJ Saporito as contract Instrumentation & Control technician at plant during Dec 1991.
DOCKERY,J.D., LOGAN,K.G. Ofc of Investigations (Post 880201). 95/06/26. 4pp. 87871:034-87871:037.

–9604110113 Partially withheld transcript of 950720 interview of WE Engelking in Norfolk,VA re knowledge of events & circumstances surrounding series of allegations in DOL complaints by T Saporito.Pp 1-107.
* Ofc of Investigations (Post 880201). 95/07/20. 107pp. 87871:038-87871:144.

–9604110117 Partially withheld transcript of 950720 interview of EK Taylor in Norfolk,VA re knowledge of events & circumstances surrounding allegations & DOL complaints made by TJ Saporito beginning in 1992.Pp 1-73.
* Ofc of Investigations (Post 880201). 95/07/20. 73pp. 87871:145-87871:217.

DOCKET STN-50-530 PALO VERDE NUCLEAR STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

9604100150 Informs that 960209 submittal of rev 17 to plant emergency plan,acceptable.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87832:022-87832:025.

9604190304 Submits Rev 12 of plant Security Training & Qualification Plan.Encl withheld.
OVERBECK,G.R. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/12. Document Control Branch (Document Control Desk). 2pp. 87951:353-87951:354.

G. Adjudicatory correspondence

9604150018 Responds to 941021 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. CINQUEMANI,D.K. Affiliation Not Assigned. 4pp. 87887:317-87887:320.

9604150050 Responds to 941026 ltr which requested action w/regard to all reactor licensees using Thermo-Lag & that ltr be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. BENJAN,R. Affiliation Not Assigned. 4pp. 87887:313-87887:316.

9604150064 Responds to 941021 ltr,which requested action w/regard to all reactor licensees using thermo-lag & that P Birnie ltr be treated as Petition per 10CFR2.206.Forwards notice of "Issuance of Director Decision Under 10CFR2.206."
RUSSELL,W.T. . 96/04/03. BIRNIE,P. G.E. Stockholders Alliance Against Nuclear Power. 4pp. 87887:263-87887:312.

9604150206 Responds to postcard dtd 941114 which requested action re all reactor licensees using Thermo-Lag & that postcard be treated as Petition per 10CFR2.206.
RUSSELL,W.T. . 96/04/03. DEBOLT,B. Affiliation Not Assigned. 3pp. 87880:346-87880:348.

H. General correspondence

9604290418 Informs of changes to distribution list.
PORTER,D.K. Southern California Edison Co. 96/04/25. Document Control Branch (Document Control Desk). 1p. 88057:081-88057:081.

J. Insurance & Indemnity Information

9604080395 Presents levels & sources of property insurance maintained for PVNGS.
KRAINIK,A.K. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/27. Document Control Branch (Document Control Desk). 1p. 87814:357-87814:357.

P. Operating license stage documents & correspondence

9604010343 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying TS 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & GL 96-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 13pp. 87704:254-87704:300.

–9604010348 Proposed tech specs,modifying TS Section 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & 96-05.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. 34pp. 87704:267-87704:300.

9604160017 Notification of 960418 meeting w/utils in Rockville,MD to discuss AT&T round cell battery charging/discharging methodology & results.
CALVO,J.A. . 96/04/03. SHERON,B.W. . 8pp. 87898:301-87898:308.

9604100265 Submits proposed changes to QA program description,proposing to amend listed UFSAR sections to allow use of alternative means of satisfying periodic review requirements by Nuclear Assurance.Descriptions & justifications for changes encl.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. Document Control Branch (Document Control Desk). 35pp. 87834:287-87834:321.

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

9604120260 Forwards amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively & safety evaluation.Amends would change instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87861:292-87861:320.

–9604120268 Amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74, respectively,changing instrument setpoint for RT & MSIS actuation on low SG pressure.
THOMAS,C.R. . 96/04/05. 22pp. 87861:296-87861:317.

–9604120273 Safety evaluation supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 3pp. 87861:318-87861:320.

9604170362 Informs of 960423-24 meetings w/Arizona Public Svc in Tonapah,AZ re risk-based insvc testing pilot project.
THOMAS,C.R. . 96/04/12. BATEMAN,W. . 4pp. 87911:112-87911:115.

9604230129 Forwards response to GL 96-01, "Testing of Safety Related Logic Circuits," dtd 960110.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/15. Document Control Branch (Document Control Desk). 4pp. 87976:313-87976:316.

9604230281 Forwards errata to pp 2 of SE issued on 960405 for amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
THOMAS,C.R. . 96/04/18. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 2pp. 87972:210-87972:212.

--9604230295 Errata to pp 2 of SE supporting amends 105,97 & 77 to licenses NPF-41,NPF-51 & NPF-74,respectively.
* . 96/04/05. 1p. 87972:210-87972:212.

9604300052 Forwards NRC response to questions re power uprate amend request & corresponding util responses.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 30pp. 88067:025-88067:064.

9604250432 Ack receipt of 960404 ltr & check for $100,000 in payment for civil penalty proposed in 960307 ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/24. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 1p. 87997:001-87997:001.

Q. Inspection reports, IE Bulletins & correspondence

9604020041 Responds to NRC ltr re violations noted in insp repts 50-528/95-11,50-529/95-11 & 50-530/95-11.Commitment for completion of security improvement plan from first quarter to second quarter of 1996 due to const delay.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/22. Document Control Branch (Document Control Desk). 1p. 87725:359-87725:359.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9604010235 Responds to NRC 960223 ltr re violations noted in insp repts 50-528/95-25,50-529/95-25 & 50-530/95-25.Corrective action: briefing for HVAC technicians,chiller rear motor o-ring seal replaced,leak adjusted to 0.0829 gallons per h.
STEWART,W.L., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/25. Document Control Branch (Document Control Desk). 18pp. 87696:338-87696:355.

9604040230 Forwards insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.
DYER,J.E. Region 4 (Post 820201). 96/03/29. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87736:179-87736:202.

--9604040231 Insp repts 50-528/96-02,50-529/96-02 & 50-530/96-02 on 960128-0309.No violations noted.Major areas inspected: onsite review of event,operational safety verification,maint & surveillance observations & onsite engineering.
KIRSCH,D.F. Region 4 (Post 820201). 96/03/29. 20pp. 87736:183-87736:202.

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

--9604110122 Partially withheld ltr discussing case 2-94-003 & analysis & summary of evidence corroborating testimony of E Taylor.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/08/03. Ofc of Investigations (Post 880201). 2pp. 87871:218-87871:219.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9604080218 Advises of planned insp effort resulting from plant PPR for period of Oct 1995 to Mar 1996.
DYER,J.E. Region 4 (Post 820201). 96/04/03. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 87772:078-87772:082.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604090308 Discusses payment & proposed imposition of civil penalty in amount of 100,000.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/04. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 87831:074-87831:075.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604150189 Ack receipt of 960322 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-11, 50-529/95-11 & 50-530/95-11.W/o encl.
GWYNN,T.P. Region 4 (Post 820201). 96/04/11. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87869:214-87869:217.

9604190016 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/90-29, 50-529/90-29 & 50-530/90-29.
GWYNN,T.P. Region 4 (Post 820201). 96/04/12. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87920:342-87920:345.

9604180354 Ack receipt of 960325 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-25, 50-529/95-25 & 50-530/95-25.
DYER,J.E. Region 4 (Post 820201). 96/04/13. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 87905:092-87905:113.

9604290219 Transmits response to RAI,providing description of valve grouping methodology & containing justification group valve factors,in response to insp repts 50-528/95-23,50-529/95-23 & 50-530/95-23.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/19. Document Control Branch (Document Control Desk). 2pp. 88034:247-88034:289.

--9604290222 "GL 89-10 Closure Response Valve Factor Grouping Methodology & Assumption Validation."
GAFFNEY,T., WATERS,S., SMITH,E. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/10. 41pp. 88034:249-88034:289.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604300405 Ack receipt of 960228 ltr informing NRC of steps taken to correct violations noted in insp repts 50-528/95-24, 50-529/95-24 & 50-530/95-24 on 960122.
GWYNN,T.P. Region 4 (Post 820201). 96/04/22. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 7pp. 88036:128-88036:134.

9604260065 Forwards insp rept 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22 & notice of violation.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 5pp. 88003:315-88003:338.

--9604260082 Insp repts 50-528/96-04,50-529/96-04 & 50-530/96-04 on 960318-22.Violations noted.Major areas inspected:radiation protection activities,including planning & preparation, external exposure controls,control of radioactive matls,etc.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:322-88003:338.

9604260097 Forwards insp rept 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.
GWYNN,T.P. Region 4 (Post 820201). 96/04/23. STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 4pp. 88003:339-88003:359.

--9604260100 Insp repts 50-528/96-03,50-529/96-03 & 50-530/96-03 on 960401-05.No violations noted.Major areas inspected: radioactive waste mgt & radiological environ monitoring programs including organizational & mgt controls,more.
MURRAY,B. Region 4 (Post 820201). 96/04/18. 17pp. 88003:343-88003:359.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

R. Periodic operating reports & related correspondence

9604100262 "10CFR50.59 Annual Rept for CY95." W/960404 ltr.
STEWART,W. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 87pp. 87833:267-87833:353.

9604230161 "1995 Annual Radiological Environ Operating Rept for PVNGS." W/960411 ltr.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 72pp. 88001:250-88001:321.

9604170071 Monthly operating repts for Mar 1996 for PVNGS.W/960411 ltr.
FULTON,J.D., LEVINE,J.M. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/31. 16pp. 87933:253-87933:268.

9604230227 Forwards "Annual Radioactive Effluent Release Rept & ODCM Revs 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/04/11. Document Control Branch (Document Control Desk). 1p. 88000:001-88000:291.

--9604230199 "Annual Radioactive Effluent Release Rept & Offsite Dose Calculation Manual Rev 9 & 10 for Palo Verde Nuclear Generating Station Units 1,2 & 3."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 95/12/31. 290pp. 88000:002-88000:291.

T. Hearing transcripts on non-antitrust matters

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

--9604110080 Transcript of 950322 interview of F Warriner in Phoenix,AZ.Partially withheld ltr re case 92-ERA-30 & info re complaint agianst util,encl.Pp 1-7.W/related documentation.
ROTHENBERGER,P. Ofc of Investigations (Post 880201). 95/03/22. 58pp. 87870:225-87870:281.

--9604110105 Transcript of 940629 investigative interview of TJ Saporito in Juniper,FL re issues concering TAG & util connected w/TAG.Pp 1-112.
* Ofc of Investigations (Post 880201). 94/06/29. 112pp. 87870:282-87871:033.

--9604110110 Partially withheld statement of F Warriner re involvement in nonselection of TJ Saporito as contract Instrumentation & Control technician at plant during Dec 1991.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/06/26. 4pp. 87871:034-87871:037.

--9604110113 Partially withheld transcript of 950720 interview of WE Engelking in Norfolk,VA re knowledge of events & circumstances surrounding series of allegations in DOL complaints by T Saporito.Pp 1-107.
* Ofc of Investigations (Post 880201). 95/07/20. 107pp. 87871:038-87871:144.

--9604110117 Partially withheld transcript of 950720 interview of EK Taylor in Norfolk,VA re knowledge of events & circumstances surrounding allegations & DOL complaints made by TJ Saporito beginning in 1992.Pp 1-73.
* Ofc of Investigations (Post 880201). 95/07/20. 73pp. 87871:145-87871:217.

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A. Application/construction stage documents & correspondence

9602200186 Suppl 1 to Generic Ltr 95-09 to all NRC licensees re monitoring & training of shippers & carriers of radioactive matls.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/05. Boston Edison Co. 10pp. 88102:057-88102:066.

DOCKET 50-602 UNIV. OF TEXAS RESEARCH REACTOR

P. Operating license stage documents & correspondence

9604260193 Forwards response to NRC 960325 RAI,supplementing response made on 951111 & original amend request dtd 951201 to correct lanquage in TS.Affected TS page also encl.
BAUER,T.L. Texas, Univ. of, Austin, TX. 96/04/16. Document Control Branch (Document Control Desk). 4pp. 88045:268-88045:275.

--9604260201 Proposed tech specs,modifying definition of shim rod on page 9,changing page 15 to maintain format & style of table on page 14 & reflecting other language corrections.
* Texas, Univ. of, Austin, TX. 96/04/16. 4pp. 88045:272-88045:275.

R. Periodic operating reports & related correspondence

9604010398 "Annual Rept 1995 Nuclear Engineering Teaching Lab JJ Pickle Research Campus Univ of TX at Austin." W/960327 ltr.
BAUER,T.L. Texas, Univ. of, Austin, TX. 95/12/31. 72pp. 87716:240-87716:311.

DOCKET 52-001 GE ADVANCED BWR DESIGN, GENERAL ELECTRIC CO.

9604090281 Expresses appreciation for opportunity on 960308 to brief Commission on views on Design Certification rules, particularly w/respect to issue of "applicable regulations."
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87810:157-87810:157.

9604240082 Forwards marked up proposed changes to ABWR design description resulting from info developed in course of ABWR engineering program.
QUIRK,J.F. General Electric Co. 96/04/16. CRUTCHFIELD,D. . 100pp. 88007:001-88007:146.

--9604240086 Proposed tech specs re ABWR design description.
* General Electric Co. 96/04/16. 19pp. 88007:128-88007:146.

9604290078 Proposed rule 10CFR52, "Std Design Certification for US ABWR & Sys 80+ Std Designs & Public Meeting." Meeting provides opportunity for public to ask questions on development of final rules & NRC resolution of comments received on rules.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/18. 3pp. 88021:321-88021:323.

9604290101 Notification of 960501 licensee meeting w/util in Rockville, MD to discuss GE proposed changes to ABWR Design Control Document.
BOYCE,T.H. . 96/04/25. QUAY,T.R. . 2pp. 88036:351-88036:352.

9604290399 Forwards comments to 960322 licensee ABWR SSAR Amend 36 & certified design matl rev 7.Staff also reviewing proposed changes to design control document & recommends changes be submitted as soon as possible.
GRIMES,B.K. . 96/04/25. QUIRK,J. General Electric Co. 4pp. 88046:355-88046:358.

DOCKET 52-002 SYSTEM 80+ STANDARDIZED NUCLEAR POWER PLANT DES.,

9604090281 Expresses appreciation for opportunity on 960308 to brief Commission on views on Design Certification rules, particularly w/respect to issue of "applicable regulations."
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87810:157-87810:157.

9604120244 Notification of 960416 meeting w/Asea Brown Boveri-Combustion Engineering in Rockville,MD to discuss status of advanced fuel program including,advanced grid designs,high burnup fuel & advanced cladding alloys.
MAGRUDER,S.L. . 96/04/10. QUAY,T.R. . 2pp. 87861:354-87861:355.

9604230120 Transmits CEOG Task 931 Survey Questionnaire-CEA Insertion Experience w/High Burnup Fuel Mgt.
HIJECK,P.J. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/17. JONES,B. . 5pp. 87971:333-87971:337.

9604290078 Proposed rule 10CFR52, "Std Design Certification for US ABWR & Sys 80+ Std Designs & Public Meeting." Meeting provides opportunity for public to ask questions on development of final rules & NRC resolution of comments received on rules.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/18. 3pp. 88021:321-88021:323.

DOCKET 52-003 AP600 STANDARD PLANT DESIGN, WESTINGHOUSE ELECTRIC CORP.

9604090442 Forwards questions on W Rept, "Basis for Use of Forced Convection Heat Transfer Correlations in AP600 PCS Natural Circulation Driven Air Cooling Path."
JACKSON,D.T. . 96/03/04. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 87809:347-87809:351.

9604160037 Forwards request for addl info re AP600 testing program.
HUFFMAN,W.C. . 96/03/04. LIPARULO,N.J. Westinghouse Electric Corp. 4pp. 87894:275-87894:278.

9604230350 Submits questions,comments & discussion items re Westinghouse AP600 OR State Univ test analysis rept.
HUFFMAN,W.C. . 96/03/11. LIPARULO,N.J. Westinghouse Electric Corp. 7pp. 87971:310-87971:316.

9604240192 Informs that Westinghouse pursuing ROAAM application to AP600 certification review of severe accident mgt.
MCINTYRE,D. Westinghouse Electric Corp. 96/03/15. CRUTCHFIELD,D. . 1p. 88016:355-88016:355.

9604010230 Forwards response to NRC RAI 440.515 (Rev 1) re NOTRUMP computer code.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/03/26. QUAY,T.R. Document Control Branch (Document Control Desk). 21pp. 87696:317-87696:337.

9604020269 Advises that info submitted in Westinghouse ltr NTD-NRC-95-4610,dtd 951215 will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b) of AEC of 1954.
HUFFMAN,W.C. . 96/03/27. MCINTYRE,B.A. Westinghouse Electric Corp. 3pp. 87723:359-87723:361.

9604030341 Summary of 960315 meeting w/W in Rockville,MD to discuss WCOBRA/TRAC application to AP600 design.
HUFFMAN,W.C. . 96/03/27. . 35pp. 87722:012-87722:046.

9604050392 Informs that VANTAGE-5H grid redesigned to address flow- induced vibration problems,identified in DSER for AP600,Open Item 4.2.8-1.Revised grid design which will replaced Figure 4.2-5 in AP600 SSAR encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/03/27. QUAY,T.R. Document Control Branch (Document Control Desk). 2pp. 87807:346-87807:347.

9604010321 Forwards copy of faxed 960322 ltr from H Bruschi of Westinghouse Electric Corp to W Russell of NRR on AP600.
KENYON,T.J. . 96/03/28. . 3pp. 87722:001-87722:011.

--9604010325 Informs of growing concern about closure of issues & mgt of plan/schedule to reach FDA.
BRUSCHI,H. Westinghouse Electric Corp. 96/03/22. RUSSELL,W. . 2pp. 87722:002-87722:003.

9604010416 Summary of 960229 meeting w/W in Rockville,MD re NRC comments on W MAAP4 Benchmarking & Thermal-Hydraulic uncertainty issue resolution plan for AP600 design. W/attendance list & W handouts.
HUFFMAN,W.C. . 96/03/28. . 39pp. 87708:322-87708:360.

9604090117 Forwards non-proprietary & proprietary versions of "AP600 Reactor Internals Flow-Induced Vibration Assessment Rept," rev 2.Proprietary version withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/03/29. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 87829:044-87829:131.

--9604090135 Submits application for withholding proprietary info,re AP600 Reactor Internals Flow-Induced Vibration Assessment Rept,from public disclosure per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/03/29. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 87829:048-87829:054.

--9604090150 Non-proprietary version of "AP600 Reactor Internals Flow-Induced Vibration Assessment Program."
ALTMAN,D.A., REX,J.A., MATARAZZO,J.C. Westinghouse Electric Corp. MI01-GER-001 R02. 96/03/31. 77pp. 87829:055-87829:131.

9604080059 Provides Commission w/status of staff review of advanced reactor designs,including AP600,SBWR & MHTGR.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-96-068. 96/04/01. 15pp. 87771:026-87771:040.

9604080103 Forwards Westinghouse responses to NRC requests for addl info on AP600 fan coolers.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/01. QUAY,T.R. Document Control Branch (Document Control Desk). 14pp. 87814:195-87814:208.

9604080125 Submits AP600 Source Term for Design Basis LOCA Analysis.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/01. QUAY,T.R. Document Control Branch (Document Control Desk). 9pp. 87814:299-87814:308.

9604080179 Provides responses to RAI on AP600 Design Certification program.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/01. QUAY,T.R. Document Control Branch (Document Control Desk). 81pp. 87803:262-87803:341.

9604080054 Forwards proprietary & nonproprietary versions of rev 6 to "AP600 Std SAR," including revised table of contents,change page instructions,list of effective pages,document cover sheet & roadmap.Proprietary rept withheld.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/02. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 87836:001-87838:340.

--9604080058 Requests that proprietary version of rev 6 to "AP600 Std SAR," be withheld per 10CFR2.790(b)(1).
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/02. Document Control Branch (Document Control Desk). 7pp. 87836:005-87836:009.

--9604080060 Rev 6 to "AP600 Std SAR," Vols 1-3.
LINDGREN,D.A., MCINTYRE,B.A. Westinghouse Electric Corp. GW-GL-021 R06. 96/04/03. 1057pp. 87836:010-87838:340.

9604050330 Summary of 960320-21 meeting w/W in Rockville,MD re risk oriented accident analysis methodology related to AP600 design.
SEBROSKY,J.M. . 96/04/03. . 34pp. 87770:070-87770:104.

9604080169 Informs that Westinghouse review of matl encl w/NRC 960401 RAI re AP600 hydrogen recombination subsystem for proprietary info,indicates that identified matls contain no info that Westinghouse considers proprietary.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/03. QUAY,T.R. Document Control Branch (Document Control Desk). 1p. 87811:355-87811:355.

9604080176 Forwards info in response to NRC 950525 RAIs on AP600 post- 72 h support actions.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/03. QUAY,T.R. Document Control Branch (Document Control Desk). 8pp. 87817:210-87817:217.

9604160147 Discusses 960305-13 trip to Switzerland,Italy & Netherlands re QA insp & technical discussions on PANDA test program, AP600 VAPORE program & in-plant testing related to natural circulation BWR stability.
LEVIN,A.E. . 96/04/03. HOLAHAN,G.M. . 77pp. 87890:001-87890:077.

9604100120 Summary of 960227 meeting w/W & EPRI in Rockville,MD re data in support of use of passive autocatalytic recombiners for AP600.
SEBROSKY,J.M. . 96/04/04. . 43pp. 87824:303-87824:345.

9604100269 Forwards phenomena identification & ranking table (PIRT) for AP600 large break LOCA.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 87941:342-87941:346.

9604110030 Forwards proprietary & nonproprietary versions of table defining treatment of uncertainty for AP600 large break LOCA analysis methodology,closing action from 960315 meeting w/ NRC.Proprietary table withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 87860:307-87860:320.

--9604110036 Requests that proprietary table defining treatment of uncertainty for AP600 large break LOCA analysis methodology be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 10pp. 87860:311-87860:320.

9604110137 Forwards proprietary diskette containing updated AP600 MAAP4 parameter file used for AP600 Level 2 PRA & proprietary info re modeling of AP600 PRA DVI line break case 3BE. Proprietary diskette & info withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 4pp. 87860:321-87860:331.

--9604110141 Requests that proprietary updated AP600 MAAP4 parameter file & PRA info on description of DVI line break cases be withheld per 10CFR2.790.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 7pp. 87860:325-87860:331.

9604110174 Forwards responses to NRC follow-on questions provided in 950907,1018 & 960122 ltrs re I&C modeling in AP600 PRA.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/04. QUAY,T.R. Document Control Branch (Document Control Desk). 101pp. 87856:001-87856:101.

9604100110 Advises that proprietary matls encl in NSD-NRC-96-4649,for W AP600 design ltr of 960216,will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA.
HUFFMAN,W.C. . 96/04/05. MCINTYRE,B.A. Westinghouse Electric Corp. 3pp. 87835:347-87835:349.

9604100115 Discusses open issues in SSAR Sections 3.7 & 3.8 for AP600 design.
QUAY,T.R. . 96/04/05. LIPARULO,N.J. Westinghouse Electric Corp. 57pp. 87835:230-87835:287.

9604150135 Summarizes 960319 senior mgt meeting on AP600.Focuses particularly on schedule for completion of design review & contingency on submissions of necessary info by W.Emphasizes that uniqueness will make review difficult.
KENYON,T.J. . 96/04/09. . 66pp. 87888:016-87888:081.

9604160334 Informs of 960419 meeting w/Westinghouse in Rockville,MD to discuss proposed resolution to AP600 TS issues.Forwards agenda.
HUFFMAN,W.C. . 96/04/10. QUAY,T.R. . 3pp. 87899:205-87899:207.

9604170164 Informs NRC completed review in mechanical engineering area of AP600 SSAR through rev 5.Forwards summary of scope of review.
JACKSON,D.T. . 96/04/10. LIPARULO,N.J. Westinghouse Electric Corp. 19pp. 87911:256-87911:274.

9604160454 Informs of 960418 meeting w/Westinghouse in Rockville,MD to discuss initial test program for AP600.
SEBROSKY,J.M. . 96/04/11. QUAY,T.R. . 2pp. 87900:308-87900:309.

9604170185 Forwards DSER open items in SSAR sections 3.6.3 & 3.12 for Civil Engineering & Geosciences Branch review of AP600 reactor design.
JACKSON,D.T. . 96/04/11. LIPARULO,N.J. Westinghouse Electric Corp. 15pp. 87911:275-87911:289.

9604170510 Forwards non-proprietary Rev 0 to WCAP-14401, "Programmatic Level Description of AP600 Human Factors Verification & Validation Plan" & non-proprietary Rev 0 to WCAP-14396, "Man-In-The-Loop Test Plan Description."
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87928:155-87928:211.

--9604170515 Non-proprietary "Programmatic Level Description of AP600 Human Factors Verification & Validation Plan."
KERCH,S.P., REID,J.B. Westinghouse Electric Corp. WCAP-14401 R00. 96/04/08. 23pp. 87928:156-87928:177.

--9604170518 Non-proprietary "Man-In-The-Loop Test Plan Description."
KERCH,S.P. Westinghouse Electric Corp. WCAP-14396 R00. 96/04/08. 36pp. 87928:178-87928:211.

9604180072 Submits summary of 960229 meeting re AP600 Thermal-Hydraulic Uncertainty & MAAP4 Benchmarking Plan.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/12. Document Control Branch (Document Control Desk). 20pp. 87936:316-87936:335.

9604180145 Informs of return of matl docketed under AP600 design review.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87941:356-87941:356.

9604220248 Forwards draft rev to portions of AP600 initial test program (SSAR Chapter 4).Table 1 provides revised table of contents for initial test program & identifies portions included in encl.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/16. Document Control Branch (Document Control Desk). 44pp. 87962:282-87962:325.

9604230081 Advises that info re AP600 design certification test program,NOTRUMP computer code & W/GOTHIC computer code will be withheld from public disclosure ref 10CFR2.790,per 951130 request.
HUFFMAN,W.C. . 96/04/16. MCINTYRE,B.A. Westinghouse Electric Corp. 3pp. 87971:166-87971:168.

9604260102 Forwards floor response spectra based on current seismic models & design soil cases.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/17. Document Control Branch (Document Control Desk). 16pp. 88030:340-88030:355.

9604220031 Forwards contract NRC-04-96-040, "RELAP/CONTAIN Linkage for ALWR Analysis."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-96-040. 96/04/18. ITINGER,J.R. Pennsylvania State Univ., University Park, PA. 2pp. 87942:132-87942:179.

--9604220037 Contract NRC-04-96-040, "RELAP5/CONTAIN Linkage for AP600 Analysis," awarded to Pennsylvania State Univ.
KILLOUN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). 96/04/17. 46pp. 87942:134-87942:179.

9604230362 Notification of 960422 & 23 meeting w/Westinghouse in Rockville,MD to review Westinghouse AP600 design & approach for issues associated w/passive containment cooling sys W/NRC & consultants.
JACKSON,D.T. . 96/04/18. QUAY,T.R. . 2pp. 87971:329-87971:330.

9604300350 Forwards responses to NRC RAIs on AP600 topics.
MCINTYRE,B.A. Westinghouse Electric Corp. 96/04/22. QUAY,T.R. Document Control Branch (Document Control Desk). 5pp. 88067:167-88067:171.

9604300265 Informs that licensee 960131 request to withhold info related to AP600 design certification test program & LOFTRAN,NOTRUMP & WCOBRA/TRAC computer codes from public disclosure per 10CFR2.790,granted.
HUFFMAN,W.C. . 96/04/24. MCINTYRE,B.A. Westinghouse Electric Corp. 4pp. 88053:292-88053:295.

9604290105 Notification of 960522-23 licensee meeting w/util in Upton, NY to discuss W AP600 design for containment air baffle.
JACKSON,D.T. . 96/04/25. QUAY,T.R. . 2pp. 88036:353-88036:354.

9604300123 Summary of 960415 telcon w/representatives of W to address discussion items re AP600 Oregon State Univ TAR.List of participants & discussion items encl.
HUFFMAN,W.C. . 96/04/25. . 12pp. 88053:236-88053:247.

9604300258 Forwards status of ECGB remaining open items for AP600 in chapter 2:site envelope characteristics.
JACKSON,D.T. . 96/04/26. LIPARULO,N.J. Westinghouse Electric Corp. 5pp. 88053:262-88053:266.

DOCKET 52-004 GE SIMPLIFIED BWR (SBWR) DESIGN, GENERAL ELECTRIC CO.

9604220045 Forwards nonproprietary Topical Rept NEDO-32176, "Licensing Topical Rept TRACG Model Description."
QUINN,J.E. General Electric Co. 96/03/29. QUAY,T.R. . 1p. 87984:001-87985:021.

--9604220047 Nonproprietary "Licensing Topical Rept TRACG Model Description."
SHIRALKAR,B.S., CONGDON,S.P., SOZZ,G.L General Electric Co. NEDO-32176. 96/03/31. 250pp. 87984:002-87985:021.

9604080059 Provides Commission w/status of staff review of advanced reactor designs,including AP600,SBWR & MHTGR.
TAYLOR,J.M. Ofc of the Executive Director for Operations. SECY-96-068. 96/04/01. 15pp. 87771:026-87771:040.

9604120310 Requests copies of English translations of repts on PAR,dtd 960204 to facilitate SBWR review.
QUINN,J.E. General Electric Co. 96/04/10. QUAY,T.E. . 6pp. 87878:351-87878:356.

9604150115 Forwards non-proprietary apparent tests results (ATR) repts for helium tests & tie-back tests.
QUINN,J.E. General Electric Co. 96/04/10. QUAY,T.E. . 2pp. 87886:263-87886:325.

9604160426 Discusses status of SBWR testing programs & TRACG review. Submits staff development of schedule for closeout of open SBWR activities as requested.
CRUTCHFIELD,D. . 96/04/12. QUINN,J.E. General Electric Co. 4pp. 87900:304-87900:307.

9604190203 Notification of 960424 meeting w/GE in Rockville,MD to allow GE to discuss TRACG review & to explore alternate means to bring TRACG Qualification & Application rept reviews to conclusion.
NINH,S.Q. . 96/04/18. QUAY,T.R. . 3pp. 87923:348-87923:350.

9604240370 Notiication of 960424 meeting w/GE & utils in Rockville,MD to discuss TRACG review & to explore alternate means to bring TRACG qualification & application rept reviews to conclusion.Meeting cancelled.
NINH,S.Q. . 96/04/18. QUAY,T.R. . 3pp. 87997:263-87997:265.

9604290148 Forwards English translation of proprietary repts identified in NIS 960402 ltr to NRC re SBWR,as requested in GE 960416 ltr.Repts withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended.
QUAY,T.R. . 96/04/24. QUINN,J.E. General Electric Co. 2pp. 88053:350-88053:351.

DOCKET DOCKET UNKNOWN

9604120217 Forwards,for docket 70003085, "Parks Shallow Land Disposal Area Alternative Remediation Scenarios Cost Estimates."
ROSENTHAL,P.R. Babcock & Wilcox Co. 96/03/13. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 3pp. 87878:001-87878:350.

--9604120222 For docket 70003085, "Parks Shallow Land Disposal Area Alternative Remediation Scenarios Cost Estimates."
* Atlantic Richfield Co. (ARCO). 96/03/31. 347pp. 87878:004-87878:350.

9604150148 Forwards for docket 70003085,relocation plan,potential mine subsidence affidavit,weir & rain gage data sheet,weekly rainfall data sheet & hydrogeologic data sheet.
ROSENTHAL,P.R. Babcock & Wilcox Co. 96/03/28. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 87889:167-87889:271.

--9604150157 For docket 70003085, "Parks Shallow Land Disposal Area Gas Line Relocation Plan."
* Atlantic Richfield Co. (ARCO). 96/03/31. 14pp. 87889:168-87889:181.

--9604150162 For docket 70003085, "Parks Shallow Land Disposal Area Potential Mine Subsidence Affidavit."
* Atlantic Richfield Co. (ARCO). 96/03/31. 13pp. 87889:182-87889:194.

--9604150169 For docket 70003085, "Parks Shallow Land Disposal Area Weir & Rain Gauge Data Sheet."
* Atlantic Richfield Co. (ARCO). 96/03/31. 12pp. 87889:195-87889:206.

--9604150176 For docket 70003085, "Parks Shallow Land Disposal Area Weekly Rainfall Data Sheet."
* Atlantic Richfield Co. (ARCO). 96/03/31. 3pp. 87889:207-87889:209.

--9604150181 For docket 70003085, "Parks Shallow Land Disposal Area Hydrogeologic Data Sheet."
* Atlantic Richfield Co. (ARCO). 96/03/31. 13pp. 87889:210-87889:222.

--9604150192 For docket 70003085, "Parks Shallow Land Disposal Area U Source Term Calculations From TWSP Gamma Log Data."
* Atlantic Richfield Co. (ARCO). 96/03/31. 49pp. 87889:223-87889:271.

9604120229 Forwards for docket 70003085,rev 1 to Shallow Land Disposal Area Stabilization in Place:Description & Performance Rept Replacement for App B Unsaturated Flow Modeling Rept" & "Lab Analysis of Soil Hydraulic Properties of MW Soil Samples."
ROSENTHAL,P.R. Babcock & Wilcox Co. 96/03/29. ASTWOOD,H.M. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 87875:001-87875:158.

--9604120240 For docket 70003085,Rev 1 to "Shallow Land Disposal Area Stabilization in Place:Description & Performance Rept Replacement for App B Unsaturated Flow Modeling Rept."
* Atlantic Richfield Co. (ARCO). 96/03/31. 67pp. 87875:002-87875:069.

--9604120272 For docket 70003085, "Lab Analysis of Soil Hydraulic Properties of MW Soil Samples."
* Daniel B. Stephens & Associates, Inc. 94/08/31. 89pp. 87875:070-87875:158.

9604040086 Third final response to FOIA requests for documents.Records in App D will be made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. DEKOK,D. Affiliation Not Assigned. 6pp. 87815:001-87815:246.

--9604040091 Application for amend to W license SNM-38,for allocation of 3,385 lbs of UF6 gas for Saxton Reactor Project.
AMTSBERG,H.C. Westinghouse Electric Corp. 60/10/06. PRICE,H.L. Atomic Energy Commission (Pre 750119). 6pp. 87815:010-87815:013.

--9604040094 Forwards W revised request for fuel allocation for Saxton Reactor project.Original application dtd 601006,did not provide for spare assemblies & revised data provides for assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 60/10/20. PRICE,H.L. Atomic Energy Commission (Pre 750119). 4pp. 87815:014-87815:017.

--9604040097 Application for amend to W license SNM-38,to receive,store & fabricate SNM for Saxton Reactor Project into finished fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/03/13. PRICE,H.L. Atomic Energy Commission (Pre 750119). 22pp. 87815:018-87815:039.

--9604040098 Application for amend to W license SNM-38,for approval of proposed shipping procedures for Saxton Reactor Fuel Assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/04/18. PRICE,H.L. Atomic Energy Commission (Pre 750119). 22pp. 87815:040-87815:065.

--9604040103 Provides supplemental info to request for amend to W license SNM-38,dtd 910313,per 10CFR70.22.
AMTSBERG,H.C. Westinghouse Electric Corp. 91/04/18. PRICE,H.L. NRC - No Detailed Affiliation Given. 2pp. 87815:066-87815:067.

--9604040104 "Saxton Reactor Storage Procedures." for W.W/eight oversize drawings.
* Westinghouse Electric Corp. 61/04/18. 3pp. 87815:068-87815:071.

--9604050047 Application for W license,authorizing approval of proposed shipping procedures for Saxton Reactor Fuel followers & 3x3 instrumented fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/05/03. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 8pp. 87815:072-87815:079.

--9604050060 Application for W license,authorizing 5 kg of contained U-235 to be used in any chemical & physical form for & in performance of analytical determination.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/05/05. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 29pp. 87815:080-87815:108.

--9604050072 Submits ltr as result of discussion between French,Campbell & Tschiegg w/Delaney & Eister on 611009.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/11/17. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 6pp. 87815:109-87815:114.

--9604050084 Informs of intent to ship 5 control rod followers containing 90 fuel rods instead of 4 control rod followers & assemblies containing 90 fuel tubes on one truck load.
AMTSBERG,H.C., LUNDBERG,A.P. Westinghouse Electric Corp. 61/12/26. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:115-87815:116.

--9604050102 Application for amend to W license SNM-38,to use any or all chemical & physical forms of Po-Be & Co-60 up to 100 mc & up to 500 mc total of all by-product activities in item for instrument calibr & testing.
* Saxton Nuclear Experimental Corp. 62/03/30. Atomic Energy Commission (Pre 750119). 21pp. 87815:118-87815:138.

--9604050110 Application for amend to W license SNM-38,requesting 10 kg of U-235 as UO2,enriched to no greater than 10 w/o,U-235 content to be used in fabrication of fuel element assemblies & sub-assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/06/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 11pp. 87815:140-87815:150.

--9604050115 Submits addl info for review & approval re 620723 application for amend to license SNM-38,dtd 620608.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/07/26. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:151-87815:152.

--9604050148 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/04/20. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:153-87815:154.

--9604050157 Forwards supplementary info as result of series of telcons involving C Luke of AEC,RG Campbell & RJ French of W & particulary telegram sent to W by DLR dtd 620813.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/09/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 87815:155-87815:157.

--9604050166 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
JOHNSON,W.E. Westinghouse Electric Corp. 62/10/08. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:158-87815:159.

--9604050170 Application for amend to W license SNM-38,authorizing receipt,storage & fabrication of listed SNM into fuel element assemblies for Saxton Superheat Experiments.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/12/03. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 11pp. 87815:160-87815:170.

--9604050171 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 63/01/18. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:171-87815:172.

--9604050173 Application for amend to W license SNM-38,to provide for shipment of Saxton 9x9 fuel assemblies between Pittsburgh & reactor site.
AMTSBERG,H.C. Westinghouse Electric Corp. 63/11/18. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:173-87815:174.

--9604050203 Informs info submitted by W appears satisfactory from radiological safety standpoint.
BARKER,R.F. Atomic Energy Commission (Pre 750119). 61/04/07. DELANEY,J. Atomic Energy Commission (Pre 750119). 4pp. 87815:185-87815:188.

--9604050303 Submits info for consideration re discussion pertaining to transmitting info from W to AEC.
EISTER,W.K. Atomic Energy Commission (Pre 750119). 61/11/20. Atomic Energy Commission (Pre 750119). 2pp. 87815:189-87815:190.

--9604050310 Recommends permission to ship 5 fuel followers instead of 4 fuel followers & 2 instrument fuel elements be approved. Request to extend Saxton shipping date to 610301,also recommended for approval.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:191-87815:191.

--9604050320 Forwards NOV to license SNM-38.Recommends situation for violation of Section 26.203(f)(10 & (f)(4) re waste can containing contaminated wipes was not labeled.
CUNNINGHAM,R.E. NRC - No Detailed Affiliation Given. 92/05/23. LUBINSKI,L. NRC - No Detailed Affiliation Given. 1p. 87815:192-87815:192.

--9604050332 Provides clarification to memo dtd 620405 re compliance insp rept for W docket numbers 70-043 & 70-101.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/04/25. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 87815:193-87815:193.

--9604050337 Requests insp specify exactly why procedure not adequate for safety so appropriate changes can be made in license SNM-38.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/04/05. DUBINSKI,L. Atomic Energy Commission (Pre 750119). 1p. 87815:194-87815:194.

--9604050363 Discusses insp rept for W re dockets 70-043 & 70-101. Recommends that licensee modify license procedures through licensing amend route.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/05/27. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 87815:195-87815:195.

--9604050375 Forwards reinspection rept involving noncompliance in which rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/any radiation caution sign re insp of licenses SNM-38,SNM-87 & SMB-152.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/10/19. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 3pp. 87815:197-87815:199.

--9604050400 Safety insp on 610801-02 of licenses SNM-38,SNM-87 & SMB-152.Noncompliance noted:rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/radiation caution sign & sym.
KLEVIN,P.B. Atomic Energy Commission (Pre 750119). * Westinghouse Electric Corp. 61/10/13. 22pp. 87815:200-87815:222.

--9604050414 Discusses W 620608 application for amend to license SNM-38. Recommends approval of subj application for receipt & use of 10 kgs of U-235.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/07/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:223-87815:226.

--9604050418 Requests addl info to complete evaluation of application dtd 621203.Suggests communication to W incorporate listed info.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 63/02/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:227-87815:228.

--9604050421 Requests authorization to ship one 9x9 stainless steel clad ballow Saxton special assembly containing 2.018 kg U-235.Recommends approval of application dtd 631118 to ship assembly between Forest Hills site.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 63/12/11. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:229-87815:229.

9604150130 Informs,for docket 70003085,ORNL preparing EIS for decommissioning of Parks Shallow level disposal area owned by B&W in Parks Township,Armstrong County,PA for NRC.
VOGT,B.M. Oak Ridge National Laboratory. 96/03/18. ADEMEK,K. Pennsylvania, Commonwealth of. 2pp. 87889:357-87889:358.

9604120237 Forwards listings for docket 7003085 of suggested tables for presenting pertinent data re individual aquifers & trenches for completing EIS.
ENSMINGER,J.T. Oak Ridge National Laboratory. 96/03/25. ASTWOOD,H. Office of Nuclear Material Safety & Safeguards. 4pp. 87887:321-87887:324.

9604120156 Documents unanticipated costs incurred for docket 70003085 since 950428 proposal for Task 12,L2094.Task began in Jan 1995.
MCCOLD,L. Oak Ridge Associated Universities. FIN L-2094. 96/03/26. TIKTINSKY,D. NRC - No Detailed Affiliation Given. 2pp. 87871:270-87871:271.

9604010196 Summary of 960314 meeting w/licensee (70003085) re site characterization info for Parks Township shallow land disposal area.
ASTWOOD,H. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/03/27. SOBEL,P. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 111pp. 87715:155-87715:278.

9604150199 Forwards for docket 70003085,ltrs to municipalities near Parks SLDA.
MASHEK,D. Affiliation Not Assigned. 96/03/27. ASTWOOD,H. NRC - No Detailed Affiliation Given. 3pp. 87888:336-87888:338.

9604150054 For docket 70003085, "Parks Shallow Land Disposal Area Project Update,Spring 1996."
SCHOEN,K.B. Pennsylvania, Commonwealth of. 96/04/03. ASTWOOD,H. NRC - No Detailed Affiliation Given. 2pp. 87877:280-87877:281.

9604290138 Summary of 960410 meeting w/licensee,for docket 70003089, re AVLIS nuclear criticality safety.Agenda encl.
HORN,M. Uranium Recovery Branch (Post 901230). 96/04/24. Uranium Recovery Branch (Post 901230). 60pp. 88034:137-88034:196.

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL

DOCKET 70-0025 ROCKETDYNE DIV. (ROCKWELL INTERNATIONAL CORP.), CANOGA

9604030226 Responds to request for termination of NRC Special Nuclear Matl license SNM-21.
RUTHERFORD,P.D. Rockwell International Corp. 96/03/15. TURTIL,R. Division of Low-Level Waste Management & Decommissioning (870413-940402). 6pp. 87735:355-87735:360.

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

9604090223 Requests for amend to license SNM-42 to perform calcining of U/Be matls associated w/Project Sapphire being performed at NNFD.Encl withheld.
CONNER,J.A. Babcock & Wilcox Co. 96/03/15. PIERSON,R.C. Licensing Branch. 2pp. 88046:260-88046:261.

9604260240 Submits notification of shipment of approx 1,850 lbs of solid aluminum clad fuel elements to Columbia,MO from Lynchburg,VA.
CAMPLIN,W. Babcock & Wilcox Co. 96/03/22. BENNINGTON,G., TOBIN,B. NRC - No Detailed Affiliation Given. 3pp. 88020:276-88020:278.

9604150058 Forwards proposed changes to fundamental nuclear matl control plan.Encl withheld.
OLSEN,A.F. Babcock & Wilcox Co. 96/04/02. Licensing Branch. 1p. 87903:317-87903:317.

9604170193 Informs that proprietary description of U recovery process & NCS evaluations will be withheld from public disclosure per 10CFR2.790(b)(5) & Section 103(b) of AEA of 1954,as amended, in response to 960315 & 20 ltrs.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/04. OLSEN,A.F. Babcock & Wilcox Co. 3pp. 87933:285-87933:287.

9604170317 Forwards proprietary revised Chapter 15.1 to 960315 amend application,requesting authorization to perform calcining operations w/U-beryllium matls & NCS analyses,to answer NRC concerns.Encls withheld per 10CFR2.790.
OLSEN,A.F. Babcock & Wilcox Co. 96/04/15. PIERSON,R.C. Licensing Branch. 2pp. 87900:338-87900:339.

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., HEMATITE, MO

9604120283 Application for amend to License SNM-33,to change requirement of witness sampling described in Fundamental Nuclear Matl Control Plan for work order GES 3048.
SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/03/18. PIERSON,R.C. Document Control Branch (Document Control Desk). 1p. 87887:325-87887:325.

9604100238 Ack receipt of 960325 ltr & payment in amount of $12,500 for proposed civil penalty in 960226 NRC ltr.Informs that results achieved from corrective actions taken not addressed in ltr.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/10. KAISER,B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 87832:036-87832:036.

9604250016 Forwards amend 12 to matls license SNM-33 allowing receipt U hexafluoride cylinders under work order GES 3048 w/o providing for individual to witness sampling of cylinders.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/15. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 87997:277-87997:285.

--9604250024 Amend 12 to license SNM-33 for Combustion Engineering,Inc, allowing receipt of U hexafluoride cylinders under work order GES 3048 w/o providing for individual to witness sampling of cylinders.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/15. 5pp. 87997:279-87997:283.

--9604250035 Safety evaluation approving amend 12 to license SNM-33.
* NRC - No Detailed Affiliation Given. 96/04/15. 2pp. 87997:284-87997:285.

9604240200 Informs that in order for NRC to complete review of 960126 application re criticality calculational methodology for complex sys,revised page 1-7 w/indication of deletion should be provided to NRC within 30 days of ltr date.
SOONG,S. Licensing Branch. 96/04/22. SHARKEY,R.W. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 2pp. 88010:272-88010:273.

9604240324 Press release III-96-15, "NRC Staff Plans Discussion of Plant Performance At ABB C-E Fuel Plant in Hematite,MO."
* Region 3 (Post 820201). 96/04/23. 1p. 88004:363-88004:363.

DOCKET 70-0048 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9604040210 Safety insp on 960228-29 of licenses SNM-0047 & SNM-1460. Insp findings:calibration of survey instruments were not performed once every 6 months.
GIBSON,R. Region 1 (Post 820201). * Westinghouse Electric Corp. 96/02/29. 1p. 87736:178-87736:178.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC., ERWIN, TN

9604030120 PNO-II-96-024:on 960402,site area emergency declared as result of fire in incinerator duct on roof of incinerator bldg.Offsite firefighters & Erwin City Police responded to site.Fire extinguished.No personnel injuries occurred.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87736:300-87736:300.

9604030124 PNO-II-96-024A:on 960402,site downgraded from site area emergency to notification of unusual event.NRC remains in monitoring mode.Site secured & site personnel being monitored for exposure as result of fire.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87736:301-87736:301.

9604050165 PNO-II-96-024B:on 960402,fire was extinguished.Licensee & NRC continue to evaluate consequences of fire.Air samples from site perimeter & offsite have not shown elevated levels of radioactivity.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87823:306-87823:306.

9604090429 Press release II-96-37, "NRC Dispatches Inspectors to Tennessee Nuclear Fuel Plant."
* Region 2 (Post 820201). 96/04/02. 1p. 87824:141-87824:141.

9604080174 Submits notification of 960415-18 meeting w/Nuclear Fuel Svcs Inc re final testing of physical protection measures.
* Licensing Branch. 96/04/03. Licensing Branch. 1p. 87817:209-87817:209.

9604090153 Forwards quarterly RCRA facility investigation (RFI) & interim measures progress repts.Next quarterly RFI/IM progress repts will be submitted by 960702.
MAXIM,A.M. Nuclear Fuel Services, Inc. 96/04/03. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 31pp. 87826:314-87826:344.

9604090367 Submits actions taken or to be taken,per 960403 telcon re investigation & determination of root cause of incident & use of ventilation duct sys & other potentially affected sys.
EBNETER,S.D. Region 2 (Post 820201). 96/04/03. FERGUSON,D. Nuclear Fuel Services, Inc. 3pp. 87806:180-87806:183.

9604090432 Press release II-96-38, "NRC Sends Special Insp Team to Tennessee Nuclear Fuel Plant."
* Region 2 (Post 820201). 96/04/03. 1p. 87824:142-87824:142.

9604090372 Forwards insp rept 70-0143/96-02 on 960304-08.No violations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/04. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 87806:187-87806:197.

-9604090383 Insp rept 70-0143/96-02 on 960304-08.No violations noted. Major areas inspected:policy,training,testing,employee assistance,sactions,records & audit elements of licensee fitness for duty program.
TOBIN,W.J., MCALPINE,E.J. Region 2 (Post 820201). 96/04/04. 9pp. 87806:189-87806:197.

9604170180 Notification of 960419 meeting w/Nuclear Fuel Services,Inc in Rockville,MD to discuss NFS's draft plans for renewal application & for timeliness rule submittal.
COX,T. Office of Nuclear Material Safety & Safeguards. 96/04/08. Nuclear Fuel Services, Inc. 2pp. 87933:279-87933:280.

9604230029 Forwards insp rept 70-0143/96-03 on 960318-22.No violations or deviations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/11. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 87953:012-87953:017.

-9604230038 Insp rept 70-0413/96-03 on 960318-22.No violations or deviations noted.Major areas inspected:preparedness of security equipment & hardware,denial devices & alarm system.
TOBIN,W.J., MCALPINE,E.J. Region 2 (Post 820201). 96/04/09. 4pp. 87953:014-87953:017.

9604160125 PNO-II-96-026:on 960411,augmented insp team that reviewed circumstances surrounding 960402 fire,held open exit meeting followed by meeting w/public & press.Listed findings presented.
COLLINS,D. Region 2 (Post 820201). 96/04/12. 2pp. 87923:097-87923:098.

9604170221 Informs that NRC determined that info sought to withheld by licensee 960322 ltr,contains proprietary info & will be withheld from public disclosure per 10CFR2.790.Edited version of info provided as nonproprietary version to PDR.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/12. MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 87933:250-87933:252.

9604180443 Forwards rev 14 to site security training plan.Plan withheld.
MAXIN,A.M. Nuclear Fuel Services, Inc. 96/04/12. Division of Fuel Cycle Safety & Safeguards (Post 930207). 3pp. 88007:201-88007:202.

9604230327 Confirms 960415 telcon re postponed meeting scheduled for 960416 to discuss facility future business activities & changes that will take place in area of safety programs & current operations.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/15. FERGUSON,D. Nuclear Fuel Services, Inc. 2pp. 87953:253-87953:254.

9604290071 Notifies that on 960322,sys trouble light illuminated on criticality/fire alarm panel located in Radiation Technician station (Bldg 220).Caused by defective components in electronic circuitry.Alarm sys will be replaced by 960601.
MAXIN,A.M Nuclear Fuel Services, Inc. 96/04/19. Document Control Branch (Document Control Desk). 3pp. 88057:139-88057:141.

9604290310 Responds to 960312 ltr & informs that licensee may operate w/new std when old sample bottle inventory has been depleted.
PIERSON,R. Licensing Branch. 96/04/24. MAXIN,A.M. Nuclear Fuel Services, Inc. 2pp. 88035:356-88035:357.

9604290328 Submits notice of 960506-09 meeting w/Nuclear Fuel Svcs,Inc, in Erwin,TN to discuss performance testing of physical protection measures.
* Licensing Branch. 96/04/24. Licensing Branch. 1p. 88040:319-88040:320.

-9604290330 Submits notice of 960506-09 meeting w/Nuclear Fuel Svcs,Inc, in Erwin,TN to discuss performance testing of physical protection measures.Closed to public.
* Licensing Branch. 96/04/23. Licensing Branch. 1p. 88040:320-88040:320.

DOCKET 70-0337 NUCLEAR MATERIALS & EQUIPMENT CORP., APOLLO, PA

9604040086 Third final response to FOIA requests for documents.Records in App D will be made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. DEKOK,D. Affiliation Not Assigned. 6pp. 87815:001-87815:246.

DOCKET 70-0364 BABCOCK & WILCOX CO., PARKS TOWNSHIP, PA

9604290139 Informs that review completed on erosion protection design for Parks Township,PA site IAW request.Input to EIS attached.Site can be acceptably designed,even though licensee not completed detailed design of all components.
HOLONICH,J.J. Uranium Recovery Branch (Post 901230). 96/04/25. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88036:305-88036:306.

DOCKET 70-0687 CINTICHEM, INC., TUXEDO, NY

9604260246 Forwards Section 9 & 10 to Cintichem final status survey plan & rept,as continuation of Sections 1-5 submitted on 941205,Section 6 submitted on 960126 & Sections 7 & 8 submitted on 960326.
MCGOVERN,J.J. Cintichem, Inc. 96/04/19. DRAGOUN,T. Region 1 (Post 820201). 57pp. 88028:300-88028:358.

DOCKET 70-0734 GENERAL ATOMICS, SAN DIEGO, CA

9603280129 Partially withheld ltr which provides info to support financial test to demonstrate financial assurance.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:014-87694:015.

-9603280140 Partially withheld ltr which forwards info to support financial assurance for decommissioning activities.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards. 10pp. 87694:016-87694:018.

-9603290113 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70.
JONES,J.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 95/03/30. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:045-87694:058.

-9603290161 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,per 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 92/03/26. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:064-87694:068.

-9603290242 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 93/03/26. Office of Nuclear Material Safety & Safeguards. 4pp. 87694:096-87694:099.

-9603290245 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 94/03/25. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:100-87694:101.

9604020100 Forwards proprietary "General Atomic Technologies Corp Rept & Consolidated Financial Statements from 951231 & 94" & "General Atomic Technologies Corp Rept on Agreed-Upon Procedures for 960326." Encl withheld (ref 10CFR2.790).
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/03/29. PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. ADAMS,A. . 4pp. 87731:341-87731:344.

9604170084 Summary of 960305-07 meeting w/NRC & licensees to discuss licensing status & progress of decommissioning at site.
GASKIN,C.E. Licensing Branch. 96/04/04. PIERSON,R.C. Licensing Branch. 5pp. 87933:299-87933:303.

9604150321 Forwards insp rept 70-0734/96-01 on 960325.No violations or deviations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/04/10. EDWARDS,J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 3pp. 87872:117-87872:127.

-9604150325 Insp rept 70-0734/96-01 on 960325.No violations noted.Major areas inspected:activities associated w/decommissioning & radiological characterization of seven labs within Bldg 2.
WENSLAWSKI,F.A. Region 4 (Post 820201). 96/04/09. 8pp. 87872:120-87872:127.

9604240362 Forwards proprietary SNM physical inventory summary repts reflecting plant activity for period ending 960318.Encl withheld.
WISHAM,C.L. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/04/16. PIERSON,R.C. Licensing Branch. 1p. 88010:215-88010:215.

9604290206 Forwards amend 34 to license SNM-696 & SER.Amend deletes Group 1 labs as places of authorized use of licensed matl & allows unrestricted use of Group 7 labs.
PIERSON,R.C. Licensing Branch. 96/04/25. ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 2pp. 88057:265-88057:278.

-9604290212 Amend 34 to license SNM-696 for General Atomics,deleting Group 7 labs as places of authorized use of licensed matls & allowing unrestricted use of Group 7 labs.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/24. 10pp. 88057:267-88057:276.

-9604290215 SER supporting amend 34 to license SNM-696.
* NRC - No Detailed Affiliation Given. 96/04/25. 2pp. 88057:277-88057:278.

DOCKET 70-0925 CIMARRON CORP., OKLAHOMA CITY, OK

9604040001 Forwards insp rept 70-0925/96-01 on 960306-07.No violations noted.
SCARANO,R.A. Region 4 (Post 820201). 96/03/29. LARSEN,S.J. Cimarron Corp. 4pp. 87736:062-87736:074.

-9604040002 Insp rept 70-0925/96-01 on 960306-07.No violations noted. Major areas inspected:final survey program & related activities.
SPITZBERG,D.B. Region 4 (Post 820201). 96/03/29. 9pp. 87736:066-87736:074.

9604190160 Forwards final "Confirmatory Survey of Phase I Unaffected Areas Kerr-McGee Corp,Cimarron Facility Crescent,OK" on 951017-19.Confirmatory survey included surface scans, exposure rate measurements & soil sampling.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/03/29. FAUVER,D. Division of Waste Management (NMSS 940403). 1p. 87961:311-87961:350.

-9604190164 Final "Confirmatory Survey of Phase I Unaffected Areas Kerr- McGee Corp,Cimarron Facility Crescent,OK."
PAYNE,J.L. Oak Ridge Associated Universities. FIN A-9076. ORISE 96/C-49. 96/03/12. Division of Waste Management (NMSS 940403). 37pp. 87961:312-87961:350.

9604120130 Forwards FR notice announcing that NRC considering release for unrestricted use of approx 695 of 840 acre Cimarron site currently under license SNM-928.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/04. MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 5pp. 87877:044-87877:055.

-9604120133 FR notice announcing that NRC considering release for unrestricted use of approx 695 acres of 840 acre Cimarron site currently under license SNM-928.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/04. 7pp. 87877:049-87877:055.

DOCKET 70-0963 SAXTON NUCLEAR EXPERIMENTAL CORP., SAXTON, PA

9604040086 Third final response to FOIA requests for documents.Records in App D will be made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. DEKOK,D. Affiliation Not Assigned. 6pp. 87815:001-87815:246.

-9604050177 Application for amend to license to incorporate listed additions.
LAYMAN,W.H. Saxton Nuclear Experimental Corp. 65/09/10. Atomic Energy Commission (Pre 750119). 2pp. 87815:175-87815:176.

-9604050197 Application for amend to License 37-08343-01,to incorporate listed elements.
MONTGOMERY,C.R. Saxton Nuclear Experimental Corp. 68/06/12. Atomic Energy Commission (Pre 750119). 2pp. 87815:177-87815:178.

-9604050198 Application for amend to License SNM-914,to include 5 curie Plutonium-Beryllium source.
MONTGOMERY,C.R. Saxton Nuclear Experimental Corp. 68/07/09. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 6pp. 87815:179-87815:184.

DOCKET 70-1100 COMBUSTION ENGINEERING, INC., WINDSOR, CT

9604040111 Notifies that C-E completed remediation activities for Bldg 21 & immediate environs & requests free release of Bldg 21 & environs for unrestricted use.Suppl historical info & "Final Status Survey Rept for Bldg 21..." encl.
CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CONANT,J.F. ASEA Brown Boveri, Inc. 96/03/29. PIERSON,R.C. Licensing Branch. 3pp. 87764:182-87764:311.

-9604040113 "Final Status Survey Rept for Bldg 21 ABB - CE Facility Windsor,CT." LEDDY,R.E. Affiliation Not Assigned. 96/03/06. 127pp. 87764:185-87764:311.

9604260205 Application for amend to License SNM-1067,deleting Windsor lab bldgs & operations,reducing authorized SNM possession limits & delaying decommissioning underway on Bldg 17.Amend request for license 06-00217-06 encl.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. 96/04/23. PIERSON,R.C. Licensing Branch. 44pp. 88025:001-88025:136.

-9604260210 Application for amend to license 06-00217-06,changing address,changing Section 9 of renewal application "Facilities & Equipment," Page 24 - Bldg 6 - liquid waste processing & adding Bldg 17.
CIRELLI,D.A. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). CIRELLI,D.A. ASEA Brown Boveri, Inc. 96/04/23. WHITE,D. Region 1 (Post 820201). 21pp. 88025:045-88025:065.

-9604260233 Revised "Decommissioning Funding Plan."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/04/23. 72pp. 88025:066-88025:136.

9604080246 Forwards amend 1 to license SNM-1067 & SER.Amend reduces possession limit for enriched U from less than 350 g U-235 to less than 341 g U-235.Request for exemption from requirements of 10CFR74.13 denied.
PIERSON,R.C. Licensing Branch. 96/04/04. CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 3pp. 87817:241-87817:247.

-9604080249 Amend 1 to License SNM-1067 for C-E,reducing possession limit for enriched U from less than 350 g U-235 to less than 341 g U-235.
PIERSON,R. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/03. 2pp. 87817:244-87817:245.

-9604080250 SER supporting amend 1 to license SNM-1067.
* NRC - No Detailed Affiliation Given. 96/04/03. 2pp. 87817:246-87817:247.

9604240212 Forwards NRC environ impact appraisal of proposed SNM renewal,May 1982,re C-E Windsor,CT facility,as requested during telcons on 960409.W/o encl.
SOONG,S. Licensing Branch. 96/04/17. WALL,C. Windsor, CT. 2pp. 88010:342-88010:343.

9604240209 Submits TAR,requesting assistance in reviewing DOE draft soil cleanup guidelines at C-E Windsor facility.
PIERSON,R.C. Licensing Branch. 96/04/18. WEBER,M.F. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88010:339-88010:340.

9604290317 Requests technical assistance in reviewing C-E Final Status Survey Rept of Bldg 21.
PIERSON,R.C. Licensing Branch. 96/04/25. AUSTIN,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 2pp. 88035:358-88035:359.

DOCKET 70-1113 GENERAL ELECTRIC CO., WILMINGTON, NC

9604090306 Revised & updated application for renewal of license SNM-1097.
REDA,R.J. General Electric Co. 96/04/05. TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 121pp. 87826:092-87826:282.

9604260211 Requests renewal of License SNM-1097,requesting current conditions of license remain same unless affected by contents of application.
KLAPPROTH,J.F. General Electric Co. 95/06/12. HADEN,J.R. North Carolina, State of. 8pp. 88025:339-88025:346.

9604010162 Summarizes findings discovered during 960226-0301 routine insp of MC&A safeguards program.Insp included selective exams of procedures & representative records,personnel interviews & observations of activities in progress.
TING,P. Operations Branch. 96/03/28. KIPP,C.P. General Electric Co. 1p. 87696:357-87696:357.

9604090144 Forwards insp rept 70-1113/96-02 on 960226-0301.No violations or deviations noted.
MCALPINE,E.J. Region 2 (Post 820201). 96/03/28. KIPP,C.P. General Electric Co. 2pp. 87793:328-87793:337.

-9604090152 Insp rept 70-1113/96-02 on 960226-0301.No violations noted. Major areas inspected:installation of various stages of roof of Direct Conversion Facility,organization changes, nuclear criticality safety & routine calibrs.
TROUP,G.L., MCALPINE,E.J. Region 2 (Post 820201). 96/03/28. 8pp. 87793:330-87793:337.

9604090193 Informs that LM Quintana will assume position of manager, effective 960506.RG Patterson will continue acting in position until LM Quintana takes over.
REDA,R.J. General Electric Co. 96/04/02. MCDANIEL,K.K. Licensing Branch. 1p. 87831:209-87831:209.

9604080171 Trip rept of 960319-21 visit to GE Nuclear Fuel & Components Mfg facility in Wilmington,NC to become familiar w/facility & to discuss environ licensing issues re renewal of license SNM-1097.
ADAMS,M. Licensing Branch. 96/04/04. PIERSON,R.C. Licensing Branch. 3pp. 87817:206-87817:208.

9604170163 Forwards amend 49 to license SNM-1097 & safeguards evaluation rept.Amend allows limited & one-time deviation from FNMCP commitment re date of 1996 annual physical inventory & reflects new transitional facility attachment.
PIERSON,R.C. Licensing Branch. 96/04/08. REDA,R.J. General Electric Co. 3pp. 87948:272-87948:280.

-9604170175 Amend 49 to license SNM-1097 for GE,allowing limited & one- time deviation from FNMCP commitment re date of 1996 annual physical inventory & replacing previous Facility Attachment w/new Transitional Facility Attachment dtd 960124.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/05. 4pp. 87948:275-87948:278.

-9604170177 Safeguards evaluation rept supporting amend 49 to license SNM-1097.
* NRC - No Detailed Affiliation Given. 96/04/08. 2pp. 87948:279-87948:280.

9604120317 Forwards Insp Rept 70-1113/96-202 on 960311-15.Violations noted.
TING,P. Deputy Director for Operations. 96/04/10. KIPP,C.P. General Electric Co. 1p. 87877:056-87877:069.

-9604120320 Insp Rept 70-1113/96-202 on 960311-15.Violations noted.Major areas inspected:area of chemical process safety ralated to handling of licensed matl & included exam of activities in areas of GE responses to previous chemical insp findings.
STOUT,D.E., TROSKOSKI,W.M., ROTH,J. Operations Branch. 96/04/10. 13pp. 87877:057-87877:069.

9604240318 Forwards amend 50 to license SNM-1097,authorizing transfer of test quantities of hydrofluoric acid & SER.
PIERSON,R.C. Licensing Branch. 96/04/15. REDA,R.J. General Electric Co. 2pp. 88010:251-88010:258.

-9604240329 Amend 50 to License SNM-1097 for GE,authorizing transfer of test quantities of hydroflouric acid.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/15. 4pp. 88010:253-88010:256.

-9604240340 Safety evaluation excepting unspecified recipients of test quantities of HF acid containing trace amounts of uranium.
* Office of Nuclear Material Safety & Safeguards. 96/04/15. 2pp. 88010:257-88010:258.

9604240217 Informs that 960228 Rev 2 to final status survey & release plan for Northwest CaF2 area consistent w/requirements of NUREG/CR-5849 & acceptable.
MCDANIEL,K.K. Licensing Branch. 96/04/16. REDA,R. General Electric Co. 2pp. 88010:350-88010:351.

9604260215 Requests that earlier NRC license document & application form,DFS5200,submitted in support of NRC license renewal request be placed w/encl more current info.
REDA,R.J. General Electric Co. 96/04/17. PADGETT,J.A. North Carolina, State of. 5pp. 88025:347-88025:351.

9604300230 Application for amend to License SNM-1097,modifying section 1.8.15 re calculation of committed dose equivalent from intakes.
REDA,R.J. General Electric Co. 96/04/23. PIERSON,R.C. Licensing Branch. 7pp. 88064:328-88064:334.

9604300272 Special rep:on 960327,incident involving small unplanned fire in incinerator facility.Caused by ram actuating mechanism failure.Fire immediately extinguished.
REDA,R.J. General Electric Co. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88062:359-88062:360.

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9604090229 Gaseous & liquid effluent discharges repts for six-month period Jul-Dec 1995.W/960213 ltr.
GOODWIN,W.L. Westinghouse Electric Corp. 95/12/31. 3pp. 87831:205-87831:207.

9604090211 Ack receipt of NRC 960112 ltr re insp rept 70-1151/95-10 of radiation protection program & transportation activities on 951211-15.
GOODWIN,W.L. Westinghouse Electric Corp. 96/01/22. MCALPINE,E.J. Region 2 (Post 820201). 1p. 87831:221-87831:221.

9604090215 Ack receipt of 960112 ltr re insp rept 70-1151/95-09 of nuclear criticality program & review of Operations on 951127-1201.
GOODWIN,W.L. Westinghouse Electric Corp. 96/01/22. MCALPINE,E.J. Region 2 (Post 820201). 1p. 87820:359-87820:359.

9604090113 Ack receipt of 960216 ltr re insp rept 70-1151/96-01 on 960116-19 & 0202.
GOODWIN,W.L. Westinghouse Electric Corp. 96/02/23. MCALPINE,E.J. Office of Nuclear Material Safety & Safeguards. 1p. 87831:108-87831:108.

9604020412 Forwards summary of criticality safety assessment covering items scheduled for submittal during Mar 1996.
SANDERS,C.F. Westinghouse Electric Corp. 96/03/29. KEEGAN,E. Licensing Branch. 3pp. 87731:351-87731:353.

9604230326 Provides summary of 960228 Mgt meeting re assessment of performance on NRC licensed activities.
MALLETT,B.S. Region 2 (Post 820201). 96/04/09. FICI,J.A. Westinghouse Electric Corp. 46pp. 87953:207-87953:252.

9604290055 Forwards insp rept 70-1151/96-202 on 960325-29.No violations noted.
TING,P. Operations Branch. 96/04/24. FICI,J.A. Westinghouse Electric Corp. 2pp. 88032:343-88032:357.

–9604290092 Insp rept 70-1151/96-202 on 960325-29.No violations noted. Major areas inspected:criticality SR to handling of licensed matl & included exam of activities in radwaste incinerator, bulk powder blending sys & UN tanks.
SMITH,G.A., KASNICKI,D., OUTLAW,D.A. Operations Branch. 96/04/24. 13pp. 88032:345-88032:357.

DOCKET 70-1201 B&W FUEL CO., LYNCHBURG, VA

9604220236 Forwards "Semiannual Gaseous Effluent Rept" for Jul-Dec 1995 & corrected semiannual gaseous effluent repts for Jan-June 1994 & Jul 1994 - Jan 1995,correcting effluent stack flow rate data.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/02/20. Region 2 (Post 820201). 2pp. 87961:356-87961:360.

–9604220241 "Semiannual Gaseous Effluent Rept" for Jul-Dec 1995.
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. 95/12/31. 1p. 87961:358-87961:358.

–9604220245 Corrected "Semiannual Gaseous Effluent Rept" for Jan-June 1994.
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. 94/06/30. 1p. 87961:359-87961:359.

–9604220253 Corrected "Semiannual Gaseous Effluent Rept" for 940701- 950101.
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. 95/01/01. 1p. 87961:360-87961:360.

9604090181 Ack receipt of 960304 ltr informing NRC of steps taken to correct violations noted in insp rept 70-1201/96-01.
MCALPINE,E.J. Region 2 (Post 820201). 96/04/01. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 87806:023-87806:024.

9604290337 Forwards amend 26 to license SNM-1168 & SER.Amend allows possession & use of enriched U containing amounts of TRU elements at no more than specified in ASTM Spec C996-90.
PIERSON,R.C. Licensing Branch. 96/04/24. KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 88040:321-88040:329.

–9604290339 Amend 26 to license SNM-1168,allowing possession & use of enriched U containing amounts of TRU elements at no more than specified in ASTM Spec C996-90.
PIERSON,R.C. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/24. 5pp. 88040:323-88040:327.

–9604290341 SER supporting amend 26 to license SNM-1168.
* NRC - No Detailed Affiliation Given. 96/04/24. 2pp. 88040:328-88040:329.

9604300347 Discusses 960223 ltr submitted in response to NOV & Proposed Imposition of Civil Penalty issued by NRC on 960130.Order imposing civil monetary penalty in amount of $12,500 encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/29. CARR,C.W. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 2pp. 88036:115-88036:127.

–9604300352 Order imposing civil monetary penalty.Orders that licensee pay civil penalty in amount of $12,500 within 30 days of date of Order.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/29. 11pp. 88036:117-88036:127.

DOCKET 70-1252 EDLOW INTERNATIONAL CO., WASHINGTON, DC

9604260213 Submits list of deliveries made during Oct 1995 IAW requirements of Convention on Physical Protection of Nuclear Matls.
CONDREY,D. Edlow International Co. 95/12/29. BENNINGTON,G.M. Division of Fuel Cycle & Material Safety (Pre 870413). 1p. 88020:273-88020:273.

9604100201 Informs,in advance,of shipment of UF6 contained in 13 30B cylinders & PSPs.Shipment departs St Petersburg on 960216 & arrives in Piketon,OH on 960328.
* Edlow International Co. 96/02/06. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 87832:168-87832:168.

9604100072 Submits notification of upcoming shipment of UF6,fissile contained in twenty 30B cylinders & PSPs from St Petersburg,Russia to Piketon,OH.
* Edlow International Co. 96/02/12. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 87832:153-87832:153.

9604100067 Submits notification of upcoming shipment of UF6,fissile contained in twelve cylinders & PSPs from Liverpool,England to Piketon,OH.
AUMULLER,J.N. Edlow International Co. 96/02/20. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 87832:151-87832:151.

9604100071 Submits Rev 1 to notification of upcoming shipment dtd 960220 from Liverpool,England to Piketon,OH.Rev changes address of shipper.
AUMULLER,J.N. Edlow International Co. 96/02/28. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 1p. 87832:152-87832:152.

9604150287 Provides list of deliveries made between 960309 & 0409 in accordance w/ requirements of Convention on Physical Protection of Nuclear Matls.
CONDREY,D. Edlow International Co. 96/04/09. BENNINGTON,G.M. Office of Nuclear Material Safety & Safeguards. 1p. 87885:021-87885:021.

DOCKET 70-1257 SIEMENS NUCLEAR POWER CORP., RICHLAND, WA

9604020172 Forwards rept on gaseous,liquid & solid effluents for Jul- Dec 1995.Containerized waste shipments to Envirocare of UT, US Ecology & Allied Technology reflect efforts & progress in reducing stored solid waste inventory.
MAAS,L.J. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/02/26. CALLAN,L.J. Region 4 (Post 820201). 1p. 87727:357-87727:360.

–9604020288 Rept of gaseous,liquid & solid effluents for Jul-Dec 1995.
* Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/12/31. 3pp. 87727:358-87727:360.

9604110222 Forwards revised Part IV of Siemens Power Corp's (SPC) emergency plan,agency agreement ltrs,describing agreements between SPC & various local entities on actions to be taken & svcs provided in case of emergency.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/03/19. Office of Nuclear Material Safety & Safeguards. 2pp. 87863:312-87863:346.

–9604110239 "Siemens Power Corp Nuclear Div Engineering & Mfg Facility Emergency Plan Part IV Agency Agreement Ltrs."
PROBASCO,T.C., VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/03/13. 33pp. 87863:314-87863:346.

9604090479 Forwards insp rept 70-1257/96-201 on 960304-08.No violations noted.
TING,P. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/05. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 87793:313-87793:327.

–9604090484 Insp rept 70-1257/96-201 on 960304-08.No violations noted. Major areas inspected:line 2 & 3 blenders,powder preparation sys,line 4 blender,dry storage building expansion,gadolinia scrap U recovery sys & mop powder dissolution sys.
SMITH,G.A., HOOKER,C.A., OUTLAW,D.A. Operations Branch. 96/04/05. 12pp. 87793:316-87793:327.

9604120158 Revised pages to application for renewal of license SNM-1227.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/05. PIERSON,R.C. Deputy Director for Facilities. 100pp. 87875:159-87875:282.

9604120191 Forwards select pp of SPC's application for license renewal to support requests for possession limits of 500 kg U-235 & 350 g U-235 for U enriched to greater than 5% & up to 10% & any enrichment for analytical stds & sources,respectively.
VAUGHAN,R.E. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/05. PIERSON,R.C. Division of Industrial & Medical Nuclear Safety (Post 870729). 11pp. 87871:283-87871:293.

9604170096 Notification of 960417 meeting w/NRC & licensees in Richland,WA to discuss licensing issues re license renewal.
ADAMS,M.A. Licensing Branch. 96/04/08. Licensing Branch. 2pp. 87933:295-87933:296.

9604170426 Informs that as result of conversations w/NRC on 960326, licensee incorporating listed changes to Chapter 5,environ protection.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/10. PIERSON,R.C. Licensing Branch. 5pp. 87928:228-87928:232.

9604160168 Forwards proprietary insp 70-1257/96-202 on 960311-14.No violations noted.Encl withheld (ref 10CFR2.790).
TING,P. Operations Branch. 96/04/12. FEMREITE,B.N. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 3pp. 87891:328-87891:330.

9604290279 Trip rept of 960416-18 visit to Siemens Power Corp,Richland, WA facility re emergency assessment resource manual,major project implementation process,plant certification control sys & in-place hazards analysis.
PIERSON,R.C., KLASKY,M. Licensing Branch. MILSTEIN,R. Regulatory & International Safeguards Branch. 96/04/26. BRACH,B. Division of Fuel Cycle Safety & Safeguards (Post 930207). 73pp. 88034:001-88034:073.

DOCKET 70-1308 GENERAL ELECTRIC CO., SAN JOSE, CA

9604300444 Submits reminder that GE Morris Operations scheduled emergency plan exercise for 960530.
DENIO,L.L. General Electric Co. 96/04/19. SHEAR,G.L. Region 3 (Post 820201). 1p. 88067:260-88067:260.

DOCKET 70-1503 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

9604040210 Safety insp on 960228-29 of licenses SNM-0047 & SNM-1460. Insp findings:calibration of survey instruments were not performed once every 6 months.
GIBSON,R. Region 1 (Post 820201). * Westinghouse Electric Corp. 96/02/29. 1p. 87736:178-87736:178.

DOCKET 70-1703 EASTMAN KODAK CO., ROCHESTER, NY

9604260209 Safety insp on 960418 of license SNM-1513.Insp findings:no violations observed.
ULLRICH,E. Region 1 (Post 820201). * Eastman Kodak Co. 96/04/18. 1p. 88020:272-88020:272.

DOCKET 70-3009 HOSP. AUXILIO MUTUO, HATO REY, PR

9604090214 Responds to 960304 ltr re monitoring & training of shippers & carriers of radioactive matl.
POTTER,J.P. Region 2 (Post 820201). 96/04/02. MENDEZ,L.E. Auxilio Mutuo Hosp., Hato Rey, PR. 7pp. 87806:090-87806:096.

DOCKET 70-3070 LOUISIANA ENERGY SERVICES, WASHINGTON, DC

9604050286 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. ZEM,Z.M. Affiliation Not Assigned. 2pp. 87755:119-87755:120.

9604050287 Ack receipt of postcard sent to Chairman Jackson re plant & informs that postcard forwarded to staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. KUSHINDANA,K.O. Affiliation Not Assigned. 2pp. 87770:028-87770:029.

9604050292 Ack receipt of postcard sent to Chairman Jackson re plant & informs that postcard forwarded to staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. HANDY LOON,T. Affiliation Not Assigned. 2pp. 87770:030-87770:031.

9604050294 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. NIXON,R. Affiliation Not Assigned. 2pp. 87775:215-87775:216.

9604050297 Ack receipt of ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Informs that ltr has been forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. TARDY,J.M. Affiliation Not Assigned. 1p. 87755:121-87755:122.

—9604050313 Congratulates on recent appointment as Chairperson & requests that authority be used to prevent Louisiana Energy Svcs from obtaining permit to build Claiborne Enrichment Ctr & ensure environmental protection of local citizens.
TARDY,J.M. Affiliation Not Assigned. 96/04/04. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87755:122-87755:122.

9604050299 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. PROCHAZKA,R. Affiliation Not Assigned. 2pp. 87755:123-87755:124.

9604050307 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. ARTER,R. Affiliation Not Assigned. 2pp. 87755:125-87755:126.

9604050316 Ack receipt of ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. GOODMAN,M. Affiliation Not Assigned. 2pp. 87773:135-87773:136.

9604050317 Ack receipt of encl postcard sent to Chairman Jackson re Lousiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. SUTER,P. Affiliation Not Assigned. 2pp. 87755:127-87755:128.

9604050326 Ack receipt of encl ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. BLACK,C. Affiliation Not Assigned. 1p. 87775:217-87775:218.

—9604050350 Opposes Louisiana Energy Service obtaining permit for Claiborne Enrichment Ctr.Comments proposed facility poses threat to land,air & water quality of nearby communities.
BLACK,C. Affiliation Not Assigned. 96/01/07. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87775:218-87775:218.

9604050333 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. ABELL,S. Affiliation Not Assigned. 2pp. 87755:129-87755:130.

9604050341 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svc facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. KEYS,C.L. Affiliation Not Assigned. 2pp. 87770:032-87770:033.

9604050345 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. JORBAW,J. Affiliation Not Assigned. 2pp. 87770:034-87770:035.

9604050348 Ack receipt of 960202 ltr re Louisiana Energy Svcs facility.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. KALBERER,P. Affiliation Not Assigned. 1p. 87770:036-87770:037.

—9604050376 Opposes Louisiana Energy Svcs obtaining permit for U enrichment facility in Forest Grove & Ctr Springs,LA because of location.
KALBERER,P. Affiliation Not Assigned. 96/02/02. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87770:037-87770:037.

9604050356 Ack receipt of encl ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Informs that ltr has been forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. BELLAS,S. Affiliation Not Assigned. 1p. 87755:131-87755:132.

—9604050359 Congratulates on recent appointment as Chairperson & requests that authority be used to prevent Louisiana Energy Svcs from obtaining permit to build Claiborne Enrichment Ctr & ensure environmental protection to citizens.
BELLAS,S. Affiliation Not Assigned. 96/02/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87755:132-87755:132.

9604050361 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. RIZMAN,J. Affiliation Not Assigned. 2pp. 87775:219-87775:220.

9604050377 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. LEWIS,S.L. Affiliation Not Assigned. 2pp. 87770:038-87770:039.

9604050387 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. GRIFFIN,P. Affiliation Not Assigned. 2pp. 87770:040-87770:041.

9604050397 Ack receipt of postcard to Chairman Jackson re Louisiana Energy Svcs facility.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. MCSPADDEN,K. Affiliation Not Assigned. 1p. 87770:042-87770:043.

9604050422 Ack receipt of postcard re Louisiana Energy Services facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. DILLOZI,G.M. Affiliation Not Assigned. 2pp. 87770:052-87770:053.

9604050429 Ack receipt of postcard re Louisiana Energy Services facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. ROTHER,D. Affiliation Not Assigned. 2pp. 87770:001-87770:002.

9604080053 Ack recept of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate actions.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. SMITH,C. Affiliation Not Assigned. 2pp. 87782:354-87782:355.

9604080098 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. WALLACE,B. Affiliation Not Assigned. 2pp. 87771:049-87771:050.

9604080100 Ack receipt of ltr sent to Chairman Jackson re Louisiana Energy Svcs facility & informs that ltr forwarded to NRC staff for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. DOLLEY,J. Affiliation Not Assigned. 1p. 87800:263-87800:265.

—9604080127 Comments on proposed Louisiana Energy Svcs facility.Believes that permit should not be given for facility due to toxic residue that travels down Mississippi River.
DOLLEY,J. Affiliation Not Assigned. 95/12/26. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87800:264-87800:265.

9604080134 Ack receipt of encl ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate actions.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. BURNELL,K. Affiliation Not Assigned. 2pp. 87800:268-87800:269.

9604080298 Ack receipt of encl postcard sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. LEHMAN,K. Affiliation Not Assigned. 2pp. 87782:300-87782:301.

9604110053 Ack receipt of encl ltr sent to Chairman Jackson re Louisiana Energy Svcs facility.Correspondence forwarded to NRC for appropriate action.
JULIAN,E.L. Docketing & Services Branch. 96/04/04. WINSLOW,V. Affiliation Not Assigned. 1p. 87849:092-87849:093.

—9604110064 Opposes proposed U enrichment plant to be located near Forest Grove & Center Springs,LA.
WINSLOW,V. Affiliation Not Assigned. 95/12/28. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87849:093-87849:093.

9604290229 Partial Initial Decision (Resolving Contentions H,L & M).* Intervenor contentions H,L & M challenging licensee emergency & U enrichment detection plan cannot be sustained. W/Certificate of Svc.Served on 960426.
MOORE,T.S., COLE,R.F., SHON,F.J. Atomic Safety & Licensing Board Panel. #296 17579. 96/04/26. 73pp. 88021:139-88021:211.

DOCKET 70-3073 KERR-MCGEE CORP., OKLAHOMA CITY, OK

9604090149 Responds to comments on site decommissioning plan in NRC 960118 ltr.
LUX,J. Kerr-McGee Corp. 96/03/29. FAUVER,D. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 18pp. 87830:144-87830:161.

DOCKET 70-7001 U.S. ENRICHMENT CORP. (PADUCAH GASEOUS DIFFUSION PLANT)

9604110196 Requests NRC review & approval of encl descriptions of areas within US Enrichment Corp (USEC) leased areas at Paducah Gaseous Diffusion Plant that USEC proposes be excluded from criticality accident alarm sys monitoring.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/09. HICKEY,J.W. Enrichment Branch. 13pp. 87861:001-87861:291.

—9604110202 "Paducah Gaseous Diffusion Plant Justification for Excluding UF6 Cylinder Storage Yards From Criticality Accident Alarm Sys Coverage."
* Affiliation Not Assigned. KY/S-271. 96/02/27. 62pp. 87861:014-87861:072.

—9604110208 "Justification That Operations W/Less Than 15 g U-235 do not Require Nuclear Criticality Safety Approval (NCSA) or Criticality Accident Alarm Sys (CAAS)."
LEWIS,S.T. Affiliation Not Assigned. 95/06/29. 8pp. 87861:073-87861:080.

—9604110215 "Criteria for Transportation of Fissile Matls in Areas Without Critically Accident Alarm Coverage at Paducah Gaseous Diffusion Plant."
HURRELL,S.J., MILLER,C.S. Affiliation Not Assigned. KY/G-558. 96/02/27. 21pp. 87861:081-87861:101.

—9604110223 "Justification for Not Having Criticality Alarm Coverage for C-726 Sandblast Facility."
MILLER,C.S. Affiliation Not Assigned. KY/S-280. 96/02/28. 6pp. 87861:102-87861:107.

—9604110231 "Technical Justification for Exemption of C-746-A,C-733, C-754,C-754-A & C-333 Waste Storage Facilities from Criticality Alarm Requirements."
* Affiliation Not Assigned. KY/S-267 R01. 96/02/27. 61pp. 87861:108-87861:170.

—9604110238 "Criticality Accident Alarm Coverage Evaluation for Outdoor Conditions W/Moisture in Air."
SMOLEN,G.R. Affiliation Not Assigned. KY/G-581. 96/02/28. 27pp. 87861:171-87861:197.

—9604110245 "Criticality Accident Alarm Coverage of Interbuilding Tie Lines at Paducah Gaseous Diffusion Plant."
SMOLEN,G.R. Affiliation Not Assigned. KY/G-578. 96/02/28. 15pp. 87861:198-87861:212.

–9604110249 "Criticality Accident Alarm Detector Placement & Coverage at Paducah Gaseous Diffusion Plant."
SMOLEN,G.R., MILLER,C.S., HUFFER,J.E. Affiliation Not Assigned. KY/S-255. 96/02/28. 30pp. 87861:213-87861:243.

–9604110252 "Justification for No Criticality Alarm Coverage for Areas W/U Enriched to Less Than One Weight Percent U-235 at Paducah Gaseous Diffusion Plant."
SMOLEN,G.R., HUFFER,J.E. Affiliation Not Assigned. KY/S-258. 96/02/28. 16pp. 87861:244-87861:259.

–9604110259 "Technical Justification:U Enriched to Less Than One Weight Percent U-235-Safe for Operations at Paducah Gasous Diffusion Plant."
LEWIS,S.T. Affiliation Not Assigned. KY/S-248. 95/03/31. 32pp. 87861:260-87861:291.

9604190049 Forwards nonproprietary version of "Lease Agreement Between DOE & US Enrichment Corp (USEC)" dtd as of 930701 & Rev 1 to Exhibit A, "Leased Premises as Agreed Between DOE & USEC," dtd 941028.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 96/04/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 279pp. 87963:001-87963:279.

9604290368 Provides responses to NRC questions/comments on "Group A & B" sections of licensee Rev 1 application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/26. HICKEY,J.W. Enrichment Branch. 15pp. 88038:154-88038:282.

–9604290370 "QA Program."
* United States Enrichment Corp. (USEC). 96/04/26. 114pp. 88038:169-88038:282.

9604030320 Submits responses to NRC question/comments from 960220 ltr re Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/02/20. HICKEY,J.W. Enrichment Branch. 19pp. 87752:190-87752:208.

9604030059 Forwards J Germ review of documents "Plans for Achieving Compliance W/NRC Regulations at Paducah Gaseous Duffusion Plant" & "...at Portsmouth Gaseous Diffusion Plant," DOE/ORO-2026/R1 & DOE/ORO-2027/R1,respectively.
CEC,R. Cincinnati, OH. 96/03/08. CHEN,Y. Enrichment Branch. 3pp. 87746:319-87746:321.

9604010305 Submits responses to NRC questions/comments on "Group A & B" section of licensee Rev 1 application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/03/28. HICKEY,J.W. Enrichment Branch. 50pp. 87706:301-87706:350.

9604010313 Provides revs to two licensee responses provided to NRC & provides status of response to each of Groups A & B.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/03/29. HICKEY,J.W. Enrichment Branch. 14pp. 87715:346-87715:359.

9604020240 Notification of 960402 meeting w/US Enrichment Corp (USEC) in Rockville,MD to discuss addl info needed to complete NRC review of USEC 950915 application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 96/03/29. NRC - No Detailed Affiliation Given. 2pp. 87726:332-87726:333.

9604040160 Forwards revs to previous responses to NRC questions/ comments re US Enrichment Corp SAR,Section 5.1,entitled "Environ Protection." Responses revised to remove refs to low vol air samplers.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/03. HICKEY,J.W. Enrichment Branch. 22pp. 87768:339-87768:360.

9604090037 Forwards responses to NRC 960129 ltr re questions/comments on Group A & B sections of USEC rev 1 application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/04. HICKEY,J.W. Enrichment Branch. 30pp. 87830:214-87830:243.

9604090299 Provides responses to NRC 960220 ltr re question/comments on Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/04. HICKEY,J.W. Enrichment Branch. 40pp. 87831:001-87831:040.

9604110271 Notification of 960418 meeting w/util in Rockville,MD to discuss status of review of US Enrichment Corp application.
* NRC - No Detailed Affiliation Given. 96/04/05. NRC - No Detailed Affiliation Given. 2pp. 87847:354-87847:355.

9604120265 Discusses 960319 meeting when NRC briefed Commission on status of certification of gaseous diffusion plants operated by US Enrichment Corp.Requests projected schedule for submitting final revised application & compliance plan.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/08. WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 87888:006-87888:007.

9604150293 Forwards responses to NRC questions/comments on plans for achieving compliance from 960220 ltr.Attached responses & associated revised compliance plan issues,will be incorporated into Rev 3 of compliance plans.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/09. HICKEY,J.W. Enrichment Branch. 17pp. 87896:094-87896:110.

9604150302 Forwards responses to NRC questions/comments on Group A & B sections from 960129 ltr.Encl provides status of response to Group A & B questions/comments.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/11. HICKEY,J.W. Enrichment Branch. 47pp. 87896:124-87896:170.

9604190057 Forwards proprietary version of "Lease Agreement Between DOE & US Enrichment Corp (USEC)" dtd as of 930701 & Rev 1 to Exhibit A, "Leased Premises as Agreed Between DOE & USEC," dtd 941028.Encls withheld.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 96/04/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 87951:145-87951:149.

9604190307 Informs selection of JM Jacobson as NRC Resident Inspector for Paducah Gaseous Diffusion Plant.
SHEAR,G.L. Region 3 (Post 820201). 96/04/16. JACKSON,J.D. Energy, Dept. of. 1p. 87935:091-87935:091.

9604190039 Provides responses to NRC questions/comments on "Group A & B" sections of USEC's rev 1 (950915) application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/17. HICKEY,J.W. Enrichment Branch. 19pp. 87951:262-87951:280.

9604220313 Forwards observation rept 70-7001/96-01 on 960201-0318. Weaknesses noted in implementation of root cause determination & corrective action programs.
SHEAR,G.L. Region 3 (Post 820201). 96/04/17. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 87935:330-87935:354.

–9604220320 Forwards observation rept 70-7001/96-01 of US Enrichment Corp activities at plant as part of mutual effort to transfer regulatory oversight responsibility for facility from DOE to NRC.
SHEAR,G.L. Region 3 (Post 820201). 96/04/12. JACKSON,J.D. Energy, Dept. of. 2pp. 87935:332-87935:333.

–9604220327 Observation rept 70-7001/96-01 on 960201-0318.Major areas observed:routine,unannounced observations of plant operations,maint,engineering & plant support.
* Region 3 (Post 820201). 96/04/17. 21pp. 87935:334-87935:354.

9604240208 Submits response to NRC various questions/comments on Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/18. HICKEY,J.W. Enrichment Branch. 7pp. 88010:276-88010:282.

9604240213 Provides responses to NRC questions/comments on "Group A & B" sections of licensee Rev 1 application for COC for Paducah Gaseous Diffusion Plant.
WOOLEY,R.L. United States Enrichment Corp. (USEC). 96/04/18. HICKEY,J.W. Enrichment Branch. 27pp. 88008:307-88008:333.

9604290274 Forwards observation rept 70-7001/96-201 on 960318-22 re US Enrichment Corp Paducah Gaseous Diffusion Plant for info & use.W/o encl.
HICKEY,J.W. Enrichment Branch. 96/04/25. JACKSON,J.D. Energy, Dept. of. 1p. 88038:351-88038:351.

9604290298 Provides responses to NRC questions/comments on "Group A & B" sections of licensee's rev 1 application for COC for Paducah Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/25. HICKEY,J.W. Enrichment Branch. 24pp. 88035:331-88035:355.

9604290322 Forwards observation rept 70-7001/96-201 on 960318-22 re activities & status of MC&A implementation program.
HICKEY,J.W. Enrichment Branch. 96/04/25. RIFAKES,G.P. United States Enrichment Corp. (USEC). 1p. 88040:314-88040:318.

–9604290329 Observation rept 70-7001/96-201 on 960318-22.Items noted for NRC follow-up during future observation periods.Major areas observed:activities & status of MC&A implementation program.
TING,P. Operations Branch. 96/04/15. 4pp. 88040:315-88040:318.

9604290384 Provides response to NRC questions/comments on plans for achieving compliance w/NRC regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/26. HICKEY,J.W. Enrichment Branch. 18pp. 88040:277-88040:294.

9604290391 Forwards responses to NRC questions/comments on plans for achieving compliance w/NRC regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.Proprietary portion of response withheld per 10CFR2.790(d)(1).
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/26. HICKEY,J.W. Enrichment Branch. 5pp. 88053:352-88053:356.

DOCKET 70-7002 U.S. ENRICHMENT CORP. (PORTSMOUTH GASEOUS DIFFUSION

9604190049 Forwards nonproprietary version of "Lease Agreement Between DOE & US Enrichment Corp (USEC)" dtd as of 930701 & Rev 1 to Exhibit A, "Leased Premises as Agreed Between DOE & USEC," dtd 941028.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 96/04/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 279pp. 87963:001-87963:279.

9604030320 Submits responses to NRC question/comments from 960220 ltr re Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/02/20. HICKEY,J.W. Enrichment Branch. 19pp. 87752:190-87752:208.

9604030059 Forwards J Germ review of documents "Plans for Achieving Compliance W/NRC Regulations at Paducah Gaseous Duffusion Plant" & "...at Portsmouth Gaseous Diffusion Plant," DOE/ORO-2026/R1 & DOE/ORO-2027/R1,respectively.
CEC,R. Cincinnati, OH. 96/03/08. CHEN,Y. Enrichment Branch. 3pp. 87746:319-87746:321.

9604080113 Forwards observation rept 70-7002/96-01,which contains routine safety & safeguard observations activities from 960201-0304.
SHEAR,G.L. Region 3 (Post 820201). 96/03/25. JACKSON,J.D. Energy, Dept. of. 2pp. 87772:232-87772:247.

–9604080119 Forwards observation rept 70-7002/96-01 on 960201-0304 re activities at Portsmouth Gaseous Diffusion Plant.
SHEAR,G.L. Region 3 (Post 820201). 96/04/01. MILLER,J.H. United States Enrichment Corp. (USEC). 2pp. 87772:234-87772:235.

–9604080126 Observation rept 70-7002/96-01 on 960201-0304.No violations noted.Major areas observed:plant operations,maint/matl condition,engineering & plant support.
* Region 3 (Post 820201). 96/03/25. 12pp. 87772:236-87772:247.

9604010307 Submits response to NRC questions/comments on Group A & B sections of licensee Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/03/28. HICKEY,J.W. Enrichment Branch. 48pp. 87716:312-87716:359.

9604010315 Submits revs to two licensee responses provided to NRC & provides status of response to each of Groups A & B.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/03/29. HICKEY,J.W. Enrichment Branch. 14pp. 87714:337-87714:350.

9604020240 Notification of 960402 meeting w/US Enrichment Corp (USEC) in Rockville,MD to discuss addl info needed to complete NRC review of USEC 950915 application for certification of gaseous diffusion plants at Paducah,KY & Portsmouth,OH.
* NRC - No Detailed Affiliation Given. 96/03/29. NRC - No Detailed Affiliation Given. 2pp. 87726:332-87726:333.

9604090299 Provides responses to NRC 960220 ltr re question/comments on Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/04. HICKEY,J.W. Enrichment Branch. 40pp. 87831:001-87831:040.

9604110271 Notification of 960418 meeting w/util in Rockville,MD to discuss status of review of US Enrichment Corp application.
* NRC - No Detailed Affiliation Given. 96/04/05. NRC - No Detailed Affiliation Given. 2pp. 87847:354-87847:355.

9604100096 Forwards responses to NRC questions/comments on Group A & B sections of Rev 1 (950915) application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/08. HICKEY,J.W. Enrichment Branch. 35pp. 87831:269-87831:303.

9604120265 Discusses 960319 meeting when NRC briefed Commission on status of certification of gaseous diffusion plants operated by US Enrichment Corp.Requests projected schedule for submitting final revised application & compliance plan.
TEN EYCK,E.Q. Division of Fuel Cycle Safety & Safeguards (Post 930207). 96/04/08.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 1p. 87888:006-87888:007.

9604150293 Forwards responses to NRC questions/comments on plans for achieving compliance from 960220 ltr.Attached responses & associated revised compliance plan issues,will be incorporated into Rev 3 of compliance plans.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/09. HICKEY,J.W. Enrichment Branch. 17pp. 87896:094-87896:110.

9604150309 Forwards responses to NRC questions/comments on Group A & B sections from 960129 ltr.Encl provides status of response to Group A & B questions/comments.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/11. HICKEY,J.W. Enrichment Branch. 25pp. 87896:171-87896:195.

9604190057 Forwards proprietary version of "Lease Agreement Between DOE & US Enrichment Corp (USEC)" dtd as of 930701 & Rev 1 to Exhibit A, "Leased Premises as Agreed Between DOE & USEC," dtd 941028.Encls withheld.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 96/04/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 5pp. 87951:145-87951:149.

9604240206 Forwards response to NRC questions/comments on "Group A & B" sections of licensee Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/18. HICKEY,J.W. Enrichment Branch. 14pp. 87998:216-87998:229.

9604240208 Submits response to NRC various questions/comments on Plans for Achieving Compliance w/NRC Regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/18. HICKEY,J.W. Enrichment Branch. 7pp. 88010:276-88010:282.

9604240218 Provides responses to several of NRC questions/comments on "Group A & B" section of licensee Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/22. HICKEY,J.W. Enrichment Branch. 23pp. 88008:216-88008:238.

9604290205 Provides response to NRC questions/comments on "Group A & B" sections of license Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/25. HICKEY,J.W. Enrichment Branch. 19pp. 88057:246-88057:264.

9604290283 Forwards observation rept 70-7002/96-201 on 960318-22.
HICKEY,J.W. Enrichment Branch. 96/04/25. RIFAKES,G.P. United States Enrichment Corp. (USEC). 1p. 88038:352-88038:357.

--9604290284 Observation rept 70-7002/96-201 on 960318-22.Items noted for NRC follow-up during future observation periods.Major areas observed:activities & status of MC&A implementation program.
TING,P. Operations Branch. 96/04/15. 5pp. 88038:353-88038:357.

9604290320 Forwards observation rept 70-7002/96-201 on 960318-22 re activities & status of MC&A implementation program at facility.
HICKEY,J.W. Enrichment Branch. 96/04/25. JACKSON,J.D. Energy, Dept. of. 1p. 88040:308-88040:313.

9604290372 Provides response to NRC questions/comments on "Group A & B" sections of licensee Rev 1 application for COC for Portsmouth Gaseous Diffusion Plant. "QA Program" encl.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/26. HICKEY,J.W. Enrichment Branch. 12pp. 88040:001-88040:094.

--9604290374 "QA Program."
* United States Enrichment Corp. (USEC). 96/04/26. 82pp. 88040:013-88040:094.

9604290384 Provides response to NRC questions/comments on plans for achieving compliance w/NRC regulations at Portsmouth,OH & Paducah,KY gaseous diffusion plants.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 96/04/26. HICKEY,J.W. Enrichment Branch. 18pp. 88040:277-88040:294.

DOCKET DOCKET UNKNOWN

9604160027 Request review for docket 71003033,of French Certificate of Approval F/201/B(U)F,Rev Ea for model TN6-2 package. Recommendation re revalidation of certificate for import & export shipments also requested.
BOYLE,R.W. Transportation, Dept. of. 96/03/19. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 12pp. 87961:001-87961:129.

--9604160044 For docket 71003033, "Model B(U) Fissile II Shipping Packages Composed of TN6-2 Shipping Containers Containing Experimental Nuclear Fuel." W/one oversized drawing.
* Affiliation Not Assigned. TN6-2-EXP-00 R03. 76/06/12. 118pp. 87961:014-87961:129.

9604030413 Forwards "Docket 71000849 10CFR71 QA Program for Shipment of Plutonium-Beryllium Neutron Sources."
FIELDS,W.J. Missouri, Univ. of, Kansas City, MO. 96/03/27. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 87752:229-87752:232.

--9604030421 "10CFR71 QA Program for docket 7100849 for Shipment of Plutonium-Beryllium for Neutron Sources."
FIELDS,W.J. Missouri, Univ. of, Kansas City, MO. 96/03/27. 3pp. 87752:230-87752:232.

9604080448 Application for QA program approval for docket 71000848.Fee paid.
STEVEN,B.S. Affiliation Not Assigned. 96/03/28. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 87814:316-87814:318.

--9604080450 "10CFR71 QA Program," for docket 71000848.
CARR,B.S. Affiliation Not Assigned. 96/03/28. 2pp. 87814:317-87814:318.

9604170186 Forwards for docket 71000850, "10CFR71 QA Program for Shipment of Pu-239-Be Neutron Sources."
FUNSTEN,H.O. William & Mary, College of, Williamsburg, VA. 96/04/05. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 87933:288-87933:292.

--9604170196 For docket 71000850, "10CFR71 QA Program for Shipment of Pu-239-Be Neutron Sources."
FUNSTEN,H.O. William & Mary, College of, Williamsburg, VA. 96/04/05. 5pp. 87933:289-87933:292.

9604250280 Forwards for docket 70000851, "10CFR71 QA Program for Shipment of Pu-Be-239 Neutron Sources."
DAAVETTILA,D. Michigan Technological Univ., Houghton, MI. 96/04/11. BEAR,R.L. Source Containment & Devices Branch (Post 911213). 1p. 88036:185-88036:188.

--9604250287 For docket 70000851, "10CFR71 QA Program for Shipment of Pu-Be-239 Neutron Sources."
DAAVETTILA,D. Michigan Technological Univ., Houghton, MI. 96/04/11. 3pp. 88036:186-88036:188.

9604240196 Forwards,for docket 71000847,QA program approval for radioactive matl package 0847,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
SKINNER,A.R. Williams College, Williamstown, MA. 1p. 88010:268-88010:269.

--9604240201 For docket 71000847,QA program approval for radioactive matl package 0847,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88010:269-88010:269.

9604240250 Forwards,for docket 71000849,QA program for radioactive matl package:0849,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
FIELDS,W.J. Missouri, Univ. of, Kansas City, MO. 1p. 88016:333-88016:334.

--9604240255 For docket 71000849,QA program approval for radioactive matl package 0849,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88016:334-88016:334.

9604290095 Forwards,for docket 70000850,QA program approval for radioactive matl package 0850,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24.
FUNSTEN,H.O. William & Mary, College of, Williamsburg, VA. 1p. 88057:146-88057:147.

--9604290096 For docket 70000850,QA program approval for radioactive matl package 0850,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24. 1p. 88057:147-88057:147.

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN CONDITIONS

DOCKET 71-0115 B&W FUEL CO.

9604240183 Forwards QA program Approval for radioactive matl package 0115,rev 7.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 88010:353-88010:354.

--9604240185 QA program approval for radioactive matl package:0115,Rev 7.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88010:354-88010:354.

DOCKET 71-0164 MASSACHUSETTS INSTITUTE OF TECHNOLOGY

9604180308 Advises that QA program approval for radioactive matl package:0164 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/16.
NEWTON,T.H. Massachusetts Institute of Technology, Cambridge, MA. 1p. 87948:354-87948:354.

DOCKET 71-0179 NUCLEAR CONTAINERS, INC.

9604110039 Application for renewal of QA program approval for radioactive matl package:0179,rev 4,which expires 960531.Fee paid.
ARNOLD,W.M. Nuclear Containers, Inc. 96/03/27. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87847:185-87847:185.

9604240188 Forwards QA program approval for radioactive matl package: 0179,rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
ARNOLD,W.M. Nuclear Containers, Inc. 1p. 88016:335-88016:336.

-9604240190 QA program approval for radioactive matl package:0179,Rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88016:336-88016:336.

DOCKET 71-0275 DUQUESNE LIGHT CO.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

DOCKET 71-0334 GPU NUCLEAR CORP.

9604030232 Forwards QA program approval for radioactive matl package: 0334,Rev 6,Identifying TMI as facility to which QA program applies.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01.
SCHORK,J.S. General Public Utilities Corp. - GPU Service Corp. 1p. 87748:263-87748:264.

-9604030234 QA program approval for radioactive matl package:0334,Rev 6.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01. 1p. 87748:264-87748:264.

DOCKET 71-0355 GPU NUCLEAR CORP.

9604030229 Forwards QA program approval for radioactive matl package: 0355,Rev 6,Identifying Oyster Creek Nuclear Generating Station as facility to which QA applies.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01.
DEMARCHANT,B. General Public Utilities Corp. - GPU Service Corp. 1p. 87748:261-87748:262.

-9604030230 QA program approval for radioactive matl package:0355,Rev 6.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01. 1p. 87748:262-87748:262.

DOCKET 71-0361 MODEL: PAT-1, ENERGY, DEPT. OF

9604050185 Forwards COC 0361,Rev 6 for model PAT-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 87773:163-87773:168.

-9604050187 Certificate of compliance 0361,rev 6,for model PAT-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 5pp. 87773:164-87773:168.

DOCKET 71-0404 CTI, INC.

9604180122 Requests for QA program renewal for radioactive matl package:0404.Fee paid.
WATSON,S.N. CTI, Inc. (formerly Alaska Welding Center). 96/04/12. PERKINS,K.E. Region 4 (Post 820201). 2pp. 87942:333-87942:334.

9604240187 Forwards QA program approval for radioactive matl package 0404,rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
WATSON,S.N. CTI, Inc. (formerly Alaska Welding Center). 1p. 88016:308-88016:309.

-9604240189 QA program approval for radioactive matl package:0404,Rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88016:309-88016:309.

DOCKET 71-0423 H&H X-RAY SERVICES, INC.

9604010139 Forwards QA program approval for radioactive matl packages 0423,Rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28.
HEAD,K.Y. H&H X-Ray Services, Inc. 2pp. 87697:336-87697:338.

-9604010144 QA program approval for radioactive matl package:0423,Rev 5.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28. 1p. 87697:338-87697:338.

DOCKET 71-0429 QC LABORATORIES, INC.

9604040077 Application for renewal of QA program approval for radioactive matl package:0429.
STICKLER,R.D. Q.C. Laboratories, Inc. 96/03/26. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87769:359-87769:359.

9604290160 Forwards QA program approval for radioactive matl packages 0429,Rev 4.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24.
STICKLER,R.D. Q.C. Laboratories, Inc. 1p. 88057:175-88057:176.

-9604290161 QA program approval for radioactive matl package:0429,Rev 4.
JANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 96/04/24. 1p. 88057:176-88057:176.

DOCKET 71-0437 ADVEX CORP.

9604220109 Advises that QA program approval for radioactive matl package:0437 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/18.
SLEMP,G.E. Advex Corp. 1p. 87972:354-87972:354.

DOCKET 71-0438 GENERAL MOTORS CORP.

9604180305 Advises that QA program approval for radioactive matl package:0438 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/16.
PREZKOP,M. General Motors Corp. 1p. 87960:263-87960:263.

DOCKET 71-0496 SCIENTIFIC ECOLOGY GROUP, INC.

9604260109 Forwards Rev 5 to QA program description document SEQ/QA-100, "Quality Mgt Sys Manual" for review & consideration of approval.Fee paid.
KAVCHAK,M.A. Scientific Ecology Group, Inc. 96/04/19. YANKOVICH,J. Office of Nuclear Material Safety & Safeguards. 1p. 88024:325-88024:360.

-9604260113 Rev 5 to "Quality Mgt Sys Manual."
ARROWSMITH,H.W., SWIERKOWSKI,E., KAVCHAK,M.A. Scientific Ecology Group, Inc. 96/04/19. 34pp. 88024:326-88024:360.

DOCKET 71-0503 PENN INSPECTION CO.

9604040107 Application for amend to QA program approval for Radiographic matl package:0503,rev 2,re name change.
PENN,W. Big State X-Ray. 96/03/25. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87770:359-87770:359.

9604240197 Forwards QA program approval for radioactive matl package 0503,rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. PENN,W. Big State X-Ray. 1p. 88010:270-88010:271.

-9604240199 QA program approval for radioactive matl package:0503,Rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88010:271-88010:271.

DOCKET 71-0553 HIGH MOUNTAIN INSPECTION SERVICES, INC.

9604220294 Requests amend of QA program approval for radioactive matl package 0553,reflecting change of address as listed.
CLINE,C.R. High Mountain Inspection Services, Inc. 96/04/11. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87986:201-87986:202.

DOCKET 71-0555 ALLEGHENY LABORATORIES

9604250119 Application for renewal of QA program approval for radioactive matl package 0555.
MCCLELLAND,C.W. Affiliation Not Assigned. 96/04/15. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 88023:263-88023:263.

9604290142 Forwards QA program approval for radioactive matl package 0555,rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/25.
MCCLELLAND,C.W. Allegheny Laboratories. 1p. 88057:164-88057:165.

-9604290149 QA program approval for radioactive matl package:0555,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/25. 1p. 88057:165-88057:165.

DOCKET 71-0567 ARIZONA NUCLEAR POWER PROJECT

9604010274 Forwards QA program approval for radioactive matl packages 0567,Rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28.
STEWART,W.L. Power Authority of the State of New York (New York Power Authority). 1p. 87704:353-87704:354.

-9604010276 QA program approval for radioactive matl package:0567,Rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28. 1p. 87704:354-87704:354.

DOCKET 71-0579 SENIOR ENGINEERING CO.

9604160306 "10CFR71 QA Program for Industrial Radiography Licensees."
Senior Engineering Co. (formerly Southwestern Engineering Co.). 96/04/12. 3pp. 87923:266-87923:268.

9604240233 Forwards QA program approval for radioactive matl package 0579,rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
STILES,G.L. Senior Engineering Co. (formerly Southwestern Engineering Co.). 1p. 88016:329-88016:330.

--9604240242 QA program approval for radioactive matl package:0579,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88016:330-88016:330.

DOCKET 71-0587 AIR FORCE, DEPT. OF

9604240205 Forwards QA program approval for radioactive matl package 0587,rev 4.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22.
DONNELLY,J.J. Air Force, Dept. of, Radioisotope Comm. 1p. 88010:274-88010:275.

--9604240207 QA program approval for radioactive matl package:0587,Rev 4.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/22. 1p. 88010:275-88010:275.

DOCKET 71-0600 SHAFER VALVE CO.

9604220106 Advises that QA program approval for radioactive matl package:0600 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/18.
MCCOMBS,M.C. Shafer Valve Co. 1p. 87966:337-87966:337.

DOCKET 71-0603 JAN X-RAY SERVICES, INC.

9604220103 Advises that QA program approval for radioactive matl package:0603 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/18.
NEWLAND,J.A. Jan X-Ray Services, Inc. 1p. 87966:336-87966:336.

DOCKET 71-0604 ENTERGY OPERATIONS, INC.

9604180299 Advises that QA program approval for radioactive matl package:0604 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/16.
BURSKI,R.F. Entergy Operations, Inc. 1p. 87948:351-87948:351.

DOCKET 71-0637 WESTERN STRESS, INC.

9604010173 Forwards QA program approval for radioactive matl packages 0637,Rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28.
MARTIN,R.M. . 1p. 87704:323-87704:324.

--9604010243 QA program approval for radioactive matl package:0637,Rev 3.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/03/28. 1p. 87704:324-87704:324.

DOCKET 71-0721 QUALITY SYSTEMS NDE, LTD.

9604180240 Advises that QA program approval for radioactive matl package:0721 expires on 960630.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/16.
SERAPHIM,A.F. QSL Inspection, Inc. (Formerly Quality Systems, NDE, Ltd. 1p. 87941:357-87941:357.

DOCKET 71-0733 TRIAD NONDESTRUCTIVE TESTING, INC.

9604030237 Forwards QA program approval for radioactive matl package: 0733,Rev 2,correcting error in Rev 1 of approval,dtd 960305.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01.
SPANGLER,L.L. Triad Nondestructive Testing, Inc. 1p. 87748:265-87748:268.

--9604030239 QA program approval for radioactive matl package:0733,Rev 2.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01. 1p. 87748:266-87748:268.

DOCKET 71-0749 CURTIS INSPECTION SERVICES, INC.

9604040088 Application for amend to QA program approval for radioactive matl package:0749,rev 0 re name change.
KELLY,J.F. Affiliation Not Assigned. 96/03/25. JANKOVICH,J. NRC - No Detailed Affiliation Given. 1p. 87770:356-87770:358.

9604290106 Forwards QA program approval for radioactive matl packages 0749,rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24. KELLY,J. Affiliation Not Assigned. 1p. 88057:148-88057:149.

--9604290111 QA program approval for radioactive matl package:0749,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24. 1p. 88057:149-88057:149.

DOCKET 71-0832 UNITED STATES ENRICHMENT CORPORATION

9604030240 Forwards QA program approval for radioactive matl package: 0832,Rev 1,correcting rev number of QA program plan,from Rev 0 to Rev 1,as stated in block 6 on QA program approval.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01.
RIFAKES,G.P. United States Enrichment Corp. (USEC). 1p. 87748:269-87748:270.

--9604030242 QA program approval for radioactive matl package:0832,Rev 1.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/01. 1p. 87748:270-87748:270.

DOCKET 71-0844 UNIVERSITY OF MISSOURI-ROLLA

9604170480 Forwards QA program approval for radioactive matl package 0844,rev 0.Registration as user of radioactive matl for transportation will be addressed in separate correspondence from NRC.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/15.
KHOUAJA,H. Missouri, Univ. of, Rolla, MO. 1p. 87928:226-87928:227.

--9604170501 QA program approval for radioactive matl package:0844,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/15. 1p. 87928:227-87928:227.

DOCKET 71-0848 EL PASO INSPECTION

9604290040 Forwards QA program approval for radioactive matl package 0848,rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24.
CARR,B.S. Affiliation Not Assigned. 1p. 88057:111-88057:112.

--9604290049 QA program approval for radioactive matl package:0848,Rev 0.
JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 96/04/24. 1p. 88057:112-88057:112.

DOCKET 71-3027 MODEL: NT-IV TRANSPORTATION, DEPT. OF

9604100130 Forwards addl technical info re Japanese Package Design Certificate J/37/AF-85 for NT-IV fresh fuel packaging for NMSS review & recommendation.
BOYLE,R.W. Transportation, Dept. of. 96/03/25. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 4pp. 87834:322-87834:338.

--9604100191 "Suppl Info for a Two-Assembly Shipment in NT-IV Shipping Container Japanese Certificate of Approval of Package Design for the Transport of Radioactive Matls Number J/37/AF-85."
MCGEHEE,G.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. EMF-1850. 95/09/27. 13pp. 87834:326-87834:338.

DOCKET 71-3028 MODEL: 2767B TRANSPORTATION, DEPT. OF

9604090170 Forwards request for addl info re recommendation to revalidating UK certificates of approval GB/2767B/B(U) & GB/2767B/B(U)F.W/oversize drawings.
BOYLE,R.W. Transportation, Dept. of. 96/03/19. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 99pp. 87942:001-87942:098.

DOCKET 71-3029 MODEL: RAJ-II TRANSPORTATION, DEPT. OF

9604100168 Forwards nonproprietary & proprietary versions of criticality safety specs of fuel assemblies authorized to be shipped in RAJ-II packaging,to allow NMSS to complete evaluation of DOT 950908 request.Proprietary info withheld.
BOYLE,R.W. Transportation, Dept. of. 96/03/25. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 27pp. 88191:287-88191:313.

DOCKET 71-4909 MODEL: GE-21PF-1 & W-21PF-1, GENERAL ELECTRIC CO.

9604050221 Forwards COC 4909,Rev 14,for model GE-21PF-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. REDA,R. Baltimore Gas & Electric Co. 1p. 87773:284-87773:288.

--9604050223 Certificate of compliance 4909,rev 14,for model GE-21PF-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87773:285-87773:288.

9604160342 Requests registration as user of model 4909(GE-21PF-1),6553 (Paducah Tiger),9196(UX-30) & 9234(NCI-21PE-1).
MILLER,J.H. United States Enrichment Corp. (USEC). 96/04/03. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 87914:359-87914:360.

9604290203 Notification of registration as user of certificate of compliance 4909,6553,9196, & 9234 in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88057:242-88057:242.

DOCKET 71-4986 MODEL: RA-2, RA-3, GENERAL ELECTRIC CO.

9604050211 Forwards COC 4986,Rev 33,for model RA-2 & RA-3 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. REDA,R. Baltimore Gas & Electric Co. 1p. 87773:262-87773:268.

--9604050214 Certificate of compliance 4986,rev 33,for model RA-2 & RA-3.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 6pp. 87773:263-87773:268.

DOCKET 71-5086 MODEL: UNC-2600, UNITED NUCLEAR CORP.

9604050220 Forwards COC 5086,Rev 10,for Model UNC-2600 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
SUWALA,M.C. Babcock & Wilcox Co. 1p. 87773:280-87773:283.

--9604050227 Certificate of Compliance 5086,Rev 10,for Model UNC-2600.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87773:281-87773:283.

9604080020 Forwards amended COC 5086 for model UNC-2600.W/o encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. ALF,D.L. Energy, Dept. of. 2pp. 87817:263-87817:264.

DOCKET 71-5149 MODEL: 814A, BABCOCK & WILCOX CO.

9604050192 Forwards COC 5149,Rev 9 for model 814A package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
SUWALA,M.C. Babcock & Wilcox Co. 1p. 87773:182-87773:185.

--9604050194 Certificate of compliance 5149,rev 9,for model 814A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 3pp.
87773:183-87773:185.

DOCKET 71-5450 MODEL: RCC, RCC-1, RCC-3 & RCC-4, WESTINGHOUSE ELECTRIC

9604050176 Forwards rev 33 to certificate of compliance 5450 for model RCC,RCC-1,RCC-3 & RCC-4.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
NARDI,A.J. Westinghouse Electric Corp. 1p. 87773:143-87773:151.

--9604050178 Certificate of compliance 5450,rev 3,for model RCC,RCC-1, RCC-3 & RCC-4.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 8pp.
87773:144-87773:151.

9604090208 Informs that IRT Corp is in Bankruptcy proceedings & special nuclear license 1405 has been terminated & any certificate container is non-existent & should be deleted from registered user list.COC 5450,6581 & 9069.
CROSBIE,K.L. Affiliation Not Assigned. 96/04/01. Office of Nuclear Material Safety & Safeguards. 1p. 87831:208-87831:208.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604290214 Informs that IRT Corp deleted as user of COCs 5450,6581 & 9069.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
CROSBIE,K.L. Affiliation Not Assigned. 1p. 88057:290-88057:290.

DOCKET 71-5580 MODEL: S5W POWER UNIT, ENERGY, DEPT. OF

9604050237 Forwards certificate of compliance 5580,rev 6,for model S5W Power Unit.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
ENGEL,W.P. Energy, Dept. of. 1p. 87773:320-87773:323.

--9604050238 Certificate of compliance 5580,rev 6,for model S5W Power Unit.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 3pp.
87773:321-87773:323.

DOCKET 71-5607 MODEL: T-2, ENERGY, DEPT. OF

9604050219 Forwards certificate of compliance 5607,rev 9,for model T-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
WANGLER,W.D. Energy, Dept. of. 1p. 87773:275-87773:279.

--9604050222 Certificate of compliance 5607,rev 9,for model T-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp.
87773:276-87773:279.

DOCKET 71-5757 MODEL: S5W, REFUEL SRCE, ENERGY, DEPT. OF

9604050243 Forwards certificate of compliance 5757,rev 6,for model S5W refueling source.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
ENGEL,W.P. Energy, Dept. of. 1p. 87773:335-87773:338.

--9604050246 Certificate of compliance 5757,rev 6,for model S5W refueling source.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 3pp.
87773:336-87773:338.

DOCKET 71-5797 MODEL: INNER & OUTER HFIR UN, ENERGY, DEPT. OF

9604050128 Forwards COC 5797,Rev 11 for model inner & outer HFIR Unirradiated Fuel Element Shipping container packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
WANGLER,M.E. Energy, Dept. of. 1p. 87775:357-87775:361.

--9604050139 Certificate of compliance 5797,rev 11,for model Inner and Outer HFIR Unirradiated Fuel Element Shipping Container Package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp.
87775:358-87775:361.

DOCKET 71-5874 MODEL: WAPD-40, ENERGY, DEPT. OF

9604050202 Forwards COC 5874,Rev 7 for model WAPD-40 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
ENGEL,W.P. Energy, Dept. of. 1p. 87773:193-87773:199.

--9604050242 Certificate of compliance 5874,rev 7,for model WAPD-40.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 6pp.
87773:194-87773:199.

DOCKET 71-5894 MODEL: 2.7 NEW FUEL, ENERGY, DEPT. OF

9604050298 Forwards COC 5894,Rev 6 for model 2.7 New Fuel package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
ENGEL,W.P. Energy, Dept. of. 1p. 87775:291-87775:296.

--9604050301 Certificate of compliance 5894,rev 6,for model 2.7 New Fuel.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp.
87775:292-87775:296.

DOCKET 71-5926 MODEL: GE-100, GENERAL ELECTRIC CO.

9604050205 Forwards certificate of compliance 5926,rev 16,for model GE-100.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
CUNNINGHAM,G.E. General Electric Co. 1p. 87773:245-87773:249.

--9604050208 Certificate of compliance 5926,rev 16,for model GE-100.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp.
87773:246-87773:249.

DOCKET 71-5939 MODEL: 1500, GENERAL ELECTRIC CO.

9604050182 Forwards rev 27 to certificate of compliance 5939 for model 1500 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
CUNNINGHAM,G.E. General Electric Co. 1p. 87773:157-87773:162.

--9604050183 Certificate of compliance 5939,rev 27,for model 1500.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp.
87773:158-87773:162.

DOCKET 71-5950 MODEL: BCL-4, BATTELLE COLUMBUS LABORATORY

9604050364 Forwards certificate of compliance 5950,rev 7,for model BCL-4.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. CLUM,D. Battelle Memorial Institute, Columbus Laboratories. 1p. 87807:292-87807:296.

--9604050365 Certificate of compliance 5950,rev 7,for model BCL-4.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 4pp.
87807:293-87807:296.

DOCKET 71-5957 MODEL: BMI-1, CINTICHEM, INC.

9604050254 Forwards COC 5957,Rev 24 for model BMI-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
WANGLER,M. Energy, Dept. of. 1p. 87800:309-87800:319.

--9604050255 Certificate of compliance 5957,rev 24,for model BMI-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 10pp.
87800:310-87800:319.

9604050408 Submits amend revising COC 5957 for model BMI-1 package to specify min transport index shown on package label for nuclear criticality control.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
WANGLER,M.E. Energy, Dept. of. 3pp. 87807:356-87807:358.

DOCKET 71-5984 MODEL: 5984, J.L. SHEPHERD & ASSOCIATES

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604170262 Forwards Drawings A-0068-3A,source rod,inner package for Drawing A-0068-1B,A-0068-1B,revised show Drawing A-0068-3A & Drawing A-0068-2C.
SHEPHERD,M.F. J.L. Shepherd & Associates. 96/04/11. WHITE,B.H. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87933:309-87933:316.

9604290147 Forwards COC 5984,Rev 6 for model 5984 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/23.
SHEPHERD,J.L. J.L. Shepherd & Associates. 1p. 88057:166-88057:169.

--9604290150 Certificate of compliance 5984,rev 6,for model 5984.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/23. 3pp.
88057:167-88057:169.

DOCKET 71-6003 MODEL: M-130, ENERGY, DEPT. OF

9604050315 Forwards COC 6003,Rev 17 for model M-130 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
ENGEL,W.P. Energy, Dept. of. 1p. 87807:229-87807:236.

--9604050319 Certificate of compliance 6003,rev 17,for model M-130.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 7pp.
87807:230-87807:236.

DOCKET 71-6058 MODEL: B-3, CINTICHEM, INC.

9604050190 Forwards COC 6058,Rev 13 for model B-3 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
WANGLER,M.E. Energy, Dept. of. 1p. 87773:176-87773:181.

--9604050191 Certificate of compliance 6058,rev 13,for model B-3.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 5pp.
87773:177-87773:181.

DOCKET 71-6078 MODEL: 927A1 & 927C1, COMBUSTION ENGINEERING, INC.

9604050244 Forwards COC 6078,Rev 21 for model 927A1 & 927C1 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
CONANT,J.F. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 87773:339-87773:344.

--9604050249 Certificate of compliance 6078,rev 21,for model 927A1 & 927C1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87773:340-87773:344.

DOCKET 71-6206 MODEL: MODEL B, B&W FUEL CO.

9604050247 Forwards COC 6206,Rev 22,for model B package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 87773:351-87773:356.

--9604050251 Certificate of compliance 6206,rev 22,for model B package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 5pp. 87773:352-87773:356.

DOCKET 71-6294 MODEL: UNC-2901, COMBUSTION ENGINEERING, INC.

9604050406 Forwards COC 6294,Rev 21,for model UNC-2901 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
RICKARD,I. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 1p. 87807:350-87807:355.

--9604050410 Certificate of compliance 6294,rev 21,for model UNC-2901.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87807:351-87807:355.

DOCKET 71-6346 MODEL: FSV-1, PUBLIC SERVICE CO. OF COLORADO

9604030364 Application for renewal of certificate of compliance 6346 for model FSV-1.Rev B to Vols 1 & 2 of GADR-55, "Consolidated Design Rept for Model FSV-1 Shipping Cask" encl.
BORST,F.J. Public Service Co. of Colorado. 96/03/28. TRAVERS,W.D. NRC - No Detailed Affiliation Given. 2pp. 87760:001-87761:196.

--9604030380 Rev B to Vols 1 & 2 of "Consolidated Design Rept for Model FSV-1 Shipping Ccask."
MEYER,R.J. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). GADR-55 RB. 96/03/14. 551pp. 87760:003-87761:196.

9604050193 Forwards rev 25 to certificate of compliance 6346 for model FSV-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
BORST,F.J. Public Service Co. of Colorado. 1p. 87773:186-87773:192.

--9604050195 Certificate of compliance 6346,rev 25,for model FSV-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 6pp. 87773:187-87773:192.

9604190142 Application for renewal of Certificate of Compliance 6346 for Model FSV-1 USA/6346/B(f).Current certificate due to expire on 960430.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 96/03/29. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87952:357-87952:357.

9604180326 Forwards COC 6346,rev 26 for Model FSV-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/16.
BORST,F.J. Public Service Co. of Colorado. 2pp. 87956:329-87956:338.

--9604180336 Certificate of compliance 6346,rev 26,for renewal of model FSV-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/16. 8pp. 87956:331-87956:338.

DOCKET 71-6347 MODEL: FSV-3, GENERAL ATOMICS

9604050276 Forwards COC 6347,Rev 8,for model FSV-3 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 87801:327-87801:331.

--9604050283 Certificate of Compliance 6347,Rev 8,for model FSV-3 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 4pp. 87801:328-87801:331.

DOCKET 71-6357 MODEL: NNFD-10, BABCOCK & WILCOX CO.

9604050239 Forwards certificate of compliance 6357,rev 6,for model NNFD-10.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
SUWALA,M.C. Babcock & Wilcox Co. 1p. 87773:324-87773:328.

--9604050240 Certificate of compliance 6357,rev 6,for model NNFD-10.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87773:325-87773:328.

9604290153 Forwards COC 6357,Rev 7 for model NNFD-10 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/23.
OLSEN,A.F. Babcock & Wilcox Co. 1p. 88057:170-88057:173.

--9604290155 Certificate of compliance 6357,rev 7,for model NNFD-10.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/23. 3pp. 88057:171-88057:173.

DOCKET 71-6386 MODEL: 235R001, ENERGY, DEPT. OF

9604050210 Forwards COC 6386,Rev 14,for Model 235R001 Package.Changes made to encl certificate indicated by vertical lines in margin.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28.
ENGEL,W.P. Energy, Dept. of. 1p. 87773:256-87773:261.

--9604050213 Certificate of Compliance 6386,Rev 14,for Model 235R001.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28. 5pp. 87773:257-87773:261.

DOCKET 71-6400 MODEL: 6400, WESTINGHOUSE ELECTRIC CORP.

9604050419 Forwards COC 6400,Rev 22,for model 6400 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28.
NARDI,A.J. Westinghouse Electric Corp. 1p. 87808:001-87808:012.

--9604050424 Certificate of compliance 6400,rev 22,for model 6400.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28. 11pp. 87808:002-87808:012.

DOCKET 71-6406 MODEL: NONE, ENERGY, DEPT. OF

9604050263 Forwards COC 6406,Rev 10,for model none specified package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28.
ENGEL,W.P. Energy, Dept. of. 1p. 87800:331-87800:337.

--9604050266 Certificate of compliance 6406,rev 10,for model none specified package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28. 6pp. 87800:332-87800:337.

DOCKET 71-6441 MODEL: D2G POWER UNIT, ENERGY, DEPT. OF

9604050152 Forwards certificate of compliance 6441,rev 5,for model D2G Power Unit.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
ENGEL,W.P. Energy, Dept. of. 1p. 87778:347-87778:351.

--9604050155 Certificate of compliance 6441,rev 5,for model D2G Power Unit.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87778:348-87778:351.

DOCKET 71-6553 MODEL: PADUCAH TIGER, ENERGY, DEPT. OF

9604050291 Forwards COC 6553,Rev 7 for model Paducah Tiger package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 87801:356-87801:360.

--9604050296 Certificate of compliance 6553,rev 7,for model Paducah Tiger.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 4pp. 87801:357-87801:360.

9604100230 Application for rev to COC 6553 for Paducah Tiger overpack. Rev 0 to SOP CP4-CU-CH6423, "Insp of 10-Ton UF6 Cylinder Type AF Protective Packages" encl.
MILLER,J.H. United States Enrichment Corp. (USEC). 96/03/28. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 87854:347-87854:360.

--9604110017 Rev 0 to SOP CP4-CU-CH6423, "Insp of 10-Ton UF6 Cylinder Type AF Protective Packages."
JACKSON,S.M., KREITZ,P.B. United States Enrichment Corp. (USEC). 96/01/24. 13pp. 87854:348-87854:360.

9604100232 Application for amend to COC 6553,deleting series of old drawings & adding set of new drawings,as listed.
MILLER,J.H. United States Enrichment Corp. (USEC). 96/03/28. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 28pp. 87847:151-87847:181.

9604160342 Requests registration as user of model 4909(GE-21PF-1),6553 (Paducah Tiger),9196(UX-30) & 9234(NCI-21PE-1).
MILLER,J.H. United States Enrichment Corp. (USEC). 96/04/03. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 87914:359-87914:360.

9604290203 Notification of registration as user of certificate of compliance 4909,6553,9196, & 9234 in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88057:242-88057:242.

DOCKET 71-6568 MODEL: LL-60-150, TENNESSEE VALLEY AUTHORITY

9604170014 Forwards certificate of compliance 6568,rev 9 for model LL-60-150.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12.
BARON,R.R. Tennessee Valley Authority. 1p. 87949:001-87949:006.

--9604170016 Certificate of compliance 6568,rev 9,for model LL-60-150.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. 5pp. 87949:002-87949:006.

DOCKET 71-6574 MODEL: 3-82B, SCIENTIFIC ECOLOGY GROUP, INC.

9604050013 Requests registration as user of Scientific Ecology Group 3-82B radioactive matl shipping cask identification USA/6574B().
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. CHAPPELL Document Control Branch (Document Control Desk). 2pp. 87775:324-87775:325.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

DOCKET 71-6581 MODEL: 51032-1 & 51032-1A, ADVANCED NUCLEAR FUELS CORP.

9604090208 Informs that IRT Corp is in Bankruptcy proceedings & special nuclear license 1405 has been terminated & any certificate container is non-existent & should be deleted from registered user list.COC 5450,6581 & 9069.
CROSBIE,K.L. Affiliation Not Assigned. 96/04/01. Office of Nuclear Material Safety & Safeguards. 1p. 87831:208-87831:208.

9604290214 Informs that IRT Corp deleted as user of COCs 5450,6581 & 9069.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. CROSBIE,K.L. Affiliation Not Assigned. 1p. 88057:290-88057:290.

DOCKET 71-6601 MODEL: CNS 8-120 A, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604180359 Forwards COC 6601,rev 25 for model CNS 8-120A package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/16. LINDNER,C. Chem-Nuclear Systems, Inc. 1p. 87948:355-87948:360.

-9604180367 Certificate of compliance 6601,rev 25,for model CNS 8-120A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/16. 5pp. 87948:356-87948:360.

DOCKET 71-6698 MODEL: NFS-4, NUCLEAR FUEL SERVICES, INC.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

-9604230287 Notifies of intent to transfer spent nuclear fuel from Oyster Creek Unit I beginning 750117 to Nuclear Fuel Svcs, West Valley,NY facility.
CARROLL,J.T. Jersey Central Power & Light Co. 75/01/15. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604230291 Notes that facility informed on 750109 of plans to begin spent fuel shipments starting wk of 750113.SF bundles shipped to NFS in NY.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/01/09. Atomic Energy Commission (Pre 750119). 1p.

DOCKET 71-6722 MODEL: BS-33-180, TENNESSEE VALLEY AUTHORITY

9604170001 Forwards certificate of compliance 6722,rev 12 for model BS-33-180.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. BARON,R.R. Tennessee Valley Authority. 1p. 87948:327-87948:332.

-9604170002 Certificate of compliance 6722,rev 12,for model BS-33-180.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. 5pp. 87948:328-87948:332.

DOCKET 71-9001 MODEL: MP-187, VECTRA TECHNOLOGIES, INC.

9604050264 Forwards COC 9001,Rev 31 for model IF-300 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. ROLLINS,J. Vectra Technologies, Inc. 1p. 87800:338-87800:345.

-9604050265 Certificate of compliance 9001,rev 31,for model IF-300.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 7pp. 87800:339-87800:345.

DOCKET 71-9009 MODEL: FL 10-1, GENERAL ELECTRIC CO.

9604050215 Forwards COC 9009,Rev 14,for Model FL 10-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. REDA,R. General Electric Co. 1p. 87773:269-87773:274.

-9604050216 Certificate of Compliance 9009,Rev 14,for Model FL 10-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87773:270-87773:274.

DOCKET 71-9010 MODEL: NLI-1/2, NAC INTERNATIONAL

9604050328 Forwards COC 9010,Rev 37 for model NLI-1/2 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87807:258-87807:268.

-9604050353 Certificate of compliance 9010,rev 37,for model NLI-1/2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 10pp. 87807:259-87807:268.

9604010091 Forwards Rev to T-95001, "SAR for NLI-1/2 Spent Fuel Shipping Cask USA/9010/B()F."
TJERSLAND,G.T. NAC International Corp. (formerly Nuclear Assurance Corp.),. 96/03/26. TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 2pp. 87700:145-87700:172.

-9604010096 Rev to "SAR for NLI-1/2 Spent Fuel Shipping Cask USA/9010/B()F."
* NAC International Corp. (formerly Nuclear Assurance Corp.),. T-95001. 96/03/31. 20pp. 87700:147-87700:172.

9604050324 Forwards COC 9010,Rev 38,for renewal of model NLI-1/2 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/29. TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87807:246-87807:257.

-9604050331 Certificate of Compliance 9010,Rev 38,for model NLI-1/2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/29. 11pp. 87807:247-87807:257.

DOCKET 71-9015 MODEL: TN-8, TRANSNUCLEAR, INC.

9604050270 Advises that COC 9015 for Models TN-8 & TN-8L expires on 960531.Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/03/26. MANGUSI,J. Transnuclear, Inc. 1p. 87800:351-87800:351.

9604050308 Forwards COC 9015,Rev 18,for model TN-8 & TN-8L packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. MANGUSI,J. Transnuclear, Inc. 1p. 87807:217-87807:223.

-9604050314 Certificate of Compliance 9015,Rev 18,for model TN-8 & TN-8L packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 6pp. 87807:218-87807:223.

DOCKET 71-9016 MODEL: TN-9, TRANSNUCLEAR, INC.

9604050209 Forwards certificate of compliance 9016,rev 10,for model TN-9.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. MANGUSI,J. Transnuclear, Inc. 1p. 87773:250-87773:255.

-9604050212 Certificate of compliance 9016,rev 10,for model TN-9.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87773:251-87773:255.

9604050279 Advises that COC 9016 for Model No TN-9 expires on 960531. Renewal must be requested within 30 days of expiration.If renewal not desired,NRC should be notified.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/03/26. MANGUSI,J. Transnuclear, Inc. 1p. 87807:211-87807:211.

DOCKET 71-9019 MODEL: BU-7, GENERAL ELECTRIC CO.

9604050162 Forwards certificate of compliance 9019,rev 22,for model BU-7.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. REDA,R. General Electric Co. 1p. 87773:137-87773:142.

-9604050164 Certificate of compliance 9019,rev 22,for model BU-7.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87773:138-87773:142.

9604090296 Forwards COC 9019,Rev 23 for model BU-7 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/02. REDA,R.J. General Electric Co. 1p. 87831:056-87831:061.

-9604090297 Certificate of compliance 9019,rev 23,for model BU-7.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/02. 5pp. 87831:057-87831:061.

DOCKET 71-9023 MODEL: NLI-10/24, NAC INTERNATIONAL

9604050288 Forwards COC 9023,Rev 7 for model NLI-10/24 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87801:344-87801:349.

-9604050290 Certificate of compliance 9023,rev 7,for model NLI-10/24.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87801:345-87801:349.

DOCKET 71-9027 MODEL: 741 & 741E, AMERSHAM CORP.

9604300227 Requests registration as user of model 741A.
RAGLAND,N. . 96/04/23. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88064:327-88064:327.

DOCKET 71-9032 MODEL: 650, AMERSHAM CORP.

9604250068 Informs that Dept of Transportation regulations require KC insp to register as type B package transporter.
GASTON,K.D. KC Inspection, Inc. 96/04/15. MCDONALD,C. Office of Nuclear Material Safety & Safeguards. 2pp. 87998:157-87998:158.

DOCKET 71-9033 MODEL: 660, 660A, 660AE, 660B, 660BE, 660E, AMERSHAM

9604050403 Requests registration user of models 660A,920,650L & 850.
MARSH,W.C. Southern California Edison Co. 96/04/03. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87807:349-87807:349.

9604170113 Requests registration as user of model 660A,660B,package identification Number USA/9033,rev 9/B(U),under terms of COC 9033 issued to Amersham Corp,Burlington,MA.
KOWELL,P. Empire Soils Investigations, Inc. 96/04/09. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 87949:166-87949:166.

9604120245 Notification of registration as user of certificates of compliance 9033,9143,9147 & 9269,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. MARSH,W.C. Southern California Edison Co. 1p. 87871:355-87871:355.

9604290223 Notification of registration as user of certificate of compliance 9033 & 9269 in response to 960409 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
KOWELL,P. Empire Soils Investigations, Inc. 1p. 88057:294-88057:294.

DOCKET 71-9034 MODEL: TRIGA-1, GENERAL ATOMICS

9604050304 Forwards COC 9034,Rev 11 for model TRIGA-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 87807:212-87807:216.

--9604050306 Certificate of compliance 9034,rev 11,for model TRIGA-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87807:213-87807:216.

DOCKET 71-9037 MODEL: TRIGA-2, GENERAL ATOMICS

9604050309 Forwards COC 9037,Rev 11 for model TRIGA-II.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 87807:224-87807:228.

--9604050311 Certificate of compliance 9037,rev 11,for model TRIGA-II.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87807:225-87807:228.

DOCKET 71-9057 MODEL: FPD-100, GENERAL ATOMICS

9604050360 Forwards certificate of compliance 9057,rev 8,for model FPD-100.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
ASMUSSEN,K.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 1p. 87807:288-87807:291.

--9604050362 Certificate of compliance 9057,rev 8,for model FPD-100.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 3pp. 87807:289-87807:291.

DOCKET 71-9067 MODEL: BCL-3, BATTELLE COLUMBUS LABORATORY

9604050268 Forwards COC 9067,Rev 5,for model BCL-3.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
WANGLER,M.E. Energy, Dept. of. 1p. 87800:346-87800:350.

--9604050269 Certificate of Compliance 9067,Rev 5,for model BCL-3.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87800:347-87800:350.

DOCKET 71-9068 MODEL: BCL-2, BATTELLE COLUMBUS LABORATORY

9604050273 Forwards COC 9068,Rev 5,for model BCL-2 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
WANGLER,M.E. Energy, Dept. of. 1p. 87800:352-87800:356.

--9604050275 Certificate of Compliance 9068,Rev 5,for model BCL-2 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87800:353-87800:356.

DOCKET 71-9069 MODEL: MO-1, WESTINGHOUSE ELECTRIC CORP.

9604050368 Forwards certificate of compliance 9069,rev 10,for model MO-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
NARDI,A.J. Westinghouse Electric Corp. 1p. 87807:297-87807:302.

--9604050370 Certificate of compliance 9069,rev 10,for model MO-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 5pp. 87807:298-87807:302.

9604090208 Informs that IRT Corp is in Bankruptcy proceedings & special nuclear license 1405 has been terminated & any certificate container is non-existent & should be deleted from registered user list.COC 5450,6581 & 9069.
CROSBIE,K.L. Affiliation Not Assigned. 96/04/01. Office of Nuclear Material Safety & Safeguards. 1p. 87831:208-87831:208.

9604290214 Informs that IRT Corp deleted as user of COCs 5450,6581 & 9069.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
CROSBIE,K.L. Affiliation Not Assigned. 1p. 88057:290-88057:290.

DOCKET 71-9073 MODEL: LN-142, SCIENTIFIC ECOLOGY GROUP, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090305 Forwards COC 9073,Rev 19 for model 10-142A package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87831:068-87831:073.

--9604090307 Certificate of compliance 9073,rev 19,for model 10-142A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87831:069-87831:073.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9079 MODEL: NUPAC 14D-2.0, NUPAC SERVICES, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090343 Forwards certifcate of compliance 9079,rev 16 for NUPAC 14D-2.0.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
PATKO,A.L. Vectra Technologies, Inc. 1p. 87817:338-87817:343.

--9604090346 Certificate of compliance 9079,rev 16,for model NUPAC 14D-2.0.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87817:339-87817:343.

DOCKET 71-9086 MODEL: HN-190-1, SCIENTIFIC ECOLOGY GROUP, INC.

9604090384 Forwards COC 9086,Rev 16 for model HN-190-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87831:161-87831:166.

--9604090385 Certificate of compliance 9086,Rev 16,for model HN-190-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87831:162-87831:166.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9089 MODEL: HN 194S, SCIENTIFIC ECOLOGY GROUP, INC.

9604050200 Requests registration as user of Scientific Ecology Group Inc HN-194S radioactive matl shipping cask.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87773:333-87773:334.

9604110089 Forwards COC 9089,Rev 12 for model HN-194S package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87847:231-87847:236.

--9604110091 Certificate of compliance 9089,rev 12,for model HN-194S.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87847:232-87847:236.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9094 MODEL: CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090351 Forwards COC 9094,Rev 14 for model CNS 14-195-H package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87817:350-87817:355.

--9604090354 Certificate of compliance 9094,rev 14,for model CNS 14-195-H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/09. 5pp. 87817:351-87817:355.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9096 MODEL: CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090301 Forwards COC 9096,Rev 12 for model CNS 21-300 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87831:062-87831:067.

--9604090302 Certificate of compliance 9096,rev 12,for model CNS 21-300.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87831:063-87831:067.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9099 MODEL: ATR, ENERGY, DEPT. OF

9604050123 Forwards rev 6 to certificate of compliance 9099 for model ATR.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
WANGLER,M.E. Energy, Dept. of. 1p. 87775:353-87775:356.

-9604050127 Certificate of compliance 9099,rev 6 for model ATR.Approval record encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 3pp.
87775:354-87775:356.

DOCKET 71-9108 MODEL: CNS 6-75, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090360 Forwards COC 9108,Rev 10 for model CNS 6-75 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87831:149-87831:154.

-9604090363 Certificate of compliance 9108,rev 10,for model CNS 6-75.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp.
87831:150-87831:154.

DOCKET 71-9111 MODEL: CNS 6-80-2 & 2A, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090364 Forwards COC 9111,Rev 14 for models CNS 6-80-2 & CNS 6-80-2A package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87831:155-87831:160.

-9604090368 Certificate of compliance 9111,rev 14,for models CNS 6-80-2 & CNS 6-80-2A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp.
87831:156-87831:160.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9132 MODEL: T-3, ENERGY, DEPT. OF

9604050323 Forwards COC 9132,Rev 13 for model T-3 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
ENGEL,M.E. Energy, Dept. of. 2pp. 87807:237-87807:245.

-9604050325 Certificate of compliance 9132,rev 13,for model T-3.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 7pp.
87807:239-87807:245.

DOCKET 71-9137 MODEL: 820, AMERSHAM CORP.

9604160477 Forwards listed info in response to NRC ltr & in conjunction w/renewal of COC 9137.
OKVIST,E. Amersham Corp. 96/04/10. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 17pp. 87916:293-87916:309.

DOCKET 71-9139 MODEL: 589, GENERAL ELECTRIC CO.

9604090316 Forwards certificate of compliance 9139,rev 8 for model 589 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
BARON,R.R. Tennessee Valley Authority. 1p. 87831:089-87831:094.

-9604090317 Certificate of compliance 9139,rev 8,for model 589.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp.
87831:090-87831:094.

DOCKET 71-9143 MODEL: 920, AMERSHAM CORP.

9604050403 Requests registration user of models 660A,920,650L & 850.
MARSH,W.C. Southern California Edison Co. 96/04/03. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87807:349-87807:349.

9604120245 Notification of registration as user of certificates of compliance 9033,9143,9147 & 9269,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
MARSH,W.C. Southern California Edison Co. 1p. 87871:355-87871:355.

DOCKET 71-9147 MODEL: 850, AMERSHAM CORP.

9604050403 Requests registration user of models 660A,920,650L & 850.
MARSH,W.C. Southern California Edison Co. 96/04/03. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87807:349-87807:349.

9604120245 Notification of registration as user of certificates of compliance 9033,9143,9147 & 9269,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
MARSH,W.C. Southern California Edison Co. 1p. 87871:355-87871:355.

DOCKET 71-9151 MODEL: HN-100 SERIES 3, ET AL, SCIENTIFIC ECOLOGY

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090309 Forwards COC 9151,Rev 16 for model HN-100 Series 3 & LN 14-170 Series I packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87831:076-87831:081.

-9604090310 Certificate of compliance 9151,rev 16,for model HN-100 Series 3 & LN 14-170 Series I.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp.
87831:077-87831:081.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9152 MODEL: CNS 1-13C II, ENERGY, DEPT. OF

9604050344 Forwards COC 9152,Rev 12,for model CNS 1-13C II.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
WANGLER,M.E. Energy, Dept. of. 1p. 87807:275-87807:280.

-9604050347 Certificate of compliance 9152,rev 12,for model CNS 1-13C II.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 5pp.
87807:276-87807:280.

DOCKET 71-9156 MODEL: IR-50, INDUSTRIAL NUCLEAR CO.

9604250068 Informs that Dept of Transportation regulations require KC insp to register as type B package transporter.
GASTON,K.D. KC Inspection, Inc. 96/04/15. MCDONALD,C. Office of Nuclear Material Safety & Safeguards. 2pp. 87998:157-87998:158.

DOCKET 71-9157 MODEL: IR-100, INDUSTRIAL NUCLEAR CO.

9604150022 Notification of registration as user of certificate of compliance 9157 & 9185 in response to TC Insp request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
TYREE,D.B. Industrial Nuclear Co. 1p. 87877:284-87877:284.

9604250068 Informs that Dept of Transportation regulations require KC insp to register as type B package transporter.
GASTON,K.D. KC Inspection, Inc. 96/04/15. MCDONALD,C. Office of Nuclear Material Safety & Safeguards. 2pp. 87998:157-87998:158.

DOCKET 71-9159 MODEL: NUPAC 14/190H, L & M, LN-14-170H, L & M, NUPAC

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090332 Forwards certificate of compliance 9159,rev 7 for models NUPAC 14/190L,14/190M,14/190H,LN 14-170L,14-170M & 14-170H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
PATKO,A.L. Vectra Technologies, Inc. 1p. 87829:345-87829:351.

-9604090333 Certificate of compliance 9159,rev 7,for models NUPAC 14/190L,14/190M,14-190H,LN 14-170L,14-170M & 14-170H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 6pp.
87829:346-87829:351.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9168 MODEL: CNS 8-120B, CHEM-NUCLEAR SYSTEMS, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604160308 Requests registration as user of model CNS 8-120B package USA-9168-B(U).
SGARLATA,D.K. Babcock & Wilcox Co. 96/04/08. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 87914:358-87914:358.

9604290244 Notification of registration as user of certificate of compliance 9168,in response to 960408 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
SGARLATA,D.K. Babcock & Wilcox Co. 1p. 88057:284-88057:284.

DOCKET 71-9176 MODEL: NUPAC 14/210H & L, ET AL, NUPAC SERVICES, INC.

9604040110 Requests for additions to COC 9176,Rev 3 re upcoming changes to Federal regulation effective 960401.
PATKO,A.L. Vectra Technologies, Inc. 96/03/26. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 87770:360-87770:360.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090294 Forwards COC 9176,Rev 13 for model NUPAC 14/201L,NUPAC 14/210H,CNSI 14/215H Series A,LN 14-195L & LN 14-195H packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. PATKO,A.L. Vectra Technologies, Inc. 1p. 87831:048-87831:055.

-9604090295 Certificate of compliance 9176,rev 13,for model NUPAC 14/ 210L,NUPAC 14/210H,CNSI 14-215H Series A,LN 14-195L & LN 14-195H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 7pp. 87831:049-87831:055.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9177 MODEL: NUPAC 10/140 & LN 10-135A, NUPAC SERVICES, INC.

9604090322 Forwards certificate of compliance 9177,rev 7 for models NUPAC 10/140 & LN-135A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. PATKO,A.L. Vectra Technologies, Inc. 1p. 87831:187-87831:193.

-9604090323 Certificate of compliance 9177,rev 7,for models NUPAC 10/140 & LN 10-135A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 6pp. 87831:188-87831:193.

DOCKET 71-9178 MODEL: NUPAC 7/100 & LN 7-100, NUPAC SERVICES, INC.

9604090314 Forwards certificate of compliance 9178,rev 7 for NUPAC/100 & LN 7-100 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. PATKO,A.L. Vectra Technologies, Inc. 1p. 87831:082-87831:088.

-9604090315 Certificate of compliance 9178,rev 7,for model NUPAC 7/100 & LN 7-100.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 6pp. 87831:083-87831:088.

DOCKET 71-9179 MODEL: NUPAC 6/100L & H, LN 6-80L & H, NUPAC SERVICES,

9604090319 Forwards certificate of compliance 9179,rev 7,for model NUPAC 6/100L,NUPAC 6/100H,LN 6-80L & LN 6-80H packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. PATKO,A.L. Vectra Technologies, Inc. 1p. 87831:095-87831:101.

-9604090320 Certificate of compliance 9179,rev 7,for models NUPAC 6/100L & 6/100H & LN 6-80L & 6-80H.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 6pp. 87831:096-87831:101.

DOCKET 71-9183 MODEL: NAC-1, NAC INTERNATIONAL

9604050338 Forwards COC 9183,Rev 12 for model NAC-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87807:269-87807:274.

-9604050339 Certificate of Compliance 9183,Rev 12,for model NAC-1 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87807:270-87807:274.

DOCKET 71-9185 MODEL: OP-100, INDUSTRIAL NUCLEAR CO.

9604150022 Notification of registration as user of certificate of compliance 9157 & 9185 in response to TC Insp request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. TYREE,D.B. Industrial Nuclear Co. 1p. 87877:284-87877:284.

DOCKET 71-9186 MODEL: S-6213, ENERGY, DEPT. OF

9604050229 Forwards COC 9186,Rev 10,for Model 1,S-6213 power unit shipping container & Model 2,S-6213 power unit shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. ENGEL,W.P. Energy, Dept. of. 1p. 87773:295-87773:300.

-9604050231 Certificate of Compliance 9186,Rev 10,for Model 1,S-6213 power unit shipping container & Model 2,S-6213 power unit shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87773:296-87773:300.

DOCKET 71-9196 MODEL: UX-30, NUCLEAR PACKAGING, INC.

9604050293 Forwards COC 9196,rev 8,for model UX-30 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. ROLLINS,J. Affiliation Not Assigned. 1p. 87800:357-87800:361.

-9604050300 Certificate of Compliance 9196,Rev 8,for model UX-30 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 3pp. 87800:359-87800:361.

9604160342 Requests registration as user of model 4909(GE-21PF-1),6553 (Paducah Tiger),9196(UX-30) & 9234(NCI-21PE-1).
MILLER,J.H. United States Enrichment Corp. (USEC). 96/04/03. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 87914:359-87914:360.

9604290203 Notification of registration as user of certificate of compliance 4909,6553,9196, & 9234 in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88057:242-88057:242.

DOCKET 71-9200 MODEL: 125-B, ENERGY, DEPT. OF

9604050378 Forwards certificate of compliance 9200,rev 9,for renewal of model 125-B & implementation of new 10CFR71,transport index for criticality control.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. WANGLER,M.E. Energy, Dept. of. 2pp. 87807:303-87807:311.

-9604050382 Certificate of compliance 9200,rev 9,for model 125-B.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 7pp. 87807:305-87807:311.

DOCKET 71-9202 MODEL: TN-BRP, ENERGY, DEPT. OF

9604050282 Forwards COC 9202,Rev 5 for model TN-BRP package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. WANGLER,M.E. Energy, Dept. of. 1p. 87801:338-87801:343.

-9604050284 Certificate of compliance 9202,rev 5,for model TN-BRP.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87801:339-87801:343.

DOCKET 71-9203 MODEL: DHTF, B&W FUEL CO.

9604110032 Responds to violation that resulted from deviations noted to 2901 fuel pellet shipping container,in 1995.DHTF safety related drawing info & drawing MS-215E encl.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/03/08. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 7pp. 87849:341-87849:349.

9604050201 Forwards COC 9203,Rev 5,for Model DHTF package.Changes made to encl certificate indicated by vertical lines in margin.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28. KNAPP,K.S. Affiliation Not Assigned. 1p. 87773:234-87773:238.

-9604050206 Certificate of Compliance 9203,Rev 5 ,for Model DHTF.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/28. 4pp. 87773:235-87773:238.

DOCKET 71-9206 MODEL: TN-REG, ENERGY, DEPT. OF

9604050245 Forwards COC 9206,Rev 4,for Model TN-REG package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. WANGLER,M.E. Energy, Dept. of. 1p. 87773:345-87773:350.

-9604050250 Certificate of Compliance 9206,Rev 4,for model TN-REG package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 5pp. 87773:346-87773:350.

DOCKET 71-9208 MODEL: 10-142, NUPAC SERVICES, INC.

9604050010 Requests registration as user of Scientific Ecology Group 10-142 radioactive matl shipping cask,identification USA/9208/B().
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. CHAPPELL Document Control Branch (Document Control Desk). 2pp. 87775:303-87775:304.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

DOCKET 71-9216 MODEL: CNS 1-13G, CHEM-NUCLEAR SYSTEMS, INC.

9604050277 Forwards COC 9216,Rev 4 for model CNS 1-13G package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87801:332-87801:337.

-9604050281 Certificate of compliance 9216,rev 4,for model CN 1-13G.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 5pp. 87801:333-87801:337.

DOCKET 71-9217 MODEL: ANF-250, ADVANCED NUCLEAR FUELS CORP.

9604050204 Forwards COC 9217,Rev 4 for model ANF-250 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 87773:239-87773:244.

-9604050207 Certificate of compliance 9217,rev 4,for model ANF-250.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87773:240-87773:244.

DOCKET 71-9218 MODEL: TRUPACT-II, ENERGY, DEPT. OF

9604030339 Forwards Rev 15 to "SAR for TRUPACT-II Shipping Package" on behalf of DOE.Rev 9 to DOE/WIPP 89-004, "TRUPACT-II Content Codes (TRUCON)" & Rev 8 to "TRUPACT-II List of Chemical Compounds in Each Content Code in TRUCON" also encl.
HESS,E.G. Westinghouse Electric Corp. 96/03/22. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 17pp. 87762:001-87762:350.

--9604030344 Rev 15 to "SAR for TRUPACT-II Shipping Package."
* Westinghouse Electric Corp. 96/03/31. 150pp. 87762:018-87762:214.

--9604030349 Rev 9 to "TRUPACT-II Content Codes (TRUCON)."
* Westinghouse Electric Corp. DOE/WIPP 89-004 R09. 96/03/31. 90pp. 87762:215-87762:304.

--9604030355 Rev 8 to "TRUPACT-II List of Chemical Compounds in Each Content Code in TRUCON."
* Westinghouse Electric Corp. 96/03/31. 46pp. 87762:305-87762:350.

9604050147 Forwards COC 9218,Rev 7 for model TRUPACT-II package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
WANGLER,M.E. Energy, Dept. of. 1p. 87778:341-87778:346.

--9604050151 Certificate of compliance 9218,rev 7,for model TRUPACT-II.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 5pp. 87778:342-87778:346.

DOCKET 71-9221 MODEL: NRBK-41, ENERGY, DEPT. OF

9604050129 Forwards rev 2 to certificate of compliance 9221 for model NRBK-41.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
ENGEL,W.P. Energy, Dept. of. 1p. 87778:320-87778:324.

--9604050130 Certificate of compliance 9221,rev 2,for model NRBK-41. Approval record encl.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 4pp. 87778:321-87778:324.

DOCKET 71-9222 MODEL: 14-215, SCIENTIFIC ECOLOGY GROUP, INC.

9604050125 Requests registration as user of Scientific Ecology Group, Inc 14-215 radioactive matls shipping cask.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87773:329-87773:330.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604090413 Forwards COC 9222,Rev 5 for model 14-215 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87831:179-87831:184.

--9604090421 Certificate of compliance 9222,rev 5,for model 14-215.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87831:180-87831:184.

9604150062 Notification of registration as user of certificate of compliance 9222 & 9224 in response to 960328 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
HILLMAN,R.J. Scientific Ecology Group, Inc. 1p. 87877:287-87877:287.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9224 MODEL: HN-190-2, SCIENTIFIC ECOLOGY GROUP, INC.

9604050014 Requests registration as user of Scientific Ecology Group HN-190-2 radioactive matl shipping cask identification USA/9224/A.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 96/03/28. CHAPPELL Document Control Branch (Document Control Desk). 2pp. 87775:326-87775:327.

9604090347 Forwards COC 9224,Rev 3 for model HN-190-2 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MCCARTER,J.F. Scientific Ecology Group, Inc. 1p. 87817:344-87817:349.

--9604090348 Certificate of compliance 9224,rev 3,for model HN-190-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87817:345-87817:349.

9604150062 Notification of registration as user of certificate of compliance 9222 & 9224 in response to 960328 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
HILLMAN,R.J. Scientific Ecology Group, Inc. 1p. 87877:287-87877:287.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9225 MODEL: NAC-LWT, NAC INTERNATIONAL

9604050160 Forwards COC 9225,Rev 9,for model NAC-LWT package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87778:352-87778:359.

--9604050167 Certificate of compliance 9225,rev 9,for model NAC-LWT.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 7pp. 87778:353-87778:359.

9604150228 Forwards COC 9225,Rev 10 for model NAC-LWT.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/11.
TJERSLAND,G.T. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87926:340-87926:350.

--9604150229 Certificate of compliance 9225,rev 10,for model NAC-LWT.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/11. 10pp. 87926:341-87926:350.

DOCKET 71-9228 MODEL: 2000, GENERAL ELECTRIC CO.

9604050230 Forwards COC 9228,Rev 9,for model 2000 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
CUNNINGHAM,G.E. General Electric Co. 1p. 87773:301-87773:307.

--9604050232 Certificate of compliance 9228,rev 9,for model 2000.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 6pp. 87773:302-87773:307.

9604170438 Informs of addl info needed re amendment to COC 9228 for model 2000 package.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/15.
CUNNINGHAM,G.E. General Electric Co. 2pp. 87928:221-87928:222.

DOCKET 71-9233 MODEL: TN-RAM, TRANSNUCLEAR, INC.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

DOCKET 71-9234 MODEL: NCI-21PF-1, NUCLEAR CONTAINERS, INC.

9604050146 Forwards certificate of compliance 9234,rev 8,for model NCI-21PF-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
HOUSHOLDER,W. Nuclear Containers, Inc. 1p. 87778:336-87778:340.

--9604050149 Certificate of compliance 9234,rev 8,for model NCI-21PF-1.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87778:337-87778:340.

9604160342 Requests registration as user of model 4909(GE-21PF-1),6553 (Paducah Tiger),9196(UX-30) & 9234(NCI-21PE-1).
MILLER,J.H. United States Enrichment Corp. (USEC). 96/04/03. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 2pp. 87914:359-87914:360.

9604290203 Notification of registration as user of certificate of compliance 4909,6553,9196, & 9234 in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
MILLER,J.H. United States Enrichment Corp. (USEC). 1p. 88057:242-88057:242.

DOCKET 71-9235 MODEL: NAC-STC, NAC INTERNATIONAL

9604050355 Forwards COC 9235,Rev 1,for model NAC-STC package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
TJERSLAND,G. NAC International Corp. (formerly Nuclear Assurance Corp.),. 1p. 87807:281-87807:287.

--9604050358 Certificate of compliance 9235,rev 1,for model NAC-STC.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 6pp. 87807:282-87807:287.

DOCKET 71-9239 MODEL: MCC-3, WESTINGHOUSE ELECTRIC CORP.

9604050234 Forwards COC 9239,Rev 4,for Model MCC-3,MCC-4 & MCC-5 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
NARDI,A.J. Westinghouse Electric Corp. 1p. 87773:314-87773:319.

--9604050236 Certificate of Compliance 9239,Rev 4,for Model MCC-3,MCC-4 & MCC-5 packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87773:315-87773:319.

DOCKET 71-9246 MODEL: ST, COMMERCE, DEPT. OF

9604050257 Forwards COC 9246,Rev 1,for model ST package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
PEVEY,L.E. Commerce, Dept. of. 1p. 87800:320-87800:323.

--9604050260 Certificate of compliance 9246,rev 1,for model ST package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 3pp. 87800:321-87800:323.

DOCKET 71-9247 MODEL: 110G-A, NUCLEAR FUEL SERVICES, INC.

9604090336 Forwards certificate of compliance 9247,rev 1 for model 110G-A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MAXIN,A.M. Nuclear Fuel Services, Inc. 3pp. 87826:345-87826:351.

--9604090338 Certificate of compliance 9247,rev 1,for model 110G-A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 4pp. 87826:348-87826:351.

DOCKET 71-9248 MODEL: SP-1, SIEMENS NUCLEAR POWER CORP.

9604050188 Forwards rev 8 to certificate of compliance 9248 for model SP-1 & SP-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 1p. 87773:169-87773:175.

--9604050189 Certificate of compliance 9248,rev 8,for model SP-1 & SP-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. 6pp. 87773:170-87773:175.

9604250309 Application for amend to Certificate of Compliance 9248, reflecting listed clarifications.
EDGAR,J.B. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/18. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 88023:246-88023:246.

DOCKET 71-9249 MODEL: CNS 14-170, SERIES III, CHEM-NUCLEAR SYSTEMS,

9604090388 Forwards COC 9249,Rev 2 for model CNS 14-170 Series III package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
KINTNER,S. Chem-Nuclear Systems, Inc. 1p. 87831:167-87831:172.

--9604090391 Certificate of compliance 9249,rev 2 for model CNS 14-170, Series III.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 5pp. 87831:168-87831:172.

9604300236 Forwards ltrs addressed to HW Keiser (label encl).NRC mailing should be corrected to remove Keiser,former Senior Vice President - Nuclear,as Keiser not been w/PP&L since Mar 1993.Current Senior Vice President - Nuclear RG Byram.
PATTISHALL,K. Pennsylvania Power & Light Co. 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88064:335-88064:348.

DOCKET 71-9250 MODEL: NNFD 5X22, BABCOCK & WILCOX CO.

9604050426 Forwards info provided by Babcock & Wilcox re insulating matl in model NNFD 5X22 package.
OSGOOD,N.L. Office of Nuclear Material Safety & Safeguards. 96/03/22.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 62pp. 87775:221-87775:284.

9604050379 Forwards COC 9250,Rev 3,for model NNFD 5X22 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
SUWALA,M.C. Babcock & Wilcox Co. 1p. 87807:312-87807:316.

--9604050386 Certificate of compliance 9250,rev 3,for model NNFD 5X22.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 4pp. 87807:313-87807:316.

9604300246 Discusses benchmarking for Model NNFD 5X22.NRC agrees that proposed bias chosen by applicant adequate.
WHITE,B.H. NRC - No Detailed Affiliation Given. 96/04/23. OSGOOD,N.L. NRC - No Detailed Affiliation Given. 2pp. 88057:355-88057:356.

DOCKET 71-9251 MODEL: BW-2901, B&W FUEL CO.

9604050141 Forwards certificate of compliance 9251,rev 5,for model BW-2901.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 87778:330-87778:335.

--9604050144 Certificate of compliance 9251,rev 5,for model BW-2901.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87778:331-87778:335.

9604080026 Advises that COC 9251 for model BW-2901 package amended to authorize packing,content,& transport index for criticality control as listed.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26.
KNAPP,K.S. FRAMATOME. 3pp. 87817:265-87817:267.

9604250188 Application for amend to Certificate of Compliance 9251, revising drawing 1215597 to authorize reduced payload. W/one oversized drawing.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/04/22.
CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 88102:348-88102:350.

DOCKET 71-9252 MODEL: 51032-2, B&W FUEL CO.

9604050233 Forwards certificate of compliance 9252,rev 2,for model 51032-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25.
KNAPP,K.S. Framatome Cogema Fuels (formerly B&W Fuel Co.),. 1p. 87773:308-87773:313.

--9604050235 Certificate of compliance 9252,rev 2,for model 51032-2.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 5pp. 87773:309-87773:313.

DOCKET 71-9253 MODEL: TN-FSV, TRANSNUCLEAR, INC.

9604050179 Forwards COC 9253,Rev 2 for model TN-FSV package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21.
BORST,F.J. Public Service Co. of Colorado. 1p. 87773:152-87773:156.

--9604050184 Certificate of compliance 9253,rev 2,for model TN-FSV.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87773:153-87773:156.

DOCKET 71-9254 MODEL: 40G-A, NUCLEAR FUEL SERVICES, INC.

9604090339 Forwards COC 9254,Rev 1 for model 40G-A package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04.
MAXIN,A.M. Nuclear Fuel Services, Inc. 1p. 87826:352-87826:356.

--9604090344 Certificate of compliance 9254,rev 1,for model 40G-A.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/04. 4pp. 87826:353-87826:356.

DOCKET 71-9255 MODEL: MP-187, VECTRA TECHNOLOGIES

9604180295 Notification of cancellation of 960215 meeting w/NRC & licensees in Rockville,MD to discuss revs to MP-187 cask safety analysis rept.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 96/02/08. Office of Nuclear Material Safety & Safeguards. 2pp. 87949:350-87949:351.

9604180142 Forwards proprietary Rev 2 to NUH-05-151, "SAR for NUHOMS- MP187 Multi-Purpose Cask," per license application for Model NUHOMS-MP187 package.Summary of responses to NRC questions in 950824 ltr also encl.Proprietary SAR withheld.
ROLLINS,J.D. Vectra Technologies, Inc. 96/04/10. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 22pp. 87957:001-87957:022.

DOCKET 71-9261 MODEL: HI-STAR 100, HOLTEC INTERNATIONAL

9604010364 Forwards proprietary RAIs for SAR for Packaging & TSAR for Holtec Intl Storage,Transport & Repository Cask Sys (HI-STAR 100) needed for in-depth review of submittals.Encl withheld.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/03/27.
SOLER,M. Holtec International. 3pp. 87823:287-87823:290.

9604030279 Forwards nonproprietary request for additional info re Holtec Intl SAR for packaging & topical SAR for Holtec Intl storage,transport & repository cask sys.
DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 96/03/27. SOLAR,M. Holtec International. 79pp. 87755:227-87755:305.

9604090353 Notification of 960423 meeting w/Holtec Intl in Rockville,MD to discuss HOLTEC's response to NRC RAI re HI-STAR 100 cask.
* NRC - No Detailed Affiliation Given. 96/04/03. NRC - No Detailed Affiliation Given. 1p. 87817:356-87817:356.

DOCKET 71-9263 MODEL: SPEC-150, SOURCE PRODUCTION & EQUIP. CO.

9604090151 Requests registration as user of COC USA/9263/B(U) for SPEC Model C-1 source changer latest revision.
MCINTIRE,M. Southwest X-Ray. 96/03/29. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 1p. 87831:220-87831:220.

9604090187 Requests registration as user of COC USA/9263/B(U) for the SPEC-150 gamma radiography exposure device for Lucius Pitkin,Inc.
PLUMSTEAD,R.F. Affiliation Not Assigned. 96/04/03. MCDONALD,C.E. Office of Nuclear Material Safety & Safeguards. 2pp. 87831:106-87831:107.

9604170073 Requests registration as secondary user of USA/9263/B(U) on COC 9263.
HUTCHINS,S. American Testing Laboratory. 96/04/03. CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 1p. 87949:136-87949:136.

9604290159 Notification of registration as user of certificate of compliance 9263,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
HUTCHINS,S. American Testing Laboratories, Inc. 1p. 88057:174-88057:174.

9604290172 Notification of registration as user of certificate of compliance 9263,in response to 960329 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
MCINTIRE,M. Southwest X-Ray Corp. 1p. 88057:178-88057:178.

9604290252 Notification of registration as user of certificate of compliance 9263,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25.
PLUMSTEAD,R.F. Lucius Pitkin, Inc. 1p. 88038:349-88038:349.

DOCKET 71-9268 MODEL: MSC-1, SIERRA NUCLEAR CORP.

9604150260 Informs that staff has placed TranStor shipping cask sys SAR in public disclosure & drawings being withheld.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/08.
THOMPSON,T.C. Sierra Nuclear, Inc. 3pp. 87913:357-87913:359.

DOCKET 71-9269 MODEL: 650L

9604090257 Requests registration as user of model 650L package number USA/9269/B(U) COC 9269 for Amersham Corp.
DAVIS,G.T. PSI Energy, Inc. a/k/a Public Service Co. of Indiana & Public Service Indiana. 96/04/02. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87831:204-87831:204.

9604050403 Requests registration user of models 660A,920,650L & 850.
MARSH,W.C. Southern California Edison Co. 96/04/03. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87807:349-87807:349.

9604090178 Requests registration for NRC COC 9269 for Model 650L packaging.
WANGLER,M.E. Energy, Dept. of. 96/04/05. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 3pp. 87817:357-87817:359.

9604170119 Requests registration as user of model 650L,package identification Number USA/9269,rev 0/B(U),under terms of COC 9269 issued to Amersham Corp,Burlington,MA.
KOWELL,P. Empire Soils Investigations, Inc. 96/04/09. BAER,R.L. Source Containment & Devices Branch (Post 911213). 1p. 87949:171-87949:171.

9604120227 Notification of registration as user of certificate of compliance 9269,in response to 960220 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10.
FITTERER,D.C. Affiliation Not Assigned. 1p. 87871:356-87871:356.

9604120245 Notification of registration as user of certificates of compliance 9033,9143,9147 & 9269,in response to 960403 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. MARSH,W.C. Southern California Edison Co. 1p. 87871:355-87871:355.

9604120255 Notification of registration as user of certificate of compliance 9269,in response to 960311 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. HUMBERT,P.V. EG&G Florida, Inc. 1p. 87871:352-87871:352.

9604120284 Notification of registration as user of certificate of compliance 9269,in response to 960313 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. ENGLER,S.L. Sun Ray Testing International, Inc. 1p. 87871:351-87871:351.

9604120295 Notification of registration as user of certificate of compliance 9269,in response to S&ME request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. MCGRADY,J. Westinghouse Environmental & Geotechnical Services, Inc. (formerly S&ME, Inc. &. 1p. 87871:349-87871:349.

9604150016 Notification of registration as user of certificate of compliance 9269,in response to DOE request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. WANGLER,M.E. Energy, Dept. of. 1p. 87877:283-87877:283.

9604150075 Notification of registration as user of certificate of compliance 9269,in response to Edward Valves Inc request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/10. HINNANT,C.R. Edward Valves, Inc. 1p. 87877:282-87877:282.

9604190293 Requests registration as user of Amersham Corp model 650L.
STILES,G.L. Senior Engineering Co. (formerly Southwestern Engineering Co.). 96/04/12. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87937:360-87937:360.

9604240238 Requests registration as user of model 650L.
MCCARTHY,K.F. Public Service Co. of Colorado. 96/04/15. CHAPPELL,C.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 88016:331-88016:331.

9604240243 Requests registration as user of model 650L.
HUBER,R. Carondelet Foundry Co. 96/04/15. Office of Nuclear Material Safety & Safeguards. 2pp. 88016:332-88016:332.

9604290164 Notification of registration as user of certificate of compliance 9269,in response to 960226 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. PENN,W. Big State X-Ray. 1p. 88057:177-88057:177.

9604290188 Notification of registration as user of certificate of compliance 9269,in response to 960402 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. DAVIS,G.T. Affiliation Not Assigned. 1p. 88057:214-88057:214.

9604290223 Notification of registration as user of certificate of compliance 9033 & 9269 in response to 960409 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. KOWELL,P. Empire Soils Investigations, Inc. 1p. 88057:294-88057:294.

9604290254 Notification of registration as user of certificate of compliance 9269,in response to 960412 request.
CHAPPELL,C.R. Office of Nuclear Material Safety & Safeguards. 96/04/25. STILES,G.L. Senior Engineering Co. (formerly Southwestern Engineering Co.). 1p. 88038:350-88038:350.

DOCKET 71-9781 MODEL: M-160, ENERGY, DEPT. OF

9604050256 Forwards COC 9781,Rev 6,for model M-160 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. ENGEL,W.P. Energy, Dept. of. 1p. 87773:357-87773:361.

-9604050258 Certificate of Compliance 9781,Rev 6,for model M-160 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 4pp. 87773:358-87773:361.

DOCKET 71-9786 MODEL: S3G CBDCA, ENERGY, DEPT. OF

9604050289 Forwards COC 9786,Rev 4,for model S3G core basket disposal container package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. MILES,B.K. Energy, Dept. of. 1p. 87801:350-87801:355.

-9604050295 Certificate of compliance 9786,rev 4,for model S3G core basket disposal container package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 5pp. 87801:351-87801:355.

DOCKET 71-9787 MODEL: AIW-3, ENERGY, DEPT. OF, BETTIS ATOMIC POWER

9604050135 Forwards rev 3 to certificate of compliance 9787 for model A1W-3 power unit shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. ENGEL,W.P. Energy, Dept. of. 1p. 87778:325-87778:329.

-9604050140 Certificate of compliance 9787,rev 3,for model A1W-3 power unit shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/21. 4pp. 87778:326-87778:329.

DOCKET 71-9788 MODEL: S5W REACTOR COMPARTMENT, ENERGY, DEPT. OF

9604090490 Forwards rev to safety analysis rept for packaging for S5W deactivated submarine reactor compartment,for NRC review.
ZIMMER,J.P. Energy, Dept. of. 96/04/05. TRAVERS,W.D. NRC - No Detailed Affiliation Given. 8pp. 87831:222-87831:229.

9604180018 Forwards COC 9788,Rev 8 for model S2C,S3W,S4W & S5W reactor compartment packages.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/15. ZIMMER,J.P. Energy, Dept. of. 1p. 87942:316-87942:321.

-9604180021 Certificate of compliance 9788,rev 8,for models S2C,S3W,S4W & S5W reactor compartment.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/15. 5pp. 87942:317-87942:321.

DOCKET 71-9793 MODEL: M-140, ENERGY, DEPT. OF

9604050261 Forwards COC 9793,Rev 5,for model M-140 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. ENGEL,W.P. Energy, Dept. of. 1p. 87800:324-87800:330.

-9604050262 Certificate of Compliance 9793,Rev 5,for model M-140 package.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/26. 6pp. 87800:325-87800:330.

DOCKET 71-9853 MODEL: ORNL, BNL & NBS UNIR. CONT., ENERGY, DEPT. OF

9604050224 Forwards certificate of compliance 9853,rev 10,for model HFBR unirradiated fuel shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. WANGLER,M.E. Energy, Dept. of. 1p. 87773:289-87773:294.

-9604050226 Certificate of compliance 9853,rev 10,for model HFBR unirradiated fuel shipping container.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/25. 5pp. 87773:290-87773:294.

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-001 MORRIS OPERATIONS, ISFSI

9604190168 Forwards "GE Morris Operation Emergency Plan," including response to concerns documented in NRC 960226 ltr.
DENIO,L.L. General Electric Co. 96/04/10. MCGINTY,T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87961:222-87961:310.

9604240371 Submits reminder that GE Morris operation scheduled emergency plan exercise for 960530.
DENIO,L.L. General Electric Co. 96/04/19. MCGINTY,T.J. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88010:352-88010:352.

9604300444 Submits reminder that GE Morris Operations scheduled emergency plan exercise for 960530.
DENIO,L.L. General Electric Co. 96/04/19. SHEAR,G.L. Region 3 (Post 820201). 1p. 88067:260-88067:260.

DOCKET 72-0002 SURRY ISFSI 50-280 & 50-281

9604010171 Notifies that VEPCO intends to use optical disks,in addition to storage media currently used for storage & retrieval of QA records re GL 88-18.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87696:359-87696:360.

9604150042 Notification of 960421 meeting w/VEPCO in Rockville,MD,to discuss progress of spent fuel activities for util Surry & North Anna Nuclear Power Stations.Agenda attached.
* Office of Nuclear Material Safety & Safeguards. 96/04/10. Office of Nuclear Material Safety & Safeguards. 2pp. 87877:285-87877:286.

DOCKET 72-0004 OCONEE ISFSI, 50-269, 50-270 & 50-287

9604160120 Responds to 960118 ltr to C Haughney re issue concerning thickness of welds for Vectra-designed canisters in use at plant.
MARCUS,G.H. . 96/04/10. JOHNSTON,C.F. Toledo Coalition for Safe Energy. 3pp. 87899:231-87899:234.

9604300176 Notification of commitment to revise unloading procedures & supporting procedures prior to loading fuel in next DCS to be placed in ISFSI.Next fuel load tentatively scheduled for 960513.
HAMPTON,J.W. Duke Power Co. 96/04/25. Document Control Branch (Document Control Desk). 2pp. 88057:353-88057:354.

DOCKET 72-0005 POINT BEACH ISFSI GEN LIC/VSC-24, 50-266 & 50-301

9604030199 Ack receipt of Region III insp rept of Point Beach Nuclear Plant on 951117-960110 & disbelief of results.MTC used to move fully loaded MSB for SFP to decontamination area w/o performing adequate load test at 300% as required.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/21. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87746:285-87746:286.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

–9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604230256 Comments on issues raised in 960125 memo to J Taylor providing update to Dry Cask Storage Action Plan.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. PAPERIELLO NRC - No Detailed Affiliation Given. 1p. 87980:356-87980:356.

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

9604250433 Forwards insp rept 50-266/96-02 & 50-301/96-02 on 960109- 0301 & notice of violation.
AXELSON,W.L. Region 3 (Post 820201). 96/04/17. Wisconsin Electric Power Co. 3pp. 87996:094-87996:124.

–9604250438 Notice of violation from insp on 960111-0301.Violation noted:scaffold had not been properly secured during const over 2P-2C charging pump in excess of one shift.
* Region 3 (Post 820201). 96/04/17. 2pp. 87996:097-87996:098.

–9604250446 Insp repts 50-266/96-02 & 50-301/96-02 on 960109-0301. Violations noted.Major areas inspected:operations,maint, engineering & plant support,safety assessment & quality verification.Special insp of engineering.
FARBER,M.J. Region 3 (Post 820201). 96/04/11. 26pp. 87996:099-87996:124.

DOCKET 72-0007 PALISADES ISFSI GEN LIC/VSC-24, 50-255

9604190070 Submits answers to questions re consumers submittal on unloading.
SHILLINGLAW,F. Affiliation Not Assigned. 96/01/24. NRC - No Detailed Affiliation Given. 9pp. 87952:337-87952:345.

9604190022 Requests documents missing from answers sent by CPC in 951016 rept in response to NRC 950918 ltr re 950602 CPC rept unloading rept & explanation of procedures for handling steam flash & response to 951128 ltr.
SINCLAIR,M.P. Affiliation Not Assigned. 96/01/29. GAMBERONI,M. NRC - No Detailed Affiliation Given. 2pp. 87951:357-87951:358.

9604020383 Responds to 960228 ltr from S Skavroneck & E Roemer requesting support for petition filed w/NRC re problems w/unloading VSC-24 SF dry storage cask.
TAYLOR,J.M. Office of International Programs (Post 911117). 96/03/25. LEVIN,C. Don't Waste Michigan. 5pp. 87725:191-87725:226.

9604050020 Ack receipt of "Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan," dtd 960112.Informs that request to intervene cannot be considered at present time.
RUSSELL,W.T. . 96/03/25. SCHERBARTH,J.C. Michigan, State of. 4pp. 87770:056-87770:069.

–9604050028 Forwards Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan.
SCHERBARTH,J.C. Michigan, State of. 96/01/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87770:064-87770:065.

–9604050034 Petition of Michigan Attorney General to intervene in support of Lake Michigan Federation & Don't Waste Michigan. W/Proof of Svc.
SCHERBARTH,J.C. Michigan, State of. 96/01/04. Commissioners (Post 750119). 4pp. 87770:066-87770:069.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

–9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

9604190172 Requests copy of all comments & responses to F Shillinglaw petition not to load more VSC-24 casks,all comments & responses to related petition of M Sinclair (DWM) & Lake MI Foundation on plant casks & unloading & PRM-72-3.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. KUGLER NRC - No Detailed Affiliation Given. 1p. 87952:358-87952:358.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

DOCKET 72-0008 CALVERT CLIFFS ISFSI, 50-317 & 50-318

9604010226 Forwards assessment of acceptability of 10CFR50.54(p) changes for rev 10 to training & qualification plan.
GIBBS,L.P. Baltimore Gas & Electric Co. 96/03/26. Document Control Branch (Document Control Desk). 3pp. 87704:332-87704:334.

9604100044 Forwards applications to transfer & amend licenses DPR-53, DPR-69 & SNM-2505 for ISFSI,transferring licenses to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87839:305-87839:346.

–9604100081 Application to transfer & amend license SNM-2505, transferring OLs to Constellation Energy Corp because of proposed merger of BG&E & PEPCO into Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 12pp. 87839:331-87839:342.

–9604100094 Proposed tech specs,changing name of licensee authorize to operate & maintain Calvert Cliffs ISFSI from BG&E to Constellation Energy Corp.
* Baltimore Gas & Electric Co. 96/04/05. 4pp. 87839:343-87839:346.

9604190079 Revised EPIPs,including rev 2 to ERPIP-840, "RCS/LPSI Tasks Instructions/Precautions," rev 1 to ERPIP-841, "Containment Atmosphere Task Instruction/ Precautions," rev 1 to ERPIP-842, "Wide Range....Precautions." W/960416 ltr.
FORGETTE,T.E. Baltimore Gas & Electric Co. 96/04/16. 58pp. 87951:204-87951:261.

DOCKET 72-0009 FORT ST. VRAIN ISFSI, 50-267

9604150385 "1995 Annual Rept for Public Svc Co of CO." W/960404 ltr.
HOCK,D.D., BORST,F.J. Public Service Co. of Colorado. 95/12/31. 55pp. 87899:075-87899:130.

9604020296 Submits irradiated fuel mgt plan for managing fuel in plant.
BORST,F.J. Public Service Co. of Colorado. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87712:355-87712:356.

DOCKET 72-0010 PRAIRIE ISLAND ISFSI, 50-282 & 50-306

9604300208 Forwards "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
WADLEY,M. Northern States Power Co. 96/04/24. Document Control Branch (Document Control Desk). 1p. 88063:130-88063:219.

–9604300122 "Prairie Island Nuclear Generating Plant Annual Rept to NRC Radiation Environ Monitoring Program Jan-Dec 1995."
HUEBNER,L.G. Teledyne Isotopes. 95/12/31. 88pp. 88063:131-88063:219.

DOCKET 72-0011 RANCHO SECO ISFSI, 50-312

9604250033 Discusses review of Rancho Seco SAR.VECTRA & customers should be advised that const of concrete HSM according to fabrication specs in NUHOMS NUH-03-114,rev 1 not in agreement w/SER & requirements of COC.
WILLIAMSON,D. Science Applications International Corp. (formerly Science Applications, Inc.). 95/11/20. RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 1p. 87997:355-87997:355.

9604180295 Notification of cancellation of 960215 meeting w/NRC & licensees in Rockville,MD to discuss revs to MP-187 cask safety analysis rept.
RADDATZ,M. Office of Nuclear Material Safety & Safeguards. 96/02/08. Office of Nuclear Material Safety & Safeguards. 2pp. 87949:350-87949:351.

DOCKET 72-0013 ARKANSAS NUCLEAR GEN LIC, 50-313 & 50-368

9604230258 "1995 Annual Rept for Entergy Operations,Inc." W/960419 ltr.
LUPBERGER,E. Entergy Operations, Inc. 95/12/31. 66pp. 88002:173-88002:239.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

–9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

DOCKET 72-0015 OYSTER CREEK ISFSI GEN LIC, 50-219

9604110195 Requests that NRC representative attend 960723 public hearing in Ocean County re Interim Spent Fuel Storage Facility at Oyster Creek Nuclear Generating Station.
TOSCH,K.W. New Jersey, State of. 96/03/27. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 87856:102-87856:103.

9604030429 Responds to 960220 ltr which Lacey Township provided support to licensee request for exemption to schedule requirement of 10CFR72.82(e) for plant.Advises of NRC understanding that licensee intends to withdraw exemption request.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/01. PARKER,J.C. Lacey Township, NJ. 2pp. 87752:257-87752:260.

–9604030430 Expresses support to licensee request for schedule exemption from 10CFR72.82(e),30-day waiting period after NRC review of readiness of plant spent fuel facility.
PARKER,J.C. Lacey Township, NJ. 96/02/20. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87752:259-87752:260.

9604090329 Summary of 960328 meeting w/licensee in Rockville,MD re matter related to reactor building crane transporting spent dry fuel storage cask in reactor building during power operation.
DROMERICK,A.W. . 96/04/04. . 10pp. 87810:147-87810:156.

9604240211 Responds to 960327 ltr,requesting member of NRC staff attend annual public hearing to determine adequacy & effectiveness of New Jersey radiological emergency response plan.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/22. TOSCH,K.W. New Jersey, State of. 1p. 88010:341-88010:341.

DOCKET 72-0016 NORTH ANNA ISFSI - 50-338 & 50-339

9604090437 Informs that Rev 39 to plant Physical Security Plan meets 10CFR72 security requirements for power reactor site to operate ISFSI in accordance w/10CFR50.
EDISON,G.E. . 96/04/05. O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 3pp. 87809:342-87809:344.

9604150042 Notification of 960421 meeting w/VEPCO in Rockville,MD,to discuss progress of spent fuel activities for util Surry & North Anna Nuclear Power Stations.Agenda attached.
* Office of Nuclear Material Safety & Safeguards. 96/04/10. Office of Nuclear Material Safety & Safeguards. 2pp. 87877:285-87877:286.

DOCKET 72-0017 TROJAN ISFSI, 50-344

9604100185 Application for license to construct & operate ISFSI at Trojan Nuclear Plant.SAR,environ rept,emergency plan, proposed TS,Certified ISFSI specialist training program & QA program encl.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TRAVERS,W.T. Office of Nuclear Material Safety & Safeguards. 31pp. 87845:001-87847:011.

--9604100190 "Trojan ISFSI SAR."
* Portland General Electric Co. PGE-1069. 96/03/26. 410pp. 87845:032-87846:077.

--9604100197 "Trojan ISFSI Environ Rept."
* Portland General Electric Co. PGE-1070. 96/03/26. 95pp. 87846:078-87846:173.

--9604100199 Proposed tech specs for Trojan ISFSI.
* Portland General Electric Co. 96/03/26. 44pp. 87846:174-87846:217.

--9604100200 "Trojan Nuclear Plant Certified ISFSI Specialist Training Program."
* Portland General Electric Co. 96/03/26. 18pp. 87846:218-87846:235.

--9604100206 "Trojan Permanently Defueled Emergency Plan."
* Portland General Electric Co. 96/03/26. 140pp. 87846:236-87847:011.

9604010440 Forwards plant ISFSI security plan.Encl withheld,per 10CFR73.21.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. Document Control Branch (Document Control Desk). 1p. 87719:138-87719:138.

9604100261 Transmits proprietary suppl info re Trojan ISFSI.Info withheld per 10CFR2.790.
QUENNOZ,S.M. Portland General Electric Co. 96/03/26. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). TRAVERS,W. Office of Nuclear Material Safety & Safeguards. 4pp. 87847:030-87847:036.

9604120006 Forwards PGE-1061, "Trojan Nuclear Plant Decommissioning Plan," dtd 950126 as suppl info to satisfy requirements per 10CFR72.22 re financial qualifications to cover const, operations & decommissioning of proposed ISFSI.W/o details.
YUNDT,C.P. Portland General Electric Co. 96/04/01. KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 2pp. 87863:163-87863:167.

9604150397 Forwards PGE-1074, "Final Survey Plan for ISFSI Site for Trojan Nuclear Plant."
QUENNOZ,S.M. Portland General Electric Co. 96/04/09. Document Control Branch (Document Control Desk). 1p. 87896:290-87896:331.

--9604150402 "Final Survey Plan for ISFSI Site for Trojan Nuclear Plant."
* Portland General Electric Co. 96/04/09. 39pp. 87896:291-87896:331.

9604170339 Provides official notification that util intends to place spent nuclear fuel & fuel debris currently located in spent fuel pool at plant into dry fuel storage sys.
* Portland General Electric Co. 96/04/09. EMEIGH,C. NRC - No Detailed Affiliation Given. 1p. 87948:166-87948:166.

9604170134 Requests technical assistance in reviewing QA program for Trojan ISFSI,included in util 960326 application for site- specific license for ISFSI at Trojan Nuclear Plant.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. JANKOVICH,J.P. Office of Nuclear Material Safety & Safeguards. 1p. 87948:339-87948:339.

9604170182 Requests technical assistance in reviewing financial info provided by util in 960326 application for site-specific license for ISFSI at Trojan Nuclear Plant.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. NEWBERRY,S.F. . 1p. 87948:337-87948:337.

9604170225 Requests that C Gaskin review "Trojan ISFSI Security Plan," submitted by util 960326 ltr.
LEEDS,E.J. Office of Nuclear Material Safety & Safeguards. 96/04/12. PIERSON,R.C. Licensing Branch. 1p. 87948:338-87948:338.

9604180038 Informs that NRC determined engineering drawings related to plant ISFSI should be withheld from public disclosure per 10CFR2.790,as requested in POGE 960326 ltr.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/12. THOMPSON,T.C. Sierra Nuclear, Inc. 2pp. 87942:322-87942:323.

9604250220 Requests rulemaking to address proposed dry fuel storage facility.
YUNDT,C.P. Portland General Electric Co. 96/04/16. STEWARTSMITH,D. Oregon, State of. 1p. 88023:266-88023:266.

9604250244 Forwards notice of consideration of issuance of matls license for storage of spent fuel & notice of opportunity for hearing re 960326 request,as supplemented on 960401.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/19. QUENNOZ,S.M. Portland General Electric Co. 3pp. 88023:192-88023:200.

--9604250246 Notice of consideration of issuance of matls license for storage of spent fuel & notice of opportunity for hearing. License will authorize applicant to store spent fuel in dry storage cask sys at Trojan Nuclear Plant site.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/19. 6pp. 88023:195-88023:200.

9604240297 Responds to final survey plan for ISFSI at Trojan Nuclear Plant.
KOKAJKO,L.E. Office of Nuclear Material Safety & Safeguards. 96/04/22. QUENNOZ,S.M. Portland General Electric Co. 2pp. 88007:360-88007:361.

DOCKET 72-0020 DEPARTMENT OF ENERGY ISFSI

9604190243 Notifies of meeting on 960418 w/DOE in Rockville,MD to discuss technical issues relevant to licensing of independent spent fuel storage installation to house TMI-2 fuel debris.
* Office of Nuclear Material Safety & Safeguards. 96/04/02. Office of Nuclear Material Safety & Safeguards. 1p. 87937:352-87937:352.

DOCKET 72-1004 CASK: NUHOMS 24P/52B, VECTRA TECHNOLOGIES, INC.

9604170343 Confirms that summary rept identified in ltr dtd 960308, rescheduled for submittal to NRC on 960425.
ROLLINS,J.D. Vectra Technologies, Inc. 96/04/10. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 87948:167-87948:167.

9604190204 Submits annual update to safety analysis rept for COC 1004.
SHUM,E.Y. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/17. ROLLINS,J.D. Vectra Technologies, Inc. 2pp. 87937:356-87937:357.

9604260228 Forwards insp rept 50-219/96-02 on 960212-0324.No violations noted.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/17. ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 3pp. 88004:012-88004:037.

--9604260231 Insp rept 50-219/96-02 on 960212-0324.No violations noted. Major areas inspected:plant operations,maint,engineering, plant support & SA/QV.
ESELGROTH,P.W. Region 1 (Post 820201). 96/04/17. 23pp. 88004:015-88004:037.

DOCKET 72-1007 CASK: VSC-24, SIERRA NUCLEAR, INC.

9604190070 Submits answers to questions re consumers submittal on unloading.
SHILLINGLAW,F. Affiliation Not Assigned. 96/01/24. NRC - No Detailed Affiliation Given. 9pp. 87952:337-87952:345.

9604190022 Requests documents missing from answers sent by CPC in 951016 rept in response to NRC 950918 ltr re 950602 CPC rept unloading rept & explanation of procedures for handling steam flash & response to 951128 ltr.
SINCLAIR,M.P. Affiliation Not Assigned. 96/01/29. GAMBERONI,M. NRC - No Detailed Affiliation Given. 2pp. 87951:357-87951:358.

9604100054 Provides copy of March Metalfab Inc current fabrication schedule for 10 units which will aid in planning of insp during fabrication cycle.
DIXON,G.N. Sierra Nuclear, Inc. 96/03/13. REID,D. Source Containment & Devices Branch (Post 911213). 5pp. 87847:146-87847:150.

9604020383 Responds to 960228 ltr from S Skavroneck & E Roemer requesting support for petition filed w/NRC re problems w/unloading VSC-24 SF dry storage cask.
TAYLOR,J.M. Office of International Programs (Post 911117). 96/03/25. LEVIN,C. Don't Waste Michigan. 5pp. 87725:191-87725:226.

9604050020 Ack receipt of "Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan," dtd 960112.Informs that request to intervene cannot be considered at present time.
RUSSELL,W.T. . 96/03/25. SCHERBARTH,J.C. Michigan, State of. 4pp. 87770:056-87770:069.

--9604050028 Forwards Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan.
SCHERBARTH,J.C. Michigan, State of. 96/01/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87770:064-87770:065.

--9604050034 Petition of Michigan Attorney General to intervene in support of Lake Michigan Federation & Don't Waste Michigan. W/Proof of Svc.
SCHERBARTH,J.C. Michigan, State of. 96/01/04. Commissioners (Post 750119). 4pp. 87770:066-87770:069.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

--9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604110025 Requests info on why request that no more VSC-24 casks be loaded until MSB#4 at Palisades unloaded & that NRC require vendors SARs to be complete in fulfulling SER requirements, treated as formal petition & request for rulemaking.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. TRAVERS NRC - No Detailed Affiliation Given. 3pp. 87847:182-87847:184.

9604230256 Comments on issues raised in 960125 memo to J Taylor providing update to Dry Cask Storage Action Plan.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. PAPERIELLO NRC - No Detailed Affiliation Given. 1p. 87980:356-87980:356.

9604120316 Forwards request for addl info re application dtd 941116, requesting rev to COC 1007 to incorporate Rev Z into VSC-24 SAR.
LEU,K.C. Office of Nuclear Material Safety & Safeguards. 96/04/08. MCCONAGHY,W.J. Pacific Sierra Nuclear Associates. 11pp. 87877:113-87877:123.

9604160120 Responds to 960118 ltr to C Haughney re issue concerning thickness of welds for Vectra-designed canisters in use at plant.
MARCUS,G.H. . 96/04/10. JOHNSTON,C.F. Toledo Coalition for Safe Energy. 3pp. 87899:231-87899:234.

9604160144 Ack receipt of petition dtd 951117,which requested that NRC take action to prohibit loading of VSC-24 casks at nuclear site until multi-assembly sealed basket w/ indication in welds,unloaded & unloading procedure evaluated.
KUGLER,A.J. . 96/04/10. SHILLINGLAW,F. Affiliation Not Assigned. 3pp. 87899:235-87899:237.

9604190172 Requests copy of all comments & responses to F Shillinglaw petition not to load more VSC-24 casks,all comments & responses to related petition of M Sinclair (DWM) & Lake MI Foundation on plant casks & unloading & PRM-72-3.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. KUGLER NRC - No Detailed Affiliation Given. 1p. 87952:358-87952:358.

9604250435 Forwards correspondence from constituent J Shillinglaw re nuclear waste concerns,for assistance in responding to concerns.
KOHL,H. Senate. 96/04/16. NRC - No Detailed Affiliation Given. 2pp. 88023:298-88023:303.

9604190271 Responds to NRC 960320 ltr re Notice of Nonconformance re fabrication of SNC's VSC CMSB-04.C/A:mgt & personnel trained in regulatory requirements governing fabrication of components for dry storage of spent fuel.
MCSHERRY,A.J. Pacific Sierra Nuclear Associates. 96/04/18. Document Control Branch (Document Control Desk). 2pp. 87939:238-87939:239.

DOCKET 72-1008 CASK: HI-STAR 100, HOLTEC INTERNATIONAL

9604010364 Forwards proprietary RAIs for SAR for Packaging & TSAR for Holtec Intl Storage,Transport & Repository Cask Sys (HI-STAR 100) needed for in-depth review of submittals.Encl withheld.
DELLIGATTI,M.S. Office of Nuclear Material Safety & Safeguards. 96/03/27. SOLER,M. Holtec International. 3pp. 87823:287-87823:290.

9604030279 Forwards nonproprietary request for additional info re Holtec Intl SAR for packaging & topical SAR for Holtec Intl storage,transport & repository cask sys.
DELLIGATTI,M. Office of Nuclear Material Safety & Safeguards. 96/03/27. SOLAR,M. Holtec International. 79pp. 87755:227-87755:305.

9604090353 Notification of 960423 meeting w/Holtec Intl in Rockville,MD to discuss HOLTEC's response to NRC RAI re HI-STAR 100 cask.
* NRC - No Detailed Affiliation Given. 96/04/03. NRC - No Detailed Affiliation Given. 1p. 87817:356-87817:356.

DOCKET 72-1016 CASK: ACTINIDE-ONLY BURNUP CREDIT, ENERGY, DEPT. OF

9604080194 Forwards request for addl info re topical rept DOE/RW-0472 & DOE 960111 response.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. MILNER,R.A. Energy, Dept. of. 18pp. 87807:147-87807:164.

DOCKET 72-1021 CASK: TN-24 DRY STORAGE CASK, TRANSNUCLEAR, INC.

9604010109 Forwards revised Pages 3B.4-10 through 3B.4-13,Tables 3B.4-17 & Drawing 1049-70-2 to included in TN-32 topical rept.
MASON,M. Transnuclear, Inc. 96/03/26. LUSARDI,M. Division of Industrial & Medical Nuclear Safety (Post 870729). 8pp. 87734:327-87734:336.

9604250067 Submits response to RAI re mockup test to demonstrate that assumed partial pressure of He under valve cover plate was achieved.
MASON,M. Transnuclear, Inc. 96/04/12. LUSARDI,M. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87998:153-87998:156.

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

9604020022 Staff requirements memo re SECY-96-062, "Proposed Order Affirming Two Director's Decisions in Plant Decommissioning Proceedings."
HOYLE,J.C. Office of the Secretary of the Commission. M960401. 96/04/01.
CYR,K.D. Office of the General Counsel (Post 860701). 1p. 87759:265-87759:280.

-9604020038 Orders affirmation & review of DD-96-01 & DD-96-02,now final agency action.W/Certificate of Svc.Served on 960401.
HOYLE,J.C. Office of the Secretary of the Commission. CLI-96-06. 96/04/01. Yankee Atomic Electric Co. 15pp. 87759:266-87759:280.

9604030148 Staff requirements memo re SECY-96-027, "Evaluation of Issues Necessary to Determine Feasibility of Licensing & Level of Involvement in DOE Proposed High-Level Radioactive Wasts Solidification Sys."
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87736:356-87736:356.

9604030181 Transcript of 960322 public meeting in Rockville,MD re briefing on US Enrichment Corp Certification.Pp 1-40. Supporting viewgraphs & video encl.
* Commissioners (Post 750119). 96/03/22. 61pp. 87722:081-87722:141.

9604030276 Transcript of public meeting w/Chairman of Nuclear Safety Research Review Committee in Rockville,MD on 960327.Pp 1-41. W/viewgraphs,briefing package & video.
* NRC - No Detailed Affiliation Given. 96/03/27. 69pp. 87737:065-87737:136.

9604030335 Transcript of 951214 public meeting in Rockville,MD re briefing on Equal Employment Opportunity.Pp 1-60.W/video.
* NRC - No Detailed Affiliation Given. 95/12/14. 64pp. 87737:001-87737:064.

9604040195 Transcript of public meeting in Rockville,MD on 960401 re affirmation session.Pp 1-4.W/related documentation.
* Commissioners (Post 750119). 96/04/01. 7pp. 87746:161-87746:168.

9604040207 Staff requirements memo re briefing on US Enrichment Corp certification (SECY-96-054) on 960322.
HOYLE,J.C. Office of the Secretary of the Commission. M960322. 96/04/03.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87746:169-87746:169.

9604040244 Transcript of 960307 public meeting in Rockville,MD re affirmation session.Pp 1-5.W/related documentation.
* Commissioners (Post 750119). 96/03/07. 9pp. 87746:170-87746:178.

9604050059 Staff requirements memo re SECY-96-032, "Charter of CRGR - (Proposed Rev 6)." Commission has approved proposed trial program for CRGR review of selected issues.
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 87755:169-87755:171.

9604050095 Staff requirements memo re SECY-96-030, "Advanced Notice of Proposed Rulemaking-Nuclear Power Reactor Decommissioning Financial Assurance Implementation Requirements."
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 87755:184-87755:188.

9604050112 Staff requirements memo re SECY-96-018, "Proposed Staff Actions for Analysis of Institute of Medicine Rept, 'Radiation in Medicine:Need for Regulatory Reform.'"
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87770:019-87770:019.

9604050122 Staff requirements memo re SECY-96-028, "Two Issues for Design Certification Rules."
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87775:214-87775:214.

9604080412 Staff requirements memo re 960327 briefing by NRC re NSRRC members understanding role of regulatory research process,in Rockville,MD.
HOYLE,J.C. Office of the Secretary of the Commission. M960327. 96/04/05.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87814:019-87814:019.

9604100030 Transcript of 960404 public hearing in Rockville,MD re briefing on PRA Implementation Plan.Pp 1-62.Supporting viewgraph & video encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/04. 96pp. 87825:001-87825:096.

9604100204 Transcript of public meeting of briefing on status of activities w/CNWRA & HLW program in Rockville,MD on 960404.Pp 1-55.W/viewgraphs & video.
* Commissioners (Post 750119). 96/04/04. 87pp. 87835:142-87835:229.

9604150356 Staff requirements memo re SECY-96-045, "Commission Policy Statement on Protecting Identity of Allegers & Confidential Sources."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87880:352-87880:352.

9604160049 Forwards 960303 SRM re Briefing on Design Certification Issues.
WRIGHT,D, NRC - No Detailed Affiliation Given. 96/03/21. NRC - No Detailed Affiliation Given. 1p. 87898:321-87898:323.

9604160132 Staff requirement memo re COMSECY-96-007,revised draft ltr from EPA informing Senator Glenn of process made in consensus & cooperation among federal agencies responsible for protecting public from effects of ionizing radiation.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87898:355-87898:355.

9604160169 Staff requirements memo re advisement that Commission has not objected to proposed actions removing Aluminum Co of America site from Site Decomissioning Mgt Plan.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87888:348-87888:348.

9604160419 Staff requirements memo re SECY-96-057, "Relocation of Emergency Operations Facility for Susquehanna Steam Electric Station."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87894:263-87894:263.

9604180223 Staff requirements memo re SECY-96-034, "Proposed Rulemaking Activity Plan." Commission has approved staff plan to continue implementation of Rulemaking Activity Plan.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 1p. 87912:355-87912:355.

9604180304 Staff requirements memo re SECY-96-050 request to reassume regulatory authority for sealed source & device evaluation in Agreement States of IA,ND & UT.Informs that Commission has approved subj request.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 87917:353-87917:358.

9604190037 Staff requirements memo re COMSECY-96-005, "Partial Response to Staff Requirements Memo,for SECY-95-249,on Risk Harmonization Issues & Recommendation."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87923:354-87923:354.

9604230302 Staff requirements memo re SECY-96-063, "NRC Actions to Meet Inspector General Recommendations on Reporting Requirements Under 10CFR21."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87971:360-87971:360.

9604290014 Staff requirements memo re SECY-96-058,MOU between DOE & NRC.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/19. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88036:209-88036:209.

9604290027 Staff requirements memo re SECY-96-035, "Final Rulemaking on Environmental Review for Renewal of Nuclear Power Plant Operating Licenses," 10CFR51.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/17. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88036:261-88036:261.

ACNW ADVISORY COMMITTEE ON NUCLEAR WASTE

9604020200 Transcript of ACNW 82nd meeting on 960328 in Rockville,MD.Pp 309-400.
* Advisory Committee on Nuclear Waste. 96/03/28. 114pp. 87728:241-87728:354.

9604020203 Transcript of ACNW 82nd meeting on 960329 in Rockville,MD.Pp 401-448.
* Advisory Committee on Nuclear Waste. 96/03/29. 59pp. 87721:255-87721:313.

9604020207 Transcript of ACNW 82nd meeting on 960327 in Rockville,MD.Pp 1-308.
* Advisory Committee on Nuclear Waste. 96/03/27. 207pp. 87729:001-87730:143.

9604040139 NUREG/BR-0223 MEET THE STAFF.
* Advisory Committee on Nuclear Waste. * ACRS - Advisory Committee on Reactor Safeguards. 96/03/31. 11pp. 87746:150-87746:160.

9604170387 Press release 96-58, "NRC ACNW to Meet 960515-16."
* Office of Public Affairs (Post 911117). 96/04/15. 2pp. 87941:336-87941:337.

9604230329 NUREG/BR-0225 ACRS/ACNW MEMBERS' HANDBOOK.
* ACRS - Advisory Committee on Reactor Safeguards. * Advisory Committee on Nuclear Waste. 96/03/31. 317pp. 87973:001-87973:317.

9604260098 Informs that ACRS & ACNW decided not to review proposed std review plan for dry cask storage sys during 960326 meeting, based on recommendations of Joint Subcommittee of ACRS & ACNW.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. LARKINS,J.T. Advisory Committee on Nuclear Waste. 96/04/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88031:102-88031:102.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

9604110157 Transcript of ACRS Extreme External Phenomena Subcommittee 960403 meeting in Rockville,MD.Pp 1-217.Certificate & view graphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/03. 287pp. 87855:001-87855:287.

9604160386 Transcript of ACRS 430th meeting on 960412 in Rockville,MD. Pp 308-459.Related correspondence encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/12. 270pp. 87936:001-87936:270.

9604160389 Transcript ACRS Severe Accidents Subcommittee Meeting on 960408 in Rockville,MD.Pp 1-282.Related correspondence encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/08. 350pp. 87937:001-87937:351.

9604160392 Transcript of 430th ACRS meeting on 960411 in Rockville,MD. Pp 1-243 & 291-307.Closed Pp 244-290.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/11. 384PP. 87938:001-87939:020.

9604160422 Discusses & forwards draft rule 50.67, "Shutdown Operation of NPPs" & draft RG for status briefings on ACRS Operations Subcommittee on 960521 & full committee on 960523 or 960524.
JONES,R.C. . TAC M77701. 96/04/05. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 23pp. 87894:149-87894:171.

9604190120 Transcript of ACRS Reactor Fuels Subcommittee 960410 meeting in Rockville,MD.Pp 1-259.Certificate & viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. 96/04/10. 508pp. 87950:001-87951:144.

9604260084 Comments on continued need for US membership in Nuclear Energy Agency.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/17. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88031:098-88031:099.

9604260088 Summary of 430th meeting of ACRS on 960411-13 re Westinghouse best-estimate LOCA analysis methodology.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 88031:100-88031:101.

9604260092 Summary of 430th meeting of ACRS on 960411-13 re proposed revs to 10CFR50 & 100 & proposed RGs re reactor site criteria.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/22. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 4pp.

9604260098 Informs that ACRS & ACNW decided not to review proposed std review plan for dry cask storage sys during 960326 meeting, based on recommendations of Joint Subcommittee of ACRS & ACNW.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. LARKINS,J.T. Advisory Committee on Nuclear Waste. 96/04/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88031:102-88031:102.

9604260101 Summary of 430th meeting of ACRS on 960411-13 re PRA framework,pilot applications & next steps to expand use of PRA in regulatory decision-making process.
KRESS,T.S. ACRS - Advisory Committee on Reactor Safeguards. 96/04/23. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 5pp. 88031:103-88031:107.

ADVCM NRC ADVISORY COMMITTEE

9604020200 Transcript of ACNW 82nd meeting on 960328 in Rockville,MD.Pp 309-400.
* Advisory Committee on Nuclear Waste. 96/03/28. 114pp. 87728:241-87728:354.

9604020203 Transcript of ACNW 82nd meeting on 960329 in Rockville,MD.Pp 401-448.
* Advisory Committee on Nuclear Waste. 96/03/29. 59pp. 87721:255-87721:313.

9604020207 Transcript of ACNW 82nd meeting on 960327 in Rockville,MD.Pp 1-308.
* Advisory Committee on Nuclear Waste. 96/03/27. 207pp. 87729:001-87730:143.

9604040139 NUREG/BR-0223 MEET THE STAFF.
* Advisory Committee on Nuclear Waste. * ACRS - Advisory Committee on Reactor Safeguards. 96/03/31. 11pp. 87746:150-87746:160.

9604100263 Forwards summary of minutes of Advisory Committee on Medical Uses of Isotopes meeting on 960221-22 to be placed into NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 96/04/10. Document Control Branch (Document Control Desk). 1p. 87825:187-87825:206.

-9604100264 Provides certification that minutes of meeting of Advisory Committee on Medical Uses of Isotopes accurate record of proceedings.Summary minutes of Advisory Committee on Medical Uses of Isotopes encl.
SIEGEL,B.A. Advisory Committee on Medical Uses of Isotopes. 96/03/28. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 19pp. 87825:188-87825:206.

9604170145 Notice determining continuing need for NSRRC & renewal of committee for 2 yr period beginning 960209 in public interest.
BATES,A.J. Nuclear Safety Research Review Committee. 96/02/09. 4pp. 87909:339-87909:342.

9604170387 Press release 96-58, "NRC ACNW to Meet 960515-16."
* Office of Public Affairs (Post 911117). 96/04/15. 2pp. 87941:336-87941:337.

9604230329 NUREG/BR-0225 ACRS/ACNW MEMBERS' HANDBOOK.
* ACRS - Advisory Committee on Reactor Safeguards. * Advisory Committee on Nuclear Waste. 96/03/31. 317pp. 87973:001-87973:317.

9604260098 Informs that ACRS & ACNW decided not to review proposed std review plan for dry cask storage sys during 960326 meeting, based on recommendations of Joint Subcommittee of ACRS & ACNW.
LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. LARKINS,J.T. Advisory Committee on Nuclear Waste. 96/04/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88031:102-88031:102.

9604300088 Press release 96-62, "NRC's Advisory Committee to Meet 960503 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/04/25. 1p. 88065:351-88065:351.

9604300090 Submits copy of briefing book for 960503 meeting of Advisory Committee on Medical Uses of Isotopes,for placement in NUDOCS.
TAYLOR,T. Medical, Academic & Commercial Use Safety Branch. 96/04/26. Document Control Branch (Document Control Desk). 133pp. 88053:001-88053:133.

COMMISSION NRC COMMISSIONERS

9603110375 Ack receipt of 960122 ltr re relinquishing authority to regulate sealed source & device evaluations.Informs of intent to continue coordination w/Bureau of Radiological Health subj matter & of plans to use 960401 transfer date.
THE CHAIRMAN Commissioners (Post 750119). 96/02/26. BRANSTAD,T.E. Iowa, State of. 1p. 87424:247-87424:248.

9603270116 Ack receipt of 960215 ltr re Monju prototype fast breeder reactor site & upcoming trip to Japan for Japanese Atomic Industrial forum conference.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/19. OHISHI,H. Japan. 5pp. 87858:301-87858:315.

-9604090334 "On sodium Leak Accident in Secondary Heat Transport Sys of Monju."
* Japan. 96/02/07. 8pp. 87858:308-87858:315.

9604010284 SECY-96-061 Weekly info rept for wk ending 960315.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/03/21. 14pp. 87700:294-87700:307.

9604010378 Notation vote approving SECY-96-027, "Evaluation of Issues Necessary to Determine Feasibility of Licensing & Level of Involvement in DOE Proposed High-Level Radwaste Solidification Sys," w/comments.
DICUS,G.J. Commissioners (Post 750119). 96/03/06. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87700:335-87700:335.

9604010403 Notation vote,approving w/comments,re SECY-96-027, "Evaluation of Issues Necessary to Determine Feasibility of Licensing & Level of Involvement in DOE Proposed High-Level Radwaste Solidification Sys."
ROGERS,K.C. Commissioners (Post 750119). 96/03/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87710:254-87710:254.

9604030184 Notation vote response sheet approving SECY-96-027, "Evaluation of Issues Necessary to Determine the Feasibility of Licensing & Level of Involvement in,DOE Proposed High-Level Radioactive Waste Solidification Sys."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87736:359-87736:359.

9604050045 Notation vote approving w/comments SECY-96-032, "Charter of the Committee to Review Generic Requirements (CRGR) - (Proposed Rev 6)."
ROGERS,K.C. Commissioners (Post 750119). 96/02/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87755:164-87755:165.

9604050054 Notation Vote approving SECY-96-032, "Charter of Committee to Review Generic Requirements (CRGR) - (Proposed Rev 6)." W/comments.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/02/24. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 87755:166-87755:168.

9604050057 Responds to 960206 ltr re American Express Govt Travel Charge Card Program.Follow-up actions whereby selected employee accounts reviewed monthly & potential cases of misuse,referred to IG encl.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/27. CLINGER,W.F. House of Rep. 1p. 87771:002-87771:005.

-9604050073 Discusses use of American Express travel charge card by NRC travelers & responsibilities while participating in General Svcs Admin American Express Govt Cardholder Program.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/05/30. NRC - No Detailed Affiliation Given. 2pp. 87771:003-87771:004.

-9604050126 Requests that NRC direct IG to prepare rept re personal use of all govt credit cards by NRC employees.Repts should include list of employees issued personal cards,retail purchases,accommodations or svcs obtained w/cards.
CLINGER,W.F. House of Rep. 96/02/06. SELIN,I., SELIN,I. Commissioners (Post 750119). 1p. 87771:005-87771:005.

9604050078 Response to 960105 memo re OMB initiative to expand implementation of performance-based service contracting to max & quickest extent practicable.
JACKSON,S.A. Commissioners (Post 750119). 96/03/27. GLAUTHIER,T.J. Office of Management & Budget. 7pp. 87770:009-87770:015.

9604050100 Requests that licensee brief Commission on status of efforts to improve performance at plant,including steps taken to ensure that important equipment deficiencies have been fully identified.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/22. O'CONNOR,J.J. Commonwealth Edison Co. 3pp. 87771:006-87771:008.

9604050104 Accepts 960222 invitation to participate in OECD/NEA Heads of Regulatory Organizations meeting in Paris on 960912-13 to discuss importance of intl cooperation among regulatory bodies & obsolescence of technology.
JACKSON,S.A. Commissioners (Post 750119). 96/03/27. THOMPSON,S. Organization for Economic Cooperation & Development. 2pp. 87770:016-87770:018.

-9604050180 Invitation for NRC participation in OECD/NEA Heads of Regulatory Organization meeting in Paris on 960912-13 to discuss importance of intl cooperation among regulatory bodies,waste mgt & obsolescence of technology.
THOMPSON,S. Organization for Economic Cooperation & Development. 96/02/22. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87770:018-87770:018.

9604050107 Notation vote approving w/o comments,SECY-96-018, "Proposed Staff Actions for Analysis of Institute of Medicine Rept, 'Radiation in Medicine:Need for Regulatory Reform.'"
DICUS,G.J. Commissioners (Post 750119). 96/02/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87770:006-87770:006.

9604050108 Discusses SECY-96-018,proposed staff actions for analysis for institute of medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87774:360-87774:360.

9604050131 Notation vote approving SECY-96-032, "Charter of Committee to Review Generic Requirements (CRGR) - Proposed Rev 6." W/comments.
DICUS,G.J. Commissioners (Post 750119). 96/03/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87755:189-87755:189.

9604050133 Discusses concern over article in Time Magazine re safety of nuclear power plants & performance of NRC.
JACKSON,S.A. Commissioners (Post 750119). 96/03/27. PEARLSTINE,N. Times-Union, Rochester,NY. 2pp. 87770:020-87770:021.

9604050143 SECY-96-064 Weekly info rept for wk ending 960322.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/03/28. 18pp. 87755:190-87755:207.

9604080151 Forwards response to request for info re remedial actions at Millstone Nuclear Power Station & several broader nuclear safety issues.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). CCS. 96/03/27. MARKEY,E.J. House of Rep. 11pp. 87779:293-87779:308.

-9604080190 Requests info re remedial actions at Millstone Nuclear Power Station & broader nuclear safety issues.
MARKEY,E.J. House of Rep. 96/03/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 87779:304-87779:306.

--9604080199 Requests info re remedial actions at Millstone Nuclear Power Station & broader nuclear safety issues.
MARKEY,E.J. House of Rep. 96/03/05. NORTON,L.J. Commissioners (Post 750119). 2pp. 87779:307-87779:308.

9604080304 Forwards NRC Annual Rept on administration of Govt in Sunshine Act for CY95.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/25. GORE,A. Senate, President of the Senate. GINGRICH,N. House of Rep., Speaker of the House. 7pp. 87782:308-87782:314.

9604150350 Notation vote approving SECY-96-045, "Commission Policy Statement on Protecting Identity of Allegers & Confidential Sources." W/o comments.
ROGERS,K.C. Commissioners (Post 750119). 96/03/13. 1p. 87880:353-87880:353.

9604150354 Notation vote approving SECY-96-045, "Commission Policy Statement on Protecting Identity of Allegers & Confidential Sources." W/comments.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/27. 3pp. 87880:349-87880:351.

9604160277 Forwards second consolidated semiannual rept on status of Thermo-Lag action plan & fire protection task action plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. GL-92-08. 96/04/03. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 21pp. 87890:114-87890:134.

9604160312 SECY-96-076 Weekly info rept for wk ending 960405.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/11. 18pp. 87890:135-87890:152.

9604160349 SECY-96-069 Weekly info rept for wk ending 960329.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/03. 22pp. 87894:115-87894:136.

9604160440 Notation vote approving w/o comment,SECY-96-045, "Commission Policy Statement on Protecting Identity of Allegers & Confidential Sources."
DICUS,G.J. Commissioners (Post 750119). 96/04/01. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87894:264-87894:264.

9604170190 Forwards & discusses draft ltr from EPA informing J Glenn of progress made in consensus & cooperation among federal agencies responsible for protecting public from effects of ionizing radiation.
TAYLOR,J.M. Ofc of the Executive Director for Operations. COMSECY-96-007. 96/03/20. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 2pp. 87911:145-87911:165.

--9604170202 Transmits revs of ltr to J Glenn & of ISCORS rept on risk harmonization ORIA would like to offer NRC as means of reaching complete agreement on ltr.ISCORS rept on risk harmonization recommendations also encl.
DURMAN,G. Environmental Protection Agency. 96/02/28. GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 19pp. 87911:147-87911:165.

9604170373 Speech S-96-02, "Challenges for Nuclear Power Industry & Regulators:NRC Perspective," remarks by SA Jackson,Chairman NRC before Regulatory Info Conference,Capital Hill Hotel, Washington,DC on 960409.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. 9pp. 87941:318-87941:326.

9604170375 Speech S-96-03, "Some Important Emerging Regulatory Issues," presented by Commissioner KC Rogers at NRC Regulatory Info Conference Capital Hilton Hotel,Washington,DC on 960410.
ROGERS,K.C. Commissioners (Post 750119). 96/04/10. 9pp. 87941:327-87941:335.

9604180101 Extends offer of appointment to NRC ACMUI,effective 960303. Discusses purpose of ACMUI & conditions of appointment to ACMUI.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/08. WALKUP,T. Mercy Health Center, Oklahoma City, OK. 1p. 87917:359-87917:359.

9604180110 Informs of status of proposals for intl nuclear regulators forum & intl reactor research program.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/04. O'LEARY,H.R. Energy, Dept. of. 2pp. 87912:359-87912:361.

9604180213 Submits partial response to staff requirements memo for SECY-95-249 on risk harmonization issues & recommendations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/11. THE CHAIRMAN, JACKSON,S.A., ROGERS,K. Commissioners (Post 750119). 3pp. 87912:352-87912:354.

9604180236 Notation vote approving w/comments,SECY-96-034, "Proposed Rulemaking Activity Plan."
DICUS,G.J. Commissioners (Post 750119). 96/03/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:356-87912:356.

9604180252 Notation vote approving & disapproving in part w/comments, SECY-96-034, "Proposed Rulemaking Activity Plan."
ROGERS,K.C. Commissioners (Post 750119). 96/03/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:357-87912:357.

9604180257 Notation vote approving w/comments,SECY-96-034, "Proposed Rulemaking Activity Plan."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:358-87912:358.

9604180262 Notation vote response status sheet,approving w/comments SECY-96-050, "To Seek Authorization to Accept Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of IA,ND & UT."
DICUS,G.J. Commissioners (Post 750119). 96/04/02. Office of the Secretary of the Commission. 3pp. 87913:347-87913:349.

9604180468 Ack 960228 visit from NARUC.Discusses restructuring in electric power industry & suggests increased collaboration between NRC & NARUC as way to keep abreast of changes. Forwards related info.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. PARRINO,C.L. National Association of Regulatory Utility Commissioners. PARRINO,C.L. Wisconsin, State of. 19pp. 87913:268-87913:314.

9604220125 Notation vote approving SECY-96-050, "Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of Iowa,North Dakota & Utah."
ROGERS,K.C. Commissioners (Post 750119). 96/04/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87942:195-87942:195.

9604220133 Notation vote approving w/comments SECY-96-050, "Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of Iowa,North Dakota & Utah."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87942:196-87942:200.

9604290016 Notation vote approving SECY-95-058, "MOU between DOE & NRC," w/ comments.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/08. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88036:215-88036:216.

9604290021 SECY-96-081 Weekly info rept for wk ending 960412.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/17. 25pp. 88036:234-88036:258.

9604290023 Notation vote approving SECY-96-058, "MOU Between DOE & NRC," w/ comments.
DICUS,G.J. Commissioners (Post 750119). 96/04/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88036:259-88036:259.

9604290024 Affirmation vote approving w/comments,SECY-96-035, "Final Rulemaking on Environ Review for Renewal of NPP Operating Licenses," 10CFR51.
DICUS,G.J. Commissioners (Post 750119). 96/04/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88036:260-88036:260.

9604290029 Affirmation vote approving w/comments,SECY-96-035, "Final Rulemaking on Environ Review for Renewal of NPP Operating Licenses," 10CFR51.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/08. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88036:262-88036:263.

9604290039 Affirmation vote approving w/comments SECY-96-035, "Final Rulemaking on Environ Review for Renewal of Nuclear Power Plant Operation Licenses," 10CFR51.
ROGERS,K.C. Commissioners (Post 750119). 96/04/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 88036:264-88036:264.

9604290079 Notation vote approving w/comments SECY-96-058, "MOU between DOE & NRC."
ROGERS,K.C. Commissioners (Post 750119). 96/04/02. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 88036:269-88036:270.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

9604010291 Mod 19 to contract NRC-33-94-185.
* Small Business Administration. * Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN L-1783-6. FIN J-5110. 96/03/29. 2pp. 87697:356-87697:357.

9604010408 Ltr contractawarding task order 104 entitled, "Development of Steam Generator Database" under contract NRC-03-95-026.
WEBBER,R.B. Division of Contracts (Post 940714). FIN J-2391. NRC-03-95-026. 96/03/26. KNIGHT,D. SCIENTECH, Inc. 2pp. 87758:317-87758:318.

9604020004 Mod 21 to NRC-30-83-644.
* Michigan, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2377. 96/03/21. 3pp. 87725:300-87725:302.

9604020208 Ltr contract,mod 2 to task order 4 under contract NRC-33-93-225.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-225. 96/03/04. Adsytech, Inc. 5pp. 87722:355-87722:359.

9604020282 Forwards executed copy of Mod 3 to NRC-04-92-071.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-92-071. 96/03/28. FREISE,E.J. Affiliation Not Assigned. 1p. 87725:288-87725:291.

--9604020295 Mod 3 to NRC-04-92-071.
FREISE,E.J. California Institute of Technology, Pasadena, CA. MEARSE,S.D. Division of Contracts (Post 940714). 96/03/28. 3pp. 87725:289-87725:291.

9604020379 Mod 8 to contract NRC-33-93-225.
DISMUKES,W.F. Small Business Administration. AVANT,A.L. Adsytech, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/03/04. 2pp. 87725:265-87725:266.

9604020382 Forwards mod 7 to contract NRC-26-92-262.
MATTIA,M.J. Division of Contracts (Post 940714). 96/04/01. HENDRICKS,C.D. General Electric Co. 2pp. 87725:260-87725:264.

--9604020384 Mod 7 to contract NRC-26-92-262.
HENDRICKS,C.D. General Electric Co. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/01. 2pp. 87725:262-87725:263.

--9604020388 Ack & accepts change of date for 1996 delivery of station nuclear engineering refresher training from 960422-0909.
YEDIDIA,B.A. General Electric Co. 96/03/21. KNOX-DAVIN,E. NRC - No Detailed Affiliation Given. 1p. 87725:264-87725:264.

9604020428 Mod 8 to contract NRC-33-94-188.
IGLESIAS,D.A. Pulsar Data Systems, Inc. * Small Business Administration. MATTIA,M.J. Division of Contracts (Post 940714). 96/03/27. 2pp. 87725:251-87725:256.

--9604020433 Forwards prices reductions & part number change on CLIN 0420,0423 & 0424 & ancillary components 0219A & 0219B necessary for installation of CLIN 0219.Requests mod of delivery order 15 reflecting changes of ref CLINs.
WALSH,T. Pulsar Data Systems, Inc. 95/12/11. DUBOSE,B. Division of Contracts (Post 940714). 4pp. 87725:253-87725:256.

9604020437 Mod 11 to contract NRC-10-87-360.
LASKA,S. New Orleans, Univ. of, New Orleans, LA. WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/25. 3pp. 87725:257-87725:259.

9604030039 Ltr contract:mod 10 to task order 1 under contract NRC-33-92-203.
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1391. NRC-33-92-203. 96/03/25. HUTCHISON,M. Applied Management Systems, Inc. 2pp. 87736:357-87736:358.

9604030049 Ltr contract:mod 4 to task order 1 under contract NRC-33-93-182.
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1920. NRC-33-93-182. 96/03/25. BILGER,S. Data Computer Corp. of America. 2pp. 87722:201-87722:202.

9604030065 Mod 6 to contract NRC-03-95-035.
SANDERS,L. Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/22. 2pp. 87722:203-87722:204.

9604030149 Ltr contract,mod 1 to task order 80, "Millstone Engineering & License Insp," under contract NRC-03-93-026.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2062-6. NRC-03-93-026. 96/03/28. LOFY,R.A. PARAMETER, Inc. 5pp. 87722:076-87722:080.

9604030161 Mod 3 to contract NRC-09-94-202.
COS,D. Cox & Associates, P.C. WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/25. 2pp. 87722:205-87722:206.

9604030176 Mod 12 to NRC-10-87-357.
FORBUS,B. Dothan, AL. WIGGINS,E. Division of Contracts (Post 940714). FIN D-2416. 96/03/26. 3pp. 87722:207-87722:209.

9604030203 Ltr contract,mod 4 to task order 1 under contract.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-182. 96/03/27. BILGER,S. Data Computer Corp. of America. 2pp. 87722:187-87722:188.

9604030297 Mod 13 to contract NRC-10-87-437.
KEMPTON,J.D. Perry, OH. WIGGINS,E. Division of Contracts (Post 940714). FIN D-2416. 96/03/27. 3pp. 87736:353-87736:355.

9604030342 Mod 11 to contract NRC-10-87-442.
WHITE,J.W. La Crosse, WI. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/03/21. 3pp. 87737:169-87737:171.

9604030400 Mod 11 to contract NRC-10-87-444.
GJETTUM,P. Exeter, NH. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/03/21. 1p. 87722:200-87722:200.

9604040020 Ltr contract:mod 5 to task order 3 under contract NRC-33-93-182.
MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1920. NRC-33-93-182. 96/03/25. BILGER,S. Data Computer Corp. of America. 2pp. 87746:214-87746:215.

9604040105 Mod 22 to contract NRC-32-83-682.
FREDERICK,S. Washington, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2388. 96/03/21. 3pp. 87746:208-87746:210.

9604040241 Mod 20 to contract NRC-30-83-643.
STAAKE,J., ROBERTS,D. Missouri, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2376. 96/03/25. 3pp. 87746:249-87746:251.

9604040255 Mod 17 to contract NRC-28-83-609.
TUMINSKI,R.S. New Jersey, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2363. 96/03/20. 3pp. 87746:179-87746:181.

9604050066 Mod 6 to contract NRC-03-94-034.
* Small Business Administration. * . WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/03. 2pp. 87770:054-87770:055.

9604050076 Ltr contract:mod 1 to task order, "Technical Assistance in Providing Responses to Public Comments & Questions Re SF Dry Storage," under contract NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. 96/04/02. HOLT,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 87770:007-87770:008.

9604050085 Forwards mod 1 to contract NRC-10-96-158,providing incremental funding.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-96-158. 96/04/04. HOLLINGSWORTH . 2pp. 87770:105-87770:108.

--9604050088 Mod 1 to contract NRC-10-96-158.
HOLLINGSWORTH . WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/03. 2pp. 87770:107-87770:108.

9604050134 Mod 11 to NRC-31-92-241.
ROSALES,B. Small Business Administration. THOMPSON,R. US Robotech, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/03. 6pp. 87770:022-87770:027.

9604050161 Contract NRC-04-96-037, "Revision of Regulatory Guidance on Design Ground Motion," awarded to Risk Engineering,Inc.
MCGUIRE,R.K. Risk Engineering, Inc. MACE,M. Division of Contracts (Post 940714). FIN W-6248. 96/04/04. 48pp. 87774:306-87774:353.

9604050416 Ltr contract to task order 13 to NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-5073. 96/04/03. HOFT,N. Science & Engineering Associates, Inc. 6pp. 87770:044-87770:049.

9604050417 Mod 4 to contract NRC-04-93-114.
GUARRO,S. Advanced Systems Concepts Associates. MACE,M.H. Division of Contracts (Post 940714). 96/03/15. 2pp. 87770:050-87770:051.

9604050433 Mod 11 to contract NRC-10-87-358.
RIEHL,S.K. Wheeler Basin Regional Library, Decatur, AL. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/03/27. 3pp. 87770:003-87770:005.

9604050444 Ltr mod to task order 23, "Graded Quality Assurance Methodology Development" under NRC-03-93-036.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-036. 96/03/29. COLINA,I. Science & Engineering Associates, Inc. 9pp. 87762:351-87762:359.

9604080104 Mod 3 to contract NRC-04-94-047.
* Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 96/04/01. 2pp. 87771:051-87771:052.

9604080129 Ltr contract:mod 1 to task order 8 under contract NRC-03-93-032.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-93-032. 96/03/28. COLINA,I. Science & Engineering Associates, Inc. 2pp. 87807:141-87807:142.

9604080163 Contract NRC-26-96-266, "Geophysical Data & Weather Forecast Svc," awarded to AccuWeather,Inc.
MYERS,B.L. . MACE,M.H. Division of Contracts (Post 940714). FIN J-8217. 96/04/01. 36pp. 87779:257-87779:292.

9604090167 Forwards contract NRC-04-96-064, "Technical Assistance for New Thermal-Hydraulic Code Planning," Software Engineering.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-064. 96/04/04. DHILLON,H. California, Univ. of, Los Angeles, CA. 1p. 87808:013-87808:060.

--9604090186 Contract NRC-04-96-064, "Technical Assistance for New Thermal-Hydraulic Code Planning," Software Engineering, awarded to Univ of CA,Los Angeles.
* California, Univ. of, Los Angeles, CA. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6620. 96/04/04. 47pp. 87808:014-87808:060.

9604090173 Mod 18 to contract NRC-28-83-607.
* Pennsylvania, Commonwealth of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2361. 96/03/21. 3pp. 87810:139-87810:141.

9604090182 Mod 12 to contract NRC-10-87-441.
BENNETT,M. New York, State Univ. of, Oswego, NY. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/01. 3pp. 87810:142-87810:144.

9604090192 Mod 6 to contract NRC-02-94-002.
WESTBROOK,D. National Academy of Sciences. MEARSE,S.D. Division of Contracts (Post 940714). 96/04/01. 2pp. 87810:145-87810:146.

9604090198 Forwards contract NRC-04-96-065, "Technical Assistance for New Thermal-Hydraulic Code Planning," Data Base Distribution.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-065. 96/04/04. LIEBROCK,L.M. Affiliation Not Assigned. 1p. 87808:061-87808:108.

--9604090203 Contract NRC-04-96-065, "Technical Assistance for New Thermal-Hydraulic Code Planning," Data Base Distribution, awarded to Liebrock-Hicks Research.
* Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6621. 96/04/04. 47pp. 87808:062-87808:108.

9604090217 Forwards contract NRC-04-96-048, "Technical Assistance for New Thermal-Hydraulic Code Planning," Multi-Phase Flow.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-048. 96/04/04. RANSOM,V.H. Affiliation Not Assigned. 2pp. 87808:109-87808:157.

--9604090228 Contract NRC-04-96-048, "Technical Assistance for New Thermal-Hydraulic Code Planning," Multi-Phase Flow,awarded to VH Ransom Consulting.
* Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6619. 96/04/04. 47pp. 87808:111-87808:157.

9604090225 Forwards contract NRC-04-96-068, "Technical Assistance for New Thermal-Hydraulic Code Planning."
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-068. 96/04/04. BANERJEE,S. . 2pp. 87808:158-87808:207.

--9604090243 Contract NRC-04-96-068, "Technical Assistance for New Thermal-Hydraulic Code Planning," awarded to S Banerjee.
* . MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6624. 96/04/04. 48pp. 87808:160-87808:207.

9604090241 Forwards contract NRC-04-96-066, "Technical Assiatance for New Thermal-Hydraulic Code Planning," Computational Fluid Mechanics.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-066. 96/04/04. KARNIADAKIS,G. Brown Univ., Providence, RI. 2pp. 87808:208-87808:257.

9604090252 Contract NRC-04-96-066, "Technical Assistance for New Thermal-Hydraulic Code Planning," awarded to Brown Univ.
KARNIADAKIS,G. Brown Univ., Providence, RI. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6622. 96/04/17. 48pp. 88046:025-88046:072.

9604090259 Mod 12 to contract NRC-39-88-208."
SUGGS,W.L. Richland, WA. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/01. 3pp. 87808:357-87808:359.

9604090261 Notifies of closeout of contract NRC-33-83-465.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-33-83-465. 96/04/04. SMID,M. Commerce, Dept. of. 1p. 87810:138-87810:138.

9604090265 Forwards contract award NRC-04-96-070, "Technical Assistance for New Thermal-Hydraulic Code Planning" Applied Numerical Methods for review & signature. "Long Term Plan for NRC Thermal-Hydraulic Code Development," also encl for review.
MEARSE,S.D. Division of Contracts (Post 940714). 96/04/04. MAHAFFY,J. Affiliation Not Assigned. 2pp. 87808:258-87808:307.

9604090270 Contract NRC-04-96-070, "Technical Assistance for New Thermal-Hydraulics Code Planning," awarded to J Mahaffy.
MAHAFFY,J.H. Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6626. 96/04/07. 48pp. 87808:260-87808:307.

9604090285 Forwards contract NRC-04-96-067, "Technical Assistance for New Thermal-Hydraulic Code Planning" Space-Time Reactor Dynamics for review & signature. "Long-Term Plan for NRC Thermal-Hydraulic Code Development," encl for review.
MEARSE,S.D. Division of Contracts (Post 940714). NRC-04-96-067. 96/04/04. TURINSKY,P.J. Affiliation Not Assigned. 2pp. 87808:308-87808:356.

--9604090288 Contract NRC-04-96-067,awarded to PJ Turinsky.
TURINSKY,P.J. Affiliation Not Assigned. MEARSE,S.D Division of Contracts (Post 940714). FIN W-6623. 96/04/04. 47pp. 87808:310-87808:356.

9604090377 Forwards contract award NRC-04-96-069, "Technical Assistance for New Thermal-Hydraulic Code Planning," Fluid Dynamics for review & signature. "Long-Term Plan for NRC Thermal Hydraulic Code Development," also encl for review.
MEARSE,S.D. Division of Contracts (Post 940714). 96/04/04. ORZAG,S. Affiliation Not Assigned. 2pp. 87809:048-87809:097.

--9604090380 Contract NRC-04-96-069,awarded to SA Orszag.
ORSZAG,S.A. Affiliation Not Assigned. MEARSE,S.D. Division of Contracts (Post 940714). FIN W-6625. 96/04/04. 47pp. 87809:050-87809:097.

9604090404 "Extending Dynamic Flowgraph Methodology (DFM) to Model Human Performance & Team Effects."
MILICI,A., WU,J.S., HANLEY,G. ASCA, Inc. NRC-04-95-051. 96/02/29. NRC - No Detailed Affiliation Given. 102pp. 87809:151-87809:252.

9604100015 Mod 15 to contract NRC-31-86-330.
* Nebraska, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2386. 96/04/04. 3pp. 87838:358-87838:360.

9604100025 Mod 12 to contract NRC-10-87-451.
JESTER,V. Montesano, WA. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/02. 3pp. 87825:226-87825:228.

9604100046 Ltr contract,task order 14 to NRC-02-95-003.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. FIN J-5073. 96/04/05. HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). 4pp. 87847:131-87847:134.

9604100049 Mod 05 to contract NRC-02-95-003.
HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). WIGGINS,E.J. Division of Contracts (Post 940714). NRC-02-95-003. FIN J-5073. 96/04/05. 7pp. 87847:135-87847:141.

9604100052 Forwards fully executed contract NRC-04-93-058,Mod 6 for records.
MACE,M.H. Division of Contracts (Post 940714). NRC-04-93-058. 96/04/08. COHEN,S. S. Cohen & Associates, Inc. 2pp. 87847:142-87847:145.

--9604100056 Mod 6 to contract NRC-04-93-058.
COHEN,S. S. Cohen & Associates, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/08. 2pp. 87847:143-87847:145.

9604100058 Mod 17 to contract NRC-29-83-622.
DILLS,D. Tennessee, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2367. 96/03/06. 3pp. 87847:128-87847:130.

9604100062 Mod 11 to contract NRC-10-87-428.
MCFARLAND,J.E. Chattanooga, TN. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/02. 3pp. 87847:125-87847:127.

9604100132 Mod 6 to cotract NRC-10-95-149.
GUIDICE,W.J. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2370. FIN D-2374. 96/04/05. 5pp. 87835:342-87835:346.

9604100222 Contract NRC-33-96-194 awarded to Sytel,Inc.
GOLD,M. Small Business Administration. LEE,J.H. . MATTIA,M.J. Division of Contracts (Post 940714). FIN J-1004. 96/04/05. 643pp. 87853:001-87854:279.

9604100240 Mod 1 to contract NRC-17-96-001.
DUDGEON,R.A. Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/05. 4pp. 87824:346-87824:349.

9604100245 Mod 9 to contract NRC-10-94-144.
SIMS,F.L. Facilities Management Co., Inc., Lanham, MD. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/05. 6pp. 87824:350-87824:355.

9604100247 Mod 1 to contract NRC-04-96-043.
HEGARTY,J.M. . WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/19. 3pp. 87825:231-87825:233.

9604100254 Forwards executed copy of mod 20 to contract NRC-09-92-202.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-09-92-202. 96/04/10. WASHINGTON,G.K. Affiliation Not Assigned. 1p. 87824:356-87824:359.

--9604100256 Mod 20 to contract NRC-09-92-202.
WASHINGTON,G.K. Affiliation Not Assigned. FRANKLIN,E. Small Business Administration. WIGGINS,E.J. Division of Contracts (Post 940714). SBA-3-92-1-1941. 96/04/09. 3pp. 87824:357-87824:359.

9604100257 Mod 7 to contract NRC-26-92-269.
STEEG,C.J. Institute of Nuclear Power Operations. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/03. 2pp. 87825:229-87825:230.

9604120057 Contract NRC-04-96-039, "Health Physics Technical Assistance - Reactor & Matls," awarded to US Small Business Admin.
THURMOND,J. Small Business Administration. MACE,M.H. Division of Contracts (Post 940714). FIN W-6244. 96/03/22. 40pp. 87862:286-87862:325.

9604120137 Informs of closeout of NRC contract NRC-10-81-359.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-10-81-359. 96/04/08. MOWERY,E. Maxima Corp. 1p. 87858:350-87858:350.

9604120147 Informs of closeout of NRC contract NRC-33-90-179.Mod 21 to contract encl.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-33-90-179. 96/04/08. SAMPSON,G.M. J.C. Computer Services, Inc. (formerly J.C. Services). 1p. 87858:345-87858:347.

--9604120157 Mod 21 to contract NRC-33-90-179.
* Small Business Administration. * J.C. Computer Services, Inc. (formerly J.C. Services). WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/05. 2pp. 87858:346-87858:347.

9604160007 Ltr contract,mod 11 to task order 2 to contract NRC-33-93-186, "Unix Sys Support."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-186. FIN E-1000. 96/04/05. LIN,B. CEXEC, Inc. 2pp. 87898:297-87898:298.

9604160011 Ltr contract mod 9 to task order 1 to contract NRC-33-93-186 "Transmission/Internet Protocol (TCP/IP) Implementation."
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-186. FIN E-1000. 96/04/05. LIN,B. CEXEC, Inc. 2pp. 87898:299-87898:300.

9604160190 Mod 11 to contract NRC-10-87-361.
WUDZKI,J.J. Ocean County, NJ. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/08. 3pp. 87898:348-87898:350.

9604160195 Mod 2 to contract NRC-38-95-283.
BUTCHER,D. CommCore, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/12. 2pp. 87888:349-87888:350.

9604160202 Ltr contract:mod 17 to task order 3 under contract NRC-33-90-178.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. FIN L-1794. 96/04/05. LIN,B.T. CEXEC, Inc. 3pp. 87888:351-87888:353.

9604160204 Mod 8 to contract NRC-33-83-186.
LIN,B.T. Small Business Administration. LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/05. 2pp. 87898:356-87898:357.

9604160212 Mod 3 to contract NRC-33-94-176.
SMITH,D.I. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN D-1910. 96/02/28. 2pp. 87898:358-87898:359.

9604160218 Mod 27 to contract NRC-04-91-063.
MERCIER,I.M. Battelle Memorial Institute, Columbus Laboratories. MACE,M.H. Division of Contracts (Post 940714). 96/04/09. 18pp. 87898:324-87898:341.

9604160359 Mod 26 to contract NRC-33-90-178.
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/05. 2pp. 87894:141-87894:142.

9604160375 Mod 2 to contract NRC-04-93-106.
KAISER,R. Entropic Systems, Inc. MACE,M.H. Division of Contracts (Post 940714). 96/04/09. 5pp. 87894:144-87894:148.

9604160441 Mod 9 to task order 23, "Agency Upgrade of Technology for Office Sys Office Plans,Integration & Implementation," under contract NRC-33-90-178.
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1004. 96/04/05. 3pp. 87894:265-87894:267.

9604160453 Mod 12 to contract NRC-10-87-346,exercising optin year, extending period of performance by one addl yr,effective 960507-970506 & providing incremental funding in listed amount.
NICHOLS,R.D. St. Joseph, MO. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/08. 3pp. 87894:268-87894:270.

9604160458 Mod 2 to contract NRC-26-94-271,deleting attachment 1 billing instructions dtd 940913 under section J & replacing w/attached billing instructions dtd Mar 1996.
* Encore Computer Corp. MATTIA,M.J. Division of Contracts (Post 940714). NRC-26-94-271. 96/04/15. 4pp. 87894:271-87894:274.

9604170099 Ltr contract:mod 20 to task order 4, "Agency Upgrade of Technology for Ofc Sys (AUTOS) Ofc Plans,Integration & Implementation Network Mgt & Administration," under contract NRC-33-90-178.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-90-178. FIN L-1954. 96/04/05. LIN,B.T. CEXEC, Inc. 3pp. 87909:288-87909:290.

9604170107 Ltr contract,mod 1,task order 32 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Catawba NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-6. 96/03/13. SANDERS,L. Sonalysts, Inc. 4pp. 87909:291-87909:294.

9604170112 Ltr contract:mod 1,task order 34 to contract NRC-03-94-035, "Technical Assistance in Initial Exam for Turkey Point NPP."
WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2073-6. 96/03/16. SANDERS,L. Sonalysts, Inc. 4pp. 87909:295-87909:298.

9604170123 Informs contract NRC-33-86-291 expired on 871130 & Contract Closeouts will not be able to execute required final closing documents for contract.
EASTMAN,J.G. Division of Contracts (Post 940714). NRC-33-86-291. 96/04/12. Division of Contracts (Post 940714). 2pp. 87909:306-87909:307.

9604170127 Mod 5 to contract NRC-04-93-087.
LOWMAN,R.P. North Carolina, Univ. of, Chapel Hill, NC. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/09. 1p. 87909:308-87909:308.

9604170143 Mod 39 to task order 1 under contract NRC-33-90-178, "Agency Upgrade of Technology for Ofc Sys Overall & Task- Specific Project Plan & Mgt."
LIN,B.T. CEXEC, Inc. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/05. 3pp. 87909:336-87909:338.

9604170144 Mod 11 to contract NRC-10-87-443,exercising option yr, extending period of performance by 1 addl yr,effective 960327 to 970326 & providing incremental funding in listed amount.
HALL,K. Two Rivers, WI. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/10. 2pp. 87911:336-87911:337.

9604170156 Contract NRC-33-96-180, "Cellular Telephone Svc.," awarded to Cellular One.
BENNETT,P.J. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1049. 96/04/03. 27pp. 87911:229-87911:255.

9604170291 Mod 5 to contract NRC-33-95-188.
* Small Business Administration. * Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/15. 5pp. 87911:093-87911:096.

9604170296 Mod 5 to contract NRC-21-95-297.
GROSS,N.R. Neal R. Gross & Co., Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/10. 3pp. 87909:354-87909:356.

9604170300 Mod 7 to contract NRC-03-95-035.
* Sonalysts, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/12. 15pp. 87911:097-87911:111.

9604180393 Mod 12 to contract NRC-10-87-215.
BROWN,E. North Carolina, Univ. of, Wilmington, NC. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/09. 3pp. 87923:154-87923:156.

9604180403 Ltr contract:mod 1 to task order 4, "Analytical Support During Implementation of Resolution of BWR Strainer Blockage Issue," under contract NRC-04-95-047. MACE,M.H. Division of Contracts (Post 940714). NRC-04-95-047. FIN W-6325. 96/03/29. COLINA,I.R. Science & Engineering Associates, Inc. 6pp. 87923:157-87923:162.

9604180421 Contract NRC-10-96-142, "Support Svc for Automated Graphics Svc of NRC," awarded to Graphics Visions Associates,Inc.
GRAHAM,V.B. Small Business Administration. FOSNAUGHT,W. Graphics Visions Associates, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-1930. 96/04/10. 72pp. 87923:163-87923:234.

9604180454 Mod 6 to contract NRC-04-91-068.
KNIGHT,D.A. SCIENTECH, Inc. MACE,M. Division of Contracts (Post 940714). 96/04/15. 2pp. 87913:315-87913:317.

9604190017 Mod 85 to contract NRC-02-93-005.
* Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). FIN L-2516. FIN D-1070. 96/04/08. 15pp. 87923:304-87923:318.

9604190085 Ltr contract:mod 11 to task order 1,under contract NRC-33-93-194.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-194. FIN E-1010. 96/04/17. STARK,R. Global Management Systems, Inc. 2pp. 87942:255-87942:256.

9604190150 Submits closeout of contract NRC-04-91-061 & forwards mod 5 to contract which will obligate addl funding to coincide w/total payments requested & paid.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-91-061. 96/04/17. CORRADINI,M. Wisconsin, Univ. of, Madison, WI. 1p. 87923:355-87923:357.

-9604190154 Mod 5 to contract NRC-04-91-061.
CORRADINI,M. Wisconsin, Univ. of, Madison, WI. WIGGINS,E.J. Division of Contracts (Post 940714). 96/03/07. 2pp. 87923:356-87923:357.

9604190188 Submits closeout of contract NRC-03-94-032.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-94-032. 96/04/18. EYNON,R. Energy, Dept. of. 1p. 87923:358-87923:358.

9604190321 Mod 12 to contract NRC-39-88-172.
GLENNEN,R.E. Emporia State Univ., Emporia, KS. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/10. 3pp. 87923:351-87923:353.

9604190330 Mod 12 to contract NRC-04-92-037.
RODEHAN,T.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). 96/04/17. 18pp. 87926:193-87926:210.

9604220031 Forwards contract NRC-04-96-040, "RELAP/CONTAIN Linkage for ALWR Analysis."
MACE,M.H. Division of Contracts (Post 940714). NRC-04-96-040. 96/04/18. ITINGER,J.R. Pennsylvania State Univ., University Park, PA. 2pp. 87942:132-87942:179.

-9604220037 Contract NRC-04-96-040, "RELAP5/CONTAIN Linkage for AP600 Analysis," awarded to Pennsylvania State Univ.
KILLOUN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). 96/04/17. 46pp. 87942:134-87942:179.

9604220061 Mod 1 to contract NRC-10-96-150.
* . WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/18. 2pp. 87942:181-87942:182.

9604220099 Mod 1 to contract NRC-04-96-054.
KILLOREN,R. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). 96/04/12. 2pp. 87942:193-87942:194.

9604220145 Mod 19 to contract NRC-10-94-141.
GILCHRIST,J.R. Affiliation Not Assigned. FIELDS,J.A. Division of Contracts (Post 940714). 96/04/01. 2pp. 87933:320-87933:321.

9604220148 Mod 1 to contract NRC-38-96-282.
KING,W.L. Resolution Dynamics, Inc. WIGGINS,E.L. Division of Contracts (Post 940714). 96/04/18. 2pp. 87933:322-87933:323.

9604220230 Mod 5 to contract NRC-26-95-261.
EISENHUT,D.G. Halliburton NUS Environmental Corp. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-8269. 96/04/11. 3pp. 87942:217-87942:219.

9604220237 Mod 7 to contract NRC-26-95-261.
BALLENGER,C. . WIGGINS,E.J. Division of Contracts (Post 940714). FIN S-9107. 96/04/18. 2pp. 87942:220-87942:221.

9604220256 Mod 11 to contract NRC-04-92-040.
BARATTA,A.J. Pennsylvania State Univ., University Park, PA. MACE,M.H. Division of Contracts (Post 940714). 96/04/15. 11pp. 87942:222-87942:232.

9604230069 Mod 12 to contract NRC-10-87-334.
STEFFES,D.J. Morris, IL. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2416. 96/04/17. 3pp. 87971:161-87971:163.

9604230074 Ltr contract,mod 3 to task order 4 under contract NRC-33-93-225.
MATTIA,M.J. Division of Contracts (Post 940714). NRC-33-93-225. FIN B-8173. 96/04/18. COORS-BERRY,S. Adsytech, Inc. 2pp. 87971:164-87971:165.

9604230088 Mod 1 to contract NRC-10-95-151.
ECALONO,R. Photocraft Custom Lab, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). FIN D-2420. 96/04/15. 2pp. 87971:331-87971:332.

9604230184 Mod 20 to contract NRC-33-94-185.
CLARY,J.R. Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). 96/04/15. 6pp. 87971:346-87971:351.

9604240041 Mod 1 to contract NRC-04-95-043.
HANSON,K.L . MACE,M.H. Division of Freedom of Information & Publications Services (Post 940714). 96/04/19. 2pp. 87972:225-87972:226.

9604240053 Mod 1 to contract NRC-06-96-300.
* Small Business Administration. MUNOZ,M. . WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/17. 3pp. 88007:209-88007:211.

9604240068 Mod 3 to contract NRC-34-95-302.
ARMAJANI,B. Affiliation Not Assigned. HALMAN,E.L. Division of Freedom of Information & Publications Services (Post 940714). 96/03/20. 7pp. 87972:272-87972:278.

9604240222 Mod 1 to contract NRC-03-95-026.
* SCIENTECH, Inc. WEBBER,R.B. Division of Contracts (Post 940714). 96/04/17. 4pp. 87994:278-87994:281.

9604240254 Mod 6 to contract NRC-04-94-052.
DIMARZO,M. Maryland, Univ. of, College Park, MD. MACE,M.H. Division of Contracts (Post 940714). 96/04/23. 2pp. 87994:287-87994:288.

9604240256 Mod 15 to contract NRC-33-93-191.
KATHPAL,H. . MATTIA,M.J. Division of Contracts (Post 940714). 96/04/16. 3pp. 87994:289-87994:291.

9604240300 Mod 13 to contract NRC-04-94-053.
YOUNG,B.J. Science Applications International Corp. (formerly Science Applications, Inc.). MACE,M.H. Division of Contracts (Post 940714). FIN W-6089. FIN W-6358. 96/04/16. 20pp. 87994:310-87994:329.

9604240307 Informs of closeout of contract NRC-04-86-113.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-04-86-113. 96/04/23. ADAIR,C. Arizona, Univ. of, Tucson, AZ. 1p. 87994:330-87994:330.

9604240360 Mod 12 to contract NRC-10-87-362.
FOGG,E. Salem, NJ. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/18. 3pp. 88007:206-88007:208.

9604240364 Mod 12 to contract NRC-10-87-331.
LYON,D.A. York County, SC. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/17. 3pp. 88007:203-88007:205.

9604250089 Mod 1 to contract NRC-04-95-037.
BUDNITZ,R.J. Future Resources Associates, Inc. MACE,M.H. Division of Freedom of Information & Publications Services (Post 940714). 96/04/17. 7pp. 87997:348-87997:354.

9604250204 Mod 12 to contract NRC-10-87-447.
KILLIAN,R.M. Sacramento, CA. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/09. 3pp. 87998:207-87998:209.

9604250211 Mod 15 to contract NRC-10-93-133.
BAKER,L.J. . MATTIA,M.J. Division of Contracts (Post 940714). 96/04/17. 15pp. 87997:302-87997:316.

9604250393 Mod 9 to contract NRC-33-93-364.
LYERLY,R. . MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1050. 96/04/19. 5pp. 87998:200-87998:204.

9604250396 Mod 2 to contract NRC-04-96-043.
WIGGINS,E. Canberra Nuclear (formerly Nuclear Data, Inc.). HEGARTY,J. Division of Contracts (Post 940714). 96/04/17. 2pp. 87998:205-87998:206.

9604290019 Mod 2 to contract NRC-10-96-158.
* Affiliation Not Assigned. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/24. 4pp. 88036:230-88036:233.

9604290097 Mod 5 to NRC-04-94-081.
MACE,M.H. Atkinson-Noland & Associates. MACE,M.H. Division of Contracts (Post 940714). 96/04/17. 17pp. 88036:271-88036:287.

9604290182 Mod 3 to contract NRC-04-95-080.
TROWER,W.P. . MACE,M.H. Division of Contracts (Post 940714). 96/04/17. 6pp. 88036:345-88036:350.

9604290195 Mod 6 to contract NRC-38-94-281.
KAY,D.T. . WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/23. 2pp. 88036:343-88036:344.

9604300033 Mod 5 to contract NRC-10-93-130.
* Northwest Toxicology, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/26. 4pp. 88053:311-88053:314.

9604300100 Mod 16 to contract NRC-33-93-191.
* Affiliation Not Assigned. MATTIA,M.J. Division of Contracts (Post 940714). FIN E-1036. 96/04/29. 3pp. 88053:232-88053:234.

9604300118 Informs that requirements of Interagency Agreement NRC-06-76-247/FDA-224-76-6006 established under NRC-06-94-300/FDA-224-76-6006.Agreement NRC-06-76-247/FDA- 224-76-6006 officially closed.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-06-76-247. 96/04/25. HOPKINS,O.P. Health & Human Services, Dept. of. 1p. 88053:235-88053:235.

9604300153 Ltr contract,mod 3 to task order 204, "Shutdown Risk Support."
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-03-95-026. FIN J-2313. 96/04/26. KNIGHT,D. SCIENTECH, Inc. 2pp. 88053:308-88053:309.

9604300195 Mod 8 to contract NRC-10-92-168.
WISE,L. Tracor Technology Resources, Inc. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/26. 4pp. 88053:248-88053:251.

9604300215 Mod 88 to contract NRC-02-93-005.
* Southwest Research Institute. MEEHAN,B.D. Division of Contracts (Post 940714). FIN D-1035. 96/04/29. 4pp. 88053:252-88053:255.

9604300218 Ltr contract,task order 24 to mod 3 under NRC-02-90-009.
WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/24. HOFT,N. Science Applications International Corp. (formerly Science Applications, Inc.). 2pp. 88053:306-88053:307.

9604300243 Forwards mod 5 to Grant NRC-G-04-91-359.
WIGGINS,E.J. Division of Contracts (Post 940714). NRC-G-04-91-359. 96/04/19. CRAWFORD,C.A. Pittsburgh, Univ. of, Pittsburgh, PA. 2pp. 88053:303-88053:305.

--9604300252 Mod 5 to grant NRC-G-04-91-359.
CROUCH,M.M. Pittsburgh, Univ. of, Pittsburgh, PA. WIGGINS,E.J. Division of Contracts (Post 940714). 96/04/18. 1p. 88053:305-88053:305.

9604300253 Informs all actions have been completed upon reviewal of NRCG-02-87-007 grant file.Payment in listed amount,has been accomplished & all obligations met.
WIGGINS,E.J. Division of Contracts (Post 940714). NRCG-02-87-007. 96/04/26. Arizona, Univ. of, Tucson, AZ. 1p. 88053:261-88053:261.

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

9604180027 Forwards AO Rept 50-219/74/12.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180035 Requests supplemental radiation exposure info consistent w/Regulatory position for CY73.Submittal due within 60 days.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/20. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

9604230046 Informs that corrective & preventive actions documented in response.Actions will by examined during subsequent insp of licensed program.
BRUNNER,E.J. Region I, IE (720101-810228). 75/11/28. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604240258 Forwards Abnormal Ocurrence Rept 50-219/74-28 in compliance w/paragragh 6.6.2 a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/26. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

9604300232 Application for license,authorizing Co-60 to be used as calibr source & source for known energy gamma rays for gamma ray spectroscopy.
BLANCHARD,A. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 57/03/05. 6pp. 88099:065-88099:070.

--9604300240 "Procedures for Handling & Storing of Radioactive Sources in Engineering."
DEWAN,J.T. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 58/12/19. 4pp. 88099:082-88099:085.

--9604300257 Application for amend,renewing license 42-00090-04.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 12. 61/01/18. 4pp. 88099:103-88099:106.

--9604300271 Amend 10 to license 06-00807-02,authorizing expiration date in Item 4 to be changed to 720831.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/08/10. 1p. 88099:162-88099:164.

--9604300295 "Operating Guide for Safe Use of Neutron Generator Tubes."
FRENTROP,A.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/05/18. 8pp. 88099:190-88099:197.

--9604300358 Insp rept conducted on 571217.Noncompliance noted.Major areas inspected:records,organization & program,procurement & inventory,facilities,storage & instrumentation.
* Atomic Energy Commission (Pre 750119). 57/12/17. 6pp. 88099:314-88099:321.

--9604300387 Application for license 42-00090-01,authorizing export of Po-210 sources.
PLATTER,H.L. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 56/12/21. 4pp. 88099:358-88099:361.

--9604300232 Application for license,authorizing Co-60 to be used as calibr source & source for known energy gamma rays for gamma ray spectroscopy.
BLANCHARD,A. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 57/03/05. 6pp. 88099:065-88099:070.

--9604300240 "Procedures for Handling & Storing of Radioactive Sources in Engineering."
DEWAN,J.T. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 58/12/19. 4pp. 88099:082-88099:085.

--9604300257 Application for amend,renewing license 42-00090-04.
* Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 12. 61/01/18. 4pp. 88099:103-88099:106.

--9604300271 Amend 10 to license 06-00807-02,authorizing expiration date in Item 4 to be changed to 720831.
BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 67/08/10. 1p. 88099:162-88099:164.

--9604300295 "Operating Guide for Safe Use of Neutron Generator Tubes."
FRENTROP,A.H. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 62/05/18. 8pp. 88099:190-88099:197.

--9604300358 Insp rept conducted on 571217.Noncompliance noted.Major areas inspected:records,organization & program,procurement & inventory,facilities,storage & instrumentation.
* Atomic Energy Commission (Pre 750119). 57/12/17. 6pp. 88099:314-88099:321.

--9604300387 Application for license 42-00090-01,authorizing export of Po-210 sources.
PLATTER,H.L. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 56/12/21. 4pp. 88099:358-88099:361.

9603280129 Partially withheld ltr which provides info to support financial test to demonstrate financial assurance.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:014-87694:015.

--9603280140 Partially withheld ltr which forwards info to support financial assurance for decommissioning activities.
BLUE,J.N. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 90/07/25. Office of Nuclear Material Safety & Safeguards. 10pp. 87694:016-87694:018.

--9603290113 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70.
JONES,J.E. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). NRCLTR. 95/03/30. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:045-87694:058.

--9603290161 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,per 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 301/C21. 92/03/26. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:064-87694:068.

--9603290242 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 266/141. 93/03/26. Office of Nuclear Material Safety & Safeguards. 4pp. 87694:096-87694:099.

--9603290245 Partially withheld ltr supporting firm use of financial test to demonstrate financial assurance,as specified in 10CFR50 & 70 for decommissioning of listed company-owned facilities.
KEMP,M.D. General Atomics (formerly GA Technologies, Inc./General Atomic Co.). 266/141. 94/03/25. Office of Nuclear Material Safety & Safeguards. 2pp. 87694:100-87694:101.

9604010053 FOIA request for insp repts,violations,citations & fines given to Zion Nuclear Power Plant in Zion,IL by NRC from 930301-941001.
SMITH,M.G. Affiliation Not Assigned. 96/02/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87694:134-87694:134.

9604010062 First partial & final response to FOIA request for records. App A records encl & being made available in PDR.Records already available in PDR noted on encl computer printout.App B records partially withheld (ref Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/28. SMITH,M.G. Affiliation Not Assigned. 21pp. 87694:135-87694:214.

--9604010083 Investigation rept 3-93-037R.Violation noted.Major areas investigated:alleged deliberate mati false statement re design basis of Zion Generating Station.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 94/08/15. 32pp. 87694:156-87694:187.

--9604010088 Investigation rept 3-94-041 on 940502 re alleged termination of employment for contacting NRC re ALARA concerns.Case administratively closed out on 940920,based on alleger failure to cooperate.
DEVITTO,R.L., PAWLIK,E.T. Region 3 (Post 820201). 94/12/16. 9pp. 87694:188-87694:196.

--9604010093 Investigation rept 3-94-066 on 941201 re alleged employment discrimination.Case closed on 950310,based on unsuccessful attempts to interview alleger.
WALKER,H.G., PAWLIK,E.T. Region 3 (Post 820201). 95/05/02. 9pp. 87694:197-87694:205.

--9604010099 Partially withheld investigation rept 3-94-066 on 941201.No discrepancies noted.Major areas investigated:alleged deliberate violation of security procedures & falsification of records.
ULIE,J.M., PAWLIK,E.T. Region 3 (Post 820201). 95/02/03. 9pp. 87694:206-87694:214.

9604010113 FOIA request for records re contamination of Watts Bar Lake.
YOUNG,F. Affiliation Not Assigned. 96/02/22. LEE,J. . 1p. 87708:214-87708:214.

9604010118 Final response to FOIA request for records.No agency records subj to request located.Page from NUREG-0498,Suppl 1 that may be of interest encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/26. YOUNG,F. Affiliation Not Assigned. 3pp. 87708:215-87708:218.

9604010140 FOIA request for records re nuclear power plants that have melted down.
SMITH,N. Affiliation Not Assigned. 96/02/06. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87694:102-87694:102.

9604010150 Final response to FOIA request for records.App A & B records available in PDR.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/03/27. SMITH,N. Affiliation Not Assigned. 3pp. 87694:103-87694:106.

9604010234 FOIA request for licenses in Willoughby-Eastlake svc area in zip codes 44094 & 44095.
PEREZ,R.J. Ohio, State of. 96/02/28. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87694:107-87694:107.

9604010237 First partial response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/26. PEREZ,R.J. Ohio, State of. 2pp. 87694:108-87694:133.

9604020007 FOIA request for records re WPL Holdings,Inc,IES Industries, Inc & Interstate Power Co.
NELSON,E.C. Affiliation Not Assigned. 96/03/12. KAMMERER,C. NRC - No Detailed Affiliation Given. 1p. 87801:045-87801:045.

9604020009 Final response to FOIA request for records.App A records available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/25. NELSON,E.C. Affiliation Not Assigned. 2pp. 87801:046-87801:047.

9604030061 Second final response to FOIA request for documents.Records in App B being made available in PDR.Records in App C already available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/27. FLEMING,J. Affiliation Not Assigned. 23pp. 87801:001-87801:044.

9604040023 Requests that any future correspondence from NRC re FOIA Request 95-417 be sent to listed new address.
SHEEHAN,N.A. Affiliation Not Assigned. 96/01/23. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87860:001-87860:002.

9604040027 Second partial final response to FOIA request for records. App G records encl & being made available in PDR.App H records partially withheld (ref Exemption 4).
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. SHEEHAN,N.A. Affiliation Not Assigned. 13pp. 87860:003-87860:288.

-9604040032 Notifies of closure of Allegation RI-94-A-0185 file, alleging that GET instructor passes people that should not pass.
VITO,D.J. Region 1 (Post 820201). 95/10/10. Region 1 (Post 820201). 2pp. 87860:016-87860:020.

-9604040038 Forwards EA Request Form 95-218 re passing two individuals who had not passed GET exam.
HOLODY,D.J. Region 1 (Post 820201). 95/09/27. Region 1 (Post 820201). 2pp. 87860:021-87860:022.

-9604040042 Forwards comments on allegations that GET tests changed such that two students passed after receiving failing grades at plant.
BEALL,J. Ofc of Enforcement (Post 870413). 95/09/26. HOLODY,D. NRC - No Detailed Affiliation Given. 3pp. 87860:023-87860:025.

-9604040044 Discusses closeout of Allegation RI-94-A-0185,as documented in 941228 memo documenting that records falsified.
VITO,D. NRC - No Detailed Affiliation Given. 95/08/31. NRC - No Detailed Affiliation Given. 1p. 87860:026-87860:026.

-9604040046 Ack receipt of 950705 ltr responding to NRC 950606 request on alleged chilling effects at plant.
DURR,J.P. Region 1 (Post 820201). 95/08/16. BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. 2pp. 87860:027-87860:032.

-9604040049 Requests info on repts noted on attached e-mail re Allegation RI-93-A-0224.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/07/17. NRC - No Detailed Affiliation Given. 1p. 87860:033-87860:033.

-9604040057 Informs that unresolved item opened in insp rept 50-219/95-11 on issue re Allegation RI-93-A-0224 closed.
BEARDSLEE,C.D. NRC - No Detailed Affiliation Given. 95/07/10. NRC - No Detailed Affiliation Given. 1p. 87860:034-87860:034.

-9604040067 Discusses T Sensue 950706 telcon request for extension until 950811 from 950711 due date re security issues noted in Allegation RI-95-A-0026.
ROGGE,J.F. NRC - No Detailed Affiliation Given. 95/07/07. CONNER,M. NRC - No Detailed Affiliation Given. 1p. 87860:035-87860:035.

-9604040071 Responds to NRC 950606 ltr detailing incident whereby util maint foreman at plant allegedly told employee that employee could not talk to NRC about concerns re work effectiveness & job-preplanning.
BARTON,J.J. General Public Utilities Corp. - GPU Service Corp. C321-95-2185. 95/07/05. Region 1 (Post 820201). 3pp. 87860:036-87860:038.

-9604040073 Forwards GPUN 950615 memo to plant personnel re-emphasizing that personnel may communicate nuclear safety concerns w/o fear of retribution.
BRIGGS,L. NRC - No Detailed Affiliation Given. 95/06/22. ROGGE,J. NRC - No Detailed Affiliation Given. 3pp. 87860:039-87860:045.

-9604040080 Forwards EA Request Form 95-106 re chilling effect ltr.
HOLODY,D.J. NRC - No Detailed Affiliation Given. 95/05/31. LANDRON,D. NRC - No Detailed Affiliation Given. 2pp. 87860:046-87860:047.

-9604040083 Forwards draft chilling effect ltr for plant.W/o encl.
CONNER,E.L. NRC - No Detailed Affiliation Given. 95/05/22. CAMPION,M.J. NRC - No Detailed Affiliation Given. 2pp. 87860:048-87860:049.

-9604040089 Recommends that Allegation RI-95-A-0044 file re continuous fire watch duty for A-B battery room being performed by security guards,discussed during insp 50-219/95-06,in Section 4.3,fire watch activities be closed.
CONNER,M. NRC - No Detailed Affiliation Given. 95/05/04. ROGGE,J.F. NRC - No Detailed Affiliation Given. 5pp. 87860:050-87860:054.

-9604040093 Discusses whether to cite util inadequate training violation concerning allegation re cheating (altering answers) on GET exam & instructor passing individual on exam that failed.
SMITH,K.D. NRC - No Detailed Affiliation Given. 95/04/03. VITO,D.J. NRC - No Detailed Affiliation Given. 4pp. 87860:055-87860:058.

-9604040096 Discusses Allegation RI-95-A-0026 re security issues at plant.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/03/27. ROGGE,J. NRC - No Detailed Affiliation Given. 32pp. 87860:059-87860:090.

-9604040099 Discusses Allegation Panel schedule for 950208,Rev 1-R re Allegation RI-95-A-0026A.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/02/08. ROGGE,J. NRC - No Detailed Affiliation Given. 1p. 87860:091-87860:091.

-9604040101 Discusses Allegation Panel schedule for 950208,Rev 1-R & requests review of previous allegations at plant.
ROGGE,J.F. NRC - No Detailed Affiliation Given. 95/02/07. VITO,D. NRC - No Detailed Affiliation Given. 1p. 87860:092-87860:092.

-9604040199 Informs that G Smith & D Limroth will support J Lee discussion on plant security issue during meeting on 950126.
VITO,D.J. NRC - No Detailed Affiliation Given. 95/01/24. LEE,J. NRC - No Detailed Affiliation Given. 1p. 87860:093-87860:093.

-9604040203 Informs that D Limroth & GC Smith will be available for meeting re plant.
SMITH,G.C. NRC - No Detailed Affiliation Given. 95/01/23. VITO,D. NRC - No Detailed Affiliation Given. 1p. 87860:094-87860:097.

-9604040209 Informs that no further action intended on part of staff in matter of Allegation RI-94-A-0185 re improper instructor assistance & post alteration of test answer sheets during administration of GET for site access.
DURR,J. NRC - No Detailed Affiliation Given. 94/12/28. VITO,D. NRC - No Detailed Affiliation Given. 8pp. 87860:098-87860:105.

-9604040215 Recommends closure of Allegation RI-93-A-0013,stating that security guard did not make required two-hour tour of vital area & that alleged failure not reported to NRC,based on listed info.
MCCABE,E.C. NRC - No Detailed Affiliation Given. 93/11/29. VITO,D. NRC - No Detailed Affiliation Given. 2pp. 87860:106-87860:107.

-9604040220 Informs of closeout of Allegation RI-93-A-0134 re individual being asked to install shielding on recirculation pumps in drywell during 14R at plant w/o using respirator.
ROGGE,J. Region 1 (Post 820201). 93/11/16. Region 1 (Post 820201). 1p. 87860:108-87860:108.

-9604040222 Informs of OI decision not to pursue Allegation RI-93-A-224 (alleged warehouse break-in & FFD).
BANERJEE,M. NRC - No Detailed Affiliation Given. 93/11/10. VITO,D. NRC - No Detailed Affiliation Given. 4pp. 87860:109-87860:112.

-9604040229 Requests file be checked to see if FEMA referral made re Allegation RI-93-A-0123.Item ready for closure.Bridge repaired & back in svc & concern should be considered resolved.
ROGGE,J.F. Region 1 (Post 820201). 93/09/29. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 4pp. 87860:113-87860:116.

-9604040238 Informs that anonymous individual called on 930814 to reiterate concern noted in subj allegation.Individual said he would refer issue to union type at Catalytic.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/09/16. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 5pp. 87860:117-87860:121.

-9604040242 Informs of attempt to call individual on 930729 re Allegation RI-92-A-0247.Phone disconnected w/no forwarding info.Suggests ltr be sent to individual last address,saying that info could not be verified.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/07/30. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 1p. 87860:122-87860:122.

-9604040250 Informs that no further actions required for anonymous Allegation RI-93-A-0085,received on 930419,alleging knowledge of licensed operator recently convicted of 3rd offense DWI & allegation closed.
FUHRMEISTER,R. Region 1 (Post 820201). 93/07/27. Region 1 (Post 820201). 5pp. 87860:123-87860:127.

-9604050087 Discusses 930625 visit to const site re relocated bridge for Lacey Road.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/06/25. ROGGE,J. NRC - No Detailed Affiliation Given. 5pp. 87860:128-87860:132.

-9604050089 Forwards ALARA section of plant rept re (RI-93-A-0079).
ECKERT,L.L. NRC - No Detailed Affiliation Given. 93/05/14. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 4pp. 87860:133-87860:136.

-9604050096 Proposes closure of allegation.
ROGGE,J. Region 1 (Post 820201). 93/05/03. BETTENHAUSEN,L., FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 6pp. 87860:137-87860:142.

-9604050111 Forwards results of further investigation of Allegation RI-93-A-0040 plant snubber testing.
VITO,D.J. NRC - No Detailed Affiliation Given. 93/03/24. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 2pp. 87860:143-87860:144.

-9604050117 Notifies of closure of Allegation RI-92-A-0181,received on 920909 that bridge on Deerhead Lake Drive out of svc for several months.No response to alleger appropriate,based on anonymous nature of allegation.
FUHRMEISTER,R. Region 1 (Post 820201). 93/03/23. Region 1 (Post 820201). 3pp. 87860:145-87860:147.

-9604050118 Notifies of closure of Allegation RI-92-A-0050 concerning staff suspected wrongdoing re industry-wide issue of equipment operator log falsification at plant,based on listed info.
FUHRMEISTER,R. Region 1 (Post 820201). 93/03/04. Region 3 (Post 820201). 3pp. 87860:148-87860:160.

-9604050124 Lists info re plant allegations staff directed to follow-up during 930104-08 FRPS outage insp (NRC Insp 50-219/93-01).
ECKERT,L.L. NRC - No Detailed Affiliation Given. 93/02/11. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 17pp. 87860:161-87860:177.

-9604080040 Informs that no further actions required re Allegation File RI-92-A-0181 concerning plant & matter closed.
VITO,D. NRC - No Detailed Affiliation Given. 92/10/15. NRC - No Detailed Affiliation Given. 11pp. 87860:178-87860:188.

-9604080047 Summarizes 920403 telcon w/S Levin/J Barton re status of investigations into alleged falsification of completion of PMs by site services supervisors.No indication of falsification found.
RULAND,W.H. NRC - No Detailed Affiliation Given. 92/04/07. NRC - No Detailed Affiliation Given. 5pp. 87860:189-87860:193.

-9604080055 Notifies of allegation received from INPO on 920305, suggesting that plant equipment operators signing off on "rounds" sheet that certain tasks performed,that had not been performed.
WENZINGER,E. NRC - No Detailed Affiliation Given. 92/03/13. FUHRMEISTER,R. NRC - No Detailed Affiliation Given. 1p. 87860:194-87860:199.

-9604080062 Notifies of closure of Allegation RI-91-A-0255 received on 910927,that plant security guard observed having seizure & has history of seizures.No response to alleger appropriate, based on anonymous nature of allegation.
FUHRMEISTER,R. Region 1 (Post 820201). 92/01/02. Region 1 (Post 820201). 2pp. 87860:200-87860:201.

-9604080069 Recommends closure of Allegation RI-91-A-0255,received on 910927,that armed security officer at plant had history of having seizures & observed having seizures.
SMITH,G.C. Region 1 (Post 820201). 91/10/04. FUHRMEISTER,R. Region 1 (Post 820201). 4pp. 87860:202-87860:228.

-9604080071 Notifies of closure of Allegation RI-91-A-0195,expressing concern that recent wash out of Route 9 bridge,north of plant,would effect site emergency evacuation plan.
RULAND,W.H. Region 1 (Post 820201). 91/08/30. FUHRMEISTER,R. Region 1 (Post 820201). 4pp. 87860:229-87860:232.

-9604080078 Notifies of call received from anonymous individual re getting bridge fixed & effect bridge being out had on site evacuation ability.
NAKOSKI,J. NRC - No Detailed Affiliation Given. 91/07/15. HARRIS,P. NRC - No Detailed Affiliation Given. 6pp. 87860:233-87860:239.

-9604080081 Discusses 910513 telcon w/alleger re Allegation RI-91-A-0078 concerning harassment & intimidation claim against Catalytic,GPUN contractor at plant.
HARRIS,P.W. Region 1 (Post 820201). 91/05/14. MOORE,M. Region 1 (Post 820201). 8pp. 87860:240-87860:247.

-9604080111 Notifies of closure of Allegation RI-91-A-0008 at TMI/Oyster Creek.Allegation determined to be unsubstantiated.
RULAND,W.H. Region 1 (Post 820201). 91/03/12. Region 1 (Post 820201). 1p. 87860:248-87860:248.

-9604080115 Discusses allegation re util public info plan.
AMATO,C. NRC - No Detailed Affiliation Given. 91/03/12. NRC - No Detailed Affiliation Given. 3pp. 87860:249-87860:251.

-9604090021 Ack receipt of 900928 ltr informing NRC of results of investigation re allegation RI-90-A-0024.Allegation closed.
WENZINGER,E.C. Region 1 (Post 820201). 90/11/27. FITZPATRICK,E. General Public Utilities Corp. - GPU Service Corp. 1p. 87860:252-87860:252.

-9604090033 Provides evaluation of potential violation(s) to attempt to reclose Allegation File RI-94-A-0185 re improper instructor & post alteration of test answer sheets during GET & repository protection exams for plant site access.
DURR,J. Region 1 (Post 820201). 95/08/30. VITO,D. Region 1 (Post 820201). 29pp. 87860:253-87860:281.

-9604090038 Forwards items on agenda for ARB discussion on 941213 re plant security issue.W/o encl.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 94/12/12. CUNNINGHAM,L., LEE,R. Office of Nuclear Reactor Regulation (Post 941001). GALLOW,A. Ofc of Investigations (Post 880201). 1p. 87860:282-87860:282.

-9604090048 Inform of package to be delivered on 950124 re plant security issues.Advises that ARB meeting 950126 & requests arrangements be made for Region I participation.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/23. VITO,D.J. Region 1 (Post 820201). 1p. 87860:283-87860:283.

-9604090052 Informs of bridge number for NRR ARB meeting on 950126.
LEE,J. Office of Nuclear Reactor Regulation (Post 941001). 95/01/25. SMITH,G.C., LIMROTH,D. Region 1 (Post 820201). 1p. 87860:284-87860:288.

9604040086 Third final response to FOIA requests for documents.Records in App D will be made available in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/14. DEKOK,D. Affiliation Not Assigned. 6pp. 87815:001-87815:246.

-9604040091 Application for amend to W license SNM-38,for allocation of 3,385 lbs of UF6 gas for Saxton Reactor Project.
AMTSBERG,H.C. Westinghouse Electric Corp. 60/10/06. PRICE,H.L. Atomic Energy Commission (Pre 750119). 6pp. 87815:010-87815:013.

-9604040094 Forwards W revised request for fuel allocation for Saxton Reactor project.Original application dtd 601006,did not provide for spare assemblies & revised data provides for assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 60/10/20. PRICE,H.L. Atomic Energy Commission (Pre 750119). 4pp. 87815:014-87815:017.

-9604040097 Application for amend to W license SNM-38,to receive,store & fabricate SNM for Saxton Reactor Project into finished fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/03/13. PRICE,H.L. Atomic Energy Commission (Pre 750119). 22pp. 87815:018-87815:039.

-9604040098 Application for amend to W license SNM-38,for approval of proposed shipping procedures for Saxton Reactor Fuel Assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/04/18. PRICE,H.L. Atomic Energy Commission (Pre 750119). 22pp. 87815:040-87815:065.

-9604040103 Provides supplemental info to request for amend to W license SNM-38,dtd 910313,per 10CFR70.22.
AMTSBERG,H.C. Westinghouse Electric Corp. 91/04/18. PRICE,H.L. NRC - No Detailed Affiliation Given. 2pp. 87815:066-87815:067.

-9604040104 "Saxton Reactor Storage Procedures." for W.W/eight oversize drawings.
* Westinghouse Electric Corp. 61/04/18. 3pp. 87815:068-87815:071.

-9604050047 Application for W license,authorizing approval of proposed shipping procedures for Saxton Reactor Fuel followers & 3x3 instrumented fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/05/03. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 8pp. 87815:072-87815:079.

-9604050060 Application for W license,authorizing 5 kg of contained U-235 to be used in any chemical & physical form for & in performance of analytical determination.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/05/05. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 29pp. 87815:080-87815:108.

-9604050072 Submits ltr as result of discussion between French,Campbell & Tschiegg w/Delaney & Eister on 611009.
AMTSBERG,H.C. Westinghouse Electric Corp. 61/11/17. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 6pp. 87815:109-87815:114.

-9604050084 Informs of intent to ship 5 control rod followers containing 90 fuel rods instead of 4 control rod followers & assemblies containing 90 fuel tubes on one truck load.
AMTSBERG,H.C., LUNDBERG,A.P. Westinghouse Electric Corp. 61/12/26. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:115-87815:116.

-9604050097 Forwards application for ML for Saxton Nuclear Experimental Corp.
REES,D.R. Saxton Nuclear Experimental Corp. 62/03/30. Atomic Energy Commission (Pre 750119). 1p. 87815:117-87815:117.

-9604050102 Application for amend to W license SNM-38,to use any or all chemical & physical forms of Po-Be & Co-60 up to 100 mc & up to 500 mc total of all by-product activities in item for instrument calibr & testing.
* Saxton Nuclear Experimental Corp. 62/03/30. Atomic Energy Commission (Pre 750119). 21pp. 87815:118-87815:138.

-9604050105 Requests license be amended if Co-60 source not automatically included under Item 6B of by-product license.
REES,D.R. Saxton Nuclear Experimental Corp. 62/05/14. BRINKMAN,R.E. Atomic Energy Commission (Pre 750119). 1p. 87815:139-87815:139.

-9604050110 Application for amend to W license SNM-38,requesting 10 kg of U-235 as UO2,enriched to no greater than 10 w/o,U-235 content to be used in fabrication of fuel element assemblies & sub-assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/06/08. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 11pp. 87815:140-87815:150.

-9604050115 Submits addl info for review & approval re 620723 application for amend to license SNM-38,dtd 620608.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/07/26. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:151-87815:152.

-9604050148 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/04/20. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:153-87815:154.

-9604050157 Forwards supplementary info as result of series of telcons involving C Luke of AEC,RG Campbell & RJ French of W & particulary telegram sent to W by DLR dtd 620813.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/09/28. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 3pp. 87815:155-87815:157.

-9604050166 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
JOHNSON,W.E. Westinghouse Electric Corp. 62/10/08. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:158-87815:159.

-9604050170 Application for amend to W license SNM-38,authorizing receipt,storage & fabrication of listed SNM into fuel element assemblies for Saxton Superheat Experiments.
AMTSBERG,H.C. Westinghouse Electric Corp. 62/12/03. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 11pp. 87815:160-87815:170.

-9604050171 Submits allocation of SNM to be processed & fabricated into fuel rods for Saxton Superheat fuel assemblies.
AMTSBERG,H.C. Westinghouse Electric Corp. 63/01/18. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 2pp. 87815:171-87815:172.

-9604050173 Application for amend to W license SNM-38,to provide for shipment of Saxton 9x9 fuel assemblies between Pittsburgh & reactor site.
AMTSBERG,H.C. Westinghouse Electric Corp. 63/11/18. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:173-87815:174.

-9604050177 Application for amend to license to incorporate listed additions.
LAYMAN,W.H. Saxton Nuclear Experimental Corp. 65/09/10. Atomic Energy Commission (Pre 750119). 2pp. 87815:175-87815:176.

-9604050197 Application for amend to License 37-08343-01,to incorporate listed elements.
MONTGOMERY,C.R. Saxton Nuclear Experimental Corp. 68/06/12. Atomic Energy Commission (Pre 750119). 2pp. 87815:177-87815:178.

-9604050198 Application for amend to License SNM-914,to include 5 curie Plutonium-Beryllium source.
MONTGOMERY,C.R. Saxton Nuclear Experimental Corp. 68/07/09. LAYFIELD,R.L. Atomic Energy Commission (Pre 750119). 6pp. 87815:179-87815:184.

-9604050203 Informs info submitted by W appears satisfactory from radiological safety standpoint.
BARKER,R.F. Atomic Energy Commission (Pre 750119). 61/04/07. DELANEY,J. Atomic Energy Commission (Pre 750119). 4pp. 87815:185-87815:188.

-9604050303 Submits info for consideration re discussion pertaining to transmitting info from W to AEC.
EISTER,W.K. Atomic Energy Commission (Pre 750119). 61/11/20. Atomic Energy Commission (Pre 750119). 2pp. 87815:189-87815:190.

-9604050310 Recommends permission to ship 5 fuel followers instead of 4 fuel followers & 2 instrument fuel elements be approved. Request to extend Saxton shipping date to 610301,also recommended for approval.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 61/12/29. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:191-87815:191.

-9604050320 Forwards NOV to license SNM-38.Recommends situation for violation of Section 26.203(f)(10 & (f)(4) re waste can containing contaminated wipes was not labeled.
CUNNINGHAM,R.E. NRC - No Detailed Affiliation Given. 92/05/23. LUBINSKI,L. NRC - No Detailed Affiliation Given. 1p. 87815:192-87815:192.

-9604050332 Provides clarification to memo dtd 620405 re compliance insp rept for W docket numbers 70-043 & 70-101.
DUBINSKI,L. Atomic Energy Commission (Pre 750119). 62/04/25. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 87815:193-87815:193.

-9604050337 Requests insp specify exactly why procedure not adequate for safety so appropriate changes can be made in license SNM-38.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/04/05. DUBINSKI,L Atomic Energy Commission (Pre 750119). 1p. 87815:194-87815:194.

--9604050363 Discusses insp rept for W re dockets 70-043 & 70-101. Recommends that licensee modify license procedures through licensing amend route.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/05/27. CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 1p. 87815:195-87815:195.

--9604050367 Forwards insp rept of licenses SNM-38 & SNM-87 for review of licensee criticality safety program.
CUNNINGHAM,R.E. Atomic Energy Commission (Pre 750119). 62/03/12. LUKE,C. Atomic Energy Commission (Pre 750119). 1p. 87815:196-87815:196.

--9604050375 Forwards reinspection rept involving noncompliance in which rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/any radiation caution sign re insp of licenses SNM-38,SNM-87 & SMB-152.
KIRKMAN,R.W. Atomic Energy Commission (Pre 750119). 61/10/19. LOWENSTEIN,R. Atomic Energy Commission (Pre 750119). 3pp. 87815:197-87815:199.

--9604050400 Safety insp on 610801-02 of licenses SNM-38,SNM-87 & SMB-152.Noncompliance noted:rear entrance to High Bay Production Area & storage vaults within High Bay Area had not been posted w/radiation caution sign & sym.
KLEVIN,P.B. Atomic Energy Commission (Pre 750119). * Westinghouse Electric Corp. 61/10/13. 22pp. 87815:200-87815:222.

--9604050414 Discusses W 620608 application for amend to license SNM-38. Recommends approval of subj application for receipt & use of 10 kgs of U-235.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 62/07/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:223-87815:226.

--9604050418 Requests addl info to complete evaluation of application dtd 621203.Suggests communication to W incorporate listed info.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 63/02/05. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 2pp. 87815:227-87815:228.

--9604050421 Requests authorization to ship one 9x9 stainless steel clad ballow Saxton special assembly containing 2.018 kg U-235.Recommends approval of application dtd 631118 to ship assembly between Forest Hills site.
LUKE,C.D. Atomic Energy Commission (Pre 750119). 63/12/11. NUSSBAUMER,D.A. Atomic Energy Commission (Pre 750119). 1p. 87815:229-87815:229.

--9604050425 Forwards Saxton Sr Survey 79 rept issued IAW IAD 7402-13, Part 8d.
GILBERT,W.E. Atomic Energy Commission (Pre 750119). 62/11/08. PAGE,R.G. Atomic Energy Commission (Pre 750119). 1p. 87815:230-87815:230.

--9604050431 "Nuclear Matls Mgt Survey of Leased Matl No 79."
SEEBECK,N.H., HODGES,J.W., JOYNER,J.H. Saxton Nuclear Experimental Corp. 67/10/24. 14pp. 87815:231-87815:244.

--9604050434 Submits comments on final safeguards insp rept SO-II-9.
WERNER,H.V. Atomic Energy Commission (Pre 750119). 69/02/27. Atomic Energy Commission (Pre 750119). 2pp. 87815:245-87815:246.

9604080033 FOIA request for documents re NRC insp rept 30-03335/94-01.
MURPHY,T.P. Reed, Smith, Shaw & McClay. 96/03/05. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87801:048-87801:048.

9604080044 First partial response to FOIA request for documents.Records in App A. encl & being made available for PDR.Records in App B already available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/03/27. MURPHY,T.P. Reed, Smith, Shaw & McClay. 3pp. 87801:049-87801:129.

--9604080056 Insp rept 30-03335/94-01 on 940112-14.Violations noted.Major areas inspected:organization,insp history,scope of program, internal audit & insp & training,retraining & instructions to workers.
FRANKLIN,F. Region 2 (Post 820201). 95/05/15. 24pp. 87801:061-87801:084.

--9604080089 Discusses 940128 telcon re Alexandria Hosp misadministration in which patient received 500 centigray dose to periphery of lung instead of trachea.
COLLINS,D.M. NRC - No Detailed Affiliation Given. 94/02/01. NRC - No Detailed Affiliation Given. 1p. 87801:085-87801:085.

--9604080095 Medical misadministration rept review re patient receiving 500 centigray dose to periphery of lung instead of trachea.
* NRC - No Detailed Affiliation Given. 94/02/01. 4pp. 87801:086-87801:089.

--9604080121 "Addendum Rept re NRC Medical Consultant Rept on Misadministration."
* NRC - No Detailed Affiliation Given. 94/08/04. 9pp. 87801:090-87801:107.

--9604080142 Informs that J Glenn thinks that addendum needs to be sent to licensee w/cover ltr stating that there may still be disagreement w/consultant over potential for patient impact.
HOSEY,C.M. Region 2 (Post 820201). 94/08/18. COLLINS,D.M. Region 2 (Post 820201). 22pp. 87801:108-87801:129.

9604080265 FOIA request for documents re I.M.P.A.C. Visa Card holder data for all cardholders within agency.
GREGORY,R.A. Minnesota Mining & Manufacturing Co. (3M Co.). 96/02/19. THOMPSON,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87801:130-87801:130.

9604080273 Final response to FOIA request for documents.App A records encl & being made available in PDR.
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. GREGORY,R.A. Minnesota Mining & Manufacturing Co. (3M Co.). 2pp. 87801:131-87801:304.

--9604080279 Package consisting of NRC bankcard log for 951114-960213, which lists bankcard officials/holders.
* Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. 172pp. 87801:133-87801:304.

9604080445 FOIA request for documents re maintenance rule training.
WILLIAMS,O.G. JRA Associates. OGW-96-057. 96/03/07. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 87801:305-87801:306.

9604080447 First partial response to FOIA request for documents. Forwards documents listed in App A.Documents will be placed in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. WILLIAMS,O.G. JRA Associates. 2pp. 87801:307-87801:326.

--9604080449 Viewgraphs re maint rule 10CFR50.65.
* NRC - No Detailed Affiliation Given. 96/04/02. 18pp. 87801:309-87801:326.

9604100032 FOIA request for documents re govt licensing procedures for transfer of SNM to foreign govt during 1960 & early 1970.
HANCUR,S. Dewey Ballantine. 96/03/20. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87870:001-87870:001.

9604100035 Final response to FOIA request for documents.No agency records located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/27. HANCUR,S. Dewey Ballantine. 2pp. 87870:002-87870:003.

9604230173 Insp rept 50-219/75-25 on 751112-13.Violation noted.Major arear inspected:plant status,acceptable area,unresolved items,unresolved items.
RUHLMAN,W.A., STOHR,J.P. Region I, IE (720101-810228). 75/11/24. 12pp.

9604240014 Informs that licensee plans to increase storage capacity of SFSP at facility to ameliorate possible shortage of SFS capacity.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/19. GOLLER,E.R. Division of Reactor Licensing (NRR-1975 only). 6pp.

9604240165 Insp rept 50-219/74-03 on 740206-11.Violations noted.Major areas inspected:operations,log & records,reactivity control & core physics.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 74/04/26. 20pp.

9604110001 FOIA request for documents re notes,transcripts,memos, correspondence,telephone logs,telcon records & any other written or electronic documents containing any ref to NRC fee waiver request.
HUGHES,L. Native Americans for a Clean Environment. 95/11/26. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 87870:015-87870:016.

9604110002 Final response to FOIA request for documents.Records in App A encl & will be available in PDR.App B records withheld in part (ref FOIA exemption 5) & App C records completely withheld (ref FOIA exemption 5).
POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 96/04/02. HUGHES,L. Native Americans for a Clean Environment. 11pp. 87870:017-87870:181.

--9604110027 Forwards mail received re guidance on FOIA/PA requests.
POWELL,R.A. Office of Administration, Director (Post 940714). 95/06/07. SIEMIEN,M.P. Office of the General Counsel (Post 860701). 1p. 87870:109-87870:109.

--9604110130 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/12/27. KOHN,M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 3pp. 87870:129-87870:131.

--9604110134 Informs that addl phrase has been added to fee waiver.
REED,C.A. NRC - No Detailed Affiliation Given. 95/12/27. FONNEY,S.G. NRC - No Detailed Affiliation Given. 1p. 87870:132-87870:138.

--9604110151 Ack receipt of 950320 ltr requesting all documents pertaining to investigation RII-91-10 & safeguards info contained in type recording to NRC.Requests that fee be waived.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:168-87870:169.

--9604110149 Ack receipt on 940428 ltr re request for OI rept number 2-90-020R & exhibits re allegations of wrongdoing by licensee.Requests that fees be waived.
KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:166-87870:167.

--9604110020 Requests that fee waiver should be granted for foregoing reasons re AL Mosbaugh request for info concerning plant Vogtle.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/01. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 35pp. 87870:074-87870:108.

--9604110153 Ack receipt of 950502 ltr requesting amend of Privacy Act records & documents re EA taken against Georgia Power Co.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 5pp. 87870:170-87870:174.

--9604110125 Ack receipt 950815 ltr re request for all records containing any ref plant licenses,SUB-1010 & 35-12636-03 from 930405 to 950815.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/11/22. HUGHES,L. National Whistleblower Center. 3pp. 87870:126-87870:128.

--9604110106 Ack receipt of 950926 ltr requesting for any & all settlement relating to documents concerning terms & conditions of settlement indicated in 950201 ltr.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:122-87870:123.

--9604110112 Ack receipt of 951030 ltr requesting for four categories of records re GA.Requests that fees be waived.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/11/20. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 2pp. 87870:124-87870:125.

-9604110005 Responds to 950327 ltr requesting waiver of fees re FOIA request dtd 950217 for records pertaining directly or indirectly to modified NOV & proposed imposition of civil penalties in listed amount.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/05/05. WILMOTH,M.J. National Whistleblower Center. 43pp. 87870:028-87870:070.

-9604110007 Forwards mail received re guidance on FOIA/PA requests.
FONNER,S.G. Office of the General Counsel (Post 860701). 95/06/01. CORDERS,J. Office of the General Counsel (Post 860701). 1p. 87870:071-87870:071.

-9604110016 Appeals denial of FOIA request for documents re fee waiver.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87870:072-87870:073.

-9604110020 Requests that fee waiver should be granted for foregoing reasons re AL Mosbaugh request for info concerning plant Vogtle.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/01. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 35pp. 87870:074-87870:108.

-9604110027 Forwards mail received re guidance on FOIA/PA requests.
POWELL,R.A. Office of Administration, Director (Post 940714). 95/06/07. SIEMIEN,M.P. Office of the General Counsel (Post 860701). 1p. 87870:109-87870:109.

-9604110043 Forwards mail received re guidance on FOIA/PA requests.
POWELL,R.A. Office of Administration, Director (Post 940714). 95/06/07. SIEMIEN,M.P. Office of the General Counsel (Post 860701). REED,C.A., RAMMLING,G. Office of Administration, Director (Post 940714). 1p. 87870:110-87870:110.

-9604110045 Forwards mail received re guidance on FOIA/PA requests.
FONNER,S.G. Office of the General Counsel (Post 860701). 95/06/07. POWELL,R.A. Office of Administration, Director (Post 940714). 1p. 87870:111-87870:111.

-9604110052 Requests info from M Pat re written analysis on intervenor funding issue.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 95/06/07. FONNER,S.G. Office of Administration, Director (Post 940714). 1P. 87870:112-87870:112.

-9604110055 Forwards info re fee waiver.
SIEMIEN,M.P. Office of the General Counsel (Post 860701). 95/06/08. REED,C.A. Office of Administration, Director (Post 940714). 1p. 87870:113-87870:113.

-9604110061 Forwards mail received re fee waiver.
POWELL,R.A. Office of Administration, Director (Post 940714). 95/06/13. REED,C.A. Office of Administration, Director (Post 940714). 1p. 87870:114-87870:114.

-9604110078 Submits list of people re fee waiver issue.Informs that CA Reed name had inadvertently been omitted from list. W/o encl.
SIEMIEN,M.P. Office of the General Counsel (Post 860701). 95/06/14. REED,C.A. Office of Administration, Director (Post 940714). 1p. 87870:115-87870:115.

-9604110082 Forwards copy of message to C Ann re FOIA-95-A-14.
FONNER,S.G. Office of the General Counsel (Post 860701). 95/08/08. POWELL,R.A. Office of Administration, Director (Post 940714). 1p. 87870:116-87870:116.

-9604110096 Informs of time change of scheduled meeting to discuss impact of prohibition against intervenor funding on subject reply ltr.
HOLZLE,C.M. Office of the General Counsel (Post 860701). 95/08/14. REED,C.A., KAMMERER,C.C., POWELL,R.A. Office of Administration, Director (Post 940714). 1p. 87870:117-87870:117.

-9604110099 Requests final outcome re 950815 discussion w/throngs of thousands.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/08/15. POWELL,R.A. Office of Administration, Director (Post 940714). 4pp. 87870:118-87870:121.

-9604110106 Ack receipt of 950926 ltr requesting for any & all settlement relating to documents concerning terms & conditions of settlement indicated in 950201 ltr.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/18. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:122-87870:123.

-9604110112 Ack receipt of 951030 ltr requesting for four categories of records re GA.Requests that fees be waived.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/11/20. CURRAN,D. Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley). 2pp. 87870:124-87870:125.

-9604110125 Ack receipt 950815 ltr re request for all records containing any ref plant licenses,SUB-1010 & 35-12636-03 from 930405 to 950815.
KAMMERER,C.C. Office of Administration, Director (Post 940714). 95/11/22. HUGHES,L. National Whistleblower Center. 3pp. 87870:126-87870:128.

-9604110130 First partial response to FOIA request for documents.Records in App A encl & will be available in PDR.
* Division of Freedom of Information & Publications Services (Post 940714). 95/12/27. KOHN,M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 3pp. 87870:129-87870:131.

-9604110134 Informs that addl phrase has been added to fee waiver.
REED,C.A. NRC - No Detailed Affiliation Given. 95/12/27. FONNEY,S.G. NRC - No Detailed Affiliation Given. 1p. 87870:132-87870:138.

-9604110138 Partially withheld e-mail re OGC decision for Kohn case that transcripts should be released on disk.
SIEMIEN,M.P. Office of the General Counsel (Post 860701). 95/05/24. REED,C.A. Office of Administration, Director (Post 940714). 20pp. 87870:139-87870:158.

-9604110145 Responds to 950602 appeal of C Kammerer 950505 denial of fee waiver request submitted by MJ Wilmoth of Natl Whistleblower Ctr.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/09/01. COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:159-87870:160.

-9604110146 Partially withheld e-mail re faxed ltr on FOIA appeal 95-A-14.
REED,C.A. Office of the General Counsel (Post 860701). 95/08/08. FONNER,S.G. Office of Administration, Director (Post 940714). 2pp. 87870:161-87870:162.

-9604110147 Partially withheld e-mail re S Fonner ltrs w/only editorial editorial changes.
REED,C.A. Office of Administration, Director (Post 940714). 95/09/15. POWELL,R.A. Office of Administration, Director (Post 940714). 1p. 87870:163-87870:163.

-9604110149 Ack receipt on 940428 ltr re request for OI rept number 2-90-020R & exhibits re allegations of wrongdoing by licensee.Requests that fees be waived.
KAMMERER,C.C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:166-87870:167.

-9604110151 Ack receipt of 950320 ltr requesting all documents pertaining to investigation RII-91-10 & safeguards info contained in type recording to NRC.Requests that fee be waived.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,M.D. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:168-87870:169.

-9604110153 Ack receipt of 950502 ltr requesting amend of Privacy Act records & documents re EA taken against Georgia Power Co.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/10/02. KOHN,S.M. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 5pp. 87870:170-87870:174.

-9604120256 Informs that Susan & Cathy agree w/appeal ltr 95-A-14.
SIEMIEN,M.P. Office of the General Counsel (Post 860701). 95/08/17. POWELL,R.A., REED,C.A. Office of Administration, Director (Post 940714). FONNER,S.G. Office of the General Counsel (Post 860701). 7pp. 87870:175-87870:181.

-9604110005 Responds to 950327 ltr requesting waiver of fees re FOIA request dtd 950217 for records pertaining directly or indirectly to modified NOV & proposed imposition of civil penalties in listed amount.
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 95/05/05. WILMOTH,M.J. National Whistleblower Center. 43pp. 87870:028-87870:070.

-9604110016 Appeals denial of FOIA request for documents re fee waiver.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87870:072-87870:073.

-9604110145 Responds to 950602 appeal of C Kammerer 950505 denial of fee waiver request submitted by MJ Wilmoth of Natl Whistleblower Ctr.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/09/01. COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:159-87870:160.

-9604110016 Appeals denial of FOIA request for documents re fee waiver.
COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). COLAPINTO,D.K. National Whistleblower Center. 95/06/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87870:072-87870:073.

-9604110145 Responds to 950602 appeal of C Kammerer 950505 denial of fee waiver request submitted by MJ Wilmoth of Natl Whistleblower Ctr.
MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 95/09/01. COLAPINTO,D.K. Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates). 2pp. 87870:159-87870:160.

-9604110146 Partially withheld e-mail re faxed ltr on FOIA appeal 95-A-14.
REED,C.A. Office of the General Counsel (Post 860701). 95/08/08. FONNER,S.G. Office of Administration, Director (Post 940714). 2pp. 87870:161-87870:162.

9604110006 FOIA request for documents re identities of individuals responding to Request for Quote issued on 951006 w/closing date of COB on 951011,name & address of winning bidder, business info & pricing provided by winning contractor.
GERIACH,B.M. Dun & Bradstreet Information Services. 96/01/18. MILLS,M. NRC - No Detailed Affiliation Given. 1p. 87870:004-87870:004.

9604110010 Final response to FOIA request for documents.Records in App A being made available in PDR.App B records partially withheld & encl (ref FOIA Exemption 5).
PUGH,N.L. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. GERIACH,B. Dun & Bradstreet Information Services. 5pp. 87870:005-87870:014.

-9604110013 Partially released memo re informing of determination that inclusion of info re past performance & business rating factors no longer required in business reporting svcs procurment.Partially withheld related evaluation info encl.
WEBBER,R. Office of Administration, Director (Post 940714). 96/01/03. MILLS,M. Office of Administration, Director (Post 940714). 4pp. 87870:010-87870:013.

-9604110019 Partially withheld memo.
WEBBER,R. Office of Administration, Director (Post 940714). 95/11/20. MILLS,M. Office of Administration, Director (Post 940714). 1p. 87870:014-87870:014.

9604110051 FOIA request for documents including but not limited to notes,ltrs,memos,drafts,minutes,diaries,logs,calendars, tapes,transcripts in connection w/complaints made against Atlantic Group by TJ Saporito.
NEXSEN,W.W. Affiliation Not Assigned. 96/01/11. DOCKERY,J. NRC - No Detailed Affiliation Given. 2pp. 87870:182-87870:183.

9604110057 Final response to FOIA request for documents.Records in App A will be made available in PDR.App B records will be withheld in part (ref FOIA Exemption 7C).
KAMMERER,C. Division of Freedom of Information & Publications Services (Post 940714). 96/04/01. NEXSEN,W.W. Affiliation Not Assigned. 5pp. 87870:184-87871:225.

-9604110068 Investigation rept 2-94-003.No noncompliance noted.Major areas investigated:alleged discrimination against instrument & control technician.
DOCKERY,J.D., MCNULTY,W.J. Region 2 (Post 820201). 95/11/08. 27pp. 87870:189-87870:220.

–9604110071 Informs NRC of discrimination complaint filed by undersigned against Atlantic Group nuclear contractor doing business w/util at nuclear power stations licensed by NRC.Ltr dtd 940222 from J Lee,encl.
SAPORITO,T.J. Saporito, T.J. 94/02/26. Ofc of the Executive Director for Operations. 4pp. 87870:221-87870:224.

–9604110080 Transcript of 950322 interview of F Warriner in Phoenix,AZ.Partially withheld ltr re case 92-ERA-30 & info re complaint agianst util,encl.Pp 1-7.W/related documentation.
ROTHENBERGER,P. Ofc of Investigations (Post 880201). 95/03/22. 58pp. 87870:225-87870:281.

–9604110105 Transcript of 940629 investigative interview of TJ Saporito in Juniper,FL re issues concering TAG & util connected w/TAG.Pp 1-112.
* Ofc of Investigations (Post 880201). 94/06/29. 112pp. 87870:282-87871:033.

–9604110110 Partially withheld statement of F Warriner re involvement in nonselection of TJ Saporito as contract Instrumentation & Control technician at plant during Dec 1991.
DOCKERY,J.D., LOGAN,K.G. Ofc of Investigations (Post 880201). 95/06/26. 4pp. 87871:034-87871:037.

–9604110113 Partially withheld transcript of 950720 interview of WE Engelking in Norfolk,VA re knowledge of events & circumstances surrounding series of allegations in DOL complaints by T Saporito.Pp 1-107.
* Ofc of Investigations (Post 880201). 95/07/20. 107pp. 87871:038-87871:144.

–9604110117 Partially withheld transcript of 950720 interview of EK Taylor in Norfolk,VA re knowledge of events & circumstances surrounding allegations & DOL complaints made by TJ Saporito beginning in 1992.Pp 1-73.
* Ofc of Investigations (Post 880201). 95/07/20. 73pp. 87871:145-87871:217.

–9604110122 Partially withheld ltr discussing case 2-94-003 & analysis & summary of evidence corroborating testimony of E Taylor.
DOCKERY,J.D. Ofc of Investigations (Post 880201). 95/08/03. Ofc of Investigations (Post 880201). 2pp. 87871:218-87871:219.

–9604110139 Forwards listed documentation which would support position re TJ Saporito vs util & Atlantic Group,cases 92-ERA-30, 30-ERA-26,96-ERA-45 & 96-ERA-29.
NEXSEN,W.W. Affiliation Not Assigned. 95/07/24. DOCKERY,J. NRC - No Detailed Affiliation Given. 6pp. 87871:220-87871:225.

9604220281 Requests that util inform NRC by 760112,of date util intends to submit rept,in order for NRC to schedule completion of review.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/23. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

9604240034 Responds to memo dtd 750905,which in part summarizes portions of telcon discussion on 750902 re reducing amount of proposed civil penalty.
SNYDER,G.L. Region I, IE (720101-810228). 75/09/11. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 2pp.

9604240232 Informs that special insp conducted to review "allegations" informally received from state of NJ authorities during telcon on 740205.
GREENMAN,E.G. Region I, IE (720101-810228). 74/04/26. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

9604170288 Recommends that CO should establish that GE does supply-mod control linkages,as appropriate for BWR of common design.
MCDERMOTT,R.J. Region I, IE (720101-810228). 70/10/30. CARLSON,R.T. Region I, IE (720101-810228). 1p.

9604180170 Informs of corrective & preventive actions in response to document dtd 731116.Actions will be examined during next insp of licensed program.
MARTIN,W.G. Region I, IE (720101-810228). 74/01/14. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604220181 Insp rept 50-219/75-24 on 751030-31 & 1105.No violations noted.Major areas inspected:radiological protection during reactor operation,unusual occurrences & radwaste shipments.
PLUMLEE,K.E., KNAPP,P.J. Region I, IE (720101-810228). 76/01/05. 13pp.

9604220288 Forwards list of SF shipments left at plant as of 751217.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/12/22. Atomic Energy Commission (Pre 750119). 2pp.

9604230277 Ack receipt of 750925 ltr identifying addl info required to complete of subj mods proposed to overcome recently identified single failures.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/11/07. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 20pp.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

–9604220155 Forwards Abnormal Ocurrence Report 50-219/74-33 in compliance w/ paragraph 1.15B of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/31. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604120166 Discusses ltr to Directorate of Licensing from Vermont Yankee Nuclear Power Corp,dtd 730306.Ltr encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/08. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604150217 Discusses 730810 telcon w/Technical Editorial Writer on staff of Philadelphia Evening Bulletin re article written on overall situation at facility.Supports nuclear power & concerned other projects may be affected by situation.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/08/13. Atomic Energy Commission (Pre 750119). 1p.

–9604120149 Responds to 730824 ltr enclosing ltrs from HJ Kurtz & J & A Dennis re environ impact of plants.Forwards draft environ statement for Oyster Creek & final environ statement for Forked River.W/o encls.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/13. SANDMAN,C.W. House of Rep. 2pp.

–9604120225 Insp rept 50-219/73-12 on 730803 & 06.Violations noted.Major areas inspected:followup to event re 88 of 132 shock suppressors found defective during 730415-730605 refueling outage.
CANTRELL,F.S., GREENMAN,E., CAPHTON,D.L. Region I, IE (720101-810228). 73/09/11. 7pp.

–9604180075 Forwards AO Rept 50-219/74/10.
FINFRICK,I.R. Jersey Central Power & Light Co. 74/02/14. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–7910150066 Responds to NRC 790810 request for evaluation of util.Due to scope & detail of request,licensee mgt appraisal insp is appropriate.Submits insp plan outline & functional areas that will be inspected.
WHITT,K.W. Office of Inspection & Enforcement (750101-801210). 79/08/24. BRUNNER,E.J. Office of Inspection & Enforcement (750101-801210). 5pp. 00874:103-00874:107.

–9604110264 Recommends that licensee be required to address to NRR, fuel quality measures to be taken during future refueling outage & termination date of 791231 be established for continued operation.
MCCABE,E.C. Region I, IE (720101-810228). 79/07/12. JORDAN,F.L. Office of Inspection & Enforcement (750101-801210). 1p.

–9604110272 Provides updated info re access of NRC Region 1 personnel to facilities.
GRIER,B.H. NRC - No Detailed Affiliation Given. 79/07/02. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604110275 Provides update & revises facility health physics organization discussed in 780809 memo.
FINFROCK,I.R. Jersey Central Power & Light Co. 79/06/29. GRIER,B.H. Region I, IE (720101-810228). 2pp.

–9604110287 Requests response re vulnerability of auxiliary power source for security sys.
CHAPELL,D.R. Office of Inspection & Enforcement (750101-801210). 79/06/22. MILLER,J.R. Assistant Director for Reactor Safeguards. 1p.

–9604110291 Comments on rept dtd 671119 re relative motions of dry well,suppression chamber & suction header.
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 68/03/26. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 2pp.

–9604110293 Advises that application in amend 38 re "Seismic Analysis Results of Feedwater Coolant Injection Sys," will be able to perform emergency function for max earthquake.
NEWMARK,N.M. Nathan M. Newmark Consulting Engineering Services. 68/08/07. MORRIS,P.A. Atomic Energy Commission (Pre 750119). 76pp.

–9604120004 Discusses insp rept 50-363/73-06 on 731101-02.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/11/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120012 Summary of 731113 meeting w/utils to discuss plant revised QA program for operations.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/02. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604120016 Notice of violation from insp on 730626-29.Violation noted: exposure in excess of three rem during Apr-June quarter & failure to analyze reactor coolant sample every 72 hours for total radioactive iodine content,
* Region I, IE (720101-810228). 73/09/24. 2pp.

–9604120019 Responds to 730927 ltr concerning allegations about AEC licensee operations at plant.Allegations reconfirmed that no abnormal releases of radioactive matl occurred & no damage to plant sustained.
DOUB,W.O. Atomic Energy Commission (Pre 750119). 73/11/21. SULLIVAN,R.J. New Jersey, State of. 6pp.

–9604120022 Forwards Mar 1979 Milestone & activity list for PWR const.
PASTOR,M.K. General Public Utilities Corp. - GPU Service Corp. 79/03/20. GALLO,R. Region I, IE (720101-810228). 2pp.

–9604120025 Discusses rumor of EPA denial of cooling towers for forked river.
ABRAHAM,K. Region I, IE (720101-810228). 79/02/05. Region I, IE (720101-810228). 2pp.

–9604120026 Informs of conversation w/D Ross on 751015 to discuss results of insp of offsite committee activities at corporate ofcs.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/15. NRC - No Detailed Affiliation Given. 1p.

–9604120027 Summary of 730904 meeting w/util & industry re limits on Exxon Fuel in facility.W/list of attendees.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/20. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604120031 Discusses results of Anticipated Transients W/o Scram (ATWS) re BWRs.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/31. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604120033 Discusses insp rept 50-219/73-17 on 731023 & forwards notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 73/11/16. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

–9604120038 Notice of violation from insp on 731023.Violation noted: licensee failed to conduct adequate evaluation of concentrations of airborne radioactive matl in waste barrel storage areas.
* Region I, IE (720101-810228). 73/11/16. 2pp.

–9604120043 Discusses insp rept 50-219/73-16 on 731001.No violations or safety items observed.
NELSON,P.R. Region I, IE (720101-810228). 73/11/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120045 AO 73-34:on 731227,during surveillance testing of main steam line high radiation monitors,it was observed that RN05A log count rate monitor failed to trip at normal setpoints & cause under investigation.
CARROLL,J.T. Jersey Central Power & Light Co. AO-73-34. 73/12/28. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604120054 Informs that licensee made great strides in mgt controls at site & more desire to inform of unusual events.Requested info obtained or action initiated for listed items.
CANTRELL,F.S. Region I, IE (720101-810228). 73/09/24. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604120055 Forwards facility response to draft environmental statement.
SINS,R.H. Jersey Central Power & Light Co. 73/12/28. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604120059 Insp rept 50-219/73-17 on 731023.No violations noted.Major areas inspected:organization & administration,equipment & facilities,operations observed,personnel monitoring,surveys, survey records.
BRANDKAMP,F.N., MCCLINTOCK,R.O. Region I, IE (720101-810228). 73/11/15. 5pp.

–9604120060 AO 73-33:on 731221,four of isolation condenser high flow sensors found to trip at setpoints in excess of respective limit.
CARROLL,J.T. Jersey Central Power & Light Co. AO-73-33. 73/12/26. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604120069 Insp rept 50-219/73-11 on 730626-29.Violations noted.Major areas inspected:followup to event re exposure records for Apr-June 1972 quarter showing one man exposed in excess of three rem.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/09/19. 24pp.

–9604120076 Discusses insp rept 50-219/73-19 on 731129 & 30.No violations noted.
NELSON,P.R. Region I, IE (720101-810228). 73/12/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120087 Insp rept 50-219/73-16 on 731001.No violations noted. Major areas inspected:licensee environ monitoring program.
GALLINA,C.O., STOHR,J.P. Region I, IE (720101-810228). 73/11/13. 8pp.

–9604120090 Discusses insp rept 50-219/73-19 re facility meteorology program which did not meet recommendations of safety guide 23 & at present of little value.NRC recommends that meteorology requirements be incorporated in facility TS.
STOHR,J.P. Region I, IE (720101-810228). 73/12/21. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

–9604120096 Provides list of areas in facility meteorology program in nonconformance w/safety guide 23.
BORES,R.J. Region I, IE (720101-810228). 73/12/21. STOHR,J.P. Region I, IE (720101-810228). 2pp.

–9604120101 Informs that facility TS developed & cover most of requirements of safety guide 21 w/two exceptions.
EVERETT,R.J. Region I, IE (720101-810228). 73/12/21. STOHR,J.P. Region I, IE (720101-810228). 1p.

–9604120108 Insp rept 50-219/73-19 on 731129 & 30.No violations noted. Major areas inspected:independent measurements.
EVERETT,R.J., BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 73/12/19. 10pp.

–9604120109 Ack receipt of 731026 ltr requesting revised curves representing limits for average planar linear heat generator rate for GE type I & II fuel assemblies in plant reactor.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/11/05. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp.

–9604120113 Discusses 730914 conversation w/President of JCP&L re QA for Operations.Informs of talk w/GPU on providing technical support.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/17. Region I, IE (720101-810228). 2pp.

–9604120114 Forwards preliminary AO rept 73-32,in compliance w/TS, paragraph 6.6.2.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/20. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120115 Summary of 731113 meeting w/util re review of draft QA plan for operations for plant.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/05. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604120125 Discusses 730917 conversation w/I Finfrock of JCP&L & conversations between O'Reilly of Region I & President of JCP&L & WG Kuhn,President of GPU.
CARLSON,R.T. Region I, IE (720101-810228). 73/09/17. Region I, IE (720101-810228). 2pp.

–9604120128 Forwards Oyster Creek abnormal occurence rept 73-31 re momentary interruption of 125 Vdc power supplying instrumentation aassociated w/various safeguards sys.
BRUNNER,E.J. Region I, IE (720101-810228). 73/12/19. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

–9604120132 Requests revised curve that includes results of detailed max planar exposure during cycle.
SHOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/31. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120134 Forwards preliminary AO rept 73-31.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/14. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120138 Informs that staff has completed review of ATWS & concluded that measures should be taken to improve nuclear plant designs.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/19. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120140 Summary of 730905 meeting w/util re QA Plan for Operations at facility.W/list of attendees.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/14. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604120142 Ack receipt of 730824 ltr requesting that Commission be informed of actions taken to comply w/order for mod of license & max power level attainable at plant.
SIMS,R.H. Jersey Central Power & Light Co. 73/08/27. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604120161 Discusses telcon between Dupont,Ocean Township Committeeman & assigned inspector at facility concerning "near catastrophe" at reactor 730908-09.
GREENMAN,E.G. Region I, IE (720101-810228). 73/09/13. Region I, IE (720101-810228). 1p.

–9604120164 Discusses facility total storage capacity for spent fuel assemblies & NRC view inability to provide whole core storage capability on site undesirable.
BRUNNER,E.J. Region I, IE (720101-810228). 73/12/17. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

–9604120169 Forwards preliminary AO rept 73-29.
CARROLL,J.T. Jersey Central Power & Light Co. 73/11/05. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120173 Forwards preliminary AO rept 73-28.
CARROLL,J.T. Jersey Central Power & Light Co. 73/10/31. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120175 Informs of continued review of Regulatory Staff Draft Environ Statement re issuance of full-term OL for facility & submits comments supporting certain recommendations.
SULLIVAN,R.J. New Jersey, State of. 73/09/12. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 2pp.

–9604120180 Confirms 731026 telcon w/plant to complete proprietary info review w/ licensee for RO insp rept 50-219/73-15.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/31. Region I, IE (720101-810228). 2pp.

–9604120182 Responds to 730709 ltr requesting comments on AEC Draft Environ Statement relating to proposed issuance of full-term OL to JCP&L for continued operation of facility.Concludes that facility needed to meet projected loads on sys.
PHILLIPS,T.A. Federal Power Commission. 73/09/12. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604120183 Submits inspector evaluation of plant based on 730905-07 insp.Informs that insp not indicative of good radiation safety program.
MANN,J. Region I, IE (720101-810228). 73/10/30. KNAPP,P.J. Region I, IE (720101-810228). 2pp.

–9604120184 Discusses 730912 telcon between DL Caphton & D Ross re recent power outage on 730908.Informs that JCP&L recognize seriousness of incident & have proceeded to take measures to further improve reliability of DGs.
CAPHTON,D.L. Region I, IE (720101-810228). 73/09/12. ROSS,D. Region I, IE (720101-810228). 2pp.

–9604120186 Insp rept 50-219/73-14 on 730905-07.Violations noted.Major areas inspected:organization,radiation protection,training, radwaste facility radiation doses.
MANN,J., MEYER,R.J. Region I, IE (720101-810228). 73/10/24. 12pp.

–9604120188 Forwards requested info re fuel densification.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/14. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

–9604120190 Discusses results of special insp re power loss occurring on 730908.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/31. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604120193 Discusses insp rept 50-219/73-14 on 730905-07 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/30. FINFROCK,I. Jersey Central Power & Light Co. 3pp.

–9604120196 Forwards 730907,730813 & 730807 memos re enforcement & licensing actions resulting from inspectors evaluation & RO Rept 50-219/73-03.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/12. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604120199 Responds to 730813 memo re enforcement & licensing actions resulting from inspector evaluation & RO Rept 50-219/73-03. Informs that areas of concern discussed in evaluation memo appear adequately responded to.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/07. GALLINA,C.O. Region I, IE (720101-810228). 3pp.

–9604120200 Notice of violation from insp on 731030.Violation noted: two individuals in radwaste facility control room not aware of 5 milliroentgens per hour dose rates on work area.
* Region I, IE (720101-810228). 73/10/30. 5pp.

–9604120203 Forwards preliminary AO rept 73-30.
CARROLL,J.T. Jersey Central Power & Light Co. 73/12/13. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120204 Confirms 730810 telcon re enforcement & licensing actions resulting from inspector evaluation for RO Rept 50-219/73-03 & requests review of attached memo to determine if concerns expressed in evaluation memo have been responded to.
THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/13. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604120205 Forwards insp rept 50-219/73-04 for action.Recommends RO Technical Assistance Branch perform review of thermal transient which occurred outside of allowable temp specified by TS 3.3.C.2.
CAPHTON,D.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/30. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604120207 Responds to communication of 731005 from HJ Kurtz re operation of plant.Staff concluded that long term operation of plant under existing conditions not acceptable.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/30. CASE,C.P. Senate. 2pp.

–9604120208 Provides summary of issues raised in CO Gallina evaluation memo re enforcement & licensing actions resulting from inspector evaluation for RO Rept 50-219/73-03.Attachment lists issues requiring enforcement or licensing actions.
HIGGINBOTHAM,L. Atomic Energy Commission (Pre 750119). 73/08/07. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 9pp.

–9604120210 Discusses conversation w/util on 731026 concerning highlight significance of 731105 meeting.
* Atomic Energy Commission (Pre 750119). 73/10/29. Atomic Energy Commission (Pre 750119). 1p.

–9604120214 Discusses insp rept 50-219/73-15 on 730910-12 & forwards notice of violation.Informs that corrective steps will be taken to avoid further violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120215 Responds to 731010 request for addl info re 730920 submittal entitled, "Preliminary Description & Analysis of Proposed Mods to Gaseous,Liquid & solid Radioactive Waste Treatment Sys for Oyster Creek Nuclear Generating Station."
FINFROCK,I.R. Jersey Central Power & Light Co. 73/12/13. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 11pp.

–9604120218 Forwards RO Insp Rept 50-219/73-12 for action.Recommends imposition of $4,000 civil penalty.Memo showing justification for penalty & draft of documentation encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/11. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604120220 Notice of violation from insp on 730910-12.Violation noted: dept work performed on differential relays for startup transformers at facility on 730730.
* Region I, IE (720101-810228). 73/10/26. 1p.

–9604120223 Forwards insp rept 50-219/73-04.Insp rept points out two matters at Oyster Creek.
CANTRELL,F.S. Region I, IE (720101-810228). 73/03/23. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604120226 Provides analyses of effect of densification during steady state operations,transients & postulated accidents in ltr of 730815.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604120231 Insp rept 50-219/73-15 on 730910-12.Violation noted.Major areas inspected:events surrounding loss of power situation on 730908 & effect on reactor level,pressure & temp,stack release indications & drywell activity.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/23. 17pp.

–9604120234 Ack receipt of 731002 ltr indicating plans to submit plans & scheduled for design & engineering of Post LOCA Hydrogen Control Sys during wk of 731015.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/19. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604120266 Requests addl info in order to complete review of Exxon Fuel in Oyster Creek cycle 3 core & response should be submitted by 731214.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/13. FINFROCK,I.R. Jersey Central Power & Light Co. 6pp.

–9604120274 Ack receipt of 731120 ltr informing AEC of steps taken to correct violations noted in insp.
O'REILLY,J.P. Region I, IE (720101-810228). 73/12/13. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604120277 Notification of 730908 event re routine switch of house electrical loads to startup transformer resulted in temporary loss of electrical power to essential station equipment.
DREHER,F.A., THORNBURG,H.D., DAVIS,J.G. Region I, IE (720101-810228). 73/09/11. 3pp.

–9604120278 Responds to NRC 731026 ltr re violations noted in insp rept of license DPR-16.Corrective actions:implementation of Quality Assurance Program will reduce cause for TS violation.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/20. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

–9604120290 Informs of review of case & concurs w/recommendation that licensee be given maximum fine for violation.
CARLSON,R.T. Region I, IE (720101-810228). 73/09/11. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 8pp.

–9604120297 Insp rept 50-219/73-10 on 730511.No violations noted.Major areas inspected:routine review of refueling operations.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/06/07. 5pp.

–9604120303 Informs that plant appears having changed attitude toward procedures & Supervision responsive to comments.
CANTRELL,F. Region I, IE (720101-810228). 73/06/08. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604120308 Responds to 731120 communication transmitting Kurt ltr dtd 731115 re operation of plant.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/10. CASE,S.P. Senate. 1p.

–9604120311 Forwards memo from W Martin to V Werner re Jersey plans to operate at reduced power because of lack of storage for spent fuel at plant.
NELSON,P.R. Region I, IE (720101-810228). 73/12/06. ROY,G. Region I, IE (720101-810228). 1p.

–9604120314 Forwards for info,actual ltr sent to Commissioner Sullivan, State of NJ by Commissioner Doub.W/o encl.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/12/06. SMITH,R., GREENMAN,E. Atomic Energy Commission (Pre 750119). 1p.

–9604120315 Discusses insp conducted on 731129.No violations noted.
MARTIN,W.G. Region I, IE (720101-810228). 73/12/05. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604120319 Requests for addl info re analyses & other data for determining effects of fuel densification on normal operation & accidents.Response should be submitted by 731213.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/12/05. FINFROCK,I.R. Jersey Central Power & Light Co. 8pp.

–9604150001 Confirms 730906 telcon w/J Carrol re possibility of inverted absorber tubes in control rods at plant.Shutdown margin tests on control rods to verify that min shutdown margin of at least 0.0075 be performed during outage in Sept.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150002 Forwards preliminary AO rept 73-27.
CARROLL,J.T. Jersey Central Power & Light Co. AO-73-27. 73/10/18. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604150004 Responds to 730813 memo re enforcement & licensing actions resulting from inspector evaluation & RO Rept 50-219/73-03. Disagrees to varying degrees w/ comments re rept writing.
GALLINA,C.O. Region I, IE (720101-810228). 73/09/07. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

–9604150008 Informs of results of shutdown margin demonstration performed for plant reactor core on 730927-28 as per 730907 request.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/16. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604150009 Submits additional info re draft environ impact statement for plant.Release of hologens I-131 & I-133 in gaseous effluent from plant substantially above proposed App I to 10CFR50 guidelines & not included in draft statement.
GALLER,S.R. Commerce, Dept. of. 73/09/06. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150013 Discusses 730920 ltr transmitting preliminary description & analyses of proposed mod to gaseous,liquid & solid radioactive waste treatment sys of plant.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/16. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150014 Submits comments re draft environ impact statement for proposed plant received w/730709 ltr.
GALLER,S.R. Commerce, Dept. of. 73/09/04. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 6pp.

–9604150017 Discusses insp rept 50-219/73-12 on 730803-06 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150019 Insp rept 50-363/73-04 on 730814-16.No violations noted. Major areas inspected:followup on corrective actions.
BROWN,R.L., HOWARD,E.M. Region I, IE (720101-810228). 73/08/28. 7pp.

–9604150021 Notice of violation from insp on 730803-06.Violation noted: util failed to notify Director of Regional Regulatory Operations Ofc,or rept to Director of Licensing,within prescribed limits.
* Region I, IE (720101-810228). 73/10/15. 1p.

–9604150024 Requests addl info in order to complete review of rept, "Preliminary Description & Analysis of Proposed Mods to Gaseous,Liquid & Solid Radwaste Treatment Sys for Oyster Creek Nuclear Generating Station."
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/10/10. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604150026 Informs that proposed Environ TS for plant cannot be submitted until 731105.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/08/30. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150031 Insp rept 50-219/73-20 on 720320-23.No violations noted. Major areas inspected:review of SNM depletion & production calculations used & reported by licensee.
PARTLOW,J.G., BARTZ,H., SNYDER,G.L. Region I, IE (720101-810228). 73/12/03. 3pp.

–9604150034 Insp rept 50-363/73-03 on 730801.No violations noted.Major areas inspected:mgt info sys.
STREETER,J.F., HEISHMAN,R.F. Region I, IE (720101-810228). 73/08/22. 3pp.

–9604150037 Forwards attached ltr from RJ Sullivan re review on comments on draft response & plan of action by COB on 731010.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 73/10/09. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 6pp.

–9604150044 Discusses further operating limits for ten BWRs.Informs that limit curves for each reactor from rev TS forwarded to responsible Region today for use in determining compliance. Immediate compliance w/order required by telcon rept 960827.
KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/24. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

–9604150046 Forwards insp rept 50-219/73-07.No violations or safety items noted.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/05/24. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604150051 Summary of mgt meeting re findings of augmented insp program & related input from involved branches.
GREENMAN,E.G. Region I, IE (720101-810228). 73/11/30. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604150055 Forwards rept of special study carried out on plant Feb radwaste composite.
PERCIVAL,D.R. Atomic Energy Commission (Pre 750119). 73/05/23. EVERETT,R.J. Region I, IE (720101-810228). 5pp.

–9604150057 Confirms telecopier transmittal of 730824 ltr from A Giambuso w/AEC "Order for Mod of License," & Appendix I of order that contains changes to TS.
O'CONNOR,P.W. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/08/24. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150060 Forwards insp rept 50-219/73-03 on 730228-0302,05 & 07. Concurs in region I recommendation of licensing review of overall environmental programs,radiological & non-radiological.
PELLETIER,C.A. Atomic Energy Commission (Pre 750119). 73/05/23. YOUNGBLOOD,B.J. Atomic Energy Commission (Pre 750119). 2pp.

–9604150061 Informs of telephone rept re permanent fix on diesel generators at plant.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 73/10/09. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

–9604150063 Discusses 731105 meeting w/util re activities authorized by AEC license DPR-16.Areas discussed described in encl insp rept.Rept withheld.
DAVIS,J.G. Region I, IE (720101-810228). 73/11/30. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

–9604150073 Ack receipt of 731015 ltr informing NRC of steps taken to correct violations noted in insp of license DPR-16.
O'REILLY,J.P. Region I, IE (720101-810228). 73/11/30. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604150074 Confirms recent verbal communications made by licensee to AEC staff re fuel densification,EXXON nuclear fuel.Informs that licensee understanding is that particularly conservative restrictions on operation temporary.
BARTNOFF,S. Jersey Central Power & Light Co. 73/08/24. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150077 Ack receipt of 721113 ltr informing NRC that "prior to 730601,util will submit to AEC for approval description & analyses of gaseous & liquid radwaste sys alterations which will be designed to assure conformance w/app I to 10CFR50."
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/06/25. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604150080 Insp rept 50-219/72-13 on 730828-29.Violations noted. Major areas inspected:follow-up to event reported to NRC in violation of TSs 4.4.A.2 & 3.6.C.
GREENMAN,E.G., YOUNG,H., SNYDER,G. Region I, IE (720101-810228). 73/10/01. 15pp.

–9604150082 Insp rept 50-219/73-02 on 730430 & 0502.No violations noted. Major areas inspected:examine portion of quality programming updated &/or implemented subsequent to RO:I insp in June 1971.
HAYWARD,W.M., TILLOU,J.H. Region I, IE (720101-810228). 73/05/14. 7pp.

–9604150084 Submits suppl 4 to facility change request 4,indicating that resported values for beginning of cycle & max reactivity effective multiplication factors conservative.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 3pp.

–9604150089 Informs that AEC did not have sufficient time to complete evaluation of amend 72 to application for OL in order to meet refueling schedule.Requests encl addl info in order to complete evaluation.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/06/13. SIMS,R.H. Jersey Central Power & Light Co. 8pp.

–9604150093 Informs of routine insp re violations to core spray valve operability,testing & safety item concerning portable survey instrument calibr.
GREENMAN,E.G. Region I, IE (720101-810228). 73/10/04. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604150095 Responds to 730413 request for suppl radiation exposure info.
ROSS,D.A. Jersey Central Power & Light Co. 73/06/13. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150096 Forwards staff conclusions on BWR fuel densification for GE fuel & Exxon fuel respectively & provide essential elements to be included to account for effects of fuel densification in facility core.Requests analyses & other relevant data.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/07/16. SIMS,R.H. Jersey Central Power & Light Co. 15pp.

–9604150098 Responds to NRC 731015 ltr re violations noted in insp of license DPR-16,Corrective actions:staff additions & expansion of JCP&L Quality Assurance organization.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604150101 Discusses insp rept 50-219/73-13 on 730828-29 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 73/10/04. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604150102 Forwards correspondence between region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co.
CAREY,P. Region I, IE (720101-810228). 73/06/12. MOTT,S. Ocean County, NJ. 1p.

–9604150106 Forwards insp rept 50-219/73-08,for info.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/06/12. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604150107 Notice of violation from insp on 730828-29.Violation noted: records indicated that operability test not performed between 730426-0621.
* Region I, IE (720101-810228). 73/10/04. 2pp.

–9604150108 Forwards insp rept 50-219/73-06 on 730410-11.No violations noted.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 73/08/23. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150110 Summary of plant mgt meeting re detailed findings of recent environ insp.
STOHR,J.P. Region I, IE (720101-810228). 73/06/12. Region I, IE (720101-810228). 1p.

–9604150111 Insp rept 50-363/73-07 on 731105-06.No violations noted. Major areas inspected:audit of DDR.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 73/04/24. 3pp.

–9604150114 Informs that meeting w/util mgt re insp rept 50-219/73-08 accomplished something.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/12. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604150118 Insp rept 50-363/73-06 on 731101-02.No violations noted. Major areas inspected:reactor coolant pumps.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 73/11/29. 5pp.

–9604150119 Forwards DL Pomeroy field notes on 730410-11 insp & RO insp rept 50-219/73-06.Inspectors found that licensee QA program, effective & corrective action taken by manufacturer to correct deficiencies.
CARLSON,R.T. Region I, IE (720101-810228). 73/08/23. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 25pp.

–9604150120 Forwards copies of correspondence between Region I & JCP&L. W/o encl.
SMITH,J.E. Region I, IE (720101-810228). 73/10/03. MOTT,S. Ocean County, NJ. 1p.

–9604150129 Insp rept 50-219/73-06 on 730410-11.No violations noted. Major areas inspected:activities relating to overall QA effort in procurement of facility reload fuel from Exxon Nuclear Co.
CANTRELL,F.S., POMEROY,D.L., POTAPOVS,U. Region I, IE (720101-810228). 73/08/22. 4pp.

–9604150131 Discusses reexamined decision on civil peralty on plant for failure to rept snubber problem when originally detected.
DAVIS,J.G. Atomic Energy Commission (Pre 750119). 73/10/03. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

–9604150134 Forwards comments relating to Draft Environ Statement for facility.
RUSSO,J.J. New Jersey, State of. 73/08/22. Atomic Energy Commission (Pre 750119). 6pp.

–9604150136 Insp rept 50-219/73-08 on 730424.No violations noted.Major areas inspected:results of insp of environ monitoring program conducted on 730228-0307.
CANTRELL,F.S., O'REILLY,J.P., CARLSON,R.T. Region I, IE (720101-810228). 73/06/06. 4pp.

–9604150139 Forwards amends to regulations in 10CFR50,70 & 73 to strengthen physical protection of reactor facilities & of SNMs.W/o encl.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/11/30. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150141 Discusses meetings held w/util in Morristown,NJ on 730424 re activities authorized by license DPR-16.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/06/12. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

–9604150144 Submits comments re Draft Enviorn Impact Statement on facility.W/radiological effects.
CROMWELL,P. Health & Human Services, Dept. of. 73/08/22. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

–9604150145 Insp rept 50-219/73-01 on 730409 & 10.No violations noted. Major areas inspected:post-exam cleaning requirements of liquid penetrant test procedure.
BROWN,R.L., SANDERS,W.F., HOWARD,E.M. Region I, IE (720101-810228). 73/05/15. 7pp.

–9604150154 Forwards util 10-day rept re power loss on 730908.
CARLSON,R.T. Region I, IE (720101-810228). 73/10/03. AMATO,C.G. Jersey Central Power & Light Co. 1p.

–9604150160 Responds to 730709 ltr addressed to Captain Riedel re Draft Environ Impact Statement for facility.No comments or objections to project.
PRICE,R. Transportation, Dept. of. 73/08/21. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150174 Insp rept 50-219/73-09 on 730502.No violations noted.Major areas inspected:feedwater spargers for possible failure in welded seams.
SANDERS,W.F., CANTRELL,F.S., TILLOU,J.H. Region I, IE (720101-810228). 73/06/07. 3pp.

–9604150179 Forwards Regulatory Operations Bulletin 73-4.Requests that action shown under ACTION INDICATED be taken.
O'REILLY,J.P. Region I, IE (720101-810228). IEB-73-04. 73/08/17. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604150180 Informs that stds for clarity & detail should be developed for TV insp of reactor components.Stds should include clarity,magnification & contract.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/08. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604150182 Discusses insp on 730502 & discussions of findings at conclusion of insp.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150184 Ack receipt of 730831 ltr requesting detailed design info on primary & backup sys to be installed at plant.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/02. SKOVHOLT,S.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150186 Discusses insp rept 50-219/73-10 on 730511.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 73/06/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604150190 Ack receipt of 730522 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/73-03. Corrective action will be verified during next insp of plant environmental program.
O'REILLY,J.P. Region I, IE (720101-810228). 73/06/01. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604150191 Forwards copies of correspondence between Region I & JCP&L. W/o encl.
SMITH,J.E. Region I, IE (720101-810228). 73/10/01. MOTT,S. Ocean County, NJ. 1p.

–9604150193 Advises that drywell vacuum breakers in BWR plants have failed to perform properly & requests that action be taken to correct problem.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/22. SIMS,R.H. Jersey Central Power & Light Co. 4pp.

–9604150196 Informs of status of main steam isolation valve evaluation in response to 730403 ltr.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150200 Responds to NRC 730426 ltr re violations noted in insp on 730228-0302,06 & 07.Corrective actions:more positive action employed & implemented towards procuring of samples & subsequent follow up of outside contractor analyses.
ROSS,D.A. Jersey Central Power & Light Co. 73/05/22. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604150201 Discusses 730525 telcon re inquiry rept 219/73-06Q & chromate in water & soil samples.
CANTRELL,F.S. Region I, IE (720101-810228). 73/06/19. Region I, IE (720101-810228). 1p.

–9604150204 Informs that Muntzing expressed personal interest in case to J Davis concerning possibility of being subjected to legal action by state as result of proper action on part under AEC requirements.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/07/12. CAPHTON,D.L., CANTRELL,F.S., SNYDER,G.L. Atomic Energy Commission (Pre 750119). 1p.

–9604150208 Responds to 730716 ltr requesting necessary analyses & other relevant data for determining consequences of densification & effects on normal operation,anticipated transients & accidents at facility using AEC guidance.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/08/15. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 23pp.

–9604150209 Discusses 730813 telcon w/I Finfrock re latest info on what info papers have because of major meeting w/local residents in Lacey Township.Requests that any info given to press in future be forwarded.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 73/08/14. Atomic Energy Commission (Pre 750119). 1p.

–9604150210 Informs that 730907 ltr re concerns about possibility that control rods fabricated by GE may have poison tubes.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/09/28. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604150212 Refers to 730912 memo re enforcement & licensing actions resulting from inspector evaluation of RO rept 50-219/73-03.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 73/09/26. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604150221 Informs that K Kendall,student at Ryder College,requested phone number at facility to talk w/administrator re paper on Administration of Power Plants.
CANTRELL,F. Region I, IE (720101-810228). 73/07/10. Region I, IE (720101-810228). 1p.

–9604150225 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/06/28. MOTT,S. Ocean County, NJ. 1p.

–9604150227 Ack of receipt of 721229 General Electric Co Topical Rept, "Densification Considerations in BWR Fuel Design & Performance." Rept fulfills requirements of 721120 request for info.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

–9604150230 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/08/06. MOTT,S. Ocean County, NJ. 1p.

–9604150231 Informs that rept being forwarded for info & distribution to PDR.
HEISHMAN,R.F. Region I, IE (720101-810228). 73/09/25. Region I, IE (720101-810228). 5pp.

–9604150237 Forwards "Preliminary Summary Rept on Snubber Repair Activitie During Spring 1973 Refueling Outage." Suggests that rept be treated as proprietary info pending receipt of final rept.
HOWARD,E.M. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/08/01. REINMUTH,W.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604150243 Informs that insp rept 50-219/73-07 scheduled for 730419-20 to follow up on corrective actions that util had defined in response to violations & safety items identified during insp on 730213-16.
MEYER,R.J. Region I, IE (720101-810228). 73/05/30. SMITH,R.H. Region I, IE (720101-810228). 3pp.

–9604150247 Insp rept 50-219/73-07 on 730418-20.No violations noted. Major areas inspected:follow up to corrective actions that util initiated to correct previous violations.
MEYER,R.J., LORENZ,W.R., SMITH,R.H. Region I, IE (720101-810228). 73/05/25. 8pp.

–9604150263 Forwards correspondence between Region I,Directorate of Regulatory Operations & Jersey Central Power & Light Co. W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/07/17. MOTT,S. Ocean County, NJ. 1p.

–9604150283 Forwards ltr sent to HQ by RH Sims of JCPL re facility. Requests that records reflect correct title for IR Finfrock.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/07/30. SMITH,J.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604150288 Informs that effective 720907,IR Finfrock assumed duties of Vice President - Generation for JCP&L.Future correspondence concerning subject station should be addressed as indicated.
SIMS,R.H. Jersey Central Power & Light Co. 73/07/12. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604150300 Informs that Draft Environ Statement for facility reviewed in relevant agencies of Dept of Agriculture & comments from Forest Service encl.
TSCHIRLEY,F.H. Agriculture, Dept. of. 73/07/29. MULLER,D.R. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604150301 Preliminary AO rept 73-23:on 730924,failure of differential pressure switch DPS 66A to trip & thereby actuate reactor building to torus vacuum breaker block values,V-26-16-18.
CARROLL,J.T., REEVES,D.R. Jersey Central Power & Light Co. AO-73-23. 73/09/25. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604150319 Confirms 730727 telcon w/cognizant representatives of staff concerning Bergen-Patteron hydraulic shock suppressors & restraints.Forwards Regulatory Operations Bulletin 73-3 requesting specific action.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). IEB-73-03. 73/07/27. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604150324 Informs that EPA has reviewed draft environ impact statement for proposed inssuance of full-term operation license for continuing operation of plant.
MEYERS,S. Environmental Protection Agency. 73/09/25. MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 2pp.

–9604150329 Forwards 730718 ltr re subj matter having possible applicability to plant.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 73/07/26. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604150338 Forwards "Preliminary Summary Rept on Snubber Repair Activities During Spring 1973 Refueling Outage."
CARROLL,J.T. Jersey Central Power & Light Co. 73/07/26. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604150344 "Preliminary Summary Rept on Snubber Repair Activities During Spring 1973 Refueling Outage."
RONE,A.H. Jersey Central Power & Light Co. 73/07/16. 8pp.

–9604150394 Recommends continuing audit of Klockner on twice yearly basis at least.
BROWN,R.L. Region I, IE (720101-810228). 73/05/17. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

–9604150398 Requests authorization to conduct low power analyses tests w/reactor head removed & power less than 5 MWt.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/15. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604150399 Discusses full term operating license & TS review for stated facilities.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/17. CARLSON,R.T., HOWARD,E.M., BRUNNER,E.J. Region I, IE (720101-810228). 4pp.

–9604150403 Authorizes operation of plant reactor w/cycle 3 reload fuel as described in facility change request 4 & suppl 1.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/05/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

–9604150410 Forwards errata sheet for mods to "General Info Guide for Consideration of Effects of Piping Sys Break Outside Containment."
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/01/16. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

–9604160038 Discusses spill of chromated water at plant.
RYAN,A.F. Region I, IE (720101-810228). 73/05/14. Region I, IE (720101-810228). 2pp.

–9604160042 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/05/11. MOTT,S. Ocean County, NJ. 1p.

–9604160048 Forwards reproduced signature copies of change request 15, permitting use of XN-1 critical heat flux correlation for determination of safety limits for operation of plant in order to provide high level of confidence.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/10. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604160051 Application for amend to license DPR-16,change request 15,to permit use of XN-1 critical heat flux correlation for determination of safety limits for operation of plant.
* Jersey Central Power & Light Co. 73/05/10. 6pp.

–9604160116 Insp rept 50-219/73-04 on 730313.Two violations noted: recirculation pump started w/temperature differential of 117 F;failure to have written procedures for certain conditions.Major areas insp:operations & operation logbooks.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/03/23. 12pp.

–9604160121 Forwards insp rept 50-219/73-04 on 730313 & inquiry rept 50-219/73-04Q re AO experienced on 730310.
KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/05/04. SCHEMEL,R.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604160127 Forwards 730214 JCP&L ltr & RO Inquiry Rept 50-219/73-04Q as correspondence between Region I,Directorate of Regulatory Operations & JCP&L.
CAREY,P. Region I, IE (720101-810228). 73/03/27. MOTT,S. Ocean County, NJ. 1p.

–9604160131 Discusses insp on 730313 & forwards description of violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/27. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

–9604160135 RO insp rept 50-219/73-02 on 730213-16.Violations noted. Major areas inspected:follow up to previous insps on 730102, 05 & 06 & licensee corrective actions.
MEYER,R.J., CANTRELL,F.S., FRIESS,R. Region I, IE (720101-810228). 73/04/03. 17pp.

–9604160137 Forwards undated & unsigned CO inquiry rept 50-219/71-09.
MADSEN,G.L. Atomic Energy Commission (Pre 750119). 71/11/15. CARLSON,R.T. Atomic Energy Commission (Pre 750119). 2pp.

-9604160139 Notice of violation from insp on 730313.Violations noted: B recirculation pump started w/temperature differential of 117 F,failure to use written procedure when removing B & D recirculation loops from svc to replace brushes.
* Region I, IE (720101-810228). 73/03/27. 1p.

-9604160140 Discusses FS&EB first action requests.
CARLSON,R.T. Region I, IE (720101-810228). 73/05/03. THORNBURG,H.D. Region I, IE (720101-810228). 2pp.

-9604160141 Forwards undated & unsigned CO inquiry rept 50-219/71-28,for info.Plant shutdown for removal of poison curtains,fuel replacement/reconstitution & turbine warranty insp.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/11/09. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 3pp.

-9604160143 Forwards 720213 RO ltr w/rept 50-219/73-01 as correspondence between Region I,Directorate of Operations & JCP&L.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/03/20. MOTT,S. Ocean County, NJ. 1p.

-9604160146 Informs that region I comments re procedure 216,plant channel sample shipment supplied to util on 730503.No further action planned.
CANTRELL,F.S. Atomic Energy Commission (Pre 750119). 73/05/03. Atomic Energy Commission (Pre 750119). 1p.

-9604160150 Submits input to environ insp rept of facility.
EVERETT,R.J. Region I, IE (720101-810228). 73/03/16. GALLINA,C. Region I, IE (720101-810228). 2pp.

-9604160152 Forwards three originals & 37 reproduced signature copies of suppl 5 to application for full-term license for plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/02. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604160154 Application for full-term license for plant in response to 730403 ltr concerning cask drop protection sys.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/05/02. 6pp.

-9604160156 Submits comments clarifying forwarding memo for subj rept sent by J Keppler dtd 730130 & responds to memo sent by C Pelletier dtd 730305.
GALLINA,C.O. Region I, IE (720101-810228). 50-219/73-02Q. 73/03/15. STOHR,J.P. Region I, IE (720101-810228). 3pp.

-9604160164 Forwards RO Inquiry Rept 50-219/73-04Q for info.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

-9604160166 Forwards CO insp rept 50-219/71-03,for info.Insp focused on exam of refueling activities re radiation & contamination control practices in effect for related outage.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/11/09. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 1p.

-9604160175 Forwards RO inquiry rept 50-219/73-06Q for info.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/30. SIMS,R.H. Jersey Central Power & Light Co. 1p.

-9604160176 Insp rept 50-219/71-03 on 711007-08.Violations noted. Major areas inspected:logs & records,facility procedures, fuel insp,air balance & continuous air monitoring.
YOUNG,T., MEYER,R.J., CARLSON,R.T. Region I, IE (720101-810228). 71/11/08. 6pp.

-9604160180 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/04/30. MOTT,S. Ocean County, NJ. 1p.

-9604160182 Ack receipt of ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/73-04.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/27. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

-9604160186 Informs that 75% of time spent at site used in observing fuel handling & fuel insp process.
YOUNG,T. Region I, IE (720101-810228). 71/11/09. CARLSON,R.T. Region I, IE (720101-810228). 1p.

-9604160187 Forwards memo providing general summary of deficiencies identified during insp conducted on 730213-16.Informs that detailed insp rept currently in preparation by Region I & will be forwarded.
ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/15. SKOVHOLT,D.J. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604160191 RO insp rept 50-219/73-03 on 730228-0302,0305 & 07. Violations noted.Major areas inspected:licensee environ monitoring program.
GALLINA,C.O., EVERETT,R.J., FRIESS,R.A. Region I, IE (720101-810228). 73/04/23. 44pp.

-9604160192 Discusses special insp conducted at facility on 730213-16 & provides list of types of violations identified by RO I inspectors.
CAPHTON,D.L. Region I, IE (720101-810228). 73/02/26. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604160196 Forwards RO insp rept 50-219/73-03,for info.Inspectors of opinion that present environmental monitoring program,as described in TS inadequate.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/26. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604160198 Forwards procedure 216, "Oyster Creek Channel Sample Shipment."
ROSS,D.A. Jersey Central Power & Light Co. 73/04/26. O'REILLY,J.P. Region I, IE (720101-810228). 10pp.

-9604160201 Provides info on 730306 telcon & conversations re facility stack releases & McDermott telcon to pressure licensee for basis to continue power level w/current release rates.
CAPHTON,D.L. Region I, IE (720101-810228). 73/03/14. Region I, IE (720101-810228). 2pp.

-9604160203 Forwards insp rept of insp performed at GPUSC on 730410 & 11.GPUSC performed effective & well documented audits of fuel supplier & major suppliers.Insp details involve proprietary data & being forwarded as field notes.W/o encl.
REINMUTH,G.W. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/26. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

-9604160207 Discusses insp on 730228-0302,06 & 07 & forwards notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 73/04/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604160214 Notice of violation from insp on 730228-0302,06 & 07. Violations noted:samples taken from less than five locations during numerous periods from May 1969 through Dec 1972.
* Region I, IE (720101-810228). 73/04/26. 4pp.

-9604160216 Discusses & forwards RO Insp Rept 50-219/72-05.
CAPHTON,D.L. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/03/09. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604160217 Submits status rept on OC-1.
EVERETT,R.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/24. STOHR,J.P. Region I, IE (720101-810228). 1p.

-9604160221 Summary of 730424 mgt meeting w/util re summary of environ monitoring insp,findings,programmatic deficiencies & evaluation of present program.
STOHR,J.P. Region I, IE (720101-810228). 73/04/24. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

-9604160224 Discusses need for backup to Superintendent & RO Insp Rept 50-219/72-05.
CANTRELL,F.S. Region I, IE (720101-810228). 73/03/09. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

-9604160225 Notification of 730424 mgt meeting w/util re RO insp of plant environmental monitoring program on 730228-0307.
CANTRELL,F.S. Region I, IE (720101-810228). 73/04/23. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

-9604160228 Discusses insp conducted on 711007-08,which was limited to reviewing control of personnel exposures & radiation & contamination control during current extended outage. No significant deficiencies in program noted.
MEYER,R.J. Region I, IE (720101-810228). 71/11/09. CARLSON,R.T. Region I, IE (720101-810228). 21pp.

-9604160230 Forwards three signed originals & 37 copies of change request 14 re need to install replacement fuel grapple.
FINFROCK,I.R. Jersey Central Power & Light Co. 73/04/23. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

-9604160231 Submits inspectors evaluation re review of facility electrical repts & insp on 721109-10 & 13.
BURZI,A.V. Region I, IE (720101-810228). 73/03/09. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

-9604160238 Repts changes to plant operating personnel which involve positions for which min qualifications as specified in TS.
ROSS,D.A. Jersey Central Power & Light Co. 73/04/23. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604160247 Forwards attached rept of insp conducted at facility on 710623-25.Informs that two items of noncompliance noted.
CARLSON,R.T. Region I, IE (720101-810228). 71/09/03. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 3pp.

-9604160248 Insp rept 50-219/72-05 on 721109-10,12-13,17,20 & 721207-08. Six violations noted.Major areas inspected:followup to 720705-07,10 & 12-14 insp.
CANTRELL,F.S., BURZI,A.V., CAPHTON,D.L. Region I, IE (720101-810228). 73/03/05. 36pp.

-9604160256 Insp rept 50-219/71-02 on 710622-25-0702.Violations noted. Major areas inspected:log & records,facility staffing & operator retraining programs,reactivity control & core physics.
MCDEROTT,W.H., HIGGINBOTHAM,L., CANTRELL,F.S. Region I, IE (720101-810228). 71/09/02. 18pp..

-9604160259 Responds to 730215 ltr transmitting resolution adopted by Township Committee of Township of Ocean on 730111 re fish kills of Jan & Dec 1972 in Oyster Creek.Informs that environ statement being prepared & JCP&L various solutions.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/03/07. CASE,C.P. Senate. 3pp.

-9604160267 Discusses evaluation re insp of plant on 710623-25 & 0702. Insp concerning site organization,general ofc review board performance & administration of maint organization.
NCDERNOTT,R.J. Region I, IE (720101-810228). 71/09/03. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

-9604160270 Forwards insp rept 50-219/71-02 on 710623-25 & 0702.Two items of noncompliance noted.Specific matters of interest discussed in rept listed.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/09/03. KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 2pp.

-9604160272 Discusses special insp on 730213-16 & forwards Description of Violations & Description of Safety Items.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/07. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

-9604160276 Forwards insp rept 50-219/71-01 on 710406-08 & 12-13. Several deficiencies involving noncompliance or safety considerations noted.
ENGELKEN,R.H. Atomic Energy Commission (Pre 750119). 71/08/20. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604160279 Refers to insp conducted by Heishman & Hayward on 710629 re activities re QA program for proposed facility.
O'REILLY,J.P. Region I, IE (720101-810228). 71/08/16. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604160282 Notice of violation from insp on 730213-16.Violations noted:high magnitude of radiation levels existed for two seven day periods in Nov 1972,failure to supply film badge or pocket dosimeter to individual.
* Region I, IE (720101-810228). 73/03/07. 7pp.

--9604160285 Discusses insp conducted on 721109,10,12,13,17,20,1207 & 08 & forwards Description of Violations.
O'REILLY,J.P. Region I, IE (720101-810228). 73/03/06. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

--9604160287 Forwards insp rept 50-363/71-02 on 710629.Areas of licensee QA program considered incomplete or deficient during initial QA insp have been revised & appear to meet both words & intent of 10CFR50,app B.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 71/08/04. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

--9604160288 Discusses findings during recent environmental insp on 730228-0307 & intended EA.
STOHR,J.P. Region I, IE (720101-810228). 73/04/18. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 4pp.

--9604160291 Description of Violations from insp on 721109,10,12,13,17,20 & 1207-08.Violations noted:insufficient surveys made prior to 721120 to demonstrate exposure rate at fence East of waste storage bldg & removal of shielding glass from drum.
* Region I, IE (720101-810228). 73/03/06. 2pp.

--9604160295 Responds to 730409 note,transmitting E Allgood 730301 ltr re discharges from plant & effect on fish in Creek.
GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 73/04/18. CASE,C.P. Senate. 2pp.

--9604160298 Documents 730417 telcon from C Amato re anonymous phone call received in which caller claimed that personnel at plant receiving excessive exposures,including specifically during current refueling outage.
CARLSON,B. Atomic Energy Commission (Pre 750119). 73/04/17. Atomic Energy Commission (Pre 750119). 2pp.

--9604160301 Informs that plant QA plan has been approved & implemented.
HEISHMAN,R.F. Region I, IE (720101-810228). 71/08/04. HOWARD,E.M. Region I, IE (720101-810228). 2pp.

--9604160302 Forwards correspondence between region I,Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/03/05. MOTT,S. Ocean County, NJ. 1p.

--9604160303 Authorizes loading of 148 EXXON Type IIIE fuel assemblies in configuration described in facility change request 4 & suppl 1.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/16. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

--9604160305 Discusses evaluation of cycle 3 reload for plant re loading only.
WAMBACH,T.V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/16. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604160307 Responds to 730327 ltr to RH Sims re insp on 730313 by Cantrell.
ROSS,D.A. Jersey Central Power & Light Co. 73/04/16. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604160310 Informs that ltr to Directorate of Licensing,AEC,from Boston Edison Co dtd 730110 recently placed in PDR.Forwards copy of ltr as subj matter discussed felt to have possible applicability to plant.
CARLSON,R.T. Region I, IE (720101-810228). 73/03/01. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604160320 Discusses 730410-11 audit of GPUSC by DL Pomeroy & U Potapovs on 730410-11.Most of audit considered proprietary data by EXXON Nuclear.Field notes encl.W/o notes.Memo undtd.
CANTRELL,F.S. NRC - No Detailed Affiliation Given. 96/02/13. CAPHTON,D.L. Region 1 (Post 820201). 1p.

--9604160323 Insp rept 50-363/71-02 on 710629.No violations noted.Major areas inspected:QA reinsp.
HEISHMAN,R.F., HAYWARD,W.M. Region I, IE (720101-810228). 71/08/04. 54pp.

--9604160327 Discusses insp on 730213-16 for purposes of following up on allegations re adverse radiological conditions at facility.
MEYER,R.J., CANTRELL,F., FRIESS,R. Region I, IE (720101-810228). 73/04/10. SMITH,R.H. Region I, IE (720101-810228). 2pp.

--9604160351 AO rept 72-19:on 721230,while reactor in hot standby condition,RCIC sys became inoperable as result of loss of RCIC turbine oil pressure.
HAYNES,R.C. Boston Edison Co. AO-72-19. 73/01/10. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604160355 Trip rept to facility on 730221 to obtain split sample of off-gas stack gas particulates & charcoal canisters & monthly composite of liquid radwaste.Discussed iodine release after startup which seemed larger than normal.
EVERETT,R.J. Region I, IE (720101-810228). 73/03/01. Region I, IE (720101-810228). 1p.

--9604160358 Ack receipt of 730328 ltr informing NRC of steps taken to correct violations noted in insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 73/04/10. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604160362 Responds to 730307 ltr to RH Sims re special insp conducted by Meyer & Cantrell on 730213-16.Radiation mgt reviewing existing radiological program & will make recommendations to improve program.
ROSS,D.A. Jersey Central Power & Light Co. 73/03/28. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

--9604160365 Forwards copies of correspondence between region I, Directorate of Regulatory Operations & util.W/o encl.
CAREY,P. Region I, IE (720101-810228). 73/04/09. MOTT,S. Ocean County, NJ. 1p.

--9604160366 Forwards rept of insp conducted at facility on 710406-08 & 12-13.Insp included in-depth review of licensee mgt of radwaste.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 71/06/23. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 70pp.

--9604160367 Forwards RO inquiry rept,for info.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/05. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604160370 Ack receipt of 730327 ltr informing NRC of steps taken to correct violations noted in insp of licensed program.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/04. SIMS,R.H. Jersey Central Power & Light Co. 2pp.

--9604160377 Forwards Directorate of Regulatory Operations Bulletin 73-1, to provide info received from WEPC & RG&E concerning Point Beach & Ginna pressurized water reactor facilities.Action requested identified in section B of bulletin.
O'REILLY,J.P. Region I, IE (720101-810228). IEB-73-01. 73/02/23. SIMS,R.H. Jersey Central Power & Light Co. 3pp.

--9604160385 Informs that licensee has made noted improvement (seven new additions) in area of site staffing.
MCDERMOTT,R.J. Region I, IE (720101-810228). 71/06/17. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

--9604160387 Forwards 730215 memo from RH Engelken to FE Kruesi re JCP&L facility - Valve Testing Following Primary Sys Blowdown Occurrence of 721229.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/23. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604160393 Submits corrective action planned for facility blowdown on 721229.
CANTRELL,F.S. Region I, IE (720101-810228). 73/02/23. Region I, IE (720101-810228). 3pp.

--9604160400 Discusses 730222 telcon w/B Harris from Trenton Times.Lists questions asked re facility.Informs that no attack or defense shown.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/22. Region I, IE (720101-810228). 1p.

--9604160409 Discusses telcon w/I Finfrock on 730216 re certain aspects of B Engelken note to F Kruesi of 730215 on facility valve testing.Informed of basis of ltr & pleased w/response from util.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/20. Region I, IE (720101-810228). 1p.

--9604160417 Responds to request for info rept re Jan fish mortalities which occurred at facility.Informs that area of concern under continuing study by company through use of appropriate consultants to develop program to minimize recurrence.
ROSS,D.A. Jersey Central Power & Light Co. 73/02/14. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604160425 Forwards 730206 unsigned ltr relating to problems at facility.Informs that special insp commencing on 730213 being conducted & future actions will depend on findings from insp.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/02/14. ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604160428 Responds to 730306 ltr to RH Sims re insp of plant operations conducted by Cantrell on 721109,10,12,13,17 & 20 & 1207 & 08.Util will be taking steps to insure surveys as may be required to comply w/10CFR20.201(b).
ROSS,D.A. Jersey Central Power & Light Co. 73/03/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604160430 Informs of adverse conditions at facility re drum storage areas for "solid waste," storage of radioactive chromated water & personal exposure to radiation.
* Affiliation Not Assigned. 73/02/06. Atomic Energy Commission (Pre 750119). 5pp.

--9604160431 Forwards application for amend 72 to license DPR-16, authorizing receipt,possession & storage of up to 1,000 kg of contained Pu-239 & Pu-241.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604160435 Application for amend 72 to license DPR-16,authorizing receipt,possession & storage of up to 1,000 kg of contained Pu-239 & Pu-241.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. 3pp.

--9604160442 Forwards suppl 2 to change request 4,requesting Commission authorization to load & operate core w/four mixed oxide fueled lead assemblies included in configuration described in facility change request 4.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604160446 Application for amend to license DPR-16,authorizing use of plant type IV fuel bundles,designed & fabricated by Exxon Nuclear Co.
SIMS,R.H. Jersey Central Power & Light Co. 73/04/04. 44pp.

--9604160450 Submits util plans for continued operation & control of effluents,per 730308 memo.
ENGELKEN,R.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/04/03. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604160456 Requests addl info to complete review of 730118 & 0222 submittals,describing cycle 3 core loading for plant. Response should be submitted by 730416.
SCHEMEL,R.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/03. SIMS,R.H. Jersey Central Power & Light Co. 8pp.

--9604160461 Documents encl questions raised as result of review of generic rept NEDM-10735, "Densification Considerations in BWR Fuel Design & Performance."
BOYD,R.S. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 73/03/14. HINDS,J.A. General Electric Co. 4pp.

-9604160467 Forwards RO Insp Rept 50-219/73-01.Informs that special insp conducted to investigate circumstances relating to turbine trip on 721229 & resulting primary sys blowdown to torus when relief valve malfunctioned.
CAPHTON,D.L. Region I, IE (720101-810228). 73/02/13. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604160468 Informs that isolation valves have been installed in main steam line of BWR to assure that any significant release of fission products retained within containment sys.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 73/04/03. SIMS,R.H. Jersey Central Power & Light Co. 9pp.

-9604160469 Discusses investigation of results of blowdown on 721229. Informs that licensee responsive to most requests.
CANTRELL,F.S. Region I, IE (720101-810228). 73/02/13. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

-9604160473 Insp rept 50-219/73-01 on 730102,05-06.Violations noted. Major areas inspected:turbine trip w/failure to relief valve to reclose,valve testing & torus pulsations.
CANTRELL,F.S., CAPHTON,D.L. Region I, IE (720101-810228). 73/02/08. 15pp.

-9604170006 Insp rept 50-219/71-01 on 710406-08,12 & 13.Violations noted.Major areas inspected:safety items,noncompliance items,review status of previously identified problems,review liquid effluent monitoring practices.
MCDERMOTT,R.J., CARLSON,R.T. Region I, IE (720101-810228). 71/06/02. 45pp.

-9604170010 Forwards insp rept 50-219/73-01 on 730102,05-06.No violations noted.Major areas insp:circumstance related to turbine trip on 721229 & resulting primary sys blowdown to torus as result of relief valve failing to rewater.
CARLSON,R.T. Region I, IE (720101-810228). 73/02/09. SIMMS,R.H. Jersey Central Power & Light Co. 3pp.

-9604170013 Forwards rept of mgt interview w/licensee conducted on 710104.Licensee informs that corrective action would be taken on each item discussed.
LIEDERBACH,F.J. Atomic Energy Commission (Pre 750119). 71/02/27. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

-9604170015 Forwards JCP&L ltrs dtd 730105 & 730104 & RO Inquiry Rept 50-219/73-02Q as correspondence between Region I,Directorate of Operations & JCP&L.
O'REILLY,J.P. Region I, IE (720101-810228). 73/02/12. MOTT,S. Ocean County, NJ. 1p.

-9604170018 Insp rept 50-363/71-01 on 701102-03.Violations noted. Major areas inspected:design control,procurement document control & audits.
HEISHMAN,R.F., HOWARD,E.M. Region I, IE (720101-810228). 71/02/02. 2pp.

-9604170025 Responds to request from F Cantrell re control rod drive selector switch failure.
ROSS,D.A. Jersey Central Power & Light Co. 73/02/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170035 Forwards rept re experimental insp of mgt sys used by licensee to assure safe operation of plant reactor & to assure compliance w/OL.
LOW,L.D. Atomic Energy Commission (Pre 750119). 71/02/11. MORRIS,P.A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

-9604170046 Forwards rept of special insp of mgt sys employed by licensee to assure safe operation of plant & to assure compliance w/OL.Insp conducted on 701013-16,28,29 & 1105-06.
CARLSON,R.T. Region I, IE (720101-810228). KEPPLER,J.G. Atomic Energy Commission (Pre 750119). 71/01/29. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 4pp.

-9604170049 Submits memo re high I-131 release rate at facility for Headquarters action.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/02/08. PELLETIER,C.A. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

-9604170055 Informs that 721117 ltr to Directorate of Licensing from FPL recently placed in PDR.
HOWARD,E.M. Region I, IE (720101-810228). 73/02/06. SIMS,R.H. Jersey Central Power & Light Co. 1p.

-9604170060 Discusses public relations call on 730126 from F Ingram,as result of inquiry from C Abraham of Philadelphia Bulletin, re facility blowdown on 721229.
CANTRELL,F.S. Region I, IE (720101-810228). 73/01/26. Region I, IE (720101-810228). 2pp.

-9604170062 Summary of 740906 meeting w/util re plant vacuum breakers TS.List of attendees encl.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/09. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

-9604170065 Forwards 730115 JCP&L ltr & RO Insp Rept 50-219/7301Q as correspondence between Region I,Directorate of Operations & JCP&L.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/01/26. MOTT,S. Ocean County, NJ. 1p.

-9604170066 CO Rept 219/71-08 on 701013-16,28-29 & 1105-06.Major areas inspected:mgt sys.
* Atomic Energy Commission (Pre 750119). 71/02/13. 31pp.

-9604170068 Informs that 720804 ltr to Directorate of Licensing,AEC, from NSP recently placed in PDR.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/24. MCCLUSKEY,T.J. Jersey Central Power & Light Co. 1p.

-9604170072 Informs that GPU response appears to be favorable.
HEISHMAN,R.F. Region I, IE (720101-810228). 71/02/02. HOWARD,E.M. Region I, IE (720101-810228). 1p.

-9604170079 Informs that RO Inquiry Rept 50-245/73-01Q dtd 730111 recently placed in PDR.Forwards rept as subject matter discussed felt to have possible applicability to plant.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/24. MCCLUSKEY,T.J. Jersey Central Power & Light Co. 1p.

-9604170085 Forwards rept of mgt interview w/licensee concerning initial QA insp of plant,held on 710104.Licensee indicated that corrective action completed in all but few areas.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 71/02/08. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

-9604170089 Responds to 721129 ltr re problems on amend two to Applicant Environ Rept dtd 721117 on facility.Informs of concern for canal banks instability which contribute to sediment problems & results in unsightly conditions.
* Interior, Dept. of. 73/01/23. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604170105 Summary of 740221 meeting w/util in Bethesda,MD re augmented off-gas sys,explosions in off-gas sys,outstanding items for FTOL & expected changes to TS prior to issuance of FTOL.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/09. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

-9604170110 Forwards rept of initial quality assurance insp for facility.
LIEDERBACH,F.J. Atomic Energy Commission (Pre 750119). 71/01/19. HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 1p.

-9604170115 Responds to 740219 ltr re licensing of facility.Informs that Commission aware of problems cited & identified & addressed in draft environ statement issued in Jul 1973.Final recommendation will be relected in FES.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/03. COOKINGHAM,R.A. New Jersey, State of. 1p.

-9604170120 Forwards temp data from facility for period in question.
STOHR,J.P. Region I, IE (720101-810228). 73/01/16. REINTJES,J.W. . 2pp.

-9604170121 Insp rept 50-363/70-2 on 701102-03.Violations noted.Major areas inspected:QA program.
HEISHMAN,R.F., HAYWARD,W.N., TILLOU,J.H. Region I, IE (720101-810228). 70/12/23. 86pp.

-9604170130 Forwards insp rept 50-219/74-10 on 740530-31.No violations or safety items observed.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/12. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170136 Expresses appreciation for environ measurements recently taken at facility.Commends J McLaughlin,C Gogolak & W Lowier for cooperation in obtaining data for Regulation.
KUHLMAN,C.W. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/03/29. HARLEY,J.H. Atomic Energy Commission (Pre 750119). 1p.

-9604170148 Informs that Health & Safety Laboratory pleased to assist in taking field measurements at facility.Informs that representatives from regional ofc contact Harley for arrangements.
LIVERMAN,J.L. Atomic Energy Commission (Pre 750119). 74/03/11. KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

-9604170166 Forwards RO inquiry repts.W/o encl.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/01/15. SIMS,R.H. Jersey Central Power & Light Co. 1p.

-9604170170 Forwards insp rept 50-219/74-01 on 740609 & 10.No violations or safety items noted.
BRUNNER,E.J. Region I, IE (720101-810228). 74/07/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170171 Informs that issuance of ETS in 1974 warranted,necessary & in best interests of Commission.
O'REILLY,J.P. Region I, IE (720101-810228). 74/10/07. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604170179 Ack receipt of 740919 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-14.
MARTIN,W.G. Region I, IE (720101-810228). 74/10/07. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

-9604170181 Insp rept 50-219/74-02 on 740121-25.Violations noted.Major areas inspected:administration & organization,logs & records,primary sys,reactivity control & core physics, auxiliary sys,electrical sys,containment & emergency power.
GREENMAN,E.G., THOMAS,V., CAPHTON,D.L. Region I, IE (720101-810228). 74/03/27. 20pp.

-9604170194 Discusses gaseous waste treatment sys & requirements for completion of review of proposed mods.Proposed mods for non-seismic gaseous radwaste sys acceptable provided that listed actions completed.
LEAR,G. Region I, IE (720101-810228). 74/10/01. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

-9604170195 Forwards Abnormal Occurrence Report 50-219/74-34 in compliance w/ paragraph 6.6.2.a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/07. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170197 Forwards CO rept 50-363/70-02 on 701102-04 of initial QA insp of plant.
HOWARD,E.M. Atomic Energy Commission (Pre 750119). 70/12/23. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

-9604170201 Responds to 740603 request for revs in plant operator requalification program.Revised operator requalification program dtd Sept 1974 encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/27. COLLINS,P.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604170206 "Oyster Creek Nuclear Generating Station Operator Requalification Program."
* Jersey Central Power & Light Co. 74/09/30. 13pp.

--9604170207 Forwards mgt meeting rept 50-363/70-01.Meeting focused on need for early development by applicant of effective QA program.
HENDERSON,J.B. Atomic Energy Commission (Pre 750119). 70/12/03. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 1p.

--9604170210 Forwards AO 50-219/74/23.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170211 Discusses telcon w/I Finfrock re plant scram on 740925.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 74/09/26. GREENMAN,E. Atomic Energy Commission (Pre 750119). 1p.

--9604170212 Notifies Commission of applicability of plant parametric study on ECCS to Forked River facility.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

--9604170214 Mgt meeting rept 50-363/70-01 on 701026.Areas discussed:QA program.
HEISHMAN,R.F., HOWARD,E.M. Region I, IE (720101-810228). 70/11/10. 3pp.

--9604170215 Forwards AO Rept 50-219/74/21.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170216 Forwards Monthly Generation Summary for 740531.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/07. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

--9604170217 Notification of 741001-03 meeting w/util to discuss proposed changes to plant TS as part of review for FTOL.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/09/19. LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170229 Forwards AO Rept 50-219/74/22.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/22. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170231 Informs of present operating status of plant re requirements of 10CFR50.46.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/12. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604170232 Insp rept 50-219/70-07 on 701013-16.Violations noted.Major areas inspected:review status of outstanding items identified in previous repts,operations for reinsp period & complete requirements of PI 3000/1.
MCDERMOTT,R.J., CARLSON,R.T. Region I, IE (720101-810228). 70/12/02. 34pp.

--9604170235 Forwards RO inquiry rept for info purposes.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 73/01/12. SIMS,R.H. Jersey Central Power & Light Co. 1p.

--9604170240 Summary of 740906 meeting w/util re new TS for plant vacuum breakers & installed alarm sys.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/09/12. BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 2pp.

--9604170243 Informs that review of rod surviellance testing & results indicate that rod performance has been satisfactory since April-May 1970,per CO rept 50-219/70-07.
MCDERMOTT,R.J. Region I, IE (720101-810228). 70/11/10. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604170252 Forwards rept of insp at facilty on 701013-16.No safety significance noted.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 70/12/15. O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 3pp.

--9604170253 Responds to 740220 ltr concerning facility & effects on Oyster Creek Marina.
MEYERS,S. Environmental Protection Agency. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170255 Forwards for info & implementation,revised schedule for review of application for conversion of provisional OL to FTOL for plant.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/09/12. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170256 Discusses Oyster Creek Incore Monitor Housing Penetration Leak.
GRIER,B.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). RO-C&O-74-7. 74/06/05. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

--9604170266 Forwards AO Rept 50-219/74/19.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170281 Forwards AO Rept 50-219/74/18.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170282 Advises that submittal on ATWS will be delayed.Proposes to submit rept by 741101.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/09/11. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170285 Summarizes 740906 meeting w/util & GE re proposed TS for plant vacuum breakers.Portions of util reactor containment bldg integrated leak rate test dtd June 1974 encl.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/09/09. Atomic Energy Commission (Pre 750119). 23pp.

--9604170287 Discusses Envioronmental TS at Oyster Creek facility.
OREILLY,J.P. Region I, IE (720101-810228). 74/06/06. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604170289 Forwards AO Rept 50-219/74/20.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170290 Provides info requested by F Cantrell of TJ McCluskey re fuel channel study program.
ROSS,D.A. Jersey Central Power & Light Co. 73/01/11. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

--9604170294 Insp rept 50-219/74-17 on 741111-14.Violations noted.Major areas inspected:health physics & chemistry.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 74/01/03. 13pp.

--9604170295 Forwards insp rept 50-219/73-23 on 731227-28 & notice of violation.
O'REILLY,J.P. Region I, IE (720101-810228). 74/02/11. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

--9604170298 Notice of violation from insp on 731227-28.Violation noted: noted:four contractor employees working in posted,roped-off contamination zone on ground near waste collector tank w/o protective clothing.
* Region I, IE (720101-810228). 74/02/11. 1p.

--9604170302 Discusses insp rept 50-219/74-18 on 741109-22 & forwards NOV.Informs that corrective steps will be taken to avoid further violations.
BRUNNER,E.J. Region I, IE (720101-810228). 74/12/26. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170306 Forwards RO Insp Rept 50-219/73-21 for action.Informs that NJ Emergency Plan does not meet "Guide & Checklist for Development & Evaluation of State Radiological Emergency Response Plans for Fixed Facilities." State working on rev.
STOHR,J.P. Region I, IE (720101-810228). 74/02/05. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

--9604170308 Insp rept 50-219/74-18 on 741119-22.Violations noted.Major areas inspected:administration & organization,operational, unscheduled shutdowns,log & records.
HUYDER,G. Region I, IE (720101-810228). 74/12/19. 16pp.

--9604170310 Refers to 740107 ltr transmitting physical security plan(s) & requesting that it be withheld from public disclosure as proprietary info.Agrees that info is proprietary.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/11. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170323 Ack receipt of 741001 & 30 ltrs requesting that util assurance be provided to accommmodate four conditions w/ respect to const & operation of plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/12/02. LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 9pp.

--9604170325 Forwards Preliminary AO Rept 50-219/74/20.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/11. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604170326 Ack receipt of 740806 & 0612 ltrs informing NRC of steps taken to correct violations noted during insp of licensed program.
CARLSON,R.T. Region I, IE (720101-810228). 74/09/09. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604170329 Informs that util in process of writing & implementing procedures which will establish formal QA program in util Generation Dept that satisfies requirements of 10CFR50, App B.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/06. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604170334 Discusses insp rept 50-219/74-16 on 741030 & forwards NOV.Informs that corrective steps will be taken to avoid further violations.
BRUNNER,E.J. Region I, IE (720101-810228). 74/11/22. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

--9604170335 Forwards xerox copy of response to IE Bulletin 75-06 for plants.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-06. 75/09/03. HAYNES,R. Region I, IE (720101-810228). 1p.

--9604170336 Discusses correspondence re Oyster Creek Envioronmental TS.
BRUNNEER,E.J. Region I, IE (720101-810228). 74/06/06. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604170342 Responds to IE Bulletin 75-06 re use of Westinghouse Type OT-2 control switches in safety-related sys at facility.Type has not been purchased to date.
FINFROCK,I.R. Jersey Central Power & Light Co. IEB-75-06. 75/07/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604170344 Summary of 740815 meeting w/util re liquefaction aspects of plant site in area of site proposed for liquid - solid radwaste bldg.List of attendees & proposed agenda encl.
RIESLAND,J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/30. Atomic Energy Commission, Directorate of Licensing (720101-750118). 7pp.

--9604170345 Forwards AO Rept 50-219/74/17.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/03/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170347 Notice of violation from insp on 741030.Violation noted: designated radiation area observed to have no RWP distributed to job location.
* Region I, IE (720101-810228). 74/11/22. 1p.

--9604170349 Discusses J Russell request for info re insp by Gallina in Feb or Mar 1973.
KNAPP,P.J. Atomic Energy Commission (Pre 750119). 74/08/29. Atomic Energy Commission (Pre 750119). 1p.

--9604170351 Discusses 730108 call to advise of incident re fish kill.
PLUMLEE,K.E. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 73/01/10. RICHARDSON,T. Atomic Energy Commission (Pre 750119). 5pp.

--9604170352 Discusses J Russell 740827 telcon re questions involving Feb/Mar 1973 rept documenting insp of plant.
GALLINA,C.O. Atomic Energy Commission (Pre 750119). 74/08/28. Atomic Energy Commission (Pre 750119). 3pp.

-9604170354 Discusses two separate phone calls received from New Jersey State representatives re penetration failure at plant.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/06/06. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

-9604170355 Ack receipt of 740507 ltr in response to 740212 ltr re util QA plan relating to plant.Response not acceptable due to listed reasons.
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/28. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

-9604170360 Discusses adopted amends to Commission Regulation 10CFR, Parts 50,70,& 73 dtd 731106.Amends require licensees to submit physical security plan by 740107.Licensees required to provide physical protection against industrial sabotage.
GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/05. FINFROFK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170364 Informs of special insp conducted on basis of DL request to provide data for FTOL review re comparison of responsible power plant & nuclear experience against ANSI N18.1.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/11/22. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 2pp.

-9604170365 Discusses RO Insp Rept 50-219/73-21.Provides additional info relating to State of NJ capabilities for providing police powers & radiological health coverage.
GALLINA,C.O. Region I, IE (720101-810228). 74/03/08. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

-9604170367 Forwards three originals & 37 reproduced signature copies of suppl 3 to Jersey Central application for full term license for plant.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/09. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

-9604170376 Submits rept of missing environ air particulate samples.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/26. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

-9604170377 Insp rept 50-219/74-16 on 741030.Violations noted.Major areas inspected:mgt interview,documentation of personnel experience,repairment in responsible positions.
GREENMAN,E.G., RUHLMAN,W.A., CAPHTON,D.L. Region I, IE (720101-810228). 74/11/21. 24pp.

-9604170379 Suppl 3 to application for full term license for plant.
* Jersey Central Power & Light Co. 73/01/09. 2pp.

-9604170380 Forwards insp rept 50-219/74-09 on 740508-09.No violations or safety items noted.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/04. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170382 Discusses insp rept 50-219/74-14 on 740723-24.No violations noted.Program weaknesses found in areas of program. Description of program weaknesses found encl.
MARTIN,W.G. Region I, IE (720101-810228). 74/08/14. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

-9604170383 Ack receipt of 740805 ltr informing of clarifications & corrections to insp rept 50-219/74-12.
CARLSON,R.T. Region I, IE (720101-810228). 74/08/12. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170384 Ack receipt of 741101 ltr informing NRC of steps taken to correct violations noted in insp.
MARTIN,W.G. Region I, IE (720101-810228). 74/11/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

-9604170386 Responds to 740718 ltr re insp of plant on 740606,07,17,22 & 0711.Three discrepacies should be resolved prior to placement of insp rept 50-219/74-12 in PDR.
ROSS,D.A. Jersey Central Power & Light Co. 74/08/05. CARLSON,R.T. Region I, IE (720101-810228). 2pp.

-9604170388 Informs that investigation conducted into model numbers & vintages of Limitorque Valve operators installed in safety- related sys at plant.
ROSS,D.A. Jersey Central Power & Light Co. IEB-72-03. 73/01/04. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170389 Responds to violations noted during insp on 740926 & 27. Corrective actions:completed inventory of 13 fuel pins on 741024.
ROSS,D.A. Jersey Central Power & Light Co. 74/11/01. MARTIN,W.G. Region I, IE (720101-810228). 1p.

-9604170392 Partially withheld RO insp rept 50-219/74-14 on 740723-24.
COOPER,L.C., DEVLIN,J.W. Region I, IE (720101-810228). 74/08/12. 2pp.

-9604170394 Forwards insp rept 50-219/74-09 for appropriate headqaurter action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/06/04. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

-9604170396 Forwards preliminary AO Rept 50-219/74/17.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170397 Ack receipt of 741217 & 750115 ltrs informing NRC of steps takne to correct violations noted in insp rept 50-219/74-16.
BRUNNER,E.J. Region I, IE (720101-810228). 75/01/22. FINFROCK,I. Jersey Central Power & Light Co. 1p.

-9604170398 Forwards estimated costs of alternative cooling sys,per 740710 request.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/08/06. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

-9604170401 Forwards correspondence between region I,Directorate of Regulatory Operations & util.W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 73/01/04. MOTT,S. Ocean County, NJ. 1p.

-9604170404 Informs that Director of Regulation determined that good cause has been shown in 740619 request,for extending time until 741211,under conditions set forth in encl determination.
GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/08/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170405 Informs that ltrs dtd 740118 & 740207 failed to provide adequate info re relief valve blowdowns for facility as requested by 731219 ltr.Requests summary of relief valve blowdowns utilizing table similar to encl rept by NMP.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/07. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

-9604170406 Responds to violations noted in insp rept 50-219/74-16. Corrective actions:station personnel have always assumed that requirement to post RWP at job location meant at nearest,most convenient location in vicinity of work area.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/15. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

-9604170408 Forwards "Comments of Director of Regulation on Requests for Exemptions from Requirements of 10CFR50.46."
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/31. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170412 Responds to violations noted in insp rept 50-219/74-16. Corrective actions:all extended RWP for radwaste facility posted in radwaste control room or near work areas.
ROSS,D.A. Jersey Central Power & Light Co. 74/12/17. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

-9604170414 Informs Jersey Central Power & Light to submit revised program for NRC approval of requalification of licensing operators & senior operators at Oyster Creek.
COLLINS,P.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/03. FINFROCK,I.R. Jersey Central Power & Light Co. 5pp.

-9604170415 Forwards draft notification of incident or occurrence on 721229 re failure of primary sys relief valve to reseat when actuated following turbine trip.
CARLSON,R.T. Region I, IE (720101-810228). 72/01/03. KEPPLER,J.G. Region I, IE (720101-810228). 4pp.

-9604170421 "Comments of Director of Regulation on Requests for Exemptions from Requirements of 10CFR50.46."
MUNTZING,L.M. Atomic Energy Commission (Pre 750119). 74/07/29. 12pp.

-9604170428 Informs of rewording to read, "You provide assurance that delay time for noble gases passing through delay pipe not less than 60 minutes."
LEAR,G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/30. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170433 Forwards preliminary AO Rept 50-219/74/16.
CARROLL,J.T. Jersey Central Power & Light Co. 74/03/07. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604170437 Informs that Exxon requested to forward under separate cover,directly to staff,results of final ECCS analysis.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/30. CASE,E.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

-9604170443 Forwards AO Rept 50-219/74/15.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/07. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604170451 Informs of completion of review of proposed mods to radwaste sys for facility submitted by ltrs dtd 730920 & 731213. Proposed off-gas sys mods unacceptable.Requests description of proposed mods of off-gas sys.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/03/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170460 Requests that HASL be authorized to make measurements of radiation levels aboard boats in canal & at surface of canal water.Informs that inspector from regional ofc will be available to assist in making necessary arrangements.
KNUTH,D.F. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/03/05. LIVERMAN,J.L. Atomic Energy Commission (Pre 750119). 2pp.

-9604170467 Summary of 721024 meeting w/util at facility re implementation of New Jersey State Contract Program.
STOHR,J.P. Region I, IE (720101-810228). 72/10/24. Region I, IE (720101-810228). 4pp.

-9604170470 Insp rept 50-219/74-09 on 740508-09.No violations noted. Major areas inspected:instrumentation volume fraction not addressed in IPCLRT procedure,calculated containment air volume,temperature stabilization criteria & air inventory.
REBELOWSKI,T., STREETER,J., MCCABE,E.C. Region I, IE (720101-810228). 74/06/03. 9pp.

-9604170472 Addendum to RO insp rept 50-219/74-04 on 740320.No violations noted.Major areas inspected:environmental monitoring program.
BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 74/07/29. 5pp.

-9604170473 Informs that encl rept from JW Reintjes,from Atlantic Estuarine Fisheries Center,incorporated as attachment to Insp Rept 50-219/74-01.Names deleted & typos corrected.
GREEMAN,E.G. Region I, IE (720101-810228). 74/03/04. Region I, IE (720101-810228). 8pp.

-9604170475 Discusses insp rept 50-219/74-04 on 740320.No violations or safety items noted.
NELSON,P.R. Region I, IE (720101-810228). 74/07/29. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604170479 Forwards RO insp rept 50-219/72-04 re activity assocaited w/BWRs.
CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 72/10/12. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170483 Requests 10-day extension to 740805 for completion of analysis re costs of condenser cooling water sys alternatives.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/25. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604170486 Informs of telcon from S Rose of "Trentonian" newspaper re 740111 shutdown of facility.Agreed to furnish copy of rept 50-219/74-01 & associated AO rept concerning snubber insps.
GREENMAN,E.G. Region I, IE (720101-810228). 74/03/04. Region I, IE (720101-810228). 1p.

--9604170489 Discusses insp rept 50-219/74-13 on 740710-12.Inspector verified steps taken to correct items reported in AOs 74-24, 74-28,74-31 & 74-33.
O'REILLY,J.P. Region I, IE (720101-810228). 74/07/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604170492 Discusses insp rept 50-219/72-04 that has been extended to 7 days in attempt to close out inquiry repts & unresolved items from previous insp.
CANTRELL,F.S. Region I, IE (720101-810228). 72/10/12. CARLSON,R.T. Region I, IE (720101-810228). 5pp.

--9604170493 Forwards AO rept 50-219/74/14.
ROSS,D.A. Jersey Central Power & Light Co. 74/03/01. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604170499 Informs that appropriate analyses completed re facility rod drop accident.Requests extension of 30 days to allow for General Ofc Review Board & Plant Operations Review Committee review & approval of TS change & supporting analyses.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/03/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604170500 RO insp rept 50-219/74-13 on 740710-12.Violations noted, including failure to analyze stack gas particulate filter for gross alpha,beta & gamma activity within one wk of removal.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/07/23. 8pp.

--9604170505 Ro insp rept 50-219/74-12 on 740606,07,17,22 & 0711.No violations noted.Major areas inspected:history of leaking in-core 28-05 & licensee proposed evaluation to determine location & extent of leak.
WALTON,G.A., GREENMAN,E., TILLOU,J.H. Region I, IE (720101-810228). 74/07/18. 9pp.

--9604170508 Responds to 740219 memo re facility chromate storage problem.Regulatory Operations considers issue closed. State matter resolved by encl ltr dtd 740122 to JCP&L from NJ Bureau of Water Pollution Control.
THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 74/03/01. STOHR,J.P. Region I, IE (720101-810228). 3pp.

--9604170509 Insp rept 50-219/72-04 on 720705-07,10,12-14. Major areas inspected:activity associated w/BWRs.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/10/04. 27pp.

--9604170521 Forwards inquiry rept 50-219/72-25 re relief valve discharge piping.
CARLSON,R.T. Region I, IE (720101-810228). 72/08/15. KEPPLER,J.G. Region I, IE (720101-810228). 1p.

--9604170525 Discusses insp rept 50-219/72-02.Two items of noncompliance noted.
CARLSON,R.H. Region I, IE (720101-810228). 72/05/19. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604170527 Discusses insp rept 50-219/72-02 re facility BWRs.Requested action or info obtained for listed HQ memos.
CANTRELL,F.S. Region I, IE (720101-810228). 72/05/12. CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 3pp.

--9604170528 Insp rept 50-219/72-02 on 720223-25,29 & 0301. Major areas inspected:torus to drywell vacuum breaker check for BWRs.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/05/16. 19pp.

--9604180001 Informs that requested proposed TS for Limiting Condition of Operation & Surveillance Requirements to torus structure will be submitted by end of Sept 1974.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/27. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180003 Ack receipt of 740805 ltr re "Determination of Request for Extension of Time for Submittal of Evaluations Required by Acceptanced Criteria for ECCS."
* Jersey Central Power & Light Co. 74/10/23. CASE,E.G. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180004 Forwards additional comments on facility DES.Requests review of comments.Response should be submitted by 740322.
REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/28. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604180005 Responds to 741004 request for explanation for delay of primary sys transient analysis submittal beyond Mar 1975, vendor program for completion of analysis & estimate of actual submittal date.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/18. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180006 Responds to NRC 731218 ltr summarizing early Nov meeting re corrective action on submitted topics.Provides pertinent info on topics to facilitate evaluation.
BARTNOFF,S. Jersey Central Power & Light Co. 74/01/18. DAVIS,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 9pp.

--9604180009 Discusses resulst of refined cost estimate for liquid & solid sys mod reflecting design details developed to date & present market conditions.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/10/17. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

--9604180010 Forwards preliminary AO Rept 50-219/74/15.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/28. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180012 Insp rept 50-219/74-15 on 740926-27.Violations noted.Major areas inspected:physical inventories,written SNM control procedures,records & repts.
PARTLOW,J.G. Region I, IE (720101-810228). 74/10/15. 8pp.

--9604180014 Discusses insp rept 50-219/74-15 on 740926-27 & forwards NOV.Informs that steps will be taken to avoid further violations.
MARTIN,W.G. Region I, IE (720101-810228). 74/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180016 Forwards AO Rept 50-219/74/13.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/27. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180017 Notice of violation from insp on 740926-27.Violation noted: approx twelve fuel pins each containing SNM,have not been inventoried since 730105.
* Region I, IE (720101-810228). 74/10/15. 1p.

--9604180020 Discusses telcon w/util on 740225 re visit from Deputy Minister for Electrification & Energetics,Russia.
O'REILLY,J.P. Region I, IE (720101-810228). 74/02/26. Region I, IE (720101-810228). 1p.

--9604180022 Submits three copies of assembly drawing of vacuum breaker valve IAW 740214 ltr.Drawing designated as 20464-H considered proprietary by Atwood & Morrill Co.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/26. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180023 Forwards AO Rept 50-219/74/11.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

--9604180032 Forwards preliminary AO Rept 50-219/74/14.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/25. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180034 Discusses insp rept 50-219/74-12 on 740606,07,17,22 & 0711. No violations or safety items noted.
CARLSON,R.T. Region I, IE (720101-810228). 74/07/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180040 Forwards preliminary AO rept 50-219/74/5.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/17. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180043 Responds to insp rept 50-219/72-03 re labor problems at plant.
CANTRELL,F.S. Region I, IE (720101-810228). 72/05/24. CARLSON,R.T. Region I, IE (720101-810228). 1p.

--9604180044 Forwards preliminary AO Rept 50-219/74/11.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180048 Forwards preliminary AO Rept 50-219/13.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180051 Informs that since proprietary classification not forwarded by 740606,drawing 20464-H placed in PDR.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/11. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180053 Forwards AO rept 50-219/74/2.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/17. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604180060 Informs that 731227 ltr to Directorate of Licensing from licensee recently placed in PDR.
BRUNNER,E.J. Region I, IE (720101-810228). 74/01/17. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604180063 Discusses facility chromate storage problem & informs that Regulatory Operations I intends no further action at present time.Recommends that DL review matter & impose some type of preventive requirement in TS & consider in environ impact.
STOHR,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/02/19. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

--9604180068 Forwards preliminary AO Rept 50-219/74/12.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/19. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604180071 Requests addl info in order to continue environ review of plant.Response should be provided by 740726.
REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/10. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

--9604180077 Forwards insp rept 50-219/72-03 re labor problems & crack found on seat bushing of two safety valves.
CARLSON,R.T. Region I, IE (720101-810228). 72/05/25. KEPPLER,J.G. Region I, IE (720101-810228). 1p.

--9604180080 Forwards notice re 740619 request for extension of time to file required ECCS evaluation for plant.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/09. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604180085 Submits evaluation of facility based on insp of 731226-28. Health Physics conditions show dramatic improvement since Sept insp & newly hired Radiation Protection Supervisor appears to be doing outstanding job.
MANN,J. Region I, IE (720101-810228). 74/02/11. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

--9604180089 Insp rept 50-219/72-03 on 720223-25,29 & 0301.No violations noted.Major areas inspected:mgt interview,trip test & reactor startup.
CANTRELL,F.S., SPESSARD,R.L. Region I, IE (720101-810228). 72/05/24. 8pp.

--9604180091 Notice of request for extension in submitting evaluations by 740805.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/07/05. 2pp.

–9604180097 Insp rept 50-219/73-23 on 731226-28.One violation noted. Major areas inspected:followup to 730905-07 insp.
MANN,J., KNAPP,P.J. Region I, IE (720101-810228). 74/01/25. 12pp.

–9604180103 Forwards special insp 50-219/72-01 re 1972 fish kill incident at plant.
ENGELKEN,R.H. Atomic Energy Commission (Pre 750119). 72/03/30. SKOVHOLT,D.J. Atomic Energy Commission (Pre 750119). 1p.

–9604180104 Forwards preliminary AO rept 50-219/74/4.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/16. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604180108 Provides results of investigation into bearing oil drain pipe rupture in 416OV switchgear room.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/07/03. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604180109 Forwards preliminary AO Rept 50-219/74/10.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/11. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604180113 Ack receipt of 731030 & 1203 ltrs informing AEC of steps taken to correct violations noted in insp.
O'REILLY,J.P. Region I, IE (720101-810228). 74/01/16. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604180117 Discusses RO Special Insp Rept 50-219/74-01 concerning rept of unidentified leakage referenced by telcon from State of NJ representative.Recommends that rept be forwarded to HQ for action & licensee notified re timely issuance of TS.
GREENMAN,E.G. Region I, IE (720101-810228). 74/02/07. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604180118 Responds to 731004 ltr to IR Finfrock re insp conducted by Greenman on 730828-29.Corrective actions:complete audit of testing records in progress.
ROSS,D.A. Jersey Central Power & Light Co. 73/10/30. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604180119 Forwards insp rept 50-219/72-01 re restriction on main condenser differential temp at power plant reactors.
CARLSON,R.T. Region I, IE (720101-810228). 72/03/17. KEPPLER,J.G. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604180124 Forwards Insp Rept 50-219/74-01 on 740111-12.No violations noted.Major areas insp:selective exam of procedures & representative records,interviews w/personnel & observations by inspector.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604180128 Submits items of concern re 731121 response to AEC 730703 & 0807 ltrs re protection of equipment important to safety against flooding due to rupture of noncategory I equipment or piping in facility.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604180132 Forwards insp rept 50-219/74-01 for action on submitted matters.Informs that documentation ltr issued to licensee. W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/02/06. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604180136 Informs that shutdown at plant contributed to fish kill & forwards insp rept 50-219/72-01.
CANTRELL,F.S. Region I, IE (720101-810228). 72/03/17. CARLSON,R.T. Region I, IE (720101-810228). 1p.

–9604180137 Discusses 740613 & 14 visit to plant site to investigate & discuss leakage of primary coolant from around incore tube 05-28.Leak discovered on 740528.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/21. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

–9604180138 RO Insp rept 50-219/74-11 on 740609-10.No violations noted. Major areas inspected:IPCLRT.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/07/02. 8pp.

–9604180140 Insp rept 50-219/72-01 on 720207.No violations noted. Major areas inspected:mgt interview re fish killed.
CANTRELL,F.S., CARLSON,R.T. Region I, IE (720101-810228). 72/03/16. 5pp.

–9604180141 Forwards AO Rept 50-219/74/9.
ROSS,D.A. Jersey Central Power & Light Co. 74/02/06. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604180143 Responds to suppl ltr dtd 731030 re insp conducted by Greenman on 730828 & 29.Corrective actions:personnel at plant solicited recommendations of Radiation Mgt Corp re accepted radiological safety control practice.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/03. O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 2pp.

–9604180146 Summary of 740522 meeting w/util re Exxon 8x8 U02 lead fuel assemblies for use in plant.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/06/20. Atomic Energy Commission, Directorate of Licensing (720101-750118). 5pp.

–9604180147 Provides comments from discussion between F Nolan & T Wamback re recommendations presented in insp rept 50-219/71-14.
CARLSON,R.T. Region I, IE (720101-810228). 71/12/30. CARLSON,R.T. Region I, IE (720101-810228). 1p.

–9604180150 Submits telephone listing for JCP&L Corporate contacts, effective immediately.Records should be changed accordingly.
GREENMAN,E.G. Region I, IE (720101-810228). 74/02/06. MCOSCAR,J.J. Atomic Energy Commission (Pre 750119). 1p.

–9604180151 Informs that NRC understands that Licensing has tentatively concluded that restrictions should be imposed on resumption of operations,based on review of util 740617 rept.
GRIER,B.H. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/06/20. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604180152 Forwards AO rept 50-219/74/1.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/15. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604180157 Forwards preliminary AO rept 50-219/74/3.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/14. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604180159 Insp rept 50-219/74-01 on 840111-12.No violations noted. Major areas inspected:loss & records,operations,reactor coolant & environ.W/JW Reintjes trip rept on 740111-15.
GREENMAN,E.G., STOHR,J.P., CAPHTON,D.L. Region I, IE (720101-810228). 74/02/06. 14pp.

–9604180162 Informs that recent weld failure did in fact constitute unreviewed safety question,requiring DL authorization because weakened area increased probability of tube ejection.
O'REILLY,J.P. Region I, IE (720101-810228). 74/06/19. DAVIS,J.G. Region I, IE (720101-810228). 2pp.

–9604180167 Forwards application for extension of time for submittal of ECCS evaluation for plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/06/19. MUNTZING,L.M. Atomic Energy Commission, Directorate of Licensing (720101-750118). 20pp.

–9604180171 Informs that actions taken to correct failures in insp rept 50-219/71-05.
MADSEN,G.L. Region I, IE (720101-810228). 71/12/22. CARLSON,R.T. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604180177 Informs that insp rept 50-219/73-21 documents findings of review of licensees emergency planning.Insp conducted prior to submittal of revised EP.
GALLINA,C.O. Region I, IE (720101-810228). 74/02/05. STOHR,J.P. Region I, IE (720101-810228). 2pp.

–9604180179 Responds to 731116 ltr re deficiencies noted during insp on 731011.Corrective actions:policy in effect that all vehicles entering or leaving site must stop at main gate.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/10. MARTIN,W.G. Region I, IE (720101-810228). 4pp.

–9604180182 Submits response to 730928 ltr indicating that insufficient data exists to conclude that poison redistribution cannot occur in control rods that may have inverted poison tubes. Response to seven questions listed in ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/02/01. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 18pp.

–9604180188 Forwards preliminary AO Rept 50-219/74/9.
CARROLL,J.T. Jersey Central Power & Light Co. 74/02/01. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604180194 Recommends that TS be changed to require PORC review of procedures.
GREENMAN,E.G. Region I, IE (720101-810228). 74/01/31. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604180197 Informs that util has committed to corporate attendance at all RO insp exit interviews.
CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 74/06/14. Atomic Energy Commission (Pre 750119). 1p.

–9604180199 Forwards AO Rept 50-219/74/8.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/29. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604180202 Forwards AO Rept 50-219/74/6.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/28. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604180203 Discusses licensee AO work completed & communications to date,indicating listed actions.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/06/13. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604180210 Documents call to K Seyfrit to discuss transfer of lead responsibility to Licensing re problem at plant,leak at instrument penetration in reactor bottom head.
CAPHTON,D.L. Region I, IE (720101-810228). 74/06/13. Region I, IE (720101-810228). 1p.

–9604180211 Forwards AO Rept 50-219/74/7.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/28. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604180218 Documents 740605 telcon w/J Riesland re instrument penetration leak in reactor vessel bottom head.
CAPHTON,D.L. Region I, IE (720101-810228). 74/06/13. Region I, IE (720101-810228). 1p.

–9604180222 Ack receipt of 731120 & 1212 ltrs informing AEC of steps taken to correct violations noted during insp.Responses to safety items 1.b & 1.e & violation item 6 not entirely satisfactory.
O'REILLY,J.P. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 74/01/28. FINFROCK,I. Jersey Central Power & Light Co. 1p.

–9604180225 Addendum to AO rept 74-28,furnishing apparent cause of occurrence,corrective action & failure data,inadvertently omitted from original AO rept.
ROSS,D.A. Jersey Central Power & Light Co. AO-74-28. 74/07/11. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 3pp.

–9604180229 RO insp rept 50-219/74-10 on 740530-31.No violations noted.
REBELOWSKI,T., MCCABE,E.C. Region I, IE (720101-810228). 74/06/12. 6pp.

–9604180232 Submits corrective actions re insp on 730905-07 in response to NRC ltr of 731030.
ROSS,D.A. Jersey Central Power & Light Co. 73/11/20. O'REILLY,J.P. Region I, IE (720101-810228). 6pp.

-9604180238 Supplements ltr of 731120 & responds specifically to safety items described in encl two of 731030 NRC ltr re insp on 730905-07.Submits brief statement & comments re each safety item noted.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/12. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

-9604180282 Forwards comments on proposed ETS for plant,as transmitted by 751016 telcon.
STOHR,J.P. Atomic Energy Commission (Pre 750119). 75/11/06. CUNNINGHAM,J. Atomic Energy Commission (Pre 750119). 4pp.

-9604180292 Responds to NRC 751017 ltr addressing NRC insp of plant on 750310-14.Corrective actions:util continuing QA program upgrading & established formal schedule & definition of objectives.
BARTNOFF,S. Jersey Central Power & Light Co. 75/11/05. DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 3pp.

-9604180294 Repts status of activities initiated in response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-04. 75/11/03. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

-9604180301 Responds to 750215 & 0417 requests for info re containment to be submitted to NRC.
FINFROCK,I.R. Jersey Central Power & Light Co. GD-75-013. 75/10/30. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 7pp.

-9604180346 Informs of plans in light of change in schedule for refueling plant.Refueling will take place in late Dec since station will be shutdown for repairs on turbine-generator condenser.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/29. GOLLER,K.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

-9604180350 Discusses insp rept 50-219/75-23 to complete review & audit module & conducted at corporate level.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/22. CAPHTON,D.L. NRC - No Detailed Affiliation Given. 1p.

-9604180353 Discusses insp rept 50-219/75-23 on 750930 & forwards NOV.
BRUNNER,E.J. NRC - No Detailed Affiliation Given. 75/10/22. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

-9604180356 Notice of violation from insp on 750930.Violation noted: copies of minutes of General Ofc Review Board meetings 50, 51,52,53 & 54 for interval 750319-0924,had not been forwarded to company president as required.
* NRC - No Detailed Affiliation Given. 75/10/22. 1p.

-9604180360 Submits spent fuel shipments that have left plant site as of 751022.
GREENMAN,E.G. NRC - No Detailed Affiliation Given. 75/10/22. NRC - No Detailed Affiliation Given. 2pp.

-9604180369 IE insp rept 50-219/75-23 on 750930.Deficiencies noted. Major areas inspected:General Ofc Review Board meetings & audits.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/10/21. 6pp.

-9604180378 Advises that sanction proposed by region for util changed from civil penalty to NOV,based on listed reasons.
ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 75/10/21. SNYDER,G. Region I, IE (720101-810228). 2pp.

-9604180384 Forwards tables I & II providing data by listing insp dates for snubbers in drywell & reactor bldg since Jul 1974.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/20. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 4pp.

-9604180395 Ack receipt of 751010 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-20.
NELSON,P.R. Region I, IE (720101-810228). 75/10/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

-9604180399 Responds to deviation noted in insp rept 50-219/75-20. Corrective actions:written ltrs of agreement will be reviewed IAW existing procedures.
ROSS,D.A. Jersey Central Power & Light Co. 75/10/10. NELSON,P.R. Region I, IE (720101-810228). 1p.

-9604180405 Responds to NRC 750925 ltr proposing changes to TS for control rods to mitigate consequences of control rod drive failure from possible cracking in collet housings of drives.
FINFROCK,I.R. Jersey Central Power & Light Co. GD-75-008. 75/10/17. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

-9604180415 Discusses insp on 750310-14 & forwards NOV.
DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 75/10/17. BARTNOFF,S. Jersey Central Power & Light Co. 3pp.

-9604180422 Notice of violation from insp on 750310-14.Violation noted: persons performing testing following maint not certified as level I or II,nor persons interpreting test data certified as level II by section 3 of ANSI N45.2.6-1973.
* NRC - No Detailed Affiliation Given. 75/10/17. 8pp.

-9604180427 Forwards matl status rept & requests that util have rept signed in compliance w/foregoing paragraph.
O'REILLY,J.P. Region I, IE (720101-810228). 75/10/15. FINFROCK,I.R. Jersey Central Power & Light Co. 5pp.

-9604180450 Forwards proposed amend to license DPR-16 & SE.Amend includes change to TS as proposed by 750716 ltr & subsequently modified by few mutually acceptable changes.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/10/06. FINFROCK,I.R. Jersey Central Power & Light Co. 12pp.

-9604180459 Safety evaluation supporting proposed amend to license DPR-16 & proposed TS changes re suppression pool water temp limits.
* Division of Reactor Licensing (NRR-1975 only). 75/10/06. 4pp.

-9604180461 Notice of proposed issuance of amend to provisional license DPR-16.Amend would modify provisions in TS re temp limits for pressure suppression pool water.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/10/06. 3pp.

-9604190015 Discusses call received from J Russo re shipment of spent fuel from plant.
* NRC - No Detailed Affiliation Given. 75/10/02. NRC - No Detailed Affiliation Given. 2pp.

-9604190029 Forwards insp rept 50-219/75-21,for info & action.Insp findings indicate that licensee had not completed valve wall thickness verification program re required scope.
BRUNNER,E.J. Region I, IE (720101-810228). 75/10/02. THORNBURG,H.D. Region I, IE (720101-810228). 2pp.

-9604190083 Insp rept 50-219/71-05 on 711119.Major areas inspected: mgt interview re failure of two control rods to insert completely when scrammed.
CANTRELL,F.S., MADSEN,G.L., YOUNG,T. Region I, IE (720101-810228): 71/12/17. 11pp.

-9604190090 Discusses action taken to correct failures described in insp rept 50-219/71-05.
CANTRELL,F.S. Atomic Energy Commission (Pre 750119). 71/12/22. MADSEN,G.L. Atomic Energy Commission (Pre 750119). 1p.

-9604190095 Forwards insp rept 50-219/71-04 re BWR.
MADSEN,G.L. Region I, IE (720101-810228). 71/12/13. CARLSON,R.T. Region I, IE (720101-810228). 1p.

-9604190101 Insp rept 50-219/71-04 on 711105.No violations noted.Major areas inspected:activities re BWRs.
YOUNG,T., SPESSARD,R.L. Region I, IE (720101-810228). 71/12/13. 13pp.

-9604190211 Forwards AO Rept 50-219/74/4.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604190216 Forwards AO Rept 50-219/74/5.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/25. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604190231 Forwards AO Rept 50-219/74/3.
ROSS,D.A. Jersey Central Power & Light Co. 74/01/24. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

-9604190235 Forwards preliminary AO Rept 50-219/74/8.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/24. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604190246 Insp rept 50-219/73-22 on 731212.No violations noted.Major areas inspected:independent review for procedures,procedure development,housekeeping,QA program for operations.
JOHNSON,D.F., TOTH,A.D., GREENMAN,E.G. Region I, IE (720101-810228). 74/01/11. 8pp.

-9604190249 Forwards preliminary AO Rept 50-219/74/7.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/23. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604190253 Discusses insp rept 50-219/73-22 on 731212.No violations noted.Major areas inspected:selective exams of procedures & representative records,interviews w/ personnel & observations by inspector.
BRUNNER,E.J. Region I, IE (720101-810228). 74/01/23. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

-9604190256 Forwards preliminary AO Rept 50-219/74/6.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/23. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

-9604190265 Responds to 740122 ltr submitting proposed change to TS of Provisional OL DPR-16 for facility.Concludes that implementation of change will not present significant hazards considerations & safety of public not endangered.
SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/22. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

-9604190269 Responds further to 731120 communication transmitting ltr of 731115 re operation of facility.Informs that Commission will continue to maintain surveillance over radioactivity levels in canal & other aspects of plant operation.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/01/20. CASE,C.P. Senate. 2pp.

-9604190274 Insp rept 50-219/74-21 on 731210-12 & 18.No violations noted.Major areas insp:emergency implementation procedures, communications,emergency vehicles,alternate emergency control center,area maps & overlays,letters of agreement.
GALLINA,C.O., STOHR,J.P. Region I, IE (720101-810228). 74/01/18. 22pp.

-9604190300 Discusses 750909 meeting w/util in King of Prussia,PA re activities authorized by NRC license DPR-16.
O'REILLY,J.P. Region I, IE (720101-810228). 75/09/10. Jersey Central Power & Light Co. 2pp.

-9604190305 Discusses 750508 meeting w/util in Morristown,NJ re QA Program for Operations at facility.Forwards insp rept 50-219/74-14,W/o encl.
O'REILLY,J.P. Region I, IE (720101-810228). 75/05/20. BARTNOFF,S. Jersey Central Power & Light Co. 2pp.

-9604190308 Ack receipt of corrective & preventive actions taken in response to insp rept 50-219/75-01.
BRUNNER,E.J. Region I, IE (720101-810228). 75/09/10. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

-9604190312 Responds to IEB 75-05 dtd 750414.Informs that preinstallation test data & design calculations for Grinnell units unavailable at this time,but will forward as soon as possible.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-05. 75/05/15. O'REILLY,J.P. Region I, IE (720101-810228). 5pp.

--9604190313 Provides update on status of items of noncompliance noted in insp rept 50-219/75-01 & items has been corrected.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/27. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190317 Forwards copy of 750513 memo documenting conversations held w/ofc & licensee on 750513 re shutdown margin testing following refueling.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/05/15. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604190324 Discusses conversations on 750413,0509 & 0513 re shutdown margin testing following refueling.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/13. Atomic Energy Commission (Pre 750119). 2pp.

--9604190332 Ack receipt of 750506 ltr informing of corrective & preventive actions documented in response to correspondence dtd 750415 re insp rept 50-219/75-10.Actions will be examined during future insp.
BRUNNER,E.J. Region I, IE (720101-810228). 75/05/13. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604190340 Responds to 750415 ltr to IR Finfrock re I&E Insp Rept 50-219/75-10 on 750325-28.Responds to item of non-compliance listed in Encl 1 involving failure to review & approve temporary changes to eight operating procedures.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/06. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604190346 Summary of 750724 meeting w/GPUSC re geotechnical study of site for proposed liquid/solid radwaste bldg.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/08/29. Division of Reactor Licensing (NRR-1975 only). 4pp.

--9604190351 Provides status of incomplete activities re response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-004. 75/08/28. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604190360 Ack receipt of corrective actions & preventive actions re insp rept 50-219/75-18.
BRUNNER,E.J. NRC - No Detailed Affiliation Given. 75/08/28. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604190362 Responds to 750722 ltr re insp rept 50-219/75-18 re activities not in full compliance w/NRC requirements.
ROSS,D.A. Jersey Central Power & Light Co. 75/08/14. BRUNNER,E.J. Region I, IE (720101-810228). 3pp.

--9604220002 Responds to 750414 ltr informing of problem area in facility TS involving statement of maximum allowable reactor vessel heating & cooldown rates.Informs that Section 3.3.C.1 meets full intent of ltr & no TS change planned.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/13. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604220004 Requests submittal of proposed changes to appropriate sections of TS for facility as part of future application for amend re statement of maximum allowable reactor vessel heatup & cooldown rates.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/14. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220006 Discusses telcon w/W Paulson on 750509 re startup schedule for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/12. Atomic Energy Commission (Pre 750119). 1p.

--9604220007 Advises that all copies of prior facility operating procedures sent considered property of licensee.Requests return of matl when convenient.
CARROLL,J.T. Jersey Central Power & Light Co. 75/05/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220009 Discusses telcon from I Finfrock on 740111 re position re Writ of Injunction from State of NJ.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). 74/01/14. Atomic Energy Commission (Pre 750119). 1p.

--9604220010 Discusses telcon w/W Paulson on 750507 to obtain info concerning RL authorization for startup.Informs that ECCS re-evaluation effectively completed & that based on conversation w/site startup plans slipped by five days.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/08. Atomic Energy Commission (Pre 750119). 1p.

--9604220012 Responds to state query w/respect to reactor coolant sys leakage into primary containment.
GREENMAN,E. Atomic Energy Commission (Pre 750119). 74/01/14. Atomic Energy Commission (Pre 750119). 1p.

--9604220015 Discusses telcon from I Finfrock re Writ of Injunction being requested by State of New Jersey to prevent plant from shutting down & causing "fish kill" of menhadden.
* Atomic Energy Commission (Pre 750119). 74/01/11. Atomic Energy Commission (Pre 750119). 1p.

--9604220016 Informs of two changes in personnel radiation monitoring program at facility & believes that increased health physics staff,TLD sys,additional personnel training & other changes in program will provide adequate control of exposure.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/08. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220030 Forwards "Response to Federal & State Agency Comments on AEC Draft EIS for Oyster Creek Nuclear Generating Station."
FINFROCK,I.R. Jersey Central Power & Light Co. 74/01/10. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

--9604220032 Ack receipt of 750429 ltr informing of steps taken to correct violations noted in insp rept 50-219/75-08.Actions will be examined during future insp.
NELSON,P.R. Region I, IE (720101-810228). 75/05/06. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220035 "Response to Federal & State Comments on AEC Draft EIS for Oyster Creek Nuclear Generating Station."
* Jersey Central Power & Light Co. 74/01/31. 28pp.

--9604220036 Informs of corrective & preventive actions documented in response.Action will be examined during next insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 74/01/10. FINFROCK,I. Jersey Central Power & Light Co. 1p.

--9604220038 Responds to violations noted in insp rept 50-219/75-08. Corrective actions:program being initiated immediately to send to vendor w/each sample shipment,listing of all analyses required by TS & sheet checked off as completed.
ROSS,D.A. Jersey Central Power & Light Co. 75/04/29. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604220041 Responds to 731116 ltr re violations noted during 731023 insp.Corrective actions:continuous air sampler has been set up in waste barrel storage area.
ROSS,D.A. Jersey Central Power & Light Co. 73/12/11. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220043 Responds to 740417 ltr re suppression pool dynamic phenomena & discusses meeting w/GE & other utils on 750423-24.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/06. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604220046 Discusses telcon from Finfrock on 740109 re Writ to Injuction from State of New Jersey.
* Atomic Energy Commission (Pre 750119). 74/01/09. Atomic Energy Commission (Pre 750119). 1p.

--9604220048 Discusses conversation w/JT Carroll re broken operating source at core location 16-41 & facilities intent to request temporary TS change to permit grapple useage for withdrawal of three additional fuel bundles.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/02. Atomic Energy Commission (Pre 750119). 1p.

--9604220051 Ack receipt of corrective & preventive actions documented in response to NRC 750702 ltr.
MARTIN,W.G. Atomic Energy Commission (Pre 750119). 75/08/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220053 Forwards preliminary AO rept 50-219/74/2.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220059 Responds to memo of 750306 re valve thin wall verification program.Informs that w/possible exception of one valve located outside dry well,program complete.Requests apprisal of insp plans for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/02. SANDER,W.F. Atomic Energy Commission (Pre 750119). 1p.

--9604220063 Forwards preliminary AO rept 50-219/74/1.
CARROLL,J.T. Jersey Central Power & Light Co. 74/01/07. Region I, IE (720101-810228). 1p.

--9604220067 Forwards copy of memo documenting conversations held on 750428 re reactor startup following refueling at facility.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/04/30. THORNBURG,H.D. Atomic Energy Commission (Pre 750119). 1p.

--9604220073 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 76/03/01. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220077 Responds to 751231 ltr re item A of app A involving drilling of two penetrations adjacent to reactor control room into cable spreading room.Corrective actions:instructions re fire prevention measures have been drafted.
ROSS,D.A. Jersey Central Power & Light Co. 76/01/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220079 Discusses 750428 telcon w/JT Carroll informing that delays previously encountered in refueling outage schedule picked up & of intention to commence shutdown margin testing & subsequent conference call.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/30. Atomic Energy Commission (Pre 750119). 2pp.

--9604220085 Discusses 750822 telcon from T Wenstrand of NFS re contaminated shipment from util.
STOHR,J.P. Atomic Energy Commission (Pre 750119). 75/08/26. Atomic Energy Commission (Pre 750119). 1p.

--9604220094 Responds to ltr concerning operations of facility & property in Waretown,NJ.Informs that environ situation around facility is matter of continuing interest to NRC as evidenced by FES.
ABRAHAM,K. Region I, IE (720101-810228). 75/04/28. BACHMAN,R. Affiliation Not Assigned. 1p.

--9604220097 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
O'REILLY,J.P. Region I, IE (720101-810228). 76/02/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220100 Requests for addl info in order to complete review of geotechnical study.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/08/14. FERRARS,J. Jersey Central Power & Light Co. 7pp.

--9604220101 Forwards IE Inspt Rept 50-219/75-07.Informs that imposition of civil penalties recommended.Encl draft insp rept will be modified as required to reflect any changes or mods to proposed enforcement action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/25. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604220105 Responds to 760114 reply to PR Nelson ltr re insp conducted on 751031-31 & 1105 at plant.Corrective actions:door locked immediately & individuals instructed who left door open of requirements for maintaining locked doors.
ROSS,D.A. Jersey Central Power & Light Co. GN-76-027. 76/02/09. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604220116 Discusses insp conducted by M Rogers on 751216 at plant.Insp consisted of selective exam of procedures & representative records,interviews w/personnel & observations by inspector.
MARTIN,W.G. Region I, IE (720101-810228). 76/02/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220117 Requests facility determination re compliance of util leakage testing w/ App J.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/08/07. FERRARO,J. Jersey Central Power & Light Co. 6pp.

--9604220118 Discusses ltr dtd 740612 in response to ltr dtd 740516 re corrective actions documented in response to AEC correspondence.AEC notes JCPL has not responded to AEC concern of corrective steps to avoid violations.
CARLSON,R.T. Region I, IE (720101-810228). 74/07/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220123 Insp rept 50-219/75-27 on 751216.Violations noted.Major areas inspected:enforcement action,licensee identified items of noncompliance.
ROGERS,M., SMITH,R., DEVLIN,J.W. Region I, IE (720101-810228). 76/01/26. 8pp.

--9604220124 Forwards notice of deviations encl w/insp rept 50-219/75-09.
NELSON,P.R. Region I, IE (720101-810228). 75/08/04. THORNBURG,H.D. Region I, IE (720101-810228). 1p.

--9604220126 Responds to concerns noted from insp rept 50-219/74-08 on 740506-07.Corrective actions:util calibr std located & UT exam of reactor vessel skirt redone after recalibr equipment to util std.
ROSS,D.A. Jersey Central Power & Light Co. 74/06/12. CARLSON,R.T. Region I, IE (720101-810228). 3pp.

--9604220128 Forwards draft of enforcement ltr w/three appendices (A & A-1 Notice of Violations & B Notice of Proposed Imposition of Civil Penalties),description of licensees prior commitments & history of noncompliance.
O'REILLY,J.P. Region I, IE (720101-810228). 75/04/25. DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 16pp.

--9604220129 Informs of corrective & preventive actions documented in response.Actions will be examined during subsequent insp of licensed program.
NELSON,P.R. Region I, IE (720101-810228). 76/01/20. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220130 Ack receipt of 750627 ltr informing NRC of steps taken to correct deviations noted in insp rept 50-219/75-09.Program in effect for ensuring that survey instruments calibr quarterly.
NELSON,P.R. Region I, IE (720101-810228). 75/08/04. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220134 Forwards 750417 memo discussed in telcon w/F Dreher on 750418 re facility 8 x 8 fuel.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/23. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

--9604220143 Responds to violation noted during insp of plant on 751112- 13.Corrective actions:list specifying dates for required reviews & drills will be established by end of Jan 1976.
ROSS,D.A. Jersey Central Power & Light Co. GN-76-003. 76/01/05. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604220147 Forwards insp rept 50-219/75-28 on 751222-24.No items of noncompliance noted. observed.
BRUNNER,E.J. Region I, IE (720101-810228). 76/01/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220167 Discusses insp on 751030-31 & 1105 & forwards NOV.
NELSON,P.R. Region I, IE (720101-810228). 76/01/14. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220168 Discusses facility partial 8 x 8 fuel loading - 1975 outage.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/17. Atomic Energy Commission (Pre 750119). 2pp.

--9604220174 Insp rept 50-219/75-28 on 751222-24.Violations noted.Major areas inspected:shutdown margin,scram insertion time,cycle 5 reactivity follow,core safety limits.
MARTIN,T., SJOSTROM,L., MCCABE,E.C. Region I, IE (720101-810228). 76/01/14. 10pp.

--9604220190 Discusses insp rept 50-219/75-26 on 751117-21 & forwards NOV.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220192 Responds to deviations noted in insp rept 50-219/75-09 re radiological safety practices at plant.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/27. NELSON,P.R. Region I, IE (720101-810228). 3pp.

--9604220205 Responds to 750417 ltr requesting that info re design of facility containment be submitted to NRC.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/08/01. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220207 Notice of violation from insp on 751117-21.Violation noted: work completed w/o required design review & written SE or formalized work authorization on or about 751101.
* Region I, IE (720101-810228). 75/12/24. 2pp.

--9604220210 "Response to NRC Questions Radwaste Mod Oyster Creek Nuclear Power Station."
* Affiliation Not Assigned. 75/12/31. 100pp.

--9604220212 Informs that submittals of 750329 & 750404 do not contain sufficient info to enable conclusion that analysis of ECCS cooling performance is wholly in conformance w/requirements. Requests responses to 750402&21 no later than 750424.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220215 Ack receipt of 751125 ltr requesting review of design bases for forked River reactor vessel support sys.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/12/29. PARR,O.D. Region I, IE (720101-810228). 1p.

--9604220220 Provides status of imcomplete activities initiated in response to IE bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-04. 75/08/01. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604220221 Requests that util submit amend to 750912 application for amend to license to reflect encl revised model TS & to identify safety-related snubbers & accessibility as required by table 3.6.1 of revised model TS.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 7pp.

--9604220225 Ack receipt of 750404 ltr informing of steps taken to correct violations noted in insp rept 50-219/75-02.Informs that actions will be examined during future insp.
MARTIN,W.G. Region I, IE (720101-810228). 75/04/18. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220226 Ack receipt of 751107 ltr addressed to AEC requesting info to when next refueling will take place at plant & when next public hearing will be held re refueling.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/24. RUSSO,S.P. Affiliation Not Assigned. 3pp.

--9604220234 Discusses insp rept 50-219/75-02 on 750121-23 & 27 & forwards NOV & notice of deviation.
O'REILLY,J.P. Region I, IE (720101-810228). 75/03/11. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604220242 Notice of violation from insp on 750121-23 & 27.Violations noted:sections of protected area barrier along banks of intake & discharge canal left unprotected,written security procedures not issued or placed at specific locations.
* Region I, IE (720101-810228). 75/03/11. 2pp.

--9604220254 Clarifies aspect of responsibilities so as to assure effective application of regulatory requirements in protecting SNM from theft & sabotage.
BOYD,R.S. Division of Reactor Licensing (NRR-1975 only). 75/12/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604220255 Notice of deviation from insp on 750121-23 & 27.Deviation noted:failure to issue BC-1 keys to all employees & no accurate records maintained of number of keys issued before Sept 1974,failure to maintain record of unlocked doors.
* Region I, IE (720101-810228). 75/03/11. 1p.

--9604220262 Provides list of spent fuel shipment that has left facility site as of 750729.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/07/31. Atomic Energy Commission (Pre 750119). 1p.

--9604220265 Responds to 750807 ltr requesting that study be made to determine if containment leakage testing program at plant being conducted in full compliance w/ 10CFR50,App J.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/12/24. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 22pp.

--9604220273 Ack receipt of corrective & preventive actions documented in response to NRC correspondence.
BRUNNER,E.J. Region I, IE (720101-810228). 75/07/30. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604220283 Responds to NRC 750701 ltr re violations noted in insp rept 50-219/75-19.Corrective actions:insp rept has been distributed to operations personnel.
ROSS,D.A. Jersey Central Power & Light Co. 75/07/23. BRUNNER,E.J. Region I, IE (720101-810228). 2pp.

--9604220291 Ack receipt of corrective & preventive actions documented in response to NRC correspondence.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 75/07/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220296 Insp rept 50-219/75-26 on 751112-13.Violations noted.Major areas inspected:plant status,acceptable areas,unresolved items & follow-up items.
GREENMAN,E.G., RAYMOND,W., HAYNES,R.C. Region I, IE (720101-810228). 75/12/18. 22pp.

--9604220300 Responds to NRC ltr re deficiencies noted in insp rept 50-219/75-12.Corrective actions:new detector installed in monitor RN02-A as precautionary measure.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/18. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604220307 Forwards info required to complete review of effect of pool dynamic loads on design of containment structures,background on status of efforts directed at determining pool dynamic loads & description of various phenomena.W/o encls.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/17. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220314 Discusses insp rept 50-219/75-10 on 750325-28 & 31 & forwards NOV.Major areas insp:selective exams of procedures & representative records,interviews w/personnel & observations by inspector.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604220315 Informs that eight week shutdown scheduled to commence at plant on 751227 to replace condenser tubes & refuel.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/12/17. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

--9604220316 Forwards cycle 6 reload info for facility requested in 750618 ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/25. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604220321 Requests that util provide response to position re mods to plant ECCS as described in 750624,0715 & 1107 submittals by 760109.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220322 Notice of violation from insp on 750325-28 & 31.Violation noted:Operational QA Plan Section V & TS Section 6.2.F, temporary changes to eight operating procedures,not reviewed & approved.
* Region I, IE (720101-810228). 75/04/15. 1p.

–9604220328 Informs that special rept on operation of facilities prepared by OIE-I in 1974 no longer current.Requests input w/respect to R & EP & pertinent Table III data for repts by 750615 for reassembly of ref repts.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/16. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 1p.

–9604220334 Informs of new telephone number for facility.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/15. MCOSCAR,J.J. Atomic Energy Commission (Pre 750119). 1p.

–9604220347 Discusses plant ETS.Licensing schedule & work has suffered continual setbacks & delays because of many complicated environmental issues involved.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/07/24. NELSON,P.R. Region I, IE (720101-810228). 2pp.

–9604220348 Finds that proposed specification does not provide adequate degree of control during refueling & irradiated fuel handling operations.Written response requested within 15 days.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/04/11. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220350 Summary of 750317 meeting w/util in Bethesda,MD to discuss concerns re JCP&L proposed rev to Section 6, "Administrative Controls," of facility TS.W/list of attendees.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/04/10. Division of Reactor Licensing (NRR-1975 only). 3pp.

–9604220358 Insp rept 50-219/75-10 on 75025-28 & 31.Violation noted. Major areas inspected:staffing requirements for refueling, procedure review & approval,procedure rev & change methods, plant operating review committee.
JOHNSON,D.F., MCCABE,E.C. Region I, IE (720101-810228). 75/04/08. 13pp.

–9604220360 Requests clarification of statements in FES to aid in insp & monitoring of work being done by licensee.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/07/24. BEVAN,R. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604220362 Submits inspectors evaluation re insp rept 50-219/75-08. Revealed three significant items for which two should be submitted to headquarters for review & action.
BORES,R.J. Atomic Energy Commission (Pre 750119). 75/04/08. STOHR,J.P. Region I, IE (720101-810228). 6pp.

–9604220368 Forwards IE Insp Rept 50-219/75-08 & inspectors evaluation for action re upgrading & subsequent issuance of Environ TS & clarification of intent of FES w/ regard to removal of wood from discharge canal.
NELSON,P.R. Region I, IE (720101-810228). 75/04/08. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 1p.

–9604220374 Forwards insp rept 50-219/75-08 on 750318-20 & description of violations.
NELSON,P.R. Region I, IE (720101-810228). 75/04/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604220378 Notice of violation from insp on 750318-20.Violations noted: surface water sampled at five locations not analyzed for U, Ra-226 & Ra-228 between 740702 & 741022,well water sampled at six locations not analyzed between 740705 & 751219.
* Region I, IE (720101-810228). 75/04/08. 1p.

–9604220381 Requests NRC staff advise formally whether stated info re proposed environmental licensing conditions correct.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/23. MULLER,D.R. Atomic Energy Commission, Directorate of Licensing (720101-750118). 7pp.

–9604220389 Discusses insp rept 50-219/75-18 on 750617-18 & forwards NOV.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/23. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604220392 Notice of violation from insp on 750617-19.Violation noted:licensee activities were not in full-compliance w/conditions of license.
* Atomic Energy Commission (Pre 750119). 75/07/23. 2pp.

–9604220396 Forwards requested info re facility enforcement history.W/o encl.
SNYDER,G.L. Atomic Energy Commission (Pre 750119). 75/07/17. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

–9604220397 Forwards SE supporting changes to TS of provisional operating license DPR-16.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/07/16. FINFROCK,I.R. Jersey Central Power & Light Co. 11pp.

–9604220401 Safety evaluation supporting re changes TS.
* Division of Reactor Licensing (NRR-1975 only). 75/07/16. 4pp.

–9604220404 Responds to request from RH Smith re contract janitorial svc.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/07/16. Atomic Energy Commission (Pre 750119). 2pp.

–9604220406 Forwards revised attachment II, "ECCS Mod Core Spray Electrical Crossconnect" to 750624 ltr,describing proposed mods to accomodate remaining single failures.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/15. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604220407 Rev 1 to "ECCS Mod Core Spray Electrical Crossconnect."
* Jersey Central Power & Light Co. 75/06/24. 56pp.

–9604220408 Informs that util have been working w/GE to formulate schedule for submission of revised MAPLHGR TS.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/15. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230005 Discusses telcon to D Ross on 750404 re SRO coverage during refueling.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/04/07. Atomic Energy Commission (Pre 750119). 1p.

–9604230007 Advises that current cycle of plant licensed operator requalification program & asssociated simulated NRC exam scheduled to be completed 951217 will be extended six months to June 1976.
ROSS,D.A. Jersey Central Power & Light Co. 75/12/12. COLLINS,P.F. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604230009 Forwards amend 11 to provisional OL DPR-16,including change 27 in TS which revises provisions in TS re temp limits & surveillance requirements for pressure suppression pool water.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/11. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604230010 Insp rept 50-219/75-08 on 750318-20.Two violations noted. Major areas inspected:selected air sampling,precipitation collecting & gamma dosimetry stations,representative sampling & analytical procedures & program results.
BORES,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/04/04. 18pp.

–9604230013 Discusses facility QA program & recommends enforcement action.
MCCABE,E.C. Atomic Energy Commission (Pre 750119). 75/04/04. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

–9604230017 Ack receipt of 750324 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-01.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604230018 Informs that Commission has requested that Ofc of FR publish encl notice of proposed issuance of amend to provisional OI for plant.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/12/08. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230020 Notice of proposed issuance of amend to provisional OL, revising provisions in TS to revise fuel cladding integrity safety limit based on revised MCPR criteria for avoiding boiling transition.
* Division of Reactor Licensing (NRR-1975 only). 75/12/08. 4pp.

–9604230023 Responds to NRC 750228 ltr re violations noted in insp rept 50-219/75-01 on 750114-15,17 & 20.Corrective actions:five hook labeled as required by OSHA standards,mod of crane access ladder & railing to comply w/OSHA standards 751001.
ROSS,D.A. Jersey Central Power & Light Co. 75/03/24. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

–9604230025 Summary of 751015 meeting w/licensee in Bethesda,MD re Exxon proposed integrated ECCS evaluation model for BWR non-jet pump plants.List of attendees encl.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/11/10. Division of Reactor Licensing (NRR-1975 only). 3pp.

–9604230026 Ack receipt of 750324 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/75-04.
BRUNNER,E.J. Region I, IE (720101-810228). 75/04/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604230028 Responds to NRC 750227 ltr re violations noted in insp rept 50-219/75-04 on 750129-31.Corrective actions:formal schedule established for items requiring periodic review by PORC & completion of reviews signed off by PORC Secretary.
ROSS,D.A. Jersey Central Power & Light Co. 75/03/24. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604230033 Ack receipt of 751001 ltr requesting extension of time until mid-Nov to respond to 750807 ltr re compliance of plant w/requirements of app J to 10CFR50.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/11/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230035 Forwards ACRS ltr rept "Emergency Core Cooling Sys Evaluation Model (ECCS-EM) for Nonjet-Pump BWR."
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/03/26. FINFROCK,I.R. Jersey Central Power & Light Co. 4pp.

–9604230036 Informs that insp of radiation protection activities during operation at plant on 761030-31 & 1105 indicated listed problems.
PLUMMLEE,K.E. Atomic Energy Commission (Pre 750119). 76/01/14. KNAPP,P.J. Atomic Energy Commission (Pre 750119). 3pp.

–9604230040 Forwards proposed ltr to licensee & proposed NOV.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/09. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 13pp.

–9604230045 Forwards list of anticipated licensing submittals to NRC through FY77 in response to request of 750307.
VERROCHI,W.A. General Public Utilities Corp. - GPU Service Corp. 75/03/26. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604230055 Summary of 750304 meeting w/util in Bethesda,MD to discuss schedule for submittal of facility ECCS reanalysis. W/list of attendees & GPU schedule for submittal of reanalysis.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/19. Division of Reactor Licensing (NRR-1975 only). 10pp.

–9604230056 Responds to deficiency noted during insp conducted on 750930,re failure to send minutes of GORB meetings to company president.
ROSS,D.A. Jersey Central Power & Light Co. 75/11/17. BRUNNER,E.J. Region I, IE (720101-810228). 1p.

–9604230064 Suggests that mgt meeting be held w/licensee subsequent to issuance of inspection team rept re facility QA insp on 750310-14.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/03/20. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

–9604230078 Forwards copy of ltr sent to util re health & safety issues for homeowners living in vicinity of facility. W/o encl.
WORRALL,C.M. Affiliation Not Assigned. 75/03/20. Region I, IE (720101-810228). 1p.

--9604230083 Discusses review of licensee response to strong NOV transmitted by Davis ltr of 751017.
SNYDER,G.L. Region I, IE (720101-810228). 75/11/25. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

--9604230089 Provides licensee acceptance criteria for generator trip test re failure of steam dump & bypass control sys.
BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 75/07/08. THORNBURG,H.D. Office of Inspection & Enforcement (750101-801210). 2pp.

--9604230093 Forwards copy of proposed rule 39FR32921 which would prohibit disposal by burial in soil of all radioactive wastes containing more than ten nanocuries of transuranium elements per gram.Participation in study requested.
HIGGINBOTHAM,L. Office of Inspection & Enforcement (750101-801210). 75/03/11. CARROLL,J.T. Jersey Central Power & Light Co. 2pp.

--9604230096 Ack receipt of 751105 ltr informing AEC of steps taken to correct violations noted in insp.
DAVIS,J.G. Region I, IE (720101-810228). 75/11/21. BARTNOFF,S. Jersey Central Power & Light Co. 1p.

--9604230103 Notification of 750317 meeting w/util in Bethesda,MD to discuss concerns re JCP&L proposed TS Section 6.0 - Administrative Controls.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/10. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

--9604230112 Discusses 750310-14 QA implementation insp.Enforcement conference for insp has been separately provided from NRC headquarters.
O'REILLY,J.P. Region I, IE (720101-810228). 75/11/26. BARTNOFF,D.S. Jersey Central Power & Light Co. 2pp.

--9604230122 Discusses assessment of effects on ECCS performance re single passive electrical failure.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/03. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604230126 Summary of 750212 meeting w/utils to discuss responses to concerns posed by Electrical,Instrumentation & Control Sys Branch.W/list of attendees.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/03/06. Division of Reactor Licensing (NRR-1975 only). 3pp.

--9604230130 Partially withheld insp rept 50-219/75-02 on 750121-23 & 27. Major areas inspected:plant security.
KING,M., ROGERS,M., DEVLIN,I. Region I, IE (720101-810228). 75/02/28. 1p.

--9604230133 Discusses suppression pool dynamic phenomena in reply to 750417 ltr.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/07/03. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

--9604230139 Insp rept 50-219/75-01 on 750114-15,17 & 20.Violation noted.Major areas inspected:adminstration & organization, logs & records,procedures,fuel handling,fuel shipment records,radiation protection.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/28. 12pp.

--9604230141 Discusses insp rept 50-219/75-01 on 750114-15,17 & 20 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/28. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230143 Discusses insp rept 50-219/75-25 on 751112-13 & forwards NOV.Corrective steps which have been taken to avoid further items of noncompliance.
NELSON,P.R. Region I, IE (720101-810228). 75/11/25. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230149 Provides status of incomplete activities initiated in response to IE bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-04. 75/06/30. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

--9604230153 Notice of violation from insp on 751112-13.Violation noted: no arrangements for ambulance svc confirmed in writing.
* Region I, IE (720101-810228). 75/11/25. 1p.

--9604230155 Notice of violation from insp on 750114-15,17 & 20.Violation noted:failure to correct crane five ton hook,cab ladder & railing & crane warning device to signal movement.
* Region I, IE (720101-810228). 75/02/28. 1p.

--9604230158 Discusses IE Insp Rept 50-219/75-01 & lists two additional outstanding concerns.
GREENMAN,E.G. Region I, IE (720101-810228). 75/02/28. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604230159 Informs that no further action planned re IE Bulletin 75-06 dtd 750530.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-06. 75/07/03. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604230163 Informs that ref rept documents an insp of licensee emergency drill conducted on 751112-13.
RUHLMAN,W.A. Region I, IE (720101-810228). 75/11/25. STOHR,J.P. Region I, IE (720101-810228). 2pp.

--9604230164 Discusses insp rept 50-219/75-04 on 750129-31 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/27. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230166 Notice of violation from insp on 750129-31.Violation noted:status & applicability of all standing orders not reviewed quarterly by Plant Operations Review Committee.
* Region I, IE (720101-810228). 75/02/27. 1p.

--9604230172 Discusses IE Insp Rept 50-219/75-04.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/27. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604230176 Ack receipt of corrective & preventive actions documented re item of noncompliance in insp rept 50-219/75-11.
BRUNNER,E.J. Region I, IE (720101-810228). 75/06/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230183 Insp rept 50-219/75-04 on 750129-31.One infraction noted. Major areas inspected:review of operating logs & records, PORC meeting minutes & GORB audit results.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/26. 10pp.

--9604230185 Responds to insp rept 50-219/75-11 on 750414-18 re refueling operations at plant.
ROSS,D.A. Jersey Central Power & Light Co. 75/06/17. O'REILLY,J.P. Region I, IE (720101-810228). 3pp.

--9604230190 Insp rept 50-219/75-18 on 750617-19.Two infractions noted. Major areas inspected:followup to 750609-12 insp.
GREENMAN,E.G., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/22. 15pp.

--9604230195 Ack receipt of 750206 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-17.
NELSON,P.R. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

--9604230198 Insp rept 50-219/75-07 on 750310-14.Violations noted.Major areas inspected:QA implementation.
RUHLMAN,W.A., GREENMAN,E.G., GLASSCOCK,R.B. Region I, IE (720101-810228). 75/11/21. 55pp.

--9604230201 Responds to violations noted in insp rept 50-219/74-17 on 741111-14.Corrective actions:all drums located in Bay #3 of Radwaste Building properly labeled & shipped for burial & all drums to be stored in future labeled immediately.
ROSS,D.A. Jersey Central Power & Light Co. 75/02/06. NELSON,P.R. Region I, IE (720101-810228). 1p.

--9604230204 Discusses 750620 telcon re disposal of LPRM fission detectors containing approx 10 mg of U-235.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/06/20. EPSTEIN,E. Atomic Energy Commission (Pre 750119). 1p.

--9604230208 Forwards insp rept 50-219/75-05 on 750204-05.No violations noted.
BRUNNER,E.J. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230215 Summary of 750611 meeting w/GPUSC re status of reevaluation of single electrical failures.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/06/20. Division of Reactor Licensing (NRR-1975 only). 4pp.

--9604230217 Discusses Insp Rept 50-219/75-06.No violations noted.
CARLSON,R.T. Region I, IE (720101-810228). 75/02/21. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

--9604230220 Lists results of special IE Insp 50-219/75-05.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/21. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

--9604230225 Insp rept 50-219/75-06 on 750206-08.No violations noted. Major areas inspected:NDE program & exam results.
WALTON,G.A., HAYNES,R.C. Region I, IE (720101-810228). 75/02/20. 6pp.

--9604230229 Insp rept 50-219/75-05 on 750204-05.No violations noted. Major areas inspected:logs & records,operations,environ.
GREENMAN,E.G., GALLINA,C., CAPHTON,D.L. Region I, IE (720101-810228). 75/02/20. 8pp.

--9604230234 Informs of talk w/DA Ross on 750219 re prior insp & aside expressing concern re large number of change requests currently being processed & gathered that timely response not received.W/Interior Dept ltr dtd 750214.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/19. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 5pp.

--9604230236 Informs that proposed augmented inservice insp program for postulated high energy pipe breaks inside containment not acceptable.Response to encl position needed by 750228.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/02/12. FINFROCK,I. Jersey Central Power & Light Co. 3pp.

--9604230240 Advises that on 750205 initiated required exams & tests as directed in IE Bulletin 75-01 & estimate two weeks to complete.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-01. 75/02/07. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

--9604230244 Insp rept 50-219/75-03 on 750120-23.No violations noted. Major areas inspected:results of verification test samples, laboratory QA program.
EVERETT,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/02/07. 12pp.

--9604230245 Discusses & forwards insp rept 50-219/75-03.No violations noted.W/o encl.
NELSON,P.R. Region I, IE (720101-810228). 75/02/07. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

--9604230247 Provides info re insp 50-219/73-16 on 731001.
O'REILLY,J.P. Region I, IE (720101-810228). 75/02/05. LIGGETT,G.W. Jersey Central Power & Light Co. 6pp.

--9604230248 Confirms telephone from JT Carroll on 751113 re "Drill."
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/11/13. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

--9604230249 Forwards proposed ltr to licensee & proposed NOV re minor word changes in citations 2 & 4.
SNYDER,G.L. Region I, IE (720101-810228). 75/06/19. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 10pp.

--9604230253 Notes that facility informed that plans continuing to shutdown plant night of 750205 on 750203.Temperature in Barngat Bay now 36 F & cold wave solidly entrenched indicating potential for fish kill similar to 7401.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/03. Atomic Energy Commission (Pre 750119). 1p.

–9604230255 Forwards 39 addl copies of relief valve line restraints analysis originally forwarded on 751031.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/11/12. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230257 Informs of telcon to I Finfrock of JCP&L on 750131 to discuss their request for proper hearing relating to IE Bulletin 75-01 & shutdown of facility.Contacted E Case & agreed to call at 10:00 am on 0201.
O'REILLY,J.P. Atomic Energy Commission (Pre 750119). IEB-75-01. 75/02/03. CARLSON,B., BRUNNER,E. Atomic Energy Commission (Pre 750119). 1p.

–9604230259 Responds to 750910 ltr,requesting analysis of relief valve line restraints at plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/31. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604230261 Lists spent fuel shipments leaving facility as of 750203 & informs that no further shipments made until receipt of new fuel completed.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/02/03. Atomic Energy Commission (Pre 750119). 1p.

–9604230263 Requests info in order to complete scheduling of reviews of proposed license amends related to refueling.
GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 75/06/18. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604230264 Ack receipt of 750120 ltr informing NRC of steps taken to correct violations noted in insp rept 50-219/74-18.
BRUNNER,E.J. Region I, IE (720101-810228). 75/01/29. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604230267 "Oyster Creek Nuclear Generating Station Main Steam Relief Valve Piping Sys,"
* Jersey Central Power & Light Co. 73/10/31. 15pp.

–9604230268 Responds to NRC 741226 ltr re violations noted in insp rept 50-219/74-18 on 741119-22.Corrective actions:operators instructed to plot reactor heatups & cooldowns on special data sheets which graphically indicate limits.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/20. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604230271 Requests that future publications re plant be forwarded to stated address.
FERRARO,J.W. New Jersey, State of. 75/06/17. Docketing & Services Branch. 1p.

–9604230272 Forwards 731016 memo, "Regulatory Staff Position on Shift Manning for Nuclear Power Plants," & RO Insp Rept 50-219/74-07.Review should include evaluation of licensees shift manning based on Regulatory policy.W/o encls.
SNIEZEK,J.H. Office of Inspection & Enforcement (750101-801210). 75/01/28. VOLLMER,R.H. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230274 Lists spent fuel shipments leaving facility as of 750122.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/01/27. Atomic Energy Commission (Pre 750119). 1p.

–9604230279 Discusses insp rept 50-219/75-16 on 750529-30.No compliances noted.
NELSON,P.R. Atomic Energy Commission (Pre 750119). 75/06/17. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604230282 Summary of 741206 meeting w/util to discuss RWM requirements.W/list of attendees.
OWSLEY,G.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 75/01/15. Atomic Energy Commission, Directorate of Licensing (720101-750118). 3pp.

–9604230287 Notifies of intent to transfer spent nuclear fuel from Oyster Creek Unit I beginning 750117 to Nuclear Fuel Svcs, West Valley,NY facility.
CARROLL,J.T. Jersey Central Power & Light Co. 75/01/15. MACDONALD,C.E. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604230289 Insp rept 50-219/75-21 on 750804-05.Violations noted.Major areas inspected:plant status,mechanical seismic shock & Sway Arrestors,contaminated spent fuel shipment.
GREENMAN,E.G., NORRHOLM,L., CAPHTON,D.L. Region I, IE (720101-810228). 75/10/02. 16pp.

–9604230290 Provides recommended changes from review of proposed ltr & NOV.
SNYDER,G. Atomic Energy Commission (Pre 750119). 75/06/16. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 3pp.

–9604230291 Notes that facility informed on 750109 of plans to begin spent fuel shipments starting wk of 750113.SF bundles shipped to NFS in NY.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/01/09. Atomic Energy Commission (Pre 750119). 1p.

–9604230294 Ack receipt of 750807 ltr requesting that util determine if containment leakage testing being conducted in full compliance w/App J of 10CFR50 at facility.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/10/01. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230296 Notes talk w/D Nelson of EPA on 750107 concerning rept on excessive liquid releases at facility.No info concerning issue & only litigation aware of is fish kill issue.Record retrievability,accuracy & duration were also discussed.
GREENMAN,E.G. Region I, IE (720101-810228). 75/01/09. Region I, IE (720101-810228). 1p.

–9604230298 Informs that switches not showing similar malfunctioning as described in bulletin dtd 741206.No further action planned.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/08. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604230300 Forwards insp rept 50-219/74-17 on 741111-14 & notice of violation.W/o insp rept.
NELSON,P.R. Region I, IE (720101-810228). 75/01/03. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230301 Discusses status of incomplete activities initiated in response to IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-04. 75/10/01. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604230304 Notice of violation from insp on 741111-14.Violations noted:three separate failures of stack gas sample sys to continuously monitor stack release while reactor in unisolated condition,failure to label containers identified.
* Region I, IE (720101-810228). 75/01/03. 2pp.

–9604230306 Informs that engines not of type described in bulletin & no further action is planned.
ROSS,D.A. Jersey Central Power & Light Co. 75/01/03. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

–9604230307 Responds to request of 740122 ltr concerning damage to piping & piping hanger sys at facility.
ROSS,D.A. Jersey Central Power & Light Co. 75/09/30. O'REILLY,J.P. Region I, IE (720101-810228). 8pp.

–9604230309 Insp rept 50-219/75-16 on 750529-30.No violations noted. Major areas inspected:licensee action on previously identified items re independent measurements.
EVERETT,R.J., STOHR,J.P. Region I, IE (720101-810228). 75/06/16. 9pp.

–9604230313 Forwards util 750610 ltr.Possible impact of ltr on proposed civil penalty action against util being evaluated.
SNYDER,G.L. Atomic Energy Commission (Pre 750119). 75/06/13. ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 1p.

–9604230314 Ack receipt of 750520 ltr re 750508 meeting concerning facility Quality Assurance Program.
BARTNOFF,S. Jersey Central Power & Light Co. 75/06/10. O'REILLY,J.P. Region I, IE (720101-810228). 4pp.

–9604230316 Forwards attachment to 750919 ltr inadvertently not included w/ltr.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/26. GOLLER,K.R. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230322 Insp rept 50-219/75-15 on 750521-22.No noncompliance noted. Major areas inspected:valve wall thickness verification program.
JERNIGAN,E.P., HAYNES,R.C. Region I, IE (720101-810228). 75/06/06. 6pp.

–9604230347 Discusses insp 50-219/75-15 on 750521-22.No noncompliance noted.
CARLSON,R.T. Region I, IE (720101-810228). 75/06/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230357 Advises that documents submitted on 750424 & 28,entitled, "Cycle 5 Reload & Loss-of-Coolant Accident Reevaluation Infor" & "Loss-of-Coolant Accident Analysis reevaluation - Addl Info" will be withheld from PDR.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/06/04. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604230368 Advises that documents submitted 750424 & 28,entitled, "Responses to NRC Questions on Cycle 5 Reload" & "Addl Data Regarding Loss-of-Coolant Accident Analysis for GE Fuel," will be withheld.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/06/04. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604230377 Informs that Plant Operations Review Committee & General Office Review Board have completed review of change request 37.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/29. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604230380 Informs that licensee submitted data re "Abnormal Occurences in Piping Sys," forwarded to Div of Technical Review.
CARLSON,R.T. Atomic Energy Commission (Pre 750119). 75/05/28. DRAHER,F.A. Office of Inspection & Enforcement (750101-801210). 1p.

–9604230387 Provides status rept of IE Bulletins 75-04 & 75-04A.
ROSS,D.A. Jersey Central Power & Light Co. IEB-75-04. 75/05/27. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604230392 Forwards insp rept 50-219/75-09 on 750325-27 & 0408-10 & notices of violation & deviation.
NELSON,P.R. Region I, IE (720101-810228). 75/05/27. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604230393 Notice of violation from insp on 750325-27 & 0408-10. Violations noted.Violation noted:failure to conduct adequate evaluations of hand exposures incurred by employees.
* Region I, IE (720101-810228). 75/05/27. 1p.

–9604230398 Notice of deviation from insp on 750325-27 & 0408-10. Deviation noted:failure to post high radiation area sign in Trunion room accessible to station personnel.
* Region I, IE (720101-810228). 75/05/27. 5pp.

–9604230401 Insp rept 50-219/75-09 on 750325-27 & 0408-10.Violations & deviation noted.Major areas inspected:refueling & health physics.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 75/05/23. 11pp.

–9604230403 Insp rept 50-219/75-12 on 750425-27 & 0408-10.No violations noted.Major areas inspected:waste mgt sys.
HYSON,R.R., KNAPP,P.J. Region I, IE (720101-810228). 75/05/23. 8pp.

–9604230406 Discusses 750520 meeting re activities at facility.
ROSS,D.A. Jersey Central Power & Light Co. 75/05/23. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 2pp.

–9604240004 Ack receipt of 750627 ltr in response to ltr dtd 750527 re calibration of radiation protection instruments.Informs that commitment to do two-point calibration of radiation protection instruments initially at two-yr intervals.
DAVIS,J.G. Office of Inspection & Enforcement (750101-801210). 75/09/24. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240005 Notification of 751015 meeting w/util in Bethesda,MD to discuss proposed integrated ECCS model for plant.
PAULSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/09/23. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 1p.

–9604240022 Informs of licensee interpretation of TS 3.7.C.2.TS states in part if one diesel generator becomes inoperable during power operation repairs shall be initiated immediately & other diesel will operated one h per every 24 h.
GREENMAN,E.G. Region I, IE (720101-810228). 75/09/19. CAPHTON,D.L. Region I, IE (720101-810228). 1p.

–9604240025 Informs that listed SF shipments have left plant site as of 750914.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/09/16. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 2pp.

–9604240037 Informs that experience at some BWR plants w/Mark I containment has shown that in some cases design of relief valve line restraints inside torus may be inadequate.
LEAR,G. Division of Reactor Licensing (NRR-1975 only). 75/09/10. FINFROCK,I.R Jersey Central Power & Light Co. 2pp.

–9604240040 Insp rept 50-219/75-20 on 75084-05.Violations noted.Major areas inspected:licensee program status re area of emergency planning.
GALLINA,C.O. Region I, IE (720101-810228). 75/09/09. 10pp.

–9604240044 Insp rept 50-219/75-22 on 750826-29.Violations noted.Major areas inspected:personnel changes,audit findings,training & util nonconformance & corrective action sys.
GREENMAN,E.G., O'REILLY,J.P., SNYDER,G.L. Region I, IE (720101-810228). 75/09/09. 6pp.

–9604240049 Forwards 40 copies of document entitled, "Oyster Creek Radwaste Mod - Conformance to 10CFR50,App I," for info.W/o encl.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/09/09. LEAR,G. Division of Reactor Licensing (NRR-1975 only). 3pp.

–9604240060 Informs that amounts of monetary penalty for each item of noncompliance in NOV will be reduced to extent that items re nay one Criterion will be equal to amount set out in Chapter 0800 guidance.
ELLIS,W.P. Office of Inspection & Enforcement (750101-801210). 75/09/05. SNYDER,G. Region I, IE (720101-810228). 1p.

–9604240061 Responds to verbal concerns expressed by members of NRC Staff during course of review of cycle reload.
FINFROCK,I.R. Jersey Central Power & Light Co. 75/05/23. GIAMBUSSO,A. Division of Reactor Licensing (NRR-1975 only). 16pp.

–9604240066 Discusses insp rept 50-219/75-21 on 750826-29 & forwards NOV.Informs that corrective steps will be taken to avoid further items of noncompliance.
BRUNNER,E.J. Region I, IE (720101-810228). 75/10/02. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604240070 Notice of violation from insp on 750826-29.Violation noted: licensee failure to follow procedures were identified.
* Region I, IE (720101-810228). 75/10/02. 2pp.

–9604240084 Forwards insp rept 50-219/75-12 on 750429-0501 & NOV.W/o NOV.
NELSON,P.R. Region I, IE (720101-810228). 75/05/23. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

–9604240095 Summary of 750724 meeting w/util to discuss NRC staff concerns re geotechnical study of site for proposed new liquid/solid radwaste building.List of attendees encl.
PUALSON,W.A. Division of Reactor Licensing (NRR-1975 only). 75/08/29. Division of Reactor Licensing (NRR-1975 only). 4pp.

–9604240104 Insp rept 50-219/75-11 on 750414-18.No violations noted. Major areas inspected:licensee actions re refueling.
MARTIN,T., MCCABE,E.C. Region I, IE (720101-810228). 75/05/22. 17pp.

–9604240116 "Response to AEC Related Environmental Statement Related to Oyster Creek Nuclear Generating Station."
* Jersey Central Power & Light Co. 73/12/31. 18pp.

–9604240124 Discusses insp rept 50-219/75-11 on 750414-18 & forwards NOV.
BRUNNER,E.J. Region I, IE (720101-810228). 75/05/22. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240128 Discusses facility startup schedule following 1975 refueling outage.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 75/05/20. Atomic Energy Commission (Pre 750119). 1p.

–9604240136 Forwards Abnormal Ocurrence Rept 50-219/74-29 in compliance w/paragraph 6.6.2 of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/01. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604240141 Forwards Abnormal Occurence Report 50-219/74/32 in compliance w/paragraph 1.15D of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/31. GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604240145 Mgt meeting rept 50-219/75-14 on 750508.Major areas discussed:summary of recent insp findings.
BRUNNER,E.J., O'REILLY,J.P. Region I, IE (720101-810228). 75/05/20. 4pp.

–9604240154 Insp rept 50-219/75-13 on 750505-07.No violations noted. Major areas inspected:facility requirements for fire stops on safety-related cables & penetration seals.
PLUMLEE,K.W., HAYNES,R.C. Region I, IE (720101-810228). 75/05/20. 9pp.

–9604240159 Discusses insp rept 50-219/75-13 on 750505-07.No noncompliance observed.
CARLSON,R.T. Region I, IE (720101-810228). 75/05/20. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240160 Forwards Abnormal Ocurrence Rept 50-219/74-27 in compliance w/paragraph 6.6.2.a of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/26. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604240162 PNO:on 740530,licensee reported on 740529 a small leak noted at 2 inch instrument penetration on bottom of reactor vessel.
DREHER,F.A., THORNBURG,H.D., DAVIS,J.G. Region 1 (Post 820201). 74/05/30. 2pp.

–9604240166 Forwards Abnormal Occurence Report 50-219/74/31 in compliance w/paragraph 1.15B of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/29. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604240184 Forwards Abnormal Occurence Report 50-219/74/30 in compliance w/paragraph 1.15b of TS.
ROSS,D.A. Jersey Central Power & Light Co. 74/05/23. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604240221 Forwards Abnormal Occurence Report 50-219/74/33 being submitted in compliance w/TS paragraoh 6.6.2.
* Jersey Central Power & Light Co. 74/05/22. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604240227 Forwards insp rept 50-219/74-03 on 740206-11.No violations or safety items observed.W/o encl.
DAVIS,A.B. Region I, IE (720101-810228). 74/04/26. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240237 Forwards preliminary rept 50-219/74-29.
CARROLL,J.T. Jersey Central Power & Light Co. 74/04/26. O'REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604240247 Responds to communication of 740403 from G Ulirsch re fish being killed as result of operation of plant.
GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 74/04/25. CASE,C.P. Senate. 2pp.

–9604240251 Forwards insp rept 50-219/74-07,for action.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/05/21. THORNBURG,H.D. Atomic Energy Commission, Directorate of Regulatory Operations (720101-750118). 1p.

–9604240265 Informs that rept being submitted for info per telcon of 740425.
CARROLL,J.T. Jersey Central Power & Light Co. 74/04/25. O,REILLY,J.P. Region I, IE (720101-810228). 1p.

–9604240274 Forwards copies of correspondence relating to State of New Jersey water quality certification of plant.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/04/22. REGAN,W.H. Atomic Energy Commission, Directorate of Licensing (720101-750118). 56pp.

–9604240279 Forwards Abnormal Occurrence Rept 50-219/74-24.
ROSS,D.A. Jersey Central Power & Light Co. 74/04/19. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 1p.

–9604240292 Discusses insp rept 50-219/74-05 on 740327-28 & forwards NOV.
O'REILLY,J.P. Region I, IE (720101-810228). 74/04/10. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604240308 Insp rept 50-219/74-05 on 740327-28.Violations noted.Major areas inspected:refueling outage,torus to drywell vacuum breakers valves.
MCCABE,E.C. Region I, IE (720101-810228). 74/04/12. 12pp.

–9604250001 Forwards three repts re fish kills at Oyster Creek.W/o encl.
STOHR,J.P. Region I, IE (720101-810228). 74/05/20. HAMER,P.E. . 1p.

–9604250008 Insp rept 50-219/74-04 on 740320.Violations noted.Major areas inspected:enforcement action,environ monitoring,mgt interview.
BORES,R.J. Region I, IE (720101-810228). 74/04/16. 8pp.

–9604250010 Forwards insp rept 50-219/74-04 on 740320.No violations or safety items observed.W/o encl.
NELSON,P.R. Region I, IE (720101-810228). 74/04/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250011 Informs that insp conducted primarily to close out on substantial numbers of AOs & violations dating back to last routine insp in Aug 1973.
GREENMAN,E.G. Region I, IE (720101-810228). 74/04/02. CAPHTON,D.L. Region I, IE (720101-810228). 2pp.

–9604250020 Discusses 740315 telcon w/D Ross re clarification of objections to rept.
MANN,J. Region I, IE (720101-810228). 74/04/11. Region I, IE (720101-810228). 1p.

–9604250021 Discusses rept entitled "Preliminary Description & Analyses of Proposed Modifications to Gaseous,Liquid & Solid Radioactive Waste Treatment Systems for Oyster Creek Nuclear Generating Station." Addl info to rept sent.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/17. SKOVHOLT,D.J. Atomic Energy Commission, Directorate of Licensing (720101-750118). 22pp.

–9604250045 Insp rept 50-219/74-08 on 740506-07.Violations noted.Major areas inspected:inservice inspection program,Eddy Current insp of poison control blades & repair program on moisture separators.
WALTON,G.A., TILLOU,J.H. Region I, IE (720101-810228). 74/05/16. 7pp.

–9604250054 Discusses insp rept 50-219/74-08 on 740506-07 & forwards NOV.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250070 Notice of violation from insp on 740506-07.Violations noted: nondestructive test procedures approved by licensee during inservice insp & calibration block used but not fabricated in accordance w/requirements.
* Region I, IE (720101-810228). 74/05/16. 1p.

–9604250080 Forwards insp rept 50-219/74-07 on 740502-03.No violations or safety items noted.W/o encl.
BRUNNER,E.J. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250088 Forwards insp rept 50-219/74-06 on 740422-26.No violations or safety items noted.
NELSON,P.R. Region I, IE (720101-810228). 74/05/16. FINFROCK,I. Jersey Central Power & Light Co. 2pp.

–9604250107 Insp rept 50-363/74-02 on 740508-09.No violations noted. Major areas inspected:Stearns-Roger QA Manual for control of Forked River construction activities.
BARKER,F.F., HEISHMAN,R.F. Region I, IE (720101-810228). 74/05/16. 11pp.

–9604250117 Forwards insp rept 50-363/74-02 on 740508 & 09.No violations noted.W/ o encl.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/16. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250131 Insp rept 50-219/74-07 on 740502-03.No violations noted. Major areas inspected:selective facility procedures.
JOHSON,D.F., MCCABE,E.C. Region I, IE (720101-810228). 74/05/15. 11pp.

–9604250137 Forwards insp rept 50-363/74-01 on 740423-26.No violations identified.W/o encl.
CARLSON,R.T. Region I, IE (720101-810228). 74/05/15. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250215 Insp rept 50-363/74-01 on 740423-26.No violations noted. Major areas inspected:various facility pumps.
BROWN,R.L., TILLOU,J.H. Region I, IE (720101-810228). 74/05/15. 7pp.

–9604250240 Insp rept 50-219/74-06 on 740422-26.No violations noted. Major areas inspected:all facility operations.
MANN,J., KNAPP,P.J. Region I, IE (720101-810228). 74/05/14. 9pp.

–9604250260 Notifies of JCP&L vessel head clad indications currently being investigated.
CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 74/05/14. TILLOU,J. Atomic Energy Commission (Pre 750119). 1p.

–9604250273 Notification of 740522 meeting w/JCP&L,Exxon & Oyster Creek in room P-114,to discuss concerns re Exxon type V (8x8) fuel assembly.
RIESLAND,J.I. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/09. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604250282 Summary of 740506 meeting w/JCP&L,Exxon & Oyster Creek in room P-114 re Oyster Creek Cycle 4.
ROSS,D.F. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/06. STELLO,V. Atomic Energy Commission, Directorate of Licensing (720101-750118). 1p.

–9604250286 Discusses Operational Quality Assurance Program for JCPL.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/07. O'REILLY,J.P. Region I, IE (720101-810228). 2pp.

–9604250298 Advises that util have not supplied sufficient justification for withholding of drawing 20464-H from public disclosure. Full explanation as to why drawing should be handled as proprietary should be provided within 30 days of ltr date.
ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/05/06. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250312 Responds to 740322 ltr re util operational QA plan.
FINFROCK,I.R. Jersey Central Power & Light Co. 74/05/02. ZIEMANN,D.L. Atomic Energy Commission, Directorate of Licensing (720101-750118). 4pp.

–9604250317 Ack receipt of 740423 ltr informing NRC of steps taken to correct violations noted in insp 50-219/74-02.
O'REILLY,J.P. Region I, IE (720101-810228). 74/05/02. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

–9604250327 Responds to 740402 ltr to IR Finfrock re insp on 740121-25. Items 7 & 9 addressed.
ROSS,D.A. Region I, IE (720101-810228). 74/04/23. O'REILLY,J.P. Atomic Energy Commission, Directorate of Licensing (720101-750118). 2pp.

–9604300007 D-AEC-06113-NJ "Environ Impact Statement Comments: Oyster Creek Nuclear Generating Station."
* Environmental Protection Agency. 73/09/30. 21pp.

–9605160259 Responds to 740911 ltr re ATWS analysis for plant.Request for extension of 30 days beyond 741001 date for submission of common mode failure analysis approved.Schedule of detailed plant for completing analyses should be submitted.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/10/04. FINFROCK,I.R. Jersey Central Power & Light Co. 1p.

9604120097 Informs of 730907 rept from NJ Dept of Health on elevated air sample in vicinity of facility.Checked w/J Sullivan at site & found release due to work on control rods & documented by exam.Release below allowable limits.
EVERETT,R.J. Region I, IE (720101-810228). 73/09/17. STOHR,J.P. Region I, IE (720101-810228). 1p.

–9604180165 Forwards insp rept 50-219/73-21 on 731210-12 & 18. No violations noted.Major areas insp:selective exam of procedures & representative records,interviews w/personnel & observations by inspector.
NELSON,P.R. Region I, IE (720101-810228). 74/02/05. FINFROCK,I.R. Jersey Central Power & Light Co. 2pp.

–9604250305 Provides list of full term license package,target dates.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 74/05/02. CAPHTON,D.L. Atomic Energy Commission (Pre 750119). 1p.

–9604120013 Forwards insp rept 50-219/73-11 on 730626-29 & notice of violation.W/o insp rept.
O'REILLY,J.P. Region I, IE (720101-810228). 73/09/24. FINFROCK,I.R. Jersey Central Power & Light Co. 3pp.

9604120081 Discusses insp rept 50-219/73-16 re licensee environ monitoring program.No violations noted.
GALLINA,C.O. Region I, IE (720101-810228). 73/11/15. STOHR,J.P. Region I, IE (720101-810228). 2pp.

9604120289 Provides current status of FTOL package.
GREENMAN,E.G. Atomic Energy Commission (Pre 750119). 73/12/12. BRUNNER,E.J. Atomic Energy Commission (Pre 750119). 1p.

9604170122 FOIA request for JF Opeka 940902 ltr to JF Gray re potential chilling effects,JF Opeka 940411 ltr to TT Martin re addl info on allegation matters & JF Opeka 930603 ltr to J Lieberman re EA-92-212.
ROSS,A.J. Affiliation Not Assigned. EA-92-212. 96/03/12. RUSSELL,W.T. . 1p. 87906:001-87906:001.

9604170126 First partial response to FOIA request for records.App A record available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/05. ROSS,A. Affiliation Not Assigned. 2pp. 87906:002-87906:003.

9604170132 FOIA request for each 10CFR50.54(f) info request issued to every commercial nuclear power plant licensee since 850101.
BENEDICT,T.M. Connecticut, State of. 96/01/29. NRC - No Detailed Affiliation Given. 1p. 87906:196-87906:196.

9604170137 Final response to FOIA request for records.No agency records subj to request located.Attached narrative provided by J Zwolinski confirms telcon discussion.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/05. BENEDICT,T.M. Connecticut, State of. 1p. 87906:197-87906:198.

–9604170142 Advises that no records subj to Commissioner Benedict of State of CT FOIA request located.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 96/04/04. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87906:198-87906:198.

9604170162 FOIA request for info re approval of name change or restructuring of IL Power to ILLinova & San Diego Gas & Electric Co to Enova.
KEGAN,D. Affiliation Not Assigned. 96/02/12. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87906:004-87906:004.

9604170165 Final response to FOIA request for records.App A & B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/03. KEGAN,D. Affiliation Not Assigned. 4pp. 87906:005-87906:195.

–9501260175 Discusses antitrust review of proposed restructuring of San Diego Gas & Electric company.Concludes util request,dtd 941115 re proposed restructuring does not appear to violate antitrust statutes & would not impact bulk power svc.
LAMBE,W.M. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/01/19. QUAY,T.R. Office of Nuclear Reactor Regulation (Post 941001). 175pp. 87906:026-87906:188.

–9502060061 Forwards analysis which constitutes financial qualifications review & input to SER on proposal by util to implement corporate restructuring by creating holding company.Merger should be approved.
WOOD,R.S. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). 95/02/01. FIELDS,M.B. License Renewal & Environmental Review Project Directorate (PDLR) (Post 941001). WEBB,M.K. Office of Nuclear Reactor Regulation (Post 941001). 4pp. 87906:189-87906:192.

–9604170184 Forwards proposed ltr re corporate restructuring of SDG&E to provide assurances re transfer of util-related assets.
MESERVE,R.A. Covington & Burling. 95/03/23. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 1p. 87906:193-87906:193.

–9604170188 Advises that util agrees to provide NRR w/60-days prior notice of transfer from SDG&E to proposed parent or to any other affiliated company or facilities production, transmission or distribution of electric energy.
GUILES,E.A. San Diego Gas & Electric Co. 95/03/24. FIELDS,M.B. Office of Nuclear Reactor Regulation (Post 941001). 2pp. 87906:194-87906:195.

9604170224 FOIA request for document from Bateman to Dyer re ECCS keep-full (water-logs) pumps reported under TAC M91577 or 95-TAI-002.
WILLIAMS,O.G. JRA Associates. TAC M91577. 96/03/05. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87906:199-87906:199.

9604170230 Final response to FOIA request for records.App A record encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/10. WILLIAMS,O.G. JRA Associates. 2pp. 87906:200-87906:208.

–9512280052 Responds to Task Interface Agreement TIA 95-002 re applicability of ASME code section XI to BWR ECCS waterleg pumps.Based on review,appears that licensees not consistent in evaluation of status of waterleg pumps in IST programs.
BATEMAN,W.H. . TAC M91577. 95/12/20. DYER,J.E. Region 4 (Post 820201). 5pp. 87906:202-87906:208.

9604170239 FOIA request for listed records re PWN Environmental at listed addresses.
WINGARD,J.D. Dames & Moore. 96/03/25. Walnut Creek Field Ofc, R4 (Post 940404). 1p. 87906:209-87906:209.

9604170242 Final response to FOIA request for records.No agency records subj to request located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/11. WINGARD,J.D. Dames & Moore. 1p. 87906:210-87906:210.

9604170250 Second & final response to FOIA request for records.App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/11. PEREZ,R.J. Ohio, State of. 2pp. 87906:211-87906:219.

–8510080002 Amend 28 to License 34-02044-01 for Sawyer Research Products Inc,amending license in entirety.
MADERA,J.R. Region 3 (Post 820201). 85/07/08. 2pp. 87906:214-87906:219.

9604170267 Second final response to FOIA request for records.App C record encl & available in PDR.App C record partially withheld (ref FOIA Exemption 5).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/09. MURPHY,T.P. Reed, Smith, Shaw & McClay. 3pp. 87906:220-87906:224.

–9604170269 Partially withheld notification of misadministration.
WATSON,L. Region 2 (Post 820201). 94/06/23. SANTIAGO,P. Ofc of Enforcement (Post 870413). 1p. 87906:224-87906:224.

9604170314 Eighth & final response to FOIA request for records. Releasable portions of App K records encl & available in PDR.App K records partially withheld (ref FOIA Exemptions 4 & 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/05. BLANCH,P. Affiliation Not Assigned. 13pp. 87906:225-87908:115.

--9604170315 Partially withheld Quality Implementation Procedure QIP 97(N), "Nuclear Returned Matl." Related documentation encl.
* Rosemount, Inc. 83/08/26. 400pp. 87906:239-87907:355.

--9604170316 Partially withheld Industrial Administrative Procedure IAP 2, "Product Safety Concern Reporting Sys."
* Rosemount, Inc. 83/11/30. 2pp. 87907:356-87907:357.

--9604170318 Partially withheld rev B to CPP 1710.0, "Product Safety Policy."
* Rosemount, Inc. 90/11/09. 1p. 87907:358-87907:358.

--9604170319 Responds to 921102 questions.Meetings were not logged into matrix after Feb 1985.Individual meeting notices were prepared & distributed.
JENSEN,J. Rosemount, Inc. 92/11/10. BOAL,D. Ofc of Investigations (Post 880201). 25pp. 87908:001-87908:031.

--9604170321 Transcript of narrative of Ofc of Investigation, investigation of loss-of-fill-oil of Rosemount Model 1153 Series B/D & 1154 transmitters & 10CFR21.
* Ofc of Investigations (Post 880201). 93/04/30. 97pp. 87908:032-87908:115.

9604220017 FOIA request for electronic version of NUREG/CR-6385.
WILLIAMS,O.G. JRA Associates. OGW-96-072. 96/03/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87942:099-87942:099.

9604220024 Final response to FOIA request for records.Two computer disks encl & being made available in PDR.W/o encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. WILLIAMS,O.G. JRA Associates. 1p. 87942:100-87942:100.

9604220040 Appeals NRC denial of FOIA request 95-389,filed on 950917, seeking public acceptance activity repts & related documents in public acceptance activity records for listed GPU or subsidiary reactors or proposed reactors.
DEKOK,D. Affiliation Not Assigned. 96/02/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 4pp. 87942:101-87942:104.

9604220044 Final response to 960214 ltr,appealing 960111,29 & 30 responses from RA Powell to FOIA-95-389.No records other than records already addressed,exist in NRC files.DOE may have records subj to request.DOE address listed.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 96/04/17. DEKOK,D. Affiliation Not Assigned. 1p. 87942:105-87942:131.

--9604220104 Package consisting of memo route slip from P Morris to C Henderson w/ received date of 671117.
MORRIS,P. Atomic Energy Commission (Pre 750119). 67/11/17. 1p. 87942:106-87942:131.

9604240118 Third & final response to FOIA request for records.Confirms 960411 telcon w/MJ Pool stating no interest in processing five remaining records subj to request.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. TROY,P.E. Morgan, Lewis & Bockius. 1p. 88030:045-88030:047.

9604240121 Second & final response to FOIA request for records.Confirms 960415 telcon agreeing to administratively close request.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. GERIACH,B. Dun & Bradstreet Information Services. 1p. 88030:048-88030:049.

9604240126 FOIA request for correspondence between Hosp of Univ of PA & NRC,specifically 920220 incident of falsified records & attempted cover-up.
RUFFO,V.S. Affiliation Not Assigned. 96/03/21. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88030:050-88030:050.

9604240131 Final response to FOIA request for records.No records subj to request located.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. RUFFO,V. Affiliation Not Assigned. 1p. 88030:051-88030:051.

9604240137 FOIA request for documents re SF Bauman or Save the Wills Creek Water Resources Committee.
BAUMAN,S. Affiliation Not Assigned. 96/02/05. POWELL,R. NRC - No Detailed Affiliation Given. 2pp. 88030:052-88030:053.

9604240140 Final response to FOIA request for records.File on request closed due to lack of response to 960208 Fax & 960223 telcon.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/11. BAUMAN,S. Affiliation Not Assigned. 1p. 88030:054-88030:054.

9604240151 FOIA request for NRC response to Exhibit 43 of OMB Circular A-11 for FY97.
SMITH,P.C. INPUT, Inc. 96/04/08. LESAR,M. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88030:055-88030:055.

9604240155 Final response to FOIA request for records.App A record encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/11. SMITH,P.C. INPUT, Inc. 2pp. 88030:056-88030:062.

9604250002 Second & partial response to FOIA request for records.App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/17. ROSS,A. Affiliation Not Assigned. 2pp. 88030:267-88030:292.

--9404210051 Response to NRC 940317 ltr re allegation of violations of 10CFR50.7.Business plan & implementation program calls for mgt to recognize & promote need for open discussion & resolution of safety issues.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities Service Co. B14795. 94/04/11. MARTIN,T.T. Region 1 (Post 820201). 4pp. 88030:270-88030:273.

--9409200057 Responds to request for info re potential chilling effects.
OPEKA,J.F. Northeast Nuclear Energy Co. OPEKA,J.F. Northeast Utilities. B-14958. 94/09/02. GRAY,J.R. Ofc of Enforcement (Post 870413). 19pp. 88030:274-88030:292.

9604250004 FOIA request for list of bidders & award for request for proposal RS-IRM-96-192, "Archival Record Storage & Related Svcs."
GUIDERA,S.S. Affiliation Not Assigned. 96/04/10. MATTIA,M.J. Division of Contracts (Pre 870413). 1p. 88030:293-88030:293.

9604250005 Final response to FOIA request for records.App A record encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/17. GUIDERA,S.S. Affiliation Not Assigned. 2pp. 88030:294-88030:303.

--9604250006 "Bidders Mailing List for Solicitation Number RS-IRM-96-192."
* NRC - No Detailed Affiliation Given. 95/11/29. 8pp. 88030:296-88030:303.

9604250013 FOIA request for documentation supporting license of Two Rivers Cardiology.
CHAPMAN,C.N. Easton Hosp., Easton, PA. 96/03/22. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88030:202-88030:202.

9604250015 Final response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/16. CHAPMAN,C.N. Easton Hosp., Easton, PA. 2pp. 88030:203-88030:266.

--9604250017 Application for license,authorizing possession & use of matls in 10CFR35.100 & 200 & 10 mCi Cs-137 sealed source.
LITTLE,T. Affiliation Not Assigned. 96/02/06. 46pp. 88030:206-88030:251.

--9604250022 Requests listed addl info to continue review of 960206 application for license.
BEARDSLEY,M.R. Region 1 (Post 820201). 122861. 96/02/27. LITTLE,T. Affiliation Not Assigned. 2pp. 88030:252-88030:253.

--9604250023 Responds to 960227 RAI re application for license.Const of facility complete & nuclear camera being installed.
LITTLE,T. Affiliation Not Assigned. 122861. 96/02/28. BEARDSLEY,M.R. Region 1 (Post 820201). 6pp. 88030:254-88030:259.

--9604250027 Provides certification info re T Little.
LITTLE,T. Affiliation Not Assigned. 122861. 96/03/15. BEARDSLEY,M. Region 1 (Post 820201). 1p. 88030:260-88030:260.

--9604250030 Documents T Little training re nuclear cardiac imaging.
MASCARENHAS,D. Affiliation Not Assigned. 122861. 96/03/15. BEARDSLEY,M.R. Region 1 (Post 820201). 2pp. 88030:261-88030:262.

--9604250034 Forwards license 37-30276-01.
* Region 1 (Post 820201). 122861. 96/03/20. LITTLE,T. Affiliation Not Assigned. 2pp. 88030:263-88030:266.

9604250044 FOIA request for info re 960221 maint rule training.
WILLIAMS,O.G. JRA Associates. OGW-96-069. 96/03/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88030:075-88030:076.

9604250046 Final response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/19. WILLIAMS,O. JRA Associates. 2pp. 88030:077-88030:201.

--9604250047 Package consisting of "Maint Rule 10CFR50.65 One-Day Training."
* NRC - No Detailed Affiliation Given. 96/04/19. 123pp. 88030:079-88030:201.

9604250071 FOIA request for records re Hooker Electrochemical Co.
HAYES,A.W. Jones, Day, Reavis & Pogue. 96/03/15. POWELL,R. Division of Freedom of Information & Publications Services (Post 940714). 2pp. 88030:063-88030:064.

9604250076 Final response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/19. HAYES,A.W. Jones, Day, Reavis & Pogue. 2pp. 88030:065-88030:074.

--9604250084 Application for license,authorizing possesion & use of 5 Ci Ni for neutron counting.
WILLERS,T.F. Affiliation Not Assigned. 56/09/12. 2pp. 88030:067-88030:068.

--9604250087 License 31-01160-01 for Hooker Electrochemical Co, authorizing possession & use of 5 Ci Po-210 for neutron counting.
* Atomic Energy Commission (Pre 750119). 56/09/19. 3pp. 88030:069-88030:071.

--9604250094 Application for amend to license 31-01160-01,authorizing two Polonium-Boron sources of 5 Ci each.
* Affiliation Not Assigned. 57/10/23. BOWYER,J.E. Atomic Energy Commission (Pre 750119). 1p. 88030:072-88030:072.

--9604250096 Amend 1 to license 31-01160-01 for Hooker Electrochemical Co,authorizing possession & use of 5 Ci Po-210 for analytical purposes.
* Atomic Energy Commission (Pre 750119). 57/10/23. 1p. 88030:073-88030:073.

--9604250099 Certificate of disposition of matls:matl shipped to Carbide & Carbon Chemical Co for disposal.
BELMAN,E.A. Affiliation Not Assigned. 58/10/02. 1p. 88030:074-88030:074.

9604260029 FOIA request for transcripts of depositions taken or documents memorializing interviews conducted during investigation by NRC at Univ of Cincinnati on 890825 & 0919- 1101 re listed individuals.
GRIFFIN,R.C. Taft, Stettinius & Hollister. 96/02/07. POWELL,R.A. NRC - No Detailed Affiliation Given. 2pp. 88029:001-88029:004.

9604260037 Final response to FOIA request for documents.App A records & App B partially withheld (ref Exemption 7C) records encl & being made available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/15. GRIFFIN,R.C. Taft, Stettinius & Hollister. 4pp. 88029:005-88030:044.

--9604260046 Partially withheld rept of interview w/individual at Univ of Cincinnati Medical Ctr Radiation Safety Ofc in Cincinnati,OH on 900125.Pp 1-3.
PAUL,R.C., FAHEY,M.K. Ofc of Investigations (Post 880201). 90/01/25. 4pp. 88029:009-88029:013.

–9604260057 Partially withheld rept of interview w/individual at Univ of Cincinnati Medical Ctr Radiation Safety Ofc in Cincinnati,OH on 900125.Pp 1-3.Related info encl.
PAUL,R.C., FAHEY,M.K. Ofc of Investigations (Post 880201). 90/01/25. 10pp. 88029:014-88030:044.

9604300004 FOIA request for records re depleted U,Desert Storm Aug 1990 to present & Desert Shield Aug 1990 to present.
NEWBY,M. Affiliation Not Assigned. 96/03/01. NRC - No Detailed Affiliation Given. 3pp. 88096:048-88096:050.

9604300006 Final response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. NEWBY,M. Affiliation Not Assigned. 3pp. 88096:051-88096:222.

–9604300008 "Health & Environ Consequences of Depleted U Use by US Army Summary Rept to Congress."
* Army, Dept. of. 94/02/28. 127pp. 88096:054-88096:162.

–9604300011 "Summary Rept to Congress Health & Environ Consequences of Depleted U Use by US Army."
* Army, Dept. of. 94/06/30. 18pp. 88096:163-88096:180.

–9604300013 "Jefferson Proving Ground Madison,IN Radiation Protection & Decommissioning Criteria."
* Division of Waste Management (NMSS 940403). 95/04/30. 14pp. 88096:181-88096:194.

–9604300018 "EIS Scoping Process Summary Rept Decommissioning of Depleted U Impact Area at US Army Jefferson Proving Ground, Madison,IN."
* NRC - No Detailed Affiliation Given. 95/08/31. 28pp. 88096:195-88096:222.

9604300032 FOIA request for documents or info re insps or investigations by NRC related to cementious fireproofing matls,including but not limited to Pyrocrete 102 &/or Carboline Co at GGNS.
PUSATERI,B.A. Bollinger, Ruberry & Garvey. 96/04/03. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:230-88096:230.

9604300039 Final response to FOIA request for documents.Requestor agreed to narrow scope of request to receiving copies of printouts identifying available records for GGNS.If copies of records desired,requestor may contact NRC PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. PUSATERI,B.A. Bollinger, Ruberry & Garvey. 1p. 88096:231-88096:231.

9604300041 FOIA request for records which discuss application of veterans preferences in consideration of employment & use re selection of employment candidates w/NRC.
KURTZ,E.F. Affiliation Not Assigned. 96/04/03. GRIMSLEY,D.H. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:223-88096:223.

9604300050 Final response to FOIA request for records.App A records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/25. KURTZ,E.F. Affiliation Not Assigned. 2pp. 88096:224-88096:229.

–9604300055 Pages 8,41,42 & 43 to Vol 10,Part 1 to employment handbook.
* NRC - No Detailed Affiliation Given. 95/10/10. 4pp. 88096:226-88096:229.

9604300072 FOIA request for correspondence,violation notices & any other documents from 900101 to present re NEUT nuclear plants Millstone (units 1,2 & 3) & CT Yankee.
MACK,T. Washington Document Service. 96/03/19. POWELL,R. NRC - No Detailed Affiliation Given. 1p. 88096:001-88096:001.

9604300080 Final response to FOIA request for records.Requestor agreed per 960327 telcon w/N Pugh to obtain any publicly available records directly from NRC PDR.Requestor will resubmit another FOIA request to obtain any central files records.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. MACK,T. Washington Document Service. 1p. 88096:002-88096:002.

9604300121 FOIA request for all repts issued by Ofc of Investigations on PPL within last 5 yrs.
SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 96/03/21. Division of Freedom of Information & Publications Services (Post 940714). 1p. 88096:232-88096:232.

9604300127 Final response to FOIA request for records.App A records & releasable portions of App B records encl & available in PDR.App B records partially withheld (ref FOIA Exemption 7).
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/24. SHURMAITIS,D. Times Leader, Wilkes-Barre, PA. 4pp. 88096:233-88096:301.

–9604300128 Documents closure of case 1-93-061 re possible violations of 10CFR50.5 & 50.9.
LETTS,B.R. Ofc of Investigations (Post 880201). 94/08/31. MARTIN,T.T. Region 1 (Post 820201). 1p. 88096:237-88096:237.

–9604300137 Investigation rept 1-93-072.No noncompliance noted.Major area investigated:security shift supervisor harassment & intimidation of shift member after employee brought allegations of wrongdoing by util to NRC.
KENNA,G.F., LETTS,B.R. Ofc of Investigations (Post 880201). 94/11/10. 12pp. 88096:238-88096:249.

–9604300146 Investigation rept 1-95-023.No noncompliance noted.Major area investigated:allegation that former contract turbine inspector was terminated in retaliation for having identified & reported safety concerns.
DRISKILL,D.D., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 9pp. 88096:250-88096:258.

–9604300155 Partially deleted investigation rept 1-92-052R re possible falsification of security test/training records. Investigation substantiated that util deliberately & improperly provided assistance in answering questions.
KENNA,G.F., LETTS,B.R., FITZGERALD,J.A. Ofc of Investigations (Post 880201). 94/08/22. 32pp. 88096:259-88096:290.

–9604300166 Partially withheld investigation rept 1-93-054R re alleged failure to provide complete & accurate info to NRC.Matter closed due to Ofc of Investigation pursuing investigations w/higher priority.
MATAKAS,R.A., LETTS,B.R. Ofc of Investigations (Post 880201). 95/08/31. 11pp. 88096:291-88096:301.

9604300132 Fourth final response to FOIA request for records.Records identified on encl App F being placed into PDR & encl.NRC Form 513, "Certification of Copy of Official Record" also encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/23. LEVENTHAL,D., GRIFFIN,C.N. Affiliation Not Assigned. 4pp. 88096:003-88096:047.

–8503260246 Ack receipt of 850307 ltr submitting payment of $250 for civil penalties imposed on 850212.Corrective actions will be examined during future insps.
AXELRAD,J.A. Ofc of Inspection & Enforcement, Director (820201-870413). EA-85-006. 85/03/19. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 88096:008-88096:009.

–9604300178 Forwards enforcement proposal re Schlumberger Technology Corp for review & concurrence.Action based on insp in Jan 1989 & repts submitted by Schlumberger to NRC in Feb 1989.
MARTIN,R.D. Region 4 (Post 820201). EA-89-084. 89/05/17. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 38pp. 88096:010-88096:047.

–8503260246 Ack receipt of 850307 ltr submitting payment of $250 for civil penalties imposed on 850212.Corrective actions will be examined during future insps.
AXELRAD,J.A. Ofc of Inspection & Enforcement, Director (820201-870413). EA-85-006. 85/03/19. RACSTER,C.E. Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.). 2pp. 88096:008-88096:009.

–9604300178 Forwards enforcement proposal re Schlumberger Technology Corp for review & concurrence.Action based on insp in Jan 1989 & repts submitted by Schlumberger to NRC in Feb 1989.
MARTIN,R.D. Region 4 (Post 820201). EA-89-084. 89/05/17. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 38pp. 88096:010-88096:047.

GEN TEC IS GENERIC TECHNICAL ISSUES

9604010270 Documents revised submittal date for util USI A-46 effort from 960331-0531.
THAYER,J.K. Vermont Yankee Nuclear Power Corp. BVY 96-34. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87719:149-87719:149.

9604020391 Informs that 1-2A DG outage currently rescheduled for 960429 due to to revised ship date for intercooler tube bundle,per GL 87-02.
MOREY,D. Southern Nuclear Operating Co. GL-87-02. 96/03/29. Document Control Branch (Document Control Desk). 1p. 87712:354-87712:354.

9604030389 Forwards "Fermi 2 Individual Plant Exam (External Events)," in response to GL 88-20.
GIPSON,D.R. Detroit Edison Co. GL-88-20. 96/03/29. Document Control Branch (Document Control Desk). 8pp. 87763:001-87764:181.

9604040218 Forwards Rev 0 to Rept 42112-R-001, "Oyster Creek Nuclear Generating Station USI A-46 Seismic Evaluation Rept," per GL 87-02.
ROCHE,M.B. General Public Utilities Corp. - GPU Service Corp. 6730-96-2085. 96/03/29. Document Control Branch (Document Control Desk). 2pp. 87767:001-87767:282.

–9604040225 42112-R-001 R00 "Oyster Creek Nuclear Generating Station USI A-46 Seismic Evaluation Rept."
* EQE Engineering Consultants (formerly EQE Engineering, Inc.). 96/03/01. 280pp. 87767:003-87767:282.

9604080032 Forwards rev 0 to SGS-SUP.RPT, "Salem Generating Station Supplemental Submittal in Response to GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
SIMPSON,E.C. Public Service Electric & Gas Co. of New Jersey. LR-N96083. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87776:001-87778:155.

–9604080045 SGS-SUP.RPT R00 "Salem Generating Station Supplemental Submittal in Response to NRC GL 87-02/USI A-46, 'Verification of Seismic Adequacy of Mechanical & Electrical Equipment in Operating Reactors.'"
* Vectra Technologies, Inc. GL-87-02. 96/03/24. 879pp. 87776:005-87778:155.

9604230060 Informs NRC of implementation dates for several license amends & other issues as requested verbally by NRR.
BURSKI,R.F. Entergy Operations, Inc. W3F1-96-0065. 96/04/19. Document Control Branch (Document Control Desk). 2pp. 87998:359-87998:360.

9604240169 Submits results of periodic review of low-priority GSIs, contained in list provided by DL Morrison 960216 memo. Safety evaluation for revised tornado design criteria at WNP Unit 2 & note dtd 960307 re transformer failures encl.
RUSSELL,W.T. . 96/04/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87972:255-87972:267.

I&E INSPECTION AND ENFORCEMENT

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-95-058. 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604010189 PNO-III-96-019:on 960328,radiographer film badge received exposure of 4.6 rem.Caused by failure to follow procedures. NRC insp of event continuing.State of IN notified.
YOUNG,T., PHILLIPS,M. Region 3 (Post 820201). 96/03/29. 1p. 87708:231-87708:231.

9604010195 PNO-III-96-020:on 960329,licensee Mo-99/Tc generator shipped from site on 960223 lost during transportation.Hosp contacted Mallinckrodt on 960224 & notified mfg that package not received.
PHILLIPS,M., JONES,J. Region 3 (Post 820201). 96/03/29. 1p. 87708:232-87708:232.

9604020073 PNO-IV-96-016A:on 960324-25,licensee experienced difficulty in removing fuel assemblies located in southeast quadrant of core.Licensee installed hydraulic jacks under assembly A07 w/o success.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/01. 2pp. 87733:169-87733:170.

9604020078 PNO-I-96-020:on 960330,facility commenced power reduction to shutdown,as required by TS 3.6.3 for inoperable containment isolation valves.Licensee preparing design change to modify valves.
CERNE,A., DURR,J. Region 1 (Post 820201). 96/04/01. 1p. 87733:178-87733:178.

9604020089 PNO-II-96-023:on 960401,unusual event declared & terminated due to identified RCS leakage in excess of TS limits.
LANDIS,K., MILLER,M. Region 2 (Post 820201). 96/04/01. 2pp. 87733:179-87733:180.

9604030109 PNO-I-96-019A:on 960326,nuclear medicine technology student internally contaminated w/radioactive matl.Inspector concluded student had intake of Tc 99m while at pharmacy. Student examined by physician at hosp.
BROWN,K., HENDERSON,P. Region 1 (Post 820201). 96/04/01. 2pp. 87736:297-87736:298.

9604030114 PNO-III-96-021:on 960222,due to series of miscommunications 578 uCi P-32 returned for recycling to postal svc distribution ctr.Package not located.Package dose not pose health or safety hazard.
HOLT,B.J., .SLWAINSKI,W. Region 3 (Post 820201). 96/04/02. 1p. 87736:299-87736:299.

9604030120 PNO-II-96-024:on 960402,site area emergency declared as result of fire in incinerator duct on roof of incinerator bldg.Offsite firefighters & Erwin City Police responded to site.Fire extinguished.No personnel injuries occurred.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87736:300-87736:300.

9604030124 PNO-II-96-024A:on 960402,site downgraded from site area emergency to notification of unusual event.NRC remains in monitoring mode.Site secured & site personnel being monitored for exposure as result of fire.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87736:301-87736:301.

9604030291 PNO-III-96-022:on 951221,patient w/metastic prostate cancer was given intravenous injection of liquid Sr-89,but due to leak in tubing patient received less than intended dose. Fluid collected & area decontaminated.
SIMMONS,T., HOLT,B.J. Region 3 (Post 820201). 96/04/03. 1p. 87755:220-87755:220.

9604030304 PNO-II-96-025:on 960402,fire protection technician at lunch experienced heart attack symptoms & lost consciousness.CPR was administered but technician pronounced dead upon arrival at Burke County Hosp.
WRIGHT,R. Region 2 (Post 820201). 96/04/03. 1p. 87755:221-87755:221.

9604030311 PNO-I-96-021:on 960403,Troxler moisture density gauge Model 3401 damaged when dump truck backed over gauge.Gauge secured & under surveillance by user.
MCGRATH,J., COSTELLO,F. Region 1 (Post 820201). 96/04/04. 1p. 87823:305-87823:305.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050027 PNO-III-96-023:univ preparing plans for stabilization & possible remediation of low-level radwaste burial site near campus.Licensee diverting stream that flows through site & water samples show no radioactivity above background.
MCCANN,G., MCCORMICK-BARGE Region 3 (Post 820201). 96/04/04. 2pp. 87807:180-87807:181.

9604050030 PNO-IV-96-016B:on 960324-25,licensee experienced difficulty in removing fuel assemblies located in southeast quadrant of core.Licensee installed two straps on opposite sides of assembly which hook into lower end fitting.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/05. 2pp. 87807:189-87807:190.

9604050165 PNO-II-96-024B:on 960402,fire was extinguished.Licensee & NRC continue to evaluate consequences of fire.Air samples from site perimeter & offsite have not shown elevated levels of radioactivity.
BARR,K. Region 2 (Post 820201). 96/04/02. 1p. 87823:306-87823:306.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604050385 PNO-I-96-022:on 960404,therapeutic misadministration involving high dose rate remote afterloading treatment unit occurred.Patient being treated for reported symptoms.
BHALLA,N. Region 1 (Post 820201). 96/04/05. 1p. 87823:312-87823:312.

9604080120 PNO-IV-96-017:on 960404,alert declared due to fire in equipment providing power for control room essential & emergency lighting.No personnel injured.CR was not evacuated & event had no impact on ability to cool fuel in SFP or RV.
OLSON,B., ACKER,D. Region 4 (Post 820201). 96/04/05. 2pp. 87823:334-87823:335.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . GL-85-11. 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604100104 PNO-III-96-024:on 960408,licensee notified resident inspectors of exposure in excess of regulatory limits.Caused by laborer removing outer glove,while maintaining cotton liner on,to use telephone inside containment.
CAMERON,J., KOZAK,T. Region 3 (Post 820201). 96/04/09. 1p. 87859:230-87859:230.

9604110101 PNO-IV-96-018:on 960406,6 of 10 on-shift union security force personnel walked off job,based on union claim of unfair labor practices over proposed hourly wage increases for next contract period of 3 yrs.
HARRELL,P., PICK,G. Region 4 (Post 820201). 96/04/08. 2pp. 87859:244-87859:245.

9604110104 PNO-III-96-025:on 960409,licensee reported medical misadministration,in which administered dosage differed from prescribed dosage by more than 20 percent.Circumstances surrounding incident will be reviewed during insp on 960410.
JONES,J., PHILLIPS,M. Region 3 (Post 820201). 96/04/10. 1p. 87859:246-87859:246.

9604120277 Notification of 730908 event re routine switch of house electrical loads to startup transformer resulted in temporary loss of electrical power to essential station equipment.
DREHER,F.A., THORNBURG,H.D., DAVIS,J.G. Region I, IE (720101-810228). 73/09/11. 3pp.

9604110266 PNO-IV-96-016C:on 960407,Arizona Public Svc Co successfully lifted Fuel Assembly A07 from Unit 2 core support plate & placed in temporary storage device.Initial lifting attempt suspended due to concerns re assembly structural integrity.
POWERS,D. Region 4 (Post 820201). 96/04/08. 2pp. 87850:148-87850:149.

9604150043 PNO-III-95-09:on 950225,licensee notified Region III that vehicle containing radiography camera had been stolen in Griffith,Indiana.Vehicle found secured & intact on 960226. State on Indiana notified.
HOLT,B.J., AXELSON,W.L. Region 3 (Post 820201). 95/02/27. 1p. 87869:063-87869:063.

9604150127 PNO-III-94-071:on 940823,Unit 2 reactor tripped from full power due to MSIV closure.MSIV closed as result of spurious signal from main steam line high flow instrumentation.CA include installation of support padding & addl training.
HILAND,P., MARTIN,T. Region 3 (Post 820201). 94/08/26. 1p. 87869:114-87869:114.

9604160117 PNO-II-96-027:on 960212,contractor slipped & fell & was injured descending permanent ladder inside containment.EMTs & site medical personnel dispatched.Offsite ambulance summoned.Contractor determined not to be contaminated.
COOPER,T., MELLEN,L. Region 2 (Post 820201). 96/04/15. 1p. 87923:096-87923:096.

9604160125 PNO-II-96-026:on 960411,augmented insp team that reviewed circumstances surrounding 960402 fire,held open exit meeting followed by meeting w/public & press.Listed findings presented.
COLLINS,D. Region 2 (Post 820201). 96/04/12. 2pp. 87923:097-87923:098.

9604170045 Identifies documents re NRC Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core & Over Safety-Related Equipment," which should be available in PDR. Requests NUDOCS accession number be provided for memo.
SHAPAKER,J.W. . TAC M94912. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87911:321-87911:335.

–9604160451 SECY-96-073 Informs Commission,IAW guidance in 911220 memo from SJ Chilk to JM Taylor re SECY-91-172, "Regulatory Impact Survey Rept - Final," of staff intent to issue subj bulletin.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/08. Commissioners (Post 750119). 14pp. 87911:323-87911:334.

–9604170054 Forwards NRC Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core or Over Safety Re Equipment," which had been published on 960411,as urgent communication.
CRUTCHFIELD,D. . IEB-96-002. 96/04/15. LARKINS,J.T. ACRS - Advisory Committee on Reactor Safeguards. 1p. 87911:335-87911:335.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604170381 PNO-IV-96-020:on 960416,unit 1 shut down due to increasing reactor coolant pump vibration.Repairs or component replacement may require unit to be taken to mid-loop conditions.
KIRSCH,D., KRAMER,J. Region 4 (Post 820201). 96/04/16. 1p. 87959:336-87959:336.

9604170385 PNO-IV-96-019:on 960416,state of AR notified of box car containing radioactive matl.Approx 4-10 people exposed to rail car.Survey of matl showed matl was approx 1,000 micro-R/h on contact.
SPITZBERG,D.B. Region 4 (Post 820201). 96/04/16. 1p. 87959:337-87959:337.

9604180007 PNO-II-96-029:on 960416,control room operators initiated manual trip on main turbine due to main turbine governor valves closing.All control rods fully inserted.Plant currently in Mode 3 w/plant parameters stable.
JULIAN,C.A. Region 2 (Post 820201). 96/04/17. 2pp. 87960:244-87960:245.

9604180011 PNO-II-96-028:on 960415,former security officer was involved in accident on US 1.FL Highway Patrol discovered device containing aerosol can,wires & timing device.Device determined to be nonexplosive training aid.
STRATTON,L. Region 2 (Post 820201). 96/04/17. 1p. 87960:246-87960:246.

9604190021 PNO-I-96-023:on 960418,RSO at Pharmalogic received package (ammo box) shipped containing only exempt quantities of radioactive matl,but found to have dose rates in excess of 200 mR/h at surface.
LODHI,S., KINNEMAN,J.D. Region 1 (Post 820201). 96/04/18. 1p. 87960:269-87960:269.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . IEIN-92-051. 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604230137 PNO-II-96-031:on 960420,licensee declared unusual event (UE) associated w/transport of potentially-contaminated injured individual offsite.UE exited when licensee determined that individual no longer contaminated.
CARRION,R.P. Region 2 (Post 820201). 96/04/22. 1p. 87994:242-87994:242.

9604230145 PNO-II-96-030:on 960416,NRC notified by State of GA officials that USCG Marine Safety Ofc reported number of shipping boxes containing U exhibited structural damage. Chem-Nuclear Sys,Inc began insp of interior of containers.
DECKER,T.R. Region 2 (Post 820201). 96/04/19. 1p. 87994:243-87994:243.

9604240054 PNO-II-96-032:on 960423,licensee abandoned sources & radiopharm doses.All Matls recovered by State of FL,Ofc of Radiation Control.Investigation initiated.
TROJANOWSKI,R. Region 2 (Post 820201). 96/04/23. 1p. 88004:340-88004:340.

9604240059 PNO-I-96-024:on 960419,high turbine vibrations occurred 22% reactor power causing turbine trip resulting in automatic reactor scram.Outage work & post-scram review activities scheduled to be completed for 960423 start-up.
CONTE,R. Region 1 (Post 820201). 96/04/22. 2pp. 88004:341-88004:342.

9604250158 PNO-II-96-033:on 960426 & 27,util granted Snail Darter Alliance permission to conduct peaceful demonstration activities.Demonstration tied to 10th anniversary of Chernobyl event.
CLARK,K.M. Region 2 (Post 820201). 96/04/25. 1p. 88031:001-88031:001.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604250269 EN-96-017:on 960319,notice of proposed imposition of civil penalty in amount of $2,500 issued to Bemis Const,Inc.Action based on violation for using moisture gauge in OK,non- Agreement State,between Mar 1991 & Aug 1992.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-276. 96/03/14. 1p.

9604250324 EN-96-018:on 960319,notice of proposed imposition of civil penalty in amount of $2,500 issued to licensee.Action based on problem involving licensee failure to fully implement quality mgt program as required by 10CFR35.
URYC,B. Region 2 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-053. 96/03/14. 1p. 88031:002-88031:002.

9604250334 EN-95-065A:on 960319,notice of proposed imposition of civil penalty in amount of $5,000 issued to Testco,Inc.Action based on repeated deliberate failure to comply w/requirement in 10CFR150.20 to file NRC Form-241.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-101. 96/03/19. 1p. 88031:003-88031:003.

9604250338 EN-96-019:on 960328,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on failure to implement effective actions to correct known design deficiency in ACCWS,facility ultimate heat sys.
SANBORN,G. Region 4 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-025. 96/03/25. 1p. 88031:004-88031:004.

9604250350 EN-96-020:on 960328,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on problem involving overdilution event on 960122.
URYC,B. Region 2 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-040. 96/03/25. 1p. 88031:005-88031:005.

9604250355 EN-96-021:on 960327,notice of order prohibiting involvement in NRC-licensed activities (effective immediately) issued to DJ McDonald.Action based on McDonald providing incomplete & inaccurate info for unescorted access authorization.
ROSANO,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-018. 96/03/27. 1p. 88031:006-88031:006.

9604250372 EN-96-022:on 960329,notice of order suspending licenses issued to licensee.Action based on willful violations of NRC requirements,including certifying individual as radiographer when individual not qualified & trained.
CANT,G., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-085. 96/03/29. 1p. 88031:007-88031:007.

9604250378 EN-96-023:on 960329,notice of confirmatory order (effective immediately) issued to licensee.Action based on failure to limit possession of byproduct matl & SNM to those authorized as required by 10CFR30.3 & 10CFR70.19,respectively.
MAMISH,N., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-009. 96/03/29. 1p. 88031:008-88031:008.

9604250382 EN-96-024:on 960417,notice of proposed imposition of civil penalty in amount of $50,000 issued to licensee.Action based on change to facility,which constituted unreviewed safety question & existance of condition from 1985 until Nov 1995.
SANBORN,G. Region 4 (Post 820201). LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-96-062. 96/04/12. 1p. 88031:026-88031:026.

9604250387 EN-96-025:on 960419,notice of order prohibiting unescorted access or involvement in NRC-licensed activities (effective immediately) issued to J Guzman.Action based on violation of 10CFR50.5(a)(2) by falsifying info re background to BG&E.
ROSANO,D., LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-020. 96/04/19. 1p. 88031:027-88031:027.

9604250434 PNO-II-96-017:on 960313,control room operators reduced electrical loads & initiated manual trip of main turbine because of problems w/maintaining adequate condenser vacuum. Problem under investigation.
JULIAN,C. Region 2 (Post 820201). 96/03/14. 1p. 87996:330-87996:330.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

9604260302 PNO-III-96-027:on 960426,licensee notified NRC of misadministration identified during audit of licensee dosage administration records by consultant.Consultant determined that wrong radiopharm administered to patient on 960318.
CAMERON,J., PHILLIPS,M. Region 3 (Post 820201). 96/04/26. 1p. 88031:116-88031:116.

9604300110 PNO-I-96-026:on 960425,licensee commenced plant shutdown to retrieve condensate sys component.Workers will conduct evaluation to determine cause for failure which resulted in plate breaking loose from HX after cold shutdown reached.
ESELGROTH,P. Region 1 (Post 820201). 96/04/26. 2pp. 88065:357-88065:358.

9604300398 PNO-I-96-027:on 960429,Region I notified by member of public that vial containing 1% U found in basement of private residence in Somerville,NJ.Matter referred to State of NJ & EPA,Region II for follow-up.
BROWN,K., HENDERSON,P. Region 1 (Post 820201). 96/04/29. 1p. 88066:205-88066:205.

9604300406 PNO-IV-96-021:on 960429,licensee RSO notified Region IV that portable gauge containing approx 8 mCi of Cs-137 stolen from job site near Lawton,OK.Licensee filed stolen property rept w/Comanche County Sheriff department.
SHAFFER,M.R., HOWEL,L.L. Region 4 (Post 820201). 96/04/30. 2pp. 88066:206-88066:207.

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

9604300255 Forwards draft insp module instruction, "Fire Protection Functional Insp," specific safe shutdown & fire protection related questions & safe shutdown & fire protection related questions by topic area.
LARSON,W.W. Engineering Planning & Management, Inc. 96/03/22. MADDEN,P. NRC - No Detailed Affiliation Given. 58pp. 88064:106-88064:163.

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

9604010118 Final response to FOIA request for records.No agency records subj to request located.Page from NUREG-0498,Suppl 1 that may be of interest encl.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/03/26. YOUNG,F. Affiliation Not Assigned. 3pp. 87708:215-87708:218.

9604010124 NUREG/BR-0072 S04 R2 EDO PROCEDURES MANUAL.Supplement 4,Revision 2.
* Ofc of the Executive Director for Operations. 96/03/31. 4pp. 87685:166-87685:170.

9604010343 Application for amends to licenses NPF-41,NPF-51 & NPF-74, modifying TS 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & GL 96-05.
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-94-01. 96/03/22. Document Control Branch (Document Control Desk). 13pp. 87704:254-87704:300.

-9604010348 Proposed tech specs,modifying TS Section 3/4.8.1 for purposes of implementing recommended changes from NUREG-1432,GL 94-01 & 96-05.
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). GL-96-05. 96/03/22. 34pp. 87704:267-87704:300.

9604020030 Application for amend to license NPF-51,revising TS 3/4.9.6 to relocate refueling machine overload cut off limit from TS 3/4.9.6 to plant UFSAR per criteria in 10CFR50.36 & Rev 1 of NUREG-1432, "STS for Combustion Engineering Plants."
STEWART,W.L. Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 102-03635-WLS/A. 96/03/26. Document Control Branch (Document Control Desk). 8pp. 87725:340-87725:348.

-9604020035 Proposed tech specs,revising TS 3/4.9.6 to relocate refueling machine overload cut off limit from TS 3/4.9.6 to plant UFSAR per criteria in 10CFR50.36 & Rev 1 of NUREG-1432 "STS for C-E Plants."
* Arizona Public Service Co. (formerly Arizona Nuclear Power Project). 96/03/26. 1p. 87725:348-87725:348.

9604020060 Improved STS, "NUREG Changes by Affected TS."
* Excel Services Corp. 96/03/24. 64pp. 87724:158-87724:221.

9604020067 "Generic Change Process Overview Rept."
* Excel Services Corp. 96/03/24. 8pp. 87719:345-87719:352.

9604020071 "Travelers Awaiting TSTF Review."
* Excel Services Corp. 96/03/24. 3pp. 87719:358-87719:360.

9604020077 "Owners Group vs TSTF Numbers."
* Excel Services Corp. 96/03/24. 5pp. 87719:353-87719:357.

9604020086 "TSTF vs Owners Group Numbers."
* Excel Services Corp. 96/03/24. 3pp. 87725:303-87725:305.

9604020090 "Travelers Under Owners Group vs TSTF Consideration by Needed Date."
* Excel Services Corp. 96/03/24. 3pp. 87726:282-87726:284.

9604020103 "Travelers Under NRC Review Rept (By TSTF Number)."
* Excel Services Corp. 96/03/24. 33pp. 87722:322-87722:354.

9604020155 "TS Task Force Status Rept (By Date Received by TSTF & TSTF Number)."
* Excel Services Corp. 96/03/24. 39pp. 87719:261-87719:299.

9604020161 "Owners Group Status Rept."
* Excel Services Corp. 96/03/24. 61pp. 87719:198-87719:260.

9604020257 NUREG-0750 V41 NUCLEAR REGULATORY COMMISSION ISSUANCES.Opinions And Decisions Of The Nuclear Regulatory Commission With Selected Orders.January-June 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 96/02/29. 547pp. 87709:001-87710:180.

9604020277 NUREG/CR-6096 APACHE LEAP TUFF INTRAVAL EXPERIMENTS.Results And Lessons Learned.
RASMUSSEN,T.C. Georgia, Univ. of, Athens, GA. RHODES,S.C., GUZMAN,A. Arizona, Univ. of, Tucson, AZ. FIN L-1282. 96/03/31. Division of Regulatory Applications (Post 941217). 110pp. 87714:170-87714:279.

9604020310 Forwards summary of changes to util Sept 1989 RG 1.97 submittal,RG 1.97 qualification summary,RG 1.97 matrix & RG 1.97 design & qualification criteria for instrumentation (summary).
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. BVY 96-33. 96/03/29. Document Control Branch (Document Control Desk). 36pp. 87726:285-87726:320.

9604020321 NUREG/CR-6339 AGING ASSESSMENT OF WESTINGHOUSE PWR AND GENERAL ELECTRIC BWR CONTAINMENT ISOLATION FUNCTIONS.
LEE,B.S., TRAVIS,R., GROVE,E. Brookhaven National Laboratory. FIN A-3270. BNL-NUREG-52462. 96/03/31. Division of Engineering Technology (Post 941217). 154pp. 87715:001-87715:154.

9604020325 NUREG-1100 V12 BUDGET ESTIMATES.Fiscal Year 1997.
* Division of Budget & Analysis (Post 890205). 96/03/31. 168pp. 87714:001-87714:169.

9604020329 NUREG-0750 V42 I02 INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES.July- December 1995.
* Division of Freedom of Information & Publications Services (Post 940714). 96/03/31. 40pp. 87710:255-87710:294.

9604020335 NUREG-1537 PT01 GUIDELINES FOR PREPARING AND REVIEWING APPLICATIONS FOR THE LICENSING OF NON-POWER REACTORS.Part 1: Format And Content.
* Office of Nuclear Reactor Regulation (Post 941001). 96/02/29. 523pp. 87711:001-87712:159.

9604020339 NUREG-1537 PT02 GUIDELINES FOR PREPARING AND REVIEWING APPLICATIONS FOR THE LICENSING OF NON-POWER REACTORS.Part 2: Standard Review Plan And Acceptance Criteria.
* Office of Nuclear Reactor Regulation (Post 941001). 96/02/29. 300pp. 87713:001-87713:351.

9604020352 NUREG/CR-6353 COMMENTS RECEIVED ON PROPOSED RULE ON RADIOLOGICAL CRITERIA FOR DECOMMISSIONING AND RELATED DOCUMENTS.
PAGE,G., CAPLIN,J., SMITH,D. Advanced Systems Technology, Inc. FIN J-6039. 96/03/31. Division of Regulatory Applications (Post 941217). 166pp. 87712:160-87712:325.

9604030253 Comment supporting proposed changes to NUREG-1021, "Operator Licensing Exam Stds for Power Reactors," Rev 8,which will increase licensee involvement in preparing & conducting initial exam & shift NRC emphasis to oversight role.
BRONS,J.C. Commonwealth Edison Co. 61FR6869 00002. 96/03/22. Rules & Directives Review Branch (Post 920323). 6pp. 87721:156-87721:161.

9604030267 Comment opposing proposed revs to NUREG-1021, "Operator Licensing Exam Stds for Power Reactors." Maintains changes would limit staff resources in development of exams & impose burdensome criteria in development of written exams.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 61FR6869 00003. 96/03/25. Rules & Directives Review Branch (Post 920323). 6pp. 87721:162-87721:167.

9604040005 Application for amend to license DPR-20,upgrading plant TS & bases to emulate STS for Combustion Engineering Plants, NUREG-1432,Rev 1.
SMEDLEY,R.W. Consumers Power Co. 96/03/29. Document Control Branch (Document Control Desk). 4pp. 87783:001-87790:068.

--9604040007 Proposed tech specs,upgrading plant TS & bases to emulate STS for Combustion Engineering Plants,NUREG-1432,Rev 1.
* Consumers Power Co. 96/03/29. 1,612pp. 87783:005-87790:068.

9604040139 NUREG/BR-0223 MEET THE STAFF.
* Advisory Committee on Nuclear Waste. * ACRS - Advisory Committee on Reactor Safeguards. 96/03/31. 11pp. 87746:150-87746:160.

9604040156 Comments on NUREG-1532 re draft TER for proposed revised reclamation plan for Atlas Corp Moab mill source matl license.
CHRITIE,R.L. Utah, State of. 96/03/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 87752:339-87752:352.

9604040181 Forwards amends 149,143,170 & 166 to licenses DPR-19,DPR-25, DPR-29 & DPR-30,respectively & safety evaluation.Amends will upgrade custom TS at plants to STS contained in NUREG-0123.
STANG,J.F. . TAC M93408. 96/04/02. FARRAR,D.L. Commonwealth Edison Co. 3pp. 87737:172-87737:253.

--9604040185 Amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,upgrading TS at plants to STS contained in NUREG-0123.
STANG,J.F. . DPR-29 A 170. 96/04/02. 58pp. 87737:175-87737:232.

--9604040187 Safety evaluation supporting amends 149,143,170 & 166 to licenses DPR-19,DPR-25,DPR-29 & DPR-30,respectively.
* . 96/04/02. 21pp. 87737:233-87737:253.

9604050391 Application for amends to Licenses NPF-35 & NPF-52,changing TS 3/4.6.4.3 & bases for hydrogen mitigation sys.
MCCOLLUM,W.R. Duke Power Co. 96/04/03. Document Control Branch (Document Control Desk). 15pp. 87807:317-87807:345.

9604050453 Submits recommendations for NRC consideration,per GL 89-01 & NUREG-1431 re conversion to improved STS.
MECREDY,R.C. Rochester Gas & Electric Corp. GL-89-01. 96/04/01. GRIMES,C.I. NRC - No Detailed Affiliation Given. 4pp. 87775:287-87775:290.

9604080277 Application for amend to License DPR-28,consisting of Proposed Change 183,revising existing requirements for control rod & drive mechanism coupling verification,per TS 4.3.B.
REID,D.A. Vermont Yankee Nuclear Power Corp. BVY 96-37. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87858:316-87858:326.

9604080418 NUREG-1600 ERR Errata to "General Statement of Policy & Procedures for NRC Enforcement Actions,Enforcement Policy," making listed corrections to Pages 2 & 5.
* Ofc of Enforcement (Post 870413). 96/03/31. 2pp. 87771:060-87771:060.

9604090283 Proposed Change 184 to license DPR-28,revising TS requirements for secondary containment based on guidance in NUREG-1433,Rev 1, "STS for GE Plants,BWR/4."
REID,D.A. Vermont Yankee Nuclear Power Corp. BVY 96-39. 96/04/04. Document Control Branch (Document Control Desk). 8pp. 87830:324-87830:347.

9604090369 NUREG/CR-5985 S01 REVIEW OF P-SCAN COMPUTER-BASED ULTRASONIC INSERVICE INSPECTION SYSTEM.
HARRIS,R.V., ANGEL,L.J. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1100. PNL-8919. 95/12/31. Division of Engineering Technology (Post 941217). 129pp. 87807:001-87807:129.

9604090491 Forwards rev 1 to TR rept "AEOD Technical Repts by Category." Rev contains modified rept abstract & cross ref from AEOD rept to NUREG-1275 rept.Useful resource for assessing operating experience & emerging technical issues.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/03/25. GILLESPIE,F.P., THADANI,A.C., ZIMMERMAN,R.P. . 3pp. 87810:001-87810:071.

--9604090494 "Technical Review Rept AEOD Technical Repts by Category."
ISRAEL,S. Reactor Operations Analysis Branch. AEOD/T96-01. 96/03/25. 68pp. 87810:004-87810:071.

9604090504 Discusses 960329 telcon re licensing exams.Informs written exams & operating tests scheduled wk of 960708.
MEYER,G.W. Region 1 (Post 820201). 96/04/01. SYLVIA,B.R. Niagara Mohawk Power Corp. 3pp. 87806:132-87806:134.

9604100221 Forwards proprietary rept NEDC-32538P-A, "Determination of Limiting Cold Water Event," as requested in NRC 960105 ltr. Rept includes NRC SE & published per NUREG-0390.Rept withheld per 10CFR2.790.
REDA,R.J. General Electric Co. RJR-96-025. 96/02/28. JONES,R.C. . 5pp. 88103:235-88103:239.

9604110228 Forwards notice of consideration of issuance of amends to operating licenses,proposed NSHC determination & opportunity for hearing.Change provides allowance of 7 days to restore one hydrogen igniter to OPERABLE status.
MARTIN,R.E. . TAC M95104. 96/04/09. MCCOLLUM,W.R. Duke Power Co. 3pp. 87847:343-87847:353.

9604120070 Documents completion of items committed to in 960329 TS Change Request,upgrading TS to emulate STS for C-E plants, NUREG-1432,Rev 1.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 5pp. 87863:147-87863:151.

9604120075 Application for amends to licenses DPR-62 & DPR-71, respectively,revising TS 3.0 & 4.0 & bases re applicability & SRs,per guidance in GL 87-09 & NUREG-1433.
LEVIS,W. Carolina Power & Light Co. BSEP 96-0126. 96/04/04. Document Control Branch (Document Control Desk). 14pp. 87863:001-87863:146.

9604120179 Discusses DEIS,NUREG-1531 & DTER,NUREG-1532 re Atlas tailings issue.
JENSEN,D. Affiliation Not Assigned. 96/03/15. Grand County, UT. 2pp. 87888:003-87888:004.

9604120187 Submits comments on working copy of "EIS for Decommissioning of Shieldalloy Metallurgical Corp Cambridge,OH Facility" (NUREG-1543).
KROONEMYER,K.E. Interior, Dept. of, Fish & Wildlife Service. 96/03/28. THAGGARD,M. Division of Waste Management (NMSS 940403). 2pp. 87868:359-87868:360.

9604120294 Reviews licensee proposal to make certain changes to commitments made in response to NUREG-0737,Item II.B.3,Post Accident Sampling Capability.Clarifies misinterpretations by licensee w/respect to certain calculations.
SHIRAKI,C.Y. . TAC M94628. 96/04/11. FARRAR,D.L. Commonwealth Edison Co. 4pp. 87878:357-87878:360.

9604120299 Informs 951214 ltr re request for amends to licenses NPF-9, NPF-17,NPF-35,NPF-52, & TS 3/4.8 being made to incorporate guidance & recommendations in NUREG-1366,GL 93-05,GL 94-01, & NUREG-1431.Forwards RAI.
BERKOW,H.N. . TAC M94278. 96/04/10. TUCKMAN,M.S. Duke Power Co. 6pp. 87863:355-87863:360.

9604150149 Revised application for amend to license DPR-49,rewording request for consistency w/NUREG-1433,rev 1.
FRANZ,J.F. IES Utilities Inc., (formerly Iowa Electric Light & Power Co). NG-96-0299. 96/04/09. RUSSELL,W.T. . 8pp. 87888:264-87888:278.

9604150298 NUREG/BR-0113 R01 THE FEDERAL EMPLOYEES PAY COMPARABILITY ACT OF 1990: APPLICATION IN THE NRC.A Guide For NRC Managers.
* Ofc of Personnel (Post 870413). 96/02/29. 36pp. 87865:001-87865:036.

9604150308 NUREG-1544 STATUS REPORT: INTERGRANULAR STRESS CORROSION CRACKING OF BWR CORE SHROUDS AND OTHER INTERNAL COMPONENTS.
* Office of Nuclear Reactor Regulation (Post 941001). 96/03/31. 115pp. 87877:165-87877:279.

9604150318 NUREG-0390 V10 TOPICAL REPORT REVIEW STATUS.(Blue Book)
* Office of Nuclear Reactor Regulation (Post 941001). 96/03/31. 36pp. 87865:283-87865:318.

9604150331 NUREG/CR-6448 V01 EVALUATION OF NATIONAL SEISMOGRAPH NETWORK DETECTION CAPABILITIES.Annual Report,July 1994 - July 1995.
MCLAUGHLIN,K.L., BENNETT,T.J. S-Cubed. FIN L-2170. SSS-TR-95-15216. 96/03/31. Division of Engineering Technology (Post 941217). 58pp. 87867:286-87867:343.

9604150341 NUREG/CR-6230 RADIOANALYTICAL TECHNOLOGY FOR 10 CFR PART 61 AND OTHER SELECTED RADIONUCLIDES.Literature Review.
THOMAS,C.W., THOMAS,V.W. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1808. PNL-9444. 96/03/31. Division of Regulatory Applications (Post 941217). 42pp. 87865:319-87865:362.

9604150345 NUREG/CR-6421 A PROPOSED ACCEPTANCE PROCESS FOR COMMERCIAL OFF-THE-SHELF (COTS) SOFTWARE IN REACTOR APPLICATIONS.
PRECKSHOT,G.G., SCOTT,J.A. Lawrence Livermore National Laboratory. FIN L-1857. UCRL-ID-122526. 96/03/31. Office of Nuclear Reactor Regulation (Post 941001). 107pp. 87867:179-87867:285.

9604150352 NUREG/CP-0149 V01 PROCEEDINGS OF THE TWENTY-THIRD WATER REACTOR SAFETY INFORMATION MEETING.Plenary Session, High Burnup Fuel Behavior, Thermal Hydraulic Research.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 96/03/31. Office of Nuclear Regulatory Research (Post 941217). 278pp. 87868:001-87868:278.

9604150357 NUREG/CP-0149 V02 PROCEEDINGS OF THE TWENTY-THIRD WATER REACTOR SAFETY INFORMATION MEETING.Human Factors Research, Advanced I&C Hardware & Software, Severe Accident Research, Probabilistic Risk Assessment Topics, Individual Plant Examination.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 96/03/31. Office of Nuclear Regulatory Research (Post 941217). 542pp. 87866:001-87867:178.

9604150363 NUREG/CP-0149 V03 PROCEEDINGS OF THE TWENTY-THIRD WATER REACTOR SAFETY INFORMATION MEETING.Structural & Seismic Engineering, Primary Systems Integrity, Equipment Operability And Aging, ECCS Strainer Blockage Research & Regulatory Issues.
MONTELEONE,S. Brookhaven National Laboratory. FIN A-3988. 96/03/31. Office of Nuclear Regulatory Research (Post 941217). 246pp. 87865:037-87865:282.

9604160036 Discusses review of SER approving feedwater nozzle insp technique.
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. BVY 96-47. 96/04/10. Document Control Branch (Document Control Desk). 2pp. 87914:311-87914:312.

9604160178 Notification of 960418 meeting w/NEI in Rockville,MD to discuss comments & recommendations re Rev 8 of NUREG-1021, "Operator Licensing Exam Standads for Power Reactors."
RICHARDS,S.A. . 96/04/08. BOGER,B.A. . 2pp. 87898:346-87898:347.

9604160360 NUREG/CR-6124 CHARACTERIZATION OF RADIONUCLIDE-CHELATING AGENT COMPLEXES FOUND IN LOW-LEVEL RADIOACTIVE DECONTAMINATION WASTE. Literature Review.
SERNE,R.J., FELMY,A.R., CANTRELL,K.J. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN L-1155. PNL-8856. 96/03/31. Division of Regulatory Applications (Post 941217). 168pp. 87884:011-87884:178.

9604160379 NUREG-1539 METHODOLOGY AND FINDINGS OF THE NRC'S MATERIALS LICENSING PROCESS REDESIGN.
RATHBUN,P.A., BROWN,K.D., MADERA,J.R. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/30. 82pp. 87884:179-87884:260.

9604160419 Staff requirements memo re SECY-96-057, "Relocation of Emergency Operations Facility for Susquehanna Steam Electric Station."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87894:263-87894:263.

9604170095 Informs that due to retirement of JD Sieber all future correspondence pertaining to radioactive matl packages be addressed to JE Cross.JD Sieber is listed as user contact in NUREG-0383,Volume 1 & 3.Registered user listing encl.
CROSS,J.E. Duquesne Light Co. 96/04/03. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 2pp. 87933:297-87933:298.

9604170106 Informs of arrangements made for administration of written & operating licensing exams at plant scheduled wk of 960819. NRC will prepare & administer exams in accordance w/ES-301 & ES/302 of NUREG-1021.
BURDICK,T.M. Region 3 (Post 820201). 96/04/11. SHELTON,D.C. Centerior Service Co. 3pp. 87895:285-87895:287.

9604170280 Provides notification to all holders of OLs or CPs for test & research reactors of issuance of NUREG-1537, "Guidelines for Preparing & Reviewing Applications for Licensing of Non-Power Reactors." Comments on NUREG-1537 encouraged.
WEISS,S.H. . 96/03/06. Affiliation Not Assigned. 2pp. 87903:315-87903:316.

9604170363 NUREG/CR-2850 V14 DOSE COMMITMENTS DUE TO RADIOACTIVE RELEASES FROM NUCLEAR POWER PLANT SITES IN 1992.
AABERG,R.L., BAKER,D.A. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN J-2138. PNL-4221. 96/03/31. Office of Nuclear Reactor Regulation (Post 941001). 196pp. 87903:120-87903:314.

9604170432 Forwards NUREG/CR-6384,Vol 1, "Summary of Past Work" & Vol 2, "Literature Analysis & Appendices," both comprising "Literature Review of Environ Qualification of Safety- Related Electrical Cables," (Corrected copy).
AGGARWAL,S.K. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/04/16. Document Control Branch (Document Control Desk). 456pp. 87910:001-87911:092.

9604220017 FOIA request for electronic version of NUREG/CR-6385.
WILLIAMS,O.G. JRA Associates. OGW-96-072. 96/03/22. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87942:099-87942:099.

9604220325 Forwards exam rept 50-336/96-02OL administered during wk of 960219.All candidates passed all portions of exam & granted licenses.
MEYER,G.W. Region 1 (Post 820201). GL-95-06. 96/04/11. FEIGENBAUM.T.C., HARPSTER,T.L. Northeast Nuclear Energy Co. 3pp. 87945:261-87946:015.

9604220365 Responds to 960402 ltr to Chairman Jackson describing experience as whistleblower at DOE.Discusses NRC efforts to change treatment of whistleblowers at NRC licensed facilities & forwards copy of NUREG-1499.W/o encl.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/19. CARSON,J. Affiliation Not Assigned. 2pp. 87935:246-87935:247.

9604230039 Forwards evaluation package for 930930 licensee IPE submittal for internal events & internal flooding.Included are staff evaluation rept & TERs which responds to staff questions re PRA raised in 950912 ltr.
MCDONALD,D.G. . TAC M74392. 96/04/16. CRUSE,C.H. Baltimore Gas & Electric Co. 4pp. 87971:023-87971:160.

-9604230041 SER approving licensee IPE submittal for internal events & internal flooding as complete w/info requested in GL 88-20, suppl 1 & guidance provided in NUREG-1335.
* . GL-88-20. 96/04/16. 6pp. 87971:027-87971:032.

9604230315 Submits info re administration of written & operating licensing exams scheduled for wk of 960729.Location of info giving directions on matls & facilities required,given.
MEYER,G.W. NRC - No Detailed Affiliation Given. 96/04/11. BARRETT,R.J. Power Authority of the State of New York (New York Power Authority). 4pp. 87967:242-87967:245.

9604230329 NUREG/BR-0225 ACRS/ACNW MEMBERS' HANDBOOK.
* ACRS - Advisory Committee on Reactor Safeguards. * Advisory Committee on Nuclear Waste. 96/03/31. 317pp. 87973:001-87973:317.

9604230336 NUREG-0750 V43 N02 NUCLEAR REGULATORY COMMISSION ISSUANCES FOR FEBRUARY 1996. Pages 13-49.
* Division of Freedom of Information & Publications Services (Post 940714). 96/04/30. 44pp. 87976:198-87976:241.

9604230343 NUREG/CR-6360 SUMMARY OF AIR PERMEABILITY DATA FROM SINGLE-HOLE INJECTION TESTS IN UNSATURATED FRACTURED TUFFS AT THE APACHE LEAP RESEARCH SITE: RESULTS OF STEADY-STATE TEST INTERPRETATION.
GUZMAN,A.G., GEDDIS,A.M., HENRICH,M.J. Arizona, Univ. of, Tucson, AZ. FIN L-1282. 96/03/31. Division of Regulatory Applications (Post 941217). 175pp. 87997:011-87997:208.

9604230376 NUREG/CR-6424 REPORT ON AGING OF NUCLEAR POWER PLANT REINFORCED CONCRETE STRUCTURES.
NAUS,D.J., OLAND,C.B. Oak Ridge National Laboratory. ELLINGWOOD,B.R. Johns Hopkins Univ., Baltimore, MD. FIN B-0845. ORNL/TM-13148. 96/03/31. Division of Engineering Technology (Post 941217). 290pp. 87974:001-87974:288.

9604230383 NUREG/CR-5068 PIPING INSPECTION ROUND ROBIN.
HEASLER,P.G., DOCTOR,S.R. Battelle Memorial Institute, Pacific Northwest Laboratory. FIN B-2289. PNNL-10475. 96/04/30. Division of Engineering Technology (Post 941217). 196pp. 87992:143-87992:324.

9604230386 NUREG-0540 V18 N01 TITLE LIST OF DOCUMENTS MADE PUBLICLY AVAILABLE. January 1-31, 1996.
* Division of Freedom of Information & Publications Services (Post 940714). 96/03/31. 276pp. 87993:001-87993:275.

9604230394 NUREG/CR-6383 CORROSION FATIGUE OF ALLOYS 600 AND 690 IN SIMULATED LWR ENVIRONMENTS.
RUTHER,W.E., SOPPET,W.K., KASSNER,T.F. Argonne National Laboratory. FIN A-2212. ANL-95/37. 96/04/30. Division of Engineering Technology (Post 941217). 56pp. 87993:276-87993:330.

9604230397 NUREG-1540 BWR STEEL CONTAINMENT CORROSION.
TAN,C.P., BAGCHI,G. Office of Nuclear Reactor Regulation (Post 941001). 96/04/30. 217pp. 87994:001-87994:231.

9604230399 NUREG/CR-6425 IMPACT OF STRUCTURAL AGING ON SEISMIC RISK ASSESSMENT OF REINFORCED CONCRETE STRUCTURES IN NUCLEAR POWER PLANTS.
ELLINGWOOD,B.R., SONG,J. Johns Hopkins Univ., Baltimore, MD. * Oak Ridge National Laboratory. FIN B-0845. ORNL/TM-13149. 96/03/31. Division of Engineering Technology (Post 941217). 81pp. 87971:225-87971:304.

9604240169 Submits results of periodic review of low-priority GSIs, contained in list provided by DL Morrison 960216 memo. Safety evaluation for revised tornado design criteria at WNP Unit 2 & note dtd 960307 re transformer failures encl.
RUSSELL,W.T. . 96/04/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87972:255-87972:258.

-9511290002 Forwards SE accepting licensee 951010 request to revise tornado design criteria for plant.Criteria in accordance w/ guidelines of RG 1.76 re missile spectrum & w/staff revised design-basis tornado characteristics in NUREG-1503.
MCCRACKEN,C.E. . TAC M88626. 95/11/27. CLIFFORD,J.W. . 1p. 87972:259-87972:259.

-9604240177 Safety evaluation accepting licensee revised tornado design criteria,in accordance w/RG 1.76 & NUREG-1503.
* . 95/11/27. 2pp. 87972:260-87972:261.

-9604240178 Lists summary by yr of number of transformer failures & consequential reactor trips,in response to 960206 note. Info investigated included NSAC-182 (Mar 1992),NUREG-1299 & NUREG-0933 Issue 107.Table of transformer failures encl.
CALVO,J. . 96/03/07. THADANI,A. . 6pp. 87972:262-87972:267.

9604240217 Informs that 960228 Rev 2 to final status survey & release plan for Northwest CaF2 area consistent w/requirements of NUREG/CR-5849 & acceptable.
MCDANIEL,K.K. Licensing Branch. TAC L30780. 96/04/16. REDA,R. General Electric Co. 2pp. 88010:350-88010:351.

9604240272 Responds to 960308 ltr requesting hearing based on Maine Yankee noncompliance w/10CFR50.46 & NUREG-0737, "TMI Action Plan," items II.K.3.30 & II.K.3.31.
RUSSELL,W.T. . 2.206. 96/04/22. ANGIER,F.C. Affiliation Not Assigned. 5pp. 87994:303-87994:309.

9604250169 Forwards NUREG/CR-1156, "Environ Assessment of Ionization Chamber Smoke Detectors Containing AM-241," for use. W/o encl.
RANDALL,K. Medical, Academic & Commercial Use Safety Branch. 96/04/23. WALLACE,J. . 1p. 87996:258-87996:258.

9604250180 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
PRICE,K. Affiliation Not Assigned. 61FR4754 00018. 96/04/22. NRC - No Detailed Affiliation Given. 1p. 87996:266-87996:266.

9604300124 Notification of 960417 meeting w/NSSS Owners Groups in Rockville,MD to discuss improved STS & related issues.
GRIMES,C.I. . 96/04/11. ZIMMERMAN,R.P. . 4pp. 88052:356-88052:359.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

9509050055 Forwards final proposed Integrated Matl Performance Evaluation Program rept on Region III matl program.
THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 95/08/22. MILLER,H.J. Region 3 (Post 820201). 3pp. 88097:205-88097:266.

9603200218 NRC Info Notice 96-018, "Compliance w/10CFR20 for Airborne Thorium."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/25. Consolidated Edison Co. of New York, Inc. 14pp. 87791:001-87791:014.

9603270127 NRC Info Notice 96-019, "Failure of Tone Alert Radios to Activate When Receiving Shortened Activation Signal."
CRUTCHFIELD,D. . 96/04/02. Consolidated Edison Co. of New York, Inc. 8pp. 87791:015-87791:022.

9603290269 NRC Info Notice 96-020, "Demonstration of Associated Equipment Compliance w/10CFR34.20."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). IEIN-95-058. 96/04/04. Consolidated Edison Co. of New York, Inc. 12pp. 87860:289-87860:300.

9604010049 "Staff Technical Position Alternate Concentration Limits for Title II U Mills,Std Format & Content Guide & Std Review Plan for Alternate Concentration Limit Applications," for Jan 1996.
* NRC - No Detailed Affiliation Given. 96/01/31. 34pp. 87700:173-87700:206.

9604010079 Forwards two NRC form 173s, Std Order for DOE Work," per section III.B.2 of DOE/NRC MOU of 780224.
BANGART,R.L. Office of State Programs (Post 911117). FIN E-7044. FIN E-7044-5. 96/03/19. HULTGREN,R.O. Energy, Dept. of. 4pp. 87686:001-87686:004.

9604010197 Responds to 951018 memo to JM Taylor requeting completion of "Questionnaire on FY95 Activities" by 960329,NRC does not engage in maintaining or restoring archeological or historic properties.Questionnaire encl.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 96/03/15. MCMANAMON,F.P. Interior, Dept. of, National Park Service. 3pp. 87687:260-87687:286.

-9603120048 Forwards response to DOI survey on Federal Archeological Activities.
CRUTCHFIELD,D. . 96/03/04. LOPEZ-OTIN,M.E. Office of State Programs (Post 911117). 2pp. 87687:263-87687:264.

-9604010207 Informs DOI Archeological Activities Questionnaire has been circulated to NMSS Divisions requesting input in response to request & following meeting w/D Haas.
CORNELL,S.A. Program Management, Policy Development & Analysis Staff (Post 870413). 96/01/24. LOPEZ-OTIN,M.E. Office of State Programs (Post 911117). 1p. 87687:265-87687:265.

-9604010219 Informs package has been forwarded to S Flanders & F Akstulewicz re rept on archeological activities.
GILTZ,T.G. NRC - No Detailed Affiliation Given. 95/10/26. LOPEZ-OTIN,M. NRC - No Detailed Affiliation Given. 3pp. 87687:266-87687:268.

-9604010224 Requests participation in reporting to Congress on Federal archeological activities which agency conducted by completing & submitting encl questionnaire.Requests completed LOOT records to rept fully on archeological sites.
MCMANAMON,F.P. Interior, Dept. of, National Park Service. A2621(436). 95/10/18. TAYLOR,J.M. Ofc of the Executive Director for Operations. 19pp. 87687:269-87687:286.

9604010259 Informs that NRC pleased to have M Pollycove,representing NRC on BELLE Advisory Committee.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/03/19. CALABRESE,E.J. Massachusetts, Univ. of, Amherst, MA. 2pp. 87758:319-87758:321.

-9604010267 Requests that NRC select representative for participation on BELLE Advisory Committee.
CALABRESE,E.J. Massachusetts, Univ. of, Amherst, MA. 96/03/14. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 1p. 87758:321-87758:321.

9604010309 Responds to 960216 memo for FRPCC re review of NY state & local radiological emergency response plans & preparedness site-specific to Indian Point Nuclear Power Generating Station.Informs of one mod to consider evaluation accepted.
CRUTCHFIELD,D. . 96/03/27. HEPLER,O.M. Federal Emergency Management Agency. 3pp. 87697:353-87697:355.

9604010401 Forwards NRC ltr repts ORNL/NRC-LTR-94/1 & ORNL/NRC/LTR- 93/3.Repts represent interim results whose accuracy has not been fully verified;provided on as-is basis.
MALIK,S.N. Division of Engineering Technology (Post 941217). 96/03/25. MURRAY,J. Electricity de France-EDF. 1p. 87717:205-87717:324.

-9604010410 ORNL/NRC/LTR/94/1 "FAVOR - Fracture Analysis Vessels:Oak Ridge Release 9401, Fracture Analysis Code for Nuclear Reactor Pressure Vessels, Preliminary User Guide."
DICKSON,T.L. Oak Ridge National Laboratory. 94/02/28. NRC - No Detailed Affiliation Given. 92pp. 87717:206-87717:297.

-9604010417 ORNL/NRC/LTR-93/33 "Stress-Intensity-Factor Influence Coefficients for Axially Oriented Semielliptical Inner-Surface Flaws in Clad Pressure Vessels (Ri/t=10)."
KEENEY,J.A., DICKSON,T.L. Oak Ridge National Laboratory. FIN B-0119. 94/04/30. NRC - No Detailed Affiliation Given. 26pp. 87717:298-87717:323.

-9604010419 Requests two documents:ORNL/NRC/LTR-93/33 & ORNL/NRC/LTR-94/1.
MURREY,J. Electricity de France-EDF. 96/03/08. MALIK,S. NRC - No Detailed Affiliation Given. 1p. 87717:324-87717:324.

9604030257 Request for OMB review & supporting statements re 10CFR32, "Specific Domestic Licenses to Mfg or Transfer Certain Items Containing Byproduct Matl." Estimated respondent burden 148,640 h.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0001. 96/03/29. 30pp. 87736:310-87736:339.

9604030403 Discusses meeting w/Fish & Wildlife Svc on 960301 re placing platform on Trojan cooling tower to encourage breeding by pair of recently sighted peregrine falcons.
PETERSON,R.D. Interior, Dept. of, Fish & Wildlife Service. I-7-96-I-202. 96/03/25. MEEK,T. Oregon, State of. 3pp. 87752:223-87752:225.

9604040106 NRC Info Notice 96-021, "Safety Concerns re Design of Door Interlock Circuit on Nucletron High-Dose Rate & Pulsed Dose Rate Remote Afterloading Brachytherapy Devices."
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/04/10. Consolidated Edison Co. of New York, Inc. 9pp. 88102:067-88102:075.

9604050106 Draft version of SG rule reg guide for discussion at upcoming 960408 meeting.
REED,T.A. . 95/04/05. . 31pp. 87775:183-87775:213.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604080259 NRC Bulletin 96-002, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core,or Over Safety-Related Equipment."
CRUTCHFIELD,D. . GL-85-11. 96/04/11. Consolidated Edison Co. of New York, Inc. 11pp. 88102:100-88102:110.

9604090355 Responds to request of 960315,to review & concur w/proposed rule on nuclear power reactor decommissioning costs package. Lists areas of concern.
RUSSELL,W.T. . 96/03/22. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87810:098-87810:103.

-9604090361 Requests review & concurrence on encl Commission paper which includes listed proposed rulemaking.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 96/03/15. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. RUSSELL,W.T. . OLMSTEAD,W.J. Deputy General Counsel for Licensing & Regulation (Post 890423). 2pp. 87810:102-87810:103.

9604090366 Discusses recent occurrences of slower scram insertion times to notch 46,5% insertion at two BWR plants,resulting from adherence of exhaust Viton diaphragm to brass valve seat in Dual-type SSPVs.
PHILLIPS,L.E. . 96/03/21. Freedom of Information & Local Public Document Room Branch. WILLIAMS,J.F., TRIBLE,D. . 4pp. 87810:109-87810:112.

9604090404 "Extending Dynamic Flowgraph Methodology (DFM) to Model Human Performance & Team Effects."
MILICI,A., WU,J.S., HANLEY,G. ASCA, Inc. NRC-04-95-051. 96/02/29. NRC - No Detailed Affiliation Given. 102pp. 87809:151-87809:252.

9604090424 Informs that activities as described in 950706 ltr & 950712 telcon w/D Reid,does not require NRC QAP approval.
JANKOVICH,J.P. Source Containment & Devices Branch (Post 911213). 95/07/13. TAYLOR,R. K.O. Steel, Inc. 1p. 87809:359-87809:359.

9604090434 Responds to 960213 ltr to Chairman Jackson,which forwarded comments on assured storage concept for long-term mgt of low-level radwaste.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/19. LEROY,D.H. Affiliation Not Assigned. 2pp. 87809:340-87809:341.

9604090435 Informs that NRC believe that 60 day extension of comment period on NRC proposed TP, "Disposition of Cs-137 Contaminated Emission Control Dust & Other Incident-Related Matl" unnecessary,in response to 960223 request.
LAHS,W.R. Division of Waste Management (NMSS 940403). 96/03/08. BURTON,D.A. Heartland Operation to Protect the Environment, Inc. 2pp. 87831:185-87831:186.

9604090491 Forwards rev 1 to TR rept "AEOD Technical Repts by Category." Rev contains modified rept abstract & cross ref from AEOD rept to NUREG-1275 rept.Useful resource for assessing operating experience & emerging technical issues.
ROSSI,C.E. Division of Safety Programs (Post 870413). 96/03/25. GILLESPIE,F.P., THADANI,A.C., ZIMMERMAN,R.P. . 3pp. 87810:001-87810:071.

9604100016 Forwards summary of usage statistics for NMSS advanced computer sys.Informs that info most widely available applications provided in advanced computer sys training manual.
FIRTH,J.R. Division of Waste Management (NMSS 940403). 96/03/21. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 6pp. 87888:010-87888:015.

9604100080 Agrees that DOE 960312 request to terminate all activities associated w/MHTGR appears warranted,unless General Atomics will continue supporting review.
CRUTCHFIELD,D. . 96/03/20. SIMON,W.A. . 1p. 87825:235-87825:235.

9604100099 Forwards TR rept "AEOD Technical Repts by Category." Updated categorization tables to be included in AEOD 1994 Annual Rept.In addition,rept summaries from earlier AEOD annual repts & abstracts from NUDOCS to be compiled for public.
ISRAEL,S.L. Reactor Operations Analysis Branch. 96/03/20. ROSENTHAL,J.E. Reactor Operations Analysis Branch. 1p. 87847:039-87847:107.

-9604100105 "Technical Review Rept AEOD Technical Repts by Category."
ISRAEL,S. Reactor Operations Analysis Branch. AEOD/T96-01. 96/03/20. 68pp. 87847:040-87847:107.

9604100166 Ack receipt of 960312 ltr which appears to have been written in response to ltr from NRC to DE Erb dtd 960212,in which NRC requests DOE comments on technical discussions & conclusions reached in preapplication SER on MHTGR.
CRUTCHFIELD,D. . 96/03/20. LASH,T.R. Energy, Dept. of. 1p. 87847:124-87847:124.

9604100167 Forwards copy of FEMA deficiency closure ltr & final rept for 960124,remedial exercise for Callaway Nuclear Power Plant.
GWYNN,T.P. Region 4 (Post 820201). 96/04/05. SCHNELL,D.F. Union Electric Co. 4p. 87813:323-87813:342.

-9604110081 "Remedial Exercise Rept," for plant.
MILLER,J.A. Federal Emergency Management Agency. 96/02/22. 14pp. 87813:329-87813:342.

9604100212 Forwards rept entitled, "NRC Decommissioning Financial Assurance Requirements for Federal Licensees May Not be Sufficient," for info.
BARCHI,T.J. Office of the Inspector General (Post 890417). 96/04/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87838:341-87838:361.

-9604100215 OIG/95A-20 "NRC Decommissioning Financial Assurance Requirements for Federal Licensees May not be Sufficient."
* Office of the Inspector General (Post 890417). 96/04/03. 15pp. 87838:343-87838:361.

9604120094 Submits first in series of quarterly status updates on agency-wide PRA implementation plan responding to Chairman Jackson memo, "Follow-Up Requests in PRA & Digital Instrumentation & Control."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/26. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 25pp. 87859:312-87859:336.

9604120118 Informs that NRC Ofc Ltr 1200, "Involvement w/Regions, Including Notification of Reactor Site Visits" cancelled.
* . 96/04/03. . 1p. 87858:348-87858:348.

9604120126 Informs that NRR Ofc Ltr 103, "Handling of Controlled Correspondence" cancelled.
* . 96/04/03. . 1p. 87858:349-87858:349.

9604120213 Draft public comment version of "Branch Technical Position on Use of Expert Elicitation in High-Level Radwaste Program."
KOTRA,J.P. Performance Assessment & Hydrology Branch (NMSS 940403). DEWISPELARE,A. Center for Nuclear Waste Regulatory Analyses. 96/02/29. 58pp. 87859:253-87859:311.

9604120228 "Institute of Nuclear Power Operations Annual Rept 1995."
FARRINGTON,J., PATE,Z.T. Institute of Nuclear Power Operations. 95/12/31. 39pp. 87871:226-87871:269.

9604160157 Forwards 960204-0302 NMSS Advanced Computer Sys Utilization Rept Summary of Use.
FIRTH,J.R. Division of Waste Management (NMSS 940403). 96/04/02. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 87898:342-87898:345.

9604160253 Discusses Reactor Sys Branch position on proposed TS changes to five percent scram insertion times caused by Viton diaphrams in SSPVs.Advises that staff will not entertain changes to five percent scram insertion time TS.
PHILLIPS,L.E. . 96/04/11. SKEEN,D.L. . 2pp. 87888:356-87888:357.

9604160280 Informs of cancellation of NRR Ofc Ltr 103, "Handling of Controlled Correspondence."
* . 96/04/03. . 2pp. 87888:358-87888:359.

9604160371 Discusses 951108-09 site visit to Farwell & Hendricks,Inc w/ JF Unruh.Purpose of trip to review compliance w/guidance of IEEE 344-1975/87 in area of component seismic qualification by testing to RRS.
CHEN,P.Y. . 96/04/02. WESSMAN,R.H. . 1p. 87894:143-87894:143.

9604160382 Forwards monthly rept which reflects status of 10CFR2.206 petition before Ofcs of NMSS,NRR & Enforcement as of end of 960229.List of decisions before Commission & courts encl.
ZIMMERMAN,R.P. . 2.206. 96/03/29. TAYLOR,J.M. Ofc of the Executive Director for Operations. 41pp. 87890:165-87890:205.

9604160405 Summarizes 960321 meeting w/INPO in Rockville,MD to discuss event analysis related topics.Event related topics & emergency preparedness drills were discussed.W/agenda,list of attendees & viewgraphs.
ROSENTHAL,J.E. Reactor Operations Analysis Branch. 96/04/05. ROSSI,C.E. Division of Safety Programs (Post 870413). 86pp. 87894:172-87894:262.

9604170053 Forwards Marble Hill & Midland Annealing Demonstration Proj documents for PDR.
JACKSON,D. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 95/04/11. LANHAM,D. Office of Information Resources Management (Post 890205). 287pp. 87908:116-87909:038.

-9604170059 Forwards ltr dtd 940718 from JA McBride to W Schmidt re reactor vessel annealing demonstration proj.
COLE,N. MPR Associates, Inc. 94/07/20. SERPAN,C. Engineering Issues Branch (880717-941217). 4pp. 87908:323-87909:038.

9604170098 Forwards copy of rulemaking plan with revs.Informs of concurrence w/revised plan.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/01. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 11pp. 87909:195-87909:205.

9604170169 NRC Info Notice 96-023, "Fires in EDG Exciters During Operation Following Undetected Fuse Blowing."
CRUTCHFIELD,D. . 96/04/22. Consolidated Edison Co. of New York, Inc. 10pp. 88102:090-88102:099.

9604170226 Notice of OMB review of info collection & solicitation of public comment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 96/04/16. 27pp. 87909:309-87909:335.

9604180228 Responds to 960315 memo recommending that 10CFR50.4(b)(5) requiring licensees to submit two copies of emergency plans & implementing procedures to regional offices be changed to require submittal of only one copy.
RUSSELL,W.T. . 96/04/11. MARTIN,T.T. Region 1 (Post 820201). 3pp. 87912:343-87912:345.

9604180348 Forwards codes & stds ref re license renewal analyses mentioned in presentation at ASME/RAS environ remediation & safety workshop conference.Section 50.61 of regulations also encl.
GRIMES,B.K. . 96/04/12. MOGHISSI,A.A. American Society of Mechanical Engineers. 6pp. 87913:341-87913:346.

9604220056 Submits listed info to clarify meaning of safe concentration limits for PU & U,per 960307 memo to M Weber.
PIERSON,R.C. Licensing Branch. 96/04/05. NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 87942:180-87942:180.

9604220229 NRC Info Notice 96-024, "Preconditioning of Molded-Case Circuit Breakers Before Surveillance Testing."
GRIMES,B.K. . IEIN-92-051. 96/04/25. Consolidated Edison Co. of New York, Inc. 14pp. 88102:076-88102:089.

9604230004 Responds to 950801 request for release of facility & equipment based upon alternative unrestrictive release criteria.Concludes that evidence provided to support use of alternative criteria insufficient.Staff comments encl.
HENSON,J.L. Region 2 (Post 820201). 96/04/05. SMITH,W.W. . 4pp. 87953:003-87953:006.

9604230097 Discusses loss of two NRD Staticmaster Model 3C500 static brushes containing uCi quantities of Po-210 & forwards notice of violation.
SCARANO,R.A. Region 4 (Post 820201). EA-96-007. 96/04/17. TOWEY Defense, Dept. of. 4pp. 87967:168-87967:173.

-9604230106 Notice of violation from LER dated 950807.Violation noted: in Apr 1995,licensee disposed of two NRD Staticmaster Model 3C500 static brushes containing approx 0.0009 uCi of Po-210.
* Region 4 (Post 820201). 96/04/17. 2pp. 87967:172-87967:173.

9604230389 Forwards Ofc of Inspector General Audit Rept OIG/96A-04A, "Survey of NRC Contract Administration Activities."
BARCHI,T.J. Office of the Inspector General (Post 890417). 96/04/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 88036:140-88036:154.

-9604230391 OIG/96A-04 "Survey of NRC Contract Administration Activities."
* Office of the Inspector General (Post 890417). 96/04/10. 10pp. 88036:142-88036:154.

9604240026 Notice of OMB review of information collection & solicitation of public comment re in-vitro testing w/byproduct matl under general license.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0038. 96/04/18. 12pp. 87994:256-87994:267.

9604240031 Notice of OMB review of info collection & solicitation of public comment re general assignment.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). OMB 3150-0114. 96/04/18. 9pp. 87994:268-87994:276.

9604240309 Forwards Order prohibiting unescorted access or involvement in NRC-licensed activities,for transmittal to FR for publication.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). IA-96-020. 96/04/19. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 87970:347-87970:347.

9604250172 NRC Info Notice 96-025, "Traversing In-Core Probe Overwithdrawn at Lasalle County Station,Unit 1."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:111-88102:120.

9604260095 NRC Info Notice 96-026, "Recent Problems w/Overhead Cranes."
GRIMES,B.K. . 96/04/30. Consolidated Edison Co. of New York, Inc. 10pp. 88102:121-88102:130.

9604260115 Forwards documents required to be placed in PDR.
JACKSON,D. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 96/04/16. LANHAM,D. Information & Records Management Branch (Post 890827). 26pp. 88017:001-88019:114.

-9509050073 Forwards one of two mutually signed originals of MOU between DOE & NRC re NRC participating in DOE Annealing Demonstration Programs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/08/04. LASH,T.R. Energy, Dept. of. 1p. 88017:026-88017:026.

-9509050079 Memorandum of understanding between NRC & DOE re participation in annealing demonstration programs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. LASH,T.R. Energy, Dept. of. 95/08/04. 7pp. 88017:027-88017:033.

-9604260119 Discusses 950623 staff meeting re initial comments & reactions to DOE ADP instrumentation plans.Meeting attendees listed.
MAYFIELD,M. NRC - No Detailed Affiliation Given. 95/06/23. NRC - No Detailed Affiliation Given. 2pp. 88017:034-88017:035.

-9604260122 "Preliminary ADP Instrumentation Plan."
* Energy, Dept. of. 95/06/19. 20pp. 88017:036-88017:054.

-9604260125 Discusses 950425 meeting w/DOE in Washington,DC re RPV integrity & annealing.Attendees,listed.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). THADANI,A.C. Office of Nuclear Reactor Regulation (Post 941001). 95/05/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 92pp. 88017:055-88017:146.

-9604260128 "Final Rept Proof of Principle Testing."
SCIASCIA,M.C. Affiliation Not Assigned. 95/04/28. 90pp. 88017:147-88017:236.

-9604260131 "Addendum to Final Rept Proof of Principle Testing."
SCIASCIA,M.C. Affiliation Not Assigned. 95/05/10. 29pp. 88017:237-88017:264.

-9511020288 Summary of 950606 meeting w/CPC to discuss Palisades reactor vessel annealing.List of attendees,handout & slides presented at meeting & schedule of upcoming meeting re util annealing & Marble Hill demonstration project encl.
GAMBERONI,M. . 95/06/18. . 42pp. 88017:265-88017:322.

-9604260137 Extends invitation to NRC to join in Steering Committee future activities.Steering Committee Charter & proposed meeting schedule,encl for info.
HUMINSKI,T., ROCHAU,G. American Society of Mechanical Engineers. 95/06/23. MAYFIELD,M.E. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 2pp. 88017:323-88017:324.

-9604260141 Forwards info re annealing demonstration project engineering items.
ART,R. American Society of Mechanical Engineers. 95/06/28. MAYFIELD,M., MILLMAN,G. NRC - No Detailed Affiliation Given. 5pp. 88017:325-88017:329.

-9604260145 Trip rept of 950628-29 visit to plant re plans for annealing Palisades reactor vessel & to familiarize NRC staff w/plant layout.
GAMBERONI,M., WICHMAN,K. NRC - No Detailed Affiliation Given. 95/07/06. HANNON,J., STROSNIDER,J. . 7pp. 88017:330-88017:336.

-9604260146 Forwards schematic of indirect gas-fired heating sys requested.Leak detection for indirect gas heating sys, discussed.
MAYFIELD,M. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 95/07/19. MORRISON,D. Office of Nuclear Regulatory Research (Post 941217). 60pp. 88017:337-88018:038.

-9604260148 Forwards minutes from 950720 meeting which will be mailed 950728.
ART,R., PELGRIM,D. American Society of Mechanical Engineers. 95/07/28. MALICK,S., MILLMAN,G., HACKETT,E. NRC - No Detailed Affiliation Given. 2pp. 88018:039-88018:040.

–9509050067 Discusses 950720 meeting of ASME-DOE/SNL - Industry Steering Committee for Marble Hill Reactor Vessel Annealing Demonstration Project.Draft agenda,attendance sheet, ltr dtd 950523 & rept,encl.
MILLMAN,G.C. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 95/08/02. SHAO,L.C. Division of Engineering Technology (Post 941217). 67pp. 88018:041-88018:107.

–9604260151 Forwards draft agenda for Steering Committee Meeting re reactor vessel annealing demonstration project dtd 950830.
PELGRIM,D., ART,R. American Society of Mechanical Engineers. 95/08/16. MALICK,S., MILLMAN,G., HACKETT,E. NRC - No Detailed Affiliation Given. 6pp. 88018:108-88018:113.

–9604260154 Forwards ORNL info requested re ASME,DOE/SNL,Industry Annealing Demonstration Project at Marble Hill on 950801.
ROCHAU,G.E. Sandia National Laboratories. 95/08/24. MILLMAN,G. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 3pp. 88018:114-88018:119.

–9604260155 Forwards revised info dtd 950821 re Marble Hill ADP Site Tour.
PELGRIM,D., ART,R. American Society of Mechanical Engineers. 94/08/24. MALIK,S., MILLMAN,G., HACKETT,E. NRC - No Detailed Affiliation Given. 2pp. 88018:120-88018:121.

–9604260157 Informs use of camera during visit to Marble Hill facility permitted under listed conditions.
ROCHAU,G.E. Sandia National Laboratories. 95/08/25. MILLMAN,G. Electrical, Materials & Mechanical Engineering Branch (Post 941217). 2pp. 88018:122-88018:144.

–9604260159 ORNL/NRC/LTR-95/28 Preliminary draft, "Review of Annealing Demonstration Project Instrumentation Plan for Marble Hill NPP."
OLAND,C.B., NAUS,D.J. Oak Ridge National Laboratory. FIN W-6575. 95/09/30. Office of Nuclear Regulatory Research (Post 941217). 36pp. 88018:145-88018:181.

–9604260161 Responds to request for info at 950830 ASME,DOE/SNL, Industry ADP Steering Committee Meeting.Info re request listed.
ROCHAU,G.E. Sandia National Laboratories. 95/09/08. MILLMAN,G. Office of Nuclear Regulatory Research (Post 941217). 17pp. 88018:182-88018:198.

–9604260162 Responds to request for info at 950830 ASME,DOE/SNL,Industry ADP Steering Committee Meeting.Info re request listed.
ROCHAU,G.E. Sandia National Laboratories. 95/09/13. MILLMAN,G. Office of Nuclear Regulatory Research (Post 941217). 42pp. 88018:199-88018:240.

–9604260163 "Reactor Vessell Assembly Marble Hill 1,Instruction Manual."
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 78/06/30. 107pp. 88018:241-88019:022.

–9604260164 Responds to previous request for info & request made at 950830 ASME,DOE/SNL,Industry ADP Steering Committee Meeting. Requested info submitted.
ROCHAU,G.E. Sandia National Laboratories. 95/09/19. MILLMAN,G. Office of Nuclear Regulatory Research (Post 941217). 93pp. 88019:023-88019:114.

9604290118 Forwards special evaluation rept, "Selecting,Managing & Utilizing M-Cubed Contract," OIG/96E-13.
BARCHI,T.J. Office of the Inspector General (Post 890417). 96/04/17. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). 2pp. 88046:336-88046:351.

–9604290127 OIG/96E-13 "Selecting,Managing & Utilizing M-Cubed Contract."
* Office of the Inspector General (Post 890417). 96/04/17. 12pp. 88046:338-88046:351.

9604290218 Discusses D Vamanu computer program developed to use environmental data collected after radiological emergency to assess impact on enviornment & doses received as result of contamination.
HOGAN,R.T. Office for Analysis & Evaluation of Operational Data, Director. 96/04/15. KRAFT,A. National Research Council. 2pp. 88036:334-88036:335.

9604290247 Summary of 960404 meeting w/ABB CE & ABB Atom,in Rockville,MD re strainer designs & tests.List of attendees encl.
MARSHALL,M.L. Generic Safety Issues Branch (Post 941217). 96/04/16. SERPAN,C.Z. Generic Safety Issues Branch (Post 941217). BERLINGER,C.H. . 28pp. 88046:292-88046:319.

9604290316 Forwards 960404 ltr from RA Calvan,FEMA Region III, transmitting rept on 960227-28,full-participation plume exposure pathway exercise.
KEIMIG,R.R. Region 1 (Post 820201). 96/04/18. CROSS,J.E. Duquesne Light Co. 2pp. 88027:132-88027:242.

–9604290321 Forwards 960227-28,full-participation plume exposure pathway exercise of offsite radiological emergency response plans at plant.Identifies 11 areas requiring corrective action but no deficiencies.
CALVAN,R.A. Federal Emergency Management Agency. 96/04/04. MARTIN,T.T. Region 1 (Post 820201). 2pp. 88027:134-88027:135.

–9604290347 "FEMA Final Exercise Rept," for 960227-28.
* Federal Emergency Management Agency. 96/04/03. 107pp. 88027:136-88027:242.

9604290397 Forwards state outreach accomplishments in 1995 & plans for 1996.New Response Coordination Manual will be finalized & become companion document to Response Technical Manual.
CONGEL,F.J. Incident Response Branch. 96/04/16. KANE,W.F. Region 1 (Post 820201). REYES,L.A. Region 2 (Post 820201). BEACH,A.B. Region 3 (Post 820201). 4pp. 88036:339-88036:342.

9604300005 Requests review of section of Response Coordination Manual entitled, "State Requests for Federal Assistance."
BARRETT,R.J. Incident Response Branch. 96/04/12. AUSTIN,M. Federal Emergency Management Agency. 12pp. 88052:344-88052:355.

9604300304 Notification of 951006 meeting w/NRC & US Fuel & Security Inc in Rockville,MD to discuss preliminary proposal covering design of dual-purpose,SF,storage & transport sys.
RADDATZ,M.G. Office of Nuclear Material Safety & Safeguards. 96/10/02. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 1p. 88053:267-88053:267.

9604300363 Forwards ANS-6.4 & 6.4.2 N-17 Committee Ballott, "Guidelines on Nuclear Analysis & Design of Concrete Radiation Shielding for Nuclear Power Plants" & "Specification for Radiation Shielding Materials."
WEISS,S.H. . 96/04/15. WEBER,M.D. American Nuclear Society. 6pp. 88053:296-88053:301.

9604300404 Responds to 960311 ltr to Chairman Jackson re conditions imposed by DOE on return to US of foreign research reactor spent nuclear fuel of US origin.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/11. EDLOW,J. Edlow International Co. 1p. 88053:310-88053:310.

PR PROPOSED RULE

9604010146 Comment opposing proposed rule 10CFR20, "Constraint Level for Air Emissions of Radionuclides."
JOHNSON,J.A. Shepherd Miller, Inc. 60FR63984 00039. 96/03/15. RADDATZ,C. Office of Nuclear Regulatory Research (Post 941217). 2pp. 87684:306-87684:307.

9604010261 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
JOSEPH,S.C. Defense, Dept. of. JOSEPH,S.C. Affiliation Not Assigned. 61FR1648 00015. 96/03/25. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 12pp. 87685:144-87685:155.

9604020381 Comment supporting proposed Branch Technical Position (61FR1608) re disposition of Cs-137 contaminated emission control dust & other incident related matls.
MILLER,W.R. USPCI (United States Pollution Control, Inc.). 61FR1608 00019. 96/03/20. Rules & Directives Review Branch (Post 920323). 2pp. 87703:359-87703:360.

9604020389 Comment supporting proposed Technical Position (61FR1608) re disposition of Cs-137 contaminated emission control dust & other incident related matls.
BARTCHY,R.R. . 61FR1608 00021. 96/03/27. Rules & Directives Review Branch (Post 920323). 3pp. 87704:251-87704:253.

9604020401 Comment supporting proposed branch technical position re disposition of Cs-137 contaminated emission control dust & other incident-related matls.
LONGSHORE,L. . 61FR1608 00020. 96/03/22. Rules & Directives Review Branch (Post 920323). 1p. 87704:248-87704:248.

9604030017 Suppl comment opposing proposed rule 10CFR20 re, "Reporting Requirements for Unauthorized Use of Licensed Matl."
BRILL,D.R., KIRCHNER,P.T. Affiliation Not Assigned. 61FR3334 00002. 96/03/31. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 87720:349-87720:351.

9604030022 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
BOYCE,D.E. Chicago, Univ. of, Chicago, IL. 61FR3334 00068. 96/03/29. Docketing & Services Branch. 2pp. 87720:352-87720:353.

9604030024 Comment opposing proposed rule 20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
HUDA,A. Affiliation Not Assigned. 61FR3334 00070. 96/03/29. GALLAGHER,C.A. NRC - No Detailed Affiliation Given. 1p. 87721:184-87721:184.

9604030027 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
BAKER,B.W. Affiliation Not Assigned. 61FR3334 00066. 96/03/28. Office of the Secretary of the Commission. 2pp. 87706:049-87706:050.

9604030031 Forwards comment ltr re RM on reporting requirements for notification of incidents,received on electronic bulletin board from J Cassidy on 960328.
GALLAGHER,C. Division of Regulatory Applications (Post 941217). 96/03/29. JULIAN,E. Docketing & Services Branch. 1p. 87706:051-87706:054.

–9604030032 Comment on proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
CASSIDY,J. Affiliation Not Assigned. 61FR3334 00067. 96/03/29. Information & Records Management Branch (Post 890827). 3pp. 87706:052-87706:054.

9604030033 Comment on proposed rule 10CFR20 re unauthorized use of licensed radioactive matls.Recommends that NRC encourage licensees to voluntarily report all incidents of intentional misuses & examples of misuses be shared w/NRC & licensees.
BARKLEY,W.E. Howard Hughes Medical Institute, Bethesda, MD. 61FR3334 00062. 96/03/29. Docketing & Services Branch. 7pp. 87706:055-87706:061.

9604030035 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
KEKLAK,J.C. Thomas Jefferson Univ., Philadelphia, PA. 61FR3334 00071. 96/03/29. Docketing & Services Branch. 8pp. 87706:062-87706:069.

9604030037 Comment opposing misc proposed rule re rept of Institute of Medicine of National Academy of Science, "Radiation in Medicine Need for Regulatory Reform."
SELIKSON,M.H. Pennsylvania, Univ. of, Philadelphia, PA. 61FR1648 00016. 96/03/26. Docketing & Services Branch. 3pp. 87720:356-87720:358.

9604030048 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
MILWICZ,R.R., DUPRE,S.M. Princeton Univ., Princeton, NJ. 61FR3334 00064. 96/03/29. Docketing & Services Branch. 2pp. 87706:070-87706:071.

9604030051 Comment on proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl." NRC regulatory analysis as published in FR significantly underestimates potential burden to licensees.
KEKLAK,J.C. Thomas Jefferson Univ., Philadelphia, PA. 61FR3334 00073. 96/03/29. Docketing & Services Branch. 5pp. 87721:185-87721:189.

9604030055 Comment on proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Radioactive Matl." Suggests that proposed rule be more sharply focused on specific regulatory problem intended to be addressed.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR3334 00063. 96/03/29. Docketing & Services Branch. 7pp. 87706:072-87706:078.

9604030056 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
YOUNG,M.T. American College of Radiology. 61FR3334 00065. 96/03/29. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87706:079-87706:080.

9604030062 Comment opposing proposed rule 10CFR20 re reporting requirements for unauthorized use of licensed radioactive matl.States proposed rule excessive & no real value or safety would be added by imposition.
RYAN,J.W. Chicago, Univ. of, Chicago, IL. 61FR3334 00069. 96/03/29. Docketing & Services Branch. 3pp. 87721:116-87721:118.

9604030277 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
LOPEZ,J.A. Texas, Univ. of, Austin, TX. 61FR3334 00072. 96/03/28. Docketing & Services Branch. 1p. 87721:196-87721:196.

9604030285 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
HODSON,R., ELLIOTT,R. Delaware, Univ. of, Newark, DE. 61FR3334 00075. 96/03/28. Docketing & Services Branch. 2pp. 87721:168-87721:169.

9604030334 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
SMITH,L.R. E.I. du Pont de Nemours & Co., Inc. 61FR3334 00077. 96/03/28. Docketing & Services Branch. 7pp. 87721:213-87721:219.

9604030350 Comment opposing proposed rule 10CFR50 re reliability reporting rule.
RUPERT,C. Affiliation Not Assigned. 61FR5318 00003. 96/04/01. Docketing & Services Branch. 1p. 87721:225-87721:225.

9604030373 Comment opposing proposed rule 20, "Reporting Requirements for Unauthorized Use of Licensed Radioactive Matls."
NORTON,M.E. Texas, Univ. of, Houston, TX. 61FR3334 00076. 96/03/28. Office of the Secretary of the Commission. 2pp. 87721:244-87721:245.

9604030396 Comment opposing proposed rule 10CFR20.2055 re reporting requirements for unauthorized use of licensed radioactive matl.Notes rule would regulate areas now covered by radiation safety committee & wording too vague.
KLINE,S.W. Purdue Univ., West Lafayette, IN. 61FR3334 00078. 96/03/28. Docketing & Services Branch. 3pp. 87721:181-87721:183.

9604040060 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
CORDOVA,A., HENRY,N., NICHOLSON,J. Affiliation Not Assigned. 61FR3334 00074. 96/03/28. Docketing & Services Branch. 4pp. 87736:077-87736:080.

9604040102 Comment opposing misc proposed rule re policy statement &/or rule making w/respect to protection of whistleblowers.
ROSS,A.J. Affiliation Not Assigned. 60FR7592 00030. 96/04/03. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87736:120-87736:120.

9604040249 Comment supporting misc proposed rule re Abnormal occurrence repts.
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 61FR661 00003. 96/04/01. Docketing & Services Branch. 3pp. 87736:203-87736:205.

9604090184 Advises that Commission proposed amends to regulations re notice of info provided to workers & to employee protection policies,which were necessary in order to require use of NRC Form 3.Informs that final rule effective 960422.W/o encls.
COLLINS,D.J. Region 2 (Post 820201). 96/03/22. . 2pp. 87773:129-87773:130.

9604090472 Comment on proposed rule 20CFR20.2205 re reporting of intentional misuse of radioactive matls.Believes that rule provides no lower limit for quality of radioactive matl & no guidance on circumstances.
THOMPSON,J.J. Affiliation Not Assigned. 61FR3334 00079. 96/03/29. HOYLE,J.C. Docketing & Services Branch. 2pp. 87792:357-87792:358.

9604090475 Comment opposing Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
MOBLEY,M.H. Tennessee, State of. 61FR1648 00017. 96/03/27. COOL,D.A. Docketing & Services Branch. 2pp. 87806:138-87806:139.

9604100045 Comment on proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Radwaste." Submits list of clarifications to be made prior to implementation of proposal.
ROUGHAN,C. Amersham Corp. 61FR3334 00080. 96/04/04. Docketing & Services Branch. 4pp. 87812:337-87812:340.

9604100095 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
RUPERT,C. Affiliation Not Assigned. 61FR3334 00082. 96/04/09. Docketing & Services Branch. 1p. 87832:177-87832:177.

9604100100 Comment opposing proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
MARSH,W.C. Southern California Edison Co. 61FR3334 00081. 96/04/03. Docketing & Services Branch. 2pp. 87832:154-87832:155.

9604100102 Advance notice of proposed RM 10CFR50 re financial assurance requirements for decommissioning nuclear power reactors.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR15427. 96/04/01. 13pp. 87813:343-87813:355.

9604100107 Comment supporting proposed rule 10CFR50, "Reporting Reliability & Availability Info for Risk-Significant Sys & Equipment."
JAIN,S.C. Duquesne Light Co. 61FR5318 00004. 96/04/09. NRC - No Detailed Affiliation Given. 3pp. 87813:356-87813:358.

9604100139 Comment on NAS rept, "Radiation in Medicine:Need for Regulatory Reform." Believes that relaxation or termination of medical regulations within radiation therapy will result in more misadministrations.
BEBILL,B. Arkansas, State of. 61FR1648 00018. 96/03/21. GILSON,L.M. Arkansas, State of. 15pp. 87832:007-87832:021.

9604110063 Comment opposing proposed policy statement on AO repts: implementation of section 208 Energy Reorganization Act of 1974.
BRILL,D.R. American College of Nuclear Physicians. KIRCHNER,P.T. Society of Nuclear Medicine. 61FR661 00004. 96/04/08. HOYLE,J.C. Office of the Secretary of the Commission. 3pp. 87850:046-87850:048.

9604110090 Forwards index & documents for preparation & submission of regulatory history per 850405 EDO memo re final rules on 10CFR30,40 & 70.
PELCHAT,J.M. Region 2 (Post 820201). 61FR1109. 96/04/04. BLANTON,J. Document Control Branch (Document Control Desk). 46pp. 87859:001-87859:225.

-9512210085 Forwards for signature,final rule to be published in Federal Register,amending 10CFR30,40 & 70.Forwards Congressional ltrs,transmittal of draft press release,daily staff notes items & approved for publication.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 61FR1109. 95/12/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 41pp. 87859:183-87859:225.

-9601180168 Forwards amend to Commission rules in 10CFR Parts 30,40 & 70.Amend published as final rulemaking & extends expiration date of certain byproduct,source & special nuclear matls licenses.Draft press release encl.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). AF38-2 033. 96/01/04. BEECHER,W.M. Office of Public Affairs (Post 911117). 4pp. 87859:179-87859:182.

-9604110253 Concurs on final rule that amends 10CFR30,40, & 70.Forwards marked copy with comments.Requests 3.5 diskette containing copy of document in WordPerfect 5.0 or 5.1.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 61FR1109. 95/12/01. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 38pp. 87859:087-87859:124.

-9604110270 Forwards change to 10CFR30,40, & 70.Informs OGC has no legal objection to final rule.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 61FR1109. 95/12/05. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 87859:125-87859:126.

-9604110281 Informs of concurrence w/final rulemaking,IAW 951129 memo from DA Cool.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 61FR1109. 95/12/06. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 52pp. 87859:127-87859:178.

-9512210085 Forwards for signature,final rule to be published in Federal Register,amending 10CFR30,40 & 70.Forwards Congressional ltrs,transmittal of draft press release,daily staff notes items & approved for publication.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 61FR1109. 95/12/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 41pp. 87859:183-87859:225.

-9604110253 Concurs on final rule that amends 10CFR30,40, & 70.Forwards marked copy with comments.Requests 3.5 diskette containing copy of document in WordPerfect 5.0 or 5.1.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 61FR1109. 95/12/01. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 38pp. 87859:087-87859:124.

-9604110270 Forwards change to 10CFR30,40, & 70.Informs OGC has no legal objection to final rule.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 61FR1109. 95/12/05. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 87859:125-87859:126.

-9604110281 Informs of concurrence w/final rulemaking,IAW 951129 memo from DA Cool.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 61FR1109. 95/12/06. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 52pp. 87859:127-87859:178.

-9512210085 Forwards for signature,final rule to be published in Federal Register,amending 10CFR30,40 & 70.Forwards Congressional ltrs,transmittal of draft press release,daily staff notes items & approved for publication.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 61FR1109. 95/12/14. TAYLOR,J.M. Ofc of the Executive Director for Operations. 41pp. 87859:183-87859:225.

-9604110253 Concurs on final rule that amends 10CFR30,40, & 70.Forwards marked copy with comments.Requests 3.5 diskette containing copy of document in WordPerfect 5.0 or 5.1.
MEYER,D.L. Division of Freedom of Information & Publications Services (Post 940714). 61FR1109. 95/12/01. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 38pp. 87859:087-87859:124.

-9604110270 Forwards change to 10CFR30,40, & 70.Informs OGC has no legal objection to final rule.
TREBY,S.A. Assistant General Counsel for Rulemaking & Fuel Cycle. 61FR1109. 95/12/05. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 87859:125-87859:126.

-9604110281 Informs of concurrence w/final rulemaking,IAW 951129 memo from DA Cool.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 61FR1109. 95/12/06. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 52pp. 87859:127-87859:178.

9604110160 Responds to invitation to comment on "Radiation in Medicine - Need for Regulatory Reform." Informs comments submitted to Secretary of Defense for consolidation into single DOD response.
ANDERSON,E.R. Air Force, Dept. of. 61FR1648. 96/04/03. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87832:350-87832:350.

9604110221 Forwards workpapers in support of 10CFR170 & 171 Final Rule, scheduled for publication in FR in next few days.Requests one set of workpapers be advanced to PDR immediately.
HOLLOWAY,C.J. Office of the Controller (Post 890205). 61FR16203. 96/04/11. LANHAM,D.H. Document Control Branch (Document Control Desk). 400pp. 87848:001-87849:050.

9604150133 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
TEFFT,D.E. New Hampshire, State of. 61FR3334 00083. 96/04/05. Docketing & Services Branch. 1p. 87869:132-87869:132.

9604150152 Comment opposing NRC granting exemption to Steel Industry, allowing for disposal of radioactively contaminated matls (Cs-137 contaminated mixed waste) at general purpose & or harzardous matls landfills.
BAUMAN,S. Affiliation Not Assigned. 61FR1608 00022. 96/03/26. NRC - No Detailed Affiliation Given. 3pp. 87869:142-87869:144.

9604150194 Proposed rule 10CFR170 & 171, "Rev of Fee Schedules;100 % Fee Recovery,FY96." Rule would implement Omnibus Budget Reconciliation Act of 1990.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 61FR2948. 96/03/25. 134pp. 87869:218-87869:351.

9604150315 Comment supporting proposed rule removing NRC authority for regulation of nuclear matl from medical setting,allowing states to regulate w/guidance from HHS.Notes State of NJ studying Agreement State status.
SHINN,R.C. New Jersey, State of. 61FR1648 00019. 96/04/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87872:114-87872:115.

9604150335 Ack receipt of rept "Radiation in Medicine:Need for Regulatory Reform." Notes that State of NY Dept of Health will provide comments directly.
PATAKI,G.E. New York, State of. 61FR1648. 96/04/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87872:130-87872:130.

9604160211 Comment on Inst of Medicine rept, "Radiation in Medicine: Need for Regulatory Reform."
GRANT,W. Affiliation Not Assigned. 61FR1648 00020. 96/04/10. Docketing & Services Branch. 2pp. 87887:141-87887:142.

9604160243 Comment opposing misc proposed rule re Whistle Blower Policy.
JOCHER,W.F. Affiliation Not Assigned. 60FR7592 00031. 96/04/10. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87887:149-87887:149.

9604170203 Comment opposing proposed misc rule re abnormal occurrences policy.
KILLAR,F.M. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR661 00005. 96/04/11. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87895:290-87895:291.

9604170409 Comment expressing concern w/regard to PR 10CFR50 re NRC staff ability to review large number of expected improved TS submittals by end of 1996.Notes NRC encouraged conversion but now indicates inadequate staff available for review.
DAVIS,J.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 59FR48180. 96/04/05. GRIMES,C.I. . 3pp. 87896:044-87896:046.

9604180123 Forwards regulatory documents comprising regulatory history of proposed rules 10CFR19,30,40,50,60,61,70 & 72, "Employee Protection Policies;Minor Amends."
HAISFIELD,M. Office of Nuclear Regulatory Research (Post 941217). 61FR6796. 96/04/15. Document Control Branch (Document Control Desk). 5pp. 88046:073-88046:088.

9604180130 Forwards regulatory documents comprising regulatory history of Notice of Direct Final Rulemaking entitled "Employee Protection Policies;Minor Amends."
HAISFIELD,M. Office of Nuclear Regulatory Research (Post 941217). AF45-2 001. 96/04/15. Document Control Branch (Document Control Desk). 7pp. 88046:089-88046:129.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF45-2 002. 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). AF45-2 002. 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

-9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07. TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

-9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15. MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

--9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

--9603290346 Requests implementation of EDO actions by arranging publication of encl direct final rule & proposed rule in FR.
MARTIN,T.O. Regulation Development Branch (Post 941217). AF45-2 003. 96/02/15.
MEYER,D.L. Rules & Directives Review Branch (Post 920323). 1p. 88046:126-88046:129.

--9604180133 Forwards Rulemaking Plan to amend sections in 10CFR19 re notices to workers & employee protection,for approval.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 95/11/07.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 11pp. 88046:115-88046:125.

9604180460 Comment on proposed rule 10CFR52 re design certification rules for ABWR & Sys 80+ std plant designs.List of changes for consideration encl.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR17902. 95/05/11. MALSCH,M.G. Office of the General Counsel (Post 860701). 41pp. 87919:189-87919:230.

9604220227 Comment submitting suggested changes re finality provision of proposed design certification rules.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR17924. 95/05/11. MALSCH,M.G. Office of the General Counsel (Post 860701). 42pp. 87945:145-87945:186.

9604220276 Comment on Draft Policy & Guidance Directive PG 8-10: "Guidance on Disposal of Incinerator Ash as Ordinary Waste."
CORDOVA,A. E.I. du Pont de Nemours & Co., Inc. 59FR64438 00007. 96/03/29. Docketing & Services Branch. 3pp. 87935:224-87935:226.

9604240083 Notice of proposed revs to existing sys of records entitled NRC-32, "Licensee & Applicant Taxpayer Identification Number Records--NRC."
TAYLOR,J.M. Ofc of the Executive Director for Operations. 61FR16810. 96/04/04. 11pp. 87970:216-87970:226.

9604250009 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 61FR3334 00084. 96/04/15. Docketing & Services Branch. 4pp. 87996:304-87996:307.

9604250012 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
PALIWAL,B. Affiliation Not Assigned. 61FR1648 00021. 96/04/16. Docketing & Services Branch. 3pp. 87995:357-87995:359.

9604250038 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
BRILL,D.R., KIRCHNER,P.T. Affiliation Not Assigned. 61FR1648 00029. 96/04/22.
HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87996:321-87996:322.

9604250050 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
LEWIS,R.P. American College of Cardiology. 61FR1648 00028. 96/04/22.
HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87996:324-87996:324.

9604250168 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
SCHUMACHER,D.R. . 61FR1648 00024. 96/04/19. Docketing & Services Branch. 1p. 87996:257-87996:257.

9604250179 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
JONES,D. . 61FR1648 00025. 96/04/19. Docketing & Services Branch. 1p. 87996:265-87996:265.

9604250181 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
VERANI,M.S. Affiliation Not Assigned. 61FR1648 00026. 96/04/22. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87996:267-87996:268.

9604250201 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
ALDRICH,R. New York, State of. 61FR1648 00027. 96/04/15. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87996:269-87996:272.

9604250441 Comment on Inst of Medicine rept, "Radiation in Medicine: Need for Regulatory Reform."
MARCUS,C.S. California, Univ. of, Los Angeles, CA. 61FR1648 00022. 96/04/18.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 16pp. 87996:125-87996:140.

9604250447 Comment on Inst of Medicine rept, "Radiation in Medicine: Need for Regulatory Reform."
HAFERMANN,M.D. Affiliation Not Assigned. 61FR1648 00023. 96/04/19. Docketing & Services Branch. 1p. 87996:329-87996:329.

9604290057 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
HUNG,J.C. American Pharmaceutical Association. 61FR1648 00030. 96/04/19. Docketing & Services Branch. 4pp. 88020:356-88020:359.

9604290063 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
YOUNG,M.T. American College of Radiology. 61FR1648 00032. 96/04/22. HOYLE,J.
Office of the Secretary of the Commission. 3pp. 88021:315-88021:317.

9604290078 Proposed rule 10CFR52, "Std Design Certification for US ABWR & Sys 80+ Std Designs & Public Meeting." Meeting provides opportunity for public to ask questions on development of final rules & NRC resolution of comments received on rules.
HOYLE,J.C. Office of the Secretary of the Commission. 61FR18099. 96/04/18. 3pp. 88021:321-88021:323.

9604300111 Comment on Inst of Medicine rept, "Radiation in Medicine: Need for Regulatory Reform."
RIEKE,J.W. Affiliation Not Assigned. 61FR1648 00033. 96/04/19. Docketing & Services Branch. 1p. 88033:242-88033:242.

9604300192 Comment opposing Inst of Medicine rept "Radiation in Medicine:A Need for Regulatory Reform."
MERGES,P.J. New York, State of. 61FR1648 00034. 96/04/18. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 88036:006-88036:006.

PRESS PRESS RELEASES

9604020063 Press release 96-22, "NRC Staff Proposes to Fine Waterford $50,000."
* Region 4 (Post 820201). 96/03/29. 1p. 87823:303-87823:303.

9604020066 Press release II-96-36, "NRC Staff Proposes $50,000 Civil Penalty Against St Lucie Nuclear Power Plant."
* Region 2 (Post 820201). 96/03/29. 1p. 87823:304-87823:304.

9604050061 Press Release 96-54, "NRC,DOD Sign Agreement on Svcs for Protection of Classified Info."
* Office of Public Affairs (Post 911117). 96/04/04. 1p. 87807:197-87807:197.

9604090396 Press release III-96-13, "NRC Staff to Hold Conference W/ Detroit Edison Co."
* Region 3 (Post 820201). 96/04/08. 1p. 87824:132-87824:132.

9604090399 Press release IV-96-23, "NRC Staff to Hold Open Predecisional Enforcement Conference Apr 1 W/Cooper Nuclear Station."
* Region 4 (Post 820201). 96/03/28. 2pp. 87824:133-87824:134.

9604090405 Press release I-96-23, "NRC Staff Suspends Radioactive Matls License of Eastern Testing & Insp,Inc of Thorofare,NJ."
* Region 1 (Post 820201). 96/04/01. 2pp. 87824:135-87824:136.

9604090415 Press release I-96-024, "NRC Staff Modifies Radioactive Matls Licenses of Applied Health Physics,Inc of Bethel Park, PA."
* Region 1 (Post 820201). 96/04/02. 2pp. 87824:137-87824:138.

9604090422 Press release I-96-025, "Licensing Board Approves Settlement Between NRC Staff & Oncology Svcs Corp of Harrisburg & Radiation Oncology Ctr at Marlton,NJ."
* Region 1 (Post 820201). 96/04/02. 1p. 87824:139-87824:139.

9604090425 Press release IV-96-24, "NRC Staff Approves Amend for Palo Verde to Move Stuck Fuel Assembly."
* Walnut Creek Field Ofc, R4 (Post 940404). 96/04/03. 1p. 87824:140-87824:140.

9604090429 Press release II-96-37, "NRC Dispatches Inspectors to Tennessee Nuclear Fuel Plant."
* Region 2 (Post 820201). 96/04/02. 1p. 87824:141-87824:141.

9604090432 Press release II-96-38, "NRC Sends Special Insp Team to Tennessee Nuclear Fuel Plant."
* Region 2 (Post 820201). 96/04/03. 1p. 87824:142-87824:142.

9604090436 Press release 96-55,forwarding 960404 ltr to Northeast Utils requiring info before restart of Millstone Units 1,2 & 3.
* Office of Public Affairs (Post 911117). 96/04/04. 1p. 87824:143-87824:147.

9604100086 Press release I-96-26, "NRC Staff to Hold Predecisional Enforcement Conference W/Niagra Mohawk Power Corp."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/08. 1p. 87859:226-87859:226.

9604100090 Press release II-96-39, "NRC Names New Senior Resident Inspector at Harris Nuclear Power Plant."
CLARK,K., HANNAH,R. Region 2 (Post 820201). 96/04/08. 1p. 87859:227-87859:227.

9604100098 Press release 96-56, "NRC Considering Revising Decommissioning Funding Rule to Reflect Utility Deregulation;Public Comments Asked."
* Office of Public Affairs (Post 911117). 96/04/09. 2pp. 87859:228-87859:229.

9604110108 Press release I-96-27, "NRC Staff Officials to Hold Public Meeting 960429 to Discuss Issues at Maine Yankee Atomic Power Station."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/10. 1p. 87859:247-87859:247.

9604110114 Press release 96-25, "Grand Gulf Rated 'Superior' in Three Areas 'Good' in Another in Latest NRC Systematic Assessment Rept."
HENDERSON,B. Region 4 (Post 820201). 96/04/10. 2pp. 87859:250-87859:252.

9604160106 Press release 96-57, "NRC Makes Changes to Licensing Insp & Annual Fees."
* Office of Public Affairs (Post 911117). 96/04/12. 1p. 87923:094-87923:094.

9604160109 Press release IV-96-26, "NRC Regional Administrator to Hold News Conference in Jackson,MI."
* Region 4 (Post 820201). 96/04/11. 1p. 87923:095-87923:095.

9604170341 Press release II-96-41, "NRC Licensing Board Sets Prehearing Conference on GA Tech Research Reactor."
* Region 2 (Post 820201). 96/04/16. 1p. 87959:334-87959:334.

9604170369 Press release 96-59, "NRC Staff Approves Decommissioning Plan for Trojan Nuclear Power Plant."
* Office of Public Affairs (Post 911117). 96/04/16. 1p. 87959:335-87959:335.

9604170387 Press release 96-58, "NRC ACNW to Meet 960515-16."
* Office of Public Affairs (Post 911117). 96/04/15. 2pp. 87941:336-87941:337.

9604180013 Press release 96-08, "NRC Extends Certain Matls Licenses by Five Yrs on One-Time Basis."
* Office of Public Affairs (Post 911117). 96/01/17. 2pp. 87960:247-87960:248.

9604230151 Press release 96-60, "NRC Releases ALCOA Site in OH for Unrestricted Use Following Cleanup of Radioactive Contamination."
* Office of Public Affairs (Post 911117). 96/04/17. 1p. 87994:244-87994:244.

9604230162 Press release 96-61, "NRC's Advisory Panel on Electronic Info Sys for Waste Repository Licensing to Meet in Las Vegas."
* Office of Public Affairs (Post 911117). 96/04/19. 2pp. 87994:245-87994:246.

9604240320 Press release II-96-42, "Shearon Harris Plant Rated Superior in all Four Areas of NRC Assessment Rept."
* Region 2 (Post 820201). 96/04/23. 1p. 88004:362-88004:362.

9604240324 Press release III-96-15, "NRC Staff Plans Discussion of Plant Performance At ABB C-E Fuel Plant in Hematite,MO."
* Region 3 (Post 820201). 96/04/23. 1p. 88004:363-88004:363.

9604250156 Press release IV-96-27, "NRC Proposes to Fine Cooper $50,000."
* Walnut Creek Field Ofc, R4 (Post 940404). 96/04/18. 2pp. 88031:024-88031:025.

9604300088 Press release 96-62, "NRC's Advisory Committee to Meet 960503 in Rockville,MD."
* Office of Public Affairs (Post 911117). 96/04/25. 1p. 88065:351-88065:351.

9604300092 Press release I-96-28, "NRC Rates Indian Point 3 Nuclear Power Plant 'Superior' in Plant Support; 'Good' in Maint & 'Adequate' in Engineering & Plant Operations."
SCRENCI,D., DRICKS,V. Region 1 (Post 820201). 96/04/24. 3pp. 88065:352-88065:354.

9604300103 Press release 96-63,forwarding ACRS repts,providing comments on proposed revs to NRC regulations & RGs re reactor site criteria & PRA document,pilot applications & next steps to expand use of PRA in regulatory decision-making process.
* Office of Public Affairs (Post 911117). 96/04/26. 1p. 88066:001-88066:011.

PRM PETITION FOR RULEMAKING

9604030028 Comment opposing petition for rulemaking PRM-35-13 re NRRPT petition.
PALIWAL,B.R. American Association of Physicists in Medicine. 61FR4754 00006. 96/03/22. Docketing & Services Branch. 2pp. 87720:354-87720:355.

9604030360 Third addl suppl to comment opposing petition for rulemaking PEM-50-61 re probabilistic assessments recently performed by BNL concerning fires & fire barrier issues.
MALONEY,S. Devonrue, Ltd. 60FR29784 00006. 96/03/31. Docketing & Services Branch. 4pp. 87721:226-87721:229.

9604050150 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
HOFFMAN,R.J. Affiliation Not Assigned. 61FR4754 00008. 96/02/28. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. 87736:238-87736:238.

9604050228 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
WRIGHT,E.L. Affiliation Not Assigned. 61FR4754 00007. 96/02/27. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. 87772:003-87772:003.

9604050322 Comment on petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
TUTTLE,W.K. Veterans Admin. Medical Center, Portland, OR. 61FR4754. 96/02/27. JONES,S.Z. NRC - No Detailed Affiliation Given. 1p. 87752:015-87752:015.

9604090370 Responds to 960305 ltr,describing situation where F Shillinglaw believe ref in licensee annual rept to outdated version of SAR for dry-cask spent fuel storage sys.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/27. SHILLINGLAW,F. Affiliation Not Assigned. 4pp. 87854:340-87854:345.

-9604090378 Provides suppl info to 951209 & 29 ltrs,raising issues re use & control of SARs for spent fuel dry storage casks licensed under 10CFR72 & requests that vendors & utils be required to refer to SAR,when ref,by rev number & date.
SHILLINGLAW,F. Affiliation Not Assigned. 96/03/05. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87854:344-87854:345.

9604090470 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
COLLINS,S.C. Illinois, State of. 61FR4754 00009. 96/04/05. Docketing & Services Branch. 3pp. 87806:135-87806:137.

9604150147 Comments on petition for rulemaking PRM-35-12 re training requirements for radiation safety officers.Agrees in part & disagrees in part.
PATTERSON,T.L. Omaha Public Power District. 61FR4754 00011. 96/04/08. Docketing & Services Branch. 2pp. 87869:140-87869:141.

9604150166 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
GRANT,W. American College of Medical Physics. 61FR4754 00012. 96/04/10. Docketing & Services Branch. 2pp. 87869:186-87869:187.

9604150175 Comment supporting petition for rulemaking PRM-35-12 re use of C14 for H pylori testing.
BRUELS,M.C. Affiliation Not Assigned. 96/04/06. JONES,S. Office of Nuclear Regulatory Research (Post 941217). 1p. 87869:188-87869:188.

9604150347 Comment opposing petition for rulemaking PRM-35-13 re addition of new category of training for RSO.States no adequate training proposed & that proposal would encourage approval of poorly trained persons w/danger to public.
BRUELS,M.C. Affiliation Not Assigned. 61FR4754 00010. 96/04/06. JONES,S. Office of Nuclear Regulatory Research (Post 941217). 1p. 87872:161-87872:161.

9604160464 Comments on petition for rulemaking PRM-50-63 re potassium iodide stockpiling for thyroid protection in vent of nuclear accident.
SILVER,F. Affiliation Not Assigned. 60FR58256 00060. 96/04/05. NRC - No Detailed Affiliation Given. 3pp. 87887:212-87887:213.

9604180435 Comment supporting petition for RM PRM-72-2 to amend requirement to include radwaste that exceeds concentration limits established for Class C waste in 10CFR61.55(a)(2)(iv).
GRANT,J.M. Yankee Atomic Electric Co. 61FR3619 00003. 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 3PP. 87919:159-87919:161.

9604180463 Comment supporting petition for rulemaking PRM-35-13 re training & experience requirements for Radiation Safety Officer.
MCCALL,T.A. Affiliation Not Assigned. 61FR4754 00013. 96/04/17. Docketing & Services Branch. 1p. 87919:231-87919:231.

9604190172 Requests copy of all comments & responses to F Shillinglaw petition not to load more VSC-24 casks,all comments & responses to related petition of M Sinclair (DWM) & Lake MI Foundation on plant casks & unloading & PRM-72-3.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/15. KUGLER NRC - No Detailed Affiliation Given. 1p. 87952:358-87952:358.

9604190278 Comment supporting petition for rulemaking PRM-72-2 re 10CFR72, "Licensing Requirements for Independent Storage of Spent Nuclear Fuel & High-Level Radioactive Waste."
BOWLING,M.L. Virginia Power (Virginia Electric & Power Co.). 61FR3619 00004. 96/04/16. Docketing & Services Branch. 2pp. 87920:359-87920:360.

9604190287 Comment supporting petition for rulemaking PRM-72-2 re independent storage of spent nuclear fuel & high-level radwaste.
HUNGER,G.A. PECO Energy Co., (formerly Philadelphia Electric Co.). 61FR3619 00005. 96/04/12. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87920:358-87920:358.

9604190290 Comment supporting petition for rulemaking PRM-72-2 re provisions for safe,temporary storage of radwaste exceeding concentration limits of radionuclides established for class C in 10CFR61.55(a)(2)(iv) waste.
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR3619 00002. 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87935:089-87935:090.

9604250063 Comment on petition for rulemaking PRM-35-13, "Natl Registry of Radiation Protection Technologists (NRRPT) Petition." Urges NRC to accept 3 months experience in medical institution as qualifying experience for safety officer.
BRAGG,J.P., PHIL,M. Affiliation Not Assigned. 61FR4754 00016. 96/04/21. Docketing & Services Branch. 1p. 87996:325-87996:325.

9604250145 Comment supporting petition for RM PRM-35-13 re training requirements for RSOs.
HARVEY,P.W. Nevada, State of. 61FR4754 00014. 96/04/15. HOYLE,J.C. Docketing & Services Branch. 1p. 87996:303-87996:303.

9604250157 Comment supporting petition for RM PRM-35-13 re training requirements for RSOs.
WATERMAN,R.D. Affiliation Not Assigned. 61FR4754 00015. 96/04/16. Docketing & Services Branch. 1p. 87996:251-87996:251.

9604250180 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
PRICE,K. Affiliation Not Assigned. 61FR4754 00018. 96/04/22. NRC - No Detailed Affiliation Given. 1p. 87996:266-87996:266.

9604250437 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
YOUNG,M.T. . 61FR4754 00017. 96/04/23. HOYLE,J. Docketing & Services Branch. 1p. 87996:342-87996:342.

9604300098 Comment on petition for RM PRM-72-2 to amend 10CFR2 & permit isolation & storage of greater than class 'C'(GTCC) waste in licensed ISFSI.Licensee urges NRC to adopt regulations that appropriately address interim storage of GTCC waste.
DELEZENSKI,J. Sacramento Municipal Utility District. 61FR3619 00006. 96/03/23. CHILK Docketing & Services Branch. 2pp. 88033:240-88033:241.

PROJ PROJECTS - PREDOCKET LICENSING

9604010014 Forwards proposed agenda for West Valley Demonstration Project regulatory roundtable meeting in Jul 1996.
ROWLAND,T.J. Energy, Dept. of. 96/03/25. COMFORT,G.C. NRC - No Detailed Affiliation Given. 3pp. 87695:358-87695:360.

9604010285 Forwards revised agenda for 960418 WOG/NRC info meeting.
SEPP,H.A. Westinghouse Operating Plants Owners Group. OG-96-028. 96/03/25. JACKSON,D. Document Control Branch (Document Control Desk). 4pp. 87719:193-87719:195.

9604020213 Forwards NEI 96-02, "Guideline for Implementing Graded Approach to Quality."
FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/21. BLACK,S.C. . 2pp. 87723:259-87723:342.

-9604020244 "Guidelines for Implementing Graded Approach to Quality."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/31. 82pp. 87723:261-87723:342.

9604030252 Forwards Rev 1-A to Topical Rept CEN-403, "ESFAS Subgroup Relay Test Interval Extension," final rept.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-099. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87771:063-87771:118.

-9604030258 CEN-403 R1-A "ESFAS Subgroup Relay Test Interval Extension," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/03/31. 43pp. 87771:064-87771:118.

9604040165 Forwards Rev 0 of "WOG Life Cycle Mgt/License Renewal Program Generic Technical Rept Template."
NEWTON,R.A. Westinghouse Operating Plants Owners Group. OG-96-032. 96/04/01. . 2pp. 87771:119-87771:168.

-9604040168 Rev 0 of "WOG Life Cycle Mgt/Licensee Renewal Program Generic Technical Rept Template."
* Westinghouse Operating Plants Owners Group. 96/03/20. 33pp. 87771:121-87771:168.

9604040191 Forwards response to NRC questions on Topical Rept WCAP-11992, "Joint Westinghouse Owners Group/Westinghouse Program:ATWS Rule Administration Process."
VANDERBURG,V. Westinghouse Operating Plants Owners Group. OG-96-030. 96/03/28. . 12pp. 87770:344-87770:355.

9604080194 Forwards request for addl info re topical rept DOE/RW-0472 & DOE 960111 response.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/03/22. MILNER,R.A. Energy, Dept. of. 18pp. 87807:147-87807:164.

9604090236 Forwards proprietary & nonproprietary versions of Rev 1 to TRs CE NPSD-985-P & CE NPSD-985-NP, "Crediting Soluble Boron in LWR SFPs," respectively.Proprietary version of TR withheld per 10CFR2.790.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-131. 96/04/05. Document Control Branch (Document Control Desk). 6pp. 87820:315-87820:356.

-9604090263 CE NPSD-985-NP Nonproprietary "Crediting Soluble Boron in LWR SFPs," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 96/03/31. 35pp. 87820:321-87820:356.

9604090281 Expresses appreciation for opportunity on 960308 to brief Commission on views on Design Certification rules, particularly w/respect to issue of "applicable regulations."
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/15. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87810:157-87810:157.

9604090375 Notification of 960328 meeting w/B&WOG,in Rockville,MD to discuss potential once through steam generating tube cracking problem.Agenda encl.
SCALETTI,D. . 96/03/21. QUAY,T.E. . 4pp. 87810:116-87810:119.

9604090386 Notification of 960327 meeting w/ABB-CE & B&W Owners Group in Rockville,MD to discuss control rod drive concern that have been experienced at W plants w/CE & B&W Owners Groups.
SCALETTI,D. . 96/03/21. QUAY,T.E. . 2pp. 87810:096-87810:097.

9604100120 Summary of 960227 meeting w/W & EPRI in Rockville,MD re data in support of use of passive autocatalytic recombiners for AP600.
SEBROSKY,J.M. . 96/04/04. . 43pp. 87824:303-87824:345.

9604110025 Requests info on why request that no more VSC-24 casks be loaded until MSB#4 at Palisades unloaded & that NRC require vendors SARs to be complete in fulfulling SER requirements, treated as formal petition & request for rulemaking.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. TRAVERS NRC - No Detailed Affiliation Given. 3pp. 87847:182-87847:184.

9604120288 Forwards list of activities which forecasts areas where West Valley Demonstration Project will need support from NRC in FY98 & FY99 budget yrs based on request made in listed ref ltr.
ROWLAND,T.J. Energy, Dept. of. 96/04/04. BERUBE,R.P. Energy, Dept. of. 2pp. 87888:008-87888:009.

9604170074 Discusses lessons learned,root causes & contributing factors re weld issues w/West Valley Demonstration Project Slurry- Fed Ceramic Melter.W/two oversize drawings.
ROWLAND,T.J. Energy, Dept. of. 96/03/25. Energy, Dept. of. 6pp. 87977:001-87979:101.

-9604170076 "Independent Review of West Valley Demonstration Project Vitrification Facility."
ZANE,J.O., CARTER,R.A., MANN,H.P. Energy, Dept. of. 96/02/02. 800pp. 87977:007-87979:101.

9604170135 Forwards Rev 2 to PSR-12, "Vitrification Facility Ventilation & Off-Gas Sys Requirements" & Rev 2 to PSR-13, "Vitrification Facility Standby Power Requirements."
GROEGER,M.T. West Valley Nuclear Services Co., Inc. 96/03/29. COMFORT,G.C. NRC - No Detailed Affiliation Given. 2pp. 87948:217-87948:246.

-9604170141 PSR-12 R02 Rev 2 to PSR-12, "Vitrification Facility Ventilation & Off-Gas Sys Requirements."
* West Valley Nuclear Services Co., Inc. 96/03/25. 16pp. 87948:219-87948:234.

-9604170147 PSR-13 R02 Rev 2 to PSR-13, "Vitrification Facility Standby Power Requirements."
* West Valley Nuclear Services Co., Inc. 96/03/25. 12pp. 87948:235-87948:246.

9604170154 Responds to 951109 & 960328 ltrs,expressing concerns re NRC interaction w/DOE on EIS for site closure.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. TAC L30825. 96/04/10. VAUGHN,R.C. Coalition on West Valley Nuclear Wastes. 5pp. 87948:314-87948:326.

-9604170157 Expresses concerns re timeliness-of-response & dependence of West Valley decisionmaking on NRC decision.
VAUGH,R.C. Coalition on West Valley Nuclear Wastes. 96/03/28. BATES,A. Office of the Secretary of the Commission. 3pp. 87948:324-87948:326.

9604230256 Comments on issues raised in 960125 memo to J Taylor providing update to Dry Cask Storage Action Plan.
SHILLINGLAW,F. Affiliation Not Assigned. 96/04/02. PAPERIELLO NRC - No Detailed Affiliation Given. 1p. 87980:356-87980:356.

9604230260 Forwards revised responses to RAI numbers 8,9,16,17,25 & 26 on topical rept BAW-2244, "B&WOG Generic License Renewal Program Demonstration of Mgt of Aging Effects for Pressurizer."
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1584. 96/04/17. Document Control Branch (Document Control Desk). 14pp. 87998:294-87998:310.

9604240215 Forwards RAI re Rev 2,Draft G of WVNS-SAR-001, "SAR for Project Overview & General Info," dtd 960215.
COMFORT,G.C. Licensing Branch. TAC L30616. 96/04/18. ROWLAND,T.J. Energy, Dept. of. 6pp. 88010:344-88010:349.

9604290191 Forwards West Valley Nuclear Svcs Co,Inc,960313 ltr to DOE, documenting final response to NRC questions contained in 960117 FAX on West Valley Demonstration Project production melter stress analysis.
ROWLAND,T.J. Energy, Dept. of. 96/04/16. COMFORT,G.C. NRC - No Detailed Affiliation Given. 3pp. 88057:215-88057:224.

-9604290192 Forwards comments/concerns on melter failure analysis review.
COMFORT,G. NRC - No Detailed Affiliation Given. 96/01/17. PROVENCHER,R. Energy, Dept. of. 7pp. 88057:217-88057:224.

9604290198 Submits recommendation of readiness to proceed w/radioactive tie-ins/operations of vitrification facility at West Valley Demonstration Project.
ROWLAND,T.J. Energy, Dept. of. 96/04/19. ERICKSON,R.E. Energy, Dept. of. 2pp. 88066:228-88066:229.

9604300260 Forwards non-proprietary Rev 0 to Topical Rept WCAP-14384, "Implementation of RPS TS Relaxation Programs."
BUSH,L., GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-037. 96/04/24. . 3pp. 88067:074-88067:106.

-9604300262 WCAP-14384 R00 Non-proprietary "Implementation of RPS TS Relaxation Programs."
HOWARD,R.C. Westinghouse Electric Corp. 96/01/31. 31pp. 88067:077-88067:106.

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

9604010435 Part 21 rept,consisting of error notices received from former software suppliers.Listed former customers not notified due to unknown current addresses.
ANDREWS,S.J. Boeing Computer Services Co. (div. of Boeing Co.). 96/03/27. Document Control Branch (Document Control Desk). 10pp. 87708:251-87708:260.

9604030315 Followup to Part 21 rept re failures of gould-shawmut fuses. Initial investigation into issue revealed certain percentage of fuses developed cracks in fuse elements.
CRUSE,C.H. Baltimore Gas & Electric Co. 96/03/28. Document Control Branch (Document Control Desk). 5pp. 87755:222-87755:226.

9604090154 Interim part 21 rept re potential safety concern on matl for fabrication of permanent canal seal plate.Licensee will provide final rept to NRC in approx six months upon completion of evaluation of welds.
TAYLOR,J.H. FRAMATOME. 96/04/05. Document Control Branch (Document Control Desk). 2pp. 87824:111-87824:112.

9604090191 Forwards addl list of US nuclear facilities to which potential defective stainless steel Swagelok tube fittings sold,as suppl to 960226 ltr re defects potentially reportable per 10CFR21.
JOHNSTON,D.J. Crawford Fitting Co. 96/04/03. . 3pp. 87824:113-87824:115.

9604090325 Final Part 21 rept re use of incorrect assumption for PWR refueling water storage tank in several analyses for Braidwood,Byron & Zion Stations.Containment sump pH & containment flooding analyses impacted also.
JPHNSON,I.M. Commonwealth Edison Co. 96/04/05. Document Control Branch (Document Control Desk). 4pp. 87824:127-87824:130.

9604150413 Part 21 rept,consisting of error notices received from former software suppliers.Listed former customers not notified,due to unknown current addresses.
ANDREWS,S.J. Boeing Computer Services Co. (div. of Boeing Co.). 96/04/08. Document Control Branch (Document Control Desk). 6pp. 87896:332-87896:337.

9604220153 Part 21 rept re ANSYS Class3 Error Repts 96-12,96-13,96-14 & 96-02,Rev 1.ANSYS Class3 Error Rept 96-02 being reissued to add element PLANE121 & further clarify error description for elements SOLID122 & 123.
ANDREWS,S.J. Boeing Co. 96/04/12. Document Control Branch (Document Control Desk). 7pp. 87990:295-87990:301.

9604220366 Part 21 rept re Struthers-Dunn time delay relays built in 1983 w/incorrect coils.To date MSD,Inc found nine relays as described,all at GPC Plant Hatch.Relays coils clearly marked & verification of correct coil can be visually accomplished.
MAHAFFEY,T.R. Affiliation Not Assigned. 96/04/19. NRC - No Detailed Affiliation Given. 3pp. 87990:358-87990:360.

9604220383 Part 21 rept,consisting of GTSTRUDL Program Rept Form 96.14 re computer software problem whereby CREATE PEAK LOAD command will abort if results not computed for any of specified component loads.
ANDREWS,S.J. Boeing Co. 96/04/16. Document Control Branch (Document Control Desk). 4pp. 87991:359-87991:362.

9604230034 Part 21 rept re anomaly in AMETEK/Dixson ProSeries bargraph models SA101P,SA202P,SN101P & SN202P.Condition exists in 1E programmable bargraph software.New version being generated to resolve issue.Affected customers being notified.
HUBER,C. Ametek, Inc. 96/04/18. NRC - No Detailed Affiliation Given. 5pp. 87992:339-87992:343.

9604300099 Part 21 rept re response to NRC notice on nonconformance. Licensee will direct cognizant personnel reviewing deviation or failure to comply for basic components delivered to customers,to document whether/not facts indicate evaluation.
BRINKMAN,C.B. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). BRINKMAN,C.B. ASEA Brown Boveri, Inc. LD-96-014. 96/04/26. Document Control Branch (Document Control Desk). 2pp. 88065:355-88065:356.

QA999 QUALITY ASSURANCE INSPECTIONS

9604020012 Discusses insp rept 99990004/95-09 on 951215 & investigation rept 4-95-042 on 950815-960228 re use of industrial radiography equipment containing byproduct matl on naval vessel for CY92,93,94 & 95.Violation noted.
SCARANO,R.A. Region 4 (Post 820201). EA-96-093. 96/03/28. HAM,J. Gamma Industries, Inc. 5pp. 87701:303-87701:307.

9604090481 Responds to 960207 response to notice of nonconformance w/respect to insp rept 99900255/95-01.Notes QA Manager unaware licensee purchased buyback snubbers,reprocessing & selling to customers.
CWALINA,G.C. . 96/03/20. KNOBLOCK,R.G. Pacific Scientific. 1p. 87810:161-87810:161.

9604160239 Discusses 960326 trip rept to Wyle Labs in which pre-award audit was conducted.Purpose of audit to verify that Wyle has QA plan meeting App B of 10CFR50 & 10CFR21,in effect.
WILSON,R.C. . 96/04/05. CWALINA,G.C. . 2pp. 87888:354-87888:355.

9604170051 Forwards results of NRC insp of activities at Amer Industrial Technologies,Inc.Significant deficiencies identified related to Union Electric Co purchase of two 2-inch ASME Code Seismic Category III nozzles.
THOMAS,K.M. . 96/04/11. SCHNELL,D. Union Electric Co. 3pp. 87923:021-87923:059.

--9604160383 Forwards insp rept 99901292/96-01 on 960129-0202 & notice of violation & noncomformance.
CWALINA,G.C . 96/03/21. AMER,A.E. Affiliation Not Assigned. 3pp. 87923:024-87923:026.

--9604160394 Notice of violation from insp on 960129-0296.Violation noted:document, "Procedures for Compliance W/10CFR21" dtd 930427 did not provide for evaluation & reporting IAW 10CFR21.21(a)..
* . 96/03/21. 2pp. 87923:027-87923:028.

--9604160399 Notice of nonconformance from insp on 960129-0202. Nonconformance noted:Design Rept for Job 392 did not contain documentation of Owner review.
* . 96/03/21. 7pp. 87923:029-87923:035.

--9604160407 Insp rept 99901292/96-01 on 960129-0202.Violations & noncompliance noted.Major areas inspected:implementation of QA program.
POTAPOVS,U., CWALINA,G.C., GALLO,R.M. . 96/03/04. 24pp. 87923:036-87923:059.

9604220113 Informs of organizational changes.Previous organizational chart & revised chart for comparison encl.
ROE,K.K. Burns & Roe Enterprises, Inc. 96/04/16. Document Control Branch (Document Control Desk). 4pp. 87972:347-87972:350.

9604220337 Grants 960411 request to postpone scheduled 960422-26 insp at Punta Gorda,FL facility due to planned relocation of Agastat relay & Buchanan terminal block mfg,matl procurement,testing & insp activities to Brooksville,FL.
CWALINA,G.C. . 96/04/18. PHILLIPS,R. Thomas & Betts. 1p. 87946:016-87946:016.

9604300251 Forwards insp rept 99901292/95-01 on 951206-08.
NORKIN,D.P. . 96/04/08. SPRIGGS,L.C. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 2pp. 88036:007-88036:057.

--9604300332 Insp rept 99901292/95-01 on 951206-08.Violations noted. Major areas inspected:matl receipt insp,procurement document control,calibration & quality assurance & design control.
KOLTAY,P.S., CWALINA,G.C., NORKIN,D.P. Office of Nuclear Reactor Regulation (Post 941001). 96/04/08. B&B Progressive Materials & Technologies, Inc. (PROMATEC). 49pp. 88036:009-88036:057.

REG CERT REGISTRY CERTIFICATE

9604050305 Responds to 930507 application requesting to amend registration certificate for gun sights containing tritium & subsequent ltrs requesting addl info to support evaluation & registration of gun sights.
LUBINSKI,J.W. Source Containment & Devices Branch (Post 911213). SSD-93-41. 96/04/05. BINDON,S.G. Trijicon, Inc. 1p. 87772:004-87772:004.

8503130569 Submits addl info re sealed source & device program,in response to NRC 840420 ltr.
SCHWAGER,T.W. Nuclear Research Corp. 14007. 84/08/24. PATTERSON,J.W. Materials Licensing Branch. 38pp. 87929:234-87929:272.

9604250169 Forwards NUREG/CR-1156, "Environ Assessment of Ionization Chamber Smoke Detectors Containing AM-241," for use. W/o encl.
RANDALL,K. Medical, Academic & Commercial Use Safety Branch. 96/04/23. WALLACE,J. . 1p. 87996:258-87996:258.

REGGD REGULATORY GUIDES

9604010183 Forwards amends 197 & 80 to licenses DPR-66 & NPF-73, respectively & safety evaluation.Amends revise listed TSs & associated bases,delete TS 6.9.2.g & add new TS 6.17 in accordance w/Option B of 10CFR50,App J & RG 1.163.
BRINKMAN,D.S. . TAC M94262. 96/03/19. CROSS,J.E. Duquesne Light Co. 3pp. 87710:199-87710:247.

--9604010187 Amends 197 & 80 to licenses DPR-66 & NPF-73,respectively, revising listed TSs & associated bases,deleting TS 6.9.2.g & adding new TS 3.17,in accordance w/Option B of 10CFR50,App J & guidance of RG 1.163.
STOLZ,J.F. . NPF-73 A 080. 96/03/19. 40pp. 87710:202-87710:241.

--9604010191 Safety evaluation supporting amends 197 & 80 to licenses DPR-66 & NPF-73,respectively.
* . 96/03/19. 6pp. 87710:242-87710:247.

9604020310 Forwards summary of changes to util Sept 1989 RG 1.97 submittal,RG 1.97 qualification summary,RG 1.97 matrix & RG 1.97 design & qualification criteria for instrumentation (summary).
DUFFY,J.J. Vermont Yankee Nuclear Power Corp. BVY 96-33. 96/03/29. Document Control Branch (Document Control Desk). 36pp. 87726:285-87726:320.

9604020357 Forwards ISI pressure test program Relief Request NRR 960001,requesting that ASME Nuclear Code Case N-522 be approved for use prior to inclusion in RG 1.147,as alternative to requirements of ASME Section XI-1989.
TAYLOR,G.J. South Carolina Electric & Gas Co. RC-96-0087. 96/03/28. Document Control Branch (Document Control Desk). 8pp. 87712:338-87712:345.

9604040120 Forwards discussion of PTS screening calculations,summary of surveillance capsule analysis results used in RG 1.99,Rev 2, Position 2.1,chemistry factor calculations & revised PTS screening calculations,per request.
O'HANLON,J.P. Virginia Power (Virginia Electric & Power Co.). 96-084. 96/04/01. Document Control Branch (Document Control Desk). 23pp. 87753:326-87753:348.

9604050336 NRC Info Notice 96-022, "Improper Equipment Settings Due to Use of Nontemperature-Compensated Test Equipment."
CRUTCHFIELD,D. . 96/04/11. Consolidated Edison Co. of New York, Inc. 6pp. 87860:301-87860:306.

9604110084 "For comment" issue of proposed rev 3 to reg guide 5.44, task DG-5007, "Perimeter Intrusion Alarm Sys."
* Office of Nuclear Regulatory Research (Post 941217). 96/04/30. 38pp. 87849:051-87849:089.

9604120071 Requests NRC approval to use Code Case N-557, "In-Place Dry Annealing of PWR Nuclear Reactor Vessel (Section XI,Div 1)." Approval requested until Code Case N-557 included in RG 1.147,ISI code case acceptability,ASME Section XI Div 1.
SMEDLEY,R.W. Consumers Power Co. 96/04/03. Document Control Branch (Document Control Desk). 12pp. 87864:347-87864:358.

9604150140 Comment on Draft RG DG-8016 issued in conjuction w/PR, "Constraint Level for Air Emissions of Radionuclides."
JOHNSON,J.A. . 61FR1647 00029. 96/03/15. RADDATZ,C. Office of Nuclear Regulatory Research (Post 941217). 2pp. 87869:133-87869:134.

9604170117 Rev 2 to reg guide 01.149, "NPP Simulation Facilities for Use in Operator License Exams."
* Office of Nuclear Regulatory Research (860720-941217). 96/04/30. 3pp. 87909:299-87909:305.

9604170133 Forwards comments on NUMARC/NESP-007,Rev 2, "Methodolgy for Development of EALs." Concludes that NUMARC guidance supports uniform development of EAL schemes but advises that further guidance or minor revs may improve useability.
ESSIG,T.H. . 96/04/04. NELSON,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 50pp. 87909:206-87909:255.

9604230099 Monthly operating rept for Mar 1996 for Fermi 2.W/960415 ltr
GILES,H.B., GOODMAN,L.S. Detroit Edison Co. NRC-96-0023. 96/03/31. 4pp. 88002:328-88002:331.

9604230131 Comment on draft RG DG-5005, "Tamper-Indicating Seals for Protection & Control of Special Nuclear Matl," proposed Rev 1.
WOOLLEY,R.L. United States Enrichment Corp. (USEC). 61FR3508 00001. 96/04/16. Rules & Directives Review Branch (Post 920323). 18pp. 87967:207-87967:224.

9604240169 Submits results of periodic review of low-priority GSIs, contained in list provided by DL Morrison 960216 memo. Safety evaluation for revised tornado design criteria at WNP Unit 2 & note dtd 960307 re transformer failures encl.
RUSSELL,W.T. . 96/04/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87972:255-87972:258.

--9511290002 Forwards SE accepting licensee 951010 request to revise tornado design criteria for plant.Criteria in accordance w/ guidelines of RG 1.76 re missile spectrum & w/staff revised design-basis tornado characteristics in NUREG-1503.
MCCRACKEN,C.E. . TAC M88626. 95/11/27. CLIFFORD,J.W. . 1p. 87972:259-87972:259.

--9604240177 Safety evaluation accepting licensee revised tornado design criteria,in accordance w/RG 1.76 & NUREG-1503.
* . 95/11/27. 2pp. 87972:260-87972:261.

9604240294 Forwards "Haddam Neck Plant Submittal of Reg Guide 1.16 Annual Rept for 1994."
DACIMO,F.R. Connecticut Yankee Atomic Power Co. DACIMO,F.R. Northeast Nuclear Energy Co. DACIMO,F.R. Northeast Utilities Service Co. B15624. 96/04/16. Document Control Branch (Document Control Desk). 1p. 88010:336-88010:338.

--9604240306 "Haddam Neck Plant Submittal of Reg Guide 1.16 Annual Rept for 1994."
* Connecticut Yankee Atomic Power Co. 94/12/31. 2pp. 88010:337-88010:338.

9604250163 Comment supporting draft RG DG-5005.Disagrees w/several statements in draft RG & suggests adding words of warning re other statements.
JOHNSTON,R. Affiliation Not Assigned. 61FR3508 00002. 96/02/28. EMEIGH,C. NRC - No Detailed Affiliation Given. 2pp. 87996:252-87996:254.

--9604250193 Discusses briefing by Johnston on seal vulnerability.
EMEIGH,C. NRC - No Detailed Affiliation Given. 96/02/28. FRATTALI,S.D. NRC - No Detailed Affiliation Given. 1p. 87996:254-87996:254.

9604250345 Ack 950913 response to request for comments on DG-1043. Comments were used in developing RG 1.149,rev 2, "Nuclear Power Plant Simulation Facilities for use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. VINCENT,R.A. Consumers Power Co. 4pp. 87998:174-87998:177.

9604250353 Ack 950913 response to request for comments to DG-1043. Comments were used in developing RG 1.149,rev 2, "Nuclear Power Plant Simulation Facilities for Use in Operator License Exams."
RICHARDS,S.A. . 96/04/22. Centerior Energy. 4pp. 87998:170-87998:173.

9604290054 LER 96-004-00:on 960321,standby gas treatment sys charcoal testing to pre & post sweep temperature not performed.Caused by vendor interpretation of Reg Guide 1.52,rev 1.C/A: testing samples completed on 960326.W/960419 ltr.
TURKAL,M.A., LEVIS,W. Carolina Power & Light Co. BSEP 96-0151. 96/04/19. 4pp. 88045:282-88045:286.

9604290207 Informs NRC that plant invoking ASME Section XI code case that has been found acceptable to NRC for implementation in ISI of light-water-cooled NPPs documented in NRC RG 1.147, Rev 11.
LESNIAK,M. Commonwealth Edison Co. 96/04/22. Document Control Branch (Document Control Desk). 1p. 88057:279-88057:279.

9604290334 LER 96-017-00:on 960320,hydrogen monitoring sys did not meet single failure criteria.Caused by a failure to update design basis to reflect Regulatory Guide 1.97.C/A:design changed.W/960419 ltr.
VANNOORDENNEN, RICHARDSON,P.M. Northeast Nuclear Energy Co. B15664. 96/04/19. 4pp. 88046:015-88046:018.

9604290386 Requests that ASME Nuclear Code Case N-522, "Pressure Testing of Containment Penetration Piping" be approved for use prior to inclusion in Reg Guide 1.147.
TAYLOR,G.J. South Carolina Electric & Gas Co. 96/04/23. Document Control Branch (Document Control Desk). 7pp. 88055:346-88055:352.

9604300053 LER 95-026-01:on 951107,unqualified flow instrument used to determined HPI pump runout conditions.Caused by failure to recognize applicability of Reg Guide 1.97.C/A:short term instructions issued.W/960422 ltr.
CATCHPOLE,T.W., HICKLE,B.J. Florida Power Corp. 3F0496-26. 96/04/22. 9pp. 88065:342-88065:350.

9604300068 Ack receipt of 950922 ltr informing NRC of steps taken to correct violations noted in insp rept 40-6940/95-01. Discusses measures to be taken to correct airborne effluent monitoring deficiencies & forwards RG 8.37 re same.
KINNEMAN,J.D. Region 1 (Post 820201). EA-95-086. 96/04/18. LINDELL,J.S. Cabot Corp. 9pp. 88033:211-88033:219.

REVIEW GRP NRC RESEARCH REVIEW GROUPS

9601290408 Expresses appreciation for participation in & strong support of,activities of CRGR since appointment as OGC member of Committee in Sept 1994.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/01/24. RUTBERG,J. Assistant General Counsel for Administration. 1p. 87933:137-87933:137.

9603060522 Responds to 950928 ltr proposing NEI work w/staff on performance-based approach to regulating plant shutdown operations.
RUSSELL,W.T. . 96/02/29. RASIN,W.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 1p. 88052:269-88052:269.

9604020213 Forwards NEI 96-02, "Guideline for Implementing Graded Approach to Quality."
FLOYD,S.D. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/21. BLACK,S.C. . 2pp. 87723:259-87723:342.

--9604020244 "Guidelines for Implementing Graded Approach to Quality."
* Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/31. 82pp. 87723:261-87723:342.

9604030055 Comment on proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Radioactive Matl." Suggests that proposed rule be more sharply focused on specific regulatory problem intended to be addressed.
SCHMITT,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR3334 00063. 96/03/29. Docketing & Services Branch. 7pp. 87706:072-87706:078.

9604090281 Expresses appreciation for opportunity on 960308 to brief Commission on views on Design Certification rules, particularly w/respect to issue of "applicable regulations."
COLVIN,J.F. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/15. THE CHAIRMAN Commissioners (Post 750119). 1p. 87810:157-87810:157.

9604090397 Notification of 960320 meeting w/NEI in Rockville,MD to discuss work being performed by industry in response to GL 92-01,Suppl 1 & status of NRC review.
MCDONALD,D.G. . GL-92-01. 96/03/08. MARSH,L.B. . 5pp. 87810:165-87810:169.

9604090441 Approves mods & clarifications to original proposals,as documented in 960223 ltr.
SHERON,B.W. . 96/03/18. MARION,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 2pp. 87809:345-87809:346.

9604090444 Summary of 960216 meeting w/Nuclear Energy Inst in Rockville,MD re industry & NRC plans for Risk-Informed Inservice Insp of nuclear power plants.
ALI,S.A. . 96/03/11. . 35pp. 87809:303-87809:337.

9604090449 Notification of 960329 meeting w/NEI in Rockville,MD to discuss nuclear regulatory aspects of industry restructuring.
MCCREE,V.M. Ofc of the Executive Director for Operations. 96/03/20. MILHOAN,J.L. Dep Exec Dir for Nuc Reactor Reg,Regional Operations & Research (Post 890205). 1p. 87810:113-87810:113.

9604100043 Forwards documents to be placed in PDR under file entitled, "Review Group-Radioactive Devices."
LUBINSKI,J.W. Medical, Academic & Commercial Use Safety Branch. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87824:148-87824:302.

--9604100053 Ack receipt of comments on draft minutes of Working Group 951219-21 meeting.Forwards final version.
LUBINSKI,J. NRC - No Detailed Affiliation Given. 96/03/18. NRC - No Detailed Affiliation Given. 61pp. 87824:150-87824:210.

--9512010164 Forwards Monsanto Soda Springs Plant internal incident investigation re 50 mCi cesium source inadvertently sent to NuCor Steel in Tremonton,UT on 951026.Source improperly marked as scrap.Potential scrap will be inspected.
MATYUS,D. Monsanto Co. 95/11/20. BROWN,R. Region 4 (Post 820201). 5pp. 87824:211-87824:215.

--9511300142 Discusses insp rept 99990003/95-17 on 950814-15 & forwards notice of violation & proposed imposition of civil penalty in amount of $2,500.Violation involves failure of licensee to properly dispose of generally licensed matl.
MILLER,H.J. Region 3 (Post 820201). EA-95-184. 95/11/22. MAHEU,D.J. Champion International Corp. 4pp. 87824:216-87824:299.

--9511300146 Notice of violation & proposed imposition of civil penalty in amount of $2,500.Noncompliance noted:licensee disposed of Taylor krypton-85 gauge containing nominal activity of 190 mCi of krypton-85.
* Region 3 (Post 820201). EA-95-184. 95/11/22. 7pp. 87824:220-87824:299.

--9604100084 Proposes strawman for next meeting of working group on control of sealed sources.
ALDRICH,R. New York, State of. 95/11/13. LUBENAU,J. NRC - No Detailed Affiliation Given. 3pp. 87824:300-87824:302.

9604150177 Expresses appreciation of support during 960328-29 workshop on implementation of NRC & DOT final rules on transportation or radioactive matls.
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/11. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 21pp. 87869:189-87869:210.

9604160161 Forwards NY State Dept of Labor proposed solution to general license problem.
LUBENAU,J.O. Radioactive Device Review Group. 96/02/20. Radioactive Device Review Group. 1p. 87898:309-87898:320.

--9604160171 Forwards proposed solution to GL problem & guide/application for specific license to receive any source/device approved for distribution under general license.
ALDRICH,R. New York, State of. 96/02/13. LUBENAU,J. NRC - No Detailed Affiliation Given. 11pp. 87898:310-87898:320.

9604160178 Notification of 960418 meeting w/NEI in Rockville,MD to discuss comments & recommendations re Rev 8 of NUREG-1021, "Operator Licensing Exam Standads for Power Reactors."
RICHARDS,S.A. . 96/04/08. BOGER,B.A. . 2pp. 87898:346-87898:347.

9604160311 Provides agenda for CRGR meeting 284 on 960410 in Room OWFN.
JORDAN,E.L. Committee to Review Generic Requirements. 96/04/04. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF,E.W. Region 2 (Post 820201). 2pp. 87923:269-87923:270.

9604160397 Notifies of cancelled meeting dtd 960320 w/NEI in Rockville,MD to discuss Thermo-Lag 330-1 fire barrier issues.
MCCRACKEN,C.E. . 96/02/23. HOLAHAN,G.M. . 2pp. 87886:326-87886:327.

9604170133 Forwards comments on NUMARC/NESP-007,Rev 2, "Methodolgy for Development of EALs." Concludes that NUMARC guidance supports uniform development of EAL schemes but advises that further guidance or minor revs may improve useability.
ESSIG,T.H. . 96/04/04. NELSON,A. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 50pp. 87909:206-87909:255.

9604170222 Forwards comments & recommendations on safeguards event reporting & logging requirements of 10CFR73.71.
TIPTON,T.E. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/04/12. SHELTON,B.J. NRC - No Detailed Affiliation Given. 11pp. 87909:343-87909:353.

9604170366 Provides revised agenda for CRGR meeting 284 on 960411 in Room TWFN 4-B-3.
JORDAN,E.L. Committee to Review Generic Requirements. 96/04/05. MIRAGLIA,F.J. . MURPHY,J.A. Office of Nuclear Regulatory Research (Post 941217). MERSCHOFF,E.W. Region 2 (Post 820201). 1p. 87948:168-87948:168.

9604180253 Summary of 960205 meeting w/Nuclear Energy Inst in Rockville,MD re key remaining 10CFR52 implementation issues.
MAGRUDER,S.L. . 96/04/15. . 23pp. 87914:147-87914:169.

9604180460 Comment on proposed rule 10CFR52 re design certification rules for ABWR & Sys 80+ std plant designs.List of changes for consideration encl.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR17902. 95/05/11. MALSCH,M.G. Office of the General Counsel (Post 860701). 41pp. 87919:189-87919:230.

9604190046 Forwards proposed changes to Improved Std TS NUREGs,NEI TS Task Force travelers numbered TSTF-47 through TSTF-51.
EATON,J.H. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 96/03/28. GRIMES,C.I. . 300pp. 87924:001-87924:344.

9604190290 Comment supporting petition for rulemaking PRM-72-2 re provisions for safe,temporary storage of radwaste exceeding concentration limits of radionuclides established for class C in 10CFR61.55(a)(2)(iv) waste.
HENDRICKS,L. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 61FR3619 00002. 96/04/16. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87935:089-87935:090.

9604220227 Comment submitting suggested changes re finality provision of proposed design certification rules.
BISHOP,R.W. Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council). 60FR17924. 95/05/11. MALSCH,M.G. Office of the General Counsel (Post 860701). 42pp. 87945:145-87945:186.

SECY POSITION PAPERS BEFORE THE COMMISSION

9602060344 SECY-96-018 Obtains Commission approval to use operational committee & public workshop process to develop recommendations to respond to rept prepared by NAS,Institute of Medicine.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/01/26. 9pp. 87815:300-87815:308.

9602090012 SECY-96-027 Informs Commission of staff evaluation of issues necessary to determine feasibility of licensing & level of involvement in DOE proposed high-level radioactive waste solidification sys.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/06. 18pp. 87722:004-87722:011.

9602200194 SECY-96-034 Requests Commission review of staff proposed rulemaking activity plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/09. 87pp. 87933:050-87933:136.

9602200203 SECY-96-032 Requests Commission approval of major rev to CRGR Charter to expand CRGR review scope on trial basis to include selected items in nuclear matls area.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/09. 54pp. 87759:001-87759:090.

9602200273 SECY-96-035 Requests Commission approval for publication of final rule notice 10CFR51, "Environ Review for Renewal of Nuclear Power Plant OLs" & required supporting documents.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/02/09. 2,088pp. 88047:001-88052:268.

9603140140 SECY-96-050 Requests Commission approval to accept relinquishment of SS&D evaluation authority from Agreement States of Iowa, North Dakota & Utah,until effective 960401.Staff recommends Commission approve ltrs.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/08. 12pp. 87933:138-87933:149.

9603140157 SECY-96-045 Requests Commission approval of rev to Commission policy statement on confidentiality.Staff recommends Commission adopt revised policy statement.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/05. 12pp. 87912:322-87912:333.

9603180142 Forwards SECY-96-048 & NRC Bulletin 96-01, "Control Rod Insertion Problems," dtd 960308 & associated documents. Requests that listed accession number for memo be provided.
SHAPAKER,J.W. . IEIN-96-001. 96/03/13. Document Control Branch (Document Control Desk). 1p. 87504:048-87504:048.

9603190156 SECY-96-048 Informs Commission,IAW guidance in 911220 memo re SECY-91-172, "Regulatory Impact Survey Rept - Final," of staff intent to issue subject bulletin.Proprietary data on control rod resistance encl.W/o subj data.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/07. 9pp. 87815:312-87815:320.

9603220055 SECY-96-058 Transmits MOU between DOE & NRC to Commission,for review, approval & issuance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/15. 8pp. 88052:270-88052:277.

9603250413 SECY-96-056 Discusses policy statement, "Freedom of Employees in Nuclear Industry to Raise Safety & Compliance Concerns w/o Fear of Retaliation," to obtain Commission approval to publish policy statement.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/14. 67pp. 87759:091-87759:149.

9603250440 SECY-96-054 Informs of status & schedule of certification of US Enrichment Corp gaseous diffusion plants.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/13. 6pp. 87609:341-87609:346.

9603260184 SECY-96-057 Requests Commission approval for proposed relocation of EOF to serve SSES.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/15. 133pp. 87918:001-87918:133.

9604010284 SECY-96-061 Weekly info rept for wk ending 960315.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/03/21. 14pp. 87700:294-87700:307.

9604010403 Notation vote,approving w/comments,re SECY-96-027, "Evaluation of Issues Necessary to Determine Feasibility of Licensing & Level of Involvement in DOE Proposed High-Level Radwaste Solidification Sys."
ROGERS,K.C. Commissioners (Post 750119). 96/03/15. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87710:254-87710:254.

9604030184 Notation vote response sheet approving SECY-96-027, "Evaluation of Issues Necessary to Determine the Feasibility of Licensing & Level of Involvement in,DOE Proposed High-Level Radioactive Waste Solidification Sys."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/08. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87736:359-87736:359.

9604040207 Staff requirements memo re briefing on US Enrichment Corp certification (SECY-96-054) on 960322.
HOYLE,J.C. Office of the Secretary of the Commission. M960322. 96/04/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87746:169-87746:169.

9604050045 Notation vote approving w/comments SECY-96-032, "Charter of the Committee to Review Generic Requirements (CRGR) - (Proposed Rev 6)."
ROGERS,K.C. Commissioners (Post 750119). 96/02/21. HOYLE,J.C. Office of the Secretary of the Commission. 2pp. 87755:164-87755:165.

9604050059 Staff requirements memo re SECY-96-032, "Charter of CRGR - (Proposed Rev 6)." Commission has approved proposed trial program for CRGR review of selected issues.
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/22. TAYLOR,J.M. Ofc of the Executive Director for Operations. 3pp. 87755:169-87755:171.

9604050095 Staff requirements memo re SECY-96-030, "Advanced Notice of Proposed Rulemaking-Nuclear Power Reactor Decommissioning Financial Assurance Implementation Requirements."
HOYLE,J.C. Office of the Secretary of the Commission. 96/03/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 5pp. 87755:184-87755:188.

9604050108 Discusses SECY-96-018,proposed staff actions for analysis for institute of medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87774:360-87774:360.

9604050131 Notation vote approving SECY-96-032, "Charter of Committee to Review Generic Requirements (CRGR) - Proposed Rev 6." W/comments.
DICUS,G.J. Commissioners (Post 750119). 96/03/11. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87755:189-87755:189.

9604050143 SECY-96-064 Weekly info rept for wk ending 960322.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/03/28. 18pp. 87755:190-87755:207.

9604050158 SECY-96-065 Litigation Rept - 1996 - 2.
CORDES,J.F. Solicitor (Post 860701). 96/03/28. 12pp. 87755:208-87755:219.

9604080059 SECY-96-068 Provides Commission w/status of staff review of advanced reactor designs,including AP600,SBWR & MHTGR.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/01. 15pp. 87771:026-87771:040.

9604120258 SECY-96-063 Informs Commission of intent of staff not to proceed w/ rulemaking on 10CFR21 re reporting requirements for matls licensees.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/22. 19pp. 88009:056-88009:074.

9604160049 Forwards 960303 SRM re Briefing on Design Certification Issues.
WRIGHT,D. NRC - No Detailed Affiliation Given. 96/03/21. NRC - No Detailed Affiliation Given. 1p. 87898:321-87898:323.

9604160132 Staff requirement memo re COMSECY-96-007,revised draft ltr from EPA informing Senator Glenn of process made in consensus & cooperation among federal agencies responsible for protecting public from effects of ionizing radiation.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/09. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87898:355-87898:355.

9604160169 Staff requirements memo re advisement that Commission has not objected to proposed actions removing Aluminum Co of America site from Site Decomissioning Mgt Plan.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/03. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87888:348-87888:348.

9604160193 SECY-96-070 Provides update of progress made in implementing action plan for correcting weaknesses in fuel cycle facilities safety program.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/03. 4pp. 87898:351-87898:354.

9604160309 SECY-96-071 Informs of staff intent to issue order approving plant Decommissioning Plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/04. 12pp. 87899:182-87899:193.

9604160312 SECY-96-076 Weekly info rept for wk ending 960405.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/11. 18pp. 87890:135-87890:152.

9604160317 SECY-96-073 Informs of staff intent to issue subject Bulletin, "Movement of Heavy Loads Over SF,Over Fuel in Reactor Core or Over Safety-Related Equipment," IAW 911220 guidance.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/08. 11pp. 87899:194-87899:204.

9604160346 SECY-96-072 Litigation rept - 1996 - 3.
CORDES,J.F. Solicitor (Post 860701). 96/04/08. 16pp. 87912:306-87912:321.

9604160349 SECY-96-069 Weekly info rept for wk ending 960329.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/03. 22pp. 87894:115-87894:136.

9604160374 SECY-96-053 Informs Commission that remedial action has been completed at Aluminum Co of America facility near Cleveland,OH & that staff plans to release site for unrestricted use & remove site from site decommissioning mgt plan.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/11. 12pp. 87890:153-87890:164.

9604160419 Staff requirements memo re SECY-96-057, "Relocation of Emergency Operations Facility for Susquehanna Steam Electric Station."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/05. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87894:263-87894:263.

9604170045 Identifies documents re NRC Bulletin 96-02, "Movement of Heavy Loads Over Spent Fuel,Over Fuel in Reactor Core & Over Safety-Related Equipment," which should be available in PDR. Requests NUDOCS accession number be provided for memo.
SHAPAKER,J.W. . TAC M94912. 96/04/15. Document Control Branch (Document Control Desk). 2pp. 87911:321-87911:335.

-9604160451 SECY-96-073 Informs Commission,IAW guidance in 911220 memo from SJ Chilk to JM Taylor re SECY-91-172, "Regulatory Impact Survey Rept - Final," of staff intent to issue subj bulletin.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/08. Commissioners (Post 750119). 14pp. 87911:323-87911:334.

9604180213 Submits partial response to staff requirements memo for SECY-95-249 on risk harmonization issues & recommendations.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/03/11. THE CHAIRMAN, JACKSON,S.A., ROGERS,K. Commissioners (Post 750119). 3pp. 87912:352-87912:354.

9604180223 Staff requirements memo re SECY-96-034, "Proposed Rulemaking Activity Plan." Commission has approved staff plan to continue implementation of Rulemaking Activity Plan.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. CYR,K.D. Office of the General Counsel (Post 860701). 1p. 87912:355-87912:355.

9604180236 Notation vote approving w/comments,SECY-96-034, "Proposed Rulemaking Activity Plan."
DICUS,G.J. Commissioners (Post 750119). 96/03/25. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:356-87912:356.

9604180252 Notation vote approving & disapproving in part w/comments, SECY-96-034, "Proposed Rulemaking Activity Plan."
ROGERS,K.C. Commissioners (Post 750119). 96/03/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:357-87912:357.

9604180257 Notation vote approving w/comments,SECY-96-034, "Proposed Rulemaking Activity Plan."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87912:358-87912:358.

9604180262 Notation vote response status sheet,approving w/comments SECY-96-050, "To Seek Authorization to Accept Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of IA,ND & UT."
DICUS,G.J. Commissioners (Post 750119). 96/04/02. Office of the Secretary of the Commission. 3pp. 87913:347-87913:349.

9604180277 SECY-96-077 Requests Commission approval to publish two final rules in FR that amend 10CFR52 to certify US ABWR & Sys 80+ designs by rulemaking.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/15. 236pp. 87913:001-87913:216.

9604180304 Staff requirements memo re SECY-96-050 request to reassume regulatory authority for sealed source & device evaluation in Agreement States of IA,ND & UT.Informs that Commission has approved subj request.
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/10. TAYLOR,J.M. Ofc of the Executive Director for Operations. 6pp. 87917:353-87917:358.

9604190037 Staff requirements memo re COMSECY-96-005, "Partial Response to Staff Requirements Memo,for SECY-95-249,on Risk Harmonization Issues & Recommendation."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/02. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87923:354-87923:354.

9604220125 Notation vote approving SECY-96-050, "Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of Iowa,North Dakoto & Utah."
ROGERS,K.C. Commissioners (Post 750119). 96/04/05. HOYLE,J.C. Office of the Secretary of the Commission. 1p. 87942:195-87942:195.

9604220133 Notation note approving w/comments SECY-96-050, "Relinquishment of Sealed Source & Device Evaluation Authority From Agreement States of Iowa,North Dakota & Utah."
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/03/20. HOYLE,J.C. Office of the Secretary of the Commission. 5pp. 87942:196-87942:200.

9604230302 Staff requirements memo re SECY-96-063, "NRC Actions to Meet Inspector General Recommendations on Reporting Requirements Under 10CFR21."
HOYLE,J.C. Office of the Secretary of the Commission. 96/04/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 1p. 87971:360-87971:360.

9604240169 Submits results of periodic review of low-priority GSIs, contained in list provided by DL Morrison 960216 memo. Safety evaluation for revised tornado design criteria at WNP Unit 2 & note dtd 960307 re transformer failures encl.
RUSSELL,W.T. . 96/04/11. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 4pp. 87972:255-87972:258.

9604290021 SECY-96-081 Weekly info rept for wk ending 960412.
BLAHA,J.L. Assistant for Operations (Post 890205). 96/04/17. 25pp. 88036:234-88036:258.

SPEECHES SPEECHES

9604170340 Speech S-96-04 for Regulatory Info Conference on 960409.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 96/04/09. 6pp. 87941:312-87941:317.

9604170373 Speech S-96-02, "Challenges for Nuclear Power Industry & Regulators:NRC Perspective," remarks by SA Jackson,Chairman NRC before Regulatory Info Conference,Capital Hill Hotel, Washington,DC on 960409.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/09. 9pp. 87941:318-87941:326.

9604170375 Speech S-96-03, "Some Important Emerging Regulatory Issues," presented by Commissioner KC Rogers at NRC Regulatory Info Conference Capital Hilton Hotel,Washington,DC on 960410.
ROGERS,K.C. Commissioners (Post 750119). 96/04/10. 9pp. 87941:327-87941:335.

STATE PROG STATE PROGRAMS

9509010272 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Sealed Source for model 11733736.Amended Certificate:NR-155-S-110-S.
RICH,T.W. NRC - No Detailed Affiliation Given. SSD-95-22. 95/07/21. 4pp. 85285:143-85285:146.

9509050323 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model L2A1 Elbow Telescope. Certificate:NR-155-D-802-S.
RICH,T.W. NRC - No Detailed Affiliation Given. SSD-95-20. 95/07/21. 7pp. 85311:017-85311:023.

9511160102 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Density Gauge for model DH-2,DH-3. Certificate:NR-504-D-813-G.
BROADDUS,D.A. NRC - No Detailed Affiliation Given. SSD-91-66. 95/09/28. 6pp. 86206:157-86206:162.

--9511160114 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Level or Density Gauge for model LS-100. Certificate:NR-504-D-811-G.
BROADDUS,D.A. NRC - No Detailed Affiliation Given. SSD-91-66. 95/09/29. 5pp. 86206:175-86206:179.

--9511160130 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Level Gauge Source Holder for model GLS-2C. Certificate:NR-504-D-805-G.
BROADDUS,D.A. NRC - No Detailed Affiliation Given. SSD-91-66. 95/09/28. 6pp. 86206:207-86206:212.

--9511160133 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Propellant Level Gauge for model PLG-1. Certificate:NR-504-D-804-G.
BROADDUS,D.A. NRC - No Detailed Affiliation Given. SSD-91-66. 95/09/28. 5pp. 86206:213-86206:217.

--9511160135 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Source Holder for model S-4. Certificate:NR-504-D-803-S.
BROADDUS,D.A. NRC - No Detailed Affiliation Given. SSD-91-66. 95/09/28. 9pp. 86206:218-86206:226.

9604010067 Ack receipt of rept of "Proposed Activities in Non-Agreement States" & initial fee as required by 10CFR150.20(b) & 10CFR170.31.Informs that license R-82035-D98 issued by State of TN,valid for 180 days in CY96.
COLLINS,D.J. Region 2 (Post 820201). 96/03/08. GOTHARD,J. Affiliation Not Assigned. 1p. 87880:354-87880:360.

--9604160058 Forwards rept of proposed activities in Nonagreement States (NRC Form 241) & Agreement State License.Recognition granted of Agreement State license for activities to be performed within state boundaries.
COLLINS,D.J. Region 2 (Post 820201). 96/03/08. FOLDESI,L.P. Virginia, Commonwealth of. 6pp. 87880:355-87880:360.

9604010080 Forwards 960130 ltr from RL Bangart containing draft Integrated Matls Performance Evaluation Program Rept for North Carolina Radiation Control Program.Training course, technical & other info encl.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-025. 96/03/01. General. 2pp. 87684:008-87684:072.

9604010087 Responds to 960212 telcon w/D Sollenberger re max soil cleanup concentrations at U mills.Response to S Baker which addressed issue,encl.
ROBERTSON,G. Washington, State of. 96/02/21. BRUMMETT,E. Uranium Recovery Field Ofc, R4. 4pp. 87686:005-87686:008.

9604010092 Transmits results of NRC review & evaluation of ME radiation control program.ME program for regulation of certain AEA radioactive matls adequate to protect public health & safety & compatible w/NRC.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/21. GRAHAM,L. Maine, State of. 6pp. 87686:012-87686:053.

9604010106 Expresses appreciation for 960228 ltr from KA McGinty to JM Taylor apprising of plans & schedule for 25th Council on Environmental Quality "Environmental Quality" rept to Congress.
LOPEZ-OTIN,M. Office of State Programs (Post 911117). 96/03/05. CLARK,R. Council on Environmental Quality. 6pp. 87684:073-87684:080.

--9604010108 Informs that production of Council on Environmental Quality annual Environmental Quality rept to Congress well underway.
MCGINTY,K.A. Council on Environmental Quality. 96/02/28. TAYLOR,J. Ofc of the Executive Director for Operations. 2pp. 87684:079-87684:080.

9604010107 App A: "Evaluation of Agreement State Radiation Control Program,Part I,Program Guidelines & State Questionnaire Update," reporting period from Apr 1993 to Mar 1995.
* Maine, State of. 95/03/31. 33pp. 87686:057-87686:089.

9604010111 Forwards proposed final "Integrated Matls Performance Evaluation Program Review of NC Agreement State Program Dec 11-15,1995."Requests evaluation & response to recommendations within 30 days.
THOMPSON,H.L. Region 4 (Post 820201). 96/03/26. HOWES,J.B. North Carolina, State of. 5pp. 87686:090-87686:155.

--9604010117 "Integrated Matls Performance Evaluation Program Review of NC Agreement State Program,Dec 11-15,1995."Final Rept.
* Office of State Programs (Post 911117). 95/12/15. 61pp. 87686:095-87686:155.

9604010114 Responds to 960209 ltr re Internet access for New York State Dept of Environ Conservation Radiation Control Program.
MERGES,P.J. New York, State of. 96/03/19. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87686:184-87686:184.

9604010121 Forwards final rept, "Comparison of Agreement State Radiation Control Programs."
RATLIFF,R.A. Texas, State of. 96/04/11. General. 1p. 87684:081-87684:270.

--9604010131 "Comparison of Agreement State Radiation Control Programs."
* Texas, State of. 96/01/31. 189pp. 87684:082-87684:270.

9604010125 Informs that B Bevill will serve as Arkansas Liaison Officer due to G Dicus being appointed to position of NRC.Bevill will also be Designated Official in Arkansas to receive advance notification re transportation of shipment of waste.
TUCKER,J.G. Arkansas, State of. 96/03/15. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 1p. 87686:185-87686:185.

9604010129 Provides info of UNC request dated 960305 to modify reclamation Plan approved by NRC for Church Rock,NM site.
HOOKS,K.R. Division of Waste Management (NMSS 940403). 96/03/26. KENT,S. New Mexico, State of. 1p. 87696:356-87696:356.

9604010148 Informs notice of proposed rulemaking will be published in 960403 issue of State Register to revise current fee schedule for Radioactive Matls users.Annual radioactive matl license fee will be adjusted.
FRAZEE,T.C. Washington, State of. 96/03/21. General. 2pp. 87686:186-87686:187.

9604010155 Appendix A "Evaluation of Agreement State Radiation Control Program,Part 1:Program Guidelines & State Questionnaire Update." Reporting period from Oct 1992 to Jan 1995.
* New York, State of. 95/01/31. 28pp. 87686:156-87686:183.

9604010160 Appendix A "Evaluation of Agreement State Radiation Control Program,Part 1:Program Guidelines & State Questionnaire Update." Reporting period from Oct 1992 to Jan 1995.
* New York, State of. 95/01/31. 24pp. 87686:188-87686:211.

9604010168 Transmits state agreement program info including training info in response to 951011 ltr from IL.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-028. 96/03/04. General. 2pp. 87686:212-87686:236.

9604010179 "App A:Evaluation of Agreement State Radiation Control Program,Part 1 Program Guidelines & State Questionnaire Update," reporting period Oct 1992 to Feb 1995.
* New York, State of. 95/02/28. 31pp. 87685:032-87685:056.

9604010180 Forwards revised questionnaire on radiation control program. Informs that answers to questions II.D,III.A,III.C.1, III.D.1,III.G.1,VI.E.2 & VII.A revised as recommended.
MERGES,P.J. New York, State of. 95/06/12. GORDON,C. Region 1 (Post 820201). 1p. 87701:007-87701:052.

--9604010185 Appendix A: "Evaluation of Agreement State Radiation Control Program.Part 1:Program Guidelines & State Questionnaire Update." Reporting period from Sept 1992 to Feb 1995.
* New York, State of. 95/02/28. 45pp. 87701:008-87701:052.

9604010181 Requests OSP plans for implementation of Chairman recommendations & that Region I be kept informed of communications w/Commonwealth.Recommends that meeting be held to clarify timing so Agreement can be completed.
MARTIN,T.T. Region 1 (Post 820201). 96/02/28. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87686:283-87686:283.

9604010194 Advises Region IV of Texas Natural Resource Conservation Commission progress & contemplated action on NRC/AEC terminated sites.
ROGERS,A.H. Texas, State of. 95/12/04. DODA,R. Region 4 (Post 820201). 6pp. 87684:343-87684:348.

9604010200 Transmits to Mgt Review Board proposed final rept documenting IMPEP review of NC Radiation Control Program. State performance re common & non-common performance indicators satisfactory.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/06. THOMPSON,H.L. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205). BANGART,R.L. Office of State Programs (Post 911117). PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 4pp. 87685:057-87685:138.

9604010205 Responds to NRC 951226 ltr reflecting results of Jul 1995 review & evaluation of Radiation Protection Svcs Program. Forwards specific responses to each of seven items from 951226 ltr.
HALL,E. Oregon, State of. 96/02/14. BANGART,R.L. Document Control Branch (Document Control Desk). 8pp. 87684:350-87684:357.

9604010210 Forwards proposed rev to TX Regulations for Control of Radiation part 11, "General Provisions." Proposed rule specifies criteria Agency will consider in determining exemptions or exceptions to rule.
CARDWELL,C.C. Texas, State of. 96/02/12. Affiliation Not Assigned. 12pp. 87686:284-87686:296.

9604010216 Responds to ltr to RM Quillin re CRCPD becoming member of ANSI.Informs CRCPD not in position to become member at present time,due to reduction in financial support of organization.
HARDIN,C.M. Conference of Radiation Control Program Directors, Inc. 96/02/22. ZEGERS,C.T. American National Standards Institute. 1p. 87684:359-87684:359.

9604010220 Expresses appreciation for 960214 ltr responding to review of Oregon radiation control program.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/26. HALL,E. Oregon, State of. 3pp. 87701:001-87701:006.

-9604020308 Concurs on Oregon Ack Ltr & informs ltr forwarded to Callan & Ross on 960311.
MAUPIN,C. NRC - No Detailed Affiliation Given. 96/03/12. HORNOR,J.W. NRC - No Detailed Affiliation Given. 1p. 87701:004-87701:004.

-9604020309 Requests reply on document for concurrence.RIV concurrs.
CALLAN,L.J. NRC - No Detailed Affiliation Given. 96/03/15. BOLLING,V. NRC - No Detailed Affiliation Given. 1p. 87701:005-87701:006.

9604010222 Forwards completed copy of "Integrated Materials Performance Evaluation Program Questionnaire" & disc w/response.
FLATER,D.A. Iowa, State of. 96/02/29. LARKINS,P.M. Office of State Programs (Post 911117). 12pp. 87684:308-87684:319.

9604010225 Discusses proposed rule based on two recent events involving small amounts of radioactive matl & apparently deliberate actions to cause exposures on part of unknown individuals. Opposes proposed rule.
FRAZEE,T.C. Washington, State of. 61FR3334. 96/02/29. Docketing & Services Branch. 3pp. 87684:320-87684:321.

9604010228 Forwards list of students from states selected to attend Transportation of Radioactive Matls Course.Informs states that nominated individuals not on list could not be accommodated at present time.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-039. 96/03/25. General. 16pp. 87686:297-87686:312.

9604010238 Forwards proposed revs to Texas Regulations for Control of Radiation,Part 11:General Provisions,dtd 960130.Informs that staff found that only rev to TRCR 11.3 pertains to matls subj to Agreement between Commission & TX.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/25. CARDWELL,C.C. Texas, State of. 16pp. 87686:313-87686:328.

9604010249 Expresses appreciation for acceptance of invitation to meet w/Field Operations staff of Depts Bureau of Radiation Protection during division staff meeting.Info requested re local hotels & directions to ofc,not encl.
YUSKO,J.G. Pennsylvania, Commonwealth of. 96/03/14. SOLLENBERGER,D. Office of State Programs (Post 911117). 2pp. 87685:139-87685:140.

9604010251 Forwards for info recent staff rept to NRC Commission on status of various activities associated w/implementation of 10CFR54.
LOHAUS,R.L. Office of State Programs (Post 911117). SP-96-040. 96/03/25. General. 2pp. 87686:329-87686:339.

9604010256 Discusses info re meeting w/T Hill,B Quillin,R Ratliff & TR Strong.Intends to speak about Agreement State/NRC relationship.
STRONG,T.R. Organization of Agreement States. 96/03/05. Organization of Agreement States. 3pp. 87685:141-87685:143.

9604010257 Forwards request for assistance in interpreting regulations governing possession,use & redistribution of Am-241 foils removed from smoke ditectors distributed for use under 10CFR30.20.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/04. COOL,D.A., CAMERON,F.X., LIEBERMAN,J. . 4pp. 87684:322-87684:327.

9604010264 Provides notice of intent to increase amount of reverse osmosis reject water discharged at Outfall 020.
WHITE,J.W. Virginia Power (Virginia Electric & Power Co.). 96/03/21. PANDEY,J.R. Virginia, Commonwealth of. 2pp. 87717:357-87717:358.

9604010265 Informs that NRC has updated procedure for jurisdictional determinations at federally controlled lands or facilities throughout country.New procedure only applies to licensees whose license permit use of licensed matl at temporary job.
FRAZEE,T.C. Washington, State of. 96/03/21. Affiliation Not Assigned. 3pp. 87701:261-87701:263.

9604010279 Forwards 950601 technical assistance request re manufacturing & distribution of Type A containers containing "recycled" depleted uranium.Requests response by 960415.
ORTCIGER,T.W. Illinois, State of. 96/03/15. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 87686:342-87686:345.

-9604010289 Submits technical assistance request re feasibility of depleted uranium "sand" into Type A container for shielding purposes.
COLLINS,S.C. Illinois, State of. 95/06/01. MCCANN,M. Region 3 (Post 820201). 2pp. 87686:344-87686:345.

9604010314 Forwards OSP FY97-2001 Info Technology Planning Call & discusses future training status & training method for Agreement State personnel.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/08. CRANFORD,G.R. Office of Information Resources Management (Post 890205). 15pp. 87687:071-87687:104.

-9604010353 Submits Info Technology Planning Call,requesting identification of ofc needs for info technology products & svcs by 960202.Instructions & response forms encl.
CRANFORD,G.F. Office of Information Resources Management (Post 890205). 95/12/29. NRC - No Detailed Affiliation Given. 19pp. 87687:086-87687:104.

9604010320 Expresses appreciation for professionalism & completeness re review of rept of agency evaluation of Radioactive Matls Program.Two factual corrections needed in rept noted.
HOWES,J.B. North Carolina, State of. 96/02/21. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87687:105-87687:105.

9604010346 Forwards TAR for Northwest Airlines re use of rigid guide tubes used in jet engine radiographic procedures.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-035. 96/03/22. General. 4pp. 87687:134-87687:160.

-9604010360 Responds to 960129 TAR which transmitted 960109,10 & 29 ltrs from Northwest Airlines,Inc requesting exemption from certain provisions specified in 10CFR34.20.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/03/01. MADERA,J.R. Region 3 (Post 820201). 3pp. 87687:138-87687:140.

-9604010363 Requests exemption to 10CFR34.20.
MADERA,J. Region 3 (Post 820201). 96/01/29. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 87687:141-87687:160.

9604010347 Transmits State Agreement Program info (SP-96-020) re NRC staff concerns on assured LLW storage concepts of DOE as expressed in ltr dtd 951103.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-020. 96/02/14. General. 1p. 87701:264-87701:276.

-9604010368 Requests change in sentence ref addl info concerning Assured Storage Ltr Reply.
KENNEDY,J. . 96/02/09. . 1p. 87701:265-87701:265.

-9604020387 Forwards copy of Assured Storage Ltr dtd 960109.
KENNEDY,J. . 96/01/29. . 1p. 87701:266-87701:266.

-9604020390 Responds to 951103 ltr re DOE position on "assured storage" concept.Informs of strong support of state & compact efforts to develop disposal capacity in US.
FEDERLINE,M.V. NRC - No Detailed Affiliation Given. 96/01/06. PLUMMER,T.L. Energy, Dept. of. 2pp. 87701:267-87701:276.

9604010367 Ack receipt of 951027 response to 950818 ltr re performance of sealed source & device evaluations.Expresses opinion that Radiological Health Unit continue to perform evaluations rather than turn function over to NRC.
SWEENEY,J.L. New York, State of. SP-95-136. 96/02/29. BANGART,R.L. Office of State Programs (Post 911117). 2pp. 87686:352-87686:355.

9604010376 Transmits State Agreements program info re draft decommissioning procedures for FC & matls licensees for review & comment.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-029. 96/03/04. Massachusetts, Commonwealth of. 87pp. 87720:001-87720:211.

-9604030011 Forwards rev of NMSS Policy & Procedures Ltr 1-23,reflecting changes to NRC procedures for reporting meetings w/outside parties such as applicants/licensees which are open to public.
LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 94/11/18. Office of Nuclear Material Safety & Safeguards. 87pp. 87720:149-87720:152.

-9604030015 Mgt Directive 3.5, "Public Attendance at Certain Meetings Involving NRC Staff."
* Office of Administration (890206-940714). 94/10/13. 5pp. 87720:153-87720:157.

-9604030023 Handbook 3.5, "Public Attendance at Certain Meetings Involving NRC Staff."
* Office of Administration (890206-940714). 94/10/13. 35pp. 87720:158-87720:191.

-9503060028 Forwards NMSS Policy & Procedures Ltr 1-50, "Environ Justice in NEPA Documents," which provides guidance for addressing issue of environ justice in NEPA reviews.
SURMEIER,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 95/02/24. Office of Nuclear Material Safety & Safeguards. 18pp. 87720:192-87720:211.

9604010396 Advises that Ofc of Enforcement issued encl order imposing civil monetary penalty in amount of $5,000 against Testco, Inc in EA-95-101 enforcement proceeding.W/o encl.
HULL,J.T. Office of the General Counsel (Post 860701). #296 17536. IA-95-055. 96/03/27. BECHHOEFER,C., KELBER,C.N., HOOPER,F.F. Atomic Safety & Licensing Board Panel. 1p. 87686:359-87686:359.

9604010428 Discusses 960226 telcon during which recipient complained re timing of receipt of courtesy copy of state order.Requests in future NRC inquire of state about status of pending enforcement actions which would influence NRC decisions.
ALDRICH,R. New York, State of. 96/02/27. GORDON,C. NRC - No Detailed Affiliation Given. 1p. 87687:241-87687:241.

9604010429 Ack appointment of recipient as State Liaison Officer to NRC & discusses expected role of State Liaison Officer position.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/25. BEVILL,B. Arkansas, State of. 3pp. 87687:242-87687:247.

9604010434 Notifies that IAEA draft guide, "Organization & Operation of Natl Regulatory Infrastructure Governing RP & Safety of Radiation Sources," available for review & comment.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-038. 96/03/23. Massachusetts, Commonwealth of. 3pp. 87687:248-87687:250.

9604010439 Transmits approval of recent mods to Agreement State periodic review process, "Integrated Matls Performance Evaluation Program".Discusses upcoming radiological health program review & expresses concern over continued funding.
ZAW-MON,M. Maryland, State of. 96/03/18. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 87687:253-87687:255.

9604010442 Discusses recent Organization of Agreement States workshop held in Vancouver,WA & makes suggestions for improving future workshops.
STRONG,T.R. Washington, State of. 96/03/18. BANGART,R.L. Office of State Programs (Post 911117). 4pp. 87687:256-87687:259.

9604020002 Confirms arrangements for transcribed predecisional enforcement conference on 960425 in San Diego,CA.
SCARANO,R.A. Region 4 (Post 820201). EA-96-065. 96/03/28. BOYKIN,S. . 2pp. 87701:280-87701:281.

9604020004 Mod 21 to NRC-30-83-644.
* Michigan, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2377. 96/03/21. 3pp. 87725:300-87725:302.

9604020017 Requests clarification of NRC meeting policy concerning whether meetings are open & under what circumstances would individuals be excluded,per 960320 telcon re recent AMC/NRC Joint U Recovery Meeting in Denver,CO.
SINCLAIR,W.J. Utah, State of. 96/03/20. BANGART,R. Office of State Programs (Post 911117). 2pp. 87701:308-87701:309.

9604020020 Ack receipt of 960304 ltr expressing views of State of MA LLRW Mgt Board & informs that ltr & response will be placed on docket for Yankee Nuclear proceeding & served on participants.Served on 960328.
JULIAN,E.L. Docketing & Services Branch. #296 17537. DCOM. 96/03/28. AMICK,C.C. Massachusetts, Commonwealth of. 1p. 87701:310-87701:316.

-9604020028 Informs that State of MA LLRW Mgt Board believes that NRC should have provided opportunity for public hearing before approving Yankee Atomic decommissioning plan for Rowe,MA facility.W/Certificate of Svc.
AMICK,C.C. Massachusetts, Commonwealth of. DCOM. 96/03/04. JULIAN,E. Office of the Secretary of the Commission. 6pp. 87701:311-87701:316.

9604020047 Forwards list of state students accepted to attend Insp for Performance - Matls Version course on 960409-11 at Region III.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-031. 96/03/06. General. 17pp. 87701:333-87702:006.

9604020056 Requests concurrence in approach to terminate agreement State licenses under requirements of 10CFR150.15a(a) & section 274c of AEC.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/05. OLMSTEAD,W.J. Office of the General Counsel (Post 860701). 4pp. 87705:006-87705:009.

9604020057 Forwards rept of onsite insp of D Corum home in May 1995, conducted by NASA.Requests original copy of Photo 8,showing individual on left side of photograph holding depleted U bar.
WANGLER,K.W. North Dakota, State of. 96/02/15. LOHAUS,P. Office of State Programs (Post 911117). 10pp. 87702:120-87702:129.

9604020062 Forwards rept documenting completion of Phase I of ANC reclamation project.Phase involved cleanup & removal of by- product matls from old Bullrush Heap Leach & placement of matl on tailings Pond 1.
MOXLEY,M. Wyoming, State of. 96/03/08. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87724:222-87724:263.

-9604020181 "WY Dept of Environ Quality Land Quality Div American Nuclear Tailings Reclamation Project Phase I Bullrush Heap Leach Reclamation Completion Rept."
* Wyoming, State of. 96/03/08. 41pp. 87724:223-87724:263.

9604020072 Forwards Agreement State Sealed Source & Device Certificates for info & distribution.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/22. BAGGETT,S.L. Source Containment & Devices Branch (Post 911213). 3pp. 87702:130-87702:177.

-9604020079 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Medical Ref Source for models CR-164E,CRC-165E & CRC-486E.Certificate:NJ-218-S-102-S.
* New Jersey, State of. NJ-218-S-102-S. 96/03/08. 4pp. 87702:150-87702:153.

-9604020083 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of "C-Arm" or Fixed Frame Thickness Gauge for model SH-6000.Certificate:IL-234-D-101-G.
PERRERO,D., KLINGER,J.G. Illinois, State of. IL-234-D-101-G. 96/02/16. 14pp. 87702:154-87702:177.

9604020080 Forwards info on ruptured well logging source occurring in 1982 in Region I to assist recipient w/similar problem in Texas.NRC offers no specific guidance on situation except two sections in July 1987 Well Logging Licensing Guide.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/05. ROGERS,A.H. Texas, State of. 2pp. 87702:178-87702:334.

-9604020093 "Guide for Preparation of Applications for Use of Radioactive Matls in Well Logging Operations."
* Medical, Academic & Commercial Use Safety Branch (870413-870728). 87/07/31. 64pp. 87702:271-87702:334.

9604020101 Transmits State Agreement Program info,including incident & event,program mgt,training course & technical info.Informs NRC will not routinely review SS&D certificates for completeness upon receipt.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-026. 96/03/01. General. 10pp. 87703:001-87703:026.

9604020104 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of AL Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. WILLIAMSON,D.E. Alabama, State of. 7pp. 87705:010-87705:101.

-9604020112 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of AZ Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. KELLY,J.B. Arizona, State of. 2pp. 87705:017-87705:018.

-9604020115 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of AR Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NICHOLS,S.B. Arkansas, State of. 2pp. 87705:019-87705:020.

-9604020122 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of CA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. BELSHE,S.K. California, State of. 2pp. 87705:021-87705:022.

-9604020124 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of CO Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SHNAYDER,P. Colorado, State of. 2pp. 87705:023-87705:024.

-9604020126 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of FL Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HUNTER,R.G. Florida, State of. 2pp. 87705:025-87705:026.

-9604020132 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of GA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. REHEIS,H. Georgia, State of. 2pp. 87705:027-87705:028.

-9604020144 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of IL Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ORTCIGER,T. Illinois, State of. 2pp. 87705:029-87705:030.

-9604020148 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of IA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ATCHISON,C.G. Iowa, State of. 2pp. 87705:031-87705:032.

-9604020150 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of KS Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. O'CONNELL,J. Kansas, State of. 2pp. 87705:033-87705:034.

-9604020152 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of KY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. MORSE,J.H. Kentucky, Commonwealth of. 2pp. 87705:035-87705:036.

-9604020153 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of LA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. KUCHARSKI,W. Louisiana, State of. 2pp. 87705:037-87705:038.

-9604020156 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of ME Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HINES,P. Maine, State of. 2pp. 87705:039-87705:040.

-9604020160 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of MD Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NISHIDA,J. Maryland, State of. 2pp. 87705:041-87705:042.

-9604020165 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of MS Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. THOMPSON,F.E. Mississippi, State of. 2pp. 87705:043-87705:044.

-9604020166 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NE Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HORTON,M.B. Nebraska, State of. 2pp. 87705:045-87705:046.

-9604020171 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NV Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SYLVA,Y. Nevada, State of. 2pp. 87705:047-87705:048.

-9604020174 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NH Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DANIELSON,C.E. New Hampshire, State of. 2pp. 87705:049-87705:050.

-9604020176 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NM Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. WEIDLER,M.E. New Mexico, State of. 2pp. 87705:051-87705:052.

-9604020183 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NC Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HOWER,J.B. North Carolina, State of. 1p. 87705:053-87705:053.

–9604020188 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NC Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HOWES,J.B. North Carolina, State of. 2pp. 87705:054-87705:055.

–9604020198 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to ND Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. RICE,J.R. North Dakota, State of. 1p. 87705:056-87705:056.

–9604020210 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of ND Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. RICE,J.R. North Dakota, State of. 2pp. 87705:057-87705:058.

–9604020215 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to OR Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HALL,E. Oregon, State of. 1p. 87705:059-87705:059.

–9604020217 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of OR Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HALL,E. Oregon, State of. 2pp. 87705:060-87705:061.

–9604020225 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to RI Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. NOLAN,P.A. Rhode Island, State of. 1p. 87705:062-87705:062.

–9604020227 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of RI Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NOLAN,P.A. Rhode Island, State of. 2pp. 87705:063-87705:064.

–9604020234 Requests that encl 960209 ltr be substituted for one previously mailed which incorrectly referred to SC Agreement as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. BRYANT,D.E. South Carolina, State of. 1p. 87705:065-87705:065.

–9604020238 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of SC Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. BRYANT,D.E. South Carolina, State of. 2pp. 87705:066-87705:067.

–9604020246 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TN Agreememt State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. DILLS,D. Tennessee, State of. 1p. 87705:068-87705:068.

–9604020248 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TN Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DILLS,D. Tennessee, State of. 2pp. 87705:069-87705:070.

–9604020255 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TX Agreememt State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. SMITH,D. Texas, State of. 1p. 87705:071-87705:071.

–9604020263 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TX Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SMITH,D. Texas, State of. 2pp. 87705:072-87705:073.

–9604020267 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TX Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. PEARSON,D. Texas, State of. 1p. 87705:074-87705:074.

–9604020274 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TX Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. PEARSON,D. Texas, State of. 2pp. 87705:075-87705:076.

–9604020281 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to UT Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. NEILSON,D.R. Utah, State of. 1p. 87705:077-87705:077.

–9604020285 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of UT Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NIELSON,D.R. Utah, State of. 2pp. 87705:078-87705:079.

–9604020292 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to WA Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. MIYAHARA,B. Washington, State of. 1p. 87705:080-87705:080.

–9604020294 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of WA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. MIYAHARA,B. Washington, State of. 2pp. 87705:081-87705:082.

–9604020302 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. DEBUONO,B.A. New York, State of. 1p. 87705:083-87705:083.

–9604020319 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DEBUONO,B.A. New York, State of. 2pp. 87705:084-87705:085.

–9604020324 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HAMBURG,M.A. New York, State of. 1p. 87705:086-87705:086.

–9604020326 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HAMBURG,M.A. New York, State of. 2pp. 87705:087-87705:088.

–9604020331 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. SWEENEY,J.E. New York, State of. 1p. 87705:089-87705:089.

–9604020334 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SWEENEY,J.E. New York, State of. 2pp. 87705:090-87705:091.

–9604020338 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. ZAGATA,M.D. New York, State of. 1p. 87705:092-87705:092.

–9604020342 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ZAGATA,M.D. New York, State of. 2pp. 87705:093-87705:101.

–9604020115 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of AR Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NICHOLS,S.B. Arkansas, State of. 2pp. 87705:019-87705:020.

–9604020112 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of AZ Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. KELLY,J.B. Arizona, State of. 2pp. 87705:017-87705:018.

–9604020122 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of CA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. BELSHE,S.K. California, State of. 2pp. 87705:021-87705:022.

–9604020124 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of CO Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SHNAYDER,P. Colorado, State of. 2pp. 87705:023-87705:024.

–9604020126 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of FL Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HUNTER,R.G. Florida, State of. 2pp. 87705:025-87705:026.

–9604020132 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of GA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. REHEIS,H. Georgia, State of. 2pp. 87705:027-87705:028.

–9604020148 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of IA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ATCHISON,C.G. Iowa, State of. 2pp. 87705:031-87705:032.

–9604020144 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of IL Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ORTCIGER,T. Illinois, State of. 2pp. 87705:029-87705:030.

–9604020150 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of KS Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. O'CONNELL,J. Kansas, State of. 2pp. 87705:033-87705:034.

–9604020152 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of KY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. MORSE,J.H. Kentucky, Commonwealth of. 2pp. 87705:035-87705:036.

–9604020153 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of LA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. KUCHARSKI,W. Louisiana, State of. 2pp. 87705:037-87705:038.

-9604020160 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of MD Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NISHIDA,J. Maryland, State of. 2pp. 87705:041-87705:042.

-9604020156 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of ME Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HINES,P. Maine, State of. 2pp. 87705:039-87705:040.

-9604020165 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of MS Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. THOMPSON,F.E. Mississippi, State of. 2pp. 87705:043-87705:044.

-9604020183 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NC Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HOWER,J.B. North Carolina, State of. 1p. 87705:053-87705:053.

-9604020188 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NC Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HOWES,J.B. North Carolina, State of. 2pp. 87705:054-87705:055.

-9604020198 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to ND Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. RICE,J.R. North Dakota, State of. 1p. 87705:056-87705:056.

-9604020210 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of ND Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. RICE,J.R. North Dakota, State of. 2pp. 87705:057-87705:058.

-9604020166 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NE Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HORTON,M.B. Nebraska, State of. 2pp. 87705:045-87705:046.

-9604020174 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NH Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DANIELSON,C.E. New Hampshire, State of. 2pp. 87705:049-87705:050.

-9604020176 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NM Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. WEIDLER,M.E. New Mexico, State of. 2pp. 87705:051-87705:052.

-9604020171 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NV Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SYLVA,Y. Nevada, State of. 2pp. 87705:047-87705:048.

-9604020302 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. DEBUONO,B.A. New York, State of. 1p. 87705:083-87705:083.

-9604020319 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DEBUONO,B.A. New York, State of. 2pp: 87705:084-87705:085.

-9604020324 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HAMBURG,M.A. New York, State of. 1p. 87705:086-87705:086.

-9604020326 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HAMBURG,M.A. New York, State of. 2pp. 87705:087-87705:088.

-9604020331 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. SWEENEY,J.E. New York, State of. 1p. 87705:089-87705:089.

-9604020334 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SWEENEY,J.E. New York, State of. 2pp. 87705:090-87705:091.

-9604020338 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to NY Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. ZAGATA,M.D. New York, State of. 1p. 87705:092-87705:092.

-9604020342 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of NY Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. ZAGATA,M.D. New York, State of. 2pp. 87705:093-87705:101.

-9604020215 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to OR Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. HALL,E. Oregon, State of. 1p. 87705:059-87705:059.

-9604020217 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of OR Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. HALL,E. Oregon, State of. 2pp. 87705:060-87705:061.

-9604020225 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to RI Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. NOLAN,P.A. Rhode Island, State of. 1p. 87705:062-87705:062.

-9604020227 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of RI Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NOLAN,P.A. Rhode Island, State of. 2pp. 87705:063-87705:064.

-9604020234 Requests that encl 960209 ltr be substituted for one previously mailed which incorrectly referred to SC Agreement as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. BRYANT,D.E. South Carolina, State of. 1p. 87705:065-87705:065.

-9604020238 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of SC Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. BRYANT,D.E. South Carolina, State of. 2pp. 87705:066-87705:067.

-9604020246 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TN Agreememt State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. DILLS,D. Tennessee, State of. 1p. 87705:068-87705:068.

-9604020248 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TN Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. DILLS,D. Tennessee, State of. 2pp. 87705:069-87705:070.

-9604020255 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TX Agreememt State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. SMITH,D. Texas, State of. 1p. 87705:071-87705:071.

-9604020263 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TX Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. SMITH,D. Texas, State of. 2pp. 87705:072-87705:073.

-9604020267 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to TX Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. PEARSON,D. Texas, State of. 1p. 87705:074-87705:074.

-9604020274 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of TX Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. PEARSON,D. Texas, State of. 2pp. 87705:075-87705:076.

-9604020281 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to UT Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. NEILSON,D.R. Utah, State of. 1p. 87705:077-87705:077.

-9604020285 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of UT Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. NIELSON,D.R. Utah, State of. 2pp. 87705:078-87705:079.

-9604020292 Requests encl ltr dtd 960209 be substituted for one previously mailed which incorrectly referred to WA Agreement State program as NM program.
KERR,K. Office of State Programs (Post 911117). 96/02/14. MIYAHARA,B. Washington, State of. 1p. 87705:080-87705:080.

-9604020294 Discusses two significant mods to Agreement State program authorized by AEA of 1954,as amended.Continued support from state in implementation of WA Agreement State program requested.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/09. MIYAHARA,B. Washington, State of. 2pp. 87705:081-87705:082.

9604020116 Forwards event rept RI-96-01 related to 960117 event in which 10 mCi Fe-55 sealed source in shipping carton was disposed of in ordinary trash.
MCMAHON,C. Rhode Island, State of. 96/02/09. LARKINS,P. Office of State Programs (Post 911117). 2pp. 87702:342-87702:343.

9604020121 Informs of NRC public workshop on 960517 to discuss NRC spent fuel storage & transportation program.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-030. 96/03/06. General. 3pp. 87705:102-87705:104.

9604020125 Forwards insp plan for Feb-Apr 1996 & discusses second quarterly progress rept,for Nov 1995-Jan 1996,following Commission audit of Radioactive Matls Program in Jul 1995.
HALL,E. Oregon, State of. 96/02/14. BANGART,R.L. Document Control Branch (Document Control Desk). 4pp. 87702:344-87702:347.

9604020128 Forwards final minutes for 941220 Mgt Review Board on Illinois program.
SCHNEIDER,K.N. Office of State Programs (Post 911117). 96/03/19. THOMPSON,H. Dep Exec Dir for Nuc Matls Safety,Safeguards & Operations Support (Post 890205).
BANGART,R. Office of State Programs (Post 911117). PAPERIELLO,C. Office of Nuclear Material Safety & Safeguards. 7pp. 87705:120-87705:132.

9604020131 Responds to request for comments on "Procedures for Placing Agreement State Program on Probation." Recommends that NRC defer adoption of proposed procedures until new compatibility policy finalized.
RIMAWI,K. New York, State of. 96/02/16. BANGART,R. Office of State Programs (Post 911117). 2pp. 87702:348-87702:351.

9604020168 Forwards TAR for Crane Army Ammunition Activity re Picker Cyclops,Model 590 radiography camera.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-036. 96/03/22. General. 3pp. 87705:186-87705:201.

-9604020189 Responds to 960105 TRA,transmitting 960109 ltr from Dept of Army,Crane Army Ammunition Activity,requesting exemption from certain provision specified in Section 34.20 of 10CFR34.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/02/13. MADERA,J.R. Region 3 (Post 820201). 3pp. 87705:189-87705:191.

-9604020194 Recommends that request for exemption to 10CFR34.20 be approved.
MADERA,J., MULLAUER Region 3 (Post 820201). 399764. 96/01/05. COOL,D. Division of Industrial & Medical Nuclear Safety (Post 870729). 2pp. 87705:192-87705:193.

-9604020204 Application for amend to license 13-18253-01,authorizing exemption from requirements of 10CFR34.20.
KING,J.C. Army, Dept. of. 96/01/09. 3pp. 87705:194-87705:201.

9604020177 Transmits State Agreement Program info (SP-96-023) re recent 960304 meeting in Vancouver,WA to discuss & clarify NRC draft Information Notice on how radiography licensees verify that associated equipment meets requirements.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-023. 96/02/26. General. 21pp. 87703:194-87703:214.

9604020179 Responds to issue 2.b of 951226 memo re compatibility of event reporting requirements.Notes consistency w/CFR & via Integrated Matls Performance Evaluation Program for state program review.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/27. TAYLOR,J.M. Ofc of the Executive Director for Operations. 9pp. 87703:215-87703:264.

9604020186 Discusses recent insp of North Dakota Radioactive Matls Program.Forwards insp rept.Requests original copy of photo number eight.
WANGLER,K.W. North Dakota, State of. 96/02/15. MOORE,S. Office of Nuclear Material Safety & Safeguards. 10pp. 87702:352-87702:361.

9604020191 Responds to NRC Mar 1994 "deep vertical slice" review of California sealed source & device program.Forwards related correspondence.
BAILEY,E.D. California, State of. 95/11/08. BANGART,R.L. Office of State Programs (Post 911117). 8pp. 87703:265-87703:319.

-9604020205 Amended Registry of Radioactive Sealed Sources & Devices, Safety Evaluation of irradiator for biological matls for model IBL-437C.Certificate:NR-219-D-101-S.
LUBINSKI,J.W., BROADDUS,D.A. NRC - No Detailed Affiliation Given. NR-219-D-101-S. 93/08/31. 47pp. 87703:273-87703:319.

9604020202 Requests states to highlight changes to Agreement State regulations submitted to NRC for compatibility reviews IAW discussions held at 1995 All Agreement States Meeting.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-027. 96/03/01. General. 4pp. 87703:320-87703:323.

9604020226 Transmits State Agreement program info (SP-96-024) re two draft IPs, "Decommissioning IP for FC Facilities" & "Decommissioning IP for Matl Licensees," for review & comment.Requests submission of comments by 960329.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-024. 96/02/28. Massachusetts, Commonwealth of. 32pp. 87704:001-87704:091.

-9601250040 Forwards draft decommissioning insp procedures for fuel cycle facilities & matls licensees.
FEDERLINE,M.V. Division of Waste Management (NMSS 940403). 96/01/04. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 31pp. 87704:032-87704:091.

9604020228 Ack 960209 ltr re changes at NRC.Discusses changes re uniform review of Agreement States & conversion from hard copy to electronic communication.
BARRETT,L. California, State of. 96/03/08. BANGART,R.L. Office of State Programs (Post 911117). 3pp. 87703:324-87703:332.

9604020242 Responds to 951222 ltr requesting info on how NRC implementing financial assurance program by forwarding memo from Div of Waste Mgt exploring matter.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/02/29. MCBURNEY,R. Texas, State of. 2pp. 87705:204-87705:207.

9604020249 Forwards info on Melton Valley Storage tanks.
MOBLEY,M.H. Tennessee, State of. 96/03/26. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87703:333-87703:341.

-9604020259 ORNL/TM-11652 "Sampling & Analysis of Radioactive Liquid Wastes & Sludges in Melton Valley & Evaporator Facility Storage Tanks at ORNL."
SEARS,M.B., BOTTS,J.L., CEO,R.N. Oak Ridge National Laboratory. 90/09/30. 8pp. 87703:334-87703:341.

9604020252 Responds to 960110 memo to NC Radiation Protection Commission Member,enclosing proposed rev to Chapter 11 - Radiation Protection,Section .0349 Exemptions: Waste Mgt by Generators.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/26. BROWN,D.H. North Carolina, State of. 6pp. 87705:208-87705:231.

-9604020260 Informs H Newsome reviewed statutes cited & discussed issue briefly w/ M Fry.
SALOMON,S. NRC - No Detailed Affiliation Given. 96/03/21. NELSON,R.A. NRC - No Detailed Affiliation Given. 1p. 87705:214-87705:214.

-9604020301 Discusses understanding of 11.0349(c) provision intended to address nuclear utilities.
NELSON,R. NRC - No Detailed Affiliation Given. 96/03/18. SALOMON,S. NRC - No Detailed Affiliation Given. 16pp. 87705:215-87705:231.

9604020253 Discusses & forwards draft Integrated Matls Performance Evaluation Program rept,documenting results of Agreement State review held on 960206-09.Requests that licensee review of rept focus on factual correctness of team reported info.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/18. RICE,J.R. North Dakota, State of. 114pp. 87704:092-87704:205.

9604020256 Ack recipient appointment as temporary State Liaison Officer to NRC from State of MT.Notifies recipient of placement on special mailing list to receive copies of documents that inform of matters impacting states.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/25. EICHOLTZ,G. Montana, State of. 3pp. 87705:232-87705:236.

-9604020258 Notifies of appointment of G Eicholtz to be State of MT temporary liaison to NRC until permanent replacement can be named.
RACICOT,M. Montana, State of. 96/03/14. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87705:235-87705:236.

9604020261 Submits transmittal of State Agreement Program Info (SP-96- 021) re denial of petition for rulemaking.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-021. 96/02/14. General. 9pp. 87705:237-87705:252.

-9604020266 Requests transmittal of Measurex denial when published in FR.
BANGART,R. Office of State Programs (Post 911117). 95/12/29. NRC - No Detailed Affiliation Given. 1p. 87705:247-87705:247.

-9604020272 Notifies Commission that IAW rulemaking authority delegated to EDO,EDO has signed final rule,denying petition for rulemaking to amend regulations in 10CFR2 & 150.
TAYLOR,J.M. Ofc of the Executive Director for Operations. 95/12/27. THE CHAIRMAN, JACKSON,S.A., ROGERS,K.C. Commissioners (Post 750119). 1p. 87705:248-87705:248.

-9604020276 Forwards documents to be combined w/Ticket S-312.
LOHAUS,P. Office of State Programs (Post 911117). 95/12/29. NRC - No Detailed Affiliation Given. 2pp. 87705:249-87705:251.

-9604020278 Discusses situation that exists where Agreement State licensees have little chance to comment on NRC regulations re matters of compatibility.
DODA,B.J. NRC - No Detailed Affiliation Given. 94/08/23. NRC - No Detailed Affiliation Given. 1p. 87705:252-87705:252.

9604020264 Ack recipient appointment as State Liaison Officer to NRC from Commonwealth of KY.Notifies of placement on special mailing list so recipient will receive copies of documents informing on matters impacting states.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/21. VOLPE,J.A. Kentucky, Commonwealth of. 3pp. 87705:253-87705:255.

9604020323 Informs that NRC plans to conduct public workshop in June to discuss Strategic Assessment issues.
BANGART,R.L. Office of State Programs (Post 911117). SP-96-034. 96/03/14. General. 4pp. 87705:256-87705:259.

9604020328 Forwards staff rept on results of visit to facility radioactive materials program during period of 950815-18.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/15. MORSE,J.H. Kentucky, Commonwealth of. 20pp. 87705:269-87705:288.

9604020333 Informs of licensing practices & procedures courses scheduled for 960603-07 in Chattanooga,TN.Second session scheduled for 960909-13.Applications for June session should be sent to RL Blanton on 960412.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-033. 96/03/13. General. 15pp. 87720:212-87720:226.

9604020337 Transmits state agreement program info,including incident & event,program mgt,training course & technical info.Forwards 960306 FRN re 960425 NRC public workshop.
LOHAUS,P.H. Office of State Programs (Post 911117). SP-96-032. 96/03/08. General. 1p. 87720:227-87720:243.

-9603110002 Notice of public workshop to receive input from licensees & public on recent initiative to re-design matls licensing process.
COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 96/02/29. 16pp. 87720:228-87720:243.

9604020343 Forwards two event reports numbers UT-96-03 & UT-96-04,which occurred in Feb 1992.None of repts have been determined to meet abnormal occurrence criteria.
FELICE,J.R. Utah, State of. 96/03/01. LOHAUS,P. Office of State Programs (Post 911117). 4pp. 87705:295-87705:298.

9604020349 Forwards contact info re radiological emergency from nuclear power plant accident affecting MD.
PERZYNSKI,P.R. Maryland, State of. 96/03/05. THE CHAIRMAN, JACKSON,S. Commissioners (Post 750119). 2pp. 87705:299-87705:300.

9604020368 Discusses issue of continued funding of training of State of TX staff conducting work under Section 274b Agreement w/NRC.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/19. RATLIFF,R.A., HIBBS,M.B. Texas, State of. 3pp. 87705:307-87705:325.

-9604020371 Informs J Funches will be able to concur on ltr to Texas w/encl redline/ strikeout changes.
DORFMAN,J. NRC - No Detailed Affiliation Given. 96/03/08. SOLLENBERG,D., DAVIS,G., KERR,K. NRC - No Detailed Affiliation Given. 6pp. 87705:310-87705:325.

9604020378 Forwards copy of CRCPD memo re conference latest video, "First Response to Transportation Accidents."
BANGART,R.L. Office of State Programs (Post 911117). 96/03/08. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. JORDAN,E.L. Office for Analysis & Evaluation of Operational Data, Director. 3pp. 87705:326-87705:328.

9604020395 Informs Governor designees of receipt of advance notification of transportation of certain nuclear waste & spent fuel shipments.Forwards list of governor designees & applicable portion of regulations.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/07. General. 21pp. 87705:329-87705:349.

9604030001 Discusses proposed rules for Part 39 of Texas Regulations for Control of Radiation dtd 960130.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/13. CARDWELL,C.C. Texas, State of. 5pp. 87721:001-87721:031.

-9604030004 Discusses proposed regs being forwarded for review.
LOHAUS,P. NRC - No Detailed Affiliation Given. 96/02/23. BANGART,R.L. NRC - No Detailed Affiliation Given. 1p. 87721:006-87721:006.

-9604030008 Forwards proposed TRCR,Part 39, "Licensing & Radiation Requirements for Irradiators." Proposed rule designated item of compatibility by NRC.
SIMMONS,S. Texas, State of. 96/02/22. LOHAUS,P.H. Office of State Programs (Post 911117). 1p. 87721:007-87721:007.

-9604030013 Forwards proposed TRCR,Part 39, "Licensing & Radiation Safety Requirements for Irradiators." Proposed rule designated as item of compatibility IAW agreement must adopt similar rule.
CARDWELL,C.C. Texas, State of. 96/02/07. BANGART,R.L. NRC - No Detailed Affiliation Given. 24pp. 87721:008-87721:031.

9604030005 Forwards results of NRC review & evaluation of New York radiation control program.Informs that staff has determined that regulation of certain AEA radioactive matl found adequate to protect public health & safety.
BANGART,R.L. Office of State Programs (Post 911117). 96/03/18. DEBUONO,B.A., HAMBURG,M.A., SWEENEY,J.E. New York, State of. 8pp. 87720:244-87720:348.

-9604030009 Forwards comments on proposed final rule NY review rept received on 951208.NMSS concurs w/rept,subj to resolution of comments.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 95/12/20. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87720:253-87720:253.

-9604030020 Informs of changes made to NY rept.
GORDON,C. . 96/03/01. MAUPIN,C.H. NRC - No Detailed Affiliation Given. 84pp. 87720:254-87720:348.

9604030047 Forwards for info & distribution,Agreement State sealed source & device certificates,directly received from states.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/02/29. BAGGETT,S.L. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87721:046-87721:115.

-9604030075 Corrected page to Registry of Radioactive Sealed Source & Devices,Safety Evaluation of Device model 3500 of Coal Fines Analyzer.Certificate:GA-0176-D-101-S.
* Georgia, State of. GA-0176-D-101-S. 95/10/23. 1p. 87721:060-87721:060.

-9604030088 Corrected page to Registry of Radioactive Sealed Source & Devices,Safety Evaluation of Device for models 8600,TBM101 of Density Gauge.Certificate:GA-0176-D-102-G.
* Georgia, State of. GA-0176-D-102-G. 95/10/23. 1p. 87721:061-87721:061.

-9604030093 Corrected page to Registry of Radioactive Sealed Source & Devices,Safety Evaluation of Device for models 9200 & 9500 of Elemental Analyzer.Certificate:GA-0176-D-103-S.
* Georgia, State of. GA-0176-D-103-S. 95/10/23. 1p. 87721:062-87721:062.

-9604030097 Corrected page to Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for models 9000 Sulpher, Ash & Moisture Analyzer.Certificate:GA-0176-D-104-S.
* Georgia, State of. GA-0176-D-104-S. 95/10/23. 1p. 87721:063-87721:063.

-9604030102 Corrected page to Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Device for model 2500 of Coal Fines Analyzer.Certificate:GA-0176-D-105-G.
* Georgia, State of. GA-0176-D-105-G. 95/10/23. 1p. 87721:064-87721:064.

-9604030110 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Rigid Ruler Source model RR-057 Rigid Ruler Certificate:CA-406-S-170-S.
REYES,R. California, State of. CA-406-S-170-S. 95/12/18. 6pp. 87721:065-87721:070.

-9604030115 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Flood Source for model FL Series Flood Source. Certificate:CA-406-S-180-0-S.
* California, State of. CA-406-S-180-S. 96/01/08. 8pp. 87721:071-87721:078.

-9604030126 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Source Holder for model SHRH-N Series. Certificate:KY-512-D-112-S.
* Kentucky, Commonwealth of. KY-512-D-112-S. 96/01/19. 6pp. 87721:079-87721:084.

-9604030131 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Belt Weigh Scale Gauge for models 5034,5034A, 5036,5038 & 5038A amended in entirety.Certificate: TX-634-D-131-B.
HAMITER,F.R., DUNN,W.M. Texas, State of. TX-634-D-131-B. 96/01/11. 10pp. 87721:085-87721:094.

-9604030141 Corrected page to Registry of Radioactive Sealed Source & Devices,Safety Evaluation of Device for models 5200 & 5200A. Certificate:TX-063-D-137-B.
HAMITER,F.R., DUNN,W.M. Texas, State of. TX-063-D-137-B. 96/01/25. 7pp. 87721:095-87721:101.

-9604030145 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Source Housing amended in entirety for models 5201 & 5201A.Certficate:TX-0634-D-138-B.
HAMITER,F.R., DUNN,W.M. Texas, State of. TX-0634-D-138-B. 96/01/11. 7pp. 87721:102-87721:108.

-9604030154 Registry of Radioactive Sealed Sources & Devices,Safety Evaluation of Source Housing amended in entirety for models 5205 & 5205A.Certificate:TX-0628-D-142-B.
HAMITER,F.R., DUNN,W.M. Texas, State of. TX-0628-D-142-B. 96/01/11. 7pp. 87721:109-87721:115.

9604030223 Discusses concern expressed at 960307 meeting of Oregon Energy Facilities Siting Council re Time magazine article & NRC oversight of Millstone nuclear stations.Informs of commitment to provide oversight to decommisioning at Trojan.
MASNIK,M.T. . 96/03/29. STEWART-SMITH Oregon, State of. 3pp. 87736:350-87736:352.

9604030243 Submits supplemental rept on corrective measures taken to reduce potential of future occurrences.
WARREN,C.C. Public Service Electric & Gas Co. of New Jersey. LR-E96045. 96/03/28. New Jersey, State of. 3pp. 87755:356-87755:358.

9604030245 Responds to 951028 ltr,providing NRC w/addl info re WNI Tailings Reclamation Plan for Sherwood mill facility & summary of analyses & evaluation of plan performed by WA State Dept of Health.
LOHAUS,P.H. Office of State Programs (Post 911117). 96/03/13. ROBERTSON,G. Washington, State of. 5pp. 87736:001-87736:061.

-9604030250 Forwards proposed response to State of WA 951020 ltr providing addl info & clarification re review of Sherwood mill reclamation plan.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/01/24. LOHAUS,P. Office of State Programs (Post 911117). 3pp. 87736:006-87736:008.

-9604030256 Provides addl info in support of WNI Tailings Reclamation Plan.
ROBERTSON,G. Washington, State of. 95/10/20. LOHAUS,P.H. Office of State Programs (Post 911117). 9pp. 87736:009-87736:017.

-9604030270 "Assessment of Plant Biointrusion on Six Umtra Project Disposal Cells."
BURT,C.J. Roy F. Weston, Inc. COX,S.W. Jacobs Engineering Group, Inc. 95/10/20. 43pp. 87736:018-87736:061.

9604030352 Rev 11 to "OH Plan for Response to Radiation Emergencies at Licensed Nuclear Facilities."
SHIPLEY,D.W. Ohio, State of. 96/01/31. 185pp. 87756:001-87757:185.

9604040082 Concurs on notice of withdrawal of advanced notice of proposed rulemaking.
BANGART,R.L. Office of State Programs (Post 911117). 96/02/27. MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 3pp. 87736:086-87736:119.

-9603110173 Requests concurrence on notice of withdrawal of advance notice of proposed rulemaking.
MORRISON,D.L. Office of Nuclear Regulatory Research (Post 941217). 96/02/16. PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 31pp. 87736:089-87736:119.

9604040105 Mod 22 to contract NRC-32-83-682.
FREDERICK,S. Washington, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2388. 96/03/21. 3pp. 87746:208-87746:210.

9604040156 Comments on NUREG-1532 re draft TER for proposed revised reclamation plan for Atlas Corp Moab mill source matl license.
CHRITIE,R.L. Utah, State of. 96/03/25. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 14pp. 87752:339-87752:352.

9604040198 Forwards Rev 8 to "State of LA Peacetime Radiological Response Plan," per NRC Administrative Ltr 94-07.
HUTCHINSON,C. Entergy Operations, Inc. GNRO-96-00029. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87767:283-87767:356.

-9604040204 Rev 8 to "State of LA Peacetime Radiological Response Plan."
* Louisiana, State of. 96/03/31. 72pp. 87767:285-87767:356.

9604040241 Mod 20 to contract NRC-30-83-643.
STAAKE,J., ROBERTS,D. Missouri, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2376. 96/03/25. 3pp. 87746:249-87746:251.

9604040255 Mod 17 to contract NRC-28-83-609.
TUMINSKI,R.S. New Jersey, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2363. 96/03/20. 3pp. 87746:179-87746:181.

9604050020 Ack receipt of "Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan," dtd 960112.Informs that request to intervene cannot be considered at present time.
RUSSELL,W.T. . 2.206. 96/03/25. SCHERBARTH,J.C. Michigan, State of. 4pp. 87770:056-87770:069.

-9604050028 Forwards Petition of Michigan Attorney General to Intervene in Support of Lake Michigan Federation & Don't Waste Michigan.
SCHERBARTH,J.C. Michigan, State of. 96/01/12. TAYLOR,J.M. Ofc of the Executive Director for Operations. 2pp. 87770:064-87770:065.

-9604050034 Petition of Michigan Attorney General to intervene in support of Lake Michigan Federation & Don't Waste Michigan. W/Proof of Svc.
SCHERBARTH,J.C. Michigan, State of. 96/01/04. Commissioners (Post 750119). 4pp. 87770:066-87770:069.

9604050083 Notification of licensee meeting w/util on 960425 in San Diego,CA to discuss Predecisional Enforcement Conference.
SCARANO,R.A. Region 4 (Post 820201). EA-96-065. 96/04/02. Region 4 (Post 820201). 2pp. 87772:001-87772:002.

9604080173 Submits ltr to document no significant changes occurred to toxic organics mgt plan.Analytical rept encl.
SHELTON,D.C. Centerior Energy. PY-CEI/LCDU-003. 96/04/02. Ohio, State of. 1p. 87803:230-87803:261.

9604080204 Forwards Order Prohibiting Involvement in NRC-Licensed Activities (Effective Immediately) to DJ McDonald.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). 96/04/03. General. 1p. 87772:061-87772:071.

9604080281 Ack receipt of 951206 ltr re proposed import license for NSSI/Sources & Svc,Inc.NRC believes that no licensee should be authorized to receive radwaste that cannot be disposed of.
RATLIFF,R.A. Texas, State of. 96/03/21. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 87782:335-87782:335.

9604080331 Identifies Allied Chemical & Dye Corp,docket 4000364,license SUB-337 as retired.Review by ORNL identified subj license as site which requires addl review.Site being removed from list of ORNL identified sites.
GORDON,C.Z. Region 1 (Post 820201). 96/04/01. ALDRICH,R. New York, State of. 5pp. 87772:261-87772:267.

--9604080349 Informs that Allied Chemical,docket 4000364,applied for license from State of NY on 640413,citing SUB-337 as previous license.License terminated in 1972 but facility still maintains license for premises.
ALDRICH,R. New York, State of. 95/05/25. GORDON,C. Region 1 (Post 820201). 1p. 87772:267-87772:267.

9604080376 Discusses insp of license IL-01670-01 on 950319.No violations noted.
PHILLIPS,M. Region 3 (Post 820201). 96/03/29. SINN,P.W. Paul Sinn Testing Services. 1p. 87772:189-87772:189.

9604090153 Forwards quarterly RCRA facility investigation (RFI) & interim measures progress repts.Next quarterly RFI/IM progress repts will be submitted by 960702.
MAXIM,A.M. Nuclear Fuel Services, Inc. 21G-96-0037. 96/04/03. FARMER,G.A. Environmental Protection Agency. TIESLER,T. Tennessee, State of. 31pp. 87826:314-87826:344.

9604090173 Mod 18 to contract NRC-28-83-607.
* Pennsylvania, Commonwealth of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2361. 96/03/21. 3pp. 87810:139-87810:141.

9604090206 Ack receipt of 960320 Rept of Proposed Activities in Non-Agreement States.Informs that license R-47158-C01 recognized as valid for up to 180 days in CY96 only & that Location Ref Number assigned to each site reported.
COLLINS,D.J. Region 2 (Post 820201). 96/03/26. GRABEEL,J. . 4pp. 87773:131-87773:134.

9604090276 Requests confirmation that commerical waste processor may receive waste from DOE for processing since DOE not licensee of NRC or Agreement State.
RATLIFF,R.A. Texas, State of. 96/03/29. BANGART,R.L. Office of State Programs (Post 911117). 1p. 87806:156-87806:156.

9604090298 Responds to notice of violation on 960229.C/A:obtained reciprocity agreement on 950908 & totally aware of NRC regulations concerning nuclear density gauges.
FOLEY,F. Affiliation Not Assigned. EA-95-270. 96/03/25. LIEBERMAN,J. Ofc of Enforcement (Post 870413). 2pp. 87826:357-87826:358.

9604090303 Forwards copy of amend 35 to license STA-582 for Kerr-McGee, extending expiration date & changing conditions 6,45,51,52, & 64.
KERR,G.W. Illinois, State of. 96/04/04. BANGART,R. Office of State Programs (Post 911117). 23pp. 87806:157-87806:179.

9604090470 Comment opposing petition for rulemaking PRM-35-13 re training requirements for radiation safety officers.
COLLINS,S.C. Illinois, State of. 61FR4754 00009. 96/04/05. Docketing & Services Branch. 3pp. 87806:135-87806:137.

9604090475 Comment opposing Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
MOBLEY,M.H. Tennessee, State of. 61FR1648 00017. 96/03/27. COOL,D.A. Docketing & Services Branch. 2pp. 87806:138-87806:139.

9604100015 Mod 15 to contract NRC-31-86-330.
* Nebraska, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2386. 96/04/04. 3pp. 87838:358-87838:360.

9604100043 Forwards documents to be placed in PDR under file entitled, "Review Group-Radioactive Devices."
LUBINSKI,J.W. Medical, Academic & Commercial Use Safety Branch. 96/04/04. Document Control Branch (Document Control Desk). 2pp. 87824:148-87824:302.

--9604100084 Proposes strawman for next meeting of working group on control of sealed sources.
ALDRICH,R. New York, State of. 95/11/13. LUBENAU,J. NRC - No Detailed Affiliation Given. 3pp. 87824:300-87824:302.

9604100058 Mod 17 to contract NRC-29-83-622.
DILLS,D. Tennessee, State of. WIGGINS,E.J. Division of Contracts (Post 940714). FIN J-2367. 96/03/06. 3pp. 87847:128-87847:130.

9604100087 Provides comments on proposed mods to Nebraska Dept of Environ Quality permit number NE0206369 to Crow Butte Resources Inc for operation of deep injection well.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/05. WOOD,R. Nebraska, State of. 2pp. 87831:349-87831:350.

9604100139 Comment on NAS rept, "Radiation in Medicine:Need for Regulatory Reform." Believes that relaxation or termination of medical regulations within radiation therapy will result in more misadministrations.
BEBILL,B. Arkansas, State of. 61FR1648 00018. 96/03/21. GILSON,L.M. Arkansas, State of. 15pp. 87832:007-87832:021.

9604100178 Ack receipt of 960401 Rept of Proposed Activities in NonAgreement States.Notes activities authorized to 960901 only & activities in off-shore waters subj to jurisdiction of State of LA.
COLLINS,D.J. Region 2 (Post 820201). 96/04/02. LOWE,R.E. Mississippi State Univ., Mississippi State, MS. 3pp. 87832:165-87832:167.

9604110195 Requests that NRC representative attend 960723 public hearing in Ocean County re Interim Spent Fuel Storage Facility at Oyster Creek Nuclear Generating Station.
TOSCH,K.W. New Jersey, State of. 96/03/27. TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 2pp. 87856:102-87856:103.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

--9604120019 Responds to 730927 ltr concerning allegations about AEC licensee operations at plant.Allegations reconfirmed that no abnormal releases of radioactive matl occurred & no damage to plant sustained.
DOUB,W.O. Atomic Energy Commission (Pre 750119). 73/11/21. SULLIVAN,R.J. New Jersey, State of. 6pp.

--9604170115 Responds to 740219 ltr re licensing of facility.Informs that Commission aware of problems cited & identified & addressed in draft environ statement issued in Jul 1973.Final recommendation will be relected in FES.
GIAMBUSSO,A. Atomic Energy Commission, Directorate of Licensing (720101-750118). 74/04/03. COOKINGHAM,R.A. New Jersey, State of. 1p.

--9604230271 Requests that future publications re plant be forwarded to stated address.
FERRARO,J.W. New Jersey, State of. 75/06/17. Docketing & Services Branch. 1p.

9604120165 Forwards Confirmatory Order for reclamation of American Nuclear Corp Gas Hills U Mill site,which includes changes made in response to State of WY comments on draft order.
PAPERIELLO,C.J. Uranium Recovery Licensing Branch. 96/04/08. HEMMER,D. Wyoming, State of. 3pp. 87867:344-87867:358.

--9604120192 Confirmatory Order for reclamation of American Nuclear Corp Gas Hills Wyoming site.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/08. Wyoming, State of. 13pp. 87867:347-87867:358.

9604120286 Forwards Shieldalloy Metallurgical Corp Site,Cambridge,OH remedial investigation/feasibility study,response to OH EPA comments.
SHIELDS,W.J. PTI Services, Inc. 96/04/08. ACKMAN,O. Ohio, State of. 22pp. 87877:124-87877:146.

9604150041 Responds to 960305 ltr to JJ Holonich which provided rept by WY State Geologic Survey,noting concerns that WSGS & others had w/seismic design assumptions NRC may adopt.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/05. GERINGER,J. Wyoming, State of. 4pp. 87903:318-87903:331.

--9604150078 Informs of concerns to 1994 rept for agency prepared by LLNL re protection of State citizenry & most appropriate & cost-effective std be selected,especially given remoteness of sites.
GERINGER,J. Wyoming, State of. 96/03/05. HOLONICH,J.J. Low-Level Waste & Uranium Recovery Projects Branch. 2pp. 87903:322-87903:331.

9604150054 For docket 70003085, "Parks Shallow Land Disposal Area Project Update,Spring 1996."
SCHOEN,K.B. Pennsylvania, Commonwealth of. 96/04/03. ASTWOOD,H. NRC - No Detailed Affiliation Given. 2pp. 87877:280-87877:281.

9604150109 Submits listed nominated candidates to attend one-week course entitled, "Licensing Practices & Procedures." Application for candidates encl.
EASTVOLD,P.D. Illinois, State of. 96/04/08. BLANTON,R. Document Control Branch (Document Control Desk). 9pp. 87869:104-87869:112.

9604150130 Informs,for docket 70003085,ORNL preparing EIS for decommissioning of Parks Shallow level disposal area owned by B&W in Parks Township,Armstrong County,PA for NRC.
VOGT,B.M. Oak Ridge National Laboratory. 96/03/18. ADEMEK,K. Pennsylvania, Commonwealth of. 2pp. 87889:357-87889:358.

9604150133 Comment supporting proposed rule 10CFR20, "Reporting Requirements for Unauthorized Use of Licensed Matl."
TEFFT,D.E. New Hampshire, State of. 61FR3334 00083. 96/04/05. Docketing & Services Branch. 1p. 87869:132-87869:132.

9604150315 Comment supporting proposed rule removing NRC authority for regulation of nuclear matl from medical setting,allowing states to regulate w/guidance from HHS.Notes State of NJ studying Agreement State status.
SHINN,R.C. New Jersey, State of. 61FR1648 00019. 96/04/08. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 2pp. 87872:114-87872:115.

9604150335 Ack receipt of rept "Radiation in Medicine:Need for Regulatory Reform." Notes that State of NY Dept of Health will provide comments directly.
PATAKI,G.E. New York, State of. 61FR1648. 96/04/09. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87872:130-87872:130.

9604150372 Forwards insp rept 50-193/96-01 on 960315.No violations noted.
WHITE,J.R. Region 1 (Post 820201). 96/04/05. TEHAN,T. Rhode Island, State of. 2pp. 87885:070-87885:078.

9604160056 Submits notice to licensee re security over radiation sources.
ALDRICH,R. New York, State of. 96/04/12. BANGART,R. NRC - No Detailed Affiliation Given. 2pp. 87895:221-87895:222.

9604160151 Responds to unacceptable results noted in discharge monitoring rept-QA rept dtd 960205 for North Anna Power Station (Permit VA0052451) & Yorktown Power Station (Permit VA0004103).
HADDER,A.W. Virginia Power (Virginia Electric & Power Co.). 96/04/10. MCMILLAN,L. Virginia, Commonwealth of. 3pp. 87914:355-87914:357.

9604160161 Forwards NY State Dept of Labor proposed solution to general license problem.
LUBENAU,J.O. Radioactive Device Review Group. 96/02/20. Radioactive Device Review Group. 1p. 87898:309-87898:320.

--9604160171 Forwards proposed solution to GL problem & guide/application for specific license to receive any source/device approved for distribution under general license.
ALDRICH,R. New York, State of. 96/02/13. LUBENAU,J. NRC - No Detailed Affiliation Given. 11pp. 87898:310-87898:320.

9604170087 Forwards Vols 1 & 2 to "American Nuclear Corp Site Final Reclamation Plan for Tailings Pond 2." W/thirty-one oversize drawing.
BRUXVOORT,K. Shepherd Miller, Inc. SMI #04-428. 96/04/10. MOXLEY,M. Wyoming, State of. 1p. 87982:001-87983:130.

9604170132 FOIA request for each 10CFR50.54(f) info request issued to every commercial nuclear power plant licensee since 850101.
BENEDICT,T.M. Connecticut, State of. 96/01/29. NRC - No Detailed Affiliation Given. 1p. 87906:196-87906:196.

9604170137 Final response to FOIA request for records.No agency records subj to request located.Attached narrative provided by J Zwolinski confirms telcon discussion.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/05. BENEDICT,T.M. Connecticut, State of. 1p. 87906:197-87906:198.

--9604170142 Advises that no records subj to Commissioner Benedict of State of CT FOIA request located.
ZWOLINSKI,J.A. NRC - No Detailed Affiliation Given. 96/04/04. POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 1p. 87906:198-87906:198.

9604170250 Second & final response to FOIA request for records.App B records encl & available in PDR.
POWELL,R.A. Division of Freedom of Information & Publications Services (Post 940714). 96/04/11. PEREZ,R.J. Ohio, State of. 2pp. 87906:211-87906:219.

9604170338 State of Oklahoma Amicus Curiae Brief.* Grants State of OK request for leave to file brief.W/Certificate of Svc.
HALE,J. Oklahoma, State of. #296 17562. EA. 96/04/15. Atomic Safety & Licensing Board Panel. 15pp. 87895:261-87895:275.

9604170385 PNO-IV-96-019:on 960416,state of AR notified of box car containing radioactive matl.Approx 4-10 people exposed to rail car.Survey of matl showed matl was approx 1,000 micro-R/h on contact.
SPITZBERG,D.B. Region 4 (Post 820201). 96/04/16. 1p. 87959:337-87959:337.

9604170399 Informs of coverup of wrongful actions that may result in community stuck w/environ disaster & eventual death,cancer & birth defects over time,caused by effects of 600,000 tons of decaying radioactive slag from steel production.
BAUMAN,S. Affiliation Not Assigned. 96/01/24. Ohio, State of. 4pp. 87933:199-87933:202.

9604170402 Forwards ltr sent to O Ackman of OH EPA,clarifying points raised in telcon re State of OH RI/FS & relationship to NRC EIS & requests that NRC not release EIS until director of OH EPA signs off on RI/FS as being complete.
BAUMAN,S. Affiliation Not Assigned. 96/04/08. WEBER,M. NRC - No Detailed Affiliation Given. 3pp. 87928:212-87928:214.

9604170419 Submits Irigaray & Christensen Ranch Condition 5 fulfillment application.
CHANCELLOR,R. Wyoming, State of. 96/03/13. WICHERS,D.L. COGEMA, Inc. 4pp. 87928:215-87928:218.

9604180278 Informs that State of NJ has no comments re License change request S-96-01 re 125 volt battery charger surveillance.
TOSCH,K. New Jersey, State of. 96/04/08. Document Control Branch (Document Control Desk). 2pp. 87942:359-87942:360.

9604180439 Ack receipt of 960301 ltr,advising Commission about citizen concerns re NRC current investigation at plant.
THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 96/04/04. KETTERER,A. Maine, State of. 3pp. 87917:287-87917:310.

--9604180449 Informs of receipt of outpouring of concerns from Maine citizens re ongoing investigation by NRC of Maine Yankee.
KETTERER,A. Maine, State of. 96/03/01. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 1p. 87917:310-87917:310.

9604190058 Forwards annual chemical analysis of residual waste repts for plant.Recent lab analyses for waste oil & cooling tower sludge repts included in eight 26R forms also.
BELLES,T.D. Pennsylvania Power & Light Co. PLES-5794. 96/04/12. SCHEIDLER,C. Pennsylvania, Commonwealth of. 39pp. 87952:169-87952:208.

9604190121 Forwards interoffice memo dtd 960410 re review of Feb 1996 ground water detection monitoring plan for Chemetron Corp Bert Avenue Dump & final "Solid Waste Guidance:Alternative Parameter List for Low-Yield Monitoring Wells...."
PARKER,J.L. Ohio, State of. 96/04/11. KOH,B. B. Koh & Associates, Inc. 12pp. 87951:325-87951:336.

9604190127 Submits draft confirmatory order for American Nuclear tailings reclamation project.
CHANCELLOR,R. Wyoming, State of. 96/04/11. HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87957:337-87957:338.

9604190135 Forwards 960125 interoffice communication re review of Chemetron response to OH EPA 950620 notice of deficiency ltr for Bert Avenue Landfill Closure Plan submitted on 941205.
PARKER,J.L. Ohio, State of. 96/04/04. KOH,B. B. Koh & Associates, Inc. 5pp. 87952:164-87952:168.

9604190322 Transmits sampling data for Atlas Tailings seep.
MORTON,J. Utah, State of. 96/04/17. FLIGEL,M. . 4pp. 87939:265-87939:268.

9604190353 Forwards "Quivira Mining Co Ambrosia Lake Facility Discharge Plan - 169,1995 Annual Rept."
LUTHIGER,P. Quivira Mining Co. 96/04/12. OHRBOM,R. New Mexico, State of. 1p. 87979:166-87979:273.

9604220019 Transmits Water Quality data from CO River at Moab Bridge.
MORTON,L. Utah, State of. 96/04/17. FLIGEL,M. . 9pp. 87974:349-87974:357.

9604220115 Forwards United Nuclear Corp request,dtd 960410,to modify reclamation plan approved by US NRC for Church Rock.W/o encl.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/17. KENT,S. New Mexico, State of. 1p. 87972:351-87972:351.

9604220119 Forwards United Nuclear Corp request,dtd 960410,to modify US NRC approved reclamation plan for Church Rock,NM,site.W/o encl.
HOOKS,K.R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/17. CURTIS,J. Arizona, State of. 1p. 87972:352-87972:352.

9604220144 Discusses alternate method of windblown cleanup at Gas Hills site.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/04/18. MOXLEY,M. Wyoming, State of. 1p. 87972:353-87972:353.

9604220336 Notifies that NRC has granted recognition of Agreement State license for CY96 for activities to be performed in offshore waters aboard vessel,per 10CFR150.20.W/o encls.
COLLINS,D.J. Region 2 (Post 820201). 96/04/11. BISHOP,R. Affiliation Not Assigned. 2pp. 87935:243-87935:244.

9604230079 Confirms understanding of certain procedures state of FL using during response to incidents involving stolen moisture/density gauges reported to NRC by mail several days after occurrence of events.
MALLETT,B.S. Region 2 (Post 820201). 96/04/11. JERRETT,L. Florida, State of. 2pp. 87953:108-87953:109.

9604230097 Discusses loss of two NRD Staticmaster Model 3C500 static brushes containing uCi quantities of Po-210 & forwards notice of violation.
SCARANO,R.A. Region 4 (Post 820201). EA-96-007. 96/04/17. TOWEY Defense, Dept. of. 4pp. 87967:168-87967:173.

--9604230106 Notice of violation from LER dated 950807.Violation noted: in Apr 1995,licensee disposed of two NRD Staticmaster Model 3C500 static brushes containing approx 0.0009 uCi of Po-210.
* Region 4 (Post 820201). 96/04/17. 2pp. 87967:172-87967:173.

9604230145 PNO-II-96-030:on 960416,NRC notified by State of GA officials that USCG Marine Safety Ofc reported number of shipping boxes containing U exhibited structural damage. Chem-Nuclear Sys,Inc began insp of interior of containers.
DECKER,T.R. Region 2 (Post 820201). 96/04/19. 1p. 87994:243-87994:243.

9604240054 PNO-II-96-032:on 960423,licensee abandoned sources & radiopharm doses.All Matls recovered by State of FL.Ofc of Radiation Control.Investigation initiated.
TROJANOWSKI,R. Region 2 (Post 820201). 96/04/23. 1p. 88004:340-88004:340.

9604240210 Discusses insp rept 150-00038/96-01 on 960319 & forwards NOV.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/18. MCCANN,F. Rhode Island, State of. 3pp. 87970:252-87970:256.

--9604240214 Notice of violation from insp on 960319.Violation noted: on 960319,licensee did not perform survey w/calibrated & operable survey meter after each exposure to determine that sealed source had been returned to shielded position.
* Region 1 (Post 820201). 96/04/18. 2pp. 87970:255-87970:256.

9604240211 Responds to 960327 ltr,requesting member of NRC staff attend annual public hearing to determine adequacy & effectiveness of New Jersey radiological emergency response plan.
TRAVERS,W.D. Office of Nuclear Material Safety & Safeguards. 96/04/22. TOSCH,K.W. New Jersey, State of. 1p. 88010:341-88010:341.

9604240296 Forwards water quality results for samples pulled from CO River below Atlas near Potash Road over the last yr.
MORTON,L. Utah, State of. 96/04/18. FLIGEL,M. NRC - No Detailed Affiliation Given. 9pp. 88010:259-88010:267.

9604250036 Ack receipt of University Rept of Proposed Activities in Non-Agreement States dtd 960415.Univ exempted by 10CFR170.11(a)(4) from payment of reciprocity recognition fee required by 10CFR170.31(16).
COLLINS,D.J. Region 2 (Post 820201). 96/04/10. NEWKOME,G.R. Affiliation Not Assigned. 3pp. 87996:318-87996:320.

9604250201 Comment supporting Inst of Medicine rept, "Radiation in Medicine:Need for Regulatory Reform."
ALDRICH,R. New York, State of. 61FR1648 00027. 96/04/15. COOL,D.A. Division of Industrial & Medical Nuclear Safety (Post 870729). 4pp. 87996:269-87996:272.

9604250218 Discusses draft revs to Texas Regulations for Control of Radiation Part 36 re deletion of specific number of training hours for tracer studies.
CARDWELL,C.C. Texas, State of. 96/03/29. BANGART,R.L. Document Control Branch (Document Control Desk). 5pp. 87996:277-87996:281.

9604250220 Requests rulemaking to address proposed dry fuel storage facility.
YUNDT,C.P. Portland General Electric Co. CPY-015-96. 96/04/16. STEWARTSMITH,D. Oregon, State of. 1p. 88023:266-88023:266.

9604250334 EN-95-065A:on 960319,notice of proposed imposition of civil penalty in amount of $5,000 issued to Testco,Inc.Action based on repeated deliberate failure to comply w/requirement in 10CFR150.20 to file NRC Form-241.
DELMEDICO,J., LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-101. 96/03/19. 1p. 88031:003-88031:003.

9604250436 Ack receipt of 960329 ltr informing NRC of steps taken to correct violations noted in insp rept 15000004/95-07.
HOWELL,L.L. Region 4 (Post 820201). 96/04/23. BRUNSING,T. Affiliation Not Assigned. 3pp. 87996:331-87996:341.

--9604250445 Responds to NRC 960202 ltr re violations noted in insp rept 15000004/95-07.Corrective actions:submitted application & two addendums for new license.
GRAFF,A.H. Affiliation Not Assigned. 96/03/29. * Document Control Branch (Document Control Desk). 1p. 87996:334-87996:341.

9604260143 "Quarterly Hazadous Waste Rept - General Info." W/960416 ltr.
BELLES,T.D. Pennsylvania Power & Light Co. PLES-5795. 96/03/31. 4pp. 88026:350-88026:353.

9604260211 Requests renewal of License SNM-1097,requesting current conditions of license remain same unless affected by contents of application.
KLAPPROTH,J.F. General Electric Co. 95/06/12. HADEN,J.R. North Carolina, State of. 8pp. 88025:339-88025:346.

9604260215 Requests that earlier NRC license document & application form,DFS5200,submitted in support of NRC license renewal request be placed w/encl more current info.
REDA,R.J. General Electric Co. 96/04/17. PADGETT,J.A. North Carolina, State of. 5pp. 88025:347-88025:351.

9604290086 Comment on misc rule re Natl Academy of Sciences,Institute of Medicine review of NRC medical regulatory program. Approach where acceptability of regulations determined by review process dominated by representatives,hard to support.
ORTCIGER,T.W. Illinois, State of. 61FR1648 00031. 96/04/19. THE CHAIRMAN, JACKSON,S.A. Commissioners (Post 750119). 3pp. 88021:324-88021:327.

9604290210 Forwards insp rept 15000017/95-01 on 950607-0404.Violation noted.
SCARANO,R.A. Region 4 (Post 820201). EA-96-061. 96/04/24. CALFEE,R.V. Omnitron International Corp. 5pp. 88021:212-88021:222.

--9604290249 Insp rept 15000017/95-01 on 950607-0404.Violation noted. Major areas inspected:svcs performed on remote afterloading devices,using byproduct matl,at medical facilities located in non-Agreement States & other NRC regulated locations. HOWELL,L.L. Region 4 (Post 820201). 96/04/24. 6pp. 88021:217-88021:222.

9604290228 Discusses insp rept 15000038/96-03 on 960318 & forwards notice of violation.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/19. GIARRUSSO,J.J. Affiliation Not Assigned. 2pp. 88027:269-88027:273.

--9604290236 Notice of violation from insp on 960318.Violation noted: on 960318 licensee did not post each radiation area w/conspicuous sign or signs bearing radiation caution symbol & words "CAUTION,RADIATION AREA."
* Region 1 (Post 820201). 96/04/19. 2pp. 88027:271-88027:273.

9604290296 Responds to 960229 ltr requesting written response either confirming understanding of NRC position relative to exercising regulatory control over AEA or explain NRC role & practice re matl.
GORDON,C.Z. Region 1 (Post 820201). 96/04/23. MERGES,P.J. New York, State of. 2pp. 88033:152-88033:153.

9604290297 Discusses insp rept 150-00038/96-02 on 960321 & forwards NOV.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/18. SKOROHOD,P. . 3pp. 88021:290-88021:294.

--9604290301 Notice of violation from insp on 960321.Violation noted: licensee did not post high radiation area at temporary jobsite in Canton,MA w/conspicuous sign or signs bearing radiation symbol & words "CAUTION,HIGH RADIATION AREA."
* Region 1 (Post 820201). 96/04/18. 2pp. 88021:293-88021:294.

9604290311 Discusses insp 15000019/96-02 on 960320.No violations noted.
COSTELLO,F.M. Region 1 (Post 820201). 96/04/18. FOGLE,J.L . 2pp. 88021:298-88021:299.

9604300263 Forwards modified UIC Permit NE0206369 issued to Crow Butte Resources,Inc,including Morrison Formation as injection horizon.Several parameter limitations also modified to reflect anticipated restoration activities.
HEITMANN,D. Nebraska, State of. 96/04/18. HOLONICH,J.J. Division of Waste Management (NMSS 940403). 18pp. 88060:341-88060:358.

9604300325 Ack receipt of 960325 ltr & check for listed amount in payment of civil penalty proposed by NRC in 960229 ltr. Advises of determination that civil penalty was warranted because violation appeared to have been deliberate.
LIEBERMAN,J. Ofc of Enforcement (Post 870413). EA-95-270. 96/04/29. FOLEY,A.D. . 2pp. 88036:109-88036:110.

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

9604010302 Forwards non-proprietary EPRI TR-105747, "BWR Vessel & Internals Project Guidelines for Reinspection of BWR Core Shrouds (BWRVIP-07)."
BECKMAN,J.T. Southern Nuclear Operating Co. BECKMAN,J.T. Affiliation Not Assigned. 96-134. 96/03/24. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 87719:177-87719:189.

--9604010311 EPRI TR-105747 "BWR Vessel & Internals Project Guidelines for Reinspection of BWR Core Shrouds (BWRVIP-07)."
* Electric Power Research Institute. * Structural Integrity Associates, Inc. 96/02/29. 10pp. 87719:178-87719:189.

9604010425 Forwards Rept YAEC 1931 entitled, "Seabrook Station Fixed Incore Detector Sys Extended Operation."
DIPROFIO,W.A. North Atlantic Energy Service Corp. (NAESCO). NYN-96022. 96/03/28. Document Control Branch (Document Control Desk). 2pp. 87718:271-87718:305.

--9604010430 YAEC 1931 "Seabrook Station Fixed Incore Detector Sys Extended Operations."
GORSKI,J.P., CACCIAPOUTI,R., CHAPMAN,J.R. Yankee Atomic Electric Co. 96/02/29. 34pp. 87718:273-87718:305.

9604020006 Forwards nonproprietary version of "BWR Vessel & Internals Project Evaluation of Crack Growth in BWR Stainless Steel RPV Internals (BWRVIP-14)."
BECKHAM,J.T. Southern Nuclear Operating Co. BECKHAM,J.T. . 96-147. 96/03/29. CARPENTER,C.E. Document Control Branch (Document Control Desk). 1p. 87725:091-87725:108.

--9604020008 TR-105873 Nonproprietary version of "BWR Vessel & Internals Project Evaluation of Crack Growth in BWR Stainless Steel RPV Internals (BWRVIP-140)."
* Structural Integrity Associates, Inc. * General Electric Co. * Modeling & Computer Services. 96/03/31. 17pp. 87725:092-87725:108.

9604020019 Forwards proprietary technical positions re treatment of uncertainties in blowdown cooling heat transfer & min film boiling temp in best-estimate large break LOCA methodology, addressing & resolving issues re WCAP-12945-P.Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4672. 96/03/25. JONES,R.C. Document Control Branch (Document Control Desk). 2pp. 87731:339-87731:340.

9604020053 Forwards WCAP-14484, "Analysis of Capsule V From...Beaver Valley Unit 2 RV Radiation Surveillance Program," providing technical summary of results of mechanical property tests conducted on second capsule to be withdrawn.
JAIN,S.C. Duquesne Light Co. 96/03/27. Document Control Branch (Document Control Desk). 2pp. 87734:188-87734:326.

--9604020058 WCAP-14484 "Analysis of Capsule V From DL Beaver Valley Unit 2 Reactor Vessel Radiation Surveillance Program."
GRENDYS,P.A., ANDERSON,S.L., WILLIAMS,J.F. Westinghouse Electric Corp. 96/02/29. 138pp. 87734:190-87734:326.

9604020060 Improved STS, "NUREG Changes by Affected TS."
* Excel Services Corp. 96/03/24. 64pp. 87724:158-87724:221.

9604020067 "Generic Change Process Overview Rept."
* Excel Services Corp. 96/03/24. 8pp. 87719:345-87719:352.

9604020071 "Travelers Awaiting TSTF Review."
* Excel Services Corp. 96/03/24. 3pp. 87719:358-87719:360.

9604020077 "Owners Group vs TSTF Numbers."
* Excel Services Corp. 96/03/24. 5pp. 87719:353-87719:357.

9604020086 "TSTF vs Owners Group Numbers."
* Excel Services Corp. 96/03/24. 3pp. 87725:303-87725:305.

9604020090 "Travelers Under Owners Group vs TSTF Consideration by Needed Date."
* Excel Services Corp. 96/03/24. 3pp. 87726:282-87726:284.

9604020103 "Travelers Under NRC Review Rept (By TSTF Number)."
* Excel Services Corp. 96/03/24. 33pp. 87722:322-87722:354.

9604020155 "TS Task Force Status Rept (By Date Received by TSTF & TSTF Number)."
* Excel Services Corp. 96/03/24. 39pp. 87719:261-87719:299.

9604020161 "Owners Group Status Rept."
* Excel Services Corp. 96/03/24. 61pp. 87719:198-87719:260.

9604020269 Advises that info submitted in Westinghouse ltr NTD-NRC-95-4610,dtd 951215 will be withheld from public disclosure,per 10CFR2.790(b)(5) & Section 103(b) of AEC of 1954.
HUFFMAN,W.C. . 96/03/27. MCINTYRE,B.A. Westinghouse Electric Corp. 3pp. 87723:359-87723:361.

9604030067 Forwards EPRI TR TR-103237,Rev 1, "EPRI MOV Performance Prediction Progam," to be placed in PDR.
SCARBROUGH,T. . 96/03/28. MCKNIGHT,J. Document Control Branch (Document Control Desk). 1p. 87741:001-87742:209.

--9604030085 Rev 1 to TR EPRI TR-103237-R1-T1,Project 3433 to, "EPRI MOV Performance Prediction Program (Non-Proprietary Version)."
* MPR Associates, Inc. 95/11/30. 600pp. 87741:002-87742:209.

9604030252 Forwards Rev 1-A to Topical Rept CEN-403, "ESFAS Subgroup Relay Test Interval Extension," final rept.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-099. 96/03/27. Document Control Branch (Document Control Desk). 1p. 87771:063-87771:118.

--9604030258 CEN-403 R1-A "ESFAS Subgroup Relay Test Interval Extension," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). 96/03/31. 43pp. 87771:064-87771:118.

9604030301 Discusses issuance of amends 176 & 56 to licenses DPR-66 & NPF-73,respectively for Beaver Valley Power Station.Amends permit sleeving of steam generator tubes at tube support plate & tubesheet regions in accordance w/rept WCAP-13483.
BRINKMAN,D.S. . TAC M85081. 96/04/01. CROSS,J.E. Duquesne Light Co. 4pp. 87722:142-87722:145.

9604040191 Forwards response to NRC questions on Topical Rept WCAP-11992, "Joint Westinghouse Owners Group/Westinghouse Program:ATWS Rule Administration Process."
VANDERBURG,V. Westinghouse Operating Plants Owners Group. OG-96-030. 96/03/28. . 12pp. 87770:344-87770:355.

9604040252 Informs NRC of process improvement streamlining & consolidating part of W neutronics code sys.Adding SPNOVA, utilizes ANC nodal expansion method routing directly eliminating normalization step & assures identical results.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4679. 96/03/29. JONES,R.C. . 2pp. 87767:358-87767:359.

9604050080 Expresses author appreciation for presentation made by T Hayslett during recent US NRC/Natl Mining Assoc workshop.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 96/03/20. CARIER,P. Tennessee Valley Authority. 1p. 87807:210-87807:210.

9604050098 Forwards MAAP 4.0 parameter file,used to compute average & peak SG tube temps that occurred during severe accident sequence for SG secondary side depressurized & pressurized cases.
STEININGER,D.A. Electric Power Research Institute. 95/12/08. REED,T. NRC - No Detailed Affiliation Given. 104pp. 87775:001-87775:104.

9604050138 Vol 1:Theory Manual, "Iodine Spiking Model for Pressurized Water Reactor Analysis."
LEWIS,B.J., IGLESIAS,F.C. Affiliation Not Assigned. 95/10/31. 78pp. 87775:105-87775:182.

9604050153 Forwards ltr from contractor re MAAP results for hot leg flow.
STEININGER,D.A. Electric Power Research Institute. 96/01/27. REED,T. NRC - No Detailed Affiliation Given. 6pp. 87774:354-87774:359.

9604050172 Forwards I-code files & Rev 1 of draft final rept, "Empirical Study of Iodine Spiking in PWR Power Plants," TR-103680.
STEININGER,D.A. Electric Power Research Institute. 95/11/22. REED,T. NRC - No Detailed Affiliation Given. 1p. 87774:190-87774:305.

--9604050196 TR-103680 DRFT Rev 1 to EPRI Draft Final Rept TR-103680, "Empirical Study of Iodine Spiking in PWR Power Plants," Nov 1995.
POSTMA,A.K., STEININGER,D.A. Electric Power Research Institute. 95/11/30. 116pp. 87774:191-87774:305.

9604080112 Documents 960327 telcon re GE procedure for calculation of safety limit min critical power ratio.
REDA,R.J. General Electric Co. RJR-96-034. 96/03/29. PHILLIPS,L.E. Document Control Branch (Document Control Desk). 2pp. 87814:311-87814:312.

9604080308 Forwards Rev 2 to non-proprietary WCAP-14558, "Consumers Power Co Palisades Surveillance Specimen Annealing Recovery Program."
SMEDLEY,R.W. Consumers Power Co. 96/04/02. Document Control Branch (Document Control Desk). 11pp. 87825:236-87825:353.

--9604080318 WCAP-14558 R02 Non-proprietary "Consumers Power Co Palisades Surveillance Specimen Annealing Recovery Program."
BOYLE,D.E., WILLIAMS,J.F., TEREK,E. Westinghouse Electric Corp. 96/02/29. 107pp. 87825:247-87825:353.

9604080397 Application for amends to licenses DPR-62 & DPR-71,revising TS to allow uprate of facilities to 105% of rated thermal power.Proprietary & nonproprietary versions of GE "Power Uprate SAR for BSEP..." encl.Proprietary GE rept withheld.
CAMPBELL,W.R. Carolina Power & Light Co. BSEP 96-0123. 96/04/02. Document Control Branch (Document Control Desk). 27pp. 87826:001-87826:091.

--9604080403 NEDO-32466 S01 Nonproprietary version of Suppl 1 to "Power Uprate SAR for BSEP Units 1 & 2."
BALL,M.E. General Electric Co. HELME,R.E. Carolina Power & Light Co. 96/03/31. 15pp. 87826:077-87826:091.

9604090072 TS Change 96-01 to licenses DPR-77 & DPR-79,allowing use of nuclear fuel provided by Framatome Cogema Fuels (FCF). Proprietary & nonproprietary versions of FCF TR supporting TS Change 96-01 encl.Proprietary version of TR withheld.
SHELL,R.H. Tennessee Valley Authority. 96/04/04. Document Control Branch (Document Control Desk). 3pp. 87827:001-87829:043.

--9604090094 Forwards proprietary Topical Rept BAW-10220P, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2." Proprietary rept withheld (ref 10CFR2.790).
TAYLOR,J.H. Framatome Cogema Fuels (formerly B&W Fuel Co.),. JHT/96-20. 96/03/05. Document Control Branch (Document Control Desk). 396pp. 87827:090-87828:121.

--9604090100 BAW-10220NP R00 Nonproprietary TR, "Mark-BW Fuel Assembly Application for Sequoyah Nuclear Units 1 & 2."
* Framatome Cogema Fuels (formerly B&W Fuel Co.),. 96/03/31. 286pp. 87828:122-87829:043.

9604090236 Forwards proprietary & nonproprietary versions of Rev 1 to TRs CE NPSD-985-P & CE NPSD-985-NP, "Crediting Soluble Boron in LWR SFPs," respectively.Proprietary version of TR withheld per 10CFR2.790.
PILMER,D.F. C-E Operating Plants Owners Group. CEOG-96-131. 96/04/05. Document Control Branch (Document Control Desk). 6pp. 87820:315-87820:356.

--9604090263 CE NPSD-985-NP Nonproprietary "Crediting Soluble Boron in LWR SFPs," final rept.
* ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.).
* ASEA Brown Boveri, Inc. 96/03/31. 35pp. 87820:321-87820:356.

9604090326 Notification of 960411 meeting w/RG&E,in Rockville,MD to discuss staff implementation of Westinghouse WCAP 14040, methodology for resubmittal of pressure temp limits rept requiring NRC approval.
JOHNSON,A.R. .96/04/05. SHANKMAN,S.F. . 4pp. 87810:134-87810:137.

9604090375 Notification of 960328 meeting w/B&WOG,in Rockville,MD to discuss potential once through steam generating tube cracking problem.Agenda encl.
SCALETTI,D. . 96/03/21. QUAY,T.E. . 4pp. 87810:116-87810:119.

9604100221 Forwards proprietary rept NEDC-32538P-A, "Determination of Limiting Cold Water Event," as requested in NRC 960105 ltr. Rept includes NRC SE & published per NUREG-0390.Rept withheld per 10CFR2.790.
REDA,R.J. General Electric Co. RJR-96-025. 96/02/28. JONES,R.C. . 5pp. 88103:235-88103:239.

9604110150 Forwards nonproprietary Rev 1 to TR WCAP-14557, "CPC Reactor Neutron Fluence Measurement Program...Cycle 1 Through 11" & proprietary AEA Technology (AEA) Rept AEAT-0121, "Fluence Calculations...." Proprietary AEA rept withheld.
SMEDLEY,R.W. Consumers Power Co. 96/04/04. Document Control Branch (Document Control Desk). 19pp. 87862:001-87862:285.

--9604110152 WCAP-14557 R01 Nonproprietary "Consumers Power Co Reactor Vessel Neutron Fluence Measurement Program for Palisades Nuclear Plant - Cycles 1 Through 11."
PEROCK,J.D., ANDERSON,S.L., BRASSART,G.A. Westinghouse Electric Corp. 96/03/31. 266pp. 87862:020-87862:285.

9604110225 Second partial response to FOIA request for documents. Forwards documents listed in App B.Documents will be placed in PDR.
REED,C.A. Division of Freedom of Information & Publications Services (Post 940714). 96/02/13. DEKOK,D. Affiliation Not Assigned. 46pp.

--9604150227 Ack of receipt of 721229 General Electric Co Topical Rept, "Densification Considerations in BWR Fuel Design & Performance." Rept fulfills requirements of 721120 request for info.
SIMS,R.H. Jersey Central Power & Light Co. 73/01/18. GIAMBUSSO,A. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 2pp.

--9604160461 Documents encl questions raised as result of review of generic rept NEDM-10735, "Densification Considerations in BWR Fuel Design & Performance."
BOYD,R.S. Atomic Energy Commission, Deputy Director for Reactor Projects (720101-750118). 73/03/14. HINDS,J.A. General Electric Co. 4pp.

9604120244 Notification of 960416 meeting w/Asea Brown Boveri-Combustion Engineering in Rockville,MD to discuss status of advanced fuel program including,advanced grid designs,high burnup fuel & advanced cladding alloys.
MAGRUDER,S.L. . 96/04/10. QUAY,T.R. . 2pp. 87861:354-87861:355.

9604150086 Forwards addl supplemental info re request for amend to TSs on reactor recirculation sys adjustable speed drive upgrade.
PARRISH,J.V. Washington Public Power Supply System. GO2-96-075. 96/04/04. Document Control Branch (Document Control Desk). 15pp. 87886:001-87886:262.

--9604150097 "Retrofitting Util Power Plant Motors for Adjustable Speed Field Test Program."
* Electric Power Research Institute. 90/12/31. 297pp. 87886:038-87886:262.

9604150150 Application for amends to licenses NPF-11 & NPF-18, reflecting transition of fuel supplier from GE to Siemens Power Corp.Nonproprietary & proprietary versions of EMF-94-217,Rev 1 repts encl.Proprietary rept withheld.
QUERIO,R.E. Commonwealth Edison Co. 96/04/08. Document Control Branch (Document Control Desk). 30pp. 87956:001-87956:192.

--9604150187 EMF-94-217(NP) R01 "Boiling Water Reactor Licensing Methodology Summary."
HERSHBERGER,D.E Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 95/11/30. 72pp. 87956:117-87956:192.

9604160079 Forwards supplemental info to support minor rev to Topical Rept DPC-NE-1004, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."
TUCKMAN,M.S. Duke Power Co. 96/04/09. Document Control Branch (Document Control Desk). 7pp. 87914:340-87914:347.

9604160096 Forwards trip rept to Westinghouse Waltz Mill facility during wk of 951023 re W steam generator eddy current insp operations.
STROSNIDER,J.R. . 96/04/03. TURLEY,G.M. Westinghouse Electric Corp. 8pp. 87894:279-87894:288.

9604160108 Notification of 960417 meeting w/util in Rockville,MD to discuss safety related issues due to methodology changes.
WU,S.L. . 96/04/02. JONES,R.C. . 2pp. 87899:229-87899:230.

9604160185 Summary of 960214 meeting w/EPRI & industry to receive briefing on SG issues.List of attendees & presentation slides encl.
DEMBEK,S. . 96/04/03. HEBDON,F. . 115pp. 87898:001-87898:113.

9604160316 Forwards proprietary SER & associated draft technical evaluation rept re NRC/INEL review of Westinghouse WCOBRA/TRAC best estimate LOCA analysis methodology.Encl withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4659. 96/03/05. JONES,R.C. Document Control Branch (Document Control Desk). 3pp. 87900:325-87900:327.

9604170058 Informs of 960403 meeting w/util in Rockville,MD to discuss scheduling of reviews,stress,corrosion cracking,crack mitigation & nondestructive exam.
CARPENTER,C.E. . 96/04/02. STROSNIDER,J.R. . 3pp. 87918:285-87918:287.

9604170138 Summary of 960229 meeting w/DOE,Univ of CA at Santa Barbara & W re risk oriented accident analysis methodology.
PALLA,R.L. . 96/03/07. BERLINGER,C.H. . 33pp. 87923:060-87923:093.

9604170471 Forwards compilation of non-proprietary versions of NRC staff comments & EPRI responses on, "EPRI MOV Performance Prediction Methodology," prepared as part of NRC review leading to SE issued on 960315.
HOSLER,J.F. Electric Power Research Institute. 96/04/05. WESSMAN,R.H. . 154pp. 87905:145-87905:298.

9604170510 Forwards non-proprietary Rev 0 to WCAP-14401, "Programmatic Level Description of AP600 Human Factors Verification & Validation Plan" & non-proprietary Rev 0 to WCAP-14396, "Man-In-The-Loop Test Plan Description."
MCINTYRE,B.A. Westinghouse Electric Corp. NSD-NRC-96-4690. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87928:155-87928:211.

--9604170515 WCAP-14401 R00 Non-proprietary "Programmatic Level Description of AP600 Human Factors Verification & Validation Plan."
KERCH,S.P., REID,J.B. Westinghouse Electric Corp. 96/04/08. 23pp. 87928:156-87928:177.

--9604170518 WCAP-14396 R00 Non-proprietary "Man-In-The-Loop Test Plan Description."
KERCH,S.P. Westinghouse Electric Corp. 96/04/08. 36pp. 87928:178-87928:211.

9604180024 Forwards proprietary presentation matl utilized at 960416 meeting w/NRC re licensing plan for full batch implementation to ABB advanced fuel.Proprietary matl withheld per 10CFR2.790.
RICKARD,I.C. ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.). RICKARD,I.C. ASEA Brown Boveri, Inc. LD-96-008. 96/04/16. Document Control Branch (Document Control Desk). 7pp. 87957:314-87957:320.

9604180158 Forwards proprietary markups to TR WCAP-13878, "Reliability Assessment of Potter & Brumfield MDR Series Relays," reflecting listed changes as discussed in 960313 telcon. Proprietary markups to TR WCAP-13878 withheld.
BUSH,L. Commonwealth Edison Co. WOG-SRT-96-005. 96/04/12. . 2pp. 87956:359-87956:360.

9604180166 Forwards proprietary "BWR Vessel & Internals Project,Reactor Pressure Vessel & Internals Exam Guidelines (BWRVIP-03), Section 6A,Stds for Visual Indp of Core Spray Piping, Spargers & Associated Components." Encl withheld.
BECKHAM,J.T. Southern Nuclear Operating Co. BECKHAM,J.T. Affiliation Not Assigned. 96-191. 96/04/16. CARPENTER,C.E. Document Control Branch (Document Control Desk). 2pp. 87956:354-87956:358.

--9604180190 Requests that proprietary "BWR Vessel & Internals Project, Reactor Pressure Vessel & Internals Exam Guidelines (BWRVIP-03),Section 6A,Stds for Visual Insp of Core Piping, Spargers & Associated...," be withheld,per 10CFR2.790(a)(4).
KENNY,A. Electric Power Research Institute. 96/04/16. Document Control Branch (Document Control Desk). 3pp. 87956:356-87956:358.

9604180186 Forwards YAEC-1932, "Maine Yankee Containment Analysis Methods Summary Rept."
HERBERT,J.R. Maine Yankee Atomic Power Co. MN-96-48. 96/04/12. Document Control Branch (Document Control Desk). 1p. 87956:262-87956:321.

--9604180217 YAEC-1932 "Maine Yankee Containment Analysis Methods Summary Rept."
* Yankee Atomic Electric Co. 96/04/12. 59pp. 87956:263-87956:321.

9604190280 Application for amend to license NPF-30,revising TS 3/4.4.5, "SGs" & 3.4.6.2, "Operational Leakage" & associated bases to address installation of laser welded tube sleeves in plant SGs.Supporting proprietary TR encl.Proprietary TR withheld.
SCHNELL,D.F. Union Electric Co. ULNRC-3357. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87962:001-87962:219.

--9604190289 Requests that proprietary WCAP-14596, "Laser Welded Elevated Tubesheet Sleeves for Westinghouse Model F SGs Generic Sleeving Rept" be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. CAW-96-940. 96/04/03. RUSSELL,W.T. Document Control Branch (Document Control Desk). 12pp. 87962:047-87962:058.

–9604190294 WCAP-14597 Nonproprietary "Laser Welded Elevated Tubesheet Sleeves for Westinghouse Model F SGs Generic Sleeving Rept."
* Westinghouse Electric Corp. SG-96-03-010. 96/03/31. 160pp. 87962:059-87962:219.

9604220033 Forwards 960223 ltr & SE re resolution of bulletin 88-08, "Thermal Stresses in Piping Connected to RCS" & informs that NRC to delay placement of subj documents in PDR for thirty day period pending comment on document proprietary aspects.
ALEXION,T.W. . TAC M93822. 96/04/16. KENNY,A. Electric Power Research Institute. 3pp. 87933:317-87933:319.

9604220045 Forwards nonproprietary Topical Rept NEDO-32176, "Licensing Topical Rept TRACG Model Description."
QUINN,J.E. General Electric Co. MFN 009-96. 96/03/29. QUAY,T.R. . 1p. 87984:001-87985:021.

–9604220047 NEDO-32176 Nonproprietary "Licensing Topical Rept TRACG Model Description."
SHIRALKAR,B.S., CONGDON,S.P., SOZZ,G.L. General Electric Co. 96/03/31. 250pp. 87984:002-87985:021.

9604220200 Application for amend to license NPF-30,changing TS 3/4.4, "RCS" & associated bases to address installation of electrosleeves in Callaway Plant SGs.Info re installation process in TR BAW-10219P,Rev 1 dtd Mar 1996 withheld.
SCHNELL,D.F. Union Electric Co. ULNRC-3358. 96/04/12. Document Control Branch (Document Control Desk). 5pp. 87962:220-87962:261.

9604230016 Discusses resolution of Bulletin 88-08, "Thermal Stresses in Piping Connected to Reactor Coolant Sys," for plant Units 1 & 2.
ALEXION,T.W. . TAC M93823. 96/04/16. LIPARULO,N.J. Westinghouse Electric Corp. 3pp. 87971:001-87971:016.

–9604230024 Discusses suppl response to Bulletin 88-08 & WCAP-12598, "NRC Bulletin 88-08 Evaluation of Auxiliary Piping for plant Units 1 & 2." Weaknesses which form Thermal Stratification, Cycling & Striping methodology,identified.
ALEXION,T.W. . TAC M93823. 96/02/23. COTTLE,W.T. Houston Lighting & Power Co. 5pp. 87971:004-87971:008.

–9604230031 SER identifying potential weakness in Suppl 1 to WCAP-12598 & info in EPRI Thermal Stratification,Cycling & Striping rept,submitted in response to Bulletin 88-08, "Thermal Stresses in Piping Connected to RCL Sys."
* . IEB-88-008. 96/02/23. 8pp. 87971:009-87971:016.

9604230260 Forwards revised responses to RAI numbers 8,9,16,17,25 & 26 on topical rept BAW-2244, "B&WOG Generic License Renewal Program Demonstration of Mgt of Aging Effects for Pressurizer."
CRONEBERGER,D. Babcock & Wilcox Operating Plants Owners Group. OG-1584. 96/04/17. Document Control Branch (Document Control Desk). 14pp. 87998:294-87998:310.

9604240111 Forwards non-proprietary & proprietary of NRC/GE meeting re safety limit MCPR calculation.Proprietary version withheld, per 10CFR2.790.
REDA,R.J. General Electric Co. RJR-96-044. 96/04/22. PHILLIPS,L.E. Document Control Branch (Document Control Desk). 8pp. 88009:035-88009:055.

–9604240113 Non-proprietary presentation matl re determination of MCPR, safety limits for GE BWR.
* General Electric Co. 96/04/22. 13pp. 88009:043-88009:055.

9604240204 Informs that vendor will provide schedule for submittal of large break LOCA App K model changes by 960515,as discussed in 960412 telcon.
COPELAND,R.A. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. RAC:96:031. 96/04/15. THOMAS,G. . 1p. 88010:250-88010:250.

9604250390 Requests that Topical Rept WCAP-14627, "SG Tube Nondestructive Exam (NDE) Capabilities Presentation Matls," dtd Apr 1996 be withheld (ref 10CFR2.790).
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-952. 96/04/08. RUSSELL,W.T. Document Control Branch (Document Control Desk). 9pp. 88023:247-88023:255.

9604260152 Forwards non-proprietary & proprietary repts WCAP-14628 & WCAP-14627, "SG Tube Nondestructive Exam (NDE) Capabilities Presentation Matls." Proprietary rept WCAP-14627 withheld.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4686. 96/04/08. RUSSELL,W.T. Document Control Branch (Document Control Desk). 2pp. 88025:244-88025:338.

–9604260156 WCAP-14628 Non-proprietary "SG Tube Nondestructive Exam (NDE) Capabilities Presentation Matls."
* Westinghouse Electric Corp. 96/04/08. 113pp. 88025:246-88025:338.

9604290247 Summary of 960404 meeting w/ABB CE & ABB Atom,in Rockville,MD re strainer designs & tests.List of attendees encl.
MARSHALL,M.L. Generic Safety Issues Branch (Post 941217). 96/04/16. SERPAN,C.Z. Generic Safety Issues Branch (Post 941217). BERLINGER,C.H. . 28pp. 88046:292-88046:319.

9604300023 Forwards proprietary errata to Suppl 2 to Licensing Topical Rept NEDC-32339P, "Reactor Stability Long-Term Solution: Enhanced Option I-A Solution Design." Proprietary errata withheld per 10CFR2.790.
DONOVAN,K.P. BWR Owners Group. BWROG-96079. 96/04/24. Document Control Branch (Document Control Desk). 7pp. 88064:218-88064:224.

9604300124 Notification of 960417 meeting w/NSSS Owners Groups in Rockville,MD to discuss improved STS & related issues.
GRIMES,C.I. . 96/04/11. ZIMMERMAN,R.P. . 4pp. 88052:356-88052:359.

9604300260 Forwards non-proprietary Rev 0 to Topical Rept WCAP-14384, "Implementation of RPS TS Relaxation Programs."
BUSH,L., GREENE,T.V. Westinghouse Operating Plants Owners Group. OG-96-037. 96/04/24. . 3pp. 88067:074-88067:106.

–9604300262 WCAP-14384 R00 Non-proprietary "Implementation of RPS TS Relaxation Programs."
HOWARD,R.C. Westinghouse Electric Corp. 96/01/31. 31pp. 88067:077-88067:106.

9604300342 Submits list of issues to be included in agenda for meeting to discuss application of reg guide 1.99,rev 2 ratio procedure to Linde 80 reactor vessel welds.
STROSNIDER,J.R. . 96/04/10. HOWELL,D.L. Babcock & Wilcox Operating Plants Owners Group. 1p. 88053:302-88053:302.

9604300394 Forwards rept of NRC visit to W Waltz Mill facility wk of 951023 to perform audit of W SG EC insp operations.Requests W to provide summary of actions planned or taken to respond to staff conclusions in audit summary.
STROSNIDER,J.R. . 96/03/28. TURLEY,G.M. Westinghouse Electric Corp. 11pp. 88053:275-88053:285.

9604300422 Forwards proprietary & nonproprietary versions of presentation matl from NRC/Westinghouse fuel design change meeting on 960415.Proprietary presentation matl withheld from public disclosure.
LIPARULO,N.J. Westinghouse Electric Corp. NSD-NRC-96-4964. 96/04/22. JONES,R.C. . 2pp. 88066:273-88066:307.

–9604300425 Requests that proprietary presentation matl from NRC/ Westinghouse fuel design change meeting on 960415 be withheld from public disclosure per 10CFR2.790.
LIPARULO,N.J. Westinghouse Electric Corp. AW-96-955. 96/04/22. JONES,R.C. . 8pp. 88066:275-88066:282.

–9604300430 Nonproprietary version of "Modified 17x17 Vantage 5H/IFM Grid Designs & DBN Evaluation," presented at 960415 meeting on 17x17 V5H/IFM fuel design changes in Rockville,MD.
SIERADZKI,G. Westinghouse Electric Corp. 96/04/15. 25pp. 88066:283-88066:307.

WASTE MGT NUCLEAR WASTE MANAGEMENT

9604010049 "Staff Technical Position Alternate Concentration Limits for Title II U Mills,Std Format & Content Guide & Std Review Plan for Alternate Concentration Limit Applications," for Jan 1996.
* NRC - No Detailed Affiliation Given. 96/01/31. 34pp. 87700:173-87700:206.

9604020311 Forwards PMPR 96-06, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960217- 0315."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/03/29. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 87746:252-87746:284.

–9604020312 PMPR 96-06 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960217-0315."
* Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/03/29. NRC - No Detailed Affiliation Given. 31pp. 87746:254-87746:284.

9604020317 Informs that based on review of License Application Annotated Outline (3/95),NRC considers SCA open items 101, 103 & 115 closed & SCA open items 95 & 105 open for listed reasons.
AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). HLWR. 96/03/28. MILNER,R.A. Energy, Dept. of. 4pp. 87733:244-87733:247.

9604030323 Submits request for NRC concurrence on implementing two more initiatives.
RAEL,G.J. Energy, Dept. of. 96/03/27. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87752:209-87752:210.

9604050031 Forwards DWM 96-01, "U Recovery Program Policy & Guidance Directive,Staff Technical Position Alternate Concentration Limits for Title II U Mills," for Jan 1996.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/03/28. ABRAMS,C., FLIEGEL,M., GARCIA,A. NRC - No Detailed Affiliation Given. 2pp. 87775:342-87775:351.

–9604050036 "U Recovery Program Policy & Guidance Directive DWM-96-01 Staff Technical Position Alternate Concentration Limits for Title II U Mills."
HAMDAN,L., GILLEN,D., HOLONICH,J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 96/01/31. 8pp. 87775:344-87775:351.

9604050033 Forwards Audit Plan YM-ARP-96-12, "OCRWM QA Audit Plan for Audit YM-ARP-96-12 of USGS Denver,CO 960429-0503."
HORTON,D.G. Energy, Dept. of. HLWR. 96/03/29. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 87807:191-87807:196.

–9604050035 "OCRWM QA Audit Plan for Audit YM-ARP-96-12 of USGS Denver, CO 960429-0503."
KLIMAS,D.A., HORTON,D.G. Energy, Dept. of. HLWR. 96/03/28. 4pp. 87807:193-87807:196.

9604050080 Expresses author appreciation for presentation made by T Hayslett during recent US NRC/Natl Mining Assoc workshop.
HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). HLWR. 96/03/20. CARIER,P. Tennessee Valley Authority. 1p. 87807:210-87807:210.

9604050132 Responds to 960215 ltr,inviting JT Greeves to participate in low-level radwaste regulator workshop sponsored by Conference of Radiation Control Program Directors scheduled for 960324-27.
GREEVES,J.T. Office of Nuclear Material Safety & Safeguards. 96/03/20. DEVINE,T. Affiliation Not Assigned. 5pp. 87771:352-87771:358.

–9604050142 Submits invitation to J Greeves to participate in low-level radwaste regulator workshop,sponsored by Conference of Radiation Control Program Director,Inc on 960324-27.
DEVINE,T. Affiliation Not Assigned. 96/02/15. GREEVES,J. Division of Waste Management (NMSS 940403). 2pp. 87771:357-87771:358.

9604080301 Forwards Draft Generic Decommissioning Insp Plan for U Mill Sites (RFTA 96-12).
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/03/27. BRUMMET,E. Division of Waste Management (NMSS 940403). 1p. 87804:347-87804:356.

–9604080254 Draft "Generic Decommissioning Insp Plan for U Mill Sites."
* Oak Ridge Associated Universities. 96/03/27. 10pp. 87804:348-87804:356.

9604090062 Forwards rept of OCRWM QA Audit YM-ARP-96-06.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/01. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 87824:081-87824:094.

--9604090066 YM-ARP-96-06 "DOE OCRWM Ofc QA Audit Rept of CRWM Sys Mgt & Operating Contractor at LANL in Los Alamos,NM YM-ARP-96-06 960226-29."
WEEKS,R.L., HORTON,D.G. Energy, Dept. of. HLWR. 96/03/28. 12pp. 87824:083-87824:094.

9604090068 Advises team of auditors from Yucca Mountain QA Division will conduct QA audit of CRWMS M&O QA program for LLNL in Livermore,CA 960422-26.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/01. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 87824:095-87824:100.

--9604090070 "OCRWM QA Audit Plan for Audit YM-ARC-96-11 of CRWMS Mgt & Operating Contractor at LLNL in Livermore,CA 960422-26."
HUMPHRIES,C.A., HORTON,D.G. Energy, Dept. of. HLWR. 96/03/30. 4pp. 87824:097-87824:100.

9604090073 Informs that staff has evaluated responses to DR YMQAD-96-D038 & YMQAD-96-D039 & determined responses satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/01. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 87824:101-87824:105.

9604090076 Requests that corrective action to be taken & implemented to correct deficiency identified in audit rept YM-ARP-96-08.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/01. BARNES,W.E., COMPTON,J.R. . 5pp. 87824:106-87824:110.

9604090389 Concurs in addendum to suppl stds application for Koch Matls Asphalt Plant,Vicinity Property GJ-00127-CS in Grand Junction,CO,as requested on 950804.
HOLONICH,J.J. Division of Waste Management (NMSS 940403). 96/04/03. SENA,R. Energy, Dept. of. 2pp. 87831:173-87831:174.

9604090400 Requests assistance in reviewing listed repts by USGS.Repts identifies analyses & factors affecting migration of tritium & C-14 collected in test holes at USGS research site adjacent to LLW disposal facility in Betty,NV.Repts encl.
NELSON,R.A. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 96/04/01. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 87854:308-87854:339.

--9604090403 96-110 "Factors Affecting Tritium & C-14 Distributions in Unsaturated Zone Near LLW Burial Site South of Beatty,NV."
STRIEGL,R.G., PRUDIC,D.E., DUVAL,J.S. Interior, Dept. of, Geological Survey. 96/12/31. 20pp. 87854:310-87854:329.

--9604090406 95-741 "Tritium & Radioactive C-14 Analyses of Gas Collected From Unsaturated Sediments Next to LLW Burial Site South of Beatty,NV,Apr 1994 & Jul 1995."
PRUDIC,D.E., STRIEGL,R.G. Interior, Dept. of, Geological Survey. 95/12/31. 10pp. 87854:330-87854:339.

9604090426 Forwards 960229 Issue Resolution Status Rept,documenting technical bases for finding that sufficient info exists to demonstrate that potentially adverse condition-evidence of extrim erosion absent at Yucca Mountain.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 96/03/08. CROWLEY,K.D. National Research Council. 3pp. 87810:072-87810:091.

9604110155 Informs that,as requested by NRC,DOE prepared & provided to NRC rock sample from proposed Yucca Mountain repository horizon.DOE have confirmation from C Glenn that rock sample received by NRC's CNWRA on 960319.
BROCOUM,S.J. Energy, Dept. of. HLWR. 96/04/04. BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 87859:248-87859:249.

9604120178 Forwards trip rept describing presentations at Geological Society of America South-Central Section meeting on 960312 in Austin,TX.
PEARCY,E.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/03/26. COLEMAN,N. NRC - No Detailed Affiliation Given. 62pp. 87876:001-87876:062.

9604120213 Draft public comment version of "Branch Technical Position on Use of Expert Elicitation in High-Level Radwaste Program."
KOTRA,J.P., LEE,M.P., EISENBERG,N.A. Performance Assessment & Hydrology Branch (NMSS 940403). 96/02/29. 58pp. 87859:253-87859:311.

9604150041 Responds to 960305 ltr to JJ Holonich which provided rept by WY State Geologic Survey,noting concerns that WSGS & others had w/seismic design assumptions NRC may adopt.
PAPERIELLO,C.J. Office of Nuclear Material Safety & Safeguards. 96/04/05. GERINGER,J. Wyoming, State of. 4pp. 87903:318-87903:331.

--9604150078 Informs of concerns to 1994 rept for agency prepared by LLNL re protection of State citizenry & most appropriate & cost-effective std be selected,especially given remoteness of sites.
GERINGER,J. Wyoming, State of. 96/03/05. HOLONICH,J.J. Low-Level Waste & Uranium Recovery Projects Branch. 2pp. 87903:322-87903:331.

9604150267 Forwards Rev 0 to "Site Remediation Plan for Former Brooks & Perkins,Inc Site AAR Mfg Group,Inc Livonia,MI," for Apr 1996.
PULSIFER,H.A. Affiliation Not Assigned. 96/04/08. BUCKLEY,J. Low-Level Waste & Decommissioning Projects Branch (NMSS 940403). 1p. 87892:001-87893:053.

--9604150276 Rev 0 to "Site Remediation Plan for Former Brooks & Perkins, Inc Site AAR Mfg Group,Inc Livonia,MI."
* B. Koh & Associates, Inc. 96/04/08. 132pp. 87892:003-87892:134.

--9604150282 Rev 0 to "Site Characterization Rept Former Brooks & Perkins Inc Site AAR Mfg Group,Inc Livonia,MI."
* B. Koh & Associates, Inc. 96/04/08. 250pp. 87892:135-87893:053.

9604150313 Forwards Project Interface Document (PID) 14-S-07,revising subcontract specification Section 02278.
WOODWORTH,L.A. Energy, Dept. of. 96/04/05. CARLSON,R. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 3pp. 87913:354-87913:356.

9604160263 Informs that staff has verified corrective action to DR YMQAD-95-D017 & determined results to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/11. CRAIG,R.W. Interior, Dept. of, Geological Survey. 8pp. 87887:224-87887:231.

9604160432 Informs that DOE evaluated response to DR YMQAD-96-D042, resulting from DOE QA Div Audit HQ-ARC-96-01 & determined that response satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/09. FOUST,L.D. TRW Environmental Safety Systems, Inc. 7pp. 87923:114-87923:120.

9604160437 Informs that DOE verified corrective action to DR YMQAD-96-D027 resulting from Yucca Mountain QA Div Audit YM-ARC-96-03 of Kiewit/Parson's Brinckerhoff & determined results to be satisfactory.DR considered closed.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/09. FOUST,L.D. TRW Environmental Safety Systems, Inc. 11pp. 87923:121-87923:131.

9604160439 Informs that DOE evaluated response & verified corrective action to DR YMQAD-96-040 resulting from DOE QA Div Audit YM-ARC-96-01 & determined results to be satisfactory.DR considered closed.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/08. FOUST,L.D. TRW Environmental Safety Systems, Inc. 4pp. 87941:338-87941:341.

9604160443 Informs of verification of corrective action & closure of DR YMQAD-96-D026 resulting from Yucca Mountain QA Div Audit YM-ARC-96-03 of Kiewit/Parson's Brinckerhoff.Results satisfactory & DR considered closed.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/05. FOUST,L.D. TRW Environmental Safety Systems, Inc. 6pp. 87923:132-87923:137.

9604170028 Forwards Corrective Action Request YMQAD-96-C004 resulting from Yucca Mountain QA Div Audit YM-ARC-96-10 of USGS.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/10. CRAIG,R.W. Interior, Dept. of, Geological Survey. 10pp. 87959:338-87959:347.

9604170277 Forwards Rev 0 to DOE/AL/62350-228, "Long-Term Surveillance Plan for South Clive Disposal Site,Clive,UT," for Mar 1995.
HAMP,S.A. Energy, Dept. of. 96/04/11. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87948:178-87948:216.

--9604170279 Rev 0 to DOE/AL/62350-228, "Long-Term Surveillance Plan for South Clive Disposal Site,Clive,UT."
* Jacobs Engineering Group, Inc. 96/03/31. 40pp. 87948:179-87948:216.

9604170353 Forwards DOE/ID/12584-245, "1995 Annual Prelicensing Insp of Falls City,TX,UMTRA Project Disposal Site," for Feb 1996.
WOODWORTH,L.A. Energy, Dept. of. 96/04/05. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 1p. 87961:188-87961:221.

--9604170359 DOE/ID/12585-245 "1995 Annual Prelicensing Insp of Falls city,TX,UMTRA Project Disposal Site." W/one oversize drawing.
GOODKNIGHT,C. Affiliation Not Assigned. 96/02/02. 30pp. 87961:189-87961:221.

9604180343 Informs of address change.
* Energy, Dept. of. HLWR. 96/04/15. SPRAUL,J. Document Control Branch (Document Control Desk). 2pp. 87960:268-87960:268.

9604220060 Forwards "OCRWM QA Program Trend Rept for First Quarter of FY96," covering period from Jan-Dec 1995.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/15. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 2pp. 87990:236-87990:245.

--9604220066 "OCRWM QA Program Trend Rept for First Quarter of FY96."
* Energy, Dept. of. HLWR. 96/04/15. 8pp. 87990:238-87990:245.

9604220083 Submits corrective action document status rept for month of Mar 1996,including currently open significant conditions adverse to quality,corrective action document status tables & open corrective action document status rept for Mar 1996.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/16. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 49pp. 87997:209-87997:257.

9604220363 Forwards Audit Rept YM-ARP-96-07, "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept of Civilian Radwaste Mgt Sys Mgt & Operating Contractor at Las Vegas,NV & Sandia Natl Labs at Albuquerque," conducted on 960226-0301.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/12. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 87990:334-87990:352.

--9604220370 YM-ARP-96-07 "US DOE Ofc of Civilian Radwaste Mgt Ofc of QA Audit Rept of Civilian Radwaste Sys Mgt & Operating Contractor at Las Vegas,NV & Sandia Natl Labs at Albuquerque,NM."
THREATT,D.C., HORTON Energy, Dept. of. HLWR. 96/04/10. 17pp. 87990:336-87990:352.

9604220375 Forwards Issuance of Corrective Action Request (CAR) YMQAD-96-C005 resulting from Yucca Mountain QA Div (YMQAD) Audit YM-ARC-96-10 of US Geological Survey.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/12. CRAIG,R.W. Interior, Dept. of, Geological Survey. 5pp. 87991:341-87991:345.

9604220380 Forwards Issuance of Deficiency Repts (DR) YMQAD-96-D048 Through YMQAD-96-D051 & Performance Repts (PR) YMQAD-96-P024 & YMQAD-96-P025 resulting from Yucca Mountain QA Div (YMQAD) Audit YM-ARC-96-10 of US Geological Survey.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/12. CRAIG,R.W. Interior, Dept. of, Geological Survey. 13pp. 87991:346-87991:358.

9604220384 Verifies Corrective Actions & Closure of Deficiency Repts (DR) YMQAD-96-D005 & YMQAD-96-D006 & Performance Rept (PR) YMQAD-96-P001 resulting from Ofc of QA (OQA) Supplier Audit OQA-SA-95-003 of Dubose Natl Energy Svcs.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/12. FOUST,L.D. TRW Environmental Safety Systems, Inc. 14pp. 87992:325-87992:338.

9604220395 Forwards Rev 0 to DOE/AL/62350-215, "Site Observational Work Plan for UMTRA Project Site at Grand Junction,CO."
METZLER,D. Energy, Dept. of. 96/04/08. HOLONICH,J.J. High-Level Waste & Uranium Recovery Projects Branch (NMSS 940403). 2pp. 87985:022-87985:209.

--9604220399 Rev 0 to DOE/AL/62350-215, "Site Observational Work Plan for UMTRA Project Site at Grand Junction,CO."
* Jacobs Engineering Group, Inc. 96/03/31. 186pp. 87985:024-87985:209.

9604230104 Forwards const plans,profiles & specs & DOE analysis of request received from property owner of Vitro processing site,Central Valley Water Reclamation Facility,to construct 42-inch sewer line across site.
ARP,S.J. Energy, Dept. of. 96/04/18. HOLONICH,J.J. Office of Nuclear Material Safety & Safeguards. 45pp. 88000:292-88000:336.

9604250041 Submits NRC on-site licensing representative rept on Yucca Mountain Project for March 1996.
BELKE,W., GLENN,C. Office of Nuclear Material Safety & Safeguards. HLWR. 96/04/10. AUSTIN,J.H. Performance Assessment & Hydrology Branch (NMSS 940403). 38pp. 88004:301-88004:339.

9604250057 Requests that NRC review revised draft of Generic Insp Plan for U Mill Sites & provide addl comments needed.
ABELQUIST,E.W. Oak Ridge Associated Universities. 96/04/16. BRUMMETT,E. Division of Waste Management (NMSS 940403). 9pp. 87997:334-87997:342.

9604250110 Forwards rept of OCRWM QA Audit YM-ARP-96-09.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/17. FOUST,L.D. TRW Environmental Safety Systems, Inc. 2pp. 88031:009-88031:023.

-9604250113 YM-ARP-96-09 "DOE OCRWM QA Audit Rept Mgt & Operating Contractor at Kiewit/Parsons Brinckerhoff in Las Vegas,NV 960325-29."
AUER,P.V., HORTON,D.G. Energy, Dept. of. HLWR. 96/04/17. 13pp. 88031:011-88031:023.

9604250395 Summarizes results of NRC - DOE quality meeting on 960415, held by videoconference in Las Vegas,NV & Washington,DC re DOE proposed response to NRC concerns expressed in 960318 ltr re Rev 5 of DOE/RW-0333P,dtd 951002.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/04/19. MILNER,R.A. Energy, Dept. of. 17pp. 88031:028-88031:044.

9604250400 Forwards paper, "Effects of Ventilation & Backfill on Underground Nuclear Waste Repository."
BACA,R.G. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/03/28. WESCOTT,R. Division of Waste Management (NMSS 940403). 33pp. 88031:045-88031:077.

9604260075 Ack receipt of rock sample obtained from proposed repository hoorizon within Exploratory Studies Facility.Sample shipped to CNWRA for studies re potential microbiologically influence corrosion of candidate waste package matls.
BELL,M.J. Engineering & Geosciences Branch (NMSS 940403). HLWR. 96/04/23. BROCOUM,S.J. Energy, Dept. of. 2pp. 88031:096-88031:097.

9604260104 Notification of 960508 meeting w/DOE in Washington,DC & Las Vegas,NV to discuss items of mutual interest re HLW repository program.Agenda encl.
WASTLER,S.L. Division of Waste Management (NMSS 940403). HLWR. 96/04/24. THOMA,J.O. Division of Waste Management (NMSS 940403). 3pp. 88031:108-88031:110.

9604300116 Documents resolution (closure) of NRC open item re qualification of scientific methods transmitted to DOE as attachment to observation audit rept encl w/NRC 951115 ltr.
AUSTIN,J.H. Division of Waste Management (NMSS 940403). HLWR. 96/04/08. MILNER,R.A. Energy, Dept. of. 2pp. 88065:359-88065:360.

9604300277 Forwards rept of OCRWM QA Audit YM-ARP-96-08.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/26. SPRAUL,J.G. NRC - No Detailed Affiliation Given. 2pp. 88066:077-88066:095.

-9604300280 YM-ARP-96-08 "DOE OCRWM Ofc QA Audit Rept of Yucca Mountain Site Characterization Ofc at Las Vegas,NV 960318-22."
HODGES,K.A., HORTON,D.G. Energy, Dept. of. 96/04/24. 17pp. 88066:079-88066:095.

9604300282 Forwards audit rept of Satec Sys,Inc,performed on 960327- 28.
HORTON,D.G. Energy, Dept. of. HLWR. 96/04/25. CRAIG,R.W. Interior, Dept. of, Geological Survey. 2pp. 88066:096-88066:101.

-9604300287 OQA-SA-96-013 "DOE OCRWM Ofc of QA Supplier Audit Rept of Satec Sys,Inc in Grove City,PA Rept Number OQA-SA-96-013 960327-28."
KLIMAS,D.A., HORTON,D.G. Energy, Dept. of. 96/04/18. 4pp. 88066:098-88066:101.

9604300291 Informs that staff has evaluated response to DR YMQAD-96-D041 & response has been determined to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/25. FOUST,L.D. TRW Environmental Safety Systems, Inc. 5pp. 88066:102-88066:106.

9604300303 Informs that staff has evaluated amended verification info response DR YMQAD-95-D016 & determined response to be satisfactory.
SPENCE,R.E. Energy, Dept. of. HLWR. 96/04/25. CRAIG,R.W. Interior, Dept. of, Geological Survey. 7pp. 88066:107-88066:113.

9604300320 Forwards CNWRA program manager's periodic rept for period 960316-0412.
STILTENPOLE,B. NRC - No Detailed Affiliation Given. HLWR. 96/04/29. AUSTIN,J. Performance Assessment & Hydrology Branch (NMSS 940403). BELL,M., BRADBURY,J. Engineering & Geosciences Branch (NMSS 940403). 2pp. 88066:114-88066:149.

-9604300322 Forwards PMPR 96-07, "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960316- 0412."
PATRICK,W.C. Center for Nuclear Waste Regulatory Analyses. NRC-02-93-005. HLWR. 96/04/26. LINEHAN,J.J. Program Management, Policy Development & Analysis Staff (Post 870413). 2pp. 88066:116-88066:117.

-9604300324 PMPR 96-07 "CNWRA Program Manager's Periodic Rept on Activities of CNWRA for Fiscal Reporting Period 960316-0412."
* Center for Nuclear Waste Regulatory Analyses. HLWR. 96/04/26. NRC - No Detailed Affiliation Given. 32pp. 88066:118-88066:149.

9604300329 Forward list of candidate sites for long-term institutional control & DOE custody dependent upon outcome of EISs & license reviews.
WEBER,M.F. Division of Waste Management (NMSS 940403). 96/04/04. VIRGONA,J. Energy, Dept. of. 4pp. 88067:150-88067:153.

XPORTLIC EXPORT AND IMPORT LICENSES

9604010019 Forwards application for license to export low enriched U for use as reload fuel for Shimane Unit 1.Ltr of assurance requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/22. DELABARRE,R. State, Dept. of. 1p. 87721:251-87721:254.

-9604020427 Application for license to export U-235 to Japan.
* Affiliation Not Assigned. 96/03/22. 3pp. 87721:252-87721:254.

9604010050 Forwards application for amend to export license XSNM-2739, to increase quantity of matl to be used as reload fuel in JMTR research reactor.Assurances from Govt of Japan requested.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/22. DELABARRE,R. State, Dept. of. 2pp. 87710:248-87710:253.

-9604010059 Amend 3 to export license XSNM-2739 to increase quantity of matl to be used as reload fuel in JMTR research reactor.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/22. 3pp. 87710:250-87710:253.

9604020355 Forwards application for export license for low enriched U for use in nuclear power reactors.Ltr of assurance requested.W/o encl.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/22. DEDIK,T. Energy, Dept. of. 1p. 87725:284-87725:287.

9604080070 Discusses 951215 ltr re export license application XSNM-2911 requesting DOE obtain EURATOM assurances matl proposed for for export be under terms & conditions of agreement for cooperation.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/03. DEDIK,T. Energy, Dept. of. 4pp. 87771:041-87771:044.

9604080080 Forwards 960327 ltr from Poco Graphite,Inc requesting amend to export license XMAT-0326 extending expiration date from 960421 to 980314 & revising license conditions.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. DELABARRE,R. State, Dept. of. 1p. 87771:045-87771:048.

-9604080086 Informs Item I of request should be disregarded & license extension should remain at 750 short tonnes.
DODSON,D.H. Poco Graphite, Inc. 96/04/04. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87771:046-87771:046.

-9604080096 Requests extension of existing license w/listed amends.
DODSON,D.H. Poco Graphite, Inc. 96/03/27. WRIGHT,B. Office of International Programs (Post 911117). 2pp. 87771:047-87771:048.

9604080082 Recommends that facility license be issued re 960319 ltr, which requested Executive Branch views as to whether issuance of export license IAW application hereinafter described,meets applicable criteria of AEA of 1954.
STRATFORD,R.J. Senate. 96/04/01. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 87782:356-87782:356.

9604080097 Forwards application for export license,dtd 941205 requesting authority to export 500,000 kg U to Euratom in form of UF6 for ultimate use as fuel in light-water power reactors located within Euratom & US.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/03. DEDIK,T. Energy, Dept. of. 1p. 87782:357-87782:361.

9604080101 Forwards 960319 DOE ltr requesting amend to export license XSNM2888 to extend expiration date from 951231 to 991231. License involves export of 250,000 mg U/49,500.0 mg enriched U-235.Requests assistance in obtaining necessary assurances.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/27. DEDIK,T. Energy, Dept. of. 1p. 87782:322-87782:326.

-9604080108 Application for amend,extending expiration date from 951231 to 981231 re export of 250,000.0 mg enriched U-235.
BOYD,L.W. Energy, Dept. of. 96/03/19. WRIGHT,B.L. Office of International Programs (Post 911117). 4pp. 87782:323-87782:326.

9604080105 Forwards repts listing all NRC export cases which had been completed,received or pending during March 1996.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. DELABARRE,R. State, Dept. of. 9pp. 87782:281-87782:297.

9604080106 Forwards application for license XSNM-2923 to export U as UF6 to Japan.Application fee paid.
FISK,R.H. Edlow International Co. 96/03/29. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87800:266-87800:267.

-9604080109 Application for license to export UF6 to Japan.
FISK,R.H. Edlow International Co. KLK-108. 96/03/29. 1p. 87800:267-87800:267.

9604080116 Forwards DOE application for export license XR-0164 for determination as to whether requested export meets applicable criteria in 1954 AEA.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. DELABARRE,R. State, Dept. of. 1p. 87800:270-87800:272.

-9604080124 Application for license to export reactor essentials to Columbia.
WOLFSTHAL,J.B. Energy, Dept. of. 96/03/28. HAUBER,R. Assistant Director for Exports, Security & Safety Cooperation. 2pp. 87800:271-87800:272.

9604080122 Informs that export of matl authorized by license will now be managed by Siemens Power Co.Licensee will not participate in export & should no longer be noted on license.Requests that license be transferred to Siemens Power Corp.
FISK,R.H. Edlow International Co. 96/03/29. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87771:053-87771:054.

-9604080150 Informs that Siemens Power Corp listed as party to export will be responsible for export of matl.New licensee should be Siemens Power Corp.
NOSS,D.L. Siemens Corp. DLN:96:023. 96/03/20. HAUBER,R.D. Office of International Programs (Post 911117). 1p. 87771:054-87771:054.

9604080152 Forwards repts listing all NRC export cases completed, received,or pending during month of Feb 1996.Informs that four cases completed,seven new applications or amend requests received & 80 cases pending as of 960229.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/29. DELABARRE,R. State, Dept. of. 8pp. 87782:266-87782:280.

9604080155 Forwards export license application from General Electric Co,dtd 960321,for export of one ultrasonic weld insp sys for use in ENUSA fuel fabrication facility in Spain.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/26. DELABARRE,R. State, Dept. of. 1p. 87782:344-87782:346.

9604080164 Forwards application for export license XSNM-2924,recently received by NRC for export of low-enriched U for use as reload fuel for Genkai Unit 2 in Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. DELABARRE,R. State, Dept. of. 1p. 87800:260-87800:262.

-9604080177 Forwards application for export of U as UF6 to Japan for use as reload fuel in Genkai nuclear power station Unit 2. Application fee paid.
FISK,R.H. Edlow International Co. 96/03/29. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87800:261-87800:261.

-9604080170 Application for license to export U as UF6 to Japan.
FISK,R.H. Edlow International Co. KLK-107. 96/03/29. 1p. 87800:262-87800:262.

9604080166 Forwards application for export license XB-1292,for export of Cf-252 to Korea.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/26. DELABARRE,R. State, Dept. of. 1p. 87782:347-87782:349.

9604080175 Forwards export license XSNM-2655,issued 920513,authorizing export to EURATOM of U-235 contained in sealed source.
HAUBER,R.D. Office of International Programs (Post 911117). 96/03/27. DEDIK,T. Energy, Dept. of. 1p. 87771:055-87771:059.

9604080181 Informs that listed licenses no longer needed as shipments have been completed.
MCLAUGHLIN,J. Transnuclear, Inc. 96/03/27. WRIGHT,B. NRC - No Detailed Affiliation Given. 1p. 87782:317-87782:317.

9604080184 Forwards application for export license XSNM-2898 requesting authorization to export 14,000 kg enriched U-235 to France for use as reload fuel for Grohnde Unit 1 in Germany. Requests assistance in obtaining necessary assurances.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/02. DEDIK,T. Energy, Dept. of. 1p. 87782:327-87782:334.

-9604080196 Application for license to export 14,000 kg UF6 to France.
NOSS,D. Siemens Corp. 95/09/30. 1p. 87782:328-87782:328.

-9604080203 Forwards request for issuance of export license to authorize shipment of UF6 to France for use in fabrication of reload fuel for Preussenelektra AG-Grohnde Station Unit 1.
NOSS,D.L. Siemens Corp. DLN:95:135. 95/09/29. HAUBER,R.D. Office of International Programs (Post 911117). 3pp. 87782:329-87782:331.

-9604080206 Forwards additional info requested re Grohnde reactor & Unteweser.
NOSS,D. Siemens Corp. 96/04/01. WRIGHT,B. Office of International Programs (Post 911117). 3pp. 87782:332-87782:334.

9604080186 Forwards signed copy of FRN re application for license to export nuclear facilities or matls.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. MOSSBURG,D. Correspondence & Records Branch. 2pp. 87779:351-87779:354.

-9604080189 Notice of receipt of applicatioh for export license XR-0164 for DOE.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. 2pp. 87779:353-87779:354.

9604080215 Application for license to export plutonium oxide to Austria.
* Energy, Dept. of. 96/03/21. 1p. 87814:020-87814:021.

-9604080233 Forwards application for license to export nuclear matl & equipment.Informs that application support shipment of plutonium oxide samples to IAEA.
LUONGO,K.N. Energy, Dept. of. 96/03/28. STOIBER,C. Office of International Programs (Post 911117). 1p. 87814:021-87814:021.

9604080234 Forwards application for export license for low enriched UF6 for use as reload fuel in Genkai Nuclear Power Station in Japan.Ltr of assurance requested from Japan.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. DELABARRE,R. State, Dept. of. 1p. 87779:355-87779:357.

9604080241 Application to amend license XSOU-8738 to include countries of India & Saudi Arabia.License covers non-nuclear end use of depleted U for commercial catalyst for manufacturing acrylonitrile.
ROOKS.R.W. Affiliation Not Assigned. 96/04/02. HAUBER,R. Office of International Programs (Post 911117). 1p. 87779:358-87779:358.

9604080285 License for ABB Industrial Sys,Inc to export 1,000 mCi Pm & 70 mCi S,to Vietnam.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. 2pp. 87779:359-87779:360.

9604080293 License for RSB Logistic Svcs,Inc,to export 4.5 million kg of U,to Canada.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/04. 2pp. 87782:298-87782:299.

9604080311 License for Mitsui & Co (USA),Inc to export 163.0 kgs of U-235 contained in 4,758.0 kgs natural U & U enriched to 4.45 w/o max,in form of U hexafluoride,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). MBK-T2-R16. 96/03/22. 2pp. 87782:302-87782:303.

9604080314 License for Edlow Intl Co to export 144.0 kgs of U-235, contained in 3,459.0 kgs U,enriched to 4.15 w/o max,in form of U hexafluoride,to Japan.
HAUBER,R.D. Office of International Programs (Post 911117). KLK-106. 96/03/22. 2pp. 87782:304-87782:305.

9604080323 Confirms that transfer of matl identified in XSOU-8744 license application will be subject to all terms & conditions of Agreement for Cooperation re Civil Uses of Atomic Energy.
LAIDLAW,A Canada Atomic Energy Control Board. 96/04/04. DEDIK,T. Energy, Dept. of. 2pp. 87782:306-87782:307.

9604080328 Informs of unusual situation re source matl for project reported as originated from both Canada & France.Discrepancy exists between USEC rept (Form 741) & export license re amount of feed matl needed for project.
MAEDA,Y. Mitsubishi International Corp. 96/03/29. WRIGHT,B.L. Office of International Programs (Post 911117). 1p. 87782:336-87782:336.

9604080343 Forwards info requested re USEC Enrichment Svc Contract.
NESS,D. Siemens Power Corp. (formerly Siemens Nuclear Power Corp., Advanced Nuclear Fuel. 96/04/01. WRIGHT,B. NRC - No Detailed Affiliation Given. 3pp. 87782:337-87782:339.

9604080357 Amend 1 to license XB-1290 for US DOE to export 300 g Np-237 to Germany.Amend extends expiration date from 960630 to 970630.
HAUBER,R.D. Office of International Programs (Post 911117). BUS-6:96-0157. 96/04/02. 4pp. 87807:137-87807:140.

9604080364 Forwards 951107 ltr from General Electric Co requesting amend to export license XSNM-1906,involving export of LEU to ENUSA in Spain for fuel fabrication & ultimate use as reload fuel in Muhleberg nuclear power plant.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/02. DEDIK,T. Energy, Dept. of. 2pp. 87782:340-87782:343.

9604090064 Forwards application for export license (XSNM-2922),recently received by NRC for export of 120 g of Pu to IAEA in Austria.
HAUBER,R.D. Office of International Programs (Post 911117). 96/04/02. DELABARRE,R. State, Dept. of. 1p. 87810:158-87810:160.

9604090374 Application for amend,extending expiration date from 951231 to 981231 for XSNM-2888/01 re export of 49,000 mg LEU to CBNM & allowing licenses XSNM-2828 & XSNM-2848 to expire.
BOYD,L.W. Energy, Dept. of. 96/03/19. WRIGHT,B.L. Office of International Programs (Post 911117). 2pp. 87810:114-87810:115.

9604100059 Submits notification of export shipment of UF6 to Korea.
* Edlow International Co. SAMDO-E-24. 96/02/06. BENNINGTON,G. Division of Industrial & Medical Nuclear Safety (Post 870729). 1p. 87832:118-87832:118.

9604100126 Submits advance notification of import shipment consisting of one 40FT ocean container containing 36 empty U02 drums, type:ANF-250 (USA/9217/AF Rev 2) & lashing matl total gross weight 7,339 kgs.
HEHR,W. . 0396-678. 96/03/01. BENNINGTON,G. NRC - No Detailed Affiliation Given. 2pp. 87832:162-87832:163.

9604100259 Provides specific details re matl shipped from British Nuclear Fuels to FBFC in Pierrelatte,France.Advises that customer has requested that matls be shipped to Pierrelatte instead of FBFC in Romans,France as shown on export license.
CONDREY,D. Edlow International Co. 96/04/02. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87825:234-87825:234.

9604110092 Submits advance notification of import of two 20 ft ocean containers containing 70 drums each of UO2 scrap & lashing matl.Shipper:Siemens AG,Hanau,Germany to Siemens Power Corp, Richland,WA.Depart Germany 960309.Arrive US 960326.
HEHR,W. Affiliation Not Assigned. 0396-682. 96/03/18. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87832:346-87832:347.

9604110095 Notifies of shipment of natural U hexaflouride to Tokyo.
VANDERMEER,J. Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd. 96/03/02. BENNINGTON,G. NRC - No Detailed Affiliation Given. 1p. 87850:049-87850:049.

9604150203 Provides notice of export shipment of U-235 contained in 2.7 kgs to Switzerland on 930526,per 10CFR73.73.
LA RUE,M.J. General Electric Co. SWZ-50283-F. 93/05/04. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87869:357-87869:358.

9604150261 Submits advance notification of import shipment of five 20 ft ocean containers,each carrying 70 drums of UO2 scrap & lashing matl from Bremerhaven,Germany to Richland,WA.
HEHR,W. . 0296-674. 96/02/14. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87885:003-87885:004.

9604150270 Submits advance notification of import shipment of nine cylinders of UF6 in sealed overpacks from Port Bremerhaven,Germany to Columbia,SC.
HEHR,W. . 0196-668. 96/01/31. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87885:006-87885:007.

9604150286 Submits advance notification of import shipment of 384 drums of U3O8 in 8 X 20 ft ocean containers from Parkside South,Australia to Metropolis,IL.
HEHR,W. . 0296-670. 96/02/08. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 87885:019-87885:020.

9604150327 Discusses shipment of natural U hexaflouride shipment per "California Luna" V.81 ETD Port Oakland for 960302 & provides dates of departure & arrival.
VANDERMEER,J. Canada. 96/02/08. BENNINGTON,G. Transportation Branch (Post 930207). 1p. 87885:049-87885:049.

9604160226 Confirms items listed in attachment to note 62 dated 960215 will be held subject to Agreement upon entries into territorial jurisdiction of Japan.
MIN,P.A. U.S. Embassies. 96/03/08. Japan. 8pp. 87894:293-87894:300.

9604160233 Confirms items listed in attachment to note 36 dated 960123 will be held subject to Agreement upon entries into territorial jurisdiction of Japan.
MIN,P.A. U.S. Embassies. 96/03/08. Japan. 5pp. 87894:301-87894:305.

9604220163 Application for license to export 1,200 kg U,containing 36 kg U-235,to Germany from Richland,WA.
NOSS,D.L. Siemens Corp. 96/04/02. HAUBER,R.D. Office of International Programs (Post 911117). 2pp. 87933:324-87933:325.

9604230015 Recommends that license XR-164 be issued re ltr which requested views of Executive Branch as to whether issuance of export license IAW application hereinafter described meets applicable criteria of Atomic Energy Act.
STRATFORD,R.K. State, Dept. of. 96/04/04. STOIBER,C.R. Office of International Programs (Post 911117). 3pp. 87971:222-87971:224.

9604230292 Responds in affirmative to 960326 request as to whether issuance of license for export of Cf-252 in sealed capsules to Republic of Korea for next 10 yrs not inimical to common defense & consistent w/AEA of 1954.
STRATFORD,R.J. State, Dept. of. 96/04/15. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 87972:213-87972:213.

9604240050 Recommends that license be issued,authorizing GE to export to Spain one ultrasonic weld insp sys for nuclear fuel assemblies,for use by ENUSA Fuel Fabrication Facility at Juzbado,Salamanca,in response to 960326 ltr.
STRATFORD,R.J. State, Dept. of. 96/04/15. STOIBER,C.R. Office of International Programs (Post 911117). 1p. 87972:268-87972:268.

9604240057 Forwards application to export natural U to URENCO for enrichment & ultimate use as fuel in commercial US reactors, for consideration.Fee paid.
FISK,R.H. Edlow International Co. 96/04/04. WRIGHT,B. Office of International Programs (Post 911117). 1p. 87972:269-87972:271.

–9604240065 Application for license to export 41,456 kg & 66,330 kg of natural U in form of U hexafluoride to URENCO,Almelo,The Netherlands & England,respectively for enrichment purposes & ultimate use as fuel in commercial power reactors in US.
FISK,R.H. Edlow International Co. 96/04/04. 2pp. 87972:270-87972:271.

9604240172 Forwards 960402 ltr from Monsanto requesting amend to export license to increase quantity of depleted U authorized for export & to add India & Saudi Arabia to list of ultimate consignee countries.
HAUBER,R.D. Office of International Programs (Post 911117). XSOU-8738. 96/04/12. DELABARRE,R. State, Dept. of. 1p. 87994:277-87994:277.

9604250199 Application for license to export enriched U hexafluoride to Japan.
COLFORD,C. Mitsui & Co. (USA), Inc. MBK-02-R2. 96/04/05. 1p. 87998:215-87998:215.

9604250452 Provides Executive Branch views re Poco Graphite,Inc amend to license XMAT-0326.Exports acceptable.
STRATFORD,R.J. State, Dept. of. 96/04/18. STOIBER,C.R. Office of International Programs (Post 911117). 3pp. 88022:356-88022:357.

9604260207 Submits advance notice of export shipment of special nuclear matl of low significance from San Jose,CA to Switzerland.
HOLDEN,D. General Electric Co. SWZ-51991-F. 96/04/05. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 3pp. 88020:269-88020:271.

9604260236 Submits notice of export shipment of 58.8 Kg of U-235 to Tokyo.
* Cametco,Inc. 96/03/06. BENNINGON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88020:274-88020:275.

9604300026 Submits advance notification of import shipment of one 40 ft ocean container containing 36 empty UO2 drums type, ANF-250(USA/9217/AF Rev 2) & lashing matl,total gross weight 7,339 kgs to Port of Elizabeth,NJ.
HEHR,W. . 96/03/19. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88033:204-88033:205.

9604300142 Notification of import shipment for nuclear matl from countries not party to Convention of Physical Protection of Nuclear Matl,per 10CFR73.74(a)(1).
GEORGE,M. Transnuclear, Inc. 96/03/07. BENNINGTON,G. Office of Nuclear Material Safety & Safeguards. 2pp. 88036:004-88036:005.

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
AABERG,R.L.	9604170363	NUREG
ABBOTT,R.B.	9604150278	50-220 H
ABBOTT,R.B.	9604260106	50-410 P
ABBOTT,R.B.	9604260138	50-220 P
ABELQUIST,E.W.	9604080301	WASTE MGT
ABELQUIST,E.W.	9604190160	70-925
ABELQUIST,E.W.	9604250057	WASTE MGT
ABRAHAM,K.	9604120025*	50-363 A
ABRAHAM,K.	9604220094*	50-219 H
ABRELL,G.A.	9604190084	50-10 R
ACKER,D.	9604080120	50-529 S
ADAMS,A.	9604040122	50-131 P
ADAMS,A.	9604040171	50-186 F
ADAMS,A.	9604110250	50-20 P
ADAMS,M.	9604080171	70-1113
ADAMS,M.A.	9604170096	70-1257
ADNEY,R.J.	9604080210	50-327 Q
ADNEY,R.J.	9604300336	50-327 S
AFFOLTER,R.D.	9604080153	50-483 Q
AFFOLTER,R.D.	9604160029	50-483 R
AGGARWAL,S.K.	9604170432	NUREG
AHYMLOCK,M.B.	9604220292	50-400 Q
AIELLO,R.F.	9604230364*	50-335 V
ALBERT,R.J.	9604290272*	50-293 Q
ALDRICH,R.	9604010428	STATE PRO G
ALDRICH,R.	9604080349*	40-*****
ALDRICH,R.	9604100084*	REVIEW GR P
ALDRICH,R.	9604160056	STATE PRO G
ALDRICH,R.	9604160171*	REVIEW GR P
ALDRICH,R.	9604250201	PR
ALEXION,T.	9604030321	50-498 P
ALEXION,T.	9604250288	50-498 P
ALEXION,T.W.	9604040131	50-498 P
ALEXION,T.W.	9604040137*	50-498 P
ALEXION,T.W.	9604180438	50-498 P
ALEXION,T.W.	9604180445*	50-498 P
ALEXION,T.W.	9604220033	50-498 P
ALEXION,T.W.	9604230016	50-498 P
ALEXION,T.W.	9604230024*	50-498 P
ALEXION,T.W.	9604250302	50-498 P
ALI,S.A.	9604090444	REVIEW GR P
ALTMAN,D.A.	9604090150*	52-3
AMARASOORIYA,W.	9602050054*	50-220 P
AMATO,C.	9604080115*	50-219 F
AMICK,C.C.	9604020028*	50-29 G
AMIN,J.	9604300205	50-445 S
AMTSBERG,H.C.	9604040091*	70-*****
AMTSBERG,H.C.	9604040094*	70-*****
AMTSBERG,H.C.	9604040097*	70-*****
AMTSBERG,H.C.	9604040098*	70-*****
AMTSBERG,H.C.	9604040103*	70-*****
AMTSBERG,H.C.	9604050047*	70-*****
AMTSBERG,H.C.	9604050060*	70-*****
AMTSBERG,H.C.	9604050072*	70-*****
AMTSBERG,H.C.	9604050084*	70-*****
AMTSBERG,H.C.	9604050110*	70-*****
AMTSBERG,H.C.	9604050115*	70-*****
AMTSBERG,H.C.	9604050148*	70-*****
AMTSBERG,H.C.	9604050157*	70-*****
AMTSBERG,H.C.	9604050170*	70-*****
AMTSBERG,H.C.	9604050171*	70-*****
AMTSBERG,H.C.	9604050173*	70-*****
AMUNDSON,T.E.	9604260062*	50-263 P
ANDERSEN,J.W.	9604180270	50-245 P
ANDERSEN,J.W.	9604180451	50-245 P
ANDERSON,E.R.	9604110160	PR
ANDERSON,M.L.	9604180096	50-305 R
ANDERSON,R.O.	9604010319	50-263 F
ANDERSON,R.O.	9604120123	50-263 F
ANDERSON,R.O.	9604220172	50-263 R
ANDERSON,R.O.	9604240029	50-263 I
ANDERSON,R.O.	9604260060	50-263 P
ANDERSON,S.L.	9604020058*	50-412 P
ANDERSON,S.L.	9604110152*	50-255 P
ANDREWS,S.J.	9604010435	PT21
ANDREWS,S.J.	9604150413	PT21
ANDREWS,S.J.	9604220153	PT21
ANDREWS,S.J.	9604220383	PT21
ANDREWS,V.E.	9604100193	40-8989
ANGEL,L.J.	9604090369	NUREG
ANGIER,F.C.	9604120254*	50-309 P
ANGIER,F.C.	9604240283*	50-309 G
ANGUS,M.J.	9604010133	50-275 I
ARMAJANI,B.	9604240068	CONTRACT
ARNOLD,W.M.	9604110039	71-179
ARP,S.J.	9604230104	WASTE MGT
ARROWSMITH,H.W.	9604260113*	71-496
ART,R.	9604260141*	ORG
ART,R.	9604260148*	ORG
ART,R.	9604260151*	ORG
ART,R.	9604260155*	ORG
ARTIGAS,R.	9604160114*	50-373 P
ASMUSSEN,K.E.	9604020100	50-89 I
ASMUSSEN,K.E.	9604190142	71-6346
ASMUSSEN,K.E.	9604190359	50-89 R
ASMUSSEN,K.E.	9604190361	50-163 R
ASSA,R.R.	9604100171	50-454 P
ASSA,R.R.	9604100175*	50-454 P
ASSA,R.R.	9604110277*	50-454 P
ASSA,R.R.	9604160347*	50-454 P
ASTWOOD,H.	9604010196	70-*****
AUER,P.V.	9604250113*	WASTE MGT
AUMULLER,J.N.	9604100067	70-1252
AUMULLER,J.N.	9604100071	70-1252
AUSTIN,J.H.	9604020317	WASTE MGT
AUSTIN,J.H.	9604190198	40-8502
AUSTIN,J.H.	9604250395	WASTE MGT
AUSTIN,J.H.	9604300116	WASTE MGT
AVANT,A.L.	9604020379	CONTRACT
AXELRAD,J.A.	8503260246*	FOIA
AXELSON,W.L.	9604090040	50-315 Q
AXELSON,W.L.	9604150043	30-10856
AXELSON,W.L.	9604150128	50-456 Q
AXELSON,W.L.	9604180355	50-10 Q
AXELSON,W.L.	9604250206	50-341 S
AXELSON,W.L.	9604250279	50-331 Q
AXELSON,W.L.	9604250433	50-266 Q
BACA,R.G.	9604250400	WASTE MGT
BAER,J.W.	9604010433	50-443 F
BAGCHI,G.	9604230397	NUREG
BAILEY,E.D.	9604020191	STATE PRO G
BAILEY,J.A.	9604080257	50-529 P
BAILEY,J.A.	9604080307	50-529 P
BAILEY,S.J.	9604220388	50-309 R
BAJRASZESKI,J.	9604300336	50-327 S
BAKER,B.W.	9604030027	PR
BAKER,D.A.	9604170363	NUREG
BAKER,L.J.	9604250211	CONTRACT
BAKER,S.J.	9604030308	40-1162
BAKER,S.J.	9604040114	40-1162
BAKER,S.J.	9604040155	40-1162
BAKER,S.J.	9604290201	40-1162
BALL,M.E.	9604080403*	50-324 P
BALLENGER,C.	9604220237	CONTRACT
BALLINGER,P.L.	9604220165	50-298 R
BANERJEE,M.	9604040222*	50-219 P
BANGART,R.	9604020266*	STATE PRO G
BANGART,R.L.	9604010079	ORG
BANGART,R.L.	9604010092	STATE PRO G
BANGART,R.L.	9604010220	STATE PRO G
BANGART,R.L.	9604010314	STATE PRO G
BANGART,R.L.	9604010346	STATE PRO G
BANGART,R.L.	9604010429	STATE PRO G
BANGART,R.L.	9604010434	STATE PRO G
BANGART,R.L.	9604020056	STATE PRO G
BANGART,R.L.	9604020104	STATE PRO G
BANGART,R.L.	9604020112*	STATE PRO G
BANGART,R.L.	9604020115*	STATE PRO G
BANGART,R.L.	9604020121	STATE PRO G
BANGART,R.L.	9604020122*	STATE PRO G
BANGART,R.L.	9604020124*	STATE PRO G
BANGART,R.L.	9604020126*	STATE PRO G
BANGART,R.L.	9604020132*	STATE PRO G
BANGART,R.L.	9604020144*	STATE PRO G
BANGART,R.L.	9604020148*	STATE PRO G
BANGART,R.L.	9604020150*	STATE PRO G
BANGART,R.L.	9604020152*	STATE PRO G
BANGART,R.L.	9604020153*	STATE PRO G
BANGART,R.L.	9604020156*	STATE PRO G
BANGART,R.L.	9604020160*	STATE PRO G
BANGART,R.L.	9604020165*	STATE PRO G
BANGART,R.L.	9604020166*	STATE PRO G
BANGART,R.L.	9604020168	STATE PRO G
BANGART,R.L.	9604020171*	STATE PRO G
BANGART,R.L.	9604020174*	STATE PRO G
BANGART,R.L.	9604020176*	STATE PRO G
BANGART,R.L.	9604020179	STATE PRO G
BANGART,R.L.	9604020188*	STATE PRO G
BANGART,R.L.	9604020210*	STATE PRO G
BANGART,R.L.	9604020217*	STATE PRO G
BANGART,R.L.	9604020227*	STATE PRO G
BANGART,R.L.	9604020238*	STATE PRO G
BANGART,R.L.	9604020248*	STATE PRO G
BANGART,R.L.	9604020252	STATE PRO G
BANGART,R.L.	9604020253	STATE PRO G
BANGART,R.L.	9604020256	STATE PRO G
BANGART,R.L.	9604020261	STATE PRO G
BANGART,R.L.	9604020263*	STATE PRO G
BANGART,R.L.	9604020264	STATE PRO G
BANGART,R.L.	9604020274*	STATE PRO G
BANGART,R.L.	9604020285*	STATE PRO G
BANGART,R.L.	9604020294*	STATE PRO G
BANGART,R.L.	9604020319*	STATE PRO G
BANGART,R.L.	9604020323	STATE PRO G
BANGART,R.L.	9604020326*	STATE PRO G
BANGART,R.L.	9604020328	STATE PRO G
BANGART,R.L.	9604020334*	STATE PRO G
BANGART,R.L.	9604020342*	STATE PRO G
BANGART,R.L.	9604020368	STATE PRO G
BANGART,R.L.	9604020378	STATE PRO G
BANGART,R.L.	9604020395	STATE PRO G
BANGART,R.L.	9604030005	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BANGART,R.L.	9604040082	STATE PRO G
BANNER,C.W.	9604160245	50-272 F
BANNER,C.W.	9604160445	50-354 F
BANNER,C.W.	9604160478	50-272 F
BARATTA,A.J.	9604220256	CONTRACT
BARBOW,	9604290302*	50-369 Q
BARCHI,T.J.	9604100212	ORG
BARCHI,T.J.	9604230389	ORG
BARCHI,T.J.	9604290118	ORG
BARKER,F.F.	9604250107*	50-363 Q
BARKER,R.F.	9604050203*	70-*****
BARKLEY,W.E.	9604030033	PR
BARON,P.R.	9604220162	50-259 H
BARON,R.R.	9604080320	50-259 R
BARON,R.R.	9604080382	50-259 P
BARON,R.R.	9604090132	50-259 F
BARON,R.R.	9604110083	50-327 Q
BARON,R.R.	9604240260	50-259 P
BARR,K.	9604030120	70-143
BARR,K.	9604030124	70-143
BARR,K.	9604050165	70-143
BARR,K.P.	9604090350	50-335 Q
BARR,K.P.	9604100103*	50-335 Q
BARRETT,L.	9604020228	STATE PRO G
BARRETT,R.J.	9604010156	50-286 Q
BARRETT,R.J.	9604010158	50-286 V
BARRETT,R.J.	9604010247	50-286 V
BARRETT,R.J.	9604010250	50-286 V
BARRETT,R.J.	9604030241	50-286 P
BARRETT,R.J.	9604080162	50-286 S
BARRETT,R.J.	9604120247	50-286 Q
BARRETT,R.J.	9604190102	50-286 R
BARRETT,R.J.	9604220058	50-286 S
BARRETT,R.J.	9604260171	50-286 F
BARRETT,R.J.	9604300005	ORG
BARRETT,R.J.	9604300034	50-286 S
BARTCHY,R.R.	9604020389	PR
BARTECKI,J.	9604180116	50-295 S
BARTNOFF,S.	9604150074*	50-219 P
BARTNOFF,S.	9604180006*	50-219 Q
BARTNOFF,S.	9604180292*	50-219 Q
BARTNOFF,S.	9604230314*	50-219 P
BARTON,J.J.	9604040071*	50-219 P
BARTZ,H.	9604150031*	50-219 Q
BASILIO,J.A.	9604300268*	50-277 R
BASSILAKIS,R.	9604290248*	50-213 H
BATEMAN,W.H.	9512280052*	50-397 Q
BATEMAN,W.H.	9604020358*	50-529 P
BATEMAN,W.H.	9604100198*	50-529 P
BATEMAN,W.H.	9604190038	50-361 P
BATES,A.J.	9604170145	ADVCM
BAUER,T.L.	9604010398	50-602 R
BAUER,T.L.	9604260193	50-602 P
BAUMAN,S.	9604150152	PR
BAUMAN,S.	9604170324	40-8948
BAUMAN,S.	9604170331	40-8948
BAUMAN,S.	9604170399	40-8948
BAUMAN,S.	9604170402	40-8948
BAUMAN,S.	9604180047	40-8948
BAUMAN,S.	9604240137	FOIA
BEALL,J.	9604040042*	50-219 P
BEARD,P.M.	9604010268	50-302 Q
BEARD,P.M.	9604220405	50-302 P
BEARDSLEE,C.D.	9604040057*	50-219 Q
BEARDSLEY,M.R.	9604250022*	FOIA
BEASLEY,J.B.	9604020154	50-424 F
BEASLEY,J.B.	9604220198	50-424 F
BEAVER,J.	9604160266	50-289 F
BEBILL,B.	9604100139	PR
BECHHOEFER,C.	9604020003	50-160 G
BECKHAM,J.T.	9604020006	TOPREP
BECKHAM,J.T.	9604020006	TOPREP
BECKHAM,J.T.	9604020014	50-321 R
BECKHAM,J.T.	9604110048	50-321 S
BECKHAM,J.T.	9604110085	50-321 Q
BECKHAM,J.T.	9604110116	50-321 K
BECKHAM,J.T.	9604160047	50-321 R
BECKHAM,J.T.	9604170023	50-321 P
BECKHAM,J.T.	9604170027	50-321 Q
BECKHAM,J.T.	9604180166	TOPREP
BECKHAM,J.T.	9604180166	TOPREP
BECKHAM,J.T.	9604220331	50-321 S
BECKHAM,J.T.	9604230085	50-321 F
BECKHAM,J.T.	9604250422	50-321 R
BECKMAN,J.T.	9604010302	TOPREP
BECKMAN,J.T.	9604010302	TOPREP
BECKNER,W.D.	9604180357	50-313 Q
BECKNER,W.D.	9604220372	50-313 P
BECKNER,W.D.	9604220382	50-313 P
BECKNER,W.D.	9604230275	50-313 P
BEGANSKI,M.C.	9604090284*	50-309 P
BEHNKE,D.H.	9604010263	50-275 S
BEHNKE,D.H.	9604020265	50-275 S
BEHNKE,D.H.	9604050029	50-275 S
BEHNKE,D.H.	9604190158	50-275 S
BEHNKE,D.H.	9604300022	50-275 S
BEHRINGER,T.J.	9604090272*	50-254 P
BEINECKE,P.J.	9604190310*	50-295 S
BELISLE,G.A.	9604090115	50-338 Q
BELISLE,G.A.	9604090126*	50-338 Q
BELISLE,G.A.	9604090194	50-338 Q
BELISLE,G.A.	9604090199	50-395 Q
BELISLE,G.A.	9604090248	50-280 Q
BELISLE,G.A.	9604090256	50-280 P
BELISLE,G.A.	9604100064	50-338 P
BELISLE,G.A.	9604230091	50-338 F
BELISLE,G.A.	9604240228	50-395 Q
BELISLE,G.A.	9604240241*	50-395 Q
BELKE,W.	9604250041	WASTE MGT
BELL,B.	9604250202	50-416 R
BELL,L.	9604050116	50-267 W
BELL,M.J.	9604010163	40-8027
BELL,M.J.	9604090426	WASTE MGT
BELL,M.J.	9604260075	WASTE MGT
BELL,W.H.	9604160035	50-395 R
BELLAMY,R.	9604030378*	40-672
BELLAMY,R.R.	9604020025	40-*****
BELLAMY,R.R.	9604030370	40-672
BELLAMY,R.R.	9604110200	40-672
BELLAMY,R.R.	9604230066	40-8843
BELLAS,S.	9604050359*	70-3070
BELLES,T.D.	9604190058	50-387 R
BELLES,T.D.	9604260143	50-387 R
BELMAN,E.A.	9604250099*	FOIA
BENEDICT,T.M.	9604170132	FOIA
BENNETT,M.	9604090182	CONTRACT
BENNETT,P.J.	9604170156	CONTRACT
BENNETT,T.J.	9604150331	NUREG
BERG,W.L.	9604290240	50-409 W
BERG,W.L.	9604290308	50-409 W
BERG,W.L.	9604290314*	50-409 W
BERGIN,J.M.	9604010236	50-336 S
BERKOW,H.N.	9604040074*	50-369 P
BERKOW,H.N.	9604080216*	50-269 P
BERKOW,H.N.	9604120299	50-413 P
BERKOW,H.N.	9604160333	50-321 P
BERKOW,H.N.	9604170328*	50-269 P
BERKOW,H.N.	9604170444	50-348 P
BERKOW,H.N.	9604240348	50-269 P
BERKOW,H.N.	9604250356	50-413 P
BERKOW,H.N.	9604290140*	50-413 P
BERLINGER,C.H.	9604090457	50-352 P
BERNARD,J.A.	9604120216	50-20 P
BESSETTE,P.M.	9604290270	50-331 P
BEUHLER,M.D.	9604020385	40-3453
BHALLA,N.	9604050385	30-1246
BHAT,R.P.	9604090245	50-461 S
BINARD,K.C.	9604230165*	50-261 R
BISHOP,R.W.	9604180460	PR
BISHOP,R.W.	9604220227	PR
BJORALT,S.J.	9604290146*	50-282 G
BLACK,C.	9604050350*	70-3070
BLAHA,J.L.	9604010284	COMMISSION
BLAHA,J.L.	9604050143	COMMISSION
BLAHA,J.L.	9604160312	COMMISSION
BLAHA,J.L.	9604160349	COMMISSION
BLAHA,J.L.	9604290021	COMMISSION
BLAKE,J.J.	9604180426*	50-324 Q
BLANCHARD,A.	9604300232*	FOIA
BLIND,A.A.	9604080144	50-316 S
BLIND,A.A.	9604080208	50-316 S
BLIND,A.A.	9604160090	50-315 S
BLIND,A.A.	9604180325	50-316 S
BLOCK,J.M.	9604180214	50-29 G
BLOCK,J.M.	9604180214	50-29 G
BLOCK,J.M.	9604180230*	50-29 G
BLOCK,J.M.	9604180230*	50-29 G
BLOOM,R.G.	9604290225	40-3453
BLOOM,S.D.	9604020114	50-275 P
BLOOM,S.D.	9604030204	50-133 P
BLOOM,S.D.	9604030217*	50-133 P
BLOOM,S.D.	9604240006	50-275 P
BLOUNT,P.F.	9604300410	50-280 R
BLUBAUGH,R.E.	9604020410	40-3453
BLUBAUGH,R.E.	9604030029	40-3453
BLUBAUGH,R.E.	9604090136	40-3453
BLUE,J.N.	9603280140*	70-734
BLUE,L.A.	9604300063*	50-395 R
BOHLKE,W.H.	9604010047	50-335 S
BOHLKE,W.H.	9604020315	50-335 S
BOHLKE,W.H.	9604020386	50-335 F
BOHLKE,W.H.	9604080269	50-335 P
BOHLKE,W.H.	9604090120	50-389 P
BOHLKE,W.H.	9604120261	50-335 S
BOHLKE,W.H.	9604150123	50-389 Q
BOHLKE,W.H.	9604190139	50-335 R
BOHLKE,W.H.	9604220398	50-335 P
BOHLKE,W.H.	9604230014	50-335 R
BOHLKE,W.H.	9604300066	50-389 R
BOHLKE,W.H.	9604300237	50-335 P
BOHLKE,W.H.	9604300431	50-335 Q
BOLDT,G.L.	9604030021*	50-302 P
BOLDT,G.L.	9604050420	50-302 P
BOLDT,G.L.	9604080099	50-302 Q
BOLDT,G.L.	9604080107	50-302 J
BOLDT,G.L.	9604090342	50-302 P
BOLDT,G.L.	9604150411	50-302 P
BOLDT,G.L.	9604160003	50-302 P
BOLDT,G.L.	9604160416	50-302 R
BOLDT,G.L.	9604220305	50-302 P
BOLDT,G.L.	9604230270	50-302 P
BOLDT,G.L.	9604230354	50-302 F
BOLDT,G.L.	9604260185	50-302 F
BOLDT,G.L.	9604300361	50-302 R
BOLKE,T.J.	9604220177	50-458 R
BOLLWERK,G.P.	9604100112	50-29 G
BOLLWERK,G.P.	9604110111	40-8027
BOLT,G.L.	9604220359	50-302 V
BOLTON,H.	9604160360	NUREG
BONNETT,F.P.	9604010431*	50-277 Q
BONSER,B.R.	9604240241*	50-395 Q
BORCHERT,R.	9604170275*	50-245 R
BORES,R.J.	9604120096*	50-219 Q
BORES,R.J.	9604120108*	50-219 Q
BORES,R.J.	9604170472*	50-219 Q
BORES,R.J.	9604220362*	50-219 Q
BORES,R.J.	9604230010*	50-219 Q
BORES,R.J.	9604250008*	50-219 Q
BORST,F.J.	9604020223	50-267 J
BORST,F.J.	9604020296	50-267 Y
BORST,F.J.	9604030364	71-6346
BORST,F.J.	9604150385	50-267 I
BORST,F.J.	9604160070	50-267 Q
BORST,F.J.	9604230072	50-267 W
BORST,F.J.	9604230117	50-267 W
BORST,F.J.	9604230119	50-267 W
BOTTS,J.L.	9604020259*	STATE PRO G
BOTTUM,S.H.	9604040192	50-285 S
BOULDEN,O.E.	9604290221	40-3453
BOULETTE,E.T.	9604090139	50-293 F
BOULETTE,E.T.	9604090233	50-293 S
BOULETTE,E.T.	9604220264	50-293 S
BOULETTE,E.T.	9604240335	50-293 P
BOULETTE,E.T.	9604240359	50-293 P
BOURBOUR,S.	9604090300	50-254 P
BOWER,F.L.	9604080214*	50-309 Q
BOWLING,M.L.	9604030267	NUREG
BOWLING,M.L.	9604040249	PR
BOWLING,M.L.	9604080133	50-280 P
BOWLING,M.L.	9604100172	50-338 P
BOWLING,M.L.	9604170264	50-338 R
BOWLING,M.L.	9604180088	50-280 R
BOWLING,M.L.	9604180164	50-338 P
BOWLING,M.L.	9604190278	PRM
BOWLING,M.L.	9604250009	PR
BOWLING,M.L.	9604250207	50-280 P
BOWLING,M.L.	9604250428	50-339 P
BOWLING,M.L.	9604260009	50-338 P
BOWLING,M.L.	9604260021	50-338 R
BOWLING,M.L.	9604290291	50-338 P
BOWLING,M.L.	9604300410	50-280 R
BOWLING,R.D.	9604150248*	40-8838
BOYCE,D.E.	9604030022	PR
BOYCE,R.W.	9604020380	50-352 S
BOYCE,R.W.	9604080138	50-352 S
BOYCE,R.W.	9604220269	50-353 S
BOYCE,R.W.	9604220275	50-353 S
BOYCE,R.W.	9604220297	50-352 S
BOYCE,R.W.	9604260105	50-352 S
BOYCE,R.W.	9604290245	50-352 S
BOYCE,T.H.	9604290101	52-1
BOYD,L.W.	9604080108*	XPORTLIC
BOYD,L.W.	9604090374	XPORTLIC
BOYD,R.S.	9604160461*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BOYD,R.S.	9604220254*	50-219 P
BOYLE,D.E.	9604080318*	50-255 P
BOYLE,R.W.	9604090170	71-3028
BOYLE,R.W.	9604100130	71-3027
BOYLE,R.W.	9604100168	71-3029
BOYLE,R.W.	9604160027	71-*****
BRAGG,J.P.	9604250063	PRM
BRANDKAMP,F.N.	9604120059*	50-219 Q
BRANDON,R.J.	9604160114*	50-373 P
BRASSART,G.A.	9604110152*	50-255 P
BRIGGS,L.	9604040073*	50-219 P
BRILL,D.R.	9604030017	PR
BRILL,D.R.	9604110063	PR
BRILL,D.R.	9604250038	PR
BRINKMAN,C.B.	9604300099	50-336 S
BRINKMAN,C.B.	9604300099	50-336 S
BRINKMAN,D.S.	9604010183	50-334 P
BRINKMAN,D.S.	9604030301	50-334 P
BRINKMAN,D.S.	9604040125	50-334 P
BRINKMAN,D.S.	9604110226	50-334 P
BRINKMAN,D.S.	9604120236	50-334 P
BRINKMAN,R.E.	9604300271*	FOIA
BROADDUS,D.A.	9511160102*	STATE PRO G
BROADDUS,D.A.	9511160114*	STATE PRO G
BROADDUS,D.A.	9511160130*	STATE PRO G
BROADDUS,D.A.	9511160133*	STATE PRO G
BROADDUS,D.A.	9511160135*	STATE PRO G
BROADDUS,D.A.	9604020205*	STATE PRO G
BROCKMAN,K.E.	9604020341	50-498 Q
BROCKMAN,K.E.	9604050032	50-498 Q
BROCOUM,S.J.	9604110155	WASTE MGT
BRONS,J.	9604290187	50-10 R
BRONS,J.C.	9604030253	NUREG
BRONS,J.C.	9604150218	50-295 Q
BRONS,J.C.	9604230100	50-237 P
BROTHERS,M.H.	9604220072	50-423 P
BROTHERS,M.H.	9604240376	50-423 S
BROTHERS,M.H.	9604240376	50-423 S
BROTHERS,M.H.	9604290267	50-423 S
BROTHERS,M.H.	9604290267	50-423 S
BROTHERS,M.H.	9604290299	50-423 S
BROUGHTON,B.A.	9604300442	40-3453
BROWN,E.	9604180393	CONTRACT
BROWN,K.	9604030109	30-32971
BROWN,K.	9604300398	I&E
BROWN,K.D.	9604160379	NUREG
BROWN,R.L.	9604150019*	50-363 Q
BROWN,R.L.	9604150111*	50-363 Q
BROWN,R.L.	9604150118*	50-363 Q
BROWN,R.L.	9604150145*	50-219 Q
BROWN,R.L.	9604150394*	50-219 Q
BROWN,R.L.	9604250215*	50-363 Q
BROWN,R.M.	9604020107	50-390 S
BROWN,R.M.	9604030140	50-390 S
BROWN,S.W.	9604010186	40-8767
BROWN,S.W.	9604170490	50-50 P
BRUELS,M.C.	9604150175	PRM
BRUELS,M.C.	9604150347	PRM
BRUNET,J.	9604180099	50-255 F
BRUNET,J.R.	9604010418	50-255 F
BRUNET,J.R.	9604160249	50-255 F
BRUNET,J.R.	9604160254	50-255 F
BRUNET,J.R.	9604160255	50-255 F
BRUNET,J.R.	9604220184	50-255 F
BRUNET,J.R.	9604300073	50-255 F
BRUNNEER,E.J.	9604170336*	50-219 P
BRUNNER,E.J.	9604120128*	50-219 S
BRUNNER,E.J.	9604120164*	50-219 P
BRUNNER,E.J.	9604170130*	50-219 Q
BRUNNER,E.J.	9604170170*	50-219 Q
BRUNNER,E.J.	9604170302*	50-219 Q
BRUNNER,E.J.	9604170334*	50-219 Q
BRUNNER,E.J.	9604170380*	50-219 Q
BRUNNER,E.J.	9604170394*	50-219 Q
BRUNNER,E.J.	9604170397*	50-219 Q
BRUNNER,E.J.	9604180060*	50-219 P
BRUNNER,E.J.	9604180124*	50-219 Q
BRUNNER,E.J.	9604180132*	50-219 Q
BRUNNER,E.J.	9604180353*	50-219 Q
BRUNNER,E.J.	9604190029*	50-219 Q
BRUNNER,E.J.	9604190253*	50-219 Q
BRUNNER,E.J.	9604190308*	50-219 Q
BRUNNER,E.J.	9604190317*	50-219 P
BRUNNER,E.J.	9604190332*	50-219 Q
BRUNNER,E.J.	9604190360*	50-219 Q
BRUNNER,E.J.	9604220067*	50-219 P
BRUNNER,E.J.	9604220101*	50-219 Q
BRUNNER,E.J.	9604220134*	50-219 P
BRUNNER,E.J.	9604220147*	50-219 Q
BRUNNER,E.J.	9604220273*	50-219 Q
BRUNNER,E.J.	9604220314*	50-219 Q
BRUNNER,E.J.	9604220389*	50-219 Q
BRUNNER,E.J.	9604230017*	50-219 Q
BRUNNER,E.J.	9604230026*	50-219 Q
BRUNNER,E.J.	9604230040*	50-219 Q
BRUNNER,E.J.	9604230046	50-219 Q
BRUNNER,E.J.	9604230089*	50-317 P
BRUNNER,E.J.	9604230141*	50-219 Q
BRUNNER,E.J.	9604230164*	50-219 Q
BRUNNER,E.J.	9604230176*	50-219 Q
BRUNNER,E.J.	9604230208*	50-219 Q
BRUNNER,E.J.	9604230264*	50-219 Q
BRUNNER,E.J.	9604240066*	50-219 Q
BRUNNER,E.J.	9604240124*	50-219 Q
BRUNNER,E.J.	9604240145*	50-219 Q
BRUNNER,E.J.	9604240251*	50-219 Q
BRUNNER,E.J.	9604250080*	50-219 Q
BRUSCHI,H.	9604010325*	52-3
BRUXVOORT,K.	9604170087	40-4492
BUCH,W.H.	9604020289	50-213 F
BUCH,W.H.	9604170254	50-213 F
BUCKLEY,B.C.	9604050383*	50-302 P
BUCKLEY,B.C.	9604250365	50-280 P
BUDNITZ,R.J.	9604250089	CONTRACT
BULL,J.R.	9604080021	50-254 P
BUNKALL,L.D.	9604250055	40-3453
BURDICK,T.M.	9604170106	50-440 V
BURDICK,T.M.	9604240327	50-456 V
BURDICK,T.M.	9604250341	50-155 V
BURDICK,T.M.	9604290373	50-456 V
BURDICK,T.M.	9604290381*	50-456 V
BURDICK,T.M.	9604290415	50-295 V
BURDICK,T.M.	9604300330	50-155 V
BURDICK,T.M.	9604300338*	50-155 V
BURNS,T.F.	9604160314*	50-245 P
BURSKI,R.F.	9604080365	50-382 Q
BURSKI,R.F.	9604170003	50-382 P
BURSKI,R.F.	9604170139	50-382 R
BURSKI,R.F.	9604180306	50-382 P
BURSKI,R.F.	9604180388	50-382 F
BURSKI,R.F.	9604190285	50-382 P
BURSKI,R.F.	9604230060	50-382 P
BURT,C.J.	9604030270*	STATE PRO G
BURZESE,T.	9604010039*	50-259 R
BURZI,A.V.	9604160231*	50-219 Q
BURZI,A.V.	9604160248*	50-219 Q
BUSH,L.	9604180158	50-295 P
BUSH,L.	9604300260	PROJ
BUTCHER,D.	9604160195	CONTRACT
BUTCHER,R.	9604240349*	50-302 Q
BYOUN,T.Y.	9603050148*	50-289 P
BYRAM,R.G.	9604020082	50-387 J
BYRAM,R.G.	9604020111	50-387 R
BYRAM,R.G.	9604030433	50-387 Q
BYRAM,R.G.	9604220152	50-387 J
BYRAM,R.G.	9604220193	50-387 R
BYRAM,R.G.	9604220258	50-388 Q
BYRAM,R.G.	9604220326	50-387 P
BYRAM,R.G.	9604300129	50-387 P
BYRNE,S.A.	9604010141	50-395 P
BYRNE,S.A.	9604300062	50-395 R
BYWATER,R.L.	9604020423	50-282 P
BYWATER,R.L.	9604090327	50-282 P
CACCIAPOUTI,R.	9604010430*	50-443 P
CAHILL,W.J.	9604010063	50-333 P
CAHILL,W.J.	9604010066*	50-333 P
CAHILL,W.J.	9604030155	50-333 P
CAHILL,W.J.	9604030163	50-286 P
CAHILL,W.J.	9604030167*	50-286 P
CAHILL,W.J.	9604180062	50-333 P
CAHILL,W.J.	9604220204	50-286 I
CAHILL,W.J.	9604220259	50-286 P
CAHILL,W.J.	9604290052	50-333 P
CAHILL,W.J.	9604300366	50-286 Q
CAHILL,W.J.	9604300395	50-333 P
CAHILL,W.J.	9604300400*	50-333 P
CALABRESE,E.J.	9604010267*	ORG
CALFA,J.P.	9604090233	50-293 S
CALLAN,L.J.	9604010165	50-382 Q
CALLAN,L.J.	9604020309*	STATE PRO G
CALLAN,L.J.	9604040118	50-482 S
CALLAN,L.J.	9604050041	50-483 Q
CALLAN,L.J.	9604090418	50-344 Q
CALLAN,L.J.	9604220014	50-298 Q
CALVAN,R.A.	9604290321*	50-334 F
CALVO,J.	9604240178*	50-397 P
CALVO,J.A.	9604160017	50-219 P
CAMERON,J.	9604100104	50-456 S
CAMERON,J.	9604260302	I&E
CAMPBELL,J.A.	9604160360	NUREG
CAMPBELL,S.G.	9604150275	50-219 P
CAMPBELL,W.R.	9604040214	50-324 V
CAMPBELL,W.R.	9604080397	50-324 P
CAMPBELL,W.R.	9604190104	50-324 P
CAMPBELL,W.R.	9604240143	50-324 Q
CAMPBELL,W.R.	9604240216	50-324 P
CAMPBELL,W.R.	9604290338	50-324 P
CAMPITELLI,A.T.	9604120168	40-9027
CAMPITELLI,A.T.	9604120171	40-9027
CAMPITELLI,A.T.	9604120174	40-9027
CAMPLIN,W.	9604260240	70-27
CANADY,K.S.	9604230283	50-370 P
CANNON,R.L.	9604150339	50-293 R
CANNON,R.L.	9604220264	50-293 S
CANT,G.	9604250269	I&E
CANT,G.	9604250372	I&E
CANTRELL,F.	9604120303*	50-219 Q
CANTRELL,F.	9604150221*	50-219 P
CANTRELL,F.	9604160327*	50-219 Q
CANTRELL,F.S.	9604120054*	50-219 Q
CANTRELL,F.S.	9604120069*	50-219 Q
CANTRELL,F.S.	9604120223*	50-219 Q
CANTRELL,F.S.	9604120225*	50-219 Q
CANTRELL,F.S.	9604120297*	50-219 Q
CANTRELL,F.S.	9604150114*	50-219 Q
CANTRELL,F.S.	9604150129*	50-219 Q
CANTRELL,F.S.	9604150136*	50-219 Q
CANTRELL,F.S.	9604150174*	50-219 Q
CANTRELL,F.S.	9604150180*	50-219 Q
CANTRELL,F.S.	9604150201*	50-219 Q
CANTRELL,F.S.	9604160116*	50-219 Q
CANTRELL,F.S.	9604160135*	50-219 Q
CANTRELL,F.S.	9604160146*	50-219 P
CANTRELL,F.S.	9604160224*	50-219 Q
CANTRELL,F.S.	9604160225*	50-219 Q
CANTRELL,F.S.	9604160248*	50-219 Q
CANTRELL,F.S.	9604160256*	50-219 Q
CANTRELL,F.S.	9604160320*	50-219 Q
CANTRELL,F.S.	9604160393*	50-219 P
CANTRELL,F.S.	9604160469*	50-219 Q
CANTRELL,F.S.	9604160473*	50-219 Q
CANTRELL,F.S.	9604170060*	50-219 P
CANTRELL,F.S.	9604170492*	50-219 Q
CANTRELL,F.S.	9604170509*	50-219 Q
CANTRELL,F.S.	9604170527*	50-219 Q
CANTRELL,F.S.	9604170528*	50-219 Q
CANTRELL,F.S.	9604180043*	50-219 Q
CANTRELL,F.S.	9604180089*	50-219 Q
CANTRELL,F.S.	9604180136*	50-219 Q
CANTRELL,F.S.	9604180140*	50-219 Q
CANTRELL,F.S.	9604190083*	50-219 Q
CANTRELL,F.S.	9604190090*	50-219 Q
CANTRELL,K.J.	9604160360	NUREG
CAPHTON,D.L.	9604120069*	50-219 Q
CAPHTON,D.L.	9604120184*	50-219 S
CAPHTON,D.L.	9604120205*	50-219 Q
CAPHTON,D.L.	9604120225*	50-219 Q
CAPHTON,D.L.	9604120297*	50-219 Q
CAPHTON,D.L.	9604150136*	FOIA
CAPHTON,D.L.	9604150174*	FOIA
CAPHTON,D.L.	9604160116*	50-219 Q
CAPHTON,D.L.	9604160135*	FOIA
CAPHTON,D.L.	9604160192*	50-219 Q
CAPHTON,D.L.	9604160201*	50-219 P
CAPHTON,D.L.	9604160216*	50-219 Q
CAPHTON,D.L.	9604160248*	50-219 Q
CAPHTON,D.L.	9604160467*	50-219 Q
CAPHTON,D.L.	9604160473*	50-219 Q
CAPHTON,D.L.	9604170181*	50-219 Q
CAPHTON,D.L.	9604170377*	50-219 Q
CAPHTON,D.L.	9604180159*	50-219 Q
CAPHTON,D.L.	9604180197*	50-219 Q
CAPHTON,D.L.	9604180210*	50-219 P
CAPHTON,D.L.	9604180218*	50-219 P
CAPHTON,D.L.	9604180369*	50-219 Q
CAPHTON,D.L.	9604230139*	50-219 Q
CAPHTON,D.L.	9604230183*	50-219 Q
CAPHTON,D.L.	9604230190*	50-219 Q
CAPHTON,D.L.	9604230229*	50-219 Q
CAPHTON,D.L.	9604230289*	50-219 Q
CAPHTON,D.L.	9604240165	50-219 Q
CAPHTON,D.L.	9604250260*	50-219 Q
CAPLIN,J.	9604020352	NUREG
CAPRA,R.A.	9604020251	50-373 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CAPRA,R.A.	9604030156*	50-373 P
CAPRA,R.A.	9604170506	50-237 P
CARDWELL,C.C.	9604010210	STATE PRO G
CARDWELL,C.C.	9604030013*	STATE PRO G
CARDWELL,C.C.	9604250218	STATE PRO G
CAREY,P.	9604150102*	50-219 P
CAREY,P.	9604150225*	50-219 P
CAREY,P.	9604150230*	50-219 P
CAREY,P.	9604150263*	50-219 P
CAREY,P.	9604160042*	50-219 P
CAREY,P.	9604160127*	50-219 Q
CAREY,P.	9604160143*	50-219 Q
CAREY,P.	9604160180*	50-219 P
CAREY,P.	9604160302*	50-219 P
CAREY,P.	9604160365*	50-219 P
CARLSON,B.	9604160298*	50-219 P
CARLSON,R.H.	9604170525*	50-219 Q
CARLSON,R.T.	9604120004*	50-363 Q
CARLSON,R.T.	9604120125*	50-219 P
CARLSON,R.T.	9604120166*	50-219 P
CARLSON,R.T.	9604120290*	50-219 Q
CARLSON,R.T.	9604150106*	50-219 Q
CARLSON,R.T.	9604150108*	50-219 Q
CARLSON,R.T.	9604150119*	50-219 Q
CARLSON,R.T.	9604150136*	50-219 Q
CARLSON,R.T.	9604150154*	50-219 P
CARLSON,R.T.	9604150182*	50-219 Q
CARLSON,R.T.	9604150186*	50-219 Q
CARLSON,R.T.	9604150204*	50-219 P
CARLSON,R.T.	9604150283*	50-219 P
CARLSON,R.T.	9604150329*	50-219 P
CARLSON,R.T.	9604160140*	50-219 P
CARLSON,R.T.	9604160141*	50-219 Q
CARLSON,R.T.	9604160164*	50-219 Q
CARLSON,R.T.	9604160166*	50-219 Q
CARLSON,R.T.	9604160175*	50-219 Q
CARLSON,R.T.	9604160176*	50-219 Q
CARLSON,R.T.	9604160247*	50-219 Q
CARLSON,R.T.	9604160270*	50-219 Q
CARLSON,R.T.	9604160310*	50-219 P
CARLSON,R.T.	9604160366*	50-219 Q
CARLSON,R.T.	9604160367*	50-219 Q
CARLSON,R.T.	9604170006*	50-219 Q
CARLSON,R.T.	9604170010*	50-219 Q
CARLSON,R.T.	9604170046*	50-219 Q
CARLSON,R.T.	9604170068*	50-219 P
CARLSON,R.T.	9604170079*	50-219 Q
CARLSON,R.T.	9604170166*	50-219 Q
CARLSON,R.T.	9604170232*	50-219 Q
CARLSON,R.T.	9604170235*	50-219 Q
CARLSON,R.T.	9604170252*	50-219 Q
CARLSON,R.T.	9604170326*	50-219 Q
CARLSON,R.T.	9604170383*	50-219 Q
CARLSON,R.T.	9604170415*	50-219 S
CARLSON,R.T.	9604170479*	50-219 Q
CARLSON,R.T.	9604170509*	50-219 Q
CARLSON,R.T.	9604170521*	50-219 Q
CARLSON,R.T.	9604170528*	50-219 Q
CARLSON,R.T.	9604180034*	50-219 Q
CARLSON,R.T.	9604180077*	50-219 Q
CARLSON,R.T.	9604180119*	50-219 Q
CARLSON,R.T.	9604180140*	50-219 Q
CARLSON,R.T.	9604180147*	50-219 Q
CARLSON,R.T.	9604220073*	50-219 Q
CARLSON,R.T.	9604220118*	50-219 Q
CARLSON,R.T.	9604220190*	50-219 Q
CARLSON,R.T.	9604230217*	50-219 Q
CARLSON,R.T.	9604230347*	50-219 Q
CARLSON,R.T.	9604230380*	50-219 P
CARLSON,R.T.	9604240159*	50-219 Q
CARLSON,R.T.	9604250054*	50-219 Q
CARLSON,R.T.	9604250117*	50-363 Q
CARLSON,R.T.	9604250137*	50-363 Q
CARNS,N.S.	9604020016	50-482 Q
CARNS,N.S.	9604020143	50-482 J
CARNS,N.S.	9604020304	50-482 S
CARNS,N.S.	9604090258	50-482 Q
CARNS,N.S.	9604180087	50-482 S
CARNS,N.S.	9604240051	50-482 S
CARPENTER,C.E.	9604170058	TOPREP
CARR,B.S.	9604080450*	71-*****
CARRION,R.P.	9604230137	50-321 S
CARROLL,J.T.	9604120045*	50-219 S
CARROLL,J.T.	9604120060*	50-219 S
CARROLL,J.T.	9604120114*	50-219 S
CARROLL,J.T.	9604120134*	50-219 S
CARROLL,J.T.	9604120169*	50-219 S
CARROLL,J.T.	9604120173*	50-219 S
CARROLL,J.T.	9604120203*	50-219 S
CARROLL,J.T.	9604150002*	50-219 S
CARROLL,J.T.	9604150301*	50-219 S
CARROLL,J.T.	9604150338*	50-219 P
CARROLL,J.T.	9604170325*	50-219 S
CARROLL,J.T.	9604170396*	50-219 S
CARROLL,J.T.	9604170433*	50-219 S
CARROLL,J.T.	9604180010*	50-219 S
CARROLL,J.T.	9604180032*	50-219 S
CARROLL,J.T.	9604180040*	50-219 S
CARROLL,J.T.	9604180044*	50-219 S
CARROLL,J.T.	9604180048*	50-219 S
CARROLL,J.T.	9604180068*	50-219 S
CARROLL,J.T.	9604180104*	50-219 S
CARROLL,J.T.	9604180109*	50-219 S
CARROLL,J.T.	9604180157*	50-219 S
CARROLL,J.T.	9604180188*	50-219 S
CARROLL,J.T.	9604190235*	50-219 S
CARROLL,J.T.	9604190249*	50-219 S
CARROLL,J.T.	9604190256*	50-219 S
CARROLL,J.T.	9604220007*	50-219 P
CARROLL,J.T.	9604220053*	50-219 S
CARROLL,J.T.	9604220063*	50-219 S
CARROLL,J.T.	9604230287*	50-219 P
CARROLL,J.T.	9604240237*	50-219 S
CARROLL,J.T.	9604240265*	50-219 P
CARTER,R.A.	9604170076*	PROJ
CASSIDY,J.	9604030032*	PR
CASTRO,C.A.	9604100057	50-280 P
CATCHPOLE,T.W.	9604080232	50-302 S
CATCHPOLE,T.W.	9604150234	50-302 S
CATCHPOLE,T.W.	9604300053	50-302 S
CEC,R.	9604030059	70-7001
CEO,R.N.	9604020259*	STATE PRO G
CERNE,A.	9604020078	50-423 S
CHAFFEE,A.E.	9604090460	50-373 Q
CHANCELLOR,R.	9604170419	40-8502
CHANCELLOR,R.	9604190127	40-4492
CHAPELL,D.R.	9604110287*	50-219 F
CHAPMAN,C.N.	9604250013	FOIA
CHAPMAN,J.R.	9604010430*	50-443 P
CHAPPEL,C.R.	9604290159	71-9263
CHAPPELL,C.R.	9604120227	71-9269
CHAPPELL,C.R.	9604120245	71-9033
CHAPPELL,C.R.	9604120255	71-9269
CHAPPELL,C.R.	9604120284	71-9269
CHAPPELL,C.R.	9604120295	71-9269
CHAPPELL,C.R.	9604150016	71-9269
CHAPPELL,C.R.	9604150022	71-9157
CHAPPELL,C.R.	9604150062	71-9222
CHAPPELL,C.R.	9604150075	71-9269
CHAPPELL,C.R.	9604170438	71-9228
CHAPPELL,C.R.	9604290164	71-9269
CHAPPELL,C.R.	9604290172	71-9263
CHAPPELL,C.R.	9604290188	71-9269
CHAPPELL,C.R.	9604290203	71-4909
CHAPPELL,C.R.	9604290214	71-5450
CHAPPELL,C.R.	9604290223	71-9033
CHAPPELL,C.R.	9604290244	71-9168
CHAPPELL,C.R.	9604290252	71-9263
CHAPPELL,C.R.	9604290254	71-9269
CHEN,P.Y.	9604160371	ORG
CHILDS,W.V.	9604190298	50-333 S
CHOE,W.G.	9604020149*	50-446 P
CHOINARD,R.F.	9604300423	50-455 S
CHRISSOTIMOS,N.	9604090039	50-254 S
CHRISTENSEN,H.	9604110278	50-220 F
CHRISTENSEN,H.	9604180418	50-324 Q
CHRISTENSEN,M.	9604090401*	50-285 F
CHRISTIAN,D.A.	9604080160	50-280 S
CHRISTINE,P.	9604050384*	50-309 H
CHRISTINE,P.	9604120264*	50-309 P
CHRISTINE,P.	9604120269*	50-309 P
CHRISTINE,P.C.	9604080085*	50-309 H
CHRISTOPHER,S.	9604050069*	50-413 F
CHRITIE,R.L.	9604040156	40-3453
CIALKOWSKI,M.J.	9604190093	50-373 R
CIRELLI,D.A.	9604260210*	70-1100
CIRELLI,D.A.	9604260210*	70-1100
CLARK,K.	9604100090	50-400 Q
CLARK,K.M.	9604250158	50-390 S
CLARK,S.R.	9604020453	40-8681
CLARK,S.R.	9604090304	40-8681
CLARY,J.R.	9604230184	CONTRACT
CLAUSON,R.E.	9604050443*	50-302 P
CLAYTON,B.	9604150307*	50-461 Q
CLAYTON,B.	9604240078	50-461 Q
CLAYTON,B.	9604250277	50-373 Q
CLAYTON,B.	9604250297*	50-373 Q
CLAYTON,D.J.	9604030324	50-334 I
CLAYTON,H.B.	9604150299	50-461 Q
CLAYTON,H.B.	9604220140	50-373 P
CLAYTON,H.B.	9604220146	50-373 Q
CLAYTON,H.B.	9604240072	50-254 Q
CLAYTON,H.B.	9604250143	50-254 Q
CLAYTON,H.B.	9604250153*	50-254 Q
CLIFFORD,J.W.	9604240316	50-397 P
CLINE,C.R.	9604220294	71-553
CLINGER,W.F.	9604050126*	COMMISSIO N
CLONINGER,T.H.	9604110075	50-498 Q
CLONINGER,T.H.	9604230235	50-498 P
CLONINGER,T.H.	9604230254	50-498 P
CLOUD,P.D.	9604150216	40-8838
CLOUD,P.D.	9604180079	40-8838
COHEN,S.	9604100056*	CONTRACT
COLAPINTO,D.K.	9604110016*	FOIA
COLAPINTO,D.K.	9604110016*	FOIA
COLAPINTO,D.K.	9604110020*	50-424 H
COLAPINTO,D.K.	9604110020*	50-424 H
COLE,N.	9604170059*	ORG
COLE,R.F.	9604110086	50-458 G
COLE,R.F.	9604290229	70-3070
COLEMAN,D.E.	9604190080	50-220 R
COLEY,W.E.	9604190118	50-275 R
COLFORD,C.	9604250199	XPORTLIC
COLLINGS,S.P.	9604160138	40-8943
COLLINS,D.	9604160125	70-143
COLLINS,D.J.	9604010067	STATE PRO G
COLLINS,D.J.	9604090184	PR
COLLINS,D.J.	9604090206	STATE PRO G
COLLINS,D.J.	9604100178	STATE PRO G
COLLINS,D.J.	9604160058*	STATE PRO G
COLLINS,D.J.	9604220336	STATE PRO G
COLLINS,D.J.	9604250026*	40-*****
COLLINS,D.J.	9604250036	STATE PRO G
COLLINS,D.M.	9604080089*	FOIA
COLLINS,P.F.	9604170414*	50-219 V
COLLINS,S.C.	9604010289*	STATE PRO G
COLLINS,S.C.	9604090470	PRM
COLLINS,S.J.	9604150291	50-483 Q
COLOMB,M.J.	9604020159	50-333 S
COLOMB,M.J.	9604120062	50-333 R
COLOMB,M.J.	9604190298	50-333 S
COLOMB,M.J.	9604290085	50-333 R
COLVIN,J.F.	9604090281	52-1
COMFORT,G.	9604290192*	PROJ
COMFORT,G.C.	9604080198	40-7102
COMFORT,G.C.	9604240215	PROJ
CONANT,J.F.	9604040111	70-1100
CONANT,J.F.	9604040111	70-1100
CONDREY,D.	9604100259	XPORTLIC
CONDREY,D.	9604150287	70-1252
CONDREY,D.	9604260213	70-1252
CONGDON,S.P.	9604220047*	52-4
CONGEL,F.J.	9604290397	ORG
CONGER,H.M.	9604030130*	40-8903
CONNELL,W.	9604090245	50-461 S
CONNELL,W.	9604230269	50-461 P
CONNELL,W.	9604290119	50-461 P
CONNER,E.L.	9604040083*	50-219 P
CONNER,J.A.	9604090223	70-27
CONNER,M.	9604040089*	50-219 F
CONNOR,T.A.	9604250408*	50-146 P
CONTE,R.	9604090138	50-293 Q
CONTE,R.	9604090145*	50-293 Q
CONTE,R.	9604240059	50-293 S
CONTE,R.J.	9604080091*	50-220 Q
CONTE,R.J.	9604080300	50-293 F
CONTE,R.J.	9604080373	50-220 Q
CONTE,R.J.	9604110224	50-271 Q
CONTE,R.J.	9604160015	50-220 Q
CONTE,R.J.	9604230059*	50-293 Q
CONTE,R.J.	9604290265	50-220 Q
CONTE,R.J.	9604290268*	50-220 Q
CONWAY,J.T.	9604150273	50-410 S
CONWAY,J.T.	9604220042	50-410 S
CONWAY,J.T.	9604220179	50-410 R
COOK,J.F.	9604180377*	50-313 Q
COOK,J.F.	9604180387*	50-313 Q
COOKSLEY,J.W.	9604090013	40-3453
COOL,D.A.	9601180168*	PR
COOL,D.A.	9602200186	50-3 W
COOL,D.A.	9603110002*	STATE PRO G
COOL,D.A.	9603200218	50-3 Q
COOL,D.A.	9603290269	50-3 Q
COOL,D.A.	9604010360*	STATE PRO G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COOL,D.A.	9604020189*	STATE PRO G
COOL,D.A.	9604040106	50-3 Q
COOPER,L.C.	9604170392*	50-219 Q
COOPER,R.W.	9604080088	50-220 Q
COOPER,R.W.	9604090179	50-443 Q
COOPER,R.W.	9604100063	50-286 Q
COOPER,R.W.	9604150271	50-309 Q
COOPER,R.W.	9604220311	50-289 Q
COOPER,R.W.	9604230052	50-293 Q
COOPER,R.W.	9604290269	50-354 Q
COOPER,T.	9604160117	50-302 S
COPELAND,R.A.	9604240204	TOPREP
CORDES,J.F.	9604050158	SECY
CORDES,J.F.	9604160346	SECY
CORDOVA,A.	9604040060	PR
CORDOVA,A.	9604220276	PR
CORN,W.S.	9604250375*	50-390 P
CORNELL,S.A.	9604010207*	ORG
CORRADINI,M.	9604190154*	CONTRACT
COS,D.	9604030161	CONTRACT
COSGROVE,H.E.	9604190175*	50-272 I
COSTELLO,F.	9604030311	30-22089
COSTELLO,F.M.	9604240210	STATE PRO G
COSTELLO,F.M.	9604290228	STATE PRO G
COSTELLO,F.M.	9604290297	STATE PRO G
COSTELLO,F.M.	9604290311	STATE PRO G
COTTER,B.P.	9604110086	50-458 G
COTTINGHAM,J.S.	9604020356	40-3453
COTTLE,W.T.	9604010198	50-498 P
COTTLE,W.T.	9604010202*	50-498 P
COTTLE,W.T.	9604090477	50-498 Q
COTTLE,W.T.	9604110120	50-498 P
COTTLE,W.T.	9604160054	50-498 P
COTTON,K.R.	9604220088	50-333 P
COWGILL,C.J.	9604020105	50-286 Q
COWGILL,C.J.	9604020117*	50-286 Q
COWGILL,C.J.	9604020142*	50-3 Q
COWGILL,C.J.	9604100082*	50-286 Q
COWGILL,C.J.	9604110170	50-247 Q
COWGILL,C.J.	9604150366	50-247 Q
COX,S.W.	9604030270*	STATE PRO G
COX,T.	9604170180	70-143
CRANFORD,G.F.	9604010353*	STATE PRO G
CRANFORD,G.F.	9604030257	ORG
CRANFORD,G.F.	9604170226	ORG
CRANFORD,G.F.	9604240026	ORG
CRANFORD,G.F.	9604240031	ORG
CREED,J.R.	9604050415	50-263 F
CREED,J.R.	9604050437	50-373 F
CREED,J.R.	9604080052	50-10 F
CREED,J.R.	9604080093	50-315 F
CREED,J.R.	9604080114	50-255 F
CREED,J.R.	9604080446	50-263 F
CREED,J.R.	9604090419	50-315 F
CREED,J.R.	9604150259	50-266 F
CRLENJAK,R.V.	9604090071	50-369 Q
CRLENJAK,R.V.	9604090083*	50-369 Q
CRLENJAK,R.V.	9604090148	50-269 P
CRLENJAK,R.V.	9604090189	50-413 Q
CRLENJAK,R.V.	9604090210	50-269 P
CRLENJAK,R.V.	9604100021	50-269 Q
CRLENJAK,R.V.	9604100123	50-269 Q
CRLENJAK,R.V.	9604100258	50-369 Q
CRLENJAK,R.V.	9604230299	50-413 P
CRLENJAK,R.V.	9604230333*	50-369 Q
CRLENJAK,R.V.	9604240153	50-269 Q
CRLENJAK,R.V.	9604240158*	50-269 Q
CRLENJAK,R.V.	9604240298	50-369 Q
CRLENJK,R.V.	9604090260	50-369 P
CROMWELL,P.	9604150144*	50-219 P
CRONEBERGER,D.	9604230260	PROJ
CROSBIE,K.L.	9604090208	71-5450
CROSS,J.E.	9604160074	50-334 Q
CROSS,J.E.	9604170095	71-275
CROTEAU,R.P.	9604230375	50-250 P
CROTEAU,R.P.	9604290114	50-250 P
CROTEAU,R.P.	9604300182	50-250 P
CROUCH,D.B.	9604220013	40-8904
CROUCH,D.B.	9604220023*	40-8904
CROUCH,M.M.	9604300252*	CONTRACT
CRUSE,C.H.	9604020436	50-317 P
CRUSE,C.H.	9604030315	50-317 S
CRUSE,C.H.	9604100044	50-317 P
CRUSE,C.H.	9604100065*	50-317 P
CRUSE,C.H.	9604170081	50-317 P
CRUSE,C.H.	9604250258	50-317 P
CRUSE,W.H.	9604030129	50-317 K
CRUTCHFIELD,D.	9603120048*	ORG
CRUTCHFIELD,D.	9603270127	50-3 Q
CRUTCHFIELD,D.	9604010309	50-3 F
CRUTCHFIELD,D.	9604050336	50-3 Q
CRUTCHFIELD,D.	9604080259	50-3 Q
CRUTCHFIELD,D.	9604090427	50-317 P
CRUTCHFIELD,D.	9604100080	ORG
CRUTCHFIELD,D.	9604100166	ORG
CRUTCHFIELD,D.	9604160426	52-4
CRUTCHFIELD,D.	9604170054*	I&E
CRUTCHFIELD,D.	9604170169	50-3 Q
CUMELLA,S.	9604180084*	40-8838
CUNNINGHAM,G.	9604010167	50-73 R
CUNNINGHAM,G.E.	9604180317	50-73 F
CUNNINGHAM,L.J.	9604120046	50-373 F
CUNNINGHAM,R.E.	9604050320*	70-*****
CUNNINGHAM,R.E.	9604050337*	70-*****
CUNNINGHAM,R.E.	9604050367*	FOIA
CURRAN,D.	9604010407	40-8027
CURRAN,D.	9604010407	40-8027
CURRAN,D.	9604010407	40-8027
CURRAN,D.	9604020048	40-8027
CURRAN,D.	9604020048	40-8027
CURRAN,D.	9604020290	40-8027
CURRAN,D.	9604020290	40-8027
CURRAN,D.	9604180214	50-29 G
CURRAN,D.	9604180214	50-29 G
CURRAN,D.	9604180214	50-29 G
CURRAN,D.	9604180230*	50-29 G
CURRAN,D.	9604180230*	50-29 G
CURRAN,D.	9604180230*	50-29 G
CURRY,E.A.	9604250408*	50-146 P
CWALINA,G.C	9604160383*	50-483 Q
CWALINA,G.C.	9604090481	QA999
CWALINA,G.C.	9604160407*	50-483 Q
CWALINA,G.C.	9604220337	QA999
CWALINA,G.C.	9604300332*	QA999
CYGAN,J.	9604190302	50-295 R
D'ANTONIO,J.	9604020134*	50-244 V
DAAVETTILA,D.	9604250280	71-*****
DAAVETTILA,D.	9604250287*	71-*****
DACIMO,	9604180344	50-213 R
DACIMO,F.R.	9604010229	50-336 R
DACIMO,F.R.	9604010229	50-336 R
DACIMO,F.R.	9604020094	50-213 P
DACIMO,F.R.	9604020094	50-213 P
DACIMO,F.R.	9604020182	50-336 P
DACIMO,F.R.	9604020182	50-336 P
DACIMO,F.R.	9604020192	50-213 P
DACIMO,F.R.	9604020192	50-213 P
DACIMO,F.R.	9604020361	50-213 P
DACIMO,F.R.	9604020361	50-213 P
DACIMO,F.R.	9604020361	50-213 P
DACIMO,F.R.	9604080223	50-213 P
DACIMO,F.R.	9604080223	50-213 P
DACIMO,F.R.	9604150164	50-213 Q
DACIMO,F.R.	9604150164	50-213 Q
DACIMO,F.R.	9604150164	50-213 Q
DACIMO,F.R.	9604150164	50-213 Q
DACIMO,F.R.	9604150246	50-213 P
DACIMO,F.R.	9604150246	50-213 P
DACIMO,F.R.	9604170004	50-245 F
DACIMO,F.R.	9604170004	50-245 F
DACIMO,F.R.	9604170209	50-245 Q
DACIMO,F.R.	9604170209	50-245 Q
DACIMO,F.R.	9604170218	50-336 Q
DACIMO,F.R.	9604170218	50-336 Q
DACIMO,F.R.	9604170271	50-245 R
DACIMO,F.R.	9604170271	50-245 R
DACIMO,F.R.	9604220185	50-213 P
DACIMO,F.R.	9604220185	50-213 P
DACIMO,F.R.	9604220211	50-213 P
DACIMO,F.R.	9604220211	50-213 P
DACIMO,F.R.	9604220218	50-213 P
DACIMO,F.R.	9604220218	50-213 P
DACIMO,F.R.	9604220349	50-423 P
DACIMO,F.R.	9604220349	50-423 P
DACIMO,F.R.	9604240246	50-245 P
DACIMO,F.R.	9604240246	50-245 P
DACIMO,F.R.	9604240294	50-213 R
DACIMO,F.R.	9604240294	50-213 R
DACIMO,F.R.	9604240294	50-213 R
DACIMO,F.R.	9604290278	50-443 J
DACIMO,F.R.	9604290281	50-213 R
DACIMO,F.R.	9604290281	50-213 R
DACIMO,F.R.	9604290394	50-245 R
DACIMO,F.R.	9604290394	50-245 R
DACIMO,F.R.	9604300120	50-336 Q
DACIMO,F.R.	9604300120	50-336 Q
DACIMO,F.R.	9604300201	50-213 P
DACIMO,F.R.	9604300201	50-213 P
DACIMO,F.R.	9604300209	50-213 P
DACIMO,F.R.	9604300209	50-213 P
DACIMO,F.R.	9604300214	50-245 Q
DALTON,N.	9604290186	40-3453
DALTON,R.L.	9604300440	40-3453
DAO,T.V.	9604160416	50-302 R
DARBY,J.L.	9602010287*	50-220 P
DARBY,J.L.	9603290323*	50-317 P
DARBY,J.L.	9604250366*	50-354 P
DAVENPORT,J.W.	9604230077	50-259 R
DAVIDSON,G.R.	9604260124	50-295 F
DAVIS,A.B.	9604240227*	50-219 Q
DAVIS,G.T.	9604090257	71-9269
DAVIS,J.G.	9604120277*	50-219 S
DAVIS,J.G.	9604150063*	50-219 Q
DAVIS,J.G.	9604150131*	50-219 P
DAVIS,J.G.	9604180415*	50-219 Q
DAVIS,J.G.	9604230096*	50-219 Q
DAVIS,J.G.	9604240004*	50-219 P
DAVIS,J.G.	9604240162*	50-219 S
DAVIS,J.W.	9604170409	PR
DEAL,W.N.	9604290377	40-*****
DEAN,W.J.	9604050006	50-454 S
DEBARBA,E.A.	9604080360	50-423 P
DEBARBA,E.A.	9604080360	50-423 P
DEBARBA,E.A.	9604090057	50-213 J
DEBARBA,E.A.	9604090057	50-213 J
DEBARBA,E.A.	9604090057	50-213 J
DEBARBA,E.A.	9604090059	50-245 P
DEBARBA,E.A.	9604090059	50-245 P
DEBARBA,E.A.	9604170012	50-245 F
DEBARBA,E.A.	9604170012	50-245 F
DEBARBA,E.A.	9604190113	50-213 Q
DEBARBA,E.A.	9604190113	50-213 Q
DEBOO,G.H.	9604100146*	50-254 P
DEBOO,G.H.	9604100148*	50-254 P
DEBOO,G.H.	9604100154*	50-254 P
DEBOO,G.H.	9604100158*	50-254 P
DECKER,T.R.	9604230145	I&E
DEKOK,D.	9604220040	50-146 H
DELEZENSKI,J.	9604300098	50-312 H
DELLIGATTI,M.	9604030279	71-9261
DELLIGATTI,M.S.	9604010364	71-9261
DELMEDICO,J.	9604250334	I&E
DEMARK,W.E.	9604180383	50-461 R
DEMBEK,S.	9604160185	TOPREP
DEMBEK,S.	9604230021	50-213 G
DEMBEK,S.	9604230318	50-234 T
DEMBEK,S.	9604240351	50-213 H
DEMBEK,S.	9604290004	50-245 P
DEMPSEY,J.	9604230273	50-304 S
DENIO,L.L.	9604190168	72-1
DENIO,L.L.	9604240371	72-1
DENIO,L.L.	9604300444	70-1308
DEVINE,T.	9604050142*	WASTE MGT
DEVITTO,R.L.	9604010088*	50-295 Q
DEVLIN,I.	9604230130*	50-219 Q
DEVLIN,J.W.	9604170392*	50-219 Q
DEVLIN,J.W.	9604220123*	50-219 Q
DEWAN,J.T.	9604300240*	FOIA
DEWEASE,J.G.	9604010359	50-313 J
DEWEASE,J.G.	9604230258	50-313 I
DEWISPELARE,A.	9604120213	WASTE MGT
DIAZ,C.	9604290288	50-373 S
DIBIASIO,A.	9604020321	NUREG
DICK,G.F.	9604100174*	50-454 P
DICK,G.F.	9604160229	50-454 P
DICK,G.F.	9604160250*	50-454 P
DICK,G.F.	9604160335	50-454 P
DICK,G.F.	9604160340*	50-454 P
DICK,G.F.	9604180248	50-454 Q
DICK,G.F.	9604180397	50-454 P
DICK,G.F.	9604180420*	50-454 P
DICKSON,T.L.	9604010410*	ORG
DICKSON,T.L.	9604010417*	ORG
DICKSTEIN,C.	9604240283*	50-309 G
DICUS,G.J.	9604010378	COMMISSION
DICUS,G.J.	9604050107	COMMISSION
DICUS,G.J.	9604050131	COMMISSION
DICUS,G.J.	9604160440	COMMISSION
DICUS,G.J.	9604180236	COMMISSION
DICUS,G.J.	9604180262	COMMISSION
DICUS,G.J.	9604290023	COMMISSION
DICUS,G.J.	9604290024	COMMISSION
DIGNAN,T.G.	9604100070	50-29 G
DIGNAN,T.G.	9604100070	50-29 G

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DIGNAN,T.G.	9604250074	50-29 G
DILLS,D.	9604100058	CONTRACT
DIMARZO,M.	9604240254	CONTRACT
DINITZ,I.P.	9512120388*	50-298 J
DIPROFIO,W.A.	9604010425	50-443 P
DIPROFIO,W.A.	9604010433	50-443 F
DIPROFIO,W.A.	9604160019	50-443 P
DIPROFIO,W.A.	9604160123	50-443 R
DIPROFIO,W.A.	9604230062	50-443 F
DIPROFIO,W.A.	9604260182	50-443 R
DISMUKES,W.F.	9604020379	CONTRACT
DIXON,G.N.	9604100054	72-1007
DOCKERY,J.D.	9604110068*	FOIA
DOCKERY,J.D.	9604110110*	50-528 T
DOCKERY,J.D.	9604110122*	50-341 Q
DOCTOR,S.R.	9604230383	NUREG
DODA,B.J.	9604020278*	STATE PRO G
DODSON,D.	9604120009	50-272 S
DODSON,D.H.	9604080086*	XPORTLIC
DODSON,D.H.	9604080096*	XPORTLIC
DOERFLEIN,L.T.	9604260223	50-244 P
DOLE,F.	9604180318	50-302 F
DOLLEY,J.	9604080127*	70-3070
DONAHUE,J.W.	9604160004	50-400 R
DONAHUE,J.W.	9604180074	50-400 S
DONAHUE,J.W.	9604180464	50-400 S
DONLEY,R.	9604170104	50-77 J
DONNELLY,P.M.	9604080390	50-155 P
DONNELLY,P.M.	9604110094	50-155 R
DONNELLY,P.M.	9604220394	50-155 F
DONNELLY,P.M.	9604230286	50-155 P
DONOVAN,K.P.	9604300023	TOPREP
DORFMAN,J.	9604020371*	STATE PRO G
DORMAN,D.H.	9604100089	50-341 P
DORMAN,D.H.	9604300148	50-271 P
DOUB,W.O.	9604120019*	50-219 P
DRAGOUN,T.	9604260238*	50-223 Q
DREHER,F.A.	9604120277*	50-219 S
DREHER,F.A.	9604240162*	50-219 S
DRENDEL,D.B.	9604090300	50-254 P
DRICKS,V.	9604100086	50-220 Q
DRICKS,V.	9604110108	50-309 P
DRICKS,V.	9604300092	50-286 P
DRISKILL,D.D.	9604300146*	50-387 Q
DROMERICK,A.W.	9604090329	50-219 Y
DUBINSKI,L.	9604050332*	70-*****
DUDGEON,R.A.	9604100240	CONTRACT
DUFFY,J.J.	9604020291	50-271 R
DUFFY,J.J.	9604020310	50-271 P
DUFFY,J.J.	9604080242	50-271 I
DUFFY,J.J.	9604160036	50-271 Q
DUGSTAD,D.	9604090180	50-282 R
DUNCAN,S.M.	9604100208	40-8027
DUNCAN,S.M.	9604100208	40-8027
DUNN,C.	9604110097	50-456 S
DUNN,W.M.	9604030131*	STATE PRO G
DUNN,W.M.	9604030141*	STATE PRO G
DUNN,W.M.	9604030145*	STATE PRO G
DUNN,W.M.	9604030154*	STATE PRO G
DUNNINGTON,E.	9604230371	50-250 P
DUPRE,S.M.	9604030048	PR
DURMAN,G.	9604170202*	COMMISSIO N
DURR,J.	9604020078	50-423 S
DURR,J.	9604040209*	50-219 F
DURR,J.	9604080316	50-245 Q
DURR,J.	9604090033*	50-219 F
DURR,J.	9604090476	50-245 Q
DURR,J.	9604290010	50-245 P
DURR,J.	9604290151	50-245 P
DURR,J.P.	9604040046*	50-219 P
DURR,J.P.	9604250052	50-245 Q
DURR,J.P.	9604250062*	50-245 Q
DUVAL,J.S.	9604090403*	WASTE MGT
DYER,J.E.	9604040230	50-528 Q
DYER,J.E.	9604080036	50-483 Q
DYER,J.E.	9604080143	50-397 Q
DYER,J.E.	9604080147	50-445 Q
DYER,J.E.	9604080161	50-275 Q
DYER,J.E.	9604080183	50-416 Q
DYER,J.E.	9604080205	50-361 Q
DYER,J.E.	9604080218	50-528 Q
DYER,J.E.	9604080225	50-285 Q
DYER,J.E.	9604080247	50-498 Q
DYER,J.E.	9604080287	50-298 Q
DYER,J.E.	9604080291	50-313 Q
DYER,J.E.	9604080386	50-285 Q
DYER,J.E.	9604090056	50-483 P
DYER,J.E.	9604090253	50-458 Q
DYER,J.E.	9604100242	50-482 Q
DYER,J.E.	9604100246	50-285 Q
DYER,J.E.	9604110140	50-458 P
DYER,J.E.	9604110289	50-298 Q
DYER,J.E.	9604120065	50-313 Q
DYER,J.E.	9604150322	50-416 Q
DYER,J.E.	9604150337	50-482 Q
DYER,J.E.	9604150377	50-361 Q
DYER,J.E.	9604160024	50-382 Q
DYER,J.E.	9604160031	50-275 Q
DYER,J.E.	9604160067	50-498 Q
DYER,J.E.	9604170474	50-416 Q
DYER,J.E.	9604180354	50-528 Q
DYER,J.E.	9604180425	50-298 P
DYER,J.E.	9604190024	50-298 Q
DYER,J.E.	9604230098	50-382 Q
DYER,J.E.	9604230308	50-482 Q
DYER,J.E.	9604250236	50-313 P
DYER,J.E.	9604250313	50-482 Q
DYER,J.E.	9604260126	50-445 Q
EAKIN,W.	9604300309	50-482 Q
EASTMAN,J.G.	9604220353*	50-423 P
EASTVOLD,P.D.	9604170123	CONTRACT
EATON,J.H.	9604150109	STATE PRO G
EATON,R.B.	9604190046	REVIEW GR P
EBNETER,S.D.	9604220176	50-293 P
EBNETER,S.D.	9604090108*	50-335 Q
EBNETER,S.D.	9604090119	50-269 P
EBNETER,S.D.	9604090367	70-143
EBNETER,S.D.	9604100020	50-250 G
EBNETER,S.D.	9604220251	50-324 Q
EBNETER,S.D.	9604220356	50-400 Q
ECALONO,R.	9604230088	CONTRACT
ECKERT,L.L.	9604050089*	50-219 P
ECKERT,L.L.	9604050124*	50-219 Q
EDELMANN,P.G.	9604160016	50-219 R
EDGAR,J.B.	9604110222	70-1257
EDGAR,J.B.	9604120158	70-1257
EDGAR,J.B.	9604170426	70-1257
EDGAR,J.B.	9604250309	71-9248
EDISON,G.E.	9604040170	50-338 P
EDISON,G.E.	9604080001	50-338 P
EDISON,G.E.	9604090437	50-338 F
EDISON,G.E.	9604170205	50-338 P
EDISON,G.E.	9604230361	50-338 P
EDISON,M.	9604010269	50-338 P
EDWARDS,G.D.	9604040010	50-277 S
EDWARDS,G.D.	9604040018	50-277 Q
EISENBERG,N.A.	9604120213	WASTE MGT
EISENHUT,D.G.	9604220230	CONTRACT
EISTER,W.K.	9604050303*	70-*****
ELAM,G.G.	9604030127	40-8903
ELIASON,L.R.	9604190173	50-272 I
ELISA,L.A.	9604260249*	50-293 F
ELLINGWOOD,B.R.	9604230376	NUREG
ELLINGWOOD,B.R.	9604230399	NUREG
ELLIOTT,R.	9604030285	PR
ELLIS,D.R.	9604080244	50-416 F
ELLIS,J.H.	9604090495	40-8027
ELLIS,W.P.	9604180378*	50-219 Q
ELLIS,W.P.	9604240060*	50-219 Q
ELLSWORTH,C.	9604180069	40-8948
ELLSWORTH,C.	9604180069	40-8948
ELLSWORTH,C.	9604180069	40-8948
ELWOOD,C.	9604220058	50-286 S
EMBREE,D.G.	9604170322	50-397 R
EMEIGH,C.	9604250193*	REGGD
EMMONS,K.W.	9604180344	50-213 R
ENGELKEN,R.H.	9604160187*	50-219 Q
ENGELKEN,R.H.	9604160276*	50-219 Q
ENGELKEN,R.H.	9604160450*	50-219 P
ENGELKEN,R.H.	9604180103*	50-219 Q
ENGLE,D.E.	9604300133	50-255 S
ENSMINGER,J.T.	9604120237	70-*****
ERLEY,D.D.	9604180042	40-3453
ESELGROTH,P.	9604300110	50-219 S
ESELGROTH,P.W.	9604260228	50-219 Q
ESELGROTH,P.W.	9604260231*	50-219 Q
ESELGROTH,P.W.	9604290256	50-334 Q
ESSIG,T.H.	9604170133	REGGD
ESTRIDGE,J.	9604170041	50-413 P
EVERETT,R.J.	9604120097*	50-219 S
EVERETT,R.J.	9604120101*	50-219 Q
EVERETT,R.J.	9604120108*	50-219 Q
EVERETT,R.J.	9604160150*	50-219 Q
EVERETT,R.J.	9604160191*	50-219 Q
EVERETT,R.J.	9604160217*	50-219 P
EVERETT,R.J.	9604160355*	50-219 P
EVERETT,R.J.	9604230244*	50-219 Q
EVERETT,R.J.	9604230309*	50-219 Q
FABER,M.J.	9604180400	50-266 Q
FAHEY,M.K.	9604260046*	FOIA
FAHEY,M.K.	9604260057*	FOIA
FARBER,M.J.	9604190003	50-305 Q
FARBER,M.J.	9604250148	50-305 Q
FARBER,M.J.	9604250155*	50-305 Q
FARBER,M.J.	9604250289	50-409 Q
FARBER,M.J.	9604250292*	50-409 Q
FARBER,M.J.	9604250446*	50-266 Q
FARRAR,D.L.	9604040145	50-454 Q
FARRAR,J.P.	9604090163	50-62 F
FARRAR,J.P.	9604120080	50-62 F
FARRINGTON,J.	9604120228	ORG
FEDERINE,M.V.	9604080067	40-8027
FEDERLINE,M.V.	9601250040*	STATE PRO G
FEDERLINE,M.V.	9604020390*	STATE PRO G
FEIGENBAUM,T.C.	9604100027	50-213 P
FEIGENBAUM,T.C.	9604100027	50-213 P
FEIGENBAUM,T.C.	9604160265	50-245 P
FEIGENBAUM,T.C.	9604160265	50-245 P
FELICE,J.R.	9604020343	STATE PRO G
FELMY,A.R.	9604160360	NUREG
FENILI,R.M.	9604220080	50-237 S
FERLAND,E.J.	9604190177*	50-272 I
FERRARO,J.W.	9604230271*	50-219 P
FERRER,I.B.	9604220179	50-410 R
FETTERS,D.B.	9604040133	50-352 K
FIELDS,J.A.	9604220145	CONTRACT
FIELDS,M.B.	9604040123	50-361 P
FIELDS,M.B.	9604040138*	50-361 P
FIELDS,M.B.	9604160433	50-206 F
FIELDS,M.B.	9604170038	50-361 P
FIELDS,M.B.	9604170276	50-361 P
FIELDS,M.B.	9604190018	50-361 P
FIELDS,M.B.	9604250182	50-361 P
FIELDS,W.J.	9604030413	71-*****
FIELDS,W.J.	9604030421*	71-*****
FINFRICK,I.R.	9604180075*	50-219 S
FINFROCK,I.R.	9604110275*	50-219 F
FINFROCK,I.R.	9604120031*	50-219 P
FINFROCK,I.R.	9604120109*	50-219 P
FINFROCK,I.R.	9604120188*	50-219 P
FINFROCK,I.R.	9604120215*	50-219 P
FINFROCK,I.R.	9604150026*	50-219 P
FINFROCK,I.R.	9604150084*	50-219 P
FINFROCK,I.R.	9604150208*	50-219 P
FINFROCK,I.R.	9604150398*	50-219 P
FINFROCK,I.R.	9604160048*	50-219 P
FINFROCK,I.R.	9604160152*	50-219 P
FINFROCK,I.R.	9604160154*	50-219 P
FINFROCK,I.R.	9604160230*	50-219 P
FINFROCK,I.R.	9604170201*	50-219 V
FINFROCK,I.R.	9604170231*	50-219 P
FINFROCK,I.R.	9604170282*	50-219 P
FINFROCK,I.R.	9604170323*	50-219 Q
FINFROCK,I.R.	9604170342*	50-363 Q
FINFROCK,I.R.	9604170345*	50-219 S
FINFROCK,I.R.	9604170398*	50-219 P
FINFROCK,I.R.	9604170437*	50-219 P
FINFROCK,I.R.	9604170483*	50-219 P
FINFROCK,I.R.	9604170499*	50-219 P
FINFROCK,I.R.	9604180001*	50-219 P
FINFROCK,I.R.	9604180005*	50-219 P
FINFROCK,I.R.	9604180009*	50-219 P
FINFROCK,I.R.	9604180022*	50-219 P
FINFROCK,I.R.	9604180051*	50-219 P
FINFROCK,I.R.	9604180108*	50-219 P
FINFROCK,I.R.	9604180167*	50-219 P
FINFROCK,I.R.	9604180182*	50-219 P
FINFROCK,I.R.	9604180301*	50-219 P
FINFROCK,I.R.	9604180346*	50-219 P
FINFROCK,I.R.	9604180384*	50-219 Q
FINFROCK,I.R.	9604180405*	50-219 P
FINFROCK,I.R.	9604220002*	50-219 P
FINFROCK,I.R.	9604220030*	50-219 P
FINFROCK,I.R.	9604220043*	50-219 P
FINFROCK,I.R.	9604220205*	50-219 P
FINFROCK,I.R.	9604220215*	50-363 P
FINFROCK,I.R.	9604220265*	50-219 P
FINFROCK,I.R.	9604220316*	50-219 P
FINFROCK,I.R.	9604220381*	50-219 P
FINFROCK,I.R.	9604220406*	50-219 P
FINFROCK,I.R.	9604220408*	50-219 P
FINFROCK,I.R.	9604230122*	50-219 P
FINFROCK,I.R.	9604230133*	50-219 P
FINFROCK,I.R.	9604230255*	50-219 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FINFROCK,I.R.	9604230259*	50-219 P
FINFROCK,I.R.	9604230277	50-219 P
FINFROCK,I.R.	9604230294*	50-219 P
FINFROCK,I.R.	9604230316*	50-219 P
FINFROCK,I.R.	9604230377*	50-219 P
FINFROCK,I.R.	9604240014	50-219 P
FINFROCK,I.R.	9604240049*	50-219 P
FINFROCK,I.R.	9604240061*	50-219 P
FINFROCK,I.R.	9604240274*	50-219 P
FINFROCK,I.R.	9604250021*	50-219 P
FINFROCK,I.R.	9604250286*	50-219 P
FINFROCK,I.R.	9604250312*	50-219 P
FIRTH,J.R.	9604100016	ORG
FIRTH,J.R.	9604160157	ORG
FISICARO,J.J.	9604020175	50-458 H
FISICARO,J.J.	9604020190	50-458 P
FISICARO,J.J.	9604020303	50-458 R
FISICARO,J.J.	9604100047	50-458 Q
FISICARO,J.J.	9604160085	50-458 S
FISICARO,J.J.	9604220177	50-458 R
FISICARO,J.J.	9604250275	50-382 F
FISICARO,J.J.	9604250283	50-382 F
FISICARO,J.J.	9604260188	50-382 H
FISICARO,J.J.	9604260194	50-382 Q
FISICARO,J.J.	9604260195	50-458 P
FISICARO,J.J.	9604260198	50-382 R
FISICARO,J.J.	9604290053	50-458 Q
FISK,R.H.	9604080106	XPORTLIC
FISK,R.H.	9604080109*	XPORTLIC
FISK,R.H.	9604080122	XPORTLIC
FISK,R.H.	9604080170*	XPORTLIC
FISK,R.H.	9604080177*	XPORTLIC
FISK,R.H.	9604240057	XPORTLIC
FISK,R.H.	9604240065*	XPORTLIC
FITZGERALD,J.A.	9604300155*	50-387 Q
FITZPATRICK,E.	9604010206	50-315 R
FITZPATRICK,E.	9604080296	50-315 R
FITZPATRICK,E.	9604100083	50-315 Q
FITZPATRICK,E.	9604150143	50-315 P
FITZPATRICK,E.	9604150155	50-315 Q
FITZPATRICK,E.	9604150252	50-315 P
FITZPATRICK,E.	9604150408	50-315 P
FITZPATRICK,E.	9604160188	50-315 I
FITZPATRICK,E.	9604220180	50-315 P
FITZPATRICK,E.	9604290304	50-315 Q
FITZPATRICK,E.	9604290402	50-315 P
FITZPATRICK,E.	9604300191	50-315 Q
FITZPATRICK,E.	9604300447	50-315 R
FITZPATRICK,E.E	9604260187	50-315 Q
FLAGG,R.	9604120062	50-333 R
FLATER,D.A.	9604010222	STATE PRO G
FLEMING,R.F.	9604030428	50-2 R
FLIEGEL,M.	9604100216	40-3453
FLIEGEL,M.	9604120206	40-3453
FLIEGEL,M.	9604160386	40-3453
FLOYD,S.D.	9604020213	PROJ
FLOYD,T.	9604160084*	40-8838
FOGG,E.	9604240360	CONTRACT
FOLEY,F.	9604090298	STATE PRO G
FONNER,S.G.	9604110007*	FOIA
FONNER,S.G.	9604110045*	FOIA
FONNER,S.G.	9604110082*	FOIA
FORBUS,B.	9604030176	CONTRACT
FORGETTE,T.E.	9604190079	50-317 F
FOSNAUGHT,W.	9604160421	CONTRACT
FOSSEY,F.	9604160107	40-8084
FOSTER,W.W.	9604020013	50-269 F
FOSTER,W.W.	9604020018	50-269 F
FRANKLIN,E.	9604100256*	CONTRACT
FRANKLIN,F.	9604080056*	FOIA
FRANT SHANKMAN	9604190223	50-247 P
FRANT SHANKMAN	9604250331	50-244 P
FRANTZ,S.G.	9604020162	50-288 F
FRANZ,J.F.	9604150149	50-331 P
FRANZ,J.F.	9604230265	50-331 P
FRANZ,J.F.	9604260111	50-331 F
FRAZEE,T.C.	9604010148	STATE PRO G
FRAZEE,T.C.	9604010225	STATE PRO G
FRAZEE,T.C.	9604010265	STATE PRO G
FREDERICK,S.	9604040105	CONTRACT
FREDERICKSON,P.	9604230321	50-327 Q
FREDRICKSON,J.K	9604160360	NUREG
FREDRICKSON,P.	9604010352	50-400 Q
FREDRICKSON,P.	9604010358*	50-400 Q
FREDRICKSON,P.	9604230332*	50-327 Q
FREEMAN,D.S.	9604170139	50-382 R
FREEMAN,E.J.	9604080341*	40-*****
FREISE,E.J.	9604020295*	CONTRACT
FRENTROP,A.H.	9604300295*	FOIA
FRIEDMAN,B.	9604030418	40-3453
FRIESS,R.	9604160135*	50-219 Q
FRIESS,R.	9604160327*	50-219 Q
FRIESS,R.A.	9604160191*	50-219 Q
FRIJOUF,J.A.	9604080090	50-302 S
FRIZZLE,C.D.	9604170431	50-309 K
FRIZZLE,C.D.	9604230065	50-309 P
FRIZZLE,C.D.	9604240181	50-309 P
FRIZZLE,C.D.	9604260184	50-309 P
FU,H.	9603050148*	50-289 P
FUENTE,E.S.	9604250202	50-416 R
FUHRMEISTER,R.	9604040250*	50-219 P
FUHRMEISTER,R.	9604050117*	50-219 P
FUHRMEISTER,R.	9604050118*	50-219 P
FUHRMEISTER,R.	9604080062*	50-219 F
FUJIMOTO,W.H.	9604010263	50-275 S
FUJIMOTO,W.H.	9604020265	50-275 S
FUJIMOTO,W.H.	9604030238	50-275 P
FUJIMOTO,W.H.	9604050029	50-275 S
FUJIMOTO,W.H.	9604190118	50-275 R
FUJIMOTO,W.H.	9604190158	50-275 S
FUJIMOTO,W.H.	9604240182	50-275 R
FUJIMOTO,W.H.	9604300022	50-275 S
FUJIMOTO,W.H.	9604300228	50-275 S
FUJIMOTO,W.H.	9604300411	50-275 S
FULTON,J.D.	9604170071	50-528 R
FUNSTEN,H.O.	9604170186	71-*****
FUNSTEN,H.O.	9604170196*	71-*****
GAD,R.K.	9604100070	50-29 G
GAD,R.K.	9604100070	50-29 G
GAFFNEY,T.	9604290222*	50-528 Q
GALLAGHER,C.	9604030031	PR
GALLAGHER,M.P.	9604170031	50-352 R
GALLER,S.R.	9604150009*	50-219 P
GALLER,S.R.	9604150014*	50-219 P
GALLINA,C.	9604230229*	50-219 Q
GALLINA,C.O.	9604120081*	50-219 Q
GALLINA,C.O.	9604120087*	50-219 Q
GALLINA,C.O.	9604150004*	50-219 Q
GALLINA,C.O.	9604160156*	50-219 Q
GALLINA,C.O.	9604160191*	50-219 Q
GALLINA,C.O.	9604170352*	50-219 Q
GALLINA,C.O.	9604170365*	50-219 Q
GALLINA,C.O.	9604180177*	50-219 Q
GALLINA,C.O.	9604190274*	50-219 Q
GALLINA,C.O.	9604240040*	50-219 Q
GALLO,R.M.	9604020108	50-3 Q
GALLO,R.M.	9604160407*	50-483 Q
GALLO,R.M.	9604190033	50-387 Q
GALLO,R.M.	9604190042*	50-387 Q
GAMBERONI,M.	9511020288*	50-255 P
GAMBERONI,M.	9604020359	50-255 P
GAMBERONI,M.	9604260145*	ORG
GAMBERONI,M.	9604290403	50-255 Q
GARCIA,A.	9604160299	40-3453
GARDINER,D.E.	9511210098	50-312 F
GARDNER,R.	9604250261*	50-456 Q
GARRETT,P.	9604020113*	50-249 S
GARRITY,J.	9604180054	40-8948
GARROU,A.L.	9604240150	50-261 S
GASKIN,C.E.	9604170084	70-734
GASTON,K.D.	9604250068	71-9032
GEDDIS,A.M.	9604230343	NUREG
GEORGE,M.	9604300142	XPORTLIC
GERIACH,B.M.	9604110006	FOIA
GERINGER,J.	9604150078*	WASTE MGT
GIAMBUSSO,A.	9604120138*	50-219 P
GIAMBUSSO,A.	9604120149*	50-219 P
GIAMBUSSO,A.	9604120207*	50-219 P
GIAMBUSSO,A.	9604120308*	50-219 P
GIAMBUSSO,A.	9604160259*	50-219 P
GIAMBUSSO,A.	9604160295*	50-219 P
GIAMBUSSO,A.	9604170115*	50-219 P
GIAMBUSSO,A.	9604170255*	50-219 P
GIAMBUSSO,A.	9604190269*	50-219 H
GIAMBUSSO,A.	9604240247*	50-219 S
GIAMBUSSO,A.	9605160259*	50-219 P
GIBB,S.	9604090352*	50-302 F
GIBBS,L.P.	9604010226	50-317 F
GIBSON,A.F.	9604090086	50-335 Q
GIBSON,A.F.	9604100270	50-302 Q
GIBSON,A.F.	9604230188	50-321 Q
GIBSON,A.F.	9604230200*	50-321 Q
GIBSON,D.R.	9604080025	50-341 R
GIBSON,R.	9604040210	70-48
GIECK,T.	9604190069	40-299
GIECK,T.	9604300117	40-299
GILBERT,W.E.	9604050425*	FOIA
GILCHRIST,J.R.	9604220145	CONTRACT
GILES,H.B.	9604230099	50-341 R
GILLEN,D.	9604050036*	WASTE MGT
GILTZ,T.G.	9604010219*	ORG
GINSBERG,A.P.	9604290235	50-247 S
GIPSON,D.R.	9604010252	50-341 P
GIPSON,D.R.	9604030389	50-341 P
GIPSON,D.R.	9604080425	50-341 P
GIPSON,D.R.	9604170284	50-341 S
GIPSON,D.R.	9604240036	50-341 P
GIPSON,D.R.	9604240148	50-341 P
GIPSON,D.R.	9604300365	50-341 S
GJETTUM,P.	9604030400	CONTRACT
GLASSCOCK,R.B.	9604230198*	50-219 Q
GLEASON,J.P.	9604110111	40-8027
GLEASON,J.P.	9604170237	50-245 G
GLEASON,J.P.	9604250066	40-8027
GLENN,C.	9604250041	WASTE MGT
GLENNEN,R.E.	9604190321	CONTRACT
GOLD,M.	9604100222	CONTRACT
GOLDBERG,J.R.	9604120287*	50-302 G
GOLLER,K.R.	9604040017*	50-160 H
GOLLER,K.R.	9604040021*	50-160 H
GOLLER,K.R.	9604170360*	50-219 F
GOLLER,K.R.	9604170404*	50-219 P
GOLLER,K.R.	9604220117*	50-219 P
GOLLER,K.R.	9604220397*	50-219 P
GOLLER,K.R.	9604230033*	50-219 P
GOLLER,K.R.	9604230263*	50-219 P
GOODKNIGHT,C.	9604170359*	WASTE MGT
GOODMAN,L.S.	9604020021	50-341 J
GOODMAN,L.S.	9604080354	50-341 F
GOODMAN,L.S.	9604180172	50-341 F
GOODMAN,L.S.	9604220386	50-341 F
GOODMAN,L.S.	9604230099	50-341 R
GOODWIN,W.L.	9604090113	70-1151
GOODWIN,W.L.	9604090211	70-1151
GOODWIN,W.L.	9604090215	70-1151
GOODWIN,W.L.	9604090229	70-1151
GORDON,C.	9604030020*	STATE PRO G
GORDON,C.Z.	9604080331	40-*****
GORDON,C.Z.	9604290296	STATE PRO G
GORDON,D.M.	9604120254*	50-309 P
GORSKI,J.P.	9604010430*	50-443 P
GOWDY,G.M.	9604300063*	50-395 R
GRABO,B.A.	9604160420*	50-528 S
GRABO,B.A.	9604300158	50-529 S
GRADLE,R.C.	9604020448	50-318 S
GRAESSER,K.L.	9604230095	50-454 Q
GRAFF,A.H.	9604250445*	STATE PRO G
GRAHAM,V.B.	9604180421	CONTRACT
GRAMM,R.A.	9604080178	50-228 P
GRANT,G.E.	9604160325	50-237 Q
GRANT,G.E.	9604250245	50-456 Q
GRANT,J.M.	9604180435	PRM
GRANT,W.	9604150166	PRM
GRANT,W.	9604160211	PR
GRAY,J.R.	9604020421	50-387 Q
GRAY,J.R.	9604290200	50-269 Q
GREEMAN,E.G.	9604170473*	50-219 Q
GREEN,R.	9604300034	50-286 S
GREENE,T.V.	9604300260	PROJ
GREENMAN,E.	9604120225*	50-219 Q
GREENMAN,E.	9604170505*	50-219 Q
GREENMAN,E.	9604220012*	50-219 P
GREENMAN,E.G.	9604120026*	50-219 Q
GREENMAN,E.G.	9604120161*	50-219 S
GREENMAN,E.G.	9604120180*	50-219 Q
GREENMAN,E.G.	9604120190*	50-219 Q
GREENMAN,E.G.	9604120231*	50-219 Q
GREENMAN,E.G.	9604120289*	50-219 P
GREENMAN,E.G.	9604150051*	50-219 Q
GREENMAN,E.G.	9604150061*	50-219 P
GREENMAN,E.G.	9604150080*	50-219 Q
GREENMAN,E.G.	9604150093*	50-219 Q
GREENMAN,E.G.	9604170181*	50-219 Q
GREENMAN,E.G.	9604170240*	50-219 P
GREENMAN,E.G.	9604170285*	50-219 P
GREENMAN,E.G.	9604170354*	50-219 P
GREENMAN,E.G.	9604170364*	50-219 Q
GREENMAN,E.G.	9604170377*	50-219 Q
GREENMAN,E.G.	9604170486*	50-219 P
GREENMAN,E.G.	9604180117*	50-219 Q
GREENMAN,E.G.	9604180150*	50-219 P
GREENMAN,E.G.	9604180159*	50-219 Q
GREENMAN,E.G.	9604180194*	50-219 P
GREENMAN,E.G.	9604180203*	50-219 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GREENMAN,E.G.	9604180350*	50-219 Q
GREENMAN,E.G.	9604180360*	50-219 P
GREENMAN,E.G.	9604180369*	50-219 Q
GREENMAN,E.G.	9604190246*	50-219 Q
GREENMAN,E.G.	9604190324*	50-219 P
GREENMAN,E.G.	9604220006*	50-219 P
GREENMAN,E.G.	9604220010*	50-219 P
GREENMAN,E.G.	9604220048*	50-219 P
GREENMAN,E.G.	9604220059*	50-219 P
GREENMAN,E.G.	9604220079*	50-219 P
GREENMAN,E.G.	9604220168*	50-219 P
GREENMAN,E.G.	9604220262*	50-219 P
GREENMAN,E.G.	9604220288	50-219 P
GREENMAN,E.G.	9604220296*	50-219 Q
GREENMAN,E.G.	9604220315*	50-219 P
GREENMAN,E.G.	9604220328*	50-219 P
GREENMAN,E.G.	9604220334*	50-219 P
GREENMAN,E.G.	9604220404*	50-219 P
GREENMAN,E.G.	9604230005*	50-219 V
GREENMAN,E.G.	9604230064*	50-219 Q
GREENMAN,E.G.	9604230139*	50-219 Q
GREENMAN,E.G.	9604230158*	50-219 Q
GREENMAN,E.G.	9604230172*	50-219 Q
GREENMAN,E.G.	9604230183*	50-219 Q
GREENMAN,E.G.	9604230190*	50-219 Q
GREENMAN,E.G.	9604230198*	50-219 Q
GREENMAN,E.G.	9604230204*	50-219 P
GREENMAN,E.G.	9604230220*	50-219 Q
GREENMAN,E.G.	9604230229*	50-219 Q
GREENMAN,E.G.	9604230234*	50-219 Q
GREENMAN,E.G.	9604230248*	50-219 Q
GREENMAN,E.G.	9604230253*	50-219 P
GREENMAN,E.G.	9604230261*	50-219 P
GREENMAN,E.G.	9604230274*	50-219 P
GREENMAN,E.G.	9604230289*	50-219 Q
GREENMAN,E.G.	9604230291*	50-219 P
GREENMAN,E.G.	9604230296*	50-219 P
GREENMAN,E.G.	9604240022*	50-219 P
GREENMAN,E.G.	9604240025*	50-219 P
GREENMAN,E.G.	9604240044*	50-219 Q
GREENMAN,E.G.	9604240128*	50-219 P
GREENMAN,E.G.	9604240165	50-219 Q
GREENMAN,E.G.	9604240232	50-219 Q
GREENMAN,E.G.	9604250011*	50-219 Q
GREENMAN,E.G.	9604250305*	50-219 P
GREENWALD,J.M.	9604170332	40-9027
GREEVES,J.T.	9604050132	WASTE MGT
GREEVES,J.T.	9604080067	40-8027
GREGORY,R.A.	9604080265	FOIA
GRENDYS,P.A.	9604020058*	50-412 P
GREWE,R.	9604150216	40-8838
GREWE,R.	9604180079	40-8838
GRIER,B.H.	9604110272*	50-219 P
GRIER,B.H.	9604170256*	50-219 P
GRIER,B.H.	9604180151*	50-219 P
GRIFFIN,R.C.	9604260029	FOIA
GRIMES,B.K.	9604180348	ORG
GRIMES,B.K.	9604220229	50-3 Q
GRIMES,B.K.	9604250172	50-3 Q
GRIMES,B.K.	9604260095	50-3 Q
GRIMES,B.K.	9604290399	52-1
GRIMES,C.I.	9604100118	50-313 P
GRIMES,C.I.	9604300124	NUREG
GROEGER,M.T.	9604170135	PROJ
GROGAN,M.L.	9604080313	50-255 R
GRONINGER,S.T.	9604080260*	50-245 H
GROSS,N.R.	9604170296	CONTRACT
GROTH,J.F.	9604170007	50-498 F
GROVE,E.	9604020321	NUREG
GUARRO,S.	9604050417	CONTRACT
GUIDERA,S.S.	9604250004	FOIA
GUIDICE,W.J.	9604100132	CONTRACT
GUILES,E.A.	9604170188*	50-206 H
GUNDRUM,L.L.	9604040157	50-346 F
GUNDRUM,L.L.	9604120024	50-346 P
GUNDRUM,L.L.	9604250184	50-346 P
GUNDRUM,L.L.	9604260083	50-346 P
GUNDRUM,L.L.	9604260089*	50-346 P
GUNTER	9604290364*	50-397 F
GUNTER,P.	9604290146*	50-282 G
GUSEWOOD,J.	9604050018	50-289 F
GUZMAN,A.	9604020277	NUREG
GUZMAN,A.G.	9604230343	NUREG
GWYNN,T.P.	9604020327	50-313 Q
GWYNN,T.P.	9604040183	50-313 Q
GWYNN,T.P.	9604040188*	50-313 Q
GWYNN,T.P.	9604050037	50-482 Q
GWYNN,T.P.	9604090137	50-285 Q
GWYNN,T.P.	9604090162	50-397 F
GWYNN,T.P.	9604100150	50-528 F
GWYNN,T.P.	9604100156	50-498 F
GWYNN,T.P.	9604100167	50-483 F
GWYNN,T.P.	9604150142	50-313 F
GWYNN,T.P.	9604150163	50-298 Q
GWYNN,T.P.	9604150189	50-528 Q
GWYNN,T.P.	9604150195	50-313 F
GWYNN,T.P.	9604150277	50-275 Q
GWYNN,T.P.	9604150284	50-498 Q
GWYNN,T.P.	9604150304	50-416 Q
GWYNN,T.P.	9604160447	50-361 Q
GWYNN,T.P.	9604180332	50-498 Q
GWYNN,T.P.	9604180436	50-298 F
GWYNN,T.P.	9604190009	50-275 Q
GWYNN,T.P.	9604190013	50-445 F
GWYNN,T.P.	9604190016	50-528 Q
GWYNN,T.P.	9604190060	50-298 Q
GWYNN,T.P.	9604190063*	50-298 Q
GWYNN,T.P.	9604220295	50-416 Q
GWYNN,T.P.	9604230311	50-397 F
GWYNN,T.P.	9604230317	50-458 Q
GWYNN,T.P.	9604230378	50-275 Q
GWYNN,T.P.	9604240021*	50-275 Q
GWYNN,T.P.	9604240089	50-416 F
GWYNN,T.P.	9604240261	50-458 Q
GWYNN,T.P.	9604250138	50-285 F
GWYNN,T.P.	9604250223	50-382 Q
GWYNN,T.P.	9604250409	50-445 Q
GWYNN,T.P.	9604250448	50-312 Q
GWYNN,T.P.	9604260013	50-275 F
GWYNN,T.P.	9604260065	50-528 Q
GWYNN,T.P.	9604260097	50-528 Q
GWYNN,T.P.	9604260252	50-18 Q
GWYNN,T.P.	9604290059	50-416 Q
GWYNN,T.P.	9604300405	50-528 Q
HADDER,A.W.	9604160151	50-338 P
HAFERMANN,M.D.	9604250447	PR
HAISFIELD,M.	9604180123	PR
HAISFIELD,M.	9604180130	PR
HALE,J.	9604170338	40-8027
HALL,E.	9604010205	STATE PRO G
HALL,E.	9604020125	STATE PRO G
HALL,K.	9604170144	CONTRACT
HALMAN,E.L.	9604240068	CONTRACT
HAMDAN,L.	9604050036*	WASTE MGT
HAMITER,F.R.	9604030131*	STATE PRO G
HAMITER,F.R.	9604030141*	STATE PRO G
HAMITER,F.R.	9604030145*	STATE PRO G
HAMITER,F.R.	9604030154*	STATE PRO G
HAMP,S.A.	9604170277	WASTE MGT
HAMPTON,J.W.	9604020013	50-269 F
HAMPTON,J.W.	9604020018	50-269 F
HAMPTON,J.W.	9604020050	50-287 Q
HAMPTON,J.W.	9604020320	50-269 P
HAMPTON,J.W.	9604050071	50-269 S
HAMPTON,J.W.	9604090318	50-269 Q
HAMPTON,J.W.	9604160087	50-269 P
HAMPTON,J.W.	9604220352	50-287 S
HAMPTON,J.W.	9604250161	50-269 R
HAMPTON,J.W.	9604260055	50-269 S
HAMPTON,J.W.	9604260142	50-269 R
HAMPTON,J.W.	9604300176	50-269 Y
HAMPTON,J.W.	9604300377	50-269 S
HAMRICK,J.S.	9604300126	40-299
HANCUR,S.	9604100032	FOIA
HANEK,O.I.	9604300164	50-250 S
HANLEY,G.	9604090404	CONTRACT
HANNAH,R.	9604100090	50-400 Q
HANNON,J.N.	9604110129	50-245 H
HANSEN,A.G.	9604180341	50-266 P
HANSON,K.L.	9604240041	CONTRACT
HAQUE,M.	9604100091	40-299
HARDGROVE,R.W.	9604110159	40-6622
HARDGROVE,T.W.	9604020425	40-6622
HARDGROVE,T.W.	9604020438	40-6622
HARDGROVE,T.W.	9604030034	40-6622
HARDGROVE,T.W.	9604030068	40-2259
HARDGROVE,T.W.	9604030215	40-6622
HARDIN,C.M.	9604010216	STATE PRO G
HARE,J.	9604230212	50-313 F
HARE,J.	9604230214	50-313 F
HARE,J.	9604230222	50-313 F
HARMON,P.E.	9604240158*	50-269 Q
HAROLD,J.F.	9604030106	50-247 P
HARRELL,P.	9604110101	50-416 S
HARRELL,P.H.	9604150355*	50-416 Q
HARRELL,P.H.	9604230109*	50-382 Q
HARRIS,P.W.	9604080081*	50-219 P
HARRIS,R.V.	9604090369	NUREG
HARRIS,T.E.	9604030136	27-47
HARRIS,T.E.	9604190192	27-47
HARRIS,T.E.	9604190196	27-47
HARRIS,T.E.	9604190220	27-48
HARRISON,D.	9604050423*	50-302 P
HARRISON,D.	9604050428*	50-302 P
HARRISON,D.	9604050432*	50-302 P
HARRISON,D.	9604050436*	50-302 P
HARRISON,D.	9604050439*	50-302 P
HARRISON,D.	9604050441*	50-302 P
HARRISON,F.	9604240203	50-324 R
HARVEY,P.W.	9604250145	PRM
HASSLER,D.V.	9604010152	50-272 S
HASSLER,D.V.	9604090032	50-272 S
HASSLER,D.V.	9604290116	50-272 S
HASSOUM,A.I.	9604030395*	50-341 P
HASTY,R.L.	9604300381	50-369 F
HASTY,R.L.	9604300390*	50-369 F
HAUBER,R.D.	9604010019	XPORTLIC
HAUBER,R.D.	9604010050	XPORTLIC
HAUBER,R.D.	9604010059*	XPORTLIC
HAUBER,R.D.	9604020355	XPORTLIC
HAUBER,R.D.	9604080070	XPORTLIC
HAUBER,R.D.	9604080080	XPORTLIC
HAUBER,R.D.	9604080097	XPORTLIC
HAUBER,R.D.	9604080101	XPORTLIC
HAUBER,R.D.	9604080105	XPORTLIC
HAUBER,R.D.	9604080116	XPORTLIC
HAUBER,R.D.	9604080152	XPORTLIC
HAUBER,R.D.	9604080155	XPORTLIC
HAUBER,R.D.	9604080164	XPORTLIC
HAUBER,R.D.	9604080166	XPORTLIC
HAUBER,R.D.	9604080175	XPORTLIC
HAUBER,R.D.	9604080184	XPORTLIC
HAUBER,R.D.	9604080186	XPORTLIC
HAUBER,R.D.	9604080189*	XPORTLIC
HAUBER,R.D.	9604080234	XPORTLIC
HAUBER,R.D.	9604080285	XPORTLIC
HAUBER,R.D.	9604080293	XPORTLIC
HAUBER,R.D.	9604080311	XPORTLIC
HAUBER,R.D.	9604080314	XPORTLIC
HAUBER,R.D.	9604080357	XPORTLIC
HAUBER,R.D.	9604080364	XPORTLIC
HAUBER,R.D.	9604090064	XPORTLIC
HAUBER,R.D.	9604240172	XPORTLIC
HAUGHNEY,C.J.	9604290069	50-116 P
HAWES,C.	9604150104*	50-213 G
HAWKINS,P.	9604250114	40-3453
HAYES,A.W.	9604250071	FOIA
HAYNES,R.C.	9604160351*	50-293 S
HAYNES,R.C.	9604220296*	50-219 Q
HAYNES,R.C.	9604230225*	50-219 Q
HAYNES,R.C.	9604230322*	50-219 Q
HAYNES,R.C.	9604240154*	50-219 Q
HAYWARD,W.M.	9604150082*	50-219 Q
HAYWARD,W.M.	9604160323*	50-363 Q
HAYWARD,W.N.	9604170121*	50-363 Q
HEAD,S.M.	9604290309	50-499 S
HEASLER,P.G.	9604230383	NUREG
HEBDON,F.J.	9604040234	50-390 G
HEBDON,F.J.	9604110189*	50-395 P
HEBDON,F.J.	9604150007	50-395 P
HEBDON,F.J.	9604180285*	50-259 P
HEBDON,F.J.	9604260298	50-395 Q
HEBDON,F.J.	9604290167	50-327 P
HEBERT,J.A.	9604180153	50-309 P
HEBERT,J.R.	9604040246	50-309 P
HEBERT,J.R.	9604080172	50-309 Q
HEBERT,J.R.	9604080212	50-309 P
HEBERT,J.R.	9604090279	50-309 P
HEBERT,J.R.	9604120185	50-309 P
HEBERT,J.R.	9604160006	50-309 Q
HEBERT,J.R.	9604190358	50-309 S
HEBERT,J.R.	9604220388	50-309 R
HEBERT,J.R.	9604290318	50-309 R
HEBERT,J.R.	9604290326	50-309 I
HEBERT,J.R.	9604300360	50-309 S
HEFFLEY,J.M.	9604010283	50-237 P
HEGARTY,J.	9604250396	CONTRACT
HEGARTY,J.M.	9604100247	CONTRACT
HEHR,W.	9604100126	XPORTLIC
HEHR,W.	9604110092	XPORTLIC
HEHR,W.	9604150261	XPORTLIC
HEHR,W.	9604150270	XPORTLIC
HEHR,W.	9604150286	XPORTLIC
HEHR,W.	9604300026	XPORTLIC

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HEISHMAN,R.F.	9604150034*	50-363 Q
HEISHMAN,R.F.	9604150231*	50-363 Q
HEISHMAN,R.F.	9604160301*	50-363 A
HEISHMAN,R.F.	9604160323*	50-363 Q
HEISHMAN,R.F.	9604170018*	50-363 Q
HEISHMAN,R.F.	9604170072*	50-363 Q
HEISHMAN,R.F.	9604170121*	50-363 Q
HEISHMAN,R.F.	9604170214*	50-363 Q
HEISHMAN,R.F.	9604250107*	50-363 Q
HEITMANN,D.	9604300263	40-8943
HELLER,R.	9604190105	50-272 R
HELLER,R.	9604190109	50-311 R
HELME,R.E.	9604080403*	50-324 P
HENDERSON,B.	9604110114	50-416 H
HENDERSON,J.B.	9604170207*	50-363 Q
HENDERSON,J.W.	9604010405	40-2384
HENDERSON,P.	9604030109	30-32971
HENDERSON,P.	9604300398	I&E
HENDRICKS,C.D.	9604020384*	CONTRACT
HENDRICKS,L.	9604150177	REVIEW GR P
HENDRICKS,L.	9604190290	PRM
HENRICH,M.J.	9604230343	NUREG
HENRICKS,D.R.	9604170031	50-352 R
HENRY,N.	9604040060	PR
HENSON,J.L.	9604230004	ORG
HERBERT,J.R.	9604180186	50-309 P
HERNAN,R.W.	9604230382	50-289 P
HERRON,J.T.	9604010316	50-298 S
HERRON,J.T.	9604020042	50-298 S
HERRON,J.T.	9604220165	50-298 R
HERRON,J.T.	9604230042	50-298 S
HERRON,J.T.	9604240110	50-298 S
HERSHBERGER,D.E	9604150187*	50-373 P
HESS,E.G.	9604030339	71-9218
HEYSEK,W.G.	9604230073	50-289 R
HICKEY,J.W.	9604290274	70-7001
HICKEY,J.W.	9604290283	70-7002
HICKEY,J.W.	9604290320	70-7002
HICKEY,J.W.	9604290322	70-7001
HICKLE,B.J.	9604010436	50-302 S
HICKLE,B.J.	9604080090	50-302 S
HICKLE,B.J.	9604080232	50-302 S
HICKLE,B.J.	9604150234	50-302 S
HICKLE,B.J.	9604300053	50-302 S
HICKMAN,J.B.	9604040216	50-316 P
HICKS,G.D.	9604050199	50-324 F
HICKS,G.D.	9604160072	50-324 Q
HICKS,G.D.	9604190092	50-324 F
HIDU,J.D.	9604120254*	50-309 P
HIDU,J.D.	9604240283*	50-309 G
HIGGINBOTHAM,L.	9604120208*	50-219 Q
HIGGINBOTHAM,L.	9604160256*	50-219 Q
HIGGINBOTHAM,L.	9604220347*	50-219 P
HIGGINBOTHAM,L.	9604220360*	50-219 Q
HIGGINBOTHAM,L.	9604230093*	50-219 P
HIJECK,P.J.	9604230120	52-2
HILAND,P.	9604150127	50-254 S
HILAND,P.	9604180382*	50-10 Q
HILAND,P.	9604240076	50-10 Q
HILL,R.D.	9604230080	50-348 S
HILL,R.L.	9604220201	50-498 R
HILL,W.J.	9604030100	50-263 P
HILL,W.J.	9604100003	50-263 S
HILL,W.J.	9604230288	50-263 P
HINNANT,C.S.	9604180155	50-261 Q
HOANG,P.	9604090272*	50-254 P
HOCK,D.D.	9604150385	50-267 I
HODGDON,A.P.	9604100077	50-29 G
HODGE,W.	9604180325	50-316 S
HODGES,J.W.	9604050431*	FOIA
HODGES,K.A.	9604300280*	WASTE MGT
HODSON,R.	9604030285	PR
HOFFMAN,R.J.	9604050150	PRM
HOFT,N.	9604100049	CONTRACT
HOGAN,R.T.	9604290218	ORG
HOLDEN,D.	9604260207	XPORTLIC
HOLDEN,J.J.	9604300107	50-272 R
HOLDEN,L.E.	9604220173	50-295 F
HOLLER,E.	9604100077	50-29 G
HOLLER,E.	9604250014	50-29 G
HOLLINGSWORTH	9604050088*	CONTRACT
HOLLOMON,T.J.	9604170061	50-327 R
HOLLOWAY,C.J.	9604110221	PR
HOLMES,M.A.	9604160029	50-483 R
HOLODY,D.J.	9604040038*	50-219 Q
HOLODY,D.J.	9604040080*	50-219 P
HOLONICH,J.	9604050036*	WASTE MGT
HOLONICH,J.J	9604030010	40-8452
HOLONICH,J.J.	9604010043	40-2259
HOLONICH,J.J.	9604020397	40-6622
HOLONICH,J.J.	9604020402*	40-6622
HOLONICH,J.J.	9604030018*	40-8452
HOLONICH,J.J.	9604030053	40-8502
HOLONICH,J.J.	9604030058*	40-8502
HOLONICH,J.J.	9604030225	40-1341
HOLONICH,J.J.	9604030250*	STATE PRO G
HOLONICH,J.J.	9604040127	40-8981
HOLONICH,J.J.	9604040150*	40-8981
HOLONICH,J.J.	9604040163	40-2259
HOLONICH,J.J.	9604040167*	40-2259
HOLONICH,J.J.	9604050031	WASTE MGT
HOLONICH,J.J.	9604050080	40-1341
HOLONICH,J.J.	9604090358	40-8907
HOLONICH,J.J.	9604090389	WASTE MGT
HOLONICH,J.J.	9604100087	40-8943
HOLONICH,J.J.	9604100155	40-3453
HOLONICH,J.J.	9604100164*	40-3453
HOLONICH,J.J.	9604120017	40-8905
HOLONICH,J.J.	9604120021	40-8905
HOLONICH,J.J.	9604120056	40-8584
HOLONICH,J.J.	9604120206	40-3453
HOLONICH,J.J.	9604150389	40-6622
HOLONICH,J.J.	9604160165	40-8904
HOLONICH,J.J.	9604170278	40-1162
HOLONICH,J.J.	9604180249	40-6659
HOLONICH,J.J.	9604180256*	40-6659
HOLONICH,J.J.	9604180408	40-1162
HOLONICH,J.J.	9604190199	40-8857
HOLONICH,J.J.	9604190200	40-8989
HOLONICH,J.J.	9604220144	40-4492
HOLONICH,J.J.	9604220149	40-4492
HOLONICH,J.J.	9604220158	40-8905
HOLONICH,J.J.	9604290139	70-364
HOLONICH,J.J.	9604290170	40-299
HOLONICH,J.J.	9604290178*	40-299
HOLSOPPLE,K.L.	9604180073	40-6940
HOLSOPPLE,K.L.	9604180082*	40-6940
HOLT,B.J.	9604030114	30-9209
HOLT,B.J.	9604030291	30-2665
HOLT,B.J.	9604150043	30-10856
HOLZLE,C.M.	9604110096*	FOIA
HOM,S.R.	9604100208	40-8027
HOOD,D.S.	9604030064	50-220 Q
HOOD,D.S.	9604080018	50-220 P
HOOKER,C.A.	9604090484*	70-1257
HOOKS,K.	9604050401	40-8905
HOOKS,K.R.	9604010129	40-8907
HOOKS,K.R.	9604010318	40-8907
HOOKS,K.R.	9604220115	40-8907
HOOKS,K.R.	9604220119	40-8907
HOOPER,G.L.	9604160009	50-424 R
HOPKINS,J.B.	9604010406	50-440 P
HOPKINS,J.B.	9604170350	50-346 G
HOPKINS,J.B.	9604170358*	50-346 G
HORN,G.R.	9604010227*	50-298 J
HORN,G.R.	9604250105	50-298 P
HORN,J.	9604250450	50-454 S
HORN,M.	9604290138	70-*****
HORTON	9604220370*	WASTE MGT
HORTON,D.G.	9604050033	WASTE MGT
HORTON,D.G.	9604050035*	WASTE MGT
HORTON,D.G.	9604090062	WASTE MGT
HORTON,D.G.	9604090066*	WASTE MGT
HORTON,D.G.	9604090068	WASTE MGT
HORTON,D.G.	9604090070*	WASTE MGT
HORTON,D.G.	9604220060	WASTE MGT
HORTON,D.G.	9604220083	WASTE MGT
HORTON,D.G.	9604220363	WASTE MGT
HORTON,D.G.	9604250110	WASTE MGT
HORTON,D.G.	9604250113*	WASTE MGT
HORTON,D.G.	9604300277	WASTE MGT
HORTON,D.G.	9604300280*	WASTE MGT
HORTON,D.G.	9604300282	WASTE MGT
HORTON,D.G.	9604300287*	WASTE MGT
HOSEY,C.M.	9604080142*	FOIA
HOSLER,J.F.	9604170471	TOPREP
HOSMER,J.	9604010420	50-237 P
HOSMER,J.B.	9604010355	50-454 P
HOSMER,J.B.	9604100205	50-295 Q
HOSMER,J.B.	9604300104	50-295 Q
HOUSE,W.B.	9604120151	27-47
HOUSE,W.B.	9604150065	27-47
HOUSE,W.B.	9604150067*	27-47
HOUSTON,B.L.	9604020271	50-298 F
HOVEY,R.J.	9604030077	50-250 R
HOVEY,R.J.	9604110098	50-250 Q
HOVEY,R.J.	9604190040	50-250 P
HOVEY,R.J.	9604220169	50-250 R
HOVEY,R.J.	9604260191	50-250 R
HOVEY,R.J.	9604290067	50-250 S
HOVEY,R.J.	9604290087	50-250 P
HOVEY,R.J.	9604290197	50-250 P
HOVEY,R.J.	9604300164	50-250 S
HOWARD,E.M.	9604150019*	50-363 Q
HOWARD,E.M.	9604150145*	50-219 Q
HOWARD,E.M.	9604150237*	50-219 P
HOWARD,E.M.	9604160287*	50-363 Q
HOWARD,E.M.	9604170018*	50-363 Q
HOWARD,E.M.	9604170055*	50-219 P
HOWARD,E.M.	9604170085*	50-363 Q
HOWARD,E.M.	9604170197*	50-363 Q
HOWARD,E.M.	9604170214*	50-363 Q
HOWARD,R.C.	9604300262*	PROJ
HOWELL,L.L.	9604300406	I&E
HOWELL,L.L.	9604020306*	40-8681
HOWELL,L.L.	9604080350*	40-8903
HOWELL,L.L.	9604250436	STATE PRO G
HOWELL,L.L.	9604290249*	STATE PRO G
HOWELL,L.L.	9604290294*	40-8905
HOWES,J.B.	9604010320	STATE PRO G
HOYLE,J.C.	9604020001	50-29 G
HOYLE,J.C.	9604020022	50-29 W
HOYLE,J.C.	9604020038*	50-29 W
HOYLE,J.C.	9604020297	40-8027
HOYLE,J.C.	9604030138	50-440 G
HOYLE,J.C.	9604030148	10CFR
HOYLE,J.C.	9604040207	10CFR
HOYLE,J.C.	9604050059	10CFR
HOYLE,J.C.	9604050095	10CFR
HOYLE,J.C.	9604050112	10CFR
HOYLE,J.C.	9604050122	10CFR
HOYLE,J.C.	9604080412	10CFR
HOYLE,J.C.	9604100102	PR
HOYLE,J.C.	9604150356	10CFR
HOYLE,J.C.	9604160132	10CFR
HOYLE,J.C.	9604160169	10CFR
HOYLE,J.C.	9604160419	10CFR
HOYLE,J.C.	9604180223	10CFR
HOYLE,J.C.	9604180304	10CFR
HOYLE,J.C.	9604190037	10CFR
HOYLE,J.C.	9604230302	10CFR
HOYLE,J.C.	9604260280	50-412 G
HOYLE,J.C.	9604290014	10CFR
HOYLE,J.C.	9604290027	10CFR
HOYLE,J.C.	9604290078	52-1
HSIEH,C.S.	9604010349*	50-260 S
HSU,C.	9604160261*	50-528 P
HUBER,C.	9604230034	50-245 S
HUBER,R.	9604240243	71-9269
HUDA,A.	9604030024	PR
HUDSON,I.R.	9604170275*	50-245 R
HUDSPETH,J.	9604160479	50-348 F
HUEBNER,L.G.	9604170311*	50-346 R
HUEBNER,L.G.	9604290390*	50-331 R
HUEBNER,L.G.	9604300122*	50-282 R
HUFFER,J.E.	9604110249*	70-7001
HUFFER,J.E.	9604110252*	70-7001
HUFFMAN,W.C.	9604010416	52-3
HUFFMAN,W.C.	9604020269	52-3
HUFFMAN,W.C.	9604030341	52-3
HUFFMAN,W.C.	9604100110	52-3
HUFFMAN,W.C.	9604160037	52-3
HUFFMAN,W.C.	9604160334	52-3
HUFFMAN,W.C.	9604230081	52-3
HUFFMAN,W.C.	9604230350	52-3
HUFFMAN,W.C.	9604300123	52-3
HUFFMAN,W.C.	9604300265	52-3
HUGGARD,E.D.	9604190178*	50-272 I
HUGHES,L.	9604030316*	40-8027
HUGHES,L.	9604110001	FOIA
HULL,J.T.	9604010396	STATE PRO G
HULTSCH,R.A.	9604150281	50-186 F
HUMINSKI,T.	9604260137*	ORG
HUMPHRIES,C.A.	9604090070*	WASTE MGT
HUNG,J.C.	9604290057	PR
HUNGER,G.A.	9604010432	50-352 F
HUNGER,G.A.	9604020322	50-277 F
HUNGER,G.A.	9604030071	50-277 P
HUNGER,G.A.	9604040228	50-277 P
HUNGER,G.A.	9604050046	50-352 P
HUNGER,G.A.	9604050063	50-352 F
HUNGER,G.A.	9604080141	50-352 P
HUNGER,G.A.	9604170019	50-277 P
HUNGER,G.A.	9604190287	PRM

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HUNGER,G.A.	9604220340	50-352 P
HUNGER,G.A.	9604230092	50-277 P
HUNGER,G.A.	9604260107	50-277 P
HUNGER,G.A.	9604290213	50-277 Q
HUNGER,G.A.	9604300427	50-352 P
HURRELL,S.J.	9604110215*	70-7001
HUTCHINS,S.	9604170073	71-9263
HUTCHINSON,C.	9604040198	50-416 F
HUTCHINSON,C.	9604120050	50-416 R
HUTCHINSON,C.	9604190259	50-416 P
HUTCHINSON,C.	9604190338	50-416 P
HUTCHINSON,C.R.	9604080220	50-416 S
HUTCHINSON,C.R.	9604080324	50-416 R
HUTCHINSON,C.R.	9604230324	50-416 P
HUTCHINSON,C.R.	9604290042	50-416 Q
HUTCHINSON,C.R.	9604290131	50-416 P
HUTCHINSON,C.R.	9604290355	50-416 R
HUTCHINSON,C.R.	9604300140	50-416 S
HUYDER,G.	9604170308*	50-219 Q
HYDRICK,L.P.	9604190099	50-277 R
HYSON,R.R.	9604170294*	50-219 Q
HYSON,R.R.	9604230401*	50-219 Q
HYSON,R.R.	9604230403*	50-219 Q
IGLESIAS,D.A.	9604020428	CONTRACT
IGLESIAS,F.C.	9604050138	TOPREP
IMBRO,E.V.	9604040172*	50-338 P
IMBRO,E.V.	9604090359	50-302 P
IMBRO,E.V.	9604190047	50-302 P
IMBRO,E.V.	9604240075	50-280 Q
IMBRO,E.V.	9604250370*	50-280 P
ISRAEL,S.	9604090494*	NUREG
ISRAEL,S.	9604100105*	ORG
ISRAEL,S.L.	9604100099	ORG
JABBOUR,K.N.	9604100108	50-321 P
JACKSON,D.	9604170053	ORG
JACKSON,D.	9604260115	50-255 P
JACKSON,D.T.	9604090442	52-3
JACKSON,D.T.	9604170164	52-3
JACKSON,D.T.	9604170185	52-3
JACKSON,D.T.	9604230362	52-3
JACKSON,D.T.	9604290105	52-3
JACKSON,D.T.	9604300258	52-3
JACKSON,G.C.	9604250162	27-48
JACKSON,G.C.	9604250174	27-47
JACKSON,G.C.	9604300421	40-8027
JACKSON,S.A.	9603270116	COMMISSION
JACKSON,S.A.	9604030184	COMMISSION
JACKSON,S.A.	9604050054	COMMISSION
JACKSON,S.A.	9604050057	COMMISSION
JACKSON,S.A.	9604050078	COMMISSION
JACKSON,S.A.	9604050100	50-10 W
JACKSON,S.A.	9604050104	COMMISSION
JACKSON,S.A.	9604050108	COMMISSION
JACKSON,S.A.	9604050133	COMMISSION
JACKSON,S.A.	9604080304	COMMISSION
JACKSON,S.A.	9604100030	10CFR
JACKSON,S.A.	9604150354	COMMISSION
JACKSON,S.A.	9604170373	SPEECHES
JACKSON,S.A.	9604180101	COMMISSION
JACKSON,S.A.	9604180110	COMMISSION
JACKSON,S.A.	9604180257	COMMISSION
JACKSON,S.A.	9604180439	STATE PRO G
JACKSON,S.A.	9604180468	COMMISSION
JACKSON,S.A.	9604220133	COMMISSION
JACKSON,S.A.	9604290016	COMMISSION
JACKSON,S.A.	9604290029	COMMISSION
JACKSON,S.M.	9604110017*	71-6553
JACKSON,S.A.	9604080151	COMMISSION
JACOBS,J.L.	9604190178*	50-272 I
JACOBSEN,B.	9604190181	50-454 S
JAFFA,R.P.	9603050148*	50-289 P
JAFFE,D.H.	9604040177	50-354 Q
JAFFE,D.H.	9604250348	50-354 P
JAIN,S.C.	9604020034	50-334 P
JAIN,S.C.	9604020053	50-412 P
JAIN,S.C.	9604020196	50-334 P
JAIN,S.C.	9604040233	50-334 P
JAIN,S.C.	9604090249	50-334 F
JAIN,S.C.	9604100107	PR
JAIN,S.C.	9604150317	50-334 Q
JAIN,S.C.	9604160041	50-334 P
JAIN,S.C.	9604160274	50-412 Q
JAIN,S.C.	9604160380	50-334 F
JAIN,S.C.	9604300250	50-412 R
JAIN,S.C.	9604300327	50-334 P
JAIN,S.C.	9604300379	50-334 Q
JANECEK,R.F.	9604290051*	50-373 P
JANISSE,J.D.	9604120139*	50-315 R
JANISSE,J.D.	9604120144*	50-315 R
JANISSE,J.D.	9604120145*	50-315 R
JANISSE,J.D.	9604120150*	50-315 R
JANKOVICH,J.	9604290161*	71-429
JANKOVICH,J.P.	9604010139	71-423
JANKOVICH,J.P.	9604010144*	71-423
JANKOVICH,J.P.	9604010173	71-637
JANKOVICH,J.P.	9604010243*	71-637
JANKOVICH,J.P.	9604010274	71-567
JANKOVICH,J.P.	9604010276*	71-567
JANKOVICH,J.P.	9604030229	71-355
JANKOVICH,J.P.	9604030230*	71-355
JANKOVICH,J.P.	9604030232	71-334
JANKOVICH,J.P.	9604030234*	71-334
JANKOVICH,J.P.	9604030237	71-733
JANKOVICH,J.P.	9604030239*	71-733
JANKOVICH,J.P.	9604030240	71-832
JANKOVICH,J.P.	9604030242*	71-832
JANKOVICH,J.P.	9604090424	ORG
JANKOVICH,J.P.	9604170480	71-844
JANKOVICH,J.P.	9604170501*	71-844
JANKOVICH,J.P.	9604180240	71-721
JANKOVICH,J.P.	9604180299	71-604
JANKOVICH,J.P.	9604180305	71-438
JANKOVICH,J.P.	9604180308	71-164
JANKOVICH,J.P.	9604220103	71-603
JANKOVICH,J.P.	9604220106	71-600
JANKOVICH,J.P.	9604220109	71-437
JANKOVICH,J.P.	9604240183	71-115
JANKOVICH,J.P.	9604240185*	71-115
JANKOVICH,J.P.	9604240187	71-404
JANKOVICH,J.P.	9604240188	71-179
JANKOVICH,J.P.	9604240189*	71-404
JANKOVICH,J.P.	9604240190*	71-179
JANKOVICH,J.P.	9604240196	71-*****
JANKOVICH,J.P.	9604240197	71-503
JANKOVICH,J.P.	9604240199*	71-503
JANKOVICH,J.P.	9604240201*	71-*****
JANKOVICH,J.P.	9604240205	71-587
JANKOVICH,J.P.	9604240207*	71-587
JANKOVICH,J.P.	9604240233	71-579
JANKOVICH,J.P.	9604240242*	71-579
JANKOVICH,J.P.	9604240250	71-*****
JANKOVICH,J.P.	9604240255*	71-*****
JANKOVICH,J.P.	9604290040	71-848
JANKOVICH,J.P.	9604290049*	71-848
JANKOVICH,J.P.	9604290095	71-*****
JANKOVICH,J.P.	9604290096*	71-*****
JANKOVICH,J.P.	9604290106	71-749
JANKOVICH,J.P.	9604290111*	71-749
JANKOVICH,J.P.	9604290142	71-555
JANKOVICH,J.P.	9604290149*	71-555
JANKOVICH,J.P.	9604290160	71-429
JAQUITH,R.E.	9604180255*	50-259 P
JAUDON,J.P.	9604090133	50-390 Q
JAUDON,J.P.	9604090212	50-390 Q
JAUDON,J.P.	9604090213	50-390 Q
JAWORSKY,M.	9604170297*	50-341 S
JENSEN,D.	9604120179	40-3453
JENSEN,J.	9604170319*	FOIA
JENSEN,W.M.	9604240346	40-3453
JERNIGAN,E.P.	9604230322*	50-219 Q
JESTER,V.	9604100025	CONTRACT
JOCHER,W.F.	9604160243	PR
JOHANNES,R.N.	9604220159	50-482 F
JOHNSON,A.R.	9604030261	50-244 P
JOHNSON,A.R.	9604090326	50-244 P
JOHNSON,D.F.	9604190246*	50-219 Q
JOHNSON,D.F.	9604220358*	50-219 Q
JOHNSON,H.H.	9604030081*	50-250 R
JOHNSON,J.A.	9604010146	PR
JOHNSON,J.A.	9604150140	REGGD
JOHNSON,J.R.	9604110094	50-155 R
JOHNSON,R.L.	9604300228	50-275 S
JOHNSON,R.L.	9604300411	50-275 S
JOHNSON,T.C.	9604030299	40-8724
JOHNSON,T.C.	9604290129	40-8724
JOHNSON,W.D.	9604080043*	50-483 Q
JOHNSON,W.D.	9604150351*	50-482 Q
JOHNSON,W.E.	9604050166*	70-*****
JOHNSTON,D.J.	9604090191	50-155 S
JOHNSTON,R.	9604250163	REGGD
JOHSON,D.F.	9604250131*	50-219 Q
JONES,D.	9604250179	PR
JONES,D.T.	9604160032	50-334 R
JONES,J.	9604010195	30-33336
JONES,J.	9604110104	I&E
JONES,J.E.	9603290113*	70-734
JONES,M.L.	9604300140	50-416 S
JONES,R.C.	9604160422	ACRS
JORDAN,E.L.	9604160311	REVIEW GR P
JORDAN,E.L.	9604170366	REVIEW GR P
JORDAN,M.	9604020305	50-263 Q
JORDAN,M.	9604150033*	50-16 Q
JORDAN,M.	9604250264*	50-263 Q
JORDAN,M.J.	9604010164	50-282 Q
JORDAN,M.J.	9604010184*	50-282 Q
JORDAN,M.J.	9604250255	50-263 Q
JORDAN,T.J.	9604220333	50-498 P
JOSEPH,S.C.	9604010261	PR
JOSEPH,S.C.	9604010261	PR
JOYNER,J.H.	9604050431*	FOIA
JPHNSON,I.M.	9604090325	50-295 S
JUDAY,R.A.	9604150088	40-6659
JUDAY,R.A.	9604290056	40-6659
JUDAY,R.A.	9604290064	40-6659
JUDAY,R.A.	9604300264	40-6659
JUDAY,R.A.	9604300341	40-6659
JULIAN,C.	9604250434	50-390 S
JULIAN,C.A.	9604090224*	50-390 Q
JULIAN,C.A.	9604090409	50-390 P
JULIAN,C.A.	9604180007	50-390 S
JULIAN,E.L.	9604020020	50-29 G
JULIAN,E.L.	9604030125	40-8027
JULIAN,E.L.	9604050286	70-3070
JULIAN,E.L.	9604050287	70-3070
JULIAN,E.L.	9604050292	70-3070
JULIAN,E.L.	9604050294	70-3070
JULIAN,E.L.	9604050297	70-3070
JULIAN,E.L.	9604050299	70-3070
JULIAN,E.L.	9604050307	70-3070
JULIAN,E.L.	9604050316	70-3070
JULIAN,E.L.	9604050317	70-3070
JULIAN,E.L.	9604050326	70-3070
JULIAN,E.L.	9604050333	70-3070
JULIAN,E.L.	9604050341	70-3070
JULIAN,E.L.	9604050345	70-3070
JULIAN,E.L.	9604050348	70-3070
JULIAN,E.L.	9604050356	70-3070
JULIAN,E.L.	9604050361	70-3070
JULIAN,E.L.	9604050377	70-3070
JULIAN,E.L.	9604050387	70-3070
JULIAN,E.L.	9604050397	70-3070
JULIAN,E.L.	9604050422	70-3070
JULIAN,E.L.	9604050429	70-3070
JULIAN,E.L.	9604080053	70-3070
JULIAN,E.L.	9604080098	70-3070
JULIAN,E.L.	9604080100	70-3070
JULIAN,E.L.	9604080134	70-3070
JULIAN,E.L.	9604080298	70-3070
JULIAN,E.L.	9604110053	70-3070
KAISER,R.	9604160375	CONTRACT
KALACHE,M.R.	9604290051*	50-373 P
KALBERER,P.	9604050376*	70-3070
KALMAN,G.	9604260047	50-313 P
KAMMERER,C.	9604010150	FOIA
KAMMERER,C.	9604110005*	FOIA
KAMMERER,C.	9604110057	50-341 Q
KAMMERER,C.	9604110106*	FOIA
KAMMERER,C.	9604110151*	FOIA
KAMMERER,C.	9604110153*	50-424 Q
KAMMERER,C.	9604250284*	50-160 P
KAMMERER,C.C.	9604110099*	FOIA
KAMMERER,C.C.	9604110112*	FOIA
KAMMERER,C.C.	9604110125*	40-8027
KAMMERER,C.C.	9604110149*	FOIA
KANTER,J.L.	9604220297	50-352 S
KANTNER,J.L.	9604080138	50-352 S
KANTNER,J.L.	9604220269	50-353 S
KANTNER,J.L.	9604220275	50-353 S
KANTNER,J.L.	9604260114*	50-352 S
KARNIADAKIS,G.	9604090252	CONTRACT
KARRICK,J.	9604170052	50-354 S
KARRICK,J.	9604260074	50-354 S
KASNICKI,D.	9604290092*	70-1151
KASSNER,T.F.	9604230394	NUREG
KATHPAL,H.	9604240256	CONTRACT
KATZ,D.	9604260303*	50-213 H
KATZ,P.E.	9604020448	50-318 S
KATZ,P.E.	9604170261	50-317 R
KAUP,K.	9604220342	50-456 Q
KAUP,K.L.	9604110143	50-456 P
KAUP,K.L.	9604220189	50-456 Q
KAVCHAK,M.A.	9604260109	71-496
KAVCHAK,M.A.	9604260113*	71-496
KAY,D.T.	9604290195	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KAY,J.A.	9604020201	50-29 R
KEARNEY,W.F.	9604160296*	40-8857
KEARNEY,W.F.	9604160353	40-8857
KEARNEY,W.F.	9604170461	40-8857
KEENAN,J.	9604010272	50-354 S
KEENAN,J.	9604020372	50-354 S
KEENAN,J.	9604290082	50-354 S
KEENEY,J.A.	9604010417*	ORG
KEGAN,D.	9604170162	FOIA
KEHOE,D.V.	9604020107	50-390 S
KEHOE,D.V.	9604030140	50-390 S
KEHOE,D.V.	9604160404	50-390 R
KEHOE,D.V.	9604160449	50-390 S
KEHOE,D.V.	9604170029	50-390 H
KEHOE,D.V.	9604230231	50-390 P
KEHOE,S.	9604120313	40-3453
KEIMIG,R.R.	9604020070	50-219 F
KEIMIG,R.R.	9604080346	50-245 F
KEIMIG,R.R.	9604080432	50-213 F
KEIMIG,R.R.	9604160082*	50-334 Q
KEIMIG,R.R.	9604220402	50-344 F
KEIMIG,R.R.	9604230032	50-387 F
KEIMIG,R.R.	9604260244	50-293 F
KEIMIG,R.R.	9604290259	50-293 Q
KEIMIG,R.R.	9604290272*	50-293 Q
KEIMIG,R.R.	9604290312	50-293 F
KEIMIG,R.R.	9604290316	50-334 F
KEKLAK,J.C.	9604030035	PR
KEKLAK,J.C.	9604030051	PR
KELLEY,L.C.	9604150412	50-302 P
KELLEY,L.C.	9604250253	50-302 Q
KELLEY,L.C.	9604290208	50-302 P
KELLY,E.M.	9604010392	50-219 P
KELLY,E.M.	9604010404	50-220 P
KELLY,E.M.	9604080193	50-309 Q
KELLY,E.M.	9604110192*	50-387 Q
KELLY,E.M.	9604290285	50-336 Q
KELLY,E.M.	9604290287*	50-336 Q
KELLY,J.F.	9604040088	71-749
KEMP,M.D.	9603280129*	70-734
KEMP,M.D.	9603290161*	70-734
KEMP,M.D.	9603290242*	70-734
KEMP,M.D.	9603290245*	70-734
KEMPTON,J.D.	9604030297	CONTRACT
KENNA,G.F.	9604300137*	50-387 Q
KENNA,G.F.	9604300155*	50-387 Q
KENNEDY,J.	9604010368*	STATE PRO G
KENNEDY,J.	9604020387*	STATE PRO G
KENNEDY,J.	9604100111	50-255 P
KENNEDY,J.	9604100117*	50-255 P
KENNEDY,J.	9604160104	50-255 P
KENNY,A.	9604180190*	TOPREP
KENYON,T.J.	9604010321	52-3
KENYON,T.J.	9604150135	52-3
KEPLEY,L.	9604020230	50-354 S
KEPPLER,J.G.	9604150399*	50-219 P
KEPPLER,J.G.	9604160121*	50-219 Q
KEPPLER,J.G.	9604170046*	50-219 Q
KERCH,S.P.	9604170515*	52-3
KERCH,S.P.	9604170518*	52-3
KERR,G.W.	9604090303	STATE PRO G
KERR,K.	9604020183*	STATE PRO G
KERR,K.	9604020198*	STATE PRO G
KERR,K.	9604020215*	STATE PRO G
KERR,K.	9604020225*	STATE PRO G
KERR,K.	9604020234*	STATE PRO G
KERR,K.	9604020246*	STATE PRO G
KERR,K.	9604020255*	STATE PRO G
KERR,K.	9604020267*	STATE PRO G
KERR,K.	9604020281*	STATE PRO G
KERR,K.	9604020292*	STATE PRO G
KERR,K.	9604020302*	STATE PRO G
KERR,K.	9604020324*	STATE PRO G
KERR,K.	9604020331*	STATE PRO G
KERR,K.	9604020338*	STATE PRO G
KETTERER,A.	9604180449*	STATE PRO G
KEUTER,D.R.	9604010018	50-382 S
KHATIB-RAHBAR,	9604250376*	50-354 P
KILLAR,F.M.	9604170203	PR
KILLGROVE,M.R.	9604020149*	50-446 P
KILLIAN,R.M.	9604250204	CONTRACT
KILLOREN,R.	9604220099	CONTRACT
KILLOUN,R.	9604220037*	52-3
KIM,H.	9604230297	50-456 S
KIM,T.	9604080272	50-263 P
KIM,T.	9604080276*	50-263 P
KIM,T.	9604100186	50-263 P
KIM,T.	9604100188*	50-263 P
KIMBALL,D.P.	9604230228	50-414 S
KING,J.C.	9604020204*	STATE PRO G
KING,M.	9604230130*	50-219 Q
KING,W.L.	9604220148	CONTRACT
KINNEMAN,J.D.	9604190021	30-33865
KINNEMAN,J.D.	9604300068	40-6940
KIRCHNER,P.T.	9604030017	PR
KIRCHNER,P.T.	9604110063	PR
KIRCHNER,P.T.	9604250038	PR
KIRKMAN,R.W.	9604050375*	40-*****
KIRSCH,D.	9604020073	50-529 S
KIRSCH,D.	9604050030	50-529 S
KIRSCH,D.	9604170381	50-528 S
KIRSCH,D.F.	9604040231*	50-528 Q
KIRSCH,D.F.	9604150388*	50-361 Q
KISH,J.	9604050252*	50-249 S
KLAPPROTH,J.F.	9604260211	70-1113
KLASKY,M.	9604290279	70-1257
KLEIN,R.M.	9604090121*	50-389 P
KLEPZIG,R.	9604300446	40-3453
KLEVIN,P.B.	9604050400*	40-*****
KLIMAS,D.A.	9604050035*	WASTE MGT
KLIMAS,D.A.	9604300287*	WASTE MGT
KLINE,J.R.	9604110111	40-8027
KLINE,S.W.	9604030396	PR
KLINGER,J.G.	9604020083*	STATE PRO G
KNAPP,K.S.	9604110032	71-9203
KNAPP,K.S.	9604220236	70-1201
KNAPP,K.S.	9604250188	71-9251
KNAPP,P.J.	9604170294*	50-219 Q
KNAPP,P.J.	9604170349*	50-219 Q
KNAPP,P.J.	9604180097*	50-219 Q
KNAPP,P.J.	9604220181	50-219 Q
KNAPP,P.J.	9604230401*	50-219 Q
KNAPP,P.J.	9604230403*	50-219 Q
KNAPP,P.J.	9604250240*	50-219 Q
KNIGHT,D.A.	9604180454	CONTRACT
KNORR,J.E.	9604220169	50-250 R
KNORR,J.E.	9604290067	50-250 S
KNUBEL,J.	9603050137	50-289 P
KNUBEL,J.	9604080168	50-289 P
KNUBEL,J.	9604160001	50-289 Q
KNUBEL,J.	9604160069	50-289 P
KNUBEL,J.	9604220233	50-320 P
KNUBEL,J.	9604220240	50-289 P
KNUBEL,J.	9604230073	50-289 R
KNUBEL,J.	9604240038	50-289 K
KNUBEL,J.	9604250257	50-289 R
KNUTH,D.F.	9604150044*	50-219 P
KNUTH,D.F.	9604170460*	50-219 P
KOBIATA,K.A.	9604090096	50-255 R
KOFRON,K.L.	9604030233	50-454 R
KOFRON,K.L.	9604050006	50-454 S
KOFRON,K.L.	9604160401	50-454 R
KOFRON,K.L.	9604190181	50-454 S
KOFRON,K.L.	9604250450	50-454 S
KOFRON,K.L.	9604300106	50-454 R
KOFRON,K.L.	9604300423	50-455 S
KOHL,H.	9604250435	50-255 H
KOKAJKO,L.E.	9604240297	50-344 Y
KOLACZYK,K.S.	9604110192*	50-387 Q
KOLTAY,P.S.	9604300332*	QA999
KOSMIDER,M.D.	9604080303*	40-3392
KOSMIDER,M.D.	9604100024	40-3392
KOTRA,J.P.	9604120213	WASTE MGT
KOUDELKA,M.B.	9604180330	50-266 R
KOWELL,P.	9604170113	71-9033
KOWELL,P.	9604170119	71-9269
KOZAK,T.	9604100104	50-456 S
KRAFT,E.S.	9604090061	50-254 P
KRAFT,E.S.	9604090220	50-254 Q
KRAFT,E.S.	9604090266	50-254 P
KRAFT,E.S.	9604100137	50-254 P
KRAFT,E.S.	9604110282	50-254 P
KRAFT,E.S.	9604120146	50-254 V
KRAFT,E.S.	9604120172	50-254 P
KRAFT,E.S.	9604150178	50-254 P
KRAFT,E.S.	9604160363	50-254 P
KRAFT,E.S.	9604300354	50-254 P
KRAINIK,A.K.	9604080395	50-528 J
KRAMER,J.	9604020073	50-529 S
KRAMER,J.	9604050030	50-529 S
KRAMER,J.	9604170381	50-528 S
KREITZ,P.B.	9604110017*	71-6553
KRESS,T.S.	9604260084	ACRS
KRESS,T.S.	9604260088	ACRS
KRESS,T.S.	9604260092	ACRS
KRESS,T.S.	9604260101	ACRS
KRICH,R.M.	9604080149	50-261 P
KRICH,R.M.	9604150242	50-261 Q
KRICH,R.M.	9604160424	50-261 R
KRICH,R.M.	9604220209	50-261 S
KRICH,R.M.	9604230156	50-261 R
KRICH,R.M.	9604240134	50-261 P
KRICH,R.M.	9604300259	50-261 P
KRICH,R.M.	9604300383	50-261 P
KRIEGER,R.W.	9604010292	50-361 S
KRIEGER,R.W.	9604050452	50-206 F
KRIEGER,R.W.	9604230111	50-361 S
KRIEGER,R.W.	9604290385	50-206 F
KRIESER,G.M.	9604020169	50-266 P
KRIESER,G.M.	9604290354	50-266 R
KRIESER,G.M.	9604290366	50-266 R
KROONEMYER,K.E.	9604120187	40-8948
KROPP,W.J.	9604010424	50-315 Q
KROPP,W.J.	9604090050*	50-315 Q
KROPP,W.J.	9604160339	50-255 Q
KROPP,W.J.	9604160345*	50-255 Q
KROPP,W.J.	9604250229	50-155 Q
KROPP,W.J.	9604250248*	50-155 Q
KROPP,W.J.	9604250250	50-155 Q
KROPP,W.J.	9604250272	50-315 Q
KROSS,D.C.	9604290345	50-446 S
KRUPKA,K.M.	9604160360	NUREG
KUEHN,G.A.	9604190007	50-146 C
KUEHN,G.A.	9604250405	50-146 P
KUGLER,A.J.	9604160144	50-255 G
KUHLMAN,C.W.	9604170136*	50-219 P
KURTZ,E.F.	9604300041	FOIA
LA RUE,M.J.	9604150203	XPORTLIC
LABARGE,D.E.	9604010209	50-327 P
LABARGE,D.E.	9604020362	50-327 P
LABARGE,D.E.	9604020367*	50-327 P
LABARGE,D.E.	9604030134	50-327 P
LABARGE,D.E.	9604050427	50-328 P
LABARGE,D.E.	9604250407	50-327 P
LAHS,W.R.	9604090435	ORG
LAIDLAW,A	9604080323	XPORTLIC
LAKE,F.D.	9604020159	50-333 S
LAM,P.S.	9604110086	50-458 G
LAMBE,W.M.	9501260175*	50-361 M
LAMBERSKI,J.	9604260269	50-424 G
LANDAHL,S.R.	9604080148	50-293 R
LANDIS,K.	9604020089	50-389 S
LANDIS,K.	9604240349*	50-302 Q
LANDIS,K.D.	9604090095	50-302 Q
LANDIS,K.D.	9604090164	50-250 Q
LANDIS,K.D.	9604090165	50-335 Q
LANDIS,K.D.	9604090196	50-302 Q
LANDIS,K.D.	9604090218	50-302 F
LANDIS,K.D.	9604090340	50-302 P
LANDIS,K.D.	9604090345	50-302 Q
LANDIS,K.D.	9604100019	50-302 P
LANDIS,K.D.	9604220228	50-335 P
LANDIS,K.D.	9604230305	50-335 P
LANDIS,K.D.	9604240257	50-335 P
LANDIS,K.D.	9604240344	50-302 Q
LANDSMAN,R.B.	9604150197	50-454 S
LANES,L.L.	9604120102	50-295 F
LANES,L.L.	9604230047	50-295 F
LANKSBURY,R.D.	9604010380	50-440 Q
LANKSBURY,R.D.	9604010384*	50-440 Q
LANKSBURY,R.D.	9604250285*	50-331 Q
LANKSBURY,R.D.	9604250308	50-440 Q
LANKSBURY,R.D.	9604250314*	50-440 Q
LANNING,W.D.	9604010329	50-245 P
LAPLATNEY,J.	9604190045	50-213 S
LAPLATNEY,J.J.	9604080065	50-213 S
LAPLATNEY,J.J.	9604080074	50-213 S
LARKINS,J.T.	9604260098	ACRS
LARKINS,J.T.	9604260098	ACRS
LARSON,W.W.	9604300255	MISC
LASH,J.H.	9604290282*	50-346 P
LASH,T.R.	9509050079*	ORG
LASKA,S.	9604020437	CONTRACT
LATROY,M.M.	9604150122	40-8819
LAUGHLIN,J.	9604160082*	50-334 Q
LAUNI,C.M.	9604090272*	50-254 P
LAVELLE,S.	9604010047	50-335 S
LAYMAN,W.H.	9604050177*	70-963
LEAR,G.	9604170194*	50-219 P
LEAR,G.	9604170355*	50-219 P
LEAR,G.	9604170408*	50-219 P
LEAR,G.	9604170428*	50-219 Q
LEAR,G.	9604180450*	50-219 P
LEAR,G.	9604180461*	50-219 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LEAR,G.	9604220004*	50-219 P
LEAR,G.	9604220100*	50-219 P
LEAR,G.	9604220212*	50-219 P
LEAR,G.	9604220221*	50-219 P
LEAR,G.	9604220226*	50-219 P
LEAR,G.	9604220281	50-219 P
LEAR,G.	9604220307*	50-219 P
LEAR,G.	9604220321*	50-219 P
LEAR,G.	9604220348*	50-219 P
LEAR,G.	9604230009*	50-219 P
LEAR,G.	9604230018*	50-219 P
LEAR,G.	9604230035*	50-219 P
LEAR,G.	9604230236*	50-219 Q
LEAR,G.	9604230357*	50-219 P
LEAR,G.	9604240037*	50-219 P
LEAVER,D.	9604180251*	50-259 P
LEAZAR,D.A.	9604110265	50-498 P
LEDDY,R.E.	9604040113*	70-1100
LEE,B.S.	9604020321	NUREG
LEE,J.	9604090038*	50-219 F
LEE,J.	9604090048*	50-219 F
LEE,J.	9604090052*	50-219 P
LEE,J.H.	9604100222	CONTRACT
LEE,M.H.	9604230144	50-245 H
LEE,M.P.	9604120213	WASTE MGT
LEEDS,E.J.	9604050270	71-9015
LEEDS,E.J.	9604050279	71-9016
LEEDS,E.J.	9604170134	50-344 Y
LEEDS,E.J.	9604170182	50-344 Y
LEEDS,E.J.	9604170225	50-344 Y
LENGYEL,G.	9604040010	50-277 S
LESAR,M.T.	9604250238*	50-413 P
LESNIAK,M.	9604030244	50-454 Q
LESNIAK,M.	9604290207	50-454 P
LESNIAK,M.T.	9604010323	50-456 P
LESNIAK,M.T.	9604020214	50-454 P
LESNIAK,M.T.	9604080237	50-295 P
LESNIAK,M.T.	9604290090	50-454 Q
LESNIAK,M.T.	9604300353	50-295 P
LESSER,M.S.	9604090177	50-259 Q
LESSER,M.S.	9604090185	50-327 Q
LESSER,M.S.	9604090234	50-327 Q
LESSER,M.S.	9604100022	50-259 P
LESSER,M.S.	9604100179	50-327 P
LESSER,M.S.	9604220232	50-259 Q
LESSER,M.S.	9604220244*	50-259 Q
LESSER,M.S.	9604230243	50-259 Q
LETTS,B.R.	9604300128*	50-387 Q
LETTS,B.R.	9604300137*	50-387 Q
LETTS,B.R.	9604300146*	50-387 Q
LETTS,B.R.	9604300155*	50-387 Q
LETTS,B.R.	9604300166*	50-387 Q
LEU,K.C.	9604120316	72-1007
LEVEILLE,J.	9604170124*	50-282 S
LEVEILLE,J.	9604220194	50-306 S
LEVIN,A.E.	9604160147	52-3
LEVINE,J.M.	9604010235	50-528 Q
LEVINE,J.M.	9604020036	50-529 P
LEVINE,J.M.	9604160412	50-528 S
LEVINE,J.M.	9604160423	50-529 S
LEVINE,J.M.	9604170071	50-528 R
LEVINE,J.M.	9604300158	50-529 S
LEVINE,J.M.	9604300169	50-529 P
LEVIS,W.	9604120075	50-324 P
LEVIS,W.	9604160092	50-325 P
LEVIS,W.	9604290054	50-325 S
LEVIS,W.	9604300386	50-324 S
LEWIS,B.J.	9604050138	TOPREP
LEWIS,J.	9604090143	50-456 R
LEWIS,R.P.	9604250050	PR
LEWIS,S.T.	9604110208*	70-7001
LEWIS,S.T.	9604110259*	70-7001
LIBERMAN,J.	9604030164	50-327 Q
LIEBERMAN,J.	9604050404	50-259 Q
LIEBERMAN,J.	9604080204	STATE PRO G
LIEBERMAN,J.	9604100238	70-36
LIEBERMAN,J.	9604220365	NUREG
LIEBERMAN,J.	9604240309	ORG
LIEBERMAN,J.	9604250269	I&E
LIEBERMAN,J.	9604250324	I&E
LIEBERMAN,J.	9604250334	I&E
LIEBERMAN,J.	9604250338	50-382 Q
LIEBERMAN,J.	9604250350	50-335 Q
LIEBERMAN,J.	9604250355	I&E
LIEBERMAN,J.	9604250372	I&E
LIEBERMAN,J.	9604250378	I&E
LIEBERMAN,J.	9604250382	50-298 Q
LIEBERMAN,J.	9604250387	I&E
LIEBERMAN,J.	9604250432	50-528 P
LIEBERMAN,J.	9604290062	50-461 G
LIEBERMAN,J.	9604300325	STATE PRO G
LIEBERMAN,J.	9604300347	70-1201
LIEBERMAN,J.	9604300352*	70-1201
LIEDERBACH,F.J.	9604170013*	50-363 Q
LIEDERBACH,F.J.	9604170110*	50-363 Q
LIN,B.T.	9604160204	CONTRACT
LIN,B.T.	9604160204	CONTRACT
LIN,B.T.	9604160359	CONTRACT
LIN,B.T.	9604160441	CONTRACT
LIN,B.T.	9604170143	CONTRACT
LIN,S.D.	9604120050	50-416 R
LINDGREN,D.A.	9604080060*	52-3
LINDQUIST,S.A.	9604220199	50-285 S
LINDSAY,W.M.	9604240058*	50-482 S
LINEHAN,J.J.	9604030011*	STATE PRO G
LINK,B.	9604080334	50-266 Q
LINK,B.	9604230037	50-266 P
LINVILLE,J.C.	9604290280*	50-354 Q
LIPARULO,N.J.	9604020019	TOPREP
LIPARULO,N.J.	9604040252	TOPREP
LIPARULO,N.J.	9604160316	TOPREP
LIPARULO,N.J.	9604190289*	50-483 P
LIPARULO,N.J.	9604230177*	50-305 P
LIPARULO,N.J.	9604250390	TOPREP
LIPARULO,N.J.	9604260152	TOPREP
LIPARULO,N.J.	9604300422	TOPREP
LIPARULO,N.J.	9604300425*	TOPREP
LIPPARD,G.A.	9604080251	50-395 J
LIPPARD,G.A.	9604090311	50-395 F
LIPPARD,G.A.	9604250417	50-395 F
LIPPARD,G.A.	9604290230	50-395 F
LIPPY,D.L.	9604190096	50-285 R
LITTLE,T.	9604250017*	FOIA
LITTLE,T.	9604250023*	FOIA
LITTLE,T.	9604250027*	FOIA
LIVERMAN,J.L.	9604170148*	50-219 P
LODHI,S.	9604190021	30-33865
LOGAN,K.G.	9604110110*	50-528 T
LOHAUS,P.	9604020276*	STATE PRO G
LOHAUS,P.	9604030004*	STATE PRO G
LOHAUS,P.H.	9604010080	STATE PRO G
LOHAUS,P.H.	9604010168	STATE PRO G
LOHAUS,P.H.	9604010200	STATE PRO G
LOHAUS,P.H.	9604010228	STATE PRO G
LOHAUS,P.H.	9604010238	STATE PRO G
LOHAUS,P.H.	9604010257	STATE PRO G
LOHAUS,P.H.	9604010347	STATE PRO G
LOHAUS,P.H.	9604010376	STATE PRO G
LOHAUS,P.H.	9604020047	STATE PRO G
LOHAUS,P.H.	9604020072	STATE PRO G
LOHAUS,P.H.	9604020080	STATE PRO G
LOHAUS,P.H.	9604020101	STATE PRO G
LOHAUS,P.H.	9604020177	STATE PRO G
LOHAUS,P.H.	9604020202	STATE PRO G
LOHAUS,P.H.	9604020226	STATE PRO G
LOHAUS,P.H.	9604020242	STATE PRO G
LOHAUS,P.H.	9604020333	STATE PRO G
LOHAUS,P.H.	9604020337	STATE PRO G
LOHAUS,P.H.	9604030001	STATE PRO G
LOHAUS,P.H.	9604030047	STATE PRO G
LOHAUS,P.H.	9604030245	STATE PRO G
LOHAUS,R.L.	9604010251	STATE PRO G
LONG,R.L.	9604300247	50-289 R
LONGSHORE,L.	9604020401	PR
LOPEZ,J.A.	9604030277	PR
LOPEZ-OTIN,M.	9604010106	STATE PRO G
LOPEZ-OTIN,M.	9604010197	ORG
LOPRIORE,R.P.	9604230048	50-324 S
LOPRIORE,R.P.	9604240203	50-324 R
LORENZ,W.R.	9604150247*	50-219 Q
LORFING,D.	9604160085	50-458 S
LORSON,R.K.	9604010431*	50-277 Q
LOUIE,R.	9604010303	50-247 S
LOW,L.D.	9604170035*	50-219 Q
LOWETZ,C.	9604120015	50-237 S
LOWMAN,R.P.	9604170127	CONTRACT
LUBENAU,J.O.	9604160161	REVIEW GR P
LUBINSKI,J.	9604100053*	REVIEW GR P
LUBINSKI,J.W.	9604020205*	STATE PRO G
LUBINSKI,J.W.	9604050305	REG CERT
LUBINSKI,J.W.	9604100043	REVIEW GR P
LUKE,C.D.	9604050310*	70-*****
LUKE,C.D.	9604050363*	70-*****
LUKE,C.D.	9604050414*	70-*****
LUKE,C.D.	9604050418*	70-*****
LUKE,C.D.	9604050421*	70-*****
LUNDBERG,A.P.	9604050084*	70-*****
LUONGO,K.N.	9604080233*	XPORTLIC
LUPBERGER,E.	9604230258	50-313 I
LUTHIGER,P.	9604190353	40-8905
LUX,J.	9604090149	70-3073
LYERLY,R.	9604250393	CONTRACT
LYNCH,M.D.	9604030150	50-373 P
LYNCH,M.D.	9604090331	50-373 P
LYNCH,M.D.	9604090337*	50-373 P
LYNCH,M.D.	9604100147	50-373 P
LYNN,M.C.	9604020130*	50-395 P
LYNN,M.C.	9604020139*	50-395 P
LYON,D.A.	9604240364	CONTRACT
LYON,M.W.	9604180383	50-461 R
LYON,M.W.	9604230105	50-461 F
LYONS,D.W.	9604160455*	50-354 R
LYONS,D.W.	9604160463*	50-354 R
LYONS,M.W.	9604300348	50-461 R
MAAS,L.J.	9604020172	70-1257
MACE,M.	9604050161	CONTRACT
MACE,M.	9604180454	CONTRACT
MACE,M.H.	9604050417	CONTRACT
MACE,M.H.	9604080104	CONTRACT
MACE,M.H.	9604080163	CONTRACT
MACE,M.H.	9604100052	CONTRACT
MACE,M.H.	9604100056*	CONTRACT
MACE,M.H.	9604120057	CONTRACT
MACE,M.H.	9604160218	CONTRACT
MACE,M.H.	9604160375	CONTRACT
MACE,M.H.	9604180403	CONTRACT
MACE,M.H.	9604190330	CONTRACT
MACE,M.H.	9604220031	52-3
MACE,M.H.	9604220037*	52-3
MACE,M.H.	9604220099	CONTRACT
MACE,M.H.	9604220256	CONTRACT
MACE,M.H.	9604240041	CONTRACT
MACE,M.H.	9604240254	CONTRACT
MACE,M.H.	9604240300	CONTRACT
MACE,M.H.	9604250089	CONTRACT
MACE,M.H.	9604290097	CONTRACT
MACE,M.H.	9604290097	CONTRACT
MACE,M.H.	9604290182	CONTRACT
MACFARLAND,W.G.	9604190288	50-352 F
MACHON,R.D.	9604010255	50-296 Q
MACHON,R.D.	9604010260	50-259 V
MACHON,R.D.	9604010331	50-296 S
MACHON,R.D.	9604010341	50-260 S
MACK,T.	9604300072	50-213 P
MADERA,J.	9604010363*	STATE PRO G
MADERA,J.	9604020194*	STATE PRO G
MADERA,J.	9604080274	40-8995
MADERA,J.R.	8510080002*	FOIA
MADERA,J.R.	9604160379	NUREG
MADSEN,G.L.	9604160137*	50-219 Q
MADSEN,G.L.	9604180171*	50-219 Q
MADSEN,G.L.	9604190083*	50-219 Q
MADSEN,G.L.	9604190095*	50-219 Q
MAEDA,Y.	9604080328	XPORTLIC
MAGRUDER,S.L.	9604120244	52-2
MAGRUDER,S.L.	9604180253	REVIEW GR P
MAHAFFEY,T.R.	9604220366	50-321 S
MAHAFFY,J.H.	9604090270	CONTRACT
MAIER,S.M.	9604020149*	50-446 P
MAJEWSKI,J.	9604190045	50-213 S
MALIK,S.N.	9604010401	ORG
MALLEN,F.H.	9604220201	50-498 R
MALLETT,B.S.	9604230079	STATE PRO G
MALLETT,B.S.	9604230326	70-1151
MALONEY,S.	9604030360	PRM
MAMISH,N.	9604250378	I&E
MANN,H.P.	9604170076*	PROJ
MANN,J.	9604120183*	50-219 Q
MANN,J.	9604120186*	50-219 Q
MANN,J.	9604180085*	50-219 Q
MANN,J.	9604180097*	50-219 Q
MANN,J.	9604250020*	50-219 Q
MANN,J.	9604250240*	50-219 Q
MARCHI,M.L.	9604010026	50-305 P
MARCHI,M.L.	9604180096	50-305 R
MARCHI,M.L.	9604300082	50-305 P
MARCHI,M.L.	9604300183	50-305 F
MARCO,C.L.	9604170407	50-245 G
MARCUS,C.S.	9604250441	PR
MARCUS,G.H.	9604120036*	50-346 P
MARCUS,G.H.	9604160120	50-269 P
MARCUS,G.H.	9604170495	50-305 Q
MARCUS,G.H.	9604240097	50-346 Q
MARCUS,G.H.	9604250187*	50-346 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MARKEY,E.J.	9604080190*	COMMISSION
MARKEY,E.J.	9604080199*	COMMISSION
MARKLEIN,W.R.	9604160114*	50-373 P
MARSH,W.	9604260030	50-206 F
MARSH,W.C.	9604030326	50-206 J
MARSH,W.C.	9604050403	71-9033
MARSH,W.C.	9604100100	PR
MARSH,W.C.	9604170238	50-206 F
MARSH,W.C.	9604220393	50-361 P
MARSH,W.C.	9604230061	50-361 R
MARSH,W.C.	9604250303	50-206 F
MARSHALL,J.S.	9604020141	50-445 J
MARSHALL,J.S.	9604220338	50-446 Q
MARSHALL,M.L.	9604290247	ORG
MARTIN,L.A.	9604090121*	50-389 P
MARTIN,L.E.	9604010202*	50-498 P
MARTIN,L.E.	9604010412	50-498 Q
MARTIN,L.E.	9604020055	50-498 H
MARTIN,L.E.	9604100029	50-498 P
MARTIN,L.E.	9604220187	50-498 P
MARTIN,R.D.	9604300178*	FOIA
MARTIN,R.E.	9604110228	50-413 P
MARTIN,R.E.	9604110232*	50-413 P
MARTIN,R.E.	9604160145	50-413 P
MARTIN,R.E.	9604240339	50-413 P
MARTIN,R.E.	9604290128	50-413 P
MARTIN,R.E.	9604300306	50-369 P
MARTIN,R.E.	9604300413	50-413 P
MARTIN,T.	9604150127	50-254 S
MARTIN,T.	9604220174*	50-219 Q
MARTIN,T.	9604240104*	50-219 Q
MARTIN,T.O.	9603290346*	PR
MARTIN,T.O.	9604150197	50-454 S
MARTIN,T.T.	9604010181	STATE PRO G
MARTIN,T.T.	9604020374	50-289 Q
MARTIN,T.T.	9604150404	50-443 P
MARTIN,T.T.	9604230388	50-354 Q
MARTIN,T.T.	9604290336	50-286 Q
MARTIN,W.G.	9604120315*	50-219 Q
MARTIN,W.G.	9604170179*	50-219 Q
MARTIN,W.G.	9604170382*	50-219 Q
MARTIN,W.G.	9604170384*	50-219 Q
MARTIN,W.G.	9604180014*	50-219 Q
MARTIN,W.G.	9604180170	50-219 Q
MARTIN,W.G.	9604220051*	50-219 Q
MARTIN,W.G.	9604220116*	50-219 Q
MARTIN,W.G.	9604220225*	50-219 Q
MARZILLI,D.W.	9604220353*	50-423 P
MASCARENHAS,D.	9604250030*	FOIA
MASHEK,D.	9604150199	70-*****
MASNIK,M.T.	9604030223	50-344 P
MASNIK,M.T.	9604170395	50-344 W
MASON,A.R.	9604080110*	50-309 Q
MASON,D.	9604180088	50-280 R
MASON,M.	9604010109	72-1021
MASON,M.	9604250067	72-1021
MASSE,R.E.	9604050055	50-499 Q
MASSE,R.E.	9604290309	50-499 S
MATAKAS,R.A.	9604300166*	50-387 Q
MATARAZZO,J.C.	9604090150*	52-3
MATTIA,M.J.	9604010291	CONTRACT
MATTIA,M.J.	9604020208	CONTRACT
MATTIA,M.J.	9604020379	CONTRACT
MATTIA,M.J.	9604020382	CONTRACT
MATTIA,M.J.	9604020384*	CONTRACT
MATTIA,M.J.	9604020428	CONTRACT
MATTIA,M.J.	9604030039	CONTRACT
MATTIA,M.J.	9604030049	CONTRACT
MATTIA,M.J.	9604030203	CONTRACT
MATTIA,M.J.	9604040020	CONTRACT
MATTIA,M.J.	9604100222	CONTRACT
MATTIA,M.J.	9604100257	CONTRACT
MATTIA,M.J.	9604160007	CONTRACT
MATTIA,M.J.	9604160011	CONTRACT
MATTIA,M.J.	9604160202	CONTRACT
MATTIA,M.J.	9604160204	CONTRACT
MATTIA,M.J.	9604160212	CONTRACT
MATTIA,M.J.	9604160359	CONTRACT
MATTIA,M.J.	9604160441	CONTRACT
MATTIA,M.J.	9604160458	CONTRACT
MATTIA,M.J.	9604170099	CONTRACT
MATTIA,M.J.	9604170143	CONTRACT
MATTIA,M.J.	9604170156	CONTRACT
MATTIA,M.J.	9604170291	CONTRACT
MATTIA,M.J.	9604190085	CONTRACT
MATTIA,M.J.	9604220230	CONTRACT
MATTIA,M.J.	9604230074	CONTRACT
MATTIA,M.J.	9604230184	CONTRACT
MATTIA,M.J.	9604240256	CONTRACT
MATTIA,M.J.	9604250211	CONTRACT
MATTIA,M.J.	9604250393	CONTRACT
MATTIA,M.J.	9604300100	CONTRACT
MATYUS,D.	9512010164*	REVIEW GR P
MAUPIN,C.	9604020308*	STATE PRO G
MAXFIELD,G.J.	9604160275	50-266 F
MAXFIELD,G.J.	9604160292	50-266 F
MAXFIELD,G.J.	9604170011	50-266 F
MAXFIELD,G.J.	9604180330	50-266 R
MAXIM,A.M.	9604090153	70-143
MAXIN,A.M	9604290071	70-143
MAXIN,A.M.	9604180443	70-143
MAXWELL,G.	9604090083*	50-369 Q
MAXWELL,G.	9604230333*	50-369 Q
MAY,M.M.	9604020377	40-3453
MAY,T.J.	9604110292	50-293 I
MAYFIELD,M.	9604260119*	ORG
MAYFIELD,M.	9604260146*	ORG
MAYLATH,J.	9604160063	50-247 S
MAYLATH,J.	9604300149	50-247 S
MAYNARD,O.L.	9604010242	50-482 P
MAYNARD,O.L.	9604090312	50-482 Q
MAYNARD,O.L.	9604100141	50-482 F
MAYNARD,O.L.	9604190078	50-482 R
MAYNARD,O.L.	9604240027	50-482 P
MAYNARD,O.L.	9604240048	50-482 P
MAYNARD,O.L.	9604240161	50-482 V
MAYNARD,O.L.	9604290343	50-482 R
MAYNARD,O.L.	9604300343	50-482 S
MAYS,R.B.	9604190331*	50-446 Q
MAYS,R.B.	9604240321*	50-446 Q
MCALPINE,E.J.	9604090144	70-1113
MCALPINE,E.J.	9604090152*	70-1113
MCALPINE,E.J.	9604090181	70-1201
MCALPINE,E.J.	9604090372	70-143
MCALPINE,E.J.	9604090383*	70-143
MCALPINE,E.J.	9604230029	70-143
MCALPINE,E.J.	9604230038*	70-143
MCALPINE,E.J.	9604230327	70-143
MCANULTY,M.W.	9604160408	50-348 R
MCBURNETT,M.A.	9604150312	50-498 H
MCBURNETT,M.A.	9604220196	50-498 P
MCCABE,E.C.	9604040215*	50-219 F
MCCABE,E.C.	9604110264*	50-219 P
MCCABE,E.C.	9604170470*	50-219 Q
MCCABE,E.C.	9604170500*	50-219 Q
MCCABE,E.C.	9604180138*	50-219 Q
MCCABE,E.C.	9604180229*	50-219 Q
MCCABE,E.C.	9604220174*	50-219 Q
MCCABE,E.C.	9604220358*	50-219 Q
MCCABE,E.C.	9604230013*	50-219 Q
MCCABE,E.C.	9604240104*	50-219 Q
MCCABE,E.C.	9604240308*	50-219 Q
MCCABE,E.C.	9604250131*	50-219 Q
MCCALL,T.A.	9604180463	PRM
MCCANN,G.	9604050027	30-2640
MCCARTHY,K.F.	9604240238	71-9269
MCCARTHY,R.	9604080065	50-213 S
MCCLELLAND,C.W.	9604250119	71-555
MCCLINTOCK,R.O.	9604120059*	50-219 Q
MCCLUSKEY,R.K.	9604150092*	50-397 P
MCCOLD,L.	9604120156	70-*****
MCCOLLUM,W.R	9604300069	50-413 R
MCCOLLUM,W.R.	9604010373	50-413 R
MCCOLLUM,W.R.	9604020447	50-413 F
MCCOLLUM,W.R.	9604050051	50-413 F
MCCOLLUM,W.R.	9604050391	50-413 P
MCCOLLUM,W.R.	9604080337	50-413 P
MCCOLLUM,W.R.	9604160012	50-413 Q
MCCOLLUM,W.R.	9604190272	50-413 P
MCCOLLUM,W.R.	9604190281	50-413 Q
MCCOLLUM,W.R.	9604190348	50-413 Q
MCCOLLUM,W.R.	9604230228	50-414 S
MCCOLLUM,W.R.	9604250116	50-413 Q
MCCORMICK,M.J.	9604120148	50-220 F
MCCORMICK-BARGE	9604050027	30-2640
MCCORMICK-BARGE	9604290332	40-534
MCCOY,C.K.	9604050016	50-424 Q
MCCOY,C.K.	9604050023	50-424 Q
MCCOY,C.K.	9604050024	50-424 S
MCCOY,C.K.	9604050026	50-424 Q
MCCOY,C.K.	9604080209	50-424 S
MCCOY,C.K.	9604080289	50-424 Q
MCCOY,C.K.	9604160009	50-424 R
MCCOY,C.K.	9604160410	50-424 P
MCCOY,C.K.	9604170008	50-424 P
MCCRACKEN,C.E.	9511290002*	50-397 P
MCCRACKEN,C.E.	9604160397	REVIEW GR P
MCCREE,V.M.	9604090449	REVIEW GR P
MCDANIEL,K.K.	9604240217	70-1113
MCDERMOTT,R.J.	9604160385*	50-219 Q
MCDERMOTT,R.J.	9604170006*	50-219 Q
MCDERMOTT,R.J.	9604170232*	50-219 Q
MCDERMOTT,R.J.	9604170243*	50-219 Q
MCDERMOTT,R.J.	9604170288	50-219 Q
MCDEROTT,W.H.	9604160256*	50-219 Q
MCDONALD,D.G.	9604080332	50-317 P
MCDONALD,D.G.	9604080338*	50-317 P
MCDONALD,D.G.	9604090397	REVIEW GR P
MCDONALD,D.G.	9604160354	50-317 P
MCDONALD,D.G.	9604230027	50-317 P
MCDONALD,D.G.	9604230039	50-317 P
MCDONOUGH,M.B.	9604030395*	50-341 P
MCDOUGALD,W.D.	9604290251	40-3453
MCFARLAND,J.E.	9604100062	CONTRACT
MCGEHEE,G.A.	9604100191*	71-3027
MCGINTY,K.A.	9604010108*	STATE PRO G
MCGIVERN,M.	9604020045	50-249 S
MCGIVERN,M.	9604020052	50-249 S
MCGOVERN,J.J.	9604260246	70-687
MCGRATH,J.	9604030311	30-22089
MCGUIRE,R.K.	9604050161	CONTRACT
MCINTIRE,M.	9604090151	71-9263
MCINTYRE,B.A.	9604010230	52-3
MCINTYRE,B.A.	9604050392	52-3
MCINTYRE,B.A.	9604080054	52-3
MCINTYRE,B.A.	9604080058*	52-3
MCINTYRE,B.A.	9604080060*	52-3
MCINTYRE,B.A.	9604080103	52-3
MCINTYRE,B.A.	9604080125	52-3
MCINTYRE,B.A.	9604080169	52-3
MCINTYRE,B.A.	9604080176	52-3
MCINTYRE,B.A.	9604080179	52-3
MCINTYRE,B.A.	9604090117	52-3
MCINTYRE,B.A.	9604090135*	52-3
MCINTYRE,B.A.	9604100269	52-3
MCINTYRE,B.A.	9604110030	52-3
MCINTYRE,B.A.	9604110036*	52-3
MCINTYRE,B.A.	9604110137	52-3
MCINTYRE,B.A.	9604110141*	52-3
MCINTYRE,B.A.	9604110174	52-3
MCINTYRE,B.A.	9604170510	52-3
MCINTYRE,B.A.	9604180072	52-3
MCINTYRE,B.A.	9604180145	52-3
MCINTYRE,B.A.	9604220248	52-3
MCINTYRE,B.A.	9604260102	52-3
MCINTYRE,B.A.	9604300350	52-3
MCINTYRE,D.	9604240192	52-3
MCKAMY,W.C.	9604230319*	50-416 I
MCKEE,P.F.	9604120262	50-213 P
MCKEE,P.F.	9604180273*	50-245 P
MCKEE,P.F.	9604240249	50-213 P
MCKEE,P.F.	9604240355	50-213 P
MCKEE,P.F.	9604300269	50-213 P
MCKEE,P.F.	9604300275*	50-213 P
MCKIBBEN,J.C.	9604170100	50-186 P
MCKITTRICK,R.	9604150248*	40-8838
MCLAUGHLIN,J.	9604080181	XPORTLIC
MCLAUGHLIN,K.L.	9604150331	NUREG
MCMAHON,C.	9604020116	STATE PRO G
MCMANAMON,F.P.	9604010224*	ORG
MCMEEKIN,T.C.	9604010330	50-369 R
MCMEEKIN,T.C.	9604020075	50-369 P
MCMEEKIN,T.C.	9604080200	50-370 S
MCMEEKIN,T.C.	9604220268	50-369 P
MCMEEKIN,T.C.	9604260203	50-369 F
MCMEEKIN,T.C.	9604260206*	50-369 F
MCMEEKIN,T.C.	9604290300	50-369 Q
MCMEEKIN,T.C.	9604300135	50-369 R
MCMMEEKIN,T.C.	9604220286	50-369 P
MCNULTY,W.J.	9604110068*	FOIA
MCSHERRY,A.J.	9604190271	72-1007
MCWHORTER,R.D.	9604090126*	50-338 Q
MEARS,G.L.	9604150122	40-8819
MEARSE,S.D	9604090288*	CONTRACT
MEARSE,S.D.	9604020282	CONTRACT
MEARSE,S.D.	9604020295*	CONTRACT
MEARSE,S.D.	9604090167	CONTRACT
MEARSE,S.D.	9604090186*	CONTRACT
MEARSE,S.D.	9604090192	CONTRACT
MEARSE,S.D.	9604090198	CONTRACT
MEARSE,S.D.	9604090203*	CONTRACT
MEARSE,S.D.	9604090217	CONTRACT
MEARSE,S.D.	9604090225	CONTRACT
MEARSE,S.D.	9604090228*	CONTRACT

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MEARSE,S.D.	9604090241	CONTRACT
MEARSE,S.D.	9604090243*	CONTRACT
MEARSE,S.D.	9604090252	CONTRACT
MEARSE,S.D.	9604090265	CONTRACT
MEARSE,S.D.	9604090270	CONTRACT
MEARSE,S.D.	9604090285	CONTRACT
MEARSE,S.D.	9604090377	CONTRACT
MEARSE,S.D.	9604090380*	CONTRACT
MECREDY,R.C	9604020429	50-244 Q
MECREDY,R.C.	9604020233	50-244 F
MECREDY,R.C.	9604020442	50-244 P
MECREDY,R.C.	9604050453	50-244 P
MECREDY,R.C.	9604090082	50-244 Q
MECREDY,R.C.	9604110290	50-244 Q
MECREDY,R.C.	9604150112	50-244 S
MECREDY,R.C.	9604150124	50-244 S
MECREDY,R.C.	9604150161	50-244 S
MECREDY,R.C.	9604230396	50-244 P
MECREDY,R.C.	9604260050	50-244 R
MEDOFF,J.	9604190341	50-270 Q
MEEHAN,B.D.	9604190017	CONTRACT
MEEHAN,B.D.	9604300215	CONTRACT
MEIER,R.L.	9604180333	50-498 F
MEINZ,T.P.	9604010037*	50-305 P
MEISNER,M.J.	9604040212	50-416 F
MEISNER,M.J.	9604080244	50-416 F
MEISNER,M.J.	9604190128	50-416 F
MEISNER,M.J.	9604230337	50-416 I
MEISNER,M.J.	9604290350	50-416 P
MELLEN,L.	9604160117	50-302 S
MELLOR,R.A.	9604230108	50-29 F
MENDONCA,M.M.	9604090394	50-160 P
MERCHOFF,E.W.	9604090411	50-327 P
MERCIER,I.M.	9604160218	CONTRACT
MERCREDY,R.C.	9604250104	50-244 P
MERGES,P.J.	9604010114	STATE PRO G
MERGES,P.J.	9604010180	STATE PRO G
MERGES,P.J.	9604300192	PR
MERSCHOFF,E.W.	9604230330	50-369 Q
MESERVE,R.A.	9604170184*	50-206 H
METCALF,J.	9604180251*	50-259 P
METZLER,D.	9604220395	WASTE MGT
MEYER,D.L.	9604110253*	PR
MEYER,G.W.	9604020123	50-244 V
MEYER,G.W.	9604020134*	50-244 V
MEYER,G.W.	9604090504	50-410 V
MEYER,G.W.	9604150279	50-309 V
MEYER,G.W.	9604150386	50-245 V
MEYER,G.W.	9604160013	50-336 V
MEYER,G.W.	9604220325	50-336 V
MEYER,G.W.	9604220329*	50-336 V
MEYER,G.W.	9604230022	50-286 V
MEYER,G.W.	9604230315	50-286 V
MEYER,J.F.	9602050054*	50-220 P
MEYER,R.J.	9604030380*	71-6346
MEYER,R.J.	9604120186*	50-219 Q
MEYER,R.J.	9604150243*	50-219 Q
MEYER,R.J.	9604150247*	50-219 Q
MEYER,R.J.	9604160135*	50-219 Q
MEYER,R.J.	9604160176*	50-219 Q
MEYER,R.J.	9604160228*	50-219 Q
MEYER,R.J.	9604160327*	50-219 Q
MEYER,W.A.	9604180131	50-186 P
MEYERS,S.	9604150324*	50-219 P
MEYERS,S.	9604170253*	50-219 P
MICHAELS,T.S.	9604170427	50-128 F
MICHEL,T.G.	9604030220*	40-6622
MICHEL,T.G.	9604110161*	40-6622
MICHONSKI,M.	9604180255*	50-259 P
MIDDLESWORTH,G.	9604170064	50-331 R
MILHOAN,J.L.	9604110145*	FOIA
MILICI,A.	9604090404	CONTRACT
MILLER,C.S.	9604110215*	70-7001
MILLER,C.S.	9604110223*	70-7001
MILLER,C.S.	9604110249*	70-7001
MILLER,D.L.	9604080435	50-346 S
MILLER,D.W.	9604220353*	50-423 P
MILLER,H.J.	9511300142*	REVIEW GR P
MILLER,H.J.	9604150025	50-16 Q
MILLER,H.J.	9604220127	50-282 Q
MILLER,J.A.	9604110081*	50-483 F
MILLER,J.H.	9604100230	71-6553
MILLER,J.H.	9604100232	71-6553
MILLER,J.H.	9604160342	71-4909
MILLER,L.F.	9604010123	50-454 Q
MILLER,L.F.	9604010136	50-454 Q
MILLER,L.F.	9604010153*	50-454 Q
MILLER,L.F.	9604020415	50-295 Q
MILLER,L.F.	9604030070	50-456 Q
MILLER,L.F.	9604150087	50-295 Q
MILLER,L.F.	9604150099*	50-295 Q
MILLER,L.F.	9604150132*	50-456 Q
MILLER,L.F.	9604160352	50-295 Q
MILLER,L.F.	9604160364	50-454 Q
MILLER,L.F.	9604160369	50-454 Q
MILLER,L.F.	9604170102	50-454 Q
MILLER,L.F.	9604170435	50-456 Q
MILLER,L.F.	9604180192	50-454 Q
MILLER,L.F.	9604180471	50-454 Q
MILLER,L.F.	9604250256	50-456 Q
MILLER,L.R.	9604250268*	50-456 Q
MILLER,M.	9604020089	50-389 S
MILLER,M.	9604030378*	40-672
MILLER,W.O.	8112010015	40-8380
MILLER,W.R.	9604020381	PR
MILLMAN,G.C.	9509050067*	ORG
MILLS,J.	9604190061	50-413 F
MILSTEIN,R.	9604290279	70-1257
MILWICZ,R.R.	9604030048	PR
MIMS,D.C.	9604100013	50-313 S
MIMS,D.C.	9604150342	50-313 S
MIMS,D.C.	9604190112	50-313 R
MIMS,D.C.	9604190116	50-368 R
MIMS,D.C.	9604230262	50-313 P
MIMS,D.C.	9604300371	50-368 S
MIN,P.A.	9604160226	XPORTLIC
MIN,P.A.	9604160233	XPORTLIC
MING,E.	9604120313	40-3453
MITCHELL,T.N.	9604190099	50-277 R
MITCHELL,T.N.	9604300074	50-277 R
MITCHELL,T.N.	9604300189	50-277 Q
MITCHELL,T.N.	9604300266	50-277 R
MOBLEY,M.H.	9604020249	STATE PRO G
MOBLEY,M.H.	9604090475	PR
MOIENI,P.	9602050054*	50-220 P
MOMSEN,B.F	9604290051*	50-373 P
MONTELEONE,S.	9604150352	NUREG
MONTELEONE,S.	9604150357	NUREG
MONTELEONE,S.	9604150363	NUREG
MONTGOMERY,C.R.	9604050197*	70-963
MONTGOMERY,C.R.	9604050198*	70-963
MOORE,K.	9604160028	50-254 R
MOORE,M.	9604260020	50-170 R
MOORE,T.S.	9604290229	70-3070
MOORMAN,J.H.	9604090420*	50-390 V
MORALES,E.M.	9604240314	40-8907
MOREY,D.	9604010332	50-348 R
MOREY,D.	9604010339	50-348 Q
MOREY,D.	9604010344	50-348 R
MOREY,D.	9604010437	50-348 F
MOREY,D.	9604020391	50-348 P
MOREY,D.	9604050042	50-364 P
MOREY,D.	9604100268	50-348 F
MOREY,D.	9604110079	50-348 P
MOREY,D.	9604110107	50-348 Q
MOREY,D.	9604160408	50-348 R
MOREY,D.	9604220191	50-348 R
MOREY,D.	9604230080	50-348 S
MOREY,D.	9604240354	50-364 P
MOREY,D.	9604250330	50-364 P
MOREY,D.	9604250336	50-348 F
MOREY,D.	9604250374	50-364 P
MOREY,D.	9604300058	50-348 R
MOREY,D.	9604300157	50-364 P
MOREY,D.	9604300199	50-348 R
MORIARTY,M.	9604160379	NUREG
MORRIS,P.	9604220104*	FOIA
MORRISON,D.L.	9603110173*	STATE PRO G
MORRISON,D.L.	9604090361*	ORG
MORRISON,D.L.	9604110281*	PR
MORRISON,D.L.	9604180133*	PR
MORRISON,D.L.	9604260125*	ORG
MORTON,J.	9604190322	40-3543
MORTON,L.	9604220019	40-3453
MORTON,L.	9604240296	40-3453
MORZENTI,S.P.	9604160244	40-8857
MORZENTI,S.P.	9604160293	40-8857
MOULIA,T.A.	9604080288	50-133 R
MOULIA,T.A.	9604080358	50-133 R
MOXLEY,M.	9604020062	40-4492
MOZAFARI,B.	9604170484	50-261 P
MOZAFARI,B.	9604220346	50-324 P
MOZAFARI,B.	9604230349	50-324 P
MOZAFARI,B.	9604260103	50-261 P
MSCISZ,T.J.	9604300268*	50-277 R
MUELLER,J.H.	9604010223	50-298 J
MUELLER,J.H.	9604010397	50-298 P
MUELLER,J.H.	9604020271	50-298 F
MUELLER,J.H.	9604030146	50-298 P
MUELLER,J.H.	9604030431	50-298 P
MUELLER,J.H.	9604040022	50-298 V
MUELLER,J.H.	9604040235	50-298 Q
MUELLER,J.H.	9604040245	50-298 P
MUELLER,J.H.	9604150103	50-298 Q
MUELLER,J.H.	9604220050	50-298 F
MUELLER,J.H.	9604220231	50-298 P
MUELLER,J.H.	9604230181	50-298 I
MUELLER,J.H.	9604300196	50-298 F
MUIK,S.	9604080074	50-213 S
MULLAUER	9604020194*	STATE PRO G
MUNOZ,M.	9604240053	CONTRACT
MUNTZING,L.M.	9604170421*	50-219 P
MURPHY,C.D.	9604150248*	40-8838
MURPHY,T.P.	9604080033	FOIA
MURRAY,B.	9604150280*	50-275 Q
MURRAY,B.	9604190011*	50-275 Q
MURRAY,B.	9604250451*	50-312 Q
MURRAY,B.	9604260082*	50-528 Q
MURRAY,B.	9604260100*	50-528 Q
MURRAY,B.	9604260267*	50-18 Q
MURRAY,B.	9604290065*	50-416 Q
MURRAY,C.M.	9604030081*	50-250 R
MURREY,J.	9604010419*	ORG
MUTH,J.J.	9604290364*	50-397 F
MYERS,B.L.	9604080163	CONTRACT
MYERS,H.R.	9604010372*	50-309 P
NAKHAI,B.	9604120267*	50-286 Q
NAKOSKI,J.	9604080078*	50-219 F
NARDONE,P.E.	9604160123	50-443 R
NAUS,D.J.	9604230376	NUREG
NAUS,D.J.	9604260159*	ORG
NCDERNOTT,R.J.	9604160267*	50-219 Q
NELSON,E.C.	9604020007	FOIA
NELSON,P.R.	9604120043*	50-219 Q
NELSON,P.R.	9604120076*	50-219 Q
NELSON,P.R.	9604120311*	FOIA
NELSON,P.R.	9604170475*	50-219 Q
NELSON,P.R.	9604180165*	50-219 Q
NELSON,P.R.	9604180395*	50-219 Q
NELSON,P.R.	9604220032*	50-219 Q
NELSON,P.R.	9604220124*	50-219 Q
NELSON,P.R.	9604220129*	50-219 Q
NELSON,P.R.	9604220130*	50-219 Q
NELSON,P.R.	9604220167*	50-219 Q
NELSON,P.R.	9604220291*	50-219 Q
NELSON,P.R.	9604220368*	50-219 Q
NELSON,P.R.	9604220374*	50-219 Q
NELSON,P.R.	9604230143*	50-219 Q
NELSON,P.R.	9604230195*	50-219 Q
NELSON,P.R.	9604230245*	50-219 Q
NELSON,P.R.	9604230279*	50-219 Q
NELSON,P.R.	9604230300*	50-219 Q
NELSON,P.R.	9604230392*	50-219 Q
NELSON,P.R.	9604240084*	50-219 Q
NELSON,P.R.	9604250010*	50-219 Q
NELSON,P.R.	9604250088*	50-219 Q
NELSON,R.	9604020301*	STATE PRO G
NELSON,R.A.	9604010177	40-8027
NELSON,R.A.	9604090400	WASTE MGT
NELSON,R.A.	9604120130	70-925
NELSON,R.A.	9604120133*	70-925
NELSON,R.A.	9604170391	40-8027
NELSON,R.A.	9604170393	40-501
NELSON,R.A.	9604170403*	40-501
NELSON,R.A.	9604190183	40-6659
NELSON,R.A.	9604190215	40-8027
NERSES,V.	9604040069	50-369 P
NESS,D.	9604080343	XPORTLIC
NEUMAN,G.M.	9604170047	50-440 R
NEUMAN,S.P.	9604020277	NUREG
NEWBERRY,S.F.	9604180250	50-317 P
NEWBURGH,G.	9604170275*	50-245 R
NEWBY,M.	9604300004	FOIA
NEWMARK,N.M.	9604110291*	50-219 P
NEWMARK,N.M.	9604110293*	50-219 P
NEWTON,C.A.	9604290018	50-245 H
NEWTON,R.	9604090085*	50-324 F
NEWTON,R.A.	9604040165	PROJ
NEXSEN,W.W.	9604110051	FOIA
NEXSEN,W.W.	9604110139*	FOIA
NICHOLS,R.D.	9604160453	CONTRACT
NICHOLSON,J.	9604040060	PR
NICHOLSON,L.E.	9604010304	50-272 Q
NICHOLSON,L.E.	9604010312*	50-272 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
NICHOLSON,L.E.	9604290237	50-272 Q
NICHOLSON,L.E.	9604290280*	50-354 Q
NICKOLSON,L.E.	9604250128	50-272 P
NIELSEN,D.	9604080185*	50-440 P
NIMITZ,R.	9604010357*	50-309 Q
NINH,S.Q.	9604190203	52-4
NINH,S.Q.	9604240370	52-4
NIX,D.W.	9604010036*	50-259 R
NOLL,W.G.	9604300339	50-245 S
NOLL,W.G.	9604300364	50-245 S
NOOMAN,T.P.	9604220343	50-334 S
NOONAN,T.P.	9604030041	50-334 R
NOONAN,T.P.	9604030073*	50-334 R
NOONAN,T.P.	9604040193	50-334 R
NOONAN,T.P.	9604160032	50-334 R
NOONAN,T.P.	9604220203	50-334 S
NOONAN,T.P.	9604240369	50-334 S
NOONAN,T.P.	9604290058	50-334 S
NOONAN,T.P.	9604290073*	50-334 S
NOORDENNEN,G.P.	9604010236	50-336 S
NOORDENNEN,G.P.	9604010239	50-336 S
NOORDENNEN,G.P.	9604010246	50-336 S
NOORLANDER,D.	9604290233	40-3453
NOORLANDER,L.	9604250159	40-3453
NORELIUS,C.E.	9604250226*	50-155 P
NORKIN,D.	9604190042*	50-387 Q
NORKIN,D.P.	9604300251	QA999
NORKIN,D.P.	9604300332*	QA999
NORRHOLM,L.	9604230289*	50-219 Q
NORRIS,J.A.	9604180349	50-335 P
NORRIS,J.A.	9604220355	50-335 Q
NORTHERN,S.S.	9604250278	50-160 P
NORTON,M.E.	9604030373	PR
NOSS,D.	9604080196*	XPORTLIC
NOSS,D.	9604080206*	XPORTLIC
NOSS,D.L.	9604080150*	XPORTLIC
NOSS,D.L.	9604080203*	XPORTLIC
NOSS,D.L.	9604220163	XPORTLIC
NOTENBOOM,B.	9604180042	40-3453
NUNN,D.E.	9604030119	50-206 F
NUNN,D.E.	9604090390	50-361 K
NUNN,D.E.	9604170159	50-361 P
NUNN,D.E.	9604170168*	50-361 P
NUNN,D.E.	9604250150	50-361 K
O'CONNOR,P.W.	9604150057*	50-219 P
O'DWYER,G.	9604250292*	50-409 Q
O'HANLON,J.P.	9604010171	50-280 Y
O'HANLON,J.P.	9604030432	50-338 P
O'HANLON,J.P.	9604040109	50-280 I
O'HANLON,J.P.	9604040120	50-280 P
O'HANLON,J.P.	9604080158	50-338 Q
O'HANLON,J.P.	9604100177	50-280 Q
O'HANLON,J.P.	9604150126	50-280 F
O'HANLON,J.P.	9604150334	50-280 Q
O'HANLON,J.P.	9604180106	50-338 Q
O'HANLON,J.P.	9604180174	50-280 P
O'HANLON,J.P.	9604250424	50-280 P
O'HANLON,J.P.	9604250440	50-280 Q
O'HANLON,J.P.	9604290158	50-280 F
O'KELLY,S.	9604080201	50-128 P
O'REILLY,J.P.	9604120013*	50-219 Q
O'REILLY,J.P.	9604120033*	50-219 Q
O'REILLY,J.P.	9604120113*	50-219 P
O'REILLY,J.P.	9604120196*	50-219 Q
O'REILLY,J.P.	9604120199*	50-219 Q
O'REILLY,J.P.	9604120214*	50-219 Q
O'REILLY,J.P.	9604120218*	50-219 Q
O'REILLY,J.P.	9604120274*	50-219 Q
O'REILLY,J.P.	9604120314*	FOIA
O'REILLY,J.P.	9604150017*	50-219 Q
O'REILLY,J.P.	9604150046*	50-219 Q
O'REILLY,J.P.	9604150073*	50-219 Q
O'REILLY,J.P.	9604150101*	50-219 Q
O'REILLY,J.P.	9604150136*	50-219 Q
O'REILLY,J.P.	9604150141*	50-219 Q
O'REILLY,J.P.	9604150179*	50-219 Q
O'REILLY,J.P.	9604150190*	50-219 Q
O'REILLY,J.P.	9604150209*	50-219 P
O'REILLY,J.P.	9604150217*	50-219 P
O'REILLY,J.P.	9604150319*	50-219 Q
O'REILLY,J.P.	9604160131*	50-219 Q
O'REILLY,J.P.	9604160182*	50-219 Q
O'REILLY,J.P.	9604160207*	50-219 Q
O'REILLY,J.P.	9604160272*	50-219 Q
O'REILLY,J.P.	9604160279*	50-363 Q
O'REILLY,J.P.	9604160285*	50-219 Q
O'REILLY,J.P.	9604160358*	50-219 Q
O'REILLY,J.P.	9604160370*	50-219 Q
O'REILLY,J.P.	9604160377*	50-219 Q
O'REILLY,J.P.	9604160387*	50-219 P
O'REILLY,J.P.	9604160400*	50-219 P
O'REILLY,J.P.	9604160409*	50-219 P
O'REILLY,J.P.	9604160425*	50-219 H
O'REILLY,J.P.	9604170015*	50-219 Q
O'REILLY,J.P.	9604170065*	50-219 Q
O'REILLY,J.P.	9604170171*	50-219 P
O'REILLY,J.P.	9604170211*	50-219 S
O'REILLY,J.P.	9604170295*	50-219 Q
O'REILLY,J.P.	9604170401*	50-219 P
O'REILLY,J.P.	9604170489*	50-219 Q
O'REILLY,J.P.	9604180020*	50-219 P
O'REILLY,J.P.	9604180113*	50-219 Q
O'REILLY,J.P.	9604180162*	50-219 P
O'REILLY,J.P.	9604180222*	50-219 Q
O'REILLY,J.P.	9604180427*	50-219 P
O'REILLY,J.P.	9604190300*	50-219 Q
O'REILLY,J.P.	9604190305*	50-219 Q
O'REILLY,J.P.	9604220009*	50-219 P
O'REILLY,J.P.	9604220036*	50-219 Q
O'REILLY,J.P.	9604220097*	50-219 Q
O'REILLY,J.P.	9604220128*	50-219 Q
O'REILLY,J.P.	9604220234*	50-219 Q
O'REILLY,J.P.	9604230112*	50-219 Q
O'REILLY,J.P.	9604230247*	50-219 Q
O'REILLY,J.P.	9604230257*	50-219 Q
O'REILLY,J.P.	9604240044*	50-219 Q
O'REILLY,J.P.	9604240145*	50-219 Q
O'REILLY,J.P.	9604240292*	50-219 Q
OEHEIM,H.V.	9604080057	50-293 J
OEHEIM,H.V.	9604110292	50-293 I
OEHEIM,H.V.	9604220202	50-293 R
OEHEIM,H.V.	9604160477	71-9137
OEHEIM,H.V.	9604230376	NUREG
OEHEIM,H.V.	9604260159*	ORG
OEHEIM,H.V.	9604150092*	50-397 P
OEHEIM,H.V.	9604080148	50-293 R
OEHEIM,H.V.	9604150339	50-293 R
OEHEIM,H.V.	9604150058	70-27
OEHEIM,H.V.	9604170317	70-27
OEHEIM,H.V.	9604170261	50-317 R
OEHEIM,H.V.	9604180268	50-272 P
OEHEIM,H.V.	9604080120	50-529 S
OEHEIM,H.V.	9604080378	50-457 S
OEHEIM,H.V.	9404210051*	50-336 Q
OEHEIM,H.V.	9404210051*	50-336 Q
OEHEIM,H.V.	9409200057*	50-245 P
OEHEIM,H.V.	9409200057*	50-245 P
OEHEIM,H.V.	9604090250*	50-261 Q
OEHEIM,H.V.	9604170287*	50-219 P
OEHEIM,H.V.	9604030263	40-341
OEHEIM,H.V.	9604190102	50-286 R
OEHEIM,H.V.	9604300063*	50-395 R
OEHEIM,H.V.	9604090380*	CONTRACT
OEHEIM,H.V.	9604010279	STATE PRO G
OEHEIM,H.V.	9604290086	STATE PRO G
OEHEIM,H.V.	9604050426	71-9250
OEHEIM,H.V.	9604160343*	50-368 P
OEHEIM,H.V.	9604160343*	50-368 P
OEHEIM,H.V.	9604090484*	70-1257
OEHEIM,H.V.	9604290092*	70-1151
OEHEIM,H.V.	9604100271	50-529 S
OEHEIM,H.V.	9604190304	50-528 F
OEHEIM,H.V.	9604180057	40-3453
OEHEIM,H.V.	9604230282*	50-219 P
OEHEIM,H.V.	9604030395*	50-341 P
OEHEIM,H.V.	9604020352	NUREG
OEHEIM,H.V.	9604250012	PR
OEHEIM,H.V.	9604030028	PRM
OEHEIM,H.V.	9604170138	TOPREP
OEHEIM,H.V.	9604080219	50-255 Q
OEHEIM,H.V.	9512210085*	PR
OEHEIM,H.V.	9604010259	ORG
OEHEIM,H.V.	9604030009*	STATE PRO G
OEHEIM,H.V.	9604030307	40-8027
OEHEIM,H.V.	9604120165	40-4492
OEHEIM,H.V.	9604120192*	40-4492
OEHEIM,H.V.	9604150041	STATE PRO G
OEHEIM,H.V.	9604170098	ORG
OEHEIM,H.V.	9604170154	PROJ
OEHEIM,H.V.	9604300404	ORG
OEHEIM,H.V.	9604030430*	50-219 H
PARKER,J.L.	9604190121	40-8724
PARKER,J.L.	9604190135	40-8724
PARKER,T.	9604100003	50-263 S
PARRISH,J.V.	9604080061	50-397 J
PARRISH,J.V.	9604150086	50-397 P
PARRISH,J.V.	9604170322	50-397 R
PARRISH,J.V.	9604230086	50-397 Q
PARRISH,J.V.	9604230123	50-397 P
PARRISH,J.V.	9604290361	50-397 F
PARRISH,J.V.	9604300185	50-397 P
PARRISH,J.V.	9604300333	50-397 P
PARSCALE,L.	9604160404	50-390 R
PARTLOW,J.G.	9604150031*	50-219 Q
PARTLOW,J.G.	9604180012*	50-219 Q
PASCIAK,W.	9604160025*	50-387 Q
PASCIAK,W.J.	9604010414	50-277 Q
PASCIAK,W.J.	9604160008	50-387 Q
PASCIAK,W.J.	9604220312	50-352 P
PASCIAK,W.J.	9604230157	50-387 P
PASSWATER,A.C.	9604170043	50-483 P
PASTOR,M.K.	9604120022*	50-363 A
PATAKI,G.E.	9604150335	PR I
PATAKI,G.E.	9604220204	50-286
PATE,Z.T.	9604120228	ORG
PATKO,A.L.	9604040110	71-9176
PATRICK,M.E.	9604050069*	50-413 F
PATRICK,W.C.	9604020311	WASTE MGT
PATRICK,W.C.	9604300322*	WASTE MGT
PATTERSON,T.L.	9604040184	50-285 R
PATTERSON,T.L.	9604040192	50-285 S
PATTERSON,T.L.	9604080330	50-285 P
PATTERSON,T.L.	9604090387	50-285 F
PATTERSON,T.L.	9604150147	PRM
PATTERSON,T.L.	9604190096	50-285 R
PATTERSON,T.L.	9604220199	50-285 S
PATTERSON,T.L.	9604240175	50-285 P
PATTERSON,T.L.	9604250061	50-285 P
PATTERSON,T.L.	9604300060	50-285 R
PATTISHALL,K.	9604300236	71-9073
PAUL,R.C.	9604260046*	FOIA
PAUL,R.C.	9604260057*	FOIA
PAULSON,O.	9604030050	40-8584
PAULSON,W.A.	9604190346*	50-219 P
PAULSON,W.A.	9604220350*	50-219 P
PAULSON,W.A.	9604230025*	50-219 P
PAULSON,W.A.	9604230055*	50-219 P
PAULSON,W.A.	9604230103*	50-219 P
PAULSON,W.A.	9604230126*	50-219 P
PAULSON,W.A.	9604230215*	50-219 P
PAULSON,W.A.	9604230368*	50-219 P
PAULSON,W.A.	9604240005*	50-219 P
PAUSTIAN,H.H.	9604220172	50-263 R
PAWLIK,E.T.	9604010083*	50-295 Q
PAWLIK,E.T.	9604010088*	50-295 Q
PAWLIK,E.T.	9604010093*	50-295 Q
PAWLIK,E.T.	9604010099*	50-295 Q
PAYNE,J.L.	9604190164*	70-925
PEARCE,L.W.	9604080261	50-265 S
PEARCE,L.W.	9604090039	50-254 S
PEARCE,L.W.	9604090209	50-254 R
PEARCE,L.W.	9604160028	50-254 R
PEARCY,E.C.	9604120178	WASTE MGT
PEEBLES,T.A.	9603050138	50-250 V
PEEBLES,T.A.	9604090416	50-390 V
PEEBLES,T.A.	9604090420*	50-390 V
PEEBLES,T.A.	9604230360	50-335 V
PEEBLES,T.A.	9604230364*	50-335 V
PEEBLES,T.A.	9604240276	50-261 Q
PELCHAT,J.M.	9604110090	PR
PELCHAT,J.M.	9604160379	NUREG
PELGRIM,D.	9604260148*	ORG
PELGRIM,D.	9604260151*	ORG
PELGRIM,D.	9604260155*	ORG
PELIZZA,M.S.	9604030208	40-8968
PELIZZA,M.S.	9604090313	40-8968
PELIZZA,M.S.	9604150068	40-8968
PELIZZA,M.S.	9604260063	40-8968
PELLET,J.L.	9604100250*	50-285 Q
PELLETIER,C.A.	9604150060*	50-219 Q
PELUSO,L.	9604010357*	50-309 Q
PENN,W.	9604040107	71-503
PERCIVAL,D.R.	9604150055*	50-219 P
PEREZ,R.J.	9604010234	FOIA
PERGUE,G.P.	9604250283	50-382 F
PEROCK,J.D.	9604110152*	50-255 P
PERQUE,G.	9604010005	50-382 F
PERRERO,D.	9604020083*	STATE PRO G
PERRY,J.S.	9604020045	50-249 S

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PERRY,J.S.	9604020052	50-249 S
PERRY,J.S.	9604020098	50-237 S
PERRY,J.S.	9604020109	50-249 S
PERRY,J.S.	9604020178	50-237 P
PERRY,J.S.	9604020216	50-249 S
PERRY,J.S.	9604020299	50-10 W
PERRY,J.S.	9604030099	50-237 K
PERRY,J.S.	9604030367	50-10 R
PERRY,J.S.	9604050225	50-249 S
PERRY,J.S.	9604050454	50-237 V
PERRY,J.S.	9604080145	50-10 W
PERRY,J.S.	9604110088	50-237 P
PERRY,J.S.	9604110132	50-237 P
PERRY,J.S.	9604120015	50-237 S
PERRY,J.S.	9604120020	50-237 P
PERRY,J.S.	9604190084	50-10 R
PERRY,J.S.	9604220080	50-237 S
PERRY,J.S.	9604250267	50-10 R
PERRY,J.S.	9604300065	50-10 Q
PERSHEY,C.	9604090143	50-456 R
PERSON,L.S.	9604170422	40-8794
PERSON,L.S.	9604190244	40-8794
PERZYNSKI,P.R.	9604020349	STATE PRO G
PETERSON,R.D.	9604030403	50-344 P
PEVENSTEIN,R.L.	9604030046*	40-8907
PHIL,M.	9604250063	PRM
PHILLIPS,L.E.	9604090366	ORG
PHILLIPS,L.E.	9604160253	ORG
PHILLIPS,M.	9604010189	30-31373
PHILLIPS,M.	9604010195	30-33336
PHILLIPS,M.	9604080376	STATE PRO G
PHILLIPS,M.	9604110104	I&E
PHILLIPS,M.	9604260302	I&E
PHILLIPS,R.	9604190105	50-272 R
PHILLIPS,R.	9604190109	50-311 R
PHILLIPS,T.A.	9604120182*	50-219 P
PICK,G.	9604110101	50-416 S
PICKETT,D.V.	9604160052	50-461 P
PICKETT,D.V.	9604160057*	50-461 P
PICKETT,D.V.	9604220086	50-461 P
PICKETT,D.V.	9604290015	50-461 P
PIERSON,R.	9604080249*	70-1100
PIERSON,R.	9604290310	70-143
PIERSON,R.C.	9604050174	27-47
PIERSON,R.C.	9604080246	70-1100
PIERSON,R.C.	9604080297	40-3392
PIERSON,R.C.	9604080309	40-3392
PIERSON,R.C.	9604170078	40-7580
PIERSON,R.C.	9604170163	70-1113
PIERSON,R.C.	9604170175*	70-1113
PIERSON,R.C.	9604220056	ORG
PIERSON,R.C.	9604240209	70-1100
PIERSON,R.C.	9604240318	70-1113
PIERSON,R.C.	9604240329*	70-1113
PIERSON,R.C.	9604250016	70-36
PIERSON,R.C.	9604250024*	70-36
PIERSON,R.C.	9604290206	70-734
PIERSON,R.C.	9604290212*	70-734
PIERSON,R.C.	9604290279	70-1257
PIERSON,R.C.	9604290317	70-1100
PIERSON,R.C.	9604290337	70-1201
PIERSON,R.C.	9604290339*	70-1201
PILMER,D.F.	9604030252	PROJ
PILMER,D.F.	9604090236	PROJ
PITESA,J.W.	9604080200	50-370 S
PITTIGLIO,C.	9604120292	50-267 W
PITTIGLIO,C.L.	9604170523	50-267 W
PLATTER,H.L.	9604300387*	FOIA
PLUMLEE,K.E.	9604170351*	50-219 P
PLUMLEE,K.E.	9604220181	50-219 Q
PLUMLEE,K.W.	9604240154*	50-219 Q
PLUMMLEE,K.E.	9604230036*	50-219 Q
PLUMSTEAD,R.F.	9604090187	71-9263
PLUNKETT,T.F.	9604090483	50-335 Q
PLUNKETT,T.F.	9604300105	50-335 Q
PLUNKETT,T.F.	9604300223	50-335 Q
POLICH,T.J.	9604030221	50-445 P
POLICH,T.J.	9604030228*	50-445 P
POLICH,T.J.	9604120318	50-445 P
POLICH,T.J.	9604120322*	50-445 P
POLICH,T.J.	9604160421	50-445 P
POMEROY,D.L.	9604150129*	50-219 Q
PONTIOUS,H.D.	9604080075	50-454 P
PORTER,D.K.	9604290418	50-528 H
POST,J.	9604030105*	50-263 P
POSTMA,A.K.	9604050196*	TOPREP
POTAPOVS,U.	9604150129*	50-219 Q
POTAPOVS,U.	9604160407*	50-483 Q
POTTER,J.P.	9604090214	70-3009
POTTER,J.P.	9604250019	40-*****
POTTER,J.P.	9604250026*	40-*****
POWELL,D.R.	9604010262	50-272 P
POWELL,D.R.	9604080371	50-272 P
POWELL,D.R.	9604160099	50-272 K
POWELL,R.	9604080044	FOIA
POWELL,R.	9604080273	FOIA
POWELL,R.	9604110002	FOIA
POWELL,R.A.	9604010062	50-295 Q
POWELL,R.A.	9604010118	FOIA
POWELL,R.A.	9604010237	FOIA
POWELL,R.A.	9604020009	FOIA
POWELL,R.A.	9604030061	FOIA
POWELL,R.A.	9604080447	FOIA
POWELL,R.A.	9604100035	FOIA
POWELL,R.A.	9604110027*	FOIA
POWELL,R.A.	9604110043*	FOIA
POWELL,R.A.	9604110052*	FOIA
POWELL,R.A.	9604110061*	FOIA
POWELL,R.A.	9604170126	FOIA
POWELL,R.A.	9604170137	FOIA
POWELL,R.A.	9604170165	50-206 H
POWELL,R.A.	9604170230	50-397 Q
POWELL,R.A.	9604170242	FOIA
POWELL,R.A.	9604170250	FOIA
POWELL,R.A.	9604170267	FOIA
POWELL,R.A.	9604170314	FOIA
POWELL,R.A.	9604220024	FOIA
POWELL,R.A.	9604240118	FOIA
POWELL,R.A.	9604240121	FOIA
POWELL,R.A.	9604240131	FOIA
POWELL,R.A.	9604240140	FOIA
POWELL,R.A.	9604240155	FOIA
POWELL,R.A.	9604250002	50-245 P
POWELL,R.A.	9604250005	FOIA
POWELL,R.A.	9604250015	FOIA
POWELL,R.A.	9604250046	FOIA
POWELL,R.A.	9604250076	FOIA
POWELL,R.A.	9604260037	FOIA
POWELL,R.A.	9604300006	FOIA
POWELL,R.A.	9604300039	50-416 Q
POWELL,R.A.	9604300050	FOIA
POWELL,R.A.	9604300080	50-213 P
POWELL,R.A.	9604300127	50-387 Q
POWELL,R.A.	9604300132	FOIA
POWERS,D.	9604110266	50-529 S
POWERS,D.A.	9604050040*	50-482 Q
POWERS,D.A.	9604240266*	50-458 Q
PRECKSHOT,G.G.	9604150345	NUREG
PRESTON,E.	9604010036*	50-259 R
PRESTON,E.	9604010039*	50-259 R
PRICE,K.	9604250180	PRM
PRICE,R.	9604150160*	50-219 P
PRIEST,J.	9604150257	50-354 S
PRIEST,J.	9604190110	50-354 S
PRIEST,J.	9604260120	50-354 S
PRIVIDY,L.J.	9604290287*	50-336 Q
PROBASCO,T.C.	9604110239*	70-1257
PRUDIC,D.E.	9604090403*	WASTE MGT
PRUDIC,D.E.	9604090406*	WASTE MGT
PRUNTY,R.W.	9604080305	50-400 S
PUALSON,W.A.	9604240095*	50-219 P
PUGH,N.L.	9604110010	FOIA
PULEO,F.	9604180333	50-498 F
PULSIFER,H.A.	9604150267	WASTE MGT
PULSIFER,R.M.	9604290365	50-254 P
PULSIFER,R.M.	9604300435	50-254 P
PUSATERI,B.A.	9604300032	50-416 Q
PUTNEY,L.D.	9604120300*	50-302 G
QUAY,T.R.	9604100115	52-3
QUAY,T.R.	9604290148	52-4
QUENNOZ,S.M.	9604010440	50-344 F
QUENNOZ,S.M.	9604050053	50-344 J
QUENNOZ,S.M.	9604100185	50-344 Y
QUENNOZ,S.M.	9604100261	50-344 Y
QUENNOZ,S.M.	9604110288	50-344 P
QUENNOZ,S.M.	9604150397	50-344 Y
QUENNOZ,S.M.	9604300027	50-344 R
QUERIO,R.E.	9604020087	50-373 P
QUERIO,R.E.	9604080284	50-373 P
QUERIO,R.E.	9604080292	50-373 P
QUERIO,R.E.	9604080294	50-373 P
QUERIO,R.E.	9604120122	50-373 P
QUERIO,R.E.	9604150150	50-373 P
QUERIO,R.E.	9604160101	50-373 P
QUERIO,R.E.	9604180055	50-373 K
QUERIO,R.E.	9604220206	50-373 P
QUERIO,R.E.	9604250271	50-373 P
QUERIO,R.E.	9604290047	50-373 P
QUERIO,R.E.	9604290048	50-373 P
QUERIO,R.E.	9604290356	50-373 P
QUINN,J.E.	9604120310	52-4
QUINN,J.E.	9604150115	52-4
QUINN,J.E.	9604220045	52-4
QUINN,S.	9604160002	50-247 Q
QUINN,S.E.	9604010303	50-247 S
QUINN,S.E.	9604020422	50-247 F
QUINN,S.E.	9604080202	50-3 S
QUINN,S.E.	9604090054	50-247 S
QUINN,S.E.	9604150400	50-247 V
QUINN,S.E.	9604160063	50-247 S
QUINN,S.E.	9604170118	50-3 W
QUINN,S.E.	9604220052	50-247 S
QUINN,S.E.	9604230110	50-247 R
QUINN,S.E.	9604290235	50-247 S
QUINN,S.E.	9604300108	50-247 P
QUINN,S.E.	9604300149	50-247 S
QUINN,S.E.	9604300305	50-3 F
QUIRK,J.F.	9604240082	52-1
RACICOT,M.	9604020258*	STATE PRO G
RADDATZ,M.	9604180295	50-312 Y
RADDATZ,M.G.	9604300304	ORG
RADEMACHER,N.L.	9604150290	50-220 S
RADEMACHER,N.L.	9604150343	50-220 S
RADEMACHER,N.L.	9604190080	50-220 R
RADEMACHER,N.L.	9604290135	50-220 S
RAEL,G.J.	9604030323	WASTE MGT
RAGHAVAN,L.	9604050369	50-302 P
RAGLAND,N.	9604300227	71-9027
RAMSDEN,T.	9604250224	40-8907
RANDALL,K.	9604250169	REG CERT
RAPPLEYEA,C.D.	9604220204	50-286 I
RASMUSSEN,T.C.	9604020277	NUREG
RATHBUN,P.A.	9604160379	NUREG
RATLIFF,R.A.	9604010121	STATE PRO G
RATLIFF,R.A.	9604080281	STATE PRO G
RATLIFF,R.A.	9604090276	STATE PRO G
RAY,D.J.	9604190093	50-373 R
RAY,D.J.	9604290037	50-373 R
RAY,D.J.	9604290288	50-373 S
RAY,P.M.	9604190042*	50-387 Q
RAYMOND,W.	9604220296*	50-219 Q
REBELOWSKI,T.	9604170470*	50-219 Q
REBELOWSKI,T.	9604170500*	50-219 Q
REBELOWSKI,T.	9604180138*	50-219 Q
REBELOWSKI,T.	9604180229*	50-219 Q
REDA,R.J.	9604080112	TOPREP
REDA,R.J.	9604090193	70-1113
REDA,R.J.	9604090306	70-1113
REDA,R.J.	9604100221	TOPREP
REDA,R.J.	9604240111	TOPREP
REDA,R.J.	9604260215	70-1113
REDA,R.J.	9604300230	70-1113
REDA,R.J.	9604300272	70-1113
REDDEMANN,M.E.	9604010272	50-354 S
REDDEMANN,M.E.	9604020230	50-354 S
REDDEMANN,M.E.	9604020372	50-354 S
REDDEMANN,M.E.	9604020411	50-354 R
REDDEMANN,M.E.	9604150257	50-354 S
REDDEMANN,M.E.	9604160448	50-354 R
REDDEMANN,M.E.	9604170052	50-354 S
REDDEMANN,M.E.	9604190110	50-354 S
REDDEMANN,M.E.	9604260074	50-354 S
REDDEMANN,M.E.	9604260120	50-354 S
REDDEMANN,M.E.	9604290082	50-354 S
REDEKER,S.J.	9604290388	50-312 R
REED,A.	9604230110	50-247 R
REED,C.A.	9604040027	50-219 P
REED,C.A.	9604040086	40-*****
REED,C.A.	9604110134*	FOIA
REED,C.A.	9604110146*	FOIA
REED,C.A.	9604110147*	FOIA
REED,C.A.	9604110225	50-219 H
REED,R.M.	9604120206	40-3453
REED,T.A.	9604050106	ORG
REES,D.R.	9604050097*	FOIA
REES,D.R.	9604050105*	FOIA
REEVES,D.R.	9604150301*	50-219 S
REGAN,W.H.	9604180004*	50-219 P
REGAN,W.H.	9604180071*	50-219 Q
REIBLE,B.	9604190089	50-445 R
REICH,R.B.	9604100039*	50-250 G
REID,D.A.	9604030030	50-271 P
REID,D.A.	9604080277	50-271 P
REID,D.A.	9604090283	50-271 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
REID,D.A.	9604220323	50-271 Q
REID,J.B.	9604170515*	52-3
REIDINGER,T.D.	9604080336*	50-2 Q
REINHART,M.	9604250213	50-155 P
REINHART,M.F.	9604100129*	50-255 P
REINMUTH,G.W.	9604160203*	50-219 Q
REIS,T.	9604120079*	50-313 Q
REIS,T.	9604190027*	50-298 Q
REPKA,D.A.	9604170407	50-245 G
REPKA,D.A.	9604170407	50-245 G
REX,J.A.	9604090150*	52-3
REXIUS,T.D.	9604080240*	50-255 Q
REYES,R.	9604030110*	STATE PRO G
REYNOLDS,N.S.	9604100113	50-460 G
REYNOLDS,N.S.	9604100113	50-460 G
RHEE,S.J.	9604020102*	50-237 S
RHODES,S.C.	9604020277	NUREG
RICH,T.W.	9509010272*	STATE PRO G
RICH,T.W.	9509050323*	STATE PRO G
RICHARDS,S.A.	9604160178	REVIEW GR P
RICHARDS,S.A.	9604250345	50-255 P
RICHARDS,S.A.	9604250353	50-346 P
RICHARDS,S.A.	9604290264	50-247 V
RICHARDSON,P.M.	9604010149	50-336 S
RICHARDSON,P.M.	9604010236	50-336 S
RICHARDSON,P.M.	9604010239	50-336 S
RICHARDSON,P.M.	9604010246	50-336 S
RICHARDSON,P.M.	9604150207	50-336 S
RICHARDSON,P.M.	9604190053	50-336 S
RICHARDSON,P.M.	9604190053	50-336 S
RICHARDSON,P.M.	9604190100	50-336 S
RICHARDSON,P.M.	9604220330	50-336 S
RICHARDSON,P.M.	9604260045	50-336 S
RICHARDSON,P.M.	9604290319	50-336 S
RICHARDSON,P.M.	9604290334	50-336 S
RICHARDSON,P.M.	9604300407	50-336 S
RICHES,K.	9604300374*	50-341 S
RICKARD,I.C.	9604180024	TOPREP
RICKARD,I.C.	9604180024	TOPREP
RICKARD,I.C.	9604260205	70-1100
RICKARD,I.C.	9604260205	70-1100
RIEHL,S.K.	9604050433	CONTRACT
RIEKE,J.W.	9604300111	PR
RIESLAND,J.	9604170344*	50-219 P
RIESLAND,J.I.	9604170062*	50-219 P
RIESLAND,J.I.	9604170105*	50-219 P
RIESLAND,J.I.	9604170217*	50-219 P
RIESLAND,J.I.	9604180137*	50-219 S
RIESLAND,J.I.	9604180146*	50-219 P
RIESLAND,J.I.	9604250273*	50-219 P
RIFAKES,G.P.	9604190049	70-7001
RIFAKES,G.P.	9604190057	70-7001
RIFFER,W.J.	9604010411	50-245 S
RIFFER,W.J.	9604010411	50-245 S
RIFFER,W.J.	9604010421	50-245 S
RIFFER,W.J.	9604010421	50-245 S
RIFFER,W.J.	9604020029	50-245 S
RIFFER,W.J.	9604020029	50-245 S
RIFFER,W.J.	9604020076	50-245 S
RIFFER,W.J.	9604020076	50-245 S
RIFFER,W.J.	9604020095	50-245 S
RIFFER,W.J.	9604020095	50-245 S
RIFFER,W.J.	9604020136	50-245 S
RIFFER,W.J.	9604020136	50-245 S
RIFFER,W.J.	9604080131	50-245 S
RIFFER,W.J.	9604160080	50-245 S
RIFFER,W.J.	9604160080	50-245 S
RIFFER,W.J.	9604160112	50-245 S
RIFFER,W.J.	9604290045	50-245 S
RIFFER,W.J.	9604290045	50-245 S
RIFFER,W.J.	9604300331	50-245 S
RIFFER,W.J.	9604300339	50-245 S
RIFFER,W.J.	9604300345	50-245 S
RIFFER,W.J.	9604300345	50-245 S
RIFFER,W.J.	9604300364	50-245 S
RIGOT,W.L.	9604010022	50-264 R
RIMAWI,K.	9604020131	STATE PRO G
RINALDI,F.	9604030309	50-352 P
RINALDI,F.	9604290126	50-352 P
RING,M.A.	9604160329*	50-237 Q
ROBERTS,D.	9604040241	CONTRACT
ROBERTS,D.J.	9604230216*	50-400 Q
ROBERTSON,G.	9604010087	STATE PRO G
ROBERTSON,G.	9604030256*	STATE PRO G
ROBINSON,J.S.	9604300416	50-423 H
ROBINSON,J.S.	9604300420	50-213 H
ROBINSON,W.	9604180084*	40-8838
ROBINSON,W.R.	9604040059	50-400 S
ROBINSON,W.R.	9604090286	50-400 F
ROBINSON,W.R.	9604110186	50-400 Q
ROBINSON,W.R.	9604110294	50-400 Q
ROBINSON,W.R.	9604150069	50-400 F
ROBINSON,W.R.	9604150072	50-400 F
ROBINSON,W.R.	9604150224	50-400 R
ROBINSON,W.R.	9604180093	50-400 K
ROBINSON,W.R.	9604190355	50-400 P
ROBINSON,W.R.	9604220087	50-400 P
ROBINSON,W.R.	9604220391	50-400 P
ROCHAU,G.	9604260137*	ORG
ROCHAU,G.E.	9604260154*	ORG
ROCHAU,G.E.	9604260157*	ORG
ROCHAU,G.E.	9604260161*	ORG
ROCHAU,G.E.	9604260162*	ORG
ROCHAU,G.E.	9604260164*	ORG
ROCHE,M.B.	9604020061	50-219 P
ROCHE,M.B.	9604020133	50-219 P
ROCHE,M.B.	9604040218	50-219 P
ROCHE,M.B.	9604050010	71-9208
ROCHE,M.B.	9604050013	71-6574
ROCHE,M.B.	9604050014	71-9224
ROCHE,M.B.	9604050125	71-9222
ROCHE,M.B.	9604050200	71-9089
ROCHE,M.B.	9604090291	50-219 P
ROCHE,M.B.	9604160016	50-219 R
ROCHE,M.B.	9604160103	50-219 R
ROCHE,M.B.	9604170040	50-219 P
ROCHE,M.B.	9604180337	50-219 F
ROCHE,M.B.	9604190103	50-219 S
ROCHE,M.B.	9604220076	50-219 P
ROCHE,M.B.	9604240147	50-219 P
RODEHAN,T.J.	9604190330	CONTRACT
ROE,J.W.	9604100149*	50-373 P
ROE,J.W.	9604250185*	50-373 P
ROE,K.K.	9604220113	QA999
ROGERS,A.H.	9604010194	STATE PRO G
ROGERS,J.A.	9604190139	50-335 R
ROGERS,K.C.	9604010403	COMMISSION
ROGERS,K.C.	9604050045	COMMISSION
ROGERS,K.C.	9604150350	COMMISSION
ROGERS,K.C.	9604170375	SPEECHES
ROGERS,K.C.	9604180252	COMMISSION
ROGERS,K.C.	9604220125	COMMISSION
ROGERS,K.C.	9604290039	COMMISSION
ROGERS,K.C.	9604290079	COMMISSION
ROGERS,M.	9604220123*	50-219 Q
ROGERS,M.	9604230130*	50-219 Q
ROGERS,S.	9604160004	50-400 R
ROGERS,S.B.	9604160047	50-321 R
ROGERS,W.G.	9604230200*	50-321 Q
ROGGE,J.	9604040220*	50-219 P
ROGGE,J.	9604050096*	50-219 P
ROGGE,J.F.	9604040067*	50-219 F
ROGGE,J.F.	9604040101*	50-219 P
ROGGE,J.F.	9604040229*	50-219 P
ROGGE,J.F.	9604080295	50-309 P
ROGGE,J.F.	9604080415	50-309 Q
ROGGE,J.F.	9604080427*	50-309 Q
ROGGE,J.F.	9604090204*	50-443 Q
ROGGE,J.F.	9604110185	50-443 Q
ROGGE,J.F.	9604250083	50-213 Q
ROGGE,J.F.	9604250130*	50-213 Q
ROLLINS,J.D.	9604170343	72-1004
ROLLINS,J.D.	9604180142	71-9255
RONE,A.H.	9604150344*	50-219 P
ROOKS,R.W.	9604080241	XPORTLIC
ROSALES,B.	9604050134	CONTRACT
ROSANO,D.	9604250355	I&E
ROSANO,D.	9604250387	I&E
ROSEN,S.L.	9604010182	50-498 J
ROSENTHAL,J.E.	9604160405	ORG
ROSENTHAL,P.R.	9604120217	70-*****
ROSENTHAL,P.R.	9604120229	70-*****
ROSENTHAL,P.R.	9604150148	70-*****
ROSS,A.J.	9604040102	PR
ROSS,A.J.	9604170122	50-423 P
ROSS,D.A.	9604120234*	50-219 P
ROSS,D.A.	9604120278*	50-219 Q
ROSS,D.A.	9604150008*	50-219 P
ROSS,D.A.	9604150013*	50-219 P
ROSS,D.A.	9604150095*	50-219 P
ROSS,D.A.	9604150098*	50-219 Q
ROSS,D.A.	9604150184*	50-219 P
ROSS,D.A.	9604150196*	50-219 P
ROSS,D.A.	9604150200*	50-219 Q
ROSS,D.A.	9604160198*	50-219 P
ROSS,D.A.	9604160238*	50-219 H
ROSS,D.A.	9604160307*	50-219 Q
ROSS,D.A.	9604160362*	50-219 Q
ROSS,D.A.	9604160417*	50-219 P
ROSS,D.A.	9604160428*	50-219 Q
ROSS,D.A.	9604170025*	50-219 P
ROSS,D.A.	9604170195*	50-219 S
ROSS,D.A.	9604170210*	50-219 S
ROSS,D.A.	9604170215*	50-219 S
ROSS,D.A.	9604170216*	50-219 P
ROSS,D.A.	9604170229*	50-219 S
ROSS,D.A.	9604170266*	50-219 S
ROSS,D.A.	9604170281*	50-219 S
ROSS,D.A.	9604170289*	50-219 S
ROSS,D.A.	9604170290*	50-219 P
ROSS,D.A.	9604170329*	50-219 Q
ROSS,D.A.	9604170335*	50-219 Q
ROSS,D.A.	9604170376*	50-219 P
ROSS,D.A.	9604170386*	50-219 Q
ROSS,D.A.	9604170388*	50-219 Q
ROSS,D.A.	9604170389*	50-219 Q
ROSS,D.A.	9604170406*	50-219 Q
ROSS,D.A.	9604170412*	50-219 Q
ROSS,D.A.	9604170443*	50-219 S
ROSS,D.A.	9604170493*	50-219 S
ROSS,D.A.	9604180016*	50-219 S
ROSS,D.A.	9604180023*	50-219 S
ROSS,D.A.	9604180027*	50-219 S
ROSS,D.A.	9604180053*	50-219 S
ROSS,D.A.	9604180118*	50-219 Q
ROSS,D.A.	9604180141*	50-219 S
ROSS,D.A.	9604180143*	50-219 Q
ROSS,D.A.	9604180152*	50-219 S
ROSS,D.A.	9604180179*	50-219 Q
ROSS,D.A.	9604180199*	50-219 S
ROSS,D.A.	9604180202*	50-219 S
ROSS,D.A.	9604180211*	50-219 S
ROSS,D.A.	9604180225*	50-219 S
ROSS,D.A.	9604180232*	50-219 Q
ROSS,D.A.	9604180238*	50-219 Q
ROSS,D.A.	9604180294*	50-219 Q
ROSS,D.A.	9604180399*	50-219 Q
ROSS,D.A.	9604190211*	50-219 S
ROSS,D.A.	9604190216*	50-219 S
ROSS,D.A.	9604190231*	50-219 S
ROSS,D.A.	9604190312*	50-219 Q
ROSS,D.A.	9604190313*	50-219 Q
ROSS,D.A.	9604190340*	50-219 Q
ROSS,D.A.	9604190351*	50-219 Q
ROSS,D.A.	9604190362*	50-219 Q
ROSS,D.A.	9604220016*	50-219 P
ROSS,D.A.	9604220038*	50-219 Q
ROSS,D.A.	9604220041*	50-219 Q
ROSS,D.A.	9604220077*	50-219 Q
ROSS,D.A.	9604220105*	50-219 Q
ROSS,D.A.	9604220126*	50-219 Q
ROSS,D.A.	9604220143*	50-219 Q
ROSS,D.A.	9604220155*	50-219 S
ROSS,D.A.	9604220192*	50-219 Q
ROSS,D.A.	9604220220*	50-219 Q
ROSS,D.A.	9604220283*	50-219 Q
ROSS,D.A.	9604220300*	50-219 Q
ROSS,D.A.	9604230007*	50-219 V
ROSS,D.A.	9604230023*	50-219 Q
ROSS,D.A.	9604230028*	50-219 Q
ROSS,D.A.	9604230056*	50-219 Q
ROSS,D.A.	9604230149*	50-219 Q
ROSS,D.A.	9604230159*	50-219 Q
ROSS,D.A.	9604230185*	50-219 Q
ROSS,D.A.	9604230201*	50-219 Q
ROSS,D.A.	9604230240*	50-219 Q
ROSS,D.A.	9604230268*	50-219 Q
ROSS,D.A.	9604230298*	50-219 F
ROSS,D.A.	9604230301*	50-219 Q
ROSS,D.A.	9604230306*	50-219 P
ROSS,D.A.	9604230307*	50-219 P
ROSS,D.A.	9604230387*	50-219 Q
ROSS,D.A.	9604230406*	50-219 P
ROSS,D.A.	9604240136*	50-219 S
ROSS,D.A.	9604240141*	50-219 S
ROSS,D.A.	9604240160*	50-219 S
ROSS,D.A.	9604240166*	50-219 S
ROSS,D.A.	9604240184*	50-219 S
ROSS,D.A.	9604240258	50-219 S
ROSS,D.A.	9604240279*	50-219 S
ROSS,D.A.	9604250327*	50-219 Q
ROSS,D.F.	9604250282*	50-219 P
ROSS,M.J.	9604300331	50-245 S
ROSS,T.M.	9604220271*	50-348 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROSSI,C.E.	9604090491	NUREG
ROSSI,C.E.	9604160252	50-528 P
ROSSI,C.E.	9604180198	50-245 S
ROTH,J.	9604120320*	70-1113
ROTHENBERGER,P.	9604110080*	50-528 T
ROUGHAN,C.	9604100045	PR
ROUSSEAU,K.R.	9604090284*	50-309 P
ROWE,J.M.	9604030186	50-184 R
ROWE,W.D.	8811220498	40-8907
ROWELL,L.S.	9604300382	50-400 S
ROWLAND,T.J.	9604010014	PROJ
ROWLAND,T.J.	9604120288	PROJ
ROWLAND,T.J.	9604170074	PROJ
ROWLAND,T.J.	9604290191	PROJ
ROWLAND,T.J.	9604290198	PROJ
RUEGER,G.M.	9604010120	50-275 R
RUEGER,G.M.	9604040162	50-275 P
RUEGER,G.M.	9604040166*	50-275 P
RUEGER,G.M.	9604080117	50-323 P
RUEGER,G.M.	9604080123	50-275 P
RUEGER,G.M.	9604080154	50-133 R
RUEGER,G.M.	9604250100	50-275 P
RUFFO,V.S.	9604240126	FOIA
RUHLMAN,W.A.	9604170377*	50-219 Q
RUHLMAN,W.A.	9604230163*	50-219 Q
RUHLMAN,W.A.	9604230173	50-219 Q
RUHLMAN,W.A.	9604230198*	50-219 Q
RULAND,W.H.	9604080047*	50-219 P
RULAND,W.H.	9604080071*	50-219 F
RULAND,W.H.	9604080111*	50-219 P
RULAND,W.H.	9604160020	50-272 P
RUPERT,C.	9604030350	PR
RUPERT,C.	9604100095	PR
RUSSELL,W.	9604090433	50-445 F
RUSSELL,W.T.	9603060522	REVIEW GR P
RUSSELL,W.T.	9604010370	50-309 P
RUSSELL,W.T.	9604030340	50-160 H
RUSSELL,W.T.	9604050020	50-255 G
RUSSELL,W.T.	9604050373	50-309 H
RUSSELL,W.T.	9604080004	50-259 P
RUSSELL,W.T.	9604080066	50-213 H
RUSSELL,W.T.	9604080217	50-245 H
RUSSELL,W.T.	9604080267	50-220 H
RUSSELL,W.T.	9604090355	ORG
RUSSELL,W.T.	9604090393	50-341 P
RUSSELL,W.T.	9604090410	50-245 Q
RUSSELL,W.T.	9604090439*	50-445 F
RUSSELL,W.T.	9604090448*	50-445 F
RUSSELL,W.T.	9604110118	50-219 G
RUSSELL,W.T.	9604120243	50-309 P
RUSSELL,W.T.	9604120263	50-213 H
RUSSELL,W.T.	9604120263	50-213 H
RUSSELL,W.T.	9604150018	50-213 G
RUSSELL,W.T.	9604150050	50-213 G
RUSSELL,W.T.	9604150064	50-213 G
RUSSELL,W.T.	9604150206	50-213 G
RUSSELL,W.T.	9604170140*	50-395 P
RUSSELL,W.T.	9604170249	50-277 F
RUSSELL,W.T.	9604170265*	50-277 F
RUSSELL,W.T.	9604170265*	50-277 F
RUSSELL,W.T.	9604170272*	50-277 F
RUSSELL,W.T.	9604170400*	50-344 W
RUSSELL,W.T.	9604180228	ORG
RUSSELL,W.T.	9604220403	50-309 H
RUSSELL,W.T.	9604240169	50-397 P
RUSSELL,W.T.	9604240272	50-309 G
RUSSELL,W.T.	9604240373	50-255 H
RUSSELL,W.T.	9604250300	50-390 P
RUSSELL,W.T.	9604290001	50-302 G
RUSSELL,W.T.	9604290008*	50-302 G
RUSSELL,W.T.	9604290107	50-282 G
RUSSELL,W.T.	9604290122*	50-282 G
RUSSO,J.J.	9604150134*	50-219 P
RUSSO,M.E.	9604120049	50-316 R
RUSSO,M.E.	9604120136*	50-315 R
RUTHER,W.E.	9604230394	NUREG
RUTHERFORD,P.D.	9604030226	70-25
RYAN,A.F.	9604160038*	50-219 P
RYAN,J.W.	9604030062	PR
SACCOMANDO,D.	9604150407	50-454 P
SACCOMANDO,D.	9604170151	50-454 Q
SACCOMANDO,D.M.	9604090227	50-454 P
SALAS,P.	9604010025	50-259 R
SALAS,P.	9604180246	50-259 P
SALAS,P.	9604230054	50-259 P
SALAS,P.	9604230077	50-259 R
SALAS,P.	9604290204	50-260 Q
SALAS,P.	9604290407	50-259 R
SALAS,P.	9604290412	50-259 F
SALOMON,S.	9604020260*	STATE PRO G
SAMPSON,J.R.	9604120049	50-316 R
SAMPSON,J.R.	9604120131	50-315 R
SANBORN,G.	9604250338	50-382 Q
SANBORN,G.	9604250382	50-298 Q
SANDERS,C.F.	9604020412	70-1151
SANDERS,L.	9604030065	CONTRACT
SANDERS,W.F.	9604150145*	50-219 Q
SANDERS,W.F.	9604150174*	50-219 Q
SAPORITO,T.J.	9604110071*	FOIA
SARBORO,G.D.	9604290302*	50-369 Q
SAVARESE,J.	9604020351	40-3453
SCALETTI,D.	9604090375	PROJ
SCALETTI,D.	9604090386	PROJ
SCALICE,J.A.	9604290227	50-390 Q
SCARANO,R.A.	9604020002	STATE PRO G
SCARANO,R.A.	9604020012	QA999
SCARANO,R.A.	9604020298	40-8681
SCARANO,R.A.	9604040001	70-925
SCARANO,R.A.	9604050083	STATE PRO G
SCARANO,R.A.	9604080345	40-8903
SCARANO,R.A.	9604150321	70-734
SCARANO,R.A.	9604230097	ORG
SCARANO,R.A.	9604290210	STATE PRO G
SCARANO,R.A.	9604290292	40-8905
SCARBOROUGH,J.S	9604160424	50-261 R
SCARBROUGH,T.	9604030067	TOPREP
SCHEIDE,R.H.	9604150342	50-313 S
SCHEMEL,R.J.	9604150024*	50-219 P
SCHEMEL,R.J.	9604150096*	50-219 P
SCHEMEL,R.J.	9604150193*	50-219 P
SCHEMEL,R.J.	9604160456*	50-219 P
SCHERBARTH,J.C.	9604050028*	50-255 G
SCHERBARTH,J.C.	9604050034*	50-255 G
SCHIMELPFENIG	9604020015	50-271 J
SCHMIDT,W.L.	9604010431*	50-277 Q
SCHMITT,J.F.	9604030055	PR
SCHNEIDER	9604180255*	50-259 P
SCHNEIDER,K.N.	9604020128	STATE PRO G
SCHNELL,D.F.	9604010233	50-483 P
SCHNELL,D.F.	9604010254	50-483 P
SCHNELL,D.F.	9604080187	50-483 P
SCHNELL,D.F.	9604080192	50-483 J
SCHNELL,D.F.	9604150159	50-483 Q
SCHNELL,D.F.	9604160268	50-483 P
SCHNELL,D.F.	9604190280	50-483 P
SCHNELL,D.F.	9604220112	50-483 P
SCHNELL,D.F.	9604220200	50-483 P
SCHNELL,D.F.	9604230280	50-483 P
SCHNELL,D.F.	9604240090	50-483 P
SCHNELL,D.F.	9604300393	50-483 P
SCHNELL,D.F.	9604300397*	50-483 P
SCHOEN,K.B.	9604150054	70-*****
SCHOEPF,P.	9604080144	50-316 S
SCHOEPF,P.	9604080208	50-316 S
SCHOEPF,P.	9604160090	50-315 S
SCHOLZ,D.A.	9604150320	50-10 1
SCHUMACHER,D.R.	9604250168	PR
SCHWAGER,T.W.	8503130569*	REG CERT
SCHWARTZ,G.K.	9604010354	50-295 S
SCHWARTZ,G.K.	9604020416	50-295 P
SCHWARTZ,G.K.	9604080326	50-295 P
SCHWARTZ,G.K.	9604150239	50-295 S
SCHWARTZ,G.K.	9604160136	50-295 S
SCHWARTZ,G.K.	9604180116	50-295 S
SCHWARTZ,G.K.	9604190296	50-295 S
SCHWARTZ,G.K.	9604190302	50-295 R
SCHWARTZ,G.K.	9604220351	50-295 S
SCHWARTZ,G.K.	9604230273	50-304 S
SCHWARTZ,G.K.	9604230278	50-304 S
SCHWARTZ,G.K.	9604260177	50-295 P
SCHWARTZ,G.K.	9604300125	50-295 S
SCIACCA,F.W.	9602010287*	50-220 P
SCIACCA,F.W.	9604250366*	50-354 P
SCIACCS,F.W.	9603290323*	50-317 P
SCIASCIA,M.C.	9604260128*	ORG
SCIASCIA,M.C.	9604260131*	ORG
SCOTT,J.A.	9604150345	NUREG
SCOTT,T.F.	9604100013	50-313 S
SCOTT,T.F.	9604300371	50-368 S
SCRENCI,D.	9604100086	50-220 Q
SCRENCI,D.	9604110108	50-309 P
SCRENCI,D.	9604300092	50-286 P
SEARS,M.B.	9604020259*	STATE PRO G
SEBROSKY,J.M.	9604050330	52-3
SEBROSKY,J.M.	9604100120	52-3
SEBROSKY,J.M.	9604160454	52-3
SEEBECK,N.H.	9604050431*	FOIA
SEJKORA,K.J.	9604080148	50-293 R
SELIKSON,M.H.	9604030037	PR
SELLMAN,M.B.	9604010005	50-382 F
SENOVICH,D.	9604150255*	40-8838
SENSENBRENNER	9604250073	40-3453
SEPP,H.A.	9604010285	PROJ
SERNE,R.J.	9604160360	NUREG
SERRA,P.L.	9604180333	50-498 F
SEWELL,R.	9604250376*	50-354 P
SGARLATA,D.K.	9604160308	71-9168
SHAFFER,H.	9604020113*	50-249 S
SHAFFER,M.R.	9604300406	I&E
SHANKMAN,S.	9604260081	50-317 P
SHANKMAN,S.F.	9604030112*	50-247 P
SHANKMAN,S.F.	9604030265*	50-244 P
SHANKMAN,S.F.	9604040041	50-286 H
SHANKMAN,S.F.	9604120233	50-244 P
SHANKMAN,S.F.	9604120239*	50-244 P
SHANKMAN,S.F.	9604250318	50-293 P
SHANNON,J.B.	8501290237	40-8064
SHAPAKER,J.W.	9603180142	SECY
SHAPAKER,J.W.	9604170045	I&E
SHARKEY,R.W.	9604120283	70-36
SHEA,J.W.	9604050398	50-277 P
SHEAR,G.L.	9604020044	40-3392
SHEAR,G.L.	9604020084*	40-3392
SHEAR,G.L.	9604080113	70-7002
SHEAR,G.L.	9604080119*	70-7002
SHEAR,G.L.	9604080327	50-2 Q
SHEAR,G.L.	9604080336*	50-2 Q
SHEAR,G.L.	9604190307	70-7001
SHEAR,G.L.	9604220313	70-7001
SHEAR,G.L.	9604220320*	70-7001
SHEAR,G.L.	9604290342	50-2 P
SHEEHAN,N.A.	9604040023	FOIA
SHEIBANI,M.	9604050024	50-424 S
SHELL,R.H.	9604080195	50-327 P
SHELL,R.H.	9604080245	50-327 F
SHELL,R.H.	9604080356	50-327 P
SHELL,R.H.	9604080368	50-327 P
SHELL,R.H.	9604090072	50-327 P
SHELL,R.H.	9604120030	50-327 S
SHELL,R.H.	9604170061	50-327 R
SHELL,R.H.	9604240248	50-327 F
SHELL,R.H.	9604250291	50-327 P
SHELL,R.H.	9604300131	50-327 P
SHELTON,D.	9604110285	50-461 P
SHELTON,D.	9604120089	50-341 F
SHELTON,D.	9604220068*	50-341 F
SHELTON,D.C.	9604020027	50-346 J
SHELTON,D.C.	9604080173	50-440 P
SHELTON,D.C.	9604160237	50-440 R
SHELTON,D.C.	9604170047	50-440 R
SHELTON,D.C.	9604220020	50-440 R
SHELTON,D.C.	9604220054	50-440 P
SHELTON,D.C.	9604300138	50-440 Q
SHELTON,H.	9604010354	50-295 S
SHELTON,H.	9604160136	50-295 S
SHEPHERD,J.C.	9604120241	40-8027
SHEPHERD,M.F.	9604170262	71-5984
SHERIDAN,E.P.	9604230252	50-186 P
SHERON,B.W.	9604090441	REVIEW GR P
SHIELDS,W.J.	9604120286	40-8948
SHILLINGLAW,F.	9604030199	50-266 H
SHILLINGLAW,F.	9604090378*	50-255 H
SHILLINGLAW,F.	9604110025	72-1007
SHILLINGLAW,F.	9604150117*	50-255 P
SHILLINGLAW,F.	9604190070	50-255 H
SHILLINGLAW,F.	9604190172	50-255 G
SHILLINGLAW,F.	9604230256	50-266 H
SHINN,R.C.	9604150315	PR
SHIPLEY,D.W.	9604030352	50-440 F
SHIRAKI,C.Y.	9604020068	50-295 F
SHIRAKI,C.Y.	9604040224	50-237 P
SHIRAKI,C.Y.	9604120294	50-295 P
SHIRALKAR,B.S.	9604220047*	52-4
SHON,F.J.	9604290229	70-3070
SHOVHOLT,D.J.	9604120132*	50-216 P
SHUM,E.Y.	9604190204	72-1004
SHURMAITIS,D.	9604300121	50-387 Q
SHYMLOCK,M.B.	9604090130	50-400 F
SHYMLOCK,M.B.	9604090240	50-261 Q
SHYMLOCK,M.B.	9604090250*	50-261 Q
SHYMLOCK,M.B.	9604090277	50-261 Q
SHYMLOCK,M.B.	9604100253	50-261 Q
SHYMLOCK,M.B.	9604220224	50-324 Q
SHYMLOCK,M.B.	9604230175	50-400 Q

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SHYMLOCK,M.B.	9604230194*	50-400 Q
SHYMLOCK,M.B.	9604230216*	50-400 Q
SHYMLOCK,M.B.	9604230370	50-261 Q
SHYMLOCK,M.B.	9604240173	50-400 Q
SHYMLOCK,M.B.	9604240287	50-400 Q
SIEGEL,B.A.	9604100264*	ADVCM
SIEGEL,B.L.	9604100135	50-348 F
SIEGEL,B.L.	9604300356	50-364 P
SIEGEL,B.L.	9604300362*	50-364 P
SIEMIEN,M.P.	9604110055*	FOIA
SIEMIEN,M.P.	9604110078*	FOIA
SIEMIEN,M.P.	9604110138*	FOIA
SIEMIEN,M.P.	9604120256*	FOIA
SIERADZKI,G.	9604300430*	TOPREP
SILVER,F.	9604160464	PRM
SILVESTRI,S.	9604250198	50-245 P
SIMMONS,S.	9604030008*	STATE PRO G
SIMMONS,T.	9604030291	30-2665
SIMPSON,E.C.	9604080032	50-272 P
SIMS,F.L.	9604100245	CONTRACT
SIMS,R.H.	9604120142*	50-219 P
SIMS,R.H.	9604150227*	50-219 P
SIMS,R.H.	9604150288*	50-219 P
SIMS,R.H.	9604160431*	50-219 P
SIMS,R.H.	9604160435*	50-219 P
SIMS,R.H.	9604160442*	50-219 P
SIMS,R.H.	9604160446*	50-219 P
SIMS,R.H.	9604170212*	50-363 A
SIMS,R.H.	9604170367*	50-219 P
SINCLAIR,M.P.	9604190022	50-255 H
SINCLAIR,W.J.	9604020017	STATE PRO G
SINS,R.H.	9604120055*	50-219 P
SJOSTROM,L.	9604220174*	50-219 Q
SKAY,D.M.	9604020392	50-373 F
SKAY,D.M.	9604080322	50-237 P
SKAY,D.M.	9604100004	50-373 P
SKAY,D.M.	9604100005*	50-373 P
SKAY,D.M.	9604240030	50-373 F
SKAY,D.M.	9604240033*	50-373 F
SKAY,D.M.	9604250176	50-373 P
SKINNER,P.	9604090147	50-321 F
SKINNER,P.	9604090157	50-424 Q
SKINNER,P.H.	9604090141	50-424 Q
SKINNER,P.H.	9604090146*	50-424 Q
SKINNER,P.H.	9604090175	50-321 Q
SKINNER,P.H.	9604090190	50-424 Q
SKINNER,P.H.	9604090197	50-348 Q
SKINNER,P.H.	9604090216	50-348 Q
SKINNER,P.H.	9604220266	50-348 Q
SKINNER,P.H.	9604220271*	50-348 Q
SKINNER,P.H.	9604230233	50-424 Q
SKINNER,S.	9604010133	50-275 I
SKOVHOLT,D.J.	9604030411*	50-160 H
SKOVHOLT,D.J.	9604040003*	50-160 H
SKOVHOLT,D.J.	9604040004*	50-160 H
SKOVHOLT,D.J.	9604040008*	50-160 H
SKOVHOLT,D.J.	9604040012*	50-160 H
SKOVHOLT,D.J.	9604120226*	50-219 P
SKOVHOLT,D.J.	9604120266*	50-219 P
SKOVHOLT,D.J.	9604120319*	50-219 P
SKOVHOLT,D.J.	9604150001*	50-219 P
SKOVHOLT,D.J.	9604150077*	50-219 P
SKOVHOLT,D.J.	9604150089*	50-219 P
SKOVHOLT,D.J.	9604150139*	50-219 P
SKOVHOLT,D.J.	9604150210*	50-219 P
SKOVHOLT,D.J.	9604150403*	50-219 P
SKOVHOLT,D.J.	9604150410*	50-219 P
SKOVHOLT,D.J.	9604160303*	50-219 P
SKOVHOLT,D.J.	9604160468*	50-219 P
SKOVHOLT,D.J.	9604170310*	50-219 F
SKOVHOLT,D.J.	9604170451*	50-219 P
SKOVHOLT,D.J.	9604180035*	50-219 P
SKOVHOLT,D.J.	9604190265*	50-219 P
SLAUGHTER,D.M.	9604030425	50-407 F
SLAUGHTER,D.M.	9604030427*	50-407 F
SLAUGHTER,D.M.	9604040047	50-407 V
SLAUGHTER,D.M.	9604040054*	50-407 V
SLAUGHTER,D.M.	9604040058*	50-407 V
SLAUGHTER,D.M.	9604050450	50-407 F
SLAUGHTER,D.M.	9604240032	50-407 V
SLAUGHTER,D.M.	9604240035*	50-407 V
SLWAINSKI,W.	9604030114	30-9209
SMEDLEY,R.W.	9604020373	50-255 P
SMEDLEY,R.W.	9604040005	50-255 P
SMEDLEY,R.W.	9604080132	50-255 Q
SMEDLEY,R.W.	9604080188	50-255 P
SMEDLEY,R.W.	9604080236	50-255 Q
SMEDLEY,R.W.	9604080308	50-255 P
SMEDLEY,R.W.	9604080313	50-255 R
SMEDLEY,R.W.	9604110150	50-255 P
SMEDLEY,R.W.	9604110181	50-255 P
SMEDLEY,R.W.	9604120040	50-255 F
SMEDLEY,R.W.	9604120070	50-255 P
SMEDLEY,R.W.	9604120071	50-255 Q
SMEDLEY,R.W.	9604120085	50-255 P
SMEDLEY,R.W.	9604190094	50-255 F
SMEDLEY,R.W.	9604220301	50-155 I
SMEDLEY,R.W.	9604240129	50-255 P
SMEDLEY,R.W.	9604300133	50-255 S
SMITH,D.	9604020352	NUREG
SMITH,D.I.	9604160212	CONTRACT
SMITH,D.R.	9604010167	50-73 R
SMITH,E.	9604290222*	50-528 Q
SMITH,G.A.	9604090484*	70-1257
SMITH,G.A.	9604290092*	70-1151
SMITH,G.C.	9604040203*	50-219 P
SMITH,G.C.	9604080069*	50-219 F
SMITH,J.	9604030318	50-315 F
SMITH,J.E.	9604150120*	50-219 P
SMITH,J.E.	9604150191*	50-219 P
SMITH,K.D.	9604040093*	50-219 Q
SMITH,L.R.	9604030334	PR
SMITH,M.G.	9604010053	50-295 Q
SMITH,N.	9604010140	FOIA
SMITH,P.C.	9604240151	FOIA
SMITH,P.W.	9604290102	50-346 S
SMITH,R.	9604220123*	50-219 Q
SMITH,R.H.	9604150247*	50-219 Q
SMITH,R.H.	9604160135*	FOIA
SMOLEN,G.R.	9604110238*	70-7001
SMOLEN,G.R.	9604110245*	70-7001
SMOLEN,G.R.	9604110249*	70-7001
SMOLEN,G.R.	9604110252*	70-7001
SNIEZEK,J.H.	9604230272*	50-219 Q
SNYDER,G.	9604150080*	50-219 Q
SNYDER,G.	9604230290*	50-219 Q
SNYDER,G.L.	9604150031*	50-219 Q
SNYDER,G.L.	9604220396*	50-219 P
SNYDER,G.L.	9604230083*	50-219 Q
SNYDER,G.L.	9604230249*	50-219 Q
SNYDER,G.L.	9604230313*	50-219 Q
SNYDER,G.L.	9604240034	50-219 Q
SNYDER,G.L.	9604240044*	50-219 Q
SOLAN,G.M.	9604090284*	50-309 P
SONG,J.	9604230399	NUREG
SOONG,S.	9604240200	70-36
SOONG,S.	9604240212	70-1100
SOPPET,W.K.	9604230394	NUREG
SOZZ,G.L.	9604220047*	52-4
SPENCE,R.E.	9604090073	WASTE MGT
SPENCE,R.E.	9604090076	WASTE MGT
SPENCE,R.E.	9604160263	WASTE MGT
SPENCE,R.E.	9604160432	WASTE MGT
SPENCE,R.E.	9604160437	WASTE MGT
SPENCE,R.E.	9604160439	WASTE MGT
SPENCE,R.E.	9604160443	WASTE MGT
SPENCE,R.E.	9604170028	WASTE MGT
SPENCE,R.E.	9604220375	WASTE MGT
SPENCE,R.E.	9604220380	WASTE MGT
SPENCE,R.E.	9604220384	WASTE MGT
SPENCE,R.E.	9604300291	WASTE MGT
SPENCE,R.E.	9604300303	WASTE MGT
SPESSARD,R.L.	9604180089*	50-219 Q
SPESSARD,R.L.	9604190101*	50-219 Q
SPITZBERG,D.B.	9604040002*	70-925
SPITZBERG,D.B.	9604170385	I&E
SPRING,R.L.	9604220052	50-247 S
ST.MARTIN,J.T.	9604150112	50-244 S
ST.MARTIN,J.T.	9604150124	50-244 S
ST.MARTIN,J.T.	9604150161	50-244 S
STAAKE,J.	9604040241	CONTRACT
STAFFORD,A.H.	9604300412	50-338 R
STALL,J.A.	9604150232	50-338 S
STALL,J.A.	9604170303*	50-338 R
STALL,J.A.	9604170304*	50-338 R
STANG,J.F.	9604040181	50-237 P
STANG,J.F.	9604040185*	50-237 P
STANLEY,H.G.	9604110072	50-387 S
STANSBERRY,W.W.	9604230332*	50-327 Q
STEEG,C.J.	9604100257	CONTRACT
STEFFES,D.J.	9604230069	CONTRACT
STEINBAUER,D.	9604090028	40-3453
STEINHARDT,C.	9604230140	50-305 P
STEINHARDT,C.R.	9604150238	50-305 Q
STEINHARDT,C.R.	9604230170	50-305 P
STEININGER,D.A.	9604050098	TOPREP
STEININGER,D.A.	9604050153	TOPREP
STEININGER,D.A.	9604050172	TOPREP
STEININGER,D.A.	9604050196*	TOPREP
STEINKE,R.N.	9604030081*	50-250 R
STEPHENSON,H.	9604300441	40-3453
STEPHENSON,J.	9604090328	50-302 F
STEPHENSON,J.	9604150332	50-302 F
STEPHENSON,J.	9604240127	50-302 F
STEPHENSON,J.	9604300070	50-302 F
STEPHENSON,J.D.	9604090352*	50-302 F
STEPHENSON,J.D.	9604230115	50-302 F
STETZ,J.P.	9604050156	50-346 P
STETZ,J.P.	9604050168*	50-346 P
STETZ,J.P.	9604150220	50-346 P
STETZ,J.P.	9604220178	50-346 P
STETZ,J.P.	9604290276	50-346 P
STETZ,J.P.	9604290282*	50-346 P
STETZ,J.P.	9604300145	50-346 P
STEVEN,B.S.	9604080448	71-*****
STEVINSON,S.R.	9604020096	40-3392
STEWART,C.D.	9604160343*	50-368 P
STEWART,W.	9604100262	50-528 R
STEWART,W.	9604300052	50-528 P
STEWART,W.L.	9604010235	50-528 Q
STEWART,W.L.	9604010343	50-528 P
STEWART,W.L.	9604020030	50-529 P
STEWART,W.L.	9604020041	50-528 Q
STEWART,W.L.	9604020284	50-529 P
STEWART,W.L.	9604080046	50-529 P
STEWART,W.L.	9604090308	50-528 Q
STEWART,W.L.	9604100265	50-528 P
STEWART,W.L.	9604230129	50-528 P
STEWART,W.L.	9604230161	50-528 R
STEWART,W.L.	9604230227	50-528 R
STEWART,W.L.	9604290219	50-528 Q
STEWART,W.L.	9604300152	50-529 P
STICKLER,R.D.	9604040077	71-429
STILES,G.L.	9604190293	71-9269
STILL,J.	9604120304	27-47
STILTENPOLE,B.	9604300320	WASTE MGT
STITT,B.D.	9604260189*	50-309 P
STOCKTON,R.	9604160449	50-390 S
STOHR,J.P.	9604120087*	50-219 Q
STOHR,J.P.	9604120090*	50-219 Q
STOHR,J.P.	9604120108*	50-219 Q
STOHR,J.P.	9604150110*	50-219 Q
STOHR,J.P.	9604150136*	FOIA
STOHR,J.P.	9604160191*	FOIA
STOHR,J.P.	9604160196*	50-219 Q
STOHR,J.P.	9604160221*	50-219 Q
STOHR,J.P.	9604160288*	50-219 Q
STOHR,J.P.	9604170049*	50-219 P
STOHR,J.P.	9604170120*	50-219 P
STOHR,J.P.	9604170306*	50-219 Q
STOHR,J.P.	9604170467*	50-219 P
STOHR,J.P.	9604170472*	50-219 Q
STOHR,J.P.	9604180063*	50-219 P
STOHR,J.P.	9604180159*	50-219 Q
STOHR,J.P.	9604180282*	50-219 P
STOHR,J.P.	9604190274*	50-219 Q
STOHR,J.P.	9604220085*	50-219 P
STOHR,J.P.	9604230010*	50-219 Q
STOHR,J.P.	9604230173	50-219 Q
STOHR,J.P.	9604230244*	50-219 Q
STOHR,J.P.	9604230309*	50-219 Q
STOHR,J.P.	9604250001*	50-219 S
STOLZ,J.F.	9604010187*	50-334 P
STOLZ,J.F.	9604030314*	50-352 P
STOLZ,J.F.	9604040140*	50-334 P
STOLZ,J.F.	9604180274*	50-272 P
STOLZ,J.F.	9604220183	50-387 F
STOLZ,J.F.	9604240007	50-334 P
STOLZ,J.F.	9604290133*	50-352 P
STONE,J.C.	9604120253	50-482 P
STONE,J.C.	9604120257*	50-482 P
STOREY,B.	9604080076*	50-213 H
STOREY,B.	9604080084*	50-213 H
STORZ,L.F.	9604010232	50-354 F
STORZ,L.F.	9604150211	50-272 Q
STORZ,L.F.	9604220377	50-354 P
STORZ,L.F.	9604260133	50-272 P
STORZ,L.F.	9604290184	50-272 P
STORZ,L.F.	9604300200	50-272 Q
STOUT,D.E.	9604120320*	70-1113
STOWERS,G.N.	9604190358	50-309 S
STRATFORD,R.J.	9604080082	XPORTLIC
STRATFORD,R.J.	9604230292	XPORTLIC
STRATFORD,R.J.	9604240050	XPORTLIC

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STRATFORD,R.J.	9604250452	XPORTLIC
STRATFORD,R.K.	9604230015	XPORTLIC
STRATTON,L.	9604180011	50-250 S
STREETER,J.	9604170470*	50-219 Q
STREETER,J.F.	9604150034*	50-363 Q
STRIEGL,R.G.	9604090403*	WASTE MGT
STRIEGL,R.G.	9604090406*	WASTE MGT
STRONG,T.R.	9604010256	STATE PRO G
STRONG,T.R.	9604010442	STATE PRO G
STROSNIDER,J.R.	9508170020*	50-341 P
STROSNIDER,J.R.	9604160096	TOPREP
STROSNIDER,J.R.	9604300342	TOPREP
STROSNIDER,J.R.	9604300394	TOPREP
SUEPER,L.	9604300180	50-331 S
SUGGS,W.L.	9604090259	CONTRACT
SULLIVAN,E.J.	9603120500*	50-341 P
SULLIVAN,R.J.	9604120175*	50-219 P
SULLIVAN,T.A.	9604220202	50-293 R
SURMEIER,J.J.	9503060028*	STATE PRO G
SWANSON,P.J.	9602050068*	50-220 P
SWANSON,P.J.	9604230049*	50-317 P
SWANSON,P.J.	9604250381*	50-354 P
SWARTZ,L.C.	9604020455	50-320 P
SWEENEY,J.L.	9604010367	STATE PRO G
SWIERKOWSKI,E.	9604260113*	71-496
TABOR,S.	9604230048	50-324 S
TABOR,S.	9604300386	50-324 S
TAN,C.P.	9604230397	NUREG
TARDY,J.M.	9604050313*	70-3070
TAYLOR,C.C.	9604240110	50-298 S
TAYLOR,G.J.	9604010427	50-395 P
TAYLOR,G.J.	9604020118	50-395 P
TAYLOR,G.J.	9604020357	50-395 Q
TAYLOR,G.J.	9604080266	50-395 P
TAYLOR,G.J.	9604090247	50-395 Q
TAYLOR,G.J.	9604120120	50-395 P
TAYLOR,G.J.	9604150183	50-395 S
TAYLOR,G.J.	9604160035	50-395 R
TAYLOR,G.J.	9604230193	50-395 P
TAYLOR,G.J.	9604240016	50-395 Q
TAYLOR,G.J.	9604290211	50-395 P
TAYLOR,G.J.	9604290386	50-395 Q
TAYLOR,G.L.	9604190043	50-395 F
TAYLOR,J.H.	9604090094*	50-327 P
TAYLOR,J.H.	9604090154	50-302 S
TAYLOR,J.M.	9509050073*	ORG
TAYLOR,J.M.	9509050079*	ORG
TAYLOR,J.M.	9601290408	REVIEW GR P
TAYLOR,J.M.	9602060344	SECY
TAYLOR,J.M.	9602090012	SECY
TAYLOR,J.M.	9602200194	SECY
TAYLOR,J.M.	9602200203	SECY
TAYLOR,J.M.	9602200273	SECY
TAYLOR,J.M.	9603140140	SECY
TAYLOR,J.M.	9603140157	SECY
TAYLOR,J.M.	9603190156	SECY
TAYLOR,J.M.	9603220055	SECY
TAYLOR,J.M.	9603250413	SECY
TAYLOR,J.M.	9603250440	SECY
TAYLOR,J.M.	9603260184	50-387 F
TAYLOR,J.M.	9604020272*	STATE PRO G
TAYLOR,J.M.	9604020383	50-255 U
TAYLOR,J.M.	9604050073*	COMMISSION
TAYLOR,J.M.	9604080059	52-3
TAYLOR,J.M.	9604090434	ORG
TAYLOR,J.M.	9604120094	ORG
TAYLOR,J.M.	9604120258	SECY
TAYLOR,J.M.	9604150194	PR
TAYLOR,J.M.	9604160193	SECY
TAYLOR,J.M.	9604160277	COMMISSION
TAYLOR,J.M.	9604160309	50-344 P
TAYLOR,J.M.	9604160317	SECY
TAYLOR,J.M.	9604160374	SECY
TAYLOR,J.M.	9604160451*	I&E
TAYLOR,J.M.	9604170190	COMMISSION
TAYLOR,J.M.	9604170340	SPEECHES
TAYLOR,J.M.	9604180213	COMMISSION
TAYLOR,J.M.	9604180277	SECY
TAYLOR,J.M.	9604240083	PR
TAYLOR,J.M.	9604290108	40-501
TAYLOR,T.	9604100263	ADVCM
TAYLOR,T.	9604300090	ADVCM
TEFFT,D.E.	9604150133	PR
TEMPLE,W.J.	9604240376	50-423 S
TEMPLE,W.J.	9604290267	50-423 S
TEMPLE,W.J.	9604290299	50-423 S
TEN EYCK,E.Q.	9604120265	70-7001
TEN EYCK,E.Q.	9604170193	70-27
TEN EYCK,E.Q.	9604170198	40-6940
TEN EYCK,E.Q.	9604170221	70-143
TEN EYCK,E.Q.	9604170234	40-6940
TEN EYCK,E.Q.	9604240280	40-7580
TEREK,E.	9604080318*	50-255 P
TERRY,C.L.	9510250295	50-445 F
TERRY,C.L.	9604020145	50-446 P
TERRY,C.L.	9604080182	50-445 Q
TERRY,C.L.	9604110073	50-445 Q
TERRY,C.L.	9604170005	50-445 F
TERRY,C.L.	9604170017	50-445 P
TERRY,C.L.	9604190328	50-446 Q
TERRY,C.L.	9604220338	50-446 Q
TERRY,C.L.	9604240180	50-445 P
TERRY,C.L.	9604290345	50-446 S
TERRY,C.L.	9604300205	50-445 S
TERRYC.L.	9604260129*	50-445 Q
THADANI,A.C.	9604260125*	ORG
THAGGARD,M.	9604040117	40-8948
THAYER,J.K.	9604010270	50-271 P
THAYER,J.K.	9604080270	50-271 F
THAYER,J.K.	9604160331	50-271 P
THAYER,J.K.	9604180366	50-271 P
THAYER,J.K.	9604240132	50-271 P
THAYER,J.K.	9604240152	50-271 P
THE CHAIRMAN	9603110375	COMMISSION
THE CHAIRMAN	9603270116	COMMISSION
THE CHAIRMAN	9604030184	COMMISSION
THE CHAIRMAN	9604050054	COMMISSION
THE CHAIRMAN	9604050057	COMMISSION
THE CHAIRMAN	9604050100	50-10 W
THE CHAIRMAN	9604050108	COMMISSION
THE CHAIRMAN	9604080151	COMMISSION
THE CHAIRMAN	9604080304	COMMISSION
THE CHAIRMAN	9604100030	10CFR
THE CHAIRMAN	9604150354	COMMISSION
THE CHAIRMAN	9604170373	SPEECHES
THE CHAIRMAN	9604180101	COMMISSION
THE CHAIRMAN	9604180110	COMMISSION
THE CHAIRMAN	9604180257	COMMISSION
THE CHAIRMAN	9604180439	STATE PRO G
THE CHAIRMAN	9604180468	COMMISSION
THE CHAIRMAN	9604220133	COMMISSION
THE CHAIRMAN	9604290016	COMMISSION
THE CHAIRMAN	9604290029	COMMISSION
THOMAS,C.R.	9604020353	50-529 P
THOMAS,C.R.	9604100196	50-529 P
THOMAS,C.R.	9604120260	50-528 P
THOMAS,C.R.	9604120268*	50-528 P
THOMAS,C.R.	9604170362	50-528 P
THOMAS,C.R.	9604230281	50-528 P
THOMAS,C.W.	9604150341	NUREG
THOMAS,H.	9604230319*	50-416 I
THOMAS,K.M.	9604170051	50-483 Q
THOMAS,K.M.	9604170477	50-483 Q
THOMAS,M.E.	9604010147	50-309 I
THOMAS,V.	9604170181*	50-219 Q
THOMAS,W.	9603290323*	50-317 P
THOMAS,W.	9604170519*	50-424 P
THOMAS,W.R.	9602010287*	50-220 P
THOMAS,W.R.	9604250366*	50-354 P
THOMPSON,A.J.	9604120083	40-3453
THOMPSON,D.H.	9604010358*	50-400 Q
THOMPSON,H.L.	9509050055	ORG
THOMPSON,H.L.	9604010111	STATE PRO G
THOMPSON,H.L.	9604220044	FOIA
THOMPSON,J.J.	9604090472	PR
THOMPSON,R.	9604050134	CONTRACT
THOMPSON,S.	9604050180*	COMMISSION
THORNBURG,H.D.	9604120204*	50-219 Q
THORNBURG,H.D.	9604120277*	50-219 S
THORNBURG,H.D.	9604150037*	FOIA
THORNBURG,H.D.	9604150212*	50-219 Q
THORNBURG,H.D.	9604170508*	50-219 P
THORNBURG,H.D.	9604240162*	50-219 S
THREATT,D.C.	9604220370*	WASTE MGT
THURMOND,J.	9604120057	CONTRACT
THURSTON,D.	9604300125	50-295 S
TILLOU,J.H.	9604150082*	50-219 Q
TILLOU,J.H.	9604150111*	50-363 Q
TILLOU,J.H.	9604150118*	50-363 Q
TILLOU,J.H.	9604150174*	50-219 Q
TILLOU,J.H.	9604170121*	50-363 Q
TILLOU,J.H.	9604170505*	50-219 Q
TILLOU,J.H.	9604250045*	50-219 Q
TILLOU,J.H.	9604250215*	50-363 Q
TING,P.	9604010162	70-1113
TING,P.	9604090479	70-1257
TING,P.	9604120317	70-1113
TING,P.	9604160168	70-1257
TING,P.	9604290055	70-1151
TING,P.	9604290284*	70-7002
TING,P.	9604290329*	70-7001
TIPPS,S.B.	9604110048	50-321 S
TIPPS,S.B.	9604220331	50-321 S
TIPTON,T.E.	9604170222	REVIEW GR P
TIZZANO,D.	9604080185*	50-440 P
TIZZANO,D.G.	9604160237	50-440 R
TJERSLAND,G.T.	9604010091	71-9010
TOBIN,W.J.	9604090383*	70-143
TOBIN,W.J.	9604230038*	70-143
TOSCH,K.	9604180278	50-272 P
TOSCH,K.W.	9604110195	50-219 F
TOTH,A.D.	9604190246*	50-219 Q
TOY,A.	9604150239	50-295 S
TRAVERS,W.D.	9604030429	50-219 H
TRAVERS,W.D.	9604050123	71-9099
TRAVERS,W.D.	9604050127*	71-9099
TRAVERS,W.D.	9604050128	71-5797
TRAVERS,W.D.	9604050129	71-9221
TRAVERS,W.D.	9604050130*	71-9221
TRAVERS,W.D.	9604050135	71-9787
TRAVERS,W.D.	9604050139*	71-5797
TRAVERS,W.D.	9604050140*	71-9787
TRAVERS,W.D.	9604050141	71-9251
TRAVERS,W.D.	9604050144*	71-9251
TRAVERS,W.D.	9604050146	71-9234
TRAVERS,W.D.	9604050147	71-9218
TRAVERS,W.D.	9604050149*	71-9234
TRAVERS,W.D.	9604050151*	71-9218
TRAVERS,W.D.	9604050152	71-6441
TRAVERS,W.D.	9604050155*	71-6441
TRAVERS,W.D.	9604050160	71-9225
TRAVERS,W.D.	9604050162	71-9019
TRAVERS,W.D.	9604050164*	71-9019
TRAVERS,W.D.	9604050167*	71-9225
TRAVERS,W.D.	9604050176	71-5450
TRAVERS,W.D.	9604050178*	71-5450
TRAVERS,W.D.	9604050179	71-9253
TRAVERS,W.D.	9604050182	71-5939
TRAVERS,W.D.	9604050183*	71-5939
TRAVERS,W.D.	9604050184*	71-9253
TRAVERS,W.D.	9604050185	71-361
TRAVERS,W.D.	9604050187*	71-361
TRAVERS,W.D.	9604050188	71-9248
TRAVERS,W.D.	9604050189*	71-9248
TRAVERS,W.D.	9604050190	71-6058
TRAVERS,W.D.	9604050191*	71-6058
TRAVERS,W.D.	9604050192	71-5149
TRAVERS,W.D.	9604050193	71-6346
TRAVERS,W.D.	9604050194*	71-5149
TRAVERS,W.D.	9604050195*	71-6346
TRAVERS,W.D.	9604050201	71-9203
TRAVERS,W.D.	9604050202	71-5874
TRAVERS,W.D.	9604050204	71-9217
TRAVERS,W.D.	9604050205	71-5926
TRAVERS,W.D.	9604050206*	71-9203
TRAVERS,W.D.	9604050207*	71-9217
TRAVERS,W.D.	9604050208*	71-5926
TRAVERS,W.D.	9604050209	71-9016
TRAVERS,W.D.	9604050210	71-6386
TRAVERS,W.D.	9604050211	71-4986
TRAVERS,W.D.	9604050212*	71-9016
TRAVERS,W.D.	9604050213*	71-6386
TRAVERS,W.D.	9604050214*	71-4986
TRAVERS,W.D.	9604050215	71-9009
TRAVERS,W.D.	9604050218*	71-9009
TRAVERS,W.D.	9604050219	71-5607
TRAVERS,W.D.	9604050220	71-5086
TRAVERS,W.D.	9604050221	71-4909
TRAVERS,W.D.	9604050222*	71-5607
TRAVERS,W.D.	9604050223*	71-4909
TRAVERS,W.D.	9604050224	71-9853
TRAVERS,W.D.	9604050226*	71-9853
TRAVERS,W.D.	9604050227*	71-5086
TRAVERS,W.D.	9604050229	71-9186
TRAVERS,W.D.	9604050230	71-9228
TRAVERS,W.D.	9604050231*	71-9186
TRAVERS,W.D.	9604050232*	71-9228
TRAVERS,W.D.	9604050233	71-9252
TRAVERS,W.D.	9604050234	71-9239
TRAVERS,W.D.	9604050235*	71-9252
TRAVERS,W.D.	9604050236*	71-9239
TRAVERS,W.D.	9604050237	71-5580
TRAVERS,W.D.	9604050238*	71-5580
TRAVERS,W.D.	9604050239	71-6357

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TRAVERS,W.D.	9604050240*	71-6357
TRAVERS,W.D.	9604050242*	71-5874
TRAVERS,W.D.	9604050243	71-5757
TRAVERS,W.D.	9604050244	71-6078
TRAVERS,W.D.	9604050245	71-9206
TRAVERS,W.D.	9604050246*	71-5757
TRAVERS,W.D.	9604050247	71-6206
TRAVERS,W.D.	9604050249*	71-6078
TRAVERS,W.D.	9604050250*	71-9206
TRAVERS,W.D.	9604050251*	71-6206
TRAVERS,W.D.	9604050254	71-5957
TRAVERS,W.D.	9604050255*	71-5957
TRAVERS,W.D.	9604050256	71-9781
TRAVERS,W.D.	9604050257	71-9246
TRAVERS,W.D.	9604050258*	71-9781
TRAVERS,W.D.	9604050260*	71-9246
TRAVERS,W.D.	9604050261	71-9793
TRAVERS,W.D.	9604050262*	71-9793
TRAVERS,W.D.	9604050263	71-6406
TRAVERS,W.D.	9604050264	71-9001
TRAVERS,W.D.	9604050265*	71-9001
TRAVERS,W.D.	9604050266*	71-6406
TRAVERS,W.D.	9604050268	71-9067
TRAVERS,W.D.	9604050269*	71-9067
TRAVERS,W.D.	9604050273	71-9068
TRAVERS,W.D.	9604050275*	71-9068
TRAVERS,W.D.	9604050276	71-6347
TRAVERS,W.D.	9604050277	71-9216
TRAVERS,W.D.	9604050281*	71-9216
TRAVERS,W.D.	9604050282	71-9202
TRAVERS,W.D.	9604050283*	71-6347
TRAVERS,W.D.	9604050284*	71-9202
TRAVERS,W.D.	9604050288	71-9023
TRAVERS,W.D.	9604050289	71-9786
TRAVERS,W.D.	9604050290*	71-9023
TRAVERS,W.D.	9604050291	71-6553
TRAVERS,W.D.	9604050293	71-9196
TRAVERS,W.D.	9604050295*	71-9786
TRAVERS,W.D.	9604050296*	71-6553
TRAVERS,W.D.	9604050298	71-5894
TRAVERS,W.D.	9604050300*	71-9196
TRAVERS,W.D.	9604050301*	71-5894
TRAVERS,W.D.	9604050304	71-9034
TRAVERS,W.D.	9604050306*	71-9034
TRAVERS,W.D.	9604050308	71-9015
TRAVERS,W.D.	9604050309	71-9037
TRAVERS,W.D.	9604050311*	71-9037
TRAVERS,W.D.	9604050314*	71-9015
TRAVERS,W.D.	9604050315	71-6003
TRAVERS,W.D.	9604050319*	71-6003
TRAVERS,W.D.	9604050323	71-9132
TRAVERS,W.D.	9604050324	71-9010
TRAVERS,W.D.	9604050325*	71-9132
TRAVERS,W.D.	9604050328	71-9010
TRAVERS,W.D.	9604050331*	71-9010
TRAVERS,W.D.	9604050338	71-9183
TRAVERS,W.D.	9604050339*	71-9183
TRAVERS,W.D.	9604050344	71-9152
TRAVERS,W.D.	9604050347*	71-9152
TRAVERS,W.D.	9604050353*	71-9010
TRAVERS,W.D.	9604050355	71-9235
TRAVERS,W.D.	9604050358*	71-9235
TRAVERS,W.D.	9604050360	71-9057
TRAVERS,W.D.	9604050362*	71-9057
TRAVERS,W.D.	9604050364	71-5950
TRAVERS,W.D.	9604050365*	71-5950
TRAVERS,W.D.	9604050368	71-9069
TRAVERS,W.D.	9604050370*	71-9069
TRAVERS,W.D.	9604050378	71-9200
TRAVERS,W.D.	9604050379	71-9250
TRAVERS,W.D.	9604050382*	71-9200
TRAVERS,W.D.	9604050386*	71-9250
TRAVERS,W.D.	9604050406	71-6294
TRAVERS,W.D.	9604050408	71-5957
TRAVERS,W.D.	9604050410*	71-6294
TRAVERS,W.D.	9604050419	71-6400
TRAVERS,W.D.	9604050424*	71-6400
TRAVERS,W.D.	9604080020	71-5086
TRAVERS,W.D.	9604080026	71-9251
TRAVERS,W.D.	9604080194	72-1016
TRAVERS,W.D.	9604090294	71-9176
TRAVERS,W.D.	9604090295*	71-9176
TRAVERS,W.D.	9604090296	71-9019
TRAVERS,W.D.	9604090297*	71-9019
TRAVERS,W.D.	9604090301	71-9096
TRAVERS,W.D.	9604090302*	71-9096
TRAVERS,W.D.	9604090305	71-9073
TRAVERS,W.D.	9604090307*	71-9073
TRAVERS,W.D.	9604090309	71-9151
TRAVERS,W.D.	9604090310*	71-9151
TRAVERS,W.D.	9604090314	71-9178
TRAVERS,W.D.	9604090315*	71-9178
TRAVERS,W.D.	9604090316	71-9139
TRAVERS,W.D.	9604090317*	71-9139
TRAVERS,W.D.	9604090319	71-9179
TRAVERS,W.D.	9604090320*	71-9179
TRAVERS,W.D.	9604090322	71-9177
TRAVERS,W.D.	9604090323*	71-9177
TRAVERS,W.D.	9604090332	71-9159
TRAVERS,W.D.	9604090333*	71-9159
TRAVERS,W.D.	9604090336	71-9247
TRAVERS,W.D.	9604090338*	71-9247
TRAVERS,W.D.	9604090339	71-9254
TRAVERS,W.D.	9604090343	71-9079
TRAVERS,W.D.	9604090344*	71-9254
TRAVERS,W.D.	9604090346*	71-9079
TRAVERS,W.D.	9604090347	71-9224
TRAVERS,W.D.	9604090348*	71-9224
TRAVERS,W.D.	9604090351	71-9094
TRAVERS,W.D.	9604090354*	71-9094
TRAVERS,W.D.	9604090360	71-9108
TRAVERS,W.D.	9604090363*	71-9108
TRAVERS,W.D.	9604090364	71-9111
TRAVERS,W.D.	9604090368*	71-9111
TRAVERS,W.D.	9604090370	50-255 H
TRAVERS,W.D.	9604090384	71-9086
TRAVERS,W.D.	9604090385*	71-9086
TRAVERS,W.D.	9604090388	71-9249
TRAVERS,W.D.	9604090391*	71-9249
TRAVERS,W.D.	9604090413	71-9222
TRAVERS,W.D.	9604090421*	71-9222
TRAVERS,W.D.	9604110089	71-9089
TRAVERS,W.D.	9604110091*	71-9089
TRAVERS,W.D.	9604150113	50-255 P
TRAVERS,W.D.	9604150228	71-9225
TRAVERS,W.D.	9604150229*	71-9225
TRAVERS,W.D.	9604150260	71-9268
TRAVERS,W.D.	9604170001	71-6722
TRAVERS,W.D.	9604170002*	71-6722
TRAVERS,W.D.	9604170014	71-6568
TRAVERS,W.D.	9604170016*	71-6568
TRAVERS,W.D.	9604180008	50-267 W
TRAVERS,W.D.	9604180018	71-9788
TRAVERS,W.D.	9604180021*	71-9788
TRAVERS,W.D.	9604180038	50-344 Y
TRAVERS,W.D.	9604180326	71-6346
TRAVERS,W.D.	9604180336*	71-6346
TRAVERS,W.D.	9604180359	71-6601
TRAVERS,W.D.	9604180367*	71-6601
TRAVERS,W.D.	9604240211	50-219 F
TRAVERS,W.D.	9604250244	50-344 Y
TRAVERS,W.D.	9604250246*	50-344 Y
TRAVERS,W.D.	9604290147	71-5984
TRAVERS,W.D.	9604290150*	71-5984
TRAVERS,W.D.	9604290153	71-6357
TRAVERS,W.D.	9604290155*	71-6357
TRAVIS,R.	9604020321	NUREG
TREBY,S.A.	9604110270*	PR
TROJANOWSKI,R.	9604240054	I&E
TROSKOSKI,W.M.	9604120320*	70-1113
TROTTIER,E.H.	9604080073	50-309 H
TROTTIER,E.H.	9604110234	50-309 P
TROTTIER,E.H.	9604120051	50-309 P
TROUP,G.L.	9604090152*	70-1113
TROWER,W.P.	9604290182	CONTRACT
TSCHIRLEY,F.H.	9604150300*	50-219 D
TUCKER,J.G.	9604010125	STATE PRO G
TUCKMAN,M.S.	9604010009	50-369 P
TUCKMAN,M.S.	9604080230	50-369 Q
TUCKMAN,M.S.	9604160066	50-413 P
TUCKMAN,M.S.	9604160079	50-369 P
TUCKMAN,M.S.	9604160395	50-413 P
TUCKMAN,M.S.	9604170032	50-413 P
TUCKMAN,M.S.	9604220223	50-269 P
TUCKMAN,M.S.	9604260178	50-269 F
TUCKMAN,M.S.	9604260197	50-269 F
TUETKEN,R.P.	9604010326	50-295 Q
TUETKEN,R.P.	9604050021	50-295 P
TUETKEN,R.P.	9604080042	50-295 Q
TUETKEN,R.P.	9604090280	50-295 Q
TULON,T.J.	9604080378	50-457 S
TULON,T.J.	9604090143	50-456 R
TULON,T.J.	9604110097	50-456 S
TULON,T.J.	9604230297	50-456 S
TULON,T.J.	9604240039	50-456 R
TUMINSKI,R.S.	9604040255	CONTRACT
TURINSKY,P.J.	9604090288*	CONTRACT
TURK,S.E.	9604020005	50-440 G
TURKAL,M.A.	9604290054	50-325 S
TURNER,D.G.	9604120049	50-316 R
TURNER,D.G.	9604120136*	50-315 R
TURNER,D.G.	9604120139*	50-315 R
TURNER,D.G.	9604120144*	50-315 R
TURNER,D.G.	9604120145*	50-315 R
TURNER,D.G.	9604120150*	50-315 R
TURNER,D.G.	9604120152*	50-315 R
TUTTLE,W.K.	9604050322	PRM
ULIE,J.M.	9604010099*	50-295 Q
ULLRICH,E.	9604260209	70-1703
UNDERWOOD,G.J.	9604290302*	50-369 Q
URYC,B.	9604250324	I&E
URYC,B.	9604250350	50-335 Q
USILTON,W.K.	9604160379	NUREG
VACCA,P.C.	9604160379	NUREG
VACHERLON,P.	9604080274	40-8995
VAN DOORN,P.K.	9604090224*	50-390 Q
VAN NOORDENNEN	9604190053	50-336 S
VAN NOORDENNEN	9604220330	50-336 S
VAN NOY,M.	9604020315	50-335 S
VANDENBURGH,C.	9604150170*	50-298 Q
VANDENBURGH,C.	9604150311*	50-416 Q
VANDENBURGH,C.	9604180340*	50-498 Q
VANDERBURG,V.	9604040191	PROJ
VANDERMEER,J.	9604110095	XPORTLIC
VANDERMEER,J.	9604150327	XPORTLIC
VANMIDDLESWORTH	9604290358	50-331 R
VANMIDDLESWORTH	9604290382	50-331 R
VANMIDDLESWORTH	9604300180	50-331 S
VANNOORDENNEN	9604150207	50-336 S
VANNOORDENNEN	9604190100	50-336 S
VANNOORDENNEN	9604260045	50-336 S
VANNOORDENNEN	9604290319	50-336 S
VANNOORDENNEN	9604290334	50-336 S
VANNOORDENNEN	9604300407	50-336 S
VANNOORDENNEN,G	9604010149	50-336 S
VARGA,S.A.	9604290050	50-245 H
VARGA,S.A.	9604290112	50-327 P
VARGA,S.A.	9604290120	50-395 P
VARGA,S.A.	9604300221	50-302 P
VARGA,S.A.	9604300225	50-250 P
VAUGH,R.C.	9604170157*	PROJ
VAUGHAN,R.E.	9604110239*	70-1257
VAUGHAN,R.E.	9604120191	70-1257
VELASQUEZ,J.R.	9604030043	40-8907
VELASQUEZ,J.R.	9604250051	40-8907
VERANI,M.S.	9604250181	PR
VERNETSON,W.G.	9604030423	50-83 P
VERNETSON,W.G.	9604030424*	50-83 P
VERNETSON,W.G.	9604300009	50-83 S
VERNETSON,W.G.	9604300014*	50-83 S
VERRILLI,M.	9604180074	50-400 S
VERRILLI,M.	9604180464	50-400 S
VERROCHI,W.A.	9604230045*	50-219 P
VICINIE,S.L.	9604030175	50-334 R
VICINIE,S.L.	9604030190*	50-334 R
VICTOR,W.R.	9604230042	50-298 S
VIJAYKUMAR,R.	9603290365*	50-317 P
VIJAYKUMAR,R.	9604250376*	50-354 P
VINCI,D.W.	9604010018	50-382 S
VIRGONA,J.E.	9604190073	40-1341
VITALE,A.	9604080162	50-286 S
VITKUS,T.J.	9604260190	40-7580
VITO,D.	9604040044*	50-219 P
VITO,D.	9604080040*	50-219 P
VITO,D.J.	9604040032*	50-219 P
VITO,D.J.	9604040049*	50-219 P
VITO,D.J.	9604040096*	50-219 F
VITO,D.J.	9604040099*	50-219 P
VITO,D.J.	9604040199*	50-219 F
VITO,D.J.	9604040238*	50-219 P
VITO,D.J.	9604040242*	50-219 P
VITO,D.J.	9604050087*	50-219 P
VITO,D.J.	9604050111*	50-219 P
VOGL,J.	9604160401	50-454 R
VOGT,B.M.	9604150130	70-*****
WACHTEL,P.K.	9604090121*	50-389 P
WADLEY,M.	9604300208	50-282 R
WADLEY,M.D.	9604090180	50-282 R
WADLEY,M.D.	9604090202	50-282 F
WADLEY,M.D.	9604110295	50-282 Q
WADLEY,M.D.	9604120029	50-282 P
WADLEY,M.D.	9604160378	50-282 K
WADLEY,M.D.	9604220194	50-306 S
WADLEY,M.D.	9604230148	50-282 P

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WADLEY,M.D.	9604230169	50-282 Q
WADLEY,M.D.	9604230266	50-282 Q
WADLEY,M.D.	9604240269	50-282 F
WADLEY,M.D.	9604290060	50-282 P
WADLEY,W.D.	9604170114	50-282 S
WAGAGE,H.A.	9604170520*	50-424 P
WALDEN,J.V.	9604110077	50-244 R
WALKER,H.G.	9604010083*	50-295 Q
WALKER,H.G.	9604010093*	50-295 Q
WALKER,R.D.	9510250295	50-445 F
WALKER,R.D.	9604020145	50-446 P
WALLACE,J.E.	9604010335*	50-296 S
WALLIN,G.A.	9604170044	50-271 R
WALPOLE,R.W.	9604010411	50-245 S
WALPOLE,R.W.	9604010421	50-245 S
WALPOLE,R.W.	9604020029	50-245 S
WALPOLE,R.W.	9604020076	50-245 S
WALPOLE,R.W.	9604020095	50-245 S
WALPOLE,R.W.	9604020136	50-245 S
WALPOLE,R.W.	9604080131	50-245 S
WALPOLE,R.W.	9604160080	50-245 S
WALPOLE,R.W.	9604160112	50-245 S
WALPOLE,R.W.	9604290045	50-245 S
WALPOLE,R.W.	9604300331	50-245 S
WALPOLE,R.W.	9604300339	50-245 S
WALPOLE,R.W.	9604300345	50-245 S
WALPOLE,R.W.	9604300364	50-245 S
WALSH,T.	9604020433*	CONTRACT
WALT,T.D.	9604010298	50-261 J
WALTON,G.A.	9604170505*	50-219 Q
WALTON,G.A.	9604230225*	50-219 Q
WALTON,G.A.	9604250045*	50-219 Q
WAMBACH,T.V.	9604120012*	50-219 Q
WAMBACH,T.V.	9604120027*	50-219 P
WAMBACH,T.V.	9604120115*	50-219 P
WAMBACH,T.V.	9604120140*	50-219 P
WAMBACH,T.V.	9604160305*	50-219 P
WANCZYK,R.J.	9604010369	50-271 S
WANCZYK,R.J.	9604090045	50-271 S
WANCZYK,R.J.	9604090049	50-271 S
WANCZYK,R.J.	9604170044	50-271 R
WANGLER,K.W.	9604020057	STATE PRO G
WANGLER,K.W.	9604020186	STATE PRO G
WANGLER,M.E.	9604090178	71-9269
WARD,K.D.	9604150273	50-410 S
WARD,K.D.	9604220042	50-410 S
WARREN,C.	9604010152	50-272 S
WARREN,C.	9604010336	50-272 S
WARREN,C.	9604090032	50-272 S
WARREN,C.	9604120009	50-272 S
WARREN,C.	9604190105	50-272 R
WARREN,C.	9604190109	50-311 R
WARREN,C.	9604290116	50-272 S
WARREN,C.C.	9604020231	50-272 P
WARREN,C.C.	9604030243	50-272 S
WARREN,C.C.	9604080264	50-272 P
WASCH,T.	9604290181	50-346 R
WASHINGTON,G.K.	9604100256*	CONTRACT
WASTLER,S.L.	9604260104	WASTE MGT
WATERMAN,R.D.	9604250157	PRM
WATERS,S.	9604290222*	50-528 Q
WATSON,L.	9604170269*	FOIA
WATSON,S.N.	9604180122	71-404
WATTS,R.J.	9604090101	50-244 F
WATTS,R.J.	9604230068	50-244 F
WATTS,R.J.	9604290406	50-244 F
WATZL,E.L.	9604260062*	50-263 P
WEBB,M.	9604160433	50-206 F
WEBBER,K.	9604030408	40-8698
WEBBER,R.	9604110013*	FOIA
WEBBER,R.	9604110019*	FOIA
WEBBER,R.B.	9604010408	CONTRACT
WEBBER,R.B.	9604240222	CONTRACT
WEBER,M.	9604300424*	40-8027
WEBER,M.F.	9604290098	40-8027
WEBER,M.F.	9604300329	WASTE MGT
WEBER,R.L.	9604220121	50-269 R
WEBER,R.L.	9604220110	50-413 R
WEBER,W.O.	9604240186*	50-285 P
WEEKS,R.L.	9604090066*	WASTE MGT
WEGNER,M.S.	9604180208*	50-245 S
WEHRY,R.R.	9604110072	50-387 S
WEIGAND,J.G.	9604080242	50-271 I
WEISS,H.W.	9604150092*	50-397 P
WEISS,S.H.	9604110255*	50-20 P
WEISS,S.H.	9604120197	50-116 V
WEISS,S.H.	9604120291	50-128 V
WEISS,S.H.	9604160159	50-116 V
WEISS,S.H.	9604170280	NUREG
WEISS,S.H.	9604220400	50-128 V
WEISS,S.H.	9604300363	ORG
WENSLAWSKI,F.A.	9604150325*	70-734
WENZINGER,E.	9604080055*	50-219 P
WENZINGER,E.C.	9604090021*	50-219 P
WERNER,H.V.	9604050434*	FOIA
WERT,L.D.	9604220244*	50-259 Q
WESTBROOK,D.	9604090192	CONTRACT
WHARTON,L.R.	9604110180	50-285 P
WHARTON,L.R.	9604220357	50-285 P
WHEELER,L.L.	9604160326	50-424 P
WHEELER,L.L.	9604170514	50-424 P
WHITE,B.H.	9604300246	71-9250
WHITE,J.	9604150390	50-29 Q
WHITE,J.	9604260238*	50-223 Q
WHITE,J.R.	9604110172	50-293 Q
WHITE,J.R.	9604150372	50-193 Q
WHITE,J.R.	9604150380*	50-193 Q
WHITE,J.R.	9604260232	50-223 Q
WHITE,J.W.	9604010264	50-338 P
WHITE,J.W.	9604030342	CONTRACT
WHITE,J.W.	9604040268	50-338 S
WHITT,K.W.	7910150066*	50-219 Q
WHITT,M.S.	9604190112	50-313 R
WHITT,M.S.	9604190116	50-368 R
WHITTEN,J.E.	9604160379	NUREG
WIBLIN,C.	9604020352	NUREG
WICHMAN,K.	9604260145*	ORG
WIDAY,J.A.	9604020157*	50-244 V
WIDAY,J.A.	9604110077	50-244 R
WIDMANN,M.T.	9604090146*	50-424 Q
WIENS,L.A.	9604080211	50-269 P
WIENS,L.A.	9604170283	50-269 P
WIGGINS,E.	9604030176	CONTRACT
WIGGINS,E.	9604030297	CONTRACT
WIGGINS,E.	9604250396	CONTRACT
WIGGINS,E.J.	9604020004	CONTRACT
WIGGINS,E.J.	9604020437	CONTRACT
WIGGINS,E.J.	9604030065	CONTRACT
WIGGINS,E.J.	9604030149	CONTRACT
WIGGINS,E.J.	9604030161	CONTRACT
WIGGINS,E.J.	9604030342	CONTRACT
WIGGINS,E.J.	9604030400	CONTRACT
WIGGINS,E.J.	9604040105	CONTRACT
WIGGINS,E.J.	9604040241	CONTRACT
WIGGINS,E.J.	9604040255	CONTRACT
WIGGINS,E.J.	9604050066	CONTRACT
WIGGINS,E.J.	9604050076	CONTRACT
WIGGINS,E.J.	9604050085	CONTRACT
WIGGINS,E.J.	9604050088*	CONTRACT
WIGGINS,E.J.	9604050134	CONTRACT
WIGGINS,E.J.	9604050416	CONTRACT
WIGGINS,E.J.	9604050433	CONTRACT
WIGGINS,E.J.	9604050444	CONTRACT
WIGGINS,E.J.	9604080129	CONTRACT
WIGGINS,E.J.	9604090173	CONTRACT
WIGGINS,E.J.	9604090182	CONTRACT
WIGGINS,E.J.	9604090259	CONTRACT
WIGGINS,E.J.	9604090261	CONTRACT
WIGGINS,E.J.	9604100015	CONTRACT
WIGGINS,E.J.	9604100025	CONTRACT
WIGGINS,E.J.	9604100046	CONTRACT
WIGGINS,E.J.	9604100049	CONTRACT
WIGGINS,E.J.	9604100058	CONTRACT
WIGGINS,E.J.	9604100062	CONTRACT
WIGGINS,E.J.	9604100132	CONTRACT
WIGGINS,E.J.	9604100240	CONTRACT
WIGGINS,E.J.	9604100245	CONTRACT
WIGGINS,E.J.	9604100247	CONTRACT
WIGGINS,E.J.	9604100254	CONTRACT
WIGGINS,E.J.	9604100256*	CONTRACT
WIGGINS,E.J.	9604120137	CONTRACT
WIGGINS,E.J.	9604120147	CONTRACT
WIGGINS,E.J.	9604120157*	CONTRACT
WIGGINS,E.J.	9604160190	CONTRACT
WIGGINS,E.J.	9604160195	CONTRACT
WIGGINS,E.J.	9604160453	CONTRACT
WIGGINS,E.J.	9604170107	50-413 V
WIGGINS,E.J.	9604170112	50-250 V
WIGGINS,E.J.	9604170127	CONTRACT
WIGGINS,E.J.	9604170144	CONTRACT
WIGGINS,E.J.	9604170296	CONTRACT
WIGGINS,E.J.	9604170300	CONTRACT
WIGGINS,E.J.	9604180393	CONTRACT
WIGGINS,E.J.	9604180421	CONTRACT
WIGGINS,E.J.	9604190150	CONTRACT
WIGGINS,E.J.	9604190154*	CONTRACT
WIGGINS,E.J.	9604190188	CONTRACT
WIGGINS,E.J.	9604190321	CONTRACT
WIGGINS,E.J.	9604220061	CONTRACT
WIGGINS,E.J.	9604220237	CONTRACT
WIGGINS,E.J.	9604230069	CONTRACT
WIGGINS,E.J.	9604230088	CONTRACT
WIGGINS,E.J.	9604240053	CONTRACT
WIGGINS,E.J.	9604240307	CONTRACT
WIGGINS,E.J.	9604240360	CONTRACT
WIGGINS,E.J.	9604240364	CONTRACT
WIGGINS,E.J.	9604250204	CONTRACT
WIGGINS,E.J.	9604290019	CONTRACT
WIGGINS,E.J.	9604290195	CONTRACT
WIGGINS,E.J.	9604300033	CONTRACT
WIGGINS,E.J.	9604300118	CONTRACT
WIGGINS,E.J.	9604300153	CONTRACT
WIGGINS,E.J.	9604300195	CONTRACT
WIGGINS,E.J.	9604300218	CONTRACT
WIGGINS,E.J.	9604300243	CONTRACT
WIGGINS,E.J.	9604300252*	CONTRACT
WIGGINS,E.J.	9604300253	CONTRACT
WIGGINS,E.L.	9604220148	CONTRACT
WIGGINS,J.T.	9604010333	50-309 Q
WIGGINS,J.T.	9604110188	50-387 Q
WIGGINTON,D.L.	9604230128	50-458 P
WILCOXEN,J.G.	9604020048	40-8027
WILCOXEN,J.G.	9604020290	40-8027
WILCOXEN,J.G.	9604020290	40-8027
WILKIE,L.V.	9604050071	50-269 S
WILKIE,L.V.	9604220352	50-287 S
WILKIE,L.V.	9604260055	50-269 S
WILKIE,L.V.	9604300377	50-269 S
WILLERS,T.F.	9604250084*	FOIA
WILLIAMS,A.L.	9604090096	50-255 R
WILLIAMS,C.E.	9604230071*	50-361 R
WILLIAMS,J.	9604010357*	50-309 Q
WILLIAMS,J.	9604020216	50-249 S
WILLIAMS,J.F.	9604020058*	50-412 P
WILLIAMS,J.F.	9604080318*	50-255 P
WILLIAMS,J.F.	9604180281	50-259 P
WILLIAMS,J.F.	9604290038	50-259 S
WILLIAMS,J.H.	9604220329*	50-336 V
WILLIAMS,O.G.	9604080445	FOIA
WILLIAMS,O.G.	9604170224	50-397 Q
WILLIAMS,O.G.	9604220017	FOIA
WILLIAMS,O.G.	9604250044	FOIA
WILLIAMS,R.A.	9604220186	50-369 R
WILLIAMS,R.A.	9604220293*	50-369 R
WILLIAMS,R.A.	9604220308*	50-269 R
WILLIAMS,R.A.	9604220319*	50-413 R
WILLIAMSON,D.	9604250033	50-312 Y
WILLIS,C.A.	9604260301	50-213 H
WILSON,J.F.	9604290327	50-289 F
WILSON,M.J.	9604220330	50-336 S
WILSON,R.C.	9604160239	QA999
WINGARD,J.D.	9604170239	FOIA
WINSLOW,V.	9604110064*	70-3070
WISE,L.	9604300195	CONTRACT
WISHAM,C.L.	9604240362	70-734
WOLF,S.	9604030318	50-315 F
WOLFSTHAL,J.B.	9604080124*	XPORTLIC
WOMACK,L.F.	9604150328	50-275 Q
WONG,H.J.	9604160043*	50-275 Q
WONG,H.J.	9604300314*	50-482 Q
WOOD,J.K.	9604080435	50-346 S
WOOD,J.K.	9604170299	50-346 R
WOOD,J.K.	9604170305*	50-346 R
WOOD,J.K.	9604170307*	50-346 R
WOOD,J.K.	9604290102	50-346 S
WOOD,J.K.	9604290181	50-346 R
WOOD,R.S.	9502060061*	50-206 H
WOODLAN,D.R.	9604170017	50-445 P
WOODLAN,D.R.	9604190089	50-445 R
WOODLAN,D.R.	9604190328	50-446 Q
WOODLAN,D.R.	9604240317	50-446 Q
WOODWARD,R.	9604170064	50-331 R
WOODWORTH,L.A.	9604150313	WASTE MGT
WOODWORTH,L.A.	9604170353	WASTE MGT
WOOLEY,R.L.	9604240213	70-7001
WOOLLEY,R.L.	9604010305	70-7001
WOOLLEY,R.L.	9604010307	70-7002
WOOLLEY,R.L.	9604010313	70-7001
WOOLLEY,R.L.	9604010315	70-7002
WOOLLEY,R.L.	9604030320	70-7001
WOOLLEY,R.L.	9604040160	70-7001
WOOLLEY,R.L.	9604090037	70-7001
WOOLLEY,R.L.	9604090299	70-7001
WOOLLEY,R.L.	9604100096	70-7002

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WOOLLEY,R.L.	9604110196	70-7001
WOOLLEY,R.L.	9604150293	70-7001
WOOLLEY,R.L.	9604150302	70-7001
WOOLLEY,R.L.	9604150309	70-7002
WOOLLEY,R.L.	9604190039	70-7001
WOOLLEY,R.L.	9604230131	REGGD
WOOLLEY,R.L.	9604240206	70-7002
WOOLLEY,R.L.	9604240208	70-7001
WOOLLEY,R.L.	9604240218	70-7002
WOOLLEY,R.L.	9604290205	70-7002
WOOLLEY,R.L.	9604290298	70-7001
WOOLLEY,R.L.	9604290368	70-7001
WOOLLEY,R.L.	9604290372	70-7002
WOOLLEY,R.L.	9604290384	70-7001
WOOLLEY,R.L.	9604290391	70-7001
WORRALL,C.M.	9604230078*	50-219 H
WRIGHT,D.	9604160049	10CFR
WRIGHT,E.L.	9604050228	PRM
WRIGHT,R.	9604030304	50-424 S
WROBEL,G.J.	9604050065	50-244 F
WROBEL,G.J.	9604080404	50-244 P
WRTATHALL,J.	9604170524*	50-424 P
WU,J.S.	9604090404	CONTRACT
WU,S.L.	9604160108	TOPREP
WUDZKI,J.J.	9604160190	CONTRACT
WUNDER,G.F.	9604040006	50-286 P
WUNDER,G.F.	9604040011*	50-286 P
YAEGER,W.R.	9604290135	50-220 S
YANDELL,L.A.	9604180340*	50-498 Q
YEDIDIA,B.A.	9604020388*	CONTRACT
YELVERTON,J.W.	9604160260	50-313 P
YELVERTON,J.W.	9604160337	50-368 P
YOUELL,N.N.	9604180092	40-3453
YOUNG,B.J.	9604240300	CONTRACT
YOUNG,D.E.	9604240150	50-261 S
YOUNG,D.E.	9604290113	50-261 S
YOUNG,F.	9604010113	50-390 P
YOUNG,H.	9604150080*	50-219 Q
YOUNG,K.A.	9604220193	50-387 R
YOUNG,L.D.	9604080137*	50-255 Q
YOUNG,L.D.	9604080140*	50-255 Q
YOUNG,M.T.	9604030056	PR
YOUNG,M.T.	9604250437	PRM
YOUNG,M.T.	9604290063	PR
YOUNG,T.	9604010189	30-31373
YOUNG,T.	9604160176*	50-219 Q
YOUNG,T.	9604160186*	50-219 Q
YOUNG,T.	9604190083*	50-219 Q
YOUNG,T.	9604190101*	50-219 Q
YUEN,J.	9604190103	50-219 S
YUNDT,C.P.	9604120006	50-344 Y
YUNDT,C.P.	9604250220	50-344 Y
YUSKO,J.G.	9604010249	STATE PRO G
ZANE,J.O.	9604170076*	PROJ
ZAW-MON,M.	9604010439	STATE PRO G
ZIEGLER,R.S.	9604040124	40-8902
ZIELINSKI,A.M.	9604010058	40-534
ZIEMANN,D.L.	9604040014*	50-160 H
ZIEMANN,D.L.	9604040024*	50-160 H
ZIEMANN,D.L.	9604170405*	50-219 P
ZIEMANN,D.L.	9604180080*	50-219 Q
ZIEMANN,D.L.	9604180091*	50-219 P
ZIEMANN,D.L.	9604180128*	50-219 P
ZIEMANN,D.L.	9604250298*	50-219 P
ZIMMER,J.P.	9604090490	71-9788
ZIMMERMAN,J.I.	9604110148	50-395 P
ZIMMERMAN,J.I.	9604170129	50-395 P
ZIMMERMAN,R.P.	9604160382	ORG
ZWOLINSKI,J.A.	9604110241*	50-309 P
ZWOLINSKI,J.A.	9604170142*	FOIA

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-232 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
ABB Combustion Engineering Nuclear Fuel (formerly Combustion Engineering, Inc.)	9604030258*	PROJ	
	9604040111	70-1100	
	9604090263*	PROJ	
	9604120283	70-36	
	9604160343*	50-368	P
	9604180024	TOPREP	
	9604180255*	50-259	P
	9604230120	52-2	
	9604260163*	ORG	
	9604260205	70-1100	
	9604260210*	70-1100	
	9604260233*	70-1100	
	9604300099	50-336	S
ASCA, Inc	9604090404	CONTRACT	
ASEA Brown Boveri, Inc.	9604040111	70-1100	
	9604090263*	PROJ	
	9604160343*	50-368	P
	9604180024	TOPREP	
	9604260205	70-1100	
	9604260210*	70-1100	
	9604300099	50-336	S
Adsytech, Inc	9604020379	CONTRACT	
Advanced Systems Concepts Associates	9604050417	CONTRACT	
Advanced Systems Technology, Inc.	9604020352	NUREG	
Agriculture, Dept. of	9604150300*	50-219	D
Air Force, Dept. of	9604110160	PR	
Allied-Signal Corp.	9604020096	40-3392	
	9604080303*	40-3392	
	9604080341*	40-*****	
	9604100024	40-3392	
American Association of Physicists in Medicine	9604030028	PRM	
American College of Cardiology	9604250050	PR	
American College of Medical Physics	9604150166	PRM	
American College of Nuclear Physicians	9604110063	PR	
American College of Radiology	9604030056	PR	
	9604290063	PR	
American Electric Power Co., Inc.	9604080208	50-316	S
	9604160090	50-315	S
American Pharmaceutical Association	9604290057	PR	
American Society of Mechanical Engineers	9604260137*	ORG	
	9604260141*	ORG	
	9604260148*	ORG	
	9604260151*	ORG	
	9604260155*	ORG	
American Testing Laboratory	9604170073	71-9263	
Amersham Corp.	9604100045	PR	
	9604160477	71-9137	
Ametek, Inc.	9604230034	50-245	S
Applied Radiological Control, Inc.	9604180078*	40-6940	
Argonne National Laboratory	9604230394	NUREG	
Arix Corp.	9110020005	40-8698	
Arizona Public Service Co. (formerly Arizona Nuclear Power Project)	9604010235	50-528	Q
	9604010343	50-528	P
	9604010343	50-528	P
	9604010343	50-528	P
	9604010348*	50-528	P
	9604010348*	50-528	P
	9604010348*	50-528	P
	9604020030	50-529	P
	9604020035*	50-529	P
	9604020036	50-529	P
	9604020041	50-528	Q
	9604020041	50-528	Q
	9604020041	50-528	Q
	9604020164*	50-529	P
	9604020284	50-529	P
	9604020293*	50-529	P
	9604080046	50-529	P
	9604080048*	50-529	P
	9604080257	50-529	P
	9604080307	50-529	P
	9604080395	50-528	J
	9604090308	50-528	Q
	9604090308	50-528	Q
	9604090308	50-528	Q
	9604100262	50-528	R
	9604100262	50-528	R
	9604100262	50-528	R
	9604100265	50-528	P
	9604100265	50-528	P
	9604100265	50-528	P
	9604100271	50-529	S
	9604160412	50-528	S
	9604160420*	50-528	S
	9604160423	50-529	S
	9604170071	50-528	R
	9604190304	50-528	F
	9604230129	50-528	P
	9604230161	50-528	R
	9604230161	50-528	R
	9604230161	50-528	R
	9604230199*	50-528	R
	9604230199*	50-528	R
	9604230199*	50-528	R
	9604230227	50-528	R
	9604290219	50-528	Q
	9604290219	50-528	Q
	9604290219	50-528	Q
	9604290222*	50-528	Q
	9604300052	50-528	P
	9604300052	50-528	P
	9604300052	50-528	P
	9604300152	50-529	P
	9604300154*	50-529	P
	9604300158	50-529	S
	9604300169	50-529	P
Arizona, Univ. of, Tucson, AZ	9604020277	NUREG	
	9604230343	NUREG	
Arkansas, State of	9604010125	STATE PRO	G
	9604100139	PR	
Armed Forces Radiobiological Research Institute	9604260020	50-170	R
Army, Dept. of	9604020204*	STATE PRO	G
	9604150216	40-8838	
	9604150248*	40-8838	
	9604180079	40-8838	
	9604300008*	FOIA	
	9604300011*	FOIA	
Atkinson-Noland & Associates	9604290097	CONTRACT	
Atlantic Energy, Inc.	9604190178*	50-272	I
Atlantic Richfield Co. (ARCO)	9604040124	40-8902	
	9604040126*	40-8902	
	9604120222*	70-*****	
	9604120240*	70-*****	
	9604150157*	70-*****	
	9604150162*	70-*****	
	9604150169*	70-*****	
	9604150176*	70-*****	
	9604150181*	70-*****	
	9604150192*	70-*****	
Atlas Corp.	9604020410	40-3453	
	9604030029	40-3453	
	9604090136	40-3453	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
B. Koh & Associates, Inc.	9604150276*	WASTE MGT	
	9604150282*	WASTE MGT	
BWR Owners Group	9604300023	TOPREP	
Babcock & Wilcox Co.	9604090223	70-27	
	9604090357*	50-302	P
	9604120217	70-*****	
	9604120229	70-*****	
	9604150058	70-27	
	9604150148	70-*****	
	9604160308	71-9168	
	9604170317	70-27	
	9604260240	70-27	
Babcock & Wilcox Operating Plants Owners Group	9604230260	PROJ	
Baltimore Gas & Electric Co.	9604010226	50-317	F
	9604020436	50-317	P
	9604020436	50-317	P
	9604020439*	50-317	P
	9604020439*	50-317	P
	9604020448	50-318	S
	9604030129	50-317	K
	9604030315	50-317	S
	9604030315	50-317	S
	9604100044	50-317	P
	9604100044	50-317	P
	9604100044	50-317	P
	9604100065*	50-317	P
	9604100065*	50-317	P
	9604100074*	50-317	P
	9604100074*	50-317	P
	9604100081*	50-317	P
	9604100081*	50-317	P
	9604100081*	50-317	P
	9604100094*	50-317	P
	9604100094*	50-317	P
	9604100094*	50-317	P
	9604170081	50-317	P
	9604170083*	50-317	P
	9604170261	50-317	R
	9604190079	50-317	F
	9604250258	50-317	P
Battelle Memorial Institute, Columbus Laboratories	9604160218	CONTRACT	
Battelle Memorial Institute, Pacific Northwest Laboratory	9604090369	NUREG	
	9604150341	NUREG	
	9604160360	NUREG	
	9604170363	NUREG	
	9604230383	NUREG	
Bechtel Corp.	9604150092*	50-397	P
Big State X-Ray	9604040107	71-503	
Boeing Co.	9604220153	PT21	
	9604220383	PT21	
Boeing Computer Services Co. (div. of Boeing Co.)	9604010435	PT21	
	9604150413	PT21	
Bollinger, Ruberry & Garvey	9604300032	50-416	Q
Boston Edison Co.	9604080057	50-293	J
	9604080148	50-293	R
	9604090139	50-293	F
	9604110292	50-293	I
	9604150339	50-293	R
	9604160351*	50-293	S
	9604220202	50-293	R
	9604220264	50-293	S
	9604240335	50-293	P
	9604240359	50-293	P
Brookhaven National Laboratory	9604020321	NUREG	
	9604150352	NUREG	
	9604150357	NUREG	
	9604150363	NUREG	
Brown Univ., Providence, RI	9604090252	CONTRACT	
Burns & Roe Enterprises, Inc.	9604220113	QA999	
C-E Operating Plants Owners Group	9604030252	PROJ	
	9604090236	PROJ	
CEXEC, Inc.	9604160204	CONTRACT	
	9604160359	CONTRACT	
	9604160441	CONTRACT	
	9604170143	CONTRACT	
CTI, Inc. (formerly Alaska Welding Center)	9604180122	71-404	
Cabot Corp.	9604120168	40-9027	
	9604120171	40-9027	
	9604120174	40-9027	
	9604180073	40-6940	
	9604180082*	40-6940	
California Institute of Technology, Pasadena, CA	9604020295*	CONTRACT	
California, State of	9604020191	STATE PRO	G
	9604020228	STATE PRO	G
	9604030110*	STATE PRO	G
	9604030115*	STATE PRO	G
California, Univ. of, Los Angeles, CA	9604090186*	CONTRACT	
	9604250441	PR	
Cameco (formerly Eldorado Nuclear, Ltd./Eldorado Resources, Ltd.	9604110095	XPORTLIC	
Cametco,Inc.	9604260236	XPORTLIC	
Canada	9604150327	XPORTLIC	
Canada Atomic Energy Control Board	9604080323	XPORTLIC	
Canberra Nuclear (formerly Nuclear Data, Inc.)	9604250396	CONTRACT	
Carolina Power & Light Co.	9604010298	50-261	J
	9604040059	50-400	S
	9604040214	50-324	V
	9604050199	50-324	F
	9604080149	50-261	P
	9604080156*	50-261	P
	9604080305	50-400	S
	9604080397	50-324	P
	9604080397	50-324	P
	9604080402*	50-324	P
	9604080402*	50-324	P
	9604080403*	50-324	P
	9604080403*	50-324	P
	9604090085*	50-324	F
	9604090286	50-400	F
	9604090292*	50-400	F
	9604110186	50-400	Q
	9604110294	50-400	Q
	9604120075	50-324	P
	9604120075	50-324	P
	9604120077*	50-324	P
	9604120077*	50-324	P
	9604150069	50-400	F
	9604150072	50-400	F
	9604150076*	50-400	F
	9604150224	50-400	R
	9604150242	50-261	Q
	9604160004	50-400	R
	9604160072	50-324	Q
	9604160072	50-324	Q
	9604160092	50-325	P
	9604160095*	50-325	P
	9604160424	50-261	R
	9604180074	50-400	S
	9604180093	50-400	K
	9604180112*	50-400	K
	9604180155	50-261	Q
	9604180464	50-400	S
	9604190092	50-324	F
	9604190104	50-324	P
	9604190355	50-400	P
	9604220087	50-400	P
	9604220209	50-261	S
	9604220391	50-400	P
	9604230048	50-324	S
	9604230156	50-261	R
	9604230165*	50-261	R
	9604240134	50-261	P
	9604240143	50-324	Q
	9604240150	50-261	S
	9604240203	50-324	R
	9604240203	50-324	R
	9604240216	50-324	P
	9604290054	50-325	S
	9604290113	50-261	S
	9604290338	50-324	P
	9604290338	50-324	P
	9604300259	50-261	P
	9604300382	50-400	S
	9604300383	50-261	P
	9604300386	50-324	S
Carondelet Foundry Co.	9604240243	71-9269	
Catholic Univ. of America, Washington, D	9604170104	50-77	J
Center for Nuclear Waste Regulatory Analyses	9604020311	WASTE MGT	
	9604020312*	WASTE MGT	
	9604120178	WASTE MGT	
	9604120213	WASTE MGT	
	9604250400	WASTE MGT	
	9604300322*	WASTE MGT	
	9604300324*	WASTE MGT	
Centerior Energy	9604020027	50-346	J
	9604050156	50-346	P
	9604050168*	50-346	P
	9604050186*	50-346	P
	9604080173	50-440	P
	9604150220	50-346	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604160237	50-440	R
	9604220020	50-440	R
	9604220026*	50-440	R
	9604220054	50-440	P
	9604220178	50-346	P
	9604290075	50-346	F
	9604290276	50-346	P
	9604290282*	50-346	P
	9604300138	50-440	Q
	9604300145	50-346	P
Chattanooga, TN			
Chem-Nuclear Systems, Inc.	9604100062	CONTRACT	
	9604120151	27-47	
	9604120304	27-47	
	9604150065	27-47	
	9604150067*	27-47	
Cherokee Nation	9604010407	40-8027	
	9604010415*	40-8027	
	9604020048	40-8027	
	9604020290	40-8027	
Chicago, Univ. of, Chicago, IL	9604030022	PR	
	9604030062	PR	
Cincinnati, OH	9604030059	70-7001	
Cintichem, Inc.	9604260246	70-687	
Citizens Awareness Network	9604180214	50-29	G
	9604180230*	50-29	G
	9604260303*	50-213	H
Cleveland Electric Illuminating Co.	9604170047	50-440	R
Coalition on West Valley Nuclear Wastes	9604170157*	PROJ	
CommCore, Inc.	9604160195	CONTRACT	
Commerce, Dept. of	9604150009*	50-219	P
	9604150014*	50-219	P
Commonwealth Edison Co.	9604010283	50-237	P
	9604010283	50-237	P
	9604010283	50-237	P
	9604010283	50-237	P
	9604010286*	50-237	P
	9604010286*	50-237	P
	9604010286*	50-237	P
	9604010286*	50-237	P
	9604010323	50-456	P
	9604010326	50-295	Q
	9604010354	50-295	S
	9604010355	50-454	P
	9604010420	50-237	P
	9604020043	50-295	F
	9604020043	50-295	F
	9604020045	50-249	S
	9604020052	50-249	S
	9604020087	50-373	P
	9604020098	50-237	S
	9604020102*	50-237	S
	9604020109	50-249	S
	9604020113*	50-249	S
	9604020178	50-237	P
	9604020178	50-237	P
	9604020195*	50-295	F
	9604020195*	50-295	F
	9604020206*	50-295	F
	9604020214	50-454	P
	9604020214	50-454	P
	9604020214	50-454	P
	9604020214	50-454	P
	9604020216	50-249	S
	9604020218*	50-454	P
	9604020218*	50-454	P
	9604020218*	50-454	P
	9604020218*	50-454	P
	9604020299	50-10	W
	9604020299	50-10	W
	9604020299	50-10	W
	9604020416	50-295	P
	9604020416	50-295	P
	9604030099	50-237	K
	9604030103*	50-237	K
	9604030103*	50-237	K
	9604030233	50-454	R
	9604030244	50-454	Q
	9604030244	50-454	Q
	9604030244	50-454	Q
	9604030244	50-454	Q
	9604030253	NUREG	
	9604030367	50-10	R
	9604030367	50-10	R
	9604030367	50-10	R
	9604040145	50-454	Q
	9604050006	50-454	S
	9604050021	50-295	P
	9604050021	50-295	P
	9604050225	50-249	S
	9604050252*	50-249	S
	9604050454	50-237	V
	9604080042	50-295	Q
	9604080075	50-454	P
	9604080075	50-454	P
	9604080075	50-454	P
	9604080075	50-454	P
	9604080079*	50-454	P
	9604080079*	50-454	P
	9604080079*	50-454	P
	9604080079*	50-454	P
	9604080145	50-10	W
	9604080237	50-295	P
	9604080237	50-295	P
	9604080261	50-265	S
	9604080284	50-373	P
	9604080292	50-373	P
	9604080292	50-373	P
	9604080294	50-373	P
	9604080294	50-373	P
	9604080326	50-295	P
	9604080378	50-457	S
	9604080398	50-373	F
	9604090039	50-254	S
	9604090061	50-254	P
	9604090061	50-254	P
	9604090089	50-454	F
	9604090089	50-454	F
	9604090143	50-456	R
	9604090172	50-254	F
	9604090209	50-254	R
	9604090209	50-254	R
	9604090220	50-254	Q
	9604090227	50-454	P
	9604090266	50-254	P
	9604090272*	50-254	P
	9604090280	50-295	Q
	9604090325	50-295	S
	9604090325	50-295	S
	9604090325	50-295	S
	9604100137	50-254	P
	9604100146*	50-254	P
	9604100148*	50-254	P
	9604100154*	50-254	P
	9604100158*	50-254	P
	9604100205	50-295	Q
	9604110088	50-237	P
	9604110088	50-237	P
	9604110097	50-456	S
	9604110132	50-237	P
	9604110132	50-237	P
	9604110143	50-456	P
	9604110282	50-254	P
	9604110286*	50-254	P
	9604120015	50-237	S
	9604120020	50-237	P
	9604120020	50-237	P
	9604120048*	50-237	P
	9604120048*	50-237	P
	9604120102	50-295	F
	9604120122	50-373	P
	9604120124*	50-373	P
	9604120146	50-254	V
	9604120146	50-254	V
	9604120172	50-254	P
	9604120177*	50-254	P
	9604120282	50-373	F
	9604150150	50-373	P
	9604150150	50-373	P
	9604150172*	50-373	P
	9604150172*	50-373	P
	9604150178	50-254	P
	9604150178	50-254	P
	9604150185*	50-254	P
	9604150218	50-295	Q
	9604150239	50-295	S
	9604150407	50-454	P
	9604160028	50-254	R
	9604160101	50-373	P
	9604160101	50-373	P
	9604160107*	50-373	P
	9604160107*	50-373	P
	9604160136	50-295	S
	9604160363	50-254	P
	9604160401	50-454	R
	9604170151	50-454	Q
	9604180055	50-373	K
	9604180055	50-373	K
	9604180116	50-295	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604180129	50-254	F
	9604180158	50-295	P
	9604190084	50-10	R
	9604190093	50-373	R
	9604190093	50-373	R
	9604190181	50-454	S
	9604190296	50-295	S
	9604190302	50-295	R
	9604190310*	50-295	S
	9604220080	50-237	S
	9604220173	50-295	F
	9604220189	50-456	Q
	9604220206	50-373	P
	9604220206	50-373	P
	9604220208*	50-373	P
	9604220208*	50-373	P
	9604220342	50-456	Q
	9604220351	50-295	S
	9604220351	50-295	S
	9604230047	50-295	F
	9604230095	50-454	Q
	9604230100	50-237	P
	9604230100	50-237	P
	9604230100	50-237	P
	9604230100	50-237	P
	9604230100	50-237	P
	9604230100	50-237	P
	9604230100	50-237	P
	9604230107	50-254	F
	9604230273	50-304	S
	9604230278	50-304	S
	9604230297	50-456	S
	9604240039	50-456	R
	9604240046*	50-456	R
	9604240046*	50-456	R
	9604250267	50-10	R
	9604250271	50-373	P
	9604250450	50-454	S
	9604260116	50-295	F
	9604260116	50-295	F
	9604260124	50-295	F
	9604260124	50-295	F
	9604260177	50-295	P
	9604260177	50-295	P
	9604290037	50-373	R
	9604290041*	50-373	R
	9604290041*	50-373	R
	9604290047	50-373	P
	9604290048	50-373	P
	9604290051*	50-373	P
	9604290051*	50-373	P
	9604290090	50-454	Q
	9604290090	50-454	Q
	9604290187	50-10	R
	9604290187	50-10	R
	9604290187	50-10	R
	9604290187	50-10	R
	9604290187	50-10	R
	9604290187	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290196*	50-10	R
	9604290207	50-454	P
	9604290207	50-454	P
	9604290288	50-373	S
	9604290356	50-373	P
	9604300065	50-10	Q
	9604300078	50-456	F
	9604300104	50-295	Q
	9604300104	50-295	Q
	9604300104	50-295	Q
	9604300104	50-295	Q
	9604300104	50-295	Q
	9604300106	50-454	R
	9604300106	50-454	R
	9604300125	50-295	S
	9604300353	50-295	P
	9604300354	50-254	P
	9604300423	50-455	S
Concord Associates, Inc.	9602050068*	50-220	P
	9604170524*	50-424	P
	9604230049*	50-317	P
	9604250381*	50-354	P
Conference of Radiation Control Program Directors, Inc.	9604010216	STATE PRO	G
Connecticut Yankee Atomic Power Co.	9604020094	50-213	P
	9604020192	50-213	P
	9604020193*	50-213	P
	9604020289	50-213	F
	9604020361	50-213	P
	9604080065	50-213	S
	9604080074	50-213	S
	9604080420	50-213	F
	9604090057	50-213	J
	9604100027	50-213	P
	9604100027	50-213	P
	9604150164	50-213	Q
	9604150164	50-213	Q
	9604150246	50-213	P
	9604150249*	50-213	P
	9604170254	50-213	F
	9604180344	50-213	R
	9604190045	50-213	S
	9604190113	50-213	Q
	9604220211	50-213	P
	9604220214*	50-213	P
	9604240294	50-213	R
	9604240306*	50-213	R
	9604290281	50-213	R
	9604300209	50-213	P
	9604300213*	50-213	P
Connecticut, State of	9604170132	FOIA	
Consolidated Edison Co. of New York, Inc	9604010303	50-247	S
	9604020422	50-247	F
	9604020426*	50-247	F
	9604080202	50-3	S
	9604090054	50-247	S
	9604150400	50-247	V
	9604160002	50-247	Q
	9604160063	50-247	S
	9604170118	50-3	W
	9604220052	50-247	S
	9604230110	50-247	R
	9604290235	50-247	S
	9604300108	50-247	P
	9604300149	50-247	S
	9604300305	50-3	F
Consumers Power Co.	9604010418	50-255	F
	9604020373	50-255	P
	9604040005	50-255	P
	9604040007*	50-255	P
	9604050044	50-255	F
	9604050052	50-255	F
	9604050058	50-255	F
	9604080132	50-255	Q
	9604080137*	50-255	Q
	9604080140*	50-255	Q
	9604080188	50-255	P
	9604080219	50-255	Q
	9604080236	50-255	Q
	9604080240*	50-255	Q
	9604080308	50-255	P
	9604080313	50-255	R
	9604080390	50-155	P
	9604090096	50-255	R
	9604110094	50-155	R
	9604110150	50-255	P
	9604110181	50-255	P
	9604120040	50-255	F
	9604120070	50-255	P
	9604120071	50-255	Q
	9604120085	50-255	P
	9604160249	50-255	F
	9604160254	50-255	F
	9604160255	50-255	F
	9604180099	50-255	F
	9604190094	50-255	F
	9604220184	50-255	F
	9604220301	50-155	I
	9604220301	50-155	I
	9604220394	50-155	F
	9604230286	50-155	P
	9604240129	50-255	P
	9604300073	50-255	F
	9604300133	50-255	S
Council on Environmental Quality	9604010108*	STATE PRO	G
Covington & Burling	9604170184*	50-206	H
Cox & Associates, P.C.	9604030161	CONTRACT	
Crawford Fitting Co.	9604090191	50-155	S
Dairyland Power Cooperative	9604290240	50-409	W
	9604290262*	50-409	W
	9604290308	50-409	W

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604290314*	50-409	W
Dames & Moore	9604170239	FOIA	
Daniel B. Stephens & Associates, Inc.	9604120272*	70-*****	
Defense, Dept. of	9604010261	PR	
Delaware, Univ. of, Newark, DE	9604030285	PR	
Delmarva Power & Light Co.	9604190175*	50-272	I
Detroit Edison Co.	9604010252	50-341	P
	9604020021	50-341	J
	9604030389	50-341	P
	9604030395*	50-341	P
	9604080025	50-341	R
	9604080354	50-341	F
	9604080425	50-341	P
	9604120089	50-341	F
	9604170284	50-341	S
	9604170297*	50-341	S
	9604180172	50-341	F
	9604180184*	50-341	F
	9604220057	50-341	F
	9604220068*	50-341	F
	9604220071*	50-341	F
	9604220386	50-341	F
	9604230099	50-341	R
	9604240036	50-341	P
	9604240148	50-341	P
	9604300365	50-341	S
	9604300374*	50-341	S
Devonrue, Ltd.	9604030360	PRM	
Dewey Ballantine	9604100032	FOIA	
Dothan, AL	9604030176	CONTRACT	
Dow Chemical Co.	9604010022	50-264	R
Duke Power Co.	9604010009	50-369	P
	9604010009	50-369	P
	9604010009	50-369	P
	9604010009	50-369	P
	9604010011*	50-369	P
	9604010011*	50-369	P
	9604010011*	50-369	P
	9604010011*	50-369	P
	9604010330	50-369	R
	9604010330	50-369	R
	9604010373	50-413	R
	9604020013	50-269	F
	9604020013	50-269	F
	9604020013	50-269	F
	9604020018	50-269	F
	9604020018	50-269	F
	9604020018	50-269	F
	9604020050	50-287	Q
	9604020075	50-369	P
	9604020320	50-269	P
	9604020340*	50-269	P
	9604020447	50-413	F
	9604020449*	50-413	F
	9604050051	50-413	F
	9604050069*	50-413	F
	9604050071	50-269	S
	9604050391	50-413	P
	9604050391	50-413	P
	9604050394*	50-413	P
	9604050394*	50-413	P
	9604080200	50-370	S
	9604080230	50-369	Q
	9604080252	50-369	P
	9604080252	50-369	P
	9604080337	50-413	P
	9604090318	50-269	Q
	9604160012	50-413	Q
	9604160012	50-413	Q
	9604160066	50-413	P
	9604160066	50-413	P
	9604160079	50-369	P
	9604160079	50-369	P
	9604160079	50-369	P
	9604160087	50-269	P
	9604160087	50-269	P
	9604160087	50-269	P
	9604160089*	50-269	P
	9604160089*	50-269	P
	9604160395	50-413	P
	9604160395	50-413	P
	9604160398*	50-413	P
	9604160398*	50-413	P
	9604170032	50-413	P
	9604170032	50-413	P
	9604170036*	50-413	P
	9604170036*	50-413	P
	9604170041	50-413	P
	9604170041	50-413	P
	9604190061	50-413	F
	9604190272	50-413	P
	9604190272	50-413	P
	9604190277*	50-413	P
	9604190277*	50-413	P
	9604190281	50-413	Q
	9604190281	50-413	Q
	9604190348	50-413	Q
	9604220110	50-413	R
	9604220121	50-269	R
	9604220186	50-369	R
	9604220223	50-269	P
	9604220223	50-269	P
	9604220268	50-369	P
	9604220268	50-369	P
	9604220286	50-369	P
	9604220286	50-369	P
	9604220293*	50-369	R
	9604220299*	50-369	R
	9604220299*	50-369	R
	9604220308*	50-269	R
	9604220309*	50-269	R
	9604220319*	50-413	R
	9604220324*	50-413	R
	9604220352	50-287	S
	9604230228	50-414	S
	9604230283	50-370	P
	9604230285*	50-370	P
	9604250116	50-413	Q
	9604250161	50-269	R
	9604250161	50-269	R
	9604250161	50-269	R
	9604260055	50-269	S
	9604260142	50-269	R
	9604260142	50-269	R
	9604260142	50-269	R
	9604260178	50-269	F
	9604260197	50-269	F
	9604260197	50-269	F
	9604260197	50-269	F
	9604260203	50-369	F
	9604260203	50-369	F
	9604260206*	50-369	F
	9604260206*	50-369	F
	9604290300	50-369	Q
	9604290302*	50-369	Q
	9604300069	50-413	R
	9604300075*	50-413	R
	9604300135	50-369	R
	9604300135	50-369	R
	9604300176	50-269	Y
	9604300377	50-269	S
	9604300381	50-369	F
	9604300390*	50-369	F
	9604300390*	50-369	F
Dun & Bradstreet Information Services	9604110006	FOIA	
Duquesne Light Co.	9604020034	50-334	P
	9604020053	50-412	P
	9604020195	50-334	P
	9604030041	50-334	R
	9604030041	50-334	R
	9604030073*	50-334	R
	9604030073*	50-334	R
	9604030175	50-334	R
	9604030175	50-334	R
	9604030190*	50-334	R
	9604030324	50-334	I
	9604030324	50-334	I
	9604030324	50-334	I
	9604040193	50-334	R
	9604040193	50-334	R
	9604040205*	50-334	R
	9604040217*	50-334	R
	9604040233	50-334	P
	9604090249	50-334	F
	9604090249	50-334	F
	9604100107	PR	
	9604150317	50-334	Q
	9604160032	50-334	R
	9604160041	50-334	P
	9604160274	50-412	Q
	9604160380	50-334	F
	9604170095	71-275	
	9604220203	50-334	S
	9604220343	50-334	S
	9604240369	50-334	S
	9604290058	50-334	S
	9604290073*	50-334	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604300250	50-412	R
	9604300327	50-334	P
	9604300379	50-334	Q
E.I. du Pont de Nemours & Co., Inc.	9604030334	PR	
	9604220276	PR	
EQE Engineering Consultants (formerly EQ Engineering, Inc.)	9604040225*	50-219	P
Eastman Kodak Co.	9604260209	70-1703	
Easton Hosp., Easton, PA	9604250013	FOIA	
Edlow International Co.	9604080106	XPORTLIC	
	9604080109*	XPORTLIC	
	9604080122	XPORTLIC	
	9604080170*	XPORTLIC	
	9604080177*	XPORTLIC	
	9604100059	XPORTLIC	
	9604100067	70-1252	
	9604100071	70-1252	
	9604100072	70-1252	
	9604100201	70-1252	
	9604100259	XPORTLIC	
	9604150287	70-1252	
	9604240057	XPORTLIC	
	9604240065*	XPORTLIC	
	9604260213	70-1252	
Electric Power Research Institute	9604010311*	TOPREP	
	9604050098	TOPREP	
	9604050153	TOPREP	
	9604050172	TOPREP	
	9604050196*	TOPREP	
	9604150097*	50-397	P
	9604170471	TOPREP	
	9604180190*	TOPREP	
Electricity de France-EDF	9604010419*	ORG	
Empire Soils Investigations, Inc.	9604170113	71-9033	
	9604170119	71-9269	
Emporia State Univ., Emporia, KS	9604190321	CONTRACT	
Encore Computer Corp.	9604160458	CONTRACT	
Energy Fuels Nuclear, Inc.	9604020453	40-8681	
	9604090304	40-8681	
	9604290377	40-*****	
Energy Research, Inc.	9603290365*	50-317	P
	9604250376*	50-354	P
Energy, Dept. of	9509050079*	ORG	
	9604010014	PROJ	
	9604030323	WASTE MGT	
	9604050033	WASTE MGT	
	9604050035*	WASTE MGT	
	9604080108*	XPORTLIC	
	9604080124*	XPORTLIC	
	9604080215	XPORTLIC	
	9604080233*	XPORTLIC	
	9604090062	WASTE MGT	
	9604090066*	WASTE MGT	
	9604090068	WASTE MGT	
	9604090070*	WASTE MGT	
	9604090073	WASTE MGT	
	9604090076	WASTE MGT	
	9604090178	71-9269	
	9604090374	XPORTLIC	
	9604090490	71-9788	
	9604110155	WASTE MGT	
	9604120288	PROJ	
	9604150313	WASTE MGT	
	9604160263	WASTE MGT	
	9604160432	WASTE MGT	
	9604160437	WASTE MGT	
	9604160439	WASTE MGT	
	9604160443	WASTE MGT	
	9604170028	WASTE MGT	
	9604170074	PROJ	
	9604170076*	PROJ	
	9604170277	WASTE MGT	
	9604170353	WASTE MGT	
	9604180057	40-3453	
	9604180196*	40-8907	
	9604180343	WASTE MGT	
	9604190073	40-1341	
	9604190081*	40-1341	
	9604220060	WASTE MGT	
	9604220066*	WASTE MGT	
	9604220083	WASTE MGT	
	9604220363	WASTE MGT	
	9604220370*	WASTE MGT	
	9604220375	WASTE MGT	
	9604220380	WASTE MGT	
	9604220384	WASTE MGT	
	9604220395	WASTE MGT	
	9604230104	WASTE MGT	
	9604250110	WASTE MGT	
	9604250113*	WASTE MGT	
	9604260122*	ORG	
	9604290191	PROJ	
	9604290198	PROJ	
	9604300277	WASTE MGT	
	9604300280*	WASTE MGT	
	9604300282	WASTE MGT	
	9604300287*	WASTE MGT	
	9604300291	WASTE MGT	
	9604300303	WASTE MGT	
Engineering Planning & Management, Inc.	9604300255	MISC	
Entergy Operations, Inc.	9604010005	50-382	F
	9604010018	50-382	S
	9604010359	50-313	J
	9604010359	50-313	J
	9604010359	50-313	J
	9604020085	50-313	F
	9604020085	50-313	F
	9604020088	50-313	F
	9604020088	50-313	F
	9604020175	50-458	H
	9604020190	50-458	P
	9604020303	50-458	R
	9604020307*	50-458	R
	9604040198	50-416	F
	9604040212	50-416	F
	9604080220	50-416	S
	9604080244	50-416	F
	9604080324	50-416	R
	9604080365	50-382	Q
	9604100013	50-313	S
	9604100047	50-458	Q
	9604120050	50-416	R
	9604150342	50-313	S
	9604150376	50-313	F
	9604160085	50-458	S
	9604160260	50-313	P
	9604160260	50-313	P
	9604160262*	50-313	P
	9604160262*	50-313	P
	9604160337	50-368	P
	9604160338*	50-368	P
	9604170003	50-382	P
	9604170139	50-382	R
	9604180306	50-382	P
	9604180388	50-382	F
	9604190112	50-313	R
	9604190116	50-368	R
	9604190128	50-416	F
	9604190259	50-416	P
	9604190261*	50-416	P
	9604190285	50-382	P
	9604190338	50-416	P
	9604190338	50-416	P
	9604190344*	50-416	P
	9604190344*	50-416	P
	9604220177	50-458	R
	9604230060	50-382	P
	9604230212	50-313	F
	9604230212	50-313	F
	9604230214	50-313	F
	9604230214	50-313	F
	9604230222	50-313	F
	9604230222	50-313	F
	9604230258	50-313	I
	9604230258	50-313	I
	9604230258	50-313	I
	9604230262	50-313	P
	9604230324	50-416	P
	9604230337	50-416	I
	9604250275	50-382	F
	9604250283	50-382	F
	9604260188	50-382	H
	9604260194	50-382	Q
	9604260195	50-458	P
	9604260198	50-382	R
	9604290042	50-416	Q
	9604290053	50-458	Q
	9604290131	50-416	P
	9604290350	50-416	P
	9604290355	50-416	R
	9604300140	50-416	S
	9604300371	50-368	S
Entropic Systems, Inc.	9604160375	CONTRACT	
Envirocare, Inc.	9604100193	40-8989	
Environmental Protection Agency	8811220498	40-8907	
	9604150324*	50-219	P
	9604170202*	COMMISSIO	N
	9604170253*	50-219	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Excel Services Corp.	9604300007*	50-219 P
	9604020060	NUREG
	9604020067	NUREG
	9604020071	NUREG
	9604020077	NUREG
	9604020086	NUREG
	9604020090	NUREG
	9604020103	NUREG
	9604020155	NUREG
	9604020161	NUREG
Exeter, NH	9604030400	CONTRACT
Exxon Corp.	8501290237	40-8064
FRAMATOME	9604090154	50-302 S
Facilities Management Co., Inc., Lanham, MD	9604100245	CONTRACT
Federal Emergency Management Agency	9604110081*	50-483 F
	9604260249*	50-293 F
	9604260259*	50-293 F
	9604290321*	50-334 F
	9604290347*	50-334 F
Federal Power Commission	9604120182*	50-219 P
Ferret Exploration Co. of Nebraska, Inc.	9604160138	40-8943
Florida Power & Light Co.	9604010047	50-335 S
	9604020315	50-335 S
	9604020386	50-335 F
	9604030077	50-250 R
	9604030081*	50-250 R
	9604030081*	50-250 R
	9604080269	50-335 P
	9604090120	50-389 P
	9604090121*	50-389 P
	9604090335	50-302 F
	9604090352*	50-302 F
	9604090483	50-335 Q
	9604090483	50-335 Q
	9604110098	50-250 Q
	9604120261	50-335 S
	9604120261	50-335 S
	9604150123	50-389 Q
	9604150125*	50-389 Q
	9604190040	50-250 P
	9604190139	50-335 R
	9604220169	50-250 R
	9604220398	50-335 P
	9604220398	50-335 P
	9604230014	50-335 R
	9604260191	50-250 R
	9604260191	50-250 R
	9604290067	50-250 S
	9604290087	50-250 P
	9604290087	50-250 P
	9604290093*	50-250 P
	9604290093*	50-250 P
	9604290197	50-250 P
	9604290197	50-250 P
	9604290199*	50-250 P
	9604290199*	50-250 P
	9604300066	50-389 R
	9604300105	50-335 Q
	9604300105	50-335 Q
	9604300164	50-250 S
	9604300223	50-335 Q
	9604300237	50-335 P
	9604300237	50-335 P
	9604300241*	50-335 P
	9604300241*	50-335 P
	9604300431	50-335 Q
Florida Power Corp.	9604010070	50-302 F
	9604010075	50-302 F
	9604010268	50-302 Q
	9604010400	50-302 F
	9604010436	50-302 S
	9604030021	50-302 P
	9604050420	50-302 P
	9604050432*	50-302 P
	9604050443*	50-302 P
	9604050445*	50-302 P
	9604050447*	50-302 P
	9604050448*	50-302 P
	9604050449*	50-302 P
	9604050451*	50-302 P
	9604080090	50-302 S
	9604080099	50-302 Q
	9604080107	50-302 J
	9604080232	50-302 S
	9604090328	50-302 F
	9604090342	50-302 P
	9604150222	50-302 F
	9604150234	50-302 S
	9604150332	50-302 F
	9604150411	50-302 P
	9604150412	50-302 P
	9604160003	50-302 P
	9604160416	50-302 R
	9604170241	50-302 F
	9604170245	50-302 F
	9604170247	50-302 F
	9604180318	50-302 F
	9604220305	50-302 P
	9604220359	50-302 V
	9604220405	50-302 P
	9604230115	50-302 F
	9604230270	50-302 P
	9604230354	50-302 F
	9604240127	50-302 F
	9604240195	50-302 F
	9604250253	50-302 Q
	9604260185	50-302 F
	9604290208	50-302 P
	9604300053	50-302 S
	9604300070	50-302 F
	9604300361	50-302 R
Florida, Univ. of, Gainesville, FL	9604030423	50-83 P
	9604030424*	50-83 P
	9604300009	50-83 S
	9604300014*	50-83 S
Framatome Cogema Fuels (formerly B&W Fue Co.),	9604090094*	50-327 P
	9604090100*	50-327 P
	9604110032	71-9203
	9604220236	70-1201
	9604220241*	70-1201
	9604220245*	70-1201
	9604220253*	70-1201
	9604250188	71-9251
Future Resources Associates, Inc.	9604250089	CONTRACT
General Atomics (formerly GA Technologie s, Inc./General Atomic Co.)	9603280129*	70-734
	9603280140*	70-734
	9603290113*	70-734
	9603290161*	70-734
	9603290242*	70-734
	9603290245*	70-734
	9604020100	50-89 I
	9604030380*	71-6346
	9604100208	40-8027
	9604190142	71-6346
	9604190359	50-89 R
	9604190361	50-163 R
	9604240362	70-734
General Electric Co.	9604010058	40-534
	9604010167	50-73 R
	9604020008*	TOPREP
	9604020384*	CONTRACT
	9604020388*	CONTRACT
	9604030105*	50-263 P
	9604080112	TOPREP
	9604080403*	50-324 P
	9604090193	70-1113
	9604090300	50-254 P
	9604090306	70-1113
	9604100221	TOPREP
	9604120310	52-4
	9604150092*	50-397 P
	9604150115	52-4
	9604150203	XPORTLIC
	9604160114*	50-373 P
	9604180317	50-73 F
	9604190168	72-1
	9604220045	52-4
	9604220047*	52-4
	9604240082	52-1
	9604240086*	52-1
	9604240111	TOPREP
	9604240113*	TOPREP
	9604240371	72-1
	9604260207	XPORTLIC
	9604260211	70-1113
	9604260215	70-1113
	9604300230	70-1113
	9604300272	70-1113
	9604300444	70-1308
	9604300444	70-1308
General Public Utilities Corp. - GPU Service Corp.	9603050137	50-289 P
	9603050148*	50-289 P
	9604020061	50-219 P
	9604020064*	50-219 P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604020133	50-219	P
	9604020135*	50-219	P
	9604020420	50-289	F
	9604020420	50-289	F
	9604040071*	50-219	P
	9604040218	50-219	P
	9604050010	71-9208	
	9604050013	71-6574	
	9604050014	71-9224	
	9604050018	50-289	F
	9604050018	50-289	F
	9604050125	71-9222	
	9604050200	71-9089	
	9604080168	50-289	P
	9604090291	50-219	P
	9604090293*	50-219	P
	9604100170	50-289	F
	9604120022*	50-363	A
	9604160001	50-289	Q
	9604160016	50-219	R
	9604160069	50-289	P
	9604160076*	50-289	P
	9604160103	50-219	R
	9604160266	50-289	F
	9604170040	50-219	P
	9604180337	50-219	F
	9604180368*	50-146	C
	9604190103	50-219	S
	9604220076	50-219	P
	9604220081*	50-219	P
	9604220233	50-320	P
	9604220240	50-289	P
	9604230045*	50-219	P
	9604230073	50-289	R
	9604240038	50-289	K
	9604240043*	50-289	K
	9604240045*	50-289	K
	9604240147	50-219	P
	9604250257	50-289	R
	9604290327	50-289	F
	9604300247	50-289	R
Geological Services, Inc.	9604290251	40-3453	
Georgia Power Co.	9604020014	50-321	R
	9604020014	50-321	R
	9604020154	50-424	F
	9604050016	50-424	Q
	9604050016	50-424	Q
	9604050023	50-424	Q
	9604050024	50-424	S
	9604050026	50-424	Q
	9604080209	50-424	S
	9604080289	50-424	Q
	9604110048	50-321	S
	9604110085	50-321	Q
	9604110116	50-321	K
	9604110119*	50-321	K
	9604110119*	50-321	K
	9604110121*	50-321	K
	9604160009	50-424	R
	9604160009	50-424	R
	9604160047	50-321	R
	9604160047	50-321	R
	9604160410	50-424	P
	9604170008	50-424	P
	9604170009*	50-424	P
	9604170023	50-321	P
	9604170023	50-321	P
	9604170027	50-321	Q
	9604220198	50-424	F
	9604220331	50-321	S
	9604230085	50-321	F
	9604250422	50-321	R
	9604250422	50-321	R
Georgia, State of	9604030075*	STATE PRO	G
	9604030088*	STATE PRO	G
	9604030093*	STATE PRO	G
	9604030097*	STATE PRO	G
	9604030102*	STATE PRO	G
Georgia, Univ. of, Athens, GA	9604020277	NUREG	
Graphics Visions Associates, Inc.	9604180421	CONTRACT	
HRI, Inc. (Hydro Resources, Inc.)	9604030208	40-8968	
	9604090313	40-8968	
	9604150068	40-8968	
	9604260063	40-8968	
Halliburton NUS Environmental Corp.	9604220230	CONTRACT	
Harmon, Curran, Gallagher & Spielberg (formerly Harmon, Curran & Tousley)	9604010407	40-8027	
	9604020048	40-8027	
	9604020290	40-8027	
	9604180214	50-29	G
	9604180230*	50-29	G
Health & Human Services, Dept. of	9604150144*	50-219	P
Hepford, Swartz, Menaker & Morgan	9604020455	50-320	P
High Mountain Inspection Services, Inc.	9604220294	71-553	
Homestake Mining Co.	9604030127	40-8903	
	9604030130*	40-8903	
House of Rep.	9604050126*	COMMISSIO	N
	9604080190*	COMMISSIO	N
	9604080199*	COMMISSIO	N
Houston Lighting & Power Co.	9604010182	50-498	J
	9604010198	50-498	P
	9604010198	50-498	P
	9604010202*	50-498	P
	9604010202*	50-498	P
	9604010412	50-498	Q
	9604010412	50-498	Q
	9604020055	50-498	H
	9604020055	50-498	H
	9604050055	50-499	Q
	9604090477	50-498	Q
	9604090477	50-498	Q
	9604100029	50-498	P
	9604110075	50-498	Q
	9604110075	50-498	Q
	9604110120	50-498	P
	9604110123*	50-498	P
	9604110265	50-498	P
	9604110265	50-498	P
	9604150312	50-498	H
	9604150312	50-498	H
	9604160054	50-498	P
	9604160054	50-498	P
	9604160061*	50-498	P
	9604170007	50-498	F
	9604170007	50-498	F
	9604180333	50-498	F
	9604220187	50-498	P
	9604220187	50-498	P
	9604220196	50-498	P
	9604220196	50-498	P
	9604220201	50-498	R
	9604220333	50-498	P
	9604220333	50-498	P
	9604230235	50-498	P
	9604230237*	50-498	P
	9604230254	50-498	P
	9604230254	50-498	P
	9604290309	50-499	S
Howard Hughes Medical Institute,	9604030033	PR	
Bethesda, MD			
Hydro-Engineering	9604030220*	40-6622	
	9604110161*	40-6622	
IES Utilities Inc., (formerly Iowa Electric Light & Power Co)	9604150149	50-331	P
	9604150151*	50-331	P
	9604170024	50-331	F
	9604170064	50-331	R
	9604230265	50-331	P
	9604260111	50-331	F
	9604290270	50-331	P
	9604290358	50-331	R
	9604290382	50-331	R
	9604300180	50-331	S
INPUT, Inc.	9604240151	FOIA	
INTERA, Inc., Austin, TX (formerly INTER Technologies, Inc.)	9604220023*	40-8904	
Idaho National Engineering Laboratory	9604180377*	50-313	Q
	9604180387*	50-313	Q
Illinois Power Co.	9604090245	50-461	S
	9604110285	50-461	P
	9604160480	50-461	F
	9604180383	50-461	R
	9604230105	50-461	F
	9604230269	50-461	P
	9604290119	50-461	P
	9604290123*	50-461	P
	9604300348	50-461	R
Illinois, State of	9604010279	STATE PRO	G
	9604010289*	STATE PRO	G
	9604020083*	STATE PRO	G
	9604090303	STATE PRO	G
	9604090470	PRM	
	9604150109	STATE PRO	G
	9604290086	STATE PRO	G
Indiana Michigan Power Co.	9604260187	50-315	Q
Indiana Michigan Power Co. (formerly Indiana & Michigan Electric Co.)	9604010206	50-315	R
	9604010206	50-315	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604020069	50-315	F
	9604020069	50-315	F
	9604020074	50-315	F
	9604020074	50-315	F
	9604020081	50-315	F
	9604020081	50-315	F
	9604030318	50-315	F
	9604080144	50-316	S
	9604080296	50-315	R
	9604080302*	50-315	R
	9604080302*	50-315	R
	9604080410	50-315	F
	9604080410	50-315	F
	9604100083	50-315	Q
	9604100083	50-315	Q
	9604120049	50-316	R
	9604120131	50-315	R
	9604120136*	50-315	R
	9604120139*	50-315	R
	9604120144*	50-315	R
	9604120145*	50-315	R
	9604120150*	50-315	R
	9604120152*	50-315	R
	9604150143	50-315	P
	9604150143	50-315	P
	9604150155	50-315	Q
	9604150155	50-315	Q
	9604150252	50-315	P
	9604150252	50-315	P
	9604150254*	50-315	P
	9604150254*	50-315	P
	9604150408	50-315	P
	9604160188	50-315	I
	9604160188	50-315	I
	9604180325	50-316	S
	9604220180	50-315	P
	9604290304	50-315	Q
	9604290304	50-315	Q
	9604290402	50-315	P
	9604290402	50-315	P
	9604290405*	50-315	P
	9604290405*	50-315	P
	9604300191	50-315	Q
	9604300191	50-315	Q
	9604300447	50-315	R
	9604300447	50-315	R
Institute of Nuclear Power Operations	9604100257	CONTRACT	
	9604120228	ORG	
Interior, Dept. of	9604170089*	50-219	P
Interior, Dept. of, Fish & Wildlife Service	9604030403	50-344	P
	9604120187	40-8948	
Interior, Dept. of, Geological Survey	9604090403*	WASTE MGT	
	9604090406*	WASTE MGT	
Interior, Dept. of, National Park Servic	9604010224*	ORG	
Iowa, State of	9604010222	STATE PRO	G
J.C. Computer Services, Inc. (formerly J.C. Services)	9604120157*	CONTRACT	
J.L. Shepherd & Associates	9604170262	71-5984	
JRA Associates	9604080445	FOIA	
	9604170224	50-397	Q
	9604220017	FOIA	
	9604250044	FOIA	
Jacobs Engineering Group, Inc.	9604030270*	STATE PRO	G
	9604170279*	WASTE MGT	
	9604220399*	WASTE MGT	
Japan	9604090334*	COMMISSIO	N
Jersey Central Power & Light Co.	9604110275*	50-219	F
	9604120031*	50-219	P
	9604120045*	50-219	S
	9604120055*	50-219	P
	9604120060*	50-219	S
	9604120109*	50-219	P
	9604120114*	50-219	S
	9604120134*	50-219	S
	9604120142*	50-219	P
	9604120169*	50-219	S
	9604120173*	50-219	S
	9604120188*	50-219	P
	9604120203*	50-219	S
	9604120215*	50-219	P
	9604120234*	50-219	P
	9604120278*	50-219	Q
	9604150002*	50-219	S
	9604150008*	50-219	P
	9604150013*	50-219	P
	9604150026*	50-219	P
	9604150074*	50-219	P
	9604150084*	50-219	P
	9604150095*	50-219	P
	9604150098*	50-219	Q
	9604150184*	50-219	P
	9604150196*	50-219	P
	9604150200*	50-219	Q
	9604150208*	50-219	P
	9604150227*	50-219	P
	9604150288*	50-219	P
	9604150301*	50-219	S
	9604150338*	50-219	P
	9604150344*	50-219	P
	9604150398*	50-219	P
	9604160048*	50-219	P
	9604160051*	50-219	P
	9604160152*	50-219	P
	9604160154*	50-219	P
	9604160198*	50-219	P
	9604160230*	50-219	P
	9604160238*	50-219	H
	9604160307*	50-219	Q
	9604160362*	50-219	Q
	9604160417*	50-219	P
	9604160428*	50-219	Q
	9604160431*	50-219	P
	9604160435*	50-219	P
	9604160442*	50-219	P
	9604160446*	50-219	P
	9604170025*	50-219	P
	9604170195*	50-219	S
	9604170201*	50-219	V
	9604170206*	50-219	V
	9604170210*	50-219	S
	9604170212*	50-363	A
	9604170215*	50-219	S
	9604170216*	50-219	P
	9604170229*	50-219	S
	9604170231*	50-219	P
	9604170266*	50-219	S
	9604170281*	50-219	S
	9604170282*	50-219	P
	9604170289*	50-219	S
	9604170290*	50-219	P
	9604170323*	50-219	Q
	9604170325*	50-219	S
	9604170329*	50-219	Q
	9604170335*	50-219	Q
	9604170342*	50-363	Q
	9604170345*	50-219	S
	9604170367*	50-219	P
	9604170376*	50-219	P
	9604170379*	50-219	P
	9604170386*	50-219	Q
	9604170388*	50-219	Q
	9604170389*	50-219	Q
	9604170396*	50-219	S
	9604170398*	50-219	P
	9604170406*	50-219	Q
	9604170412*	50-219	Q
	9604170433*	50-219	S
	9604170437*	50-219	P
	9604170443*	50-219	S
	9604170483*	50-219	P
	9604170493*	50-219	S
	9604170499*	50-219	P
	9604180001*	50-219	P
	9604180003*	50-219	P
	9604180005*	50-219	P
	9604180006*	50-219	Q
	9604180009*	50-219	P
	9604180010*	50-219	S
	9604180016*	50-219	S
	9604180022*	50-219	P
	9604180023*	50-219	S
	9604180027*	50-219	S
	9604180032*	50-219	S
	9604180040*	50-219	S
	9604180044*	50-219	S
	9604180048*	50-219	S
	9604180051*	50-219	P
	9604180053*	50-219	S
	9604180068*	50-219	S
	9604180075*	50-219	S
	9604180104*	50-219	S
	9604180108*	50-219	P
	9604180109*	50-219	S
	9604180118*	50-219	Q
	9604180141*	50-219	S
	9604180143*	50-219	Q
	9604180152*	50-219	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604180157*	50-219	S
	9604180167*	50-219	P
	9604180179*	50-219	Q
	9604180182*	50-219	P
	9604180188*	50-219	S
	9604180199*	50-219	S
	9604180202*	50-219	S
	9604180211*	50-219	S
	9604180225*	50-219	S
	9604180232*	50-219	Q
	9604180238*	50-219	Q
	9604180292*	50-219	Q
	9604180294*	50-219	Q
	9604180301*	50-219	P
	9604180346*	50-219	P
	9604180384*	50-219	Q
	9604180399*	50-219	Q
	9604180405*	50-219	P
	9604190211*	50-219	S
	9604190216*	50-219	S
	9604190231*	50-219	S
	9604190235*	50-219	S
	9604190249*	50-219	S
	9604190256*	50-219	S
	9604190312*	50-219	Q
	9604190313*	50-219	Q
	9604190340*	50-219	Q
	9604190351*	50-219	Q
	9604190362*	50-219	Q
	9604220002*	50-219	P
	9604220007*	50-219	P
	9604220016*	50-219	P
	9604220030*	50-219	P
	9604220035*	50-219	P
	9604220038*	50-219	Q
	9604220041*	50-219	Q
	9604220043*	50-219	P
	9604220053*	50-219	S
	9604220063*	50-219	S
	9604220077*	50-219	Q
	9604220105*	50-219	Q
	9604220126*	50-219	Q
	9604220143*	50-219	Q
	9604220155*	50-219	S
	9604220192*	50-219	Q
	9604220205*	50-219	P
	9604220215*	50-363	P
	9604220220*	50-219	Q
	9604220265*	50-219	P
	9604220283*	50-219	Q
	9604220300*	50-219	Q
	9604220316*	50-219	P
	9604220381*	50-219	P
	9604220406*	50-219	P
	9604220407*	50-219	P
	9604220408*	50-219	P
	9604230007*	50-219	V
	9604230023*	50-219	Q
	9604230028*	50-219	Q
	9604230056*	50-219	Q
	9604230122*	50-219	P
	9604230133*	50-219	P
	9604230149*	50-219	Q
	9604230159*	50-219	Q
	9604230185*	50-219	Q
	9604230201*	50-219	Q
	9604230240*	50-219	Q
	9604230255*	50-219	P
	9604230259*	50-219	P
	9604230267*	50-219	P
	9604230268*	50-219	Q
	9604230277	50-219	P
	9604230287*	50-219	P
	9604230294*	50-219	P
	9604230298*	50-219	F
	9604230301*	50-219	Q
	9604230306*	50-219	P
	9604230307*	50-219	P
	9604230314*	50-219	P
	9604230316*	50-219	P
	9604230377*	50-219	P
	9604230387*	50-219	Q
	9604230406*	50-219	P
	9604240014	50-219	P
	9604240049*	50-219	P
	9604240061*	50-219	P
	9604240116*	50-219	P
	9604240136*	50-219	S
	9604240141*	50-219	S
	9604240160*	50-219	S
	9604240166*	50-219	S
	9604240184*	50-219	S
	9604240221*	50-219	S
	9604240237*	50-219	S
	9604240258	50-219	S
	9604240265*	50-219	P
	9604240274*	50-219	P
	9604240279*	50-219	S
	9604250021*	50-219	P
	9604250286*	50-219	P
	9604250312*	50-219	P
Johns Hopkins Univ., Baltimore, MD	9604230376	NUREG	
	9604230399	NUREG	
Jones, Day, Reavis & Pogue	9604250071	FOIA	
KC Inspection, Inc.	9604250068	71-9032	
Kennecott Corp.	9604030050	40-8584	
	9604220013	40-8904	
Kentucky, Commonwealth of	9604030126*	STATE PRO	G
Kerr-McGee Corp.	9604090149	70-3073	
Kohn, Kohn & Colapinto, P.C. (formerly Kohn & Associates)	9604110016*	FOIA	
	9604110020*	50-424	H
La Crosse, WI	9604030342	CONTRACT	
Labor, Dept. of	9604100039*	50-250	G
Lacey Township, NJ	9604030430*	50-219	H
Lawrence Livermore National Laboratory	9604150345	NUREG	
Louisiana, State of	9604040204*	50-416	F
MAC Technical Services Co.	9604010409*	40-2384	
MPR Associates, Inc.	9604030085*	TOPREP	
	9604050423*	50-302	P
	9604050428*	50-302	P
	9604050436*	50-302	P
	9604050439*	50-302	P
	9604050441*	50-302	P
	9604170059*	ORG	
	9604290216*	50-302	P
Maine Yankee Atomic Power Co.	9604010147	50-309	I
	9604040246	50-309	P
	9604080110*	50-309	Q
	9604080172	50-309	Q
	9604080212	50-309	P
	9604080221*	50-309	P
	9604080229*	50-309	P
	9604090279	50-309	P
	9604090284*	50-309	P
	9604120185	50-309	P
	9604160006	50-309	Q
	9604160258	50-309	F
	9604170431	50-309	K
	9604170464*	50-309	K
	9604180153	50-309	P
	9604180186	50-309	P
	9604180212	50-309	F
	9604190358	50-309	S
	9604220388	50-309	R
	9604230065	50-309	P
	9604230067*	50-309	P
	9604240181	50-309	P
	9604260184	50-309	P
	9604290318	50-309	R
	9604290326	50-309	I
	9604300360	50-309	S
Maine, State of	9604010107	STATE PRO	G
	9604180449*	STATE PRO	G
Maryland, State of	9604010439	STATE PRO	G
	9604020349	STATE PRO	G
Maryland, Univ. of, College Park, MD	9604080104	CONTRACT	
	9604240254	CONTRACT	
Massachusetts Institute of Technology, Cambridge, MA	9604120216	50-20	P
Massachusetts, Commonwealth of	9604020028*	50-29	G
Massachusetts, Univ. of, Amherst, MA	9604010267*	ORG	
Mays & Valentine	9604100208	40-8027	
Metallurg, Inc.	9604180069	40-8948	
Michigan Technological Univ., Houghton, MI	9604250280	71-*****	
	9604250287*	71-*****	
Michigan, State of	9604020004	CONTRACT	
	9604050028*	50-255	G
	9604050034*	50-255	G
Michigan, Univ. of, Ann Arbor, MI	9604030428	50-2	R
Minnesota Mining & Manufacturing Co. (3M Co.)	9604080265	FOIA	
Mississippi, State of	9604250202	50-416	R
Missouri, State of	9604040241	CONTRACT	
Missouri, Univ. of, Columbia, MO	9604150281	50-186	F
	9604170100	50-186	P
	9604180131	50-186	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604230252	50-186	P
Missouri, Univ. of, Kansas City, MO	9604030413	71-*****	
	9604030421*	71-*****	
Mitsubishi International Corp.	9604080328	XPORTLIC	
Mitsui & Co. (USA), Inc.	9604250199	XPORTLIC	
Modeling & Computer Services	9604020008*	TOPREP	
Monsanto Co.	9512010164*	REVIEW GR	P
Montana, State of	9604020258*	STATE PRO	G
Montesano, WA	9604100025	CONTRACT	
Morris, IL	9604230069	CONTRACT	
NAC International Corp. (formerly Nuclea Assurance Corp.),	9604010091	71-9010	
	9604010096*	71-9010	
NUS Corp.	9604150255*	40-8838	
Nathan M. Newmark Consulting Engineering Services	9604110291*	50-219	P
	9604110293*	50-219	P
National Academy of Sciences	9604090192	CONTRACT	
National Institute of Standards & Technology (formerly National Bureau of	9604030186	50-184	R
National Whistleblower Center	9604110016*	FOIA	
	9604110020*	50-424	H
Native Americans for a Clean Environment	9604010407	40-8027	
	9604010415*	40-8027	
	9604020048	40-8027	
	9604020290	40-8027	
	9604030316*	40-8027	
	9604110001	FOIA	
Neal R. Gross & Co., Inc.	9604170296	CONTRACT	
Nebraska Public Power District	9604010223	50-298	J
	9604010227*	50-298	J
	9604010316	50-298	S
	9604010397	50-298	P
	9604020042	50-298	S
	9604020271	50-298	F
	9604030146	50-298	P
	9604030152*	50-298	P
	9604030431	50-298	P
	9604040022	50-298	V
	9604040235	50-298	Q
	9604040237*	50-298	Q
	9604040245	50-298	P
	9604150103	50-298	Q
	9604150105*	50-298	Q
	9604220050	50-298	F
	9604220165	50-298	R
	9604220231	50-298	P
	9604230042	50-298	S
	9604230181	50-298	I
	9604240110	50-298	S
	9604250105	50-298	P
	9604300196	50-298	F
Nebraska, State of	9604100015	CONTRACT	
	9604300263	40-8943	
Nevada, State of	9604250145	PRM	
New England Coalition on Nuclear Pollution	9604180214	50-29	G
	9604180230*	50-29	G
New England Power Co.	9604300416	50-423	H
	9604300420	50-213	H
New Hampshire, State of	9604150133	PR	
New Jersey, State of	9604020079*	STATE PRO	G
	9604040255	CONTRACT	
	9604110195	50-219	F
	9604120175*	50-219	P
	9604150134*	50-219	P
	9604150315	PR	
	9604180278	50-272	P
	9604230271*	50-219	P
New Orleans, Univ. of, New Orleans, LA	9604020437	CONTRACT	
New York, State Univ. of, Oswego, NY	9604090182	CONTRACT	
New York, State of	9604010114	STATE PRO	G
	9604010155	STATE PRO	G
	9604010160	STATE PRO	G
	9604010179	STATE PRO	G
	9604010180	STATE PRO	G
	9604010185*	STATE PRO	G
	9604010367	STATE PRO	G
	9604010428	STATE PRO	G
	9604020131	STATE PRO	G
	9604080349*	40-*****	
	9604100084*	REVIEW GR	P
	9604150335	PR	
	9604160056	STATE PRO	G
	9604160171*	REVIEW GR	P
	9604250201	PR	
	9604300192	PR	
Niagara Mohawk Power Corp.	9604110278	50-220	F
	9604110278	50-220	F
	9604120148	50-220	F
	9604150273	50-410	S
	9604150278	50-220	H
	9604150290	50-220	S
	9604150343	50-220	S
	9604190080	50-220	R
	9604220042	50-410	S
	9604220179	50-410	R
	9604260106	50-410	P
	9604260138	50-220	P
	9604290135	50-220	S
North Atlantic Energy Service Corp. (NAESCO)	9604010425	50-443	P
	9604010433	50-443	F
	9604020361	50-213	P
	9604150164	50-213	Q
	9604160019	50-443	P
	9604160050*	50-443	P
	9604160123	50-443	R
	9604230062	50-443	F
	9604260182	50-443	R
	9604290278	50-443	J
North Carolina, State of	9604010320	STATE PRO	G
North Carolina, Univ. of, Chapel Hill, N	9604170127	CONTRACT	
North Carolina, Univ. of, Wilmington, NC	9604180393	CONTRACT	
North Dakota, State of	9604020057	STATE PRO	G
	9604020186	STATE PRO	G
Northeast Nuclear Energy Co.	9404210051*	50-336	Q
	9409200057*	50-245	P
	9604010149	50-336	S
	9604010229	50-336	R
	9604010236	50-336	S
	9604010239	50-336	S
	9604010245	50-336	S
	9604010411	50-245	S
	9604010421	50-245	S
	9604020029	50-245	S
	9604020076	50-245	S
	9604020095	50-245	S
	9604020136	50-245	S
	9604020182	50-336	P
	9604020185*	50-336	P
	9604020361	50-213	P
	9604020361	50-213	P
	9604080068	50-245	F
	9604080068	50-245	F
	9604080068	50-245	F
	9604080131	50-245	S
	9604080223	50-213	P
	9604080360	50-423	P
	9604090057	50-213	J
	9604090057	50-213	J
	9604090057	50-213	J
	9604090059	50-245	P
	9604150164	50-213	Q
	9604150164	50-213	Q
	9604150164	50-213	Q
	9604150207	50-336	S
	9604160080	50-245	S
	9604160112	50-245	S
	9604160265	50-245	P
	9604160265	50-245	P
	9604170004	50-245	F
	9604170004	50-245	F
	9604170004	50-245	F
	9604170012	50-245	F
	9604170012	50-245	F
	9604170012	50-245	F
	9604170209	50-245	Q
	9604170209	50-245	Q
	9604170209	50-245	Q
	9604170218	50-336	Q
	9604170271	50-245	R
	9604170271	50-245	R
	9604170271	50-245	R
	9604170275*	50-245	R
	9604170407	50-245	G
	9604190053	50-336	S
	9604190100	50-336	S
	9604220072	50-423	P
	9604220185	50-213	P
	9604220185	50-213	P
	9604220185	50-213	P
	9604220185	50-213	P
	9604220218	50-213	P
	9604220218	50-213	P
	9604220330	50-336	S
	9604220349	50-423	P
	9604220353*	50-423	P

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604240246	50-245	P
	9604240252*	50-245	P
	9604240294	50-213	R
	9604240376	50-423	S
	9604260045	50-336	S
	9604290045	50-245	S
	9604290267	50-423	S
	9604290299	50-423	S
	9604290319	50-336	S
	9604290334	50-336	S
	9604290394	50-245	R
	9604300042	50-245	F
	9604300042	50-245	F
	9604300120	50-336	Q
	9604300120	50-336	Q
	9604300201	50-213	P
	9604300203*	50-213	P
	9604300331	50-245	S
	9604300339	50-245	S
	9604300345	50-245	S
	9604300364	50-245	S
	9604300407	50-336	S
Northeast Utilities	9409200057*	50-245	P
	9604160184	50-213	P
Northeast Utilities Service Co.	9404210051*	50-336	Q
	9604010229	50-336	R
	9604010374	50-213	F
	9604010411	50-245	S
	9604010421	50-245	S
	9604020029	50-245	S
	9604020076	50-245	S
	9604020094	50-213	P
	9604020095	50-245	S
	9604020136	50-245	S
	9604020182	50-336	P
	9604020192	50-213	P
	9604080223	50-213	P
	9604080360	50-423	P
	9604090057	50-213	J
	9604090057	50-213	J
	9604090059	50-245	P
	9604100027	50-213	P
	9604100027	50-213	P
	9604150164	50-213	Q
	9604150246	50-213	P
	9604160080	50-245	S
	9604160265	50-245	P
	9604160314*	50-245	P
	9604170004	50-245	F
	9604170004	50-245	F
	9604170004	50-245	F
	9604170012	50-245	F
	9604170209	50-245	Q
	9604170209	50-245	Q
	9604170209	50-245	Q
	9604170218	50-336	Q
	9604170271	50-245	R
	9604170271	50-245	R
	9604170271	50-245	R
	9604190053	50-336	S
	9604190113	50-213	Q
	9604220185	50-213	P
	9604220185	50-213	P
	9604220185	50-213	P
	9604220211	50-213	P
	9604220218	50-213	P
	9604220349	50-423	P
	9604240246	50-245	P
	9604240294	50-213	R
	9604240376	50-423	S
	9604290045	50-245	S
	9604290267	50-423	S
	9604290281	50-213	R
	9604290394	50-245	R
	9604300120	50-336	Q
	9604300120	50-336	Q
	9604300201	50-213	P
	9604300209	50-213	P
	9604300214	50-245	Q
	9604300345	50-245	S
Northern States Power Co.	9604010319	50-263	F
	9604030100	50-263	P
	9604090180	50-282	R
	9604090202	50-282	F
	9604100003	50-263	S
	9604110295	50-282	Q
	9604110295	50-282	Q
	9604120029	50-282	P
	9604120029	50-282	P
	9604120123	50-263	F
	9604160378	50-282	K
	9604160378	50-282	K
	9604160406*	50-282	K
	9604160406*	50-282	K
	9604170114	50-282	S
	9604170124*	50-282	S
	9604220172	50-263	R
	9604220194	50-306	S
	9604230148	50-282	P
	9604230148	50-282	P
	9604230169	50-282	Q
	9604230169	50-282	Q
	9604230266	50-282	Q
	9604230266	50-282	Q
	9604230288	50-263	P
	9604240029	50-263	F
	9604240269	50-282	F
	9604240269	50-282	F
	9604260060	50-263	P
	9604260062*	50-263	P
	9604290060	50-282	P
	9604300208	50-282	R
Northwest Toxicology, Inc.	9604300033	CONTRACT	
Nuclear Containers, Inc.	9604110039	71-179	
Nuclear Energy Institute (formerly Nuclear Mgmt & Resources Council)	9604020213	PROJ	
	9604020244*	PROJ	
	9604030055	PR	
	9604090281	52-1	
	9604150177	REVIEW GR	P
	9604170203	PR	
	9604170222	REVIEW GR	P
	9604170409	PR	
	9604180460	PR	
	9604190046	REVIEW GR	P
	9604190290	PRM	
	9604220227	PR	
Nuclear Energy Services, Inc.	9604010065*	40-534	
	9604120170*	40-9027	
Nuclear Fuel Services, Inc.	9604090153	70-143	
	9604110102*	50-250	Q
	9604180443	70-143	
	9604290071	70-143	
Nuclear Information & Resource Service	9604290146*	50-282	G
Nuclear Research Corp.	8503130569*	REG CERT	
Nutech, Inc.	9604150198*	50-254	P
Oak Ridge Associated Universities	9604080254*	WASTE MGT	
	9604080301	WASTE MGT	
	9604120156	70-*****	
	9604190160	70-925	
	9604190164*	70-925	
	9604250057	WASTE MGT	
	9604260190	40-7580	
Oak Ridge National Laboratory	9604010410*	ORG	
	9604010417*	ORG	
	9604020259*	STATE PRO	G
	9604120206	40-3453	
	9604120237	70-*****	
	9604150130	70-*****	
	9604230376	NUREG	
	9604230399	NUREG	
	9604260159*	ORG	
Ocean County, NJ	9604160190	CONTRACT	
Ohio, State of	9604010234	FOIA	
	9604030352	50-440	F
	9604190121	40-8724	
	9604190135	40-8724	
Oklahoma, State of	9604170338	40-8027	
Omaha Public Power District	9604040184	50-285	R
	9604040186*	50-285	R
	9604040192	50-285	S
	9604080330	50-285	P
	9604090387	50-285	F
	9604090401*	50-285	F
	9604150147	PRM	
	9604190096	50-285	R
	9604220199	50-285	S
	9604240175	50-285	P
	9604240186*	50-285	P
	9604250061	50-285	P
	9604300060	50-285	R
Oregon, State of	9604010205	STATE PRO	G
	9604020125	STATE PRO	G
Organization for Economic Cooperation & Development	9604050180*	COMMISSIO	N
Organization of Agreement States	9604010256	STATE PRO	G
PECO Energy Co., (formerly Philadelphia Electric Co.)	9604010432	50-352	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604020322	50-277	F
	9604020322	50-277	F
	9604020347*	50-277	F
	9604020380	50-352	S
	9604030071	50-277	P
	9604030071	50-277	P
	9604030078*	50-277	P
	9604030078*	50-277	P
	9604040010	50-277	S
	9604040018	50-277	Q
	9604040018	50-277	Q
	9604040133	50-352	K
	9604040133	50-352	K
	9604040136*	50-352	K
	9604040228	50-277	P
	9604040228	50-277	P
	9604050046	50-352	P
	9604050046	50-352	P
	9604050050*	50-352	P
	9604050050*	50-352	P
	9604050063	50-352	F
	9604050068*	50-352	F
	9604080138	50-352	S
	9604080141	50-352	P
	9604080141	50-352	P
	9604170019	50-277	P
	9604170031	50-352	R
	9604190099	50-277	R
	9604190287	PRM	
	9604190288	50-352	F
	9604220269	50-353	S
	9604220275	50-353	S
	9604220297	50-352	S
	9604220340	50-352	P
	9604230092	50-277	P
	9604260105	50-352	S
	9604260107	50-277	P
	9604260114*	50-352	S
	9604290213	50-277	Q
	9604290245	50-352	S
	9604300074	50-277	R
	9604300074	50-277	R
	9604300081*	50-277	R
	9604300081*	50-277	R
	9604300086*	50-277	R
	9604300189	50-277	Q
	9604300266	50-277	R
	9604300266	50-277	R
	9604300268*	50-277	R
	9604300268*	50-277	R
	9604300427	50-352	P
	9604300427	50-352	P
	9604300428*	50-352	P
	9604300428*	50-352	P
PSI Energy, Inc. a/k/a Public Service Co	9604090257	71-9269	
of Indiana & Public Service Indiana			
PTI Services, Inc.	9604120286	40-8948	
Pacific Gas & Electric Co.	9604010120	50-275	R
	9604010120	50-275	R
	9604010133	50-275	I
	9604010133	50-275	I
	9604010263	50-275	S
	9604020265	50-275	S
	9604030238	50-275	P
	9604040162	50-275	P
	9604040162	50-275	P
	9604040166*	50-275	P
	9604040166*	50-275	P
	9604040169*	50-275	P
	9604040169*	50-275	P
	9604050029	50-275	S
	9604080117	50-323	P
	9604080123	50-275	P
	9604080123	50-275	P
	9604080154	50-133	R
	9604080288	50-133	R
	9604080358	50-133	R
	9604150328	50-275	Q
	9604190118	50-275	R
	9604190118	50-275	R
	9604190158	50-275	S
	9604240182	50-275	R
	9604240182	50-275	R
	9604250100	50-275	P
	9604250442	50-344	R
	9604300022	50-275	S
	9604300228	50-275	S
	9604300411	50-275	S
Pacific Sierra Nuclear Associates	9604190271	72-1007	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Pathfinder Mines Corp.	9604020425	40-6622	
	9604020438	40-6622	
	9604030034	40-6622	
	9604030068	40-2259	
	9604030215	40-6622	
	9604110159	40-6622	
Pennsylvania Power & Light Co.	9604020082	50-387	J
	9604020082	50-387	J
	9604020111	50-387	R
	9604030433	50-387	Q
	9604030433	50-387	Q
	9604110072	50-387	S
	9604190058	50-387	R
	9604220152	50-387	J
	9604220193	50-387	R
	9604220193	50-387	R
	9604220258	50-388	Q
	9604220326	50-387	P
	9604260143	50-387	R
	9604260143	50-387	R
	9604300129	50-387	P
	9604300236	71-9073	
Pennsylvania State Univ., University Park, PA	9604220037*	52-3	
	9604220099	CONTRACT	
	9604220256	CONTRACT	
Pennsylvania, Commonwealth of	9604010249	STATE PRO	G
	9604090173	CONTRACT	
	9604150054	70-*****	
Pennsylvania, Univ. of, Philadelphia, PA	9604030037	PR	
Perry, OH	9604030297	CONTRACT	
Petrotomics Co. (formerly Getty/Petrotomics Co.)	9604150088	40-6659	
	9604150100*	40-6659	
	9604290056	40-6659	
	9604290064	40-6659	
	9604300264	40-6659	
Photocraft Custom Lab, Inc.	9604230088	CONTRACT	
Pittsburgh, Univ. of, Pittsburgh, PA	9604300252*	CONTRACT	
Plateau Resources, Ltd.	9604030408	40-8698	
Poco Graphite, Inc.	9604080086*	XPORTLIC	
	9604080096*	XPORTLIC	
PoleStar Applied Technology, Inc.	9604180251*	50-259	P
Portland General Electric Co.	9604010440	50-344	F
	9604010440	50-344	F
	9604050053	50-344	J
	9604100185	50-344	Y
	9604100185	50-344	Y
	9604100190*	50-344	Y
	9604100190*	50-344	Y
	9604100197*	50-344	Y
	9604100197*	50-344	Y
	9604100199*	50-344	Y
	9604100199*	50-344	Y
	9604100200*	50-344	Y
	9604100200*	50-344	Y
	9604100206*	50-344	Y
	9604100206*	50-344	Y
	9604100261	50-344	Y
	9604100261	50-344	Y
	9604110288	50-344	P
	9604120006	50-344	Y
	9604150397	50-344	Y
	9604150397	50-344	Y
	9604150402*	50-344	Y
	9604150402*	50-344	Y
	9604170339	50-344	Y
	9604170339	50-344	Y
	9604250220	50-344	Y
	9604300027	50-344	R
	9604300040*	50-344	R
	9604300045*	50-344	R
Power Authority of the State of New York (New York Power Authority)	9604010063	50-333	P
	9604010066*	50-333	P
	9604010068*	50-333	P
	9604010156	50-286	Q
	9604010158	50-286	V
	9604010247	50-286	V
	9604010250	50-286	V
	9604010253*	50-286	V
	9604020159	50-333	S
	9604020219	50-333	F
	9604030155	50-333	P
	9604030163	50-286	P
	9604030167*	50-286	P
	9604030174*	50-286	P
	9604030241	50-286	P
	9604080162	50-286	S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604120062	50-333	R
	9604120247	50-286	Q
	9604120267*	50-286	Q
	9604150348	50-286	F
	9604150353	50-286	F
	9604150365	50-286	F
	9604180062	50-333	P
	9604190102	50-286	R
	9604190298	50-333	S
	9604220058	50-286	S
	9604220204	50-286	I
	9604220259	50-286	P
	9604260171	50-286	F
	9604290052	50-333	P
	9604290085	50-333	R
	9604300034	50-286	S
	9604300366	50-286	Q
	9604300395	50-333	P
	9604300400*	50-333	P
	9604300402*	50-333	P
Power Resources Corp.	9604160293	40-8857	
	9604160296*	40-8857	
	9604160353	40-8857	
	9604170461	40-8857	
Princeton Univ., Princeton, NJ	9604030048	PR	
Public Service Co. of Colorado	9604020223	50-267	J
	9604020296	50-267	Y
	9604020296	50-267	Y
	9604030364	71-6346	
	9604150385	50-267	I
	9604160070	50-267	Q
	9604230072	50-267	W
	9604230117	50-267	W
	9604230119	50-267	W
	9604240238	71-9269	
Public Service Electric & Gas Co. of New Jersey	9604010152	50-272	S
	9604010232	50-354	F
	9604010262	50-272	P
	9604010262	50-272	P
	9604010272	50-354	S
	9604010336	50-272	S
	9604020230	50-354	S
	9604020231	50-272	P
	9604020372	50-354	S
	9604020411	50-354	R
	9604030243	50-272	S
	9604080032	50-272	P
	9604080264	50-272	P
	9604080371	50-272	P
	9604090032	50-272	S
	9604110093	50-272	F
	9604120009	50-272	S
	9604150211	50-272	Q
	9604150211	50-272	Q
	9604150257	50-354	S
	9604160099	50-272	K
	9604160245	50-272	F
	9604160445	50-354	F
	9604160448	50-354	R
	9604160455*	50-354	R
	9604160463*	50-354	R
	9604160478	50-272	F
	9604160478	50-272	F
	9604170052	50-354	S
	9604190105	50-272	R
	9604190109	50-311	R
	9604190110	50-354	S
	9604190173	50-272	I
	9604220377	50-354	P
	9604260074	50-354	S
	9604260120	50-354	S
	9604260133	50-272	P
	9604260133	50-272	P
	9604290082	50-354	S
	9604290116	50-272	S
	9604290184	50-272	P
	9604290184	50-272	P
	9604290189*	50-272	P
	9604290189*	50-272	P
	9604300107	50-272	R
	9604300107	50-272	R
	9604300200	50-272	Q
Public Service Enterprise Group	9604190177*	50-272	I
Pulsar Data Systems, Inc.	9604020428	CONTRACT	
	9604020433*	CONTRACT	
Purdue Univ., West Lafayette, IN	9604030396	PR	
Putney, L.D.	9604120300*	50-302	G
Q.C. Laboratories, Inc.	9604040077	71-429	
Quivira Mining Co.	9604190353	40-8905	
	9604190356*	40-8905	
RMI Co.	9604010405	40-2384	
	9604010409*	40-2384	
RUST Environment & Infrastructure, Inc. (formerly SEC Donohue)	9604150235*	40-8838	
	9604150240*	40-8838	
	9604180084*	40-8838	
	9604180095*	40-8838	
Reed College, Portland, OR	9604020162	50-288	F
	9604020170*	50-288	F
	9604020173*	50-288	F
Reed, Smith, Shaw & McClay	9604080033	FOIA	
Resolution Dynamics, Inc.	9604220148	CONTRACT	
Rhode Island, State of	9604020116	STATE PRO	G
Richland, WA	9604090259	CONTRACT	
Rio Algom Mining Corp.	9604180107	40-8084	
Risk Engineering, Inc.	9604050161	CONTRACT	
Rochester Gas & Electric Corp.	9604010159	50-244	P
	9604020157*	50-244	V
	9604020233	50-244	F
	9604020429	50-244	Q
	9604020442	50-244	P
	9604050065	50-244	F
	9604050453	50-244	P
	9604080404	50-244	P
	9604090082	50-244	Q
	9604090101	50-244	F
	9604110077	50-244	R
	9604110290	50-244	Q
	9604150112	50-244	S
	9604150124	50-244	S
	9604150161	50-244	S
	9604230068	50-244	F
	9604230396	50-244	P
	9604250104	50-244	P
	9604260050	50-244	R
	9604260072*	50-244	R
	9604260099*	50-244	R
	9604260108*	50-244	R
	9604290406	50-244	F
Rockwell International Corp.	9604030226	70-25	
Ropes & Gray	9604100070	50-29	G
	9604250074	50-29	G
Rosemount, Inc.	9604170315*	FOIA	
	9604170316*	FOIA	
	9604170318*	FOIA	
	9604170319*	FOIA	
Roy F. Weston, Inc.	9604030270*	STATE PRO	G
S-Cubed	9604150331	NUREG	
S. Cohen & Associates, Inc.	9604100056*	CONTRACT	
SCIENTECH, Inc.	9602050054*	50-220	P
	9604180454	CONTRACT	
	9604240222	CONTRACT	
Sacramento Municipal Utility District	9511210098	50-312	F
	9511210100*	50-312	F
	9604290388	50-312	R
	9604300098	50-312	H
Sacramento, CA	9604250204	CONTRACT	
Salem, NJ	9604240360	CONTRACT	
San Diego Gas & Electric Co.	9604170188*	50-206	H
Sandia National Laboratories	9604260154*	ORG	
	9604260157*	ORG	
	9604260161*	ORG	
	9604260162*	ORG	
	9604260164*	ORG	
Saporito, T.J.	9604110071*	FOIA	
Saxton Nuclear Experimental Corp.	9604050097*	FOIA	
	9604050102*	70-*****	
	9604050105*	FOIA	
	9604050177*	70-963	
	9604050197*	70-963	
	9604050198*	70-963	
	9604050431*	FOIA	
	9604190007	50-146	C
	9604250405	50-146	P
	9604250408*	50-146	P
Schlumberger Technology Corp. (subs. of Schlumberger, Ltd.)	9604300232*	FOIA	
	9604300240*	FOIA	
	9604300257*	FOIA	
	9604300295*	FOIA	
	9604300387*	FOIA	
Science & Engineering Associates, Inc.	9602010287*	50-220	P
	9603290323*	50-317	P
	9604170519*	50-424	P
	9604170520*	50-424	P
	9604250366*	50-354	P
Science Applications International Corp.	9604100049	CONTRACT	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
(formerly Science Applications, Inc.)	9604180084*	40-8838	
	9604190330	CONTRACT	
	9604240300	CONTRACT	
	9604250033	50-312	Y
Scientific Ecology Group, Inc.	9604260109	71-496	
	9604260113*	71-496	
Senate	9604080082	XPORTLIC	
	9604250435	50-255	H
Senior Engineering Co. (formerly	9604160306	71-579	
Southwestern Engineering Co.)			
	9604190293	71-9269	
Sequoyah Fuels Corp.	9604090495	40-8027	
	9604120163	40-8027	
Shaw, Pittman, Potts & Trowbridge	9604120083	40-3453	
Shepherd Miller, Inc.	9604010146	PR	
	9604170087	40-4492	
	9604170090*	40-4492	
Shieldalloy Metallurgical Corp.	9604180069	40-8948	
Siemens Corp.	9604080150*	XPORTLIC	
	9604080196*	XPORTLIC	
	9604080203*	XPORTLIC	
	9604080206*	XPORTLIC	
	9604220163	XPORTLIC	
Siemens Power Corp. (formerly Siemens	9604020172	70-1257	
Nuclear Power Corp., Advanced Nuclear			
	9604020288*	70-1257	
	9604080343	XPORTLIC	
	9604100191*	71-3027	
	9604110222	70-1257	
	9604110239*	70-1257	
	9604120158	70-1257	
	9604120191	70-1257	
	9604150187*	50-373	P
	9604170426	70-1257	
	9604240204	TOPREP	
	9604250309	71-9248	
	9604260189*	50-309	P
Sierra Nuclear, Inc.	9604100054	72-1007	
Small Business Administration	9604010291	CONTRACT	
	9604020379	CONTRACT	
	9604020428	CONTRACT	
	9604050066	CONTRACT	
	9604050134	CONTRACT	
	9604100222	CONTRACT	
	9604100256*	CONTRACT	
	9604120057	CONTRACT	
	9604120157*	CONTRACT	
	9604160204	CONTRACT	
	9604170291	CONTRACT	
	9604180421	CONTRACT	
	9604240053	CONTRACT	
Society of Nuclear Medicine	9604110063	PR	
Sonalysts, Inc.	9604030065	CONTRACT	
	9604170300	CONTRACT	
South Carolina Electric & Gas Co.	9604010141	50-395	P
	9604010427	50-395	P
	9604020118	50-395	P
	9604020130*	50-395	P
	9604020139*	50-395	P
	9604020357	50-395	Q
	9604080251	50-395	J
	9604080266	50-395	P
	9604090247	50-395	Q
	9604090311	50-395	F
	9604120120	50-395	P
	9604150183	50-395	S
	9604160035	50-395	R
	9604190043	50-395	F
	9604230193	50-395	P
	9604230196*	50-395	P
	9604240016	50-395	Q
	9604250417	50-395	F
	9604290211	50-395	P
	9604290230	50-395	F
	9604290239*	50-395	F
	9604290386	50-395	Q
	9604300062	50-395	R
	9604300063*	50-395	R
	9604300067*	50-395	R
South Mississippi Electric Power Association	9604230319*	50-416	I
Southern California Edison Co.	9604010292	50-361	S
	9604030119	50-206	F
	9604030119	50-206	F
	9604030119	50-206	F
	9604030122*	50-206	F
	9604030326	50-206	J
	9604030326	50-206	J
	9604030326	50-206	J
	9604050403	71-9033	
	9604050452	50-206	F
	9604090390	50-361	K
	9604100100	PR	
	9604150092*	50-397	P
	9604170159	50-361	P
	9604170159	50-361	P
	9604170168*	50-361	P
	9604170168*	50-361	P
	9604170174*	50-361	P
	9604170174*	50-361	P
	9604170238	50-206	F
	9604220393	50-361	P
	9604220393	50-361	P
	9604230061	50-361	R
	9604230071*	50-361	R
	9604230071*	50-361	R
	9604230111	50-361	S
	9604250150	50-361	K
	9604250303	50-206	F
	9604250303	50-206	F
	9604260030	50-206	F
	9604260030	50-206	F
	9604260030	50-206	F
	9604260036*	50-361	K
	9604260036*	50-361	K
	9604260040*	50-206	F
	9604260040*	50-206	F
	9604260040*	50-206	F
	9604290385	50-206	F
	9604290418	50-528	H
Southern Nuclear Operating Co.	9604010302	TOPREP	
	9604010332	50-348	R
	9604010332	50-348	R
	9604010339	50-348	Q
	9604010344	50-348	R
	9604010344	50-348	R
	9604010437	50-348	F
	9604010437	50-348	F
	9604020006	TOPREP	
	9604020391	50-348	P
	9604050042	50-364	P
	9604050049*	50-364	P
	9604100268	50-348	F
	9604100268	50-348	F
	9604110079	50-348	P
	9604110079	50-348	P
	9604110107	50-348	Q
	9604160408	50-348	R
	9604160479	50-348	F
	9604180166	TOPREP	
	9604220191	50-348	R
	9604220191	50-348	R
	9604230080	50-348	S
	9604240354	50-364	P
	9604240357*	50-364	P
	9604250330	50-364	P
	9604250335*	50-364	P
	9604250336	50-348	F
	9604250336	50-348	F
	9604250374	50-364	P
	9604300058	50-348	R
	9604300058	50-348	R
	9604300157	50-364	P
	9604300162*	50-364	P
	9604300199	50-348	R
	9604300199	50-348	R
Southwest Research Institute	9604190017	CONTRACT	
	9604300215	CONTRACT	
Southwest X-Ray	9604090151	71-9263	
St. Joseph, MO	9604160453	CONTRACT	
State, Dept. of	9604230015	XPORTLIC	
	9604230292	XPORTLIC	
	9604240050	XPORTLIC	
	9604250452	XPORTLIC	
Structural Integrity Associates, Inc.	9604010311*	TOPREP	
	9604020008*	TOPREP	
Taft, Stettinius & Hollister	9604260029	FOIA	
Teledyne Isotopes	9604290390*	50-331	R
	9604300122*	50-282	R
	9604300122*	50-282	R
Teledyne Isotopes Midwest Laboratory	9604170311*	50-346	R
Tennessee Valley Authority	9604010025	50-259	R
	9604010030*	50-259	R
	9604010030*	50-259	R
	9604010030*	50-259	R
	9604010031*	50-259	R
	9604010031*	50-259	R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604010031*	50-259	R
	9604010034*	50-259	R
	9604010034*	50-259	R
	9604010034*	50-259	R
	9604010036*	50-259	R
	9604010039*	50-259	R
	9604010255	50-296	Q
	9604010255	50-296	Q
	9604010255	50-296	Q
	9604010260	50-259	V
	9604010260	50-259	V
	9604010260	50-259	V
	9604010331	50-296	S
	9604010335*	50-296	S
	9604010341	50-260	S
	9604010349*	50-260	S
	9604020107	50-390	S
	9604030140	50-390	S
	9604080195	50-327	P
	9604080210	50-327	Q
	9604080210	50-327	Q
	9604080245	50-327	F
	9604080320	50-259	R
	9604080320	50-259	R
	9604080333*	50-259	R
	9604080333*	50-259	R
	9604080333*	50-259	R
	9604080333*	50-259	R
	9604080333*	50-259	R
	9604080333*	50-259	R
	9604080356	50-327	P
	9604080368	50-327	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604080382	50-259	P
	9604090072	50-327	P
	9604090072	50-327	P
	9604090078*	50-327	P
	9604090078*	50-327	P
	9604090132	50-259	F
	9604090132	50-259	F
	9604090132	50-259	F
	9604090132	50-259	F
	9604090132	50-259	F
	9604090132	50-259	F
	9604110083	50-327	Q
	9604120030	50-327	S
	9604160404	50-390	R
	9604160449	50-390	S
	9604170029	50-390	H
	9604170061	50-327	R
	9604170061	50-327	R
	9604180246	50-259	P
	9604220162	50-259	H
	9604220162	50-259	H
	9604230054	50-259	P
	9604230054	50-259	P
	9604230054	50-259	P
	9604230057*	50-259	P
	9604230057*	50-259	P
	9604230057*	50-259	P
	9604230077	50-259	R
	9604230077	50-259	R
	9604230077	50-259	R
	9604230231	50-390	P
	9604240248	50-327	F
	9604240248	50-327	F
	9604240260	50-259	P
	9604250291	50-327	P
	9604250291	50-327	P
	9604290204	50-260	Q
	9604290227	50-390	Q
	9604290407	50-259	R
	9604290407	50-259	R
	9604290407	50-259	R
	9604290411*	50-259	R
	9604290411*	50-259	R
	9604290411*	50-259	R
	9604290412	50-259	F
	9604290412	50-259	F
	9604290412	50-259	F
	9604300131	50-327	P
	9604300336	50-327	S
Tennessee, State of	9604020249	STATE PRO	G
	9604090475	PR	
	9604100058	CONTRACT	
Texas A&M Univ., College Station, TX	9604080201	50-128	P
Texas Utilities Co.	9604260129*	50-445	Q
Texas Utilities Electric Co. (TU Electric)	9510250295	50-445	F
	9604020141	50-445	J
	9604020145	50-446	P
	9604020149*	50-446	P
	9604040115*	50-445	F
	9604080182	50-445	Q
	9604110073	50-445	Q
	9604170005	50-445	F
	9604170005	50-445	F
	9604170017	50-445	P
	9604170017	50-445	P
	9604190089	50-445	R
	9604190328	50-446	Q
	9604190331*	50-446	Q
	9604220338	50-446	Q
	9604240180	50-445	P
	9604240180	50-445	P
	9604240317	50-446	Q
	9604240321*	50-446	Q
	9604290345	50-446	S
	9604300205	50-445	S
Texas, State of	9604010121	STATE PRO	G
	9604010131*	STATE PRO	G
	9604010194	STATE PRO	G
	9604010210	STATE PRO	G
	9604030008*	STATE PRO	G
	9604030013*	STATE PRO	G
	9604030131*	STATE PRO	G
	9604030141*	STATE PRO	G
	9604030145*	STATE PRO	G
	9604030154*	STATE PRO	G
	9604080281	STATE PRO	G
	9604090276	STATE PRO	G
	9604250218	STATE PRO	G
Texas, Univ. of, Austin, TX	9604010398	50-602	R
	9604030277	PR	
	9604260193	50-602	P
	9604260201*	50-602	P
Texas, Univ. of, Houston, TX	9604030373	PR	
Thomas Jefferson Univ., Philadelphia, PA	9604030035	PR	
	9604030051	PR	
Times Leader, Wilkes-Barre, PA	9604300121	50-387	Q
Toledo Edison Co.	9604080435	50-346	S
	9604170299	50-346	R
	9604170301*	50-346	R
	9604170305*	50-346	R
	9604170307*	50-346	R
	9604290102	50-346	S
	9604290181	50-346	R
Tracor Technology Resources, Inc.	9604300195	CONTRACT	
Transnuclear, Inc.	9604010109	72-1021	
	9604080181	XPORTLIC	
	9604250067	72-1021	
	9604300142	XPORTLIC	
Transportation, Dept. of	9604090170	71-3028	
	9604100130	71-3027	
	9604100168	71-3029	
	9604150160*	50-219	P
	9604160027	71-*****	
TroutmanSanders (formerly Troutman, Sanders, Lockerman & Ashmore)	9604260269	50-424	G
Two Rivers, WI	9604170144	CONTRACT	
U.S. District Court, Southern District o New York	9604180054	40-8948	
U.S. Ecology, Inc. (formerly Nuclear Engineering, Inc.)	9604250167*	27-48	
U.S. Embassies	9604160226	XPORTLIC	
	9604160233	XPORTLIC	
UMETCO Minerals Corp.	9604190069	40-299	
	9604190072*	40-299	
	9604300117	40-299	
	9604300126	40-299	
UNC, Inc. (formerly UNC Resources, Inc.)	9604030046*	40-8907	
US Robotech, Inc.	9604050134	CONTRACT	
USPCI (United States Pollution Control, Inc.)	9604020381	PR	
Union Electric Co.	9604010233	50-483	P
	9604010254	50-483	P
	9604010258*	50-483	P
	9604080153	50-483	Q
	9604080187	50-483	P
	9604080192	50-483	J

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604150159	50-483	Q
	9604160029	50-483	R
	9604160268	50-483	P
	9604160269*	50-483	P
	9604170043	50-483	P
	9604190280	50-483	P
	9604190283*	50-483	P
	9604220112	50-483	P
	9604220120*	50-483	P
	9604220200	50-483	P
	9604220213*	50-483	P
	9604230280	50-483	P
	9604240090	50-483	P
	9604240102*	50-483	P
	9604300393	50-483	P
	9604300397*	50-483	P
United Nuclear Corp. (subs. of UNC, Inc.	9604030043	40-8907	
	9604240314	40-8907	
	9604250051	40-8907	
United States Enrichment Corp. (USEC)	9604010305	70-7001	
	9604010307	70-7002	
	9604010313	70-7001	
	9604010315	70-7002	
	9604030320	70-7001	
	9604040160	70-7001	
	9604090037	70-7001	
	9604090299	70-7001	
	9604100096	70-7002	
	9604100230	71-6553	
	9604100232	71-6553	
	9604110017*	71-6553	
	9604110196	70-7001	
	9604150293	70-7001	
	9604150302	70-7001	
	9604150309	70-7002	
	9604160342	71-4909	
	9604190039	70-7001	
	9604190049	70-7001	
	9604190049	70-7001	
	9604190057	70-7001	
	9604190057	70-7001	
	9604230131	REGGD	
	9604240206	70-7002	
	9604240208	70-7001	
	9604240208	70-7001	
	9604240213	70-7001	
	9604240218	70-7002	
	9604290205	70-7002	
	9604290298	70-7001	
	9604290368	70-7001	
	9604290370*	70-7001	
	9604290372	70-7002	
	9604290374*	70-7002	
	9604290384	70-7001	
	9604290384	70-7001	
	9604290391	70-7001	
Utah, State of	9604020017	STATE PRO	G
	9604020343	STATE PRO	G
	9604040156	40-3453	
	9604190322	40-3543	
	9604220019	40-3453	
	9604240296	40-3453	
Utah, Univ. of, Salt Lake City, UT	9604030425	50-407	F
	9604030427*	50-407	F
	9604040047	50-407	V
	9604040054*	50-407	V
	9604040058*	50-407	V
	9604050450	50-407	F
	9604240032	50-407	V
	9604240035*	50-407	V
Vectra Technologies, Inc.	9604040110	71-9176	
	9604080045*	50-272	P
	9604170343	72-1004	
	9604180142	71-9255	
Vermont Yankee Nuclear Power Corp.	9604010270	50-271	P
	9604010369	50-271	S
	9604020015	50-271	J
	9604020291	50-271	R
	9604020310	50-271	P
	9604030030	50-271	P
	9604080242	50-271	I
	9604080270	50-271	F
	9604080277	50-271	P
	9604080283*	50-271	P
	9604090045	50-271	S
	9604090049	50-271	S
	9604090233	50-293	S
	9604090283	50-271	P
	9604090287*	50-271	P
	9604160036	50-271	Q
	9604160331	50-271	P
	9604170044	50-271	R
	9604180366	50-271	P
	9604180371*	50-271	P
	9604220323	50-271	Q
	9604240132	50-271	P
	9604240152	50-271	P
Veterans Admin. Medical Center, Portland OR	9604050322	PRM	
Virginia Power (Virginia Electric & Powe Co.)	9604010171	50-280	Y
	9604010171	50-280	Y
	9604010171	50-280	Y
	9604010264	50-338	P
	9604030267	NUREG	
	9604030432	50-338	P
	9604030432	50-338	P
	9604040109	50-280	I
	9604040109	50-280	I
	9604040109	50-280	I
	9604040109	50-280	I
	9604040120	50-280	P
	9604040120	50-280	P
	9604040120	50-280	P
	9604040120	50-280	P
	9604040249	PR	
	9604040268	50-338	S
	9604040268	50-338	S
	9604080133	50-280	F
	9604080158	50-338	Q
	9604080160	50-280	S
	9604100172	50-338	P
	9604100172	50-338	P
	9604100173*	50-338	P
	9604100173*	50-338	P
	9604100177	50-280	Q
	9604100177	50-280	Q
	9604100177	50-280	Q
	9604150126	50-280	F
	9604150126	50-280	F
	9604150232	50-338	S
	9604150334	50-280	Q
	9604150334	50-280	Q
	9604160151	50-338	P
	9604170264	50-338	R
	9604170303*	50-338	R
	9604170304*	50-338	R
	9604180088	50-280	R
	9604180106	50-338	Q
	9604180106	50-338	Q
	9604180164	50-338	P
	9604180173*	50-338	P
	9604180174	50-280	P
	9604180174	50-280	P
	9604180175*	50-280	P
	9604180175*	50-280	P
	9604190278	PRM	
	9604220171	50-280	P
	9604250009	PR	
	9604250207	50-280	P
	9604250207	50-280	P
	9604250424	50-280	P
	9604250424	50-280	P
	9604250428	50-339	P
	9604250430*	50-339	P
	9604250440	50-280	Q
	9604260009	50-338	P
	9604260009	50-338	P
	9604260021	50-338	R
	9604260021	50-338	R
	9604290158	50-280	F
	9604290158	50-280	F
	9604290166*	50-280	F
	9604290166*	50-280	F
	9604290166*	50-280	F
	9604290166*	50-280	F
	9604290177*	50-280	F
	9604290177*	50-280	F
	9604290177*	50-280	F
	9604290177*	50-280	F
	9604290291	50-338	P
	9604290291	50-338	P
	9604290295*	50-338	P
	9604290295*	50-338	P
	9604300410	50-280	R
	9604300412	50-338	R
	9604300412	50-338	R
Virginia, Univ. of, Charlottesville, VA	9604090163	50-62	F

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	9604090163	50-62	F
	9604120080	50-62	F
	9604120080	50-62	F
	9604120084*	50-62	F
	9604120084*	50-62	F
Washington Document Service	9604300072	50-213	P
Washington Public Power Supply System	9604010386	50-397	F
	9604080061	50-397	J
	9604100113	50-460	G
	9604150086	50-397	P
	9604170322	50-397	R
	9604230086	50-397	Q
	9604230123	50-397	P
	9604290361	50-397	F
	9604290364*	50-397	F
	9604300185	50-397	P
	9604300187*	50-397	P
	9604300333	50-397	P
	9604300335*	50-397	P
Washington, State of	9604010087	STATE PRO	G
	9604010148	STATE PRO	G
	9604010225	STATE PRO	G
	9604010265	STATE PRO	G
	9604010442	STATE PRO	G
	9604030256*	STATE PRO	G
	9604040105	CONTRACT	
West Valley Nuclear Services Co., Inc.	9604170135	PROJ	
	9604170141*	PROJ	
	9604170147*	PROJ	
Western Nuclear, Inc.	9604030308	40-1162	
	9604040114	40-1162	
	9604040155	40-1162	
	9604290201	40-1162	
Westinghouse Electric Corp.	9604010230	52-3	
	9604010325*	52-3	
	9604020019	TOPREP	
	9604020058*	50-412	P
	9604020412	70-1151	
	9604030339	71-9218	
	9604030344*	71-9218	
	9604030349*	71-9218	
	9604030355*	71-9218	
	9604040091*	70-*****	
	9604040094*	70-*****	
	9604040097*	70-*****	
	9604040098*	70-*****	
	9604040103*	70-*****	
	9604040104*	70-*****	
	9604040210	70-48	
	9604040252	TOPREP	
	9604050047*	70-*****	
	9604050060*	70-*****	
	9604050072*	70-*****	
	9604050084*	70-*****	
	9604050110*	70-*****	
	9604050115*	70-*****	
	9604050148*	70-*****	
	9604050157*	70-*****	
	9604050166*	70-*****	
	9604050170*	70-*****	
	9604050171*	70-*****	
	9604050173*	70-*****	
	9604050392	52-3	
	9604050400*	40-*****	
	9604080054	52-3	
	9604080058*	52-3	
	9604080060*	52-3	
	9604080103	52-3	
	9604080125	52-3	
	9604080169	52-3	
	9604080176	52-3	
	9604080179	52-3	
	9604080318*	50-255	P
	9604090113	70-1151	
	9604090117	52-3	
	9604090135*	52-3	
	9604090150*	52-3	
	9604090211	70-1151	
	9604090215	70-1151	
	9604090229	70-1151	
	9604100269	52-3	
	9604110030	52-3	
	9604110036*	52-3	
	9604110137	52-3	
	9604110141*	52-3	
	9604110152*	50-255	P
	9604110174	52-3	
	9604160316	TOPREP	
	9604170510	52-3	
	9604170515*	52-3	
	9604170518*	52-3	
	9604180072	52-3	
	9604180145	52-3	
	9604190289*	50-483	P
	9604190294*	50-483	P
	9604220248	52-3	
	9604230177*	50-305	P
	9604230182*	50-305	P
	9604240192	52-3	
	9604250390	TOPREP	
	9604260102	52-3	
	9604260152	TOPREP	
	9604260156*	TOPREP	
	9604300262*	PROJ	
	9604300350	52-3	
	9604300422	TOPREP	
	9604300425*	TOPREP	
	9604300430*	TOPREP	
Westinghouse Operating Plants Owners Group	9604010285	PROJ	
	9604040165	PROJ	
	9604040168*	PROJ	
	9604040191	PROJ	
	9604300260	PROJ	
Wheeler Basin Regional Library, Decatur, AL	9604050433	CONTRACT	
Wilcoxen, Wilcoxen & Primomo (formerly Wilcoxen & Wilcoxen)	9604020290	40-8027	
William & Mary, College of, Williamsburg VA	9604170186	71-*****	
	9604170196*	71-*****	
Winston & Strawn	9604100113	50-460	G
	9604170407	50-245	G
Wisconsin Electric Power Co.	9604020169	50-266	P
	9604080334	50-266	Q
	9604160275	50-266	F
	9604160275	50-266	F
	9604160281*	50-266	F
	9604160281*	50-266	F
	9604160292	50-266	F
	9604160292	50-266	F
	9604160294*	50-266	F
	9604170011	50-266	F
	9604170011	50-266	F
	9604180330	50-266	R
	9604230037	50-266	P
	9604290354	50-266	R
	9604290366	50-266	R
	9604290375*	50-266	R
	9604290392*	50-266	R
	9604290395*	50-266	R
Wisconsin Public Service Corp.	9604010026	50-305	P
	9604010037*	50-305	P
	9604150238	50-305	Q
	9604180096	50-305	R
	9604230140	50-305	P
	9604230170	50-305	P
	9604300082	50-305	P
	9604300183	50-305	F
Wisconsin, Univ. of, Madison, WI	9604190154*	CONTRACT	
Wolf Creek Nuclear Operating Corp.	9604010242	50-482	P
	9604020016	50-482	Q
	9604020143	50-482	J
	9604020304	50-482	S
	9604090258	50-482	Q
	9604090312	50-482	Q
	9604100141	50-482	F
	9604180087	50-482	S
	9604190078	50-482	R
	9604220159	50-482	F
	9604220161*	50-482	F
	9604220166*	50-482	F
	9604220175*	50-482	F
	9604240027	50-482	P
	9604240048	50-482	P
	9604240051	50-482	S
	9604240058*	50-482	S
	9604240161	50-482	V
	9604240179	50-482	R
	9604290343	50-482	R
	9604290353*	50-482	R
	9604290360*	50-482	R
	9604300343	50-482	S
Wyoming, State of	9604020062	40-4492	
	9604020181*	40-4492	
	9604150078*	WASTE MGT	
	9604170419	40-8502	
	9604190127	40-4492	

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
Yankee Atomic Electric Co.	9604010430*	50-443	P
	9604020201	50-29	R
	9604020209*	50-29	R
	9604100070	50-29	G
	9604180217*	50-309	P
	9604180435	PRM	
	9604230108	50-29	F
York County, SC	9604240364	CONTRACT	
Youngstown State Univ., Youngstown, OH	9604150122	40-8819	

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example,50-233 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS.

These categories are defined in Appendix B and listed in the Contents. An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
102075DHH01 R00	9604050423*	50-302	P	
102075DHH02 R00	9604050428*	50-302	P	
102075DHH03 R00	9604050432*	50-302	P	
102075DHH04 R00	9604050436*	50-302	P	
102075DHH05 R00	9604050439*	50-302	P	
102075DHH06 R00	9604050441*	50-302	P	
102075RCS01 R01	9604290216*	50-302	P	
1066-S&T95-C-002 R00	9604180255*	50-259	P	
28.0201.1111-31 R02	9604150198*	50-254	P	
296-018	9604290364*	50-397	F	
42112-R-001 R00	9604040225*	50-219	P	
82A8698 R01	9604120170*	40-9027		
9200-E0-S R03	9604110286*	50-254	P	
9200-E0-S-01 R03	9604150185*	50-254	P	
95-741	9604090406*	WASTE MGT		
96-110	9604090403*	WASTE MGT		
990-1745 R16 V01	9604240043*	50-289	K	
A-PENG-ER-004 R00	9604160343*	50-368	P	
BAW-10220NP R00	9604090100*	50-327	P	
CA/TR 95-019-38	9604250381*	50-354	P	
CA/TR-94-019-31	9602050068*	50-220	P	
CA/TR-95-019-42	9604170524*	50-424	P	NRC-04-91-069
CE NPSD-985-NP	9604090263*	PROJ		
CEN-403 R1-A	9604030258*	PROJ		
D-AEC-06113-NJ	9604300007*	50-219	P	
DC08490-004 R01	9604020139*	50-395	P	
DC08490-008 R03	9604020130*	50-395	P	
DOE/ID/12585-245	9604170359*	WASTE MGT		
DOE/WIPP 89-004 R09	9604030349*	71-9218		
EA-FPP-95-050 R01	9604080140*	50-255	Q	
EA-FPP-95-054 R01	9604080137*	50-255	Q	
EMF-1850	9604100191*	71-3027		
EMF-94-217(NP) R01	9604150187*	50-373	P	
EMF-96-043	9604260189*	50-309	P	
EPRI TR-105747	9604010311*	TOPREP		
ERI/NRC 94-112	9604250376*	50-354	P	
ERI/NRC 95-107	9603290365*	50-317	P	NRC-04-91-068
GADR-55 RB	9604030380*	71-6346		
GE-NE-B1301725-01 R3	9604090300	50-254	P	
GENE-A00-04021-02	9604030105*	50-263	P	
GW-GL-021 R06	9604080060*	52-3		
JPN-PTN-SEFJ-96-015	9604110102*	50-250	Q	
KY/G-558	9604110215*	70-7001		
KY/G-578	9604110245*	70-7001		
KY/G-581	9604110238*	70-7001		
KY/S-248	9604110259*	70-7001		
KY/S-255	9604110249*	70-7001		
KY/S-258	9604110252*	70-7001		
KY/S-267 R01	9604110231*	70-7001		
KY/S-271	9604110202*	70-7001		
KY/S-280	9604110223*	70-7001		
M-96-0004 R00	9604050447*	50-302	P	
M-96-0005 R00	9604050448*	50-302	P	
M-96-0006 R00	9604050449*	50-302	P	
M3LOCA94/01048-R3	9604220353*	50-423	P	
M94-0053 R03	9604050443*	50-302	P	
M96-0007 R00	9604050451*	50-302	P	
MCEI-0400-47 R07	9604230285*	50-370	P	
MI01-GER-001 R02	9604090150*	52-3		
NED-P-MSD-088 R00	9604100148*	50-254	P	
NED-P-MSD-089 R00	9604100146*	50-254	P	
NED-P-MSD-090 R00	9604100154*	50-254	P	
NED-P-MSD-092 R00	9604100158*	50-254	P	
NEDO-31400A	9604160114*	50-373	P	
NEDO-32176	9604220047*	52-4		
NEDO-32466 S01	9604080403*	50-324	P	

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY		OTHER REPORT NUMBER
NUREG-0390 V10	9604150318	NUREG		
NUREG-0540 V18 N01	9604230386	NUREG		
NUREG-0750 V41	9604020257	NUREG		
NUREG-0750 V42 I02	9604020329	NUREG		
NUREG-0750 V43 N02	9604230336	NUREG		
NUREG-1100 V12	9604020325	NUREG		
NUREG-1537 PT01	9604020335	NUREG		
NUREG-1537 PT02	9604020339	NUREG		
NUREG-1539	9604160379	NUREG		
NUREG-1540	9604230397	NUREG		
NUREG-1544	9604150308	NUREG		
NUREG-1600 ERR	9604080418	NUREG		
NUREG/BR-0072 S04 R2	9604010124	NUREG		
NUREG/BR-0113 R01	9604150298	NUREG		
NUREG/BR-0223	9604040139	NUREG		
NUREG/BR-0225	9604230329	NUREG		
NUREG/CP-0149 V01	9604150352	NUREG		
NUREG/CP-0149 V02	9604150357	NUREG		
NUREG/CP-0149 V03	9604150363	NUREG		
NUREG/CR-2850 V14	9604170363	NUREG		PNL-4221
NUREG/CR-5068	9604230383	NUREG		PNNL-10475
NUREG/CR-5985 S01	9604090369	NUREG		PNL-8919
NUREG/CR-6096	9604020277	NUREG		
NUREG/CR-6124	9604160360	NUREG		PNL-8856
NUREG/CR-6230	9604150341	NUREG		PNL-9444
NUREG/CR-6339	9604020321	NUREG		BNL-NUREG-52462
NUREG/CR-6353	9604020352	NUREG		
NUREG/CR-6360	9604230343	NUREG		
NUREG/CR-6383	9604230394	NUREG		ANL-95/37
NUREG/CR-6421	9604150345	NUREG		UCRL-ID-122526
NUREG/CR-6424	9604230376	NUREG		ORNL/TM-13148
NUREG/CR-6425	9604230399	NUREG		ORNL/TM-13149
NUREG/CR-6448 V01	9604150331	NUREG		SSS-TR-95-15216
OIG/95A-20	9604100215*	ORG		
OIG/96A-04	9604230391*	ORG		
OIG/96E-13	9604290127*	ORG		
OQA-SA-96-013	9604300287*	WASTE MGT		
ORISE 96/C-49	9604190164*	70-925		
ORNL/NRC/LTR-93/33	9604010417*	ORG		
ORNL/NRC/LTR-95/28	9604260159*	ORG		FIN W-6575
ORNL/NRC/LTR/94/1	9604010410*	ORG		
ORNL/TM-11652	9604020259*	STATE PRO	G	
PGE-1006-95	9604300040*	50-344	R	
PGE-1009-95	9604250442	50-344	R	VPN-016-96
PGE-1069	9604100190*	50-344	Y	
PGE-1070	9604100197*	50-344	Y	
PMPR 96-06	9604020312*	WASTE MGT		HLWR
PMPR 96-07	9604300324*	WASTE MGT		HLWR
PSAT 04000U.04 R01	9604180251*	50-259	P	
PSR-12 R02	9604170141*	PROJ		
PSR-13 R02	9604170147*	PROJ		
RE-21 R02	9604160050*	50-443	P	
REF-96-068 R03	9604120267*	50-286	Q	
RXE-96-001 R00	9604020149*	50-446	P	
SCIE-NRC-230-94	9602050054*	50-220	P	
SEA 92-2337-010-A:2	9604250366*	50-354	P	
SEA 92-553-033-A:3	9603290323*	50-317	P	NRC-04-91-066
SEA-92-553-030-A:3	9602010287*	50-220	P	
SECY-96-018	9602060344	SECY		
SECY-96-027	9602090012	SECY		
SECY-96-032	9602200203	SECY		
SECY-96-034	9602200194	SECY		
SECY-96-035	9602200273	SECY		
SECY-96-045	9603140157	SECY		
SECY-96-048	9603190156	SECY		
SECY-96-050	9603140140	SECY		

REPORT NUMBER	ACCESSION NUMBER	SUB-JECT CATE-GORY		OTHER REPORT NUMBER
SECY-96-053	9604160374	SECY		
SECY-96-054	9603250440	SECY		
SECY-96-056	9603250413	SECY		
SECY-96-057	9603260184	50-387	F	
SECY-96-058	9603220055	SECY		
SECY-96-061	9604010284	COMMISSIO	N	
SECY-96-063	9604120258	SECY		
SECY-96-064	9604050143	COMMISSIO	N	
SECY-96-065	9604050158	SECY		
SECY-96-068	9604080059	52-3		
SECY-96-069	9604160349	COMMISSIO	N	
SECY-96-070	9604160193	SECY		
SECY-96-071	9604160309	50-344	P	
SECY-96-072	9604160346	SECY		
SECY-96-073	9604160317	SECY		
SECY-96-073	9604160451*	I&E		
SECY-96-076	9604160312	COMMISSIO	N	
SECY-96-077	9604180277	SECY		
SECY-96-081	9604290021	COMMISSIO	N	
SGO-ATD-96-12	9604230182*	50-305	P	
SGS-SUP.RPT R00	9604080045*	50-272	P	GL-87-02
SL-5060 R00	9604090272*	50-254	P	
T-95001	9604010096*	71-9010		
TN6-2-EXP-00 R03	9604160044*	71-*****		
TR-092 R00	9603050148*	50-289	P	
TR-103680 DRFT	9604050196*	TOPREP		
TR-103756	9604090357*	50-302	P	
TR-105873	9604020008*	TOPREP		
VSR 96-039	9604080229*	50-309	P	
WCAP-14384 R00	9604300262*	PROJ		
WCAP-14396 R00	9604170518*	52-3		
WCAP-14401 R00	9604170515*	52-3		
WCAP-14484	9604020058*	50-412	P	
WCAP-14557 R01	9604110152*	50-255	P	
WCAP-14558 R02	9604080318*	50-255	P	
WCAP-14597	9604190294*	50-483	P	SG-96-03-010
WCAP-14628	9604260156*	TOPREP		
YAEC 1931	9604010430*	50-443	P	
YAEC-1932	9604180217*	50-309	P	
YM-ARP-96-06	9604090066*	WASTE MGT		HLWR
YM-ARP-96-07	9604220370*	WASTE MGT		HLWR
YM-ARP-96-08	9604300280*	WASTE MGT		
YM-ARP-96-09	9604250113*	WASTE MGT		HLWR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENT

Item listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document,the date issued,and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
7910150066	9604110225	96/02/13	50-219	Q	9604010083	9604010062	96/03/28	50-295	Q
8503130569	9604190048	88/02/24	REG CERT		9604010088	9604010062	96/03/28	50-295	Q
8503260246	9604300132	96/04/23	FOIA		9604010093	9604010062	96/03/28	50-295	Q
8510080002	9604170250	96/04/11	FOIA		9604010096	9604010091	96/03/26	71-9010	
9209290055	9604250174	96/02/22	27-47		9604010099	9604010062	96/03/28	50-295	Q
9404210051	9604250002	96/04/17	50-336	Q	9604010108	9604010106	96/03/05	STATE PRO	G
9409200057	9604250002	96/04/17	50-245	P	9604010117	9604010111	96/03/26	STATE PRO	G
9501260175	9604170165	96/04/03	50-361	M	9604010131	9604010121	96/04/11	STATE PRO	G
9502060061	9604170165	96/04/03	50-206	H	9604010142	9604010136	96/03/20	50-454	Q
9503060028	9604010376	96/03/04	STATE PRO	G	9604010144	9604010139	96/03/28	71-423	
9508170020	9604090393	96/03/01	50-341	P	9604010153	9604010136	96/03/20	50-454	Q
9509010272	9509010214	95/08/18	STATE PRO	G	9604010170	9604010165	96/03/28	50-382	Q
9509050067	9604260115	96/04/16	ORG		9604010174	9604010164	96/03/19	50-282	Q
9509050073	9604260115	96/04/16	ORG		9604010184	9604010164	96/03/19	50-282	Q
9509050079	9604260115	96/04/16	ORG		9604010185	9604010180	95/06/12	STATE PRO	G
9509050323	9509050313	95/08/25	STATE PRO	G	9604010187	9604010183	96/03/19	50-334	P
9511020288	9604260115	96/04/16	50-255	P	9604010191	9604010183	96/03/19	50-334	P
9511160102	9511150342	95/11/08	STATE PRO	G	9604010202	9604010198	96/03/28	50-498	P
9511160114	9511150342	95/11/08	STATE PRO	G	9604010207	9604010197	96/03/15	ORG	
9511160130	9511150342	95/11/08	STATE PRO	G	9604010219	9604010197	96/03/15	ORG	
9511160133	9511150342	95/11/08	STATE PRO	G	9604010224	9604010197	96/03/15	ORG	
9511160135	9511150342	95/11/08	STATE PRO	G	9604010227	9604010223	96/03/27	50-298	J
9511210100	9511210098	95/11/14	50-312	F	9604010243	9604010173	96/03/28	71-637	
9511290002	9604240169	96/04/11	50-397	P	9604010253	9604010250	96/03/25	50-286	V
9511300142	9604100043	96/04/04	REVIEW GR	P	9604010258	9604010254	96/03/22	50-483	P
9511300146	9604100043	96/04/04	REVIEW GR	P	9604010267	9604010259	96/03/19	ORG	
9512010164	9604100043	96/04/04	REVIEW GR	P	9604010276	9604010274	96/03/28	71-567	
9512120388	9604010223	96/03/27	50-298	J	9604010286	9604010283	96/03/26	50-237	P
9512210085	9604110090	96/04/04	PR		9604010289	9604010279	96/03/15	STATE PRO	G
9512280052	9604170230	96/04/10	50-397	Q	9604010306	9604010304	96/03/26	50-272	Q
9601180168	9604110090	96/04/04	PR		9604010311	9604010302	96/03/24	TOPREP	
9601250040	9604020226	96/02/28	STATE PRO	G	9604010312	9604010304	96/03/26	50-272	Q
9602010287	9604080018	96/04/02	50-220	P	9604010325	9604010321	96/03/28	52-3	
9602050054	9604080018	96/04/02	50-220	P	9604010335	9604010331	96/03/26	50-296	S
9602050068	9604080018	96/04/02	50-220	P	9604010345	9604010333	96/03/26	50-309	Q
9603050148	9603050137	96/02/27	50-289	P	9604010348	9604010343	96/03/22	50-528	P
9603110002	9604020337	96/03/08	STATE PRO	G	9604010349	9604010341	96/03/26	50-260	S
9603110173	9604040082	96/02/27	STATE PRO	G	9604010353	9604010314	96/03/08	STATE PRO	G
9603120048	9604010197	96/03/15	ORG		9604010357	9604010333	96/03/26	50-309	Q
9603120500	9604090393	96/03/01	50-341	P	9604010358	9604010352	96/03/28	50-400	Q
9603280129	9603280069	96/03/14	70-734		9604010360	9604010346	96/03/22	STATE PRO	G
9603280140	9603280069	96/03/14	70-734		9604010363	9604010346	96/03/22	STATE PRO	G
9603290113	9603280069	96/03/14	70-734		9604010368	9604010347	96/02/14	STATE PRO	G
9603290161	9603280069	96/03/14	70-734		9604010372	9604010370	96/03/29	50-309	P
9603290242	9603280069	96/03/14	70-734		9604010384	9604010380	96/03/22	50-440	Q
9603290245	9603280069	96/03/14	70-734		9604010409	9604010405	96/03/25	40-2384	
9603290323	9604230039	96/04/16	50-317	P	9604010410	9604010401	96/03/25	ORG	
9603290346	9604180130	96/04/15	PR		9604010415	9604010407	96/03/28	40-8027	
9603290365	9604230039	96/04/16	50-317	P	9604010417	9604010401	96/03/25	ORG	
9604010011	9604010009	96/03/15	50-369	P	9604010419	9604010401	96/03/25	ORG	
9604010030	9604010025	96/03/21	50-259	R	9604010422	9604010414	96/03/25	50-277	Q
9604010031	9604010025	96/03/21	50-259	R	9604010430	9604010425	96/03/28	50-443	P
9604010034	9604010025	96/03/21	50-259	R	9604010431	9604010414	96/03/25	50-277	Q
9604010036	9604010025	96/03/21	50-259	R	9604020008	9604020006	96/03/29	TOPREP	
9604010037	9604010026	96/03/27	50-305	P	9604020028	9604020020	96/03/28	50-29	G
9604010039	9604010025	96/03/21	50-259	R	9604020035	9604020030	96/03/26	50-529	P
9604010059	9604010050	96/03/22	XPORTLIC		9604020038	9604020022	96/04/01	50-29	W
9604010065	9604010058	96/03/25	40-534		9604020058	9604020053	96/03/27	50-412	P
9604010066	9604010063	96/03/27	50-333	P	9604020064	9604020061	96/03/25	50-219	P
9604010068	9604010063	96/03/27	50-333	P	9604020079	9604020072	96/03/22	STATE PRO	G

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
9604020083	9604020072	96/03/22	STATE PRO G	9604020319	9604020104	96/02/09	STATE PRO G
9604020084	9604020044	96/03/25	40-3392	9604020324	9604020104	96/02/09	STATE PRO G
9604020092	9604020044	96/03/25	40-3392	9604020326	9604020104	96/02/09	STATE PRO G
9604020093	9604020080	96/03/05	STATE PRO G	9604020331	9604020104	96/02/09	STATE PRO G
9604020102	9604020098	96/03/28	50-237 S	9604020332	9604020327	96/03/14	50-313 Q
9604020110	9604020105	96/03/27	50-286 Q	9604020334	9604020104	96/02/09	STATE PRO G
9604020112	9604020104	96/02/09	STATE PRO G	9604020338	9604020104	96/02/09	STATE PRO G
9604020113	9604020109	96/03/28	50-249 S	9604020340	9604020320	96/03/29	50-269 P
9604020115	9604020104	96/02/09	STATE PRO G	9604020342	9604020104	96/02/09	STATE PRO G
9604020117	9604020105	96/03/27	50-286 Q	9604020347	9604020322	96/03/28	50-277 F
9604020122	9604020104	96/02/09	STATE PRO G	9604020358	9604020353	96/03/26	50-529 P
9604020124	9604020104	96/02/09	STATE PRO G	9604020360	9604020353	96/03/26	50-529 P
9604020126	9604020104	96/02/09	STATE PRO G	9604020367	9604020362	96/03/29	50-327 P
9604020129	9604020108	96/03/27	50-3 Q	9604020371	9604020368	96/03/19	STATE PRO G
9604020130	9604020118	96/03/29	50-395 P	9604020376	9604020374	96/03/26	50-289 Q
9604020132	9604020104	96/02/09	STATE PRO G	9604020384	9604020382	96/04/01	CONTRACT
9604020134	9604020123	96/03/25	50-244 V	9604020387	9604010347	96/02/14	STATE PRO G
9604020135	9604020133	96/03/28	50-219 P	9604020388	9604020382	96/04/01	CONTRACT
9604020139	9604020118	96/03/29	50-395 P	9604020390	9604010347	96/02/14	STATE PRO G
9604020142	9604020108	96/03/27	50-3 Q	9604020402	9604020397	96/03/29	40-6622
9604020144	9604020104	96/02/09	STATE PRO G	9604020426	9604020422	96/02/26	50-247 F
9604020148	9604020104	96/02/09	STATE PRO G	9604020427	9604010019	96/03/22	XPORTLIC
9604020149	9604020145	96/03/28	50-446 P	9604020433	9604020428	96/03/27	CONTRACT
9604020150	9604020104	96/02/09	STATE PRO G	9604020439	9604020436	96/03/28	50-317 P
9604020152	9604020104	96/02/09	STATE PRO G	9604020449	9604020447	96/03/13	50-413 F
9604020153	9604020104	96/02/09	STATE PRO G	9604030004	9604030001	96/03/13	STATE PRO G
9604020156	9604020104	96/02/09	STATE PRO G	9604030008	9604030001	96/03/13	STATE PRO G
9604020157	9604020123	96/03/25	50-244 V	9604030009	9604030005	96/03/18	STATE PRO G
9604020160	9604020104	96/02/09	STATE PRO G	9604030011	9604010376	96/03/04	STATE PRO G
9604020164	9604020036	96/03/23	50-529 P	9604030013	9604030001	96/03/13	STATE PRO G
9604020165	9604020104	96/02/09	STATE PRO G	9604030015	9604010376	96/03/04	STATE PRO G
9604020166	9604020104	96/02/09	STATE PRO G	9604030018	9604030010	96/03/28	40-8452
9604020170	9604020162	96/03/22	50-288 F	9604030020	9604030005	96/03/18	STATE PRO G
9604020171	9604020104	96/02/09	STATE PRO G	9604030023	9604010376	96/03/04	STATE PRO G
9604020173	9604020162	96/03/22	50-288 F	9604030032	9604030031	96/03/29	PR
9604020174	9604020104	96/02/09	STATE PRO G	9604030046	9604030043	96/03/30	40-8907
9604020176	9604020104	96/02/09	STATE PRO G	9604030058	9604030053	96/03/29	40-8502
9604020181	9604020062	96/03/08	40-4492	9604030073	9604030041	96/03/18	50-334 R
9604020183	9604020104	96/02/09	STATE PRO G	9604030075	9604030047	96/02/29	STATE PRO G
9604020185	9604020182	96/03/28	50-336 P	9604030078	9604030071	96/03/25	50-277 P
9604020188	9604020104	96/02/09	STATE PRO G	9604030081	9604030077	96/03/27	50-250 R
9604020189	9604020168	96/03/22	STATE PRO G	9604030085	9604030067	96/03/28	TOPREP
9604020193	9604020192	96/03/28	50-213 P	9604030088	9604030047	96/02/29	STATE PRO G
9604020194	9604020168	96/03/22	STATE PRO G	9604030093	9604030047	96/02/29	STATE PRO G
9604020195	9604020043	96/03/19	50-295 F	9604030097	9604030047	96/02/29	STATE PRO G
9604020198	9604020104	96/02/09	STATE PRO G	9604030102	9604030047	96/02/29	STATE PRO G
9604020204	9604020168	96/03/22	STATE PRO G	9604030103	9604030099	96/03/14	50-237 K
9604020205	9604020191	95/11/08	STATE PRO G	9604030105	9604030100	96/03/26	50-263 P
9604020206	9604020043	96/03/19	50-295 F	9604030110	9604030047	96/02/29	STATE PRO G
9604020209	9604020201	96/03/27	50-29 R	9604030111	9604020341	96/03/27	50-498 Q
9604020210	9604020104	96/02/09	STATE PRO G	9604030112	9604030106	96/03/26	50-247 P
9604020215	9604020104	96/02/09	STATE PRO G	9604030115	9604030047	96/02/29	STATE PRO G
9604020217	9604020104	96/02/09	STATE PRO G	9604030116	9604030106	96/03/26	50-247 P
9604020218	9604020214	96/03/28	50-454 P	9604030122	9604030119	96/03/28	50-206 F
9604020225	9604020104	96/02/09	STATE PRO G	9604030126	9604030047	96/02/29	STATE PRO G
9604020227	9604020104	96/02/09	STATE PRO G	9604030130	9604030127	96/03/28	40-8903
9604020234	9604020104	96/02/09	STATE PRO G	9604030131	9604030047	96/02/29	STATE PRO G
9604020238	9604020104	96/02/09	STATE PRO G	9604030141	9604030047	96/02/29	STATE PRO G
9604020244	9604020213	96/03/21	PROJ	9604030145	9604030047	96/02/29	STATE PRO G
9604020246	9604020104	96/02/09	STATE PRO G	9604030152	9604030146	96/03/29	50-298 P
9604020248	9604020104	96/02/09	STATE PRO G	9604030154	9604030047	96/02/29	STATE PRO G
9604020255	9604020104	96/02/09	STATE PRO G	9604030156	9604030150	96/03/26	50-373 P
9604020258	9604020256	96/03/25	STATE PRO G	9604030167	9604030163	96/03/29	50-286 P
9604020259	9604020249	96/03/26	STATE PRO G	9604030174	9604030163	96/03/29	50-286 P
9604020260	9604020252	96/03/26	STATE PRO G	9604030190	9604030175	96/03/21	50-334 R
9604020263	9604020104	96/02/09	STATE PRO G	9604030217	9604030204	96/03/29	50-133 P
9604020266	9604020261	96/02/14	STATE PRO G	9604030220	9604030215	96/03/29	40-6622
9604020267	9604020104	96/02/09	STATE PRO G	9604030228	9604030221	96/04/01	50-445 P
9604020272	9604020261	96/02/14	STATE PRO G	9604030230	9604030229	96/04/01	71-355
9604020274	9604020104	96/02/09	STATE PRO G	9604030231	9604030221	96/04/01	50-445 P
9604020276	9604020261	96/02/14	STATE PRO G	9604030234	9604030232	96/04/01	71-334
9604020278	9604020261	96/02/14	STATE PRO G	9604030239	9604030237	96/04/01	71-733
9604020281	9604020104	96/02/09	STATE PRO G	9604030242	9604030240	96/04/01	71-832
9604020285	9604020104	96/02/09	STATE PRO G	9604030250	9604030245	96/03/13	STATE PRO G
9604020288	9604020172	96/02/26	70-1257	9604030256	9604030245	96/03/13	STATE PRO G
9604020292	9604020104	96/02/09	STATE PRO G	9604030258	9604030252	96/03/27	PROJ
9604020293	9604020284	96/03/26	50-529 P	9604030265	9604030261	96/04/01	50-244 P
9604020294	9604020104	96/02/09	STATE PRO G	9604030266	9604030261	96/04/01	50-244 P
9604020295	9604020282	96/03/28	CONTRACT	9604030270	9604030245	96/03/13	STATE PRO G
9604020300	9604020298	96/03/28	40-8681	9604030314	9604030309	96/03/29	50-352 P
9604020301	9604020252	96/03/26	STATE PRO G	9604030316	9604030307	96/03/28	40-8027
9604020302	9604020104	96/02/09	STATE PRO G	9604030317	9604030309	96/03/29	50-352 P
9604020306	9604020298	96/03/28	40-8681	9604030344	9604030339	96/03/22	71-9218
9604020307	9604020303	96/03/27	50-458 R	9604030345	9604030340	96/03/22	50-160 H
9604020308	9604010220	96/03/26	STATE PRO G	9604030347	9604030340	96/03/22	50-160 H
9604020309	9604010220	96/03/26	STATE PRO G	9604030349	9604030339	96/03/22	71-9218
9604020312	9604020311	96/03/29	WASTE MGT	9604030355	9604030339	96/03/22	71-9218

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604030374	9604030370	96/03/26	40-672		9604050036	9604050031	96/03/28	WASTE MGT	
9604030378	9604030370	96/03/26	40-672		9604050040	9604050037	96/04/02	50-482	Q
9604030380	9604030364	96/03/28	71-6346		9604050047	9604040086	96/03/14	70-*****	
9604030395	9604030389	96/03/29	50-341	P	9604050049	9604050042	96/03/29	50-364	P
9604030411	9604030340	96/03/22	50-160	H	9604050050	9604050046	96/03/29	50-352	P
9604030421	9604030413	96/03/27	71-*****		9604050060	9604040086	96/03/14	70-*****	
9604030424	9604030423	96/03/27	50-83	P	9604050068	9604050063	96/03/04	50-352	F
9604030427	9604030425	96/03/27	50-407	F	9604050069	9604050051	96/03/20	50-413	F
9604030430	9604030429	96/04/01	50-219	H	9604050072	9604040086	96/03/14	70-*****	
9604040002	9604040001	96/03/29	70-925		9604050073	9604050057	96/03/27	COMMISSIO	N
9604040003	9604030340	96/03/22	50-160	H	9604050084	9604040086	96/03/14	70-*****	
9604040004	9604030340	96/03/22	50-160	H	9604050087	9604040027	96/03/14	50-219	P
9604040007	9604040005	96/03/29	50-255	P	9604050088	9604050085	96/04/04	CONTRACT	
9604040008	9604030340	96/03/22	50-160	H	9604050089	9604040027	96/03/14	50-219	P
9604040011	9604040006	96/03/28	50-286	P	9604050096	9604040027	96/03/14	50-219	P
9604040012	9604030340	96/03/22	50-160	H	9604050097	9604040086	96/03/14	FOIA	
9604040014	9604030340	96/03/22	50-160	H	9604050102	9604040086	96/03/14	70-*****	
9604040017	9604030340	96/03/22	50-160	H	9604050105	9604040086	96/03/14	FOIA	
9604040021	9604030340	96/03/22	50-160	H	9604050110	9604040086	96/03/14	70-*****	
9604040024	9604030340	96/03/22	50-160	H	9604050111	9604040027	96/03/14	50-219	P
9604040032	9604040027	96/03/14	50-219	P	9604050115	9604040086	96/03/14	70-*****	
9604040038	9604040027	96/03/14	50-219	Q	9604050117	9604040027	96/03/14	50-219	P
9604040042	9604040027	96/03/14	50-219	P	9604050118	9604040027	96/03/14	50-219	P
9604040044	9604040027	96/03/14	50-219	P	9604050124	9604040027	96/03/14	50-219	Q
9604040046	9604040027	96/03/14	50-219	P	9604050126	9604050057	96/03/27	COMMISSIO	N
9604040049	9604040027	96/03/14	50-219	P	9604050127	9604050123	96/03/25	71-9099	
9604040054	9604040047	96/03/29	50-407	V	9604050130	9604050129	96/03/25	71-9221	
9604040057	9604040027	96/03/14	50-219	Q	9604050139	9604050128	96/03/25	71-5797	
9604040058	9604040047	96/03/29	50-407	V	9604050140	9604050135	96/03/21	71-9787	
9604040067	9604040027	96/03/14	50-219	F	9604050142	9604050132	96/03/20	WASTE MGT	
9604040071	9604040027	96/03/14	50-219	P	9604050144	9604050141	96/03/21	71-9251	
9604040073	9604040027	96/03/14	50-219	P	9604050148	9604040086	96/03/14	70-*****	
9604040074	9604040069	96/03/21	50-369	P	9604050149	9604050146	96/03/21	71-9234	
9604040076	9604040069	96/03/21	50-369	P	9604050151	9604050147	96/03/25	71-9218	
9604040080	9604040027	96/03/14	50-219	P	9604050155	9604050152	96/03/21	71-6441	
9604040083	9604040027	96/03/14	50-219	P	9604050157	9604040086	96/03/14	70-*****	
9604040089	9604040027	96/03/14	50-219	F	9604050164	9604050162	96/03/21	71-9019	
9604040091	9604040086	96/03/14	70-*****		9604050166	9604040086	96/03/14	70-*****	
9604040093	9604040027	96/03/14	50-219	Q	9604050167	9604050160	96/03/21	71-9225	
9604040094	9604040086	96/03/14	70-*****		9604050168	9604050156	96/03/29	50-346	P
9604040096	9604040027	96/03/14	50-219	F	9604050170	9604040086	96/03/14	70-*****	
9604040097	9604040086	96/03/14	70-*****		9604050171	9604040086	96/03/14	70-*****	
9604040098	9604040086	96/03/14	70-*****		9604050173	9604040086	96/03/14	70-*****	
9604040099	9604040027	96/03/14	50-219	P	9604050177	9604040086	96/03/14	70-963	
9604040101	9604040027	96/03/14	50-219	P	9604050178	9604050176	96/03/21	71-5450	
9604040103	9604040086	96/03/14	70-*****		9604050180	9604050104	96/03/27	COMMISSIO	N
9604040104	9604040086	96/03/14	70-*****		9604050183	9604050182	96/03/21	71-5939	
9604040113	9604040111	96/03/29	70-1100		9604050184	9604050179	96/03/21	71-9253	
9604040115	9510250295	95/10/18	50-445	F	9604050186	9604050156	96/03/29	50-346	P
9604040126	9604040124	96/03/14	40-8902		9604050187	9604050185	96/03/22	71-361	
9604040136	9604040133	96/04/01	50-352	K	9604050189	9604050188	96/03/22	71-9248	
9604040137	9604040131	96/03/27	50-498	P	9604050191	9604050190	96/03/22	71-6058	
9604040138	9604040123	96/02/28	50-361	P	9604050194	9604050192	96/03/22	71-5149	
9604040140	9604040125	96/04/01	50-334	P	9604050195	9604050193	96/03/21	71-6346	
9604040141	9604040125	96/04/01	50-334	P	9604050196	9604050172	95/11/22	TOPREP	
9604040144	9604040123	96/02/28	50-361	P	9604050197	9604040086	96/03/14	70-963	
9604040150	9604040127	96/04/02	40-8981		9604050198	9604040086	96/03/14	70-963	
9604040166	9604040162	96/04/03	50-275	P	9604050203	9604040086	96/03/14	70-*****	
9604040167	9604040163	96/03/29	40-2259		9604050206	9604050201	96/03/28	71-9203	
9604040168	9604040165	96/04/01	PROJ		9604050207	9604050204	96/03/21	71-9217	
9604040169	9604040162	96/04/03	50-275	P	9604050208	9604050205	96/03/21	71-5926	
9604040172	9604040170	96/04/01	50-338	P	9604050212	9604050209	96/03/26	71-9016	
9604040173	9604040170	96/04/01	50-338	P	9604050213	9604050210	96/03/28	71-6386	
9604040178	9604040177	96/04/02	50-354	Q	9604050214	9604050211	96/03/22	71-4986	
9604040185	9604040181	96/04/02	50-237	P	9604050218	9604050215	96/03/21	71-9009	
9604040186	9604040184	96/03/29	50-285	R	9604050222	9604050219	96/03/25	71-5607	
9604040187	9604040181	96/04/02	50-237	P	9604050223	9604050221	96/03/21	71-4909	
9604040188	9604040183	96/03/29	50-313	Q	9604050226	9604050224	96/03/25	71-9853	
9604040199	9604040027	96/03/14	50-219	F	9604050227	9604050220	96/03/21	71-5086	
9604040203	9604040027	96/03/14	50-219	P	9604050231	9604050229	96/03/21	71-9186	
9604040204	9604040198	96/03/28	50-416	F	9604050232	9604050230	96/03/21	71-9228	
9604040205	9604040193	96/03/18	50-334	R	9604050235	9604050233	96/03/25	71-9252	
9604040209	9604040027	96/03/14	50-219	F	9604050236	9604050234	96/03/21	71-9239	
9604040215	9604040027	96/03/14	50-219	F	9604050238	9604050237	96/03/25	71-5580	
9604040217	9604040193	96/03/18	50-334	R	9604050240	9604050239	96/03/25	71-6357	
9604040220	9604040027	96/03/14	50-219	P	9604050242	9604050202	96/03/21	71-5874	
9604040222	9604040027	96/03/14	50-219	P	9604050246	9604050243	96/03/25	71-5757	
9604040225	9604040218	96/03/29	50-219	P	9604050249	9604050244	96/03/26	71-6078	
9604040229	9604040027	96/03/14	50-219	P	9604050250	9604050245	96/03/26	71-9206	
9604040231	9604040230	96/03/29	50-528	Q	9604050251	9604050247	96/03/22	71-6206	
9604040237	9604040235	96/03/29	50-298	Q	9604050252	9604050225	96/03/29	50-249	S
9604040238	9604040027	96/03/14	50-219	P	9604050255	9604050254	96/03/26	71-5957	
9604040242	9604040027	96/03/14	50-219	P	9604050258	9604050256	96/03/26	71-9781	
9604040250	9604040027	96/03/14	50-219	P	9604050260	9604050257	96/03/22	71-9246	
9604050028	9604050020	96/03/25	50-255	G	9604050262	9604050261	96/03/26	71-9793	
9604050034	9604050020	96/03/25	50-255	G	9604050265	9604050264	96/03/26	71-9001	
9604050035	9604050033	96/03/29	WASTE MGT		9604050266	9604050263	96/03/28	71-6406	

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604050269	9604050268	96/03/25	71-9067		9604080108	9604080101	96/03/27	XPORTLIC	
9604050275	9604050273	96/03/22	71-9068		9604080109	9604080106	96/03/29	XPORTLIC	
9604050281	9604050277	96/03/25	71-9216		9604080110	9604080172	96/03/29	50-309	Q
9604050283	9604050276	96/03/22	71-6347		9604080111	9604040027	96/03/14	50-219	P
9604050284	9604050282	96/03/26	71-9202		9604080115	9604040027	96/03/14	50-219	F
9604050290	9604050288	96/03/26	71-9023		9604080119	9604080113	96/03/25	70-7002	
9604050295	9604050289	96/03/21	71-9786		9604080121	9604080044	96/03/27	FOIA	
9604050296	9604050291	96/03/26	71-6553		9604080124	9604080116	96/04/04	XPORTLIC	
9604050300	9604050293	96/03/22	71-9196		9604080126	9604080113	96/03/25	70-7002	
9604050301	9604050298	96/03/26	71-5894		9604080127	9604080100	96/04/04	70-3070	
9604050303	9604040086	96/03/14	70-*****		9604080137	9604080132	96/04/01	50-255	Q
9604050306	9604050304	96/03/25	71-9034		9604080140	9604080132	96/04/01	50-255	Q
9604050310	9604040086	96/03/14	70-*****		9604080142	9604080044	96/03/27	FOIA	
9604050311	9604050309	96/03/25	71-9037		9604080150	9604080122	96/03/29	XPORTLIC	
9604050313	9604050297	96/04/04	70-3070		9604080156	9604080149	96/03/29	50-261	P
9604050314	9604050308	96/03/26	71-9015		9604080170	9604080164	96/04/04	XPORTLIC	
9604050319	9604050315	96/03/21	71-6003		9604080177	9604080164	96/04/04	XPORTLIC	
9604050320	9604040086	96/03/14	70-*****		9604080185	9604080173	96/04/02	50-440	P
9604050325	9604050323	96/03/21	71-9132		9604080189	9604080186	96/04/04	XPORTLIC	
9604050331	9604050324	96/03/29	71-9010		9604080190	9604080151	96/03/27	COMMISSIO	N
9604050332	9604040086	96/03/14	70-*****		9604080196	9604080184	96/04/02	XPORTLIC	
9604050337	9604040086	96/03/14	70-*****		9604080197	9604080193	96/03/28	50-309	Q
9604050339	9604050338	96/03/26	71-9183		9604080199	9604080151	96/03/27	COMMISSIO	N
9604050347	9604050344	96/03/22	71-9152		9604080203	9604080184	96/04/02	XPORTLIC	
9604050350	9604050326	96/04/04	70-3070		9604080206	9604080184	96/04/02	XPORTLIC	
9604050353	9604050328	96/03/21	71-9010		9604080214	9604080193	96/03/28	50-309	Q
9604050358	9604050355	96/03/26	71-9235		9604080216	9604080211	96/04/02	50-269	P
9604050359	9604050356	96/04/04	70-3070		9604080221	9604080212	96/03/29	50-309	P
9604050362	9604050360	96/03/22	71-9057		9604080222	9604080211	96/04/02	50-269	P
9604050363	9604040086	96/03/14	70-*****		9604080229	9604080212	96/03/29	50-309	P
9604050365	9604050364	96/03/22	71-5950		9604080233	9604080215	96/03/28	XPORTLIC	
9604050367	9604040086	96/03/14	FOIA		9604080240	9604080236	96/04/02	50-255	Q
9604050370	9604050368	96/03/25	71-9069		9604080249	9604080246	96/04/04	70-1100	
9604050375	9604040086	96/03/14	40-*****		9604080250	9604080246	96/04/04	70-1100	
9604050376	9604050348	96/04/04	70-3070		9604080254	9604080301	96/03/27	WASTE MGT	
9604050382	9604050378	96/03/21	71-9200		9604080260	9604080217	96/04/03	50-245	H
9604050383	9604050369	96/04/03	50-302	P	9604080276	9604080272	96/04/03	50-263	P
9604050384	9604050373	96/04/01	50-309	H	9604080279	9604080273	96/04/02	FOIA	
9604050386	9604050379	96/03/26	71-9250		9604080282	9604080272	96/04/03	50-263	P
9604050394	9604050391	96/04/03	50-413	P	9604080283	9604080277	96/04/04	50-271	P
9604050400	9604040086	96/03/14	40-*****		9604080302	9604080296	96/04/03	50-315	R
9604050410	9604050406	96/03/26	71-6294		9604080303	9604080297	96/04/04	40-3392	
9604050414	9604040086	96/03/14	70-*****		9604080318	9604080308	96/04/02	50-255	P
9604050418	9604040086	96/03/14	70-*****		9604080333	9604080320	96/04/03	50-259	R
9604050421	9604040086	96/03/14	70-*****		9604080336	9604080327	96/04/04	50-2	Q
9604050423	9604050420	96/04/04	50-302	P	9604080338	9604080332	96/04/02	50-317	P
9604050424	9604050419	96/03/28	71-6400		9604080341	9604080331	96/04/01	40-*****	
9604050425	9604040086	96/03/14	FOIA		9604080344	9604080332	96/04/02	50-317	P
9604050428	9604050420	96/04/04	50-302	P	9604080349	9604080331	96/04/01	40-*****	
9604050431	9604040086	96/03/14	FOIA		9604080350	9604080345	96/04/04	40-8903	
9604050432	9604050420	96/04/04	50-302	P	9604080402	9604080397	96/04/02	50-324	P
9604050434	9604040086	96/03/14	FOIA		9604080403	9604080397	96/04/02	50-324	P
9604050436	9604050420	96/04/04	50-302	P	9604080427	9604080415	96/04/02	50-309	Q
9604050438	9604050427	96/04/03	50-328	P	9604080449	9604080447	96/04/02	FOIA	
9604050439	9604050420	96/04/04	50-302	P	9604080450	9604080448	96/03/28	71-*****	
9604050441	9604050420	96/04/04	50-302	P	9604090021	9604040027	96/03/14	50-219	P
9604050443	9604050420	96/04/04	50-302	P	9604090033	9604040027	96/03/14	50-219	F
9604050445	9604050420	96/04/04	50-302	P	9604090038	9604040027	96/03/14	50-219	F
9604050446	9604050427	96/04/03	50-328	P	9604090046	9604090040	96/04/02	50-315	Q
9604050447	9604050420	96/04/04	50-302	P	9604090048	9604040027	96/03/14	50-219	F
9604050448	9604050420	96/04/04	50-302	P	9604090050	9604090040	96/04/02	50-315	Q
9604050449	9604050420	96/04/04	50-302	P	9604090052	9604040027	96/03/14	50-219	P
9604050451	9604050420	96/04/04	50-302	P	9604090066	9604090062	96/04/01	WASTE MGT	
9604080039	9604080036	96/04/02	50-483	Q	9604090070	9604090068	96/04/01	WASTE MGT	
9604080040	9604040027	96/03/14	50-219	P	9604090078	9604090072	96/04/04	50-327	P
9604080043	9604080036	96/04/02	50-483	Q	9604090080	9604090071	96/04/03	50-369	Q
9604080045	9604080032	96/03/29	50-272	P	9604090083	9604090071	96/04/03	50-369	Q
9604080047	9604040027	96/03/14	50-219	P	9604090085	9604050199	96/03/25	50-324	F
9604080048	9604080046	96/04/01	50-529	P	9604090094	9604090072	96/04/04	50-327	P
9604080055	9604040027	96/03/14	50-219	P	9604090100	9604090072	96/04/04	50-327	P
9604080056	9604080044	96/03/27	FOIA		9604090108	9604090086	96/03/28	50-335	Q
9604080058	9604080054	96/04/02	52-3		9604090116	9604090086	96/03/28	50-335	Q
9604080060	9604080054	96/04/02	52-3		9604090121	9604090120	96/04/01	50-389	P
9604080062	9604040027	96/03/14	50-219	F	9604090122	9604090115	96/03/21	50-338	Q
9604080069	9604040027	96/03/14	50-219	F	9604090126	9604090115	96/03/21	50-338	Q
9604080071	9604040027	96/03/14	50-219	F	9604090135	9604090117	96/03/29	52-3	
9604080076	9604080066	96/04/02	50-213	H	9604090145	9604090138	96/03/27	50-293	Q
9604080078	9604040027	96/03/14	50-219	F	9604090146	9604090141	96/04/01	50-424	Q
9604080079	9604080075	96/04/02	50-454	P	9604090150	9604090117	96/03/29	52-3	
9604080081	9604040027	96/03/14	50-219	P	9604090152	9604090144	96/03/28	70-1113	
9604080084	9604080066	96/04/02	50-213	H	9604090169	9604090165	96/03/18	50-335	Q
9604080085	9604080073	96/04/03	50-309	H	9604090171	9604090165	96/03/18	50-335	Q
9604080086	9604080080	96/04/04	XPORTLIC		9604090186	9604090167	96/04/04	CONTRACT	
9604080089	9604080044	96/03/27	FOIA		9604090203	9604090198	96/04/04	CONTRACT	
9604080091	9604080088	96/03/29	50-220	Q	9604090204	9604090179	96/04/03	50-443	Q
9604080095	9604080044	96/03/27	FOIA		9604090219	9604090213	96/03/21	50-390	Q
9604080096	9604080080	96/04/04	XPORTLIC		9604090224	9604090213	96/03/21	50-390	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604090228	9604090217	96/04/04	CONTRACT		9604100249	9604100246	96/04/08	50-285	Q
9604090243	9604090225	96/04/04	CONTRACT		9604100250	9604100246	96/04/08	50-285	Q
9604090250	9604090240	96/03/29	50-261	Q	9604100256	9604100254	96/04/10	CONTRACT	
9604090263	9604090236	96/04/05	PROJ		9604100264	9604100263	96/04/10	ADVCM	
9604090272	9604090266	96/04/02	50-254	P	9604110005	9604110002	96/04/02	FOIA	
9604090284	9604090279	96/04/04	50-309	P	9604110007	9604110002	96/04/02	FOIA	
9604090287	9604090283	96/04/04	50-271	P	9604110013	9604110010	96/04/01	FOIA	
9604090288	9604090285	96/04/04	CONTRACT		9604110016	9604110002	96/04/02	FOIA	
9604090292	9604090286	96/04/02	50-400	F	9604110017	9604100230	96/03/28	71-6553	
9604090293	9604090291	96/03/28	50-219	P	9604110019	9604110010	96/04/01	FOIA	
9604090295	9604090294	96/04/04	71-9176		9604110020	9604110002	96/04/02	50-424	H
9604090297	9604090296	96/04/02	71-9019		9604110027	9604110002	96/04/02	FOIA	
9604090302	9604090301	96/04/04	71-9096		9604110036	9604110030	96/04/04	52-3	
9604090307	9604090305	96/04/04	71-9073		9604110043	9604110002	96/04/02	FOIA	
9604090310	9604090309	96/04/04	71-9151		9604110045	9604110002	96/04/02	FOIA	
9604090315	9604090314	96/04/04	71-9178		9604110052	9604110002	96/04/02	FOIA	
9604090317	9604090316	96/04/04	71-9139		9604110055	9604110002	96/04/02	FOIA	
9604090320	9604090319	96/04/04	71-9179		9604110061	9604110002	96/04/02	FOIA	
9604090323	9604090322	96/04/04	71-9177		9604110064	9604110053	96/04/04	70-3070	
9604090333	9604090332	96/04/04	71-9159		9604110068	9604110057	96/04/01	FOIA	
9604090334	9603270116	96/03/19	COMMISSIO	N	9604110071	9604110057	96/04/01	FOIA	
9604090337	9604090331	96/04/05	50-373	P	9604110078	9604110002	96/04/02	FOIA	
9604090338	9604090336	96/04/04	71-9247		9604110080	9604110057	96/04/01	50-528	T
9604090341	9604090331	96/04/05	50-373	P	9604110081	9604100167	96/04/05	50-483	F
9604090344	9604090339	96/04/04	71-9254		9604110082	9604110002	96/04/02	FOIA	
9604090346	9604090343	96/04/04	71-9079		9604110091	9604110089	96/04/04	71-9089	
9604090348	9604090347	96/04/04	71-9224		9604110096	9604110002	96/04/02	FOIA	
9604090352	9604090335	96/04/03	50-302	F	9604110099	9604110002	96/04/02	FOIA	
9604090354	9604090351	96/04/04	71-9094		9604110102	9604110098	96/04/05	50-250	Q
9604090357	9604090342	96/04/08	50-302	P	9604110105	9604110057	96/04/01	50-528	T
9604090361	9604090355	96/03/22	ORG		9604110106	9604110002	96/04/02	FOIA	
9604090363	9604090360	96/04/04	71-9108		9604110110	9604110057	96/04/01	50-528	T
9604090365	9604090359	96/04/02	50-302	P	9604110112	9604110002	96/04/02	FOIA	
9604090368	9604090364	96/04/04	71-9111		9604110113	9604110057	96/04/01	50-528	T
9604090378	9604090370	96/03/27	50-255	H	9604110117	9604110057	96/04/01	50-528	T
9604090380	9604090377	96/04/04	CONTRACT		9604110119	9604110116	96/03/29	50-321	K
9604090383	9604090372	96/04/04	70-143		9604110121	9604110116	96/03/29	50-321	K
9604090385	9604090384	96/04/04	71-9086		9604110122	9604110057	96/04/01	50-341	Q
9604090391	9604090388	96/04/04	71-9249		9604110123	9604110120	96/04/04	50-498	P
9604090401	9604090387	96/04/03	50-285	F	9604110125	9604110002	96/04/02	40-8027	
9604090403	9604090400	96/04/01	WASTE MGT		9604110130	9604110002	96/04/02	FOIA	
9604090406	9604090400	96/04/01	WASTE MGT		9604110134	9604110002	96/04/02	FOIA	
9604090420	9604090416	96/03/26	50-390	V	9604110138	9604110002	96/04/02	FOIA	
9604090421	9604090413	96/04/04	71-9222		9604110139	9604110057	96/04/01	FOIA	
9604090438	9604090427	96/04/04	50-317	P	9604110141	9604110137	96/04/04	52-3	
9604090439	9604090433	96/04/03	50-445	F	9604110145	9604110002	96/04/02	FOIA	
9604090448	9604090433	96/04/03	50-445	F	9604110146	9604110002	96/04/02	FOIA	
9604090484	9604090479	96/04/05	70-1257		9604110147	9604110002	96/04/02	FOIA	
9604090494	9604090491	96/03/25	NUREG		9604110149	9604110002	96/04/02	FOIA	
9604100005	9604100004	96/04/04	50-373	P	9604110151	9604110002	96/04/02	FOIA	
9604100009	9604100004	96/04/04	50-373	P	9604110152	9604110150	96/04/04	50-255	P
9604100039	9604100020	96/03/25	50-250	G	9604110153	9604110002	96/04/02	50-424	Q
9604100053	9604100043	96/04/04	REVIEW GR	P	9604110161	9604110159	96/04/09	40-6622	
9604100056	9604100052	96/04/08	CONTRACT		9604110176	9604110172	96/04/03	50-293	Q
9604100065	9604100044	96/04/05	50-317	P	9604110182	9604110180	96/04/09	50-285	P
9604100074	9604100044	96/04/05	50-317	P	9604110189	9604110148	96/04/08	50-395	P
9604100078	9604100063	96/04/02	50-286	Q	9604110192	9604110188	96/04/03	50-387	Q
9604100081	9604100044	96/04/05	50-317	P	9604110202	9604110196	96/04/09	70-7001	
9604100082	9604100063	96/04/02	50-286	Q	9604110208	9604110196	96/04/09	70-7001	
9604100084	9604100043	96/04/04	REVIEW GR	P	9604110215	9604110196	96/04/09	70-7001	
9604100094	9604100044	96/04/05	50-317	P	9604110223	9604110196	96/04/09	70-7001	
9604100103	9604090350	96/03/21	50-335	Q	9604110231	9604110196	96/04/09	70-7001	
9604100105	9604100099	96/03/20	ORG		9604110232	9604110228	96/04/09	50-413	P
9604100117	9604100111	96/04/05	50-255	P	9604110237	9604110200	96/04/04	40-672	
9604100119	9604100111	96/04/05	50-255	P	9604110238	9604110196	96/04/09	70-7001	
9604100129	9604100111	96/04/05	50-255	P	9604110239	9604110222	96/03/19	70-1257	
9604100146	9604100137	96/04/04	50-254	P	9604110241	9604110234	96/04/05	50-309	P
9604100148	9604100137	96/04/04	50-254	P	9604110244	9604110234	96/04/05	50-309	P
9604100149	9604100147	96/04/05	50-373	P	9604110245	9604110196	96/04/09	70-7001	
9604100154	9604100137	96/04/04	50-254	P	9604110249	9604110196	96/04/09	70-7001	
9604100158	9604100137	96/04/04	50-254	P	9604110252	9604110196	96/04/09	70-7001	
9604100164	9604100155	96/04/08	40-3453		9604110253	9604110090	96/04/04	PR	
9604100173	9604100172	96/04/08	50-338	P	9604110255	9604110250	96/04/08	50-20	P
9604100174	9604100171	96/04/04	50-454	P	9604110257	9604110250	96/04/08	50-20	P
9604100175	9604100171	96/04/04	50-454	P	9604110259	9604110196	96/04/09	70-7001	
9604100176	9604100171	96/04/04	50-454	P	9604110264	9604110225	96/02/13	50-219	P
9604100188	9604100186	96/04/09	50-263	P	9604110270	9604110090	96/04/04	PR	
9604100189	9604100186	96/04/09	50-263	P	9604110272	9604110225	96/02/13	50-219	P
9604100190	9604100185	96/03/26	50-344	Y	9604110275	9604110225	96/02/13	50-219	F
9604100191	9604100130	96/03/25	71-3027		9604110277	9604100171	96/04/04	50-454	P
9604100197	9604100185	96/03/26	50-344	Y	9604110281	9604110090	96/04/04	PR	
9604100198	9604100196	96/04/03	50-529	P	9604110286	9604110282	96/04/05	50-254	P
9604100199	9604100185	96/03/26	50-344	Y	9604110287	9604110225	96/02/13	50-219	F
9604100200	9604100185	96/03/26	50-344	Y	9604110291	9604110225	96/02/13	50-219	P
9604100202	9604100196	96/04/03	50-529	P	9604110293	9604110225	96/02/13	50-219	P
9604100206	9604100185	96/03/26	50-344	Y	9604120004	9604110225	96/02/13	50-363	Q
9604100215	9604100212	96/04/03	ORG		9604120012	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604120013	9604110255	96/02/13	50-219	Q	9604120231	9604110225	96/02/13	50-219	Q
9604120016	9604110225	96/02/13	50-219	Q	9604120234	9604110225	96/02/13	50-219	P
9604120019	9604110225	96/02/13	50-219	P	9604120239	9604120233	96/04/05	50-244	P
9604120022	9604110225	96/02/13	50-363	A	9604120240	9604120229	96/03/29	70-*****	
9604120025	9604110225	96/02/13	50-363	A	9604120254	9604120243	96/04/10	50-309	P
9604120026	9604110225	96/02/13	50-219	Q	9604120256	9604110002	96/04/02	FOIA	
9604120027	9604110225	96/02/13	50-219	P	9604120257	9604120253	96/04/04	50-482	P
9604120031	9604110225	96/02/13	50-219	P	9604120259	9604120253	96/04/04	50-482	P
9604120033	9604110225	96/02/13	50-219	Q	9604120264	9604120243	96/04/10	50-309	P
9604120036	9604120024	96/03/29	50-346	P	9604120266	9604110225	96/02/13	50-219	P
9604120038	9604110225	96/02/13	50-219	Q	9604120267	9604120247	96/04/08	50-286	Q
9604120043	9604110225	96/02/13	50-219	Q	9604120268	9604120260	96/04/05	50-528	P
9604120045	9604110225	96/02/13	50-219	S	9604120269	9604120243	96/04/10	50-309	P
9604120048	9604120020	96/04/04	50-237	P	9604120270	9604120262	96/04/05	50-213	P
9604120053	9604120024	96/03/29	50-346	P	9604120272	9604120229	96/03/29	70-*****	
9604120054	9604110225	96/02/13	50-219	Q	9604120273	9604120260	96/04/05	50-528	P
9604120055	9604110225	96/02/13	50-219	P	9604120274	9604110225	96/02/13	50-219	Q
9604120059	9604110225	96/02/13	50-219	Q	9604120277	9604110225	96/02/13	50-219	S
9604120060	9604110225	96/02/13	50-219	S	9604120278	9604110225	96/02/13	50-219	Q
9604120069	9604110225	96/02/13	50-219	Q	9604120287	9604290001	96/04/24	50-302	G
9604120074	9604120065	96/04/08	50-313	Q	9604120289	9604120225	96/02/13	50-219	P
9604120076	9604110225	96/02/13	50-219	Q	9604120290	9604110225	96/02/13	50-219	Q
9604120077	9604120075	96/04/04	50-324	P	9604120297	9604110225	96/02/13	50-219	Q
9604120079	9604120065	96/04/08	50-313	Q	9604120300	9604290001	96/04/24	50-302	G
9604120081	9604120059	96/02/13	50-219	Q	9604120303	9604110225	96/02/13	50-219	Q
9604120084	9604120080	96/03/26	50-62	F	9604120308	9604110225	96/02/13	50-219	P
9604120087	9604110225	96/02/13	50-219	Q	9604120311	9604110225	96/02/13	FOIA	
9604120090	9604110225	96/02/13	50-219	Q	9604120314	9604110225	96/02/13	FOIA	
9604120096	9604110225	96/02/13	50-219	Q	9604120315	9604110225	96/02/13	50-219	Q
9604120097	9604110255	96/02/13	50-219	S	9604120319	9604110225	96/02/13	50-219	P
9604120101	9604110225	96/02/13	50-219	Q	9604120320	9604120317	96/04/10	70-1113	
9604120108	9604110225	96/02/13	50-219	Q	9604120322	9604120318	96/04/11	50-445	P
9604120109	9604110225	96/02/13	50-219	P	9604150001	9604110225	96/02/13	50-219	P
9604120113	9604110225	96/02/13	50-219	P	9604150002	9604110225	96/02/13	50-219	S
9604120114	9604110225	96/02/13	50-219	S	9604150004	9604110225	96/02/13	50-219	Q
9604120115	9604110225	96/02/13	50-219	P	9604150008	9604110225	96/02/13	50-219	P
9604120124	9604120122	96/04/05	50-373	P	9604150009	9604110225	96/02/13	50-219	P
9604120125	9604110225	96/02/13	50-219	P	9604150011	9604150007	96/04/11	50-395	P
9604120128	9604110225	96/02/13	50-219	S	9604150013	9604110225	96/02/13	50-219	P
9604120132	9604110225	96/02/13	50-216	P	9604150014	9604110225	96/02/13	50-219	P
9604120133	9604120130	96/04/04	70-925		9604150017	9604110225	96/02/13	50-219	Q
9604120134	9604110225	96/02/13	50-219	S	9604150019	9604110225	96/02/13	50-363	Q
9604120136	9604120131	96/04/01	50-315	R	9604150021	9604110225	96/02/13	50-219	Q
9604120138	9604110225	96/02/13	50-219	P	9604150024	9604110225	96/02/13	50-219	P
9604120139	9604120131	96/04/01	50-315	R	9604150026	9604110225	96/02/13	50-219	P
9604120140	9604110225	96/02/13	50-219	P	9604150030	9604150025	96/04/04	50-16	Q
9604120142	9604110225	96/02/13	50-219	P	9604150031	9604110225	96/02/13	50-219	Q
9604120144	9604120131	96/04/01	50-315	R	9604150033	9604150025	96/04/04	50-16	Q
9604120145	9604120131	96/04/01	50-315	R	9604150034	9604110225	96/02/13	50-363	Q
9604120149	9604110225	96/02/13	50-219	P	9604150037	9604110225	96/02/13	FOIA	
9604120150	9604120131	96/04/01	50-315	R	9604150044	9604110225	96/02/13	50-219	P
9604120152	9604120131	96/04/01	50-315	R	9604150046	9604110225	96/02/13	50-219	Q
9604120157	9604120147	96/04/08	CONTRACT		9604150051	9604110225	96/02/13	50-219	Q
9604120161	9604110225	96/02/13	50-219	S	9604150055	9604110225	96/02/13	50-219	P
9604120164	9604110225	96/02/13	50-219	P	9604150057	9604110225	96/02/13	50-219	P
9604120166	9604110225	96/02/13	50-219	P	9604150060	9604110225	96/02/13	50-219	Q
9604120169	9604110225	96/02/13	50-219	S	9604150061	9604110225	96/02/13	50-219	P
9604120170	9604120168	96/04/04	40-9027		9604150063	9604110225	96/02/13	50-219	Q
9604120173	9604110225	96/02/13	50-219	S	9604150067	9604150065	96/04/09	27-47	
9604120175	9604110225	96/02/13	50-219	P	9604150073	9604110225	96/02/13	50-219	Q
9604120177	9604120172	96/04/04	50-254	P	9604150074	9604110225	96/02/13	50-219	P
9604120180	9604110225	96/02/13	50-219	Q	9604150076	9604150072	96/04/04	50-400	F
9604120182	9604110225	96/02/13	50-219	P	9604150077	9604110225	96/02/13	50-219	P
9604120183	9604110225	96/02/13	50-219	Q	9604150078	9604150041	96/04/05	WASTE MGT	
9604120184	9604110225	96/02/13	50-219	S	9604150080	9604110225	96/02/13	50-219	Q
9604120186	9604110225	96/02/13	50-219	Q	9604150082	9604110225	96/02/13	50-219	Q
9604120188	9604110225	96/02/13	50-219	P	9604150084	9604110225	96/02/13	50-219	P
9604120190	9604110225	96/02/13	50-219	Q	9604150089	9604110225	96/02/13	50-219	P
9604120192	9604120165	96/04/08	40-4492		9604150090	9604150087	96/04/05	50-295	Q
9604120193	9604110225	96/02/13	50-219	Q	9604150092	9604150086	96/04/04	50-397	P
9604120196	9604110225	96/02/13	50-219	Q	9604150093	9604110225	96/02/13	50-219	Q
9604120199	9604110225	96/02/13	50-219	Q	9604150095	9604110225	96/02/13	50-219	P
9604120200	9604110225	96/02/13	50-219	Q	9604150096	9604110225	96/02/13	50-219	P
9604120203	9604110225	96/02/13	50-219	S	9604150097	9604150086	96/04/04	50-397	P
9604120204	9604110225	96/02/13	50-219	Q	9604150098	9604110225	96/02/13	50-219	Q
9604120205	9604110225	96/02/13	50-219	Q	9604150099	9604150087	96/04/05	50-295	Q
9604120207	9604110225	96/02/13	50-219	P	9604150100	9604150088	96/04/10	40-6659	
9604120208	9604110225	96/02/13	50-219	Q	9604150101	9604110225	96/02/13	50-219	Q
9604120210	9604110225	96/02/13	50-219	P	9604150102	9604110225	96/02/13	50-219	P
9604120214	9604110225	96/02/13	50-219	Q	9604150104	9604150064	96/04/03	50-213	G
9604120215	9604110225	96/02/13	50-219	P	9604150105	9604150103	96/04/11	50-298	Q
9604120218	9604110225	96/02/13	50-219	Q	9604150106	9604110225	96/02/13	50-219	Q
9604120220	9604110225	96/02/13	50-219	Q	9604150107	9604110225	96/02/13	50-219	Q
9604120222	9604120217	96/03/13	70-*****		9604150108	9604110225	96/02/13	50-219	Q
9604120223	9604110225	96/02/13	50-219	Q	9604150110	9604110225	96/02/13	50-219	Q
9604120225	9604110225	96/02/13	50-219	Q	9604150111	9604110225	96/02/13	50-363	Q
9604120226	9604110225	96/02/13	50-219	P	9604150114	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604150117	9604150113	96/04/10	50-255	P	9604150394	9604110225	96/02/13	50-219	Q
9604150118	9604110225	96/02/13	50-363	Q	9604150398	9604110225	96/02/13	50-219	P
9604150119	9604110225	96/02/13	50-219	Q	9604150399	9604110225	96/02/13	50-219	P
9604150120	9604110225	96/02/13	50-219	P	9604150402	9604150397	96/04/09	50-344	Y
9604150125	9604150123	96/04/01	50-389	Q	9604150403	9604110225	96/02/13	50-219	P
9604150129	9604110225	96/02/13	50-219	Q	9604150410	9604110225	96/02/13	50-219	P
9604150131	9604110225	96/02/13	50-219	P	9604160022	9604160008	96/04/09	50-387	Q
9604150132	9604150128	96/04/05	50-456	Q	9604160025	9604160008	96/04/09	50-387	Q
9604150134	9604110225	96/02/13	50-219	P	9604160038	9604110225	96/02/13	50-219	P
9604150136	9604110225	96/02/13	50-219	Q	9604160040	9604160031	96/04/10	50-275	Q
9604150139	9604110225	96/02/13	50-219	P	9604160042	9604110225	96/02/13	50-219	P
9604150141	9604110225	96/02/13	50-219	Q	9604160043	9604160031	96/04/10	50-275	Q
9604150144	9604110225	96/02/13	50-219	P	9604160044	9604160027	96/03/19	71-*****	
9604150145	9604110225	96/02/13	50-219	Q	9604160048	9604110225	96/02/13	50-219	P
9604150151	9604150149	96/04/09	50-331	P	9604160050	9604160019	96/04/16	50-443	P
9604150154	9604110225	96/02/13	50-219	P	9604160051	9604110225	96/02/13	50-219	P
9604150157	9604150148	96/03/28	70-*****		9604160057	9604160052	96/04/10	50-461	P
9604150160	9604110225	96/02/13	50-219	P	9604160058	9604010067	96/03/08	STATE PRO	G
9604150162	9604150148	96/03/28	70-*****		9604160060	9604160052	96/04/10	50-461	P
9604150167	9604150163	96/04/11	50-298	Q	9604160061	9604160054	96/04/09	50-498	P
9604150169	9604150148	96/03/28	70-*****		9604160076	9604160069	96/04/10	50-289	P
9604150170	9604150163	96/04/11	50-298	Q	9604160082	9604160074	96/04/09	50-334	Q
9604150172	9604150150	96/04/08	50-373	P	9604160089	9604160087	96/04/02	50-269	P
9604150174	9604110225	96/02/13	50-219	Q	9604160095	9604160092	96/04/08	50-325	P
9604150176	9604150148	96/03/28	70-*****		9604160107	9604160101	96/04/09	50-373	P
9604150179	9604110225	96/02/13	50-219	Q	9604160114	9604160101	96/04/09	50-373	P
9604150180	9604110225	96/02/13	50-219	Q	9604160116	9604110225	96/02/13	50-219	Q
9604150181	9604150148	96/03/28	70-*****		9604160121	9604110225	96/02/13	50-219	Q
9604150182	9604110225	96/02/13	50-219	Q	9604160127	9604110225	96/02/13	50-219	Q
9604150184	9604110225	96/02/13	50-219	P	9604160131	9604110225	96/02/13	50-219	Q
9604150185	9604150178	96/04/09	50-254	P	9604160135	9604110225	96/02/13	50-219	Q
9604150186	9604110225	96/02/13	50-219	Q	9604160137	9604110225	96/02/13	50-219	Q
9604150187	9604150150	96/04/08	50-373	P	9604160139	9604110225	96/02/13	50-219	Q
9604150190	9604110225	96/02/13	50-219	Q	9604160140	9604110225	96/02/13	50-219	P
9604150191	9604110225	96/02/13	50-219	P	9604160141	9604110225	96/02/13	50-219	Q
9604150192	9604150148	96/03/28	70-*****		9604160143	9604110225	96/02/13	50-219	Q
9604150193	9604110225	96/02/13	50-219	P	9604160146	9604110225	96/02/13	50-219	P
9604150196	9604110225	96/02/13	50-219	P	9604160150	9604110225	96/02/13	50-219	Q
9604150198	9604150178	96/04/09	50-254	P	9604160152	9604110225	96/02/13	50-219	P
9604150200	9604110225	96/02/13	50-219	Q	9604160154	9604110225	96/02/13	50-219	P
9604150201	9604110225	96/02/13	50-219	Q	9604160156	9604110225	96/02/13	50-219	Q
9604150204	9604110225	96/02/13	50-219	P	9604160164	9604110225	96/02/13	50-219	Q
9604150208	9604110225	96/02/13	50-219	P	9604160166	9604110225	96/02/13	50-219	Q
9604150209	9604110225	96/02/13	50-219	P	9604160171	9604160161	96/02/20	REVIEW GR	P
9604150210	9604110225	96/02/13	50-219	P	9604160175	9604110225	96/02/13	50-219	Q
9604150212	9604110225	96/02/13	50-219	Q	9604160176	9604110225	96/02/13	50-219	Q
9604150217	9604110225	96/02/13	50-219	P	9604160180	9604110225	96/02/13	50-219	P
9604150221	9604110225	96/02/13	50-219	P	9604160182	9604110225	96/02/13	50-219	Q
9604150223	9604150216	96/03/06	40-8838		9604160186	9604110225	96/02/13	50-219	Q
9604150225	9604110225	96/02/13	50-219	P	9604160187	9604110225	96/02/13	50-219	Q
9604150227	9604110225	96/02/13	50-219	P	9604160191	9604110225	96/02/13	50-219	Q
9604150229	9604150228	96/04/11	71-9225		9604160192	9604110225	96/02/13	50-219	Q
9604150230	9604110225	96/02/13	50-219	P	9604160196	9604110225	96/02/13	50-219	Q
9604150231	9604110225	96/02/13	50-363	Q	9604160198	9604110225	96/02/13	50-219	P
9604150235	9604150216	96/03/06	40-8838		9604160201	9604110225	96/02/13	50-219	P
9604150237	9604110225	96/02/13	50-219	P	9604160203	9604110225	96/02/13	50-219	Q
9604150240	9604150216	96/03/06	40-8838		9604160207	9604110225	96/02/13	50-219	Q
9604150243	9604110225	96/02/13	50-219	Q	9604160214	9604110225	96/02/13	50-219	Q
9604150247	9604110225	96/02/13	50-219	Q	9604160216	9604110225	96/02/13	50-219	Q
9604150248	9604150216	96/03/06	40-8838		9604160217	9604110225	96/02/13	50-219	P
9604150249	9604150246	96/03/28	50-213	P	9604160221	9604110225	96/02/13	50-219	Q
9604150254	9604150252	96/04/08	50-315	P	9604160224	9604110225	96/02/13	50-219	Q
9604150255	9604150216	96/03/06	40-8838		9604160225	9604110225	96/02/13	50-219	Q
9604150263	9604110225	96/02/13	50-219	P	9604160228	9604110225	96/02/13	50-219	Q
9604150276	9604150267	96/04/08	WASTE MGT		9604160230	9604110225	96/02/13	50-219	P
9604150280	9604150277	96/04/10	50-275	Q	9604160231	9604110225	96/02/13	50-219	Q
9604150282	9604150267	96/04/08	WASTE MGT		9604160238	9604110225	96/02/13	50-219	H
9604150283	9604110225	96/02/13	50-219	P	9604160247	9604110225	96/02/13	50-219	Q
9604150288	9604110225	96/02/13	50-219	P	9604160248	9604110225	96/02/13	50-219	Q
9604150300	9604110225	96/02/13	50-219	D	9604160250	9604160229	96/04/12	50-454	P
9604150301	9604110225	96/02/13	50-219	S	9604160256	9604110225	96/02/13	50-219	Q
9604150305	9604150299	96/04/04	50-461	Q	9604160257	9604160229	96/04/12	50-454	P
9604150307	9604150299	96/04/04	50-461	Q	9604160259	9604110225	96/02/13	50-219	P
9604150311	9604150304	96/04/11	50-416	Q	9604160261	9604160252	96/03/29	50-528	P
9604150319	9604110225	96/02/13	50-219	Q	9604160262	9604160260	96/04/11	50-313	P
9604150324	9604110225	96/02/13	50-219	P	9604160267	9604110225	96/02/13	50-219	Q
9604150325	9604150321	96/04/10	70-734		9604160269	9604160268	96/04/09	50-483	P
9604150329	9604110225	96/02/13	50-219	P	9604160270	9604110225	96/02/13	50-219	Q
9604150336	9604150322	96/04/11	50-416	Q	9604160272	9604110225	96/02/13	50-219	Q
9604150338	9604110225	96/02/13	50-219	P	9604160276	9604110225	96/02/13	50-219	Q
9604150344	9604110225	96/02/13	50-219	P	9604160279	9604110225	96/02/13	50-363	Q
9604150346	9604150337	96/04/11	50-482	Q	9604160281	9604160275	96/03/28	50-266	F
9604150351	9604150337	96/04/11	50-482	Q	9604160282	9604110225	96/02/13	50-219	Q
9604150355	9604150322	96/04/11	50-416	Q	9604160285	9604110225	96/02/13	50-219	Q
9604150380	9604150372	96/04/05	50-193	Q	9604160287	9604110225	96/02/13	50-363	Q
9604150382	9604150377	96/04/11	50-361	Q	9604160288	9604110225	96/02/13	50-219	Q
9604150388	9604150377	96/04/11	50-361	Q	9604160291	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ACCESSION NUMBER ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604160294	9604160292	96/04/11	50-266	F	9604170085	9604110225	96/02/13	50-363	Q
9604160295	9604110225	96/02/13	50-219	P	9604170089	9604110225	96/02/13	50-219	P
9604160296	9604160293	96/03/18	40-8857		9604170090	9604170087	96/04/10	40-4492	
9604160298	9604110225	96/02/13	50-219	P	9604170105	9604110225	96/02/13	50-219	P
9604160301	9604110225	96/02/13	50-363	A	9604170110	9604110225	96/02/13	50-363	Q
9604160302	9604110225	96/02/13	50-219	P	9604170115	9604110225	96/02/13	50-219	P
9604160303	9604110225	96/02/13	50-219	P	9604170120	9604110225	96/02/13	50-219	P
9604160305	9604110225	96/02/13	50-219	P	9604170121	9604110225	96/02/13	50-363	Q
9604160307	9604110225	96/02/13	50-219	Q	9604170124	9604170114	96/04/12	50-282	S
9604160310	9604110225	96/02/13	50-219	P	9604170130	9604110225	96/02/13	50-219	Q
9604160314	9604160265	96/04/09	50-245	P	9604170136	9604110225	96/02/13	50-219	P
9604160320	9604110225	96/02/13	50-219	Q	9604170140	9604170129	96/04/12	50-395	P
9604160323	9604110225	96/02/13	50-363	Q	9604170141	9604170135	96/03/29	PROJ	
9604160327	9604110225	96/02/13	50-219	Q	9604170142	9604170137	96/04/05	FOIA	
9604160329	9604160325	96/04/11	50-237	Q	9604170147	9604170135	96/03/29	PROJ	
9604160338	9604160337	96/04/11	50-368	P	9604170148	9604110225	96/02/13	50-219	P
9604160340	9604160335	96/04/10	50-454	P	9604170150	9604170129	96/04/12	50-395	P
9604160343	9604160337	96/04/11	50-368	P	9604170157	9604170154	96/04/10	PROJ	
9604160345	9604160339	96/04/08	50-255	Q	9604170166	9604110225	96/02/13	50-219	Q
9604160347	9604160335	96/04/10	50-454	P	9604170168	9604170159	96/04/11	50-361	P
9604160348	9604160333	96/04/12	50-321	P	9604170170	9604110225	96/02/13	50-219	Q
9604160350	9604160335	96/04/10	50-454	P	9604170171	9604110225	96/02/13	50-219	P
9604160351	9604110225	96/02/13	50-293	S	9604170174	9604170159	96/04/11	50-361	P
9604160355	9604110225	96/02/13	50-219	P	9604170175	9604170163	96/04/08	70-1113	
9604160358	9604110225	96/02/13	50-219	Q	9604170177	9604170163	96/04/08	70-1113	
9604160362	9604110225	96/02/13	50-219	Q	9604170179	9604110225	96/02/13	50-219	Q
9604160365	9604110225	96/02/13	50-219	P	9604170181	9604110225	96/02/13	50-219	Q
9604160366	9604110225	96/02/13	50-219	Q	9604170184	9604170165	96/04/03	50-206	H
9604160367	9604110225	96/02/13	50-219	Q	9604170188	9604170165	96/04/03	50-206	H
9604160370	9604110225	96/02/13	50-219	Q	9604170194	9604110225	96/02/13	50-219	P
9604160377	9604110225	96/02/13	50-219	Q	9604170195	9604110225	96/02/13	50-219	S
9604160383	9604170051	96/04/11	50-483	Q	9604170196	9604170186	96/04/05	71-*****	
9604160385	9604110225	96/02/13	50-219	Q	9604170197	9604110225	96/02/13	50-363	Q
9604160387	9604110225	96/02/13	50-219	P	9604170201	9604110225	96/02/13	50-219	V
9604160393	9604110225	96/02/13	50-219	P	9604170202	9604170190	96/03/20	COMMISSIO	N
9604160394	9604170051	96/04/11	50-483	Q	9604170206	9604110225	96/02/13	50-219	V
9604160398	9604160395	96/04/10	50-413	P	9604170207	9604110225	96/02/13	50-363	Q
9604160399	9604170051	96/04/11	50-483	Q	9604170210	9604110225	96/02/13	50-219	S
9604160400	9604110225	96/02/13	50-219	P	9604170211	9604110225	96/02/13	50-219	S
9604160406	9604160378	96/04/11	50-282	K	9604170212	9604110225	96/02/13	50-363	A
9604160407	9604170051	96/04/11	50-483	Q	9604170214	9604110225	96/02/13	50-363	Q
9604160409	9604110225	96/02/13	50-219	P	9604170215	9604110225	96/02/13	50-219	S
9604160417	9604110225	96/02/13	50-219	P	9604170216	9604110225	96/02/13	50-219	P
9604160420	9604160412	96/04/06	50-528	S	9604170217	9604110225	96/02/13	50-219	P
9604160425	9604110225	96/02/13	50-219	H	9604170229	9604110225	96/02/13	50-219	S
9604160428	9604110225	96/02/13	50-219	Q	9604170231	9604110225	96/02/13	50-219	P
9604160430	9604110225	96/02/13	50-219	H	9604170232	9604110225	96/02/13	50-219	Q
9604160431	9604110225	96/02/13	50-219	P	9604170235	9604110225	96/02/13	50-219	Q
9604160435	9604110225	96/02/13	50-219	P	9604170240	9604110225	96/02/13	50-219	P
9604160442	9604110225	96/02/13	50-219	P	9604170243	9604110225	96/02/13	50-219	Q
9604160446	9604110225	96/02/13	50-219	P	9604170252	9604110225	96/02/13	50-219	Q
9604160450	9604110225	96/02/13	50-219	P	9604170253	9604110225	96/02/13	50-219	P
9604160451	9604170045	96/04/15	I&E		9604170255	9604110225	96/02/13	50-219	P
9604160455	9604160448	96/04/14	50-354	R	9604170256	9604110225	96/02/13	50-219	P
9604160456	9604110225	96/02/13	50-219	P	9604170265	9604170249	96/04/03	50-277	F
9604160461	9604110225	96/02/13	FOIA		9604170265	9604170249	96/04/03	50-277	F
9604160463	9604160448	96/04/14	50-354	R	9604170266	9604110225	96/02/13	50-219	S
9604160467	9604110225	96/02/13	50-219	Q	9604170269	9604170267	96/04/09	FOIA	
9604160468	9604110225	96/02/13	50-219	P	9604170272	9604170249	96/04/03	50-277	F
9604160469	9604110225	96/02/13	50-219	Q	9604170275	9604170271	96/04/11	50-245	R
9604160473	9604110225	96/02/13	50-219	Q	9604170279	9604170277	96/04/11	WASTE MGT	
9604170002	9604170001	96/04/12	71-6722		9604170281	9604110225	96/02/13	50-219	S
9604170006	9604110225	96/02/13	50-219	Q	9604170282	9604110225	96/02/13	50-219	P
9604170009	9604170008	96/04/10	50-424	P	9604170285	9604110225	96/02/13	50-219	P
9604170010	9604110225	96/02/13	50-219	Q	9604170287	9604110225	96/02/13	50-219	P
9604170013	9604110225	96/02/13	50-363	Q	9604170289	9604110225	96/02/13	50-219	S
9604170015	9604110225	96/02/13	50-219	Q	9604170290	9604110225	96/02/13	50-219	P
9604170016	9604170014	96/04/12	71-6568		9604170294	9604110225	96/02/13	50-219	Q
9604170018	9604110225	96/02/13	50-363	Q	9604170295	9604110225	96/02/13	50-219	Q
9604170025	9604110225	96/02/13	50-219	P	9604170297	9604170284	96/04/09	50-341	S
9604170035	9604110225	96/02/13	50-219	Q	9604170298	9604110225	96/02/13	50-219	Q
9604170036	9604170032	96/04/10	50-413	P	9604170301	9604170299	96/04/10	50-346	R
9604170042	9604170038	96/04/11	50-361	P	9604170302	9604110225	96/02/13	50-219	Q
9604170046	9604110225	96/02/13	50-219	Q	9604170303	9604170264	96/04/12	50-338	R
9604170049	9604110225	96/02/13	50-219	P	9604170304	9604170264	96/04/12	50-338	R
9604170054	9604170045	96/04/15	I&E		9604170305	9604170299	96/04/10	50-346	R
9604170055	9604110225	96/02/13	50-219	P	9604170306	9604110225	96/02/13	50-219	Q
9604170059	9604170053	95/04/11	ORG		9604170307	9604170299	96/04/10	50-346	R
9604170060	9604110225	96/02/13	50-219	P	9604170308	9604110225	96/02/13	50-219	Q
9604170062	9604110225	96/02/13	50-219	P	9604170310	9604110225	96/02/13	50-219	F
9604170065	9604110225	96/02/13	50-219	Q	9604170311	9604170299	96/04/10	50-346	R
9604170066	9604110225	96/02/13	50-219	Q	9604170315	9604170314	96/04/05	FOIA	
9604170068	9604110225	96/02/13	50-219	P	9604170316	9604170314	96/04/05	FOIA	
9604170072	9604110225	96/02/13	50-363	Q	9604170318	9604170314	96/04/05	FOIA	
9604170076	9604170074	96/03/25	PROJ		9604170319	9604170314	96/04/05	FOIA	
9604170079	9604110225	96/02/13	50-219	Q	9604170321	9604170314	96/04/05	FOIA	
9604170083	9604170081	96/04/11	50-317	P	9604170323	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604170325	9604110225	96/02/13	50-219	S	9604180004	9604110225	96/02/13	50-219	P
9604170326	9604110225	96/02/13	50-219	Q	9604180005	9604110225	96/02/13	50-219	P
9604170328	9604170283	96/04/15	50-269	P	9604180006	9604110225	96/02/13	50-219	Q
9604170329	9604110225	96/02/13	50-219	Q	9604180009	9604110225	96/02/13	50-219	P
9604170333	9604170283	96/04/15	50-269	P	9604180010	9604110225	96/02/13	50-219	S
9604170334	9604110225	96/02/13	50-219	Q	9604180012	9604110225	96/02/13	50-219	Q
9604170335	9604110225	96/02/13	50-219	Q	9604180014	9604110225	96/02/13	50-219	Q
9604170336	9604110225	96/02/13	50-219	P	9604180016	9604110225	96/02/13	50-219	S
9604170342	9604110225	96/02/13	50-363	Q	9604180017	9604110225	96/02/13	50-219	Q
9604170344	9604110225	96/02/13	50-219	P	9604180019	9604170514	96/04/15	50-424	P
9604170345	9604110225	96/02/13	50-219	S	9604180020	9604110225	96/02/13	50-219	P
9604170347	9604110225	96/02/13	50-219	Q	9604180021	9604180018	96/04/15	71-9788	
9604170349	9604110225	96/02/13	50-219	Q	9604180022	9604110225	96/02/13	50-219	P
9604170351	9604110225	96/02/13	50-219	P	9604180023	9604110225	96/02/13	50-219	S
9604170352	9604110225	96/02/13	50-219	Q	9604180027	0604110225	96/02/13	50-219	S
9604170354	9604110225	96/02/13	50-219	P	9604180032	9604110225	96/02/13	50-219	S
9604170355	9604110225	96/02/13	50-219	P	9604180034	9604110225	96/02/13	50-219	Q
9604170358	9604170350	96/04/12	50-346	G	9604180035	0604110225	96/02/13	50-219	P
9604170359	9604170353	96/04/05	WASTE MGT		9604180040	9604110225	96/02/13	50-219	S
9604170360	9604110225	96/02/13	50-219	F	9604180043	9604110225	96/02/13	50-219	Q
9604170364	9604110225	96/02/13	50-219	Q	9604180044	9604110225	96/02/13	50-219	S
9604170365	9604110225	96/02/13	50-219	Q	9604180048	9604110225	96/02/13	50-219	S
9604170367	9604110225	96/02/13	50-219	P	9604180051	9604110225	96/02/13	50-219	P
9604170376	9604110225	96/02/13	50-219	P	9604180053	9604110225	96/02/13	50-219	S
9604170377	9604110225	96/02/13	50-219	Q	9604180060	9604110225	96/02/13	50-219	P
9604170379	9604110225	96/02/13	50-219	P	9604180063	9604110225	96/02/13	50-219	P
9604170380	9604110225	96/02/13	50-219	Q	9604180068	9604110225	96/02/13	50-219	S
9604170382	9604110225	96/02/13	50-219	Q	9604180071	9604110225	96/02/13	50-219	Q
9604170383	9604110225	96/02/13	50-219	Q	9604180075	9604110225	96/02/13	50-219	S
9604170384	9604110225	96/02/13	50-219	Q	9604180077	9604110225	96/02/13	50-219	Q
9604170386	9604110225	96/02/13	50-219	Q	9604180078	9604180073	96/04/10	40-6940	
9604170388	9604110225	96/02/13	50-219	Q	9604180080	9604110225	96/02/13	50-219	Q
9604170389	9604110225	96/02/13	50-219	Q	9604180082	9604180073	96/04/10	40-6940	
9604170392	9604110225	96/02/13	50-219	Q	9604180084	9604180079	96/03/22	40-8838	
9604170394	9604110225	96/02/13	50-219	Q	9604180085	9604110225	96/02/13	50-219	Q
9604170396	9604110225	96/02/13	50-219	S	9604180089	9604110225	96/02/13	50-219	Q
9604170397	9604110225	96/02/13	50-219	Q	9604180091	9604110225	96/02/13	50-219	P
9604170398	9604110225	96/02/13	50-219	P	9604180095	9604180079	96/03/22	40-8838	
9604170400	9604170395	96/04/15	50-344	W	9604180097	9604110225	96/02/13	50-219	Q
9604170401	9604110225	96/02/13	50-219	P	9604180103	9604110225	96/02/13	50-219	Q
9604170403	9604170393	96/04/09	40-501		9604180104	9604110225	96/02/13	50-219	S
9604170404	9604110225	96/02/13	50-219	P	9604180108	9604110225	96/02/13	50-219	P
9604170405	9604110225	96/02/13	50-219	P	9604180109	9604110225	96/02/13	50-219	S
9604170406	9604110225	96/02/13	50-219	Q	9604180112	9604180093	96/04/12	50-400	K
9604170408	9604110225	96/02/13	50-219	P	9604180113	9604110225	96/02/13	50-219	Q
9604170412	9604110225	96/02/13	50-219	Q	9604180117	9604110225	96/02/13	50-219	Q
9604170414	9604110225	96/02/13	50-219	V	9604180118	9604110225	96/02/13	50-219	Q
9604170415	9604110225	96/02/13	50-219	S	9604180119	9604110225	96/02/13	50-219	Q
9604170421	9604110225	96/02/13	50-219	P	9604180124	9604110225	96/02/13	50-219	Q
9604170428	9604110225	96/02/13	50-219	Q	9604180128	9604110225	96/02/13	50-219	P
9604170433	9604110225	96/02/13	50-219	S	9604180132	9604110225	96/02/13	50-219	Q
9604170437	9604110225	96/02/13	50-219	P	9604180133	9604180130	96/04/15	PR	
9604170443	9604110225	96/02/13	50-219	S	9604180136	9604110225	96/02/13	50-219	Q
9604170449	9604170444	96/04/15	50-348	P	9604180137	9604110225	96/02/13	50-219	S
9604170451	9604110225	96/02/13	50-219	P	9604180138	9604110225	96/02/13	50-219	Q
9604170460	9604110225	96/02/13	50-219	P	9604180140	9604110225	96/02/13	50-219	Q
9604170464	9604170431	96/04/12	50-309	K	9604180141	9604110225	96/02/13	50-219	S
9604170467	9604110225	96/02/13	50-219	P	9604180143	9604110225	96/02/13	50-219	Q
9604170470	9604110225	96/02/13	50-219	Q	9604180146	9604110225	96/02/13	50-219	P
9604170472	9604110225	96/02/13	50-219	Q	9604180147	9604110225	96/02/13	50-219	Q
9604170473	9604110225	96/02/13	50-219	Q	9604180150	9604110225	96/02/13	50-219	P
9604170475	9604110225	96/02/13	50-219	Q	9604180151	9604110225	96/02/13	50-219	P
9604170479	9604110225	96/02/13	50-219	Q	9604180152	9604110225	96/02/13	50-219	S
9604170483	9604110225	96/02/13	50-219	P	9604180157	9604110225	96/02/13	50-219	S
9604170486	9604110225	96/02/13	50-219	P	9604180159	9604110225	96/02/13	50-219	Q
9604170489	9604110225	96/02/13	50-219	Q	9604180162	9604110225	96/02/13	50-219	P
9604170492	9604110225	96/02/13	50-219	Q	9604180165	9604110255	96/02/13	50-219	Q
9604170493	9604110225	96/02/13	50-219	S	9604180167	9604110225	96/02/13	50-219	P
9604170497	9604170495	96/04/16	50-305	Q	9604180171	9604110225	96/02/13	50-219	Q
9604170499	9604110225	96/02/13	50-219	P	9604180173	9604180164	96/04/15	50-338	P
9604170500	9604110225	96/02/13	50-219	Q	9604180175	9604180174	96/04/15	50-280	P
9604170501	9604170480	96/04/15	71-844		9604180177	9604110225	96/02/13	50-219	Q
9604170505	9604110225	96/02/13	50-219	Q	9604180179	9604110225	96/02/13	50-219	Q
9604170508	9604110225	96/02/13	50-219	P	9604180182	9604110225	96/02/13	50-219	P
9604170509	9604110225	96/02/13	50-219	Q	9604180184	9604180172	96/04/12	50-341	F
9604170515	9604170510	96/04/12	52-3		9604180188	9604110225	96/02/13	50-219	S
9604170516	9604170506	96/04/16	50-237	P	9604180190	9604180166	96/04/16	TOPREP	
9604170518	9604170510	96/04/12	52-3		9604180194	9604110225	96/02/13	50-219	P
9604170519	9604170514	96/04/15	50-424	P	9604180196	8811220498	88/10/06	40-8907	
9604170520	9604170514	96/04/15	50-424	P	9604180197	9604110225	96/02/13	50-219	Q
9604170521	9604110225	96/02/13	50-219	Q	9604180199	9604110225	96/02/13	50-219	S
9604170524	9604170514	96/04/15	50-424	P	9604180202	9604110225	96/02/13	50-219	S
9604170525	9604110225	96/02/13	50-219	Q	9604180203	9604110225	96/02/13	50-219	Q
9604170527	9604110225	96/02/13	50-219	Q	9604180208	9604180198	96/04/15	50-245	S
9604170528	9604110225	96/02/13	50-219	Q	9604180210	9604110225	96/02/13	50-219	P
9604180001	9604110225	96/02/13	50-219	P	9604180211	9604110225	96/02/13	50-219	S
9604180003	9604110225	96/02/13	50-219	P	9604180217	9604180186	96/04/12	50-309	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604180218	9604110225	96/02/13	50-219	P	9604190283	9604190280	96/04/12	50-483	P
9604180222	9604110225	96/02/13	50-219	Q	9604190289	9604190280	96/04/12	50-483	P
9604180225	9604110225	96/02/13	50-219	S	9604190294	9604190280	96/04/12	50-483	P
9604180229	9604110225	96/02/13	50-219	Q	9604190300	9604110225	96/02/13	50-219	Q
9604180230	9604180214	96/04/10	50-29	G	9604190305	9604110225	96/02/13	50-219	Q
9604180232	9604110225	96/02/13	50-219	Q	9604190308	9604110225	96/02/13	50-219	Q
9604180238	9604110225	96/02/13	50-219	Q	9604190310	9604190296	96/04/15	50-295	S
9604180251	9604180246	96/04/12	50-259	P	9604190312	9604110225	96/02/13	50-219	Q
9604180255	9604180246	96/04/12	50-259	P	9604190313	9604110225	96/02/13	50-219	Q
9604180256	9604180249	96/04/16	40-6659		9604190317	9604110225	96/02/13	50-219	P
9604180273	9604180270	96/04/15	50-245	P	9604190324	9604110225	96/02/13	50-219	P
9604180274	9604180268	96/04/16	50-272	P	9604190331	9604190328	96/04/17	50-446	Q
9604180275	9604180270	96/04/15	50-245	P	9604190332	9604110225	96/02/13	50-219	Q
9604180282	9604110225	96/02/13	50-219	P	9604190340	9604110225	96/02/13	50-219	Q
9604180285	9604180281	96/04/16	50-259	P	9604190344	9604190338	96/04/18	50-416	P
9604180288	9604180281	96/04/16	50-259	P	9604190346	9604110225	96/02/13	50-219	P
9604180292	9604110225	96/02/13	50-219	Q	9604190351	9604110225	96/02/13	50-219	Q
9604180294	9604110225	96/02/13	50-219	Q	9604190356	9604190353	96/04/12	40-8905	
9604180301	9604110225	96/02/13	50-219	P	9604190360	9604110225	96/02/13	50-219	Q
9604180336	9604180326	96/04/16	71-6346		9604190362	9604110225	96/02/13	50-219	Q
9604180340	9604180332	96/04/12	50-498	Q	9604220002	9604110225	96/02/13	50-219	P
9604180346	9604110225	96/02/13	50-219	P	9604220004	9604110225	96/02/13	50-219	P
9604180350	9604110225	96/02/13	50-219	Q	9604220006	9604110225	96/02/13	50-219	P
9604180353	9604110225	96/02/13	50-219	Q	9604220007	9604110225	96/02/13	50-219	P
9604180356	9604110225	96/02/13	50-219	Q	9604220009	9604110225	96/02/13	50-219	P
9604180360	9604110225	96/02/13	50-219	P	9604220010	9604110225	96/02/13	50-219	P
9604180367	9604180359	96/04/16	71-6601		9604220012	9604110225	96/02/13	50-219	P
9604180368	9604190007	96/04/17	50-146	C	9604220015	9604110225	96/02/13	50-219	P
9604180369	9604110225	96/02/13	50-219	Q	9604220016	9604110225	96/02/13	50-219	P
9604180370	9604180355	96/03/26	50-10	Q	9604220021	9604220014	96/04/17	50-298	Q
9604180371	9604180366	96/04/15	50-271	P	9604220023	9604220013	96/04/15	40-8904	
9604180376	9604180349	96/04/11	50-335	P	9604220026	9604220020	96/04/17	50-440	R
9604180377	9604180357	96/04/15	50-313	Q	9604220030	9604110225	96/02/13	50-219	P
9604180378	9604110225	96/02/13	50-219	Q	9604220032	9604110225	96/02/13	50-219	Q
9604180382	9604180355	96/03/26	50-10	Q	9604220035	9604110225	96/02/13	50-219	P
9604180384	9604110225	96/02/13	50-219	Q	9604220036	9604110225	96/02/13	50-219	Q
9604180387	9604180357	96/04/15	50-313	Q	9604220037	9604220031	96/04/18	52-3	
9604180391	9604180349	96/04/11	50-335	P	9604220038	9604110225	96/02/13	50-219	Q
9604180395	9604110225	96/02/13	50-219	Q	9604220041	9604110225	96/02/13	50-219	Q
9604180399	9604110225	96/02/13	50-219	Q	9604220043	9604110225	96/02/13	50-219	P
9604180405	9604110225	96/02/13	50-219	P	9604220046	9604110225	96/02/13	50-219	P
9604180409	9604180397	96/04/16	50-454	P	9604220047	9604220045	96/03/29	52-4	
9604180412	9604180397	96/04/16	50-454	P	9604220048	9604110225	96/02/13	50-219	P
9604180415	9604110225	96/02/13	50-219	Q	9604220051	9604110225	96/02/13	50-219	Q
9604180420	9604180397	96/04/16	50-454	P	9604220053	9604110225	96/02/13	50-219	S
9604180422	9604110225	96/02/13	50-219	Q	9604220059	9604110225	96/02/13	50-219	P
9604180426	9604180418	96/04/05	50-324	Q	9604220063	9604110225	96/02/13	50-219	S
9604180427	9604110225	96/02/13	50-219	P	9604220066	9604220060	96/04/15	WASTE MGT	
9604180445	9604180438	96/04/09	50-498	P	9604220067	9604110225	96/02/13	50-219	P
9604180449	9604180439	96/04/04	STATE PRO	G	9604220068	9604220057	96/04/11	50-341	F
9604180450	9604110225	96/02/13	50-219	P	9604220071	9604220057	96/04/11	50-341	F
9604180459	9604110225	96/02/13	50-219	P	9604220073	9604110225	96/02/13	50-219	Q
9604180461	9604110225	96/02/13	50-219	P	9604220077	9604110225	96/02/13	50-219	Q
9604190011	9604190009	96/04/11	50-275	Q	9604220079	9604110225	96/02/13	50-219	P
9604190015	9604110225	96/02/13	50-219	P	9604220081	9604220076	96/04/15	50-219	P
9604190023	9604190018	96/04/11	50-361	P	9604220085	9604110225	96/02/13	50-219	P
9604190027	9604190024	96/04/15	50-298	Q	9604220094	9604110225	96/02/13	50-219	H
9604190028	9604190018	96/04/11	50-361	P	9604220097	9604110225	96/02/13	50-219	Q
9604190029	9604110225	96/02/13	50-219	Q	9604220100	9604110225	96/02/13	50-219	P
9604190042	9604190033	96/04/15	50-387	Q	9604220101	9604110225	96/02/13	50-219	Q
9604190055	9604190047	96/04/14	50-302	P	9604220104	9604220044	96/04/17	FOIA	
9604190063	9604190060	96/04/15	50-298	Q	9604220105	9604110225	96/02/13	50-219	Q
9604190072	9604190069	96/04/16	40-299		9604220116	9604110225	96/02/13	50-219	Q
9604190081	9604190073	96/04/15	40-1341		9604220117	9604110225	96/02/13	50-219	P
9604190083	9604110225	96/02/13	50-219	Q	9604220118	9604110225	96/02/13	50-219	Q
9604190090	9604110225	96/02/13	50-219	Q	9604220120	9604220112	96/04/12	50-483	P
9604190095	9604110225	96/02/13	50-219	Q	9604220123	9604110225	96/02/13	50-219	Q
9604190101	9604110225	96/02/13	50-219	Q	9604220124	9604110225	96/02/13	50-219	Q
9604190154	9604190150	96/04/17	CONTRACT		9604220126	9604110225	96/02/13	50-219	Q
9604190164	9604190160	96/03/29	70-925		9604220128	9604110225	96/02/13	50-219	Q
9604190175	9604190173	96/04/15	50-272	I	9604220129	9604110225	96/02/13	50-219	Q
9604190177	9604190173	96/04/15	50-272	I	9604220130	9604110225	96/02/13	50-219	Q
9604190178	9604190173	96/04/15	50-272	I	9604220131	9604220127	96/03/28	50-282	Q
9604190211	9604110225	96/02/13	50-219	S	9604220134	9604110225	96/02/13	50-219	P
9604190216	9604110225	96/02/13	50-219	S	9604220143	9604110225	96/02/13	50-219	Q
9604190227	9604190223	96/04/15	50-247	P	9604220147	9604110225	96/02/13	50-219	Q
9604190231	9604110225	96/02/13	50-219	S	9604220155	9604110225	96/02/13	50-219	S
9604190235	9604110225	96/02/13	50-219	S	9604220161	9604220159	96/04/15	50-482	F
9604190246	9604110225	96/02/13	50-219	Q	9604220166	9604220159	96/04/15	50-482	F
9604190249	9604110225	96/02/13	50-219	S	9604220167	9604110225	96/02/13	50-219	Q
9604190253	9604110225	96/02/13	50-219	Q	9604220168	9604110225	96/02/13	50-219	P
9604190256	9604110225	96/02/13	50-219	S	9604220174	9604110225	96/02/13	50-219	Q
9604190261	9604190259	96/04/18	50-416	P	9604220175	9604220159	96/04/15	50-482	F
9604190265	9604110225	96/02/13	50-219	P	9604220190	9604110225	96/02/13	50-219	Q
9604190269	9604110225	96/02/13	50-219	H	9604220192	9604110225	96/02/13	50-219	Q
9604190274	9604110225	96/02/13	50-219	Q	9604220205	9604110225	96/02/13	50-219	P
9604190277	9604190272	96/04/02	50-413	P	9604220207	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604220208	9604220206	96/04/16	50-373	P	9604230038	9604230029	96/04/11	70-143	
9604220210	9604110225	96/02/13	50-219	P	9604230040	9604110225	96/02/13	50-219	Q
9604220212	9604110225	96/02/13	50-219	P	9604230041	9604230039	96/04/16	50-317	P
9604220213	9604220200	96/04/12	50-483	P	9604230045	9604110225	96/02/13	50-219	P
9604220214	9604220211	96/04/16	50-213	P	9604230049	9604230039	96/04/16	50-317	P
9604220215	9604110225	96/02/13	50-363	P	9604230055	9604110225	96/02/13	50-219	P
9604220220	9604110225	96/02/13	50-219	Q	9604230056	9604110225	96/02/13	50-219	Q
9604220221	9604110225	96/02/13	50-219	P	9604230057	9604230054	96/04/14	50-259	P
9604220225	9604110225	96/02/13	50-219	Q	9604230059	9604230052	96/04/16	50-293	Q
9604220226	9604110225	96/02/13	50-219	P	9604230064	9604110225	96/02/13	50-219	Q
9604220234	9604110225	96/02/13	50-219	Q	9604230067	9604230065	96/04/19	50-309	P
9604220235	9604220232	96/04/15	50-259	Q	9604230071	9604230061	96/04/12	50-361	R
9604220241	9604220236	96/02/20	70-1201		9604230078	9604110225	96/02/13	50-219	H
9604220242	9604110225	96/02/13	50-219	Q	9604230083	9604110225	96/02/13	50-219	Q
9604220244	9604220232	96/04/15	50-259	Q	9604230089	9604110225	96/02/13	50-317	P
9604220245	9604220236	96/02/20	70-1201		9604230093	9604110225	96/02/13	50-219	P
9604220253	9604220236	96/02/20	70-1201		9604230096	9604110225	96/02/13	50-219	Q
9604220254	9604110225	96/02/13	50-219	P	9604230102	9604230098	96/04/17	50-382	Q
9604220255	9604110225	96/02/13	50-219	Q	9604230103	9604110225	96/02/13	50-219	P
9604220261	9604220251	96/04/04	50-324	Q	9604230106	9604230097	96/04/17	ORG	
9604220262	9604110225	96/02/13	50-219	P	9604230109	9604230098	96/04/17	50-382	Q
9604220265	9604110225	96/02/13	50-219	P	9604230112	9604110225	96/02/13	50-219	Q
9604220271	9604220266	96/04/12	50-348	Q	9604230122	9604110225	96/02/13	50-219	P
9604220273	9604110225	96/02/13	50-219	Q	9604230126	9604110225	96/02/13	50-219	P
9604220283	9604110225	96/02/13	50-219	Q	9604230130	9604110225	96/02/13	50-219	Q
9604220291	9604110225	96/02/13	50-219	Q	9604230132	9604230128	96/04/17	50-458	P
9604220293	9604220186	96/04/15	50-369	R	9604230133	9604110225	96/02/13	50-219	P
9604220296	9604110225	96/02/13	50-219	Q	9604230139	9604110225	96/02/13	50-219	Q
9604220299	9604220186	96/04/15	50-369	R	9604230141	9604110225	96/02/13	50-219	Q
9604220300	9604110225	96/02/13	50-219	Q	9604230143	9604110225	96/02/13	50-219	Q
9604220302	9604220295	96/04/17	50-416	Q	9604230149	9604110225	96/02/13	50-219	Q
9604220307	9604110225	96/02/13	50-219	P	9604230153	9604110225	96/02/13	50-219	Q
9604220308	9604220121	96/04/15	50-269	R	9604230155	9604110225	96/02/13	50-219	Q
9604220309	9604220121	96/04/15	50-269	R	9604230158	9604110225	96/02/13	50-219	Q
9604220314	9604110225	96/02/13	50-219	Q	9604230159	9604110225	96/02/13	50-219	Q
9604220315	9604110225	96/02/13	50-219	P	9604230163	9604110225	96/02/13	50-219	Q
9604220316	9604110225	96/02/13	50-219	P	9604230164	9604110225	96/02/13	50-219	Q
9604220319	9604220110	96/04/15	50-413	R	9604230165	9604230156	96/04/14	50-261	R
9604220320	9604220313	96/04/17	70-7001		9604230166	9604110225	96/02/13	50-219	Q
9604220321	9604110225	96/02/13	50-219	P	9604230172	9604110225	96/02/13	50-219	Q
9604220322	9604110225	96/02/13	50-219	Q	9604230176	9604110225	96/02/13	50-219	Q
9604220324	9604220110	96/04/15	50-413	R	9604230177	9604230170	96/04/18	50-305	P
9604220327	9604220313	96/04/17	70-7001		9604230182	9604230170	96/04/18	50-305	P
9604220328	9604110225	96/02/13	50-219	P	9604230183	9604110225	96/02/13	50-219	Q
9604220329	9604220325	96/04/11	50-336	V	9604230185	9604110225	96/02/13	50-219	Q
9604220334	9604110225	96/02/13	50-219	P	9604230190	9604110225	96/02/13	50-219	Q
9604220347	9604110225	96/02/13	50-219	P	9604230194	9604230175	96/04/09	50-400	Q
9604220348	9604110225	96/02/13	50-219	P	9604230195	9604110225	96/02/13	50-219	Q
9604220350	9604110225	96/02/13	50-219	P	9604230196	9604230193	96/04/16	50-395	P
9604220353	9604220349	96/04/16	50-423	P	9604230198	9604110225	96/02/13	50-219	Q
9604220358	9604110225	96/02/13	50-219	Q	9604230199	9604230227	96/04/11	50-528	R
9604220360	9604110225	96/02/13	50-219	Q	9604230200	9604230188	96/04/05	50-321	Q
9604220362	9604110225	96/02/13	50-219	Q	9604230201	9604110225	96/02/13	50-219	Q
9604220368	9604110225	96/02/13	50-219	Q	9604230204	9604110225	96/02/13	50-219	P
9604220370	9604220363	96/04/12	WASTE MGT		9604230208	9604110225	96/02/13	50-219	Q
9604220374	9604110225	96/02/13	50-219	Q	9604230215	9604110225	96/02/13	50-219	P
9604220376	9604220372	96/04/17	50-313	P	9604230216	9604230175	96/04/09	50-400	Q
9604220378	9604110225	96/02/13	50-219	Q	9604230217	9604110225	96/02/13	50-219	Q
9604220381	9604110225	96/02/13	50-219	P	9604230220	9604110225	96/02/13	50-219	Q
9604220385	9604220382	96/04/17	50-313	P	9604230225	9604110225	96/02/13	50-219	Q
9604220389	9604110225	96/02/13	50-219	Q	9604230229	9604110225	96/02/13	50-219	Q
9604220392	9604110225	96/02/13	50-219	Q	9604230234	9604110225	96/02/13	50-219	Q
9604220396	9604110225	96/02/13	50-219	P	9604230236	9604110225	96/02/13	50-219	Q
9604220397	9604110225	96/02/13	50-219	P	9604230237	9604230235	96/04/18	50-498	P
9604220399	9604220395	96/04/08	WASTE MGT		9604230240	9604110225	96/02/13	50-219	Q
9604220401	9604110225	96/02/13	50-219	P	9604230244	9604110225	96/02/13	50-219	Q
9604220404	9604110225	96/02/13	50-219	P	9604230245	9604110225	96/02/13	50-219	Q
9604220406	9604110225	96/02/13	50-219	P	9604230247	9604110225	96/02/13	50-219	Q
9604220407	9604110225	96/02/13	50-219	P	9604230248	9604110225	96/02/13	50-219	Q
9604220408	9604110225	96/02/13	50-219	P	9604230249	9604110225	96/02/13	50-219	Q
9604230005	9604110225	96/02/13	50-219	V	9604230253	9604110225	96/02/13	50-219	P
9604230007	9604110225	96/02/13	50-219	V	9604230255	9604110225	96/02/13	50-219	P
9604230009	9604110225	96/02/13	50-219	P	9604230257	9604110225	96/02/13	50-219	Q
9604230010	9604110225	96/02/13	50-219	Q	9604230259	9604110225	96/02/13	50-219	P
9604230013	9604110225	96/02/13	50-219	Q	9604230261	9604110225	96/02/13	50-219	P
9604230017	9604110225	96/02/13	50-219	Q	9604230263	9604110225	96/02/13	50-219	P
9604230018	9604110225	96/02/13	50-219	P	9604230264	9604110225	96/02/13	50-219	Q
9604230020	9604110225	96/02/13	50-219	P	9604230267	9604110225	96/02/13	50-219	P
9604230023	9604110225	96/02/13	50-219	Q	9604230268	9604110225	96/02/13	50-219	Q
9604230024	9604230016	96/04/16	50-498	P	9604230271	9604110225	96/02/13	50-219	P
9604230025	9604110225	96/02/13	50-219	P	9604230272	9604110225	96/02/13	50-219	Q
9604230026	9604110225	96/02/13	50-219	Q	9604230274	9604110225	96/02/13	50-219	P
9604230028	9604110225	96/02/13	50-219	Q	9604230279	9604110225	96/02/13	50-219	Q
9604230031	9604230016	96/04/16	50-498	P	9604230282	9604110225	96/02/13	50-219	P
9604230033	9604110225	96/02/13	50-219	P	9604230285	9604230283	96/04/18	50-370	P
9604230035	9604110225	96/02/13	50-219	P	9604230287	9604110225	96/02/13	50-219	P
9604230036	9604110225	96/02/13	50-219	Q	9604230289	9604110225	96/02/13	50-219	Q

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604230290	9604110225	96/02/13	50-219	Q	9604240214	9604240210	96/04/18	STATE PRO	G
9604230291	9604110225	96/02/13	50-219	P	9604240221	9604110225	96/02/13	50-219	S
9604230294	9604110225	96/02/13	50-219	P	9604240227	9604110225	96/02/13	50-219	Q
9604230295	9604230281	96/04/18	50-528	P	9604240234	9604240228	96/04/08	50-395	Q
9604230296	9604110225	96/02/13	50-219	P	9604240237	9604110225	96/02/13	50-219	S
9604230298	9604110225	96/02/13	50-219	F	9604240241	9604240228	96/04/08	50-395	Q
9604230300	9604110225	96/02/13	50-219	Q	9604240242	9604240233	96/04/22	71-579	
9604230301	9604110225	96/02/13	50-219	Q	9604240247	9604110225	96/02/13	50-219	S
9604230304	9604110225	96/02/13	50-219	Q	9604240251	9604110225	96/02/13	50-219	Q
9604230306	9604110225	96/02/13	50-219	P	9604240252	9604240246	96/04/16	50-245	P
9604230307	9604110225	96/02/13	50-219	P	9604240255	9604240250	96/04/22	71-*****	
9604230309	9604110225	96/02/13	50-219	Q	9604240264	9604240261	96/04/18	50-458	Q
9604230313	9604110225	96/02/13	50-219	Q	9604240265	9604110225	96/02/13	50-219	P
9604230314	9604110225	96/02/13	50-219	P	9604240266	9604240261	96/04/18	50-458	Q
9604230316	9604110225	96/02/13	50-219	P	9604240274	9604110225	96/02/13	50-219	P
9604230319	9604230337	96/04/19	50-416	I	9604240279	9604110225	96/02/13	50-219	S
9604230322	9604110225	96/02/13	50-219	Q	9604240283	9604240272	96/04/22	50-309	G
9604230323	9604230318	96/04/18	50-234	T	9604240292	9604110225	96/02/13	50-219	Q
9604230332	9604230321	96/04/08	50-327	Q	9604240306	9604240294	96/04/16	50-213	R
9604230333	9604230330	96/04/04	50-369	Q	9604240308	9604110225	96/02/13	50-219	Q
9604230347	9604110225	96/02/13	50-219	Q	9604240321	9604240317	96/04/18	50-446	Q
9604230357	9604110225	96/02/13	50-219	P	9604240323	9604240316	96/04/18	50-397	P
9604230364	9604230360	96/04/10	50-335	V	9604240329	9604240318	96/04/15	70-1113	
9604230368	9604110225	96/02/13	50-219	P	9604240340	9604240318	96/04/15	70-1113	
9604230377	9604110225	96/02/13	50-219	P	9604240347	9604240344	96/04/08	50-302	Q
9604230380	9604110225	96/02/13	50-219	P	9604240349	9604240344	96/04/08	50-302	Q
9604230387	9604110225	96/02/13	50-219	Q	9604240357	9604240354	96/04/22	50-364	P
9604230390	9604230388	96/04/08	50-354	Q	9604250001	9604110225	96/02/13	50-219	S
9604230391	9604230389	96/04/10	ORG		9604250006	9604250005	96/04/17	FOIA	
9604230392	9604110225	96/02/13	50-219	Q	9604250008	9604110225	96/02/13	50-219	Q
9604230393	9604110225	96/02/13	50-219	Q	9604250010	9604110225	96/02/13	50-219	Q
9604230398	9604110225	96/02/13	50-219	Q	9604250011	9604110225	96/02/13	50-219	Q
9604230401	9604110225	96/02/13	50-219	Q	9604250017	9604250015	96/04/16	FOIA	
9604230403	9604110225	96/02/13	50-219	Q	9604250020	9604110225	96/02/13	50-219	Q
9604230406	9604110225	96/02/13	50-219	P	9604250021	9604110225	96/02/13	50-219	P
9604240004	9604110225	96/02/13	50-219	P	9604250022	9604250015	96/04/16	FOIA	
9604240005	9604110225	96/02/13	50-219	P	9604250023	9604250015	96/04/16	FOIA	
9604240008	9604240007	96/04/19	50-334	P	9604250024	9604250016	96/04/15	70-36	
9604240021	9604230378	96/04/18	50-275	Q	9604250026	9604250019	96/04/08	40-*****	
9604240022	9604110225	96/02/13	50-219	P	9604250027	9604250015	96/04/16	FOIA	
9604240025	9604110225	96/02/13	50-219	P	9604250030	9604250015	96/04/16	FOIA	
9604240033	9604240030	96/04/16	50-373	F	9604250034	9604250015	96/04/16	FOIA	
9604240035	9604240032	96/03/29	50-407	V	9604250035	9604250016	96/04/15	70-36	
9604240037	9604110225	96/02/13	50-219	P	9604250045	9604110225	96/02/13	50-219	Q
9604240040	9604110225	96/02/13	50-219	Q	9604250047	9604250046	96/04/19	FOIA	
9604240043	9604240038	96/04/15	50-289	K	9604250054	9604110225	96/02/13	50-219	Q
9604240044	9604110225	96/02/13	50-219	Q	9604250056	9604250052	96/04/12	50-245	Q
9604240045	9604240038	96/04/15	50-289	K	9604250062	9604250052	96/04/12	50-245	Q
9604240046	9604240039	96/03/12	50-456	R	9604250070	9604110225	96/02/13	50-219	Q
9604240049	9604110225	96/02/13	50-219	P	9604250080	9604110225	96/02/13	50-219	Q
9604240058	9604240051	96/04/19	50-482	S	9604250084	9604250076	96/04/19	FOIA	
9604240060	9604110225	96/02/13	50-219	Q	9604250087	9604250076	96/04/19	FOIA	
9604240061	9604110225	96/02/13	50-219	P	9604250088	9604110225	96/02/13	50-219	Q
9604240065	9604240057	96/04/04	XPORTLIC		9604250094	9604250076	96/04/19	FOIA	
9604240066	9604110225	96/02/13	50-219	Q	9604250096	9604250076	96/04/19	FOIA	
9604240070	9604110225	96/02/13	50-219	Q	9604250099	9604250076	96/04/19	FOIA	
9604240077	9604240006	96/04/16	50-275	P	9604250107	9604110225	96/02/13	50-363	Q
9604240081	9604240075	96/04/16	50-280	Q	9604250113	9604250110	96/04/17	WASTE MGT	
9604240084	9604110225	96/02/13	50-219	Q	9604250117	9604110225	96/02/13	50-363	Q
9604240086	9604240082	96/04/16	52-1		9604250130	9604250083	96/04/18	50-213	Q
9604240095	9604110225	96/02/13	50-219	P	9604250131	9604110225	96/02/13	50-219	Q
9604240102	9604240090	96/04/17	50-483	P	9604250137	9604110225	96/02/13	50-363	Q
9604240104	9604110225	96/02/13	50-219	Q	9604250146	9604250143	96/04/17	50-254	Q
9604240113	9604240111	96/04/22	TOPREP		9604250153	9604250143	96/04/17	50-254	Q
9604240114	9604240097	96/04/12	50-346	Q	9604250155	9604250148	96/04/15	50-305	Q
9604240116	9604110225	96/02/13	50-219	P	9604250167	9604250162	96/02/22	27-48	
9604240124	9604110225	96/02/13	50-219	Q	9604250185	9604250176	96/04/19	50-373	P
9604240128	9604110225	96/02/13	50-219	P	9604250187	9604250184	96/04/19	50-346	P
9604240136	9604110225	96/02/13	50-219	S	9604250189	9604250184	96/04/19	50-346	P
9604240141	9604110225	96/02/13	50-219	S	9604250193	9604250163	96/02/28	REGGD	
9604240145	9604110225	96/02/13	50-219	Q	9604250215	9604110225	96/02/13	50-363	Q
9604240154	9604110225	96/02/13	50-219	Q	9604250226	9604250213	96/04/18	50-155	P
9604240158	9604240153	96/04/04	50-269	Q	9604250238	9604240339	96/04/22	50-413	P
9604240159	9604110225	96/02/13	50-219	Q	9604250240	9604110225	96/02/13	50-219	Q
9604240160	9604110225	96/02/13	50-219	S	9604250242	9604250229	96/04/10	50-155	Q
9604240162	9604110225	96/02/13	50-219	S	9604250246	9604250244	96/04/19	50-344	Y
9604240166	9604110225	96/02/13	50-219	S	9604250248	9604250229	96/04/10	50-155	Q
9604240177	9604240169	96/04/11	50-397	P	9604250251	9604250245	96/04/17	50-456	Q
9604240178	9604240169	96/04/11	50-397	P	9604250260	9604110225	96/02/13	50-219	Q
9604240184	9604110225	96/02/13	50-219	S	9604250261	9604250245	96/04/17	50-456	Q
9604240185	9604240183	96/04/22	71-115		9604250263	9604250256	96/04/17	50-456	Q
9604240186	9604240175	96/04/17	50-285	P	9604250264	9604250255	96/04/09	50-263	Q
9604240189	9604240187	96/04/22	71-404		9604250268	9604250256	96/04/17	50-456	Q
9604240190	9604240188	96/04/22	71-179		9604250273	9604110225	96/02/13	50-219	P
9604240199	9604240197	96/04/22	71-503		9604250281	9604250279	96/04/12	50-331	Q
9604240201	9604240196	96/04/22	71-*****		9604250282	9604110225	96/02/13	50-219	P
9604240207	9604240205	96/04/22	71-587		9604250284	9604250278	96/04/23	50-160	P

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604250285	9604250279	96/04/12	50-331	Q	9604290127	9604290118	96/04/17	ORG	
9604250286	9604110225	96/02/13	50-219	P	9604290133	9604290126	96/04/23	50-352	P
9604250287	9604250280	96/04/11	71-*****		9604290137	9604290126	96/04/23	50-352	P
9604250290	9604250277	96/04/09	50-373	Q	9604290140	9604290128	96/04/23	50-413	P
9604250292	9604250289	96/04/10	50-409	Q	9604290144	9604290128	96/04/23	50-413	P
9604250297	9604250277	96/04/09	50-373	Q	9604290146	9604290107	96/04/22	50-282	G
9604250298	9604110225	96/02/13	50-219	P	9604290149	9604290142	96/04/25	71-555	
9604250305	9604110255	96/02/13	50-219	P	9604290150	9604290147	96/04/23	71-5984	
9604250312	9604110225	96/02/13	50-219	P	9604290155	9604290153	96/04/23	71-6357	
9604250314	9604250308	96/04/11	50-440	Q	9604290161	9604290160	96/04/24	71-429	
9604250317	9604110225	96/02/13	50-219	Q	9604290166	9604290158	96/04/23	50-280	F
9604250327	9604110225	96/02/13	50-219	Q	9604290171	9604290167	96/04/24	50-327	P
9604250335	9604250330	96/04/23	50-364	P	9604290177	9604290158	96/04/23	50-280	F
9604250358	9604250348	96/04/23	50-354	P	9604290178	9604290170	96/04/25	40-299	
9604250366	9604250348	96/04/23	50-354	P	9604290189	9604290184	96/04/22	50-272	P
9604250370	9604250365	96/04/18	50-280	P	9604290192	9604290191	96/04/16	PROJ	
9604250373	9604250365	96/04/18	50-280	P	9604290196	9604290187	96/04/22	50-10	R
9604250375	9604250300	96/04/19	50-390	P	9604290199	9604290197	96/04/19	50-250	P
9604250376	9604250348	96/04/23	50-354	P	9604290212	9604290206	96/04/25	70-734	
9604250381	9604250348	96/04/23	50-354	P	9604290215	9604290206	96/04/25	70-734	
9604250408	9604250405	96/04/24	50-146	P	9604290216	9604290208	96/04/23	50-302	P
9604250430	9604250428	96/04/22	50-339	P	9604290222	9604290219	96/04/19	50-528	Q
9604250438	9604250433	96/04/17	50-266	Q	9604290236	9604290228	96/04/19	STATE PRO	G
9604250445	9604250436	96/04/23	STATE PRO	G	9604290239	9604290230	96/04/22	50-395	F
9604250446	9604250433	96/04/17	50-266	Q	9604290246	9604290237	96/04/22	50-272	Q
9604250451	9604250448	96/04/23	50-312	Q	9604290248	9604260301	96/04/16	50-213	H
9604260036	9604260030	96/04/18	50-361	K	9604290249	9604290210	96/04/24	STATE PRO	G
9604260040	9604260030	96/04/18	50-206	F	9604290253	9604290237	96/04/22	50-272	Q
9604260046	9604260037	96/04/15	FOIA		9604290258	9604290256	96/04/19	50-334	Q
9604260057	9604260037	96/04/15	FOIA		9604290262	9604290240	96/04/10	50-409	W
9604260062	9604260060	96/04/19	50-263	P	9604290266	9604290265	96/04/22	50-220	Q
9604260071	9604260065	96/04/23	50-528	Q	9604290268	9604290265	96/04/22	50-220	Q
9604260072	9604260050	96/04/19	50-244	R	9604290272	9604290259	96/04/17	50-293	Q
9604260082	9604260065	96/04/23	50-528	Q	9604290277	9604290269	96/04/24	50-354	Q
9604260089	9604260083	96/04/23	50-346	P	9604290280	9604290269	96/04/24	50-354	Q
9604260093	9604260083	96/04/23	50-346	P	9604290282	9604290276	96/04/18	50-346	P
9604260099	9604260050	96/04/19	50-244	R	9604290284	9604290283	96/04/25	70-7002	
9604260100	9604260097	96/04/23	50-528	Q	9604290287	9604290285	96/04/23	50-336	Q
9604260108	9604260050	96/04/19	50-244	R	9604290294	9604290292	96/04/25	40-8905	
9604260113	9604260109	96/04/19	71-496		9604290295	9604290291	96/04/25	50-338	P
9604260114	9604260105	96/04/19	50-352	S	9604290301	9604290297	96/04/18	STATE PRO	G
9604260119	9604260115	96/04/16	ORG		9604290302	9604290300	96/04/23	50-369	Q
9604260122	9604260115	96/04/16	ORG		9604290314	9604290308	96/04/10	50-409	W
9604260125	9604260115	96/04/16	ORG		9604290321	9604290316	96/04/18	50-334	F
9604260128	9604260115	96/04/16	ORG		9604290329	9604290322	96/04/25	70-7001	
9604260129	9604260126	96/04/22	50-445	Q	9604290330	9604290328	96/04/24	70-143	
9604260131	9604260115	96/04/16	ORG		9604290339	9604290337	96/04/24	70-1201	
9604260137	9604260115	96/04/16	ORG		9604290341	9604290337	96/04/24	70-1201	
9604260141	9604260115	96/04/16	ORG		9604290347	9604290316	96/04/18	50-334	F
9604260145	9604260115	96/04/16	ORG		9604290348	9604290336	96/04/23	50-286	Q
9604260146	9604260115	96/04/16	ORG		9604290353	9604290343	96/04/23	50-482	R
9604260148	9604260115	96/04/16	ORG		9604290360	9604290343	96/04/23	50-482	R
9604260151	9604260115	96/04/16	ORG		9604290364	9604290361	96/04/23	50-397	F
9604260154	9604260115	96/04/16	ORG		9604290370	9604290368	96/04/26	70-7001	
9604260155	9604260115	96/04/16	ORG		9604290374	9604290372	96/04/26	70-7002	
9604260156	9604260152	96/04/08	TOPREP		9604290375	9604290366	96/04/22	50-266	R
9604260157	9604260115	96/04/16	ORG		9604290381	9604290373	96/04/23	50-456	V
9604260159	9604260115	96/04/16	ORG		9604290390	9604290382	96/04/26	50-331	R
9604260161	9604260115	96/04/16	ORG		9604290392	9604290366	96/04/22	50-266	R
9604260162	9604260115	96/04/16	ORG		9604290395	9604290366	96/04/22	50-266	R
9604260163	9604260115	96/04/16	ORG		9604290405	9604290402	96/04/24	50-315	P
9604260164	9604260115	96/04/16	ORG		9604290411	9604290407	96/04/26	50-259	R
9604260189	9604260184	96/04/25	50-309	P	9604300007	9604110225	96/02/13	50-219	P
9604260201	9604260193	96/04/16	50-602	P	9604300008	9604300006	96/04/23	FOIA	
9604260206	9604260203	96/04/22	50-369	F	9604300011	9604300006	96/04/23	FOIA	
9604260210	9604260205	96/04/23	70-1100		9604300013	9604300006	96/04/23	FOIA	
9604260231	9604260228	96/04/17	50-219	Q	9604300014	9604300009	96/04/25	50-83	S
9604260233	9604260205	96/04/23	70-1100		9604300018	9604300006	96/04/23	FOIA	
9604260238	9604260232	96/04/17	50-223	Q	9604300040	9604300027	96/04/24	50-344	R
9604260249	9604260244	96/04/18	50-293	F	9604300045	9604300027	96/04/24	50-344	R
9604260259	9604260244	96/04/18	50-293	F	9604300055	9604300050	96/04/25	FOIA	
9604260267	9604260252	96/04/22	50-18	Q	9604300063	9604300062	96/04/24	50-395	R
9604260300	9604260298	96/04/24	50-395	Q	9604300067	9604300062	96/04/24	50-395	R
9604260303	9604260301	96/04/16	50-213	H	9604300075	9604300069	96/04/22	50-413	R
9604290008	9604290001	96/04/24	50-302	G	9604300081	9604300074	96/04/22	50-277	R
9604290013	9604290010	96/04/17	50-245	P	9604300086	9604300074	96/04/22	50-277	R
9604290041	9604290037	96/03/27	50-373	R	9604300122	9604300208	96/04/24	50-282	R
9604290049	9604290040	96/04/24	71-848		9604300128	9604300127	96/04/24	50-387	Q
9604290051	9604290047	96/04/18	50-373	P	9604300137	9604300127	96/04/24	50-387	Q
9604290065	9604290059	96/04/24	50-416	Q	9604300146	9604300127	96/04/24	50-387	Q
9604290073	9604290058	96/04/23	50-334	S	9604300154	9604300152	96/04/25	50-529	P
9604290092	9604290055	96/04/24	70-1151		9604300155	9604300127	96/04/24	50-387	Q
9604290093	9604290087	96/04/23	50-250	P	9604300162	9604300157	96/04/23	50-364	P
9604290096	9604290095	96/04/24	71-*****		9604300166	9604300127	96/04/24	50-387	Q
9604290111	9604290106	96/04/24	71-749		9604300178	9604300132	96/04/23	FOIA	
9604290122	9604290107	96/04/22	50-282	G	9604300187	9604300185	96/04/22	50-397	P
9604290123	9604290119	96/04/19	50-461	P	9604300203	9604300201	96/04/22	50-213	P

346 CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER					ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY		ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
9604300213	9604300209	96/04/22	50-213	P	9604300324	9604300320	96/04/29	WASTE MGT	
9604300232	9602230087	96/02/08	FOIA		9604300332	9604300251	96/04/08	QA999	
9604300240	9602230087	96/02/08	FOIA		9604300335	9604300333	96/04/24	50-397	P
9604300241	9604300237	96/04/23	50-335	P	9604300338	9604300330	96/04/22	50-155	V
9604300252	9604300243	96/04/19	CONTRACT		9604300352	9604300347	96/04/29	70-1201	
9604300257	9602230087	96/02/08	FOIA		9604300358	9602230087	96/02/08	FOIA	
9604300262	9604300260	96/04/24	PROJ		9604300362	9604300356	96/04/25	50-364	P
9604300268	9604300266	96/04/22	50-277	R	9604300374	9604300365	96/04/26	50-341	S
9604300271	9602230087	96/02/08	FOIA		9604300387	9602230087	96/02/08	FOIA	
9604300275	9604300269	96/04/24	50-213	P	9604300390	9604300381	96/04/24	50-369	F
9604300280	9604300277	96/04/26	WASTE MGT		9604300397	9604300393	96/04/24	50-483	P
9604300285	9604300269	96/04/24	50-213	P	9604300400	9604300395	96/04/24	50-333	P
9604300287	9604300282	96/04/25	WASTE MGT		9604300402	9604300395	96/04/24	50-333	P
9604300295	9602230087	96/02/08	FOIA		9604300424	9604300421	96/04/29	40-8027	
9604300311	9604300306	96/04/26	50-369	P	9604300425	9604300422	96/04/22	TOPREP	
9604300314	9604300309	96/04/24	50-482	Q	9604300428	9604300427	96/04/25	50-352	P
9604300322	9604300320	96/04/29	WASTE MGT		9604300430	9604300422	96/04/22	TOPREP	
					9605160259	9604110225	96/02/13	50-219	P

APPENDIX A

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 27 – Low-Level Radioactive Waste Disposal Sites

The Docket 27 series contains documentation concerning the licensing of land disposal of low-level radioactive wastes. In the past, waste disposal licensees were assigned unique Docket 27 numbers. Unlike the other docket series, the first two digits of these docket numbers do not correspond to the part of 10 CFR that specifies NRC's authority for issuing these licenses and the regulations that these licensees must follow. The Docket 27 licenses were issued in accordance with Parts 30, 40, and 70 of 10 CFR in the absence of any final regulations governing the licensing of land disposal low-level radioactive wastes.

In the future, these licensing actions will be governed by 10 CFR Part 61, "Licensing Requirements for Land Disposal of Radioactive Waste." The prefix will then become Docket 61 followed by assigned numbers identifying a specific facility. Documents in these files include:

- Application for land disposal of low-level radioactive waste and supporting documents
- License and amendments
- Correspondence to and from the applicant regarding the application, license, and amendments
- Environmental report and supporting documents
- Inspection and enforcement reports and related correspondence
- Adjudicatory documents relating to proceedings before the Licensing Board and the Commission

DOCKET 30 – Byproduct Material Licenses

The Docket 30 series contains documentation on the possession or use of nuclear byproduct materials for medical, industrial, and academic purposes. **These documents are maintained in the PDR on microfiche only.**

Documents in this series include:

- Application for a license, license amendments, and license renewals or modifications to the byproduct material license and related correspondence
- Denial, revocation, and suspension of a license and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 30 – Byproduct Material Licenses (continued)

- Records related to the NRC inspection program and related correspondence
- Preliminary Notifications of Occurrences (PNOs), enforcement actions, civil penalties, and related correspondence
- Event reports, misadministration reports, and related correspondence
- Correspondence to and from local and State governments
- Adjudicatory documentation relating to proceedings before the Licensing Board and the Commission
- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties
- Periodic reports from licensees and related correspondence

DOCKET 40 – Nuclear Source Material Facilities

The Docket 40 series contains documentation concerning the domestic licensing of nuclear byproduct materials relating to source material licenses. Licenses issued in accordance with 10 CFR Part 40 cover the possession, use, and processing of ores (uranium and thorium) and possession and use of uranium and thorium in a refined form. Each license application is assigned a unique Docket 40 number.

Paper files are maintained in the PDR for only those Docket 40 licensees involved in the nuclear fuel cycle; that is, mines, mills, and research and development facilities. Material on other licensees, such as those for possession of material for medical and industrial uses, are available **on microfiche only.** Documents in these files include:

- Application for a license, license amendments and license renewals for source material license
- Source material license and license amendments
- Licensee-issued Environmental Report (ER) for those license applications that must comply with the National Environmental Policy Act (NEPA)
- NRC-issued Draft and Final Environmental Statements (DES and FES) for license applications that must comply with NEPA
- Site visits and related correspondence
- Inspection reports and related correspondence
- Environmental monitoring reports
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board and the Commission

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 40 – Nuclear Source Material Facilities (continued)

- Other technical, legal, and licensing correspondence between NRC, the licensee, and other interested parties

NOTE: For transcripts of Commission meetings and papers submitted for Commission consideration on a specific docket, see the 10 CFR 9.7 and SECY non-docketed files.

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants

The Docket 50 series contains documentation concerning the domestic licensing of production and utilization facilities. Licenses issued in accordance with 10 CFR Part 50 cover commercial nuclear power plants; experimental, research, and test reactors; and fuel fabrication facilities. The NRC staff assigns Docket 50 number when it considers that the application and the Preliminary Safety Analysis Report (PSAR) submitted are complete for staff review. "Pre-docketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of a facility, each Docket 50 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types.

A. Application/Construction Stage Documents and Related Correspondence

B. Utility Preliminary Safety Analysis Report (PSAR) and Amendments

C. Utility Environmental Report (ER), Amendments, and Related Correspondence

D. NRC Draft and Final Environmental Impact Statements (DES and FES) Supplements, and Related Correspondence

E. NRC Safety Evaluation Report (SER), Supplements, and Related Correspondence

F. Security, Medical, Emergency, and Fire Protection Plans

G. Non-Antitrust Legal and Adjudicatory Correspondence

H. General Correspondence

I. Financial Information

J. Insurance and Indemnity Information

K. Utility Final and Updated Safety Analysis Reports (FSAR and USAR) and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence

M. Antitrust Reviews and Related Correspondence

N. Antitrust Transcripts, Testimony, and Briefings

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 50 – Nuclear Reactors and Fuel Reprocessing Plants (continued)

P. Operating License Stage Documents and Related Correspondence

Q. Inspection Reports, Civil Penalties, Responses to Bulletins and Information Notices, and Related Correspondence

R. Periodic Operating Reports and Related Correspondence

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notification of Occurrences (PNOs), Preliminary Notification of Safeguard Events (PNSs), and Related Correspondence

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters

U. Executive, Congressional, and State Government Correspondence

V. Licensing of Operators and Related Correspondence

W. Decommissioning Stage Documents and Related Correspondence

X. Onsite Storage of Low-Level Waste and Related Correspondence

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence

A detailed description of each category and the documents included in the files for each category follows.

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE

Documents in this category track the application from submittal to the day preceding the issuance of an operating license. It contains all correspondence and other documents with substantive technical content that are not in other specific categories. Included are:

- Application for construction permit
- General information submitted with the construction permit application
- Amendments and changes to the application
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Early site reviews
- Correspondence and documents relating to unresolved design and construction issues
- Meeting announcements and summaries of the meetings
- Correspondence relating to the utility's Preliminary Safety Analysis Report (PSAR).

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Construction permit, amendments, related correspondence, and orders issued by the Office of Nuclear Reactor Regulation (NRR) show-cause and modification orders which do not involve the former Atomic Safety Licensing and Appeal Board
- Scheduling of license application, amendments, and reviews
- Environmental review information (other environmental documents are filed in categories C, D, P, R, or W)
- Seismic qualification review team (SQRT) reports and related correspondence
- Application for operating license
- General information submitted with the Operating License application
- Amendments and changes to the application for Operating License
- Correspondence related to the utility's Final Safety Analysis Report (FSAR) and Updated Safety Analysis Report (USAR)
- Generic and administrative communications and related documentation that may affect the subject facility and which are *not covered by a bulletin or notice*
- Safety evaluation reports (SER) issued by the NRC on specific generic issues
- Reports on site visits
- Backup technical documents (e.g., topical reports) submitted in support of the application
- Probabilistic risk assessment (PRA) and related documentation
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Documents relating to possible equipment failure and emergency instructions
- NRC's changes in internal organizational structure

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS

This category contains the Preliminary Safety Analysis Report (PSAR) submitted by the utility (formerly called Hazards Summary report or Safety Analysis Reports) and the following related material:

DEFINITIONS OF DOCKET CATEGORIES

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AMENDMENTS (CONTINUED)

- Amendments and changes to the PSAR
- Transmittal and acknowledgment letters
- Certificates of service to the PSAR

NOTE: All related correspondence is filed in category A.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS, AND RELATED CORRESPONDENCE

The category contains the Environmental Report (ER) submitted by the utility and the following related material:

- Amendments and supplements to the ER
- *Federal Register* notices citing the availability of the ER and amendments
- Transmittal and acknowledgment letters
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs and applicant responses
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE

This category contains Draft and Final Environmental Statements (DES and FES) prepared by NRC, and the following related material:

- Supplements to the DES and FES
- *Federal Register* notices announcing the availability of the DES, FES, and supplements
- Correspondence relating to the DES and FES

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND CORRESPONDENCE (CONTINUED)

- Comments from other Federal, State and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER for purposes of preparing the environmental statements
- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meeting which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND RELATED CORRESPONDENCE

This category contains the formal Safety Evaluation Report (SER) prepared by the NRC staff (formerly called NRC–AEC hazard analysis report) in review of PSAR, and the following related material:

- Supplements to the SER
- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER; and responses to such requests
- Meeting announcements and meeting summaries at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

DEFINITIONS OF DOCKET CATEGORIES

F. SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLANS

All plans in this category are individually submitted by the applicant or licensee. Emergency and fire protection plans submitted as part of the licensing application are filed in this category.

- Fire hazard protection plan and surveys
- Plant evacuation correspondence
- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plan
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgment letters
- Meeting announcements and meeting summaries at which the primary subject of discussion is related to the aforementioned plans and topics

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings, and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR), and not before the licensing board, are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) hearing-related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors

DEFINITIONS OF DOCKET CATEGORIES

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (CONTINUED)

- Board orders and decisions
- Formal petitions for Commission action
- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change-of-address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the facility, and NRC response
- Correspondence on purely administrative matters
- Letters of support, concern, or opposition to the facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational, or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by State and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (CONTINUED)

- Company annual reports, auditor statements, and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. UTILITY FINAL AND UPDATED SAFETY ANALYSIS REPORTS (FSAR AND USAR) AND AMENDMENTS

This category contains the following utility documents:

- Final Safety Analysis Report (FSAR), formerly called Final Hazards Summary Report
- Updated Safety Analysis Report (USAR) periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSAR and USAR
- *Federal Register* notices announcing the availability of the FSAR and amendments
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence is filed in category A or P. Emergency and fire protection plans submitted as part of the licensing application are filed in category F.

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE

This category contains documents pertaining to the limited work authorization (LWA) whereby applicants can conduct limited site preparation and construction before the NRC grants a construction permit.

- Limited Work Authorization (LWA) and amendments

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (CONTINUED)

- Correspondence pertaining to work performed under the LWA

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE

This category contains documents submitted as part of the application for a construction permit and operating license that are entitled "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion concerns antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST TRANSCRIPTS, TESTIMONY, AND BRIEFINGS

This category contains verbatim transcripts of hearings, testimony, and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE

This category contains plant-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to facility license applications
- Announcements of ACRS meetings relating to facility license applications, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to both facility license applications and safety-related matters

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (CONTINUED)

- Technical correspondence and memoranda to and from ACRS, including transmittal and acknowledgment letters relating to facility license applications

NOTE: For generic and document-specific safety-related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract, and letter), see ACRS non-docket file.

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical documents dated from the issuance of the operating license until the order for termination of the license. Included are:

- Operating license, amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the operating license
- Correspondence regarding the utility's Final and Updated Safety Analysis Report (FSAR and USAR)
- *Federal Register* notices announcing availability of operating license, amendments, FSAR and USAR
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., topical reports) submitted in support of the aforementioned items
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the operating license, or technical issues arising after the issuance of the operating license
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers), regulations, laws, and changes in policy that may affect plant operation or the operating license
- NRC questions, RAIs, and licensee responses
- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- Owners' group meeting announcements and reports

DEFINITIONS OF DOCKET CATEGORIES

P. OPERATING LICENSE STAGE DOCUMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Emergency core cooling system documents
- Radioactive waste information excluding onsite storage of low-level waste (filed in category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of the spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility but is *not covered by a Bulletin or Notice*
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inservice inspections, which are filled in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license and to dismantle and dispose of component parts
- Information on changes in NRC's internal organizational structure

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE

This category contains the following applicant/licensee material:

- Inspection reports
- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Circulars (discontinued in 1981) and Information Notices, and related correspondence
- Applicant/licensee determinations of the proprietary nature of inspection reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demands for Information (DFIs)
- Correspondence and orders relating to the imposition and payment of civil penalties, including Enforcement Notifications (ENs) and Significant Enforcement Actions (EAs)
- Notices of deviation and related correspondence
- Notices of enforcement conferences, meetings, and related reports
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk–based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (ITT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification Program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommissioning stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic personnel exposure reports
- Periodic fitness for duty performance data
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with licensing board orders)
- Operational logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence and other documents relating to the aforementioned items

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable, and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, special reports, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a Preliminary Notification of Occurrence (PNO), Preliminary Notification of Safeguards Events (PNS), and related correspondence
- Environmental technical specifications violation reports and environmental event reports

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (CONTINUED)

- Part 21 reports of defects and noncompliance
- Correspondence and other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket file.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) and the former Atomic Safety and Licensing Appeal Board (ASLAB) transcripts
- Testimony and statements submitted to ASLB and the former ASLAB
- Transcripts of Commission meeting
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in ACRS and 9.7 non-docket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches
- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (CONTINUED)

- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE

This category contains general technical items dated from the order to terminate the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling and Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning
- All documentation relating to the ongoing operation of the plant which was formerly filed in category P

DEFINITIONS OF DOCKET CATEGORIES

X. ONSITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store LLW at a commercial reactor site
- Technical reports and related correspondence

NOTE: The documents in this category will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 50 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS (ISFSIs) AND RELATED CORRESPONDENCE

This category contains material related to license applications, license, amendments and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such ISFSIs may be on a reactor site or at a separate site.)

- All related correspondence and reports to the aforementioned items

NOTE: The documents in this category will have an NMSS Docket 72 license number. For these installations on a reactor site, the associated Docket 50 number also has been referenced.

Docket 52 – Standard Design Certification, Early Site Permit, and Combined Licenses for Nuclear Power Plants

The Docket 52 series contains documentation on the domestic licensing of production facilities. Licenses issued in accordance with 10 CFR Part 52 cover preliminary and final design approval of standard designs, early site permits, and combined licenses for nuclear power plants. A Docket 52 number is assigned when the NRC considers that the application submitted is complete for staff review. "Predocketed" material is assigned a project number and is filed in the applicant's project file.

Because of the large volume of documentation accumulated over the lifetime of an application, each Docket 52 file is subdivided into the following categories that pertain either to different aspects of the licensing process or to document types. These categories are similar to those used for the Docket 50 files, but have been modified to reflect the special requirements of Docket 52 applications.

DEFINITIONS OF DOCKET CATEGORIES

A. Application for Preliminary Design Approval (PDA), Final Design Approval and Design Certification (FDA/DC), Early Site Permit, Combined Construction/ Operating License (COL), and related correspondence

B. Vendor Preliminary Standard Safety Analysis Report (PSSAR–PDA stage), Utility Preliminary Safety Analysis Report (PSAR–COL stage), and Amendments

C. Severe Accident Mitigation Design Alternative (SAMDA–PDA andFDA/DC stages), Environmental Reports (ERS–Early Site Permit and COL stages), Amendments, and related correspondence

D. NRC Draft and Final Environmental Statements (DES and FES), Supplements, and related correspondence (Early Site Permit and COL stages)

E. NRC Safety Evaluation Report (SER), Supplements, and related correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

F. Reliability Assurance Program (RAP), Security, Medical, Emergency and Fire Protection Plans (PDA, FDA/DC, and COL stages)

G. Non-Antitrust Legal and Adjudicatory Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

H. General Correspondence (Early Site Permit, PDA, FDA/DC, and COL stages)

I. Financial Information (COL stage)

J. Insurance and Indemnity Information (COL stage)

K. Vendor Final Standard Safety Analysis Report (FSSAR–FDA/DC Stage), Utility Final Safety Analysis Report (FSAR–COL Stage), Updated Safety Analysis Report (USAR–COL Stage), and Amendments

L. Limited Work Authorization (LWA) and Related Correspondence (COL Stage)

M. Antitrust Reviews and Related Correspondence (COL Stage)

N. Antitrust Hearing Transcripts, Testimony, and Briefings (COL Stage)

O. Advisory Committee on Reactor Safeguards (ACRS) Reports and Related Correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

P. Post Combined Construction/Operating License Stage Documents and Related Correspondence (COL Stage)

Q. Inspection Reports, Civil Penalties, responses to Bulletins and Information Notices, and Related Correspondence (COL Stage)

R. Periodic Operating Reports and Related Correspondence (COL Stage)

S. Reportable Occurrences (ROs), Licensee Event Reports (LERs), Preliminary Notification of Occurrence (PNOs), Preliminary Notification of Safeguard Events (PNSs), and Related Correspondence (COL Stage)

T. Transcripts, Testimony, and Briefings on Non–Antitrust Matters (Early Site Permit, PDA, FDA/DC, and COL Stages)

DEFINITIONS OF DOCKET CATEGORIES (CONTINUED)

U. Executive, Congressional and State Government correspondence (Early Site Permit, PDA, FDA/DC, and COL Stages)

V. Licensing of Operators and Related Correspondence (COL Stage)

W. Decommissioning Stage Documents and Related Correspondence (COL Stage)

X. On-site Storage of Low-Level Waste and Related Correspondence (COL and Decommissioning Stage)

Y. Independent Spent Fuel Storage Installations (ISFSIs) and Related Correspondence (COL and Decommissioning Stages)

A detailed description of each category and the documents included in each category follows.

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE

Documents in this category track the application for Preliminary Design Approval (PDA) or Final Design Approval and Design Certification (FDA/DC) to the issuance of the PDA or FDA, respectively, or the application of the early site permit until issuance of the permit. It contains all correspondence and documents with substantive technical content that are not in other specific categories. Included are:

- Application for preliminary design approval
- Application for final design approval and design certification
- Application for early site permit
- General information submitted with the application
- Amendments and changes submitted by applicants
- NRC questions, Requests for Additional Information (RAIs), and applicant responses
- Meeting announcements and summaries of the meetings
- Correspondence relating to the Preliminary or Final Standard Safety Analysis Report (SSAR)
- Information on laws and changes in regulations or policy that affect the status of the application (National Environmental Policy Act (NEPA), Water Quality Improvement Act, Water Pollution Control Act, etc.)
- Preliminary Design Approval (PDA), and amendments and correspondence relating to the PDA
- Final Design Approval (FDA), and amendments and correspondence relating to the FDA
- Early site permit, amendments and related correspondence
- Scheduling documentation
- Backup technical documents (e.g., topical reports) submitted in support of the application

DEFINITIONS OF DOCKET CATEGORIES

A. APPLICATION FOR PRELIMINARY DESIGN APPROVAL (PDA), FINAL DESIGN APPROVAL AND DESIGN CERTIFICATION (FDA/DC), EARLY SITE PERMIT, COMBINED CONSTRUCTION/OPERATING LICENSE (COL), AND RELATED CORRESPONDENCE (CONTINUED)

- The design-specific Probabilistic Risk Assessment (PRA), and related documentation
- Proposed tests, analyses, and acceptance criteria and related documentation
- Design Acceptance Criteria (DAC) and related correspondence
- Documents addressing policy issues raised to the Commission via Commission papers
- Documents addressing resolution of issues for the application
- Generic and administrative communications and related documentation which may affect the subject facility and which are *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, or T)
- NRC's changes in internal organizational structure

B. VENDOR PRELIMINARY STANDARD SAFETY ANALYSIS REPORT (PSSAR–PDA STAGE), UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR–COL STAGE), AND AMENDMENTS

This category contains the following documents:

- Preliminary Standard Safety Analysis Report (PSSAR) submitted by vendor
- Amendments and changes to the PSSAR
- Preliminary Safety Analysis Report (PSAR) submitted by the utility
- Amendments and changes to the PSAR
- Transmittal and acknowledgement letters

NOTE: All related correspondence is filed in category A

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (EARLY SITE PERMIT ERS- AND COL STAGES), AMENDMENTS AND RELATED CORRESPONDENCE

This category contains the following documents:

- Severe Accident Mitigation Design Alternatives Analysis (SAMDAs) required under the National Environmental Policy Act (NEPA) submitted by vendor

DEFINITIONS OF DOCKET CATEGORIES

C. SEVERE ACCIDENT MITIGATION DESIGN ALTERNATIVE ANALYSIS (SAMDA–PDA AND FDA/DC STAGES), ENVIRONMENTAL REPORTS (ERS-EARLY SITE PERMIT AND COL STAGES), AMENDMENTS AND RELATED CORRESPONDENCE (CONTINUED)

- NRC questions, RAIs, and applicant responses relating to SAMDAS analysis review
- Correspondence relating to the SAMDAS analysis review
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SAMDAS analysis
- Environmental Report (ER) submitted by utility
- Amendments and supplements to the ER
- *Federal Register* notices announcing the availability of the ER and amendments
- Transmittal and acknowledgment letters of ER
- Information on scheduling of submittal or review of ER
- NRC questions, RAIs, and applicant responses relating to review of ER
- Correspondence relating to the review of ER
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the ER
- Correspondence relating to certification of pollution control facilities

NOTE: Other environmental documents are filed in categories A, D, P, R, or W.

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES)

This category contains the Draft and Final Environmental Impact Statements (DES and FES) prepared by NRC, and supplements to the DES and FES, as well as:

- *Federal Register* notices announcing the availability of the DES and FES
- Correspondence relating to the DES and FES
- Comments from other Federal, State, and local government agencies, organizations, and interested individuals
- Transmittal and acknowledgment letters
- Documents related to NRC review of environmental issues or review of the ER obtained for purposes of preparing the environmental statements

DEFINITIONS OF DOCKET CATEGORIES

D. NRC DRAFT AND FINAL ENVIRONMENTAL STATEMENTS (DES AND FES), SUPPLEMENTS, AND RELATED CORRESPONDENCE (EARLY SITE PERMIT AND COL STAGES) (CONTINUED)

- Backup technical documents submitted in support of the DES and FES
- Reports of site visits to obtain information for the DES or FES
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the DES or FES

NOTE: Other environmental documents and correspondence are filed in categories A, C, P, R, or W.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS, AND CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains the formal Safety Evaluation Report (SER) prepared by NRC in review of the early site permit application, PSSAR (PDA stage), FSSAR (FDA/DC stage), PSAR (COL stage), or FSAR (COL stage) and, Supplements to the SER, as well as:

- *Federal Register* notices announcing the availability of the SER and supplements
- Correspondence relating to the SER and supplements
- Information on scheduling of an SER submittal and review
- RAIs for use in preparing the SER and responses to such requests
- Meeting announcements and summaries of meetings at which the primary subject of discussion is the SER
- Transmittal and acknowledgment letters

NOTE: Other documents related to specific safety-related issues (that may be referred to as SERs) are filed in categories A, P, or W, depending on the phase of the licensing process.

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES)

The plans in this category may be individual submissions or may be combined under the Reliability Assurance Program. These plans may be submitted during the review of the PDA, the FDA/DC, and COL applications. Included are:

- Reliability Assurance Program (RAP)
- Plant evacuation correspondence

DEFINITIONS OF DOCKET CATEGORIES

F. RELIABILITY ASSURANCE PROGRAM (RAP), SECURITY, MEDICAL, EMERGENCY, AND FIRE PROTECTION PLAN (PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Safeguard contingency plan
- Health physics program and its review
- Emergency implementing procedures
- Emergency action levels
- Emergency plans
- Fire hazard protection plans and surveys
- Supplements, changes, and revisions to the plans
- Correspondence relating to the aforementioned plans
- Correspondence and documentation relating to guard training, emergency response centers, and emergency preparedness
- Documentation on security, non-operator fitness procedures, employee unescorted access and related correspondence
- Transmittal and acknowledgement letters
- Meeting announcements and summaries of meetings at which the primary subject of discussion is related to the aforementioned plans

G. NON-ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T. Show-cause and modification orders issued by the Office of Nuclear Reactor Regulation (NRR) and not before the Licensing Board are filed in categories A and P. Exhibits to the proceedings (hearings) are maintained in the PDR on microfiche only. Paper files of the exhibits are available upon request to the PDR from the Docketing and Services Branch, Office of the Secretary.

- Atomic Safety and Licensing Board (ASLB) hearing related documents
- *Federal Register* notices regarding hearings
- Requests to make appearances at hearings
- Motions, briefs, arguments, statements, and related correspondence filed by participants for hearings
- Transmittal of supporting documents (e.g., SER, FES) to the licensing board
- Correspondence to and from intervenors
- Board orders and decisions
- Formal petitions for Commission action

DEFINITIONS OF DOCKET CATEGORIES

G. NON–ANTITRUST LEGAL AND ADJUDICATORY CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Petitions filed in accordance with 10 CFR 2.206 to the Executive Director for Operations
- Legal filings, director's decisions, Commission orders and decisions
- Orders prohibiting involvement in NRC-licensed activities, appeals, and related decisions

H. GENERAL CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents with little or no bearing on the status of the application or license. Items that have no substantive technical content and administrative documents are included.

- Change of address notifications (external only)
- Changes in structure of organization (external only)
- Changes in service lists
- NRC requests to applicants for additional copies of documents
- Correspondence from the public requesting information about the site, design, or facility, and NRC responses
- Correspondence on purely administrative matters
- Letters of support, concern or opposition to the site, design, or facility
- Correspondence relating to the Local Public Document Rooms (LPDRs)
- Professional qualifications statements not pertaining to the hearing process
- Constituent, organizational or utility correspondence forwarded by members of Congress to NRC for response
- Resolutions passed by state and local governing bodies (e.g., town councils)

NOTE: Letters of concern, support, or opposition for all plants are filed in a General Public Comments folder and are retained for 6 months from the date of receipt in the PDR.

I. FINANCIAL INFORMATION (COL STAGE)

This category contains all financial information except for that submitted as part of the application or its amendments or that relate to the imposition of civil penalties.

DEFINITIONS OF DOCKET CATEGORIES

I. FINANCIAL INFORMATION (COL STAGE) (CONTINUED)

- Company annual reports, auditor statements and stock prospectuses for all companies holding ownership
- Separately submitted financial information and related correspondence
- Transcripts and testimony before State commissions pertinent to financial information requested by NRC
- Decommissioning funding reports

J. INSURANCE AND INDEMNITY INFORMATION (COL STAGE)

This category contains indemnity agreements and amendments as well as:

- Endorsements of insurance policies
- Other correspondence regarding indemnity and insurance matters

K. VENDOR FINAL STANDARD SAFETY ANALYSIS REPORT (FSSAR–FDA/DC STAGE), UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR–COL STAGE), UPDATED FINAL SAFETY ANALYSIS REPORTS (USAR–COL STAGE), AND AMENDMENTS

This category contains the following vendor and utility documents:

- Final Standard Safety Analysis Report (FSSAR) submitted by the vendor
- Final Safety Analysis Report (FSAR) submitted by the utility
- Updated Safety Analysis Report (USAR) submitted by the utility and periodically updated to incorporate new information or modifications to the facility
- Amendments and changes to the FSSAR, FSAR, and USAR
- *Federal Register* notices announcing the availability of the FSSAR and FSAR
- Transmittal and acknowledgement letters
- Certificates of service to the FSAR and USAR

NOTE: All related correspondence falls in category A or P. Emergency and Fire Protection Plans submitted as part of the licensing application are filed in category F.

DEFINITIONS OF DOCKET CATEGORIES

L. LIMITED WORK AUTHORIZATION (LWA) AND RELATED CORRESPONDENCE (COL STAGE)

This category is limited to documents pertaining to Limited work Authorization (LWA) whereby applicants can conduct limited site preparation and construction before NRC grants a combined construction/operating license.

- Limited Work Authorization (LWA) and amendments
- Correspondence pertaining to work performed under LWAs

M. ANTITRUST REVIEWS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains documents submitted as part of the application for a combined construction/operating license entitled, "Information Requested by the Attorney General for Antitrust Review," including:

- Correspondence in which the primary topic of discussion is antitrust matters
- All antitrust proceeding documents, except hearing transcripts, testimony, and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY, AND BRIEFINGS (COL STAGE)

This category contains verbatim transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence is filed in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains project-specific documents pertaining to ACRS safety reviews. Included are:

- ACRS reports relating to a PDA or FDA/DC application, early site review, or facility license application

DEFINITIONS OF DOCKET CATEGORIES

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND RELATED CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Announcements of ACRS meetings relating to a PDA or FDA/DC application, early site review, or facility license application, including descriptions of meeting agenda
- Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings relating to a PDA or FDA/DC application, early site review, facility license application, and safety-related matters
- Technical correspondence, and memoranda to and from ACRS, including transmittal and acknowledgement letters relating to a PDA or FDA/DC application, early site review, or facility license application

NOTE: For generic and document-specific safety related material, transcripts of ACRS subcommittee and full committee meetings, minutes, and ACRS reports (consultant, contract and letter), see ACRS non-docket file.

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE (COL STAGE)

This category contains general technical documents dated from the combined construction/operating license until the order for termination of the license. Included are:

- The combined construction/operating license (COL), amendments, proposed amendments, changes, and related correspondence
- Show-cause and modification orders issued by NRR (not before the licensing board) for the COL
- Technical specifications, proposed changes, revisions and related correspondence
- Backup technical documents (e.g., Topical Reports) submitted in support of the aforementioned items
- *Federal Register* notices announcing the availability of the COL, FSAR, and amendments
- Correspondence regarding the utility Final Safety Analysis Report (FSAR) and/or the Updated Safety Analysis Report (USAR)
- All general technical correspondence, meeting announcements and meeting summaries relating to the technical specifications, the COL, or technical issues arising after the issuance of the COL
- Correspondence relating to codes (e.g., American Society of Mechanical Engineers) regulations, laws, and changes in policy that may affect plant operation or bear on the COL
- NRC questions, RAIs, and licensee responses

DEFINITIONS OF DOCKET CATEGORIES

P. POST-COMBINED CONSTRUCTION/OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE (COL STAGE) (CONTINUED)

- Information on the Standard Review Plan (SRP)
- Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which are filed in category R)
- Owners group meeting announcements and reports
- Quality assurance plan and related correspondence
- Environmental matters (technical data)
- Seismic Qualification Review Team (SQRT) reports and related correspondence
- Radioactive waste information, excluding onsite storage of low-level waste (filed category X) and independent spent fuel installations of high-level waste (filed in category Y)
- Correspondence relating to expansion of spent fuel storage pool
- Startup test reports
- Generic and administrative communications and related documentation that may affect the subject facility; *not covered by a Bulletin or Notice*
- Employee allegations and related documentation (other documents may be filed in categories G, Q, and T)
- SERs on specific generic issues
- Documents relating to possible equipment failure and emergency instructions
- Documents relating to inservice testing procedures and results (not inspections which are filed in category Q)
- Specific plant evaluation documents
- Probabilistic Risk Assessment (PRA) reports
- Employee allegations and related documentation (Other documents may be filed in categories G, Q, or T)
- Reports on site visits
- Application to voluntarily terminate license, and to dismantle, and dispose of component parts
- Information on changes in NRC's internal organizational structure

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE)

This category contains the following applicant/license material:

- Inspection reports

DEFINITIONS OF DOCKET CATEGORIES

Q. INSPECTION REPORTS, CIVIL PENALTIES, RESPONSES TO BULLETINS AND INFORMATION NOTICES, AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Responses to Bulletins (formerly called Regulatory Operations, RO Bulletins), Information Notices, and related correspondence
- Applicant licensee determination of the proprietary nature of Inspection Reports
- Letters concerning areas of noncompliance
- Preservice and inservice inspections and procedures
- Notices of violation and proposed impositions of civil penalty and Demand for Information (DFIs)
- Correspondence and orders relating to the opposition and payment of civil penalties, including Enforcement Notification (EN) and Significant Enforcement actions (EA)
- Notices of deviation and related correspondence
- Correspondence relating to inspection and enforcement that does not specifically relate to incidents or events as defined in category S
- Health physics inspections and appraisals
- Emergency preparedness inspections and appraisals
- Inspections and related correspondence from the International Atomic Energy Agency (IAEA)
- Risk-based Inspection Guides (RIGs)
- Systematic Assessment of Licensee Performance (SALP)
- Incident Investigation Team (IIT) reports
- Construction Appraisal Team/Construction Assessment Team (CAT) reports
  - Integrated Design Inspection (IDI) reports
  - Independent Design Verification program (IDVP) reports
- Notices of significant licensee meetings
- Investigation reports and related documentation, and responses to employee allegations (other documents are filed in categories A, P, G, or T)
- Performance Appraisal Team (PAT) reports
- Licensee/vendor interface inspections
- Correspondence relating to the aforementioned items

NOTE: For bulletins and information notices, see non-docket I&E file.

DEFINITIONS OF DOCKET CATEGORIES

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains periodic reports of a routine nature.

- Monthly, semiannual, and annual operating reports (other than financial) for construction, operating, and decommission stages
- Periodic environmental monitoring, effluent testing, or similar reports
- Periodic fitness for duty performance data
- Periodic personnel exposure reports
- Periodic facility changes, tests and experiments
- Facility simulation certification four year update reports
- Periodic nonconformance reports (issued in accordance with Licensing Board orders)
- Operational Logbooks on
  - environmental data
  - radiological data
  - plant systems core
  - plant status summary sheets
- Correspondence or other documents relating to the items listed

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE)

This category contains all materials relating to abnormal, unusual, reportable and non-routine occurrences or events. These include:

- All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrences, and reportable occurrences)
- Potential or possibly reportable Deficiency Reports and related correspondence
- Individual Personnel Exposure Reports
- Construction Deficiency Reports submitted in accordance with 10 CFR 50.55(e)
- Documents related to the issuance of a preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs) and related correspondence

DEFINITIONS OF DOCKET CATEGORIES

S. REPORTABLE OCCURRENCES (ROs), LICENSEE EVENT REPORTS (LERs), PRELIMINARY NOTIFICATIONS OF OCCURRENCES (PNOs), PRELIMINARY NOTIFICATIONS OF SAFEGUARDS EVENTS (PNSs), AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- Environmental technical specifications violation reports and environmental event reports
- Part 21 reports of defects and noncompliance
- Correspondence or other documents relating to the aforementioned items

NOTE: For PNOs and PNSs, see I&E non-docket files.

T. TRANSCRIPTS, TESTIMONY, AND BRIEFINGS ON NON-ANTITRUST MATTERS (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains verbatim transcripts, testimony, and briefings except for congressional matters (filed in category U) and antitrust matters (filed in category N).

- Atomic Safety and Licensing Board (ASLB) transcripts
- Testimony and statements submitted to ASLB
- Transcripts of Commission meetings
- NRC staff briefings to the Commission
- Statements and written testimony submitted at Commission meetings and hearings
- Transcripts of vendor or utility briefings to NRC staff
- Corrections to the aforementioned items

NOTE: Transcripts on specific dockets are also filed in the ACRS and 9.7 non-docket files.

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES)

This category contains documents and related correspondence that have substantive technical and administrative content, including:

- Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative branches

DEFINITIONS OF DOCKET CATEGORIES

U. EXECUTIVE, CONGRESSIONAL, AND STATE GOVERNMENT CORRESPONDENCE (EARLY SITE PERMIT, PDA, FDA/DC, AND COL STAGES) (CONTINUED)

- Technical reports and related information supplied for the record of congressional hearings
- Follow-up questions and answers to the aforementioned
- Correspondence to and from Congress and the Executive Branch on other than constituent response matters
- Correspondence to or from State Legislative bodies

NOTE: Routine responses to constituent inquiries are filed in category H.

V. LICENSING OF OPERATORS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains information bearing on licensing of operators and shift engineers, including:

- Power plant examination summary sheets
- Correspondence relating to operator examinations
- Documentation on operator laboratory tests or reports and related correspondence
- Documents relating to operator fitness for duty and related correspondence
- Orders prohibiting operators from further nuclear licensed activities, and related correspondence (other documents may be filed in category G)

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE)

This category contains general technical items dated from the order for terminating the operating license.

- Order granting authority to dismantle/ decommission
- Decommissioning Plan, Dismantling Plan, Environmental Report on dismantling, and the Safety Analysis Report on decommissioning
- Documents relating to the disposal of radioactive material and decontamination of the site
- Other correspondence relating to decommissioning

DEFINITIONS OF DOCKET CATEGORIES

W. DECOMMISSIONING STAGE DOCUMENTS AND RELATED CORRESPONDENCE (COL STAGE) (CONTINUED)

- All documentation relating to the ongoing operation of the plant formerly filed in category P

X. ON-SITE STORAGE OF LOW-LEVEL WASTE AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to onsite storage of Low-Level Waste (LLW).

- License application, license, proposed amendments, and amendments to store low-level waste at a commercial reactor
- All related correspondence and reports

NOTE: These documents will also have a Nuclear Materials Safety and Safeguards (NMSS) Docket 30 license number associated with the Docket 52 number.

Y. INDEPENDENT SPENT FUEL STORAGE INSTALLATIONS AND RELATED CORRESPONDENCE (COL AND DECOMMISSIONING STAGES)

This category contains material related to:

- License applications, license, amendments, and proposed amendments to possess power reactor spent fuel and other radioactive materials associated with spent fuel storage in an independent spent fuel storage installation. (Such spent fuel storage installations may be on a reactor site or at a separate site.)
- All related correspondence and reports to the above

NOTE: The documents in this category will have an NMSS Docket 72 number license. For these installations on a reactor site, the associated Docket 52 number also has been referenced.

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 70 – Special Nuclear Materials

The Docket 70 files contain documentation concerning the domestic licensing of special nuclear material (SNM). Each SNM license application is assigned a unique Docket 70 number. SNM licenses cover the possession and use of radioactive material, including plutonium-enriched uranium. Paper files are maintained in the PDR only for Docket 70 licensees that possess more than 350 grams of uranium-235 or 200 grams of plutonium. Material on other licensees is available on microfiche only. Documents in these files include:

- Applications for licenses, license amendments, and license renewals for Special Nuclear Material licenses
- Special Nuclear Material licenses and license amendments
- Applicant technical reports concerning the facility, including Safety Analysis Reports (SARs), Environmental Reports (ERs) and amendments
- NRC technical reports concerning the facility
- Emergency and radiological health plans
- Inspection reports and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings before the Licensing Board
- Other technical, legal, and licensing correspondence between NRC and the licensee or other interested parties

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs

The Docket 71 files contain documentation concerning the design of radioactive material transport packages and quality assurance (QA) programs for designers, manufacturers, and users of such packages. Each package design and each QA program is individually assigned a unique Docket 71 number.

All NRC licensees who design, manufacture, or use radioactive material packages must comply with NRC-approved package designs and QA programs for these packages. Agreement State licensees who design, manufacture, or use radioactive material packages do not need a QA program approval, but the Department of Transportation requires that NRC approve the package design.

Agreement State licensees who wish to use their packages in States under NRC jurisdiction, or who design and manufacture packages for NRC licensees, must obtain approval for their QA programs. Documents in these files include:

- Application for QA program approval and amendments to the application
- Application for package design approval, including the Safety Analysis Report (SAR), amendments, and engineering drawings

DEFINITIONS OF DOCKET CATEGORIES

DOCKET 71 – Design of Packages for Transport of Radioactive Material and Quality Assurance Programs (continued)

- Certificate of compliance (NRC approval) for the package design and revisions
- Approval of the QA program
- Correspondence between NRC and the designer and the manufacturer concerning particular package designs
- Requests to be registered as a user of a particular package
- Inspection reports and related correspondence

DOCKET 72 – Independent Spent Fuel Storage Installations

The Docket 72 series contains documentation concerning certification of storage casks and the licensing of independent spent fuel storage installations. These installations store reactor spent fuel and may be on a reactor site or at a separate site. Each installation is assigned a unique Docket 72 number. Documents in these files include:

- Application for license
- Safety Analysis Reports (SAR) and annual updates
- Certification of completion for vendor design of dry cask storage and related correspondence
- Licensee issued Environmental Report (ER) and amendments
- Emergency plan and amendments
- Inspection reports and related correspondence
- Reports on accidental criticality or loss of special nuclear material
- QA plan and amendments
- Correspondence relating to the physical security plan
- Decommissioning plan and related correspondence
- Adjudicatory documents and hearing transcripts relating to proceedings between the NRC and the applicant

NOTE: Additional non-docketed information concerning spent fuel storage is available in the Project M non-docket file. For installations on reactor sites, see category Y in the Docket 50 or 52 series and Docket 70 for NMSS licenses.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

NON-DOCKET FILES

Materials that are not docket-specific are arranged according to the following classification scheme. The capitalized abbreviation is a shorthand description of each topic and corresponds to the way that it appears on the PDR Accession List.

10 CFR 9.7—Commission Meeting Transcripts and Reports

ACRS—Advisory Committee on Reactor Safeguards Documents

ADVCM—NRC Advisory Committees

COMMISSION—NRC Commissioner Correspondence

CONTRACT—NRC Contracts and Grants

FOIA—Freedom of Information Act Requests and Appeals

GEN TECH IS—Generic Technical Issues

I&E—Inspection and Enforcement Issuances

I&E Manual—NRC Inspection Manual

MISC—Public Document Room Miscellaneous

NUREG—NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreement Reports, and Related Correspondence

ORG—Organizations

PRESS—Press Releases

PR—Proposed and Final Rules

PRM—Petitions for Rulemaking

PROJ—Projects

PT 21—10 CFR Part 21 Deficiency Reports

QA 999—Vendor Quality Assurance Inspections

RC SSD—Registration of Certificates of Sealed Sources and Devices

REGGD—Regulatory Guides

RES—Research and Technical Assistance Reports (1974 through 1988)

REVIEW GRP—Review Groups

DEFINITIONS OF NONDOCKETED CATEGORIES

NON-DOCKET FILES (CONTINUED)

RM—Rulemakings

SECY—Staff Position Papers prepared for the Commission

SPCH—Speeches

STATE PROG—State Programs

TOPREP—Vendor Topical Reports and Related Correspondence

WASH—AEC-Issued Formal Reports and Related Correspondence

WM—Waste Management Documents

WMRES—Waste Management Contract Research Documents

XPORTLIC—Export and Import Licenses

10 CFR 9.7 – Commission Meeting Transcripts and Reports

This file contains documents relating to open and closed Commission Meetings.

- Sunshine Federal Register notices
- Full written explanation of closed meetings
- Certification by the General Counsel on closed meetings
- Commission Determination Statements signed by the Secretary regarding the public disclosure of transcripts of Commission meetings
- Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with the Sunshine Act and Commission policies
- Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence
- Staff Requirements Memoranda for open meetings, memoranda of record, record of votes of Commissioners on items under consideration at meetings

ACRS – Advisory Committee on Reactor Safeguards Documents

Documents in this file pertain to safety-related areas reviewed by the ACRS. ACRS serves as an independent advisory committee to the Commission.

ACRS – Advisory Committee on Reactor Safeguards Documents (Continued)

- ACRS reports relating to safety–related matters
- Announcements of ACRS meetings relating to safety-related matters, including meeting agenda
- Transcripts of ACRS subcommittee and full committee meetings relating to both facility license applications and safety–related matters
- Statements and written testimony of ACRS members or presented by individuals at ACRS proceedings related to both vendor or facility license applications and safety-related matters
- Minutes of ACRS subcommittee and full committee meetings relating to both vendor or facility license application and safety-related matters
- ACRS consultant reports, comments, and related correspondence relating to both vendor or facility license applications and safety–related matters
- Technical correspondence and memoranda to and from ACRS pertaining to safety-related matters
- General correspondence and related material about ACRS, but not prepared by ACRS or its consultants

NOTE: For docket-specific technical correspondence, memoranda and announcements of ACRS meetings, see category O of Docket 50 and 52.

ADVCM – NRC Advisory Committees

Documents in this file pertain to the responsibilities of all NRC advisory committees other than the Advisory Committee on Reactor Safeguards, including:

- Charters of each advisory committee
- Meeting announcements and meeting agenda
- Minutes and verbatim transcripts of committee meetings
- Committee-generated reports, memoranda, and correspondence that are publicly available
- Committee-related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

COMMISSION – NRC Commissioner Correspondence

Documents in this file pertain to the daily conduct of Commission business in the Office of the Commission, including:

- Incoming and outgoing Commission-level correspondence relating to official NRC business, including reports and other enclosures to the aforementioned correspondence
- Travel vouchers, telephone logs, and official appointment calendars of participating Commissioners. (These are placed in the PDR at the discretion of individual Commissioners.)
- Speeches, interviews and testimony given by Commissioners at meetings, symposia, and congressional hearings
- Vote sheets
- Weekly information reports (numbered as part of the SECY series) prepared for the Commissioners by the Executive Director for Operations (EDO) summarizing key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see nondocket File 10 CFR 9.7. For all other staff papers with the SECY-series designation prepared for Commission review, see the SECY non-docket file.

CONTRACT – NRC Contracts and Grants

Documents in this file pertain to AEC and NRC contracts, grants and interagency agreements, including:

- Notification of contracts and grants execution that specifies contract number, project title, contractor name, contract type, funding, and period of performance
- Contractual documents and modifications to contracts

DEFINITIONS OF NONDOCKETED CATEGORIES

FOIA – Freedom of Information Act Requests and Appeals

Documents in this file include requests, denials, and appeals for agency records and information about records released in accordance with the provisions of the Freedom of Information Act (FOIA). Each is assigned a sequential identification number based on the year the request is made, for example, 95–110 refers to the 110th FOIA request made in 1995.

- Requests made under the FOIA for NRC records
- Correspondence between NRC and the requester relevant to the processing, granting, denial, and appeal of an FOIA request
- Records or portions thereof released in response to FOIA requests or made under FOIA appeals

GEN TECH IS – Generic Technical Issues

Documents in this file pertain to unresolved safety issues of a generic nature that are being analyzed by the NRC Office of Nuclear Reactor Regulation (NRR), including:

- Draft reports of action plans to accomplish generic tasks in the NRR program
- Correspondence with industry and within NRC discussing methodologies, analyses, the program, and technical aspects of issues
- Meeting notifications and minutes
- Interim findings and status reports on generic tasks addressing related aspects of generic technical issues

I&E – Inspection and Enforcement Issuances

Documents in this file include bulletins and information notices that are issued by the NRC Office of Nuclear Reactor Regulation. These issuances describe some event that has occurred at a facility and that may require some follow-up action by the licensee. Also included in this file are draft Bulletins, draft Information Notices, and draft Generic Communications (I&E Misc), Preliminary Notifications of Events or Unusual Occurrences (PNOs), Preliminary Notifications of Safeguards Events or Unusual Occurrences (PNSs), Enforcement Notifications (ENs) and significant Enforcement Actions (EAs).

- Circulars, that describe an event at a licensed facility and are informational in nature (these were discontinued in 1981)

I&E – Inspection and Enforcement Issuances (Continued)

- Information Notices, that are similar to Circulars but are preliminary in nature and are issued shortly after an event has occurred
- Bulletins describing an event at a licensed facility and requesting that all recipients perform certain actions as a result of that event
- Draft Bulletins and Information Notices that are being considered for issuance, and their related comments and evaluations
- Draft Generic Communications and related correspondence
- Preliminary Notification of Events or Unusual Occurrences (PNOs), which provide updated information of an event of safety or public interest
- Preliminary Notifications of Safeguard Events or Unusual
- Occurrences (PNSs), which provide early notice of events of possible safety significance
- Enforcement Notifications (ENs) and significant Enforcement Actions (EAs), which provide information on a notice of violation and proposed imposition of civil penalties

NOTE: For utility/vendor responses to such issuances and related correspondence, see categories Q and S in Dockets 50 and 52.

I&E Manual – NRC Inspection Manual

This file contains drafts, finals, revisions, *Federal Register* notices and related correspondence to the NRC Inspection Manual.

DEFINITIONS OF NONDOCKETED CATEGORIES

MISC – Public Document Miscellaneous

This file contains documents about topics not included in the scope of the other non-docketed categories.

NUREG – NRC Staff and Contractor Formal Reports, Conference Proceedings, Brochures, International Agreements Reports, and Related Correspondence

This file contains formal reports on regulatory, technical, and administrative issues of interest to staff, industry, other governmental entities, and the public which are published in the NUREG series.

- Results of licensing studies of specific plants or facilities preliminary to licensing actions
- Results of analyses of general or specific problems of a regulatory or technical nature that are of interest to a major segment of the industry
- Action and review plans, as well as guidance, for complying with NRC requirements
- Task force reports on specific topics
- Proceedings of conferences and workshops
- Management and program analysis reports
- Statistical analyses that are of interest to the staff, the industry, and the public
- Administrative reports that are of interest to the staff, the industry, and the public
- Correspondence from industry, government, and the public commenting on NUREG series reports
- Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the NUREG reports series

NOTE: NUREG reports on plants or facilities are filed according to each plant's specific docket number.

DEFINITIONS OF NONDOCKETED CATEGORIES

ORG – Organizations

This file contains correspondence with professional organizations, government agencies, and associations with which NRC is in contact; records pertaining to specific NRC offices; and petitions not assigned Petition for Rule Making (PRM) numbers that request the Commission to take immediate action on a generic issue.

- Meeting summaries and technical correspondence between the NRC and professional associations
- Correspondence between NRC and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA which has authority to control all radioactive pollutants emitted into the air
- Correspondence and technical information between NRC and Congress
- Reports, technical information, and correspondence between NRC, foreign governments and international organizations
- Internal memoranda, trip reports, and scientific papers pertaining to specific NRC offices

PRESS – Press Releases

This file contains press releases issued by the Office of Public Affairs Headquarters and Regional offices relating to the NRC's regulatory policy and programs, public hearings, and workshops. Press releases are also issued on major licensee programs, changes, proposed fines, and issues effecting the status of licenses.

PR – Proposed and Final Rules

This file contains documents of NRC staff proposals to adopt, amend, or repeal a Commission regulation. Proposed Rules (PRs) can be initiated as a result of a Commission directive, a staff proposal, or a Commission determination that sufficient grounds exist for it to proceed with a Petition for change in an NRC regulation (PRM) filed by an outside party.

- *Federal Register* notice stating the terms or substance of the proposed rule, or a specification of the subject and issues involved
- Text of the Proposed Rule (PR)

PR – Proposed and Final Rules (Continued)

- Draft and generic Proposed Rules and *Federal Register* notices
- Comments, statements, information, opinions, or arguments on the proposed change to a part of the *Code of Federal Regulations*
- Requests from the nuclear industry, organizations, and other parties for written interpretation of the PR
- Final rules and *Federal Register* notices

NOTE: For staff recommendations to the Commission on whether a PR should be adopted, see the SECY non-docket file. For Commission review of staff recommendations, see the 10 CFR 9.7 non-docket file.

PRM – Petitions for Rulemaking

This file contains documents of petitions filed with the Commission by an outside party to issue, amend, or rescind an NRC regulation.

- Petitions filed by any interested person or party to issue, amend, or rescind an NRC regulation
- *Federal Register* notice of the filing of the petition
- Correspondence between NRC and the petitioner relevant to the status and substance of the petition
- Comments from the nuclear industry, professional associations, public interest groups, and others in favor of or in opposition to the PRM
- Statements, motions, orders, and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and a reanalysis of the capacity of operating U.S. plants to withstand earthquakes

NOTE: For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a proposed rule, see the SECY non-docket file. For Commission review of staff recommendations, see the 10 CFR 9.7 non-docket file.

DEFINITIONS OF NONDOCKETED CATEGORIES

PROJ – Projects

This file contains documents pertaining to four classes of projects: (1) commercial nuclear power plants (Docket 50) for which NRC has full review and licensing responsibilities; (2) Government-owned reactors (also Docket 50) for which NRC provides technical expertise and occasional review; (3) design certification and combined licensing (Docket 52) for which NRC has full review and licensing responsibilities; (4) monitored retrieval storage and Topical Reports for storage casks (Project M's) for which NRC has full review and licensing responsibilities. Each class is identified with a P prefix, followed by a series of numbers.

These files contain all documentation up to the time NRC considers the application and the preliminary technical reports complete for review. The project is then assigned a docket number and the file is transferred to a docket series.

- Applications submitted by the vendors or utility
- Backup technical documents and topical reports submitted in support of the application, and related correspondence
- Preliminary Safety Analysis Report (PSAR), amendments, and related correspondence (Docket 50)
- Preliminary Standard Safety Analysis Report (PSSAR), amendments, and related correspondence (Docket 52)
- Application for Preliminary and Final Design Approval and design certification (Docket 52 and Project M), and related correspondence
- Early site review information
- Meeting notices, summaries, and correspondence
- NRC's or the applicant's changes in internal organizational structure
- Reliability Assurance Program and related correspondence (Docket 52)
- Documentation and technical correspondence between NRC and other government agencies relating to the application
- Adjudicatory correspondence
- Quality Assurance documentation, notices of deviation, and related correspondence

DEFINITIONS OF NONDOCKETED CATEGORIES

PT 21 – 10 CFR Part 21 Deficiency Reports

This file contains deficiency reports submitted in compliance with Part 21 of Title 10 of the *Code of Federal Regulations.*

- Reports by firms involved in the nuclear industry reporting noncompliance with NRC regulations or the existence of defects that could create a substantial safety hazard
- Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects
- NRC inspection reports of defects cited
- Correspondence specifying appropriate followup actions to be taken by the agency

QA 999 – Vendor Quality Assurance Inspections

This file contains inspection reports of the vendor/licensee interface from the vendor's view, the vendor's products, and the vendor's programs including equipment environmental qualification testing, and followup correspondence. Each vendor is assigned a docket number and is a part of the QA 999 series.

- Vendors are defined as companies, both U.S. and foreign, that are engaged in the design, manufacture, or testing of nuclear components or in supplying services to the nuclear industry. The controlling criteria are found in 10 CFR Part 21, 10 CFR Part 50, the PSAR and FSAR submitted by utilities for specific facilities, and vendor QA topical reports.
- NRC inspection reports of vendor facilities that cover the design, fabrication, and testing of components for use in nuclear facilities and related correspondence
- Civil penalties notices
- Notices of deviation
- Vendor corrective actions and other followup correspondence associated with resolution of inspection findings

NOTE: For vendor/licensee inspections from the licensee's view, see category Q in Docket 50 and 52.

DEFINITIONS OF NONDOCKETED CATEGORIES

RC – Registration of Certificates of Sealed Sources and Devices

This file contains documents and related correspondence on radiation sources and device designs. Manufactures and distributors applying for registration of their products must submit for review all safety related information, design specifications, QA programs and amendments. **These documents are maintained in the PDR on microfiche only.**

REGGD – Regulatory Guides

This file contains new and revised regulatory guides and related correspondence. These guides describe to the industry and to the public methods acceptable to the NRC staff for implementing specific parts of NRC regulations. They also delineate techniques used by the staff in evaluating specific problems or postulated accidents or provide guidance to applicants.

- *Federal Register* notices announcing the issuance and availability of a proposed Regulatory Guide and revisions
- Revised or newly issued regulatory guides
- Drafts of proposed regulatory guides or proposed revisions
- NRC value/impact assessment
- Comments submitted by the nuclear industry and interested members of the public regarding a proposed regulatory guide
- Summaries of meetings held in the NRC to discuss proposed regulatory guides

NOTE: Industry codes and standards cited in regulatory guides are available for reference use only in the NRC's Technical Library.

RES – Research and Technical Assistance Reports (1974 through 1988)

This file contains reports and technical letters submitted by NRC contractors providing research and technical assistance to the Commission. It also includes research information letters and conference proceedings pertaining to research activities of the Commission.

For final reports of research conducted by contractors, and for conference proceedings, see the NUREG-series non-docket file. See also the WMRES file for research reports on disposal of high-level waste.

REVIEW GRP – Review Groups

This file contains documents pertaining to the activities of internal and external research review groups. Such groups provide a broad base of technical expertise to aid management in reviewing research in defined technical areas. They review and comment on research plans and predicted results of major experiments, the validity and applicability of research results, possible redirection of research projects, new research projects, and priorities within the technical areas covered by the research review group.

- Agenda for quarterly review group meetings
- Summary minutes of review group meetings representing views expressed, including dissenting views
- Research plans and predicted results of major experiments and presentations by research contractors
- Comments on meetings from attendees, including representatives from contractors, universities, vendors, and other agencies
- Internal memoranda relating to topics under discussion
- Correspondence related to the aforementioned items

RM – Rulemakings

This file contains documents pertaining to public hearings held on proposed changes to the Commission's regulations. Hearings are instituted at the discretion of the Commission, based on the importance and the magnitude of the subject being considered.

- Designation of the presiding officer and any special directions for the conduct of the hearing
- Notifications of Hearing Board meetings
- Petitions, motions, testimony, and statements submitted by parties to the hearings
- Transcripts of the proceedings
- Hearing Board orders and rulings
- Technical reports submitted as evidence in the proceedings
- Reports, if any, of the special Board to the Commission regarding the subject proceeding

DEFINITIONS OF NONDOCKETED CATEGORIES

SECY – Staff Position Papers Prepared for the Commission

This file contains staff papers (generally referred to as SECY Papers) prepared for the information or approval of the Commission. They are assigned a SECY report number.

- Policy issue papers are used to present matters relating to policy formulation
- Rulemaking issue papers are used to present rulemaking activities of the Commission
- Adjudicatory issue papers are used to present matters relating to the granting, suspending, revoking, or amending of licenses, or relating to construction permits for nuclear power plants, and activities in which the Commission has an interest
- Information Papers are used to provide information to the Commission. Some (e.g., the weekly report of the Executive Director for Operations) provides general information about agency activities without specific reference to policy formulation, rulemaking, or adjudication

These categories of staff papers may be issued as one of the following: (a) a Commission meeting paper to be discussed at a Commission meeting; (b) an Affirmation paper that does not require interactive discussion among the Commissioners in a Commission meeting but by law must be voted upon by the Commissioners in the presence of each other; (c) a notation vote paper that does not require interactive discussion among all Commissioners or formal vote in a meeting, thereby lending itself to a written notation process; (d) a negative consent paper that contains issues which the Commission would like brought to its attention before action is taken but which does not require the formality of a Commission vote; and (e) information papers that provide information to the Commission and do not call for any action by the Commission.

As a general practice, papers that are regularly released to the public include those that are the subject of discussion at a public meeting of the Commission and those that address unclassified matters pertaining to the export and import of nuclear equipment and material.

NOTE: For Weekly Information Reports (WIR) prepared by the NRC Office of the Executive Director for Operations to the Commission providing a summary of key events and items of interest undertaken by staff and program offices, see the Commission Correspondence non-docket file.

SPCH – Speeches

This file contains speeches by the Chairman and Commissioners presented at National and international regulatory information conferences, industrial forums, advisory committees, symposiums, workshops, and energy policy groups.

DEFINITIONS OF NONDOCKETED CATEGORIES

STATE PR0G – State Programs

This file contains documents that pertain to the Commission's relations with State governments. Areas covered include: (1) the NRC and State Agreement and its amendments, whereby States may assume certain of the NRC's regulatory authority over nuclear materials; and (2) a wide range of liaison and cooperative activities regarding such functions as licensing, inspection procedures, and waste disposal.

- Correspondence between the NRC Office of State Programs and State officials, State liaison officers and radiation control management health officials, regarding:
  - Cooperative programs in such technical areas as radiological incidents, water quality, radioactive waste disposal, and transportation surveillance
  - NRC reviews of Agreement State radiation control programs
  - Technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas
- Notices prohibiting involvement in NRC-licensed activities
- Agenda, reports, and transcripts of regional workshops
- Training programs on current matters of policy and regulations; i.e., decommissioning and radioactive waste disposal
- State legislative reports (discontinued in December 1984)
- Agreement State licensing statistics reports (discontinued in December 1984)

NOTE: For specific uranium milling and mining projects in which the NRC is providing technical assistance to States, see the Project non-docket file.

TOPREP – Topical Reports and Related Correspondence

This file contains Topical Reports, generally of a generic technical nature, submitted by vendors; and correspondence pertaining to the NRC review of these reports. Vendor-related correspondence that is not docket specific and documents generated by vendor-related owners groups are also included in this file.

- Topical reports dealing with such technical matters as specifications, testing, and safety that are submitted by architects, engineers, and other vendors
- Revisions, modifications, and amendments to topical reports
- Correspondence between NRC and vendors pertaining to the review of submittals

TOPREP – Topical Reports and Related Correspondence (Continued)

- Meeting agenda, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies, and design criteria
- Vendor-related Owners' Group meeting announcements, agenda, summaries, reports and correspondence

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the file categories for the docket series.

WASH – AEC–Issued Formal Reports and Related Correspondence

This file contains formal reports that were issued by the U.S. Atomic Energy Commission (AEC) headquarters staff and related correspondence. The WASH reports, which consisted of administrative, scientific, and technical information, ended in 1975, but correspondence occasionally refers to WASH reports. Post–1975 NRC-issued formal reports carry the NUREG-series designation.

WM – Waste Management Documents

This file contains documents related to the activities of the NRC Division of Waste Management. Each topic has been assigned a unique number, prefixed by the letters WM. Documents in these files include:

- NRC and DOE prelicensing activities regarding the disposal of high-level waste in geologic repositories, in accordance with the Nuclear Waste Policy Act of 1982 as follows:
  - Technical high-level waste site prelicensing documentation
  - Meeting agenda, minutes and backup documents of DOE/NRC meetings in which DOE presents information on its geologic exploration program to identify sites for nuclear waste repositories
  - Briefings by DOE on current research on nuclear waste management
- NRC reviews of the site-by-site implementation of DOE's program for uranium mill tailings remedial actions, in accordance with the Uranium Mill Tailings Radiation Control Act of 1978
- Correspondence and comments between NRC and the Environmental Protection Agency (EPA) pertaining to the high–level waste standard

WM – Waste Management Documents (Continued)

- NRC topical report reviews and associated correspondence
- Correspondence from the public and other non-government organizations for the aforemention items

NOTE: For contractor research on waste management activities, see the WMRES non-docket file.

WMRES – Waste Management Contract Documents

This file contains interim and final reports and correspondence between NRC and its contractors regarding prelicensing activities in the area of high-level waste disposal in geologic repositories, including:

- Periodic contractor progress reports
- Trip reports
- Draft and final reports submitted for NRC review or information
- Correspondence between NRC staff and contractors related to technical questions or issues to be resolved

XPORTLIC – Export and Import Licenses

This file contains records relating to the issuance of licenses to export or import nuclear facilities and materials, including:

- License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components, or reactor materials
- Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment
- Commission letters requesting Executive Branch (e.g., U.S. Department of State) views
- Review and findings of the Executive Branch on whether issuance of license would be inimical to the common defense and security of the United States

XPORTLIC – Export and Import Licenses (Continued)

- Correspondence to and from foreign governments, international organizations, and members of the public
- Hearing records and decisions
- Memoranda from the Office of the Secretary to the Executive Director for Operations (EDO) regarding the Commission's decision on issuing a proposed license
- Licenses, license amendments, and license renewals
- Periodic report on export actions

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see the 10 CFR 9.7 and the SECY non-docket file.

NRC FORM 335 (2-89) NRCM 1102, 3201, 3202

U.S. NUCLEAR REGULATORY COMMISSION

BIBLIOGRAPHIC DATA SHEET

(See instructions on the reverse)

1. REPORT NUMBER (Assigned by NRC, Add Vol., Supp., Rev., and Addendum Numbers, if any.)

NUREG-0540
Vol. 18, No. 4

2. TITLE AND SUBTITLE

Title List of Documents Made Publicly Available

April 1-30, 1996

3. DATE REPORT PUBLISHED

MONTH	YEAR
June	1996

4. FIN OR GRANT NUMBER

5. AUTHOR(S)

6. TYPE OF REPORT

Monthly

7. PERIOD COVERED (Inclusive Dates)

8. PERFORMING ORGANIZATION - NAME AND ADDRESS (If NRC, provide Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address; if contractor, provide name and mailing address.)

Division of Freedom of Information and Publications Services
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

9. SPONSORING ORGANIZATION - NAME AND ADDRESS (If NRC, type "Same as above"; if contractor, provide NRC Division, Office or Region, U.S. Nuclear Regulatory Commission, and mailing address.)

Same as 8, above.

10. SUPPLEMENTARY NOTES

E. B. Morris, NRC Project Manager

11. ABSTRACT (200 words or less)

This document is a monthly publication containing descriptions of information received and generated by the U.S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author, Corporate Source, Report Number, and Cross Reference of Enclosures to Principal Documents.

12. KEY WORDS/DESCRIPTORS (List words or phrases that will assist researchers in locating the report.)

title list

13. AVAILABILITY STATEMENT

Unlimited

14. SECURITY CLASSIFICATION

(This Page)
Unclassified

(This Report)
Unclassified

15. NUMBER OF PAGES

16. PRICE