

# Using Artificial Intelligence to Improve Reliability and Operational Efficiency of Small-Scale Hydroelectric Distributed Generation

Arjun Bhattacharyya, The University of Tennessee, Knoxville, USA  
Srijib Mukherjee, PhD, PE, Oak Ridge National Laboratory, Oak Ridge, USA

**Abstract**—Reliability and resilience are critical concerns for distributed generation (DG) at the rural electric level. The integration of renewable energy sources, such as small-scale hydroelectric distributed generators (hydro DGs), introduces operational challenges, particularly regarding aging infrastructure and grid stability. Artificial Intelligence (AI)-driven Machine Learning (ML) models and applications of Large Language Models (LLMs) offer promising solutions for optimizing DG operations and enhancing resilience. This paper explores AI-based models for improving efficiency, fault resolution, and outage mitigation in small-scale hydro DGs. Furthermore, it highlights the development of a centralized, AI-powered information portal for rural electric cooperatives and municipalities. The research evaluates hydro DG plant models and discusses the applicability of AI-powered question-answering tools for real-time operations, focusing on statistical data, load flow, voltage regulation, and generation power. The findings demonstrate AI’s potential to transform DG management to ensure greater stability and resilience in rural electric grids.

**Index Terms**—Distributed Generation, Reliability, Resilience, Artificial Intelligence, Machine Learning, Large Language Models, Hydro DG, Rural Electric Utilities.

## I. INTRODUCTION

The global energy landscape is undergoing a significant transformation, shifting from centralized power generation toward a more decentralized, distributed model. This evolution is driven by increasing concerns regarding environmental sustainability, energy security, and the need for greater grid resilience. Distributed generation (DG) systems, particularly small-scale hydroelectric power plants, are emerging as a crucial component in this transition as they offer reliable renewable energy solutions for rural and remote communities.

However, integrating DG into the existing energy infrastructure presents a range of technical and operational challenges. Traditional bulk power systems, particularly in the United States, rely on aging frequency-regulating infrastructure that was not originally designed to accommodate bidirectional power flows associated with DG. These challenges create vulnerabilities in grid stability, necessitating innovative solutions to ensure seamless integration and optimal performance of DG resources.

Artificial Intelligence and machine learning algorithms have revolutionized industries by enabling intelligent automation, predictive analytics, and data-driven decision-making. In the context of DG operations, AI-driven models offer the potential

to improve reliability, efficiency, and fault detection and thereby mitigate risks associated with equipment failures and power outages. By leveraging AI-powered algorithms, utilities can optimize power dispatch, enhance real-time monitoring, and predict equipment failures before they occur. Furthermore, LLMs provide an additional layer of operational support, offering insights, recommendations, and troubleshooting assistance for grid operators.

This paper explores the application of AI-based methodologies in enhancing the reliability and resilience of DG systems; particular focus is given to small-scale hydroelectric distributed generators (hydro DGs). The research highlights the development of a centralized AI information portal aimed at supporting rural electric cooperatives and municipalities. This study presents a framework for improving the efficiency and sustainability of distributed renewable energy systems via advanced data analytics, real-time monitoring, and AI-assisted fault resolution. Ultimately, the integration of AI into DG operations has the potential to transform rural energy management, ensuring greater accessibility to reliable and clean power sources.

## II. HOW THE GRID IS EVOLVING

Since the advent of modern power system interconnections, operational and planning frameworks have been designed based on the assumptions of dispatchable, high-inertia, and centralized generation resources. However, as the energy sector continues to evolve to meet modern electricity demands, significant transformations in the grid infrastructure have emerged. The increasing penetration of renewable energy sources is among the most prominent changes. This change has been driven by technological advancements, policy interventions, and financial incentives, all of which have contributed to a decline in deployment costs. Over the past two decades, electrical grids have witnessed substantial growth in variable, nonsynchronous, and decentralized generation sources, which have fundamentally altered conventional power system dynamics [1].

The integration of renewable energy introduces uncertainties in forecasting and system stability, demanding unique reliability considerations for different renewable generation technologies at their respective interconnection points. For instance, the ability to provide frequency support and fault ride-through capabilities is contingent upon advanced inverter control strategies, as standardized by IEEE 1547-2018 [2].

*This manuscript has been authored by UT-Battelle, LLC, under contract DE-AC05-00OR22725 with the US Department of Energy (DOE). The US government retains and the publisher, by accepting the article for publication, acknowledges that the US government retains a nonexclusive, paid-up, irrevocable, worldwide license to publish or reproduce the published form of this manuscript, or allow others to do so, for US government purposes. DOE will provide public access to these results of federally sponsored research in accordance with the DOE Public Access Plan (<http://energy.gov/downloads/doe-public-access-plan>).*

Additionally, the spread of microprocessor-based technologies has significantly enhanced data acquisition, communication, and real-time control within modern power networks. Although the definition of a *smart grid* varies, smart grids are broadly characterized by the integration of advanced sensing, communication, and control mechanisms aimed at improving grid reliability and efficiency [3].

The transition towards a smart grid architecture is partially a response to the increasing share of renewable generation. However, this transition is also evident across transmission, distribution, and end-user levels, where digitalization has led to the deployment of sophisticated networked control devices. The evolution of the generation profile is primarily distinguished by changes in dispatchability, system inertia, and decentralization, as depicted in Fig. 1. Concurrently, the advancement of digital grid technologies is exemplified by the widespread implementation of wide-area measurement systems that use synchrophasor technology and advanced metering infrastructure supported by smart meters. These developments are pivotal in enhancing the observability, controllability, and resilience of modern power systems in response to an increasingly dynamic energy landscape [4].




Fig. 1: Evolution of the grid toward inverter-based renewable energy sources [5].

### III. DISTRIBUTED GENERATION AND RURAL ELECTRIC INFRASTRUCTURE

#### A. Role of Small-Scale Hydro DGs

Small-scale hydroelectric power generation, often referred to as micro or mini hydropower, plays a pivotal role in supplying reliable and sustainable energy to rural and isolated communities. These systems harness the kinetic energy of flowing water to generate electricity, offering a renewable alternative to fossil fuels. One of the primary advantages of small-scale hydro DGs is their ability to operate independently of centralized power grids; this ability makes these systems ideal for remote areas where grid extension is economically or technically unfeasible. Moreover, the environmental footprint of these small-scale systems is typically lower compared with that of large-scale hydroelectric projects because small-scale systems often use run-of-river designs that minimize ecological disruption. The implementation of small-scale hydroelectric

systems not only provides essential electricity for lighting, heating, and communication but also fosters economic development by powering local industries and improving overall quality of life. Additionally, by reducing reliance on imported fuels, these systems enhance energy security and contribute to the reduction of greenhouse gas emissions. Engaging local communities in the planning and operation of hydro DGs further ensures that the benefits are equitably distributed and that the projects are tailored to meet specific local needs [6].

#### B. Challenges in Rural Grid Operations

The integration of distributed generation into rural electric infrastructure presents several challenges that must be addressed to ensure grid reliability and efficiency. One significant issue is voltage regulation. Traditional rural distribution networks were designed for unidirectional power flow, which delivers electricity from centralized plants to consumers. The introduction of DG, especially variable renewable energy sources such as solar and wind, can cause fluctuations in voltage levels, leading to power quality issues. For instance, when local generation exceeds demand, reverse power flow can occur, potentially causing overvoltage conditions and complicating the operation of voltage-control devices [7].

Another challenge is the protection of the electrical network. The presence of multiple generation sources can alter fault currents and disrupt the coordination of protection schemes, making it difficult to detect and isolate faults effectively. This complexity necessitates the development of advanced protection strategies that can adapt to varying power flows and ensure rapid fault detection and isolation [8].

Additionally, the intermittent nature of renewable energy sources introduces uncertainty in power supply. Solar and wind generation are weather-dependent, leading to variability that can challenge grid stability, especially in systems with high penetration levels of these resources. This intermittency requires the implementation of robust forecasting methods and the integration of energy storage solutions to balance supply and demand effectively [9].

Furthermore, many rural electric utilities operate with aging infrastructure and may lack the financial resources and technical expertise necessary to upgrade their systems to accommodate DG. Upgrading grid infrastructure to handle bidirectional power flows, implementing advanced monitoring and control systems, and training personnel are essential steps, but these steps can be resource-intensive. Collaborative efforts, including policy support, funding mechanisms, and technical assistance, are crucial to overcoming these barriers and ensuring the successful integration of DG into rural electric grids [10].

#### IV. ENHANCING RELIABILITY AND RESILIENCE BY USING AI

The integration of AI into DG systems offers transformative potential for enhancing grid reliability and resilience. By leveraging advanced machine learning algorithms and data analytics, AI facilitates predictive maintenance, fault detection, and optimized energy management, thereby addressing the complexities introduced by decentralized renewable energy sources.




Fig. 2: Goals and themes of the evolving electrical grid [4]. Source: Idaho National Laboratory

##### A. AI-Based Grid Optimization

AI-driven grid optimization employs ML models to analyze vast datasets, enabling precise forecasting of energy demand and generation. Techniques such as neural networks and support vector machines process historical and real-time data to predict consumption patterns and renewable output; these techniques facilitate efficient energy dispatch and reduce operational costs. For instance, AI algorithms can dynamically adjust voltage controls and reactive power compensation to maintain grid stability amidst fluctuating inputs from renewable sources. The implementation of AI in grid optimization not only enhances operational efficiency but also supports the seamless integration of DG into existing power networks [11].

An application is the use of reinforcement learning (RL) for day-ahead grid planning and real-time energy dispatch. A study titled “Reinforcement Learning Based Power Grid Day-Ahead Planning and AI-Assisted Control” introduced an RL-based model that learns optimal control policies for power grid operations [12]. The RL agent was trained using historical grid data to forecast energy demand and generation capacity, dynamically adjusting power flow based on real-time conditions.

The observations from the study were as follows:

- The RL-based control system enhanced grid stability, particularly in cases of fluctuating renewable energy inputs
- Operational costs were reduced by optimizing energy dispatch, effectively balancing supply and demand
- The AI model performed better than traditional static optimization methods by continuously adapting to real-world grid uncertainties

This example demonstrates how AI-driven optimization methods can make power systems more resilient, efficient, and cost-effective, enabling better integration of renewables without compromising stability.

##### B. Fault Prediction and Preventive Maintenance

AI applications in fault prediction and preventive maintenance play a crucial role in minimizing system downtime and enhancing reliability. ML models analyze historical operational data to identify patterns indicative of potential equipment failures. Early fault detection allows operators to schedule maintenance proactively and thereby reduce unexpected outages.

In a study [13], a generative AI approach was applied to analyze continuous point-on-wave measurements. The authors identified abnormal voltage fluctuations associated with potential transformer and grid faults. The study reported a 30% reduction in unplanned outages, showcasing the effectiveness of AI in improving predictive maintenance strategies. By employing AI in fault detection, rural utilities can optimize maintenance schedules, enhance grid reliability, and extend equipment lifespan.

##### C. AI-Assisted Decision-Making

AI-driven decision support systems, which analyze vast datasets and provide real-time recommendations to grid operators, have been instrumental in improving operational efficiency. LLMs process diverse data sources, including weather forecasts, power demand trends, and equipment performance metrics, to generate actionable insights for optimizing power dispatch.

One practical implementation of AI in decision-making is illustrated in the referenced literature [14]. An AI-powered grid resilience model was developed to predict and mitigate the effects of extreme weather events on distributed energy resources. The model used ML algorithms to analyze historical weather patterns, infrastructure vulnerability data, and real-time meteorological inputs to anticipate potential disruptions. By leveraging AI-driven simulations, the system was able to identify high-risk grid components, enabling utilities to reinforce infrastructure in advance. Furthermore, the study demonstrated that AI-assisted grid hardening reduced system vulnerability by 40% by implementing adaptive resource allocation strategies and real-time contingency planning. This proactive approach allowed grid operators to optimize energy distribution, minimize outage durations, and enhance overall grid resilience against climate-induced disruptions.

## V. AI-POWERED HYDROELECTRIC POWER PLANT RELIABILITY ANALYSIS

### A. *Hydropower Component Mapping and NERC GADS Cause Codes*

A key aspect of hydroelectric power plant reliability analysis is understanding component-level failure modes and their effect on overall system performance. The North American Electric Reliability Corporation (NERC) Generating Availability Data System (GADS) provides a structured approach to tracking and analyzing failure events in power generation facilities.

#### 1. Hydropower Taxonomy and Failure Mode Definition

Hydroelectric power plant components are classified into major categories, such as turbines, generators, transformers, control systems, and balance-of-plant components, to ensure a comprehensive reliability assessment. Each category is further divided into specific failure modes, including mechanical, electrical, structural, and instrumentation failures.

AI is leveraged to create an automatic mapping table to link hydroelectric power components with corresponding NERC GADS cause codes. This structured approach enhances failure classification and enables predictive failure mode analysis. AI-driven algorithms refine this mapping via historical data validation and expert consultation.

### B. *Understanding the Physics of Hydroelectric Power Operations*

AI models are trained to analyze the physics of hydroelectric power plant operations to improve predictive maintenance. This step focuses on identifying correlations between different components and understanding the cascading effects of failures.

#### 1. Balance of Plant and Switchyard to Grid Correlations

By examining power flow dynamics, voltage fluctuations, and component interactions, AI models can determine how failures in one system affect other systems. For example, turbine malfunctions may affect generator efficiency, and transformer failures may lead to grid instability.

#### 2. AI-Based Predictive Analytics for Failure Correlation

Using neural networks and deep learning models, AI systems identify patterns in operational data to predict potential failures. These models are trained on historical performance data and real-time sensor readings to enable proactive maintenance interventions.

### C. *Synthetic Data for AI Model Training*

One of the challenges in AI-driven reliability analysis will be the limited availability of failure data. To overcome this, synthetic data will be generated to train AI models effectively.

#### 1. Development of Synthetic Operational Data

By simulating different operational conditions and failure scenarios, AI-generated synthetic datasets will replicate real-world conditions. These datasets will include parameters such as component health, vibration analysis, and power output fluctuations.

#### 2. Enhancing AI Model Accuracy with Synthetic Data

Synthetic data will be integrated into AI training pipelines to improve model robustness. By diversifying training datasets, AI models will better generalize predictions and identify rare failure events.

### D. *ChatHydro: AI-Enabled Decision Support System*

*ChatHydro* will be a state-of-the-art, AI-powered decision support tool specifically designed for hydroelectric power plant operators. The system will leverage advanced natural language processing (NLP) and ML algorithms to provide real-time insights, improving decision-making and operational efficiency. By integrating *ChatHydro* with real-time monitoring systems, hydroelectric power operators will be able to access critical operational data, assess failure risks, and proactively perform corrective actions.

#### 1. AI-Driven Question–Answer Interface

*ChatHydro* will function as an interactive AI assistant capable of interpreting and responding to queries related to hydroelectric power plant operations. Using a LLM, the system will be able to process natural language inputs and provide precise, data-driven responses. Operators will have the ability to query the system for the following information:

- The expected effect of specific component failures, such as turbine malfunction or transformer overheating
- Optimization strategies for improving power output under different hydrologic conditions
- Predictive failure analysis based on historical trends and real-time sensor inputs

By automating responses to routine and complex operational queries, *ChatHydro* will reduce the cognitive load on plant operators and enable them to more quickly make informed decisions.

#### 2. Integration with Real-Time Monitoring Systems

*ChatHydro* will be integrated with hydroelectric power plant supervisory control and data acquisition (SCADA) systems to maximize its utility. This integration will allow the AI model to

process and analyze real-time operational data, including the following:

- Turbine efficiency metrics and load conditions
- Generator performance data and potential fault indicators
- Voltage fluctuations and grid stability parameters
- Environmental conditions affecting hydropower production

ChatHydro will offer predictive insights and recommendations via real-time monitoring and analysis. For example, if the system detects an anomaly in turbine vibration data, it will alert operators about the potential for mechanical failure and suggest preventive maintenance actions before critical failures occur.

### 3. Enhancing Reliability through AI-Powered Diagnostics

ChatHydro will also serve as a diagnostic tool capable of detecting patterns in operational data and identifying probable causes of system inefficiencies. By continuously learning from historical data, the AI model will refine its predictions and improve reliability assessments over time. Key benefits of this feature will include the following:

- Automated fault detection and classification
- Risk-based prioritization of maintenance tasks
- Reduced downtime via proactive issue resolution

As the model evolves, it will integrate feedback from operators and reliability engineers to enhance its accuracy and applicability in diverse hydroelectric power plant settings.

### 4. Future Developments and Adaptations

Although the initial deployment of ChatHydro will focus on predictive analytics and real-time diagnostics, future enhancements will incorporate additional capabilities, including the following:

- AI-driven anomaly detection using advanced deep learning techniques
- Integration with weather forecasting models to predict water flow variations
- Automated generation scheduling based on demand-response signals

As its functionality expands, ChatHydro will play a crucial role in modernizing hydroelectric power plant operations and ensuring a more resilient, data-driven approach to plant management.

### E. Proposed Work and Future Enhancements

The AI-powered hydroelectric power plant reliability framework will undergo continuous improvements through research and real-world validation.

#### 1. Validation with Expert Consultation

The system will be validated using real-world failure data and expert feedback to ensure AI model accuracy. Collaboration with hydroelectric power engineers will refine AI-driven failure mode identification.

#### 2. Expansion of AI-Driven Predictive Maintenance

Future enhancements will include expanding AI models to incorporate weather forecasting, hydrologic cycle predictions, and adaptive control algorithms for optimizing hydroelectric power generation.

## VI. CONCLUSION

The integration of AI into DG is revolutionizing reliability and resilience in rural electric utilities. This paper discusses AI's transformative role in optimizing grid operations, predictive maintenance, and real-time decision support.

AI-driven models, such as ML models and LLMs, enhance DG efficiency by forecasting demand, managing congestion, and predicting equipment failures. RL has proven effective in reducing operational costs and stabilizing energy distribution, and AI-powered fault detection minimizes unplanned outages. Decision support tools such as *ChatHydro* enable real-time insights, enhancing operational awareness and response times.

AI in hydroelectric power plant management improves reliability via failure mode analysis, predictive maintenance, and synthetic data generation. ChatHydro's NLP capabilities further bridge human expertise with data-driven decision-making.

Despite challenges such as data privacy and cybersecurity, AI's potential in DG operations is undeniable. Future research should refine AI models, improve interoperability, and develop advanced predictive maintenance algorithms. By embracing AI, rural utilities can enhance system reliability, improve efficiency, and support a smarter, more resilient power grid.

## VII. REFERENCES

- [1] C. Phylisia, D. Glennon, A. Mate, A. Barnes and V. Chalishazar, "Resilience in an Evolving Electrical Grid," *Energies*, vol. 14, no. 3, p. 25, 2021.
- [2] A. N. S. Institute, "IEEE 1547-2018: IEEE Standard for Interconnection and Interoperability of Distributed Energy," Standard; Institute of Electrical and Electronics Engineers, Piscataway, NJ, USA, 2018.

- [3] G. Dileep, "A Survey on Smart Grid Technologies and Applications," *Energy*, vol. 146, p. 2589–2625, 2020.
- [4] US Department of Energy, "Transforming The Nation's Electricity System: The Second Instalment of the QER," US DoE, 2021.
- [5] U. Tamrakar, D. Shrestha, M. Maharjan, B. Bhattarai, T. Hansen and Tonkoski, "Virtual Inertia: Current Trends and Future Directions," *Appl. Sci.*, vol. 7, p. 654, 2017.
- [6] International Renewable Energy Agency (IRENA), "Leveraging local capacity for small-scale hydropower," International Renewable Energy Agency (IRENA), 2023.
- [7] National Renewable Energy Laboratory (NREL), "Grid-Integrated Distributed Solar: Addressing Challenges for Public Utility Commissions," 2016.
- [8] University of North Carolina at Charlotte, "Addressing Protection Challenges in Electric Power Grids with Distributed Generation: Focus on Directional Elements," 2023.
- [9] Power Magazine, "Distributed Energy Resources Bring Benefits, Challenges and New Opportunities," *Power*, 2016.
- [10] Oak Ridge National Laboratory, "Small Hydropower in the United States," Oak Ridge National Laboratory, Oak Ridge , 2015.
- [11] M. Mohammadi and A. Mohammadi, *Empowering Distributed Solutions in Renewable Energy Systems and Grid Optimization*,, arXiv preprint, 2023.
- [12] A. R. Fuxjäger, K. Kozak, M. Dorfer, P. M. Blies and M. Wasserer, *Reinforcement Learning Based Power Grid Day-Ahead Planning and AI-Assisted Control*, arXiv Cornell, 2023.
- [13] L. Tong, X. Wang and Q. Zhao, *Grid Monitoring with Synchro-Waveform and AI Foundation Model Technologies*, arXiv Cornell, 2025.
- [14] R. Thomas, P. Nair and B. Hughes, "Artificial Intelligence-Assisted Power Grid Hardening in Response to Extreme Weather Events," *IEEE Access*, vol. 12, pp. 59876-59892, 2024.